VITAL STATISTICS OF THE UNITED STATES

1962

VOLUME II—MORTALITY

PART B

U.S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE

ANTHONY J. CELEBREZZE, SECRETARY

PUBLIC HEALTH SERVICE

LUTHER L. TERRY, SURGEON GENERAL

WASHINGTON : 1964

For sale by the Superintendent of Documents, U.S. Government Printing Office
Washington, D.C., 20402 - Price $4.50

NATIONAL CENTER FOR HEALTH STATISTICS

FORREST E. LINDER, PH. D., *Director*
THEODORE D. WOOLSEY, *Assistant Director*
O. K. SAGEN, PH. D., *Assistant Director*

NATIONAL VITAL STATISTICS DIVISION

O. K. SAGEN, PH. D., *Chief*
ROBERT D. GROVE, PH. D., *Assistant Chief*
MONROE G. SIRKEN, PH. D., *Surveys and Actuarial Branch*
ELEANOR L. MADIGAN, *Computer Applications Branch*
J. K. KNEE, *Conference and Training Branch*
HUGH CARTER, PH. D., *Marriage and Divorce Statistics Branch*
LILLIAN GURALNICK, *Mortality Statistics Branch*
ANDERS S. LUNDE, PH. D., *Natality Statistics Branch*
HAZEL V. AUNE, *Registration Methods Branch*
MARVIN C. TEMPLETON, *Statistical Operations Branch*
MARSHALL C. EVANS, *Administrative Services*
JOHN STORCK, PH. D., *Staff Assistant*

VITAL STATISTICS OF THE UNITED STATES, 1962
VOLUME II–MORTALITY

PART B

Section 7. Geographic Detail for Mortality: Tables

Total number of deaths, deaths from selected causes, infant deaths, neonatal deaths, fetal deaths, and selected rates and ratios. Tabulations shown by each State, county, specified urban places, metropolitan and nonmetropolitan counties, urban and rural areas, and standard metropolitan statistical areas.

Section 8. Puerto Rico and Virgin Islands: Tables

Trend of the crude death rate. Frequency tabulations for most variables shown in other sections in Volume II.

A brief summary of the contents for each section is listed above for the convenience of the reader. A complete table of contents is shown at the beginning of each section and is identified by a narrow black edge which can be located easily by fanning the pages. Each section is paged independently, using the section number as the identifying prefix.

Guide to tables in Section 7

(All data are for deaths occurring in the United States. Excludes fetal deaths. Data for geographic areas within the United States are by place of residence unless otherwise noted)

TABLE: 7	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10
PAGE: 7	-3	-60	-77	-94	-114	-368	-372	-384	-548	-553
Geographic area:										
Counties	X[1]							X	X	
Metropolitan and nonmetropolitan counties		X	X					X		
Specified urban places	X							X		X
Standard metropolitan statistical areas				X			X			
States	X[1]	X	X		X	X[2]		X	X	
United States	X	X	X			X		X	X	
Urban and rural areas		X						X		
Type of entry:										
Number of deaths—all ages	X	X	X	X	X	X	X	X	X	X
Number of fetal deaths	X	X								
Number of infant deaths	X	X								
Number of neonatal deaths	X	X								
Fetal death ratios (per 1,000 live births)		X								
Infant mortality rates (per 1,000 live births)		X								
Neonatal mortality rates (per 1,000 live births)		X								
Characteristics:										
Age:										
5-year age groups					X					
10-year age groups			X	X	X					
Cause of death:										
60 selected causes					X	X	X			
Selected causes								X		
Specified infective diseases									X	X
Color[3]	X	X	X	X	X					
Sex			X	X	X					

[1]Both occurrence and residence distributions.
[2]By place of occurrence.
[3]New Jersey did not require the reporting of color.

Section 7. Geographic Detail for Mortality: Tables

General Tables

7-1. Total, infant, and neonatal deaths, and fetal deaths, by color: United States, each State and county, and specified urban places, 1962---------- 7-3

7-2. Total deaths, infant and neonatal deaths and rates, fetal deaths and ratios, by color, for urban and rural areas in metropolitan counties: United States and each State, 1962---------- 7-60

7-3. Deaths by 10-year age groups, color, and sex, for metropolitan and nonmetropolitan counties: United States and each State, 1962---------- 7-77

7-4. Deaths by 10-year age groups, color, and sex, for standard metropolitan statistical areas of the United States: 1962---------- 7-94

7-5. Deaths from 60 selected causes, by 5-year age groups, color, and sex: Each State, 1962---------- 7-114

7-6. Deaths from 60 selected causes by State of occurrence: United States and each State, 1962---------- 7-368

7-7. Deaths from 60 selected causes for standard metropolitan statistical areas of the United States: 1962---------- 7-372

7-8. Deaths from selected causes: United States, each State and county, urban and rural areas, metropolitan and nonmetropolitan counties, and specified urban places, 1962---------- 7-384

7-9. Deaths from specified infective diseases: United States and specified States and Counties, 1962---------- 7-548

7-10. Deaths from specified infective diseases: Specified urban places in the United States, 1962---------- 7-553

The Technical Appendix—Section 6 in Part A of Volume II. *Vital Statistics of the United States, 1962*—discusses the factors affecting the collection, classification, and interpretation of these mortality statistics.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962

(Data refer only to events occurring within the United States. Deaths exclude fetal deaths. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Specified urban places are those with populations of 10,000 or more in 1960 and are incorporated unless otherwise noted. Figures for white and nonwhite are shown separately for those counties and urban places in which the 1960 populations for nonwhite formed 10-percent or more of the total or numbered 10,000 or more, except for New Jersey which did not require reporting of the color item. All figures by color for the United States exclude data for residents of New Jersey. Figures by color by State and county of occurrence for States other than New Jersey also exclude data for residents of New Jersey; see Technical Appendix)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
UNITED STATES	1,756,720	1,756,720	105,479	76,346	66,421
WHITE	1,488,113	1,488,113	75,812	57,219	47,326
NONWHITE	206,583	206,583	26,535	16,714	17,128
ALABAMA	30,590	30,906	2,420	1,603	1,582
WHITE	19,464	19,744	1,135	881	690
NONWHITE	11,120	11,162	1,285	722	892
AUTAUGA	191	195	20	14	17
WHITE	106	100	8	6	4
NONWHITE	85	95	12	8	13
BALDWIN	391	474	42	19	22
WHITE	292	359	23	12	11
NONWHITE	99	115	19	7	11
BARBOUR	219	273	26	14	19
WHITE	89	120	6	6	4
NONWHITE	130	153	20	8	15
BIBB	105	158	13	10	11
WHITE	78	116	7	6	3
NONWHITE	27	42	6	4	8
BLOUNT	222	250	16	13	6
BULLOCK	145	162	14	8	5
WHITE	49	51	1	-	-
NONWHITE	96	111	13	8	5
BUTLER	280	268	13	7	11
WHITE	163	166	4	3	-
NONWHITE	116	102	9	4	11
CALHOUN	731	797	87	59	40
WHITE	548	593	50	34	29
NONWHITE	183	204	37	25	11
ANNISTON	---	402	45	34	18
WHITE	---	247	17	15	9
NONWHITE	---	155	28	19	9
BALANCE OF COUNTY	---	395	42	25	22
WHITE	---	346	33	19	20
NONWHITE	---	49	9	6	2
CHAMBERS	328	351	29	17	15
WHITE	197	210	8	7	6
NONWHITE	131	141	21	10	9
CHEROKEE	114	144	6	4	2
WHITE	103	129	6	4	2
NONWHITE	11	15	-	-	-
CHILTON	224	245	9	5	13
WHITE	189	207	6	4	8
NONWHITE	35	38	3	1	5
CHOCTAW	143	172	15	10	11
WHITE	52	71	5	4	4
NONWHITE	91	101	10	6	7
CLARKE	262	292	23	14	11
WHITE	127	145	6	4	2
NONWHITE	135	147	17	10	9
CLAY	119	138	11	7	6
WHITE	100	110	5	2	2
NONWHITE	19	28	6	4	4
CLEBURNE	82	119	8	5	3
COFFEE	162	247	27	18	14
WHITE	110	179	11	11	7
NONWHITE	52	68	16	7	7
ENTERPRISE	---	85	14	10	3
WHITE	---	55	7	7	3
NONWHITE	---	30	7	3	-
BALANCE OF COUNTY	---	162	13	8	11
WHITE	---	124	4	4	4
NONWHITE	---	38	9	4	7
COLBERT	375	425	35	30	19
WHITE	263	303	31	27	16
NONWHITE	112	122	4	3	3
SHEFFIELD	---	145	10	8	4
WHITE	---	108	9	7	3
NONWHITE	---	37	1	1	1
BALANCE OF COUNTY	---	280	25	22	15
WHITE	---	195	22	20	13
NONWHITE	---	85	3	2	2
CONECUH	143	184	17	9	11
WHITE	86	111	9	5	3
NONWHITE	57	73	8	4	8
COOSA	42	95	5	4	3
WHITE	24	64	1	1	2
NONWHITE	18	31	4	3	1
COVINGTON	434	418	27	18	19
WHITE	347	338	18	15	11
NONWHITE	87	80	9	3	8
ALABAMA--CON.					
COVINGTON--CON.					
ANDALUSIA	---	108	3	2	6
WHITE	---	76	1	1	4
NONWHITE	---	32	2	1	2
BALANCE OF COUNTY	---	310	24	16	13
WHITE	---	262	17	14	7
NONWHITE	---	48	7	2	6
CRENSHAW	112	166	13	10	13
WHITE	76	113	7	7	8
NONWHITE	36	53	6	3	5
CULLMAN	346	396	27	20	5
CULLMAN	---	98	6	4	-
BALANCE OF COUNTY	---	298	21	16	5
DALE	219	257	31	20	23
WHITE	188	223	25	17	16
NONWHITE	31	34	6	3	7
DALLAS	729	654	74	44	56
WHITE	209	181	10	8	9
NONWHITE	520	473	64	36	47
SELMA	---	336	23	13	20
WHITE	---	114	4	2	6
NONWHITE	---	222	19	11	14
BALANCE OF COUNTY	---	318	51	31	36
WHITE	---	67	6	6	3
NONWHITE	---	251	45	25	33
DE KALB	303	375	14	8	16
ELMORE	208	298	24	13	14
WHITE	105	171	5	5	5
NONWHITE	103	127	19	8	9
ESCAMBIA	349	355	27	18	22
WHITE	218	216	12	8	7
NONWHITE	131	139	15	10	15
ETOWAH	857	862	50	41	38
WHITE	705	713	39	34	22
NONWHITE	152	149	11	7	16
GADSDEN	---	516	31	26	30
WHITE	---	396	22	21	15
NONWHITE	---	120	9	5	15
BALANCE OF COUNTY	---	346	19	15	8
FAYETTE	144	155	13	6	2
WHITE	119	128	6	4	-
NONWHITE	25	27	7	2	2
FRANKLIN	239	238	18	13	8
GENEVA	155	212	12	8	5
WHITE	129	181	6	5	3
NONWHITE	26	31	6	3	2
GREENE	136	148	15	10	12
WHITE	22	24	-	-	-
NONWHITE	114	124	15	10	12
HALE	186	204	29	10	16
WHITE	61	39	-	-	1
NONWHITE	125	165	29	10	15
HENRY	114	158	15	11	4
WHITE	60	89	6	4	1
NONWHITE	54	69	9	7	3
HOUSTON	583	498	48	26	20
WHITE	422	334	19	13	10
NONWHITE	161	164	29	13	10
DOTHAN	---	287	31	17	10
WHITE	---	173	13	8	5
NONWHITE	---	114	18	9	5
BALANCE OF COUNTY	---	211	17	9	10
WHITE	---	161	6	5	5
NONWHITE	---	50	11	4	5
JACKSON	263	317	18	14	17
JEFFERSON	6,557	6,192	371	281	297
WHITE	3,910	3,583	176	159	121
NONWHITE	2,645	2,609	195	122	176
BESSEMER	---	403	23	18	27
WHITE	---	161	5	5	3
NONWHITE	---	242	18	13	24
BIRMINGHAM	---	3,676	199	144	170
WHITE	---	1,989	81	74	62
NONWHITE	---	1,687	118	70	108
FAIRFIELD	---	152	6	6	8
WHITE	---	66	3	3	1
NONWHITE	---	86	3	3	7
HOMEWOOD	---	132	7	6	1
WHITE	---	106	6	5	1
NONWHITE	---	26	1	1	-
MOUNTAIN BROOK	---	103	6	6	3
BALANCE OF COUNTY	---	1,726	130	101	88
WHITE	---	1,158	75	66	51
NONWHITE	---	568	55	35	37

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 day.	
ALABAMA--CON.					
LAMAR	121	176	8	5	4
WHITE	96	140	6	5	3
NONWHITE	25	36	2	-	1
LAUDERDALE	475	464	26	20	26
WHITE	395	385	18	14	17
NONWHITE	80	79	8	6	9
FLORENCE	---	233	19	15	14
WHITE	---	185	13	11	11
NONWHITE	---	48	6	4	3
BALANCE OF COUNTY	---	231	7	5	12
LAWRENCE	149	193	12	8	8
WHITE	105	137	7	6	4
NONWHITE	44	56	5	2	4
LEE	344	413	47	30	22
WHITE	169	198	13	12	3
NONWHITE	174	215	34	18	19
AUBURN	---	97	13	11	10
WHITE	---	48	4	4	2
NONWHITE	---	49	9	7	8
OPELIKA	---	131	9	7	3
WHITE	---	71	5	4	1
NONWHITE	---	60	4	3	2
BALANCE OF COUNTY	---	185	25	12	9
WHITE	---	79	4	4	-
NONWHITE	---	106	21	8	9
LIMESTONE	312	339	23	16	21
WHITE	233	251	13	10	15
NONWHITE	79	88	10	6	6
LOWNDES	92	153	15	9	17
WHITE	23	36	-	-	2
NONWHITE	69	117	15	9	15
MACON	560	232	14	9	15
WHITE	53	45	1	1	-
NONWHITE	507	187	13	8	15
MADISON	795	846	103	65	63
WHITE	563	594	59	41	41
NONWHITE	232	252	44	24	22
HUNTSVILLE	---	521	58	41	43
WHITE	---	375	35	25	30
NONWHITE	---	146	23	16	13
BALANCE OF COUNTY	---	325	45	24	20
WHITE	---	219	24	16	11
NONWHITE	---	106	21	8	9
MARENGO	294	329	30	15	16
WHITE	74	102	6	6	3
NONWHITE	220	227	24	9	13
MARION	162	188	11	9	3
MARSHALL	468	452	28	22	18
MOBILE	2,946	2,716	250	181	142
WHITE	1,732	1,668	110	92	63
NONWHITE	1,212	1,048	140	89	79
CHICKASAW	---	64	5	4	1
MOBILE	---	1,792	155	118	93
WHITE	---	1,129	74	65	44
NONWHITE	---	663	81	53	49
PRICHARD	---	295	41	27	19
WHITE	---	92	7	5	3
NONWHITE	---	203	34	22	16
BALANCE OF COUNTY	---	565	49	32	29
WHITE	---	383	24	18	15
NONWHITE	---	182	25	14	14
MONROE	179	208	24	11	20
WHITE	87	103	8	7	6
NONWHITE	92	105	16	4	14
MONTGOMERY	1,802	1,628	148	85	94
WHITE	977	828	37	27	31
NONWHITE	825	800	111	58	63
MONTGOMERY	---	1,313	109	66	72
WHITE	---	716	35	25	25
NONWHITE	---	597	74	41	47
BALANCE OF COUNTY	---	315	39	19	22
WHITE	---	112	2	2	6
NONWHITE	---	203	37	17	16
MORGAN	580	549	38	22	21
WHITE	473	450	30	18	16
NONWHITE	107	99	8	4	5
DECATUR	---	260	26	17	8
WHITE	---	191	19	14	4
NONWHITE	---	69	7	3	4
BALANCE OF COUNTY	---	289	12	5	13
PERRY	147	175	9	5	13
WHITE	56	65	2	1	1
NONWHITE	91	110	7	4	12
PICKENS	183	219	9	5	10
WHITE	79	108	4	3	1
NONWHITE	104	111	5	2	9
ALABAMA--CON.					
PIKE	321	309	20	12	19
WHITE	176	161	2	1	3
NONWHITE	145	148	18	11	16
TROY	---	119	6	4	5
WHITE	---	56	1	1	-
NONWHITE	---	63	5	3	5
BALANCE OF COUNTY	---	190	14	8	14
WHITE	---	105	1	-	3
NONWHITE	---	85	13	8	11
RANDOLPH	160	200	12	8	7
WHITE	109	137	7	6	5
NONWHITE	51	63	5	2	2
RUSSELL	389	450	38	20	32
WHITE	186	214	7	6	8
NONWHITE	203	236	31	14	24
PHENIX CITY	---	280	17	9	13
WHITE	---	160	4	3	4
NONWHITE	---	120	13	6	9
BALANCE OF COUNTY	---	170	21	11	19
WHITE	---	54	3	3	4
NONWHITE	---	116	18	8	15
ST. CLAIR	188	261	22	14	9
WHITE	153	212	18	13	4
NONWHITE	35	49	4	1	5
SHELBY	244	323	24	16	18
WHITE	169	236	16	11	6
NONWHITE	75	87	6	5	12
SUMTER	182	227	19	14	17
WHITE	34	52	1	1	-
NONWHITE	148	175	18	13	17
TALLADEGA	562	600	55	29	29
WHITE	345	375	18	8	17
NONWHITE	217	225	37	21	12
SYLACAUGA	---	129	7	4	5
WHITE	---	93	3	2	4
NONWHITE	---	36	4	2	1
TALLADEGA	---	147	17	9	7
WHITE	---	87	5	2	4
NONWHITE	---	60	12	7	3
BALANCE OF COUNTY	---	324	31	16	17
WHITE	---	195	10	4	9
NONWHITE	---	129	21	12	8
TALLAPOOSA	424	390	33	24	22
WHITE	319	273	18	15	14
NONWHITE	105	117	15	9	8
ALEXANDER CITY	---	124	8	7	11
WHITE	---	95	5	5	8
NONWHITE	---	29	3	2	3
BALANCE OF COUNTY	---	266	25	17	11
WHITE	---	178	13	10	6
NONWHITE	---	88	12	7	5
TUSCALOOSA	1,339	837	71	54	38
WHITE	1,002	528	27	23	12
NONWHITE	337	309	44	31	26
TUSCALOOSA	---	483	48	38	18
WHITE	---	302	20	18	8
NONWHITE	---	181	28	20	10
BALANCE OF COUNTY	---	354	23	16	20
WHITE	---	226	7	5	4
NONWHITE	---	128	16	11	16
WALKER	508	590	42	31	18
WHITE	428	498	33	26	16
NONWHITE	80	92	9	5	2
JASPER	---	115	9	4	4
WHITE	---	79	4	3	3
NONWHITE	---	36	5	1	1
BALANCE OF COUNTY	---	475	33	27	14
WASHINGTON	84	122	8	5	6
WHITE	60	86	6	3	4
NONWHITE	24	36	2	2	2
WILCOX	167	223	24	13	18
WHITE	23	51	1	1	-
NONWHITE	144	172	23	12	18
WINSTON	201	202	17	8	10
ALASKA[1]	1,258	1,303	262	142	94
WHITE	798	834	114	87	44
NONWHITE	459	469	148	55	50
DIST. 2, KETCHIKAN[2]	98	108	7	5	8
WHITE	69	76	4	3	4
NONWHITE	29	32	3	2	4

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ALASKA--CON.					
DIST. 3, WRANGELL-PETERSBURG	29	39	3	2	2
WHITE	22	30	1	1	-
NONWHITE	7	9	2	1	2
DIST. 4, SITKA	90	50	7	4	2
WHITE	52	27	4	4	1
NONWHITE	38	23	3	-	1
DIST. 5, JUNEAU	78	84	9	6	2
WHITE	49	57	4	3	-
NONWHITE	29	27	5	3	2
DIST. 6, LYNN CANAL-ICY STRAITS	9	24	5	4	-
WHITE	8	11	1	1	-
NONWHITE	1	13	4	3	-
DIST. 7, CORDOVA-MC CARTHY	29	22	1	1	-
WHITE	22	17	1	1	-
NONWHITE	7	5	-	-	-
DIST. 8, VALDEZ-CHITTINA-WHITTIER	23	11	1	-	1
WHITE	18	6	-	-	-
NONWHITE	5	5	1	-	1
DIST. 9, PALMER-WASILLA-TALKEETNA	32	34	3	2	3
DIST. 10, ANCHORAGE	362	337	68	52	27
ANCHORAGE	---	210	40	29	18
BALANCE OF DISTRICT	---	127	28	23	9
DIST. 11, SEWARD	29	22	1	1	-
WHITE	29	22	1	1	-
NONWHITE	-	-	-	-	-
DIST. 12, KENAI-COOK INLET	25	30	4	3	2
WHITE	17	20	2	2	1
NONWHITE	8	10	2	1	1
DIST. 13, KODIAK	33	36	8	6	3
WHITE	21	22	3	2	2
NONWHITE	12	14	5	4	1
DIST. 14, ALEUTIAN ISLANDS	23	27	8	7	1
WHITE	11	11	2	2	-
NONWHITE	11	16	6	5	1
DIST. 15, BRISTOL BAY	27	35	6	2	1
WHITE	9	12	-	-	-
NONWHITE	18	23	6	2	1
DIST. 16, BETHEL	73	64	24	4	9
WHITE	11	3	-	-	-
NONWHITE	62	61	24	4	9
DIST. 17, KUSKOKWIM	19	29	10	2	5
WHITE	4	8	-	-	-
NONWHITE	15	21	10	2	5
DIST. 18, YUKON-KOYUKUK	23	31	5	2	2
WHITE	4	11	-	-	-
NONWHITE	19	20	5	2	2
DIST. 19, FAIRBANKS	149	167	34	21	12
FAIRBANKS	---	88	7	2	5
WHITE	---	78	5	1	5
NONWHITE	---	10	2	1	-
BALANCE OF DISTRICT	---	79	27	19	7
DIST. 20, UPPER YUKON	4	17	4	-	1
WHITE	-	5	1	-	-
NONWHITE	4	12	3	-	1
DIST. 21, BARROW	17	23	10	4	2
WHITE	1	2	1	-	-
NONWHITE	16	21	9	4	2
DIST. 22, KOBUK	42	56	28	6	3
WHITE	1	3	-	-	-
NONWHITE	41	53	28	6	3
DIST. 23, NOME	29	33	4	3	3
WHITE	9	9	-	-	-
NONWHITE	20	24	4	3	3
DIST. 24, WADE HAMPTON	15	24	12	5	5
WHITE	-	-	-	-	-
NONWHITE	15	24	12	5	5
ARIZONA	11,484	11,177	1,079	677	503
WHITE	10,274	9,890	772	543	402
NONWHITE	1,202	1,287	307	134	101
APACHE	228	253	78	27	20
WHITE	75	54	7	5	3
NONWHITE	153	199	71	22	17
COCHISE	384	441	37	29	29
DOUGLAS	---	135	3	2	14
BALANCE OF COUNTY	---	306	34	27	15
ARIZONA--CON.					
COCONINO	293	254	52	22	19
WHITE	201	153	21	17	10
NONWHITE	90	101	31	5	9
FLAGSTAFF	---	96	17	11	8
BALANCE OF COUNTY	---	158	35	11	11
WHITE	---	71	6	6	2
NONWHITE	---	87	29	5	9
GILA	243	274	46	31	11
WHITE	204	220	27	22	6
NONWHITE	39	54	19	9	5
GRAHAM	93	111	21	11	3
WHITE	84	91	16	9	3
NONWHITE	9	20	5	2	-
GREENLEE	72	79	9	8	1
MARICOPA	5,818	5,555	439	303	236
WHITE	5,384	5,171	366	258	203
NONWHITE	432	384	73	45	33
GLENDALE	---	178	26	14	7
MESA	---	322	15	13	14
PHOENIX	---	3,889	276	196	145
WHITE	---	3,609	224	163	126
NONWHITE	---	280	52	33	19
SCOTTSDALE	---	202	22	13	11
TEMPE	---	136	16	11	8
BALANCE OF COUNTY	---	828	84	56	51
MOHAVE	115	102	6	5	-
NAVAJO	276	280	68	26	28
WHITE	139	125	22	13	13
NONWHITE	137	155	46	13	15
PIMA	2,497	2,387	182	135	92
WHITE	2,316	2,212	154	117	83
NONWHITE	177	175	28	18	9
TUCSON	---	2,133	138	107	81
BALANCE OF COUNTY	---	254	44	28	11
WHITE	---	183	28	21	7
NONWHITE	---	71	16	7	4
PINAL	481	510	73	43	30
WHITE	396	406	52	30	21
NONWHITE	85	104	21	13	9
SANTA CRUZ	93	89	5	2	5
YAVAPAI	517	449	19	11	11
PRESCOTT	---	266	10	7	6
BALANCE OF COUNTY	---	183	9	4	5
YUMA	374	393	44	24	18
YUMA	---	256	29	15	11
BALANCE OF COUNTY	---	137	15	9	7
WHITE	---	107	12	7	5
NONWHITE	---	30	3	2	2
ARKANSAS	18,789	18,859	1,207	804	741
WHITE	14,293	14,298	731	535	410
NONWHITE	4,494	4,561	476	269	331
ARKANSAS	204	232	10	5	9
WHITE	161	172	7	3	4
NONWHITE	43	60	3	2	5
ASHLEY	155	228	18	13	11
WHITE	87	137	9	8	6
NONWHITE	68	91	9	5	5
BAXTER	104	136	1	1	2
BENTON	518	508	24	20	4
BOONE	232	175	7	6	3
BRADLEY	125	151	10	4	5
WHITE	81	99	5	3	3
NONWHITE	44	52	5	1	2
CALHOUN	36	58	-	-	1
WHITE	23	39	-	-	1
NONWHITE	13	19	-	-	-
CARROLL	111	158	5	3	3
CHICOT	231	208	16	11	15
WHITE	96	66	3	2	4
NONWHITE	135	142	13	9	11
CLARK	173	210	7	5	6
WHITE	126	150	4	3	2
NONWHITE	47	60	3	2	4
CLAY	179	248	7	5	4
CLEBURNE	88	108	5	4	-
CLEVELAND	66	88	6	3	1
WHITE	44	64	3	3	1
NONWHITE	22	24	3	-	-
COLUMBIA	231	246	10	4	12
WHITE	152	162	4	2	3
NONWHITE	79	84	6	2	9

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARKANSAS--CON.					
COLUMBIA--CON.					
MAGNOLIA	---	77	4	3	3
WHITE	---	55	2	2	1
NONWHITE	---	22	2	1	2
BALANCE OF COUNTY	---	169	6	1	9
WHITE	---	107	2	-	2
NONWHITE	---	62	4	1	7
CONWAY	135	133	6	3	2
WHITE	114	107	3	1	-
NONWHITE	21	26	3	2	2
CRAIGHEAD	429	404	28	22	19
JONESBORO	---	190	15	13	9
BALANCE OF COUNTY	---	214	13	9	10
CRAWFORD	177	242	7	4	11
CRITTENDEN	408	461	74	42	47
WHITE	133	125	14	10	11
NONWHITE	275	336	60	32	36
WEST MEMPHIS	---	160	27	17	30
WHITE	---	59	6	5	8
NONWHITE	---	101	21	12	22
BALANCE OF COUNTY	---	301	47	25	17
WHITE	---	66	8	5	3
NONWHITE	---	235	39	20	14
CROSS	168	185	16	8	11
WHITE	103	118	7	5	3
NONWHITE	65	67	9	3	8
DALLAS	165	127	10	6	4
WHITE	127	79	-	-	2
NONWHITE	38	48	10	6	2
DESHA	138	188	18	11	5
WHITE	45	85	4	4	-
NONWHITE	93	103	14	7	5
DREW	153	185	8	4	5
WHITE	94	116	3	1	-
NONWHITE	59	69	5	3	5
FAULKNER	205	230	16	14	9
WHITE	181	205	14	13	5
NONWHITE	24	25	2	1	4
FRANKLIN	142	145	13	6	4
FULTON	45	98	2	1	-
GARLAND	790	749	32	23	15
WHITE	706	661	26	20	12
NONWHITE	83	88	6	3	3
HOT SPRINGS	---	562	25	18	8
WHITE	---	481	19	15	6
NONWHITE	---	81	6	3	2
BALANCE OF COUNTY	---	187	7	5	7
GRANT	34	75	3	2	2
GREENE	245	240	11	7	14
HEMPSTEAD	226	278	12	8	4
WHITE	165	196	9	7	-
NONWHITE	61	82	3	1	4
HOT SPRING	136	184	9	7	7
WHITE	118	157	6	5	7
NONWHITE	18	27	3	2	-
HOWARD	160	128	4	1	3
WHITE	113	105	4	1	2
NONWHITE	47	23	-	-	1
INDEPENDENCE	250	256	8	6	4
IZARD	71	78	1	1	2
JACKSON	225	211	12	8	8
WHITE	183	162	12	8	7
NONWHITE	42	49	-	-	1
JEFFERSON	754	820	58	41	36
WHITE	347	375	20	16	21
NONWHITE	407	445	38	25	15
PINE BLUFF	---	546	30	21	20
WHITE	---	293	14	11	13
NONWHITE	---	253	16	10	7
BALANCE OF COUNTY	---	274	28	20	16
WHITE	---	82	6	5	8
NONWHITE	---	192	22	15	8
JOHNSON	147	181	5	3	3
LAFAYETTE	89	124	6	3	6
WHITE	41	69	-	-	1
NONWHITE	48	55	6	3	5
LAWRENCE	134	191	10	4	4
LEE	150	211	24	16	15
WHITE	46	77	10	8	2
NONWHITE	104	134	14	8	13
LINCOLN	89	138	8	5	5
WHITE	38	62	4	3	2
NONWHITE	51	76	4	2	3
ARKANSAS--CON.					
LITTLE RIVER	79	106	10	8	6
WHITE	55	72	7	6	4
NONWHITE	24	34	3	2	2
LOGAN	244	196	8	6	4
LONOKE	172	272	18	14	14
WHITE	122	209	11	9	7
NONWHITE	50	63	7	5	7
MADISON	64	92	2	2	2
MARION	76	68	3	1	1
MILLER	461	354	18	14	19
WHITE	324	255	14	11	6
NONWHITE	137	99	4	3	13
TEXARKANA[3]	---	245	15	11	15
WHITE	---	175	12	9	4
NONWHITE	---	70	3	2	11
BALANCE OF COUNTY	---	109	3	3	4
WHITE	---	80	2	2	2
NONWHITE	---	29	1	1	2
MISSISSIPPI	539	632	97	63	55
WHITE	318	383	57	42	29
NONWHITE	221	249	40	21	26
BLYTHEVILLE	---	232	28	18	20
WHITE	---	127	14	11	11
NONWHITE	---	105	14	7	9
BALANCE OF COUNTY	---	400	69	45	35
WHITE	---	256	43	31	18
NONWHITE	---	144	26	14	17
MONROE	157	184	13	6	10
WHITE	83	88	6	3	3
NONWHITE	74	96	7	3	7
MONTGOMERY	40	86	-	-	2
NEVADA	106	105	4	2	3
WHITE	72	79	1	1	1
NONWHITE	34	26	3	1	2
NEWTON	20	39	2	-	-
OUACHITA	276	300	13	9	11
WHITE	178	182	8	6	4
NONWHITE	98	118	5	3	7
CAMDEN	---	149	8	4	6
WHITE	---	91	5	3	3
NONWHITE	---	58	3	1	3
BALANCE OF COUNTY	---	151	5	5	5
WHITE	---	91	3	3	1
NONWHITE	---	60	2	2	4
PERRY	29	49	1	1	4
PHILLIPS	397	485	43	21	27
WHITE	139	183	10	4	4
NONWHITE	258	302	33	17	23
HELENA	---	153	13	6	11
WHITE	---	56	5	3	2
NONWHITE	---	97	8	3	9
BALANCE OF COUNTY	---	332	30	15	16
WHITE	---	127	5	1	2
NONWHITE	---	205	25	14	14
PIKE	80	130	9	7	-
POINSETT	156	266	23	14	9
WHITE	126	220	14	11	5
NONWHITE	30	46	9	3	4
POLK	167	186	4	2	4
POPE	211	224	8	7	4
PRAIRIE	66	105	8	5	4
WHITE	51	84	3	2	3
NONWHITE	15	21	5	3	1
PULASKI	3,622	2,357	193	145	109
WHITE	2,581	1,663	119	96	60
NONWHITE	1,040	694	74	49	49
JACKSONVILLE	---	43	10	8	5
LITTLE ROCK	---	1,397	83	65	48
WHITE	---	1,042	56	46	24
NONWHITE	---	355	27	19	24
NORTH LITTLE ROCK	---	560	62	43	30
WHITE	---	368	34	27	17
NONWHITE	---	192	28	16	13
BALANCE OF COUNTY	---	357	38	29	26
WHITE	---	217	20	16	15
NONWHITE	---	140	18	13	11
RANDOLPH	110	126	8	5	3
ST. FRANCIS	248	316	38	16	22
WHITE	96	122	10	3	4
NONWHITE	152	194	28	13	18
FORREST CITY	---	106	6	2	6
WHITE	---	39	4	1	1
NONWHITE	---	67	2	1	5

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ARKANSAS--CON.					
ST. FRANCIS--CON.					
BALANCE OF COUNTY	---	210	32	14	16
WHITE	---	83	6	2	3
NONWHITE	---	127	26	12	13
SALINE	342	204	12	8	5
BENTON	---	105	8	4	3
BALANCE OF COUNTY	---	99	4	4	2
SCOTT	61	85	3	2	2
SEARCY	84	103	3	1	2
SEBASTIAN	906	743	38	33	32
FORT SMITH	---	599	34	29	27
BALANCE OF COUNTY	---	144	4	4	5
SEVIER	166	135	3	2	2
SHARP	23	68	1	1	4
STONE	36	54	1	-	3
UNION	447	499	26	20	20
WHITE	299	336	8	6	6
NONWHITE	148	163	18	14	14
EL DORADO	---	263	14	10	13
WHITE	---	175	5	3	3
NONWHITE	---	88	9	7	10
BALANCE OF COUNTY	---	236	12	10	7
WHITE	---	161	3	3	3
NONWHITE	---	75	9	7	4
VAN BUREN	45	74	3	2	2
WASHINGTON	712	517	27	21	22
FAYETTEVILLE	---	120	8	7	14
SPRINGDALE	---	118	10	9	5
BALANCE OF COUNTY	---	279	9	5	3
WHITE	350	404	22	14	2
WOODRUFF	97	157	13	8	10
WHITE	48	100	7	4	4
NONWHITE	49	57	6	4	6
YELL	82	122	5	4	1
CALIFORNIA	141,172	141,395	8,688	6,456	4,742
WHITE	131,907	132,142	7,328	5,467	3,962
NONWHITE	9,222	9,253	1,360	989	780
ALAMEDA	8,834	8,653	490	366	267
WHITE	7,886	7,711	353	268	193
NONWHITE	948	942	137	98	74
ALAMEDA	---	510	38	27	21
ALBANY	---	170	3	3	4
BERKELEY	---	1,094	51	42	20
WHITE	---	905	26	24	9
NONWHITE	---	189	25	18	11
FREMONT	---	225	28	21	7
HAYWARD	---	555	46	32	35
LIVERMORE	---	124	11	9	8
OAKLAND	---	4,462	219	160	123
WHITE	---	3,762	113	85	65
NONWHITE	---	700	106	75	58
PIEDMONT	---	118	2	2	1
SAN LEANDRO	---	553	27	22	15
BALANCE OF COUNTY	---	842	65	48	33
ALPINE	1	3	-	-	-
WHITE	1	2	-	-	-
NONWHITE	-	1	-	-	-
AMADOR	103	121	3	-	4
BUTTE	949	1,058	33	19	27
CHICO	---	236	6	3	8
BALANCE OF COUNTY	---	822	27	16	19
CALAVERAS	227	149	1	-	2
COLUSA	143	163	5	2	4
CONTRA COSTA	2,190	2,640	193	141	113
WHITE	2,045	2,470	154	115	96
NONWHITE	145	170	39	26	17
ANTIOCH	---	117	3	3	9
CONCORD	---	215	28	19	14
EL CERRITO	---	166	5	4	6
PITTSBURG	---	139	14	9	6
WHITE	---	112	6	4	5
NONWHITE	---	27	8	5	1
RICHMOND	---	563	48	37	30
WHITE	---	476	26	21	18
NONWHITE	---	87	22	16	12
SAN PABLO	---	148	17	11	10
BALANCE OF COUNTY	---	1,292	78	58	38
DEL NORTE	157	155	14	11	2
EL DORADO	246	256	18	12	5
FRESNO	3,049	3,007	224	159	153
WHITE	2,735	2,686	198	142	134
NONWHITE	312	321	26	17	19

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
FRESNO--CON.					
FRESNO	---	1,484	84	64	79
WHITE	---	1,282	68	52	62
NONWHITE	---	202	16	12	17
BALANCE OF COUNTY	---	1,523	140	95	74
WHITE	---	1,404	130	90	72
NONWHITE	---	119	10	5	2
GLENN	159	185	13	8	1
HUMBOLDT	760	796	67	43	26
EUREKA	---	330	32	24	9
BALANCE OF COUNTY	---	466	35	19	17
IMPERIAL	524	544	66	42	23
BRAWLEY	---	101	13	7	6
EL CENTRO	---	140	16	12	6
WHITE	---	113	10	8	6
NONWHITE	---	27	6	4	-
BALANCE OF COUNTY	---	303	37	23	11
INYO	141	138	4	4	4
KERN	2,201	2,249	196	150	92
WHITE	1,993	2,043	167	130	76
NONWHITE	208	206	29	20	16
BAKERSFIELD	---	605	32	22	20
WHITE	---	503	17	12	11
NONWHITE	---	102	15	10	9
DELANO	---	109	9	7	7
WHITE	---	89	8	6	7
NONWHITE	---	20	1	1	-
BALANCE OF COUNTY	---	1,535	155	121	65
KINGS	443	487	49	37	25
HANFORD	---	164	16	14	10
BALANCE OF COUNTY	---	323	33	23	15
LAKE	202	229	4	3	2
LASSEN	113	131	11	10	4
LOS ANGELES	55,958	55,998	3,165	2,345	1,834
WHITE	51,593	51,539	2,509	1,862	1,435
NONWHITE	4,346	4,459	656	483	399
ALHAMBRA	---	716	18	14	14
ARCADIA	---	397	13	10	1
AZUSA	---	125	11	6	6
BALDWIN PARK	---	275	23	18	14
BELL	---	215	16	12	9
BELLFLOWER	---	338	26	16	15
BEVERLY HILLS	---	414	3	3	6
BURBANK	---	788	35	29	20
CLAREMONT	---	115	-	-	3
COMPTON	---	495	50	36	36
WHITE	---	363	22	18	13
NONWHITE	---	132	28	18	23
COVINA	---	172	14	11	4
CULVER CITY	---	265	15	12	4
DOWNEY	---	447	43	35	16
DUARTE	---	98	7	6	6
EL MONTE	---	343	20	15	17
EL SEGUNDO	---	107	5	4	4
GARDENA	---	266	23	17	16
WHITE	---	237	20	14	15
NONWHITE	---	29	3	3	1
GLENDALE	---	1,476	39	33	34
GLENDORA	---	160	9	8	6
HAWTHORNE	---	231	13	10	14
HERMOSA BEACH	---	162	3	3	3
HUNTINGTON PARK	---	410	11	7	12
INGLEWOOD	---	767	41	31	12
LAKEWOOD	---	306	16	11	10
LA PUENTE	---	121	16	12	22
LAWNDALE	---	153	22	13	11
LONG BEACH	---	4,025	184	136	82
WHITE	---	3,925	159	116	69
NONWHITE	---	100	25	20	13
LOS ANGELES	---	25,895	1,363	1,008	817
WHITE	---	22,488	898	663	524
NONWHITE	---	3,407	465	345	293
LYNWOOD	---	287	17	12	11
MANHATTAN BEACH	---	217	16	11	4
MAYWOOD	---	154	13	10	9
MIRADA HILLS	---	76	15	11	-
MONROVIA	---	322	14	13	9
WHITE	---	303	14	13	8
NONWHITE	---	19	-	-	1
MONTEBELLO	---	272	21	13	17
MONTEREY PARK	---	269	18	10	12
NORWALK	---	310	47	35	22
PARAMOUNT	---	195	22	14	12

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
LOS ANGELES--CON.					
PASADENA	---	1,709	50	36	31
WHITE	---	1,553	26	21	18
NONWHITE	---	156	24	15	13
PICO RIVERA	---	240	24	15	16
POMONA	---	630	35	28	14
REDONDO BEACH	---	359	22	20	18
ROSEMEAD	---	137	7	5	4
SAN FERNANDO	---	171	9	4	10
SAN GABRIEL	---	276	9	8	-
SAN MARINO	---	117	1	-	-
SANTA FE SPRINGS	---	48	7	6	2
SANTA MONICA	---	1,077	26	19	22
SOUTH GATE	---	535	20	17	17
SOUTH PASADENA	---	236	-	-	3
TORRANCE	---	495	41	31	21
WEST COVINA	---	200	13	9	4
WHITTIER	---	512	19	16	12
BALANCE OF COUNTY	---	7,872	660	486	350
WHITE	---	7,375	569	421	298
NONWHITE	---	497	91	65	52
MADERA	343	356	24	12	15
MADERA	---	140	10	3	12
WHITE	---	127	9	3	8
NONWHITE	---	13	1	-	4
BALANCE OF COUNTY	---	216	14	9	3
MARIN	1,003	1,129	61	49	25
MILL VALLEY	---	116	6	5	6
NOVATO	---	86	13	12	5
SAN ANSELMO	---	120	3	2	3
SAN RAFAEL	---	299	14	11	3
BALANCE OF COUNTY	---	508	25	19	8
MARIPOSA	68	65	4	4	-
MENDOCINO	525	467	29	16	12
MERCED	626	717	56	39	29
MERCED	---	197	15	10	6
BALANCE OF COUNTY	---	520	41	29	23
MODOC	91	76	7	5	1
MONO	37	25	-	-	-
MONTEREY	1,334	1,423	105	83	64
WHITE	1,257	1,342	93	71	52
NONWHITE	77	81	12	12	12
MONTEREY	---	184	18	14	3
PACIFIC GROVE	---	137	7	6	4
SALINAS	---	293	19	18	12
SEASIDE	---	126	19	15	15
WHITE	---	101	12	8	7
NONWHITE	---	25	7	7	8
BALANCE OF COUNTY	---	683	42	30	30
NAPA	1,378	645	22	17	12
NAPA	---	312	12	8	8
BALANCE OF COUNTY	---	333	10	9	4
NEVADA	359	340	11	8	7
ORANGE	4,901	5,355	475	370	222
ANAHEIM	---	763	75	60	40
BUENA PARK	---	220	37	28	9
COSTA MESA	---	353	26	22	16
FULLERTON	---	324	27	24	14
GARDEN GROVE	---	436	45	35	25
HUNTINGTON BEACH	---	190	18	15	4
LA HABRA	---	156	12	10	6
NEWPORT BEACH	---	294	6	4	6
ORANGE	---	288	13	13	15
SANTA ANA	---	1,022	91	66	47
STANTON	---	38	10	9	-
WESTMINSTER	---	159	30	24	8
BALANCE OF COUNTY	---	1,112	85	60	32
PLACER	762	596	33	22	9
ROSEVILLE	---	142	4	2	3
BALANCE OF COUNTY	---	454	29	20	6
PLUMAS	121	121	8	4	2
RIVERSIDE	2,786	2,892	191	146	102
WHITE	2,655	2,765	174	138	92
NONWHITE	129	127	17	8	10
BANNING	---	157	5	5	1
CORONA	---	141	7	5	7
PALM SPRINGS	---	175	7	6	6
RIVERSIDE	---	768	51	40	28
BALANCE OF COUNTY	---	1,651	121	90	60
WHITE	---	1,571	113	85	54
NONWHITE	---	80	8	5	6
SACRAMENTO	3,876	4,132	278	208	161
WHITE	3,629	3,868	237	180	139
NONWHITE	246	264	41	28	22
NORTH SACRAMENTO	---	163	17	14	11
SACRAMENTO	---	2,480	114	92	72
WHITE	---	2,284	87	71	55
NONWHITE	---	196	27	21	17
BALANCE OF COUNTY	---	1,489	147	102	78
WHITE	---	1,424	133	95	74
NONWHITE	---	65	14	7	4
SAN BENITO	132	152	9	4	4
SAN BERNARDINO	4,673	4,531	298	224	165
WHITE	4,490	4,378	279	211	145
NONWHITE	182	153	19	13	20
BARSTOW	---	85	10	9	4
CHINO	---	77	5	5	7
COLTON	---	177	11	7	8
FONTANA	---	176	10	8	7
MONTCLAIR	---	73	11	9	4
ONTARIO	---	413	32	19	12
REDLANDS	---	302	10	9	5
RIALTO	---	114	8	6	5
SAN BERNARDINO	---	1,017	48	36	39
UPLAND	---	153	5	5	5
BALANCE OF COUNTY	---	1,944	148	111	69
WHITE	---	1,880	142	108	63
NONWHITE	---	64	6	3	6
SAN DIEGO	7,957	7,924	672	510	308
WHITE	7,628	7,593	588	442	265
NONWHITE	326	331	84	68	43
CHULA VISTA	---	307	32	23	16
CORONADO	---	132	13	7	6
EL CAJON	---	245	17	13	10
ESCONDIDO	---	200	16	10	7
IMPERIAL BEACH	---	99	22	15	13
LA MESA	---	245	13	10	1
NATIONAL CITY	---	215	32	21	11
OCEANSIDE	---	222	26	19	13
SAN DIEGO	---	4,452	359	278	183
WHITE	---	4,189	293	226	149
NONWHITE	---	263	66	52	34
BALANCE OF COUNTY	---	1,807	142	114	48
SAN FRANCISCO, COEX. WITH SAN FRANCISCO CITY.	10,300	9,813	354	268	188
WHITE	9,327	8,831	226	173	126
NONWHITE	972	982	128	95	62
SAN JOAQUIN	2,399	2,350	86	70	81
WHITE	2,218	2,170	76	63	67
NONWHITE	180	180	10	7	14
LODI	---	256	5	5	3
STOCKTON	---	1,018	35	25	33
WHITE	---	902	29	22	27
NONWHITE	---	116	6	3	6
TRACY	---	87	5	5	3
BALANCE OF COUNTY	---	989	41	35	42
WHITE	---	931	37	31	34
NONWHITE	---	58	4	4	8
SAN LUIS OBISPO	856	867	45	33	18
SAN LUIS OBISPO	---	196	16	12	3
BALANCE OF COUNTY	---	671	29	21	15
SAN MATEO	2,666	3,190	187	136	101
WHITE	2,584	3,106	168	123	92
NONWHITE	80	84	19	13	9
BELMONT	---	87	4	2	3
BURLINGAME	---	285	9	8	1
DALY CITY	---	279	26	18	12
MENLO PARK	---	226	14	11	3
MILLBRAE	---	112	5	4	3
PACIFICA	---	114	16	11	6
REDWOOD CITY	---	436	24	19	24
SAN BRUNO	---	179	14	9	12
SAN CARLOS	---	149	5	2	3
SAN MATEO	---	562	22	20	15
SOUTH SAN FRANCISCO	---	233	16	11	4
BALANCE OF COUNTY	---	528	32	21	15
SANTA BARBARA	1,539	1,545	131	106	63
LOMPOC	---	98	23	15	6
SANTA BARBARA	---	773	26	25	21
SANTA MARIA	---	194	21	19	11
BALANCE OF COUNTY	---	480	61	47	25
SANTA CLARA	5,107	4,620	354	260	202
WHITE	4,966	4,506	346	253	197
NONWHITE	137	114	8	7	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CALIFORNIA--CON.					
SANTA CLARA--CON.					
CAMPBELL	---	124	15	11	7
LOS ALTOS	---	162	5	2	5
MOUNTAIN VIEW	---	230	24	19	13
PALO ALTO	---	435	13	9	13
SAN JOSE	---	1,841	140	105	96
SANTA CLARA	---	338	31	21	18
SARATOGA	---	91	2	1	3
SUNNYVALE	---	275	25	20	9
BALANCE OF COUNTY	---	1,124	99	72	38
SANTA CRUZ	1,211	1,322	44	31	11
SANTA CRUZ	---	577	15	12	4
WATSONVILLE	---	199	12	7	4
BALANCE OF COUNTY	---	546	17	12	3
SHASTA	525	517	36	28	14
REDDING	---	150	15	12	2
BALANCE OF COUNTY	---	367	21	16	12
SIERRA	18	24	-	-	-
SISKIYOU	324	342	15	8	7
SOLANO	841	909	93	71	46
WHITE	755	822	68	55	28
NONWHITE	85	87	25	16	18
FAIRFIELD	---	68	7	5	6
VACAVILLE	---	54	2	1	5
VALLEJO	---	517	45	32	25
WHITE	---	449	28	21	11
NONWHITE	---	68	17	11	14
BALANCE OF COUNTY	---	270	39	33	10
SONOMA	1,694	1,716	74	54	37
PETALUMA	---	185	6	5	3
SANTA ROSA	---	491	20	12	7
BALANCE OF COUNTY	---	1,040	48	37	27
STANISLAUS	1,593	1,501	68	49	52
MODESTO	---	492	20	13	9
BALANCE OF COUNTY	---	1,009	48	36	43
SUTTER	268	316	24	18	16
YUBA CITY	---	124	15	12	7
BALANCE OF COUNTY	---	192	9	6	9
TEHAMA	255	262	20	17	1
TRINITY	67	70	2	1	-
TULARE	1,364	1,472	88	64	60
TULARE	---	158	4	3	8
VISALIA	---	199	12	11	6
BALANCE OF COUNTY	---	1,115	72	50	46
TUOLUMNE	200	204	6	6	4
VENTURA	1,732	1,513	148	107	77
OXNARD	---	273	41	33	29
PORT HUENEME	---	58	8	6	3
SAN BUENAVENTURA	---	327	23	18	-
SANTA PAULA	---	142	7	3	4
BALANCE OF COUNTY	---	713	69	47	41
YOLO	536	595	49	36	24
WOODLAND	---	158	14	10	10
BALANCE OF COUNTY	---	437	35	26	14
YUBA	305	339	25	20	14
COLORADO	16,410	16,005	1,099	810	770
WHITE	15,865	15,489	1,022	753	739
NONWHITE	533	516	77	57	31
ADAMS	363	545	84	58	65
ARVADA, PART	---	5	3	3	1
AURORA, PART	---	91	13	9	5
THORNTON	---	32	7	4	6
WESTMINSTER	---	59	5	4	6
BALANCE OF COUNTY	---	358	56	38	47
ALAMOSA	128	87	7	5	1
ARAPAHOE	480	669	50	39	26
AURORA, PART	---	98	12	9	4
AURORA, TOTAL	---	189	25	18	9
ENGLEWOOD	---	300	14	11	13
LITTLETON	---	150	19	15	4
BALANCE OF COUNTY	---	121	5	4	5
ARCHULETA	18	29	4	2	1
BACA	30	55	1	1	1
BENT	70	65	4	2	2
BOULDER	618	647	51	40	24
BOULDER	---	302	27	21	8
LONGMONT	---	147	11	8	4
BALANCE OF COUNTY	---	198	13	11	12
CHAFFEE	113	108	3	3	6
CHEYENNE	24	28	2	2	-
CLEAR CREEK	30	43	1	-	3
CONEJOS	33	66	8	5	6
COSTILLA	16	39	3	1	6

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
COLORADO--CON.					
CROWLEY	8	45	2	1	1
CUSTER	2	11	1	1	-
DELTA	179	219	5	4	7
DENVER, COEX. WITH					
DENVER CITY	6,205	5,533	321	241	304
WHITE	5,839	5,159	269	200	278
NONWHITE	363	374	52	41	26
DOLORES	3	14	3	1	-
DOUGLAS	37	49	2	2	1
EAGLE	21	46	3	1	5
ELBERT	15	35	1	1	1
EL PASO	1,245	1,151	112	89	69
COLORADO SPRINGS	---	880	72	56	38
BALANCE OF COUNTY	---	271	40	33	31
FREMONT	255	297	8	4	6
GARFIELD	150	128	6	6	6
GILPIN	5	13	-	-	-
GRAND	43	42	6	6	1
GUNNISON	30	28	2	1	3
HINSDALE	4	7	-	-	-
HUERFANO	44	103	6	4	4
JACKSON	12	20	3	3	-
JEFFERSON	871	823	86	66	36
ARVADA, PART	---	141	20	14	7
ARVADA, TOTAL	---	146	23	17	8
BALANCE OF COUNTY	---	682	66	52	29
KIOWA	19	19	-	-	1
KIT CARSON	44	63	3	2	-
LAKE	51	67	6	6	14
LA PLATA	185	157	13	7	10
DURANGO	---	95	7	4	6
BALANCE OF COUNTY	---	62	6	3	4
LARIMER	530	552	30	23	20
FORT COLLINS	---	243	15	13	6
BALANCE OF COUNTY	---	309	15	10	14
LAS ANIMAS	206	243	11	9	9
TRINIDAD	---	167	7	6	3
BALANCE OF COUNTY	---	76	4	3	6
LINCOLN	18	40	2	2	1
LOGAN	177	191	12	10	7
STERLING	---	131	6	5	5
BALANCE OF COUNTY	---	60	6	5	2
MESA	545	475	14	8	14
GRAND JUNCTION	---	231	7	4	6
BALANCE OF COUNTY	---	244	7	4	8
MINERAL	5	3	1	1	-
MOFFAT	48	59	6	5	2
MONTEZUMA	97	102	8	4	5
MONTROSE	169	195	15	13	5
MORGAN	161	170	11	7	3
OTERO	250	247	11	8	16
OURAY	13	24	1	1	-
PARK	12	19	-	-	1
PHILLIPS	33	41	1	1	1
PITKIN	11	20	2	2	1
PROWERS	113	132	13	9	6
PUEBLO	1,647	1,028	77	56	32
PUEBLO	---	849	58	46	21
BALANCE OF COUNTY	---	179	19	10	11
RIO BLANCO	46	45	4	3	-
RIO GRANDE	130	125	9	2	10
ROUTT	46	60	2	2	1
SAGUACHE	15	46	7	2	5
SAN JUAN	4	12	1	1	-
SAN MIGUEL	9	18	2	1	-
WHITE	8	16	-	-	-
NONWHITE	1	2	2	1	-
SEDGWICK	33	35	1	1	-
SUMMIT	9	10	-	-	-
TELLER	20	30	1	1	-
WASHINGTON	45	56	1	-	1
WELD	549	667	44	31	18
GREELEY	---	324	24	19	10
BALANCE OF COUNTY	---	343	20	12	8
YUMA	118	109	5	3	2
CONNECTICUT	24,661	24,883	1,259	990	744
WHITE	23,625	23,895	1,074	854	650
NONWHITE	988	988	185	136	94
FAIRFIELD	6,155	6,468	342	263	199
WHITE	5,852	6,163	282	221	170
NONWHITE	288	305	60	42	29

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
CONNECTICUT--CON.					
FAIRFIELD--CON.					
BRIDGEPORT	---	1,866	106	80	53
WHITE	---	1,716	73	56	39
NONWHITE	---	150	33	24	14
DANBURY	---	175	12	9	18
FAIRFIELD TOWN#	---	337	14	13	5
GREENWICH TOWN#	---	434	14	14	11
NORWALK	---	528	25	19	23
SHELTON	---	140	6	5	4
STAMFORD	---	945	61	45	30
STRATFORD TOWN#	---	370	15	11	13
BALANCE OF COUNTY	---	1,673	89	67	42
HARTFORD	6,311	6,422	359	291	221
WHITE	6,011	6,121	310	252	185
NONWHITE	293	301	49	39	36
BRISTOL	---	393	14	9	10
EAST HARTFORD TOWN#	---	313	21	19	22
ENFIELD TOWN#	---	103	9	7	2
HARTFORD	---	2,004	134	110	74
WHITE	---	1,756	91	76	42
NONWHITE	---	248	43	34	32
MANCHESTER TOWN#	---	372	19	17	8
NEW BRITAIN	---	824	37	26	18
WEST HARTFORD TOWN#	---	567	15	14	11
WETHERSFIELD TOWN#	---	169	2	2	5
BALANCE OF COUNTY	---	1,677	108	87	71
LITCHFIELD	1,051	1,246	50	41	41
TORRINGTON	---	307	10	9	5
BALANCE OF COUNTY	---	939	40	32	36
MIDDLESEX	1,232	879	39	27	19
MIDDLETOWN	---	297	19	14	9
BALANCE OF COUNTY	---	582	20	13	10
NEW HAVEN	6,846	6,823	318	252	178
WHITE	6,517	6,510	259	210	154
NONWHITE	314	313	59	42	24
ANSONIA	---	222	7	6	3
DERBY	---	104	-	-	3
EAST HAVEN TOWN#	---	62	1	-	2
HAMDEN TOWN#	---	190	3	1	2
MERIDEN	---	527	31	26	12
MILFORD	---	357	31	23	21
NAUGATUCK	---	206	13	13	5
NEW HAVEN	---	1,756	95	69	44
WHITE	---	1,546	52	39	32
NONWHITE	---	210	43	30	12
WALLINGFORD TOWN#	---	264	8	5	1
WATERBURY	---	1,250	61	53	30
WEST HAVEN TOWN#	---	151	2	2	2
BALANCE OF COUNTY	---	1,734	66	54	53
NEW LONDON	1,929	1,750	95	74	47
GROTON	---	69	5	3	3
NEW LONDON	---	367	24	21	13
NORWICH	---	467	14	9	8
BALANCE OF COUNTY	---	847	52	41	23
TOLLAND	422	526	29	20	17
WINDHAM	715	769	27	22	22
WILLIMANTIC	---	162	6	4	5
BALANCE OF COUNTY	---	607	21	18	17
DELAWARE	4,386	4,252	245	178	167
WHITE	3,536	3,516	163	131	118
NONWHITE	743	736	82	47	49
KENT	586	584	57	38	22
WHITE	434	463	42	30	19
NONWHITE	150	121	15	8	3
NEW CASTLE	2,958	2,807	130	104	117
WHITE	2,447	2,376	94	79	86
NONWHITE	411	431	36	25	31
NEWARK	---	93	1	-	5
WILMINGTON	---	1,387	49	38	36
WHITE	---	1,067	22	19	13
NONWHITE	---	320	27	19	23
BALANCE OF COUNTY	---	1,327	80	66	76
WHITE	---	1,224	71	60	68
NONWHITE	---	103	9	6	8
SUSSEX	842	861	58	36	28
WHITE	655	677	27	22	13
NONWHITE	182	184	31	14	15
DISTRICT OF COLUMBIA	10,391	8,906	700	523	361
WHITE	5,977	4,527	154	126	81
NONWHITE	4,386	4,379	546	397	280
FLORIDA	54,257	52,877	3,289	2,284	1,799
WHITE	44,719	43,499	1,892	1,455	1,011
NONWHITE	9,321	9,378	1,397	829	788
ALACHUA	905	603	68	46	28
WHITE	590	331	19	14	16
NONWHITE	314	272	49	32	12
GAINESVILLE	---	333	34	25	12
WHITE	---	193	13	11	8
NONWHITE	---	140	21	14	4
BALANCE OF COUNTY	---	270	34	21	16
WHITE	---	138	6	3	8
NONWHITE	---	132	28	18	8
BAKER	113	55	7	5	4
WHITE	74	43	4	3	-
NONWHITE	39	12	3	2	4
BAY	433	451	54	35	30
WHITE	359	370	41	26	22
NONWHITE	74	81	13	9	8
PANAMA CITY	---	268	29	18	17
WHITE	---	202	21	13	9
NONWHITE	---	66	8	5	8
BALANCE OF COUNTY	---	183	25	17	13
BRADFORD	124	123	9	5	8
WHITE	89	93	7	4	3
NONWHITE	35	30	2	1	5
BREVARD	803	826	88	76	57
WHITE	686	706	69	62	45
NONWHITE	115	120	19	14	12
COCOA	---	87	13	8	5
WHITE	---	52	6	5	3
NONWHITE	---	35	7	3	2
EAU GALLIE	---	80	16	14	11
MELBOURNE	---	131	9	9	8
WHITE	---	100	4	4	3
NONWHITE	---	31	5	5	5
BALANCE OF COUNTY	---	528	50	45	33
BROWARD	3,559	3,564	213	132	123
WHITE	3,011	3,040	103	79	62
NONWHITE	514	524	110	53	61
FORT LAUDERDALE	---	1,119	54	33	36
WHITE	---	932	21	15	8
NONWHITE	---	187	33	18	28
HALLANDALE	---	103	9	5	5
WHITE	---	73	1	1	2
NONWHITE	---	30	8	4	3
HOLLYWOOD	---	505	5	5	15
POMPANO BEACH	---	280	27	13	12
WHITE	---	207	4	3	3
NONWHITE	---	73	23	10	9
BALANCE OF COUNTY	---	1,557	118	76	55
WHITE	---	1,341	72	55	37
NONWHITE	---	216	46	21	18
CALHOUN	75	83	5	3	5
WHITE	65	70	4	3	3
NONWHITE	10	13	1	-	2
CHARLOTTE	200	229	4	4	3
CITRUS	105	130	8	6	6
WHITE	88	113	6	4	4
NONWHITE	17	17	2	2	2
CLAY	151	152	14	11	7
WHITE	128	126	12	9	5
NONWHITE	23	26	2	2	2
COLLIER	160	155	14	8	12
WHITE	119	114	12	8	9
NONWHITE	38	41	2	-	3
COLUMBIA	492	234	19	10	8
WHITE	353	151	8	5	6
NONWHITE	139	83	11	5	2
DADE	10,020	9,409	480	371	336
WHITE	8,787	8,256	295	240	203
NONWHITE	1,165	1,153	185	131	133
CORAL GABLES	---	333	5	5	4
HIALEAH	---	476	25	21	15
MIAMI	---	3,871	167	136	123
WHITE	---	3,292	91	81	60
NONWHITE	---	579	76	55	63
MIAMI BEACH	---	1,124	11	11	6
MIAMI SPRINGS	---	78	2	2	4
NORTH MIAMI	---	267	4	2	4
NORTH MIAMI BEACH	---	229	7	6	7
BALANCE OF COUNTY	---	3,031	259	188	173
WHITE	---	2,486	152	114	105
NONWHITE	---	545	107	74	68

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
DE SOTO	276	119	8	8	3
WHITE	257	95	6	6	1
NONWHITE	19	24	2	2	2
DIXIE	26	50	3	2	1
WHITE	24	40	3	2	-
NONWHITE	2	10	-	-	1
DUVAL	3,940	3,972	360	265	197
WHITE	2,705	2,708	216	163	105
NONWHITE	1,228	1,264	144	102	92
JACKSONVILLE	---	2,456	172	127	102
WHITE	---	1,402	64	49	26
NONWHITE	---	1,054	108	78	76
JACKSONVILLE BEACH	---	102	9	6	3
BALANCE OF COUNTY	---	1,414	179	132	92
WHITE	---	1,213	145	110	76
NONWHITE	---	201	34	22	16
ESCAMBIA	1,238	1,216	147	98	64
WHITE	890	860	87	59	31
NONWHITE	347	356	60	39	33
PENSACOLA	---	543	46	32	29
WHITE	---	325	20	15	11
NONWHITE	---	218	26	17	18
BALANCE OF COUNTY	---	673	101	66	35
WHITE	---	535	67	44	20
NONWHITE	---	138	34	22	15
FLAGLER	51	71	7	3	1
WHITE	29	43	2	2	-
NONWHITE	21	28	5	1	1
FRANKLIN	78	96	4	2	4
WHITE	56	75	3	2	3
NONWHITE	22	21	1	-	1
GADSDEN	784	359	72	37	26
WHITE	422	118	9	8	-
NONWHITE	362	241	63	29	26
GILCHRIST	16	36	3	3	1
WHITE	15	33	3	3	1
NONWHITE	1	3	-	-	-
GLADES	14	24	3	3	-
WHITE	11	15	1	1	-
NONWHITE	3	9	2	2	-
GULF	56	66	5	3	8
WHITE	37	47	3	2	3
NONWHITE	19	19	2	1	5
HAMILTON	70	86	8	5	3
WHITE	38	47	2	2	2
NONWHITE	32	39	6	3	1
HARDEE	103	125	4	1	2
HENDRY	79	76	7	3	3
WHITE	43	49	3	1	1
NONWHITE	36	27	4	2	2
HERNANDO	145	123	7	3	5
WHITE	130	108	3	2	5
NONWHITE	14	15	4	1	-
HIGHLANDS	292	305	21	12	7
WHITE	221	233	9	8	4
NONWHITE	71	72	12	4	3
HILLSBOROUGH	4,073	4,131	277	200	129
WHITE	3,387	3,452	190	145	88
NONWHITE	686	679	87	55	41
PLANT CITY	---	190	13	9	7
WHITE	---	140	8	7	4
NONWHITE	---	50	5	2	3
TAMPA	---	3,168	203	147	91
WHITE	---	2,583	129	101	56
NONWHITE	---	585	74	46	35
BALANCE OF COUNTY	---	773	61	44	31
HOLMES	109	126	8	7	1
INDIAN RIVER	329	323	23	14	8
WHITE	264	259	10	7	5
NONWHITE	64	64	13	7	3
JACKSON	261	320	18	13	12
WHITE	175	219	8	7	6
NONWHITE	86	101	10	6	6
JEFFERSON	79	112	12	9	8
WHITE	26	38	-	-	1
NONWHITE	53	74	12	9	7
LAFAYETTE	11	38	3	2	1
WHITE	10	34	1	1	1
NONWHITE	1	4	2	1	-
LAKE	706	757	45	24	14
WHITE	594	647	21	15	7
NONWHITE	108	110	24	9	7
LEESBURG	---	110	9	5	3
WHITE	---	88	4	4	1
NONWHITE	---	22	5	1	2

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
LAKE--CON.					
BALANCE OF COUNTY	---	647	36	19	11
WHITE	---	559	17	11	6
NONWHITE	---	88	19	8	5
LEE	644	661	38	26	31
WHITE	538	545	25	20	20
NONWHITE	102	116	13	6	11
FORT MYERS	---	324	20	13	16
WHITE	---	232	11	8	10
NONWHITE	---	92	9	5	6
BALANCE OF COUNTY	---	337	18	13	15
LEON	598	520	47	35	42
WHITE	338	285	22	20	15
NONWHITE	260	235	25	15	27
TALLAHASSEE	---	338	31	26	30
WHITE	---	186	14	14	10
NONWHITE	---	152	17	12	20
BALANCE OF COUNTY	---	182	16	9	12
WHITE	---	99	8	6	5
NONWHITE	---	83	8	3	7
LEVY	73	111	6	4	4
WHITE	53	80	-	-	4
NONWHITE	20	31	6	4	-
LIBERTY	12	18	1	1	2
WHITE	9	15	-	-	2
NONWHITE	3	3	1	1	-
MADISON	114	139	13	7	9
WHITE	53	69	1	1	2
NONWHITE	61	70	12	6	7
MANATEE	1,046	1,056	36	23	15
WHITE	941	935	24	17	11
NONWHITE	104	121	12	6	4
BRADENTON	---	401	11	6	3
WHITE	---	344	8	4	2
NONWHITE	---	57	3	2	1
BALANCE OF COUNTY	---	655	25	17	12
WHITE	---	591	16	13	9
NONWHITE	---	64	9	4	3
MARION	590	591	33	19	33
WHITE	366	361	12	6	16
NONWHITE	223	230	21	13	17
OCALA	---	202	12	7	11
WHITE	---	110	4	1	3
NONWHITE	---	92	8	6	8
BALANCE OF COUNTY	---	389	21	12	22
WHITE	---	251	8	5	13
NONWHITE	---	138	13	7	9
MARTIN	211	231	16	10	3
WHITE	162	171	5	4	3
NONWHITE	48	60	11	6	-
MONROE	346	365	27	23	14
WHITE	293	310	21	18	13
NONWHITE	51	55	6	5	1
KEY WEST	---	241	23	20	11
WHITE	---	196	17	15	10
NONWHITE	---	45	6	5	1
BALANCE OF COUNTY	---	124	4	3	3
NASSAU	141	143	9	4	7
WHITE	94	95	6	3	1
NONWHITE	46	48	3	1	6
OKALOOSA	264	315	53	42	24
FORT WALTON BEACH	---	58	10	8	6
WHITE	---	48	6	5	1
NONWHITE	---	10	4	3	5
BALANCE OF COUNTY	---	257	43	34	18
OKEECHOBEE	71	59	6	3	2
WHITE	52	42	5	3	1
NONWHITE	19	17	1	-	1
ORANGE	2,581	2,452	194	123	73
WHITE	2,210	2,093	127	90	47
NONWHITE	370	359	67	33	26
ORLANDO	---	1,083	75	49	33
WHITE	---	888	44	32	15
NONWHITE	---	195	31	17	18
WINTER PARK	---	253	5	4	5
WHITE	---	225	2	2	3
NONWHITE	---	28	3	2	2
BALANCE OF COUNTY	---	1,116	114	70	35
WHITE	---	980	81	56	29
NONWHITE	---	136	33	14	6
OSCEOLA	300	331	16	10	6
WHITE	267	296	10	9	2
NONWHITE	32	35	6	1	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
FLORIDA--CON.					
PALM BEACH	2,783	2,685	156	86	82
WHITE	2,233	2,127	68	50	32
NONWHITE	531	558	88	36	50
BELLE GLADE	---	113	16	7	11
WHITE	---	29	3	3	2
NONWHITE	---	84	13	4	9
BOYNTON BEACH	---	110	5	3	3
WHITE	---	100	1	1	1
NONWHITE	---	10	4	2	2
DELRAY BEACH	---	154	12	9	15
WHITE	---	106	2	2	2
NONWHITE	---	48	10	7	13
LAKE WORTH	---	377	8	6	1
RIVIERA BEACH	---	146	4	3	1
WHITE	---	97	-	-	-
NONWHITE	---	49	4	3	1
WEST PALM BEACH	---	779	33	23	18
WHITE	---	589	14	11	10
NONWHITE	---	190	19	12	8
BALANCE OF COUNTY	---	1,006	78	35	33
WHITE	---	833	40	27	17
NONWHITE	---	173	38	8	16
PASCO	357	508	15	11	4
WHITE	330	480	12	9	2
NONWHITE	27	28	3	2	2
PINELLAS	6,883	6,406	154	119	88
WHITE	6,489	6,063	100	80	58
NONWHITE	347	343	54	39	30
CLEARWATER	---	574	10	8	5
WHITE	---	524	7	5	3
NONWHITE	---	50	3	3	2
PINELLAS PARK	---	128	8	6	5
ST. PETERSBURG	---	3,479	81	62	42
WHITE	---	3,234	36	30	18
NONWHITE	---	245	45	32	24
BALANCE OF COUNTY	---	2,225	55	43	36
POLK	1,865	1,913	133	93	78
WHITE	1,519	1,543	81	60	42
NONWHITE	343	370	52	33	36
BARTOW	---	126	10	8	5
WHITE	---	78	2	1	2
NONWHITE	---	48	8	7	3
LAKELAND	---	532	19	17	15
WHITE	---	433	9	8	10
NONWHITE	---	99	10	9	5
WINTER HAVEN	---	198	15	10	4
WHITE	---	167	6	6	2
NONWHITE	---	31	9	4	2
BALANCE OF COUNTY	---	1,057	89	58	54
WHITE	---	865	64	45	28
NONWHITE	---	192	25	13	26
PUTNAM	299	330	22	14	10
WHITE	192	221	9	8	3
NONWHITE	106	109	13	6	7
PALATKA	---	116	8	5	4
WHITE	---	55	3	3	1
NONWHITE	---	61	5	2	3
BALANCE OF COUNTY	---	214	14	9	6
WHITE	---	166	6	5	2
NONWHITE	---	48	8	4	4
ST. JOHNS	331	332	23	15	12
WHITE	243	234	7	6	4
NONWHITE	88	98	16	9	8
ST. AUGUSTINE	---	200	8	7	6
WHITE	---	149	3	3	3
NONWHITE	---	51	5	4	3
BALANCE OF COUNTY	---	132	15	8	6
WHITE	---	85	4	3	1
NONWHITE	---	47	11	5	5
ST. LUCIE	435	431	38	25	20
WHITE	296	294	9	8	8
NONWHITE	136	137	29	17	12
FORT PIERCE	---	297	33	21	14
WHITE	---	169	6	5	2
NONWHITE	---	128	27	16	12
BALANCE OF COUNTY	---	134	5	4	6
SANTA ROSA	177	213	23	15	13
SARASOTA	1,201	1,106	38	28	19
SARASOTA	---	559	19	14	8
WHITE	---	501	10	7	4
NONWHITE	---	58	9	7	4
BALANCE OF COUNTY	---	547	19	14	11
SEMINOLE	397	508	41	28	20
WHITE	254	344	23	19	7
NONWHITE	143	164	18	9	13
SANFORD	---	211	15	9	9
WHITE	---	109	5	3	2
NONWHITE	---	102	10	6	7
BALANCE OF COUNTY	---	297	26	19	11
WHITE	---	235	18	16	5
NONWHITE	---	62	8	3	6
SUMTER	94	154	12	9	3
WHITE	67	118	5	4	1
NONWHITE	27	36	7	5	2
SUWANNEE	138	160	8	5	9
WHITE	97	114	2	1	1
NONWHITE	41	46	6	4	8
TAYLOR	112	121	9	8	7
WHITE	64	73	7	7	4
NONWHITE	48	48	2	1	3
UNION	45	56	5	4	3
WHITE	35	44	3	2	2
NONWHITE	10	12	2	2	1
VOLUSIA	1,984	2,073	68	50	25
WHITE	1,727	1,804	41	33	14
NONWHITE	250	269	27	17	11
DAYTONA BEACH	---	661	28	19	5
WHITE	---	525	14	13	2
NONWHITE	---	136	14	6	3
DE LAND	---	185	6	2	-
WHITE	---	149	3	1	-
NONWHITE	---	36	3	1	-
BALANCE OF COUNTY	---	1,227	34	29	20
WAKULLA	23	43	3	3	2
WHITE	15	27	-	-	1
NONWHITE	8	16	3	3	1
WALTON	146	155	10	7	7
WHITE	129	136	8	5	5
NONWHITE	17	19	2	2	2
WASHINGTON	120	146	8	5	7
WHITE	87	109	1	-	4
NONWHITE	33	37	7	5	3
GEORGIA	36,355	36,069	2,989	1,929	1,958
WHITE	23,803	23,539	1,425	1,063	978
NONWHITE	12,539	12,530	1,564	866	980
APPLING	120	139	8	2	4
WHITE	80	97	1	-	2
NONWHITE	40	42	7	2	2
ATKINSON	33	69	6	4	8
WHITE	19	50	6	4	5
NONWHITE	14	19	-	-	3
BACON	59	64	6	3	2
WHITE	51	55	2	2	1
NONWHITE	8	9	4	1	1
BAKER	23	40	3	1	3
WHITE	6	14	-	-	2
NONWHITE	17	26	3	1	1
BALDWIN	1,347	219	23	13	13
WHITE	872	117	7	7	2
NONWHITE	475	102	16	6	11
MILLEDGEVILLE	---	154	18	9	9
WHITE	---	83	6	6	2
NONWHITE	---	71	12	3	7
BALANCE OF COUNTY	---	65	5	4	4
WHITE	---	34	1	1	-
NONWHITE	---	31	4	3	4
BANKS	25	49	-	-	3
BARROW	143	137	5	3	5
WHITE	122	114	4	3	4
NONWHITE	21	23	1	-	1
BARTOW	195	248	23	13	17
WHITE	158	205	13	6	15
NONWHITE	37	43	10	7	2
BEN HILL	170	161	13	7	6
WHITE	114	107	9	7	3
NONWHITE	56	54	4	-	3
BERRIEN	93	131	12	6	3
WHITE	68	103	10	5	3
NONWHITE	25	28	2	1	-
BIBB	1,450	1,391	117	85	78
WHITE	875	813	59	51	32
NONWHITE	575	578	58	34	46

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
BIBB--CON.					
MACON	---	1,256	107	77	68
WHITE	---	733	52	44	27
NONWHITE	---	523	55	33	41
BALANCE OF COUNTY	---	135	10	8	10
WHITE	---	80	7	7	5
NONWHITE	---	55	3	1	5
BLECKLEY	57	93	7	7	7
WHITE	34	63	4	4	4
NONWHITE	23	30	3	3	3
BRANTLEY	44	60	7	3	1
WHITE	37	48	1	1	1
NONWHITE	7	12	6	2	-
BROOKS	160	175	14	9	7
WHITE	79	84	3	3	2
NONWHITE	81	91	11	6	5
BRYAN	26	55	4	4	4
WHITE	14	34	2	2	1
NONWHITE	12	21	2	2	3
BULLOCH	260	235	17	9	11
WHITE	139	149	4	3	3
NONWHITE	121	86	13	6	8
BURKE	238	223	23	7	22
WHITE	104	70	5	2	4
NONWHITE	134	153	18	5	18
BUTTS	99	113	9	5	6
WHITE	69	70	2	1	2
NONWHITE	30	43	7	4	4
CALHOUN	85	106	10	1	2
WHITE	22	34	2	1	1
NONWHITE	63	72	8	-	1
CAMDEN	67	86	13	8	1
WHITE	31	40	4	3	-
NONWHITE	36	46	9	5	1
CANDLER	96	80	1	-	-
WHITE	66	50	-	-	-
NONWHITE	30	30	1	-	-
CARROLL	335	340	23	13	22
WHITE	286	288	15	8	14
NONWHITE	49	52	8	5	8
CARROLLTON	---	102	9	4	3
WHITE	---	86	6	3	1
NONWHITE	---	16	3	1	2
BALANCE OF COUNTY	---	238	14	9	19
WHITE	---	202	9	5	13
NONWHITE	---	36	5	4	6
CATOOSA	272	140	11	8	5
CHARLTON	58	57	4	4	3
WHITE	37	36	2	2	1
NONWHITE	20	21	2	2	2
CHATHAM	1,988	1,916	128	84	98
WHITE	1,111	1,039	59	38	43
NONWHITE	876	877	69	46	55
SAVANNAH	---	1,584	105	73	79
WHITE	---	815	42	30	28
NONWHITE	---	769	63	43	51
BALANCE OF COUNTY	---	332	23	11	19
WHITE	---	224	17	8	15
NONWHITE	---	108	6	3	4
CHATTAHOOCHEE	162	23	4	3	2
WHITE	134	14	3	2	1
NONWHITE	28	9	1	1	1
CHATTOOGA	159	178	14	10	3
CHEROKEE	152	204	23	10	10
CLARKE	545	384	37	18	18
WHITE	359	228	13	6	10
NONWHITE	186	156	24	12	8
ATHENS	---	302	26	15	17
WHITE	---	170	7	4	10
NONWHITE	---	132	19	11	7
BALANCE OF COUNTY	---	82	11	3	1
WHITE	---	58	6	2	-
NONWHITE	---	24	5	1	1
CLAY	68	64	6	2	1
WHITE	18	22	-	-	-
NONWHITE	50	42	6	2	1
CLAYTON	146	275	26	17	17
WHITE	110	221	18	14	15
NONWHITE	36	54	8	3	2
COLLEGE PARK, PART	---	29	5	5	1
FOREST PARK	---	73	11	7	9
BALANCE OF COUNTY	---	173	10	5	7
WHITE	---	132	3	2	6
NONWHITE	---	41	7	3	1
GEORGIA--CON.					
CLINCH	71	63	11	2	9
WHITE	46	35	1	-	4
NONWHITE	25	28	10	2	5
COBB	683	752	63	47	50
MARIETTA	---	223	23	14	16
WHITE	---	170	21	12	16
NONWHITE	---	53	2	2	-
SMYRNA	---	86	8	8	10
BALANCE OF COUNTY	---	443	32	25	24
COFFEE	215	228	19	13	13
WHITE	144	157	8	8	5
NONWHITE	70	71	11	5	8
COLQUITT	276	311	16	11	22
WHITE	212	241	10	8	11
NONWHITE	64	70	6	3	11
MOULTRIE	---	155	7	4	15
WHITE	---	111	3	3	6
NONWHITE	---	44	4	1	9
BALANCE OF COUNTY	---	156	9	7	7
WHITE	---	130	7	5	5
NONWHITE	---	26	2	2	2
COLUMBIA	49	105	17	11	5
WHITE	25	58	8	5	1
NONWHITE	24	47	9	6	4
COOK	85	110	14	11	6
WHITE	54	75	7	7	2
NONWHITE	31	35	7	4	4
COWETA	276	280	13	6	10
WHITE	187	180	7	3	6
NONWHITE	89	100	6	3	4
NEWNAN	---	122	5	4	6
WHITE	---	62	2	2	3
NONWHITE	---	60	3	2	3
BALANCE OF COUNTY	---	158	8	2	4
WHITE	---	118	5	1	3
NONWHITE	---	40	3	1	1
CRAWFORD	26	48	3	2	5
WHITE	10	25	-	-	1
NONWHITE	16	23	3	2	4
CRISP	182	214	20	8	15
WHITE	93	114	5	4	2
NONWHITE	89	100	15	4	13
CORDELE	---	139	12	5	12
WHITE	---	62	4	3	1
NONWHITE	---	77	8	2	11
BALANCE OF COUNTY	---	75	8	3	3
WHITE	---	52	1	1	1
NONWHITE	---	23	7	2	2
DADE	30	60	4	4	3
DAWSON	10	31	2	1	1
DECATUR	209	224	19	14	8
WHITE	122	128	6	6	1
NONWHITE	87	96	13	8	7
BAINBRIDGE	---	116	6	6	2
WHITE	---	67	3	3	-
NONWHITE	---	49	3	3	2
BALANCE OF COUNTY	---	108	13	8	6
WHITE	---	61	3	3	1
NONWHITE	---	47	10	5	5
DE KALB	1,601	1,688	132	102	81
WHITE	1,371	1,428	99	81	64
NONWHITE	230	260	33	21	17
ATLANTA, PART	---	603	36	29	27
DECATUR	---	362	30	23	13
WHITE	---	314	23	18	12
NONWHITE	---	48	7	5	1
NORTH ATLANTA	---	1	-	-	2
WHITE	---	1	-	-	-
NONWHITE	---	-	-	-	2
BALANCE OF COUNTY	---	722	66	50	39
WHITE	---	621	48	41	34
NONWHITE	---	101	18	9	5
DODGE	127	169	14	10	6
WHITE	85	119	3	3	3
NONWHITE	42	50	11	7	3
DOOLY	83	123	11	7	4
WHITE	31	62	2	1	1
NONWHITE	52	61	9	6	3
DOUGHERTY	610	572	69	48	56
WHITE	315	283	36	27	22
NONWHITE	294	289	33	21	34
ALBANY	---	485	62	45	52
WHITE	---	240	31	24	21
NONWHITE	---	245	31	21	31

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
DOUGHERTY--CON.					
BALANCE OF COUNTY	---	87	7	3	4
WHITE	---	43	5	3	1
NONWHITE	---	44	2	-	3
DOUGLAS	104	129	11	8	11
WHITE	92	116	9	7	9
NONWHITE	12	13	2	1	2
EARLY	114	131	11	6	11
WHITE	58	70	5	4	2
NONWHITE	56	61	6	2	9
ECHOLS	4	12	1	-	2
WHITE	3	10	1	-	1
NONWHITE	1	2	-	-	1
EFFINGHAM	74	106	11	1	4
WHITE	45	63	3	1	1
NONWHITE	29	43	8	-	3
ELBERT	150	170	9	5	7
WHITE	105	122	5	2	1
NONWHITE	45	48	4	3	6
EMANUEL	144	170	12	8	11
WHITE	85	103	5	4	4
NONWHITE	59	67	7	4	7
EVANS	53	74	10	5	8
WHITE	36	50	3	3	4
NONWHITE	17	24	7	2	4
FANNIN	57	112	9	4	3
FAYETTE	46	77	6	3	3
WHITE	32	57	2	1	3
NONWHITE	14	20	4	2	-
FLOYD	793	663	62	47	20
WHITE	626	539	39	31	13
NONWHITE	167	124	23	16	7
ROME	---	386	44	32	11
WHITE	---	287	23	18	5
NONWHITE	---	99	21	14	6
BALANCE OF COUNTY	---	277	18	15	9
FORSYTH	111	93	8	5	4
FRANKLIN	128	165	9	7	5
WHITE	115	148	8	6	4
NONWHITE	13	17	1	1	1
FULTON	6,235	5,641	410	295	249
WHITE	3,978	3,461	182	143	109
NONWHITE	2,255	2,180	228	152	140
ATLANTA, PART	---	4,836	332	242	204
ATLANTA, TOTAL	---	5,439	368	271	231
WHITE	---	3,287	152	122	93
NONWHITE	---	2,152	216	149	138
COLLEGE PARK, PART	---	141	11	8	11
COLLEGE PARK, TOTAL	---	170	16	13	12
WHITE	---	127	16	13	9
NONWHITE	---	43	-	-	3
EAST POINT	---	228	21	16	10
WHITE	---	189	13	12	8
NONWHITE	---	39	8	4	2
HAPEVILLE	---	89	13	9	4
BALANCE OF COUNTY	---	347	33	20	20
WHITE	---	298	23	15	14
NONWHITE	---	49	10	5	6
GILMER	76	74	3	2	-
GLASCOCK	11	29	4	1	2
WHITE	4	18	1	-	2
NONWHITE	7	11	3	1	-
GLYNN	380	358	31	22	23
WHITE	234	219	14	12	14
NONWHITE	145	139	17	10	9
BRUNSWICK	---	237	26	17	17
WHITE	---	120	10	8	9
NONWHITE	---	117	16	9	8
BALANCE OF COUNTY	---	121	5	5	6
WHITE	---	99	4	4	5
NONWHITE	---	22	1	1	1
GORDON	159	176	13	11	5
GRADY	144	169	17	15	5
WHITE	91	113	6	5	2
NONWHITE	53	56	11	10	3
GREENE	144	132	13	8	12
WHITE	63	62	1	1	3
NONWHITE	81	70	12	7	9
GWINNETT	307	355	31	23	20
HABERSHAM	148	162	11	6	23
HALL	401	365	21	12	21
WHITE	360	323	19	12	18
NONWHITE	41	42	2	-	3
GEORGIA--CON.					
HALL--CON.					
GAINESVILLE	---	160	9	4	7
WHITE	---	124	7	4	5
NONWHITE	---	36	2	-	2
BALANCE OF COUNTY	---	205	12	8	14
HANCOCK	68	106	19	7	3
WHITE	11	24	3	1	-
NONWHITE	57	82	16	6	3
HARALSON	103	128	9	6	7
HARRIS	75	124	5	4	5
WHITE	34	65	1	1	-
NONWHITE	41	59	4	3	5
HART	116	147	13	8	11
WHITE	90	117	5	4	7
NONWHITE	26	30	8	4	4
HEARD	64	59	2	2	2
WHITE	52	44	1	1	1
NONWHITE	12	15	1	1	1
HENRY	87	157	20	10	11
WHITE	46	85	5	4	5
NONWHITE	41	72	15	6	6
HOUSTON	188	251	44	28	21
WHITE	108	151	19	18	11
NONWHITE	80	100	25	10	10
WARNER ROBINS	---	96	18	17	11
BALANCE OF COUNTY	---	155	26	11	10
WHITE	---	65	4	3	2
NONWHITE	---	90	22	8	8
IRWIN	87	97	8	4	4
WHITE	49	58	3	3	2
NONWHITE	38	39	5	1	2
JACKSON	154	195	9	8	8
WHITE	128	164	7	6	5
NONWHITE	26	31	2	2	3
JASPER	73	88	8	4	6
WHITE	29	40	1	-	1
NONWHITE	44	48	7	4	5
JEFF DAVIS	42	72	5	3	2
WHITE	37	56	3	3	1
NONWHITE	5	16	2	-	1
JEFFERSON	135	163	19	9	14
WHITE	51	67	2	2	1
NONWHITE	84	96	17	7	13
JENKINS	99	99	8	3	5
WHITE	46	42	-	-	2
NONWHITE	52	57	8	3	3
JOHNSON	29	73	6	4	3
WHITE	12	48	4	3	2
NONWHITE	17	25	2	1	1
JONES	76	76	6	1	6
WHITE	55	44	2	-	1
NONWHITE	21	32	4	1	5
LAMAR	72	117	9	6	10
WHITE	37	71	2	2	2
NONWHITE	35	46	7	4	8
LANIER	27	35	3	1	-
WHITE	17	20	1	1	-
NONWHITE	10	15	2	-	-
LAURENS	608	366	56	33	11
WHITE	369	191	15	15	4
NONWHITE	238	175	41	18	7
DUBLIN	---	185	29	19	3
WHITE	---	85	7	7	-
NONWHITE	---	100	22	12	3
BALANCE OF COUNTY	---	181	27	14	8
WHITE	---	106	8	8	4
NONWHITE	---	75	19	6	4
LEE	26	49	7	2	3
WHITE	10	22	-	-	-
NONWHITE	16	27	7	2	3
LIBERTY	110	120	12	8	6
WHITE	49	50	7	7	3
NONWHITE	61	70	5	1	3
LINCOLN	35	47	4	2	8
WHITE	15	24	-	-	2
NONWHITE	20	23	4	2	6
LONG	26	42	1	1	1
WHITE	18	32	1	1	1
NONWHITE	8	10	-	-	-
LOWNDES	443	419	33	22	34
WHITE	299	261	17	14	10
NONWHITE	144	158	16	8	24

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
LOWNDES--CON.					
VALDOSTA	---	282	16	11	20
WHITE	---	159	4	4	9
NONWHITE	---	123	12	7	11
BALANCE OF COUNTY	---	137	17	11	14
WHITE	---	102	13	10	1
NONWHITE	---	35	4	1	13
LUMPKIN	26	57	2	1	-
MC DUFFIE	121	146	22	15	4
WHITE	46	57	4	3	-
NONWHITE	75	89	18	12	4
MC INTOSH	52	75	3	3	5
WHITE	13	25	2	2	2
NONWHITE	39	50	1	1	3
MACON	156	152	12	7	11
WHITE	69	62	1	1	3
NONWHITE	87	90	11	6	8
MADISON	51	117	5	3	3
WHITE	40	94	2	1	2
NONWHITE	11	23	3	2	1
MARION	5	39	3	1	3
WHITE	1	18	1	1	1
NONWHITE	4	21	2	-	2
MERIWETHER	199	221	9	3	9
WHITE	98	114	3	1	1
NONWHITE	101	107	6	2	8
MILLER	67	72	5	2	4
WHITE	46	51	2	1	-
NONWHITE	21	21	3	1	4
MITCHELL	168	192	12	9	19
WHITE	81	100	2	2	7
NONWHITE	87	92	10	7	12
MONROE	96	109	8	7	1
WHITE	48	51	1	-	-
NONWHITE	48	58	7	7	1
MONTGOMERY	37	70	4	1	4
WHITE	15	42	1	-	-
NONWHITE	22	28	3	1	4
MORGAN	87	113	8	2	11
WHITE	40	53	4	1	5
NONWHITE	47	60	4	1	6
MURRAY	77	99	5	4	2
MUSCOGEE	1,028	1,118	123	93	86
WHITE	662	745	92	75	46
NONWHITE	366	373	31	18	40
COLUMBUS	---	1,015	111	84	74
WHITE	---	678	84	68	36
NONWHITE	---	337	27	16	38
BALANCE OF COUNTY	---	103	12	9	12
WHITE	---	67	8	7	10
NONWHITE	---	36	4	2	2
NEWTON	203	229	31	18	15
WHITE	120	141	8	6	5
NONWHITE	83	88	23	12	10
OCONEE	18	71	4	2	3
WHITE	12	56	3	2	2
NONWHITE	6	15	1	-	1
OGLETHORPE	44	92	4	4	2
WHITE	19	55	-	-	-
NONWHITE	25	37	4	4	2
PAULDING	96	121	7	3	3
PEACH	111	128	22	10	8
WHITE	49	58	4	3	3
NONWHITE	62	70	18	7	5
PICKENS	57	64	4	1	3
PIERCE	78	87	9	9	8
WHITE	58	65	6	6	5
NONWHITE	20	22	3	3	3
PIKE	50	84	10	7	8
WHITE	27	45	4	4	1
NONWHITE	23	39	6	3	7
POLK	269	299	10	6	13
WHITE	233	259	7	4	10
NONWHITE	36	40	3	2	3
PULASKI	144	109	12	8	5
WHITE	83	54	3	2	2
NONWHITE	61	55	9	6	3
PUTNAM	55	80	5	3	6
WHITE	21	32	3	2	1
NONWHITE	34	48	2	1	5
QUITMAN	16	21	1	1	1
WHITE	2	4	-	-	-
NONWHITE	14	17	1	1	1
RABUN	63	72	6	4	-
GEORGIA--CON.					
RANDOLPH	115	134	11	6	3
WHITE	47	53	3	3	-
NONWHITE	68	81	8	3	3
RICHMOND	1,811	1,149	83	61	91
WHITE	1,094	646	38	30	47
NONWHITE	716	503	45	31	44
AUGUSTA	---	903	58	43	57
WHITE	---	461	25	19	29
NONWHITE	---	442	33	24	28
BALANCE OF COUNTY	---	246	25	18	34
WHITE	---	185	13	11	18
NONWHITE	---	61	12	7	16
ROCKDALE	66	102	11	6	4
WHITE	46	72	4	2	1
NONWHITE	20	30	7	4	3
SCHLEY	17	35	2	2	1
WHITE	9	17	1	1	-
NONWHITE	8	18	1	1	1
SCREVEN	138	165	17	10	13
WHITE	54	65	2	2	4
NONWHITE	84	100	15	8	9
SEMINOLE	86	62	7	1	-
WHITE	50	39	2	-	-
NONWHITE	36	23	5	1	-
SPALDING	345	338	22	17	23
WHITE	237	239	8	6	7
NONWHITE	108	99	14	11	16
GRIFFIN	---	232	16	14	18
WHITE	---	156	6	5	5
NONWHITE	---	76	10	9	13
BALANCE OF COUNTY	---	106	6	3	5
WHITE	---	83	2	1	2
NONWHITE	---	23	4	2	3
STEPHENS	167	164	7	5	6
WHITE	136	129	6	4	3
NONWHITE	31	35	1	1	3
STEWART	79	80	8	4	1
WHITE	31	30	1	1	-
NONWHITE	48	50	7	3	1
SUMTER	364	296	26	12	17
WHITE	178	138	6	5	8
NONWHITE	186	158	20	7	9
AMERICUS	---	174	15	6	13
WHITE	---	83	2	1	8
NONWHITE	---	91	13	5	5
BALANCE OF COUNTY	---	122	11	6	4
WHITE	---	55	4	4	-
NONWHITE	---	67	7	2	4
TALBOT	57	67	10	6	3
WHITE	18	19	2	1	-
NONWHITE	39	48	8	5	3
TALIAFERRO	15	41	2	2	2
WHITE	4	16	-	-	-
NONWHITE	11	25	2	2	2
TATTNALL	93	142	10	5	10
WHITE	58	100	4	4	3
NONWHITE	35	42	6	1	7
TAYLOR	93	111	17	9	3
WHITE	42	54	3	2	1
NONWHITE	51	57	14	7	2
TELFAIR	130	131	6	3	6
WHITE	90	91	3	2	4
NONWHITE	40	40	3	1	2
TERRELL	131	148	22	16	11
WHITE	35	51	3	2	1
NONWHITE	96	97	19	14	10
THOMAS	344	344	32	20	17
WHITE	183	183	13	9	7
NONWHITE	159	161	19	11	10
THOMASVILLE	---	200	19	11	6
WHITE	---	88	7	4	2
NONWHITE	---	112	12	7	4
BALANCE OF COUNTY	---	144	13	9	11
WHITE	---	95	6	5	5
NONWHITE	---	49	7	4	6
TIFT	207	204	19	14	15
WHITE	149	141	10	8	9
NONWHITE	58	63	9	6	6
TOOMBS	192	181	13	6	12
WHITE	130	120	6	3	8
NONWHITE	62	61	7	3	4
TOWNS	36	33	1	1	-
TREUTLEN	51	63	3	1	6
WHITE	37	44	1	1	1
NONWHITE	14	19	2	-	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
GEORGIA--CON.					
TROUP	478	503	30	25	26
WHITE	288	310	14	11	12
NONWHITE	190	193	16	14	14
LA GRANGE	---	251	17	14	12
WHITE	---	155	9	6	5
NONWHITE	---	96	8	8	7
BALANCE OF COUNTY	---	252	13	11	14
WHITE	---	155	5	5	7
NONWHITE	---	97	8	6	7
TURNER	71	71	12	3	7
WHITE	33	38	-	-	3
NONWHITE	38	33	12	3	4
TWIGGS	50	73	15	7	3
WHITE	16	23	4	2	1
NONWHITE	34	50	11	5	2
UNION	37	45	4	3	1
UPSON	203	214	18	13	7
WHITE	154	162	10	9	5
NONWHITE	49	52	8	4	2
WALKER	150	339	19	14	14
WALTON	183	225	25	17	10
WHITE	109	146	8	6	5
NONWHITE	74	79	17	11	5
WARE	324	335	20	11	20
WHITE	208	220	10	4	13
NONWHITE	116	115	10	7	7
WAYCROSS	---	246	11	7	15
WHITE	---	142	2	1	9
NONWHITE	---	104	9	6	6
BALANCE OF COUNTY	---	89	9	4	5
WARREN	43	82	5	3	3
WHITE	16	37	-	-	-
NONWHITE	27	45	5	3	3
WASHINGTON	187	213	13	7	22
WHITE	82	92	-	-	6
NONWHITE	105	121	13	7	16
WAYNE	206	162	17	10	10
WHITE	155	116	6	6	6
NONWHITE	51	46	11	4	4
WEBSTER	21	41	6	2	1
WHITE	8	18	-	-	-
NONWHITE	13	23	6	2	1
WHEELER	29	47	3	3	2
WHITE	20	37	1	1	1
NONWHITE	9	10	2	2	1
WHITE	49	61	6	2	4
WHITFIELD	315	327	41	29	25
DALTON	---	138	19	14	14
WHITE	---	132	18	13	13
NONWHITE	---	6	1	1	1
BALANCE OF COUNTY	---	189	22	15	11
WILCOX	49	92	8	3	1
WHITE	29	61	2	-	1
NONWHITE	20	31	6	3	-
WILKES	135	133	7	4	6
WHITE	61	56	4	2	-
NONWHITE	74	77	3	2	6
WILKINSON	57	101	10	5	3
WHITE	22	53	2	2	-
NONWHITE	35	48	8	3	3
WORTH	123	152	12	8	6
WHITE	51	74	2	2	1
NONWHITE	72	78	10	6	5
HAWAII	3,579	3,532	375	299	239
WHITE	1,036	995	101	82	67
NONWHITE	2,538	2,537	274	217	172
HAWAII	403	428	28	20	24
WHITE	68	68	1	1	1
NONWHITE	335	360	27	19	23
HILO[4]	---	180	15	10	10
WHITE	---	33	-	-	1
NONWHITE	---	147	15	10	9
BALANCE OF COUNTY	---	248	13	10	14
WHITE	---	35	1	1	-
NONWHITE	---	213	12	9	14
HONOLULU[4]	2,645	2,551	315	255	186
WHITE	859	808	96	78	64
NONWHITE	1,781	1,743	219	177	122
HONOLULU	---	1,673	179	145	102
WHITE	---	510	43	35	24
NONWHITE	---	1,163	136	110	78

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
HAWAII--CON.					
HONOLULU--CON.					
BALANCE OF COUNTY	---	878	136	110	84
WHITE	---	298	53	43	40
NONWHITE	---	580	83	67	44
KALAWAO	4	2	-	-	-
WHITE	-	-	-	-	-
NONWHITE	4	2	-	-	-
KAUAI	202	211	11	7	15
WHITE	37	40	2	1	1
NONWHITE	165	171	9	6	14
MAUI	325	340	21	17	14
WHITE	72	79	2	2	1
NONWHITE	253	261	19	15	13
IDAHO	5,363	5,587	395	290	163
WHITE	5,271	5,488	387	287	158
NONWHITE	90	99	8	3	5
ADA	814	765	62	46	23
BOISE CITY	---	643	50	34	20
BALANCE OF COUNTY	---	122	12	12	3
ADAMS	33	33	1	-	1
BANNOCK	336	352	33	24	13
ALAMEDA	---	2	-	-	-
POCATELLO	---	282	28	22	11
BALANCE OF COUNTY	---	68	5	2	2
BEAR LAKE	55	54	3	3	-
BENEWAH	71	76	5	4	-
BINGHAM	228	210	26	19	5
BLAINE	39	53	3	1	-
BOISE	15	17	1	1	-
BONNER	135	162	6	2	3
BONNEVILLE	306	276	17	14	15
IDAHO FALLS	---	210	14	12	11
BALANCE OF COUNTY	---	66	3	2	4
BOUNDARY	61	68	4	4	-
BUTTE	26	32	2	-	-
CAMAS	9	12	-	-	-
CANYON	543	540	33	23	12
CALDWELL	---	157	9	6	2
NAMPA	---	204	8	6	3
BALANCE OF COUNTY	---	179	16	11	7
CARIBOU	38	51	2	2	3
CASSIA	117	116	15	14	6
CLARK	4	5	1	-	-
CLEARWATER	91	66	4	3	-
CUSTER	24	31	4	3	-
ELMORE	91	96	18	16	6
FRANKLIN	68	85	1	1	3
FREMONT	64	80	8	3	3
GEM	77	76	1	1	2
GOODING	88	87	3	2	-
IDAHO	122	119	5	5	1
JEFFERSON	72	90	9	8	4
JEROME	103	89	5	5	2
KOOTENAI	271	315	15	10	5
COEUR D ALENE	---	187	4	3	2
BALANCE OF COUNTY	---	128	11	7	3
LATAH	121	148	8	4	1
MOSCOW	---	61	6	4	1
BALANCE OF COUNTY	---	87	2	-	-
LEMHI	78	69	-	-	3
LEWIS	19	35	4	3	2
LINCOLN	26	24	1	1	-
MADISON	73	60	7	6	6
MINIDOKA	80	105	11	7	6
NEZ PERCE	239	254	15	10	9
LEWISTON	---	198	11	9	9
BALANCE OF COUNTY	---	56	4	1	-
ONEIDA	19	28	-	-	1
OWYHEE	33	52	3	2	-
PAYETTE	67	109	5	5	4
POWER	49	43	5	4	3
SHOSHONE	167	188	23	19	7
TETON	14	16	-	-	-
TWIN FALLS	346	361	15	10	10
TWIN FALLS	---	190	8	4	8
BALANCE OF COUNTY	---	171	7	6	2
VALLEY	56	45	5	3	3
WASHINGTON	75	94	6	2	1
YELLOWSTONE NATIONAL PARK, PART[5]	-	-	-	-	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS	103,015	104,649	5,538	4,078	3,401
WHITE	92,070	93,613	4,087	3,091	2,500
NONWHITE	10,931	11,036	1,451	987	901
ADAMS	908	852	29	25	15
QUINCY	---	618	16	16	9
BALANCE OF COUNTY	---	234	13	9	6
ALEXANDER	254	281	21	14	7
WHITE	152	160	5	3	2
NONWHITE	102	121	16	11	5
BOND	133	172	2	1	6
BOONE	226	211	9	8	7
BELVIDERE	---	149	6	6	4
BALANCE OF COUNTY	---	62	3	2	3
BROWN	62	105	3	3	1
BUREAU	397	406	14	9	7
CALHOUN	37	72	2	2	3
CARROLL	200	237	10	7	5
CASS	160	207	6	3	2
CHAMPAIGN	887	824	55	42	38
CHAMPAIGN	---	336	23	19	11
RANTOUL	---	51	15	11	7
URBANA	---	168	5	5	9
BALANCE OF COUNTY	---	269	12	7	11
CHRISTIAN	451	492	20	17	9
CLARK	104	206	6	6	1
CLAY	154	196	1	1	5
CLINTON	144	233	9	8	15
CENTRALIA, PART	---	5	-	-	-
BALANCE OF COUNTY	---	228	9	8	15
COLES	530	450	20	16	15
CHARLESTON	---	143	4	4	1
MATTOON	---	202	8	7	7
BALANCE OF COUNTY	---	105	8	5	7
COOK	52,937	54,681	3,125	2,233	1,980
WHITE	44,019	45,523	1,894	1,408	1,205
NONWHITE	8,909	9,158	1,231	825	775
ARLINGTON HEIGHTS	---	204	16	14	8
BELLWOOD	---	141	17	10	8
BERWYN	---	657	23	19	7
BLUE ISLAND	---	206	16	14	6
BROOKFIELD	---	195	9	6	2
CALUMET CITY	---	190	22	18	3
CHICAGO, PART	---	42,574	2,339	1,652	1,475
CHICAGO, TOTAL	---	42,574	2,339	1,652	1,475
WHITE	---	33,871	1,159	858	754
NONWHITE	---	8,703	1,180	794	721
CHICAGO HEIGHTS	---	320	26	20	19
WHITE	---	258	18	15	11
NONWHITE	---	62	8	5	8
CICERO	---	754	38	30	15
DEERFIELD, PART	---	3	-	-	-
DES PLAINES	---	284	25	16	16
DOLTON	---	92	9	7	6
ELGIN, PART	---	16	-	-	-
ELMWOOD PARK	---	214	15	12	6
EVANSTON	---	890	33	27	17
WHITE	---	775	28	24	7
NONWHITE	---	115	5	3	10
EVERGREEN PARK	---	170	10	6	1
FOREST PARK	---	180	12	11	3
FRANKLIN PARK	---	116	13	11	7
GLENCOE	---	59	1	1	1
GLENVIEW	---	158	13	9	3
HARVEY	---	282	24	19	16
HINSDALE, PART	---	13	2	1	1
HOMEWOOD	---	113	2	2	3
LA GRANGE	---	189	10	6	4
LA GRANGE PARK	---	111	3	1	1
LANSING	---	108	12	9	2
LINCOLNWOOD	---	75	-	-	1
MARKHAM	---	58	7	4	11
WHITE	---	34	4	3	9
NONWHITE	---	24	3	1	2
MAYWOOD	---	256	14	10	12
WHITE	---	216	8	8	10
NONWHITE	---	40	6	2	2
MELROSE PARK	---	200	16	11	11
MORTON GROVE	---	92	7	5	3
MOUNT PROSPECT	---	123	17	16	5
NILES	---	126	7	6	7
NORRIDGE	---	79	3	3	3
NORTHBROOK	---	75	7	4	5
NORTHLAKE	---	66	5	4	1
OAK LAWN	---	288	29	22	24
OAK PARK	---	820	20	17	12
ILLINOIS--CON.					
COOK--CON.					
PALATINE	---	92	6	6	3
PARK FOREST, PART	---	85	16	11	12
PARK FOREST, TOTAL	---	89	16	11	12
PARK RIDGE	---	248	6	6	6
RIVERDALE	---	100	8	4	3
RIVER FOREST	---	120	-	-	1
ROLLING MEADOWS	---	44	7	5	2
SKOKIE	---	359	13	9	15
SOUTH HOLLAND	---	69	7	5	5
SUMMIT	---	107	11	6	2
WHITE	---	92	7	3	-
NONWHITE	---	15	4	3	2
WESTCHESTER	---	100	4	4	9
WESTERN SPRINGS	---	61	-	-	4
WILMETTE	---	223	3	1	8
WINNETKA	---	104	2	-	-
BALANCE OF COUNTY	---	2,472	220	153	185
WHITE	---	2,328	201	139	157
NONWHITE	---	144	19	14	28
CRAWFORD	187	255	6	5	2
CUMBERLAND	60	117	7	6	2
DE KALB	495	474	19	10	18
DE KALB	---	138	5	1	5
BALANCE OF COUNTY	---	336	14	9	13
DE WITT	174	226	10	9	4
DOUGLAS	159	200	7	7	8
DU PAGE	1,826	2,048	137	107	74
CHICAGO, PART	---	-	-	-	-
DOWNERS GROVE	---	166	8	7	5
ELMHURST	---	300	15	13	6
GLEN ELLYN	---	137	9	7	5
HINSDALE, PART	---	105	1	-	2
HINSDALE, TOTAL	---	118	3	1	3
LOMBARD	---	157	11	11	6
NAPERVILLE	---	91	9	7	4
VILLA PARK	---	131	12	7	13
WHEATON	---	139	8	7	2
BALANCE OF COUNTY	---	822	64	48	31
EDGAR	280	300	13	7	8
EDWARDS	46	92	4	4	1
EFFINGHAM	247	219	13	9	10
FAYETTE	246	248	7	6	12
FORD	177	175	10	8	1
FRANKLIN	485	600	12	7	7
FULTON	420	538	8	8	12
CANTON	---	188	2	2	2
BALANCE OF COUNTY	---	350	6	6	10
GALLATIN	40	135	4	3	1
GREENE	192	247	3	2	5
GRUNDY	182	222	8	8	8
HAMILTON	106	132	6	4	1
HANCOCK	191	316	11	11	13
HARDIN	58	73	4	3	-
HENDERSON	29	84	1	-	2
HENRY	517	548	30	25	12
KEWANEE	---	210	9	8	6
BALANCE OF COUNTY	---	338	21	17	6
IROQUOIS	309	381	11	8	8
JACKSON	456	456	18	11	9
CARBONDALE	---	138	6	3	2
WHITE	---	114	5	3	1
NONWHITE	---	24	1	-	1
BALANCE OF COUNTY	---	318	12	8	7
JASPER	53	154	5	5	3
JEFFERSON	401	375	20	18	13
MOUNT VERNON	---	215	14	12	8
BALANCE OF COUNTY	---	160	6	6	5
JERSEY	147	149	7	6	4
JO DAVIESS	136	280	9	5	7
JOHNSON	73	109	6	5	-
KANE	2,718	1,873	128	100	74
AURORA	---	705	56	38	27
CARPENTERSVILLE	---	73	19	16	8
ELGIN, PART	---	522	24	22	11
ELGIN, TOTAL	---	538	24	22	11
BALANCE OF COUNTY	---	573	29	24	28
KANKAKEE	1,640	779	52	37	35
KANKAKEE	---	344	21	15	8
BALANCE OF COUNTY	---	435	31	22	27
KENDALL	68	165	14	7	10
KNOX	704	648	15	14	15
GALESBURG	---	393	11	11	12
BALANCE OF COUNTY	---	255	4	3	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
ILLINOIS--CON.					
LAKE	2,263	2,121	153	123	72
WHITE	2,173	2,041	134	108	61
NONWHITE	89	80	19	15	11
DEERFIELD, PART	---	59	4	2	-
DEERFIELD, TOTAL	---	62	4	2	-
HIGHLAND PARK	---	193	8	6	4
LAKE FOREST	---	81	7	7	-
MUNDELEIN	---	48	7	7	4
NORTH CHICAGO	---	114	11	9	11
WHITE	---	92	5	5	5
NONWHITE	---	22	6	4	6
WAUKEGAN	---	536	38	29	16
ZION	---	114	11	10	11
BALANCE OF COUNTY	---	976	67	53	26
WHITE	---	970	64	50	26
NONWHITE	---	6	3	3	-
LA SALLE	1,217	1,255	51	35	40
LA SALLE	---	183	8	5	5
OTTAWA	---	242	6	5	10
PERU	---	122	4	4	4
STREATOR, PART	---	211	9	6	5
STREATOR, TOTAL	---	212	9	6	5
BALANCE OF COUNTY	---	497	24	15	16
LAWRENCE	228	213	3	3	1
LEE	456	388	20	14	12
DIXON	---	212	11	7	4
BALANCE OF COUNTY	---	176	9	7	8
LIVINGSTON	498	391	15	12	10
STREATOR, PART	---	1	-	-	-
BALANCE OF COUNTY	---	390	15	12	10
LOGAN	421	346	14	10	6
LINCOLN	---	191	9	6	5
BALANCE OF COUNTY	---	155	5	4	1
MC DONOUGH	337	327	7	2	10
MACOMB	---	130	1	-	4
BALANCE OF COUNTY	---	197	6	2	6
MC HENRY	653	824	49	36	21
MC LEAN	847	922	38	31	18
BLOOMINGTON	---	461	21	18	7
NORMAL	---	116	3	3	4
BALANCE OF COUNTY	---	345	14	10	7
MACON	1,287	1,187	60	48	18
DECATUR	---	922	44	35	16
BALANCE OF COUNTY	---	265	16	13	2
MACOUPIN	432	596	18	14	20
MADISON	1,933	2,021	122	94	75
WHITE	1,816	1,907	114	88	69
NONWHITE	117	114	8	6	6
ALTON	---	487	28	22	12
WHITE	---	434	24	19	11
NONWHITE	---	53	4	3	1
COLLINSVILLE, PART	---	194	6	4	5
COLLINSVILLE, TOTAL	---	197	6	4	5
GRANITE CITY	---	351	29	26	20
WOOD RIVER	---	81	8	5	5
BALANCE OF COUNTY	---	908	51	37	33
WHITE	---	849	47	34	29
NONWHITE	---	59	4	3	4
MARION	473	485	15	11	13
CENTRALIA, PART	---	189	7	5	5
CENTRALIA, TOTAL	---	194	7	5	5
BALANCE OF COUNTY	---	296	8	6	8
MARSHALL	75	180	6	5	4
MASON	149	177	2	2	6
MASSAC	167	180	11	7	4
MENARD	47	122	3	2	3
MERCER	155	197	1	1	8
MONROE	111	178	7	5	6
MONTGOMERY	479	453	9	2	7
MORGAN	851	420	13	12	7
JACKSONVILLE	---	267	9	8	5
BALANCE OF COUNTY	---	153	4	4	2
MOULTRIE	123	152	6	6	-
OGLE	235	373	22	15	6
PEORIA	2,320	1,853	97	72	56
WHITE	2,235	1,773	87	66	47
NONWHITE	85	80	10	6	9
PEORIA	---	1,202	64	50	33
BALANCE OF COUNTY	---	651	33	22	23
PERRY	247	256	8	4	5
PIATT	108	138	5	4	1
PIKE	233	274	9	6	6
POPE	28	65	1	-	1
PULASKI	61	158	5	4	6
WHITE	39	110	2	2	3
NONWHITE	22	48	3	2	3
PUTNAM	18	52	5	3	4
RANDOLPH	440	337	15	12	9
RICHLAND	297	209	9	5	5
ROCK ISLAND	1,672	1,573	98	79	57
EAST MOLINE	---	170	16	14	7
MOLINE	---	532	26	23	17
ROCK ISLAND	---	577	34	27	11
BALANCE OF COUNTY	---	294	22	15	22
ST. CLAIR	2,582	2,687	176	134	94
WHITE	2,146	2,129	113	85	55
NONWHITE	435	558	63	49	39
BELLEVILLE	---	486	18	17	7
CAHOKIA	---	35	7	6	5
CENTREVILLE	---	112	17	10	3
WHITE	---	40	8	4	2
NONWHITE	---	72	9	6	1
COLLINSVILLE, PART	---	3	-	-	-
EAST ST. LOUIS	---	1,184	77	59	46
WHITE	---	738	29	21	12
NONWHITE	---	446	48	38	34
BALANCE OF COUNTY	---	867	57	42	33
WHITE	---	831	53	39	29
NONWHITE	---	36	4	3	4
SALINE	517	475	7	4	3
SANGAMON	1,918	1,715	80	64	45
SPRINGFIELD	---	1,177	63	52	30
BALANCE OF COUNTY	---	538	17	12	15
SCHUYLER	131	132	2	1	2
SCOTT	26	88	3	3	4
SHELBY	230	299	6	5	5
STARK	34	96	4	4	-
STEPHENSON	604	529	22	15	13
FREEPORT	---	339	10	7	8
BALANCE OF COUNTY	---	190	12	8	5
TAZEWELL	513	732	41	24	24
EAST PEORIA	---	75	1	1	1
PEKIN	---	278	18	12	12
BALANCE OF COUNTY	---	379	22	11	11
UNION	431	207	8	7	8
VERMILION	1,241	1,144	49	38	31
DANVILLE	---	642	36	29	16
WHITE	---	571	31	26	12
NONWHITE	---	71	5	3	4
BALANCE OF COUNTY	---	502	13	9	15
WABASH	179	163	3	3	6
WARREN	230	246	13	12	5
MONMOUTH	---	137	9	8	5
BALANCE OF COUNTY	---	109	4	4	-
WASHINGTON	142	222	5	4	1
WAYNE	175	203	2	1	2
WHITE	215	238	3	2	2
WHITESIDE	481	545	33	26	19
ROCK FALLS	---	88	9	8	3
STERLING	---	160	11	8	2
BALANCE OF COUNTY	---	297	13	10	14
WILL	1,570	1,667	96	70	46
WHITE	1,498	1,602	77	55	41
NONWHITE	72	65	19	15	5
JOLIET	---	784	36	27	16
PARK FOREST, PART	---	4	-	-	-
BALANCE OF COUNTY	---	879	60	43	30
WHITE	---	856	53	38	26
NONWHITE	---	23	7	5	4
WILLIAMSON	761	685	26	17	9
MARION	---	171	5	4	3
BALANCE OF COUNTY	---	514	21	13	6
WINNEBAGO	1,593	1,674	116	96	65
ROCKFORD	---	1,218	74	66	36
BALANCE OF COUNTY	---	456	42	30	29
WOODFORD	175	236	9	9	5
INDIANA	45,704	46,037	2,524	1,892	1,566
WHITE	42,945	43,235	2,192	1,653	1,349
NONWHITE	2,750	2,802	332	239	217
ADAMS	178	210	10	8	7
ALLEN	2,326	2,136	157	120	84
WHITE	2,221	2,041	135	106	77
NONWHITE	104	95	22	14	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
INDIANA--CON.					
ALLEN--CON.					
FORT WAYNE	---	1,724	126	99	60
WHITE	---	1,631	104	85	53
NONWHITE	---	93	22	14	7
BALANCE OF COUNTY	---	412	31	21	24
BARTHOLOMEW	408	426	40	33	14
COLUMBUS	---	238	23	19	10
BALANCE OF COUNTY	---	188	17	14	4
BENTON	46	137	6	6	3
BLACKFORD	167	175	8	7	5
BOONE	270	291	11	6	6
BROWN	38	67	5	2	1
CARROLL	120	220	9	6	5
CASS	722	512	21	13	13
LOGANSPORT	---	302	11	6	9
BALANCE OF COUNTY	---	210	10	7	4
CLARK	454	542	41	33	22
JEFFERSONVILLE	---	228	24	20	8
WHITE	---	199	22	19	8
NONWHITE	---	29	2	1	-
BALANCE OF COUNTY	---	314	17	13	14
CLAY	306	347	13	12	7
CLINTON	298	387	16	11	18
FRANKFORT	---	209	9	7	9
BALANCE OF COUNTY	---	178	7	4	9
CRAWFORD	66	125	3	2	1
DAVIESS	355	317	15	11	4
WASHINGTON	---	151	10	8	3
BALANCE OF COUNTY	---	166	5	3	1
DEARBORN	259	320	20	14	16
DECATUR	234	231	12	10	7
DE KALB	296	342	15	7	11
DELAWARE	976	974	77	60	34
MUNCIE	---	678	58	44	27
BALANCE OF COUNTY	---	296	19	16	7
DUBOIS	342	264	8	6	10
ELKHART	989	1,005	53	42	29
ELKHART	---	457	23	16	8
GOSHEN	---	184	5	5	6
BALANCE OF COUNTY	---	364	25	21	15
FAYETTE	222	253	11	10	5
CONNERSVILLE	---	195	8	8	3
BALANCE OF COUNTY	---	58	3	2	2
FLOYD	491	505	32	23	22
NEW ALBANY	---	413	26	17	17
BALANCE OF COUNTY	---	92	6	6	5
FOUNTAIN	139	263	12	7	2
FRANKLIN	96	155	8	5	3
FULTON	205	218	2	1	2
GIBSON	323	366	25	17	10
GRANT	794	728	32	28	25
MARION	---	417	16	12	15
BALANCE OF COUNTY	---	311	16	16	10
GREENE	362	393	9	7	8
HAMILTON	342	381	19	13	10
HANCOCK	254	263	15	10	12
HARRISON	165	191	5	3	4
HENDRICKS	207	307	29	24	14
HENRY	459	456	26	22	16
NEW CASTLE	---	217	16	14	5
BALANCE OF COUNTY	---	239	10	8	11
HOWARD	588	648	41	34	25
KOKOMO	---	496	26	23	22
BALANCE OF COUNTY	---	152	15	11	3
HUNTINGTON	340	391	14	10	8
HUNTINGTON	---	195	7	5	6
BALANCE OF COUNTY	---	196	7	5	2
JACKSON	319	328	14	12	10
SEYMOUR	---	126	6	5	5
BALANCE OF COUNTY	---	202	8	7	5
JASPER	83	135	8	6	2
JAY	220	259	9	6	4
JEFFERSON	508	264	11	10	6
MADISON	---	136	6	5	2
BALANCE OF COUNTY	---	128	5	5	4
JENNINGS	128	159	8	4	7
JOHNSON	404	396	23	14	21
KNOX	608	531	21	16	15
VINCENNES	---	261	11	9	7
BALANCE OF COUNTY	---	270	10	7	8
KOSCIUSKO	349	421	18	11	8
LAGRANGE	151	159	11	9	8

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
INDIANA--CON.					
LAKE	3,934	4,105	330	239	272
WHITE	3,222	3,319	238	173	177
NONWHITE	712	786	92	66	95
EAST CHICAGO	---	554	54	39	46
WHITE	---	412	29	23	23
NONWHITE	---	142	25	16	23
GARY	---	1,643	136	102	120
WHITE	---	1,028	71	53	52
NONWHITE	---	615	65	49	68
HAMMOND	---	828	54	38	37
HIGHLAND	---	79	13	9	6
HOBART	---	143	10	7	6
MUNSTER	---	51	3	1	2
BALANCE OF COUNTY	---	807	60	43	55
LA PORTE	1,094	913	45	36	26
LA PORTE	---	248	14	11	4
MICHIGAN CITY	---	342	20	14	8
WHITE	---	317	17	13	6
NONWHITE	---	25	3	1	2
BALANCE OF COUNTY	---	323	11	11	14
LAWRENCE	411	437	22	15	7
BEDFORD	---	201	6	4	4
BALANCE OF COUNTY	---	236	16	11	3
MADISON	1,047	1,172	63	46	38
ANDERSON	---	576	31	23	23
ELWOOD	---	160	7	6	4
BALANCE OF COUNTY	---	436	25	17	11
MARION	7,680	6,706	447	326	276
WHITE	6,526	5,570	323	237	203
NONWHITE	1,151	1,136	124	89	73
BEECH GROVE	---	86	1	1	6
INDIANAPOLIS	---	5,523	377	277	249
WHITE	---	4,402	255	188	176
NONWHITE	---	1,121	122	89	73
LAWRENCE	---	40	7	6	2
BALANCE OF COUNTY	---	1,057	62	42	19
MARSHALL	285	313	24	18	14
MARTIN	64	126	9	4	4
MIAMI	355	394	21	17	9
PERU	---	229	11	8	5
BALANCE OF COUNTY	---	165	10	9	4
MONROE	371	446	31	25	17
BLOOMINGTON	---	269	15	13	9
BALANCE OF COUNTY	---	177	16	12	8
MONTGOMERY	364	378	16	11	11
CRAWFORDSVILLE	---	186	11	7	5
BALANCE OF COUNTY	---	192	5	4	6
MORGAN	243	332	15	12	14
NEWTON	105	112	2	1	3
NOBLE	266	329	10	5	8
OHIO	23	59	5	5	5
ORANGE	189	227	6	4	5
OWEN	122	146	3	3	2
PARKE	172	209	7	6	2
PERRY	156	187	13	10	5
PIKE	66	186	4	4	-
PORTER	428	463	25	18	14
PORTAGE	---	64	7	5	7
VALPARAISO	---	132	2	1	1
BALANCE OF COUNTY	---	267	16	12	6
POSEY	107	206	5	3	3
PULASKI	74	134	6	3	7
PUTNAM	255	271	12	11	6
RANDOLPH	291	349	13	9	8
RIPLEY	274	233	11	10	6
RUSH	220	247	8	7	8
ST. JOSEPH	2,087	2,046	111	94	66
WHITE	1,978	1,928	86	73	62
NONWHITE	109	118	25	21	4
MISHAWAKA	---	309	14	11	10
SOUTH BEND	---	1,278	72	61	46
WHITE	---	1,167	48	41	42
NONWHITE	---	111	24	20	4
BALANCE OF COUNTY	---	459	25	22	10
SCOTT	101	143	5	2	7
SHELBY	291	339	20	17	15
SHELBYVILLE	---	161	13	11	11
BALANCE OF COUNTY	---	178	7	6	4
SPENCER	104	199	6	6	5
STARKE	270	223	10	7	5
STEUBEN	201	205	8	7	7
SULLIVAN	266	306	5	2	3
SWITZERLAND	46	107	2	-	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
INDIANA--CON.					
TIPPECANOE	978	691	44	36	19
LAFAYETTE	---	417	24	19	11
WEST LAFAYETTE	---	55	6	5	-
BALANCE OF COUNTY	---	219	14	12	8
TIPTON	162	171	4	3	2
UNION	42	68	4	4	-
VANDERBURGH	2,038	1,715	78	60	38
EVANSVILLE	---	1,563	70	55	36
BALANCE OF COUNTY	---	152	8	5	2
VERMILLION	253	280	6	4	1
VIGO	1,424	1,334	36	29	21
TERRE HAUTE	---	1,004	25	20	12
BALANCE OF COUNTY	---	330	11	9	9
WABASH	327	346	14	8	7
WABASH	---	125	8	2	4
BALANCE OF COUNTY	---	221	6	6	3
WARREN	88	87	4	1	1
WARRICK	145	248	7	3	3
WASHINGTON	146	189	6	6	6
WAYNE	867	797	31	24	29
RICHMOND	---	516	22	17	24
BALANCE OF COUNTY	---	281	9	7	5
WELLS	254	215	8	6	5
WHITE	162	213	7	4	7
WHITLEY	249	237	12	10	4
IOWA	28,628	28,666	1,206	915	692
WHITE	28,303	28,350	1,170	889	672
NONWHITE	323	316	36	26	20
ADAIR	95	157	8	6	1
ADAMS	91	105	1	1	4
ALLAMAKEE	166	177	7	6	4
APPANOOSE	227	244	7	5	3
AUDUBON	85	116	4	4	3
BENTON	161	222	8	7	5
BLACK HAWK	1,088	1,057	79	61	33
CEDAR FALLS	---	177	8	8	4
WATERLOO	---	722	60	45	21
BALANCE OF COUNTY	---	158	11	8	8
BOONE	343	332	10	7	10
BOONE	---	187	6	4	3
BALANCE OF COUNTY	---	145	4	3	7
BREMER	187	180	6	4	6
BUCHANAN	238	219	15	13	8
BUENA VISTA	218	197	8	6	8
BUTLER	126	198	4	3	6
CALHOUN	124	153	2	2	4
CARROLL	220	217	8	7	6
CASS	175	218	3	2	4
CEDAR	111	183	5	2	-
CERRO GORDO	613	524	23	20	14
MASON CITY	---	348	17	15	9
BALANCE OF COUNTY	---	176	6	5	5
CHEROKEE	245	169	1	1	5
CHICKASAW	147	179	9	9	2
CLARKE	109	115	3	2	3
CLAY	159	169	5	3	5
CLAYTON	189	264	11	6	11
CLINTON	570	623	35	31	23
CLINTON	---	411	22	20	14
BALANCE OF COUNTY	---	212	13	11	9
CRAWFORD	177	202	7	2	3
DALLAS	235	298	10	8	4
DAVIS	118	108	3	3	-
DECATUR	147	150	1	1	1
DELAWARE	170	182	10	5	5
DES MOINES	538	520	17	12	9
BURLINGTON	---	412	12	8	7
BALANCE OF COUNTY	---	108	5	4	2
DICKINSON	118	137	8	6	4
DUBUQUE	851	794	54	36	20
DUBUQUE	---	600	37	27	14
BALANCE OF COUNTY	---	194	17	9	6
EMMET	174	129	4	4	5
FAYETTE	284	316	17	13	9
FLOYD	270	251	9	8	4
FRANKLIN	156	151	4	4	4
FREMONT	106	137	3	3	3
GREENE	131	159	3	2	3
GRUNDY	76	124	4	3	5
GUTHRIE	91	152	1	1	2
HAMILTON	180	213	9	7	5
IOWA--CON.					
HANCOCK	89	138	2	2	3
HARDIN	209	250	5	4	4
HARRISON	189	237	11	8	6
HENRY	270	231	6	4	1
HOWARD	137	134	3	2	2
HUMBOLDT	82	143	10	9	7
IDA	88	106	2	-	1
IOWA	100	178	5	4	3
JACKSON	205	232	14	10	5
JASPER	294	358	11	9	9
NEWTON	---	147	5	4	3
BALANCE OF COUNTY	---	211	6	5	6
JEFFERSON	134	151	5	4	4
JOHNSON	1,594	379	26	17	12
IOWA CITY	---	237	17	12	7
BALANCE OF COUNTY	---	142	9	5	5
JONES	180	206	14	10	4
KEOKUK	193	236	8	3	5
KOSSUTH	162	232	9	7	4
LEE	555	476	17	15	10
FORT MADISON	---	160	3	3	2
KEOKUK	---	193	11	9	5
BALANCE OF COUNTY	---	123	3	3	3
LINN	1,174	1,194	56	50	24
CEDAR RAPIDS	---	852	41	37	19
MARION	---	75	4	3	1
BALANCE OF COUNTY	---	267	11	10	4
LOUISA	66	134	10	9	2
LUCAS	157	152	4	3	2
LYON	82	121	8	6	3
MADISON	134	144	2	2	1
MAHASKA	283	274	6	6	6
OSKALOOSA	---	167	4	4	1
BALANCE OF COUNTY	---	107	2	2	5
MARION	275	261	11	8	4
MARSHALL	457	427	16	10	10
MARSHALLTOWN	---	280	8	6	5
BALANCE OF COUNTY	---	147	8	4	5
MILLS	93	135	5	3	1
MITCHELL	165	166	8	6	6
MONONA	151	187	6	4	3
MONROE	126	155	5	5	2
MONTGOMERY	198	218	5	2	2
MUSCATINE	399	429	18	8	10
MUSCATINE	---	293	13	6	6
BALANCE OF COUNTY	---	136	5	2	4
O BRIEN	166	183	6	3	8
OSCEOLA	65	78	2	1	2
PAGE	373	259	3	3	3
PALO ALTO	117	154	6	6	3
PLYMOUTH	196	223	6	6	6
POCAHONTAS	82	159	6	3	2
POLK	2,822	2,500	132	107	81
WHITE	2,708	2,379	122	100	74
NONWHITE	114	121	10	7	7
DES MOINES	---	2,097	108	88	71
WHITE	---	1,982	98	81	64
NONWHITE	---	115	10	7	7
WEST DES MOINES	---	88	2	2	2
BALANCE OF COUNTY	---	315	22	17	8
POTTAWATTAMIE	817	824	39	27	25
COUNCIL BLUFFS	---	592	33	22	19
BALANCE OF COUNTY	---	232	6	5	6
POWESHIEK	188	214	4	2	3
RINGGOLD	101	107	2	2	3
SAC	130	176	7	7	4
SCOTT	1,166	1,166	66	41	33
BETTENDORF	---	73	6	5	2
DAVENPORT	---	944	47	29	27
BALANCE OF COUNTY	---	149	13	7	4
SHELBY	158	165	9	7	3
SIOUX	208	236	8	8	2
STORY	371	377	18	16	17
AMES	---	141	11	10	9
BALANCE OF COUNTY	---	236	7	6	8
TAMA	151	230	9	7	2
TAYLOR	79	138	2	1	1
UNION	214	208	5	1	4
VAN BUREN	108	125	4	4	2
WAPELLO	488	479	28	22	9
OTTUMWA	---	358	23	18	7
BALANCE OF COUNTY	---	121	5	4	2
WARREN	125	191	9	5	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
IOWA--CON.					
WASHINGTON	196	235	4	2	2
WAYNE	135	178	2	1	1
WEBSTER	601	503	30	27	13
FORT DODGE	---	310	20	18	7
BALANCE OF COUNTY	---	193	10	9	6
WINNEBAGO	122	157	6	4	5
WINNESHIEK	160	209	6	6	7
WOODBURY	1,322	1,154	45	35	31
SIOUX CITY	---	941	35	27	28
BALANCE OF COUNTY	---	213	10	8	3
WORTH	54	116	2	2	2
WRIGHT	163	197	6	3	4
KANSAS	21,567	21,734	1,086	815	567
WHITE	20,388	20,614	973	744	511
NONWHITE	1,179	1,120	113	71	56
ALLEN	246	249	13	10	4
ANDERSON	111	136	3	2	4
ATCHISON	245	274	6	5	4
ATCHISON	---	192	4	4	3
WHITE	---	176	4	4	2
NONWHITE	---	16	-	-	1
BALANCE OF COUNTY	---	82	2	1	1
BARBER	85	84	2	2	4
BARTON	262	270	14	12	1
GREAT BEND	---	130	9	7	-
BALANCE OF COUNTY	---	140	5	5	1
BOURBON	332	292	7	5	4
BROWN	167	168	2	1	7
BUTLER	277	358	13	11	3
EL DORADO	---	148	5	4	1
BALANCE OF COUNTY	---	210	8	7	2
CHASE	22	45	3	1	2
CHAUTAUQUA	114	101	1	1	1
CHEROKEE	257	324	12	10	9
CHEYENNE	94	61	2	2	1
CLARK	36	44	6	4	3
CLAY	148	170	2	1	1
CLOUD	274	205	3	3	5
COFFEY	92	130	1	-	2
COMANCHE	34	47	-	-	-
COWLEY	547	485	22	13	7
ARKANSAS CITY	---	204	11	5	2
WINFIELD	---	150	6	4	4
BALANCE OF COUNTY	---	131	5	4	1
CRAWFORD	486	513	16	14	10
PITTSBURG	---	270	7	6	9
BALANCE OF COUNTY	---	243	9	8	1
DECATUR	44	64	1	1	-
DICKINSON	238	254	11	6	4
DONIPHAN	69	130	-	-	2
DOUGLAS	325	346	20	18	18
LAWRENCE	---	252	14	13	13
BALANCE OF COUNTY	---	94	6	5	5
EDWARDS	62	79	5	4	3
ELK	40	78	1	1	-
ELLIS	183	161	12	11	8
HAYS	---	84	6	5	6
BALANCE OF COUNTY	---	77	6	6	2
ELLSWORTH	134	113	5	2	1
FINNEY	145	137	13	9	3
GARDEN CITY	---	108	10	7	3
BALANCE OF COUNTY	---	29	3	2	-
FORD	272	214	16	9	4
DODGE CITY	---	144	14	8	3
BALANCE OF COUNTY	---	70	2	1	1
FRANKLIN	244	268	6	5	3
OTTAWA	---	153	5	4	1
BALANCE OF COUNTY	---	115	1	1	2
GEARY	218	205	27	22	6
WHITE	200	181	23	20	3
NONWHITE	18	24	4	2	3
JUNCTION CITY	---	170	21	16	4
WHITE	---	150	18	15	2
NONWHITE	---	20	3	1	2
BALANCE OF COUNTY	---	35	6	6	2
WHITE	---	31	5	5	1
NONWHITE	---	4	1	1	1
GOVE	27	33	2	2	2
GRAHAM	29	39	3	3	2
GRANT	29	25	4	3	2
GRAY	15	41	3	3	2

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KANSAS--CON.					
GREELEY	20	23	3	2	-
GREENWOOD	156	166	6	3	2
HAMILTON	26	29	1	1	-
HARPER	120	129	1	-	2
HARVEY	334	242	7	5	6
NEWTON	---	142	7	5	4
BALANCE OF COUNTY	---	100	-	-	2
HASKELL	13	17	2	2	1
HODGEMAN	24	32	4	3	-
JACKSON	131	169	4	4	3
JEFFERSON	150	170	6	4	4
JEWELL	33	88	-	-	1
JOHNSON	434	857	66	50	33
OLATHE	---	99	8	6	3
PRAIRIE VILLAGE	---	112	8	4	2
BALANCE OF COUNTY	---	646	50	40	28
KEARNY	23	19	-	-	1
KINGMAN	112	112	4	3	-
KIOWA	57	45	1	1	-
LABETTE	361	351	16	14	9
PARSONS	---	199	9	8	4
BALANCE OF COUNTY	---	152	7	6	5
LANE	8	22	-	-	-
LEAVENWORTH	790	478	25	17	14
LEAVENWORTH	---	296	14	10	8
WHITE	---	249	9	8	6
NONWHITE	---	47	5	2	2
BALANCE OF COUNTY	---	182	11	7	6
LINCOLN	62	77	2	2	1
LINN	54	111	3	3	2
LOGAN	25	33	3	2	-
LYON	326	301	18	15	8
EMPORIA	---	196	11	11	5
BALANCE OF COUNTY	---	105	7	4	3
MC PHERSON	241	244	8	4	7
MARION	143	159	3	2	3
MARSHALL	191	221	4	3	2
MEADE	48	52	2	2	-
MIAMI	286	217	2	-	2
MITCHELL	135	129	8	8	4
MONTGOMERY	587	613	20	13	9
COFFEYVILLE	---	209	7	3	3
WHITE	---	186	4	1	2
NONWHITE	---	23	3	2	1
INDEPENDENCE	---	164	5	3	1
BALANCE OF COUNTY	---	240	8	7	5
MORRIS	86	93	1	1	3
MORTON	29	21	-	-	3
NEMAHA	138	153	4	1	5
NEOSHO	255	256	8	6	3
CHANUTE	---	124	5	3	2
BALANCE OF COUNTY	---	132	3	3	1
NESS	59	66	3	3	2
NORTON	107	93	7	6	-
OSAGE	108	163	3	2	3
OSBORNE	84	93	-	-	-
OTTAWA	36	100	-	-	2
PAWNEE	204	111	1	-	6
PHILLIPS	90	105	2	1	1
POTTAWATOMIE	146	152	6	4	2
PRATT	112	136	5	4	4
RAWLINS	41	57	1	-	-
RENO	546	606	37	28	14
HUTCHINSON	---	415	26	21	10
BALANCE OF COUNTY	---	191	11	7	4
REPUBLIC	112	112	2	1	-
RICE	152	166	6	5	-
RILEY	259	259	21	16	11
MANHATTAN	---	176	16	13	9
BALANCE OF COUNTY	---	83	5	3	2
ROOKS	62	98	3	2	1
RUSH	56	70	1	-	-
RUSSELL	91	109	7	6	3
SALINE	453	439	46	31	17
SALINA	---	360	40	27	17
BALANCE OF COUNTY	---	79	6	4	-
SCOTT	32	32	3	3	2
SEDGWICK	2,630	2,493	186	137	98
WHITE	2,465	2,326	154	118	87
NONWHITE	164	167	32	19	11
WICHITA	---	2,204	166	123	80
WHITE	---	2,040	134	104	69
NONWHITE	---	164	32	19	11
BALANCE OF COUNTY	---	289	20	14	18

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KANSAS--CON.					
SEWARD	119	107	6	3	6
LIBERAL	---	97	5	2	4
BALANCE OF COUNTY	---	10	1	1	2
SHAWNEE	1,635	1,322	92	70	45
WHITE	1,484	1,195	79	59	37
NONWHITE	150	127	13	11	8
TOPEKA	---	1,183	69	56	36
BALANCE OF COUNTY	---	139	23	14	9
SHERIDAN	22	33	1	-	1
SHERMAN	54	57	1	1	-
SMITH	88	110	2	1	-
STAFFORD	85	87	3	2	1
STANTON	10	18	2	1	-
STEVENS	24	29	1	1	3
SUMNER	231	286	14	11	6
THOMAS	65	48	4	4	3
TREGO	37	36	-	-	-
WABAUNSEE	43	75	-	-	2
WALLACE	5	18	1	-	2
WASHINGTON	124	154	3	3	5
WICHITA	9	11	-	-	1
WILSON	188	194	5	5	-
WOODSON	49	91	2	1	1
WYANDOTTE	2,098	1,826	120	96	65
WHITE	1,699	1,437	91	74	46
NONWHITE	399	389	29	22	19
KANSAS CITY	---	1,533	91	75	48
WHITE	---	1,168	66	56	31
NONWHITE	---	365	25	19	17
BALANCE OF COUNTY	---	293	29	21	17
KENTUCKY	30,205	30,463	1,876	1,343	960
WHITE	27,063	27,311	1,601	1,157	830
NONWHITE	3,138	3,152	275	186	130
ADAIR	131	141	6	1	3
ALLEN	128	150	5	3	1
ANDERSON	58	103	1	1	2
BALLARD	63	108	2	1	-
BARREN	451	310	18	12	13
GLASGOW	---	129	9	6	5
BALANCE OF COUNTY	---	181	9	6	8
BATH	59	104	5	4	2
BELL	415	365	26	16	6
MIDDLESBOROUGH	---	154	4	3	6
BALANCE OF COUNTY	---	211	22	13	-
BOONE	93	189	11	9	6
BOURBON	188	208	6	4	2
WHITE	149	154	5	3	1
NONWHITE	39	54	1	1	1
BOYD	496	467	16	10	12
ASHLAND	---	320	10	8	6
BALANCE OF COUNTY	---	147	6	2	6
BOYLE	370	212	6	4	5
WHITE	322	170	3	2	3
NONWHITE	48	42	3	2	2
BRACKEN	56	82	2	1	-
BREATHITT	64	123	10	6	8
BRECKINRIDGE	141	170	12	11	8
BULLITT	60	127	18	12	4
BUTLER	50	99	6	2	1
CALDWELL	198	181	5	5	2
CALLOWAY	204	213	6	5	1
CAMPBELL	890	1,021	51	44	34
FORT THOMAS	---	165	10	10	6
NEWPORT	---	393	19	16	9
BALANCE OF COUNTY	---	463	22	18	19
CARLISLE	38	85	3	3	1
CARROLL	118	117	4	1	4
CARTER	131	220	13	9	7
CASEY	93	127	4	3	3
CHRISTIAN	722	530	56	37	23
WHITE	502	330	21	16	14
NONWHITE	220	200	35	21	9
HOPKINSVILLE	---	270	25	14	9
WHITE	---	155	8	4	4
NONWHITE	---	115	17	10	5
BALANCE OF COUNTY	---	260	31	23	14
WHITE	---	175	13	12	10
NONWHITE	---	85	18	11	4
CLARK	223	236	13	9	5
WINCHESTER	---	162	9	7	4
WHITE	---	129	8	6	3
NONWHITE	---	33	1	1	1
BALANCE OF COUNTY	---	74	4	2	1

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KENTUCKY--CON.					
CLAY	153	167	20	15	16
CLINTON	103	102	10	6	2
CRITTENDEN	74	124	5	5	1
CUMBERLAND	50	80	3	1	3
DAVIESS	723	624	33	20	16
OWENSBORO	---	456	27	16	9
BALANCE OF COUNTY	---	168	6	4	7
EDMONSON	62	82	-	-	2
ELLIOTT	29	49	1	-	1
ESTILL	102	118	8	6	-
FAYETTE	1,992	1,258	84	68	45
WHITE	1,625	969	63	51	34
NONWHITE	367	289	21	17	11
LEXINGTON	---	829	62	50	27
WHITE	---	583	44	35	16
NONWHITE	---	246	18	15	11
BALANCE OF COUNTY	---	429	22	18	18
FLEMING	113	164	5	5	5
FLOYD	235	307	23	18	16
FRANKLIN	278	306	9	7	7
FRANKFORT	---	230	4	4	4
WHITE	---	196	2	2	3
NONWHITE	---	34	2	2	1
BALANCE OF COUNTY	---	76	5	3	3
FULTON	175	175	13	10	5
WHITE	152	150	5	4	1
NONWHITE	23	25	8	6	4
GALLATIN	23	33	-	-	1
GARRARD	87	110	10	8	2
GRANT	85	134	5	1	3
GRAVES	356	378	23	18	7
MAYFIELD	---	148	9	7	2
WHITE	---	132	8	6	2
NONWHITE	---	16	1	1	-
BALANCE OF COUNTY	---	230	14	11	5
GRAYSON	114	168	8	5	4
GREEN	55	99	3	3	3
GREENUP	197	226	18	15	12
HANCOCK	30	62	2	1	3
HARDIN	383	351	64	46	26
HARLAN	377	376	26	21	14
HARRISON	153	191	13	10	4
HART	75	139	5	5	6
WHITE	70	127	4	4	6
NONWHITE	5	12	1	1	-
HENDERSON	331	361	17	15	13
HENDERSON	---	247	13	11	10
WHITE	---	205	12	11	8
NONWHITE	---	42	1	-	2
BALANCE OF COUNTY	---	114	4	4	3
HENRY	109	162	10	8	5
HICKMAN	84	91	5	3	-
WHITE	71	76	2	1	-
NONWHITE	13	15	3	2	-
HOPKINS	497	447	21	16	12
MADISONVILLE	---	146	7	6	4
WHITE	---	113	4	3	4
NONWHITE	---	33	3	3	-
BALANCE OF COUNTY	---	301	14	10	8
JACKSON	43	74	4	3	-
JEFFERSON	6,901	6,074	429	318	211
WHITE	5,723	4,969	333	250	164
NONWHITE	1,178	1,105	96	68	47
LOUISVILLE	---	4,723	288	216	150
WHITE	---	3,694	199	154	104
NONWHITE	---	1,029	89	62	46
SHIVELY	---	35	2	1	1
BALANCE OF COUNTY	---	1,316	139	101	60
JESSAMINE	92	121	7	5	6
JOHNSON	214	190	8	5	2
KENTON	1,492	1,350	67	45	33
COVINGTON	---	829	44	30	24
BALANCE OF COUNTY	---	521	23	15	9
KNOTT	41	81	9	3	7
KNOX	177	266	10	4	9
LARUE	45	95	3	3	2
LAUREL	224	253	21	14	4
LAWRENCE	145	145	4	3	1
LEE	54	82	3	3	-
LESLIE	47	84	7	6	2
LETCHER	229	235	20	14	15
LEWIS	69	134	9	5	4
LINCOLN	134	187	6	5	3
LIVINGSTON	80	100	2	2	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
KENTUCKY—CON.					
LOGAN	232	239	12	7	5
WHITE	202	210	11	6	5
NONWHITE	30	29	1	1	-
LYON	45	64	2	1	2
MC CRACKEN	802	677	34	30	21
WHITE	694	565	24	23	16
NONWHITE	107	112	10	7	5
PADUCAH	---	534	24	20	16
WHITE	---	434	15	14	11
NONWHITE	---	100	9	6	5
BALANCE OF COUNTY	---	143	10	10	5
MC CREARY	79	122	11	8	5
MC LEAN	74	102	5	2	2
MADISON	348	317	24	14	10
RICHMOND	---	126	12	11	5
WHITE	---	99	11	10	3
NONWHITE	---	27	1	1	2
BALANCE OF COUNTY	---	191	12	3	5
MAGOFFIN	23	43	1	-	1
MARION	180	175	19	12	3
MARSHALL	93	161	11	7	3
MARTIN	42	87	7	3	2
MASON	263	215	14	12	1
MEADE	54	93	13	11	6
MENIFEE	37	40	4	1	3
MERCER	193	208	8	6	5
METCALFE	35	83	4	2	4
MONROE	112	113	4	-	4
MONTGOMERY	173	147	5	3	4
MORGAN	85	111	8	5	2
MUHLENBERG	263	308	15	14	10
NELSON	165	201	13	10	17
NICHOLAS	64	77	6	4	3
OHIO	191	243	3	1	-
OLDHAM	156	108	5	4	8
OWEN	117	120	4	1	2
OWSLEY	30	46	1	1	5
PENDLETON	79	123	3	1	3
PERRY	334	277	35	26	10
PIKE	492	491	45	29	39
POWELL	29	75	8	6	1
PULASKI	401	353	20	11	9
ROBERTSON	25	31	2	2	-
ROCKCASTLE	77	112	7	4	3
ROWAN	52	106	11	6	6
RUSSELL	59	100	7	4	2
SCOTT	132	165	11	8	3
WHITE	114	140	8	6	1
NONWHITE	18	25	3	2	2
SHELBY	252	211	13	11	3
WHITE	225	180	12	11	3
NONWHITE	27	31	1	-	-
SIMPSON	130	150	6	2	4
WHITE	118	131	3	2	1
NONWHITE	12	19	3	-	3
SPENCER	27	45	2	2	2
TAYLOR	163	165	9	9	1
TODD	75	145	5	3	4
WHITE	60	120	2	1	4
NONWHITE	15	25	3	2	-
TRIGG	87	96	3	3	4
WHITE	71	80	1	1	3
NONWHITE	16	16	2	2	1
TRIMBLE	27	52	2	2	1
UNION	179	185	7	4	5
WARREN	551	503	28	18	12
BOWLING GREEN	---	319	19	11	8
WHITE	---	269	13	10	6
NONWHITE	---	50	6	1	2
BALANCE OF COUNTY	---	184	9	7	4
WASHINGTON	66	115	4	3	3
WHITE	57	102	3	2	3
NONWHITE	9	13	1	1	-
WAYNE	97	140	6	4	6
WEBSTER	114	199	8	7	4
WHITLEY	291	306	28	20	12
WOLFE	42	62	4	3	2
WOODFORD	96	113	11	9	3
WHITE	86	96	10	8	3
NONWHITE	10	17	1	1	-

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA	30,615	30,415	2,755	1,925	1,439
WHITE	19,064	18,880	1,167	914	589
NONWHITE	11,545	11,535	1,588	1,011	850
ACADIA	355	443	40	29	25
WHITE	266	331	26	21	14
NONWHITE	89	112	14	8	11
CROWLEY	---	164	11	7	14
WHITE	---	110	4	4	5
NONWHITE	---	54	7	3	9
BALANCE OF PARISH	---	279	29	22	11
WHITE	---	221	22	17	9
NONWHITE	---	58	7	5	2
ALLEN	179	190	15	13	11
WHITE	136	138	9	9	6
NONWHITE	43	52	6	4	5
ASCENSION	163	276	32	22	9
WHITE	78	159	14	13	4
NONWHITE	85	117	18	9	5
ASSUMPTION	112	176	18	9	11
WHITE	49	83	5	4	5
NONWHITE	63	93	13	5	6
AVOYELLES	258	404	45	24	17
WHITE	182	281	19	15	8
NONWHITE	76	123	26	9	9
BEAUREGARD	171	201	14	12	6
WHITE	128	143	7	7	5
NONWHITE	43	58	7	5	1
BIENVILLE	126	193	18	13	7
WHITE	86	125	6	3	3
NONWHITE	40	68	12	10	4
BOSSIER	179	375	56	40	23
WHITE	95	222	35	30	14
NONWHITE	84	153	21	10	9
BOSSIER CITY	---	166	33	29	14
WHITE	---	129	29	26	12
NONWHITE	---	37	4	3	2
SHREVEPORT, PART	---	-	-	-	-
BALANCE OF PARISH	---	209	23	11	9
WHITE	---	93	6	4	2
NONWHITE	---	116	17	7	7
CADDO	2,977	2,142	189	148	95
WHITE	1,644	1,189	63	47	37
NONWHITE	1,333	953	126	101	58
SHREVEPORT, PART	---	1,692	165	131	72
SHREVEPORT, TOTAL	---	1,692	165	131	72
WHITE	---	984	55	40	26
NONWHITE	---	708	110	91	46
BALANCE OF PARISH	---	450	24	17	23
WHITE	---	205	8	7	11
NONWHITE	---	245	16	10	12
CALCASIEU	969	988	119	78	53
WHITE	678	686	69	45	27
NONWHITE	291	302	50	33	26
LAKE CHARLES	---	462	48	33	18
WHITE	---	300	25	16	11
NONWHITE	---	162	23	17	7
SULPHUR	---	85	11	5	2
BALANCE OF PARISH	---	441	60	40	33
WHITE	---	307	36	25	14
NONWHITE	---	134	24	15	19
CALDWELL	81	96	5	4	1
WHITE	62	72	3	3	-
NONWHITE	19	24	2	1	1
CAMERON	36	52	5	5	3
CATAHOULA	88	123	7	7	5
WHITE	55	82	3	3	3
NONWHITE	33	41	4	4	2
CLAIBORNE	154	205	13	8	7
WHITE	84	102	1	1	1
NONWHITE	70	103	12	7	6
CONCORDIA	142	204	25	14	8
WHITE	51	85	8	6	-
NONWHITE	91	119	17	8	8
DE SOTO	213	305	19	9	8
WHITE	113	149	3	1	2
NONWHITE	100	156	16	8	6
EAST BATON ROUGE	1,628	1,629	164	130	91
WHITE	1,049	903	69	63	34
NONWHITE	578	726	95	67	57
BATON ROUGE	---	1,203	96	80	61
WHITE	---	693	39	36	22
NONWHITE	---	510	57	44	39

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA--CON.					
EAST BATON ROUGE--CON.					
BALANCE OF PARISH	---	426	68	50	30
WHITE	---	210	30	27	12
NONWHITE	---	216	38	23	18
EAST CARROLL	153	188	22	12	9
WHITE	39	37	2	1	2
NONWHITE	114	151	20	11	7
EAST FELICIANA	434	177	18	8	7
WHITE	253	65	4	1	1
NONWHITE	181	112	14	7	6
EVANGELINE	289	355	42	26	21
WHITE	210	256	15	11	4
NONWHITE	79	99	27	15	17
FRANKLIN	209	263	21	11	22
WHITE	137	156	2	2	5
NONWHITE	72	107	19	9	17
GRANT	60	120	6	2	5
WHITE	43	95	3	1	1
NONWHITE	17	25	3	1	4
IBERIA	334	448	53	43	26
WHITE	233	280	29	26	16
NONWHITE	101	168	24	17	10
NEW IBERIA	---	249	29	26	13
WHITE	---	173	21	19	10
NONWHITE	---	76	8	7	3
BALANCE OF PARISH	---	199	24	17	13
WHITE	---	107	8	7	6
NONWHITE	---	92	16	10	7
IBERVILLE	310	338	31	19	20
WHITE	149	146	12	10	4
NONWHITE	161	192	19	9	16
JACKSON	150	158	12	7	10
WHITE	106	113	2	-	4
NONWHITE	44	45	10	7	6
JEFFERSON	986	1,430	126	91	63
WHITE	814	1,143	83	66	38
NONWHITE	172	287	43	25	25
GRETNA	---	175	14	11	6
WHITE	---	120	9	8	2
NONWHITE	---	55	5	3	4
KENNER	---	126	17	13	4
WHITE	---	78	11	9	1
NONWHITE	---	48	6	4	3
BALANCE OF PARISH	---	1,129	95	67	53
WHITE	---	945	63	49	35
NONWHITE	---	184	32	18	18
JEFFERSON DAVIS	207	261	29	21	14
WHITE	158	184	11	9	10
NONWHITE	49	77	18	12	4
JENNINGS	---	82	10	7	5
WHITE	---	59	5	5	5
NONWHITE	---	23	5	2	-
BALANCE OF PARISH	---	179	19	14	9
WHITE	---	125	6	4	5
NONWHITE	---	54	13	10	4
LAFAYETTE	912	617	72	49	49
WHITE	508	429	29	20	22
NONWHITE	404	188	43	29	27
LAFAYETTE	---	402	46	28	27
WHITE	---	268	16	12	11
NONWHITE	---	134	30	16	16
BALANCE OF PARISH	---	215	26	21	22
WHITE	---	161	13	8	11
NONWHITE	---	54	13	13	11
LAFOURCHE	354	395	37	30	24
WHITE	307	324	26	23	16
NONWHITE	47	71	11	7	8
THIBODAUX	---	101	12	9	6
WHITE	---	71	7	6	4
NONWHITE	---	30	5	3	2
BALANCE OF PARISH	---	294	25	21	18
WHITE	---	253	19	17	12
NONWHITE	---	41	6	4	6
LA SALLE	85	111	6	4	6
WHITE	77	94	3	3	4
NONWHITE	8	17	3	1	2
LINCOLN	210	256	31	24	12
WHITE	144	152	11	9	6
NONWHITE	66	104	20	15	6
RUSTON	---	122	12	10	10
WHITE	---	76	6	6	6
NONWHITE	---	46	6	4	4
LOUISIANA--CON.					
LINCOLN--CON.					
BALANCE OF PARISH	---	134	19	14	2
WHITE	---	76	5	3	-
NONWHITE	---	58	14	11	2
LIVINGSTON	106	240	25	14	8
WHITE	87	198	15	10	7
NONWHITE	19	42	10	4	1
MADISON	136	196	12	6	9
WHITE	32	51	1	1	1
NONWHITE	104	145	11	5	8
MOREHOUSE	242	297	30	23	12
WHITE	116	130	6	5	1
NONWHITE	126	167	24	18	11
BASTROP	---	120	9	8	4
WHITE	---	65	3	3	-
NONWHITE	---	55	6	5	4
BALANCE OF PARISH	---	177	21	15	8
WHITE	---	65	3	2	1
NONWHITE	---	112	18	13	7
NATCHITOCHES	262	355	24	19	16
WHITE	126	164	3	3	2
NONWHITE	136	191	21	16	14
NATCHITOCHES	---	125	10	9	6
WHITE	---	52	2	2	2
NONWHITE	---	73	8	7	4
BALANCE OF PARISH	---	230	14	10	10
WHITE	---	112	1	1	-
NONWHITE	---	118	13	9	10
ORLEANS, COEX. WITH NEW ORLEANS CITY	9,057	7,262	500	378	244
WHITE	5,571	4,572	180	155	75
NONWHITE	3,483	2,690	320	223	169
OUACHITA	1,253	934	78	55	49
WHITE	693	561	38	23	20
NONWHITE	560	373	40	32	29
MONROE	---	580	47	31	35
WHITE	---	281	19	10	12
NONWHITE	---	299	28	21	23
WEST MONROE	---	154	17	13	6
WHITE	---	127	12	8	3
NONWHITE	---	27	5	5	3
BALANCE OF PARISH	---	200	14	11	8
WHITE	---	153	7	5	5
NONWHITE	---	47	7	6	3
PLAQUEMINES	103	144	17	11	8
WHITE	63	89	10	7	1
NONWHITE	39	55	7	4	7
POINTE COUPEE	204	229	20	13	21
WHITE	96	94	2	2	4
NONWHITE	108	135	18	11	17
RAPIDES	1,650	1,019	91	62	39
WHITE	1,039	634	46	32	17
NONWHITE	610	385	45	30	22
ALEXANDRIA	---	483	45	30	21
WHITE	---	248	19	14	6
NONWHITE	---	235	26	16	15
BALANCE OF PARISH	---	536	46	32	18
WHITE	---	386	27	18	11
NONWHITE	---	150	19	14	7
RED RIVER	92	112	13	8	4
WHITE	55	68	7	6	1
NONWHITE	37	44	6	2	3
RICHLAND	169	236	27	20	24
WHITE	103	125	9	8	7
NONWHITE	66	111	18	12	17
SABINE	177	208	8	5	5
WHITE	129	156	4	2	3
NONWHITE	48	52	4	3	2
ST. BERNARD	138	218	15	9	10
ST. CHARLES	118	161	30	23	5
WHITE	69	95	17	13	2
NONWHITE	49	66	13	10	3
ST. HELENA	43	89	5	3	1
WHITE	22	49	2	2	-
NONWHITE	21	40	3	1	1
ST. JAMES	159	195	18	14	9
WHITE	86	97	2	2	2
NONWHITE	73	98	16	12	7
ST. JOHN THE BAPTIST	87	163	17	12	13
WHITE	39	74	4	4	1
NONWHITE	48	89	13	8	12

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
LOUISIANA--CON.					
ST. LANDRY	603	773	88	54	47
WHITE	331	388	21	12	19
NONWHITE	272	385	67	42	28
EUNICE	---	108	14	11	5
WHITE	---	76	7	5	5
NONWHITE	---	32	7	6	-
OPELOUSAS	---	177	14	9	16
WHITE	---	83	4	3	6
NONWHITE	---	94	10	6	10
BALANCE OF PARISH	---	488	60	34	26
WHITE	---	229	10	4	8
NONWHITE	---	259	50	30	18
ST. MARTIN	185	252	35	22	22
WHITE	115	147	13	7	11
NONWHITE	70	105	22	15	11
ST. MARY	278	373	52	34	28
WHITE	166	202	28	21	15
NONWHITE	112	171	24	13	13
MORGAN CITY	---	80	14	10	6
WHITE	---	63	12	9	3
NONWHITE	---	17	2	1	3
BALANCE OF PARISH	---	293	38	24	22
WHITE	---	139	16	12	12
NONWHITE	---	154	22	12	10
ST. TAMMANY	319	418	40	27	16
WHITE	249	303	19	17	10
NONWHITE	70	115	21	10	6
TANGIPAHOA	637	665	68	36	30
WHITE	389	424	25	18	11
NONWHITE	248	241	43	18	19
HAMMOND	---	106	7	4	6
WHITE	---	64	1	1	2
NONWHITE	---	42	6	3	4
BALANCE OF PARISH	---	559	61	32	24
WHITE	---	360	24	17	9
NONWHITE	---	199	37	15	15
TENSAS	93	118	10	7	6
WHITE	21	31	1	1	-
NONWHITE	72	87	9	6	6
TERREBONNE	337	426	72	46	41
WHITE	236	280	42	34	24
NONWHITE	101	146	30	12	17
HOUMA	---	218	35	22	15
WHITE	---	160	20	17	9
NONWHITE	---	58	15	5	6
BALANCE OF PARISH	---	208	37	24	26
WHITE	---	120	22	17	15
NONWHITE	---	88	15	7	11
UNION	146	194	8	6	10
WHITE	97	131	6	4	2
NONWHITE	49	63	2	2	8
VERMILION	263	325	34	26	10
WHITE	232	274	18	15	6
NONWHITE	31	51	16	11	4
ABBEVILLE	---	92	16	11	4
WHITE	---	69	6	4	3
NONWHITE	---	23	10	7	1
BALANCE OF PARISH	---	233	18	15	6
WHITE	---	205	12	11	3
NONWHITE	---	28	6	4	3
VERNON	178	230	21	14	19
WHITE	155	197	17	11	17
NONWHITE	23	33	4	3	2
WASHINGTON	381	473	39	22	20
WHITE	250	303	16	11	10
NONWHITE	131	170	23	11	10
BOGALUSA	---	256	19	12	7
WHITE	---	151	7	6	3
NONWHITE	---	105	12	6	4
BALANCE OF PARISH	---	217	20	10	13
WHITE	---	152	9	5	7
NONWHITE	---	65	11	5	6
WEBSTER	283	400	34	23	15
WHITE	184	246	14	14	6
NONWHITE	99	154	20	9	9
MINDEN	---	143	12	8	6
WHITE	---	72	6	6	1
NONWHITE	---	71	6	2	5
BALANCE OF PARISH	---	257	22	15	9
WHITE	---	174	8	8	5
NONWHITE	---	83	14	7	4
WEST BATON ROUGE	89	152	15	7	11
WHITE	26	50	5	2	2
NONWHITE	63	102	10	5	9
WEST CARROLL	81	151	2	2	6
WHITE	62	116	2	2	4
NONWHITE	19	35	-	-	2
WEST FELICIANA	54	83	9	5	8
WHITE	13	24	2	1	1
NONWHITE	41	59	7	4	7
WINN	168	205	8	7	5
WHITE	127	148	3	2	2
NONWHITE	41	57	5	5	3
MAINE	11,056	11,096	581	413	352
WHITE	11,000	11,056	572	408	346
NONWHITE	44	40	9	5	6
ANDROSCOGGIN	981	967	46	31	32
AUBURN	---	262	9	6	6
LEWISTON	---	464	22	16	6
BALANCE OF COUNTY	---	241	15	9	20
AROOSTOOK	761	830	99	65	48
PRESQUE ISLE	---	84	5	3	2
BALANCE OF COUNTY	---	746	94	62	46
CUMBERLAND	2,215	2,187	110	79	69
PORTLAND	---	1,052	52	40	22
SOUTH PORTLAND	---	228	11	7	3
WESTBROOK	---	146	11	9	9
BALANCE OF COUNTY	---	761	36	23	35
FRANKLIN	240	259	16	13	14
HANCOCK	419	437	20	15	14
KENNEBEC	1,513	1,039	38	27	34
AUGUSTA	---	218	11	8	6
WATERVILLE	---	218	7	5	10
BALANCE OF COUNTY	---	603	20	14	18
KNOX	375	416	12	11	14
LINCOLN	238	261	6	5	6
OXFORD	445	535	25	17	10
PENOBSCOT	1,409	1,280	94	69	35
BANGOR	---	447	33	24	10
BALANCE OF COUNTY	---	833	61	45	25
PISCATAQUIS	198	234	1	-	4
SAGADAHOC	209	239	11	8	3
BATH	---	125	3	1	-
BALANCE OF COUNTY	---	114	8	7	3
SOMERSET	358	446	20	12	14
WALDO	275	325	14	11	7
WASHINGTON	336	446	21	15	12
YORK	1,084	1,195	48	35	36
BIDDEFORD	---	239	8	8	9
SACO	---	134	4	3	2
BALANCE OF COUNTY	---	822	36	24	25
MARYLAND	28,254	28,415	2,041	1,548	1,216
WHITE	22,546	22,868	1,323	1,048	826
NONWHITE	5,629	5,547	718	500	390
ALLEGANY	928	974	34	27	30
CUMBERLAND	---	464	18	15	13
BALANCE OF COUNTY	---	510	16	12	17
ANNE ARUNDEL	1,093	1,382	112	78	70
WHITE	726	1,139	79	53	56
NONWHITE	365	243	33	25	14
ANNAPOLIS	---	258	13	8	9
WHITE	---	173	8	4	5
NONWHITE	---	85	5	4	4
BALANCE OF COUNTY	---	1,124	99	70	61
WHITE	---	966	71	49	51
NONWHITE	---	158	28	21	10
BALTIMORE	2,351	3,313	220	181	138
WHITE	2,105	3,132	210	174	127
NONWHITE	240	181	10	7	11
BALTIMORE CITY	12,896	11,332	714	547	408
WHITE	9,396	7,802	282	232	156
NONWHITE	3,481	3,530	432	315	252
CALVERT	161	144	15	5	2
WHITE	102	81	4	3	-
NONWHITE	58	63	11	2	2
CAROLINE	127	226	10	4	8
WHITE	95	177	5	3	5
NONWHITE	32	49	5	1	3
CARROLL	730	504	34	23	23
CECIL	463	393	37	27	23
CHARLES	226	317	40	33	16
WHITE	145	207	17	15	8
NONWHITE	81	110	23	18	8

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MARYLAND--CON.					
DORCHESTER	413	372	31	27	19
WHITE	332	276	13	13	6
NONWHITE	81	96	18	14	13
CAMBRIDGE	---	177	14	13	9
WHITE	---	132	7	7	2
NONWHITE	---	45	7	6	7
BALANCE OF COUNTY	---	195	17	14	10
WHITE	---	144	6	6	4
NONWHITE	---	51	11	8	6
FREDERICK	706	802	34	25	30
FREDERICK	---	261	12	11	4
WHITE	---	232	9	9	4
NONWHITE	---	29	3	2	-
BALANCE OF COUNTY	---	541	22	14	26
GARRETT	247	228	8	6	7
HARFORD	468	542	59	45	44
HOWARD	174	263	21	16	18
WHITE	154	233	20	15	16
NONWHITE	15	30	1	1	2
KENT	174	211	12	8	9
WHITE	112	144	5	4	5
NONWHITE	60	67	7	4	4
MONTGOMERY	2,481	2,232	188	150	107
WHITE	2,312	2,104	168	136	95
NONWHITE	147	128	20	14	12
ROCKVILLE	---	244	35	27	24
TAKOMA PARK, PART	---	120	9	7	5
TAKOMA PARK, TOTAL	---	162	12	10	9
BALANCE OF COUNTY	---	1,868	144	116	78
WHITE	---	1,770	129	107	69
NONWHITE	---	98	15	9	9
PRINCE GEORGES	1,649	2,343	305	233	163
WHITE	1,343	2,078	241	192	140
NONWHITE	298	265	64	41	23
COLLEGE PARK	---	92	10	8	8
HYATTSVILLE	---	385	51	43	27
TAKOMA PARK, PART	---	42	3	3	4
BALANCE OF COUNTY	---	1,824	241	179	124
WHITE	---	1,567	178	138	102
NONWHITE	---	257	63	41	22
QUEEN ANNES	90	166	15	7	13
WHITE	60	116	7	3	8
NONWHITE	29	50	8	4	5
ST. MARYS	226	260	36	23	15
WHITE	162	186	19	16	9
NONWHITE	64	74	17	7	6
SOMERSET	170	297	11	7	8
WHITE	115	193	4	3	4
NONWHITE	55	104	7	4	4
TALBOT	356	308	12	10	5
WHITE	266	218	5	4	4
NONWHITE	90	90	7	6	1
WASHINGTON	1,056	924	41	32	29
HAGERSTOWN	---	552	25	20	11
BALANCE OF COUNTY	---	372	16	12	18
WICOMICO	918	598	32	23	14
WHITE	670	462	18	12	10
NONWHITE	247	136	14	11	4
SALISBURY	---	298	24	18	7
WHITE	---	230	14	9	6
NONWHITE	---	68	10	9	1
BALANCE OF COUNTY	---	300	8	5	7
WHITE	---	232	4	3	4
NONWHITE	---	68	4	2	3
WORCESTER	151	284	20	11	17
WHITE	94	178	3	2	7
NONWHITE	56	106	17	9	10
MASSACHUSETTS	56,678	56,512	2,443	1,855	1,391
WHITE	55,375	55,283	2,288	1,749	1,305
NONWHITE	1,242	1,229	155	106	86
BARNSTABLE	845	881	36	26	19
BERKSHIRE	1,492	1,534	64	54	46
NORTH ADAMS	---	257	7	5	7
PITTSFIELD	---	596	30	26	16
BALANCE OF COUNTY	---	681	27	23	23
BRISTOL	4,418	4,573	177	133	74
ATTLEBORO	---	299	12	10	6
FALL RIVER	---	1,268	51	41	11
NEW BEDFORD	---	1,325	42	29	23
SOMERSET TOWN#	---	112	2	1	-
TAUNTON	---	426	17	12	10
BALANCE OF COUNTY	---	1,143	53	40	24

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MASSACHUSETTS--CON.					
DUKES	100	99	1	1	2
ESSEX	6,312	6,778	246	181	151
BEVERLY	---	374	16	10	16
DANVERS TOWN#	---	211	7	5	8
GLOUCESTER	---	281	10	8	6
HAVERHILL	---	643	30	25	13
LAWRENCE	---	954	33	20	20
LYNN	---	1,279	38	28	19
MARBLEHEAD TOWN#	---	196	9	9	8
METHUEN TOWN#	---	331	12	10	3
NEWBURYPORT	---	186	4	3	1
PEABODY	---	341	20	15	14
SALEM	---	533	14	8	12
SAUGUS TOWN#	---	201	5	5	9
SWAMPSCOTT TOWN#	---	152	4	4	-
BALANCE OF COUNTY	---	1,096	44	31	22
FRANKLIN	523	617	21	15	5
HAMPDEN	4,444	4,479	189	155	109
WHITE	4,329	4,365	168	138	98
NONWHITE	113	114	21	17	11
CHICOPEE	---	470	29	27	17
HOLYOKE	---	719	24	19	16
SPRINGFIELD	---	2,058	75	58	47
WHITE	---	1,956	58	44	39
NONWHITE	---	102	17	14	8
WESTFIELD	---	271	12	9	3
BALANCE OF COUNTY	---	961	49	42	26
HAMPSHIRE	985	932	42	37	18
NORTHAMPTON	---	268	12	9	4
BALANCE OF COUNTY	---	664	30	28	14
MIDDLESEX	10,802	12,318	588	449	362
WHITE	10,665	12,188	576	441	358
NONWHITE	127	130	12	8	4
ARLINGTON TOWN#	---	552	16	13	13
BELMONT TOWN#	---	318	7	6	5
CAMBRIDGE	---	1,245	40	27	33
EVERETT	---	465	19	13	15
FRAMINGHAM TOWN#	---	356	23	20	14
LEXINGTON TOWN#	---	167	8	8	5
LOWELL	---	1,242	51	39	35
MALDEN	---	710	34	23	8
MARLBOROUGH	---	204	16	12	12
MEDFORD	---	702	18	16	17
MELROSE	---	355	18	11	9
NATICK TOWN#	---	258	16	10	12
NEWTON	---	887	22	15	17
READING TOWN#	---	164	7	6	5
SOMERVILLE	---	1,065	55	43	33
STONEHAM TOWN#	---	161	5	4	6
WAKEFIELD TOWN#	---	225	7	7	4
WALTHAM	---	509	27	22	16
WATERTOWN TOWN#	---	398	13	11	9
WINCHESTER TOWN#	---	179	5	4	2
WOBURN	---	259	17	12	17
BALANCE OF COUNTY	---	1,897	164	127	75
NANTUCKET	50	47	5	5	-
NORFOLK	3,975	4,750	249	182	115
BRAINTREE TOWN#	---	235	18	13	10
BROOKLINE TOWN#	---	826	19	15	6
DEDHAM TOWN#	---	200	7	4	8
MILTON TOWN#	---	308	4	3	6
NEEDHAM TOWN#	---	209	7	5	3
NORWOOD TOWN#	---	203	12	8	4
QUINCY	---	928	43	33	27
RANDOLPH TOWN#	---	141	17	13	5
WELLESLEY TOWN#	---	190	6	4	1
WEYMOUTH TOWN#	---	383	22	18	13
BALANCE OF COUNTY	---	1,127	94	66	32
PLYMOUTH	2,420	2,784	136	108	67
BROCKTON	---	934	40	33	14
WHITMAN TOWN#	---	115	3	3	2
BALANCE OF COUNTY	---	1,735	93	72	51
SUFFOLK	13,684	10,333	420	301	254
WHITE	12,949	9,613	332	244	200
NONWHITE	717	720	88	57	54
BOSTON	---	9,312	386	281	240
WHITE	---	8,595	298	224	187
NONWHITE	---	717	88	57	53
CHELSEA	---	403	17	10	6
REVERE	---	393	9	5	6
WINTHROP TOWN#	---	225	8	5	2
WORCESTER	6,628	6,387	269	208	169
CLINTON TOWN#	---	142	8	5	5
FITCHBURG	---	468	29	25	10

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MASSACHUSETTS--CON.					
WORCESTER--CON.					
GARDNER	---	234	6	4	9
LEOMINSTER	---	266	12	12	12
WORCESTER	---	2,336	87	67	50
BALANCE OF COUNTY	---	2,941	127	95	83
MICHIGAN	69,493	70,035	4,392	3,276	2,737
WHITE	63,441	64,000	3,650	2,736	2,212
NONWHITE	6,045	6,035	742	540	525
ALCONA	47	84	7	7	-
ALGER	85	107	2	1	6
ALLEGAN	437	522	26	16	16
HOLLAND, PART	---	6	-	-	-
BALANCE OF COUNTY	---	516	26	16	16
ALPENA	300	280	19	12	8
ALPENA	---	170	9	4	5
BALANCE OF COUNTY	---	110	10	8	3
ANTRIM	98	149	4	3	3
ARENAC	105	128	11	9	1
BARAGA	75	77	3	1	5
BARRY	272	309	20	18	10
BAY	989	996	62	41	49
BAY CITY	---	614	32	21	27
BALANCE OF COUNTY	---	382	30	20	22
BENZIE	84	112	7	5	5
BERRIEN	1,332	1,444	90	58	53
WHITE	1,236	1,350	73	53	39
NONWHITE	96	94	17	5	14
BENTON HARBOR	---	222	15	10	13
WHITE	---	181	9	7	3
NONWHITE	---	41	6	3	10
NILES	---	168	9	6	2
ST. JOSEPH	---	142	11	10	3
BALANCE OF COUNTY	---	912	55	32	35
BRANCH	358	352	16	15	8
CALHOUN	1,301	1,188	80	58	60
WHITE	1,210	1,105	69	50	53
NONWHITE	91	83	11	8	7
ALBION	---	119	10	8	7
WHITE	---	98	7	5	6
NONWHITE	---	21	3	3	1
BATTLE CREEK	---	541	29	21	29
WHITE	---	482	21	16	23
NONWHITE	---	59	8	5	6
BALANCE OF COUNTY	---	528	41	29	24
CASS	286	405	24	13	11
WHITE	251	346	16	7	7
NONWHITE	35	59	8	6	4
CHARLEVOIX	127	151	9	6	3
CHEBOYGAN	132	149	7	4	5
CHIPPEWA	287	322	40	32	9
SAULT STE. MARIE	---	184	21	19	6
BALANCE OF COUNTY	---	138	19	13	3
CLARE	144	152	11	7	10
CLINTON	244	341	14	12	16
CRAWFORD	96	63	4	4	1
DELTA	339	405	27	22	19
ESCANABA	---	191	14	13	8
BALANCE OF COUNTY	---	214	13	9	11
DICKINSON	407	304	11	7	8
EATON	332	479	24	15	13
EMMET	272	193	11	11	4
GENESEE	2,844	2,923	268	198	144
WHITE	2,602	2,670	206	151	119
NONWHITE	242	253	62	47	25
FLINT	---	1,735	162	124	73
WHITE	---	1,495	104	80	50
NONWHITE	---	240	58	44	23
BALANCE OF COUNTY	---	1,188	106	74	71
GLADWIN	109	108	4	3	5
GOGEBIC	346	341	11	8	7
IRONWOOD	---	158	1	-	2
BALANCE OF COUNTY	---	183	10	8	5
GRAND TRAVERSE	697	331	23	16	5
TRAVERSE	---	196	14	11	1
BALANCE OF COUNTY	---	135	9	5	4
GRATIOT	414	395	14	8	7
HILLSDALE	266	350	12	6	14
HOUGHTON	478	495	22	17	10
HURON	357	372	19	13	14
MICHIGAN--CON.					
INGHAM	1,749	1,648	111	82	69
EAST LANSING	---	94	10	9	7
LANSING	---	1,045	66	51	38
BALANCE OF COUNTY	---	509	35	22	24
IONIA	382	447	25	14	17
IOSCO	157	166	24	19	7
IRON	200	221	8	6	1
ISABELLA	285	297	21	14	7
MOUNT PLEASANT	---	111	2	2	-
BALANCE OF COUNTY	---	186	19	12	7
JACKSON	1,237	1,252	81	62	50
JACKSON	---	630	42	34	22
BALANCE OF COUNTY	---	622	39	28	28
KALAMAZOO	1,548	1,389	90	72	49
KALAMAZOO	---	801	52	40	22
BALANCE OF COUNTY	---	588	38	32	27
KALKASKA	39	63	1	-	1
KENT	3,455	3,247	205	149	117
WHITE	3,329	3,121	182	131	103
NONWHITE	126	126	23	18	14
EAST GRAND RAPIDS	---	66	-	-	-
GRAND RAPIDS	---	2,196	135	103	69
WHITE	---	2,074	113	86	55
NONWHITE	---	122	22	17	14
WYOMING	---	256	19	13	13
BALANCE OF COUNTY	---	729	51	33	35
KEWEENAW	15	31	-	-	2
LAKE	48	88	3	1	1
LAPEER	372	375	29	20	17
LEELANAU	36	88	5	5	3
LENAWEE	720	736	41	32	24
ADRIAN	---	198	12	10	9
BALANCE OF COUNTY	---	538	29	22	15
LIVINGSTON	310	324	17	13	19
LUCE	168	69	1	1	1
MACKINAC	72	97	11	10	6
MACOMB	1,781	2,606	267	203	159
CENTER LINE	---	46	5	4	2
EAST DETROIT	---	273	18	13	13
MOUNT CLEMENS	---	292	27	21	18
WHITE	---	274	21	18	15
NONWHITE	---	18	6	3	3
ROSEVILLE	---	281	29	22	17
ST. CLAIR SHORES	---	419	50	40	19
WARREN	---	587	80	64	53
BALANCE OF COUNTY	---	708	58	39	37
MANISTEE	224	237	16	13	6
MARQUETTE	586	586	31	24	24
MARQUETTE	---	173	9	9	8
BALANCE OF COUNTY	---	413	22	15	16
MASON	240	274	14	11	6
MECOSTA	189	218	11	7	8
MENOMINEE	310	267	8	4	9
MENOMINEE	---	133	2	2	2
BALANCE OF COUNTY	---	134	6	2	7
MIDLAND	259	337	27	22	14
MIDLAND	---	153	14	11	9
BALANCE OF COUNTY	---	184	13	11	5
MISSAUKEE	33	106	2	1	2
MONROE	586	882	53	34	39
MONROE	---	265	7	5	15
BALANCE OF COUNTY	---	617	46	29	24
MONTCALM	463	430	28	23	13
MONTMORENCY	26	58	2	2	5
MUSKEGON	1,155	1,208	88	58	73
WHITE	1,065	1,112	71	48	58
NONWHITE	90	96	17	10	15
MUSKEGON	---	504	31	20	24
MUSKEGON HEIGHTS	---	168	12	7	14
WHITE	---	119	6	4	5
NONWHITE	---	49	6	3	9
BALANCE OF COUNTY	---	536	45	31	35
NEWAYGO	286	277	9	6	7
OAKLAND	3,643	4,466	363	284	196
WHITE	3,530	4,333	336	267	180
NONWHITE	113	133	27	17	16
BERKLEY	---	121	13	13	2
BIRMINGHAM	---	230	14	11	7
CLAWSON	---	83	6	3	6
FERNDALE	---	266	21	15	10
HAZEL PARK	---	159	12	9	6
MADISON HEIGHTS	---	141	29	27	13

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MICHIGAN--CON.					
OAKLAND--CON.					
OAK PARK	---	164	11	9	4
PONTIAC	---	712	68	49	42
WHITE	---	621	46	36	31
NONWHITE	---	91	22	13	11
ROYAL OAK	---	470	36	31	20
SOUTHFIELD	---	185	13	13	10
TROY	---	98	10	5	3
BALANCE OF COUNTY	---	1,837	130	99	73
OCEANA	146	171	2	2	9
OGEMAW	187	139	4	3	2
ONTONAGON	88	113	6	3	8
OSCEOLA	158	169	3	3	7
OSCODA	28	35	2	-	-
OTSEGO	84	83	6	4	2
OTTAWA	775	835	57	40	36
GRAND HAVEN	---	131	9	6	1
HOLLAND, PART	---	210	6	5	8
HOLLAND, TOTAL	---	216	6	5	8
BALANCE OF COUNTY	---	494	42	29	27
PRESQUE ISLE	107	126	9	6	3
ROSCOMMON	49	102	7	4	2
SAGINAW	1,829	1,737	102	82	77
WHITE	1,699	1,612	81	64	56
NONWHITE	130	125	21	18	21
SAGINAW	---	1,011	52	40	36
WHITE	---	905	36	27	20
NONWHITE	---	106	16	13	16
BALANCE OF COUNTY	---	726	50	42	41
ST. CLAIR	1,025	1,101	59	47	51
PORT HURON	---	439	18	13	20
BALANCE OF COUNTY	---	662	41	34	31
ST. JOSEPH	436	457	31	24	12
SANILAC	314	403	18	15	14
SCHOOLCRAFT	92	97	3	2	5
SHIAWASSEE	458	504	37	25	15
OWOSSO	---	168	7	4	4
BALANCE OF COUNTY	---	336	30	21	11
TUSCOLA	425	449	24	13	11
VAN BUREN	461	589	26	17	17
WASHTENAW	2,362	1,148	79	60	75
WHITE	2,188	1,058	69	51	58
NONWHITE	173	90	10	9	17
ANN ARBOR	---	387	22	18	34
YPSILANTI	---	197	18	14	17
WHITE	---	159	13	10	7
NONWHITE	---	38	5	4	10
BALANCE OF COUNTY	---	564	39	28	24
WAYNE	25,975	25,032	1,410	1,080	903
WHITE	21,511	20,506	925	715	545
NONWHITE	4,460	4,526	485	365	358
ALLEN PARK	---	183	9	7	8
DEARBORN	---	1,043	50	33	32
DETROIT	---	18,282	899	697	595
WHITE	---	14,103	462	369	272
NONWHITE	---	4,179	437	328	323
ECORSE	---	151	19	14	15
WHITE	---	109	7	5	3
NONWHITE	---	42	12	9	12
GARDEN CITY	---	186	26	19	22
GROSSE POINTE FARMS	---	108	2	1	3
GROSSE POINTE PARK	---	169	5	4	1
GROSSE POINTE WOODS	---	116	4	2	5
HAMTRAMCK	---	443	15	8	15
WHITE	---	404	12	6	11
NONWHITE	---	39	3	2	4
HARPER WOODS	---	124	3	3	6
HIGHLAND PARK	---	495	13	10	4
WHITE	---	433	8	6	2
NONWHITE	---	62	5	4	2
INKSTER	---	238	34	28	20
WHITE	---	139	15	12	9
NONWHITE	---	99	19	16	11
LINCOLN PARK	---	308	27	21	16
LIVONIA	---	353	39	29	22
MELVINDALE	---	97	11	5	1
RIVER ROUGE	---	160	13	7	7
WHITE	---	104	7	3	4
NONWHITE	---	56	6	4	3
SOUTHGATE	---	120	9	9	9
TRENTON	---	105	9	7	5
WAYNE	---	217	35	25	20
WYANDOTTE	---	397	28	26	10
BALANCE OF COUNTY	---	1,737	160	125	87
WEXFORD	260	228	13	8	6
CADILLAC	---	115	8	6	3
BALANCE OF COUNTY	---	113	5	2	3
MINNESOTA	32,393	31,825	1,772	1,330	1,041
WHITE	32,003	31,448	1,716	1,297	1,010
NONWHITE	384	377	56	33	31
AITKIN	123	152	3	1	2
ANOKA	284	470	68	46	48
ANOKA	---	98	7	2	3
COLUMBIA HEIGHTS	---	87	18	14	7
COON RAPIDS	---	62	11	8	7
FRIDLEY	---	55	12	8	9
BALANCE OF COUNTY	---	168	20	14	22
BECKER	208	257	11	9	6
BELTRAMI	247	241	16	7	5
WHITE	217	206	9	6	1
NONWHITE	30	35	7	1	4
BENTON	62	157	9	9	9
ST. CLOUD, PART	---	28	1	1	2
BALANCE OF COUNTY	---	129	8	8	7
BIG STONE	118	99	5	4	1
BLUE EARTH	450	422	21	14	17
MANKATO	---	243	16	11	12
BALANCE OF COUNTY	---	179	5	3	5
BROWN	343	289	16	14	9
NEW ULM	---	128	6	6	4
BALANCE OF COUNTY	---	161	10	8	5
CARLTON	292	255	14	10	11
CARVER	132	181	9	7	15
CASS	148	214	12	10	6
CHIPPEWA	126	164	3	2	4
CHISAGO	174	172	6	6	2
CLAY	215	276	23	18	16
MOORHEAD	---	138	17	13	9
BALANCE OF COUNTY	---	138	6	5	7
CLEARWATER	90	104	5	3	3
COOK	27	24	2	1	3
COTTONWOOD	172	171	3	3	3
CROW WING	364	361	10	6	9
BRAINERD	---	162	5	4	5
BALANCE OF COUNTY	---	199	5	2	4
DAKOTA	379	510	52	40	25
SOUTH ST. PAUL	---	150	13	12	5
WEST ST. PAUL	---	94	7	6	5
BALANCE OF COUNTY	---	266	32	22	15
DODGE	85	138	8	6	4
DOUGLAS	223	208	6	6	5
FARIBAULT	201	251	11	8	9
FILLMORE	199	302	7	6	8
FREEBORN	316	327	17	14	7
ALBERT LEA	---	176	12	11	4
BALANCE OF COUNTY	---	151	5	3	3
GOODHUE	374	377	9	7	11
RED WING	---	154	1	1	4
BALANCE OF COUNTY	---	223	8	6	7
GRANT	61	90	2	2	2
HENNEPIN	8,417	7,477	419	306	237
WHITE	8,272	7,335	398	289	226
NONWHITE	143	142	21	17	11
BLOOMINGTON	---	242	40	28	13
BROOKLYN CENTER	---	66	14	10	12
BROOKLYN PARK	---	31	9	5	4
CRYSTAL	---	86	13	12	11
EDINA	---	154	11	9	6
GOLDEN VALLEY	---	70	3	1	4
HOPKINS	---	88	4	4	4
MINNEAPOLIS	---	5,533	239	173	133
WHITE	---	5,396	219	156	122
NONWHITE	---	137	20	17	11
MINNETONKA	---	90	6	5	1
RICHFIELD	---	174	16	14	11
ROBBINSDALE	---	115	7	5	6
ST. LOUIS PARK	---	262	16	7	6
BALANCE OF COUNTY	---	566	41	33	26
HOUSTON	117	159	12	12	3
HUBBARD	177	144	10	7	1
ISANTI	178	131	4	3	3
ITASCA	297	344	25	17	10
JACKSON	137	153	7	4	8
KANABEC	79	93	3	3	1
KANDIYOHI	347	268	12	8	6
WILLMAR	---	103	2	1	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MINNESOTA--CON.					
KANDIYOHI--CON.					
BALANCE OF COUNTY	---	165	10	7	3
KITTSON	87	98	2	2	2
KOOCHICHING	123	159	9	6	5
LAC QUI PARLE	104	148	3	3	6
LAKE	90	91	10	8	6
LAKE OF THE WOODS	60	56	3	2	1
LE SUEUR	116	227	11	9	3
LINCOLN	130	100	2	2	3
LYON	212	243	18	15	8
MC LEOD	292	262	7	4	6
MAHNOMEN	48	62	2	1	2
WHITE	34	52	1	-	2
NONWHITE	14	10	1	1	-
MARSHALL	111	151	4	1	1
MARTIN	216	242	13	10	4
MEEKER	198	196	3	3	6
MILLE LACS	248	217	9	6	3
MORRISON	237	246	21	15	10
MOWER	358	403	20	15	14
AUSTIN	---	261	13	10	8
BALANCE OF COUNTY	---	142	7	5	6
MURRAY	76	117	11	9	5
NICOLLET	322	181	6	4	5
NOBLES	181	190	13	11	6
NORMAN	113	142	8	7	2
OLMSTED	1,505	518	44	36	26
ROCHESTER	---	368	31	25	17
BALANCE OF COUNTY	---	150	13	11	9
OTTER TAIL	570	477	18	15	15
FERGUS FALLS	---	131	6	5	4
BALANCE OF COUNTY	---	346	12	10	11
PENNINGTON	119	112	6	4	3
PINE	133	200	7	5	9
PIPESTONE	96	123	5	3	2
POLK	345	383	18	14	13
POPE	107	120	5	5	3
RAMSEY	4,009	3,937	254	189	127
MAPLEWOOD	---	85	6	5	4
ROSEVILLE	---	98	15	12	6
ST. PAUL	---	3,413	197	144	93
WHITE BEAR LAKE	---	112	11	6	4
BALANCE OF COUNTY	---	229	25	22	20
RED LAKE	29	64	-	-	2
REDWOOD	147	208	12	11	6
RENVILLE	166	228	4	4	5
RICE	398	344	15	11	11
FARIBAULT	---	160	4	3	3
BALANCE OF COUNTY	---	184	11	8	8
ROCK	80	89	2	2	7
ROSEAU	131	137	5	4	2
ST. LOUIS	2,343	2,402	107	81	61
DULUTH	---	1,206	52	34	25
HIBBING	---	198	10	8	5
VIRGINIA	---	192	3	3	6
BALANCE OF COUNTY	---	806	42	36	25
SCOTT	242	188	17	13	9
SHERBURNE	69	135	10	7	3
ST. CLOUD, PART	---	21	2	2	1
BALANCE OF COUNTY	---	114	8	5	2
SIBLEY	134	169	10	5	5
STEARNS	787	673	59	47	28
ST. CLOUD, PART	---	240	31	24	14
ST. CLOUD, TOTAL	---	289	34	27	17
BALANCE OF COUNTY	---	433	28	23	14
STEELE	209	222	15	13	5
OWATONNA	---	109	6	4	3
BALANCE OF COUNTY	---	113	9	9	2
STEVENS	80	95	4	2	2
SWIFT	113	129	5	5	6
TODD	198	244	4	2	10
TRAVERSE	67	73	2	2	-
WABASHA	199	202	10	7	1
WADENA	144	128	5	4	3
WASECA	131	173	9	7	8
WASHINGTON	287	434	35	26	24
WATONWAN	113	147	7	5	2
WILKIN	160	76	5	2	4
WINONA	348	410	28	23	17
WINONA	---	284	13	12	11
BALANCE OF COUNTY	---	126	15	11	6
MINNESOTA--CON.					
WRIGHT	232	305	21	16	13
YELLOW MEDICINE	218	168	9	8	2
MISSISSIPPI	22,442	22,730	2,358	1,457	1,589
WHITE	11,670	11,895	708	552	461
NONWHITE	10,769	10,835	1,650	905	1,128
ADAMS	496	400	47	36	30
WHITE	202	147	14	12	8
NONWHITE	294	253	33	24	22
NATCHEZ	---	286	29	23	18
WHITE	---	106	9	8	7
NONWHITE	---	180	20	15	11
BALANCE OF COUNTY	---	114	18	13	12
WHITE	---	41	5	4	1
NONWHITE	---	73	13	9	11
ALCORN	278	281	12	8	12
WHITE	234	240	9	7	7
NONWHITE	44	41	3	1	5
CORINTH	---	148	6	3	7
WHITE	---	117	3	2	3
NONWHITE	---	31	3	1	4
BALANCE OF COUNTY	---	133	6	5	5
AMITE	81	148	17	7	5
WHITE	31	70	2	1	-
NONWHITE	50	78	15	6	5
ATTALA	221	245	22	12	23
WHITE	125	140	5	5	5
NONWHITE	96	105	17	7	18
BENTON	50	74	10	7	6
WHITE	28	45	4	4	1
NONWHITE	22	29	6	3	5
BOLIVAR	650	645	84	52	60
WHITE	129	160	6	6	7
NONWHITE	521	485	78	46	53
CLEVELAND	---	92	8	4	4
WHITE	---	50	1	1	-
NONWHITE	---	42	7	3	4
BALANCE OF COUNTY	---	553	76	48	56
WHITE	---	110	5	5	7
NONWHITE	---	443	71	43	49
CALHOUN	151	175	16	9	12
WHITE	109	132	6	3	2
NONWHITE	42	43	10	6	10
CARROLL	68	142	10	6	11
WHITE	21	70	1	1	-
NONWHITE	47	72	9	5	11
CHICKASAW	183	191	9	5	13
WHITE	95	108	3	3	3
NONWHITE	88	83	6	2	10
CHOCTAW	82	101	7	6	6
WHITE	58	74	3	3	4
NONWHITE	24	27	4	3	2
CLAIBORNE	94	128	14	10	5
WHITE	21	36	2	2	1
NONWHITE	73	92	12	8	4
CLARKE	130	179	14	9	11
WHITE	74	97	4	3	3
NONWHITE	56	82	10	6	8
CLAY	188	199	8	4	7
WHITE	63	74	-	-	2
NONWHITE	125	125	8	4	5
COAHOMA	571	597	104	63	47
WHITE	141	142	10	8	3
NONWHITE	430	455	94	55	44
CLARKSDALE	---	294	48	32	17
WHITE	---	101	8	6	2
NONWHITE	---	193	40	26	15
BALANCE OF COUNTY	---	303	56	31	30
WHITE	---	41	2	2	1
NONWHITE	---	262	54	29	29
COPIAH	278	348	22	12	22
WHITE	129	175	5	2	6
NONWHITE	149	173	17	10	16
COVINGTON	110	145	5	5	12
WHITE	68	94	1	1	3
NONWHITE	42	51	4	4	9
DE SOTO	142	210	27	13	16
WHITE	47	88	5	3	3
NONWHITE	95	122	22	10	13

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI--CON.					
FORREST	543	512	44	31	26
WHITE	373	322	27	20	9
NONWHITE	169	190	17	11	17
HATTIESBURG	---	342	32	22	21
WHITE	---	198	20	14	7
NONWHITE	---	144	12	8	14
BALANCE OF COUNTY	---	170	12	9	5
WHITE	---	124	7	6	2
NONWHITE	---	46	5	3	3
FRANKLIN	91	128	6	3	9
WHITE	52	78	3	2	1
NONWHITE	39	50	3	1	8
GEORGE	89	98	11	8	7
WHITE	74	80	9	6	5
NONWHITE	15	18	2	2	2
GREENE	61	84	6	4	4
WHITE	45	65	2	2	2
NONWHITE	16	19	4	2	2
GRENADA	210	197	19	11	16
WHITE	100	89	3	3	4
NONWHITE	110	108	16	8	12
HANCOCK	117	145	1	1	8
WHITE	92	116	-	-	6
NONWHITE	25	29	1	1	2
HARRISON	1,073	947	103	76	65
WHITE	838	730	71	59	45
NONWHITE	235	217	32	17	20
BILOXI	---	270	33	25	32
WHITE	---	209	27	21	26
NONWHITE	---	61	6	4	6
GULFPORT	---	300	30	22	16
WHITE	---	212	16	16	8
NONWHITE	---	88	14	6	8
BALANCE OF COUNTY	---	377	40	29	17
WHITE	---	309	28	22	11
NONWHITE	---	68	12	7	6
HINDS	2,379	1,665	188	126	132
WHITE	1,227	812	69	57	53
NONWHITE	1,151	853	119	69	79
JACKSON	---	1,271	140	98	105
WHITE	---	671	56	47	47
NONWHITE	---	600	84	51	58
BALANCE OF COUNTY	---	394	48	28	27
WHITE	---	141	13	10	6
NONWHITE	---	253	35	18	21
HOLMES	308	337	34	13	36
WHITE	81	98	3	1	2
NONWHITE	227	239	31	12	34
HUMPHREYS	169	211	33	14	26
WHITE	45	66	3	1	2
NONWHITE	124	145	30	13	24
ISSAQUENA	18	27	3	3	5
WHITE	5	7	-	-	-
NONWHITE	13	20	3	3	5
ITAWAMBA	86	122	12	9	7
JACKSON	359	427	58	43	46
WHITE	256	312	36	29	24
NONWHITE	103	115	22	14	22
PASCAGOULA	---	141	12	9	15
WHITE	---	100	5	3	8
NONWHITE	---	41	7	6	7
BALANCE OF COUNTY	---	286	46	34	31
WHITE	---	212	31	26	16
NONWHITE	---	74	15	8	15
JASPER	147	213	23	13	9
WHITE	71	106	3	3	1
NONWHITE	76	107	20	10	8
JEFFERSON	98	144	12	5	11
WHITE	26	52	1	1	-
NONWHITE	72	92	11	4	11
JEFFERSON DAVIS	134	134	17	11	8
WHITE	60	56	2	1	1
NONWHITE	74	78	15	10	7
JONES	753	595	50	31	31
WHITE	445	394	17	14	17
NONWHITE	308	201	33	17	14
LAUREL	---	319	32	20	19
WHITE	---	170	8	6	13
NONWHITE	---	149	24	14	6
BALANCE OF COUNTY	---	276	18	11	12
WHITE	---	224	9	8	4
NONWHITE	---	52	9	3	8
KEMPER	92	116	7	3	6
WHITE	41	54	1	1	1
NONWHITE	51	62	6	2	5
LAFAYETTE	156	188	19	11	8
WHITE	91	117	6	5	4
NONWHITE	65	71	13	6	4
LAMAR	84	142	13	9	3
WHITE	61	107	9	6	3
NONWHITE	23	35	4	3	-
LAUDERDALE	949	756	64	36	36
WHITE	606	461	19	16	11
NONWHITE	342	295	45	20	25
MERIDIAN	---	545	47	22	27
WHITE	---	322	10	9	11
NONWHITE	---	223	37	13	16
BALANCE OF COUNTY	---	211	17	14	9
WHITE	---	139	9	7	-
NONWHITE	---	72	8	7	9
LAWRENCE	75	114	11	4	4
WHITE	46	72	2	1	1
NONWHITE	29	42	9	3	3
LEAKE	163	204	18	9	7
WHITE	108	135	4	4	2
NONWHITE	55	69	14	5	5
LEE	411	385	44	33	20
WHITE	287	260	26	22	6
NONWHITE	124	125	18	11	14
TUPELO	---	153	15	12	5
WHITE	---	100	7	7	1
NONWHITE	---	53	8	5	4
BALANCE OF COUNTY	---	232	29	21	15
WHITE	---	160	19	15	5
NONWHITE	---	72	10	6	10
LEFLORE	602	530	68	44	44
WHITE	259	189	12	9	4
NONWHITE	343	341	56	35	40
GREENWOOD	---	271	28	17	14
WHITE	---	126	7	4	3
NONWHITE	---	145	21	13	11
BALANCE OF COUNTY	---	259	40	27	30
WHITE	---	63	5	5	1
NONWHITE	---	196	35	22	29
LINCOLN	272	306	18	12	17
WHITE	195	209	7	6	4
NONWHITE	77	97	11	6	13
LOWNDES	464	479	51	28	33
WHITE	233	239	19	15	15
NONWHITE	231	240	32	13	18
COLUMBUS	---	295	35	20	19
WHITE	---	153	11	9	8
NONWHITE	---	142	24	11	11
BALANCE OF COUNTY	---	184	16	8	14
WHITE	---	86	8	6	7
NONWHITE	---	98	8	2	7
MADISON	323	372	43	22	39
WHITE	88	114	8	5	3
NONWHITE	235	258	35	17	36
MARION	206	233	16	9	11
WHITE	131	144	6	5	9
NONWHITE	75	89	10	4	2
MARSHALL	247	261	37	18	32
WHITE	70	77	2	2	5
NONWHITE	177	184	35	16	27
MONROE	324	332	32	21	13
WHITE	207	205	17	11	7
NONWHITE	117	127	15	10	6
MONTGOMERY	165	179	13	9	5
WHITE	106	122	4	2	-
NONWHITE	59	57	9	7	5
NESHOBA	165	212	21	16	12
WHITE	113	162	10	7	8
NONWHITE	52	50	11	9	4
NEWTON	188	223	16	7	16
WHITE	134	154	4	2	4
NONWHITE	54	69	12	5	12
NOXUBEE	192	199	18	6	24
WHITE	45	49	2	1	2
NONWHITE	147	150	16	5	22
OKTIBBEHA	185	196	13	8	18
WHITE	88	86	4	4	6
NONWHITE	97	110	9	4	12
PANOLA	288	349	50	23	24
WHITE	112	135	7	4	4
NONWHITE	176	214	43	19	20
PEARL RIVER	206	243	23	19	11
WHITE	154	186	13	10	7
NONWHITE	52	57	10	9	4

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSISSIPPI—CON.					
PERRY	42	84	9	6	2
WHITE	29	66	6	4	1
NONWHITE	13	18	3	2	1
PIKE	407	413	31	22	30
WHITE	226	222	12	9	8
NONWHITE	181	191	19	13	22
MC COMB	---	154	13	10	10
WHITE	---	92	5	3	2
NONWHITE	---	62	8	7	8
BALANCE OF COUNTY	---	259	18	12	20
WHITE	---	130	7	6	6
NONWHITE	---	129	11	6	14
PONTOTOC	206	222	14	12	2
WHITE	177	193	10	10	-
NONWHITE	29	29	4	2	2
PRENTISS	190	176	9	6	11
WHITE	165	147	6	5	9
NONWHITE	25	29	3	1	2
QUITMAN	170	231	33	18	29
WHITE	45	77	10	5	1
NONWHITE	125	154	23	13	28
RANKIN	411	225	30	22	13
WHITE	200	119	9	7	7
NONWHITE	211	106	21	15	6
SCOTT	195	214	34	19	14
WHITE	125	133	14	10	6
NONWHITE	70	81	20	9	8
SHARKEY	109	135	15	9	9
WHITE	25	40	2	1	-
NONWHITE	84	95	13	8	9
SIMPSON	250	222	20	12	10
WHITE	160	139	4	3	2
NONWHITE	90	83	16	9	8
SMITH	70	131	7	4	9
WHITE	54	103	2	1	6
NONWHITE	16	28	5	3	3
STONE	79	82	10	6	2
WHITE	57	60	6	4	2
NONWHITE	22	22	4	2	-
SUNFLOWER	422	472	75	44	43
WHITE	101	129	7	6	8
NONWHITE	321	343	68	38	35
TALLAHATCHIE	265	286	44	28	22
WHITE	82	99	3	2	2
NONWHITE	183	187	41	26	20
TATE	138	184	26	14	20
WHITE	47	77	7	5	4
NONWHITE	91	107	19	9	16
TIPPAH	130	162	9	7	7
WHITE	111	142	5	4	4
NONWHITE	19	20	4	3	3
TISHOMINGO	115	145	6	5	3
TUNICA	222	234	55	28	26
WHITE	31	34	3	3	1
NONWHITE	191	200	52	25	25
UNION	189	198	10	8	13
WHITE	156	162	7	6	9
NONWHITE	33	36	3	2	4
WALTHALL	115	119	10	6	8
WHITE	67	63	3	3	-
NONWHITE	48	56	7	3	8
WARREN	690	541	47	30	37
WHITE	255	219	11	8	12
NONWHITE	435	322	36	22	25
VICKSBURG	---	377	32	23	30
WHITE	---	154	8	7	11
NONWHITE	---	223	24	16	19
BALANCE OF COUNTY	---	164	15	7	7
WHITE	---	65	3	1	1
NONWHITE	---	99	12	6	6
WASHINGTON	807	839	114	80	74
WHITE	286	255	22	20	19
NONWHITE	521	584	92	60	55
GREENVILLE	---	442	59	42	39
WHITE	---	144	15	14	14
NONWHITE	---	298	44	28	25
BALANCE OF COUNTY	---	397	55	38	35
WHITE	---	111	7	6	5
NONWHITE	---	286	48	32	30
WAYNE	141	173	20	13	12
WHITE	81	105	8	6	3
NONWHITE	60	68	12	7	9
WEBSTER	93	110	3	2	8
WHITE	74	84	-	-	2
NONWHITE	19	26	3	2	6
WILKINSON	131	133	13	7	13
WHITE	49	38	3	2	1
NONWHITE	82	95	10	5	12
WINSTON	191	219	12	7	13
WHITE	133	151	8	5	3
NONWHITE	58	68	4	2	10
YALOBUSHA	137	162	14	6	6
WHITE	92	108	3	1	2
NONWHITE	45	54	11	5	4
YAZOO	362	405	45	23	26
WHITE	117	130	12	10	4
NONWHITE	245	275	33	13	22
YAZOO CITY	---	175	18	11	9
WHITE	---	47	6	6	2
NONWHITE	---	128	12	5	7
BALANCE OF COUNTY	---	230	27	12	17
WHITE	---	83	6	4	2
NONWHITE	---	147	21	8	15
MISSOURI	49,675	49,037	2,391	1,784	1,412
WHITE	44,620	44,065	1,871	1,438	1,069
NONWHITE	5,051	4,972	520	346	343
ADAIR	415	250	13	11	6
KIRKSVILLE	---	162	11	9	4
BALANCE OF COUNTY	---	88	2	2	2
ANDREW	76	133	4	1	3
ATCHISON	127	111	5	3	1
AUDRAIN	325	277	15	14	10
MEXICO	---	154	8	7	5
BALANCE OF COUNTY	---	123	7	7	5
BARRY	251	243	11	8	1
BARTON	116	144	1	-	2
BATES	232	281	7	5	3
BENTON	102	156	1	1	3
BOLLINGER	87	126	5	1	1
BOONE	798	464	41	30	19
COLUMBIA	---	260	24	18	14
BALANCE OF COUNTY	---	204	17	12	5
BUCHANAN	1,499	1,253	48	43	25
ST. JOSEPH	---	1,119	39	34	22
BALANCE OF COUNTY	---	134	9	9	3
BUTLER	740	469	23	16	9
POPLAR BLUFF	---	262	14	10	4
BALANCE OF COUNTY	---	207	9	6	5
CALDWELL	85	143	5	3	2
CALLAWAY	371	258	12	10	6
FULTON	---	103	9	9	-
WHITE	---	83	9	9	-
NONWHITE	---	20	-	-	-
BALANCE OF COUNTY	---	155	3	1	6
CAMDEN	83	123	1	1	2
CAPE GIRARDEAU	565	430	22	19	14
CAPE GIRARDEAU	---	252	17	16	9
BALANCE OF COUNTY	---	178	5	3	5
CARROLL	171	214	6	6	4
CARTER	24	59	2	1	2
CASS	207	276	21	17	9
CEDAR	111	140	7	5	2
CHARITON	83	170	3	2	-
CHRISTIAN	94	151	7	4	3
CLARK	64	100	2	2	1
CLAY	598	606	48	38	33
GLADSTONE	---	19	3	3	4
KANSAS CITY, PART	---	166	14	11	11
BALANCE OF COUNTY	---	421	31	24	18
CLINTON	165	169	3	2	2
COLE	542	382	18	13	10
JEFFERSON CITY	---	268	14	12	4
WHITE	---	248	10	9	4
NONWHITE	---	20	4	3	-
BALANCE OF COUNTY	---	114	4	1	6
COOPER	169	185	5	2	5
CRAWFORD	148	179	5	5	2
DADE	81	118	1	1	-
DALLAS	73	123	6	5	3
DAVIESS	106	151	2	1	1
DE KALB	74	105	1	1	1
DENT	122	166	6	5	3
DOUGLAS	51	116	12	10	-
DUNKLIN	349	419	22	15	5
FRANKLIN	386	476	13	11	10
GASCONADE	97	148	3	3	-
GENTRY	118	152	6	3	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MISSOURI--CON.					
GREENE	1,757	1,331	73	55	34
SPRINGFIELD	---	1,072	64	51	29
BALANCE OF COUNTY	---	259	9	4	5
GRUNDY	242	243	4	2	1
HARRISON	168	190	3	3	2
HENRY	326	300	8	3	5
HICKORY	40	75	1	-	1
HOLT	70	129	4	2	3
HOWARD	128	139	3	3	2
WHITE	112	120	2	2	1
NONWHITE	16	19	1	1	1
HOWELL	303	293	18	13	6
IRON	184	149	4	2	2
JACKSON	7,441	6,859	404	296	219
WHITE	6,388	5,766	283	210	158
NONWHITE	1,052	1,093	121	86	61
INDEPENDENCE	---	670	42	35	17
KANSAS CITY, PART	---	5,580	318	226	143
KANSAS CITY, TOTAL	---	5,746	332	237	154
WHITE	---	4,675	214	153	93
NONWHITE	---	1,071	118	84	61
RAYTOWN	---	150	10	8	4
BALANCE OF COUNTY	---	459	34	27	55
WHITE	---	449	33	26	55
NONWHITE	---	10	1	1	-
JASPER	1,147	1,109	29	22	19
CARTHAGE	---	165	3	3	2
JOPLIN, PART	---	536	18	13	8
JOPLIN, TOTAL	---	544	18	13	10
BALANCE OF COUNTY	---	408	8	6	9
JEFFERSON	473	558	30	23	20
JOHNSON	260	286	20	19	12
KNOX	49	96	1	1	3
LACLEDE	227	244	9	5	3
LAFAYETTE	263	339	8	8	1
LAWRENCE	341	308	7	5	9
LEWIS	113	159	4	2	4
LINCOLN	220	223	6	5	4
LINN	301	297	6	5	3
LIVINGSTON	257	214	6	4	2
MC DONALD	75	168	4	1	5
MACON	216	271	4	4	3
MADISON	114	136	7	5	3
MARIES	46	84	2	2	3
MARION	508	417	20	14	7
HANNIBAL, PART	---	308	17	12	4
HANNIBAL, TOTAL	---	311	17	12	4
BALANCE OF COUNTY	---	109	3	2	3
MERCER	80	76	2	2	-
MILLER	127	178	11	8	7
MISSISSIPPI	141	257	23	16	14
WHITE	81	181	13	10	9
NONWHITE	60	76	10	6	5
MONITEAU	109	163	5	3	1
MONROE	97	143	2	2	1
MONTGOMERY	76	156	7	7	4
MORGAN	85	123	3	3	2
NEW MADRID	175	334	34	18	18
WHITE	103	239	15	13	12
NONWHITE	72	95	19	5	6
SIKESTON, PART	---	2	-	-	-
BALANCE OF COUNTY	---	332	34	18	18
WHITE	---	238	15	13	12
NONWHITE	---	94	19	5	6
NEWTON	272	309	16	9	9
JOPLIN, PART	---	8	-	-	2
BALANCE OF COUNTY	---	301	16	9	7
NODAWAY	289	289	9	9	1
OREGON	78	124	4	4	2
OSAGE	60	124	3	2	3
OZARK	51	79	1	1	-
PEMISCOT	361	404	57	32	29
WHITE	216	252	24	13	12
NONWHITE	145	152	33	19	17
PERRY	195	170	10	10	5
PETTIS	462	480	30	23	12
SEDALIA	---	335	18	14	10
BALANCE OF COUNTY	---	145	12	9	2
PHELPS	311	261	15	11	5
ROLLA	---	89	7	6	2
BALANCE OF COUNTY	---	172	8	5	3
PIKE	223	255	10	9	5
PLATTE	94	186	7	4	6
POLK	147	175	4	3	3
PULASKI	152	152	24	16	2
PUTNAM	143	124	3	2	2
RALLS	39	94	3	2	1
HANNIBAL, PART	---	3	-	-	-
BALANCE OF COUNTY	---	91	3	2	1
RANDOLPH	377	350	3	3	3
MOBERLY	---	216	3	3	2
BALANCE OF COUNTY	---	134	-	-	1
RAY	168	207	7	5	4
REYNOLDS	27	67	-	-	4
RIPLEY	99	122	5	4	2
ST. CHARLES	373	421	41	31	25
ST. CHARLES	---	208	25	19	9
BALANCE OF COUNTY	---	213	16	12	16
ST. CLAIR	135	142	3	1	2
ST. FRANCOIS	552	432	12	10	9
ST. LOUIS	3,864	5,201	322	264	203
WHITE	3,620	4,996	307	254	184
NONWHITE	243	205	15	10	19
BELLEFONTAINE NEIGHBORS	---	79	4	4	2
BERKELEY	---	67	8	6	3
BRENTWOOD	---	72	4	4	4
CLAYTON	---	176	2	2	-
CRESTWOOD	---	37	5	5	3
FERGUSON	---	153	8	7	8
FLORISSANT	---	173	28	22	21
JENNINGS	---	163	8	6	2
KIRKWOOD	---	249	16	13	10
MAPLEWOOD	---	145	6	6	6
OVERLAND	---	206	6	6	9
RICHMOND HEIGHTS	---	163	8	5	6
ST. ANN	---	72	10	6	8
UNIVERSITY CITY	---	472	8	6	2
WEBSTER GROVES	---	270	10	7	6
BALANCE OF COUNTY	---	2,704	191	159	113
WHITE	---	2,579	182	153	104
NONWHITE	---	125	9	6	9
ST. LOUIS CITY	12,725	10,167	500	368	379
WHITE	10,047	7,561	225	175	174
NONWHITE	2,678	2,606	275	193	205
STE. GENEVIEVE	69	117	6	4	3
SALINE	365	367	11	10	9
SCHUYLER	55	87	1	1	2
SCOTLAND	46	94	2	2	2
SCOTT	339	331	20	12	14
SIKESTON, PART	---	126	6	3	8
SIKESTON, TOTAL	---	128	6	3	8
WHITE	---	108	4	3	5
NONWHITE	---	20	2	-	3
BALANCE OF COUNTY	---	205	14	9	6
SHANNON	36	80	3	2	2
SHELBY	85	147	4	3	2
STODDARD	204	289	16	11	3
STONE	50	95	3	1	4
SULLIVAN	98	129	1	1	3
TANEY	127	130	4	1	3
TEXAS	195	187	7	4	3
VERNON	429	287	4	4	6
WARREN	78	114	4	3	1
WASHINGTON	92	166	15	10	8
WAYNE	61	126	3	2	1
WEBSTER	98	190	6	6	2
WORTH	35	61	1	1	-
WRIGHT	152	192	6	2	1
MONTANA	6,397	6,426	436	299	208
WHITE	6,144	6,163	374	274	189
NONWHITE	253	263	62	25	19
BEAVERHEAD	73	84	2	2	-
BIG HORN	87	107	15	7	2
WHITE	53	68	1	-	1
NONWHITE	34	39	14	7	1
BLAINE	50	106	4	3	1
WHITE	38	88	4	3	-
NONWHITE	12	18	-	-	1
BROADWATER	25	29	-	-	1
CARBON	68	83	3	1	2
CARTER	15	16	2	1	1
CASCADE	642	597	62	41	25
GREAT FALLS	---	499	53	36	22
BALANCE OF COUNTY	---	98	9	5	3
CHOUTEAU	47	63	4	4	1
CUSTER	177	118	11	8	6
DANIELS	23	31	3	2	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
MONTANA--CON.					
DAWSON	97	93	7	6	2
DEER LODGE	359	156	4	3	3
ANACONDA	---	129	2	1	2
BALANCE OF COUNTY	---	27	2	2	1
FALLON	37	36	4	4	2
FERGUS	161	162	7	5	6
FLATHEAD	301	317	25	16	12
KALISPELL	---	132	11	6	4
BALANCE OF COUNTY	---	185	14	10	8
GALLATIN	200	205	9	7	5
BOZEMAN	---	132	5	5	1
BALANCE OF COUNTY	---	73	4	2	4
GARFIELD	16	19	1	1	2
GLACIER	106	111	20	11	5
WHITE	59	65	4	4	3
NONWHITE	47	46	16	7	2
GOLDEN VALLEY	5	14	2	1	-
GRANITE	22	30	1	-	-
HILL	177	150	10	8	10
HAVRE	---	88	3	2	6
BALANCE OF COUNTY	---	62	7	6	4
NONWHITE	---	12	2	2	2
WHITE	---	50	5	4	2
JEFFERSON	36	45	-	-	-
JUDITH BASIN	13	35	3	3	1
LAKE	144	151	8	5	8
WHITE	126	132	5	4	6
NONWHITE	18	19	3	1	2
LEWIS AND CLARK	374	309	15	12	8
HELENA	---	242	14	11	4
BALANCE OF COUNTY	---	67	1	1	4
LIBERTY	25	18	2	1	-
LINCOLN	80	99	11	8	2
MC CONE	24	25	-	-	1
MADISON	55	63	1	1	1
MEAGHER	22	25	1	1	2
MINERAL	32	30	1	1	-
MISSOULA	433	414	32	21	10
MISSOULA	---	297	20	14	6
BALANCE OF COUNTY	---	117	12	7	4
MUSSELSHELL	48	59	2	2	2
PARK	122	138	7	5	3
PETROLEUM	6	19	-	-	-
PHILLIPS	66	76	1	1	3
PONDERA	72	71	6	4	3
POWDER RIVER	7	18	-	-	1
POWELL	73	73	5	2	2
PRAIRIE	10	24	1	1	-
RAVALLI	138	155	10	7	1
RICHLAND	106	104	5	4	3
ROOSEVELT	131	120	14	2	4
WHITE	89	79	2	1	-
NONWHITE	42	41	12	1	4
ROSEBUD	44	54	3	2	3
WHITE	42	45	1	1	2
NONWHITE	2	9	2	1	1
SANDERS	60	77	2	-	2
SHERIDAN	48	64	1	1	1
SILVER BOW	533	596	28	22	20
BUTTE	---	461	25	20	13
BALANCE OF COUNTY	---	135	3	2	7
STILLWATER	69	47	4	4	-
SWEET GRASS	43	45	1	1	-
TETON	51	68	2	2	3
TOOLE	53	64	2	2	1
TREASURE	4	6	1	1	-
VALLEY	101	129	21	15	12
WHEATLAND	42	37	1	1	-
WIBAUX	8	17	1	1	1
YELLOWSTONE	636	624	48	35	22
BILLINGS	---	485	34	24	13
BALANCE OF COUNTY	---	139	14	11	9
YELLOWSTONE NATIONAL PARK, PART[5]	-	-	-	-	-
NEBRASKA	14,338	14,330	705	525	391
WHITE	13,908	13,906	646	485	364
NONWHITE	429	424	59	40	27
ADAMS	488	296	13	10	6
HASTINGS	---	260	12	9	4
BALANCE OF COUNTY	---	36	1	1	2
ANTELOPE	109	107	2	1	3
ARTHUR	1	3	1	1	-
BANNER	1	6	2	1	-
BLAINE	4	10	-	-	-
BOONE	79	122	4	3	3
BOX BUTTE	120	128	10	7	4
BOYD	31	45	3	2	1
BROWN	47	53	1	-	-
BUFFALO	281	264	14	11	3
KEARNEY	---	144	6	5	3
BALANCE OF COUNTY	---	120	8	6	-
BURT	67	148	4	3	1
BUTLER	100	139	4	2	3
CASS	150	193	10	10	3
CEDAR	64	116	1	1	6
CHASE	57	63	1	1	1
CHERRY	63	73	2	2	5
CHEYENNE	88	87	6	1	3
CLAY	39	122	3	2	3
COLFAX	106	126	3	2	2
CUMING	121	117	4	3	3
CUSTER	151	186	9	6	3
DAKOTA	40	110	7	5	5
DAWES	103	111	3	3	2
DAWSON	190	197	10	8	1
DEUEL	17	35	1	1	2
DIXON	72	93	3	2	1
DODGE	326	343	19	16	15
FREMONT	---	216	16	14	14
BALANCE OF COUNTY	---	127	3	2	1
DOUGLAS	3,869	3,411	222	167	128
WHITE	3,543	3,086	183	137	109
NONWHITE	325	325	39	30	19
OMAHA	---	3,224	203	155	118
WHITE	---	2,901	164	125	99
NONWHITE	---	323	39	30	19
BALANCE OF COUNTY	---	187	19	12	10
DUNDY	38	37	1	1	-
FILLMORE	100	129	3	3	2
FRANKLIN	41	70	3	2	1
FRONTIER	15	46	2	2	2
FURNAS	112	118	1	-	2
GAGE	376	330	11	7	5
BEATRICE	---	174	5	2	2
BALANCE OF COUNTY	---	156	6	5	3
GARDEN	36	36	-	-	-
GARFIELD	38	28	1	1	1
GOSPER	5	21	-	-	-
GRANT	2	7	-	-	1
GREELEY	48	66	2	2	3
HALL	499	370	19	14	7
GRAND ISLAND	---	294	13	10	6
BALANCE OF COUNTY	---	76	6	4	1
HAMILTON	73	87	4	2	1
HARLAN	53	64	1	1	-
HAYES	6	18	-	-	-
HITCHCOCK	33	60	2	1	1
HOLT	123	143	9	9	1
HOOKER	10	6	-	-	-
HOWARD	56	61	2	2	4
JEFFERSON	151	163	5	4	2
JOHNSON	66	89	1	-	1
KEARNEY	87	79	2	-	-
KEITH	65	62	4	4	1
KEYA PAHA	2	10	-	-	2
KIMBALL	27	39	2	2	2
KNOX	82	138	3	2	4
LANCASTER	1,543	1,310	84	67	33
LINCOLN	---	1,178	76	59	30
BALANCE OF COUNTY	---	132	8	8	3
LINCOLN	276	259	12	9	12
NORTH PLATTE	---	178	11	9	8
BALANCE OF COUNTY	---	81	1	-	4
LOGAN	1	12	2	2	1
LOUP	3	9	-	-	-
MC PHERSON	2	8	-	-	-
MADISON	434	284	9	6	4
NORFOLK	---	165	4	4	3
BALANCE OF COUNTY	---	119	5	2	1
MERRICK	69	93	6	5	1
MORRILL	41	59	4	1	1
NANCE	93	84	3	2	-
NEMAHA	57	98	4	3	3
NUCKOLLS	65	87	3	3	4
OTOE	218	192	5	3	5
PAWNEE	75	92	1	1	1
PERKINS	38	34	-	-	2
PHELPS	120	105	2	2	3

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEBRASKA--CON.					
PIERCE	82	81	2	1	3
PLATTE	162	177	7	5	7
COLUMBUS	---	102	5	3	5
BALANCE OF COUNTY	---	75	2	2	2
POLK	87	78	2	1	3
RED WILLOW	122	125	6	4	2
RICHARDSON	170	171	1	1	3
ROCK	31	31	2	2	-
SALINE	184	175	2	1	5
SARPY	81	148	25	19	6
SAUNDERS	123	176	6	4	4
SCOTTS BLUFF	333	311	33	21	8
SCOTTSBLUFF	---	132	12	8	2
BALANCE OF COUNTY	---	179	21	13	6
SEWARD	122	150	5	4	3
SHERIDAN	81	93	11	9	5
SHERMAN	45	55	2	2	-
SIOUX	12	20	3	3	1
STANTON	17	50	2	2	2
THAYER	112	132	-	-	2
THOMAS	8	16	2	2	-
THURSTON	81	90	9	3	4
WHITE	60	61	4	2	3
NONWHITE	21	29	5	1	1
VALLEY	77	92	-	-	3
WASHINGTON	128	123	2	2	2
WAYNE	67	76	3	1	1
WEBSTER	73	71	1	-	2
WHEELER	7	11	-	-	-
YORK	170	171	4	4	5
NEVADA	2,956	2,713	257	198	145
WHITE	2,733	2,494	219	170	115
NONWHITE	220	219	38	28	30
CHURCHILL	71	79	5	5	2
CLARK	1,189	1,137	155	121	84
WHITE	1,069	1,013	125	98	60
NONWHITE	118	124	30	23	24
HENDERSON	---	69	13	9	7
LAS VEGAS	---	715	90	76	47
WHITE	---	601	62	54	30
NONWHITE	---	114	28	22	17
NORTH LAS VEGAS	---	128	19	12	11
BALANCE OF COUNTY	---	225	33	24	19
DOUGLAS	29	41	1	1	-
ELKO	155	114	2	1	9
WHITE	137	99	2	1	6
NONWHITE	18	15	-	-	3
ESMERALDA	5	4	-	-	-
EUREKA	6	10	-	-	-
HUMBOLDT	58	60	1	1	4
LANDER	17	20	-	-	-
LINCOLN	19	21	2	1	-
LYON	47	69	7	5	3
MINERAL	56	55	1	1	-
WHITE	38	46	1	1	-
NONWHITE	18	9	-	-	-
NYE	53	53	2	2	2
ORMSBY	94	81	8	4	2
WHITE	89	77	7	3	2
NONWHITE	5	4	1	1	-
PERSHING	41	42	1	1	2
STOREY	4	10	2	2	-
WASHOE	1,036	829	61	48	34
RENO	---	602	42	31	19
SPARKS	---	130	9	8	5
BALANCE OF COUNTY	---	97	10	9	10
WHITE PINE	76	88	9	5	3
NEW HAMPSHIRE	6,853	6,808	310	239	218
WHITE	6,832	6,798	306	236	217
NONWHITE	10	10	4	3	1
BELKNAP	378	362	13	10	12
LACONIA	---	176	7	6	5
BALANCE OF COUNTY	---	186	6	4	7
CARROLL	213	225	9	6	6
CHESHIRE	374	472	24	22	10
KEENE	---	165	9	8	6
BALANCE OF COUNTY	---	307	15	14	4
COOS	405	415	19	18	13
BERLIN	---	184	9	9	9
BALANCE OF COUNTY	---	231	10	9	4

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW HAMPSHIRE--CON.					
GRAFTON	725	556	21	17	13
HILLSBOROUGH	1,995	2,008	77	58	69
MANCHESTER	---	1,038	39	29	36
NASHUA	---	442	22	17	15
BALANCE OF COUNTY	---	528	16	12	18
MERRIMACK	1,113	829	32	26	22
CONCORD	---	381	16	15	9
BALANCE OF COUNTY	---	448	16	11	13
ROCKINGHAM	783	958	62	46	44
PORTSMOUTH	---	233	22	15	13
BALANCE OF COUNTY	---	725	40	31	31
STRAFFORD	608	651	39	25	21
DOVER	---	233	12	9	8
ROCHESTER	---	167	9	4	3
BALANCE OF COUNTY	---	251	18	12	10
SULLIVAN	259	332	14	11	8
CLAREMONT	---	143	7	6	3
BALANCE OF COUNTY	---	189	7	5	5
NEW JERSEY[6]	60,525	62,024	3,132	2,413	1,967
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
ATLANTIC	2,243	2,272	95	69	57
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
ATLANTIC CITY	---	1,087	47	35	28
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
PLEASANTVILLE	---	172	8	3	4
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BALANCE OF COUNTY	---	1,013	40	31	25
BERGEN	5,475	6,762	319	261	162
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BERGENFIELD	---	236	14	11	3
CLIFFSIDE PARK	---	199	5	3	2
DUMONT	---	144	4	3	7
EAST PATERSON	---	125	3	3	2
ENGLEWOOD	---	301	17	12	8
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
FAIR LAWN	---	242	8	8	9
FORT LEE	---	204	10	10	8
GARFIELD	---	265	11	10	4
GLEN ROCK	---	94	2	1	1
HACKENSACK	---	377	11	8	7
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
HASBROUCK HEIGHTS	---	113	5	5	1
LODI	---	149	12	12	5
LYNDHURST TWP#	---	217	11	9	6
MAYWOOD	---	92	7	6	6
NEW MILFORD	---	119	14	12	6
NORTH ARLINGTON	---	182	5	5	6
PALISADES PARK	---	107	6	5	4
PARAMUS	---	108	6	5	5
RIDGEFIELD	---	98	8	5	4
RIDGEFIELD PARK	---	142	6	5	3
RIDGEWOOD	---	257	4	3	2
RIVER EDGE	---	85	1	1	3
RUTHERFORD	---	266	6	5	5
SADDLE BROOK TWP#	---	82	7	3	-
TEANECK TWP#	---	377	12	9	11
TENAFLY	---	138	5	4	1
WALDWICK	---	46	5	5	2
WYCKOFF TWP#	---	92	6	6	-
BALANCE OF COUNTY	---	1,905	108	87	41
BURLINGTON	1,583	1,658	140	103	66
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BURLINGTON	---	140	9	8	6
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
LEVITTOWN TWP#	---	3	2	-	1
MAPLE SHADE TWP#	---	98	5	4	2
MOUNT HOLLY TWP#	---	118	11	6	3
NEW HANOVER TWP#	---	12	4	3	2
BALANCE OF COUNTY	---	1,287	109	82	52
CAMDEN	3,945	3,835	203	150	143
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
AUDUBON	---	108	3	3	1
BELLMAWR	---	61	6	3	9

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
CAMDEN--CON.					
CAMDEN	---	1,440	75	51	61
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
COLLINGSWOOD	---	224	4	3	7
DELAWARE TWP#	---	159	10	7	7
GLOUCESTER CITY	---	161	9	7	3
HADDON TWP#	---	110	3	2	2
HADDONFIELD	---	185	10	9	3
PENNSAUKEN TWP#	---	231	17	14	6
BALANCE OF COUNTY	---	1,156	66	51	44
CAPE MAY	744	801	22	14	17
CUMBERLAND	1,200	1,190	75	54	53
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BRIDGETON	---	273	20	15	12
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
MILLVILLE	---	234	6	4	13
VINELAND	---	369	25	21	14
BALANCE OF COUNTY	---	314	24	14	14
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
ESSEX	10,871	10,673	608	454	376
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BELLEVILLE	---	312	12	11	11
BLOOMFIELD	---	544	19	13	7
CEDAR GROVE TWP#	---	73	7	7	5
EAST ORANGE	---	1,036	33	26	25
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
IRVINGTON	---	721	15	13	12
LIVINGSTON TWP#	---	112	7	7	3
MAPLEWOOD TWP#	---	294	11	8	1
MILLBURN TWP#	---	173	4	4	1
MONTCLAIR	---	558	14	12	8
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
NEWARK	---	5,162	429	308	260
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
NUTLEY	---	259	10	9	2
ORANGE	---	454	16	11	14
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
SOUTH ORANGE	---	179	3	3	4
VERONA	---	106	6	5	1
WEST ORANGE	---	337	9	6	13
BALANCE OF COUNTY	---	353	13	11	9
GLOUCESTER	821	1,241	64	52	47
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
GLASSBORO	---	77	5	4	6
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
WOODBURY	---	165	9	9	6
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BALANCE OF COUNTY	---	999	50	39	35
HUDSON	7,001	7,455	304	233	213
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BAYONNE	---	849	32	23	20
HARRISON	---	151	4	2	5
HOBOKEN	---	601	29	21	24
JERSEY CITY	---	3,554	172	134	104
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
KEARNY	---	413	13	11	16
NORTH BERGEN TWP#	---	422	12	10	7
SECAUCUS	---	84	3	2	1
UNION CITY	---	706	23	17	21
WEEHAWKEN TWP#	---	193	4	4	2
WEST NEW YORK	---	378	10	7	11
BALANCE OF COUNTY	---	104	2	2	2
HUNTERDON	573	613	27	22	14
MERCER	3,180	2,758	119	94	93
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
EWING TWP#	---	179	4	3	9
HAMILTON TWP#	---	538	24	19	22
PRINCETON	---	113	2	2	-

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
MERCER--CON.					
TRENTON	---	1,514	73	57	54
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BALANCE OF COUNTY	---	414	16	13	8
MIDDLESEX	2,957	3,429	202	162	126
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
CARTERET	---	156	8	8	9
EDISON TWP#	---	242	21	20	16
HIGHLAND PARK	---	127	4	4	2
METUCHEN	---	122	9	7	4
MIDDLESEX	---	82	6	5	1
NEW BRUNSWICK	---	400	22	15	13
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
PERTH AMBOY	---	502	11	10	10
SAYREVILLE	---	125	5	4	7
SOUTH PLAINFIELD	---	105	17	16	5
SOUTH RIVER	---	146	7	4	5
WOODBRIDGE TWP#	---	533	27	21	22
BALANCE OF COUNTY	---	889	65	48	32
MONMOUTH	4,099	3,793	184	141	92
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
ASBURY PARK	---	281	7	5	6
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
EATONTOWN	---	35	10	7	2
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
LONG BRANCH	---	274	15	12	3
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
MIDDLETOWN TWP#	---	319	17	14	8
NEPTUNE TWP#	---	327	10	8	4
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
RARITAN TWP#	---	75	9	7	15
RED BANK	---	216	5	4	3
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
BALANCE OF COUNTY	---	2,266	111	84	51
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
MORRIS	2,930	2,165	111	89	85
DOVER	---	157	12	10	9
MADISON	---	162	3	3	4
MORRISTOWN	---	226	11	9	7
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
PARSIPPANY-TROY HILLS TWP#	---	107	5	5	6
BALANCE OF COUNTY	---	1,513	80	62	59
OCEAN	1,498	1,404	77	59	47
POINT PLEASANT	---	133	6	5	2
BALANCE OF COUNTY	---	1,271	71	54	45
PASSAIC	4,192	4,222	193	152	140
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
CLIFTON	---	711	27	24	8
HAWTHORNE	---	182	4	3	3
PASSAIC	---	649	23	18	8
PATERSON	---	1,822	102	76	85
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
TOTOWA	---	71	3	2	1
WAYNE TWP#	---	206	11	8	8
BALANCE OF COUNTY	---	581	23	21	27
SALEM	624	677	46	34	29
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
SOMERSET	1,032	1,164	65	59	38
BOUND BROOK	---	97	7	7	5
MANVILLE	---	80	12	12	2
NORTH PLAINFIELD	---	168	4	4	3
SOMERVILLE	---	156	8	8	3
BALANCE OF COUNTY	---	663	34	28	25
SUSSEX	543	559	25	17	17
UNION	4,334	4,604	222	170	141
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
CLARK TWP#	---	72	7	4	2
CRANFORD TWP#	---	185	10	9	6

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW JERSEY--CON.					
UNION--CON.					
ELIZABETH	---	1,268	78	63	45
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
HILLSIDE TWP#	---	237	5	4	3
LINDEN	---	310	19	15	6
NEW PROVIDENCE	---	64	1	1	3
PLAINFIELD	---	482	30	18	17
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
RAHWAY	---	243	13	10	12
ROSELLE	---	194	12	10	8
WHITE	---	---	---	---	---
NONWHITE	---	---	---	---	---
ROSELLE PARK	---	123	2	2	2
SCOTCH PLAINS TWP#	---	103	4	3	7
SPRINGFIELD TWP#	---	121	3	3	1
SUMMIT	---	252	9	6	4
UNION TWP#	---	455	11	8	8
WESTFIELD	---	244	8	6	4
BALANCE OF COUNTY	---	251	10	8	13
WARREN	680	749	31	24	11
PHILLIPSBURG	---	274	12	10	3
BALANCE OF COUNTY	---	475	19	14	8
NEW MEXICO	6,616	6,520	876	570	419
WHITE	6,002	5,962	732	513	362
NONWHITE	611	558	144	57	57
BERNALILLO	1,880	1,612	200	151	89
ALBUQUERQUE	---	1,348	162	128	68
BALANCE OF COUNTY	---	264	38	23	21
CATRON	11	21	4	3	1
CHAVES	395	394	64	40	25
ROSWELL	---	299	48	32	21
BALANCE OF COUNTY	---	95	16	8	4
COLFAX	140	127	9	5	8
CURRY	240	224	32	23	14
CLOVIS	---	170	25	18	10
BALANCE OF COUNTY	---	54	7	5	4
DE BACA	22	30	2	1	1
DONA ANA	274	344	44	30	30
LAS CRUCES	---	164	19	11	14
BALANCE OF COUNTY	---	180	25	19	16
EDDY	281	317	50	37	28
ARTESIA	---	87	16	15	7
CARLSBAD	---	171	24	15	14
BALANCE OF COUNTY	---	59	10	7	7
GRANT	187	151	15	13	13
GUADALUPE	65	59	9	7	2
HARDING	3	21	1	1	1
HIDALGO	43	47	4	2	4
LEA	265	290	36	23	20
HOBBS	---	158	14	8	9
BALANCE OF COUNTY	---	132	22	15	11
LINCOLN	88	78	6	5	2
LOS ALAMOS	47	36	9	6	2
LUNA	109	101	19	12	5
MC KINLEY	315	267	58	25	26
WHITE	137	110	11	5	7
NONWHITE	178	157	47	20	19
GALLUP	---	116	14	7	7
WHITE	---	96	10	4	6
NONWHITE	---	20	4	3	1
BALANCE OF COUNTY	---	151	44	18	19
WHITE	---	14	1	1	1
NONWHITE	---	137	43	17	18
MORA	17	45	5	3	6
OTERO	174	201	25	16	18
ALAMOGORDO	---	115	9	5	7
BALANCE OF COUNTY	---	86	16	11	11
WHITE	---	65	10	8	10
NONWHITE	---	21	6	3	1
QUAY	116	134	15	8	4
RIO ARRIBA	184	211	28	22	13
ROOSEVELT	123	132	12	9	4
SANDOVAL	47	100	21	8	6
WHITE	32	56	9	5	4
NONWHITE	15	44	12	3	2
SAN JUAN	227	259	48	25	25
WHITE	145	170	26	20	16
NONWHITE	82	89	22	5	9
FARMINGTON	---	106	19	14	10
NEW MEXICO--CON.					
SAN JUAN--CON.					
BALANCE OF COUNTY	---	153	29	11	15
WHITE	---	73	10	6	6
NONWHITE	---	80	19	5	9
SAN MIGUEL	373	243	37	23	17
SANTA FE	374	344	37	24	18
SANTA FE	---	262	27	19	15
BALANCE OF COUNTY	---	82	10	5	3
SIERRA	118	120	2	1	3
SOCORRO	71	86	10	7	4
TAOS	109	148	20	11	8
TORRANCE	43	52	8	4	3
UNION	65	71	9	5	3
VALENCIA	210	255	37	20	16
WHITE	172	206	28	20	14
NONWHITE	38	49	9	-	2
GRANTS	---	43	9	8	3
BALANCE OF COUNTY	---	212	28	12	13
WHITE	---	165	19	12	11
NONWHITE	---	47	9	-	2
NEW YORK	181,685	181,795	8,739	6,595	8,078
WHITE	165,259	166,726	6,581	5,061	5,918
NONWHITE	15,076	15,069	2,158	1,534	2,160
ALBANY	3,554	3,173	152	118	71
WHITE	3,424	3,056	134	105	66
NONWHITE	123	117	18	13	5
ALBANY	---	1,892	83	62	40
WHITE	---	1,780	66	50	35
NONWHITE	---	112	17	12	5
COHOES	---	263	12	9	6
WATERVLIET	---	180	7	5	2
BALANCE OF COUNTY	---	838	50	42	23
ALLEGANY	415	518	24	18	16
BROOME	2,300	2,135	122	101	66
BINGHAMTON	---	991	47	39	26
ENDICOTT	---	241	13	9	9
JOHNSON CITY	---	197	13	10	5
BALANCE OF COUNTY	---	706	49	43	26
CATTARAUGUS	912	977	43	32	24
OLEAN	---	288	19	17	2
BALANCE OF COUNTY	---	689	24	15	22
CAYUGA	869	895	29	22	28
AUBURN	---	457	15	12	13
BALANCE OF COUNTY	---	438	14	10	15
CHAUTAUQUA	1,525	1,721	69	46	37
DUNKIRK	---	230	14	11	8
JAMESTOWN	---	540	18	11	9
BALANCE OF COUNTY	---	951	37	24	20
CHEMUNG	1,058	1,100	57	47	31
ELMIRA	---	625	29	24	13
BALANCE OF COUNTY	---	475	28	23	18
CHENANGO	420	494	10	5	18
CLINTON	659	668	54	40	26
PLATTSBURGH	---	228	27	20	8
BALANCE OF COUNTY	---	440	27	20	18
COLUMBIA	619	653	21	17	21
HUDSON	---	174	5	5	5
BALANCE OF COUNTY	---	479	16	12	16
CORTLAND	430	443	22	14	14
CORTLAND	---	223	11	9	6
BALANCE OF COUNTY	---	220	11	5	8
DELAWARE	563	514	34	29	19
DUTCHESS	2,879	1,817	93	76	47
WHITE	2,716	1,738	84	71	40
NONWHITE	156	79	9	5	7
BEACON	---	180	4	3	5
WHITE	---	168	4	3	4
NONWHITE	---	12	-	-	1
POUGHKEEPSIE	---	589	21	17	14
BALANCE OF COUNTY	---	1,048	68	56	28
ERIE	11,418	10,804	491	410	302
WHITE	10,736	10,135	390	332	254
NONWHITE	678	669	101	78	48
BUFFALO	---	6,685	280	236	170
WHITE	---	6,074	185	162	124
NONWHITE	---	611	95	74	46
DEPEW	---	106	7	5	7
KENMORE	---	252	12	10	5
LACKAWANNA	---	243	13	10	11
WHITE	---	218	10	7	11
NONWHITE	---	25	3	3	-
LANCASTER	---	127	7	7	-

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK--CON.					
ERIE--CON.					
TONAWANDA	---	265	13	12	4
BALANCE OF COUNTY	---	3,126	159	130	105
ESSEX	466	439	18	15	12
FRANKLIN	575	562	35	26	19
FULTON	646	722	25	22	16
GLOVERSVILLE	---	356	11	9	4
JOHNSTOWN	---	148	5	4	7
BALANCE OF COUNTY	---	218	9	9	5
GENESEE	650	590	29	24	15
BATAVIA	---	216	6	5	6
BALANCE OF COUNTY	---	374	23	19	9
GREENE	426	456	14	10	15
HAMILTON	37	67	3	2	-
HERKIMER	688	778	46	41	18
ILION	---	137	5	5	3
BALANCE OF COUNTY	---	641	41	36	15
JEFFERSON	1,155	1,106	51	37	27
WATERTOWN	---	434	19	16	12
BALANCE OF COUNTY	---	672	32	21	15
LEWIS	204	262	21	15	8
LIVINGSTON	427	477	30	20	10
MADISON	596	615	26	20	28
ONEIDA	---	159	9	9	6
BALANCE OF COUNTY	---	456	17	11	22
MONROE	6,297	6,183	272	215	158
WHITE	6,072	5,963	222	178	135
NONWHITE	222	220	50	37	23
ROCHESTER	---	4,220	166	135	96
WHITE	---	4,009	118	99	73
NONWHITE	---	211	48	36	23
BALANCE OF COUNTY	---	1,963	106	80	62
MONTGOMERY	700	782	15	10	14
AMSTERDAM	---	427	9	7	8
BALANCE OF COUNTY	---	355	6	3	6
NASSAU	8,181	9,480	460	361	399
WHITE	7,809	9,112	389	310	358
NONWHITE	346	368	71	51	41
EAST ROCKAWAY	---	102	6	5	2
FLORAL PARK	---	208	11	9	6
FREEPORT	---	393	13	10	12
GARDEN CITY	---	213	3	1	5
GLEN COVE	---	215	17	10	5
GREAT NECK	---	151	5	4	7
HEMPSTEAD	---	417	34	24	20
WHITE	---	344	17	14	9
NONWHITE	---	73	17	10	11
LONG BEACH	---	331	13	12	6
LYNBROOK	---	237	3	2	8
MASSAPEQUA PARK	---	86	6	5	2
MINEOLA	---	212	9	7	11
NEW HYDE PARK	---	163	4	4	8
ROCKVILLE CENTRE	---	273	13	11	9
VALLEY STREAM	---	379	13	12	20
WESTBURY	---	146	13	11	18
BALANCE OF COUNTY	---	5,954	297	234	260
WHITE	---	5,782	269	212	243
NONWHITE	---	172	28	22	17
NEW YORK CITY	87,087	90,637	4,366	3,187	5,236
WHITE	74,586	78,589	2,710	2,018	3,336
NONWHITE	11,517	12,048	1,656	1,169	1,900
BRONX BOR., BRONX CO.	---	16,109	756	545	892
WHITE	---	14,625	560	410	655
NONWHITE	---	1,484	196	135	237
BROOKLYN BOR., KINGS CO.	---	29,455	1,733	1,255	2,046
WHITE	---	25,756	1,008	742	1,222
NONWHITE	---	3,699	725	513	824
MANHATTAN BOR., NEW YORK CO.	---	24,444	1,012	729	1,261
WHITE	---	18,899	479	363	697
NONWHITE	---	5,545	533	366	564
QUEENS BOR., QUEENS CO.	---	18,230	751	582	910
WHITE	---	16,996	559	434	649
NONWHITE	---	1,234	192	148	261
RICHMOND BOR., RICHMOND CO.	---	2,399	114	76	127
WHITE	---	2,313	104	69	113
NONWHITE	---	86	10	7	14
NIAGARA	1,939	2,184	127	98	70
LOCKPORT	---	327	11	10	10
NIAGARA FALLS	---	969	57	44	30
NORTH TONAWANDA	---	276	14	10	13
BALANCE OF COUNTY	---	612	45	34	17

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK--CON.					
ONEIDA	3,474	2,886	145	104	100
ROME	---	454	26	20	21
UTICA	---	1,307	63	42	39
BALANCE OF COUNTY	---	1,125	56	42	40
ONONDAGA	4,177	4,234	222	174	142
WHITE	4,067	4,127	210	166	129
NONWHITE	107	107	12	8	13
SYRACUSE	---	2,662	119	87	77
WHITE	---	2,564	108	79	64
NONWHITE	---	98	11	8	13
BALANCE OF COUNTY	---	1,572	103	87	65
ONTARIO	812	728	28	26	11
GENEVA	---	203	9	9	3
BALANCE OF COUNTY	---	525	19	17	8
ORANGE	2,420	2,218	97	67	63
MIDDLETOWN	---	292	9	5	7
NEWBURGH	---	495	31	21	14
WHITE	---	442	19	14	11
NONWHITE	---	53	12	7	3
BALANCE OF COUNTY	---	1,431	57	41	42
ORLEANS	384	426	20	16	15
OSWEGO	896	1,002	43	34	36
FULTON	---	169	7	6	8
OSWEGO	---	303	11	8	7
BALANCE OF COUNTY	---	530	25	20	21
OTSEGO	706	696	28	17	12
ONEONTA	---	183	6	3	4
BALANCE OF COUNTY	---	513	22	14	8
PUTNAM	256	343	24	19	11
RENSSELAER	1,590	1,756	67	46	46
RENSSELAER	---	132	2	1	1
TROY	---	986	34	25	25
BALANCE OF COUNTY	---	638	31	20	20
ROCKLAND	1,784	1,186	80	67	46
ST. LAWRENCE	1,216	1,167	60	45	54
MASSENA	---	140	6	6	7
OGDENSBURG	---	191	10	9	8
BALANCE OF COUNTY	---	836	44	30	39
SARATOGA	725	994	49	41	45
SARATOGA SPRINGS	---	214	10	8	7
BALANCE OF COUNTY	---	780	39	33	38
SCHENECTADY	1,678	1,755	48	38	31
SCHENECTADY	---	1,197	34	28	21
BALANCE OF COUNTY	---	558	14	10	10
SCHOHARIE	297	340	11	8	8
SCHUYLER	178	197	8	7	4
SENECA	565	340	13	11	6
STEUBEN	1,214	1,167	56	45	37
CORNING	---	208	12	11	7
HORNELL	---	226	8	5	5
BALANCE OF COUNTY	---	733	36	29	25
SUFFOLK	8,596	5,578	383	297	217
WHITE	7,980	5,323	335	263	192
NONWHITE	594	255	48	34	25
BABYLON	---	120	4	3	1
LINDENHURST	---	216	21	16	9
BALANCE OF COUNTY	---	5,242	358	278	207
WHITE	---	4,989	310	244	182
NONWHITE	---	253	48	34	25
SULLIVAN	779	681	31	16	17
TIOGA	309	370	14	12	20
TOMPKINS	516	588	27	17	13
ITHACA	---	279	9	5	9
BALANCE OF COUNTY	---	309	18	12	4
ULSTER	1,437	1,574	74	53	45
KINGSTON	---	498	22	14	13
BALANCE OF COUNTY	---	1,076	52	39	32
WARREN	756	608	28	24	20
GLENS FALLS	---	316	7	6	7
BALANCE OF COUNTY	---	292	21	18	13
WASHINGTON	449	615	26	20	17
WAYNE	709	757	36	28	27
NEWARK	---	112	3	2	5
BALANCE OF COUNTY	---	645	33	26	22
WESTCHESTER	7,472	7,720	337	266	250
WHITE	6,861	7,163	247	202	211
NONWHITE	525	557	90	64	39
MAMARONECK	---	155	10	9	8
MOUNT VERNON	---	819	43	34	27
WHITE	---	692	20	17	16
NONWHITE	---	127	23	17	11
NEW ROCHELLE	---	713	39	29	25
WHITE	---	603	23	18	17
NONWHITE	---	110	16	11	8

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NEW YORK--CON.					
WESTCHESTER--CON.					
OSSINING	---	201	5	4	7
WHITE	---	186	4	4	7
NONWHITE	---	15	1	-	-
PEEKSKILL	---	269	8	7	9
WHITE	---	254	5	5	6
NONWHITE	---	15	3	2	3
PORT CHESTER	---	263	12	8	4
RYE	---	140	3	3	3
SCARSDALE	---	155	6	6	4
TARRYTOWN	---	112	8	6	6
WHITE PLAINS	---	585	25	19	9
WHITE	---	507	13	8	5
NONWHITE	---	78	12	11	4
YONKERS	---	1,931	77	59	67
BALANCE OF COUNTY	---	2,377	101	82	81
WHITE	---	2,296	92	75	76
NONWHITE	---	81	9	7	5
WYOMING	368	361	18	14	10
YATES	227	256	7	5	10
NORTH CAROLINA[1]	39,274	39,090	3,341	2,166	1,996
WHITE	27,455	27,310	1,670	1,258	1,043
NONWHITE	11,789	11,780	1,671	908	953
ALAMANCE	570	692	46	30	34
WHITE	439	532	24	21	19
NONWHITE	129	160	22	9	15
BURLINGTON	---	260	17	12	11
BALANCE OF COUNTY	---	432	29	18	23
WHITE	---	323	15	13	13
NONWHITE	---	109	14	5	10
ALEXANDER	115	133	4	2	9
ALLEGHANY	87	84	3	-	1
ANSON	207	246	30	20	13
WHITE	86	106	3	3	2
NONWHITE	120	140	27	17	11
ASHE	164	187	12	10	11
AVERY	141	97	11	3	4
BEAUFORT	383	359	21	15	9
WHITE	242	226	8	8	1
NONWHITE	140	133	13	7	8
BERTIE	174	223	17	10	18
WHITE	76	102	2	1	2
NONWHITE	98	121	15	9	16
BLADEN	252	290	29	19	16
WHITE	132	157	7	6	4
NONWHITE	120	133	22	13	12
BRUNSWICK	157	210	20	13	6
WHITE	98	131	7	5	2
NONWHITE	59	79	13	8	4
BUNCOMBE	1,700	1,350	69	51	38
WHITE	1,444	1,142	49	35	32
NONWHITE	253	208	20	16	6
ASHEVILLE	---	820	46	34	21
WHITE	---	637	27	19	16
NONWHITE	---	183	19	15	5
BALANCE OF COUNTY	---	530	23	17	17
BURKE	669	393	26	16	20
CABARRUS	621	603	40	24	25
WHITE	489	462	17	12	13
NONWHITE	132	141	23	12	12
CONCORD	---	208	15	11	6
WHITE	---	143	4	4	2
NONWHITE	---	65	11	7	4
BALANCE OF COUNTY	---	395	25	13	19
WHITE	---	319	13	8	11
NONWHITE	---	76	12	5	8
CALDWELL	282	358	27	17	19
LENOIR	---	80	6	6	4
WHITE	---	57	2	2	3
NONWHITE	---	23	4	4	1
BALANCE OF COUNTY	---	278	21	11	15
CAMDEN	28	49	2	2	4
WHITE	18	32	2	2	1
NONWHITE	10	17	-	-	3
CARTERET	239	257	18	12	7
WHITE	212	226	14	9	5
NONWHITE	27	31	4	3	2
CASWELL	93	182	20	11	9
WHITE	46	90	4	3	3
NONWHITE	47	92	16	8	6
N. CAROLINA--CON.					
CATAWBA	470	526	52	45	17
HICKORY	---	199	16	14	5
WHITE	---	166	12	10	4
NONWHITE	---	33	4	4	1
BALANCE OF COUNTY	---	327	36	31	12
CHATHAM	235	271	17	13	2
WHITE	161	184	8	7	1
NONWHITE	74	87	9	6	1
CHEROKEE	176	175	16	11	8
CHOWAN	117	105	14	7	7
WHITE	62	63	5	3	2
NONWHITE	55	42	9	4	5
CLAY	20	42	1	1	1
CLEVELAND	530	530	47	24	25
WHITE	412	414	31	20	15
NONWHITE	118	116	16	4	10
SHELBY	---	142	10	5	8
WHITE	---	108	7	4	5
NONWHITE	---	34	3	1	3
BALANCE OF COUNTY	---	388	37	19	17
WHITE	---	306	24	16	10
NONWHITE	---	82	13	3	7
COLUMBUS	364	460	64	32	29
WHITE	222	288	19	13	12
NONWHITE	141	172	45	19	17
CRAVEN	444	472	53	33	35
WHITE	248	268	20	15	26
NONWHITE	196	204	33	18	9
NEW BERN	---	206	17	13	10
WHITE	---	101	3	3	6
NONWHITE	---	105	14	10	4
BALANCE OF COUNTY	---	266	36	20	25
WHITE	---	167	17	12	20
NONWHITE	---	99	19	8	5
CUMBERLAND	1,050	865	130	80	85
WHITE	680	556	72	53	65
NONWHITE	368	309	58	27	20
FAYETTEVILLE	---	460	60	42	37
WHITE	---	272	29	27	26
NONWHITE	---	188	31	15	11
BALANCE OF COUNTY	---	405	70	38	48
WHITE	---	284	43	26	39
NONWHITE	---	121	27	12	9
CURRITUCK	50	82	8	7	2
WHITE	27	50	1	1	1
NONWHITE	23	32	7	6	1
DARE	40	85	2	2	2
DAVIDSON	519	601	59	40	35
WHITE	440	514	47	33	25
NONWHITE	79	87	12	7	10
LEXINGTON	---	144	14	11	8
WHITE	---	115	11	9	5
NONWHITE	---	29	3	2	3
THOMASVILLE	---	148	11	7	10
WHITE	---	112	6	4	7
NONWHITE	---	36	5	3	3
BALANCE OF COUNTY	---	309	34	22	17
DAVIE	127	150	7	4	4
WHITE	117	137	5	3	4
NONWHITE	10	13	2	1	-
DUPLIN	263	362	32	16	19
WHITE	152	226	13	11	5
NONWHITE	111	136	19	5	14
DURHAM	1,873	1,015	83	58	49
WHITE	1,151	584	30	26	23
NONWHITE	721	431	53	32	26
DURHAM	---	787	65	47	32
WHITE	---	421	21	19	11
NONWHITE	---	366	44	28	21
BALANCE OF COUNTY	---	228	18	11	17
WHITE	---	163	9	7	12
NONWHITE	---	65	9	4	5
EDGECOMBE	444	536	46	26	31
WHITE	194	244	8	6	5
NONWHITE	249	292	38	20	26
ROCKY MOUNT, PART	---	163	15	11	8
BALANCE OF COUNTY	---	373	31	15	23
WHITE	---	171	4	2	4
NONWHITE	---	202	27	13	19
FORSYTH	2,017	1,645	131	91	92
WHITE	1,420	1,035	61	51	46
NONWHITE	597	610	70	40	46

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA--CON.					
FORSYTH--CON.					
WINSTON-SALEM	----	1,119	95	65	62
WHITE	----	550	30	27	18
NONWHITE	----	569	65	38	44
BALANCE OF COUNTY	----	526	36	26	30
FRANKLIN	197	272	26	17	12
WHITE	105	152	3	3	4
NONWHITE	92	120	23	14	8
GASTON	788	995	93	64	37
WHITE	644	820	77	54	24
NONWHITE	144	175	16	10	13
GASTONIA	----	362	32	23	14
WHITE	----	282	24	17	10
NONWHITE	----	80	8	6	4
BALANCE OF COUNTY	----	633	61	41	23
WHITE	----	538	53	37	14
NONWHITE	----	95	8	4	9
GATES	49	109	8	3	5
WHITE	19	51	1	-	3
NONWHITE	30	58	7	3	2
GRAHAM	33	67	4	4	2
GRANVILLE	495	258	21	11	8
WHITE	410	151	7	5	3
NONWHITE	85	107	14	6	5
GREENE	80	140	19	12	10
WHITE	37	75	6	5	3
NONWHITE	43	65	13	7	7
GUILFORD	1,860	1,906	170	126	94
WHITE	1,354	1,375	85	64	51
NONWHITE	502	531	85	62	43
GREENSBORO	----	962	82	64	47
WHITE	----	624	27	24	21
NONWHITE	----	338	55	40	26
HIGH POINT	----	481	51	35	20
WHITE	----	362	29	20	11
NONWHITE	----	119	22	15	9
BALANCE OF COUNTY	----	463	37	27	27
WHITE	----	389	29	20	19
NONWHITE	----	74	8	7	8
HALIFAX	541	568	64	32	40
WHITE	255	263	12	11	8
NONWHITE	286	305	52	21	32
ROANOKE RAPIDS	----	121	4	4	3
WHITE	----	104	3	3	3
NONWHITE	----	17	1	1	-
BALANCE OF COUNTY	----	447	60	28	37
WHITE	----	159	9	8	5
NONWHITE	----	288	51	20	32
HARNETT	371	459	41	29	27
WHITE	252	320	16	13	15
NONWHITE	119	139	25	16	12
HAYWOOD	328	331	23	18	6
HENDERSON	374	396	18	11	10
HERTFORD	228	188	13	6	11
WHITE	91	77	-	-	1
NONWHITE	137	111	13	6	10
HOKE	130	127	20	9	9
WHITE	48	55	2	-	2
NONWHITE	82	72	18	9	7
HYDE	41	79	5	3	3
WHITE	20	48	1	1	-
NONWHITE	21	31	4	2	3
IREDELL	582	555	49	31	32
WHITE	451	430	27	20	19
NONWHITE	131	125	22	11	13
STATESVILLE	----	185	16	11	10
WHITE	----	135	12	10	7
NONWHITE	----	50	4	1	3
BALANCE OF COUNTY	----	370	33	20	22
WHITE	----	295	15	10	12
NONWHITE	----	75	18	10	10
JACKSON	135	152	7	5	6
JOHNSTON	450	607	47	30	28
WHITE	335	457	24	18	14
NONWHITE	115	150	23	12	14
JONES	37	86	12	8	9
WHITE	16	49	3	3	2
NONWHITE	21	37	9	5	7
LEE	253	247	19	6	5
WHITE	175	169	6	3	3
NONWHITE	77	78	13	3	2
SANFORD	----	111	5	1	3
WHITE	----	79	2	1	2
NONWHITE	----	32	3	-	1

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA--CON.					
LEE--CON.					
BALANCE OF COUNTY	----	136	14	5	2
WHITE	----	90	4	2	1
NONWHITE	----	46	10	3	1
LENOIR	535	475	44	27	34
WHITE	338	278	19	16	12
NONWHITE	197	197	25	11	22
KINSTON	----	248	19	13	11
WHITE	----	143	10	9	6
NONWHITE	----	105	9	4	5
BALANCE OF COUNTY	----	227	25	14	23
WHITE	----	135	9	7	6
NONWHITE	----	92	16	7	17
LINCOLN	223	249	17	9	7
WHITE	194	221	12	7	5
NONWHITE	29	28	5	2	2
MC DOWELL	177	217	15	11	9
MACON	139	143	11	9	2
MADISON	78	149	9	7	6
MARTIN	174	239	15	11	12
WHITE	105	143	6	6	3
NONWHITE	69	96	9	5	9
MECKLENBURG	2,279	2,162	226	148	133
WHITE	1,555	1,435	98	71	70
NONWHITE	723	727	128	77	63
CHARLOTTE	----	1,663	180	118	104
WHITE	----	1,039	70	51	52
NONWHITE	----	624	110	67	52
BALANCE OF COUNTY	----	499	46	30	29
WHITE	----	396	28	20	18
NONWHITE	----	103	18	10	11
MITCHELL	100	141	6	5	3
MONTGOMERY	143	175	17	9	7
WHITE	105	129	8	5	6
NONWHITE	38	46	9	4	1
MOORE	397	373	40	22	18
WHITE	268	256	16	13	6
NONWHITE	129	117	24	9	12
NASH	590	570	64	45	23
WHITE	326	330	25	20	9
NONWHITE	262	240	39	25	14
ROCKY MOUNT, PART	----	195	16	15	5
ROCKY MOUNT, TOTAL	----	358	31	26	13
WHITE	----	206	14	14	6
NONWHITE	----	152	17	12	7
BALANCE OF COUNTY	----	375	48	30	18
WHITE	----	197	15	10	4
NONWHITE	----	178	33	20	14
NEW HANOVER	827	764	41	31	39
WHITE	530	495	28	22	22
NONWHITE	297	269	13	9	17
WILMINGTON	----	537	27	19	29
WHITE	----	306	16	11	15
NONWHITE	----	231	11	8	14
BALANCE OF COUNTY	----	227	14	12	10
WHITE	----	189	12	11	7
NONWHITE	----	38	2	1	3
NORTHAMPTON	202	278	22	9	17
WHITE	77	113	1	1	2
NONWHITE	124	165	21	8	15
ONSLOW	357	387	87	66	37
WHITE	282	308	73	57	28
NONWHITE	75	79	14	9	9
JACKSONVILLE	----	73	15	12	9
BALANCE OF COUNTY	----	314	72	54	28
WHITE	----	249	60	46	20
NONWHITE	----	65	12	8	8
ORANGE	548	261	27	16	23
WHITE	332	180	19	14	7
NONWHITE	215	81	8	2	16
CHAPEL HILL	----	57	10	6	5
WHITE	----	36	8	6	2
NONWHITE	----	21	2	-	3
BALANCE OF COUNTY	----	204	17	10	18
WHITE	----	144	11	8	5
NONWHITE	----	60	6	2	13
PAMLICO	49	99	10	4	3
WHITE	32	75	4	1	1
NONWHITE	17	24	6	3	2
PASQUOTANK	309	243	18	10	7
WHITE	193	142	4	2	2
NONWHITE	115	101	14	8	5
ELIZABETH CITY	----	151	9	5	2
WHITE	----	88	2	1	1
NONWHITE	----	63	7	4	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
N. CAROLINA--CON.					
PASQUOTANK--CON.					
BALANCE OF COUNTY	---	92	9	5	5
WHITE	---	54	2	1	1
NONWHITE	---	38	7	4	4
PENDER	163	192	13	7	7
WHITE	89	114	5	4	2
NONWHITE	74	78	8	3	5
PERQUIMANS	69	94	4	2	4
WHITE	36	44	-	-	1
NONWHITE	33	50	4	2	3
PERSON	176	218	24	17	7
WHITE	112	140	11	10	3
NONWHITE	64	78	13	7	4
PITT	571	637	55	33	41
WHITE	286	334	13	11	15
NONWHITE	285	303	42	22	26
GREENVILLE	---	207	22	13	10
WHITE	---	108	7	6	4
NONWHITE	---	99	15	7	6
BALANCE OF COUNTY	---	430	33	20	31
WHITE	---	226	6	5	11
NONWHITE	---	204	27	15	20
POLK	140	115	3	2	7
WHITE	121	103	2	2	6
NONWHITE	19	12	1	-	1
RANDOLPH	350	473	22	17	27
RICHMOND	379	453	41	20	21
WHITE	233	292	22	11	11
NONWHITE	146	161	19	9	10
ROBESON	897	845	95	48	53
WHITE	425	382	25	19	6
NONWHITE	470	463	70	29	47
LUMBERTON	---	167	15	9	7
WHITE	---	112	9	7	3
NONWHITE	---	55	6	2	4
BALANCE OF COUNTY	---	678	80	39	46
WHITE	---	270	16	12	3
NONWHITE	---	408	64	27	43
ROCKINGHAM	530	606	31	21	26
WHITE	386	456	19	14	17
NONWHITE	144	150	12	7	9
REIDSVILLE	---	146	9	4	4
WHITE	---	90	4	2	1
NONWHITE	---	56	5	2	3
BALANCE OF COUNTY	---	460	22	17	22
WHITE	---	366	15	12	16
NONWHITE	---	94	7	5	6
ROWAN	642	682	37	29	25
WHITE	509	547	26	19	18
NONWHITE	133	135	11	10	7
SALISBURY	---	231	9	8	6
WHITE	---	161	4	3	4
NONWHITE	---	70	5	5	2
BALANCE OF COUNTY	---	451	28	21	19
WHITE	---	386	22	16	14
NONWHITE	---	65	6	5	5
RUTHERFORD	369	407	29	19	14
WHITE	314	350	24	18	12
NONWHITE	55	57	5	1	2
SAMPSON	388	450	33	19	20
WHITE	230	275	10	7	11
NONWHITE	156	175	23	12	9
SCOTLAND	291	241	18	13	13
WHITE	162	128	8	5	7
NONWHITE	129	113	10	8	6
STANLY	301	336	17	10	21
WHITE	250	287	13	10	13
NONWHITE	51	49	4	-	8
ALBEMARLE	---	115	7	4	7
WHITE	---	95	6	4	5
NONWHITE	---	20	1	-	2
BALANCE OF COUNTY	---	221	10	6	14
WHITE	---	192	7	6	8
NONWHITE	---	29	3	-	6
STOKES	98	145	10	8	7
WHITE	90	127	5	5	5
NONWHITE	8	18	5	3	2
SURRY	381	429	24	15	15
SWAIN	97	76	4	4	4
WHITE	77	67	4	4	2
NONWHITE	20	9	-	-	2
TRANSYLVANIA	96	117	9	7	9
TYRRELL	43	49	7	6	-
WHITE	27	29	2	2	-
NONWHITE	16	20	5	4	-
N. CAROLINA--CON.					
UNION	406	422	46	31	37
WHITE	277	306	17	16	22
NONWHITE	129	116	29	15	15
MONROE	---	119	10	7	5
WHITE	---	80	5	5	5
NONWHITE	---	39	5	2	-
BALANCE OF COUNTY	---	303	36	24	32
WHITE	---	226	12	11	17
NONWHITE	---	77	24	13	15
VANCE	298	325	24	15	15
WHITE	160	170	9	9	1
NONWHITE	138	155	15	6	14
HENDERSON	---	162	15	11	4
WHITE	---	83	8	8	1
NONWHITE	---	79	7	3	3
BALANCE OF COUNTY	---	163	9	4	11
WHITE	---	87	1	1	-
NONWHITE	---	76	8	3	11
WAKE	1,515	1,319	110	77	73
WHITE	1,059	837	49	41	31
NONWHITE	456	482	61	36	42
RALEIGH	---	710	53	39	40
WHITE	---	437	26	21	20
NONWHITE	---	273	27	18	20
BALANCE OF COUNTY	---	609	57	38	33
WHITE	---	400	23	20	11
NONWHITE	---	209	34	18	22
WARREN	158	188	18	10	16
WHITE	57	80	2	2	3
NONWHITE	99	108	16	8	13
WASHINGTON	103	131	15	10	8
WHITE	52	75	6	6	1
NONWHITE	51	56	9	4	7
WATAUGA	127	138	2	2	8
WAYNE	829	667	63	42	48
WHITE	374	374	30	23	16
NONWHITE	455	293	33	19	32
GOLDSBORO	---	297	25	18	21
WHITE	---	148	10	8	6
NONWHITE	---	149	15	10	15
BALANCE OF COUNTY	---	370	38	24	27
WHITE	---	226	20	15	10
NONWHITE	---	144	18	9	17
WILKES	290	371	31	18	10
WILSON	606	530	46	32	33
WHITE	311	261	7	6	12
NONWHITE	295	269	39	26	21
WILSON	---	297	24	20	15
WHITE	---	128	2	2	8
NONWHITE	---	169	22	18	7
BALANCE OF COUNTY	---	233	22	12	18
WHITE	---	133	5	4	4
NONWHITE	---	100	17	8	14
YADKIN	166	215	15	13	4
YANCEY	75	117	10	10	3
NORTH DAKOTA	5,392	5,419	357	265	186
WHITE	5,241	5,282	332	253	176
NONWHITE	151	137	25	12	10
ADAMS	26	35	1	1	-
BARNES	116	138	4	4	4
BENSON	52	87	4	3	1
WHITE	43	74	2	2	-
NONWHITE	9	13	2	1	1
BILLINGS	2	8	-	-	-
BOTTINEAU	71	93	7	6	4
BOWMAN	37	44	5	3	2
BURKE	35	63	3	1	5
BURLEIGH	471	249	16	13	9
BISMARCK	---	194	13	10	9
BALANCE OF COUNTY	---	55	3	3	-
CASS	754	522	42	31	16
FARGO	---	370	31	22	13
BALANCE OF COUNTY	---	152	11	9	3
CAVALIER	47	78	6	5	4
DICKEY	123	83	4	2	4
DIVIDE	57	58	2	2	2
DUNN	15	45	1	1	1
EDDY	52	69	-	-	1
EMMONS	41	66	4	1	2
FOSTER	49	61	4	2	1
GOLDEN VALLEY	36	32	-	-	2
GRAND FORKS	458	362	32	25	17
GRAND FORKS	---	243	24	18	13

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
NORTH DAKOTA--CON.					
GRAND FORKS--CON.					
BALANCE OF COUNTY	---	119	8	7	4
GRANT	42	54	3	3	3
GRIGGS	56	63	4	3	2
HETTINGER	23	51	2	2	2
KIDDER	12	56	2	1	2
LA MOURE	41	69	3	1	-
LOGAN	25	52	2	2	6
MC HENRY	18	88	5	4	-
MC INTOSH	48	56	3	3	2
MC KENZIE	42	67	4	3	2
MC LEAN	80	114	7	7	6
MERCER	34	56	2	2	1
MORTON	76	165	17	12	7
MANDAN	---	79	5	4	2
BALANCE OF COUNTY	---	86	12	8	5
MOUNTRAIL	80	121	6	5	2
NELSON	58	68	2	1	3
OLIVER	4	16	-	-	-
PEMBINA	72	98	3	2	2
PIERCE	88	66	1	1	1
RAMSEY	190	157	8	5	5
RANSOM	53	91	2	2	-
RENVILLE	13	45	2	1	2
RICHLAND	73	162	5	4	4
ROLETTE	95	98	15	9	1
WHITE	55	53	6	5	1
NONWHITE	40	45	9	4	-
SARGENT	13	71	5	4	-
SHERIDAN	2	26	4	3	-
SIOUX	40	31	9	4	2
WHITE	2	7	-	-	-
NONWHITE	38	24	9	4	2
SLOPE	3	15	-	-	1
STARK	196	142	15	10	10
STEELE	17	43	4	3	2
STUTSMAN	376	191	13	9	5
JAMESTOWN	---	104	9	6	4
BALANCE OF COUNTY	---	87	4	3	1
TOWNER	40	53	-	-	2
TRAILL	81	98	4	3	2
WALSH	166	182	11	11	3
WARD	531	391	45	33	21
MINOT	---	261	24	18	18
BALANCE OF COUNTY	---	130	21	15	3
WELLS	85	90	4	3	7
WILLIAMS	177	180	10	9	3
WILLISTON	---	97	7	6	1
BALANCE OF COUNTY	---	83	3	3	2
OHIO	**94,903**	**95,209**	**4,964**	**3,842**	**3,150**
WHITE	87,121	87,439	4,079	3,178	2,624
NONWHITE	7,765	7,770	885	664	526
ADAMS	245	272	12	7	7
ALLEN	1,241	981	69	51	34
LIMA	---	587	44	31	29
WHITE	---	533	33	26	24
NONWHITE	---	54	11	5	5
BALANCE OF COUNTY	---	394	25	20	5
ASHLAND	394	420	16	11	16
ASHLAND	---	197	8	5	6
BALANCE OF COUNTY	---	223	8	6	10
ASHTABULA	960	1,021	43	27	31
ASHTABULA	---	286	8	7	10
CONNEAUT	---	136	7	4	1
BALANCE OF COUNTY	---	599	28	16	20
ATHENS	640	502	23	15	15
ATHENS	---	129	7	5	1
BALANCE OF COUNTY	---	373	16	10	14
AUGLAIZE	332	370	14	12	10
BELMONT	1,076	1,108	40	35	30
BELLAIRE	---	176	2	2	3
MARTINS FERRY	---	154	5	4	9
BALANCE OF COUNTY	---	778	33	29	18
BROWN	298	293	15	12	11
BUTLER	1,727	1,643	113	90	50
WHITE	1,606	1,515	99	81	42
NONWHITE	121	128	14	9	8
HAMILTON	---	667	37	26	23
MIDDLETOWN	---	416	28	25	14
WHITE	---	348	22	20	10
NONWHITE	---	68	6	5	4
BALANCE OF COUNTY	---	560	48	39	13
CARROLL	185	213	16	13	6

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO--CON.					
CHAMPAIGN	260	326	19	13	6
URBANA	---	124	8	4	4
BALANCE OF COUNTY	---	202	11	9	2
CLARK	1,405	1,265	73	57	51
WHITE	1,277	1,129	59	45	44
NONWHITE	128	136	14	12	7
SPRINGFIELD	---	952	52	40	36
WHITE	---	820	38	28	30
NONWHITE	---	132	14	12	6
BALANCE OF COUNTY	---	313	21	17	15
CLERMONT	228	578	45	35	27
CLINTON	347	361	15	11	7
COLUMBIANA	1,163	1,189	32	25	40
EAST LIVERPOOL	---	290	7	4	12
SALEM	---	160	7	7	5
BALANCE OF COUNTY	---	739	18	14	23
COSHOCTON	388	406	17	13	10
COSHOCTON	---	189	12	11	4
BALANCE OF COUNTY	---	217	5	2	6
CRAWFORD	465	513	28	17	15
BUCYRUS	---	157	7	4	4
GALION	---	144	12	6	7
BALANCE OF COUNTY	---	212	9	7	4
CUYAHOGA	17,194	16,721	863	689	518
WHITE	14,835	14,360	570	458	336
NONWHITE	2,354	2,361	293	231	182
BAY	---	107	9	8	3
BEDFORD	---	107	4	3	2
BEREA	---	135	9	5	7
BROOKLYN	---	82	7	7	2
BROOK PARK	---	48	13	9	7
CLEVELAND	---	10,050	599	469	372
WHITE	---	7,741	310	241	192
NONWHITE	---	2,309	289	228	180
CLEVELAND HEIGHTS	---	700	16	14	6
EAST CLEVELAND	---	468	11	9	6
EUCLID	---	478	25	23	17
FAIRVIEW PARK	---	132	4	4	2
GARFIELD HEIGHTS	---	289	14	11	6
LAKEWOOD	---	836	21	17	14
LYNDHURST	---	104	4	3	-
MAPLE HEIGHTS	---	199	9	8	5
MAYFIELD HEIGHTS	---	105	3	3	1
NORTH OLMSTED	---	116	6	5	3
PARMA	---	536	23	18	8
PARMA HEIGHTS	---	122	12	12	3
ROCKY RIVER	---	190	2	1	2
SHAKER HEIGHTS	---	382	5	5	1
SOUTH EUCLID	---	216	7	7	6
UNIVERSITY HEIGHTS	---	143	4	3	6
WARRENSVILLE HEIGHTS	---	79	1	-	2
WESTLAKE	---	108	3	3	2
BALANCE OF COUNTY	---	989	52	42	35
DARKE	449	517	16	9	13
GREENVILLE	---	174	9	2	4
BALANCE OF COUNTY	---	343	13	7	9
DEFIANCE	337	296	21	20	7
DEFIANCE	---	134	10	9	2
BALANCE OF COUNTY	---	162	11	11	5
DELAWARE	345	394	19	16	12
DELAWARE	---	168	6	4	6
BALANCE OF COUNTY	---	226	13	12	6
ERIE	714	762	45	35	27
SANDUSKY	---	431	21	15	13
WHITE	---	407	16	11	13
NONWHITE	---	24	5	4	-
BALANCE OF COUNTY	---	331	24	20	14
FAIRFIELD	562	610	19	13	24
LANCASTER	---	292	13	9	13
BALANCE OF COUNTY	---	318	6	4	11
FAYETTE	285	262	7	5	8
WASHINGTON	---	163	2	2	4
BALANCE OF COUNTY	---	99	5	3	4
FRANKLIN	7,034	6,194	410	321	254
WHITE	6,144	5,317	319	253	204
NONWHITE	890	877	91	68	50
BEXLEY	---	153	3	3	2
COLUMBUS	---	4,688	305	242	188
WHITE	---	3,838	218	176	140
NONWHITE	---	850	87	66	48
UPPER ARLINGTON	---	157	4	2	6
WHITEHALL	---	92	11	8	5
BALANCE OF COUNTY	---	1,104	87	66	53
FULTON	276	312	12	10	13
GALLIA	424	277	15	12	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO--CON.					
GEAUGA	320	391	34	26	20
GREENE	560	605	49	39	38
FAIRBORN	---	108	15	13	11
XENIA	---	197	14	12	14
WHITE	---	167	13	11	11
NONWHITE	---	30	1	1	3
BALANCE OF COUNTY	---	300	20	14	13
GUERNSEY	699	513	13	11	9
CAMBRIDGE	---	222	4	3	5
BALANCE OF COUNTY	---	291	9	8	4
HAMILTON	9,586	9,012	423	332	307
WHITE	8,230	7,660	306	246	226
NONWHITE	1,353	1,352	117	86	81
CHEVIOT	---	142	4	4	7
CINCINNATI	---	6,222	269	209	190
WHITE	---	5,023	164	129	121
NONWHITE	---	1,199	105	80	69
NORTH COLLEGE HILL	---	81	5	5	3
NORWOOD	---	359	8	5	15
READING	---	87	3	2	2
BALANCE OF COUNTY	---	2,121	134	107	90
WHITE	---	1,971	122	101	78
NONWHITE	---	150	12	6	12
HANCOCK	611	546	25	15	16
FINDLAY	---	341	13	8	11
FOSTORIA, PART	---	24	5	4	1
BALANCE OF COUNTY	---	181	7	3	4
HARDIN	356	358	21	14	7
HARRISON	135	231	2	1	3
HENRY	194	258	6	3	9
HIGHLAND	307	368	14	8	8
HOCKING	195	258	7	4	9
HOLMES	408	217	12	11	6
HURON	509	518	28	24	10
NORWALK	---	158	8	6	2
BALANCE OF COUNTY	---	360	20	18	8
JACKSON	249	365	15	10	8
JEFFERSON	939	1,071	44	32	40
STEUBENVILLE	---	456	18	14	15
WHITE	---	406	11	9	10
NONWHITE	---	50	7	5	5
BALANCE OF COUNTY	---	615	26	18	25
KNOX	477	429	14	13	8
MOUNT VERNON	---	200	9	8	3
BALANCE OF COUNTY	---	229	5	5	5
LAKE	847	1,019	82	61	54
EASTLAKE	---	70	4	3	4
PAINESVILLE	---	174	10	6	7
WICKLIFFE	---	84	7	6	5
WILLOUGHBY	---	87	10	7	7
WILLOWICK	---	93	15	13	9
BALANCE OF COUNTY	---	511	36	26	22
LAWRENCE	522	634	33	22	24
IRONTON	---	230	6	4	9
BALANCE OF COUNTY	---	404	27	18	15
LICKING	826	1,001	39	31	31
NEWARK	---	536	13	9	17
BALANCE OF COUNTY	---	465	26	22	14
LOGAN	322	386	17	13	11
BELLEFONTAINE	---	139	6	4	1
BALANCE OF COUNTY	---	247	11	9	10
LORAIN	1,650	1,748	112	80	80
WHITE	1,552	1,652	96	68	71
NONWHITE	98	96	16	12	9
ELYRIA	---	403	33	26	22
LORAIN	---	593	34	22	25
BALANCE OF COUNTY	---	752	45	32	33
LUCAS	5,279	4,758	231	169	140
WHITE	4,860	4,344	170	119	109
NONWHITE	419	414	61	50	31
MAUMEE	---	81	8	7	2
OREGON	---	88	-	-	2
TOLEDO	---	3,798	173	133	119
WHITE	---	3,415	114	83	89
NONWHITE	---	383	59	50	30
BALANCE OF COUNTY	---	791	50	29	17
MADISON	109	235	14	10	8
MAHONING	3,011	2,905	131	101	83
WHITE	2,645	2,524	85	68	66
NONWHITE	365	381	46	33	17
CAMPBELL	---	114	4	3	4
WHITE	---	96	3	3	3
NONWHITE	---	18	1	-	1
STRUTHERS	---	139	10	7	5
YOUNGSTOWN, PART	---	1,872	88	71	52
OHIO--CON.					
MAHONING--CON.					
YOUNGSTOWN, TOTAL	---	1,872	88	71	53
WHITE	---	1,522	44	39	38
NONWHITE	---	350	44	32	15
BALANCE OF COUNTY	---	780	29	20	22
WHITE	---	773	28	19	22
NONWHITE	---	7	1	1	-
MARION	633	667	33	26	19
MARION	---	443	22	16	15
BALANCE OF COUNTY	---	224	11	10	4
MEDINA	581	551	41	39	18
BRUNSWICK	---	33	7	7	-
WADSWORTH	---	100	12	12	2
BALANCE OF COUNTY	---	418	22	20	16
MEIGS	174	259	7	5	9
MERCER	265	320	24	18	14
MIAMI	730	737	39	29	26
PIQUA	---	240	8	6	10
TROY	---	131	8	5	5
BALANCE OF COUNTY	---	366	23	18	11
MONROE	98	194	8	4	11
MONTGOMERY	5,066	4,608	304	234	171
WHITE	4,432	4,021	234	185	138
NONWHITE	633	587	70	49	33
DAYTON	---	2,813	170	131	113
WHITE	---	2,269	105	86	82
NONWHITE	---	544	65	45	31
KETTERING	---	298	16	13	10
OAKWOOD CITY	---	137	3	3	1
BALANCE OF COUNTY	---	1,360	115	87	47
MORGAN	146	172	-	-	2
MORROW	201	222	12	10	5
MUSKINGUM	1,046	926	35	25	27
ZANESVILLE	---	512	18	14	14
BALANCE OF COUNTY	---	414	17	11	13
NOBLE	81	178	2	2	2
OTTAWA	304	375	20	13	12
PAULDING	116	153	8	7	4
PERRY	167	371	9	7	5
PICKAWAY	257	298	13	10	12
CIRCLEVILLE	---	114	5	5	3
BALANCE OF COUNTY	---	184	8	5	9
PIKE	160	196	5	4	5
PORTAGE	668	770	56	41	36
KENT	---	118	11	8	1
RAVENNA	---	146	5	4	9
BALANCE OF COUNTY	---	506	40	29	26
PREBLE	164	298	14	12	8
PUTNAM	99	279	17	14	13
RICHLAND	972	1,009	44	35	37
MANSFIELD	---	538	14	12	24
BALANCE OF COUNTY	---	471	30	23	13
ROSS	621	589	24	18	17
CHILLICOTHE	---	305	7	5	6
BALANCE OF COUNTY	---	284	17	13	11
SANDUSKY	610	575	28	21	26
FREMONT	---	228	15	11	15
BALANCE OF COUNTY	---	347	13	10	11
SCIOTO	950	955	36	29	35
PORTSMOUTH	---	462	16	14	8
BALANCE OF COUNTY	---	493	20	15	27
SENECA	511	572	28	22	13
FOSTORIA, PART	---	125	3	3	4
FOSTORIA, TOTAL	---	150	8	7	5
TIFFIN	---	233	17	12	4
BALANCE OF COUNTY	---	214	8	7	5
SHELBY	267	323	13	10	7
SIDNEY	---	166	7	5	2
BALANCE OF COUNTY	---	157	6	5	5
STARK	3,489	3,308	172	130	90
WHITE	3,277	3,117	155	122	76
NONWHITE	211	191	17	8	14
ALLIANCE	---	338	15	10	9
WHITE	---	307	11	9	4
NONWHITE	---	31	4	1	5
CANTON	---	1,425	70	54	48
WHITE	---	1,306	61	49	42
NONWHITE	---	119	9	5	6
MASSILLON	---	368	19	13	9
BALANCE OF COUNTY	---	1,177	68	53	24
SUMMIT	4,144	4,414	264	212	148
WHITE	3,851	4,100	214	173	122
NONWHITE	292	314	50	39	26
AKRON	---	2,830	169	137	96
WHITE	---	2,547	123	100	73
NONWHITE	---	283	46	37	23

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OHIO—CON.					
SUMMIT—CON.					
BARBERTON	——	338	18	13	11
CUYAHOGA FALLS	——	336	21	19	14
STOW	——	91	11	9	7
TALLMADGE	——	66	2	2	1
BALANCE OF COUNTY	——	753	43	32	19
TRUMBULL	1,491	1,846	106	86	62
WHITE	1,404	1,749	92	76	55
NONWHITE	87	97	14	10	7
GIRARD	——	110	9	8	8
NILES	——	209	13	12	10
WARREN	——	645	33	26	22
WHITE	——	581	25	20	15
NONWHITE	——	64	8	6	7
YOUNGSTOWN, PART	——	-	-	-	1
BALANCE OF COUNTY	——	882	51	40	21
WHITE	——	853	45	36	21
NONWHITE	——	29	6	4	-
TUSCARAWAS	867	910	54	45	22
DOVER	——	141	5	5	4
NEW PHILADELPHIA	——	186	13	11	4
BALANCE OF COUNTY	——	583	36	29	14
UNION	199	249	11	8	5
VAN WERT	285	320	9	8	4
VAN WERT	——	139	2	2	2
BALANCE OF COUNTY	——	181	7	6	2
VINTON	62	102	3	2	3
WARREN	244	441	27	22	28
WASHINGTON	553	552	23	19	16
MARIETTA	——	249	6	4	4
BALANCE OF COUNTY	——	303	17	15	12
WAYNE	678	637	32	25	27
WOOSTER	——	161	4	4	7
BALANCE OF COUNTY	——	476	28	21	20
WILLIAMS	285	327	18	15	6
WOOD	432	623	27	24	26
BOWLING GREEN	——	106	3	2	8
FOSTORIA, PART	——	1	-	-	-
BALANCE OF COUNTY	——	516	24	22	18
WYANDOT	202	251	15	7	1
OKLAHOMA	23,500	24,000	1,220	935	630
WHITE	21,018	21,492	971	770	483
NONWHITE	2,482	2,508	249	165	147
ADAIR	124	180	11	10	4
WHITE	89	131	8	7	2
NONWHITE	35	49	3	3	2
ALFALFA	91	124	3	3	-
ATOKA	127	142	6	3	3
BEAVER	48	66	4	4	3
BECKHAM	252	212	9	7	2
BLAINE	149	173	6	3	3
WHITE	130	140	4	3	2
NONWHITE	19	33	2	-	1
BRYAN	310	354	11	8	8
DURANT	——	173	6	5	3
BALANCE OF COUNTY	——	181	5	3	5
CADDO	237	330	9	6	9
WHITE	209	280	4	4	4
NONWHITE	28	50	5	2	5
CANADIAN	227	281	14	7	11
EL RENO	——	178	8	5	7
OKLAHOMA CITY, PART	——	2	-	-	-
BALANCE OF COUNTY	——	101	6	2	4
CARTER	462	474	15	11	19
WHITE	413	412	10	7	17
NONWHITE	49	62	5	4	2
ARDMORE	——	272	8	6	12
WHITE	——	221	4	3	10
NONWHITE	——	51	4	3	2
BALANCE OF COUNTY	——	202	7	5	7
CHEROKEE	202	204	12	8	9
WHITE	150	170	9	5	7
NONWHITE	52	34	3	3	2
CHOCTAW	173	223	13	10	6
WHITE	133	174	6	6	2
NONWHITE	40	49	7	4	4
CIMARRON	25	30	-	-	2
CLEVELAND	458	339	22	17	16
NORMAN	——	239	16	11	12
OKLAHOMA CITY, PART	——	1	-	-	-
BALANCE OF COUNTY	——	99	6	6	4
COAL	74	82	3	3	2
OKLAHOMA—CON.					
COMANCHE	562	524	68	54	40
WHITE	465	453	54	46	34
NONWHITE	97	71	14	8	6
LAWTON	——	401	61	48	37
WHITE	——	349	48	40	31
NONWHITE	——	52	13	8	6
BALANCE OF COUNTY	——	123	7	6	3
WHITE	——	104	6	6	3
NONWHITE	——	19	1	-	-
COTTON	36	73	2	1	1
CRAIG	442	222	5	3	2
CREEK	356	474	17	11	9
WHITE	313	427	16	11	8
NONWHITE	43	47	1	-	1
SAPULPA	——	178	9	5	3
WHITE	——	156	8	5	2
NONWHITE	——	22	1	-	1
BALANCE OF COUNTY	——	296	8	6	6
CUSTER	293	198	14	11	7
DELAWARE	64	142	6	3	5
WHITE	62	131	4	3	2
NONWHITE	2	11	2	-	3
DEWEY	36	98	1	1	1
ELLIS	83	80	3	3	-
GARFIELD	630	517	24	19	7
ENID	——	401	21	16	6
BALANCE OF COUNTY	——	116	3	3	1
GARVIN	278	299	9	8	7
GRADY	304	341	17	12	8
CHICKASHA	——	183	8	7	5
WHITE	——	168	6	5	4
NONWHITE	——	15	2	2	1
BALANCE OF COUNTY	——	158	9	5	3
GRANT	32	97	1	1	-
GREER	99	122	6	4	2
HARMON	69	74	8	4	3
HARPER	51	73	2	2	-
HASKELL	93	112	8	8	3
HUGHES	220	238	6	5	3
WHITE	192	209	3	3	3
NONWHITE	28	29	3	2	-
JACKSON	215	233	20	13	12
ALTUS	——	136	12	7	9
BALANCE OF COUNTY	——	97	8	6	3
JEFFERSON	79	119	4	3	1
JOHNSTON	100	128	3	3	1
WHITE	92	116	3	3	1
NONWHITE	8	12	-	-	-
KAY	486	523	18	14	14
PONCA CITY	——	231	11	9	9
BALANCE OF COUNTY	——	292	7	5	5
KINGFISHER	101	117	6	5	-
KIOWA	176	201	9	8	7
LATIMER	160	92	5	5	1
WHITE	103	87	5	5	1
NONWHITE	57	5	-	-	-
LE FLORE	291	378	13	7	17
LINCOLN	209	267	9	5	5
LOGAN	254	280	11	8	4
WHITE	222	241	9	7	2
NONWHITE	32	39	2	1	2
LOVE	26	58	-	-	3
MC CLAIN	129	128	4	3	7
MC CURTAIN	214	298	18	13	6
WHITE	164	223	13	12	3
NONWHITE	50	75	5	1	3
MC INTOSH	103	154	8	8	4
WHITE	76	121	7	7	1
NONWHITE	27	33	1	1	3
MAJOR	90	123	2	2	1
MARSHALL	52	91	2	-	3
MAYES	195	247	5	3	7
MURRAY	188	159	4	3	2
MUSKOGEE	1,097	795	32	23	23
WHITE	811	582	24	17	14
NONWHITE	286	213	8	6	9
MUSKOGEE	——	550	21	18	15
WHITE	——	403	18	15	10
NONWHITE	——	147	3	3	5
BALANCE OF COUNTY	——	245	11	5	8
WHITE	——	179	6	2	4
NONWHITE	——	66	5	3	4
NOBLE	98	117	2	2	-
NOWATA	110	135	3	2	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OKLAHOMA--CON.					
OKFUSKEE	124	170	8	4	5
WHITE	91	123	4	2	1
NONWHITE	33	47	4	2	4
OKLAHOMA	4,380	3,683	290	230	122
WHITE	3,834	3,267	221	179	91
NONWHITE	546	416	69	51	31
BETHANY	---	72	3	3	4
DEL CITY	---	39	5	4	3
MIDWEST CITY	---	144	21	19	12
OKLAHOMA CITY, PART	---	3,107	237	185	94
OKLAHOMA CITY, TOTAL	---	3,110	237	185	94
WHITE	---	2,719	172	135	68
NONWHITE	---	391	65	50	26
THE VILLAGE	---	1	-	-	-
BALANCE OF COUNTY	---	320	24	19	9
WHITE	---	257	20	18	4
NONWHITE	---	63	4	1	5
OKMULGEE	398	482	30	24	11
WHITE	316	377	16	13	9
NONWHITE	82	105	14	11	2
OKMULGEE	---	233	21	17	4
WHITE	---	161	10	8	3
NONWHITE	---	72	11	9	1
BALANCE OF COUNTY	---	249	9	7	7
WHITE	---	216	6	5	6
NONWHITE	---	33	3	2	1
OSAGE	230	299	11	7	9
BARTLESVILLE, PART	---	2	-	-	-
TULSA, PART	---	1	-	-	-
BALANCE OF COUNTY	---	296	11	7	9
OTTAWA	344	401	5	5	5
MIAMI	---	166	3	3	1
BALANCE OF COUNTY	---	235	2	2	4
PAWNEE	140	169	5	3	5
PAYNE	428	401	25	21	5
STILLWATER	---	139	15	13	2
BALANCE OF COUNTY	---	262	10	8	3
PITTSBURG	432	449	8	5	8
WHITE	394	404	6	3	5
NONWHITE	38	45	2	2	3
MC ALESTER	---	232	4	2	3
WHITE	---	206	4	2	2
NONWHITE	---	26	-	-	1
BALANCE OF COUNTY	---	217	4	3	5
PONTOTOC	376	342	13	7	7
ADA	---	191	10	6	4
BALANCE OF COUNTY	---	151	3	1	3
POTTAWATOMIE	416	492	15	11	8
SHAWNEE	---	283	7	6	4
BALANCE OF COUNTY	---	209	8	5	4
PUSHMATAHA	108	136	6	5	5
ROGER MILLS	41	56	4	3	3
ROGERS	233	239	5	5	3
SEMINOLE	259	325	14	9	5
WHITE	212	268	8	5	2
NONWHITE	47	57	6	4	3
SEMINOLE	---	90	3	3	1
BALANCE OF COUNTY	---	235	11	6	4
WHITE	---	182	5	2	2
NONWHITE	---	53	6	4	2
SEQUOYAH	122	219	10	9	5
WHITE	106	188	9	8	4
NONWHITE	16	31	1	1	1
STEPHENS	350	389	13	10	5
DUNCAN	---	180	7	4	1
BALANCE OF COUNTY	---	209	6	6	2
TEXAS	111	151	5	4	9
TILLMAN	125	163	4	4	4
WHITE	111	145	3	3	3
NONWHITE	14	18	1	1	1
TULSA	2,921	2,908	195	156	73
WHITE	2,591	2,574	152	123	58
NONWHITE	330	334	43	33	15
TULSA, PART	---	2,385	160	131	53
TULSA, TOTAL	---	2,386	160	131	53
WHITE	---	2,097	119	98	42
NONWHITE	---	289	41	33	11
BALANCE OF COUNTY	---	523	35	25	20
WHITE	---	478	33	25	16
NONWHITE	---	45	2	-	4
WAGONER	112	173	3	3	4
WHITE	93	123	2	2	4
NONWHITE	19	50	1	1	-
WASHINGTON	330	339	15	12	5
BARTLESVILLE, PART	---	241	14	11	5
WASHINGTON--CON.					
BARTLESVILLE, TOTAL	---	243	14	11	5
BALANCE OF COUNTY	---	98	1	1	-
WASHITA	121	167	11	10	3
WOODS	147	150	4	1	5
WOODWARD	272	156	8	7	3
OREGON	17,175	17,218	811	554	663
WHITE	16,815	16,865	771	531	623
NONWHITE	358	353	40	23	40
BAKER	164	189	12	11	4
BENTON	220	237	14	9	14
CORVALLIS	---	137	5	4	9
BALANCE OF COUNTY	---	100	9	5	5
CLACKAMAS	712	984	40	27	34
PORTLAND, PART	---	7	-	-	-
BALANCE OF COUNTY	---	977	40	27	34
CLATSOP	343	345	9	6	7
ASTORIA	---	151	1	1	3
BALANCE OF COUNTY	---	194	8	5	4
COLUMBIA	179	252	8	6	7
COOS	407	429	24	14	15
CROOK	70	70	4	2	3
CURRY	72	104	8	3	5
DESCHUTES	280	258	19	15	5
BEND	---	135	11	8	4
BALANCE OF COUNTY	---	123	8	7	1
DOUGLAS	432	491	25	17	26
ROSEBURG	---	143	7	5	7
BALANCE OF COUNTY	---	348	18	12	19
GILLIAM	15	17	-	-	-
GRANT	59	72	2	-	2
HARNEY	36	42	1	1	3
HOOD RIVER	142	149	5	5	4
JACKSON	684	717	27	17	15
MEDFORD	---	230	5	4	8
BALANCE OF COUNTY	---	487	22	13	7
JEFFERSON	30	58	10	4	5
WHITE	22	37	2	1	5
NONWHITE	8	21	8	3	-
JOSEPHINE	322	322	12	10	11
GRANTS PASS	---	145	5	4	3
BALANCE OF COUNTY	---	177	7	6	8
KLAMATH	402	436	32	21	13
KLAMATH FALLS	---	182	11	7	4
BALANCE OF COUNTY	---	254	21	14	9
LAKE	56	65	2	2	4
LANE	1,205	1,226	87	47	63
EUGENE	---	395	26	18	13
SPRINGFIELD	---	136	7	1	6
BALANCE OF COUNTY	---	695	54	28	44
LINCOLN	225	258	7	7	11
LINN	428	490	32	19	18
ALBANY	---	127	7	2	4
BALANCE OF COUNTY	---	363	25	17	14
MALHEUR	217	194	16	12	7
MARION	1,491	1,212	59	43	41
SALEM, PART	---	525	22	13	10
SALEM, TOTAL	---	547	24	15	11
BALANCE OF COUNTY	---	687	37	30	31
MORROW	33	45	1	-	3
MULTNOMAH	7,046	6,206	229	171	259
WHITE	6,840	6,096	210	159	230
NONWHITE	205	210	19	12	29
PORTLAND, PART	---	5,051	155	114	187
PORTLAND, TOTAL	---	5,058	155	114	187
WHITE	---	4,854	136	102	162
NONWHITE	---	204	19	12	25
BALANCE OF COUNTY	---	1,255	74	57	72
WHITE	---	1,249	74	57	68
NONWHITE	---	6	-	-	4
POLK	144	225	12	9	13
SALEM, PART	---	22	2	2	1
BALANCE OF COUNTY	---	203	10	7	12
SHERMAN	7	14	1	1	2
TILLAMOOK	148	169	10	6	7
UMATILLA	430	369	27	18	11
PENDLETON	---	132	14	9	3
BALANCE OF COUNTY	---	237	13	9	8
UNION	161	178	9	8	3
WALLOWA	45	52	3	3	-
WASCO	183	175	10	7	7
DALLES	---	94	5	4	5
BALANCE OF COUNTY	---	81	5	3	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
OREGON--CON.					
WASHINGTON	483	720	36	25	31
WHEELER	4	15	1	-	-
YAMHILL	300	333	17	8	10
PENNSYLVANIA	122,699	123,290	5,427	4,181	3,806
WHITE	112,158	113,791	4,416	3,437	3,102
NONWHITE	9,469	9,499	1,011	744	704
ADAMS	436	477	28	18	12
ALLEGHENY	18,676	17,584	759	613	577
WHITE	16,951	15,889	618	502	450
NONWHITE	1,720	1,695	141	111	127
BALDWIN TWP#	---	144	16	13	4
BELLEVUE	---	164	6	5	2
BETHEL	---	147	13	11	10
BRADDOCK	---	170	9	7	5
WHITE	---	132	5	4	4
NONWHITE	---	38	4	3	1
BRENTWOOD	---	127	7	7	1
CARNEGIE	---	127	3	2	5
CASTLE SHANNON	---	74	8	6	2
CLAIRTON	---	197	12	11	8
WHITE	---	153	9	8	6
NONWHITE	---	44	3	3	2
DORMONT	---	139	3	2	2
DUQUESNE	---	214	2	2	9
WHITE	---	189	1	1	9
NONWHITE	---	25	1	1	-
HARRISON TWP#	---	162	3	3	3
MC KEESPORT	---	628	19	15	22
MC KEES ROCKS	---	192	7	3	4
MONROEVILLE	---	125	11	10	6
MOUNT LEBANON TWP#	---	314	14	10	4
MUNHALL	---	202	7	6	1
NORTH BRADDOCK	---	138	4	4	8
NORTH VERSAILLE TWP#	---	90	3	3	1
PENN HILLS TWP#	---	345	19	16	1
PITTSBURGH	---	8,032	317	256	321
WHITE	---	6,690	200	163	213
NONWHITE	---	1,342	117	93	108
PLUM	---	75	5	5	1
ROSS TWP#	---	192	11	9	6
SCOTT TWP#	---	95	4	4	1
SHALER TWP#	---	181	7	4	2
STOWE TWP#	---	93	-	-	1
SWISSVALE	---	190	7	5	5
TURTLE CREEK	---	113	7	7	4
WEST MIFFLIN	---	133	7	6	3
WHITEHALL	---	94	8	6	-
WILKINSBURG	---	418	13	10	4
BALANCE OF COUNTY	---	4,269	207	165	131
WHITE	---	4,142	199	159	125
NONWHITE	---	127	8	6	6
ARMSTRONG	668	823	38	31	23
BEAVER	1,507	1,836	87	70	88
WHITE	1,405	1,727	69	55	74
NONWHITE	101	109	18	15	14
ALIQUIPPA	---	297	19	15	18
WHITE	---	252	12	9	11
NONWHITE	---	45	7	6	7
AMBRIDGE	---	163	3	2	6
BEAVER FALLS	---	218	14	14	15
WHITE	---	190	9	9	10
NONWHITE	---	28	5	5	5
ELLWOOD CITY, PART	---	6	-	-	-
BALANCE OF COUNTY	---	1,152	51	39	49
WHITE	---	1,118	45	35	48
NONWHITE	---	34	6	4	1
BEDFORD	319	419	7	7	9
BERKS	3,115	3,229	107	74	77
READING	---	1,521	34	28	24
BALANCE OF COUNTY	---	1,708	73	46	53
BLAIR	1,903	1,691	69	51	51
ALTOONA	---	948	37	25	21
BALANCE OF COUNTY	---	743	32	26	30
BRADFORD	667	633	27	22	13
BUCKS	1,938	2,271	165	122	110
BRISTOL	---	150	6	3	14
BRISTOL TWP#	---	230	34	22	9
FALLS TWP#	---	61	11	10	2
LOWER SOUTHAMPTON TWP#	---	68	7	6	1
MIDDLETOWN TWP#	---	96	10	7	3
WARMINSTER TWP#	---	78	14	8	13
BALANCE OF COUNTY	---	1,588	83	66	68
PENNSYLVANIA--CON.					
BUTLER	1,037	1,082	44	31	43
BUTLER	---	295	6	4	9
BALANCE OF COUNTY	---	787	38	27	34
CAMBRIA	2,251	2,191	105	83	61
JOHNSTOWN	---	884	35	30	26
BALANCE OF COUNTY	---	1,307	70	53	35
CAMERON	54	86	7	6	4
CARBON	478	692	15	12	12
CENTRE	723	603	32	24	30
STATE COLLEGE	---	80	4	3	3
BALANCE OF COUNTY	---	523	28	21	27
CHESTER	1,980	1,909	112	88	87
WHITE	1,774	1,734	88	70	70
NONWHITE	188	175	24	18	17
COATESVILLE	---	164	11	10	9
WHITE	---	134	6	5	6
NONWHITE	---	30	5	5	3
PHOENIXVILLE	---	146	8	7	6
WEST CHESTER	---	229	13	8	10
WHITE	---	194	9	6	7
NONWHITE	---	35	4	2	3
BALANCE OF COUNTY	---	1,370	80	63	62
WHITE	---	1,267	67	53	51
NONWHITE	---	103	13	10	11
CLARION	243	365	14	13	22
CLEARFIELD	770	940	41	32	26
DU BOIS	---	150	7	7	4
BALANCE OF COUNTY	---	790	34	25	22
CLINTON	355	423	15	11	22
LOCK HAVEN	---	146	5	4	5
BALANCE OF COUNTY	---	277	10	7	17
COLUMBIA	619	653	22	20	16
BERWICK	---	204	6	6	5
BLOOMSBURG	---	124	5	5	1
BALANCE OF COUNTY	---	325	11	9	10
CRAWFORD	881	906	35	19	27
MEADVILLE	---	248	4	3	5
BALANCE OF COUNTY	---	658	31	16	22
CUMBERLAND	863	1,136	45	34	31
CARLISLE	---	194	5	4	3
BALANCE OF COUNTY	---	942	40	30	28
DAUPHIN	3,005	2,467	97	73	77
HARRISBURG	---	1,156	50	36	40
WHITE	---	994	28	21	18
NONWHITE	---	162	22	15	22
MIDDLETOWN	---	90	4	3	3
STEELTON	---	150	1	1	4
WHITE	---	106	1	1	2
NONWHITE	---	44	-	-	2
BALANCE OF COUNTY	---	1,071	42	33	30
DELAWARE	4,062	4,970	259	213	174
WHITE	3,692	4,553	211	179	143
NONWHITE	347	417	48	34	31
ASTON TWP#	---	57	6	6	3
CHESTER	---	801	58	46	45
WHITE	---	541	21	18	21
NONWHITE	---	260	37	28	24
COLLINGDALE	---	111	6	3	5
DARBY	---	140	7	4	6
WHITE	---	112	5	2	5
NONWHITE	---	28	2	2	1
DARBY TWP#	---	27	3	-	1
WHITE	---	6	-	-	1
NONWHITE	---	21	3	-	-
HAVERFORD TWP#	---	428	18	16	12
LANSDOWNE	---	154	5	5	6
MARPLE TWP#	---	93	1	1	4
NETHER PROVIDENCE TWP#	---	41	-	-	2
RADNOR TWP#	---	152	6	6	5
RIDLEY TWP#	---	148	11	8	-
SPRINGFIELD TWP#	---	152	8	8	6
UPPER DARBY TWP#	---	805	38	34	19
YEADON	---	128	2	1	5
WHITE	---	123	2	1	5
NONWHITE	---	5	-	-	-
BALANCE OF COUNTY	---	1,733	90	75	55
ELK	343	375	15	11	19
ERIE	2,548	2,508	142	108	92
ERIE	---	1,518	84	62	63
MILLCREEK TWP#	---	185	22	16	2
BALANCE OF COUNTY	---	805	36	30	27
FAYETTE	1,818	2,016	79	59	58
CONNELLSVILLE	---	166	10	5	4
UNIONTOWN	---	294	10	8	6
BALANCE OF COUNTY	---	1,556	59	46	48

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
PENNSYLVANIA--CON.					
FOREST	25	52	2	1	-
FRANKLIN	962	892	31	23	15
CHAMBERSBURG	---	240	13	9	2
WAYNESBORO	---	138	3	3	1
BALANCE OF COUNTY	---	514	15	11	12
FULTON	100	103	5	3	1
GREENE	418	474	18	16	8
HUNTINGDON	390	443	17	10	11
INDIANA	662	814	28	21	28
INDIANA	---	151	5	3	5
BALANCE OF COUNTY	---	663	23	18	23
JEFFERSON	514	567	22	17	17
JUNIATA	75	155	8	5	6
LACKAWANNA	3,250	3,146	88	66	66
CARBONDALE	---	185	5	5	2
DUNMORE	---	204	8	5	4
SCRANTON	---	1,645	41	32	36
BALANCE OF COUNTY	---	1,112	34	24	24
LANCASTER	2,841	2,668	129	103	83
COLUMBIA	---	142	4	3	1
LANCASTER	---	795	44	39	21
LANCASTER TWP#	---	58	1	1	-
BALANCE OF COUNTY	---	1,673	80	60	61
LAWRENCE	1,100	1,130	43	32	23
ELLWOOD CITY, PART	---	115	4	4	-
ELLWOOD CITY, TOTAL	---	121	4	4	-
NEW CASTLE	---	580	28	20	11
BALANCE OF COUNTY	---	435	11	8	12
LEBANON	1,020	965	46	36	22
LEBANON	---	372	16	13	14
BALANCE OF COUNTY	---	593	30	23	8
LEHIGH	3,072	2,345	71	49	46
ALLENTOWN	---	1,314	33	23	24
BETHLEHEM, PART	---	158	5	3	2
EMMAUS	---	2	-	-	-
BALANCE OF COUNTY	---	871	33	23	20
LUZERNE	4,407	4,511	107	87	94
HAZLETON	---	437	8	6	10
KINGSTON	---	259	7	6	7
NANTICOKE	---	241	5	4	6
PITTSTON	---	160	3	3	4
PLYMOUTH	---	169	2	2	2
WILKES-BARRE	---	1,002	29	22	21
BALANCE OF COUNTY	---	2,243	53	44	44
LYCOMING	1,293	1,274	48	37	47
WILLIAMSPORT	---	561	24	16	22
BALANCE OF COUNTY	---	713	24	21	25
MC KEAN	565	629	28	25	30
BRADFORD	---	240	16	14	9
BALANCE OF COUNTY	---	389	12	11	21
MERCER	1,364	1,332	44	36	39
FARRELL	---	161	6	2	8
WHITE	---	128	2	2	3
NONWHITE	---	33	4	-	5
SHARON	---	325	12	11	13
BALANCE OF COUNTY	---	846	26	23	18
MIFFLIN	497	458	26	20	17
LEWISTOWN	---	202	8	3	5
BALANCE OF COUNTY	---	256	18	17	12
MONROE	488	471	21	16	4
MONTGOMERY	5,571	4,760	182	140	139
WHITE	5,284	4,589	165	126	130
NONWHITE	232	171	17	14	9
ABINGTON TWP#	---	426	27	21	8
CHELTENHAM TWP#	---	318	5	2	6
CONSHOHOCKEN	---	138	6	4	6
LANSDALE	---	122	3	3	3
LOWER MERION TWP#	---	570	15	14	7
NORRISTOWN	---	543	20	15	24
WHITE	---	498	14	11	20
NONWHITE	---	45	6	4	4
POTTSTOWN	---	286	14	12	8
SPRINGFIELD TWP#	---	125	1	1	1
UPPER MORELAND TWP#	---	96	6	5	5
BALANCE OF COUNTY	---	2,136	85	63	71
MONTOUR	651	175	7	6	2
NORTHAMPTON	1,392	2,063	76	59	44
BETHLEHEM, PART	---	575	13	10	18
BETHLEHEM, TOTAL	---	733	18	13	20
EASTON	---	473	23	20	16
BALANCE OF COUNTY	---	1,015	40	29	10
PENNSYLVANIA--CON.					
NORTHUMBERLAND	1,058	1,385	43	30	31
MOUNT CARMEL	---	161	3	2	2
SHAMOKIN	---	239	5	2	7
SUNBURY	---	204	6	5	1
BALANCE OF COUNTY	---	781	29	21	21
PERRY	171	287	10	5	9
PHILADELPHIA, COEX.					
WITH PHILADELPHIA CITY	25,753	25,101	1,388	1,064	836
WHITE	19,345	19,410	756	605	424
NONWHITE	5,635	5,691	632	459	412
PIKE	95	138	4	2	3
POTTER	139	189	7	4	6
SCHUYLKILL	2,198	2,307	64	46	58
POTTSVILLE	---	324	7	6	11
SHENANDOAH	---	183	3	3	4
TAMAQUA	---	119	2	-	6
BALANCE OF COUNTY	---	1,681	52	37	37
SNYDER	194	258	14	10	8
SOMERSET	806	860	37	25	21
SULLIVAN	55	84	4	3	2
SUSQUEHANNA	227	355	12	10	7
TIOGA	391	411	23	16	25
UNION	289	234	8	6	6
VENANGO	775	824	28	19	25
OIL CITY	---	253	7	5	6
BALANCE OF COUNTY	---	571	21	14	19
WARREN	678	489	19	15	15
WARREN	---	204	8	7	4
BALANCE OF COUNTY	---	285	11	8	11
WASHINGTON	2,182	2,370	82	61	57
CANONSBURG	---	170	6	5	7
DONORA	---	140	10	8	3
WHITE	---	122	7	5	1
NONWHITE	---	18	3	3	2
WASHINGTON	---	403	16	12	9
BALANCE OF COUNTY	---	1,657	50	36	38
WAYNE	357	328	8	6	9
WESTMORELAND	3,062	3,414	132	105	103
GREENSBURG	---	260	15	14	7
HEMPFIELD TWP#	---	209	9	9	5
JEANNETTE	---	168	7	6	2
LATROBE	---	139	7	6	4
LOWER BURRELL	---	71	6	6	-
MONESSEN	---	207	10	9	7
NEW KENSINGTON	---	247	9	7	6
BALANCE OF COUNTY	---	2,113	69	48	72
WYOMING	179	221	12	8	3
YORK	2,174	2,303	119	93	79
HANOVER	---	180	13	11	9
SPRING GARDEN TWP#	---	102	5	5	-
YORK	---	713	46	34	29
BALANCE OF COUNTY	---	1,308	55	43	41
RHODE ISLAND	9,121	9,127	468	368	304
WHITE	8,894	8,905	433	345	273
NONWHITE	221	222	35	23	31
BRISTOL	202	354	18	14	15
BARRINGTON TOWN#	---	114	6	5	4
BRISTOL TOWN#	---	138	7	4	2
BALANCE OF COUNTY	---	102	5	5	9
KENT	671	1,022	57	40	34
WARWICK	---	617	30	25	19
WEST WARWICK TOWN#	---	201	6	3	5
BALANCE OF COUNTY	---	204	21	12	10
NEWPORT	544	652	59	46	36
NEWPORT	---	374	34	26	16
BALANCE OF COUNTY	---	278	25	20	20
PROVIDENCE	7,152	6,571	299	242	189
WHITE	6,971	6,393	270	225	169
NONWHITE	180	178	29	17	20
CENTRAL FALLS	---	255	11	9	4
CRANSTON	---	632	30	26	19
EAST PROVIDENCE	---	402	19	15	13
NORTH PROVIDENCE TOWN#	---	144	6	5	6
PAWTUCKET	---	962	45	39	32
PROVIDENCE	---	2,812	125	99	76
WHITE	---	2,668	98	84	58
NONWHITE	---	144	27	15	18
WOONSOCKET	---	549	22	18	18
BALANCE OF COUNTY	---	815	41	31	21
WASHINGTON	552	528	35	26	30

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
SOUTH CAROLINA	20,156	20,447	1,829	1,036	1,030
WHITE	11,958	12,183	804	590	374
NONWHITE	8,180	8,264	1,025	446	656
ABBEVILLE	148	194	15	6	7
WHITE	75	114	3	2	2
NONWHITE	73	80	12	4	5
AIKEN	461	637	56	34	23
WHITE	281	424	32	21	16
NONWHITE	180	213	24	13	7
AIKEN	---	128	12	7	2
WHITE	---	68	8	4	2
NONWHITE	---	60	4	3	-
NORTH AUGUSTA	---	66	5	2	7
WHITE	---	57	5	2	6
NONWHITE	---	9	-	-	1
BALANCE OF COUNTY	---	443	39	25	14
WHITE	---	299	19	15	8
NONWHITE	---	144	20	10	6
ALLENDALE	106	104	9	5	3
WHITE	42	40	1	1	-
NONWHITE	61	64	8	4	3
ANDERSON	805	827	49	32	20
WHITE	611	624	32	23	11
NONWHITE	194	203	17	9	9
ANDERSON	---	282	17	10	7
WHITE	---	193	9	8	6
NONWHITE	---	89	8	2	1
BALANCE OF COUNTY	---	545	32	22	13
WHITE	---	431	23	15	5
NONWHITE	---	114	9	7	8
BAMBERG	122	147	10	3	7
WHITE	61	78	7	3	1
NONWHITE	60	69	3	-	6
BARNWELL	111	148	14	10	10
WHITE	48	78	6	5	4
NONWHITE	63	70	8	5	6
BEAUFORT	247	274	43	27	23
WHITE	86	101	30	19	10
NONWHITE	161	173	13	8	13
BERKELEY	229	261	16	1	16
WHITE	70	81	4	-	2
NONWHITE	159	180	12	1	14
CALHOUN	96	146	18	10	7
WHITE	26	47	1	-	-
NONWHITE	70	99	17	10	7
CHARLESTON	1,913	1,757	136	77	54
WHITE	1,045	938	73	56	24
NONWHITE	867	819	63	21	30
CHARLESTON	---	828	43	19	19
WHITE	---	418	18	12	4
NONWHITE	---	410	25	7	15
BALANCE OF COUNTY	---	929	93	58	35
WHITE	---	520	55	44	20
NONWHITE	---	409	38	14	15
CHEROKEE	296	331	22	13	25
WHITE	242	269	17	11	14
NONWHITE	54	62	5	2	11
GAFFNEY	---	92	1	1	8
WHITE	---	69	1	1	3
NONWHITE	---	23	-	-	5
BALANCE OF COUNTY	---	239	21	12	17
WHITE	---	200	16	10	11
NONWHITE	---	39	5	2	6
CHESTER	264	321	25	10	20
WHITE	121	165	9	8	7
NONWHITE	143	156	16	2	13
CHESTERFIELD	203	322	35	22	23
WHITE	110	202	16	10	7
NONWHITE	93	120	19	12	16
CLARENDON	232	248	29	17	16
WHITE	88	95	2	1	-
NONWHITE	143	153	27	16	16
COLLETON	288	305	28	14	15
WHITE	135	148	5	4	4
NONWHITE	153	157	23	10	11
DARLINGTON	379	485	48	25	25
WHITE	184	237	19	14	8
NONWHITE	195	248	29	11	17
DILLON	210	288	51	28	13
WHITE	103	151	16	15	5
NONWHITE	104	137	35	13	8
DORCHESTER	213	251	22	15	15
WHITE	97	119	6	5	5
NONWHITE	116	132	16	10	10
S. CAROLINA--CON.					
EDGEFIELD	116	156	13	4	9
WHITE	47	69	-	-	-
NONWHITE	69	87	13	4	9
FAIRFIELD	157	199	14	9	12
WHITE	59	72	6	6	-
NONWHITE	98	127	8	3	12
FLORENCE	908	798	89	57	45
WHITE	512	429	36	28	16
NONWHITE	395	369	53	29	29
FLORENCE	---	287	32	21	10
WHITE	---	154	16	12	3
NONWHITE	---	133	16	9	7
BALANCE OF COUNTY	---	511	57	36	35
WHITE	---	275	20	16	13
NONWHITE	---	236	37	20	22
GEORGETOWN	303	311	30	18	26
WHITE	151	155	12	8	3
NONWHITE	151	156	18	10	23
GEORGETOWN	---	119	9	6	2
WHITE	---	66	6	5	1
NONWHITE	---	53	3	1	1
BALANCE OF COUNTY	---	192	21	12	24
WHITE	---	89	6	3	2
NONWHITE	---	103	15	9	22
GREENVILLE	1,728	1,720	164	119	83
WHITE	1,317	1,300	108	91	58
NONWHITE	410	420	56	28	25
GREENVILLE	---	668	57	40	44
WHITE	---	442	34	30	26
NONWHITE	---	226	23	10	18
BALANCE OF COUNTY	---	1,052	107	79	39
WHITE	---	858	74	61	32
NONWHITE	---	194	33	18	7
GREENWOOD	528	449	24	17	18
WHITE	306	263	8	7	9
NONWHITE	222	186	16	10	9
GREENWOOD	---	217	11	8	6
WHITE	---	112	3	2	2
NONWHITE	---	105	8	6	4
BALANCE OF COUNTY	---	232	13	9	12
WHITE	---	151	5	5	7
NONWHITE	---	81	8	4	5
HAMPTON	158	175	20	11	8
WHITE	69	81	7	7	2
NONWHITE	89	94	13	4	6
HORRY	499	537	63	38	42
WHITE	355	387	33	25	14
NONWHITE	144	150	30	13	28
JASPER	103	119	10	2	4
WHITE	32	32	-	-	1
NONWHITE	71	87	10	2	3
KERSHAW	308	343	27	16	17
WHITE	167	181	8	5	8
NONWHITE	141	162	19	11	9
LANCASTER	244	293	25	18	16
WHITE	177	213	16	13	9
NONWHITE	67	80	9	5	7
LAURENS	366	396	21	10	13
WHITE	238	257	6	6	6
NONWHITE	128	139	15	4	7
LEE	161	194	24	8	21
WHITE	59	85	3	3	2
NONWHITE	101	109	21	5	19
LEXINGTON	300	517	43	24	22
WHITE	208	392	28	20	10
NONWHITE	92	125	15	4	12
MC CORMICK	48	97	14	6	13
WHITE	7	31	2	2	3
NONWHITE	41	66	12	4	10
MARION	360	319	38	16	13
WHITE	191	155	7	6	3
NONWHITE	165	164	31	10	10
MARLBORO	307	324	40	15	24
WHITE	149	161	11	3	5
NONWHITE	158	163	29	12	19
NEWBERRY	252	307	13	5	13
WHITE	154	193	6	4	7
NONWHITE	98	114	7	1	6
OCONEE	316	366	22	11	24
WHITE	265	307	20	10	16
NONWHITE	51	59	2	1	8
ORANGEBURG	646	646	68	37	46
WHITE	286	273	15	12	6
NONWHITE	360	373	53	25	40

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
S. CAROLINA--CON.					
ORANGEBURG--CON.					
ORANGEBURG	---	132	10	8	6
WHITE	---	78	7	7	2
NONWHITE	---	54	3	1	4
BALANCE OF COUNTY	---	514	58	29	40
WHITE	---	195	8	5	4
NONWHITE	---	319	50	24	36
PICKENS	315	354	16	10	10
WHITE	272	307	14	9	7
NONWHITE	43	47	2	1	3
RICHLAND	2,729	1,399	138	77	100
WHITE	1,688	819	60	44	27
NONWHITE	1,041	580	78	33	73
COLUMBIA	---	945	78	49	60
WHITE	---	585	43	33	17
NONWHITE	---	360	35	16	43
BALANCE OF COUNTY	---	454	60	28	40
WHITE	---	234	17	11	10
NONWHITE	---	220	43	17	30
SALUDA	83	137	14	6	7
WHITE	44	79	2	1	2
NONWHITE	39	58	12	5	5
SPARTANBURG	1,235	1,359	111	73	25
WHITE	888	989	48	38	13
NONWHITE	347	370	63	35	12
SPARTANBURG	---	433	45	31	7
WHITE	---	273	18	15	1
NONWHITE	---	160	27	16	6
BALANCE OF COUNTY	---	926	66	42	18
WHITE	---	716	30	23	12
NONWHITE	---	210	36	19	6
SUMTER	531	580	55	32	26
WHITE	231	267	24	19	6
NONWHITE	299	313	31	13	20
SUMTER	---	256	11	6	6
WHITE	---	148	7	5	3
NONWHITE	---	108	4	1	3
BALANCE OF COUNTY	---	324	44	26	20
WHITE	---	119	17	14	3
NONWHITE	---	205	27	12	17
UNION	262	313	18	11	7
WHITE	179	219	12	10	6
NONWHITE	83	94	6	1	1
UNION	---	105	5	2	3
WHITE	---	69	2	1	2
NONWHITE	---	36	3	1	1
BALANCE OF COUNTY	---	208	13	9	4
WHITE	---	150	10	9	4
NONWHITE	---	58	3	-	-
WILLIAMSBURG	290	337	37	20	40
WHITE	97	118	4	2	3
NONWHITE	193	219	33	18	37
YORK	580	656	52	17	24
WHITE	385	438	29	13	12
NONWHITE	195	218	23	4	12
ROCK HILL	---	221	10	3	9
WHITE	---	150	7	2	2
NONWHITE	---	71	3	1	7
BALANCE OF COUNTY	---	435	42	14	15
WHITE	---	288	22	11	10
NONWHITE	---	147	20	3	5
SOUTH DAKOTA	6,532	6,570	435	299	215
WHITE	6,208	6,228	362	275	187
NONWHITE	324	342	73	24	28
AURORA	22	41	1	-	-
BEADLE	252	219	16	11	10
HURON	---	159	11	8	7
BALANCE OF COUNTY	---	60	5	3	3
BENNETT	17	19	4	2	4
WHITE	11	10	2	1	1
NONWHITE	6	9	2	1	3
BON HOMME	86	111	3	3	1
BROOKINGS	180	181	7	5	4
BROOKINGS	---	90	6	5	1
BALANCE OF COUNTY	---	91	1	-	3
BROWN	336	321	16	11	6
ABERDEEN	---	232	13	9	4
BALANCE OF COUNTY	---	89	3	2	2
BRULE	96	72	7	6	6
BUFFALO	12	17	5	4	1
WHITE	8	7	3	3	-
NONWHITE	4	10	2	1	1
BUTTE	116	100	4	3	1
SOUTH DAKOTA--CON.					
CAMPBELL	4	30	3	3	-
CHARLES MIX	104	109	7	5	3
WHITE	87	95	7	5	3
NONWHITE	17	14	-	-	-
CLARK	18	81	1	-	1
CLAY	79	96	4	3	1
CODINGTON	249	214	14	9	4
WATERTOWN	---	158	12	8	3
BALANCE OF COUNTY	---	56	2	1	1
CORSON	32	65	8	1	3
WHITE	25	39	1	1	2
NONWHITE	7	26	7	-	1
CUSTER	23	58	3	2	1
DAVISON	291	204	14	11	14
MITCHELL	---	159	13	10	11
BALANCE OF COUNTY	---	45	1	1	3
DAY	118	120	4	4	1
DEUEL	36	58	4	3	2
DEWEY	36	50	3	1	1
WHITE	5	22	1	-	-
NONWHITE	31	28	2	1	1
DOUGLAS	25	47	2	2	-
EDMUNDS	33	51	2	2	4
FALL RIVER	196	112	6	6	2
FAULK	31	52	5	5	2
GRANT	76	101	5	2	1
GREGORY	56	74	3	2	3
HAAKON	21	35	4	2	4
HAMLIN	33	72	2	2	1
HAND	61	68	2	1	1
HANSON	11	51	3	3	-
HARDING	7	25	1	1	-
HUGHES	120	92	10	6	1
PIERRE	---	69	9	5	1
BALANCE OF COUNTY	---	23	1	1	-
HUTCHINSON	126	111	7	6	2
HYDE	6	26	1	1	1
JACKSON	38	27	2	1	-
JERAULD	61	58	-	-	-
JONES	5	21	1	1	-
KINGSBURY	104	110	3	2	1
LAKE	109	110	7	5	4
LAWRENCE	182	192	7	6	7
LINCOLN	86	124	7	7	1
LYMAN	23	57	6	4	1
WHITE	21	48	3	2	-
NONWHITE	2	9	3	2	1
MC COOK	21	75	3	3	4
MC PHERSON	52	51	7	5	3
MARSHALL	71	67	3	3	7
MEADE	174	157	8	8	5
MELLETTE	15	25	3	1	1
WHITE	6	13	1	-	-
NONWHITE	9	12	2	1	1
MINER	21	56	6	4	-
MINNEHAHA	979	718	43	33	27
SIOUX FALLS	---	556	33	25	18
BALANCE OF COUNTY	---	162	10	8	9
MOODY	80	96	4	2	-
PENNINGTON	454	396	54	35	30
RAPID CITY	---	314	41	27	20
BALANCE OF COUNTY	---	82	13	8	10
PERKINS	62	61	3	3	-
POTTER	33	29	3	3	-
ROBERTS	125	157	11	8	5
WHITE	98	134	8	7	3
NONWHITE	27	23	3	1	2
SANBORN	9	47	2	1	2
SHANNON	67	77	18	4	5
WHITE	-	3	-	-	-
NONWHITE	67	74	18	4	5
SPINK	125	130	7	4	2
STANLEY	7	29	2	2	1
SULLY	22	23	1	-	1
TODD	41	42	14	5	4
WHITE	5	9	2	2	-
NONWHITE	36	33	12	3	4
TRIPP	50	76	2	1	4
TURNER	99	130	5	5	5
UNION	39	95	7	5	2
WALWORTH	88	73	2	2	1
WASHABAUGH	4	13	2	1	-
WHITE	1	5	1	1	-
NONWHITE	3	8	1	-	-
YANKTON	371	146	8	5	5

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
SOUTH DAKOTA--CON.					
ZIEBACH	6	19	3	2	1
WHITE	3	8	-	-	1
NONWHITE	3	11	3	2	-
TENNESSEE	35,588	34,089	2,320	1,624	1,444
WHITE	28,152	26,912	1,562	1,142	948
NONWHITE	7,432	7,177	758	482	496
ANDERSON	354	364	29	19	14
OAK RIDGE, PART	---	100	9	7	4
OAK RIDGE, TOTAL	---	100	9	7	4
BALANCE OF COUNTY	---	264	20	12	10
BEDFORD	265	284	13	5	11
WHITE	221	237	10	3	9
NONWHITE	44	47	3	2	2
SHELBYVILLE	---	126	4	1	8
WHITE	---	99	3	1	7
NONWHITE	---	27	1	-	1
BALANCE OF COUNTY	---	158	9	4	3
BENTON	95	139	7	6	5
BLEDSOE	63	78	12	5	3
BLOUNT	405	433	25	19	12
MARYVILLE	---	98	5	5	3
BALANCE OF COUNTY	---	335	20	14	9
BRADLEY	359	341	23	18	14
CLEVELAND	---	201	12	9	8
BALANCE OF COUNTY	---	140	11	9	6
CAMPBELL	273	283	24	15	9
CANNON	89	90	6	4	4
CARROLL	214	293	12	8	3
WHITE	177	247	6	5	2
NONWHITE	37	46	6	3	1
CARTER	275	326	16	10	11
ELIZABETHTON	---	90	2	2	3
BALANCE OF COUNTY	---	236	14	8	8
CHEATHAM	65	115	8	6	5
CHESTER	56	106	5	4	3
WHITE	43	92	5	4	3
NONWHITE	13	14	-	-	-
CLAIBORNE	148	189	24	17	11
CLAY	46	84	2	2	6
COCKE	216	257	15	10	12
COFFEE	218	233	24	18	11
TULLAHOMA, PART	---	86	8	6	7
TULLAHOMA, TOTAL	---	88	8	6	7
BALANCE OF COUNTY	---	147	16	12	4
CROCKETT	99	154	7	2	7
WHITE	73	128	6	2	3
NONWHITE	26	26	1	-	4
CUMBERLAND	179	177	19	14	10
DAVIDSON	4,746	3,753	272	201	145
WHITE	3,568	2,706	183	139	88
NONWHITE	1,178	1,047	89	62	57
NASHVILLE	---	2,805	186	136	97
WHITE	---	1,842	102	78	46
NONWHITE	---	963	84	58	51
BALANCE OF COUNTY	---	948	86	65	48
DECATUR	42	82	4	1	3
DE KALB	80	114	8	6	5
DICKSON	202	206	10	6	8
DYER	348	349	13	5	9
WHITE	272	268	11	5	7
NONWHITE	76	81	2	-	2
DYERSBURG	---	191	4	1	5
WHITE	---	125	2	1	3
NONWHITE	---	66	2	-	2
BALANCE OF COUNTY	---	158	9	4	4
FAYETTE	185	214	30	19	17
WHITE	70	78	8	8	2
NONWHITE	115	136	22	11	15
FENTRESS	94	118	5	4	8
FRANKLIN	231	270	15	11	7
TULLAHOMA, PART	---	2	-	-	-
BALANCE OF COUNTY	---	268	15	11	7
GIBSON	491	546	27	15	29
WHITE	391	429	14	8	15
NONWHITE	100	117	13	7	14
GILES	220	257	14	8	8
WHITE	172	206	10	8	5
NONWHITE	48	51	4	-	3
GRAINGER	65	112	5	4	7
GREENE	404	426	22	13	18
GREENVILLE	---	115	10	7	5
BALANCE OF COUNTY	---	311	12	6	13
TENNESSEE--CON.					
GRUNDY	84	117	4	2	6
HAMBLEN	267	279	26	15	15
MORRISTOWN	---	164	14	8	11
BALANCE OF COUNTY	---	115	12	7	4
HAMILTON	2,474	2,344	170	124	89
WHITE	1,856	1,722	111	80	55
NONWHITE	617	622	59	44	34
CHATTANOOGA	---	1,568	101	78	58
WHITE	---	984	46	36	29
NONWHITE	---	584	55	42	29
EAST RIDGE	---	116	5	4	1
RED BANK-WHITE OAK	---	74	7	4	3
BALANCE OF COUNTY	---	586	57	38	27
HANCOCK	59	80	5	4	3
HARDEMAN	309	196	14	9	8
WHITE	208	130	7	6	3
NONWHITE	101	66	7	3	5
HARDIN	196	178	12	4	5
HAWKINS	181	275	15	13	12
HAYWOOD	202	229	38	23	18
WHITE	61	75	6	5	8
NONWHITE	141	154	32	18	10
HENDERSON	157	157	7	6	5
WHITE	132	130	4	3	4
NONWHITE	25	27	3	3	1
HENRY	311	313	5	3	4
WHITE	262	253	3	2	2
NONWHITE	49	60	2	1	2
HICKMAN	50	110	8	7	8
HOUSTON	30	56	1	-	4
HUMPHREYS	104	119	6	3	7
JACKSON	105	117	2	2	2
JEFFERSON	208	206	15	10	6
JOHNSON	48	107	8	6	2
KNOX	2,716	2,209	119	86	98
WHITE	2,412	1,920	92	68	74
NONWHITE	304	289	27	18	24
KNOXVILLE	---	1,376	69	48	57
WHITE	---	1,111	43	31	35
NONWHITE	---	265	26	17	22
BALANCE OF COUNTY	---	833	50	38	41
LAKE	65	102	11	7	4
WHITE	41	72	6	5	-
NONWHITE	24	30	5	2	4
LAUDERDALE	212	259	23	15	11
WHITE	122	156	8	5	3
NONWHITE	90	103	15	10	8
LAWRENCE	236	272	19	16	6
LEWIS	44	62	4	3	2
LINCOLN	285	268	20	16	13
WHITE	228	223	14	12	9
NONWHITE	57	45	6	4	4
LOUDON	190	241	14	9	12
MC MINN	302	298	22	17	11
ATHENS	---	90	18	7	8
BALANCE OF COUNTY	---	208	14	10	3
MC NAIRY	126	188	6	4	7
MACON	98	123	6	4	9
MADISON	826	690	43	28	27
WHITE	580	456	18	14	14
NONWHITE	246	234	25	14	13
JACKSON	---	450	26	19	14
WHITE	---	292	12	10	7
NONWHITE	---	158	14	9	7
BALANCE OF COUNTY	---	240	17	9	13
WHITE	---	164	6	4	7
NONWHITE	---	76	11	5	6
MARION	175	214	8	6	7
MARSHALL	192	192	11	9	10
WHITE	177	175	5	5	7
NONWHITE	15	17	6	4	3
MAURY	426	451	18	12	15
WHITE	330	347	14	11	10
NONWHITE	96	104	4	1	5
COLUMBIA	---	200	10	6	8
WHITE	---	145	6	5	5
NONWHITE	---	55	4	1	3
BALANCE OF COUNTY	---	251	8	6	7
WHITE	---	202	8	6	5
NONWHITE	---	49	-	-	2
MEIGS	22	57	3	2	6
MONROE	199	207	18	11	11
MONTGOMERY	438	417	44	29	22
WHITE	328	293	33	23	15
NONWHITE	110	124	11	6	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TENNESSEE--CON.					
MONTGOMERY--CON.					
CLARKSVILLE	---	192	26	17	13
WHITE	---	122	16	11	8
NONWHITE	---	70	10	6	5
BALANCE OF COUNTY	---	225	18	12	9
WHITE	---	171	17	12	7
NONWHITE	---	54	1	-	2
MOORE	15	28	-	-	2
MORGAN	53	99	6	6	3
OBION	317	294	11	8	3
WHITE	270	255	9	7	1
NONWHITE	47	39	2	1	2
OVERTON	148	156	10	6	2
PERRY	56	57	2	1	-
PICKETT	18	44	4	3	2
POLK	99	113	9	5	3
PUTNAM	265	275	15	9	12
RHEA	137	157	9	4	6
ROANE	269	298	15	10	14
OAK RIDGE, PART	---	-	-	-	-
BALANCE OF COUNTY	---	298	15	10	14
ROBERTSON	225	273	17	13	14
WHITE	176	216	12	9	7
NONWHITE	49	57	5	4	7
RUTHERFORD	461	433	38	25	20
WHITE	383	353	34	22	16
NONWHITE	78	80	4	3	4
MURFREESBORO	---	181	11	8	8
WHITE	---	141	9	7	7
NONWHITE	---	40	2	1	1
BALANCE OF COUNTY	---	252	27	17	12
WHITE	---	212	25	15	9
NONWHITE	---	40	2	2	3
SCOTT	136	149	13	10	11
SEQUATCHIE	48	44	6	5	1
SEVIER	133	207	10	7	6
SHELBY	7,256	5,971	513	374	336
WHITE	4,260	3,286	195	163	113
NONWHITE	2,996	2,685	318	211	223
MEMPHIS	---	5,109	407	305	265
WHITE	---	2,842	153	133	81
NONWHITE	---	2,267	254	172	184
BALANCE OF COUNTY	---	862	106	69	71
WHITE	---	444	42	30	32
NONWHITE	---	418	64	39	39
SMITH	123	150	12	9	3
STEWART	54	90	4	3	1
SULLIVAN	937	781	40	34	39
BRISTOL[7]	---	180	8	7	4
KINGSPORT	---	178	10	8	9
BALANCE OF COUNTY	---	423	22	19	26
SUMNER	313	365	14	7	12
WHITE	279	325	14	7	10
NONWHITE	34	40	-	-	2
TIPTON	167	281	37	19	7
WHITE	89	153	10	5	3
NONWHITE	78	128	27	14	4
TROUSDALE	61	63	2	2	1
WHITE	56	55	1	1	-
NONWHITE	5	8	1	1	1
UNICOI	107	131	6	6	6
UNION	54	76	4	4	-
VAN BUREN	17	35	3	-	5
WARREN	201	220	9	8	6
WASHINGTON	1,032	631	33	26	18
JOHNSON CITY	---	340	17	14	8
BALANCE OF COUNTY	---	291	16	12	10
WAYNE	64	104	7	5	2
WEAKLEY	201	303	6	3	7
WHITE	196	180	12	11	4
WILLIAMSON	254	251	15	9	11
WHITE	217	202	11	7	8
NONWHITE	37	49	4	2	3
WILSON	307	304	17	12	7
WHITE	270	254	11	9	5
NONWHITE	37	50	6	3	2
LEBANON	---	118	10	7	3
WHITE	---	96	6	5	3
NONWHITE	---	22	4	2	-
BALANCE OF COUNTY	---	186	7	5	4
WHITE	---	158	5	4	2
NONWHITE	---	28	2	1	2
TEXAS	81,113	80,752	6,679	4,633	3,728
WHITE	68,149	67,791	5,214	3,711	2,811
NONWHITE	12,949	12,961	1,465	922	917
ANDERSON	351	355	12	10	7
WHITE	249	247	6	6	4
NONWHITE	102	108	6	4	3
PALESTINE	---	200	8	7	2
WHITE	---	150	5	5	-
NONWHITE	---	50	3	2	2
BALANCE OF COUNTY	---	155	4	3	5
WHITE	---	97	1	1	4
NONWHITE	---	58	3	2	1
ANDREWS	48	55	7	6	-
ANDREWS	---	50	7	6	-
BALANCE OF COUNTY	---	5	-	-	-
ANGELINA	408	374	20	18	13
WHITE	350	324	18	16	10
NONWHITE	57	50	2	2	3
LUFKIN	---	172	10	10	8
WHITE	---	132	8	8	5
NONWHITE	---	40	2	2	3
BALANCE OF COUNTY	---	202	10	8	5
ARANSAS	46	73	4	3	4
ARCHER	30	54	1	1	1
WICHITA FALLS, PART	---	-	-	-	-
BALANCE OF COUNTY	---	54	1	1	1
ARMSTRONG	21	24	1	1	-
ATASCOSA	145	161	10	6	9
AUSTIN	144	179	3	-	1
WHITE	100	129	-	-	-
NONWHITE	44	50	3	-	1
BAILEY	90	74	8	6	4
BANDERA	22	48	1	1	1
BASTROP	180	217	11	9	3
WHITE	123	145	3	2	2
NONWHITE	57	72	8	7	1
BAYLOR	46	58	3	2	-
BEE	147	183	22	16	8
BEEVILLE	---	123	17	12	7
BALANCE OF COUNTY	---	60	5	4	1
BELL	1,084	759	98	81	45
WHITE	949	663	75	62	36
NONWHITE	134	96	23	19	9
KILLEEN	---	129	49	39	24
TEMPLE	---	305	22	18	10
WHITE	---	240	13	12	5
NONWHITE	---	65	9	6	5
BALANCE OF COUNTY	---	325	27	24	11
BEXAR	5,945	5,427	507	357	337
WHITE	5,376	4,888	467	324	301
NONWHITE	567	539	40	33	36
SAN ANTONIO	---	4,885	456	324	305
WHITE	---	4,368	418	293	272
NONWHITE	---	517	38	31	33
BALANCE OF COUNTY	---	542	51	33	32
BLANCO	37	42	1	-	3
BORDEN	3	11	-	-	-
BOSQUE	128	139	1	1	2
BOWIE	497	585	31	21	19
WHITE	350	406	16	13	5
NONWHITE	147	179	15	8	14
TEXARKANA[8]	---	298	15	10	7
WHITE	---	209	10	9	4
NONWHITE	---	89	5	1	3
BALANCE OF COUNTY	---	287	16	11	12
WHITE	---	197	6	4	1
NONWHITE	---	90	10	7	11
BRAZORIA	350	480	41	30	29
WHITE	275	382	33	26	24
NONWHITE	75	98	8	4	5
FREEPORT	---	63	2	2	6
BALANCE OF COUNTY	---	417	39	28	23
WHITE	---	326	31	24	19
NONWHITE	---	91	8	4	4
BRAZOS	333	352	40	24	26
WHITE	223	232	19	12	10
NONWHITE	110	120	21	12	16
BRYAN	---	256	25	13	16
WHITE	---	172	13	6	8
NONWHITE	---	84	12	7	8
COLLEGE STATION	---	34	8	7	4

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
BRAZOS—CON.					
BALANCE OF COUNTY	---	62	7	4	6
WHITE	---	33	1	1	2
NONWHITE	---	29	6	3	4
BREWSTER	72	50	2	1	4
BRISCOE	12	48	5	2	3
BROOKS	51	41	5	4	2
BROWN	330	322	8	7	2
BROWNWOOD	---	210	5	4	2
BALANCE OF COUNTY	---	112	3	3	-
BURLESON	87	136	2	2	5
WHITE	59	97	2	2	3
NONWHITE	28	39	-	-	2
BURNET	97	123	4	3	-
CALDWELL	162	205	11	7	3
WHITE	135	169	7	4	2
NONWHITE	27	36	4	3	1
CALHOUN	103	106	13	9	7
CALLAHAN	52	95	1	-	1
CAMERON	964	989	173	99	108
BROWNSVILLE	---	376	64	37	37
HARLINGEN	---	208	34	17	25
SAN BENITO	---	122	14	10	11
BALANCE OF COUNTY	---	283	61	35	35
CAMP	84	99	3	1	-
WHITE	50	59	-	-	-
NONWHITE	34	40	3	1	-
CARSON	69	45	4	3	-
CASS	219	269	11	8	9
WHITE	152	190	5	4	4
NONWHITE	67	79	6	4	5
CASTRO	39	54	10	6	4
CHAMBERS	44	68	2	1	1
WHITE	30	49	1	1	1
NONWHITE	14	19	1	-	-
CHEROKEE	497	348	9	7	4
WHITE	366	259	4	3	3
NONWHITE	131	89	5	4	1
CHILDRESS	116	142	5	4	1
CLAY	84	93	3	2	3
COCHRAN	30	46	8	4	4
COKE	45	41	1	1	1
COLEMAN	116	159	-	-	1
COLLIN	610	506	22	18	12
WHITE	559	467	19	16	10
NONWHITE	51	39	3	2	2
MC KINNEY	---	200	5	5	7
WHITE	---	185	5	5	6
NONWHITE	---	15	-	-	1
RICHARDSON, PART	---	-	-	-	-
BALANCE OF COUNTY	---	306	17	13	5
WHITE	---	282	14	11	4
NONWHITE	---	24	3	2	1
COLLINGSWORTH	78	79	5	4	5
COLORADO	224	237	14	11	7
WHITE	166	166	12	10	3
NONWHITE	58	71	2	1	4
COMAL	171	170	12	9	5
NEW BRAUNFELS	---	133	10	7	4
BALANCE OF COUNTY	---	37	2	2	1
COMANCHE	139	194	8	6	3
CONCHO	21	44	4	4	-
COOKE	235	269	13	12	8
GAINESVILLE	---	177	10	9	5
BALANCE OF COUNTY	---	92	3	3	3
CORYELL	127	164	8	4	2
COTTLE	30	36	2	1	-
CRANE	30	30	5	5	1
CROCKETT	19	24	2	1	1
CROSBY	62	87	8	6	12
CULBERSON	22	28	6	5	1
DALLAM	20	59	6	3	1
DALLAS	7,771	7,350	595	422	336
WHITE	6,222	5,887	388	302	212
NONWHITE	1,549	1,463	207	120	124
DALLAS	---	5,810	445	312	267
WHITE	---	4,415	247	194	153
NONWHITE	---	1,395	198	118	114
FARMERS BRANCH	---	44	8	6	1
GARLAND	---	153	18	15	10
GRAND PRAIRIE, PART	---	145	24	19	12
GRAND PRAIRIE, TOTAL	---	146	25	19	12
HIGHLAND PARK	---	122	1	1	-
IRVING	---	223	24	16	11
MESQUITE	---	130	23	17	10

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS—CON.					
DALLAS—CON.					
RICHARDSON, PART	---	71	9	8	5
RICHARDSON, TOTAL	---	71	9	8	5
UNIVERSITY PARK	---	205	5	5	3
BALANCE OF COUNTY	---	447	38	23	17
DAWSON	178	161	23	13	13
LAMESA	---	109	14	8	9
BALANCE OF COUNTY	---	52	9	5	4
DEAF SMITH	100	99	25	13	11
DELTA	60	67	4	3	-
WHITE	51	57	2	2	-
NONWHITE	9	10	2	1	-
DENTON	394	450	27	17	6
DENTON	---	201	14	10	2
BALANCE OF COUNTY	---	249	13	7	4
DE WITT	212	249	13	6	4
WHITE	177	205	10	6	2
NONWHITE	35	44	3	-	2
DICKENS	55	55	6	4	4
DIMMIT	44	69	10	3	6
DONLEY	40	58	-	-	1
DUVAL	47	107	11	5	8
EASTLAND	270	288	9	8	3
ECTOR	400	446	41	29	24
ODESSA	---	406	38	28	21
BALANCE OF COUNTY	---	40	3	1	3
EDWARDS	23	29	6	4	3
ELLIS	433	528	31	20	22
WHITE	329	398	15	9	10
NONWHITE	104	130	16	11	12
WAXAHACHIE	---	168	6	5	5
WHITE	---	121	4	3	4
NONWHITE	---	47	2	2	1
BALANCE OF COUNTY	---	360	25	15	17
WHITE	---	277	11	6	6
NONWHITE	---	83	14	9	11
EL PASO	2,059	1,933	307	219	165
WHITE	1,995	1,870	301	215	159
NONWHITE	64	63	6	4	6
EL PASO	---	1,787	274	197	148
BALANCE OF COUNTY	---	146	33	22	17
ERATH	265	256	7	6	1
FALLS	402	310	14	8	4
WHITE	282	206	3	2	1
NONWHITE	120	104	11	6	3
FANNIN	309	336	7	6	6
WHITE	288	312	6	6	6
NONWHITE	21	24	1	-	-
FAYETTE	278	314	9	6	1
WHITE	230	255	5	2	-
NONWHITE	48	59	4	4	1
FISHER	81	90	6	1	6
FLOYD	90	112	18	9	6
FOARD	30	30	-	-	2
FORT BEND	294	335	35	21	30
WHITE	217	231	22	15	19
NONWHITE	77	104	13	6	11
FRANKLIN	54	65	-	-	1
FREESTONE	126	139	3	3	2
WHITE	83	94	2	2	2
NONWHITE	43	45	1	1	-
FRIO	72	92	12	6	7
GAINES	65	71	13	7	3
GALVESTON	1,552	1,141	78	60	61
WHITE	1,112	851	53	42	38
NONWHITE	440	290	25	18	23
GALVESTON	---	712	35	24	30
WHITE	---	500	18	13	16
NONWHITE	---	212	17	11	14
LA MARQUE	---	83	9	8	9
WHITE	---	63	8	7	4
NONWHITE	---	20	1	1	5
TEXAS CITY	---	165	16	13	9
WHITE	---	129	13	11	8
NONWHITE	---	36	3	2	1
BALANCE OF COUNTY	---	181	18	15	13
WHITE	---	159	14	11	10
NONWHITE	---	22	4	4	3
GARZA	52	57	8	3	3
GILLESPIE	151	136	7	6	1
GLASSCOCK	1	5	1	-	1
GOLIAD	45	61	6	4	2
WHITE	35	46	5	3	-
NONWHITE	10	15	1	1	2

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS--CON.					
GONZALES	228	251	24	14	4
WHITE	194	208	19	12	4
NONWHITE	34	43	5	2	-
GRAY	195	214	17	14	6
PAMPA	---	166	16	13	5
BALANCE OF COUNTY	---	48	1	1	1
GRAYSON	821	822	37	29	30
DENISON	---	265	12	10	17
WHITE	---	217	9	8	12
NONWHITE	---	48	3	2	5
SHERMAN	---	249	14	10	9
WHITE	---	220	11	8	7
NONWHITE	---	29	3	2	2
BALANCE OF COUNTY	---	308	11	9	4
GREGG	621	615	23	19	21
WHITE	439	438	13	13	14
NONWHITE	182	177	10	6	7
KILGORE, PART	---	103	3	3	2
KILGORE, TOTAL	---	113	3	3	2
LONGVIEW	---	317	17	14	13
WHITE	---	210	9	9	10
NONWHITE	---	107	8	5	3
BALANCE OF COUNTY	---	195	3	2	6
WHITE	---	140	1	1	3
NONWHITE	---	55	2	1	3
GRIMES	157	185	2	-	7
WHITE	82	107	-	-	3
NONWHITE	75	78	2	-	4
GUADALUPE	259	273	18	10	13
WHITE	196	212	15	9	11
NONWHITE	63	61	3	1	2
SEGUIN	---	153	12	5	6
WHITE	---	109	10	5	4
NONWHITE	---	44	2	-	2
BALANCE OF COUNTY	---	120	6	5	7
HALE	274	325	48	29	22
PLAINVIEW	---	189	23	18	13
BALANCE OF COUNTY	---	136	25	11	9
HALL	93	91	6	2	3
WHITE	76	78	2	1	2
NONWHITE	17	13	4	1	1
HAMILTON	147	143	2	1	1
HANSFORD	17	24	3	3	1
HARDEMAN	123	119	10	3	2
WHITE	111	106	8	2	1
NONWHITE	12	13	2	1	1
HARDIN	143	223	12	9	11
WHITE	103	178	9	8	10
NONWHITE	40	45	3	1	1
HARRIS	10,023	9,339	872	634	523
WHITE	7,545	7,010	562	422	302
NONWHITE	2,472	2,329	310	212	221
BAYTOWN	---	216	21	17	16
BELLAIRE	---	112	6	5	4
GALENA PARK	---	62	9	6	2
WHITE	---	54	8	5	2
NONWHITE	---	8	1	1	-
HOUSTON	---	7,446	699	507	422
WHITE	---	5,396	420	317	227
NONWHITE	---	2,050	279	190	195
PASADENA	---	273	32	26	12
WEST UNIVERSITY PLACE	---	154	6	6	2
BALANCE OF COUNTY	---	1,076	99	67	65
WHITE	---	834	73	50	44
NONWHITE	---	242	26	17	21
HARRISON	408	459	25	21	17
WHITE	204	233	11	11	10
NONWHITE	204	226	14	10	7
MARSHALL	---	268	16	13	8
WHITE	---	155	9	9	6
NONWHITE	---	113	7	4	2
BALANCE OF COUNTY	---	191	9	8	9
WHITE	---	78	2	2	4
NONWHITE	---	113	7	6	5
HARTLEY	66	17	1	1	-
HASKELL	107	129	8	2	1
HAYS	145	178	14	11	7
SAN MARCOS	---	109	10	7	5
BALANCE OF COUNTY	---	69	4	4	2
HEMPHILL	32	35	1	-	3
HENDERSON	236	293	20	11	7
WHITE	186	229	8	7	3
NONWHITE	50	64	12	4	4
TEXAS--CON.					
HIDALGO	1,090	1,133	221	132	105
EDINBURG	---	128	28	15	9
MC ALLEN	---	211	34	24	18
MERCEDES	---	97	19	13	9
MISSION	---	87	11	2	4
PHARR	---	70	14	8	11
WESLACO	---	77	17	7	8
BALANCE OF COUNTY	---	463	98	63	46
HILL	288	357	11	10	6
WHITE	242	303	7	6	5
NONWHITE	45	54	4	4	1
HOCKLEY	99	146	25	10	9
LEVELLAND	---	83	10	2	2
BALANCE OF COUNTY	---	63	15	8	7
HOOD	52	83	2	2	1
HOPKINS	208	240	8	7	9
WHITE	176	206	5	4	7
NONWHITE	32	34	3	3	2
HOUSTON	165	196	8	5	3
WHITE	111	131	1	1	3
NONWHITE	54	65	7	4	-
HOWARD	474	271	36	28	17
BIG SPRING	---	230	33	27	16
BALANCE OF COUNTY	---	41	3	1	1
HUDSPETH	8	19	4	2	1
HUNT	418	482	25	19	13
WHITE	374	427	10	9	3
NONWHITE	44	55	15	10	10
GREENVILLE	---	266	16	13	10
WHITE	---	234	8	8	3
NONWHITE	---	32	8	5	7
BALANCE OF COUNTY	---	216	9	6	3
WHITE	---	193	2	1	-
NONWHITE	---	23	7	5	3
HUTCHINSON	147	182	19	13	7
BORGER	---	124	17	13	5
BALANCE OF COUNTY	---	58	2	-	2
IRION	3	9	-	-	-
JACK	57	70	1	1	-
JACKSON	66	95	4	3	5
WHITE	48	74	1	1	2
NONWHITE	18	21	3	2	3
JASPER	185	235	11	9	7
WHITE	130	175	5	4	4
NONWHITE	55	60	6	5	3
JEFF DAVIS	2	10	1	1	-
JEFFERSON	1,998	1,922	147	112	85
WHITE	1,424	1,323	77	68	38
NONWHITE	573	599	70	44	47
BEAUMONT	---	1,064	85	60	47
WHITE	---	669	36	32	17
NONWHITE	---	395	49	28	30
GROVES	---	67	6	5	3
NEDERLAND	---	57	5	5	3
PORT ARTHUR	---	581	41	33	26
WHITE	---	395	21	18	10
NONWHITE	---	186	20	15	16
BALANCE OF COUNTY	---	153	10	9	6
JIM HOGG	22	45	1	-	1
JIM WELLS	237	228	26	23	13
ALICE	---	151	17	14	7
BALANCE OF COUNTY	---	77	9	9	6
JOHNSON	335	371	14	11	6
CLEBURNE	---	215	10	9	2
BALANCE OF COUNTY	---	156	4	2	4
JONES	196	224	21	14	7
ABILENE, PART	---	2	-	-	-
BALANCE OF COUNTY	---	222	21	14	7
KARNES	111	138	8	4	7
KAUFMAN	656	371	19	11	6
WHITE	523	273	5	3	2
NONWHITE	133	98	14	8	4
TERRELL	---	169	8	6	4
WHITE	---	109	2	2	1
NONWHITE	---	60	6	4	3
BALANCE OF COUNTY	---	202	11	5	2
WHITE	---	164	3	1	1
NONWHITE	---	38	8	4	1
KENDALL	50	96	4	3	-
KENEDY	2	3	1	1	-
KENT	5	18	-	-	-
KERR	463	210	11	7	3
KIMBLE	34	51	1	1	-
KING	-	2	-	-	-
KINNEY	8	23	1	1	1

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS--CON.					
KLEBERG	138	185	30	21	20
KINGSVILLE	---	163	26	20	20
BALANCE OF COUNTY	---	22	4	1	-
KNOX	90	66	2	1	2
LAMAR	472	487	13	11	8
WHITE	390	395	9	7	6
NONWHITE	82	92	4	4	2
PARIS	---	327	9	7	6
WHITE	---	256	7	5	4
NONWHITE	---	71	2	2	2
BALANCE OF COUNTY	---	160	4	4	2
WHITE	---	139	2	2	2
NONWHITE	---	21	2	2	-
LAMB	176	206	29	22	14
LAMPASAS	104	123	8	6	2
LA SALLE	19	39	6	3	-
LAVACA	262	271	11	6	2
WHITE	231	243	9	4	1
NONWHITE	31	28	2	2	1
LEE	98	112	4	3	1
WHITE	69	74	2	2	1
NONWHITE	29	38	2	1	-
LEON	72	136	1	1	4
WHITE	45	100	1	1	3
NONWHITE	27	36	-	-	1
LIBERTY	295	318	21	8	6
WHITE	199	215	9	4	3
NONWHITE	96	103	12	4	3
LIMESTONE	202	252	9	5	7
WHITE	132	171	4	3	2
NONWHITE	70	81	5	2	5
LIPSCOMB	14	28	1	1	1
LIVE OAK	42	56	3	2	3
LLANO	73	78	2	-	-
LOVING	1	5	-	-	-
LUBBOCK	1,114	937	176	110	79
WHITE	984	817	142	88	63
NONWHITE	130	120	34	22	16
LUBBOCK	---	744	127	81	59
WHITE	---	648	100	66	46
NONWHITE	---	96	27	15	13
BALANCE OF COUNTY	---	193	49	29	20
LYNN	47	113	28	16	7
MC CULLOCH	123	134	7	6	3
MC LENNAN	1,528	1,533	108	83	60
WHITE	1,201	1,209	68	55	36
NONWHITE	326	324	40	28	24
WACO	---	1,117	85	69	45
WHITE	---	859	50	43	28
NONWHITE	---	258	35	26	17
BALANCE OF COUNTY	---	416	23	14	15
WHITE	---	350	18	12	8
NONWHITE	---	66	5	2	7
MC MULLEN	3	6	-	-	-
MADISON	103	90	3	3	2
WHITE	75	64	3	3	-
NONWHITE	28	26	-	-	2
MARION	83	107	2	2	2
WHITE	32	41	-	-	-
NONWHITE	51	66	2	2	2
MARTIN	31	40	5	3	7
MASON	50	63	1	-	1
MATAGORDA	192	224	23	15	19
WHITE	132	151	16	11	11
NONWHITE	60	73	7	4	8
BAY CITY	---	112	9	6	8
WHITE	---	70	7	5	6
NONWHITE	---	42	2	1	2
BALANCE OF COUNTY	---	112	14	9	11
WHITE	---	81	9	6	5
NONWHITE	---	31	5	3	6
MAVERICK	105	119	27	15	11
EAGLE PASS	---	103	24	14	10
BALANCE OF COUNTY	---	16	3	1	1
MEDINA	119	169	13	2	2
MENARD	50	39	1	-	-
MIDLAND	293	326	40	27	22
MIDLAND	---	305	39	26	21
BALANCE OF COUNTY	---	21	1	1	1
MILAM	213	285	16	6	7
WHITE	164	221	11	2	5
NONWHITE	49	64	5	4	2
MILLS	47	51	-	-	1
MITCHELL	113	124	15	7	4
MONTAGUE	182	215	3	3	4
MONTGOMERY	271	309	13	9	16
WHITE	197	227	8	7	10
NONWHITE	74	82	5	2	6
MOORE	65	72	9	7	9
MORRIS	114	120	8	4	1
WHITE	89	89	3	2	-
NONWHITE	25	31	5	2	1
MOTLEY	33	26	2	1	3
NACOGDOCHES	242	262	4	3	8
WHITE	174	195	3	3	4
NONWHITE	68	67	1	-	4
NACOGDOCHES	---	130	3	3	4
WHITE	---	92	3	3	3
NONWHITE	---	38	-	-	1
BALANCE OF COUNTY	---	132	1	-	4
WHITE	---	103	-	-	1
NONWHITE	---	29	1	-	3
NAVARRO	400	433	19	11	7
WHITE	313	336	7	5	5
NONWHITE	87	97	12	6	2
CORSICANA	---	273	12	7	3
WHITE	---	207	5	4	2
NONWHITE	---	66	7	3	1
BALANCE OF COUNTY	---	160	7	4	4
WHITE	---	129	2	1	3
NONWHITE	---	31	5	3	1
NEWTON	77	89	2	1	4
WHITE	54	59	1	1	1
NONWHITE	23	30	1	-	3
NOLAN	215	193	13	10	9
SWEETWATER	---	140	11	8	4
BALANCE OF COUNTY	---	53	2	2	5
NUECES	1,495	1,423	173	132	104
WHITE	1,399	1,328	157	123	100
NONWHITE	96	95	16	9	4
CORPUS CHRISTI	---	1,150	135	105	72
ROBSTOWN	---	94	16	10	12
BALANCE OF COUNTY	---	179	22	17	20
OCHILTREE	65	64	10	10	-
OLDHAM	7	16	2	1	-
ORANGE	277	354	34	26	18
WHITE	222	296	30	22	12
NONWHITE	55	58	4	4	6
ORANGE	---	162	17	12	11
WHITE	---	104	13	8	5
NONWHITE	---	58	4	4	6
BALANCE OF COUNTY	---	192	17	14	7
PALO PINTO	214	225	8	7	5
MINERAL WELLS	---	132	4	4	3
BALANCE OF COUNTY	---	93	4	3	2
PANOLA	170	157	9	6	2
WHITE	119	114	5	4	1
NONWHITE	51	43	4	2	1
PARKER	189	262	10	7	6
PARMER	43	64	13	11	6
PECOS	70	69	15	9	3
POLK	128	140	6	1	5
WHITE	80	89	2	-	1
NONWHITE	48	51	4	1	4
POTTER	1,055	802	74	50	41
AMARILLO, PART	---	785	71	47	40
AMARILLO, TOTAL	---	884	82	56	45
BALANCE OF COUNTY	---	17	3	3	1
PRESIDIO	37	55	4	4	2
RAINS	18	39	1	1	-
WHITE	16	34	-	-	-
NONWHITE	2	5	1	1	-
RANDALL	76	155	15	11	6
AMARILLO, PART	---	99	11	9	5
BALANCE OF COUNTY	---	56	4	2	1
REAGAN	15	17	2	2	1
REAL	12	22	2	1	1
RED RIVER	145	201	10	5	6
WHITE	101	146	3	3	3
NONWHITE	44	55	7	2	3
REEVES	110	116	25	14	12
PECOS	---	98	25	14	9
BALANCE OF COUNTY	---	18	-	-	3
REFUGIO	90	95	9	7	4
ROBERTS	5	12	-	-	-
ROBERTSON	119	187	19	14	4
WHITE	60	107	10	9	1
NONWHITE	59	80	9	5	3

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
TEXAS--CON.					
ROCKWALL	34	65	4	2	2
WHITE	27	54	1	1	-
NONWHITE	7	11	3	1	2
RUNNELS	138	181	15	9	7
RUSK	340	411	16	10	13
WHITE	234	286	7	5	7
NONWHITE	106	125	9	5	6
KILGORE, PART	---	10	-	-	-
BALANCE OF COUNTY	---	401	16	10	13
WHITE	---	277	7	5	7
NONWHITE	---	124	9	5	6
SABINE	53	84	4	3	4
WHITE	32	53	1	1	2
NONWHITE	21	31	3	2	2
SAN AUGUSTINE	77	81	6	1	1
WHITE	45	48	1	1	1
NONWHITE	32	33	5	-	-
SAN JACINTO	32	69	2	2	2
WHITE	12	36	-	-	-
NONWHITE	20	33	2	2	2
SAN PATRICIO	248	342	36	23	25
SAN SABA	88	98	6	5	3
SCHLEICHER	8	25	-	-	1
SCURRY	107	121	9	6	2
SNYDER	---	81	4	2	2
BALANCE OF COUNTY	---	40	5	4	-
SHACKELFORD	48	53	1	1	3
SHELBY	196	279	12	7	11
WHITE	162	223	4	2	7
NONWHITE	34	56	8	5	4
SHERMAN	9	19	2	2	1
SMITH	900	857	55	44	31
WHITE	640	599	28	24	14
NONWHITE	260	258	27	20	17
TYLER	---	458	33	27	18
WHITE	---	330	19	16	8
NONWHITE	---	128	14	11	10
BALANCE OF COUNTY	---	399	22	17	13
WHITE	---	269	9	8	6
NONWHITE	---	130	13	9	7
SOMERVELL	39	34	-	-	-
STARR	93	118	12	4	7
STEPHENS	98	102	2	2	3
STERLING	9	10	1	-	-
STONEWALL	11	33	1	1	-
SUTTON	22	26	3	1	1
SWISHER	67	86	7	4	7
TARRANT	4,296	4,312	333	247	191
WHITE	3,669	3,663	259	199	131
NONWHITE	627	649	74	48	60
ARLINGTON	---	216	29	24	11
FORT WORTH	---	3,268	216	154	141
WHITE	---	2,649	147	109	85
NONWHITE	---	619	69	45	56
GRAND PRAIRIE, PART	---	1	1	-	-
HALTOM CITY	---	149	18	15	5
HURST	---	46	5	5	5
WHITE SETTLEMENT	---	48	8	7	4
BALANCE OF COUNTY	---	584	56	42	25
WHITE	---	558	52	39	23
NONWHITE	---	26	4	3	2
TAYLOR	819	762	68	54	28
ABILENE, PART	---	637	60	50	26
ABILENE, TOTAL	---	639	60	50	26
BALANCE OF COUNTY	---	125	8	4	2
TERRELL	9	25	4	4	1
TERRY	126	137	32	19	8
BROWNFIELD	---	95	22	12	3
BALANCE OF COUNTY	---	42	10	7	5
THROCKMORTON	35	42	2	2	-
TITUS	190	181	4	2	4
WHITE	159	153	2	-	1
NONWHITE	31	28	2	2	3
TOM GREEN	692	611	42	35	24
SAN ANGELO	---	552	38	31	24
BALANCE OF COUNTY	---	59	4	4	-
TRAVIS	2,095	1,618	131	101	83
WHITE	1,706	1,325	103	86	64
NONWHITE	389	293	28	15	19
AUSTIN	---	1,440	120	93	75
WHITE	---	1,178	94	79	56
NONWHITE	---	262	26	14	19
BALANCE OF COUNTY	---	178	11	8	8
TRINITY	78	101	4	3	1
WHITE	60	77	2	2	-
NONWHITE	18	24	2	1	1
TYLER	96	120	7	6	8
WHITE	75	94	3	3	5
NONWHITE	21	26	4	3	3
UPSHUR	182	217	11	9	3
WHITE	133	161	3	3	3
NONWHITE	49	56	8	6	-
UPTON	29	44	7	7	3
UVALDE	140	150	14	8	9
UVALDE	---	94	12	7	8
BALANCE OF COUNTY	---	56	2	1	1
VAL VERDE	188	191	35	21	7
DEL RIO	---	169	32	19	7
BALANCE OF COUNTY	---	22	3	2	-
VAN ZANDT	136	203	6	5	1
VICTORIA	393	368	40	27	25
VICTORIA	---	251	32	21	19
BALANCE OF COUNTY	---	117	8	6	6
WALKER	216	195	2	1	5
WHITE	131	117	1	1	4
NONWHITE	85	78	1	-	1
HUNTSVILLE	---	96	1	1	4
WHITE	---	67	1	1	4
NONWHITE	---	29	-	-	-
BALANCE OF COUNTY	---	99	1	-	1
WHITE	---	50	-	-	-
NONWHITE	---	49	1	-	1
WALLER	93	132	7	4	3
WHITE	43	67	3	2	1
NONWHITE	50	65	4	2	2
WARD	80	93	5	2	1
WASHINGTON	274	252	15	9	5
WHITE	197	162	2	2	-
NONWHITE	77	90	13	7	5
WEBB	499	508	77	54	34
LAREDO	---	490	76	53	33
BALANCE OF COUNTY	---	18	1	1	1
WHARTON	334	320	20	12	14
WHITE	253	228	9	5	10
NONWHITE	81	92	11	7	4
WHEELER	79	99	3	1	5
WICHITA	1,200	919	66	49	38
WICHITA FALLS, PART	---	733	52	38	33
WICHITA FALLS, TOTAL	---	733	52	38	33
BALANCE OF COUNTY	---	186	14	11	5
WILBARGER	206	199	8	3	6
VERNON	---	155	4	2	5
WHITE	---	136	4	2	4
NONWHITE	---	19	-	-	1
BALANCE OF COUNTY	---	44	4	1	1
WILLACY	101	131	23	12	5
WILLIAMSON	324	403	16	11	7
WHITE	269	334	10	8	5
NONWHITE	55	69	6	3	2
WILSON	102	138	9	6	3
WINKLER	63	68	10	9	4
KERMIT	---	56	8	7	4
BALANCE OF COUNTY	---	12	2	2	-
WISE	175	178	6	2	5
WOOD	193	235	7	6	3
WHITE	169	208	5	5	3
NONWHITE	24	27	2	1	-
YOAKUM	31	33	2	1	3
YOUNG	172	175	4	1	5
ZAPATA	19	31	3	3	2
ZAVALA	77	91	21	9	9
UTAH	6,502	6,322	515	374	293
WHITE	6,336	6,190	489	363	280
NONWHITE	164	132	26	11	13
BEAVER	30	40	4	3	1
BOX ELDER	134	172	16	11	10
BRIGHAM CITY	---	77	8	5	2
BALANCE OF COUNTY	---	95	8	6	8
CACHE	237	235	13	12	9
LOGAN	---	114	7	6	5
BALANCE OF COUNTY	---	121	6	6	4
CARBON	123	129	8	6	6
DAGGETT	13	9	-	-	1
DAVIS	183	292	40	27	24
BOUNTIFUL	---	86	15	12	7

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
UTAH--CON.					
DAVIS--CON.					
BALANCE OF COUNTY	---	206	25	15	17
DUCHESNE	55	62	5	3	-
EMERY	28	46	2	2	1
GARFIELD	33	30	2	1	1
GRAND	45	52	11	8	1
IRON	90	69	2	1	2
JUAB	53	62	2	2	2
KANE	31	14	5	4	-
MILLARD	61	77	3	3	2
MORGAN	14	23	-	-	1
PIUTE	6	15	-	-	1
RICH	5	21	1	1	1
SALT LAKE	3,155	2,857	246	189	145
MURRAY	---	103	17	11	6
SALT LAKE CITY	---	1,903	107	86	91
BALANCE OF COUNTY	---	851	122	92	48
SAN JUAN	71	53	20	7	6
WHITE	35	26	6	3	2
NONWHITE	36	27	14	4	4
SANPETE	102	133	4	4	1
SEVIER	69	82	2	2	2
SUMMIT	55	64	5	3	1
TOOELE	117	120	11	7	4
UINTAH	73	90	5	3	4
WHITE	67	73	3	3	2
NONWHITE	6	17	2	-	2
UTAH	728	651	53	39	33
OREM	---	91	11	9	7
PROVO	---	217	22	17	13
BALANCE OF COUNTY	---	343	20	13	13
WASATCH	42	46	-	-	-
WASHINGTON	82	78	2	1	1
WAYNE	3	16	1	1	-
WEBER	864	784	52	34	33
OGDEN	---	605	35	23	23
BALANCE OF COUNTY	---	179	17	11	10
VERMONT	4,372	4,355	210	168	176
WHITE	4,352	4,341	210	168	176
NONWHITE	13	14	-	-	-
ADDISON	145	212	6	5	11
BENNINGTON	296	307	14	9	8
CALEDONIA	257	291	10	8	12
CHITTENDEN	802	652	46	36	27
BURLINGTON	---	359	24	21	16
BALANCE OF COUNTY	---	293	22	15	11
ESSEX	21	60	-	-	1
FRANKLIN	318	352	15	12	7
GRAND ISLE	28	47	3	3	1
LAMOILLE	104	106	2	2	7
ORANGE	166	193	11	10	16
ORLEANS	221	231	16	11	11
RUTLAND	606	627	36	28	21
RUTLAND	---	274	13	9	9
BALANCE OF COUNTY	---	353	23	19	12
WASHINGTON	501	411	17	15	21
BARRE	---	134	7	7	8
BALANCE OF COUNTY	---	277	10	8	13
WINDHAM	437	375	14	12	7
WINDSOR	470	491	20	17	26
VIRGINIA	35,014	35,658	2,818	2,024	2,644
WHITE	25,740	26,420	1,746	1,338	1,755
NONWHITE	9,238	9,238	1,072	686	889
ACCOMACK	276	467	25	16	17
WHITE	171	298	6	5	5
NONWHITE	104	169	19	11	12
ALBEMARLE	772	291	12	9	17
WHITE	582	217	9	8	13
NONWHITE	188	74	3	1	4
ALLEGHANY	102	122	3	2	3
AMELIA	53	89	4	2	6
WHITE	20	38	1	-	2
NONWHITE	33	51	3	2	4
AMHERST	184	210	11	5	27
WHITE	151	149	6	4	17
NONWHITE	33	61	5	1	10
APPOMATTOX	64	112	12	7	3
WHITE	47	82	5	3	1
NONWHITE	17	30	7	4	2
ARLINGTON#	883	1,139	103	80	77
AUGUSTA	201	336	20	14	13
VIRGINIA--CON.					
BATH	57	70	2	1	5
BEDFORD	316	312	14	12	19
WHITE	269	254	7	6	12
NONWHITE	45	58	7	6	7
BLAND	27	57	1	1	1
BOTETOURT	121	182	8	6	8
BRUNSWICK	104	190	12	10	13
WHITE	41	85	4	4	-
NONWHITE	63	105	8	6	13
BUCHANAN	191	230	44	27	29
BUCKINGHAM	88	145	9	5	9
WHITE	42	81	4	3	2
NONWHITE	46	64	5	2	7
CAMPBELL	144	270	29	19	48
WHITE	107	197	16	10	35
NONWHITE	37	73	13	9	13
CAROLINE	94	137	6	6	10
WHITE	43	69	1	1	4
NONWHITE	49	68	5	5	6
CARROLL	111	215	10	6	7
CHARLES CITY	40	68	6	3	2
WHITE	9	15	1	-	-
NONWHITE	31	53	5	3	2
CHARLOTTE	75	142	8	6	6
WHITE	42	93	2	2	3
NONWHITE	33	49	6	4	3
CHESTERFIELD	616	440	42	35	34
WHITE	429	366	34	33	26
NONWHITE	186	74	8	2	8
CLARKE	51	105	7	4	5
WHITE	42	87	6	4	5
NONWHITE	9	18	1	-	-
CRAIG	16	39	5	3	1
CULPEPER	159	171	8	4	9
WHITE	123	120	1	1	3
NONWHITE	36	51	7	3	6
CUMBERLAND	43	74	3	2	2
WHITE	16	32	-	-	1
NONWHITE	27	42	3	2	1
DICKENSON	86	163	16	9	22
DINWIDDIE	410	170	19	14	7
WHITE	32	85	7	6	-
NONWHITE	378	85	12	8	7
ESSEX	54	82	2	1	3
WHITE	31	50	-	-	1
NONWHITE	23	32	2	1	2
FAIRFAX[19]	878	1,154	141	119	143
WHITE	799	1,064	121	104	138
NONWHITE	75	90	20	15	5
VIENNA	---	48	5	5	8
BALANCE OF COUNTY	---	1,106	136	114	135
WHITE	---	1,020	117	100	130
NONWHITE	---	86	19	14	5
FAUQUIER	248	261	19	16	22
WHITE	183	191	12	12	16
NONWHITE	65	70	7	4	6
FLOYD	58	104	3	2	4
FLUVANNA	69	88	4	2	4
WHITE	52	63	2	1	-
NONWHITE	17	25	2	1	4
FRANKLIN	193	250	17	8	15
WHITE	151	218	11	7	13
NONWHITE	42	32	6	1	2
FREDERICK	63	195	11	10	10
GILES	164	173	11	9	9
GLOUCESTER	79	137	8	8	4
WHITE	56	94	4	4	2
NONWHITE	23	43	4	4	2
GOOCHLAND	49	77	3	2	2
WHITE	23	39	-	-	-
NONWHITE	26	38	3	2	2
GRAYSON	80	172	9	3	5
GREENE	29	53	2	2	5
WHITE	20	40	1	1	4
NONWHITE	9	13	1	1	1
GREENSVILLE	128	149	18	7	13
WHITE	56	62	2	2	2
NONWHITE	72	87	16	5	11
HALIFAX	263	326	25	14	21
WHITE	135	173	7	3	5
NONWHITE	128	153	18	11	16
HANOVER	166	269	19	8	19
WHITE	116	193	14	7	12
NONWHITE	48	76	5	1	7

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA--CON.					
HENRICO	280	828	58	43	67
HENRY	116	286	36	27	31
WHITE	73	198	20	15	16
NONWHITE	43	88	16	12	15
HIGHLAND	22	42	-	-	-
ISLE OF WIGHT	65	160	12	6	6
WHITE	25	74	3	2	1
NONWHITE	40	86	9	4	5
JAMES CITY	52	100	18	13	9
WHITE	28	52	9	8	-
NONWHITE	24	48	9	5	9
KING AND QUEEN	29	55	2	2	3
WHITE	16	32	1	1	1
NONWHITE	13	23	1	1	2
KING GEORGE	32	70	6	4	4
WHITE	16	43	1	-	-
NONWHITE	15	27	5	4	4
KING WILLIAM	43	87	9	4	3
WHITE	21	47	1	1	-
NONWHITE	22	40	8	3	3
LANCASTER	65	98	5	4	4
WHITE	40	61	1	1	-
NONWHITE	25	37	4	3	4
LEE	194	260	13	6	11
LOUDOUN	238	253	12	9	10
WHITE	203	207	7	4	5
NONWHITE	34	46	5	5	5
LOUISA	111	167	12	10	3
WHITE	67	94	4	4	1
NONWHITE	44	73	8	6	2
LUNENBURG	77	130	7	6	9
WHITE	50	91	2	2	3
NONWHITE	27	39	5	4	6
MADISON	45	80	4	2	3
WHITE	33	65	4	2	2
NONWHITE	12	15	-	-	1
MATHEWS	121	109	3	3	3
WHITE	108	85	2	2	2
NONWHITE	13	24	1	1	1
MECKLENBURG	265	306	15	7	20
WHITE	144	165	4	2	2
NONWHITE	121	141	11	5	18
MIDDLESEX	70	95	8	5	3
WHITE	55	64	1	1	2
NONWHITE	15	31	7	4	1
MONTGOMERY	176	256	20	18	28
NANSEMOND	447	322	37	24	22
WHITE	179	108	9	6	2
NONWHITE	267	214	28	18	20
NELSON	78	157	10	8	13
WHITE	49	109	3	3	7
NONWHITE	29	48	7	5	6
NEW KENT	35	53	3	-	2
WHITE	15	25	-	-	1
NONWHITE	19	28	3	-	1
NORFOLK	132	388	39	29	45
WHITE	89	277	21	19	25
NONWHITE	42	111	18	10	20
NORTHAMPTON	333	231	22	13	22
WHITE	156	106	5	3	2
NONWHITE	176	125	17	10	20
NORTHUMBERLAND	104	145	11	6	5
WHITE	59	90	2	2	1
NONWHITE	45	55	9	4	4
NOTTOWAY	145	171	6	4	11
WHITE	77	115	2	-	3
NONWHITE	68	56	4	4	8
ORANGE	79	130	5	3	5
WHITE	50	97	3	1	3
NONWHITE	29	33	2	2	2
PAGE	149	193	11	10	9
PATRICK	107	155	6	5	8
PITTSYLVANIA	242	523	56	36	38
WHITE	129	338	18	13	16
NONWHITE	113	185	38	23	22
POWHATAN	34	66	5	3	4
WHITE	17	34	3	3	3
NONWHITE	17	32	2	-	1
PRINCE EDWARD	214	147	9	5	11
WHITE	140	84	2	2	5
NONWHITE	74	63	7	3	6
PRINCE GEORGE	71	103	20	13	7
WHITE	54	73	12	8	3
NONWHITE	17	30	8	5	4
PRINCE WILLIAM	147	302	65	50	39
PRINCESS ANNE	230	443	54	41	94
WHITE	171	319	38	29	80
NONWHITE	58	124	16	12	14
PULASKI	232	226	11	9	39
PULASKI	---	103	6	5	15
BALANCE OF COUNTY	---	123	5	4	24
RAPPAHANNOCK	27	58	4	3	1
WHITE	21	45	3	3	1
NONWHITE	6	13	1	-	-
RICHMOND	40	61	6	2	1
WHITE	27	38	-	-	1
NONWHITE	13	23	6	2	-
ROANOKE	407	441	24	15	24
SALEM	---	141	11	9	8
BALANCE OF COUNTY	---	300	13	6	16
ROCKBRIDGE	204	233	12	7	9
ROCKINGHAM	189	362	16	12	15
RUSSELL	152	236	14	8	5
SCOTT	116	218	13	6	8
SHENANDOAH	215	265	6	3	6
SMYTH	414	260	21	17	10
SOUTHAMPTON[10]	126	229	19	14	24
WHITE	49	91	4	3	2
NONWHITE	77	138	15	11	22
SPOTSYLVANIA	52	104	8	6	10
WHITE	39	84	7	6	4
NONWHITE	13	20	1	-	6
STAFFORD	70	152	14	9	4
WHITE	55	122	10	6	3
NONWHITE	15	30	4	3	1
SURRY	35	66	8	5	6
WHITE	15	23	-	-	-
NONWHITE	20	43	8	5	6
SUSSEX	85	149	26	16	10
WHITE	30	56	2	2	2
NONWHITE	54	93	24	14	8
TAZEWELL	388	418	25	20	23
WARREN	135	147	8	7	3
WASHINGTON	369	374	18	17	17
WESTMORELAND	76	138	5	1	12
WHITE	40	82	-	-	2
NONWHITE	36	56	5	1	10
WISE	249	382	29	20	11
WYTHE	189	246	11	7	12
YORK	68	163	22	18	16
WHITE	46	116	10	9	12
NONWHITE	22	47	12	9	4
INDEPENDENT CITIES[11]					
ALEXANDRIA	701	673	60	47	107
WHITE	597	561	43	33	93
NONWHITE	104	112	17	14	14
BRISTOL[12]	123	163	6	5	8
BUENA VISTA	31	51	2	1	2
CHARLOTTESVILLE	264	323	23	20	25
WHITE	210	243	15	13	18
NONWHITE	54	80	8	7	7
CLIFTON FORGE	242	80	5	5	3
COLONIAL HEIGHTS	26	73	3	3	1
WHITE	24	72	3	3	1
NONWHITE	2	1	-	-	-
COVINGTON	41	103	5	4	6
WHITE	32	86	4	3	6
NONWHITE	9	17	1	1	-
DANVILLE	744	529	31	24	27
WHITE	541	382	19	15	15
NONWHITE	203	147	12	9	12
FAIRFAX[13]	64	89	11	8	11
FALLS CHURCH	32	106	6	5	10
FRANKLIN[14]	127	75	3	2	5
WHITE	49	30	-	-	1
NONWHITE	78	45	3	2	4
FREDERICKSBURG	358	149	10	6	5
WHITE	287	115	5	3	4
NONWHITE	71	34	5	3	1
GALAX	114	47	4	4	5
HAMPTON	899	695	72	49	63
WHITE	573	479	54	36	47
NONWHITE	324	216	18	13	16
HARRISONBURG	345	114	4	3	3
HOPEWELL	91	148	16	14	14
WHITE	78	120	11	10	11
NONWHITE	13	28	5	4	3
LYNCHBURG	883	582	37	29	73
WHITE	663	432	25	22	52
NONWHITE	220	150	12	7	21

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGINIA--CON.					
INDEPENDENT CITIES--CON.					
MARTINSVILLE	248	162	17	15	9
WHITE	178	92	11	10	3
NONWHITE	70	70	6	5	6
NEWPORT NEWS	970	847	104	72	133
WHITE	575	467	47	33	73
NONWHITE	394	380	57	39	60
NORFOLK	2,781	2,595	306	218	268
WHITE	1,731	1,606	181	137	160
NONWHITE	1,046	989	125	81	108
NORTON	151	47	2	1	3
PETERSBURG	588	470	36	27	19
WHITE	358	232	15	13	5
NONWHITE	230	238	21	14	14
PORTSMOUTH	1,223	1,022	92	65	75
WHITE	792	579	46	34	35
NONWHITE	430	443	46	31	40
RADFORD	176	81	3	2	6
RICHMOND	4,334	3,001	176	133	142
WHITE	2,777	1,846	70	59	63
NONWHITE	1,556	1,155	106	74	79
ROANOKE	1,262	1,034	71	54	39
WHITE	1,037	807	48	37	28
NONWHITE	225	227	23	17	11
SOUTH BOSTON	127	63	7	6	3
WHITE	88	42	3	3	1
NONWHITE	39	21	4	3	2
SOUTH NORFOLK	56	204	19	13	31
WHITE	34	134	9	9	21
NONWHITE	22	70	10	4	10
STAUNTON	645	233	4	3	12
SUFFOLK	85	170	5	4	8
WHITE	51	104	1	1	4
NONWHITE	34	66	4	3	4
VIRGINIA BEACH	91	72	10	6	17
WAYNESBORO	156	121	8	7	7
WILLIAMSBURG	382	55	2	2	-
WHITE	357	48	2	2	-
NONWHITE	23	7	-	-	-
WINCHESTER	463	206	8	7	7
WASHINGTON	27,700	27,383	1,478	1,032	710
WHITE	26,826	26,518	1,324	944	656
NONWHITE	874	865	154	88	54
ADAMS	73	66	7	4	4
ASOTIN	150	137	5	3	4
BENTON	340	358	30	22	14
KENNEWICK	---	106	12	11	3
RICHLAND	---	103	7	3	7
BALANCE OF COUNTY	---	149	11	8	4
CHELAN	416	396	19	12	10
WENATCHEE	---	223	9	6	4
BALANCE OF COUNTY	---	173	10	6	6
CLALLAM	300	304	19	8	10
PORT ANGELES	---	161	9	4	5
BALANCE OF COUNTY	---	143	10	4	5
CLARK	1,028	912	39	27	15
VANCOUVER	---	428	17	14	4
BALANCE OF COUNTY	---	484	22	13	11
COLUMBIA	56	61	-	-	-
COWLITZ	468	506	23	12	11
LONGVIEW	---	209	13	8	3
BALANCE OF COUNTY	---	297	10	4	8
DOUGLAS	47	80	5	3	4
FERRY	28	44	3	3	-
WHITE	21	28	1	1	-
NONWHITE	7	16	2	2	-
FRANKLIN	129	151	11	7	7
PASCO	---	109	8	5	5
BALANCE OF COUNTY	---	42	3	2	2
GARFIELD	32	38	1	1	-
GRANT	229	275	38	27	10
MOSES LAKE	---	54	12	8	4
BALANCE OF COUNTY	---	221	26	19	6
GRAYS HARBOR	582	618	25	18	11
ABERDEEN	---	247	9	5	4
HOQUIAM	---	118	4	3	2
BALANCE OF COUNTY	---	253	12	10	5
ISLAND	85	135	15	10	10
JEFFERSON	103	100	4	2	-
KING	9,182	9,046	453	321	252
WHITE	8,757	8,618	404	287	221
NONWHITE	425	428	49	34	31
AUBURN	---	149	7	6	4
BELLEVUE	---	123	4	3	3
WASHINGTON--CON.					
KING--CON.					
RENTON	---	175	10	5	5
SEATTLE	---	6,555	262	188	144
WHITE	---	6,170	220	159	116
NONWHITE	---	385	42	29	28
BALANCE OF COUNTY	---	2,044	170	119	96
KITSAP	798	783	54	43	24
BREMERTON	---	301	21	18	8
BALANCE OF COUNTY	---	482	33	25	16
KITTITAS	209	208	8	5	4
KLICKITAT	105	121	7	3	1
LEWIS	501	520	16	13	8
LINCOLN	41	102	5	4	1
MASON	154	166	8	5	4
OKANOGAN	281	250	10	9	5
PACIFIC	140	169	7	6	4
PEND OREILLE	72	78	4	4	-
PIERCE	3,295	3,027	179	129	90
WHITE	3,195	2,935	147	110	86
NONWHITE	100	92	32	19	4
PUYALLUP	---	163	3	2	6
TACOMA	---	1,890	94	68	37
BALANCE OF COUNTY	---	974	82	59	47
SAN JUAN	27	45	-	-	-
SKAGIT	678	539	25	14	9
SKAMANIA	24	38	1	1	1
SNOHOMISH	1,487	1,690	99	67	35
EVERETT	---	598	24	14	9
BALANCE OF COUNTY	---	1,092	75	53	26
SPOKANE	3,169	2,797	155	116	74
SPOKANE	---	2,195	118	86	49
BALANCE OF COUNTY	---	602	37	30	25
STEVENS	149	176	11	6	5
THURSTON	430	539	37	31	17
OLYMPIA	---	231	12	10	9
BALANCE OF COUNTY	---	308	25	21	8
WAHKIAKUM	30	48	2	1	3
WALLA WALLA	567	429	20	16	7
WALLA WALLA	---	301	12	10	4
BALANCE OF COUNTY	---	128	8	6	3
WHATCOM	733	752	29	18	8
BELLINGHAM	---	457	16	10	4
BALANCE OF COUNTY	---	295	13	8	4
WHITMAN	204	262	12	10	5
PULLMAN	---	57	7	5	2
BALANCE OF COUNTY	---	205	5	5	3
YAKIMA	1,358	1,417	92	51	43
YAKIMA	---	591	26	20	11
BALANCE OF COUNTY	---	826	66	31	32
WEST VIRGINIA	18,884	18,684	986	718	598
WHITE	17,703	17,524	924	679	559
NONWHITE	1,174	1,160	62	39	39
BARBOUR	185	199	12	9	4
BERKELEY	643	424	13	9	13
MARTINSBURG	---	234	4	4	10
BALANCE OF COUNTY	---	190	9	5	3
BOONE	162	220	12	9	9
BRAXTON	152	158	4	2	4
BROOKE	142	254	8	4	6
WEIRTON, PART	---	20	-	-	-
BALANCE OF COUNTY	---	234	8	4	6
CABELL	1,613	1,187	63	51	29
HUNTINGTON, PART	---	938	43	34	20
HUNTINGTON, TOTAL	---	985	44	34	21
BALANCE OF COUNTY	---	249	20	17	9
CALHOUN	55	82	6	4	1
CLAY	38	91	5	3	5
DODDRIDGE	49	83	1	1	-
FAYETTE	565	638	33	29	23
WHITE	497	551	30	26	15
NONWHITE	68	87	3	3	8
GILMER	52	84	5	3	3
GRANT	99	93	2	2	2
GREENBRIER	307	369	18	11	16
HAMPSHIRE	115	152	12	11	6
HANCOCK	296	374	31	27	16
WEIRTON, PART	---	214	19	15	9
WEIRTON, TOTAL	---	234	19	15	9
BALANCE OF COUNTY	---	160	12	12	7
HARDY	44	97	3	3	3
HARRISON	985	903	28	21	19
CLARKSBURG	---	404	13	10	3
BALANCE OF COUNTY	---	499	15	11	16

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WEST VIRGINIA--CON.					
JACKSON	95	170	9	5	4
JEFFERSON	188	241	10	5	13
WHITE	152	191	6	3	13
NONWHITE	35	50	4	2	-
KANAWHA	2,096	2,068	128	89	87
WHITE	1,959	1,899	120	85	78
NONWHITE	137	169	8	4	9
CHARLESTON	---	878	57	41	32
DUNBAR	---	77	5	4	2
ST. ALBANS	---	112	13	8	10
SOUTH CHARLESTON	---	138	6	3	7
BALANCE OF COUNTY	---	863	47	33	36
LEWIS	488	254	11	8	5
LINCOLN	91	194	19	13	12
LOGAN	423	468	31	23	22
MC DOWELL	585	594	47	30	28
WHITE	440	420	38	23	23
NONWHITE	145	174	9	7	5
MARION	708	777	26	17	19
FAIRMONT	---	331	10	9	6
BALANCE OF COUNTY	---	446	16	8	13
MARSHALL	284	387	18	16	12
MOUNDSVILLE	---	158	6	5	6
BALANCE OF COUNTY	---	229	12	11	6
MASON	206	203	8	4	4
MERCER	787	652	23	15	16
WHITE	681	560	17	10	13
NONWHITE	106	92	6	5	3
BLUEFIELD[15]	---	211	4	4	5
WHITE	---	149	-	-	3
NONWHITE	---	62	4	4	2
BALANCE OF COUNTY	---	441	19	11	11
MINERAL	185	231	15	13	7
MINGO	336	372	42	27	16
MONONGALIA	761	544	24	15	17
MORGANTOWN	---	279	5	2	9
BALANCE OF COUNTY	---	265	19	13	8
MONROE	99	155	6	5	5
MORGAN	74	92	3	2	4
NICHOLAS	177	217	18	11	8
OHIO	1,069	860	25	21	20
WHEELING	---	742	21	19	17
BALANCE OF COUNTY	---	118	4	2	3
PENDLETON	36	83	2	2	6
PLEASANTS	50	82	3	3	1
POCAHONTAS	127	127	10	7	4
PRESTON	225	294	18	16	7
PUTNAM	83	190	16	12	8
RALEIGH	918	705	28	20	11
WHITE	744	575	23	16	10
NONWHITE	174	130	5	4	1
BECKLEY	---	233	9	8	-
WHITE	---	153	6	5	-
NONWHITE	---	80	3	3	-
BALANCE OF COUNTY	---	472	19	12	11
RANDOLPH	354	305	18	12	14
RITCHIE	91	135	3	3	2
ROANE	237	159	7	4	8
SUMMERS	183	215	14	10	9
TAYLOR	177	206	3	3	1
TUCKER	76	108	2	1	4
TYLER	126	138	8	7	1
UPSHUR	218	217	12	10	3
WAYNE	344	313	21	13	11
HUNTINGTON, PART	---	47	1	-	1
BALANCE OF COUNTY	---	266	20	13	10
WEBSTER	99	133	10	4	5
WETZEL	215	233	13	10	6
WIRT	29	65	1	1	2
WOOD	973	821	53	47	23
PARKERSBURG	---	539	33	32	14
BALANCE OF COUNTY	---	282	20	15	9
WYOMING	169	268	25	15	14
WISCONSIN	38,277	38,380	1,953	1,488	1,111
WHITE	37,600	37,712	1,802	1,381	1,019
NONWHITE	673	668	151	107	92
ADAMS	95	99	6	3	1
ASHLAND	204	188	7	6	3
ASHLAND	---	109	3	3	-
BALANCE OF COUNTY	---	79	4	3	3
BARRON	330	352	15	10	9
BAYFIELD	92	151	6	5	3
BROWN	1,151	1,064	79	57	31
DE PERE	---	85	4	1	-
GREEN BAY	---	616	47	32	19
BALANCE OF COUNTY	---	363	28	24	12
BUFFALO	99	163	3	3	4
BURNETT	99	117	6	4	-
CALUMET	155	201	12	11	3
APPLETON, PART	---	5	-	-	-
BALANCE OF COUNTY	---	196	12	11	3
CHIPPEWA	490	425	18	10	17
CHIPPEWA FALLS	---	125	8	4	7
EAU CLAIRE, PART	---	2	-	-	-
BALANCE OF COUNTY	---	298	10	6	10
CLARK	239	329	14	10	17
COLUMBIA	441	424	12	11	3
CRAWFORD	165	174	10	7	13
DANE	2,497	1,744	127	96	66
MADISON	---	1,020	84	65	39
BALANCE OF COUNTY	---	724	43	31	27
DODGE	597	630	30	24	16
BEAVER DAM	---	136	3	3	4
WATERTOWN, PART	---	48	1	1	2
BALANCE OF COUNTY	---	446	26	20	10
DOOR	176	239	2	1	6
DOUGLAS	481	503	21	15	14
SUPERIOR	---	386	16	11	9
BALANCE OF COUNTY	---	117	5	4	5
DUNN	210	287	9	8	4
EAU CLAIRE	675	589	32	26	15
EAU CLAIRE, PART	---	400	20	15	13
EAU CLAIRE, TOTAL	---	402	20	15	13
BALANCE OF COUNTY	---	189	12	11	2
FLORENCE	24	55	1	1	1
FOND DU LAC	765	783	35	25	22
FOND DU LAC	---	375	12	8	11
BALANCE OF COUNTY	---	408	23	17	11
FOREST	64	97	3	2	5
GRANT	464	504	24	15	14
GREEN	374	288	13	7	4
GREEN LAKE	150	184	6	3	3
IOWA	213	224	7	6	5
IRON	58	109	-	-	4
JACKSON	153	193	7	5	4
JEFFERSON	571	574	21	13	11
WATERTOWN, PART	---	150	5	3	1
WATERTOWN, TOTAL	---	198	6	4	3
BALANCE OF COUNTY	---	424	16	10	10
JUNEAU	113	204	8	6	4
KENOSHA	859	924	49	39	38
KENOSHA	---	684	36	28	26
BALANCE OF COUNTY	---	240	13	11	12
KEWAUNEE	136	150	6	6	2
LA CROSSE	888	708	49	35	17
LA CROSSE	---	532	34	25	13
BALANCE OF COUNTY	---	176	15	10	4
LAFAYETTE	135	216	6	4	2
LANGLADE	224	252	7	6	8
LINCOLN	289	269	13	10	5
MANITOWOC	586	627	23	20	24
MANITOWOC	---	293	11	11	7
TWO RIVERS	---	99	6	5	5
BALANCE OF COUNTY	---	235	6	4	12
MARATHON	643	727	37	28	22
MARSHFIELD, PART	---	1	-	-	-
WAUSAU	---	324	11	8	5
BALANCE OF COUNTY	---	402	26	20	17
MARINETTE	296	363	13	8	7
MARINETTE	---	168	6	3	2
BALANCE OF COUNTY	---	195	7	5	5
MARQUETTE	89	136	1	-	-
MENOMINEE[16]	9	39	9	4	3
WHITE	1	3	-	-	1
NONWHITE	8	36	9	4	2
MILWAUKEE	10,125	9,842	529	425	297
WHITE	9,681	9,399	422	344	226
NONWHITE	443	443	107	81	71
BROWN DEER	---	39	1	-	4
CUDAHY	---	147	6	6	4
FRANKLIN	---	50	12	11	2
GREENFIELD	---	104	8	6	-
MILWAUKEE	---	7,508	403	315	243
WHITE	---	7,069	296	234	172
NONWHITE	---	439	107	81	71
ST. FRANCIS	---	55	4	4	2
SHOREWOOD	---	164	6	6	7
SOUTH MILWAUKEE	---	145	13	9	3

SEE FOOTNOTES AT END OF TABLE.

Table 7-1. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: United States, Each State and County, and Specified Urban Places, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	Total deaths by county of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
WISCONSIN--CON.					
MILWAUKEE--CON.					
WAUWATOSA	---	613	17	16	7
WEST ELLIS	---	597	29	25	13
WHITEFISH BAY	---	96	2	2	2
BALANCE OF COUNTY	---	324	28	25	10
MONROE	338	330	14	10	10
OCONTO	253	283	17	14	10
ONEIDA	313	254	17	15	7
OUTAGAMIE	753	759	56	47	38
APPLETON, PART	---	375	25	21	15
APPLETON, TOTAL	---	380	25	21	15
KAUKAUNA	---	89	10	9	3
BALANCE OF COUNTY	---	295	21	17	20
OZAUKEE	212	266	13	9	14
PEPIN	55	62	2	1	2
PIERCE	142	200	9	6	6
POLK	304	301	12	10	8
PORTAGE	341	366	15	13	14
STEVENS POINT	---	176	11	9	5
BALANCE OF COUNTY	---	190	4	4	9
PRICE	178	195	4	4	5
RACINE	1,206	1,273	77	60	45
RACINE	---	845	46	36	31
BALANCE OF COUNTY	---	428	31	24	14
RICHLAND	221	223	8	7	3
ROCK	1,014	1,100	57	41	29
BELOIT	---	355	14	11	10
JANESVILLE	---	353	21	16	13
BALANCE OF COUNTY	---	392	22	14	6
RUSK	179	194	8	6	2
ST. CROIX	316	305	17	13	10
SAUK	413	445	18	12	15
SAWYER	106	139	10	6	2
WHITE	96	127	6	5	-
NONWHITE	10	12	4	1	2
SHAWANO	359	348	10	8	14
SHEBOYGAN	1,005	953	30	25	22
SHEBOYGAN	---	550	15	14	12
BALANCE OF COUNTY	---	403	15	11	10
TAYLOR	112	144	8	7	2
TREMPEALEAU	231	290	11	11	3
VERNON	327	290	14	9	12
VILAS	104	122	6	3	2
WALWORTH	469	558	16	15	5
WASHBURN	128	133	8	2	1
WASHINGTON	368	396	29	18	15
WAUKESHA	1,134	1,227	82	61	30
BROOKFIELD	---	90	7	7	1
MENOMONEE FALLS	---	99	14	12	6
NEW BERLIN	---	60	7	5	3
WAUKESHA	---	266	10	6	7
BALANCE OF COUNTY	---	712	44	31	13
WAUPACA	433	417	19	11	8
WAUSHARA	131	181	7	5	2
WINNEBAGO	1,053	971	48	38	28
MENASHA	---	133	9	9	3
NEENAH	---	125	4	2	3
OSHKOSH	---	512	24	18	17
BALANCE OF COUNTY	---	201	11	9	5
WOOD	655	508	35	26	20
MARSHFIELD, PART	---	138	9	8	2
MARSHFIELD, TOTAL	---	139	9	8	2
WISCONSIN RAPIDS	---	165	13	11	9
BALANCE OF COUNTY	---	205	13	7	9
WYOMING	2,728	2,746	243	184	85
WHITE	2,663	2,687	229	177	82
NONWHITE	63	59	14	7	3
ALBANY	150	150	18	14	10
LARAMIE	---	128	15	12	7
BALANCE OF COUNTY	---	22	3	2	3
BIG HORN	106	135	10	6	1
CAMPBELL	36	40	7	4	1
CARBON	98	114	7	4	2
CONVERSE	68	77	8	6	5
CROOK	33	48	2	-	-
FREMONT	196	210	25	17	8
WHITE	173	185	20	15	7
NONWHITE	23	25	5	2	1
GOSHEN	91	115	10	8	1
HOT SPRINGS	95	59	4	2	1
JOHNSON	46	60	4	4	2
LARAMIE	501	433	51	37	21
CHEYENNE	---	353	44	32	17
BALANCE OF COUNTY	---	80	7	5	4
LINCOLN	71	94	7	6	1
NATRONA	315	331	29	24	9
CASPER	---	273	24	20	7
BALANCE OF COUNTY	---	58	5	4	2
NIOBRARA	30	40	1	1	1
PARK	109	121	12	11	3
PLATTE	56	79	5	5	-
SHERIDAN	271	229	10	9	2
SHERIDAN	---	168	8	7	1
BALANCE OF COUNTY	---	61	2	2	1
SUBLETTE	13	23	3	2	3
SWEETWATER	169	156	9	7	3
ROCK SPRINGS	---	101	2	2	-
BALANCE OF COUNTY	---	55	7	5	3
TETON	35	32	5	3	1
UINTA	129	80	5	4	2
WASHAKIE	51	61	3	3	7
WESTON	47	57	8	7	1
YELLOWSTONE NATIONAL PARK, PART[5]	12	2	-	-	-
YELLOWSTONE NATIONAL PARK, TOTAL	12	2	-	-	-

#Classified as urban under special rule; see Technical Appendix.
[1]"Districts" shown are election districts, the nearest equivalent of counties.
[2]Includes District 1, Prince of Wales.
[3]Includes data for Texarkana, Ark., only.
[4]The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[5]Geographically located within limits of Idaho, Montana, and Wyoming.
[6]New Jersey did not require reporting of color; see Technical Appendix.
[7]Includes data for Bristol, Tenn., only.
[8]Includes data for Texarkana, Tex., only.
[9]Excludes data for Fairfax city which became independent of the county as of July 1, 1961.
[10]Excludes data for Franklin city which became independent of the county as of January 1, 1962.
[11]Independent cities having populations of less than 10,000 according to the 1960 census are: Buena Vista, Clifton Forge, Colonial Heights, Franklin, Galax, Norton, Radford, South Boston, Virginia Beach, and Williamsburg.
[12]Includes data for Bristol, Va., only.
[13]Independent city as of July 1, 1961; formerly town in Fairfax County.
[14]Independent city as of January 1, 1962; formerly town in Southampton County.
[15]Includes data for Bluefield, W. Va., only.
[16]New county, May 1, 1961, formed from parts of Oconto and Shawano counties.
[17]Excludes data for that part of county annexed to Menominee, a new county as of May 1, 1961.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962

(By place of residence. Data refer only to events occurring within the United States. Deaths exclude fetal deaths. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated. Infant (under 1 year) and neonatal (under 28 days) mortality rates and fetal death ratios per 1,000 live births in specified group. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item. For discussion of color item for New Jersey and definitions of areas, see Technical Appendix)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
UNITED STATES	1,756,720	105,479	25.3	76,346	18.3	66,421	15.9
White	1,488,113	75,812	22.3	57,219	16.9	47,326	13.9
Nonwhite	206,583	26,535	41.4	16,714	26.1	17,128	26.7
Urban	1,160,422	66,827	25.6	49,825	19.1	42,803	16.4
White	962,975	46,578	22.6	35,803	17.4	29,398	14.3
Nonwhite	145,067	17,703	39.6	12,050	27.1	11,767	26.3
Rural	596,298	38,652	24.8	26,521	17.0	23,618	15.2
White	525,138	29,234	21.9	21,416	16.0	17,928	13.4
Nonwhite	61,516	8,832	45.4	4,664	24.0	5,361	27.5
Metropolitan counties	1,087,179	65,104	24.5	48,710	18.3	42,436	16.0
White	910,195	46,547	21.8	35,690	16.7	29,947	14.0
Nonwhite	127,913	16,102	38.3	11,135	26.5	10,926	26.0
Urban	691,491	51,105	25.3	38,485	19.0	33,658	16.7
White	732,231	34,708	22.2	26,794	17.1	22,639	14.5
Nonwhite	115,088	14,240	38.2	10,014	26.9	9,834	26.4
Rural	195,688	13,999	22.0	10,245	16.1	8,578	13.5
White	177,964	11,839	20.6	8,896	15.5	7,308	12.7
Nonwhite	12,825	1,862	39.6	1,121	23.8	1,092	23.2
Nonmetropolitan counties	669,541	40,375	26.8	27,636	18.3	23,985	15.9
White	577,918	29,265	23.3	21,529	17.1	17,379	13.8
Nonwhite	78,670	10,433	47.1	5,579	25.2	6,202	28.0
Urban	268,931	15,722	26.8	11,360	19.4	8,945	15.3
White	230,744	11,870	24.1	9,009	18.3	6,759	13.7
Nonwhite	29,979	3,463	46.7	2,036	27.5	1,933	26.1
Rural	400,610	24,653	26.8	16,276	17.7	15,040	16.3
White	347,174	17,395	22.8	12,520	16.4	10,620	13.9
Nonwhite	48,691	6,970	47.2	3,543	24.0	4,269	28.9
ALABAMA	30,906	2,420	30.8	1,603	20.4	1,582	20.1
White	19,744	1,135	23.0	881	17.9	690	14.0
Nonwhite	11,162	1,285	43.9	722	24.7	892	30.5
Urban	15,837	1,197	29.6	843	20.8	780	19.3
White	9,759	563	22.0	463	18.1	361	14.1
Nonwhite	6,078	634	42.8	380	25.6	419	28.3
Rural	15,069	1,223	32.1	760	20.0	802	21.1
White	9,985	572	24.2	418	17.7	329	13.9
Nonwhite	5,084	651	45.2	342	23.7	473	32.8
Metropolitan counties	13,531	1,031	28.7	727	20.2	704	19.6
White	8,128	455	20.6	382	17.3	298	13.5
Nonwhite	5,403	576	41.6	345	24.9	406	29.3
Urban	10,258	746	28.0	543	20.4	526	19.8
White	6,064	332	20.7	284	17.7	220	13.7
Nonwhite	4,194	414	39.2	259	24.5	306	29.0
Rural	3,273	285	30.6	184	19.8	178	19.1
White	2,064	123	20.4	98	16.2	78	12.9
Nonwhite	1,209	162	49.5	86	26.3	100	30.6
Nonmetropolitan counties	17,375	1,389	32.6	876	20.6	878	20.6
White	11,616	680	25.0	499	18.4	392	14.4
Nonwhite	5,759	709	46.0	377	24.5	486	31.5
Urban	5,579	451	32.6	300	21.7	254	18.4
White	3,695	231	24.2	179	18.7	141	14.7
Nonwhite	1,884	220	51.6	121	28.4	113	26.5
Rural	11,796	938	32.6	576	20.0	624	21.7
White	7,921	449	25.5	320	18.2	251	14.3
Nonwhite	3,875	489	43.9	256	23.0	373	33.5
ALASKA	1,303	262	34.2	142	18.6	94	12.3
White	834	114	22.2	97	16.9	44	8.6
Nonwhite	469	148	59.0	55	21.9	50	19.9
Urban	483	68	26.8	44	17.4	32	12.6
White	382	48	24.8	34	17.5	23	11.9
Nonwhite	101	20	33.6	10	16.8	9	15.1
Rural	820	194	37.9	98	19.1	62	12.1
White	452	66	20.6	53	16.5	21	6.6
Nonwhite	368	128	66.9	45	23.5	41	21.4
Nonmetropolitan election districts[1]	1,303	262	34.2	142	18.6	94	12.3
White	834	114	22.2	97	16.9	44	8.6
Nonwhite	469	148	59.0	55	21.9	50	19.9
Urban	483	68	26.8	44	17.4	32	12.6
White	382	48	24.8	34	17.5	23	11.9
Nonwhite	101	20	33.6	10	16.8	9	15.1
Rural	820	194	37.9	98	19.1	62	12.1
White	452	66	20.6	53	16.5	21	6.6
Nonwhite	368	128	66.9	45	23.5	41	21.4
ARIZONA	11,177	1,079	26.5	677	17.9	503	13.3
White	9,890	772	24.3	543	17.1	402	12.7
Nonwhite	1,287	307	50.0	134	21.8	101	16.4

[1] County equivalents.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
ARIZONA—Con.							
Urban	8,499	657	24.8	457	17.3	347	13.1
White	7,991	571	23.4	404	16.5	311	12.7
Nonwhite	508	86	42.2	53	26.0	36	17.7
Rural	2,678	422	37.0	220	19.3	156	13.7
White	1,899	201	27.6	139	19.1	91	12.5
Nonwhite	779	221	53.8	81	19.7	65	15.8
Metropolitan counties	7,942	621	24.1	438	17.0	328	12.8
White	7,383	520	22.1	375	16.0	286	12.2
Nonwhite	559	101	45.4	63	28.3	42	18.9
Urban	7,001	510	23.1	365	16.5	277	12.5
White	6,592	442	21.6	318	15.6	249	12.2
Nonwhite	409	68	41.4	47	28.6	28	17.1
Rural	941	111	30.4	73	20.0	51	14.0
White	791	78	25.5	57	18.6	37	12.1
Nonwhite	150	33	56.7	16	27.5	14	24.1
Nonmetropolitan counties	3,235	458	37.7	239	19.7	175	14.4
White	2,507	252	30.7	168	20.4	116	14.1
Nonwhite	728	206	52.5	71	18.1	59	15.0
Urban	1,498	147	33.5	92	21.0	70	16.0
White	1,399	129	32.3	86	21.5	62	15.5
Nonwhite	99	18	45.7	6	15.2	8	20.3
Rural	1,737	311	40.1	147	19.0	105	13.5
White	1,108	123	29.1	82	19.4	54	12.8
Nonwhite	629	188	53.3	65	18.4	51	14.5
ARKANSAS	18,859	1,207	28.8	804	19.2	741	17.7
White	14,298	731	24.3	535	17.8	410	13.7
Nonwhite	4,561	476	39.8	269	22.5	331	27.7
Urban	8,661	555	28.5	398	20.4	351	18.0
White	6,392	350	24.6	278	19.5	201	14.1
Nonwhite	2,269	205	39.0	120	22.8	150	28.6
Rural	10,198	652	29.0	406	18.1	390	17.4
White	7,906	381	24.2	257	16.3	209	13.3
Nonwhite	2,292	271	40.4	149	22.2	181	27.0
Metropolitan counties	3,454	249	27.0	192	20.9	160	17.3
White	2,587	171	24.1	140	19.7	94	13.2
Nonwhite	867	78	37.2	52	24.8	66	31.5
Urban	2,844	204	27.6	156	21.1	125	16.9
White	2,147	145	25.1	118	20.4	72	12.5
Nonwhite	697	59	36.6	38	23.6	53	32.9
Rural	610	45	24.8	36	19.8	35	19.3
White	440	26	19.5	22	16.5	22	16.5
Nonwhite	170	19	38.9	14	28.7	13	26.6
Nonmetropolitan counties	15,405	958	29.2	612	18.7	581	17.7
White	11,711	560	24.4	395	17.2	316	13.8
Nonwhite	3,694	398	40.4	217	22.0	265	26.9
Urban	5,817	351	29.0	242	20.0	226	18.7
White	4,245	205	24.2	160	18.9	129	15.2
Nonwhite	1,572	146	40.1	82	22.5	97	26.6
Rural	9,588	607	29.4	370	17.9	355	17.2
White	7,466	355	24.6	235	16.3	187	13.0
Nonwhite	2,122	252	40.6	135	21.7	168	27.0
CALIFORNIA	141,395	8,688	22.9	6,456	17.0	4,742	12.5
White	132,142	7,328	21.9	5,467	16.3	3,962	11.8
Nonwhite	9,253	1,360	30.7	989	22.3	780	17.6
Urban	109,185	6,273	22.9	4,705	17.1	3,571	13.0
White	101,438	5,132	21.6	3,864	16.3	2,906	12.2
Nonwhite	7,747	1,141	30.9	841	22.8	665	18.0
Rural	32,210	2,415	23.1	1,751	16.8	1,171	11.2
White	30,704	2,196	22.6	1,603	16.5	1,056	10.9
Nonwhite	1,506	219	29.7	148	20.0	115	15.6
Metropolitan counties	120,937	7,448	22.7	5,579	17.0	4,123	12.6
White	112,390	6,181	21.6	4,655	16.3	3,388	11.8
Nonwhite	8,547	1,267	30.5	924	22.3	735	17.7
Urban	99,485	5,648	22.4	4,247	16.9	3,269	13.0
White	92,059	4,567	21.1	3,451	16.0	2,632	12.2
Nonwhite	7,426	1,081	30.3	796	22.3	637	17.9
Rural	21,452	1,800	23.7	1,332	17.5	854	11.2
White	20,331	1,614	23.0	1,204	17.2	756	10.8
Nonwhite	1,121	186	31.8	128	21.9	98	16.8
Nonmetropolitan counties	20,458	1,240	24.1	877	17.1	619	12.1
White	19,752	1,147	23.6	812	16.7	574	11.8
Nonwhite	706	93	32.7	65	22.8	45	15.8
Urban	9,700	625	27.3	458	20.0	302	13.2
White	9,379	565	26.2	413	19.2	274	12.7
Nonwhite	321	60	45.6	45	34.2	28	21.3
Rural	10,758	615	21.6	419	14.7	317	11.1
White	10,373	582	21.6	399	14.8	300	11.1
Nonwhite	385	33	21.5	20	13.1	17	11.1
COLORADO	16,005	1,099	25.2	810	18.6	770	17.6
White	15,489	1,022	24.4	753	18.0	739	17.6
Nonwhite	516	77	45.5	57	33.6	31	18.3

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
COLORADO—Con.							
Urban	11,441	744	26.9	566	20.4	515	18.6
White	10,988	680	26.0	515	19.7	485	18.5
Nonwhite	453	64	42.2	51	33.6	30	19.8
Rural	4,564	355	22.2	244	15.3	255	16.0
White	4,501	342	21.7	238	15.1	254	16.1
Nonwhite	63	13	73.0	6	33.7	1	5.6
Metropolitan counties	10,396	781	25.5	589	19.3	556	18.2
White	9,932	713	24.5	534	18.4	526	18.1
Nonwhite	464	68	44.4	55	35.9	30	19.6
Urban	8,840	601	27.1	457	20.6	430	19.4
White	8,397	538	26.0	407	19.6	400	19.3
Nonwhite	443	63	42.9	50	34.0	30	20.4
Rural	1,556	180	21.4	132	15.7	126	15.0
White	1,535	175	21.0	127	15.2	126	15.1
Nonwhite	21	5	83.3	5	83.3	-	-
Nonmetropolitan counties	5,609	518	24.4	221	16.9	214	16.4
White	5,557	509	24.0	219	17.0	213	16.5
Nonwhite	52	9	54.9	2	12.2	1	6.1
Urban	2,601	143	26.0	109	19.8	85	15.5
White	2,591	142	26.1	108	19.8	85	15.6
Nonwhite	10	1	21.7	1	21.7	-	-
Rural	3,008	175	23.2	112	14.8	129	17.1
White	2,966	167	22.5	111	14.9	128	17.2
Nonwhite	42	8	67.8	1	8.5	1	8.5
CONNECTICUT	24,883	1,259	22.7	990	17.8	744	13.4
White	23,895	1,074	21.0	854	16.7	650	12.7
Nonwhite	988	185	41.2	136	30.3	94	20.9
Urban	16,670	845	23.5	666	18.5	487	13.5
White	15,777	669	21.1	536	16.9	397	12.5
Nonwhite	893	176	41.3	130	30.5	90	21.1
Rural	8,213	414	21.2	324	16.6	257	13.2
White	8,118	405	21.0	318	16.5	253	13.1
Nonwhite	95	9	39.5	6	26.3	4	17.5
Metropolitan counties	19,713	1,019	23.7	806	18.7	598	13.9
White	18,794	851	21.9	683	17.6	509	13.1
Nonwhite	919	168	40.6	123	29.7	89	21.5
Urban	14,629	756	24.0	598	19.0	432	13.7
White	13,787	595	21.7	479	17.4	346	12.6
Nonwhite	842	161	40.1	119	29.6	86	21.4
Rural	5,084	263	22.8	208	18.0	166	14.4
White	5,007	256	22.4	204	17.9	163	14.3
Nonwhite	77	7	56.5	4	32.3	3	24.2
Nonmetropolitan counties	5,170	240	19.1	184	14.7	146	11.6
White	5,101	223	18.3	171	14.0	141	11.6
Nonwhite	69	17	48.6	13	37.1	5	14.3
Urban	2,041	89	19.6	68	15.0	55	12.1
White	1,990	74	17.3	57	13.3	51	11.9
Nonwhite	51	15	61.0	11	44.7	4	16.3
Rural	3,129	151	18.9	116	14.5	91	11.4
White	3,111	149	18.9	114	14.4	90	11.4
Nonwhite	18	2	19.2	2	19.2	1	9.6
DELAWARE	4,252	245	21.5	178	15.7	167	14.7
White	3,516	163	17.9	131	14.4	118	12.9
Nonwhite	736	82	36.4	47	20.9	49	21.8
Urban	1,929	74	22.3	52	15.7	55	16.6
White	1,501	41	18.8	31	14.2	29	13.3
Nonwhite	428	33	28.9	21	18.4	26	22.8
Rural	2,323	171	21.2	126	15.7	112	13.9
White	2,015	122	17.6	100	14.4	89	12.8
Nonwhite	308	49	44.1	26	23.4	23	20.7
Metropolitan counties	2,807	130	17.4	104	13.9	117	15.6
White	2,376	94	15.1	79	12.7	86	13.8
Nonwhite	431	36	28.4	25	19.7	31	24.4
Urban	1,554	54	21.0	40	15.6	42	16.3
White	1,220	27	16.7	21	13.0	19	11.7
Nonwhite	334	27	28.4	19	20.0	23	24.2
Rural	1,253	76	15.5	64	13.0	75	15.3
White	1,156	67	14.6	58	12.6	67	14.6
Nonwhite	97	9	28.5	6	19.0	8	25.3
Nonmetropolitan counties	1,445	115	29.6	74	19.1	50	12.9
White	1,140	69	23.8	52	17.9	32	11.0
Nonwhite	305	46	46.8	22	22.4	18	18.3
Urban	375	20	26.7	12	16.0	13	17.3
White	281	14	24.9	10	17.8	10	17.8
Nonwhite	94	6	31.9	2	10.6	3	16.0
Rural	1,070	95	30.3	62	19.8	37	11.8
White	859	55	23.5	42	17.9	22	9.4
Nonwhite	211	40	50.4	20	25.2	15	18.9
DISTRICT OF COLUMBIA (Metropolitan)	8,906	700	34.9	523	26.0	361	18.0
White	4,527	154	26.4	126	21.6	81	13.9
Nonwhite	4,379	546	38.3	397	27.9	280	19.7

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
FLORIDA	52,877	3,289	28.5	2,284	19.8	1,799	15.6
White	43,499	1,892	22.3	1,455	17.1	1,011	11.9
Nonwhite	9,378	1,397	46.0	829	27.3	788	25.9
Urban	33,640	1,726	29.0	1,242	20.8	986	16.5
White	27,346	891	22.3	713	17.8	471	11.8
Nonwhite	6,294	835	42.6	529	27.0	515	26.3
Rural	19,237	1,563	28.1	1,042	18.7	813	14.6
White	16,153	1,001	22.3	742	16.5	540	12.0
Nonwhite	3,084	562	52.2	300	27.9	273	25.4
Metropolitan counties	34,556	2,045	27.6	1,437	19.4	1,125	15.2
White	29,119	1,227	22.1	938	16.9	644	11.6
Nonwhite	5,437	818	44.0	499	26.8	481	25.9
Urban	24,631	1,162	28.6	839	20.6	669	16.5
White	20,469	604	22.2	483	17.8	317	11.7
Nonwhite	4,162	558	41.4	356	26.4	352	26.1
Rural	9,925	883	26.3	598	17.8	456	13.6
White	8,650	623	21.9	455	16.0	327	11.5
Nonwhite	1,275	260	51.0	143	28.0	129	25.3
Nonmetropolitan counties	18,321	1,244	30.3	847	20.6	674	16.4
White	14,380	665	22.7	517	17.7	367	12.5
Nonwhite	3,941	579	49.2	330	28.0	307	26.1
Urban	9,009	564	29.8	403	21.3	317	16.8
White	6,877	287	22.4	230	18.0	154	12.0
Nonwhite	2,132	277	45.3	173	28.3	163	26.6
Rural	9,312	680	30.7	444	20.1	357	16.1
White	7,503	378	22.9	287	17.4	213	12.9
Nonwhite	1,809	302	53.4	157	27.8	144	25.5
GEORGIA	36,069	2,989	30.1	1,929	19.4	1,958	19.7
White	23,539	1,425	22.3	1,063	16.6	978	15.3
Nonwhite	12,530	1,564	44.4	866	24.6	980	27.8
Urban	19,890	1,632	32.2	1,138	22.5	1,065	21.0
White	12,203	785	25.2	619	19.9	521	16.7
Nonwhite	7,687	847	43.5	519	26.6	544	27.9
Rural	16,179	1,357	28.0	791	16.3	893	18.4
White	11,336	640	19.5	444	13.6	457	14.0
Nonwhite	4,843	717	45.5	347	22.0	436	27.7
Metropolitan counties	15,470	1,249	25.8	900	18.6	863	17.8
White	10,068	691	20.4	543	16.0	470	13.9
Nonwhite	5,402	558	38.5	357	24.7	393	27.1
Urban	12,461	992	29.4	732	21.7	671	19.9
White	7,687	531	24.9	425	19.9	328	15.4
Nonwhite	4,774	461	37.1	307	24.7	343	27.6
Rural	3,009	257	17.6	168	11.5	192	13.1
White	2,381	160	12.7	118	9.4	142	11.3
Nonwhite	628	97	47.2	50	24.3	50	24.3
Nonmetropolitan counties	20,599	1,740	34.2	1,029	20.2	1,095	21.5
White	13,471	734	24.4	520	17.3	508	16.9
Nonwhite	7,128	1,006	48.4	509	24.5	587	28.2
Urban	7,429	640	37.8	406	24.0	394	23.2
White	4,516	254	25.7	194	19.6	193	19.5
Nonwhite	2,913	386	54.6	212	30.0	201	28.4
Rural	13,170	1,100	32.5	623	18.4	701	20.7
White	8,955	480	23.8	326	16.2	315	15.6
Nonwhite	4,215	620	45.2	297	21.7	386	28.2
HAWAII	3,532	375	20.8	299	16.6	239	13.3
White	995	101	18.3	82	14.9	67	12.2
Nonwhite	2,537	274	22.0	217	17.4	172	13.8
Urban	1,853	194	22.4	155	17.9	112	13.0
White	543	43	20.2	35	16.4	25	11.7
Nonwhite	1,310	151	23.2	120	18.4	87	13.4
Rural	1,679	181	19.4	144	15.4	127	13.6
White	452	58	17.2	47	13.9	42	12.4
Nonwhite	1,227	123	20.6	97	16.3	85	14.2
Metropolitan counties	2,551	315	20.7	255	16.8	186	12.2
White	808	96	18.6	78	15.1	64	12.4
Nonwhite	1,743	219	21.8	177	17.6	122	12.1
Urban	1,673	179	22.2	145	17.9	102	12.6
White	510	43	20.9	35	17.0	24	11.7
Nonwhite	1,163	136	22.6	110	18.3	78	13.0
Rural	878	136	19.0	110	15.4	84	11.8
White	298	53	17.0	43	13.8	40	12.9
Nonwhite	580	83	20.6	67	16.6	44	10.9
Nonmetropolitan counties	981	60	21.7	44	15.9	53	19.2
White	187	5	14.5	4	11.6	3	8.7
Nonwhite	794	55	22.7	40	16.5	50	20.6
Urban	180	15	26.6	10	17.7	10	17.7
White	33	-	-	-	-	1	13.2
Nonwhite	147	15	30.7	10	20.5	9	18.4
Rural	801	45	20.4	34	15.4	43	19.5
White	154	5	18.7	4	14.9	2	7.5
Nonwhite	647	40	20.7	30	15.5	41	21.2

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
IDAHO	5,587	395	24.1	290	17.7	163	9.9
White	5,488	387	24.1	287	17.9	158	9.8
Nonwhite	99	8	23.5	3	8.8	5	14.7
Urban	3,037	210	22.6	153	16.5	90	9.7
White	3,007	208	22.7	152	16.6	89	9.7
Nonwhite	30	2	14.1	1	7.0	1	7.0
Rural	2,550	185	26.0	137	19.3	73	10.3
White	2,481	179	25.9	135	19.6	69	10.0
Nonwhite	69	6	30.3	2	10.1	4	20.2
Nonmetropolitan counties	5,587	395	24.1	290	17.7	163	9.9
White	5,488	387	24.1	287	17.9	158	9.8
Nonwhite	99	8	23.5	3	8.8	5	14.7
Urban	3,037	210	22.6	153	16.5	90	9.7
White	3,007	208	22.7	152	16.6	89	9.7
Nonwhite	30	2	14.1	1	7.0	1	7.0
Rural	2,550	185	26.0	137	19.3	73	10.3
White	2,481	179	25.9	135	19.6	69	10.0
Nonwhite	69	6	30.3	2	10.1	4	20.2
ILLINOIS	104,649	5,538	24.0	4,078	17.7	3,401	14.7
White	93,613	4,087	21.3	3,091	16.1	2,500	13.0
Nonwhite	11,036	1,451	37.5	987	25.5	901	23.3
Urban	83,912	4,573	25.2	3,367	18.5	2,757	15.2
White	73,181	3,147	21.9	2,399	16.7	1,885	13.1
Nonwhite	10,731	1,426	37.9	968	25.7	872	23.1
Rural	20,737	965	19.6	711	14.4	644	13.1
White	20,432	940	19.5	692	14.3	615	12.7
Nonwhite	305	25	24.5	19	18.6	29	28.4
Metropolitan counties	77,480	4,533	24.5	3,322	18.0	2,739	14.8
White	67,080	3,130	21.3	2,367	16.1	1,872	12.7
Nonwhite	10,400	1,403	37.4	955	25.5	867	23.1
Urban	70,750	4,089	25.5	3,012	18.8	2,449	15.3
White	60,454	2,702	21.8	2,070	16.7	1,599	12.9
Nonwhite	10,296	1,387	37.7	942	25.6	850	23.1
Rural	6,730	444	18.4	310	12.8	290	12.0
White	6,626	428	18.3	297	12.7	273	11.7
Nonwhite	104	16	22.7	13	18.5	17	24.1
Nonmetropolitan counties	27,169	1,005	21.8	756	16.4	662	14.3
White	26,533	957	21.3	724	16.1	628	13.9
Nonwhite	636	48	40.7	32	27.2	34	28.9
Urban	13,162	484	23.0	355	16.9	308	14.6
White	12,727	445	22.0	329	16.3	286	14.2
Nonwhite	435	39	45.2	26	30.2	22	25.5
Rural	14,007	521	20.7	401	15.9	354	14.1
White	13,806	512	20.6	395	15.9	342	13.8
Nonwhite	201	9	28.5	6	19.0	12	38.5
INDIANA	46,037	2,524	23.2	1,892	17.4	1,566	14.4
White	43,235	2,192	21.9	1,653	16.5	1,349	13.5
Nonwhite	2,802	332	38.0	239	27.4	217	24.8
Urban	28,751	1,698	25.1	1,287	19.0	1,075	15.9
White	26,043	1,378	23.2	1,056	17.8	863	14.6
Nonwhite	2,708	320	37.9	231	27.4	212	25.1
Rural	17,286	826	20.2	605	14.8	491	12.0
White	17,192	814	20.0	597	14.7	486	12.0
Nonwhite	94	12	40.5	8	27.0	5	16.9
Metropolitan counties	20,526	1,334	24.8	1,002	18.6	849	15.8
White	18,064	1,045	22.7	793	17.2	654	14.2
Nonwhite	2,462	289	37.4	209	27.1	195	25.3
Urban	17,047	1,124	26.0	849	19.7	743	17.2
White	14,629	840	23.6	641	18.0	549	15.4
Nonwhite	2,418	284	37.4	208	27.4	194	25.6
Rural	3,479	210	19.7	153	14.3	106	9.9
White	3,435	205	19.5	152	14.4	105	10.0
Nonwhite	44	5	39.1	1	7.8	1	7.8
Nonmetropolitan counties	25,511	1,190	21.7	890	16.2	717	13.1
White	25,171	1,147	21.3	860	16.0	695	12.9
Nonwhite	340	43	42.3	30	29.5	22	21.7
Urban	11,704	574	23.4	438	17.8	332	13.5
White	11,414	538	22.7	415	17.5	314	13.3
Nonwhite	290	36	42.5	23	27.1	18	21.2
Rural	13,807	616	20.4	452	14.9	385	12.7
White	13,757	609	20.2	445	14.8	381	12.7
Nonwhite	50	7	41.7	7	41.7	4	23.8
IOWA	28,666	1,206	19.8	915	15.0	692	11.3
White	28,350	1,170	19.5	889	14.8	672	11.2
Nonwhite	316	36	34.2	26	24.7	20	19.0
Urban	15,673	711	21.1	551	16.3	374	11.1
White	15,382	677	20.7	527	16.1	357	10.9
Nonwhite	291	34	34.2	24	24.1	17	17.1
Rural	12,993	495	18.2	364	13.4	318	11.7
White	12,968	493	18.1	362	13.3	315	11.6
Nonwhite	25	2	33.3	2	33.3	3	50.0

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
IOWA—Con.							
Metropolitan counties	8,689	471	20.3	357	15.4	247	10.7
White	8,459	442	19.8	336	15.1	230	10.3
Nonwhite	230	29	34.0	21	24.6	17	20.0
Urban	7,242	386	20.7	296	15.9	210	11.3
White	7,016	357	20.1	275	15.4	194	10.9
Nonwhite	226	29	34.8	21	25.2	16	19.2
Rural	1,447	85	18.8	61	13.5	37	8.2
White	1,443	85	18.9	61	13.6	36	8.0
Nonwhite	4	-	-	-	-	1	55.6
Nonmetropolitan counties	19,977	735	19.4	558	14.7	445	11.8
White	19,891	728	19.3	553	14.7	442	11.7
Nonwhite	86	7	34.7	5	24.8	3	14.9
Urban	8,431	325	21.5	255	16.9	164	10.9
White	8,366	320	21.4	252	16.9	163	10.9
Nonwhite	65	5	31.3	3	18.8	1	6.3
Rural	11,546	410	18.0	303	13.3	281	12.4
White	11,525	408	18.0	301	13.3	279	12.3
Nonwhite	21	2	47.6	2	47.6	2	47.6
KANSAS	21,734	1,086	22.3	815	16.8	567	11.7
White	20,614	973	21.4	744	16.4	511	11.2
Nonwhite	1,120	113	35.7	71	22.4	56	17.7
Urban	12,594	728	23.6	555	18.0	352	11.4
White	11,570	620	22.2	488	17.5	299	10.7
Nonwhite	1,024	108	36.7	67	22.8	53	18.0
Rural	9,140	358	20.1	260	14.6	215	12.1
White	9,044	353	20.1	256	14.6	212	12.1
Nonwhite	96	5	22.5	4	18.0	3	13.5
Metropolitan counties	6,498	464	22.7	353	17.3	241	11.8
White	5,803	390	21.4	301	16.5	202	11.1
Nonwhite	695	74	33.6	52	23.6	39	17.7
Urban	5,523	369	23.2	284	17.9	183	11.5
White	4,850	298	21.7	234	17.0	146	10.6
Nonwhite	673	71	33.3	50	23.4	37	17.3
Rural	975	95	21.0	69	15.3	58	12.8
White	953	92	20.7	67	15.0	56	12.6
Nonwhite	22	3	44.1	2	29.4	2	29.4
Nonmetropolitan counties	15,236	622	22.0	462	16.4	326	11.5
White	14,811	583	21.4	443	16.2	309	11.3
Nonwhite	425	39	40.5	19	19.8	17	17.7
Urban	7,071	359	24.0	271	18.1	169	11.3
White	6,720	322	22.7	254	17.9	153	10.8
Nonwhite	351	37	45.8	17	21.0	16	19.8
Rural	8,165	263	19.8	191	14.4	157	11.8
White	8,091	261	19.9	189	14.4	156	11.9
Nonwhite	74	2	13.0	2	13.0	1	6.5
KENTUCKY	30,463	1,876	26.9	1,343	19.2	960	13.7
White	27,311	1,601	25.1	1,157	18.1	830	13.0
Nonwhite	3,152	275	45.6	186	30.8	130	21.5
Urban	13,899	805	29.7	604	22.3	395	14.6
White	11,579	603	26.5	470	20.6	296	13.0
Nonwhite	2,320	202	46.6	134	30.9	99	22.8
Rural	16,564	1,071	25.1	739	17.3	565	13.2
White	15,732	998	24.3	687	16.8	534	13.0
Nonwhite	832	73	42.9	52	30.6	31	18.2
Metropolitan counties	10,531	664	26.4	500	19.9	348	13.8
White	8,980	537	24.4	407	18.5	284	12.9
Nonwhite	1,551	127	40.5	93	29.7	64	20.4
Urban	8,148	470	28.9	355	21.9	251	15.5
White	6,719	354	26.6	271	20.3	188	14.1
Nonwhite	1,429	116	39.9	84	28.9	63	21.7
Rural	2,383	194	21.8	145	16.3	97	10.9
White	2,261	183	21.1	136	15.7	96	11.1
Nonwhite	122	11	48.2	9	39.5	1	4.4
Nonmetropolitan counties	19,932	1,212	27.1	843	18.9	612	13.7
White	18,331	1,064	25.5	750	18.0	546	13.1
Nonwhite	1,601	148	51.0	93	32.1	66	22.8
Urban	5,751	335	30.8	249	22.9	144	13.2
White	4,860	249	26.3	199	21.1	108	11.4
Nonwhite	891	86	60.2	50	35.0	36	25.2
Rural	14,181	877	25.9	594	17.6	468	13.8
White	13,471	815	25.2	551	17.0	438	13.5
Nonwhite	710	62	42.1	43	29.2	30	20.4
LOUISIANA	30,415	2,755	31.3	1,925	21.9	1,439	16.3
White	18,880	1,167	21.8	914	17.1	589	11.0
Nonwhite	11,535	1,588	45.9	1,011	29.2	850	24.5
Urban	18,028	1,556	31.5	1,150	23.3	787	15.9
White	11,148	670	23.0	540	18.5	319	10.9
Nonwhite	6,880	886	43.9	610	30.2	468	23.2
Rural	12,387	1,199	31.0	775	20.0	652	16.8
White	7,732	497	20.4	374	15.4	270	11.1
Nonwhite	4,655	702	48.7	401	27.8	382	26.5

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
LOUISIANA—Con.							
Metropolitan parishes[1]	14,978	1,247	28.8	929	21.4	628	14.5
White	9,463	549	20.7	438	16.5	251	9.5
Nonwhite	5,515	698	41.3	491	29.1	377	22.3
Urban	12,238	981	30.5	750	23.3	476	14.8
White	7,636	412	22.4	333	18.1	176	9.6
Nonwhite	4,602	569	41.4	417	30.4	300	21.8
Rural	2,740	266	23.7	179	16.0	152	13.6
White	1,827	137	17.0	105	13.0	75	9.3
Nonwhite	913	129	40.9	74	23.4	77	24.4
Nonmetropolitan parishes[1]	15,437	1,508	33.7	996	22.3	811	18.1
White	9,417	618	22.9	476	17.6	338	12.5
Nonwhite	6,020	890	50.2	520	29.3	473	26.7
Urban	5,790	575	33.4	400	23.2	311	18.1
White	3,512	258	24.0	207	19.3	143	13.3
Nonwhite	2,278	317	49.0	193	29.8	168	26.0
Rural	9,647	933	33.9	596	21.7	500	18.2
White	5,905	360	22.2	269	16.6	195	12.0
Nonwhite	3,742	573	50.8	327	29.0	305	27.1
MAINE	11,096	581	25.3	413	18.0	352	15.3
White	11,056	572	25.2	408	18.0	346	15.3
Nonwhite	40	9	32.8	5	18.2	6	21.9
Urban	4,302	204	24.5	149	17.9	110	13.2
White	4,282	199	24.3	145	17.7	109	13.3
Nonwhite	20	5	46.3	4	37.0	1	9.3
Rural	6,794	377	25.6	264	18.1	242	16.5
White	6,774	373	25.6	263	18.2	237	16.4
Nonwhite	20	4	24.1	1	6.0	5	30.1
Metropolitan counties	2,187	110	25.3	79	18.2	69	15.9
White	2,179	109	25.3	79	18.3	67	15.5
Nonwhite	8	1	29.4	-	-	2	58.8
Urban	1,426	74	30.5	56	23.1	34	14.0
White	1,420	74	30.8	56	23.3	33	13.7
Nonwhite	6	-	-	-	-	1	45.5
Rural	761	36	18.7	23	12.0	35	18.2
White	759	35	18.3	23	12.0	34	17.8
Nonwhite	2	1	83.3	-	-	1	83.3
Nonmetropolitan counties	8,909	471	25.3	334	18.0	283	15.2
White	8,877	463	25.2	329	17.9	279	15.2
Nonwhite	32	8	33.3	5	20.8	4	16.7
Urban	2,876	130	22.1	93	15.8	76	12.9
White	2,862	125	21.6	89	15.4	76	13.1
Nonwhite	14	5	58.1	4	46.5	-	-
Rural	6,033	341	26.8	241	19.0	207	16.3
White	6,015	338	26.9	240	19.1	203	16.2
Nonwhite	18	3	19.5	1	6.5	4	26.0
MARYLAND	28,415	2,041	26.8	1,548	20.3	1,216	16.0
White	22,868	1,323	22.4	1,048	17.7	826	14.0
Nonwhite	5,547	718	42.5	500	29.6	390	23.1
Urban	15,636	1,052	30.7	813	23.7	599	17.5
White	11,637	562	25.3	457	20.5	324	14.6
Nonwhite	3,999	490	40.9	356	29.7	275	22.9
Rural	12,779	989	23.6	735	17.6	617	14.7
White	11,231	761	20.6	591	16.0	502	13.6
Nonwhite	1,548	228	46.3	144	29.2	115	23.3
Metropolitan counties	21,369	1,594	26.7	1,228	20.5	927	15.5
White	16,966	1,032	22.4	824	17.9	610	13.3
Nonwhite	4,403	562	40.8	404	29.3	317	23.0
Urban	13,122	913	30.8	703	23.7	530	17.9
White	9,428	456	24.8	370	20.2	269	14.7
Nonwhite	3,694	457	40.4	333	29.4	261	23.1
Rural	8,247	681	22.6	525	17.4	397	13.2
White	7,538	576	20.8	454	16.4	341	12.3
Nonwhite	709	105	42.9	71	29.0	56	22.9
Nonmetropolitan counties	7,046	447	27.4	320	19.6	289	17.7
White	5,902	291	22.0	224	17.0	216	16.4
Nonwhite	1,144	156	49.7	96	30.6	73	23.2
Urban	2,514	139	30.5	110	24.1	69	15.1
White	2,209	106	27.2	87	22.4	55	14.1
Nonwhite	305	33	49.7	23	34.6	14	21.1
Rural	4,532	308	26.1	210	17.8	220	18.7
White	3,693	185	19.9	137	14.7	161	17.3
Nonwhite	839	123	49.7	73	29.5	59	23.8
MASSACHUSETTS	56,512	2,443	21.8	1,855	16.5	1,391	12.4
White	55,283	2,288	21.3	1,749	16.3	1,305	12.1
Nonwhite	1,229	155	33.2	106	22.7	86	18.4
Urban	42,822	1,710	21.6	1,292	16.3	1,020	12.9
White	41,714	1,568	21.0	1,195	16.0	941	12.6
Nonwhite	1,108	142	32.6	97	22.3	79	18.2
Rural	13,690	733	22.1	563	17.0	371	11.2
White	13,569	720	21.9	554	16.9	364	11.1
Nonwhite	121	13	40.6	9	28.1	7	21.9

[1] County equivalents.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MASSACHUSETTS—Con.							
Metropolitan counties	54,868	2,380	21.8	1,808	16.5	1,365	12.5
White	53,676	2,226	21.3	1,702	16.3	1,281	12.2
Nonwhite	1,192	154	33.5	106	23.0	84	18.3
Urban	42,822	1,710	21.6	1,292	16.3	1,020	12.9
White	41,714	1,568	21.0	1,195	16.0	941	12.6
Nonwhite	1,108	142	32.6	97	22.3	79	18.2
Rural	12,046	670	22.1	516	17.0	345	11.4
White	11,962	658	21.9	507	16.9	340	11.3
Nonwhite	84	12	48.0	9	36.0	5	20.0
Nonmetropolitan counties	1,644	63	22.1	47	16.5	26	9.1
White	1,607	62	22.3	47	16.9	24	8.6
Nonwhite	37	1	14.3	-	-	2	28.6
Urban	...	...	...	...	...	...	...
White	...	...	...	...	...	...	...
Nonwhite	...	...	...	...	...	...	...
Rural	1,644	63	22.1	47	16.5	26	9.1
White	1,607	62	22.3	47	16.9	24	8.6
Nonwhite	37	1	14.3	-	-	2	28.6
MICHIGAN	70,035	4,392	24.0	3,276	17.9	2,737	15.0
White	64,000	3,650	22.4	2,736	16.8	2,212	13.6
Nonwhite	6,035	742	36.8	540	26.8	525	26.0
Urban	47,266	2,884	24.0	2,212	18.4	1,759	14.6
White	41,637	2,194	21.7	1,703	16.8	1,261	12.4
Nonwhite	5,629	690	36.2	509	26.7	498	26.1
Rural	22,769	1,508	24.1	1,064	17.0	978	15.6
White	22,363	1,456	23.7	1,033	16.8	951	15.5
Nonwhite	406	52	47.1	31	28.1	27	24.5
Metropolitan counties	48,472	3,164	23.8	2,398	18.0	1,990	14.9
White	42,914	2,483	21.7	1,892	16.5	1,503	13.1
Nonwhite	5,558	681	36.4	506	27.1	487	26.0
Urban	39,393	2,459	24.0	1,887	18.4	1,516	14.8
White	33,968	1,796	21.3	1,396	16.5	1,043	12.3
Nonwhite	5,425	663	36.5	491	27.0	473	26.0
Rural	9,079	705	23.1	511	16.8	474	15.5
White	8,946	687	22.9	496	16.6	460	15.3
Nonwhite	133	18	33.6	15	28.0	14	26.1
Nonmetropolitan counties	21,563	1,228	24.7	878	17.6	747	15.0
White	21,086	1,167	24.1	844	17.5	709	14.7
Nonwhite	477	61	41.8	34	23.3	38	26.0
Urban	7,873	425	24.0	325	18.3	243	13.7
White	7,669	398	23.6	307	18.2	218	12.9
Nonwhite	204	27	30.3	18	20.2	25	28.0
Rural	13,690	803	25.0	553	17.2	504	15.7
White	13,417	769	24.4	537	17.0	491	15.6
Nonwhite	273	34	59.9	16	28.2	13	22.9
MINNESOTA	31,825	1,772	20.9	1,330	15.7	1,041	12.3
White	31,448	1,716	20.6	1,297	15.6	1,010	12.2
Nonwhite	377	56	33.9	33	20.0	31	18.7
Urban	19,596	1,159	22.1	863	16.5	613	11.7
White	19,335	1,122	21.9	838	16.3	597	11.6
Nonwhite	261	37	33.3	25	22.5	16	14.4
Rural	12,229	613	19.0	467	14.4	428	13.2
White	12,113	594	18.7	459	14.4	413	13.0
Nonwhite	116	19	34.9	8	14.7	15	27.6
Metropolitan counties	15,506	958	20.7	706	15.3	538	11.6
White	15,247	923	20.5	681	15.1	523	11.6
Nonwhite	259	35	31.9	25	22.8	15	13.7
Urban	13,964	843	21.1	612	15.3	444	11.1
White	13,713	808	20.8	587	15.1	430	11.1
Nonwhite	251	35	33.2	25	23.7	14	13.3
Rural	1,542	115	18.4	94	15.0	94	15.0
White	1,534	115	18.5	94	15.1	93	15.0
Nonwhite	8	-	-	-	-	1	22.7
Nonmetropolitan counties	16,319	814	21.1	624	16.2	503	13.0
White	16,201	793	20.9	616	16.2	487	12.8
Nonwhite	118	21	37.8	8	14.4	16	28.8
Urban	5,632	316	25.3	251	20.1	169	13.5
White	5,622	314	25.2	251	20.1	167	13.4
Nonwhite	10	2	35.7	-	-	2	35.7
Rural	10,687	498	19.1	373	14.3	334	12.8
White	10,579	479	18.7	365	14.3	320	12.5
Nonwhite	108	19	38.0	8	16.0	14	28.0
MISSISSIPPI	22,730	2,358	40.0	1,457	24.7	1,589	27.0
White	11,895	708	25.7	552	20.1	461	16.8
Nonwhite	10,835	1,650	52.6	905	28.8	1,128	35.9
Urban	8,468	846	37.8	563	25.1	581	25.9
White	4,535	305	25.2	250	20.7	243	20.1
Nonwhite	3,933	541	52.5	313	30.4	338	32.8
Rural	14,262	1,512	41.4	894	24.5	1,008	27.6
White	7,360	403	26.2	302	19.6	218	14.1
Nonwhite	6,902	1,109	52.6	592	28.1	790	37.5

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
MISSISSIPPI—Con.							
Metropolitan counties	1,665	188	34.7	126	23.3	132	24.4
White	812	69	27.1	57	22.4	53	20.8
Nonwhite	853	119	41.5	69	24.0	79	27.5
Urban	1,293	142	34.0	100	23.9	108	25.8
White	685	57	26.7	48	22.5	49	23.0
Nonwhite	608	85	41.5	52	25.4	59	28.8
Rural	372	46	37.3	26	21.1	24	19.4
White	127	12	29.3	9	22.0	4	9.8
Nonwhite	245	34	41.3	17	20.6	20	24.3
Nonmetropolitan counties	21,065	2,170	40.6	1,331	24.9	1,457	27.2
White	11,083	639	25.8	495	19.8	408	16.4
Nonwhite	9,982	1,531	53.7	836	29.3	1,049	36.8
Urban	7,175	704	38.6	463	25.4	473	26.0
White	3,850	248	24.9	202	20.3	194	19.5
Nonwhite	3,325	456	55.2	261	31.6	279	33.8
Rural	13,890	1,466	41.6	868	24.6	984	27.9
White	7,233	391	26.1	293	19.5	214	14.3
Nonwhite	6,657	1,075	53.1	575	28.4	770	38.0
MISSOURI	49,037	2,391	25.4	1,784	18.9	1,412	15.0
White	44,065	1,871	23.1	1,438	17.8	1,069	13.2
Nonwhite	4,972	520	39.1	346	26.0	343	25.8
Urban	31,291	1,639	26.2	1,246	20.0	921	14.7
White	26,800	1,184	23.5	933	18.5	608	12.1
Nonwhite	4,491	455	37.9	313	26.0	313	26.0
Rural	17,746	752	23.7	538	16.9	491	15.5
White	17,265	687	22.5	505	16.6	461	15.1
Nonwhite	481	65	50.5	33	25.6	30	23.3
Metropolitan counties	26,396	1,466	24.8	1,118	18.9	938	15.9
White	22,372	1,052	22.0	827	17.3	652	13.6
Nonwhite	4,024	414	36.8	291	25.9	286	25.4
Urban	23,457	1,264	25.4	954	19.2	759	15.3
White	19,494	856	22.1	667	17.3	475	12.3
Nonwhite	3,963	408	36.8	287	25.9	284	25.6
Rural	2,939	202	21.5	164	17.5	179	19.1
White	2,878	196	21.2	160	17.3	177	19.2
Nonwhite	61	6	35.3	4	23.5	2	11.8
Nonmetropolitan counties	22,641	925	26.4	666	19.0	474	13.5
White	21,693	819	24.8	611	18.5	417	12.6
Nonwhite	948	106	51.8	55	26.9	57	27.8
Urban	7,834	375	29.5	292	23.0	162	12.7
White	7,306	328	27.8	286	22.6	133	11.3
Nonwhite	528	47	50.5	26	28.0	29	31.2
Rural	14,807	550	24.6	374	16.7	312	13.9
White	14,387	491	23.1	345	16.2	284	13.4
Nonwhite	420	59	52.8	29	25.9	28	25.0
MONTANA	6,426	436	25.9	299	17.7	208	12.3
White	6,163	374	24.0	274	17.6	189	12.1
Nonwhite	263	62	48.8	25	19.7	19	15.0
Urban	3,396	227	26.5	163	19.0	99	11.5
White	3,328	213	25.7	159	19.2	95	11.5
Nonwhite	68	14	45.8	4	13.1	4	13.1
Rural	3,030	209	25.2	136	16.4	109	13.2
White	2,835	161	22.0	115	15.7	94	12.8
Nonwhite	195	48	49.8	21	21.8	15	15.6
Metropolitan counties	1,221	110	26.3	76	18.2	47	11.2
White	1,199	105	26.3	74	18.5	45	11.3
Nonwhite	22	5	26.9	2	10.8	2	10.8
Urban	1,024	86	26.5	61	18.4	36	10.8
White	1,007	85	26.7	60	18.8	34	10.7
Nonwhite	17	3	23.1	1	7.7	2	15.4
Rural	197	22	25.3	15	17.3	11	12.7
White	192	20	24.6	14	17.2	11	13.5
Nonwhite	5	2	35.7	1	17.9	-	-
Nonmetropolitan counties	5,205	326	25.7	223	17.6	161	12.7
White	4,964	289	23.2	200	17.3	144	12.4
Nonwhite	241	57	52.6	23	21.2	17	15.7
Urban	2,372	139	26.4	102	19.4	63	12.0
White	2,321	128	25.2	99	19.5	61	12.0
Nonwhite	51	11	62.5	3	17.0	2	11.4
Rural	2,833	187	25.2	121	16.3	98	13.2
White	2,643	141	21.7	101	15.5	83	12.8
Nonwhite	190	46	50.7	20	22.0	15	16.5
NEBRASKA	14,330	705	20.8	525	15.5	391	11.5
White	13,906	646	20.0	485	15.0	364	11.3
Nonwhite	424	59	35.9	40	24.3	27	16.4
Urban	7,827	444	21.9	347	17.1	237	11.7
White	7,452	396	21.1	309	16.4	214	11.4
Nonwhite	375	48	32.7	38	25.9	23	15.7
Rural	6,503	261	19.1	178	13.0	154	11.3
White	6,454	250	18.5	176	13.0	150	11.1
Nonwhite	49	11	61.8	2	11.2	4	22.5

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NEBRASKA—Con.							
Metropolitan counties	4,869	331	21.3	253	16.3	167	10.8
White	4,519	289	20.5	221	15.7	148	10.5
Nonwhite	350	42	30.1	32	22.9	19	13.6
Urban	4,450	289	22.1	223	17.0	151	11.5
White	4,105	247	21.1	191	16.3	132	11.3
Nonwhite	345	42	30.9	32	25.6	19	14.0
Rural	419	42	17.3	30	12.3	16	6.6
White	414	42	17.5	30	12.5	16	6.7
Nonwhite	5	-	-	-	-	-	-
Nonmetropolitan counties	9,461	374	20.3	272	14.8	224	12.2
White	9,387	357	19.6	264	14.5	216	11.9
Nonwhite	74	17	68.5	8	32.3	8	32.3
Urban	3,377	155	21.6	124	17.3	86	12.0
White	3,347	149	21.1	118	16.7	82	11.6
Nonwhite	30	6	55.6	6	55.6	4	37.0
Rural	6,084	219	19.5	148	13.2	138	12.3
White	6,040	208	18.7	146	13.1	134	12.1
Nonwhite	44	11	78.6	2	14.3	4	28.6
NEVADA	2,713	257	29.7	198	22.9	145	16.8
White	2,494	219	28.8	170	22.4	115	15.1
Nonwhite	219	38	36.3	28	26.7	30	28.6
Urban	1,950	193	29.8	150	23.2	98	15.2
White	1,798	160	28.1	124	21.8	75	13.2
Nonwhite	152	33	42.5	26	33.5	23	29.6
Rural	763	64	29.4	48	22.1	47	21.6
White	696	59	31.0	46	24.2	40	21.0
Nonwhite	67	5	18.4	2	7.4	7	25.7
Metropolitan counties	1,966	216	31.1	169	24.3	118	17.0
White	1,810	182	29.8	143	23.4	92	15.1
Nonwhite	156	34	40.0	26	30.6	26	30.6
Urban	1,699	177	29.8	138	23.2	91	15.3
White	1,557	146	28.1	114	21.9	69	13.3
Nonwhite	142	31	42.2	24	32.7	22	30.0
Rural	267	39	38.2	31	30.4	27	26.5
White	253	36	39.8	29	32.1	23	25.4
Nonwhite	14	3	25.9	2	17.2	4	34.5
Nonmetropolitan counties	747	41	24.3	29	17.2	27	16.0
White	684	37	24.9	27	18.2	23	15.5
Nonwhite	63	4	20.2	2	10.1	4	20.2
Urban	251	16	30.2	12	22.6	7	13.2
White	241	14	28.7	10	20.5	6	12.3
Nonwhite	10	2	47.6	2	47.6	1	23.8
Rural	496	25	21.7	17	14.7	20	17.3
White	443	23	23.0	17	17.0	17	17.0
Nonwhite	53	2	12.8	-	-	3	19.2
NEW HAMPSHIRE	6,808	310	22.1	239	17.0	218	15.5
White	6,798	306	21.9	236	16.9	217	15.6
Nonwhite	10	4	43.5	3	32.6	1	10.9
Urban	3,422	169	23.3	127	17.5	118	16.3
White	3,413	165	22.9	124	17.2	117	16.3
Nonwhite	9	4	60.6	3	45.5	1	15.2
Rural	3,386	141	20.8	112	16.5	100	14.8
White	3,385	141	20.9	112	16.6	100	14.8
Nonwhite	1	-	-	-	-	-	-
Metropolitan counties	2,008	77	17.7	58	13.3	69	15.8
White	2,007	76	17.5	58	13.3	69	15.9
Nonwhite	1	1	83.3	-	-	-	-
Urban	1,480	61	19.4	46	14.6	51	16.2
White	1,479	60	19.2	46	14.7	51	16.3
Nonwhite	1	1	83.3	-	-	-	-
Rural	528	16	13.1	12	9.8	18	14.7
White	528	16	13.1	12	9.8	18	14.7
Nonwhite	-	-	-	-	-	-	-
Nonmetropolitan counties	4,800	233	24.1	181	18.7	149	15.4
White	4,791	230	24.0	178	18.6	148	15.4
Nonwhite	9	3	37.5	3	37.5	1	12.5
Urban	1,942	108	26.2	81	19.7	67	16.3
White	1,934	105	25.8	78	19.2	66	16.2
Nonwhite	8	3	55.6	3	55.6	1	18.5
Rural	2,858	125	22.5	100	18.0	82	14.8
White	2,857	125	22.6	100	18.1	82	14.8
Nonwhite	1	-	-	-	-	-	-
NEW JERSEY[2]	62,024	3,132	23.8	2,413	18.3	1,967	14.9
Urban	52,380	2,546	24.1	1,972	18.6	1,638	15.5
Rural	9,644	586	22.6	441	17.0	329	12.7
Metropolitan counties	49,071	2,455	24.3	1,885	18.6	1,563	15.4
Urban	44,172	2,157	24.8	1,657	19.1	1,385	16.0
Rural	4,899	298	20.7	228	15.8	178	12.4
Nonmetropolitan counties	12,953	677	22.2	528	17.3	404	13.2
Urban	8,208	389	20.5	315	16.6	253	13.3
Rural	4,745	288	25.1	213	18.5	151	13.1

[2]New Jersey did not require reporting of color; see Technical Appendix.

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NEW MEXICO	6,520	876	30.0	570	19.5	419	14.3
White	5,962	732	28.5	513	19.9	362	14.1
Nonwhite	558	144	41.2	57	16.3	57	16.3
Urban	4,040	501	27.0	358	19.3	245	13.2
White	3,881	460	26.2	334	19.0	231	13.2
Nonwhite	159	41	42.0	24	24.6	14	14.3
Rural	2,480	375	35.1	212	19.8	174	16.3
White	2,081	272	33.3	179	21.9	131	16.0
Nonwhite	399	103	40.8	33	13.1	43	17.0
Metropolitan counties	1,612	200	25.0	151	18.9	89	11.1
White	1,545	179	23.6	137	18.0	79	10.4
Nonwhite	67	21	53.0	14	35.4	10	25.3
Urban	1,348	162	24.4	128	19.3	68	10.3
White	1,306	148	23.4	115	18.1	61	9.6
Nonwhite	42	14	47.3	13	43.9	7	23.6
Rural	264	38	28.1	23	17.0	21	15.5
White	239	31	24.7	22	17.5	18	14.4
Nonwhite	25	7	70.0	1	10.0	3	30.0
Nonmetropolitan counties	4,908	676	31.8	419	19.7	330	15.5
White	4,417	553	30.5	376	20.7	283	15.6
Nonwhite	491	123	39.7	43	13.9	47	15.2
Urban	2,692	339	28.5	230	19.3	177	14.9
White	2,575	312	27.8	219	19.5	170	15.2
Nonwhite	117	27	39.7	11	16.2	7	10.3
Rural	2,216	337	36.1	189	20.2	153	16.4
White	1,842	241	34.8	157	22.7	113	16.3
Nonwhite	374	96	39.6	32	13.2	40	16.5
NEW YORK	181,795	8,739	24.7	6,595	18.6	8,078	22.8
White	166,726	6,581	21.7	5,061	16.7	5,918	19.5
Nonwhite	15,069	2,158	42.3	1,534	30.0	2,160	42.3
Urban	142,732	6,637	26.4	4,982	19.8	6,675	26.5
White	128,392	4,598	22.6	3,530	17.4	4,583	22.5
Nonwhite	14,340	2,039	42.3	1,452	30.1	2,092	43.4
Rural	39,063	2,102	20.5	1,613	15.7	1,403	13.7
White	38,334	1,983	19.9	1,531	15.3	1,335	13.4
Nonwhite	729	119	42.3	82	29.2	68	24.2
Metropolitan counties	153,100	7,436	24.8	5,618	18.7	7,261	24.2
White	136,513	5,353	21.3	4,136	16.5	5,148	20.5
Nonwhite	14,587	2,083	42.3	1,482	30.1	2,113	42.9
Urban	129,353	6,093	26.4	4,562	19.7	6,361	27.5
White	115,301	4,102	22.3	3,142	17.1	4,295	23.3
Nonwhite	14,052	1,991	42.3	1,420	30.1	2,066	43.8
Rural	23,147	1,343	19.5	1,056	15.3	900	13.0
White	22,612	1,251	18.7	994	14.9	853	12.8
Nonwhite	535	92	42.9	62	28.9	47	21.9
Nonmetropolitan counties	28,695	1,303	24.1	977	18.1	817	15.1
White	28,213	1,228	23.5	925	17.7	770	14.8
Nonwhite	482	75	41.7	52	28.9	47	26.1
Urban	12,779	544	26.8	420	20.7	314	15.4
White	12,491	496	25.8	388	20.2	288	15.0
Nonwhite	288	48	42.3	32	28.2	26	22.9
Rural	15,916	759	22.6	557	16.6	503	15.0
White	15,722	732	22.2	537	16.3	482	14.6
Nonwhite	194	27	40.7	20	30.1	21	31.6
NORTH CAROLINA	39,090	3,341	30.5	2,166	19.7	1,996	18.2
White	27,310	1,670	22.2	1,258	16.7	1,043	13.8
Nonwhite	11,780	1,671	48.7	908	26.4	953	27.8
Urban	15,849	1,301	30.7	899	21.2	753	17.8
White	10,330	621	21.5	482	16.7	409	14.1
Nonwhite	5,519	680	50.8	417	31.1	344	25.7
Rural	23,241	2,040	30.3	1,267	18.8	1,243	18.5
White	16,980	1,049	22.6	776	16.7	634	13.7
Nonwhite	6,261	991	47.3	491	23.4	609	29.1
Metropolitan counties	9,397	789	29.1	551	20.4	479	17.7
White	6,408	372	19.4	288	15.0	253	13.2
Nonwhite	2,989	417	52.8	263	33.3	226	28.6
Urban	6,678	584	32.3	410	22.7	333	18.4
White	4,165	237	20.2	186	15.9	155	13.2
Nonwhite	2,513	347	54.3	224	35.1	178	27.9
Rural	2,719	205	22.8	141	15.7	146	16.3
White	2,243	135	18.1	102	13.7	98	13.1
Nonwhite	476	70	46.5	39	25.9	48	31.9
Nonmetropolitan counties	29,693	2,552	30.9	1,615	19.6	1,517	18.4
White	20,902	1,298	23.1	970	17.3	790	14.1
Nonwhite	8,791	1,254	47.4	645	24.4	727	27.5
Urban	9,171	717	29.6	489	20.2	420	17.3
White	6,165	384	22.3	296	17.2	254	14.8
Nonwhite	3,006	333	47.6	193	27.6	166	23.7
Rural	20,522	1,835	31.4	1,126	19.3	1,097	18.8
White	14,737	914	23.5	674	17.3	536	13.8
Nonwhite	5,785	921	47.4	452	23.3	561	28.9

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
NORTH DAKOTA	5,419	357	22.6	265	16.8	186	11.8
White	5,282	332	22.0	253	16.8	176	11.7
Nonwhite	137	25	35.7	12	17.1	10	14.3
Urban	1,779	136	21.0	102	15.8	82	12.7
White	1,766	134	21.1	101	15.9	80	12.6
Nonwhite	13	2	15.2	1	7.6	2	15.2
Rural	3,640	221	23.7	163	17.5	104	11.2
White	3,516	198	22.6	152	17.4	96	11.0
Nonwhite	124	23	40.5	11	19.4	8	14.1
Metropolitan counties	522	42	26.2	31	19.4	16	10.0
White	522	42	26.4	31	19.5	16	10.1
Nonwhite	-	-	-	-	-	-	-
Urban	374	31	26.7	22	18.9	14	12.0
White	374	31	27.0	22	19.1	14	12.2
Nonwhite	-	-	-	-	-	-	-
Rural	148	11	25.0	9	20.5	2	4.5
White	148	11	25.0	9	20.5	2	4.5
Nonwhite	-	-	-	-	-	-	-
Nonmetropolitan counties	4,897	315	22.2	234	16.5	170	12.0
White	4,760	290	21.5	222	16.4	160	11.9
Nonwhite	137	25	36.3	12	17.4	10	14.5
Urban	1,405	105	19.8	80	15.1	68	12.8
White	1,392	103	19.8	79	15.2	66	12.7
Nonwhite	13	2	16.7	1	8.3	2	16.7
Rural	3,492	210	23.7	154	17.4	102	11.5
White	3,368	187	22.5	143	17.2	94	11.3
Nonwhite	124	23	40.5	11	19.4	8	14.1
OHIO	95,209	4,964	22.8	3,842	17.7	3,150	14.5
White	87,439	4,079	21.0	3,178	16.4	2,624	13.5
Nonwhite	7,770	885	37.9	664	28.4	526	22.5
Urban	66,198	3,354	23.4	2,607	18.2	2,247	15.7
White	58,943	2,521	20.8	1,979	16.3	1,748	14.4
Nonwhite	7,255	833	37.6	628	28.4	499	22.6
Rural	29,011	1,610	21.7	1,235	16.6	903	12.1
White	28,496	1,558	21.3	1,199	16.4	876	12.0
Nonwhite	515	52	41.5	36	28.7	27	21.5
Metropolitan counties	64,577	3,558	23.4	2,770	18.2	2,200	14.5
White	57,368	2,723	20.9	2,143	16.5	1,710	13.1
Nonwhite	7,209	835	37.9	627	28.4	490	22.2
Urban	52,988	2,811	23.9	2,201	18.7	1,840	15.6
White	46,106	2,008	20.8	1,596	16.5	1,365	14.1
Nonwhite	6,882	803	38.0	605	28.6	475	22.5
Rural	11,589	747	21.7	569	16.6	360	10.5
White	11,262	715	21.4	547	16.4	345	10.3
Nonwhite	327	32	35.3	22	24.3	15	16.6
Nonmetropolitan counties	30,632	1,406	21.4	1,072	16.4	950	14.5
White	30,071	1,356	21.1	1,035	16.1	914	14.2
Nonwhite	561	50	37.4	37	27.7	36	26.9
Urban	13,210	543	21.3	406	15.9	407	15.9
White	12,837	513	20.9	383	15.6	383	15.6
Nonwhite	373	30	30.4	23	23.3	24	24.3
Rural	17,422	863	21.6	666	16.6	543	13.6
White	17,234	843	21.3	652	16.4	531	13.4
Nonwhite	188	20	57.5	14	40.2	12	34.5
OKLAHOMA	24,000	1,220	23.8	935	18.2	630	12.3
White	21,492	971	21.9	770	17.4	483	10.9
Nonwhite	2,508	249	36.0	165	23.9	147	21.2
Urban	14,614	831	23.7	655	18.6	401	11.4
White	13,086	660	21.7	529	17.4	320	10.5
Nonwhite	1,528	171	36.6	126	27.0	81	17.3
Rural	9,386	389	24.1	280	17.3	229	14.2
White	8,406	311	22.3	241	17.3	163	11.7
Nonwhite	980	78	34.8	39	17.4	66	29.4
Metropolitan counties	8,508	617	24.4	482	19.1	280	11.1
White	7,545	489	22.4	380	17.8	221	10.1
Nonwhite	963	128	37.6	92	27.0	59	17.3
Urban	7,347	547	24.8	428	19.4	236	10.7
White	6,535	427	22.4	337	17.7	190	10.0
Nonwhite	812	120	39.4	91	29.9	46	15.1
Rural	1,161	70	21.9	54	16.9	44	13.8
White	1,010	62	21.8	53	18.6	31	10.9
Nonwhite	151	8	22.6	1	2.8	13	36.7
Nonmetropolitan counties	15,492	603	23.2	453	17.4	350	13.4
White	13,947	482	21.4	380	16.9	262	11.6
Nonwhite	1,545	121	34.4	73	20.8	88	25.0
Urban	7,267	284	21.7	227	17.4	165	12.6
White	6,551	233	20.4	192	16.8	130	11.4
Nonwhite	716	51	31.4	35	21.5	35	21.5
Rural	8,225	319	24.6	226	17.4	185	14.3
White	7,396	249	22.5	188	17.0	132	11.9
Nonwhite	829	70	37.0	38	20.1	53	28.0

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
OREGON	17,218	811	21.9	554	15.0	663	17.9
White	16,865	771	21.6	531	14.9	623	17.4
Nonwhite	353	40	31.5	23	18.1	40	31.5
Urban	9,731	390	23.1	272	16.1	320	19.0
White	9,490	362	22.7	254	15.9	292	18.3
Nonwhite	241	28	31.7	18	20.4	28	31.7
Rural	7,487	421	20.9	282	14.0	343	17.0
White	7,375	409	20.7	277	14.0	331	16.8
Nonwhite	112	12	31.1	5	13.0	12	31.1
Metropolitan counties	9,236	392	20.9	270	14.4	387	20.6
White	9,021	371	20.6	258	14.3	356	19.8
Nonwhite	215	21	26.7	12	15.3	31	39.4
Urban	6,116	210	22.2	146	15.4	219	23.1
White	5,909	189	21.5	134	15.3	194	22.1
Nonwhite	207	21	30.0	12	17.1	25	35.7
Rural	3,120	182	19.5	124	13.3	168	18.0
White	3,112	182	19.7	124	13.4	162	17.5
Nonwhite	8	-	-	-	-	6	69.8
Nonmetropolitan counties	7,982	419	23.0	284	15.6	276	15.2
White	7,844	400	22.6	273	15.4	267	15.1
Nonwhite	138	19	39.4	11	22.8	9	18.7
Urban	3,615	180	24.4	126	17.1	101	13.7
White	3,581	173	24.0	120	16.7	98	13.6
Nonwhite	34	7	38.5	6	33.0	3	16.5
Rural	4,367	239	22.1	158	14.6	175	16.2
White	4,263	227	21.6	153	14.6	169	16.1
Nonwhite	104	12	40.0	5	16.7	6	20.0
PENNSYLVANIA	123,290	5,427	24.0	4,181	18.5	3,806	16.8
White	113,791	4,416	22.0	3,437	17.1	3,102	15.5
Nonwhite	9,499	1,011	39.3	744	28.9	704	27.4
Urban	87,552	3,865	26.2	3,018	20.5	2,627	17.8
White	78,565	2,893	23.5	2,307	18.8	1,954	15.9
Nonwhite	8,987	972	39.5	711	28.9	673	27.4
Rural	35,738	1,562	19.8	1,163	14.7	1,179	14.9
White	35,226	1,523	19.6	1,130	14.5	1,148	14.8
Nonwhite	512	39	34.6	33	29.3	31	27.5
Metropolitan counties	95,333	4,358	24.6	3,381	19.1	2,993	16.9
White	86,176	3,369	22.2	2,648	17.4	2,310	15.2
Nonwhite	9,157	989	39.6	733	29.4	683	27.4
Urban	75,657	3,463	26.5	2,723	20.8	2,330	17.8
White	66,877	2,508	23.5	2,018	18.9	1,670	15.7
Nonwhite	8,780	955	39.6	705	29.2	660	27.3
Rural	19,676	895	19.4	658	14.2	663	14.3
White	19,299	861	19.0	630	13.9	640	14.1
Nonwhite	377	34	40.7	28	33.5	23	27.5
Nonmetropolitan counties	27,957	1,069	21.7	800	16.2	813	16.5
White	27,615	1,047	21.5	789	16.2	792	16.3
Nonwhite	342	22	29.6	11	14.8	21	28.2
Urban	11,895	402	24.0	295	17.6	297	17.8
White	11,688	385	23.7	289	17.8	284	17.5
Nonwhite	207	17	37.4	6	13.2	13	28.6
Rural	16,062	667	20.4	505	15.5	516	15.8
White	15,927	662	20.5	500	15.5	508	15.7
Nonwhite	135	5	17.2	5	17.2	8	27.6
RHODE ISLAND	9,127	468	25.5	368	20.0	304	16.5
White	8,905	433	24.5	345	19.5	273	15.5
Nonwhite	222	35	48.6	23	31.9	31	43.1
Urban	7,200	341	26.0	274	20.9	214	16.3
White	6,993	308	24.7	253	20.3	190	15.2
Nonwhite	207	33	51.2	21	32.6	24	37.3
Rural	1,927	127	24.2	94	17.9	90	17.1
White	1,912	125	24.2	92	17.8	83	16.0
Nonwhite	15	2	26.3	2	26.3	7	92.1
Metropolitan counties	7,947	374	25.4	296	20.1	238	16.2
White	7,765	345	24.4	279	19.7	218	15.4
Nonwhite	182	29	52.0	17	30.5	20	35.8
Urban	6,826	307	25.5	248	20.6	198	16.4
White	6,646	278	24.2	231	20.1	178	15.5
Nonwhite	180	29	52.5	17	30.8	20	36.2
Rural	1,121	67	25.1	48	18.0	40	15.0
White	1,119	67	25.2	48	18.0	40	15.0
Nonwhite	2	-	-	-	-	-	-
Nonmetropolitan counties	1,180	94	25.7	72	19.7	66	18.1
White	1,140	88	25.2	66	18.9	55	15.8
Nonwhite	40	6	37.0	6	37.0	11	67.9
Urban	374	34	31.8	26	24.3	16	15.0
White	347	30	30.7	22	22.5	12	12.3
Nonwhite	27	4	43.5	4	43.5	4	43.5
Rural	806	60	23.2	46	17.8	50	19.3
White	793	58	23.1	44	17.5	43	17.1
Nonwhite	13	2	28.6	2	28.6	7	100.0

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
SOUTH CAROLINA	20,447	1,829	31.5	1,036	17.8	1,030	17.7
White	12,183	804	23.5	590	17.3	374	10.9
Nonwhite	8,264	1,025	42.8	446	18.6	656	27.4
Urban	7,487	558	29.3	346	18.2	323	17.0
White	4,573	293	24.6	222	18.7	134	11.3
Nonwhite	2,914	265	37.0	124	17.3	189	26.4
Rural	12,960	1,271	32.5	690	17.6	707	18.1
White	7,610	511	22.9	368	16.5	240	10.8
Nonwhite	5,350	760	45.2	322	19.2	467	27.8
Metropolitan counties	6,030	537	26.9	331	16.6	282	14.1
White	3,873	301	22.4	232	17.2	135	10.0
Nonwhite	2,157	236	36.3	99	15.2	147	22.6
Urban	2,937	226	31.3	136	18.9	147	20.4
White	1,805	129	30.3	97	22.8	63	14.8
Nonwhite	1,132	97	32.9	39	13.2	84	28.5
Rural	3,093	311	24.4	195	15.3	135	10.6
White	2,068	172	18.7	135	14.7	72	7.8
Nonwhite	1,025	139	39.1	60	16.9	63	17.7
Nonmetropolitan counties	14,417	1,292	33.8	705	18.5	748	19.6
White	8,310	503	24.3	358	17.3	239	11.5
Nonwhite	6,107	789	45.2	347	19.9	509	29.2
Urban	4,550	332	28.0	210	17.7	176	14.9
White	2,768	164	21.5	125	16.4	71	9.3
Nonwhite	1,782	168	39.9	85	20.2	105	25.0
Rural	9,867	960	36.5	495	18.8	572	21.7
White	5,542	339	25.9	233	17.8	168	12.8
Nonwhite	4,325	621	46.9	262	19.8	404	30.5
SOUTH DAKOTA	6,570	435	25.3	299	17.4	215	12.5
White	6,228	362	22.9	275	17.4	187	11.8
Nonwhite	342	73	54.2	24	17.8	28	20.8
Urban	2,632	191	24.1	140	17.7	89	11.2
White	2,577	177	23.1	136	17.8	83	10.8
Nonwhite	55	14	51.5	4	14.7	6	22.1
Rural	3,938	244	26.4	159	17.2	126	13.6
White	3,651	185	22.6	139	17.0	104	12.7
Nonwhite	287	59	54.9	20	18.6	22	20.5
Metropolitan counties	718	43	17.9	33	13.7	27	11.2
White	718	43	18.0	33	13.8	26	10.9
Nonwhite	-	-	-	-	-	1	45.5
Urban	556	33	16.6	25	12.6	18	9.1
White	556	33	16.8	25	12.7	17	8.6
Nonwhite	-	-	-	-	-	1	50.0
Rural	162	10	23.7	8	19.0	9	21.3
White	162	10	23.8	8	19.0	9	21.4
Nonwhite	-	-	-	-	-	-	-
Nonmetropolitan counties	5,852	392	26.6	266	18.0	188	12.7
White	5,510	319	23.7	242	18.0	161	12.0
Nonwhite	342	73	55.1	24	18.1	27	20.4
Urban	2,076	158	26.6	115	19.4	71	11.9
White	2,021	144	25.3	111	19.5	66	11.6
Nonwhite	55	14	55.6	4	15.9	5	19.8
Rural	3,776	234	26.5	151	17.1	117	13.3
White	3,489	175	22.6	131	16.9	95	12.3
Nonwhite	287	59	55.0	20	18.7	22	20.5
TENNESSEE	34,089	2,320	28.7	1,624	20.1	1,444	17.8
White	26,912	1,562	24.8	1,142	18.1	948	15.0
Nonwhite	7,177	758	42.2	482	26.9	496	27.6
Urban	17,271	1,160	30.1	847	22.0	714	18.5
White	12,008	638	24.4	498	19.0	363	13.9
Nonwhite	5,263	522	42.1	349	28.2	351	28.3
Rural	16,818	1,160	27.4	777	18.3	730	17.2
White	14,904	924	25.1	644	17.5	585	15.9
Nonwhite	1,914	236	42.5	133	23.9	145	26.1
Metropolitan counties	15,074	1,128	28.8	823	21.0	694	17.7
White	10,376	630	23.2	485	17.8	354	13.0
Nonwhite	4,698	498	41.7	338	28.3	340	28.5
Urban	11,471	808	30.6	598	22.7	494	18.7
White	7,337	383	23.6	305	18.8	205	12.6
Nonwhite	4,134	425	42.0	293	29.0	289	28.6
Rural	3,603	320	25.1	225	17.6	200	15.7
White	3,039	247	22.6	180	16.4	149	13.6
Nonwhite	564	73	40.0	45	24.7	51	28.0
Nonmetropolitan counties	19,015	1,192	28.5	801	19.1	750	17.9
White	16,536	932	26.0	657	18.3	594	16.6
Nonwhite	2,479	260	43.3	144	24.0	156	26.0
Urban	5,800	352	28.9	249	20.4	220	18.0
White	4,671	255	25.7	193	19.4	158	15.9
Nonwhite	1,129	97	42.7	56	24.6	62	27.3
Rural	13,215	840	28.3	552	18.6	530	17.9
White	11,865	677	26.1	464	17.9	436	16.8
Nonwhite	1,350	163	43.7	88	23.6	94	25.2

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
TEXAS	80,752	6,679	27.1	4,633	18.8	3,728	15.1
White	67,791	5,214	24.9	3,711	17.7	2,811	13.4
Nonwhite	12,961	1,465	39.7	922	25.0	917	24.8
Urban	57,618	5,163	26.7	3,670	19.0	2,861	14.8
White	48,009	4,025	24.5	2,936	17.9	2,150	13.1
Nonwhite	9,609	1,138	38.7	734	24.9	711	24.2
Rural	23,134	1,516	28.6	963	18.2	867	16.4
White	19,782	1,189	26.2	775	17.0	661	14.5
Nonwhite	3,352	327	43.6	188	25.1	206	27.5
Metropolitan counties	46,382	4,259	25.6	3,057	18.4	2,471	14.9
White	38,527	3,283	23.5	2,419	17.3	1,810	13.0
Nonwhite	7,855	976	37.0	638	24.2	661	25.1
Urban	40,879	3,773	25.5	2,744	18.5	2,178	14.7
White	33,770	2,882	23.2	2,162	17.4	1,589	12.8
Nonwhite	7,109	891	37.1	582	24.2	589	24.5
Rural	5,503	486	26.9	313	17.3	293	16.2
White	4,757	401	25.5	257	16.4	221	14.1
Nonwhite	746	85	36.1	56	23.8	72	30.6
Nonmetropolitan counties	34,370	2,420	30.1	1,576	19.6	1,257	15.6
White	29,264	1,931	27.6	1,292	18.5	1,001	14.3
Nonwhite	5,106	489	46.3	284	26.9	256	24.2
Urban	16,739	1,390	30.5	926	20.3	683	15.0
White	14,239	1,143	28.5	774	19.3	561	14.0
Nonwhite	2,500	247	45.6	152	28.1	122	22.5
Rural	17,631	1,030	29.5	650	18.6	574	16.4
White	15,025	788	26.5	518	17.4	440	14.8
Nonwhite	2,606	242	47.0	132	25.7	134	26.0
UTAH	6,322	515	19.7	374	14.3	293	11.2
White	6,190	489	19.1	363	14.2	280	11.0
Nonwhite	132	26	40.9	11	17.3	13	20.4
Urban	4,114	303	18.5	228	13.9	208	12.7
White	4,045	297	18.5	222	13.9	203	12.7
Nonwhite	69	6	17.9	6	17.9	5	14.9
Rural	2,208	212	21.5	146	14.8	85	8.6
White	2,145	192	20.1	141	14.8	77	8.1
Nonwhite	63	20	66.7	5	16.7	8	26.7
Metropolitan counties	4,292	351	19.6	262	14.6	211	11.8
White	4,223	345	19.5	257	14.5	206	11.7
Nonwhite	69	6	22.6	5	18.8	5	16.8
Urban	3,349	228	18.7	173	14.2	167	13.7
White	3,282	223	18.6	168	14.0	162	13.5
Nonwhite	67	5	20.7	5	20.7	5	20.7
Rural	943	123	21.5	89	15.6	44	7.7
White	941	122	21.4	89	15.6	44	7.7
Nonwhite	2	1	41.7	-	-	-	-
Nonmetropolitan counties	2,030	164	19.9	112	13.6	82	9.9
White	1,967	144	18.3	106	13.4	74	9.4
Nonwhite	63	20	54.1	6	16.2	8	21.6
Urban	765	75	18.2	55	13.3	41	9.9
White	763	74	18.3	54	13.4	41	10.2
Nonwhite	2	1	10.6	1	10.6	-	-
Rural	1,265	89	21.6	57	13.8	41	9.9
White	1,204	70	18.2	52	13.5	33	8.6
Nonwhite	61	19	68.8	5	18.1	8	29.0
VERMONT	4,355	210	22.7	168	18.2	176	19.0
White	4,341	210	22.8	168	18.2	176	19.1
Nonwhite	14	-	-	-	-	-	-
Urban	1,602	88	24.1	74	20.3	62	17.0
White	1,599	88	24.2	74	20.3	62	17.0
Nonwhite	3	-	-	-	-	-	-
Rural	2,753	122	21.8	94	16.8	114	20.4
White	2,742	122	21.9	94	16.9	114	20.5
Nonwhite	11	-	-	-	-	-	-
Nonmetropolitan counties	4,355	210	22.7	168	18.2	176	19.0
White	4,341	210	22.8	168	18.2	176	19.1
Nonwhite	14	-	-	-	-	-	-
Urban	1,602	88	24.1	74	20.3	62	17.0
White	1,599	88	24.2	74	20.3	62	17.0
Nonwhite	3	-	-	-	-	-	-
Rural	2,753	122	21.8	94	16.8	114	20.4
White	2,742	122	21.9	94	16.9	114	20.5
Nonwhite	11	-	-	-	-	-	-
VIRGINIA	35,658	2,818	29.2	2,024	21.0	2,644	27.4
White	26,420	1,746	23.9	1,338	18.3	1,755	24.0
Nonwhite	9,238	1,072	45.8	686	29.3	889	38.0
Urban	17,173	1,371	30.1	1,019	22.4	1,342	29.5
White	12,200	846	25.3	660	19.7	878	26.2
Nonwhite	4,973	525	43.6	359	29.8	464	38.5
Rural	18,485	1,447	28.4	1,005	19.7	1,302	25.5
White	14,220	900	22.7	678	17.1	877	22.1
Nonwhite	4,265	547	48.1	327	28.8	425	37.4

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
VIRGINIA—Con.							
Metropolitan counties	16,396	1,487	28.6	1,103	21.2	1,544	29.7
White	11,870	959	23.9	751	18.7	1,090	27.2
Nonwhite	4,526	528	44.3	352	29.6	454	38.1
Urban	12,349	1,090	31.1	799	22.8	1,070	30.6
White	8,475	655	26.1	505	20.1	698	27.7
Nonwhite	3,874	435	44.0	294	29.8	374	37.8
Rural	4,047	397	23.4	304	17.9	474	27.9
White	3,395	304	20.3	246	16.5	394	26.4
Nonwhite	652	93	45.8	58	28.6	80	39.4
Nonmetropolitan counties	19,262	1,331	29.9	921	20.7	1,100	24.7
White	14,550	787	23.8	587	17.8	665	20.1
Nonwhite	4,712	544	47.3	334	29.0	435	37.8
Urban	4,824	281	26.8	220	21.0	272	25.9
White	3,725	191	23.0	155	18.6	182	21.9
Nonwhite	1,099	90	41.6	65	30.0	90	41.6
Rural	14,438	1,050	30.8	701	20.6	828	24.3
White	10,825	596	24.1	432	17.5	483	19.6
Nonwhite	3,613	454	48.6	269	28.8	345	36.9
WASHINGTON	27,383	1,478	22.8	1,032	15.9	710	11.0
White	26,518	1,324	21.7	944	15.4	656	10.7
Nonwhite	865	154	41.7	88	23.8	54	14.6
Urban	17,920	852	24.3	599	17.1	396	11.3
White	17,344	765	23.4	541	16.6	360	11.0
Nonwhite	576	87	34.9	58	23.3	36	14.5
Rural	9,463	626	21.1	433	14.6	314	10.6
White	9,174	559	19.6	403	14.1	296	10.4
Nonwhite	289	67	55.8	30	25.0	18	15.0
Metropolitan counties	17,472	925	21.9	660	15.6	466	11.0
White	16,901	836	21.1	602	15.2	429	10.8
Nonwhite	571	89	33.6	58	21.9	37	14.0
Urban	13,009	589	24.0	421	17.1	280	11.4
White	12,506	520	23.2	374	16.7	249	11.1
Nonwhite	503	69	32.0	47	21.8	31	14.4
Rural	4,463	336	19.0	239	13.5	186	10.5
White	4,395	316	18.4	228	13.3	180	10.5
Nonwhite	68	20	40.3	11	22.2	6	12.1
Nonmetropolitan counties	9,911	553	24.5	372	16.5	244	10.8
White	9,617	488	22.7	342	15.9	227	10.5
Nonwhite	294	65	62.6	30	28.9	17	16.4
Urban	4,911	263	24.9	178	16.9	116	11.0
White	4,838	245	24.0	167	16.3	111	10.9
Nonwhite	73	18	53.9	11	32.9	5	15.0
Rural	5,000	290	24.2	194	16.2	128	10.7
White	4,779	243	21.5	175	15.5	116	10.3
Nonwhite	221	47	66.8	19	27.0	12	17.0
WEST VIRGINIA	18,684	986	26.5	718	19.3	598	16.0
White	17,524	924	26.1	679	19.1	559	15.8
Nonwhite	1,160	62	34.3	39	21.6	39	21.6
Urban	7,653	351	24.7	274	19.3	200	14.1
White	7,034	314	23.6	251	18.9	181	13.6
Nonwhite	619	37	42.2	23	26.3	19	21.7
Rural	11,031	635	27.5	444	19.2	398	17.2
White	10,490	610	27.5	428	19.3	378	17.1
Nonwhite	541	25	26.9	16	17.2	20	21.5
Metropolitan counties	5,443	294	24.9	221	18.7	181	15.3
White	5,114	276	24.6	211	18.8	167	14.9
Nonwhite	329	18	31.9	10	17.7	14	24.8
Urban	3,712	189	25.1	144	19.2	113	15.0
White	3,433	171	24.2	134	19.0	101	14.3
Nonwhite	279	18	38.6	10	21.5	12	25.8
Rural	1,731	105	24.5	77	18.0	68	15.9
White	1,681	105	25.1	77	18.4	66	15.8
Nonwhite	50	-	-	-	-	2	20.4
Nonmetropolitan counties	13,241	692	27.2	497	19.5	417	16.4
White	12,410	648	26.7	468	19.3	392	16.2
Nonwhite	831	44	35.4	29	23.3	25	20.1
Urban	3,941	162	24.3	130	19.5	87	13.0
White	3,601	143	22.8	117	18.7	80	12.8
Nonwhite	340	19	46.3	13	31.7	7	17.1
Rural	9,300	530	28.2	367	19.5	330	17.5
White	8,809	505	28.1	351	19.5	312	17.4
Nonwhite	491	25	30.0	16	19.2	18	21.6
WISCONSIN	38,380	1,953	20.7	1,488	15.8	1,111	11.8
White	37,712	1,802	19.9	1,381	15.3	1,019	11.3
Nonwhite	668	151	39.0	107	27.6	92	23.8
Urban	24,366	1,266	21.2	992	16.6	707	11.8
White	23,837	1,140	20.3	896	15.9	624	11.1
Nonwhite	529	126	36.7	96	28.0	83	24.2
Rural	14,014	687	19.8	496	14.3	404	11.7
White	13,875	662	19.4	485	14.2	395	11.6
Nonwhite	139	25	56.6	11	24.9	9	20.4

Table 7-2. Total Deaths, Infant and Neonatal Deaths and Rates, Fetal Deaths and Ratios, by Color for Urban and Rural Areas, in Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA AND COLOR	DEATHS					FETAL DEATHS	
	Total deaths	Under 1 year		Under 28 days		Number	Ratio
		Number	Rate	Number	Rate		
WISCONSIN—Con.							
Metropolitan counties	16,577	964	21.1	753	16.5	521	11.4
White	16,068	839	19.8	657	15.5	437	10.3
Nonwhite	509	125	37.6	96	28.9	84	25.3
Urban	14,410	813	21.2	637	16.6	451	11.7
White	13,915	690	19.6	542	15.4	369	10.5
Nonwhite	495	123	37.6	95	29.0	82	25.1
Rural	2,167	151	20.9	116	16.1	70	9.7
White	2,153	149	20.8	115	16.0	68	9.5
Nonwhite	14	2	38.5	1	19.2	2	38.5
Nonmetropolitan counties	21,803	989	20.3	735	15.1	590	12.1
White	21,644	963	20.0	724	15.0	582	12.1
Nonwhite	159	26	47.4	11	20.1	8	14.6
Urban	9,956	453	21.3	355	16.7	256	12.0
White	9,922	450	21.3	354	16.8	255	12.1
Nonwhite	34	3	19.0	1	6.3	1	6.3
Rural	11,847	536	19.6	380	13.9	334	12.2
White	11,722	513	19.0	370	13.7	327	12.1
Nonwhite	125	23	59.0	10	25.6	7	17.9
WYOMING	2,746	243	30.3	184	22.9	85	10.6
White	2,687	229	29.7	177	22.9	82	10.6
Nonwhite	59	14	46.1	7	23.0	3	9.9
Urban	1,647	149	30.0	116	23.4	52	10.5
White	1,615	140	28.9	111	23.0	50	10.3
Nonwhite	32	9	69.2	5	38.5	2	15.4
Rural	1,099	94	30.8	68	22.3	33	10.8
White	1,072	89	30.9	66	22.9	32	11.1
Nonwhite	27	5	28.7	2	11.5	1	5.7
Nonmetropolitan counties	2,746	243	30.3	184	22.9	85	10.6
White	2,687	229	29.7	177	22.9	82	10.6
Nonwhite	59	14	46.1	7	23.0	3	9.9
Urban	1,647	149	30.0	116	23.4	52	10.5
White	1,615	140	28.9	111	23.0	50	10.3
Nonwhite	32	9	69.2	5	38.5	2	15.4
Rural	1,099	94	30.8	68	22.3	33	10.8
White	1,072	89	30.9	66	22.9	32	11.1
Nonwhite	27	5	28.7	2	11.5	1	5.7

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Figures by color for the United States exclude data for residents of New Jersey because this State did not require reporting of the item. For discussion of color item for New Jersey and definitions of metropolitan and nonmetropolitan counties, see Technical Appendix)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES	1,756,720	105,479	16,254	16,410	27,345	32,295	72,837	156,940	272,873	428,038	426,467	201,203	579
Male	994,789	60,939	8,836	9,918	19,274	20,279	44,197	100,809	176,129	254,923	215,923	83,228	334
Female	761,931	44,540	7,418	6,492	8,071	12,016	28,640	56,131	96,744	173,115	210,544	117,975	245
White	1,488,113	75,812	11,784	12,927	21,757	23,385	54,437	124,926	223,886	368,469	386,217	184,121	392
Male	846,458	44,270	6,454	7,884	15,609	15,103	34,036	82,197	148,108	221,351	195,320	75,895	231
Female	641,655	31,542	5,330	5,043	6,148	8,282	20,401	42,729	75,778	147,118	190,897	108,226	161
Nonwhite	206,583	26,535	4,019	3,032	4,906	7,965	15,894	26,165	38,454	43,005	25,777	10,654	177
Male	114,262	14,828	2,155	1,762	3,192	4,603	8,696	14,913	21,307	24,116	13,602	4,992	96
Female	92,321	11,707	1,864	1,270	1,714	3,362	7,198	11,252	17,147	18,889	12,175	5,662	81
Metropolitan counties	1,087,179	65,104	9,413	9,349	14,784	20,231	48,399	104,436	179,172	271,569	251,472	112,955	295
Male	607,238	37,592	5,148	5,606	10,099	12,288	28,928	66,263	115,149	159,355	123,330	43,303	177
Female	479,941	27,512	4,265	3,743	4,685	7,943	19,471	38,173	64,023	112,214	128,142	69,652	118
White	910,195	46,547	6,871	7,350	11,503	14,071	35,263	81,967	145,397	232,662	225,713	102,615	230
Male	509,533	27,136	3,772	4,435	7,997	8,748	21,637	53,074	95,476	137,617	110,405	39,101	135
Female	400,662	19,411	3,099	2,915	3,512	5,323	13,626	28,893	49,921	95,045	115,308	63,514	95
Nonwhite	127,913	16,102	2,203	1,652	2,741	5,397	11,172	17,772	25,318	25,773	14,402	5,324	57
Male	70,841	9,033	1,210	961	1,735	3,069	6,149	10,216	14,276	14,271	7,484	2,400	37
Female	57,072	7,069	993	691	1,006	2,328	5,023	7,556	11,042	11,502	6,918	2,924	20
Nonmetropolitan counties	669,541	40,375	6,841	7,061	12,561	12,064	24,438	52,504	93,701	156,469	174,995	88,248	284
Male	387,551	23,347	3,688	4,312	9,175	7,991	15,269	34,546	60,980	95,568	92,593	39,925	157
Female	281,990	17,028	3,153	2,749	3,386	4,073	9,169	17,958	32,721	60,901	82,402	48,323	127
White	577,918	29,265	4,913	5,577	10,248	9,314	19,174	42,959	78,489	135,807	160,504	81,506	162
Male	336,925	17,134	2,682	3,449	7,612	6,355	12,399	29,123	52,632	83,734	84,915	36,794	96
Female	240,993	12,131	2,231	2,128	2,636	2,959	6,775	13,836	25,857	52,073	75,589	44,712	66
Nonwhite	78,670	10,433	1,816	1,380	2,165	2,568	4,722	8,393	13,136	17,232	11,375	5,330	120
Male	43,421	5,795	945	801	1,457	1,534	2,547	4,697	7,031	9,845	6,118	2,592	59
Female	35,249	4,638	871	579	708	1,034	2,175	3,696	6,105	7,387	5,257	2,738	61
ALABAMA	30,906	2,420	422	379	695	841	1,621	3,177	4,798	7,028	6,678	2,802	45
Male	17,469	1,384	207	218	486	510	959	2,020	2,956	4,076	3,416	1,216	21
Female	13,437	1,036	215	161	209	331	662	1,157	1,842	2,952	3,262	1,586	24
White	19,744	1,135	195	208	408	458	911	1,892	2,825	4,546	4,982	2,179	5
Male	11,545	667	83	122	303	292	596	1,328	1,934	2,744	2,535	938	3
Female	8,199	468	112	86	105	166	315	564	891	1,802	2,447	1,241	2
Nonwhite	11,162	1,285	227	171	287	383	710	1,285	1,973	2,482	1,696	623	40
Male	5,924	717	124	96	183	218	363	692	1,022	1,332	881	278	18
Female	5,238	568	103	75	104	165	347	593	951	1,150	815	345	22
Metropolitan counties	13,531	1,031	170	169	280	369	752	1,539	2,286	3,156	2,709	1,062	8
Male	7,496	609	84	102	193	221	420	948	1,379	1,768	1,346	421	5
Female	6,035	422	86	67	87	148	332	591	907	1,388	1,363	641	3
White	8,128	455	66	92	146	184	392	864	1,219	1,918	1,945	844	3
Male	4,673	281	24	56	108	119	241	535	829	1,143	957	328	2
Female	3,455	174	42	36	38	65	151	279	390	775	988	516	1
Nonwhite	5,403	576	104	77	134	185	360	675	1,067	1,238	764	218	5
Male	2,823	328	60	46	85	102	179	363	550	625	389	93	3
Female	2,580	248	44	31	49	83	181	312	517	613	375	125	2
Nonmetropolitan counties	17,375	1,389	252	210	415	472	869	1,638	2,512	3,872	3,969	1,740	37
Male	9,973	775	123	116	293	289	539	1,072	1,577	2,308	2,070	795	16
Female	7,402	614	129	94	122	183	330	566	935	1,564	1,899	945	21
White	11,616	680	129	116	262	274	519	1,028	1,606	2,628	3,037	1,335	2
Male	6,872	386	59	66	195	173	355	743	1,105	1,601	1,578	610	1
Female	4,744	294	70	50	67	101	164	285	501	1,027	1,459	725	1
Nonwhite	5,759	709	123	94	153	198	350	610	906	1,244	932	405	35
Male	3,101	389	64	50	98	116	184	329	472	707	492	185	15
Female	2,658	320	59	44	55	82	166	281	434	537	440	220	20
ALASKA	1,303	262	58	37	62	76	111	149	181	156	144	67	-
Male	896	156	29	18	48	56	74	104	141	122	101	47	-
Female	407	106	29	19	14	20	37	45	40	34	43	20	-
White	834	114	15	16	40	48	82	118	135	111	109	46	-
Male	624	75	10	6	33	36	59	81	111	90	87	36	-
Female	210	39	5	10	7	12	23	37	24	21	22	10	-
Nonwhite	469	148	43	21	22	28	29	31	46	45	35	21	-
Male	272	81	19	12	15	20	15	23	30	32	14	11	-
Female	197	67	24	9	7	8	14	8	16	13	21	10	-
Nonmetropolitan[1] election districts[1]	1,303	262	58	37	62	76	111	149	181	156	144	67	-
Male	896	156	29	18	48	56	74	104	141	122	101	47	-
Female	407	106	29	19	14	20	37	45	40	34	43	20	-
White	834	114	15	16	40	48	82	118	135	111	109	46	-
Male	624	75	10	6	33	36	59	81	111	90	87	36	-
Female	210	39	5	10	7	12	23	37	24	21	22	10	-
Nonwhite	469	148	43	21	22	28	29	31	46	45	35	21	-
Male	272	81	19	12	15	20	15	23	30	32	14	11	-
Female	197	67	24	9	7	8	14	8	16	13	21	10	-
ARIZONA	11,177	1,079	213	172	301	339	593	1,212	1,771	2,530	2,098	846	23
Male	7,013	636	116	103	218	219	375	811	1,217	1,688	1,207	405	18
Female	4,164	443	97	69	83	120	218	401	554	842	891	441	5
White	9,890	772	125	143	242	256	505	1,084	1,629	2,354	1,997	770	13
Male	6,254	457	77	86	176	170	321	736	1,129	1,579	1,144	367	12
Female	3,636	315	48	57	66	86	184	348	500	775	853	403	1
Nonwhite	1,287	307	88	29	59	83	88	128	142	176	101	76	10
Male	759	179	39	17	42	49	54	75	88	109	63	38	6
Female	528	128	49	12	17	34	34	53	54	67	38	38	4

[1] County equivalents.

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
ARIZONA—Con.													
Metropolitan counties	7,942	621	104	111	184	223	425	908	1,352	1,940	1,505	557	12
Male	4,978	371	62	69	126	148	267	613	912	1,289	848	263	10
Female	2,964	250	42	42	58	75	158	295	440	651	657	294	2
White	7,383	520	84	107	158	184	382	838	1,274	1,846	1,450	530	10
Male	4,638	310	49	66	108	124	243	570	863	1,234	811	250	10
Female	2,745	210	35	41	50	60	139	268	411	612	639	280	-
Nonwhite	559	101	20	4	26	39	43	70	78	94	55	27	2
Male	340	61	13	3	18	24	24	43	49	55	37	13	-
Female	219	40	7	1	8	15	19	27	29	39	18	14	2
Nonmetropolitan counties	3,235	458	109	61	117	116	168	304	419	590	593	289	11
Male	2,035	265	54	34	92	71	108	198	305	399	359	142	8
Female	1,200	193	55	27	25	45	60	106	114	191	234	147	3
White	2,507	252	41	36	84	72	123	246	355	508	547	240	3
Male	1,616	147	28	20	68	46	78	166	266	345	333	117	2
Female	891	105	13	16	16	26	45	80	89	163	214	123	1
Nonwhite	728	206	68	25	33	44	45	58	64	82	46	49	8
Male	419	118	26	14	24	25	30	32	39	54	26	25	6
Female	309	88	42	11	9	19	15	26	25	28	20	24	2
ARKANSAS	18,859	1,207	222	226	337	338	689	1,526	2,755	4,619	4,751	2,186	3
Male	11,159	730	117	122	237	230	408	987	1,755	2,862	2,638	1,070	3
Female	7,700	477	105	104	100	108	281	539	1,000	1,757	2,113	1,116	-
White	14,298	731	130	162	228	238	462	1,138	2,001	3,394	3,924	1,889	1
Male	8,649	446	71	90	165	169	294	790	1,370	2,183	2,156	914	1
Female	5,649	285	59	72	63	69	168	348	631	1,211	1,768	975	-
Nonwhite	4,561	476	92	64	109	100	227	388	754	1,225	827	297	2
Male	2,510	284	46	32	72	61	114	197	385	679	482	156	2
Female	2,051	192	46	32	37	39	113	191	369	546	345	141	-
Metropolitan counties	3,454	249	44	39	45	58	163	327	556	809	788	375	1
Male	1,937	154	27	23	27	42	95	203	345	470	398	152	1
Female	1,517	95	17	16	18	16	68	124	211	339	390	223	-
White	2,587	171	28	27	31	39	106	239	388	575	658	324	1
Male	1,478	109	18	14	22	30	64	160	258	349	327	126	1
Female	1,109	62	10	13	9	9	42	79	130	226	331	198	-
Nonwhite	867	78	16	12	14	19	57	88	168	234	130	51	-
Male	459	45	9	9	5	12	31	43	87	121	71	26	-
Female	408	33	7	3	9	7	26	45	81	113	59	25	-
Nonmetropolitan counties	15,405	958	178	187	292	280	526	1,199	2,199	3,810	3,963	1,811	2
Male	9,222	576	90	99	210	188	313	784	1,410	2,392	2,240	918	2
Female	6,183	382	88	88	82	92	213	415	789	1,418	1,723	893	-
White	11,711	560	102	135	197	199	356	899	1,613	2,819	3,266	1,565	-
Male	7,171	337	53	76	143	139	230	630	1,112	1,834	1,829	788	-
Female	4,540	223	49	59	54	60	126	269	501	985	1,437	777	-
Nonwhite	3,694	398	76	52	95	81	170	300	586	991	697	246	2
Male	2,051	239	37	23	67	49	83	154	298	558	411	130	2
Female	1,643	159	39	29	28	32	87	146	288	433	286	116	-
CALIFORNIA	141,395	9,688	1,249	1,236	2,375	2,912	6,802	13,587	21,853	32,825	33,993	15,840	35
Male	80,490	5,034	695	748	1,681	1,876	4,146	8,762	14,384	19,813	17,175	6,152	24
Female	60,905	3,654	554	488	694	1,036	2,656	4,825	7,469	13,012	16,818	9,688	11
White	132,142	7,328	1,095	1,112	2,158	2,467	5,955	12,361	20,223	31,197	32,803	15,411	32
Male	74,935	4,242	613	671	1,543	1,616	3,619	7,997	13,384	18,852	16,458	5,918	22
Female	57,207	3,086	482	441	615	851	2,336	4,364	6,839	12,345	16,345	9,493	10
Nonwhite	9,253	1,360	154	124	217	445	847	1,226	1,630	1,628	1,190	429	3
Male	5,555	792	82	77	138	260	527	765	1,000	961	717	234	2
Female	3,698	568	72	47	79	185	320	461	630	667	473	195	1
Metropolitan counties	120,937	7,448	1,052	1,032	1,923	2,506	5,881	11,761	18,852	27,989	28,957	13,517	19
Male	67,902	4,329	584	611	1,338	1,585	3,553	7,512	12,343	16,650	14,315	5,070	12
Female	53,035	3,119	468	421	585	921	2,328	4,249	6,509	11,339	14,642	8,447	7
White	112,390	6,181	909	915	1,719	2,092	5,093	10,621	17,331	26,516	27,869	13,127	17
Male	62,835	3,584	510	539	1,208	1,346	3,065	6,812	11,427	15,802	13,672	4,860	10
Female	49,555	2,597	399	376	511	746	2,028	3,809	5,904	10,714	14,197	8,267	7
Nonwhite	8,547	1,267	143	117	204	414	788	1,140	1,521	1,473	1,088	390	2
Male	5,067	745	74	72	130	239	488	700	916	848	643	210	2
Female	3,480	522	69	45	74	175	300	440	605	625	445	180	-
Nonmetropolitan counties	20,458	1,240	197	204	452	406	921	1,826	3,001	4,836	5,036	2,323	16
Male	12,588	705	111	137	343	291	593	1,250	2,041	3,163	2,860	1,082	12
Female	7,870	535	86	67	109	115	328	576	960	1,673	2,176	1,241	4
White	19,752	1,147	186	197	439	375	862	1,740	2,892	4,681	4,934	2,284	15
Male	12,100	658	103	132	335	270	554	1,185	1,957	3,050	2,786	1,058	12
Female	7,652	489	83	65	104	105	308	555	935	1,631	2,148	1,226	3
Nonwhite	706	93	11	7	13	31	59	86	109	155	102	39	1
Male	488	47	8	5	8	21	39	65	84	113	74	24	-
Female	218	46	3	2	5	10	20	21	25	42	28	15	1
COLORADO	16,005	1,099	194	157	347	341	668	1,347	2,148	3,384	4,130	2,187	3
Male	9,218	648	100	91	246	216	414	911	1,402	2,076	2,199	915	-
Female	6,787	451	94	66	101	125	254	436	746	1,308	1,931	1,272	3
White	15,489	1,022	185	150	331	312	624	1,297	2,084	3,274	4,051	2,156	3
Male	8,918	597	95	87	235	201	393	879	1,363	2,010	2,158	900	-
Female	6,571	425	90	63	96	111	231	418	721	1,264	1,893	1,256	3
Nonwhite	516	77	9	7	16	29	44	50	64	110	79	31	-
Male	300	51	5	4	11	15	21	32	39	66	41	15	-
Female	216	26	4	3	5	14	23	18	25	44	38	16	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
COLORADO—Con.													
Metropolitan counties	10,396	781	127	97	214	237	471	917	1,422	2,193	2,565	1,369	3
Male	5,850	464	66	50	144	140	284	614	932	1,316	1,309	531	-
Female	4,546	317	61	47	70	97	187	303	490	877	1,256	838	3
White	9,932	713	118	90	202	212	433	872	1,363	2,094	2,491	1,341	3
Male	5,582	419	61	46	136	127	265	585	897	1,256	1,272	518	-
Female	4,350	294	57	44	66	85	168	287	466	838	1,219	823	3
Nonwhite	464	68	9	7	12	25	38	45	59	99	74	28	-
Male	268	45	5	4	8	13	19	29	35	60	37	13	-
Female	196	23	4	3	4	12	19	16	24	39	37	15	-
Nonmetropolitan counties	5,809	318	67	60	133	104	197	430	726	1,191	1,565	818	-
Male	3,368	184	34	41	102	76	130	297	470	760	890	384	-
Female	2,241	134	33	19	31	28	67	133	256	431	675	434	-
White	5,557	309	67	60	129	100	191	425	721	1,180	1,560	815	-
Male	3,336	178	34	41	99	74	128	294	466	754	886	382	-
Female	2,221	131	33	19	30	26	63	131	255	426	674	433	-
Nonwhite	52	9	-	-	4	4	6	5	5	11	5	3	-
Male	32	6	-	-	3	2	2	3	4	6	4	2	-
Female	20	3	-	-	1	2	4	2	1	5	1	1	-
CONNECTICUT	24,883	1,259	172	187	266	310	955	2,168	3,710	6,516	6,247	3,082	11
Male	13,690	727	95	121	198	164	553	1,384	2,351	3,750	3,140	1,200	7
Female	11,193	532	77	66	68	146	402	784	1,359	2,766	3,107	1,882	4
White	23,895	1,074	154	166	246	264	867	2,048	3,543	6,349	6,134	3,039	11
Male	13,122	621	81	108	183	136	498	1,313	2,255	3,654	3,082	1,184	7
Female	10,773	453	73	58	63	128	369	735	1,288	2,695	3,052	1,855	4
Nonwhite	988	185	18	21	20	46	88	120	167	167	113	43	-
Male	568	106	14	13	15	28	55	71	96	96	58	16	-
Female	420	79	4	8	5	18	33	49	71	71	55	27	-
Metropolitan counties	19,713	1,019	142	147	200	246	779	1,779	2,961	5,245	4,863	2,323	9
Male	10,874	593	80	91	147	135	455	1,128	1,866	3,038	2,440	896	5
Female	8,839	426	62	56	53	111	324	651	1,095	2,207	2,423	1,427	4
White	18,794	851	124	129	180	204	697	1,663	2,806	5,090	4,759	2,282	9
Male	10,347	497	66	80	132	109	406	1,059	1,775	2,949	2,388	881	5
Female	8,447	354	58	49	48	95	291	604	1,031	2,141	2,371	1,401	4
Nonwhite	919	168	18	18	20	42	82	116	155	155	104	41	-
Male	527	96	14	11	15	26	49	69	91	89	52	15	-
Female	392	72	4	7	5	16	33	47	64	66	52	26	-
Nonmetropolitan counties	5,170	240	30	40	66	64	176	389	749	1,271	1,384	759	2
Male	2,816	134	15	30	51	29	98	256	485	712	700	304	2
Female	2,354	106	15	10	15	35	78	133	264	559	684	455	-
White	5,101	223	30	37	66	60	170	385	737	1,259	1,375	757	2
Male	2,775	124	15	28	51	27	92	254	480	705	694	303	2
Female	2,326	99	15	9	15	33	78	131	257	554	681	454	-
Nonwhite	69	17	-	3	-	4	6	4	12	12	9	2	-
Male	41	10	-	2	-	2	6	2	5	7	6	1	-
Female	28	7	-	1	-	2	-	2	7	5	3	1	-
DELAWARE	4,252	245	52	44	60	87	195	423	629	1,036	1,002	472	7
Male	2,399	119	33	28	43	57	127	272	421	599	503	193	4
Female	1,853	126	19	16	17	30	68	151	208	437	499	279	3
White	3,516	163	31	27	52	57	144	324	511	885	901	418	3
Male	1,965	72	18	17	37	35	101	217	342	508	447	170	1
Female	1,551	91	13	10	15	22	43	107	169	377	454	248	2
Nonwhite	736	82	21	17	8	30	51	99	118	151	101	54	4
Male	434	47	15	11	6	22	26	55	79	91	56	23	3
Female	302	35	6	6	2	8	25	44	39	60	45	31	1
Metropolitan counties	2,807	130	27	26	33	50	126	310	446	719	646	290	4
Male	1,549	57	14	17	21	32	80	206	289	400	326	106	1
Female	1,258	73	13	9	12	18	46	104	157	319	320	184	3
White	2,376	94	19	19	29	34	94	246	368	622	590	258	3
Male	1,298	33	9	13	18	22	63	171	234	348	292	94	1
Female	1,078	61	10	6	11	12	31	75	134	274	298	164	2
Nonwhite	431	36	8	7	4	16	32	64	78	97	56	32	1
Male	251	24	5	4	3	10	17	35	55	52	34	12	-
Female	180	12	3	3	1	6	15	29	23	45	22	20	1
Nonmetropolitan counties	1,445	115	25	18	27	37	69	113	183	317	356	182	3
Male	850	62	19	11	22	25	47	66	132	199	177	87	3
Female	595	53	6	7	5	12	22	47	51	118	179	95	-
White	1,140	69	12	8	23	23	50	78	143	263	311	160	-
Male	667	39	9	4	19	13	38	46	108	160	155	76	-
Female	473	30	3	4	4	10	12	32	35	103	156	84	-
Nonwhite	305	46	13	10	4	14	19	35	40	54	45	22	3
Male	183	23	10	7	3	12	9	20	24	39	22	11	3
Female	122	23	3	3	1	2	10	15	16	15	23	11	-
DISTRICT OF COLUMBIA (metropolitan)	8,906	700	50	60	114	234	620	1,132	1,617	1,860	1,610	908	1
Male	4,760	391	26	30	58	137	358	705	1,040	1,035	693	286	1
Female	4,146	309	24	30	56	97	262	427	577	825	917	622	-
White	4,527	154	9	11	29	50	171	428	796	1,130	1,076	672	1
Male	2,324	90	6	6	15	35	110	275	516	652	428	190	1
Female	2,203	64	3	5	14	15	61	153	280	478	648	482	-
Nonwhite	4,379	546	41	49	85	184	449	704	821	730	534	236	-
Male	2,436	301	20	24	43	102	248	430	524	383	265	96	-
Female	1,943	245	21	25	42	82	201	274	297	347	269	140	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
FLORIDA	52,877	3,289	609	506	860	1,096	2,425	4,883	8,734	14,302	11,406	4,754	13
Male	31,868	1,899	333	322	593	707	1,437	3,126	5,690	9,198	6,414	2,142	7
Female	21,009	1,390	276	184	267	389	988	1,757	3,044	5,104	4,992	2,612	6
White	43,499	1,892	334	326	604	688	1,658	3,559	6,739	12,607	10,630	4,453	7
Male	26,617	1,126	183	209	420	461	1,044	2,361	4,596	8,227	6,000	1,986	4
Female	16,882	766	151	119	184	227	614	1,198	2,143	4,380	4,630	2,467	3
Nonwhite	9,378	1,397	275	178	256	408	767	1,324	1,995	1,695	776	301	6
Male	5,251	773	150	113	173	246	393	765	1,094	971	414	156	3
Female	4,127	624	125	65	83	162	374	559	901	724	362	145	3
Metropolitan counties	34,556	2,045	374	297	535	694	1,670	3,275	5,843	9,414	7,422	2,983	4
Male	20,881	1,186	198	190	365	440	1,003	2,111	3,822	6,067	4,189	1,308	2
Female	13,675	859	176	107	170	254	667	1,164	2,021	3,347	3,233	1,675	2
White	29,119	1,227	222	206	394	424	1,145	2,443	4,630	8,513	7,061	2,863	1
Male	17,814	739	122	130	259	275	726	1,616	3,155	5,546	4,000	1,245	1
Female	11,305	488	100	76	125	149	419	827	1,475	2,967	3,061	1,618	-
Nonwhite	5,437	818	152	91	141	270	525	832	1,213	901	361	120	3
Male	3,067	447	76	60	106	165	277	495	667	521	189	63	1
Female	2,370	371	76	31	45	105	248	337	546	380	172	57	2
Nonmetropolitan counties	18,321	1,244	235	209	325	402	755	1,608	2,891	4,888	3,984	1,771	9
Male	10,987	713	135	132	228	267	434	1,015	1,868	3,131	2,225	834	5
Female	7,334	531	100	77	97	135	321	593	1,023	1,757	1,759	937	4
White	14,380	665	112	122	220	264	513	1,116	2,109	4,094	3,569	1,590	6
Male	8,803	387	61	79	161	186	318	745	1,441	2,681	2,000	741	3
Female	5,577	278	51	43	59	78	195	371	668	1,413	1,569	849	3
Nonwhite	3,941	579	123	87	105	138	242	492	782	794	415	181	3
Male	2,184	326	74	53	67	81	116	270	427	450	225	93	2
Female	1,757	253	49	34	38	57	126	222	355	344	190	88	1
GEORGIA	36,069	2,989	506	478	858	1,030	2,118	4,177	6,158	7,953	6,863	2,930	9
Male	20,366	1,705	273	282	600	630	1,303	2,677	3,773	4,697	3,258	1,165	3
Female	15,703	1,284	233	196	258	400	815	1,500	2,385	3,256	3,605	1,765	6
White	23,539	1,425	235	263	456	538	1,187	2,393	3,577	5,308	5,691	2,461	3
Male	13,733	841	129	163	328	353	804	1,691	2,456	3,326	2,701	940	1
Female	9,806	584	106	100	130	185	383	702	1,121	1,982	2,990	1,521	2
Nonwhite	12,530	1,564	271	215	400	492	931	1,784	2,581	2,645	1,172	469	6
Male	6,633	864	144	119	272	277	499	986	1,317	1,371	557	225	2
Female	5,897	700	127	96	128	215	432	798	1,264	1,274	615	244	4
Metropolitan counties	15,470	1,249	215	189	318	509	1,034	1,928	2,836	3,314	2,747	1,126	5
Male	8,538	730	119	118	212	286	607	1,237	1,722	1,915	1,200	392	-
Female	6,932	519	96	71	106	223	427	691	1,114	1,399	1,547	734	5
White	10,068	691	120	110	179	252	568	1,070	1,615	2,197	2,291	973	2
Male	5,679	406	65	74	122	146	352	740	1,068	1,354	1,008	324	-
Female	4,389	285	55	36	57	106	216	330	527	843	1,283	649	2
Nonwhite	5,402	558	95	79	139	257	466	858	1,221	1,117	456	153	3
Male	2,859	324	54	44	90	140	255	497	654	561	192	68	-
Female	2,543	234	41	35	49	117	211	361	567	556	264	85	3
Nonmetropolitan counties	20,599	1,740	291	289	540	521	1,084	2,249	3,322	4,639	4,116	1,804	4
Male	11,828	975	154	164	388	344	696	1,440	2,051	2,782	2,058	773	3
Female	8,771	765	137	125	152	177	388	809	1,271	1,857	2,058	1,031	1
White	13,471	734	115	153	279	286	619	1,323	1,962	3,111	3,400	1,488	1
Male	8,054	435	64	89	206	207	452	951	1,368	1,972	1,693	616	1
Female	5,417	299	51	64	73	79	167	372	594	1,139	1,707	872	-
Nonwhite	7,128	1,006	176	136	261	235	465	926	1,360	1,528	716	316	3
Male	3,774	540	90	75	182	137	244	489	683	810	365	157	2
Female	3,354	466	86	61	79	98	221	437	677	718	351	159	1
HAWAII	3,532	375	59	56	90	111	206	395	567	717	639	316	1
Male	2,253	219	33	38	63	77	125	269	397	469	388	175	-
Female	1,279	156	26	18	27	34	81	126	170	248	251	141	1
White	995	101	14	12	31	40	65	122	148	199	175	87	1
Male	604	50	8	7	27	30	46	88	98	125	89	35	-
Female	391	51	6	5	4	10	19	34	49	74	86	52	1
Nonwhite	2,537	274	45	44	59	71	141	273	419	518	464	229	-
Male	1,649	169	25	31	36	47	79	181	298	344	299	140	-
Female	888	105	20	13	23	24	62	92	121	174	165	89	-
Metropolitan counties	2,551	315	51	50	71	95	163	300	395	494	424	192	1
Male	1,592	176	30	33	48	67	102	202	273	306	254	101	-
Female	959	139	21	17	23	28	61	98	122	188	170	91	1
White	808	96	12	11	28	36	61	99	113	149	138	64	1
Male	485	47	7	6	24	26	43	70	81	90	68	23	-
Female	323	49	5	5	4	10	18	29	32	59	70	41	1
Nonwhite	1,743	219	39	39	43	59	102	201	282	345	286	128	-
Male	1,107	129	23	27	24	41	59	132	192	216	186	78	-
Female	636	90	16	12	19	18	43	69	90	129	100	50	-
Nonmetropolitan counties	981	60	8	6	19	16	43	95	172	223	215	124	-
Male	661	43	3	5	15	10	23	67	124	163	134	74	-
Female	320	17	5	1	4	6	20	28	48	60	81	50	-
White	187	5	2	1	3	4	4	23	35	50	37	23	-
Male	119	3	1	1	3	4	3	18	18	35	21	12	-
Female	68	2	1	-	-	-	1	5	17	15	16	11	-
Nonwhite	794	55	6	5	16	12	39	72	137	173	178	101	-
Male	542	40	2	4	12	6	20	49	106	128	113	62	-
Female	252	15	4	1	4	6	19	23	31	45	65	39	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
IDAHO	5,587	395	84	89	154	117	199	469	746	1,185	1,484	663	2
Male	3,454	245	46	60	116	85	133	335	526	748	819	341	-
Female	2,133	150	38	29	38	32	66	134	220	437	665	322	2
White	5,488	387	78	87	147	106	193	463	734	1,168	1,465	659	1
Male	3,395	243	44	58	110	77	130	332	519	737	806	339	-
Female	2,093	144	34	29	37	29	63	131	215	431	659	320	1
Nonwhite	99	8	6	2	7	11	6	6	12	17	19	4	1
Male	59	2	2	2	6	8	3	3	7	11	13	2	-
Female	40	6	4	-	1	3	3	3	5	6	6	2	1
Nonmetropolitan counties	5,587	395	84	89	154	117	199	469	746	1,185	1,484	663	2
Male	3,454	245	46	60	116	85	133	335	526	748	819	341	-
Female	2,133	150	38	29	38	32	66	134	220	437	665	322	2
White	5,488	387	78	87	147	106	193	463	734	1,168	1,465	659	1
Male	3,395	243	44	58	110	77	130	332	519	737	806	339	-
Female	2,093	144	34	29	37	29	63	131	215	431	659	320	1
Nonwhite	99	8	6	2	7	11	6	6	12	17	19	4	1
Male	59	2	2	2	6	8	3	3	7	11	13	2	-
Female	40	6	4	-	1	3	3	3	5	6	6	2	1
ILLINOIS	104,649	5,538	819	797	1,388	1,813	4,287	9,485	16,844	26,609	25,669	11,396	4
Male	59,072	3,186	463	487	944	1,125	2,660	6,084	10,887	15,606	13,030	4,597	3
Female	45,577	2,352	356	310	444	688	1,627	3,401	5,957	11,003	12,639	6,799	1
White	93,613	4,087	587	657	1,140	1,312	3,233	7,996	14,709	24,498	24,458	10,933	3
Male	52,899	2,383	335	400	794	824	2,050	5,219	9,674	14,433	12,387	4,398	2
Female	40,714	1,704	252	257	346	488	1,183	2,777	5,035	10,065	12,071	6,535	1
Nonwhite	11,036	1,451	232	140	248	501	1,054	1,489	2,135	2,111	1,211	463	1
Male	6,173	803	128	87	150	301	610	865	1,213	1,173	643	199	1
Female	4,863	648	104	53	98	200	444	624	922	938	568	264	-
Metropolitan counties	77,480	4,533	666	606	994	1,481	3,585	7,800	13,417	20,077	17,248	7,069	4
Male	43,792	2,587	383	373	663	898	2,239	4,946	8,697	11,721	8,611	2,671	3
Female	33,688	1,946	283	233	331	583	1,346	2,854	4,720	8,356	8,637	4,398	1
White	67,080	3,130	442	479	757	989	2,565	6,372	11,372	18,109	16,190	6,672	3
Male	37,953	1,810	259	293	521	601	1,646	4,118	7,527	10,626	8,045	2,505	2
Female	29,127	1,320	183	186	236	388	919	2,254	3,845	7,483	8,145	4,167	1
Nonwhite	10,400	1,403	224	127	237	492	1,020	1,428	3,045	1,968	1,058	397	1
Male	5,839	777	124	80	142	297	593	828	1,170	1,095	566	166	1
Female	4,561	626	100	47	95	195	427	600	875	873	492	231	-
Nonmetropolitan counties	27,169	1,005	153	191	394	332	702	1,685	3,427	6,532	8,421	4,327	-
Male	15,280	599	80	114	281	227	421	1,138	2,190	3,885	4,419	1,926	-
Female	11,889	406	73	77	113	105	281	547	1,237	2,647	4,002	2,401	-
White	26,533	957	145	178	383	323	668	1,624	3,337	6,389	8,268	4,261	-
Male	14,946	573	76	107	273	223	404	1,101	2,147	3,807	4,342	1,893	-
Female	11,587	384	69	71	110	100	264	523	1,190	2,582	3,926	2,368	-
Nonwhite	636	48	8	13	11	9	34	61	90	143	153	66	-
Male	334	26	4	7	8	4	17	37	43	78	77	33	-
Female	302	22	4	6	3	5	17	24	47	65	76	33	-
INDIANA	46,037	2,524	376	472	750	768	1,659	3,609	6,803	10,802	12,189	6,067	18
Male	26,080	1,472	205	288	517	461	981	2,363	4,364	6,523	6,272	2,628	6
Female	19,957	1,052	171	184	233	307	678	1,246	2,439	4,279	5,917	3,439	12
White	43,235	2,192	331	439	692	656	1,441	3,263	6,225	10,233	11,828	5,923	12
Male	24,511	1,291	181	269	480	406	871	2,152	4,037	6,192	6,058	2,571	3
Female	18,724	901	150	170	212	250	570	1,111	2,188	4,041	5,770	3,352	9
Nonwhite	2,802	332	45	33	58	112	218	346	578	569	361	144	6
Male	1,569	181	24	19	37	55	110	211	327	331	214	57	3
Female	1,233	151	21	14	21	57	108	135	251	238	147	87	3
Metropolitan counties	20,526	1,334	183	216	326	406	913	1,856	3,431	4,897	4,793	2,166	5
Male	11,595	750	97	122	223	239	545	1,185	2,192	2,945	2,394	900	3
Female	8,931	584	86	94	103	167	368	671	1,239	1,952	2,399	1,266	2
White	18,064	1,045	144	189	274	300	719	1,559	2,911	4,389	4,501	2,051	2
Male	10,225	589	78	108	189	186	448	994	1,897	2,655	2,226	855	-
Female	7,839	456	66	81	85	114	271	545	1,014	1,734	2,275	1,196	2
Nonwhite	2,462	289	39	27	52	106	194	317	520	508	292	115	3
Male	1,370	161	19	14	34	53	97	191	295	290	168	45	3
Female	1,092	128	20	13	18	53	97	126	225	218	124	70	-
Nonmetropolitan counties	25,511	1,190	193	256	424	362	746	1,753	3,372	5,905	7,396	3,901	13
Male	14,485	722	108	166	294	222	436	1,178	2,172	3,578	3,878	1,728	3
Female	11,026	468	85	90	130	140	310	575	1,200	2,327	3,518	2,173	10
White	25,171	1,147	187	250	418	356	722	1,724	3,314	5,844	7,327	3,872	10
Male	14,286	702	103	161	291	220	423	1,158	2,140	3,537	3,832	1,716	3
Female	10,885	445	84	89	127	136	299	566	1,174	2,307	3,495	2,156	7
Nonwhite	340	43	6	6	6	6	24	29	58	61	69	29	3
Male	199	20	5	5	3	2	13	20	32	41	46	12	-
Female	141	23	1	1	3	4	11	9	26	20	23	17	3
IOWA	28,666	1,206	184	242	435	364	735	1,754	3,638	6,718	8,549	4,832	9
Male	16,195	742	98	146	321	235	447	1,170	2,464	4,150	4,341	2,081	-
Female	12,471	464	86	96	114	129	288	584	1,174	2,568	4,208	2,751	9
White	28,350	1,170	182	238	428	352	713	1,724	3,587	6,645	8,493	4,809	9
Male	16,019	719	97	144	317	231	435	1,153	2,434	4,105	4,315	2,069	-
Female	12,331	451	85	94	111	121	278	571	1,153	2,540	4,178	2,740	9
Nonwhite	316	36	2	4	7	12	22	30	51	73	56	23	-
Male	176	23	1	2	4	4	12	17	30	45	26	12	-
Female	140	13	1	2	3	8	10	13	21	28	30	11	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
IOWA—Con.													
Metropolitan counties	8,689	471	68	89	128	138	279	616	1,210	2,168	2,287	1,252	3
Male	4,860	304	36	40	90	79	174	400	832	1,307	1,120	478	-
Female	3,829	167	32	29	38	59	105	216	378	861	1,167	774	3
White	8,459	442	66	66	128	126	261	593	1,178	2,115	2,245	1,236	3
Male	4,738	286	35	39	90	75	164	389	813	1,279	1,099	469	-
Female	3,721	156	31	27	38	51	97	204	365	836	1,146	767	3
Nonwhite	230	29	2	3	-	12	18	23	32	53	42	16	-
Male	122	18	1	1	-	4	10	11	19	28	21	9	-
Female	108	11	1	2	-	8	8	12	13	25	21	7	-
Nonmetropolitan counties	19,977	735	116	173	307	226	456	1,138	2,428	4,550	6,262	3,580	6
Male	11,335	438	62	106	231	156	273	770	1,632	2,843	3,221	1,603	-
Female	8,642	297	54	67	76	70	183	368	796	1,707	3,041	1,977	6
White	19,891	728	116	172	300	226	452	1,131	2,409	4,530	6,248	3,573	6
Male	11,281	433	62	105	227	156	271	764	1,621	2,826	3,216	1,600	-
Female	8,610	295	54	67	73	70	181	367	788	1,704	3,032	1,973	6
Nonwhite	86	7	-	1	7	-	4	7	19	20	14	7	-
Male	54	5	-	1	4	-	2	6	11	17	5	3	-
Female	32	2	-	-	3	-	2	1	8	3	9	4	-
KANSAS	21,734	1,086	170	192	364	313	653	1,391	2,742	4,951	6,286	3,583	3
Male	12,306	648	91	121	254	193	429	934	1,840	3,034	3,212	1,549	1
Female	9,428	438	79	71	110	120	224	457	902	1,917	3,074	2,034	2
White	20,614	973	157	185	345	279	587	1,304	2,552	4,693	6,074	3,462	3
Male	11,705	585	84	120	244	178	392	886	1,740	2,882	3,098	1,495	1
Female	8,909	388	73	65	101	101	195	418	812	1,811	2,976	1,967	2
Nonwhite	1,120	113	13	7	19	34	66	87	190	258	212	121	-
Male	601	63	7	1	10	15	37	48	100	152	114	54	-
Female	519	50	6	6	9	19	29	39	90	106	98	67	-
Metropolitan counties	6,498	464	67	70	140	134	312	549	989	1,432	1,529	811	1
Male	3,631	268	34	48	89	82	204	359	666	837	732	311	1
Female	2,867	196	33	22	51	52	108	190	323	595	797	500	-
White	5,803	390	60	66	130	115	257	489	863	1,277	1,402	753	1
Male	3,251	228	29	48	83	75	173	324	597	747	662	284	1
Female	2,552	162	31	18	47	40	84	165	266	530	740	469	-
Nonwhite	695	74	7	4	10	19	55	60	126	155	127	58	-
Male	380	40	5	-	6	7	31	35	69	90	70	27	-
Female	315	34	2	4	4	12	24	25	57	65	57	31	-
Nonmetropolitan counties	15,236	622	103	122	224	179	341	842	1,753	3,519	4,757	2,772	2
Male	8,675	380	57	73	165	111	225	575	1,174	2,197	2,480	1,238	-
Female	6,561	242	46	49	59	68	116	267	579	1,322	2,277	1,534	2
White	14,811	583	97	119	215	164	330	815	1,689	3,416	4,672	2,709	2
Male	8,454	357	55	72	161	103	219	562	1,143	2,135	2,436	1,211	-
Female	6,357	226	42	47	54	61	111	253	546	1,281	2,236	1,498	2
Nonwhite	425	39	6	3	9	15	11	27	64	103	85	63	-
Male	221	23	2	1	4	8	6	13	31	62	44	27	-
Female	204	16	4	2	5	7	5	14	33	41	41	36	-
KENTUCKY	30,463	1,876	304	333	563	586	1,264	2,556	4,403	6,935	7,689	3,950	4
Male	17,426	1,047	153	224	412	415	800	1,683	2,875	4,148	3,921	1,748	-
Female	13,037	829	151	109	151	171	464	873	1,528	2,787	3,768	2,202	4
White	27,311	1,601	267	309	498	524	1,079	2,207	3,803	6,159	7,176	3,685	3
Male	15,726	887	137	205	367	376	710	1,495	2,549	3,709	3,660	1,631	-
Female	11,585	714	130	104	131	148	369	712	1,254	2,450	3,516	2,054	3
Nonwhite	3,152	275	37	24	65	62	185	349	600	776	513	265	1
Male	1,700	160	16	19	45	39	90	188	326	439	261	117	-
Female	1,452	115	21	5	20	23	95	161	274	337	252	148	1
Metropolitan counties	10,531	664	86	98	155	181	486	1,026	1,779	2,471	2,372	1,210	3
Male	5,736	358	45	67	104	124	301	655	1,173	1,420	1,020	469	-
Female	4,795	306	41	31	51	57	185	371	606	1,051	1,352	741	3
White	8,980	537	69	87	125	149	384	834	1,444	2,075	2,164	1,109	3
Male	4,919	286	38	59	83	103	255	553	981	1,205	926	430	-
Female	4,061	251	31	28	42	46	129	281	463	870	1,238	679	3
Nonwhite	1,551	127	17	11	30	32	102	192	335	396	208	101	-
Male	817	72	7	8	21	21	46	102	192	215	94	39	-
Female	734	55	10	3	9	11	56	90	143	181	114	62	-
Nonmetropolitan counties	19,932	1,212	218	235	408	405	778	1,530	2,624	4,464	5,317	2,740	1
Male	11,690	689	108	157	308	291	499	1,028	1,702	2,728	2,901	1,279	-
Female	8,242	523	110	78	100	114	279	502	922	1,736	2,416	1,461	1
White	18,331	1,064	198	222	373	375	695	1,373	2,359	4,084	5,012	2,576	-
Male	10,807	601	99	146	284	273	455	942	1,568	2,504	2,734	1,201	-
Female	7,524	463	99	76	89	102	240	431	791	1,580	2,278	1,375	-
Nonwhite	1,601	148	20	13	35	30	83	157	265	380	305	164	1
Male	883	88	9	11	24	18	44	86	134	224	167	78	-
Female	718	60	11	2	11	12	39	71	131	156	138	86	1
LOUISIANA	30,415	2,755	488	389	613	710	1,479	2,978	5,030	7,100	6,037	2,815	21
Male	17,222	1,565	259	224	435	485	883	1,871	3,190	4,111	3,003	1,178	18
Female	13,193	1,190	229	165	178	225	596	1,107	1,840	2,989	3,034	1,637	3
White	18,880	1,167	218	202	359	386	864	1,828	3,060	4,366	4,344	2,067	19
Male	11,034	697	114	123	265	285	573	1,260	2,132	2,619	2,118	831	17
Female	7,846	470	104	79	94	101	291	568	928	1,747	2,226	1,236	2
Nonwhite	11,535	1,588	270	187	254	324	615	1,150	1,970	2,734	1,693	748	2
Male	6,188	868	145	101	170	200	310	611	1,058	1,492	885	347	1
Female	5,347	720	125	86	84	124	305	539	912	1,242	808	401	1

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
LOUISIANA—Con.													
Metropolitan parishes[1]	14,978	1,247	198	172	270	347	809	1,672	2,725	3,506	2,845	1,182	5
Male	8,216	707	112	96	187	226	478	1,023	1,723	1,963	1,292	406	3
Female	6,762	540	86	76	83	121	331	649	1,002	1,543	1,553	776	2
White	9,463	549	98	89	156	193	447	1,034	1,663	2,198	2,110	923	3
Male	5,349	338	56	53	109	132	298	689	1,164	1,266	939	303	2
Female	4,114	211	42	36	47	61	149	345	499	932	1,171	620	1
Nonwhite	5,515	698	100	83	114	154	362	638	1,062	1,308	735	259	2
Male	2,867	369	56	43	78	94	180	334	559	697	353	103	1
Female	2,648	329	44	40	36	60	182	304	503	611	382	156	1
Nonmetropolitan parishes[1]	15,437	1,508	290	217	343	363	670	1,306	2,305	3,594	3,192	1,633	16
Male	9,006	858	147	128	248	259	405	848	1,467	2,148	1,711	772	15
Female	6,431	650	143	89	95	104	265	458	838	1,446	1,481	861	1
White	9,417	618	120	113	203	193	417	794	1,397	2,168	2,234	1,144	16
Male	5,685	359	58	70	156	153	275	571	968	1,353	1,179	528	15
Female	3,732	259	62	43	47	40	142	223	429	815	1,055	616	1
Nonwhite	6,020	890	170	104	140	170	253	512	908	1,426	958	489	-
Male	3,321	499	89	58	92	106	130	277	499	795	532	244	-
Female	2,699	391	81	46	48	64	123	235	409	631	426	245	-
MAINE	11,096	581	72	85	135	144	307	766	1,467	2,692	3,070	1,768	9
Male	6,124	349	34	47	90	91	196	462	914	1,583	1,564	789	5
Female	4,972	232	38	38	45	53	111	304	553	1,109	1,506	979	4
White	11,056	572	71	85	132	144	307	762	1,463	2,682	3,067	1,763	8
Male	6,102	342	34	47	89	91	196	461	912	1,577	1,563	786	4
Female	4,954	230	37	38	43	53	111	301	551	1,105	1,504	977	4
Nonwhite	40	9	1	-	3	-	-	4	4	10	3	5	1
Male	22	7	-	-	1	-	-	1	2	6	1	3	1
Female	18	2	1	-	2	-	-	3	2	4	2	2	-
Metropolitan counties	2,187	110	20	15	20	26	50	173	287	536	618	330	2
Male	1,135	68	12	6	12	14	36	101	180	287	297	122	-
Female	1,052	42	8	9	8	12	14	72	107	249	321	208	2
White	2,179	109	20	15	20	26	50	170	286	534	618	329	2
Male	1,132	67	12	6	12	14	36	100	180	286	297	122	-
Female	1,047	42	8	9	8	12	14	70	106	248	321	207	2
Nonwhite	8	1	-	-	-	-	-	3	1	2	-	1	-
Male	3	1	-	-	-	-	-	1	-	1	-	-	-
Female	5	-	-	-	-	-	-	2	1	1	-	1	-
Nonmetropolitan counties	8,909	471	52	70	115	118	257	593	1,180	2,156	2,452	1,438	7
Male	4,989	281	22	41	78	77	160	361	734	1,296	1,267	667	5
Female	3,920	190	30	29	37	41	97	232	446	860	1,185	771	2
White	8,877	463	51	70	112	118	257	592	1,177	2,148	2,449	1,434	6
Male	4,970	275	22	41	77	77	160	361	732	1,291	1,266	664	4
Female	3,907	188	29	29	35	41	97	231	445	857	1,183	770	2
Nonwhite	32	8	1	-	3	-	-	1	3	8	3	4	1
Male	19	6	-	-	1	-	-	-	2	5	1	3	1
Female	13	2	1	-	2	-	-	1	1	3	2	1	-
MARYLAND	28,415	2,041	292	314	421	598	1,575	3,010	4,797	6,717	6,011	2,637	2
Male	15,843	1,133	161	196	304	376	939	1,945	3,025	3,962	2,777	1,023	2
Female	12,572	908	131	118	117	222	636	1,065	1,772	2,755	3,234	1,614	-
White	22,868	1,323	216	223	303	348	1,069	2,252	3,746	5,583	5,395	2,409	1
Male	12,681	742	118	141	229	222	660	1,478	2,417	3,313	2,452	908	1
Female	10,187	581	98	82	74	126	409	774	1,329	2,270	2,943	1,501	-
Nonwhite	5,547	718	76	91	118	250	506	758	1,051	1,134	616	228	1
Male	3,162	391	43	55	75	154	279	467	608	649	325	115	1
Female	2,385	327	33	36	43	96	227	291	443	485	291	113	-
Metropolitan counties	21,369	1,594	222	255	298	480	1,264	2,373	3,711	5,062	4,289	1,820	1
Male	11,822	887	118	159	215	295	748	1,545	2,334	2,931	1,918	671	1
Female	9,547	707	104	96	83	185	516	828	1,377	2,131	2,371	1,149	-
White	16,966	1,032	156	179	211	266	838	1,746	2,849	4,173	3,858	1,657	1
Male	9,316	578	81	116	158	163	510	1,161	1,837	2,426	1,695	590	1
Female	7,650	454	75	63	53	103	328	585	1,012	1,747	2,163	1,067	-
Nonwhite	4,403	562	66	76	87	214	426	627	862	889	431	163	-
Male	2,506	309	37	43	57	132	238	384	497	505	223	81	-
Female	1,897	253	29	33	30	82	188	243	365	384	208	82	-
Nonmetropolitan counties	7,046	447	70	59	123	118	311	637	1,086	1,655	1,722	817	1
Male	4,021	246	43	37	89	81	191	400	691	1,031	859	352	1
Female	3,025	201	27	22	34	37	120	237	395	624	863	465	-
White	5,902	291	60	44	92	82	231	506	897	1,410	1,537	752	-
Male	3,365	164	37	25	71	59	150	317	580	887	757	318	-
Female	2,537	127	23	19	21	23	81	189	317	523	780	434	-
Nonwhite	1,144	156	10	15	31	36	80	131	189	245	185	65	1
Male	656	82	6	12	18	22	41	83	111	144	102	34	1
Female	488	74	4	3	13	14	39	48	78	101	83	31	-
MASSACHUSETTS	56,512	2,443	356	376	496	667	1,733	4,435	8,423	14,722	14,993	7,840	28
Male	29,929	1,415	205	236	353	384	1,026	2,920	5,352	8,377	6,887	2,757	17
Female	26,583	1,028	151	140	143	283	707	1,515	3,071	6,345	8,106	5,083	11
White	55,283	2,288	338	358	472	616	1,646	4,304	8,230	14,471	14,778	7,754	28
Male	29,265	1,330	197	228	340	357	978	2,859	5,236	8,249	6,780	2,714	17
Female	26,018	958	141	130	132	259	668	1,465	2,994	6,222	7,998	5,040	11
Nonwhite	1,229	155	18	18	24	51	87	131	193	251	215	86	-
Male	664	85	8	8	13	27	48	81	116	128	107	43	-
Female	565	70	10	10	11	24	39	50	77	123	108	43	-

[1]County equivalents.

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MASSACHUSETTS—Con.													
Metropolitan counties	54,868	2,380	350	356	487	653	1,695	4,326	8,193	14,290	14,538	7,573	27
Male	29,051	1,377	201	223	346	378	1,001	2,841	5,214	8,120	6,669	2,665	16
Female	25,817	1,003	149	133	141	275	694	1,485	2,979	6,170	7,869	4,908	11
White	53,676	2,226	332	339	463	602	1,609	4,199	8,005	14,055	14,327	7,492	27
Male	28,407	1,293	193	216	333	351	954	2,763	5,099	8,001	6,564	2,624	16
Female	25,269	933	139	123	130	251	655	1,436	2,906	6,054	7,763	4,868	11
Nonwhite	1,192	154	18	17	24	51	86	127	188	235	211	81	-
Male	644	84	8	7	13	27	47	78	115	119	105	41	-
Female	548	70	10	10	11	24	39	49	73	116	106	40	-
Nonmetropolitan counties	1,644	63	6	20	9	14	38	109	230	432	455	267	1
Male	878	38	4	13	7	6	25	79	138	257	218	92	1
Female	766	25	2	7	2	8	13	30	92	175	237	175	-
White	1,607	62	6	19	9	14	37	105	225	416	451	262	1
Male	858	37	4	12	7	6	24	76	137	248	216	90	1
Female	749	25	2	7	2	8	13	29	88	168	235	172	-
Nonwhite	37	1	-	1	-	-	1	4	5	16	4	5	-
Male	20	1	-	1	-	-	1	3	1	9	2	2	-
Female	17	-	-	-	-	-	-	1	4	7	2	3	-
MICHIGAN	70,035	4,392	606	688	973	1,182	2,832	6,305	11,282	17,792	16,568	7,383	32
Male	40,560	2,572	347	420	680	730	1,629	4,006	7,430	10,905	8,679	3,151	11
Female	29,475	1,820	259	268	293	452	1,203	2,299	3,852	6,887	7,889	4,232	21
White	64,000	3,650	516	618	868	965	2,278	5,413	9,951	16,604	15,958	7,148	31
Male	37,158	2,166	299	384	614	624	1,345	3,505	6,628	10,206	8,344	3,032	11
Female	26,842	1,484	217	234	254	341	933	1,908	3,323	6,398	7,614	4,116	20
Nonwhite	6,035	742	90	70	105	217	554	892	1,331	1,188	610	235	1
Male	3,402	406	48	36	66	106	284	501	802	699	335	119	-
Female	2,633	336	42	34	39	111	270	391	529	489	275	116	1
Metropolitan counties	48,472	3,164	425	478	628	853	2,142	4,802	8,496	12,529	10,516	4,411	28
Male	27,908	1,815	243	279	425	501	1,196	3,009	5,570	7,718	5,406	1,736	10
Female	20,564	1,349	182	199	203	352	946	1,793	2,926	4,811	5,110	2,675	18
White	42,914	2,483	338	414	532	655	1,617	3,959	7,246	11,459	9,972	4,212	27
Male	24,803	1,448	196	248	367	403	925	2,540	4,817	7,099	5,112	1,638	10
Female	18,111	1,035	142	166	165	252	692	1,419	2,429	4,360	4,860	2,574	17
Nonwhite	5,558	681	87	64	96	198	525	843	1,250	1,070	544	199	1
Male	3,105	367	47	31	58	98	271	469	753	619	294	98	-
Female	2,453	314	40	33	38	100	254	374	497	451	250	101	1
Nonmetropolitan counties	21,563	1,228	181	210	345	329	690	1,503	2,786	5,263	6,052	2,972	4
Male	12,652	757	104	141	255	229	433	997	1,860	3,187	3,273	1,415	1
Female	8,911	471	77	69	90	100	257	506	926	2,076	2,779	1,557	3
White	21,086	1,167	178	204	336	310	661	1,454	2,705	5,145	5,986	2,936	4
Male	12,355	718	103	136	247	221	420	965	1,811	3,107	3,232	1,394	1
Female	8,731	449	75	68	89	89	241	489	894	2,038	2,754	1,542	3
Nonwhite	477	61	3	6	9	19	29	49	81	118	66	36	-
Male	297	39	1	5	8	8	13	32	49	80	41	21	-
Female	180	22	2	1	1	11	16	17	32	38	25	15	-
MINNESOTA	31,825	1,772	294	306	492	433	975	2,114	4,221	7,834	8,863	4,510	11
Male	18,448	1,045	180	187	352	279	600	1,386	2,772	4,808	4,799	2,034	6
Female	13,377	727	114	119	140	154	375	728	1,449	3,026	4,064	2,476	5
White	31,448	1,716	288	302	481	423	944	2,073	4,171	7,761	8,797	4,462	10
Male	18,239	1,015	175	184	345	275	583	1,359	2,740	4,769	4,767	2,021	6
Female	13,209	701	113	118	136	148	361	714	1,431	2,992	4,030	2,441	4
Nonwhite	377	56	6	4	11	10	31	41	50	73	66	28	1
Male	209	30	5	3	7	4	17	27	32	39	32	13	-
Female	168	26	1	1	4	6	14	14	18	34	34	15	1
Metropolitan counties	15,506	958	166	140	200	225	532	1,153	2,196	3,953	4,039	1,940	4
Male	8,758	573	108	87	135	137	330	759	1,431	2,345	2,101	749	3
Female	6,748	385	58	53	65	88	202	394	765	1,608	1,938	1,191	1
White	15,247	923	164	138	193	218	509	1,122	2,163	3,895	3,992	1,926	4
Male	8,618	554	107	86	131	135	319	738	1,409	2,316	2,078	742	3
Female	6,629	369	57	52	62	83	190	384	754	1,579	1,914	1,184	1
Nonwhite	259	35	2	2	7	7	23	31	33	58	47	14	-
Male	140	19	1	1	4	2	11	21	22	29	23	7	-
Female	119	16	1	1	3	5	12	10	11	29	24	7	-
Nonmetropolitan counties	16,319	814	128	166	292	208	443	961	2,025	3,881	4,824	2,570	7
Male	9,690	472	72	100	217	142	270	627	1,341	2,463	2,698	1,285	3
Female	6,629	342	56	66	75	66	173	334	684	1,418	2,126	1,285	4
White	16,201	793	124	164	288	205	435	951	2,008	3,866	4,805	2,556	6
Male	9,621	461	68	98	214	140	264	621	1,331	2,453	2,689	1,279	3
Female	6,580	332	56	66	74	65	171	330	677	1,413	2,116	1,277	3
Nonwhite	118	21	4	2	4	3	8	10	17	15	19	14	1
Male	69	11	4	2	3	2	6	6	10	10	9	6	-
Female	49	10	-	-	1	1	2	4	7	5	10	8	1
MISSISSIPPI	22,730	2,358	340	295	497	529	966	1,973	3,348	4,886	4,949	2,573	16
Male	12,780	1,291	177	169	318	337	543	1,246	2,063	2,917	2,577	1,133	9
Female	9,950	1,067	163	126	179	192	423	727	1,285	1,969	2,372	1,440	7
White	11,895	708	81	110	246	230	470	1,020	1,786	2,620	3,110	1,511	3
Male	7,072	400	38	57	172	162	325	725	1,255	1,643	1,632	662	1
Female	4,823	308	43	53	74	68	145	295	531	977	1,478	849	2
Nonwhite	10,835	1,650	259	185	251	299	496	953	1,562	2,266	1,839	1,062	13
Male	5,708	891	139	112	146	175	218	521	808	1,274	945	471	8
Female	5,127	759	120	73	105	124	278	432	754	992	894	591	5

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
MISSISSIPPI—Con.													
Metropolitan counties	1,665	188	26	21	38	38	88	168	252	373	298	175	-
Male	942	104	13	9	25	25	54	112	170	255	128	67	-
Female	723	84	13	12	13	13	34	56	82	138	170	108	-
White	812	69	6	5	19	14	46	86	125	173	177	92	-
Male	482	47	4	1	11	8	33	60	97	111	76	34	-
Female	330	22	2	4	8	6	13	26	28	62	101	58	-
Nonwhite	853	119	20	16	19	24	42	82	127	200	121	83	-
Male	460	57	9	8	14	17	21	52	73	124	52	33	-
Female	393	62	11	8	5	7	21	30	54	76	69	50	-
Nonmetropolitan counties	21,065	2,170	314	274	459	491	878	1,805	3,096	4,513	4,651	2,398	16
Male	11,838	1,187	164	160	293	312	489	1,134	1,893	2,682	2,449	1,066	9
Female	9,227	983	150	114	166	179	389	671	1,203	1,831	2,202	1,332	7
White	11,083	639	75	105	227	216	424	934	1,661	2,447	2,933	1,419	3
Male	6,590	353	34	56	161	154	292	665	1,158	1,552	1,556	628	1
Female	4,493	286	41	49	66	62	132	269	503	915	1,377	791	2
Nonwhite	9,982	1,531	239	169	232	275	454	871	1,435	2,066	1,718	979	13
Male	5,248	834	130	104	132	158	197	469	735	1,150	893	438	8
Female	4,734	697	109	65	100	117	257	402	700	916	825	541	5
MISSOURI	49,037	2,391	393	376	648	692	1,548	3,594	7,023	11,804	13,576	6,967	25
Male	27,334	1,395	205	215	447	434	944	2,311	4,546	7,098	6,858	2,866	15
Female	21,703	996	188	161	201	258	604	1,283	2,477	4,706	6,718	4,101	10
White	44,065	1,871	298	325	567	531	1,204	3,020	6,059	10,623	12,872	6,678	17
Male	24,617	1,110	155	190	398	337	759	1,983	4,015	6,435	6,487	2,738	10
Female	19,448	761	143	135	169	194	445	1,037	2,044	4,188	6,385	3,940	7
Nonwhite	4,972	520	95	51	81	161	344	574	964	1,181	704	289	8
Male	2,717	285	50	25	49	97	185	328	531	663	371	128	5
Female	2,255	235	45	26	32	64	159	246	433	518	333	161	3
Metropolitan counties	26,396	1,468	232	202	333	421	1,002	2,251	4,242	6,449	6,588	3,199	11
Male	14,365	866	123	117	224	239	595	1,431	2,713	3,763	3,136	1,151	7
Female	12,031	600	109	85	109	182	407	820	1,529	2,686	3,452	2,048	4
White	22,372	1,052	156	162	267	289	695	1,743	3,436	5,497	6,060	3,006	9
Male	12,185	636	81	98	185	165	426	1,139	2,270	3,241	2,867	1,072	5
Female	10,187	416	75	64	82	124	269	604	1,166	2,256	3,193	1,934	4
Nonwhite	4,024	414	76	40	66	132	307	508	806	952	528	193	2
Male	2,180	230	42	19	39	74	169	292	443	522	269	79	2
Female	1,844	184	34	21	27	58	138	216	363	430	259	114	-
Nonmetropolitan counties	22,641	925	161	174	315	271	546	1,343	2,781	5,355	6,988	3,768	14
Male	12,969	529	82	98	223	195	349	880	1,833	3,335	3,722	1,715	8
Female	9,672	396	79	76	92	76	197	463	948	2,020	3,266	2,053	6
White	21,693	819	142	163	300	242	509	1,277	2,623	5,126	6,812	3,672	8
Male	12,432	474	74	92	213	172	333	844	1,745	3,194	3,620	1,666	5
Female	9,261	345	68	71	87	70	176	433	878	1,932	3,192	2,006	3
Nonwhite	948	106	19	11	15	29	37	66	158	229	176	96	6
Male	537	55	8	6	10	23	16	36	88	141	102	49	3
Female	411	51	11	5	5	6	21	30	70	88	74	47	3
MONTANA	6,426	436	64	80	122	148	260	537	791	1,523	1,738	722	5
Male	4,017	267	35	46	85	107	173	363	561	986	1,039	352	3
Female	2,409	169	29	34	37	41	87	174	230	537	699	370	2
White	6,163	374	56	75	110	133	244	511	759	1,493	1,702	702	4
Male	3,861	230	28	44	78	100	164	349	543	968	1,012	342	2
Female	2,302	144	28	31	31	33	80	162	216	525	690	360	2
Nonwhite	263	62	8	5	12	15	16	26	32	30	36	20	1
Male	156	37	7	2	6	7	9	14	18	18	27	10	1
Female	107	25	1	3	6	8	7	12	14	12	9	10	-
Metropolitan counties	1,221	110	18	21	18	45	60	123	147	259	305	115	-
Male	731	68	8	11	9	32	45	86	101	152	164	55	-
Female	490	42	10	10	9	13	15	37	46	107	141	60	-
White	1,199	105	17	21	18	44	58	123	143	256	302	112	-
Male	716	64	7	11	9	32	43	86	99	150	162	53	-
Female	483	41	10	10	9	12	15	37	44	106	140	59	-
Nonwhite	22	5	1	-	-	1	2	-	4	3	3	3	-
Male	15	4	1	-	-	-	2	-	2	2	2	2	-
Female	7	1	-	-	-	1	-	-	2	1	1	1	-
Nonmetropolitan counties	5,205	326	46	59	104	103	200	414	644	1,264	1,433	607	5
Male	3,286	199	27	35	76	75	128	277	460	834	875	297	3
Female	1,919	127	19	24	28	28	72	137	184	430	558	310	2
White	4,964	269	39	54	92	89	186	388	616	1,237	1,400	590	4
Male	3,145	166	21	33	70	68	121	263	444	818	850	289	2
Female	1,819	103	18	21	22	21	65	125	172	419	550	301	2
Nonwhite	241	57	7	5	12	14	14	26	28	27	33	17	1
Male	141	33	6	2	6	7	7	14	16	16	25	8	1
Female	100	24	1	3	6	7	7	12	12	11	8	9	-
NEBRASKA	14,330	705	100	124	228	197	407	949	1,803	3,358	4,172	2,287	-
Male	8,140	395	53	75	163	135	256	632	1,201	2,030	2,163	1,037	-
Female	6,190	310	47	49	65	62	151	317	602	1,328	2,009	1,250	-
White	13,906	646	88	121	212	172	383	898	1,745	3,271	4,104	2,266	-
Male	7,879	358	46	74	154	121	241	601	1,168	1,970	2,120	1,026	-
Female	6,027	288	42	47	58	51	142	297	577	1,301	1,984	1,240	-
Nonwhite	424	59	12	3	16	25	24	51	58	87	68	21	-
Male	261	37	7	1	9	14	15	31	33	60	43	11	-
Female	163	22	5	2	7	11	9	20	25	27	25	10	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEBRASKA—Con.													
Metropolitan counties	4,869	331	45	44	78	79	179	398	720	1,159	1,200	636	-
Male	2,693	189	22	20	49	46	122	262	462	696	579	246	-
Female	2,176	142	23	24	29	33	57	136	258	463	621	390	-
White	4,519	289	35	41	66	59	156	357	670	1,084	1,142	620	-
Male	2,481	163	18	19	43	35	107	239	435	644	544	236	-
Female	2,038	126	19	22	23	24	49	118	235	440	598	384	-
Nonwhite	350	42	10	3	12	20	23	41	50	75	58	16	-
Male	212	26	6	1	6	11	15	23	27	52	35	10	-
Female	138	16	4	2	6	9	8	18	23	23	23	6	-
Nonmetropolitan counties	9,461	374	55	80	150	118	228	551	1,083	2,199	2,972	1,651	-
Male	5,447	206	31	55	114	89	134	370	739	1,334	1,584	791	-
Female	4,014	168	24	25	36	29	94	181	344	865	1,388	860	-
White	9,387	357	53	80	146	113	227	541	1,075	2,187	2,962	1,646	-
Male	5,398	195	30	55	111	86	134	362	733	1,326	1,576	790	-
Female	3,989	162	23	25	35	27	93	179	342	861	1,386	856	-
Nonwhite	74	17	2	-	4	5	1	10	8	12	10	5	-
Male	49	11	1	-	3	3	-	8	6	8	8	1	-
Female	25	6	1	-	1	2	1	2	2	4	2	4	-
NEVADA	2,713	257	42	36	62	96	182	340	488	544	471	189	6
Male	1,767	142	19	26	44	61	127	230	357	387	283	87	4
Female	946	115	23	10	18	35	55	110	131	157	188	102	2
White	2,494	219	33	34	49	75	147	319	466	521	446	180	5
Male	1,627	119	15	26	35	50	100	216	342	371	267	82	4
Female	867	100	18	8	14	25	47	103	124	150	179	98	1
Nonwhite	219	38	9	2	13	21	35	21	22	23	25	9	1
Male	140	23	4	-	9	11	27	14	15	16	16	5	-
Female	79	15	5	2	4	10	8	7	7	7	9	4	1
Metropolitan counties	1,966	216	34	26	39	71	141	258	373	374	313	118	3
Male	1,265	120	18	19	25	46	98	169	268	258	190	52	2
Female	701	96	16	7	14	25	43	89	105	116	123	66	1
White	1,810	182	27	26	30	56	113	240	355	360	303	115	3
Male	1,167	99	14	19	20	38	76	158	256	250	184	51	2
Female	643	83	13	7	10	18	37	82	99	110	119	64	1
Nonwhite	156	34	7	-	9	15	28	18	18	14	10	3	-
Male	98	21	4	-	5	8	22	11	12	8	6	1	-
Female	58	13	3	-	4	7	6	7	6	6	4	2	-
Nonmetropolitan counties	747	41	8	10	23	25	41	82	115	170	158	71	3
Male	502	22	1	7	19	15	29	61	89	129	93	35	2
Female	245	19	7	3	4	10	12	21	26	41	65	36	1
White	684	37	6	8	19	19	34	79	111	161	143	65	2
Male	460	20	1	7	15	12	24	58	86	121	83	31	2
Female	224	17	5	1	4	7	10	21	25	40	60	34	-
Nonwhite	63	4	2	2	4	6	7	3	4	9	15	6	1
Male	42	2	-	-	4	3	5	3	3	8	10	4	-
Female	21	2	2	2	-	3	2	-	1	1	5	2	1
NEW HAMPSHIRE	6,808	310	46	50	88	76	218	454	931	1,745	1,799	1,086	5
Male	3,726	194	23	29	65	42	136	287	624	1,017	905	402	2
Female	3,082	116	23	21	23	34	82	167	307	728	894	684	3
White	6,798	306	46	50	88	76	217	451	931	1,743	1,799	1,086	5
Male	3,720	191	23	29	65	42	135	287	624	1,015	905	402	2
Female	3,078	115	23	21	23	34	82	164	307	728	894	684	3
Nonwhite	10	4	-	-	-	-	1	3	-	2	-	-	-
Male	6	3	-	-	-	-	1	-	-	2	-	-	-
Female	4	1	-	-	-	-	-	3	-	-	-	-	-
Metropolitan counties	2,008	77	15	12	18	22	67	153	295	562	501	286	-
Male	1,082	41	7	7	16	12	48	98	195	325	241	92	-
Female	926	36	8	5	2	10	19	55	100	237	260	194	-
White	2,007	76	15	12	18	22	67	153	295	562	501	286	-
Male	1,081	40	7	7	16	12	48	98	195	325	241	92	-
Female	926	36	8	5	2	10	19	55	100	237	260	194	-
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	4,800	233	31	38	70	54	151	301	636	1,183	1,298	800	5
Male	2,644	153	16	22	49	30	88	189	429	692	664	310	2
Female	2,156	80	15	16	21	24	63	112	207	491	634	490	3
White	4,791	230	31	38	70	54	150	298	636	1,181	1,298	800	5
Male	2,639	151	16	22	49	30	87	189	429	690	664	310	2
Female	2,152	79	15	16	21	24	63	109	207	491	634	490	3
Nonwhite	9	3	-	-	-	-	1	3	-	2	-	-	-
Male	5	2	-	-	-	-	1	-	-	2	-	-	-
Female	4	1	-	-	-	-	-	3	-	-	-	-	-
NEW JERSEY[2]	62,024	3,132	451	451	682	945	2,506	5,849	10,533	16,564	14,473	6,428	10
Male	34,069	1,841	227	272	473	573	1,465	3,699	6,714	9,456	7,001	2,341	7
Female	27,955	1,291	224	179	209	372	1,041	2,150	3,819	7,108	7,472	4,087	3
Metropolitan counties	49,071	2,455	339	347	534	763	1,964	4,697	8,457	13,134	11,357	5,016	8
Male	26,864	1,423	166	210	367	471	1,142	2,973	5,397	7,467	5,441	1,802	5
Female	22,207	1,032	173	137	167	292	822	1,724	3,060	5,667	5,916	3,214	3
Nonmetropolitan counties	12,953	677	112	104	148	182	542	1,152	2,076	3,430	3,116	1,412	2
Male	7,205	418	61	62	106	102	323	726	1,317	1,989	1,560	539	2
Female	5,748	259	51	42	42	80	219	426	759	1,441	1,556	873	-

[2]New Jersey did not require reporting of color; see Technical Appendix.

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NEW MEXICO	6,520	876	160	99	242	234	403	602	869	1,228	1,222	581	4
Male	3,929	486	84	54	178	151	255	402	562	757	700	298	2
Female	2,591	390	76	45	64	83	148	200	307	471	522	283	2
White	5,962	732	127	83	212	191	365	556	807	1,173	1,167	547	2
Male	3,597	411	69	49	158	124	232	378	519	719	662	274	2
Female	2,365	321	58	34	54	67	133	178	288	454	505	273	-
Nonwhite	558	144	33	16	30	43	38	46	62	55	55	34	2
Male	332	75	15	5	20	27	23	24	43	38	38	24	-
Female	226	69	18	11	10	16	15	22	19	17	17	10	2
Metropolitan counties	1,612	200	38	24	47	60	110	171	215	336	280	131	-
Male	921	117	19	15	32	31	56	108	141	202	143	57	-
Female	691	83	19	9	15	29	54	63	74	134	137	74	-
White	1,545	179	34	22	43	53	106	168	209	331	274	126	-
Male	886	107	18	14	29	29	56	108	136	197	138	54	-
Female	659	72	16	8	14	24	50	60	73	134	136	72	-
Nonwhite	67	21	4	2	4	7	4	3	6	5	6	5	-
Male	35	10	1	1	3	2	-	-	5	5	5	3	-
Female	32	11	3	1	1	5	4	3	1	-	1	2	-
Nonmetropolitan counties	4,908	676	122	75	195	174	293	431	654	892	942	450	4
Male	3,008	369	65	39	146	120	199	294	421	555	557	241	2
Female	1,900	307	57	36	49	54	94	137	233	337	385	209	2
White	4,417	553	93	61	169	138	259	388	598	842	893	421	2
Male	2,711	304	51	35	129	95	176	270	383	522	524	220	2
Female	1,706	249	42	26	40	43	83	118	215	320	369	201	-
Nonwhite	491	123	29	14	26	36	34	43	56	50	49	29	2
Male	297	65	14	4	17	25	23	24	38	33	33	21	-
Female	194	58	15	10	9	11	11	19	18	17	16	8	2
NEW YORK	181,795	8,739	1,177	1,261	2,065	3,035	7,048	16,483	30,983	48,559	43,659	18,810	76
Male	100,008	5,033	599	731	1,375	1,839	4,203	10,125	19,736	28,003	21,152	7,156	56
Female	81,787	3,706	578	530	690	1,196	2,845	6,358	11,147	20,556	22,507	11,654	20
White	166,726	6,581	944	1,086	1,696	2,159	5,425	14,159	28,100	45,960	42,274	18,280	62
Male	91,618	3,814	481	626	1,150	1,344	3,256	8,809	18,089	26,557	20,486	6,952	44
Female	75,108	2,767	463	460	546	815	2,169	5,350	10,011	19,403	21,778	11,328	18
Nonwhite	15,069	2,158	233	175	369	876	1,623	2,324	2,783	2,599	1,385	530	14
Male	8,390	1,219	118	105	225	495	947	1,316	1,647	1,446	656	204	12
Female	6,679	939	115	70	144	381	676	1,008	1,136	1,153	729	326	2
Metropolitan counties	153,100	7,436	965	1,011	1,680	2,653	6,197	14,415	26,901	41,512	35,689	14,578	63
Male	84,028	4,274	479	583	1,103	1,575	3,684	8,770	17,076	23,770	17,185	5,479	50
Female	69,072	3,162	486	428	577	1,078	2,513	5,645	9,825	17,742	18,504	9,099	13
White	138,513	5,353	744	847	1,322	1,802	4,621	12,150	24,201	38,997	34,356	14,070	50
Male	75,917	3,099	367	483	885	1,092	2,768	7,491	15,482	22,374	16,553	5,284	39
Female	62,596	2,254	377	364	437	710	1,853	4,659	8,719	16,623	17,803	8,786	11
Nonwhite	14,587	2,083	221	164	358	851	1,576	2,265	2,700	2,515	1,333	508	13
Male	8,111	1,175	112	100	218	483	916	1,279	1,594	1,396	632	195	11
Female	6,476	908	109	64	140	368	660	986	1,106	1,119	701	313	2
Nonmetropolitan counties	28,695	1,303	212	250	385	382	851	2,068	3,982	7,047	7,970	4,232	13
Male	15,980	759	120	148	272	264	519	1,355	2,660	4,233	3,967	1,677	6
Female	12,715	544	92	102	113	118	332	713	1,322	2,814	4,003	2,555	7
White	28,213	1,228	200	239	374	357	804	2,009	3,899	6,963	7,918	4,210	12
Male	15,701	715	114	143	265	252	488	1,318	2,607	4,183	3,943	1,668	5
Female	12,512	513	86	96	109	105	316	691	1,292	2,780	3,975	2,542	7
Nonwhite	482	75	12	11	11	25	47	59	83	84	52	22	1
Male	279	44	6	5	7	12	31	37	53	50	24	9	1
Female	203	31	6	6	4	13	16	22	30	34	28	13	-
NORTH CAROLINA	39,090	3,341	474	561	991	1,074	2,201	4,363	6,419	8,574	7,741	3,343	8
Male	22,632	1,890	262	362	733	695	1,411	2,926	4,112	5,051	3,813	1,374	3
Female	16,458	1,451	212	199	258	379	790	1,437	2,307	3,523	3,928	1,969	5
White	27,310	1,670	261	338	636	594	1,236	2,809	4,303	6,121	6,475	2,864	3
Male	16,110	956	145	212	481	411	842	2,018	2,979	3,672	3,222	1,172	-
Female	11,200	714	116	126	155	183	394	791	1,324	2,449	3,253	1,692	3
Nonwhite	11,780	1,671	213	223	355	480	965	1,554	2,116	2,453	1,266	479	5
Male	6,522	934	117	150	252	284	569	908	1,133	1,379	591	202	3
Female	5,258	737	96	73	103	196	396	646	983	1,074	675	277	2
Metropolitan counties	9,397	789	100	92	190	261	546	1,198	1,689	2,022	1,752	756	2
Male	5,285	416	53	52	130	149	346	788	1,094	1,150	825	281	1
Female	4,112	373	47	40	60	112	200	410	595	872	927	475	1
White	6,408	372	57	60	115	133	291	749	1,063	1,429	1,477	661	1
Male	3,682	195	30	31	82	82	203	526	751	830	707	245	-
Female	2,726	177	27	29	33	51	88	223	312	599	770	416	1
Nonwhite	2,989	417	43	32	75	128	255	449	626	593	275	95	1
Male	1,603	221	23	21	48	67	143	262	343	320	118	36	1
Female	1,386	196	20	11	27	61	112	187	283	273	157	59	-
Nonmetropolitan counties	29,693	2,552	374	469	801	813	1,655	3,165	4,730	6,552	5,989	2,587	6
Male	17,347	1,474	209	310	603	546	1,065	2,138	3,018	3,901	2,988	1,093	2
Female	12,346	1,078	165	159	198	267	590	1,027	1,712	2,651	3,001	1,494	4
White	20,902	1,298	204	278	521	461	945	2,060	3,240	4,692	4,998	2,203	2
Male	12,428	761	115	181	399	329	639	1,492	2,228	2,842	2,515	927	-
Female	8,474	537	89	97	122	132	306	568	1,012	1,850	2,483	1,276	2
Nonwhite	8,791	1,254	170	191	280	352	710	1,105	1,490	1,860	991	384	4
Male	4,919	713	94	129	204	217	426	646	790	1,059	473	166	2
Female	3,872	541	76	62	76	135	284	459	700	801	518	218	2

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
NORTH DAKOTA	5,419	357	55	59	119	91	179	381	756	1,215	1,471	736	-
Male	3,356	212	33	36	92	63	122	260	520	777	863	378	-
Female	2,063	145	22	23	27	28	57	121	236	438	608	358	-
White	5,282	332	47	56	108	85	174	371	737	1,195	1,453	724	-
Male	3,270	195	27	34	85	60	118	253	510	764	851	373	-
Female	2,012	137	20	22	23	25	56	118	227	431	602	351	-
Nonwhite	137	25	8	3	11	6	5	10	19	20	18	12	-
Male	86	17	6	2	7	3	4	7	10	13	12	5	-
Female	51	8	2	1	4	3	1	3	9	7	6	7	-
Metropolitan counties	522	42	6	5	12	5	19	37	77	117	135	67	-
Male	313	29	3	4	6	3	13	22	44	80	79	30	-
Female	209	13	3	1	6	2	6	15	33	37	56	37	-
White	522	42	6	5	12	5	19	37	77	117	135	67	-
Male	313	29	3	4	6	3	13	22	44	80	79	30	-
Female	209	13	3	1	6	2	6	15	33	37	56	37	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	4,897	315	49	54	107	86	160	344	679	1,098	1,336	669	-
Male	3,043	183	30	32	86	60	109	238	476	697	784	348	-
Female	1,854	132	19	22	21	26	51	106	203	401	552	321	-
White	4,760	290	41	51	96	80	155	334	660	1,078	1,318	657	-
Male	2,957	166	24	30	79	57	105	231	456	684	772	343	-
Female	1,803	124	17	21	17	23	50	103	194	394	546	314	-
Nonwhite	137	25	8	3	11	6	5	10	19	20	18	12	-
Male	86	17	6	2	7	3	4	7	10	13	12	5	-
Female	51	8	2	1	4	3	1	3	9	7	6	7	-
OHIO	95,209	4,964	737	821	1,183	1,528	3,677	8,221	14,183	23,083	24,833	11,969	10
Male	52,956	2,851	429	517	824	916	2,183	5,232	9,117	13,612	12,394	4,876	5
Female	42,253	2,113	308	304	359	612	1,494	2,989	5,066	9,471	12,439	7,093	5
White	87,439	4,079	627	727	1,073	1,202	3,029	7,159	12,660	21,418	23,875	11,584	6
Male	48,617	2,344	368	453	757	730	1,834	4,625	8,260	12,673	11,878	4,693	2
Female	38,822	1,735	259	274	316	472	1,195	2,534	4,400	8,745	11,997	6,891	4
Nonwhite	7,770	885	110	94	110	326	648	1,062	1,523	1,665	958	385	4
Male	4,339	507	61	64	67	186	349	607	857	939	516	183	3
Female	3,431	378	49	30	43	140	299	455	666	726	442	202	1
Metropolitan counties	64,577	3,558	485	519	731	1,073	2,736	6,062	10,232	16,217	15,799	7,159	6
Male	35,829	2,039	282	322	491	629	1,614	3,817	6,564	9,510	7,787	2,769	5
Female	28,748	1,519	203	197	240	444	1,122	2,245	3,668	6,707	8,012	4,390	1
White	57,368	2,723	382	437	627	770	2,119	5,059	8,787	14,683	14,943	6,835	3
Male	31,823	1,559	227	267	429	457	1,284	3,248	5,754	8,647	7,331	2,618	2
Female	25,545	1,164	155	170	198	313	835	1,811	3,033	6,036	7,612	4,217	1
Nonwhite	7,209	835	103	82	104	303	617	1,003	1,445	1,534	856	324	3
Male	4,006	480	55	55	62	172	330	569	810	863	456	151	3
Female	3,203	355	48	27	42	131	287	434	635	671	400	173	-
Nonmetropolitan counties	30,632	1,406	252	302	452	455	941	2,159	3,951	6,866	9,034	4,810	4
Male	17,127	812	147	195	333	287	569	1,415	2,553	4,102	4,607	2,107	-
Female	13,505	594	105	107	119	168	372	744	1,398	2,764	4,427	2,703	4
White	30,071	1,356	245	290	446	432	910	2,100	3,873	6,735	8,932	4,749	3
Male	16,794	785	141	186	328	273	550	1,377	2,506	4,026	4,547	2,075	-
Female	13,277	571	104	104	118	159	360	723	1,367	2,709	4,385	2,674	3
Nonwhite	561	50	7	12	6	23	31	59	78	131	102	61	1
Male	333	27	6	9	5	14	19	38	47	76	60	32	-
Female	228	23	1	3	1	9	12	21	31	55	42	29	1
OKLAHOMA	24,000	1,220	225	225	393	406	849	1,817	3,396	5,519	6,337	3,597	16
Male	14,034	685	139	131	277	275	530	1,204	2,309	3,439	3,376	1,664	5
Female	9,966	535	86	94	116	131	319	613	1,087	2,080	2,961	1,933	11
White	21,492	971	179	192	331	336	708	1,576	2,995	4,997	5,875	3,325	7
Male	12,612	551	111	112	240	226	453	1,056	2,082	3,138	3,120	1,520	3
Female	8,880	420	68	80	91	110	255	520	913	1,859	2,755	1,805	4
Nonwhite	2,508	249	46	33	62	70	141	241	401	522	462	272	9
Male	1,422	134	28	19	37	49	77	148	227	301	256	144	2
Female	1,086	115	18	14	25	21	64	93	174	221	206	128	7
Metropolitan counties	8,508	617	93	91	129	164	394	805	1,332	1,901	1,938	1,042	2
Male	4,882	344	55	49	94	108	253	523	909	1,144	978	424	1
Female	3,626	273	38	42	35	56	141	282	423	757	960	618	1
White	7,545	489	69	81	105	131	329	690	1,149	1,723	1,813	965	1
Male	4,319	271	37	45	76	88	209	451	800	1,049	909	386	-
Female	3,226	218	32	36	29	43	120	239	349	674	904	579	1
Nonwhite	963	128	24	10	24	33	65	115	183	178	125	77	1
Male	563	73	18	4	18	22	44	72	109	95	68	38	1
Female	400	55	6	6	6	11	21	43	74	83	56	39	-
Nonmetropolitan counties	15,492	603	132	134	264	242	455	1,012	2,064	3,618	4,399	2,555	14
Male	9,152	341	84	82	183	167	277	681	1,400	2,295	2,398	1,240	4
Female	6,340	262	48	52	81	75	178	331	664	1,323	2,001	1,315	10
White	13,947	482	110	111	226	205	379	886	1,846	3,274	4,062	2,360	6
Male	8,293	280	74	67	164	140	244	605	1,282	2,089	2,211	1,134	3
Female	5,654	202	36	44	62	65	135	281	564	1,185	1,851	1,226	3
Nonwhite	1,545	121	22	23	38	37	76	126	218	344	337	195	8
Male	859	61	10	15	19	27	33	76	118	206	187	106	1
Female	686	60	12	8	19	10	43	50	100	138	150	89	7

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
OREGON	17,218	811	128	158	268	275	625	1,441	2,503	4,154	4,630	2,217	8
Male	10,201	463	74	97	196	184	390	933	1,719	2,631	2,508	999	7
Female	7,017	348	54	61	72	91	235	508	784	1,523	2,122	1,218	1
White	16,865	771	122	152	252	247	582	1,397	2,453	4,107	4,576	2,200	6
Male	9,980	443	70	94	186	169	361	907	1,688	2,600	2,471	985	6
Female	6,885	328	52	58	66	78	221	490	765	1,507	2,105	1,215	-
Nonwhite	353	40	6	6	16	28	43	44	50	47	54	17	2
Male	221	20	4	3	10	15	29	26	31	31	37	14	1
Female	132	20	2	3	6	13	14	18	19	16	17	3	1
Metropolitan counties	9,236	392	55	70	121	138	335	767	1,364	2,221	2,556	1,210	7
Male	5,323	219	36	36	84	95	198	475	939	1,390	1,337	508	6
Female	3,913	173	19	34	37	43	137	292	425	831	1,219	702	1
White	9,021	371	52	67	116	128	305	738	1,329	2,191	2,522	1,197	5
Male	5,184	209	33	35	82	90	177	458	916	1,370	1,313	496	5
Female	3,837	162	19	32	34	38	128	280	413	821	1,209	701	-
Nonwhite	215	21	3	3	5	10	30	29	35	30	34	13	2
Male	139	10	3	1	2	5	21	17	23	20	24	12	1
Female	76	11	-	2	3	5	9	12	12	10	10	1	1
Nonmetropolitan counties	7,982	419	73	88	147	137	290	674	1,139	1,933	2,074	1,007	1
Male	4,878	244	38	61	112	89	192	458	780	1,241	1,171	491	1
Female	3,104	175	35	27	35	48	98	216	359	692	903	516	-
White	7,844	400	70	85	136	119	277	659	1,124	1,916	2,054	1,003	1
Male	4,796	234	37	59	104	79	184	449	772	1,230	1,158	489	1
Female	3,048	166	33	26	32	40	93	210	352	686	896	514	-
Nonwhite	138	19	3	3	11	18	13	15	15	17	20	4	-
Male	82	10	1	2	8	10	8	9	8	11	13	2	-
Female	56	9	2	1	3	8	5	6	7	6	7	2	-
PENNSYLVANIA	123,290	5,427	752	864	1,274	1,690	4,558	10,969	19,974	32,483	31,425	13,857	17
Male	68,233	3,180	396	533	916	990	2,726	7,037	12,546	18,800	15,558	5,542	9
Female	55,057	2,247	356	331	358	700	1,832	3,932	7,428	13,683	15,867	8,315	8
White	113,791	4,416	623	776	1,127	1,376	3,795	9,659	17,811	30,426	30,340	13,428	14
Male	62,958	2,624	321	484	818	822	2,323	6,282	11,316	17,625	14,979	5,357	7
Female	50,833	1,792	302	292	309	554	1,472	3,377	6,495	12,801	15,361	8,071	7
Nonwhite	9,499	1,011	129	88	147	314	763	1,310	2,163	2,057	1,085	429	3
Male	5,275	556	75	49	98	168	403	755	1,230	1,175	579	185	2
Female	4,224	455	54	39	49	146	360	555	933	882	506	244	1
Metropolitan counties	95,333	4,358	582	645	893	1,324	3,661	8,873	15,905	25,462	23,504	10,113	13
Male	52,568	2,534	303	404	630	764	2,172	5,683	9,974	14,678	11,458	3,962	6
Female	42,765	1,824	279	241	263	560	1,489	3,190	5,931	10,784	12,046	6,151	7
White	86,176	3,369	457	563	754	1,017	2,917	7,590	13,800	23,500	22,482	9,717	10
Male	47,482	1,988	232	356	540	601	1,779	4,941	8,775	13,558	10,919	3,789	4
Female	38,694	1,381	225	207	214	416	1,138	2,649	5,025	9,942	11,563	5,928	6
Nonwhite	9,157	989	125	82	139	307	744	1,283	2,105	1,962	1,022	396	3
Male	5,086	546	71	48	90	163	393	742	1,199	1,120	539	173	2
Female	4,071	443	54	34	49	144	351	541	906	842	483	223	1
Nonmetropolitan counties	27,957	1,069	170	219	381	366	897	2,096	4,069	7,021	7,921	3,744	4
Male	15,665	646	93	129	286	226	554	1,354	2,572	4,122	4,100	1,580	3
Female	12,292	423	77	90	95	140	343	742	1,497	2,899	3,821	2,164	1
White	27,615	1,047	166	213	373	359	878	2,069	4,011	6,926	7,858	3,711	4
Male	15,476	636	89	128	278	221	544	1,341	2,541	4,067	4,060	1,568	3
Female	12,139	411	77	85	95	138	334	728	1,470	2,859	3,798	2,143	1
Nonwhite	342	22	4	6	8	7	19	27	58	95	63	33	-
Male	189	10	4	1	8	5	10	13	31	55	40	12	-
Female	153	12	-	5	-	2	9	14	27	40	23	21	-
RHODE ISLAND	9,127	468	47	69	66	80	296	681	1,386	2,471	2,404	1,157	2
Male	4,857	267	23	52	42	46	181	418	884	1,413	1,110	419	2
Female	4,270	201	24	17	24	34	115	263	502	1,058	1,294	738	-
White	8,905	433	43	62	63	72	287	659	1,364	2,423	2,363	1,134	2
Male	4,735	250	20	48	40	41	175	408	872	1,383	1,084	412	2
Female	4,170	183	23	14	23	31	112	251	492	1,040	1,279	722	-
Nonwhite	222	35	4	7	3	8	9	22	22	48	41	23	-
Male	122	17	3	4	2	5	6	10	12	30	26	7	-
Female	100	18	1	3	1	3	3	12	10	18	15	16	-
Metropolitan counties	7,947	374	42	61	53	66	255	608	1,223	2,171	2,104	989	1
Male	4,238	216	19	45	34	40	151	378	774	1,233	979	368	1
Female	3,709	158	23	16	19	26	104	230	449	938	1,125	621	-
White	7,765	345	38	55	50	60	248	589	1,202	2,138	2,070	969	1
Male	4,136	202	16	41	32	36	146	369	762	1,211	959	361	1
Female	3,629	143	22	14	18	24	102	220	440	927	1,111	608	-
Nonwhite	182	29	4	6	3	6	7	19	21	33	34	20	-
Male	102	14	3	4	2	4	5	9	12	22	20	7	-
Female	80	15	1	2	1	2	2	10	9	11	14	13	-
Nonmetropolitan counties	1,180	94	5	8	13	14	41	73	163	300	300	168	1
Male	619	51	4	7	8	6	30	40	110	180	131	51	1
Female	561	43	1	1	5	8	11	33	53	120	169	117	-
White	1,140	88	5	7	13	12	39	70	162	285	293	165	1
Male	599	48	4	7	8	5	29	39	110	172	125	51	1
Female	541	40	1	-	5	7	10	31	52	113	168	114	-
Nonwhite	40	6	-	1	-	2	2	3	1	15	7	3	-
Male	20	3	-	-	-	1	1	1	-	8	6	-	-
Female	20	3	-	1	-	1	1	2	1	7	1	3	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
SOUTH CAROLINA	20,447	1,829	338	337	559	609	1,370	2,550	3,744	4,496	3,287	1,306	22
Male	11,511	1,039	200	198	407	370	859	1,587	2,209	2,554	1,569	511	8
Female	8,936	790	138	139	152	239	511	963	1,535	1,942	1,718	795	14
White	12,183	804	128	171	282	285	672	1,332	2,000	2,818	2,597	1,087	7
Male	7,085	472	78	110	221	180	452	912	1,361	1,668	1,211	417	3
Female	5,098	332	50	61	61	105	220	420	639	1,150	1,386	670	4
Nonwhite	8,264	1,025	210	166	277	324	698	1,218	1,744	1,678	690	219	15
Male	4,426	567	122	88	186	190	407	675	848	886	358	94	5
Female	3,838	458	88	78	91	134	291	543	896	792	332	125	10
Metropolitan counties	6,030	537	93	99	148	207	456	806	1,096	1,288	923	371	6
Male	3,376	300	62	56	114	130	276	488	666	735	412	136	1
Female	2,654	237	31	43	34	77	180	318	430	553	511	235	5
White	3,873	301	43	57	86	97	244	431	642	875	766	328	3
Male	2,221	175	29	36	69	60	154	286	447	516	333	116	-
Female	1,652	126	14	21	17	37	90	145	195	359	433	212	3
Nonwhite	2,157	236	50	42	62	110	212	375	454	413	157	43	3
Male	1,155	125	33	20	45	70	122	202	219	219	79	20	1
Female	1,002	111	17	22	17	40	90	173	235	194	78	23	2
Nonmetropolitan counties	14,417	1,292	245	238	411	402	914	1,744	2,648	3,208	2,364	935	16
Male	8,135	739	138	142	293	240	583	1,099	1,543	1,819	1,157	375	7
Female	6,282	553	107	96	118	162	331	645	1,105	1,389	1,207	560	9
White	8,310	503	85	114	196	188	428	901	1,358	1,943	1,831	759	4
Male	4,864	297	49	74	152	120	298	626	914	1,152	878	301	3
Female	3,446	206	36	40	44	68	130	275	444	791	953	458	1
Nonwhite	6,107	789	160	124	215	214	486	843	1,290	1,265	533	176	12
Male	3,271	442	89	68	141	120	285	473	629	667	279	74	4
Female	2,836	347	71	56	74	94	201	370	661	598	254	102	8
SOUTH DAKOTA	6,570	435	69	69	174	127	213	445	863	1,553	1,768	850	4
Male	4,006	246	45	43	134	89	147	299	626	969	998	406	4
Female	2,564	189	24	26	40	38	66	146	237	584	770	444	-
White	6,228	362	56	65	154	106	189	414	825	1,498	1,727	829	3
Male	3,814	213	36	40	121	76	134	288	598	937	974	394	3
Female	2,414	149	20	25	33	30	55	126	227	561	753	435	-
Nonwhite	342	73	13	4	20	21	24	31	38	55	41	21	1
Male	192	33	9	3	13	13	13	11	28	32	24	12	1
Female	150	40	4	1	7	8	11	20	10	23	17	9	-
Metropolitan counties	718	43	3	10	14	11	22	53	115	167	196	83	1
Male	408	19	2	8	10	9	11	35	81	109	100	23	1
Female	310	24	1	2	4	2	11	18	34	58	96	60	-
White	718	43	3	10	14	11	22	53	115	167	196	83	1
Male	408	19	2	8	10	9	11	35	81	109	100	23	1
Female	310	24	1	2	4	2	11	18	34	58	96	60	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Nonmetropolitan counties	5,852	392	66	59	160	116	191	392	748	1,386	1,572	767	3
Male	3,598	227	43	35	124	80	136	264	545	860	898	383	3
Female	2,254	165	23	24	36	36	55	128	203	526	674	384	-
White	5,510	319	53	55	140	95	167	361	710	1,331	1,531	746	2
Male	3,406	194	34	32	111	67	123	253	517	828	874	371	2
Female	2,104	125	19	23	29	28	44	108	193	503	657	375	-
Nonwhite	342	73	13	4	20	21	24	31	38	55	41	21	1
Male	192	33	9	3	13	13	13	11	28	32	24	12	1
Female	150	40	4	1	7	8	11	20	10	23	17	9	-
TENNESSEE	34,089	2,320	351	363	631	677	1,553	3,213	5,221	7,762	8,087	3,911	-
Male	19,061	1,350	188	200	436	426	958	2,074	3,287	4,491	3,975	1,676	-
Female	15,028	970	163	163	195	251	595	1,139	1,934	3,271	4,112	2,235	-
White	26,912	1,562	236	272	504	485	1,059	2,347	3,895	5,997	7,081	3,474	-
Male	15,216	907	131	152	356	320	706	1,611	2,605	3,520	3,459	1,449	-
Female	11,696	655	105	120	148	165	353	736	1,290	2,477	3,622	2,025	-
Nonwhite	7,177	758	115	91	127	192	494	866	1,326	1,765	1,006	437	-
Male	3,845	443	57	48	80	106	252	463	682	971	516	227	-
Female	3,332	315	58	43	47	86	242	403	644	794	490	210	-
Metropolitan counties	15,074	1,128	153	160	239	312	802	1,627	2,576	3,497	3,127	1,453	-
Male	8,228	661	77	89	153	186	470	1,023	1,575	1,968	1,476	550	-
Female	6,846	467	76	71	86	126	332	604	1,001	1,529	1,651	903	-
White	10,376	630	89	109	157	190	466	1,028	1,642	2,297	2,512	1,256	-
Male	5,762	368	44	61	105	119	302	718	1,098	1,333	1,160	454	-
Female	4,614	262	45	48	52	71	164	310	544	964	1,352	802	-
Nonwhite	4,698	498	64	51	82	122	336	599	934	1,200	615	197	-
Male	2,466	293	33	28	48	67	168	305	477	635	316	96	-
Female	2,232	205	31	23	34	55	168	294	457	565	299	101	-
Nonmetropolitan counties	19,015	1,192	198	203	392	365	751	1,586	2,645	4,265	4,960	2,458	-
Male	10,833	689	111	111	283	240	488	1,051	1,712	2,523	2,489	1,126	-
Female	8,182	503	87	92	109	125	263	535	933	1,742	2,461	1,332	-
White	16,536	932	147	163	347	295	593	1,319	2,253	3,700	4,569	2,218	-
Male	9,454	539	87	91	251	201	404	893	1,507	2,187	2,299	995	-
Female	7,082	393	60	72	96	94	189	426	746	1,513	2,270	1,223	-
Nonwhite	2,479	260	51	40	45	70	158	267	392	565	391	240	-
Male	1,379	150	24	20	32	39	84	158	205	336	200	131	-
Female	1,100	110	27	20	13	31	74	109	187	229	191	109	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962--Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
TEXAS	80,752	6,679	1,213	970	1,692	1,942	3,792	7,482	12,619	17,951	17,833	8,574	5
Male	46,737	3,881	652	572	1,218	1,228	2,316	4,821	8,322	10,962	9,122	3,641	2
Female	34,015	2,798	561	398	474	714	1,476	2,661	4,297	6,989	8,711	4,933	3
White	67,791	5,214	952	770	1,381	1,481	2,918	5,853	10,114	15,038	16,090	7,977	3
Male	39,705	3,056	516	465	1,003	977	1,862	3,937	6,982	9,308	8,233	3,365	1
Female	28,086	2,158	436	305	378	504	1,056	1,916	3,132	5,730	7,857	4,612	2
Nonwhite	12,961	1,465	261	200	311	461	874	1,629	2,505	2,913	1,743	597	2
Male	7,032	825	136	107	215	251	454	884	1,340	1,654	889	276	1
Female	5,929	640	125	93	96	210	420	745	1,165	1,259	854	321	1
Metropolitan counties	46,382	4,259	731	629	998	1,262	2,618	4,850	7,633	9,975	9,112	4,310	5
Male	26,692	2,481	409	372	697	803	1,572	3,140	4,994	5,968	4,546	1,708	2
Female	19,690	1,778	322	257	301	459	1,046	1,710	2,639	4,007	4,566	2,602	3
White	38,527	3,283	571	497	801	939	1,970	3,782	6,102	8,358	8,202	4,019	3
Male	22,397	1,913	315	293	564	628	1,237	2,538	4,184	5,066	4,077	1,581	1
Female	16,130	1,370	256	204	237	311	733	1,244	1,918	3,292	4,125	2,438	2
Nonwhite	7,855	976	160	132	197	323	648	1,068	1,531	1,617	910	291	2
Male	4,295	568	94	79	133	175	335	602	810	902	469	127	1
Female	3,560	408	66	53	64	148	313	466	721	715	441	164	1
Nonmetropolitan counties	34,370	2,420	482	341	694	680	1,174	2,632	4,986	7,976	8,721	4,264	-
Male	20,045	1,400	243	200	521	425	744	1,681	3,328	4,994	4,576	1,933	-
Female	14,325	1,020	239	141	173	255	430	951	1,658	2,982	4,145	2,331	-
White	29,264	1,931	381	273	580	542	948	2,071	4,012	6,680	7,888	3,958	-
Male	17,308	1,143	201	172	439	349	625	1,399	2,798	4,242	4,156	1,784	-
Female	11,956	788	180	101	141	193	323	672	1,214	2,438	3,732	2,174	-
Nonwhite	5,106	489	101	68	114	138	226	561	974	1,296	833	306	-
Male	2,737	257	42	28	82	76	119	282	530	752	420	149	-
Female	2,369	232	59	40	32	62	107	279	444	544	413	157	-
UTAH	6,322	515	119	116	167	157	257	539	837	1,350	1,514	747	4
Male	3,658	316	64	72	122	101	155	356	564	805	764	335	4
Female	2,664	199	55	44	45	56	102	183	273	545	750	412	-
White	6,190	489	115	116	157	149	251	527	819	1,337	1,484	743	3
Male	3,567	300	62	72	116	94	152	347	550	795	742	334	3
Female	2,623	189	53	44	41	55	99	180	269	542	742	409	-
Nonwhite	132	26	4	-	10	8	6	12	18	13	30	4	1
Male	91	16	2	-	6	7	3	9	14	10	22	1	1
Female	41	10	2	-	4	1	3	3	4	3	8	3	-
Metropolitan counties	4,292	351	75	68	104	109	167	366	585	922	1,023	519	3
Male	2,481	212	43	41	74	67	104	238	405	548	525	221	3
Female	1,811	139	32	27	30	42	63	128	180	374	498	298	-
White	4,223	345	75	68	101	106	165	360	574	911	999	516	3
Male	2,427	207	43	41	71	65	102	233	397	539	506	220	3
Female	1,796	138	32	27	30	41	63	127	177	372	493	296	-
Nonwhite	69	6	-	-	3	3	2	6	11	11	24	3	-
Male	54	5	-	-	3	2	2	5	8	9	19	1	-
Female	15	1	-	-	-	1	-	1	3	2	5	2	-
Nonmetropolitan counties	2,030	164	44	48	63	48	90	173	252	428	491	228	1
Male	1,177	104	21	31	48	34	51	118	159	257	239	114	1
Female	853	60	23	17	15	14	39	55	93	171	252	114	-
White	1,967	144	40	48	56	43	86	167	245	426	485	227	-
Male	1,140	93	19	31	45	29	50	114	153	256	236	114	-
Female	827	51	21	17	11	14	36	53	92	170	249	113	-
Nonwhite	63	20	4	-	7	5	4	6	7	2	6	1	1
Male	37	11	2	-	3	5	1	4	6	1	3	-	1
Female	26	9	2	-	4	-	3	2	1	1	3	1	-
VERMONT	4,355	210	25	34	59	60	132	320	589	1,033	1,217	669	7
Male	2,367	122	13	20	51	38	82	209	380	603	594	249	6
Female	1,988	88	12	14	8	22	50	111	209	430	623	420	1
White	4,341	210	25	34	58	60	131	319	588	1,029	1,212	668	7
Male	2,358	122	13	20	50	38	81	208	380	600	592	248	6
Female	1,983	88	12	14	8	22	50	111	208	429	620	420	1
Nonwhite	14	-	-	-	1	-	1	1	1	4	5	1	-
Male	9	-	-	-	1	-	1	1	-	3	2	1	-
Female	5	-	-	-	-	-	-	-	1	1	3	-	-
Nonmetropolitan counties	4,355	210	25	34	59	60	132	320	589	1,033	1,217	669	7
Male	2,367	122	13	20	51	38	82	209	380	603	594	249	6
Female	1,988	88	12	14	8	22	50	111	209	430	623	420	1
White	4,341	210	25	34	58	60	131	319	588	1,029	1,212	668	7
Male	2,358	122	13	20	50	38	81	208	380	600	592	248	6
Female	1,983	88	12	14	8	22	50	111	208	429	620	420	1
Nonwhite	14	-	-	-	1	-	1	1	1	4	5	1	-
Male	9	-	-	-	1	-	1	1	-	3	2	1	-
Female	5	-	-	-	-	-	-	-	1	1	3	-	-
VIRGINIA	35,658	2,618	358	357	642	825	1,923	3,763	5,708	8,130	7,565	3,556	13
Male	20,216	1,602	189	214	474	542	1,196	2,465	3,594	4,743	3,727	1,461	9
Female	15,442	1,216	169	143	168	283	727	1,298	2,114	3,387	3,838	2,095	4
White	26,420	1,746	236	238	465	533	1,216	2,583	4,015	5,941	6,352	3,088	7
Male	15,140	1,010	133	143	343	361	804	1,774	2,702	3,531	3,095	1,241	3
Female	11,280	736	103	95	122	172	412	809	1,313	2,410	3,257	1,847	4
Nonwhite	9,238	1,072	122	119	177	292	707	1,180	1,693	2,189	1,213	468	6
Male	5,076	592	56	71	131	181	392	691	892	1,212	632	220	6
Female	4,162	480	66	48	46	111	315	489	801	977	581	248	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
VIRGINIA—Con.													
Metropolitan counties	16,396	1,487	172	142	274	362	1,021	1,920	2,639	3,712	3,065	1,398	4
Male	9,014	866	97	82	198	231	594	1,217	1,730	2,123	1,372	502	2
Female	7,382	621	75	60	76	131	427	703	1,109	1,589	1,693	896	2
White	11,870	959	111	93	204	217	626	1,253	1,939	2,663	2,556	1,246	3
Male	6,607	581	66	54	152	146	389	831	1,280	1,551	1,123	433	1
Female	5,263	378	45	39	52	71	237	422	659	1,112	1,433	813	2
Nonwhite	4,526	528	61	49	70	145	395	667	900	1,049	509	152	1
Male	2,407	285	31	28	46	85	205	386	450	572	249	69	1
Female	2,119	243	30	21	24	60	190	281	450	477	260	83	-
Nonmetropolitan counties	19,262	1,331	186	215	368	463	902	1,843	2,869	4,418	4,500	2,158	9
Male	11,202	736	92	132	276	311	602	1,248	1,864	2,620	2,355	959	7
Female	8,060	595	94	83	92	152	300	595	1,005	1,798	2,145	1,199	2
White	14,550	787	125	145	261	318	590	1,330	2,076	3,278	3,796	1,842	4
Male	8,533	429	67	89	191	215	415	943	1,422	1,980	1,972	808	2
Female	6,017	358	58	56	70	101	175	387	654	1,298	1,824	1,034	2
Nonwhite	4,712	544	61	70	107	147	312	513	793	1,140	704	316	5
Male	2,669	307	25	43	85	96	187	305	442	640	383	151	5
Female	2,043	237	36	27	22	51	125	208	351	500	321	165	-
WASHINGTON	27,383	1,478	230	254	398	449	994	2,308	3,877	6,302	7,517	3,568	8
Male	16,309	873	128	161	284	269	613	1,504	2,659	3,965	4,150	1,698	5
Female	11,074	605	102	93	114	180	381	804	1,218	2,337	3,367	1,870	3
White	26,518	1,324	211	236	376	397	901	2,214	3,756	6,184	7,406	3,505	8
Male	15,758	787	116	150	268	242	559	1,440	2,566	3,890	4,073	1,662	5
Female	10,760	537	95	86	108	155	342	774	1,190	2,294	3,333	1,843	3
Nonwhite	865	154	19	18	22	52	93	94	121	118	111	63	-
Male	551	86	12	11	16	27	54	64	93	75	77	36	-
Female	314	68	7	7	6	25	39	30	28	43	34	27	-
Metropolitan counties	17,472	925	127	159	236	289	645	1,461	2,469	4,040	4,860	2,258	3
Male	10,235	547	71	105	164	163	385	941	1,675	2,513	2,634	1,035	2
Female	7,237	378	56	54	72	126	260	520	794	1,527	2,226	1,223	1
White	16,901	836	118	144	228	258	586	1,401	2,379	3,952	4,773	2,225	3
Male	9,864	497	66	96	156	148	353	901	1,605	2,456	2,569	1,015	2
Female	7,037	339	52	48	70	110	233	500	774	1,496	2,204	1,210	1
Nonwhite	571	89	9	15	10	31	59	60	90	88	87	33	-
Male	371	50	5	9	8	15	32	40	70	57	65	20	-
Female	200	39	4	6	2	16	27	20	20	31	22	13	-
Nonmetropolitan counties	9,911	553	103	95	162	160	349	847	1,408	2,262	2,657	1,310	5
Male	6,074	326	57	56	120	106	228	563	984	1,452	1,516	663	3
Female	3,837	227	46	39	42	54	121	284	424	810	1,141	647	2
White	9,617	488	93	92	150	139	315	813	1,377	2,232	2,633	1,280	5
Male	5,894	290	50	54	112	94	206	539	961	1,434	1,504	647	3
Female	3,723	198	43	38	38	45	109	274	416	798	1,129	633	2
Nonwhite	294	65	10	3	12	21	34	34	31	30	24	30	-
Male	180	36	7	2	8	12	22	24	23	18	12	16	-
Female	114	29	3	1	4	9	12	10	8	12	12	14	-
WEST VIRGINIA	18,684	986	152	189	307	333	765	1,639	2,975	4,320	4,696	2,313	9
Male	11,088	579	82	121	220	228	483	1,081	1,986	2,663	2,548	1,092	5
Female	7,596	407	70	68	87	105	282	558	989	1,657	2,148	1,221	4
White	17,524	924	142	182	295	303	702	1,515	2,721	3,994	4,497	2,244	5
Male	10,371	542	79	116	211	210	454	1,008	1,820	2,448	2,430	1,050	3
Female	7,153	382	63	66	84	93	248	507	901	1,546	2,067	1,194	2
Nonwhite	1,160	62	10	7	12	30	63	124	254	326	199	69	4
Male	717	37	3	5	9	18	29	73	166	215	118	42	2
Female	443	25	7	2	3	12	34	51	88	111	81	27	2
Metropolitan counties	5,443	294	38	56	80	97	221	494	900	1,300	1,300	659	4
Male	3,191	171	23	34	55	67	136	322	591	807	677	306	2
Female	2,252	123	15	22	25	30	85	172	309	493	623	353	2
White	5,114	276	37	55	78	87	204	452	819	1,212	1,256	637	1
Male	2,984	160	22	33	53	61	128	295	532	751	655	294	-
Female	2,130	116	15	22	25	26	76	157	287	461	601	343	1
Nonwhite	329	18	1	1	2	10	17	42	81	88	44	22	3
Male	207	11	1	1	2	6	8	27	59	56	22	12	2
Female	122	7	-	-	-	4	9	15	22	32	22	10	1
Nonmetropolitan counties	13,241	692	114	133	227	236	544	1,145	2,075	3,020	3,396	1,654	5
Male	7,897	408	59	87	165	161	347	759	1,395	1,856	1,871	786	3
Female	5,344	284	55	46	62	75	197	386	680	1,164	1,525	868	2
White	12,410	648	105	127	217	216	498	1,063	1,902	2,782	3,241	1,607	4
Male	7,387	382	57	83	158	149	326	713	1,288	1,697	1,775	756	3
Female	5,023	266	48	44	59	67	172	350	614	1,085	1,466	851	1
Nonwhite	831	44	9	6	10	20	46	82	173	238	155	47	1
Male	510	26	2	4	7	12	21	46	107	159	96	30	-
Female	321	18	7	2	3	8	25	36	66	79	59	17	1
WISCONSIN	38,380	1,953	320	329	564	534	1,085	2,752	5,470	9,775	10,501	5,092	5
Male	21,870	1,134	176	195	400	351	654	1,776	3,517	6,039	5,371	2,252	5
Female	16,510	819	144	134	164	183	431	976	1,953	3,736	5,130	2,840	-
White	37,712	1,802	302	317	549	505	1,025	2,682	5,378	9,658	10,429	5,060	5
Male	21,494	1,052	164	192	392	335	622	1,738	3,465	5,969	5,328	2,232	5
Female	16,218	750	138	125	157	170	403	944	1,913	3,689	5,101	2,828	-
Nonwhite	668	151	18	12	15	29	60	70	92	117	72	32	-
Male	376	82	12	3	8	16	32	38	52	70	43	20	-
Female	292	69	6	9	7	13	28	32	40	47	29	12	-

Table 7-3. Deaths by 10-Year Age Groups, Color, and Sex, for Metropolitan and Nonmetropolitan Counties: United States and Each State, 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
WISCONSIN—Con.													
Metropolitan counties	16,577	964	139	143	214	254	542	1,353	2,535	4,345	4,237	1,848	3
Male	9,423	582	79	82	147	161	313	862	1,676	2,883	2,060	775	3
Female	7,154	382	60	61	67	93	229	491	859	1,662	2,177	1,073	-
White	16,068	839	129	135	206	233	492	1,295	2,461	4,257	4,189	1,829	3
Male	9,145	516	72	80	144	149	287	831	1,636	2,630	2,034	763	3
Female	6,923	323	57	55	62	84	205	464	825	1,627	2,155	1,066	-
Nonwhite	509	125	10	8	8	21	50	58	74	88	48	19	-
Male	278	66	7	2	3	12	26	31	40	53	26	12	-
Female	231	59	3	6	5	9	24	27	34	35	22	7	-
Nonmetropolitan counties	21,803	989	181	186	350	280	543	1,399	2,935	5,430	6,264	3,244	2
Male	12,447	552	97	113	253	190	341	914	1,841	3,356	3,311	1,477	2
Female	9,356	437	84	73	97	90	202	485	1,094	2,074	2,953	1,767	-
White	21,644	963	173	182	343	272	533	1,387	2,917	5,401	6,240	3,231	2
Male	12,349	536	92	112	248	186	335	907	1,829	3,339	3,294	1,469	2
Female	9,295	427	81	70	95	86	198	480	1,088	2,062	2,946	1,762	-
Nonwhite	159	26	8	4	7	8	10	12	18	29	24	13	-
Male	98	16	5	1	5	4	6	7	12	17	17	8	-
Female	61	10	3	3	2	4	4	5	6	12	7	5	-
WYOMING	2,746	243	37	42	75	76	129	227	367	673	613	264	-
Male	1,687	138	22	20	51	51	87	145	248	415	369	141	-
Female	1,059	105	15	22	24	25	42	82	119	258	244	123	-
White	2,687	229	35	38	74	75	122	223	357	667	605	262	-
Male	1,653	129	20	17	51	51	84	142	244	411	364	140	-
Female	1,034	100	15	21	23	24	38	81	113	256	241	122	-
Nonwhite	59	14	2	4	1	1	7	4	10	6	8	2	-
Male	34	9	2	3	-	-	3	3	4	4	5	1	-
Female	25	5	-	1	1	1	4	1	6	2	3	1	-
Nonmetropolitan counties	2,746	243	37	42	75	76	129	227	367	673	613	264	-
Male	1,687	138	22	20	51	51	87	145	248	415	369	141	-
Female	1,059	105	15	22	24	25	42	82	119	258	244	123	-
White	2,687	229	35	38	74	75	122	223	357	667	605	262	-
Male	1,653	129	20	17	51	51	84	142	244	411	364	140	-
Female	1,034	100	15	21	23	24	38	81	113	256	241	122	-
Nonwhite	59	14	2	4	1	1	7	4	10	6	8	2	-
Male	34	9	2	3	-	-	3	3	4	4	5	1	-
Female	25	5	-	1	1	1	4	1	6	2	3	1	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New England, where areas are metropolitan State economic areas as established by the Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
UNITED STATES, 201 AREAS	1,087,179	65,104	9,413	9,349	14,784	20,231	48,399	104,436	179,172	271,569	251,472	112,955	295
Male	607,238	37,592	5,148	5,606	10,099	12,288	28,928	66,263	115,149	159,355	123,330	43,303	177
Female	479,941	27,512	4,265	3,743	4,685	7,943	19,471	38,173	64,023	112,214	128,142	69,652	118
White[1]	870,932	44,939	6,648	7,098	11,178	13,637	33,958	78,515	138,882	221,971	215,725	98,156	225
Male	488,302	26,212	3,660	4,279	7,761	8,478	20,844	50,781	91,288	131,586	105,765	37,515	133
Female	382,630	18,727	2,988	2,819	3,417	5,159	13,114	27,734	47,594	90,385	109,960	60,641	92
Nonwhite[1]	120,950	15,327	2,094	1,583	2,627	5,155	10,577	16,790	23,753	24,323	13,646	5,022	53
Male	67,009	8,610	1,147	917	1,662	2,939	5,840	9,658	13,385	13,462	7,085	2,269	35
Female	53,941	6,717	947	666	965	2,216	4,737	7,132	10,368	10,861	6,561	2,753	18
Abilene, Texas	986	89	13	17	22	19	44	85	126	210	227	133	1
Male	581	52	4	12	16	14	28	59	85	126	118	67	-
Female	405	37	9	5	6	5	16	26	41	84	109	66	1
White	928	80	10	17	21	14	39	79	120	199	219	129	1
Male	541	44	3	12	16	10	25	56	81	116	113	65	-
Female	387	36	7	5	5	4	14	23	39	83	106	64	1
Nonwhite	58	9	3	-	1	5	5	6	6	11	8	4	-
Male	40	8	1	-	-	4	3	3	4	10	5	2	-
Female	18	1	2	-	1	1	2	3	2	1	3	2	-
Akron, Ohio	4,414	264	33	37	60	77	201	376	758	1,142	1,007	459	-
Male	2,483	148	23	16	44	35	123	233	491	699	498	173	-
Female	1,931	116	10	21	16	42	78	143	267	443	509	286	-
White	4,100	214	28	33	53	61	172	337	699	1,085	975	443	-
Male	2,314	120	21	14	38	30	102	212	458	668	484	167	-
Female	1,786	94	7	19	15	31	70	125	241	417	491	276	-
Nonwhite	314	50	5	4	7	16	29	39	59	57	32	16	-
Male	169	28	2	2	6	5	21	21	33	31	14	6	-
Female	145	22	3	2	1	11	8	18	26	26	18	10	-
Albany, Ga	572	69	17	10	17	18	31	66	92	119	99	34	-
Male	326	44	11	7	12	6	14	43	58	70	48	13	-
Female	246	25	6	3	5	12	17	23	34	49	51	21	-
White	283	36	8	3	9	7	15	29	30	52	70	24	-
Male	172	23	5	2	7	4	7	25	23	33	34	9	-
Female	111	13	3	1	2	3	8	4	7	19	36	15	-
Nonwhite	289	33	9	7	8	11	16	37	62	67	29	10	-
Male	154	21	6	5	5	2	7	18	35	37	14	4	-
Female	135	12	3	2	3	9	9	19	27	30	15	6	-
Albany-Schenectady-Troy, N.Y.	7,678	316	41	54	69	85	249	566	1,240	2,072	2,043	942	1
Male	4,138	193	24	26	44	49	142	339	815	1,201	966	338	1
Female	3,540	123	17	28	25	36	107	227	425	871	1,077	604	-
White	7,493	292	37	48	67	78	232	546	1,198	2,045	2,020	929	-
Male	4,038	185	21	23	42	44	133	328	783	1,188	957	334	-
Female	3,455	107	16	26	25	34	99	218	415	857	1,063	595	-
Nonwhite	185	24	4	5	2	7	17	20	42	27	23	13	1
Male	100	8	3	3	2	5	9	11	32	13	9	4	1
Female	85	16	1	2	-	2	8	9	10	14	14	9	-
Albuquerque, N. Mex.	1,612	200	38	24	47	60	110	171	215	336	280	131	-
Male	921	117	19	15	32	31	56	108	141	202	143	57	-
Female	691	83	19	9	15	29	54	63	74	134	137	74	-
White	1,545	179	34	22	43	53	106	168	209	331	274	126	-
Male	886	107	18	14	29	29	56	108	136	197	138	54	-
Female	659	72	16	8	14	24	50	60	73	134	136	72	-
Nonwhite	67	21	4	2	4	7	4	3	6	5	6	5	-
Male	35	10	1	1	3	2	-	-	5	5	5	3	-
Female	32	11	3	1	1	5	4	3	1	-	1	2	-
Allentown-Bethlehem-Easton, Pa.-N.J.[2]	5,157	178	38	34	50	60	175	424	807	1,377	1,410	604	-
Male	2,811	110	19	20	35	44	96	286	511	770	693	227	-
Female	2,346	68	19	14	15	16	79	138	296	607	717	377	-
Altoona, Pa.	1,691	69	9	11	15	15	57	120	259	439	485	212	-
Male	908	36	6	7	6	11	36	74	157	243	239	93	-
Female	783	33	3	4	9	4	21	46	102	196	246	119	-
White	1,672	69	9	11	15	12	56	119	255	432	483	211	-
Male	894	36	6	7	6	8	36	73	155	237	238	92	-
Female	778	33	3	4	9	4	20	46	100	195	245	119	-
Nonwhite	19	-	-	-	-	3	1	1	4	7	2	1	-
Male	14	-	-	-	-	3	-	1	2	6	1	1	-
Female	5	-	-	-	-	-	1	-	2	1	1	-	-
Amarillo, Texas	957	89	13	15	23	24	65	102	168	201	175	82	-
Male	568	53	7	9	18	17	42	66	112	129	80	35	-
Female	389	36	6	6	5	7	23	36	56	72	95	47	-
White	877	71	11	15	20	18	58	89	159	186	170	80	-
Male	524	40	6	9	16	14	41	60	105	120	79	34	-
Female	353	31	5	6	4	4	17	29	54	66	91	46	-
Nonwhite	80	18	2	-	3	6	7	13	9	15	5	2	-
Male	44	13	1	-	2	3	1	6	7	9	1	1	-
Female	36	5	1	-	1	3	6	7	2	6	4	1	-
Ann Arbor, Mich.	1,148	79	8	15	31	25	48	90	150	265	250	186	1
Male	617	38	3	6	26	19	30	54	103	149	114	75	-
Female	531	41	5	9	5	6	18	36	47	116	136	111	1
White	1,058	69	8	12	26	18	42	77	141	247	238	179	1
Male	567	33	3	5	22	14	27	49	96	140	107	71	-
Female	491	36	5	7	4	4	15	28	45	107	131	108	1
Nonwhite	90	10	-	3	5	7	6	13	9	18	12	7	-
Male	50	5	-	1	4	5	3	5	7	9	7	4	-
Female	40	5	-	2	1	2	3	8	2	9	5	3	-

See footnotes at end of table.

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Asheville, N.C	1,350	69	10	5	23	25	68	137	223	325	324	141	-
Male	769	37	7	4	17	16	41	101	145	185	153	63	-
Female	581	32	3	1	6	9	27	36	78	140	171	78	-
White	1,142	49	10	5	20	19	51	100	173	279	301	135	-
Male	668	25	7	4	15	14	35	80	118	166	142	62	-
Female	474	24	3	1	5	5	16	20	55	113	159	73	-
Nonwhite	208	20	-	-	3	6	17	37	50	46	23	6	-
Male	101	12	-	-	2	2	6	21	27	19	11	1	-
Female	107	8	-	-	1	4	11	16	23	27	12	5	-
Atlanta, Ga	8,711	662	118	96	167	275	588	1,092	1,541	1,839	1,644	688	1
Male	4,835	409	65	61	108	150	348	705	941	1,082	715	251	-
Female	3,876	253	53	35	59	125	240	387	600	757	929	437	1
White	6,068	368	68	68	96	143	338	647	953	1,328	1,439	619	1
Male	3,398	232	35	47	61	79	214	442	618	819	633	218	-
Female	2,670	136	33	21	35	64	124	205	335	509	806	401	1
Nonwhite	2,643	294	50	28	71	132	250	445	588	511	205	69	-
Male	1,437	177	30	14	47	71	134	263	323	263	82	33	-
Female	1,206	117	20	14	24	61	116	182	265	248	123	36	-
Atlantic City, N.J[2]	2,272	95	11	13	16	25	76	189	347	669	556	274	1
Male	1,212	40	6	5	13	14	45	121	210	380	268	109	1
Female	1,060	55	5	8	3	11	31	68	137	289	288	165	-
Augusta, Ga.-S.C	1,786	139	23	26	35	67	118	219	340	404	299	115	1
Male	972	76	12	15	30	46	72	128	199	224	130	40	-
Female	814	63	11	11	5	21	46	91	141	180	169	75	1
White	1,070	70	14	15	20	35	67	129	176	225	228	91	-
Male	616	32	10	10	18	26	40	91	122	140	98	29	-
Female	454	38	4	5	2	9	27	38	54	85	130	62	-
Nonwhite	716	69	9	11	15	32	51	90	164	179	71	24	1
Male	356	44	2	5	12	20	32	37	77	84	32	11	-
Female	360	25	7	6	3	12	19	53	87	95	39	13	1
Austin, Texas	1,618	131	19	26	35	38	70	164	237	323	395	180	-
Male	908	79	10	15	25	19	38	113	154	198	196	61	-
Female	710	52	9	11	10	19	32	51	83	125	199	119	-
White	1,325	103	12	21	33	27	49	129	181	273	342	155	-
Male	764	61	8	12	24	13	31	89	129	172	174	51	-
Female	561	42	4	9	9	14	18	40	52	101	168	104	-
Nonwhite	293	28	7	5	2	11	21	35	56	50	53	25	-
Male	144	18	2	3	1	6	7	24	25	26	22	10	-
Female	149	10	5	2	1	5	14	11	31	24	31	15	-
Bakersfield, Calif	2,249	196	29	28	57	60	110	233	400	495	477	164	-
Male	1,412	113	16	18	40	40	70	157	281	330	269	78	-
Female	837	83	13	10	17	20	40	76	119	165	208	86	-
White	2,043	167	25	25	51	50	100	206	352	457	450	160	-
Male	1,271	95	15	16	37	34	64	138	241	301	254	76	-
Female	772	72	10	9	14	16	36	68	111	156	196	84	-
Nonwhite	206	29	4	3	6	10	10	27	48	38	27	4	-
Male	141	18	1	2	3	6	6	19	40	29	15	2	-
Female	65	11	3	1	3	4	4	8	8	9	12	2	-
Baltimore, Md	16,794	1,101	140	174	200	398	960	1,840	2,966	4,179	3,413	1,422	1
Male	9,266	607	71	109	142	243	559	1,192	1,859	2,416	1,534	533	1
Female	7,528	494	69	65	58	155	401	648	1,107	1,763	1,879	889	-
White	12,784	623	83	107	124	195	562	1,255	2,164	3,358	3,029	1,283	1
Male	6,995	348	40	70	89	119	337	834	1,402	1,951	1,342	462	1
Female	5,789	275	43	37	35	76	225	421	762	1,407	1,687	821	-
Nonwhite	4,010	478	57	67	76	203	398	585	802	821	384	139	-
Male	2,271	259	31	39	53	124	222	358	457	465	192	71	-
Female	1,739	219	26	28	23	79	176	227	345	356	192	68	-
Baton Rouge, La	1,629	164	32	22	43	39	105	204	278	352	266	124	-
Male	925	95	20	15	31	29	51	116	167	212	138	51	-
Female	704	69	12	7	12	10	54	88	111	140	128	73	-
White	903	69	21	15	21	23	52	116	142	196	163	85	-
Male	543	46	12	11	15	18	28	71	102	119	84	37	-
Female	360	23	9	4	6	5	24	45	40	77	79	48	-
Nonwhite	726	95	11	7	22	16	53	88	136	156	103	39	-
Male	382	49	8	4	16	11	23	45	65	93	54	14	-
Female	344	46	3	3	6	5	30	43	71	63	49	25	-
Bay City, Mich	996	62	9	15	16	11	31	95	159	233	258	107	-
Male	558	34	3	8	11	7	17	59	103	141	129	46	-
Female	438	28	6	7	5	4	14	36	56	92	129	61	-
White	991	62	9	15	16	11	30	94	158	232	257	107	-
Male	557	34	3	8	11	7	17	59	103	141	128	46	-
Female	434	28	6	7	5	4	13	35	55	91	129	61	-
Nonwhite	5	-	-	-	-	-	1	1	1	1	1	-	-
Male	1	-	-	-	-	-	-	-	-	-	1	-	-
Female	4	-	-	-	-	-	1	1	1	1	-	-	-
Beaumont-Port Arthur, Texas	2,276	181	24	30	48	50	152	273	412	508	431	166	1
Male	1,333	107	14	19	37	31	93	173	276	301	212	69	1
Female	943	74	10	11	11	19	59	100	136	207	219	97	-
White	1,619	107	14	18	35	30	91	165	281	358	364	156	-
Male	973	67	9	12	25	20	57	110	209	219	181	64	-
Female	646	40	5	6	10	10	34	55	72	139	183	92	-
Nonwhite	657	74	10	12	13	20	61	108	131	150	67	10	1
Male	360	40	5	7	12	11	36	63	67	82	31	5	1
Female	297	34	5	5	1	9	25	45	64	68	36	5	-
Billings, Mont	624	48	11	11	11	22	31	72	77	123	156	62	-
Male	371	28	5	6	5	17	23	49	51	73	84	30	-
Female	253	20	6	5	6	5	8	23	26	50	72	32	-
White	615	48	11	11	11	22	30	72	75	121	154	60	-
Male	366	28	5	6	5	17	22	49	50	72	83	29	-
Female	249	20	6	5	6	5	8	23	25	49	71	31	-
Nonwhite	9	-	-	-	-	-	1	-	2	2	2	2	-
Male	5	-	-	-	-	-	1	-	1	1	1	1	-
Female	4	-	-	-	-	-	-	-	1	1	1	1	-

See footnotes at end of table.

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Binghamton, N.Y.	2,135	122	13	18	32	32	65	178	320	572	523	260	-
Male	1,186	80	6	9	19	22	38	123	206	334	262	87	-
Female	949	42	7	9	13	10	27	55	114	238	261	173	-
White	2,116	119	12	17	32	31	64	175	318	566	522	260	-
Male	1,173	79	5	8	19	22	37	121	204	330	261	87	-
Female	943	40	7	9	13	9	27	54	114	236	261	173	-
Nonwhite	19	3	1	1	-	1	1	3	2	6	1	-	-
Male	13	1	1	1	-	-	1	2	2	4	1	-	-
Female	6	2	-	-	-	1	-	1	-	2	-	-	-
Birmingham, Ala.	6,192	371	69	66	115	144	323	687	1,124	1,543	1,283	467	-
Male	3,474	238	33	42	89	81	168	431	667	893	655	177	-
Female	2,718	133	36	24	26	63	155	256	457	650	628	290	-
White	3,583	176	22	40	60	72	161	363	560	890	873	366	-
Male	2,107	122	6	27	48	45	92	257	384	546	445	135	-
Female	1,476	54	16	13	12	27	69	106	176	344	428	231	-
Nonwhite	2,609	195	47	26	55	72	162	324	564	653	410	101	-
Male	1,367	116	27	15	41	36	76	174	283	347	210	42	-
Female	1,242	79	20	11	14	36	86	150	281	306	200	59	-
Boston-Lowell-Lawrence, Mass.	34,179	1,503	216	212	291	401	1,068	2,748	5,212	8,850	8,936	4,727	15
Male	17,960	849	132	133	193	230	619	1,811	3,311	5,008	4,048	1,617	9
Female	16,219	654	84	79	98	171	449	937	1,901	3,842	4,888	3,110	6
White	33,278	1,395	206	201	275	361	1,007	2,636	5,069	8,685	8,784	4,664	15
Male	17,490	795	127	128	184	209	589	1,741	3,229	4,917	3,978	1,586	9
Female	15,788	602	79	73	91	152	418	895	1,840	3,748	4,806	3,078	6
Nonwhite	901	108	10	11	16	40	61	112	143	165	152	63	-
Male	470	56	5	5	9	21	30	70	82	91	70	31	-
Female	431	52	5	6	7	19	31	42	61	94	82	32	-
Bridgeport-Stamford-Norwalk, Conn.	6,468	342	59	50	77	77	293	614	998	1,715	1,566	677	-
Male	3,528	195	36	30	53	41	178	381	633	985	745	251	-
Female	2,940	147	23	20	24	36	115	233	365	730	821	426	-
White	6,163	282	53	43	72	62	261	570	940	1,681	1,532	667	-
Male	3,348	165	31	27	49	30	155	354	596	967	727	247	-
Female	2,815	117	22	16	23	32	106	216	344	714	805	420	-
Nonwhite	305	60	6	7	5	15	32	44	58	34	34	10	-
Male	180	30	5	3	4	11	23	27	37	18	18	4	-
Female	125	30	1	4	1	4	9	17	21	16	16	6	-
Brockton, Mass.	2,784	136	19	23	17	34	80	229	365	682	779	417	3
Male	1,494	86	9	16	15	16	46	143	236	389	376	159	3
Female	1,290	50	10	7	2	18	34	86	129	293	403	258	-
White	2,731	129	19	23	16	33	76	227	358	672	764	411	3
Male	1,462	81	9	16	14	15	44	142	230	384	369	155	3
Female	1,269	48	10	7	2	18	32	85	128	288	395	256	-
Nonwhite	53	7	-	-	1	1	4	2	7	10	15	6	-
Male	32	5	-	-	1	1	2	1	6	5	7	4	-
Female	21	2	-	-	-	-	2	1	1	5	8	2	-
Brownsville-Harlingen-San Benito, Texas	989	173	41	13	17	25	48	78	145	176	175	97	1
Male	564	103	23	7	11	13	33	45	86	108	98	37	-
Female	425	70	18	6	6	12	15	33	59	68	77	60	1
White	981	173	41	13	16	25	47	78	144	173	175	97	1
Male	559	103	23	7	10	13	32	44	85	107	98	37	-
Female	422	70	18	6	6	12	15	32	59	66	77	60	1
Nonwhite	8	-	-	-	1	-	1	2	1	3	-	-	-
Male	5	-	-	-	1	-	1	1	1	1	-	-	-
Female	3	-	-	-	-	-	-	1	-	2	-	-	-
Buffalo, N.Y.	12,988	618	88	77	142	191	503	1,149	2,143	3,620	3,107	1,312	38
Male	7,349	358	44	42	85	110	302	753	1,425	2,130	1,543	524	33
Female	5,639	260	44	35	57	81	201	396	718	1,490	1,564	788	5
White	12,256	505	71	62	124	152	437	1,043	2,026	3,476	3,035	1,296	29
Male	6,931	297	36	36	75	93	265	693	1,345	2,041	1,505	519	26
Female	5,325	208	35	26	49	59	172	350	681	1,435	1,530	777	3
Nonwhite	732	113	17	15	18	39	66	106	117	144	72	16	9
Male	418	61	8	6	10	17	37	60	80	89	38	5	7
Female	314	52	9	9	8	22	29	46	37	55	34	11	2
Canton, Ohio	3,308	172	24	36	35	51	123	256	508	819	866	420	-
Male	1,911	100	13	26	23	35	72	174	327	510	463	168	-
Female	1,397	72	11	10	12	16	51	82	179	309	403	252	-
White	3,117	155	18	34	33	44	108	228	456	783	845	413	-
Male	1,814	92	12	25	21	29	67	158	303	489	453	165	-
Female	1,303	63	6	9	12	15	41	70	153	294	392	248	-
Nonwhite	191	17	6	2	2	7	15	28	50	36	21	7	-
Male	97	8	1	1	2	6	5	16	24	21	10	3	-
Female	94	9	5	1	-	1	10	12	26	15	11	4	-
Cedar Rapids, Iowa	1,194	56	8	5	17	20	37	90	153	284	315	207	2
Male	656	31	4	2	12	8	27	59	114	166	150	83	-
Female	538	25	4	3	5	12	10	31	39	118	165	124	2
White	1,179	55	8	5	17	19	36	89	152	279	313	204	2
Male	647	31	4	2	12	8	26	58	113	164	148	81	-
Female	532	24	4	3	5	11	10	31	39	115	165	123	2
Nonwhite	15	1	-	-	-	1	1	1	1	5	2	3	-
Male	9	-	-	-	-	-	1	1	1	2	2	2	-
Female	6	1	-	-	-	1	-	-	-	3	-	1	-
Champaign-Urbana, Ill.	824	55	13	10	16	18	32	69	102	172	223	114	-
Male	424	27	5	8	11	16	18	49	63	92	94	41	-
Female	400	28	8	2	5	2	14	20	39	80	129	73	-
White	766	46	10	9	12	15	26	60	93	168	217	110	-
Male	388	22	3	7	10	13	14	43	58	88	92	38	-
Female	378	24	7	2	2	2	12	17	35	80	125	72	-
Nonwhite	58	9	3	1	4	3	6	9	9	4	6	4	-
Male	36	5	2	1	1	3	4	6	5	4	2	3	-
Female	22	4	1	-	3	-	2	3	4	-	4	1	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Charleston, S.C	1,757	136	40	24	42	60	158	276	365	362	204	89	1
Male	964	81	31	13	38	33	94	161	209	195	79	29	1
Female	793	55	9	11	4	27	64	115	156	167	125	60	-
White	938	73	14	11	23	21	68	110	167	213	159	79	-
Male	533	47	11	6	20	8	40	77	118	121	61	24	-
Female	405	26	3	5	3	13	28	33	49	92	98	55	-
Nonwhite	819	63	26	13	19	39	90	166	198	149	45	10	1
Male	431	34	20	7	18	25	54	84	91	74	18	5	1
Female	388	29	6	6	1	14	36	82	107	75	27	5	-
Charleston, W. Va	2,068	128	19	25	38	45	94	216	370	494	441	196	2
Male	1,276	76	10	16	25	33	58	142	261	315	234	105	1
Female	792	52	9	9	13	12	36	74	109	179	207	91	1
White	1,899	120	19	25	37	40	87	191	330	446	416	188	-
Male	1,176	73	10	16	24	31	55	126	232	287	222	100	-
Female	723	47	9	9	13	9	32	65	98	159	194	88	-
Nonwhite	169	8	-	-	1	5	7	25	40	48	25	8	2
Male	100	3	-	-	1	2	3	16	29	28	12	5	1
Female	69	5	-	-	-	3	4	9	11	20	13	3	1
Charlotte, N.C	2,162	226	32	25	53	63	143	282	382	414	368	174	-
Male	1,217	117	10	14	39	35	96	175	260	241	172	58	-
Female	945	109	22	11	14	28	47	107	122	173	196	116	-
White	1,435	98	18	17	28	31	68	180	238	287	314	156	-
Male	818	53	6	8	20	18	49	118	180	164	153	49	-
Female	617	45	12	9	8	13	19	62	58	123	161	107	-
Nonwhite	727	128	14	8	25	32	75	102	144	127	54	18	-
Male	399	64	4	6	19	17	47	57	80	77	19	9	-
Female	328	64	10	2	6	15	28	45	64	50	35	9	-
Chattanooga, Tenn.-Ga	2,683	189	25	27	41	70	169	285	459	635	566	237	-
Male	1,487	104	12	11	27	41	96	171	299	361	267	98	-
Female	1,196	85	13	16	14	29	73	94	160	274	299	139	-
White	2,031	128	16	19	29	48	104	183	323	464	499	218	-
Male	1,153	76	9	7	19	29	58	128	230	272	234	91	-
Female	878	52	7	12	10	19	46	55	93	192	265	127	-
Nonwhite	652	61	9	8	12	22	65	82	136	171	67	19	-
Male	334	28	3	4	8	12	38	43	69	89	33	7	-
Female	318	33	6	4	4	10	27	39	67	82	34	12	-
Chicago, Ill	63,214	3,688	540	476	790	1,225	3,069	6,596	11,196	16,652	13,593	5,387	2
Male	35,821	2,122	312	286	522	737	1,920	4,176	7,262	9,658	6,804	2,020	2
Female	27,393	1,566	228	190	268	488	1,149	2,420	3,934	6,994	6,789	3,367	-
White	53,860	2,408	342	366	575	764	2,119	5,310	9,363	14,898	12,657	5,057	1
Male	30,566	1,418	206	216	392	463	1,362	3,430	6,202	8,688	6,299	1,889	1
Female	23,294	990	136	150	183	301	757	1,880	3,161	6,210	6,358	3,168	-
Nonwhite	9,354	1,280	198	110	215	461	950	1,286	1,833	1,754	936	330	1
Male	5,255	704	106	70	130	274	558	746	1,060	970	505	131	1
Female	4,099	576	92	40	85	187	392	540	773	784	431	199	-
Cincinnati, Ohio-Ky	11,383	541	75	89	110	173	475	1,050	1,919	2,788	2,798	1,365	-
Male	6,009	309	42	49	75	94	267	629	1,212	1,580	1,262	490	-
Female	5,374	232	33	40	35	79	208	421	707	1,208	1,536	875	-
White	9,933	416	58	78	88	125	349	850	1,611	2,436	2,631	1,291	-
Male	5,248	235	34	42	63	74	205	534	1,043	1,382	1,177	459	-
Female	4,685	181	24	36	25	51	144	316	568	1,054	1,454	832	-
Nonwhite	1,450	125	17	11	22	48	126	200	308	352	167	74	-
Male	761	74	8	7	12	20	62	95	169	198	85	31	-
Female	689	51	9	4	10	28	64	105	139	154	82	43	-
Cleveland, Ohio	17,740	945	118	99	149	299	779	1,764	2,903	4,835	4,204	1,643	2
Male	9,906	560	71	68	90	182	466	1,099	1,841	2,834	2,077	616	2
Female	7,834	385	47	31	59	117	313	665	1,062	2,001	2,127	1,027	-
White	15,353	650	91	74	121	197	552	1,409	2,424	4,338	3,932	1,564	1
Male	8,567	379	52	53	77	118	340	896	1,586	2,561	1,927	577	1
Female	6,786	271	39	21	44	79	212	513	838	1,777	2,005	987	-
Nonwhite	2,387	295	27	25	28	102	227	355	479	497	272	79	1
Male	1,339	181	19	15	13	64	126	203	255	273	150	39	1
Female	1,048	114	8	10	15	38	101	152	224	224	122	40	-
Colorado Springs, Colo	1,151	112	21	16	18	21	48	95	142	226	271	180	1
Male	615	67	10	6	15	10	31	60	98	125	132	61	-
Female	536	45	11	10	3	11	17	35	44	101	139	119	1
White	1,107	102	16	14	17	17	46	93	136	221	268	176	1
Male	590	62	8	4	14	8	31	59	95	121	130	58	-
Female	517	40	8	10	3	9	15	34	41	100	138	118	1
Nonwhite	44	10	5	2	1	4	2	2	6	5	3	4	-
Male	25	5	2	2	1	2	-	1	3	4	2	3	-
Female	19	5	3	-	-	2	2	1	3	1	1	1	-
Columbia, S.C	1,916	181	25	30	56	63	147	267	338	431	265	111	2
Male	1,098	87	15	18	40	40	92	176	209	247	126	48	-
Female	818	94	10	12	16	23	55	91	129	184	139	63	2
White	1,211	88	9	14	35	31	83	153	194	288	217	97	2
Male	716	43	6	10	28	22	55	107	138	170	96	41	-
Female	495	45	3	4	7	9	28	46	56	118	121	56	2
Nonwhite	705	93	16	16	21	32	64	114	144	143	48	14	-
Male	382	44	9	8	12	18	37	69	71	77	30	7	-
Female	323	49	7	8	9	14	27	45	73	66	18	7	-
Columbus, Ga.-Ala	1,591	165	21	24	42	55	91	198	298	351	241	105	-
Male	860	87	12	15	22	35	54	121	185	184	118	27	-
Female	731	78	9	9	20	20	37	77	113	167	123	78	-
White	973	102	10	11	23	27	49	94	176	224	172	85	-
Male	555	58	5	9	14	16	33	64	124	127	87	18	-
Female	418	44	5	2	9	11	16	30	52	97	85	67	-
Nonwhite	618	63	11	13	19	28	42	104	122	127	69	20	-
Male	305	29	7	6	8	19	21	57	61	57	31	9	-
Female	313	34	4	7	11	9	21	47	61	70	38	11	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Columbus, Ohio	6,194	410	53	57	84	124	272	615	956	1,404	1,474	745	-
Male	3,318	222	27	36	49	78	155	390	615	797	687	262	-
Female	2,876	188	26	21	35	46	117	225	341	607	787	483	-
White	5,317	319	40	48	72	87	209	489	803	1,212	1,347	691	-
Male	2,838	176	19	31	43	54	122	311	529	699	616	238	-
Female	2,479	143	21	17	29	33	87	178	274	513	731	453	-
Nonwhite	877	91	13	9	12	37	63	126	153	192	127	54	-
Male	480	46	8	5	6	24	33	79	86	98	71	24	-
Female	397	45	5	4	6	13	30	47	67	94	56	30	-
Corpus Christi, Texas	1,423	173	29	28	29	33	93	147	247	314	216	114	-
Male	844	107	14	14	21	15	51	99	170	201	111	41	-
Female	579	66	15	14	8	18	42	48	77	113	105	73	-
White	1,328	157	29	27	28	28	87	135	225	294	208	110	-
Male	802	98	14	14	20	14	47	92	160	196	106	41	-
Female	526	59	15	13	8	14	40	43	65	98	102	69	-
Nonwhite	95	16	-	1	1	5	6	12	22	20	8	4	-
Male	42	9	-	-	1	1	4	7	10	5	5	-	-
Female	53	7	-	1	-	4	2	5	12	15	3	4	-
Dallas, Texas	8,834	675	135	121	174	223	476	889	1,457	1,927	1,807	949	1
Male	5,064	398	81	69	123	137	289	574	974	1,150	877	394	-
Female	3,770	279	54	52	51	86	187	315	483	777	930	555	1
White	7,177	447	92	83	124	149	349	696	1,144	1,599	1,607	887	-
Male	4,135	259	55	44	88	96	219	461	814	969	769	361	-
Female	3,042	188	37	39	36	53	130	235	330	630	838	526	-
Nonwhite	1,657	228	43	38	50	74	127	193	313	328	200	62	1
Male	929	137	26	25	35	41	70	113	160	181	108	33	-
Female	728	91	17	13	15	33	57	80	153	147	92	29	1
Davenport-Rock Island-Moline, Iowa-Ill	2,739	164	18	14	43	46	94	195	407	675	732	351	-
Male	1,518	99	10	10	27	31	57	128	268	396	347	145	-
Female	1,221	65	8	4	16	15	37	67	139	279	385	206	-
White	2,680	154	15	13	43	42	92	189	401	664	719	348	-
Male	1,488	90	8	9	27	29	56	125	264	392	344	144	-
Female	1,192	64	7	4	16	13	36	64	137	272	375	204	-
Nonwhite	59	10	3	1	-	4	2	6	6	11	13	3	-
Male	30	9	2	1	-	2	1	3	4	4	3	1	-
Female	29	1	1	-	-	2	1	3	2	7	10	2	-
Dayton, Ohio	5,950	392	57	55	97	129	285	577	892	1,398	1,425	641	2
Male	3,304	224	32	39	69	82	170	350	575	850	663	249	1
Female	2,646	168	25	16	28	47	115	227	317	548	762	392	1
White	5,302	317	47	45	88	90	233	488	760	1,273	1,346	613	2
Male	2,924	180	27	30	65	59	145	304	492	767	620	234	1
Female	2,378	137	20	15	23	31	88	184	268	506	726	379	1
Nonwhite	648	75	10	10	9	39	52	89	132	125	79	28	-
Male	380	44	5	9	4	23	25	46	83	83	43	15	-
Female	268	31	5	1	5	16	27	43	49	42	36	13	-
Decatur, Ill	1,187	60	9	10	25	22	32	86	161	291	315	176	-
Male	648	30	5	8	19	10	25	59	97	180	145	70	-
Female	539	30	4	2	6	12	7	27	64	111	170	106	-
White	1,138	48	7	10	23	21	28	84	155	283	309	170	-
Male	620	24	3	8	18	9	22	57	93	176	144	66	-
Female	518	24	4	2	5	12	6	27	62	107	165	104	-
Nonwhite	49	12	2	-	2	1	4	2	6	8	6	6	-
Male	28	6	2	-	1	1	3	2	4	4	1	4	-
Female	21	6	-	-	1	-	1	-	2	4	5	2	-
Denver, Colo	8,217	592	94	68	168	182	385	739	1,137	1,785	2,021	1,054	2
Male	4,649	351	49	38	112	114	228	501	735	1,075	1,032	414	-
Female	3,568	241	45	30	56	78	157	238	402	690	989	640	2
White	7,827	536	90	64	157	173	351	698	1,089	1,676	1,957	1,034	2
Male	4,422	312	46	37	106	103	210	475	707	1,022	999	406	-
Female	3,405	224	44	27	52	70	141	223	382	654	958	628	2
Nonwhite	390	56	4	4	11	19	34	41	48	89	64	20	-
Male	227	39	3	1	7	11	18	26	28	53	33	8	-
Female	163	17	1	3	4	8	16	15	20	36	31	12	-
Des Moines, Iowa	2,500	132	21	20	27	39	96	187	354	650	645	329	-
Male	1,411	83	14	11	17	24	61	119	242	387	335	118	-
Female	1,089	49	7	9	10	15	35	68	112	263	310	211	-
White	2,379	122	21	18	27	34	84	174	337	621	620	321	-
Male	1,344	78	14	10	17	23	55	112	230	372	319	114	-
Female	1,035	44	7	8	10	11	29	62	107	249	301	207	-
Nonwhite	121	10	-	2	-	5	12	13	17	29	25	8	-
Male	67	5	-	1	-	1	6	7	12	15	16	4	-
Female	54	5	-	1	-	4	6	6	5	14	9	4	-
Detroit, Mich	32,104	2,040	266	297	376	578	1,558	3,437	6,029	8,638	6,502	2,362	21
Male	16,630	1,162	150	176	254	333	862	2,135	3,944	5,357	3,361	890	6
Female	13,474	878	116	121	122	245	696	1,302	2,085	3,281	3,141	1,472	15
White	27,387	1,519	200	251	302	416	1,110	2,705	4,929	7,696	6,044	2,195	20
Male	15,998	878	112	154	209	257	627	1,727	3,286	4,807	3,123	812	6
Female	11,389	641	88	97	93	159	483	978	1,643	2,889	2,921	1,383	14
Nonwhite	4,717	521	66	46	74	162	448	732	1,100	942	458	167	1
Male	2,632	284	38	22	45	76	235	408	658	550	238	78	-
Female	2,085	237	28	24	29	86	213	324	442	392	220	89	1
Dubuque, Iowa	794	54	7	5	13	10	20	51	101	184	228	121	-
Male	419	36	1	2	10	5	11	35	74	109	95	41	-
Female	375	18	6	3	3	5	9	16	27	75	133	80	-
White	793	54	7	5	13	10	20	51	100	184	228	121	-
Male	418	36	1	2	10	5	11	35	73	109	95	41	-
Female	375	18	6	3	3	5	9	16	27	75	133	80	-
Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	1	-	-	-	-	-	-	-	1	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Duluth-Superior, Minn.-Wis	2,905	128	21	24	34	38	103	245	379	776	816	341	-
Male	1,806	76	15	17	24	28	64	169	254	501	494	164	-
Female	1,099	52	6	7	10	10	39	76	125	275	322	177	-
White	2,882	125	21	24	32	37	101	242	377	771	811	341	-
Male	1,793	76	15	17	23	27	64	167	252	498	490	164	-
Female	1,089	49	6	7	9	10	37	75	125	273	321	177	-
Nonwhite	23	3	-	-	2	1	2	3	2	5	5	-	-
Male	13	-	-	-	1	1	-	2	2	3	4	-	-
Female	10	3	-	-	1	-	2	1	-	2	1	-	-
Durham, N.C.	1,015	83	12	4	22	32	53	132	193	217	178	89	-
Male	550	43	9	2	16	21	30	80	121	120	78	30	-
Female	465	40	3	2	6	11	23	52	72	97	100	59	-
White	584	30	3	1	16	13	22	66	100	127	136	70	-
Male	314	13	2	-	13	11	16	41	68	68	58	24	-
Female	270	17	1	1	3	2	6	25	32	59	78	46	-
Nonwhite	431	53	9	3	6	19	31	66	93	90	42	19	-
Male	236	30	7	2	3	10	14	39	53	52	20	6	-
Female	195	23	2	1	3	9	17	27	40	38	22	13	-
El Paso, Texas	1,933	307	40	25	61	66	107	157	273	384	350	163	-
Male	1,097	173	21	17	43	45	61	100	158	231	178	70	-
Female	836	134	19	8	18	21	46	57	115	153	172	93	-
White	1,870	301	36	23	58	65	101	151	267	374	336	158	-
Male	1,058	170	18	15	41	45	57	97	155	233	170	67	-
Female	812	131	18	8	17	20	44	54	112	151	166	91	-
Nonwhite	63	6	4	2	3	1	6	6	6	10	14	5	-
Male	39	3	3	2	2	-	4	3	3	8	8	3	-
Female	24	3	1	-	1	1	2	3	3	2	6	2	-
Erie, Pa.	2,508	142	20	20	28	33	98	208	358	636	678	287	-
Male	1,383	92	13	12	19	13	54	126	218	383	333	120	-
Female	1,125	50	7	8	9	20	44	82	140	253	345	167	-
White	2,436	127	20	19	27	30	90	196	347	625	670	285	-
Male	1,337	80	13	12	18	13	49	118	211	377	328	118	-
Female	1,099	47	7	7	9	17	41	78	136	248	342	167	-
Nonwhite	72	15	-	1	1	3	8	12	11	11	8	2	-
Male	46	12	-	-	1	-	5	8	7	6	5	2	-
Female	26	3	-	1	-	3	3	4	4	5	3	-	-
Eugene, Oreg.	1,228	87	6	17	27	17	56	101	159	260	336	160	-
Male	725	41	4	8	20	16	30	63	110	174	190	69	-
Female	501	46	2	9	7	1	26	38	49	86	146	91	-
White	1,221	85	6	16	27	17	56	101	159	260	335	159	-
Male	723	40	4	8	20	16	30	63	110	174	190	68	-
Female	498	45	2	8	7	1	26	38	49	86	145	91	-
Nonwhite	5	2	-	1	-	-	-	-	-	-	1	1	-
Male	2	1	-	-	-	-	-	-	-	-	-	1	-
Female	3	1	-	1	-	-	-	-	-	-	1	-	-
Evansville, Ind.-Ky.	2,076	95	11	13	39	40	93	196	321	488	535	245	-
Male	1,143	55	5	8	25	25	57	128	217	288	251	84	-
Female	933	40	6	5	14	15	36	68	104	200	284	161	-
White	1,873	84	10	13	34	34	81	166	287	438	497	229	-
Male	1,029	50	4	8	21	21	51	110	200	255	230	79	-
Female	844	34	6	5	13	13	30	56	87	183	267	150	-
Nonwhite	203	11	1	-	5	6	12	30	34	50	38	16	-
Male	114	5	1	-	4	4	6	18	17	33	21	5	-
Female	89	6	-	-	1	2	6	12	17	17	17	11	-
Fall River-New Bedford, Mass.	4,573	177	24	37	39	59	152	328	700	1,287	1,195	574	1
Male	2,436	104	14	23	31	37	92	208	444	730	533	220	-
Female	2,137	73	10	14	8	22	60	120	256	557	662	354	1
White	4,508	167	24	37	39	57	148	326	691	1,267	1,179	572	1
Male	2,397	98	14	23	31	37	90	208	438	718	522	218	-
Female	2,111	69	10	14	8	20	58	118	253	549	657	354	1
Nonwhite	65	10	-	-	-	2	4	2	9	20	16	2	-
Male	39	6	-	-	-	-	2	-	6	12	11	2	-
Female	26	4	-	-	-	2	2	2	3	8	5	-	-
Fargo-Moorhead, N. Dak.-Minn.	798	65	13	10	17	9	26	56	120	196	193	93	-
Male	482	42	8	4	9	6	17	37	70	137	107	45	-
Female	316	23	5	6	8	3	9	19	50	59	86	48	-
White	798	65	13	10	17	9	26	56	120	196	193	93	-
Male	482	42	8	4	9	6	17	37	70	137	107	45	-
Female	316	23	5	6	8	3	9	19	50	59	86	48	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Flint, Mich.	2,923	268	32	34	46	66	132	284	495	652	607	307	-
Male	1,711	145	14	25	28	39	74	199	336	397	327	127	-
Female	1,212	123	18	9	18	27	58	85	159	255	280	180	-
White	2,670	206	27	27	41	56	108	252	445	621	585	302	-
Male	1,574	114	13	21	24	34	65	177	309	382	311	124	-
Female	1,096	92	14	6	17	22	43	75	136	239	274	178	-
Nonwhite	253	62	5	7	5	10	24	32	50	31	22	5	-
Male	137	31	1	4	4	5	9	22	27	15	16	3	-
Female	116	31	4	3	1	5	15	10	23	16	6	2	-
Fort Lauderdale-Hollywood, Fla.	3,564	213	41	33	65	74	157	365	665	1,090	631	229	1
Male	2,294	116	19	20	39	53	104	244	448	766	386	98	1
Female	1,270	97	22	13	26	21	53	121	217	324	245	131	-
White	3,040	103	14	25	38	38	109	283	568	1,027	611	224	-
Male	1,990	64	6	17	24	24	72	191	396	725	374	97	-
Female	1,050	39	8	8	14	14	37	92	172	302	237	127	-
Nonwhite	524	110	27	8	27	36	48	82	97	63	20	5	1
Male	304	52	13	3	15	29	32	53	52	41	12	1	1
Female	220	58	14	5	12	7	16	29	45	22	8	4	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Fort Smith, Ark	743	38	4	13	8	6	24	56	121	178	208	87	-
Male	435	27	1	9	6	4	13	38	82	115	103	37	-
Female	308	11	3	4	2	2	11	18	39	63	105	50	-
White	669	38	4	9	6	6	18	49	105	157	196	81	-
Male	395	27	1	5	5	4	10	34	74	106	96	33	-
Female	274	11	3	4	1	2	8	15	31	51	100	48	-
Nonwhite	74	-	-	4	2	-	6	7	16	21	12	6	-
Male	40	-	-	4	1	-	3	4	8	9	7	4	-
Female	34	-	-	-	1	-	3	3	8	12	5	2	-
Fort Wayne, Ind	2,136	157	21	29	41	30	74	161	337	492	531	263	-
Male	1,190	87	9	15	24	18	52	104	214	294	264	109	-
Female	946	70	12	14	17	12	22	57	123	198	267	154	-
White	2,041	135	19	27	40	28	64	151	318	479	523	257	-
Male	1,139	75	9	14	24	17	47	100	204	285	259	105	-
Female	902	60	10	13	16	11	17	51	114	194	264	152	-
Nonwhite	95	22	2	2	1	2	10	10	19	13	8	6	-
Male	51	12	-	1	-	1	5	4	10	9	5	4	-
Female	44	10	2	1	1	1	5	6	9	4	3	2	-
Fort Worth, Texas	4,683	347	55	55	93	110	268	483	779	1,037	994	462	-
Male	2,750	201	31	30	69	77	174	336	507	631	508	186	-
Female	1,933	146	24	25	24	33	94	147	272	406	486	276	-
White	4,012	271	46	43	79	87	204	395	642	885	915	435	-
Male	2,366	154	26	27	60	65	138	282	438	543	460	173	-
Female	1,646	117	20	16	19	22	66	113	204	342	455	262	-
Nonwhite	671	76	9	12	14	23	64	88	137	142	79	27	-
Male	384	47	5	3	9	12	36	54	69	88	48	13	-
Female	287	29	4	9	5	11	28	34	68	54	31	14	-
Fresno, Calif	3,007	224	32	34	59	72	152	312	465	661	684	312	-
Male	1,850	118	17	23	36	50	98	212	316	417	423	140	-
Female	1,157	106	15	11	23	22	54	100	149	244	261	172	-
White	2,686	198	27	31	52	59	122	258	402	613	631	293	-
Male	1,633	103	14	22	33	44	76	173	273	387	381	127	-
Female	1,053	95	13	9	19	15	46	85	129	226	250	166	-
Nonwhite	321	26	5	3	7	13	30	54	63	48	53	19	-
Male	217	15	3	1	3	6	22	39	43	30	42	13	-
Female	104	11	2	2	4	7	8	15	20	18	11	6	-
Gadsden, Ala	862	50	11	8	14	20	46	91	142	210	193	77	-
Male	483	29	5	4	7	15	31	52	88	123	96	33	-
Female	379	21	6	4	7	5	15	39	54	87	97	44	-
White	713	39	6	7	10	13	34	73	105	170	182	74	-
Male	404	22	3	3	6	8	23	44	70	103	91	31	-
Female	309	17	3	4	4	5	11	29	35	67	91	43	-
Nonwhite	149	11	5	1	4	7	12	18	37	40	11	3	-
Male	79	7	2	1	1	7	8	8	18	20	5	2	-
Female	70	4	3	-	3	-	4	10	19	20	6	1	-
Galveston-Texas City, Texas	1,141	78	10	19	26	26	67	133	222	262	213	85	-
Male	692	45	9	12	18	12	41	80	156	166	114	39	-
Female	449	33	1	7	8	14	26	53	66	96	99	46	-
White	851	53	6	11	19	18	46	89	157	193	181	78	-
Male	518	28	6	5	13	7	28	57	117	124	95	38	-
Female	333	25	-	6	6	11	18	32	40	69	86	40	-
Nonwhite	290	25	4	8	7	8	21	44	65	69	32	7	-
Male	174	17	3	7	5	5	13	23	39	42	19	1	-
Female	116	8	1	1	2	3	8	21	26	27	13	6	-
Gary-Hammond-East Chicago, Ind	4,568	355	53	64	92	126	274	493	817	1,089	903	301	1
Male	2,734	185	32	33	70	77	147	319	523	688	518	143	1
Female	1,834	170	21	31	22	49	127	174	294	403	385	158	-
White	3,782	263	39	49	69	75	190	387	641	952	836	281	-
Male	2,295	143	24	26	55	54	99	253	429	594	480	138	-
Female	1,487	120	15	23	14	21	91	134	212	358	356	143	-
Nonwhite	786	92	14	15	23	51	84	106	176	137	67	20	1
Male	439	42	8	7	15	23	48	66	94	92	38	5	1
Female	347	50	6	8	8	28	36	40	82	45	29	15	-
Grand Rapids, Mich	3,247	205	25	35	31	37	92	265	435	816	876	426	4
Male	1,822	114	14	23	27	24	47	169	278	496	459	169	2
Female	1,425	91	11	12	4	13	45	96	157	320	417	257	2
White	3,121	182	23	29	30	35	78	253	412	796	855	424	4
Male	1,755	104	14	19	27	23	41	164	263	485	446	167	2
Female	1,366	78	9	10	3	12	37	89	149	311	409	257	2
Nonwhite	126	23	2	6	1	2	14	12	23	20	21	2	-
Male	67	10	-	4	-	1	6	5	15	11	13	2	-
Female	59	13	2	2	1	1	8	7	8	9	8	-	-
Great Falls, Mont	597	62	7	10	7	23	29	51	70	136	149	53	-
Male	360	40	3	5	4	15	22	37	50	79	80	25	-
Female	237	22	4	5	3	8	7	14	20	57	69	28	-
White	584	57	6	10	7	22	28	51	68	135	148	52	-
Male	350	36	2	5	4	15	21	37	49	78	79	24	-
Female	234	21	4	5	3	7	7	14	19	57	69	28	-
Nonwhite	13	5	1	-	-	1	1	-	2	1	1	1	-
Male	10	4	1	-	-	-	1	-	1	1	1	1	-
Female	3	1	-	-	-	1	-	-	1	-	-	-	-
Green Bay, Wis	1,064	79	10	13	19	12	31	74	145	265	284	132	-
Male	615	47	7	8	14	6	17	46	89	173	149	59	-
Female	449	32	3	5	5	6	14	28	56	92	135	73	-
White	1,051	76	10	12	19	12	31	73	145	261	282	130	-
Male	605	45	7	7	14	6	17	45	89	170	147	58	-
Female	446	31	3	5	5	6	14	28	56	91	135	72	-
Nonwhite	13	3	-	1	-	-	-	1	-	4	2	2	-
Male	10	2	-	1	-	-	-	1	-	3	2	1	-
Female	3	1	-	-	-	-	-	-	-	1	-	1	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Greensboro-High Point, N.C.	1,906	170	23	20	32	56	100	254	349	405	346	151	-
Male	1,088	87	14	11	18	32	60	172	239	241	160	54	-
Female	818	83	9	9	14	24	40	82	110	164	186	97	-
White	1,375	85	13	14	18	35	63	184	224	300	304	135	-
Male	790	43	9	8	12	21	38	131	159	181	143	45	-
Female	585	42	4	6	6	14	25	53	65	119	161	90	-
Nonwhite	531	85	10	6	14	21	37	70	125	105	42	16	-
Male	298	44	5	3	6	11	22	41	80	60	17	9	-
Female	233	41	5	3	8	10	15	29	45	45	25	7	-
Greenville, S.C.	1,720	164	19	33	33	61	111	190	279	353	349	125	3
Male	951	98	10	18	21	41	68	112	176	207	158	42	-
Female	769	66	9	15	12	20	43	78	103	146	191	83	3
White	1,300	108	12	23	19	33	67	121	210	282	310	114	1
Male	717	66	6	13	13	20	45	70	140	167	139	38	-
Female	583	42	6	10	6	13	22	51	70	115	171	76	1
Nonwhite	420	56	7	10	14	28	44	69	69	71	39	11	2
Male	234	32	4	5	8	21	23	42	36	40	19	4	-
Female	186	24	3	5	6	7	21	27	33	31	20	7	2
Hamilton-Middletown, Ohio	1,643	113	16	16	28	30	67	158	252	370	388	205	-
Male	915	65	9	8	21	18	37	108	167	197	194	91	-
Female	728	48	7	8	7	12	30	50	85	173	194	114	-
White	1,515	99	14	14	27	27	57	138	232	339	373	195	-
Male	835	56	7	6	20	15	33	91	153	182	185	87	-
Female	680	43	7	8	7	12	24	47	79	157	188	108	-
Nonwhite	128	14	2	2	1	3	10	20	20	31	15	10	-
Male	80	9	2	2	1	3	4	17	14	15	9	4	-
Female	48	5	-	-	-	-	6	3	6	16	6	6	-
Harrisburg, Pa.	3,603	142	19	34	37	53	137	329	556	875	978	442	1
Male	1,949	71	16	20	27	29	89	213	341	510	466	167	-
Female	1,654	71	3	14	10	24	48	116	215	365	512	275	1
White	3,347	113	14	34	36	41	112	285	510	830	943	428	1
Male	1,808	56	12	20	27	21	76	186	319	482	449	160	-
Female	1,539	57	2	14	9	20	36	99	191	348	494	268	1
Nonwhite	256	29	5	-	1	12	25	44	46	45	35	14	-
Male	141	15	4	-	-	8	13	27	22	28	17	7	-
Female	115	14	1	-	1	4	12	17	24	17	18	7	-
Hartford-New Britain-Bristol, Conn.	6,422	359	53	50	69	92	263	573	966	1,671	1,545	774	7
Male	3,569	213	26	31	52	45	141	358	619	982	791	306	5
Female	2,853	146	27	19	17	47	122	215	347	689	754	468	2
White	6,121	310	46	45	59	78	240	533	914	1,614	1,514	761	7
Male	3,396	186	21	28	44	38	130	335	587	942	778	302	5
Female	2,725	124	25	17	15	40	110	198	327	672	736	459	2
Nonwhite	301	49	7	5	10	14	23	40	52	57	31	13	-
Male	173	27	5	3	8	7	11	23	32	40	13	4	-
Female	128	22	2	2	2	7	12	17	20	17	18	9	-
Honolulu, Hawaii	2,551	315	51	50	71	95	163	300	395	494	424	192	1
Male	1,592	176	30	33	48	67	102	202	273	306	254	101	-
Female	959	139	21	17	23	28	61	98	122	188	170	91	1
White	808	98	12	11	28	36	61	99	113	149	138	64	1
Male	485	47	7	6	24	26	43	70	81	90	68	23	-
Female	323	49	5	5	4	10	18	29	32	59	70	41	1
Nonwhite	1,743	219	39	39	43	59	102	201	282	345	286	128	-
Male	1,107	129	23	27	24	41	59	132	192	216	186	78	-
Female	636	90	16	12	19	18	43	69	90	129	100	50	-
Houston, Texas	9,339	872	146	123	208	322	640	1,144	1,663	1,892	1,613	716	-
Male	5,377	493	82	74	124	201	370	717	1,113	1,117	805	281	-
Female	3,962	379	64	49	84	121	270	427	550	775	808	435	-
White	7,010	562	95	96	150	219	424	780	1,197	1,435	1,402	650	-
Male	4,113	318	50	56	91	145	271	529	852	854	695	252	-
Female	2,897	244	45	40	59	74	153	251	345	581	707	398	-
Nonwhite	2,329	310	51	27	58	103	216	364	466	457	211	66	-
Male	1,264	175	32	18	33	56	99	188	261	263	110	29	-
Female	1,065	135	19	9	25	47	117	176	205	194	101	37	-
Huntington-Ashland, W.Va.-Ky.-Ohio	2,601	133	21	32	41	55	102	233	395	600	632	355	2
Male	1,518	74	16	19	29	36	72	151	253	370	330	167	1
Female	1,083	59	5	13	12	19	30	82	142	230	302	188	1
White	2,475	124	21	32	40	51	94	217	365	566	620	344	1
Male	1,428	67	16	19	28	32	69	139	228	346	324	160	-
Female	1,047	57	5	13	12	19	25	78	137	220	296	184	1
Nonwhite	126	9	-	-	1	4	8	16	30	34	12	11	1
Male	90	7	-	-	1	4	3	12	25	24	8	7	1
Female	36	2	-	-	-	-	5	4	5	10	6	4	-
Huntsville, Ala.	846	103	14	6	24	29	57	96	117	172	165	63	-
Male	456	52	7	4	16	17	30	59	73	95	73	30	-
Female	390	51	7	2	8	12	27	37	44	77	92	33	-
White	594	59	8	4	16	11	36	69	77	120	139	55	-
Male	338	34	4	3	11	7	21	46	52	74	58	28	-
Female	256	25	4	1	5	4	15	23	25	46	81	27	-
Nonwhite	252	44	6	2	8	18	21	27	40	52	26	8	-
Male	118	18	3	1	5	10	9	13	21	21	15	2	-
Female	134	26	3	1	3	8	12	14	19	31	11	6	-
Indianapolis, Ind.	6,706	447	60	67	86	127	292	623	1,192	1,552	1,544	715	1
Male	3,722	260	29	42	54	68	182	397	760	929	720	281	-
Female	2,984	187	31	25	32	59	110	226	432	623	824	434	1
White	5,570	323	40	58	67	90	214	481	956	1,294	1,393	653	1
Male	3,085	182	20	37	42	47	145	316	618	793	631	254	-
Female	2,485	141	20	21	25	43	69	165	338	501	762	399	1
Nonwhite	1,136	124	20	9	19	37	78	142	236	258	151	62	-
Male	637	78	9	5	12	21	37	81	142	136	89	27	-
Female	499	46	11	4	7	16	41	61	94	122	62	35	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Jackson, Mich	1,252	81	10	14	21	21	46	84	183	299	326	167	-
Male	715	53	8	5	12	9	31	51	125	193	164	64	-
Female	537	28	2	9	9	12	15	33	58	106	162	103	-
White	1,216	72	10	14	21	20	43	78	178	293	323	164	-
Male	690	48	8	5	12	8	28	47	120	189	162	63	-
Female	526	24	2	9	9	12	15	31	58	104	161	101	-
Nonwhite	36	9	-	-	-	1	3	6	5	6	3	3	-
Male	25	5	-	-	-	1	3	4	5	4	2	1	-
Female	11	4	-	-	-	-	-	2	-	2	1	2	-
Jackson, Miss	1,665	188	26	21	38	38	88	168	252	373	298	175	-
Male	942	104	13	9	25	25	54	112	170	235	128	67	-
Female	723	84	13	12	13	13	34	56	82	138	170	108	-
White	812	69	6	5	19	14	46	86	125	173	177	92	-
Male	482	47	4	1	11	8	33	60	97	111	76	34	-
Female	330	22	2	4	8	6	13	26	28	62	101	58	-
Nonwhite	853	119	20	16	19	24	42	82	127	200	121	83	-
Male	460	57	9	8	14	17	21	52	73	124	52	33	-
Female	393	62	11	8	5	7	21	30	54	76	69	50	-
Jacksonville, Fla	3,972	360	72	51	84	106	277	500	745	889	609	278	1
Male	2,294	211	40	34	63	72	162	321	466	521	304	100	-
Female	1,678	149	32	17	21	34	115	179	279	368	305	178	1
White	2,708	216	39	29	65	65	169	302	435	641	499	248	-
Male	1,610	128	24	20	48	47	107	207	314	384	250	81	-
Female	1,098	88	15	9	17	18	62	95	121	257	249	167	-
Nonwhite	1,264	144	33	22	19	41	108	198	310	248	110	30	1
Male	684	83	16	14	15	25	55	114	152	137	54	19	-
Female	580	61	17	8	4	16	53	84	158	111	56	11	1
Jersey City, N.J.[2]	7,455	304	49	41	70	109	316	741	1,507	2,159	1,564	594	1
Male	4,234	184	18	26	55	75	185	472	976	1,271	743	229	-
Female	3,221	120	31	15	15	34	131	269	531	888	821	365	1
Johnstown, Pa	3,051	142	18	29	32	49	111	273	433	847	762	353	2
Male	1,770	83	7	18	24	33	70	176	261	517	419	161	1
Female	1,281	59	11	11	8	16	41	97	172	330	343	192	1
White	2,991	138	18	26	32	45	105	270	417	831	757	350	2
Male	1,745	81	7	16	24	33	67	176	253	511	417	159	1
Female	1,246	57	11	10	8	12	38	94	164	320	340	191	1
Nonwhite	60	4	-	3	-	4	6	3	16	16	5	3	-
Male	25	2	-	2	-	-	3	-	8	6	2	2	-
Female	35	2	-	1	-	4	3	3	8	10	3	1	-
Kalamazoo, Mich	1,389	90	12	15	23	28	62	109	211	318	332	189	-
Male	780	55	9	9	14	15	40	73	138	188	156	83	-
Female	609	35	3	6	9	13	22	36	73	130	176	106	-
White	1,333	78	12	14	22	27	54	104	206	307	324	185	-
Male	746	50	9	9	13	14	35	68	134	184	150	80	-
Female	587	28	3	5	9	13	19	36	72	123	174	105	-
Nonwhite	56	12	-	1	1	1	8	5	5	11	8	4	-
Male	34	5	-	-	1	1	5	5	4	4	6	3	-
Female	22	7	-	1	-	-	3	-	1	7	2	1	-
Kansas City, Mo.-Kans	10,148	638	104	86	168	175	440	837	1,571	2,420	2,456	1,250	3
Male	5,647	381	45	49	105	108	272	547	1,018	1,437	1,205	477	3
Female	4,501	257	59	37	63	67	168	290	553	983	1,251	773	-
White	8,638	488	84	70	139	126	329	691	1,289	2,031	2,224	1,165	2
Male	4,839	296	36	43	92	80	209	464	870	1,227	1,083	437	2
Female	3,799	192	48	27	47	46	120	227	419	804	1,141	728	-
Nonwhite	1,510	150	20	16	29	49	111	146	282	389	232	85	1
Male	808	85	9	6	13	28	63	83	148	210	122	40	1
Female	702	65	11	10	16	21	48	63	134	179	110	45	-
Kenosha, Wis	924	49	6	9	20	18	26	83	132	239	244	98	-
Male	568	27	3	7	16	12	18	59	89	157	130	50	-
Female	356	22	3	2	4	6	8	24	43	82	114	48	-
White	918	48	6	9	20	17	26	83	131	239	242	97	-
Male	563	27	3	7	16	11	18	59	88	157	128	49	-
Female	355	21	3	2	4	6	8	24	43	82	114	48	-
Nonwhite	6	1	-	-	-	1	-	-	1	-	2	1	-
Male	5	-	-	-	-	1	-	-	1	-	2	1	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Knoxville, Tenn	3,006	173	28	34	45	52	145	349	502	667	697	314	-
Male	1,702	95	16	18	30	31	91	243	320	382	349	127	-
Female	1,304	78	12	16	15	21	54	106	182	285	348	187	-
White	2,662	141	26	30	42	46	116	300	432	579	657	293	-
Male	1,527	74	15	16	27	29	79	210	290	343	327	117	-
Female	1,135	67	11	14	15	17	37	90	142	236	330	176	-
Nonwhite	344	32	2	4	3	6	29	49	70	88	40	21	-
Male	175	21	1	2	3	2	12	33	30	39	22	10	-
Female	169	11	1	2	-	4	17	16	40	49	18	11	-
Lake Charles, La	988	119	20	15	23	31	44	98	170	191	184	93	-
Male	562	70	8	9	13	21	26	65	107	111	94	38	-
Female	426	49	12	6	10	10	18	33	63	80	90	55	-
White	686	69	14	9	18	18	29	77	120	128	135	69	-
Male	409	40	6	7	11	14	22	55	83	78	67	26	-
Female	277	29	8	2	7	4	7	22	37	50	68	43	-
Nonwhite	302	50	6	6	5	13	15	21	50	63	49	24	-
Male	153	30	2	2	2	7	4	10	24	33	27	12	-
Female	149	20	4	4	3	6	11	11	26	30	22	12	-
Lancaster, Pa	2,668	129	16	23	23	31	84	188	367	625	774	406	2
Male	1,422	82	11	16	16	15	50	130	233	341	354	173	1
Female	1,246	47	5	7	7	16	34	58	134	284	420	233	1
White	2,623	121	16	22	23	30	78	184	361	617	765	404	2
Male	1,404	78	11	16	16	14	46	129	231	339	350	173	1
Female	1,219	43	5	6	7	16	32	55	130	278	415	231	1
Nonwhite	45	8	-	1	-	1	6	4	6	8	9	2	-
Male	18	4	-	-	-	1	4	1	2	2	4	-	-
Female	27	4	-	1	-	-	2	3	4	6	5	2	-

See footnotes at end of table.

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Lansing, Mich	2,468	149	20	22	32	44	80	179	368	604	647	321	2
Male	1,415	99	13	10	24	30	46	118	235	395	319	124	2
Female	1,053	50	7	12	8	14	34	61	133	209	328	197	-
White	2,414	143	17	22	29	40	77	173	353	598	642	318	2
Male	1,383	97	12	10	22	27	43	116	226	389	316	123	2
Female	1,031	46	5	12	7	13	34	57	127	209	326	195	-
Nonwhite	54	6	3	-	3	4	3	6	15	6	5	3	-
Male	32	2	1	-	2	3	3	2	9	6	3	1	-
Female	22	4	2	-	1	1	-	4	6	-	2	2	-
Laredo, Texas	508	77	10	8	16	10	16	37	86	106	108	36	-
Male	299	49	6	7	15	9	12	22	45	66	50	18	-
Female	209	28	4	1	1	1	4	15	41	40	58	18	-
White	506	77	10	8	15	10	16	37	86	106	105	36	-
Male	297	49	6	7	14	9	12	22	45	66	49	18	-
Female	209	28	4	1	1	1	4	15	41	40	56	18	-
Nonwhite	2	-	-	-	1	-	-	-	-	-	1	-	-
Male	2	-	-	-	1	-	-	-	-	-	1	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Las Vegas, Nev	1,137	155	21	20	30	44	86	161	236	197	136	49	2
Male	740	89	11	14	20	30	58	103	170	137	86	21	1
Female	397	66	10	6	10	14	28	58	66	60	50	28	1
White	1,013	125	15	20	21	36	62	147	224	185	128	48	2
Male	660	71	8	14	15	24	39	94	163	130	81	20	1
Female	353	54	7	6	6	12	23	53	61	55	47	28	1
Nonwhite	124	30	6	-	9	8	24	14	12	12	8	1	-
Male	80	18	3	-	5	6	19	9	7	7	5	1	-
Female	44	12	3	-	4	2	5	5	5	5	3	-	-
Lawton, Okla	524	68	4	11	12	15	28	41	67	108	109	60	1
Male	309	37	2	8	8	9	21	31	46	68	56	23	-
Female	215	31	2	3	4	6	7	10	21	40	53	37	1
White	453	54	3	9	9	12	21	34	60	96	99	55	1
Male	260	26	1	8	6	7	15	26	41	58	50	22	-
Female	193	28	2	1	3	5	6	8	19	38	49	33	1
Nonwhite	71	14	1	2	3	3	7	7	7	12	10	5	-
Male	49	11	1	-	2	2	6	5	5	10	6	1	-
Female	22	3	-	2	1	1	1	2	2	2	4	4	-
Lexington, Ky	1,258	84	5	12	23	31	54	124	207	291	279	148	-
Male	725	43	4	9	18	24	34	81	145	172	130	65	-
Female	533	41	1	3	5	7	20	43	62	119	149	83	-
White	969	63	4	11	15	24	40	87	143	218	235	129	-
Male	562	33	3	9	13	20	29	61	101	127	111	55	-
Female	407	30	1	2	2	4	11	26	42	91	124	74	-
Nonwhite	289	21	1	1	8	7	14	37	64	73	44	19	-
Male	163	10	1	-	5	4	5	20	44	45	19	10	-
Female	126	11	-	1	3	3	9	17	20	28	25	9	-
Lima, Ohio	981	69	12	7	19	9	32	90	111	228	271	133	-
Male	539	43	4	5	13	7	19	50	69	143	133	53	-
Female	442	26	8	2	6	2	13	40	42	85	138	80	-
White	910	54	8	4	16	9	24	79	104	221	262	129	-
Male	499	33	3	2	10	7	15	45	64	137	131	52	-
Female	411	21	5	2	6	2	9	34	40	84	131	77	-
Nonwhite	71	15	4	3	3	-	8	11	7	7	9	4	-
Male	40	10	1	3	3	-	4	5	5	6	2	1	-
Female	31	5	3	-	-	-	4	6	2	1	7	3	-
Lincoln, Nebr	1,310	84	16	15	29	14	28	87	166	256	390	225	-
Male	687	49	8	10	20	11	18	55	123	142	167	84	-
Female	623	35	8	5	9	3	10	32	43	114	223	141	-
White	1,287	81	14	15	26	14	26	86	164	252	385	224	-
Male	674	47	7	10	19	11	16	54	122	140	165	83	-
Female	613	34	7	5	7	3	10	32	42	112	220	141	-
Nonwhite	23	3	2	-	3	-	2	1	2	4	5	1	-
Male	13	2	1	-	1	-	2	1	1	2	2	1	-
Female	10	1	1	-	2	-	-	-	1	2	3	-	-
Little Rock-North Little Rock, Ark	2,357	193	35	21	30	44	123	243	375	529	509	255	-
Male	1,300	115	22	12	17	33	75	148	229	292	255	102	-
Female	1,057	78	13	9	13	11	48	95	146	237	254	153	-
White	1,663	119	23	14	20	28	78	171	243	345	407	215	-
Male	936	73	16	8	14	22	49	116	158	197	199	84	-
Female	727	46	7	6	6	6	29	55	85	148	208	131	-
Nonwhite	694	74	12	7	10	16	45	72	132	184	102	40	-
Male	364	42	6	4	3	11	26	32	71	95	56	18	-
Female	330	32	6	3	7	5	19	40	61	89	46	22	-
Lorain-Elyria, Ohio	1,748	112	17	21	26	24	84	152	254	414	433	211	-
Male	997	73	13	15	21	15	53	105	154	239	214	95	-
Female	751	39	4	6	5	9	31	47	100	175	219	116	-
White	1,652	96	16	16	23	19	75	143	241	396	420	207	-
Male	935	63	12	10	19	12	46	98	146	229	207	93	-
Female	717	33	4	6	4	7	29	45	95	167	213	114	-
Nonwhite	96	16	1	5	3	5	9	9	13	18	13	4	-
Male	62	10	1	5	2	3	7	7	8	10	7	2	-
Female	34	6	-	-	1	2	2	2	5	8	6	2	-
Los Angeles-Long Beach, Calif	61,353	3,640	509	478	867	1,284	2,956	5,926	9,374	14,153	14,977	7,182	7
Male	33,334	2,136	282	272	586	791	1,764	3,749	6,006	8,216	6,974	2,554	4
Female	28,019	1,504	227	206	281	493	1,192	2,177	3,368	5,937	8,003	4,628	3
White	56,849	2,971	433	416	750	1,049	2,532	5,324	8,604	13,385	14,404	6,974	7
Male	30,789	1,737	243	235	513	656	1,510	3,387	5,570	7,825	6,660	2,449	4
Female	26,060	1,234	190	181	237	393	1,022	1,937	3,034	5,560	7,744	4,525	3
Nonwhite	4,504	669	76	62	117	235	424	602	770	768	573	208	-
Male	2,545	399	39	37	73	135	254	362	436	391	314	105	-
Female	1,959	270	37	25	44	100	170	240	334	377	259	103	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Louisville, Ky.-Ind	7,121	502	64	70	99	123	339	697	1,162	1,652	1,569	841	3
Male	3,835	272	31	47	67	83	205	440	765	930	678	317	-
Female	3,286	230	33	23	32	40	134	257	397	722	891	524	3
White	5,962	400	50	60	82	98	264	551	907	1,359	1,419	769	3
Male	3,239	213	25	39	54	66	175	357	626	786	608	290	-
Female	2,723	187	25	21	28	32	89	194	281	573	811	479	3
Nonwhite	1,159	102	14	10	17	25	75	146	255	293	150	72	-
Male	596	59	6	8	13	17	30	83	139	144	70	27	-
Female	563	43	8	2	4	8	45	63	116	149	80	45	-
Lubbock, Texas	937	176	36	13	20	49	59	100	122	151	149	61	1
Male	559	99	16	7	16	32	38	72	88	96	71	23	1
Female	378	77	20	6	4	17	21	28	34	55	78	38	-
White	817	142	30	10	17	38	46	88	104	137	144	60	1
Male	490	78	13	6	13	25	31	63	81	88	68	23	1
Female	327	64	17	4	4	13	15	25	23	49	76	37	-
Nonwhite	120	34	6	3	3	11	13	12	18	14	5	1	-
Male	69	21	3	1	3	7	7	9	7	8	3	-	-
Female	51	13	3	2	-	4	6	3	11	6	2	1	-
Lynchburg, Va	1,062	77	6	5	23	25	47	103	166	227	262	120	1
Male	580	42	3	2	18	15	31	69	105	129	111	55	-
Female	482	35	3	3	5	10	16	34	61	98	151	65	1
White	778	47	3	3	18	14	26	62	117	168	220	99	1
Male	434	30	1	2	14	10	19	47	80	95	91	45	-
Female	344	17	2	1	4	4	7	15	37	73	129	54	1
Nonwhite	284	30	3	2	5	11	21	41	49	59	42	21	-
Male	146	12	2	-	4	5	12	22	25	34	20	10	-
Female	138	18	1	2	1	6	9	19	24	25	22	11	-
Macon, Ga	1,642	161	22	35	38	54	121	195	272	349	284	110	1
Male	921	86	13	23	23	31	77	131	160	192	130	35	-
Female	721	75	9	12	15	23	44	64	92	157	154	75	1
White	964	78	13	16	20	29	58	108	149	202	211	79	1
Male	563	42	7	10	13	19	38	77	111	126	97	23	-
Female	401	36	6	6	7	10	20	31	38	76	114	56	1
Nonwhite	678	83	9	19	18	25	63	87	123	147	73	31	-
Male	358	44	6	13	10	12	39	54	69	66	33	12	-
Female	320	39	3	6	8	13	24	33	54	81	40	19	-
Madison, Wis	1,744	127	18	22	35	29	49	129	212	405	452	266	-
Male	962	73	10	12	24	22	32	86	141	231	226	105	-
Female	782	54	8	10	11	7	17	43	71	174	226	161	-
White	1,731	123	18	21	35	29	48	128	209	403	451	266	-
Male	956	72	10	12	24	22	31	86	139	230	225	105	-
Female	775	51	8	9	11	7	17	42	70	173	226	161	-
Nonwhite	13	4	-	1	-	-	1	1	3	2	1	-	-
Male	6	1	-	-	-	-	-	1	-	2	1	-	-
Female	7	3	-	1	-	-	-	-	1	1	1	-	-
Manchester, N.H	2,008	77	15	12	18	22	67	153	295	562	501	286	-
Male	1,082	41	7	7	16	12	48	98	195	325	241	92	-
Female	926	36	8	5	2	10	19	55	100	237	260	194	-
White	2,007	76	15	12	18	22	67	153	295	562	501	286	-
Male	1,081	40	7	7	16	12	48	98	195	325	241	92	-
Female	926	36	8	5	2	10	19	55	100	237	260	194	-
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Memphis, Tenn	5,971	513	69	60	104	128	313	639	1,047	1,443	1,125	530	-
Male	3,210	305	36	36	66	75	168	366	611	829	528	190	-
Female	2,761	208	33	24	38	53	145	273	436	614	597	340	-
White	3,286	195	32	32	53	64	144	308	516	762	762	418	-
Male	1,792	118	16	22	38	41	88	213	334	451	336	135	-
Female	1,494	77	16	10	15	23	56	95	182	311	426	283	-
Nonwhite	2,685	318	37	28	51	64	169	331	531	681	363	112	-
Male	1,418	187	20	14	28	34	80	153	277	378	192	55	-
Female	1,267	131	17	14	23	30	89	178	254	303	171	57	-
Miami, Fla	9,409	480	79	71	118	192	521	992	1,718	2,527	1,975	736	-
Male	5,590	281	36	43	83	112	296	644	1,141	1,614	1,032	308	-
Female	3,819	199	43	28	35	80	225	348	577	913	943	428	-
White	8,256	295	53	51	80	125	379	810	1,460	2,376	1,909	718	-
Male	4,924	175	23	28	54	72	227	526	992	1,535	993	299	-
Female	3,332	120	30	23	26	53	152	284	468	841	916	419	-
Nonwhite	1,153	185	26	20	38	67	142	182	258	151	66	18	-
Male	666	106	13	15	29	40	69	118	149	79	39	9	-
Female	487	79	13	5	9	27	73	64	109	72	27	9	-
Midland, Texas	326	40	4	6	7	18	27	44	67	60	38	15	-
Male	206	23	2	4	6	16	11	33	46	40	21	4	-
Female	120	17	2	2	1	2	16	11	21	20	17	11	-
White	270	30	3	5	6	14	19	37	60	49	34	13	-
Male	177	17	1	4	5	13	8	29	43	34	19	4	-
Female	93	13	2	1	1	1	11	8	17	15	15	9	-
Nonwhite	56	10	1	1	1	4	8	7	7	11	4	2	-
Male	29	6	1	-	1	3	3	4	3	6	2	-	-
Female	27	4	-	1	-	1	5	3	4	5	2	2	-
Milwaukee, Wis	11,069	611	88	75	120	162	375	935	1,795	2,975	2,781	1,150	2
Male	6,232	376	49	42	78	98	207	585	1,191	1,827	1,305	472	2
Female	4,837	235	39	33	42	64	168	350	604	1,148	1,476	678	-
White	10,625	504	79	70	112	144	330	884	1,726	2,897	2,742	1,135	2
Male	5,992	315	43	41	75	89	184	559	1,154	1,780	1,287	463	2
Female	4,633	189	36	29	37	55	146	325	572	1,117	1,455	672	-
Nonwhite	444	107	9	5	8	18	45	51	69	78	39	15	-
Male	240	61	6	1	3	9	23	26	37	47	18	9	-
Female	204	46	3	4	5	9	22	25	32	31	21	6	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Minneapolis-St. Paul, Minn	12,828	828	143	114	164	192	435	931	1,837	3,250	3,301	1,629	4
Male	7,112	496	91	72	111	113	269	604	1,191	1,897	1,668	597	3
Female	5,716	332	52	42	53	79	166	327	646	1,353	1,633	1,032	1
White	12,589	796	141	112	159	186	414	903	1,806	3,197	3,256	1,615	4
Male	6,983	477	90	71	108	112	258	585	1,171	1,871	1,647	590	3
Female	5,606	319	51	41	51	74	156	318	635	1,326	1,609	1,025	1
Nonwhite	239	32	2	2	5	6	21	28	31	53	45	14	-
Male	129	19	1	1	3	1	11	19	20	26	21	7	-
Female	110	13	1	1	2	5	10	9	11	27	24	7	-
Mobile, Ala	2,716	250	34	45	53	81	163	353	474	551	493	218	1
Male	1,502	143	16	25	37	45	87	224	295	298	243	88	1
Female	1,214	107	18	20	16	36	76	129	179	253	250	130	-
White	1,668	110	16	26	26	39	85	203	263	371	361	168	-
Male	949	63	5	13	20	25	53	139	180	205	177	69	-
Female	719	47	11	13	6	14	32	64	83	166	184	99	-
Nonwhite	1,048	140	18	19	27	42	78	150	211	180	132	50	1
Male	553	80	11	12	17	20	34	85	115	93	66	19	1
Female	495	60	7	7	10	22	44	65	96	87	66	31	-
Monroe, La	934	78	12	18	19	20	40	93	139	243	195	77	-
Male	549	42	6	11	16	14	29	58	97	140	104	32	-
Female	385	36	6	7	3	6	11	35	42	103	91	45	-
White	561	38	4	8	11	10	24	60	80	131	140	55	-
Male	350	24	3	6	9	10	21	42	61	78	72	24	-
Female	211	14	1	2	2	-	3	18	19	53	68	31	-
Nonwhite	373	40	8	10	8	10	16	33	59	112	55	22	-
Male	199	18	3	5	7	4	8	16	36	62	32	8	-
Female	174	22	5	5	1	6	8	17	23	50	23	14	-
Montgomery, Ala	1,628	148	25	21	37	56	97	176	244	389	311	122	2
Male	867	88	11	13	23	39	59	95	143	204	148	42	2
Female	761	60	14	8	14	17	38	81	101	185	163	80	-
White	828	37	10	6	14	29	49	79	116	194	199	94	1
Male	458	18	3	3	11	21	35	47	81	117	89	32	1
Female	370	19	7	3	3	8	14	32	35	77	110	62	-
Nonwhite	800	111	15	15	23	27	48	97	128	195	112	28	1
Male	409	70	8	10	12	18	24	48	62	87	59	10	1
Female	391	41	7	5	11	9	24	49	66	108	53	18	-
Muncie, Ind	974	77	7	7	18	15	41	78	148	224	234	123	2
Male	569	44	2	4	13	9	25	52	97	141	124	57	1
Female	405	33	5	3	5	6	16	26	51	83	110	66	1
White	913	67	7	7	18	11	38	72	132	214	227	119	1
Male	535	38	2	4	13	7	25	46	88	135	121	56	-
Female	378	29	5	3	5	4	13	26	44	79	106	63	1
Nonwhite	61	10	-	-	-	4	3	6	16	10	7	4	1
Male	34	6	-	-	-	2	-	6	9	6	3	1	1
Female	27	4	-	-	-	2	3	-	7	4	4	3	-
Muskegon-Muskegon Heights, Mich	1,208	88	17	15	26	20	39	120	186	277	281	139	-
Male	700	58	10	10	17	15	19	66	128	168	146	63	-
Female	508	30	7	5	9	5	20	54	58	109	135	76	-
White	1,112	71	12	14	22	13	33	105	168	264	275	135	-
Male	638	47	7	10	15	9	15	57	116	160	142	60	-
Female	474	24	5	4	7	4	18	48	52	104	133	75	-
Nonwhite	96	17	5	1	4	7	6	15	18	13	6	4	-
Male	62	11	3	-	2	6	4	9	12	8	4	3	-
Female	34	6	2	1	2	1	2	6	6	5	2	1	-
Nashville, Tenn	3,753	272	35	41	60	70	199	408	628	823	817	400	-
Male	2,020	168	15	24	39	43	125	268	386	441	361	150	-
Female	1,733	104	20	17	21	27	74	140	242	382	456	250	-
White	2,706	183	19	29	42	40	124	267	421	557	669	355	-
Male	1,461	110	6	16	28	24	86	189	278	308	290	126	-
Female	1,245	73	13	13	14	16	38	78	143	249	379	229	-
Nonwhite	1,047	89	16	12	18	30	75	141	207	266	148	45	-
Male	559	58	9	8	11	19	39	79	108	133	71	24	-
Female	488	31	7	4	7	11	36	62	99	133	77	21	-
Newark, N.J.[2]	17,442	941	104	108	209	304	725	1,663	2,999	4,551	4,013	1,822	3
Male	9,381	555	48	69	149	183	417	1,012	1,932	2,542	1,882	589	3
Female	8,061	386	56	39	60	121	308	651	1,067	2,009	2,131	1,233	-
New Haven-Waterbury, Conn	6,823	318	30	47	54	77	223	592	997	1,859	1,752	872	2
Male	3,777	185	18	30	42	49	136	389	614	1,071	904	339	-
Female	3,046	133	12	17	12	28	87	203	383	788	848	533	2
White	6,510	259	25	41	49	64	196	560	952	1,795	1,713	854	2
Male	3,603	146	14	25	39	41	121	370	592	1,040	883	332	-
Female	2,907	113	11	16	10	23	75	190	360	755	830	522	2
Nonwhite	313	59	5	6	5	13	27	32	45	64	39	18	-
Male	174	39	4	5	3	8	15	19	22	31	21	7	-
Female	139	20	1	1	2	5	12	13	23	33	18	11	-
New Orleans, La	8,910	641	88	87	134	205	494	1,053	1,734	2,131	1,693	645	5
Male	4,754	361	54	47	92	126	303	645	1,095	1,141	698	189	3
Female	4,156	280	34	40	42	79	191	408	639	990	995	456	2
White	5,902	275	38	47	80	108	282	635	1,102	1,425	1,353	554	3
Male	3,225	169	25	26	55	64	186	422	770	790	561	155	2
Female	2,677	106	13	21	25	44	96	213	332	635	792	399	1
Nonwhite	3,008	366	50	40	54	97	212	418	632	706	340	91	2
Male	1,529	192	29	21	37	62	117	223	325	351	157	34	1
Female	1,479	174	21	19	17	35	95	195	307	355	203	57	1
Newport News-Hampton, Va	1,705	198	28	14	27	56	119	216	310	350	259	128	-
Male	1,012	117	16	10	17	36	76	145	195	215	139	46	-
Female	693	81	12	4	10	20	43	71	115	135	120	82	-
White	1,062	111	18	10	19	28	63	124	188	199	196	106	-
Male	646	63	11	7	11	19	47	88	133	124	109	34	-
Female	416	48	7	3	8	9	16	36	55	75	87	72	-
Nonwhite	643	87	10	4	8	28	56	92	122	151	63	22	-
Male	366	54	5	3	6	17	29	57	62	91	30	12	-
Female	277	33	5	1	2	11	27	35	60	60	33	10	-

See footnotes at end of table.

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
New York, N.Y.	114,601	5,626	713	719	1,264	2,136	4,914	11,294	21,050	31,160	25,696	10,013	16
Male	62,775	3,228	355	422	835	1,253	2,899	6,765	13,278	17,707	12,261	3,760	12
Female	51,826	2,398	358	297	429	883	2,015	4,529	7,772	13,453	13,435	6,253	4
White	101,323	3,752	527	585	935	1,352	3,462	9,216	18,566	28,678	24,488	9,548	14
Male	55,414	2,164	261	340	635	806	2,058	5,600	11,825	16,449	11,687	3,579	10
Female	45,909	1,588	266	245	300	546	1,404	3,616	6,741	12,429	12,801	5,969	4
Nonwhite	13,278	1,874	186	134	329	784	1,452	2,078	2,484	2,282	1,208	465	2
Male	7,361	1,064	94	82	200	447	841	1,165	1,453	1,258	574	181	2
Female	5,917	810	92	52	129	337	611	913	1,031	1,024	634	284	-
Norfolk-Portsmouth, Va.	4,724	520	62	55	89	101	311	559	855	1,105	757	310	-
Male	2,591	308	36	35	61	59	171	351	484	623	347	116	-
Female	2,133	212	26	20	28	42	140	208	371	482	410	194	-
White	2,984	304	36	38	53	55	149	301	498	716	582	252	-
Male	1,696	190	23	23	42	32	92	204	318	426	253	93	-
Female	1,288	114	13	15	11	23	57	97	180	290	329	159	-
Nonwhite	1,740	216	26	17	36	46	162	258	357	389	175	58	-
Male	895	118	13	12	19	27	79	147	166	197	94	23	-
Female	845	98	13	5	17	19	83	111	191	192	81	35	-
Odessa, Texas	446	41	11	9	22	27	33	73	92	67	51	20	-
Male	275	25	7	7	12	20	24	50	56	44	23	7	-
Female	171	16	4	2	10	7	9	23	36	23	28	13	-
White	414	39	11	9	17	23	29	64	89	64	49	20	-
Male	257	25	7	7	8	17	23	44	55	42	22	7	-
Female	157	14	4	2	9	6	6	20	34	22	27	13	-
Nonwhite	32	2	-	-	5	4	4	9	3	3	2	-	-
Male	18	-	-	-	4	3	1	6	1	2	1	-	-
Female	14	2	-	-	1	1	3	3	2	1	1	-	-
Ogden, Utah	784	52	13	17	20	21	32	77	104	182	180	84	2
Male	465	36	9	10	13	14	19	43	77	111	90	41	2
Female	319	16	4	7	7	7	13	34	27	71	90	43	-
White	766	50	13	17	20	20	31	75	102	178	175	83	2
Male	452	34	9	10	13	13	18	42	76	109	86	40	2
Female	314	16	4	7	7	7	13	33	26	69	89	43	-
Nonwhite	18	2	-	-	-	1	1	2	2	4	5	1	-
Male	13	2	-	-	-	1	1	1	1	2	4	1	-
Female	5	-	-	-	-	-	-	1	1	2	1	-	-
Oklahoma City, Okla.	4,303	326	54	42	64	87	187	414	720	944	951	514	-
Male	2,469	185	32	23	48	58	120	259	492	579	461	212	-
Female	1,834	141	22	19	16	29	67	155	228	365	490	302	-
White	3,829	256	36	35	55	68	154	358	622	859	901	485	-
Male	2,186	150	19	20	41	45	96	227	430	531	431	196	-
Female	1,643	106	17	15	14	23	58	131	192	328	470	289	-
Nonwhite	474	70	18	7	9	19	33	56	98	85	50	29	-
Male	283	35	13	3	7	13	24	32	62	48	30	16	-
Female	191	35	5	4	2	6	9	24	36	37	20	13	-
Omaha, Nebr.-Iowa	4,383	286	40	38	63	80	169	358	652	1,123	1,040	534	-
Male	2,451	168	18	16	40	43	115	232	402	691	519	207	-
Female	1,932	118	22	22	23	37	54	126	250	432	521	327	-
White	4,046	247	32	35	54	59	148	317	602	1,048	987	517	-
Male	2,246	144	13	15	35	31	102	210	376	638	486	196	-
Female	1,800	103	19	20	19	28	46	107	226	410	501	321	-
Nonwhite	337	39	8	3	9	21	21	41	50	75	53	17	-
Male	205	24	5	1	5	12	13	22	26	53	33	11	-
Female	132	15	3	2	4	9	8	19	24	22	20	6	-
Orlando, Fla.	2,960	235	54	32	59	72	160	251	440	718	636	303	-
Male	1,759	136	28	16	37	47	100	174	283	440	371	127	-
Female	1,201	99	26	16	22	25	60	77	157	278	265	176	-
White	2,437	150	35	21	43	43	121	192	342	610	594	286	-
Male	1,468	90	17	12	26	30	79	141	220	381	355	117	-
Female	969	60	18	9	17	13	42	51	122	229	239	169	-
Nonwhite	523	85	19	11	16	29	39	59	98	108	42	17	-
Male	291	46	11	4	11	17	21	33	63	59	16	10	-
Female	232	39	8	7	5	12	18	26	35	49	26	7	-
Patterson-Clifton-Passaic, N.J.[2]	10,984	512	67	85	115	151	413	1,081	1,860	2,879	2,622	1,198	1
Male	5,973	289	37	47	69	91	234	679	1,186	1,630	1,252	459	-
Female	5,011	223	30	38	46	60	179	402	674	1,249	1,370	739	1
Pensacola, Fla.	1,429	170	30	30	46	67	89	165	233	288	228	83	-
Male	824	89	17	20	35	45	54	111	149	149	119	36	-
Female	605	81	13	10	11	22	35	54	84	139	109	47	-
White	1,036	105	19	20	32	45	59	110	151	227	198	70	-
Male	617	59	12	12	24	31	39	77	109	119	106	29	-
Female	419	46	7	8	8	14	20	33	42	108	92	41	-
Nonwhite	393	65	11	10	14	22	30	55	82	61	30	13	-
Male	207	30	5	8	11	14	15	34	40	30	13	7	-
Female	186	35	6	2	3	8	15	21	42	31	17	6	-
Peoria, Ill.	2,585	138	18	28	31	46	91	214	412	632	688	287	-
Male	1,483	75	10	18	20	27	64	137	277	395	347	113	-
Female	1,102	63	8	10	11	19	27	77	135	237	341	174	-
White	2,504	128	15	27	28	44	84	205	394	617	679	283	-
Male	1,440	71	7	18	20	25	59	132	269	386	341	112	-
Female	1,064	57	8	9	8	19	25	73	125	231	338	171	-
Nonwhite	81	10	3	1	3	2	7	9	18	15	9	4	-
Male	43	4	3	-	-	2	5	5	8	9	6	1	-
Female	38	6	-	1	3	-	2	4	10	6	3	3	-
Philadelphia, Pa.-N.J.[2]	45,745	2,513	340	334	443	680	1,889	4,398	8,015	11,997	10,497	4,643	6
Male	24,840	1,444	178	210	305	397	1,096	2,823	5,024	6,781	4,919	1,659	4
Female	20,905	1,069	162	124	138	283	793	1,565	2,991	5,216	5,578	2,984	2

See footnotes at end of table.

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Phoenix, Ariz	5,555	439	83	74	145	156	308	638	925	1,346	1,047	383	11
Male	3,506	266	49	46	97	108	196	438	629	900	582	185	10
Female	2,049	173	34	28	48	48	112	200	296	446	465	198	1
White	5,171	366	67	72	127	134	275	589	872	1,284	1,008	367	10
Male	3,270	224	39	44	85	96	178	409	593	861	554	177	10
Female	1,901	142	28	28	42	38	97	180	279	423	454	190	-
Nonwhite	384	73	16	2	18	22	33	49	53	62	39	16	1
Male	236	42	10	2	12	12	18	29	36	39	28	8	-
Female	148	31	6	-	6	10	15	20	17	23	11	8	1
Pittsburgh, Pa	25,204	1,060	132	147	240	360	995	2,472	4,047	6,743	6,343	2,663	2
Male	14,300	618	61	98	172	206	602	1,594	2,541	4,052	3,242	1,113	1
Female	10,904	442	71	49	68	154	393	878	1,506	2,691	3,101	1,550	1
White	23,177	889	116	136	215	307	875	2,185	3,551	6,250	6,087	2,564	2
Male	13,119	518	53	95	153	178	531	1,423	2,240	3,755	3,099	1,073	1
Female	10,058	371	63	41	62	129	344	762	1,311	2,495	2,988	1,491	1
Nonwhite	2,027	171	16	11	25	53	120	287	496	493	256	99	-
Male	1,181	100	8	3	19	28	71	171	301	297	143	40	-
Female	846	71	8	8	6	25	49	116	195	196	113	59	-
Pittsfield, Mass	1,534	64	7	9	12	17	38	109	220	382	432	244	-
Male	774	35	2	7	9	12	25	77	119	219	186	83	-
Female	760	29	5	2	3	5	13	32	101	163	246	161	-
White	1,518	63	7	9	11	17	38	108	216	378	428	243	-
Male	766	35	2	7	8	12	25	76	116	217	185	83	-
Female	752	28	5	2	3	5	13	32	100	161	243	160	-
Nonwhite	16	1	-	-	1	-	-	1	4	4	4	1	-
Male	8	-	-	-	1	-	-	1	3	2	1	-	-
Female	8	1	-	-	-	-	-	-	1	2	3	1	-
Portland, Maine	2,187	110	20	15	20	26	50	173	287	536	618	330	2
Male	1,135	68	12	6	12	14	36	101	180	287	297	122	-
Female	1,052	42	8	9	8	12	14	72	107	249	321	208	2
White	2,179	109	20	15	20	26	50	170	286	534	618	329	2
Male	1,132	67	12	6	12	14	36	100	180	286	297	122	-
Female	1,047	42	8	9	8	12	14	70	106	248	321	207	2
Nonwhite	8	1	-	-	-	-	-	3	1	2	-	1	-
Male	3	1	-	-	-	-	-	1	-	1	-	-	-
Female	5	-	-	-	-	-	-	2	1	1	-	1	-
Portland, Oreg.-Wash	8,922	344	52	67	110	134	317	740	1,331	2,195	2,456	1,169	7
Male	5,148	197	34	37	75	85	191	464	909	1,354	1,297	499	6
Female	3,774	147	18	30	35	49	126	276	422	841	1,159	670	1
White	8,710	325	49	65	105	124	287	711	1,296	2,165	2,422	1,156	5
Male	5,009	188	31	36	73	80	170	447	886	1,334	1,272	487	5
Female	3,701	137	18	29	32	44	117	264	410	831	1,150	669	-
Nonwhite	212	19	3	2	5	10	30	29	35	30	34	13	2
Male	139	9	3	1	2	5	21	17	23	20	25	12	1
Female	73	10	-	1	3	5	9	12	12	10	9	1	1
Providence, R.I	7,947	374	42	61	53	66	255	608	1,223	2,171	2,104	989	1
Male	4,238	216	19	45	34	40	151	378	774	1,233	979	368	1
Female	3,709	158	23	16	19	26	104	230	449	938	1,125	621	-
White	7,765	345	38	55	50	60	248	589	1,202	2,138	2,070	969	1
Male	4,136	202	16	41	32	36	146	369	762	1,211	959	361	1
Female	3,629	143	22	14	18	24	102	220	440	927	1,111	608	-
Nonwhite	182	29	4	6	3	6	7	19	21	33	34	20	-
Male	102	14	3	4	2	4	5	9	12	22	20	7	-
Female	80	15	1	2	1	2	2	10	9	11	14	13	-
Provo-Orem, Utah	651	53	9	16	16	20	31	59	102	125	138	81	1
Male	380	34	7	10	13	11	19	40	71	71	72	31	1
Female	271	19	2	6	3	9	12	19	31	54	66	50	-
White	650	52	9	16	16	20	31	59	102	125	138	81	1
Male	379	33	7	10	13	11	19	40	71	71	72	31	1
Female	271	19	2	6	3	9	12	19	31	54	66	50	-
Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Pueblo, Colo	1,028	77	12	13	28	24	38	83	143	202	273	135	-
Male	586	46	7	6	17	16	25	53	99	116	145	56	-
Female	442	31	5	7	11	8	13	30	44	86	128	79	-
White	998	75	12	12	28	22	36	81	138	197	266	131	-
Male	570	45	7	5	17	16	24	51	95	113	143	54	-
Female	428	30	5	7	11	6	12	30	43	84	123	77	-
Nonwhite	30	2	-	1	-	2	2	2	5	5	7	4	-
Male	16	1	-	1	-	-	1	2	4	3	2	2	-
Female	14	1	-	-	-	2	1	-	1	2	5	2	-
Racine, Wis	1,273	77	12	21	17	24	48	90	188	309	340	146	1
Male	717	47	7	11	12	16	32	57	126	185	161	62	1
Female	556	30	5	10	5	8	16	33	62	124	179	84	-
White	1,243	67	11	20	17	22	44	85	187	305	339	145	1
Male	702	45	6	11	12	14	30	53	126	183	160	61	1
Female	541	22	5	9	5	8	14	32	61	122	179	84	-
Nonwhite	30	10	1	1	-	2	4	5	1	4	1	1	-
Male	15	2	1	-	-	2	2	4	-	2	1	1	-
Female	15	8	-	1	-	-	2	1	1	2	-	-	-
Raleigh, N.C	1,319	110	13	16	32	36	78	184	242	277	240	90	1
Male	735	62	4	10	26	18	56	123	148	144	110	33	1
Female	584	48	9	6	6	18	22	61	94	133	130	57	-
White	837	49	7	8	15	17	46	100	151	181	189	74	-
Male	473	30	1	4	11	9	36	66	107	94	87	28	-
Female	364	19	6	4	4	8	10	34	44	87	102	46	-
Nonwhite	482	61	6	8	17	19	32	84	91	96	51	16	1
Male	262	32	3	6	15	9	20	57	41	50	23	5	1
Female	220	29	3	2	2	10	12	27	50	46	28	11	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Reading, Pa	3,229	107	23	21	33	35	102	243	534	883	882	366	-
Male	1,784	72	11	11	24	18	52	142	340	509	435	150	-
Female	1,465	35	12	10	9	17	50	101	194	374	447	216	-
White	3,187	101	22	19	31	34	98	236	512	871	879	364	-
Male	1,729	68	11	9	24	17	50	137	329	501	434	149	-
Female	1,438	33	11	10	7	17	48	99	183	370	445	215	-
Nonwhite	62	6	1	2	2	1	4	7	22	12	3	2	-
Male	35	4	-	2	-	1	2	5	11	8	1	1	-
Female	27	2	1	-	2	-	2	2	11	4	2	1	-
Reno, Nev	829	61	13	6	9	27	55	97	137	177	177	69	1
Male	525	31	7	5	5	16	40	66	98	121	104	31	1
Female	304	30	6	1	4	11	15	31	39	56	73	38	-
White	797	57	12	6	9	20	51	93	131	175	175	67	1
Male	507	28	6	5	5	14	37	64	93	120	103	31	1
Female	290	29	6	1	4	6	14	29	38	55	72	36	-
Nonwhite	32	4	1	-	-	7	4	4	6	2	2	2	-
Male	18	3	1	-	-	2	3	2	5	1	1	-	-
Female	14	1	-	-	-	5	1	2	1	1	1	2	-
Richmond, Va	4,269	276	28	32	48	95	251	498	786	1,026	846	380	3
Male	2,320	149	13	14	36	66	147	314	479	595	370	135	2
Female	1,949	127	15	18	12	29	104	184	307	431	476	245	1
White	2,983	160	18	15	35	52	138	298	510	706	697	352	2
Male	1,622	94	7	6	25	36	85	191	340	417	298	122	1
Female	1,361	66	11	9	10	16	53	107	170	289	399	230	1
Nonwhite	1,286	116	10	17	13	43	113	200	276	320	149	28	1
Male	698	55	6	8	11	30	62	123	139	178	72	13	1
Female	588	61	4	9	2	13	51	77	137	142	77	15	-
Roanoke, Va	1,475	95	10	4	24	15	80	144	224	354	360	165	-
Male	820	59	5	3	17	9	45	95	145	209	172	61	-
Female	655	36	5	1	7	6	35	49	79	145	188	104	-
White	1,206	70	6	2	21	12	64	109	174	283	311	154	-
Male	688	45	3	1	15	9	36	79	116	173	155	56	-
Female	518	25	3	1	6	3	28	30	58	110	156	98	-
Nonwhite	269	25	4	3	3	3	16	35	50	71	49	11	-
Male	132	14	2	2	2	-	9	16	29	36	17	5	-
Female	137	11	2	-	1	3	7	19	21	35	32	6	-
Rochester, N.Y	6,183	272	35	62	65	77	163	479	864	1,586	1,769	804	7
Male	3,314	153	20	36	44	49	103	299	531	912	881	282	4
Female	2,869	119	15	26	21	28	60	180	333	674	888	522	3
White	5,963	222	28	56	58	69	143	444	832	1,550	1,755	800	6
Male	3,186	124	16	31	39	43	88	277	515	893	876	281	3
Female	2,777	98	12	25	19	26	55	167	317	657	879	519	3
Nonwhite	220	50	7	6	7	8	20	35	32	36	14	4	1
Male	128	29	4	5	5	6	15	22	16	19	5	1	1
Female	92	21	3	1	2	2	5	13	16	17	9	3	-
Rockford, Ill	1,674	116	17	18	31	30	74	132	246	396	413	200	1
Male	918	60	9	11	17	17	43	77	165	241	215	63	-
Female	756	56	8	7	14	13	31	55	81	155	198	137	1
White	1,616	106	15	16	29	26	69	125	240	383	407	199	1
Male	887	54	8	11	16	14	41	74	163	230	213	63	-
Female	729	52	7	5	13	12	28	51	77	153	194	136	1
Nonwhite	58	10	2	2	2	4	5	7	6	13	6	1	-
Male	31	6	1	-	1	3	2	3	2	11	2	-	-
Female	27	4	1	2	1	1	3	4	4	2	4	1	-
Sacramento, Calif	4,132	278	58	45	81	104	202	476	679	934	891	383	1
Male	2,558	151	29	28	63	68	128	321	508	610	494	157	1
Female	1,574	127	29	17	18	36	74	155	171	324	397	226	-
White	3,868	237	52	44	78	87	185	447	633	892	848	364	1
Male	2,378	129	23	27	61	58	118	303	476	579	462	141	1
Female	1,490	108	29	17	17	29	67	144	157	313	386	223	-
Nonwhite	264	41	6	1	3	17	17	29	46	42	43	19	-
Male	180	22	6	1	2	10	10	18	32	31	32	16	-
Female	84	19	-	-	1	7	7	11	14	11	11	3	-
Saginaw, Mich	1,737	102	26	16	26	23	54	139	280	427	437	207	-
Male	960	57	19	7	12	10	30	85	160	234	231	95	-
Female	777	45	7	9	14	13	24	54	100	193	206	112	-
White	1,612	81	20	16	23	19	42	118	256	405	429	203	-
Male	895	43	15	7	12	10	27	76	164	222	227	92	-
Female	717	38	5	9	11	9	15	42	92	183	202	111	-
Nonwhite	125	21	6	-	3	4	12	21	24	22	8	4	-
Male	65	14	4	-	-	-	3	9	16	12	4	3	-
Female	60	7	2	-	3	4	9	12	8	10	4	1	-
St. Joseph, Mo	1,253	48	3	10	18	14	24	79	174	303	382	198	-
Male	696	29	1	8	12	10	14	46	116	183	195	82	-
Female	557	19	2	2	6	4	10	33	58	120	187	116	-
White	1,210	47	3	10	18	13	22	75	167	291	370	194	-
Male	671	28	1	8	12	9	12	45	111	176	188	81	-
Female	539	19	2	2	6	4	10	30	56	115	182	113	-
Nonwhite	43	1	-	-	-	1	2	4	7	12	12	4	-
Male	25	1	-	-	-	1	2	1	5	7	7	1	-
Female	18	-	-	-	-	-	-	3	2	5	5	3	-
St. Louis, Mo.-Ill	21,055	1,191	188	160	246	354	818	1,952	3,522	5,161	5,128	2,329	6
Male	11,474	688	108	99	174	205	478	1,238	2,232	2,999	2,422	829	4
Female	9,581	503	80	61	72	149	340	716	1,290	2,162	2,706	1,500	2
White	17,538	829	115	127	197	250	558	1,458	2,776	4,367	4,697	2,159	5
Male	9,549	483	66	79	138	148	347	945	1,824	2,560	2,187	759	3
Female	7,989	346	49	48	59	102	211	513	952	1,807	2,500	1,400	2
Nonwhite	3,517	362	73	33	49	104	260	494	746	794	431	170	1
Male	1,925	205	42	20	36	57	131	291	408	439	225	70	1
Female	1,592	157	31	13	13	47	129	203	338	355	206	100	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Salt Lake City, Utah	2,857	246	53	35	68	68	104	230	379	615	705	354	-
Male	1,636	142	27	21	48	42	66	155	257	366	363	149	-
Female	1,221	104	26	14	20	26	38	75	122	249	342	205	-
White	2,807	243	53	35	65	66	103	226	370	608	686	352	-
Male	1,596	140	27	21	45	41	65	151	250	359	348	149	-
Female	1,211	103	26	14	20	25	38	75	120	249	338	203	-
Nonwhite	50	3	-	-	3	2	1	4	9	7	19	2	-
Male	40	2	-	-	3	1	1	4	7	7	15	-	-
Female	10	1	-	-	-	1	-	-	2	-	4	2	-
San Angelo, Texas	611	42	9	12	20	12	27	55	89	147	141	57	-
Male	356	25	4	5	14	8	19	29	62	95	78	17	-
Female	255	17	5	7	6	4	8	26	27	52	63	40	-
White	562	39	8	9	19	12	23	49	75	140	134	54	-
Male	329	23	3	4	14	8	16	26	55	89	75	16	-
Female	233	16	5	5	5	4	7	23	20	51	59	38	-
Nonwhite	49	3	1	3	1	-	4	6	14	7	7	3	-
Male	27	2	1	1	-	-	3	3	7	6	3	1	-
Female	22	1	-	2	1	-	1	3	7	1	4	2	-
San Antonio, Texas	5,427	507	85	64	103	140	260	517	840	1,272	1,102	537	-
Male	2,958	309	45	37	72	90	142	320	520	715	520	188	-
Female	2,469	198	40	27	31	50	118	197	320	557	582	349	-
White	4,888	467	80	55	96	113	225	445	718	1,134	1,046	509	-
Male	2,672	283	42	33	68	77	121	280	455	642	495	176	-
Female	2,216	184	38	22	28	36	104	165	263	492	551	333	-
Nonwhite	539	40	5	9	7	27	35	72	122	138	56	28	-
Male	286	26	3	4	4	13	21	40	65	73	25	12	-
Female	253	14	2	5	3	14	14	32	57	65	31	16	-
San Bernardino-Riverside-Ontario, Calif	7,423	489	82	81	150	154	337	643	1,023	1,807	1,883	770	4
Male	4,381	281	46	52	111	106	214	423	661	1,100	1,057	328	2
Female	3,042	208	36	29	39	48	123	220	362	707	826	442	2
White	7,143	453	76	77	140	141	314	621	975	1,753	1,843	747	3
Male	4,222	260	44	49	103	100	203	412	632	1,067	1,033	318	1
Female	2,921	193	32	28	37	41	111	209	343	686	810	429	2
Nonwhite	280	36	6	4	10	13	23	22	48	54	40	23	1
Male	159	21	2	3	8	6	11	11	29	33	24	10	1
Female	121	15	4	1	2	7	12	11	19	21	16	13	-
San Diego, Calif	7,924	672	78	80	182	169	389	694	1,152	1,804	1,781	921	2
Male	4,461	383	52	44	125	110	211	428	765	1,083	911	348	1
Female	3,463	289	26	36	57	59	178	266	387	721	870	573	1
White	7,593	588	73	74	169	150	360	667	1,098	1,752	1,751	909	2
Male	4,264	325	49	42	117	100	195	416	732	1,049	893	345	1
Female	3,329	263	24	32	52	50	165	251	366	703	858	564	1
Nonwhite	331	84	5	6	13	19	29	27	54	52	30	12	-
Male	197	58	3	2	8	10	16	12	33	34	18	3	-
Female	134	26	2	4	5	9	13	15	21	18	12	9	-
San Francisco-Oakland, Calif	26,334	1,378	172	193	342	465	1,279	2,665	4,492	6,274	6,261	2,812	1
Male	14,946	813	94	122	242	296	781	1,674	2,957	3,762	3,134	1,070	1
Female	11,388	565	78	71	100	169	498	991	1,535	2,512	3,127	1,742	-
White	24,046	1,024	138	160	302	367	1,050	2,339	4,060	5,865	6,007	2,733	1
Male	13,554	614	75	100	215	232	629	1,475	2,700	3,499	2,987	1,027	1
Female	10,492	410	63	60	87	135	421	864	1,360	2,366	3,020	1,706	-
Nonwhite	2,288	354	34	33	40	98	229	326	432	409	254	79	-
Male	1,392	199	19	22	27	64	152	199	257	263	147	43	-
Female	896	155	15	11	13	34	77	127	175	148	107	36	-
San Jose, Calif	4,620	354	55	52	100	116	253	463	670	968	1,021	567	1
Male	2,575	209	33	29	74	71	154	297	434	558	488	228	-
Female	2,045	145	22	23	26	45	99	166	236	410	533	339	1
White	4,506	346	50	50	98	114	245	446	654	950	995	557	1
Male	2,511	204	33	28	72	71	149	287	423	550	472	222	-
Female	1,995	142	17	22	26	43	96	159	231	400	523	335	1
Nonwhite	114	8	5	2	2	2	8	17	16	18	26	10	-
Male	64	5	-	1	2	-	5	10	11	8	16	6	-
Female	50	3	5	1	-	2	3	7	5	10	10	4	-
Santa Barbara, Calif	1,545	131	15	12	30	37	76	134	225	298	392	195	-
Male	886	82	9	6	19	22	53	101	141	172	211	70	-
Female	659	49	6	6	11	15	23	33	84	126	181	125	-
White	1,486	121	14	11	28	35	70	124	215	290	385	193	-
Male	852	77	8	5	19	22	49	94	134	169	206	69	-
Female	634	44	6	6	9	13	21	30	81	121	179	124	-
Nonwhite	59	10	1	1	2	2	6	10	10	8	7	2	-
Male	34	5	1	1	-	-	4	7	7	3	5	1	-
Female	25	5	-	-	2	2	2	3	3	5	2	1	-
Savannah, Ga	1,916	128	27	16	35	72	125	249	431	427	282	122	2
Male	1,040	67	16	9	25	41	69	157	241	261	113	41	-
Female	876	61	11	7	10	31	56	92	190	166	169	81	2
White	1,039	59	11	6	14	22	54	100	192	253	221	107	-
Male	578	32	7	4	11	13	30	65	132	161	90	33	-
Female	461	27	4	2	3	9	24	35	60	92	131	74	-
Nonwhite	877	69	16	10	21	50	71	149	239	174	61	15	2
Male	462	35	9	5	14	28	39	92	109	100	23	8	-
Female	415	34	7	5	7	22	32	57	130	74	38	7	2
Scranton, Pa	3,146	88	11	15	22	42	84	292	508	1,015	816	252	1
Male	1,727	47	5	9	18	21	58	183	308	562	411	105	-
Female	1,419	41	6	6	4	21	26	109	200	453	405	147	1
White	3,129	88	11	15	22	42	81	289	507	1,007	815	251	1
Male	1,716	47	5	9	18	21	57	180	307	557	411	104	-
Female	1,413	41	6	6	4	21	24	109	200	450	404	147	1
Nonwhite	17	-	-	-	-	-	3	3	1	8	1	1	-
Male	11	-	-	-	-	-	1	3	1	5	-	1	-
Female	6	-	-	-	-	-	2	-	-	3	1	-	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Seattle, Wash	10,736	552	76	91	145	186	429	920	1,571	2,468	2,979	1,318	1
Male	6,235	335	43	67	100	103	254	594	1,035	1,522	1,585	596	1
Female	4,501	217	33	24	45	83	175	326	536	946	1,394	722	-
White	10,295	501	68	79	136	162	385	875	1,494	2,398	2,906	1,290	1
Male	5,939	305	39	59	93	91	231	562	974	1,475	1,529	580	1
Female	4,356	196	29	20	43	71	154	313	520	923	1,377	710	-
Nonwhite	441	51	8	12	9	24	44	45	77	70	73	28	-
Male	296	30	4	8	7	12	23	32	61	47	56	16	-
Female	145	21	4	4	2	12	21	13	16	23	17	12	-
Shreveport, La	2,517	245	46	30	51	52	126	224	404	589	507	243	-
Male	1,426	139	24	14	35	36	69	139	257	359	258	96	-
Female	1,091	106	22	16	16	16	57	85	147	230	249	147	-
White	1,411	98	21	10	26	34	60	146	219	318	319	160	-
Male	822	59	10	3	19	26	41	99	148	201	155	61	-
Female	589	39	11	7	7	8	19	47	71	117	164	99	-
Nonwhite	1,106	147	25	20	25	18	66	78	185	271	188	83	-
Male	604	80	14	11	16	10	28	40	109	158	103	35	-
Female	502	67	11	9	9	8	38	38	76	113	85	48	-
Sioux City, Iowa	1,154	45	8	14	21	13	27	89	174	300	297	166	-
Male	698	31	7	9	15	8	17	59	119	206	163	64	-
Female	456	14	1	5	6	5	10	30	55	94	134	102	-
White	1,132	42	8	14	21	12	25	86	170	297	293	164	-
Male	688	29	7	9	15	8	15	58	117	205	161	64	-
Female	444	13	1	5	6	4	10	28	53	92	132	100	-
Nonwhite	22	3	-	-	-	1	2	3	4	3	4	2	-
Male	10	2	-	-	-	-	2	1	2	1	2	-	-
Female	12	1	-	-	-	1	-	2	2	2	2	2	-
Sioux Falls, S. Dak	718	43	3	10	14	11	22	53	115	167	196	83	1
Male	408	19	2	8	10	9	11	35	81	109	100	23	1
Female	310	24	1	2	4	2	11	18	34	58	96	60	-
White	718	43	3	10	14	11	22	53	115	167	196	83	1
Male	408	19	2	8	10	9	11	35	81	109	100	23	1
Female	310	24	1	2	4	2	11	18	34	58	96	60	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
South Bend, Ind	2,046	111	19	21	30	32	84	162	349	523	493	221	1
Male	1,133	65	11	12	22	17	49	97	219	315	234	91	1
Female	913	46	8	9	8	15	35	65	130	208	259	130	-
White	1,928	86	17	21	25	29	77	147	321	505	485	215	-
Male	1,074	49	10	12	19	17	47	91	201	305	232	91	-
Female	854	37	7	9	6	12	30	56	120	200	253	124	-
Nonwhite	118	25	2	-	5	3	7	15	28	18	8	6	1
Male	59	16	1	-	3	-	2	6	18	10	2	-	1
Female	59	9	1	-	2	3	5	9	10	8	6	6	-
Spokane, Wash	2,797	155	17	27	31	33	90	234	363	607	814	426	-
Male	1,686	90	10	12	24	21	52	149	272	390	466	200	-
Female	1,111	65	7	15	7	12	38	85	91	217	348	226	-
White	2,761	149	17	26	31	31	87	226	359	601	810	424	-
Male	1,662	87	10	12	24	19	49	144	269	386	463	199	-
Female	1,099	62	7	14	7	12	38	82	90	215	347	225	-
Nonwhite	36	6	-	1	-	2	3	8	4	6	4	2	-
Male	24	3	-	-	-	2	3	5	3	4	3	1	-
Female	12	3	-	1	-	-	-	3	1	2	1	1	-
Springfield, Ill	1,715	80	13	15	18	25	56	137	278	410	455	228	-
Male	945	46	9	9	16	13	35	89	185	238	221	84	-
Female	770	34	4	6	2	12	21	48	93	172	234	144	-
White	1,628	75	12	12	17	22	53	126	265	391	440	215	-
Male	899	44	8	8	15	11	32	87	178	226	213	77	-
Female	729	31	4	4	2	11	21	39	87	165	227	138	-
Nonwhite	87	5	1	3	1	3	3	11	13	19	15	13	-
Male	46	2	1	1	1	2	3	2	7	12	8	7	-
Female	41	3	-	2	-	1	-	9	6	7	7	6	-
Springfield, Mo	1,331	73	8	10	25	19	44	77	198	296	377	201	3
Male	750	51	6	5	15	9	27	55	127	181	195	78	1
Female	581	22	2	5	10	10	17	22	71	115	182	123	2
White	1,304	72	8	10	22	18	44	76	194	290	371	196	3
Male	733	50	6	5	14	8	27	54	124	176	193	75	1
Female	571	22	2	5	8	10	17	22	70	114	178	121	2
Nonwhite	27	1	-	-	3	1	-	1	4	6	6	5	-
Male	17	1	-	-	1	1	-	1	3	5	2	3	-
Female	10	-	-	-	2	-	-	-	1	1	4	2	-
Springfield, Ohio	1,265	73	8	4	16	11	61	119	190	270	339	174	-
Male	712	49	2	4	12	8	40	77	129	156	164	71	-
Female	553	24	6	-	4	3	21	42	61	114	175	103	-
White	1,129	59	6	4	14	7	51	101	168	236	318	165	-
Male	635	42	2	4	10	6	35	67	117	134	151	67	-
Female	494	17	4	-	4	1	16	34	51	102	167	98	-
Nonwhite	136	14	2	-	2	4	10	18	22	34	21	9	-
Male	77	7	-	-	2	2	5	10	12	22	13	4	-
Female	59	7	2	-	-	2	5	8	10	12	8	5	-
Springfield-Holyoke, Mass	5,411	231	49	39	62	63	174	440	843	1,421	1,426	659	4
Male	2,966	134	28	22	48	38	110	277	594	824	668	220	3
Female	2,445	97	21	17	14	25	64	163	249	597	758	439	1
White	5,295	210	43	33	57	57	161	432	825	1,411	1,409	653	4
Male	2,896	121	26	20	46	34	100	273	580	820	657	216	3
Female	2,399	89	17	13	11	23	61	159	245	591	752	437	1
Nonwhite	116	21	6	6	5	6	13	8	18	10	17	6	-
Male	70	13	2	2	2	4	10	4	14	4	11	4	-
Female	46	8	4	4	3	2	3	4	4	6	6	2	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Steubenville-Weirton, Ohio-W. Va	1,699	83	14	16	21	23	66	175	300	388	433	180	-
Male	987	44	6	8	14	12	45	119	184	212	248	95	-
Female	712	39	8	8	7	11	21	56	116	176	185	85	-
White	1,609	73	13	16	21	20	59	168	278	373	414	174	-
Male	933	39	5	8	14	12	40	115	170	204	236	90	-
Female	676	34	8	8	7	8	19	53	108	169	178	84	-
Nonwhite	90	10	1	-	-	3	7	7	22	15	19	6	-
Male	54	5	1	-	-	-	5	4	14	8	12	5	-
Female	36	5	-	-	-	3	2	3	8	7	7	1	-
Stockton, Calif	2,350	86	22	29	55	45	127	215	372	595	590	211	3
Male	1,499	43	6	17	42	31	80	150	274	402	354	97	3
Female	851	43	16	12	13	14	47	65	98	193	236	114	-
White	2,170	76	21	27	51	40	115	189	338	559	555	197	2
Male	1,361	40	6	15	38	29	72	127	246	376	324	86	2
Female	809	36	15	12	13	11	43	62	92	183	231	111	-
Nonwhite	180	10	1	2	4	5	12	26	34	36	35	14	1
Male	138	3	-	2	4	2	8	23	28	26	30	11	1
Female	42	7	1	-	-	3	4	3	6	10	5	3	-
Syracuse, N.Y.	5,851	291	47	54	60	89	185	457	791	1,536	1,563	778	-
Male	3,232	162	19	32	47	67	124	299	510	908	771	293	-
Female	2,619	129	28	22	13	22	61	158	281	628	792	485	-
White	5,738	279	44	52	59	80	167	442	772	1,521	1,552	770	-
Male	3,163	153	18	30	46	61	112	288	500	899	766	290	-
Female	2,575	126	26	22	13	19	55	154	272	622	786	480	-
Nonwhite	113	12	3	2	1	9	18	15	19	15	11	8	-
Male	69	9	1	2	1	6	12	11	10	9	5	3	-
Female	44	3	2	-	-	3	6	4	9	6	6	5	-
Tacoma, Wash	3,027	179	31	27	44	57	88	233	409	731	831	395	2
Male	1,764	103	16	17	29	33	56	146	288	463	433	179	1
Female	1,263	76	15	10	15	24	32	87	121	268	398	216	1
White	2,935	147	30	25	43	52	76	226	400	719	822	393	2
Male	1,715	86	15	16	28	32	50	143	282	457	428	177	1
Female	1,220	61	15	9	15	20	26	83	118	262	394	216	1
Nonwhite	92	32	1	2	1	5	12	7	9	12	9	2	-
Male	49	17	1	1	1	1	6	3	6	6	5	2	-
Female	43	15	-	1	-	4	6	4	3	6	4	-	-
Tampa-St. Petersburg, Fla	10,537	431	66	53	118	119	327	741	1,577	3,202	2,795	1,107	1
Male	6,446	261	38	33	76	73	206	457	1,026	2,099	1,654	523	-
Female	4,091	170	28	20	42	46	121	284	551	1,103	1,141	584	1
White	9,515	290	50	44	91	72	238	588	1,329	3,018	2,721	1,074	-
Male	5,858	178	31	27	56	46	157	374	889	1,981	1,613	506	-
Female	3,657	112	19	17	35	26	81	214	440	1,037	1,108	568	-
Nonwhite	1,022	141	16	9	27	47	89	153	248	184	74	33	1
Male	588	83	7	6	20	27	49	83	137	118	41	17	-
Female	434	58	9	3	7	20	40	70	111	66	33	16	1
Terre Haute, Ind	1,334	36	10	9	16	19	38	95	182	352	382	195	-
Male	734	22	6	5	9	13	20	60	111	200	197	91	-
Female	600	14	4	4	7	6	18	35	71	152	185	104	-
White	1,276	35	10	8	15	18	35	88	177	334	365	191	-
Male	698	21	6	4	8	12	18	54	109	192	187	87	-
Female	578	14	4	4	7	6	17	34	68	142	178	104	-
Nonwhite	58	1	-	1	1	1	3	7	5	18	17	4	-
Male	36	1	-	1	1	1	2	6	2	8	10	4	-
Female	22	-	-	-	-	-	1	1	3	10	7	-	-
Texarkana, Texas-Ark	939	49	15	12	17	19	46	92	159	230	203	96	1
Male	537	29	11	6	13	12	23	64	99	138	102	39	1
Female	402	20	4	6	4	7	23	28	60	92	101	57	-
White	661	30	6	10	9	10	31	65	102	159	157	81	1
Male	394	19	5	4	7	8	19	44	73	102	82	30	1
Female	267	11	1	6	2	2	12	21	29	57	75	51	-
Nonwhite	278	19	9	2	8	9	15	27	57	71	46	15	-
Male	143	10	6	2	6	4	4	20	26	36	20	9	-
Female	135	9	3	-	2	5	11	7	31	35	26	6	-
Toledo, Ohio	4,758	231	41	44	48	64	150	410	777	1,237	1,179	576	1
Male	2,643	120	24	19	32	33	85	272	505	753	581	218	1
Female	2,115	111	17	25	16	31	65	138	272	484	598	358	-
White	4,344	170	30	40	40	45	120	365	683	1,152	1,144	555	-
Male	2,421	89	20	18	27	21	69	244	447	710	566	210	-
Female	1,923	81	10	22	13	24	51	121	236	442	578	345	-
Nonwhite	414	61	11	4	8	19	30	45	94	85	35	21	1
Male	222	31	4	1	5	12	16	28	58	43	15	8	1
Female	192	30	7	3	3	7	14	17	36	42	20	13	-
Topeka, Kans	1,322	92	13	10	23	27	50	76	193	305	341	192	-
Male	718	45	7	7	12	16	38	47	134	184	164	64	-
Female	604	47	6	3	11	11	12	29	59	121	177	128	-
White	1,195	79	12	8	21	24	36	67	176	279	317	176	-
Male	648	40	6	7	11	15	26	41	123	168	154	57	-
Female	547	39	6	1	10	9	10	26	53	111	163	119	-
Nonwhite	127	13	1	2	2	3	14	9	17	26	24	16	-
Male	70	5	1	-	1	1	12	6	11	16	10	7	-
Female	57	8	-	2	1	2	2	3	6	10	14	9	-
Trenton, N.J.[2]	2,758	119	29	21	30	44	118	270	452	768	640	267	-
Male	1,545	64	19	13	21	22	77	178	283	440	329	99	-
Female	1,213	55	10	8	9	22	41	92	169	328	311	168	-

See footnotes at end of table.

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Tucson, Ariz.	2,387	182	21	37	39	67	117	270	427	594	458	174	1
Male	1,472	105	13	23	29	40	71	175	283	389	266	78	-
Female	915	77	8	14	10	27	46	95	144	205	192	96	1
White	2,212	154	17	35	31	50	107	249	402	562	442	163	-
Male	1,368	86	10	22	23	28	65	161	270	373	257	73	-
Female	844	68	7	13	8	22	42	88	132	189	185	90	-
Nonwhite	175	28	4	2	8	17	10	21	25	32	16	11	1
Male	104	19	3	1	6	12	6	14	13	16	9	5	-
Female	71	9	1	1	2	5	4	7	12	16	7	6	1
Tulsa, Okla.	3,681	223	35	38	53	62	179	350	545	849	878	468	1
Male	2,104	122	21	18	38	41	112	233	371	497	461	189	1
Female	1,577	101	14	20	15	21	67	117	174	352	417	279	-
White	3,263	179	30	37	41	51	154	298	467	768	813	425	-
Male	1,873	95	17	17	29	34	98	198	329	460	428	168	-
Female	1,390	84	13	20	12	17	56	100	138	308	385	257	-
Nonwhite	418	44	5	1	12	11	25	52	78	81	65	43	1
Male	231	27	4	1	9	7	14	35	42	37	33	21	1
Female	187	17	1	-	3	4	11	17	36	44	32	22	-
Tuscaloosa, Ala.	837	71	9	15	27	22	42	84	101	187	189	85	5
Male	470	43	6	9	19	13	30	53	62	98	97	38	2
Female	367	28	3	6	8	9	12	31	39	89	92	47	3
White	528	27	4	8	17	13	18	57	58	113	146	65	2
Male	298	18	3	6	11	8	12	38	37	63	76	25	1
Female	230	9	1	2	6	5	6	19	21	50	70	40	1
Nonwhite	309	44	5	7	10	9	24	27	43	74	43	20	3
Male	172	25	3	3	8	5	18	15	25	35	21	13	1
Female	137	19	2	4	2	4	6	12	18	39	22	7	2
Tyler, Texas	857	55	8	10	20	12	36	87	129	192	207	101	-
Male	480	35	4	7	17	7	23	55	80	105	103	44	-
Female	377	20	4	3	3	5	13	32	49	87	104	57	-
White	599	28	4	5	10	5	16	61	89	140	150	89	-
Male	353	21	2	4	10	4	12	39	62	81	80	38	-
Female	246	7	2	1	-	1	6	22	27	59	70	51	-
Nonwhite	258	27	4	5	10	7	18	26	40	52	57	12	-
Male	127	14	2	3	7	3	11	16	18	24	23	6	-
Female	131	13	2	2	3	4	7	10	22	28	34	6	-
Utica-Rome, N.Y.	3,664	191	28	27	48	43	118	292	493	966	988	469	1
Male	2,034	100	11	16	29	25	76	192	311	578	501	195	-
Female	1,630	91	17	11	19	18	42	100	182	388	487	274	1
White	3,624	184	25	26	47	40	116	284	489	961	984	467	1
Male	2,012	97	10	15	29	23	75	184	310	574	501	194	-
Female	1,612	87	15	11	18	17	41	100	179	387	483	273	1
Nonwhite	40	7	3	1	1	3	2	8	4	5	4	2	-
Male	22	3	1	1	-	2	1	8	1	4	-	1	-
Female	18	4	2	-	1	1	1	-	3	1	4	1	-
Waco, Texas	1,533	108	15	10	22	22	52	130	228	370	388	186	-
Male	877	56	9	5	16	17	33	90	147	227	208	69	-
Female	656	52	6	5	6	5	19	40	81	143	180	119	-
White	1,209	68	11	7	16	16	35	99	171	294	326	166	-
Male	703	35	7	3	12	13	25	72	114	188	171	63	-
Female	506	33	4	4	4	3	10	27	57	106	155	103	-
Nonwhite	324	40	4	3	6	6	17	31	57	76	62	22	-
Male	174	21	2	2	4	4	8	18	33	39	37	6	-
Female	150	19	2	1	2	2	9	13	24	37	25	16	-
Washington, D.C.-Md.-Va.	16,642	1,514	170	173	275	386	1,137	2,065	2,860	3,393	3,067	1,601	1
Male	9,007	862	97	98	180	235	671	1,301	1,837	1,902	1,310	513	1
Female	7,635	652	73	75	95	151	466	764	1,023	1,491	1,757	1,088	-
White	11,566	830	112	108	174	177	633	1,278	1,933	2,536	2,455	1,329	1
Male	6,166	479	68	67	129	119	393	824	1,244	1,443	998	401	1
Female	5,400	351	44	41	45	58	240	454	689	1,093	1,457	928	-
Nonwhite	5,076	684	58	65	101	209	504	787	927	857	612	272	-
Male	2,841	383	29	31	51	116	278	477	593	459	312	112	-
Female	2,235	301	29	34	50	93	226	310	334	398	300	160	-
Waterloo, Iowa	1,057	79	6	10	14	17	28	67	151	258	270	156	1
Male	586	54	2	5	12	9	16	42	106	148	127	65	-
Female	471	25	4	5	2	8	12	25	45	110	143	91	1
White	1,014	68	6	9	14	14	25	64	146	249	263	155	1
Male	566	47	2	5	12	8	15	41	104	142	126	64	-
Female	448	21	4	4	2	6	10	23	42	107	137	91	1
Nonwhite	43	11	-	1	-	3	3	3	5	9	7	1	-
Male	20	7	-	-	-	1	1	1	2	6	1	1	-
Female	23	4	-	1	-	2	2	2	3	3	6	-	-
West Palm Beach, Fla.	2,685	156	32	27	45	64	139	261	465	700	548	247	1
Male	1,674	92	20	24	32	38	81	160	309	478	323	116	1
Female	1,011	64	12	3	13	26	58	101	156	222	225	131	-
White	2,127	68	12	16	35	36	70	158	345	614	529	243	1
Male	1,347	45	9	14	27	25	45	100	235	421	309	116	1
Female	780	23	3	2	8	11	25	58	110	193	220	127	-
Nonwhite	558	88	20	11	10	28	69	103	120	86	19	4	-
Male	327	47	11	10	5	13	36	60	74	57	14	-	-
Female	231	41	9	1	5	15	33	43	46	29	5	4	-
Wheeling, W. Va.-Ohio	2,355	83	8	16	22	22	68	170	334	586	697	349	-
Male	1,306	44	7	13	17	12	37	107	223	340	368	138	-
Female	1,049	39	1	3	5	10	31	63	111	246	329	211	-
White	2,284	82	7	14	21	22	66	164	310	571	687	340	-
Male	1,265	44	6	11	16	12	35	103	209	330	364	135	-
Female	1,019	38	1	3	5	10	31	61	101	241	323	205	-
Nonwhite	71	1	1	2	1	-	2	6	24	15	10	9	-
Male	41	-	1	2	1	-	2	4	14	10	4	3	-
Female	30	1	-	-	-	-	-	2	10	5	6	6	-

Table 7-4. Deaths by 10-Year Age Groups, Color, and Sex, for Standard Metropolitan Statistical Areas of the United States: 1962—Con.

(See headnote at beginning of table)

AREA, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-14 years	15-24 years	25-34 years	35-44 years	45-54 years	55-64 years	65-74 years	75-84 years	85 years and over	Not stated
Wichita, Kans.	2,493	186	28	37	55	59	128	235	367	517	564	316	1
Male	1,391	109	17	25	39	37	78	151	246	291	268	129	1
Female	1,102	77	11	12	16	22	50	84	121	226	296	187	-
White	2,326	154	25	35	52	51	110	221	335	490	543	309	1
Male	1,297	91	14	25	37	33	69	144	228	274	256	125	1
Female	1,029	63	11	10	15	18	41	77	107	216	287	184	-
Nonwhite	167	32	3	2	3	8	18	14	32	27	21	7	-
Male	94	18	3	-	2	4	9	7	18	17	12	4	-
Female	73	14	-	2	1	4	9	7	14	10	9	3	-
Wichita Falls, Texas	973	67	18	18	22	25	48	88	152	248	202	85	-
Male	569	34	13	11	15	16	34	60	94	147	113	32	-
Female	404	33	5	7	7	9	14	28	58	101	89	53	-
White	878	52	17	16	18	23	43	72	131	229	193	84	-
Male	519	30	12	9	12	16	29	52	82	137	108	32	-
Female	359	22	5	7	6	7	14	20	49	92	85	52	-
Nonwhite	95	15	1	2	4	2	5	16	21	19	9	1	-
Male	50	4	1	2	3	-	5	8	12	10	5	-	-
Female	45	11	-	-	1	2	-	8	9	9	4	1	-
Wilkes-Barre-Hazleton, Pa.	4,511	107	12	27	26	47	150	441	841	1,462	1,053	345	-
Male	2,546	66	4	15	19	30	100	289	555	827	515	126	-
Female	1,965	41	8	12	7	17	50	152	286	635	538	219	-
White	4,491	104	11	27	26	46	149	439	834	1,459	1,051	345	-
Male	2,532	64	3	15	19	30	99	287	551	824	514	126	-
Female	1,959	40	8	12	7	16	50	152	283	635	537	219	-
Nonwhite	20	3	1	-	-	1	1	2	7	3	2	-	-
Male	14	2	1	-	-	-	1	2	4	3	1	-	-
Female	6	1	-	-	-	1	-	-	3	-	1	-	-
Wilmington, Del.-N.J.[2]	3,484	176	33	32	46	66	152	375	550	875	799	375	5
Male	1,931	84	16	20	29	45	94	253	354	493	394	148	1
Female	1,553	92	17	12	17	21	58	122	196	382	405	227	4
Winston-Salem, N.C.	1,645	131	10	22	28	49	104	209	300	384	296	111	1
Male	926	70	9	11	14	27	63	137	181	219	152	43	-
Female	719	61	1	11	14	22	41	72	119	165	144	68	1
White	1,035	61	6	15	18	18	41	119	177	255	233	91	1
Male	619	31	5	7	11	9	29	90	119	157	124	37	-
Female	416	30	1	8	7	9	12	29	58	98	109	54	1
Nonwhite	610	70	4	7	10	31	63	90	123	129	63	20	-
Male	307	39	4	4	3	18	34	47	62	62	28	6	-
Female	303	31	-	3	7	13	29	43	61	67	35	14	-
Worcester, Mass.	6,387	269	35	36	66	79	183	472	853	1,668	1,770	952	4
Male	3,421	169	16	22	50	45	109	325	510	950	858	366	1
Female	2,966	100	19	14	16	34	74	147	343	718	912	586	3
White	6,346	262	33	36	65	77	179	470	846	1,662	1,763	949	4
Male	3,396	165	15	22	50	44	106	323	506	945	853	366	1
Female	2,950	97	18	14	15	33	73	147	340	717	910	583	3
Nonwhite	41	7	2	-	1	2	4	2	7	6	7	3	-
Male	25	4	1	-	-	1	3	2	4	5	5	-	-
Female	16	3	1	-	1	1	1	-	3	1	2	3	-
York, Pa.	2,303	119	17	23	25	33	69	183	368	515	635	316	-
Male	1,285	77	8	15	17	20	39	111	230	294	331	143	-
Female	1,018	42	9	8	8	13	30	72	138	221	304	173	-
White	2,256	105	16	21	25	30	62	181	359	509	634	314	-
Male	1,265	69	8	14	17	18	38	110	225	292	331	143	-
Female	991	36	8	7	8	12	24	71	134	217	303	171	-
Nonwhite	47	14	1	2	-	3	7	2	9	6	1	2	-
Male	20	8	-	1	-	2	1	1	5	2	-	-	-
Female	27	6	1	1	-	1	6	1	4	4	1	2	-
Youngstown-Warren, Ohio	4,751	237	26	43	54	78	208	448	710	1,249	1,207	490	1
Male	2,742	134	19	29	37	45	126	295	463	732	646	215	1
Female	2,009	103	7	14	17	33	82	153	247	517	561	275	-
White	4,273	177	20	37	45	55	167	387	615	1,139	1,154	477	-
Male	2,463	102	16	25	30	34	101	259	411	661	616	208	-
Female	1,810	75	4	12	15	21	66	128	204	478	538	269	-
Nonwhite	478	60	6	6	9	23	41	61	95	110	53	13	1
Male	279	32	3	4	7	11	25	36	52	71	30	7	1
Female	199	28	3	2	2	12	16	25	43	39	23	6	-
STANDARD CONSOLIDATED AREAS													
New York-Northeastern New Jersey[2 3]	155,075	7,650	982	991	1,710	2,772	6,607	15,260	28,174	42,026	34,901	13,981	21
Male	84,977	4,424	486	586	1,147	1,644	3,871	9,252	17,866	23,853	16,664	5,169	15
Female	70,098	3,226	496	405	563	1,128	2,736	6,008	10,308	18,173	18,237	8,812	6
Chicago-Northwestern Indiana[4]	67,782	4,043	593	540	882	1,351	3,343	7,089	12,013	17,741	14,496	5,688	3
Male	38,555	2,307	344	319	592	814	2,067	4,495	7,785	10,344	7,322	2,163	3
Female	29,227	1,736	249	221	290	537	1,276	2,594	4,228	7,397	7,174	3,525	-
White	57,642	2,671	381	415	644	839	2,309	5,697	10,004	15,850	13,493	5,338	1
Male	32,861	1,561	230	242	447	517	1,461	3,683	6,631	9,282	6,779	2,027	1
Female	24,781	1,110	151	173	197	322	848	2,014	3,373	6,568	6,714	3,311	-
Nonwhite	10,140	1,372	212	125	238	512	1,034	1,392	2,009	1,891	1,003	350	2
Male	5,694	746	114	77	145	297	606	812	1,154	1,062	543	136	2
Female	4,446	626	98	48	93	215	428	580	855	829	460	214	-

[1]Figures by color exclude data for the standard metropolitan statistical areas consisting wholly or in part of metropolitan counties in New Jersey, which did not require reporting of color. Therefore, figures by color do not agree with those shown for metropolitan counties in table 7-3.

[2]New Jersey did not require reporting of color; for further discussion, see Technical Appendix.

[3]Comprised of four standard metropolitan statistical areas—New York, N.Y; Newark, N.J., Jersey City, N.J.—Paterson-Clifton-Passaic, N.J.; and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.

[4]Comprised of two standard metropolitan statistical areas—Chicago, Ill., and Gary-Hammond-East Chicago, Ind.

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA																							
	ALL CAUSES.....	30,906	2,420	422	180	199	344	351	384	457	655	966	1,344	1,833	2,163	2,635	3,275	3,753	3,664	3,014	1,857	710	235	45
	WHITE.....MALE..	11,545	667	83	57	65	150	153	143	149	229	367	570	758	932	1,002	1,294	1,450	1,420	1,115	673	217	48	3
	FEMALE	8,199	468	112	40	46	54	51	71	95	126	189	248	316	403	488	738	1,064	1,232	1,215	830	322	89	2
	NONWHITE.....MALE..	5,924	717	124	44	52	88	95	104	114	147	216	267	425	429	593	667	665	527	354	162	82	34	18
	FEMALE	5,238	568	103	39	36	52	52	66	99	153	194	259	334	399	552	576	574	485	330	192	89	64	22
001-019	TUBERCULOSIS, ALL FORMS..	281	-	3	1	-	1	2	11	11	14	19	27	22	22	25	38	37	22	15	10	1	-	-
	WHITE.....MALE..	103	-	1	-	-	-	-	4	-	3	6	6	8	9	11	17	17	7	8	5	1	-	-
	FEMALE	44	-	-	-	-	-	1	-	2	3	4	6	1	3	-	7	5	5	3	4	-	-	-
	NONWHITE.....MALE..	89	-	2	-	-	-	1	3	5	4	5	10	11	6	9	10	11	7	4	1	-	-	-
	FEMALE	45	-	-	1	-	1	-	4	4	4	4	5	2	4	5	4	4	3	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	268	-	1	-	-	1	2	11	10	13	16	26	22	21	24	38	37	21	14	10	1	-	-
	WHITE.....MALE..	101	-	-	-	-	-	-	4	-	3	6	6	8	8	11	17	17	7	8	5	1	-	-
	FEMALE	41	-	-	-	-	-	1	-	2	3	2	6	1	3	-	7	5	5	2	4	-	-	-
	NONWHITE.....MALE..	86	-	1	-	-	-	1	3	4	4	5	10	11	6	8	10	11	7	4	1	-	-	-
	FEMALE	40	-	-	-	-	1	-	4	4	3	3	4	2	4	5	4	4	2	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	13	-	2	1	-	-	-	-	1	1	3	1	-	1	1	-	-	1	1	-	-	-	-
	WHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	3	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	45	2	-	-	-	1	-	-	-	-	1	3	4	8	9	9	3	3	1	1	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	22	2	-	-	-	1	-	-	-	-	-	1	1	5	4	3	2	1	1	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	16	4	2	1	-	1	-	-	-	-	-	-	-	1	1	3	1	-	1	1	-	-	-
	WHITE.....MALE..	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	FEMALE	5	1	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	12	1	6	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	4	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	12	3	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	135	24	15	10	6	3	3	4	3	5	5	3	10	11	6	6	6	10	3	1	1	-	-
	WHITE.....MALE..	40	7	4	2	2	1	1	-	1	2	3	1	1	6	1	2	1	3	1	1	-	-	-
	FEMALE	34	2	5	3	-	-	1	1	1	2	1	1	4	-	3	2	2	5	1	-	-	-	-
	NONWHITE.....MALE..	31	9	3	2	1	-	-	3	1	-	1	-	2	2	2	2	1	1	-	-	1	-	-
	FEMALE	30	6	3	3	3	2	1	-	-	1	-	1	3	3	-	-	2	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,071	8	29	21	19	35	26	29	43	104	157	255	385	455	474	547	548	455	282	147	39	8	5
	WHITE.....MALE..	1,584	1	9	8	8	13	8	11	8	27	46	84	139	169	185	247	233	191	124	57	14	2	-
	FEMALE	1,333	5	10	7	3	11	8	10	21	44	59	98	117	155	133	155	168	148	102	62	10	5	2
	NONWHITE.....MALE..	586	2	9	3	5	8	4	1	4	10	18	26	67	64	70	87	85	70	34	13	4	-	2
	FEMALE	568	-	1	3	3	3	6	7	10	23	34	47	62	67	86	58	62	46	22	15	11	1	1
140-148	OF BUCCAL CAVITY AND PHARYNX.....	88	1	-	-	-	-	1	-	1	1	2	3	5	12	9	16	13	8	11	4	1	-	-
	WHITE.....MALE..	39	-	-	-	-	-	-	-	-	-	1	1	3	6	5	8	8	4	2	1	-	-	-
	FEMALE	31	1	-	-	-	-	-	-	-	1	-	1	1	5	2	4	5	3	5	3	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	1	2	-	-	-	-
	FEMALE	9	-	-	-	-	-	1	-	1	-	1	-	-	1	1	1	-	-	2	-	1	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,145	1	1	1	1	4	2	2	6	16	34	44	92	108	147	145	188	174	105	57	11	4	2
	WHITE.....MALE..	441	-	-	-	-	1	-	-	2	7	12	14	30	33	59	63	77	69	46	25	3	-	-
	FEMALE	361	1	-	1	-	1	-	1	3	4	11	12	22	37	41	43	60	61	35	20	3	4	1
	NONWHITE.....MALE..	193	-	1	-	1	1	2	-	1	3	8	7	26	25	24	21	29	25	14	2	2	-	1
	FEMALE	150	-	-	-	-	1	-	1	-	2	3	11	14	13	23	18	22	19	10	10	3	-	-
160-164	OF RESP. SYSTEM, ETC.....	630	-	-	-	1	1	-	3	2	9	28	55	81	98	89	118	69	42	17	13	3	-	1
	WHITE.....MALE..	446	-	-	-	-	-	-	2	1	5	20	36	61	71	65	88	46	28	13	8	2	-	-
	FEMALE	59	-	-	-	-	1	-	1	-	1	3	7	4	6	3	5	12	8	3	4	-	-	1
	NONWHITE.....MALE..	109	-	-	-	1	-	-	-	1	3	5	10	16	19	16	23	9	5	1	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	-	2	5	2	2	1	-	1	1	-	-
170	OF BREAST.....	312	-	-	-	-	-	-	2	4	21	22	37	48	42	30	26	29	20	18	9	3	1	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	FEMALE	233	-	-	-	-	-	-	1	3	16	14	29	36	29	21	23	19	16	18	7	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	73	-	-	-	-	-	-	1	1	5	8	7	12	12	8	2	8	4	-	2	2	1	-
171-179	OF GENITAL ORGANS.....	785	-	-	-	1	1	3	3	10	25	37	49	60	79	87	107	113	96	67	35	11	-	1
	WHITE.....MALE..	183	-	-	-	-	-	1	-	-	1	1	2	2	6	10	23	46	39	34	14	4	-	-
	FEMALE	269	-	-	-	-	1	1	-	7	8	15	30	32	40	32	31	27	20	13	10	2	-	-
	NONWHITE.....MALE..	142	-	-	-	-	-	1	-	-	1	-	-	3	5	19	32	28	26	14	10	2	-	1
	FEMALE	191	-	-	-	1	-	-	3	3	15	21	17	23	28	26	21	12	11	6	1	3	-	-
180, 181	OF URINARY ORGANS.....	163	4	2	1	-	-	1	-	-	3	3	8	19	13	23	18	27	24	12	5	-	-	-
	WHITE.....MALE..	77	1	-	1	-	-	-	-	-	-	1	2	5	6	13	13	12	14	7	2	-	-	-
	FEMALE	39	2	1	-	-	-	-	-	-	2	-	3	1	3	4	2	6	9	3	3	-	-	-
	NONWHITE.....MALE..	29	1	1	-	-	-	1	-	-	1	1	3	7	4	2	2	4	1	1	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	1	-	6	-	4	1	5	-	1	-	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.....	555	1	10	4	6	14	8	11	12	17	18	35	53	58	58	78	65	51	29	17	8	2	-
	WHITE.....MALE..	225	-	2	2	2	7	2	5	4	9	6	13	25	28	19	37	25	18	12	5	3	1	-
	FEMALE	197	1	4	1	3	4	2	5	4	5	9	11	13	20	19	28	23	16	14	10	4	1	-
	NONWHITE.....MALE..	59	-	3	1	-	2	-	-	1	2	3	4	11	6	5	5	7	7	1	1	-	-	-
	FEMALE	74	-	1	-	1	1	4	1	3	1	-	7	4	4	15	8	10	10	2	1	1	-	-
204	LEUKEMIA AND ALEUKEMIA...	204	1	13	10	7	10	8	4	2	6	5	7	13	23	12	13	20	21	20	5	2	1	1
	WHITE.....MALE..	81	-	5	2	4	4	3	1	-	2	1	5	6	9	5	5	9	6	10	1	2	1	-
	FEMALE	78	-	5	4	-	3	4	2	-	4	3	-	4	8	3	7	7	11	9	4	-	-	-
	NONWHITE.....MALE..	24	1	3	1	2	2	-	-	1	-	1	-	1	2	3	-	3	3	1	-	-	-	-
	FEMALE	21	-	-	3	1	1	1	1	1	-	-	2	2	4	1	1	1	1	-	-	-	-	1
200-203, 205	LYMPHOMAS, ETC.....	189	-	3	5	3	5	3	4	6	6	8	17	14	22	19	26	24	19	3	2	-	-	-
	WHITE.....MALE..	88	-	2	3	2	1	2	3	1	3	4	11	7	9	8	10	8	13	-	1	-	-	-
	FEMALE	66	-	-	1	-	1	1	-	4	3	4	5	4	7	8	12	9	4	2	1	-	-	-
	NONWHITE.....MALE..	19	-	1	1	1	3	-	1	-	-	-	-	2	3	-	-	5	2	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	1	-	-	1	1	3	3	4	2	-	1	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	84	2	-	-	4	1	3	4	5	9	9	10	7	2	8	6	6	3	4	1	-	-	-
	WHITE.....MALE..	27	-	-	-	1	-	1	2	-	6	1	2	1	-	3	4	1	3	2	-	-	-	-
	FEMALE	29	1	-	-	1	-	2	2	3	1	2	6	2	1	3	1	2	-	1	1	-	-	-
	NONWHITE.....MALE..	5	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	FEMALE	23	-	-	-	2	1	-	-	2	2	6	2	3	1	1	1	1	-	1	-	-	-	-
241	ASTHMA.....	85	2	2	-	2	1	2	1	3	2	7	7	6	7	7	7	12	8	4	5	-	-	-
	WHITE.....MALE..	36	1	-	-	-	-	-	-	-	-	1	1	3	4	2	6	7	8	2	1	-	-	-
	FEMALE	20	1	1	-	1	-	-	-	1	-	2	5	1	2	-	-	1	-	2	3	-	-	-
	NONWHITE.....MALE..	17	-	-	-	-	1	1	-	-	1	3	-	1	1	5	1	3	-	-	-	-	-	-
	FEMALE	12	-	1	-	1	-	1	1	2	1	1	1	1	-	-	-	1	-	-	1	-	-	-
260	DIABETES MELLITUS.....	413	1	1	1	2	1	3	8	7	7	16	24	22	34	40	64	64	62	34	13	6	1	2
	WHITE.....MALE..	118	-	-	-	1	-	-	4	1	2	6	8	5	12	9	15	21	19	11	3	-	1	-
	FEMALE	139	-	-	-	1	-	-	1	2	3	3	6	2	6	11	26	26	22	17	7	6	-	-
	NONWHITE.....MALE..	53	1	1	1	-	-	1	2	2	1	3	2	5	6	8	3	6	8	1	2	-	-	-
	FEMALE	103	-	-	-	-	1	2	1	2	1	4	8	10	10	12	20	11	13	5	1	-	-	2
290-293	ANEMIAS.....	60	4	2	2	4	-	2	-	3	1	1	1	5	3	8	3	8	4	5	2	2	-	-
	WHITE.....MALE..	20	1	-	1	1	-	-	-	-	-	1	1	1	-	1	-	5	4	3	-	1	-	-
	FEMALE	12	1	1	-	2	-	-	-	1	-	-	-	-	-	2	2	1	-	-	1	1	-	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	1	-	1	1	-	-	-
	FEMALE	21	2	1	1	1	-	2	-	2	-	-	-	3	3	3	1	1	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	57	21	13	2	3	2	-	3	-	1	1	1	2	-	4	1	2	-	-	1	-	-	-
	WHITE.....MALE..	7	2	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	FEMALE	10	1	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
	NONWHITE.....MALE..	22	12	4	1	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	18	6	2	1	2	1	-	1	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	16,178	7	9	10	14	22	24	49	96	178	361	575	882	1,150	1,555	1,989	2,423	2,582	2,174	1,376	524	154	24
	WHITE.....MALE..	6,112	-	1	2	3	6	7	12	22	58	132	253	387	514	593	746	919	979	787	494	160	35	2
	FEMALE	4,577	3	1	3	4	3	4	12	15	21	39	71	116	159	249	435	692	901	915	635	242	57	-
	NONWHITE.....MALE..	2,747	1	2	2	2	2	4	9	29	47	103	120	201	243	352	425	418	352	234	110	59	22	10
	FEMALE	2,742	3	5	3	5	11	9	16	30	52	87	131	178	234	361	383	394	350	238	137	63	40	12
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	15,886	7	9	8	12	19	20	43	91	169	340	558	869	1,118	1,530	1,958	2,399	2,539	2,146	1,361	518	151	21
	WHITE.....MALE..	6,038	-	1	2	3	5	6	10	20	55	129	247	384	504	586	739	912	969	781	488	160	35	2
	FEMALE	4,505	3	1	3	2	2	2	12	15	20	37	70	114	151	247	425	687	890	899	631	238	56	-
	NONWHITE.....MALE..	2,679	1	2	1	2	2	4	9	28	44	92	116	196	238	343	418	413	341	232	109	58	21	9
	FEMALE	2,664	3	5	2	5	10	8	12	28	50	82	125	175	225	354	376	387	339	234	133	62	39	10
330-334	VASCULAR LESIONS, ETC....	4,299	2	2	1	1	2	5	9	21	30	68	114	170	219	380	505	685	761	651	452	157	58	6
	WHITE.....MALE..	1,243	-	-	1	-	-	-	3	5	6	12	19	37	48	83	124	202	250	238	155	48	12	-
	FEMALE	1,330	1	-	-	1	1	-	2	2	4	11	19	28	34	62	109	199	279	265	214	75	24	-
	NONWHITE.....MALE..	769	-	-	-	-	-	1	2	6	8	22	35	51	63	99	137	127	102	57	28	20	9	2
	FEMALE	957	1	2	-	-	1	4	2	8	12	23	41	54	74	136	135	157	130	91	55	14	13	4
400-402, 410-443	DISEASES OF HEART	10,435	5	7	6	11	17	15	28	58	119	240	413	655	826	1,077	1,324	1,568	1,601	1,325	772	280	76	12
	WHITE.....MALE..	4,417	-	1	-	3	5	6	6	15	47	111	220	335	429	482	560	656	653	499	276	89	22	2
	FEMALE	2,818	2	1	3	1	1	2	8	11	14	21	48	80	103	170	296	454	552	553	350	123	25	-
	NONWHITE.....MALE..	1,697	1	2	1	2	2	3	6	17	29	61	69	130	160	229	253	255	210	149	75	30	9	4
	FEMALE	1,503	2	3	2	5	9	4	8	15	29	47	76	110	134	196	215	203	186	124	71	38	20	6
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	173	-	-	2	8	6	10	11	12	17	14	13	15	14	17	9	9	6	8	2	-	-	-
	WHITE.....MALE..	68	-	-	-	3	3	4	3	2	9	10	4	3	5	9	3	2	3	4	1	-	-	-
	FEMALE	55	-	-	1	1	-	2	4	4	5	1	7	6	7	3	4	4	3	2	1	-	-	-
	NONWHITE.....MALE..	23	-	-	-	1	1	1	1	1	3	3	-	5	1	3	1	2	-	-	-	-	-	-
	FEMALE	27	-	-	1	3	2	3	3	5	-	-	2	1	1	2	1	1	-	2	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	6,937	1	1	-	1	4	2	9	26	60	145	282	460	603	717	925	1,070	1,044	873	477	183	48	6
	WHITE.....MALE..	3,495	-	-	-	-	-	1	2	13	31	90	183	283	362	400	457	534	491	364	199	67	16	2
	FEMALE	1,927	1	-	-	-	-	-	2	5	5	12	29	54	78	118	225	328	373	383	212	87	15	-
	NONWHITE.....MALE..	849	-	-	-	1	-	1	2	5	13	24	40	71	89	107	142	122	107	71	36	11	5	2
	FEMALE	666	-	1	-	-	4	-	3	3	11	19	30	52	74	92	101	86	73	55	30	18	12	2
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	985	-	2	-	1	2	1	3	2	4	12	16	35	41	85	104	133	189	165	118	53	15	4
	WHITE.....MALE..	266	-	-	-	-	1	1	1	-	-	3	3	10	17	16	30	34	59	51	25	11	4	-
	FEMALE	296	-	-	-	-	-	-	1	1	1	1	2	3	1	13	23	31	63	66	62	23	5	-
	NONWHITE.....MALE..	216	-	1	-	-	1	-	1	-	2	5	3	10	11	35	23	41	29	28	13	9	3	1
	FEMALE	207	-	1	-	1	-	-	-	1	1	3	8	12	12	21	28	27	38	20	18	10	3	3
430-434	OTHER DISEASES OF HEART..	667	4	4	3	1	4	1	1	4	13	24	37	50	52	76	72	97	96	77	35	11	5	-
	WHITE.....MALE..	267	-	1	-	-	1	-	-	-	4	6	21	16	21	37	34	37	36	28	19	5	1	-
	FEMALE	144	1	1	1	-	-	-	1	1	3	3	4	8	8	10	9	22	29	29	9	2	3	-
	NONWHITE.....MALE..	159	1	1	1	-	-	1	-	1	3	11	5	20	18	18	14	27	19	11	5	3	-	-
	FEMALE	97	2	1	1	1	3	-	-	2	3	4	7	6	5	11	15	11	12	9	2	1	1	-
440-443	HYPERTENSIVE HEART DIS...	1,673	-	-	1	-	1	1	4	14	25	45	65	95	116	182	214	259	266	202	140	33	8	2
	WHITE.....MALE..	321	-	-	-	-	-	-	-	-	3	2	9	23	24	20	36	49	64	52	32	6	1	-
	FEMALE	396	-	-	1	-	1	-	-	-	-	4	6	9	9	26	35	69	84	73	66	11	2	-
	NONWHITE.....MALE..	450	-	-	-	-	-	-	2	10	8	18	21	24	41	66	73	63	55	39	21	7	1	1
	FEMALE	506	-	-	-	-	-	1	2	4	14	21	29	39	42	70	70	78	63	38	21	9	4	1
444-447	OTHER HYPERTENSIVE DIS...	293	-	-	-	-	-	-	3	7	11	21	21	23	22	27	27	32	35	25	25	12	2	-
	WHITE.....MALE..	60	-	-	-	-	-	-	1	-	-	3	5	2	5	4	8	8	8	3	11	1	1	-
	FEMALE	69	-	-	-	-	-	-	1	-	1	3	-	2	5	4	2	6	8	16	12	8	1	-
	NONWHITE.....MALE..	76	-	-	-	-	-	-	1	3	5	7	9	8	5	9	6	10	9	3	1	-	-	-
	FEMALE	88	-	-	-	-	-	-	-	4	5	8	7	11	7	10	11	8	10	3	1	3	-	-
450	GENERAL ARTERIOSCLEROSIS.	558	-	-	-	-	-	-	-	-	1	-	4	3	14	22	41	64	113	122	94	62	15	3
	WHITE.....MALE..	182	-	-	-	-	-	-	-	-	-	-	2	2	1	7	11	22	44	36	38	19	-	-
	FEMALE	206	-	-	-	-	-	-	-	-	-	-	1	-	4	7	8	13	37	55	47	28	6	-
	NONWHITE.....MALE..	92	-	-	-	-	-	-	-	-	-	-	-	1	5	2	13	15	20	18	4	8	3	3
	FEMALE	78	-	-	-	-	-	-	-	-	1	-	1	-	4	6	9	14	12	13	5	7	6	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	301	-	-	1	-	-	-	3	5	8	11	6	18	37	24	61	50	29	23	18	7	-	-
	WHITE.....MALE..	136	-	-	1	-	-	-	-	-	2	3	1	8	21	10	36	24	14	5	8	3	-	-
	FEMALE	82	-	-	-	-	-	-	1	2	1	2	2	4	5	4	10	15	14	10	8	4	-	-
	NONWHITE.....MALE..	45	-	-	-	-	-	-	-	2	2	2	3	6	5	4	9	6	-	5	1	-	-	-
	FEMALE	38	-	-	-	-	-	-	2	1	3	4	-	-	6	6	6	5	1	3	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	292	-	-	2	2	3	4	6	5	9	21	17	13	32	25	31	24	43	28	15	6	3	3
	WHITE.....MALE..	74	-	-	-	-	1	1	2	2	3	3	6	3	10	7	7	7	10	6	6	-	-	-
	FEMALE	72	-	-	-	2	1	2	-	-	1	2	1	2	8	2	10	5	11	16	4	4	1	-
	NONWHITE.....MALE..	68	-	-	1	-	-	-	-	1	3	11	4	5	5	9	7	5	11	2	1	1	1	1
	FEMALE	78	-	-	1	-	1	1	4	2	2	5	6	3	9	7	7	7	11	4	4	1	1	2
480-493	INFLUENZA AND PNEUMONIA, ETC.....	987	233	63	5	6	9	5	11	11	13	24	20	29	31	58	72	95	86	95	68	38	14	1
	WHITE.....MALE..	277	40	8	2	-	3	1	1	3	3	9	9	9	9	12	22	37	29	39	29	11	1	-
	FEMALE	231	24	13	-	1	3	-	3	4	2	7	3	3	3	16	13	19	29	34	28	21	5	-
	NONWHITE.....MALE..	255	80	27	3	3	1	2	4	2	5	3	3	11	13	17	19	22	13	16	3	4	4	-
	FEMALE	224	89	15	-	2	2	2	3	2	3	5	5	6	6	13	18	17	15	6	8	2	4	1
480-483	INFLUENZA.....	135	21	5	-	1	1	1	2	1	-	2	-	2	6	15	6	18	15	18	9	9	3	-
	WHITE.....MALE..	36	4	-	-	-	1	1	-	-	-	1	-	-	2	1	1	5	5	9	3	3	-	-
	FEMALE	33	-	2	-	-	-	-	2	-	-	-	-	-	-	5	-	6	3	6	4	5	-	-
	NONWHITE.....MALE..	32	9	1	-	1	-	-	-	1	-	-	-	-	2	7	-	2	3	2	1	1	2	-
	FEMALE	34	8	2	-	-	-	-	-	-	-	1	-	2	2	2	5	5	4	1	1	-	1	-
490-493	PNEUMONIA, ETC.....	852	212	58	5	5	8	4	9	10	13	22	20	27	25	43	66	77	71	77	59	29	11	1
	WHITE.....MALE..	241	36	8	2	-	2	-	1	3	3	8	9	9	7	11	21	32	24	30	26	8	1	-
	FEMALE	198	24	11	-	1	3	-	1	4	2	7	3	3	3	11	13	13	26	28	24	16	5	-
	NONWHITE.....MALE..	223	71	26	3	2	1	2	4	1	5	3	3	11	11	10	19	20	10	14	2	3	2	-
	FEMALE	190	81	13	-	2	2	2	3	2	3	4	5	4	4	11	13	12	11	5	7	2	3	1
500-502	BRONCHITIS.....	60	3	5	-	-	-	-	-	-	1	2	2	1	5	5	9	8	6	8	3	2	-	-
	WHITE.....MALE..	29	-	2	-	-	-	-	-	-	-	1	1	-	3	3	4	6	3	5	-	1	-	-
	FEMALE	12	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	1	2	1	-	-
	NONWHITE.....MALE..	13	1	3	-	-	-	-	-	-	-	1	1	1	2	-	-	2	-	1	1	-	-	-
	FEMALE	6	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	-	-	1	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	279	17	1	1	-	1	1	-	-	3	8	11	20	18	28	47	47	37	25	11	3	-	-
	WHITE.....MALE..	181	2	-	1	-	-	-	-	-	-	5	9	10	15	22	40	31	24	12	8	2	-	-
	FEMALE	49	3	1	-	-	-	1	-	-	2	1	1	5	2	-	4	8	9	10	1	1	-	-
	NONWHITE.....MALE..	34	6	-	-	-	-	-	-	-	1	1	-	5	1	3	3	7	2	3	2	-	-	-
	FEMALE	15	6	-	-	-	1	-	-	-	-	1	1	-	-	3	-	1	2	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	150	1	1	-	-	-	1	3	1	5	6	9	9	17	18	22	18	15	16	8	-	-	-
	WHITE.....MALE..	88	-	-	-	-	-	-	-	-	2	1	9	5	12	11	12	12	10	9	5	-	-	-
	FEMALE	26	-	-	-	-	-	1	1	-	2	2	-	1	2	-	4	2	5	4	2	-	-	-
	NONWHITE.....MALE..	28	1	-	-	-	-	-	2	1	1	2	-	2	1	6	5	4	-	3	-	-	-	-
	FEMALE	8	-	1	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	1	-	-	-
550-553	APPENDICITIS.....	33	-	-	-	2	4	1	-	1	4	1	1	1	1	4	7	-	2	-	4	-	-	-
	WHITE.....MALE..	18	-	-	-	1	1	1	-	1	2	-	-	1	1	1	7	-	1	-	1	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	FEMALE	8	-	-	-	-	3	-	-	-	2	-	1	-	-	1	-	-	-	-	1	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	178	11	2	-	1	-	-	1	1	4	5	7	16	7	8	17	37	31	19	7	3	-	1
	WHITE.....MALE..	62	5	1	-	1	-	-	-	1	1	3	1	3	5	3	6	11	12	7	2	-	-	-
	FEMALE	60	5	-	-	-	-	-	1	-	1	1	-	7	-	-	4	15	14	8	2	2	-	-
	NONWHITE.....MALE..	27	1	-	-	-	-	-	-	-	1	-	4	3	-	3	3	4	4	3	-	1	-	-
	FEMALE	29	-	1	-	-	-	-	-	-	1	1	2	3	2	2	4	7	1	1	3	-	-	1
543, 571, 572	GASTRITIS, ETC.....	185	96	19	1	1	-	2	2	-	1	2	5	2	6	7	5	8	16	6	4	2	-	-
	WHITE.....MALE..	31	7	3	-	-	-	-	1	-	1	1	1	2	1	2	2	3	4	2	-	1	-	-
	FEMALE	47	7	5	1	1	-	-	1	-	-	1	4	-	3	2	2	3	9	3	4	1	-	-
	NONWHITE.....MALE..	53	44	3	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	-	-	-
	FEMALE	54	38	8	-	-	-	2	-	-	-	-	-	-	1	3	-	-	1	1	-	-	-	-
581	CIRRHOSIS OF LIVER.....	193	-	2	-	1	1	3	4	3	7	17	26	29	32	17	21	8	10	9	3	-	-	-
	WHITE.....MALE..	96	-	2	-	-	1	1	2	-	3	8	13	15	17	9	11	3	7	2	2	-	-	-
	FEMALE	49	-	-	-	-	-	-	1	1	1	5	6	5	7	6	8	2	2	5	-	-	-	-
	NONWHITE.....MALE..	26	-	-	-	-	-	1	1	-	1	2	4	6	6	1	1	-	-	2	1	-	-	-
	FEMALE	22	-	-	-	1	-	1	-	2	2	2	3	3	2	1	1	3	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	80	-	-	-	-	-	-	-	1	2	1	4	5	4	9	9	16	11	12	4	2	-	-
	WHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	6	5	4	1	1	-	-
	FEMALE	43	-	-	-	-	-	-	-	-	-	1	1	3	2	6	4	10	5	7	3	1	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	1	1	2	-	3	-	-	1	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	30	1	3	1	2	-	-	4	1	-	3	-	1	1	2	3	1	3	2	2	-	-	-
	WHITE.....MALE..	12	-	1	-	1	-	-	3	-	-	1	-	1	-	1	2	1	-	-	1	-	-	-
	FEMALE	5	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	8	-	2	-	-	-	-	-	-	-	2	-	-	1	1	-	-	2	-	-	-	-	-
	FEMALE	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-
600	INFECTIONS OF KIDNEY.....	173	-	-	-	1	1	1	1	2	5	4	6	10	15	13	19	26	19	21	20	7	2	-
	WHITE.....MALE..	57	-	-	-	-	1	-	-	1	1	-	2	2	1	6	9	5	6	10	10	2	1	-
	FEMALE	55	-	-	-	1	-	1	1	1	2	-	2	2	6	4	2	11	6	2	10	4	-	-
	NONWHITE.....MALE..	35	-	-	-	-	-	-	-	-	-	3	1	3	4	-	7	4	6	5	-	1	1	-
	FEMALE	26	-	-	-	-	-	-	-	-	2	1	1	3	4	3	1	6	1	4	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	84	-	-	-	-	-	-	-	-	-	-	-	3	3	7	12	14	10	16	12	5	2	-
	WHITE.....MALE..	41	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	7	12	9	3	1	-
	NONWHITE.....MALE..	43	-	-	-	-	-	-	-	-	-	-	-	3	1	6	11	9	3	4	3	2	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALABAMA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	50	-	-	-	1	4	6	11	12	14	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	12	-	-	-	-	1	-	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	38	-	-	-	1	3	6	5	9	13	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	6	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	6	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	44	-	-	-	1	2	4	10	11	14	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	12	-	-	-	-	1	-	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	32	-	-	-	1	1	4	4	8	13	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	386	266	42	11	12	2	12	3	4	3	3	7	4	5	2	7	3	-	-	-	-	-	-
	WHITE.....MALE..	124	95	6	3	4	1	3	2	-	-	-	2	1	1	1	3	2	-	-	-	-	-	-
	FEMALE	145	95	19	3	5	-	2	-	2	3	2	4	2	3	1	4	-	-	-	-	-	-	-
	NONWHITE.....MALE..	65	42	7	3	1	1	5	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	52	34	10	2	2	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,314	1,313	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	436	435	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	268	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	350	350	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	459	459	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	717	716	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	219	218	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	1,461	246	28	10	5	10	6	14	23	37	44	77	92	106	124	125	157	113	110	61	39	29	5
	WHITE.....MALE..	334	33	1	2	-	1	1	3	4	9	8	20	23	38	38	34	40	32	26	13	8	-	-
	FEMALE	193	21	6	-	-	-	-	3	2	4	5	9	7	4	9	9	29	21	30	13	11	10	-
	NONWHITE.....MALE..	486	115	7	4	2	6	3	2	6	8	13	28	32	34	47	41	49	30	26	16	9	5	3
	FEMALE	448	77	14	4	3	3	2	6	11	16	18	20	30	30	30	41	39	30	28	19	11	14	2
RESIDUAL	ALL OTHER DISEASES.	973	50	39	18	12	19	22	22	23	36	59	58	67	60	79	110	102	80	58	36	12	10	1
	WHITE.....MALE..	344	19	8	10	3	5	9	4	3	13	20	22	30	21	30	39	41	31	20	10	5	1	-
	FEMALE	288	12	9	4	6	1	4	4	5	7	15	11	10	20	21	35	37	31	23	19	7	7	-
	NONWHITE.....MALE..	170	8	13	2	2	4	4	6	4	9	14	9	15	9	17	17	13	10	9	5	-	-	-
	FEMALE	171	11	9	2	1	9	5	8	11	7	10	16	12	10	11	19	11	8	6	2	-	2	1
E800-E962	ACCIDENTS	2,186	101	123	79	93	193	162	133	135	136	144	140	129	102	90	98	85	65	83	53	23	15	4
	WHITE.....MALE..	1,009	18	30	22	37	103	103	72	80	71	76	85	64	57	41	47	26	27	20	18	6	6	-
	FEMALE	426	14	29	17	14	34	20	16	22	21	28	9	21	18	15	16	28	12	43	30	14	5	-
	NONWHITE.....MALE..	519	37	35	23	33	49	33	39	30	34	28	36	37	14	24	20	19	14	7	2	1	1	3
	FEMALE	232	32	29	17	9	7	6	6	3	10	12	10	7	13	10	15	12	12	13	3	2	3	1
E810-E835	MOTOR VEHICLE ACCIDENTS.	999	3	30	36	33	118	109	89	71	71	86	75	65	56	45	42	29	28	5	6	1	-	1
	WHITE.....MALE..	553	3	6	13	13	67	75	52	46	40	42	51	31	34	21	22	14	16	2	5	-	-	-
	FEMALE	201	-	14	8	9	32	18	14	13	14	21	6	10	14	11	4	7	3	1	1	1	-	-
	NONWHITE.....MALE..	195	-	9	9	9	16	13	23	11	14	18	12	19	7	8	10	7	7	2	-	-	-	1
	FEMALE	50	-	1	6	2	3	3	-	1	3	5	6	5	1	5	6	1	2	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	1,187	98	93	43	60	75	53	44	64	65	58	65	64	46	45	56	56	37	78	47	22	15	3
	WHITE.....MALE..	456	15	24	9	24	36	28	20	34	31	34	34	33	23	20	25	12	11	18	13	6	6	-
	FEMALE	225	14	15	9	5	2	2	2	9	7	7	3	11	4	4	12	21	9	42	29	13	5	-
	NONWHITE.....MALE..	324	37	26	14	24	33	20	16	19	20	10	24	18	7	16	10	12	7	5	2	1	1	2
	FEMALE	182	32	28	11	7	4	3	6	2	7	7	4	2	12	5	9	11	10	13	3	2	3	1
E963, E970-E979	SUICIDE	286	...	...	-	1	10	14	20	21	19	31	32	42	31	12	14	16	7	11	3	1	-	1
	WHITE.....MALE..	219	...	...	-	1	8	7	15	16	11	24	27	33	22	10	10	14	7	9	3	1	-	1
	FEMALE	41	...	...	-	-	1	3	3	5	4	4	4	4	7	1	1	2	-	2	-	-	-	-
	NONWHITE.....MALE..	20	...	...	-	-	1	3	-	-	4	2	-	4	2	1	3	-	-	-	-	-	-	-
	FEMALE	6	...	...	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	361	1	1	2	7	21	48	46	47	43	32	33	26	26	13	7	3	3	-	1	-	-	1
	WHITE.....MALE..	99	-	-	2	1	5	10	7	8	14	14	11	10	13	1	2	1	-	-	-	-	-	-
	FEMALE	27	-	-	-	4	-	2	4	4	1	5	1	2	-	1	-	-	2	-	1	-	-	-
	NONWHITE.....MALE..	192	-	1	-	2	14	32	29	28	18	9	19	13	12	10	4	-	1	-	-	-	-	-
	FEMALE	43	1	-	-	-	2	4	6	7	10	4	2	1	1	1	1	2	-	-	-	-	-	1

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA																							
	ALL CAUSES.....	1,303	262	58	22	15	24	38	35	41	52	59	71	78	94	87	78	78	79	65	44	15	8	-
	WHITE.....MALE..	624	75	10	2	4	11	22	12	24	28	31	32	49	55	56	45	45	51	36	25	9	2	-
	FEMALE	210	39	5	6	4	4	3	7	5	9	14	18	19	11	13	10	11	9	13	5	5	-	-
	NONWHITE.....MALE..	272	81	19	7	5	5	10	12	8	9	6	15	8	15	15	14	18	7	7	6	1	4	-
	FEMALE	197	67	24	7	2	4	3	4	4	6	8	6	2	13	3	9	4	12	9	8	-	2	-
001-019	TUBERCULOSIS, ALL FORMS..	19	-	1	-	-	1	-	1	1	2	2	-	-	1	3	2	1	1	2	1	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	10	-	1	-	-	1	-	1	1	1	1	-	-	-	2	-	-	1	-	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	17	-	-	-	-	-	-	1	1	2	2	-	-	1	3	2	1	1	2	1	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	1	1	1	1	-	-	-	2	-	-	1	-	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	11	3	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	2	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	12	6	2	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	4	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	122	1	-	1	2	1	1	1	-	5	7	10	11	19	17	13	7	12	7	4	3	-	-
	WHITE.....MALE..	58	-	-	-	-	1	-	-	-	1	2	3	8	12	11	4	2	7	3	2	2	-	-
	FEMALE	35	-	-	1	1	-	1	-	-	2	4	3	3	5	4	2	1	3	3	1	1	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	1	-	-	1	2	-	-	1	3	4	1	-	-	-	-	-
	FEMALE	16	1	-	-	1	-	-	-	-	2	-	2	-	2	1	4	-	1	1	1	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	43	-	-	-	-	-	-	1	-	1	1	2	4	3	5	7	4	8	4	1	2	-	-
	WHITE.....MALE..	23	-	-	-	-	-	-	-	-	1	-	-	3	2	4	4	1	4	2	-	2	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	1	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	1	-	-	1	1	-	-	-	3	2	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	17	-	-	-	-	-	-	-	-	-	1	2	3	5	3	1	-	1	-	1	-	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	1	3	5	3	-	-	1	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	8	-	-	-	1	-	-	-	-	2	1	-	-	1	-	2	-	-	-	1	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	23	-	-	-	-	-	-	-	-	1	1	6	-	5	3	1	2	2	2	-	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	1	2	1	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	11	1	-	1	-	1	1	-	-	-	2	-	2	1	-	-	-	-	1	-	1	-	-
	WHITE.....MALE..	4	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	6	-	-	-	1	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	6	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	8	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	2	1	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	417	5	1	-	-	1	-	6	5	16	16	21	33	47	49	37	54	44	41	25	9	7	-
	WHITE.....MALE..	246	2	-	-	-	-	-	-	2	10	9	11	18	28	30	23	36	31	24	15	5	2	-
	FEMALE	72	-	-	-	-	1	-	3	2	2	5	2	10	6	8	5	8	4	8	4	4	-	-
	NONWHITE.....MALE..	60	3	-	-	-	-	-	1	1	3	-	5	3	7	9	6	9	3	4	2	-	4	-
	FEMALE	39	-	1	-	-	-	-	2	-	1	2	3	2	6	2	3	1	6	5	4	-	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	409	5	1	-	-	1	-	5	5	16	16	20	32	45	48	37	54	42	41	25	9	7	-
	WHITE.....MALE..	240	2	-	-	-	-	-	-	2	10	9	10	17	27	29	23	36	29	24	15	5	2	-
	FEMALE	70	-	-	-	-	1	-	2	2	2	5	2	10	5	8	5	8	4	8	4	4	-	-
	NONWHITE.....MALE..	60	3	-	-	-	-	-	1	1	3	-	5	3	7	9	6	9	3	4	2	-	4	-
	FEMALE	39	-	1	-	-	-	-	2	-	1	2	3	2	6	2	3	1	6	5	4	-	1	-
330-334	VASCULAR LESIONS, ETC.	106	2	-	-	-	-	-	2	1	5	2	5	6	13	13	4	18	14	9	10	1	1	-
	WHITE.....MALE..	48	1	-	-	-	-	-	-	-	3	1	2	2	5	3	2	11	7	6	5	-	-	-
	FEMALE	21	-	-	-	-	-	-	1	1	1	1	2	3	-	4	1	4	1	-	1	1	-	-
	NONWHITE.....MALE..	20	1	-	-	-	-	-	-	-	1	-	-	1	3	5	1	3	2	1	1	-	1	-
	FEMALE	17	-	-	-	-	-	-	1	-	-	-	1	-	5	1	-	-	4	2	3	-	-	-
400-402, 410-443	DISEASES OF HEART	268	3	1	-	-	-	-	3	4	11	12	14	26	31	35	32	33	19	25	11	3	5	-
	WHITE.....MALE..	167	1	-	-	-	-	-	-	2	7	8	8	15	21	26	20	22	14	15	6	1	1	-
	FEMALE	41	-	-	-	-	-	-	1	1	1	2	-	7	5	4	4	4	2	5	3	2	-	-
	NONWHITE.....MALE..	40	2	-	-	-	-	-	1	1	2	-	5	2	4	4	5	6	1	3	1	-	3	-
	FEMALE	20	-	1	-	-	-	-	1	-	1	2	1	2	1	1	3	1	2	2	1	-	1	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	12	-	-	-	-	-	-	2	-	3	2	-	-	1	2	1	-	-	1	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	196	-	-	-	-	-	-	1	3	6	8	12	24	25	29	23	23	15	14	8	1	4	-
	WHITE.....MALE..	129	-	-	-	-	-	-	-	2	6	5	6	14	18	23	14	17	12	7	4	-	1	-
	FEMALE	33	-	-	-	-	-	-	1	1	-	2	-	7	5	2	3	2	2	4	3	1	-	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	5	2	1	3	4	3	-	2	1	-	2	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	1	1	-	-	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	1	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	37	3	1	-	-	-	-	-	1	1	2	1	-	4	4	6	6	1	5	1	1	-	-
	WHITE.....MALE..	20	1	-	-	-	-	-	-	-	-	2	1	-	2	2	5	3	-	3	-	1	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	2	-	-	-	-	-	-	1	1	-	-	-	2	1	1	3	1	1	-	-	-	-
	FEMALE	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
440-443	HYPERTENSIVE HEART DIS.	13	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	3	1	2	1	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	28	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	9	6	4	5	1	-
	WHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	8	2	4	4	1	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	4	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	8	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	-	2	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	66	30	12	3	-	1	-	-	2	-	2	1	-	2	1	3	2	2	2	3	-	-	-
	WHITE.....MALE..	16	5	1	-	-	1	-	-	-	-	-	1	-	1	1	2	1	-	1	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE..	28	16	6	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	1	-	-	-
	FEMALE	20	9	5	2	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	8	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	58	26	11	3	-	1	-	-	2	-	1	1	-	2	1	3	1	2	1	3	-	-	-
	WHITE.....MALE..	15	5	1	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	1	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE..	23	13	5	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-
	FEMALE	18	8	5	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	16	2	-	-	-	1	-	-	-	-	-	-	1	-	4	4	1	-	1	2	-	-	-
	WHITE.....MALE..	10	1	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	1	2	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	1	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	7	-	-	-	-	-	-	-	-	-	2	1	2	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	2	1	1	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	15	9	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	24	-	1	-	-	-	-	-	1	1	-	9	8	-	1	2	-	1	-	-	-	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	1	-	4	6	-	1	1	-	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	5	2	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ALASKA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	3	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	23	20	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	11	10	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	46	9	3	-	-	-	-	-	1	-	-	3	3	3	1	2	4	4	5	4	3	1	-
	WHITE.....MALE..	17	1	-	-	-	-	-	-	-	-	-	2	2	2	1	1	2	2	-	2	2	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	12	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	2	-	1	-	-
	FEMALE	16	3	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	3	2	-	1	-
RESID-UAL	ALL OTHER DISEASES.	59	12	4	4	-	4	-	1	-	1	3	2	1	6	4	4	4	5	1	3	-	-	-
	WHITE.....MALE..	18	-	1	-	-	1	-	-	-	1	2	-	-	3	2	2	1	3	1	1	-	-	-
	FEMALE	12	5	-	1	-	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	14	4	2	1	-	-	-	-	-	-	-	-	-	3	1	1	1	-	-	1	-	-	-
	FEMALE	15	3	1	2	-	3	-	-	-	-	-	1	-	-	-	1	1	2	-	1	-	-	-
E800-E962	ACCIDENTS.	233	16	19	13	13	10	26	22	27	19	17	14	13	7	5	2	3	4	3	-	-	-	-
	WHITE.....MALE..	126	4	6	2	4	7	17	10	21	13	10	7	10	3	4	2	2	2	2	-	-	-	-
	FEMALE	32	5	3	4	3	1	1	2	1	2	3	5	1	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	58	5	5	5	5	2	8	8	5	3	3	2	2	2	1	-	-	2	-	-	-	-	-
	FEMALE	17	2	5	2	1	-	-	2	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	42	-	1	4	5	2	8	4	5	4	2	4	1	1	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	27	-	-	1	3	2	7	3	5	2	-	2	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	8	-	-	1	2	-	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	-	1	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	191	16	18	9	8	8	18	18	22	15	15	10	12	6	5	2	3	3	3	-	-	-	-
	WHITE.....MALE..	99	4	6	1	1	5	10	7	16	11	10	5	9	3	4	2	2	1	2	-	-	-	-
	FEMALE	24	5	3	3	1	1	1	2	1	-	2	3	1	1	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	52	5	4	4	5	2	7	7	5	3	2	2	2	1	1	-	-	2	-	-	-	-	-
	FEMALE	16	2	5	1	1	-	-	2	-	1	1	-	-	2	-	-	1	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	37	...	...	-	-	1	6	4	2	4	6	4	5	1	-	2	1	-	1	-	-	-	-
	WHITE.....MALE..	20	...	...	-	-	-	3	2	1	2	5	1	3	1	-	1	1	-	1	-	-	-	-
	FEMALE	10	...	...	-	-	-	1	1	-	2	-	2	2	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	6	...	...	-	-	1	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	10	-	-	-	-	1	2	-	-	2	1	3	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA																							
	ALL CAUSES	11,177	1,079	213	96	76	146	155	157	182	243	350	480	732	806	965	1,237	1,293	1,190	908	543	230	73	23
	WHITE.....MALE	6,254	457	77	50	36	94	82	88	82	128	193	293	443	513	616	788	791	677	467	241	98	28	12
	FEMALE	3,636	315	48	30	27	31	35	31	55	76	108	138	210	231	269	367	408	441	412	261	104	38	1
	NONWHITE.....MALE	759	179	39	9	8	14	28	25	24	28	26	27	48	35	53	48	61	47	16	23	11	4	6
	FEMALE	528	128	49	7	5	7	10	13	21	11	23	22	31	27	27	34	33	25	13	18	17	3	4
001-019	TUBERCULOSIS, ALL FORMS	146	2	1	1	-	-	1	3	7	5	13	7	22	17	15	17	18	9	2	3	2	-	1
	WHITE.....MALE	78	1	1	-	-	-	-	2	-	1	7	4	11	12	9	13	9	5	2	-	-	-	1
	FEMALE	24	-	-	-	-	-	-	-	2	1	4	1	4	4	1	1	5	1	-	-	-	-	-
	NONWHITE.....MALE	26	1	-	-	-	-	-	-	1	3	-	2	4	1	4	1	3	3	-	2	1	-	-
	FEMALE	18	-	-	1	-	-	1	1	4	-	2	-	3	-	1	2	1	-	-	1	1	-	-
001-008	RESPIRATORY TUBERCULOSIS	136	2	1	-	-	-	1	2	6	5	13	7	19	17	14	15	18	9	1	3	2	-	1
	WHITE.....MALE	73	1	1	-	-	-	-	2	-	1	7	4	9	12	9	11	9	5	1	-	-	-	1
	FEMALE	24	-	-	-	-	-	-	-	2	1	4	1	4	4	1	1	5	1	-	-	-	-	-
	NONWHITE.....MALE	25	1	-	-	-	-	-	-	1	3	-	2	3	1	4	1	3	3	-	2	1	-	-
	FEMALE	14	-	-	-	-	-	1	-	3	-	2	-	3	-	-	2	1	-	-	1	1	-	-
010-019	TUBERCULOSIS, OTHER FORMS	10	-	-	1	-	-	-	1	1	-	-	-	3	-	1	2	-	-	1	-	-	-	-
	WHITE.....MALE	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	24	-	-	-	-	-	-	1	-	1	1	-	1	5	4	3	4	3	-	1	-	-	-
	WHITE.....MALE	12	-	-	-	-	-	-	1	-	-	1	-	1	4	1	1	2	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	NONWHITE.....MALE	5	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
045-048	DYSENTERY, ALL FORMS	21	9	8	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	WHITE.....MALE	8	3	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050-051	SCARLET FEVER AND STREP. SORE THROAT	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	7	2	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	13	5	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	64	9	6	6	-	4	1	4	5	1	1	4	4	2	4	4	3	2	2	2	-	-	-
	WHITE.....MALE	31	5	2	2	-	2	1	3	2	-	-	3	2	2	3	1	2	-	1	-	-	-	-
	FEMALE	21	1	3	2	-	1	-	-	2	1	1	1	1	-	-	3	1	1	1	2	-	-	-
	NONWHITE.....MALE	8	2	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	4	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA—CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	1,661	2	11	15	12	15	3	8	14	39	57	89	155	176	206	252	238	193	108	46	19	3	-
	WHITE.....MALE..	879	-	4	5	5	11	3	2	7	10	29	42	74	96	120	133	135	110	61	19	12	1	-
	FEMALE	684	2	5	7	6	4	-	5	6	22	24	43	69	71	74	107	90	75	42	24	6	2	-
	NONWHITE.....MALE..	53	-	1	3	1	-	-	-	1	2	2	2	5	5	5	6	9	4	4	3	-	-	-
	FEMALE	45	-	1	-	-	-	-	1	-	5	2	2	7	4	7	6	4	4	1	-	1	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	27	-	-	-	-	-	-	-	-	-	1	3	1	2	4	5	3	3	1	2	2	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	1	1	-	4	3	1	2	1	-	2	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	1	-	2	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	532	-	-	-	-	-	-	2	4	5	12	20	41	53	55	92	86	80	47	28	6	1	-
	WHITE.....MALE..	259	-	-	-	-	-	-	1	1	2	4	11	23	30	24	42	43	41	21	11	4	1	-
	FEMALE	233	-	-	-	-	-	-	-	3	2	6	8	16	19	25	44	36	35	23	14	2	-	-
	NONWHITE.....MALE..	26	-	-	-	-	-	-	-	-	-	1	-	1	3	4	4	5	3	2	3	-	-	-
	FEMALE	14	-	-	-	-	-	-	1	-	1	1	1	1	1	2	2	2	1	1	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	321	-	-	-	1	-	-	1	2	5	16	17	34	44	58	55	49	23	13	-	3	-	-
	WHITE.....MALE..	270	-	-	-	1	-	-	-	2	2	13	15	27	38	54	46	43	15	12	-	2	-	-
	FEMALE	39	-	-	-	-	-	-	1	-	2	3	1	5	5	4	6	4	7	1	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	2	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-
170	OF BREAST	124	-	-	-	-	-	-	-	-	6	6	13	19	15	15	19	14	6	4	5	1	1	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	FEMALE	117	-	-	-	-	-	-	-	-	5	5	12	18	15	15	19	13	5	4	4	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-
171-179	OF GENITAL ORGANS	235	-	-	-	-	-	-	3	-	10	6	12	19	25	28	25	45	33	22	4	3	-	-
	WHITE.....MALE..	104	-	-	-	-	-	-	-	-	1	1	1	3	2	11	10	29	24	16	4	2	-	-
	FEMALE	114	-	-	-	-	-	-	3	-	6	5	11	13	22	14	13	14	7	5	-	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	3	-	-	3	1	3	1	1	2	-	-	-	-	-
180, 181	OF URINARY ORGANS	80	-	-	-	-	1	-	-	-	-	3	1	8	8	9	15	11	12	8	3	1	-	-
	WHITE.....MALE..	52	-	-	-	-	1	-	-	-	-	2	1	5	6	7	10	4	8	5	2	1	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	3	-	1	5	7	4	3	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	174	-	5	8	4	6	2	2	4	5	4	13	18	21	14	23	12	19	9	2	2	1	-
	WHITE.....MALE..	91	-	2	3	1	5	2	1	2	2	2	9	8	14	8	13	4	10	4	1	-	-	-
	FEMALE	74	-	2	4	3	1	-	1	1	2	2	4	9	7	5	9	6	9	5	1	2	1	-
	NONWHITE.....MALE..	6	-	1	1	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	82	1	3	6	6	3	-	-	1	3	4	6	7	4	8	8	6	11	3	1	1	-	-
	WHITE.....MALE..	47	-	-	2	2	3	-	-	-	-	3	4	4	3	5	5	6	7	2	-	1	-	-
	FEMALE	30	1	3	2	3	-	-	-	1	3	1	2	2	1	3	3	-	4	-	1	-	-	-
	NONWHITE.....MALE..	4	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	86	1	3	1	1	5	1	-	3	5	5	4	8	4	15	10	12	6	1	1	-	-	-
	WHITE.....MALE..	39	-	2	-	1	2	1	-	2	3	4	-	3	3	7	4	4	3	-	-	-	-	-
	FEMALE	43	1	-	1	-	3	-	-	1	2	1	4	3	1	7	6	8	3	1	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	45	2	1	1	2	1	-	2	1	1	6	6	2	3	3	7	3	1	1	1	1	-	-
	WHITE.....MALE..	24	1	1	1	2	-	-	2	-	1	3	2	1	1	2	4	1	-	1	-	1	-	-
	FEMALE	18	1	-	-	-	1	-	-	1	-	3	4	-	1	1	2	2	1	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
241	ASTHMA	115	-	-	1	-	1	2	1	2	3	2	7	13	17	19	17	15	6	7	1	-	1	-
	WHITE.....MALE..	78	-	-	1	-	-	-	1	-	2	-	4	6	13	11	14	13	6	7	-	-	-	-
	FEMALE	32	-	-	-	-	1	2	-	2	1	2	2	6	4	6	3	1	-	-	1	-	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
260	DIABETES MELLITUS	155	-	-	-	1	1	2	3	1	3	7	5	10	8	14	24	22	34	7	9	3	1	-
	WHITE.....MALE..	70	-	-	-	-	1	1	1	1	2	2	1	4	5	6	11	8	17	4	6	-	-	-
	FEMALE	65	-	-	-	1	-	1	1	-	-	3	2	5	2	7	11	11	15	1	3	1	1	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	1	-	1	1	-	-	1	1	2	2	1	1	-	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	1	1	1	-	1	-	-
290-293	ANEMIAS	26	1	2	4	1	-	2	2	1	-	-	1	2	-	1	2	3	2	1	-	1	-	-
	WHITE.....MALE..	8	-	-	2	-	-	-	1	-	-	-	-	1	-	-	1	3	-	-	-	-	-	-
	FEMALE	16	1	2	2	1	-	1	1	-	-	-	1	1	-	1	1	-	2	1	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	33	16	5	-	2	1	-	-	-	-	-	-	2	-	2	1	3	-	1	-	-	-	-
	WHITE.....MALE..	15	2	3	-	1	1	-	-	-	-	-	-	2	-	2	1	2	-	1	-	-	-	-
	FEMALE	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	4,806	6	3	3	5	4	3	12	21	51	96	166	294	354	454	660	759	721	630	366	145	50	3
	WHITE.....MALE..	2,833	6	1	2	1	1	-	2	9	28	55	119	197	232	302	437	481	402	309	168	59	20	2
	FEMALE	1,699	-	-	-	2	3	2	10	9	19	29	32	71	97	126	187	238	286	309	180	73	26	-
	NONWHITE.....MALE..	149	-	1	1	1	-	1	-	2	3	4	5	17	14	15	19	23	21	6	9	5	1	1
	FEMALE	125	-	1	-	1	-	-	-	1	1	8	10	9	11	11	17	17	12	6	9	8	3	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	4,741	6	3	3	3	3	3	12	19	46	95	163	284	345	447	649	754	716	628	364	145	50	3
	WHITE.....MALE..	2,799	6	1	2	-	1	-	2	8	26	54	117	192	226	299	431	478	399	309	167	59	20	2
	FEMALE	1,677	-	-	-	2	2	2	10	8	16	29	32	69	95	124	182	236	284	307	180	73	26	-
	NONWHITE.....MALE..	144	-	1	1	1	-	1	-	2	3	4	5	15	13	14	19	23	21	6	8	5	1	1
	FEMALE	121	-	1	-	-	-	-	-	1	1	8	9	8	11	10	17	17	12	6	9	8	3	-
330-334	VASCULAR LESIONS, ETC.	919	3	3	1	-	1	1	1	2	4	19	23	34	60	59	109	147	155	152	97	35	12	1
	WHITE.....MALE..	453	3	1	1	-	-	-	-	-	1	6	10	14	28	31	67	91	74	67	41	13	4	1
	FEMALE	403	-	-	-	-	1	1	1	2	3	9	8	16	25	23	32	45	73	83	54	19	8	-
	NONWHITE.....MALE..	28	-	1	-	-	-	-	-	-	-	1	1	1	4	3	5	6	4	2	-	-	-	-
	FEMALE	35	-	1	-	-	-	-	-	-	-	3	4	3	3	2	5	5	4	-	2	3	-	-
400-402, 410-443	DISEASES OF HEART	3,434	3	-	2	2	1	1	7	13	38	66	133	236	265	363	508	550	504	398	226	84	32	2
	WHITE.....MALE..	2,146	3	-	1	-	-	-	2	7	24	47	103	169	182	252	346	354	294	208	110	33	10	1
	FEMALE	1,111	-	-	-	1	1	-	5	4	11	15	21	49	69	92	139	169	189	183	103	42	18	-
	NONWHITE.....MALE..	107	-	-	1	1	-	1	-	2	3	2	4	13	9	11	12	16	15	3	7	5	1	1
	FEMALE	70	-	-	-	-	-	-	-	-	-	2	5	5	5	8	11	11	6	4	6	4	3	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	124	-	-	2	2	-	1	2	9	7	12	16	17	15	8	13	13	4	2	1	-	-	-
	WHITE.....MALE..	53	-	-	1	-	-	-	-	4	3	8	9	8	2	4	5	6	1	1	1	-	-	-
	FEMALE	60	-	-	-	1	-	-	2	4	4	4	5	8	12	2	8	6	3	1	-	-	-	-
	NONWHITE.....MALE..	9	-	-	1	1	-	1	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	2,730	-	-	-	-	1	-	2	4	25	47	102	190	217	287	415	457	401	312	179	67	23	1
	WHITE.....MALE..	1,792	-	-	-	-	-	-	2	3	19	35	85	143	162	216	290	300	234	175	91	28	8	1
	FEMALE	828	-	-	-	-	1	-	-	-	5	8	15	33	45	66	111	136	150	133	79	32	14	-
	NONWHITE.....MALE..	70	-	-	-	-	-	-	-	1	1	2	2	9	6	2	9	12	15	1	5	4	1	-
	FEMALE	40	-	-	-	-	-	-	-	-	-	2	-	5	4	3	5	9	2	3	4	3	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	197	-	-	-	-	-	-	-	-	2	3	5	5	8	25	30	27	29	29	19	11	3	1
	WHITE.....MALE..	114	-	-	-	-	-	-	-	-	2	2	4	4	2	16	20	17	19	13	11	2	2	-
	FEMALE	69	-	-	-	-	-	-	-	-	-	1	-	1	5	7	8	7	10	15	7	8	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	1
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	1	1	1	-
430-434	OTHER DISEASES OF HEART	132	3	-	-	-	-	-	3	-	1	2	3	11	9	15	16	17	18	15	13	3	3	-
	WHITE.....MALE..	73	3	-	-	-	-	-	-	-	-	2	2	7	7	6	12	13	12	3	3	3	-	-
	FEMALE	47	-	-	-	-	-	-	3	-	1	-	1	3	2	6	3	4	5	10	7	-	2	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	2	2	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
440-443	HYPERTENSIVE HEART DIS.	251	-	-	-	-	-	-	-	-	3	2	7	13	16	28	34	36	52	40	14	3	3	-
	WHITE.....MALE..	114	-	-	-	-	-	-	-	-	-	-	3	7	9	10	19	18	28	16	4	-	-	-
	FEMALE	107	-	-	-	-	-	-	-	-	1	2	-	4	5	11	9	16	21	24	10	2	2	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	2	-	1	2	1	5	1	-	-	-	-	1	-	-
	FEMALE	17	-	-	-	-	-	-	-	-	-	-	3	-	1	2	5	2	3	-	-	-	1	-
444-447	OTHER HYPERTENSIVE DIS.	74	-	-	-	-	-	-	1	-	1	5	2	2	2	3	6	18	13	7	8	5	1	-
	WHITE.....MALE..	37	-	-	-	-	-	-	-	-	-	1	2	-	1	1	4	12	7	2	3	3	1	-
	FEMALE	29	-	-	-	-	-	-	1	-	-	1	-	2	-	2	2	4	6	4	5	2	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	172	-	-	-	-	-	-	-	-	1	-	2	-	3	6	13	15	25	55	29	18	5	-
	WHITE.....MALE..	86	-	-	-	-	-	-	-	-	1	-	1	-	3	4	9	8	10	25	11	9	5	-
	FEMALE	79	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	7	12	29	18	8	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	142	-	-	-	1	1	1	3	4	2	5	3	12	15	16	13	24	19	16	4	3	-	-
	WHITE.....MALE..	77	-	-	-	-	1	-	-	1	-	-	1	9	12	11	5	13	14	7	2	1	-	-
	FEMALE	55	-	-	-	1	-	1	3	2	2	4	2	2	1	5	7	11	4	8	-	2	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	1	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA—CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	65	-	-	-	2	1	-	-	2	5	1	3	10	9	7	11	5	5	2	2	-	-	-
	WHITE.....MALE..	34	-	-	-	1	-	-	-	1	2	1	2	5	6	3	6	3	3	-	1	-	-	-
	FEMALE	22	-	-	-	-	1	-	-	1	3	-	-	2	2	2	5	2	2	2	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	420	107	29	5	3	4	-	3	5	3	13	14	19	17	16	20	28	39	41	27	22	4	1
	WHITE.....MALE..	200	43	5	2	1	3	-	2	4	3	6	8	13	9	11	14	15	20	19	14	7	1	-
	FEMALE	131	26	4	2	2	1	-	-	-	-	3	3	4	6	2	4	11	15	20	12	13	3	-
	NONWHITE.....MALE..	48	18	12	-	-	-	-	-	-	-	4	2	1	-	2	2	1	4	1	-	-	-	1
	FEMALE	41	20	8	1	-	-	-	1	1	-	-	1	1	2	1	-	1	-	1	1	2	-	-
480-483	INFLUENZA.....	17	1	1	2	1	1	-	-	-	-	-	-	2	1	1	-	2	1	3	1	-	-	-
	WHITE.....MALE..	9	1	1	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	1	1	-	-	-
	FEMALE	6	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	403	106	28	3	2	3	-	3	5	3	13	14	17	16	15	20	26	38	38	26	22	4	1
	WHITE.....MALE..	191	42	4	2	-	2	-	2	4	3	6	8	11	9	10	14	15	20	18	13	7	1	-
	FEMALE	125	26	4	-	2	1	-	-	-	-	3	3	4	6	2	4	10	14	18	12	13	3	-
	NONWHITE.....MALE..	48	18	12	-	-	-	-	-	-	-	4	2	1	-	2	2	1	4	1	-	-	-	1
	FEMALE	39	20	8	1	-	-	-	1	1	-	-	1	1	1	1	-	-	-	1	1	2	-	-
500-502	BRONCHITIS.....	71	4	-	1	-	-	-	-	2	1	1	1	7	6	16	14	5	7	2	1	3	-	-
	WHITE.....MALE..	51	1	-	1	-	-	-	-	-	-	1	-	6	5	11	11	4	7	1	-	3	-	-
	FEMALE	18	2	-	-	-	-	-	-	2	1	-	1	1	-	5	3	1	-	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
525-527	DT. BRONCHOPULMONIC DIS..	356	4	1	1	2	1	1	-	4	7	8	19	30	46	56	67	49	34	14	8	2	2	-
	WHITE.....MALE..	281	1	-	-	1	-	1	-	1	4	2	14	24	39	43	59	44	30	10	5	2	1	-
	FEMALE	62	1	-	1	1	1	-	-	3	3	5	4	6	6	8	7	4	4	4	3	-	1	-
	NONWHITE.....MALE..	12	2	1	-	-	-	-	-	-	-	-	1	-	1	5	1	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	72	-	-	-	-	-	-	1	2	1	2	3	6	5	8	14	10	14	1	4	1	-	-
	WHITE.....MALE..	45	-	-	-	-	-	-	-	1	1	-	2	2	3	5	11	8	7	1	3	1	-	-
	FEMALE	21	-	-	-	-	-	-	-	1	-	1	1	3	2	2	2	2	6	-	1	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	9	-	-	1	-	1	-	-	-	-	-	-	-	-	3	1	-	2	-	1	-	-	-
	WHITE.....MALE..	6	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	55	8	-	-	-	-	-	-	-	1	3	1	2	1	3	7	7	8	7	5	2	-	-
	WHITE.....MALE..	28	3	-	-	-	-	-	-	-	1	-	1	2	-	2	4	4	5	4	1	1	-	-
	FEMALE	22	3	-	-	-	-	-	-	-	-	2	-	-	1	1	3	2	2	3	4	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	132	73	10	1	-	-	-	2	-	1	1	4	7	3	6	6	1	7	7	3	-	-	-
	WHITE.....MALE..	42	17	2	-	-	-	-	1	-	-	1	2	2	2	4	3	1	3	3	1	-	-	-
	FEMALE	33	14	-	-	-	-	-	-	-	-	-	-	4	1	2	3	-	4	4	1	-	-	-
	NONWHITE.....MALE..	36	28	3	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	21	14	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	167	-	-	-	-	-	2	5	7	12	18	26	21	25	16	7	8	7	9	-	1	1	2
	WHITE.....MALE..	102	-	-	-	-	-	-	2	1	6	13	14	12	17	11	7	3	6	8	-	-	-	2
	FEMALE	34	-	-	-	-	-	-	-	1	2	2	8	6	6	1	-	4	1	1	-	1	1	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	3	1	1	1	1	2	2	-	1	-	-	-	-	-	-
	FEMALE	19	-	-	-	-	-	2	3	2	3	2	3	2	-	2	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	46	-	-	-	-	-	-	-	2	2	-	2	6	1	2	6	7	7	7	1	3	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	1	1	-	-	2	-	1	3	4	2	1	-	2	-	-
	FEMALE	19	-	-	-	-	-	-	-	-	1	-	2	3	-	1	2	2	3	4	1	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	15	2	2	2	1	-	-	-	-	2	1	1	2	-	-	-	-	1	-	1	-	-	-
	WHITE.....MALE..	6	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	4	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	67	1	-	1	-	-	-	2	-	1	5	-	5	5	2	9	8	9	7	11	-	1	-
	WHITE.....MALE..	31	1	-	1	-	-	-	1	-	1	1	-	2	3	1	5	2	3	5	4	-	1	-
	FEMALE	20	-	-	-	-	-	-	1	-	-	2	-	1	2	1	1	2	4	2	4	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	1	2	-	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	6	3	3	1	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	3	1	1	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARIZONA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	13	-	-	-	-	-	2	-	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	8	-	-	-	-	-	1	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	5	-	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	4	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	9	-	-	-	-	-	2	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	197	135	17	3	6	5	4	1	1	3	8	5	3	1	3	1	-	-	1	-	-	-	-
	WHITE.....MALE..	87	56	10	1	4	4	1	1	-	2	3	1	1	1	1	-	-	-	1	-	-	-	-
	FEMALE	86	57	5	2	2	1	3	-	1	1	5	4	2	-	2	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	15	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	584	584	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	284	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	179	32	11	-	1	2	2	2	2	1	3	8	12	10	9	10	14	11	11	13	15	3	7
	WHITE.....MALE..	69	6	2	-	1	2	1	1	1	1	-	5	3	6	5	5	6	6	4	6	7	-	1
	FEMALE	26	4	2	-	-	-	-	-	-	-	1	2	4	-	-	2	3	1	2	2	2	1	-
	NONWHITE.....MALE..	49	13	4	-	-	-	-	-	1	-	2	-	5	3	2	2	2	4	1	3	2	2	3
	FEMALE	35	9	3	-	-	-	1	1	-	-	-	1	-	1	2	1	3	-	4	2	4	-	3
RESIDUAL	ALL OTHER DISEASES.	384	29	15	16	9	6	8	11	11	13	20	27	24	32	33	28	27	32	14	18	5	5	1
	WHITE.....MALE..	174	9	6	9	3	4	2	5	3	7	7	17	14	17	17	14	12	16	6	2	-	4	-
	FEMALE	131	7	1	5	3	2	3	2	7	4	8	6	5	10	11	11	9	11	8	12	5	1	-
	NONWHITE.....MALE..	48	8	2	-	1	-	3	3	1	2	3	3	2	2	5	3	5	3	-	1	-	-	1
	FEMALE	31	5	6	2	2	-	-	1	-	-	2	1	3	3	-	-	1	2	-	3	-	-	-
E800-E962	ACCIDENTS.	944	44	81	34	30	87	93	70	55	52	52	51	55	48	40	35	45	26	18	16	4	2	6
	WHITE.....MALE..	559	17	34	22	16	55	56	47	37	35	39	33	37	26	26	17	22	14	10	10	2	-	4
	FEMALE	205	13	25	8	8	14	14	7	6	7	8	12	11	13	9	9	15	9	8	6	1	1	1
	NONWHITE.....MALE..	125	7	9	3	4	11	19	12	8	9	4	5	7	5	4	7	7	2	-	-	1	1	-
	FEMALE	55	7	13	1	2	7	4	4	4	1	1	1	-	4	1	2	1	1	-	-	-	-	1
E810-E835	MOTOR VEHICLE ACCIDENTS.	443	8	28	19	12	63	61	37	26	23	19	29	19	28	23	16	14	11	4	2	-	-	1
	WHITE.....MALE..	253	2	8	11	4	40	34	24	14	15	13	21	11	16	15	6	7	6	4	2	-	-	-
	FEMALE	91	1	11	4	5	11	10	5	4	4	1	4	5	7	5	5	6	3	-	-	-	-	-
	NONWHITE.....MALE..	69	3	2	3	3	8	14	5	5	4	4	3	3	4	2	4	1	1	-	-	-	-	-
	FEMALE	30	2	7	1	-	4	3	3	3	-	1	1	-	1	1	1	-	1	-	-	-	-	1
E800-E802, E840-E962	OTHER ACCIDENTS.	501	36	53	15	18	24	32	33	29	29	33	22	36	20	17	19	31	15	14	14	4	2	5
	WHITE.....MALE..	306	15	26	11	12	15	22	23	23	20	26	12	26	10	11	11	15	8	6	8	2	-	4
	FEMALE	114	12	14	4	3	3	4	2	2	3	7	8	6	6	4	4	9	6	8	6	1	1	1
	NONWHITE.....MALE..	56	4	7	-	1	3	5	7	3	5	-	2	4	1	2	3	6	1	-	-	1	1	-
	FEMALE	25	5	6	-	2	3	1	1	1	1	-	-	-	3	-	1	1	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	223	...	...	-	-	5	11	15	16	27	20	25	24	18	20	15	10	9	5	1	-	-	2
	WHITE.....MALE..	160	...	...	-	-	3	4	6	8	15	18	18	22	16	14	13	8	9	4	-	-	-	2
	FEMALE	46	...	...	-	-	1	4	4	6	10	2	7	2	2	3	2	1	-	1	1	-	-	-
	NONWHITE.....MALE..	16	...	...	-	-	1	3	4	2	2	-	-	-	-	3	-	1	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	103	1	-	-	-	7	17	9	13	11	10	8	4	5	9	4	3	-	1	1	-	-	-
	WHITE.....MALE..	55	-	-	-	-	5	11	7	5	6	5	2	2	3	5	2	-	-	1	1	-	-	-
	FEMALE	18	-	-	-	-	1	4	-	1	1	1	2	1	2	3	-	2	-	-	-	-	-	-
	NONWHITE.....MALE..	23	-	-	-	-	1	1	2	4	3	4	4	1	-	1	1	1	-	-	-	-	-	-
	FEMALE	7	1	-	-	-	-	1	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS																							
	ALL CAUSES.....	18,859	1,207	222	118	108	161	176	149	189	283	406	611	915	1,204	1,551	2,076	2,543	2,536	2,215	1,439	601	146	3
	WHITE.....MALE..	8,649	446	71	42	48	83	82	83	86	107	187	314	476	610	760	1,008	1,175	1,166	990	632	232	50	1
	FEMALE	5,649	285	59	44	28	31	32	22	47	68	100	144	204	281	350	488	723	856	912	625	285	65	-
	NONWHITE.....MALE..	2,510	284	46	15	17	30	42	30	31	51	63	79	118	164	221	310	369	299	183	97	43	16	2
	FEMALE	2,051	192	46	17	15	17	20	14	25	57	56	74	117	149	220	270	276	215	130	85	41	15	-
001-019	TUBERCULOSIS, ALL FORMS..	177	3	2	-	-	2	1	3	7	11	11	4	19	13	15	19	18	21	14	9	5	-	-
	WHITE.....MALE..	69	-	1	-	-	-	-	-	3	3	3	1	11	4	5	8	7	10	6	4	3	-	-
	FEMALE	24	1	-	-	-	1	-	-	-	2	2	1	3	1	-	2	3	3	2	1	2	-	-
	NONWHITE.....MALE..	52	2	1	-	-	-	-	-	1	3	5	-	2	6	6	5	5	8	6	2	-	-	-
	FEMALE	32	-	-	-	-	1	1	3	3	3	1	2	3	2	4	4	3	-	-	2	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	169	2	1	-	-	2	1	3	7	11	11	3	18	12	13	19	18	21	13	9	5	-	-
	WHITE.....MALE..	67	-	-	-	-	-	-	-	3	3	3	1	11	4	4	8	7	10	6	4	3	-	-
	FEMALE	23	1	-	-	-	1	-	-	-	2	2	1	3	1	-	2	3	3	1	1	2	-	-
	NONWHITE.....MALE..	50	1	1	-	-	-	-	-	1	3	5	-	2	6	5	5	5	8	6	2	-	-	-
	FEMALE	29	-	-	-	-	1	1	3	3	3	1	1	2	1	4	4	3	-	-	2	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	8	1	1	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	1	-	-	-	-
	WHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	39	-	-	-	-	1	-	-	1	1	1	1	5	2	3	8	7	5	-	3	1	-	-
	WHITE.....MALE..	17	-	-	-	-	1	-	-	1	-	-	-	2	-	1	4	3	3	-	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	1	-	-	2	1	1	1	3	1	-	1	1	-	-
045-048	DYSENTERY, ALL FORMS.....	15	2	-	-	-	-	-	-	-	-	-	2	3	-	-	2	1	2	3	-	-	-	-
	WHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
050	SCARLET FEVER AND STREP.																							
051	SORE THROAT.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
055	DIPHTHERIA.....	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	13	5	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	75	11	4	3	1	4	2	-	-	1	3	5	3	7	2	7	3	11	5	1	2	-	-
	WHITE.....MALE..	28	3	2	1	-	1	2	-	-	-	2	1	1	2	2	4	1	4	1	1	-	-	-
	FEMALE	17	1	1	2	1	1	-	-	-	-	-	1	-	2	-	2	1	1	3	-	1	-	-
	NONWHITE.....MALE..	18	5	1	-	-	-	-	-	-	1	-	2	-	2	-	-	1	5	-	-	1	-	-
	FEMALE	12	2	-	-	-	2	-	-	-	-	1	1	2	1	-	1	-	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,723	3	13	18	13	11	12	20	26	49	77	137	220	284	336	383	394	333	225	132	33	3	1
	WHITE.....MALE..	1,206	2	10	7	6	2	4	12	14	11	27	43	100	132	148	187	161	151	110	67	11	1	-
	FEMALE	974	1	2	6	5	7	8	3	10	25	34	66	73	100	109	101	141	122	89	51	19	2	-
	NONWHITE.....MALE..	271	-	-	3	-	-	-	2	1	5	5	10	24	24	31	51	52	37	14	9	2	-	1
	FEMALE	272	-	1	2	2	2	-	3	1	8	11	18	23	28	48	44	40	23	12	5	1	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	54	-	-	-	-	-	3	1	-	-	2	4	2	8	5	6	11	5	3	2	2	-	-
	WHITE.....MALE..	28	-	-	-	-	-	-	1	-	-	1	2	2	3	4	5	5	2	2	1	-	-	-
	FEMALE	19	-	-	-	-	-	3	-	-	-	-	1	-	3	1	1	5	2	-	1	2	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	828	1	-	-	-	1	1	3	2	9	17	28	53	77	103	122	129	136	89	47	8	1	1
	WHITE.....MALE..	361	1	-	-	-	-	-	2	2	4	5	11	24	38	51	61	46	52	37	25	2	-	-
	FEMALE	289	-	-	-	-	1	1	-	-	2	7	9	15	27	24	36	44	57	40	20	5	1	-
	NONWHITE.....MALE..	101	-	-	-	-	-	-	1	-	1	2	3	10	8	9	17	19	19	9	1	1	-	1
	FEMALE	77	-	-	-	-	-	-	-	-	2	3	5	4	4	19	8	20	8	3	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	368	-	-	-	-	-	-	-	2	6	14	21	48	62	55	67	46	28	14	5	-	-	-
	WHITE.....MALE..	278	-	-	-	-	-	-	-	2	2	11	14	41	49	39	55	38	19	8	-	-	-	-
	FEMALE	42	-	-	-	-	-	-	-	-	1	1	2	4	8	7	5	2	4	5	3	-	-	-
	NONWHITE.....MALE..	41	-	-	-	-	-	-	-	-	3	2	4	3	4	8	5	6	4	-	2	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	1	-	-	-	-
170	OF BREAST.....	201	-	-	-	-	-	-	1	2	6	11	22	27	23	37	19	19	15	12	4	3	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	165	-	-	-	-	-	-	1	2	5	10	19	22	17	31	12	17	12	10	4	3	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	35	-	-	-	-	-	-	-	-	1	1	3	4	6	6	7	2	3	2	-	-	-	-
171-179	OF GENITAL ORGANS.....	483	-	-	-	1	1	-	3	7	11	13	26	29	49	53	72	72	62	37	36	10	1	-
	WHITE.....MALE..	151	-	-	-	-	1	-	1	1	-	2	-	1	4	13	17	23	36	26	20	5	1	-
	FEMALE	192	-	-	-	1	-	-	1	5	10	7	23	19	25	20	20	26	13	8	11	3	-	-
	NONWHITE.....MALE..	61	-	-	-	-	-	-	-	-	-	-	-	1	6	5	21	12	9	2	4	1	-	-
	FEMALE	79	-	-	-	-	-	-	1	1	1	4	3	8	14	15	14	11	4	1	1	1	-	-
180, 181	OF URINARY ORGANS.....	106	-	3	-	-	-	-	-	-	1	1	5	10	8	13	13	24	11	8	7	2	-	-
	WHITE.....MALE..	57	-	3	-	-	-	-	-	-	-	1	2	6	6	8	7	11	3	5	4	1	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	7	6	3	2	1	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	6	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	-	2	-	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	405	-	1	11	6	2	3	8	7	12	9	17	34	33	39	51	60	44	38	24	5	1	-
	WHITE.....MALE..	185	-	1	6	2	-	1	5	5	3	2	6	18	18	17	26	22	21	18	13	1	-	-
	FEMALE	147	-	-	2	3	1	2	1	2	6	6	9	10	12	13	10	27	15	14	9	4	1	-
	NONWHITE.....MALE..	27	-	-	1	-	-	-	-	-	1	1	-	4	2	4	4	4	3	2	1	-	-	-
	FEMALE	46	-	-	2	1	1	-	2	-	7	-	2	2	1	5	11	7	5	4	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	158	2	8	6	3	5	2	3	-	2	5	7	11	10	14	15	13	26	17	7	2	-	-
	WHITE.....MALE..	86	1	5	1	2	-	1	2	-	1	2	4	7	7	8	8	7	16	9	4	1	-	-
	FEMALE	48	1	2	4	-	4	1	-	-	-	2	-	1	1	2	6	6	9	7	1	1	-	-
	NONWHITE.....MALE..	13	-	-	1	-	-	-	1	-	-	-	1	2	1	3	1	-	1	1	1	-	-	-
	FEMALE	11	-	1	-	1	1	-	-	-	1	1	2	1	1	1	-	-	-	-	1	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	120	-	1	1	3	2	3	1	6	2	5	7	6	14	17	18	20	6	7	-	1	-	-
	WHITE.....MALE..	60	-	1	-	2	1	2	1	4	1	3	4	1	7	8	8	9	2	5	-	1	-	-
	FEMALE	42	-	-	-	1	1	1	-	1	1	1	1	1	5	8	8	7	4	2	-	-	-	-
	NONWHITE.....MALE..	12	-	-	1	-	-	-	-	1	-	-	1	1	1	1	2	4	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	71	-	4	3	1	3	1	-	3	1	3	8	10	9	7	6	6	3	1	2	-	-	-
	WHITE.....MALE..	27	-	1	1	-	2	-	-	2	1	-	2	3	3	4	3	2	2	1	-	-	-	-
	FEMALE	21	-	2	2	1	1	-	-	1	-	-	2	4	4	-	3	-	1	-	-	-	-	-
	NONWHITE.....MALE..	8	-	1	-	-	-	-	-	-	-	2	-	-	1	1	-	2	-	-	1	-	-	-
	FEMALE	15	-	-	-	-	-	1	-	-	-	1	4	3	1	2	-	2	-	-	1	-	-	-
241	ASTHMA.....	40	-	-	-	-	-	1	1	1	-	-	3	2	6	2	8	8	2	4	2	-	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	1	-	-	2	1	4	2	5	5	2	3	2	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	1	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
260	DIABETES MELLITUS.....	259	1	-	-	-	1	1	1	3	3	5	8	8	15	22	35	51	51	38	12	3	1	-
	WHITE.....MALE..	88	-	-	-	-	-	-	1	3	1	3	2	3	8	5	5	19	20	9	7	1	1	-
	FEMALE	106	1	-	-	-	1	-	-	-	1	1	2	3	3	10	17	19	20	22	5	1	-	-
	NONWHITE.....MALE..	28	-	-	-	-	-	1	-	-	-	1	2	-	2	2	7	8	5	-	-	-	-	-
	FEMALE	37	-	-	-	-	-	-	-	-	1	-	2	2	2	5	6	5	6	7	-	1	-	-
290-293	ANEMIAS.....	49	1	2	-	-	2	2	1	-	1	-	-	2	3	2	5	8	6	9	4	-	1	-
	WHITE.....MALE..	18	-	-	-	-	1	-	-	-	-	-	-	-	3	1	3	4	-	4	2	-	-	-
	FEMALE	18	-	2	-	-	-	-	-	-	-	-	-	2	-	-	1	4	3	3	2	-	1	-
	NONWHITE.....MALE..	7	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
	FEMALE	6	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	31	19	4	-	-	-	-	-	-	1	-	1	-	-	2	1	2	-	-	1	-	-	-
	WHITE.....MALE..	9	5	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-
	FEMALE	5	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	9	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	10,179	7	6	7	4	6	19	15	39	75	144	255	427	624	857	1,271	1,646	1,666	1,554	1,019	428	109	1
	WHITE.....MALE..	4,802	3	3	3	-	1	5	5	9	21	72	161	238	331	447	623	779	786	696	419	162	38	-
	FEMALE	3,159	3	2	4	2	1	2	6	14	12	24	39	77	112	158	296	462	572	646	474	207	46	-
	NONWHITE.....MALE..	1,182	1	-	-	1	2	5	4	7	17	21	23	55	96	130	181	226	177	125	66	31	13	1
	FEMALE	1,036	-	1	-	1	2	7	-	9	25	27	32	57	85	122	171	179	131	87	60	28	12	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	9,930	6	4	3	2	5	15	13	35	74	131	248	414	610	847	1,241	1,612	1,636	1,519	994	414	106	1
	WHITE.....MALE..	4,724	2	2	2	-	1	4	5	8	21	71	158	234	329	443	615	771	779	678	409	156	36	-
	FEMALE	3,078	3	1	1	2	1	1	4	11	12	20	37	74	107	157	289	453	559	635	464	201	46	-
	NONWHITE.....MALE..	1,132	1	-	-	-	2	5	4	7	17	17	22	52	92	127	171	215	172	123	62	29	13	1
	FEMALE	996	-	1	-	-	1	5	-	9	24	23	31	54	82	120	166	173	126	83	59	28	11	-
330-334	VASCULAR LESIONS, ETC.	2,454	1	2	2	2	3	5	4	9	12	24	46	74	120	165	272	397	445	452	289	106	24	-
	WHITE.....MALE..	954	1	2	1	-	1	1	1	4	2	6	17	20	32	57	102	154	192	194	121	38	8	-
	FEMALE	880	-	-	1	2	1	1	2	2	3	7	16	24	30	41	75	123	167	194	130	50	11	-
	NONWHITE.....MALE..	293	-	-	-	-	1	1	1	-	2	2	4	12	25	32	37	62	52	33	18	9	2	-
	FEMALE	327	-	-	-	-	-	2	-	3	5	9	9	18	33	35	58	58	34	31	20	9	3	-
400-402, 410-443	DISEASES OF HEART	6,782	5	2	1	-	2	8	7	21	50	105	186	322	472	641	897	1,127	1,062	946	604	253	70	1
	WHITE.....MALE..	3,478	1	-	1	-	-	3	3	4	19	64	134	206	290	363	478	566	535	438	250	100	23	-
	FEMALE	1,959	3	1	-	-	-	-	2	7	7	12	18	47	72	111	196	310	345	386	289	122	31	-
	NONWHITE.....MALE..	747	1	-	-	-	1	3	2	7	11	15	17	36	64	87	128	139	104	73	34	15	9	1
	FEMALE	598	-	1	-	-	1	2	-	3	13	14	17	33	46	80	95	112	78	49	31	16	7	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	110	-	-	-	-	1	2	1	3	5	12	9	7	28	11	6	11	6	7	-	-	1	-
	WHITE.....MALE..	48	-	-	-	-	-	1	-	-	-	7	4	2	15	6	4	2	3	3	-	-	1	-
	FEMALE	45	-	-	-	-	-	-	1	2	4	3	4	5	10	3	2	7	2	2	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	1	1	-	-	1	-	-	-	2	1	-	1	-	1	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	1	-	2	1	-	1	1	-	1	1	1	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	5,086	-	-	1	-	-	3	4	9	32	70	152	260	360	514	707	851	784	688	428	178	45	-
	WHITE.....MALE..	2,877	-	-	1	-	-	2	2	3	15	52	122	185	251	321	404	479	432	338	184	71	15	-
	FEMALE	1,415	-	-	-	-	-	-	1	3	3	5	9	29	46	87	157	234	254	281	201	86	19	-
	NONWHITE.....MALE..	459	-	-	-	-	-	1	1	2	7	9	10	26	42	61	87	79	59	39	22	8	6	-
	FEMALE	335	-	-	-	-	-	-	-	1	7	4	11	20	21	45	59	59	39	30	21	13	5	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	378	-	-	-	-	-	1	2	2	2	3	4	5	13	22	30	50	66	75	56	35	11	1
	WHITE.....MALE..	132	-	-	-	-	-	-	1	-	-	1	2	1	4	7	13	11	20	29	25	14	4	-
	FEMALE	137	-	-	-	-	-	-	-	-	-	1	-	1	3	4	7	19	26	32	25	16	3	-
	NONWHITE.....MALE..	54	-	-	-	-	-	1	1	2	1	-	1	1	1	5	6	8	9	7	4	3	3	1
	FEMALE	55	-	-	-	-	-	-	-	-	1	1	1	2	5	6	4	12	11	7	2	2	1	-
430-434	OTHER DISEASES OF HEART	481	5	2	-	-	1	2	-	6	5	12	9	27	38	30	52	73	89	66	38	18	8	-
	WHITE.....MALE..	201	1	-	-	-	-	-	-	1	3	4	4	15	13	12	24	35	43	20	15	8	3	-
	FEMALE	128	3	1	-	-	-	-	-	1	-	-	2	5	4	5	9	17	19	33	17	7	5	-
	NONWHITE.....MALE..	93	1	-	-	-	-	-	-	3	1	4	2	4	13	7	15	11	16	10	3	3	-	-
	FEMALE	59	-	1	-	-	1	2	-	1	1	4	1	3	8	6	4	10	11	3	3	-	-	-
440-443	HYPERTENSIVE HEART DIS.	727	-	-	-	-	-	-	-	1	6	8	12	23	33	64	102	142	117	110	82	22	5	-
	WHITE.....MALE..	220	-	-	-	-	-	-	-	-	1	-	2	3	7	17	33	39	37	48	26	7	-	-
	FEMALE	234	-	-	-	-	-	-	-	1	-	3	3	7	9	12	21	33	44	38	46	13	4	-
	NONWHITE.....MALE..	133	-	-	-	-	-	-	-	-	1	2	4	5	6	13	20	40	20	16	5	1	-	-
	FEMALE	140	-	-	-	-	-	-	-	-	4	3	3	8	11	22	28	30	16	8	5	1	1	-
444-447	OTHER HYPERTENSIVE DIS.	167	-	-	-	-	-	1	1	-	8	-	5	10	3	11	22	17	27	34	20	7	1	-
	WHITE.....MALE..	59	-	-	-	-	-	-	1	-	-	-	1	2	-	3	9	10	9	13	8	3	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	3	12	13	7	2	-	-
	NONWHITE.....MALE..	32	-	-	-	-	-	1	-	-	4	-	-	4	1	3	2	3	4	7	1	1	1	-
	FEMALE	32	-	-	-	-	-	-	-	-	4	-	4	3	2	4	6	1	2	1	4	1	-	-
450	GENERAL ARTERIOSCLEROSIS.	336	-	-	-	-	-	-	-	-	-	1	1	2	3	11	16	37	76	70	67	43	9	-
	WHITE.....MALE..	128	-	-	-	-	-	-	-	-	-	1	1	2	1	5	5	18	27	24	27	14	3	-
	FEMALE	146	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	12	28	39	28	24	4	-
	NONWHITE.....MALE..	40	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	6	10	7	8	3	1	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	11	-	4	2	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	191	-	-	-	-	-	1	1	5	4	1	10	6	12	19	34	34	26	17	14	5	2	-
	WHITE.....MALE..	105	-	-	-	-	-	-	-	-	-	-	5	4	6	15	21	23	16	9	3	1	2	-
	FEMALE	49	-	-	-	-	-	-	-	2	2	1	3	2	4	2	5	5	7	3	10	3	-	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	1	-	-	-	1	-	1	1	4	5	2	3	1	1	-	-
	FEMALE	17	-	-	-	-	-	1	-	3	2	-	1	-	1	1	4	1	1	2	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	249	1	2	4	2	1	4	2	4	1	13	7	13	14	10	30	34	30	35	25	14	3	-
	WHITE.....MALE..	78	1	1	1	-	-	1	-	1	-	1	3	4	2	4	8	8	7	18	10	6	2	-
	FEMALE	81	-	1	3	-	-	1	2	3	-	4	2	3	5	1	7	9	13	11	10	6	-	-
	NONWHITE.....MALE..	50	-	-	-	1	-	-	-	-	-	4	1	3	4	3	10	11	5	2	4	2	-	-
	FEMALE	40	-	-	-	1	1	2	-	-	1	4	1	3	3	2	5	6	5	4	1	-	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	694	103	36	3	7	5	6	2	6	7	9	8	15	13	23	46	78	96	97	77	39	18	-
	WHITE.....MALE..	278	23	8	-	1	3	3	-	2	2	3	2	7	6	8	22	37	40	49	39	17	6	-
	FEMALE	213	23	9	1	1	-	2	-	1	1	4	3	3	3	9	8	14	38	38	31	15	9	-
	NONWHITE.....MALE..	121	34	9	1	3	2	-	1	2	2	2	2	4	3	2	10	17	10	7	4	5	1	-
	FEMALE	82	23	10	1	2	-	1	1	1	2	-	1	1	1	4	6	10	8	3	3	2	2	-
480-483	INFLUENZA.....	62	9	4	-	2	1	-	2	-	1	-	-	1	-	2	7	6	15	6	-	6	-	-
	WHITE.....MALE..	15	-	1	-	-	1	-	-	-	-	-	-	-	-	2	2	-	5	3	-	1	-	-
	FEMALE	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	2	-	2	-	-
	NONWHITE.....MALE..	16	4	2	-	1	-	-	1	-	-	-	-	1	-	-	2	1	1	1	-	2	-	-
	FEMALE	15	1	1	-	1	-	-	1	-	1	-	-	-	-	-	2	5	2	-	-	1	-	-
490-493	PNEUMONIA, ETC.....	632	94	32	3	5	4	6	-	6	6	9	8	14	13	21	39	72	81	91	77	33	18	-
	WHITE.....MALE..	263	23	7	-	1	2	3	-	2	2	3	2	7	6	6	20	37	35	46	39	16	6	-
	FEMALE	197	19	9	1	1	-	2	-	1	1	4	3	3	3	9	7	14	31	36	31	13	9	-
	NONWHITE.....MALE..	105	30	7	1	2	2	-	-	2	2	2	2	3	3	2	8	16	9	6	4	3	1	-
	FEMALE	67	22	9	1	1	-	1	-	1	1	-	1	1	1	4	4	5	6	3	3	1	2	-
500-502	BRONCHITIS.....	46	6	2	1	2	-	1	-	-	2	1	2	1	2	3	2	10	4	2	3	2	-	-
	WHITE.....MALE..	31	3	1	-	2	-	1	-	-	1	-	2	1	2	2	1	6	4	1	3	1	-	-
	FEMALE	7	2	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-
	FEMALE	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	216	10	4	-	-	-	-	-	-	5	5	6	5	21	28	38	38	29	18	7	1	1	-
	WHITE.....MALE..	145	6	-	-	-	-	-	-	-	1	1	6	2	17	20	30	27	21	8	5	1	-	-
	FEMALE	48	1	-	-	-	-	-	-	-	4	4	-	2	3	5	3	8	5	10	2	-	1	-
	NONWHITE.....MALE..	17	2	3	-	-	-	-	-	-	-	-	-	1	1	2	5	1	2	-	-	-	-	-
	FEMALE	6	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	93	1	1	-	-	-	1	-	2	2	3	7	9	10	12	9	14	13	7	1	1	-	-
	WHITE.....MALE..	61	-	-	-	-	-	-	-	1	-	2	4	6	7	8	9	10	9	3	1	1	-	-
	FEMALE	15	-	1	-	-	-	-	-	-	2	-	1	1	1	1	-	2	3	3	-	-	-	-
	NONWHITE.....MALE..	10	1	-	-	-	-	1	-	1	-	-	2	1	1	2	-	-	-	1	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	1	-	-	-	-	-
550-553	APPENDICITIS.....	14	-	-	-	1	1	-	-	-	-	1	1	-	3	1	2	2	1	-	1	-	-	-
	WHITE.....MALE..	7	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	103	13	1	-	-	-	-	2	1	4	-	1	7	3	4	7	13	16	19	6	5	1	-
	WHITE.....MALE..	38	6	1	-	-	-	-	1	-	1	-	1	3	-	2	3	5	6	3	3	2	1	-
	FEMALE	39	3	-	-	-	-	-	1	1	1	-	-	3	1	1	1	5	5	12	3	2	-	-
	NONWHITE.....MALE..	16	3	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	3	-	1	-	-
	FEMALE	10	1	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	3	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	104	47	2	-	1	-	1	-	2	-	-	2	1	2	4	7	8	8	11	8	-	-	-
	WHITE.....MALE..	35	10	-	-	-	-	1	-	-	-	-	2	1	-	2	3	4	4	3	5	-	-	-
	FEMALE	25	5	-	-	1	-	-	-	1	-	-	-	-	-	2	1	1	3	8	3	-	-	-
	NONWHITE.....MALE..	22	17	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-
	FEMALE	22	15	2	-	-	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	103	-	-	-	2	1	-	-	2	4	9	4	6	17	15	13	11	9	4	5	1	-	-
	WHITE.....MALE..	53	-	-	-	1	-	-	-	2	1	5	1	5	13	7	3	4	7	1	3	-	-	-
	FEMALE	36	-	-	-	1	-	-	-	-	3	3	1	1	4	6	4	6	2	2	2	1	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	1	2	-	-	1	4	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	46	-	-	-	-	-	-	-	-	1	-	-	3	-	2	5	8	11	7	7	2	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	5	4	3	3	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	7	3	3	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	30	1	3	-	1	-	-	-	-	-	3	2	1	2	3	3	2	6	2	1	-	-	-
	WHITE.....MALE..	9	1	1	-	1	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-
	NONWHITE.....MALE..	4	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	-	1	-	-	-	-	-	-	-	1	1	-	1	1	1	-	3	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	124	-	3	-	-	-	1	1	1	3	4	4	10	4	8	12	15	23	14	14	6	1	-
	WHITE.....MALE..	45	-	-	-	-	-	-	-	-	-	2	1	1	-	2	1	7	9	7	10	4	1	-
	FEMALE	37	-	1	-	-	-	1	-	-	2	1	1	4	1	3	3	5	7	3	3	2	-	-
	NONWHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	-	2	1	2	1	5	1	4	4	1	-	-	-
	FEMALE	21	-	2	-	-	-	-	1	1	1	1	-	4	1	2	3	2	3	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	51	-	-	-	-	-	-	-	-	-	-	-	3	-	5	7	6	12	9	5	4	-	-
	WHITE.....MALE..	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	6	7	3	4	-	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	-	-	3	-	4	4	1	6	2	2	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ARKANSAS--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	14	-	-	-	-	2	1	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	11	-	-	-	-	2	1	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	10	-	-	-	-	1	-	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	8	-	-	-	-	1	-	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	204	139	23	7	4	5	3	3	2	2	6	1	1	2	2	2	2	-	-	-	-	-	-
	WHITE.....MALE..	81	58	8	3	1	2	1	2	1	1	1	-	-	1	-	1	1	-	-	-	-	-	-
	FEMALE	86	56	10	4	3	3	1	-	1	-	4	-	-	-	2	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	22	16	3	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	15	9	2	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	654	654	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	327	327	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	632	75	11	3	3	1	2	3	2	6	14	25	27	43	50	53	77	82	71	48	31	4	1
	WHITE.....MALE..	205	7	1	-	-	1	-	2	-	2	4	7	14	15	15	22	29	30	25	20	9	1	1
	FEMALE	122	10	2	1	1	-	-	1	1	-	2	2	5	11	6	7	11	10	23	12	15	2	-
	NONWHITE.....MALE..	156	33	5	-	1	-	1	-	1	1	2	9	6	5	16	12	22	22	11	7	1	1	-
	FEMALE	149	25	3	2	1	-	1	-	-	3	6	7	2	12	13	12	15	20	12	9	6	-	-
RESIDUAL	ALL OTHER DISEASES.	502	27	19	6	8	7	5	10	9	11	14	23	29	40	57	47	53	51	41	24	17	4	-
	WHITE.....MALE..	193	13	7	2	2	6	-	2	2	5	5	8	13	15	26	20	20	15	16	7	8	1	-
	FEMALE	182	6	7	-	3	1	2	4	6	3	4	11	9	13	16	14	16	26	19	14	6	2	-
	NONWHITE.....MALE..	70	5	3	2	1	-	2	4	-	-	2	3	2	7	7	8	13	5	3	1	1	1	-
	FEMALE	57	3	2	2	2	-	1	-	1	3	3	1	5	5	8	5	4	5	3	2	2	-	-
E800-E962	ACCIDENTS.	1,263	74	71	65	55	98	96	59	48	67	65	74	75	58	65	57	57	61	52	43	20	3	-
	WHITE.....MALE..	680	27	22	24	32	59	60	46	32	46	40	44	44	33	36	28	30	22	27	20	8	-	-
	FEMALE	280	17	17	24	9	13	15	4	5	6	11	10	11	15	17	17	14	21	22	18	12	2	-
	NONWHITE.....MALE..	210	17	15	8	9	22	18	8	8	12	12	17	14	7	9	7	8	12	3	4	-	-	-
	FEMALE	93	13	17	9	5	4	3	1	3	3	2	3	6	3	3	5	5	6	-	1	-	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	505	6	19	22	19	60	57	36	29	33	30	35	33	27	24	22	19	19	6	6	3	-	-
	WHITE.....MALE..	308	3	5	7	12	39	38	25	22	25	16	19	22	15	15	14	10	11	4	4	2	-	-
	FEMALE	109	1	7	10	3	10	10	4	3	4	8	9	5	8	7	7	6	2	2	2	1	-	-
	NONWHITE.....MALE..	62	1	3	2	2	8	6	6	3	3	6	7	2	3	2	1	2	5	-	-	-	-	-
	FEMALE	26	1	4	3	2	3	3	1	1	1	-	-	4	1	-	-	1	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	758	68	52	43	36	38	39	23	19	34	35	39	42	31	41	35	38	42	46	37	17	3	-
	WHITE.....MALE..	372	24	17	17	20	20	22	21	10	21	24	25	22	18	21	14	20	11	23	16	6	-	-
	FEMALE	171	16	10	14	6	3	5	-	2	2	3	1	6	7	10	10	8	19	20	16	11	2	-
	NONWHITE.....MALE..	148	16	12	6	7	14	12	2	5	9	6	10	12	4	7	6	6	7	3	4	-	-	-
	FEMALE	67	12	13	6	3	1	-	-	2	2	2	3	2	2	3	5	4	5	-	1	-	1	-
E963, E970-E979	SUICIDE.	143	...	...	-	1	5	4	7	7	8	13	15	16	13	14	14	4	11	8	3	-	-	-
	WHITE.....MALE..	110	...	...	-	1	3	4	7	5	4	9	14	14	8	11	11	2	9	5	3	-	-	-
	FEMALE	23	...	...	-	-	1	-	-	2	3	4	1	-	4	2	3	1	1	1	-	-	-	-
	NONWHITE.....MALE..	6	...	...	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-
	FEMALE	4	...	...	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	138	2	1	-	1	6	15	18	22	15	15	12	7	8	7	7	1	1	-	-	-	-	-
	WHITE.....MALE..	49	2	-	-	-	-	1	5	8	4	7	8	3	5	2	4	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	1	1	2	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	65	-	1	-	1	3	10	9	10	8	8	3	3	2	3	2	1	1	-	-	-	-	-
	FEMALE	14	-	-	-	-	2	3	2	1	1	-	1	1	-	2	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA																							
	ALL CAUSES.....	141,395	8,688	1,249	722	514	1,059	1,316	1,236	1,676	2,765	4,037	5,737	7,850	9,652	12,201	15,191	17,634	18,439	15,554	10,217	4,368	1,255	35
	WHITE.....MALE..	74,935	4,242	613	382	289	686	857	700	916	1,428	2,191	3,250	4,747	5,939	7,445	9,040	9,812	9,464	6,994	4,036	1,517	365	22
	FEMALE	57,207	3,086	482	263	178	300	315	345	506	951	1,385	1,924	2,440	2,958	3,881	5,335	7,010	8,279	8,066	5,897	2,747	849	10
	NONWHITE.....MALE..	5,555	792	82	48	29	44	94	126	134	251	276	342	423	474	526	499	462	409	308	157	58	19	2
	FEMALE	3,698	568	72	29	18	29	50	65	120	135	185	221	240	281	349	317	350	287	186	127	46	22	1
001-019	TUBERCULOSIS, ALL FORMS..	646	3	5	3	-	3	4	2	11	17	35	43	70	77	75	90	72	68	45	22	-	1	-
	WHITE.....MALE..	406	1	3	2	-	1	3	2	3	3	17	25	36	53	56	62	54	47	27	10	-	1	-
	FEMALE	133	2	1	1	-	2	-	-	5	6	14	7	20	12	10	13	9	15	10	6	-	-	-
	NONWHITE.....MALE..	78	-	1	-	-	-	-	-	1	8	3	7	12	10	6	11	6	4	5	4	-	-	-
	FEMALE	29	-	-	-	-	-	1	-	2	-	1	4	2	2	3	4	3	2	3	2	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	597	2	3	2	-	1	2	2	9	16	32	39	66	70	72	84	67	63	45	21	-	1	-
	WHITE.....MALE..	383	1	2	1	-	1	2	2	3	2	14	23	35	49	55	60	53	43	27	9	-	1	-
	FEMALE	120	1	-	1	-	-	-	-	4	6	14	6	18	11	9	11	8	15	10	6	-	-	-
	NONWHITE.....MALE..	70	-	1	-	-	-	-	-	-	8	3	6	11	9	6	10	4	3	5	4	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	2	-	1	4	2	1	2	3	2	2	3	2	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	49	1	2	1	-	2	2	-	2	1	3	4	4	7	3	6	5	5	-	1	-	-	-
	WHITE.....MALE..	23	-	1	1	-	-	1	-	-	1	3	2	1	4	1	2	1	4	-	1	-	-	-
	FEMALE	13	1	1	-	-	2	-	-	1	-	-	1	2	1	1	2	1	-	-	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	2	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	258	4	-	1	-	-	1	1	2	2	6	3	21	21	30	40	52	43	19	10	1	1	-
	WHITE.....MALE..	164	-	-	1	-	-	-	1	2	1	3	1	15	14	16	32	35	28	10	5	-	-	-
	FEMALE	63	2	-	-	-	-	-	-	-	1	1	1	-	3	11	5	15	10	8	5	-	1	-
	NONWHITE.....MALE..	23	2	-	-	-	-	1	-	-	-	2	-	4	2	3	3	1	4	-	-	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	1	1	1	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	17	2	3	1	-	-	-	-	-	-	-	-	2	2	-	1	-	1	4	1	-	-	-
	WHITE.....MALE..	8	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	-	1	2	-	-	-	-
	FEMALE	6	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-
	NONWHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	66	22	17	4	1	7	1	-	1	-	1	2	2	-	4	2	1	-	1	-	-	-	-
	WHITE.....MALE..	35	9	15	1	1	2	1	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	-
	FEMALE	25	10	2	3	-	4	-	-	-	-	-	2	1	-	2	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	7	-	-	1	-	1	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	16	2	8	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	-	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	444	59	24	12	3	11	14	11	15	32	14	26	26	23	34	34	35	32	17	16	6	-	-
	WHITE.....MALE..	208	28	11	8	2	6	4	7	6	11	6	11	13	9	17	20	16	16	5	9	3	-	-
	FEMALE	190	23	12	4	1	3	10	1	8	16	7	10	8	8	14	12	16	15	12	7	3	-	-
	NONWHITE.....MALE..	23	3	-	-	-	1	-	-	-	3	1	3	2	5	-	2	3	-	-	-	-	-	-
	FEMALE	23	5	1	-	-	1	-	3	1	2	-	2	3	1	3	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	23,249	20	140	157	95	110	91	125	236	481	853	1,351	1,854	2,353	2,998	3,407	3,269	2,712	1,799	868	286	44	-
	WHITE.....MALE..	11,617	4	74	81	42	54	51	69	94	166	311	532	835	1,169	1,615	1,876	1,818	1,412	881	383	131	19	-
	FEMALE	10,219	14	53	67	41	47	32	44	112	266	454	699	875	1,014	1,181	1,371	1,290	1,181	843	462	148	25	-
	NONWHITE.....MALE..	819	-	4	5	6	3	6	7	7	25	35	73	77	107	119	98	101	81	50	10	5	-	-
	FEMALE	594	2	9	4	6	6	2	5	23	24	53	47	67	63	83	62	60	38	25	13	2	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	565	-	1	-	-	3	4	2	-	8	23	43	69	71	99	75	81	38	27	12	8	1	-
	WHITE.....MALE..	393	-	1	-	-	-	2	2	-	6	10	31	49	48	68	60	59	27	20	5	4	1	-
	FEMALE	127	-	-	-	-	2	1	-	-	1	8	8	13	15	21	11	21	8	7	7	4	-	-
	NONWHITE.....MALE..	37	-	-	-	-	1	1	-	-	1	4	4	6	7	7	3	1	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	1	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	7,263	1	4	4	2	1	8	15	35	89	145	281	502	655	954	1,128	1,166	1,054	721	360	121	17	-
	WHITE.....MALE..	3,635	-	-	4	-	1	6	10	16	40	70	125	248	341	515	614	615	520	312	145	47	6	-
	FEMALE	3,138	1	4	-	2	-	2	4	14	38	55	118	202	245	361	457	487	482	376	208	71	11	-
	NONWHITE.....MALE..	312	-	-	-	-	-	-	-	3	8	7	27	28	48	50	35	38	38	24	5	1	-	-
	FEMALE	178	-	-	-	-	-	-	1	2	3	13	11	24	21	28	22	26	14	9	2	2	-	-
160-164	OF RESP. SYSTEM, ETC.....	3,983	-	-	1	1	1	1	4	11	63	144	240	371	549	683	703	611	353	161	65	18	3	-
	WHITE.....MALE..	3,144	-	-	-	-	-	1	3	7	34	86	162	287	436	569	592	513	277	122	42	12	1	-
	FEMALE	609	-	-	1	1	-	-	1	3	19	41	54	61	82	81	74	65	63	35	23	3	2	-
	NONWHITE.....MALE..	190	-	-	-	-	-	-	-	1	6	13	23	19	24	29	30	28	10	4	-	3	-	-
	FEMALE	40	-	-	-	-	1	-	-	-	4	4	1	4	7	4	7	5	3	-	-	-	-	-
170	OF BREAST.....	2,259	-	-	-	1	1	1	5	47	78	158	221	271	277	259	281	216	210	128	71	30	4	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	1	1	2	1	3	4	1	3	1	-	-	-	-
	FEMALE	2,138	-	-	-	1	1	1	5	39	71	143	211	254	267	242	267	207	203	124	68	30	4	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	103	-	-	-	-	-	-	-	8	7	14	9	15	9	13	10	8	4	3	3	3	-	-
171-179	OF GENITAL ORGANS.....	3,068	-	-	2	1	14	8	26	36	83	128	191	207	266	319	421	451	396	306	155	49	9	-
	WHITE.....MALE..	1,136	-	-	-	1	8	5	11	14	19	3	7	14	38	79	163	213	223	197	95	38	8	-
	FEMALE	1,704	-	-	2	-	6	3	11	14	58	113	165	176	202	213	233	212	143	93	49	10	1	-
	NONWHITE.....MALE..	97	-	-	-	-	-	-	2	-	1	1	2	4	9	9	14	15	23	11	5	1	-	-
	FEMALE	131	-	-	-	-	-	-	2	8	5	11	17	13	17	18	11	11	7	5	6	-	-	-
180, 181	OF URINARY ORGANS.....	1,060	2	12	7	1	1	2	-	1	11	18	39	61	88	109	184	175	156	120	55	16	2	-
	WHITE.....MALE..	685	2	6	6	-	-	1	-	-	7	11	26	44	59	66	118	125	104	68	32	9	1	-
	FEMALE	330	-	5	1	-	-	-	-	1	3	3	10	11	24	39	61	46	49	46	23	7	1	-
	NONWHITE.....MALE..	27	-	-	-	1	-	1	-	-	1	1	2	6	2	1	3	3	1	5	-	-	-	-
	FEMALE	18	-	1	-	-	1	-	-	-	-	3	1	-	3	3	2	1	2	1	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	2,634	5	39	56	35	47	30	32	44	68	135	200	221	261	334	309	270	253	170	92	27	6	-
	WHITE.....MALE..	1,352	1	22	25	16	24	14	17	27	27	68	109	109	146	202	171	132	117	75	37	11	2	-
	FEMALE	1,139	4	13	27	13	19	14	13	14	35	58	81	95	96	115	125	129	129	86	53	16	4	-
	NONWHITE.....MALE..	91	-	-	4	4	1	2	1	-	4	5	8	10	16	11	10	5	4	6	-	-	-	-
	FEMALE	52	-	4	-	2	3	-	1	3	2	4	2	7	3	6	3	4	3	3	2	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	1,148	6	72	68	42	23	19	22	28	46	43	51	47	75	99	120	138	120	83	35	9	2	-
	WHITE.....MALE..	606	1	39	34	19	12	11	14	12	20	26	24	28	46	50	61	71	71	45	17	5	-	-
	FEMALE	479	4	25	29	21	10	6	5	13	24	13	22	18	27	41	56	59	46	36	18	4	2	-
	NONWHITE.....MALE..	28	-	4	1	-	-	2	2	1	1	2	2	-	1	5	-	7	-	-	-	-	-	-
	FEMALE	35	1	4	4	2	1	-	1	2	1	2	3	1	1	3	3	1	3	2	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	1,269	6	12	19	12	19	18	19	34	35	59	85	105	111	142	186	161	132	83	23	8	-	-
	WHITE.....MALE..	649	-	6	12	6	9	11	12	18	13	36	47	54	54	63	93	89	70	41	10	5	-	-
	FEMALE	555	5	6	7	3	9	5	5	14	17	20	30	45	56	68	87	64	58	40	13	3	-	-
	NONWHITE.....MALE..	36	-	-	-	1	1	-	2	2	3	2	5	4	-	6	3	4	3	-	-	-	-	-
	FEMALE	29	1	-	-	2	-	2	-	-	2	1	3	2	1	5	3	4	1	2	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	412	13	7	9	11	7	8	3	10	23	32	27	36	39	36	42	43	31	16	12	6	1	-
	WHITE.....MALE..	177	7	3	4	6	3	3	-	3	7	9	10	9	20	18	24	16	18	8	5	4	-	-
	FEMALE	207	6	4	4	4	4	5	3	7	13	20	14	23	15	18	15	22	13	7	7	2	1	-
	NONWHITE.....MALE..	12	-	-	-	1	-	-	-	-	1	1	2	1	2	-	1	2	-	1	-	-	-	-
	FEMALE	16	-	-	1	-	-	-	-	-	2	2	1	3	2	-	2	3	-	-	-	-	-	-
241	ASTHMA.....	426	-	3	8	4	3	4	4	9	19	20	32	40	41	50	63	53	42	23	6	2	-	-
	WHITE.....MALE..	231	-	1	4	3	1	2	1	1	6	9	11	14	31	28	41	30	26	16	4	2	-	-
	FEMALE	153	-	2	2	-	-	1	2	5	9	8	19	22	6	16	20	17	16	6	2	-	-	-
	NONWHITE.....MALE..	19	-	-	-	-	1	-	-	1	4	-	1	2	1	4	2	2	-	1	-	-	-	-
	FEMALE	23	-	-	2	1	1	1	1	2	-	3	1	2	3	2	-	4	-	-	-	-	-	-
260	DIABETES MELLITUS.....	1,744	1	3	2	8	4	11	18	22	37	45	57	89	133	185	258	290	282	191	82	22	4	-
	WHITE.....MALE..	722	-	-	1	4	3	5	6	16	17	24	26	45	55	69	99	111	118	74	35	13	1	-
	FEMALE	854	-	2	1	4	1	3	12	6	14	15	19	31	51	89	136	158	152	104	44	9	3	-
	NONWHITE.....MALE..	64	-	1	-	-	-	-	-	-	3	1	4	4	10	9	10	7	6	8	1	-	-	-
	FEMALE	104	1	-	-	-	-	3	-	-	3	5	8	9	17	18	13	14	6	5	2	-	-	-
290-293	ANEMIAS.....	236	3	8	8	5	6	5	4	3	9	10	7	11	15	11	22	25	24	26	20	13	1	-
	WHITE.....MALE..	98	-	2	3	2	4	3	1	1	1	4	4	7	6	5	11	11	9	10	9	5	-	-
	FEMALE	106	1	3	1	2	1	-	1	-	4	3	2	2	8	5	11	14	15	15	10	7	1	-
	NONWHITE.....MALE..	18	1	1	2	-	1	2	-	2	4	-	1	2	1	-	-	-	-	1	-	-	-	-
	FEMALE	14	1	2	2	1	-	-	2	-	-	3	-	-	-	1	-	-	-	-	1	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	207	79	30	18	1	2	1	1	3	8	2	7	12	11	8	4	8	10	1	1	-	-	-
	WHITE.....MALE..	107	41	16	6	1	1	-	1	2	5	1	3	5	10	2	2	3	6	1	1	-	-	-
	FEMALE	71	25	11	8	-	1	-	-	-	2	1	4	5	1	4	2	4	3	-	-	-	-	-
	NONWHITE.....MALE..	11	4	1	2	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	FEMALE	18	9	2	2	-	-	1	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	74,858	41	25	10	34	49	82	129	267	658	1,296	2,118	3,465	4,728	6,467	8,696	11,060	12,435	11,194	7,708	3,380	1,000	16
	WHITE.....MALE..	39,355	16	9	6	13	26	31	49	146	406	869	1,446	2,356	3,214	4,149	5,270	6,077	6,211	4,808	2,882	1,095	269	7
	FEMALE	31,677	14	12	3	15	19	38	50	74	146	276	423	786	1,134	1,852	2,978	4,495	5,773	6,063	4,616	2,204	699	7
	NONWHITE.....MALE..	2,196	6	3	-	2	1	5	17	23	65	92	154	221	219	262	257	256	244	193	116	44	15	1
	FEMALE	1,630	5	1	1	4	3	8	13	24	41	59	95	102	161	204	191	232	207	130	94	37	17	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	74,109	35	25	8	25	40	64	112	244	614	1,245	2,065	3,411	4,675	6,397	8,611	10,988	12,363	11,137	7,672	3,368	994	16
	WHITE.....MALE..	39,009	13	9	4	10	21	25	39	134	384	843	1,421	2,332	3,189	4,121	5,226	6,044	6,177	4,780	2,872	1,091	267	7
	FEMALE	31,398	11	12	3	11	15	27	46	67	136	259	410	767	1,117	1,824	2,949	4,466	5,743	6,036	4,598	2,198	696	7
	NONWHITE.....MALE..	2,120	6	3	-	1	1	4	17	21	58	89	145	211	213	258	249	247	237	192	109	44	14	1
	FEMALE	1,582	5	1	1	3	3	8	10	22	36	54	89	101	156	194	187	231	206	129	93	35	17	1
330-334	VASCULAR LESIONS, ETC.	14,896	8	13	6	12	13	16	34	56	89	145	241	389	562	868	1,415	2,164	2,828	2,958	1,990	846	242	1
	WHITE.....MALE..	6,274	2	6	3	3	5	6	10	25	28	58	101	165	278	409	697	1,051	1,290	1,174	657	249	56	1
	FEMALE	7,700	2	5	2	7	6	7	16	21	36	60	96	157	213	346	601	988	1,412	1,700	1,275	575	175	-
	NONWHITE.....MALE..	460	1	2	-	1	-	-	5	6	9	19	32	45	37	52	59	55	55	43	27	8	4	-
	FEMALE	462	3	-	1	1	2	3	3	4	16	8	12	22	34	61	58	70	71	41	31	14	7	-
400-402, 410-443	DISEASES OF HEART	53,579	25	10	1	11	18	28	68	151	470	1,018	1,701	2,857	3,878	5,167	6,685	8,064	8,598	7,224	4,921	2,064	608	12
	WHITE.....MALE..	30,007	9	2	-	6	13	17	28	98	336	759	1,271	2,068	2,778	3,501	4,193	4,537	4,403	3,155	1,938	719	170	6
	FEMALE	21,121	9	6	1	3	3	7	21	31	80	161	272	572	833	1,367	2,209	3,207	3,908	3,850	2,858	1,298	419	6
	NONWHITE.....MALE..	1,488	5	1	-	-	1	3	12	13	41	62	98	151	161	186	166	173	167	137	72	29	10	-
	FEMALE	963	2	1	-	2	1	1	7	9	13	36	60	66	106	113	117	147	120	82	53	18	9	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	1,593	-	2	-	3	3	10	21	37	75	116	124	189	187	189	209	164	133	79	36	12	4	-
	WHITE.....MALE..	715	-	-	-	1	2	7	5	19	42	69	59	79	93	91	94	68	47	22	10	5	2	-
	FEMALE	816	-	2	-	1	1	3	10	13	24	41	59	102	89	93	109	93	84	57	26	7	2	-
	NONWHITE.....MALE..	31	-	-	-	-	-	-	3	2	4	2	4	6	2	2	4	-	2	-	-	-	-	-
	FEMALE	31	-	-	-	1	-	-	3	3	5	4	2	2	3	3	2	3	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	40,255	-	-	-	-	3	4	22	76	321	735	1,293	2,196	3,033	3,998	5,190	6,232	6,504	5,277	3,498	1,446	419	8
	WHITE.....MALE..	23,922	-	-	-	-	2	2	15	58	261	598	1,048	1,717	2,282	2,822	3,409	3,655	3,474	2,458	1,472	530	116	3
	FEMALE	14,767	-	-	-	-	1	1	2	9	37	83	153	349	573	977	1,600	2,373	2,829	2,663	1,942	881	289	5
	NONWHITE.....MALE..	1,009	-	-	-	-	-	-	5	7	22	41	68	94	115	129	105	110	119	105	59	22	8	-
	FEMALE	557	-	-	-	-	-	1	-	2	1	13	24	36	63	70	76	94	82	51	25	13	6	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	6,414	3	5	-	2	6	3	9	11	20	64	129	233	348	508	677	903	1,098	1,035	828	405	123	4
	WHITE.....MALE..	3,183	-	-	-	1	5	1	5	6	9	46	87	155	241	340	412	480	538	402	288	129	35	3
	FEMALE	2,909	-	3	-	1	-	1	2	4	8	14	26	56	84	136	227	367	512	594	520	269	84	1
	NONWHITE.....MALE..	183	3	1	-	-	-	1	1	-	3	-	6	15	13	21	23	33	30	18	9	5	1	-
	FEMALE	139	-	1	-	-	1	-	1	1	-	4	10	7	10	11	15	23	18	21	11	2	3	-
430-434	OTHER DISEASES OF HEART	1,257	22	3	1	5	5	11	9	16	23	33	42	68	67	103	139	154	167	177	135	55	22	-
	WHITE.....MALE..	615	9	2	-	3	3	7	3	11	14	23	27	31	36	63	69	77	76	70	59	21	11	-
	FEMALE	559	9	1	1	1	1	2	5	3	8	6	12	24	18	33	61	71	87	101	71	34	10	-
	NONWHITE.....MALE..	50	2	-	-	-	1	2	-	-	1	1	-	10	7	4	9	4	3	4	1	-	1	-
	FEMALE	33	2	-	-	1	-	-	1	2	-	3	3	3	6	3	-	2	1	2	4	-	-	-
440-443	HYPERTENSIVE HEART DIS.	4,060	-	-	-	1	1	-	7	11	31	70	113	171	243	369	470	611	696	656	424	146	40	-
	WHITE.....MALE..	1,572	-	-	-	1	1	-	-	4	10	23	50	86	126	185	209	257	268	203	109	34	6	-
	FEMALE	2,070	-	-	-	-	-	-	2	2	3	17	22	41	69	128	212	303	396	435	299	107	34	-
	NONWHITE.....MALE..	215	-	-	-	-	-	-	3	4	11	18	20	26	24	30	25	26	13	10	3	2	-	-
	FEMALE	203	-	-	-	-	-	-	2	1	7	12	21	18	24	26	24	25	19	8	13	3	-	-
444-447	OTHER HYPERTENSIVE DIS.	695	-	-	-	-	-	2	1	6	21	23	25	32	38	58	58	75	98	126	80	41	10	1
	WHITE.....MALE..	284	-	-	-	-	-	-	-	2	9	7	7	13	9	27	32	42	36	53	33	8	6	-
	FEMALE	332	-	-	-	-	-	-	1	2	4	9	10	10	18	19	19	30	57	72	47	30	4	-
	NONWHITE.....MALE..	36	-	-	-	-	-	1	-	1	4	2	3	3	4	4	6	2	2	1	-	2	-	1
	FEMALE	43	-	-	-	-	-	1	-	1	4	5	5	6	7	8	1	1	3	-	-	1	-	-
450	GENERAL ARTERIOSCLEROSIS	2,681	-	-	-	-	-	-	-	1	1	5	3	21	26	66	137	301	478	601	546	370	124	1
	WHITE.....MALE..	1,115	-	-	-	-	-	-	-	1	1	3	1	12	15	41	80	147	220	269	191	102	32	-
	FEMALE	1,483	-	-	-	-	-	-	-	-	-	2	2	7	9	21	46	140	241	319	344	261	91	-
	NONWHITE.....MALE..	45	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	8	9	8	4	5	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	6	8	5	7	2	1	1
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	2,258	2	2	1	2	9	18	9	30	33	54	95	112	171	238	316	384	361	228	135	47	10	1
	WHITE.....MALE..	1,329	2	1	1	1	3	2	1	8	10	16	41	74	109	143	224	267	228	129	53	13	3	-
	FEMALE	762	-	1	-	1	6	13	8	13	16	27	30	21	44	71	74	101	125	95	74	34	7	1
	NONWHITE.....MALE..	91	-	-	-	-	-	-	-	1	4	6	12	11	10	13	12	9	4	3	6	-	-	-
	FEMALE	76	-	-	-	-	-	3	-	8	3	5	12	6	8	11	6	7	4	1	2	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	749	6	-	2	9	9	18	17	23	44	51	53	54	53	70	85	72	72	57	36	12	6	-
	WHITE.....MALE..	346	3	-	2	3	5	6	10	12	22	26	25	24	25	28	44	33	34	28	10	4	2	-
	FEMALE	279	3	-	-	4	4	11	4	7	10	17	13	19	17	28	29	29	30	27	18	6	3	-
	NONWHITE.....MALE..	76	-	-	-	1	-	1	-	2	7	3	9	10	6	4	8	9	7	1	7	-	1	-
	FEMALE	48	-	-	-	1	-	-	3	2	5	5	6	1	5	10	4	1	1	1	1	2	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	4,383	699	114	28	17	27	14	21	26	70	93	121	130	150	201	306	421	577	566	480	232	88	2
	WHITE.....MALE..	2,236	345	56	13	6	14	3	10	9	31	48	74	80	98	129	186	226	321	254	218	85	29	1
	FEMALE	1,793	232	37	10	11	10	8	6	9	33	28	32	40	39	49	100	176	229	295	252	141	55	1
	NONWHITE.....MALE..	221	72	11	-	-	2	2	1	3	4	8	11	9	12	19	14	13	17	11	6	4	2	-
	FEMALE	133	50	10	5	-	1	1	4	5	2	9	4	1	1	4	6	6	10	6	4	2	2	-
480-483	INFLUENZA.....	140	3	6	-	-	1	-	-	2	-	3	-	3	2	5	12	20	22	30	21	6	4	-
	WHITE.....MALE..	58	2	4	-	-	-	-	-	-	-	1	-	1	1	2	4	11	13	13	3	1	2	-
	FEMALE	77	1	1	-	-	-	-	-	1	-	2	-	2	1	3	8	9	7	17	18	5	2	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	4,243	696	108	28	17	26	14	21	24	70	90	121	127	148	196	294	401	555	536	459	226	84	2
	WHITE.....MALE..	2,178	343	52	13	6	14	3	10	9	31	47	74	79	97	127	182	215	308	241	215	84	27	1
	FEMALE	1,716	231	36	10	11	10	8	6	8	33	26	32	38	38	46	92	167	222	278	234	136	53	1
	NONWHITE.....MALE..	219	72	10	-	-	2	2	1	3	4	8	11	9	12	19	14	13	16	11	6	4	2	-
	FEMALE	130	50	10	5	-	-	1	4	4	2	9	4	1	1	4	6	6	9	6	4	2	2	-
500-502	BRONCHITIS.....	401	75	26	8	4	1	1	2	3	4	6	14	19	22	21	39	54	51	26	19	6	-	-
	WHITE.....MALE..	230	33	14	3	4	1	-	-	-	2	3	6	15	15	17	31	36	26	12	10	2	-	-
	FEMALE	128	24	4	3	-	-	1	-	2	-	3	8	3	5	4	8	15	23	12	9	4	-	-
	NONWHITE.....MALE..	27	11	5	-	-	-	-	1	1	-	-	-	1	2	-	-	2	2	2	-	-	-	-
	FEMALE	16	7	3	2	-	-	-	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	2,400	287	30	4	3	2	3	6	7	15	26	63	116	171	279	364	383	344	182	82	27	5	1
	WHITE.....MALE..	1,770	130	19	2	1	-	1	2	3	6	16	39	86	141	221	301	308	274	137	61	18	3	1
	FEMALE	487	107	6	2	1	1	1	3	4	5	4	22	22	25	42	49	66	59	39	18	9	2	-
	NONWHITE.....MALE..	107	29	3	-	1	-	1	1	-	3	6	1	6	5	15	13	9	9	4	1	-	-	-
	FEMALE	36	21	2	-	-	1	-	-	-	1	-	1	2	-	1	1	-	2	2	2	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	1,219	3	1	2	1	1	7	5	9	20	36	54	87	104	136	149	180	206	112	79	22	5	-
	WHITE.....MALE..	797	1	1	2	1	-	4	4	7	12	23	33	63	71	106	103	128	122	66	41	8	1	-
	FEMALE	350	1	-	-	-	1	3	1	1	6	11	15	19	23	24	33	45	74	42	33	14	4	-
	NONWHITE.....MALE..	54	1	-	-	-	-	-	-	1	2	-	2	4	9	6	11	4	6	3	5	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	2	4	1	1	-	2	3	4	1	-	-	-	-
550-553	APPENDICITIS.....	129	7	3	2	10	2	2	3	2	5	1	3	9	8	7	11	20	15	12	5	2	-	-
	WHITE.....MALE..	63	3	2	1	3	1	1	1	1	4	-	1	4	4	5	6	11	7	7	1	-	-	-
	FEMALE	49	2	1	-	4	1	1	2	1	1	-	2	4	3	-	4	7	6	5	3	2	-	-
	NONWHITE.....MALE..	11	1	-	1	1	-	-	-	-	-	-	-	1	1	1	1	1	2	-	1	-	-	-
	FEMALE	6	1	-	-	2	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	801	89	6	2	-	1	3	3	8	10	17	14	25	44	63	78	108	118	104	68	36	4	-
	WHITE.....MALE..	345	46	1	1	-	1	1	1	1	5	4	6	16	16	27	36	55	51	39	26	12	-	-
	FEMALE	420	39	5	1	-	-	2	2	6	4	10	8	8	22	34	38	47	65	64	41	20	4	-
	NONWHITE.....MALE..	21	3	-	-	-	-	-	-	-	1	-	-	-	3	2	2	5	-	1	1	3	-	-
	FEMALE	15	1	-	-	-	-	-	-	1	-	3	-	1	3	-	2	1	2	-	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	547	68	25	5	2	3	7	5	6	7	10	17	28	36	40	53	68	69	48	35	11	4	-
	WHITE.....MALE..	245	28	14	2	-	-	3	2	2	1	8	7	16	18	22	31	41	21	17	9	2	1	-
	FEMALE	270	24	10	3	2	3	4	3	4	5	2	8	9	17	14	20	27	48	30	25	9	3	-
	NONWHITE.....MALE..	18	6	1	-	-	-	-	-	-	1	-	1	3	1	3	1	-	-	1	-	-	-	-
	FEMALE	14	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-
581	CIRRHOSIS OF LIVER.....	3,244	1	5	1	1	4	2	20	70	190	343	478	547	463	379	325	216	115	51	26	5	2	-
	WHITE.....MALE..	1,882	-	3	1	-	-	-	7	32	82	159	270	332	279	246	233	123	68	29	16	2	-	-
	FEMALE	1,131	1	2	-	1	2	-	7	19	74	153	169	188	159	117	73	83	46	22	10	3	2	-
	NONWHITE.....MALE..	136	-	-	-	-	1	-	3	8	22	18	18	15	20	12	10	9	-	-	-	-	-	-
	FEMALE	95	-	-	-	-	1	2	3	11	12	13	21	12	5	4	9	1	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	360	1	-	1	-	2	-	-	1	3	1	6	12	16	27	46	63	73	60	34	8	6	-
	WHITE.....MALE..	145	-	-	1	-	-	-	-	-	2	-	3	5	10	12	16	28	30	23	12	2	1	-
	FEMALE	199	1	-	-	-	2	-	-	-	-	-	3	6	6	14	28	33	40	34	21	6	5	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	2	1	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	98	3	2	2	1	3	1	4	4	6	11	8	7	7	11	6	8	6	6	2	-	-	-
	WHITE.....MALE..	50	1	1	-	-	1	-	3	3	2	7	4	4	2	4	3	5	4	4	2	-	-	-
	FEMALE	34	1	1	-	1	1	1	1	1	3	1	3	3	3	4	3	3	2	2	-	-	-	-
	NONWHITE.....MALE..	9	1	-	1	-	-	-	-	-	-	1	1	-	2	3	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	677	10	1	2	2	4	2	5	9	14	18	27	34	46	43	72	90	114	83	69	28	4	-
	WHITE.....MALE..	294	1	-	2	-	2	1	2	3	-	7	8	10	19	15	34	38	56	45	39	9	3	-
	FEMALE	316	1	1	-	2	2	1	2	3	12	10	14	14	24	17	32	48	52	35	27	18	1	-
	NONWHITE.....MALE..	34	6	-	-	-	-	-	-	-	1	1	3	2	1	6	4	4	3	2	1	-	-	-
	FEMALE	33	2	-	-	-	-	-	1	3	1	-	2	8	2	5	2	-	3	1	2	1	-	-
610	HYPERPLASIA OF PROSTATE..	307	-	-	-	-	-	-	-	-	-	-	-	1	2	11	16	25	47	60	74	43	22	6	-
	WHITE.....MALE..	282	-	-	-	-	-	-	-	-	-	-	-	1	2	7	15	23	44	54	69	41	21	5	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	3	6	5	2	1	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CALIFORNIA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	111	-	-	-	-	8	23	30	24	16	10	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	75	-	-	-	-	4	15	21	17	10	8	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	36	-	-	-	-	4	8	9	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	34	-	-	-	-	6	4	11	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	24	-	-	-	-	3	2	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	10	-	-	-	-	3	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	77	-	-	-	-	2	19	19	17	11	9	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	51	-	-	-	-	1	13	12	11	7	7	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	26	-	-	-	-	1	6	7	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	1,958	1,386	164	52	53	29	24	17	22	28	29	34	27	29	16	16	17	6	6	3	-	-	-
	WHITE.....MALE..	988	710	73	26	29	17	14	8	13	18	13	12	13	16	9	4	7	1	4	1	-	-	-
	FEMALE	757	519	69	21	22	11	6	5	6	8	10	22	12	11	7	10	9	5	2	2	-	-	-
	NONWHITE.....MALE..	123	87	11	5	2	-	3	-	3	2	5	-	1	1	-	2	1	-	-	-	-	-	-
	FEMALE	90	70	11	-	-	1	1	4	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	5,353	5,352	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2,604	2,604	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1,871	1,870	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	520	520	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	2,505	2,505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,259	1,259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	885	885	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	365	365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	182	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	2,483	2,482	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,163	1,163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	873	872	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	319	20	4	3	-	3	5	12	12	11	12	8	16	19	14	14	19	28	44	23	30	16	6
	WHITE.....MALE..	151	11	1	1	-	3	3	4	5	6	4	2	12	11	9	9	10	11	17	10	8	9	5
	FEMALE	148	7	3	1	-	-	1	6	7	3	5	4	4	8	4	3	9	16	25	12	22	7	1
	NONWHITE.....MALE..	15	2	-	1	-	-	-	2	-	-	3	2	-	-	-	2	-	1	1	1	-	-	-
	FEMALE	5	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	4,247	189	123	56	29	69	43	57	87	139	192	266	275	295	359	440	458	450	378	220	90	32	-
	WHITE.....MALE..	2,100	102	59	28	15	44	17	29	35	59	88	141	155	139	194	226	228	227	175	85	40	14	-
	FEMALE	1,815	65	47	26	11	19	20	20	31	54	79	101	93	135	143	173	207	212	189	126	48	16	-
	NONWHITE.....MALE..	204	16	12	2	1	4	4	6	13	12	13	17	17	14	13	24	15	6	9	6	-	-	-
	FEMALE	128	6	5	-	2	2	2	2	8	14	12	7	10	7	9	17	8	5	5	3	2	2	-
E800-E962	ACCIDENTS.	8,690	228	451	298	206	573	752	491	504	584	541	567	517	476	440	417	423	427	383	257	119	28	8
	WHITE.....MALE..	5,494	110	224	169	144	423	589	352	364	391	353	360	359	312	271	246	249	222	195	101	45	9	6
	FEMALE	2,547	86	179	93	48	128	107	89	85	133	125	174	127	122	138	149	153	188	178	152	74	18	1
	NONWHITE.....MALE..	489	17	22	27	13	18	45	43	44	48	53	22	23	33	25	18	13	15	7	2	-	-	1
	FEMALE	160	15	26	9	1	4	11	7	11	12	10	11	8	9	6	4	8	2	3	2	-	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	4,312	42	161	169	104	434	581	319	296	333	297	269	216	242	204	183	194	139	76	41	8	1	3
	WHITE.....MALE..	2,805	18	67	91	66	317	447	229	199	214	193	165	151	146	109	104	115	83	55	26	7	1	2
	FEMALE	1,202	22	75	60	32	105	91	71	64	87	72	89	55	77	77	67	72	52	18	15	1	-	-
	NONWHITE.....MALE..	238	2	8	16	6	10	33	19	26	24	29	10	6	15	13	9	4	4	3	-	-	-	1
	FEMALE	67	-	11	2	-	2	10	-	7	8	3	5	4	4	5	3	3	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	4,378	186	290	129	102	139	171	172	208	251	244	298	301	234	236	234	229	288	307	216	111	27	5
	WHITE.....MALE..	2,689	92	157	78	78	106	142	123	165	177	160	195	208	166	162	142	134	139	140	75	38	8	4
	FEMALE	1,345	64	104	33	16	23	16	18	21	46	53	85	72	45	61	82	81	136	160	137	73	18	1
	NONWHITE.....MALE..	251	15	14	11	7	8	12	24	18	24	24	12	17	18	12	9	9	11	4	2	-	-	-
	FEMALE	93	15	15	7	1	2	1	7	4	4	7	6	4	5	1	1	5	2	3	2	-	1	-
E963, E970-E979	SUICIDE.	2,818	...	...	-	11	74	129	164	219	254	312	327	315	280	229	152	141	95	79	23	11	2	1
	WHITE.....MALE..	1,786	...	...	-	9	53	84	101	128	144	182	190	206	180	155	99	98	73	57	18	8	-	1
	FEMALE	925	...	...	-	2	18	37	53	77	99	119	127	104	95	62	45	39	20	19	5	3	1	-
	NONWHITE.....MALE..	75	...	...	-	-	2	6	7	6	9	8	5	4	4	9	8	3	1	2	-	-	1	-
	FEMALE	32	...	...	-	-	1	2	3	8	2	3	5	1	1	3	-	1	1	1	-	-	-	-
E964, E980-E985	HOMICIDE.	740	17	20	17	10	50	76	90	83	102	64	56	56	32	21	19	10	5	4	3	3	1	1
	WHITE.....MALE..	328	5	8	9	3	24	33	35	35	40	21	24	32	18	11	13	6	4	2	2	2	-	1
	FEMALE	180	9	9	7	4	15	18	10	16	24	18	12	10	9	6	4	3	1	2	1	1	1	-
	NONWHITE.....MALE..	185	2	3	1	2	9	19	38	20	31	24	14	10	5	4	2	1	-	-	-	-	-	-
	FEMALE	47	1	-	-	1	2	6	7	12	7	1	6	4	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO																							
	ALL CAUSES	16,005	1,099	194	94	63	181	166	154	187	276	392	561	786	958	1,190	1,476	1,908	2,175	1,955	1,394	624	169	3
	WHITE.....MALE..	8,918	597	95	49	38	125	110	92	109	149	244	348	531	614	749	925	1,085	1,204	954	587	240	73	-
	FEMALE	6,571	425	90	39	24	49	47	50	61	102	129	184	234	314	407	493	771	928	965	788	376	92	3
	NONWHITE.....MALE..	300	51	5	3	1	4	7	7	8	10	11	20	12	16	23	36	30	21	20	9	2	4	-
	FEMALE	216	26	4	3	-	3	2	5	9	15	8	9	9	14	11	22	22	22	16	10	6	-	-
001-019	TUBERCULOSIS, ALL FORMS..	70	-	-	-	-	1	-	1	-	5	2	11	6	5	7	10	8	6	6	2	-	-	-
	WHITE.....MALE..	47	-	-	-	-	-	-	-	-	3	1	8	4	4	4	8	6	3	4	2	-	-	-
	FEMALE	15	-	-	-	-	1	-	-	-	2	1	3	2	1	1	1	1	2	-	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	64	-	-	-	-	-	-	1	-	5	2	9	6	5	6	10	7	6	5	2	-	-	-
	WHITE.....MALE..	44	-	-	-	-	-	-	-	-	3	1	7	4	4	4	8	5	3	3	2	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	2	1	2	2	1	1	1	1	2	-	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	6	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	1	-	1	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	23	-	-	-	-	-	-	-	-	-	1	4	-	-	2	3	3	3	6	1	-	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	1	5	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	2	1	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	5	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	71	11	5	-	-	1	2	2	2	4	2	7	6	3	4	4	5	4	5	3	1	-	-
	WHITE.....MALE..	27	6	1	-	-	-	-	-	1	2	-	5	1	-	2	1	2	3	2	1	-	-	-
	FEMALE	39	4	4	-	-	1	2	1	1	2	2	2	4	3	1	3	3	1	2	2	1	-	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,241	4	22	10	7	13	16	20	29	36	73	115	171	215	252	291	319	295	196	115	39	3	-
	WHITE.....MALE..	1,145	1	11	4	3	8	12	9	13	14	30	47	84	109	139	159	165	166	98	52	18	3	-
	FEMALE	1,025	3	11	5	4	5	4	11	16	20	41	62	83	97	105	118	144	122	93	60	21	-	-
	NONWHITE.....MALE..	36	-	-	1	-	-	-	-	-	1	-	3	2	3	4	9	6	2	3	2	-	-	-
	FEMALE	35	-	-	-	-	-	-	-	-	1	2	3	2	6	4	5	4	5	2	1	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	37	-	-	-	-	-	-	-	1	-	1	-	4	6	3	6	7	4	3	1	1	-	-
	WHITE.....MALE..	28	-	-	-	-	-	-	-	-	-	1	-	4	4	2	5	6	2	2	1	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	718	-	1	-	-	-	-	1	3	10	13	21	48	62	87	95	119	108	89	43	17	1	-
	WHITE.....MALE..	364	-	1	-	-	-	-	1	3	7	4	12	25	28	58	47	63	55	38	13	8	1	-
	FEMALE	329	-	-	-	-	-	-	-	-	2	8	7	22	30	28	43	51	52	48	29	9	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	3	-	1	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	1	1	-	3	1	3	2	1	2	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	335	-	-	-	-	-	1	-	1	2	10	17	37	52	47	59	52	30	17	9	1	-	-
	WHITE.....MALE..	266	-	-	-	-	-	1	-	-	1	8	14	29	43	41	49	43	24	10	3	-	-	-
	FEMALE	53	-	-	-	-	-	-	-	1	1	1	2	7	8	4	6	7	5	6	4	1	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	2	-	1	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-
170	OF BREAST.....	200	-	-	-	-	-	-	1	6	6	11	22	24	25	18	24	23	18	11	8	3	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	195	-	-	-	-	-	-	1	6	6	11	22	24	23	18	23	23	16	11	8	3	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	318	-	1	-	-	2	2	2	6	5	15	18	17	23	30	28	47	55	32	28	5	2	-
	WHITE.....MALE..	134	-	1	-	-	1	2	1	2	-	3	-	4	6	4	10	15	32	25	23	3	2	-
	FEMALE	175	-	-	-	-	1	-	1	4	5	12	17	12	17	23	16	32	22	6	5	2	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	119	-	-	1	1	-	-	-	-	3	4	6	6	6	12	20	21	24	9	4	2	-	-
	WHITE.....MALE..	86	-	-	-	-	-	-	-	-	2	2	5	4	5	9	14	16	20	5	3	1	-	-
	FEMALE	29	-	-	1	1	-	-	-	-	1	2	1	2	-	3	4	4	4	4	1	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	265	2	8	3	3	3	7	6	4	5	11	14	19	23	27	32	27	33	18	14	6	-	-
	WHITE.....MALE..	131	-	4	-	2	1	6	3	2	1	6	7	8	13	12	19	10	18	11	5	3	-	-
	FEMALE	126	2	4	2	1	2	1	3	2		5	6	10	9	14	13	16	14	7	9	3	-	-
	NONWHITE.....MALE..	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	122	2	12	6	3	5	2	4	2	3	3	3	4	7	17	12	8	10	11	5	3	-	-
	WHITE.....MALE..	62	1	5	4	1	4	1	2	1	2	2	2	1	4	5	6	5	9	4	2	1	-	-
	FEMALE	60	1	7	2	2	1	1	2	1	1	1	1	3	3	12	6	3	1	7	3	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	127	-	-	-	-	3	4	6	6	2	5	14	12	11	11	15	15	13	6	3	1	-	-
	WHITE.....MALE..	73	-	-	-	-	2	2	2	5	1	4	7	9	6	8	8	7	6	3	2	1	-	-
	FEMALE	51	-	-	-	-	1	2	4	1	1	1	6	3	5	2	7	7	7	3	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	51	3	1	2	-	3	2	-	-	2	4	3	5	4	5	3	2	8	3	1	-	-	-
	WHITE.....MALE..	24	1	-	1	-	1	-	-	-	1	2	2	2	4	3	1	-	4	2	-	-	-	-
	FEMALE	25	2	1	1	-	2	2	-	-	1	2	1	3	-	2	1	1	4	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
241	ASTHMA.....	59	-	1	-	-	1	1	1	1	1	3	3	6	7	4	6	9	11	3	1	-	-	-
	WHITE.....MALE..	31	-	1	-	-	-	-	-	-	-	2	1	1	4	3	4	6	8	-	1	-	-	-
	FEMALE	25	-	-	-	-	-	1	1	1	-	1	2	4	3	1	2	3	3	3	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	193	-	1	-	1	1	4	3	2	4	3	5	10	12	16	20	35	36	27	10	2	1	-
	WHITE.....MALE..	86	-	-	-	-	-	2	2	1	2	2	2	5	9	8	8	17	16	9	2	1	-	-
	FEMALE	96	-	1	-	1	1	2	1	1	2	-	3	5	3	6	11	16	19	14	8	1	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	2	-	-	-	-
290-293	ANEMIAS.....	27	-	1	1	-	1	-	1	-	-	2	4	-	2	1	2	2	4	5	1	-	-	-
	WHITE.....MALE..	15	-	-	-	-	1	-	-	-	-	1	3	-	-	1	1	2	2	3	1	-	-	-
	FEMALE	11	-	1	-	-	-	-	1	-	-	1	1	-	2	-	1	-	2	2	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	30	12	5	1	1	-	-	1	1	-	-	1	1	-	2	-	2	1	2	-	-	-	-
	WHITE.....MALE..	15	5	3	1	1	-	-	-	1	-	-	-	1	-	-	-	2	-	1	-	-	-	-
	FEMALE	11	4	2	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	8,111	7	5	4	1	9	13	16	40	60	114	198	357	425	605	824	1,148	1,403	1,316	998	445	123	-
	WHITE.....MALE..	4,470	5	1	3	1	4	9	9	23	31	76	144	279	292	397	527	653	755	626	410	170	55	-
	FEMALE	3,458	2	4	1	-	5	3	7	12	20	30	42	66	123	196	271	469	621	674	575	269	68	-
	NONWHITE.....MALE..	96	-	-	-	-	-	-	-	3	3	7	8	7	5	9	13	13	13	9	5	1	-	-
	FEMALE	87	-	-	-	-	-	1	-	2	6	1	4	5	5	3	13	13	14	7	8	5	-	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	8,014	4	5	3	1	6	8	13	38	56	112	194	352	423	598	814	1,140	1,386	1,308	988	444	121	-
	WHITE.....MALE..	4,425	3	1	2	1	2	7	8	23	29	75	143	276	291	394	522	648	748	622	407	170	53	-
	FEMALE	3,411	1	4	1	-	4	-	5	10	19	30	40	65	122	193	266	466	611	670	568	268	68	-
	NONWHITE.....MALE..	93	-	-	-	-	-	-	-	3	3	6	8	6	5	8	13	13	13	9	5	1	-	-
	FEMALE	85	-	-	-	-	-	1	-	2	5	1	3	5	5	3	13	13	14	7	8	5	-	-
330-334	VASCULAR LESIONS, ETC.	1,681	1	1	1	-	1	1	3	5	7	17	16	36	68	84	156	273	287	332	251	116	25	-
	WHITE.....MALE..	750	1	1	-	-	-	1	2	3	2	10	6	21	35	37	78	130	129	137	91	52	14	-
	FEMALE	896	-	-	1	-	1	-	1	2	4	6	9	15	30	44	71	138	151	192	157	63	11	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	6	2	-	1	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	1	1	1	-	2	-	3	2	1	1	3	-	-	-
400-402, 410-443	DISEASES OF HEART	5,567	3	3	2	1	4	7	9	32	44	85	167	290	332	472	604	775	952	831	612	264	78	-
	WHITE.....MALE..	3,307	2	-	2	1	2	6	6	20	27	63	132	242	240	329	412	468	535	416	274	96	34	-
	FEMALE	2,152	1	3	-	-	2	-	3	8	12	18	29	41	87	136	178	291	401	405	329	164	44	-
	NONWHITE.....MALE..	53	-	-	-	-	-	-	-	2	2	4	4	3	4	4	7	7	6	6	4	-	-	-
	FEMALE	55	-	-	-	-	-	1	-	2	3	-	2	4	1	3	7	9	10	4	5	4	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	257	-	1	1	1	1	3	4	9	10	16	20	35	30	28	33	21	19	16	6	2	1	-
	WHITE.....MALE..	120	-	-	1	1	1	2	2	3	6	10	12	18	14	10	14	11	8	6	-	1	-	-
	FEMALE	131	-	1	-	-	-	-	2	5	4	5	7	15	16	18	19	10	11	10	6	1	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	4,508	-	-	-	-	-	3	4	19	27	61	124	238	277	398	501	654	789	677	492	187	57	-
	WHITE.....MALE..	2,805	-	-	-	-	-	3	3	15	18	49	106	214	212	291	355	410	452	349	224	80	24	-
	FEMALE	1,620	-	-	-	-	-	-	1	2	6	10	14	21	60	100	135	232	323	320	259	104	33	-
	NONWHITE.....MALE..	46	-	-	-	-	-	-	-	2	1	2	3	2	4	4	7	6	6	5	4	-	-	-
	FEMALE	37	-	-	-	-	-	-	-	-	2	-	1	1	1	3	4	6	8	3	5	3	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	251	-	1	-	-	1	-	-	-	1	1	7	1	5	11	24	28	43	51	49	20	8	-
	WHITE.....MALE..	115	-	-	-	-	-	-	-	-	-	1	3	1	2	6	17	10	23	19	27	4	2	-
	FEMALE	132	-	1	-	-	1	-	-	-	1	-	4	-	3	5	6	17	20	30	22	16	6	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
430-434	OTHER DISEASES OF HEART	215	3	1	1	-	2	1	1	4	4	5	12	6	13	10	19	27	36	28	25	16	1	-
	WHITE.....MALE..	128	2	-	1	-	1	1	1	2	2	2	7	4	9	9	15	17	23	19	10	2	1	-
	FEMALE	82	1	1	-	-	1	-	-	1	1	2	4	1	4	1	4	10	13	9	15	14	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	336	-	-	-	-	-	-	-	-	2	2	4	10	7	25	27	45	65	59	40	39	11	-
	WHITE.....MALE..	139	-	-	-	-	-	-	-	-	1	1	4	5	3	13	11	20	29	23	13	9	7	-
	FEMALE	187	-	-	-	-	-	-	-	-	-	1	-	4	4	12	14	22	34	36	27	29	4	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	-	-	1	-	-
444-447	OTHER HYPERTENSIVE DIS.	96	-	-	-	-	-	-	-	-	1	1	2	5	1	3	3	7	23	21	20	6	3	-
	WHITE.....MALE..	44	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	3	15	10	7	4	1	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	8	11	13	2	2	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	357	-	1	-	-	-	-	-	-	-	-	-	4	5	9	13	29	65	91	77	48	15	-
	WHITE.....MALE..	150	-	-	-	-	-	-	-	-	-	-	-	3	4	5	3	15	33	47	23	13	4	-
	FEMALE	196	-	1	-	-	-	-	-	-	-	-	-	1	-	3	7	14	29	41	54	35	11	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	313	-	-	-	-	1	-	1	1	4	9	9	17	17	30	38	56	59	33	28	10	-	-
	WHITE.....MALE..	174	-	-	-	-	-	-	-	-	-	2	5	7	11	23	29	32	36	12	12	5	-	-
	FEMALE	121	-	-	-	-	1	-	1	-	3	6	2	7	5	7	8	19	22	21	15	4	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	1	1	1	2	3	-	-	-	3	-	-	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	97	3	-	1	-	3	5	3	2	4	2	4	5	2	7	10	8	17	8	10	1	2	-
	WHITE.....MALE..	45	2	-	1	-	2	2	1	-	2	1	1	3	1	3	5	5	7	4	3	-	2	-
	FEMALE	47	1	-	-	-	1	3	2	2	1	-	2	1	1	3	5	3	10	4	7	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	889	75	31	7	5	6	3	3	6	9	18	18	25	45	58	66	78	107	133	113	61	21	1
	WHITE.....MALE..	486	37	15	3	3	3	2	-	2	6	13	10	20	29	38	43	44	62	65	60	21	10	-
	FEMALE	364	32	16	4	2	3	1	3	1	2	3	7	5	13	18	19	31	42	63	51	39	8	1
	NONWHITE.....MALE..	25	5	-	-	-	-	-	-	1	-	1	-	-	3	1	2	3	2	3	1	-	3	-
	FEMALE	14	1	-	-	-	-	-	-	2	1	1	1	-	-	1	2	-	1	2	1	1	-	-
480-483	INFLUENZA.....	21	3	1	1	2	-	-	-	-	-	-	-	-	1	1	2	-	3	2	4	-	1	-
	WHITE.....MALE..	10	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	1	-
	FEMALE	11	2	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	868	72	30	6	3	6	3	3	6	9	18	18	25	44	57	64	78	104	131	109	61	20	1
	WHITE.....MALE..	476	36	14	3	2	3	2	-	2	6	13	10	20	29	37	42	44	60	65	58	21	9	-
	FEMALE	353	30	16	3	1	3	1	3	1	2	3	7	5	12	18	18	31	41	61	49	39	8	1
	NONWHITE.....MALE..	25	5	-	-	-	-	-	-	1	-	1	-	-	3	1	2	3	2	3	1	-	3	-
	FEMALE	14	1	-	-	-	-	-	-	2	1	1	1	-	-	1	2	-	1	2	1	1	-	-
500-502	BRONCHITIS.....	47	8	5	1	-	-	-	1	-	-	1	1	-	3	8	3	8	3	1	3	1	-	-
	WHITE.....MALE..	36	6	4	1	-	-	-	-	-	-	-	1	-	2	7	2	7	3	-	2	1	-	-
	FEMALE	10	2	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	285	4	-	-	-	-	1	1	1	1	3	4	17	28	43	47	56	41	27	7	4	-	-
	WHITE.....MALE..	226	-	-	-	-	-	1	-	-	1	3	1	12	27	37	40	44	36	18	5	1	-	-
	FEMALE	52	3	-	-	-	-	-	1	-	-	-	1	5	1	6	6	11	5	9	2	2	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	-	-	-	1	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	133	-	-	-	2	-	-	1	-	2	1	4	6	6	12	20	20	24	18	9	8	-	-
	WHITE.....MALE..	86	-	-	-	1	-	-	1	-	1	-	3	5	4	8	19	13	16	9	3	3	-	-
	FEMALE	45	-	-	-	1	-	-	-	-	1	1	1	1	2	3	1	7	7	9	6	5	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	19	1	2	-	1	1	-	1	-	1	-	-	1	-	-	2	2	1	3	3	-	-	-
	WHITE.....MALE..	10	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	2	-	2	2	-	-	-
	FEMALE	9	1	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	108	7	1	-	-	-	1	1	-	1	5	5	4	5	11	12	15	17	12	9	2	-	-
	WHITE.....MALE..	55	2	1	-	-	-	-	1	-	-	-	3	3	3	7	7	9	9	6	3	1	-	-
	FEMALE	50	4	-	-	-	-	-	-	-	1	5	2	1	2	4	5	5	8	6	6	1	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	66	17	4	1	-	1	-	-	-	1	-	3	2	4	6	4	6	4	7	2	3	1	-
	WHITE.....MALE..	31	10	3	-	-	1	-	-	-	1	-	1	-	2	1	2	2	2	3	-	3	-	-
	FEMALE	34	7	-	1	-	-	-	-	-	-	-	2	2	2	5	2	4	2	4	2	-	1	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	218	1	1	-	-	1	2	7	11	15	18	29	31	29	24	18	13	8	9	1	-	-	-
	WHITE.....MALE..	139	-	-	-	-	1	1	3	8	6	8	21	21	17	19	13	9	7	5	-	-	-	-
	FEMALE	66	-	1	-	-	-	1	3	1	8	9	6	9	11	5	2	4	1	4	1	-	-	-
	NONWHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	2	-	-	-	3	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	1	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	49	-	-	-	-	-	-	-	-	1	3	-	-	2	2	4	9	10	6	10	1	1	-
	WHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	5	4	2	2	1	1	-
	FEMALE	26	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	4	6	4	8	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	12	1	-	2	-	2	-	-	-	-	-	-	-	3	-	1	2	-	1	-	-	-	-
	WHITE.....MALE..	9	-	-	2	-	2	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	74	2	-	-	-	1	-	-	1	3	1	3	2	7	9	14	8	6	11	4	-	2	-
	WHITE.....MALE..	39	1	-	-	-	-	-	-	1	2	-	-	-	2	4	7	6	4	9	3	-	-	-
	FEMALE	33	1	-	-	-	1	-	-	-	1	1	3	2	4	5	7	2	2	2	-	-	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	37	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	9	7	3	4	-	-
	WHITE.....MALE..	35	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	8	6	3	4	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	COLORADO--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	9	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	9	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	7	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	223	160	26	6	1	4	4	4	-	2	1	4	3	1	-	3	2	1	-	1	-	-	-
	WHITE.....MALE..	114	83	13	2	1	2	2	3	-	-	-	2	1	1	-	3	-	1	-	-	-	-	-
	FEMALE	103	72	12	4	-	2	2	1	-	2	1	2	2	-	-	-	2	-	-	1	-	-	-
	NONWHITE.....MALE..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	690	690	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	385	385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	280	280	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	93	4	-	-	-	2	3	2	3	3	4	3	9	1	5	4	13	10	9	6	8	3	1
	WHITE.....MALE..	51	4	-	-	-	2	1	-	3	-	4	2	5	-	3	3	6	7	6	2	2	1	-
	FEMALE	39	-	-	-	-	-	2	2	-	1	-	1	4	1	2	1	7	2	3	4	6	2	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	611	43	13	10	5	3	9	8	12	20	29	34	32	48	38	59	66	79	47	28	21	6	1
	WHITE.....MALE..	293	23	4	3	2	2	2	2	5	8	19	15	20	21	19	35	36	40	25	8	4	-	-
	FEMALE	293	17	8	6	2	1	6	6	5	11	8	16	12	23	18	23	28	38	21	20	17	6	1
	NONWHITE.....MALE..	17	2	1	1	1	-	1	-	-	-	1	3	-	3	1	1	1	1	-	-	-	-	-
	FEMALE	8	1	-	-	-	-	-	-	2	1	1	-	-	1	-	-	1	-	1	-	-	-	-
E800-E962	ACCIDENTS.	1,156	40	62	43	34	110	75	52	48	63	65	68	58	61	45	30	55	72	87	57	23	8	-
	WHITE.....MALE..	744	25	34	26	21	84	61	45	35	43	52	50	42	49	22	19	27	38	40	19	9	3	-
	FEMALE	369	12	22	15	13	23	11	6	11	17	13	16	14	11	18	8	23	34	46	38	14	4	-
	NONWHITE.....MALE..	30	3	2	-	-	2	3	1	1	2	-	2	2	1	3	2	4	-	1	-	-	1	-
	FEMALE	13	-	4	2	-	1	-	-	1	1	-	-	-	-	2	1	1	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	483	3	27	22	16	68	56	35	17	41	39	32	20	29	18	10	20	16	12	2	-	-	-
	WHITE.....MALE..	333	1	16	12	9	49	44	30	11	26	30	23	14	21	7	7	13	11	8	1	-	-	-
	FEMALE	130	1	8	10	7	18	10	5	5	12	9	8	5	7	9	1	5	5	4	1	-	-	-
	NONWHITE.....MALE..	15	1	2	-	-	1	2	-	-	2	-	1	1	1	1	1	2	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	673	37	35	21	18	42	19	17	31	22	26	36	38	32	27	20	35	56	75	55	23	8	-
	WHITE.....MALE..	411	24	18	14	12	35	17	15	24	17	22	27	28	28	15	12	14	27	32	18	9	3	-
	FEMALE	239	11	14	5	6	5	1	1	6	5	4	8	9	4	9	7	18	29	42	37	14	4	-
	NONWHITE.....MALE..	15	2	-	-	-	1	1	1	1	-	-	1	1	-	2	1	2	-	1	-	-	1	-
	FEMALE	8	-	3	2	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	299	...	...	-	4	8	26	17	17	26	30	28	28	36	27	18	13	10	5	5	1	-	-
	WHITE.....MALE..	220	...	...	-	4	5	15	12	11	20	24	21	20	27	19	13	11	8	4	5	1	-	-
	FEMALE	70	...	...	-	-	3	9	1	5	5	6	6	8	9	8	5	2	2	1	-	-	-	-
	NONWHITE.....MALE..	6	...	...	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	...	...	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	95	1	4	5	-	12	3	9	10	14	8	5	6	6	2	3	1	2	3	1	-	-	-
	WHITE.....MALE..	57	-	-	3	-	9	2	5	5	7	5	4	4	4	2	2	-	1	3	1	-	-	-
	FEMALE	22	1	4	1	-	-	-	1	4	3	1	1	2	1	-	1	1	1	-	-	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	2	1	3	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT																							
	ALL CAUSES	24,883	1,259	172	116	71	127	139	129	181	397	558	896	1,272	1,640	2,070	3,014	3,502	3,376	2,871	2,002	827	253	11
	WHITE.....MALE	13,122	621	81	62	46	85	98	63	73	194	304	503	810	1,028	1,227	1,768	1,886	1,752	1,330	798	313	73	7
	FEMALE	10,773	453	73	39	19	32	31	46	82	152	217	325	410	540	748	1,164	1,531	1,559	1,493	1,175	505	175	4
	NONWHITE.....MALE	568	106	14	8	5	7	8	13	15	30	25	38	33	42	54	52	44	35	23	12	2	2	-
	FEMALE	420	79	4	7	1	3	2	7	11	21	12	30	19	30	41	30	41	30	25	17	7	3	-
001-019	TUBERCULOSIS, ALL FORMS	103	-	1	-	1	-	-	1	1	3	4	4	6	14	13	21	8	11	7	6	2	-	-
	WHITE.....MALE	71	-	-	-	1	-	-	-	-	1	3	1	4	10	9	17	6	10	4	4	1	-	-
	FEMALE	22	-	1	-	-	-	-	1	1	2	1	2	2	1	1	2	2	1	3	1	1	-	-
	NONWHITE.....MALE	7	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	96	-	-	-	-	-	-	1	1	3	4	3	5	14	13	19	8	10	7	6	2	-	-
	WHITE.....MALE	68	-	-	-	-	-	-	-	-	1	3	1	4	10	9	16	6	9	4	4	1	-	-
	FEMALE	20	-	-	-	-	-	-	1	1	2	1	2	1	1	1	2	2	1	3	1	1	-	-
	NONWHITE.....MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	7	-	1	-	1	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-
	WHITE.....MALE	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	43	-	-	-	-	-	-	1	-	-	-	1	3	5	7	7	5	9	4	-	1	-	-
	WHITE.....MALE	27	-	-	-	-	-	-	-	-	-	-	1	1	3	5	6	4	4	2	-	1	-	-
	FEMALE	12	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	4	2	-	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	9	2	5	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	6	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	75	13	6	5	-	4	1	-	2	3	5	4	2	1	4	7	7	7	1	1	2	-	-
	WHITE.....MALE	37	5	3	3	-	3	-	-	-	-	2	3	2	1	1	4	2	4	1	1	2	-	-
	FEMALE	33	6	2	2	-	1	1	-	2	3	3	1	-	-	3	1	5	3	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,515	2	27	23	12	18	16	19	39	86	135	236	360	440	534	676	746	519	358	205	46	13	5
	WHITE.....MALE..	2,384	-	14	14	7	13	10	11	17	27	52	91	172	237	287	398	425	297	182	102	21	3	4
	FEMALE	2,002	2	13	7	4	4	6	6	18	54	79	130	179	188	227	261	301	216	171	101	25	9	1
	NONWHITE.....MALE..	78	-	-	2	1	-	-	2	1	3	3	6	8	12	15	12	9	2	1	1	-	-	-
	FEMALE	51	-	-	-	-	1	-	-	3	2	1	9	1	3	5	5	11	4	4	1	-	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	116	-	1	-	-	1	-	-	-	2	-	7	10	14	13	18	15	14	10	8	2	1	-
	WHITE.....MALE..	92	-	1	-	-	-	-	-	-	1	-	5	9	9	11	14	13	10	10	7	2	-	-
	FEMALE	21	-	-	-	-	1	-	-	-	1	-	-	-	5	2	4	2	4	-	1	-	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,593	-	1	3	-	-	-	2	5	15	30	65	106	139	157	275	295	220	156	97	17	7	3
	WHITE.....MALE..	882	-	-	3	-	-	-	-	2	9	13	32	62	82	80	168	176	130	71	41	9	1	3
	FEMALE	673	-	1	-	-	-	-	2	2	4	17	29	42	52	71	103	113	87	82	55	8	5	-
	NONWHITE.....MALE..	24	-	-	-	-	-	-	-	-	2	-	1	2	4	4	4	4	2	1	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	1	-	-	3	-	1	2	-	2	1	2	1	-	1	-
160-164	OF RESP. SYSTEM, ETC.....	705	-	-	-	-	-	-	1	4	9	22	37	75	104	130	122	115	50	23	12	1	-	-
	WHITE.....MALE..	563	-	-	-	-	-	-	-	1	3	13	24	57	89	110	99	96	42	17	11	1	-	-
	FEMALE	111	-	-	-	-	-	-	-	2	4	6	11	14	11	13	21	17	8	4	-	-	-	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	1	1	1	2	2	4	4	6	2	1	-	-	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	2	-	-	-	-
170	OF BREAST.....	429	-	-	-	-	-	-	-	5	17	24	42	49	57	56	40	58	44	21	11	3	2	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	FEMALE	417	-	-	-	-	-	-	-	5	16	24	39	48	56	54	38	57	43	21	11	3	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	3	-	1	1	2	1	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	573	-	1	1	-	1	-	4	5	13	16	33	48	37	60	74	91	84	59	34	10	1	1
	WHITE.....MALE..	238	-	-	1	-	1	-	3	2	2	-	3	3	4	15	29	48	51	44	25	6	1	-
	FEMALE	318	-	1	-	-	-	-	1	2	11	15	27	44	33	43	42	39	31	15	9	4	-	1
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	1	-	-	3	-	-	1	1	3	2	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	211	-	1	1	-	-	-	-	1	1	3	8	10	14	28	36	38	29	23	12	6	-	-
	WHITE.....MALE..	140	-	-	1	-	-	-	-	1	-	1	4	6	8	25	28	29	16	13	5	3	-	-
	FEMALE	65	-	1	-	-	-	-	-	-	1	2	4	3	5	2	7	8	12	10	7	3	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	482	1	7	7	1	8	4	3	10	16	19	27	40	52	57	56	74	42	38	12	5	2	1
	WHITE.....MALE..	258	-	5	4	1	6	4	3	5	7	11	15	25	31	28	32	36	24	12	7	-	1	1
	FEMALE	209	1	2	1	-	1	-	-	4	9	8	12	15	18	28	20	35	18	26	5	5	1	-
	NONWHITE.....MALE..	8	-	-	2	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	1	-	-	1	-	-	-	-	1	-	2	2	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	177	1	15	9	9	3	6	4	1	5	8	5	11	5	7	19	29	22	13	4	1	-	-
	WHITE.....MALE..	94	-	8	4	5	3	2	3	-	3	6	4	2	3	3	10	14	14	9	1	-	-	-
	FEMALE	80	1	7	5	4	-	4	-	1	2	2	1	9	2	4	9	13	8	4	3	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	229	-	1	2	2	5	6	5	8	8	13	12	11	18	26	36	31	14	15	15	1	-	-
	WHITE.....MALE..	114	-	-	1	1	3	4	2	6	2	8	4	7	11	14	18	13	9	6	5	-	-	-
	FEMALE	108	-	1	1	-	2	2	3	2	6	5	7	4	6	10	17	17	5	9	10	1	-	-
	NONWHITE.....MALE..	6	-	-	-	1	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	89	1	5	3	1	2	1	1	4	5	4	6	7	14	7	5	8	7	5	2	1	-	-
	WHITE.....MALE..	47	1	1	1	1	1	1	1	1	3	-	1	5	12	4	3	3	6	2	-	-	-	-
	FEMALE	40	-	4	2	-	1	-	-	2	2	4	4	2	2	3	2	5	1	3	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	54	-	2	-	1	-	-	3	1	2	1	8	3	4	7	7	6	6	1	-	1	1	-
	WHITE.....MALE..	25	-	-	-	-	-	-	1	-	-	-	3	-	4	3	4	3	5	1	-	-	1	-
	FEMALE	22	-	1	-	-	-	-	2	1	1	1	4	3	-	2	2	3	1	-	-	1	-	-
	NONWHITE.....MALE..	5	-	1	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	488	-	2	-	-	1	1	3	6	6	6	13	21	37	47	87	86	83	60	21	7	1	-
	WHITE.....MALE..	181	-	2	-	-	1	1	2	1	5	4	7	12	19	15	32	30	23	16	8	3	-	-
	FEMALE	287	-	-	-	-	-	-	1	4	1	1	4	7	15	30	52	53	60	42	12	4	1	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	2	-	-	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	2	-	-	-	-
290-293	ANEMIAS.....	51	1	-	-	2	1	-	1	2	1	2	-	1	1	6	6	8	6	6	5	1	1	-
	WHITE.....MALE..	23	-	-	-	1	1	-	-	-	-	-	-	1	-	4	5	4	5	1	-	1	-	-
	FEMALE	27	-	-	-	1	-	-	1	2	1	2	-	-	1	2	1	4	1	5	5	-	1	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	30	13	3	4	1	1	-	-	1	-	-	1	1	-	1	3	1	-	-	-	-	-	-
	WHITE.....MALE..	14	7	1	1	1	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-
	FEMALE	14	6	2	2	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	13,879	12	5	4	6	5	16	19	40	129	208	375	575	826	1,111	1,793	2,128	2,289	2,001	1,474	652	208	3
	WHITE.....MALE..	7,210	6	3	2	4	1	9	8	22	82	133	260	423	543	684	1,039	1,099	1,147	891	556	237	60	1
	FEMALE	6,286	5	1	1	2	2	6	8	10	32	60	88	127	247	380	709	978	1,098	1,080	898	407	145	2
	NONWHITE.....MALE..	202	-	1	1	-	1	1	1	4	8	11	19	13	21	24	25	26	22	12	8	2	2	-
	FEMALE	181	1	-	-	-	1	-	2	4	7	4	8	12	15	23	20	25	22	18	12	6	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	13,750	11	4	3	6	3	13	17	37	124	202	368	567	822	1,102	1,784	2,111	2,270	1,983	1,464	649	207	3
	WHITE.....MALE..	7,142	5	2	2	4	-	8	6	20	79	130	256	416	540	680	1,035	1,091	1,140	881	551	236	59	1
	FEMALE	6,234	5	1	-	2	2	4	8	9	30	58	87	127	246	376	705	970	1,087	1,072	893	405	145	2
	NONWHITE.....MALE..	197	-	1	1	-	1	1	1	4	8	10	18	13	21	23	24	25	22	12	8	2	2	-
	FEMALE	177	1	-	-	-	-	-	2	4	7	4	7	11	15	23	20	25	21	18	12	6	1	-
330-334	VASCULAR LESIONS, ETC.	2,502	-	1	-	2	2	5	7	8	23	24	45	83	100	146	250	387	480	428	340	136	35	-
	WHITE.....MALE..	1,023	-	-	-	2	-	2	3	3	11	8	22	41	42	61	126	161	208	158	118	50	7	-
	FEMALE	1,378	-	-	-	-	1	2	2	2	10	12	15	36	44	71	113	212	266	263	218	84	27	-
	NONWHITE.....MALE..	45	-	1	-	-	1	1	1	-	1	3	6	2	4	6	5	6	2	4	1	-	1	-
	FEMALE	56	-	-	-	-	-	-	1	3	1	1	2	4	10	8	6	8	4	3	3	2	-	-
400-402, 410-443	DISEASES OF HEART	10,019	8	3	3	4	1	8	8	24	90	162	304	447	680	886	1,397	1,551	1,590	1,356	934	419	142	2
	WHITE.....MALE..	5,539	2	2	2	2	-	6	3	16	62	114	224	353	470	579	829	843	832	632	359	157	44	1
	FEMALE	4,247	5	1	-	2	1	2	4	6	16	40	66	80	189	278	543	674	726	698	561	258	96	1
	NONWHITE.....MALE..	132	-	-	1	-	-	-	-	2	7	6	12	7	16	17	13	19	18	7	5	1	1	-
	FEMALE	101	1	-	-	-	-	-	1	-	5	2	2	7	5	12	12	15	14	12	9	3	1	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	273	-	-	3	3	-	3	2	7	16	28	31	24	44	30	36	24	11	7	4	-	-	-
	WHITE.....MALE..	117	-	-	2	2	-	2	-	4	7	12	13	7	22	15	13	12	1	3	2	-	-	-
	FEMALE	147	-	-	-	1	-	1	1	2	7	16	16	16	22	15	23	11	10	4	2	-	-	-
	NONWHITE.....MALE..	5	-	-	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	8,347	-	-	-	-	-	4	3	13	65	115	250	390	573	770	1,186	1,309	1,336	1,105	767	332	127	2
	WHITE.....MALE..	4,834	-	-	-	-	-	4	2	10	53	92	201	323	406	526	733	732	719	544	319	130	39	1
	FEMALE	3,331	-	-	-	-	-	-	1	2	6	18	39	56	148	218	435	550	590	547	435	199	86	1
	NONWHITE.....MALE..	107	-	-	-	-	-	-	-	1	4	5	9	6	16	15	10	15	15	6	4	-	1	-
	FEMALE	75	-	-	-	-	-	-	-	-	2	-	1	5	3	11	8	12	12	8	9	3	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	475	1	1	-	1	-	-	-	1	2	4	2	4	10	19	37	59	80	110	81	54	9	-
	WHITE.....MALE..	201	1	-	-	-	-	-	-	-	-	2	2	4	8	10	21	27	32	47	24	20	3	-
	FEMALE	263	-	1	-	1	-	-	-	1	1	-	-	-	1	8	14	31	48	61	57	33	6	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	1	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	2	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	227	7	2	-	-	1	1	3	2	2	4	8	13	19	10	30	38	29	31	16	11	-	-
	WHITE.....MALE..	116	1	2	-	-	-	-	1	1	2	3	3	8	12	3	19	21	15	19	4	2	-	-
	FEMALE	107	5	-	-	-	1	1	2	1	-	1	4	5	7	7	11	17	13	11	12	9	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	697	-	-	-	-	-	-	-	1	5	11	13	16	34	57	108	121	134	103	66	22	6	-
	WHITE.....MALE..	271	-	-	-	-	-	-	-	1	-	5	5	11	22	25	43	51	65	26	10	5	2	-
	FEMALE	399	-	-	-	-	-	-	-	-	2	5	7	3	11	30	60	65	65	75	55	17	4	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	3	2	1	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	2	1	1	1	1	-	3	2	2	1	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	209	-	-	-	-	-	-	1	1	4	-	6	8	9	11	28	27	38	41	20	13	2	-
	WHITE.....MALE..	98	-	-	-	-	-	-	-	-	3	-	1	4	7	6	14	17	17	19	7	3	-	-
	FEMALE	101	-	-	-	-	-	-	1	-	1	-	4	3	2	4	11	9	21	21	12	10	2	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	1	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	625	-	-	-	-	-	-	-	-	-	-	2	5	7	16	36	72	109	130	149	71	27	1
	WHITE.....MALE..	256	-	-	-	-	-	-	-	-	-	-	-	2	2	8	15	35	53	55	57	21	8	-
	FEMALE	356	-	-	-	-	-	-	-	-	-	-	2	3	5	8	18	37	52	72	91	48	19	1
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	1	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	395	3	-	-	-	-	-	1	4	7	16	11	24	26	43	73	74	53	28	21	10	1	-
	WHITE.....MALE..	226	3	-	-	-	-	-	-	1	3	8	9	16	19	26	51	35	30	10	10	5	-	-
	FEMALE	152	-	-	-	-	-	-	1	1	3	6	-	5	6	15	20	38	22	18	11	5	1	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	2	-	1	-	3	1	-	2	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	1	2	-	-	2	-	1	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	129	1	1	1	-	2	3	2	3	5	6	7	8	4	9	9	17	19	18	10	3	1	-
	WHITE.....MALE..	68	1	1	-	-	1	1	2	2	3	3	4	7	3	4	4	8	7	10	5	1	1	-
	FEMALE	52	-	-	1	-	-	2	-	1	2	2	1	-	1	4	4	8	11	8	5	2	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	828	71	17	4	2	5	1	3	4	7	10	19	23	37	40	71	104	106	131	106	54	13	-
	WHITE.....MALE..	444	30	9	2	1	1	1	1	1	5	2	10	16	28	27	41	58	60	78	47	23	3	-
	FEMALE	338	26	5	-	1	1	-	2	2	2	7	7	6	8	9	27	44	42	51	58	30	10	-
	NONWHITE.....MALE..	28	6	3	-	-	3	-	-	-	-	1	2	1	-	2	3	2	3	2	-	-	-	-
	FEMALE	18	9	-	2	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	1	1	-	-
480-483	INFLUENZA.....	15	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	4	2	1	-	2	1	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	-	-	-	-
	FEMALE	9	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	813	70	17	4	2	4	1	2	4	7	10	19	23	35	40	71	100	104	130	106	52	12	-
	WHITE.....MALE..	438	30	9	2	1	1	1	1	1	5	2	10	16	26	27	41	55	59	78	47	23	3	-
	FEMALE	329	25	5	-	1	-	-	1	2	2	7	7	6	8	9	27	43	41	50	58	28	9	-
	NONWHITE.....MALE..	28	6	3	-	-	3	-	-	-	-	1	2	1	-	2	3	2	3	2	-	-	-	-
	FEMALE	18	9	-	2	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	1	1	-	-
500-502	BRONCHITIS.....	57	5	2	-	-	-	-	1	-	-	-	-	3	6	6	9	8	6	4	6	1	-	-
	WHITE.....MALE..	43	1	2	-	-	-	-	1	-	-	-	-	1	5	6	6	8	4	3	5	1	-	-
	FEMALE	11	2	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	1	1	1	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	232	6	3	1	3	-	-	-	-	2	5	5	10	12	37	32	44	38	23	9	2	-	-
	WHITE.....MALE..	178	5	2	1	-	-	-	-	-	-	4	2	9	10	31	28	38	26	15	5	2	-	-
	FEMALE	45	1	1	-	1	-	-	-	-	1	1	2	1	2	5	3	5	11	7	4	-	-	-
	NONWHITE.....MALE..	8	-	-	-	2	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	173	-	-	-	-	-	-	-	-	4	4	5	10	12	16	24	30	31	23	8	5	1	-
	WHITE.....MALE..	120	-	-	-	-	-	-	-	-	2	3	4	6	9	15	20	21	20	14	4	1	1	-
	FEMALE	49	-	-	-	-	-	-	-	-	2	-	1	3	3	1	3	9	10	9	4	4	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	24	-	1	-	-	-	-	-	1	2	1	3	1	-	2	-	4	3	2	3	1	-	-
	WHITE.....MALE..	13	-	1	-	-	-	-	-	-	-	1	1	1	-	2	-	2	2	1	1	1	-	-
	FEMALE	10	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	2	1	1	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	123	11	-	1	1	1	1	-	1	1	1	7	3	9	10	12	21	18	11	10	2	2	-
	WHITE.....MALE..	50	8	-	-	1	-	-	-	-	-	-	3	3	7	4	3	11	4	3	2	-	1	-
	FEMALE	65	3	-	-	-	1	1	-	1	1	-	2	-	2	5	9	9	13	7	8	2	1	-
	NONWHITE.....MALE..	6	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	1	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	109	10	4	-	-	-	1	1	-	3	2	7	4	11	6	10	12	15	15	7	1	-	-
	WHITE.....MALE..	44	2	3	-	-	-	1	-	-	1	1	5	2	6	3	5	5	5	3	1	1	-	-
	FEMALE	58	5	1	-	-	-	-	-	-	2	1	2	2	4	1	5	7	10	12	6	-	-	-
	NONWHITE.....MALE..	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	368	-	-	-	-	-	-	-	8	16	35	51	59	50	49	48	27	15	4	2	3	-	1
	WHITE.....MALE..	224	-	-	-	-	-	-	-	3	8	16	26	33	36	33	33	19	13	1	1	1	-	1
	FEMALE	122	-	-	-	-	-	-	-	4	7	17	20	22	10	13	13	8	2	3	1	2	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	1	-	1	2	2	2	3	2	-	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	1	3	2	2	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	63	-	-	-	-	-	-	-	-	1	1	2	2	4	1	8	9	12	14	7	1	1	-
	WHITE.....MALE..	24	-	-	-	-	-	-	-	-	-	-	2	-	4	1	3	1	6	4	3	-	-	-
	FEMALE	37	-	-	-	-	-	-	-	-	1	1	-	1	-	-	5	8	5	10	4	1	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	11	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	3	3	1	-	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	113	-	1	-	-	-	1	1	2	2	2	3	2	10	7	17	24	16	16	8	-	1
	WHITE.....MALE..	49	-	-	-	-	-	-	1	1	1	1	1	-	3	1	10	14	4	10	2	-	-	-
	FEMALE	56	-	1	-	-	-	1	-	1	1	-	1	2	5	5	7	9	11	5	6	-	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	51	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	16	13	10	5	-	-
	WHITE.....MALE..	49	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	16	12	9	5	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	CONNECTICUT--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	19	-	-	-	-	2	2	3	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	17	-	-	-	-	2	2	3	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	5	-	-	-	-	-	1	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	14	-	-	-	-	2	1	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	14	-	-	-	-	2	1	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	293	201	26	13	11	8	4	1	5	5	-	4	5	2	4	1	2	1	-	-	-	-	-
	WHITE.....MALE..	146	98	14	8	7	4	3	-	1	2	-	1	1	-	3	1	2	1	-	-	-	-	-
	FEMALE	125	87	10	4	4	4	-	1	2	3	-	3	4	2	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	15	11	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	827	827	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	417	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	366	366	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	199	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	416	416	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	166	19	2	1	2	-	1	-	2	4	8	4	7	16	15	23	19	14	13	9	6	-	1
	WHITE.....MALE..	97	10	1	1	1	-	-	-	-	2	6	4	5	9	8	12	13	11	8	6	-	-	-
	FEMALE	57	5	-	-	1	-	-	-	1	1	2	-	1	6	6	10	6	3	5	3	6	-	1
	NONWHITE.....MALE..	6	2	1	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	6	2	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	772	31	12	10	7	7	4	14	17	31	46	42	60	51	62	82	99	67	71	44	12	3	-
	WHITE.....MALE..	393	16	4	5	5	4	4	7	2	11	23	17	40	26	27	50	55	38	32	21	4	2	-
	FEMALE	337	10	8	4	2	3	-	6	14	11	19	21	18	22	30	31	43	27	36	23	8	1	-
	NONWHITE.....MALE..	22	3	-	-	-	-	-	1	1	4	2	1	1	2	2	1	-	1	3	-	-	-	-
	FEMALE	20	2	-	1	-	-	-	-	-	5	2	3	1	1	3	-	1	1	-	-	-	-	-
E800-E962	ACCIDENTS.	989	29	43	45	19	62	73	37	26	54	41	51	66	50	48	46	75	63	76	56	20	8	1
	WHITE.....MALE..	590	10	18	24	15	50	59	23	16	35	28	29	45	37	32	28	49	30	35	17	7	2	1
	FEMALE	327	12	17	16	2	10	10	8	6	10	10	18	17	11	14	16	25	32	39	36	13	5	-
	NONWHITE.....MALE..	48	4	5	3	2	2	3	4	4	7	2	3	2	1	1	2	-	-	2	1	-	-	-
	FEMALE	24	3	3	2	-	-	1	2	-	2	1	1	2	1	1	-	1	1	-	2	-	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	357	1	12	16	7	47	60	21	11	24	15	21	25	16	16	13	18	17	12	3	1	-	1
	WHITE.....MALE..	246	-	3	8	5	37	53	16	8	16	8	12	16	13	10	5	13	10	9	2	1	-	1
	FEMALE	94	1	8	7	2	9	5	4	2	4	6	7	8	2	6	8	5	7	2	1	-	-	-
	NONWHITE.....MALE..	12	-	-	1	-	1	1	1	1	3	-	1	1	1	-	-	-	-	1	-	-	-	-
	FEMALE	5	-	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	632	28	31	29	12	15	13	16	15	30	26	30	41	34	32	33	57	46	64	53	19	8	-
	WHITE.....MALE..	344	10	15	16	10	13	6	7	8	19	20	17	29	24	22	23	36	20	26	15	6	2	-
	FEMALE	233	11	9	9	-	1	5	4	4	6	4	11	9	9	8	8	20	25	37	35	13	5	-
	NONWHITE.....MALE..	36	4	5	2	2	1	2	3	3	4	2	2	1	-	1	2	-	-	1	1	-	-	-
	FEMALE	19	3	2	2	-	-	-	2	-	1	-	-	2	1	1	-	1	1	-	2	-	1	-
E963, E970-E979	SUICIDE.	278	...	...	-	1	8	13	10	9	14	33	41	37	27	27	14	14	15	11	3	1	-	-
	WHITE.....MALE..	190	...	...	-	1	5	8	4	5	7	24	29	27	19	19	12	7	9	10	3	1	-	-
	FEMALE	75	...	...	-	-	2	2	5	3	7	6	12	9	8	8	1	5	6	1	-	-	-	-
	NONWHITE.....MALE..	10	...	...	-	-	1	3	1	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-
	FEMALE	3	...	...	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	45	5	-	1	1	2	3	9	5	10	2	3	1	-	1	2	-	-	-	-	-	-	-
	WHITE.....MALE..	18	3	-	-	-	1	1	3	3	2	1	1	-	-	1	2	-	-	-	-	-	-	-
	FEMALE	9	1	-	-	1	-	2	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	4	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	1	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE																							
	ALL CAUSES.....	4,252	245	52	29	15	33	27	36	51	77	118	164	259	297	332	488	548	551	451	327	115	30	7
	WHITE.....MALE..	1,965	72	18	10	7	21	16	13	22	40	61	85	132	160	182	245	263	250	197	115	46	9	1
	FEMALE	1,551	91	13	8	2	7	8	11	11	16	27	43	64	78	91	163	214	235	219	179	56	13	2
	NONWHITE.....MALE..	434	47	15	7	4	4	2	7	15	11	15	16	39	39	40	53	38	40	16	16	2	5	3
	FEMALE	302	35	6	4	2	1	1	5	3	10	15	20	24	20	19	27	33	26	19	17	11	3	1
001-019	TUBERCULOSIS, ALL FORMS..	23	-	-	-	-	-	-	-	-	1	3	2	3	3	2	2	1	2	3	-	-	1	-
	WHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	2	-	-	1	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	21	-	-	-	-	-	-	-	-	1	1	2	3	3	2	2	1	2	3	-	-	1	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	2	-	-	1	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	-	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	14	-	-	-	-	-	-	1	-	-	-	2	1	2	1	-	1	2	1	1	1	1	-
	WHITE.....MALE..	8	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	1	1	1	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	714	-	8	6	-	2	-	4	11	19	23	42	66	78	75	109	90	80	65	28	6	2	-
	WHITE.....MALE..	320	-	4	3	-	2	-	1	2	10	11	19	31	35	39	45	41	34	29	11	2	1	-
	FEMALE	280	-	3	3	-	-	-	1	6	6	8	15	21	31	20	41	40	35	32	15	3	-	-
	NONWHITE.....MALE..	72	-	1	-	-	-	-	1	2	2	1	4	8	6	11	17	6	8	3	1	-	1	-
	FEMALE	42	-	-	-	-	-	-	1	1	1	3	4	6	6	5	6	3	3	1	1	1	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	11	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	1	1	1	2	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	1	2	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	245	-	-	-	-	1	-	-	1	2	5	11	15	32	28	33	44	28	25	17	3	-	-
	WHITE.....MALE..	95	-	-	-	-	1	-	-	-	-	3	5	9	10	13	13	15	11	8	5	2	-	-
	FEMALE	106	-	-	-	-	-	-	-	1	2	-	2	5	13	9	10	24	14	14	11	1	-	-
	NONWHITE.....MALE..	27	-	-	-	-	-	-	-	-	-	1	2	1	4	3	7	4	2	3	-	-	-	-
	FEMALE	17	-	-	-	-	-	-	-	-	-	1	2	-	5	3	3	1	1	-	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	121	-	-	-	-	-	-	1	2	2	4	10	18	16	20	22	11	11	4	-	-	-	-
	WHITE.....MALE..	85	-	-	-	-	-	-	-	-	1	3	8	11	12	11	17	11	8	3	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	-	2	2	3	2	-	1	1	-	-	-	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	-	2	1	-	2	5	1	6	2	-	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
170	OF BREAST.....	53	-	-	-	-	-	-	-	3	1	3	7	7	6	5	6	5	5	2	2	1	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	47	-	-	-	-	-	-	-	2	-	3	5	6	6	5	6	4	5	2	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	85	-	-	-	-	-	-	-	1	3	4	3	2	6	2	18	10	18	12	4	-	2	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	6	10	7	2	-	1	-
	FEMALE	36	-	-	-	-	-	-	-	1	1	2	3	1	5	-	11	3	4	4	1	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	-	4	-	1	-	1	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	30	-	-	2	-	-	-	-	-	1	1	-	4	1	6	5	3	2	4	-	1	-	-
	WHITE.....MALE..	13	-	-	1	-	-	-	-	-	1	-	-	-	1	4	3	1	-	2	-	-	-	-
	FEMALE	12	-	-	1	-	-	-	-	-	-	1	-	2	-	1	2	1	2	2	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	99	-	2	1	-	1	-	3	3	5	6	7	11	10	8	14	6	9	10	2	1	-	-
	WHITE.....MALE..	53	-	2	1	-	1	-	1	2	4	4	4	5	6	7	4	4	3	4	1	-	-	-
	FEMALE	36	-	-	-	-	-	-	1	1	1	1	3	4	3	1	8	1	4	6	1	1	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	38	-	6	3	-	-	-	-	1	2	-	1	4	1	-	5	7	3	4	1	-	-	-
	WHITE.....MALE..	16	-	2	1	-	-	-	-	-	1	-	-	3	1	-	3	2	-	2	1	-	-	-
	FEMALE	20	-	3	2	-	-	-	-	1	1	-	1	1	-	-	1	5	3	2	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	32	-	-	-	-	-	-	-	-	2	-	2	3	6	5	5	3	3	3	-	-	-	-
	WHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	-	2	1	4	4	4	1	1	2	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	2	1	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	16	-	-	1	-	-	-	3	1	-	1	3	2	1	1	1	-	1	1	-	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	7	-	-	1	-	-	-	2	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	93	-	-	-	-	-	1	2	1	3	-	1	4	6	8	11	22	21	8	5	-	-	-
	WHITE.....MALE..	29	-	-	-	-	-	-	-	-	1	-	-	1	1	3	3	10	5	2	3	-	-	-
	FEMALE	49	-	-	-	-	-	1	1	1	-	-	-	1	4	3	5	11	15	5	2	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	2	-	-	1	1	2	1	-	1	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	1	-	-	-	-
290-293	ANEMIAS.....	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	-	1	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	6	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	2,282	1	3	1	1	2	2	5	11	23	42	66	125	149	196	273	350	348	312	255	87	23	7
	WHITE.....MALE..	1,109	-	-	1	-	1	1	1	6	13	29	42	68	90	114	146	168	160	139	87	36	6	1
	FEMALE	835	-	-	-	1	-	-	2	2	4	4	11	27	29	50	85	134	145	146	139	44	10	2
	NONWHITE.....MALE..	175	-	1	-	-	1	1	-	1	2	4	6	18	20	20	26	20	22	11	14	1	4	3
	FEMALE	163	1	2	-	-	-	-	2	2	4	5	7	12	10	12	16	28	21	16	15	6	3	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	2,245	1	3	1	1	1	2	5	11	21	41	64	122	147	190	270	346	345	310	250	85	22	7
	WHITE.....MALE..	1,091	-	-	1	-	-	1	1	6	11	29	41	68	89	112	144	167	158	137	84	35	6	1
	FEMALE	827	-	-	-	1	-	-	2	2	4	3	11	26	29	49	85	134	144	146	137	43	9	2
	NONWHITE.....MALE..	171	-	1	-	-	1	1	-	1	2	4	6	17	20	19	25	19	22	11	14	1	4	3
	FEMALE	156	1	2	-	-	-	-	2	2	4	5	6	11	9	10	16	26	21	16	15	6	3	1
330-334	VASCULAR LESIONS, ETC.	364	-	-	1	-	-	1	1	1	5	4	8	13	12	27	41	46	67	56	64	12	2	3
	WHITE.....MALE..	147	-	-	1	-	-	-	-	1	1	1	3	3	7	12	17	19	29	27	18	7	-	1
	FEMALE	155	-	-	-	-	-	-	1	-	3	1	2	4	3	10	14	22	27	26	36	4	1	1
	NONWHITE.....MALE..	29	-	-	-	-	-	1	-	-	-	1	1	4	1	3	7	1	4	-	5	-	1	-
	FEMALE	33	-	-	-	-	-	-	-	-	1	1	2	2	1	2	3	4	7	3	5	1	-	1
400-402, 410-443	DISEASES OF HEART	1,675	1	3	-	1	1	-	4	10	13	37	52	101	126	153	217	265	239	223	154	55	18	2
	WHITE.....MALE..	849	-	-	-	-	-	-	1	5	9	28	37	59	79	95	118	132	109	95	55	21	6	-
	FEMALE	600	-	-	-	1	-	-	1	2	1	2	9	22	23	37	70	101	100	109	85	31	6	-
	NONWHITE.....MALE..	119	-	1	-	-	1	-	-	1	1	3	3	13	16	13	17	14	16	7	8	-	3	2
	FEMALE	107	1	2	-	-	-	-	2	2	2	4	3	7	8	8	12	18	14	12	6	3	3	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	45	-	-	-	1	-	-	1	4	2	6	7	6	4	4	5	2	2	-	1	-	-	-
	WHITE.....MALE..	19	-	-	-	-	-	-	-	1	2	3	5	1	2	3	1	-	1	-	-	-	-	-
	FEMALE	18	-	-	-	1	-	-	1	1	-	-	1	3	2	1	4	2	1	-	1	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	1,185	-	-	-	-	-	-	-	5	8	26	39	80	102	112	172	194	160	145	98	30	13	1
	WHITE.....MALE..	666	-	-	-	-	-	-	-	4	7	23	31	56	67	74	99	105	75	69	40	12	4	-
	FEMALE	380	-	-	-	-	-	-	-	-	-	1	4	15	18	23	53	66	68	64	47	17	4	-
	NONWHITE.....MALE..	78	-	-	-	-	-	-	-	1	-	1	2	6	13	10	11	10	11	5	5	-	2	1
	FEMALE	61	-	-	-	-	-	-	-	-	1	1	2	3	4	5	9	13	6	7	6	1	3	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	198	-	-	-	-	-	-	-	-	-	-	1	4	7	11	17	36	38	37	31	14	2	-
	WHITE.....MALE..	89	-	-	-	-	-	-	-	-	-	-	-	2	4	6	10	17	17	13	11	7	2	-
	FEMALE	84	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	13	16	23	17	6	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	3	1	3	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	2	-	-	1	-	-
430-434	OTHER DISEASES OF HEART	58	1	3	-	-	1	-	1	-	1	1	4	1	4	5	3	8	4	10	5	5	1	-
	WHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2	4	2	4	-	1	-	-
	FEMALE	27	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	4	2	6	5	3	1	-
	NONWHITE.....MALE..	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	1	2	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-
440-443	HYPERTENSIVE HEART DIS.	189	-	-	-	-	-	-	2	1	2	4	1	10	9	21	20	25	35	31	19	6	2	1
	WHITE.....MALE..	53	-	-	-	-	-	-	1	-	-	1	-	-	4	7	6	6	14	9	4	1	-	-
	FEMALE	91	-	-	-	-	-	-	-	1	1	1	-	3	2	10	7	16	13	16	15	5	1	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	1	-	1	4	2	3	5	2	2	1	-	-	1	1
	FEMALE	22	-	-	-	-	-	-	1	-	-	2	-	3	1	1	2	1	6	5	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	32	-	-	-	-	-	-	-	-	1	-	1	1	-	2	4	6	8	4	4	1	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	3	2	1	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	109	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	17	21	19	24	16	2	2
	WHITE.....MALE..	45	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	11	8	8	6	-	-
	FEMALE	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	9	6	12	7	2	1
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	-	1	-	1
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	65	-	-	-	-	-	1	-	-	2	-	3	6	8	6	4	12	10	8	4	1	-	-
	WHITE.....MALE..	36	-	-	-	-	-	1	-	-	1	-	1	5	3	4	3	8	5	4	1	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	5	4	3	1	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	37	-	-	-	-	1	-	-	-	2	1	2	3	2	6	3	4	3	2	5	2	1	-
	WHITE.....MALE..	18	-	-	-	-	1	-	-	-	2	-	1	-	1	2	2	1	2	2	3	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	2	1	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	143	24	6	1	2	-	1	-	1	2	3	-	8	7	3	10	16	26	14	11	7	1	-
	WHITE.....MALE..	61	6	3	-	-	-	-	-	-	1	1	-	5	4	2	8	8	11	4	3	5	-	-
	FEMALE	40	3	1	-	-	-	1	-	-	-	-	-	1	-	1	1	4	9	10	6	2	1	-
	NONWHITE.....MALE..	28	9	2	1	1	-	-	-	1	-	1	-	1	2	-	1	4	4	-	1	-	-	-
	FEMALE	14	6	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	2	-	1	-	-	-
480-483	INFLUENZA.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	141	24	6	-	2	-	1	-	1	2	3	-	8	7	3	10	16	26	13	11	7	1	-
	WHITE.....MALE..	61	6	3	-	-	-	-	-	-	1	1	-	5	4	2	8	8	11	4	3	5	-	-
	FEMALE	39	3	1	-	-	-	1	-	-	-	-	-	1	-	1	1	4	9	9	6	2	1	-
	NONWHITE.....MALE..	27	9	2	-	1	-	-	-	1	-	1	-	1	2	-	1	4	4	-	1	-	-	-
	FEMALE	14	6	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	2	-	1	-	-	-
500-502	BRONCHITIS.....	13	3	1	-	-	-	-	-	-	-	-	1	-	1	1	4	2	-	-	-	-	-	-
	WHITE.....MALE..	7	2	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-
	FEMALE	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	50	2	-	-	-	-	-	-	-	1	1	-	3	7	6	10	7	8	3	2	-	-	-
	WHITE.....MALE..	36	1	-	-	-	-	-	-	-	1	1	-	2	5	3	10	5	5	2	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	1	-	-	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	25	1	-	-	-	-	-	-	-	-	2	3	-	2	3	2	3	4	4	-	1	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	3	4	-	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	22	5	1	-	-	-	-	-	-	1	-	-	2	2	2	2	2	2	1	2	-	-	-
	WHITE.....MALE..	7	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-
	FEMALE	8	1	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	2	-	1	-	-	-
	NONWHITE.....MALE..	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	21	7	1	-	-	1	1	-	-	1	-	-	-	1	-	4	1	2	2	-	-	-	-
	WHITE.....MALE..	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	FEMALE	8	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	57	-	-	-	-	-	-	-	-	2	5	8	6	5	5	17	5	3	1	-	-	-	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	3	2	4	4	1	11	4	1	1	-	-	-	-
	FEMALE	19	-	-	-	-	-	-	-	-	-	1	4	2	1	3	5	1	2	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	19	-	-	-	-	-	-	-	-	1	-	1	3	3	1	1	1	4	2	2	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	4	2	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	22	-	-	-	-	-	-	-	-	2	1	1	-	-	3	2	5	3	2	3	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	3	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	3	1	2	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DELAWARE--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	67	47	5	-	2	2	1	1	-	1	-	3	2	-	-	2	-	1	-	-	-	-	-
	WHITE.....MALE..	20	13	1	-	1	-	-	1	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-
	FEMALE	32	22	3	-	1	2	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	7	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	18	1	-	1	-	1	1	-	-	-	-	-	-	2	-	1	1	1	2	2	5	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	2	-	-
	FEMALE	9	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-
RESIDUAL	ALL OTHER DISEASES.	154	7	7	4	3	2	1	3	2	4	11	12	12	8	10	18	14	17	10	4	3	2	-
	WHITE.....MALE..	62	-	2	1	2	2	1	1	-	1	1	7	6	1	4	8	6	12	5	1	-	1	-
	FEMALE	60	3	2	1	-	-	1	-	2	8	-	4	5	3	3	8	7	5	5	3	2	1	-
	NONWHITE.....MALE..	23	3	2	1	-	-	1	2	1	2	2	2	2	2	1	2	1	-	-	1	1	-	-
	FEMALE	9	1	1	1	1	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS	257	6	18	14	7	24	15	12	11	11	16	12	13	12	8	13	17	16	18	10	4	-	-
	WHITE.....MALE..	114	-	6	5	4	16	13	3	7	7	9	6	2	6	3	2	9	7	5	3	1	-	-
	FEMALE	82	4	4	1	-	5	1	3	1	2	4	2	6	3	3	8	6	8	11	7	3	-	-
	NONWHITE.....MALE..	47	1	6	5	3	3	1	5	3	1	2	2	4	3	2	2	2	1	1	-	-	-	-
	FEMALE	14	1	2	3	-	-	-	1	-	1	1	2	1	-	-	1	-	-	1	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	91	1	6	2	3	17	11	8	5	5	6	3	4	4	2	4	4	5	1	-	-	-	-
	WHITE.....MALE..	46	-	2	-	3	10	10	1	3	2	5	2	-	3	1	1	1	2	-	-	-	-	-
	FEMALE	27	1	3	1	-	5	-	2	1	1	1	1	1	1	1	3	2	3	-	-	-	-	-
	NONWHITE.....MALE..	14	-	1	-	-	2	1	4	1	1	-	-	-	2	-	-	1	-	1	-	-	-	-	-
	FEMALE	4	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	166	5	12	12	4	7	4	4	6	6	10	9	9	8	6	9	13	11	17	10	4	-	-
	WHITE.....MALE..	68	-	4	5	1	6	3	2	4	5	4	4	2	3	2	1	8	5	5	3	1	-	-
	FEMALE	55	3	1	-	-	-	1	1	-	1	3	1	5	2	2	5	4	5	11	7	3	-	-
	NONWHITE.....MALE..	33	1	5	5	3	1	-	1	2	-	2	2	2	3	2	2	1	1	-	-	-	-	-
	FEMALE	10	1	2	2	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	-	-	-	-
E963, E970-E979	SUICIDE	47	...	...	-	-	-	3	3	5	3	4	5	7	5	4	2	3	3	-	-	-	-	-
	WHITE.....MALE..	37	...	...	-	-	-	1	3	4	3	3	3	6	5	2	2	2	3	-	-	-	-	-
	FEMALE	7	...	...	-	-	-	2	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	3	...	...	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	20	1	-	-	-	-	1	1	5	2	4	2	2	1	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	4	-	-	3	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DISTRICT OF COLUMBIA																							
	ALL CAUSES	8,906	700	50	35	25	34	80	88	146	282	338	451	681	733	884	931	929	854	756	563	257	88	1
	WHITE.....MALE..	2,324	90	6	3	3	5	10	16	19	49	61	95	180	218	298	346	306	244	184	128	52	10	1
	FEMALE	2,203	64	3	4	1	4	10	4	11	23	38	64	89	119	161	209	269	321	327	291	139	52	-
	NONWHITE.....MALE..	2,436	301	20	14	10	11	32	38	64	114	134	169	261	251	273	203	180	155	110	60	28	8	-
	FEMALE	1,943	245	21	14	11	14	28	30	52	96	105	123	151	145	152	173	174	134	135	84	38	18	-
001-019	TUBERCULOSIS, ALL FORMS..	93	1	1	-	-	1	-	4	-	6	7	17	14	10	9	11	4	4	3	1	-	-	-
	WHITE.....MALE..	21	-	-	-	-	-	-	-	-	2	-	3	2	5	2	4	2	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	47	-	-	-	-	-	-	2	-	2	3	10	8	5	6	6	-	2	2	1	-	-	-
	FEMALE	21	1	1	-	-	-	-	2	-	2	4	3	4	-	1	-	2	-	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	85	-	1	-	-	-	-	3	-	6	6	17	14	10	9	10	3	3	2	1	-	-	-
	WHITE.....MALE..	19	-	-	-	-	-	-	-	-	2	-	3	2	5	2	3	2	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	45	-	-	-	-	-	-	1	-	2	2	10	8	5	6	6	-	2	2	1	-	-	-
	FEMALE	18	-	1	-	-	-	-	2	-	2	4	3	4	-	1	-	1	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	8	1	-	-	-	1	-	1	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	26	-	-	-	-	-	-	1	1	1	1	1	4	5	2	4	5	1	-	-	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	1	1	1	1	1	2	3	1	-	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	33	3	-	-	-	-	2	1	-	2	1	2	8	2	2	2	3	1	1	2	1	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-
	NONWHITE.....MALE..	11	2	-	-	-	-	-	-	-	-	1	-	5	1	1	-	-	-	-	1	-	-	-
	FEMALE	11	1	-	-	-	-	2	1	-	2	-	2	3	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	1,413	1	4	6	3	4	5	5	16	28	47	88	155	168	214	205	163	127	91	61	22	-	-
	WHITE.....MALE..	367	-	1	-	-	-	1	1	3	4	7	16	33	47	72	65	51	26	22	15	3	-	-
	FEMALE	406	-	-	-	-	-	2	2	3	2	8	22	31	43	57	61	56	50	35	27	7	-	-
	NONWHITE.....MALE..	363	1	1	3	1	2	1	-	5	6	12	28	53	46	59	46	36	33	16	9	5	-	-
	FEMALE	277	-	2	3	2	2	1	2	5	16	20	22	38	32	26	33	20	18	18	10	7	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	60	-	-	-	-	-	1	-	-	-	1	7	7	11	14	4	5	3	4	2	1	-	-
	WHITE.....MALE..	29	-	-	-	-	-	-	-	-	-	-	-	2	4	13	1	4	1	2	2	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	1	4	4	5	1	3	1	2	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	475	-	-	-	-	-	-	-	3	5	10	25	48	56	69	69	59	56	39	26	10	-	-
	WHITE.....MALE..	111	-	-	-	-	-	-	-	-	1	3	3	9	15	19	15	20	12	10	4	-	-	-
	FEMALE	139	-	-	-	-	-	-	-	-	-	1	5	4	11	20	26	20	22	13	12	5	-	-
	NONWHITE.....MALE..	131	-	-	-	-	-	-	-	2	-	4	8	23	21	18	19	11	14	5	4	2	-	-
	FEMALE	94	-	-	-	-	-	-	-	1	4	2	9	12	9	12	9	8	8	11	6	3	-	-
160-164	OF RESP. SYSTEM, ETC.....	278	-	-	-	-	-	-	-	2	7	11	23	37	37	58	43	28	17	11	3	1	-	-
	WHITE.....MALE..	124	-	-	-	-	-	-	-	1	2	4	10	15	20	22	27	9	8	2	3	1	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	1	1	2	2	1	5	4	6	2	2	-	-	-	-
	NONWHITE.....MALE..	122	-	-	-	-	-	-	-	1	4	5	10	19	15	31	12	12	7	6	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	1	-	-	-	-
170	OF BREAST.....	140	-	-	-	-	-	-	-	2	5	10	11	20	19	19	15	16	7	7	7	2	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	86	-	-	-	-	-	-	-	1	-	1	9	11	13	15	9	14	2	4	6	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	53	-	-	-	-	-	-	-	1	5	9	2	9	6	4	5	2	5	3	1	1	-	-
171-179	OF GENITAL ORGANS.....	191	-	-	-	-	-	1	-	3	7	8	10	18	15	24	30	21	22	15	13	4	-	-
	WHITE.....MALE..	28	-	-	-	-	-	1	-	-	-	-	-	-	-	6	6	5	3	3	4	-	-	-
	FEMALE	72	-	-	-	-	-	-	-	1	1	3	3	10	7	10	12	7	9	7	2	-	-	-
	NONWHITE.....MALE..	36	-	-	-	-	-	-	-	-	1	-	2	-	1	1	5	6	9	4	5	2	-	-
	FEMALE	55	-	-	-	-	-	-	-	2	5	5	5	8	7	7	7	3	1	1	2	2	-	-
180, 181	OF URINARY ORGANS.....	54	-	1	-	-	-	-	-	-	-	2	1	3	2	9	12	13	4	3	2	2	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	2	-	5	3	2	1	1	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	4	2	1	2	1	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	5	-	-	-	1	-	-
	FEMALE	14	-	1	-	-	-	-	-	-	-	1	-	-	2	1	5	2	1	1	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	109	1	1	3	2	3	-	3	1	3	2	3	16	16	12	17	12	6	5	1	2	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	-	-	-	1	3	6	3	5	6	-	1	-	2	-	-
	FEMALE	28	-	-	-	-	-	-	1	-	-	1	-	3	2	4	5	3	4	4	1	-	-	-
	NONWHITE.....MALE..	23	1	1	2	-	1	-	-	-	1	-	2	4	2	4	3	1	1	-	-	-	-	-
	FEMALE	31	-	-	1	2	2	-	2	1	2	1	-	6	6	1	4	2	1	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	44	-	1	3	-	1	2	1	1	-	1	4	2	3	3	5	3	6	3	5	-	-	-
	WHITE.....MALE..	17	-	-	-	-	-	1	1	1	-	-	1	2	2	3	2	2	-	2	1	-	-	-
	FEMALE	13	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	5	1	4	-	-	-
	NONWHITE.....MALE..	6	-	-	1	-	1	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	8	-	1	2	-	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	62	-	1	-	1	-	1	1	4	1	2	4	4	9	6	10	6	6	4	2	-	-	-
	WHITE.....MALE..	16	-	1	-	-	-	-	-	1	1	-	1	-	-	1	5	3	1	1	1	-	-	-
	FEMALE	22	-	-	-	-	-	1	1	1	-	1	-	1	6	2	2	1	4	2	-	-	-	-
	NONWHITE.....MALE..	13	-	-	-	1	-	-	-	2	-	-	1	2	2	2	2	-	-	1	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	1	-	1	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	35	1	1	-	2	-	-	2	1	2	3	3	5	6	2	3	-	-	1	2	1	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	1	-	-	-
	NONWHITE.....MALE..	12	1	-	-	2	-	-	1	-	1	1	-	1	3	-	1	-	-	1	-	-	-	-
	FEMALE	13	-	1	-	-	-	-	1	1	1	1	2	3	1	1	1	-	-	-	-	-	-	-
241	ASTHMA.....	23	1	-	-	-	-	-	1	-	2	1	2	6	1	5	-	1	2	1	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	12	1	-	-	-	-	-	1	-	1	-	2	2	1	3	-	-	1	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	1	1	-	-	-	-	-
260	DIABETES MELLITUS.....	121	-	-	-	-	1	-	-	2	7	6	11	10	12	17	14	16	10	7	5	3	-	-
	WHITE.....MALE..	18	-	-	-	-	-	-	-	1	2	-	2	-	3	2	1	3	1	-	2	1	-	-
	FEMALE	29	-	-	-	-	-	-	-	-	1	-	-	-	1	4	4	5	2	7	3	2	-	-
	NONWHITE.....MALE..	29	-	-	-	-	-	-	-	1	2	1	3	1	6	5	4	2	4	-	-	-	-	-
	FEMALE	45	-	-	-	-	1	-	-	-	2	5	6	9	2	6	5	6	3	-	-	-	-	-
290-293	ANEMIAS.....	17	-	2	1	1	1	-	1	1	-	3	-	-	1	-	2	1	2	-	-	1	-	-
	WHITE.....MALE..	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	1	-	-
	NONWHITE.....MALE..	5	-	1	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	15	4	2	1	-	-	-	-	-	1	-	-	1	2	3	-	-	1	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	2	1	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	FEMALE	6	2	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	4,425	2	-	1	6	6	7	18	33	80	111	170	280	346	457	538	590	576	525	417	184	77	1
	WHITE.....MALE..	1,222	-	-	-	-	1	-	6	2	12	20	36	89	95	156	200	184	167	121	90	35	7	1
	FEMALE	1,294	-	-	-	1	-	2	-	3	5	7	15	24	47	69	116	169	227	235	222	104	48	-
	NONWHITE.....MALE..	993	2	-	-	1	1	1	7	14	33	54	64	114	129	137	112	110	84	66	40	17	7	-
	FEMALE	916	-	-	1	4	4	4	5	14	30	30	55	53	75	95	110	127	98	103	65	28	15	-
330-334, 400-468	DIS. OF CARDIOVASGULAR SYSTEM	4,385	2	-	1	6	5	6	15	32	77	107	164	277	343	451	536	588	574	525	415	184	76	1
	WHITE.....MALE..	1,215	-	-	-	-	1	-	5	2	12	20	36	89	95	155	198	183	166	121	89	35	7	1
	FEMALE	1,293	-	-	-	1	-	1	-	3	5	7	15	24	47	69	116	169	227	235	222	104	48	-
	NONWHITE.....MALE..	971	2	-	-	1	1	1	5	13	31	51	61	111	126	134	112	109	84	66	39	17	7	-
	FEMALE	906	-	-	1	4	3	4	5	14	29	29	52	53	75	93	110	127	97	103	65	28	14	-
330-334	VASCULAR LESIONS, ETC	840	-	-	-	1	3	4	7	6	18	16	32	40	51	74	87	109	123	123	86	38	22	-
	WHITE.....MALE..	148	-	-	-	-	-	-	4	-	2	1	3	5	9	16	16	27	23	21	17	2	2	-
	FEMALE	288	-	-	-	-	-	1	-	2	2	1	5	5	6	18	19	27	55	59	50	23	15	-
	NONWHITE.....MALE..	173	-	-	-	1	1	1	-	1	4	9	10	15	19	15	22	27	19	16	6	6	1	-
	FEMALE	231	-	-	-	-	2	2	3	3	10	5	14	15	17	25	30	28	26	27	13	7	4	-
400-402, 410-443	DISEASES OF HEART	3,118	2	-	1	5	-	2	8	21	49	84	116	212	275	342	395	426	398	346	272	120	43	1
	WHITE.....MALE..	957	-	-	-	-	-	-	1	1	10	18	30	78	82	130	158	133	133	88	61	28	5	1
	FEMALE	890	-	-	-	1	-	-	-	1	2	6	9	18	40	48	92	130	154	151	140	70	28	-	-
	NONWHITE.....MALE..	688	2	-	-	-	-	-	5	9	21	36	44	87	98	104	75	73	51	45	27	7	4	-
	FEMALE	583	-	-	1	4	-	2	2	10	16	24	33	29	55	60	70	90	60	62	44	15	6	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS	85	1	-	-	4	-	2	4	6	5	7	5	10	11	11	7	6	4	-	2	-	-	-
	WHITE.....MALE..	23	-	-	-	-	-	-	1	1	1	1	-	6	4	4	1	2	1	-	1	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	1	4	-	2	2	4	5	3	2	-	1	-	-	-
	NONWHITE.....MALE..	13	1	-	-	-	-	-	2	1	-	1	2	1	1	3	1	-	-	-	-	-	-	-
	FEMALE	25	-	-	-	4	-	2	1	4	3	1	3	1	4	-	-	1	1	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	2,190	-	-	-	-	-	-	3	5	21	50	69	156	183	230	297	310	297	254	202	83	30	-
	WHITE.....MALE..	787	-	-	-	-	-	-	-	-	7	15	26	67	71	108	138	114	101	73	42	21	4	-
	FEMALE	642	-	-	-	-	-	-	-	1	1	2	7	12	29	29	71	98	113	102	109	48	20	-
	NONWHITE.....MALE..	438	-	-	-	-	-	-	2	3	10	23	26	60	60	65	47	47	41	28	19	6	1	-
	FEMALE	323	-	-	-	-	-	-	1	1	3	10	10	17	23	28	41	51	42	51	32	8	5	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	254	-	-	-	-	-	-	-	2	10	3	7	3	10	26	20	43	39	31	33	20	7	-
	WHITE.....MALE..	52	-	-	-	-	-	-	-	-	2	1	1	2	1	1	4	6	16	4	9	5	-	-
	FEMALE	90	-	-	-	-	-	-	-	-	-	-	-	1	3	9	4	10	12	16	16	14	5	-
	NONWHITE.....MALE..	62	-	-	-	-	-	-	-	2	6	2	3	-	4	10	7	13	5	6	2	-	2	-
	FEMALE	50	-	-	-	-	-	-	-	-	2	-	3	-	2	6	5	14	6	5	6	1	-	-
430-434	OTHER DISEASES OF HEART	71	1	-	1	-	-	-	-	2	1	6	2	4	5	4	14	6	8	6	6	2	2	1
	WHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	-	1	-	1	2	8	1	3	2	2	-	1	1
	FEMALE	15	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	4	2	3	1	-	-
	NONWHITE.....MALE..	18	1	-	-	-	-	-	-	1	1	3	-	2	1	-	3	3	-	2	1	-	-	-
	FEMALE	16	-	-	1	-	-	-	-	1	-	3	1	1	1	2	2	1	1	-	-	1	1	-
440-443	HYPERTENSIVE HEART DIS	518	-	-	-	1	-	-	1	6	12	18	33	39	66	71	57	61	50	55	29	15	4	-
	WHITE.....MALE..	73	-	-	-	-	-	-	-	-	-	1	2	3	5	15	7	10	12	9	7	2	-	-
	FEMALE	119	-	-	-	1	-	-	-	-	-	-	2	2	4	6	11	18	23	31	11	7	3	-
	NONWHITE.....MALE..	157	-	-	-	-	-	-	1	2	4	7	13	24	32	26	17	10	5	9	5	1	1	-
	FEMALE	169	-	-	-	-	-	-	-	4	8	10	16	10	25	24	22	23	10	6	6	5	-	-
444-447	OTHER HYPERTENSIVE DIS	57	-	-	-	-	-	-	-	3	4	4	6	4	1	4	4	8	4	4	6	5	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	6	3	-	-
	NONWHITE.....MALE..	28	-	-	-	-	-	-	-	3	4	4	4	3	1	2	2	4	1	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	1	1	1	-	2	-	-
450	GENERAL ARTERIOSCLEROSIS	163	-	-	-	-	-	-	-	-	1	-	2	1	2	6	13	16	25	34	37	16	10	-
	WHITE.....MALE..	44	-	-	-	-	-	-	-	-	-	-	-	1	1	1	6	8	7	7	8	5	-	-
	FEMALE	64	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	9	16	21	5	5	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	-	4	4	4	2	2	-
	FEMALE	32	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	3	5	7	4	4	3	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	207	-	-	-	-	2	-	-	2	5	3	8	20	14	25	37	29	24	18	14	5	1	-
	WHITE.....MALE..	62	-	-	-	-	1	-	-	1	-	1	3	5	3	7	18	13	2	5	3	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	1	-	1	-	1	1	4	6	8	6	5	3	-	-
	NONWHITE.....MALE..	59	-	-	-	-	-	-	-	-	2	2	2	6	8	12	8	5	9	1	2	2	-	-
	FEMALE	50	-	-	-	-	1	-	-	1	2	-	2	9	2	5	7	5	5	6	4	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA—CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	40	-	-	-	-	1	1	3	1	3	4	6	3	3	6	2	2	2	-	2	-	1	-
	WHITE.....MALE..	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	2	1	2	3	3	3	3	3	-	1	-	-	1	-	-	-
	FEMALE	10	-	-	-	-	1	-	-	-	1	1	3	-	-	2	-	-	1	-	-	-	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	347	30	8	-	1	1	-	5	10	18	17	21	26	17	26	29	25	32	32	27	20	2	-
	WHITE.....MALE..	93	3	1	-	-	-	-	-	-	3	2	1	3	2	10	13	12	11	16	10	6	-	-
	FEMALE	71	3	-	-	-	-	-	-	-	2	1	1	1	2	4	2	8	13	10	12	12	-	-
	NONWHITE.....MALE..	112	11	4	-	1	-	-	2	7	9	5	15	20	9	8	6	3	5	4	2	-	1	-
	FEMALE	71	13	3	-	-	1	-	3	3	4	9	4	2	4	4	8	2	3	2	3	2	1	-
480-483	INFLUENZA.....	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	343	29	8	-	1	1	-	5	10	18	17	21	26	17	26	28	25	31	32	26	20	2	-
	WHITE.....MALE..	93	3	1	-	-	-	-	-	-	3	2	1	3	2	10	13	12	11	16	10	6	-	-
	FEMALE	68	2	-	-	-	-	-	-	-	2	1	1	1	2	4	2	8	12	10	11	12	-	-
	NONWHITE.....MALE..	111	11	4	-	1	-	-	2	7	9	5	15	20	9	8	5	3	5	4	2	-	1	-
	FEMALE	71	13	3	-	-	1	-	3	3	4	9	4	2	4	4	8	2	3	2	3	2	1	-
500-502	BRONCHITIS.....	32	1	-	-	-	-	-	-	-	-	1	2	2	7	5	3	2	5	3	1	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	1	3	2	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	12	1	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	1	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	147	34	3	-	1	-	-	3	1	5	3	7	9	13	14	16	12	11	10	3	1	1	-
	WHITE.....MALE..	53	6	-	-	-	-	-	-	-	-	-	-	2	8	7	10	8	5	4	1	1	1	-
	FEMALE	21	2	-	-	-	-	-	-	-	-	-	2	2	3	1	2	2	3	3	1	-	-	-
	NONWHITE.....MALE..	42	12	2	-	1	-	-	2	-	2	2	1	2	1	5	3	2	3	3	1	-	-	-
	FEMALE	31	14	1	-	-	-	-	1	1	3	1	4	3	1	1	1	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	95	2	-	-	1	-	-	3	3	3	4	8	10	10	18	11	5	5	9	2	1	-	-
	WHITE.....MALE..	39	-	-	-	-	-	-	-	1	1	1	-	4	8	6	8	2	2	4	1	1	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	3	1	-	3	-	1	-	1	1	-	-	-
	NONWHITE.....MALE..	34	2	-	-	1	-	-	3	1	2	1	4	3	1	8	3	1	2	2	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	1	-	2	1	2	1	1	-	1	1	2	-	-	-	-
550-553	APPENDICITIS.....	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	1	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	49	5	-	-	-	-	-	-	-	-	2	1	1	5	7	9	2	4	10	2	1	-	-
	WHITE.....MALE..	16	3	-	-	-	-	-	-	-	-	-	-	-	-	4	4	2	-	2	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	4	1	1	-	-
	NONWHITE.....MALE..	8	1	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	2	1	-	-	-	-
	FEMALE	14	1	-	-	-	-	-	-	-	-	1	1	1	3	1	2	-	1	3	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	41	10	1	1	-	-	1	-	-	-	1	1	3	3	4	3	5	2	4	1	1	-	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	3	2	1	1	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	2	-	1	-	-
	NONWHITE.....MALE..	13	5	1	1	-	-	1	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-
	FEMALE	8	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
581	CIRRHOSIS OF LIVER.....	245	-	-	1	-	-	1	1	11	21	37	29	58	29	26	19	9	1	-	2	-	-	-
	WHITE.....MALE..	90	-	-	-	-	-	-	-	4	2	8	8	22	17	14	10	5	-	-	2	-	-	-
	FEMALE	48	-	-	-	-	-	-	-	1	2	7	7	10	7	4	5	3	-	-	2	-	-	-
	NONWHITE.....MALE..	58	-	-	1	-	-	1	2	2	8	9	8	15	3	8	2	1	-	-	-	-	-	-
	FEMALE	49	-	-	-	-	-	1	-	4	9	13	6	11	2	-	2	-	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	14	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	2	2	2	2	-	1	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	10	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	3	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	NONWHITE.....MALE..	3	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
600	INFECTIONS OF KIDNEY.....	101	2	-	-	-	-	-	-	-	3	4	5	7	11	9	10	18	9	15	3	3	2	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	2	2	-	1	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	1	-	1	2	-	4	3	3	5	1	2	-	-
	NONWHITE.....MALE..	30	1	-	-	-	-	-	-	-	-	1	3	2	4	5	1	4	4	4	1	-	-	-
	FEMALE	35	1	-	-	-	-	-	-	-	3	2	2	4	5	3	4	4	-	4	1	-	2	-
610	HYPERPLASIA OF PROSTATE..	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	5	5	3	2	-	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	2	-	-	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	1	2	1	2	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	DIST. OF COLUMBIA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	13	-	-	-	-	1	3	-	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	13	-	-	-	-	1	3	-	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	6	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	6	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	7	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	7	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	84	64	3	2	2	-	-	1	1	1	2	3	-	3	1	-	-	1	-	-	-	-	-
	WHITE.....MALE..	19	12	-	1	1	-	-	-	1	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	FEMALE	13	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	23	19	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	29	22	1	-	1	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	474	474	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	89	4	1	-	1	-	3	4	4	11	13	11	10	10	7	1	3	2	-	-	3	1	-
	WHITE.....MALE..	27	-	1	-	-	-	-	-	1	3	5	4	5	2	3	-	-	1	-	-	2	-	-
	FEMALE	21	1	-	-	-	-	-	1	-	2	4	4	2	1	2	-	1	1	-	-	1	1	-
	NONWHITE.....MALE..	28	1	-	-	-	-	2	1	3	4	3	2	2	6	2	1	1	-	-	-	1	-	-
	FEMALE	13	2	-	-	1	-	1	2	-	2	1	1	1	1	-	-	1	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	324	8	5	4	1	3	5	8	20	28	24	31	28	32	19	24	27	25	13	13	5	1	-
	WHITE.....MALE..	73	1	1	1	-	1	-	1	1	7	5	10	6	8	7	7	10	4	2	-	-	1	-
	FEMALE	69	1	1	1	-	-	1	-	-	1	4	4	7	5	5	7	6	8	8	8	2	-	-
	NONWHITE.....MALE..	101	3	2	1	-	1	2	2	9	14	9	10	7	11	2	7	5	9	2	3	2	-	-
	FEMALE	81	3	1	1	1	1	2	5	10	6	6	7	8	8	5	3	6	4	1	2	1	-	-
E800-E962	ACCIDENTS	413	49	18	13	4	11	29	18	15	28	26	27	29	23	19	20	26	18	19	12	6	3	-
	WHITE.....MALE..	104	1	2	1	-	3	7	6	3	9	7	10	6	7	5	12	10	8	4	1	1	1	-
	FEMALE	69	3	-	2	-	3	1	1	1	1	1	2	6	4	2	1	8	6	11	10	4	2	-
	NONWHITE.....MALE..	161	24	7	6	3	3	13	10	5	15	13	12	15	9	10	4	5	2	4	-	1	-	-
	FEMALE	79	21	9	4	1	2	8	1	6	3	5	3	2	3	2	3	3	2	-	1	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	101	2	3	5	2	10	17	7	8	9	8	5	3	3	5	4	6	4	-	-	-	-	-
	WHITE.....MALE..	28	-	-	1	-	3	3	3	1	4	2	2	-	1	1	3	2	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	3	-	1	1	-	1	-	1	-	1	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	42	1	1	3	1	2	9	3	3	5	3	1	1	1	3	1	3	1	-	-	-	-	-
	FEMALE	21	1	2	1	1	2	5	-	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	312	47	15	8	2	1	12	11	7	19	18	22	26	20	14	16	20	14	19	12	6	3	-
	WHITE.....MALE..	76	1	2	-	-	-	4	3	2	5	5	8	6	6	4	9	8	6	4	1	1	1	-
	FEMALE	59	3	-	2	-	-	1	-	-	1	-	2	5	4	1	1	7	5	11	10	4	2	-
	NONWHITE.....MALE..	119	23	6	3	2	1	4	7	2	10	10	11	14	8	7	3	2	1	4	-	1	-	-
	FEMALE	58	20	7	3	-	-	3	1	3	3	3	1	1	2	2	3	3	2	-	1	-	-	-
E963, E970-E979	SUICIDE	92	...	...	-	1	-	7	5	8	19	10	5	8	9	5	3	2	5	3	1	1	-	-
	WHITE.....MALE..	34	...	...	-	-	-	2	2	1	4	4	3	4	5	2	2	-	4	-	1	-	-	-
	FEMALE	23	...	...	-	-	-	3	-	2	5	2	2	2	2	-	1	1	-	2	-	1	-	-
	NONWHITE.....MALE..	26	...	...	-	-	-	1	1	4	7	4	-	2	2	2	-	1	1	1	-	-	-	-
	FEMALE	9	...	...	-	1	-	1	2	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	99	4	1	2	1	5	17	7	14	13	11	6	5	5	5	2	-	1	-	-	-	-	-
	WHITE.....MALE..	8	1	-	-	1	-	-	-	1	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	FEMALE	7	1	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	64	2	-	-	-	4	11	4	12	7	9	5	3	4	3	-	-	-	-	-	-	-	-
	FEMALE	20	-	1	2	-	1	5	3	1	4	-	1	-	-	2	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA																							
	ALL CAUSES	52,877	3,289	609	281	225	401	459	502	594	952	1,473	2,038	2,845	3,735	4,999	6,764	7,538	6,515	4,891	3,111	1,270	373	13
	WHITE.....MALE..	26,617	1,126	183	98	111	209	211	226	235	395	649	970	1,391	1,958	2,638	3,867	4,360	3,623	2,377	1,368	493	125	4
	FEMALE	16,882	766	151	71	48	87	97	103	124	237	377	496	702	895	1,248	1,944	2,436	2,401	2,229	1,580	681	206	3
	NONWHITE.....MALE..	5,251	773	150	70	43	68	105	108	138	164	229	327	438	490	604	558	413	271	143	98	46	12	3
	FEMALE	4,127	624	125	42	23	37	46	65	97	156	218	245	314	392	509	395	329	220	142	65	50	30	3
001-019	TUBERCULOSIS, ALL FORMS..	224	2	1	1	-	-	3	2	3	7	15	18	28	27	20	33	27	19	13	5	-	-	-
	WHITE.....MALE..	108	1	1	1	-	-	-	1	-	-	4	7	13	11	11	18	15	13	9	3	-	-	-
	FEMALE	35	-	-	-	-	-	1	-	-	1	2	2	3	5	3	6	6	3	3	-	-	-	-
	NONWHITE.....MALE..	60	1	-	-	-	-	1	-	3	4	2	7	11	9	5	8	4	3	-	2	-	-	-
	FEMALE	21	-	-	-	-	-	1	1	-	2	7	2	1	2	1	1	2	-	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	206	-	-	-	-	-	2	1	3	6	14	16	28	26	20	33	24	16	12	5	-	-	-
	WHITE.....MALE..	103	-	-	-	-	-	-	-	-	-	4	7	13	11	11	18	15	12	9	3	-	-	-
	FEMALE	30	-	-	-	-	-	1	-	-	1	2	2	3	4	3	6	4	2	2	-	-	-	-
	NONWHITE.....MALE..	56	-	-	-	-	-	1	-	3	4	2	6	11	9	5	8	3	2	-	2	-	-	-
	FEMALE	17	-	-	-	-	-	-	1	-	1	6	1	1	2	1	1	2	-	1	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	18	2	1	1	-	-	1	1	-	1	1	2	-	1	-	-	3	3	1	-	-	-	-
	WHITE.....MALE..	5	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	98	-	-	-	-	1	-	-	-	1	1	8	5	16	13	16	19	9	7	-	2	-	-
	WHITE.....MALE..	40	-	-	-	-	-	-	-	-	-	-	1	1	8	3	5	11	5	5	-	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	-	-	-	-	-
	NONWHITE.....MALE..	37	-	-	-	-	-	-	-	-	1	-	5	3	6	7	7	4	2	1	-	1	-	-
	FEMALE	13	-	-	-	-	1	-	-	-	-	1	2	1	-	3	3	1	-	1	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	10	5	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	WHITE.....MALE..	4	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	FEMALE	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	19	2	9	2	1	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	8	1	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	8	1	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	11	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	253	29	21	5	8	5	5	7	6	9	8	8	10	12	25	20	22	20	20	7	6	-	-
	WHITE.....MALE..	76	4	6	2	2	2	1	2	1	1	1	1	3	3	8	7	14	5	9	3	1	-	-
	FEMALE	103	9	6	2	4	3	2	1	2	4	4	4	3	4	7	10	8	11	11	4	4	-	-
	NONWHITE.....MALE..	26	5	1	1	-	-	-	1	2	2	1	2	2	2	4	2	-	1	-	-	-	-	-
	FEMALE	48	11	8	-	2	-	2	3	1	2	2	1	2	3	6	1	-	3	-	-	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	8,825	6	48	27	28	34	23	38	67	179	284	454	696	919	1,135	1,463	1,430	1,050	570	287	70	17	-
	WHITE.....MALE..	4,558	4	15	11	13	16	15	16	26	62	95	157	285	462	581	814	846	645	311	141	32	11	-
	FEMALE	3,196	1	23	10	10	15	5	10	31	71	125	208	267	300	374	493	487	359	239	129	33	6	-
	NONWHITE.....MALE..	584	-	6	2	3	2	2	8	3	19	24	41	81	83	97	100	59	27	12	13	2	-	-
	FEMALE	487	1	4	4	2	1	1	4	7	27	40	48	63	74	83	56	38	19	8	4	3	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	257	-	-	-	1	1	-	2	-	3	8	13	30	36	30	36	26	32	18	14	7	-	-
	WHITE.....MALE..	168	-	-	-	-	1	-	-	-	1	3	9	17	28	20	25	13	26	16	7	2	-	-
	FEMALE	58	-	-	-	-	-	-	1	-	1	2	2	6	6	6	6	11	5	2	6	4	-	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	1	2	7	1	4	5	2	-	-	1	-	-	-
	FEMALE	8	-	-	-	1	-	-	1	-	1	2	-	-	1	-	-	-	1	-	-	1	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	2,632	1	3	-	-	1	4	5	9	37	50	107	143	240	337	482	506	374	195	106	25	7	-
	WHITE.....MALE..	1,370	1	1	-	-	-	4	1	5	13	22	49	60	119	187	255	284	223	94	38	10	4	-
	FEMALE	948	-	2	-	-	-	-	2	2	9	13	36	46	71	94	174	189	135	95	65	12	3	-
	NONWHITE.....MALE..	197	-	-	-	-	1	-	2	1	9	8	15	25	29	34	36	19	10	4	2	2	-	-
	FEMALE	117	-	-	-	-	-	-	-	1	6	7	7	12	21	22	17	14	6	2	1	1	-	-
160-164	OF RESP. SYSTEM, ETC.....	1,679	-	-	-	-	-	1	1	5	24	41	86	165	228	264	345	273	138	71	32	5	-	-
	WHITE.....MALE..	1,319	-	-	-	-	-	1	-	5	13	25	50	125	181	204	287	231	119	51	22	5	-	-
	FEMALE	203	-	-	-	-	-	-	1	-	6	7	16	17	20	28	36	31	15	17	9	-	-	-
	NONWHITE.....MALE..	135	-	-	-	-	-	-	-	-	4	9	17	19	23	25	19	11	4	3	1	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	1	-	3	4	4	7	3	-	-	-	-	-	-	-
170	OF BREAST.....	726	-	-	-	-	-	-	2	9	23	46	70	98	75	101	96	82	66	39	12	5	2	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-
	FEMALE	650	-	-	-	-	-	-	2	8	17	37	59	85	65	88	90	77	66	38	11	5	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	71	-	-	-	-	-	-	-	1	6	9	11	12	9	13	5	4	-	-	1	-	-	-
171-179	OF GENITAL ORGANS.....	1,276	-	2	2	1	3	5	6	14	31	57	69	96	117	152	171	200	181	100	56	11	2	-
	WHITE.....MALE..	460	-	1	1	1	1	4	2	2	-	3	3	9	16	29	58	91	117	74	40	6	2	-
	FEMALE	573	-	1	1	-	1	1	1	7	21	38	49	59	70	82	85	78	46	21	7	5	-	-
	NONWHITE.....MALE..	89	-	-	-	-	1	-	-	-	-	-	1	9	9	18	15	18	9	2	7	-	-	-
	FEMALE	154	-	-	-	-	-	-	3	5	10	16	16	19	22	23	13	13	9	3	2	-	-	-
180, 181	OF URINARY ORGANS.....	452	-	3	1	1	-	-	1	1	2	8	15	27	36	52	79	89	61	41	24	10	1	-
	WHITE.....MALE..	289	-	2	-	-	-	-	1	-	1	3	8	19	23	32	55	61	42	21	14	7	-	-
	FEMALE	111	-	-	1	1	-	-	-	1	-	4	2	1	4	13	16	20	17	18	9	3	1	-
	NONWHITE.....MALE..	28	-	-	-	-	-	-	-	-	1	-	3	4	4	4	3	6	1	1	1	-	-	-
	FEMALE	24	-	1	-	-	-	-	-	-	-	1	2	3	5	3	5	2	1	1	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	1,016	2	14	18	5	12	6	5	16	35	41	60	84	124	107	142	149	106	61	22	4	3	-
	WHITE.....MALE..	517	1	4	8	2	5	3	3	6	17	19	24	33	60	60	65	100	61	33	9	1	3	-
	FEMALE	368	1	6	6	2	6	1	1	10	12	14	30	33	41	31	49	43	42	26	12	2	-	-
	NONWHITE.....MALE..	72	-	3	1	1	-	1	1	-	4	5	-	12	14	7	17	2	2	1	1	-	-	-
	FEMALE	59	-	1	3	-	1	1	-	-	2	3	6	6	9	9	11	4	1	1	-	1	-	-
204	LEUKEMIA AND ALEUKEMIA...	368	3	21	2	12	9	3	6	3	13	9	13	16	34	41	46	46	47	26	15	2	1	-
	WHITE.....MALE..	201	2	6	1	4	6	1	4	1	10	3	5	5	19	26	26	28	29	14	9	1	1	-
	FEMALE	131	-	11	-	5	3	2	-	1	3	4	8	6	12	11	14	16	17	11	6	1	-	-
	NONWHITE.....MALE..	19	-	2	-	2	-	-	2	1	-	1	-	1	2	2	5	1	-	-	-	-	-	-
	FEMALE	17	1	2	1	1	-	-	-	-	-	1	-	4	1	2	1	1	1	1	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	419	-	5	4	8	8	4	10	10	11	24	21	37	29	51	66	59	45	19	6	1	1	-
	WHITE.....MALE..	229	-	1	1	6	3	2	5	7	7	17	9	16	15	23	42	37	28	7	2	-	1	-
	FEMALE	154	-	3	2	2	5	1	2	2	2	6	6	14	11	21	23	22	16	11	4	1	-	-
	NONWHITE.....MALE..	21	-	1	1	-	-	1	3	1	1	-	3	4	1	3	-	-	1	1	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	1	1	3	3	2	4	1	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	137	3	5	2	4	3	3	3	3	9	9	16	10	15	11	12	8	10	8	2	1	-	-
	WHITE.....MALE..	33	2	1	-	3	1	-	1	-	1	-	1	1	5	2	4	4	3	4	-	-	-	-
	FEMALE	63	1	1	1	-	2	2	-	1	3	6	7	6	4	8	7	4	5	3	1	1	-	-
	NONWHITE.....MALE..	10	-	1	1	-	-	-	-	1	1	1	2	-	2	-	1	-	-	-	-	-	-	-
	FEMALE	31	-	2	-	1	-	1	2	1	4	2	6	3	4	1	-	-	2	1	1	-	-	-
241	ASTHMA.....	146	1	2	1	-	4	5	6	6	6	6	10	12	13	15	19	25	8	4	1	2	-	-
	WHITE.....MALE..	60	-	-	1	-	-	1	-	-	1	1	3	4	6	9	8	16	7	2	1	-	-	-
	FEMALE	41	-	1	-	-	1	3	1	1	2	2	3	2	6	3	6	5	1	2	-	2	-	-
	NONWHITE.....MALE..	23	1	1	-	-	-	1	-	-	1	2	4	4	-	2	4	3	-	-	-	-	-	-
	FEMALE	22	-	-	-	-	3	-	5	5	2	1	-	2	1	1	1	1	-	-	-	-	-	-
260	DIABETES MELLITUS.....	752	1	1	2	2	3	3	5	8	18	13	33	46	64	81	120	134	111	65	28	11	3	-
	WHITE.....MALE..	305	-	1	-	-	-	-	-	3	9	6	13	16	23	26	51	51	55	34	13	3	1	-
	FEMALE	290	1	-	2	2	2	3	5	2	3	2	3	11	19	21	44	68	50	30	14	7	1	-
	NONWHITE.....MALE..	48	-	-	-	-	-	-	-	1	1	3	7	3	4	8	7	8	3	1	1	1	-	-
	FEMALE	109	-	-	-	-	1	-	-	2	5	2	10	16	18	26	18	7	3	-	-	-	1	-
290-293	ANEMIAS.....	117	5	12	1	3	2	1	-	-	2	3	7	8	9	3	8	15	21	6	8	3	-	-
	WHITE.....MALE..	37	1	1	-	-	1	-	-	-	-	1	2	1	3	1	5	7	7	4	3	-	-	-
	FEMALE	43	-	2	1	1	-	-	-	-	-	-	2	4	4	1	3	5	11	2	5	2	-	-
	NONWHITE.....MALE..	21	2	7	-	2	-	-	-	-	-	-	1	3	-	1	-	1	3	-	-	1	-	-
	FEMALE	16	2	2	-	-	1	1	-	-	2	2	2	-	2	-	-	2	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA—CON.																							
340	NONMENINGOCOCCAL MENINGITIS	83	31	16	7	3	1	1	–	–	–	1	7	5	3	1	3	2	2	–	–	–	–	–
	WHITE.....MALE..	24	10	4	1	–	1	–	–	–	–	1	1	1	2	–	2	1	–	–	–	–	–	–
	FEMALE	17	3	4	4	–	–	–	–	–	–	–	1	3	–	–	–	–	2	–	–	–	–	–
	NONWHITE.....MALE..	26	10	5	1	3	–	–	–	–	–	–	4	1	–	1	–	1	–	–	–	–	–	–
	FEMALE	16	8	3	1	–	–	1	–	–	–	–	1	–	1	–	1	–	–	–	–	–	–	–
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	27,796	15	11	13	11	24	28	55	109	244	530	837	1,283	1,874	2,870	3,994	4,693	4,281	3,436	2,273	936	271	8
	WHITE.....MALE..	14,661	4	1	7	4	10	7	17	40	117	260	473	724	1,041	1,563	2,345	2,703	2,305	1,616	972	360	90	2
	FEMALE	9,192	5	5	1	3	6	7	16	20	41	83	112	205	347	631	1,073	1,519	1,650	1,610	1,194	509	153	2
	NONWHITE.....MALE..	2,046	4	3	5	2	2	5	8	20	44	98	132	192	256	349	313	246	170	97	59	31	8	2
	FEMALE	1,897	2	2	–	2	6	9	14	29	42	89	120	162	230	327	263	225	156	113	48	36	20	2
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	27,470	14	11	10	7	19	24	45	97	231	517	827	1,263	1,842	2,844	3,960	4,649	4,249	3,408	2,246	929	270	8
	WHITE.....MALE..	14,521	4	1	5	4	8	5	14	30	111	258	471	716	1,027	1,552	2,325	2,682	2,294	1,605	959	358	90	2
	FEMALE	9,113	4	5	1	1	5	6	13	19	39	79	111	200	342	629	1,070	1,505	1,639	1,600	1,184	506	153	2
	NONWHITE.....MALE..	1,993	4	3	4	1	1	5	8	19	42	96	127	190	249	341	308	240	165	94	57	29	8	2
	FEMALE	1,843	2	2	–	1	5	8	10	29	39	84	118	157	224	322	257	222	151	109	46	36	19	2
330-334	VASCULAR LESIONS, ETC.	6,206	3	6	3	4	6	4	9	22	51	99	150	206	310	526	747	1,036	1,081	949	651	262	79	2
	WHITE.....MALE..	2,592	1	–	2	3	3	1	–	7	18	32	42	59	108	191	347	497	499	404	249	96	33	–
	FEMALE	2,447	1	5	–	1	3	–	5	4	11	24	34	45	64	122	228	378	479	479	372	155	37	–
	NONWHITE.....MALE..	547	1	1	1	–	–	3	1	6	10	20	27	45	72	104	82	82	46	25	16	3	2	–
	FEMALE	620	–	–	–	–	–	–	3	5	12	23	47	57	66	109	90	79	57	41	14	8	7	2
400-402, 410-443	DISEASES OF HEART	19,122	8	5	7	3	10	17	20	65	160	392	625	987	1,443	2,127	2,979	3,275	2,835	2,142	1,333	541	142	6
	WHITE.....MALE..	10,878	2	1	3	1	4	4	8	22	89	222	406	621	877	1,266	1,851	1,978	1,607	1,057	606	213	38	2
	FEMALE	5,922	2	–	1	–	1	5	6	12	23	47	70	142	266	472	789	1,029	1,039	971	670	284	91	2
	NONWHITE.....MALE..	1,266	2	2	3	1	1	2	5	13	28	71	89	134	154	206	192	138	107	56	33	22	5	2
	FEMALE	1,056	2	2	–	1	4	6	1	18	20	52	60	90	146	183	147	130	82	58	24	22	8	–
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	491	–	1	4	2	4	6	6	14	26	34	35	51	75	67	62	46	35	13	5	4	1	–
	WHITE.....MALE..	211	–	–	1	1	–	1	4	4	14	14	18	20	37	27	28	19	14	5	2	2	–	–
	FEMALE	227	–	–	1	–	–	3	1	7	7	15	11	26	34	36	29	24	19	8	3	2	1	–
	NONWHITE.....MALE..	23	–	–	2	–	–	–	1	–	3	3	3	4	2	2	2	1	–	–	–	–	–	–
	FEMALE	30	–	1	–	1	4	2	–	3	2	2	3	1	2	2	3	2	2	–	–	–	–	–
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	14,895	–	1	–	–	2	3	5	29	100	268	473	759	1,120	1,706	2,438	2,660	2,258	1,623	960	388	92	2
	WHITE.....MALE..	9,149	–	1	–	–	2	2	3	16	70	183	346	542	749	1,109	1,633	1,683	1,336	839	447	160	28	–
	FEMALE	4,471	–	–	–	–	–	–	1	4	11	29	44	94	192	381	627	827	803	717	480	203	57	1
	NONWHITE.....MALE..	751	–	–	–	–	–	–	1	6	12	39	51	74	105	115	114	87	74	36	21	12	3	1
	FEMALE	524	–	–	–	–	–	1	–	3	7	17	32	49	82	101	64	63	45	31	12	13	4	–
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	1,193	2	1	–	–	2	1	3	4	3	12	18	34	48	76	113	176	211	215	167	75	31	1
	WHITE.....MALE..	527	1	–	–	–	1	1	–	–	1	5	9	10	20	29	49	94	103	96	77	25	6	–
	FEMALE	453	–	–	–	–	–	–	1	–	1	–	4	6	10	16	37	50	82	101	84	40	21	–
	NONWHITE.....MALE..	112	1	1	–	–	1	–	1	1	1	5	3	11	9	19	14	13	12	9	3	5	2	1
	FEMALE	101	–	–	–	–	–	–	1	3	–	2	2	7	9	12	13	19	14	9	3	5	2	–
430-434	OTHER DISEASES OF HEART	993	6	2	3	1	2	6	4	9	16	25	39	49	77	101	144	141	138	111	78	30	8	3
	WHITE.....MALE..	514	1	–	2	–	1	–	1	2	4	12	21	26	44	58	75	86	75	53	33	15	3	2
	FEMALE	278	2	–	–	–	1	2	2	1	3	1	8	3	11	14	33	36	46	54	41	14	5	1
	NONWHITE.....MALE..	115	1	1	1	1	–	2	1	3	4	5	9	12	9	20	21	10	10	2	3	–	–	–
	FEMALE	86	2	1	–	–	–	2	–	3	5	7	1	8	13	9	15	9	7	2	1	1	–	–
440-443	HYPERTENSIVE HEART DIS.	1,550	–	–	–	–	–	1	2	9	15	53	60	94	115	177	222	252	193	180	123	44	10	–
	WHITE.....MALE..	477	–	–	–	–	–	–	–	–	–	8	12	23	27	43	66	96	79	64	47	11	1	–
	FEMALE	493	–	–	–	–	–	–	1	–	1	2	3	13	19	25	63	92	89	91	62	25	7	–
	NONWHITE.....MALE..	265	–	–	–	–	–	1	3	8	19	23	33	29	50	41	27	11	9	6	5	–	–	–
	FEMALE	315	–	–	–	–	–	1	–	6	6	24	22	25	40	59	52	37	14	16	8	3	2	–
444-447	OTHER HYPERTENSIVE DIS.	409	–	–	–	–	1	2	5	6	11	11	15	25	11	46	47	61	56	49	40	19	4	–
	WHITE.....MALE..	166	–	–	–	–	–	–	2	1	2	–	5	6	5	13	17	30	31	20	23	8	3	–
	FEMALE	115	–	–	–	–	1	–	–	–	2	3	–	5	–	7	14	17	18	22	14	11	1	–
	NONWHITE.....MALE..	63	–	–	–	–	–	–	2	–	4	3	7	6	4	12	11	9	2	2	1	–	–	–
	FEMALE	65	–	–	–	–	–	2	1	5	3	5	3	8	2	14	5	5	5	5	2	–	–	–
450	GENERAL ARTERIOSCLEROSIS.	905	–	–	–	–	–	–	–	–	–	1	9	10	7	46	61	115	153	190	183	90	40	–
	WHITE.....MALE..	390	–	–	–	–	–	–	–	–	–	–	6	7	1	21	28	55	75	84	65	34	14	–
	FEMALE	406	–	–	–	–	–	–	–	–	–	–	–	2	–	8	13	45	66	94	107	48	23	–
	NONWHITE.....MALE..	59	–	–	–	–	–	–	–	–	–	1	–	1	3	12	11	8	6	8	6	3	–	–
	FEMALE	50	–	–	–	–	–	–	–	–	–	–	3	–	3	5	9	7	6	4	5	5	3	–
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	828	3	–	–	–	2	1	11	4	9	14	28	35	71	99	126	162	124	78	39	17	5	–
	WHITE.....MALE..	495	1	–	–	–	1	–	4	–	2	4	12	23	36	61	82	122	82	40	16	7	2	–
	FEMALE	223	1	–	–	–	–	1	2	3	3	5	7	6	12	20	26	36	37	34	21	8	1	–
	NONWHITE.....MALE..	58	1	–	–	–	–	–	–	–	–	1	4	4	16	7	12	3	4	3	1	1	1	–
	FEMALE	52	–	–	–	–	1	–	5	1	4	4	5	2	7	11	6	1	1	1	1	1	1	–

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	326	1	-	3	4	5	4	10	12	13	13	10	20	32	26	34	44	32	28	27	7	1	-
	WHITE.....MALE..	140	-	-	2	-	2	2	3	10	6	2	2	8	14	11	20	21	11	11	13	2	-	-
	FEMALE	79	1	-	-	2	1	1	3	1	2	4	1	5	5	2	3	14	11	10	10	3	-	-
	NONWHITE.....MALE..	53	-	-	1	1	1	-	-	1	2	2	5	2	7	8	5	6	5	3	2	2	-	-
	FEMALE	54	-	-	-	1	1	1	4	-	3	5	2	5	6	5	6	3	5	4	2	-	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,673	259	78	14	6	12	9	13	12	19	32	43	64	75	91	123	180	203	186	147	75	31	1
	WHITE.....MALE..	660	40	14	2	1	5	2	4	2	2	8	12	22	31	39	65	88	119	91	72	30	10	1
	FEMALE	505	49	13	4	1	3	3	2	2	5	8	8	18	17	19	29	59	58	85	65	41	16	-
	NONWHITE.....MALE..	295	90	28	6	1	3	-	5	4	4	8	17	20	21	20	20	21	12	4	6	4	1	-
	FEMALE	213	80	23	2	3	1	4	2	4	8	8	6	4	6	13	9	12	14	6	4	-	4	-
480-483	INFLUENZA.....	91	13	3	-	-	1	1	1	-	1	4	3	4	3	4	9	5	15	8	8	3	4	1
	WHITE.....MALE..	28	2	-	-	-	-	-	-	-	-	1	1	1	1	-	4	2	4	4	5	2	-	1
	FEMALE	30	-	2	-	-	1	1	-	-	-	1	-	2	1	2	2	2	7	4	3	-	2	-
	NONWHITE.....MALE..	17	8	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	1	-	-	1	1	-
	FEMALE	16	3	1	-	-	-	-	1	-	1	2	-	1	1	1	1	1	3	-	-	-	1	-
490-493	PNEUMONIA, ETC.....	1,582	246	75	14	6	11	8	12	12	18	28	40	60	72	87	114	175	188	178	139	72	27	-
	WHITE.....MALE..	632	38	14	2	1	5	2	4	2	2	7	11	21	30	39	61	86	115	87	67	28	10	-
	FEMALE	475	49	11	4	1	2	2	2	2	5	7	8	16	16	17	27	57	51	81	62	41	14	-
	NONWHITE.....MALE..	278	82	28	6	1	3	-	5	4	4	8	15	19	21	19	18	21	11	4	6	3	-	-
	FEMALE	197	77	22	2	3	1	4	1	4	7	6	6	4	5	12	8	11	11	6	4	-	3	-
500-502	BRONCHITIS.....	134	20	12	1	-	1	-	-	-	-	4	5	4	6	7	20	12	19	13	4	4	2	-
	WHITE.....MALE..	68	5	1	-	-	-	-	-	-	-	-	3	3	4	4	16	7	13	7	3	2	-	-
	FEMALE	43	5	4	1	-	1	-	-	-	-	4	1	-	2	1	3	4	6	6	1	2	2	-
	NONWHITE.....MALE..	14	7	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	FEMALE	9	3	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	845	72	9	-	-	1	-	3	4	10	14	27	40	65	92	156	155	108	52	30	6	1	-
	WHITE.....MALE..	602	29	1	-	-	1	-	1	-	6	8	13	27	47	73	120	132	83	35	22	3	1	-
	FEMALE	155	12	1	-	-	-	-	-	2	1	4	10	5	12	14	25	16	25	17	8	3	-	-
	NONWHITE.....MALE..	54	17	3	-	-	-	-	-	2	1	2	1	4	6	4	10	4	-	-	-	-	-	-
	FEMALE	34	14	4	-	-	-	-	2	-	2	-	3	4	-	1	1	3	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	334	3	-	1	-	2	1	3	2	4	15	19	24	22	35	52	63	45	21	15	7	-	-
	WHITE.....MALE..	216	1	-	1	-	-	-	1	-	2	8	9	12	16	27	32	44	37	14	9	3	-	-
	FEMALE	77	-	-	-	-	1	-	-	-	-	3	7	5	3	5	17	14	7	6	5	4	-	-
	NONWHITE.....MALE..	28	1	-	-	-	-	1	2	2	1	2	2	6	2	2	2	4	-	-	1	-	-	-
	FEMALE	13	1	-	-	-	1	-	-	-	1	2	1	1	1	1	1	1	1	1	-	-	-	-
550-553	APPENDICITIS.....	51	-	1	2	2	-	-	1	1	1	3	4	2	3	4	8	8	5	3	-	2	1	-
	WHITE.....MALE..	25	-	-	1	2	-	-	1	-	1	1	2	1	1	1	5	4	3	1	-	1	-	-
	FEMALE	16	-	1	1	-	-	-	-	-	-	1	-	-	1	-	2	4	2	2	-	1	1	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	286	33	1	-	-	-	-	1	4	2	4	5	7	22	25	35	47	50	23	20	7	-	-
	WHITE.....MALE..	119	11	1	-	-	-	-	-	-	-	2	1	6	11	8	13	23	25	9	6	3	-	-
	FEMALE	120	10	-	-	-	-	-	1	-	2	1	1	1	7	10	17	19	21	14	12	4	-	-
	NONWHITE.....MALE..	32	10	-	-	-	-	-	-	2	-	-	1	-	4	4	4	1	4	-	2	-	-	-
	FEMALE	15	2	-	-	-	-	-	-	2	-	1	2	-	-	3	1	4	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	313	127	23	2	3	-	2	1	1	4	4	7	9	7	24	22	24	25	13	6	9	-	-
	WHITE.....MALE..	96	16	9	1	2	-	1	-	-	2	-	2	1	2	15	11	12	11	7	-	4	-	-
	FEMALE	73	5	4	-	1	-	1	-	-	1	3	3	1	1	8	10	8	10	6	6	5	-	-
	NONWHITE.....MALE..	74	54	6	-	-	-	-	-	-	1	-	-	6	2	1	1	2	1	-	-	-	-	-
	FEMALE	70	52	4	1	-	-	-	1	1	-	1	2	1	2	-	-	2	3	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	610	-	1	1	1	1	-	1	9	27	65	84	106	82	66	68	49	28	14	4	3	-	-
	WHITE.....MALE..	339	-	1	-	1	-	-	-	2	12	32	49	47	52	38	49	28	19	5	2	2	-	-
	FEMALE	212	-	-	1	-	-	-	1	3	11	28	30	44	23	21	16	18	7	8	1	-	-	-
	NONWHITE.....MALE..	32	-	-	-	-	-	-	-	-	2	2	3	8	4	5	2	2	1	1	1	1	-	-
	FEMALE	27	-	-	-	-	1	-	-	4	2	3	2	7	3	2	1	1	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	144	-	-	-	-	-	1	1	-	2	1	3	5	12	10	24	26	22	21	10	6	-	-
	WHITE.....MALE..	58	-	-	-	-	-	-	-	-	-	-	1	1	5	3	13	13	8	7	5	2	-	-
	FEMALE	71	-	-	-	-	-	1	1	-	1	-	1	3	4	6	8	11	13	14	4	4	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	1	1	-	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	64	3	6	1	-	1	-	1	1	3	5	5	3	8	3	8	5	4	3	3	1	-	-
	WHITE.....MALE..	23	-	2	-	-	-	-	-	-	1	-	1	-	5	-	5	3	2	2	2	-	-	-
	FEMALE	14	-	1	-	-	-	-	-	-	-	2	2	-	3	1	1	1	1	-	1	1	-	-
	NONWHITE.....MALE..	12	-	2	1	-	1	-	-	1	-	1	1	1	-	2	-	1	1	-	-	-	-	-
	FEMALE	15	3	1	-	-	-	-	1	-	2	2	1	2	-	-	2	-	-	1	-	-	-	-
600	INFECTIONS OF KIDNEY.....	345	1	1	2	-	-	5	4	3	9	9	14	22	16	30	38	57	48	43	32	9	2	-
	WHITE.....MALE..	139	-	1	-	-	-	-	2	1	1	3	2	8	3	12	8	29	28	22	13	5	1	-
	FEMALE	128	-	-	1	-	-	3	1	-	5	2	5	4	5	4	19	21	17	20	16	4	1	-
	NONWHITE.....MALE..	36	1	-	-	-	-	2	-	-	-	1	2	4	4	8	6	4	2	1	1	-	-	-
	FEMALE	42	-	-	1	-	-	-	1	2	3	3	5	6	4	6	5	3	1	-	2	-	-	-
610	HYPERPLASIA OF PROSTATE..	130	-	-	-	-	-	-	-	-	-	-	-	-	3	11	19	26	25	21	18	6	1	-
	WHITE.....MALE..	100	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	20	23	18	16	5	-	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	-	-	-	-	-	2	4	9	6	2	3	2	1	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	FLORIDA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	52	-	-	-	-	5	8	9	15	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	22	-	-	-	-	2	4	6	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	30	-	-	-	-	3	4	3	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	10	-	-	-	-	1	2	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	7	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	42	-	-	-	-	4	6	7	14	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	19	-	-	-	-	2	4	5	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	23	-	-	-	-	2	2	2	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	616	422	57	24	17	23	7	5	2	13	6	4	9	6	4	8	4	2	1	1	-	1	-
	WHITE.....MALE..	271	187	18	8	9	11	1	2	1	8	2	3	7	2	1	4	4	1	1	1	-	-	-
	FEMALE	203	137	16	9	6	10	3	2	1	2	4	1	1	4	1	4	-	1	-	-	-	1	-
	NONWHITE.....MALE..	79	57	9	3	1	2	2	1	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	FEMALE	63	41	14	4	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,955	1,954	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	734	734	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	467	467	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	426	425	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	833	833	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	346	346	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	954	953	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	207	206	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	723	77	14	3	1	2	4	3	4	19	26	31	44	50	70	71	90	62	63	48	23	17	1
	WHITE.....MALE..	237	10	2	-	-	-	-	-	2	6	7	7	20	17	22	32	45	20	21	18	7	1	-
	FEMALE	174	8	1	-	-	-	2	3	-	6	6	5	4	8	15	8	17	21	25	22	12	11	-
	NONWHITE.....MALE..	191	27	10	2	1	2	2	-	1	2	5	13	13	17	20	22	20	15	11	5	1	2	-
	FEMALE	121	32	1	1	-	-	-	-	1	5	8	6	7	8	13	9	8	6	6	3	3	3	1
RESIDUAL	ALL OTHER DISEASES.	1,744	91	46	18	18	23	23	27	34	72	84	82	132	137	146	184	216	161	138	68	35	9	-
	WHITE.....MALE..	769	29	12	7	10	7	6	6	12	20	32	38	48	52	63	101	123	88	72	27	11	5	-
	FEMALE	597	23	16	5	7	8	10	9	11	23	23	18	45	50	50	58	71	57	56	38	17	2	-
	NONWHITE.....MALE..	216	27	11	5	-	3	2	7	6	8	16	14	25	18	22	15	12	12	7	3	3	-	-
	FEMALE	162	12	7	1	1	5	5	5	5	21	13	12	14	17	11	10	10	4	3	-	4	2	-
E800-E962	ACCIDENTS	3,191	119	219	148	111	208	237	211	176	159	179	178	158	177	151	185	157	142	125	89	45	16	1
	WHITE.....MALE..	1,653	35	85	54	58	138	142	138	99	91	106	100	82	88	84	87	86	72	55	31	17	4	1
	FEMALE	747	27	43	26	12	20	39	26	24	22	33	30	35	42	34	69	56	53	65	54	25	12	-
	NONWHITE.....MALE..	550	30	49	42	30	42	48	37	40	37	25	38	27	34	26	21	7	11	4	2	-	-	-
	FEMALE	241	27	42	26	11	8	8	10	13	9	15	10	14	13	7	8	8	6	1	2	3	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,380	11	64	64	39	126	149	114	86	82	85	72	81	94	70	93	72	35	26	12	4	-	1
	WHITE.....MALE..	786	6	28	28	28	89	90	63	45	47	55	43	34	50	40	42	53	21	12	9	2	-	1
	FEMALE	319	2	16	16	5	18	33	19	21	17	14	15	21	20	17	40	17	9	14	3	2	-	-
	NONWHITE.....MALE..	200	2	11	14	4	14	23	25	16	12	7	11	17	16	12	9	2	5	-	-	-	-	-
	FEMALE	75	1	9	6	2	5	3	7	4	6	9	3	9	8	1	2	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	1,811	108	155	84	72	82	88	97	90	77	94	106	77	83	81	92	85	107	99	77	41	16	-
	WHITE.....MALE..	867	29	57	26	30	49	52	75	54	44	51	57	48	38	44	45	33	51	43	22	15	4	-
	FEMALE	428	25	27	10	7	2	6	7	3	5	19	15	14	22	17	29	39	44	51	51	23	12	-
	NONWHITE.....MALE..	350	28	38	28	26	28	25	12	24	25	18	27	10	18	14	12	5	6	4	2	-	-	-
	FEMALE	166	26	33	20	9	3	5	3	9	3	6	7	5	5	6	6	8	6	1	2	3	-	-
E963, E970-E979	SUICIDE	710	...	...	-	5	17	31	41	56	56	90	79	74	70	45	48	42	31	17	5	1	1	1
	WHITE.....MALE..	486	...	...	-	4	8	25	26	35	36	62	54	45	47	33	34	30	26	14	5	1	1	-
	FEMALE	194	...	...	-	1	6	4	12	14	18	25	25	25	19	10	14	12	5	3	-	-	-	1
	NONWHITE.....MALE..	25	...	...	-	-	2	-	3	7	1	2	-	4	4	2	-	-	-	-	-	-	-	-
	FEMALE	5	...	...	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	478	2	4	1	1	27	58	61	68	64	58	48	39	21	9	6	2	4	4	-	-	-	1
	WHITE.....MALE..	105	-	1	-	1	7	10	8	11	16	9	13	12	9	3	3	1	-	1	-	-	-	-
	FEMALE	62	-	2	-	-	7	3	6	6	9	5	7	7	3	1	1	-	3	2	-	-	-	-
	NONWHITE.....MALE..	253	1	-	1	-	9	39	36	42	33	31	27	16	7	5	2	1	1	1	-	-	-	1
	FEMALE	58	1	1	-	-	4	6	11	9	6	13	1	4	2	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA																							
	ALL CAUSES.....	36,069	2,989	506	259	219	423	435	440	590	873	1,245	1,694	2,483	2,796	3,362	3,908	4,045	3,743	3,120	1,930	790	210	9
	WHITE.....MALE..	13,733	841	129	79	84	175	153	150	203	313	491	697	994	1,178	1,278	1,624	1,702	1,508	1,193	673	229	38	1
	FEMALE	9,806	584	106	54	46	69	61	82	103	157	226	299	403	468	653	795	1,187	1,500	1,490	997	431	93	2
	NONWHITE.....MALE..	6,633	864	144	62	57	130	142	127	150	211	288	401	585	609	708	798	573	342	215	141	56	28	2
	FEMALE	5,897	700	127	64	32	49	79	81	134	192	240	297	501	541	723	691	583	393	222	119	74	51	4
001-019	TUBERCULOSIS, ALL FORMS..	178	2	4	-	-	-	4	3	5	8	10	15	18	27	23	26	13	13	4	2	1	-	-
	WHITE.....MALE..	58	-	-	-	-	-	-	-	1	2	1	5	4	13	7	10	7	6	1	-	1	-	-
	FEMALE	22	-	-	-	-	-	-	-	1	2	2	1	2	1	3	4	3	2	-	1	-	-	-
	NONWHITE.....MALE..	64	1	2	-	-	-	2	2	1	2	3	2	12	10	6	11	3	4	2	1	-	-	-
	FEMALE	34	1	2	-	-	-	2	1	2	2	4	7	-	3	7	1	-	1	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	157	1	1	-	-	-	3	2	5	8	8	14	17	24	20	22	12	13	4	2	1	-	-
	WHITE.....MALE..	55	-	-	-	-	-	-	-	1	2	1	5	4	12	7	9	6	6	1	-	1	-	-
	FEMALE	21	-	-	-	-	-	-	-	1	2	1	1	2	1	3	4	3	2	-	1	-	-	-
	NONWHITE.....MALE..	53	1	-	-	-	-	1	1	1	2	3	1	11	9	4	9	3	4	2	1	-	-	-
	FEMALE	28	-	1	-	-	-	2	1	2	2	3	7	-	2	6	-	-	1	1	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	21	1	3	-	-	-	1	1	-	-	2	1	1	3	3	4	1	-	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	11	-	2	-	-	-	1	1	-	-	-	1	1	1	2	2	-	-	-	-	-	-	-
	FEMALE	6	1	1	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	58	1	-	-	-	-	-	-	-	2	-	4	11	10	12	6	5	3	4	-	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	1	-	-	3	4	2	2	3	-	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-
	NONWHITE.....MALE..	26	1	-	-	-	-	-	-	-	1	-	3	4	6	6	1	1	1	2	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	4	-	4	2	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	12	7	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	FEMALE	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	28	7	11	4	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	12	3	5	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	8	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	15	3	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	187	29	21	9	7	5	5	2	5	10	13	3	11	14	12	10	13	6	9	2	-	1	-
	WHITE.....MALE..	52	8	7	2	3	1	-	-	1	1	1	1	4	4	3	4	7	2	3	-	-	-	-
	FEMALE	50	4	2	2	2	2	1	1	2	2	5	-	3	6	2	4	3	3	6	-	-	-	-
	NONWHITE.....MALE..	39	8	7	3	-	1	2	-	-	1	3	-	4	1	4	2	2	1	-	-	-	-	-
	FEMALE	46	9	5	2	2	1	2	1	2	6	4	2	-	3	3	-	1	-	-	2	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,602	8	32	39	20	28	23	32	67	108	197	305	457	511	596	681	594	419	293	141	44	7	-
	WHITE.....MALE..	1,756	4	15	18	6	14	7	8	29	27	64	85	149	192	236	291	253	177	116	54	8	3	-
	FEMALE	1,580	-	10	7	10	1	7	9	19	39	71	124	144	151	173	199	195	185	132	73	28	3	-
	NONWHITE.....MALE..	636	2	4	6	1	8	4	6	9	16	21	43	69	80	90	113	91	31	27	9	5	1	-
	FEMALE	630	2	3	8	3	5	5	9	10	26	41	53	95	88	97	78	55	26	18	5	3	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	112	-	-	-	1	2	-	-	-	-	1	9	11	11	11	21	11	11	14	7	1	1	-
	WHITE.....MALE..	63	-	-	-	-	1	-	-	-	-	1	4	6	5	8	12	8	7	5	5	-	1	-
	FEMALE	34	-	-	-	1	-	-	-	-	-	-	2	4	4	1	6	2	3	9	2	-	-	-
	NONWHITE.....MALE..	11	-	-	-	-	1	-	-	-	-	-	3	1	1	2	1	1	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,263	-	-	1	1	3	1	3	8	18	31	61	102	134	175	225	185	138	103	54	18	2	-
	WHITE.....MALE..	436	-	-	-	-	1	-	2	3	5	10	15	36	44	57	90	67	44	38	22	2	-	-
	FEMALE	427	-	-	1	1	-	-	-	1	4	5	21	22	36	48	62	58	68	54	30	14	2	-
	NONWHITE.....MALE..	224	-	-	-	-	2	-	1	2	6	7	12	27	28	36	42	36	14	8	1	2	-	-
	FEMALE	176	-	-	-	-	-	1	-	2	3	9	13	17	26	34	31	24	12	3	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	747	-	-	-	1	-	1	2	3	12	31	54	90	124	126	115	90	60	23	11	3	1	-
	WHITE.....MALE..	514	-	-	-	-	-	-	-	1	7	19	35	57	81	89	92	64	45	15	7	1	1	-
	FEMALE	85	-	-	-	-	-	-	1	-	1	4	5	10	10	13	7	16	9	4	3	2	-	-
	NONWHITE.....MALE..	125	-	-	-	-	-	1	1	2	3	5	13	20	28	19	15	10	4	3	1	-	-	-
	FEMALE	23	-	-	-	1	-	-	-	-	1	3	1	3	5	5	1	-	2	1	-	-	-	-
170	OF BREAST.....	420	-	-	-	-	-	-	2	8	14	31	55	63	42	42	40	40	36	28	14	5	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-
	FEMALE	311	-	-	-	-	-	-	2	6	6	20	40	45	26	33	30	33	31	21	13	5	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	104	-	-	-	-	-	-	-	2	8	10	15	16	16	9	8	7	5	7	1	-	-	-
171-179	OF GENITAL ORGANS.....	814	-	-	-	-	2	7	7	15	26	30	49	70	79	105	151	114	72	49	27	8	3	-
	WHITE.....MALE..	184	-	-	-	-	1	2	1	3	1	1	-	1	9	22	35	38	32	22	11	4	1	-
	FEMALE	324	-	-	-	-	-	3	3	7	13	16	27	30	41	40	54	35	27	16	11	-	1	-
	NONWHITE.....MALE..	127	-	-	-	-	-	-	1	-	-	2	1	7	9	19	38	27	7	8	4	3	1	-
	FEMALE	179	-	-	-	-	1	2	2	5	12	11	21	32	20	24	24	14	6	3	1	1	-	-
180, 181	OF URINARY ORGANS.....	192	-	2	2	-	1	-	1	2	2	3	6	12	20	34	28	29	27	15	7	1	-	-
	WHITE.....MALE..	88	-	1	2	-	1	-	-	1	1	1	1	6	13	11	13	14	17	4	1	1	-	-
	FEMALE	53	-	1	-	-	-	-	-	-	-	-	-	1	4	10	6	10	10	7	4	-	-	-
	NONWHITE.....MALE..	34	-	-	-	-	-	-	-	1	1	1	4	2	1	7	7	5	-	4	1	-	-	-
	FEMALE	17	-	-	-	-	-	-	1	-	-	1	1	3	2	6	2	-	-	-	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	607	5	13	14	7	5	6	9	19	18	41	46	75	66	60	61	65	41	34	15	7	-	-
	WHITE.....MALE..	260	3	7	3	3	3	1	4	15	7	20	19	29	25	26	26	31	13	19	6	-	-	-
	FEMALE	208	-	4	2	3	1	3	3	2	8	14	21	23	19	19	20	18	25	9	8	6	-	-
	NONWHITE.....MALE..	60	-	1	3	-	1	2	-	2	2	2	5	9	8	4	7	7	3	3	1	-	-	-
	FEMALE	79	2	1	6	1	-	-	2	-	1	5	1	14	14	11	8	9	-	3	-	1	-	-
204	LEUKEMIA AND ALEUKEMIA...	235	1	13	19	7	12	3	4	5	6	15	10	17	13	21	19	27	22	18	2	1	-	-
	WHITE.....MALE..	117	-	6	10	2	6	2	1	1	3	5	5	7	8	12	9	18	13	8	1	-	-	-
	FEMALE	71	-	4	4	4	-	-	-	3	2	8	4	3	3	2	7	7	8	10	1	1	-	-
	NONWHITE.....MALE..	22	1	1	3	-	2	-	2	1	1	1	1	1	-	3	2	2	1	-	-	-	-	-
	FEMALE	25	-	2	2	1	4	1	1	-	-	1	-	6	2	4	1	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	212	2	4	3	3	3	5	4	7	12	14	15	17	22	22	21	33	12	9	4	-	-	-
	WHITE.....MALE..	89	1	1	3	1	1	2	-	5	3	6	6	5	7	11	12	13	6	5	1	-	-	-
	FEMALE	67	-	1	-	1	-	1	-	-	5	4	4	6	8	7	7	16	4	2	1	-	-	-
	NONWHITE.....MALE..	33	1	2	-	1	2	1	1	1	3	3	4	2	5	-	1	3	1	1	1	-	-	-
	FEMALE	23	-	-	-	-	-	1	3	1	1	1	1	4	2	4	1	1	1	1	1	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	86	4	2	2	3	2	1	6	4	8	8	5	4	6	11	7	1	3	5	4	-	-	-
	WHITE.....MALE..	25	2	-	1	1	-	-	1	-	2	-	2	2	1	5	1	-	2	2	3	-	-	-
	FEMALE	38	1	1	1	1	2	1	3	4	3	4	2	1	3	4	3	-	1	2	1	-	-	-
	NONWHITE.....MALE..	6	-	-	-	1	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-
	FEMALE	17	1	1	-	-	-	-	2	-	3	4	1	-	1	1	1	1	-	1	-	-	-	-
241	ASTHMA.....	88	-	3	-	2	2	2	-	1	3	4	9	13	12	16	8	7	4	2	-	-	-	-
	WHITE.....MALE..	34	-	-	-	-	-	-	-	-	-	2	2	5	3	8	7	2	3	2	-	-	-	-
	FEMALE	22	-	-	-	1	1	-	-	-	-	-	4	3	2	5	-	5	1	-	-	-	-	-
	NONWHITE.....MALE..	16	-	2	-	-	1	-	-	1	1	1	1	3	4	2	-	-	-	-	-	-	-	-
	FEMALE	16	-	1	-	1	-	2	-	-	2	1	2	2	3	1	1	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	544	1	1	-	2	2	5	6	13	15	17	17	55	48	65	87	71	67	42	24	5	1	-
	WHITE.....MALE..	149	1	1	-	-	-	-	2	2	3	5	4	15	10	13	26	21	22	15	7	2	-	-
	FEMALE	179	-	-	-	1	2	1	3	3	3	3	2	6	10	19	28	27	31	23	14	3	-	-
	NONWHITE.....MALE..	73	-	-	-	-	-	2	1	3	5	1	6	12	6	9	10	10	5	1	1	-	1	-
	FEMALE	143	-	-	-	1	-	2	-	5	4	8	5	22	22	24	23	13	9	3	2	-	-	-
290-293	ANEMIAS.....	98	7	7	1	4	2	2	3	1	2	2	3	8	4	5	8	14	15	6	4	-	-	-
	WHITE.....MALE..	21	-	-	-	-	1	-	-	-	1	-	1	2	1	2	3	2	3	3	2	-	-	-
	FEMALE	27	-	1	-	-	-	-	-	-	-	-	-	-	1	-	4	6	10	3	2	-	-	-
	NONWHITE.....MALE..	24	3	5	1	2	-	2	-	-	1	1	1	2	-	1	1	2	2	-	-	-	-	-
	FEMALE	26	4	1	-	2	1	-	3	1	-	1	1	4	2	2	-	4	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	69	38	7	2	1	1	2	-	-	1	-	4	4	2	2	2	1	-	-	1	1	-	-
	WHITE.....MALE..	22	8	2	1	1	-	-	-	-	-	-	1	3	1	2	1	1	-	-	1	-	-	-
	FEMALE	7	4	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	20	13	1	1	-	1	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	20	13	3	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	19,262	12	15	17	18	23	46	61	137	272	507	807	1,343	1,588	2,054	2,447	2,744	2,647	2,302	1,460	606	149	7
	WHITE.....MALE..	7,504	4	6	4	4	7	12	12	44	87	203	364	571	675	758	1,001	1,146	1,055	863	491	169	27	1
	FEMALE	5,455	3	2	4	4	3	7	11	16	40	58	83	137	204	335	426	777	1,057	1,120	767	329	71	1
	NONWHITE.....MALE..	3,129	1	3	6	1	5	10	16	39	58	138	210	349	367	461	525	383	238	148	108	43	19	1
	FEMALE	3,174	4	4	3	9	8	17	22	38	87	108	150	286	342	500	495	438	297	171	94	65	32	4
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	18,912	8	11	14	14	21	40	54	119	255	496	791	1,310	1,552	2,017	2,411	2,711	2,614	2,275	1,447	599	146	7
	WHITE.....MALE..	7,415	3	4	3	3	5	8	10	40	84	201	362	566	664	753	994	1,134	1,045	855	487	167	26	1
	FEMALE	5,395	2	1	4	4	3	5	9	12	38	57	82	131	201	335	424	769	1,049	1,110	762	326	70	1
	NONWHITE.....MALE..	3,025	-	2	4	-	5	10	16	33	53	132	204	338	356	440	513	378	229	144	106	43	18	1
	FEMALE	3,077	3	4	3	7	8	17	19	34	80	106	143	275	331	489	480	430	291	166	92	63	32	4
330-334	VASCULAR LESIONS, ETC	5,499	1	3	6	7	5	9	14	27	78	105	189	327	390	565	668	782	812	780	465	218	47	1
	WHITE.....MALE..	1,541	-	1	1	-	1	1	3	-	12	15	41	74	81	119	168	265	282	283	137	49	8	-
	FEMALE	1,679	1	-	1	3	1	2	-	5	14	13	36	32	49	81	119	202	339	379	253	126	23	-
	NONWHITE.....MALE..	1,015	-	-	3	-	1	3	3	7	13	33	59	113	133	162	172	128	78	47	36	18	6	-
	FEMALE	1,264	-	2	1	4	2	3	8	15	39	44	53	108	127	203	209	187	113	71	39	25	10	1
400-402, 410-443	DISEASES OF HEART	12,062	7	7	6	5	14	26	34	78	157	357	548	920	1,092	1,326	1,605	1,761	1,609	1,304	816	312	72	6
	WHITE.....MALE..	5,405	3	2	2	1	3	7	6	37	67	178	304	473	555	594	771	806	689	504	293	98	11	1
	FEMALE	3,265	1	1	1	1	2	2	6	4	20	39	41	87	145	228	286	519	636	633	416	161	35	1
	NONWHITE.....MALE..	1,789	-	2	1	-	4	7	13	22	37	88	125	212	202	251	304	212	136	84	60	21	7	1
	FEMALE	1,603	3	2	2	3	5	10	9	15	33	52	78	148	190	253	244	224	148	83	47	32	19	3
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	190	-	2	4	4	7	6	9	13	9	23	18	20	21	15	17	10	4	4	3	-	1	-
	WHITE.....MALE..	57	-	-	-	1	2	1	-	5	4	8	4	10	7	4	5	3	1	-	1	-	1	-
	FEMALE	71	-	-	1	1	1	1	3	2	4	10	8	6	7	7	8	5	2	4	1	-	-	-
	NONWHITE.....MALE..	30	-	1	1	-	3	1	3	3	-	3	3	3	3	2	1	2	-	-	1	-	-	-
	FEMALE	32	-	1	2	2	1	3	3	3	1	2	3	1	4	2	3	-	1	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	8,453	1	-	-	-	2	5	12	46	101	253	408	679	790	938	1,156	1,280	1,157	886	498	196	42	3
	WHITE.....MALE..	4,392	-	-	-	-	-	3	5	28	55	155	282	405	483	505	643	656	544	367	186	67	7	1
	FEMALE	2,252	-	-	-	-	-	1	2	-	11	21	25	68	99	167	214	387	452	422	261	103	19	-
	NONWHITE.....MALE..	1,027	-	-	-	-	-	-	4	12	19	52	68	130	110	147	174	127	82	54	33	10	4	1
	FEMALE	782	1	-	-	-	2	1	1	6	16	25	33	76	98	119	125	110	79	43	18	16	12	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	987	1	1	-	-	1	1	4	2	7	13	17	32	61	91	113	142	152	153	127	53	15	1
	WHITE.....MALE..	321	-	1	-	-	-	-	1	1	3	4	3	7	16	27	35	51	58	50	46	17	1	-
	FEMALE	312	-	-	-	-	-	-	-	-	1	1	-	3	11	14	21	37	53	78	60	27	6	-
	NONWHITE.....MALE..	161	-	-	-	-	-	1	1	1	-	5	9	12	14	24	27	27	15	10	8	5	2	-
	FEMALE	193	1	-	-	-	1	-	2	-	3	3	5	10	20	26	30	27	26	15	13	4	6	1
430-434	OTHER DISEASES OF HEART	746	5	4	2	1	4	11	7	6	13	24	25	63	72	83	101	88	87	77	51	15	7	-
	WHITE.....MALE..	246	3	1	2	-	1	2	-	1	2	6	6	26	27	20	37	34	35	24	17	1	1	-
	FEMALE	191	1	1	-	-	1	-	1	1	3	2	2	4	12	14	19	21	32	36	27	9	5	-
	NONWHITE.....MALE..	174	-	1	-	-	1	3	3	3	7	8	9	22	21	24	29	14	11	10	5	2	1	-
	FEMALE	135	1	1	-	1	1	6	3	1	1	8	8	11	12	25	16	19	9	7	2	3	-	-
440-443	HYPERTENSIVE HEART DIS	1,686	-	-	-	-	-	-	3	2	11	27	44	80	126	148	199	218	241	209	184	137	48	7	2
	WHITE.....MALE..	389	-	-	-	-	-	-	1	-	2	3	5	9	25	22	38	51	62	51	63	43	13	1	-
	FEMALE	439	-	-	-	-	-	-	-	-	1	1	5	6	6	16	26	24	69	97	93	67	22	5	1
	NONWHITE.....MALE..	397	-	-	-	-	-	2	2	3	11	20	36	45	54	54	73	42	28	10	13	4	-	-
	FEMALE	461	-	-	-	-	-	-	-	5	12	14	29	50	56	81	70	68	33	18	14	9	1	1
444-447	OTHER HYPERTENSIVE DIS	308	-	-	-	-	1	2	2	4	7	11	26	17	26	30	26	31	51	32	29	8	5	-
	WHITE.....MALE..	80	-	-	-	-	-	-	1	-	-	-	4	3	6	5	7	8	21	11	13	-	1	-
	FEMALE	82	-	-	-	-	-	-	-	-	-	2	1	1	1	7	4	10	18	16	13	7	2	-
	NONWHITE.....MALE..	81	-	-	-	-	-	-	-	2	2	5	14	6	11	8	10	8	6	4	2	1	2	-
	FEMALE	65	-	-	-	-	1	2	1	2	5	4	7	7	8	10	5	5	6	1	1	-	-	-
450	GENERAL ARTERIOSCLEROSIS	609	-	-	-	-	-	-	-	-	1	3	2	15	10	32	48	89	99	120	115	54	21	-
	WHITE.....MALE..	194	-	-	-	-	-	-	-	-	-	1	1	4	3	7	12	29	31	45	37	18	6	-
	FEMALE	240	-	-	-	-	-	-	-	-	1	-	-	2	1	4	5	28	39	57	67	27	9	-
	NONWHITE.....MALE..	86	-	-	-	-	-	-	-	-	-	-	-	5	5	9	18	20	8	7	8	3	3	-
	FEMALE	89	-	-	-	-	-	-	-	-	-	2	1	4	1	12	13	12	21	11	3	6	3	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	434	-	1	2	2	1	3	4	10	12	20	26	31	34	64	64	48	43	39	22	7	1	-
	WHITE.....MALE..	195	-	1	-	2	1	-	-	3	5	7	12	12	19	28	36	26	22	12	7	2	-	-
	FEMALE	129	-	-	2	-	-	1	3	3	3	3	4	9	5	15	10	10	17	25	13	5	1	-
	NONWHITE.....MALE..	54	-	-	-	-	-	-	-	2	1	6	6	2	5	10	9	10	1	2	-	-	-	-
	FEMALE	56	-	-	-	-	-	2	1	2	3	4	4	8	5	11	9	2	3	-	2	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	350	4	4	3	4	2	6	7	18	17	11	16	33	36	37	36	33	33	27	13	7	3	-
	WHITE.....MALE..	89	1	2	1	1	2	4	2	4	3	2	2	5	11	5	7	12	10	8	4	2	1	-
	FEMALE	60	1	1	-	-	-	2	2	4	2	1	1	6	3	-	2	8	8	10	5	3	1	-
	NONWHITE.....MALE..	104	1	1	2	1	-	-	-	6	5	6	6	11	11	21	12	5	9	4	2	-	1	-
	FEMALE	97	1	-	-	2	-	-	3	4	7	2	7	11	11	11	15	8	6	5	2	2	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,538	389	88	22	10	15	11	13	22	29	35	46	56	77	80	115	112	135	142	85	40	16	-
	WHITE.....MALE..	445	54	11	6	4	1	3	2	3	5	10	14	21	33	22	44	45	58	57	33	18	1	-
	FEMALE	344	39	9	3	2	6	2	3	2	5	5	3	8	9	19	22	35	44	60	46	16	6	-
	NONWHITE.....MALE..	406	168	33	5	1	4	2	5	11	7	12	17	14	22	26	27	17	14	14	3	3	1	-
	FEMALE	343	128	35	8	3	4	4	3	6	12	8	12	13	13	13	22	15	19	11	3	3	8	-
480-483	INFLUENZA.....	106	16	2	-	2	2	1	-	4	5	1	4	5	6	9	13	5	15	8	5	2	1	-
	WHITE.....MALE..	23	1	1	-	2	-	-	-	-	1	-	-	-	-	-	2	3	9	1	3	-	-	-
	FEMALE	21	1	-	-	-	1	1	-	1	2	-	-	-	1	3	2	1	3	2	2	1	-	-
	NONWHITE.....MALE..	31	5	1	-	-	1	-	-	3	1	-	2	3	2	3	5	-	1	4	-	-	-	-
	FEMALE	31	9	-	-	-	-	-	-	-	1	1	2	2	3	3	4	1	2	1	-	1	1	-
490-493	PNEUMONIA, ETC.....	1,432	373	86	22	8	13	10	13	18	24	34	42	51	71	71	102	107	120	134	80	38	15	-
	WHITE.....MALE..	422	53	10	6	2	1	3	2	3	4	10	14	21	33	22	42	42	49	56	30	18	1	-
	FEMALE	323	38	9	3	2	5	1	3	1	3	5	3	8	8	16	20	34	41	58	44	15	6	-
	NONWHITE.....MALE..	375	163	32	5	1	3	2	5	8	6	12	15	11	20	23	22	17	13	10	3	3	1	-
	FEMALE	312	119	35	8	3	4	4	3	6	11	7	10	11	10	10	18	14	17	10	3	2	7	-
500-502	BRONCHITIS.....	68	14	5	2	1	1	-	-	1	2	1	3	3	3	4	9	6	4	6	2	-	1	-
	WHITE.....MALE..	33	1	-	1	-	1	-	-	-	-	1	2	3	2	1	7	5	2	5	2	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	1	1	1	-	-	-	-
	NONWHITE.....MALE..	9	5	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	15	8	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
525-527	OT. BRONCHOPULMONIC DIS..	476	61	6	-	1	1	-	4	6	5	7	17	19	48	63	70	65	53	31	14	4	1	-
	WHITE.....MALE..	306	14	1	-	1	-	-	2	2	3	3	9	13	37	50	54	46	39	21	9	1	1	-
	FEMALE	81	6	-	-	-	1	-	-	2	-	1	4	3	2	7	8	16	14	9	5	3	-	-
	NONWHITE.....MALE..	53	21	2	-	-	-	-	-	1	2	2	1	2	7	6	6	2	-	1	-	-	-	-
	FEMALE	36	20	3	-	-	-	-	2	1	-	1	3	1	2	-	2	1	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	241	-	1	-	-	-	-	1	3	5	17	14	25	27	34	35	25	27	17	7	2	1	-
	WHITE.....MALE..	133	-	-	-	-	-	-	1	3	1	11	7	15	16	19	17	14	17	6	4	1	1	-
	FEMALE	52	-	-	-	-	-	-	-	-	3	1	4	4	4	4	7	5	7	9	3	1	-	-
	NONWHITE.....MALE..	38	-	1	-	-	-	-	-	-	1	5	3	4	4	4	9	4	2	1	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	2	3	7	2	2	1	1	-	-	-	-
550-553	APPENDICITIS.....	33	-	1	1	3	-	-	1	-	-	3	2	2	1	3	3	5	4	2	2	-	-	-
	WHITE.....MALE..	11	-	-	1	2	-	-	1	-	-	1	-	-	-	-	-	2	2	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2	-	2	-	-	-	-	-
	FEMALE	9	-	1	-	1	-	-	-	-	-	-	1	-	1	2	1	2	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	191	21	2	-	2	1	1	4	3	5	9	8	11	18	20	22	19	14	16	14	1	-	-
	WHITE.....MALE..	64	10	-	-	1	-	-	-	1	1	3	2	1	4	6	8	7	4	9	7	-	-	-
	FEMALE	58	5	-	-	-	-	-	2	2	1	1	2	4	5	4	5	7	8	5	6	1	-	-
	NONWHITE.....MALE..	31	3	1	-	1	-	1	1	-	2	-	2	2	4	1	6	4	1	1	1	-	-	-
	FEMALE	38	3	1	-	-	1	-	1	-	1	5	2	4	5	9	3	1	1	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	204	102	18	4	-	2	1	-	5	-	4	2	5	8	6	7	14	9	12	2	2	1	-
	WHITE.....MALE..	37	8	4	-	-	1	1	-	1	-	2	2	2	5	1	2	4	-	2	2	-	-	-
	FEMALE	46	8	3	-	-	1	-	-	1	-	1	-	3	-	3	3	5	8	8	-	2	-	-
	NONWHITE.....MALE..	63	46	6	4	-	-	-	-	1	-	-	-	-	-	2	1	2	-	1	-	-	-	-
	FEMALE	58	40	5	-	-	-	-	-	2	-	1	-	-	3	-	1	3	1	1	-	-	1	-
581	CIRRHOSIS OF LIVER.....	252	2	1	-	1	-	-	5	11	22	24	34	43	31	17	23	18	10	8	2	-	-	-
	WHITE.....MALE..	123	1	-	-	1	-	-	-	3	9	14	13	26	15	9	13	9	4	5	1	-	-	-
	FEMALE	62	-	1	-	-	-	-	1	1	5	5	7	11	6	4	6	6	6	2	1	-	-	-
	NONWHITE.....MALE..	33	-	-	-	-	-	-	1	3	5	3	7	3	4	3	2	1	-	1	-	-	-	-
	FEMALE	34	1	-	-	-	-	-	3	4	3	2	7	3	6	1	2	2	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	75	-	-	-	-	1	-	-	-	-	2	1	3	3	10	10	15	12	11	4	2	1	-
	WHITE.....MALE..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	5	4	3	2	-	1	-
	FEMALE	38	-	-	-	-	1	-	-	-	-	1	-	1	2	4	3	9	5	8	2	2	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	3	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	39	2	-	3	1	2	2	1	3	-	1	2	2	4	4	2	1	6	1	-	2	-	-
	WHITE.....MALE..	7	-	-	1	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-
	FEMALE	6	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
	NONWHITE.....MALE..	16	1	-	1	-	1	-	1	2	-	1	1	1	2	2	1	-	1	1	-	-	-	-
	FEMALE	10	-	-	-	-	-	2	-	1	-	-	1	-	2	-	1	-	3	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	260	1	-	1	-	-	1	1	6	9	8	14	26	30	23	29	32	28	25	22	4	-	-
	WHITE.....MALE..	68	1	-	1	-	-	-	-	1	1	2	4	3	5	6	8	11	7	11	7	-	-	-
	FEMALE	91	-	-	-	-	-	1	-	2	1	2	2	7	9	8	9	8	15	11	12	4	-	-
	NONWHITE.....MALE..	53	-	-	-	-	-	-	1	-	3	3	5	7	10	3	6	8	4	2	1	-	-	-
	FEMALE	48	-	-	-	-	-	-	-	3	4	1	3	9	6	6	6	5	2	1	2	-	-	-
610	HYPERPLASIA OF PROSTATE..	89	-	-	-	-	-	-	-	-	-	1	-	1	4	11	17	9	17	14	9	4	2	-
	WHITE.....MALE..	50	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	5	13	11	6	3	-	-
	NONWHITE.....MALE..	39	-	-	-	-	-	-	-	-	-	1	-	1	3	8	9	4	4	3	3	1	2	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	GEORGIA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	47	-	-	-	-	1	7	11	12	12	4	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	19	-	-	-	-	1	3	6	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	28	-	-	-	-	-	4	5	9	7	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	7	-	-	-	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	6	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	40	-	-	-	-	1	5	9	10	12	3	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	18	-	-	-	-	1	3	5	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	22	-	-	-	-	-	2	4	7	7	2	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	498	328	60	23	17	7	6	9	7	4	12	8	6	3	1	3	2	-	2	-	-	-	-
	WHITE.....MALE..	180	127	16	6	7	3	1	1	3	2	5	3	2	1	-	2	-	-	1	-	-	-	-
	FEMALE	170	116	14	10	5	1	1	5	1	1	3	4	2	2	1	1	2	-	1	-	-	-	-
	NONWHITE.....MALE..	83	53	16	2	5	-	2	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	65	32	14	5	-	3	2	2	2	-	3	1	1	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,669	1,669	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	534	534	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	353	353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	425	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	357	357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	618	618	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	851	851	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	251	251	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	534	66	9	2	2	2	2	5	15	17	24	33	38	39	43	46	49	45	29	29	29	10	-
	WHITE.....MALE..	137	4	2	-	1	-	-	2	2	4	4	13	9	17	12	10	19	13	8	9	6	2	-
	FEMALE	108	2	2	-	-	-	-	1	2	2	6	4	3	2	6	8	7	18	14	11	18	2	-
	NONWHITE.....MALE..	174	43	3	1	1	1	1	2	3	10	10	11	15	14	12	17	10	6	2	6	3	3	-
	FEMALE	115	17	2	1	-	1	1	-	8	1	4	5	11	6	13	11	13	8	5	3	2	3	-
RESIDUAL	ALL OTHER DISEASES.	1,187	70	44	24	23	19	21	26	26	58	71	94	104	100	87	90	108	94	57	45	18	8	-
	WHITE.....MALE..	385	21	14	5	6	4	2	6	4	16	25	37	34	36	29	35	38	33	18	12	9	1	-
	FEMALE	350	14	14	7	3	3	4	5	6	11	16	18	20	25	24	30	37	39	33	27	9	5	-
	NONWHITE.....MALE..	229	20	11	3	11	8	2	6	5	13	13	20	22	22	22	11	16	16	5	3	-	-	-
	FEMALE	223	15	5	9	3	4	13	9	11	18	17	19	28	17	12	14	17	6	1	3	-	2	-
E800-E962	ACCIDENTS	2,544	138	152	99	91	254	212	150	138	174	153	146	152	115	117	115	78	96	76	52	25	10	1
	WHITE.....MALE..	1,154	34	41	29	41	129	110	86	74	105	85	75	69	58	51	46	34	34	26	17	9	1	-
	FEMALE	494	23	39	17	15	39	24	17	22	19	20	22	28	17	21	19	26	40	41	25	15	5	-
	NONWHITE.....MALE..	621	40	39	26	29	75	68	40	30	43	38	36	43	30	28	29	10	6	3	5	1	1	1
	FEMALE	275	41	33	27	6	11	10	7	12	7	10	13	12	10	17	21	8	16	6	5	-	3	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,131	15	47	41	39	166	142	82	85	90	74	68	75	55	54	37	23	22	12	1	2	-	1
	WHITE.....MALE..	592	9	20	17	20	88	76	51	53	50	43	33	34	26	32	15	11	9	4	-	1	-	-
	FEMALE	217	3	13	8	8	29	21	14	14	13	12	13	17	10	10	7	7	11	5	1	1	-	-
	NONWHITE.....MALE..	248	3	10	7	9	41	39	13	13	22	15	15	20	17	7	10	3	1	2	-	-	-	1
	FEMALE	74	-	4	9	2	8	6	4	5	5	4	7	4	2	5	5	2	1	1	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	1,413	123	105	58	52	88	70	68	53	84	79	78	77	60	63	78	55	74	64	51	23	10	-
	WHITE.....MALE..	562	25	21	12	21	41	34	35	21	55	42	42	35	32	19	31	23	25	22	17	8	1	-
	FEMALE	277	20	26	9	7	10	3	3	8	6	8	9	11	7	11	12	19	29	36	24	14	5	-
	NONWHITE.....MALE..	373	37	29	19	20	34	29	27	17	21	23	21	23	13	21	19	7	5	1	5	1	1	-
	FEMALE	201	41	29	18	4	3	4	3	7	2	6	6	8	8	12	16	6	15	5	5	-	3	-
E963, E970-E979	SUICIDE	413	...	...	-	4	13	21	26	32	39	54	52	42	46	32	21	18	7	3	3	-	-	-
	WHITE.....MALE..	303	...	...	-	4	8	12	13	18	31	41	38	31	40	25	17	13	6	3	3	-	-	-
	FEMALE	80	...	...	-	-	4	7	11	11	5	10	8	11	3	4	1	4	1	-	-	-	-	-
	NONWHITE.....MALE..	23	...	...	-	-	-	1	2	2	3	3	3	-	2	3	3	1	-	-	-	-	-	-
	FEMALE	7	...	...	-	-	1	1	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	479	7	4	1	3	38	60	70	67	63	56	45	21	17	10	7	4	4	1	-	-	-	1
	WHITE.....MALE..	83	1	1	-	-	3	5	13	11	11	7	12	7	4	2	1	3	2	-	-	-	-	-
	FEMALE	39	1	1	-	-	1	-	4	3	9	10	3	1	3	-	2	-	-	-	-	-	-	1
	NONWHITE.....MALE..	273	3	-	1	3	25	43	42	38	35	25	25	11	9	6	4	1	2	-	-	-	-	-
	FEMALE	84	2	2	-	-	9	12	11	15	8	14	5	2	1	2	-	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII																							
	ALL CAUSES	3,532	375	59	33	23	33	57	43	68	89	117	174	221	264	303	328	389	346	293	213	83	20	1
	WHITE.....MALE	604	50	8	2	5	10	17	12	18	23	23	39	49	42	57	64	61	53	36	21	13	1	-
	FEMALE	391	51	6	3	2	1	3	4	6	6	13	19	15	23	26	33	41	46	40	25	18	9	1
	NONWHITE.....MALE	1,649	169	25	18	13	14	22	20	27	33	46	64	117	145	153	145	199	154	145	99	35	6	-
	FEMALE	888	105	20	10	3	8	15	7	17	27	35	52	40	54	67	86	88	93	72	68	17	4	-
001-019	TUBERCULOSIS, ALL FORMS	23	1	-	-	-	-	-	-	-	1	-	2	3	2	2	4	1	1	2	3	1	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE	18	-	-	-	-	-	-	-	-	1	-	1	3	2	1	4	-	1	1	3	1	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	20	-	-	-	-	-	-	-	-	1	-	2	2	1	2	4	1	1	2	3	1	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE	16	-	-	-	-	-	-	-	-	1	-	1	2	1	1	4	-	1	1	3	1	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	12	3	-	-	-	-	-	-	-	2	-	-	-	2	-	2	1	2	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	5	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
	FEMALE	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	556	1	11	6	5	6	4	2	10	13	28	51	45	54	67	64	74	63	36	12	4	-	-
	WHITE.....MALE..	75	-	1	-	-	3	-	1	-	2	2	6	10	7	10	11	10	6	5	1	-	-	-
	FEMALE	54	-	-	-	-	-	-	-	2	1	1	8	4	10	8	5	6	7	-	-	2	-	-
	NONWHITE.....MALE..	281	1	6	3	3	2	1	1	2	3	16	14	22	26	35	35	39	42	22	6	2	-	-
	FEMALE	146	-	4	3	2	1	3	-	6	7	9	23	9	11	14	13	19	8	9	5	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	17	-	-	-	-	-	-	-	-	-	1	2	3	4	3	-	4	-	-	-	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	1	1	1	2	2	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	198	-	-	-	-	-	1	-	3	2	11	13	13	15	32	28	28	30	17	4	1	-	-
	WHITE.....MALE..	24	-	-	-	-	-	-	-	-	1	1	1	3	1	4	4	3	3	2	1	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	-	2	3	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	114	-	-	-	-	-	-	-	-	1	6	4	8	10	19	15	19	21	9	1	1	-	-
	FEMALE	52	-	-	-	-	-	1	-	3	-	4	7	2	2	6	8	6	5	6	2	-	-	-
160-164	OF RESP. SYSTEM, ETC.	104	-	-	-	-	-	1	-	2	1	5	10	7	13	10	19	13	14	6	2	1	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	4	2	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	67	-	-	-	-	-	-	-	1	-	4	3	5	10	5	13	6	12	5	2	1	-	-
	FEMALE	15	-	-	-	-	-	1	-	-	1	1	5	1	1	2	1	1	-	1	-	-	-	-
170	OF BREAST	26	-	-	-	-	-	-	-	1	2	1	4	3	3	3	5	2	2	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	1	2	-	2	2	2	1	2	1	2	-	-	-	-	-
171-179	OF GENITAL ORGANS	53	-	1	-	-	2	-	-	1	1	3	6	5	5	1	6	7	5	6	3	1	-	-
	WHITE.....MALE..	5	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	2	3	3	-	-	1	3	-	-	1	-	-
	NONWHITE.....MALE..	15	-	1	-	-	-	-	-	-	-	1	-	-	-	-	4	4	1	3	1	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	1	1	2	4	2	1	1	2	2	-	2	2	-	-	-
180, 181	OF URINARY ORGANS	22	-	-	-	-	-	-	-	-	-	1	1	1	5	3	2	5	1	2	1	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	2	1	1	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	57	-	1	2	2	2	1	1	2	3	4	7	3	7	7	1	7	3	1	2	1	-	-
	WHITE.....MALE..	9	-	1	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	1	1	-	1	-	2	2	-	-	-	-	-	1	-	-
	NONWHITE.....MALE..	18	-	-	1	1	1	1	1	-	1	1	2	-	2	2	-	1	2	1	1	-	-	-
	FEMALE	22	-	-	1	1	1	-	-	1	1	2	3	-	2	2	-	6	1	-	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA	40	1	9	4	1	1	1	1	-	1	-	5	1	1	4	1	4	4	1	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	NONWHITE.....MALE..	20	1	5	2	1	-	-	-	-	-	-	3	1	1	1	1	1	2	1	-	-	-	-
	FEMALE	10	-	4	2	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	39	-	-	-	2	1	-	-	1	3	2	3	9	1	4	2	4	4	3	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	28	-	-	-	1	1	-	-	1	1	2	1	7	-	4	1	4	3	2	-	-	-	-
	FEMALE	6	-	-	-	1	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	9	1	-	1	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
241	ASTHMA	26	-	1	-	2	1	5	2	-	2	2	2	4	1	2	-	1	-	-	1	-	-	-
	WHITE.....MALE..	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	-	-	-	1	-	1	1	-	2	-	-	4	-	2	-	1	-	-	1	-	-	-
	FEMALE	10	-	1	-	-	1	4	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	78	-	-	1	-	-	-	-	1	3	1	4	7	6	9	21	10	8	5	2	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	1	1	-	-	-	-
	NONWHITE.....MALE..	25	-	-	1	-	-	-	-	-	1	1	3	2	4	1	3	3	2	4	-	-	-	-
	FEMALE	37	-	-	-	-	-	-	-	1	2	-	-	3	2	4	13	5	5	-	2	-	-	-
290-293	ANEMIAS	9	1	-	-	-	-	2	-	-	-	1	-	1	-	-	1	1	-	-	2	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII—CON.																							
340	NONMENINGOCOCCAL MENINGITIS	9	4	1	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	1,661	1	-	4	2	3	4	5	19	23	53	62	110	138	171	190	230	219	192	155	62	17	1
	WHITE.....MALE..	290	-	-	-	-	-	-	-	3	4	12	18	28	22	33	45	43	33	25	13	10	1	-
	FEMALE	190	-	-	2	-	-	-	-	2	-	5	-	4	6	13	20	27	34	34	22	12	8	1
	NONWHITE.....MALE..	764	-	-	1	2	1	3	5	9	11	17	25	63	77	85	77	111	86	88	68	29	6	-
	FEMALE	417	1	-	1	-	2	1	-	5	8	19	19	15	33	40	48	49	66	45	52	11	2	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	1,624	1	-	3	1	3	3	5	18	23	47	56	107	137	168	189	223	216	192	152	62	17	1
	WHITE.....MALE..	289	-	-	-	-	-	-	-	3	4	12	17	28	22	33	45	43	33	25	13	10	1	-
	FEMALE	189	-	-	2	-	-	-	-	2	-	5	-	4	6	12	20	27	34	34	22	12	8	1
	NONWHITE.....MALE..	744	-	-	1	1	1	2	5	9	11	13	20	62	77	85	76	107	85	88	66	29	6	-
	FEMALE	402	1	-	-	-	2	1	-	4	8	17	19	13	32	38	48	46	64	45	51	11	2	-
330-334	VASCULAR LESIONS, ETC.	317	-	-	1	-	1	1	2	3	3	12	9	22	23	27	38	45	48	39	28	11	4	-
	WHITE.....MALE..	39	-	-	-	-	-	-	-	-	-	1	2	3	3	1	10	6	4	5	3	1	-	-
	FEMALE	38	-	-	1	-	-	-	-	1	-	1	-	1	1	2	2	8	9	5	5	1	1	-
	NONWHITE.....MALE..	154	-	-	-	-	-	1	2	1	1	6	2	14	15	18	12	19	20	20	13	7	3	-
	FEMALE	86	-	-	-	-	1	-	-	1	2	4	5	4	4	6	14	12	15	9	7	2	-	-
400-402, 410-443	DISEASES OF HEART	1,192	1	-	2	1	1	1	3	15	18	34	45	76	106	135	142	162	147	140	112	38	12	1
	WHITE.....MALE..	229	-	-	-	-	-	-	-	3	4	11	15	19	18	31	34	34	25	19	10	5	1	-
	FEMALE	140	-	-	1	-	-	-	-	1	-	4	-	3	5	10	17	18	22	25	16	10	7	1
	NONWHITE.....MALE..	544	-	-	1	1	-	-	3	8	10	6	17	46	59	63	59	81	58	64	50	15	3	-
	FEMALE	279	1	-	-	-	1	1	-	3	4	13	13	8	24	31	32	29	42	32	36	8	1	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	39	-	-	1	1	1	1	1	3	1	5	5	5	1	4	2	4	3	-	1	-	-	-
	WHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	2	2	2	-	2	1	1	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-
	NONWHITE.....MALE..	11	-	-	1	1	-	-	1	1	-	-	2	2	1	-	1	1	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	1	1	-	2	1	3	1	1	-	2	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	798	-	-	1	-	-	-	1	12	14	21	28	59	74	92	92	105	101	92	64	29	12	1
	WHITE.....MALE..	177	-	-	-	-	-	-	-	3	4	9	10	16	16	24	27	25	18	15	6	3	1	-
	FEMALE	104	-	-	1	-	-	-	-	1	-	3	-	2	5	8	10	12	16	20	9	9	7	1
	NONWHITE.....MALE..	364	-	-	-	-	-	-	1	7	9	6	13	37	41	43	37	52	36	43	25	11	3	-
	FEMALE	153	-	-	-	-	-	-	-	1	1	3	5	4	12	17	18	16	31	14	24	6	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	82	-	-	-	-	-	-	-	-	-	2	2	1	3	4	9	13	9	17	15	7	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	2	4	2	1	1	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	1	-	-
	NONWHITE.....MALE..	36	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	7	1	8	7	4	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	3	3	6	4	1	-	-
430-434	OTHER DISEASES OF HEART	34	1	-	-	-	-	-	-	-	2	2	1	4	2	2	8	4	3	2	3	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	2	3	1	1	-	-	-
	FEMALE	10	1	-	-	-	-	-	-	-	1	2	1	1	1	-	1	1	-	1	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	239	-	-	-	-	-	-	1	-	1	4	9	7	26	33	31	36	31	29	29	2	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	5	2	2	2	1	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	4	2	-	-	-
	NONWHITE.....MALE..	119	-	-	-	-	-	-	1	-	-	-	2	6	14	15	15	19	18	12	17	-	-	-
	FEMALE	82	-	-	-	-	-	-	-	-	1	4	6	1	11	12	10	9	8	11	8	1	-	-
444-447	OTHER HYPERTENSIVE DIS.	32	-	-	-	-	-	-	-	-	-	-	1	4	5	3	4	4	3	1	3	4	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-	1	2	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	1	2	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	43	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	5	8	10	7	8	1	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	2	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	4	1	5	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	1	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	40	-	-	-	-	1	1	-	-	2	1	1	3	3	2	4	7	10	2	2	1	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	3	-	-	1	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	NONWHITE.....MALE..	15	-	-	-	-	1	1	-	-	-	1	1	-	-	-	3	4	3	-	1	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	2	4	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	37	-	-	1	1	-	1	-	1	-	6	6	3	1	3	1	7	3	-	3	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	20	-	-	-	1	-	1	-	-	-	4	5	1	-	-	1	4	1	-	2	-	-	-
	FEMALE	15	-	-	1	-	-	-	-	1	-	2	-	2	1	2	-	3	2	-	1	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	144	21	8	5	2	2	2	1	3	1	5	8	3	5	6	12	13	8	19	10	9	1	-
	WHITE.....MALE..	22	1	-	-	1	-	-	-	-	1	-	1	1	1	2	1	3	4	3	2	1	-	-
	FEMALE	18	5	-	1	1	-	-	-	-	-	1	1	-	1	-	-	1	-	2	1	3	1	-
	NONWHITE.....MALE..	68	8	4	4	-	1	1	-	2	-	3	4	1	2	3	10	7	2	9	6	1	-	-
	FEMALE	36	7	4	-	-	1	1	1	1	-	1	2	1	1	1	1	2	2	5	1	4	-	-
480-483	INFLUENZA.....	6	1	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	138	20	8	5	2	2	2	1	2	1	4	8	2	4	6	12	13	7	19	10	9	1	-
	WHITE.....MALE..	22	1	-	-	1	-	-	-	-	1	-	1	1	1	2	1	3	4	3	2	1	-	-
	FEMALE	18	5	-	1	1	-	-	-	-	-	1	1	-	1	-	-	1	-	2	1	3	1	-
	NONWHITE.....MALE..	65	7	4	4	-	1	1	-	2	-	2	4	1	1	3	10	7	2	9	6	1	-	-
	FEMALE	33	7	4	-	-	1	1	1	-	-	1	2	-	1	1	1	2	1	5	1	4	-	-
500-502	BRONCHITIS.....	7	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	38	3	1	-	-	-	-	2	-	-	-	2	-	4	4	3	4	7	4	3	1	-	-
	WHITE.....MALE..	8	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	-	1	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	18	1	1	-	-	-	-	2	-	-	-	1	-	2	1	1	1	3	2	3	-	-	-
	FEMALE	9	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	2	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	24	-	-	-	-	-	-	-	-	2	2	2	2	2	4	1	3	2	2	2	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	1	1	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	1	-	-	-
550-553	APPENDICITIS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	12	1	-	-	-	-	1	-	-	1	-	1	2	-	-	1	2	1	1	-	1	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	14	1	1	-	1	-	-	-	-	-	-	1	2	1	-	-	3	1	2	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-
	FEMALE	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	5	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-
581	CIRRHOSIS OF LIVER.....	49	-	1	-	-	-	-	-	-	2	4	8	9	12	3	4	4	1	1	-	-	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	1	5	3	4	-	-	-	-	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	1	2	1	2	3	1	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	1	1	2	3	3	1	2	3	1	1	-	-	-	-
	FEMALE	7	-	1	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	17	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	2	3	1	1	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	-
590, 591	ACUTE NEPHRITIS, ETC.....	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	16	-	-	-	-	-	-	1	-	1	1	-	2	3	-	1	4	1	-	1	-	1	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-
610	HYPERPLASIA OF PROSTATE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	HAWAII—CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—FEMALE	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	96	73	9	3	2	1	-	1	2	1	-	1	-	1	-	-	1	1	-	-	-	-	-
	WHITE—MALE	12	11	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	16	13	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE—MALE	42	32	4	1	1	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	26	17	4	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	32	1	2	-	2	1	-	-	2	-	1	2	4	1	5	1	1	1	4	2	2	-	-
	WHITE—MALE	8	1	1	-	1	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-
	NONWHITE—MALE	12	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	-	1	1	2	1	1	-	-
	FEMALE	9	-	1	-	1	-	-	-	-	-	-	1	2	-	-	1	-	-	2	1	-	-	-
RESID-UAL	ALL OTHER DISEASES	107	12	6	3	1	2	1	2	4	2	4	1	7	6	6	9	18	11	6	6	-	-	-
	WHITE—MALE	12	1	2	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	1	2	-	-	-
	FEMALE	7	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-
	NONWHITE—MALE	56	4	3	2	1	-	1	-	2	1	1	1	2	4	3	6	13	6	3	3	-	-	-
	FEMALE	32	5	1	1	-	2	-	2	2	-	2	-	3	1	2	2	3	3	2	1	-	-	-
E800-E962	ACCIDENTS	250	7	16	9	5	15	25	20	18	23	13	18	15	15	14	6	8	6	9	7	1	-	-
	WHITE—MALE	80	-	4	2	1	6	14	8	10	8	7	5	2	2	3	2	1	3	-	1	1	-	-
	FEMALE	27	1	4	-	-	-	2	4	1	2	2	3	2	1	1	1	-	-	2	1	-	-	-
	NONWHITE—MALE	111	3	4	4	4	9	6	8	5	8	4	10	10	12	9	3	2	2	5	3	-	-	-
	FEMALE	32	3	4	3	-	-	3	-	2	5	-	-	1	-	1	-	5	1	2	2	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS	86	1	4	5	2	5	17	8	5	9	3	5	5	6	4	-	3	2	2	-	-	-	-
	WHITE—MALE	27	-	1	1	1	2	9	4	2	3	1	1	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	8	-	3	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	38	1	-	2	1	3	4	2	1	3	2	3	4	5	4	-	1	-	2	-	-	-	-
	FEMALE	13	-	-	2	-	-	3	-	2	3	-	-	-	-	-	-	2	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	164	6	12	4	3	10	8	12	13	14	10	13	10	9	10	6	5	4	7	7	1	-	-
	WHITE—MALE	53	-	3	1	-	4	5	4	8	5	6	4	2	1	3	2	1	2	-	1	1	-	-
	FEMALE	19	1	1	-	-	-	1	2	1	2	2	2	1	1	1	1	-	-	2	1	-	-	-
	NONWHITE—MALE	73	2	4	2	3	6	2	6	4	5	2	7	6	7	5	3	1	2	3	3	-	-	-
	FEMALE	19	3	4	1	-	-	-	-	-	2	-	-	1	-	1	-	3	-	2	2	-	-	-
E963, E970-E979	SUICIDE	67	...	...	-	1	2	8	5	8	5	-	8	1	6	7	1	5	2	5	3	-	-	-
	WHITE—MALE	19	...	...	-	-	-	1	3	4	4	-	2	-	2	1	1	-	-	1	-	-	-	-
	FEMALE	3	...	...	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	34	...	...	-	1	-	6	2	4	1	-	2	1	2	5	-	4	1	3	2	-	-	-
	FEMALE	11	...	...	-	-	1	1	-	-	-	-	2	-	2	1	-	1	1	1	-	-	-	-
E964, E980-E985	HOMICIDE	16	1	-	-	-	-	4	1	1	4	-	1	2	-	-	1	-	1	-	-	-	-	-
	WHITE—MALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	10	-	-	-	-	-	1	1	1	3	-	1	2	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO																							
	ALL CAUSES	5,587	395	84	42	47	85	69	66	51	69	130	185	284	335	411	521	664	786	698	424	202	37	2
	WHITE.....MALE..	3,395	243	44	23	35	58	52	41	36	42	88	129	203	227	292	342	395	431	375	226	96	17	-
	FEMALE	2,093	144	34	17	12	23	14	16	13	24	39	53	78	105	110	172	259	343	316	197	104	19	1
	NONWHITE.....MALE..	59	2	2	2	-	3	3	7	1	2	1	2	1	2	5	4	7	8	5	1	1	-	-
	FEMALE	40	6	4	-	-	1	-	2	1	1	2	1	2	1	4	3	3	4	2	-	1	1	1
001-019	TUBERCULOSIS, ALL FORMS..	13	-	-	-	-	-	-	1	-	-	-	2	-	1	1	5	1	1	-	1	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	1	-	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	13	-	-	-	-	-	-	1	-	-	-	2	-	1	1	5	1	1	-	1	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	1	-	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	16	1	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	1	1	-	-	1	-
	WHITE.....MALE..	14	1	-	-	-	-	-	-	-	-	-	-	-	-	6	2	3	-	1	-	-	1	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	15	-	2	-	2	-	1	-	-	-	-	2	-	-	2	-	-	2	-	4	-	-	-
	WHITE.....MALE..	12	-	2	-	2	-	-	-	-	-	-	1	-	-	1	-	-	2	-	4	-	-	-
	FEMALE	3	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	756	1	6	8	8	4	3	2	8	13	18	37	66	70	85	90	109	110	79	27	9	3	-
	WHITE.....MALE..	434	1	2	4	6	4	3	2	4	4	8	17	34	37	58	53	62	61	50	15	7	2	-
	FEMALE	311	-	4	3	2	-	-	-	4	8	10	20	32	32	25	35	46	47	28	12	2	1	-
	NONWHITE.....MALE..	7	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	15	-	-	-	1	-	-	-	-	-	-	1	2	4	1	1	1	-	-	2	-	2	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	1	-	-	1	-	1	-
	FEMALE	5	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	235	-	1	-	-	1	-	-	1	3	3	11	14	15	30	27	44	40	31	9	4	1	-
	WHITE.....MALE..	141	-	-	-	-	1	-	-	1	2	3	8	10	7	22	17	22	21	20	4	2	1	-
	FEMALE	87	-	1	-	-	-	-	-	-	1	-	3	4	7	7	8	21	18	10	5	2	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	98	-	-	-	-	-	-	-	-	1	1	4	16	11	13	15	13	15	9	-	-	-	-
	WHITE.....MALE..	84	-	-	-	-	-	-	-	-	1	1	3	11	10	13	14	12	11	8	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	1	5	1	-	1	1	3	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST	56	-	-	-	-	-	-	-	-	-	4	4	11	7	3	8	5	10	3	1	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	56	-	-	-	-	-	-	-	-	-	4	4	11	7	3	8	5	10	3	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS	113	-	1	-	-	-	-	-	5	6	5	5	6	9	9	14	13	17	11	8	4	-	-
	WHITE.....MALE..	48	-	-	-	-	-	-	-	2	1	1	-	1	1	4	4	4	10	9	7	4	-	-
	FEMALE	64	-	1	-	-	-	-	-	3	4	4	5	5	8	5	10	9	7	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS	40	1	-	1	-	-	-	-	-	-	1	1	2	4	3	7	7	4	7	2	-	-	-
	WHITE.....MALE..	29	1	-	-	-	-	-	-	-	-	1	1	2	1	3	5	7	4	3	1	-	-	-
	FEMALE	11	-	-	1	-	-	-	-	-	-	-	-	-	3	-	2	-	-	4	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.	101	-	-	2	4	2	1	1	-	1	1	8	6	15	11	9	15	10	12	2	1	-	-
	WHITE.....MALE..	60	-	-	2	3	2	1	1	-	-	1	4	2	11	5	6	8	6	6	1	1	-	-
	FEMALE	40	-	-	-	1	-	-	-	-	1	-	4	4	4	5	3	7	4	6	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	50	-	4	4	2	1	1	-	-	1	2	1	3	2	6	4	7	7	3	2	-	-	-
	WHITE.....MALE..	29	-	2	2	2	1	1	-	-	-	-	1	1	1	5	2	4	4	2	1	-	-	-
	FEMALE	21	-	2	2	-	-	-	-	-	1	2	-	2	1	1	2	3	3	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	48	-	-	1	1	-	1	1	2	1	1	2	6	3	9	5	4	7	3	1	-	-	-
	WHITE.....MALE..	33	-	-	-	1	-	1	1	1	-	1	-	6	2	5	4	4	5	2	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	1	1	-	2	-	1	4	1	-	2	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	21	3	-	-	-	-	-	3	1	-	1	-	1	-	1	3	3	1	4	-	-	-	-
	WHITE.....MALE..	6	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	FEMALE	15	2	-	-	-	-	-	2	1	-	1	-	1	-	-	2	2	1	3	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA	15	1	-	-	-	-	-	-	-	1	-	1	3	1	2	3	-	1	2	-	-	-	-
	WHITE.....MALE..	13	1	-	-	-	-	-	-	-	-	-	1	3	1	1	3	-	1	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	82	-	-	-	2	-	1	-	1	1	2	1	5	4	7	8	16	12	13	5	3	1	-
	WHITE.....MALE..	48	-	-	-	2	-	1	-	1	-	2	1	3	1	3	2	9	8	9	3	3	-	-
	FEMALE	33	-	-	-	-	-	-	-	-	1	-	-	2	3	3	6	7	4	4	2	-	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS	13	1	-	-	1	-	1	-	-	-	1	-	-	1	-	1	4	2	1	-	-	-	-
	WHITE.....MALE..	6	1	-	-	1	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	9	6	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	2,948	4	2	-	2	7	1	7	5	18	49	70	120	177	213	304	423	550	491	328	148	27	2
	WHITE.....MALE..	1,736	1	2	-	-	-	1	5	3	14	39	53	100	131	151	199	251	295	242	172	65	12	-
	FEMALE	1,183	3	-	-	2	7	-	1	1	4	10	16	19	45	60	103	168	246	245	156	82	14	1
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	5	3	-	1	-	-
	FEMALE	11	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	4	1	-	-	1	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	2,908	3	-	-	1	6	-	7	5	15	48	69	119	173	211	302	419	544	485	325	147	27	2
	WHITE.....MALE..	1,711	-	-	-	-	-	-	5	3	12	38	52	99	130	149	198	248	292	239	169	65	12	-
	FEMALE	1,169	3	-	-	1	6	-	1	1	3	10	16	19	42	60	102	167	244	242	156	81	14	1
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	3	4	3	-	1	-	-
	FEMALE	11	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	4	1	-	-	1	1
330-334	VASCULAR LESIONS, ETC.	614	1	-	-	1	1	-	-	-	1	6	5	11	21	23	52	80	144	122	98	39	9	-
	WHITE.....MALE..	301	-	-	-	-	-	-	-	-	1	3	3	5	13	17	22	42	71	54	51	14	5	-
	FEMALE	309	1	-	-	1	1	-	-	-	-	3	1	6	8	6	30	38	71	67	47	25	4	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
400-402, 410-443	DISEASES OF HEART	2,085	2	-	-	-	4	-	7	3	12	39	63	103	148	176	235	316	368	313	192	88	15	1
	WHITE.....MALE..	1,302	-	-	-	-	-	-	5	3	11	33	49	90	115	125	165	191	203	161	101	44	6	-
	FEMALE	762	2	-	-	-	4	-	1	-	1	6	14	12	32	49	69	122	159	149	91	43	8	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	2	-	1	-	-
	FEMALE	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	76	1	-	-	-	2	-	2	2	1	4	4	9	12	13	9	4	8	4	1	-	-	-
	WHITE.....MALE..	37	-	-	-	-	-	-	1	2	1	3	-	6	4	4	7	1	5	2	1	-	-	-
	FEMALE	39	1	-	-	-	2	-	1	-	-	1	4	3	8	9	2	3	3	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	1,578	-	-	-	-	-	-	2	1	10	30	50	89	121	145	192	254	285	210	123	57	8	1
	WHITE.....MALE..	1,052	-	-	-	-	-	-	2	1	9	25	44	81	100	110	136	156	166	122	68	28	4	-
	FEMALE	509	-	-	-	-	-	-	-	-	1	5	6	7	20	33	55	96	114	86	55	28	3	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	1	-	1	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	162	-	-	-	-	-	-	-	-	-	-	2	1	1	5	9	23	36	38	28	18	1	-
	WHITE.....MALE..	87	-	-	-	-	-	-	-	-	-	-	2	-	1	3	6	14	19	15	15	12	-	-
	FEMALE	75	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	9	17	23	13	6	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	100	1	-	-	-	2	-	3	-	1	4	4	3	10	5	14	11	13	17	8	2	2	-
	WHITE.....MALE..	63	-	-	-	-	-	-	2	-	1	4	2	3	8	5	10	8	4	7	6	1	2	-
	FEMALE	34	1	-	-	-	2	-	-	-	-	-	2	-	2	-	4	3	8	9	2	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	169	-	-	-	-	-	-	-	-	-	1	3	1	4	8	11	24	26	44	32	11	4	-
	WHITE.....MALE..	63	-	-	-	-	-	-	-	-	-	1	1	-	2	3	6	12	9	15	11	3	-	-
	FEMALE	105	-	-	-	-	-	-	-	-	-	-	2	1	2	5	5	11	17	29	21	8	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	25	-	-	-	-	-	-	-	-	1	1	-	1	-	4	5	2	1	6	3	-	-	1
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	1	-	4	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	1	2	1	-	-	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	117	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	20	36	27	19	3	-
	WHITE.....MALE..	55	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	11	16	14	6	1	-
	FEMALE	62	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	9	20	13	13	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	67	-	-	-	-	1	-	-	2	1	2	1	4	3	7	4	17	11	8	5	1	-	-
	WHITE.....MALE..	39	-	-	-	-	-	-	-	-	-	1	-	3	2	4	4	12	7	4	1	1	-	-
	FEMALE	26	-	-	-	-	1	-	-	1	1	1	1	1	1	3	-	4	4	4	4	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	40	1	2	-	1	1	1	-	-	3	1	1	1	4	2	2	4	6	6	3	1	-	-
	WHITE.....MALE..	25	1	2	-	-	-	1	-	-	2	1	1	1	1	2	1	3	3	3	3	-	-	-
	FEMALE	14	-	-	-	1	1	-	-	-	1	-	-	-	3	-	1	1	2	3	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	171	30	11	2	-	2	1	1	1	2	3	1	5	5	9	10	17	18	27	12	13	1	-
	WHITE.....MALE..	85	19	2	-	-	1	1	-	1	-	2	1	3	3	3	9	11	8	11	5	5	-	-
	FEMALE	79	9	8	2	-	1	-	-	-	2	1	-	2	2	6	1	6	9	15	7	7	1	-
	NONWHITE.....MALE..	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
480-483	INFLUENZA.....	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	3	3	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
490-493	PNEUMONIA, ETC.....	159	30	11	2	-	2	1	1	1	2	3	1	5	4	8	10	16	17	25	9	10	1	-
	WHITE.....MALE..	81	19	2	-	-	1	1	-	1	-	2	1	3	2	3	9	10	8	11	4	4	-	-
	FEMALE	72	9	8	2	-	1	-	-	-	2	1	-	2	2	5	1	6	8	14	5	5	1	-
	NONWHITE.....MALE..	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
500-502	BRONCHITIS.....	13	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	2	1	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	1	1	-	-
	FEMALE	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	90	6	1	-	-	-	1	-	-	-	1	2	3	5	11	23	15	10	7	3	2	-	-
	WHITE.....MALE..	73	4	-	-	-	-	-	-	-	-	1	-	2	4	10	20	14	8	6	2	2	-	-
	FEMALE	15	1	1	-	-	-	1	-	-	-	-	2	1	1	1	2	1	2	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	39	-	-	-	-	-	-	-	-	-	-	2	1	6	7	2	6	3	8	3	1	-	-
	WHITE.....MALE..	33	-	-	-	-	-	-	-	-	-	-	2	-	5	5	2	5	2	8	3	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	6	1	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-
	WHITE.....MALE..	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	27	2	-	-	-	-	-	-	-	-	-	1	3	1	-	4	4	3	6	3	-	-	-
	WHITE.....MALE..	12	1	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	2	3	-	-	-	-
	FEMALE	14	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	1	2	3	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	32	7	2	-	1	1	-	-	-	-	3	-	2	1	1	4	2	3	2	2	1	-	-
	WHITE.....MALE..	11	3	1	-	1	-	-	-	-	-	1	-	1	-	-	3	-	1	-	-	-	-	-
	FEMALE	19	3	1	-	-	1	-	-	-	-	2	-	1	1	1	1	1	2	2	2	1	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	38	-	-	-	-	-	-	-	1	3	1	5	6	6	6	5	1	2	1	1	-	-	-
	WHITE.....MALE..	26	-	-	-	-	-	-	-	-	1	-	3	5	4	5	4	1	2	-	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	1	1	1	1	1	2	1	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	17	-	-	-	-	-	-	1	-	1	-	-	1	-	2	3	3	2	1	2	1	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	6	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	16	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	3	2	4	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	3	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	2	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IDAHO--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	4	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	85	69	5	2	1	1	1	1	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	45	34	3	2	1	-	1	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	FEMALE	38	34	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	58	5	-	-	-	-	-	2	-	-	-	1	2	1	4	6	5	10	10	3	8	1	-
	WHITE.....MALE..	40	3	-	-	-	-	-	1	-	-	-	1	1	1	4	4	2	8	8	2	4	1	-
	FEMALE	14	2	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	2	-	4	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	170	9	6	4	3	1	2	4	5	2	4	11	16	11	13	17	18	18	8	10	6	2	-
	WHITE.....MALE..	87	6	2	3	2	-	-	1	3	1	2	6	8	6	8	10	12	6	4	4	3	-	-
	FEMALE	75	3	2	1	1	-	2	2	1	1	2	5	7	4	4	7	6	12	4	6	3	2	-
	NONWHITE.....MALE..	4	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS.	584	26	45	25	24	60	43	38	21	20	38	34	38	30	31	23	24	23	22	10	8	1	-
	WHITE.....MALE..	422	12	27	14	19	46	38	26	19	15	28	29	31	22	26	15	12	14	16	7	5	1	-
	FEMALE	145	13	15	10	5	13	4	8	2	4	8	4	7	8	5	7	11	9	6	3	3	-	-
	NONWHITE.....MALE..	12	-	1	1	-	1	1	4	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	5	1	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	274	5	10	7	11	46	22	25	8	11	21	15	15	18	14	15	13	7	6	3	2	-	-
	WHITE.....MALE..	195	1	9	3	9	35	21	16	8	7	12	14	11	13	10	9	6	3	4	2	2	-	-
	FEMALE	65	3	-	3	2	10	-	5	-	3	7	1	4	5	4	5	6	4	2	1	-	-	-
	NONWHITE.....MALE..	10	-	-	1	-	1	1	4	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	310	21	35	18	13	14	21	13	13	9	17	19	23	12	17	8	11	16	16	7	6	1	-
	WHITE.....MALE..	227	11	18	11	10	11	17	10	11	8	16	15	20	9	16	6	6	11	12	5	3	1	-
	FEMALE	80	10	15	7	3	3	4	3	2	1	1	3	3	3	1	2	5	5	4	2	3	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	85	...	...	-	1	7	4	5	7	6	6	10	8	11	6	3	3	2	4	1	1	-	-
	WHITE.....MALE..	72	...	...	-	1	7	4	4	5	6	4	9	6	8	6	3	2	2	4	1	-	-	-
	FEMALE	13	...	...	-	-	-	-	1	2	-	2	1	2	3	-	-	1	-	-	-	1	-	-
	NONWHITE.....MALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	17	2	1	-	1	2	5	-	-	1	-	2	-	2	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	7	-	1	-	-	-	1	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-
	FEMALE	7	2	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS																							
	ALL CAUSES	104,649	5,538	819	434	363	645	743	733	1,080	1,743	2,544	3,890	5,595	7,318	9,526	12,456	14,153	14,185	11,484	7,404	3,139	853	4
	WHITE.....MALE..	52,899	2,383	335	204	196	375	419	355	469	784	1,266	2,077	3,142	4,239	5,435	6,930	7,503	7,170	5,217	2,989	1,157	252	2
	FEMALE	40,714	1,704	252	144	113	178	168	180	308	482	701	1,195	1,582	2,083	2,952	4,385	5,680	6,317	5,754	4,138	1,862	535	1
	NONWHITE.....MALE..	6,173	803	128	53	34	53	97	113	188	278	332	370	495	577	636	647	526	372	271	118	46	35	1
	FEMALE	4,863	648	104	33	20	39	59	85	115	199	245	248	376	419	503	494	444	326	242	159	74	31	-
001-019	TUBERCULOSIS, ALL FORMS..	535	3	3	4	1	-	3	6	24	29	32	47	50	44	76	65	62	46	23	8	8	1	-
	WHITE.....MALE..	318	2	1	-	1	-	1	1	8	11	11	29	29	26	55	45	39	34	16	4	5	-	-
	FEMALE	84	-	-	1	-	-	1	1	3	6	7	5	10	3	10	5	13	7	5	3	3	1	-
	NONWHITE.....MALE..	94	-	2	2	-	-	1	2	7	7	9	11	8	10	9	12	8	4	1	1	-	-	-
	FEMALE	39	1	-	1	-	-	-	2	6	5	5	2	3	5	2	3	2	1	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	497	1	1	1	-	-	2	6	23	27	30	46	48	43	70	63	57	43	20	8	7	1	-
	WHITE.....MALE..	304	1	-	-	-	-	1	1	8	11	11	28	28	26	50	44	37	34	16	4	4	-	-
	FEMALE	75	-	-	-	-	-	-	1	3	5	7	5	10	3	9	5	12	5	3	3	3	1	-
	NONWHITE.....MALE..	83	-	1	-	-	-	1	2	6	6	8	11	8	9	9	11	6	4	-	1	-	-	-
	FEMALE	35	-	-	1	-	-	-	2	6	5	4	2	2	5	2	3	2	-	1	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	38	2	2	3	1	-	1	-	1	2	2	1	2	1	6	2	5	3	3	-	1	-	-
	WHITE.....MALE..	14	1	1	-	1	-	-	-	-	-	-	1	1	-	5	1	2	-	-	-	1	-	-
	FEMALE	9	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	1	2	2	-	-	-	-
	NONWHITE.....MALE..	11	-	1	2	-	-	-	-	1	1	1	-	-	1	-	1	2	-	1	-	-	-	-
	FEMALE	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	68	-	-	-	-	-	-	-	-	1	-	7	6	13	14	12	8	4	2	1	-	-	-
	WHITE.....MALE..	41	-	-	-	-	-	-	-	-	1	-	3	4	7	7	6	6	4	2	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	-	-	-	-	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	1	2	3	4	1	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	13	-	-	3	-	-	-	-	1	-	-	1	-	2	2	3	1	-	-	-	-	-	-
	WHITE.....MALE..	8	-	-	2	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	FEMALE	5	-	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	24	7	11	1	1	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	WHITE.....MALE..	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	FEMALE	12	5	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	18	5	6	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	7	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	10	4	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	218	21	18	5	7	4	7	6	6	9	13	17	25	16	11	16	16	12	6	3	-	-	-
	WHITE.....MALE..	81	6	5	3	1	-	5	-	2	2	7	7	6	7	5	7	10	2	5	1	-	-	-
	FEMALE	102	9	9	2	4	3	2	4	3	3	3	10	14	5	6	7	5	10	1	2	-	-	-
	NONWHITE.....MALE..	16	3	2	-	1	-	-	1	-	2	1	-	1	2	-	2	1	-	-	-	-	-	-
	FEMALE	19	3	2	-	1	1	-	1	1	2	2	-	4	2	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	16,941	12	86	65	64	67	60	97	187	311	541	907	1,342	1,814	2,254	2,583	2,450	2,038	1,267	615	147	34	-
	WHITE.....MALE..	8,332	4	45	29	31	35	38	46	58	93	194	345	557	915	1,184	1,385	1,351	1,058	621	266	63	14	-
	FEMALE	7,195	7	35	29	24	26	19	37	101	153	258	458	624	727	862	984	963	879	591	320	81	17	-
	NONWHITE.....MALE..	763	1	2	4	5	4	1	3	13	27	36	58	86	103	123	130	71	48	34	11	1	2	-
	FEMALE	651	-	4	3	4	2	2	11	15	38	53	46	75	69	85	84	65	53	21	18	2	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	407	-	-	-	2	-	2	1	1	7	13	28	37	53	49	58	58	47	23	21	4	3	-
	WHITE.....MALE..	310	-	-	-	1	-	1	1	1	4	9	17	32	40	37	45	45	36	18	17	4	2	-
	FEMALE	64	-	-	-	1	-	1	-	-	3	2	6	2	8	8	6	9	9	4	4	-	1	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	-	-	2	4	3	5	4	7	3	1	1	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	5,881	1	4	1	1	4	4	18	20	59	130	225	372	543	794	937	969	872	582	262	68	15	-
	WHITE.....MALE..	2,897	-	2	-	1	2	2	8	9	22	54	101	166	288	408	487	516	429	272	100	26	4	-
	FEMALE	2,448	1	1	1	-	-	1	8	7	14	48	83	147	188	296	366	400	394	294	150	40	9	-
	NONWHITE.....MALE..	308	-	-	-	-	1	-	-	2	15	17	26	36	44	58	50	26	18	8	5	1	1	-
	FEMALE	228	-	1	-	-	1	1	2	2	8	11	15	23	23	32	34	27	31	8	7	1	1	-
160-164	OF RESP. SYSTEM, ETC.....	2,720	-	-	-	-	1	2	2	12	32	80	148	270	411	469	521	406	219	108	28	9	2	-
	WHITE.....MALE..	2,126	-	-	-	-	1	1	1	5	16	49	104	197	337	384	424	340	171	75	16	5	-	-
	FEMALE	368	-	-	-	-	-	1	-	4	5	18	24	35	40	51	56	53	37	28	11	4	1	-
	NONWHITE.....MALE..	196	-	-	-	-	-	-	1	3	7	9	19	31	31	30	36	12	10	5	1	-	1	-
	FEMALE	30	-	-	-	-	-	-	-	-	4	4	1	7	3	4	5	1	1	-	-	-	-	-
170	OF BREAST.....	1,613	-	-	-	-	-	1	8	35	54	88	166	193	216	164	214	166	144	87	63	14	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	1	-	-	1	2	-	1	-	2	3	4	-	2	-	-	-
	FEMALE	1,476	-	-	-	-	-	-	5	31	45	75	153	181	197	151	202	151	135	82	55	13	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	120	-	-	-	-	-	1	2	4	9	12	11	12	17	13	10	12	5	5	6	1	-	-
171-179	OF GENITAL ORGANS.....	2,405	-	2	-	3	5	7	14	47	64	94	138	193	215	288	306	343	319	221	113	26	7	-
	WHITE.....MALE..	782	-	1	-	-	2	3	4	7	6	3	7	16	21	61	92	160	179	130	67	18	5	-
	FEMALE	1,369	-	1	-	2	3	4	6	32	46	71	120	153	165	196	177	151	117	75	40	8	2	-
	NONWHITE.....MALE..	85	-	-	-	-	-	-	-	1	-	2	-	5	8	13	15	14	12	12	3	-	-	-
	FEMALE	169	-	-	-	1	-	-	4	7	12	18	11	19	21	18	22	18	11	4	3	-	-	-
180, 181	OF URINARY ORGANS.....	885	1	12	11	-	1	-	1	4	11	15	30	53	77	118	141	141	127	82	52	6	2	-
	WHITE.....MALE..	573	-	5	3	-	-	-	-	1	7	11	18	28	52	83	99	99	84	50	30	2	1	-
	FEMALE	256	1	6	6	-	1	-	-	3	2	3	8	16	18	22	38	39	40	28	20	4	1	-
	NONWHITE.....MALE..	31	-	-	-	-	-	-	-	-	1	1	3	4	6	7	1	2	2	3	1	-	-	-
	FEMALE	25	-	1	2	-	-	-	1	-	1	-	1	5	1	6	3	1	1	1	1	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.....	1,449	5	26	13	23	21	10	21	31	47	60	87	126	159	208	183	150	141	75	43	15	5	-
	WHITE.....MALE..	756	1	16	4	8	12	7	12	11	23	31	52	58	91	111	101	79	75	33	21	8	2	-
	FEMALE	599	4	9	9	11	8	2	6	16	20	20	29	57	59	80	71	63	64	39	22	7	3	-
	NONWHITE.....MALE..	55	-	-	-	3	1	1	2	3	2	4	3	4	6	8	9	6	1	2	-	-	-	-
	FEMALE	39	-	1	-	1	-	-	1	1	2	5	3	7	3	9	2	2	1	1	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	757	4	39	36	18	20	17	11	11	20	27	31	33	57	63	107	102	86	50	22	3	-	-
	WHITE.....MALE..	428	3	20	19	8	11	12	7	5	8	15	18	19	31	37	69	56	50	30	10	-	-	-
	FEMALE	293	1	17	13	9	8	5	4	3	11	9	13	12	24	24	34	40	33	19	11	3	-	-
	NONWHITE.....MALE..	24	-	1	3	1	1	-	-	2	1	1	-	2	1	1	3	4	2	1	-	-	-	-
	FEMALE	12	-	1	1	-	-	-	-	1	-	2	-	-	1	1	1	2	1	-	1	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	824	1	3	4	17	15	17	21	26	17	34	54	65	83	101	116	115	83	39	11	2	-	-
	WHITE.....MALE..	444	-	1	3	13	7	12	12	19	7	21	26	41	54	63	66	53	30	13	3	-	-	-
	FEMALE	322	-	1	-	1	6	5	8	5	7	12	22	21	28	34	34	57	50	22	7	2	-	-
	NONWHITE.....MALE..	33	1	1	1	1	1	-	-	2	1	-	3	1	1	2	9	4	2	2	1	-	-	-
	FEMALE	25	-	-	-	2	1	-	1	-	2	1	3	2	-	2	7	1	1	2	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	236	4	4	7	5	8	1	6	14	13	20	19	18	27	20	24	20	17	5	3	1	-	-
	WHITE.....MALE..	81	2	2	1	2	5	1	2	4	5	2	6	8	13	7	7	5	9	-	-	-	-	-
	FEMALE	123	2	1	3	2	3	-	2	5	4	10	12	9	11	13	15	14	8	5	3	1	-	-
	NONWHITE.....MALE..	9	-	1	2	1	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	23	-	-	1	-	-	-	2	4	3	7	1	1	2	-	1	1	-	-	-	-	-	-
241	ASTHMA.....	217	2	-	1	1	5	2	3	4	4	15	18	19	30	23	24	30	22	9	4	1	-	-
	WHITE.....MALE..	129	-	-	1	1	4	2	1	1	-	4	6	11	16	16	19	25	15	6	1	-	-	-
	FEMALE	62	1	-	-	-	1	-	1	-	1	6	10	5	10	7	4	4	6	2	3	1	-	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	1	2	-	2	1	3	2	-	1	1	-	1	-	-	-	-
	FEMALE	12	1	-	-	-	-	-	-	1	3	3	1	-	2	-	-	-	1	-	-	-	-	-
260	DIABETES MELLITUS.....	1,655	1	3	-	2	4	8	10	17	25	33	48	95	153	175	262	299	293	126	79	19	2	1
	WHITE.....MALE..	563	1	3	-	-	1	3	5	4	15	22	21	29	56	66	71	99	99	38	25	5	-	-
	FEMALE	882	-	-	-	2	2	3	4	13	5	6	14	32	70	85	152	179	175	77	48	14	1	-
	NONWHITE.....MALE..	75	-	-	-	-	-	2	1	-	3	4	5	7	11	9	10	8	6	4	3	-	1	1
	FEMALE	135	-	-	-	-	1	-	-	-	2	1	8	27	16	15	29	13	13	7	3	-	-	-
290-293	ANEMIAS.....	153	4	7	3	2	1	6	2	-	3	3	1	9	11	10	21	18	14	21	13	4	-	-
	WHITE.....MALE..	57	1	1	1	-	-	2	-	-	2	-	-	3	3	3	12	9	6	8	6	-	-	-
	FEMALE	74	1	1	-	1	1	3	-	-	1	1	1	5	7	7	5	9	8	12	7	4	-	-
	NONWHITE.....MALE..	9	-	4	1	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	13	2	1	1	-	-	-	2	-	-	1	-	1	1	-	3	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS—CON.																							
340	NONMENINGOCOCCAL MENINGITIS	101	32	21	2	1	2	-	1	1	2	4	6	5	4	5	3	7	3	2	-	-	-	-
	WHITE—MALE	36	10	9	1	-	1	-	-	-	1	1	2	3	3	1	1	2	1	-	-	-	-	-
	FEMALE	34	11	5	1	-	-	-	-	-	-	1	1	1	1	3	2	5	2	1	-	-	-	-
	NONWHITE—MALE	14	5	4	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	17	6	3	-	1	-	-	-	-	-	2	3	-	-	1	-	-	-	1	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	61,600	12	16	22	16	43	83	115	219	591	1,024	1,780	2,842	3,972	5,536	7,729	9,505	10,119	8,777	5,875	2,599	723	2
	WHITE—MALE	31,229	5	8	10	8	15	34	42	90	292	574	1,086	1,759	2,441	3,262	4,340	4,927	5,036	3,857	2,305	931	205	2
	FEMALE	25,087	5	5	6	6	21	31	25	45	115	191	382	581	950	1,557	2,682	3,937	4,606	4,545	3,366	1,566	465	-
	NONWHITE—MALE	2,847	1	1	3	1	3	8	26	49	107	147	179	289	327	383	398	333	253	195	81	38	25	-
	FEMALE	2,437	1	2	3	1	4	10	22	35	77	112	133	213	254	334	309	308	224	180	123	64	28	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	60,934	11	13	20	13	32	63	104	204	561	988	1,741	2,799	3,930	5,474	7,670	9,432	10,047	8,703	5,826	2,581	720	2
	WHITE—MALE	30,927	5	5	9	8	12	24	36	84	278	555	1,074	1,739	2,428	3,235	4,310	4,896	4,999	3,821	2,283	920	204	2
	FEMALE	24,821	4	5	6	3	13	25	24	41	107	182	369	565	929	1,536	2,658	3,903	4,576	4,510	3,342	1,560	463	-
	NONWHITE—MALE	2,794	1	1	3	1	3	6	23	44	100	142	173	286	324	378	394	328	252	193	80	37	25	-
	FEMALE	2,392	1	2	2	1	4	8	21	35	76	109	125	209	249	325	308	305	220	179	121	64	28	-
330-334	VASCULAR LESIONS, ETC	10,569	3	6	10	4	6	10	17	27	77	137	224	326	503	732	1,208	1,710	1,927	1,865	1,168	480	128	1
	WHITE—MALE	4,402	2	3	6	3	3	4	8	8	19	50	84	127	215	348	543	761	855	761	425	145	31	1
	FEMALE	5,184	1	2	3	1	2	3	8	7	24	45	87	108	198	257	502	812	983	1,026	709	319	87	-
	NONWHITE—MALE	482	-	1	1	-	1	2	-	3	11	22	28	47	47	67	80	62	44	40	11	9	6	-
	FEMALE	501	-	-	-	-	-	1	1	9	23	20	25	44	43	60	83	75	45	38	23	7	4	-
400-402, 410-443	DISEASES OF HEART	46,452	7	7	9	9	22	44	79	158	456	807	1,459	2,382	3,280	4,506	6,031	7,199	7,479	6,158	4,069	1,807	483	1
	WHITE—MALE	24,651	2	2	3	5	7	18	25	72	248	490	959	1,559	2,129	2,749	3,512	3,871	3,834	2,739	1,615	667	144	1
	FEMALE	17,886	3	3	2	2	9	15	14	26	79	122	273	434	695	1,215	2,021	2,868	3,283	3,151	2,306	1,064	301	-
	NONWHITE—MALE	2,157	1	-	2	1	2	4	21	37	82	115	136	230	261	292	287	249	192	141	62	25	17	-
	FEMALE	1,758	1	2	2	1	4	7	19	23	47	80	91	159	195	250	211	211	170	127	86	51	21	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS	996	1	1	4	4	10	20	16	32	51	73	92	125	124	132	115	66	70	34	20	6	-	-
	WHITE—MALE	409	-	-	2	1	2	8	5	14	18	27	37	64	62	48	45	26	29	12	5	4	-	-
	FEMALE	508	-	1	1	1	5	10	4	9	23	42	49	53	56	77	62	38	39	21	15	2	-	-
	NONWHITE—MALE	35	1	-	-	1	-	-	2	5	5	3	2	2	2	4	6	1	1	-	-	-	-	-
	FEMALE	44	-	-	1	1	3	2	5	4	5	1	4	6	4	3	2	1	1	1	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	36,935	-	2	1	-	2	12	32	82	270	524	1,074	1,808	2,675	3,692	5,007	5,961	6,113	4,858	3,117	1,350	354	1
	WHITE—MALE	20,758	-	1	-	-	2	3	10	44	187	377	792	1,286	1,877	2,407	3,056	3,339	3,222	2,246	1,287	507	114	1
	FEMALE	13,724	-	-	-	-	-	2	4	15	34	58	176	310	518	935	1,613	2,305	2,616	2,409	1,724	788	217	-
	NONWHITE—MALE	1,389	-	-	-	-	-	4	12	14	32	56	66	130	170	187	203	177	150	113	43	20	12	-
	FEMALE	1,064	-	1	1	-	-	3	6	9	17	33	40	82	110	163	135	140	125	90	63	35	11	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	3,489	1	1	2	2	1	1	9	10	16	26	43	77	108	211	363	471	595	645	539	287	81	-
	WHITE—MALE	1,537	-	-	1	1	-	-	2	2	7	17	23	39	41	105	175	230	303	258	202	111	20	-
	FEMALE	1,563	1	1	-	1	1	1	4	-	5	3	10	17	29	49	122	177	246	358	316	169	53	-
	NONWHITE—MALE	210	-	-	1	-	-	-	1	5	4	4	3	14	25	34	38	31	23	12	11	1	3	-
	FEMALE	179	-	-	-	-	-	-	2	3	-	2	7	7	13	23	28	33	23	17	10	6	5	-
430-434	OTHER DISEASES OF HEART	1,643	5	3	2	3	8	9	16	25	85	120	157	211	174	168	150	149	135	107	74	34	8	-
	WHITE—MALE	803	2	1	-	3	3	6	8	11	33	57	80	116	80	81	81	85	62	49	35	8	2	-
	FEMALE	402	2	1	1	-	3	2	1	-	13	13	22	22	24	36	38	47	63	50	35	23	6	-
	NONWHITE—MALE	262	-	-	1	-	1	-	4	10	28	27	38	45	38	31	15	10	7	4	2	1	-	-
	FEMALE	176	1	1	-	-	1	1	3	4	11	23	17	28	32	20	16	7	3	4	2	2	-	-
440-443	HYPERTENSIVE HEART DIS	3,389	-	-	-	-	1	2	6	9	34	64	93	161	199	303	396	552	566	514	319	130	40	-
	WHITE—MALE	1,144	-	-	-	-	-	1	-	1	3	12	27	54	69	108	155	191	218	174	86	37	8	-
	FEMALE	1,689	-	-	-	-	-	-	1	2	4	6	16	32	68	118	186	301	319	313	216	82	25	-
	NONWHITE—MALE	261	-	-	-	-	1	-	2	3	13	25	27	39	26	36	25	30	11	12	6	3	2	-
	FEMALE	295	-	-	-	-	-	1	3	3	14	21	23	36	36	41	30	30	18	15	11	8	5	-
444-447	OTHER HYPERTENSIVE DIS	916	-	-	-	-	-	-	4	4	12	19	24	36	39	58	99	137	153	140	121	56	14	-
	WHITE—MALE	389	-	-	-	-	-	-	1	-	3	2	9	17	13	24	44	66	79	63	45	20	3	-
	FEMALE	412	-	-	-	-	-	-	1	1	1	9	3	8	14	18	47	62	67	73	68	30	10	-
	NONWHITE—MALE	65	-	-	-	-	-	-	2	2	4	4	8	7	9	9	4	4	4	3	3	2	-	-
	FEMALE	50	-	-	-	-	-	-	-	1	4	4	4	4	3	7	4	5	3	1	5	4	1	-
450	GENERAL ARTERIOSCLEROSIS	1,994	-	-	-	-	-	-	-	1	1	1	8	12	39	57	137	214	328	445	428	230	93	-
	WHITE—MALE	904	-	-	-	-	-	-	-	-	-	1	7	10	32	31	73	99	148	213	181	83	26	-
	FEMALE	1,006	-	-	-	-	-	-	-	-	-	-	1	2	2	19	50	103	169	215	238	144	63	-
	NONWHITE—MALE	46	-	-	-	-	-	-	-	1	1	-	-	-	2	4	9	5	9	8	4	1	2	-
	FEMALE	38	-	-	-	-	-	-	-	-	-	-	-	-	3	3	5	7	2	9	5	2	2	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	1,003	1	-	1	-	4	9	4	14	15	24	26	43	69	121	195	172	160	95	40	8	2	-
	WHITE—MALE	581	1	-	-	-	2	2	2	4	8	12	15	26	39	83	138	99	83	45	17	5	-	-
	FEMALE	333	-	-	1	-	2	7	1	7	3	6	5	13	20	27	38	58	74	45	21	3	2	-
	NONWHITE—MALE	44	-	-	-	-	-	-	-	1	2	1	1	2	5	6	14	8	3	1	-	-	-	-
	FEMALE	45	-	-	-	-	-	-	1	2	2	5	5	2	5	5	5	7	1	4	2	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	666	1	3	2	3	11	20	11	15	30	36	39	43	42	62	59	73	72	74	49	18	3	-
	WHITE.....MALE..	302	-	3	1	-	3	10	6	6	14	19	12	20	13	27	30	31	37	36	22	11	1	-
	FEMALE	266	1	-	-	3	8	6	1	4	8	9	13	16	21	21	24	34	30	35	24	6	2	-
	NONWHITE.....MALE..	53	-	-	-	-	-	2	3	5	7	5	6	3	3	5	4	5	1	2	1	1	-	-
	FEMALE	45	-	-	1	-	-	2	1	-	1	3	8	4	5	9	1	3	4	1	2	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	4,066	705	157	30	26	26	23	31	57	71	86	120	147	190	241	317	411	477	429	318	154	50	-
	WHITE.....MALE..	1,774	248	41	11	9	15	5	6	12	20	28	53	74	88	110	175	210	254	209	131	57	18	-
	FEMALE	1,323	158	40	9	13	8	11	10	14	15	23	35	28	36	65	86	133	168	185	167	90	29	-
	NONWHITE.....MALE..	551	171	47	6	3	2	3	9	21	18	15	20	28	36	37	30	37	32	20	11	4	1	-
	FEMALE	418	128	29	4	1	1	4	6	10	18	20	12	17	30	29	26	31	23	15	9	3	2	-
480-483	INFLUENZA.....	128	2	7	1	3	4	1	2	2	1	2	1	2	3	4	9	12	20	19	22	7	4	-
	WHITE.....MALE..	66	2	3	-	2	3	-	1	1	1	1	1	-	-	2	7	9	13	4	9	6	1	-
	FEMALE	58	-	1	1	1	1	1	1	1	-	1	-	2	2	2	2	3	7	15	13	1	3	-
	NONWHITE.....MALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	3,938	703	150	29	23	22	22	29	55	70	84	119	145	187	237	308	399	457	410	296	147	46	-
	WHITE.....MALE..	1,708	246	38	11	7	12	5	5	11	19	27	52	74	88	108	168	201	241	205	122	51	17	-
	FEMALE	1,265	158	39	8	12	7	10	9	13	15	22	35	26	34	63	84	130	161	170	154	89	26	-
	NONWHITE.....MALE..	549	171	45	6	3	2	3	9	21	18	15	20	28	36	37	30	37	32	20	11	4	1	-
	FEMALE	416	128	28	4	1	1	4	6	10	18	20	12	17	29	29	26	31	23	15	9	3	2	-
500-502	BRONCHITIS.....	262	38	18	7	-	2	2	1	-	5	5	10	7	21	26	32	33	22	18	11	4	-	-
	WHITE.....MALE..	167	16	8	4	-	1	-	1	-	2	3	5	4	15	19	25	28	15	13	6	2	-	-
	FEMALE	75	15	7	3	-	1	1	-	-	2	2	2	3	5	6	5	4	7	5	5	2	-	-
	NONWHITE.....MALE..	15	4	1	-	-	-	1	-	-	1	-	3	-	1	1	2	1	-	-	-	-	-	-
	FEMALE	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	883	23	6	3	2	1	4	3	7	12	18	20	52	85	114	162	162	106	60	35	7	1	-
	WHITE.....MALE..	678	17	2	2	2	-	1	-	4	3	13	11	35	72	95	130	136	86	44	22	2	1	-
	FEMALE	165	6	2	1	-	1	3	2	1	6	4	9	13	11	12	24	19	19	15	12	5	-	-
	NONWHITE.....MALE..	31	-	1	-	-	-	-	1	1	2	-	-	4	2	5	6	7	1	1	-	-	-	-
	FEMALE	9	-	1	-	-	-	-	-	1	1	1	-	-	-	2	2	-	-	-	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	782	4	1	1	-	1	1	4	5	18	19	51	60	70	95	113	108	100	64	52	13	2	-
	WHITE.....MALE..	537	2	1	1	-	1	-	1	4	10	12	35	51	50	71	83	70	71	40	28	6	-	-
	FEMALE	193	1	-	-	-	-	-	2	-	6	4	10	6	13	19	25	26	26	24	22	7	2	-
	NONWHITE.....MALE..	38	-	-	-	-	-	1	1	1	1	3	5	2	6	1	3	9	3	-	2	-	-	-
	FEMALE	14	1	-	-	-	-	-	-	-	1	-	1	1	1	4	2	3	-	-	-	-	-	-
550-553	APPENDICITIS.....	121	1	5	4	7	6	3	5	1	4	4	6	6	9	6	14	16	14	8	2	-	-	-
	WHITE.....MALE..	66	-	2	2	4	4	2	1	-	3	2	3	3	6	6	8	7	8	4	1	-	-	-
	FEMALE	32	-	2	-	1	2	1	1	-	1	1	2	1	1	-	4	5	5	4	1	-	-	-
	NONWHITE.....MALE..	13	-	1	2	-	-	-	2	-	-	-	-	1	2	-	2	2	1	-	-	-	-	-
	FEMALE	10	1	-	-	2	-	-	1	1	-	1	1	1	-	-	-	2	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	538	46	1	2	3	-	1	-	8	7	4	23	26	34	52	73	68	71	61	43	11	4	-
	WHITE.....MALE..	228	24	1	-	1	-	-	-	4	2	-	10	10	15	19	39	31	23	28	14	6	1	-
	FEMALE	252	14	-	1	1	-	-	-	3	4	4	8	13	14	22	27	32	44	30	29	4	2	-
	NONWHITE.....MALE..	34	4	-	1	-	-	-	-	1	-	-	5	2	4	6	2	3	4	1	-	-	1	-
	FEMALE	24	4	-	-	1	-	1	-	-	1	-	-	1	1	5	5	2	-	2	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	410	83	24	5	2	2	2	5	7	12	12	20	11	25	34	39	36	33	34	12	9	3	-
	WHITE.....MALE..	180	30	7	1	2	2	1	1	4	3	7	10	7	8	22	22	17	15	11	6	3	1	-
	FEMALE	179	25	12	3	-	-	-	3	2	9	4	8	2	14	12	15	17	17	22	6	6	2	-
	NONWHITE.....MALE..	28	19	3	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	1	-	-	-	-
	FEMALE	23	9	2	1	-	-	1	1	-	-	1	-	1	3	-	2	1	1	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	1,360	2	-	-	2	1	4	10	37	70	117	174	215	189	153	187	94	51	35	17	2	-	-
	WHITE.....MALE..	843	-	-	-	-	-	2	3	12	41	59	94	150	134	101	124	62	29	22	9	1	-	-
	FEMALE	366	2	-	-	1	1	2	2	12	19	34	53	47	38	34	54	28	20	12	6	1	-	-
	NONWHITE.....MALE..	100	-	-	-	-	-	-	3	9	7	18	13	11	12	12	7	4	2	1	1	-	-	-
	FEMALE	51	-	-	-	1	-	-	2	4	3	6	14	7	5	6	2	-	-	-	1	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	303	1	-	-	-	1	1	3	1	3	5	11	11	14	31	55	51	62	32	13	7	1	-
	WHITE.....MALE..	121	1	-	-	-	-	1	-	1	2	2	5	4	7	13	21	31	19	9	4	1	-	-
	FEMALE	175	-	-	-	-	1	-	3	-	1	3	5	7	6	16	32	20	43	22	9	6	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	-	1	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	81	2	3	1	3	-	5	-	5	3	6	2	4	6	7	9	10	7	6	2	-	-	-
	WHITE.....MALE..	40	2	2	-	1	-	4	-	2	2	2	1	1	3	4	3	6	4	1	2	-	-	-
	FEMALE	29	-	1	1	2	-	-	-	1	-	3	-	1	1	3	5	3	3	5	-	-	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	1	-	2	1	1	1	1	2	-	1	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	540	3	1	-	1	4	2	8	8	6	13	32	27	39	44	80	81	66	60	36	27	2	-
	WHITE.....MALE..	212	1	-	-	1	2	1	3	1	2	3	6	5	11	15	36	34	34	25	20	12	-	-
	FEMALE	201	2	-	-	-	1	-	2	1	1	5	12	13	13	19	26	27	24	25	15	14	1	-
	NONWHITE.....MALE..	72	-	-	-	-	1	-	1	1	-	4	6	5	6	8	11	14	7	5	1	1	1	-
	FEMALE	55	-	1	-	-	-	1	2	5	3	1	8	4	9	2	7	6	1	5	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	263	-	-	-	-	-	-	-	1	-	-	-	2	5	12	29	46	52	62	33	13	8	-
	WHITE.....MALE..	238	-	-	-	-	-	-	-	1	-	-	-	-	2	10	26	42	49	58	30	13	7	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	-	-	2	3	2	3	4	3	4	3	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	ILLINOIS--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	69	-	-	-	-	6	8	16	18	17	4	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	46	-	-	-	-	1	5	12	15	9	4	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	23	-	-	-	-	5	3	4	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	12	-	-	-	-	-	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	8	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	57	-	-	-	-	6	5	12	15	15	4	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	38	-	-	-	-	1	4	10	12	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	19	-	-	-	-	5	1	2	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	1,114	791	101	38	15	23	11	9	21	16	15	12	14	13	12	9	5	4	2	3	-	-	-
	WHITE.....MALE..	529	379	45	18	8	10	5	2	10	7	8	7	9	5	4	6	1	4	-	1	-	-	-
	FEMALE	437	299	42	15	7	10	5	6	9	6	6	3	5	7	8	2	4	-	1	2	-	-	-
	NONWHITE.....MALE..	86	67	7	4	-	2	-	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	62	46	7	1	-	1	1	1	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	3,493	3,492	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,505	1,505	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1,072	1,071	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	497	497	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	419	419	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	2,156	2,156	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	938	938	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	633	633	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	314	314	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	271	271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	1,035	1,034	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	481	481	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	361	360	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	402	21	13	2	17	19	26	22	18	28	13	25	19	24	19	18	27	40	30	8	11	2	-
	WHITE.....MALE..	193	8	6	2	9	11	13	10	8	10	8	10	13	11	9	11	8	24	16	2	4	-	-
	FEMALE	159	7	4	-	5	7	7	5	8	12	3	11	5	11	7	6	17	15	14	6	7	2	-
	NONWHITE.....MALE..	31	4	3	-	1	1	5	3	1	3	-	2	1	1	2	1	2	1	-	-	-	-	-
	FEMALE	19	2	-	-	2	-	1	4	1	3	2	2	-	1	1	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	2,138	88	56	50	31	38	38	43	48	73	121	134	143	151	192	230	257	211	118	74	31	11	-
	WHITE.....MALE..	1,037	48	23	28	21	17	18	16	13	29	57	66	76	80	89	119	143	92	51	32	17	2	-
	FEMALE	881	26	27	16	6	12	9	17	15	29	39	52	54	54	84	100	106	112	64	40	11	8	-
	NONWHITE.....MALE..	121	11	5	3	2	4	4	6	10	6	15	12	4	9	14	6	4	2	1	1	1	1	-
	FEMALE	99	3	1	3	2	5	7	4	10	9	10	4	9	8	5	5	4	5	2	1	2	-	-
E800-E962	ACCIDENTS.	4,492	124	245	165	147	323	339	226	224	252	268	268	277	244	245	247	254	241	201	132	62	8	-
	WHITE.....MALE..	2,784	62	109	83	91	223	246	167	157	167	178	176	192	164	153	136	148	131	114	61	24	2	-
	FEMALE	1,147	30	52	44	34	67	50	22	33	44	53	60	62	51	74	91	92	103	80	65	36	4	-
	NONWHITE.....MALE..	383	15	40	23	19	21	32	29	26	36	31	27	17	23	13	11	9	3	2	3	1	2	-
	FEMALE	178	17	44	15	3	12	11	8	8	5	6	5	6	6	5	9	5	4	5	3	1	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,908	10	72	77	58	212	233	135	114	126	114	124	129	84	104	91	83	75	49	16	1	1	-
	WHITE.....MALE..	1,277	6	38	39	38	151	182	105	83	88	75	81	83	52	57	53	52	46	36	11	1	-	-
	FEMALE	506	3	23	25	19	58	36	16	19	26	28	37	39	26	42	34	31	28	12	4	-	-	-
	NONWHITE.....MALE..	88	-	8	6	1	-	12	11	10	9	9	5	5	4	3	3	-	-	-	1	-	1	-
	FEMALE	37	1	3	7	-	3	3	3	2	3	2	1	2	2	2	1	-	1	1	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	2,584	114	173	88	89	111	106	91	110	126	154	144	148	160	141	156	171	166	152	116	61	7	-
	WHITE.....MALE..	1,507	56	71	44	53	72	64	62	74	79	103	95	109	112	96	83	96	85	78	50	23	2	-
	FEMALE	641	27	29	19	15	9	14	6	14	18	25	23	23	25	32	57	61	75	68	61	36	4	-
	NONWHITE.....MALE..	295	15	32	17	18	21	20	18	16	27	22	22	12	19	10	8	9	3	2	2	1	1	-
	FEMALE	141	16	41	8	3	9	8	5	6	2	4	4	4	4	3	8	5	3	4	3	1	-	-
E963, E970-E979	SUICIDE.	977	...	...	-	1	25	39	47	62	79	75	98	124	88	99	88	63	51	21	12	5	-	-
	WHITE.....MALE..	694	...	...	-	1	19	20	29	40	43	52	67	87	68	79	65	49	43	17	11	4	-	-
	FEMALE	231	...	...	-	-	5	7	15	18	26	18	27	35	19	16	19	12	8	4	1	1	-	-
	NONWHITE.....MALE..	34	...	...	-	-	-	7	2	2	7	3	4	2	-	2	3	2	-	-	-	-	-	-
	FEMALE	18	...	...	-	-	1	5	1	2	3	2	-	-	1	2	1	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	568	11	11	5	5	33	63	54	78	78	74	33	38	25	18	12	14	8	4	-	2	1	1
	WHITE.....MALE..	182	6	6	3	2	9	14	18	28	16	17	12	11	12	9	7	5	5	1	-	-	1	-
	FEMALE	69	3	2	2	2	4	8	4	5	4	8	4	6	2	1	2	6	1	3	-	1	-	1
	NONWHITE.....MALE..	245	1	1	-	-	14	30	21	38	47	40	14	17	10	5	2	3	2	-	-	-	-	-
	FEMALE	72	1	2	-	1	6	11	11	7	11	9	3	4	1	3	1	-	-	-	-	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA																							
	ALL CAUSES	46,037	2,524	376	246	226	340	410	312	456	639	1,020	1,471	2,138	2,921	3,882	4,908	5,894	6,502	5,687	3,933	1,699	435	18
	WHITE.....MALE..	24,511	1,291	181	131	138	218	262	171	235	320	551	846	1,306	1,739	2,298	2,920	3,272	3,342	2,716	1,749	702	120	3
	FEMALE	18,724	901	150	99	71	101	111	99	151	221	349	489	622	932	1,256	1,716	2,325	2,943	2,827	2,092	965	295	9
	NONWHITE.....MALE..	1,569	181	24	9	10	14	23	25	30	45	65	76	135	144	183	162	169	139	75	34	13	10	3
	FEMALE	1,233	151	21	7	7	7	14	17	40	53	55	60	75	106	145	110	128	78	69	58	19	10	3
001-019	TUBERCULOSIS, ALL FORMS..	229	1	1	3	-	-	-	3	2	6	7	20	18	21	30	29	31	30	18	8	1	-	-
	WHITE.....MALE..	147	-	-	3	-	-	-	2	1	2	5	11	10	12	22	22	19	21	10	6	1	-	-
	FEMALE	47	1	-	-	-	-	-	-	1	1	1	5	3	4	4	5	4	8	8	2	-	-	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	1	-	1	-	2	5	4	3	1	7	1	-	-	-	-	-
	FEMALE	10	-	1	-	-	-	-	-	-	2	1	2	-	1	1	1	1	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	215	-	-	2	-	-	-	3	1	6	7	18	18	20	29	28	27	29	18	8	1	-	-
	WHITE.....MALE..	139	-	-	2	-	-	-	2	-	2	5	10	10	11	22	21	17	20	10	6	1	-	-
	FEMALE	45	-	-	-	-	-	-	-	1	1	1	4	3	4	4	5	4	8	8	2	-	-	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	1	-	1	-	2	5	4	3	1	5	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	2	1	2	-	1	-	1	1	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	14	1	1	1	-	-	-	-	1	-	-	2	-	1	1	1	4	1	-	-	-	-	-
	WHITE.....MALE..	8	-	-	1	-	-	-	-	1	-	-	1	-	1	-	1	2	1	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	75	-	-	-	-	-	-	-	-	1	1	1	3	10	19	13	10	7	5	5	-	-	-
	WHITE.....MALE..	43	-	-	-	-	-	-	-	-	-	-	-	2	5	11	8	6	5	3	3	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	2	2	2	2	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	1	-	-	-	3	-	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	6	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-
	WHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	14	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	9	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	5	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	8	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	128	13	4	10	7	4	2	6	3	4	4	3	8	17	6	7	5	8	6	6	5	-	-
	WHITE.....MALE..	68	10	2	5	1	1	1	3	-	1	2	2	5	8	6	4	2	4	5	4	2	-	-
	FEMALE	53	2	2	4	5	2	1	3	3	3	2	1	2	7	-	3	3	4	1	2	3	-	-
	NONWHITE.....MALE..	4	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	7,168	6	43	30	21	25	31	41	85	136	260	348	534	685	896	1,038	1,013	898	604	345	107	21	1
	WHITE.....MALE..	3,559	3	20	18	10	17	15	20	37	49	96	135	252	340	458	564	552	454	296	169	46	8	-
	FEMALE	3,207	3	20	12	9	7	13	19	36	71	138	186	238	305	365	420	418	416	291	169	61	9	1
	NONWHITE.....MALE..	235	-	2	-	1	1	2	-	5	5	13	14	30	23	41	35	26	23	9	3	-	2	-
	FEMALE	167	-	1	-	1	-	1	2	7	11	13	13	14	17	32	19	17	5	8	4	-	2	-
140-148	OF BUCCAL CAVITY AND PHARYNX	144	-	-	-	-	-	-	-	2	4	8	8	14	14	14	24	17	16	14	8	1	-	-
	WHITE.....MALE..	107	-	-	-	-	-	-	-	2	1	5	5	11	10	9	20	15	12	11	5	1	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	3	-	3	2	2	5	3	2	2	3	3	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	3	-	1	2	-	1	-	2	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	2,327	-	-	1	1	1	2	7	8	18	49	85	126	189	268	357	395	343	266	156	46	8	1
	WHITE.....MALE..	1,159	-	-	-	-	1	2	4	5	4	26	40	61	105	138	188	207	158	126	70	19	5	-
	FEMALE	1,047	-	-	1	1	-	-	3	1	11	18	39	53	76	104	152	170	172	131	84	27	3	1
	NONWHITE.....MALE..	78	-	-	-	-	-	-	-	1	1	4	3	11	4	14	10	12	11	5	2	-	-	-
	FEMALE	43	-	-	-	-	-	-	-	1	2	1	3	1	4	12	7	6	2	4	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	1,146	-	-	1	-	-	-	2	12	22	30	63	111	157	209	218	156	100	40	18	6	1	-
	WHITE.....MALE..	918	-	-	1	-	-	-	2	7	16	17	47	91	130	176	174	134	81	25	15	2	-	-
	FEMALE	148	-	-	-	-	-	-	-	1	2	7	12	8	16	19	29	19	16	12	3	4	-	-
	NONWHITE.....MALE..	68	-	-	-	-	-	-	-	2	3	5	4	12	10	12	12	2	3	2	-	-	1	-
	FEMALE	12	-	-	-	-	-	-	-	2	1	1	-	-	1	2	3	1	-	1	-	-	-	-
170	OF BREAST	572	-	-	-	-	-	1	2	7	16	34	48	60	66	63	75	61	55	42	30	11	1	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	543	-	-	-	-	-	-	2	6	15	30	46	57	62	61	72	57	53	41	29	11	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	27	-	-	-	-	-	1	-	1	1	4	2	3	4	2	3	3	1	1	1	-	-	-
171-179	OF GENITAL ORGANS	1,129	-	1	-	1	2	4	9	14	29	55	68	78	98	136	140	140	159	109	59	22	5	-
	WHITE.....MALE..	374	-	1	-	-	1	1	2	4	1	2	4	3	13	29	58	53	82	65	39	15	1	-
	FEMALE	676	-	-	-	1	1	3	7	8	24	47	58	66	80	90	76	75	72	42	17	7	2	-
	NONWHITE.....MALE..	33	-	-	-	-	-	-	-	-	-	-	1	2	3	8	4	8	5	2	-	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	2	4	6	5	7	2	9	2	4	-	-	3	-	2	-
180, 181	OF URINARY ORGANS	340	-	1	1	1	-	1	1	-	3	11	8	22	28	32	56	63	56	30	21	5	-	-
	WHITE.....MALE..	216	-	-	1	1	-	-	1	-	2	6	4	17	15	21	35	42	37	17	14	3	-	-
	FEMALE	107	-	1	-	-	-	-	-	-	-	3	3	4	11	9	18	19	17	13	7	2	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	1	-	-	1	1	-	1	-	2	3	1	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	2	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	830	3	15	5	7	11	6	7	20	19	40	49	75	77	96	94	102	91	60	35	12	6	-
	WHITE.....MALE..	416	-	5	-	4	7	3	3	8	11	20	25	38	37	47	50	58	44	31	17	6	2	-
	FEMALE	378	3	7	5	2	4	3	4	10	6	20	18	34	34	46	39	42	45	29	18	6	3	-
	NONWHITE.....MALE..	18	-	2	-	1	-	-	-	1	-	-	4	1	3	-	2	1	2	-	-	-	1	-
	FEMALE	18	-	1	-	-	-	-	-	1	2	-	2	2	3	3	3	1	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	331	3	24	21	7	9	6	4	3	6	10	10	17	22	35	31	40	45	24	12	2	-	-
	WHITE.....MALE..	183	3	12	15	3	7	3	2	1	3	5	5	10	13	19	18	24	23	12	5	-	-	-
	FEMALE	133	-	12	6	3	1	3	1	2	2	5	4	5	8	14	11	15	22	11	6	2	-	-
	NONWHITE.....MALE..	9	-	-	-	-	1	-	-	-	-	-	1	1	1	2	1	1	-	-	1	-	-	-
	FEMALE	6	-	-	-	1	-	-	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	349	-	2	1	4	2	11	9	19	19	23	9	31	34	43	43	39	33	19	6	2	-	-
	WHITE.....MALE..	185	-	2	1	2	1	6	6	10	11	15	5	21	17	19	21	19	16	9	4	-	-	-
	FEMALE	147	-	-	-	2	1	4	2	8	8	8	3	9	16	17	20	19	17	9	2	2	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	1	-	1	-	-	1	1	-	3	2	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	1	-	-	-	-	-	1	4	-	1	-	1	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	112	2	5	10	3	2	2	1	1	4	6	8	10	9	11	6	19	3	6	3	1	-	-
	WHITE.....MALE..	39	-	3	4	2	-	1	-	-	-	2	4	2	4	3	2	8	1	2	1	-	-	-
	FEMALE	63	2	1	5	1	1	1	1	1	4	4	3	8	4	6	4	10	1	3	2	1	-	-
	NONWHITE.....MALE..	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	7	-	-	-	-	1	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-
241	ASTHMA	131	1	1	1	2	1	4	-	2	3	12	8	11	5	20	20	15	13	8	2	2	-	-
	WHITE.....MALE..	79	1	1	-	-	-	2	-	1	-	6	3	6	2	16	16	11	8	4	2	-	-	-
	FEMALE	44	-	-	1	2	1	2	-	-	2	4	3	5	3	3	4	4	5	4	-	1	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-
260	DIABETES MELLITUS	904	1	1	2	4	1	3	5	11	4	16	17	49	85	89	119	149	173	106	51	18	-	-
	WHITE.....MALE..	328	-	-	1	2	-	1	2	5	2	11	5	20	30	24	45	58	60	32	22	8	-	-
	FEMALE	519	-	1	1	2	1	2	3	5	-	4	10	23	45	56	66	84	106	73	27	10	-	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	1	-	-	-	3	2	1	1	5	3	1	-	-	-	-
	FEMALE	40	1	-	-	-	-	-	-	-	2	1	2	3	8	8	7	2	4	-	2	-	-	-
290-293	ANEMIAS	81	1	1	1	1	1	2	2	1	1	2	1	5	6	8	8	4	17	7	9	2	1	-
	WHITE.....MALE..	36	1	-	-	-	-	1	-	-	-	1	1	3	4	4	3	2	9	4	3	-	-	-
	FEMALE	41	-	1	1	1	1	-	1	-	1	1	-	1	2	4	5	2	8	3	6	2	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	60	20	8	5	1	2	1	1	-	-	3	4	-	3	4	5	1	1	-	1	-	-	-
	WHITE.....MALE..	29	10	5	1	-	2	-	1	-	-	2	1	-	2	2	-	1	1	-	1	-	-	-
	FEMALE	25	9	3	3	1	-	-	-	-	-	1	3	-	1	1	3	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	26,321	17	16	10	9	28	44	42	97	203	368	652	1,039	1,567	2,186	2,928	3,824	4,492	4,159	2,979	1,321	328	12
	WHITE.....MALE..	13,986	4	11	1	5	14	10	21	52	113	217	434	713	1,021	1,367	1,768	2,091	2,293	1,943	1,287	534	85	2
	FEMALE	10,949	10	3	8	3	12	30	14	23	50	91	156	218	409	625	985	1,534	2,049	2,113	1,616	761	234	5
	NONWHITE.....MALE..	747	2	1	-	1	2	1	5	5	19	32	34	62	81	105	103	107	93	50	28	11	2	3
	FEMALE	639	1	1	1	-	-	3	2	17	21	28	28	46	56	89	72	92	57	53	48	15	7	2
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	26,055	17	15	8	8	20	40	36	92	189	357	635	1,027	1,546	2,165	2,905	3,799	4,458	4,131	2,958	1,313	325	11
	WHITE.....MALE..	13,844	4	10	-	4	8	8	16	49	106	211	427	708	1,010	1,356	1,754	2,079	2,277	1,930	1,273	528	85	1
	FEMALE	10,848	10	3	7	3	10	29	14	21	45	87	149	214	402	618	976	1,525	2,031	2,100	1,609	759	231	5
	NONWHITE.....MALE..	736	2	1	-	1	2	1	4	5	18	32	33	59	80	104	103	105	93	49	28	11	2	3
	FEMALE	627	1	1	1	-	-	2	2	17	20	27	26	46	54	87	72	90	57	52	48	15	7	2
330-334	VASCULAR LESIONS, ETC.	5,873	4	3	3	4	3	15	4	17	31	46	88	129	245	378	570	884	1,121	1,102	817	333	72	4
	WHITE.....MALE..	2,646	1	1	-	2	1	4	1	6	9	19	36	60	112	192	301	420	525	471	323	142	20	-
	FEMALE	2,882	2	-	3	2	1	10	3	4	11	18	38	47	106	133	217	414	560	601	475	185	50	2
	NONWHITE.....MALE..	149	1	1	-	-	1	1	-	1	3	2	5	11	14	24	26	20	18	13	5	2	-	1
	FEMALE	196	-	1	-	-	-	-	-	6	8	7	9	11	13	29	26	30	18	17	14	4	2	1
400-402, 410-443	DISEASES OF HEART	17,950	12	12	5	2	13	19	26	68	140	285	512	844	1,233	1,671	2,162	2,645	2,940	2,620	1,767	781	186	7
	WHITE.....MALE..	10,142	3	9	-	1	6	3	13	43	89	185	372	618	861	1,100	1,350	1,513	1,548	1,266	789	324	48	1
	FEMALE	6,909	7	3	4	1	6	16	10	15	26	59	100	153	272	439	699	1,005	1,297	1,293	927	442	132	3
	NONWHITE.....MALE..	519	1	-	-	-	1	-	2	3	15	23	25	42	62	75	72	72	63	32	20	7	2	2
	FEMALE	380	1	-	1	-	-	-	1	7	10	18	15	31	38	57	41	55	32	29	31	8	4	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	458	-	-	1	1	9	11	7	16	23	34	45	37	61	62	48	41	32	18	9	3	-	-
	WHITE.....MALE..	209	-	-	-	1	5	-	2	8	11	14	21	19	29	33	18	16	16	11	3	2	-	-
	FEMALE	232	-	-	-	-	4	11	4	8	11	20	24	16	29	28	25	22	16	7	6	1	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	1	-	-	-	-	1	3	-	4	2	-	-	-	-	-	-
	FEMALE	6	-	-	1	-	-	-	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	13,766	-	-	1	-	1	3	13	43	98	224	404	712	1,030	1,396	1,771	2,098	2,230	1,890	1,221	505	121	5
	WHITE.....MALE..	8,320	-	-	-	-	1	-	8	32	73	162	317	557	763	971	1,166	1,261	1,237	957	576	206	32	1
	FEMALE	4,838	-	-	1	-	-	3	3	5	11	30	60	106	199	338	529	751	925	889	611	290	85	2
	NONWHITE.....MALE..	373	-	-	-	-	-	-	1	2	12	18	19	32	43	48	52	55	47	25	12	4	2	1
	FEMALE	235	-	-	-	-	-	-	1	4	2	14	8	17	25	39	24	31	21	19	22	5	2	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	1,285	4	2	1	-	1	3	1	2	3	3	15	19	34	50	103	156	251	281	199	122	34	1
	WHITE.....MALE..	607	2	2	-	-	-	3	1	-	1	1	14	11	19	26	59	79	115	126	78	60	10	-
	FEMALE	632	2	-	1	-	1	-	-	1	2	1	-	5	12	18	38	71	127	153	116	60	24	-
	NONWHITE.....MALE..	24	-	-	-	-	-	-	-	1	-	-	-	3	1	6	2	2	5	1	1	1	-	1
	FEMALE	22	-	-	-	-	-	-	-	-	-	1	1	-	2	-	4	4	4	1	4	1	-	-
430-434	OTHER DISEASES OF HEART	655	8	10	2	1	2	2	3	3	5	11	23	24	48	56	81	77	108	87	72	30	2	-
	WHITE.....MALE..	318	1	7	-	-	-	-	1	1	2	5	10	11	24	30	48	41	52	43	32	10	-	-
	FEMALE	301	5	3	2	1	1	2	2	1	1	5	9	12	16	20	31	33	53	43	40	20	1	-
	NONWHITE.....MALE..	19	1	-	-	-	1	-	-	-	1	-	2	-	5	5	1	1	1	1	-	-	-	-
	FEMALE	17	1	-	-	-	-	-	-	1	1	1	2	1	3	1	1	2	2	-	-	-	1	-
440-443	HYPERTENSIVE HEART DIS.	1,786	-	-	-	-	-	-	2	4	11	13	25	52	60	107	159	273	319	344	266	121	29	1
	WHITE.....MALE..	688	-	-	-	-	-	-	1	2	2	3	10	20	26	40	59	116	128	129	100	46	6	-
	FEMALE	906	-	-	-	-	-	-	1	-	1	3	7	14	16	35	76	128	176	201	154	71	22	1
	NONWHITE.....MALE..	92	-	-	-	-	-	-	-	-	2	5	4	6	10	16	13	12	10	5	7	2	-	-
	FEMALE	100	-	-	-	-	-	-	-	2	6	2	4	12	8	16	11	17	5	9	5	2	1	-
444-447	OTHER HYPERTENSIVE DIS.	418	-	-	-	-	-	1	2	4	7	10	12	12	16	26	34	51	86	71	62	18	6	-
	WHITE.....MALE..	196	-	-	-	-	-	1	-	-	2	1	6	4	10	10	15	30	48	34	27	7	1	-
	FEMALE	184	-	-	-	-	-	-	-	-	3	2	3	3	5	14	16	18	34	36	35	10	5	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	2	1	-	7	1	2	-	2	2	3	3	1	-	1	-	-
	FEMALE	13	-	-	-	-	-	-	-	3	2	-	2	3	1	-	1	-	1	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	1,244	-	-	-	-	-	-	-	-	-	-	4	5	8	26	63	119	218	287	285	169	60	-
	WHITE.....MALE..	533	-	-	-	-	-	-	-	-	-	-	3	-	4	12	35	56	106	131	117	53	16	-
	FEMALE	661	-	-	-	-	-	-	-	-	-	-	1	2	3	13	25	52	100	147	163	112	43	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	6	6	3	3	1	-	-
	FEMALE	27	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	6	6	2	3	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	570	1	-	-	2	4	5	4	3	11	16	19	37	44	64	76	100	93	51	27	12	1	-
	WHITE.....MALE..	327	-	-	-	1	1	-	2	-	6	6	10	26	23	42	53	60	50	28	17	2	-	-
	FEMALE	212	1	-	-	-	3	3	1	2	5	8	7	9	16	19	19	36	40	23	9	10	1	-
	NONWHITE.....MALE..	20	-	-	-	1	-	-	-	-	-	-	2	2	3	3	2	4	3	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	2	1	1	-	2	-	-	2	-	2	-	-	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	266	-	1	2	1	8	4	6	5	14	11	17	12	21	21	23	25	34	28	21	8	3	1
	WHITE.....MALE..	142	-	1	1	1	6	2	5	3	7	6	7	5	11	11	14	12	16	13	14	6	-	1
	FEMALE	101	-	-	1	-	2	1	-	2	5	4	7	4	7	7	9	9	18	13	7	2	3	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	1	-	1	-	1	3	1	1	-	2	-	1	-	-	-	-
	FEMALE	12	-	-	-	-	-	1	-	-	1	1	2	-	2	2	-	2	-	1	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,279	216	55	12	8	8	10	2	5	11	26	24	29	44	57	80	123	164	172	141	66	25	1
	WHITE.....MALE..	679	110	22	4	2	4	7	1	3	7	12	14	21	24	29	55	77	92	94	65	30	6	-
	FEMALE	469	60	17	5	5	4	1	1	1	2	9	6	4	13	23	18	34	66	75	73	35	16	1
	NONWHITE.....MALE..	75	30	9	1	-	-	-	-	-	1	3	3	1	5	3	2	9	4	2	-	-	2	-
	FEMALE	56	16	7	2	1	-	2	-	1	1	2	1	3	2	2	5	3	2	1	3	1	1	-
480-483	INFLUENZA.....	104	3	-	-	-	-	1	-	-	-	1	1	2	1	5	8	7	17	24	17	9	8	-
	WHITE.....MALE..	57	3	-	-	-	-	1	-	-	-	1	1	2	-	2	3	6	11	13	6	6	2	-
	FEMALE	43	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	6	11	10	3	6	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-
490-493	PNEUMONIA, ETC.....	1,175	213	55	12	8	8	9	2	5	11	25	23	27	43	52	72	116	147	148	124	57	17	1
	WHITE.....MALE..	622	107	22	4	2	4	6	1	3	7	11	13	19	24	27	52	71	81	81	59	24	4	-
	FEMALE	426	60	17	5	5	4	1	1	1	2	9	6	4	13	21	14	33	60	64	63	32	10	1
	NONWHITE.....MALE..	75	30	9	1	-	-	-	-	-	1	3	3	1	5	3	2	9	4	2	-	-	2	-
	FEMALE	52	16	7	2	1	-	2	-	1	1	2	1	3	1	1	4	3	2	1	2	1	1	-
500-502	BRONCHITIS.....	84	13	8	1	-	1	-	-	-	-	1	1	6	5	7	8	13	10	4	3	2	1	-
	WHITE.....MALE..	56	10	4	-	-	1	-	-	-	-	-	-	3	3	7	6	10	8	1	2	1	-	-
	FEMALE	23	1	4	1	-	-	-	-	-	-	1	1	3	2	-	2	2	1	3	1	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	575	21	1	4	1	1	2	-	2	3	7	21	25	50	79	96	99	88	46	24	5	-	-
	WHITE.....MALE..	459	13	-	2	1	1	1	-	2	2	4	14	19	42	71	84	81	72	32	15	3	-	-
	FEMALE	96	6	1	2	-	-	1	-	-	1	2	6	4	5	6	10	16	12	14	8	2	-	-
	NONWHITE.....MALE..	14	2	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	3	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	-	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	319	3	2	-	-	-	1	-	-	6	9	12	13	26	27	51	57	44	43	21	3	-	1
	WHITE.....MALE..	233	2	1	-	-	-	1	-	-	5	7	10	12	22	16	38	44	27	31	15	2	-	-
	FEMALE	75	1	1	-	-	-	-	-	-	1	2	2	1	3	8	8	11	17	12	6	1	-	1
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	APPENDICITIS.....	61	-	1	4	8	4	-	-	-	1	1	5	1	4	1	1	7	7	8	5	1	1	1
	WHITE.....MALE..	35	-	-	2	3	1	-	-	-	-	1	4	1	4	1	1	3	4	5	3	1	-	1
	FEMALE	17	-	1	2	2	1	-	-	-	-	-	1	-	-	-	-	4	1	2	2	-	1	-
	NONWHITE.....MALE..	6	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	286	17	1	-	2	-	1	-	3	4	6	5	16	15	28	27	36	43	39	24	15	4	-
	WHITE.....MALE..	111	10	-	-	2	-	-	-	1	2	-	1	5	4	8	16	21	14	13	8	5	1	-
	FEMALE	160	7	1	-	-	-	1	-	2	2	6	3	9	9	17	10	14	27	23	16	10	3	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	1	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	184	30	5	3	2	1	2	1	-	3	2	5	8	9	12	16	24	24	19	11	5	2	-
	WHITE.....MALE..	94	15	4	1	2	-	1	-	-	1	-	4	4	5	4	11	16	13	10	1	2	-	-
	FEMALE	79	9	1	2	-	1	1	1	-	2	2	-	3	3	8	5	8	10	8	10	3	2	-
	NONWHITE.....MALE..	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	FEMALE	7	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	425	2	-	-	-	1	2	4	7	16	27	50	59	57	51	56	39	27	18	8	1	-	-
	WHITE.....MALE..	257	2	-	-	-	1	1	1	2	7	17	34	39	27	35	31	31	15	10	3	1	-	-
	FEMALE	134	-	-	-	-	-	-	1	1	6	9	13	18	20	14	23	8	10	6	5	-	-	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	2	2	1	1	2	4	2	1	-	2	1	-	-	-	-
	FEMALE	16	-	-	-	-	-	1	2	2	1	-	2	-	6	-	1	-	-	1	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	132	-	-	-	-	1	1	-	1	1	4	1	2	5	16	14	24	27	20	9	5	1	-
	WHITE.....MALE..	55	-	-	-	-	-	-	-	1	-	1	1	-	1	6	9	12	11	9	3	1	-	-
	FEMALE	74	-	-	-	-	1	1	-	-	1	3	-	2	4	9	5	12	16	9	6	4	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	45	1	2	1	2	-	2	1	1	-	3	3	7	2	1	3	2	5	7	2	-	-	-
	WHITE.....MALE..	26	1	1	-	2	-	-	-	1	-	2	1	4	-	1	3	1	4	4	1	-	-	-
	FEMALE	14	-	1	1	-	-	2	1	-	-	1	2	1	-	-	-	1	1	2	1	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
600	INFECTIONS OF KIDNEY.....	209	1	-	-	5	-	1	2	5	7	3	8	9	15	14	27	35	23	31	18	4	1	-
	WHITE.....MALE..	93	1	-	-	5	-	-	-	2	1	1	2	5	6	6	12	15	11	14	8	3	1	-
	FEMALE	100	-	-	-	-	-	1	2	1	5	2	4	2	6	7	13	19	12	16	9	1	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	1	1	-	2	1	1	1	2	1	-	1	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	122	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	14	25	32	18	9	4	-
	WHITE.....MALE..	115	-	-	-	-	-	-	-	-	-	-	-	-	2	6	10	14	22	31	18	8	4	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	3	1	-	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	INDIANA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	37	-	-	-	-	1	10	10	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	25	-	-	-	-	-	7	4	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	12	-	-	-	-	1	3	6	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	6	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	5	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	31	-	-	-	-	-	7	8	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	24	-	-	-	-	-	6	4	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	7	-	-	-	-	-	1	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	517	370	45	19	6	7	10	4	8	3	11	9	9	7	3	2	1	1	2	-	-	-	-
	WHITE.....MALE..	252	180	17	10	5	5	6	1	2	1	5	6	4	4	2	2	-	1	1	-	-	-	-
	FEMALE	229	164	20	7	1	2	4	3	6	2	6	3	5	3	1	-	1	-	1	-	-	-	-
	NONWHITE.....MALE..	22	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,603	1,603	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	815	815	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	566	566	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	764	764	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	397	397	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	271	271	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	754	754	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	385	385	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	209	13	2	-	1	1	1	6	1	3	5	7	9	6	12	11	19	21	26	35	14	15	1
	WHITE.....MALE..	115	8	2	-	1	-	1	3	-	2	3	3	6	6	8	8	15	11	12	16	4	5	1
	FEMALE	86	5	-	-	-	1	-	3	1	-	1	3	2	-	2	2	4	9	14	19	10	10	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	1,384	58	46	28	18	29	14	18	23	41	50	64	68	108	124	148	146	141	121	73	49	16	1
	WHITE.....MALE..	688	34	21	16	8	18	7	8	12	20	24	29	31	56	65	86	67	68	57	33	22	6	-
	FEMALE	602	16	20	11	8	10	4	8	9	14	18	29	27	47	51	57	70	68	61	39	26	8	1
	NONWHITE.....MALE..	57	4	3	1	-	-	2	1	-	3	6	3	7	3	5	3	6	4	3	1	-	2	-
	FEMALE	37	4	2	-	2	1	1	1	2	4	2	3	3	2	3	2	3	1	-	-	1	-	-
E800-E962	ACCIDENTS.	2,616	95	113	96	116	199	220	120	111	119	128	134	123	111	114	135	145	171	163	130	57	15	1
	WHITE.....MALE..	1,633	50	57	60	79	141	178	87	80	74	94	87	85	73	81	79	81	84	79	58	23	3	-
	FEMALE	827	32	47	30	31	50	30	24	27	32	28	35	27	24	25	50	57	84	80	71	32	11	-
	NONWHITE.....MALE..	106	6	3	4	3	6	12	7	2	9	3	12	9	8	7	5	3	2	2	1	1	1	-
	FEMALE	50	7	6	2	3	2	-	2	2	4	3	-	2	6	1	1	4	1	2	-	1	-	1
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,187	16	45	47	49	144	166	85	71	70	69	64	63	50	54	67	42	42	26	13	4	-	-
	WHITE.....MALE..	815	9	20	26	28	97	133	60	51	42	52	44	50	32	41	37	24	32	21	12	4	-	-
	FEMALE	315	5	21	18	16	42	24	21	19	21	14	18	9	14	12	30	17	8	5	1	-	-	-
	NONWHITE.....MALE..	41	2	3	2	2	3	9	4	-	5	2	2	3	1	1	-	1	1	-	-	-	-	-
	FEMALE	16	-	1	1	3	2	-	-	1	2	1	-	1	3	-	-	-	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,429	79	68	49	67	55	54	35	40	49	59	70	60	61	60	68	103	129	137	117	53	15	1
	WHITE.....MALE..	818	41	37	34	51	44	45	27	29	32	42	43	35	41	40	42	57	52	58	46	19	3	-
	FEMALE	512	27	26	12	15	8	6	3	8	11	14	17	18	10	13	20	40	76	75	70	32	11	-
	NONWHITE.....MALE..	65	4	-	2	1	3	3	3	2	4	1	10	6	7	6	5	2	1	2	1	1	1	-
	FEMALE	34	7	5	1	-	-	-	2	1	2	2	-	1	3	1	1	4	-	2	-	1	-	1
E963, E970-E979	SUICIDE.	545	...	...	-	5	15	32	21	49	37	39	54	59	45	53	39	37	34	17	4	5	-	-
	WHITE.....MALE..	396	...	...	-	5	9	25	14	28	23	27	38	46	34	35	30	31	27	16	3	5	-	-
	FEMALE	136	...	...	-	-	5	5	7	17	14	12	13	13	9	17	9	6	7	1	1	-	-	-
	NONWHITE.....MALE..	7	...	...	-	-	1	1	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	6	...	...	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	159	8	3	2	1	6	12	21	27	17	15	9	15	4	5	5	2	4	3	-	-	-	-
	WHITE.....MALE..	62	6	1	1	1	2	3	6	5	7	8	5	5	1	3	5	2	1	-	-	-	-	-
	FEMALE	30	1	2	1	-	1	4	3	7	3	-	2	2	-	-	-	-	2	2	-	-	-	-
	NONWHITE.....MALE..	49	-	-	-	-	2	5	10	11	3	6	-	7	3	2	-	-	-	-	-	-	-	-
	FEMALE	18	1	-	-	-	1	-	2	4	4	1	2	1	-	-	-	-	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA																							
	ALL CAUSES	28,666	1,206	184	125	117	211	224	165	199	296	439	725	1,029	1,566	2,072	2,924	3,794	4,366	4,183	3,042	1,406	384	9
	WHITE.....MALE	16,019	719	97	71	73	140	177	110	121	172	263	467	686	1,066	1,368	1,879	2,226	2,295	2,020	1,346	596	127	-
	FEMALE	12,331	451	85	51	43	68	43	48	73	112	166	244	327	476	677	1,011	1,529	2,040	2,138	1,682	804	254	9
	NONWHITE.....MALE	176	23	1	1	1	2	2	3	1	7	5	8	9	14	16	20	25	18	8	8	1	3	-
	FEMALE	140	13	1	2	-	1	2	4	4	5	5	6	7	10	11	14	14	13	17	6	5	-	-
001-019	TUBERCULOSIS, ALL FORMS	62	-	-	-	-	2	1	-	-	-	-	1	4	13	11	7	13	4	4	1	-	1	-
	WHITE.....MALE	49	-	-	-	-	1	-	-	-	-	-	1	3	10	11	7	8	3	3	1	-	1	-
	FEMALE	12	-	-	-	-	1	-	-	-	-	-	-	1	3	-	-	5	1	1	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	56	-	-	-	-	1	-	-	-	-	-	1	4	11	11	5	13	4	4	1	-	1	-
	WHITE.....MALE	45	-	-	-	-	-	-	-	-	-	-	1	3	9	11	5	8	3	3	1	-	1	-
	FEMALE	11	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	5	1	1	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	6	-	-	-	-	1	1	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	34	-	-	-	-	-	-	1	-	1	-	1	2	2	2	5	6	8	3	2	1	-	-
	WHITE.....MALE	19	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	4	6	-	-	1	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	3	2	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	7	4	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	10	2	2	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	WHITE.....MALE	6	1	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	76	8	5	3	-	3	1	2	-	2	2	3	3	5	2	5	12	4	7	8	1	-	-
	WHITE.....MALE	45	7	1	3	-	2	1	-	-	2	1	1	1	3	1	4	6	2	4	6	-	-	-
	FEMALE	31	1	4	-	-	1	-	2	-	-	1	2	2	2	1	1	6	2	3	2	1	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,441	3	15	15	11	21	20	13	33	69	115	190	277	403	494	624	702	618	445	286	69	17	1
	WHITE.....MALE..	2,349	1	10	6	3	11	13	9	17	25	51	87	128	216	282	363	392	316	237	144	29	9	-
	FEMALE	2,055	2	5	9	8	10	7	4	16	43	64	101	147	181	208	255	300	298	207	141	40	8	1
	NONWHITE.....MALE..	20	-	-	-	-	-	-	-	-	1	-	-	1	2	3	4	5	4	-	-	-	-	-
	FEMALE	17	-	-	-	-	-	-	-	-	-	-	2	1	4	1	2	5	-	1	1	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	83	-	-	-	-	-	-	1	-	-	2	4	8	9	11	11	15	9	8	5	-	-	-
	WHITE.....MALE..	63	-	-	-	-	-	-	1	-	-	2	4	7	6	8	8	11	6	7	3	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	4	3	1	2	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,488	-	1	-	-	3	-	1	6	14	23	46	72	119	140	191	263	253	195	122	30	9	-
	WHITE.....MALE..	794	-	1	-	-	2	-	1	5	8	13	29	36	68	90	104	146	117	99	56	15	4	-
	FEMALE	683	-	-	-	-	1	-	-	1	5	10	17	35	50	50	83	114	136	96	65	15	5	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	3	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	628	-	-	1	-	-	-	-	4	4	19	31	54	84	99	131	98	73	18	11	-	1	-
	WHITE.....MALE..	527	-	-	1	-	-	-	-	3	2	15	26	45	68	91	118	86	50	15	7	-	-	-
	FEMALE	96	-	-	-	-	-	-	-	1	2	4	5	9	15	6	12	12	22	3	4	-	1	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	396	-	-	-	-	1	-	-	3	12	21	33	35	38	50	42	63	33	30	22	12	1	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	394	-	-	-	-	1	-	-	3	12	21	33	35	37	49	42	63	33	30	22	12	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	702	-	-	-	1	1	2	2	6	16	16	32	34	52	68	107	100	106	83	57	13	6	-
	WHITE.....MALE..	316	-	-	-	1	-	1	1	2	2	-	2	1	9	20	45	50	68	57	44	8	5	-
	FEMALE	378	-	-	-	-	1	1	1	4	14	16	28	33	42	48	62	47	36	26	13	5	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	251	-	3	1	1	-	-	-	3	-	4	5	5	22	26	33	44	45	35	18	6	-	-
	WHITE.....MALE..	168	-	3	-	-	-	-	-	-	-	3	3	4	18	18	24	32	28	22	10	3	-	-
	FEMALE	80	-	-	1	1	-	-	-	3	-	1	2	-	3	8	9	12	16	13	8	3	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	420	2	2	8	4	5	8	5	1	12	19	24	37	49	38	46	44	45	38	27	6	-	-
	WHITE.....MALE..	225	-	1	2	-	2	6	3	1	6	11	17	17	32	17	29	28	19	20	12	2	-	-
	FEMALE	193	2	1	6	4	3	2	2	-	6	8	7	20	17	21	17	15	26	17	15	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	-	-
204	LEUKEMIA AND ALEUKEMIA...	225	1	9	4	5	6	5	1	5	7	4	6	10	13	21	24	39	27	22	13	2	-	1
	WHITE.....MALE..	125	1	5	3	2	3	3	-	3	3	3	3	5	7	16	15	21	17	9	5	1	-	-
	FEMALE	98	-	4	1	3	3	2	1	2	4	1	3	5	6	5	9	16	10	13	8	1	-	1
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	248	-	-	1	-	5	5	3	5	4	7	9	22	17	41	39	36	27	16	11	-	-	-
	WHITE.....MALE..	131	-	-	-	-	4	3	3	3	4	4	3	13	8	22	20	18	11	8	7	-	-	-
	FEMALE	115	-	-	1	-	1	2	-	2	-	3	6	9	8	19	19	17	16	8	4	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	68	1	2	2	1	-	2	1	1	2	2	6	9	4	7	9	1	9	4	4	-	1	-
	WHITE.....MALE..	31	1	-	-	1	-	1	-	-	-	-	3	6	4	2	4	1	4	2	2	-	-	-
	FEMALE	37	-	2	2	-	-	1	1	1	2	2	3	3	-	5	5	-	5	2	2	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	94	1	-	1	-	1	-	-	-	3	3	4	4	9	13	14	18	11	5	7	-	-	-
	WHITE.....MALE..	66	1	-	1	-	-	-	-	-	-	-	3	3	8	11	11	11	10	2	5	-	-	-
	FEMALE	24	-	-	-	-	1	-	-	-	2	3	-	1	-	2	2	7	1	3	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	505	1	2	-	1	2	1	4	8	9	10	9	9	27	53	59	99	96	68	35	11	1	-
	WHITE.....MALE..	232	1	1	-	-	1	1	1	4	9	5	6	8	13	25	24	47	36	30	14	5	1	-
	FEMALE	269	-	1	-	1	1	-	3	4	-	5	3	1	14	27	35	49	60	38	21	6	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
290-293	ANEMIAS.....	55	2	-	1	1	1	-	1	-	-	-	1	1	3	2	5	4	12	11	4	5	1	-
	WHITE.....MALE..	21	1	-	1	1	1	-	-	-	-	-	1	-	1	1	2	1	6	3	1	1	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	3	6	8	3	4	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	18	4	4	-	-	-	-	-	-	-	-	1	-	1	-	3	3	1	1	-	-	-	-
	WHITE	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	MALE	9	1	1	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE																							
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	16,956	8	3	12	8	6	20	14	48	90	140	298	473	811	1,147	1,724	2,428	3,017	3,079	2,252	1,082	289	7
	WHITE	9,307	4	2	6	3	3	18	7	29	61	105	221	351	611	795	1,129	1,419	1,597	1,439	962	452	93	-
	MALE	7,487	4	1	5	5	3	2	5	17	25	30	70	113	187	332	576	989	1,397	1,618	1,280	627	194	7
	FEMALE	87	-	-	1	-	-	-	1	-	2	3	5	4	9	11	11	14	12	7	5	-	2	-
	NONWHITE	75	-	-	-	-	-	-	1	2	2	2	2	5	4	9	8	6	11	15	5	3	-	-
	MALE																							
	FEMALE																							
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	16,810	6	3	10	6	5	11	11	46	89	133	291	468	805	1,140	1,706	2,418	2,993	3,056	2,242	1,076	288	7
	WHITE	9,223	4	2	6	2	2	10	5	28	60	101	214	348	607	790	1,119	1,413	1,584	1,430	957	449	92	-
	MALE	7,428	2	1	3	4	3	1	5	16	25	27	70	112	185	330	568	985	1,387	1,604	1,275	624	194	7
	FEMALE	86	-	-	1	-	-	-	1	-	2	3	5	3	9	11	11	14	12	7	5	-	2	-
	NONWHITE	73	-	-	-	-	-	-	-	2	2	2	2	5	4	9	8	6	10	15	5	3	-	-
	MALE																							
	FEMALE																							
330-334	VASCULAR LESIONS, ETC	4,094	1	-	2	2	1	4	7	9	12	22	44	62	115	199	319	554	816	888	667	288	80	2
	WHITE	1,889	1	-	1	1	-	4	2	5	9	10	20	26	59	109	176	291	388	366	263	131	27	-
	MALE	2,158	-	-	1	1	1	-	4	3	3	12	21	34	54	84	135	257	420	517	401	155	53	2
	FEMALE	25	-	-	-	-	-	-	1	-	-	-	2	-	2	5	4	4	4	1	2	-	-	-
	NONWHITE	22	-	-	-	-	-	-	-	1	-	-	1	2	-	1	4	2	4	4	1	2	-	-
	MALE																							
	FEMALE																							
400-402, 410-443	DISEASES OF HEART	11,202	4	2	7	3	2	7	3	32	66	106	232	380	651	892	1,274	1,704	1,932	1,831	1,298	607	165	4
	WHITE	6,580	2	1	4	1	2	6	2	21	45	90	184	302	524	648	869	1,029	1,065	900	578	254	53	-
	MALE	4,527	2	1	2	2	-	1	1	10	19	13	44	73	117	232	395	662	853	919	714	353	110	4
	FEMALE	53	-	-	1	-	-	-	-	-	1	2	3	2	6	5	7	9	8	4	3	-	2	-
	NONWHITE	42	-	-	-	-	-	-	-	1	1	1	1	3	4	7	3	4	6	8	3	-	-	-
	MALE																							
	FEMALE																							
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	234	-	1	2	1	1	2	1	4	15	15	16	26	30	21	38	25	15	11	6	4	-	-
	WHITE	110	-	1	1	-	1	2	1	2	4	10	5	12	16	9	19	12	6	6	2	1	-	-
	MALE	121	-	-	1	1	-	-	-	2	11	4	11	13	14	12	18	13	9	5	4	3	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	MALE																							
	FEMALE																							
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	8,771	-	-	-	-	-	1	1	22	47	87	194	311	560	766	1,067	1,398	1,554	1,349	894	408	109	3
	WHITE	5,447	-	-	-	-	-	1	1	15	39	77	166	263	465	579	754	874	879	688	423	187	36	-
	MALE	3,261	-	-	-	-	-	-	-	6	7	8	27	47	88	175	307	515	663	654	468	221	72	3
	FEMALE	40	-	-	-	-	-	-	-	-	1	2	1	-	5	5	6	7	8	2	2	-	1	-
	NONWHITE	23	-	-	-	-	-	-	-	1	-	-	-	1	2	7	-	2	4	5	1	-	-	-
	MALE																							
	FEMALE																							
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	955	1	-	-	2	-	1	-	1	1	2	6	13	17	34	62	119	151	232	187	89	36	1
	WHITE	473	-	-	-	1	-	1	-	-	-	2	4	9	13	23	41	62	79	111	84	33	10	-
	MALE	475	1	-	-	1	-	-	-	1	-	-	2	3	3	11	21	56	72	119	103	56	25	1
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-
	NONWHITE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	MALE																							
	FEMALE																							
430-434	OTHER DISEASES OF HEART	433	3	1	5	-	1	1	1	1	2	1	8	15	18	23	40	55	67	81	66	37	7	-
	WHITE	214	2	-	3	-	1	1	-	-	1	-	6	11	13	12	20	35	39	29	26	13	2	-
	MALE	213	1	1	1	-	-	-	1	1	1	1	2	4	4	11	19	20	28	51	38	24	5	-
	FEMALE	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	NONWHITE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	MALE																							
	FEMALE																							
440-443	HYPERTENSIVE HEART DIS.	809	-	-	-	-	-	2	-	4	1	1	8	15	26	48	67	107	145	158	145	69	13	-
	WHITE	336	-	-	-	-	-	1	-	4	1	1	3	7	17	25	35	46	62	66	43	20	5	-
	MALE	457	-	-	-	-	-	1	-	-	-	-	2	6	8	23	30	58	81	90	101	49	8	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
	NONWHITE	12	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	2	1	-	-	-
	MALE																							
	FEMALE																							
444-447	OTHER HYPERTENSIVE DIS.	251	-	-	-	-	1	-	1	2	6	3	3	7	11	8	19	30	43	53	41	21	2	-
	WHITE	113	-	-	-	-	-	-	1	1	5	-	1	5	6	4	10	16	15	25	15	7	2	-
	MALE	131	-	-	-	-	1	-	-	1	-	1	2	2	5	4	9	13	28	25	26	14	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-
	NONWHITE	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-
	MALE																							
	FEMALE																							
450	GENERAL ARTERIOSCLEROSIS	886	-	-	1	-	1	-	-	-	-	-	2	3	3	15	30	76	131	228	210	148	37	1
	WHITE	412	-	-	1	-	-	-	-	-	-	-	2	3	2	10	19	43	66	116	91	50	9	-
	MALE	468	-	-	-	-	1	-	-	-	-	-	-	-	1	4	10	33	65	110	118	97	28	1
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-
	MALE																							
	FEMALE																							
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	377	1	1	-	1	-	-	-	3	5	2	10	16	25	26	64	54	71	56	26	12	4	-
	WHITE	229	1	1	-	-	-	-	-	1	1	1	7	12	16	19	45	34	50	23	10	7	1	-
	MALE	144	-	-	-	1	-	-	-	2	3	1	3	3	8	6	19	20	21	33	16	5	3	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	NONWHITE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE																							
	FEMALE																							

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	146	2	-	2	2	1	9	3	2	1	7	7	5	6	7	18	10	24	23	10	6	1	-
	WHITE.....MALE..	84	-	-	-	1	1	8	2	1	1	4	7	3	4	5	10	6	13	9	5	3	1	-
	FEMALE	59	2	-	2	1	-	1	-	1	-	3	-	1	2	2	8	4	10	14	5	3	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	943	89	22	6	7	4	5	5	4	4	9	12	23	21	37	58	89	126	163	141	90	28	-
	WHITE.....MALE..	547	58	12	3	4	3	3	4	3	2	6	6	19	16	24	40	58	69	97	67	47	6	-
	FEMALE	378	27	9	3	3	-	2	1	1	2	3	5	3	5	12	16	30	54	65	73	43	21	-
	NONWHITE.....MALE..	10	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	1	-
	FEMALE	8	1	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-
480-483	INFLUENZA.....	90	2	-	2	1	-	2	1	1	1	1	1	2	1	1	4	13	14	14	17	8	4	-
	WHITE.....MALE..	43	2	-	-	1	-	-	1	-	-	-	1	2	1	-	2	9	6	5	9	4	-	-
	FEMALE	47	-	-	2	-	-	2	-	1	1	1	-	-	-	1	2	4	8	9	8	4	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	853	87	22	4	6	4	3	4	3	3	8	11	21	20	36	54	76	112	149	124	82	24	-
	WHITE.....MALE..	504	56	12	3	3	3	3	3	3	2	6	5	17	15	24	38	49	63	92	58	43	6	-
	FEMALE	331	27	9	1	3	-	-	1	-	1	2	5	3	5	11	14	26	46	56	65	39	17	-
	NONWHITE.....MALE..	10	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	1	-
	FEMALE	8	1	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-
500-502	BRONCHITIS.....	60	3	1	-	-	-	-	-	-	-	-	4	2	8	7	7	13	3	4	4	3	1	-
	WHITE.....MALE..	41	3	-	-	-	-	-	-	-	-	-	2	2	8	6	5	9	2	2	2	-	-	-
	FEMALE	19	-	1	-	-	-	-	-	-	-	-	2	-	-	1	2	4	1	2	2	3	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	340	13	3	-	-	1	-	-	2	-	3	7	14	37	41	71	59	46	23	12	5	3	-
	WHITE.....MALE..	276	8	1	-	-	1	-	-	-	-	3	5	11	27	37	68	48	34	20	9	2	2	-
	FEMALE	60	5	2	-	-	-	-	-	1	-	-	2	2	10	4	3	9	12	3	3	3	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	212	-	-	-	-	1	-	1	1	-	3	7	12	11	21	31	29	34	34	21	5	1	-
	WHITE.....MALE..	146	-	-	-	-	1	-	1	1	-	1	7	9	10	17	23	20	20	21	12	3	-	-
	FEMALE	66	-	-	-	-	-	-	-	-	-	2	-	3	1	4	8	9	14	13	9	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	29	-	-	1	-	1	-	-	-	-	-	-	2	2	4	4	1	6	4	3	1	-	-
	WHITE.....MALE..	22	-	-	1	-	1	-	-	-	-	-	-	2	1	3	4	1	4	2	2	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	186	11	2	-	-	1	-	1	1	1	2	6	4	5	12	19	25	30	36	23	6	1	-
	WHITE.....MALE..	95	9	2	-	-	-	-	1	-	-	1	3	2	4	8	13	15	13	14	7	2	1	-
	FEMALE	89	2	-	-	-	1	-	-	1	1	1	2	2	1	4	5	10	17	22	16	4	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	102	7	5	1	1	2	-	1	-	1	1	6	6	5	5	9	10	11	15	12	4	-	-
	WHITE.....MALE..	44	5	-	-	1	1	-	1	-	1	-	5	5	3	4	3	6	2	4	2	1	-	-
	FEMALE	54	2	4	-	-	1	-	-	-	-	1	1	1	2	1	5	4	9	11	10	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
581	CIRRHOSIS OF LIVER.....	166	-	-	-	2	2	-	-	3	4	11	22	22	22	17	26	17	10	5	1	1	1	-
	WHITE.....MALE..	110	-	-	-	1	1	-	-	2	3	6	14	16	16	12	21	9	5	2	1	1	-	-
	FEMALE	52	-	-	-	1	1	-	-	1	1	3	7	5	6	5	5	8	5	3	-	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	71	-	-	-	-	-	-	1	1	1	-	1	1	3	1	9	11	15	12	11	4	-	-
	WHITE.....MALE..	30	-	-	-	-	-	-	1	-	-	-	-	-	1	1	6	7	4	5	5	-	-	-
	FEMALE	41	-	-	-	-	-	-	-	1	1	-	1	1	2	-	3	4	11	7	6	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	28	2	1	3	-	-	-	1	1	2	-	3	2	2	-	1	2	2	3	1	1	1	-
	WHITE.....MALE..	16	-	1	1	-	-	-	1	1	1	-	3	-	2	-	1	2	1	1	1	-	-	-
	FEMALE	12	2	-	2	-	-	-	-	-	1	-	-	2	-	-	-	-	1	2	-	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	87	-	-	-	-	-	1	3	-	1	3	3	5	8	4	8	6	16	10	13	4	2	-
	WHITE.....MALE..	38	-	-	-	-	-	1	2	-	-	-	2	1	3	1	4	4	6	4	7	3	-	-
	FEMALE	47	-	-	-	-	-	-	1	-	1	2	1	4	5	3	4	2	9	6	6	1	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	92	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	14	20	19	19	9	5	-
	WHITE.....MALE..	91	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	13	20	19	19	9	5	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	IOWA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	8	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	8	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	8	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	8	-	-	-	-	-	-	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	322	217	30	3	4	7	9	7	4	1	8	8	4	4	4	1	7	1	2	-	1	-	-
	WHITE.....MALE..	164	118	10	1	1	3	5	4	2	-	4	5	4	1	2	-	3	1	-	-	-	-	-
	FEMALE	155	97	20	2	3	4	4	3	2	1	3	3	-	3	2	1	4	-	2	-	1	-	-
	NONWHITE.....MALE..	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	753	753	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	459	459	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	341	341	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	372	372	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	68	4	2	-	-	-	1	1	-	4	3	3	2	2	4	4	2	8	9	8	5	5	1
	WHITE.....MALE..	36	3	2	-	-	-	1	-	-	2	2	2	1	1	2	3	2	5	5	3	2	-	1
	FEMALE	30	1	-	-	-	-	-	1	-	2	1	1	1	1	2	-	-	3	4	4	3	5	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	908	31	15	17	14	16	11	15	14	17	30	34	35	51	66	95	108	116	94	77	41	11	-
	WHITE.....MALE..	459	17	9	10	7	7	6	6	8	9	11	20	18	25	37	56	62	49	45	37	17	3	-
	FEMALE	438	13	6	7	7	9	5	8	6	7	19	14	17	23	29	38	45	67	49	39	22	8	-
	NONWHITE.....MALE..	6	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	-
	FEMALE	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-
E800-E962	ACCIDENTS.	1,588	37	68	56	62	129	131	71	59	60	64	58	75	74	75	88	86	119	112	94	55	15	-
	WHITE.....MALE..	1,024	17	40	36	49	94	112	60	47	42	44	38	66	53	51	53	56	57	50	34	19	6	-
	FEMALE	548	19	28	19	12	33	16	11	11	14	19	20	9	21	23	34	30	62	62	60	36	9	-
	NONWHITE.....MALE..	11	1	-	-	1	2	2	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	5	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	658	6	18	27	26	98	95	44	32	30	34	30	37	36	34	35	27	28	13	6	2	-	-
	WHITE.....MALE..	471	2	11	18	21	69	79	37	22	19	24	19	29	25	25	22	17	18	8	4	2	-	-
	FEMALE	182	4	7	9	5	29	14	7	10	9	10	11	8	11	9	12	10	10	5	2	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	930	31	50	29	36	31	36	27	27	30	30	28	38	38	41	53	59	91	99	88	53	15	-
	WHITE.....MALE..	553	15	29	18	28	25	33	23	25	23	20	19	37	28	26	31	39	39	42	30	17	6	-
	FEMALE	366	15	21	10	7	4	2	4	1	5	9	9	1	10	14	22	20	52	57	58	36	9	-
	NONWHITE.....MALE..	9	1	-	-	1	2	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	334	...	...	-	2	7	17	17	12	20	23	34	33	31	40	32	27	23	11	3	2	-	-
	WHITE.....MALE..	266	...	...	-	2	7	13	12	7	12	19	30	25	26	31	25	22	22	9	3	1	-	-
	FEMALE	64	...	...	-	-	-	4	4	5	7	4	4	8	5	9	7	4	1	1	-	1	-	-
	NONWHITE.....MALE..	4	...	...	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	40	5	-	-	-	4	4	3	2	3	6	3	4	1	2	2	1	-	-	-	-	-	-
	WHITE.....MALE..	20	2	-	-	-	2	2	-	-	3	4	1	2	1	2	1	-	-	-	-	-	-	-
	FEMALE	14	2	-	-	-	2	2	2	1	-	2	1	-	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS																							
	ALL CAUSES	21,734	1,086	170	95	97	198	166	136	177	263	390	561	830	1,178	1,564	2,125	2,826	3,259	3,027	2,272	998	313	3
	WHITE.....MALE	11,705	585	84	55	65	133	111	79	99	152	240	368	518	792	948	1,310	1,572	1,679	1,419	1,002	374	119	1
	FEMALE	8,909	388	73	35	30	55	46	43	58	80	115	159	259	311	501	695	1,116	1,466	1,510	1,197	592	178	2
	NONWHITE.....MALE	601	63	7	1	-	6	4	4	11	19	18	20	28	35	65	72	80	64	50	32	15	7	-
	FEMALE	519	50	6	4	2	4	5	10	9	12	17	14	25	40	50	48	58	50	48	41	17	9	-
001-019	TUBERCULOSIS, ALL FORMS	53	-	1	1	-	-	-	-	-	4	4	3	5	4	6	6	7	4	7	1	-	-	-
	WHITE.....MALE	27	-	1	-	-	-	-	-	-	1	-	-	3	4	4	6	5	1	1	1	-	-	-
	FEMALE	17	-	-	1	-	-	-	-	-	2	1	2	1	-	1	-	2	3	4	-	-	-	-
	NONWHITE.....MALE	8	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	2	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	46	-	1	1	-	-	-	-	-	4	3	2	4	3	5	6	5	4	7	1	-	-	-
	WHITE.....MALE	25	-	1	-	-	-	-	-	-	1	-	-	3	3	4	6	4	1	1	1	-	-	-
	FEMALE	15	-	-	1	-	-	-	-	-	2	1	2	-	-	1	-	1	3	4	-	-	-	-
	NONWHITE.....MALE	5	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	2	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	7	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	34	-	-	-	-	-	-	-	-	-	-	-	2	2	7	6	4	7	3	3	-	-	-
	WHITE.....MALE	27	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	3	6	2	2	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	6	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	66	6	6	1	3	3	1	3	1	2	1	2	1	5	7	4	5	4	3	4	2	2	-
	WHITE.....MALE	33	3	2	-	2	1	-	2	-	-	1	2	1	4	2	2	3	3	2	2	1	-	-
	FEMALE	22	2	2	1	-	2	1	1	1	2	-	-	-	-	3	1	1	-	1	1	1	2	-
	NONWHITE.....MALE	7	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-
	FEMALE	4	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS—CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	3,170	5	22	17	18	14	11	15	27	43	82	139	213	267	366	440	492	461	321	173	39	4	1
	WHITE.....MALE..	1,569	4	9	11	12	7	6	4	12	20	32	59	92	136	189	244	250	209	167	82	22	2	-
	FEMALE	1,428	1	11	4	6	7	5	9	15	20	46	67	107	116	152	172	216	230	139	87	16	1	1
	NONWHITE.....MALE..	92	-	-	-	-	-	-	-	-	-	1	8	9	5	13	13	17	13	9	2	1	1	-
	FEMALE	81	-	2	2	-	-	-	2	-	3	3	5	5	10	12	11	9	9	6	2	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	57	-	-	-	-	-	-	-	-	-	1	3	3	7	7	6	10	9	6	2	3	-	-
	WHITE.....MALE..	41	-	-	-	-	-	-	-	-	-	1	3	1	5	6	4	8	4	5	1	3	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	5	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,026	-	1	-	-	1	2	1	6	5	19	33	60	66	110	140	191	170	129	73	17	2	-
	WHITE.....MALE..	471	-	1	-	-	-	-	-	3	4	9	13	27	38	52	74	91	63	59	29	8	-	-
	FEMALE	482	-	-	-	-	1	2	-	3	1	9	17	30	23	48	55	86	97	61	40	8	1	-
	NONWHITE.....MALE..	43	-	-	-	-	-	-	-	-	-	-	2	3	1	4	8	9	5	7	2	1	1	-
	FEMALE	30	-	-	-	-	-	-	1	-	-	1	1	-	4	6	3	5	5	2	2	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	466	-	1	-	-	-	-	1	2	1	9	28	44	58	75	92	69	56	16	9	5	-	-
	WHITE.....MALE..	376	-	1	-	-	-	-	1	2	1	6	19	31	50	66	81	57	39	13	5	4	-	-
	FEMALE	62	-	-	-	-	-	-	-	-	-	2	5	8	5	6	7	8	13	3	4	1	-	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	1	4	5	2	3	2	4	4	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
170	OF BREAST.....	275	-	-	-	-	-	-	2	1	7	10	17	32	35	33	37	29	38	20	12	1	-	1
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
	FEMALE	261	-	-	-	-	-	-	2	1	7	10	16	30	32	32	34	28	36	19	12	1	-	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	1	2	1	-	-	-	-
171-179	OF GENITAL ORGANS.....	479	-	-	1	1	-	2	4	7	12	16	20	22	33	53	57	69	82	61	33	4	2	-
	WHITE.....MALE..	205	-	-	-	1	-	2	-	1	1	2	1	3	1	13	20	31	56	43	25	3	2	-
	FEMALE	247	-	-	1	-	-	-	4	6	9	13	17	17	30	33	33	35	23	17	8	1	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	-	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	2	1	2	2	2	4	3	1	-	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	156	-	3	3	-	-	1	-	-	-	3	5	9	13	14	28	26	25	17	6	3	-	-
	WHITE.....MALE..	86	-	1	1	-	-	1	-	-	-	2	4	5	9	8	17	16	12	7	2	1	-	-
	FEMALE	63	-	1	1	-	-	-	-	-	-	-	1	4	3	5	10	9	13	10	4	2	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	FEMALE	3	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.....	381	3	8	3	6	5	4	2	9	8	16	18	26	30	35	39	51	47	40	28	3	-	-
	WHITE.....MALE..	210	2	2	2	5	4	2	1	4	7	10	10	13	20	21	26	21	20	24	15	1	-	-
	FEMALE	160	1	5	1	1	1	2	1	5	1	6	6	12	10	12	13	28	25	15	13	2	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	-
	FEMALE	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	171	2	7	8	9	6	1	2	1	2	3	7	8	13	13	16	25	16	21	8	3	-	-
	WHITE.....MALE..	100	2	3	6	4	3	1	1	1	2	1	4	5	6	6	10	16	8	14	5	2	-	-
	FEMALE	66	-	4	1	5	3	-	-	-	-	2	3	2	7	7	6	9	7	6	3	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	FEMALE	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	159	-	2	2	2	2	1	3	1	8	5	8	9	12	26	25	22	18	11	2	-	-	-
	WHITE.....MALE..	79	-	1	2	2	-	-	1	1	5	1	5	6	7	17	12	10	7	2	-	-	-	-
	FEMALE	73	-	1	-	-	2	1	2	-	2	4	2	2	4	8	13	12	11	7	2	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	39	1	1	1	-	-	-	1	-	1	3	1	3	3	5	5	5	2	4	3	-	-	-
	WHITE.....MALE..	19	1	-	-	-	-	-	-	-	1	2	1	2	2	1	2	3	2	1	1	-	-	-
	FEMALE	18	-	1	1	-	-	-	1	-	-	1	-	1	1	2	3	2	-	3	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
241	ASTHMA.....	69	-	-	1	1	1	-	-	2	1	5	1	1	4	5	14	11	10	9	1	2	-	-
	WHITE.....MALE..	39	-	-	1	1	-	-	-	1	-	1	-	1	2	3	10	7	8	3	1	-	-	-
	FEMALE	27	-	-	-	-	1	-	-	1	1	2	1	-	2	1	4	4	2	6	-	2	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	424	2	-	-	2	1	3	3	2	6	9	11	16	22	47	59	77	70	57	28	8	1	-
	WHITE.....MALE..	191	-	-	-	-	1	2	3	2	4	7	7	9	12	23	27	27	31	18	11	6	1	-
	FEMALE	209	1	-	-	2	-	1	-	-	2	2	3	6	9	19	31	44	36	34	17	2	-	-
	NONWHITE.....MALE..	7	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-
	FEMALE	17	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	5	3	4	-	-	-	-
290-293	ANEMIAS.....	55	2	2	1	1	2	-	1	-	1	3	-	1	3	2	8	3	7	8	8	2	-	-
	WHITE.....MALE..	31	1	-	1	-	1	-	-	-	1	2	-	1	2	2	5	1	3	6	4	1	-	-
	FEMALE	21	-	2	-	1	-	-	1	-	-	1	-	-	1	-	3	1	4	2	4	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	22	9	6	-	1	1	-	1	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-
	WHITE.....MALE..	12	4	3	-	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	10	5	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	12,460	6	4	8	7	5	11	20	26	65	128	244	377	585	818	1,234	1,819	2,212	2,189	1,683	779	238	2
	WHITE.....MALE..	6,629	3	4	5	7	2	4	8	9	40	90	186	269	433	525	780	1,020	1,150	1,005	723	276	89	1
	FEMALE	5,268	2	-	2	-	2	6	9	9	17	23	45	79	114	229	379	713	991	1,121	913	477	136	1
	NONWHITE.....MALE..	291	-	-	-	-	-	-	-	4	6	5	6	14	18	35	45	50	39	30	23	11	5	-
	FEMALE	272	1	-	1	-	1	1	3	4	2	10	7	15	20	29	30	36	32	33	24	15	8	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	12,275	6	4	8	5	4	8	17	20	64	124	237	371	581	813	1,216	1,795	2,176	2,162	1,663	765	234	2
	WHITE.....MALE..	6,540	3	4	5	5	2	1	7	8	40	89	182	267	429	525	770	1,008	1,126	994	716	272	86	1
	FEMALE	5,191	2	-	2	-	1	6	8	5	16	21	44	78	114	225	373	704	981	1,107	900	468	135	1
	NONWHITE.....MALE..	282	-	-	-	-	-	-	-	4	6	5	5	13	18	35	43	49	37	29	23	10	5	-
	FEMALE	262	1	-	1	-	1	1	2	3	2	9	6	13	20	28	30	34	32	32	24	15	8	-
330-334	VASCULAR LESIONS, ETC.	2,773	4	1	4	1	-	4	4	6	13	15	27	51	78	141	203	375	556	563	480	198	57	-
	WHITE.....MALE..	1,239	2	1	4	1	-	1	1	3	7	5	15	25	47	69	103	176	263	229	199	64	24	-
	FEMALE	1,383	1	-	-	-	-	3	3	-	4	7	10	18	24	54	78	175	275	314	267	119	31	-
	NONWHITE.....MALE..	65	-	-	-	-	-	-	-	2	-	1	-	2	1	9	13	14	7	8	4	4	-	-
	FEMALE	86	1	-	-	-	-	-	-	1	2	2	2	6	6	9	9	10	11	12	10	3	2	-
400-402, 410-443	DISEASES OF HEART	8,410	2	3	2	2	3	2	8	10	47	97	196	306	477	631	953	1,301	1,434	1,372	988	447	127	2
	WHITE.....MALE..	4,801	1	3	1	2	1	-	3	3	32	79	162	234	366	429	634	772	778	649	434	168	49	1
	FEMALE	3,259	1	-	1	-	1	1	3	5	9	10	26	56	83	160	271	475	610	686	529	262	69	1
	NONWHITE.....MALE..	197	-	-	-	-	-	-	-	1	6	4	5	10	17	24	27	32	27	20	14	6	4	-
	FEMALE	153	-	-	-	-	1	1	2	1	-	4	3	6	11	18	21	22	19	17	11	11	5	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	158	-	-	-	1	1	2	3	1	4	5	12	14	17	21	23	19	11	14	5	3	2	-
	WHITE.....MALE..	76	-	-	-	1	-	-	2	-	3	5	5	6	8	7	11	15	5	6	1	1	-	-
	FEMALE	76	-	-	-	-	-	1	1	1	1	-	7	7	9	14	10	4	6	8	4	2	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	FEMALE	4	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	6,613	-	-	-	-	-	-	1	6	35	82	160	258	408	529	794	1,092	1,139	1,019	701	304	83	2
	WHITE.....MALE..	4,031	-	-	-	-	-	-	-	2	27	69	145	211	325	388	557	666	651	514	320	123	32	1
	FEMALE	2,348	-	-	-	-	-	-	1	3	3	7	12	41	63	115	203	383	457	479	367	167	46	1
	NONWHITE.....MALE..	145	-	-	-	-	-	-	-	1	5	3	3	5	14	17	23	25	18	16	8	6	1	-
	FEMALE	89	-	-	-	-	-	-	-	-	-	3	-	1	6	9	11	18	13	10	6	8	4	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	674	-	-	-	1	-	-	-	-	3	1	5	10	12	24	39	73	120	141	138	78	29	-
	WHITE.....MALE..	310	-	-	-	1	-	-	-	-	1	-	4	9	9	13	22	36	51	66	62	25	11	-
	FEMALE	330	-	-	-	-	-	-	-	-	1	1	-	3	7	13	32	61	71	72	52	17	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	3	5	1	3	-	1	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	2	3	3	1	1	-	-
430-434	OTHER DISEASES OF HEART	361	2	3	2	-	2	-	3	3	2	6	15	12	16	18	40	40	57	66	49	22	3	-
	WHITE.....MALE..	173	1	3	1	-	1	-	-	1	-	3	6	5	11	9	21	23	27	26	26	8	1	-
	FEMALE	166	1	-	1	-	1	-	1	1	2	2	6	4	2	6	17	16	30	38	23	14	1	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	-	-	-	-	1	-
	FEMALE	13	-	-	-	-	-	-	2	1	-	1	2	2	2	-	1	-	-	2	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	604	-	-	-	-	-	-	1	-	3	3	4	12	24	39	57	77	107	132	95	40	10	-
	WHITE.....MALE..	211	-	-	-	-	-	-	1	-	1	2	2	3	13	12	23	32	44	37	25	11	5	-
	FEMALE	339	-	-	-	-	-	-	-	-	2	-	1	4	6	18	28	40	56	90	63	27	4	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	1	1	3	2	2	1	3	4	3	3	-	-	-
	FEMALE	31	-	-	-	-	-	-	-	-	-	-	-	2	3	7	5	2	3	2	4	2	1	-
444-447	OTHER HYPERTENSIVE DIS.	176	-	-	-	-	-	1	1	1	1	4	2	3	4	4	14	21	37	39	26	13	5	-
	WHITE.....MALE..	77	-	-	-	-	-	-	1	-	-	1	1	2	1	3	5	7	15	25	8	6	2	-
	FEMALE	84	-	-	-	-	-	1	-	-	1	-	1	-	-	-	9	12	21	14	15	7	3	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	1	-	3	-	1	3	-	-	1	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	645	-	-	-	1	-	-	-	-	-	1	2	3	2	10	20	53	103	158	142	109	41	-
	WHITE.....MALE..	280	-	-	-	1	-	-	-	-	-	1	1	2	1	7	12	25	48	76	65	32	9	-
	FEMALE	348	-	-	-	-	-	-	-	-	-	-	1	-	1	3	7	27	52	78	72	76	31	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	2	-	1	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	1	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	271	-	-	2	1	1	1	4	3	3	7	10	8	20	27	26	45	46	30	27	6	4	-
	WHITE.....MALE..	143	-	-	-	1	1	-	2	2	1	3	3	4	14	17	16	28	22	15	10	2	2	-
	FEMALE	117	-	-	1	-	-	1	2	-	2	4	6	4	6	8	8	15	23	15	17	4	1	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	-	-	-	-	-	-
	FEMALE	5	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	185	-	-	-	2	1	3	3	6	1	4	7	6	4	5	18	24	36	27	20	14	4	-
	WHITE.....MALE..	89	-	-	-	2	-	3	1	1	-	1	4	2	4	-	10	12	24	11	7	4	3	-
	FEMALE	77	-	-	-	-	1	-	1	4	1	2	1	1	-	4	6	9	10	14	13	9	1	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	1	-	1	-	-
	FEMALE	10	-	-	-	-	-	-	1	1	-	1	1	2	-	1	-	2	-	1	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	723	59	18	8	3	5	2	2	6	8	15	10	7	25	35	51	70	103	106	108	61	21	-
	WHITE.....MALE..	363	27	8	4	1	3	1	-	1	2	7	6	4	15	24	30	39	57	47	50	28	9	-
	FEMALE	313	20	6	4	2	2	1	2	5	6	5	2	2	9	9	16	30	41	57	51	32	11	-
	NONWHITE.....MALE..	24	7	4	-	-	-	-	-	-	-	2	1	-	-	1	3	-	2	1	3	-	-	-
	FEMALE	23	5	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	3	1	4	1	1	-
480-483	INFLUENZA.....	62	2	1	1	-	1	-	-	2	2	3	1	1	3	2	4	6	13	4	12	3	1	-
	WHITE.....MALE..	24	1	1	1	-	-	-	-	1	1	2	1	-	-	1	2	4	4	3	2	-	-	-
	FEMALE	33	1	-	-	-	1	-	-	1	1	1	-	1	2	1	2	2	8	1	7	3	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	-	-	-
490-493	PNEUMONIA, ETC.....	661	57	17	7	3	4	2	2	4	6	12	9	6	22	33	47	64	90	102	96	58	20	-
	WHITE.....MALE..	339	26	7	3	1	3	1	-	-	1	5	5	4	15	23	28	35	53	44	48	28	9	-
	FEMALE	280	19	6	4	2	1	1	2	4	5	4	2	1	7	8	14	28	33	56	44	29	10	-
	NONWHITE.....MALE..	24	7	4	-	-	-	-	-	-	-	2	1	-	-	1	3	-	2	1	3	-	-	-
	FEMALE	18	5	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	1	1	1	1	-
500-502	BRONCHITIS.....	46	5	2	-	-	-	-	-	-	-	-	-	1	3	4	10	10	3	1	5	2	-	-
	WHITE.....MALE..	34	3	2	-	-	-	-	-	-	-	-	-	-	2	4	10	9	2	1	-	1	-	-
	FEMALE	11	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	4	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	269	14	1	-	2	1	-	1	1	2	4	1	16	22	36	47	41	43	20	14	3	-	-
	WHITE.....MALE..	222	11	1	-	2	1	-	1	1	1	3	1	10	21	32	43	37	31	14	9	3	-	-
	FEMALE	42	3	-	-	-	-	-	-	-	1	1	-	6	-	4	4	3	10	6	4	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	147	-	1	-	-	-	2	-	-	-	1	5	11	14	14	18	20	29	20	10	2	-	-
	WHITE.....MALE..	106	-	-	-	-	-	2	-	-	-	1	4	9	10	11	16	15	19	14	4	1	-	-
	FEMALE	35	-	1	-	-	-	-	-	-	-	-	1	2	4	2	1	4	9	4	6	1	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
550-553	APPENDICITIS.....	17	-	1	1	1	1	1	-	1	-	-	2	-	-	2	1	1	3	1	-	1	-	-
	WHITE.....MALE..	10	-	-	-	1	1	1	-	1	-	-	1	-	-	2	-	1	2	-	-	-	-	-
	FEMALE	7	-	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	131	9	1	1	1	-	-	-	3	1	1	4	2	7	11	5	15	23	27	10	8	2	-
	WHITE.....MALE..	58	4	1	-	1	-	-	-	1	1	1	3	1	1	5	3	5	9	11	6	4	1	-
	FEMALE	65	3	-	1	-	-	-	-	1	-	-	1	1	6	5	2	9	13	14	4	4	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	90	10	7	-	-	1	1	-	-	1	5	1	4	7	6	8	6	12	12	4	3	2	-
	WHITE.....MALE..	51	6	3	-	-	1	-	-	-	1	5	1	3	5	5	4	3	6	3	3	1	1	-
	FEMALE	35	2	4	-	-	-	1	-	-	-	-	-	1	2	1	3	3	5	9	1	2	1	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	168	1	-	-	-	-	1	2	2	5	9	14	23	25	26	21	15	16	8	-	-	-	-
	WHITE.....MALE..	104	-	-	-	-	-	-	1	2	4	7	7	12	19	15	16	8	8	5	-	-	-	-
	FEMALE	54	1	-	-	-	-	1	-	-	-	2	6	9	5	8	4	7	8	3	-	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	51	-	-	-	-	1	-	-	1	-	-	1	-	2	3	5	4	15	8	8	3	-	-
	WHITE.....MALE..	19	-	-	-	-	1	-	-	1	-	-	1	-	-	-	3	2	4	3	3	1	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	11	5	5	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	24	1	1	-	1	1	-	-	1	-	1	1	-	3	-	1	5	4	1	1	1	1	-
	WHITE.....MALE..	16	-	1	-	1	1	-	-	-	-	1	-	-	2	-	1	4	3	1	1	-	-	-
	FEMALE	6	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	90	-	-	1	-	-	-	-	-	1	3	3	2	4	2	10	16	22	13	9	4	-	-
	WHITE.....MALE..	39	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	5	12	9	4	-	-	-
	FEMALE	43	-	-	1	-	-	-	-	-	1	2	2	2	2	1	4	9	9	3	3	4	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	66	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	11	13	13	16	6	1	-
	WHITE.....MALE..	65	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	11	13	12	16	6	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KANSAS--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	10	-	-	-	-	-	3	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	9	-	-	-	-	-	3	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	257	191	16	1	3	9	3	3	1	4	3	4	2	2	7	1	4	2	1	-	-	-	-
	WHITE.....MALE..	137	102	7	1	1	4	2	-	-	1	3	3	1	1	5	-	4	1	1	-	-	-	-
	FEMALE	102	73	8	-	2	5	1	3	1	2	-	1	1	1	2	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	6	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	670	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	205	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	187	10	2	1	1	2	-	-	1	5	7	1	3	9	7	9	19	22	25	38	14	11	-
	WHITE.....MALE..	88	2	1	1	-	-	-	-	1	1	4	-	3	6	4	4	11	12	12	20	4	2	-
	FEMALE	79	5	1	-	1	-	-	-	-	3	2	-	-	2	3	4	7	8	12	13	9	9	-
	NONWHITE.....MALE..	11	3	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	2	-	1	1	-	-
	FEMALE	9	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	1	4	-	-	-
RESIDUAL	ALL OTHER DISEASES.	752	36	19	7	7	8	6	11	8	14	24	27	36	57	61	82	81	92	74	68	23	11	-
	WHITE.....MALE..	359	17	4	2	3	6	3	5	2	7	10	16	21	33	26	44	41	39	33	30	11	6	-
	FEMALE	345	13	13	5	3	2	2	5	5	3	12	11	14	17	31	33	35	51	38	36	11	5	-
	NONWHITE.....MALE..	22	3	-	-	-	-	-	-	1	1	1	-	1	1	4	3	3	1	2	1	-	-	-
	FEMALE	26	3	2	-	1	-	1	1	-	3	1	-	-	6	-	2	2	1	1	1	1	-	-
E800-E962	ACCIDENTS.	1,327	48	49	42	45	128	105	55	67	67	59	61	75	63	53	62	67	64	87	76	35	19	-
	WHITE.....MALE..	861	20	31	28	32	91	78	43	47	55	46	51	55	47	36	36	45	37	40	28	8	7	-
	FEMALE	404	21	17	13	13	33	21	7	13	8	12	9	17	9	15	23	18	26	47	45	25	12	-
	NONWHITE.....MALE..	45	7	1	1	-	3	4	3	5	3	1	1	2	6	2	1	2	1	-	-	2	-	-
	FEMALE	17	-	-	-	-	1	2	2	2	1	-	-	1	1	-	2	2	-	-	3	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	586	9	22	24	14	102	81	27	37	26	29	30	29	28	21	25	30	25	18	9	-	-	-
	WHITE.....MALE..	406	4	17	16	7	71	60	18	28	19	21	24	19	22	13	17	19	15	12	4	-	-	-
	FEMALE	162	5	5	8	7	28	18	6	6	6	8	6	9	3	8	8	10	10	6	5	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	2	2	2	2	-	-	-	1	3	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	741	39	27	18	31	26	24	28	30	41	30	31	46	35	32	37	37	39	69	67	35	19	-
	WHITE.....MALE..	455	16	14	12	25	20	18	25	19	36	25	27	36	25	23	19	26	22	28	24	8	7	-
	FEMALE	242	16	12	5	6	5	3	1	7	2	4	3	8	6	7	15	8	16	41	40	25	12	-
	NONWHITE.....MALE..	33	7	1	1	-	1	2	1	3	3	1	1	1	3	2	1	2	1	-	-	2	-	-
	FEMALE	11	-	-	-	-	-	1	1	1	-	-	-	1	1	-	2	1	-	-	3	-	-	-
E963, E970-E979	SUICIDE.	251	...	...	-	-	8	13	13	18	21	15	19	27	36	27	15	17	13	8	1	-	-	-
	WHITE.....MALE..	187	...	...	-	-	8	10	10	12	11	12	15	19	28	20	11	12	10	8	1	-	-	-
	FEMALE	53	...	...	-	-	-	2	3	5	6	2	4	7	7	7	4	3	3	-	-	-	-	-
	NONWHITE.....MALE..	9	...	...	-	-	-	-	-	1	4	-	-	1	1	-	-	2	-	-	-	-	-	-
	FEMALE	2	...	...	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	56	-	5	-	-	6	3	5	7	6	7	5	2	1	5	-	1	3	-	-	-	-	-
	WHITE.....MALE..	28	-	4	-	-	3	2	1	6	1	3	2	-	1	3	-	1	1	-	-	-	-	-
	FEMALE	16	-	1	-	-	1	1	2	1	3	1	2	2	-	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	1	-	1	-	2	3	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY																							
	ALL CAUSES	30,463	1,876	304	158	175	284	279	262	324	509	755	1,056	1,500	1,922	2,481	3,236	3,699	3,975	3,714	2,616	1,047	287	4
	WHITE MALE	15,726	887	137	88	117	197	170	169	207	286	424	606	889	1,128	1,421	1,788	1,921	1,924	1,736	1,135	406	90	-
	WHITE FEMALE	11,585	714	130	56	48	61	70	67	81	146	223	301	411	543	711	1,064	1,386	1,764	1,752	1,321	569	164	3
	NONWHITE MALE	1,700	160	16	11	8	16	29	16	23	37	53	80	108	149	177	210	229	146	115	70	34	13	-
	NONWHITE FEMALE	1,452	115	21	3	2	10	10	10	13	40	55	69	92	102	172	174	163	141	111	90	38	20	1
001-019	TUBERCULOSIS, ALL FORMS	302	2	5	-	-	1	2	2	5	17	19	32	22	21	26	33	31	36	28	15	4	1	-
	WHITE MALE	171	1	2	-	-	-	1	1	3	7	7	18	14	14	16	21	18	18	17	9	4	-	-
	WHITE FEMALE	88	1	2	-	-	-	1	1	2	5	6	7	5	5	5	8	9	16	9	6	-	-	-
	NONWHITE MALE	28	-	1	-	-	-	-	-	-	5	3	3	2	1	4	2	3	2	2	-	-	-	-
	NONWHITE FEMALE	15	-	-	-	-	1	-	-	-	-	3	4	1	1	1	2	1	-	-	-	-	1	-
001-008	RESPIRATORY TUBERCULOSIS	277	-	1	-	-	-	1	2	5	16	17	29	21	20	24	31	30	35	27	13	4	1	-
	WHITE MALE	161	-	-	-	-	-	1	1	3	6	6	18	13	14	15	21	18	17	17	7	4	-	-
	WHITE FEMALE	78	-	1	-	-	-	-	1	2	5	5	5	5	5	4	7	8	16	8	6	-	-	-
	NONWHITE MALE	25	-	-	-	-	-	-	-	-	5	3	2	2	1	4	1	3	2	2	-	-	-	-
	NONWHITE FEMALE	13	-	-	-	-	-	-	-	-	-	3	4	1	-	1	2	1	-	-	-	-	1	-
010-019	TUBERCULOSIS, OTHER FORMS	25	2	4	-	-	1	1	-	-	1	2	3	1	1	2	2	1	1	1	2	-	-	-
	WHITE MALE	10	1	2	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	-	2	-	-	-
	WHITE FEMALE	10	1	1	-	-	-	1	-	-	-	1	2	-	-	1	1	1	-	1	-	-	-	-
	NONWHITE MALE	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE FEMALE	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	53	-	-	-	-	-	1	-	-	-	1	4	8	5	12	6	9	4	3	-	-	-	-
	WHITE MALE	30	-	-	-	-	-	1	-	-	-	1	1	4	3	9	2	5	1	3	-	-	-	-
	WHITE FEMALE	13	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	2	1	-	-	-	-	-
	NONWHITE MALE	8	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	-	-	-	-	-
	NONWHITE FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE MALE	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	WHITE FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	6	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-
	WHITE MALE	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-
	WHITE FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	15	4	8	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	WHITE MALE	10	3	4	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	WHITE FEMALE	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	6	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	116	14	8	3	2	3	2	1	1	3	1	8	8	8	11	13	7	12	4	5	2	-	-
	WHITE MALE	50	5	1	2	-	-	1	1	1	1	1	6	4	3	3	7	2	7	2	2	1	-	-
	WHITE FEMALE	53	6	6	1	2	1	1	-	-	2	-	2	3	3	7	6	4	4	1	3	1	-	-
	NONWHITE MALE	9	2	1	-	-	1	-	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-
	NONWHITE FEMALE	4	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,443	4	35	35	19	26	24	15	45	93	150	248	345	454	538	643	620	487	392	202	60	8	-
	WHITE.....MALE..	2,159	2	17	23	12	16	16	9	26	35	50	111	163	214	283	324	305	232	193	98	28	2	-
	FEMALE	1,853	1	16	10	7	9	7	4	17	48	82	112	140	189	194	257	248	222	168	92	26	4	-
	NONWHITE.....MALE..	233	1	1	1	-	1	1	1	1	5	7	13	17	28	32	39	45	14	17	6	3	-	-
	FEMALE	198	-	1	1	-	-	-	1	1	5	11	12	25	23	29	23	22	19	14	6	3	2	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	118	-	-	-	-	-	-	-	-	2	3	10	8	14	12	17	19	9	16	7	1	-	-
	WHITE.....MALE..	76	-	-	-	-	-	-	-	-	2	1	4	6	11	11	11	16	4	7	3	-	-	-
	FEMALE	31	-	-	-	-	-	-	-	-	-	-	3	1	2	-	5	2	5	8	4	1	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	1	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,376	2	-	-	-	1	3	1	8	12	33	53	80	116	159	187	229	206	167	92	25	2	-
	WHITE.....MALE..	672	1	-	-	-	-	1	1	5	4	12	28	46	61	92	98	102	86	80	44	10	1	-
	FEMALE	570	1	-	-	-	1	1	-	3	6	16	18	28	45	47	73	99	101	76	42	12	1	-
	NONWHITE.....MALE..	84	-	-	-	-	-	1	-	-	2	2	4	4	8	8	11	21	10	7	4	2	-	-
	FEMALE	50	-	-	-	-	-	-	-	-	-	3	3	2	2	12	5	7	9	4	2	1	-	-
160-164	OF RESP. SYSTEM, ETC.....	697	-	-	-	-	-	-	1	7	15	24	47	71	110	119	128	97	45	22	7	4	-	-
	WHITE.....MALE..	504	-	-	-	-	-	-	1	6	8	15	32	52	83	93	103	66	29	11	4	1	-	-
	FEMALE	119	-	-	-	-	-	-	-	-	4	6	12	10	13	13	14	21	13	8	3	2	-	-
	NONWHITE.....MALE..	62	-	-	-	-	-	-	-	1	1	2	2	8	12	12	11	10	1	2	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	1	1	1	2	1	-	-	2	1	-	1	-	-
170	OF BREAST.....	333	-	-	-	-	-	-	1	3	10	23	26	39	41	46	45	35	19	23	19	2	1	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
	FEMALE	295	-	-	-	-	-	-	1	2	10	20	25	27	38	42	43	30	18	19	18	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	34	-	-	-	-	-	-	-	1	-	3	1	12	3	3	2	2	1	4	1	-	1	-
171-179	OF GENITAL ORGANS.....	713	-	-	1	1	1	4	5	7	16	30	33	53	67	69	110	108	85	77	34	11	1	-
	WHITE.....MALE..	252	-	-	-	-	1	3	3	1	-	1	-	7	8	10	31	49	52	53	24	9	-	-
	FEMALE	375	-	-	1	1	-	1	2	6	14	25	31	41	48	49	58	42	29	18	7	1	1	-
	NONWHITE.....MALE..	35	-	-	-	-	-	-	-	-	-	1	-	1	1	5	11	7	1	5	2	1	-	-
	FEMALE	51	-	-	-	-	-	-	-	-	2	3	2	4	10	5	10	10	3	1	1	-	-	-
180, 181	OF URINARY ORGANS.....	170	-	2	2	-	1	1	1	1	3	2	8	12	12	18	34	27	18	15	8	3	2	-
	WHITE.....MALE..	98	-	1	1	-	1	-	1	1	1	1	4	6	6	13	20	16	11	7	7	-	1	-
	FEMALE	60	-	-	1	-	-	1	-	-	2	1	3	4	3	5	13	8	6	8	1	3	1	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	1	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	578	1	11	8	6	6	7	2	11	19	21	45	54	53	62	68	56	61	48	27	10	2	-
	WHITE.....MALE..	292	1	5	4	4	3	6	1	7	11	12	27	28	22	36	34	24	28	21	12	6	-	-
	FEMALE	243	-	6	3	2	3	1	-	4	8	8	14	20	25	17	29	30	30	25	13	4	1	-
	NONWHITE.....MALE..	15	-	-	1	-	-	-	-	-	-	-	2	2	3	3	2	1	1	-	-	-	-	-
	FEMALE	28	-	-	-	-	-	-	1	-	-	1	2	4	3	6	3	1	2	2	2	-	1	-
204	LEUKEMIA AND ALEUKEMIA...	235	1	19	17	6	10	4	1	4	8	5	11	14	19	26	20	27	22	11	7	3	-	-
	WHITE.....MALE..	140	-	10	13	3	7	2	-	3	4	1	6	10	10	15	11	18	13	8	4	2	-	-
	FEMALE	81	-	8	4	3	3	2	1	1	2	4	4	4	8	9	8	7	8	1	3	1	-	-
	NONWHITE.....MALE..	9	1	1	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	2	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	223	-	3	7	6	7	5	3	4	8	9	15	14	22	27	34	22	22	13	1	1	-	-
	WHITE.....MALE..	122	-	1	5	5	4	4	2	3	5	7	10	8	13	13	16	11	9	6	-	-	-	-
	FEMALE	79	-	2	1	1	2	1	-	1	2	2	2	5	7	12	14	9	12	5	1	-	-	-
	NONWHITE.....MALE..	14	-	-	-	-	1	-	1	-	1	-	3	-	1	1	3	2	-	1	-	-	-	-
	FEMALE	8	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	1	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	74	1	2	1	3	3	3	4	-	5	5	7	6	5	9	4	4	2	7	2	1	-	-
	WHITE.....MALE..	40	-	1	1	1	2	2	3	-	3	3	3	1	2	7	4	1	2	2	1	1	-	-
	FEMALE	30	1	1	-	1	1	1	1	-	1	2	4	4	2	2	-	3	-	5	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	113	-	-	-	-	1	1	1	2	3	8	4	14	15	11	16	14	11	7	4	1	-	-
	WHITE.....MALE..	68	-	-	-	-	-	-	1	1	2	3	2	8	9	10	12	8	4	5	2	1	-	-
	FEMALE	33	-	-	-	-	-	1	-	-	1	4	1	5	4	-	4	3	7	1	2	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	3	-	1	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	500	1	-	1	1	-	6	3	4	9	10	17	23	52	56	70	98	73	46	22	7	1	-
	WHITE.....MALE..	184	-	-	-	1	-	2	2	1	6	4	7	7	19	15	24	29	31	20	10	5	1	-
	FEMALE	252	1	-	1	-	-	4	1	3	3	2	5	13	22	30	39	58	38	24	6	2	-	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	1	1	1	6	-	-	3	2	1	3	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	3	4	2	5	11	7	8	2	1	3	-	-	-
290-293	ANEMIAS.....	63	2	5	1	1	1	4	-	-	2	1	-	3	4	3	3	6	13	8	6	-	-	-
	WHITE.....MALE..	31	1	1	1	1	1	2	-	-	1	1	-	1	2	1	1	6	6	3	2	-	-	-
	FEMALE	25	1	4	-	-	-	-	-	-	1	-	-	1	1	2	2	-	5	5	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	32	15	4	2	-	-	1	-	-	1	2	1	2	1	-	-	2	1	-	-	-	-	-
	WHITE--MALE	20	10	-	2	-	-	1	-	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-
	FEMALE	8	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	NONWHITE--MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	16,923	11	10	11	20	22	18	40	72	143	271	421	718	964	1,372	1,966	2,389	2,770	2,717	1,968	791	227	2
	WHITE--MALE	8,626	4	4	4	16	13	7	18	43	88	169	265	455	610	807	1,100	1,261	1,324	1,237	837	296	68	-
	FEMALE	6,639	6	3	6	4	7	10	16	22	31	60	84	155	229	363	604	882	1,254	1,316	1,017	436	133	1
	NONWHITE--MALE	837	1	-	1	-	2	1	2	4	4	20	37	56	73	97	132	137	98	82	50	28	12	-
	FEMALE	821	-	3	-	-	-	-	4	3	20	22	35	52	52	105	130	109	94	82	64	31	14	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	16,678	11	10	10	17	20	15	35	62	135	262	410	695	950	1,351	1,938	2,369	2,742	2,687	1,948	784	225	2
	WHITE--MALE	8,506	4	4	4	14	12	5	14	36	82	167	260	445	603	798	1,091	1,254	1,311	1,219	826	290	67	-
	FEMALE	6,558	6	3	5	3	7	10	15	20	31	58	79	146	227	356	591	875	1,241	1,305	1,011	436	132	1
	NONWHITE--MALE	809	1	-	1	-	1	-	2	3	4	17	36	55	69	92	130	133	97	81	48	27	12	-
	FEMALE	805	-	3	-	-	-	-	4	3	18	20	35	49	51	105	126	107	93	82	63	31	14	1
330-334	VASCULAR LESIONS, ETC	4,021	3	6	6	5	6	5	6	13	33	50	61	104	160	259	411	574	747	729	552	221	68	2
	WHITE--MALE	1,753	1	3	3	5	4	2	1	5	16	16	17	48	69	121	199	273	340	307	231	68	24	-
	FEMALE	1,851	2	1	3	-	1	3	2	5	10	23	24	35	53	94	142	236	362	380	295	136	43	1
	NONWHITE--MALE	187	-	-	-	-	1	-	1	2	1	5	9	9	17	23	34	34	22	15	9	4	1	-
	FEMALE	230	-	2	-	-	-	-	2	1	6	6	11	12	21	21	36	31	23	27	17	13	-	1
400-402, 410-443	DISEASES OF HEART	11,366	7	3	4	11	13	9	21	44	93	206	330	557	747	1,028	1,411	1,645	1,802	1,705	1,165	448	117	-
	WHITE--MALE	6,184	3	1	1	8	8	3	11	29	63	148	235	378	505	645	830	913	891	792	500	185	35	-
	FEMALE	4,120	3	2	2	3	5	6	7	13	17	32	50	106	166	242	409	583	784	808	594	226	62	-
	NONWHITE--MALE	552	1	-	1	-	-	-	1	-	2	12	23	41	48	65	87	87	68	57	32	21	6	-
	FEMALE	510	-	-	-	-	-	-	2	2	11	14	22	32	28	76	85	62	59	48	39	16	14	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	218	-	-	2	4	6	6	5	9	16	22	18	33	22	23	21	11	7	9	3	1	-	-
	WHITE--MALE	97	-	-	1	3	3	2	1	4	6	11	10	13	12	11	10	4	2	4	-	-	-	-
	FEMALE	106	-	-	1	1	3	4	4	5	8	9	6	19	9	8	8	7	5	5	3	1	-	-
	NONWHITE--MALE	9	-	-	-	-	-	-	-	-	-	1	2	1	1	2	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	2	1	-	-	-	2	1	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	8,306	1	-	-	1	2	-	9	26	64	160	270	437	580	802	1,109	1,238	1,305	1,160	780	286	76	-
	WHITE--MALE	4,853	-	-	-	1	1	-	5	20	51	124	212	322	415	543	691	729	674	566	354	119	26	-
	FEMALE	2,852	1	-	-	-	1	-	2	5	7	19	34	70	117	172	316	430	555	549	387	146	41	-
	NONWHITE--MALE	351	-	-	-	-	-	-	1	-	-	8	13	24	33	48	58	51	49	34	18	13	1	-
	FEMALE	250	-	-	-	-	-	-	1	1	6	9	11	21	15	39	44	28	27	11	21	8	8	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	893	-	1	1	1	3	1	1	2	2	4	6	6	23	44	66	109	167	202	166	73	15	-
	WHITE--MALE	413	-	1	-	1	2	-	1	1	2	2	2	5	14	21	29	56	82	97	65	27	5	-
	FEMALE	399	-	-	1	-	1	1	-	1	-	1	2	1	5	15	26	41	74	90	92	41	7	-
	NONWHITE--MALE	46	-	-	-	-	-	-	-	-	-	1	1	-	2	2	4	10	7	8	7	2	2	-
	FEMALE	35	-	-	-	-	-	-	-	-	-	-	1	-	2	6	7	2	4	7	2	3	1	-
430-434	OTHER DISEASES OF HEART	721	6	2	1	5	2	2	3	7	6	11	18	34	57	54	86	98	107	118	64	30	10	-
	WHITE--MALE	384	3	-	-	3	2	1	3	4	4	9	9	17	36	33	51	51	57	56	24	18	3	-
	FEMALE	236	2	2	-	2	-	1	-	2	1	1	5	11	14	13	19	32	37	46	33	11	4	-
	NONWHITE--MALE	50	1	-	1	-	-	-	-	-	1	1	1	5	5	3	8	8	5	5	4	1	1	-
	FEMALE	51	-	-	-	-	-	-	-	1	-	-	3	1	2	5	8	7	8	11	3	-	2	-
440-443	HYPERTENSIVE HEART DIS.	1,228	-	-	-	-	-	-	3	-	5	9	18	47	65	105	129	189	216	216	152	58	16	-
	WHITE--MALE	437	-	-	-	-	-	-	1	-	-	2	2	21	28	37	49	73	76	69	57	21	1	-
	FEMALE	527	-	-	-	-	-	-	1	-	1	2	3	5	21	34	40	73	113	118	79	27	10	-
	NONWHITE--MALE	96	-	-	-	-	-	-	-	-	1	1	6	11	7	10	15	18	7	10	3	5	2	-
	FEMALE	168	-	-	-	-	-	-	1	-	3	4	7	10	9	24	25	25	20	19	13	5	3	-
444-447	OTHER HYPERTENSIVE DIS.	194	-	-	-	-	-	-	2	2	2	1	7	10	4	8	26	25	27	35	31	11	3	-
	WHITE--MALE	90	-	-	-	-	-	-	1	1	2	-	4	5	2	6	12	12	13	13	15	3	1	-
	FEMALE	73	-	-	-	-	-	-	1	1	-	1	1	-	-	1	10	6	11	19	13	7	2	-
	NONWHITE--MALE	15	-	-	-	-	-	-	-	-	-	-	2	2	2	-	2	2	2	1	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	5	1	2	1	1	-	-
450	GENERAL ARTERIOSCLEROSIS	783	-	-	-	-	-	-	-	-	-	1	1	5	14	20	48	70	124	189	179	96	36	-
	WHITE--MALE	320	-	-	-	-	-	-	-	-	-	1	-	3	10	8	22	28	46	94	71	30	7	-
	FEMALE	392	-	-	-	-	-	-	-	-	-	-	-	-	3	5	19	33	65	83	97	63	24	-
	NONWHITE--MALE	40	-	-	-	-	-	-	-	-	-	-	1	2	-	3	5	4	5	8	5	2	5	-
	FEMALE	31	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	5	8	4	6	1	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	314	1	1	-	1	1	1	6	3	7	4	11	19	25	36	42	55	42	29	21	8	1	-
	WHITE--MALE	159	-	-	-	1	-	-	1	1	1	2	4	11	17	18	28	28	21	13	9	4	-	-
	FEMALE	122	1	-	-	-	1	1	5	1	4	2	4	5	5	14	11	17	19	15	12	4	1	-
	NONWHITE--MALE	15	-	-	-	-	-	-	-	1	1	-	1	1	2	1	2	6	-	-	-	-	-	-
	FEMALE	18	-	1	-	-	-	-	-	-	1	-	2	2	1	3	1	4	2	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	245	-	-	1	3	2	3	5	10	8	9	11	23	14	21	28	20	28	30	20	7	2	-
	WHITE.....MALE..	120	-	-	-	2	1	2	4	7	6	2	5	10	7	9	9	7	13	18	11	6	1	-
	FEMALE	81	-	-	1	1	-	-	1	2	-	2	5	9	2	7	13	7	13	11	6	-	1	-
	NONWHITE.....MALE..	28	-	-	-	-	1	1	-	1	-	3	1	1	4	5	2	4	1	1	2	1	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	2	2	-	3	1	-	4	2	1	-	1	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,023	179	44	14	6	11	10	5	5	10	18	19	28	33	44	72	88	116	137	118	50	16	-
	WHITE.....MALE..	460	75	16	5	3	8	3	4	1	4	8	9	13	17	25	31	41	53	67	49	21	7	-
	FEMALE	408	66	16	7	3	2	4	1	3	3	4	7	6	11	8	28	33	49	63	60	26	8	-
	NONWHITE.....MALE..	97	23	6	2	-	-	3	-	-	2	4	3	6	2	7	9	11	8	3	7	1	-	-
	FEMALE	58	15	6	-	-	1	-	-	1	1	2	-	3	3	4	4	3	6	4	2	2	1	-
480-483	INFLUENZA.....	81	11	1	1	1	2	1	2	1	-	2	-	1	1	2	5	5	6	16	15	7	1	-
	WHITE.....MALE..	27	5	-	-	-	1	-	2	-	-	1	-	-	-	-	1	1	1	9	4	2	-	-
	FEMALE	48	6	1	1	1	1	1	-	-	-	1	-	-	1	2	3	4	4	6	10	5	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-
490-493	PNEUMONIA, ETC.....	942	168	43	13	5	9	9	3	4	10	16	19	27	32	42	67	83	110	121	103	43	15	-
	WHITE.....MALE..	433	70	16	5	3	7	3	2	1	4	7	9	13	17	25	30	40	52	58	45	19	7	-
	FEMALE	360	60	15	6	2	1	3	1	3	3	3	7	6	10	6	25	29	45	57	50	21	7	-
	NONWHITE.....MALE..	94	23	6	2	-	-	3	-	-	2	4	3	6	2	7	8	11	7	3	6	1	-	-
	FEMALE	55	15	6	-	-	1	-	-	-	1	2	-	2	3	4	4	3	6	3	2	2	1	-
500-502	BRONCHITIS.....	74	5	3	-	-	-	-	-	-	1	2	1	2	8	7	10	9	9	7	7	2	1	-
	WHITE.....MALE..	43	3	1	-	-	-	-	-	-	-	1	1	-	8	6	8	4	4	4	2	-	1	-
	FEMALE	27	1	2	-	-	-	-	-	-	1	1	-	1	-	1	2	4	4	3	5	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	307	10	1	-	-	2	3	-	3	3	5	9	23	36	39	60	41	39	22	8	3	-	-
	WHITE.....MALE..	221	7	1	-	-	-	-	-	2	2	2	6	19	28	33	45	27	30	14	4	1	-	-
	FEMALE	64	3	-	-	-	2	1	-	1	-	1	2	3	4	5	10	12	9	8	2	1	-	-
	NONWHITE.....MALE..	16	-	-	-	-	-	1	-	-	1	1	1	-	3	1	4	1	-	-	2	1	-	-
	FEMALE	6	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	1	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	177	-	1	-	-	-	-	1	-	5	5	9	18	18	26	26	23	19	9	12	5	-	-
	WHITE.....MALE..	121	-	1	-	-	-	-	1	-	4	4	5	12	11	20	23	13	14	7	6	-	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	1	2	4	5	3	3	8	5	2	6	5	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	30	-	1	2	-	2	-	-	1	-	1	4	3	3	2	1	2	2	2	4	-	-	-
	WHITE.....MALE..	18	-	1	1	-	2	-	-	1	-	-	4	2	2	1	-	2	1	-	1	-	-	-
	FEMALE	11	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	155	8	-	-	-	-	-	-	2	-	4	6	9	10	10	16	27	31	14	12	4	2	-
	WHITE.....MALE..	63	3	-	-	-	-	-	-	1	-	3	2	5	2	4	6	14	10	5	5	3	-	-
	FEMALE	77	4	-	-	-	-	-	-	1	-	-	4	3	7	5	10	11	16	8	6	1	1	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	-	1	-	1	-
	FEMALE	7	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	134	49	11	1	-	1	-	-	2	-	3	3	2	5	9	9	5	9	12	6	7	-	-
	WHITE.....MALE..	53	16	4	1	-	-	-	-	2	-	1	-	2	2	4	5	2	5	5	2	2	-	-
	FEMALE	58	19	5	-	-	1	-	-	-	-	2	2	-	2	1	4	2	4	7	4	5	-	-
	NONWHITE.....MALE..	13	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	FEMALE	10	6	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	302	1	1	-	2	1	-	-	7	12	34	37	44	39	26	36	30	18	7	4	3	-	-
	WHITE.....MALE..	194	-	1	-	1	-	-	-	5	10	17	23	30	23	19	26	23	10	3	1	2	-	-
	FEMALE	81	-	-	-	1	-	-	-	1	1	12	11	11	14	5	6	7	5	4	2	1	-	-
	NONWHITE.....MALE..	18	1	-	-	-	-	-	-	1	1	2	2	3	2	2	3	-	1	-	-	-	-	-
	FEMALE	9	-	-	-	-	1	-	-	-	-	3	1	-	-	-	1	-	2	-	1	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	83	-	-	-	-	-	-	2	-	1	-	2	6	6	4	6	11	16	10	13	5	1	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	3	9	1	5	-	-	-
	FEMALE	49	-	-	-	-	-	-	2	-	-	-	-	3	2	3	3	6	7	9	8	5	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	51	-	2	-	1	2	-	2	1	4	4	-	2	4	5	3	6	5	8	2	-	-	-
	WHITE.....MALE..	24	-	2	-	1	1	-	1	1	1	1	-	1	2	2	1	3	3	3	1	-	-	-
	FEMALE	16	-	-	-	-	-	-	1	-	2	2	-	-	1	1	1	2	1	4	1	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	1	1	-	-	-	-
600	INFECTIONS OF KIDNEY.....	154	-	1	-	-	-	1	1	-	2	5	10	5	4	16	15	21	27	22	19	4	1	-
	WHITE.....MALE..	68	-	-	-	-	-	-	1	-	1	1	3	2	4	8	3	6	14	12	10	2	1	-
	FEMALE	54	-	1	-	-	-	1	-	-	-	2	5	3	-	4	7	5	7	8	9	2	-	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	6	5	1	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	1	1	2	-	-	2	2	4	1	1	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	90	-	-	-	-	-	-	-	-	-	-	1	1	-	5	7	11	17	30	11	5	2	-
	WHITE.....MALE..	82	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	10	16	28	11	5	2	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	KENTUCKY--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	28	-	-	-	-	3	1	7	7	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	22	-	-	-	-	3	1	6	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	6	-	-	-	-	-	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	5	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	4	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	23	-	-	-	-	3	-	6	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	18	-	-	-	-	3	-	6	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	5	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	382	283	26	11	13	4	4	8	4	3	2	8	6	1	3	4	-	1	1	-	-	-	-
	WHITE.....MALE..	185	135	11	6	6	1	1	5	3	2	1	4	3	1	1	3	-	1	1	-	-	-	-
	FEMALE	171	131	11	3	6	2	3	3	1	1	1	3	3	-	2	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	14	9	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	8	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	1,129	1,129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	559	559	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	428	428	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	614	614	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	304	304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	317	22	7	1	1	1	3	2	4	3	6	11	4	17	19	20	29	32	46	37	42	8	2
	WHITE.....MALE..	148	9	2	-	-	1	1	-	2	1	4	6	3	12	11	15	15	8	24	15	17	2	-
	FEMALE	136	7	4	1	1	-	2	1	1	2	1	4	1	2	4	5	11	18	19	21	23	6	2
	NONWHITE.....MALE..	15	4	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	4	1	-	1	-	-
	FEMALE	18	2	1	-	-	-	-	1	1	-	-	-	-	2	3	-	2	2	2	1	1	-	-
RESIDUAL	ALL OTHER DISEASES.	915	53	32	15	14	11	20	13	16	20	42	47	49	63	89	97	96	101	66	50	16	5	-
	WHITE.....MALE..	456	24	17	5	4	8	11	7	10	9	29	26	29	31	36	49	54	48	30	23	5	1	-
	FEMALE	367	24	11	10	7	2	7	5	5	8	12	13	17	21	33	40	37	44	33	24	10	4	-
	NONWHITE.....MALE..	55	5	1	-	2	1	2	-	1	1	-	5	3	8	13	6	1	5	1	-	-	-	-
	FEMALE	37	-	3	-	1	-	-	1	-	2	1	3	-	3	7	2	4	4	2	3	1	-	-
E800-E962	ACCIDENTS.	1,889	72	87	59	85	167	142	110	97	107	93	88	89	98	94	69	96	105	97	86	34	14	-
	WHITE.....MALE..	1,216	26	46	37	67	134	106	86	79	77	71	57	65	66	59	42	61	56	39	36	11	5	-
	FEMALE	496	35	35	15	13	25	18	15	12	16	15	22	16	13	25	20	35	44	52	40	23	7	-
	NONWHITE.....MALE..	112	7	2	5	5	7	13	9	5	9	5	6	5	13	7	6	3	1	3	1	-	-	-
	FEMALE	65	4	4	2	-	1	5	-	1	5	2	3	3	6	3	1	7	4	3	9	-	2	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	784	5	26	30	28	116	105	72	53	50	42	30	42	39	45	28	25	26	16	5	1	-	-
	WHITE.....MALE..	557	3	14	17	23	92	79	57	40	37	30	13	28	25	27	16	19	19	13	4	1	-	-
	FEMALE	172	1	12	11	5	18	13	9	10	8	10	15	9	9	17	9	5	7	3	1	-	-	-
	NONWHITE.....MALE..	44	1	-	1	-	6	11	6	2	3	1	2	3	3	1	3	1	-	-	-	-	-	-
	FEMALE	11	-	-	1	-	-	2	-	1	2	1	-	2	2	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,105	67	61	29	57	51	37	38	44	57	51	58	47	59	49	41	71	79	81	81	33	14	-
	WHITE.....MALE..	659	23	32	20	44	42	27	29	39	40	41	44	37	41	32	26	32	37	26	32	10	5	-
	FEMALE	324	34	23	4	8	7	5	6	2	8	5	7	7	4	8	11	30	37	49	39	23	7	-
	NONWHITE.....MALE..	68	6	2	4	5	1	2	3	3	6	4	4	2	10	6	3	?	1	3	1	-	-	-
	FEMALE	54	4	4	1	-	1	3	-	-	3	1	3	1	4	3	1		4	3	9	-	2	-
E963, E970-E979	SUICIDE.	349	...	...	-	2	7	13	18	23	23	36	38	44	37	31	27	20	15	11	3	1	-	-
	WHITE.....MALE..	279	...	...	-	1	2	11	12	17	16	29	30	34	31	27	26	15	13	11	3	1	-	-
	FEMALE	59	...	...	-	1	3	2	6	5	7	6	7	8	4	4	1	3	2	-	-	-	-	-
	NONWHITE.....MALE..	8	...	...	-	-	-	-	-	-	-	1	1	2	2	-	-	2	-	-	-	-	-	-
	FEMALE	3	...	...	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	219	2	4	1	5	14	20	27	23	29	27	21	15	11	11	4	3	1	1	-	-	-	-
	WHITE.....MALE..	109	1	2	-	3	7	4	17	8	15	11	14	8	8	6	3	1	1	-	-	-	-	-
	FEMALE	40	1	2	1	2	3	6	4	3	5	7	2	3	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	56	-	-	-	-	3	8	4	10	8	5	3	4	3	5	1	2	-	-	-	-	-	-
	FEMALE	14	-	-	-	-	1	2	2	2	1	4	2	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA																							
	ALL CAUSES	30,415	2,755	488	208	181	274	339	300	410	630	849	1,168	1,810	2,241	2,789	3,451	3,649	3,284	2,753	1,787	764	264	21
	WHITE.....MALE	11,034	697	114	58	65	122	143	113	172	238	335	498	762	984	1,148	1,300	1,319	1,180	938	558	221	52	17
	FEMALE	7,846	470	104	50	29	43	51	41	60	113	178	232	336	399	529	763	984	1,107	1,119	812	344	80	2
	NONWHITE.....MALE	6,188	868	145	42	59	76	94	105	95	130	180	234	377	470	588	764	728	522	363	195	93	59	1
	FEMALE	5,347	720	125	58	28	33	51	41	83	149	156	204	335	388	524	624	618	475	333	222	106	73	1
001-019	TUBERCULOSIS, ALL FORMS	243	-	3	-	-	1	4	4	6	11	20	19	31	24	33	27	24	21	10	4	1	-	-
	WHITE.....MALE	98	-	-	-	-	-	-	-	1	2	5	8	14	12	14	20	11	7	2	2	-	-	-
	FEMALE	33	-	-	-	-	-	1	-	1	-	5	1	10	1	4	1	2	4	1	1	1	-	-
	NONWHITE.....MALE	64	-	-	-	-	-	1	3	2	6	4	4	2	8	11	4	8	8	3	-	-	-	-
	FEMALE	48	-	3	-	-	1	2	1	2	3	6	6	5	3	4	2	3	2	4	1	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	226	-	-	-	-	1	3	3	4	10	18	18	29	23	33	26	24	20	9	4	1	-	-
	WHITE.....MALE	96	-	-	-	-	-	-	-	-	2	5	8	14	11	14	20	11	7	2	2	-	-	-
	FEMALE	33	-	-	-	-	-	1	-	1	-	5	1	10	1	4	1	2	4	1	1	1	-	-
	NONWHITE.....MALE	60	-	-	-	-	-	-	3	1	6	4	4	1	8	11	4	8	7	3	-	-	-	-
	FEMALE	37	-	-	-	-	1	2	-	2	2	4	5	4	3	4	1	3	2	3	1	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	17	-	3	-	-	-	1	1	2	1	2	1	2	1	-	1	-	1	1	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	4	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	11	-	3	-	-	-	-	1	-	1	2	1	1	-	-	1	-	-	1	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	105	4	-	-	-	-	-	1	-	1	2	2	14	18	15	16	15	8	7	2	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	2	3	1	5	2	3	2	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	3	1	1	1	-	-	-
	NONWHITE.....MALE	52	1	-	-	-	-	-	-	-	1	2	-	8	8	10	9	8	3	2	-	-	-	-
	FEMALE	26	3	-	-	-	-	-	-	-	-	-	2	4	5	4	2	2	1	2	1	-	-	-
045-048	DYSENTERY, ALL FORMS	10	4	-	1	-	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	NONWHITE.....MALE	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	21	6	8	2	-	1	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
	WHITE.....MALE	7	1	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	NONWHITE.....MALE	6	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	16	1	11	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	7	1	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	191	30	27	6	6	2	7	8	4	5	6	10	8	14	7	10	16	12	9	1	2	1	-
	WHITE.....MALE	53	5	5	1	-	1	1	3	3	1	1	5	4	7	1	2	5	4	2	-	2	-	-
	FEMALE	46	5	4	1	4	-	1	4	-	2	1	1	-	3	3	3	5	3	4	1	-	1	-
	NONWHITE.....MALE	58	18	9	1	2	1	4	1	-	-	1	3	3	3	1	3	2	3	3	-	-	-	-
	FEMALE	34	2	9	3	-	-	1	-	1	2	3	1	1	1	2	2	4	2	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,493	3	49	26	19	20	28	27	51	106	172	250	378	515	605	699	627	438	295	135	43	7	-
	WHITE.....MALE..	1,757	-	17	8	2	7	15	10	18	39	57	86	129	226	262	263	251	180	119	52	16	-	-
	FEMALE	1,296	2	16	5	6	7	5	9	15	28	57	83	123	124	146	193	170	135	98	57	16	1	-
	NONWHITE.....MALE..	774	1	6	6	5	4	5	5	6	15	16	35	53	89	109	139	130	67	54	17	7	5	-
	FEMALE	666	-	10	7	6	2	3	3	12	24	42	46	73	76	88	104	76	56	24	9	4	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	106	-	-	-	-	-	1	-	-	4	4	5	7	14	10	18	18	11	9	1	3	1	-
	WHITE.....MALE..	49	-	-	-	-	-	-	-	-	2	1	2	5	5	6	9	11	5	2	-	1	-	-
	FEMALE	27	-	-	-	-	-	-	-	-	1	3	1	1	2	1	3	3	5	5	-	2	-	-
	NONWHITE.....MALE..	20	-	-	-	-	-	1	-	-	1	-	2	1	6	2	1	2	1	2	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	-	-	-	-	1	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,348	-	1	1	1	3	2	3	9	19	35	66	109	152	171	225	215	165	106	48	15	2	-
	WHITE.....MALE..	482	-	1	1	-	-	1	2	4	7	11	29	27	64	65	72	74	57	43	20	4	-	-
	FEMALE	384	-	-	-	-	2	-	-	3	2	11	17	34	37	44	60	62	52	36	18	6	-	-
	NONWHITE.....MALE..	285	-	-	-	1	-	1	-	1	7	7	13	29	30	36	52	45	32	17	9	3	2	-
	FEMALE	197	-	-	-	-	1	-	1	1	3	6	7	19	21	26	41	34	24	10	1	2	-	-
160-164	OF RESP. SYSTEM, ETC.....	800	-	-	-	1	-	-	2	3	11	34	47	80	122	155	149	109	53	21	10	2	1	-
	WHITE.....MALE..	542	-	-	-	-	-	-	1	1	5	26	26	57	89	108	101	73	37	13	3	2	-	-
	FEMALE	76	-	-	-	-	-	-	-	1	2	4	5	7	7	11	11	9	9	4	6	-	-	-
	NONWHITE.....MALE..	150	-	-	-	-	-	-	1	1	1	4	11	11	22	30	32	25	6	4	1	-	1	-
	FEMALE	32	-	-	-	1	-	-	-	-	3	-	5	5	4	6	5	2	1	-	-	-	-	-
170	OF BREAST.....	331	-	-	-	-	-	-	-	6	17	26	36	41	38	30	43	40	27	15	11	1	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	244	-	-	-	-	-	-	-	2	7	18	24	33	29	22	34	32	23	10	9	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	87	-	-	-	-	-	-	-	4	10	8	12	8	9	8	9	8	4	5	2	-	-	-
171-179	OF GENITAL ORGANS.....	660	-	1	-	2	-	3	2	6	16	22	32	50	59	78	105	106	72	65	32	7	2	-
	WHITE.....MALE..	164	-	-	-	-	-	2	-	-	1	1	2	1	4	18	19	32	37	27	16	4	-	-
	FEMALE	201	-	1	-	2	-	1	-	2	9	4	17	24	23	26	32	27	11	12	8	2	-	-
	NONWHITE.....MALE..	134	-	-	-	-	-	-	-	-	-	-	1	2	9	16	32	34	12	22	4	-	2	-
	FEMALE	161	-	-	-	-	-	-	2	4	6	17	12	23	23	18	22	13	12	4	4	1	-	-
180, 181	OF URINARY ORGANS.....	184	-	5	4	1	-	-	1	2	3	2	5	5	14	27	28	33	26	18	4	6	-	-
	WHITE.....MALE..	80	-	-	2	-	-	-	-	1	2	-	2	3	9	10	8	18	14	8	-	3	-	-
	FEMALE	50	-	1	-	-	-	-	1	-	-	1	-	-	-	9	12	6	7	7	4	2	-	-
	NONWHITE.....MALE..	28	-	1	1	-	-	-	-	-	1	-	1	2	3	5	2	7	3	1	-	1	-	-
	FEMALE	26	-	3	1	1	-	-	-	1	-	1	2	-	2	3	6	2	2	2	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	645	-	14	6	4	11	12	9	13	16	33	40	62	68	84	78	68	53	44	23	6	1	-
	WHITE.....MALE..	263	-	6	1	-	3	7	2	7	7	10	15	27	35	33	31	32	16	19	10	2	-	-
	FEMALE	193	-	5	1	2	3	3	4	5	5	13	15	17	13	17	26	19	20	14	9	1	1	-
	NONWHITE.....MALE..	90	-	1	-	1	4	1	3	1	3	2	4	7	10	16	9	7	9	8	2	2	-	-
	FEMALE	99	-	2	4	1	1	1	-	1	8	6	11	10	18	12	10	8	3	2	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	214	2	26	14	6	4	7	3	8	8	5	6	9	20	16	23	23	20	10	2	2	-	-
	WHITE.....MALE..	90	-	9	4	1	4	3	1	2	7	1	1	4	8	8	14	7	11	4	1	-	-	-
	FEMALE	68	2	8	4	2	-	1	2	2	1	2	2	1	7	5	6	10	4	6	1	2	-	-
	NONWHITE.....MALE..	27	-	4	4	1	-	2	-	2	-	-	2	1	1	1	2	4	3	-	-	-	-	-
	FEMALE	29	-	5	2	2	-	1	-	2	-	2	1	3	4	2	1	2	2	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	205	1	2	1	4	2	3	7	4	12	11	13	15	28	34	30	15	11	7	4	1	-	-
	WHITE.....MALE..	87	-	1	-	1	-	2	4	3	8	7	9	5	12	14	9	4	3	3	2	-	-	-
	FEMALE	53	-	1	-	-	2	-	2	-	1	1	2	6	6	11	9	2	4	4	2	-	-	-
	NONWHITE.....MALE..	40	1	-	1	2	-	-	1	1	2	3	1	-	8	3	9	6	1	-	-	1	-	-
	FEMALE	25	-	-	-	1	-	1	-	-	1	-	1	4	2	6	3	3	3	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	90	5	3	5	-	4	1	1	-	8	7	12	10	6	8	5	5	3	4	2	1	-	-
	WHITE.....MALE..	29	-	1	2	-	1	-	1	-	1	3	6	4	2	2	1	2	1	-	2	-	-	-
	FEMALE	29	4	2	2	-	1	-	-	-	3	3	2	2	1	2	-	1	2	3	-	1	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	1	-	1	1	2	2	3	-	-	-	-	-	-	-
	FEMALE	22	1	-	1	-	2	1	-	-	3	1	3	3	1	2	1	2	-	1	-	-	-	-
241	ASTHMA.....	95	3	3	-	3	1	2	2	2	3	5	6	10	6	14	11	11	6	7	-	-	-	-
	WHITE.....MALE..	35	-	1	-	1	-	-	1	-	-	2	2	2	2	5	5	5	5	4	-	-	-	-
	FEMALE	25	2	1	-	-	-	-	-	-	2	1	1	2	-	5	4	4	1	2	-	-	-	-
	NONWHITE.....MALE..	18	1	1	-	1	1	-	-	2	-	-	2	2	1	3	1	2	-	1	-	-	-	-
	FEMALE	17	-	-	-	1	-	2	1	-	1	2	1	4	3	1	1	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	670	-	-	-	2	1	2	1	8	10	18	16	50	51	99	105	105	92	71	26	13	-	-
	WHITE.....MALE..	138	-	-	-	-	-	-	-	3	4	6	4	7	9	16	22	23	20	12	8	4	-	-
	FEMALE	229	-	-	-	-	1	-	-	2	2	4	4	6	11	20	39	40	46	34	11	9	-	-
	NONWHITE.....MALE..	89	-	-	-	-	-	1	1	1	-	4	2	10	8	20	15	10	9	6	2	-	-	-
	FEMALE	214	-	-	-	2	-	1	-	2	4	4	6	27	23	43	29	32	17	19	5	-	-	-
290-293	ANEMIAS.....	86	8	11	4	3	2	6	-	2	3	2	2	5	5	5	8	7	5	4	3	1	-	-
	WHITE.....MALE..	17	1	1	-	1	-	-	-	1	-	1	1	1	1	2	-	1	2	1	2	2	-	-
	FEMALE	25	-	3	2	1	-	1	-	-	-	-	1	1	1	3	3	3	3	1	1	1	-	-
	NONWHITE.....MALE..	18	4	1	1	1	1	2	-	-	2	1	-	1	2	1	1	-	-	-	-	-	-	-
	FEMALE	26	3	6	1	-	1	3	-	1	1	-	-	2	-	1	3	2	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	86	31	21	6	2	1	-	1	2	3	2	4	3	2	3	2	2	-	-	1	-	-	-
	WHITE.....MALE..	28	11	5	3	-	-	-	-	2	2	-	1	-	-	1	1	1	-	-	1	-	-	-
	FEMALE	11	3	2	1	1	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	24	11	8	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	23	6	6	-	-	1	-	-	-	1	1	1	3	1	2	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	15,669	15	12	15	10	20	30	33	88	186	329	520	923	1,203	1,569	2,069	2,328	2,223	1,960	1,379	561	192	4
	WHITE.....MALE..	5,681	2	2	1	2	3	8	8	23	64	143	239	440	532	644	764	800	766	635	415	151	37	2
	FEMALE	4,288	-	2	4	1	5	5	7	15	19	51	60	109	185	268	422	632	749	827	624	247	55	1
	NONWHITE.....MALE..	2,913	6	5	2	5	7	8	9	24	45	75	117	201	255	335	470	460	370	248	156	73	41	1
	FEMALE	2,787	7	3	8	2	5	9	9	26	58	60	104	173	231	322	413	436	338	250	184	90	59	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	15,429	13	9	14	6	16	23	30	79	178	318	511	910	1,188	1,556	2,045	2,295	2,193	1,938	1,359	552	192	4
	WHITE.....MALE..	5,610	2	2	1	1	2	4	6	18	63	139	236	436	527	641	760	790	756	630	409	148	37	2
	FEMALE	4,233	-	2	4	-	4	4	7	14	18	48	58	107	181	267	419	626	738	821	613	246	55	1
	NONWHITE.....MALE..	2,851	5	3	2	4	6	7	8	22	43	72	115	196	250	332	463	450	366	242	154	69	41	1
	FEMALE	2,735	6	2	7	1	4	8	9	25	54	59	102	171	230	316	403	429	333	245	183	89	59	-
330-334	VASCULAR LESIONS, ETC.	3,296	4	3	5	-	5	8	9	24	43	47	92	135	214	300	411	492	483	486	359	127	48	1
	WHITE.....MALE..	880	-	1	-	-	-	2	2	4	7	8	20	33	65	62	107	137	143	143	101	34	11	-
	FEMALE	1,006	-	1	2	-	2	2	1	5	4	11	17	15	35	66	91	131	166	211	167	61	17	1
	NONWHITE.....MALE..	683	-	-	2	-	3	2	4	4	13	15	30	37	49	81	119	101	98	65	41	12	7	-
	FEMALE	727	4	1	1	-	-	2	2	11	19	13	25	50	65	91	94	123	76	67	50	20	13	-
400-402, 410-443	DISEASES OF HEART	11,136	9	4	9	6	8	10	15	46	112	248	400	722	917	1,187	1,548	1,674	1,571	1,285	873	361	129	2
	WHITE.....MALE..	4,399	2	-	1	1	2	1	3	12	50	128	210	389	444	553	613	604	563	431	269	99	23	1
	FEMALE	2,920	-	1	2	-	1	1	5	8	11	32	39	84	136	185	318	462	520	540	389	152	34	-
	NONWHITE.....MALE..	1,978	5	2	-	4	3	4	2	16	29	47	78	140	187	237	320	318	244	161	99	50	31	1
	FEMALE	1,839	2	1	6	1	2	4	5	10	22	41	73	109	150	212	297	290	244	153	116	60	41	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	132	-	1	3	4	3	4	3	9	10	16	14	13	15	9	16	3	6	3	-	-	-	-
	WHITE.....MALE..	37	-	-	-	-	1	1	1	-	2	5	4	4	5	3	5	2	3	1	-	-	-	-
	FEMALE	40	-	-	-	-	1	1	2	3	2	5	6	3	3	4	6	1	1	2	-	-	-	-
	NONWHITE.....MALE..	30	-	1	-	3	-	-	-	4	4	3	2	4	4	-	3	-	2	-	-	-	-	-
	FEMALE	25	-	-	3	1	1	2	-	2	2	3	2	2	3	2	2	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	8,056	-	1	-	-	2	1	6	23	75	178	300	557	692	885	1,134	1,220	1,137	895	600	257	92	1
	WHITE.....MALE..	3,665	-	-	-	-	-	-	1	12	47	113	192	345	391	482	514	501	434	326	214	76	16	1
	FEMALE	2,148	-	1	-	-	-	-	2	2	5	19	27	66	110	132	248	357	384	386	270	111	28	-
	NONWHITE.....MALE..	1,248	-	-	-	-	1	-	-	7	17	31	49	91	121	160	203	197	164	100	56	32	19	-
	FEMALE	995	-	-	-	-	1	1	3	2	6	15	32	55	70	111	169	165	155	83	60	38	29	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	864	1	-	-	-	-	-	1	3	7	12	15	22	39	67	106	128	146	153	93	52	19	-
	WHITE.....MALE..	245	-	-	-	-	-	-	1	-	-	6	3	8	13	20	26	32	47	51	24	12	2	-
	FEMALE	229	-	-	-	-	-	-	-	3	2	-	2	4	4	13	17	22	44	55	37	23	3	-
	NONWHITE.....MALE..	185	1	-	-	-	-	-	-	-	2	3	4	5	8	16	28	35	27	26	16	7	7	-
	FEMALE	205	-	-	-	-	-	-	-	-	3	3	6	5	14	18	35	39	28	21	16	10	7	-
430-434	OTHER DISEASES OF HEART	659	8	2	6	2	3	4	3	3	7	12	19	35	53	71	71	102	91	79	59	19	10	-
	WHITE.....MALE..	187	2	-	1	1	1	-	-	-	1	1	4	10	13	21	22	30	33	25	14	5	3	-
	FEMALE	170	-	-	2	-	-	-	1	-	1	4	1	-	7	11	13	30	32	34	26	7	1	-
	NONWHITE.....MALE..	166	4	1	-	1	2	3	1	-	2	2	9	13	19	17	23	22	14	10	14	5	4	-
	FEMALE	136	2	1	3	-	-	1	1	3	3	5	5	12	14	22	13	20	12	10	5	2	2	-
440-443	HYPERTENSIVE HEART DIS.	1,425	-	-	-	-	-	1	2	8	13	30	52	95	118	155	221	221	191	155	121	33	8	1
	WHITE.....MALE..	265	-	-	-	-	-	-	-	-	-	3	7	22	22	27	46	39	46	28	17	6	2	-
	FEMALE	333	-	-	-	-	-	-	-	-	-	1	4	3	11	12	25	34	52	59	63	56	11	2	-
	NONWHITE.....MALE..	349	-	-	-	-	-	1	1	5	4	8	14	27	35	44	63	64	37	25	13	6	1	1
	FEMALE	478	-	-	-	-	-	-	1	3	8	15	28	35	49	59	78	66	49	39	35	10	3	-
444-447	OTHER HYPERTENSIVE DIS.	182	-	-	-	-	-	2	4	4	9	11	10	15	9	16	12	20	19	30	13	6	2	-
	WHITE.....MALE..	43	-	-	-	-	-	-	-	-	-	-	1	2	1	3	5	4	7	12	4	3	1	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	1	2	2	2	3	2	7	5	12	5	2	1	-
	NONWHITE.....MALE..	59	-	-	-	-	-	1	2	2	1	6	5	9	4	9	3	8	4	2	2	1	-	-
	FEMALE	36	-	-	-	-	-	1	2	2	8	4	2	2	2	1	2	1	3	4	2	-	-	-
450	GENERAL ARTERIOSCLEROSIS	483	-	-	-	-	-	-	-	-	-	1	-	7	15	15	33	58	83	109	98	53	10	1
	WHITE.....MALE..	140	-	-	-	-	-	-	-	-	-	-	-	1	6	5	10	18	26	34	27	10	2	1
	FEMALE	187	-	-	-	-	-	-	-	-	-	-	-	1	2	5	4	15	36	48	45	29	2	-
	NONWHITE.....MALE..	79	-	-	-	-	-	-	-	-	-	1	-	4	3	4	11	14	13	10	11	6	2	-
	FEMALE	77	-	-	-	-	-	-	-	-	-	-	-	1	4	1	8	11	8	17	15	8	4	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	332	-	2	-	-	3	3	2	5	14	11	9	31	33	38	41	51	37	28	16	5	3	-
	WHITE.....MALE..	148	-	1	-	-	-	1	1	2	6	3	5	11	11	18	25	27	17	10	8	2	-	-
	FEMALE	76	-	-	-	-	1	1	1	1	3	4	-	5	6	8	4	11	11	10	7	2	1	-
	NONWHITE.....MALE..	52	-	1	-	-	-	-	-	-	-	3	2	6	7	1	10	9	7	4	1	-	1	-
	FEMALE	56	-	-	-	-	2	1	-	2	5	1	2	9	9	11	2	4	2	4	-	1	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	240	2	3	1	4	4	7	3	9	8	11	9	13	15	13	24	33	30	22	20	9	-	-
	WHITE.....MALE..	71	-	-	-	1	1	4	2	5	1	4	3	4	5	3	4	10	10	5	6	3	-	-
	FEMALE	55	-	-	-	1	1	1	-	1	1	3	2	2	4	1	3	6	11	6	11	1	-	-
	NONWHITE.....MALE..	62	1	2	-	1	1	1	1	2	2	3	2	5	5	3	7	10	4	6	2	4	-	-
	FEMALE	52	1	1	1	1	1	1	-	1	4	1	2	2	1	6	10	7	5	5	1	1	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,141	293	73	8	6	4	6	8	10	10	13	22	41	47	58	106	92	108	101	64	51	20	-
	WHITE.....MALE..	313	28	11	2	4	-	4	3	2	1	4	9	14	18	18	37	32	45	39	23	13	6	-
	FEMALE	246	24	7	2	-	1	1	1	1	3	2	5	8	8	14	16	15	35	38	31	27	7	-
	NONWHITE.....MALE..	306	122	28	1	1	-	-	2	4	2	3	4	13	13	15	33	29	11	12	2	6	5	-
	FEMALE	276	119	27	3	1	3	1	2	3	4	4	4	6	8	11	20	16	17	12	8	5	2	-
480-483	INFLUENZA.....	40	4	1	1	-	1	-	1	-	1	1	-	4	2	1	4	2	6	5	1	3	2	-
	WHITE.....MALE..	10	-	-	1	-	-	-	1	-	-	1	-	1	1	-	2	-	1	1	-	-	1	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	1	1	2	-	-
	NONWHITE.....MALE..	10	3	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	1	-	1	-	-
	FEMALE	10	1	1	-	-	1	-	-	-	1	-	-	-	-	-	1	1	1	2	-	-	1	-
490-493	PNEUMONIA, ETC.....	1,101	289	72	7	6	3	6	7	10	9	12	22	37	45	57	102	90	102	96	63	48	18	-
	WHITE.....MALE..	303	28	11	1	4	-	4	2	2	1	3	9	13	17	18	35	32	44	38	23	13	5	-
	FEMALE	236	24	7	2	-	1	1	1	1	3	2	5	7	7	14	16	14	32	37	30	25	7	-
	NONWHITE.....MALE..	296	119	28	1	1	-	-	2	4	2	3	4	11	13	14	32	29	10	11	2	5	5	-
	FEMALE	266	118	26	3	1	2	1	2	3	3	4	4	6	8	11	19	15	16	10	8	5	1	-
500-502	BRONCHITIS.....	68	5	3	-	-	1	-	1	-	2	2	4	2	3	8	9	12	4	7	2	2	1	-
	WHITE.....MALE..	42	2	-	-	-	-	-	-	-	1	2	2	2	3	5	5	10	1	5	1	2	1	-
	FEMALE	10	2	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	2	2	-	-	-	-
	NONWHITE.....MALE..	11	-	1	-	-	1	-	1	-	-	-	-	2	-	-	2	2	1	-	1	-	-	-
	FEMALE	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	337	48	8	1	1	-	3	1	3	2	5	12	10	34	39	48	47	39	21	12	3	-	-
	WHITE.....MALE..	196	8	1	-	-	-	1	1	2	1	2	8	7	26	28	32	30	27	17	4	1	-	-
	FEMALE	49	9	1	-	-	-	1	-	-	-	2	1	2	1	2	4	9	5	3	7	2	-	-
	NONWHITE.....MALE..	61	13	5	1	-	-	1	-	1	1	-	2	1	6	8	12	5	4	1	-	-	-	-
	FEMALE	31	18	1	-	1	-	-	-	-	-	1	1	-	1	1	-	3	3	-	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	146	1	-	-	-	-	-	3	-	1	6	10	12	19	20	21	20	15	11	5	2	-	-
	WHITE.....MALE..	80	1	-	-	-	-	-	1	-	-	1	6	6	10	10	13	12	11	7	2	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	1	-	3	1	4	3	3	5	2	2	3	1	-	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	2	-	-	4	-	5	4	5	5	1	2	1	-	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	2	-	1	-	-	-	-
550-553	APPENDICITIS.....	28	1	2	1	1	3	-	-	1	-	-	-	1	1	1	3	4	4	4	1	-	-	-
	WHITE.....MALE..	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
	FEMALE	8	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-
	NONWHITE.....MALE..	7	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	2	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	180	25	1	1	2	-	-	1	4	5	3	6	10	8	16	17	28	25	19	7	1	1	-
	WHITE.....MALE..	45	12	-	-	1	-	-	-	-	-	-	-	1	1	5	7	8	5	5	-	-	-	-
	FEMALE	62	4	-	1	-	-	-	-	1	-	1	2	4	1	2	3	11	14	11	6	-	1	-
	NONWHITE.....MALE..	40	6	-	-	1	-	-	-	2	2	-	1	3	3	5	5	8	1	2	1	-	-	-
	FEMALE	33	3	1	-	-	-	-	1	1	3	2	3	2	3	4	2	1	5	1	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	166	62	20	2	-	-	-	1	3	1	2	4	9	7	5	7	10	14	5	8	3	3	-
	WHITE.....MALE..	33	4	4	-	-	-	-	-	-	-	-	3	1	4	2	3	6	3	2	1	-	-	-
	FEMALE	49	5	6	-	-	-	-	1	2	-	2	1	4	2	2	2	1	7	2	7	3	2	-
	NONWHITE.....MALE..	40	28	7	2	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
	FEMALE	44	25	3	-	-	-	-	-	1	1	-	-	2	1	1	2	2	4	1	-	-	1	-
581	CIRRHOSIS OF LIVER.....	245	2	2	1	-	2	2	5	5	19	25	34	36	25	21	22	23	13	7	-	1	-	-
	WHITE.....MALE..	129	-	-	-	-	1	-	1	1	8	11	16	20	18	14	13	11	10	4	-	1	-	-
	FEMALE	53	-	1	-	-	-	2	1	2	5	6	8	6	2	3	6	7	1	3	-	-	-	-
	NONWHITE.....MALE..	37	-	1	-	-	1	-	3	1	3	6	3	7	4	3	2	3	-	-	-	-	-	-
	FEMALE	26	2	-	1	-	-	-	-	1	3	2	7	3	1	1	1	2	2	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	59	-	-	-	-	-	-	-	-	-	2	2	3	6	5	9	8	6	10	5	2	1	-
	WHITE.....MALE..	26	-	-	-	-	-	-	-	-	-	1	1	1	3	5	4	4	2	2	1	1	1	-
	FEMALE	25	-	-	-	-	-	-	-	-	-	1	1	1	2	-	4	2	2	7	4	1	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	26	-	4	2	1	1	2	-	-	2	2	-	-	3	2	1	4	1	1	-	-	-	-
	WHITE.....MALE..	6	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	2	-	-	-	-	-	-
	FEMALE	5	-	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	-	2	-	1	-	-	-	-	1	-	-	-	2	1	-	1	-	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	261	2	-	-	-	-	1	1	2	11	7	13	15	19	22	34	40	37	26	17	11	3	-
	WHITE.....MALE..	81	1	-	-	-	-	-	-	-	1	2	3	2	2	8	8	16	12	11	8	6	1	-
	FEMALE	70	-	-	-	-	-	1	-	-	4	1	1	3	5	6	6	7	15	9	7	4	1	-
	NONWHITE.....MALE..	60	1	-	-	-	-	-	1	-	4	1	3	5	8	4	12	7	8	5	1	-	-	-
	FEMALE	50	-	-	-	-	-	-	-	2	2	3	6	5	4	4	8	10	2	1	1	1	1	-
610	HYPERPLASIA OF PROSTATE..	71	-	-	-	-	-	-	-	-	-	1	-	1	3	5	6	11	18	17	5	2	2	-
	WHITE.....MALE..	52	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	7	14	14	4	2	2	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	4	4	3	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	LOUISIANA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	33	-	-	-	-	1	6	4	10	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	11	-	-	-	-	-	1	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	22	-	-	-	-	1	5	2	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	29	-	-	-	-	-	5	3	9	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	11	-	-	-	-	-	1	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	18	-	-	-	-	-	4	1	6	6	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	458	336	45	13	14	8	7	3	7	3	3	5	4	1	3	2	2	1	1	-	-	-	-
	WHITE.....MALE..	141	97	15	3	4	3	3	2	3	2	2	2	1	-	-	2	1	-	1	-	-	-	-
	FEMALE	149	112	10	3	6	2	3	1	1	1	1	3	1	1	2	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	94	69	15	2	2	2	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	74	58	5	5	2	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	1,673	1,672	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	475	475	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	514	514	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	415	414	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	718	718	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	760	759	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	224	224	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	229	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	169	168	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	228	19	4	-	-	1	1	-	1	4	10	7	14	13	13	20	19	25	23	21	19	13	1
	WHITE.....MALE..	69	2	-	-	-	-	-	-	-	3	5	2	9	6	4	7	5	6	5	6	8	1	-
	FEMALE	48	1	-	-	-	-	-	-	-	-	3	2	-	4	-	2	1	5	9	8	9	3	1
	NONWHITE.....MALE..	66	9	3	-	-	-	1	-	1	-	1	2	2	2	5	6	10	7	6	5	2	4	-
	FEMALE	45	7	1	-	-	1	-	-	-	1	1	1	3	1	4	5	3	7	3	2	-	5	-
RESID-UAL	ALL OTHER DISEASES.	991	83	41	18	20	23	25	20	25	38	50	51	58	74	82	90	83	83	64	36	18	9	-
	WHITE.....MALE..	323	25	8	6	6	6	5	2	8	10	8	18	16	25	35	36	33	30	29	11	5	1	-
	FEMALE	293	10	14	3	4	4	7	2	4	11	18	15	21	18	15	29	28	32	27	15	10	6	-
	NONWHITE.....MALE..	192	24	9	2	5	9	3	10	6	7	13	8	11	15	19	13	13	13	3	6	1	2	-
	FEMALE	183	24	10	7	5	4	10	6	7	10	11	10	10	16	13	12	9	8	5	4	2	-	-
E800-E962	ACCIDENTS.	1,995	93	130	90	88	154	151	125	122	113	111	99	108	88	103	90	93	70	64	50	26	11	16
	WHITE.....MALE..	923	20	34	28	41	95	94	68	78	71	61	47	52	44	50	38	31	15	17	14	8	2	15
	FEMALE	383	15	28	21	6	18	19	6	8	14	12	25	17	11	20	16	33	40	32	27	12	3	-
	NONWHITE.....MALE..	488	32	36	22	34	32	32	44	27	22	32	26	33	26	23	22	19	8	10	3	3	2	-
	FEMALE	201	26	32	19	7	9	6	7	9	6	6	1	6	7	10	14	10	7	5	6	3	4	1
E810-E835	MOTOR VEHICLE ACCIDENTS.	765	8	37	45	26	89	83	67	63	52	38	38	48	40	51	33	23	9	10	2	1	-	2
	WHITE.....MALE..	408	2	9	15	16	60	52	36	42	33	22	19	19	18	27	14	13	4	3	1	1	-	2
	FEMALE	132	4	12	11	3	14	13	3	5	5	4	11	11	7	12	5	5	3	3	1	-	-	-
	NONWHITE.....MALE..	175	2	10	11	3	9	16	24	13	10	10	7	16	12	12	11	5	1	3	-	-	-	-
	FEMALE	50	-	6	8	4	6	2	4	3	4	2	1	2	3	-	3	-	1	1	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,230	85	93	45	62	65	68	58	59	61	73	61	60	48	52	57	70	61	54	48	25	11	14
	WHITE.....MALE..	515	18	25	13	25	35	42	32	36	38	39	28	33	26	23	24	18	11	14	13	7	2	13
	FEMALE	251	11	16	10	3	4	6	3	3	9	8	14	6	4	8	11	28	37	29	26	12	3	-
	NONWHITE.....MALE..	313	30	26	11	31	23	16	20	14	12	22	19	17	14	11	11	14	7	7	3	3	2	-
	FEMALE	151	26	26	11	3	3	4	3	6	2	4	-	4	4	10	11	10	6	4	6	3	4	1
E963, E970-E979	SUICIDE.	252	...	...	-	2	4	12	14	18	30	21	32	36	33	18	9	8	10	3	1	1	-	-
	WHITE.....MALE..	168	...	...	-	2	3	6	8	13	20	13	20	21	23	14	5	7	10	1	1	1	-	-
	FEMALE	60	...	...	-	-	1	3	3	4	5	6	11	13	7	3	3	-	-	1	-	-	-	-
	NONWHITE.....MALE..	17	...	...	-	-	-	3	1	-	3	1	1	1	3	1	1	1	-	1	-	-	-	-
	FEMALE	7	...	...	-	-	-	-	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	272	1	1	-	1	19	43	34	36	42	21	26	16	12	9	5	2	3	1	-	-	-	-
	WHITE.....MALE..	54	-	-	-	-	2	6	4	14	6	3	9	4	2	1	2	1	-	-	-	-	-	-
	FEMALE	22	-	1	-	-	1	-	1	1	8	-	-	2	3	3	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	158	1	-	-	-	14	32	22	17	15	15	17	9	6	5	2	1	2	-	-	-	-	-
	FEMALE	38	-	-	-	1	2	5	7	4	13	3	-	1	1	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE																							
	ALL CAUSES	11,096	581	72	54	31	66	69	59	85	123	184	287	479	594	873	1,253	1,439	1,562	1,508	1,120	490	158	9
	WHITE.....MALE..	6,102	342	34	34	13	47	42	40	51	78	118	179	282	391	521	760	817	831	732	515	219	52	4
	FEMALE	4,954	230	37	20	18	17	26	19	34	45	66	105	196	200	351	489	616	728	776	602	269	106	4
	NONWHITE.....MALE..	22	7	-	-	1	-	-	-	-	-	-	1	-	2	-	3	3	1	-	2	1	-	1
	FEMALE	18	2	1	-	-	1	1	-	-	-	-	2	1	1	1	1	3	2	-	1	1	-	-
001-019	TUBERCULOSIS, ALL FORMS..	43	-	-	-	-	-	-	-	1	1	2	2	3	9	4	3	3	5	8	1	1	-	-
	WHITE.....MALE..	30	-	-	-	-	-	-	-	1	-	1	1	1	7	3	3	3	1	7	1	1	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	4	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	43	-	-	-	-	-	-	-	1	1	2	2	3	9	4	3	3	5	8	1	1	-	-
	WHITE.....MALE..	30	-	-	-	-	-	-	-	1	-	1	1	1	7	3	3	3	1	7	1	1	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-	4	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	13	-	-	-	-	-	-	-	-	-	1	1	1	1	2	3	2	-	-	-	1	-	1
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	8	2	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	4	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE..	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	30	5	-	-	1	1	-	1	1	1	2	1	1	-	2	4	5	2	-	2	1	-	-
	WHITE.....MALE..	17	3	-	-	-	-	-	-	1	1	1	-	1	-	1	4	2	1	-	1	1	-	-
	FEMALE	13	2	-	-	1	1	-	1	-	-	1	1	-	-	1	-	3	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	1,723	4	10	8	1	8	4	11	8	34	34	83	134	145	216	266	256	203	181	89	24	4	-
	WHITE.....MALE..	886	1	3	6	-	4	1	6	3	14	10	35	58	85	100	146	144	119	87	51	12	1	-
	FEMALE	836	3	7	2	1	4	3	5	5	20	24	48	76	60	116	120	112	84	94	38	11	3	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	28	-	-	-	1	-	-	-	-	-	-	4	2	2	4	3	4	4	2	2	-	-	-
	WHITE.....MALE..	24	-	-	-	-	-	-	-	-	-	-	4	1	2	4	3	4	4	1	1	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	607	-	-	-	-	-	-	2	2	5	9	17	38	39	66	94	116	94	82	35	7	1	-
	WHITE.....MALE..	309	-	-	-	-	-	-	2	-	2	4	10	17	22	32	44	66	50	34	22	4	-	-
	FEMALE	298	-	-	-	-	-	-	-	2	3	5	7	21	17	34	50	50	44	48	13	3	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	250	-	-	-	-	-	-	-	-	6	6	15	22	38	39	45	29	25	18	6	1	-	-
	WHITE.....MALE..	210	-	-	-	-	-	-	-	-	4	2	12	19	35	30	43	24	22	15	3	1	-	-
	FEMALE	40	-	-	-	-	-	-	-	-	2	4	3	3	3	9	2	5	3	3	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	160	-	-	-	-	-	-	-	1	6	4	18	17	18	26	25	16	11	12	5	-	1	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
	FEMALE	156	-	-	-	-	-	-	-	1	6	4	18	15	18	25	25	16	11	11	5	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	271	1	-	-	-	-	1	4	1	6	9	11	25	13	36	33	40	33	32	16	9	1	-
	WHITE.....MALE..	116	-	-	-	-	-	-	2	-	1	-	-	2	4	10	15	22	23	21	11	4	1	-
	FEMALE	155	1	-	-	-	-	1	2	1	5	9	11	23	9	26	18	18	10	11	5	5	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	96	1	-	1	-	-	-	-	-	1	1	3	4	5	9	22	14	9	12	10	3	1	-
	WHITE.....MALE..	65	1	-	1	-	-	-	-	-	1	1	1	4	5	5	15	8	6	7	7	3	-	-
	FEMALE	31	-	-	-	-	-	-	-	-	-	-	2	-	-	4	7	6	3	5	3	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	170	2	3	2	-	6	-	1	2	7	2	9	16	21	20	22	16	12	16	12	1	-	-
	WHITE.....MALE..	86	-	3	1	-	3	-	-	1	4	2	6	8	13	10	13	8	4	4	6	-	-	-
	FEMALE	84	2	-	1	-	3	-	1	1	3	-	3	8	8	10	9	8	8	12	6	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	60	-	6	4	-	2	1	3	1	2	2	5	2	-	3	6	9	5	4	3	2	-	-
	WHITE.....MALE..	29	-	-	3	-	1	-	2	1	2	1	2	-	-	2	3	7	1	3	1	-	-	-
	FEMALE	30	-	6	1	-	1	1	1	-	-	1	3	2	-	1	3	2	4	1	2	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	81	-	1	1	-	-	2	1	1	1	1	1	8	9	13	16	12	10	3	-	1	-	-
	WHITE.....MALE..	43	-	-	1	-	-	1	-	1	-	-	-	5	4	6	10	5	9	1	-	-	-	-
	FEMALE	38	-	1	-	-	-	1	1	-	1	1	1	3	5	7	6	7	1	2	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	36	1	2	1	-	-	1	-	-	2	2	3	5	3	8	1	1	4	2	-	-	-	-
	WHITE.....MALE..	17	-	1	-	-	-	1	-	-	-	2	2	2	2	3	-	-	2	2	-	-	-	-
	FEMALE	19	1	1	1	-	-	-	-	-	2	-	1	3	1	5	1	1	2	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	42	-	-	-	-	-	-	-	1	1	1	1	5	3	8	8	3	7	2	2	-	-	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	1	1	5	3	6	5	1	6	2	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	1	1	-	-	-	-	2	3	2	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	164	-	-	-	-	-	3	2	3	2	2	3	5	10	29	18	26	21	21	14	4	1	-
	WHITE.....MALE..	69	-	-	-	-	-	2	1	1	2	2	1	2	6	13	4	10	9	9	4	3	-	-
	FEMALE	95	-	-	-	-	-	1	1	2	-	-	2	3	4	16	14	16	12	12	10	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	24	-	1	-	1	-	-	-	-	-	-	-	-	1	1	4	1	4	6	3	1	1	-
	WHITE.....MALE..	12	-	1	-	1	-	-	-	-	-	-	-	-	1	1	3	1	1	2	-	1	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	3	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	8	5	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	WHITE.....MALE..	4	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	6,643	4	4	1	3	5	5	1	15	30	77	113	222	319	483	780	967	1,127	1,101	878	383	121	4
	WHITE.....MALE..	3,575	3	3	-	-	3	3	-	10	20	53	84	147	218	306	474	548	584	527	388	162	40	2
	FEMALE	3,048	1	1	1	3	2	2	1	5	10	24	27	74	98	177	303	415	540	574	487	220	81	2
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	1	-	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	2	-	1	1	-	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	6,578	4	4	1	3	3	5	1	15	30	75	113	221	314	477	775	960	1,113	1,091	867	381	121	4
	WHITE.....MALE..	3,536	3	3	-	-	1	3	-	10	20	52	84	146	215	303	472	546	576	519	380	161	40	2
	FEMALE	3,023	1	1	1	3	2	2	1	5	10	23	27	74	97	174	300	410	534	572	484	219	81	2
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	2	1	-	2	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	-	1	1	-	-
330-334	VASCULAR LESIONS, ETC.	1,392	3	3	1	1	1	2	1	2	11	11	15	31	30	64	124	186	255	280	245	106	20	-
	WHITE.....MALE..	609	2	3	-	-	-	1	-	1	5	3	9	14	14	29	55	89	115	121	101	37	10	-
	FEMALE	778	1	-	1	1	1	1	1	1	6	8	6	17	16	35	68	94	140	159	143	69	10	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
400-402, 410-443	DISEASES OF HEART	4,702	1	1	-	2	2	2	-	11	17	59	94	178	270	385	610	710	779	727	538	233	80	3
	WHITE.....MALE..	2,680	1	-	-	-	1	2	-	9	14	47	73	122	193	256	393	420	421	352	244	108	23	1
	FEMALE	2,011	-	1	-	2	1	-	-	2	3	12	19	55	75	129	216	289	356	375	293	124	57	2
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	1	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	104	-	1	-	1	1	1	-	2	2	5	6	11	10	19	14	7	12	10	1	-	1	-
	WHITE.....MALE..	52	-	-	-	-	-	1	-	-	2	3	6	3	5	8	7	5	4	8	-	-	-	-
	FEMALE	52	-	1	-	1	1	-	-	2	-	2	-	8	5	11	7	2	8	2	1	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	3,681	1	-	-	-	-	-	-	7	12	46	81	150	237	324	508	573	616	525	386	161	51	3
	WHITE.....MALE..	2,193	1	-	-	-	-	-	-	7	12	41	63	108	172	223	336	349	346	263	186	69	16	1
	FEMALE	1,479	-	-	-	-	-	-	-	-	-	5	16	42	63	101	171	223	269	262	199	91	35	2
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	1	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	418	-	-	-	1	-	-	-	1	-	-	-	4	4	13	43	56	59	88	93	39	17	-
	WHITE.....MALE..	213	-	-	-	-	-	-	-	1	-	-	-	3	3	10	29	34	28	46	35	19	5	-
	FEMALE	205	-	-	-	1	-	-	-	-	-	-	-	1	1	3	14	22	31	42	58	20	12	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	109	-	-	-	-	1	1	-	1	2	8	2	6	7	7	12	13	11	21	8	5	4	-
	WHITE.....MALE..	66	-	-	-	-	1	1	-	1	-	3	2	4	5	3	8	9	8	12	6	3	-	-
	FEMALE	43	-	-	-	-	-	-	-	-	2	5	-	2	2	4	4	4	3	9	2	2	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	390	-	-	-	-	-	-	-	-	1	-	5	7	12	22	33	61	81	83	50	28	7	-
	WHITE.....MALE..	156	-	-	-	-	-	-	-	-	-	-	2	4	8	12	13	23	35	23	17	17	2	-
	FEMALE	232	-	-	-	-	-	-	-	-	1	-	3	2	4	10	20	38	45	60	33	11	5	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	77	-	-	-	-	-	1	-	-	-	1	1	1	2	4	9	9	15	12	13	8	1	-
	WHITE.....MALE..	36	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	6	7	6	4	1	-
	FEMALE	40	-	-	-	-	-	1	-	-	-	1	1	-	-	2	4	7	8	5	7	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	260	-	-	-	-	-	-	-	-	-	-	1	2	4	7	4	27	46	56	61	32	19	1
	WHITE.....MALE..	125	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	18	26	31	24	11	5	1
	FEMALE	134	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	9	20	25	36	21	14	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	147	-	-	-	-	-	-	-	2	2	4	2	9	8	17	28	28	18	16	10	2	1	-
	WHITE.....MALE..	86	-	-	-	-	-	-	-	-	1	2	1	7	3	14	18	17	8	8	5	1	1	-
	FEMALE	60	-	-	-	-	-	-	-	2	1	2	1	2	5	3	9	11	10	8	5	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	65	-	-	-	-	2	-	-	-	-	2	-	1	5	6	5	7	14	10	11	2	-	-
	WHITE.....MALE..	39	-	-	-	-	2	-	-	-	-	1	-	1	3	3	2	2	8	8	8	1	-	-
	FEMALE	25	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	5	6	2	3	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	322	59	10	5	1	1	3	2	-	1	2	1	7	7	9	19	24	52	52	30	24	11	2
	WHITE.....MALE..	180	40	4	4	-	1	-	-	-	1	1	1	4	4	7	12	10	34	23	16	13	4	1
	FEMALE	141	18	6	1	1	-	3	2	-	-	1	-	3	3	2	7	14	18	29	14	11	7	1
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	28	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	6	7	5	1	2	-
	WHITE.....MALE..	18	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	4	-	2	-
	FEMALE	10	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	294	56	9	5	1	1	3	2	-	1	2	1	7	6	8	19	23	46	45	25	23	9	2
	WHITE.....MALE..	162	38	4	4	-	1	-	-	-	1	1	1	4	3	7	12	9	29	20	12	13	2	1
	FEMALE	131	17	5	1	1	-	3	2	-	-	1	-	3	3	1	7	14	17	25	13	10	7	1
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	30	5	1	-	1	1	-	1	-	-	-	1	1	1	-	5	5	3	4	1	-	-	-
	WHITE.....MALE..	18	3	-	-	-	-	-	-	-	-	-	-	1	1	-	5	2	2	4	-	-	-	-
	FEMALE	12	2	1	-	1	1	-	1	-	-	-	1	-	-	-	-	3	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	102	8	-	-	-	-	-	-	2	1	1	4	8	8	14	12	19	14	6	3	-	2	-
	WHITE.....MALE..	74	5	-	-	-	-	-	-	1	1	1	1	5	7	13	10	13	10	4	1	-	2	-
	FEMALE	27	3	-	-	-	-	-	-	1	-	-	3	3	1	-	2	6	4	2	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	75	-	-	-	-	-	-	-	-	-	1	2	6	8	10	9	12	12	9	3	3	-	-
	WHITE.....MALE..	52	-	-	-	-	-	-	-	-	-	1	2	6	6	8	8	6	7	5	1	2	-	-
	FEMALE	23	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	6	5	4	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	15	-	-	2	-	-	2	-	-	-	2	-	1	2	-	-	1	3	1	1	-	-	-
	WHITE.....MALE..	9	-	-	1	-	-	1	-	-	-	1	-	1	2	-	-	1	1	-	1	-	-	-
	FEMALE	6	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	64	3	1	-	-	-	-	-	1	-	1	-	3	4	8	3	7	6	18	7	2	-	-
	WHITE.....MALE..	27	2	-	-	-	-	-	-	1	-	-	-	2	1	5	2	2	1	5	5	1	-	-
	FEMALE	37	1	1	-	-	-	-	-	-	-	1	-	1	3	3	1	5	5	13	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	28	6	1	-	-	1	-	-	-	-	-	2	1	3	-	3	1	6	3	1	-	-	-
	WHITE.....MALE..	12	3	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	1	1	-	-	-
	FEMALE	15	2	1	-	-	1	-	-	-	-	-	1	-	1	-	2	-	5	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	84	-	-	-	-	-	-	1	3	4	5	11	9	8	9	9	10	7	5	2	1	-	-
	WHITE.....MALE..	55	-	-	-	-	-	-	1	1	3	4	5	4	5	8	5	8	5	3	2	1	-	-
	FEMALE	27	-	-	-	-	-	-	-	2	1	1	5	5	3	1	3	2	2	2	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	32	-	-	-	-	-	-	-	1	1	1	2	2	2	2	1	6	2	2	6	2	2	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	3	-	1	4	1	-	-
	FEMALE	15	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	3	2	1	2	1	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	13	-	1	1	1	-	-	1	1	1	-	-	-	-	-	2	1	-	3	1	-	-	-
	WHITE.....MALE..	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-
	FEMALE	6	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	36	-	-	-	-	-	-	-	-	1	-	-	1	4	6	5	3	9	3	4	-	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	4	2	2	-	-	-
	FEMALE	19	-	-	-	-	-	-	-	-	1	-	-	1	2	4	1	2	5	1	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	9	9	4	-	-
	WHITE.....MALE..	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	9	9	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MAINE--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	121	89	5	4	5	1	2	1	3	1	2	1	1	-	1	3	1	1	-	-	-	-	-
	WHITE.....MALE..	63	48	2	2	2	1	1	-	1	-	1	1	-	-	1	2	-	1	-	-	-	-	-
	FEMALE	58	41	3	2	3	-	1	1	2	1	1	-	1	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	137	137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	55	-	-	-	-	-	1	-	1	-	-	1	-	1	1	3	4	3	11	10	14	5	-
	WHITE.....MALE..	24	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	2	6	3	5	1	-
	FEMALE	31	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	2	1	5	7	9	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	308	14	3	10	1	2	7	5	7	7	9	11	18	17	26	45	38	29	24	20	9	6	-
	WHITE.....MALE..	167	10	2	5	-	1	2	4	2	4	6	8	6	9	17	27	26	12	11	8	5	2	-
	FEMALE	138	3	1	5	1	1	4	1	5	3	3	3	12	8	9	18	11	17	13	12	4	4	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-E962	ACCIDENTS.	541	34	25	19	12	38	34	30	20	22	25	29	27	22	22	38	28	28	35	32	15	4	2
	WHITE.....MALE..	372	21	12	13	10	30	26	25	15	21	22	23	22	15	12	31	19	15	17	16	5	1	1
	FEMALE	163	12	12	6	2	6	8	5	5	1	3	6	5	7	10	7	8	13	18	16	10	3	-
	NONWHITE.....MALE..	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	FEMALE	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	192	-	7	10	4	21	20	13	8	8	9	11	12	9	7	16	16	11	6	4	-	-	-
	WHITE.....MALE..	131	-	2	6	4	15	14	9	5	7	8	9	9	5	3	12	10	7	4	2	-	-	-
	FEMALE	59	-	5	4	-	5	6	4	3	1	1	2	3	4	4	4	5	4	2	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	349	34	18	9	8	17	14	17	12	14	16	18	15	13	15	22	12	17	29	28	15	4	2
	WHITE.....MALE..	241	21	10	7	6	15	12	16	10	14	14	14	13	10	9	19	9	8	13	14	5	1	1
	FEMALE	104	12	7	2	2	1	2	1	2	-	2	4	2	3	6	3	3	9	16	14	10	3	-
	NONWHITE.....MALE..	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	143	...	...	-	1	8	5	3	16	12	13	15	16	16	7	7	11	9	2	-	1	1	-
	WHITE.....MALE..	112	...	...	-	-	7	5	3	13	9	8	11	11	12	7	5	8	9	2	-	1	1	-
	FEMALE	31	...	...	-	1	1	-	-	3	3	5	4	5	4	-	2	3	-	-	-	-	-	-
	NONWHITE.....MALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	10	-	1	1	2	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	-	1	1	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND																							
	ALL CAUSES	28,415	2,041	292	189	125	192	229	235	363	641	934	1,249	1,761	2,094	2,703	3,250	3,467	3,314	2,697	1,735	714	188	2
	WHITE.....MALE	12,681	742	118	76	65	115	114	88	134	255	405	586	892	1,071	1,346	1,612	1,701	1,418	1,034	624	231	53	1
	FEMALE	10,187	581	98	53	29	34	40	50	76	158	251	333	441	576	753	1,010	1,260	1,509	1,434	959	430	112	-
	NONWHITE.....MALE	3,162	391	43	31	24	30	45	63	91	129	150	194	273	257	351	372	277	211	114	78	25	12	1
	FEMALE	2,385	327	33	29	7	13	30	34	62	99	128	136	155	190	253	256	229	176	115	74	28	11	-
001-019	TUBERCULOSIS, ALL FORMS	232	1	1	2	-	1	2	4	8	13	16	16	25	24	28	31	31	14	8	5	2	-	-
	WHITE.....MALE	108	-	-	1	-	1	-	1	1	4	5	7	8	12	15	17	20	6	6	2	2	-	-
	FEMALE	34	1	-	1	-	-	-	-	1	3	5	4	-	1	3	5	2	5	2	1	-	-	-
	NONWHITE.....MALE	67	-	-	-	-	-	1	2	5	2	3	2	15	11	7	7	8	3	-	1	-	-	-
	FEMALE	23	-	1	-	-	-	1	1	1	4	3	3	2	-	3	2	1	-	-	1	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	219	-	-	-	-	-	2	4	7	11	16	16	25	24	24	31	30	14	8	5	2	-	-
	WHITE.....MALE	104	-	-	-	-	-	-	1	1	3	5	7	8	12	14	17	20	6	6	2	2	-	-
	FEMALE	31	-	-	-	-	-	-	-	1	3	5	4	-	1	2	5	2	5	2	1	-	-	-
	NONWHITE.....MALE	65	-	-	-	-	-	1	2	4	2	3	2	15	11	7	7	7	3	-	1	-	-	-
	FEMALE	19	-	-	-	-	-	1	1	1	3	3	3	2	-	1	2	1	-	-	1	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	13	1	1	2	-	1	-	-	1	2	-	-	-	-	4	-	1	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	1	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	4	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	68	-	-	-	-	-	-	-	-	2	7	3	7	8	10	14	5	5	5	2	-	-	-
	WHITE.....MALE	23	-	-	-	-	-	-	-	-	1	2	1	1	5	3	6	2	1	-	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	1	-	3	-	2	1	1	4	1	1	-	-	-
	NONWHITE.....MALE	19	-	-	-	-	-	-	-	-	1	1	2	2	3	2	3	1	-	4	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	3	-	1	-	3	4	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	5	-	-	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	3	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	12	5	3	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	7	3	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	104	17	7	4	2	1	3	2	-	5	9	9	4	3	5	9	8	8	2	3	2	1	-
	WHITE.....MALE	40	6	3	2	1	1	2	2	-	1	1	2	1	2	2	4	3	4	-	1	1	1	-
	FEMALE	32	4	2	1	-	-	-	-	-	1	4	4	2	1	1	1	4	3	1	2	1	-	-
	NONWHITE.....MALE	20	3	2	-	-	-	1	-	-	1	2	3	-	-	2	3	1	1	1	-	-	-	-
	FEMALE	12	4	-	1	1	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,598	7	29	34	22	11	20	26	57	110	203	286	444	539	597	647	595	453	321	144	44	9	-
	WHITE.....MALE..	2,061	3	10	15	13	6	13	13	21	45	66	95	184	247	290	306	290	220	131	68	21	4	-
	FEMALE	1,806	3	16	15	6	3	4	9	19	44	93	132	174	193	202	223	235	188	163	60	20	4	-
	NONWHITE.....MALE..	415	1	2	2	3	2	1	3	6	12	18	32	53	53	57	75	43	26	13	10	3	-	-
	FEMALE	316	-	1	2	-	-	2	1	11	9	26	27	33	46	48	43	27	19	14	6	-	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX	109	-	-	-	1	-	-	-	1	1	7	10	10	16	15	19	5	15	4	3	2	-	-
	WHITE.....MALE..	66	-	-	-	1	-	-	-	-	1	3	6	7	8	10	11	2	11	2	3	1	-	-
	FEMALE	25	-	-	-	-	-	-	-	-	-	-	3	1	4	2	5	3	4	2	-	1	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	1	-	2	1	1	2	1	3	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	1,444	1	1	-	1	-	2	1	10	21	46	72	125	165	171	216	214	185	138	56	17	2	-
	WHITE.....MALE..	624	-	-	-	1	-	1	1	2	9	22	22	60	69	89	94	90	76	57	24	7	-	-
	FEMALE	581	-	1	-	-	-	1	-	3	5	13	32	34	62	52	75	100	89	75	27	10	2	-
	NONWHITE.....MALE..	154	1	-	-	-	-	-	-	2	6	6	13	21	24	17	30	13	15	4	2	-	-	-
	FEMALE	85	-	-	-	-	-	-	-	3	1	5	5	10	10	13	17	11	5	2	3	-	-	-
160-164	OF RESP. SYSTEM, ETC.	814	-	-	2	-	-	1	2	6	17	25	53	90	118	159	132	110	61	26	9	1	2	-
	WHITE.....MALE..	607	-	-	-	-	-	-	1	3	11	16	36	70	91	118	100	83	52	19	5	1	1	-
	FEMALE	91	-	-	2	-	-	-	1	2	3	5	8	6	10	14	14	12	6	5	3	-	-	-
	NONWHITE.....MALE..	106	-	-	-	-	-	1	-	-	3	3	9	14	15	23	18	15	3	1	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	1	-	1	-	-	2	4	-	-	-	1	-	-	1	-
170	OF BREAST	412	-	-	-	-	-	1	3	7	12	36	37	59	48	54	41	36	29	32	10	6	1	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-
	FEMALE	350	-	-	-	-	-	1	2	5	9	27	32	51	40	43	36	32	26	30	9	6	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	57	-	-	-	-	-	-	1	2	3	9	5	7	6	10	5	4	2	2	1	-	-	-
171-179	OF GENITAL ORGANS	623	-	-	-	-	-	4	3	8	21	32	45	56	53	71	82	94	57	56	28	10	3	-
	WHITE.....MALE..	171	-	-	-	-	-	2	-	1	4	1	2	2	6	8	19	48	31	26	12	7	2	-
	FEMALE	306	-	-	-	-	-	-	2	5	13	25	33	42	33	43	40	29	15	17	8	-	1	-
	NONWHITE.....MALE..	57	-	-	-	-	-	-	1	-	-	-	1	3	1	6	9	12	6	8	7	3	-	-
	FEMALE	89	-	-	-	-	-	2	-	2	4	6	9	9	13	14	14	5	5	5	1	-	-	-
180, 181	OF URINARY ORGANS	220	-	4	3	-	-	-	-	2	2	3	13	17	22	26	34	33	28	17	14	2	-	-
	WHITE.....MALE..	118	-	-	1	-	-	-	-	2	1	2	6	4	9	19	23	19	16	7	9	-	-	-
	FEMALE	75	-	3	2	-	-	-	-	-	1	1	4	6	8	5	8	12	9	10	4	2	-	-
	NONWHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	2	5	3	1	3	1	-	-	-	-	-	-
	FEMALE	12	-	1	-	-	-	-	-	-	-	-	1	2	2	1	-	1	3	-	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	569	3	12	7	7	5	6	5	14	18	24	33	55	76	66	82	66	40	27	19	4	-	-
	WHITE.....MALE..	258	1	7	3	5	2	6	2	6	9	10	11	23	40	30	36	29	12	12	11	3	-	-
	FEMALE	226	2	4	4	1	1	-	1	3	7	9	14	25	21	26	28	32	26	13	8	1	-	-
	NONWHITE.....MALE..	47	-	1	-	1	2	-	2	3	1	5	3	5	6	7	11	-	-	-	-	-	-	-
	FEMALE	38	-	-	-	-	-	-	-	2	1	-	5	2	9	3	7	5	2	2	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	187	2	12	20	10	5	1	4	1	6	11	9	11	16	13	16	19	17	8	4	1	1	-
	WHITE.....MALE..	99	1	3	10	5	3	1	4	-	4	5	4	4	7	4	13	12	12	2	3	1	1	-
	FEMALE	69	1	8	7	5	2	-	-	-	1	5	4	5	7	7	3	5	3	5	1	-	-	-
	NONWHITE.....MALE..	10	-	1	1	-	-	-	-	-	1	-	-	1	1	1	-	2	2	-	-	-	-	-
	FEMALE	9	-	-	2	-	-	-	-	1	-	1	1	1	1	1	-	-	-	1	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	220	1	-	2	3	1	5	8	8	12	19	14	21	25	22	25	18	21	13	1	1	-	-
	WHITE.....MALE..	114	1	-	1	1	1	3	5	7	6	7	8	13	15	12	10	7	9	6	1	1	-	-
	FEMALE	83	-	-	-	-	-	2	3	1	5	8	2	4	8	10	14	10	10	6	-	-	-	-
	NONWHITE.....MALE..	14	-	-	1	2	-	-	-	-	1	2	3	3	1	-	1	-	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	2	1	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	100	2	4	5	2	3	1	2	1	8	6	11	11	8	10	11	7	3	4	1	-	-	-
	WHITE.....MALE..	45	1	2	2	2	3	-	-	1	4	3	4	2	4	2	5	4	3	2	1	-	-	-
	FEMALE	34	1	1	1	-	-	1	2	-	2	2	3	6	2	4	3	-	-	2	-	-	-	-
	NONWHITE.....MALE..	6	-	1	2	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	2	1	4	2	2	3	1	-	-	-	-	-	-	-
241	ASTHMA	73	-	2	-	2	1	1	4	2	3	7	9	6	7	8	7	4	8	2	-	-	-	-
	WHITE.....MALE..	32	-	-	-	1	-	-	-	-	-	1	5	2	3	6	5	3	5	1	-	-	-	-
	FEMALE	18	-	-	-	-	1	-	1	-	1	2	2	1	2	1	2	1	3	1	-	-	-	-
	NONWHITE.....MALE..	13	-	1	-	1	-	-	1	1	1	2	-	3	2	1	-	-	-	-	-	-	-	-
	FEMALE	10	-	1	-	-	-	1	2	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	596	2	-	-	-	1	1	6	3	16	11	25	29	48	85	114	96	81	59	19	-	-	-
	WHITE.....MALE..	179	-	-	-	-	1	-	1	2	7	5	6	10	14	22	30	35	27	14	5	-	-	-
	FEMALE	288	2	-	-	-	-	-	4	-	2	-	7	10	20	39	61	46	44	41	12	-	-	-
	NONWHITE.....MALE..	42	-	-	-	-	-	-	1	1	3	2	3	2	5	9	6	6	4	-	-	-	-	-
	FEMALE	87	-	-	-	-	-	1	-	-	4	4	9	7	9	15	17	9	6	4	2	-	-	-
290-293	ANEMIAS	60	1	6	1	2	-	2	2	-	3	3	-	2	2	2	5	7	9	8	5	-	-	-
	WHITE.....MALE..	21	-	2	-	2	-	1	-	-	1	1	-	-	1	1	2	3	2	3	2	-	-	-
	FEMALE	24	-	1	1	-	-	-	-	-	1	1	-	1	1	1	2	2	6	5	2	-	-	-
	NONWHITE.....MALE..	10	-	3	-	-	-	1	2	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-
	FEMALE	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND—CON.																							
340	NONMENINGOCOCCAL MENINGITIS	41	17	6	1	-	-	1	1	1	1	1	3	1	1	3	3	1	-	-	-	-	-	-
	WHITE.....MALE..	10	3	1	1	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	-
	FEMALE	11	5	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	11	6	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	9	3	1	-	-	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	15,309	5	7	10	6	17	29	31	82	187	346	562	867	1,061	1,538	1,963	2,245	2,305	1,963	1,353	576	156	-
	WHITE.....MALE..	6,891	2	3	3	2	7	9	7	27	78	180	310	489	573	784	981	1,092	942	736	454	170	42	-
	FEMALE	5,863	-	2	2	3	4	9	8	18	41	66	94	163	262	403	599	820	1,074	1,060	777	364	94	-
	NONWHITE.....MALE..	1,391	-	1	2	1	3	5	8	22	38	51	95	129	123	200	214	176	155	79	61	16	12	-
	FEMALE	1,164	3	1	3	-	3	6	8	15	30	49	63	86	103	151	169	157	134	88	61	26	8	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	15,119	4	5	8	4	16	25	25	77	180	339	553	850	1,037	1,521	1,946	2,227	2,285	1,948	1,342	573	154	-
	WHITE.....MALE..	6,816	2	1	1	2	6	8	4	25	77	178	308	481	561	780	973	1,086	932	733	450	167	41	-
	FEMALE	5,808	-	2	2	2	4	8	8	15	39	66	89	161	257	399	595	813	1,068	1,052	771	364	93	-
	NONWHITE.....MALE..	1,363	-	1	2	-	3	4	7	22	36	50	94	123	119	197	210	174	154	78	61	16	12	-
	FEMALE	1,132	2	1	3	-	3	5	6	15	28	45	62	85	100	145	168	154	131	85	60	26	8	-
330-334	VASCULAR LESIONS, ETC.	2,221	2	1	3	1	3	6	8	11	32	37	64	102	133	203	255	364	375	281	225	94	21	-
	WHITE.....MALE..	801	1	1	1	1	-	2	2	4	3	7	20	41	50	68	105	174	140	89	66	21	5	-
	FEMALE	984	-	-	1	-	2	-	3	4	16	12	21	28	41	66	90	129	183	173	137	63	15	-
	NONWHITE.....MALE..	227	-	-	-	-	1	3	-	2	6	8	13	19	16	39	30	31	35	13	5	5	1	-
	FEMALE	209	1	-	1	-	-	1	3	1	7	10	10	14	26	30	30	30	17	6	17	5	-	-
400-402, 410-443	DISEASES OF HEART	11,853	2	3	5	2	9	16	8	59	137	272	453	716	848	1,243	1,589	1,746	1,763	1,508	965	404	105	-
	WHITE.....MALE..	5,600	1	-	-	1	6	4	1	21	72	164	275	432	486	682	820	854	733	575	325	118	30	-
	FEMALE	4,375	-	2	1	1	-	8	2	8	22	45	61	120	198	313	470	642	812	803	550	257	60	-
	NONWHITE.....MALE..	1,048	-	1	2	-	2	1	5	19	27	36	72	98	96	147	168	133	111	57	55	10	8	-
	FEMALE	830	1	-	2	-	1	3	-	11	16	27	45	66	68	101	131	117	107	73	35	19	7	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	292	-	-	2	-	3	9	2	12	11	29	35	35	46	29	29	21	18	10	-	1	-	-
	WHITE.....MALE..	110	-	-	-	-	1	3	1	2	4	11	16	14	24	8	8	6	6	6	-	-	-	-
	FEMALE	146	-	-	1	-	-	5	1	3	5	13	16	18	22	17	19	12	10	3	-	1	-	-
	NONWHITE.....MALE..	15	-	-	1	-	2	-	-	2	1	3	-	2	-	2	1	-	1	-	-	-	-	-
	FEMALE	21	-	-	-	-	-	1	-	5	1	2	3	1	-	2	1	3	1	1	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	6,930	-	-	-	-	2	2	1	23	79	165	287	457	516	813	1,057	1,041	987	769	478	205	48	-
	WHITE.....MALE..	3,843	-	-	-	-	2	1	-	14	55	128	206	332	342	516	629	584	446	326	185	63	14	-
	FEMALE	2,416	-	-	-	-	-	1	-	1	8	16	34	72	112	209	291	388	468	390	264	131	31	-
	NONWHITE.....MALE..	399	-	-	-	-	-	-	1	6	11	11	34	30	32	50	90	44	37	28	19	5	1	-
	FEMALE	272	-	-	-	-	-	-	-	2	5	10	13	23	30	38	47	25	36	25	10	6	2	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	2,529	1	2	1	1	-	2	1	9	14	36	63	107	128	212	239	352	434	436	320	132	39	-
	WHITE.....MALE..	1,048	-	-	-	-	-	-	-	4	9	16	31	52	62	106	106	160	186	161	101	41	13	-
	FEMALE	980	-	1	-	1	-	1	-	1	1	8	4	15	23	35	73	114	181	232	186	84	20	-
	NONWHITE.....MALE..	298	-	1	-	-	-	-	1	4	3	7	20	25	36	48	35	44	38	14	17	1	4	-
	FEMALE	203	1	-	1	-	-	1	-	-	1	5	8	15	7	23	25	34	29	29	16	6	2	-
430-434	OTHER DISEASES OF HEART	339	1	1	2	1	4	2	2	4	6	12	8	19	26	38	35	50	46	41	24	14	3	-
	WHITE.....MALE..	153	1	-	-	1	3	-	-	1	1	6	3	12	14	16	16	31	17	18	10	2	1	-
	FEMALE	127	-	1	-	-	-	1	1	3	2	3	3	2	6	10	10	15	25	21	13	9	2	-
	NONWHITE.....MALE..	31	-	-	1	-	-	1	1	-	2	1	1	4	4	6	2	2	3	2	-	1	-	-
	FEMALE	28	-	-	1	-	1	-	-	-	1	2	1	1	2	6	7	2	1	-	1	2	-	-
440-443	HYPERTENSIVE HEART DIS.	1,763	-	-	-	-	-	1	2	11	27	30	60	98	132	151	229	282	278	252	143	52	15	-
	WHITE.....MALE..	446	-	-	-	-	-	-	-	-	3	3	19	22	44	36	61	73	78	64	29	12	2	-
	FEMALE	706	-	-	-	-	-	-	-	-	6	5	4	13	35	42	77	113	128	157	87	32	7	-
	NONWHITE.....MALE..	305	-	-	-	-	-	-	2	7	10	14	17	37	24	41	40	43	32	13	19	3	3	-
	FEMALE	306	-	-	-	-	-	1	-	4	8	8	20	26	29	32	51	53	40	18	8	5	3	-
444-447	OTHER HYPERTENSIVE DIS.	169	-	-	-	-	-	-	1	3	4	12	14	10	10	10	20	20	21	16	18	7	3	-
	WHITE.....MALE..	46	-	-	-	-	-	-	-	-	1	1	3	3	3	2	6	7	5	5	5	4	1	-
	FEMALE	62	-	-	-	-	-	-	-	1	-	-	3	2	1	3	7	9	12	9	11	3	1	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	1	-	1	5	5	2	3	3	3	2	3	1	-	-	1	-
	FEMALE	31	-	-	-	-	-	-	-	2	2	6	3	3	3	2	4	2	1	1	2	-	-	-
450	GENERAL ARTERIOSCLEROSIS	493	-	-	-	-	-	-	-	-	-	3	3	3	7	22	24	45	81	116	103	62	24	-
	WHITE.....MALE..	187	-	-	-	-	-	-	-	-	-	-	2	1	3	8	8	18	33	50	39	20	5	-
	FEMALE	256	-	-	-	-	-	-	-	-	-	2	1	1	4	4	12	19	41	57	59	40	16	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	5	4	6	1	1	2	-
	FEMALE	25	-	-	-	-	-	-	-	-	-	-	-	1	-	7	2	3	3	3	4	1	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	383	-	1	-	1	4	3	8	4	7	15	19	19	39	43	58	52	45	27	31	6	1	-
	WHITE.....MALE..	182	-	-	-	-	-	2	1	-	1	6	8	4	19	20	34	33	21	14	15	4	-	-
	FEMALE	131	-	-	-	1	2	-	3	2	1	7	3	10	13	13	16	14	20	10	14	1	1	-
	NONWHITE.....MALE..	33	-	-	-	-	-	-	1	1	2	-	4	4	4	5	7	3	1	1	-	-	-	-
	FEMALE	37	-	1	-	-	2	1	3	1	3	2	4	1	3	5	1	2	3	2	2	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	190	1	2	2	2	1	4	6	5	7	7	9	17	24	17	17	18	20	15	11	3	2	-
	WHITE.....MALE..	75	-	2	2	-	1	1	3	2	1	2	2	8	12	4	8	6	10	3	4	3	1	-
	FEMALE	55	-	-	-	1	-	1	-	3	2	-	5	2	5	4	4	7	6	8	6	-	1	-
	NONWHITE.....MALE..	28	-	-	-	1	-	1	1	-	2	1	1	6	4	3	4	2	1	1	-	-	-	-
	FEMALE	32	1	-	-	-	-	1	2	-	2	4	1	1	3	6	1	3	3	3	1	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	827	107	32	10	12	3	4	8	7	21	28	22	36	47	63	74	90	86	78	63	31	5	-
	WHITE.....MALE..	333	25	15	1	4	-	1	2	-	5	7	5	15	21	31	39	45	45	30	30	11	1	-
	FEMALE	262	25	7	3	7	1	2	1	1	5	5	7	5	10	10	18	25	34	43	33	17	3	-
	NONWHITE.....MALE..	148	30	7	4	1	-	1	3	4	8	13	7	12	10	15	13	12	3	2	-	3	-	-
	FEMALE	84	27	3	2	-	2	-	2	2	3	3	3	4	6	7	4	8	4	3	-	-	1	-
480-483	INFLUENZA.....	31	-	2	1	1	-	-	-	-	1	2	-	-	2	-	3	6	3	3	4	3	-	-
	WHITE.....MALE..	12	-	1	-	-	-	-	-	-	1	1	-	-	-	-	2	2	1	2	1	1	-	-
	FEMALE	12	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	796	107	30	9	11	3	4	8	7	20	26	22	36	45	63	71	84	83	75	59	28	5	-
	WHITE.....MALE..	321	25	14	1	4	-	1	2	-	4	6	5	15	21	31	37	43	44	28	29	10	1	-
	FEMALE	250	25	7	2	6	1	2	1	1	5	5	7	5	10	10	17	24	32	42	30	15	3	-
	NONWHITE.....MALE..	146	30	7	4	1	-	1	3	4	8	12	7	12	10	15	13	11	3	2	-	3	-	-
	FEMALE	79	27	2	2	-	2	-	2	2	3	3	3	4	4	7	4	6	4	3	-	-	1	-
500-502	BRONCHITIS.....	98	10	7	3	1	4	2	2	1	3	3	2	3	7	5	13	12	9	5	3	3	-	-
	WHITE.....MALE..	52	3	1	1	1	2	-	-	-	1	2	1	2	5	4	12	9	6	1	1	-	-	-
	FEMALE	28	2	4	1	-	-	1	-	1	1	-	1	-	2	1	-	2	3	4	2	3	-	-
	NONWHITE.....MALE..	12	3	1	-	-	2	1	2	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	6	2	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	327	73	5	-	-	-	-	2	4	3	3	10	17	27	34	45	42	29	22	8	1	2	-
	WHITE.....MALE..	192	18	2	-	-	-	-	1	2	1	1	9	11	20	23	35	33	20	12	2	1	1	-
	FEMALE	60	12	1	-	-	-	-	-	1	-	1	1	3	2	6	7	6	7	7	5	-	1	-
	NONWHITE.....MALE..	47	22	2	-	-	-	-	1	-	-	-	-	1	5	5	3	2	2	3	1	-	-	-
	FEMALE	28	21	-	-	-	-	-	-	1	2	1	-	2	-	-	-	1	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	177	1	1	-	1	-	-	-	3	10	7	11	11	15	19	17	22	35	10	8	6	-	-
	WHITE.....MALE..	106	-	1	-	-	-	-	-	1	5	4	6	9	7	10	12	13	23	7	6	2	-	-
	FEMALE	46	1	-	-	-	-	-	-	1	4	1	2	1	2	5	2	7	12	3	2	3	-	-
	NONWHITE.....MALE..	19	-	-	-	1	-	-	-	-	1	2	3	1	4	3	2	2	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-
550-553	APPENDICITIS.....	35	-	1	3	3	2	-	1	1	2	-	1	2	-	2	1	7	4	3	1	1	-	-
	WHITE.....MALE..	16	-	-	2	1	2	-	1	1	-	-	1	1	-	1	-	1	2	2	-	1	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	4	2	1	1	-	-	-
	NONWHITE.....MALE..	6	-	1	1	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	178	20	-	-	-	1	-	-	4	2	6	4	6	13	17	18	23	17	28	14	3	1	1
	WHITE.....MALE..	75	7	-	-	-	-	-	-	1	1	1	1	1	6	9	9	9	6	13	10	1	-	-
	FEMALE	72	7	-	-	-	1	-	-	1	-	3	3	3	4	4	6	11	9	13	4	2	1	-
	NONWHITE.....MALE..	17	5	-	-	-	-	-	-	-	-	2	-	2	1	1	2	1	2	-	-	-	-	1
	FEMALE	14	1	-	-	-	-	-	-	2	1	-	-	-	2	3	1	2	-	2	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	115	27	7	2	1	1	1	1	-	4	1	5	5	7	1	10	18	9	9	4	2	-	-
	WHITE.....MALE..	41	7	5	-	1	-	1	1	-	3	1	1	1	3	-	3	7	3	3	-	1	-	-
	FEMALE	45	2	2	2	-	1	-	-	-	1	-	2	3	1	1	5	8	6	6	4	1	-	-
	NONWHITE.....MALE..	14	8	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	-	-	-	-	-	-
	FEMALE	15	10	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	386	-	-	-	-	-	-	9	16	32	58	58	56	54	40	32	19	3	7	-	2	-	-
	WHITE.....MALE..	197	-	-	-	-	-	-	1	2	7	28	24	32	35	23	24	13	3	4	-	1	-	-
	FEMALE	102	-	-	-	-	-	-	-	4	6	16	23	17	15	10	5	4	-	1	-	1	-	-
	NONWHITE.....MALE..	50	-	-	-	-	-	-	4	4	11	8	5	5	2	6	2	2	-	1	-	-	-	-
	FEMALE	37	-	-	-	-	-	-	4	6	8	6	6	2	2	1	1	-	-	1	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	61	-	-	-	-	-	-	-	-	-	1	1	3	3	4	5	12	18	7	5	2	-	-
	WHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	8	3	2	1	1	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	-	1	1	2	2	3	-	1	12	5	4	1	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2		-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	17	-	-	1	-	1	-	1	-	1	1	3	-	1	1	1	2	-	1	2	1	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	1	-	1	-	2	-	-	1	1	2	-	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-
	NONWHITE.....MALE..	3	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	125	-	-	1	-	1	4	3	3	4	6	3	7	9	18	12	11	20	14	7	1	1	-
	WHITE.....MALE..	42	-	-	-	-	1	1	-	2	2	1	1	-	1	1	4	4	9	7	6	1	1	-
	FEMALE	52	-	-	1	-	-	2	2	-	-	2	-	5	7	8	6	4	9	5	1	-	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	1	1	1	-	-	-	-	4	2	1	1	2	-	-	-
	FEMALE	18	-	-	-	-	-	1	1	-	1	2	2	2	1	5	-	2	1	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	50	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	8	12	11	7	3	1	-
	WHITE.....MALE..	40	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	11	9	6	3	1	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	2	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MARYLAND--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	19	-	-	-	-	2	5	2	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	12	-	-	-	-	1	4	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	5	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	3	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	14	-	-	-	-	2	3	1	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	9	-	-	-	-	1	2	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	392	277	34	14	9	6	4	5	4	7	3	10	8	5	-	1	1	4	-	-	-	-	-
	WHITE.....MALE..	166	116	16	5	5	4	2	1	1	3	2	3	4	1	-	-	1	2	-	-	-	-	-
	FEMALE	147	103	14	7	3	1	2	2	1	2	-	4	3	2	-	1	-	2	-	-	-	-	-
	NONWHITE.....MALE..	42	31	3	1	-	-	-	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	37	27	1	1	1	1	-	1	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,324	1,323	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	490	489	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	364	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	207	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	519	519	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	709	708	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	236	235	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	196	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	155	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	122	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	98	5	5	-	-	2	1	1	-	2	3	4	8	5	8	9	10	8	7	9	9	2	-
	WHITE.....MALE..	33	1	-	-	-	-	-	-	-	-	-	2	5	3	4	5	5	2	1	3	2	-	-
	FEMALE	41	2	3	-	-	2	-	1	-	1	1	2	1	1	2	3	2	4	4	5	5	2	-
	NONWHITE.....MALE..	15	-	1	-	-	-	-	-	-	-	1	-	2	1	2	1	2	2	1	-	2	-	-
	FEMALE	9	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	1	1	-	-	-
RESIDUAL	ALL OTHER DISEASES.	913	75	31	13	12	10	11	12	30	40	55	45	69	78	80	84	91	89	53	25	7	3	-
	WHITE.....MALE..	363	29	13	9	5	3	5	3	10	7	19	16	31	35	35	39	33	35	24	7	4	1	-
	FEMALE	315	25	13	3	3	6	2	-	2	10	16	15	19	25	22	25	43	43	27	13	2	1	-
	NONWHITE.....MALE..	128	13	2	-	3	-	1	3	11	8	12	7	13	9	15	12	9	5	2	2	1	-	-
	FEMALE	107	8	3	1	1	1	3	6	7	15	8	7	6	9	8	8	6	6	-	3	-	1	-
E800-E962	ACCIDENTS.	1,569	56	95	79	45	112	89	73	77	112	94	89	92	79	89	97	82	75	63	45	18	7	1
	WHITE.....MALE..	812	26	38	32	25	78	58	41	44	54	51	49	49	42	51	51	43	32	22	16	8	1	1
	FEMALE	376	16	24	14	6	12	12	14	6	20	18	13	17	16	19	29	26	35	36	28	9	6	-
	NONWHITE.....MALE..	263	4	15	15	12	19	13	16	20	27	17	21	22	19	16	14	5	4	3	1	-	-	-
	FEMALE	118	10	18	18	2	3	6	2	7	11	8	6	4	2	3	3	8	4	2	-	1	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	615	7	29	31	22	76	64	42	34	58	50	27	30	26	31	35	25	19	6	3	-	-	-
	WHITE.....MALE..	351	4	16	12	15	58	40	27	20	29	26	13	19	13	17	18	14	5	4	1	-	-	-
	FEMALE	135	2	8	8	2	9	8	6	4	14	12	10	6	6	10	12	5	9	2	2	-	-	-
	NONWHITE.....MALE..	87	-	2	6	3	7	12	8	8	8	8	3	3	6	4	4	2	3	-	-	-	-	-
	FEMALE	42	1	3	5	2	2	4	1	2	7	4	1	2	1	-	1	4	2	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	954	49	66	48	23	36	25	31	43	54	44	62	62	53	58	62	57	56	57	42	18	7	1
	WHITE.....MALE..	461	22	22	20	10	20	18	14	24	25	25	36	30	29	34	33	29	27	18	15	8	1	1
	FEMALE	241	14	16	6	4	3	4	8	2	6	6	3	11	10	9	17	21	26	34	26	9	6	-
	NONWHITE.....MALE..	176	4	13	9	9	12	1	8	12	19	9	18	19	13	12	10	3	1	3	1	-	-	-
	FEMALE	76	9	15	13	-	1	2	1	5	4	4	5	2	1	3	2	4	2	2	-	1	-	-
E963, E970-E979	SUICIDE.	321	...	...	-	2	8	17	16	27	27	33	45	31	32	30	20	16	9	7	1	-	-	-
	WHITE.....MALE..	221	...	...	-	1	6	13	7	10	17	19	30	29	28	23	15	14	5	3	1	-	-	-
	FEMALE	77	...	...	-	1	1	2	5	14	7	12	12	1	3	6	4	2	4	3	-	-	-	-
	NONWHITE.....MALE..	18	...	...	-	-	1	1	3	2	2	2	3	1	-	1	1	-	-	1	-	-	-	-
	FEMALE	5	...	...	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	178	7	4	2	2	4	29	21	25	21	21	12	10	9	5	2	2	1	-	1	-	-	-
	WHITE.....MALE..	47	1	1	-	-	-	7	5	8	7	5	3	2	2	3	1	1	1	-	-	-	-	-
	FEMALE	17	3	3	1	-	-	1	-	2	2	1	-	1	1	-	-	1	-	-	1	-	-	-
	NONWHITE.....MALE..	93	2	-	1	2	3	19	12	12	9	11	8	6	6	2	-	-	-	-	-	-	-	-
	FEMALE	21	1	-	-	-	1	2	4	3	3	4	1	1	-	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS																							
	ALL CAUSES	56,512	2,443	356	212	164	246	250	272	395	663	1,070	1,770	2,665	3,581	4,842	6,848	7,874	7,929	7,064	4,964	2,220	656	28
	WHITE.....MALE	29,265	1,330	197	123	105	170	170	150	207	362	616	1,126	1,713	2,250	2,986	4,023	4,226	3,782	2,998	1,820	711	183	17
	FEMALE	26,018	958	141	76	54	64	68	104	155	266	402	581	884	1,248	1,746	2,701	3,521	4,027	3,971	3,093	1,482	465	11
	NONWHITE.....MALE	664	85	8	5	3	6	7	10	17	17	31	35	46	47	69	65	63	61	46	25	14	4	-
	FEMALE	565	70	10	8	2	6	5	8	16	18	21	28	22	36	41	59	64	59	49	26	13	4	-
001-019	TUBERCULOSIS, ALL FORMS	263	-	1	-	-	-	-	3	6	9	11	19	32	39	34	24	35	23	17	6	3	1	-
	WHITE.....MALE	181	-	-	-	-	-	-	3	-	4	7	11	21	27	27	20	28	15	12	5	1	-	-
	FEMALE	59	-	-	-	-	-	-	-	5	3	2	7	10	6	5	2	4	7	5	1	1	1	-
	NONWHITE.....MALE	15	-	-	-	-	-	-	-	-	1	2	-	1	4	2	2	2	1	-	-	-	-	-
	FEMALE	8	-	1	-	-	-	-	-	1	1	-	1	-	2	-	-	1	-	-	-	1	-	-
001-008	RESPIRATORY TUBERCULOSIS	250	-	1	-	-	-	-	3	6	7	11	18	31	39	31	24	34	21	16	6	2	-	-
	WHITE.....MALE	179	-	-	-	-	-	-	3	-	4	7	11	20	27	26	20	28	15	12	5	1	-	-
	FEMALE	51	-	-	-	-	-	-	-	5	2	2	6	10	6	3	2	3	6	4	1	1	-	-
	NONWHITE.....MALE	14	-	-	-	-	-	-	-	-	1	2	-	1	4	2	2	2	-	-	-	-	-	-
	FEMALE	6	-	1	-	-	-	-	-	1	-	-	1	-	2	-	-	1	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	13	-	-	-	-	-	-	-	-	2	-	1	1	-	3	-	1	2	1	-	1	1	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	1	-	-	1	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
020-029	SYPHILIS AND ITS SEQUELAE	101	-	-	-	-	-	-	-	-	1	-	3	2	8	14	23	19	14	9	6	2	-	-
	WHITE.....MALE	68	-	-	-	-	-	-	-	-	1	-	3	2	6	11	19	14	5	6	1	-	-	-
	FEMALE	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	8	2	5	2	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	4	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	10	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE	7	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	5	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	167	19	13	1	2	3	2	2	3	7	7	6	6	14	13	21	14	12	10	8	4	-	-
	WHITE.....MALE	74	8	6	-	-	-	1	1	-	3	4	3	4	6	8	7	8	4	3	4	4	-	-
	FEMALE	84	11	6	1	2	1	-	-	3	3	3	3	2	7	5	13	6	8	6	4	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	1	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	9,601	10	45	47	41	27	30	51	73	145	265	435	674	931	1,221	1,420	1,469	1,236	866	444	138	25	8
	WHITE.....MALE..	4,887	3	24	25	26	15	20	20	27	52	98	199	327	476	660	762	784	672	429	207	47	9	5
	FEMALE	4,529	6	19	21	12	11	9	28	45	89	160	221	333	439	537	629	656	548	426	231	90	16	3
	NONWHITE.....MALE..	99	-	-	1	2	1	-	-	-	1	3	4	12	12	14	15	14	8	6	5	1	-	-
	FEMALE	86	1	2	-	1	-	1	3	1	3	4	11	2	4	10	14	15	8	5	1	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	233	-	-	-	-	-	-	-	2	1	13	9	21	26	36	28	19	33	27	8	9	-	1
	WHITE.....MALE..	181	-	-	-	-	-	-	-	1	1	7	7	18	23	29	23	15	25	22	5	4	-	1
	FEMALE	47	-	-	-	-	-	-	-	1	-	4	1	3	3	5	5	4	8	5	3	5	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	3,499	1	1	-	-	1	1	5	6	32	57	107	214	316	417	557	613	524	390	181	63	10	3
	WHITE.....MALE..	1,756	-	-	-	-	-	-	2	3	15	32	57	115	173	230	285	305	269	176	74	17	2	1
	FEMALE	1,674	1	1	-	-	-	-	3	2	16	24	47	97	139	179	259	291	247	209	104	45	8	2
	NONWHITE.....MALE..	35	-	-	-	-	1	-	-	-	-	-	1	2	4	3	5	8	5	3	2	1	-	-
	FEMALE	34	-	-	-	-	-	1	-	1	1	1	2	-	-	5	8	9	3	2	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	1,460	-	-	-	-	1	1	2	3	12	35	82	126	172	246	282	222	159	70	37	5	5	-
	WHITE.....MALE..	1,210	-	-	-	-	-	1	2	2	9	23	66	105	143	210	235	195	131	55	24	4	5	-
	FEMALE	221	-	-	-	-	1	-	-	1	3	11	15	14	24	33	42	25	25	13	13	1	-	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	1	-	7	4	2	5	2	1	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	1	-	-	-	-
170	OF BREAST.....	948	-	-	-	-	-	-	3	12	26	51	82	91	124	111	114	130	88	65	36	11	3	1
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	4	-	3	-	-	-	-
	FEMALE	922	-	-	-	-	-	-	3	12	24	51	75	90	121	109	113	123	88	62	36	11	3	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	-	6	-	-	1	-	3	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	1,191	-	-	-	1	3	3	4	11	31	37	41	73	96	137	161	190	173	128	78	20	3	1
	WHITE.....MALE..	486	-	-	-	1	1	3	2	2	4	-	2	5	16	36	60	96	107	89	49	10	2	1
	FEMALE	676	-	-	-	-	2	-	1	9	27	35	38	66	77	97	95	92	62	37	27	10	1	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	1	2	-	-	-
	FEMALE	19	-	-	-	-	-	-	1	-	-	2	1	2	2	2	4	2	2	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	477	-	3	2	-	-	-	1	1	3	5	18	25	32	58	66	85	78	47	41	11	-	1
	WHITE.....MALE..	307	-	-	-	-	-	-	1	-	1	2	13	19	23	36	48	58	47	26	26	6	-	1
	FEMALE	161	-	3	1	-	-	-	-	1	1	3	4	5	7	20	18	27	31	20	15	5	-	-
	NONWHITE.....MALE..	8	-	-	1	-	-	-	-	-	1	-	1	1	2	2	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	980	4	16	10	17	8	11	15	22	25	35	50	74	102	129	114	115	101	75	43	10	4	-
	WHITE.....MALE..	511	1	9	7	10	5	6	3	10	12	18	28	39	60	70	65	61	55	28	20	4	-	-
	FEMALE	455	3	7	3	7	3	5	10	12	13	17	20	35	41	56	46	52	45	47	23	6	4	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	2	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	384	4	25	32	14	11	5	9	2	-	13	17	18	19	34	43	42	37	39	13	7	-	-
	WHITE.....MALE..	199	1	15	17	9	7	3	4	1	-	6	0	8	10	21	21	19	23	19	4	1	-	-
	FEMALE	177	2	8	15	3	4	2	5	1	-	7	'	9	8	13	21	23	14	20	9	6	-	-
	NONWHITE.....MALE..	3	-	-	-	1	-	-	-	-	-	-		1	1	-	-	-	-	-	-	-	-	-
	FEMALE	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	429	1	-	3	9	3	9	12	14	15	19	29	32	44	53	55	53	43	25	7	2	-	1
	WHITE.....MALE..	223	1	-	1	6	2	7	6	8	10	10	15	17	25	27	24	31	15	11	5	1	-	1
	FEMALE	196	-	-	2	2	1	2	6	6	5	8	14	14	19	25	30	19	28	13	1	1	-	-
	NONWHITE.....MALE..	10	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	3	-	1	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	161	-	2	8	5	1	3	1	5	6	3	10	12	18	16	24	21	12	12	2	-	-	-
	WHITE.....MALE..	72	-	1	6	2	1	1	-	1	2	1	5	4	10	6	13	9	5	5	-	-	-	-
	FEMALE	85	-	1	2	2	-	2	1	4	4	2	5	8	8	9	10	11	7	7	2	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	150	-	-	4	2	2	3	5	3	4	3	7	10	10	21	21	26	15	11	2	1	-	-
	WHITE.....MALE..	101	-	-	4	1	-	1	3	2	2	-	3	6	7	17	16	20	11	6	2	-	-	-
	FEMALE	45	-	-	-	1	-	2	2	1	2	3	3	4	3	3	5	6	4	5	-	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	1,054	-	1	2	1	2	2	6	11	14	18	24	43	66	104	166	217	170	117	73	13	3	1
	WHITE.....MALE..	396	-	1	1	-	2	1	5	5	8	13	14	21	27	34	81	62	56	40	20	4	1	-
	FEMALE	633	-	-	1	1	-	-	1	6	6	5	9	18	37	69	84	147	111	73	53	9	2	1
	NONWHITE.....MALE..	12	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	2	2	3	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	6	1	1	-	-	-	-
290-293	ANEMIAS.....	97	-	2	-	-	1	2	1	2	-	3	-	2	5	5	11	16	15	15	14	3	-	-
	WHITE.....MALE..	49	-	1	-	-	-	1	-	1	-	1	-	1	2	3	7	6	10	9	6	1	-	-
	FEMALE	46	-	1	-	-	1	1	1	-	-	1	-	1	3	2	4	10	5	6	8	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	55	20	5	1	-	1	-	-	1	2	-	2	3	3	6	2	5	1	2	1	-	-	-
	WHITE.....MALE..	22	7	3	-	-	1	-	-	-	1	-	1	2	2	2	-	3	-	-	-	-	-	-
	FEMALE	30	12	2	1	-	-	-	-	-	1	-	1	1	1	4	2	2	1	1	1	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	32,375	11	12	9	10	23	28	36	100	222	413	777	1,280	1,839	2,652	4,068	4,877	5,275	4,922	3,625	1,679	504	13
	WHITE.....MALE..	16,380	5	6	6	4	12	18	16	73	143	281	568	930	1,250	1,717	2,417	2,599	2,422	1,998	1,241	529	137	8
	FEMALE	15,488	4	6	2	6	11	9	18	20	73	111	182	321	554	886	1,588	2,213	2,776	2,867	2,348	1,129	359	5
	NONWHITE.....MALE..	260	2	-	1	-	-	-	1	3	4	12	15	19	19	29	30	32	37	24	17	11	4	-
	FEMALE	247	-	-	-	-	-	1	1	4	2	9	12	10	16	20	33	33	40	33	19	10	4	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	32,088	11	12	7	7	16	25	33	98	213	400	767	1,252	1,826	2,640	4,029	4,841	5,232	4,886	3,603	1,676	501	13
	WHITE.....MALE..	16,223	5	6	4	3	8	16	15	72	136	274	563	913	1,243	1,711	2,395	2,574	2,397	1,983	1,232	529	136	8
	FEMALE	15,364	4	6	2	4	8	8	16	19	71	105	177	312	549	880	1,573	2,202	2,758	2,847	2,335	1,126	357	5
	NONWHITE.....MALE..	257	2	-	1	-	-	-	1	3	4	12	15	18	19	29	28	32	37	24	17	11	4	-
	FEMALE	244	-	-	-	-	-	1	1	4	2	9	12	9	15	20	33	33	40	32	19	10	4	-
330-334	VASCULAR LESIONS, ETC.	6,029	2	7	3	3	7	7	10	18	23	48	97	170	217	388	650	929	1,151	1,120	781	311	85	2
	WHITE.....MALE..	2,482	1	3	2	2	3	6	2	12	10	21	50	93	115	211	320	434	458	400	232	88	18	1
	FEMALE	3,460	1	4	1	1	4	1	8	4	13	23	42	74	98	171	318	483	673	712	541	222	65	1
	NONWHITE.....MALE..	40	-	-	-	-	-	-	-	1	-	1	2	1	-	4	4	6	10	5	4	1	1	-
	FEMALE	47	-	-	-	-	-	-	-	1	-	3	3	2	4	2	8	6	10	3	4	-	1	-
400-402, 410-443	DISEASES OF HEART	23,454	8	5	4	3	8	11	16	73	170	329	635	1,032	1,512	2,118	3,124	3,588	3,671	3,312	2,380	1,111	336	8
	WHITE.....MALE..	12,583	4	3	2	1	5	7	9	55	118	243	493	787	1,068	1,415	1,919	1,974	1,761	1,390	858	365	100	6
	FEMALE	10,528	3	2	1	2	3	3	5	13	48	74	125	223	415	667	1,165	1,570	1,868	1,883	1,499	726	231	2
	NONWHITE.....MALE..	178	1	-	1	-	-	-	1	2	2	7	10	16	18	20	21	21	19	15	11	10	3	-
	FEMALE	165	-	-	-	-	-	1	1	3	2	5	7	6	11	16	19	23	23	24	12	10	2	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	658	-	1	1	1	2	3	4	19	35	24	66	87	85	92	91	66	43	25	11	1	1	-
	WHITE.....MALE..	272	-	1	-	1	1	1	1	10	14	8	32	43	33	40	31	31	13	9	3	-	-	-
	FEMALE	374	-	-	-	-	1	1	2	8	21	15	32	43	52	50	59	35	29	16	8	1	1	-
	NONWHITE.....MALE..	7	-	-	1	-	-	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	19,474	-	-	-	-	-	1	5	43	114	267	517	834	1,278	1,802	2,648	3,038	3,081	2,707	1,931	928	274	6
	WHITE.....MALE..	10,920	-	-	-	-	-	-	4	38	92	216	430	677	951	1,253	1,688	1,738	1,532	1,172	723	318	84	4
	FEMALE	8,294	-	-	-	-	-	1	1	3	19	43	75	142	305	522	928	1,264	1,517	1,506	1,189	591	186	2
	NONWHITE.....MALE..	142	-	-	-	-	-	-	-	-	2	6	7	12	14	17	19	16	16	13	9	9	2	-
	FEMALE	118	-	-	-	-	-	-	-	2	1	2	5	3	8	10	13	20	16	16	10	10	2	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	1,088	1	-	1	1	2	2	3	6	3	2	14	14	31	52	82	138	163	212	212	105	44	-
	WHITE.....MALE..	474	-	-	1	-	2	2	2	4	2	1	12	9	20	24	50	78	69	86	72	29	11	-
	FEMALE	596	-	-	-	1	-	-	1	2	-	1	2	5	10	28	31	58	89	122	139	75	32	-
	NONWHITE.....MALE..	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	1	-
	FEMALE	9	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	3	3	-	-	-	-
430-434	OTHER DISEASES OF HEART	656	7	4	2	1	4	4	3	5	12	18	17	38	44	56	83	106	95	86	52	14	5	-
	WHITE.....MALE..	340	4	2	1	-	2	3	1	3	7	10	11	24	23	36	46	52	48	38	22	5	2	-
	FEMALE	302	3	2	1	1	2	1	1	-	5	6	5	12	19	20	36	52	46	48	30	9	3	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	1	-	-	1	1	2	-	1	1	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	1	1	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	1,578	-	-	-	-	-	1	1	-	6	18	21	59	74	116	220	240	289	282	174	63	12	2
	WHITE.....MALE..	577	-	-	-	-	-	1	1	-	3	8	8	34	41	62	104	75	99	85	38	13	3	2
	FEMALE	962	-	-	-	-	-	-	-	-	3	9	11	21	29	47	111	161	187	191	133	50	9	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	2	2	2	2	-	2	1	1	1	-	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	-	1	-	2	2	5	5	2	2	5	2	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	397	-	-	-	-	-	-	1	1	3	6	9	13	16	17	33	36	82	69	66	32	13	-
	WHITE.....MALE..	162	-	-	-	-	-	-	-	1	1	4	4	11	7	10	16	18	28	34	18	6	4	-
	FEMALE	221	-	-	-	-	-	-	1	-	1	-	3	2	8	6	12	18	53	34	48	26	9	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	4	-	-	1	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	1,242	-	-	-	-	-	-	-	-	2	2	6	13	33	52	110	187	271	303	197	64	2	
	WHITE.....MALE..	465	-	-	-	-	-	-	-	-	1	1	4	8	23	27	51	76	103	95	62	14	-	
	FEMALE	752	-	-	-	-	-	-	-	-	-	-	1	5	10	24	56	102	164	204	135	49	2	
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	4	2	2	-	-	-	
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	5	2	2	-	1	-	
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	966	1	-	-	1	1	7	6	6	17	15	24	31	68	84	170	178	141	114	73	25	3	1
	WHITE.....MALE..	531	-	-	-	-	-	3	4	4	7	5	15	18	45	52	113	97	74	56	29	8	-	1
	FEMALE	403	-	-	-	1	1	4	2	2	9	8	7	12	23	26	54	75	62	54	43	17	3	-
	NONWHITE.....MALE..	21	1	-	-	-	-	-	-	-	1	2	1	1	-	5	1	4	3	2	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	2	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	287	-	-	2	3	7	3	3	2	9	13	10	28	13	12	39	36	43	36	22	3	3	-
	WHITE.....MALE..	157	-	-	2	1	4	2	1	1	7	7	5	17	7	6	22	25	25	15	9	-	1	-
	FEMALE	124	-	-	-	2	3	1	2	1	2	6	5	9	5	6	15	11	18	20	13	3	2	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	2,450	229	49	13	10	6	10	13	12	21	33	55	70	88	124	208	290	328	366	308	161	56	-
	WHITE.....MALE..	1,251	132	24	9	7	4	5	6	4	8	22	36	47	63	78	141	161	145	162	132	50	15	-
	FEMALE	1,107	67	24	3	3	2	5	6	7	9	8	16	22	23	39	59	117	174	198	176	108	41	-
	NONWHITE.....MALE..	50	12	-	-	-	-	-	-	1	3	1	2	1	2	5	6	5	6	4	-	2	-	-
	FEMALE	42	18	1	1	-	-	-	1	-	1	2	1	-	-	2	2	7	3	2	-	1	-	-
480-483	INFLUENZA.....	26	1	-	-	1	-	-	-	-	-	-	2	1	1	-	1	3	5	3	1	5	2	-
	WHITE.....MALE..	7	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	1	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	5	2	1	4	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	2,424	228	49	13	9	6	10	13	12	21	33	53	69	87	124	207	287	323	363	307	156	54	-
	WHITE.....MALE..	1,244	131	24	9	6	4	5	6	4	8	22	35	47	62	78	140	161	145	161	132	49	15	-
	FEMALE	1,089	67	24	3	3	2	5	6	7	9	8	15	22	23	39	59	114	169	196	175	104	39	-
	NONWHITE.....MALE..	49	12	-	-	-	-	-	-	1	3	1	2	-	2	5	6	5	6	4	-	2	-	-
	FEMALE	42	18	1	1	-	-	-	1	-	1	2	1	-	-	2	2	7	3	2	-	1	-	-
500-502	BRONCHITIS.....	204	13	6	1	2	-	-	-	1	1	-	4	4	12	17	28	33	28	26	20	7	1	-
	WHITE.....MALE..	150	8	3	1	1	-	-	-	1	-	-	2	3	11	16	24	29	19	15	13	3	1	-
	FEMALE	51	5	3	-	1	-	-	-	-	1	-	2	1	1	1	4	4	8	10	6	4	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	554	51	9	3	3	2	1	-	1	6	5	14	16	43	53	93	93	67	62	19	11	2	-
	WHITE.....MALE..	409	30	4	-	3	2	-	-	-	2	3	10	13	34	44	75	73	50	49	13	4	-	-
	FEMALE	132	17	5	2	-	-	1	-	1	3	1	4	3	9	7	16	18	17	13	6	7	2	-
	NONWHITE.....MALE..	8	2	-	-	-	-	-	-	-	1	1	-	-	-	1	1	2	-	-	-	-	-	-
	FEMALE	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	457	1	-	-	-	1	-	1	6	7	14	19	32	49	44	64	64	66	54	23	7	5	-
	WHITE.....MALE..	320	1	-	-	-	1	-	1	3	7	10	13	24	36	36	47	51	41	28	14	5	2	-
	FEMALE	122	-	-	-	-	-	-	-	2	-	2	4	7	9	7	14	13	25	25	9	2	3	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	2	2	-	2	-	2	-	-	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	51	2	1	1	2	-	-	2	2	2	1	1	2	-	4	7	7	8	5	3	1	-	-
	WHITE.....MALE..	28	-	1	1	1	-	-	2	1	2	-	1	2	-	2	5	3	4	2	1	-	-	-
	FEMALE	22	2	-	-	1	-	-	-	1	-	-	-	-	-	2	2	4	4	3	2	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	316	21	3	1	-	1	-	1	-	1	8	10	18	15	20	38	40	45	45	31	14	4	-
	WHITE.....MALE..	153	15	2	1	-	1	-	1	-	1	7	3	9	7	13	20	23	15	18	12	5	-	-
	FEMALE	157	5	1	-	-	-	-	-	-	-	1	7	9	8	6	18	16	28	26	19	9	4	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	201	13	7	2	1	1	3	1	2	3	4	13	9	8	16	25	25	26	19	17	5	1	-
	WHITE.....MALE..	89	6	4	2	-	1	1	-	2	2	-	9	8	5	10	12	10	7	3	5	2	-	-
	FEMALE	105	5	1	-	1	-	2	-	-	1	4	4	1	3	6	13	15	19	14	12	3	1	-
	NONWHITE.....MALE..	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
581	CIRRHOSIS OF LIVER.....	826	1	-	1	1	-	1	6	11	36	65	116	125	116	100	117	65	32	21	10	2	-	-
	WHITE.....MALE..	557	1	-	1	1	-	-	4	4	19	42	77	91	86	67	75	47	24	10	7	1	-	-
	FEMALE	246	-	-	-	-	-	1	2	5	15	21	35	32	29	26	40	17	8	11	3	1	-	-
	NONWHITE.....MALE..	15	-	-	-	-	-	-	-	1	-	1	3	2	1	6	-	1	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	1	2	1	1	-	-	1	2	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	149	-	-	-	-	-	-	-	1	2	2	2	4	7	13	24	20	27	29	14	2	2	-
	WHITE.....MALE..	60	-	-	-	-	-	-	-	-	1	-	1	2	3	7	14	8	11	9	3	1	-	-
	FEMALE	86	-	-	-	-	-	-	-	1	1	2	-	2	4	5	10	12	16	19	11	1	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	44	1	1	4	1	-	3	2	2	2	1	-	1	6	4	5	5	5	1	-	-	-	-
	WHITE.....MALE..	25	1	1	2	1	-	2	-	-	2	1	-	1	3	3	2	3	3	-	-	-	-	-
	FEMALE	17	-	-	2	-	-	1	1	2	-	-	-	-	2	1	3	2	2	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	294	1	1	-	1	1	1	-	1	3	7	8	15	19	18	30	50	42	45	35	12	3	1
	WHITE.....MALE..	117	1	1	-	-	-	1	-	-	1	2	5	3	2	7	10	26	20	21	12	4	1	-
	FEMALE	158	-	-	-	1	1	-	-	1	2	3	2	10	14	9	16	24	19	23	22	8	2	1
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	2	-	1	2	1	3	-	3	-	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	98	-	-	-	-	-	-	-	-	-	-	-	2	-	3	9	24	23	16	15	3	2	1
	WHITE.....MALE..	95	-	-	-	-	-	-	-	-	-	-	-	2	-	3	8	24	23	15	14	3	2	1
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MASSACHUSETTS--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	18	-	-	-	-	1	1	3	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	13	-	-	-	-	1	1	1	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	5	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	5	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	13	-	-	-	-	1	-	2	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	10	-	-	-	-	1	-	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	515	364	42	19	15	5	9	5	4	4	8	6	6	5	5	6	7	2	1	1	1	-	-
	WHITE.....MALE..	277	198	18	9	8	4	7	3	2	3	5	4	2	2	4	2	3	2	1	-	-	-	-
	FEMALE	221	155	19	9	7	1	2	2	2	1	3	2	4	3	1	4	4	-	-	1	1	-	-
	NONWHITE.....MALE..	11	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	1,562	1,562	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	855	855	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	609	609	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	642	642	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	354	354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	824	824	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	448	448	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	314	314	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	195	7	2	2	2	3	3	1	4	3	8	7	10	14	24	26	24	19	18	6	5	5	2
	WHITE.....MALE..	107	5	1	1	2	2	1	-	1	1	2	5	8	10	15	12	14	8	10	3	1	3	2
	FEMALE	82	2	1	1	-	1	2	1	3	1	5	1	2	4	8	13	10	10	8	3	4	2	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	1,698	58	31	20	29	25	14	26	32	64	71	75	139	132	139	187	212	184	128	85	34	13	-
	WHITE.....MALE..	891	31	22	9	18	15	8	10	12	37	36	43	75	79	83	111	106	93	53	35	10	5	-
	FEMALE	754	26	9	10	11	8	6	15	17	21	29	29	56	48	51	73	106	87	74	46	24	8	-
	NONWHITE.....MALE..	29	-	-	1	-	2	-	1	1	2	5	2	4	1	3	2	-	4	-	1	-	-	-
	FEMALE	24	1	-	-	-	-	-	-	2	4	1	1	4	4	2	1	-	-	1	3	-	-	-
E800-E962	ACCIDENTS.	2,359	52	114	65	31	125	113	66	73	61	75	111	102	90	123	167	187	233	237	193	111	29	1
	WHITE.....MALE..	1,320	21	69	41	25	103	91	50	47	40	57	79	74	66	76	95	89	103	84	67	36	7	-
	FEMALE	971	28	41	17	5	22	17	13	16	17	17	30	24	20	44	69	94	128	148	124	74	22	1
	NONWHITE.....MALE..	44	1	4	2	1	-	3	3	8	3	1	2	3	2	2	2	2	1	3	1	-	-	-
	FEMALE	24	2	-	5	-	-	2	-	2	1	-	-	1	2	1	1	2	1	2	1	1	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	730	1	41	34	13	87	85	38	43	26	37	41	29	24	40	58	44	46	31	8	4	-	-
	WHITE.....MALE..	502	-	27	19	9	66	71	31	27	18	28	30	21	18	23	36	28	27	18	3	2	-	-
	FEMALE	208	1	14	11	4	21	12	6	10	6	9	10	7	6	17	22	14	19	12	5	2	-	-
	NONWHITE.....MALE..	13	-	-	2	-	-	-	1	5	2	-	1	1	-	-	-	-	-	1	-	-	-	-
	FEMALE	7	-	-	2	-	-	2	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,629	51	73	31	18	38	28	28	30	35	38	70	73	66	83	109	143	187	206	185	107	29	1
	WHITE.....MALE..	818	21	42	22	16	37	20	19	20	22	29	49	53	48	53	59	61	76	66	64	34	7	-
	FEMALE	763	27	27	6	1	1	5	7	6	11	8	20	17	14	27	47	80	109	136	119	72	22	1
	NONWHITE.....MALE..	31	1	4	-	1	-	3	2	3	1	1	1	2	2	2	2	2	1	2	1	-	-	-
	FEMALE	17	2	-	3	-	-	-	-	1	1	-	-	1	2	1	1	-	1	2	1	1	-	-
E963, E970-E979	SUICIDE.	398	...	...	-	4	4	16	34	21	28	37	41	42	39	43	31	26	19	9	3	1	-	-
	WHITE.....MALE..	288	...	...	-	4	3	10	22	14	19	21	27	28	29	35	28	22	14	9	3	-	-	-
	FEMALE	105	...	...	-	-	1	5	11	6	9	16	14	13	10	8	3	3	5	-	-	1	-	-
	NONWHITE.....MALE..	5	...	...	-	-	-	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	78	3	4	5	-	8	5	6	12	3	6	5	4	5	4	3	2	2	-	-	-	-	1
	WHITE.....MALE..	29	-	1	2	-	1	1	3	7	-	3	4	3	1	1	-	1	-	-	-	-	-	1
	FEMALE	26	2	2	3	-	2	2	1	1	1	2	-	-	2	2	3	1	2	-	-	-	-	-
	NONWHITE.....MALE..	14	-	-	-	-	1	2	2	2	1	1	1	1	2	1	-	-	-	-	-	-	-	-
	FEMALE	9	1	1	-	-	4	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN																							
	ALL CAUSES	70,035	4,392	606	373	315	450	523	483	699	1,083	1,749	2,617	3,688	4,881	6,401	8,320	9,472	9,175	7,393	4,808	2,015	560	32
	WHITE.....MALE..	37,158	2,166	299	202	182	292	322	277	347	484	861	1,413	2,092	2,871	3,757	4,828	5,378	4,872	3,472	2,093	773	166	11
	FEMALE	26,842	1,484	217	129	105	119	135	129	212	349	584	810	1,098	1,418	1,905	2,816	3,582	3,919	3,695	2,584	1,169	363	20
	NONWHITE.....MALE..	3,402	406	48	20	16	23	43	39	67	135	149	221	280	354	448	404	295	212	123	71	36	12	-
	FEMALE	2,633	336	42	22	12	16	23	38	73	115	155	173	218	238	291	272	217	172	103	60	37	19	1
001-019	TUBERCULOSIS, ALL FORMS..	334	1	1	2	1	-	2	6	6	9	11	22	34	37	52	43	46	28	20	9	1	3	-
	WHITE.....MALE..	206	-	1	1	1	-	-	-	-	2	3	11	22	23	29	33	36	23	13	6	1	1	-
	FEMALE	60	-	-	1	-	-	2	1	2	4	3	6	8	7	9	2	4	1	6	3	-	1	-
	NONWHITE.....MALE..	50	1	-	-	-	-	-	1	2	-	3	4	3	6	13	7	6	2	1	-	-	1	-
	FEMALE	18	-	-	-	-	-	-	4	2	3	2	1	1	1	1	1	-	2	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	309	-	-	1	-	-	2	5	6	8	11	22	32	34	51	37	45	26	18	9	-	2	-
	WHITE.....MALE..	197	-	-	-	-	-	-	-	-	2	3	11	21	23	29	30	36	23	12	6	-	1	-
	FEMALE	55	-	-	1	-	-	2	1	2	3	3	6	7	6	9	2	4	1	5	3	-	-	-
	NONWHITE.....MALE..	42	-	-	-	-	-	-	1	2	-	3	4	3	5	12	4	5	1	1	-	-	1	-
	FEMALE	15	-	-	-	-	-	-	3	2	3	2	1	1	-	1	1	-	1	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	25	1	1	1	1	-	-	1	-	1	-	-	2	3	1	6	1	2	2	-	1	1	-
	WHITE.....MALE..	9	-	1	1	1	-	-	-	-	-	-	-	1	-	-	3	-	-	1	-	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	1	-
	NONWHITE.....MALE..	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	106	-	-	-	-	-	-	-	-	1	1	4	7	7	18	25	18	11	8	5	-	1	-
	WHITE.....MALE..	52	-	-	-	-	-	-	-	-	-	-	-	2	2	7	17	9	5	6	4	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	1	-	1	3	3	3	2	4	3	1	-	-	1	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	1	-	2	2	6	6	3	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	3	-	-	2	-	2	1	1	1	-	-	-
045-048	DYSENTERY, ALL FORMS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	6	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	WHITE.....MALE..	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	27	6	9	3	-	3	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	15	2	7	1	-	3	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	10	4	1	1	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	8	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	209	31	12	10	5	6	1	4	4	8	11	18	14	17	12	15	15	7	11	5	3	-	-
	WHITE.....MALE..	83	12	3	2	2	4	1	2	1	3	3	5	5	6	4	8	7	4	5	3	3	-	-
	FEMALE	87	16	7	6	2	1	-	-	2	3	4	7	5	8	5	4	7	3	5	2	-	-	-
	NONWHITE.....MALE..	21	-	2	1	1	-	-	1	-	1	2	2	3	1	3	2	1	-	1	-	-	-	-
	FEMALE	18	3	-	1	-	1	-	1	1	1	2	4	1	2	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN—CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	11,725	21	66	80	52	43	39	59	114	212	369	648	909	1,188	1,548	1,776	1,736	1,397	911	416	112	24	5
	WHITE.....MALE..	5,996	10	39	42	28	25	23	28	42	69	123	253	403	599	826	987	979	783	493	184	49	11	-
	FEMALE	4,773	10	22	31	20	14	14	22	55	107	191	307	409	451	568	656	668	551	392	215	55	10	5
	NONWHITE.....MALE..	510	-	2	3	2	1	-	2	3	15	21	42	50	79	90	74	58	39	14	9	4	2	-
	FEMALE	446	1	3	4	2	3	2	7	14	21	34	46	47	59	64	59	31	24	12	8	4	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX	297	-	-	-	2	1	-	-	1	3	9	19	32	33	54	40	47	26	18	8	3	-	1
	WHITE.....MALE..	219	-	-	-	2	1	-	-	1	-	5	13	25	26	44	31	29	23	13	5	1	-	-
	FEMALE	64	-	-	-	-	-	-	-	-	3	2	4	3	5	10	8	15	3	5	3	2	-	1
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	1	1	3	2	-	1	2	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	3,962	2	1	1	2	-	2	9	13	39	80	163	255	347	508	645	682	557	384	200	60	12	-
	WHITE.....MALE..	2,028	2	-	1	2	-	-	6	6	17	41	69	116	169	264	364	371	300	191	76	28	5	-
	FEMALE	1,605	-	1	-	-	-	2	2	6	14	23	63	107	124	183	232	275	233	182	122	31	5	-
	NONWHITE.....MALE..	188	-	-	-	-	-	-	-	-	6	7	17	20	32	31	28	21	18	6	-	1	1	-
	FEMALE	141	-	-	-	-	-	-	1	1	2	9	14	12	22	30	21	15	6	5	2	-	1	-
160-164	OF RESP. SYSTEM, ETC.	1,923	1	-	1	1	-	1	3	8	20	51	125	173	283	362	333	267	187	80	23	4	-	-
	WHITE.....MALE..	1,533	1	-	1	-	-	1	1	8	13	31	88	132	225	290	284	227	148	66	15	2	-	-
	FEMALE	234	-	-	-	1	-	-	2	-	3	10	20	23	29	36	30	27	32	13	7	1	-	-
	NONWHITE.....MALE..	137	-	-	-	-	-	-	-	-	4	8	14	14	28	32	15	13	7	1	1	-	-	-
	FEMALE	19	-	-	-	-	-	-	-	-	-	2	3	4	1	4	4	-	-	-	-	1	-	-
170	OF BREAST	1,022	-	-	-	-	-	-	3	15	48	75	102	110	111	122	142	109	97	54	25	7	-	2
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	2	-	1	-	-	-	-
	FEMALE	942	-	-	-	-	-	-	2	11	41	69	93	98	101	117	130	103	93	52	23	7	-	2
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	73	-	-	-	-	-	-	1	4	7	6	9	10	9	4	12	4	4	1	2	-	-	-
171-179	OF GENITAL ORGANS	1,692	-	4	-	2	6	5	15	25	44	62	99	120	139	185	226	243	235	171	80	25	5	1
	WHITE.....MALE..	605	-	3	-	-	2	1	5	2	5	2	6	5	16	34	78	126	148	108	48	14	2	-
	FEMALE	899	-	1	-	2	3	3	6	16	28	50	83	100	104	126	121	98	71	53	23	7	3	1
	NONWHITE.....MALE..	67	-	-	-	-	-	-	-	-	-	-	-	1	3	11	14	14	8	7	7	2	-	-
	FEMALE	121	-	-	-	-	1	1	4	7	11	10	10	14	16	14	13	5	8	3	2	2	-	-
180, 181	OF URINARY ORGANS	642	2	7	7	1	-	-	1	3	6	10	24	36	53	77	124	104	88	62	32	2	3	-
	WHITE.....MALE..	420	1	5	3	-	-	-	-	2	2	6	13	26	38	51	90	72	56	36	16	1	2	-
	FEMALE	173	1	1	1	1	-	-	1	1	4	1	4	7	11	18	28	26	28	24	15	1	-	-
	NONWHITE.....MALE..	28	-	1	1	-	-	-	-	-	-	2	3	2	2	4	3	5	3	-	1	-	1	-
	FEMALE	21	-	-	2	-	-	-	-	-	-	1	4	1	2	4	3	1	1	2	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	1,066	6	20	21	23	17	14	9	20	29	35	49	93	127	126	128	134	95	77	33	8	2	-
	WHITE.....MALE..	574	3	11	11	13	11	10	4	8	17	20	29	52	75	83	58	67	43	40	17	1	1	-
	FEMALE	426	3	9	9	10	4	4	5	11	8	13	14	34	39	36	61	62	48	36	14	5	1	-
	NONWHITE.....MALE..	36	-	-	1	-	1	-	-	-	3	2	3	4	9	4	5	2	1	-	-	1	-	-
	FEMALE	30	-	-	-	-	1	-	-	1	1	-	3	3	4	3	4	3	3	1	2	1	-	-
204	LEUKEMIA AND ALEUKEMIA	541	8	28	41	14	9	5	8	12	9	17	29	29	36	39	59	78	61	43	11	3	1	1
	WHITE.....MALE..	301	2	15	20	7	5	2	4	6	6	4	16	15	15	23	38	49	41	27	4	2	-	-
	FEMALE	210	5	10	18	4	4	3	4	4	3	12	12	12	18	14	16	28	17	16	7	1	1	1
	NONWHITE.....MALE..	16	-	1	1	2	-	-	-	2	-	-	1	1	2	1	4	-	1	-	-	-	-	-
	FEMALE	14	1	2	2	1	-	-	-	-	-	1	-	1	1	1	1	1	2	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	580	2	6	9	7	10	12	11	17	14	30	38	61	59	75	79	72	51	22	4	-	1	-
	WHITE.....MALE..	309	1	5	6	4	6	9	8	9	9	14	19	30	34	36	44	36	24	11	3	-	1	-
	FEMALE	220	1	-	3	2	3	2	-	6	3	11	14	25	20	28	30	34	26	11	1	-	-	-
	NONWHITE.....MALE..	28	-	-	-	-	-	-	2	1	2	1	3	5	1	7	4	1	1	-	-	-	-	-
	FEMALE	23	-	1	-	1	1	1	1	1	-	4	2	1	4	4	1	1	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	169	4	1	3	5	3	1	3	6	10	10	10	17	17	18	18	20	10	3	7	2	-	1
	WHITE.....MALE..	67	2	-	-	3	2	-	2	3	3	2	5	5	8	7	8	9	5	1	1	-	-	1
	FEMALE	82	2	1	2	1	1	1	1	2	6	4	5	6	9	8	8	10	5	2	6	2	-	-
	NONWHITE.....MALE..	9	-	-	1	-	-	-	-	-	-	-	-	3	-	2	2	1	-	-	-	-	-	-
	FEMALE	11	-	-	-	1	-	-	-	1	1	4	-	3	-	1	-	-	-	-	-	-	-	-
241	ASTHMA	246	-	3	2	1	2	2	1	3	2	9	17	22	28	31	36	25	32	18	9	3	-	-
	WHITE.....MALE..	139	-	2	1	-	2	-	-	-	1	-	5	11	15	20	24	19	22	12	5	-	-	-
	FEMALE	75	-	1	1	-	-	2	1	-	1	4	8	8	7	9	9	5	7	5	4	3	-	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	-	2	-	5	2	3	4	2	3	1	2	1	-	-	-	-
	FEMALE	7	-	-	-	1	-	-	-	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-
260	DIABETES MELLITUS	1,901	-	4	2	2	5	3	10	12	23	36	40	89	137	217	320	366	319	189	101	22	3	1
	WHITE.....MALE..	752	-	1	-	-	4	1	8	8	13	17	13	37	48	93	112	147	121	82	39	8	-	-
	FEMALE	971	-	3	-	2	1	1	1	3	5	13	13	26	70	88	181	201	184	103	59	14	2	1
	NONWHITE.....MALE..	68	-	-	-	-	-	-	-	1	4	3	6	12	6	9	12	4	6	4	1	-	-	-
	FEMALE	110	-	-	2	-	-	1	1	-	1	3	8	14	13	27	15	14	8	-	2	-	1	-
290-293	ANEMIAS	158	4	11	4	2	1	3	1	3	4	4	6	9	6	10	9	21	24	23	8	4	1	-
	WHITE.....MALE..	73	2	2	1	1	-	1	1	2	-	2	4	3	-	8	7	12	12	10	2	3	-	-
	FEMALE	65	1	3	3	1	-	-	-	1	1	1	1	5	4	2	2	8	11	13	6	1	1	-
	NONWHITE.....MALE..	13	1	3	-	-	1	-	-	-	2	1	1	1	1	-	-	1	1	-	-	-	-	-
	FEMALE	7	-	3	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN—CON.																							
340	NONMENINGOCOCCAL MENINGITIS	82	22	20	3	-	2	2	1	4	-	4	1	4	2	1	8	3	3	-	1	1	-	-
	WHITE.....MALE..	33	8	9	1	-	1	1	1	1	-	2	-	3	1	-	3	-	1	-	1	-	-	-
	FEMALE	34	7	9	2	-	-	-	-	2	-	2	1	1	1	-	3	3	2	-	-	1	-	-
	NONWHITE.....MALE..	7	1	2	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	8	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	38,304	7	12	16	31	28	53	64	148	339	686	1,133	1,829	2,495	3,523	4,874	6,002	6,143	5,241	3,637	1,578	450	15
	WHITE.....MALE..	20,414	2	7	9	10	17	22	28	69	182	400	723	1,161	1,589	2,146	2,893	3,377	3,163	2,343	1,549	585	134	5
	FEMALE	15,100	2	4	5	14	8	20	21	41	74	158	235	395	590	960	1,584	2,287	2,731	2,735	1,990	943	294	9
	NONWHITE.....MALE..	1,548	2	-	-	4	1	5	8	14	46	64	102	148	188	252	227	187	134	84	52	24	6	-
	FEMALE	1,242	1	1	2	3	2	6	7	24	37	64	73	125	128	165	170	151	115	79	46	26	16	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	37,837	6	11	13	26	21	40	55	131	318	664	1,117	1,801	2,462	3,484	4,828	5,948	6,083	5,207	3,597	1,566	445	14
	WHITE.....MALE..	20,181	2	6	6	8	14	18	24	60	171	391	712	1,147	1,570	2,126	2,866	3,352	3,131	2,331	1,528	581	132	5
	FEMALE	14,930	2	4	5	12	4	14	17	37	69	151	233	388	581	948	1,573	2,267	2,704	2,715	1,971	936	291	8
	NONWHITE.....MALE..	1,511	2	-	-	3	1	3	8	13	43	60	100	145	184	245	223	183	134	83	52	23	6	-
	FEMALE	1,215	-	1	2	3	2	5	6	21	35	62	72	121	127	165	166	146	114	78	46	26	16	1
330-334	VASCULAR LESIONS, ETC.	7,768	4	2	6	9	6	9	8	19	52	101	141	253	333	543	871	1,194	1,422	1,333	955	389	113	5
	WHITE.....MALE..	3,436	1	1	2	5	5	4	4	3	13	31	60	101	154	249	457	586	649	548	398	131	32	2
	FEMALE	3,612	2	1	3	3	1	4	2	6	18	36	45	87	105	188	301	529	698	741	520	243	76	3
	NONWHITE.....MALE..	357	1	-	-	-	-	-	2	1	9	11	13	29	41	57	58	45	38	20	23	6	3	-
	FEMALE	363	-	-	1	1	-	1	-	9	12	23	23	36	33	49	55	34	37	24	14	9	2	-
400-402, 410-443	DISEASES OF HEART	27,162	2	6	5	14	10	19	42	96	229	521	917	1,464	2,001	2,735	3,683	4,370	4,230	3,381	2,231	942	256	8
	WHITE.....MALE..	15,311	1	3	2	3	6	12	20	52	146	346	626	1,002	1,337	1,745	2,245	2,538	2,259	1,572	958	360	75	3
	FEMALE	10,059	-	3	2	7	3	4	13	24	42	101	173	285	441	715	1,183	1,599	1,818	1,698	1,223	552	169	4
	NONWHITE.....MALE..	1,039	1	-	-	3	1	1	5	10	26	42	77	101	134	173	151	128	89	59	22	14	2	-
	FEMALE	753	-	-	1	1	-	2	4	10	15	32	41	76	89	102	104	105	64	52	28	16	10	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	904	-	1	1	8	7	9	16	21	46	71	97	111	126	113	91	79	57	32	14	4	-	-
	WHITE.....MALE..	379	-	1	-	2	3	4	7	4	21	37	42	53	54	38	36	33	25	14	5	-	-	-
	FEMALE	457	-	-	1	4	3	2	9	13	18	25	47	49	63	65	51	45	31	18	9	4	-	-
	NONWHITE.....MALE..	24	-	-	-	1	1	1	-	2	3	2	3	2	2	4	1	1	1	-	-	-	-	-
	FEMALE	44	-	-	-	1	-	2	-	2	4	7	5	7	7	6	3	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	21,971	-	2	1	2	-	4	14	49	156	382	740	1,213	1,701	2,305	3,100	3,632	3,418	2,627	1,695	727	198	5
	WHITE.....MALE..	13,109	-	1	1	-	-	3	10	37	118	285	549	888	1,208	1,561	1,974	2,193	1,902	1,262	770	287	59	1
	FEMALE	7,610	-	1	-	-	-	1	1	7	20	56	111	201	329	548	936	1,274	1,400	1,282	891	419	130	3
	NONWHITE.....MALE..	785	-	-	-	2	-	-	2	5	13	30	56	73	104	133	118	100	72	47	19	9	2	-
	FEMALE	467	-	-	-	-	-	-	1	-	5	11	24	51	60	63	72	65	44	36	15	12	7	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	1,364	1	-	-	-	1	2	1	6	3	7	16	27	37	70	119	201	242	277	226	100	28	-
	WHITE.....MALE..	652	-	-	-	-	1	2	-	5	1	2	9	17	22	37	71	116	117	121	84	38	9	-
	FEMALE	644	-	-	-	-	-	-	-	-	1	5	4	6	11	25	37	72	120	149	137	59	18	-
	NONWHITE.....MALE..	34	1	-	-	-	-	-	-	-	1	-	3	3	1	3	6	6	3	3	2	2	-	-
	FEMALE	34	-	-	-	-	-	-	1	1	-	-	-	1	3	5	5	7	2	4	3	1	1	-
430-434	OTHER DISEASES OF HEART	853	1	3	3	4	1	4	6	10	13	27	20	29	45	58	106	111	148	142	79	33	8	2
	WHITE.....MALE..	446	1	1	1	1	1	3	2	2	5	16	11	13	24	37	57	68	79	71	33	16	2	2
	FEMALE	341	-	2	1	3	-	1	2	4	3	8	3	10	12	16	38	40	62	68	45	17	6	-
	NONWHITE.....MALE..	37	-	-	-	-	-	-	1	2	4	-	4	3	5	4	6	-	5	2	1	-	-	-
	FEMALE	29	-	-	1	-	-	-	1	2	1	3	2	3	4	1	5	3	2	1	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	2,070	-	-	-	-	1	-	5	10	11	34	44	84	92	189	267	347	365	303	217	78	22	1
	WHITE.....MALE..	725	-	-	-	-	1	-	1	4	1	6	15	31	29	72	107	128	136	104	66	19	5	-
	FEMALE	1,007	-	-	-	-	-	-	1	-	-	7	8	19	26	61	121	168	205	181	141	53	15	1
	NONWHITE.....MALE..	159	-	-	-	-	-	-	2	1	5	10	11	20	22	29	20	21	8	7	-	3	-	-
	FEMALE	179	-	-	-	-	-	-	1	5	5	11	10	14	15	27	19	30	16	11	10	3	2	-
444-447	OTHER HYPERTENSIVE DIS.	504	-	-	1	-	-	2	1	6	14	16	19	18	29	24	56	69	74	81	70	20	4	-
	WHITE.....MALE..	214	-	-	1	-	-	-	-	1	5	3	7	7	10	13	28	28	31	40	24	13	3	-
	FEMALE	216	-	-	-	-	-	1	-	1	2	3	5	6	11	2	22	34	40	39	42	7	1	-
	NONWHITE.....MALE..	41	-	-	-	-	-	1	1	2	4	7	5	3	4	4	4	4	-	1	1	-	-	-
	FEMALE	33	-	-	-	-	-	-	-	2	3	3	2	2	4	5	2	3	3	1	3	-	-	-
450	GENERAL ARTERIOSCLEROSIS	1,452	-	-	-	-	-	-	-	-	-	1	9	13	20	45	79	145	233	334	300	203	70	-
	WHITE.....MALE..	642	-	-	-	-	-	-	-	-	-	-	6	6	11	26	41	73	119	137	131	70	22	-
	FEMALE	751	-	-	-	-	-	-	-	-	-	1	-	2	6	14	30	66	101	194	163	129	45	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	-	-	-	2	1	3	3	4	3	4	2	5	3	-	-
	FEMALE	29	-	-	-	-	-	-	-	-	-	-	1	4	-	2	4	3	9	1	1	1	3	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	951	-	3	1	3	5	10	4	10	23	25	31	53	79	137	139	170	124	78	41	12	2	1
	WHITE.....MALE..	578	-	2	1	-	3	2	-	4	7	11	13	31	58	93	95	127	73	34	17	7	-	-
	FEMALE	292	-	-	-	2	-	5	2	6	7	10	10	8	18	29	37	39	47	43	23	5	-	1
	NONWHITE.....MALE..	44	-	-	-	-	-	1	-	-	4	-	3	11	2	8	6	3	3	1	1	-	1	-
	FEMALE	37	-	1	-	1	2	2	2	-	5	4	5	3	1	7	1	1	1	-	-	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN—CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	467	1	1	3	5	7	13	9	17	21	22	16	28	33	39	46	54	60	34	40	12	5	1
	WHITE.....MALE..	233	-	1	3	2	3	4	4	9	11	9	11	14	19	20	27	25	32	12	21	4	2	-
	FEMALE	170	-	-	-	2	4	6	4	4	5	7	2	7	9	12	11	20	27	20	19	7	3	1
	NONWHITE.....MALE..	37	-	-	-	1	-	2	-	1	3	4	2	3	4	7	4	4	-	1	-	1	-	-
	FEMALE	27	1	-	-	-	-	1	1	3	2	2	1	4	1	-	4	5	1	1	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,944	363	80	15	12	11	11	10	13	35	34	49	53	77	106	154	190	222	217	175	86	31	-
	WHITE.....MALE..	1,030	179	39	7	6	8	6	4	6	13	17	22	27	53	61	82	125	137	113	81	36	8	-
	FEMALE	675	105	30	7	6	3	4	4	3	10	10	17	15	13	21	54	53	76	93	88	43	20	-
	NONWHITE.....MALE..	146	49	5	-	-	-	1	1	1	8	6	4	10	5	17	12	6	3	7	4	4	3	-
	FEMALE	93	30	6	1	-	-	-	1	3	4	1	6	1	6	7	6	6	6	4	2	3	-	-
480-483	INFLUENZA.....	131	11	5	-	1	1	1	-	1	3	3	2	3	7	6	13	15	19	15	17	7	1	-
	WHITE.....MALE..	67	5	3	-	1	1	-	-	-	2	3	1	1	4	4	7	5	13	6	7	4	-	-
	FEMALE	56	5	1	-	-	-	1	-	-	1	-	1	1	3	2	5	10	5	9	8	3	1	-
	NONWHITE.....MALE..	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-
	FEMALE	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	1,813	352	75	15	11	10	10	10	12	32	31	47	50	70	100	141	175	203	202	158	79	30	-
	WHITE.....MALE..	963	174	36	7	5	7	6	4	6	11	14	21	26	49	57	75	120	124	107	74	32	8	-
	FEMALE	619	100	29	7	6	3	3	4	3	9	10	16	14	10	19	49	43	71	84	80	40	19	-
	NONWHITE.....MALE..	141	48	5	-	-	-	1	1	1	8	6	4	9	5	17	11	6	3	7	2	4	3	-
	FEMALE	90	30	5	1	-	-	-	1	2	4	1	6	1	6	7	6	6	5	4	2	3	-	-
500-502	BRONCHITIS.....	189	34	13	5	2	-	2	1	-	1	1	6	11	12	11	18	25	19	13	10	5	-	-
	WHITE.....MALE..	124	18	8	3	2	-	1	-	-	1	-	5	8	6	10	11	20	13	11	6	1	-	-
	FEMALE	51	11	1	2	-	-	1	1	-	-	1	1	3	4	1	7	4	4	2	4	4	-	-
	NONWHITE.....MALE..	13	4	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	836	47	4	-	1	1	1	3	7	11	15	25	40	76	101	124	147	131	58	24	14	4	2
	WHITE.....MALE..	627	20	1	-	1	1	-	1	1	1	6	16	31	62	87	99	129	110	39	16	5	1	-
	FEMALE	154	8	3	-	-	-	1	-	2	7	7	8	5	11	9	22	15	17	18	8	8	3	2
	NONWHITE.....MALE..	41	11	-	-	-	-	-	-	3	2	2	1	4	3	5	3	3	2	1	-	1	-	-
	FEMALE	14	8	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	570	1	-	-	1	-	1	6	4	9	13	35	38	59	76	74	82	74	59	29	8	1	-
	WHITE.....MALE..	397	-	-	-	1	-	-	3	4	5	9	25	23	42	57	50	56	56	43	18	5	-	-
	FEMALE	144	-	-	-	-	-	1	3	-	2	2	6	13	14	14	19	23	16	16	11	3	1	-
	NONWHITE.....MALE..	25	1	-	-	-	-	-	-	-	1	1	4	1	3	5	5	2	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
550-553	APPENDICITIS.....	71	1	-	2	3	2	1	-	1	2	3	3	6	5	7	10	10	9	5	-	1	-	-
	WHITE.....MALE..	43	1	-	2	-	-	1	-	-	-	2	-	5	5	5	6	8	5	3	-	-	-	-
	FEMALE	24	-	-	-	3	1	-	-	1	2	1	1	-	-	2	4	2	4	2	-	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	391	47	4	-	-	-	-	2	2	7	2	11	17	20	33	38	45	60	57	29	14	3	-
	WHITE.....MALE..	167	21	4	-	-	-	-	-	1	1	-	3	10	10	16	19	23	21	21	11	6	-	-
	FEMALE	195	22	-	-	-	-	-	2	1	4	2	5	6	7	16	16	22	34	31	18	6	3	-
	NONWHITE.....MALE..	15	2	-	-	-	-	-	-	-	-	-	1	1	3	-	2	-	4	1	-	1	-	-
	FEMALE	14	2	-	-	-	-	-	-	-	2	-	2	-	-	1	1	-	1	4	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	276	52	18	3	1	3	3	3	6	1	7	3	10	19	16	21	34	28	24	13	4	1	-
	WHITE.....MALE..	118	24	10	1	1	1	2	-	3	-	3	4	2	7	8	12	14	12	8	5	-	1	-
	FEMALE	135	22	6	1	-	2	1	3	3	1	2	4	7	8	7	7	17	16	16	8	4	-	-
	NONWHITE.....MALE..	9	4	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	FEMALE	14	2	1	-	-	-	-	-	-	-	2	1	1	3	1	1	2	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	832	1	-	1	-	1	1	3	12	32	71	114	108	120	93	112	81	49	19	10	3	-	1
	WHITE.....MALE..	515	1	-	1	-	-	-	1	6	14	32	64	64	75	64	86	50	35	14	6	1	-	1
	FEMALE	250	-	-	-	-	1	-	2	5	12	26	39	38	35	22	19	29	13	5	3	1	-	-
	NONWHITE.....MALE..	32	-	-	-	-	-	-	-	-	3	5	5	2	5	4	4	2	-	-	1	1	-	-
	FEMALE	35	-	-	-	-	-	1	-	1	3	8	6	4	5	3	3	-	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	303	2	-	-	-	-	1	2	-	3	4	12	15	11	24	54	55	43	43	25	5	4	-
	WHITE.....MALE..	116	1	-	-	-	-	-	1	-	1	1	6	5	2	14	23	14	17	17	12	1	1	-
	FEMALE	171	-	-	-	-	-	1	1	-	1	2	5	7	7	9	29	39	25	26	13	3	3	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	1	1	1	3	1	1	2	2	1	-	-	1	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	53	2	2	2	1	3	3	-	3	1	1	2	5	5	3	4	7	1	5	-	3	-	-
	WHITE.....MALE..	31	1	1	-	1	1	3	-	1	1	1	2	2	3	1	4	3	-	4	-	2	-	-
	FEMALE	19	1	1	2	-	2	-	-	1	-	-	-	3	1	2	-	3	1	1	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	266	1	-	-	-	-	2	2	8	6	7	8	13	16	32	47	33	31	25	24	9	2	-
	WHITE.....MALE..	118	-	-	-	-	-	-	1	1	-	2	2	2	8	10	28	20	15	10	14	5	-	-
	FEMALE	107	-	-	-	-	-	1	-	7	4	4	4	5	1	15	11	11	14	14	10	4	2	-
	NONWHITE.....MALE..	23	1	-	-	-	-	1	1	-	1	-	1	3	3	3	6	-	2	1	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	1	1	1	3	4	4	2	2	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	214	-	-	-	-	-	-	-	-	-	-	-	-	2	11	28	36	55	41	26	13	2	-
	WHITE.....MALE..	193	-	-	-	-	-	-	-	-	-	-	-	-	-	9	21	32	53	39	25	12	2	-
	NONWHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	4	2	2	1	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MICHIGAN--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	56	-	-	-	-	3	11	9	16	7	10	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	36	-	-	-	-	1	8	7	9	5	6	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	20	-	-	-	-	2	3	2	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	13	-	-	-	-	-	4	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	8	-	-	-	-	-	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	43	-	-	-	-	3	7	7	12	5	9	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	31	-	-	-	-	1	6	6	8	4	6	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	12	-	-	-	-	2	1	1	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	999	722	80	28	19	17	10	8	19	10	13	15	19	12	8	11	2	2	3	1	-	-	-
	WHITE.....MALE..	487	366	35	12	8	10	3	2	11	7	3	5	8	8	4	3	-	1	1	-	-	-	-
	FEMALE	404	277	31	14	10	6	6	6	7	2	7	9	10	4	3	6	2	1	2	1	-	-	-
	NONWHITE.....MALE..	51	37	6	2	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-
	FEMALE	57	42	8	-	1	1	1	-	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	2,757	2,754	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,371	1,369	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	899	898	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	270	270	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	1,215	1,214	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	639	638	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	375	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	1,382	1,380	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	660	659	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	473	472	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	230	22	4	1	1	3	5	3	13	9	13	12	7	15	18	22	24	16	23	9	4	5	1
	WHITE.....MALE..	112	5	2	1	1	-	3	1	5	2	5	5	4	10	14	14	11	6	13	5	3	2	-
	FEMALE	83	7	-	-	-	2	2	2	4	3	5	5	2	3	2	5	13	9	10	4	1	3	1
	NONWHITE.....MALE..	20	3	2	-	-	-	-	-	3	2	2	2	1	2	-	2	-	1	-	-	-	-	-
	FEMALE	15	7	-	-	-	1	-	-	1	2	1	-	-	-	2	1	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	1,984	98	71	31	33	31	24	32	46	87	90	102	135	163	164	209	202	192	164	73	31	4	2
	WHITE.....MALE..	971	55	37	14	22	16	15	14	14	30	39	45	59	76	86	105	116	108	74	29	16	-	1
	FEMALE	806	35	27	13	8	11	7	13	18	31	36	38	57	68	56	88	76	76	87	42	14	4	1
	NONWHITE.....MALE..	114	5	3	2	1	1	2	3	9	11	7	10	13	11	14	10	7	2	2	1	-	-	-
	FEMALE	93	3	4	2	2	3	-	2	5	15	8	9	6	8	8	6	3	6	1	1	1	-	-
E800-E962	ACCIDENTS.	3,725	137	178	153	131	240	270	178	159	172	193	207	176	224	183	209	208	245	200	151	86	21	4
	WHITE.....MALE..	2,262	61	88	102	86	173	204	137	113	101	120	126	128	137	110	130	134	126	88	62	28	5	3
	FEMALE	1,152	53	60	34	36	59	48	27	30	38	52	55	34	66	55	64	65	110	106	87	57	15	1
	NONWHITE.....MALE..	220	12	15	9	7	7	15	11	12	25	12	21	10	18	16	13	6	5	4	2	-	-	-
	FEMALE	91	11	15	8	2	1	3	3	4	8	9	5	4	3	2	2	3	4	2	-	1	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,654	12	53	81	62	159	209	132	97	106	103	97	78	112	74	88	79	64	33	10	3	-	2
	WHITE.....MALE..	1,057	5	26	55	40	106	161	101	66	59	57	56	50	59	49	51	47	38	21	6	2	-	2
	FEMALE	478	6	15	18	21	50	38	22	21	30	35	31	22	47	23	34	28	23	10	3	1	-	-
	NONWHITE.....MALE..	85	-	4	4	1	3	10	7	7	14	6	8	3	6	1	2	3	3	2	1	-	-	-
	FEMALE	34	1	8	4	-	-	-	2	3	3	5	2	3	-	1	1	1	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	2,071	125	125	72	69	81	61	46	62	66	90	110	98	112	109	121	129	181	167	141	83	21	2
	WHITE.....MALE..	1,205	56	62	47	46	67	43	36	47	42	63	70	78	78	61	79	87	88	67	56	26	5	1
	FEMALE	674	47	45	16	15	9	10	5	9	8	17	24	12	19	32	30	37	87	96	84	56	15	1
	NONWHITE.....MALE..	135	12	11	5	6	4	5	4	5	11	6	13	7	12	15	11	3	2	2	1	-	-	-
	FEMALE	57	10	7	4	2	1	3	1	1	5	4	3	1	3	1	1	2	4	2	-	1	1	-
E963, E970-E979	SUICIDE.	789	...	...	-	6	31	37	47	57	50	99	86	79	91	73	55	34	19	11	11	3	-	-
	WHITE.....MALE..	547	...	...	-	5	22	23	33	41	27	61	56	53	69	55	41	26	16	7	9	3	-	-
	FEMALE	210	...	...	-	1	5	11	10	12	21	33	25	24	20	18	13	8	3	4	2	-	-	-
	NONWHITE.....MALE..	20	...	...	-	-	2	2	3	2	1	2	4	1	2	-	1	-	-	-	-	-	-	-
	PEMALE	12	...	...	-	-	2	1	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	267	8	4	4	3	11	32	24	32	32	30	21	21	19	11	6	4	5	-	-	-	-	-
	WHITE.....MALE..	89	3	-	-	1	2	12	9	13	7	8	8	9	6	5	2	2	2	-	-	-	-	-
	FEMALE	39	3	3	2	1	1	1	-	1	4	6	3	2	6	1	1	2	2	-	-	-	-	-
	NONWHITE.....MALE..	101	1	1	1	1	8	16	8	14	12	11	7	7	6	4	3	-	1	-	-	-	-	-
	FEMALE	38	1	-	1	-	-	3	7	4	9	5	3	3	1	1	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA																							
	ALL CAUSES	31,825	1,772	294	165	141	251	241	200	233	403	572	819	1,295	1,851	2,370	3,392	4,442	4,761	4,102	2,858	1,263	389	11
	WHITE.....MALE	18,239	1,015	175	95	89	172	173	129	146	247	336	515	844	1,223	1,517	2,116	2,653	2,681	2,086	1,332	536	153	6
	FEMALE	13,209	701	113	69	49	75	61	66	82	144	217	290	424	603	828	1,242	1,750	2,040	1,990	1,516	717	228	4
	NONWHITE.....MALE	209	30	5	-	3	2	5	2	2	6	11	9	18	17	15	18	21	18	14	7	5	1	-
	FEMALE	168	26	1	1	-	2	2	3	3	6	8	5	9	8	10	16	18	22	12	3	5	7	1
001-019	TUBERCULOSIS, ALL FORMS	89	-	1	-	-	-	-	-	-	3	4	4	10	8	8	9	12	14	11	2	3	-	-
	WHITE.....MALE	56	-	1	-	-	-	-	-	-	2	2	1	5	4	5	4	11	10	8	1	2	-	-
	FEMALE	29	-	-	-	-	-	-	-	-	-	1	3	4	3	3	5	1	4	3	1	1	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	80	-	-	-	-	-	-	-	-	2	4	4	9	7	8	6	12	12	11	2	3	-	-
	WHITE.....MALE	54	-	-	-	-	-	-	-	-	2	2	1	5	4	5	4	11	9	8	1	2	-	-
	FEMALE	23	-	-	-	-	-	-	-	-	-	1	3	3	2	3	2	1	3	3	1	1	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	9	-	1	-	-	-	-	-	-	1	-	-	1	1	-	3	-	2	-	-	-	-	-
	WHITE.....MALE	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	1	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	40	-	-	-	-	-	-	-	-	-	2	-	2	4	5	9	6	7	4	1	-	-	-
	WHITE.....MALE	24	-	-	-	-	-	-	-	-	-	1	-	1	3	2	7	3	3	4	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	4	-	-	-	-	-
	NONWHITE.....MALE	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	10	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	WHITE.....MALE	7	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	FEMALE	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	11	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	90	7	13	2	1	2	1	2	-	2	6	4	4	6	3	12	3	9	6	6	-	1	-
	WHITE.....MALE	54	4	6	1	-	-	1	1	-	2	2	2	4	4	1	7	3	6	6	3	-	1	-
	FEMALE	32	3	7	1	1	2	-	1	-	-	3	2	-	2	1	4	-	2	-	3	-	-	-
	NONWHITE.....MALE	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	5,238	11	31	24	27	21	23	20	41	85	141	210	310	480	570	753	837	764	499	284	82	25	-
	WHITE.....MALE..	2,740	5	13	13	22	14	14	11	15	35	55	90	137	241	312	404	447	429	284	148	43	8	-
	FEMALE	2,445	6	18	11	5	7	9	8	26	48	83	119	168	232	253	343	381	327	212	136	37	16	-
	NONWHITE.....MALE..	32	-	-	-	-	-	-	-	-	1	2	-	3	4	4	4	5	5	2	-	2	-	-
	FEMALE	21	-	-	-	-	-	-	1	-	1	1	1	2	3	1	2	4	3	1	-	-	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX	81	-	-	1	1	-	-	-	-	2	2	6	7	8	9	12	11	10	8	2	1	1	-
	WHITE.....MALE..	58	-	-	1	-	-	-	-	-	2	1	4	6	7	7	9	7	8	4	1	1	-	-
	FEMALE	21	-	-	-	1	-	-	-	-	-	1	2	1	-	1	3	4	2	4	1	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	1,820	1	2	-	1	1	-	4	3	10	32	42	78	152	204	252	330	309	226	121	39	13	-
	WHITE.....MALE..	989	1	-	-	1	-	-	2	1	5	13	23	45	81	122	144	186	156	124	63	19	3	-
	FEMALE	817	-	2	-	-	1	-	2	2	4	19	19	32	70	82	104	142	150	100	58	20	10	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	1	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	2	1	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	586	-	-	1	1	-	2	2	3	5	16	24	44	80	97	110	96	71	21	10	2	1	-
	WHITE.....MALE..	468	-	-	-	1	-	2	2	1	3	11	18	33	72	81	91	84	48	11	8	1	1	-
	FEMALE	110	-	-	1	-	-	-	-	2	2	3	6	10	8	16	18	12	20	9	2	1	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	3	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST	492	-	-	-	-	-	-	-	5	16	26	36	53	59	50	65	77	35	39	24	6	1	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-
	FEMALE	484	-	-	-	-	-	-	-	5	16	26	35	53	58	49	65	75	33	38	24	6	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
171-179	OF GENITAL ORGANS	737	-	-	-	1	-	3	5	3	8	17	35	46	47	61	117	101	127	98	55	11	2	-
	WHITE.....MALE..	355	-	-	-	-	-	3	2	-	2	4	1	4	6	15	44	45	94	80	44	10	1	-
	FEMALE	376	-	-	-	1	-	-	3	3	6	12	33	40	41	45	73	56	33	18	11	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	1	-
180, 181	OF URINARY ORGANS	281	-	5	1	-	-	-	-	-	2	-	11	11	26	24	45	57	43	29	19	6	2	-
	WHITE.....MALE..	176	-	2	1	-	-	-	-	-	1	-	9	8	19	12	31	34	25	19	8	5	2	-
	FEMALE	105	-	3	-	-	-	-	-	-	1	-	2	3	7	12	14	23	18	10	11	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	598	5	10	4	8	9	7	4	18	20	22	29	35	58	66	67	74	76	46	28	8	4	-
	WHITE.....MALE..	319	2	3	2	7	5	4	1	6	10	13	16	22	32	37	37	39	45	25	11	1	1	-
	FEMALE	270	3	7	2	1	4	3	3	12	9	9	13	13	24	29	29	32	30	21	17	6	3	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	3	1	-	-	1	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	321	4	13	16	9	4	5	3	2	9	12	11	12	19	28	39	40	48	22	16	8	1	-
	WHITE.....MALE..	204	1	7	9	7	4	2	3	1	6	9	7	8	13	19	23	26	28	17	9	5	-	-
	FEMALE	112	3	6	7	2	-	3	-	1	3	3	4	3	5	9	16	12	20	5	7	2	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	322	1	1	1	6	7	6	2	7	13	14	16	24	31	31	46	51	45	10	9	1	-	-
	WHITE.....MALE..	166	1	1	-	6	5	3	1	6	6	4	11	11	10	19	25	25	24	3	4	1	-	-
	FEMALE	150	-	-	1	-	2	3	-	1	7	10	5	13	19	10	21	25	21	7	5	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	86	4	1	2	2	-	2	4	-	8	1	2	8	10	8	13	11	4	1	5	-	-	-
	WHITE.....MALE..	36	1	1	1	2	-	-	-	-	3	-	1	1	5	5	7	5	1	-	3	-	-	-
	FEMALE	50	3	-	1	-	-	2	4	-	5	1	1	7	5	3	6	6	3	1	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA	89	-	-	4	-	1	2	-	-	1	3	5	6	9	9	14	19	8	7	1	-	-	-
	WHITE.....MALE..	56	-	-	2	-	-	-	-	-	-	1	-	5	7	6	9	13	7	5	1	-	-	-
	FEMALE	32	-	-	2	-	1	2	-	-	1	2	5	1	2	3	5	5	1	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	DIABETES MELLITUS	558	-	1	3	1	3	8	5	6	17	13	15	17	27	51	78	113	94	65	32	8	1	-
	WHITE.....MALE..	258	-	-	2	1	-	5	4	5	12	8	9	7	13	23	31	48	44	29	13	3	1	-
	FEMALE	296	-	1	1	-	3	3	1	1	4	5	6	10	14	28	46	63	50	36	19	5	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
290-293	ANEMIAS	68	2	-	1	1	-	1	-	-	2	1	1	1	2	3	8	12	11	10	6	5	1	-
	WHITE.....MALE..	29	1	-	-	1	-	1	-	-	1	1	-	-	-	1	3	5	5	4	3	2	1	-
	FEMALE	38	-	-	1	-	-	-	-	-	1	-	1	1	2	2	5	7	6	6	3	3	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	26	12	7	1	-	-	-	-	-	-	-	-	2	-	1	-	-	3	-	-	-	-	-
	WHITE.....MALE..	15	9	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	17,845	4	13	8	6	19	21	35	44	114	196	323	620	945	1,303	2,014	2,810	3,172	2,889	2,092	927	282	8
	WHITE.....MALE..	10,231	2	5	5	2	12	16	21	24	74	144	243	474	697	887	1,322	1,719	1,745	1,408	940	376	111	4
	FEMALE	7,459	2	7	3	4	6	4	14	18	39	47	72	135	241	402	673	1,069	1,400	1,464	1,145	545	166	3
	NONWHITE.....MALE..	82	-	1	-	-	-	1	-	-	-	1	6	8	6	9	10	14	9	10	5	2	-	-
	FEMALE	73	-	-	-	-	1	-	-	2	1	4	2	3	1	5	9	8	18	7	2	4	5	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	17,723	3	13	7	3	14	12	31	40	108	192	318	618	936	1,295	2,006	2,798	3,157	2,872	2,088	923	281	8
	WHITE.....MALE..	10,157	1	5	4	-	9	9	17	23	71	141	238	473	692	880	1,319	1,714	1,735	1,401	938	372	111	4
	FEMALE	7,414	2	7	3	3	4	3	14	15	36	46	72	134	237	402	668	1,063	1,395	1,454	1,143	545	165	3
	NONWHITE.....MALE..	80	-	1	-	-	-	-	-	-	-	1	6	8	6	9	10	13	9	10	5	2	-	-
	FEMALE	72	-	-	-	-	1	-	-	2	1	4	2	3	1	4	9	8	18	7	2	4	5	1
330-334	VASCULAR LESIONS, ETC.	4,292	1	8	3	1	4	1	7	7	19	21	37	83	147	213	392	638	821	870	660	275	80	4
	WHITE.....MALE..	2,093	-	4	1	-	3	-	4	4	7	10	25	38	84	113	219	360	403	398	292	91	35	2
	FEMALE	2,171	1	4	2	1	1	1	3	3	12	10	11	44	63	99	171	275	409	466	367	183	44	1
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	6	3	-	1	1	1
400-402, 410-443	DISEASES OF HEART	12,002	2	3	4	2	8	10	19	25	79	160	264	515	742	1,009	1,486	2,004	2,113	1,741	1,172	499	142	3
	WHITE.....MALE..	7,335	1	1	3	-	6	8	10	16	57	127	203	422	582	723	1,025	1,264	1,207	872	536	214	56	2
	FEMALE	4,565	1	1	1	2	2	2	9	7	21	31	54	85	153	278	447	726	889	860	631	281	83	1
	NONWHITE.....MALE..	58	-	1	-	-	-	-	-	-	-	-	6	7	6	6	7	9	6	5	3	2	-	-
	FEMALE	44	-	-	-	-	-	-	-	2	1	2	1	1	1	2	7	5	11	4	2	2	3	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	350	-	-	2	-	4	7	9	10	19	12	25	36	36	38	46	29	39	23	12	2	1	-
	WHITE.....MALE..	188	-	-	1	-	2	6	4	3	10	7	10	24	19	16	25	16	23	15	5	1	1	-
	FEMALE	161	-	-	1	-	2	1	5	6	9	5	15	12	17	22	21	13	16	8	7	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	9,659	-	-	-	-	-	-	6	12	48	136	216	431	634	865	1,262	1,644	1,708	1,385	850	353	106	3
	WHITE.....MALE..	6,204	-	-	-	-	-	-	3	10	41	114	178	367	511	639	890	1,101	1,012	724	404	163	45	2
	FEMALE	3,378	-	-	-	-	-	-	3	1	7	21	32	59	117	218	361	533	681	655	443	188	58	1
	NONWHITE.....MALE..	47	-	-	-	-	-	-	-	-	-	-	6	5	5	6	6	7	6	4	2	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	1	-	1	-	-	1	2	5	3	9	2	1	2	3	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	710	1	-	1	-	1	2	2	-	2	1	8	10	24	33	48	91	139	119	131	75	22	-
	WHITE.....MALE..	353	-	-	1	-	1	1	2	-	1	1	6	5	14	24	39	38	71	55	57	30	7	-
	FEMALE	356	1	-	-	-	-	1	-	-	1	-	2	5	9	9	9	53	68	64	74	45	15	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	394	1	3	1	2	3	1	2	2	7	4	10	17	18	26	33	74	56	50	57	23	4	-
	WHITE.....MALE..	227	1	1	1	-	3	1	1	2	4	2	6	12	16	18	20	45	31	25	29	8	1	-
	FEMALE	160	-	1	-	2	-	-	1	-	3	2	4	4	2	8	12	28	25	24	28	13	3	-
	NONWHITE.....MALE..	5	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	889	-	-	-	-	-	-	-	1	3	7	5	21	30	47	97	166	171	164	122	46	9	-
	WHITE.....MALE..	363	-	-	-	-	-	-	-	1	1	3	3	14	22	26	51	64	70	53	41	12	2	-
	FEMALE	510	-	-	-	-	-	-	-	-	1	3	1	5	8	21	44	99	99	109	79	34	7	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	1	2	1	1	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	191	-	1	-	-	-	-	1	1	3	3	5	8	8	15	18	24	35	32	22	10	4	1
	WHITE.....MALE..	88	-	-	-	-	-	-	-	1	3	-	4	4	3	8	9	12	19	14	8	2	1	-
	FEMALE	94	-	1	-	-	-	-	1	-	-	2	1	2	5	5	9	10	16	17	14	7	3	1
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	1	-	-
450	GENERAL ARTERIOSCLEROSIS	811	-	-	-	-	-	-	1	-	-	1	-	-	10	14	39	63	124	182	199	128	50	-
	WHITE.....MALE..	388	-	-	-	-	-	-	1	-	-	1	-	-	6	6	18	34	66	94	87	58	17	-
	FEMALE	416	-	-	-	-	-	-	-	-	-	-	-	-	4	7	20	27	58	87	111	70	32	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	427	-	1	-	-	2	1	3	7	7	7	12	12	29	44	71	69	64	47	35	11	5	-
	WHITE.....MALE..	253	-	-	-	-	-	1	2	2	4	3	6	9	17	30	48	44	40	23	15	7	2	-
	FEMALE	168	-	1	-	-	1	-	1	5	3	3	6	3	12	13	21	25	23	24	20	4	3	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	122	1	-	1	3	5	9	4	4	6	4	5	2	9	8	8	12	15	17	4	4	1	-
	WHITE.....MALE..	74	1	-	1	2	3	7	4	1	3	3	5	1	5	7	3	5	10	7	2	4	-	-
	FEMALE	45	-	-	-	1	2	1	-	3	3	1	-	1	4	-	5	6	5	10	2	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,159	103	19	10	9	3	9	4	4	9	13	17	20	22	42	71	118	183	203	165	94	41	-
	WHITE.....MALE..	637	58	11	5	5	2	7	3	3	4	7	7	14	11	24	36	77	120	107	78	40	18	-
	FEMALE	502	40	7	4	3	1	2	1	1	5	6	9	6	10	18	33	40	62	92	87	54	21	-
	NONWHITE.....MALE..	11	3	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	1	-
	FEMALE	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	1	-
480-483	INFLUENZA.....	95	5	2	3	1	-	2	1	-	2	5	1	1	1	1	6	6	11	22	13	9	3	-
	WHITE.....MALE..	54	3	1	1	-	-	1	1	-	2	2	1	1	-	-	2	4	6	15	7	5	2	-
	FEMALE	39	1	1	1	1	-	1	-	-	-	3	-	-	1	1	4	2	5	7	6	4	1	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	1,064	98	17	7	8	3	7	3	4	7	8	16	19	21	41	65	112	172	181	152	85	38	-
	WHITE.....MALE..	583	55	10	4	5	2	6	2	3	2	5	6	13	11	24	34	73	114	92	71	35	16	-
	FEMALE	463	39	6	3	2	1	1	1	1	5	3	9	6	9	17	29	38	57	85	81	50	20	-
	NONWHITE.....MALE..	10	2	1	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	1	-
	FEMALE	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	1	-
500-502	BRONCHITIS.....	81	11	9	-	1	-	-	-	1	-	-	1	3	8	3	6	10	15	8	5	-	-	-
	WHITE.....MALE..	64	5	8	-	1	-	-	-	1	-	-	1	2	7	3	6	9	11	5	5	-	-	-
	FEMALE	16	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	3	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	294	18	3	-	-	3	-	-	-	5	5	11	20	27	34	50	41	37	17	14	8	1	-
	WHITE.....MALE..	230	6	3	-	-	3	-	-	-	3	4	8	11	23	30	40	39	28	14	11	6	1	-
	FEMALE	61	11	-	-	-	-	-	-	-	2	1	3	8	4	4	9	2	9	3	3	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	223	1	-	-	-	-	2	1	5	5	3	10	16	22	22	21	33	35	24	17	4	2	-
	WHITE.....MALE..	172	1	-	-	-	-	-	1	4	3	2	6	12	17	18	20	26	27	19	11	3	2	-
	FEMALE	50	-	-	-	-	-	2	-	1	2	1	4	3	5	4	1	7	8	5	6	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	31	-	-	1	1	1	-	-	1	-	1	-	1	2	3	4	6	3	6	1	-	-	-
	WHITE.....MALE..	21	-	-	1	1	-	-	-	-	-	-	-	1	1	3	3	4	2	5	-	-	-	-
	FEMALE	10	-	-	-	-	1	-	-	1	-	1	-	-	1	-	1	2	1	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	163	13	2	-	-	-	1	3	1	2	-	1	7	8	11	12	24	24	27	14	12	1	-
	WHITE.....MALE..	78	8	1	-	-	-	-	2	-	1	-	-	4	3	8	5	13	11	12	6	4	-	-
	FEMALE	82	5	1	-	-	-	1	1	1	-	-	1	3	5	3	7	10	12	15	8	8	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	107	12	7	2	1	1	1	1	3	-	1	1	6	1	4	9	16	18	9	6	8	-	-
	WHITE.....MALE..	57	4	4	1	-	1	-	1	2	-	-	1	2	1	3	5	11	7	8	3	3	-	-
	FEMALE	48	6	3	1	1	-	1	-	1	-	1	-	4	-	1	4	5	11	1	3	5	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	276	-	-	-	-	1	-	2	3	12	19	40	39	31	37	30	23	19	12	5	-	2	1
	WHITE.....MALE..	182	-	-	-	-	-	-	1	3	6	14	27	24	22	26	23	14	14	5	2	-	-	1
	FEMALE	84	-	-	-	-	1	-	1	-	3	4	12	14	8	10	5	9	5	7	3	-	2	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	3	-	1	-	1	1	1	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	123	1	-	-	-	-	-	-	1	1	1	4	3	7	9	10	20	24	20	12	10	-	-
	WHITE.....MALE..	58	-	-	-	-	-	-	-	-	1	-	-	1	4	5	5	7	14	9	9	3	-	-
	FEMALE	64	1	-	-	-	-	-	-	1	-	1	4	1	3	4	5	13	10	11	3	7	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	18	1	-	1	-	1	1	1	1	1	-	2	-	2	1	2	2	2	-	-	-	-	-
	WHITE.....MALE..	9	-	-	-	-	1	1	-	1	1	-	1	-	2	-	1	-	1	-	-	-	-	-
	FEMALE	9	1	-	1	-	-	-	1	-	-	-	1	-	-	1	1	2	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	102	-	-	-	1	-	1	1	2	2	1	-	1	-	8	11	20	12	23	14	4	-	1
	WHITE.....MALE..	51	-	-	-	1	-	-	1	-	1	-	-	-	-	5	4	12	6	11	7	3	-	-
	FEMALE	51	-	-	-	-	-	1	-	2	1	1	-	1	-	3	7	8	6	12	7	1	-	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	65	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	11	13	17	8	7	2	-
	WHITE.....MALE..	65	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	11	13	17	8	7	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MINNESOTA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	7	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	4	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	4	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	460	302	48	23	11	7	5	7	5	4	8	11	6	7	3	6	3	1	1	1	1	-	-
	WHITE.....MALE..	259	174	29	14	4	4	2	4	4	3	3	6	3	2	1	3	-	1	-	1	1	-	-
	FEMALE	199	126	19	9	7	3	3	3	1	1	5	5	3	5	2	3	3	-	1	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,107	1,106	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	647	647	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	430	429	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	492	492	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	277	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	564	563	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	215	214	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	233	25	2	1	3	1	2	3	4	5	10	8	13	17	12	17	28	23	15	23	14	7	-
	WHITE.....MALE..	118	12	2	1	1	-	-	1	1	3	4	4	7	7	8	11	18	16	9	8	5	-	-
	FEMALE	103	10	-	-	2	1	1	2	3	2	4	3	6	7	3	6	10	7	6	14	9	7	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-
	FEMALE	8	2	-	-	-	-	1	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	1,112	86	34	13	14	7	16	14	10	27	37	33	51	62	98	111	130	136	117	68	33	14	1
	WHITE.....MALE..	611	52	25	4	7	6	7	6	4	19	18	17	30	40	58	61	70	72	61	30	17	6	1
	FEMALE	484	31	9	9	7	1	7	7	6	8	18	15	20	20	40	49	59	64	54	38	14	8	-
	NONWHITE.....MALE..	11	3	-	-	-	-	1	-	-	-	-	1	1	2	-	-	1	-	1	-	1	-	-
	FEMALE	6	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-
E800-E962	ACCIDENTS.	1,738	45	92	64	55	164	123	65	86	68	72	86	95	101	73	98	116	109	103	73	41	9	-
	WHITE.....MALE..	1,192	24	57	41	34	119	106	50	71	52	51	68	71	77	46	77	73	68	50	39	16	2	-
	FEMALE	512	18	31	23	19	42	15	12	13	15	19	17	20	21	27	21	42	39	53	33	25	7	-
	NONWHITE.....MALE..	22	-	3	-	2	2	2	2	2	1	1	1	1	3	-	-	1	1	-	-	-	-	-
	FEMALE	12	3	1	-	-	1	-	1	-	-	1	-	3	-	-	-	-	1	-	1	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	781	3	35	41	22	101	99	48	45	37	39	38	37	51	41	41	39	30	25	8	1	-	-
	WHITE.....MALE..	560	1	19	26	13	67	84	35	34	28	27	29	26	38	24	36	30	23	13	6	1	-	-
	FEMALE	208	2	15	15	8	31	13	11	10	9	12	8	11	11	17	5	9	7	12	2	-	-	-
	NONWHITE.....MALE..	12	-	1	-	1	2	2	2	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	957	42	57	23	33	63	24	17	41	31	33	48	58	50	32	57	77	79	78	65	40	9	-
	WHITE.....MALE..	632	23	38	15	21	52	22	15	37	24	24	39	45	39	22	41	43	45	37	33	15	2	-
	FEMALE	304	16	16	8	11	11	2	1	3	6	7	9	9	10	10	16	33	32	41	31	25	7	-
	NONWHITE.....MALE..	10	-	2	-	1	-	-	-	1	1	1	-	1	1	-	-	1	1	-	-	-	-	-
	FEMALE	11	3	1	-	-	-	-	1	-	-	1	-	3	-	-	-	-	1	-	1	-	-	-
E963, E970-E979	SUICIDE.	338	...	...	1	6	12	15	27	11	23	30	30	31	40	45	20	17	20	6	3	1	-	-
	WHITE.....MALE..	257	...	...	1	6	9	10	19	6	19	18	23	23	29	35	18	14	19	5	2	1	-	-
	FEMALE	79	...	...	-	-	3	5	8	5	4	12	7	7	11	9	2	3	1	1	1	-	-	-
	NONWHITE.....MALE..	1	...	...	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	32	-	1	-	1	2	4	3	3	5	3	-	3	1	2	-	1	1	2	-	-	-	-
	WHITE.....MALE..	18	-	1	-	1	-	2	2	2	2	1	-	3	1	-	-	1	1	1	-	-	-	-
	FEMALE	8	-	-	-	-	2	1	1	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI																							
	ALL CAUSES.....	22,730	2,358	340	150	145	236	261	227	302	417	549	807	1,166	1,435	1,913	2,260	2,626	2,580	2,369	1,594	703	276	16
	WHITE.....MALE..	7,072	400	38	25	32	83	89	71	91	135	190	304	421	563	692	760	883	869	763	458	174	30	1
	FEMALE	4,823	308	43	27	26	35	39	40	28	54	91	110	185	219	312	422	555	726	752	568	229	52	2
	NONWHITE.....MALE..	5,708	891	139	52	60	67	79	71	104	100	118	216	305	358	450	613	661	510	435	273	133	65	8
	FEMALE	5,127	759	120	46	27	51	54	45	79	128	150	177	255	295	459	465	527	475	419	295	167	129	5
001-019	TUBERCULOSIS, ALL FORMS..	125	1	4	-	1	3	2	1	2	7	9	9	9	13	12	24	9	11	4	4	-	-	-
	WHITE.....MALE..	38	-	-	-	-	-	-	-	-	-	2	4	4	5	4	5	3	9	1	1	-	-	-
	FEMALE	15	-	-	-	1	-	-	-	-	1	1	2	1	1	-	5	1	-	1	1	-	-	-
	NONWHITE.....MALE..	45	1	-	-	-	1	1	-	2	3	2	3	2	5	7	10	3	2	1	2	-	-	-
	FEMALE	27	-	4	-	-	2	1	1	-	3	4	-	2	2	1	4	2	-	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	114	-	2	-	-	3	2	1	2	7	7	8	8	13	12	23	8	11	4	3	-	-	-
	WHITE.....MALE..	34	-	-	-	-	-	-	-	-	-	1	3	3	5	4	4	3	9	1	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	1	1	2	1	1	-	5	1	-	1	1	-	-	-
	NONWHITE.....MALE..	41	-	-	-	-	1	1	-	2	3	1	3	2	5	7	10	2	2	1	1	-	-	-
	FEMALE	25	-	2	-	-	2	1	1	-	3	4	-	2	2	1	4	2	-	1	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	11	1	2	-	1	-	-	-	-	-	2	1	1	-	-	1	1	-	-	1	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	26	-	-	-	-	-	-	-	-	1	-	2	3	3	3	5	3	5	-	1	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	-	1	-	-	1	2	2	2	1	2	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	-	-	1	-	-	-
045-048	DYSENTERY, ALL FORMS.....	18	9	1	-	-	-	1	-	-	1	-	-	-	1	-	3	-	2	-	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	7	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	11	4	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	11	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	114	26	12	7	5	4	2	3	4	3	4	8	2	8	7	3	3	5	5	3	-	-	-
	WHITE.....MALE..	24	4	1	2	1	1	-	-	-	-	2	1	1	5	-	1	1	2	2	-	-	-	-
	FEMALE	22	1	2	1	-	2	1	2	-	1	1	3	1	-	2	-	1	-	2	2	-	-	-
	NONWHITE.....MALE..	35	8	6	2	2	1	-	-	1	1	1	4	-	2	3	1	-	2	-	1	-	-	-
	FEMALE	33	13	3	2	2	-	1	1	3	1	-	-	-	1	2	1	1	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,829	2	17	17	18	9	15	17	33	52	95	144	254	284	358	374	399	322	254	118	36	9	2
	WHITE.....MALE..	999	1	8	8	-	3	4	4	11	17	26	57	85	106	137	132	145	115	89	41	8	1	1
	FEMALE	804	-	3	2	7	1	4	8	4	19	36	35	73	82	89	102	106	99	80	39	13	2	-
	NONWHITE.....MALE..	499	-	3	3	7	4	3	2	7	3	8	17	41	41	54	76	87	60	45	27	10	1	-
	FEMALE	527	1	3	4	4	1	4	3	11	13	25	35	55	55	78	64	61	48	40	11	5	5	1
140-148	OF BUCCAL CAVITY AND PHARYNX.....	59	-	-	-	1	-	-	2	1	1	1	1	4	8	10	9	6	8	5	2	-	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	1	-	1	1	1	3	5	5	4	4	2	-	-	-	-	-
	FEMALE	15	-	-	-	1	-	-	-	-	-	-	-	1	1	3	1	-	4	2	2	-	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	1	-	-	-	-	-	2	1	3	2	1	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	935	-	2	1	2	1	1	5	4	8	20	29	52	96	123	116	156	130	113	51	20	5	-
	WHITE.....MALE..	306	-	1	-	-	-	-	2	1	5	8	14	19	38	37	36	50	40	38	13	3	1	-
	FEMALE	275	-	-	-	-	-	1	2	1	-	6	2	16	22	28	35	51	45	36	21	9	-	-
	NONWHITE.....MALE..	183	-	-	-	2	1	-	-	1	2	3	7	10	15	27	27	25	26	19	12	5	1	-
	FEMALE	171	-	1	1	-	-	-	1	1	1	3	6	7	21	31	18	30	19	20	5	3	3	-
160-164	OF RESP. SYSTEM, ETC.....	434	-	-	-	1	-	-	-	3	5	14	33	54	62	77	74	51	43	11	4	1	1	-
	WHITE.....MALE..	280	-	-	-	-	-	-	-	1	2	7	24	32	41	61	49	34	22	5	1	1	-	-
	FEMALE	51	-	-	-	-	-	-	-	-	3	3	3	5	10	3	6	5	8	4	1	-	-	-
	NONWHITE.....MALE..	85	-	-	-	1	-	-	-	2	-	2	4	16	10	9	15	12	10	2	2	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	2	2	1	1	4	4	-	3	-	-	-	1	-
170	OF BREAST.....	216	-	-	-	-	-	-	1	2	9	17	21	36	27	21	29	21	16	11	5	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	140	-	-	-	-	-	-	1	1	7	10	11	23	16	15	18	13	13	7	5	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	74	-	-	-	-	-	-	-	1	2	7	10	12	11	5	11	8	3	4	-	-	-	-
171-179	OF GENITAL ORGANS.....	486	-	-	-	-	-	2	4	8	10	12	24	33	41	61	69	79	63	45	28	7	-	-
	WHITE.....MALE..	103	-	-	-	-	-	-	-	3	1	-	1	1	4	5	13	20	23	15	14	3	-	-
	FEMALE	117	-	-	-	-	-	1	2	-	4	4	10	11	16	15	18	14	14	7	1	-	-	-
	NONWHITE.....MALE..	113	-	-	-	-	-	-	-	-	-	1	1	1	8	14	17	30	17	12	9	3	-	-
	FEMALE	153	-	-	-	-	-	1	2	5	5	7	12	20	13	27	21	15	9	11	4	1	-	-
180, 181	OF URINARY ORGANS.....	91	-	2	2	1	-	-	-	1	-	3	6	11	6	9	9	15	11	9	3	1	2	-
	WHITE.....MALE..	45	-	1	1	-	-	-	-	1	-	-	4	5	1	6	5	6	8	7	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	1	1	3	2	2	1	2	-	-	2	-	1	-
	NONWHITE.....MALE..	15	-	-	-	1	-	-	-	-	-	-	1	2	1	-	2	3	1	2	1	1	-	-
	FEMALE	16	-	1	1	-	-	-	-	-	-	2	-	1	2	1	1	4	2	-	-	-	1	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	370	1	6	6	5	4	8	3	9	11	19	20	39	28	32	42	41	30	43	15	5	1	2
	WHITE.....MALE..	144	-	3	3	-	2	3	1	3	6	7	8	17	10	9	18	15	11	17	9	1	-	1
	FEMALE	113	-	2	1	3	-	2	2	2	2	7	6	8	9	15	10	13	8	16	4	2	1	-
	NONWHITE.....MALE..	53	-	1	1	1	2	-	-	3	1	2	3	4	3	3	8	9	2	8	1	1	-	-
	FEMALE	60	1	-	1	1	-	3	-	1	2	3	3	10	6	5	6	4	9	2	1	1	-	1
204	LEUKEMIA AND ALEUKEMIA...	145	1	6	8	6	4	2	2	3	5	6	5	16	5	14	12	19	11	12	6	2	-	-
	WHITE.....MALE..	54	1	2	4	-	1	-	-	2	1	1	1	6	2	8	3	10	5	5	2	-	-	-
	FEMALE	46	-	1	1	2	1	-	1	-	2	4	2	5	1	3	6	4	3	5	3	2	-	-
	NONWHITE.....MALE..	22	-	2	2	1	1	2	1	-	-	-	-	2	1	-	2	5	1	1	1	-	-	-
	FEMALE	23	-	1	1	3	1	-	-	1	2	1	2	3	1	3	1	-	2	1	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	93	-	1	-	2	-	2	-	2	3	3	5	9	11	11	14	11	10	5	4	-	-	-
	WHITE.....MALE..	38	-	1	-	-	-	1	-	-	1	2	4	1	5	5	4	6	4	2	2	-	-	-
	FEMALE	32	-	-	-	1	-	-	-	-	1	1	-	1	5	5	7	4	4	3	-	-	-	-
	NONWHITE.....MALE..	17	-	-	-	1	-	1	-	1	-	-	1	6	1	-	2	1	2	-	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	-	1	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	58	1	2	1	1	1	2	1	6	6	8	8	5	1	2	3	2	5	1	2	-	-	-
	WHITE.....MALE..	15	1	-	-	-	1	1	-	1	3	3	2	-	1	-	1	-	1	-	-	-	-	-
	FEMALE	17	-	1	-	-	-	1	-	1	1	4	1	1	-	2	2	1	-	1	1	-	-	-
	NONWHITE.....MALE..	9	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	3	-	1	-	-	-
	FEMALE	17	-	-	1	1	-	-	-	3	2	-	4	4	-	-	-	1	1	-	-	-	-	-
241	ASTHMA.....	42	-	1	-	1	-	-	1	2	2	2	3	4	3	5	4	6	4	4	-	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	3	3	3	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	NONWHITE.....MALE..	16	-	1	-	1	-	-	-	-	-	-	2	1	3	1	3	2	1	1	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	1	1	1	-	1	-	1	-	1	-	-	1	-	-	-	-
260	DIABETES MELLITUS.....	303	1	-	-	2	2	2	2	3	6	7	6	14	24	38	51	58	40	29	16	2	-	-
	WHITE.....MALE..	70	1	-	-	1	-	-	-	3	1	2	2	1	4	9	10	15	9	6	5	1	-	-
	FEMALE	92	-	-	-	1	-	1	1	-	1	2	1	3	6	12	15	14	17	13	5	-	-	-
	NONWHITE.....MALE..	48	-	-	-	-	-	1	1	-	1	-	1	3	2	7	7	15	6	3	1	-	-	-
	FEMALE	93	-	-	-	-	2	-	-	-	3	3	2	7	12	10	19	14	8	7	5	1	-	-
290-293	ANEMIAS.....	54	5	7	2	1	-	2	3	1	-	3	1	3	2	4	7	4	2	3	4	-	-	-
	WHITE.....MALE..	6	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-
	FEMALE	14	1	1	-	-	-	1	-	-	-	-	-	-	1	-	4	2	-	2	2	-	-	-
	NONWHITE.....MALE..	12	1	1	1	-	-	-	2	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-
	FEMALE	22	3	4	1	1	-	1	1	1	-	2	1	2	1	2	2	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	49	24	9	2	-	1	2	1	-	-	1	1	-	-	1	3	3	-	1	-	-	-	-
	WHITE.....MALE..	8	3	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	FEMALE	7	1	3	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	20	9	4	2	-	1	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	14	11	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	11,223	15	12	6	10	15	22	37	49	112	200	333	530	758	1,017	1,303	1,675	1,716	1,615	1,112	489	187	10
	WHITE.....MALE..	3,689	1	-	-	-	2	3	10	12	33	71	129	197	302	353	445	568	565	526	321	127	24	-
	FEMALE	2,616	-	1	1	4	3	3	6	4	10	18	28	62	83	156	218	354	511	530	420	166	37	1
	NONWHITE.....MALE..	2,464	7	4	1	4	3	7	8	17	24	49	94	145	197	246	366	397	313	281	168	84	43	6
	FEMALE	2,454	7	7	4	2	7	9	13	16	45	62	82	126	176	262	274	356	327	278	203	112	83	3
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	11,007	13	10	6	9	12	20	31	45	104	192	323	519	743	997	1,290	1,649	1,690	1,588	1,095	480	181	10
	WHITE.....MALE..	3,645	1	-	-	-	1	2	6	12	33	67	129	195	299	344	444	568	561	517	316	126	24	-
	FEMALE	2,584	-	1	1	4	2	3	6	3	8	18	27	60	82	153	217	349	506	524	417	165	37	1
	NONWHITE.....MALE..	2,387	6	3	1	3	2	6	6	16	23	47	91	141	189	242	357	385	306	275	164	80	38	6
	FEMALE	2,391	6	6	4	2	7	9	13	14	40	60	76	123	173	258	272	347	317	272	198	109	82	3
330-334	VASCULAR LESIONS, ETC.	3,114	3	2	-	4	5	4	6	6	23	44	74	112	185	227	318	460	551	524	335	168	60	3
	WHITE.....MALE..	772	-	-	-	-	1	-	-	-	5	6	14	21	43	51	76	117	147	157	89	39	6	-
	FEMALE	794	-	1	-	1	1	3	3	-	1	7	8	15	19	32	58	98	168	181	120	61	17	-
	NONWHITE.....MALE..	717	1	1	-	2	1	-	1	3	3	8	21	36	60	69	92	130	108	82	55	28	14	2
	FEMALE	831	2	-	-	1	2	1	2	3	14	23	31	40	63	75	92	115	128	104	71	40	23	1
400-402, 410-443	DISEASES OF HEART	7,080	7	7	5	4	6	11	17	31	72	125	221	374	528	718	893	1,089	1,021	944	644	259	98	6
	WHITE.....MALE..	2,625	1	-	-	-	-	1	6	10	28	60	109	167	243	274	345	411	381	317	187	71	14	-
	FEMALE	1,586	-	-	1	3	1	-	2	3	7	9	16	40	60	108	149	228	296	304	253	89	16	1
	NONWHITE.....MALE..	1,477	3	2	1	1	1	4	1	10	15	27	58	96	121	162	238	233	171	175	89	45	20	4
	FEMALE	1,392	3	5	3	-	4	6	8	8	22	29	38	71	104	174	161	217	173	148	115	54	48	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	124	-	-	3	1	1	6	5	4	2	3	8	7	13	10	16	13	12	6	10	4	-	-
	WHITE.....MALE..	34	-	-	-	-	-	1	1	1	2	3	3	4	4	3	5	3	2	1	1	-	-	-
	FEMALE	24	-	-	-	-	1	-	-	-	1	1	2	3	4	1	4	-	2	-	3	2	-	-
	NONWHITE.....MALE..	32	-	-	-	1	-	2	1	3	-	-	2	-	3	2	8	3	2	2	3	-	-	-
	FEMALE	34	-	-	3	-	-	4	3	-	-	-	1	1	2	3	1	5	5	2	3	1	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	4,494	2	1	-	-	-	1	7	17	40	77	149	249	373	463	596	698	663	558	400	136	62	2
	WHITE.....MALE..	2,065	-	-	-	-	-	-	4	8	22	51	94	137	213	225	280	327	293	223	139	38	11	-
	FEMALE	1,073	-	-	-	-	-	-	-	3	*	8	9	25	46	82	108	171	203	188	161	53	11	-
	NONWHITE.....MALE..	731	1	-	-	-	-	-	-	5	4	10	27	52	68	76	134	117	81	80	42	20	12	2
	FEMALE	625	1	1	-	-	-	1	3	1	9	8	19	35	46	80	74	83	86	67	58	25	28	-
421-422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	569	2	2	1	-	-	-	-	2	1	4	3	15	15	29	49	86	98	117	81	43	21	-
	WHITE.....MALE..	160	-	-	-	-	-	-	-	-	-	2	-	4	3	7	15	20	32	41	19	14	3	-
	FEMALE	157	-	-	1	-	-	-	-	-	-	-	2	2	2	3	11	18	27	41	30	16	4	-
	NONWHITE.....MALE..	125	1	1	-	-	-	-	-	1	-	-	1	6	1	13	12	23	22	20	15	6	3	-
	FEMALE	127	1	1	-	-	-	-	-	1	1	2	-	3	9	6	11	25	17	15	17	7	11	-
430-434	OTHER DISEASES OF HEART	611	3	4	1	3	4	3	5	4	15	19	20	45	45	81	68	80	72	64	39	30	5	1
	WHITE.....MALE..	167	1	-	-	-	-	1	1	1	5	2	9	17	12	22	22	25	18	14	9	8	-	-
	FEMALE	103	-	-	-	3	-	-	2	-	1	-	1	8	4	9	4	12	16	18	14	10	1	-
	NONWHITE.....MALE..	199	1	1	1	-	1	1	-	-	4	11	5	14	18	22	28	27	24	25	8	6	1	1
	FEMALE	142	1	3	-	-	3	1	2	3	5	6	5	6	11	28	14	16	14	7	8	6	3	-
440-443	HYPERTENSIVE HEART DIS.	1,282	-	-	-	-	1	1	-	4	14	22	41	58	82	135	164	212	176	199	114	46	10	3
	WHITE.....MALE..	199	-	-	-	-	-	-	-	-	-	3	3	6	11	16	25	34	35	37	19	10	-	-
	FEMALE	229	-	-	-	-	-	-	-	-	-	-	2	2	4	13	22	27	48	57	45	8	-	1
	NONWHITE.....MALE..	390	-	-	-	-	-	1	-	1	7	6	23	24	31	49	56	63	42	48	21	13	4	1
	FEMALE	464	-	-	-	-	1	-	-	3	7	13	13	26	36	57	61	88	51	57	29	15	6	1
444-447	OTHER HYPERTENSIVE DIS.	218	-	-	-	-	-	1	4	6	5	16	17	14	13	19	20	19	27	29	17	9	2	-
	WHITE.....MALE..	46	-	-	-	-	-	-	-	1	-	1	4	-	4	5	1	5	6	11	4	4	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	3	11	6	4	1	-	-
	NONWHITE.....MALE..	79	-	-	-	-	-	-	3	3	3	8	7	5	4	6	12	6	6	7	6	2	1	-
	FEMALE	57	-	-	-	-	-	1	1	2	2	6	5	8	3	4	5	5	4	5	3	2	1	-
450	GENERAL ARTERIOSCLEROSIS.	348	-	-	-	-	-	-	-	-	-	-	2	2	1	5	24	39	66	71	80	37	20	1
	WHITE.....MALE..	101	-	-	-	-	-	-	-	-	-	-	1	-	-	1	7	13	16	23	29	8	3	-
	FEMALE	117	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	9	24	29	31	13	4	-
	NONWHITE.....MALE..	67	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	10	18	8	12	5	3	-
	FEMALE	63	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	7	8	11	8	11	10	1
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	247	3	1	1	1	1	4	4	2	4	7	9	17	16	28	35	42	25	20	19	7	1	-
	WHITE.....MALE..	101	-	-	-	-	-	1	-	1	-	-	1	7	9	13	15	22	11	9	7	4	1	-
	FEMALE	51	-	-	-	-	-	-	1	-	-	1	1	4	1	8	3	11	7	4	9	1	-	-
	NONWHITE.....MALE..	47	2	-	-	-	-	2	1	-	2	4	5	2	3	3	9	6	3	3	2	-	-	-
	FEMALE	48	1	1	1	1	1	1	2	1	2	2	2	4	3	4	8	3	4	4	1	2	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	216	2	2	-	1	3	2	6	4	8	8	10	11	15	20	13	26	26	27	17	9	6	-
	WHITE.....MALE..	44	-	-	-	-	1	1	4	-	-	4	-	2	3	9	1	-	4	9	5	1	-	-
	FEMALE	32	-	-	-	-	1	-	-	1	2	-	1	2	1	3	1	5	5	6	3	1	-	-
	NONWHITE.....MALE..	77	1	1	-	1	1	1	2	1	1	2	3	4	8	4	9	12	7	6	4	4	5	-
	FEMALE	63	1	1	-	-	-	-	-	2	5	2	6	3	3	4	2	9	10	6	5	3	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	866	209	66	12	11	7	9	5	2	5	13	12	22	22	32	55	66	82	95	81	42	18	-
	WHITE.....MALE..	186	14	4	-	4	3	1	-	-	-	2	5	1	5	7	14	13	29	36	30	17	1	-
	FEMALE	165	17	3	1	1	1	4	2	-	2	4	-	5	3	3	11	13	23	28	25	14	5	-
	NONWHITE.....MALE..	267	99	25	6	4	1	3	2	1	2	3	2	11	9	11	10	25	16	19	9	7	2	-
	FEMALE	248	79	34	5	2	2	1	1	1	1	4	5	5	5	11	20	15	14	12	17	4	10	-
480-483	INFLUENZA.....	95	19	2	1	4	1	-	-	1	3	2	2	3	2	3	6	8	11	6	13	5	3	-
	WHITE.....MALE..	17	-	-	-	1	-	-	-	-	-	-	1	-	-	2	1	2	3	3	2	2	-	-
	FEMALE	20	-	-	-	1	-	-	-	-	2	-	-	1	-	-	2	1	3	1	6	2	1	-
	NONWHITE.....MALE..	31	10	1	-	2	1	-	-	-	-	2	1	1	1	-	1	5	1	1	3	1	-	-
	FEMALE	27	9	1	1	-	-	-	-	1	1	-	-	1	1	1	2	-	4	1	2	-	2	-
490-493	PNEUMONIA, ETC.....	771	190	64	11	7	6	9	5	1	2	11	10	19	20	29	49	58	71	89	68	37	15	-
	WHITE.....MALE..	169	14	4	-	3	3	1	-	-	-	2	4	1	5	5	13	11	26	33	28	15	1	-
	FEMALE	145	17	3	1	-	1	4	2	-	-	4	-	4	3	3	9	12	20	27	19	12	4	-
	NONWHITE.....MALE..	236	89	24	6	2	-	3	2	1	2	1	1	10	8	11	9	20	15	18	6	6	2	-
	FEMALE	221	70	33	4	2	2	1	1	-	-	4	5	4	4	10	18	15	10	11	15	4	8	-
500-502	BRONCHITIS.....	52	16	4	2	-	-	-	-	-	-	-	3	-	4	4	5	3	5	3	2	1	-	-
	WHITE.....MALE..	22	3	1	1	-	-	-	-	-	-	-	-	-	2	3	2	2	4	3	1	-	-	-
	FEMALE	6	1	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-
	NONWHITE.....MALE..	14	6	1	-	-	-	-	-	-	-	-	2	-	1	-	3	-	-	-	1	-	-	-
	FEMALE	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	188	8	2	3	-	2	-	1	-	1	1	3	6	20	25	37	30	17	16	11	5	-	-
	WHITE.....MALE..	125	4	-	1	-	2	-	-	-	-	-	2	2	13	23	28	20	12	10	6	2	-	-
	FEMALE	30	2	1	-	-	-	-	-	-	-	-	1	2	2	1	3	4	4	5	3	2	-	-
	NONWHITE.....MALE..	23	1	1	1	-	-	-	-	-	1	-	-	2	5	-	5	4	1	-	2	-	-	-
	FEMALE	10	1	-	1	-	-	-	1	-	-	1	-	-	-	1	1	2	-	1	-	1	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	89	2	-	-	-	-	1	1	3	4	1	7	5	10	10	15	10	7	11	1	1	-	-
	WHITE.....MALE..	45	1	-	-	-	-	-	-	1	1	1	4	2	3	5	9	9	4	4	-	1	-	-
	FEMALE	14	-	-	-	-	-	1	-	-	1	-	1	-	-	1	2	-	2	5	1	-	-	-
	NONWHITE.....MALE..	21	-	-	-	-	-	1	1	2	2	-	1	2	6	2	4	-	1	-	-	-	-	-
	FEMALE	9	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	2	-	-	-	-
550-553	APPENDICITIS.....	21	-	-	3	2	-	-	-	1	1	2	-	1	1	2	1	2	1	2	1	1	-	-
	WHITE.....MALE..	7	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	NONWHITE.....MALE..	6	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	FEMALE	7	-	-	2	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	113	17	-	-	-	-	1	-	2	4	5	2	6	6	8	11	14	10	11	11	5	-	-
	WHITE.....MALE..	28	6	-	-	-	-	-	-	1	1	1	-	1	2	2	2	3	4	1	4	-	-	-
	FEMALE	30	2	-	-	-	-	-	-	-	-	-	1	2	1	2	3	4	3	6	4	2	-	-
	NONWHITE.....MALE..	29	7	-	-	-	-	-	-	-	-	1	-	1	3	2	4	4	2	2	-	3	-	-
	FEMALE	26	2	-	-	-	-	1	-	1	3	3	1	2	-	2	2	3	1	2	3	-	-	-
543, 571, 572	GASTRITIS, ETC.....	248	158	19	1	2	-	1	-	2	2	1	4	3	5	7	7	5	15	9	4	2	1	-
	WHITE.....MALE..	30	6	2	-	-	-	1	-	1	1	-	-	-	-	6	3	2	4	3	1	-	-	-
	FEMALE	27	4	2	-	-	-	-	-	-	-	-	-	1	2	1	2	1	7	3	1	2	1	-
	NONWHITE.....MALE..	106	83	9	-	1	-	-	-	-	-	1	3	1	1	-	2	1	1	2	1	-	-	-
	FEMALE	85	65	6	1	1	-	-	-	1	1	-	1	1	2	-	-	1	3	1	1	-	-	-
581	CIRRHOSIS OF LIVER.....	130	-	-	-	-	-	2	-	3	9	13	14	16	14	15	13	9	10	8	3	-	1	-
	WHITE.....MALE..	62	-	-	-	-	-	-	-	-	4	7	5	9	8	8	6	5	4	2	3	-	1	-
	FEMALE	31	-	-	-	-	-	-	-	2	3	4	4	3	4	3	2	2	2	2	-	-	-	-
	NONWHITE.....MALE..	24	-	-	-	-	-	1	-	1	1	2	3	1	2	3	4	1	3	2	-	-	-	-
	FEMALE	13	-	-	-	-	-	1	-	-	1	-	2	3	-	1	1	1	1	2	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	35	-	-	-	-	1	-	-	1	1	1	1	1	3	2	4	6	6	4	3	1	-	-
	WHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	2	3	1	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	2	3	2	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	-	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	41	1	5	1	2	1	3	-	-	-	-	1	3	1	1	4	5	5	4	2	2	-	-
	WHITE.....MALE..	9	1	-	-	1	1	1	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-
	FEMALE	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	15	-	2	1	-	-	-	-	-	-	-	-	2	-	1	2	2	2	1	-	-	-	-
	FEMALE	12	-	3	-	-	-	2	-	-	-	-	1	-	-	-	1	2	1	-	2	-	-	-
600	INFECTIONS OF KIDNEY.....	148	-	-	-	-	1	1	-	-	4	7	6	7	8	18	12	20	15	19	16	12	2	-
	WHITE.....MALE..	36	-	-	-	-	-	-	-	-	-	1	-	2	2	5	2	3	4	9	4	4	-	-
	FEMALE	48	-	-	-	-	-	-	-	-	1	2	4	1	2	-	4	9	5	6	8	5	1	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	-	2	2	1	2	1	3	3	5	4	3	2	1	1	-
	FEMALE	34	-	-	-	-	1	1	-	-	1	2	1	2	3	10	3	3	2	1	2	2	-	-
610	HYPERPLASIA OF PROSTATE..	96	-	-	-	-	-	-	-	-	-	-	1	1	5	4	11	11	22	20	13	6	2	-
	WHITE.....MALE..	40	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	6	6	9	8	3	2	-
	NONWHITE.....MALE..	56	-	-	-	-	-	-	-	-	-	-	1	1	5	1	8	5	16	11	5	3	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSISSIPPI--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	55	-	-	-	-	11	12	9	11	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	48	-	-	-	-	9	9	9	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	52	-	-	-	-	11	10	8	11	7	5	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	46	-	-	-	-	9	8	8	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	260	189	21	5	6	6	6	5	3	3	4	4	6	1	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	72	51	2	-	1	2	3	3	1	1	2	1	3	1	-	-	-	1	-	-	-	-	-
	FEMALE	83	62	4	1	2	1	2	2	1	1	2	2	3	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	58	41	10	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	47	35	5	1	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,158	1,158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	388	388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	326	326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	669	669	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	148	148	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	206	206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	1,825	352	26	6	6	7	13	8	24	40	46	81	99	108	168	193	154	147	134	103	62	45	3
	WHITE.....MALE..	336	13	2	1	-	-	1	-	3	5	16	26	25	35	49	47	31	36	25	13	7	1	-
	FEMALE	140	11	2	1	1	-	-	2	3	4	1	3	10	9	9	21	11	13	20	12	3	3	1
	NONWHITE.....MALE..	729	174	18	2	3	2	4	4	8	12	10	31	40	40	64	74	73	52	41	40	20	16	1
	FEMALE	620	154	4	2	2	5	8	2	10	19	19	21	24	24	46	51	39	46	48	38	32	25	1
RESID-UAL	ALL OTHER DISEASES	608	39	25	10	7	14	7	11	23	24	17	43	40	35	59	46	60	47	57	30	11	3	-
	WHITE.....MALE..	167	7	1	1	2	5	1	-	2	7	6	10	14	12	18	17	24	18	17	5	-	-	-
	FEMALE	154	6	6	5	2	1	1	4	1	2	4	10	8	8	16	9	9	14	24	19	5	-	-
	NONWHITE.....MALE..	146	19	9	4	2	4	1	2	8	4	1	12	8	9	13	10	16	9	7	4	3	1	-
	FEMALE	141	7	9	-	1	4	4	5	12	11	6	11	10	6	12	10	11	6	9	2	3	2	-
E800-E962	ACCIDENTS	1,560	111	96	67	66	131	127	88	86	83	71	76	82	68	81	52	60	72	58	51	25	8	1
	WHITE.....MALE..	602	21	14	11	21	57	64	46	48	45	34	34	47	33	39	19	19	24	10	12	4	-	-
	FEMALE	248	13	12	12	5	23	16	8	4	5	8	9	6	9	10	13	13	22	21	22	14	3	-
	NONWHITE.....MALE..	479	39	35	24	35	39	40	30	31	27	21	27	21	23	18	14	15	13	16	7	2	1	1
	FEMALE	231	38	35	20	5	12	7	4	3	6	8	6	8	3	14	6	13	13	11	10	5	4	-
E810-E835	MOTOR VEHICLE ACCIDENTS	619	8	23	28	25	77	81	51	49	49	35	38	33	31	34	15	21	14	6	1	-	-	-
	WHITE.....MALE..	300	3	8	6	10	39	44	27	28	29	18	14	20	14	19	5	9	5	1	1	-	-	-
	FEMALE	109	3	4	11	4	18	13	7	4	3	5	6	2	4	7	5	5	6	2	-	-	-	-
	NONWHITE.....MALE..	172	-	8	7	10	13	22	16	16	14	8	17	8	12	6	4	6	3	2	-	-	-	-
	FEMALE	38	2	3	4	1	7	2	1	1	3	4	1	3	1	2	1	1	-	1	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	941	103	73	39	41	54	46	37	37	34	36	38	49	37	47	37	39	58	52	50	25	8	1
	WHITE.....MALE..	302	18	6	5	11	18	20	19	20	16	16	20	27	19	20	14	10	19	9	11	4	-	-
	FEMALE	139	10	8	1	1	5	3	1	-	2	3	3	4	5	3	8	8	16	19	22	14	3	-
	NONWHITE.....MALE..	307	39	27	17	25	26	18	14	15	13	13	10	13	11	12	10	9	10	14	7	2	1	1
	FEMALE	193	36	32	16	4	5	5	3	2	3	4	5	5	2	12	5	12	13	10	10	5	4	-
E963, E970-E979	SUICIDE	168	...	...	-	-	7	11	10	10	13	12	16	23	21	17	12	6	7	2	1	-	-	-
	WHITE.....MALE..	124	...	...	-	-	5	8	7	4	11	6	14	18	17	13	7	4	7	2	1	-	-	-
	FEMALE	23	...	...	-	-	-	1	3	4	1	4	1	-	3	3	2	1	-	-	-	-	-	-
	NONWHITE.....MALE..	16	...	...	-	-	1	2	-	2	1	1	1	4	-	1	2	1	-	-	-	-	-	-
	FEMALE	5	...	...	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	197	1	1	-	2	13	17	23	31	26	21	18	20	7	10	4	1	1	-	1	-	-	-
	WHITE.....MALE..	32	-	-	-	-	1	1	1	2	4	7	5	3	3	2	2	-	1	-	-	-	-	-
	FEMALE	12	-	-	-	1	1	-	1	2	1	-	2	2	-	-	-	1	-	-	1	-	-	-
	NONWHITE.....MALE..	122	1	1	-	-	8	14	18	21	14	10	11	14	3	6	1	-	-	-	-	-	-	-
	FEMALE	31	-	-	-	1	3	2	3	6	7	4	-	1	1	2	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI																							
	ALL CAUSES	49,037	2,391	393	206	170	330	318	292	400	590	958	1,318	2,276	3,024	3,999	5,314	6,490	7,154	6,422	4,482	1,944	541	25
	WHITE.....MALE	24,617	1,110	155	90	100	211	187	140	197	278	481	714	1,269	1,757	2,258	2,967	3,468	3,652	2,835	1,845	720	173	10
	FEMALE	19,448	761	143	83	52	84	85	80	114	176	269	383	654	842	1,202	1,736	2,452	3,083	3,302	2,463	1,152	325	7
	NONWHITE.....MALE	2,717	285	50	14	11	19	30	46	51	72	113	124	204	231	300	353	310	217	154	82	31	15	5
	FEMALE	2,255	235	45	19	7	16	16	26	38	64	95	97	149	194	239	258	260	202	131	92	41	28	3
001-019	TUBERCULOSIS, ALL FORMS	272	1	1	-	-	1	2	5	7	14	10	22	14	30	31	29	36	36	27	5	-	1	-
	WHITE.....MALE	167	-	-	-	-	-	1	-	3	4	4	11	7	22	22	23	24	25	17	3	-	1	-
	FEMALE	51	-	1	-	-	-	-	2	3	3	1	4	3	4	3	-	8	9	8	2	-	-	-
	NONWHITE.....MALE	40	1	-	-	-	1	1	2	-	4	4	4	4	4	5	4	2	2	2	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	1	1	3	1	3	-	-	1	2	2	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	251	-	-	-	-	1	-	4	7	14	10	20	14	29	28	26	32	35	25	5	-	1	-
	WHITE.....MALE	158	-	-	-	-	-	-	-	3	4	4	11	7	21	21	21	23	24	15	3	-	1	-
	FEMALE	46	-	-	-	-	-	-	1	3	3	1	4	3	4	2	-	6	9	8	2	-	-	-
	NONWHITE.....MALE	35	-	-	-	-	1	-	2	-	4	4	4	4	4	4	3	1	2	2	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	1	1	3	1	1	-	-	1	2	2	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	21	1	1	-	-	-	2	1	-	-	-	2	-	1	3	3	4	1	2	-	-	-	-
	WHITE.....MALE	9	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	1	1	2	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	NONWHITE.....MALE	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	86	-	-	-	-	-	2	-	-	1	-	4	7	8	21	16	10	10	4	2	-	1	-
	WHITE.....MALE	55	-	-	-	-	-	2	-	-	1	-	1	3	6	17	9	7	4	2	2	-	1	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	1	6	-	-	-	-	-
	NONWHITE.....MALE	13	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	2	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
045-048	DYSENTERY, ALL FORMS	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	NONWHITE.....MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	10	4	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	6	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	WHITE.....MALE	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	129	10	11	4	2	1	4	-	6	3	5	7	8	7	11	13	9	9	7	9	2	1	-
	WHITE.....MALE	58	3	4	2	1	-	1	-	2	1	1	4	6	2	4	11	6	4	3	2	1	-	-
	FEMALE	57	5	4	2	1	1	2	-	3	1	3	3	1	3	6	2	3	5	4	6	1	1	-
	NONWHITE.....MALE	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	10	-	2	-	-	-	1	-	1	1	1	-	1	1	1	-	-	-	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	7,550	8	33	44	17	32	30	29	56	124	219	318	581	712	931	1,084	1,148	1,002	681	357	126	17	1
	WHITE.....MALE..	3,635	6	18	15	8	18	14	10	20	46	73	121	233	347	478	562	609	525	299	174	52	6	1
	FEMALE	3,224	2	12	25	7	11	11	13	29	59	102	158	270	283	339	419	449	429	360	167	69	10	-
	NONWHITE.....MALE..	396	-	-	3	-	2	4	3	3	4	15	19	41	49	70	68	53	34	16	8	4	-	-
	FEMALE	295	-	3	1	2	1	1	3	4	15	29	20	37	33	44	35	37	14	6	8	1	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	189	-	-	-	-	1	-	1	2	2	4	5	24	17	24	24	23	25	20	13	4	-	-
	WHITE.....MALE..	138	-	-	-	-	1	-	1	-	1	1	3	16	10	18	20	19	20	16	10	2	-	-
	FEMALE	27	-	-	-	-	-	-	-	1	1	1	-	2	3	4	2	3	3	3	3	1	-	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	1	4	3	2	2	1	2	1	-	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	2	1	2	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	2,425	-	1	-	-	-	2	4	9	27	49	57	128	198	279	354	410	397	288	155	56	11	-
	WHITE.....MALE..	1,083	-	1	-	-	-	1	-	3	12	16	31	47	90	127	166	208	183	118	63	13	4	-
	FEMALE	1,085	-	-	-	-	-	-	4	4	10	24	19	49	81	102	142	164	197	158	84	41	6	-
	NONWHITE.....MALE..	162	-	-	-	-	-	1	-	1	2	5	3	22	17	31	33	18	14	9	5	1	-	-
	FEMALE	95	-	-	-	-	-	-	-	1	3	4	4	10	10	19	13	20	3	3	3	1	1	-
160-164	OF RESP. SYSTEM, ETC.....	1,230	-	-	1	-	1	-	3	7	11	30	68	127	154	224	230	191	100	52	22	9	-	-
	WHITE.....MALE..	977	-	-	1	-	-	-	2	5	7	23	51	93	125	177	193	160	87	34	13	6	-	-
	FEMALE	150	-	-	-	-	1	-	-	2	3	2	6	19	13	28	22	21	6	16	9	2	-	-
	NONWHITE.....MALE..	82	-	-	-	-	-	-	-	-	-	4	8	11	13	17	13	10	4	1	-	1	-	-
	FEMALE	21	-	-	-	-	-	-	1	-	1	1	3	4	3	2	2	-	3	1	-	-	-	-
170	OF BREAST.....	664	-	-	-	-	-	-	-	2	19	42	59	74	76	78	81	88	61	52	20	9	3	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-	-	-	-
	FEMALE	612	-	-	-	-	-	-	-	2	16	32	54	67	72	72	76	83	56	52	18	9	3	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	42	-	-	-	-	-	-	-	-	3	10	5	6	3	4	3	3	3	-	2	-	-	-
171-179	OF GENITAL ORGANS.....	1,084	-	-	-	1	4	6	4	12	24	36	55	86	70	105	145	160	170	122	61	22	1	-
	WHITE.....MALE..	400	-	-	-	-	2	1	2	1	-	1	4	10	9	25	45	70	95	76	42	16	1	-
	FEMALE	556	-	-	-	-	2	4	1	9	16	27	46	67	50	61	83	68	59	42	16	5	-	-
	NONWHITE.....MALE..	55	-	-	-	-	-	1	-	-	1	-	1	1	3	6	8	16	13	2	2	1	-	-
	FEMALE	73	-	-	-	1	-	-	1	2	7	8	4	8	8	13	9	6	3	2	1	-	-	-
180, 181	OF URINARY ORGANS.....	351	1	1	5	-	-	-	-	-	2	8	9	13	27	32	59	73	64	36	18	3	-	-
	WHITE.....MALE..	210	1	1	2	-	-	-	-	-	1	4	4	7	17	23	35	47	40	15	11	2	-	-
	FEMALE	120	-	-	3	-	-	-	-	-	1	1	5	6	6	5	19	23	22	21	7	1	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	2	-	-	2	4	3	-	1	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	3	1	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	915	2	13	11	6	9	15	7	11	20	21	39	87	117	117	105	101	109	71	43	10	1	-
	WHITE.....MALE..	456	2	7	1	2	5	7	1	4	13	13	16	39	67	66	51	49	57	26	21	9	-	-
	FEMALE	394	-	3	8	4	3	5	6	7	7	6	17	41	39	40	43	47	52	44	20	1	1	-
	NONWHITE.....MALE..	36	-	-	1	-	-	2	-	-	-	2	3	3	6	7	7	4	-	1	-	-	-	-
	FEMALE	29	-	3	1	-	1	1	-	-	-	-	3	4	5	4	4	1	-	-	2	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	357	5	17	27	7	9	4	3	7	4	11	7	14	21	32	32	60	44	25	18	8	1	1
	WHITE.....MALE..	188	3	8	11	3	8	3	1	4	2	5	5	5	12	20	17	33	22	11	11	2	1	1
	FEMALE	150	2	9	14	3	-	1	-	2	1	5	1	8	8	12	14	23	21	13	7	6	-	-
	NONWHITE.....MALE..	11	-	-	2	-	1	-	2	1	-	-	1	-	1	-	1	1	-	1	-	-	-	-
	FEMALE	8	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	3	1	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	335	-	1	-	3	8	3	7	6	15	18	19	28	32	40	54	42	32	15	7	5	-	-
	WHITE.....MALE..	175	-	1	-	3	2	2	3	3	10	10	7	15	16	20	34	22	19	3	3	2	-	-
	FEMALE	130	-	-	-	-	5	1	2	2	4	4	10	11	11	15	18	17	13	11	3	3	-	-
	NONWHITE.....MALE..	19	-	-	-	-	1	-	1	1	1	2	2	-	4	3	-	2	-	1	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	1	-	-	2	-	2	1	2	2	1	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	111	1	1	1	5	4	-	2	5	5	7	7	9	11	8	9	13	9	5	4	5	-	-
	WHITE.....MALE..	38	1	-	1	2	1	-	-	1	3	3	1	2	4	2	2	7	2	2	-	4	-	-
	FEMALE	58	-	-	-	3	3	-	1	4	1	2	3	7	5	3	6	6	6	3	4	1	-	-
	NONWHITE.....MALE..	6	-	1	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	1	-	1	2	2	-	1	-	1	-	1	-	-	-	-	-
241	ASTHMA.....	161	-	-	-	-	-	-	2	2	4	5	3	11	19	21	21	28	19	14	7	2	3	-
	WHITE.....MALE..	100	-	-	-	-	-	-	-	-	2	-	-	7	13	12	16	19	12	9	5	2	3	-
	FEMALE	40	-	-	-	-	-	-	-	1	1	1	2	2	4	4	4	8	6	5	2	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	1	1	1	1	-	1	1	2	1	-	1	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	1	-	-	3	1	1	1	3	-	1	-	-	-	-	-	-
260	DIABETES MELLITUS.....	763	-	1	-	1	1	2	5	2	6	12	16	34	63	85	108	139	154	78	44	10	2	-
	WHITE.....MALE..	301	-	-	-	1	1	2	-	-	1	6	7	16	30	29	39	52	60	32	20	3	2	-
	FEMALE	378	-	1	-	-	-	-	3	1	4	2	3	12	21	40	59	76	84	43	22	7	-	-
	NONWHITE.....MALE..	35	-	-	-	-	-	-	1	1	1	1	4	2	4	6	4	6	2	3	-	-	-	-
	FEMALE	49	-	-	-	-	-	-	1	-	-	3	2	4	8	10	6	5	8	-	2	-	-	-
290-293	ANEMIAS.....	96	3	6	4	-	-	1	-	2	1	1	2	4	5	6	9	6	20	13	9	2	1	1
	WHITE.....MALE..	42	1	-	1	-	-	-	-	-	-	-	2	3	1	3	5	3	14	5	3	1	-	-
	FEMALE	43	2	3	2	-	-	-	-	1	1	-	-	1	3	2	4	3	5	8	6	1	1	-
	NONWHITE.....MALE..	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	8	-	3	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	43	14	9	1	1	-	-	1	-	-	4	2	1	4	2	2	1	-	1	-	-	-	-
	WHITE.....MALE..	19	7	3	-	-	-	-	1	-	-	2	1	1	1	1	-	1	-	1	-	-	-	-
	FEMALE	13	5	3	1	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	-	3	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	27,845	12	5	9	14	17	20	39	74	145	356	542	1,020	1,514	2,151	3,143	4,090	4,833	4,616	3,360	1,454	423	8
	WHITE.....MALE..	13,885	9	2	4	4	6	6	14	40	76	221	348	669	915	1,239	1,767	2,152	2,423	2,012	1,325	517	133	3
	FEMALE	11,576	2	2	3	8	7	11	18	12	29	62	104	188	371	621	990	1,563	2,122	2,411	1,914	878	257	3
	NONWHITE.....MALE..	1,218	1	1	1	1	2	2	5	14	18	42	44	93	118	152	210	195	138	93	53	23	11	1
	FEMALE	1,166	-	-	1	1	2	1	2	8	22	31	46	70	110	139	176	180	150	100	68	36	22	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	27,522	11	4	7	10	17	18	35	67	135	346	528	1,003	1,491	2,134	3,115	4,057	4,781	4,569	3,330	1,435	421	8
	WHITE.....MALE..	13,748	8	2	4	3	6	6	11	38	73	215	340	661	904	1,234	1,756	2,136	2,397	1,997	1,312	510	132	3
	FEMALE	11,446	2	1	1	6	7	10	17	10	27	60	102	182	363	616	979	1,552	2,100	2,387	1,898	867	256	3
	NONWHITE.....MALE..	1,192	1	1	1	-	2	1	5	13	18	40	42	93	116	149	207	193	135	87	53	23	11	1
	FEMALE	1,136	-	-	1	1	2	1	2	6	17	31	44	67	108	135	173	176	149	98	67	35	22	1
330-334	VASCULAR LESIONS, ETC....	6,090	3	3	5	5	7	2	13	11	24	51	79	143	237	341	545	926	1,163	1,177	906	338	109	2
	WHITE.....MALE..	2,643	2	2	4	2	2	1	2	7	12	14	28	61	102	162	242	457	551	485	363	112	30	2
	FEMALE	2,867	1	1	-	2	3	1	8	1	3	17	27	44	78	115	196	376	556	645	512	210	71	-
	NONWHITE.....MALE..	274	-	-	-	-	1	-	2	2	2	13	10	22	23	29	55	47	23	22	16	5	2	-
	FEMALE	306	-	-	1	1	1	-	1	1	7	7	14	16	34	35	52	46	33	25	15	11	6	-
400-402, 410-443	DISEASES OF HEART	19,147	7	1	2	5	10	11	16	46	101	268	420	785	1,172	1,667	2,370	2,836	3,219	2,961	2,092	907	246	5
	WHITE.....MALE..	10,096	6	-	-	1	4	3	7	28	60	189	297	552	765	1,008	1,420	1,533	1,673	1,329	820	324	76	1
	FEMALE	7,576	1	-	1	4	4	7	6	8	23	39	69	126	258	462	713	1,078	1,356	1,514	1,204	554	147	2
	NONWHITE.....MALE..	775	-	1	1	-	1	1	3	8	11	23	27	61	83	106	130	124	92	54	32	9	7	1
	FEMALE	700	-	-	-	-	1	-	-	2	7	17	27	46	66	91	107	101	98	64	36	20	16	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.....	435	-	-	-	1	2	5	7	12	21	24	36	52	65	49	48	32	38	22	16	4	1	-
	WHITE.....MALE..	181	-	-	-	-	1	1	3	6	12	13	17	22	27	19	16	13	16	7	7	1	-	-
	FEMALE	218	-	-	-	1	1	3	4	5	9	9	17	26	32	29	25	13	16	15	9	3	1	-
	NONWHITE.....MALE..	15	-	-	-	-	-	1	-	-	-	1	2	1	1	1	4	2	2	-	-	-	-	-
	FEMALE	21	-	-	-	-	-	-	-	1	-	1	-	3	5	-	3	4	4	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	14,477	-	-	-	-	1	2	6	27	58	199	323	618	942	1,363	1,929	2,223	2,441	2,140	1,454	599	149	3
	WHITE.....MALE..	8,136	-	-	-	-	1	1	4	20	40	155	260	473	665	885	1,219	1,265	1,315	1,000	572	215	45	1
	FEMALE	5,434	-	-	-	-	-	1	-	2	10	25	37	83	184	356	561	813	1,007	1,062	838	368	86	1
	NONWHITE.....MALE..	506	-	-	-	-	-	-	2	5	6	14	13	38	58	69	84	83	60	38	22	6	7	1
	FEMALE	401	-	-	-	-	-	-	-	-	2	5	13	24	35	53	65	62	59	40	22	10	11	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	1,887	1	-	-	-	1	1	-	2	9	11	19	42	49	105	137	229	325	406	315	172	63	-
	WHITE.....MALE..	837	1	-	-	-	-	-	-	1	3	3	5	18	22	44	74	109	160	187	128	63	19	-
	FEMALE	852	-	-	-	-	-	1	-	-	3	1	7	8	14	25	33	94	138	205	179	102	42	-
	NONWHITE.....MALE..	97	-	-	-	-	-	-	-	1	2	3	3	8	6	19	14	16	15	4	4	2	-	-
	FEMALE	101	-	-	-	-	1	-	-	-	1	4	4	8	7	17	16	10	12	10	4	5	2	-
430-434	OTHER DISEASES OF HEART	761	6	1	2	2	5	3	1	4	8	19	14	33	45	58	78	109	119	107	86	45	15	1
	WHITE.....MALE..	375	5	-	-	1	1	1	-	1	3	13	5	20	23	35	36	61	68	44	35	18	5	-
	FEMALE	294	1	-	1	1	3	2	-	1	-	3	3	4	8	13	30	35	46	59	47	27	10	-
	NONWHITE.....MALE..	53	-	1	1	-	1	-	1	1	3	1	4	6	6	6	10	8	1	1	2	-	-	-
	FEMALE	39	-	-	-	-	-	-	-	1	2	2	2	3	8	4	2	5	4	3	2	-	-	1
440-443	HYPERTENSIVE HEART DIS...	1,587	-	-	-	2	1	-	2	1	5	15	28	40	71	92	178	243	296	286	221	87	18	1
	WHITE.....MALE..	567	-	-	-	-	1	-	-	-	2	5	10	19	28	25	75	85	114	91	78	27	7	-
	FEMALE	778	-	-	-	2	-	-	2	-	1	1	5	5	20	39	64	123	149	173	131	54	8	1
	NONWHITE.....MALE..	104	-	-	-	-	-	-	-	1	-	4	5	8	12	11	18	15	14	11	4	1	-	-
	FEMALE	138	-	-	-	-	-	-	-	-	2	5	8	8	11	17	21	20	19	11	8	5	3	-
444-447	OTHER HYPERTENSIVE DIS...	388	-	-	-	-	-	2	2	3	6	9	5	13	18	24	31	53	75	74	51	17	5	-
	WHITE.....MALE..	156	-	-	-	-	-	1	-	1	-	1	-	4	10	8	17	31	29	31	17	4	2	-
	FEMALE	160	-	-	-	-	-	-	1	-	1	-	-	2	5	8	8	17	36	37	32	11	2	-
	NONWHITE.....MALE..	36	-	-	-	-	-	-	-	1	2	4	4	5	2	5	3	1	5	3	-	-	1	-
	FEMALE	36	-	-	-	-	-	1	1	1	3	4	1	2	1	3	3	4	5	3	2	2	-	-
450	GENERAL ARTERIOSCLEROSIS.	1,251	-	-	-	-	-	-	1	-	1	-	5	16	17	34	76	140	223	286	235	157	60	-
	WHITE.....MALE..	514	-	-	-	-	-	-	1	-	-	-	4	8	7	18	25	58	98	118	90	63	24	-
	FEMALE	609	-	-	-	-	-	-	-	-	-	-	-	4	5	7	31	51	106	158	127	85	35	-
	NONWHITE.....MALE..	72	-	-	-	-	-	-	-	-	1	-	-	4	3	5	15	16	10	5	5	7	1	-
	FEMALE	56	-	-	-	-	-	-	-	-	-	-	1	-	2	4	5	15	9	5	13	2	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM.....	646	1	-	-	-	-	3	3	7	3	18	19	46	47	68	93	102	101	71	46	16	1	1
	WHITE.....MALE..	339	-	-	-	-	-	1	1	2	1	11	11	36	20	38	52	57	46	34	22	7	-	-
	FEMALE	234	-	-	-	-	-	2	2	1	-	4	6	6	17	24	31	30	46	33	23	7	1	1
	NONWHITE.....MALE..	35	1	-	-	-	-	-	-	2	2	-	1	1	5	4	4	5	5	3	-	2	-	-
	FEMALE	38	-	-	-	-	-	-	-	2	-	3	1	3	5	2	6	10	4	1	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	323	1	1	2	4	-	2	4	7	10	10	14	17	23	17	28	33	52	47	30	19	2	-
	WHITE.....MALE..	137	1	-	-	1	-	-	3	2	3	6	8	8	11	5	11	16	26	15	13	7	1	-
	FEMALE	130	-	1	2	2	-	1	1	2	2	2	2	6	8	5	11	11	22	24	16	11	1	-
	NONWHITE.....MALE..	26	-	-	-	1	-	1	-	1	-	2	2	-	2	3	3	2	3	6	-	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	2	5	-	2	3	2	4	3	4	1	2	1	1	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,865	177	54	12	9	12	8	9	9	24	25	45	46	68	109	145	204	255	291	211	119	32	1
	WHITE.....MALE..	850	72	26	7	5	6	4	4	2	8	11	16	14	38	54	76	106	128	138	90	36	9	-
	FEMALE	727	52	14	4	3	4	3	2	4	6	3	13	12	16	29	44	73	100	135	110	79	21	-
	NONWHITE.....MALE..	142	24	6	-	1	2	-	2	2	4	4	8	10	7	15	11	11	14	10	7	2	1	1
	FEMALE	146	29	8	1	-	-	1	1	1	6	7	8	10	7	11	14	14	13	8	4	2	1	-
480-483	INFLUENZA.....	172	7	5	-	2	1	-	-	-	3	2	4	6	6	8	17	16	21	29	24	14	7	-
	WHITE.....MALE..	74	2	3	-	1	1	-	-	-	1	2	-	1	3	3	5	6	9	17	14	4	2	-
	FEMALE	82	3	1	-	1	-	-	-	-	2	-	3	3	3	4	10	8	10	10	9	10	5	-
	NONWHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-
	FEMALE	10	1	1	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	1	-	-	-	-
490-493	PNEUMONIA, ETC.....	1,693	170	49	12	7	11	8	9	9	21	23	41	40	62	101	128	188	234	262	187	105	25	1
	WHITE.....MALE..	776	70	23	7	4	5	4	4	2	7	9	16	13	35	51	71	100	119	121	76	32	7	-
	FEMALE	645	49	13	4	2	4	3	2	4	4	3	10	9	13	25	34	65	90	125	101	69	16	-
	NONWHITE.....MALE..	136	23	6	-	1	2	-	2	2	4	4	7	10	7	15	11	11	12	9	6	2	1	1
	FEMALE	136	28	7	1	-	-	1	1	1	6	7	8	8	7	10	12	12	13	7	4	2	1	-
500-502	BRONCHITIS.....	127	10	4	-	-	-	-	-	-	1	2	1	4	10	16	22	21	13	10	9	3	1	-
	WHITE.....MALE..	89	4	-	-	-	-	-	-	-	-	1	-	2	8	16	17	17	11	6	5	1	1	-
	FEMALE	26	1	4	-	-	-	-	-	-	1	1	1	1	1	-	3	4	1	3	3	2	-	-
	NONWHITE.....MALE..	9	3	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-	-	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	571	23	7	2	2	2	2	-	-	4	10	13	21	52	83	92	97	87	46	24	4	-	-
	WHITE.....MALE..	409	6	1	-	-	1	-	-	-	3	6	7	17	41	70	74	80	64	26	12	1	-	-
	FEMALE	114	5	3	1	1	-	-	-	-	1	3	4	3	8	8	13	14	19	19	9	3	-	-
	NONWHITE.....MALE..	30	8	1	-	-	-	1	-	-	-	-	1	1	2	4	3	3	3	1	2	-	-	-
	FEMALE	18	4	2	1	1	1	1	-	-	-	1	1	-	1	1	2	-	1	-	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	288	3	-	-	-	1	2	1	3	5	10	7	25	26	26	32	52	38	34	16	7	-	-
	WHITE.....MALE..	200	2	-	-	-	-	1	1	2	2	5	4	17	22	20	25	37	22	25	10	5	-	-
	FEMALE	75	-	-	-	-	-	1	-	-	2	4	3	6	3	5	5	13	16	9	6	2	-	-
	NONWHITE.....MALE..	11	1	-	-	-	1	-	-	1	-	1	-	2	1	1	2	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
550-553	APPENDICITIS.....	51	-	-	4	2	1	1	-	-	1	1	1	2	3	6	4	10	7	6	2	-	-	-
	WHITE.....MALE..	27	-	-	1	1	1	-	-	-	-	-	1	1	1	4	4	4	4	3	2	-	-	-
	FEMALE	18	-	-	2	1	-	1	-	-	-	-	-	1	2	1	-	5	3	2	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	310	25	4	1	-	2	-	1	1	3	7	9	13	14	25	29	42	52	44	30	5	3	-
	WHITE.....MALE..	128	14	3	-	-	-	-	-	1	2	-	1	5	8	7	12	23	24	15	10	2	1	-
	FEMALE	140	8	-	-	-	1	-	1	-	-	4	7	5	3	14	14	14	25	22	18	3	1	-
	NONWHITE.....MALE..	17	1	1	1	-	-	-	-	-	1	-	1	2	-	-	-	1	1	5	-	-	-	-
	FEMALE	25	2	-	-	-	1	-	-	-	-	3	-	1	3	4	2	2	2	2	2	-	1	-
543, 571, 572	GASTRITIS, ETC.....	184	40	8	2	2	1	-	1	-	3	4	3	9	8	11	13	15	21	20	10	11	2	-
	WHITE.....MALE..	76	15	3	-	1	1	-	-	-	1	-	1	7	3	6	6	7	9	7	4	5	-	-
	FEMALE	75	8	3	1	1	-	-	1	-	2	-	2	2	3	4	6	7	10	12	6	6	1	-
	NONWHITE.....MALE..	15	10	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-
	FEMALE	18	7	2	1	-	-	-	-	-	-	2	-	-	1	-	1	-	2	1	-	-	1	-
581	CIRRHOSIS OF LIVER.....	451	-	-	-	1	1	1	1	12	18	32	46	82	56	45	62	44	21	18	10	1	-	-
	WHITE.....MALE..	246	-	-	-	-	-	-	-	2	3	12	20	45	36	31	46	26	12	9	4	-	-	-
	FEMALE	132	-	-	-	1	1	1	-	3	4	12	14	24	9	12	13	16	9	8	4	1	-	-
	NONWHITE.....MALE..	39	-	-	-	-	-	-	-	1	7	4	8	8	5	1	2	1	-	1	1	-	-	-
	FEMALE	34	-	-	-	-	-	-	1	6	4	4	4	5	6	1	1	1	-	-	1	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	128	-	-	-	-	1	-	-	-	2	1	1	4	7	8	14	23	32	18	8	8	1	-
	WHITE.....MALE..	51	-	-	-	-	-	-	-	-	-	1	-	2	4	4	3	8	14	9	2	3	1	-
	FEMALE	72	-	-	-	-	1	-	-	-	2	-	1	1	2	4	10	14	18	9	5	5	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	44	-	-	1	-	1	2	-	-	-	1	1	2	4	7	4	2	5	6	4	3	1	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	4	3	2	1	-	-
	FEMALE	28	-	-	1	-	1	2	-	-	-	1	1	2	1	5	4	1	1	3	2	2	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	209	1	1	-	1	1	-	2	5	3	3	4	7	18	20	18	32	33	31	21	6	1	1
	WHITE.....MALE..	89	-	1	-	1	-	-	1	-	-	-	2	4	7	10	9	14	16	8	12	4	-	-
	FEMALE	91	1	-	-	-	-	-	1	4	2	1	1	3	7	7	5	14	15	20	7	2	-	1
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	4	2	2	1	-	1	-
	FEMALE	11	-	-	-	-	1	-	-	1	1	2	-	-	1	1	2	-	-	1	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	139	-	-	-	-	-	-	-	-	-	-	-	1	1	-	9	15	18	33	27	23	8	4	-
	WHITE.....MALE..	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	13	17	31	25	21	8	4	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	2	2	2	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MISSOURI--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	40	-	-	-	-	4	6	7	13	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	32	-	-	-	-	2	6	4	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	8	-	-	-	-	2	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	5	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	4	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	35	-	-	-	-	4	5	7	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	28	-	-	-	-	2	5	4	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	7	-	-	-	-	2	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	515	355	46	27	12	6	8	6	5	5	6	7	9	6	6	6	1	2	-	1	1	-	-
	WHITE.....MALE..	279	194	19	17	7	5	5	2	5	4	5	3	4	-	2	4	-	1	-	1	1	-	-
	FEMALE	189	129	23	9	5	1	3	2	-	1	1	2	4	3	2	2	1	1	-	-	-	-	-
	NONWHITE.....MALE..	23	15	2	1	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-
	FEMALE	24	17	2	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	1,514	1,513	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	691	691	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	486	485	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	665	665	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	332	332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	738	737	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	254	253	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	718	36	7	3	1	3	1	3	6	8	10	23	45	57	56	81	81	89	91	57	37	18	5
	WHITE.....MALE..	389	17	2	1	1	2	-	3	1	5	9	16	26	38	37	51	47	48	35	25	17	5	3
	FEMALE	239	8	1	2	-	-	1	-	5	2	1	4	9	12	10	23	23	35	43	30	18	11	1
	NONWHITE.....MALE..	49	5	1	-	-	-	-	-	-	1	-	2	4	4	6	4	7	4	8	2	1	-	1
	FEMALE	41	6	3	-	-	1	-	-	-	-	-	1	6	3	3	3	4	2	5	-	1	2	1
RESIDUAL	ALL OTHER DISEASES.	1,435	79	46	21	18	16	13	10	24	32	38	60	87	120	113	156	154	166	128	97	45	12	-
	WHITE.....MALE..	656	35	15	8	9	8	6	2	5	10	13	29	39	64	55	75	72	80	54	54	20	3	-
	FEMALE	597	25	16	9	8	8	3	7	8	16	17	18	35	39	38	64	67	79	64	43	25	8	-
	NONWHITE.....MALE..	103	9	9	-	1	-	2	-	5	4	6	9	9	9	10	9	10	5	5	-	-	1	-
	FEMALE	79	10	6	4	-	-	2	1	6	2	2	4	4	8	10	8	5	2	5	-	-	-	-
E800-E962	ACCIDENTS.	2,586	70	140	68	77	204	169	106	113	101	117	110	143	128	133	137	162	176	180	145	83	17	7
	WHITE.....MALE..	1,480	31	55	31	55	151	124	76	79	70	67	75	91	90	81	79	84	89	66	46	35	3	2
	FEMALE	799	19	47	21	12	39	30	15	18	18	31	19	34	23	35	36	64	75	109	93	46	13	2
	NONWHITE.....MALE..	205	12	24	7	7	8	12	11	13	10	15	12	13	9	11	18	6	5	4	3	1	1	3
	FEMALE	102	8	14	9	3	6	3	4	3	3	4	4	5	6	6	4	8	7	1	3	1	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,028	11	32	24	30	146	127	70	57	51	65	63	67	62	60	55	42	37	22	5	2	-	-
	WHITE.....MALE..	690	7	12	13	20	104	97	49	40	38	43	44	43	40	40	30	28	25	13	3	1	-	-
	FEMALE	245	3	15	6	7	33	24	11	10	7	17	13	21	13	15	16	14	9	9	1	1	-	-
	NONWHITE.....MALE..	65	-	3	4	1	6	4	8	6	4	4	3	2	5	4	8	-	2	-	1	-	-	-
	FEMALE	28	1	2	1	2	3	2	2	1	2	1	3	1	4	1	1	-	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,558	59	108	44	47	58	42	36	56	50	52	47	76	66	73	82	120	139	158	140	81	17	7
	WHITE.....MALE..	790	24	43	18	35	47	27	27	39	32	24	31	48	50	41	49	56	64	53	43	34	3	2
	FEMALE	554	16	32	15	5	6	6	4	8	11	14	6	13	10	20	20	50	66	100	92	45	13	2
	NONWHITE.....MALE..	140	12	21	3	6	2	8	3	7	6	11	9	11	4	7	10	6	3	4	2	1	1	3
	FEMALE	74	7	12	8	1	3	1	2	2	1	3	1	4	2	5	3	8	6	1	3	1	-	-
E963, E970-E979	SUICIDE.	554	...	...	-	2	12	21	27	32	38	45	44	71	59	54	38	47	29	23	11	1	-	-
	WHITE.....MALE..	423	...	...	-	1	8	12	17	21	27	32	31	44	47	46	36	43	25	22	10	1	-	-
	FEMALE	111	...	...	-	-	4	8	6	6	10	13	13	23	11	7	1	4	4	1	-	-	-	-
	NONWHITE.....MALE..	14	...	...	-	1	-	1	2	3	1	-	-	2	1	1	1	-	-	-	1	-	-	-
	FEMALE	6	...	...	-	-	-	-	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	226	4	2	1	3	3	22	35	22	30	26	19	16	14	5	12	5	3	1	2	-	-	1
	WHITE.....MALE..	85	1	1	1	3	-	9	9	12	9	9	12	4	7	-	3	2	1	1	-	-	-	1
	FEMALE	29	1	1	-	-	-	1	4	2	1	3	1	3	3	2	4	1	-	-	2	-	-	-
	NONWHITE.....MALE..	96	2	-	-	-	3	7	19	7	16	14	6	8	3	2	5	2	2	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	5	3	1	4	-	-	1	1	1	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA																							
	ALL CAUSES.....	6,426	436	64	46	34	53	69	73	75	106	154	226	311	350	441	611	912	997	741	484	178	60	5
	WHITE.....MALE..	3,861	230	28	20	24	35	44	52	48	65	99	139	210	250	293	396	572	594	418	240	80	22	2
	FEMALE	2,302	144	28	22	9	12	19	14	19	30	50	72	90	82	134	202	323	384	306	230	95	35	2
	NONWHITE.....MALE..	156	37	7	1	1	2	4	2	5	5	4	8	6	10	8	8	10	15	12	8	-	2	1
	FEMALE	107	25	1	3	-	4	2	5	3	6	1	7	5	8	6	5	7	4	5	6	3	1	-
001-019	TUBERCULOSIS, ALL FORMS..	32	-	1	-	-	-	-	2	1	-	-	2	1	2	3	4	5	6	1	3	1	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	3	-	2	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	1	-	-	-	-
	NONWHITE.....MALE..	4	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	27	-	-	-	-	-	-	1	1	-	-	2	-	2	3	3	5	6	-	3	1	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	3	-	2	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	5	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	-	2	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	18	7	-	-	-	1	-	-	-	-	-	-	1	1	1	3	2	-	2	-	-	-	-
	WHITE.....MALE..	10	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-
	FEMALE	5	1	-	-	-	1	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	907	3	12	5	3	5	2	7	10	16	23	54	65	80	81	129	150	136	75	40	6	5	-
	WHITE.....MALE..	516	1	4	1	2	2	2	6	2	6	9	25	33	54	40	74	95	83	44	27	3	3	-
	FEMALE	371	2	8	4	1	3	-	1	7	8	13	25	31	24	39	53	53	50	31	13	3	2	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	1	3	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	1	1	-	2	1	1	1	1	2	-	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	17	-	-	-	-	-	-	-	-	1	2	-	2	3	1	1	4	-	-	1	1	1	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	-	-	1	1	1	-
	FEMALE	7	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	2	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	291	-	-	-	-	1	-	1	2	-	3	17	20	22	23	37	66	51	31	15	1	1	-
	WHITE.....MALE..	171	-	-	-	-	-	-	-	-	-	2	10	14	20	14	19	41	29	16	6	-	-	-
	FEMALE	111	-	-	-	-	1	-	1	1	-	1	6	5	2	8	17	23	20	15	9	1	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	2	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	132	-	-	-	-	-	-	-	-	2	1	6	12	22	13	29	20	17	7	3	-	-	-
	WHITE.....MALE..	118	-	-	-	-	-	-	-	-	1	1	6	11	20	12	26	19	13	6	3	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	1	4	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	80	-	-	-	-	-	-	-	2	2	6	12	4	8	11	9	12	7	4	1	1	1	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	79	-	-	-	-	-	-	-	2	2	6	12	4	7	11	9	12	7	4	1	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	135	-	-	-	-	-	-	-	1	6	4	6	9	10	9	14	16	31	15	13	-	1	-
	WHITE.....MALE..	69	-	-	-	-	-	-	-	-	2	1	-	-	2	-	7	12	21	10	13	-	1	-
	FEMALE	62	-	-	-	-	-	-	-	1	3	3	4	9	8	9	6	4	10	5	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	41	-	-	-	-	-	-	-	-	-	-	3	3	2	2	14	7	2	7	1	-	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	-	-	-	2	-	2	2	8	6	1	6	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	3	-	-	6	1	-	1	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	90	1	5	2	1	-	1	1	3	3	2	5	8	7	6	12	9	14	5	4	1	-	-
	WHITE.....MALE..	50	1	2	-	-	-	1	1	1	3	1	4	3	6	3	7	4	7	3	2	1	-	-
	FEMALE	39	-	3	2	1	-	-	-	2	-	1	1	5	1	2	5	5	7	2	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	65	2	7	3	2	3	1	1	2	-	3	4	2	2	7	6	9	7	1	2	1	-	-
	WHITE.....MALE..	38	-	2	1	2	2	1	1	1	-	2	3	1	-	3	2	7	7	-	2	1	-	-
	FEMALE	26	2	5	2	-	1	-	-	1	-	1	1	1	1	4	4	2	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	56	-	-	-	-	1	-	4	-	2	2	1	5	4	9	7	7	7	5	-	1	1	-
	WHITE.....MALE..	33	-	-	-	-	-	-	4	-	-	-	-	3	3	6	4	4	5	3	-	-	1	-
	FEMALE	22	-	-	-	-	1	-	-	-	2	1	1	2	1	3	3	3	2	2	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	24	1	-	-	-	-	-	1	1	-	3	1	2	2	3	2	3	3	2	-	-	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	-	1	-	2	1	-	1	1	1	2	3	1	-	-	-	-
	FEMALE	11	1	-	-	-	-	-	1	-	-	1	-	2	1	2	1	1	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	21	-	-	-	-	-	-	1	-	-	-	1	-	3	2	3	3	7	1	-	-	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	1	-	-	-	1	-	3	1	2	3	5	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	112	-	-	-	-	-	-	1	1	4	3	2	6	2	5	10	26	27	12	7	5	1	-
	WHITE.....MALE..	64	-	-	-	-	-	-	1	1	4	3	1	4	1	3	5	12	14	8	3	4	-	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	14	13	4	3	1	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
290-293	ANEMIAS.....	18	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	4	3	2	3	1	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-
	FEMALE	10	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	1	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	6	2	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	WHITE..MALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	NONWHITE..MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	3,241	3	-	2	2	4	6	7	12	27	46	83	134	158	235	328	523	624	518	349	133	45	2
	WHITE..MALE	1,899	2	-	-	1	3	2	5	6	22	27	57	99	115	159	210	315	360	275	167	58	15	1
	FEMALE	1,261	-	-	1	1	1	3	2	5	4	18	22	32	36	68	111	197	252	231	176	72	28	1
	NONWHITE..MALE	49	-	-	-	-	-	-	-	-	-	1	3	2	4	4	4	7	10	9	4	-	1	-
	FEMALE	32	1	-	1	-	-	1	-	1	1	-	1	1	3	4	3	4	2	3	2	3	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	3,183	3	-	1	2	2	3	4	8	27	46	79	132	151	230	325	518	618	509	347	133	43	2
	WHITE..MALE	1,862	2	-	-	1	2	1	2	3	22	27	54	98	110	158	209	311	355	268	165	58	15	1
	FEMALE	1,245	-	-	-	1	-	2	2	5	4	18	21	32	34	64	110	196	251	229	176	72	27	1
	NONWHITE..MALE	48	-	-	-	-	-	-	-	-	-	1	3	2	4	4	4	7	10	9	4	-	-	-
	FEMALE	28	1	-	1	-	-	-	-	-	1	-	1	-	3	4	2	4	2	3	2	3	1	-
330-334	VASCULAR LESIONS, ETC	693	1	-	-	-	-	3	1	1	4	8	10	15	18	38	54	109	148	145	96	31	10	1
	WHITE..MALE	350	1	-	-	-	-	1	1	-	3	2	5	11	11	27	30	59	79	71	37	12	-	-
	FEMALE	332	-	-	-	-	-	2	-	1	1	6	4	4	6	11	24	48	68	71	57	19	9	1
	NONWHITE..MALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-
400-402, 410-443	DISEASES OF HEART	2,214	2	-	1	2	2	-	2	6	22	35	65	115	127	182	242	383	422	300	199	78	28	1
	WHITE..MALE	1,368	1	-	-	1	2	-	1	3	18	25	48	85	96	123	155	238	251	165	106	37	12	1
	FEMALE	791	-	-	-	1	-	-	1	3	3	9	14	28	27	51	81	138	160	129	90	40	16	-
	NONWHITE..MALE	36	-	-	-	-	-	-	-	-	-	1	2	2	3	4	4	5	9	4	2	-	-	-
	FEMALE	19	1	-	1	-	-	-	-	-	1	-	1	-	1	4	2	2	2	2	1	1	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	71	-	-	-	2	2	-	2	1	3	5	12	14	6	6	5	5	3	3	1	1	-	-
	WHITE..MALE	30	-	-	-	1	2	-	1	-	1	2	7	6	1	3	-	3	1	1	1	-	-	-
	FEMALE	37	-	-	-	1	-	-	1	1	2	3	4	7	5	3	4	2	2	2	-	-	-	-
	NONWHITE..MALE	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	1,672	-	-	-	-	-	-	-	3	17	27	47	88	103	148	200	301	326	212	137	45	17	1
	WHITE..MALE	1,086	-	-	-	-	-	-	-	2	16	21	38	71	82	107	127	201	203	118	71	19	9	1
	FEMALE	547	-	-	-	-	-	-	-	1	-	5	7	16	17	36	68	97	112	91	63	26	8	-
	NONWHITE..MALE	24	-	-	-	-	-	-	-	-	-	1	1	1	3	2	3	1	9	1	2	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	1	-	1	-	1	3	2	2	2	2	1	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	175	-	-	-	-	-	-	-	-	-	1	2	5	2	7	13	20	37	34	28	21	5	-
	WHITE..MALE	96	-	-	-	-	-	-	-	-	-	1	-	3	2	2	8	11	22	17	15	13	2	-
	FEMALE	76	-	-	-	-	-	-	-	-	-	-	2	2	-	5	5	8	15	15	13	8	3	-
	NONWHITE..MALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	143	2	-	1	-	-	-	-	2	2	2	3	4	12	15	10	26	26	20	10	5	3	-
	WHITE..MALE	81	1	-	-	-	-	-	-	1	1	1	3	3	8	8	10	13	14	9	8	1	-	-
	FEMALE	57	-	-	-	-	-	-	-	1	1	1	-	1	4	5	-	12	12	11	2	4	3	-
	NONWHITE..MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	153	-	-	-	-	-	-	-	-	-	-	1	4	4	6	14	31	30	31	23	6	3	-
	WHITE..MALE	75	-	-	-	-	-	-	-	-	-	-	-	2	3	3	10	10	11	20	11	4	1	-
	FEMALE	74	-	-	-	-	-	-	-	-	-	-	1	2	1	2	4	19	19	10	12	2	2	-
	NONWHITE..MALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	22	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	1	3	5	4	2	1	-
	WHITE..MALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	3	2	-	1	-
	FEMALE	10	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	2	2	2	-	-
	NONWHITE..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	177	-	-	-	-	-	-	-	-	-	-	-	1	2	3	12	11	33	48	42	22	3	-
	WHITE..MALE	92	-	-	-	-	-	-	-	-	-	-	-	1	1	3	10	7	19	22	18	9	2	-
	FEMALE	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	14	23	23	11	1	-
	NONWHITE..MALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	77	-	-	-	-	-	-	-	1	1	3	4	1	4	5	14	14	12	11	6	-	1	-
	WHITE..MALE	40	-	-	-	-	-	-	-	-	1	-	1	1	2	4	11	7	4	7	2	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	1	-	3	3	-	1	1	3	7	8	4	4	-	1	-
	NONWHITE..MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	58	-	-	1	-	2	3	3	4	-	-	4	2	7	5	3	5	6	9	2	-	2	-
	WHITE.....MALE..	37	-	-	-	-	1	1	3	3	-	-	3	1	5	1	1	4	5	7	2	-	-	-
	FEMALE	16	-	-	1	-	1	1	-	-	-	-	1	-	2	4	1	1	1	2	-	-	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	FEMALE	4	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	200	27	8	2	2	-	2	-	-	2	3	4	4	6	8	11	27	32	26	22	9	5	-
	WHITE.....MALE..	117	13	5	2	1	-	2	-	-	1	2	1	3	3	3	7	16	21	18	10	6	3	-
	FEMALE	63	5	2	-	1	-	-	-	-	-	-	2	1	1	5	3	10	10	8	11	3	1	-
	NONWHITE.....MALE..	12	4	1	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	1	-	1	-
	FEMALE	8	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
480-483	INFLUENZA.....	12	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	5	4	-	1	-	-	-
	WHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	3	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	188	26	8	2	2	-	2	-	-	2	3	3	4	6	8	11	22	28	26	21	9	5	-
	WHITE.....MALE..	113	12	5	2	1	-	2	-	-	1	2	1	3	3	3	7	14	20	18	10	6	3	-
	FEMALE	55	5	2	-	1	-	-	-	-	-	-	1	1	1	5	3	7	7	8	10	3	1	-
	NONWHITE.....MALE..	12	4	1	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	1	-	1	-
	FEMALE	8	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
500-502	BRONCHITIS.....	26	10	1	-	-	-	-	-	-	-	-	-	1	-	-	2	6	1	2	2	1	-	-
	WHITE.....MALE..	17	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	1	1	2	-	-	-
	FEMALE	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	108	3	-	-	-	-	-	1	-	1	2	4	8	12	15	16	24	16	6	-	-	-	-
	WHITE.....MALE..	89	2	-	-	-	-	-	-	-	1	1	3	6	9	13	16	20	14	4	-	-	-	-
	FEMALE	15	1	-	-	-	-	-	-	-	-	1	1	1	3	2	-	3	1	2	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	37	-	-	-	-	-	-	-	-	1	-	2	4	5	4	3	8	4	3	3	-	-	-
	WHITE.....MALE..	32	-	-	-	-	-	-	-	-	-	-	1	4	5	3	3	7	4	3	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	11	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	2	1	1	-	-
	WHITE.....MALE..	7	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	40	3	1	-	-	-	-	-	1	1	1	2	3	2	1	3	10	6	5	-	1	-	-
	WHITE.....MALE..	20	1	-	-	-	-	-	-	-	1	1	1	-	2	1	2	7	2	2	-	-	-	-
	FEMALE	17	2	-	-	-	-	-	-	1	-	-	1	2	-	-	1	3	4	2	-	1	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	35	14	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	4	2	1	1	-
	WHITE.....MALE..	12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	1	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	58	-	-	-	-	-	-	1	-	2	6	8	6	10	7	5	6	6	1	-	-	-	-
	WHITE.....MALE..	38	-	-	-	-	-	-	-	-	-	3	5	5	8	6	3	4	3	1	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	1	3	2	1	1	-	2	2	3	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	22	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	7	5	4	1	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	3	3	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	8	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	2	1	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	27	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	5	8	5	4	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	3	4	2	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	5	1	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	MONTANA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	84	64	4	3	1	2	3	2	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-
	WHITE.....MALE..	36	28	2	-	-	1	1	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	40	28	2	3	1	1	2	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	229	3	1	-	-	1	1	-	1	4	2	8	13	21	25	30	26	40	24	19	7	2	1
	WHITE.....MALE..	168	2	-	-	-	-	1	-	1	2	1	5	11	17	22	24	19	30	19	10	3	1	1
	FEMALE	50	-	-	-	-	1	1	-	-	1	1	3	2	3	2	6	6	10	3	6	4	1	-
	NONWHITE.....MALE..	8	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	2	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
RESIDUAL	ALL OTHER DISEASES.	195	13	6	3	1	2	4	1	3	11	8	14	12	11	10	20	27	21	11	11	5	-	1
	WHITE.....MALE..	105	8	1	1	1	2	2	-	1	5	5	5	5	6	8	13	17	10	6	7	2	-	-
	FEMALE	74	2	2	1	-	-	2	1	-	6	2	6	6	5	2	7	10	11	4	4	3	-	-
	NONWHITE.....MALE..	9	1	2	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	-	-	-	1
	FEMALE	7	2	1	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS.	559	27	29	29	24	36	41	44	35	21	43	25	36	17	19	18	30	34	30	13	7	1	-
	WHITE.....MALE..	384	13	15	15	18	26	32	35	32	16	36	21	26	11	15	12	17	23	17	2	2	-	-
	FEMALE	141	8	13	12	5	5	6	7	2	3	6	2	8	4	4	5	12	11	12	10	5	1	-
	NONWHITE.....MALE..	21	4	1	1	1	1	2	1	1	1	1	1	1	2	-	1	1	-	1	-	-	-	-
	FEMALE	13	2	-	1	-	4	1	1	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	230	-	9	10	13	23	29	29	17	6	20	9	20	7	9	5	11	9	2	2	-	-	-
	WHITE.....MALE..	165	-	3	6	9	14	21	22	17	5	14	6	14	5	7	3	7	8	2	2	-	-	-
	FEMALE	52	-	6	3	4	5	6	5	-	1	6	1	6	1	2	1	4	1	-	-	-	-	-
	NONWHITE.....MALE..	6	-	-	1	-	-	1	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	329	27	20	19	11	13	12	15	18	15	23	16	16	10	10	13	19	25	28	11	7	1	-
	WHITE.....MALE..	219	13	12	9	9	12	11	13	15	11	22	15	12	6	8	9	10	15	15	-	2	-	-
	FEMALE	89	8	7	9	1	-	-	2	2	2	-	1	2	3	2	4	8	10	12	10	5	1	-
	NONWHITE.....MALE..	15	4	1	-	1	1	1	-	1	1	1	-	1	1	-	-	1	-	1	-	-	-	-
	FEMALE	6	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-
E963, E970-E979	SUICIDE.	112	...	...	-	1	2	5	2	2	12	9	13	10	9	9	9	11	8	5	4	-	-	1
	WHITE.....MALE..	86	...	...	-	1	1	3	-	1	6	7	9	9	7	7	8	11	7	5	4	-	-	-
	FEMALE	22	...	...	-	-	-	1	2	1	5	2	4	1	1	2	1	-	1	-	-	-	-	1
	NONWHITE.....MALE..	3	...	...	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	22	2	-	-	-	-	2	3	4	1	3	-	2	2	1	1	1	-	-	-	-	-	-
	WHITE.....MALE..	12	1	-	-	-	-	-	2	2	1	1	-	2	2	1	-	-	-	-	-	-	-	-
	FEMALE	7	1	-	-	-	-	1	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA																							
	ALL CAUSES	14,330	705	100	70	54	106	122	84	113	153	254	384	565	720	1,083	1,448	1,910	2,178	1,994	1,418	667	202	-
	WHITE.....MALE..	7,879	358	46	37	37	69	85	53	68	90	151	247	354	459	709	882	1,088	1,148	972	653	287	86	-
	FEMALE	6,027	288	42	30	17	27	31	21	30	56	86	120	177	234	343	519	782	996	988	757	370	113	-
	NONWHITE.....MALE..	261	37	7	1	-	4	5	6	8	4	11	11	20	17	16	30	30	21	22	5	6	-	-
	FEMALE	163	22	5	2	-	6	1	4	7	3	6	6	14	10	15	17	10	13	12	3	4	3	-
001-019	TUBERCULOSIS, ALL FORMS..	26	-	-	-	-	-	1	-	-	1	-	3	3	1	3	3	4	2	2	2	1	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	1	-	2	2	-	2	3	2	1	2	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	1	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	26	-	-	-	-	-	1	-	-	1	-	3	3	1	3	3	4	2	2	2	1	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	1	-	2	2	-	2	3	2	1	2	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	1	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	2	1	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	43	5	2	1	1	1	-	-	1	1	4	1	5	2	4	2	3	4	5	-	-	1	-
	WHITE.....MALE..	20	-	-	-	1	1	-	-	-	-	2	-	2	-	4	1	1	4	3	-	-	1	-
	FEMALE	16	4	2	1	-	-	-	-	-	1	1	1	2	1	-	-	2	-	1	-	-	-	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,267	1	11	10	2	10	7	11	17	30	61	97	164	176	252	333	352	346	229	112	42	4	-
	WHITE.....MALE..	1,154	-	6	6	2	5	4	8	9	12	30	40	82	80	133	184	183	190	106	56	17	1	-
	FEMALE	1,055	1	4	4	-	4	3	3	7	17	28	55	76	92	113	140	158	150	117	55	25	3	-
	NONWHITE.....MALE..	33	-	-	-	-	-	-	-	-	1	2	1	4	3	2	4	9	2	4	1	-	-	-
	FEMALE	25	-	1	-	-	1	-	-	1	-	1	1	2	1	4	5	2	4	2	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	41	-	-	-	-	-	-	-	-	-	2	1	5	4	6	6	4	8	4	1	-	-	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	2	1	3	4	5	3	2	7	3	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	801	-	1	-	-	1	-	2	3	6	10	21	49	40	83	122	138	151	94	56	22	2	-
	WHITE.....MALE..	405	-	-	-	-	-	-	-	2	3	6	12	27	15	52	65	69	80	34	29	11	-	-
	FEMALE	370	-	1	-	-	1	-	2	-	3	2	9	18	24	30	53	62	69	57	26	11	2	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	2	-	3	1	1	3	5	1	2	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	1	1	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	277	-	-	-	-	-	-	-	1	5	9	13	26	33	43	51	39	33	20	3	1	-	-
	WHITE.....MALE..	228	-	-	-	-	-	-	-	-	3	8	10	23	30	38	47	28	28	11	1	1	-	-
	FEMALE	43	-	-	-	-	-	-	-	1	1	1	2	2	3	5	4	10	5	7	2	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST	225	-	-	-	-	-	1	-	2	6	8	19	17	25	40	25	32	26	13	9	2	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	FEMALE	218	-	-	-	-	-	1	-	2	6	7	19	16	25	38	23	32	25	13	9	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS	340	-	-	-	-	-	1	2	3	4	6	18	19	27	30	48	51	58	46	25	1	1	-
	WHITE.....MALE..	155	-	-	-	-	-	1	2	1	1	-	-	2	3	9	20	28	39	30	18	-	1	-
	FEMALE	175	-	-	-	-	-	-	-	2	3	6	17	17	23	19	27	20	18	15	7	1	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	-	-	-
180, 181	OF URINARY ORGANS	100	-	1	1	-	-	-	-	-	-	-	4	8	8	12	10	21	16	11	4	4	-	-
	WHITE.....MALE..	72	-	1	-	-	-	-	-	-	-	-	4	7	6	8	8	16	10	8	2	2	-	-
	FEMALE	26	-	-	1	-	-	-	-	-	-	-	-	1	2	3	1	5	6	3	2	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.	221	-	4	3	1	5	2	2	2	4	14	10	21	16	16	32	22	26	25	6	9	1	-
	WHITE.....MALE..	112	-	3	2	1	3	2	2	2	1	6	9	8	8	8	15	12	16	10	2	2	-	-
	FEMALE	102	-	-	1	-	1	-	-	-	3	8	1	13	6	8	16	10	8	15	4	7	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	102	1	3	5	-	1	2	2	3	1	4	7	4	9	6	11	20	8	10	4	1	-	-
	WHITE.....MALE..	59	-	1	3	-	1	1	2	1	1	3	3	4	5	3	7	16	1	5	2	-	-	-
	FEMALE	41	1	2	2	-	-	1	-	2	-	1	4	-	4	2	4	4	6	5	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	160	-	2	1	1	3	1	3	3	4	8	4	15	14	16	28	25	20	6	4	2	-	-
	WHITE.....MALE..	89	-	1	1	1	1	-	2	3	3	5	1	8	9	9	18	12	8	5	1	1	-	-
	FEMALE	70	-	1	-	-	2	1	1	-	1	3	3	7	5	7	9	13	12	1	3	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	31	2	-	-	-	1	-	1	-	2	1	3	1	3	5	-	3	3	3	-	2	1	-
	WHITE.....MALE..	14	2	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	2	1	-	2	-	-
	FEMALE	15	-	-	-	-	1	-	1	-	2	-	2	-	-	3	-	2	1	2	-	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA	55	-	1	-	-	1	1	-	-	-	3	-	1	5	8	8	8	15	-	3	-	1	-
	WHITE.....MALE..	33	-	-	-	-	-	-	-	-	-	1	-	-	4	6	5	7	8	-	2	-	-	-
	FEMALE	19	-	-	-	-	1	1	-	-	-	2	-	1	1	2	2	1	6	-	1	-	1	-
	NONWHITE.....MALE..	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	276	-	-	1	1	2	1	2	2	2	5	3	8	23	18	31	62	50	35	24	4	2	-
	WHITE.....MALE..	119	-	-	1	-	1	-	-	2	1	2	1	2	12	10	13	34	17	13	9	1	-	-
	FEMALE	152	-	-	-	1	-	1	2	-	1	3	1	5	11	7	18	28	33	22	15	3	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-
290-293	ANEMIAS	33	-	1	1	-	-	2	1	1	-	-	1	-	1	1	3	4	5	4	7	1	-	-
	WHITE.....MALE..	20	-	1	1	-	-	-	-	-	-	-	1	-	1	1	2	3	3	-	6	1	-	-
	FEMALE	11	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	2	4	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	9	4	-	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	8,111	-	1	2	2	5	14	11	10	41	65	152	248	355	591	833	1,183	1,454	1,443	1,049	503	149	-
	WHITE.....MALE..	4,461	-	1	-	2	3	5	5	8	26	45	119	175	254	416	515	678	752	708	476	210	63	-
	FEMALE	3,471	-	-	2	-	1	8	5	2	14	17	30	56	81	156	288	483	680	711	567	286	84	-
	NONWHITE.....MALE..	105	-	-	-	-	-	-	-	-	-	1	2	10	12	9	21	16	13	15	3	3	-	-
	FEMALE	74	-	-	-	-	1	1	1	-	1	2	1	7	8	10	9	6	9	9	3	4	2	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	8,036	-	1	-	2	4	9	9	10	39	59	150	244	354	587	827	1,178	1,439	1,431	1,044	501	148	-
	WHITE.....MALE..	4,424	-	1	-	2	2	3	5	8	25	42	117	173	254	414	511	675	748	702	471	209	62	-
	FEMALE	3,436	-	-	-	-	1	5	3	2	13	14	30	55	80	155	287	481	669	705	567	285	84	-
	NONWHITE.....MALE..	104	-	-	-	-	-	-	-	-	-	1	2	10	12	9	20	16	13	15	3	3	-	-
	FEMALE	72	-	-	-	-	1	1	1	-	1	2	1	6	8	9	9	6	9	9	3	4	2	-
330-334	VASCULAR LESIONS, ETC.	1,920	-	-	-	2	1	1	4	1	7	10	12	33	48	88	147	271	396	403	325	130	41	-
	WHITE.....MALE..	898	-	-	-	2	-	-	1	1	2	5	5	18	25	45	75	132	196	187	138	46	20	-
	FEMALE	988	-	-	-	-	1	1	2	-	4	4	7	13	20	37	66	136	195	213	186	82	21	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	1	-	1	1	4	4	3	2	3	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	1	-	1	-	-	1	2	2	2	-	3	-	1	2	-	-
400-402, 410-443	DISEASES OF HEART	5,570	-	1	-	-	1	6	4	9	29	48	137	207	289	465	640	825	968	921	627	307	86	-
	WHITE.....MALE..	3,242	-	1	-	-	1	2	3	7	21	36	112	152	220	341	410	487	515	471	290	140	33	-
	FEMALE	2,205	-	-	-	-	-	3	1	2	8	10	22	41	55	113	209	321	439	433	333	163	52	-
	NONWHITE.....MALE..	74	-	-	-	-	-	-	-	-	-	-	2	9	9	5	14	12	10	9	2	2	-	-
	FEMALE	49	-	-	-	-	-	1	-	-	-	2	1	5	5	6	7	5	4	8	2	2	1	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	137	-	-	-	-	1	3	2	2	6	6	12	11	12	18	16	15	9	11	4	7	2	-
	WHITE.....MALE..	64	-	-	-	-	1	1	1	1	3	2	5	7	8	8	6	9	4	5	2	1	-	-
	FEMALE	68	-	-	-	-	-	1	1	1	3	4	5	4	3	9	10	6	5	6	2	6	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	4,257	-	-	-	-	-	-	-	7	19	31	112	171	245	389	535	663	737	655	434	207	52	-
	WHITE.....MALE..	2,609	-	-	-	-	-	-	-	6	15	25	97	131	189	297	354	405	409	353	209	99	20	-
	FEMALE	1,548	-	-	-	-	-	-	-	1	4	5	14	29	45	83	163	243	314	290	222	104	31	-
	NONWHITE.....MALE..	67	-	-	-	-	-	-	-	-	-	-	1	9	9	5	11	10	10	8	2	2	-	-
	FEMALE	33	-	-	-	-	-	-	-	-	-	1	-	2	2	4	7	5	4	4	1	2	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	511	-	1	-	-	-	2	1	-	2	2	4	4	7	20	26	62	101	110	98	54	17	-
	WHITE.....MALE..	247	-	1	-	-	-	1	1	-	2	2	4	3	6	13	14	27	54	47	44	24	4	-
	FEMALE	258	-	-	-	-	-	1	-	-	-	-	-	1	-	7	11	35	47	59	54	30	13	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-
430-434	OTHER DISEASES OF HEART	240	-	-	-	-	-	1	1	-	1	6	7	11	10	23	24	33	38	44	21	15	5	-
	WHITE.....MALE..	154	-	-	-	-	-	-	1	-	1	5	5	9	8	16	16	20	22	27	13	7	4	-
	FEMALE	85	-	-	-	-	-	1	-	-	-	-	2	2	2	7	8	13	16	17	8	8	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	425	-	-	-	-	-	-	-	-	1	3	2	10	15	15	39	52	83	101	70	24	10	-
	WHITE.....MALE..	168	-	-	-	-	-	-	-	-	-	2	1	2	9	7	20	26	26	39	22	9	5	-
	FEMALE	246	-	-	-	-	-	-	-	-	1	1	1	5	5	7	17	24	57	61	47	15	5	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	1	1	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	67	-	-	-	-	-	-	1	-	-	-	-	-	1	6	7	15	8	15	8	5	1	-
	WHITE.....MALE..	36	-	-	-	-	-	-	1	-	-	-	-	-	-	4	4	9	6	7	3	1	1	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	2	6	5	4	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	318	-	-	-	-	-	-	-	-	-	-	-	1	1	7	7	38	52	68	71	55	18	-
	WHITE.....MALE..	149	-	-	-	-	-	-	-	-	-	-	-	1	-	5	4	27	23	27	34	21	7	-
	FEMALE	163	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	10	27	39	37	34	10	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	161	-	-	-	-	2	2	-	-	3	1	1	3	15	21	26	29	15	24	13	4	2	-
	WHITE.....MALE..	99	-	-	-	-	1	1	-	-	2	1	-	2	9	19	18	20	8	10	6	1	1	-
	FEMALE	52	-	-	-	-	-	1	-	-	1	-	1	1	4	1	6	8	6	14	6	2	1	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	1	-	-
	FEMALE	4	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	75	-	-	2	-	1	5	2	-	2	6	2	4	1	4	6	5	15	12	5	2	1	-
	WHITE.....MALE..	37	-	-	-	-	1	2	-	-	1	3	2	2	-	2	4	3	4	6	5	1	1	-
	FEMALE	35	-	-	2	-	-	3	2	-	1	3	-	1	1	1	1	2	11	6	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	477	52	15	9	4	2	1	3	1	3	5	8	6	11	25	27	34	66	63	77	46	19	-
	WHITE.....MALE..	231	25	7	4	-	1	-	2	-	2	5	4	3	9	16	20	19	29	28	30	21	6	-
	FEMALE	231	23	6	4	4	1	1	1	1	1	-	3	2	2	7	7	14	36	34	47	24	13	-
	NONWHITE.....MALE..	10	2	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-
	FEMALE	5	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	77	2	2	-	-	-	-	-	-	-	-	-	2	3	3	5	7	11	10	17	11	4	-
	WHITE.....MALE..	38	1	1	-	-	-	-	-	-	-	-	-	1	2	3	3	3	8	3	6	7	-	-
	FEMALE	39	1	1	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	7	11	4	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	400	50	13	9	4	2	1	3	1	3	5	8	4	8	22	22	27	55	53	60	35	15	-
	WHITE.....MALE..	193	24	6	4	-	1	-	2	-	2	5	4	2	7	13	17	16	21	25	24	14	6	-
	FEMALE	192	22	5	4	4	1	1	1	1	1	-	3	1	1	7	5	10	33	27	36	20	9	-
	NONWHITE.....MALE..	10	2	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-
	FEMALE	5	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	33	4	3	-	-	-	-	-	-	1	1	-	2	1	4	5	4	1	6	1	-	-	-
	WHITE.....MALE..	22	3	1	-	-	-	-	-	-	1	1	-	1	1	3	5	3	1	2	-	-	-	-
	FEMALE	10	-	2	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	4	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	148	1	1	-	-	-	-	-	-	-	2	3	6	7	19	29	38	23	11	6	2	-	-
	WHITE.....MALE..	130	-	1	-	-	-	-	-	-	-	1	3	5	6	18	27	33	21	8	6	1	-	-
	FEMALE	18	1	-	-	-	-	-	-	-	-	1	-	1	1	1	2	5	2	3	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	139	-	1	-	-	-	-	1	1	3	1	8	8	8	14	20	21	21	17	7	6	2	-
	WHITE.....MALE..	95	-	1	-	-	-	-	1	-	1	1	7	6	8	12	15	14	12	7	3	5	2	-
	FEMALE	41	-	-	-	-	-	-	-	1	2	-	1	1	-	2	5	6	8	10	4	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	APPENDICITIS.....	18	-	2	1	-	-	-	1	-	-	-	1	1	1	1	1	2	3	4	-	-	-	-
	WHITE.....MALE..	8	-	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-
	FEMALE	9	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	80	6	1	-	-	-	-	-	1	1	4	2	1	4	6	12	8	12	11	8	2	1	-
	WHITE.....MALE..	37	3	1	-	-	-	-	-	-	1	-	1	-	2	1	5	4	7	7	4	-	1	-
	FEMALE	41	2	-	-	-	-	-	-	1	-	4	1	1	2	5	7	4	5	4	4	1	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	48	5	1	-	-	-	-	-	-	-	2	-	3	2	2	3	7	10	7	4	2	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	2	-	2	1	1	2	2	3	2	1	1	-	-
	FEMALE	26	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	7	5	3	1	-	-
	NONWHITE.....MALE..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	94	-	-	-	-	1	-	1	2	3	7	8	11	15	9	10	11	9	5	2	-	-	-
	WHITE.....MALE..	63	-	-	-	-	-	-	-	-	2	6	5	10	10	4	7	7	6	5	1	-	-	-
	FEMALE	26	-	-	-	-	1	-	1	1	-	-	2	1	5	5	2	4	3	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	48	-	-	-	-	-	-	-	-	-	-	-	2	4	6	3	11	9	8	4	1	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	4	2	1	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	6	4	6	3	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	17	-	-	-	-	-	-	1	-	-	-	2	1	3	1	1	4	3	1	-	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	1	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	2	3	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	55	-	-	-	-	-	-	-	1	-	3	1	2	6	5	7	8	10	6	4	2	-	-
	WHITE.....MALE..	24	-	-	-	-	-	-	-	-	-	1	1	-	2	1	3	6	6	2	-	2	-	-
	FEMALE	29	-	-	-	-	-	-	-	1	-	2	-	1	4	3	4	2	4	4	4	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	56	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	15	14	11	7	2	-
	WHITE.....MALE..	53	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	14	13	11	7	2	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEBRASKA—CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	149	99	12	6	5	-	1	2	3	2	5	1	2	1	2	3	2	-	-	2	1	-	-
	WHITE.....MALE..	77	54	4	3	1	-	1	-	1	2	2	-	2	1	2	2	1	-	-	1	-	-	-
	FEMALE	70	44	7	3	4	-	-	2	2	-	3	1	-	-	-	1	1	-	-	1	1	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	229	229	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	189	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	110	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	84	7	2	-	-	-	2	-	-	-	1	4	6	5	7	2	7	9	6	13	4	9	-
	WHITE.....MALE..	43	4	1	-	-	-	1	-	-	-	-	3	2	3	6	-	5	5	2	6	1	4	-
	FEMALE	37	1	-	-	-	-	1	-	-	-	1	1	4	2	1	2	1	4	4	7	3	5	-
	NONWHITE.....MALE..	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	434	30	5	9	6	9	10	4	11	10	18	19	15	34	32	39	55	48	42	22	13	3	-
	WHITE.....MALE..	221	17	1	4	3	6	6	4	5	6	7	9	3	22	18	22	28	21	22	10	6	1	-
	FEMALE	197	10	3	5	3	1	4	-	6	4	7	8	12	11	14	14	27	27	20	12	7	2	-
	NONWHITE.....MALE..	10	3	1	-	-	1	-	-	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	1	-	-	-	-	2	1	-	1	-	1	-	-	-	-	-	-	-
E800-E962	ACCIDENTS.	944	31	36	29	33	70	78	36	46	37	44	48	48	38	47	58	57	55	66	51	28	8	-
	WHITE.....MALE..	630	16	19	17	28	50	66	28	36	28	31	36	40	27	31	35	34	36	32	23	12	5	-
	FEMALE	279	10	15	10	5	16	10	3	5	8	12	10	6	10	15	21	23	19	34	28	16	3	-
	NONWHITE.....MALE..	24	2	-	-	-	3	2	5	4	-	1	2	2	1	1	1	-	-	-	-	-	-	-
	FEMALE	11	3	2	2	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	406	5	14	13	16	52	48	18	32	17	16	24	24	17	27	26	26	13	14	4	-	-	-
	WHITE.....MALE..	270	2	8	7	14	35	39	13	26	12	7	15	19	10	15	16	18	7	6	1	-	-	-
	FEMALE	118	2	5	5	2	14	8	1	3	4	8	8	5	7	11	10	8	6	8	3	-	-	-
	NONWHITE.....MALE..	13	1	-	-	-	2	1	4	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	5	-	1	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	538	26	22	16	17	18	30	18	14	20	28	24	24	21	20	32	31	42	52	47	28	8	-
	WHITE.....MALE..	360	14	11	10	14	15	27	15	10	16	24	21	21	17	16	19	16	29	26	22	12	5	-
	FEMALE	161	8	10	5	3	2	2	2	2	4	4	2	1	3	4	11	15	13	26	25	16	3	-
	NONWHITE.....MALE..	11	1	-	-	-	1	1	1	2	-	-	1	2	1	-	1	-	-	-	-	-	-	-
	FEMALE	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	143	...	...	-	-	2	1	5	8	10	16	14	19	12	18	12	12	5	3	6	-	-	-
	WHITE.....MALE..	114	...	...	-	-	2	1	4	6	6	13	11	12	10	16	11	10	5	2	5	-	-	-
	FEMALE	24	...	...	-	-	-	-	1	1	4	2	3	5	2	2	1	2	-	-	1	-	-	-
	NONWHITE.....MALE..	5	...	...	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	31	1	-	-	-	1	2	3	6	4	4	5	1	-	-	1	1	-	1	1	-	-	-
	WHITE.....MALE..	10	1	-	-	-	-	1	-	1	1	1	2	1	-	-	-	-	-	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	1	-	3	3	2	3	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA																							
	ALL CAUSES	2,713	257	42	16	20	30	32	41	55	70	112	149	191	217	271	278	266	273	198	130	52	7	6
	WHITE.....MALE..	1,627	119	15	9	17	14	21	21	29	32	68	92	124	150	192	199	172	177	90	55	25	2	4
	FEMALE	867	100	18	5	3	10	4	11	14	21	26	49	54	56	68	67	83	81	98	70	25	3	1
	NONWHITE.....MALE..	140	23	4	-	-	4	5	5	6	13	14	8	6	10	5	9	7	11	5	3	1	1	-
	FEMALE	79	15	5	2	-	2	2	4	6	4	4	-	7	1	6	3	4	4	5	2	1	1	1
001-019	TUBERCULOSIS, ALL FORMS..	20	-	-	-	-	-	-	-	1	2	1	1	1	2	2	6	1	1	2	-	-	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	-	-	1	-	-	1	2	2	4	1	1	1	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	19	-	-	-	-	-	-	-	1	1	1	1	1	2	2	6	1	1	2	-	-	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	-	-	1	-	-	1	2	2	4	1	1	1	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	10	1	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	1	1	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	WHITE.....MALE..	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	356	-	4	1	1	1	3	3	4	5	15	25	36	44	39	55	47	43	23	5	2	-	-
	WHITE.....MALE..	198	-	2	-	1	-	2	-	2	1	8	11	21	26	23	36	28	24	11	1	1	-	-
	FEMALE	141	-	2	1	-	1	1	3	1	4	7	14	12	18	13	16	17	16	10	4	1	-	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	1	1	2	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	11	-	-	-	-	-	-	-	-	-	1	3	-	2	3	1	1	-	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	106	-	-	-	-	-	-	-	-	-	2	5	11	9	11	15	21	20	9	1	2	-	-
	WHITE.....MALE..	58	-	-	-	-	-	-	-	-	-	1	4	6	7	7	9	10	10	3	-	1	-	-
	FEMALE	40	-	-	-	-	-	-	-	-	-	1	1	3	2	3	5	9	9	5	1	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	65	-	-	-	-	-	1	1	-	-	1	4	10	9	8	13	10	3	4	1	-	-	-
	WHITE.....MALE..	51	-	-	-	-	-	1	-	-	-	1	2	8	7	7	12	7	3	3	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	1	-	-	-	2	2	2	-	-	3	-	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	OF BREAST.....	34	-	-	-	-	-	1	-	-	-	2	4	4	7	4	2	1	5	4	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	32	-	-	-	-	-	1	-	-	-	2	4	4	7	4	2	1	4	3	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
171-179	OF GENITAL ORGANS.....	48	-	-	-	-	-	-	-	-	2	1	4	1	5	6	12	5	6	5	1	-	-	-
	WHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	-	1	1	4	6	4	4	4	1	-	-	-	-
	FEMALE	21	-	-	-	-	-	-	-	-	2	1	4	-	4	2	5	1	1	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	17	-	-	-	-	-	-	-	-	-	-	1	3	3	1	2	2	4	1	-	-	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	2	3	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	44	-	1	-	-	1	-	2	2	1	6	3	4	4	4	7	6	2	-	1	-	-	-
	WHITE.....MALE..	23	-	1	-	-	-	-	-	1	-	5	3	2	2	2	3	3	1	-	-	-	-	-
	FEMALE	19	-	-	-	-	1	-	2	1	1	1	-	2	2	1	3	3	1	-	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	13	-	3	1	-	-	-	-	-	-	-	1	3	1	1	1	-	2	-	-	-	-	-
	WHITE.....MALE..	8	-	1	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	-	-	-	-	-
	FEMALE	4	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	18	-	-	-	1	-	1	-	2	2	2	-	-	4	1	2	1	1	-	1	-	-	-
	WHITE.....MALE..	12	-	-	-	1	-	1	-	1	1	1	-	-	3	-	2	1	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	13	-	1	1	1	-	-	-	1	-	1	1	2	1	2	-	1	-	-	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	1	-	1	-	-	-	1	-	-	-	1	-	1	-	1	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
241	ASTHMA.....	13	-	-	-	-	-	-	-	-	1	1	-	4	3	3	1	-	-	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	31	-	-	-	1	-	-	-	-	2	-	2	2	1	4	5	4	9	-	1	-	-	-
	WHITE.....MALE..	16	-	-	-	1	-	-	-	-	-	-	2	1	-	4	1	1	5	-	1	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	2	-	-	-	1	-	4	3	3	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-	-
	WHITE.....MALE..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	10	4	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	1,232	-	-	-	-	-	3	3	7	19	37	64	74	104	160	154	155	172	139	93	39	5	4
	WHITE.....MALE..	772	-	-	-	-	-	2	1	3	11	21	42	53	80	117	113	98	106	64	39	18	2	2
	FEMALE	392	-	-	-	-	-	1	1	2	3	6	17	15	18	38	36	52	58	72	51	19	2	1
	NONWHITE.....MALE..	46	-	-	-	-	-	-	-	-	3	10	5	4	5	2	4	3	6	-	2	1	1	-
	FEMALE	22	-	-	-	-	-	-	1	2	2	-	-	2	1	3	1	2	2	3	1	1	-	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	1,215	-	-	-	-	-	3	3	6	19	34	63	73	103	157	152	154	171	136	93	39	5	4
	WHITE.....MALE..	764	-	-	-	-	-	2	1	3	11	20	41	53	79	115	113	98	105	62	39	18	2	2
	FEMALE	388	-	-	-	-	-	1	1	2	3	5	17	15	18	37	35	52	58	71	51	19	2	1
	NONWHITE.....MALE..	42	-	-	-	-	-	-	-	-	3	9	5	3	5	2	3	2	6	-	2	1	1	-
	FEMALE	21	-	-	-	-	-	-	1	1	2	-	-	2	1	3	1	2	2	3	1	1	-	1
330-334	VASCULAR LESIONS, ETC.	230	-	-	-	-	-	1	-	-	2	5	6	4	18	22	21	33	47	39	24	5	1	2
	WHITE.....MALE..	126	-	-	-	-	-	1	-	-	1	2	2	3	13	13	13	17	35	15	8	3	-	-
	FEMALE	90	-	-	-	-	-	-	-	-	1	-	3	1	4	8	6	15	10	23	15	2	1	1
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	3	1	-	1	-	2	-	1	-	1	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1
400-402, 410-443	DISEASES OF HEART	900	-	-	-	-	-	1	-	6	16	29	56	63	80	131	122	109	112	81	59	29	4	2
	WHITE.....MALE..	585	-	-	-	-	-	1	-	3	10	18	39	46	62	98	92	72	63	40	25	12	2	2
	FEMALE	273	-	-	-	-	-	-	-	2	2	5	14	13	13	29	29	34	44	40	32	15	1	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	-	2	6	3	3	4	2	1	2	4	-	1	1	1	-
	FEMALE	12	-	-	-	-	-	-	-	1	2	-	-	1	1	2	-	1	1	1	1	1	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	34	-	-	-	-	-	1	-	1	3	3	4	4	5	4	3	3	1	1	-	1	-	-
	WHITE.....MALE..	14	-	-	-	-	-	1	-	-	1	1	-	2	3	1	1	3	1	-	-	-	-	-
	FEMALE	19	-	-	-	-	-	-	-	1	2	2	3	2	2	3	2	-	-	1	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	712	-	-	-	-	-	-	-	4	10	24	49	57	65	108	107	87	79	56	40	22	3	1
	WHITE.....MALE..	492	-	-	-	-	-	-	-	3	9	17	38	43	54	86	82	58	43	27	20	10	1	1
	FEMALE	194	-	-	-	-	-	-	-	-	-	3	10	11	9	19	24	26	32	29	20	10	1	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	-	-	1	4	1	2	2	2	1	2	3	-	-	1	1	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	1	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	61	-	-	-	-	-	-	-	-	-	-	-	2	2	8	5	5	11	12	10	4	1	1
	WHITE.....MALE..	33	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	3	7	9	2	2	1	1
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	4	2	7	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
430-434	OTHER DISEASES OF HEART	43	-	-	-	-	-	-	-	1	1	1	1	-	4	7	3	9	6	4	5	1	-	-
	WHITE.....MALE..	26	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	7	3	3	2	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	2	3	1	2	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	50	-	-	-	-	-	-	-	-	2	1	2	-	4	4	4	5	15	8	4	1	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	1	9	1	1	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	5	7	3	1	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	9	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	1	2	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	47	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	7	7	12	7	5	-	-
	WHITE.....MALE..	28	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	4	5	4	3	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	7	3	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	29	-	-	-	-	-	1	3	-	-	-	-	4	3	1	4	5	4	2	2	-	-	-
	WHITE.....MALE..	22	-	-	-	-	-	-	1	-	-	-	-	3	3	1	4	4	3	2	1	-	-	-
	FEMALE	6	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	17	-	-	-	-	-	-	-	1	-	3	1	1	1	3	2	1	1	3	-	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	1	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	73	14	5	-	-	-	-	-	1	1	4	-	5	4	5	4	6	6	7	8	3	-	-
	WHITE.....MALE..	43	9	-	-	-	-	-	-	-	-	3	-	2	3	5	3	3	4	4	5	2	-	-
	FEMALE	22	4	3	-	-	-	-	-	1	1	-	-	2	1	-	1	2	1	2	3	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	FEMALE	5	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	70	14	5	-	-	-	-	-	1	1	4	-	5	3	5	3	6	5	7	8	3	-	-
	WHITE.....MALE..	42	9	-	-	-	-	-	-	-	-	3	-	2	3	5	2	3	4	4	5	2	-	-
	FEMALE	21	4	3	-	-	-	-	-	1	1	-	-	2	-	-	1	2	1	2	3	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	5	1	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	10	-	4	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-
	WHITE.....MALE..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	52	3	1	1	-	-	1	-	-	-	1	-	5	2	7	14	5	7	1	1	1	1	1
	WHITE.....MALE..	46	2	-	1	-	-	1	-	-	-	1	-	5	2	6	14	4	7	-	1	1	-	1
	FEMALE	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	27	-	-	-	-	-	-	-	-	2	-	3	3	5	3	6	1	2	-	2	-	-	-
	WHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	-	2	3	3	3	4	1	2	-	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	-	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	WHITE.....MALE..	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	11	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	-	-	-
	WHITE.....MALE..	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-
	FEMALE	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	11	3	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	-	-	-	-	-
	WHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	65	-	-	-	-	-	-	-	3	5	10	10	12	12	6	3	3	1	-	-	-	-	-
	WHITE.....MALE..	36	-	-	-	-	-	-	-	1	1	6	6	7	5	4	3	3	-	-	-	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	1	1	3	4	4	7	2	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	7	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	-	1	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEVADA—CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—FEMALE	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—FEMALE	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	4	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—FEMALE	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—FEMALE	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS	51	36	2	4	1	-	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	20	14	-	2	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	26	18	2	1	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	79	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE—MALE	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	38	2	-	-	-	1	1	-	1	-	1	2	2	1	3	3	8	4	3	3	3	-	-
	WHITE—MALE	23	1	-	-	-	-	1	-	-	-	1	1	1	1	3	2	7	4	-	3	2	-	-
	FEMALE	13	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	3	3	1	-	-
	NONWHITE—MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES	111	6	1	1	2	1	1	1	3	6	6	9	13	10	14	10	6	9	8	4	-	-	-
	WHITE—MALE	64	1	-	1	2	1	-	-	2	3	4	6	7	8	8	5	4	7	4	1	-	-	-
	FEMALE	36	4	1	-	-	-	1	-	-	3	2	2	6	1	4	4	1	2	3	2	-	-	-
	NONWHITE—MALE	8	1	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
E800-E962	ACCIDENTS	276	15	20	8	13	20	17	20	20	13	22	17	17	15	14	8	15	6	6	5	4	1	-
	WHITE—MALE	176	8	8	5	11	10	12	15	13	9	14	11	11	9	10	7	11	6	2	2	2	-	-
	FEMALE	68	6	8	3	2	7	1	1	3	2	4	5	6	3	4	1	4	-	3	3	2	-	-
	NONWHITE—MALE	25	1	2	-	-	3	3	2	4	2	3	1	-	3	-	-	-	-	1	-	-	-	-
	FEMALE	7	-	2	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS	132	1	5	2	10	17	12	11	12	8	10	5	11	7	8	4	4	2	2	1	-	-	-
	WHITE—MALE	89	1	3	2	9	9	7	7	8	7	6	3	7	4	6	4	1	2	2	1	-	-	-
	FEMALE	26	-	2	-	1	5	1	-	2	1	2	2	4	1	2	-	3	-	-	-	-	-	-
	NONWHITE—MALE	14	-	-	-	-	3	3	2	2	-	2	-	-	2	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	144	14	15	6	3	3	5	9	8	5	12	12	6	8	6	4	11	4	4	4	4	1	-
	WHITE—MALE	87	7	5	3	2	1	5	8	5	2	8	8	4	5	4	3	10	4	-	1	2	-	-
	FEMALE	42	6	6	3	1	2	-	1	1	1	2	3	2	2	2	1	1	-	3	3	2	-	-
	NONWHITE—MALE	11	1	2	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	1	-	-	-	-
	FEMALE	4	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
E963, E970-E979	SUICIDE	63	...	...	-	1	4	3	4	7	6	7	6	9	5	3	1	2	1	3	-	-	-	1
	WHITE—MALE	51	...	...	-	1	2	2	3	5	4	5	6	8	4	3	1	2	1	3	-	-	-	1
	FEMALE	7	...	...	-	-	-	-	1	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	4	...	...	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	30	-	-	-	-	-	1	6	3	6	5	5	1	1	-	1	1	-	-	-	-	-	-
	WHITE—MALE	14	-	-	-	-	-	-	2	2	1	2	3	1	1	-	1	1	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	8	-	-	-	-	-	1	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE																							
	ALL CAUSES	6,808	310	46	28	22	43	45	34	42	81	137	178	276	397	534	818	927	916	883	695	294	97	5
	WHITE.....MALE..	3,720	191	23	18	11	32	33	17	25	50	85	105	182	265	359	499	516	502	403	268	108	26	2
	FEMALE	3,078	115	23	10	11	11	12	17	17	31	51	72	92	132	175	318	410	414	480	427	186	71	3
	NONWHITE.....MALE..	6	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	4	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
001-019	TUBERCULOSIS, ALL FORMS..	17	-	-	-	-	-	-	-	-	-	-	1	-	5	2	2	1	3	3	-	-	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	1	2	2	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	17	-	-	-	-	-	-	-	-	-	-	1	-	5	2	2	1	3	3	-	-	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	1	2	2	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	1	-	-	1	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	10	-	-	-	1	-	1	-	1	-	1	-	-	1	-	1	1	-	1	-	1	1	-
	WHITE.....MALE..	7	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	-
	FEMALE	3	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	1,108	2	4	5	5	4	4	6	4	18	29	41	71	94	123	169	187	151	105	65	14	7	-
	WHITE.....MALE..	578	2	2	2	3	4	2	1	2	8	13	16	34	52	74	95	102	76	48	35	5	2	-
	FEMALE	530	-	2	3	2	-	2	5	2	10	16	25	37	42	49	74	85	75	57	30	9	5	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	27	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	7	3	2	4	-	-	-
	WHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	7	3	1	3	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	383	-	-	-	-	-	-	1	-	2	4	13	12	26	43	68	70	67	47	20	5	5	-
157-159	WHITE.....MALE..	194	-	-	-	-	-	-	-	-	1	2	6	10	17	24	38	34	36	15	9	1	1	-
	FEMALE	189	-	-	-	-	-	-	1	-	1	2	7	2	9	19	30	36	31	32	11	4	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	164	-	-	-	-	-	-	-	-	3	5	5	17	18	33	25	29	14	11	3	-	1	-
	WHITE.....MALE..	145	-	-	-	-	-	-	-	-	2	5	2	14	16	31	22	28	10	11	3	-	1	-
	FEMALE	19	-	-	-	-	-	-	-	-	1	-	3	3	2	2	3	1	4	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST	104	-	-	-	-	-	-	-	1	3	5	6	11	10	8	15	16	13	8	7	1	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	103	-	-	-	-	-	-	-	1	3	5	6	11	10	8	15	16	13	7	7	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS	159	-	-	-	-	1	-	3	-	6	6	6	13	11	11	25	21	25	16	11	3	1	-
	WHITE.....MALE..	60	-	-	-	-	1	-	-	-	1	1	-	-	1	2	11	6	16	11	9	1	-	-
	FEMALE	99	-	-	-	-	-	-	3	-	5	5	6	13	10	9	14	15	9	5	2	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS	57	-	-	1	-	-	-	-	-	1	2	3	-	7	5	8	9	6	5	8	2	-	-
	WHITE.....MALE..	39	-	-	-	-	-	-	-	-	1	2	2	-	4	4	7	5	4	4	4	2	-	-
	FEMALE	18	-	-	1	-	-	-	-	-	-	-	1	-	3	1	1	4	2	1	4	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	105	-	-	2	1	2	-	1	3	1	4	2	8	5	13	18	14	14	9	6	2	-	-
	WHITE.....MALE..	50	-	-	-	1	2	-	1	2	1	1	1	4	3	6	9	9	4	2	3	1	-	-
	FEMALE	55	-	-	2	-	-	-	-	1	-	3	1	4	2	7	9	5	10	7	3	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	52	1	4	1	3	-	2	-	-	1	2	2	2	3	3	3	11	4	3	6	1	-	-
	WHITE.....MALE..	31	1	2	1	1	-	1	-	-	1	1	1	2	2	2	2	7	2	1	4	-	-	-
	FEMALE	21	-	2	-	2	-	1	-	-	-	1	1	-	1	1	1	4	2	2	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	57	1	-	1	1	1	2	1	-	1	1	3	5	13	4	4	10	5	4	-	-	-	-
	WHITE.....MALE..	33	1	-	1	1	1	1	-	-	1	1	3	1	8	2	3	6	1	2	-	-	-	-
	FEMALE	24	-	-	-	-	-	1	1	-	-	-	-	4	5	2	1	4	4	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	19	1	-	-	1	-	-	-	-	-	-	1	1	2	6	-	2	1	1	2	1	-	-
	WHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	-	-
	FEMALE	13	-	-	-	1	-	-	-	-	-	-	1	1	2	4	-	1	-	1	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA	22	-	-	1	-	-	-	-	-	-	1	-	2	2	3	4	5	3	1	-	-	-	-
	WHITE.....MALE..	16	-	-	1	-	-	-	-	-	-	-	-	1	2	3	3	2	3	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	151	-	-	2	-	-	1	-	-	3	4	3	8	11	11	21	30	29	15	13	-	-	-
	WHITE.....MALE..	74	-	-	-	-	-	1	-	-	2	4	2	3	8	6	6	18	13	5	6	-	-	-
	FEMALE	77	-	-	2	-	-	-	-	-	1	-	1	5	3	5	15	12	16	10	7	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS	15	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	1	5	-	2	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	2	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	8	1	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	3,970	-	-	-	-	3	4	4	8	18	57	67	128	202	292	487	587	609	645	541	239	76	3
	WHITE.....MALE..	2,071	-	-	-	-	-	2	3	3	12	43	47	93	138	204	316	314	331	277	189	81	18	-
	FEMALE	1,895	-	-	-	-	3	2	1	5	6	14	19	33	64	88	171	272	278	368	352	158	58	3
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	3,930	-	-	-	-	2	4	4	8	18	55	65	126	198	291	485	582	603	637	535	238	76	3
	WHITE.....MALE..	2,054	-	-	-	-	-	2	3	3	12	42	46	91	137	203	315	312	327	275	188	80	18	-
	FEMALE	1,872	-	-	-	-	2	2	1	5	6	13	18	33	61	88	170	269	276	362	347	158	58	3
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
330-334	VASCULAR LESIONS, ETC.	795	-	-	-	-	2	1	2	2	3	6	9	9	36	44	85	111	127	149	125	68	15	1
	WHITE.....MALE..	335	-	-	-	-	-	-	2	-	2	4	3	2	19	31	39	48	68	58	37	19	3	-
	FEMALE	460	-	-	-	-	2	1	-	2	1	2	6	7	17	13	46	63	59	91	88	49	12	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402, 410-443	DISEASES OF HEART	2,734	-	-	-	-	-	3	2	6	14	46	54	114	153	234	369	422	418	413	319	126	40	1
	WHITE.....MALE..	1,536	-	-	-	-	-	2	1	3	9	36	42	87	112	167	256	235	234	185	116	43	8	-
	FEMALE	1,195	-	-	-	-	-	1	1	3	5	10	11	26	41	67	113	186	184	228	203	83	32	1
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	63	-	-	-	-	-	2	1	-	4	6	4	5	12	4	10	6	8	1	-	-	-	-
	WHITE.....MALE..	22	-	-	-	-	-	1	-	-	-	-	1	3	2	2	6	2	4	1	-	-	-	-
	FEMALE	40	-	-	-	-	-	1	1	-	4	6	2	2	10	2	4	4	4	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	2,212	-	-	-	-	-	-	-	4	9	38	45	92	119	204	307	346	336	328	256	94	34	-
	WHITE.....MALE..	1,315	-	-	-	-	-	-	-	2	8	35	37	75	98	148	220	201	191	157	101	35	7	-
	FEMALE	895	-	-	-	-	-	-	-	2	1	3	8	16	21	56	87	144	145	171	155	59	27	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	141	-	-	-	-	-	-	-	1	1	-	1	3	3	5	15	18	22	30	20	18	3	1
	WHITE.....MALE..	67	-	-	-	-	-	-	-	1	1	-	1	2	1	4	12	9	12	11	8	5	-	-
	FEMALE	74	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	9	10	19	12	13	3	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	74	-	-	-	-	-	-	1	1	-	1	1	6	6	3	7	8	14	12	8	6	-	-
	WHITE.....MALE..	41	-	-	-	-	-	-	1	-	-	-	1	4	3	3	6	3	11	6	1	2	-	-
	FEMALE	33	-	-	-	-	-	-	-	1	-	1	-	2	3	-	1	5	3	6	7	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	244	-	-	-	-	-	1	-	-	-	1	3	8	13	18	30	44	38	42	35	8	3	-
	WHITE.....MALE..	91	-	-	-	-	-	1	-	-	-	1	2	3	8	10	12	20	16	10	6	1	1	-
	FEMALE	153	-	-	-	-	-	-	-	-	-	-	1	5	5	8	18	24	22	32	29	7	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	47	-	-	-	-	-	-	-	-	-	2	-	1	2	2	3	9	2	15	9	1	1	-
	WHITE.....MALE..	26	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	7	-	5	4	1	1	-
	FEMALE	21	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	10	5	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	273	-	-	-	-	-	-	-	-	-	1	-	-	-	3	15	30	42	48	77	37	20	-
	WHITE.....MALE..	115	-	-	-	-	-	-	-	-	-	1	-	-	-	1	8	15	20	22	28	14	6	-
	FEMALE	158	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	15	22	26	49	23	14	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	81	-	-	-	-	-	-	-	-	1	-	2	2	7	8	13	10	14	12	5	6	-	1
	WHITE.....MALE..	42	-	-	-	-	-	-	-	-	1	-	1	1	4	2	10	7	5	5	3	3	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	-	-	1	-	3	6	3	3	9	7	2	3	-	1
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	40	-	-	-	-	1	-	-	-	-	2	2	2	4	1	2	5	6	8	6	1	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	2	4	2	1	1	-	-
	FEMALE	23	-	-	-	-	1	-	-	-	-	1	1	-	3	-	1	3	2	6	5	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	161	18	2	1	-	2	-	2	-	3	1	4	3	4	14	12	15	16	19	22	15	7	1
	WHITE.....MALE..	102	10	1	1	-	2	-	1	-	3	1	3	3	4	8	9	10	10	11	12	8	4	1
	FEMALE	59	8	1	-	-	-	-	1	-	-	-	1	-	-	6	3	5	6	8	10	7	3	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	7	1	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	5	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	151	18	2	1	-	2	-	2	-	3	1	4	3	4	14	12	13	16	19	15	14	7	1
	WHITE.....MALE..	95	10	1	1	-	2	-	1	-	3	1	3	3	4	8	9	8	10	11	7	8	4	1
	FEMALE	56	8	1	-	-	-	-	1	-	-	-	1	-	-	6	3	5	6	8	8	6	3	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	20	1	-	-	-	-	-	-	-	-	-	-	1	3	1	4	2	5	1	-	1	1	-
	WHITE.....MALE..	14	1	-	-	-	-	-	-	-	-	-	-	1	2	1	4	2	3	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	75	6	-	-	-	-	-	-	-	-	-	2	5	8	11	12	8	9	7	6	1	-	-
	WHITE.....MALE..	58	4	-	-	-	-	-	-	-	-	-	1	4	5	8	10	8	8	6	3	1	-	-
	FEMALE	17	2	-	-	-	-	-	-	-	-	-	1	1	3	3	2	-	1	1	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	60	-	-	1	-	-	-	-	-	-	1	1	4	3	7	14	11	10	6	1	1	-	-
	WHITE.....MALE..	47	-	-	-	-	-	-	-	-	-	-	1	4	1	6	12	8	8	5	1	1	-	-
	FEMALE	13	-	-	1	-	-	-	-	-	-	1	-	-	2	1	2	3	2	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	7	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	1	-	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	35	3	-	1	-	-	-	-	-	-	-	-	-	-	5	5	5	6	8	-	-	2	-
	WHITE.....MALE..	26	3	-	1	-	-	-	-	-	-	-	-	-	-	4	2	2	5	8	-	-	1	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	-	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	33	1	3	-	-	-	1	-	-	-	-	2	1	1	2	2	4	6	6	4	-	-	-
	WHITE.....MALE..	14	-	2	-	-	-	1	-	-	-	-	-	1	1	1	-	2	1	2	3	-	-	-
	FEMALE	19	1	1	-	-	-	-	-	-	-	-	2	-	-	1	2	2	5	4	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	81	-	-	-	-	-	-	1	2	2	5	15	7	10	10	11	7	6	4	1	-	-	-
	WHITE.....MALE..	56	-	-	-	-	-	-	1	2	1	4	9	6	7	7	8	5	3	2	1	-	-	-
	FEMALE	25	-	-	-	-	-	-	-	-	1	1	6	1	3	3	3	2	3	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	21	-	-	-	-	-	-	-	-	-	-	1	-	2	6	2	2	3	2	3	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	2	-	2	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	4	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	31	-	-	-	-	-	-	-	-	1	-	1	1	2	3	6	7	3	4	1	2	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	1	2	-	2	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	2	2	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	2	4	1	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	2	4	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW HAMPSHIRE--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	84	61	3	3	5	1	-	1	-	1	3	3	3	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	42	34	2	1	1	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	FEMALE	42	27	1	2	4	-	-	1	-	1	3	2	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	64	6	2	-	-	-	-	-	-	1	1	3	2	2	3	6	9	6	10	10	2	1	-
	WHITE.....MALE..	40	5	1	-	-	-	-	-	-	1	-	1	2	2	2	5	6	5	6	4	-	-	-
	FEMALE	24	1	1	-	-	-	-	-	-	-	1	2	-	-	1	1	3	1	4	6	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	206	5	5	2	1	4	2	2	1	6	11	15	13	18	18	29	17	27	12	11	6	1	-
	WHITE.....MALE..	105	3	2	1	-	2	2	1	1	1	5	7	9	12	12	9	8	19	4	5	2	-	-
	FEMALE	100	2	3	1	1	2	-	1	-	5	5	8	4	6	6	20	9	8	8	6	4	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS	277	9	18	9	7	27	26	13	15	16	16	4	11	14	11	18	10	15	21	9	6	1	1
	WHITE.....MALE..	190	7	11	8	5	22	22	8	11	13	12	3	8	13	10	8	6	4	13	2	3	-	1
	FEMALE	86	2	7	1	2	5	4	5	4	3	4	1	3	1	1	9	4	11	8	7	3	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	101	-	2	5	2	16	18	6	5	11	12	3	2	7	1	5	3	3	-	-	-	-	-
	WHITE.....MALE..	74	-	2	5	-	12	17	2	3	8	9	2	2	7	-	1	2	2	-	-	-	-	-
	FEMALE	27	-	-	-	2	4	1	4	2	3	3	1	-	-	1	4	1	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	176	9	16	4	5	11	8	7	10	5	4	1	9	7	10	13	7	12	21	9	6	1	1
	WHITE.....MALE..	116	7	9	3	5	10	5	6	8	5	3	1	6	6	10	7	4	2	13	2	3	-	1
	FEMALE	59	2	7	1	-	1	3	1	2	-	1	-	3	1	-	5	3	10	8	7	3	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE	87	...	...	-	1	1	3	3	6	8	6	12	11	10	3	7	6	4	4	1	1	-	-
	WHITE.....MALE..	68	...	...	-	1	1	2	2	3	7	3	11	8	8	2	4	6	4	4	1	1	-	-
	FEMALE	19	...	...	-	-	-	1	1	3	1	3	1	3	2	1	3	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	11	-	2	2	1	-	-	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	7	-	1	2	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY																							
	ALL CAUSES	62,024	3,132	451	266	185	317	365	372	573	994	1,512	2,350	3,499	4,500	6,033	7,770	8,794	8,022	6,451	4,239	1,717	472	10
	MALE	34,069	1,841	227	159	113	213	260	238	335	565	900	1,421	2,278	2,861	3,853	4,587	4,869	4,126	2,875	1,616	588	137	7
	FEMALE	27,955	1,291	224	107	72	104	105	134	238	429	612	929	1,221	1,639	2,180	3,183	3,925	3,896	3,576	2,623	1,129	335	3
001-019	TUBERCULOSIS, ALL FORMS	347	3	3	1	2	1	2	11	14	22	18	26	36	50	41	51	25	18	15	6	1	1	-
	MALE	254	-	2	1	-	-	-	7	7	12	12	19	29	38	32	46	18	15	12	4	-	-	-
	FEMALE	93	3	1	-	2	1	2	4	7	10	6	7	7	12	9	5	7	3	3	2	1	1	-
001-008	RESPIRATORY TUBERCULOSIS	309	2	-	-	-	1	1	10	12	18	14	24	35	45	39	46	24	17	15	5	1	-	-
	MALE	235	-	-	-	-	-	-	6	7	10	9	19	29	36	31	41	17	14	12	4	-	-	-
	FEMALE	74	2	-	-	-	1	1	4	5	8	5	5	6	9	8	5	7	3	3	1	1	-	-
010-019	TUBERCULOSIS, OTHER FORMS	38	1	3	1	2	-	1	1	2	4	4	2	1	5	2	5	1	1	-	1	-	1	-
	MALE	19	-	2	1	-	-	-	1	-	2	3	-	-	2	1	5	1	1	-	-	-	-	-
	FEMALE	19	1	1	-	2	-	1	-	2	2	1	2	1	3	1	-	-	-	-	1	-	1	-
020-029	SYPHILIS AND ITS SEQUELAE	65	1	-	-	-	-	-	1	-	3	-	2	2	10	11	10	12	7	4	2	-	-	-
	MALE	43	1	-	-	-	-	-	1	-	1	-	1	1	6	7	5	9	7	3	1	-	-	-
	FEMALE	22	-	-	-	-	-	-	-	-	2	-	1	1	4	4	5	3	-	1	1	-	-	-
045-048	DYSENTERY, ALL FORMS	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	MALE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
055	DIPHTHERIA	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	30	9	8	4	-	-	1	-	-	1	1	-	1	2	1	-	-	2	-	-	-	-	-
	MALE	15	5	4	2	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	15	4	4	2	-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
080	ACUTE POLIOMYELITIS	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	9	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	160	18	8	11	5	2	8	7	3	7	3	7	13	9	12	11	16	10	6	3	-	1	-
	MALE	82	7	4	9	-	2	2	5	2	1	-	5	6	4	7	7	8	8	4	1	-	-	-
	FEMALE	78	11	4	2	5	-	6	2	1	6	3	2	7	5	5	4	8	2	2	2	-	1	-
140-205	MALIGNANT NEOPLASMS, ETC.	11,323	3	57	49	32	37	35	45	96	215	330	627	969	1,200	1,524	1,755	1,775	1,221	809	385	127	32	-
	MALE	6,075	1	26	30	17	22	22	22	39	95	126	265	493	630	910	1,021	1,020	701	398	174	56	7	-
	FEMALE	5,248	2	31	19	15	15	13	23	57	120	204	362	476	570	614	734	755	520	411	211	71	25	-
140-148	OF BUCCAL CAVITY AND PHARYNX	278	-	1	-	-	1	1	1	1	2	11	17	28	27	50	32	43	28	20	11	1	3	-
	MALE	212	-	1	-	-	-	1	-	-	1	7	13	22	21	40	25	38	21	13	8	-	1	-
	FEMALE	66	-	-	-	-	1	-	1	1	1	4	4	6	6	10	7	5	7	7	3	1	2	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	4,064	1	1	2	1	3	2	7	14	52	69	151	296	381	526	668	717	557	354	181	68	13	-
	MALE	2,201	-	1	2	-	1	1	3	6	31	33	78	170	219	316	363	400	313	160	74	28	2	-
	FEMALE	1,863	1	-	-	1	2	1	4	8	21	36	73	126	162	210	305	317	244	194	107	40	11	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY--CON.																							
160-164	OF RESP. SYSTEM, ETC.....	1,911	-	-	-	-	-	1	1	10	25	44	99	204	254	355	349	309	150	83	24	2	1	-
	MALE..	1,666	-	-	-	-	-	1	-	8	20	35	78	180	220	316	319	275	129	65	17	2	1	-
	FEMALE	245	-	-	-	-	-	-	1	2	5	9	21	24	34	39	30	34	21	18	7	-	-	-
170	OF BREAST.....	1,120	-	-	-	-	1	1	4	15	42	67	118	136	154	132	128	120	78	65	46	9	4	-
	MALE..	14	-	-	-	-	-	-	-	-	-	-	1	2	2	1	3	1	2	1	-	1	-	-
	FEMALE	1,106	-	-	-	-	1	1	4	15	42	67	117	134	152	131	125	119	76	64	46	8	4	-
171-179	OF GENITAL ORGANS.....	1,353	-	-	1	1	1	6	4	15	27	48	82	115	129	146	190	223	166	133	47	18	1	-
	MALE..	493	-	-	-	-	1	3	1	3	3	1	9	10	14	49	78	92	101	80	35	13	-	-
	FEMALE	860	-	-	1	1	-	3	3	12	24	47	73	105	115	97	112	131	65	53	12	5	1	-
180, 181	OF URINARY ORGANS.....	582	-	1	4	-	-	-	-	4	5	9	11	23	53	79	110	105	82	48	34	11	3	-
	MALE..	389	-	-	3	-	-	-	-	2	3	8	9	16	38	57	78	69	58	28	16	3	1	-
	FEMALE	193	-	1	1	-	-	-	-	2	2	1	2	7	15	22	32	36	24	20	18	8	2	-
1568, 165, 190-199	OF OTHER SITES, ETC.....	1,034	-	22	16	10	11	3	12	15	26	52	88	84	126	131	145	118	73	58	24	14	6	-
	MALE..	566	-	8	10	7	7	3	9	6	12	29	47	42	75	73	82	67	37	25	17	8	2	-
	FEMALE	468	-	14	6	3	4	-	3	9	14	23	41	42	51	58	63	51	36	33	7	6	4	-
204	LEUKEMIA AND ALEUKEMIA...	466	1	27	22	13	11	5	4	8	13	11	20	27	32	46	66	61	52	31	12	3	1	-
	MALE..	245	-	11	11	6	6	4	2	5	10	5	8	16	12	23	43	34	23	20	5	1	-	-
	FEMALE	221	1	16	11	7	5	1	2	3	3	6	12	11	20	23	23	27	29	11	7	2	1	-
200-203, 205	LYMPHOMAS, ETC.....	515	1	5	4	7	9	16	12	14	23	19	41	56	44	59	67	79	35	17	6	1	-	-
	MALE..	289	1	5	4	4	7	9	7	9	15	8	22	35	29	35	30	44	17	6	2	-	-	-
	FEMALE	226	-	-	-	3	2	7	5	5	8	11	19	21	15	24	37	35	18	11	4	1	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	152	5	2	4	6	5	3	4	5	8	14	14	11	10	15	9	13	13	4	4	1	2	-
	MALE..	68	3	2	3	3	4	2	3	2	2	1	4	3	7	7	5	8	5	1	2	-	1	-
	FEMALE	84	2	-	1	3	1	1	1	3	6	13	10	8	3	8	4	5	8	3	2	1	1	-
241	ASTHMA.....	117	-	2	1	2	2	1	3	5	2	6	13	13	15	10	12	10	12	4	4	-	-	-
	MALE..	64	-	1	-	2	-	1	2	2	-	2	7	6	10	6	10	5	8	1	2	-	-	-
	FEMALE	53	-	1	1	-	2	1	1	3	2	4	6	7	5	4	2	5	4	3	2	-	-	-
260	DIABETES MELLITUS.....	1,262	-	1	1	1	2	6	6	12	23	17	32	50	103	161	216	261	199	106	50	12	2	1
	MALE..	475	-	-	1	1	1	3	5	4	19	8	17	28	38	72	86	82	72	22	13	2	-	1
	FEMALE	787	-	1	-	-	1	3	1	8	4	9	15	22	65	89	130	179	127	84	37	10	2	-
290-293	ANEMIAS.....	126	3	5	2	4	3	-	5	1	2	3	6	5	11	6	11	13	23	14	5	3	1	-
	MALE..	55	2	3	1	3	2	-	2	-	1	3	2	3	3	3	2	8	7	8	1	1	-	-
	FEMALE	71	1	2	1	1	1	-	3	1	1	-	4	2	8	3	9	5	16	6	4	2	1	-
340	NONMENINGOCOCCAL MENINGITIS.....	69	24	11	-	2	1	-	1	1	3	2	4	5	2	4	4	2	3	-	-	-	-	-
	MALE..	43	15	7	-	2	1	-	1	1	1	2	2	3	2	3	1	2	-	-	-	-	-	-
	FEMALE	26	9	4	-	-	-	-	-	-	2	-	2	2	-	1	3	-	3	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES.....	35,470	10	6	17	6	27	46	51	149	309	621	1,034	1,723	2,337	3,381	4,690	5,652	5,595	4,750	3,300	1,371	389	6
	MALE..	19,067	5	3	8	2	15	31	32	101	202	427	722	1,266	1,608	2,206	2,758	3,073	2,773	2,048	1,215	452	116	4
	FEMALE	16,403	5	3	9	4	12	15	19	48	107	194	312	457	729	1,175	1,932	2,579	2,822	2,702	2,085	919	273	2
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM.....	35,118	9	6	14	4	20	35	48	135	291	601	1,018	1,700	2,312	3,339	4,652	5,618	5,559	4,723	3,282	1,360	386	6
	MALE..	18,882	4	3	7	1	11	24	31	93	192	416	715	1,252	1,594	2,181	2,734	3,059	2,752	2,038	1,207	449	115	4
	FEMALE	16,236	5	3	7	3	9	11	17	42	99	185	303	448	718	1,158	1,918	2,559	2,807	2,685	2,075	911	271	2
330-334	VASCULAR LESIONS, ETC....	5,458	2	3	3	1	8	9	14	19	31	73	120	183	248	406	677	897	953	878	640	220	72	1
	MALE..	2,400	1	1	2	1	3	5	8	8	15	35	53	93	131	214	340	430	428	346	211	64	10	1
	FEMALE	3,058	1	2	1	-	5	4	6	11	16	38	67	90	117	192	337	467	525	532	429	156	62	-
400-402, 410-443	DISEASES OF HEART.....	27,424	6	3	10	1	8	19	30	100	231	486	836	1,438	1,966	2,781	3,754	4,414	4,240	3,496	2,364	974	262	5
	MALE..	15,368	2	2	5	-	5	14	20	77	160	363	632	1,111	1,403	1,862	2,250	2,442	2,147	1,543	906	334	87	3
	FEMALE	12,056	4	1	5	1	3	5	10	23	71	123	204	327	563	919	1,504	1,972	2,093	1,953	1,458	640	175	2

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY--CON.																							
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.....	833	1	-	3	-	4	7	10	23	44	66	97	120	129	104	81	64	42	22	12	4	-	-
	MALE..	344	-	-	1	-	3	5	6	16	23	32	39	57	58	41	25	16	11	7	4	-	-	-
	FEMALE	489	1	-	2	-	1	2	4	7	21	34	58	63	71	63	56	48	31	15	8	4	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.....	21,125	-	-	-	-	2	4	11	58	157	344	631	1,115	1,584	2,293	3,054	3,494	3,254	2,580	1,670	677	193	4
	MALE..	12,519	-	-	-	-	1	4	10	49	119	278	521	925	1,210	1,593	1,915	2,008	1,714	1,191	671	239	69	2
	FEMALE	8,606	-	-	-	-	1	-	1	9	38	66	110	190	374	700	1,139	1,486	1,540	1,389	999	438	124	2
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.....	2,755	-	-	1	-	1	5	2	7	18	33	54	86	114	161	248	408	466	511	409	190	41	-
	MALE..	1,364	-	-	1	-	1	3	2	6	11	26	43	64	67	106	143	203	234	215	160	67	12	-
	FEMALE	1,391	-	-	-	-	-	2	-	1	7	7	11	22	47	55	105	205	232	296	249	123	29	-
430-434	OTHER DISEASES OF HEART..	597	5	3	6	1	1	2	4	5	6	16	19	29	31	47	84	81	105	73	46	26	7	-
	MALE..	301	2	2	3	-	-	1	-	3	3	10	10	22	20	27	44	48	48	33	14	9	2	-
	FEMALE	296	3	1	3	1	1	1	4	2	3	6	9	7	11	20	40	33	57	40	32	17	5	-
440-443	HYPERTENSIVE HEART DIS...	2,114	-	-	-	-	-	1	3	7	6	27	35	88	108	176	287	367	373	310	227	77	21	1
	MALE..	840	-	-	-	-	-	1	2	3	4	17	19	43	48	95	123	167	140	97	57	19	4	1
	FEMALE	1,274	-	-	-	-	-	-	1	4	2	10	16	45	60	81	164	200	233	213	170	58	17	-
444-447	OTHER HYPERTENSIVE DIS...	377	-	-	-	-	-	3	3	2	12	17	17	13	21	21	39	53	67	50	31	24	4	-
	MALE..	184	-	-	-	-	-	3	2	1	5	9	8	6	14	13	26	25	31	24	7	8	2	-
	FEMALE	193	-	-	-	-	-	-	1	1	7	8	9	7	7	8	13	28	36	26	24	16	2	-
450	GENERAL ARTERIOSCLEROSIS.	1,032	-	-	-	-	-	-	-	-	-	1	5	13	8	34	45	108	192	234	213	132	47	-
	MALE..	438	-	-	-	-	-	-	-	-	-	1	3	10	4	24	26	61	83	98	72	40	16	-
	FEMALE	594	-	-	-	-	-	-	-	-	-	-	2	3	4	10	19	47	109	136	141	92	31	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM.....	827	1	-	1	2	4	4	1	14	17	24	40	53	69	97	137	146	107	65	34	10	1	-
	MALE..	492	1	-	-	-	3	2	1	7	12	8	19	32	42	68	92	101	63	27	11	3	-	-
	FEMALE	335	-	-	1	2	1	2	-	7	5	16	21	21	27	29	45	45	44	38	23	7	1	-
592-594	CHRONIC NEPHRITIS, ETC...	352	1	-	3	2	7	11	3	14	18	20	16	23	25	42	38	34	36	27	18	11	3	-
	MALE..	185	1	-	1	1	4	7	1	8	10	11	7	14	14	25	24	14	21	10	8	3	1	-
	FEMALE	167	-	-	2	1	3	4	2	6	8	9	9	9	11	17	14	20	15	17	10	8	2	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,728	254	74	23	10	15	12	10	19	33	36	44	54	65	101	154	179	201	214	142	74	14	-
	MALE..	969	148	36	14	6	9	4	1	8	16	26	32	39	44	72	92	112	109	101	63	33	4	-
	FEMALE	759	106	38	9	4	6	8	9	11	17	10	12	15	21	29	62	67	92	113	79	41	10	-
480-483	INFLUENZA.....	25	1	2	1	-	1	-	-	-	1	-	-	1	1	1	5	2	1	4	2	2	-	-
	MALE..	17	1	1	1	-	1	-	-	-	-	-	-	1	-	1	5	1	1	2	1	1	-	-
	FEMALE	8	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	2	1	1	-	-
490-493	PNEUMONIA, ETC.....	1,703	253	72	22	10	14	12	10	19	32	36	44	53	64	100	149	177	200	210	140	72	14	-
	MALE..	952	147	35	13	6	8	4	1	8	16	26	32	38	44	71	87	111	108	99	62	32	4	-
	FEMALE	751	106	37	9	4	6	8	9	11	16	10	12	15	20	29	62	66	92	111	78	40	10	-
500-502	BRONCHITIS.....	161	18	5	1	-	-	-	1	-	1	5	2	5	10	12	26	22	18	19	11	4	1	-
	MALE..	117	11	2	1	-	-	-	-	-	-	4	2	4	8	9	19	21	15	12	5	3	1	-
	FEMALE	44	7	3	-	-	-	-	1	-	1	1	-	1	2	3	7	1	3	7	6	1	-	-
525-527	OT. BRONCHOPULMONIC DIS..	510	14	2	2	1	2	-	3	3	5	8	12	26	48	74	92	87	67	44	17	3	-	-
	MALE..	414	10	2	2	-	-	-	2	1	4	4	7	18	40	66	83	73	55	35	10	2	-	-
	FEMALE	96	4	-	-	1	2	-	1	2	1	4	5	8	8	8	9	14	12	9	7	1	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	459	5	4	-	-	2	2	4	3	10	12	23	41	49	58	62	60	54	45	21	3	1	-
	MALE..	339	3	2	-	-	2	2	4	1	7	9	18	31	36	49	47	42	39	34	10	2	1	-
	FEMALE	120	2	2	-	-	-	-	-	2	3	3	5	10	13	9	15	18	15	11	11	1	-	-
550-553	APPENDICITIS.....	67	-	1	1	-	2	1	-	2	1	4	4	6	4	9	7	8	8	9	-	-	-	-
	MALE..	42	-	1	-	-	2	1	-	2	1	3	3	4	3	7	3	5	2	5	-	-	-	-
	FEMALE	25	-	-	1	-	-	-	-	-	-	1	1	2	1	2	4	3	6	4	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	350	30	1	1	-	1	1	2	2	4	4	6	24	24	33	46	45	56	40	24	5	1	-
	MALE..	173	16	1	-	-	-	-	1	1	1	1	3	15	13	20	23	23	28	17	8	2	-	-
	FEMALE	177	14	-	1	-	1	1	1	1	3	3	3	9	11	13	23	22	28	23	16	3	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW JERSEY--CON.																							
543,	GASTRITIS, ETC.....	301	51	17	1	2	1	2	2	3	5	7	11	9	20	27	29	32	28	30	20	2	2	-
571,	MALE..	150	34	9	1	1	-	1	-	1	4	4	3	4	12	16	13	18	14	8	7	-	-	-
572	FEMALE	151	17	8	-	1	1	1	2	2	1	3	8	5	8	11	16	14	14	22	13	2	2	-
581	CIRRHOSIS OF LIVER.....	1,041	1	-	1	1	-	1	5	25	65	98	135	141	138	146	129	92	36	21	5	1	-	-
	MALE..	673	1	-	-	-	-	-	1	13	31	67	74	91	98	99	98	61	21	15	2	1	-	-
	FEMALE	368	-	-	1	1	-	1	4	12	34	31	61	50	40	47	31	31	15	6	3	-	-	-
584,	CHOLELITHIASIS, ETC.....	165	-	-	-	-	-	-	3	2	2	5	4	9	11	10	22	31	28	18	13	6	1	-
585	MALE..	71	-	-	-	-	-	-	1	-	1	3	2	3	6	5	8	13	13	6	5	5	-	-
	FEMALE	94	-	-	-	-	-	-	2	2	1	2	2	6	5	5	14	18	15	12	8	1	1	-
590,	ACUTE NEPHRITIS, ETC.....	48	3	3	3	3	2	-	3	3	4	4	4	3	2	3	1	5	1	-	1	-	-	-
591	MALE..	22	3	2	2	1	1	-	-	1	1	2	2	-	1	1	-	3	1	-	1	-	-	-
	FEMALE	26	-	1	1	2	1	-	3	2	3	2	2	3	1	2	1	2	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	271	1	-	1	-	1	1	2	5	8	6	8	15	20	31	34	46	41	31	16	2	2	-
	MALE..	114	1	-	-	-	-	-	-	1	2	2	4	7	6	14	12	21	20	14	9	-	1	-
	FEMALE	157	-	-	1	-	1	1	2	4	6	4	4	8	14	17	22	25	21	17	7	2	1	-
610	HYPERPLASIA OF PROSTATE..	142	-	-	-	-	-	-	-	-	-	-	-	-	3	10	11	35	25	27	24	5	2	-
	MALE..	142	-	-	-	-	-	-	-	-	-	-	-	-	3	10	11	35	25	27	24	5	2	-
640-	COMPLICATIONS OF																							
689	PREGNANCY, ETC.....	43	-	-	-	-	1	5	12	14	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	43	-	-	-	-	1	5	12	14	8	3	-	-	-	-	-	-	-	-	-	-	-	-
650-	ABORTION.....	8	-	-	-	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
652	FEMALE	8	-	-	-	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	OTHER COMPLICATIONS OF																							
649,	PREGNANCY, ETC.....	35	-	-	-	-	1	3	10	11	7	3	-	-	-	-	-	-	-	-	-	-	-	-
660-	FEMALE	35	-	-	-	-	1	3	10	11	7	3	-	-	-	-	-	-	-	-	-	-	-	-
689																								
750-	CONGENITAL MALFORMATIONS.	669	454	61	21	20	11	14	4	8	9	10	9	14	8	5	7	8	6	-	-	-	-	-
759	MALE..	372	261	32	10	10	4	6	3	4	4	6	4	7	6	2	5	3	5	-	-	-	-	-
	FEMALE	297	193	29	11	10	7	8	1	4	5	4	5	7	2	3	2	5	1	-	-	-	-	-
760-	CERTAIN DISEASES OF																							
776	EARLY INFANCY.....	2,037	2,037	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE..	1,205	1,205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	832	832	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	BIRTH INJURIES, ETC.....	1,034	1,034	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
762	MALE..	619	619	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	415	415	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	INFECTIONS OF NEWBORN....	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768	MALE..	68	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	OTHER DISEASES OF EARLY																							
776	INFANCY, ETC.....	896	896	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	MALE..	518	518	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	378	378	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	SENILITY, ETC.....	147	15	3	2	-	-	1	5	6	5	8	11	6	5	12	13	5	12	7	14	13	4	-
795	MALE..	61	8	1	2	-	-	-	2	2	3	2	6	5	2	6	5	2	3	5	3	3	1	-
	FEMALE	86	7	2	-	-	-	1	3	4	2	6	5	1	3	6	8	3	9	2	11	10	3	-
RESID-	ALL OTHER DISEASES.....	1,506	66	52	25	14	28	26	25	38	56	73	106	117	114	126	187	158	139	87	44	19	6	-
UAL	MALE..	820	42	25	8	10	19	16	17	20	32	33	65	72	70	75	102	86	70	36	15	5	2	-
	FEMALE	686	24	27	17	4	9	10	8	18	24	40	41	45	44	51	85	72	69	51	29	14	4	-
E800-	ACCIDENTS.....	2,501	97	114	87	72	147	162	105	97	115	134	126	136	145	149	140	175	169	135	122	63	10	1
E962	MALE..	1,609	52	59	59	54	114	141	89	82	74	99	101	98	105	100	94	99	82	55	36	15	1	-
	FEMALE	892	45	55	28	18	33	21	16	15	41	35	25	38	40	49	46	76	87	80	86	48	9	1
E810-	MOTOR VEHICLE ACCIDENTS..	904	5	23	38	28	107	115	64	52	55	62	47	53	50	55	44	52	26	17	9	1	1	-
E835	MALE..	676	1	16	26	21	79	102	52	44	36	49	38	43	36	35	31	32	21	9	5	-	-	-
	FEMALE	228	4	7	12	7	28	13	12	8	19	13	9	10	14	20	13	20	5	8	4	1	1	-
E800-	OTHER ACCIDENTS.....	1,597	92	91	49	44	40	47	41	45	60	72	79	83	95	94	96	123	143	118	113	62	9	1
E802,	MALE..	933	51	43	33	33	35	39	37	38	38	50	63	55	69	65	63	67	61	46	31	15	1	-
E840-	FEMALE	664	41	48	16	11	5	8	4	7	22	22	16	28	26	29	33	56	82	72	82	47	8	1
E962																								
E963,	SUICIDE.....	549	...	...	-	1	14	19	27	32	44	55	65	57	73	53	36	25	28	12	6	2	-	-
E970-	MALE..	391	...	...	-	1	10	17	18	23	33	34	39	34	54	43	27	18	26	8	5	1	-	-
E979	FEMALE	158	...	...	-	-	4	2	9	9	11	21	26	23	19	10	9	7	2	4	1	1	-	-
E964,	HOMICIDE.....	192	9	6	3	1	8	16	25	24	24	25	14	8	12	7	5	2	1	-	-	-	-	2
E980-	MALE..	137	7	3	2	-	4	12	19	16	16	19	11	7	8	5	4	1	1	-	-	-	-	2
E985	FEMALE	55	2	3	1	1	4	4	6	8	8	6	3	1	4	2	1	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO																							
	ALL CAUSES	6,520	876	160	52	47	122	120	114	120	187	216	269	333	387	482	569	659	680	542	378	146	57	4
	WHITE.....MALE..	3,597	411	69	24	25	84	74	61	63	112	120	166	212	241	278	324	395	388	274	178	72	24	2
	FEMALE	2,365	321	58	18	16	25	29	31	36	52	81	86	92	114	174	216	238	256	249	185	64	24	-
	NONWHITE.....MALE..	332	75	15	3	2	9	11	11	16	15	8	11	13	20	23	21	17	26	12	13	5	6	-
	FEMALE	226	69	18	7	4	4	6	11	5	8	7	6	16	12	7	8	9	10	7	2	5	3	2
001-019	TUBERCULOSIS, ALL FORMS..	70	-	2	1	1	-	-	1	2	1	7	3	4	8	9	9	6	10	4	-	1	1	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	1	-	2	-	2	2	3	6	4	4	3	-	-	-	-
	FEMALE	15	-	1	-	-	-	-	-	-	-	3	1	-	2	2	3	-	2	1	-	-	-	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	1	1	1	1	-	1	2	3	-	1	3	-	-	-	-	-
	FEMALE	14	-	1	1	1	-	-	-	-	-	1	2	1	2	1	-	1	1	-	-	1	1	-
001-008	RESPIRATORY TUBERCULOSIS.	63	-	1	1	-	-	-	1	2	1	7	2	3	6	8	9	6	10	4	-	1	1	-
	WHITE.....MALE..	26	-	-	-	-	-	-	-	1	-	2	-	2	1	3	6	4	4	3	-	-	-	-
	FEMALE	15	-	1	-	-	-	-	-	-	-	3	1	-	2	2	3	-	2	1	-	-	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	1	1	1	1	-	-	2	2	-	1	3	-	-	-	-	-
	FEMALE	10	-	-	1	-	-	-	-	-	-	1	1	1	1	1	-	1	1	-	-	1	1	-
010-019	TUBERCULOSIS, OTHER FORMS	7	-	1	-	1	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	17	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	3	1	1	2	-	-	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	1	1	1	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	8	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	5	2	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	24	6	1	2	1	1	1	-	-	1	2	-	1	2	1	-	1	2	2	-	-	-	-
	WHITE.....MALE..	10	2	-	1	1	1	1	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-
	FEMALE	7	1	-	1	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	859	2	8	4	5	9	5	6	15	19	40	53	70	83	109	121	116	92	68	26	7	1	-
	WHITE.....MALE..	443	1	3	2	2	5	4	3	5	8	14	21	33	41	59	67	64	51	40	14	5	1	-
	FEMALE	378	1	4	1	3	4	1	2	10	11	25	30	32	38	47	51	47	36	24	10	1	-	-
	NONWHITE.....MALE..	23	-	1	1	-	-	-	1	-	-	-	-	2	2	2	2	3	3	4	2	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	1	2	3	2	1	1	2	2	-	-	1	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	8	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	2	-	-	1	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	293	-	-	-	-	1	-	-	2	4	12	8	21	28	36	52	53	34	28	12	1	1	-
	WHITE.....MALE..	159	-	-	-	-	-	-	-	1	2	4	4	11	17	24	26	32	15	14	8	-	1	-
	FEMALE	119	-	-	-	-	1	-	-	1	2	7	3	8	9	11	25	18	17	12	4	1	-	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	2	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	2	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	106	-	-	-	-	-	-	-	1	-	3	8	8	16	21	19	13	12	3	2	-	-	-
	WHITE.....MALE..	89	-	-	-	-	-	-	-	1	-	3	6	8	12	18	18	9	10	3	1	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	-	4	3	1	4	2	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	71	-	-	-	-	-	-	-	1	2	7	15	10	10	7	8	4	3	3	-	1	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	69	-	-	-	-	-	-	-	1	2	7	15	10	10	7	8	4	2	3	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
171-179	OF GENITAL ORGANS.....	137	-	-	-	-	1	2	2	4	5	7	6	9	8	17	10	18	20	19	4	5	-	-
	WHITE.....MALE..	57	-	-	-	-	1	2	1	1	2	-	-	2	1	3	4	10	13	11	1	5	-	-
	FEMALE	71	-	-	-	-	-	-	-	3	3	7	6	6	5	14	5	7	6	7	2	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	35	1	1	-	-	-	-	-	-	-	-	3	1	6	2	8	3	6	3	1	-	-	-
	WHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	2	-	1	1	7	-	3	3	1	-	-	-
	FEMALE	16	1	1	-	-	-	-	-	-	-	-	1	-	5	1	1	3	3	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	122	-	4	1	2	1	1	1	3	3	6	7	15	7	19	16	14	12	7	3	-	-	-
	WHITE.....MALE..	65	-	2	-	1	1	1	-	2	1	3	5	6	5	9	9	6	7	6	1	-	-	-
	FEMALE	50	-	1	1	1	-	-	1	1	2	3	2	8	2	9	6	7	4	-	2	-	-	-
	NONWHITE.....MALE..	7	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	41	1	2	3	3	3	-	1	2	1	3	2	2	3	1	3	4	3	2	2	-	-	-
	WHITE.....MALE..	24	1	1	2	1	1	-	1	-	-	3	2	2	2	-	2	2	2	1	1	-	-	-
	FEMALE	16	-	1	-	2	2	-	-	2	1	-	-	-	1	1	1	2	1	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	46	-	1	-	-	3	2	2	2	3	1	2	4	5	5	5	5	2	3	1	-	-	-
	WHITE.....MALE..	25	-	-	-	-	2	1	1	-	2	1	1	4	3	3	1	3	1	2	-	-	-	-
	FEMALE	20	-	1	-	-	1	1	1	2	1	-	1	-	2	1	4	2	1	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	28	1	3	-	-	-	-	-	2	1	2	2	3	2	1	4	4	2	1	-	-	-	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	2	1	1	-	-	-	-
	FEMALE	14	1	3	-	-	-	-	-	2	1	-	1	1	1	-	2	1	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	25	-	1	1	-	-	-	-	-	1	3	2	1	1	4	4	4	3	-	-	-	-	-
	WHITE.....MALE..	16	-	1	-	-	-	-	-	-	-	-	1	1	1	3	3	3	3	-	-	-	-	-
	FEMALE	8	-	-	1	-	-	-	-	-	1	3	-	-	-	1	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	90	-	-	-	-	-	3	2	-	4	-	6	1	8	12	15	16	11	6	4	1	1	-
	WHITE.....MALE..	33	-	-	-	-	-	1	-	-	1	-	2	-	2	3	6	9	3	3	1	1	1	-
	FEMALE	53	-	-	-	-	-	2	1	-	3	-	2	1	6	8	9	7	8	3	3	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	13	1	-	-	1	3	1	-	-	-	-	-	1	1	-	1	1	1	2	-	-	-	-
	WHITE.....MALE..	5	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	6	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	16	9	2	1	-	-	1	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	WHITE.....MALE..	6	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	2,463	5	3	3	4	4	8	11	11	34	54	81	124	152	215	267	356	387	354	254	98	36	2
	WHITE.....MALE..	1,381	-	1	1	3	-	4	2	6	22	40	54	83	107	124	145	211	230	160	124	48	16	-
	FEMALE	976	1	-	2	1	4	2	6	4	11	10	24	31	34	79	110	136	146	186	124	48	17	-
	NONWHITE.....MALE..	68	3	1	-	-	-	1	-	-	1	3	3	5	8	7	7	7	9	4	4	2	3	-
	FEMALE	38	1	1	-	-	-	1	3	1	-	1	-	5	3	5	5	2	2	4	2	-	-	2
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	2,422	5	2	3	2	2	8	7	10	34	53	81	121	148	207	266	353	382	351	251	98	36	2
	WHITE.....MALE..	1,364	-	1	1	2	-	4	1	5	22	39	54	83	106	119	145	210	226	158	124	48	16	-
	FEMALE	961	1	-	2	-	2	2	4	4	11	10	24	31	33	77	109	135	145	185	121	48	17	-
	NONWHITE.....MALE..	63	3	-	-	-	-	1	-	-	1	3	3	3	7	7	7	6	9	4	4	2	3	-
	FEMALE	34	1	1	-	-	-	1	2	1	-	1	-	4	2	4	5	2	2	4	2	-	-	2
330-334	VASCULAR LESIONS, ETC.	562	4	2	1	1	1	2	1	2	8	9	15	14	32	26	61	79	92	88	79	34	10	1
	WHITE.....MALE..	263	-	1	-	1	-	1	-	1	4	5	6	6	20	11	23	38	52	38	40	12	4	-
	FEMALE	263	-	-	1	-	1	1	-	1	4	2	8	7	10	11	33	37	38	48	34	21	6	-
	NONWHITE.....MALE..	22	3	-	-	-	-	-	-	-	-	1	1	1	1	3	3	3	2	-	3	1	-	-
	FEMALE	14	1	1	-	-	-	-	1	-	-	1	-	-	1	1	2	1	-	2	2	-	-	1
400-402, 410-443	DISEASES OF HEART	1,644	1	-	2	1	-	6	4	8	25	37	61	101	107	171	186	249	254	221	138	49	22	1
	WHITE.....MALE..	989	-	-	1	1	-	3	1	4	18	28	45	74	81	103	113	156	156	99	67	29	10	-
	FEMALE	600	1	-	1	-	-	1	2	3	6	7	14	22	20	62	67	89	89	117	70	19	10	-
	NONWHITE.....MALE..	38	-	-	-	-	-	1	-	-	1	2	2	2	6	4	3	3	7	3	1	1	2	-
	FEMALE	17	-	-	-	-	-	1	1	1	-	-	-	3	-	2	3	1	2	2	-	-	-	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	98	-	-	1	-	-	4	2	5	5	8	8	17	8	11	11	6	9	2	1	-	-	-
	WHITE.....MALE..	40	-	-	-	-	-	2	-	2	2	2	3	7	6	3	4	3	5	-	1	-	-	-
	FEMALE	50	-	-	1	-	-	1	1	2	3	5	5	9	2	7	7	2	3	2	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	1,186	-	-	-	-	-	1	1	2	18	26	43	73	85	128	141	184	198	163	83	29	10	1
	WHITE.....MALE..	767	-	-	-	-	-	-	-	2	14	24	33	64	69	85	89	117	127	80	41	17	5	-
	FEMALE	385	-	-	-	-	-	-	1	-	3	2	9	6	12	39	47	64	65	79	42	11	5	-
	NONWHITE.....MALE..	23	-	-	-	-	-	1	-	-	1	-	1	1	4	2	3	2	4	3	-	1	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	2	1	-	-	-	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	135	-	-	-	-	-	-	1	-	1	1	2	2	5	7	7	17	18	28	22	17	7	-
	WHITE.....MALE..	64	-	-	-	-	-	-	1	-	1	1	2	1	3	3	2	10	8	10	9	11	2	-
	FEMALE	67	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	7	9	18	12	6	4	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	114	1	-	1	1	-	1	-	1	1	1	7	5	4	12	10	26	10	11	16	2	4	-
	WHITE.....MALE..	72	-	-	1	1	-	1	-	-	1	1	6	1	1	10	8	17	6	5	10	1	2	-
	FEMALE	38	1	-	-	-	-	-	-	1	-	-	-	3	3	1	2	9	4	6	6	1	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	111	-	-	-	-	-	-	-	-	-	1	1	4	5	13	17	16	19	17	16	1	1	-
	WHITE.....MALE..	46	-	-	-	-	-	-	-	-	-	-	1	1	2	2	10	9	10	4	6	-	1	-
	FEMALE	60	-	-	-	-	-	-	-	-	-	-	-	3	2	11	6	7	8	12	10	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	45	-	-	-	-	1	-	-	-	1	1	1	4	-	2	5	3	10	11	5	1	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	6	5	2	-	-	-
	FEMALE	22	-	-	-	-	1	-	-	-	1	1	-	1	-	2	1	2	4	5	3	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	104	-	-	-	-	-	-	-	-	-	1	-	1	1	3	8	12	15	23	24	12	4	-
	WHITE.....MALE..	50	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	7	7	11	12	5	2	-
	FEMALE	52	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	8	12	12	7	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	67	-	-	-	-	-	-	2	-	-	5	4	1	8	5	6	10	11	8	5	2	-	-
	WHITE.....MALE..	42	-	-	-	-	-	-	-	-	-	5	2	-	5	5	2	8	5	5	3	2	-	-
	FEMALE	24	-	-	-	-	-	-	2	-	-	-	2	1	2	-	4	2	6	3	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO—CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	41	-	1	-	2	2	-	4	1	-	1	-	3	4	8	1	3	5	3	3	-	-	-
	WHITE.....MALE..	17	-	-	-	1	-	-	1	1	-	1	-	-	1	5	-	1	4	2	-	-	-	-
	FEMALE	15	-	-	-	1	2	-	2	-	-	-	-	-	1	2	1	1	1	1	3	-	-	-
	NONWHITE.....MALE..	5	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	290	84	23	1	2	2	1	3	1	5	6	7	2	9	15	14	22	35	20	22	11	5	-
	WHITE.....MALE..	135	31	9	-	1	1	1	2	-	4	4	3	-	5	9	9	12	14	12	14	2	2	-
	FEMALE	113	31	8	-	1	1	-	1	1	-	1	4	2	4	5	5	9	17	5	8	8	2	-
	NONWHITE.....MALE..	20	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	-	-	1	-
	FEMALE	22	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
480-483	INFLUENZA.....	22	4	2	-	1	-	-	-	-	1	1	-	-	-	3	-	2	4	2	1	2	-	-
	WHITE.....MALE..	14	2	2	-	1	-	-	-	-	1	-	-	-	1	-	-	1	3	1	1	1	-	-
	FEMALE	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	268	80	21	1	1	2	1	3	1	4	6	7	2	6	15	14	20	31	18	21	9	5	-
	WHITE.....MALE..	121	29	7	-	-	1	1	2	-	3	4	3	-	4	9	9	11	11	11	13	1	2	-
	FEMALE	106	30	8	-	1	1	-	1	1	-	1	4	2	2	5	5	8	16	4	8	7	2	-
	NONWHITE.....MALE..	20	10	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	-	-	1	-
	FEMALE	21	11	4	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	1	-	-
500-502	BRONCHITIS.....	27	1	3	-	-	-	-	-	1	-	1	2	3	-	1	2	2	7	1	2	1	-	-
	WHITE.....MALE..	21	1	2	-	-	-	-	-	1	-	1	2	3	-	1	2	2	3	1	1	1	-	-
	FEMALE	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	121	18	3	-	-	-	-	1	-	1	2	5	5	5	9	23	23	13	8	3	2	-	-
	WHITE.....MALE..	81	4	-	-	-	-	-	1	-	-	2	3	5	5	7	17	19	9	6	1	2	-	-
	FEMALE	35	13	1	-	-	-	-	-	-	1	-	2	-	-	2	4	4	4	2	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	41	1	-	-	-	-	-	-	1	-	-	1	6	4	5	1	7	9	1	2	2	1	-
	WHITE.....MALE..	26	-	-	-	-	-	-	-	-	-	-	1	5	4	5	-	5	5	-	-	1	-	-
	FEMALE	14	1	-	-	-	-	-	-	1	-	-	-	1	-	-	1	2	4	1	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
550-553	APPENDICITIS.....	10	-	1	-	1	-	1	1	-	1	-	-	1	1	1	2	-	-	-	-	-	-	-
	WHITE.....MALE..	5	-	-	-	1	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	60	17	1	-	-	-	-	1	-	-	2	-	4	1	7	5	2	10	7	3	-	-	-
	WHITE.....MALE..	29	7	1	-	-	-	-	1	-	-	-	-	4	1	2	3	1	4	4	1	-	-	-
	FEMALE	28	7	-	-	-	-	-	-	-	-	2	-	-	-	5	2	1	6	3	2	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	66	48	1	-	-	-	-	1	1	-	-	2	-	1	-	3	3	3	1	1	1	-	-
	WHITE.....MALE..	22	14	-	-	-	-	-	-	1	-	-	1	-	1	-	2	1	2	-	-	-	-	-
	FEMALE	24	15	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	1	1	1	1	-	-
	NONWHITE.....MALE..	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	108	1	-	1	-	-	-	5	3	10	14	12	13	11	11	10	9	5	2	1	-	-	-
	WHITE.....MALE..	71	-	-	1	-	-	-	5	2	4	11	9	8	8	6	6	6	4	1	-	-	-	-
	FEMALE	29	1	-	-	-	-	-	-	-	1	3	3	3	3	5	4	3	1	1	1	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	20	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	3	4	3	2	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	2	1	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	10	1	-	2	-	-	-	1	-	-	-	2	-	-	1	1	-	1	-	-	1	-	-
	WHITE.....MALE..	5	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	1	-	-
	FEMALE	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	29	-	-	-	-	1	-	-	1	1	-	1	1	3	1	4	4	5	2	3	1	1	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	1	1	1	-	-
	FEMALE	13	-	-	-	-	-	-	-	1	-	-	1	1	1	-	3	1	2	1	2	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW MEXICO--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	16	-	-	-	-	-	6	4	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	14	-	-	-	-	-	5	3	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	15	-	-	-	-	-	5	4	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	13	-	-	-	-	-	4	3	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	127	93	16	2	1	3	1	2	2	2	1	1	-	-	1	1	1	-	-	-	-	-	-
	WHITE.....MALE..	63	47	7	-	-	2	-	1	-	2	1	1	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	51	36	7	1	1	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	489	489	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	106	106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	327	36	8	2	1	2	2	2	2	10	8	21	18	22	25	33	28	37	24	26	11	8	1
	WHITE.....MALE..	187	15	3	-	1	1	1	-	1	4	5	15	13	16	16	19	16	24	17	10	7	2	1
	FEMALE	79	10	2	-	-	1	-	-	-	4	2	2	2	3	4	9	9	10	6	9	2	4	-
	NONWHITE.....MALE..	39	6	2	-	-	-	1	-	1	1	-	3	1	2	5	4	1	2	-	7	2	1	-
	FEMALE	22	5	1	2	-	-	-	2	-	1	1	1	2	1	-	1	2	1	1	-	-	1	-
RESID-UAL	ALL OTHER DISEASES.	226	23	16	4	2	5	3	4	8	14	14	11	17	22	14	17	14	17	9	6	6	-	-
	WHITE.....MALE..	114	11	9	1	1	2	-	-	3	10	3	5	12	11	8	9	11	9	6	1	2	-	-
	FEMALE	86	10	5	2	-	2	2	4	2	3	10	5	3	10	6	6	3	5	2	5	1	-	-
	NONWHITE.....MALE..	16	2	1	1	-	-	-	-	2	1	1	1	-	1	-	2	-	2	1	-	1	-	-
	FEMALE	10	-	1	-	1	1	1	-	1	-	-	-	2	-	-	-	-	1	-	-	2	-	-
E800-E962	ACCIDENTS.	759	30	57	28	27	85	61	53	52	60	46	41	40	33	26	20	28	21	24	20	3	3	1
	WHITE.....MALE..	501	14	31	17	15	64	47	37	34	41	31	32	31	20	19	14	17	12	13	8	1	2	1
	FEMALE	168	11	17	9	9	10	8	11	7	9	12	7	4	6	4	2	8	8	11	12	2	1	-
	NONWHITE.....MALE..	65	4	4	1	2	8	4	3	9	7	3	2	4	4	3	4	2	1	-	-	-	-	-
	FEMALE	25	1	5	1	1	3	2	2	2	3	-	-	1	3	-	-	1	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	373	6	17	9	10	65	50	31	26	28	20	24	23	16	10	9	12	7	8	2	-	-	-
	WHITE.....MALE..	246	2	8	6	7	51	37	17	16	16	12	20	15	10	8	5	6	5	5	-	-	-	-
	FEMALE	81	2	7	3	1	9	8	9	5	7	6	3	4	3	1	2	4	2	3	2	-	-	-
	NONWHITE.....MALE..	29	1	-	-	1	2	3	3	3	3	2	1	3	2	1	2	2	-	-	-	-	-	-
	FEMALE	17	1	2	-	1	3	2	2	2	2	-	-	1	1	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	386	24	40	19	17	20	11	22	26	32	26	17	17	17	16	11	16	14	16	18	3	3	1
	WHITE.....MALE..	255	12	23	11	8	13	10	20	18	25	19	12	16	10	11	9	11	7	8	8	1	2	1
	FEMALE	87	9	10	6	8	1	-	2	2	2	6	4	-	3	3	-	4	6	8	10	2	1	-
	NONWHITE.....MALE..	36	3	4	1	1	6	1	-	6	4	1	1	1	2	2	2	-	1	-	-	-	-	-
	FEMALE	8	-	3	1	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	104	...	...	-	-	6	11	7	11	10	6	11	13	10	7	7	1	3	1	-	-	-	-
	WHITE.....MALE..	76	...	...	-	-	5	6	4	7	8	4	10	7	8	6	6	1	3	1	-	-	-	-
	FEMALE	24	...	...	-	-	1	4	1	4	2	2	1	6	1	1	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	...	...	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	...	...	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	54	-	2	-	1	1	14	9	5	9	3	3	3	1	2	-	1	-	-	-	-	-	-
	WHITE.....MALE..	29	-	-	-	-	1	8	4	2	6	1	2	2	-	2	-	1	-	-	-	-	-	-
	FEMALE	10	-	2	-	-	-	1	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK																							
	ALL CAUSES	181,795	8,739	1,177	724	537	899	1,166	1,241	1,794	2,798	4,250	6,572	9,911	13,394	17,489	22,840	25,719	24,258	19,401	12,430	4,992	1,388	76
	WHITE.....MALE	91,618	3,814	481	352	274	524	626	567	777	1,265	1,991	3,362	5,447	7,925	10,164	12,927	13,630	11,996	8,500	4,811	1,751	390	44
	FEMALE	75,108	2,767	463	276	184	251	295	320	495	830	1,339	2,162	3,188	4,186	5,825	8,519	10,884	11,461	10,317	7,277	3,106	945	18
	NONWHITE.....MALE	8,390	1,219	118	57	48	83	142	211	284	421	526	612	704	769	878	789	657	382	274	142	38	24	12
	FEMALE	6,679	939	115	39	31	41	103	143	238	282	394	436	572	514	622	605	548	419	310	200	97	29	2
001-019	TUBERCULOSIS, ALL FORMS	1,094	1	6	1	2	3	6	25	32	65	70	94	107	111	149	111	117	113	51	24	4	2	-
	WHITE.....MALE	603	-	1	1	1	-	1	3	6	15	17	36	61	79	103	76	79	76	35	12	-	1	-
	FEMALE	171	-	1	-	-	2	1	8	8	6	11	17	12	10	10	19	21	22	10	10	3	-	-
	NONWHITE.....MALE	222	1	1	-	1	-	1	8	8	34	25	29	24	17	30	14	13	10	5	1	-	-	-
	FEMALE	98	-	3	-	-	1	3	6	10	10	17	12	10	5	6	2	4	5	1	1	1	1	-
001-008	RESPIRATORY TUBERCULOSIS	1,034	1	2	-	1	3	3	23	28	60	67	91	102	109	141	103	111	108	51	24	4	2	-
	WHITE.....MALE	587	-	1	-	1	-	1	3	6	14	16	36	59	79	99	74	76	74	35	12	-	1	-
	FEMALE	157	-	-	-	-	2	1	8	8	5	11	16	11	10	9	15	19	19	10	10	3	-	-
	NONWHITE.....MALE	208	1	-	-	-	-	-	7	7	32	24	29	22	15	30	13	12	10	5	1	-	-	-
	FEMALE	82	-	1	-	-	1	1	5	7	9	16	10	10	5	3	1	4	5	1	1	1	1	-
010-019	TUBERCULOSIS, OTHER FORMS	60	-	4	1	1	-	3	2	4	5	3	3	5	2	8	8	6	5	-	-	-	-	-
	WHITE.....MALE	16	-	-	1	-	-	-	-	-	1	1	-	2	-	4	2	3	2	-	-	-	-	-
	FEMALE	14	-	1	-	-	-	-	-	-	1	-	1	1	-	1	4	2	3	-	-	-	-	-
	NONWHITE.....MALE	14	-	1	-	1	-	1	1	1	2	1	-	2	2	-	1	1	-	-	-	-	-	-
	FEMALE	16	-	2	-	-	-	2	1	3	1	1	2	-	-	3	1	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	219	2	-	-	-	-	1	-	1	1	6	5	25	29	39	34	33	28	8	6	1	-	-
	WHITE.....MALE	124	1	-	-	-	-	-	-	-	-	1	2	12	14	23	25	23	18	3	2	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	1	1	-	1	4	2	6	4	4	5	3	4	1	-	-
	NONWHITE.....MALE	37	-	-	-	-	-	-	-	-	-	1	2	5	10	6	3	6	3	1	-	-	-	-
	FEMALE	22	1	-	-	-	-	1	-	-	-	4	-	4	3	4	2	-	2	1	-	-	-	-
045-048	DYSENTERY, ALL FORMS	6	1	-	1	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	WHITE.....MALE	5	1	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	7	1	-	1	-	-	-	1	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
	WHITE.....MALE	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	52	9	10	4	3	6	2	3	-	3	-	4	2	-	2	2	-	-	1	1	-	-	-
	WHITE.....MALE	25	3	5	-	1	5	2	2	-	2	-	1	-	-	2	1	-	-	1	-	-	-	-
	FEMALE	20	5	4	4	1	1	-	1	-	-	-	2	-	-	-	1	-	-	-	1	-	-	-
	NONWHITE.....MALE	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	35	6	14	7	-	4	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	10	-	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	21	4	8	3	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	481	59	29	18	12	11	11	12	18	19	26	32	29	39	32	32	40	29	19	14	-	-	-
	WHITE.....MALE	198	25	7	8	6	3	3	3	5	6	8	11	11	20	19	15	19	14	8	7	-	-	-
	FEMALE	203	17	12	6	3	6	6	7	5	10	13	14	15	15	12	14	17	14	11	6	-	-	-
	NONWHITE.....MALE	42	9	5	3	1	2	1	2	4	3	2	3	-	3	-	1	3	-	-	-	-	-	-
	FEMALE	38	8	5	1	2	-	1	-	4	-	3	4	3	1	1	2	1	1	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	31,910	24	119	138	88	98	91	135	282	528	993	1,625	2,640	3,468	4,393	5,179	4,756	3,758	2,215	1,031	293	48	8
	WHITE.....MALE..	15,893	11	61	74	36	51	40	66	111	189	314	596	1,117	1,784	2,319	2,768	2,646	2,020	1,103	458	110	14	5
	FEMALE	13,863	11	48	56	45	37	41	56	133	263	528	820	1,253	1,392	1,748	2,122	1,904	1,618	1,051	533	171	31	2
	NONWHITE.....MALE..	1,143	-	3	4	3	3	5	7	10	24	62	102	133	170	197	170	132	59	31	21	4	2	1
	FEMALE	1,011	2	7	4	4	7	5	6	28	52	89	107	137	122	129	119	74	61	30	19	8	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	734	-	1	-	-	1	1	3	2	7	29	46	80	113	97	92	103	66	52	30	9	2	-
	WHITE.....MALE..	508	-	1	-	-	1	1	1	2	2	10	20	51	78	63	78	79	48	40	26	7	-	-
	FEMALE	153	-	-	-	-	-	-	2	-	4	9	16	20	20	20	12	19	13	11	4	2	1	-
	NONWHITE.....MALE..	57	-	-	-	-	-	-	-	-	1	9	8	6	13	11	1	4	3	1	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	1	2	3	2	3	1	1	2	-	-	-	1	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	11,400	4	5	4	4	2	7	16	36	114	196	418	745	1,060	1,580	1,948	1,967	1,680	990	479	122	20	3
	WHITE.....MALE..	5,819	3	2	2	2	-	3	8	17	61	80	203	356	583	853	1,012	1,070	846	470	199	39	9	1
	FEMALE	4,817	1	3	2	1	1	2	5	11	32	87	145	306	378	582	824	817	777	498	260	74	10	1
	NONWHITE.....MALE..	452	-	-	-	-	-	1	2	4	10	17	35	52	66	91	75	45	26	12	11	3	1	1
	FEMALE	312	-	-	-	1	1	1	1	4	11	12	35	31	33	54	37	35	31	10	9	6	-	-
160-164	OF RESP. SYSTEM, ETC.....	5,300	-	-	1	1	3	4	4	14	53	137	268	515	764	967	1,000	771	503	202	65	20	5	3
	WHITE.....MALE..	4,210	-	-	1	-	-	2	1	11	37	78	175	375	615	799	857	641	411	146	42	15	1	3
	FEMALE	743	-	-	-	-	2	1	3	1	10	35	52	89	89	105	94	102	78	50	23	5	4	-
	NONWHITE.....MALE..	285	-	-	-	1	1	-	-	2	5	18	34	41	49	53	39	27	11	4	-	-	-	-
	FEMALE	62	-	-	-	-	-	1	-	-	1	6	7	10	11	10	10	1	3	2	-	-	-	-
170	OF BREAST.....	3,157	-	-	-	-	1	2	6	55	110	187	297	416	401	414	422	287	243	185	85	39	6	1
	WHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	7	4	4	1	-	-	-
	FEMALE	2,949	-	-	-	-	1	2	5	43	95	168	274	384	376	399	399	270	230	178	80	38	6	1
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	FEMALE	180	-	-	-	-	-	-	1	12	15	18	23	30	23	12	20	9	9	3	4	1	-	-
171-179	OF GENITAL ORGANS.....	3,888	-	2	1	2	6	5	22	48	83	155	194	309	359	466	596	608	484	347	153	44	3	1
	WHITE.....MALE..	1,293	-	1	-	-	3	3	9	9	8	6	3	25	48	99	200	254	276	217	99	31	1	1
	FEMALE	2,201	-	1	1	2	3	2	10	31	58	114	161	234	266	319	342	300	186	111	45	13	2	-
	NONWHITE.....MALE..	136	-	-	-	-	-	-	-	-	-	1	1	6	15	19	30	35	14	9	6	-	-	-
	FEMALE	258	-	-	-	-	-	-	3	8	17	34	29	44	30	29	24	19	8	10	3	-	-	-
180, 181	OF URINARY ORGANS.....	1,561	2	6	7	2	1	-	1	3	11	32	60	92	141	189	272	276	240	139	65	20	2	-
	WHITE.....MALE..	1,017	2	3	4	1	-	-	-	2	5	15	40	61	103	131	191	184	159	81	30	5	-	-
	FEMALE	462	-	2	1	1	-	-	-	1	3	13	12	21	32	47	68	82	77	52	34	14	2	-
	NONWHITE.....MALE..	45	-	-	1	-	1	-	1	-	1	2	5	4	2	7	8	8	2	2	-	1	-	-
	FEMALE	37	-	1	1	-	-	-	-	-	2	2	3	6	4	4	5	2	2	4	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	3,054	12	28	33	33	37	21	33	51	80	117	192	283	343	382	455	384	276	166	96	26	6	-
	WHITE.....MALE..	1,507	6	14	17	11	23	11	20	32	37	50	79	133	184	204	230	201	131	79	36	8	1	-
	FEMALE	1,390	5	12	13	20	11	10	12	16	40	49	99	128	137	159	207	170	139	85	55	18	5	-
	NONWHITE.....MALE..	80	-	-	2	1	-	-	1	2	1	7	9	13	15	8	5	9	2	1	4	-	-	-
	FEMALE	77	1	2	1	1	3	-	-	1	2	11	5	9	7	11	13	4	4	1	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	1,256	5	69	82	34	34	15	15	28	25	49	41	61	84	125	162	164	134	75	40	12	2	-
	WHITE.....MALE..	673	-	34	44	15	17	6	7	12	12	27	20	34	55	69	87	103	79	30	17	4	1	-
	FEMALE	521	4	28	37	17	13	8	5	15	8	18	15	21	24	51	69	58	55	45	23	7	-	-
	NONWHITE.....MALE..	33	-	3	1	1	1	1	2	-	3	1	5	4	1	3	5	1	-	-	-	-	1	-
	FEMALE	29	1	4	-	1	3	-	1	1	2	3	1	2	4	2	1	2	-	-	-	1	-	-
200-203, 205	LYMPHOMAS, ETC.....	1,560	1	8	10	12	13	36	35	45	45	91	109	139	203	173	232	196	132	59	18	1	2	-
	WHITE.....MALE..	841	-	6	6	7	7	14	20	26	27	47	56	81	116	98	111	107	66	36	8	1	1	-
	FEMALE	627	1	2	2	4	6	16	14	15	13	35	46	50	70	66	107	86	63	21	9	-	1	-
	NONWHITE.....MALE..	52	-	-	-	-	-	3	1	2	3	7	5	6	9	5	6	2	1	2	-	-	-	-
	FEMALE	40	-	-	2	1	-	3	-	2	2	2	2	2	8	4	8	1	2	-	1	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	563	13	10	20	5	10	4	13	21	37	38	44	59	61	53	64	40	30	23	15	3	-	-
	WHITE.....MALE..	240	6	3	9	4	5	1	6	7	7	13	18	21	32	17	35	21	17	11	7	-	-	-
	FEMALE	242	7	6	7	1	4	3	2	8	20	13	19	28	20	28	25	16	13	11	8	3	-	-
	NONWHITE.....MALE..	30	-	-	2	-	-	-	1	1	2	4	1	5	5	2	4	3	-	-	-	-	-	-
	FEMALE	51	-	1	2	-	1	-	4	5	8	8	6	5	4	6	-	-	-	1	-	-	-	-
241	ASTHMA.....	418	2	8	8	6	2	8	11	12	18	17	26	29	56	45	61	44	37	22	6	-	-	-
	WHITE.....MALE..	218	-	4	4	2	1	1	3	1	4	3	9	17	25	29	41	34	20	16	4	-	-	-
	FEMALE	125	1	1	1	2	1	5	2	3	4	7	9	9	21	14	14	9	16	5	1	-	-	-
	NONWHITE.....MALE..	35	1	2	3	1	-	2	3	1	2	3	4	2	5	1	3	1	-	1	-	-	-	-
	FEMALE	40	-	1	-	1	-	-	3	7	8	4	4	1	5	1	3	-	1	-	1	-	-	-
260	DIABETES MELLITUS.....	3,328	4	2	3	3	6	10	27	36	41	53	104	169	263	400	561	656	487	315	149	31	6	2
	WHITE.....MALE..	1,273	4	-	2	2	2	1	10	15	23	25	40	74	112	157	218	214	186	111	61	13	2	1
	FEMALE	1,723	-	2	1	1	3	9	11	16	9	14	39	57	106	195	296	399	274	185	84	17	4	1
	NONWHITE.....MALE..	125	-	-	-	-	1	-	4	3	5	6	7	9	20	16	19	17	10	7	1	-	-	-
	FEMALE	207	-	-	-	-	-	-	2	2	4	8	18	29	25	32	28	26	17	12	3	1	-	-
290-293	ANEMIAS.....	243	6	11	8	6	9	8	3	2	-	4	8	12	9	14	29	27	35	27	18	6	1	-
	WHITE.....MALE..	94	1	2	4	4	3	1	2	1	-	1	2	1	4	10	14	8	16	11	7	2	-	-
	FEMALE	114	2	3	1	2	3	2	1	-	-	-	2	8	3	4	14	19	19	15	11	4	1	-
	NONWHITE.....MALE..	16	2	1	1	-	3	2	-	1	-	1	2	1	-	-	1	-	-	1	-	-	-	-
	FEMALE	19	1	5	2	-	-	3	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	198	64	29	13	-	5	-	2	1	3	4	8	15	10	14	7	9	7	4	3	-	-	-
	WHITE.....MALE..	90	34	13	6	-	2	-	1	1	2	-	2	5	5	5	2	4	5	1	2	-	-	-
	FEMALE	53	12	8	5	-	3	-	1	-	-	1	-	4	2	5	4	5	-	2	1	-	-	-
	NONWHITE.....MALE..	31	11	6	2	-	-	-	-	-	1	2	4	2	1	2	-	-	-	-	-	-	-	-
	FEMALE	24	7	2	-	-	-	-	-	-	-	1	2	4	2	2	1	-	2	1	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	103,244	35	34	23	35	66	113	176	353	796	1,575	2,783	4,669	6,850	9,690	13,539	16,681	16,778	14,248	9,590	4,037	1,138	35
	WHITE.....MALE..	52,126	17	15	9	9	31	51	69	179	419	914	1,709	2,950	4,326	5,851	7,728	8,647	7,978	5,963	3,566	1,359	312	24
	FEMALE	45,085	11	13	10	18	21	32	53	92	206	364	677	1,151	1,898	3,009	4,991	7,263	8,267	7,873	5,770	2,573	786	7
	NONWHITE.....MALE..	3,088	5	4	3	1	4	12	27	36	90	169	225	298	364	455	435	386	245	182	98	27	19	3
	FEMALE	2,945	2	2	1	7	10	18	27	46	81	128	172	270	262	375	385	385	288	230	156	78	21	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	102,303	35	30	18	28	57	92	151	317	759	1,525	2,725	4,584	6,768	9,595	13,436	16,581	16,680	14,173	9,557	4,028	1,129	35
	WHITE.....MALE..	51,672	17	14	7	9	26	37	60	160	404	897	1,686	2,912	4,280	5,799	7,676	8,594	7,928	5,926	3,554	1,356	306	24
	FEMALE	44,749	11	10	8	13	19	27	44	84	192	349	662	1,123	1,878	2,977	4,956	7,225	8,224	7,837	5,753	2,567	783	7
	NONWHITE.....MALE..	3,008	5	4	2	1	3	10	21	32	87	158	215	289	356	452	426	381	241	181	95	27	19	3
	FEMALE	2,874	2	2	1	5	9	18	26	41	76	121	162	260	254	367	378	381	287	229	155	78	21	1
330-334	VASCULAR LESIONS, ETC.	15,639	11	15	11	8	18	27	26	77	98	213	314	520	676	1,138	1,759	2,595	2,828	2,631	1,809	692	171	2
	WHITE.....MALE..	6,483	7	9	6	3	11	8	11	33	34	74	95	227	300	527	827	1,210	1,194	1,036	632	207	31	1
	FEMALE	8,175	3	4	4	5	4	12	7	28	36	80	141	202	274	480	816	1,258	1,547	1,527	1,142	471	133	1
	NONWHITE.....MALE..	436	1	1	1	-	-	1	2	4	11	28	37	31	50	69	55	62	38	29	11	4	1	-
	FEMALE	545	-	1	-	-	3	6	6	12	17	31	41	60	52	62	61	65	49	39	24	10	6	-
400-402, 410-443	DISEASES OF HEART	80,390	23	12	4	15	33	48	104	214	595	1,230	2,297	3,891	5,822	8,047	11,104	13,121	12,827	10,470	6,844	2,870	787	32
	WHITE.....MALE..	42,282	10	5	-	5	15	24	44	122	341	791	1,543	2,596	3,826	5,027	6,509	6,943	6,220	4,451	2,570	987	230	23
	FEMALE	33,637	8	5	2	5	10	12	30	46	139	251	483	879	1,529	2,363	3,941	5,587	6,197	5,715	4,092	1,805	533	5
	NONWHITE.....MALE..	2,364	3	1	1	1	2	7	15	22	70	112	163	235	288	361	352	297	190	140	69	20	12	3
	FEMALE	2,107	2	1	1	4	6	5	15	24	45	76	108	181	179	296	302	294	220	164	113	58	12	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	2,482	-	3	2	9	25	28	55	78	167	201	254	366	386	315	257	172	89	44	23	8	-	-
	WHITE.....MALE..	975	-	1	-	3	8	12	19	32	62	86	115	146	147	124	103	62	31	16	4	4	-	-
	FEMALE	1,317	-	1	1	3	10	6	23	32	83	93	123	192	219	172	144	106	58	28	19	4	-	-
	NONWHITE.....MALE..	84	-	-	-	-	2	5	4	4	10	8	11	10	14	8	7	1	-	-	-	-	-	-
	FEMALE	106	-	1	1	3	5	5	9	10	12	14	5	18	6	11	3	3	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	66,167	-	-	-	2	1	9	29	102	331	883	1,737	3,096	4,778	6,782	9,414	11,111	10,681	8,659	5,591	2,312	618	31
	WHITE.....MALE..	36,807	-	-	-	-	1	6	19	76	253	653	1,310	2,286	3,397	4,493	5,806	6,130	5,356	3,830	2,167	816	186	22
	FEMALE	26,325	-	-	-	1	-	2	3	11	34	125	281	546	1,068	1,838	3,144	4,534	5,022	4,582	3,279	1,436	414	5
	NONWHITE.....MALE..	1,705	-	-	-	1	-	1	4	11	32	76	98	174	199	262	258	246	145	112	58	14	11	3
	FEMALE	1,330	-	-	-	-	-	-	3	4	12	29	48	90	114	189	206	201	158	135	87	46	7	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	4,439	1	2	-	2	3	3	-	9	14	36	60	87	142	249	397	630	849	840	658	346	110	1
	WHITE.....MALE..	1,913	1	1	-	1	3	3	-	6	2	20	32	39	73	122	208	293	405	328	233	114	28	1
	FEMALE	2,272	-	1	-	-	-	-	-	-	8	6	21	35	54	91	154	295	412	488	408	221	78	-
	NONWHITE.....MALE..	107	-	-	-	-	-	-	-	2	3	7	4	5	10	13	13	12	16	13	5	4	-	-
	FEMALE	147	-	-	-	1	-	-	-	1	1	3	3	8	5	23	22	30	16	11	12	7	4	-
430-434	OTHER DISEASES OF HEART	1,016	22	7	2	1	4	7	10	11	24	24	31	65	74	87	110	150	142	117	84	30	14	-
	WHITE.....MALE..	482	9	3	-	1	3	2	3	4	11	13	15	32	41	46	56	66	78	51	31	10	7	-
	FEMALE	443	8	3	1	-	-	4	3	3	4	6	4	21	21	31	50	80	61	64	52	20	7	-
	NONWHITE.....MALE..	58	3	1	1	-	-	1	2	1	8	2	8	10	8	7	3	-	2	1	-	-	-	-
	FEMALE	33	2	-	-	-	1	-	2	3	1	3	4	2	4	3	1	4	1	1	1	-	-	-
440-443	HYPERTENSIVE HEART DIS.	6,286	-	-	-	1	-	1	10	14	59	86	215	277	442	614	926	1,058	1,066	810	488	174	45	-
	WHITE.....MALE..	2,105	-	-	-	-	-	1	3	4	13	19	71	93	168	242	336	392	350	226	135	43	9	-
	FEMALE	3,280	-	-	-	1	-	-	1	-	10	21	54	85	167	231	449	572	644	553	334	124	34	-
	NONWHITE.....MALE..	410	-	-	-	-	-	-	5	4	17	19	42	36	57	71	71	38	27	14	6	2	1	-
	FEMALE	491	-	-	-	-	-	-	1	6	19	27	48	63	50	70	70	56	45	17	13	5	1	-
444-447	OTHER HYPERTENSIVE DIS.	1,185	-	-	-	-	-	3	5	12	30	32	33	49	48	80	109	180	200	194	133	56	21	-
	WHITE.....MALE..	516	-	-	-	-	-	-	-	2	11	9	10	23	18	43	59	83	87	83	59	25	4	-
	FEMALE	531	-	-	-	-	-	-	-	1	5	4	5	7	18	31	44	84	108	104	72	31	17	-
	NONWHITE.....MALE..	66	-	-	-	-	-	1	3	4	6	11	8	10	4	5	3	8	-	3	-	-	-	-
	FEMALE	72	-	-	-	-	-	2	2	5	8	8	10	9	8	1	3	5	5	4	2	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	3,084	-	-	-	-	-	-	-	-	-	1	8	22	47	103	179	339	515	697	642	388	142	1
	WHITE.....MALE..	1,270	-	-	-	-	-	-	-	-	-	1	6	11	25	59	96	153	242	269	240	130	38	-
	FEMALE	1,661	-	-	-	-	-	-	-	-	-	-	2	5	13	32	67	165	256	404	374	246	96	1
	NONWHITE.....MALE..	70	-	-	-	-	-	-	-	-	-	-	-	3	4	7	9	8	9	8	13	3	6	-
	FEMALE	83	-	-	-	-	-	-	-	-	-	-	-	3	5	5	7	13	8	16	15	9	2	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	2,005	1	3	3	5	6	14	16	14	36	49	73	102	175	227	285	346	310	181	129	22	8	-
	WHITE.....MALE..	1,121	-	-	1	1	-	5	5	3	18	22	32	55	111	143	185	205	185	87	53	7	3	-
	FEMALE	745	-	1	2	3	5	3	7	9	12	14	31	30	44	71	88	131	116	87	73	14	4	-
	NONWHITE.....MALE..	72	1	2	-	-	1	1	1	2	-	7	7	10	10	10	7	6	4	1	2	-	-	-
	FEMALE	67	-	-	-	1	-	5	3	-	6	6	3	7	10	3	5	4	5	6	1	1	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	941	-	4	5	7	9	21	25	36	37	50	58	85	82	95	103	100	98	75	33	9	9	-
	WHITE.....MALE..	454	-	1	2	-	5	14	9	19	15	17	23	38	46	52	52	53	50	37	12	3	6	-
	FEMALE	336	-	3	2	5	2	5	9	8	14	15	15	28	20	32	35	38	43	36	17	6	3	-
	NONWHITE.....MALE..	80	-	-	1	-	1	2	6	4	3	11	10	9	8	3	9	5	4	1	3	-	-	-
	FEMALE	71	-	-	-	2	1	-	1	5	5	7	10	10	8	8	7	4	1	1	1	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	6,672	652	179	69	43	33	31	48	52	97	127	193	238	324	373	564	833	906	827	686	292	101	4
	WHITE.....MALE..	3,230	247	68	29	13	17	18	17	22	29	54	84	116	179	214	335	459	493	408	286	113	26	3
	FEMALE	2,609	183	68	29	23	13	8	18	12	26	26	55	63	93	110	174	320	380	385	383	169	70	1
	NONWHITE.....MALE..	492	130	28	5	5	2	3	4	10	22	30	36	39	33	30	34	38	18	15	5	4	1	-
	FEMALE	341	92	15	6	2	1	2	9	8	20	17	18	20	19	19	21	16	15	19	12	6	4	-
480-483	INFLUENZA.....	128	7	6	3	-	2	1	1	-	1	1	7	5	4	9	9	17	7	13	17	13	5	-
	WHITE.....MALE..	45	4	2	-	-	-	-	-	-	-	-	2	2	-	6	5	5	4	5	5	4	1	-
	FEMALE	78	2	4	3	-	2	-	1	-	1	1	4	2	3	3	4	12	3	8	12	9	4	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	6,544	645	173	66	43	31	30	47	52	96	126	186	233	320	364	555	816	899	814	669	279	96	4
	WHITE.....MALE..	3,185	243	66	29	13	17	18	17	22	29	54	82	114	179	208	330	454	489	403	281	109	25	3
	FEMALE	2,531	181	64	26	23	11	8	17	12	25	25	51	61	90	107	170	308	377	377	371	160	66	1
	NONWHITE.....MALE..	490	130	28	5	5	2	3	4	10	22	30	35	38	33	30	34	38	18	15	5	4	1	-
	FEMALE	338	91	15	6	2	1	1	9	8	20	17	18	20	18	19	21	16	15	19	12	6	4	-
500-502	BRONCHITIS.....	580	60	25	7	2	4	5	4	1	2	5	15	29	41	57	86	82	55	54	28	13	5	-
	WHITE.....MALE..	412	28	18	4	2	3	4	2	-	2	3	9	22	28	45	71	69	48	29	12	10	3	-
	FEMALE	121	14	4	2	-	1	1	2	1	-	1	3	4	12	9	10	11	5	20	16	3	2	-
	NONWHITE.....MALE..	30	7	2	1	-	-	-	-	-	-	1	1	2	1	3	4	2	2	4	-	-	-	-
	FEMALE	17	11	1	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	1,547	46	11	2	4	1	3	3	8	13	30	57	78	138	221	291	272	184	134	39	11	1	-
	WHITE.....MALE..	1,196	18	7	1	2	-	2	-	2	5	18	30	58	108	183	244	235	145	100	30	7	1	-
	FEMALE	274	18	3	1	1	1	1	2	4	6	7	22	13	18	32	39	31	34	32	6	3	-	-
	NONWHITE.....MALE..	63	7	1	-	1	-	-	1	1	-	3	4	6	9	6	8	6	4	2	3	1	-	-
	FEMALE	14	3	-	-	-	-	-	-	1	2	2	1	1	3	-	-	-	1	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	1,447	11	-	1	1	-	-	3	20	31	42	65	101	140	156	263	218	188	125	61	17	4	-
	WHITE.....MALE..	926	4	-	1	1	-	-	2	12	18	28	41	59	100	111	176	132	130	71	31	9	-	-
	FEMALE	428	3	-	-	-	-	-	1	3	7	7	17	26	29	38	72	78	55	52	28	8	4	-
	NONWHITE.....MALE..	69	2	-	-	-	-	-	-	4	6	5	6	11	10	4	13	6	1	-	1	-	-	-
	FEMALE	24	2	-	-	-	-	-	-	1	-	2	1	5	1	3	2	2	2	2	1	-	-	-
550-553	APPENDICITIS.....	193	1	2	4	9	4	3	2	3	6	7	12	16	17	26	20	17	18	12	10	4	-	-
	WHITE.....MALE..	88	-	1	-	4	3	1	1	1	3	3	7	11	5	11	13	6	8	5	4	1	-	-
	FEMALE	77	-	1	4	2	1	-	-	1	2	1	3	3	11	9	6	8	10	6	6	3	-	-
	NONWHITE.....MALE..	14	1	-	-	2	-	-	-	1	1	-	2	-	-	4	-	2	-	1	-	-	-	-
	FEMALE	14	-	-	-	1	-	2	1	-	-	3	-	2	1	2	1	1	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	895	67	9	-	1	1	4	3	10	9	15	27	35	53	78	87	136	131	133	70	20	5	1
	WHITE.....MALE..	401	39	4	-	1	-	2	2	4	5	5	11	16	27	29	42	58	58	54	34	7	3	-
	FEMALE	433	21	3	-	-	-	1	1	3	1	4	12	16	21	44	40	73	69	76	33	13	2	-
	NONWHITE.....MALE..	36	3	1	-	-	1	1	-	2	1	4	1	2	1	3	4	4	2	3	2	-	-	1
	FEMALE	25	4	1	-	-	-	-	-	1	2	2	3	1	4	2	1	1	2	-	1	-	-	-
543, 571, 572	GASTRITIS, ETC.....	804	164	39	13	3	8	10	8	16	8	20	23	42	39	76	80	81	84	44	31	11	3	1
	WHITE.....MALE..	329	53	11	10	1	5	7	3	7	3	7	9	26	15	41	43	36	32	8	6	4	2	-
	FEMALE	365	42	23	1	2	3	3	4	7	5	10	13	12	20	30	32	43	49	33	25	7	1	-
	NONWHITE.....MALE..	62	34	3	1	-	-	-	1	1	-	3	1	2	4	4	4	1	1	1	-	-	-	-
	FEMALE	48	35	2	1	-	-	-	-	1	-	-	-	2	-	1	1	1	2	2	-	-	-	1
581	CIRRHOSIS OF LIVER.....	3,341	1	3	-	3	5	10	34	110	202	304	443	482	533	441	364	222	118	51	13	2	-	-
	WHITE.....MALE..	1,892	-	1	-	2	2	2	9	24	74	137	221	288	364	283	242	138	69	28	8	-	-	-
	FEMALE	878	-	-	-	1	2	1	4	21	46	64	139	126	123	105	101	75	42	22	4	2	-	-
	NONWHITE.....MALE..	390	-	-	-	-	1	5	10	35	64	63	59	50	31	44	17	5	4	1	1	-	-	-
	FEMALE	181	1	2	-	-	-	2	11	30	18	40	24	18	15	9	4	4	3	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	523	-	-	-	-	-	1	2	3	6	11	18	21	34	40	86	81	88	76	35	16	5	-
	WHITE.....MALE..	220	-	-	-	-	-	-	-	1	2	1	7	11	14	17	44	37	32	34	12	6	2	-
	FEMALE	284	-	-	-	-	-	1	1	1	2	7	11	7	17	21	42	43	55	41	23	9	3	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	1	-	1	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	2	2	-	3	3	1	-	1	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	108	2	7	7	2	7	4	3	5	5	4	6	11	7	9	11	2	9	1	4	1	1	-
	WHITE.....MALE..	52	-	4	2	2	6	3	1	1	2	2	3	6	5	4	5	1	3	-	2	-	-	-
	FEMALE	46	2	2	5	-	1	1	2	1	1	1	2	3	2	5	6	1	6	1	2	1	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	-	1	-	-	-	-	-	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	845	3	1	2	3	3	5	5	10	19	23	27	50	66	85	118	131	122	94	57	18	3	-
	WHITE.....MALE..	359	2	1	1	1	1	4	1	-	6	1	7	14	32	36	52	64	58	41	27	9	1	-
	FEMALE	370	-	-	1	2	2	-	3	6	5	14	14	26	17	30	50	58	57	48	26	9	2	-
	NONWHITE.....MALE..	50	1	-	-	-	-	-	1	1	3	6	-	2	7	8	7	2	6	3	3	-	-	-
	FEMALE	66	-	-	-	-	-	1	-	3	5	2	6	8	10	11	9	7	1	2	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	429	-	-	-	-	-	-	-	-	-	-	-	2	3	6	37	51	82	87	85	55	18	3	-
	WHITE.....MALE..	397	-	-	-	-	-	-	-	-	-	-	-	2	5	31	47	74	83	80	54	18	3	-
	NONWHITE.....MALE..	32	-	-	-	-	-	-	-	-	-	-	2	1	1	6	4	8	4	5	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NEW YORK--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	170	-	-	-	-	10	39	37	37	24	22	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	91	-	-	-	-	3	22	16	18	17	14	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	79	-	-	-	-	7	17	21	19	7	8	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	58	-	-	-	-	5	10	19	15	5	4	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	23	-	-	-	-	1	5	6	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	35	-	-	-	-	4	5	13	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	112	-	-	-	-	5	29	18	22	19	18	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	68	-	-	-	-	2	17	10	13	14	11	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	44	-	-	-	-	3	12	8	9	5	7	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	1,886	1,308	161	61	32	44	28	17	22	29	27	27	30	38	16	20	11	4	5	6	-	-	-
	WHITE.....MALE..	897	616	66	29	18	23	14	9	11	13	20	17	14	15	8	8	6	2	5	3	-	-	-
	FEMALE	766	521	81	28	13	11	13	4	7	12	5	9	14	21	7	11	4	2	-	3	-	-	-
	NONWHITE.....MALE..	123	101	5	1	1	6	1	1	1	1	2	-	2	-	-	1	-	-	-	-	-	-	-
	FEMALE	100	70	9	3	-	4	-	3	3	3	-	1	-	2	1	-	1	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	5,575	5,574	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2,435	2,435	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1,712	1,711	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	804	804	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	624	624	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	2,413	2,413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,139	1,139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	786	786	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	348	348	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	94	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	2,814	2,813	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,142	1,142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	832	831	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	464	464	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	1,221	167	32	8	8	26	61	79	96	95	87	98	95	80	69	55	45	30	40	24	13	8	5
	WHITE.....MALE..	516	52	10	3	4	12	25	29	27	44	28	45	41	37	47	32	21	16	21	11	7	2	2
	FEMALE	435	40	11	4	-	9	12	18	36	23	40	40	42	36	20	22	21	14	19	13	6	6	3
	NONWHITE.....MALE..	167	43	7	1	1	4	12	21	23	15	13	9	7	5	2	1	3	-	-	-	-	-	-
	FEMALE	103	32	4	-	3	1	12	11	10	13	6	4	5	2	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	4,295	222	123	61	52	73	76	113	150	176	212	262	311	360	379	482	458	348	246	121	53	14	3
	WHITE.....MALE..	1,999	104	48	26	25	40	40	45	46	68	94	122	140	172	191	250	236	166	109	47	24	5	1
	FEMALE	1,763	77	63	30	21	22	12	36	34	47	79	83	125	154	165	204	209	167	131	71	27	6	-
	NONWHITE.....MALE..	311	20	3	4	3	7	15	23	36	41	27	32	31	22	12	16	5	6	2	2	1	1	2
	FEMALE	222	21	9	1	3	4	9	9	34	20	12	25	15	12	11	12	8	9	4	1	1	2	-
E800-E962	ACCIDENTS.	7,219	195	301	232	197	377	499	319	295	341	330	375	418	438	429	497	505	502	491	310	120	38	10
	WHITE.....MALE..	4,082	99	122	121	126	268	346	207	187	202	196	229	247	286	267	294	274	240	203	103	48	12	5
	FEMALE	2,277	54	94	70	39	84	95	41	42	67	60	87	107	103	126	174	209	250	277	201	70	25	2
	NONWHITE.....MALE..	627	27	44	24	25	23	46	58	50	61	55	45	49	39	34	19	8	6	7	3	-	1	3
	FEMALE	233	15	41	17	7	2	12	13	16	11	19	14	15	10	2	10	14	6	4	3	2	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	2,531	6	76	100	71	252	338	180	138	153	127	129	136	157	153	166	141	119	63	21	4	-	1
	WHITE.....MALE..	1,626	3	32	57	43	183	245	121	91	100	78	80	79	104	86	102	85	82	42	11	2	-	-
	FEMALE	656	2	26	33	22	62	63	25	29	32	28	27	39	41	55	54	52	36	19	9	2	-	-
	NONWHITE.....MALE..	190	1	12	8	6	7	20	27	15	18	18	16	12	9	11	5	1	1	2	-	-	-	1
	FEMALE	59	-	6	2	-	-	10	7	3	3	3	6	6	3	1	5	3	-	-	1	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	4,688	189	225	132	126	125	161	139	157	188	203	246	282	281	276	331	364	383	428	289	116	38	9
	WHITE.....MALE..	2,456	96	90	64	83	85	101	86	96	102	118	149	168	182	181	192	189	158	161	92	46	12	5
	FEMALE	1,621	52	68	37	17	22	32	16	13	35	32	60	68	62	71	120	157	214	258	192	68	25	2
	NONWHITE.....MALE..	437	26	32	16	19	16	26	31	35	43	37	29	37	30	23	14	7	5	5	3	-	1	2
	FEMALE	174	15	35	15	7	2	2	6	13	8	16	8	9	7	1	5	11	6	4	2	2	-	-
E963, E970-E979	SUICIDE.	1,577	...	...	-	4	38	71	71	116	154	131	135	153	158	146	127	121	74	45	21	8	1	3
	WHITE.....MALE..	1,043	...	...	-	3	21	37	45	79	98	82	70	91	116	102	97	85	56	39	15	4	1	2
	FEMALE	424	...	...	-	1	10	18	18	26	41	40	47	56	34	39	27	33	17	6	6	4	-	1
	NONWHITE.....MALE..	76	...	...	-	-	6	11	3	10	9	3	14	5	7	3	3	2	-	-	-	-	-	-
	FEMALE	34	...	...	-	-	1	5	5	1	6	6	4	1	1	2	-	1	1	-	-	-	-	-
E964, E980-E985	HOMICIDE.	668	39	11	11	12	45	61	81	81	69	66	52	40	26	19	17	19	7	5	2	-	1	4
	WHITE.....MALE..	242	14	5	2	4	18	20	29	26	24	16	24	15	16	8	8	4	6	2	-	-	-	1
	FEMALE	95	10	3	6	5	5	6	6	6	2	7	4	4	6	4	4	10	1	2	2	-	1	1
	NONWHITE.....MALE..	261	9	-	2	2	20	25	35	42	36	35	20	16	4	5	4	4	-	1	-	-	-	1
	FEMALE	70	6	3	1	1	2	10	11	7	7	8	4	5	-	2	1	1	-	-	-	-	-	1

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA																							
	ALL CAUSES.....	39,090	3,341	474	299	262	485	506	456	618	909	1,292	1,900	2,463	2,895	3,524	4,182	4,392	4,122	3,619	2,154	882	307	8
	WHITE.....MALE..	16,110	956	145	114	98	239	242	175	236	339	503	869	1,149	1,401	1,578	1,838	1,834	1,796	1,426	818	287	67	-
	FEMALE	11,200	714	116	67	59	84	71	76	107	171	223	354	437	584	740	1,047	1,402	1,596	1,657	1,076	470	146	3
	NONWHITE.....MALE..	6,522	934	117	71	79	112	140	124	160	228	341	382	526	482	651	759	620	345	246	119	53	30	3
	FEMALE	5,258	737	96	47	26	50	53	81	115	171	225	295	351	428	555	538	536	385	290	141	72	64	2
001-019	TUBERCULOSIS, ALL FORMS..	173	1	-	1	-	-	1	3	7	10	13	11	13	17	23	22	14	15	16	6	-	-	-
	WHITE.....MALE..	66	1	-	-	-	-	-	-	-	3	4	3	9	7	9	14	6	5	3	2	-	-	-
	FEMALE	26	-	-	-	-	-	-	1	1	1	-	1	1	3	1	2	3	3	7	2	-	-	-
	NONWHITE.....MALE..	56	-	-	1	-	-	-	-	3	2	6	5	3	6	9	4	5	6	5	1	-	-	-
	FEMALE	25	-	-	-	-	-	1	2	3	4	3	2	-	1	4	2	-	1	1	1	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	149	-	-	-	-	-	-	3	6	8	10	9	13	14	20	20	11	15	15	5	-	-	-
	WHITE.....MALE..	59	-	-	-	-	-	-	-	-	2	3	3	9	6	8	14	5	5	3	1	-	-	-
	FEMALE	24	-	-	-	-	-	-	1	1	-	-	1	1	3	1	1	3	3	7	2	-	-	-
	NONWHITE.....MALE..	45	-	-	-	-	-	-	-	2	2	5	4	3	4	8	3	3	6	4	1	-	-	-
	FEMALE	21	-	-	-	-	-	-	2	3	4	2	1	-	1	3	2	-	1	1	1	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	24	1	-	1	-	-	1	-	1	2	3	2	-	3	3	2	3	-	1	1	-	-	-
	WHITE.....MALE..	7	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	11	-	-	1	-	-	-	-	1	-	1	1	-	2	1	1	2	-	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	70	-	-	-	-	-	1	1	-	1	3	4	8	9	9	16	7	5	4	2	-	-	-
	WHITE.....MALE..	17	-	-	-	-	-	1	-	-	-	-	1	-	3	4	3	1	1	2	1	-	-	-
	FEMALE	13	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	3	1	1	-	-	-
	NONWHITE.....MALE..	28	-	-	-	-	-	-	-	-	1	2	3	4	3	3	9	3	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	2	1	1	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	8	2	-	3	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	5	-	-	2	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	19	5	6	1	1	1	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	WHITE.....MALE..	9	1	2	1	-	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	9	-	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	187	51	16	12	5	9	5	5	1	5	12	6	12	6	12	13	6	5	2	4	-	-	-
	WHITE.....MALE..	55	13	6	3	2	2	1	2	-	1	1	1	5	3	3	2	4	2	2	2	-	-	-
	FEMALE	50	5	5	5	1	5	2	1	-	-	-	2	3	2	6	7	2	2	-	2	-	-	-
	NONWHITE.....MALE..	49	19	4	1	2	1	-	-	-	3	9	2	2	-	2	4	-	-	-	-	-	-	-
	FEMALE	33	14	1	3	-	1	2	2	1	1	2	1	2	1	1	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	5,023	7	39	37	34	35	26	40	59	115	203	373	512	599	621	627	637	516	340	149	49	5	-
	WHITE.....MALE..	2,081	4	26	14	13	10	15	13	21	33	65	132	190	244	274	266	293	238	147	67	16	-	-
	FEMALE	1,761	2	8	12	12	14	9	17	22	55	77	123	176	196	187	204	200	193	153	70	28	3	-
	NONWHITE.....MALE..	592	-	2	7	4	8	-	5	2	8	28	49	66	68	85	89	90	47	23	7	2	2	-
	FEMALE	589	1	3	4	5	3	2	5	14	19	33	69	80	91	75	68	54	38	17	5	3	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	141	-	-	-	-	1	-	-	-	1	6	11	17	17	21	16	20	17	6	7	1	-	-
	WHITE.....MALE..	85	-	-	-	-	1	-	-	-	-	4	6	14	12	15	7	8	9	5	4	-	-	-
	FEMALE	37	-	-	-	-	-	-	-	-	-	-	3	1	5	4	5	8	7	1	3	-	-	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	2	2	2	-	2	3	4	1	-	-	1	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,362	-	1	-	2	3	3	2	7	21	31	77	113	134	154	209	223	182	122	58	18	2	-
	WHITE.....MALE..	545	-	-	-	1	2	2	-	2	4	12	29	38	59	61	85	104	73	43	26	4	-	-
	FEMALE	505	-	-	-	1	-	1	-	2	14	6	24	34	38	50	74	78	75	67	28	11	2	-
	NONWHITE.....MALE..	180	-	-	-	-	1	-	2	-	1	9	17	22	19	23	29	29	17	6	4	1	-	-
	FEMALE	132	-	1	-	-	-	-	-	3	2	4	7	19	18	20	21	12	17	6	-	2	-	-
160-164	OF RESP. SYSTEM, ETC.....	707	-	-	-	1	2	1	1	1	16	42	58	101	118	112	87	86	50	20	7	4	-	-
	WHITE.....MALE..	504	-	-	-	-	1	-	-	1	10	22	41	73	85	84	63	68	36	14	4	2	-	-
	FEMALE	80	-	-	-	1	1	1	1	-	4	7	6	9	7	7	6	10	10	5	3	2	-	-
	NONWHITE.....MALE..	109	-	-	-	-	-	-	-	-	2	11	11	15	23	19	17	8	3	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	-	4	3	2	1	-	1	1	-	-	-	-
170	OF BREAST.....	456	-	-	-	-	-	-	2	12	20	30	49	80	68	53	46	33	27	19	10	7	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-
	FEMALE	331	-	-	-	-	-	-	2	10	14	21	32	59	49	41	32	23	19	16	7	6	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	120	-	-	-	-	-	-	-	2	6	9	17	21	18	12	13	10	6	2	3	1	-	-
171-179	OF GENITAL ORGANS.....	860	-	1	2	-	1	4	11	15	24	39	61	59	96	89	99	114	125	80	30	7	3	-
	WHITE.....MALE..	232	-	-	-	-	-	2	4	4	2	2	1	4	8	15	22	35	66	43	21	3	-	-
	FEMALE	330	-	1	2	-	1	2	5	3	12	22	25	33	51	37	37	29	37	22	6	4	1	-
	NONWHITE.....MALE..	118	-	-	-	-	-	-	-	-	1	1	3	1	9	15	22	33	16	13	2	-	2	-
	FEMALE	180	-	-	-	-	-	-	2	8	9	14	32	21	28	22	18	17	6	2	1	-	-	-
180, 181	OF URINARY ORGANS.....	194	1	3	2	-	-	1	-	1	3	3	11	20	15	24	23	27	31	23	5	1	-	-
	WHITE.....MALE..	106	1	1	1	-	-	-	-	-	3	1	7	8	9	12	16	16	17	12	1	1	-	-
	FEMALE	49	-	-	1	-	-	-	-	1	-	-	2	4	2	8	5	6	8	8	4	-	-	-
	NONWHITE.....MALE..	23	-	1	-	-	-	-	-	-	-	2	1	7	3	2	1	2	3	1	-	-	-	-
	FEMALE	16	-	1	-	-	-	1	-	-	-	-	1	1	1	2	1	3	3	2	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	762	-	11	14	13	15	8	7	11	21	35	66	82	97	111	76	71	50	46	20	8	-	-
	WHITE.....MALE..	334	-	7	5	5	4	5	2	4	7	18	24	32	46	56	38	30	20	18	8	5	-	-
	FEMALE	260	-	3	4	5	8	2	3	5	10	13	22	28	27	27	25	23	20	21	11	3	-	-
	NONWHITE.....MALE..	84	-	1	4	-	1	-	1	2	3	1	10	9	10	15	9	10	5	3	-	-	-	-
	FEMALE	84	-	-	1	3	2	1	1	-	1	3	10	13	14	13	4	8	5	4	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	265	3	21	14	11	6	4	6	5	5	5	20	15	20	30	32	26	15	18	7	2	-	-
	WHITE.....MALE..	132	2	16	6	3	1	3	1	3	4	2	13	10	8	17	17	12	4	7	3	-	-	-
	FEMALE	91	-	4	4	5	3	1	3	1	1	3	5	2	7	6	8	11	10	11	4	2	-	-
	NONWHITE.....MALE..	24	-	-	1	2	2	-	1	-	-	-	-	3	1	7	5	1	1	-	-	-	-	-
	FEMALE	18	1	1	3	1	-	-	1	1	-	-	2	-	4	-	2	2	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	276	3	2	5	7	7	5	11	7	4	12	20	25	34	27	39	37	19	6	5	1	-	-
	WHITE.....MALE..	139	1	2	2	4	1	3	6	7	3	4	11	11	16	14	18	20	11	4	-	1	-	-
	FEMALE	78	2	-	1	-	1	2	3	-	-	5	4	6	10	7	12	12	7	2	4	-	-	-
	NONWHITE.....MALE..	36	-	-	2	2	4	-	1	-	1	2	5	7	3	2	2	3	1	-	1	-	-	-
	FEMALE	23	-	-	-	1	1	-	1	-	-	1	-	1	5	4	7	2	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	117	4	1	3	8	3	1	2	6	5	8	6	14	9	13	12	9	7	3	3	-	-	-
	WHITE.....MALE..	36	1	-	1	1	-	-	-	-	3	3	1	6	3	4	4	5	3	1	-	-	-	-
	FEMALE	36	-	-	-	2	1	1	1	3	-	-	4	2	2	5	5	3	3	1	3	-	-	-
	NONWHITE.....MALE..	23	2	1	1	5	-	-	-	2	-	2	-	4	2	-	2	1	-	1	-	-	-	-
	FEMALE	22	1	-	1	-	2	-	1	1	2	3	1	2	2	4	1	-	1	-	-	-	-	-
241	ASTHMA.....	98	1	2	1	2	-	2	1	3	4	4	10	8	9	11	18	10	5	2	4	1	-	-
	WHITE.....MALE..	52	1	-	1	1	-	-	-	-	-	2	5	4	3	6	15	7	3	1	2	1	-	-
	FEMALE	22	-	-	-	-	-	1	-	-	2	-	1	2	3	3	3	3	2	-	2	-	-	-
	NONWHITE.....MALE..	11	-	2	-	1	-	-	-	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-
	FEMALE	13	-	-	-	-	-	1	1	2	1	1	2	1	1	2	-	-	-	1	-	-	-	-
260	DIABETES MELLITUS.....	558	1	-	3	4	3	4	5	4	10	25	42	42	61	59	69	85	68	41	23	9	-	-
	WHITE.....MALE..	188	1	-	2	1	-	1	4	2	3	5	16	16	19	11	26	29	31	13	5	3	-	-
	FEMALE	179	-	-	-	2	1	2	-	1	-	7	7	6	18	23	22	30	21	21	16	2	-	-
	NONWHITE.....MALE..	75	-	-	1	1	2	1	-	1	6	5	5	6	6	9	10	9	6	3	1	3	-	-
	FEMALE	116	-	-	-	-	-	-	1	-	1	8	14	14	18	16	11	17	10	4	1	1	-	-
290-293	ANEMIAS.....	91	3	4	2	2	3	5	3	2	4	4	3	2	7	5	10	12	5	8	6	1	-	-
	WHITE.....MALE..	30	-	-	-	-	1	1	-	1	-	1	1	1	2	2	7	6	1	5	1	-	-	-
	FEMALE	24	1	-	1	-	1	2	-	-	1	1	1	-	1	1	1	4	1	3	4	1	-	-
	NONWHITE.....MALE..	16	1	3	1	2	-	1	2	-	2	-	-	-	-	1	1	1	1	-	-	-	-	-
	FEMALE	21	1	1	-	-	1	1	1	1	1	2	1	1	4	1	1	1	2	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS.....	63	30	6	5	3	1	-	4	1	1	2	2	-	1	1	3	3	-	-	-	-	-	-
	WHITE.....MALE..	14	7	1	1	1	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	15	6	2	2	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	18	10	3	1	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
	FEMALE	16	7	-	1	1	1	-	1	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES.....	21,072	19	11	10	21	46	41	52	139	287	524	900	1,295	1,652	2,172	2,767	2,984	2,932	2,697	1,619	660	240	4
	WHITE.....MALE..	8,906	7	-	1	6	12	10	20	41	97	201	438	652	861	971	1,204	1,203	1,264	1,046	606	212	54	-
	FEMALE	6,431	3	6	3	6	10	6	11	22	44	58	118	161	255	399	656	981	1,151	1,253	811	358	118	1
	NONWHITE.....MALE..	3,016	5	4	4	6	11	10	7	39	72	161	195	295	298	426	517	412	235	170	92	34	22	1
	FEMALE	2,719	4	1	2	3	13	15	14	37	74	104	149	187	238	376	390	388	282	228	110	56	46	2
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM.....	20,758	19	11	6	17	38	36	44	124	271	508	866	1,270	1,620	2,145	2,731	2,962	2,910	2,672	1,608	657	239	4
	WHITE.....MALE..	8,791	7	-	-	3	10	7	17	36	94	194	426	643	846	959	1,191	1,193	1,257	1,039	603	212	54	-
	FEMALE	6,360	3	6	3	6	9	4	6	21	41	55	113	155	248	393	652	979	1,141	1,244	805	358	117	1
	NONWHITE.....MALE..	2,940	5	4	2	5	6	10	7	33	67	156	189	289	292	422	505	407	231	165	90	32	22	1
	FEMALE	2,667	4	1	1	3	13	15	14	34	69	103	138	183	234	371	383	383	281	224	110	55	46	2
330-334	VASCULAR LESIONS, ETC....	5,177	6	3	2	4	5	4	8	27	49	107	162	241	311	449	614	788	812	821	497	201	66	-
	WHITE.....MALE..	1,758	1	-	-	-	2	2	4	8	15	23	45	78	108	127	195	266	328	294	179	65	18	-
	FEMALE	1,823	2	1	1	2	1	1	1	5	10	19	35	46	54	88	163	279	321	394	254	117	29	-
	NONWHITE.....MALE..	786	3	1	1	2	1	-	1	7	13	40	46	57	80	113	141	118	73	54	25	6	4	-
	FEMALE	810	-	1	-	-	1	1	2	7	11	25	36	60	69	121	115	125	90	79	39	13	15	-
400-402, 410-443	DISEASES OF HEART.....	14,076	13	8	4	13	26	26	28	76	191	358	649	973	1,242	1,582	1,950	1,977	1,875	1,622	942	379	138	4
	WHITE.....MALE..	6,463	6	-	-	3	7	5	13	27	75	165	367	545	704	787	921	848	832	656	356	119	27	-
	FEMALE	4,051	1	5	2	4	5	3	5	10	30	32	69	101	184	283	459	640	732	744	471	198	72	1
	NONWHITE.....MALE..	1,908	2	3	1	3	4	8	5	22	41	93	123	216	199	279	328	254	142	91	54	25	14	1
	FEMALE	1,654	4	-	1	3	10	10	5	17	45	68	90	111	155	233	242	235	169	131	61	37	25	2
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.....	266	-	-	1	6	15	9	9	11	16	19	36	30	31	32	13	16	16	4	1	1	-	-
	WHITE.....MALE..	106	-	-	-	-	4	2	2	5	9	9	19	14	19	11	3	2	5	2	-	-	-	-
	FEMALE	100	-	-	-	1	3	3	4	3	5	6	12	7	11	14	8	12	8	1	1	1	-	-
	NONWHITE.....MALE..	31	-	-	-	2	1	2	1	2	1	3	5	5	-	4	1	2	1	1	-	-	-	-
	FEMALE	29	-	-	1	3	7	2	2	1	1	1	-	4	1	3	1	-	2	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.....	9,675	2	-	-	-	4	4	13	41	124	236	451	716	905	1,132	1,419	1,366	1,290	1,085	598	214	74	1
	WHITE.....MALE..	5,089	1	-	-	-	1	-	8	18	59	135	304	467	583	652	758	658	627	489	240	76	13	-
	FEMALE	2,745	1	-	-	-	1	-	1	5	19	19	42	74	136	203	341	454	510	501	292	109	36	1
	NONWHITE.....MALE..	1,039	-	-	-	-	-	2	2	9	25	49	67	125	113	158	183	139	76	46	27	11	7	-
	FEMALE	802	-	-	-	-	2	2	2	9	21	33	38	50	73	119	137	115	77	49	39	18	18	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.....	1,169	-	3	1	1	1	4	2	-	9	9	16	36	45	77	115	180	191	215	144	84	36	-
	WHITE.....MALE..	408	-	-	-	1	-	2	-	-	2	2	4	10	12	26	38	65	78	75	58	26	9	-
	FEMALE	448	-	2	1	-	-	-	-	-	1	2	2	3	10	10	29	66	74	109	74	44	21	-
	NONWHITE.....MALE..	165	-	1	-	-	1	-	1	-	3	3	5	17	14	19	33	26	14	10	8	7	3	-
	FEMALE	148	-	-	-	-	-	2	1	-	3	2	5	6	9	22	15	23	25	21	4	7	3	-
430-434	OTHER DISEASES OF HEART..	964	11	5	2	5	6	5	4	12	17	36	59	66	105	125	119	113	99	87	56	23	8	1
	WHITE.....MALE..	394	5	-	-	2	2	1	3	4	4	13	26	31	48	60	52	54	37	24	18	8	2	-
	FEMALE	209	-	3	1	2	1	-	-	1	4	3	6	7	10	15	16	24	32	38	30	10	6	-
	NONWHITE.....MALE..	207	2	2	1	1	2	2	1	5	3	10	15	22	25	32	33	21	15	9	3	2	-	1
	FEMALE	154	4	-	-	-	1	2	-	2	6	10	12	6	22	18	18	14	15	16	5	3	-	-
440-443	HYPERTENSIVE HEART DIS...	2,002	-	-	-	1	-	4	-	12	25	58	87	125	156	216	284	302	279	231	143	57	20	2
	WHITE.....MALE..	466	-	-	-	-	-	-	-	-	1	6	14	23	42	38	70	69	85	66	40	9	3	-
	FEMALE	549	-	-	-	1	-	-	-	1	1	2	7	10	17	41	65	84	108	95	74	34	9	-
	NONWHITE.....MALE..	466	-	-	-	-	-	2	-	6	9	28	31	47	47	66	78	66	36	25	16	5	4	-
	FEMALE	521	-	-	-	-	-	2	-	5	14	22	35	45	50	71	71	83	50	45	13	9	4	2
444-447	OTHER HYPERTENSIVE DIS...	393	-	-	-	-	1	-	5	12	16	23	31	22	26	31	39	47	54	50	25	9	2	-
	WHITE.....MALE..	111	-	-	-	-	1	-	-	-	2	2	5	6	10	4	7	16	28	18	9	3	-	-
	FEMALE	80	-	-	-	-	-	-	-	2	-	2	3	-	3	8	5	10	11	21	11	4	-	-
	NONWHITE.....MALE..	110	-	-	-	-	-	-	1	3	8	16	15	9	7	9	17	12	7	4	1	-	1	-
	FEMALE	92	-	-	-	-	-	-	4	7	6	3	8	7	6	10	10	9	8	7	4	2	1	-
450	GENERAL ARTERIOSCLEROSIS.	685	-	-	-	-	-	-	-	-	2	-	6	9	16	30	58	86	115	146	123	63	31	-
	WHITE.....MALE..	258	-	-	-	-	-	-	-	-	-	-	2	3	7	13	22	24	42	59	54	23	9	-
	FEMALE	288	-	-	-	-	-	-	-	-	-	-	3	2	3	3	15	35	57	66	53	36	15	-
	NONWHITE.....MALE..	77	-	-	-	-	-	-	-	-	1	-	1	2	3	9	13	14	6	15	10	1	2	-
	FEMALE	62	-	-	-	-	-	-	-	-	1	-	-	2	3	5	8	13	10	6	6	3	5	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM.....	427	-	-	-	-	6	6	3	9	13	20	18	25	25	53	70	64	54	33	21	5	2	-
	WHITE.....MALE..	201	-	-	-	-	-	-	-	1	2	4	7	11	17	28	46	39	27	12	5	2	-	-
	FEMALE	118	-	-	-	-	3	-	-	4	1	2	3	6	4	11	10	15	20	19	16	3	1	-
	NONWHITE.....MALE..	59	-	-	-	-	1	2	-	1	4	7	4	5	3	12	6	9	3	1	-	-	1	-
	FEMALE	49	-	-	-	-	2	4	3	3	6	7	4	3	1	2	8	1	4	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	314	-	-	4	4	8	5	8	15	16	16	34	25	32	27	36	22	22	25	11	3	1	-
	WHITE.....MALE..	115	-	-	1	3	2	3	3	5	3	7	12	9	15	12	13	10	7	7	3	-	-	-
	FEMALE	71	-	-	-	-	1	2	5	1	3	3	5	6	7	6	4	2	10	9	6	-	1	-
	NONWHITE.....MALE..	76	-	-	2	1	5	-	-	6	5	5	6	6	6	4	12	5	4	5	2	2	-	-
	FEMALE	52	-	-	1	-	-	-	-	3	5	1	11	4	4	5	7	5	1	4	-	1	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,455	420	76	18	6	13	10	10	10	21	22	31	39	48	59	92	114	153	131	103	53	26	-
	WHITE.....MALE..	429	59	13	5	2	5	4	2	3	8	4	9	12	18	25	41	45	64	42	40	20	8	-
	FEMALE	421	56	14	4	2	1	3	2	1	2	5	7	6	9	11	18	42	64	76	59	29	10	-
	NONWHITE.....MALE..	342	177	23	3	2	5	2	3	3	6	8	11	16	10	11	23	16	11	5	2	3	2	-
	FEMALE	263	128	26	6	-	2	1	3	3	5	5	4	5	11	12	10	11	14	8	2	1	6	-
480-483	INFLUENZA.....	144	19	5	5	2	4	-	-	-	3	1	3	5	8	7	11	12	20	14	12	9	4	-
	WHITE.....MALE..	48	2	2	3	-	1	-	-	-	-	-	2	2	1	5	3	4	6	3	7	6	1	-
	FEMALE	42	1	1	-	1	-	-	-	-	1	-	1	1	1	-	3	4	11	9	4	3	1	-
	NONWHITE.....MALE..	26	10	1	-	1	2	-	-	-	1	1	-	1	4	1	2	1	1	-	-	-	-	-
	FEMALE	28	6	1	2	-	1	-	-	-	1	-	-	1	2	1	3	3	2	2	1	-	2	-
490-493	PNEUMONIA, ETC.....	1,311	401	71	13	4	9	10	10	10	18	21	28	34	40	52	81	102	133	117	91	44	22	-
	WHITE.....MALE..	381	57	11	2	2	4	4	2	3	8	4	7	10	17	20	38	41	58	39	33	14	7	-
	FEMALE	379	55	13	4	1	1	3	2	1	1	5	6	5	8	11	15	38	53	67	55	26	9	-
	NONWHITE.....MALE..	316	167	22	3	1	3	2	3	3	5	7	11	15	6	10	21	15	10	5	2	3	2	-
	FEMALE	235	122	25	4	-	1	1	3	3	4	5	4	4	9	11	7	8	12	6	1	1	4	-
500-502	BRONCHITIS.....	84	9	4	-	1	-	1	1	2	-	1	2	4	7	11	14	7	9	9	1	-	-	1
	WHITE.....MALE..	50	2	1	-	-	-	-	-	-	-	1	1	3	6	8	10	6	5	6	1	-	-	-
	FEMALE	17	2	1	-	1	-	-	-	1	-	-	1	1	1	1	1	-	4	2	-	-	-	1
	NONWHITE.....MALE..	7	2	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	FEMALE	10	3	1	-	-	-	1	1	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	357	32	1	-	-	2	1	1	2	6	14	16	23	29	48	53	50	43	25	9	2	-	-
	WHITE.....MALE..	235	9	-	-	-	1	1	1	1	4	9	11	11	22	35	47	34	27	16	4	2	-	-
	FEMALE	70	6	-	-	-	-	-	-	-	1	2	2	8	2	9	4	8	16	7	5	-	-	-
	NONWHITE.....MALE..	33	9	1	-	-	1	-	-	1	-	2	1	3	4	4	2	5	-	-	-	-	-	-
	FEMALE	19	8	-	-	-	-	-	-	-	1	1	2	1	1	-	-	3	-	2	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	195	3	-	-	1	-	1	1	3	9	5	15	12	16	26	29	22	20	9	17	6	-	-
	WHITE.....MALE..	106	2	-	-	-	-	-	-	1	6	2	8	8	7	17	15	12	12	4	9	3	-	-
	FEMALE	46	-	-	-	1	-	-	-	2	-	-	2	-	6	1	8	6	8	4	6	2	-	-
	NONWHITE.....MALE..	35	1	-	-	-	-	1	1	-	2	3	4	4	2	5	5	4	-	1	1	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	-	1	-	1	3	1	-	-	-	1	-	-	-
550-553	APPENDICITIS.....	43	-	-	-	1	4	1	-	2	-	2	2	3	2	2	4	7	6	4	2	1	-	-
	WHITE.....MALE..	19	-	-	-	-	3	1	-	2	-	1	1	-	1	2	1	1	3	2	-	1	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-	-	-
	FEMALE	10	-	-	-	1	1	-	-	-	-	-	-	1	-	-	2	4	1	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	188	29	2	1	2	2	-	3	-	2	7	8	9	7	17	22	26	19	16	10	5	1	-
	WHITE.....MALE..	60	12	1	1	1	1	-	-	-	-	1	5	1	1	5	6	8	6	7	2	2	-	-
	FEMALE	71	12	1	-	-	1	-	2	-	-	-	1	-	1	5	6	13	11	9	6	2	1	-
	NONWHITE.....MALE..	29	2	-	-	-	-	-	-	-	1	3	1	5	3	3	6	3	-	-	1	1	-	-
	FEMALE	28	3	-	-	1	-	-	1	-	1	3	1	3	2	4	4	2	2	-	1	-	-	-
543, 571, 572	GASTRITIS, ETC.....	199	112	15	4	3	1	2	2	1	2	1	6	3	6	5	8	9	7	3	5	3	1	-
	WHITE.....MALE..	32	8	5	-	-	-	1	-	-	1	1	2	1	3	2	2	4	1	-	1	-	-	-
	FEMALE	45	11	3	-	1	-	-	1	1	-	-	2	1	2	1	5	3	5	3	3	3	-	-
	NONWHITE.....MALE..	65	56	1	3	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-
	FEMALE	57	37	6	1	1	1	1	1	-	1	-	2	-	-	2	-	2	1	-	-	-	1	-
581	CIRRHOSIS OF LIVER.....	267	1	-	-	3	2	2	2	7	24	27	33	43	45	26	20	15	10	6	1	-	-	-
	WHITE.....MALE..	141	-	-	-	2	-	-	2	3	11	16	19	20	25	16	10	6	6	4	1	-	-	-
	FEMALE	64	-	-	-	1	-	1	-	2	9	6	7	7	7	6	7	5	4	2	-	-	-	-
	NONWHITE.....MALE..	34	1	-	-	-	2	1	-	1	2	-	3	8	8	4	1	3	-	-	-	-	-	-
	FEMALE	28	-	-	-	-	-	-	-	1	2	5	4	8	5	-	2	1	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	73	-	-	-	-	1	-	-	-	-	1	2	5	5	12	6	10	13	10	5	3	-	-
	WHITE.....MALE..	30	-	-	-	-	-	-	-	-	-	-	2	3	-	4	3	5	7	5	-	1	-	-
	FEMALE	33	-	-	-	-	1	-	-	-	-	-	-	-	5	5	2	4	4	5	5	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	2	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	40	1	1	8	1	2	2	-	3	2	1	1	3	5	2	3	1	-	2	2	-	-	-
	WHITE.....MALE..	17	-	-	3	-	1	1	-	3	1	-	-	2	2	1	1	-	-	2	-	-	-	-
	FEMALE	6	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	-
	NONWHITE.....MALE..	10	-	-	4	-	1	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	FEMALE	7	1	1	-	1	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	263	1	2	-	-	2	4	3	3	11	14	10	17	21	33	28	29	33	25	21	4	1	1
	WHITE.....MALE..	99	-	-	-	-	1	1	-	2	5	3	4	7	9	10	11	14	15	7	8	2	-	-
	FEMALE	94	-	1	-	-	1	1	1	1	2	6	3	3	6	13	8	8	12	15	9	2	1	1
	NONWHITE.....MALE..	36	1	1	-	-	-	2	-	-	1	1	3	3	2	6	5	4	4	2	1	-	-	-
	FEMALE	34	-	-	-	-	-	-	2	-	3	4	-	4	4	4	4	3	2	1	3	-	-	-
610	HYPERPLASIA OF PROSTATE..	83	-	-	-	-	-	-	-	-	-	-	-	1	4	5	14	11	15	17	10	5	1	-
	WHITE.....MALE..	58	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	8	12	13	10	4	-	-
	NONWHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	-	-	-	3	2	8	3	3	4	-	1	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH CAROLINA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	51	-	-	-	-	2	10	10	13	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	13	-	-	-	-	-	3	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	38	-	-	-	-	2	7	6	10	8	5	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	11	-	-	-	-	1	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	6	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	40	-	-	-	-	1	7	8	8	10	6	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	8	-	-	-	-	-	2	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	32	-	-	-	-	1	5	6	7	8	5	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	539	378	53	21	12	10	13	7	3	4	7	10	6	3	6	4	2	-	-	-	-	-	-
	WHITE.....MALE..	196	134	14	9	8	3	7	3	1	2	3	5	1	2	2	1	1	-	-	-	-	-	-
	FEMALE	207	156	19	7	1	4	2	3	2	1	1	4	2	1	2	2	-	-	-	-	-	-	-
	NONWHITE.....MALE..	82	53	12	3	-	1	4	1	-	-	1	1	3	-	1	1	1	-	-	-	-	-	-
	FEMALE	54	35	8	2	3	2	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	1,847	1,846	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	612	612	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	396	396	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	463	463	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	376	375	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	770	770	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	926	925	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	287	287	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	210	210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	236	236	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	193	192	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	966	141	24	9	4	5	7	12	22	25	40	45	58	66	89	77	99	71	73	51	26	22	-
	WHITE.....MALE..	280	13	7	3	1	1	1	1	6	7	13	18	26	24	32	36	31	16	20	14	7	3	-
	FEMALE	169	17	4	-	1	1	3	-	6	3	4	3	4	6	10	9	19	20	22	20	10	7	-
	NONWHITE.....MALE..	276	58	7	3	-	3	1	7	7	7	17	17	15	16	26	18	28	18	16	7	2	3	-
	FEMALE	241	53	6	3	2	-	2	4	3	8	6	7	13	20	21	14	21	17	15	10	7	9	-
RESIDUAL	ALL OTHER DISEASES.	1,331	87	49	33	22	25	21	25	61	67	87	88	101	94	109	124	106	76	74	50	28	3	1
	WHITE.....MALE..	508	23	16	13	7	8	5	7	19	23	34	35	42	35	46	49	49	26	39	23	9	-	-
	FEMALE	369	11	13	10	9	6	6	3	11	10	14	23	23	30	27	39	34	39	24	19	16	2	-
	NONWHITE.....MALE..	247	30	8	7	6	6	6	7	16	22	21	12	21	12	23	21	11	5	6	5	1	-	1
	FEMALE	207	23	12	3	-	5	4	8	15	12	18	18	15	17	13	15	12	6	5	3	2	1	-
E800-E962	ACCIDENTS.	2,703	150	154	120	115	267	245	168	164	173	157	174	163	106	110	94	97	72	92	49	26	7	-
	WHITE.....MALE..	1,317	43	53	53	50	174	150	94	84	85	80	87	89	55	56	35	39	32	34	18	4	2	-
	FEMALE	488	27	36	18	14	33	23	15	14	22	21	28	18	20	22	27	29	28	46	28	15	4	-
	NONWHITE.....MALE..	679	42	41	31	45	49	66	48	55	54	45	49	48	25	22	22	17	8	7	-	5	-	-
	FEMALE	219	38	24	18	6	11	6	11	11	12	11	10	8	6	10	10	12	4	5	3	2	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,343	8	50	78	44	196	194	114	102	96	74	90	78	47	45	43	43	20	18	2	1	-	-
	WHITE.....MALE..	739	3	21	33	21	136	121	65	57	44	34	52	43	20	23	18	21	15	11	1	-	-	-
	FEMALE	219	4	16	15	6	30	19	11	10	12	15	19	10	10	10	12	10	2	6	1	1	-	-
	NONWHITE.....MALE..	304	-	9	21	13	23	50	32	28	32	21	14	20	11	8	9	9	3	1	-	-	-	-
	FEMALE	81	1	4	9	4	7	4	6	7	8	4	5	5	6	4	4	3	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,360	142	104	42	71	71	51	54	62	77	83	84	85	59	65	51	54	52	74	47	25	7	-
	WHITE.....MALE..	578	40	32	20	29	38	29	29	27	41	46	35	46	35	33	17	18	17	23	17	4	2	-
	FEMALE	269	23	20	3	8	3	4	4	4	10	6	9	8	10	12	15	19	26	40	27	14	4	-
	NONWHITE.....MALE..	375	42	32	10	32	26	16	16	27	22	24	35	28	14	14	13	8	5	6	-	5	-	-
	FEMALE	138	37	20	9	2	4	2	5	4	4	7	5	3	-	6	6	9	4	5	3	2	1	-
E963, E970-E979	SUICIDE.	498	...	...	-	4	16	29	32	47	56	51	72	52	47	27	26	16	15	7	1	-	-	-
	WHITE.....MALE..	364	...	...	-	1	11	25	17	32	38	34	53	37	41	23	19	13	14	5	1	-	-	-
	FEMALE	83	...	...	-	2	2	2	7	11	11	12	11	12	4	1	6	1	-	1	-	-	-	-
	NONWHITE.....MALE..	41	...	...	-	1	1	2	6	3	7	3	5	3	2	3	1	2	1	1	-	-	-	-
	FEMALE	10	...	...	-	-	2	-	2	1	-	2	3	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	414	5	1	4	5	30	70	62	52	53	51	27	15	13	9	7	3	2	3	1	-	-	1
	WHITE.....MALE..	95	2	-	1	-	4	15	6	13	7	18	10	2	4	4	4	3	2	-	-	-	-	-
	FEMALE	34	1	1	1	2	2	4	5	3	4	6	3	-	1	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	220	-	-	-	2	21	42	37	26	30	22	12	11	7	4	3	-	-	2	-	-	-	1
	FEMALE	65	2	-	2	1	3	9	14	10	12	5	2	2	1	1	-	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA																							
	ALL CAUSES	5,419	357	55	37	22	65	54	44	47	73	106	154	227	335	421	550	665	759	712	482	208	46	-
	WHITE.....MALE..	3,270	195	27	22	12	47	38	29	31	44	74	104	149	218	292	360	404	450	401	252	103	18	-
	FEMALE	2,012	137	20	13	9	13	10	12	13	27	29	47	71	107	120	183	248	304	298	224	101	26	-
	NONWHITE.....MALE..	86	17	6	1	1	3	4	1	2	1	3	2	5	8	2	4	9	5	7	1	3	1	-
	FEMALE	51	8	2	1	-	2	2	2	1	1	-	1	2	2	7	3	4	-	6	5	1	1	-
001-019	TUBERCULOSIS, ALL FORMS..	10	-	1	-	-	-	-	-	1	-	2	-	1	-	3	-	-	2	-	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	4	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	8	-	1	-	-	-	-	-	-	-	2	-	1	-	2	-	-	2	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	4	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	14	7	-	3	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	WHITE.....MALE..	9	4	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	834	2	10	4	7	5	2	6	6	11	23	44	50	71	105	119	134	112	79	36	7	1	-
	WHITE.....MALE..	474	1	6	3	3	2	1	5	2	4	13	24	22	38	58	71	78	72	45	23	3	-	-
	FEMALE	347	1	4	1	4	2	1	1	4	7	10	19	27	32	47	47	52	40	32	11	4	1	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	1	-	-	-
	FEMALE	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	6	-	-	-	-	1	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	297	-	1	-	-	-	-	3	-	1	2	11	13	26	27	38	64	51	41	16	3	-	-
	WHITE.....MALE..	180	-	1	-	-	-	-	2	-	1	1	8	7	15	18	26	42	30	20	8	1	-	-
	FEMALE	113	-	-	-	-	-	-	1	-	-	1	2	6	10	9	12	22	21	20	7	2	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	83	-	-	-	-	-	-	-	1	1	4	5	7	7	10	15	15	12	2	3	1	-	-
	WHITE.....MALE..	74	-	-	-	-	-	-	-	1	-	4	5	6	7	9	15	13	9	2	3	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	3	-	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	84	-	-	-	-	-	-	-	3	1	3	9	6	9	11	16	10	6	6	2	1	1	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	84	-	-	-	-	-	-	-	3	1	3	9	6	9	11	16	10	6	6	2	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	115	-	-	-	1	-	-	1	-	4	5	3	7	7	18	17	15	19	10	7	1	-	-
	WHITE.....MALE..	56	-	-	-	-	-	-	1	-	1	-	-	-	1	8	8	6	16	8	6	1	-	-
	FEMALE	55	-	-	-	1	-	-	-	-	3	5	3	6	6	10	8	8	3	1	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	47	-	2	1	-	-	-	-	1	-	1	-	7	2	10	4	9	3	5	2	-	-	-
	WHITE.....MALE..	35	-	-	-	-	-	-	-	1	-	1	-	3	2	9	3	7	2	5	2	-	-	-
	FEMALE	11	-	2	1	-	-	-	-	-	-	-	-	4	-	1	1	1	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	93	1	4	2	5	1	2	-	1	2	3	7	3	8	14	10	9	12	6	3	-	-	-
	WHITE.....MALE..	47	-	3	2	2	1	1	-	-	1	2	4	2	4	6	5	3	8	2	1	-	-	-
	FEMALE	44	1	1	-	3	-	1	-	1	1	1	3	1	4	8	5	5	4	4	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	49	1	1	1	1	2	-	1	-	-	-	5	1	4	6	8	6	5	5	2	-	-	-
	WHITE.....MALE..	34	1	1	1	1	-	-	1	-	-	-	3	-	3	3	6	3	4	5	2	-	-	-
	FEMALE	14	-	-	-	-	1	-	-	-	-	-	2	1	1	3	2	3	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	60	-	2	-	-	1	-	1	-	2	5	2	6	7	9	10	6	4	3	1	1	-	-
	WHITE.....MALE..	43	-	1	-	-	1	-	1	-	1	5	2	4	5	5	7	4	3	2	1	1	-	-
	FEMALE	17	-	1	-	-	-	-	-	-	1	-	-	2	2	4	3	2	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	9	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	1	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	FEMALE	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	18	-	-	-	-	-	-	-	-	2	1	-	3	2	2	2	1	2	1	2	-	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	-	-	1	-	-	3	2	2	2	1	1	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	90	-	-	1	-	-	-	4	2	-	3	3	2	11	8	7	16	9	14	8	2	-	-
	WHITE.....MALE..	43	-	-	1	-	-	-	2	2	-	2	3	-	6	6	2	5	3	3	6	2	-	-
	FEMALE	44	-	-	-	-	-	-	2	-	-	1	-	1	4	2	5	11	6	10	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
290-293	ANEMIAS.....	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
	FEMALE	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	2,997	5	-	-	1	1	3	7	8	20	34	53	108	180	234	337	420	529	516	351	155	35	-
	WHITE.....MALE..	1,814	3	-	-	1	-	2	6	5	12	25	43	77	125	173	222	259	307	285	182	74	13	-
	FEMALE	1,138	2	-	-	-	1	1	1	3	7	9	10	29	49	58	111	153	219	222	165	78	20	-
	NONWHITE.....MALE..	28	-	-	-	-	-	-	-	-	1	-	-	2	5	1	2	6	3	5	-	2	1	-
	FEMALE	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	4	4	1	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	2,970	5	-	-	1	1	3	6	6	19	33	49	107	177	229	334	418	529	515	348	155	35	-
	WHITE.....MALE..	1,792	3	-	-	1	-	2	5	4	11	24	39	77	123	169	219	257	307	284	180	74	13	-
	FEMALE	1,134	2	-	-	-	1	1	1	2	7	9	10	28	48	58	111	153	219	222	164	78	20	-
	NONWHITE.....MALE..	28	-	-	-	-	-	-	-	-	1	-	-	2	5	1	2	6	3	5	-	2	1	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	4	4	1	1	-
330-334	VASCULAR LESIONS, ETC.	668	2	-	-	-	-	2	1	-	3	3	9	19	26	30	73	94	135	146	83	31	11	-
	WHITE.....MALE..	361	2	-	-	-	-	2	1	-	-	-	4	10	16	15	43	54	78	74	44	15	3	-
	FEMALE	294	-	-	-	-	-	-	-	-	3	3	5	8	9	15	30	38	55	70	37	14	7	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	1	-	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-
400-402, 410-443	DISEASES OF HEART	2,092	3	-	-	1	1	1	5	5	15	30	38	84	149	190	239	304	353	329	228	100	17	-
	WHITE.....MALE..	1,309	1	-	-	1	-	-	4	4	10	24	34	66	105	147	162	191	202	187	118	45	8	-
	FEMALE	756	2	-	-	-	1	1	1	1	4	6	4	17	39	41	74	108	150	136	108	54	9	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	1	-	-	1	4	1	2	4	1	3	-	1	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	2	-	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	50	-	-	-	-	-	1	3	2	2	2	2	4	8	5	6	3	5	3	2	2	-	-
	WHITE.....MALE..	21	-	-	-	-	-	-	2	2	1	-	2	2	2	1	2	2	3	1	-	1	-	-
	FEMALE	29	-	-	-	-	-	1	1	-	1	2	-	2	6	4	4	1	2	2	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	1,686	-	-	-	-	-	-	2	3	9	24	30	72	129	166	210	261	289	249	162	69	11	-
	WHITE.....MALE..	1,089	-	-	-	-	-	-	2	2	8	22	28	59	95	136	144	172	158	136	89	33	5	-
	FEMALE	575	-	-	-	-	-	-	-	1	1	2	2	13	29	28	64	84	130	107	72	36	6	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	4	1	3	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	3	1	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	125	1	-	-	-	-	-	-	-	1	1	1	3	1	5	6	12	27	32	19	12	4	-
	WHITE.....MALE..	78	1	-	-	-	-	-	-	-	-	1	1	2	1	4	5	8	18	20	12	3	2	-
	FEMALE	46	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	4	9	12	7	8	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	114	2	-	-	1	1	-	-	-	2	2	4	3	4	6	6	10	17	22	24	8	2	-
	WHITE.....MALE..	68	-	-	-	1	-	-	-	-	1	1	2	2	3	4	5	6	14	15	10	3	1	-
	FEMALE	43	2	-	-	-	1	-	-	-	-	1	2	-	1	2	1	4	3	7	13	5	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
440-443	HYPERTENSIVE HEART DIS.	117	-	-	-	-	-	-	-	-	1	1	1	2	7	8	11	18	15	23	21	9	-	-
	WHITE.....MALE..	53	-	-	-	-	-	-	-	-	-	-	1	1	4	2	6	3	9	15	7	5	-	-
	FEMALE	63	-	-	-	-	-	-	-	-	1	1	-	1	3	6	4	15	6	8	14	4	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	37	-	-	-	-	-	-	-	-	1	-	2	2	1	4	8	3	6	3	4	3	-	-
	WHITE.....MALE..	25	-	-	-	-	-	-	-	-	1	-	1	-	1	3	3	1	6	3	3	3	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	2	-	1	4	1	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	113	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	17	29	28	20	7	-
	WHITE.....MALE..	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	9	15	12	11	2	-
	FEMALE	54	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	13	16	9	4	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	60	-	-	-	-	-	-	-	1	-	-	-	2	1	4	10	10	18	8	5	1	-	-
	WHITE.....MALE..	40	-	-	-	-	-	-	-	-	-	-	-	1	1	4	8	6	12	5	3	-	-	-
	FEMALE	20	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	4	6	3	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	27	-	-	-	-	-	-	1	2	1	1	4	1	3	5	3	2	-	1	3	-	-	-
	WHITE.....MALE..	22	-	-	-	-	-	-	1	1	1	1	4	-	2	4	3	2	-	1	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	223	23	4	1	2	1	2	1	1	2	3	2	2	9	9	13	23	30	34	35	20	6	-
	WHITE.....MALE..	123	11	1	-	2	1	-	1	-	-	2	1	2	7	7	8	12	13	25	16	10	4	-
	FEMALE	91	9	1	1	-	-	2	-	1	1	1	1	-	1	1	5	10	17	9	19	10	2	-
	NONWHITE.....MALE..	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	12	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	1	2	1	-
	WHITE.....MALE..	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-
	FEMALE	5	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	211	22	4	-	2	1	2	1	1	2	2	2	2	8	9	13	22	29	32	34	18	5	-
	WHITE.....MALE..	116	10	1	-	2	1	-	1	-	-	2	1	2	6	7	8	12	12	24	15	9	3	-
	FEMALE	86	9	1	-	-	-	2	-	1	1	-	1	-	1	1	5	9	17	8	19	9	2	-
	NONWHITE.....MALE..	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	4	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	18	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	4	-	3	2	2	2	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	3	1	1	1	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	47	2	-	-	-	-	-	-	-	-	-	-	-	4	5	9	13	8	4	2	-	-	-
	WHITE.....MALE..	41	2	-	-	-	-	-	-	-	-	-	-	-	4	5	8	11	6	3	2	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	30	1	-	-	-	-	-	-	-	-	2	-	1	3	1	5	2	9	3	2	1	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	-	-	2	-	1	3	1	5	2	8	2	2	1	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	8	-	-	-	-	-	1	-	-	-	-	-	-	2	1	2	-	1	1	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	27	2	1	1	-	-	-	-	-	-	-	1	-	3	1	3	2	5	6	2	-	-	-
	WHITE.....MALE..	21	2	1	1	-	-	-	-	-	-	-	1	-	3	-	3	2	3	4	1	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	25	10	1	-	-	-	1	-	-	-	1	-	1	-	2	1	3	2	3	-	-	-	-
	WHITE.....MALE..	13	3	-	-	-	-	1	-	-	-	1	-	1	-	1	1	2	1	2	-	-	-	-
	FEMALE	8	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	40	-	-	-	-	-	-	1	2	2	2	4	6	6	3	5	3	4	1	1	-	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	1	2	2	4	5	2	1	3	1	4	1	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	1	1	-	-	-	1	3	1	2	2	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	21	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	6	4	1	2	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	3	3	1	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	22	-	-	-	-	-	-	-	-	-	2	-	-	2	4	1	-	2	3	5	3	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	3	2	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	1	3	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	7	3	2	3	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	7	3	2	3	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	NORTH DAKOTA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	83	53	5	4	-	3	5	1	1	1	1	1	-	1	2	2	-	3	-	-	-	-	-
	WHITE.....MALE..	50	29	2	3	-	3	5	-	1	1	1	-	-	-	2	2	-	1	-	-	-	-	-
	FEMALE	31	22	3	1	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	221	221	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	24	3	-	-	-	1	-	1	-	2	-	-	-	-	-	-	4	2	3	4	4	-	-
	WHITE.....MALE..	12	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	2	1	1	3	-	-
	FEMALE	12	2	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	2	3	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	156	10	5	4	3	3	2	2	2	4	6	13	9	13	12	14	16	7	12	15	3	1	-
	WHITE.....MALE..	77	5	2	3	1	2	1	1	-	2	3	6	5	5	8	10	7	2	7	6	1	-	-
	FEMALE	76	5	1	1	2	1	1	1	2	2	2	7	4	8	4	4	9	5	5	9	2	1	-
	NONWHITE.....MALE..	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS	381	12	27	15	9	47	33	16	17	22	19	23	28	17	22	14	15	11	17	11	5	1	-
	WHITE.....MALE..	276	8	14	7	5	37	26	11	14	19	17	15	21	14	19	11	11	8	12	5	2	-	-
	FEMALE	77	3	9	6	3	7	3	2	1	3	1	6	6	3	1	2	4	3	5	6	2	1	-
	NONWHITE.....MALE..	18	-	2	1	1	3	2	1	2	-	1	1	1	-	1	1	-	-	-	-	1	-	-
	FEMALE	10	1	2	1	-	-	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	190	-	7	7	6	33	25	11	10	13	10	14	16	8	11	6	8	4	1	-	-	-	-
	WHITE.....MALE..	136	-	2	4	2	25	19	9	7	11	8	7	12	7	10	5	5	3	-	-	-	-	-
	FEMALE	39	-	4	2	3	6	2	1	1	2	1	6	4	1	-	1	3	1	1	-	-	-	-
	NONWHITE.....MALE..	11	-	1	1	1	2	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	191	12	20	8	3	14	8	5	7	9	9	9	12	9	11	8	7	7	16	11	5	1	-
	WHITE.....MALE..	140	8	12	3	3	12	7	2	7	8	9	8	9	7	9	6	6	5	12	5	2	-	-
	FEMALE	38	3	5	4	-	1	1	1	-	1	-	-	2	2	1	1	1	2	4	6	2	1	-
	NONWHITE.....MALE..	7	-	1	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-
	FEMALE	6	1	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE	64	...	...	-	-	3	3	1	5	3	6	8	11	8	2	6	4	3	-	-	1	-	-
	WHITE.....MALE..	53	...	...	-	-	1	2	1	5	3	4	5	9	7	2	6	4	3	-	-	1	-	-
	FEMALE	9	...	...	-	-	1	-	-	-	-	2	3	2	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	8	-	-	-	-	-	1	1	-	-	-	1	2	-	-	3	-	-	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO																							
	ALL CAUSES.....	95,209	4,964	737	427	394	553	630	651	877	1,462	2,215	3,339	4,882	6,237	7,946	10,586	12,497	13,260	11,573	7,812	3,271	886	10
	WHITE.....MALE..	48,617	2,344	368	228	225	369	388	326	404	694	1,140	1,818	2,807	3,708	4,552	6,001	6,672	6,634	5,244	3,203	1,199	291	2
	FEMALE	38,822	1,735	259	141	133	143	173	203	269	478	717	1,072	1,462	1,866	2,534	3,703	5,042	6,061	5,936	4,373	1,971	547	4
	NONWHITE.....MALE..	4,339	507	61	40	24	26	41	63	123	154	195	254	353	367	490	511	428	305	211	119	48	16	3
	FEMALE	3,431	378	49	18	12	15	28	59	81	136	163	195	260	296	370	371	355	260	182	117	53	32	1
001-019	TUBERCULOSIS, ALL FORMS..	409	2	2	-	-	1	1	4	6	20	25	35	39	44	44	54	48	44	27	10	3	-	-
	WHITE.....MALE..	234	1	1	-	-	-	1	-	1	7	7	16	25	24	29	32	35	32	15	7	1	-	-
	FEMALE	83	-	1	-	-	-	-	2	-	5	7	10	5	9	6	11	7	8	8	3	1	-	-
	NONWHITE.....MALE..	64	-	-	-	-	1	-	1	2	2	9	5	8	9	7	9	5	2	3	-	1	-	-
	FEMALE	28	1	-	-	-	-	-	1	3	6	2	4	1	2	2	2	1	2	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	385	1	-	-	-	-	1	4	6	20	23	32	39	42	41	50	46	43	25	9	3	-	-
	WHITE.....MALE..	227	-	-	-	-	-	1	-	1	7	7	15	25	24	27	31	35	32	15	6	1	-	-
	FEMALE	75	-	-	-	-	-	-	2	-	5	7	9	5	8	6	10	5	7	7	3	1	-	-
	NONWHITE.....MALE..	60	-	-	-	-	-	-	1	2	2	8	4	8	9	7	8	5	2	3	-	1	-	-
	FEMALE	23	1	-	-	-	-	-	1	3	6	1	4	1	1	1	1	1	2	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	24	1	2	-	-	1	-	-	-	-	2	3	-	2	3	4	2	1	2	1	-	-	-
	WHITE.....MALE..	7	1	1	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-
	FEMALE	8	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	1	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	189	-	-	-	-	-	-	2	-	1	3	3	10	27	43	35	24	20	15	4	2	-	-
	WHITE.....MALE..	100	-	-	-	-	-	-	1	-	1	-	1	6	17	23	16	15	9	8	2	1	-	-
	FEMALE	51	-	-	-	-	-	-	1	-	-	1	1	2	5	9	7	8	8	7	1	1	-	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	-	2	5	6	9	-	-	-	1	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	2	1	-	-	5	3	1	3	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	WHITE.....MALE..	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	WHITE.....MALE..	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	35	17	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	WHITE.....MALE..	16	7	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	14	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	14	3	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	269	20	12	18	5	8	8	4	8	10	14	19	17	19	18	17	19	27	8	10	5	3	-
	WHITE.....MALE..	105	9	5	5	-	3	3	1	3	4	3	6	7	8	7	10	12	8	6	3	-	2	-
	FEMALE	125	10	4	12	5	4	4	3	2	5	5	8	7	7	7	6	6	15	2	7	5	1	-
	NONWHITE.....MALE..	19	1	2	-	-	-	1	-	2	-	-	3	1	2	3	1	1	2	-	-	-	-	-
	FEMALE	20	-	1	1	-	1	-	-	1	1	6	2	2	2	1	-	-	2	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	15,787	9	97	81	55	53	58	75	155	305	526	840	1,276	1,560	1,817	2,334	2,308	1,941	1,368	719	162	46	2
	WHITE.....MALE..	7,879	3	58	46	26	31	31	34	65	104	200	360	578	802	947	1,267	1,211	999	672	358	72	14	1
	FEMALE	6,673	6	33	27	25	21	21	35	70	155	257	392	554	609	694	888	944	849	640	339	86	28	-
	NONWHITE.....MALE..	692	-	4	5	3	1	3	3	6	14	35	41	71	81	108	110	99	60	32	10	2	3	1
	FEMALE	543	-	2	3	1	-	3	3	14	32	34	47	73	68	68	69	54	33	24	12	2	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX	361	-	-	1	1	-	-	4	2	4	5	19	29	45	47	58	56	39	28	16	5	2	-
	WHITE.....MALE..	267	-	-	1	-	-	-	2	1	2	2	13	20	36	31	46	44	27	22	14	4	2	-
	FEMALE	68	-	-	-	-	-	-	2	1	2	1	3	5	6	9	8	10	12	6	2	1	-	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	2	2	4	2	7	4	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	5,370	-	1	1	1	1	3	3	23	65	108	194	323	465	563	817	932	822	619	335	77	17	-
	WHITE.....MALE..	2,682	-	-	-	-	1	3	3	14	25	50	91	158	245	291	426	480	417	291	155	28	4	-
	FEMALE	2,294	-	1	1	1	-	-	-	6	32	38	78	118	173	217	336	389	371	304	170	48	11	-
	NONWHITE.....MALE..	242	-	-	-	-	-	-	-	1	6	15	17	28	30	34	32	42	20	12	3	-	2	-
	FEMALE	152	-	-	-	-	-	-	-	2	2	5	8	19	17	21	23	21	14	12	7	1	-	-
160-164	OF RESP. SYSTEM, ETC.	2,550	1	-	-	-	-	3	1	14	34	85	168	294	378	424	455	344	192	99	49	6	1	2
	WHITE.....MALE..	2,003	1	-	-	-	-	2	-	9	20	64	127	235	304	350	364	276	151	70	27	2	-	1
	FEMALE	328	-	-	-	-	-	1	1	4	8	10	26	31	35	36	54	46	30	22	19	4	1	-
	NONWHITE.....MALE..	187	-	-	-	-	-	-	-	1	4	8	12	22	35	36	36	33	19	10	5	1	-	-	1
	FEMALE	32	-	-	-	-	-	-	-	-	2	3	3	6	4	2	4	3	1	2	2	-	-	-
170	OF BREAST	1,443	-	-	-	-	-	-	7	22	40	92	132	168	167	162	163	165	157	92	56	15	5	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	1	-	2	-	4	2	-	-	-	-	-	-	-
	FEMALE	1,349	-	-	-	-	-	-	6	18	35	83	123	153	156	149	152	158	151	89	56	15	5	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	84	-	-	-	-	-	-	1	4	5	8	9	13	10	9	9	7	6	3	-	-	-	-
171-179	OF GENITAL ORGANS	2,388	-	-	-	2	2	6	15	32	69	92	127	180	179	226	321	335	365	261	138	30	8	-
	WHITE.....MALE..	877	-	-	-	-	2	2	8	10	3	3	9	9	28	43	119	150	203	169	93	24	2	-
	FEMALE	1,259	-	-	-	2	-	3	7	18	51	75	104	143	124	153	163	156	130	81	39	5	5	-
	NONWHITE.....MALE..	104	-	-	-	-	-	-	-	-	-	-	-	2	5	14	21	22	23	11	5	-	1	-
	FEMALE	148	-	-	-	-	-	1	-	4	15	14	14	26	22	16	18	7	9	-	1	1	-	-
180, 181	OF URINARY ORGANS	786	-	8	1	-	2	-	1	3	5	12	24	54	62	82	157	132	107	86	39	9	2	-
	WHITE.....MALE..	483	-	4	-	-	1	-	1	-	2	8	18	33	41	53	96	83	76	40	25	2	-	-
	FEMALE	250	-	3	1	-	1	-	-	2	2	4	3	16	17	17	46	45	30	43	13	5	2	-
	NONWHITE.....MALE..	24	-	-	-	-	-	-	-	1	-	-	2	2	1	3	9	2	1	1	-	2	-	-
	FEMALE	29	-	1	-	-	-	-	-	-	1	-	1	3	3	9	6	2	-	2	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	1,465	3	32	26	22	27	17	17	32	46	72	97	127	143	170	173	150	137	93	54	16	11	-
	WHITE.....MALE..	764	-	19	13	14	13	7	8	16	24	34	55	66	79	97	100	76	61	40	26	10	6	-
	FEMALE	595	3	10	9	8	13	7	7	12	15	29	32	54	56	58	63	63	69	50	27	6	4	-
	NONWHITE.....MALE..	46	-	2	2	-	1	2	1	1	3	5	4	5	3	6	4	2	5	-	-	-	-	-
	FEMALE	60	-	1	2	-	-	1	1	3	4	4	6	2	5	9	6	9	2	3	1	-	1	-
204	LEUKEMIA AND ALEUKEMIA	711	4	51	48	18	19	15	12	11	16	23	25	38	52	63	84	94	70	51	15	2	-	-
	WHITE.....MALE..	409	2	32	30	6	12	8	5	6	12	13	15	23	31	36	52	53	38	24	10	1	-	-
	FEMALE	257	2	17	14	10	7	5	5	4	4	9	7	13	15	23	28	32	31	25	5	1	-	-
	NONWHITE.....MALE..	28	-	2	3	2	-	1	1	1	-	1	-	1	1	3	3	6	1	2	-	-	-	-
	FEMALE	17	-	-	1	-	-	1	1	-	-	-	3	1	5	1	1	3	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	713	1	5	4	11	2	14	15	16	26	37	54	63	69	80	106	100	52	39	17	2	-	-
	WHITE.....MALE..	385	-	3	2	6	2	9	7	9	16	25	32	32	38	42	62	49	26	16	8	1	-	-
	FEMALE	273	1	2	2	4	-	5	7	5	6	8	16	21	27	32	38	45	25	20	8	1	-	-
	NONWHITE.....MALE..	38	-	-	-	1	-	-	1	1	1	4	4	7	3	5	4	5	-	1	1	-	-	-
	FEMALE	17	-	-	-	-	-	-	-	1	3	-	2	3	1	1	2	1	1	2	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	207	10	5	6	5	2	4	6	8	8	19	10	14	11	20	23	23	15	12	2	3	1	-
	WHITE.....MALE..	98	7	1	2	5	1	4	2	3	4	5	4	4	7	11	13	12	7	5	-	-	1	-
	FEMALE	83	3	4	1	-	-	-	3	4	4	12	4	7	3	7	8	6	8	4	2	3	-	-
	NONWHITE.....MALE..	13	-	-	3	-	1	-	-	-	-	1	-	1	1	2	-	3	-	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	1	1	-	1	2	2	-	-	2	2	-	2	-	-	-	-
241	ASTHMA	242	-	3	1	-	-	2	1	2	6	9	20	22	30	32	45	34	14	10	8	3	-	-
	WHITE.....MALE..	133	-	1	1	-	-	-	-	-	3	2	5	13	19	17	34	20	7	4	5	2	-	-
	FEMALE	76	-	1	-	-	-	1	1	1	1	4	7	5	8	10	8	13	6	6	3	1	-	-
	NONWHITE.....MALE..	17	-	1	-	-	-	-	-	-	1	1	3	3	2	2	2	1	1	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	1	-	1	1	2	5	1	1	3	1	-	-	-	-	-	-	-
260	DIABETES MELLITUS	2,254	-	-	-	5	5	6	17	13	29	42	70	100	169	260	353	403	411	224	113	31	3	-
	WHITE.....MALE..	827	-	-	-	1	1	2	4	5	12	25	31	44	70	94	133	144	137	73	39	11	1	-
	FEMALE	1,221	-	-	-	4	1	4	10	4	11	8	26	42	70	130	186	238	252	144	70	19	2	-
	NONWHITE.....MALE..	79	-	-	-	-	1	-	1	1	3	8	6	4	8	14	15	6	7	3	1	1	-	-
	FEMALE	127	-	-	-	-	2	-	2	3	3	1	7	10	21	22	19	15	15	4	3	-	-	-
290-293	ANEMIAS	163	6	12	7	-	4	5	2	2	2	1	5	2	7	18	10	19	26	18	13	4	-	-
	WHITE.....MALE..	57	1	1	1	-	1	2	-	-	1	-	3	1	4	8	3	11	10	6	4	-	-	-
	FEMALE	86	4	6	3	-	1	2	1	1	-	1	2	1	2	8	7	7	15	12	9	4	-	-
	NONWHITE.....MALE..	9	-	3	2	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	FEMALE	11	1	2	1	-	1	1	1	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	92	33	16	2	2	-	2	4	3	1	1	2	3	5	5	6	4	2	1	-	-	-	-
	WHITE.....MALE..	42	8	11	-	2	-	-	2	1	-	1	-	3	4	2	4	3	-	1	-	-	-	-
	FEMALE	25	9	5	2	-	-	1	1	1	-	-	2	-	1	-	2	-	1	-	-	-	-	-
	NONWHITE.....MALE..	13	8	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-
	FEMALE	12	8	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	53,965	20	6	20	27	29	59	98	178	437	838	1,475	2,358	3,220	4,402	6,155	7,971	9,056	8,414	5,897	2,613	688	4
	WHITE.....MALE..	27,495	9	5	7	11	20	29	38	87	241	501	927	1,505	2,055	2,669	3,520	4,212	4,441	3,706	2,338	941	233	-
	FEMALE	22,847	8	1	9	11	3	22	35	50	101	193	334	541	833	1,268	2,110	3,267	4,236	4,433	3,380	1,585	424	3
	NONWHITE.....MALE..	1,951	3	-	3	3	4	3	10	24	52	77	131	182	179	254	286	252	196	148	88	43	12	1
	FEMALE	1,672	-	-	1	2	2	5	15	17	43	67	83	130	153	211	239	240	183	127	91	44	19	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	53,413	18	6	18	23	23	50	74	166	410	810	1,442	2,326	3,184	4,365	6,090	7,913	8,998	8,355	5,856	2,597	685	4
	WHITE.....MALE..	27,222	8	5	7	9	16	25	27	82	228	488	910	1,490	2,036	2,656	3,485	4,180	4,409	3,677	2,317	936	231	-
	FEMALE	22,647	8	1	7	10	3	18	26	43	96	182	327	532	823	1,255	2,088	3,246	4,214	4,407	3,361	1,574	423	3
	NONWHITE.....MALE..	1,911	2	-	3	3	3	3	9	24	47	74	126	178	175	250	283	249	194	145	87	43	12	1
	FEMALE	1,633	-	-	1	1	1	4	12	17	39	66	79	126	150	204	234	238	181	126	91	44	19	-
330-334	VASCULAR LESIONS, ETC.	11,382	8	4	6	13	8	14	16	30	73	120	198	310	420	703	1,082	1,610	2,157	2,253	1,561	661	135	-
	WHITE.....MALE..	4,926	4	3	2	5	5	6	3	9	17	39	73	137	190	322	539	763	989	950	595	232	43	-
	FEMALE	5,639	3	1	2	7	3	6	7	12	32	53	83	115	151	274	434	745	1,061	1,235	928	403	84	-
	NONWHITE.....MALE..	415	1	-	1	1	-	1	1	4	11	10	24	26	37	64	58	49	59	36	20	10	2	-
	FEMALE	402	-	-	1	-	-	1	5	5	13	18	18	32	42	43	51	53	48	32	18	16	6	-
400-402, 410-443	DISEASES OF HEART	37,313	8	1	9	8	10	30	44	117	316	632	1,161	1,905	2,599	3,401	4,575	5,738	6,116	5,182	3,554	1,509	396	2
	WHITE.....MALE..	20,119	2	1	4	4	8	14	21	69	206	427	801	1,304	1,747	2,191	2,697	3,108	3,101	2,311	1,418	551	134	-
	FEMALE	14,845	5	-	4	2	-	11	12	25	60	113	223	379	630	908	1,523	2,283	2,782	2,700	2,021	914	248	2
	NONWHITE.....MALE..	1,303	1	-	1	2	1	2	6	13	27	52	95	138	125	164	200	177	117	94	54	26	8	-
	FEMALE	1,046	-	-	-	-	1	3	5	10	23	40	42	84	97	138	155	170	116	77	61	18	6	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	1,094	-	-	3	5	5	16	20	34	58	95	113	152	133	116	117	88	69	33	30	6	1	-
	WHITE.....MALE..	467	-	-	2	3	3	7	10	19	28	39	53	57	60	58	53	30	27	7	9	2	-	-
	FEMALE	552	-	-	1	1	-	7	8	10	25	43	56	85	68	53	54	50	42	25	19	4	1	-
	NONWHITE.....MALE..	43	-	-	-	1	1	-	1	3	3	6	2	5	5	3	7	4	-	1	1	-	-	-
	FEMALE	32	-	-	-	-	1	2	1	2	2	7	2	5	-	2	3	4	-	-	1	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	28,672	-	-	-	-	1	3	12	58	215	452	914	1,542	2,153	2,801	3,701	4,541	4,646	3,802	2,521	1,031	277	2
	WHITE.....MALE..	16,570	-	-	-	-	1	1	9	42	169	357	694	1,159	1,548	1,891	2,307	2,585	2,492	1,791	1,039	391	94	-
	FEMALE	10,589	-	-	-	-	-	2	-	9	23	53	132	245	459	703	1,154	1,722	2,003	1,894	1,408	607	173	2
	NONWHITE.....MALE..	892	-	-	-	-	-	-	1	4	14	30	67	96	87	115	144	126	81	64	37	21	5	-
	FEMALE	621	-	-	-	-	-	-	2	3	9	12	21	42	59	92	96	108	70	53	37	12	5	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	2,785	1	-	-	-	1	1	2	4	6	10	25	37	57	120	201	352	535	601	492	262	78	-
	WHITE.....MALE..	1,243	1	-	-	-	1	-	-	1	2	5	11	17	33	65	108	177	245	257	199	92	29	-
	FEMALE	1,408	-	-	-	-	-	-	1	1	1	2	6	10	18	38	77	154	273	333	280	167	47	-
	NONWHITE.....MALE..	67	-	-	-	-	-	1	1	1	3	-	6	5	1	9	8	9	8	8	3	2	2	-
	FEMALE	67	-	-	-	-	-	-	-	1	-	3	2	5	5	8	8	12	9	3	10	1	-	-
430-434	OTHER DISEASES OF HEART	1,202	7	1	6	3	3	8	8	7	15	29	34	51	56	85	141	172	200	171	137	52	16	-
	WHITE.....MALE..	587	1	1	2	1	3	6	2	3	4	14	18	23	26	56	72	88	95	78	63	25	6	-
	FEMALE	511	5	-	3	1	-	2	2	3	5	8	12	18	20	24	56	67	92	89	69	26	9	-
	NONWHITE.....MALE..	54	1	-	1	1	-	-	2	1	3	2	1	8	6	4	5	9	5	3	1	-	1	-
	FEMALE	50	-	-	-	-	-	-	2	-	3	5	3	2	4	1	8	8	8	1	4	1	-	-
440-443	HYPERTENSIVE HEART DIS.	3,560	-	-	-	-	-	2	2	14	22	46	75	123	200	279	415	585	666	575	374	158	24	-
	WHITE.....MALE..	1,252	-	-	-	-	-	-	-	4	3	12	25	48	80	121	157	228	242	178	108	41	5	-
	FEMALE	1,785	-	-	-	-	-	-	1	2	6	7	17	21	65	90	182	290	372	359	245	110	18	-
	NONWHITE.....MALE..	247	-	-	-	-	-	1	1	4	4	14	19	24	26	33	36	29	23	18	12	3	-	-
	FEMALE	276	-	-	-	-	-	1	-	4	9	13	14	30	29	35	40	38	29	20	9	4	1	-
444-447	OTHER HYPERTENSIVE DIS.	748	-	-	-	-	1	2	6	10	11	22	31	31	32	49	60	84	123	129	105	38	12	2
	WHITE.....MALE..	298	-	-	-	-	1	2	2	2	2	5	11	7	12	18	30	40	46	55	39	18	8	-
	FEMALE	328	-	-	-	-	-	-	2	-	1	4	4	9	11	18	18	38	68	71	62	17	4	1
	NONWHITE.....MALE..	63	-	-	-	-	-	-	-	6	6	10	5	8	3	6	2	4	8	2	1	1	-	1
	FEMALE	59	-	-	-	-	-	-	2	2	2	3	11	7	6	7	10	2	1	1	3	2	-	-
450	GENERAL ARTERIOSCLEROSIS.	2,727	-	-	-	-	-	-	-	-	2	8	12	21	29	62	158	270	412	680	573	369	131	-
	WHITE.....MALE..	1,195	-	-	-	-	-	-	-	-	-	4	8	8	18	34	78	143	177	311	244	128	42	-
	FEMALE	1,392	-	-	-	-	-	-	-	-	1	3	4	8	9	18	54	113	218	343	314	227	80	-
	NONWHITE.....MALE..	63	-	-	-	-	-	-	-	-	-	-	-	3	1	5	15	7	7	10	7	6	2	-
	FEMALE	77	-	-	-	-	-	-	-	-	1	1	-	2	1	5	11	7	10	16	8	8	7	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	1,243	2	1	3	2	4	4	8	9	8	28	40	59	104	150	215	211	190	111	63	20	11	-
	WHITE.....MALE..	684	2	1	1	-	2	3	1	2	3	13	17	34	69	91	141	126	96	50	21	7	4	-
	FEMALE	443	-	-	1	1	-	1	5	6	2	9	13	21	22	37	59	67	85	58	36	13	7	-
	NONWHITE.....MALE..	67	-	-	1	-	2	-	2	1	3	2	2	3	9	11	8	12	3	3	5	-	-	-
	FEMALE	49	-	-	-	1	-	-	-	-	-	4	8	1	4	11	7	6	6	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	552	2	-	2	4	6	9	24	12	27	28	33	32	36	37	65	58	58	59	41	16	3	-
	WHITE.....MALE..	273	1	-	-	2	4	4	11	5	13	13	17	15	19	13	35	32	32	29	21	5	2	-
	FEMALE	200	-	-	2	1	-	4	9	7	5	11	7	9	10	13	22	21	22	26	19	11	1	-
	NONWHITE.....MALE..	40	1	-	-	-	1	-	1	-	5	3	5	4	4	4	3	3	2	3	1	-	-	-
	FEMALE	39	-	-	-	1	1	1	3	-	4	1	4	4	3	7	5	2	2	1	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	2,535	295	93	9	20	14	15	17	16	36	37	54	70	102	125	191	267	331	344	303	143	53	-
	WHITE.....MALE..	1,251	153	49	1	8	7	2	7	8	17	12	26	33	62	61	121	146	173	168	124	57	16	-
	FEMALE	1,017	90	32	7	11	7	9	4	5	10	9	10	16	28	36	53	95	146	162	171	84	32	-
	NONWHITE.....MALE..	147	27	5	1	-	-	3	4	2	4	5	13	13	10	17	13	15	7	4	3	-	1	-
	FEMALE	120	25	7	-	1	-	1	2	1	5	11	5	8	2	11	4	11	5	10	5	2	4	-
480-483	INFLUENZA.....	284	12	8	-	5	2	1	2	2	3	2	5	7	5	12	19	29	41	56	47	21	5	-
	WHITE.....MALE..	126	8	4	-	1	1	-	2	2	1	1	2	3	1	5	9	17	23	23	17	6	-	-
	FEMALE	141	3	4	-	3	1	1	-	-	1	1	2	2	3	6	9	10	18	30	29	15	3	-
	NONWHITE.....MALE..	7	1	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	1	-	-	-
	FEMALE	10	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	2	-	2	-	-	2	-
490-493	PNEUMONIA, ETC.....	2,251	283	85	9	15	12	14	15	14	33	35	49	63	97	113	172	238	290	288	256	122	48	-
	WHITE.....MALE..	1,125	145	45	1	7	6	2	5	6	16	11	24	30	61	56	112	129	150	145	107	51	16	-
	FEMALE	876	87	28	7	8	6	8	4	5	9	8	8	14	25	30	44	85	128	132	142	69	29	-
	NONWHITE.....MALE..	140	26	5	1	-	-	3	4	2	4	5	12	11	10	17	12	15	7	3	2	-	1	-
	FEMALE	110	25	7	-	-	-	1	2	1	4	11	5	8	1	10	4	9	5	8	5	2	2	-
500-502	BRONCHITIS.....	299	35	8	-	3	1	-	1	2	3	4	6	19	21	30	39	43	31	36	12	5	-	-
	WHITE.....MALE..	185	15	3	-	1	1	-	-	-	1	3	3	13	18	20	28	28	24	19	5	3	-	-
	FEMALE	87	10	4	-	1	-	-	1	-	2	-	3	5	2	9	7	12	7	16	6	2	-	-
	NONWHITE.....MALE..	22	7	1	-	-	-	-	-	2	-	1	-	1	1	1	3	3	-	1	1	-	-	-
	FEMALE	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	1,169	80	10	2	1	2	3	-	7	10	14	32	69	105	144	191	178	151	111	42	12	5	-
	WHITE.....MALE..	837	35	4	1	1	-	1	-	4	4	4	20	48	78	109	155	145	116	74	28	8	2	-
	FEMALE	229	23	3	1	-	1	1	-	1	3	6	9	13	21	23	23	23	26	33	12	4	3	-
	NONWHITE.....MALE..	80	15	2	-	-	-	1	-	1	1	2	2	8	5	9	13	9	8	3	1	-	-	-
	FEMALE	23	7	1	-	-	1	-	-	1	2	2	1	-	1	3	-	1	1	1	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	679	1	2	-	-	-	3	4	7	4	22	23	43	63	70	83	93	113	80	48	19	1	-
	WHITE.....MALE..	456	1	1	-	-	-	2	2	4	4	12	14	29	41	46	68	74	72	53	23	10	-	-
	FEMALE	189	-	1	-	-	-	1	1	2	-	7	7	10	17	17	13	16	39	25	23	9	1	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	1	1	-	2	1	2	4	5	-	2	1	2	1	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	1	-	1	-	-	-
550-553	APPENDICITIS.....	105	-	5	-	5	1	1	1	2	4	2	9	10	12	8	8	12	12	6	7	-	-	-
	WHITE.....MALE..	65	-	2	-	3	-	-	1	2	1	2	7	7	6	5	5	8	9	4	3	-	-	-
	FEMALE	28	-	2	-	2	-	1	-	-	1	-	2	3	2	3	1	3	2	2	4	-	-	-
	NONWHITE.....MALE..	9	-	1	-	-	1	-	-	-	2	-	-	-	2	-	1	1	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	531	42	5	1	2	1	1	1	2	6	11	12	15	27	41	44	82	86	71	48	26	7	-
	WHITE.....MALE..	223	22	3	-	1	-	1	-	1	3	2	5	5	11	19	16	37	46	20	20	10	1	-
	FEMALE	265	16	2	1	1	1	-	1	-	3	7	5	7	9	16	26	36	38	49	25	16	6	-
	NONWHITE.....MALE..	26	3	-	-	-	-	-	-	1	-	1	2	1	4	6	1	3	1	1	2	-	-	-
	FEMALE	17	1	-	-	-	-	-	-	-	-	1	-	2	3	-	1	6	1	1	1	-	-	-
543, 571, 572	GASTRITIS, ETC.....	390	56	17	3	1	3	4	4	3	5	11	10	17	23	28	32	47	51	38	17	16	4	-
	WHITE.....MALE..	182	29	10	2	1	1	3	-	3	1	7	6	8	9	11	15	26	23	15	6	5	1	-
	FEMALE	180	19	6	-	-	2	1	3	-	3	4	4	9	10	10	14	19	28	23	11	11	3	-
	NONWHITE.....MALE..	15	7	-	1	-	-	-	-	-	1	-	-	-	2	2	1	1	-	-	-	-	-	-
	FEMALE	13	1	1	-	-	-	-	1	-	-	-	-	-	2	5	2	1	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	1,105	3	4	-	1	4	1	10	29	64	75	137	157	139	142	164	86	57	27	5	-	-	-
	WHITE.....MALE..	684	1	1	-	-	4	-	3	9	24	40	68	102	101	97	116	65	36	15	2	-	-	-
	FEMALE	320	-	1	-	1	-	1	2	10	23	25	54	46	27	38	42	18	18	11	3	-	-	-
	NONWHITE.....MALE..	44	2	2	-	-	-	-	2	2	7	4	6	3	5	2	3	2	3	1	-	-	-	-
	FEMALE	57	-	-	-	-	-	-	3	8	10	6	9	6	6	5	3	1	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	258	-	-	-	-	-	-	1	2	5	1	6	6	12	22	37	45	42	35	28	12	4	-
	WHITE.....MALE..	102	-	-	-	-	-	-	-	-	2	-	5	2	7	9	14	18	20	13	10	2	-	-
	FEMALE	152	-	-	-	-	-	-	1	2	3	1	1	3	4	13	22	27	22	22	17	10	4	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	72	2	1	4	3	1	1	6	3	3	3	7	4	1	6	6	8	5	5	3	-	-	-
	WHITE.....MALE..	33	2	-	3	2	-	1	3	-	1	1	3	1	1	3	4	3	2	-	3	-	-	-
	FEMALE	30	-	1	1	1	1	-	3	1	-	2	2	3	-	3	-	5	2	5	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	475	1	-	1	3	2	4	3	9	15	15	17	22	26	57	59	57	69	59	31	20	5	-
	WHITE.....MALE..	179	-	-	1	1	1	4	-	2	4	4	3	5	7	23	21	22	30	24	16	9	2	-
	FEMALE	221	-	-	-	2	1	-	3	5	8	5	10	10	10	20	28	27	36	32	13	9	2	-
	NONWHITE.....MALE..	33	1	-	-	-	-	-	-	-	2	-	1	3	4	9	5	2	3	1	2	-	-	-
	FEMALE	42	-	-	-	-	-	-	-	2	1	6	3	4	5	5	5	6	-	2	-	2	1	-
610	HYPERPLASIA OF PROSTATE..	239	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	22	41	51	46	42	15	5	-
	WHITE.....MALE..	219	-	-	-	-	-	-	-	-	-	-	-	2	3	8	17	37	47	45	41	14	5	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	4	4	1	1	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OHIO--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	56	-	-	-	-	2	9	17	9	11	8	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	38	-	-	-	-	1	5	12	6	9	5	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	18	-	-	-	-	1	4	5	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	13	-	-	-	-	-	5	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	10	-	-	-	-	-	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	43	-	-	-	-	2	4	14	7	9	7	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	28	-	-	-	-	1	3	9	4	7	4	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	15	-	-	-	-	1	1	5	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	1,147	773	114	45	26	23	15	11	13	20	19	19	14	16	10	11	3	5	7	1	1	-	1
	WHITE.....MALE..	566	380	51	26	13	14	10	6	7	8	5	9	4	9	7	6	3	4	3	1	-	-	-
	FEMALE	470	317	47	17	13	7	4	3	5	11	9	9	8	6	3	4	-	1	4	-	1	-	1
	NONWHITE.....MALE..	60	42	7	2	-	-	1	1	1	1	3	-	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	51	34	9	-	-	2	-	1	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	3,206	3,205	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,516	1,516	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1,089	1,088	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	342	342	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	1,507	1,507	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	744	744	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	540	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN....	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	1,509	1,508	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	683	683	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	496	495	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	190	190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	606	60	20	5	7	11	20	20	28	39	50	49	44	33	29	32	27	39	34	31	20	8	-
	WHITE.....MALE..	279	27	9	4	3	5	12	5	3	16	17	21	27	19	17	21	17	25	18	10	1	2	-
	FEMALE	202	16	7	1	4	5	4	5	13	8	21	16	8	6	7	6	8	13	12	18	19	5	-
	NONWHITE.....MALE..	77	9	3	-	-	-	2	5	7	7	10	7	8	4	4	5	1	1	1	3	-	-	-
	FEMALE	48	8	1	-	-	1	2	5	5	8	2	5	1	4	1	-	1	-	3	-	-	1	-
RESID-UAL	ALL OTHER DISEASES.	2,674	155	75	35	28	30	39	44	61	77	106	124	173	189	239	302	291	286	216	138	48	18	-
	WHITE.....MALE..	1,242	65	36	17	15	17	14	21	22	34	47	51	86	90	111	155	147	146	98	55	13	2	-
	FEMALE	1,149	52	26	12	10	10	17	15	20	26	44	55	62	75	102	125	131	130	107	82	34	14	-
	NONWHITE.....MALE..	150	26	7	2	-	2	6	2	10	9	9	9	15	11	10	15	7	4	5	1	-	-	-
	FEMALE	133	12	6	4	3	1	2	6	9	8	6	9	10	13	16	7	6	6	6	-	1	2	-
E800-E962	ACCIDENTS.	4,627	120	200	178	175	315	310	219	199	211	228	226	223	248	219	236	288	305	318	268	106	33	2
	WHITE.....MALE..	2,723	45	104	110	119	234	237	159	134	133	162	148	137	147	128	138	156	151	143	91	38	8	1
	FEMALE	1,543	53	60	42	35	68	59	41	38	50	52	60	63	78	70	82	117	147	170	171	66	21	-
	NONWHITE.....MALE..	244	10	18	19	17	11	11	14	24	21	12	9	19	15	17	8	8	2	4	4	-	-	1
	FEMALE	117	12	18	7	4	2	3	5	3	7	2	9	4	8	4	8	7	5	1	2	2	4	-
E810-E835	MOTOR VEHICLE ACCIDENTS..	1,959	13	68	86	102	229	223	137	129	125	122	115	97	118	95	86	82	71	40	18	2	1	-
	WHITE.....MALE..	1,282	3	37	55	70	168	172	102	86	80	89	73	56	71	45	43	50	41	26	13	2	-	-
	FEMALE	553	9	23	22	25	55	41	28	27	35	28	33	31	40	40	40	28	29	14	5	-	-	-
	NONWHITE.....MALE..	94	1	5	5	5	5	8	6	15	7	3	5	9	5	8	2	4	1	-	-	-	-	-
	FEMALE	30	-	3	4	2	1	2	1	1	3	2	4	1	2	2	1	-	-	-	-	-	1	-
E800-E802, E840-E962	OTHER ACCIDENTS.	2,668	107	132	92	73	86	87	82	70	86	106	111	126	130	124	150	206	234	278	250	104	32	2
	WHITE.....MALE..	1,441	42	67	55	49	66	65	57	48	53	73	75	81	76	83	95	106	110	117	78	36	8	1
	FEMALE	990	44	37	20	10	13	18	13	11	15	24	27	32	38	30	42	89	118	156	166	66	21	-
	NONWHITE.....MALE..	150	9	13	14	12	6	3	8	9	14	9	4	10	10	9	6	4	1	4	4	-	-	1
	FEMALE	87	12	15	3	2	1	1	4	2	4	-	5	3	6	2	7	7	5	1	2	2	3	-
E963, E970-E979	SUICIDE.	1,072	...	...	-	5	26	41	46	67	87	91	102	129	113	87	89	71	67	39	9	1	2	-
	WHITE.....MALE..	769	...	...	-	5	19	25	29	32	55	62	66	99	87	60	65	62	60	33	8	1	1	-
	FEMALE	257	...	...	-	-	5	12	12	22	29	26	35	27	22	21	23	8	7	6	1	-	1	-
	NONWHITE.....MALE..	34	...	...	-	-	1	1	5	10	3	1	1	3	2	6	-	1	-	-	-	-	-	-
	FEMALE	12	...	...	-	-	1	3	-	3	-	2	-	-	2	-	1	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	326	12	7	4	12	15	17	33	43	42	40	26	24	11	20	7	5	2	2	2	1	-	1
	WHITE.....MALE..	108	4	1	-	6	9	3	8	8	8	16	10	13	2	11	4	3	-	2	-	-	-	-
	FEMALE	63	2	2	3	6	4	3	4	6	7	6	4	5	2	4	1	1	-	-	2	1	-	-
	NONWHITE.....MALE..	120	2	3	-	-	2	9	13	27	21	14	11	5	7	2	2	1	1	-	-	-	-	-
	FEMALE	35	4	1	1	-	-	2	8	2	6	4	1	1	-	3	-	-	1	-	-	-	-	1

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA																							
	ALL CAUSES	24,000	1,220	225	114	111	205	188	184	222	336	513	731	1,086	1,459	1,937	2,529	2,990	3,133	3,204	2,283	1,011	303	16
	WHITE.....MALE..	12,612	551	111	48	64	131	109	117	109	174	279	394	662	934	1,148	1,492	1,646	1,611	1,509	1,004	409	107	3
	FEMALE	8,880	420	68	49	31	49	42	42	68	99	156	224	296	349	564	788	1,071	1,281	1,474	1,127	528	150	4
	NONWHITE.....MALE..	1,422	134	28	7	12	15	22	16	33	38	39	72	76	109	118	148	153	136	120	81	37	26	2
	FEMALE	1,086	115	18	10	4	10	15	9	12	25	39	41	52	67	107	101	120	105	101	71	37	20	1
001-019	TUBERCULOSIS, ALL FORMS..	153	1	-	-	-	-	-	3	4	8	7	13	17	11	21	18	20	13	13	2	2	-	-
	WHITE.....MALE..	89	-	-	-	-	-	-	1	-	4	2	7	14	6	13	12	14	9	6	-	1	-	-
	FEMALE	30	-	-	-	-	-	-	-	1	2	1	2	3	4	3	1	-	3	7	2	1	-	-
	NONWHITE.....MALE..	23	1	-	-	-	-	-	1	2	1	1	3	-	1	2	4	6	1	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	1	1	1	3	1	-	-	3	1	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	143	-	-	-	-	-	-	3	4	8	6	12	17	11	18	18	17	12	13	2	2	-	-
	WHITE.....MALE..	87	-	-	-	-	-	-	1	-	4	2	7	14	6	13	12	12	9	6	-	1	-	-
	FEMALE	28	-	-	-	-	-	-	-	1	2	1	2	3	4	2	1	-	2	7	2	1	-	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	1	2	1	1	3	-	1	1	4	5	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	1	1	1	2	-	-	-	2	1	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	10	1	-	-	-	-	-	-	-	-	1	1	-	-	3	-	3	1	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	36	1	-	-	-	-	-	-	-	-	1	2	3	2	4	6	6	4	6	1	-	-	-
	WHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	1	1	3	2	2	4	4	2	3	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-
	NONWHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	9	3	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	WHITE.....MALE..	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	5	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	WHITE.....MALE..	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	10	1	4	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	83	11	8	3	4	2	1	2	-	3	3	4	5	2	6	7	6	5	3	5	2	1	-
	WHITE.....MALE..	37	4	2	1	3	1	-	-	-	2	2	1	1	1	2	5	5	3	2	1	1	-	-
	FEMALE	25	4	3	2	-	1	-	1	-	1	1	1	1	-	3	-	1	2	-	3	1	-	-
	NONWHITE.....MALE..	15	3	3	-	-	-	1	-	-	-	-	2	2	-	1	2	-	-	-	1	-	-	-
	FEMALE	6	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	3,694	1	18	17	8	9	12	17	37	47	116	156	289	368	482	536	521	442	341	198	64	13	2
	WHITE.....MALE..	1,836	1	11	8	3	7	7	11	14	17	36	50	135	214	251	285	281	223	170	82	25	5	-
	FEMALE	1,540	-	6	7	4	2	4	4	19	23	67	94	129	114	186	208	200	190	146	96	34	5	2
	NONWHITE.....MALE..	163	-	1	-	1	-	-	1	1	4	4	5	15	22	21	23	23	17	13	8	3	1	-
	FEMALE	155	-	-	2	-	-	1	1	3	3	9	7	10	18	24	20	17	12	12	12	2	2	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	83	-	1	-	1	-	-	1	-	-	1	3	7	8	9	7	12	15	8	6	3	1	-
	WHITE.....MALE..	49	-	1	-	-	-	-	1	-	-	1	2	6	8	6	1	5	10	2	3	3	-	-
	FEMALE	29	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	7	4	5	3	-	-	-
	NONWHITE.....MALE..	5	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,118	-	-	-	-	-	-	3	4	10	19	23	72	90	152	165	174	162	128	86	26	3	1
	WHITE.....MALE..	503	-	-	-	-	-	-	2	1	2	8	10	30	48	71	78	88	70	52	32	9	2	-
	FEMALE	497	-	-	-	-	-	-	1	3	5	9	10	35	28	66	64	69	80	67	43	16	-	1
	NONWHITE.....MALE..	62	-	-	-	-	-	-	-	-	2	1	2	5	9	7	13	10	6	4	2	1	-	-
	FEMALE	56	-	-	-	-	-	-	-	-	1	1	1	2	5	8	10	7	6	5	9	-	1	-
160-164	OF RESP. SYSTEM, ETC.....	617	-	-	-	-	-	-	-	1	2	13	27	56	99	120	121	82	50	34	9	3	-	-
	WHITE.....MALE..	482	-	-	-	-	-	-	-	-	2	11	17	45	81	102	106	59	36	18	5	-	-	-
	FEMALE	104	-	-	-	-	-	-	-	-	-	1	8	7	12	13	12	18	12	14	4	3	-	-
	NONWHITE.....MALE..	27	-	-	-	-	-	-	-	1	-	1	1	4	5	5	3	4	1	2	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-
170	OF BREAST.....	257	-	-	-	-	-	-	-	3	3	19	32	35	31	28	31	29	17	18	8	3	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	232	-	-	-	-	-	-	-	3	2	19	30	34	27	24	29	25	16	13	7	3	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	549	-	-	-	-	1	-	3	10	10	26	22	30	43	49	65	88	81	68	35	15	3	-
	WHITE.....MALE..	219	-	-	-	-	-	-	1	3	-	-	1	1	8	11	24	53	45	45	19	7	1	-
	FEMALE	257	-	-	-	-	1	-	1	5	9	20	21	21	27	30	37	25	30	16	9	4	1	-
	NONWHITE.....MALE..	34	-	-	-	-	-	-	-	-	-	-	-	1	4	-	3	6	6	6	6	2	-	-
	FEMALE	39	-	-	-	-	-	-	1	2	1	6	-	7	4	8	1	4	-	1	1	2	1	-
180, 181	OF URINARY ORGANS.....	171	-	-	-	1	-	-	-	-	1	3	5	10	18	20	31	29	22	19	10	-	2	-
	WHITE.....MALE..	114	-	-	-	1	-	-	-	-	-	3	2	7	16	12	18	22	15	11	7	-	-	-
	FEMALE	48	-	-	-	-	-	-	-	-	1	-	3	3	2	6	9	6	5	8	3	-	2	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	520	-	5	7	2	2	3	7	11	14	21	26	51	45	55	68	62	53	37	34	13	3	1
	WHITE.....MALE..	253	-	4	2	-	2	2	6	5	9	8	7	26	35	25	29	31	26	20	9	6	1	-
	FEMALE	235	-	1	3	2	-	-	1	5	4	13	16	21	7	24	36	29	22	16	25	7	2	1
	NONWHITE.....MALE..	14	-	-	-	-	-	-	-	-	1	-	-	4	1	3	1	2	2	-	-	-	-	-
	FEMALE	18	-	-	2	-	-	1	-	1	-	-	3	-	2	3	2	-	3	1	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	195	-	11	10	3	2	6	-	4	3	6	7	9	13	23	22	20	23	22	9	1	1	-
	WHITE.....MALE..	111	-	5	6	2	2	4	-	2	2	2	3	9	5	10	14	11	12	15	6	-	1	-
	FEMALE	72	-	5	4	1	-	2	-	2	-	3	1	-	6	12	6	9	11	7	2	1	-	-
	NONWHITE.....MALE..	8	-	1	-	-	-	-	-	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	184	1	1	-	1	4	3	3	4	4	8	11	19	21	26	26	25	19	7	1	-	-	-
	WHITE.....MALE..	104	1	1	-	-	3	1	1	3	2	3	7	11	13	14	15	12	9	7	1	-	-	-
	FEMALE	66	-	-	-	1	1	2	1	1	2	2	4	8	5	8	9	12	10	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	1	-	-	1	-	-	1	4	1	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	67	4	2	-	-	3	-	1	2	1	2	5	4	6	7	8	7	9	4	-	2	-	-
	WHITE.....MALE..	28	1	2	-	-	2	-	-	-	-	1	-	2	4	5	3	3	3	1	-	1	-	-
	FEMALE	34	2	-	-	-	1	-	-	2	1	1	3	2	1	2	5	4	6	3	-	1	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	82	-	2	2	-	-	-	-	1	2	2	4	4	3	5	14	13	15	8	4	2	1	-
	WHITE.....MALE..	48	-	1	1	-	-	-	-	-	-	1	1	1	2	3	10	10	9	6	2	1	-	-
	FEMALE	20	-	-	1	-	-	-	-	-	1	-	1	2	-	1	3	2	6	-	2	-	1	-
	NONWHITE.....MALE..	9	-	1	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	2	-	1	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	406	-	-	1	1	1	2	2	1	3	8	13	19	31	32	46	75	72	59	35	5	-	-
	WHITE.....MALE..	143	-	-	1	1	-	1	2	-	3	2	5	6	17	11	8	18	28	22	17	1	-	-
	FEMALE	199	-	-	-	-	-	-	-	1	-	4	3	5	8	12	32	44	37	35	15	3	-	-
	NONWHITE.....MALE..	21	-	-	-	-	1	-	-	-	-	1	2	2	3	2	3	4	3	-	-	-	-	-
	FEMALE	43	-	-	-	-	-	1	-	-	-	1	3	6	3	7	3	9	4	2	3	1	-	-
290-293	ANEMIAS.....	46	-	1	-	-	-	2	-	2	1	-	3	2	5	3	2	3	6	10	5	1	-	-
	WHITE.....MALE..	18	-	1	-	-	-	-	-	-	-	-	-	-	3	1	2	2	2	4	2	1	-	-
	FEMALE	22	-	-	-	-	-	-	-	1	1	-	3	2	2	1	-	1	4	5	2	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	FEMALE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	34	17	5	4	-	-	-	-	1	-	1	-	-	1	1	1	1	2	-	-	-	-	-
	WHITE.....MALE..	11	3	1	3	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-
	FEMALE	11	8	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	4	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	12,903	10	9	6	7	13	9	21	37	93	163	288	451	699	992	1,453	1,875	2,038	2,225	1,613	692	197	12
	WHITE.....MALE..	6,837	5	6	1	5	5	1	10	21	50	115	188	302	468	619	889	1,032	1,061	1,014	701	276	65	3
	FEMALE	4,909	4	1	3	1	6	6	8	8	25	30	56	86	138	255	419	676	825	1,067	823	371	100	1
	NONWHITE.....MALE..	654	1	-	2	1	1	-	1	4	10	11	27	35	61	64	87	96	84	74	47	23	23	2
	FEMALE	503	-	2	-	-	1	2	2	4	8	7	17	28	32	54	58	71	68	70	42	22	9	6
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	12,684	8	9	3	4	11	6	19	34	87	157	282	441	689	981	1,432	1,847	2,001	2,195	1,586	687	193	12
	WHITE.....MALE..	6,741	4	6	1	2	4	-	8	20	48	112	185	296	461	614	880	1,020	1,047	998	692	276	64	3
	FEMALE	4,831	3	1	2	1	5	5	8	7	24	28	55	84	136	250	413	665	809	1,056	812	367	99	1
	NONWHITE.....MALE..	634	1	-	-	1	1	-	1	3	9	10	27	35	61	63	86	93	80	72	46	22	21	2
	FEMALE	478	-	2	-	-	1	1	2	4	6	7	15	26	31	54	53	69	65	69	36	22	9	6
330-334	VASCULAR LESIONS, ETC	3,176	-	1	2	2	4	3	3	6	18	30	43	64	108	178	321	440	533	656	484	216	60	4
	WHITE.....MALE..	1,376	-	1	1	-	1	-	1	3	7	13	18	27	49	82	161	206	245	259	203	74	24	1
	FEMALE	1,446	-	-	1	1	3	3	1	2	9	12	14	24	32	56	109	179	244	350	258	124	24	-
	NONWHITE.....MALE..	183	-	-	-	1	-	-	-	-	1	2	4	5	17	23	31	25	26	21	11	7	8	1
	FEMALE	171	-	-	-	-	-	-	1	1	1	3	7	8	10	17	20	30	18	26	12	11	4	2
400-402, 410-443	DISEASES OF HEART	8,625	6	8	1	1	6	2	12	24	64	122	226	358	548	758	1,038	1,294	1,341	1,349	956	398	107	6
	WHITE.....MALE..	4,929	2	5	-	1	3	-	6	15	40	97	162	256	393	508	673	757	740	645	418	173	33	2
	FEMALE	3,024	3	1	1	-	1	1	4	5	14	14	38	56	94	180	287	440	511	624	484	206	59	1
	NONWHITE.....MALE..	397	1	-	-	-	1	-	1	3	6	7	20	28	42	39	47	60	47	42	31	11	10	1
	FEMALE	275	-	2	-	-	1	1	1	1	4	4	6	18	19	31	31	37	43	38	23	8	5	2
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS	140	-	2	-	-	5	1	2	3	11	8	11	19	13	13	14	16	9	7	2	3	1	-
	WHITE.....MALE..	62	-	2	-	-	2	-	-	-	4	6	5	8	8	4	8	8	4	2	-	1	-	-
	FEMALE	69	-	-	-	-	1	1	2	3	7	2	6	7	4	8	6	7	5	5	2	2	1	-
	NONWHITE.....MALE..	5	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	6,857	-	-	-	-	-	-	5	14	45	101	194	300	485	655	865	1,063	1,064	1,022	685	281	74	4
	WHITE.....MALE..	4,165	-	-	-	-	-	-	3	11	34	86	146	230	364	466	586	653	605	510	321	120	28	2
	FEMALE	2,233	-	-	-	-	-	-	2	1	4	8	27	39	75	142	223	345	397	458	326	145	40	1
	NONWHITE.....MALE..	281	-	-	-	-	-	-	-	1	4	6	19	19	31	26	32	44	35	27	23	10	4	-
	FEMALE	178	-	-	-	-	-	-	-	1	3	1	2	12	15	21	24	21	27	27	15	6	2	1
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	444	1	-	-	1	-	-	1	-	1	2	4	7	6	15	32	56	52	106	99	45	15	1
	WHITE.....MALE..	208	-	-	-	1	-	-	1	-	-	2	3	5	3	8	16	28	30	48	40	20	3	-
	FEMALE	195	1	-	-	-	-	-	-	-	-	-	1	1	2	2	8	22	18	52	55	24	9	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	-	1	-	-	-	1	4	6	3	2	4	-	-	1	1
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	2	4	1	2	-
430-434	OTHER DISEASES OF HEART	548	5	6	1	-	1	1	4	7	5	5	13	12	23	35	59	76	89	92	69	36	9	-
	WHITE.....MALE..	258	2	3	-	-	1	-	2	4	2	2	7	8	14	15	34	36	48	39	24	16	1	-
	FEMALE	224	2	1	1	-	-	-	-	1	3	1	3	1	6	13	20	28	37	45	37	20	5	-
	NONWHITE.....MALE..	38	1	-	-	-	-	-	1	2	-	1	1	1	3	4	3	8	1	4	6	-	2	-
	FEMALE	28	-	2	-	-	-	1	1	-	-	1	2	2	-	3	2	4	3	4	2	-	1	-
440-443	HYPERTENSIVE HEART DIS	636	-	-	-	-	-	-	-	-	2	6	4	20	21	40	68	83	127	122	101	33	8	1
	WHITE.....MALE..	236	-	-	-	-	-	-	-	-	-	1	1	5	4	15	29	32	53	46	33	16	1	-
	FEMALE	303	-	-	-	-	-	-	-	-	-	3	1	8	7	15	30	38	54	64	64	15	4	-
	NONWHITE.....MALE..	50	-	-	-	-	-	-	-	-	1	-	-	6	6	4	6	5	9	7	2	1	3	-
	FEMALE	47	-	-	-	-	-	-	-	-	1	2	2	1	4	6	3	8	11	5	2	1	-	1
444-447	OTHER HYPERTENSIVE DIS	150	-	-	-	-	-	-	-	2	1	2	6	6	7	3	14	18	22	35	26	5	3	-
	WHITE.....MALE..	63	-	-	-	-	-	-	-	1	-	-	1	3	1	1	5	7	9	17	13	3	-	-
	FEMALE	61	-	-	-	-	-	-	-	-	-	1	2	1	1	1	7	9	10	13	12	2	2	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	-	1	1	3	2	2	-	2	2	2	2	1	-	1	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	3	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	484	-	-	-	-	-	-	-	-	-	-	-	4	8	13	25	55	69	124	102	60	23	1
	WHITE.....MALE..	234	-	-	-	-	-	-	-	-	-	-	-	3	6	8	17	24	33	66	47	23	7	-
	FEMALE	214	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	25	32	53	51	30	14	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	3	3	4	2	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	2	1	3	-	1
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	249	2	-	-	1	1	1	4	2	4	3	7	9	18	29	34	40	36	31	18	8	-	1
	WHITE.....MALE..	139	2	-	-	1	-	-	1	1	1	2	4	7	10	15	24	26	20	11	11	3	-	-
	FEMALE	86	-	-	-	-	1	1	3	-	1	1	1	2	7	10	7	12	12	16	7	5	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	4	-	-	-	1
	FEMALE	11	-	-	-	-	-	-	-	1	1	-	2	-	1	3	-	1	1	-	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	219	2	-	3	3	2	3	2	3	6	6	6	10	10	11	21	28	37	30	27	5	4	-
	WHITE.....MALE..	96	1	-	-	3	1	1	2	1	2	3	3	6	7	5	9	12	14	16	9	-	1	-
	FEMALE	78	1	-	1	-	1	1	-	1	1	2	1	2	2	5	6	11	16	11	11	4	1	-
	NONWHITE.....MALE..	20	-	-	2	-	-	-	-	1	1	1	-	-	-	1	1	3	4	2	1	1	2	-
	FEMALE	25	-	-	-	-	-	1	-	-	2	-	2	2	1	-	5	2	3	1	6	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	766	66	26	4	4	7	-	5	1	6	13	19	18	16	29	48	80	98	140	101	68	17	-
	WHITE.....MALE..	366	23	13	-	1	3	-	2	1	3	6	9	14	12	15	33	34	42	76	48	27	4	-
	FEMALE	293	19	6	2	3	4	-	1	-	2	6	5	2	3	11	12	33	42	52	44	35	11	-
	NONWHITE.....MALE..	58	13	3	-	-	-	-	2	-	-	1	4	1	-	2	2	6	10	6	5	3	-	-
	FEMALE	49	11	4	2	-	-	-	-	-	1	-	1	1	1	1	1	7	4	6	4	3	2	-
480-483	INFLUENZA.....	63	4	5	2	2	1	-	-	-	-	1	2	2	1	2	4	9	11	8	5	3	1	-
	WHITE.....MALE..	20	1	3	-	-	-	-	-	-	-	-	1	-	-	1	3	3	4	2	2	-	-	-
	FEMALE	25	1	-	1	2	1	-	-	-	-	1	-	2	1	1	-	3	5	4	1	1	1	-
	NONWHITE.....MALE..	7	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	1	-	-
	FEMALE	11	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-
490-493	PNEUMONIA, ETC.....	703	62	21	2	2	6	-	5	1	6	12	17	16	15	27	44	71	87	132	96	65	16	-
	WHITE.....MALE..	346	22	10	-	1	3	-	2	1	3	6	8	14	12	14	30	31	38	74	46	27	4	-
	FEMALE	268	18	6	1	1	3	-	1	-	2	5	5	-	2	10	12	30	37	48	43	34	10	-
	NONWHITE.....MALE..	51	12	2	-	-	-	-	2	-	-	1	3	1	-	2	2	5	10	5	4	2	-	-
	FEMALE	38	10	3	1	-	-	-	-	-	1	-	1	1	1	1	-	5	2	5	3	2	2	-
500-502	BRONCHITIS.....	46	1	7	2	-	1	-	-	-	-	1	-	3	1	5	4	11	1	3	-	5	1	-
	WHITE.....MALE..	30	-	3	2	-	-	-	-	-	-	1	-	2	1	4	3	8	1	3	-	1	1	-
	FEMALE	11	-	4	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	3	-	-
	NONWHITE.....MALE..	4	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	239	7	2	1	-	1	1	-	1	1	4	7	12	21	33	41	37	33	21	12	2	2	-
	WHITE.....MALE..	194	3	-	-	-	1	1	-	-	1	3	4	9	19	29	35	34	28	17	9	-	1	-
	FEMALE	34	2	1	1	-	-	-	-	1	-	1	2	3	1	3	4	2	4	4	3	1	1	-
	NONWHITE.....MALE..	9	2	1	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	147	-	-	-	1	1	-	-	2	6	5	6	11	12	16	23	11	32	9	11	1	-	-
	WHITE.....MALE..	103	-	-	-	1	-	-	-	1	4	2	4	8	10	14	15	9	20	6	8	1	-	-
	FEMALE	34	-	-	-	-	1	-	-	-	1	-	1	1	2	1	8	2	12	3	2	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	1	1	3	1	2	-	1	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	36	-	-	2	2	2	-	2	2	-	1	1	1	5	-	4	3	5	5	-	1	-	-
	WHITE.....MALE..	21	-	-	1	-	2	-	1	1	-	-	1	1	4	-	3	2	2	2	-	1	-	-
	FEMALE	11	-	-	1	1	-	-	1	1	-	-	-	-	1	-	1	-	2	3	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	157	10	-	-	1	2	2	1	-	-	1	7	5	10	11	17	20	26	19	12	10	3	-
	WHITE.....MALE..	71	6	-	-	1	1	1	-	-	-	-	3	4	4	6	6	10	7	12	3	6	1	-
	FEMALE	68	4	-	-	-	-	1	1	-	-	1	2	-	6	1	10	9	14	6	8	3	2	-
	NONWHITE.....MALE..	14	-	-	-	-	1	-	-	-	-	-	2	-	-	2	1	1	4	1	1	1	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	125	29	10	1	1	2	1	-	-	3	1	1	3	6	6	4	14	14	13	12	3	1	-
	WHITE.....MALE..	53	12	4	-	-	-	-	-	-	2	-	-	3	4	1	1	8	7	7	3	1	-	-
	FEMALE	47	7	3	1	-	2	-	-	-	1	-	-	-	1	4	3	3	6	5	8	2	1	-
	NONWHITE.....MALE..	12	6	1	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	13	4	2	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	-	1	-	-	-
581	CIRRHOSIS OF LIVER.....	200	-	1	-	-	1	2	1	2	10	16	18	20	32	29	28	11	14	10	3	2	-	-
	WHITE.....MALE..	113	-	1	-	-	-	-	-	-	3	9	13	14	15	17	17	8	8	4	2	2	-	-
	FEMALE	53	-	-	-	-	-	-	-	2	1	4	4	5	9	9	6	2	5	5	1	-	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	-	1	1	-	-	-	-
	FEMALE	21	-	-	-	-	1	2	1	-	5	3	1	-	5	1	1	1	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	72	-	-	-	-	-	2	1	-	1	-	4	3	2	5	9	10	12	15	3	5	-	-
	WHITE.....MALE..	21	-	-	-	-	-	-	1	-	-	-	1	1	1	3	2	4	1	4	2	1	-	-
	FEMALE	40	-	-	-	-	-	-	-	-	-	-	3	2	1	2	6	5	9	8	1	3	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	9	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	1	1	2	-	1	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	33	-	1	-	1	-	-	1	-	-	2	2	1	-	1	2	2	5	7	5	2	1	-
	WHITE.....MALE..	19	-	1	-	-	-	-	1	-	-	2	1	-	-	-	1	1	3	3	5	1	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	1	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	146	-	1	-	-	1	1	-	1	2	3	8	2	5	15	9	12	23	27	22	10	4	-
	WHITE.....MALE..	63	-	-	-	-	-	1	-	1	-	2	3	-	2	8	2	4	11	11	9	5	4	-
	FEMALE	63	-	-	-	-	-	-	-	-	1	-	3	2	2	5	5	7	11	13	11	3	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-
	FEMALE	14	-	1	-	-	1	-	-	-	1	1	2	-	-	2	1	1	1	1	1	1	-	-
610	HYPERPLASIA OF PROSTATE..	87	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	11	15	24	23	4	1	-
	WHITE.....MALE..	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	10	13	22	17	3	1	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OKLAHOMA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	15	-	-	-	-	1	2	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	11	-	-	-	-	-	1	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	13	-	-	-	-	1	2	6	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	9	-	-	-	-	-	1	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	233	143	21	17	5	6	8	4	4	4	1	4	5	3	2	-	2	2	1	1	-	-	-
	WHITE.....MALE..	94	57	7	6	2	2	3	2	3	1	1	1	2	1	2	-	2	1	1	-	-	-	-
	FEMALE	117	71	10	11	2	3	4	2	1	3	-	3	3	2	-	-	-	1	-	1	-	-	-
	NONWHITE.....MALE..	10	6	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	9	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	779	779	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	377	377	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	256	256	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	286	286	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	430	430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	589	23	8	2	3	1	5	4	6	9	14	16	31	32	44	53	66	68	69	66	47	20	2
	WHITE.....MALE..	325	8	5	1	2	-	4	2	1	5	10	14	23	18	33	32	40	37	34	27	19	10	-
	FEMALE	177	8	1	-	1	1	1	1	4	2	1	-	3	8	6	9	17	22	25	35	25	6	1
	NONWHITE.....MALE..	48	3	1	1	-	-	-	-	1	1	1	2	4	4	4	6	5	4	7	2	-	2	-
	FEMALE	39	4	1	-	-	-	-	1	-	1	2	-	1	2	1	6	4	5	3	2	3	2	1
RESIDUAL	ALL OTHER DISEASES.	859	42	28	10	9	14	13	13	20	14	25	38	37	59	70	78	91	85	88	63	41	21	-
	WHITE.....MALE..	451	24	17	5	4	6	6	9	11	8	9	20	18	38	34	44	53	44	42	30	19	10	-
	FEMALE	318	11	6	4	2	5	5	3	6	6	9	14	17	18	24	28	34	35	40	26	18	7	-
	NONWHITE.....MALE..	47	2	4	-	2	1	1	1	2	-	2	3	1	3	7	1	2	4	4	6	1	-	-
	FEMALE	43	5	1	1	1	2	1	-	1	-	5	1	1	-	5	5	2	2	2	1	3	4	-
E800-E962	ACCIDENTS.	1,610	67	66	41	58	120	104	84	65	90	83	81	110	88	91	92	68	82	78	83	39	20	-
	WHITE.....MALE..	947	26	33	17	38	92	73	66	37	53	54	53	75	57	55	58	38	35	33	35	14	5	-
	FEMALE	466	22	22	16	15	15	17	12	13	19	16	15	24	23	28	23	23	41	40	44	23	15	-
	NONWHITE.....MALE..	138	6	9	4	4	10	11	5	14	15	8	12	9	5	5	7	4	3	4	1	2	-	-
	FEMALE	59	13	2	4	1	3	3	1	1	3	5	1	2	3	3	4	3	3	1	3	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	708	11	18	21	30	83	68	46	35	50	43	42	57	37	49	45	27	25	10	8	2	1	-
	WHITE.....MALE..	432	4	7	7	20	61	44	34	18	29	24	24	35	23	25	28	17	15	7	7	2	1	-
	FEMALE	191	7	8	9	8	12	13	10	9	12	12	10	17	11	20	12	9	9	2	1	-	-	-
	NONWHITE.....MALE..	67	-	2	2	1	7	8	2	8	8	4	8	4	3	3	5	1	-	1	-	-	-	-
	FEMALE	18	-	1	3	1	3	3	-	-	1	3	-	1	-	1	-	-	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	902	56	48	20	28	37	36	38	30	40	40	39	53	51	42	47	41	57	68	75	37	19	-
	WHITE.....MALE..	515	22	26	10	18	31	29	32	19	24	30	29	40	34	30	30	21	20	26	28	12	4	-
	FEMALE	275	15	14	7	7	3	4	2	4	7	4	5	7	12	8	11	14	32	38	43	23	15	-
	NONWHITE.....MALE..	71	6	7	2	3	3	3	3	6	7	4	4	5	2	2	2	3	3	3	1	2	-	-
	FEMALE	41	13	1	1	-	-	-	1	1	2	2	1	1	3	2	4	3	2	1	3	-	-	-
E963, E970-E979	SUICIDE.	213	...	...	-	2	11	8	9	18	13	19	20	22	28	22	14	10	10	5	1	1	-	-
	WHITE.....MALE..	160	...	...	-	2	6	5	8	14	10	8	12	18	23	17	13	9	9	4	1	1	-	-
	FEMALE	48	...	...	-	-	5	1	1	4	3	10	6	4	5	5	1	1	1	1	-	-	-	-
	NONWHITE.....MALE..	4	...	...	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	113	1	-	-	1	4	12	7	13	16	18	9	8	9	4	5	3	1	-	2	-	-	-
	WHITE.....MALE..	50	-	-	-	-	3	5	1	4	8	10	1	6	5	2	3	1	1	-	-	-	-	-
	FEMALE	16	-	-	-	-	1	2	2	1	3	3	2	-	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	42	1	-	-	1	-	5	4	6	5	5	6	2	4	2	1	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	2	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON																							
	ALL CAUSES	17,218	811	128	77	81	133	135	114	161	217	408	553	888	1,079	1,424	1,842	2,312	2,484	2,146	1,470	574	173	8
	WHITE.....MALE	9,980	443	70	42	52	90	96	75	94	125	236	346	561	750	938	1,225	1,375	1,378	1,093	679	238	68	6
	FEMALE	6,885	328	52	29	29	36	30	26	52	72	149	189	301	300	465	595	912	1,076	1,029	781	332	102	-
	NONWHITE.....MALE	221	20	4	3	-	7	3	6	9	12	17	9	17	17	14	11	20	20	17	7	4	3	1
	FEMALE	132	20	2	3	-	-	6	7	6	8	6	9	9	12	7	11	5	10	7	3	-	-	1
001-019	TUBERCULOSIS, ALL FORMS	44	-	1	-	1	-	-	2	3	2	5	2	4	3	4	9	4	3	1	-	-	-	-
	WHITE.....MALE	32	-	1	-	1	-	-	-	1	-	2	2	4	3	4	8	4	1	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE	4	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	37	-	1	-	-	-	-	-	3	1	5	2	3	3	4	8	3	3	1	-	-	-	-
	WHITE.....MALE	28	-	1	-	-	-	-	-	1	-	2	2	3	3	4	7	3	1	1	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	7	-	-	-	1	-	-	2	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
	WHITE.....MALE	4	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	26	-	-	-	-	-	-	-	-	-	-	2	1	3	4	6	2	6	1	1	-	-	-
	WHITE.....MALE	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	2	5	1	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	-	1	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	7	1	1	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	*OTHER INFECTIVE AND PARASITIC DISEASES*	52	9	-	-	1	2	1	-	1	2	4	3	4	4	5	3	5	4	2	2	-	-	-
	WHITE.....MALE	37	5	-	-	1	1	1	-	1	1	2	2	3	3	4	3	5	3	2	-	-	-	-
	FEMALE	12	3	-	-	-	1	-	-	-	-	2	1	1	-	1	-	-	1	-	2	-	-	-
	NONWHITE.....MALE	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,747	-	14	18	17	9	8	13	24	29	79	123	206	257	352	383	421	381	247	123	38	5	-
	WHITE.....MALE..	1,516	-	8	11	8	3	5	6	10	11	28	55	92	159	210	232	236	226	124	66	22	4	-
	FEMALE	1,190	-	6	7	9	6	3	7	14	18	47	65	109	96	139	146	177	150	119	56	15	1	-
	NONWHITE.....MALE..	29	-	-	-	-	-	-	-	-	-	2	1	4	1	2	3	6	4	4	1	1	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	2	2	1	1	1	2	2	1	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	56	-	1	-	-	-	-	-	-	1	2	3	4	8	8	7	9	3	6	3	-	1	-
	WHITE.....MALE..	40	-	-	-	-	-	-	-	-	-	-	3	2	8	7	4	5	3	4	3	-	1	-
	FEMALE	15	-	1	-	-	-	-	-	-	1	2	-	2	-	1	3	4	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	906	-	1	1	-	-	1	-	3	3	20	22	46	72	106	125	167	160	112	48	16	3	-
	WHITE.....MALE..	516	-	1	1	-	-	1	-	1	1	8	12	26	53	69	81	92	89	48	21	10	2	-
	FEMALE	379	-	-	-	-	-	-	-	2	2	11	9	18	19	37	43	72	70	62	27	6	1	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	2	1	2	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	425	-	-	-	-	-	-	1	2	3	11	22	31	62	77	77	59	51	20	8	1	-	-
	WHITE.....MALE..	360	-	-	-	-	-	-	1	1	3	8	17	26	53	67	70	51	44	13	5	1	-	-
	FEMALE	53	-	-	-	-	-	-	-	1	-	1	5	5	8	10	6	4	5	6	2	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	2	1	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
170	OF BREAST.....	231	-	-	-	-	-	1	1	2	5	15	22	34	24	33	22	31	21	16	2	2	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	223	-	-	-	-	-	1	1	2	5	15	21	33	22	32	21	30	20	16	2	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	401	-	-	-	1	2	1	2	4	9	4	17	33	31	42	52	51	69	42	29	11	1	-
	WHITE.....MALE..	178	-	-	-	-	-	1	-	1	-	-	-	5	8	12	17	28	45	32	22	6	1	-
	FEMALE	220	-	-	-	1	2	-	2	3	9	4	17	28	23	30	34	22	24	10	7	4	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	129	-	1	2	1	1	-	-	-	1	2	3	6	7	17	21	25	17	11	10	4	-	-
	WHITE.....MALE..	81	-	-	1	-	1	-	-	-	1	-	-	5	5	12	15	16	13	5	4	3	-	-
	FEMALE	46	-	1	1	1	-	-	-	-	-	2	3	1	2	4	5	9	4	6	6	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	301	-	4	5	6	3	3	4	10	3	16	16	30	28	36	33	40	29	22	12	1	-	-
	WHITE.....MALE..	160	-	4	3	3	-	2	4	5	2	6	9	15	16	24	17	20	16	10	4	-	-	-
	FEMALE	139	-	-	2	3	3	1	-	5	1	10	7	14	12	11	16	20	13	12	8	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	157	-	7	8	8	2	1	1	1	3	4	9	12	9	15	20	21	17	9	8	2	-	-
	WHITE.....MALE..	95	-	3	4	5	1	1	-	1	3	1	7	7	4	9	14	14	8	6	5	2	-	-
	FEMALE	59	-	4	4	3	1	-	1	-	-	2	1	5	5	6	6	7	8	3	3	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	141	-	-	2	1	1	1	4	2	1	5	9	10	16	18	26	18	14	9	3	1	-	-
	WHITE.....MALE..	83	-	-	2	-	1	-	1	1	1	5	6	6	11	10	14	9	8	6	2	-	-	-
	FEMALE	56	-	-	-	1	-	1	3	1	-	-	2	3	5	8	12	9	6	3	1	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	43	1	1	-	-	1	-	-	4	4	5	3	5	1	1	8	6	-	1	1	1	-	-
	WHITE.....MALE..	23	-	1	-	-	1	-	-	1	2	2	1	3	1	1	5	3	-	1	-	1	-	-
	FEMALE	19	1	-	-	-	-	-	-	3	2	2	2	2	-	-	3	3	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	72	1	-	-	1	-	-	-	1	3	2	3	1	7	12	16	12	9	2	2	-	-	-
	WHITE.....MALE..	45	1	-	-	1	-	-	-	-	-	1	2	1	4	7	13	7	6	1	1	-	-	-
	FEMALE	27	-	-	-	-	-	-	-	1	3	1	1	-	3	5	3	5	3	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	278	1	1	-	1	1	-	2	6	2	13	9	19	15	27	30	47	42	35	17	8	2	-
	WHITE.....MALE..	118	-	-	-	1	-	-	2	5	2	8	7	7	7	12	12	12	14	16	10	1	2	-
	FEMALE	154	-	1	-	-	1	-	-	1	-	4	1	10	7	15	18	35	28	19	7	7	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	41	-	-	-	-	-	1	-	-	-	-	1	2	2	2	3	5	10	6	7	1	1	-
	WHITE.....MALE..	19	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	4	3	2	5	-	1	-
	FEMALE	22	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	7	4	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	26	12	5	1	-	-	-	-	-	-	1	3	-	2	1	-	1	-	-	-	-	-	-
	WHITE.....MALE..	15	6	3	-	-	-	-	-	-	-	-	3	-	1	1	-	1	-	-	-	-	-	-
	FEMALE	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	9,548	6	5	2	4	5	7	7	16	42	115	232	390	549	749	1,098	1,481	1,662	1,540	1,085	417	131	5
	WHITE.....MALE..	5,489	1	1	-	2	2	2	7	10	27	81	163	276	404	526	739	890	897	768	481	162	46	4
	FEMALE	3,932	3	4	2	2	3	4	-	4	13	26	62	103	131	211	346	580	746	760	597	252	83	-
	NONWHITE.....MALE..	85	1	-	-	-	-	1	-	-	1	7	4	6	10	7	6	11	11	8	6	3	2	1
	FEMALE	42	1	-	-	-	-	-	-	2	1	1	3	5	4	5	7	-	8	4	1	-	-	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	9,472	6	5	1	4	4	7	4	16	39	110	229	386	541	745	1,090	1,477	1,653	1,528	1,077	414	131	5
	WHITE.....MALE..	5,445	1	1	-	2	2	2	4	10	26	78	162	274	398	523	734	887	891	762	476	162	46	4
	FEMALE	3,905	3	4	1	2	2	4	-	4	11	26	60	101	129	211	344	579	743	755	594	249	83	-
	NONWHITE.....MALE..	83	1	-	-	-	-	1	-	-	1	5	4	6	10	7	6	11	11	8	6	3	2	1
	FEMALE	39	1	-	-	-	-	-	-	2	1	1	3	5	4	4	6	-	8	3	1	-	-	-
330-334	VASCULAR LESIONS, ETC.	2,180	4	1	-	2	-	4	1	5	9	14	21	46	83	112	171	338	452	396	342	135	44	-
	WHITE.....MALE..	1,010	-	-	-	1	-	1	1	2	4	5	14	22	45	57	97	179	226	166	139	40	11	-
	FEMALE	1,136	3	1	-	1	-	2	-	2	4	8	7	21	35	54	71	155	217	227	201	94	33	-
	NONWHITE.....MALE..	22	1	-	-	-	-	1	-	-	-	-	-	2	1	1	1	4	6	3	1	1	-	-
	FEMALE	12	-	-	-	-	-	-	-	1	1	1	-	1	2	-	2	-	3	-	1	-	-	-
400-402, 410-443	DISEASES OF HEART	6,575	2	3	1	2	4	1	3	9	28	93	194	326	423	602	851	1,046	1,093	971	629	227	62	5
	WHITE.....MALE..	4,045	1	1	-	1	2	-	3	8	20	70	140	246	328	446	596	647	606	514	286	104	22	4
	FEMALE	2,455	-	2	1	1	2	1	-	1	7	18	49	73	86	147	249	393	477	451	338	121	38	-
	NONWHITE.....MALE..	52	-	-	-	-	-	-	-	-	1	5	3	4	7	5	3	6	5	3	5	2	2	1
	FEMALE	23	1	-	-	-	-	-	-	-	-	-	2	3	2	4	3	-	5	3	-	-	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	198	-	-	-	-	2	-	1	1	9	9	14	15	30	28	26	22	23	11	6	-	1	-
	WHITE.....MALE..	109	-	-	-	-	1	-	1	1	6	6	6	11	18	15	15	11	11	6	1	-	-	-
	FEMALE	89	-	-	-	-	1	-	-	-	3	3	8	4	12	13	11	11	12	5	5	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	5,172	-	-	-	-	-	-	2	5	17	75	148	267	347	490	703	871	853	725	461	156	47	5
	WHITE.....MALE..	3,339	-	-	-	-	-	-	2	5	12	60	113	213	279	383	508	555	497	401	216	75	16	4
	FEMALE	1,784	-	-	-	-	-	-	-	-	-	10	33	53	60	101	192	310	349	319	242	80	31	-
	NONWHITE.....MALE..	38	-	-	-	-	-	-	-	-	1	5	2	1	6	5	2	6	3	2	3	1	-	1
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	4	3	-	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	374	-	2	-	-	-	-	-	1	-	3	6	7	11	22	29	48	68	68	71	31	7	-
	WHITE.....MALE..	210	-	-	-	-	-	-	-	1	-	3	6	3	8	17	21	27	35	35	34	18	2	-
	FEMALE	159	-	2	-	-	-	-	-	-	-	-	-	2	3	5	8	21	32	33	37	13	3	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	255	2	1	1	2	2	1	-	2	2	3	8	13	10	23	29	32	42	46	21	11	4	-
	WHITE.....MALE..	150	1	1	-	1	1	-	-	1	2	1	7	9	6	11	20	20	23	28	11	5	2	-
	FEMALE	101	-	-	1	1	1	1	-	1	-	2	1	4	4	11	9	12	18	18	9	6	2	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	576	-	-	-	-	-	-	-	-	-	3	18	24	25	39	64	73	107	121	70	29	3	-
	WHITE.....MALE..	237	-	-	-	-	-	-	-	-	-	-	8	10	17	20	32	34	40	44	24	6	2	-
	FEMALE	322	-	-	-	-	-	-	-	-	-	3	7	10	7	17	29	39	66	76	45	22	1	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	1	1	1	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	-	1	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	82	-	-	-	-	-	1	-	-	1	-	5	5	5	7	6	10	15	18	6	1	2	-
	WHITE.....MALE..	41	-	-	-	-	-	1	-	-	1	-	2	2	3	2	1	7	10	9	3	-	-	-
	FEMALE	37	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	3	5	9	3	1	2	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	398	-	-	-	-	-	-	-	-	-	-	2	1	6	4	20	35	65	107	88	48	22	-
	WHITE.....MALE..	188	-	-	-	-	-	-	-	-	-	-	2	-	3	2	11	18	28	53	42	16	13	-
	FEMALE	206	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	16	37	53	46	32	9	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	237	-	1	-	-	-	1	-	2	1	3	7	8	24	20	42	48	28	36	12	3	1	-
	WHITE.....MALE..	161	-	-	-	-	-	-	-	-	1	3	4	4	19	16	29	36	21	20	6	2	-	-
	FEMALE	71	-	1	-	-	-	1	-	1	-	-	3	4	5	3	11	12	7	15	6	1	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	76	-	-	1	-	1	-	3	-	3	5	3	4	8	4	8	4	9	12	8	3	-	-
	WHITE.....MALE..	44	-	-	-	-	-	-	3	-	1	3	1	2	6	3	5	3	6	6	5	-	-	-
	FEMALE	27	-	-	1	-	1	-	-	-	2	-	2	2	2	-	2	1	3	5	3	3	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	638	83	16	-	1	-	3	-	2	1	12	13	11	23	33	52	68	83	97	82	41	16	1
	WHITE.....MALE..	353	43	9	-	1	-	2	-	-	1	6	5	1	17	20	35	44	43	58	38	16	7	1
	FEMALE	270	34	5	-	-	-	-	-	2	-	6	8	4	5	12	17	23	40	38	43	25	8	-
	NONWHITE.....MALE..	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-
	FEMALE	7	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
480-483	INFLUENZA.....	22	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	3	4	4	-	2	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	2	-	2	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	4	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	616	83	16	-	1	-	3	-	2	1	12	13	11	22	31	51	63	80	93	78	41	14	1
	WHITE.....MALE..	344	43	9	-	1	-	2	-	-	1	6	5	7	16	20	34	41	43	58	36	16	5	1
	FEMALE	257	34	5	-	-	-	-	-	2	-	6	8	4	5	10	17	21	37	34	41	25	8	-
	NONWHITE.....MALE..	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-
	FEMALE	7	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
500-502	BRONCHITIS.....	58	13	3	1	-	-	-	-	-	-	1	1	2	2	10	3	5	5	8	1	1	2	-
	WHITE.....MALE..	45	8	1	-	-	-	-	-	-	-	1	-	2	2	10	3	5	4	6	1	1	1	-
	FEMALE	11	4	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	274	5	1	-	-	-	-	-	-	1	5	6	13	27	43	52	43	51	14	10	3	-	-
	WHITE.....MALE..	222	4	-	-	-	-	-	-	-	1	3	4	10	20	37	49	37	40	11	5	1	-	-
	FEMALE	48	1	1	-	-	-	-	-	-	-	2	-	3	7	5	2	6	11	3	5	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	118	2	-	-	-	1	-	-	-	2	1	1	7	10	13	10	24	18	16	11	2	-	-
	WHITE.....MALE..	83	2	-	-	-	1	-	-	-	1	1	1	5	9	7	8	18	12	11	7	-	-	-
	FEMALE	33	-	-	-	-	-	-	-	-	1	-	-	2	1	6	2	6	6	3	4	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	13	-	-	-	1	-	-	-	-	-	-	-	4	1	1	2	1	3	-	-	-	-	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	2	-	-	-	-	-
	FEMALE	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	91	8	1	2	1	-	-	-	-	1	2	-	5	1	7	7	20	8	14	7	6	1	-
	WHITE.....MALE..	46	5	1	2	-	-	-	-	-	-	2	-	1	-	5	4	11	6	3	4	2	-	-
	FEMALE	42	2	-	-	1	-	-	-	-	1	-	-	4	1	2	3	8	2	10	3	4	1	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	47	9	-	-	1	-	1	-	1	2	-	-	2	3	5	4	4	3	5	5	1	1	-
	WHITE.....MALE..	16	3	-	-	-	-	-	-	1	-	-	-	1	2	-	2	3	1	2	1	-	-	-
	FEMALE	25	3	-	-	1	-	1	-	-	-	-	-	1	-	5	2	1	2	3	4	1	1	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	2	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	211	-	-	-	1	-	1	4	4	8	14	31	38	33	25	24	16	7	4	-	-	-	1
	WHITE.....MALE..	125	-	-	-	-	-	-	-	2	4	7	18	22	23	16	14	10	6	2	-	-	-	1
	FEMALE	69	-	-	-	1	-	-	1	-	2	7	12	12	8	8	9	6	1	2	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	1	-	2	-	-	3	-	1	1	-	-	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	1	2	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	45	-	-	-	-	-	-	-	-	1	-	-	1	1	3	7	7	6	11	6	2	-	-
	WHITE.....MALE..	23	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	4	4	4	2	-	-	-
	FEMALE	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	7	4	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	12	-	1	-	1	1	1	1	-	-	1	4	-	-	-	1	-	-	-	1	-	-	-
	WHITE.....MALE..	8	-	1	-	1	-	1	-	-	-	-	3	-	-	-	1	-	-	-	1	-	-	-
	FEMALE	3	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	75	-	-	-	-	-	1	-	-	1	3	1	2	2	9	3	12	19	10	9	3	-	-
	WHITE.....MALE..	42	-	-	-	-	-	1	-	-	1	1	-	2	-	3	1	6	11	7	8	1	-	-
	FEMALE	29	-	-	-	-	-	-	-	-	-	1	1	-	2	6	2	5	6	3	1	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	7	11	4	4	-	-
	WHITE.....MALE..	38	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	7	11	4	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	OREGON--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	7	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	215	144	19	7	4	10	1	1	2	5	4	5	4	3	2	1	2	-	1	-	-	-	-
	WHITE.....MALE..	111	73	10	4	2	6	-	-	1	3	2	4	3	2	-	-	-	-	1	-	-	-	-
	FEMALE	98	69	7	2	2	3	1	1	1	2	2	1	1	1	2	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	4	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	445	445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	253	253	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	112	5	1	-	-	1	2	-	1	3	3	2	4	7	6	3	7	17	9	22	14	4	1
	WHITE.....MALE..	64	3	1	-	-	1	1	-	1	1	3	-	4	3	4	3	3	10	4	11	9	2	-
	FEMALE	44	2	-	-	-	-	1	-	-	2	-	1	-	3	2	-	4	6	5	11	5	2	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
RESID-UAL	ALL OTHER DISEASES.	501	22	19	2	2	7	4	6	9	19	26	24	43	33	34	43	51	57	53	32	11	4	-
	WHITE.....MALE..	267	13	11	1	1	5	2	3	4	8	9	11	26	22	21	26	31	29	22	14	6	2	-
	FEMALE	217	9	8	1	1	2	1	2	4	7	15	12	15	11	13	16	19	26	30	18	5	2	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	1	1	-	-	-	-
	FEMALE	7	-	-	-	-	1	1	-	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-
E800-E962	ACCIDENTS.	1,117	42	37	38	41	84	88	56	62	62	77	61	79	54	59	54	49	63	47	38	20	6	-
	WHITE.....MALE..	744	22	20	22	32	65	68	45	42	47	56	48	57	38	32	37	27	30	26	16	11	3	-
	FEMALE	341	19	16	11	9	16	18	7	16	12	20	13	21	14	26	16	22	33	18	22	9	3	-
	NONWHITE.....MALE..	23	-	-	3	-	3	1	4	4	2	1	-	1	2	1	-	-	-	1	-	-	-	-
	FEMALE	9	1	1	2	-	-	1	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	467	5	10	13	11	56	65	36	36	26	33	20	34	21	28	21	16	25	8	3	-	-	-
	WHITE.....MALE..	302	3	3	5	8	41	47	26	24	17	22	16	22	14	13	13	7	13	5	3	-	-	-
	FEMALE	153	2	7	5	3	13	16	7	11	8	11	4	12	7	15	8	9	12	3	-	-	-	-
	NONWHITE.....MALE..	9	-	-	2	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	650	37	27	25	30	28	23	20	26	36	44	41	45	33	31	33	33	38	39	35	20	6	-
	WHITE.....MALE..	442	19	17	17	24	24	21	19	18	30	34	32	35	24	19	24	20	17	21	13	11	3	-
	FEMALE	188	17	9	6	6	3	2	-	5	4	9	9	9	7	11	8	13	21	15	22	9	3	-
	NONWHITE.....MALE..	14	-	-	1	-	1	-	1	3	2	1	-	1	2	1	-	-	-	1	-	-	-	-
	FEMALE	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
E963, E970-E979	SUICIDE.	241	...	...	-	1	4	11	14	13	16	27	15	34	32	15	13	12	19	11	3	1	-	-
	WHITE.....MALE..	177	...	...	-	1	2	8	10	9	10	17	12	25	25	11	10	6	18	9	3	1	-	-
	FEMALE	56	...	...	-	-	1	1	4	4	6	10	2	9	5	3	3	5	1	2	-	-	-	-
	NONWHITE.....MALE..	7	...	...	-	-	1	1	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	72	-	2	2	1	7	5	6	10	9	7	8	6	3	1	2	2	1	-	-	-	-	-
	WHITE.....MALE..	40	-	2	1	-	3	4	2	6	4	4	4	5	1	1	2	1	-	-	-	-	-	-
	FEMALE	14	-	-	1	1	2	-	1	-	1	1	3	1	1	-	-	1	1	-	-	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	2	-	-	2	4	1	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	1	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA																							
	ALL CAUSES	123,290	5,427	752	484	380	633	641	730	960	1,782	2,776	4,475	6,494	8,464	11,510	15,191	17,292	17,277	14,148	9,225	3,705	927	17
	WHITE.....MALE..	62,958	2,624	321	249	235	424	394	360	462	872	1,451	2,526	3,756	4,942	6,374	8,388	9,237	8,532	6,447	3,725	1,363	269	7
	FEMALE	50,833	1,792	302	179	113	153	156	249	305	569	903	1,400	1,977	2,623	3,872	5,668	7,133	8,085	7,276	5,220	2,236	615	7
	NONWHITE.....MALE..	5,275	556	75	32	17	38	60	69	99	190	213	312	443	514	716	672	503	364	215	127	43	15	2
	FEMALE	4,224	455	54	24	15	18	31	52	94	151	209	237	318	385	548	463	419	296	210	153	63	28	1
001-019	TUBERCULOSIS, ALL FORMS..	784	1	2	2	-	2	3	8	16	37	51	58	80	87	112	108	104	61	36	11	4	1	-
	WHITE.....MALE..	483	1	-	2	-	-	1	-	6	13	24	33	47	58	76	79	74	40	23	4	1	1	-
	FEMALE	123	-	1	-	-	-	-	3	5	7	12	10	10	9	11	11	17	10	10	5	2	-	-
	NONWHITE.....MALE..	131	-	-	-	-	-	2	2	2	8	7	10	18	19	20	17	10	11	2	2	1	-	-
	FEMALE	47	-	1	-	-	2	-	3	3	9	8	5	5	1	5	1	3	-	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	734	-	2	-	-	2	2	6	14	36	47	55	76	84	106	96	98	59	35	11	4	1	-
	WHITE.....MALE..	464	-	-	-	-	-	1	-	6	13	23	32	45	57	73	74	71	40	23	4	1	1	-
	FEMALE	112	-	1	-	-	-	-	3	5	6	12	10	10	8	10	7	15	8	10	5	2	-	-
	NONWHITE.....MALE..	118	-	-	-	-	-	1	1	2	8	5	9	16	18	18	14	10	11	2	2	1	-	-
	FEMALE	40	-	1	-	-	2	-	2	1	9	7	4	5	1	5	1	2	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	50	1	-	2	-	-	1	2	2	1	4	3	4	3	6	12	6	2	1	-	-	-	-
	WHITE.....MALE..	19	1	-	2	-	-	-	-	-	-	1	1	2	1	3	5	3	-	-	-	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	2	-	-	-	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	1	1	-	-	2	1	2	1	2	3	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	1	-	1	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	208	2	-	-	-	-	-	-	-	1	7	4	16	24	32	39	37	23	16	7	-	-	-
	WHITE.....MALE..	116	-	-	-	-	-	-	-	-	-	3	2	10	11	23	21	21	11	12	2	-	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	1	1	3	6	4	6	10	9	3	3	-	-	-
	NONWHITE.....MALE..	36	1	-	-	-	-	-	-	-	-	3	1	3	6	4	8	5	3	1	1	-	-	-
	FEMALE	10	1	-	-	-	-	-	-	-	1	-	-	-	1	1	4	1	-	-	1	-	-	-
045-048	DYSENTERY, ALL FORMS.....	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	5	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	33	7	15	2	1	2	1	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-
	WHITE.....MALE..	19	4	8	1	1	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	FEMALE	14	3	7	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	5	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	9	-	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	5	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	313	22	23	16	9	7	4	8	13	5	16	12	16	23	26	23	16	25	23	16	10	-	-
	WHITE.....MALE..	128	11	10	11	3	4	-	3	2	2	11	2	6	8	7	10	6	13	11	6	2	-	-
	FEMALE	148	10	12	4	5	2	4	3	8	3	4	6	7	7	16	10	8	11	10	10	8	-	-
	NONWHITE.....MALE..	20	1	-	1	-	-	-	2	2	-	-	2	1	4	2	2	1	1	1	-	-	-	-
	FEMALE	17	-	1	-	1	1	-	1	1	-	1	2	2	4	1	1	1	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	19,930	16	93	102	65	69	65	93	162	356	653	1,095	1,577	1,995	2,605	3,032	2,979	2,408	1,578	726	223	35	3
	WHITE.....MALE..	9,781	10	48	52	40	38	38	34	64	111	228	436	689	996	1,289	1,616	1,589	1,297	790	311	92	12	1
	FEMALE	8,664	5	40	45	21	27	23	44	82	198	350	536	728	792	1,036	1,204	1,225	1,022	742	396	124	22	2
	NONWHITE.....MALE..	867	-	3	1	1	2	2	6	6	18	23	62	95	129	175	145	104	53	25	13	4	-	-
	FEMALE	618	1	2	4	3	2	2	9	10	29	52	61	65	78	105	67	61	36	21	6	3	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX	432	-	-	-	-	-	-	1	3	3	14	30	48	60	54	60	60	48	30	16	3	1	1
	WHITE.....MALE..	318	-	-	-	-	-	-	-	2	-	7	25	33	44	42	51	45	36	23	7	3	-	-
	FEMALE	78	-	-	-	-	-	-	-	-	-	5	3	8	7	7	8	12	11	7	8	-	1	1
	NONWHITE.....MALE..	27	-	-	-	-	-	-	1	-	3	1	1	5	8	4	-	3	-	-	1	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	-	1	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	7,001	-	2	2	-	3	4	15	21	74	126	274	452	634	857	1,186	1,226	1,007	671	334	98	15	-
	WHITE.....MALE..	3,429	-	1	-	-	1	3	2	11	32	47	137	215	327	424	600	636	502	322	130	33	6	-
	FEMALE	3,075	-	-	2	-	1	-	7	6	33	64	99	182	239	341	497	529	476	331	197	62	9	-
	NONWHITE.....MALE..	299	-	-	-	-	-	1	1	2	5	7	24	33	43	61	56	36	16	10	2	2	-	-
	FEMALE	198	-	1	-	-	1	-	5	2	4	8	14	22	25	31	33	25	13	8	5	1	-	-
160-164	OF RESP. SYSTEM, ETC.	3,188	-	2	1	1	2	3	3	15	47	97	198	326	445	571	556	450	278	146	36	10	1	-
	WHITE.....MALE..	2,488	-	2	-	1	1	2	3	11	25	62	138	233	353	445	469	371	228	111	27	5	1	-
	FEMALE	424	-	-	-	-	1	1	-	1	16	23	35	56	42	69	44	50	43	32	7	4	-	-
	NONWHITE.....MALE..	240	-	-	-	-	-	-	-	2	4	9	20	32	46	52	39	24	7	2	2	1	-	-
	FEMALE	36	-	-	1	-	-	-	-	1	2	3	5	5	4	5	4	5	-	1	-	-	-	-
170	OF BREAST	1,727	1	-	-	-	-	1	7	20	50	113	191	200	197	202	212	188	135	120	62	23	5	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	3	-	1	-	-	-
	FEMALE	1,612	-	-	-	-	-	-	7	18	46	97	178	187	182	183	206	179	125	117	61	22	4	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	99	1	-	-	-	-	1	-	2	4	15	12	12	13	17	5	6	6	3	-	1	1	-
171-179	OF GENITAL ORGANS	2,581	-	-	1	1	-	11	10	20	62	99	122	180	216	331	321	392	400	257	123	30	5	-
	WHITE.....MALE..	922	-	-	-	-	-	5	4	1	6	4	3	12	32	59	121	176	234	164	81	20	-	-
	FEMALE	1,411	-	-	1	1	-	6	5	17	43	81	103	151	157	219	171	182	147	78	36	8	5	-
	NONWHITE.....MALE..	105	-	-	-	-	-	-	-	-	-	-	-	-	11	25	17	21	14	11	5	1	-	-
	FEMALE	143	-	-	-	-	-	-	1	2	13	14	16	17	16	28	12	13	5	4	1	1	-	-
180, 181	OF URINARY ORGANS	946	1	7	9	1	-	2	3	5	6	19	28	56	82	106	151	157	148	93	47	20	4	1
	WHITE.....MALE..	585	-	3	3	1	-	2	2	2	2	11	17	35	50	70	94	104	95	51	28	12	2	1
	FEMALE	298	1	4	5	-	-	-	-	3	2	4	8	16	21	30	48	45	45	37	19	8	2	-
	NONWHITE.....MALE..	40	-	-	-	-	-	-	1	-	1	2	3	3	7	3	8	6	5	1	-	-	-	-
	FEMALE	23	-	-	1	-	-	-	-	-	1	2	-	2	4	3	1	2	3	4	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	2,292	5	24	33	21	27	16	20	36	69	100	137	204	231	276	319	299	217	157	73	25	2	1
	WHITE.....MALE..	1,089	4	14	18	12	16	8	7	17	26	46	52	97	122	132	166	140	107	72	22	10	1	-
	FEMALE	1,045	1	9	14	8	10	7	11	17	37	44	69	87	94	112	135	141	99	85	48	15	1	1
	NONWHITE.....MALE..	92	-	1	-	-	-	-	1	1	2	2	10	16	6	21	12	10	7	-	3	-	-	-
	FEMALE	66	-	-	1	1	1	1	1	1	4	8	6	4	9	11	6	8	4	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	864	6	55	47	29	24	11	12	14	16	31	45	48	51	86	99	102	91	62	22	11	2	-
	WHITE.....MALE..	461	4	25	25	17	11	6	6	6	8	17	27	30	28	46	43	59	53	31	10	7	2	-
	FEMALE	363	2	27	21	9	11	4	4	8	8	13	16	17	20	33	47	41	36	30	12	4	-	-
	NONWHITE.....MALE..	27	-	2	1	1	2	1	-	-	-	1	1	-	3	3	8	2	1	1	-	-	-	-
	FEMALE	13	-	1	-	2	-	-	2	-	-	-	1	1	-	4	1	-	1	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	899	3	3	9	12	13	17	22	28	29	54	70	63	79	122	128	105	84	42	13	3	-	-
	WHITE.....MALE..	475	2	3	6	9	9	12	10	14	12	33	37	33	38	69	71	55	39	16	5	2	-	-
	FEMALE	358	1	-	2	3	4	5	10	12	13	19	25	24	30	42	48	46	40	25	8	1	-	-
	NONWHITE.....MALE..	35	-	-	-	-	-	-	2	1	3	1	2	6	5	6	5	2	2	-	-	-	-	-
	FEMALE	31	-	-	1	-	-	-	-	1	1	1	6	-	6	5	4	2	3	1	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	332	4	4	5	6	7	2	6	9	13	18	27	31	34	42	42	32	27	12	5	6	-	-
	WHITE.....MALE..	149	2	3	3	4	1	-	4	2	9	4	11	12	19	24	19	15	11	4	-	2	-	-
	FEMALE	154	1	1	2	2	5	2	2	5	3	13	14	17	13	10	21	14	14	6	5	4	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	1	-	-	-	1	-	4	1	-	1	1	-	-	-	-
	FEMALE	20	1	-	-	-	1	-	-	1	1	1	2	1	2	4	1	3	1	1	-	-	-	-
241	ASTHMA	289	-	1	3	1	3	6	2	4	3	12	26	22	30	31	51	47	30	10	4	3	-	-
	WHITE.....MALE..	170	-	-	1	-	-	-	-	-	2	4	10	17	15	17	34	38	21	5	3	3	-	-
	FEMALE	83	-	-	1	-	-	2	1	1	-	5	11	3	13	8	14	9	9	5	1	-	-	-
	NONWHITE.....MALE..	16	-	-	-	1	1	1	1	-	-	-	2	1	1	5	3	-	-	-	-	-	-	-
	FEMALE	20	-	1	1	-	2	3	-	3	1	3	3	1	1	1	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	2,784	2	-	6	3	5	8	21	12	32	47	61	124	231	315	507	533	444	271	119	39	4	-
	WHITE.....MALE..	947	1	-	3	1	1	1	14	5	18	29	33	53	86	98	158	175	128	92	34	15	2	-
	FEMALE	1,626	1	-	3	1	4	4	6	7	9	11	21	51	114	177	310	329	301	170	83	22	2	-
	NONWHITE.....MALE..	70	-	-	-	1	-	2	1	-	4	-	3	4	11	10	11	9	7	6	-	1	-	-
	FEMALE	141	-	-	-	-	-	1	-	-	1	7	4	16	20	30	28	20	8	3	2	1	-	-
290-293	ANEMIAS	226	3	9	6	6	2	2	3	4	1	5	6	5	17	14	25	40	27	30	15	6	-	-
	WHITE.....MALE..	86	1	1	2	4	1	-	-	-	1	3	1	2	7	2	17	19	15	6	2	2	-	-
	FEMALE	117	1	5	2	1	1	1	2	2	-	1	3	2	10	10	7	19	11	22	13	4	-	-
	NONWHITE.....MALE..	10	1	1	-	1	-	-	1	1	-	-	1	1	-	1	-	1	-	1	-	-	-	-
	FEMALE	13	-	2	2	-	-	1	-	1	-	1	1	-	-	1	1	1	1	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	143	44	18	7	2	5	-	2	3	6	3	11	5	6	7	11	6	5	1	1	-	-	-
	WHITE.....MALE..	58	16	3	1	1	4	-	1	1	4	-	5	4	3	4	4	2	3	1	1	-	-	-
	FEMALE	55	16	13	4	1	1	-	1	-	1	1	1	1	3	3	4	3	2	-	-	-	-	-
	NONWHITE.....MALE..	19	4	1	2	-	-	-	-	1	1	2	5	-	-	-	3	-	-	-	-	-	-	-
	FEMALE	11	8	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	71,722	26	17	26	34	31	72	134	232	590	1,065	2,024	3,191	4,422	6,443	9,116	11,067	11,980	10,434	7,141	2,928	741	8
	WHITE.....MALE..	36,371	9	5	12	15	16	36	47	114	355	663	1,324	2,020	2,765	3,725	4,987	5,772	5,743	4,643	2,835	1,068	213	4
	FEMALE	31,019	13	8	10	17	8	19	61	73	131	245	471	801	1,219	2,058	3,474	4,742	5,809	5,491	4,088	1,782	496	3
	NONWHITE.....MALE..	2,217	3	3	3	2	5	10	13	22	63	84	132	197	212	350	351	283	212	145	93	25	9	-
	FEMALE	2,115	1	1	1	-	2	7	13	23	41	73	97	173	226	310	304	270	216	155	125	53	23	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	70,953	24	17	23	26	24	61	111	211	568	1,027	1,976	3,143	4,362	6,376	9,034	10,966	11,891	10,356	7,099	2,912	738	8
	WHITE.....MALE..	36,000	9	5	12	12	11	30	39	103	349	644	1,299	1,995	2,727	3,697	4,955	5,719	5,699	4,610	2,812	1,057	212	4
	FEMALE	30,711	11	8	8	13	7	15	50	67	120	231	460	788	1,204	2,031	3,433	4,699	5,768	5,452	4,071	1,778	494	3
	NONWHITE.....MALE..	2,178	3	3	3	1	4	9	9	21	60	83	128	194	208	346	347	281	210	142	92	25	9	-
	FEMALE	2,064	1	1	-	-	2	7	13	20	39	69	89	166	223	302	299	267	214	152	124	52	23	1
330-334	VASCULAR LESIONS, ETC.	12,776	6	8	15	10	5	15	30	31	78	136	257	392	550	863	1,525	1,994	2,387	2,244	1,506	589	133	2
	WHITE.....MALE..	5,458	2	3	7	6	2	8	6	7	34	63	120	174	236	381	681	916	1,060	949	563	206	34	-
	FEMALE	6,449	4	3	7	4	2	4	18	12	25	44	91	157	217	364	705	942	1,251	1,231	904	367	95	2
	NONWHITE.....MALE..	385	-	2	1	-	-	1	2	5	9	13	23	30	38	53	61	59	33	30	18	6	1	-
	FEMALE	484	-	-	-	-	1	2	4	7	10	16	23	31	59	65	78	77	43	34	21	10	3	-
400-402, 410-416	DISEASES OF HEART	52,827	15	7	8	14	16	39	71	153	440	823	1,624	2,589	3,628	5,185	6,978	8,235	8,623	7,164	4,798	1,938	473	6
	WHITE.....MALE..	28,090	6	2	5	5	9	21	29	88	296	554	1,132	1,741	2,384	3,133	3,990	4,409	4,234	3,243	1,948	718	139	4
	FEMALE	21,709	7	4	1	8	3	9	29	45	82	167	337	582	933	1,573	2,526	3,454	4,065	3,709	2,700	1,164	310	1
	NONWHITE.....MALE..	1,612	2	-	2	1	3	6	5	12	42	56	96	147	163	262	258	201	165	104	63	18	6	-
	FEMALE	1,416	-	1	-	-	1	3	8	8	20	46	59	119	148	217	204	171	159	108	87	38	18	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	1,434	-	1	2	7	6	23	27	51	78	105	158	184	212	181	161	101	65	40	18	11	3	-
	WHITE.....MALE..	612	-	1	-	4	4	10	9	22	36	54	57	82	102	79	67	41	20	15	3	5	1	-
	FEMALE	745	-	-	1	2	1	8	15	25	36	47	90	95	98	91	87	59	44	23	15	6	2	-
	NONWHITE.....MALE..	35	-	-	1	1	-	3	1	2	2	-	6	3	6	6	2	1	-	1	-	-	-	-
	FEMALE	42	-	-	-	-	1	2	2	2	4	4	5	4	6	5	5	-	1	1	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	39,905	-	-	1	1	1	8	31	77	300	600	1,290	2,044	2,924	4,180	5,631	6,446	6,487	5,061	3,293	1,227	299	4
	WHITE.....MALE..	22,818	-	-	1	-	-	5	14	59	234	459	995	1,499	2,035	2,704	3,397	3,643	3,394	2,389	1,411	482	93	4
	FEMALE	15,100	-	-	-	1	-	-	10	9	33	85	200	375	676	1,152	1,917	2,545	2,878	2,536	1,782	712	189	-
	NONWHITE.....MALE..	1,122	-	-	-	-	1	3	4	6	24	35	65	92	120	190	186	154	108	73	45	13	3	-
	FEMALE	865	-	-	-	-	-	-	3	3	9	21	30	78	93	134	131	104	107	63	55	20	14	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	4,957	4	2	1	-	1	3	2	3	12	24	40	66	123	229	391	670	923	1,051	856	436	120	-
	WHITE.....MALE..	2,116	2	-	1	-	1	3	2	1	7	13	21	36	67	109	196	310	386	466	318	142	35	-
	FEMALE	2,614	1	2	-	-	-	-	-	2	3	8	11	20	41	98	167	327	495	560	516	282	81	-
	NONWHITE.....MALE..	105	1	-	-	-	-	-	-	-	2	2	4	6	5	9	13	17	24	12	5	4	1	-
	FEMALE	122	-	-	-	-	-	-	-	-	-	1	4	4	10	13	15	16	18	13	17	8	3	-
430-434	OTHER DISEASES OF HEART	1,750	11	4	4	4	7	3	8	15	19	36	41	90	100	150	197	275	300	243	149	79	14	1
	WHITE.....MALE..	845	4	1	3	1	3	2	3	6	10	13	21	54	61	71	109	138	138	104	65	35	3	-
	FEMALE	787	6	2	-	3	2	1	3	7	4	18	12	25	29	55	72	126	152	135	81	42	11	1
	NONWHITE.....MALE..	67	1	-	1	-	2	-	-	2	2	4	6	6	5	15	10	4	6	1	2	-	-	-
	FEMALE	51	-	1	-	-	-	-	2	-	3	1	2	5	5	9	6	7	4	3	1	2	-	-
440-443	HYPERTENSIVE HEART DIS.	4,781	-	-	-	2	1	2	3	7	31	58	95	205	269	445	598	743	848	769	482	185	37	1
	WHITE.....MALE..	1,699	-	-	-	-	1	1	1	-	9	15	38	70	119	170	221	277	296	269	151	54	7	-
	FEMALE	2,463	-	-	-	2	-	-	1	2	6	9	24	67	89	177	283	397	496	455	306	122	27	-
	NONWHITE.....MALE..	283	-	-	-	-	-	-	-	2	12	15	15	40	27	42	47	25	27	17	11	1	2	-
	FEMALE	336	-	-	-	-	-	1	1	3	4	19	18	28	34	56	47	44	29	28	14	8	1	1
444-447	OTHER HYPERTENSIVE DIS.	825	-	-	-	-	1	3	2	6	14	20	30	40	27	54	85	121	152	134	92	36	8	-
	WHITE.....MALE..	344	-	-	-	-	-	1	1	3	2	7	14	14	13	25	36	60	64	57	33	10	4	-
	FEMALE	376	-	-	-	-	1	1	-	-	2	3	7	16	7	14	37	51	84	74	51	25	3	-
	NONWHITE.....MALE..	48	-	-	-	-	-	-	1	2	4	10	7	3	-	9	4	5	1	-	2	-	-	-
	FEMALE	57	-	-	-	-	-	1	-	1	6	-	2	7	7	6	8	5	3	3	6	1	1	-
450	GENERAL ARTERIOSCLEROSIS.	2,844	-	-	-	-	-	-	-	1	3	1	4	25	34	72	159	304	511	662	623	329	116	-
	WHITE.....MALE..	1,196	-	-	-	-	-	-	-	-	1	1	-	15	20	39	83	145	222	288	234	116	32	-
	FEMALE	1,557	-	-	-	-	-	-	-	-	1	-	3	6	10	24	63	147	275	363	374	209	82	-
	NONWHITE.....MALE..	47	-	-	-	-	-	-	-	1	1	-	-	2	2	5	7	4	7	7	8	1	2	-
	FEMALE	44	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	8	7	4	7	3	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	1,681	3	2	-	2	2	4	8	20	33	47	61	97	123	202	287	312	218	152	80	20	8	-
	WHITE.....MALE..	912	1	-	-	1	-	-	3	5	16	19	33	51	74	119	165	189	119	73	34	7	3	-
	FEMALE	620	-	1	-	1	1	1	3	10	10	17	22	27	37	56	102	105	93	75	42	13	4	-
	NONWHITE.....MALE..	86	1	1	-	-	1	2	1	1	4	4	2	12	5	17	17	12	4	1	1	-	-	-
	FEMALE	63	1	-	-	-	-	1	1	4	3	7	4	7	7	10	3	6	2	3	3	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	769	2	-	3	8	7	11	23	21	22	38	48	48	60	67	82	101	89	78	42	16	3	-
	WHITE.....MALE..	371	-	-	-	3	5	6	8	11	6	19	25	25	38	28	32	53	44	33	23	11	1	-
	FEMALE	308	2	-	2	4	1	4	11	6	11	14	11	13	15	27	41	43	41	39	17	4	2	-
	NONWHITE.....MALE..	39	-	-	-	1	1	1	4	1	3	1	4	3	4	4	4	2	2	3	1	-	-	-
	FEMALE	51	-	-	1	-	-	-	-	3	2	4	8	7	3	8	5	3	2	3	1	1	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	3,540	334	88	20	17	23	13	20	28	49	69	91	108	160	235	324	430	458	482	377	163	51	-
	WHITE.....MALE..	1,700	159	38	7	10	15	6	10	10	14	23	40	68	83	114	184	240	232	226	148	54	19	-
	FEMALE	1,439	100	34	12	7	8	6	6	12	22	27	22	24	44	79	96	160	193	239	216	103	29	-
	NONWHITE.....MALE..	240	32	7	1	-	-	-	1	5	8	8	20	11	21	28	32	20	25	10	5	4	2	-
	FEMALE	161	43	9	-	-	-	1	3	1	5	11	9	5	12	14	12	10	8	7	8	2	1	-
480-483	INFLUENZA.....	161	6	2	2	-	3	1	2	2	5	2	4	4	3	9	12	15	22	30	25	11	1	-
	WHITE.....MALE..	66	2	1	1	-	2	-	-	1	1	-	2	1	2	3	4	8	11	12	11	4	-	-
	FEMALE	89	4	1	1	-	1	1	2	1	3	1	2	2	1	6	7	5	11	18	14	7	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	3,379	328	86	18	17	20	12	18	26	44	67	87	104	157	226	312	415	436	452	352	152	50	-
	WHITE.....MALE..	1,634	157	37	6	10	13	6	10	9	13	23	38	67	81	111	180	232	221	214	137	50	19	-
	FEMALE	1,350	96	33	11	7	7	5	4	11	19	26	20	22	43	73	89	155	182	221	202	96	28	-
	NONWHITE.....MALE..	237	32	7	1	-	-	-	1	5	8	7	20	10	21	28	32	19	25	10	5	4	2	-
	FEMALE	158	43	9	-	-	-	1	3	1	4	11	9	5	12	14	11	9	8	7	8	2	1	-
500-502	BRONCHITIS.....	189	22	6	3	2	-	-	1	2	2	4	3	11	9	17	22	25	27	15	8	10	-	-
	WHITE.....MALE..	114	12	2	2	1	-	-	-	-	-	3	2	4	7	11	18	19	17	8	1	7	-	-
	FEMALE	59	6	3	1	1	-	-	1	-	1	1	1	7	1	4	3	3	10	7	6	3	-	-
	NONWHITE.....MALE..	8	3	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	8	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	2	-	-	1	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	1,068	34	7	2	2	1	4	3	2	13	19	33	59	96	136	185	212	132	75	36	12	4	1
	WHITE.....MALE..	819	21	4	1	1	-	1	-	1	7	12	19	47	68	101	149	186	102	57	31	7	3	1
	FEMALE	185	8	3	1	1	1	1	2	1	3	5	11	5	17	25	25	21	29	16	4	5	1	-
	NONWHITE.....MALE..	51	3	-	-	-	-	1	1	-	2	1	1	6	11	10	9	4	1	1	-	-	-	-
	FEMALE	13	2	-	-	-	-	1	-	-	1	1	2	1	-	-	2	1	-	1	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	820	4	2	-	1	-	2	3	6	23	23	39	53	72	88	143	118	121	64	45	12	1	-
	WHITE.....MALE..	544	3	-	-	-	-	1	1	1	14	16	27	38	49	59	106	83	80	37	25	4	-	-
	FEMALE	222	1	1	-	1	-	-	1	3	5	4	10	13	13	22	27	31	37	26	18	8	1	-
	NONWHITE.....MALE..	38	-	1	-	-	-	1	1	2	3	1	1	2	5	5	8	4	4	-	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	1	2	1	-	5	2	2	-	-	1	2	-	-	-
550-553	APPENDICITIS.....	113	1	-	3	3	2	2	-	2	1	5	5	6	12	13	10	19	15	8	4	2	-	-
	WHITE.....MALE..	58	-	-	2	2	-	-	-	1	-	5	2	3	8	7	5	9	7	5	1	1	-	-
	FEMALE	43	1	-	1	1	2	2	-	-	1	-	2	2	3	3	3	9	6	3	3	1	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	-	1	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	732	49	4	1	2	1	2	2	5	8	19	23	39	46	52	75	119	107	99	62	14	3	-
	WHITE.....MALE..	344	26	2	1	-	-	1	1	4	3	9	11	19	22	23	38	58	56	33	31	6	-	-
	FEMALE	348	20	1	-	2	1	1	1	-	4	9	8	16	19	21	35	58	49	62	30	8	3	-
	NONWHITE.....MALE..	17	2	1	-	-	-	-	-	-	-	1	1	-	4	4	-	1	1	2	-	-	-	-
	FEMALE	23	1	-	-	-	-	-	-	1	1	-	3	4	1	4	2	2	1	2	1	-	-	-
543, 571, 572	GASTRITIS, ETC.....	493	62	26	8	2	4	7	6	6	9	17	14	29	25	45	53	60	53	29	30	6	2	-
	WHITE.....MALE..	201	27	17	3	-	2	-	3	3	2	3	7	12	15	22	26	22	14	10	12	1	-	-
	FEMALE	248	20	7	5	1	2	4	3	2	5	9	7	13	8	20	25	36	38	19	18	4	2	-
	NONWHITE.....MALE..	24	9	1	-	-	-	2	-	-	-	4	-	2	2	1	1	-	1	-	-	1	-	-
	FEMALE	20	6	1	-	1	-	1	-	1	2	1	-	2	-	2	1	2	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	1,439	2	-	-	2	3	5	8	27	53	108	166	197	202	200	178	140	89	39	16	3	-	1
	WHITE.....MALE..	918	1	-	-	1	-	3	4	13	22	61	104	143	133	120	127	100	53	23	8	2	-	-
	FEMALE	403	1	-	-	1	3	-	2	3	16	29	46	45	53	65	42	38	34	16	8	1	-	-
	NONWHITE.....MALE..	67	-	-	-	-	-	1	2	4	11	11	6	5	11	8	5	-	2	-	-	-	-	1
	FEMALE	51	-	-	-	-	-	1	-	7	4	7	10	4	5	7	4	2	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	344	-	-	-	-	-	1	1	1	2	10	10	15	18	30	54	61	67	42	25	7	-	-
	WHITE.....MALE..	139	-	-	-	-	-	1	-	-	1	5	4	5	8	8	19	27	32	19	8	2	-	-
	FEMALE	186	-	-	-	-	-	-	1	1	1	4	5	9	10	17	33	29	31	23	17	5	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	1	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	120	3	3	3	5	5	5	4	3	5	3	12	8	6	14	10	10	8	6	4	2	1	-
	WHITE.....MALE..	55	1	1	3	2	4	1	1	1	1	3	5	5	1	5	5	4	3	4	3	1	1	-
	FEMALE	43	2	2	-	2	1	2	2	1	3	-	3	1	4	7	-	5	4	2	1	1	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	1	1	-	2	-	1	-	5	1	1	-	-	-	-	-
	FEMALE	10	-	-	-	1	-	2	1	-	-	-	2	2	-	2	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	475	4	1	2	1	2	1	1	4	10	14	22	17	54	43	68	53	85	50	30	9	4	-
	WHITE.....MALE..	217	2	-	1	-	-	1	-	2	3	5	8	7	16	21	33	28	47	23	13	6	1	-
	FEMALE	195	2	1	1	1	1	-	1	-	6	4	10	7	28	10	27	17	31	25	17	3	3	-
	NONWHITE.....MALE..	38	-	-	-	-	-	-	-	-	1	3	3	2	8	4	5	6	5	1	-	-	-	-
	FEMALE	25	-	-	-	-	1	-	-	2	-	2	1	1	2	8	3	2	2	1	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	241	-	-	-	-	-	-	-	-	-	-	1	3	3	16	28	52	53	48	25	9	3	-
	WHITE.....MALE..	205	-	-	-	-	-	-	-	-	-	-	-	1	3	8	20	40	51	47	24	8	3	-	-
	NONWHITE.....MALE..	36	-	-	-	-	-	-	-	-	-	-	1	2	-	8	8	12	2	1	1	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	PENNSYLVANIA—CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	56	-	-	-	-	-	9	14	13	13	6	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	35	-	-	-	-	-	5	10	6	8	5	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	21	-	-	-	-	-	4	4	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	18	-	-	-	-	-	4	5	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	13	-	-	-	-	-	3	2	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	38	-	-	-	-	-	5	9	9	8	6	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	30	-	-	-	-	-	4	7	6	7	5	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	8	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	1,157	801	98	38	27	32	11	10	9	19	13	19	21	23	13	8	4	7	2	2	-	-	-
	WHITE.....MALE..	585	413	41	18	11	24	6	4	4	10	7	10	13	10	3	5	1	3	-	2	-	-	-
	FEMALE	450	308	45	16	11	6	3	4	4	7	3	8	7	9	7	3	3	4	2	-	-	-	-
	NONWHITE.....MALE..	76	50	7	3	4	1	1	1	1	1	1	1	1	2	2	-	-	-	-	-	-	-	-
	FEMALE	46	30	5	1	1	1	1	1	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	3,482	3,481	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,678	1,678	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1,133	1,132	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	370	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	1,542	1,542	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	781	781	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	506	506	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	1,767	1,766	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	809	809	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	575	574	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	204	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	1,243	142	8	6	1	2	1	8	17	43	52	59	89	95	118	128	122	108	93	75	51	25	-
	WHITE.....MALE..	536	36	-	3	-	2	1	1	9	12	18	30	48	44	56	74	66	45	38	35	13	5	-
	FEMALE	340	28	3	1	-	-	-	-	2	6	8	8	9	17	23	24	33	44	45	38	35	16	-
	NONWHITE.....MALE..	225	40	5	1	-	-	-	4	2	14	14	17	19	25	24	23	10	13	7	2	2	3	-
	FEMALE	142	38	-	1	1	-	-	3	4	11	12	4	13	9	15	7	13	6	3	-	1	1	-
RESIDUAL	ALL OTHER DISEASES.	4,284	149	84	45	52	49	32	53	87	132	156	235	310	352	468	555	560	444	301	150	56	14	-
	WHITE.....MALE..	2,448	83	30	18	30	24	20	21	32	57	65	120	182	215	300	383	366	253	152	72	23	2	-
	FEMALE	1,473	46	40	23	16	19	11	20	36	48	64	88	87	108	128	149	166	175	141	68	29	11	-
	NONWHITE.....MALE..	195	14	11	2	1	3	-	6	12	8	14	12	23	21	22	13	14	6	4	6	2	1	-
	FEMALE	168	6	3	2	5	3	1	6	7	19	13	15	18	8	18	10	14	10	4	4	2	-	-
E800-E962	ACCIDENTS.	5,227	179	220	169	129	324	301	230	188	220	246	268	308	271	291	301	366	419	354	277	127	38	1
	WHITE.....MALE..	3,173	91	102	97	105	261	235	172	130	139	170	183	200	184	189	186	215	212	153	102	40	7	-
	FEMALE	1,596	57	66	43	16	50	44	42	28	49	49	54	74	68	70	91	133	192	187	170	84	29	-
	NONWHITE.....MALE..	308	19	29	17	6	11	20	14	15	22	19	20	31	14	20	17	11	10	7	3	2	-	1
	FEMALE	150	12	23	12	2	2	2	2	15	10	8	11	3	5	12	7	7	5	7	2	1	2	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	1,789	11	67	76	48	211	234	142	96	87	85	101	111	96	97	94	88	75	37	29	3	1	-
	WHITE.....MALE..	1,226	5	25	45	43	169	183	112	71	64	55	63	68	55	57	58	60	49	20	22	1	1	-
	FEMALE	432	3	25	21	4	38	34	23	16	15	27	29	33	33	29	31	24	24	15	7	1	-	-
	NONWHITE.....MALE..	91	1	9	9	-	3	15	6	5	6	2	6	8	5	6	4	3	1	1	-	1	-	-
	FEMALE	40	2	8	1	1	1	2	1	4	2	1	3	2	3	5	1	1	1	1	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	3,438	168	153	93	81	113	67	88	92	133	161	167	197	175	194	207	278	344	317	248	124	37	1
	WHITE.....MALE..	1,947	86	77	52	62	92	52	60	59	75	115	120	132	129	132	128	155	163	133	80	39	6	-
	FEMALE	1,164	54	41	22	12	12	10	19	12	34	22	25	41	35	41	60	109	168	172	163	83	29	-
	NONWHITE.....MALE..	217	18	20	8	6	8	5	8	10	16	17	14	23	9	14	13	8	9	6	3	1	-	1
	FEMALE	110	10	15	11	1	1	-	1	11	8	7	8	1	2	7	6	6	4	6	2	1	2	-
E963, E970-E979	SUICIDE.	1,152	...	...	-	2	31	51	56	76	102	107	128	128	132	90	84	71	51	27	12	3	-	1
	WHITE.....MALE..	819	...	...	-	1	22	36	31	49	69	70	90	93	102	55	63	59	41	24	10	3	-	1
	FEMALE	293	...	...	-	1	6	10	22	21	26	32	36	32	29	34	19	11	9	3	2	-	-	-
	NONWHITE.....MALE..	34	...	...	-	-	3	4	2	6	5	5	1	3	-	1	2	1	1	-	-	-	-	-
	FEMALE	6	...	...	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	328	28	18	2	4	20	29	33	29	34	28	20	26	17	12	10	8	3	3	2	-	-	2
	WHITE.....MALE..	87	13	4	1	2	4	5	8	8	3	7	6	8	4	6	2	2	2	1	1	-	-	-
	FEMALE	86	9	7	1	2	4	10	8	2	6	7	5	3	6	4	4	4	1	1	-	-	-	2
	NONWHITE.....MALE..	123	4	4	-	-	12	12	11	15	19	12	8	13	7	2	1	2	-	-	1	-	-	-
	FEMALE	32	2	3	-	-	-	2	6	4	6	2	1	2	-	-	3	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND																							
	ALL CAUSES	9,127	468	47	41	28	30	36	34	46	120	176	265	416	571	815	1,132	1,339	1,295	1,109	765	311	81	2
	WHITE.....MALE..	4,735	250	20	30	18	20	20	17	24	66	109	158	250	367	505	681	702	611	473	282	107	23	2
	FEMALE	4,170	183	23	7	7	9	14	14	17	49	63	97	154	200	292	425	615	663	616	469	199	54	-
	NONWHITE.....MALE..	122	17	3	3	1	1	1	2	3	2	4	6	4	3	9	12	18	15	11	4	1	2	-
	FEMALE	100	18	1	1	2	-	1	1	2	3	-	4	8	1	9	14	4	6	9	10	4	2	-
001-019	TUBERCULOSIS, ALL FORMS..	30	-	-	-	-	-	-	1	-	-	2	1	2	3	4	6	4	6	-	1	-	-	-
	WHITE.....MALE..	21	-	-	-	-	-	-	1	-	-	1	1	1	2	2	3	4	6	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	29	-	-	-	-	-	-	1	-	-	2	1	2	2	4	6	4	6	-	1	-	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	1	-	-	1	1	1	1	2	3	4	6	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	3	-	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	29	5	1	-	-	-	-	-	2	2	2	2	3	-	2	4	4	1	1	-	-	-	-
	WHITE.....MALE..	14	3	-	-	-	-	-	-	1	1	1	1	1	-	1	2	2	1	-	-	-	-	-
	FEMALE	13	2	-	-	-	-	-	-	-	1	1	1	2	-	1	2	2	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	1,692	-	5	8	5	2	4	10	9	30	45	83	138	158	217	235	293	212	141	70	21	6	-
	WHITE.....MALE..	865	-	2	6	2	1	2	8	2	9	16	34	73	84	118	138	152	114	70	24	8	2	-
	FEMALE	798	-	3	2	3	1	2	2	5	20	29	49	62	72	96	90	135	96	69	45	13	4	-
	NONWHITE.....MALE..	16	-	-	-	-	-	-	-	-	1	-	-	2	1	1	4	4	2	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	2	-	-	-	1	1	2	3	2	-	1	1	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	48	-	-	-	-	-	-	-	-	1	2	2	6	4	7	8	5	5	4	4	-	-	-
	WHITE.....MALE..	34	-	-	-	-	-	-	-	-	1	2	2	3	4	4	6	5	3	3	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	3	-	3	2	-	2	1	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	630	-	-	-	-	-	-	2	-	3	9	25	42	51	74	95	119	97	67	31	12	3	-
	WHITE.....MALE..	313	-	-	-	-	-	-	1	-	1	3	14	22	30	39	51	60	49	29	7	5	2	-
	FEMALE	307	-	-	-	-	-	-	1	-	2	6	11	19	20	34	43	57	46	37	23	7	1	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	251	-	-	-	-	-	1	1	-	1	9	9	17	32	45	43	47	28	13	2	2	1	-
	WHITE.....MALE..	208	-	-	-	-	-	1	1	-	1	4	9	15	26	38	36	41	23	11	1	1	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	-	5	-	2	5	6	5	5	5	2	1	1	1	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	179	-	-	-	-	-	-	-	4	9	7	16	16	26	24	20	22	17	12	3	3	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
	FEMALE	170	-	-	-	-	-	-	-	2	9	7	16	15	25	23	19	20	17	11	3	3	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	199	-	-	-	-	-	-	-	3	2	6	11	15	17	19	25	43	29	19	7	3	-	-
	WHITE.....MALE..	77	-	-	-	-	-	-	-	1	-	-	-	2	5	3	13	17	16	16	3	1	-	-
	FEMALE	117	-	-	-	-	-	-	-	2	2	6	11	12	12	16	10	24	13	3	4	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	84	-	1	1	-	-	-	-	-	-	-	3	6	3	13	12	20	14	4	5	1	1	-
	WHITE.....MALE..	66	-	1	-	-	-	-	-	-	-	-	2	5	2	12	11	14	12	1	5	1	-	-
	FEMALE	18	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	6	2	3	-	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	164	-	2	3	2	1	-	2	-	5	7	11	20	15	18	20	21	11	12	14	-	-	-
	WHITE.....MALE..	79	-	1	2	-	1	-	2	-	1	3	5	12	9	8	11	10	6	4	4	-	-	-
	FEMALE	84	-	1	1	2	-	-	-	-	4	4	6	8	6	10	8	11	5	8	10	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	51	-	2	4	1	-	-	-	2	1	2	2	2	1	6	1	6	8	9	3	-	1	-
	WHITE.....MALE..	30	-	-	4	-	-	-	-	1	-	2	1	2	1	5	-	3	4	4	3	-	-	-
	FEMALE	20	-	2	-	1	-	-	-	1	1	-	1	-	-	1	1	3	4	4	-	-	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	86	-	-	-	2	1	3	5	-	8	3	4	14	9	11	11	10	3	1	1	-	-	-
	WHITE.....MALE..	54	-	-	-	2	-	1	4	-	5	2	1	11	6	9	10	1	1	1	-	-	-	-
	FEMALE	30	-	-	-	-	1	2	1	-	2	1	3	2	3	2	1	9	2	-	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	20	-	-	-	1	-	1	-	-	2	2	1	-	-	3	3	1	3	-	1	-	2	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	2	2	-	-	-	2	1	-	1	-	-	-	1	-
	FEMALE	10	-	-	-	1	-	1	-	-	-	-	-	-	-	1	2	1	2	-	1	-	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	25	-	-	-	-	-	-	-	1	-	-	2	-	2	5	6	4	2	3	-	-	-	-
	WHITE.....MALE..	21	-	-	-	-	-	-	-	1	-	-	-	-	1	5	6	3	2	3	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	228	-	-	-	-	-	-	-	1	3	1	6	5	11	25	48	51	34	28	11	4	-	-
	WHITE.....MALE..	82	-	-	-	-	-	-	-	1	1	1	3	2	6	9	18	16	7	11	4	3	-	-
	FEMALE	140	-	-	-	-	-	-	-	-	2	-	3	2	4	15	29	35	26	17	6	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-
290-293	ANEMIAS.....	17	1	-	-	1	-	-	-	1	-	-	-	-	1	1	2	4	4	2	-	-	-	-
	WHITE.....MALE..	10	1	-	-	1	-	-	-	1	-	-	-	-	-	1	1	2	2	1	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	9	4	1	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	5	2	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	5,312	1	2	3	2	5	3	6	11	38	80	114	191	304	428	668	838	893	820	582	258	64	1
	WHITE.....MALE..	2,712	1	-	1	1	5	2	2	8	28	62	82	121	211	279	402	440	406	341	211	89	19	1
	FEMALE	2,503	-	2	1	1	-	1	3	3	9	17	29	64	92	138	251	385	473	464	364	164	42	-
	NONWHITE.....MALE..	52	-	-	1	-	-	-	1	-	-	1	1	2	1	6	5	11	9	9	2	1	2	-
	FEMALE	45	-	-	-	-	-	-	-	-	1	-	2	4	-	5	10	2	5	6	5	4	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	5,253	1	2	2	1	5	2	4	9	37	79	112	190	302	423	661	826	885	815	575	257	64	1
	WHITE.....MALE..	2,685	1	-	1	1	5	2	1	7	28	61	81	121	210	277	396	434	403	339	208	89	19	1
	FEMALE	2,472	-	2	-	-	-	-	3	2	8	17	28	63	91	135	250	379	468	461	360	163	42	-
	NONWHITE.....MALE..	51	-	-	1	-	-	-	-	-	-	1	1	2	1	6	5	11	9	9	2	1	2	-
	FEMALE	45	-	-	-	-	-	-	-	-	1	-	2	4	-	5	10	2	5	6	5	4	1	-
330-334	VASCULAR LESIONS, ETC.	858	1	2	-	-	1	1	2	2	2	8	14	22	44	47	75	141	172	146	107	59	12	-
	WHITE.....MALE..	359	1	-	-	-	1	1	1	2	2	3	6	9	24	25	33	59	74	57	39	20	2	-
	FEMALE	479	-	2	-	-	-	-	1	-	-	5	7	10	19	21	38	78	95	87	68	38	10	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	3	2	1	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	1	1	-	1	-	-
400-402, 410-443	DISEASES OF HEART	4,037	-	-	2	1	4	1	2	6	31	66	92	160	245	355	545	641	655	602	412	170	46	1
	WHITE.....MALE..	2,144	-	-	1	1	4	1	-	5	24	54	72	107	180	242	339	349	294	251	147	57	15	1
	FEMALE	1,825	-	-	-	-	-	-	2	1	6	11	18	50	65	104	198	286	351	338	258	109	28	-
	NONWHITE.....MALE..	35	-	-	1	-	-	-	-	-	-	1	-	1	-	5	2	6	6	8	2	1	2	-
	FEMALE	33	-	-	-	-	-	-	-	-	1	-	2	2	-	4	6	-	4	5	5	3	1	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	112	-	-	2	1	-	-	2	1	5	6	6	10	24	16	14	9	8	6	1	1	-	-
	WHITE.....MALE..	55	-	-	1	1	-	-	-	1	3	5	1	3	12	9	9	4	3	3	-	-	-	-
	FEMALE	55	-	-	-	-	-	-	2	-	2	1	4	7	12	7	5	5	5	3	1	1	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	3,449	-	-	-	-	-	1	-	5	24	55	81	139	202	301	483	554	560	502	359	141	41	1
	WHITE.....MALE..	1,906	-	-	-	-	-	1	-	4	20	45	69	99	160	212	304	310	261	220	133	53	14	1
	FEMALE	1,487	-	-	-	-	-	-	-	1	3	9	11	38	42	80	172	238	291	273	220	85	24	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	-	-	1	-	-	-	5	2	6	6	6	2	-	2	-
	FEMALE	26	-	-	-	-	-	-	-	-	1	-	1	2	-	4	5	-	2	3	4	3	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	142	-	-	-	-	1	-	-	-	1	1	-	-	3	5	9	22	29	32	19	17	3	-
	WHITE.....MALE..	51	-	-	-	-	1	-	-	-	1	1	-	-	2	1	5	9	10	13	4	3	1	-
	FEMALE	91	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	13	19	19	15	14	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	72	-	-	-	-	3	-	-	-	-	-	1	4	6	10	12	12	4	9	10	1	-	-
	WHITE.....MALE..	36	-	-	-	-	3	-	-	-	-	-	1	2	2	6	6	8	3	2	3	-	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	-	-	2	4	4	6	4	1	7	7	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	262	-	-	-	-	-	-	-	-	1	4	4	7	10	23	27	44	54	53	23	10	2	-
	WHITE.....MALE..	96	-	-	-	-	-	-	-	-	-	3	1	3	4	14	15	18	17	13	7	1	-	-
	FEMALE	156	-	-	-	-	-	-	-	-	1	1	3	3	6	9	11	26	35	36	15	8	2	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	91	-	-	-	-	-	-	-	-	1	-	1	2	3	4	7	14	17	21	14	4	3	-
	WHITE.....MALE..	46	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	7	10	11	7	1	1	-
	FEMALE	43	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	6	7	10	7	3	2	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	147	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	14	24	37	37	20	3	-
	WHITE.....MALE..	69	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	5	16	17	14	8	1	-
	FEMALE	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	7	20	23	12	2	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	120	-	-	-	-	-	-	-	1	3	5	5	4	9	14	28	16	17	9	5	4	-	-
	WHITE.....MALE..	67	-	-	-	-	-	-	-	-	1	4	2	2	3	7	18	14	9	3	1	3	-	-
	FEMALE	51	-	-	-	-	-	-	-	1	2	1	3	2	6	7	8	2	8	6	4	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	59	-	-	1	1	-	1	2	2	1	1	2	1	2	5	7	12	8	5	7	1	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	1	1	-	1	1	-	1	2	6	6	3	2	3	-	-	-
	FEMALE	31	-	-	1	1	-	1	-	1	1	-	1	1	1	3	1	6	5	3	4	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	208	26	3	2	1	-	-	-	1	2	4	8	8	7	8	18	16	28	30	30	11	5	-
	WHITE.....MALE..	101	12	1	2	1	-	-	-	-	2	2	3	7	3	7	12	12	13	11	10	2	1	-
	FEMALE	96	9	2	-	-	-	-	-	1	-	1	4	1	4	1	5	4	14	19	19	9	3	-
	NONWHITE.....MALE..	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	-
480-483	INFLUENZA.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	207	26	3	2	1	-	-	-	1	1	4	8	8	7	8	18	16	28	30	30	11	5	-
	WHITE.....MALE..	100	12	1	2	1	-	-	-	-	1	2	3	7	3	7	12	12	13	11	10	2	1	-
	FEMALE	96	9	2	-	-	-	-	-	1	-	1	4	1	4	1	5	4	14	19	19	9	3	-
	NONWHITE.....MALE..	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	1	-
500-502	BRONCHITIS.....	29	1	-	1	-	-	-	-	-	2	1	-	1	-	8	4	4	4	1	1	-	-	1
	WHITE.....MALE..	22	-	-	1	-	-	-	-	-	-	1	-	-	-	8	3	4	2	1	1	-	-	1
	FEMALE	6	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	2	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	84	4	1	-	-	-	-	-	-	-	-	2	3	6	12	17	19	6	9	4	1	-	-
	WHITE.....MALE..	68	2	1	-	-	-	-	-	-	-	-	2	3	6	10	15	16	3	6	4	-	-	-
	FEMALE	16	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	3	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	77	1	-	-	-	-	-	-	1	3	2	3	6	7	10	9	8	14	8	4	1	-	-
	WHITE.....MALE..	56	-	-	-	-	-	-	-	1	2	2	2	6	7	9	9	7	8	1	2	-	-	-
	FEMALE	20	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	6	7	2	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	48	2	-	-	1	-	-	-	-	1	-	-	1	2	3	9	7	6	8	5	2	1	-
	WHITE.....MALE..	21	2	-	-	1	-	-	-	-	-	-	-	1	1	3	3	2	2	2	3	1	-	-
	FEMALE	25	-	-	-	-	-	-	-	-	1	-	-	-	1	-	6	5	4	5	1	1	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	32	1	2	2	1	-	-	1	-	1	1	1	1	-	3	5	3	2	1	5	2	-	-
	WHITE.....MALE..	15	1	-	1	1	-	-	1	-	-	-	1	1	-	1	3	-	-	1	3	1	-	-
	FEMALE	16	-	2	1	-	-	-	-	-	1	1	-	-	-	2	1	3	2	-	2	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	128	-	-	-	-	-	-	-	1	5	8	11	18	18	20	23	11	9	2	2	-	-	-
	WHITE.....MALE..	87	-	-	-	-	-	-	-	-	4	3	9	11	12	15	18	7	7	1	-	-	-	-
	FEMALE	39	-	-	-	-	-	-	-	-	-	5	2	7	6	5	5	4	2	1	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	7	2	2	2	-	1	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	1	1	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	1	1	-	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	35	-	1	-	-	-	-	-	1	2	1	3	1	2	5	3	2	7	4	3	-	-	-
	WHITE.....MALE..	18	-	-	-	-	-	-	-	-	1	-	2	1	1	3	2	1	4	1	2	-	-	-
	FEMALE	14	-	1	-	-	-	-	-	1	-	1	1	-	1	2	1	1	3	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	-	-	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	6	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	RHODE ISLAND--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	105	79	7	-	2	2	-	2	1	1	1	3	1	2	-	2	2	-	-	-	-	-	-
	WHITE.....MALE..	45	34	3	-	1	-	-	-	-	1	1	2	-	2	-	2	-	-	-	-	-	-	-
	FEMALE	53	40	3	-	-	2	-	2	1	1	-	1	1	-	-	-	2	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	305	305	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	16	-	-	-	-	-	-	-	-	1	2	1	2	1	-	2	-	3	3	1	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	-	-	-	1	2	-	1	1	-	2	-	1	1	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES	258	21	10	5	1	-	4	2	3	7	10	11	18	20	26	30	27	27	18	14	2	2	-
	WHITE.....MALE..	138	12	4	4	1	-	1	-	-	2	4	7	13	13	17	18	13	13	8	8	-	-	-
	FEMALE	110	8	4	1	-	-	3	2	3	5	5	1	5	7	8	11	14	13	10	6	2	2	-
	NONWHITE.....MALE..	7	-	2	-	-	-	-	-	-	-	1	2	-	-	-	1	-	1	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS	317	14	12	20	12	19	16	4	12	14	7	9	12	18	28	23	23	19	17	29	9	-	-
	WHITE.....MALE..	177	7	8	15	8	13	12	2	9	10	4	6	8	12	14	15	9	9	5	8	3	-	-
	FEMALE	122	5	4	2	2	5	3	1	2	3	3	3	3	6	12	8	13	10	11	20	6	-	-
	NONWHITE.....MALE..	11	-	-	2	1	1	1	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-
	FEMALE	7	2	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS	91	2	5	8	2	10	12	1	5	6	3	3	2	5	9	11	4	2	1	-	-	-	-
	WHITE.....MALE..	55	-	3	7	1	6	8	-	4	5	1	1	1	3	3	8	2	1	1	-	-	-	-
	FEMALE	32	2	2	1	1	3	3	1	1	1	2	2	-	2	6	3	1	1	-	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	226	12	7	12	10	9	4	3	7	8	4	6	10	13	19	12	19	17	16	29	9	-	-
	WHITE.....MALE..	122	7	5	8	7	7	4	2	5	5	3	5	7	9	11	7	7	8	4	8	3	-	-
	FEMALE	90	3	2	1	1	2	-	-	1	2	1	1	3	4	6	5	12	9	11	20	6	-	-
	NONWHITE.....MALE..	8	-	-	2	1	-	-	1	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	6	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
E963, E970-E979	SUICIDE	52	...	...	-	-	2	4	6	1	5	3	2	4	7	4	3	5	4	2	-	-	-	-
	WHITE.....MALE..	27	...	...	-	-	1	2	3	-	2	3	2	-	4	1	2	3	4	-	-	-	-	-
	FEMALE	24	...	...	-	-	1	2	3	1	3	-	-	4	3	3	1	1	-	2	-	-	-	-
	NONWHITE.....MALE..	1	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	8	1	-	-	1	-	2	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	6	1	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA																							
	ALL CAUSES	20,447	1,829	338	177	160	270	289	277	332	570	800	1,088	1,462	1,614	2,130	2,300	2,196	1,860	1,427	840	368	98	22
	WHITE.....MALE	7,085	472	78	56	54	102	119	88	92	179	273	368	544	635	726	820	848	706	505	282	113	22	3
	FEMALE	5,098	332	50	34	27	29	32	40	65	91	129	188	232	248	391	492	658	703	683	440	196	34	4
	NONWHITE.....MALE	4,426	567	122	44	44	98	88	88	102	168	239	304	371	372	476	530	356	245	113	55	23	16	5
	FEMALE	3,838	458	88	43	35	41	50	61	73	132	159	228	315	359	537	458	334	206	126	63	36	26	10
001-019	TUBERCULOSIS, ALL FORMS	113	-	1	1	-	2	2	10	6	8	11	10	11	12	8	11	6	7	4	3	-	-	-
	WHITE.....MALE	27	-	-	-	-	-	1	1	-	2	2	1	2	5	-	6	2	2	3	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	1	-	1	-	2	-	3	3	-	2	-	2	-	-	-
	NONWHITE.....MALE	47	-	1	1	-	-	-	4	4	6	4	7	6	4	3	1	2	2	1	1	-	-	-
	FEMALE	25	-	-	-	-	2	1	5	1	-	4	2	1	3	2	1	2	1	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	101	-	1	-	-	1	2	8	5	7	10	8	11	10	8	10	6	7	4	3	-	-	-
	WHITE.....MALE	26	-	-	-	-	-	1	1	-	1	2	1	2	5	-	6	2	2	3	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	1	-	1	-	2	-	3	3	-	2	-	2	-	-	-
	NONWHITE.....MALE	39	-	1	-	-	-	-	3	3	6	3	5	6	3	3	-	2	2	1	1	-	-	-
	FEMALE	22	-	-	-	-	1	1	4	1	-	4	2	1	2	2	1	2	1	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	12	-	-	1	-	1	-	2	1	1	1	2	-	2	-	1	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	8	-	-	1	-	-	-	1	1	-	1	2	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	58	1	-	-	-	-	1	-	-	6	-	7	7	5	11	6	8	6	-	-	-	-	-
	WHITE.....MALE	20	-	-	-	-	-	1	-	-	2	-	2	2	3	3	3	3	3	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE	24	-	-	-	-	-	-	-	-	-	-	7	2	2	6	3	3	1	-	-	-	-	-
	FEMALE	12	1	-	-	-	-	-	-	-	4	-	-	3	-	2	-	2	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	10	4	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-
	WHITE.....MALE	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	8	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE	7	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	5	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	93	18	9	7	4	6	3	2	3	5	2	1	7	3	4	7	5	2	2	2	-	1	-
	WHITE.....MALE	25	2	-	3	4	3	-	1	1	2	-	-	5	1	1	-	2	-	-	-	-	-	-
	FEMALE	19	2	3	2	-	-	-	-	-	2	1	-	-	1	1	2	1	1	1	2	-	-	-
	NONWHITE.....MALE	29	10	2	2	-	1	2	1	-	1	1	-	1	-	2	4	1	1	-	-	-	-	-
	FEMALE	20	4	4	-	-	2	1	-	2	-	-	1	1	1	-	1	1	-	1	-	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,385	2	21	16	20	16	15	21	42	62	109	173	252	269	328	339	288	209	124	58	15	4	2
	WHITE.....MALE..	860	-	11	6	8	4	5	6	13	13	38	57	80	114	110	131	109	84	46	18	5	2	-
	FEMALE	830	2	6	7	5	5	4	8	17	23	40	54	81	71	111	100	114	87	60	29	6	-	-
	NONWHITE.....MALE..	342	-	2	1	1	6	2	3	2	7	15	31	38	37	46	68	39	25	9	6	3	1	1
	FEMALE	353	-	2	2	6	1	4	4	10	19	16	31	53	47	61	40	26	13	9	5	1	2	1
140-148	OF BUCCAL CAVITY AND PHARYNX.....	71	-	-	-	-	-	1	-	-	3	4	5	5	14	9	14	6	2	7	1	-	-	-
	WHITE.....MALE..	40	-	-	-	-	-	1	-	-	2	2	4	3	10	3	8	1	1	4	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	4	1	1	-	-	-	-
	NONWHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	1	1	1	1	1	3	1	-	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	665	-	1	-	-	-	1	1	6	7	28	28	66	74	100	119	96	62	39	26	7	4	-
	WHITE.....MALE..	212	-	1	-	-	-	-	-	1	-	9	5	21	34	25	36	34	23	13	6	2	2	-
	FEMALE	222	-	-	-	-	-	-	-	2	4	8	7	12	16	35	40	32	24	21	17	4	-	-
	NONWHITE.....MALE..	129	-	-	-	-	-	1	1	1	1	8	14	17	6	18	29	20	11	1	-	1	-	-
	FEMALE	102	-	-	-	-	-	-	-	2	2	3	2	16	18	22	14	10	4	4	3	-	2	-
160-164	OF RESP. SYSTEM, ETC.....	348	-	-	-	-	-	-	-	3	4	17	38	43	50	58	56	35	28	12	3	1	-	-
	WHITE.....MALE..	239	-	-	-	-	-	-	-	3	2	8	30	31	30	44	42	24	17	7	1	-	-	-
	FEMALE	50	-	-	-	-	-	-	-	-	1	5	-	4	7	4	8	7	9	3	2	-	-	-
	NONWHITE.....MALE..	49	-	-	-	-	-	-	-	-	1	4	7	6	11	8	4	4	2	1	-	1	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	-	-	1	-	-	-	-
170	OF BREAST.....	204	-	-	-	-	-	-	3	2	14	12	31	33	14	27	14	19	19	10	4	1	-	1
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	FEMALE	143	-	-	-	-	-	-	3	2	6	9	21	21	8	21	9	14	17	8	4	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	58	-	-	-	-	-	-	-	-	8	3	10	11	6	6	5	3	2	2	-	1	-	1
171-179	OF GENITAL ORGANS.....	450	-	-	-	2	1	3	4	12	7	17	30	43	37	61	68	70	51	31	11	2	-	-
	WHITE.....MALE..	99	-	-	-	-	-	-	-	-	-	-	-	2	-	10	21	26	21	12	6	1	-	-
	FEMALE	186	-	-	-	1	1	2	1	6	4	9	16	23	21	24	18	31	14	13	1	1	-	-
	NONWHITE.....MALE..	63	-	-	-	-	-	-	-	-	1	-	2	3	5	9	19	5	10	5	4	-	-	-
	FEMALE	102	-	-	-	1	-	1	3	6	2	8	12	15	11	18	10	8	6	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	94	-	1	3	-	-	-	1	1	1	4	7	12	9	12	11	10	6	12	4	-	-	-
	WHITE.....MALE..	40	-	-	-	-	-	-	1	-	-	2	3	2	5	9	4	5	3	5	1	-	-	-
	FEMALE	29	-	-	3	-	-	-	-	-	-	2	1	5	1	1	2	3	3	7	1	-	-	-
	NONWHITE.....MALE..	14	-	1	-	-	-	-	-	-	-	-	2	3	2	-	2	2	-	-	2	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	1	1	-	1	2	1	2	3	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	327	1	7	4	9	7	6	5	9	16	15	20	34	41	40	38	36	24	8	3	3	-	1
	WHITE.....MALE..	122	-	4	1	4	2	2	-	4	5	10	9	14	20	11	12	12	7	2	2	1	-	-
	FEMALE	120	1	1	2	1	2	2	3	4	5	3	6	11	9	16	16	17	14	6	-	1	-	-
	NONWHITE.....MALE..	44	-	1	-	-	3	1	1	-	3	1	2	4	8	6	6	4	2	-	-	1	-	1
	FEMALE	41	-	1	1	4	-	1	1	1	3	1	3	5	4	7	4	3	1	-	1	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	121	1	11	7	8	6	1	3	4	3	3	7	5	15	12	13	8	8	3	2	1	-	-
	WHITE.....MALE..	59	-	6	4	3	2	1	2	3	-	2	3	2	7	4	5	5	7	2	-	1	-	-
	FEMALE	38	1	5	2	3	2	-	-	1	1	-	2	2	4	4	5	2	1	1	2	-	-	-
	NONWHITE.....MALE..	14	-	-	1	1	1	-	1	-	-	1	1	-	2	3	2	1	-	-	-	-	-	-
	FEMALE	10	-	-	-	1	1	-	-	-	2	-	1	1	2	1	1	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	105	-	1	2	1	2	3	4	5	7	9	7	11	15	9	6	8	9	2	4	-	-	-
	WHITE.....MALE..	47	-	-	1	1	-	1	3	2	4	5	3	4	8	4	3	1	5	1	1	-	-	-
	FEMALE	28	-	-	-	-	-	-	1	2	2	3	1	2	4	3	-	4	4	-	2	-	-	-
	NONWHITE.....MALE..	17	-	-	-	-	2	-	-	1	1	-	2	4	2	1	3	1	-	-	-	-	-	-
	FEMALE	13	-	1	1	-	-	2	-	-	-	1	1	1	1	1	-	2	-	1	1	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	56	1	2	2	1	-	1	2	1	8	5	4	5	6	3	1	5	2	6	-	1	-	-
	WHITE.....MALE..	9	-	-	1	-	-	-	-	-	-	1	-	2	-	1	-	1	-	2	-	1	-	-
	FEMALE	25	1	1	1	1	-	-	1	-	3	3	1	1	3	-	1	3	2	3	-	-	-	-
	NONWHITE.....MALE..	12	-	1	-	-	-	1	-	1	2	1	-	1	2	1	-	1	-	1	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	1	-	3	-	3	1	1	1	-	-	-	-	-	-	-	-
241	ASTHMA.....	47	1	1	-	-	-	1	2	1	2	3	2	6	2	10	6	5	2	-	2	-	-	1
	WHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	1	-	3	-	7	4	4	1	-	2	-	-	1
	FEMALE	15	1	-	-	-	-	-	1	1	1	-	1	2	2	2	2	1	1	-	-	-	-	-
	NONWHITE.....MALE..	4	-	1	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	318	-	-	2	2	-	-	3	4	6	10	15	27	32	46	50	46	36	25	11	3	-	-
	WHITE.....MALE..	89	-	-	-	1	-	-	3	1	3	2	4	7	8	11	11	16	10	7	5	-	-	-
	FEMALE	100	-	-	-	1	-	-	-	1	1	-	2	3	3	14	17	20	19	15	4	-	-	-
	NONWHITE.....MALE..	38	-	-	1	-	-	-	-	1	2	4	3	1	5	7	5	3	4	1	-	1	-	-
	FEMALE	91	-	-	1	-	-	-	-	1	-	4	6	16	16	14	17	7	3	2	2	2	-	-
290-293	ANEMIAS.....	41	4	4	1	4	1	1	1	2	1	1	2	2	2	2	3	6	2	1	-	1	-	-
	WHITE.....MALE..	12	1	-	-	1	-	-	-	-	-	-	-	1	1	1	-	5	1	1	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	1	-	-	1	-	-
	NONWHITE.....MALE..	13	1	4	1	3	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	8	2	-	-	-	1	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA—CON.																							
340	NONMENINGOCOCCAL MENINGITIS	32	12	10	1	1	1	-	-	-	1	1	-	1	1	1	-	-	1	1	-	-	-	-
	WHITE—MALE	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE—MALE	18	6	5	-	1	1	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-
	FEMALE	5	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	10,922	7	10	9	13	17	22	54	96	218	351	553	820	991	1,339	1,531	1,526	1,319	1,041	627	287	75	16
	WHITE—MALE	3,866	2	4	3	1	2	7	12	18	71	113	197	314	371	463	528	573	503	374	209	84	15	2
	FEMALE	2,810	1	1	1	1	1	4	6	15	24	35	65	99	121	197	305	449	484	486	328	157	27	3
	NONWHITE—MALE	2,143	2	4	4	6	9	6	15	35	66	118	152	225	254	312	369	249	164	81	37	16	15	4
	FEMALE	2,103	2	1	1	5	5	5	21	28	57	85	139	182	245	367	329	255	168	100	53	30	18	7
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	10,727	5	9	8	12	14	22	51	91	207	336	535	803	977	1,317	1,508	1,508	1,302	1,033	620	281	72	16
	WHITE—MALE	3,824	2	4	2	1	1	7	10	16	69	109	192	311	371	457	524	569	500	372	209	81	15	2
	FEMALE	2,776	1	1	1	1	-	4	6	14	22	33	62	98	117	194	303	446	480	484	323	157	26	3
	NONWHITE—MALE	2,081	1	3	4	5	8	6	15	34	62	114	148	218	251	306	360	243	157	78	37	14	13	4
	FEMALE	2,046	1	1	1	5	5	5	20	27	54	80	133	176	238	360	321	250	165	99	51	29	18	7
330-334	VASCULAR LESIONS, ETC	2,808	1	4	2	7	1	4	13	19	49	87	133	178	257	337	369	383	378	303	184	70	24	5
	WHITE—MALE	726	1	2	-	-	-	1	2	3	7	9	22	28	40	73	93	113	136	110	60	20	6	-
	FEMALE	753	-	-	-	1	-	1	3	2	5	13	16	24	33	48	64	111	136	145	96	43	10	2
	NONWHITE—MALE	640	-	1	2	3	-	1	4	10	17	35	40	67	95	95	112	72	50	18	12	3	3	-
	FEMALE	689	-	1	-	3	1	1	4	4	20	30	55	59	89	121	100	87	56	30	16	4	5	3
400-402, 410-443	DISEASES OF HEART	7,100	3	5	6	5	12	18	28	61	130	226	376	587	674	916	1,044	1,000	819	617	359	168	36	10
	WHITE—MALE	2,845	-	2	2	1	1	6	6	13	57	98	168	267	315	359	404	410	328	230	118	54	4	2
	FEMALE	1,811	1	1	1	-	-	3	3	10	13	18	42	70	79	135	224	301	316	298	194	90	11	1
	NONWHITE—MALE	1,253	1	2	2	2	7	5	7	19	30	65	97	139	142	194	219	154	91	39	20	6	8	4
	FEMALE	1,191	1	-	1	2	4	4	12	19	30	45	69	111	138	228	197	135	84	50	27	18	13	3
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	129	-	1	1	3	7	8	5	11	10	14	12	9	11	13	9	8	2	4	1	-	-	-
	WHITE—MALE	39	-	1	-	1	-	2	3	1	3	5	6	5	3	3	-	3	-	2	1	-	-	-
	FEMALE	39	-	-	-	-	-	2	1	3	2	6	2	2	3	2	7	5	2	2	-	-	-	-
	NONWHITE—MALE	18	-	-	1	1	5	1	-	3	2	-	1	-	1	1	2	-	-	-	-	-	-	-
	FEMALE	33	-	-	-	1	2	3	1	4	3	3	3	2	4	7	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	4,796	-	-	-	2	1	3	12	31	76	163	265	422	483	620	741	676	563	395	221	98	20	4
	WHITE—MALE	2,329	-	-	-	-	1	1	3	12	43	90	149	234	276	305	344	331	253	162	80	40	3	2
	FEMALE	1,210	-	-	-	-	-	1	1	5	6	8	26	53	56	99	171	207	212	193	119	46	7	-
	NONWHITE—MALE	714	-	-	-	1	-	1	5	10	16	41	63	82	89	107	122	77	57	21	11	3	6	2
	FEMALE	543	-	-	-	1	-	-	3	4	11	24	27	53	62	109	104	61	41	19	11	9	4	-
421, 422	NONRHEUMATIC CHRONIC *ENDOCARDITIS, ETC*	559	2	1	2	-	1	2	-	3	3	8	9	16	25	63	80	77	79	84	60	34	8	2
	WHITE—MALE	140	-	-	1	-	-	2	-	-	2	1	1	1	6	11	21	17	23	27	19	8	-	-
	FEMALE	200	1	-	1	-	-	-	-	-	-	-	5	2	4	7	17	26	39	38	36	21	3	-
	NONWHITE—MALE	102	-	1	-	-	1	-	-	1	-	6	2	8	5	25	20	15	8	6	3	1	-	-
	FEMALE	117	1	-	-	-	-	-	-	2	1	1	1	5	10	20	22	19	9	13	2	4	5	2
430-434	OTHER DISEASES OF HEART	419	1	3	3	-	3	5	5	5	16	15	29	33	34	48	51	59	40	33	22	10	1	3
	WHITE—MALE	122	-	1	1	-	-	1	-	-	7	2	6	9	12	11	19	18	16	9	6	3	1	-
	FEMALE	89	-	1	-	-	-	-	1	2	1	3	3	2	7	6	8	13	9	15	12	5	-	1
	NONWHITE—MALE	100	1	1	1	-	1	3	1	1	4	4	10	12	7	14	15	11	7	4	1	1	-	1
	FEMALE	108	-	-	1	-	2	1	3	2	4	6	10	10	8	17	9	17	8	5	3	1	-	1
440-443	HYPERTENSIVE HEART DIS.	1,197	-	-	-	-	-	-	6	11	25	26	61	107	121	172	163	180	135	101	55	26	7	1
	WHITE—MALE	215	-	-	-	-	-	-	-	-	2	-	6	18	18	29	20	41	36	30	12	3	-	-
	FEMALE	273	-	-	-	-	-	-	-	-	4	1	6	11	9	21	21	50	54	50	27	18	1	-
	NONWHITE—MALE	319	-	-	-	-	-	-	1	4	8	14	21	37	40	47	60	51	19	8	5	1	2	1
	FEMALE	390	-	-	-	-	-	-	5	7	11	11	28	41	54	75	62	38	26	13	11	4	4	-
444-447	OTHER HYPERTENSIVE DIS.	186	-	-	-	-	-	-	6	6	18	15	14	15	15	14	23	15	14	15	8	7	1	-
	WHITE—MALE	39	-	-	-	-	-	-	-	-	2	1	-	6	2	2	7	7	6	3	2	1	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	2	2	1	1	-	1	2	3	3	6	5	6	-	-
	NONWHITE—MALE	69	-	-	-	-	-	-	3	4	12	8	6	6	7	6	8	2	2	4	-	-	1	-
	FEMALE	46	-	-	-	-	-	-	3	2	2	4	7	2	6	5	6	3	3	2	1	-	-	-
450	GENERAL ARTERIOSCLEROSIS	411	-	-	-	-	-	-	-	1	-	2	3	8	10	22	40	69	65	79	67	33	11	1
	WHITE—MALE	112	-	-	-	-	-	-	-	-	-	1	-	3	3	3	9	18	18	21	27	4	5	-
	FEMALE	121	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	15	17	28	28	17	5	-
	NONWHITE—MALE	82	-	-	-	-	-	-	-	1	-	-	1	3	4	9	14	13	12	14	5	5	1	-
	FEMALE	96	-	-	-	-	-	-	-	-	-	1	2	2	3	4	12	23	18	16	7	7	-	1
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	222	1	-	-	-	1	-	4	4	10	6	9	15	21	28	32	41	26	19	2	3	-	-
	WHITE—MALE	102	1	-	-	-	-	-	2	-	3	-	2	7	11	20	11	21	12	8	2	2	-	-
	FEMALE	59	-	-	-	-	-	-	-	2	2	-	3	3	5	4	8	16	8	7	-	1	-	-
	NONWHITE—MALE	37	-	-	-	-	1	-	1	-	3	6	4	3	3	2	7	2	2	3	-	-	-	-
	FEMALE	24	-	-	-	-	-	-	1	2	2	-	-	2	2	2	6	2	4	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	195	2	1	1	1	3	-	3	5	11	15	18	17	14	22	23	18	17	8	7	6	3	-
	WHITE.....MALE..	42	-	-	1	-	1	-	2	2	2	4	5	3	-	6	4	4	3	2	-	3	-	-
	FEMALE	34	-	-	-	-	1	-	-	1	2	2	3	1	4	3	2	3	4	2	5	-	1	-
	NONWHITE.....MALE..	62	1	1	-	1	1	-	-	1	4	4	4	7	3	6	9	6	7	3	-	2	2	-
	FEMALE	57	1	-	-	-	-	-	1	1	3	5	6	6	7	7	8	5	3	1	2	1	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	936	307	71	10	10	10	7	6	6	12	17	27	36	33	48	63	48	72	71	45	26	9	2
	WHITE.....MALE..	220	32	7	2	3	5	4	-	2	1	5	3	10	10	13	22	18	31	23	18	9	2	-
	FEMALE	213	36	8	4	-	-	1	1	2	1	1	6	6	5	12	16	10	26	35	24	13	6	-
	NONWHITE.....MALE..	258	117	28	1	3	-	2	2	2	8	7	11	9	11	10	14	12	10	7	1	2	1	-
	FEMALE	245	122	28	3	4	5	-	3	-	2	4	7	11	7	13	11	8	5	6	2	2	-	2
480-483	INFLUENZA.....	103	29	8	2	2	3	2	1	-	1	3	9	5	3	2	8	6	7	4	6	1	1	-
	WHITE.....MALE..	21	2	1	-	1	1	2	-	-	-	1	-	1	2	1	3	-	2	1	2	1	-	-
	FEMALE	14	3	1	-	-	-	-	-	-	-	-	3	-	-	-	-	2	-	1	3	-	1	-
	NONWHITE.....MALE..	32	11	4	1	-	-	-	-	-	1	-	4	-	-	1	2	2	4	1	1	-	-	-
	FEMALE	36	13	2	1	1	2	-	1	-	-	2	2	4	1	-	3	2	1	1	-	-	-	-
490-493	PNEUMONIA, ETC.....	833	278	63	8	8	7	5	5	6	11	14	18	31	30	46	55	42	65	67	39	25	8	2
	WHITE.....MALE..	199	30	6	2	2	4	2	-	2	1	4	3	9	8	12	19	18	29	22	16	8	2	-
	FEMALE	199	33	7	4	-	-	1	1	2	1	1	3	6	5	12	16	8	26	34	21	13	5	-
	NONWHITE.....MALE..	226	106	24	-	3	-	2	2	2	7	7	7	9	11	9	12	10	6	6	-	2	1	-
	FEMALE	209	109	26	2	3	3	-	2	-	2	2	5	7	6	13	8	6	4	5	2	2	-	2
500-502	BRONCHITIS.....	44	8	2	1	-	-	1	1	-	1	2	2	4	4	2	8	3	2	2	-	1	-	-
	WHITE.....MALE..	26	3	-	1	-	-	-	-	-	-	2	1	3	3	1	5	3	2	1	-	1	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	9	3	2	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	191	19	2	1	-	1	-	1	-	2	9	10	13	20	28	27	35	13	7	-	3	-	-
	WHITE.....MALE..	122	3	1	-	-	-	-	1	-	-	3	2	10	14	20	22	32	7	6	-	1	-	-
	FEMALE	28	-	-	1	-	-	-	-	-	2	2	1	-	4	3	3	3	6	1	-	2	-	-
	NONWHITE.....MALE..	21	9	-	-	-	-	-	-	-	-	1	5	1	2	2	1	-	-	-	-	-	-	-
	FEMALE	20	7	1	-	-	1	-	-	-	-	3	2	2	-	3	1	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	128	1	1	-	1	-	-	4	1	6	8	11	13	18	15	20	11	9	4	4	1	-	-
	WHITE.....MALE..	61	-	1	-	-	-	-	1	-	3	4	6	7	11	5	10	4	5	2	1	1	-	-
	FEMALE	26	-	-	-	1	-	-	-	-	1	-	2	3	2	5	2	3	3	1	3	-	-	-
	NONWHITE.....MALE..	34	1	-	-	-	-	-	3	1	2	3	3	3	4	4	6	3	1	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	1	-	-	-	-
550-553	APPENDICITIS.....	22	-	-	1	3	1	-	1	-	1	-	2	2	1	3	4	3	-	-	-	-	-	-
	WHITE.....MALE..	8	-	-	-	1	-	-	-	-	-	-	1	1	-	2	1	2	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	-	-	-	1	1	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	FEMALE	4	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	115	17	2	2	-	-	-	1	2	7	5	5	5	8	11	17	8	8	10	4	3	-	-
	WHITE.....MALE..	23	5	-	-	-	-	-	-	-	-	-	-	-	4	4	5	3	-	1	-	1	-	-
	FEMALE	37	5	-	1	-	-	-	-	-	1	-	2	2	-	1	2	3	5	9	4	2	-	-
	NONWHITE.....MALE..	28	3	2	1	-	-	-	-	2	3	4	3	1	-	3	3	2	1	-	-	-	-	-
	FEMALE	27	4	-	-	-	-	-	1	-	3	1	-	2	4	3	7	-	2	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	156	78	17	1	2	1	-	-	-	-	-	1	2	5	15	8	11	8	4	2	1	-	-
	WHITE.....MALE..	29	8	1	-	-	-	-	-	-	-	-	-	1	1	8	2	2	2	2	2	-	-	-
	FEMALE	21	3	1	-	1	-	-	-	-	-	-	-	1	1	2	3	3	5	1	-	-	-	-
	NONWHITE.....MALE..	55	35	9	-	1	1	-	-	-	-	-	1	-	1	3	-	2	1	-	-	1	-	-
	FEMALE	51	32	6	1	-	-	-	-	-	-	-	-	-	2	2	3	4	-	1	-	-	-	-
581	CIRRHOSIS OF LIVER.....	126	-	-	-	-	-	-	1	5	10	19	15	17	15	21	9	6	3	3	2	-	-	-
	WHITE.....MALE..	65	-	-	-	-	-	-	-	2	4	11	6	6	12	9	6	4	1	2	2	-	-	-
	FEMALE	29	-	-	-	-	-	-	1	1	2	4	3	5	2	6	2	2	1	-	-	-	-	-
	NONWHITE.....MALE..	23	-	-	-	-	-	-	-	1	3	2	3	6	-	6	1	-	-	1	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	1	1	2	3	-	1	-	-	-	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	54	-	-	-	-	-	-	-	-	1	1	-	1	5	5	7	5	15	8	5	1	-	-
	WHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	-	1	4	3	2	1	5	2	-	-	-	-
	FEMALE	32	-	-	-	-	-	-	-	-	1	1	-	-	1	2	4	4	8	6	4	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	20	-	4	1	-	2	1	1	-	2	-	3	2	1	-	1	-	-	2	-	-	-	-
	WHITE.....MALE..	5	-	-	-	-	1	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
	FEMALE	6	-	-	1	-	-	1	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	8	-	4	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	149	1	-	-	-	-	1	1	-	4	4	8	14	15	23	22	16	17	13	6	3	1	-
	WHITE.....MALE..	36	-	-	-	-	-	1	-	-	-	1	2	2	3	4	6	6	3	3	4	1	-	-
	FEMALE	52	-	-	-	-	-	-	-	-	2	1	4	2	5	7	8	5	5	9	2	2	-	-
	NONWHITE.....MALE..	27	1	-	-	-	-	-	-	-	1	-	1	2	4	4	4	3	6	1	-	-	-	-
	FEMALE	34	-	-	-	-	-	-	1	-	1	2	1	8	3	8	4	2	3	-	-	-	1	-
610	HYPERPLASIA OF PROSTATE..	38	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	8	7	7	4	1	1	-
	WHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	5	4	1	1	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	3	3	2	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH CAROLINA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	38	-	-	-	-	7	9	5	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	31	-	-	-	-	7	7	4	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	36	-	-	-	-	6	9	4	12	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	-	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	30	-	-	-	-	6	7	4	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	248	171	18	11	9	7	4	1	1	7	6	1	6	3	2	-	-	1	-	-	-	-	-
	WHITE.....MALE..	99	72	6	3	2	1	1	1	-	3	3	1	4	1	1	-	-	-	-	-	-	-	-
	FEMALE	82	58	7	1	3	2	1	-	1	2	2	-	2	1	1	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	38	29	2	3	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	29	12	3	4	3	3	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	890	890	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	294	294	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	188	188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	128	128	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	460	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	548	118	16	4	2	5	3	4	5	15	27	38	44	40	74	44	43	25	17	16	4	4	-
	WHITE.....MALE..	82	8	-	1	1	1	1	-	-	2	6	4	8	7	11	10	7	5	3	4	2	1	-
	FEMALE	42	4	-	-	-	-	1	-	1	1	2	3	6	3	1	2	3	6	5	3	1	-	-
	NONWHITE.....MALE..	232	61	11	2	1	3	-	1	3	5	7	19	19	17	29	16	17	9	4	8	-	-	-
	FEMALE	192	45	5	1	-	1	1	3	1	7	12	12	11	13	33	16	16	5	5	1	1	3	-
RESIDUAL	ALL OTHER DISEASES.	624	46	34	13	16	22	17	22	18	29	40	55	40	45	44	45	50	39	35	10	3	1	-
	WHITE.....MALE..	203	13	10	4	4	9	6	2	6	4	12	16	15	20	15	19	23	11	10	3	1	-	-
	FEMALE	169	12	5	2	7	1	1	7	3	3	11	16	4	9	9	8	17	20	25	7	2	-	-
	NONWHITE.....MALE..	144	13	12	3	4	6	5	5	4	12	12	15	10	8	15	8	5	7	-	-	-	-	-
	FEMALE	108	8	7	4	1	6	5	8	5	10	5	8	11	8	5	10	5	1	-	-	-	1	-
E800-E962	ACCIDENTS.	1,578	110	104	84	69	143	151	98	76	96	101	91	91	56	63	54	49	50	39	37	13	2	1
	WHITE.....MALE..	651	23	31	27	28	72	78	46	34	43	41	46	41	29	28	17	19	23	10	9	5	1	-
	FEMALE	277	16	15	12	7	17	14	13	11	14	15	15	6	12	7	7	16	18	24	28	8	1	1
	NONWHITE.....MALE..	431	36	30	20	21	49	45	31	23	25	37	23	32	10	10	18	11	6	4	-	-	-	-
	FEMALE	219	35	28	25	13	5	14	8	8	14	8	7	12	5	18	12	3	3	1	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	720	7	35	44	30	76	104	64	45	57	52	40	43	31	20	20	21	20	7	3	-	-	1
	WHITE.....MALE..	366	3	15	17	16	43	58	32	24	28	22	21	23	18	12	9	10	10	3	2	-	-	-
	FEMALE	120	1	8	8	5	15	12	7	7	10	7	9	3	8	3	2	6	5	2	1	-	-	1
	NONWHITE.....MALE..	174	2	8	9	5	17	25	19	11	12	20	6	13	4	4	9	4	4	2	-	-	-	-
	FEMALE	60	1	4	10	4	1	9	6	3	7	3	4	4	1	1	-	1	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	858	103	69	40	39	67	47	34	31	39	49	51	48	25	43	34	28	30	32	34	13	2	-
	WHITE.....MALE..	285	20	16	10	12	29	20	14	10	15	19	25	18	11	16	8	9	13	7	7	5	1	-
	FEMALE	157	15	7	4	2	2	2	6	4	4	8	6	3	4	4	5	10	13	22	27	8	1	-
	NONWHITE.....MALE..	257	34	22	11	16	32	20	12	12	13	17	17	19	6	6	9	7	2	2	-	-	-	-
	FEMALE	159	34	24	15	9	4	5	2	5	7	5	3	8	4	17	12	2	2	1	-	-	-	-
E963, E970-E979	SUICIDE.	178	...	...	-	-	7	12	6	20	23	32	19	20	13	10	8	4	3	1	-	-	-	-
	WHITE.....MALE..	117	...	...	-	-	4	6	3	12	16	21	11	15	11	4	7	4	2	1	-	-	-	-
	FEMALE	35	...	...	-	-	2	3	-	4	4	7	6	3	-	5	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	21	...	...	-	-	1	2	3	3	2	2	2	2	2	1	-	-	1	-	-	-	-	-
	FEMALE	5	...	...	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	264	1	1	5	2	21	37	29	31	32	35	33	14	8	7	4	1	1	-	1	1	-	-
	WHITE.....MALE..	59	-	1	3	-	-	8	10	3	10	7	9	4	2	-	1	-	1	-	-	-	-	-
	FEMALE	18	1	-	-	-	1	-	-	4	1	3	3	2	1	-	-	1	-	-	-	1	-	-
	NONWHITE.....MALE..	154	-	-	2	1	18	21	18	19	17	19	17	8	5	5	3	-	-	-	1	-	-	-
	FEMALE	33	-	-	-	1	2	8	1	5	4	6	4	-	-	2	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA																							
	ALL CAUSES	6,570	435	69	31	38	77	97	68	59	93	120	169	276	367	496	674	879	939	829	555	235	60	4
	WHITE.....MALE..	3,814	213	36	17	23	50	71	38	38	57	77	104	184	258	340	428	509	536	438	269	98	27	3
	FEMALE	2,414	149	20	13	12	19	14	16	14	24	31	50	76	93	134	218	343	381	372	273	131	31	-
	NONWHITE.....MALE..	192	33	9	-	3	3	10	9	4	7	6	4	7	11	17	18	14	15	9	8	4	-	1
	FEMALE	150	40	4	1	-	5	2	5	3	5	6	11	9	5	5	10	13	7	10	5	2	2	-
001-019	TUBERCULOSIS, ALL FORMS..	21	-	-	-	2	-	-	-	-	-	-	-	2	2	1	4	6	4	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1	3	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	15	-	-	-	1	-	-	-	-	-	-	-	1	2	1	2	5	3	-	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	3	2	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	6	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	6	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	22	5	1	1	1	-	-	1	-	-	2	-	2	1	2	2	3	1	-	-	-	-	-
	WHITE.....MALE..	9	2	-	1	1	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	3	-	-	-	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	992	1	5	6	6	5	7	4	11	12	20	40	56	83	127	133	157	146	106	49	15	3	-
	WHITE.....MALE..	582	1	5	6	5	4	5	-	5	6	7	22	28	48	79	82	88	85	70	27	7	2	-
	FEMALE	385	-	-	-	1	1	2	4	5	6	11	18	23	34	47	46	63	58	35	22	8	1	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	1	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	1	-	2	-	3	1	-	3	5	3	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	8	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	1	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	1	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	321	-	-	-	-	-	1	1	1	1	4	8	20	27	52	39	50	49	39	20	6	3	-
	WHITE.....MALE..	179	-	-	-	-	-	-	-	-	-	-	6	10	17	32	20	28	29	25	7	3	2	-
	FEMALE	135	-	-	-	-	-	1	1	1	1	4	2	8	10	19	18	20	19	14	13	3	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	106	-	-	-	-	1	-	-	-	3	5	11	7	9	18	19	15	8	9	1	-	-	-
	WHITE.....MALE..	93	-	-	-	-	-	-	-	-	3	5	10	5	9	17	18	13	6	6	1	-	-	-
	FEMALE	10	-	-	-	-	1	-	-	-	-	-	1	2	-	1	1	1	1	2	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	OF BREAST.....	85	-	-	-	-	-	-	1	-	-	2	5	4	11	10	6	18	12	11	3	2	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	81	-	-	-	-	-	-	1	-	-	2	5	4	10	10	6	16	11	11	3	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	172	-	-	-	1	-	-	1	4	-	4	8	11	9	11	27	27	36	20	11	2	-	-
	WHITE.....MALE..	103	-	-	-	1	-	-	-	1	-	-	1	3	3	5	16	19	24	18	11	1	-	-
	FEMALE	62	-	-	-	-	-	-	1	2	-	2	7	6	6	6	9	8	12	2	-	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	64	-	-	-	1	-	-	-	-	-	-	1	4	9	8	10	9	7	8	6	1	-	-
	WHITE.....MALE..	49	-	-	-	1	-	-	-	-	-	-	1	3	5	6	9	8	5	6	4	1	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	2	2	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	101	1	4	1	2	2	2	-	3	5	1	-	5	10	8	10	17	12	11	4	3	-	-
	WHITE.....MALE..	57	1	4	1	1	2	2	-	1	2	1	-	3	7	4	5	8	5	8	-	2	-	-
	FEMALE	42	-	-	-	1	-	-	-	2	3	-	-	2	3	4	4	8	7	3	4	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	68	-	1	3	1	1	1	-	-	1	2	4	2	2	6	13	13	12	4	2	-	-	-
	WHITE.....MALE..	46	-	1	3	1	1	1	-	-	-	-	2	1	1	4	9	7	10	3	2	-	-	-
	FEMALE	21	-	-	-	-	-	-	-	-	1	2	2	1	1	2	4	5	2	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	67	-	-	2	1	1	3	1	3	2	2	3	2	5	11	8	8	9	4	2	-	-	-
	WHITE.....MALE..	47	-	-	2	1	1	2	-	3	1	1	2	2	5	8	4	4	5	4	2	-	-	-
	FEMALE	19	-	-	-	-	-	1	1	-	1	1	1	-	-	3	3	4	4	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	17	-	-	-	-	2	-	-	-	4	2	1	-	-	1	1	2	2	1	-	1	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	2	1	-	-	-	-	-
	FEMALE	8	-	-	-	-	2	-	-	-	2	1	-	-	-	-	-	-	1	1	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
241	ASTHMA.....	29	-	-	-	-	-	-	-	1	3	1	2	1	2	4	4	4	3	2	2	-	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	3	1	-	-	1	4	2	3	2	2	2	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	-	2	-	1	-	1	1	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	135	-	2	1	-	1	-	-	1	6	2	1	2	4	8	17	30	21	24	10	4	1	-
	WHITE.....MALE..	59	-	-	-	-	-	-	-	1	5	1	-	1	2	2	3	13	11	10	8	1	1	-
	FEMALE	61	-	2	1	-	1	-	-	-	-	-	-	1	1	5	10	16	9	10	2	3	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	1	-	-	-	-	1	1	4	-	1	1	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	3	-	-	-	-
290-293	ANEMIAS.....	11	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	5	-	1	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	13	6	3	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	WHITE.....MALE..	7	3	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	3,488	4	-	4	2	1	8	6	6	20	40	59	143	179	254	403	539	627	571	403	169	47	3
	WHITE.....MALE..	2,030	2	-	1	1	1	3	2	6	13	30	42	102	139	181	259	314	360	296	189	67	20	2
	FEMALE	1,371	1	-	3	-	-	4	3	-	6	8	13	37	32	64	136	213	255	266	208	97	25	-
	NONWHITE.....MALE..	57	-	-	-	1	-	1	1	-	1	1	2	2	5	6	4	8	10	6	5	3	-	1
	FEMALE	30	1	-	-	-	-	-	-	-	-	1	2	2	3	3	4	4	2	3	1	2	2	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	3,451	3	-	4	1	1	7	4	5	19	39	57	142	175	250	397	536	622	570	402	167	47	3
	WHITE.....MALE..	2,008	2	-	1	1	1	3	1	5	12	30	41	102	136	178	256	312	356	296	188	65	20	2
	FEMALE	1,362	1	-	3	-	-	3	2	-	6	7	12	37	31	64	135	212	254	265	208	97	25	-
	NONWHITE.....MALE..	54	-	-	-	-	-	1	1	-	1	1	2	2	5	5	3	8	10	6	5	3	-	1
	FEMALE	27	-	-	-	-	-	-	-	-	-	1	2	1	3	3	3	4	2	3	1	2	2	-
330-334	VASCULAR LESIONS, ETC.	817	-	-	1	-	-	2	-	1	3	1	6	18	30	40	86	119	169	159	117	53	12	-
	WHITE.....MALE..	398	-	-	-	-	-	-	-	1	1	-	2	10	19	22	41	57	93	76	53	17	6	-
	FEMALE	405	-	-	1	-	-	2	-	-	2	1	2	7	10	14	45	61	73	81	64	36	6	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	2	-	-	3	-	1	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-	-
400-402, 410-443	DISEASES OF HEART	2,355	3	-	3	1	1	4	3	4	15	35	48	117	135	196	286	388	406	353	243	88	23	3
	WHITE.....MALE..	1,475	2	-	1	1	1	2	1	4	10	29	36	89	112	148	200	241	240	193	116	39	8	2
	FEMALE	825	1	-	2	-	-	1	1	-	4	5	10	26	17	45	81	136	161	155	122	45	13	-
	NONWHITE.....MALE..	39	-	-	-	-	-	1	1	-	1	1	-	2	4	1	3	7	5	4	5	3	-	1
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	2	-	2	2	2	4	-	1	-	1	2	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	55	-	-	-	1	-	3	1	-	3	2	2	13	5	5	7	4	4	5	-	-	-	-
	WHITE.....MALE..	26	-	-	-	1	-	1	-	-	2	1	1	5	3	4	2	2	-	4	-	-	-	-
	FEMALE	26	-	-	-	-	-	1	1	-	1	1	1	8	2	1	5	1	4	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	1,917	2	-	-	-	-	-	1	4	9	28	42	95	120	174	247	319	339	270	181	70	15	1
	WHITE.....MALE..	1,274	2	-	-	-	-	-	1	4	6	24	33	80	105	133	184	208	208	152	92	33	8	1
	FEMALE	611	-	-	-	-	-	-	-	-	2	4	8	13	12	39	60	106	126	117	86	33	5	-
	NONWHITE.....MALE..	22	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	3	5	1	3	3	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	-	-	-	1	2	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	165	-	-	2	-	-	-	-	-	-	-	1	2	3	6	13	14	31	38	36	12	7	-
	WHITE.....MALE..	65	-	-	1	-	-	-	-	-	-	-	-	2	1	3	6	8	15	16	9	4	-	-
	FEMALE	93	-	-	1	-	-	-	-	-	-	-	1	-	1	3	6	5	16	20	25	8	7	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	105	1	-	1	-	1	1	1	-	2	5	1	3	4	6	10	23	15	11	16	2	1	1
	WHITE.....MALE..	55	-	-	-	-	1	1	-	-	2	4	1	1	2	5	5	8	8	7	9	1	-	-
	FEMALE	41	1	-	1	-	-	-	-	-	-	-	-	2	-	1	5	12	7	3	7	1	1	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	1	-	-	1	-	-	2	-	-	3	-	-	-	-	-	1
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	113	-	-	-	-	-	-	-	-	1	-	2	4	3	5	9	28	17	29	10	4	-	1
	WHITE.....MALE..	55	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	15	9	14	6	1	-	1
	FEMALE	54	-	-	-	-	-	-	-	-	1	-	-	3	2	1	5	12	8	15	4	3	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	30	-	-	-	-	-	-	-	-	-	1	-	1	3	-	4	5	6	6	3	-	1	-
	WHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	2	5	3	1	-	1	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	2	2	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	157	-	-	-	-	-	-	-	-	-	-	-	-	1	1	9	13	27	39	31	25	11	-
	WHITE.....MALE..	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	14	19	14	9	5	-
	FEMALE	82	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	9	10	19	17	15	6	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	92	-	-	-	-	-	1	1	-	1	2	3	6	6	13	12	11	14	13	8	1	-	-
	WHITE.....MALE..	47	-	-	-	-	-	1	-	-	1	-	3	3	3	8	7	8	4	5	4	-	-	-
	FEMALE	39	-	-	-	-	-	-	1	-	-	1	-	3	2	4	4	3	9	8	3	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	37	1	-	-	1	-	1	2	1	1	1	2	1	4	4	6	3	5	1	1	2	-	-
	WHITE.....MALE..	22	-	-	-	-	-	1	1	1	1	-	1	-	3	3	3	2	4	-	1	2	-	-
	FEMALE	9	-	-	-	-	-	1	1	-	-	1	1	-	1	-	1	1	1	1	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	229	43	7	1	3	-	2	2	-	-	-	3	4	3	7	21	22	28	29	28	21	4	1
	WHITE.....MALE..	118	15	2	-	3	-	2	1	-	-	-	-	3	2	5	14	11	17	18	13	10	1	1
	FEMALE	78	11	2	1	-	-	-	1	-	-	-	2	-	-	1	5	8	11	10	12	11	3	1
	NONWHITE.....MALE..	16	8	2	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-
	FEMALE	17	9	1	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	1	-	-	-
480-483	INFLUENZA.....	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	4	2	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
490-493	PNEUMONIA, ETC.....	216	43	7	1	3	-	2	2	-	-	-	3	3	3	7	21	20	27	26	24	19	4	1
	WHITE.....MALE..	111	15	2	-	3	-	2	1	-	-	-	-	2	2	5	14	11	16	16	12	8	1	1
	FEMALE	74	11	2	1	-	-	-	1	-	-	-	2	-	-	1	5	6	11	10	10	11	3	-
	NONWHITE.....MALE..	16	8	2	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	-	-	-
	FEMALE	15	9	1	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-
500-502	BRONCHITIS.....	20	1	2	-	-	-	-	-	-	-	1	-	-	1	3	3	4	2	-	2	1	-	-
	WHITE.....MALE..	16	1	2	-	-	-	-	-	-	-	1	-	-	1	2	3	4	1	-	2	1	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	79	5	2	1	-	1	-	-	1	-	-	-	6	4	10	20	10	8	7	3	1	-	-
	WHITE.....MALE..	62	1	1	1	-	-	-	-	1	-	-	-	5	4	8	18	10	5	5	2	1	-	-
	FEMALE	14	2	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	3	2	1	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	48	-	-	-	-	-	-	1	-	1	1	1	1	2	5	2	10	6	11	4	3	-	-
	WHITE.....MALE..	30	-	-	-	-	-	-	1	-	1	1	1	1	2	3	-	5	4	8	1	2	-	-
	FEMALE	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	2	3	3	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	1	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	36	2	1	-	-	-	-	-	-	-	-	3	-	2	2	2	8	7	4	2	3	-	-
	WHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	5	2	1	2	1	-	-
	FEMALE	18	2	1	-	-	-	-	-	-	-	-	2	-	-	1	-	3	5	3	-	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	24	13	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	1	2	1	-	-
	WHITE.....MALE..	7	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
	FEMALE	8	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	NONWHITE.....MALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	56	-	-	-	-	-	-	3	1	1	7	4	8	9	3	4	7	5	2	2	-	-	-
	WHITE.....MALE..	37	-	-	-	-	-	-	1	-	1	4	2	7	7	2	4	5	4	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	2	1	1	2	1	-	2	1	2	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	4	3	4	2	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	3	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	6	-	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	23	-	-	-	-	-	-	1	1	1	-	1	-	3	3	-	3	5	3	1	1	-	-
	WHITE.....MALE..	13	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	3	3	1	1	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	2	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	2	5	1	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	1	2	5	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	SOUTH DAKOTA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	5	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	76	61	2	1	2	1	-	-	-	-	-	2	1	1	1	-	1	-	2	1	-	-	-
	WHITE.....MALE..	39	32	1	-	1	1	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-
	FEMALE	32	24	1	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	90	4	1	-	-	1	2	1	1	-	4	4	7	6	6	4	12	14	13	6	3	1	-
	WHITE.....MALE..	50	1	-	-	-	-	-	-	-	-	3	1	6	5	6	4	7	7	5	2	2	1	-
	FEMALE	22	-	-	-	-	1	1	-	-	-	1	1	1	1	-	-	4	5	6	1	-	-	-
	NONWHITE.....MALE..	11	3	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-
	FEMALE	7	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	1	2	-	-	-
RESID-UAL	ALL OTHER DISEASES.	200	9	7	5	3	1	4	4	2	2	6	10	13	20	13	17	24	21	21	12	4	2	-
	WHITE.....MALE..	95	4	4	3	1	-	1	1	1	2	5	3	4	9	7	14	12	9	7	5	2	1	-
	FEMALE	92	4	3	2	2	-	3	1	1	-	1	6	7	10	4	3	12	10	14	6	2	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-
	FEMALE	9	1	-	-	-	1	-	2	-	-	-	1	1	-	1	-	-	1	-	1	-	-	-
E800-E962	ACCIDENTS.	538	22	30	7	16	58	70	36	27	30	24	28	15	25	32	25	24	20	26	17	4	2	-
	WHITE.....MALE..	357	9	17	4	10	39	58	26	21	16	18	22	13	20	21	13	15	14	11	7	2	1	-
	FEMALE	121	10	8	3	6	12	4	3	3	8	2	2	2	2	6	9	8	6	14	10	2	1	-
	NONWHITE.....MALE..	46	2	4	-	-	3	7	7	3	4	3	1	-	3	5	3	1	-	-	-	-	-	-
	FEMALE	14	1	1	-	-	4	1	-	-	2	1	3	-	-	-	-	-	-	1	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	260	3	10	3	8	41	47	18	11	20	14	12	9	12	15	11	11	8	4	3	-	-	-
	WHITE.....MALE..	172	2	6	1	4	26	37	11	9	9	10	10	8	8	8	7	7	4	3	2	-	-	-
	FEMALE	56	1	3	2	4	11	3	2	1	6	2	1	1	2	5	2	4	4	1	1	-	-	-
	NONWHITE.....MALE..	24	-	-	-	-	1	6	5	1	3	2	-	-	2	2	2	-	-	-	-	-	-	-
	FEMALE	8	-	1	-	-	3	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	278	19	20	4	8	17	23	18	16	10	10	16	6	13	17	14	13	12	22	14	4	2	-
	WHITE.....MALE..	185	7	11	3	6	13	21	15	12	7	8	12	5	12	13	6	8	10	8	5	2	1	-
	FEMALE	65	9	5	1	2	1	1	1	2	2	-	1	1	-	1	7	4	2	13	9	2	1	-
	NONWHITE.....MALE..	22	2	4	-	-	2	1	2	2	1	1	1	-	1	3	1	1	-	-	-	-	-	-
	FEMALE	6	1	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-
E963, E970-E979	SUICIDE.	79	...	...	-	1	2	2	4	4	9	6	5	8	14	10	6	2	4	-	1	1	-	-
	WHITE.....MALE..	67	...	...	-	1	2	2	3	2	9	3	4	8	11	9	5	2	4	-	1	1	-	-
	FEMALE	9	...	...	-	-	-	-	1	1	-	1	1	-	3	1	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	...	...	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	23	-	1	1	2	3	1	1	-	3	1	3	3	2	-	2	-	-	-	-	-	-	-
	WHITE.....MALE..	11	-	-	-	-	2	-	1	-	-	1	2	2	1	-	2	-	-	-	-	-	-	-
	FEMALE	7	-	1	1	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE																							
	ALL CAUSES	34,089	2,320	351	191	172	325	306	278	399	641	912	1,334	1,879	2,330	2,891	3,549	4,213	4,318	3,769	2,585	1,040	286	-
	WHITE.....MALE	15,216	907	131	70	82	183	173	134	186	303	403	668	943	1,166	1,439	1,658	1,862	1,907	1,552	983	379	87	-
	FEMALE	11,696	655	105	71	49	81	67	62	103	135	218	324	412	553	737	1,048	1,429	1,818	1,804	1,346	543	136	-
	NONWHITE.....MALE	3,845	443	57	25	23	41	39	47	59	94	158	190	273	313	369	453	518	313	203	139	55	33	-
	FEMALE	3,332	315	58	25	18	20	27	35	51	109	133	152	251	298	346	390	404	280	210	117	63	30	-
001-019	TUBERCULOSIS, ALL FORMS	305	1	6	1	1	2	4	4	2	14	16	20	26	27	21	34	40	35	27	21	3	-	-
	WHITE.....MALE	145	-	3	-	1	-	-	1	-	6	6	8	9	16	10	17	24	22	13	8	1	-	-
	FEMALE	89	-	2	1	-	-	2	2	1	1	4	6	5	2	7	8	12	11	12	12	1	-	-
	NONWHITE.....MALE	49	-	1	-	-	1	2	1	-	3	4	6	9	7	2	6	4	2	-	1	-	-	-
	FEMALE	22	1	-	-	-	1	-	-	1	4	2	-	3	2	2	3	-	-	2	-	1	-	-
001-008	RESPIRATORY TUBERCULOSIS	280	1	-	-	-	-	4	3	1	14	14	19	23	26	20	33	40	33	26	20	3	-	-
	WHITE.....MALE	136	-	-	-	-	-	-	1	-	6	6	8	9	15	10	16	24	20	13	7	1	-	-
	FEMALE	84	-	-	-	-	-	2	2	1	1	3	6	4	2	7	8	12	11	12	12	1	-	-
	NONWHITE.....MALE	44	-	-	-	-	-	2	-	-	3	3	5	9	7	2	6	4	2	-	1	-	-	-
	FEMALE	16	1	-	-	-	-	-	-	-	4	2	-	1	2	1	3	-	-	1	-	1	-	-
010-019	TUBERCULOSIS, OTHER FORMS	25	-	6	1	1	2	-	1	1	-	2	1	3	1	1	1	-	2	1	1	-	-	-
	WHITE.....MALE	9	-	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-
	FEMALE	5	-	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	5	-	1	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	1	-	-	1	-	-	-	2	-	1	-	-	-	1	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	40	2	-	-	-	-	-	-	-	2	1	1	4	8	7	4	6	4	1	-	-	-	-
	WHITE.....MALE	15	-	-	-	-	-	-	-	-	-	1	-	1	4	4	2	3	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-
	NONWHITE.....MALE	15	2	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	2	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	10	3	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	WHITE.....MALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	NONWHITE.....MALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	WHITE.....MALE	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	13	4	5	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	7	2	2	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	17	5	7	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	8	2	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES	135	23	6	5	3	5	4	3	6	9	7	6	6	11	5	6	11	8	4	6	1	-	-
	WHITE.....MALE	55	8	3	2	-	2	1	2	2	4	2	4	4	5	2	3	4	1	2	3	1	-	-
	FEMALE	44	6	2	1	3	1	2	-	3	2	3	1	1	3	2	2	4	4	2	2	-	-	-
	NONWHITE.....MALE	19	4	-	1	-	-	-	-	-	1	1	1	1	3	-	1	2	3	-	1	-	-	-
	FEMALE	17	5	1	1	-	2	1	1	1	2	1	-	-	1	1	-	1	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,639	3	16	32	30	24	22	27	44	96	174	276	408	516	600	642	632	510	351	181	42	13	-
	WHITE.....MALE..	1,962	-	10	14	10	14	13	9	15	36	49	92	158	229	267	298	287	220	148	70	17	6	-
	FEMALE	1,841	2	4	13	16	6	4	10	22	43	85	136	161	170	204	228	228	222	163	99	21	4	-
	NONWHITE.....MALE..	401	-	2	4	2	1	1	4	1	5	14	22	48	49	58	60	64	35	22	6	1	2	-
	FEMALE	435	1	-	1	2	3	4	4	6	12	26	26	41	68	71	56	53	33	18	6	3	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	130	-	-	-	-	-	-	-	-	2	2	10	16	14	23	15	16	15	10	4	3	-	-
	WHITE.....MALE..	65	-	-	-	-	-	-	-	-	1	-	3	9	8	13	9	11	7	2	1	1	-	-
	FEMALE	38	-	-	-	-	-	-	-	-	-	-	1	3	4	5	3	4	6	7	3	2	-	-
	NONWHITE.....MALE..	12	-	-	-	-	-	-	-	-	-	-	4	2	-	2	1	-	2	1	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	1	2	2	2	2	3	2	1	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,402	1	-	-	1	-	2	6	13	19	31	62	97	128	189	201	230	188	143	68	17	6	-
	WHITE.....MALE..	589	-	-	-	-	-	1	1	9	10	12	25	44	52	83	93	90	77	58	23	7	4	-
	FEMALE	560	-	-	-	-	-	-	3	3	4	13	28	29	38	62	71	96	91	72	41	8	1	-
	NONWHITE.....MALE..	134	-	-	-	-	-	-	1	-	2	4	5	16	22	22	18	24	11	7	2	-	-	-
	FEMALE	119	1	-	-	1	-	1	1	1	3	2	4	8	16	22	19	20	9	6	2	2	1	-
160-164	OF RESP. SYSTEM, ETC.....	723	-	-	2	1	1	-	2	3	12	29	46	82	104	127	125	98	55	29	6	-	1	-
	WHITE.....MALE..	515	-	-	-	1	1	-	-	2	9	15	32	56	86	98	90	74	33	14	4	-	-	-
	FEMALE	102	-	-	1	-	-	-	1	1	3	6	7	8	6	12	15	13	17	10	2	-	-	-
	NONWHITE.....MALE..	83	-	-	-	-	-	-	-	-	-	6	7	16	10	11	14	10	3	5	-	-	1	-
	FEMALE	23	-	-	1	-	-	-	1	-	-	2	-	2	2	6	6	1	2	-	-	-	-	-
170	OF BREAST.....	386	-	-	-	-	-	-	-	8	14	28	39	51	57	43	42	37	23	24	18	2	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	FEMALE	318	-	-	-	-	-	-	-	7	10	25	37	42	43	33	33	27	20	23	16	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	64	-	-	-	-	-	-	-	1	3	3	2	9	14	8	9	10	3	-	2	-	-	-
171-179	OF GENITAL ORGANS.....	758	-	-	-	-	3	3	6	8	16	36	57	57	83	71	89	102	111	68	35	11	2	-
	WHITE.....MALE..	212	-	-	-	-	-	1	1	-	1	3	4	2	12	12	20	43	53	36	20	3	1	-
	FEMALE	344	-	-	-	-	3	1	5	4	11	20	41	43	41	39	45	28	30	16	11	6	-	-
	NONWHITE.....MALE..	79	-	-	-	-	-	-	-	-	-	1	-	2	8	7	14	21	14	7	3	1	1	-
	FEMALE	123	-	-	-	-	-	1	-	4	4	12	12	10	22	13	10	10	14	9	1	1	-	-
180, 181	OF URINARY ORGANS.....	206	1	2	2	1	-	-	-	-	3	3	6	13	16	30	41	29	25	21	10	2	1	-
	WHITE.....MALE..	108	-	1	1	-	-	-	-	-	1	3	3	7	9	16	22	17	13	9	4	2	-	-
	FEMALE	69	1	1	1	-	-	-	-	-	1	-	1	3	4	5	14	8	11	12	6	-	1	-
	NONWHITE.....MALE..	16	-	-	-	1	-	-	-	-	-	-	-	3	-	5	3	3	1	-	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	1	-	2	-	3	4	2	1	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	608	-	6	11	12	8	7	6	8	17	28	32	66	74	71	79	71	51	29	25	5	2	-
	WHITE.....MALE..	257	-	4	3	2	6	4	4	2	8	10	13	28	42	27	36	27	17	11	10	2	1	-
	FEMALE	252	-	1	7	8	2	2	-	5	7	11	13	25	25	25	31	29	27	15	15	3	1	-
	NONWHITE.....MALE..	41	-	1	1	1	-	-	1	1	2	2	2	5	3	7	6	5	3	1	-	-	-	-
	FEMALE	58	-	-	-	1	-	1	1	-	-	5	4	8	4	12	6	10	4	2	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	212	1	7	17	13	6	4	4	1	7	7	8	8	15	24	17	23	24	14	10	2	-	-
	WHITE.....MALE..	104	-	4	10	5	5	3	2	-	1	3	2	3	7	9	11	11	11	10	5	2	-	-
	FEMALE	82	1	2	4	8	-	1	1	1	5	3	4	3	3	12	4	12	12	3	3	-	-	-
	NONWHITE.....MALE..	18	-	1	3	-	-	-	1	-	1	1	2	1	4	2	1	-	-	-	1	-	-	-
	FEMALE	8	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	1	1	1	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	214	-	1	-	2	6	6	3	3	6	10	16	18	25	22	33	26	18	13	5	-	1	-
	WHITE.....MALE..	109	-	1	-	2	2	4	1	2	4	3	10	9	13	8	17	14	9	7	3	-	-	-
	FEMALE	76	-	-	-	-	1	-	-	1	2	7	4	5	6	11	12	11	8	5	2	-	1	-
	NONWHITE.....MALE..	17	-	-	-	-	1	1	1	-	-	-	2	3	2	1	3	1	1	1	-	-	-	-
	FEMALE	12	-	-	-	-	2	1	1	-	-	-	-	1	4	2	1	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	69	2	2	1	1	-	1	2	2	5	3	10	5	5	5	4	3	11	7	-	-	-	-
	WHITE.....MALE..	22	1	-	-	-	-	1	2	-	-	-	3	1	2	2	3	1	5	1	-	-	-	-
	FEMALE	29	-	2	1	-	-	-	-	2	2	2	5	2	-	1	-	1	5	6	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	15	1	-	-	1	-	-	-	-	3	-	1	2	3	2	-	1	1	-	-	-	-	-
241	ASTHMA.....	102	-	1	1	3	1	2	-	-	3	7	3	9	7	11	17	12	10	8	7	-	-	-
	WHITE.....MALE..	51	-	-	-	1	-	-	-	-	-	1	3	4	6	5	8	7	6	5	5	-	-	-
	FEMALE	27	-	1	-	-	-	1	-	-	1	4	-	3	-	3	4	3	2	3	2	-	-	-
	NONWHITE.....MALE..	11	-	-	1	-	1	-	-	-	-	2	-	-	1	2	2	1	1	-	-	-	-	-
	FEMALE	13	-	-	-	2	-	1	-	-	2	-	-	2	-	1	3	1	1	-	-	-	-	-
260	DIABETES MELLITUS.....	452	-	-	1	1	1	6	1	9	13	11	16	36	49	56	51	77	53	48	18	5	-	-
	WHITE.....MALE..	154	-	-	-	-	-	2	1	5	8	7	4	10	15	15	17	24	21	17	6	2	-	-
	FEMALE	190	-	-	1	1	-	4	-	2	1	-	3	12	18	23	19	41	27	25	10	3	-	-
	NONWHITE.....MALE..	34	-	-	-	-	1	-	-	1	2	1	2	3	4	8	4	3	1	2	2	-	-	-
	FEMALE	74	-	-	-	-	-	-	-	1	2	3	7	11	12	10	11	9	4	4	-	-	-	-
290-293	ANEMIAS.....	70	3	6	3	3	1	2	1	-	2	2	1	2	1	7	5	7	10	6	6	1	1	-
	WHITE.....MALE..	26	-	1	-	-	1	-	-	-	-	1	1	1	1	4	2	2	5	4	3	-	-	-
	FEMALE	23	-	-	2	2	-	1	-	-	-	1	-	-	-	3	3	1	3	2	3	1	1	-
	NONWHITE.....MALE..	13	3	4	-	1	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-
	FEMALE	8	-	1	1	-	-	1	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	43	13	6	1	-	3	1	1	1	4	-	-	-	3	3	2	3	2	-	-	-	-	-
	WHITE.....MALE..	10	2	2	-	-	1	-	-	-	3	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	8	2	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	13	4	2	1	-	1	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	FEMALE	12	5	1	-	-	-	-	-	1	-	-	-	-	2	-	1	2	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	18,629	15	3	11	13	18	36	52	86	166	348	599	905	1,200	1,640	2,162	2,719	3,014	2,731	1,918	790	203	-
	WHITE.....MALE..	8,396	3	-	2	7	7	15	23	28	77	165	346	499	633	851	1,023	1,184	1,347	1,110	722	291	63	-
	FEMALE	6,621	6	1	5	4	6	10	8	22	26	44	82	136	241	368	608	916	1,263	1,342	1,015	418	100	-
	NONWHITE.....MALE..	1,845	4	2	1	1	1	3	10	17	27	72	87	133	163	216	281	335	209	126	97	39	21	-
	FEMALE	1,767	2	-	3	1	4	8	11	19	36	67	84	137	163	205	250	284	195	153	84	42	19	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	18,369	15	3	11	11	15	27	47	80	157	334	581	887	1,178	1,618	2,136	2,691	2,984	2,713	1,898	782	201	-
	WHITE.....MALE..	8,292	3	-	2	6	4	10	21	27	73	160	335	494	626	841	1,011	1,171	1,336	1,105	717	288	62	-
	FEMALE	6,555	6	1	5	3	6	7	7	21	23	42	81	130	236	367	601	908	1,253	1,336	1,008	414	100	-
	NONWHITE.....MALE..	1,803	4	2	1	1	1	2	9	16	27	69	82	130	159	210	279	331	204	124	92	39	21	-
	FEMALE	1,719	2	-	3	1	4	8	10	16	34	63	83	133	157	200	245	281	191	148	81	41	18	-
330-334	VASCULAR LESIONS, ETC	4,931	5	2	3	4	3	4	14	21	34	66	103	166	245	343	542	775	866	861	592	227	55	-
	WHITE.....MALE..	1,836	2	-	2	2	-	2	6	5	13	19	35	54	79	130	207	288	360	315	227	75	15	-
	FEMALE	1,942	1	1	-	1	2	-	1	7	7	13	28	33	64	79	161	277	362	439	310	125	31	-
	NONWHITE.....MALE..	563	1	1	-	-	-	-	2	3	7	19	20	39	48	66	86	108	73	46	28	11	5	-
	FEMALE	590	1	-	1	1	1	2	5	6	7	15	20	40	54	68	88	102	71	61	27	16	4	-
400-402, 410-443	DISEASES OF HEART	11,946	8	1	7	7	9	20	29	44	104	238	431	658	874	1,172	1,443	1,758	1,893	1,597	1,086	451	116	-
	WHITE.....MALE..	5,899	1	-	-	4	3	7	15	18	57	138	283	422	526	670	739	817	881	684	415	180	39	-
	FEMALE	4,050	4	-	5	2	4	6	5	12	12	27	49	88	165	260	399	584	792	778	573	232	53	-
	NONWHITE.....MALE..	1,050	2	1	1	1	1	2	6	10	16	39	53	77	91	127	165	195	112	64	52	22	13	-
	FEMALE	947	1	-	1	-	1	5	3	4	19	34	46	71	92	115	140	162	108	71	46	17	11	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS	222	-	-	2	4	6	10	2	11	11	20	26	22	22	27	18	21	12	5	3	-	-	-
	WHITE.....MALE..	92	-	-	-	2	1	5	1	4	4	9	13	12	9	14	4	8	4	2	-	-	-	-
	FEMALE	92	-	-	2	1	3	4	1	4	4	8	5	7	11	12	11	9	5	3	2	-	-	-
	NONWHITE.....MALE..	9	-	-	-	1	1	1	-	2	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	29	-	-	-	-	1	-	-	1	2	3	7	2	2	1	3	4	2	-	1	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	8,633	-	-	1	-	1	1	19	22	64	166	317	517	682	899	1,078	1,294	1,345	1,113	743	301	70	-
	WHITE.....MALE..	4,735	-	-	-	-	1	-	11	12	44	115	238	375	452	560	633	665	675	501	301	124	28	-
	FEMALE	2,848	-	-	-	-	-	1	4	4	5	13	34	63	126	203	282	435	561	541	390	153	33	-
	NONWHITE.....MALE..	610	-	-	1	-	-	-	3	5	6	22	28	47	55	83	94	114	63	37	29	17	6	-
	FEMALE	440	-	-	-	-	-	-	1	1	9	16	17	32	49	53	69	80	46	34	23	7	3	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	1,064	-	-	-	2	1	3	2	2	1	11	16	21	28	56	85	161	186	220	166	74	29	-
	WHITE.....MALE..	399	-	-	-	2	-	1	-	-	1	3	10	11	12	25	26	55	80	79	60	28	6	-
	FEMALE	425	-	-	-	-	1	-	-	1	-	2	3	2	4	11	27	53	72	109	85	41	14	-
	NONWHITE.....MALE..	121	-	-	-	-	-	-	1	-	-	1	3	5	6	10	16	30	16	14	10	4	5	-
	FEMALE	119	-	-	-	-	-	2	1	1	-	5	-	3	6	10	16	23	18	18	11	1	4	-
430-434	OTHER DISEASES OF HEART	574	8	1	4	1	1	4	3	6	13	15	25	31	52	63	74	72	87	53	41	17	3	-
	WHITE.....MALE..	261	1	-	-	-	1	1	2	2	8	6	16	13	29	32	31	24	46	27	15	6	1	-
	FEMALE	159	4	-	3	1	-	1	-	2	3	1	3	4	7	13	17	24	21	22	24	8	1	-
	NONWHITE.....MALE..	81	2	1	-	-	-	1	-	2	2	7	5	5	9	7	12	14	12	1	1	-	-	-
	FEMALE	73	1	-	1	-	-	1	1	-	-	1	1	9	7	11	14	10	8	3	1	3	1	-
440-443	HYPERTENSIVE HEART DIS	1,453	-	-	-	-	-	2	3	3	15	26	47	67	90	127	188	210	263	206	133	59	14	-
	WHITE.....MALE..	412	-	-	-	-	-	-	1	-	-	5	6	11	24	39	45	65	76	75	39	22	4	-
	FEMALE	526	-	-	-	-	-	-	-	1	-	3	4	12	17	21	62	63	133	103	72	30	5	-
	NONWHITE.....MALE..	229	-	-	-	-	-	-	2	1	7	9	16	19	21	27	43	37	20	12	12	1	2	-
	FEMALE	286	-	-	-	-	-	2	-	1	8	9	21	25	28	40	38	45	34	16	10	6	3	-
444-447	OTHER HYPERTENSIVE DIS	361	-	-	-	-	-	1	2	5	10	19	22	33	27	30	44	33	48	39	29	17	2	-
	WHITE.....MALE..	99	-	-	-	-	-	1	-	-	-	-	5	9	2	8	16	13	17	12	9	7	-	-
	FEMALE	82	-	-	-	-	-	-	-	-	-	2	-	-	3	1	4	6	5	19	18	16	7	1	-
	NONWHITE.....MALE..	86	-	-	-	-	-	-	-	1	3	10	6	7	14	7	11	8	9	6	3	1	-	-
	FEMALE	94	-	-	-	-	-	-	2	4	5	9	11	14	10	11	11	7	3	3	1	2	1	-
450	GENERAL ARTERIOSCLEROSIS	757	-	-	-	-	-	-	-	-	-	1	2	7	8	25	50	74	132	179	171	81	27	-
	WHITE.....MALE..	279	-	-	-	-	-	-	-	-	-	-	2	2	6	12	17	26	48	78	57	24	7	-
	FEMALE	370	-	-	-	-	-	-	-	-	-	-	-	1	1	10	21	25	68	81	101	48	15	-
	NONWHITE.....MALE..	60	-	-	-	-	-	-	-	-	-	1	-	3	1	3	7	16	9	7	7	3	3	-
	FEMALE	48	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	7	7	13	6	6	2	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	374	2	-	1	-	3	2	2	10	9	10	23	23	24	48	57	51	45	37	20	6	1	-
	WHITE.....MALE..	179	-	-	-	-	1	-	-	4	3	3	10	7	13	21	32	27	30	16	9	2	1	-
	FEMALE	111	1	-	-	-	-	1	1	2	2	2	4	6	5	14	14	17	12	20	8	2	-	-
	NONWHITE.....MALE..	44	1	-	-	-	-	-	1	2	1	-	3	4	5	7	10	4	1	1	2	2	-	-
	FEMALE	40	-	-	1	-	2	1	-	2	3	5	6	6	1	6	1	3	2	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	260	-	-	-	2	3	9	5	6	9	14	18	18	22	22	26	28	30	18	20	8	2	-
	WHITE.....MALE..	104	-	-	-	1	3	5	2	1	4	5	11	5	7	10	12	13	11	5	5	3	1	-
	FEMALE	66	-	-	-	1	-	3	1	1	3	2	1	6	5	1	7	8	10	6	7	4	-	-
	NONWHITE.....MALE..	42	-	-	-	-	-	1	1	1	-	3	5	3	4	6	2	4	5	2	5	-	-	-
	FEMALE	48	-	-	-	-	-	-	1	3	2	4	1	4	6	5	5	3	4	5	3	1	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,387	207	59	12	13	7	10	5	9	16	28	32	34	35	59	105	165	175	183	144	69	20	-
	WHITE.....MALE..	520	55	18	4	3	2	2	-	4	8	14	10	9	19	24	44	68	69	82	55	22	8	-
	FEMALE	498	51	16	5	6	3	6	3	3	2	4	6	10	9	16	28	58	75	75	71	42	9	-
	NONWHITE.....MALE..	205	55	13	1	2	1	1	-	2	2	5	9	8	5	11	15	29	18	15	9	2	2	-
	FEMALE	164	46	12	2	2	1	1	2	-	4	5	7	7	2	8	18	10	13	11	9	3	1	-
480-483	INFLUENZA.....	183	19	6	3	2	1	3	2	1	1	3	5	7	4	9	15	20	25	25	22	7	3	-
	WHITE.....MALE..	56	4	1	1	1	-	1	-	-	1	2	2	1	1	1	4	3	6	11	9	6	1	-
	FEMALE	61	6	2	1	-	1	2	1	1	-	-	1	-	1	1	3	10	12	9	9	-	1	-
	NONWHITE.....MALE..	24	4	-	1	-	-	-	-	-	-	-	-	3	1	3	4	3	1	3	1	-	-	-
	FEMALE	42	5	3	-	1	-	-	1	-	-	1	2	3	1	4	4	4	6	2	3	1	1	-
490-493	PNEUMONIA, ETC.....	1,204	188	53	9	11	6	7	3	8	15	25	27	27	31	50	90	145	150	158	122	62	17	-
	WHITE.....MALE..	464	51	17	3	2	2	1	-	4	7	12	8	8	18	23	40	65	63	71	46	16	7	-
	FEMALE	437	45	14	4	6	2	4	2	2	2	4	5	10	8	15	25	48	63	66	62	42	8	-
	NONWHITE.....MALE..	181	51	13	-	2	1	1	-	2	2	5	9	5	4	8	11	26	17	12	8	2	2	-
	FEMALE	122	41	9	2	1	1	1	1	-	4	4	5	4	1	4	14	6	7	9	6	2	-	-
500-502	BRONCHITIS.....	77	9	3	-	-	1	-	-	-	-	-	2	6	7	4	7	10	11	10	3	3	1	-
	WHITE.....MALE..	41	2	-	-	-	-	-	-	-	-	-	1	4	6	2	5	4	7	7	2	1	-	-
	FEMALE	20	4	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	3	1	1	-	-
	NONWHITE.....MALE..	12	2	3	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	1	1	-
	FEMALE	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	392	8	-	-	-	1	-	1	1	1	4	8	30	40	51	58	69	50	43	23	4	-	-
	WHITE.....MALE..	253	3	-	-	-	1	-	1	-	1	2	5	18	25	33	45	48	28	24	17	2	-	-
	FEMALE	95	2	-	-	-	-	-	-	-	-	1	3	5	11	8	9	16	18	16	4	2	-	-
	NONWHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	1	-	6	4	8	4	3	3	1	1	-	-	-
	FEMALE	13	3	-	-	-	-	-	-	1	-	-	-	1	-	2	-	2	1	2	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	212	1	-	-	-	-	3	1	1	6	10	13	18	17	26	31	36	26	13	9	1	-	-
	WHITE.....MALE..	135	-	-	-	-	-	2	1	1	2	8	10	8	11	17	23	23	16	7	5	1	-	-
	FEMALE	48	-	-	-	-	-	-	-	-	3	1	1	6	5	3	4	10	6	5	4	-	-	-
	NONWHITE.....MALE..	21	1	-	-	-	-	-	-	-	-	1	2	2	1	5	3	2	3	1	-	-	-	-
	FEMALE	8	-	-	-	-	-	1	-	-	1	-	-	2	-	1	1	1	1	-	-	-	-	-
550-553	APPENDICITIS.....	25	-	1	-	-	2	-	-	-	2	1	1	3	4	2	2	-	2	3	2	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	1	1	1	-	-	-
	FEMALE	11	-	1	-	-	2	-	-	-	-	-	1	1	-	-	2	-	1	2	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	148	14	3	-	-	-	-	-	2	4	6	7	5	9	12	14	18	19	15	13	7	-	-
	WHITE.....MALE..	55	7	2	-	-	-	-	-	1	1	2	3	1	2	5	4	8	7	4	4	4	-	-
	FEMALE	64	2	-	-	-	-	-	-	1	1	2	1	3	4	6	8	8	10	9	9	-	-	-
	NONWHITE.....MALE..	16	2	-	-	-	-	-	-	-	-	-	2	-	3	1	1	1	2	2	-	2	-	-
	FEMALE	13	3	1	-	-	-	-	-	-	2	2	1	1	-	-	1	1	-	-	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	146	60	12	3	-	2	3	-	1	-	4	2	6	5	4	11	9	7	7	8	2	-	-
	WHITE.....MALE..	39	14	2	1	-	1	2	-	-	-	2	1	3	4	2	3	2	1	1	-	-	-	-
	FEMALE	56	13	5	1	-	1	-	-	-	-	2	-	2	1	2	6	5	6	5	5	2	-	-
	NONWHITE.....MALE..	29	22	2	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	1	-	-	-
	FEMALE	22	11	3	1	-	-	1	-	1	-	-	-	1	-	-	2	-	-	-	2	-	-	-
581	CIRRHOSIS OF LIVER.....	203	-	1	1	-	1	-	4	3	18	18	16	32	26	25	20	16	12	5	2	3	-	-
	WHITE.....MALE..	110	-	-	-	-	-	-	2	1	7	7	11	19	15	18	9	8	8	2	2	1	-	-
	FEMALE	49	-	1	1	-	1	-	1	1	2	7	1	4	6	4	7	6	3	2	-	2	-	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	1	-	2	3	2	1	4	1	1	2	1	1	-	-	-	-
	FEMALE	25	-	-	-	-	-	-	-	1	7	1	2	8	1	2	3	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	89	-	-	-	1	-	-	-	2	-	2	3	2	5	13	11	12	14	10	7	5	2	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	1	-	-	1	1	3	3	2	3	4	5	3	3	2	-
	FEMALE	42	-	-	-	-	-	-	-	1	-	1	-	-	1	8	6	6	10	4	4	1	-	-
	NONWHITE.....MALE..	6	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	-	2	1	1	2	1	1	-	1	-	1	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	45	-	-	2	5	-	-	-	2	1	2	2	2	4	6	2	6	4	3	2	2	-	-
	WHITE.....MALE..	16	-	-	-	2	-	-	-	1	-	2	-	-	1	3	2	1	1	2	-	1	-	-
	FEMALE	10	-	-	1	2	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-
	NONWHITE.....MALE..	10	-	-	1	-	-	-	-	-	1	-	1	2	-	1	-	2	-	-	2	-	-	-
	FEMALE	9	-	-	-	1	-	-	-	1	-	-	1	-	2	1	-	1	1	-	-	1	-	-
600	INFECTIONS OF KIDNEY.....	215	-	1	1	-	-	1	-	4	3	6	14	14	17	22	28	24	30	24	20	3	3	-
	WHITE.....MALE..	60	-	1	1	-	-	1	-	2	-	2	3	4	2	6	9	4	11	6	6	1	1	-
	FEMALE	80	-	-	-	-	-	-	-	1	1	2	5	-	8	8	11	8	13	10	9	2	2	-
	NONWHITE.....MALE..	45	-	-	-	-	-	-	-	1	2	1	4	3	7	3	3	8	4	5	4	-	-	-
	FEMALE	30	-	-	-	-	-	-	-	-	-	1	2	7	-	5	5	4	2	3	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	93	-	-	-	-	-	-	-	-	-	-	-	-	1	8	4	7	15	17	21	11	7	2	-
	WHITE.....MALE..	64	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	9	14	18	8	6	1	-
	NONWHITE.....MALE..	29	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	5	6	3	3	3	1	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TENNESSEE--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	40	-	-	-	-	4	12	8	10	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	22	-	-	-	-	4	8	2	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	18	-	-	-	-	-	4	6	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	6	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	34	-	-	-	-	4	11	6	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	20	-	-	-	-	4	7	2	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	14	-	-	-	-	-	4	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	410	288	46	9	10	12	4	2	4	7	4	8	3	2	3	3	3	-	2	-	-	-	-
	WHITE.....MALE..	181	126	19	5	3	4	3	-	-	5	2	4	3	2	-	2	2	-	1	-	-	-	-
	FEMALE	154	113	15	2	4	4	1	2	3	1	2	3	-	-	3	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	46	32	5	1	1	4	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	FEMALE	29	17	7	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,351	1,349	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	567	565	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	375	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	165	165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	470	470	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	792	790	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	302	300	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	119	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	1,078	150	16	2	2	4	4	5	16	18	31	43	59	86	80	110	110	106	88	80	40	28	-
	WHITE.....MALE..	395	45	5	-	1	2	3	2	5	7	10	20	26	35	34	49	46	34	28	32	7	4	-
	FEMALE	290	35	4	1	-	1	-	1	2	2	9	8	7	14	12	22	25	50	40	30	17	10	-
	NONWHITE.....MALE..	218	39	2	1	1	-	1	2	5	4	7	7	19	20	19	23	23	9	14	8	8	6	-
	FEMALE	175	31	5	-	-	1	-	-	4	5	5	8	7	17	15	16	16	13	6	10	8	8	-
RESID-UAL	ALL OTHER DISEASES.	997	59	31	13	20	27	8	19	23	37	46	62	81	78	80	99	88	85	70	48	15	8	-
	WHITE.....MALE..	398	27	15	5	11	11	4	13	10	12	14	25	38	31	38	35	38	28	24	12	6	1	-
	FEMALE	384	12	11	6	4	10	2	5	6	11	12	25	23	25	29	39	39	44	35	31	9	6	-
	NONWHITE.....MALE..	114	14	3	-	1	6	1	-	4	6	9	10	9	8	5	17	7	8	4	2	-	-	-
	FEMALE	101	6	2	2	4	-	1	1	3	8	11	2	11	14	8	8	4	5	7	3	-	1	-
E800-E962	ACCIDENTS	1,979	96	113	85	59	186	135	103	103	116	107	124	115	109	98	80	92	85	82	51	35	5	-
	WHITE.....MALE..	1,094	40	42	35	37	129	102	65	75	76	64	77	75	61	55	26	37	36	33	16	12	1	-
	FEMALE	505	26	35	26	6	35	20	21	14	20	24	24	21	22	19	25	34	36	42	32	19	4	-
	NONWHITE.....MALE..	236	13	15	11	13	17	10	12	10	13	14	16	14	20	17	18	13	3	4	2	1	-	-
	FEMALE	144	17	21	13	3	5	3	5	4	7	5	7	5	6	7	11	8	10	3	1	3	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	906	4	36	43	29	135	96	67	60	64	58	57	48	58	40	36	35	22	11	5	1	1	-
	WHITE.....MALE..	571	1	18	23	20	91	75	46	47	41	34	28	30	33	28	12	17	15	7	4	-	1	-
	FEMALE	215	2	14	14	4	30	15	13	8	16	18	16	10	14	7	9	14	6	4	-	1	-	-
	NONWHITE.....MALE..	92	-	-	3	4	11	4	5	5	7	4	10	7	11	4	12	4	-	-	1	-	-	-
	FEMALE	28	1	4	3	1	3	2	3	-	-	2	3	1	-	1	3	-	1	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	1,073	92	77	42	30	51	39	36	43	52	49	67	67	51	58	44	57	63	71	46	34	4	-
	WHITE.....MALE..	523	39	24	12	17	38	27	19	28	35	30	49	45	28	27	14	20	21	26	12	12	-	-
	FEMALE	290	24	21	12	2	5	5	8	6	4	6	8	11	8	12	16	20	30	38	32	18	4	-
	NONWHITE.....MALE..	144	13	15	8	9	6	6	7	5	6	10	6	7	9	13	6	9	3	4	1	1	-	-
	FEMALE	116	16	17	10	2	2	1	2	4	7	3	4	4	6	6	8	8	9	3	1	3	-	-
E963, E970-E979	SUICIDE	406	...	...	-	2	10	24	10	36	45	44	40	47	36	35	27	23	16	7	4	-	-	-
	WHITE.....MALE..	311	...	...	-	2	6	16	4	25	31	38	29	39	28	26	22	20	15	7	3	-	-	-
	FEMALE	70	...	...	-	-	4	2	2	11	11	5	9	7	7	5	4	2	-	-	1	-	-	-
	NONWHITE.....MALE..	24	...	...	-	-	-	6	3	-	3	1	2	1	1	4	1	1	1	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	263	1	2	2	2	13	23	27	32	48	28	24	20	14	12	7	5	2	-	1	-	-	-
	WHITE.....MALE..	82	1	1	-	2	2	6	8	10	17	4	6	7	3	9	3	3	-	-	-	-	-	-
	FEMALE	31	-	-	2	-	2	2	4	3	3	1	3	3	3	1	1	1	1	-	1	-	-	-
	NONWHITE.....MALE..	129	-	1	-	-	7	14	13	18	19	20	14	10	7	1	3	1	1	-	-	-	-	-
	FEMALE	21	-	-	-	-	2	1	2	1	9	3	1	-	1	1	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS																							
	ALL CAUSES	80,752	6,679	1,213	532	438	790	902	869	1,073	1,567	2,225	3,071	4,411	5,609	7,010	8,648	9,303	9,558	8,275	5,522	2,382	670	5
	WHITE MALE	39,705	3,056	516	238	227	462	541	442	535	779	1,083	1,557	2,380	3,194	3,788	4,542	4,766	4,656	3,577	2,278	880	207	1
	WHITE FEMALE	28,086	2,158	436	187	118	196	182	215	289	428	628	838	1,078	1,341	1,791	2,535	3,195	3,867	3,990	2,885	1,327	400	2
	NONWHITE MALE	7,032	825	136	55	52	88	127	117	134	198	256	363	521	577	763	890	764	529	360	168	83	25	1
	NONWHITE FEMALE	5,929	640	125	52	41	44	52	95	115	162	258	313	432	497	668	681	578	506	348	191	92	38	1
001-019	TUBERCULOSIS, ALL FORMS	506	4	19	5	2	3	1	13	28	21	32	27	43	35	54	70	56	44	27	15	5	2	-
	WHITE MALE	303	1	11	3	1	1	-	3	12	11	11	17	24	22	36	48	43	28	16	12	2	1	-
	WHITE FEMALE	129	1	7	2	1	1	-	6	11	5	14	7	10	9	10	11	8	12	7	3	3	1	-
	NONWHITE MALE	45	1	-	-	-	-	1	1	3	2	4	1	6	4	6	10	3	2	1	-	-	-	-
	NONWHITE FEMALE	29	1	1	-	-	1	-	3	2	3	3	2	3	-	2	1	2	2	3	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	466	1	5	1	1	2	1	13	26	21	31	26	43	34	52	69	51	42	26	15	5	1	-
	WHITE MALE	281	-	3	1	1	1	-	3	11	11	10	17	24	22	34	47	40	26	16	12	2	-	-
	WHITE FEMALE	117	-	2	-	-	1	-	6	11	5	14	6	10	8	10	11	7	12	7	3	3	1	-
	NONWHITE MALE	45	1	-	-	-	-	1	1	3	2	4	1	6	4	6	10	3	2	1	-	-	-	-
	NONWHITE FEMALE	23	-	-	-	-	-	-	3	1	3	3	2	3	-	2	1	1	2	2	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	40	3	14	4	1	1	-	-	2	-	1	1	-	1	2	1	5	2	1	-	-	1	-
	WHITE MALE	22	1	8	2	-	-	-	-	1	-	1	-	-	-	2	1	3	2	-	-	-	1	-
	WHITE FEMALE	12	1	5	2	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	6	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	188	7	-	-	-	-	-	1	1	2	5	8	11	17	34	37	33	13	12	5	2	-	-
	WHITE MALE	86	2	-	-	-	-	-	-	1	1	1	2	3	9	16	17	19	6	6	1	2	-	-
	WHITE FEMALE	29	1	-	-	-	-	-	-	-	1	-	-	1	-	7	3	5	4	5	2	-	-	-
	NONWHITE MALE	54	4	-	-	-	-	-	-	-	-	3	2	6	7	6	15	7	2	1	1	-	-	-
	NONWHITE FEMALE	19	-	-	-	-	-	-	1	-	-	1	4	1	1	5	2	2	1	-	1	-	-	-
045-048	DYSENTERY, ALL FORMS	76	34	13	3	2	-	-	1	1	2	1	-	3	2	1	4	-	3	1	4	1	-	-
	WHITE MALE	29	16	4	-	-	-	-	-	1	1	1	-	1	1	-	-	-	1	1	2	-	-	-
	WHITE FEMALE	30	14	3	1	1	-	-	1	-	1	-	-	2	1	1	3	-	-	-	1	1	-	-
	NONWHITE MALE	9	2	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	NONWHITE FEMALE	8	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	10	1	3	-	1	-	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	-	-
	WHITE MALE	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	WHITE FEMALE	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	NONWHITE MALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	NONWHITE FEMALE	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	9	-	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	4	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	29	9	13	3	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE MALE	13	5	5	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	10	4	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE MALE	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	5	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	13	3	3	1	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE MALE	8	2	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	59	16	30	7	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE MALE	19	4	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE FEMALE	28	11	8	5	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE MALE	5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE FEMALE	7	-	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	425	95	46	17	7	11	6	9	5	18	18	13	24	23	21	36	22	29	13	9	3	-	-
	WHITE MALE	199	42	27	5	4	2	1	4	-	4	9	7	11	14	12	21	11	12	7	3	3	-	-
	WHITE FEMALE	144	27	15	9	2	6	3	4	3	5	3	4	9	8	4	9	8	14	6	5	-	-	-
	NONWHITE MALE	44	10	4	2	1	2	-	1	1	3	3	1	2	-	5	4	2	2	-	1	-	-	-
	NONWHITE FEMALE	38	16	-	1	-	1	2	-	1	6	3	1	2	1	-	2	1	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	12,193	12	93	81	56	66	62	82	150	283	457	728	1,050	1,350	1,528	1,770	1,615	1,305	908	432	137	28	-
	WHITE.....MALE..	5,809	6	46	44	23	38	38	35	65	92	168	275	461	682	757	877	832	652	436	212	56	14	-
	FEMALE	4,757	3	37	27	21	21	21	33	63	136	213	309	397	465	533	642	596	545	410	200	71	14	-
	NONWHITE.....MALE..	863	3	4	3	5	2	2	5	3	19	30	68	98	101	129	155	116	72	36	7	5	-	-
	FEMALE	764	-	6	7	7	5	1	9	19	36	46	76	94	102	109	96	71	36	26	13	5	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	325	-	1	1	-	-	3	1	1	4	9	23	38	35	36	61	42	29	23	12	6	-	-
	WHITE.....MALE..	223	-	-	-	-	-	2	-	-	1	4	15	26	25	27	45	33	16	16	9	4	-	-
	FEMALE	67	-	1	1	-	-	1	1	-	1	3	4	4	9	4	10	5	11	7	3	2	-	-
	NONWHITE.....MALE..	29	-	-	-	-	-	-	-	-	2	2	4	5	1	5	5	3	2	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	-	3	-	-	1	1	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	3,648	1	4	-	4	2	8	9	25	46	88	155	246	394	464	554	568	495	355	165	50	15	-
	WHITE.....MALE..	1,669	-	3	-	2	1	3	5	12	17	35	67	117	199	222	249	262	224	155	70	19	7	-
	FEMALE	1,475	-	-	-	1	1	4	2	10	19	31	48	72	121	166	229	237	224	186	87	29	8	-
	NONWHITE.....MALE..	279	1	-	-	1	-	1	1	-	2	14	21	35	36	39	44	41	32	8	2	1	-	-
	FEMALE	225	-	1	-	-	-	-	1	3	8	8	19	22	38	37	32	28	15	6	6	1	-	-
160-164	OF RESP. SYSTEM, ETC.	2,082	-	-	-	1	1	1	2	11	31	74	146	244	310	361	365	280	152	67	30	6	-	-
	WHITE.....MALE..	1,562	-	-	-	-	1	1	1	5	24	53	93	175	251	280	274	223	111	44	22	4	-	-
	FEMALE	279	-	-	-	-	-	-	-	2	4	10	25	32	27	41	49	31	32	17	8	1	-	-
	NONWHITE.....MALE..	199	-	-	-	-	-	-	1	2	2	8	22	30	27	32	40	22	8	4	-	1	-	-
	FEMALE	42	-	-	-	1	-	-	-	2	1	3	6	7	5	8	2	4	1	2	-	-	-	-
170	OF BREAST	946	-	-	-	1	-	-	7	11	49	77	117	140	123	107	94	85	46	43	26	17	3	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-
	FEMALE	816	-	-	-	-	-	-	5	8	40	63	99	125	109	89	81	78	41	37	24	14	3	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	125	-	-	-	1	-	-	2	3	9	14	18	15	14	16	11	7	4	6	2	3	-	-
171-179	OF GENITAL ORGANS	1,849	-	-	-	2	4	6	14	32	47	78	94	128	169	227	253	254	253	169	86	30	3	-
	WHITE.....MALE..	614	-	-	-	-	3	3	3	6	4	1	6	7	22	57	82	103	135	97	63	19	3	-
	FEMALE	909	-	-	-	1	-	2	8	20	32	64	63	89	105	122	120	112	89	56	18	8	-	-
	NONWHITE.....MALE..	136	-	-	-	-	-	-	-	-	1	-	2	5	14	20	31	27	20	10	3	3	-	-
	FEMALE	190	-	-	-	1	1	1	3	6	10	13	23	27	28	28	20	12	9	6	2	-	-	-
180, 181	OF URINARY ORGANS	524	2	8	9	1	-	1	-	4	8	8	20	45	58	56	85	82	50	52	28	7	-	-
	WHITE.....MALE..	290	1	4	1	-	-	-	-	2	1	5	8	30	37	32	51	48	26	30	10	4	-	-
	FEMALE	165	1	4	5	-	-	1	-	1	4	2	4	7	11	14	24	26	21	20	17	3	-	-
	NONWHITE.....MALE..	47	-	-	1	-	-	-	-	1	3	-	6	6	6	8	7	5	3	1	-	-	-	-
	FEMALE	22	-	-	2	1	-	-	-	-	-	1	2	2	4	2	3	3	-	1	1	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	1,503	5	27	26	18	29	18	24	34	63	68	100	115	153	158	182	154	148	106	55	15	5	-
	WHITE.....MALE..	750	4	8	18	5	18	10	12	22	27	37	53	56	82	84	80	85	70	49	23	5	2	-
	FEMALE	569	1	15	5	8	10	8	9	9	27	27	34	36	52	49	70	52	72	45	28	9	3	-
	NONWHITE.....MALE..	92	-	2	-	3	-	-	1	-	5	2	8	9	8	14	17	10	3	8	2	-	-	-
	FEMALE	92	-	2	3	2	1	-	2	3	4	2	5	14	11	11	15	7	3	4	2	1	-	-
204	LEUKEMIA AND ALEUKEMIA	688	4	49	36	21	23	17	12	14	12	20	28	36	41	52	78	76	78	62	24	5	-	-
	WHITE.....MALE..	370	1	27	19	10	13	12	7	6	7	9	12	19	28	23	48	42	41	32	13	1	-	-
	FEMALE	253	1	17	15	9	7	5	5	8	3	6	15	11	10	20	23	24	34	25	11	4	-	-
	NONWHITE.....MALE..	35	2	2	2	1	2	-	-	-	2	2	1	5	3	2	1	5	1	4	-	-	-	-
	FEMALE	30	-	3	-	1	1	-	-	-	-	3	-	1	-	7	6	5	2	1	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	628	-	4	9	8	7	8	13	18	23	35	45	58	67	67	98	74	54	31	6	1	2	-
	WHITE.....MALE..	326	-	4	6	6	2	7	7	12	11	24	21	31	38	30	46	36	28	13	2	-	2	-
	FEMALE	224	-	-	1	2	3	-	3	5	6	7	17	21	21	28	36	31	21	17	4	1	-	-
	NONWHITE.....MALE..	46	-	-	-	-	-	1	2	-	2	2	4	3	6	9	10	3	3	1	-	-	-	-
	FEMALE	32	-	-	2	-	2	-	1	1	4	2	3	3	2	-	6	4	2	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	188	5	2	5	5	6	2	8	5	12	11	14	16	18	14	17	12	17	8	8	-	3	-
	WHITE.....MALE..	76	1	1	2	3	4	1	5	-	3	1	6	5	9	6	8	4	8	4	4	-	1	-
	FEMALE	85	4	1	2	2	2	1	1	3	8	6	6	7	7	6	7	5	8	3	4	-	2	-
	NONWHITE.....MALE..	15	-	-	1	-	-	-	1	1	-	1	1	3	1	-	1	3	1	1	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	1	1	1	3	1	1	1	2	1	-	-	-	-	-	-	-
241	ASTHMA	220	3	3	1	1	2	2	6	4	8	8	15	10	23	28	28	25	41	6	5	1	-	-
	WHITE.....MALE..	123	2	1	-	-	-	-	-	1	2	2	6	5	17	21	16	16	26	5	3	-	-	-
	FEMALE	61	1	2	-	1	1	2	-	2	5	1	3	3	4	3	8	8	13	1	2	1	-	-
	NONWHITE.....MALE..	20	-	-	-	-	-	-	3	-	1	3	2	2	2	3	2	1	1	-	-	-	-	-
	FEMALE	16	-	-	1	-	1	-	3	1	-	2	4	-	-	1	2	-	1	-	-	-	-	-
260	DIABETES MELLITUS	1,288	-	-	2	5	3	2	9	20	22	29	46	80	125	162	203	206	183	113	46	28	4	-
	WHITE.....MALE..	423	-	-	1	1	1	-	3	8	12	8	20	17	40	55	66	64	65	37	16	8	1	-
	FEMALE	591	-	-	1	2	2	1	4	6	1	12	12	31	50	58	94	103	107	66	23	15	3	-
	NONWHITE.....MALE..	93	-	-	-	1	-	-	-	3	4	4	2	6	13	19	13	15	3	3	4	3	-	-
	FEMALE	181	-	-	-	1	-	1	2	3	5	5	12	26	22	30	30	24	8	7	3	2	-	-
290-293	ANEMIAS	191	10	18	8	6	4	3	2	2	3	2	6	8	11	12	16	16	24	21	15	4	-	-
	WHITE.....MALE..	78	5	5	3	3	1	-	-	-	1	1	2	2	2	7	7	9	15	8	5	2	-	-
	FEMALE	76	1	3	4	-	2	1	-	1	2	1	3	3	7	4	6	7	8	11	10	2	-	-
	NONWHITE.....MALE..	20	3	8	-	1	-	1	1	-	-	-	1	1	1	-	1	-	1	1	-	-	-	-
	FEMALE	17	1	2	1	2	1	1	1	1	-	-	-	2	1	1	2	-	-	1	-	-	1	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	156	69	35	7	-	4	1	-	1	2	2	3	4	4	4	7	6	3	2	2	-	-	-
	WHITE.....MALE..	51	23	15	3	-	3	-	-	-	-	-	1	1	1	-	-	1	2	-	1	-	-	-
	FEMALE	56	23	12	3	-	-	-	-	1	2	1	1	2	1	2	3	2	1	1	1	-	-	-
	NONWHITE.....MALE..	32	16	4	1	-	1	-	-	-	-	1	-	-	2	2	3	1	-	1	-	-	-	-
	FEMALE	17	7	4	-	-	-	1	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	40,609	34	30	18	33	48	72	115	187	455	786	1,333	2,051	2,851	3,856	5,025	5,703	6,257	5,669	3,928	1,679	476	3
	WHITE.....MALE..	19,866	16	8	5	12	20	28	31	85	234	432	748	1,210	1,708	2,143	2,660	2,885	2,986	2,371	1,545	597	141	1
	FEMALE	14,425	5	14	8	11	16	23	34	46	92	139	258	341	505	844	1,387	1,960	2,556	2,814	2,129	951	291	1
	NONWHITE.....MALE..	3,217	10	5	2	4	3	8	20	27	63	101	174	274	330	441	532	456	337	242	115	59	14	-
	FEMALE	3,101	3	3	3	6	9	13	30	29	66	114	153	226	308	428	446	402	378	242	139	72	30	1
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	39,974	31	29	16	30	39	59	99	166	432	763	1,295	2,011	2,819	3,800	4,964	5,624	6,193	5,605	3,874	1,651	471	3
	WHITE.....MALE..	19,617	14	8	3	12	15	17	27	76	226	422	730	1,196	1,696	2,128	2,638	2,856	2,960	2,344	1,520	589	139	1
	FEMALE	14,226	5	13	8	8	13	22	28	39	88	135	252	330	496	825	1,373	1,931	2,533	2,790	2,111	936	289	1
	NONWHITE.....MALE..	3,117	10	5	2	4	2	7	17	24	58	97	164	266	326	431	518	443	332	233	108	56	14	-
	FEMALE	3,014	2	3	3	6	9	13	27	27	60	109	149	219	301	416	435	394	368	238	135	70	29	1
330-334	VASCULAR LESIONS, ETC.	9,487	10	8	8	11	10	12	25	26	69	144	205	328	444	690	992	1,327	1,648	1,713	1,185	498	133	1
	WHITE.....MALE..	3,708	5	3	-	4	7	5	7	8	23	47	66	123	169	269	413	549	707	670	431	169	33	-
	FEMALE	4,093	2	4	4	4	3	5	6	10	25	47	66	86	124	184	316	533	723	900	681	282	88	-
	NONWHITE.....MALE..	768	3	1	2	2	-	1	5	2	10	15	28	65	74	110	134	111	96	57	25	21	6	-
	FEMALE	918	-	-	2	1	-	1	7	6	11	35	45	54	77	127	129	134	122	86	48	26	6	1
400-402, 410-443	DISEASES OF HEART	27,648	18	20	8	16	22	38	61	113	326	572	1,024	1,582	2,235	2,926	3,695	3,946	4,081	3,446	2,308	946	263	2
	WHITE.....MALE..	14,709	8	5	3	6	7	12	19	58	192	361	642	1,027	1,459	1,763	2,100	2,131	2,052	1,485	948	348	82	1
	FEMALE	8,944	2	8	4	4	6	11	16	23	55	77	166	223	336	597	979	1,271	1,608	1,661	1,214	527	155	1
	NONWHITE.....MALE..	2,112	6	4	-	2	2	6	9	18	40	69	120	182	228	296	339	307	205	162	75	34	8	-
	FEMALE	1,883	2	3	1	4	7	9	17	14	39	65	96	150	212	270	277	237	216	138	71	37	18	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	442	1	2	4	6	10	10	13	14	33	34	34	52	54	52	42	37	16	17	8	3	-	-
	WHITE.....MALE..	189	1	-	-	1	3	1	4	8	11	16	15	23	24	25	25	18	8	4	1	1	-	-
	FEMALE	184	-	1	3	-	3	4	6	5	13	10	15	21	20	21	16	18	8	12	6	2	-	-
	NONWHITE.....MALE..	26	-	-	-	2	-	3	2	1	2	3	2	1	6	3	1	-	-	-	-	-	-	-
	FEMALE	43	-	1	1	3	4	2	1	-	7	5	2	7	4	3	-	1	-	1	1	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	20,573	3	2	-	1	1	2	21	67	217	428	806	1,262	1,782	2,340	2,943	3,012	2,989	2,402	1,521	609	163	2
	WHITE.....MALE..	11,853	-	1	-	-	1	1	11	42	154	304	568	890	1,252	1,509	1,779	1,733	1,572	1,083	657	242	53	1
	FEMALE	6,197	-	-	-	-	-	-	3	11	24	51	99	159	248	448	761	931	1,136	1,134	781	317	93	1
	NONWHITE.....MALE..	1,372	3	-	-	-	-	1	1	8	23	38	81	125	148	202	232	196	138	100	48	24	4	-
	FEMALE	1,151	-	1	-	1	-	-	6	6	16	35	58	88	134	181	171	152	143	85	35	26	13	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	2,012	2	4	-	1	2	4	2	4	8	14	26	38	70	113	158	261	361	399	341	158	46	-
	WHITE.....MALE..	854	-	1	-	-	-	3	1	2	2	8	8	17	31	47	71	112	168	169	149	47	18	-
	FEMALE	851	-	2	-	1	1	1	-	1	4	2	10	6	8	30	39	104	154	189	170	105	24	-
	NONWHITE.....MALE..	156	2	1	-	-	-	-	1	-	2	2	7	7	14	18	25	25	18	21	9	3	1	-
	FEMALE	151	-	-	-	-	1	-	-	1	-	2	1	8	17	18	23	20	21	20	13	3	3	-
430-434	OTHER DISEASES OF HEART	2,384	12	12	4	8	8	20	22	19	42	58	87	122	190	233	281	325	328	278	205	94	36	-
	WHITE.....MALE..	1,125	7	3	3	5	2	7	2	6	21	29	33	68	111	129	143	158	158	131	72	29	8	-
	FEMALE	781	2	5	1	3	2	6	5	5	11	9	25	18	30	43	69	99	131	116	117	59	25	-
	NONWHITE.....MALE..	262	1	3	-	-	2	2	5	4	5	11	16	22	26	36	38	42	23	16	7	2	1	-
	FEMALE	216	2	1	-	-	2	5	10	4	5	9	13	14	23	25	31	26	16	15	9	4	2	-
440-443	HYPERTENSIVE HEART DIS.	2,237	-	-	-	-	1	2	3	9	26	38	71	108	139	188	271	311	387	350	233	82	18	-
	WHITE.....MALE..	688	-	-	-	-	1	-	1	-	4	4	18	29	41	53	82	110	146	98	69	29	3	-
	FEMALE	931	-	-	-	-	-	-	2	1	3	5	17	19	30	55	94	119	179	210	140	44	13	-
	NONWHITE.....MALE..	296	-	-	-	-	-	-	-	5	8	15	14	27	34	37	43	44	26	25	11	5	2	-
	FEMALE	322	-	-	-	-	-	2	-	3	11	14	22	33	34	43	52	38	36	17	13	4	-	-
444-447	OTHER HYPERTENSIVE DIS.	499	-	-	-	-	-	2	3	7	15	27	22	33	34	26	45	56	80	66	56	19	8	-
	WHITE.....MALE..	177	-	-	-	-	-	-	-	1	3	7	3	11	12	10	17	25	25	30	23	6	4	-
	FEMALE	170	-	-	-	-	-	1	1	1	-	2	3	5	9	8	13	20	37	29	28	10	3	-
	NONWHITE.....MALE..	82	-	-	-	-	-	-	1	2	4	12	11	11	8	4	8	8	10	3	-	-	-	-
	FEMALE	70	-	-	-	-	-	1	1	3	8	6	5	6	5	4	7	3	8	4	5	3	1	-
450	GENERAL ARTERIOSCLEROSIS.	1,396	1	-	-	-	-	-	-	1	-	1	6	8	27	43	100	142	261	289	279	173	65	-
	WHITE.....MALE..	543	-	-	-	-	-	-	-	-	-	-	4	4	11	21	34	64	110	116	102	59	18	-
	FEMALE	711	1	-	-	-	-	-	-	-	-	1	1	2	10	7	39	55	123	158	162	109	43	-
	NONWHITE.....MALE..	69	-	-	-	-	-	-	-	-	-	-	1	-	3	10	16	9	12	9	8	1	-	-
	FEMALE	73	-	-	-	-	-	-	-	1	-	-	-	2	3	5	11	14	16	6	7	4	4	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	944	2	1	-	3	7	7	10	19	22	19	38	60	79	115	132	153	123	91	46	15	2	-
	WHITE.....MALE..	480	1	-	-	2	1	-	1	9	8	7	15	31	45	65	74	87	66	43	16	7	2	-
	FEMALE	308	-	1	-	-	4	5	5	5	8	8	16	14	17	29	26	52	42	42	26	8	-	-
	NONWHITE.....MALE..	86	1	-	-	-	-	-	2	2	4	1	4	8	13	11	21	8	9	2	-	-	-	-
	FEMALE	70	-	-	-	1	2	2	2	3	2	3	3	7	4	10	11	6	6	4	4	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	635	3	1	2	3	9	13	16	21	23	23	38	40	32	56	61	79	64	64	54	28	5	-
	WHITE.....MALE..	249	2	-	2	-	5	11	4	9	8	10	18	14	12	15	22	29	26	27	25	8	2	-
	FEMALE	199	-	1	-	3	3	1	6	7	4	4	6	11	9	17	14	29	23	24	18	15	2	-
	NONWHITE.....MALE..	100	-	-	-	-	1	1	3	3	5	4	10	8	4	10	14	13	5	9	7	3	-	-
	FEMALE	87	1	-	-	-	-	-	3	2	6	5	4	7	7	12	11	8	10	4	4	2	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	2,970	523	182	32	21	17	15	8	17	32	43	41	96	98	136	188	283	354	369	299	162	54	-
	WHITE.....MALE..	1,340	196	57	12	11	6	6	3	7	19	15	14	43	52	68	96	140	185	181	142	71	16	-
	FEMALE	1,057	168	66	8	6	6	3	4	7	7	13	12	16	25	39	44	91	129	157	138	84	34	-
	NONWHITE.....MALE..	337	91	33	10	3	2	1	-	1	3	7	7	23	14	18	27	34	28	20	11	3	1	-
	FEMALE	236	68	26	2	1	3	5	1	2	3	8	8	14	7	11	21	18	12	11	8	4	3	-
480-483	INFLUENZA.....	158	17	10	-	1	2	1	1	2	2	2	3	7	7	8	11	20	17	19	15	11	2	-
	WHITE.....MALE..	57	8	1	-	1	1	1	-	1	1	1	-	1	2	2	5	6	9	7	4	6	-	-
	FEMALE	69	4	5	-	-	1	-	1	1	1	1	3	1	5	2	4	9	6	8	10	5	2	-
	NONWHITE.....MALE..	19	3	2	-	-	-	-	-	-	-	-	-	4	-	3	1	2	-	3	1	-	-	-
	FEMALE	13	2	2	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	1	-	-	-	-
490-493	PNEUMONIA, ETC.....	2,812	506	172	32	20	15	14	7	15	30	41	38	89	91	128	177	263	337	350	284	151	52	-
	WHITE.....MALE..	1,283	188	56	12	10	5	5	3	6	18	14	14	42	50	66	91	134	176	174	138	65	16	-
	FEMALE	988	164	61	8	6	5	3	3	6	6	12	9	15	20	37	40	82	123	149	128	79	32	-
	NONWHITE.....MALE..	318	88	31	10	3	2	1	-	1	3	7	7	19	14	15	26	32	28	17	10	3	1	-
	FEMALE	223	66	24	2	1	3	5	1	2	3	8	8	13	7	10	20	15	10	10	8	4	3	-
500-502	BRONCHITIS.....	253	25	8	-	-	1	1	-	-	3	5	6	9	18	33	41	32	31	24	10	6	-	-
	WHITE.....MALE..	170	10	5	-	-	1	1	-	-	1	1	4	5	13	22	34	25	25	14	7	2	-	-
	FEMALE	53	7	3	-	-	-	-	-	-	2	3	-	2	2	7	3	3	5	10	2	4	-	-
	NONWHITE.....MALE..	23	6	-	-	-	-	-	-	-	-	1	1	2	2	2	4	4	1	-	-	-	-	-
	FEMALE	7	2	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	1	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	982	53	12	1	1	2	2	3	6	7	17	22	53	86	132	140	166	125	90	42	16	6	-
	WHITE.....MALE..	676	25	5	-	1	-	1	-	2	6	9	13	32	63	98	118	127	91	54	25	5	1	-
	FEMALE	224	15	4	-	-	1	-	3	1	-	5	5	13	15	22	17	26	32	33	16	11	5	-
	NONWHITE.....MALE..	56	4	2	1	-	1	1	-	1	1	1	4	5	6	8	5	12	1	2	1	-	-	-
	FEMALE	26	9	1	-	-	-	-	-	2	-	2	-	3	2	4	-	1	1	1	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	393	3	1	-	-	-	4	2	3	13	16	19	28	38	36	59	57	57	31	20	4	2	-
	WHITE.....MALE..	266	2	1	-	-	-	3	1	2	6	9	8	22	24	24	46	43	36	22	14	3	-	-
	FEMALE	78	-	-	-	-	-	-	-	-	3	2	7	3	10	6	10	7	16	8	4	1	1	-
	NONWHITE.....MALE..	34	-	-	-	-	-	-	-	1	3	4	4	2	3	3	2	6	4	-	1	-	1	-
	FEMALE	15	1	-	-	-	-	1	1	-	1	1	-	1	1	3	1	1	1	1	1	-	-	-
550-553	APPENDICITIS.....	83	1	2	4	2	2	3	4	2	3	4	3	6	4	4	11	7	7	8	6	-	-	-
	WHITE.....MALE..	39	-	1	2	1	-	1	2	1	2	1	2	3	3	1	6	3	4	5	1	-	-	-
	FEMALE	25	1	1	2	1	-	2	1	-	-	1	1	1	-	2	2	1	3	3	3	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	2	-	-	1	-	1	-	1	-	-	1	2	-	-	1	-	-	-
	FEMALE	10	-	-	-	-	-	-	1	-	1	1	-	1	1	1	2	1	-	-	1	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	461	43	4	2	-	-	-	3	1	8	12	17	21	26	34	59	58	62	63	36	10	2	-
	WHITE.....MALE..	165	19	-	1	-	-	-	-	-	2	3	3	3	12	14	22	23	25	17	15	5	1	-
	FEMALE	221	19	2	-	-	-	-	3	1	6	7	8	13	10	11	26	22	30	40	18	4	1	-
	NONWHITE.....MALE..	37	3	1	1	-	-	-	-	-	-	-	3	2	2	6	8	7	2	1	1	-	-	-
	FEMALE	38	2	1	-	-	-	-	-	-	-	2	3	3	2	3	3	6	5	5	2	1	-	-
543, 571, 572	GASTRITIS, ETC.....	660	354	59	4	5	2	1	2	3	4	12	7	18	13	15	21	24	38	44	23	9	2	-
	WHITE.....MALE..	276	154	27	1	2	-	1	1	2	2	7	3	10	9	6	8	9	11	15	7	-	1	-
	FEMALE	270	126	20	3	3	1	-	1	1	2	3	2	4	2	4	9	14	23	27	15	9	1	-
	NONWHITE.....MALE..	53	38	6	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	1	-	-	-
	FEMALE	61	36	6	-	-	1	-	-	-	-	2	1	3	2	4	3	-	2	1	-	-	-	-
581	CIRRHOSIS OF LIVER.....	845	2	2	-	-	2	1	7	28	41	89	112	125	126	84	74	64	40	33	10	5	-	-
	WHITE.....MALE..	497	1	2	-	-	-	-	2	6	15	42	73	75	86	57	49	38	24	20	6	1	-	-
	FEMALE	261	1	-	-	-	1	1	1	11	12	33	29	40	37	21	19	21	13	13	4	4	-	-
	NONWHITE.....MALE..	51	-	-	-	-	-	-	3	5	7	7	5	6	2	4	5	4	3	-	-	-	-	-
	FEMALE	36	-	-	-	-	1	-	1	6	7	7	5	4	1	2	1	1	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	194	-	-	-	-	-	-	2	3	3	8	3	7	14	14	22	32	26	34	17	7	2	-
	WHITE.....MALE..	76	-	-	-	-	-	-	-	1	2	4	1	1	4	5	11	22	12	8	4	1	-	-
	FEMALE	106	-	-	-	-	-	-	2	2	-	4	2	5	10	5	10	9	13	23	13	6	2	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	2	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	109	3	10	3	2	4	3	-	3	2	2	2	4	9	10	4	12	19	8	7	1	1	-
	WHITE.....MALE..	53	2	4	1	-	1	1	-	1	1	-	1	1	4	5	4	7	11	4	5	-	-	-
	FEMALE	39	1	4	2	2	2	1	-	1	-	1	1	-	4	4	-	3	6	3	2	1	1	-
	NONWHITE.....MALE..	12	-	1	-	-	-	1	-	1	-	-	-	3	1	1	-	1	2	1	-	-	-	-
	FEMALE	5	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	476	1	2	1	1	4	2	1	6	10	9	19	27	26	35	59	57	83	62	47	17	7	-
	WHITE.....MALE..	176	1	-	1	1	1	1	1	1	1	2	6	6	5	10	20	26	38	26	17	7	5	-
	FEMALE	213	-	2	-	-	1	1	-	3	6	3	8	11	12	13	21	26	36	31	28	9	2	-
	NONWHITE.....MALE..	44	-	-	-	-	2	-	-	-	2	1	1	2	5	4	15	4	6	-	1	1	-	-
	FEMALE	43	-	-	-	-	-	-	-	2	1	3	4	8	4	8	3	1	3	5	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	203	-	-	-	-	-	-	-	-	-	-	-	-	-	3	15	22	33	42	41	35	10	2	-
	WHITE.....MALE..	154	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	13	26	32	33	29	9	2	-
	NONWHITE.....MALE..	49	-	-	-	-	-	-	-	-	-	-	-	-	-	2	6	9	7	10	8	6	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	TEXAS--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	111	-	-	-	2	13	18	25	27	19	6	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	75	-	-	-	-	8	14	19	19	12	2	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	36	-	-	-	2	5	4	6	8	7	4	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	23	-	-	-	1	4	2	7	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	16	-	-	-	-	2	2	4	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	7	-	-	-	1	2	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	88	-	-	-	1	9	16	18	24	15	5	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	59	-	-	-	-	6	12	15	16	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	29	-	-	-	1	3	4	3	8	7	3	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	1,193	870	102	30	25	27	19	14	11	11	11	16	13	9	12	10	6	3	4	-	-	-	-
	WHITE.....MALE..	594	440	45	13	13	14	11	6	6	8	4	9	8	3	5	5	4	-	-	-	-	-	-
	FEMALE	447	313	47	13	9	10	6	8	4	1	6	4	4	4	5	5	2	2	4	-	-	-	-
	NONWHITE.....MALE..	82	64	5	2	1	2	1	-	-	1	-	3	-	-	2	-	-	1	-	-	-	-	-
	FEMALE	70	53	5	2	2	1	1	-	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	3,905	3,904	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1,863	1,862	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1,226	1,226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	465	465	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	351	351	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	1,572	1,572	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	823	823	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	507	507	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	1,965	1,964	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	881	880	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	620	620	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	262	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	1,625	129	34	5	3	8	10	11	15	28	36	52	76	105	138	142	160	175	192	151	106	48	1
	WHITE.....MALE..	678	33	14	1	2	3	4	4	3	13	12	25	41	52	65	64	81	68	79	62	42	10	-
	FEMALE	506	34	9	2	1	3	4	1	5	9	10	11	19	26	20	26	32	64	75	75	54	25	1
	NONWHITE.....MALE..	245	34	5	1	-	1	2	3	4	3	6	7	6	16	34	29	31	24	18	6	6	9	-
	FEMALE	196	28	6	1	-	1	-	3	3	3	8	9	10	11	19	23	16	19	20	8	4	4	-
RESID-UAL	ALL OTHER DISEASES.	2,831	171	112	59	48	36	42	47	66	89	113	138	165	166	259	267	304	275	233	153	72	16	-
	WHITE.....MALE..	1,273	75	44	25	25	17	12	16	24	38	50	55	86	76	127	127	135	146	93	64	29	9	-
	FEMALE	1,115	48	50	26	10	13	18	18	24	30	39	58	54	61	86	95	137	102	119	79	41	7	-
	NONWHITE.....MALE..	222	29	10	1	8	4	7	5	8	13	10	9	11	13	27	16	20	14	9	7	1	-	-
	FEMALE	221	19	8	7	5	2	5	8	10	8	14	16	14	16	19	29	12	13	12	3	1	-	-
E800-E962	ACCIDENTS	5,641	282	360	226	191	433	481	330	290	311	334	271	290	284	244	235	271	265	238	193	96	15	1
	WHITE.....MALE..	3,345	108	166	111	114	303	356	242	213	207	213	166	187	191	154	147	140	119	97	73	34	4	-
	FEMALE	1,445	97	115	64	40	76	63	49	38	54	68	57	57	51	58	59	92	117	118	107	55	10	-
	NONWHITE.....MALE..	580	39	37	28	24	47	57	30	31	44	36	39	36	35	23	20	24	8	13	4	4	-	1
	FEMALE	271	38	42	23	13	7	5	9	8	6	17	9	10	7	9	9	15	21	10	9	3	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	2,536	31	135	108	89	286	319	202	151	172	174	136	151	129	118	108	106	81	29	7	4	-	-
	WHITE.....MALE..	1,646	14	64	48	56	198	241	149	106	113	102	76	94	85	79	64	74	54	25	3	1	-	-
	FEMALE	587	11	56	37	19	62	45	35	24	35	41	36	33	25	33	39	24	24	3	2	3	-	-
	NONWHITE.....MALE..	228	1	10	8	10	20	32	14	19	20	20	20	18	16	5	4	7	1	1	2	-	-	-
	FEMALE	75	5	5	15	4	6	1	4	2	4	11	4	6	3	1	1	1	2	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	3,105	251	225	118	102	147	162	128	139	139	160	135	139	155	126	127	165	184	209	186	92	15	1
	WHITE.....MALE..	1,699	94	102	63	58	105	115	93	107	94	111	90	93	106	75	83	66	65	72	70	33	4	-
	FEMALE	858	86	59	27	21	14	18	14	14	19	27	21	24	26	25	20	68	93	115	105	52	10	-
	NONWHITE.....MALE..	352	38	27	20	14	27	25	16	12	24	16	19	18	19	18	16	17	7	12	2	4	-	1
	FEMALE	196	33	37	8	9	1	4	5	6	2	6	5	4	4	8	8	14	19	10	9	3	1	-
E963, E970-E979	SUICIDE	913	...	...	-	5	40	45	62	84	84	75	96	120	83	70	59	37	32	17	4	-	-	-
	WHITE.....MALE..	674	...	...	-	5	25	34	41	52	61	48	73	92	70	53	46	28	26	17	3	-	-	-
	FEMALE	205	...	...	-	-	15	8	16	28	20	25	19	25	12	13	11	7	5	-	1	-	-	-
	NONWHITE.....MALE..	24	...	...	-	-	-	2	1	4	3	2	4	2	-	3	1	2	-	-	-	-	-	-
	FEMALE	10	...	...	-	-	-	1	4	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-
E964, E980-E985	HOMICIDE	738	8	8	4	7	50	102	99	104	70	82	53	53	41	24	20	6	2	4	-	1	-	-
	WHITE.....MALE..	298	1	2	1	2	20	40	40	41	33	29	17	25	21	12	6	5	1	1	-	1	-	-
	FEMALE	87	5	2	3	1	8	8	5	8	6	13	10	5	3	2	5	-	1	2	-	-	-	-
	NONWHITE.....MALE..	284	2	3	-	3	19	43	43	39	25	30	23	20	14	10	9	1	-	-	-	-	-	-
	FEMALE	69	-	1	-	1	3	11	11	16	6	10	3	3	3	-	-	-	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-8)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH																							
	ALL CAUSES	6,322	515	119	72	44	78	89	68	89	131	126	232	307	339	498	629	721	822	692	502	187	58	4
	WHITE.....MALE..	3,567	300	62	44	28	55	61	42	52	77	75	141	206	240	310	390	405	420	322	227	83	24	3
	FEMALE	2,623	189	53	28	16	20	21	22	33	52	47	87	93	93	176	235	307	383	359	273	102	34	-
	NONWHITE.....MALE..	91	16	2	-	-	1	5	4	3	-	3	3	6	5	9	2	8	14	8	1	-	-	1
	FEMALE	41	10	2	-	-	2	2	-	1	2	1	1	2	1	3	2	1	5	3	1	2	-	-
001-019	TUBERCULOSIS, ALL FORMS..	16	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	2	3	-	-	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	2	3	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	16	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	2	3	-	-	-	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	2	3	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	29	4	4	4	1	3	-	-	-	-	1	1	-	-	1	-	3	3	2	2	-	-	-
	WHITE.....MALE..	18	3	3	1	-	2	-	-	-	-	-	1	-	-	1	-	3	1	2	1	-	-	-
	FEMALE	10	-	1	3	1	1	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	869	1	16	10	6	6	3	6	17	24	21	49	65	67	97	118	115	135	68	37	8	-	-
	WHITE.....MALE..	459	1	7	5	3	4	2	4	7	7	8	22	31	38	54	68	66	60	48	19	5	-	-
	FEMALE	391	-	9	5	3	2	1	2	10	17	13	27	34	27	40	50	48	63	19	18	3	-	-
	NONWHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	8	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	17	-	-	-	-	-	-	-	-	-	1	1	1	2	2	3	3	2	2	-	-	-	-
	WHITE.....MALE..	11	-	-	-	-	-	-	-	-	-	1	1	-	-	2	2	3	1	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	268	-	-	-	-	-	-	1	3	2	3	14	18	18	28	47	42	53	22	15	2	-	-
	WHITE.....MALE..	152	-	-	-	-	-	-	1	3	2	1	8	9	11	17	30	26	20	16	6	2	-	-
	FEMALE	110	-	-	-	-	-	-	-	-	-	2	6	9	6	10	17	16	29	6	9	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	92	-	-	-	-	-	-	-	2	1	4	6	7	10	18	15	11	12	5	-	1	-	-
	WHITE.....MALE..	73	-	-	-	-	-	-	-	1	-	3	6	6	10	14	14	9	6	4	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	1	1	1	-	1	-	3	1	1	3	-	-	1	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	80	-	-	-	-	-	-	-	4	6	5	9	12	8	10	8	8	7	1	1	1	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	79	-	-	-	-	-	-	-	4	6	5	9	12	8	10	8	8	6	1	1	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	146	-	1	-	-	1	1	1	3	4	3	6	9	2	14	18	20	29	22	10	2	-	-
	WHITE.....MALE..	73	-	1	-	-	1	-	-	1	1	-	-	2	-	5	8	12	16	15	9	2	-	-
	FEMALE	71	-	-	-	-	-	1	1	2	3	3	6	7	2	8	10	8	12	7	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	43	-	3	1	-	-	-	-	-	-	1	1	3	6	4	4	3	10	3	3	1	-	-
	WHITE.....MALE..	23	-	1	-	-	-	-	-	-	-	1	1	3	3	2	3	1	5	2	-	1	-	-
	FEMALE	17	-	2	1	-	-	-	-	-	-	-	-	-	2	2	1	2	3	1	3	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.....	116	-	5	2	4	2	-	2	3	5	4	7	9	14	11	11	12	14	6	4	1	-	-
	WHITE.....MALE..	70	-	2	1	2	1	-	1	1	4	2	4	5	10	8	5	8	9	5	2	-	-	-
	FEMALE	46	-	3	1	2	1	-	1	2	1	2	3	4	4	3	6	4	5	1	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	50	1	5	5	1	3	1	1	1	3	-	2	3	3	5	3	7	2	2	2	-	-	-
	WHITE.....MALE..	26	1	1	3	1	2	1	1	-	-	-	1	3	1	2	2	3	1	2	1	-	-	-
	FEMALE	24	-	4	2	-	1	-	-	1	3	-	1	-	2	3	1	4	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	57	-	2	2	1	-	1	1	1	3	-	3	3	4	5	9	9	6	5	2	-	-	-
	WHITE.....MALE..	31	-	2	1	-	-	1	1	1	-	-	1	3	3	4	4	4	2	3	1	-	-	-
	FEMALE	25	-	-	1	1	-	-	-	-	3	-	2	-	1	1	5	5	3	2	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	10	-	-	-	1	-	-	-	-	-	-	3	1	1	-	-	2	1	1	-	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	1	-	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	16	-	-	1	-	-	-	-	-	1	1	-	-	1	2	2	2	1	3	2	-	-	-
	WHITE.....MALE..	10	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	2	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	102	-	-	1	-	-	1	-	3	4	2	4	4	6	13	5	21	17	12	9	-	-	-
	WHITE.....MALE..	44	-	-	-	-	-	1	-	1	1	1	3	3	5	6	2	9	6	3	3	-	-	-
	FEMALE	57	-	-	1	-	-	-	-	2	3	1	1	-	1	7	3	12	11	9	6	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	16	-	1	1	1	2	-	1	-	-	-	-	-	1	2	1	3	1	1	1	-	-	-
	WHITE.....MALE..	9	-	1	1	-	1	-	-	-	-	-	-	-	1	1	-	2	1	-	1	-	-	-
	FEMALE	7	-	-	-	1	1	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	10	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE--MALE	4	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	2,999	2	3	5	1	5	11	9	15	27	32	82	133	167	263	356	438	502	455	335	118	38	2
	WHITE--MALE	1,637	1	1	1	1	3	8	4	10	20	22	55	99	127	162	220	233	257	191	150	54	16	2
	FEMALE	1,332	1	2	4	-	2	2	5	5	7	10	27	31	38	96	133	199	242	258	185	63	22	-
	NONWHITE--MALE	21	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	5	2	5	-	-	-	-
	FEMALE	9	-	-	-	-	-	1	-	-	-	-	-	1	-	2	1	1	1	1	-	1	-	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	2,955	2	3	5	-	4	7	7	14	27	28	81	131	162	259	352	434	497	452	333	118	37	2
	WHITE--MALE	1,616	1	1	1	-	3	5	3	10	20	20	55	99	123	160	219	230	255	189	150	54	16	2
	FEMALE	1,312	1	2	4	-	1	2	4	4	7	8	26	30	38	94	130	198	239	257	183	63	21	-
	NONWHITE--MALE	19	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	2	5	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	1	-	-
330-334	VASCULAR LESIONS, ETC	613	1	1	2	-	-	1	-	1	5	1	8	16	21	29	65	97	132	108	88	33	4	-
	WHITE--MALE	258	1	-	1	-	-	1	-	-	5	1	2	8	12	15	28	39	58	39	28	18	2	-
	FEMALE	348	-	1	1	-	-	-	-	1	-	-	6	7	9	14	35	55	73	69	60	15	2	-
	NONWHITE--MALE	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402, 410-443	DISEASES OF HEART	2,157	1	2	3	-	3	5	5	11	21	26	70	112	133	216	266	315	333	312	220	72	29	2
	WHITE--MALE	1,270	-	1	-	-	2	4	2	8	14	19	52	88	106	137	178	180	184	140	110	31	12	2
	FEMALE	871	1	1	3	-	1	1	3	3	7	7	18	23	26	75	87	132	147	169	110	40	17	-
	NONWHITE--MALE	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	3	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS	143	-	-	1	-	2	1	2	7	10	5	18	15	20	22	13	14	9	3	1	-	-	-
	WHITE--MALE	64	-	-	-	-	1	1	1	5	6	2	7	6	14	8	6	5	1	1	-	-	-	-
	FEMALE	79	-	-	1	-	1	-	1	2	4	3	11	9	6	14	7	9	8	2	1	-	-	-
	NONWHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	1,535	1	-	-	-	1	2	1	3	7	20	45	89	100	165	211	238	236	206	140	47	22	1
	WHITE--MALE	996	-	-	-	-	1	2	1	3	7	16	38	78	86	120	150	144	141	101	76	22	9	1
	FEMALE	528	1	-	-	-	-	-	-	-	-	4	7	10	13	42	60	91	95	103	64	25	13	-
	NONWHITE--MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	2	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	176	-	1	-	-	-	-	1	1	-	-	2	2	5	8	12	17	29	36	44	12	5	1
	WHITE--MALE	89	-	1	-	-	-	-	-	-	-	-	2	1	3	3	8	12	17	17	16	5	3	1
	FEMALE	84	-	-	-	-	-	-	1	1	-	-	-	1	2	5	4	5	10	19	28	6	2	-
	NONWHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
430-434	OTHER DISEASES OF HEART	98	-	1	2	-	-	2	1	-	3	1	2	4	2	7	10	12	24	14	8	5	-	-
	WHITE--MALE	48	-	-	-	-	-	1	-	-	1	1	2	2	1	2	6	7	12	4	6	3	-	-
	FEMALE	50	-	1	2	-	-	1	1	-	2	-	-	2	1	5	4	5	12	10	2	2	-	-
	NONWHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS	205	-	-	-	-	-	-	-	-	1	-	3	2	6	14	20	34	35	53	27	8	2	-
	WHITE--MALE	73	-	-	-	-	-	-	-	-	-	-	3	1	2	4	8	12	13	17	12	1	-	-
	FEMALE	130	-	-	-	-	-	-	-	-	1	-	-	1	4	9	12	22	22	35	15	7	2	-
	NONWHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS	21	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	6	6	1	2	-	-
	WHITE--MALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	2	-	1	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	-	2	-	-
	NONWHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	71	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	4	12	16	17	11	3	-
	WHITE--MALE	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	5	9	5	1	-
	FEMALE	41	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	10	9	8	6	2	-
	NONWHITE--MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	93	-	-	-	-	1	1	2	2	1	1	2	3	7	12	12	17	14	10	7	-	1	-
	WHITE--MALE	54	-	-	-	-	1	-	1	2	1	-	-	3	5	7	8	9	9	5	2	-	1	-
	FEMALE	39	-	-	-	-	-	1	1	-	-	1	2	-	2	5	4	8	5	5	5	-	-	-
	NONWHITE--MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	44	-	-	-	1	1	4	2	1	-	4	1	2	5	4	4	4	5	3	2	-	1	-
	WHITE.....MALE..	21	-	-	-	1	-	3	1	-	-	2	-	-	4	2	1	3	2	2	-	-	-	-
	FEMALE	20	-	-	-	-	1	-	1	1	-	2	1	1	-	2	3	1	3	1	2	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	212	28	5	1	-	2	1	-	-	3	2	4	7	6	4	20	17	30	40	27	10	5	-
	WHITE.....MALE..	124	18	4	1	-	-	-	-	-	3	2	1	3	4	2	14	11	18	22	16	3	2	-
	FEMALE	81	7	1	-	-	2	1	-	-	-	-	3	3	1	2	6	6	11	18	10	7	3	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	9	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	1	-
	WHITE.....MALE..	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-
	FEMALE	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	203	26	5	1	-	2	1	-	-	3	2	4	6	5	4	19	17	29	39	26	10	4	-
	WHITE.....MALE..	119	17	4	1	-	-	-	-	-	3	2	1	3	3	2	14	11	17	22	15	3	1	-
	FEMALE	77	6	1	-	-	2	1	-	-	-	-	3	2	1	2	5	6	11	17	10	7	3	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	FEMALE	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	19	5	2	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	1	-	1	-	-
	WHITE.....MALE..	14	3	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	-	1	-	-
	FEMALE	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	79	6	-	-	-	-	-	-	1	-	-	1	7	8	10	10	16	11	6	1	2	-	-
	WHITE.....MALE..	71	6	-	-	-	-	-	-	-	-	-	-	7	8	8	10	13	10	6	1	2	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	56	-	-	-	-	-	-	2	1	1	-	3	3	5	4	9	4	12	5	6	1	-	-
	WHITE.....MALE..	33	-	-	-	-	-	-	1	-	1	-	1	1	3	3	6	2	9	3	2	1	-	-
	FEMALE	22	-	-	-	-	-	-	1	1	-	-	2	2	2	1	3	1	3	2	4	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	7	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-
	WHITE.....MALE..	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	34	5	-	-	-	-	-	-	-	-	-	-	1	1	9	3	4	4	2	4	1	-	-
	WHITE.....MALE..	14	2	-	-	-	-	-	-	-	-	-	-	-	-	4	1	1	2	2	1	1	-	-
	FEMALE	20	3	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	2	-	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	32	13	3	2	-	-	-	-	-	1	-	1	1	-	-	-	1	5	2	1	2	-	-
	WHITE.....MALE..	15	5	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	4	1	1	-	-	-
	FEMALE	11	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	-	-
	NONWHITE.....MALE..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	52	-	-	-	-	-	1	1	-	4	3	7	13	6	4	6	4	1	1	1	-	-	-
	WHITE.....MALE..	30	-	-	-	-	-	1	-	-	1	1	5	7	4	2	6	2	1	-	-	-	-	-
	FEMALE	20	-	-	-	-	-	-	1	-	3	1	2	6	1	2	-	2	-	1	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	22	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	4	3	3	3	3	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	2	1	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	3	1	1	2	3	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	13	-	1	-	-	1	3	-	-	-	-	-	2	-	1	1	1	-	1	-	-	1	-
	WHITE.....MALE..	8	-	1	-	-	1	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	39	-	-	1	-	-	-	1	-	2	1	1	2	7	4	4	5	6	3	1	1	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	3	2	1	-	1	-	-
	FEMALE	21	-	-	1	-	-	-	1	-	2	1	1	1	3	1	2	1	4	2	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	1	2	3	1	-	-
	WHITE.....MALE..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	1	2	3	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	UTAH--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	8	-	-	-	-	1	1	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	7	-	-	-	-	1	1	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	7	-	-	-	-	1	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	143	99	15	6	7	-	2	4	1	3	1	2	-	-	1	1	-	-	1	-	-	-	-
	WHITE.....MALE..	85	61	5	5	2	-	2	3	1	1	1	2	-	-	1	-	-	-	1	-	-	-	-
	FEMALE	58	38	10	1	5	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	295	294	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	179	179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	108	107	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	146	145	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	57	56	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	294	10	4	1	-	1	-	-	1	1	9	11	20	17	26	27	17	35	40	37	25	10	2
	WHITE.....MALE..	148	4	2	1	-	1	-	-	1	-	6	5	16	11	19	22	9	15	15	7	9	4	1
	FEMALE	130	4	1	-	-	-	-	-	-	1	2	4	3	6	6	4	8	17	24	29	15	6	-
	NONWHITE.....MALE..	11	2	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	3	-	-	-	-	1
	FEMALE	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-
RESIDUAL	ALL OTHER DISEASES.	240	14	9	10	6	11	5	2	7	7	15	9	10	11	20	26	21	21	18	12	5	1	-
	WHITE.....MALE..	134	8	4	6	4	8	3	1	2	4	9	2	4	8	12	15	13	10	9	9	2	1	-
	FEMALE	102	6	5	4	2	2	1	1	5	3	5	7	6	3	8	11	8	11	8	3	3	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
E800-E962	ACCIDENTS	563	27	51	27	19	35	49	33	31	36	25	36	21	20	23	25	24	25	24	20	9	3	-
	WHITE.....MALE..	370	8	30	21	16	26	35	24	24	25	18	28	17	15	19	11	16	14	9	10	3	1	-
	FEMALE	173	15	20	6	3	8	11	6	5	10	7	7	3	5	2	14	8	11	14	10	6	2	-
	NONWHITE.....MALE..	15	2	1	-	-	-	2	3	2	-	-	1	1	-	2	-	-	-	1	-	-	-	-
	FEMALE	5	2	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	233	1	14	14	6	22	30	19	19	15	12	15	13	7	6	14	9	9	4	4	-	-	-
	WHITE.....MALE..	162	1	10	12	4	15	22	13	12	9	7	11	9	4	5	8	5	7	4	4	-	-	-
	FEMALE	64	-	4	2	2	6	7	5	5	5	5	4	3	3	1	6	4	2	-	-	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	330	26	37	13	13	13	19	14	12	21	13	21	8	13	17	11	15	16	20	16	9	3	-
	WHITE.....MALE..	208	7	20	9	12	11	13	11	12	16	11	17	8	11	14	3	11	7	5	6	3	1	-
	FEMALE	109	15	16	4	1	2	4	1	-	5	2	3	-	2	1	8	4	9	14	10	6	2	-
	NONWHITE.....MALE..	10	2	1	-	-	-	1	2	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-
	FEMALE	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE	99	...	...	-	1	5	7	6	6	15	12	11	14	10	2	5	4	1	-	-	-	-	-
	WHITE.....MALE..	78	...	...	-	1	3	6	3	5	13	6	10	12	9	2	3	4	1	-	-	-	-	-
	FEMALE	18	...	...	-	-	1	1	3	-	2	5	1	2	1	-	2	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	...	...	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	20	-	-	-	-	5	5	2	1	-	1	2	1	-	2	-	1	-	-	-	-	-	-
	WHITE.....MALE..	11	-	-	-	-	5	-	1	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT																							
	ALL CAUSES	4,355	210	25	19	15	24	35	25	35	49	83	112	208	254	335	470	563	597	620	430	178	61	7
	WHITE.....MALE..	2,358	122	13	10	10	21	29	17	21	28	53	73	135	167	213	282	318	296	296	162	64	22	6
	FEMALE	1,983	88	12	9	5	3	5	8	14	21	29	39	72	87	121	186	243	300	320	267	114	39	1
	NONWHITE.....MALE..	9	-	-	-	-	-	1	-	-	-	1	-	1	-	-	2	1	-	2	1	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-
001-019	TUBERCULOSIS, ALL FORMS..	22	1	-	-	-	-	-	-	2	-	-	1	3	2	3	3	3	1	1	1	1	-	-
	WHITE.....MALE..	18	1	-	-	-	-	-	-	-	-	-	1	3	2	3	2	3	1	-	1	1	-	-
	FEMALE	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	19	1	-	-	-	-	-	-	2	-	-	1	3	2	2	2	3	1	1	1	-	-	-
	WHITE.....MALE..	15	1	-	-	-	-	-	-	-	-	-	1	3	2	2	1	3	1	-	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	12	2	-	3	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	-	-	-	-
	WHITE.....MALE..	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	FEMALE	7	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	720	2	3	4	1	3	2	1	8	13	15	35	54	77	78	100	118	89	68	40	2	4	3
	WHITE.....MALE..	359	1	-	1	1	2	1	1	5	4	4	17	27	42	40	51	67	41	33	15	2	1	3
	FEMALE	359	1	3	3	-	1	1	-	3	9	11	18	27	35	37	49	50	48	35	25	-	3	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX	12	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	1	2	2	-	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.	232	1	-	-	-	-	-	-	2	1	2	9	16	18	25	34	46	30	27	17	1	3	-
	WHITE.....MALE..	112	1	-	-	-	-	-	-	2	1	1	6	8	10	12	19	21	12	13	4	1	1	-
	FEMALE	119	-	-	-	-	-	-	-	-	-	1	3	8	8	13	15	24	18	14	13	-	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.	105	-	-	-	-	-	-	-	1	2	1	5	15	18	12	21	18	7	2	1	-	-	2
	WHITE.....MALE..	83	-	-	-	-	-	-	-	1	-	1	4	10	15	11	14	18	5	2	-	-	-	2
	FEMALE	22	-	-	-	-	-	-	-	-	2	-	1	5	3	1	7	-	2	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST	77	-	-	-	-	-	-	-	2	2	6	9	6	11	8	10	4	11	7	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	76	-	-	-	-	-	-	-	2	2	6	8	6	11	8	10	4	11	7	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS	118	-	-	-	-	-	-	-	-	3	4	3	7	10	13	19	18	15	14	10	1	1	-
	WHITE.....MALE..	48	-	-	-	-	-	-	-	-	-	1	-	2	2	4	8	7	10	9	4	1	-	-
	FEMALE	69	-	-	-	-	-	-	-	-	3	3	3	5	8	8	11	11	5	5	6	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS	41	-	1	-	-	-	-	-	-	-	-	-	-	3	4	7	9	7	5	5	-	-	-
	WHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	6	5	3	2	-	-	-
	FEMALE	18	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	3	2	2	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.	67	-	2	1	1	1	-	1	2	2	2	5	4	7	8	4	12	10	2	3	-	-	-
	WHITE.....MALE..	42	-	-	-	1	1	-	1	1	1	1	3	3	5	5	4	8	5	-	3	-	-	-
	FEMALE	25	-	2	1	-	-	-	-	1	1	1	2	1	2	3	-	4	5	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA	30	-	-	2	-	1	-	-	-	1	-	-	3	2	1	3	6	3	7	-	-	-	1
	WHITE.....MALE..	18	-	-	-	-	1	-	-	-	-	-	-	1	2	1	2	5	1	4	-	-	-	1
	FEMALE	12	-	-	2	-	-	-	-	-	1	-	-	2	-	-	1	1	2	3	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.	38	1	-	1	-	1	2	-	1	1	-	3	2	7	5	2	4	5	2	1	-	-	-
	WHITE.....MALE..	26	-	-	1	-	-	1	-	1	1	-	2	2	5	4	1	2	3	2	1	-	-	-
	FEMALE	12	1	-	-	-	1	1	-	-	-	-	1	-	2	1	1	2	2	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	7	-	-	-	-	-	-	1	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA	13	-	-	-	1	-	-	-	-	-	-	1	1	1	3	2	1	2	1	-	-	-	-
	WHITE.....MALE..	8	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS	58	-	-	-	-	-	2	2	-	1	-	3	3	4	8	10	10	5	7	2	1	-	-
	WHITE.....MALE..	22	-	-	-	-	-	2	2	-	1	-	3	1	2	4	1	2	1	2	-	1	-	-
	FEMALE	36	-	-	-	-	-	-	-	-	-	-	-	2	2	4	9	8	4	5	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	ANEMIAS	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	2	-	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	5	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	2,496	-	-	-	1	-	2	4	9	8	31	33	102	120	177	267	342	424	460	323	143	47	3
	WHITE.....MALE..	1,300	-	-	-	-	-	1	3	5	5	26	26	71	81	116	164	190	204	212	120	53	20	3
	FEMALE	1,189	-	-	-	1	-	1	1	4	3	5	7	30	39	61	103	151	219	245	202	90	27	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	2,465	-	-	-	1	-	1	2	8	8	30	30	99	120	175	261	342	421	452	322	143	47	3
	WHITE.....MALE..	1,281	-	-	-	-	-	-	1	4	5	25	23	70	81	114	160	190	203	210	119	53	20	3
	FEMALE	1,178	-	-	-	1	-	1	1	4	3	5	7	28	39	61	101	151	218	239	202	90	27	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
330-334	VASCULAR LESIONS, ETC.	501	-	-	-	1	-	-	1	3	3	2	2	16	16	30	44	66	95	107	76	34	5	-
	WHITE.....MALE..	216	-	-	-	-	-	-	1	1	1	-	-	8	6	16	23	35	40	50	22	12	1	-
	FEMALE	285	-	-	-	1	-	-	-	2	2	2	2	8	10	14	21	31	55	57	54	22	4	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402, 410-443	DISEASES OF HEART	1,739	-	-	-	-	-	1	1	4	5	26	26	77	97	134	194	248	299	305	205	85	29	3
	WHITE.....MALE..	948	-	-	-	-	-	-	-	3	4	23	22	58	71	91	122	143	147	143	78	27	13	3
	FEMALE	786	-	-	-	-	-	1	1	1	1	3	4	19	26	43	72	104	152	159	126	58	16	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	49	-	-	-	-	-	1	-	1	2	-	5	5	6	5	9	1	5	5	2	2	-	-
	WHITE.....MALE..	19	-	-	-	-	-	-	-	1	1	-	2	1	2	2	4	1	2	1	1	1	-	-
	FEMALE	30	-	-	-	-	-	1	-	-	1	-	3	4	4	3	5	-	3	4	1	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	1,413	-	-	-	-	-	-	-	2	3	22	17	64	80	113	151	214	258	239	159	69	21	1
	WHITE.....MALE..	807	-	-	-	-	-	-	-	1	3	20	16	50	62	82	101	127	133	119	61	23	8	1
	FEMALE	601	-	-	-	-	-	-	-	1	-	2	1	14	18	31	50	86	125	117	97	46	13	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	110	-	-	-	-	-	-	-	-	-	1	-	2	2	8	8	12	12	34	18	10	2	1
	WHITE.....MALE..	51	-	-	-	-	-	-	-	-	-	1	-	2	1	3	5	7	5	16	5	3	2	1
	FEMALE	59	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	5	7	18	13	7	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	46	-	-	-	-	-	-	-	-	-	2	1	5	3	1	8	6	5	5	6	-	4	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	2	1	5	3	-	5	5	2	2	4	-	2	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	2	-	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	121	-	-	-	-	-	-	1	1	-	1	3	1	6	7	18	15	19	22	20	4	2	1
	WHITE.....MALE..	40	-	-	-	-	-	-	-	1	-	-	3	-	3	4	7	3	5	5	7	-	1	1
	FEMALE	81	-	-	-	-	-	-	1	-	-	1	-	1	3	3	11	12	14	17	13	4	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	46	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	8	6	8	9	3	2	-
	WHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	3	3	3	1	1	-
	FEMALE	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	5	6	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	110	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	11	13	23	28	18	11	-
	WHITE.....MALE..	60	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	9	11	15	11	5	-
	FEMALE	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	12	13	7	6	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	69	-	-	-	-	-	-	-	1	-	2	2	5	6	7	13	9	8	9	4	3	-	-
	WHITE.....MALE..	36	-	-	-	-	-	-	-	-	-	2	1	3	3	4	10	3	4	3	1	2	-	-
	FEMALE	32	-	-	-	-	-	-	-	1	-	-	1	1	3	3	3	6	4	6	3	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	31	-	-	-	-	-	1	2	1	-	1	3	3	-	2	6	-	3	8	1	-	-	-
	WHITE.....MALE..	19	-	-	-	-	-	1	2	1	-	1	3	1	-	2	4	-	1	2	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	6	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	149	9	5	3	2	-	3	2	1	-	5	2	5	2	7	12	15	19	19	22	13	3	-
	WHITE.....MALE..	85	7	3	1	1	-	2	1	1	-	1	2	2	2	7	10	10	12	13	8	2	-	-
	FEMALE	63	2	2	2	1	-	1	1	-	-	3	-	3	-	-	2	5	7	6	14	11	3	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	13	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	3	2	1	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	136	9	5	3	2	-	3	2	1	-	5	2	4	2	5	12	13	18	18	19	11	2	-
	WHITE.....MALE..	78	7	3	1	1	-	2	1	1	-	1	2	1	2	5	10	9	11	12	7	2	-	-
	FEMALE	57	2	2	2	1	-	1	1	-	-	3	-	3	-	-	2	4	7	6	12	9	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	15	1	1	-	-	-	-	-	-	-	-	-	1	1	4	2	2	1	2	-	-	-	-
	WHITE.....MALE..	12	1	1	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	1	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	73	2	-	1	-	-	-	-	-	-	2	4	5	8	9	16	11	9	4	1	-	-	1
	WHITE.....MALE..	60	-	-	1	-	-	-	-	-	-	2	2	5	8	8	15	9	8	1	1	-	-	1
	FEMALE	13	2	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	1	3	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	23	-	-	-	-	-	-	-	-	1	-	-	2	2	1	5	7	1	-	2	1	1	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	5	1	-	1	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	1	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	26	4	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	3	6	3	2	1	-
	WHITE.....MALE..	12	2	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	4	1	-	-	-
	FEMALE	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	21	1	-	-	-	1	-	-	-	-	-	1	-	1	1	1	2	1	2	3	1	-	-
	WHITE.....MALE..	8	1	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	2	-	-	1	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2	3	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	37	-	-	-	-	-	-	-	2	1	-	2	6	6	5	3	4	2	5	1	-	-	-
	WHITE.....MALE..	22	-	-	-	-	-	-	-	2	1	-	1	4	2	3	2	1	3	-	3	1	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	2	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	15	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	2	5	1	-	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	19	-	-	-	-	-	-	1	-	-	-	1	1	1	2	2	1	3	3	3	-	1	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	1	2	-	-	-
	FEMALE	10	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	1	2	1	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	-	-	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VERMONT--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	44	39	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	25	21	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	19	18	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	133	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	56	3	-	-	-	-	-	1	1	-	1	3	2	5	7	8	10	3	3	3	4	2	-
	WHITE.....MALE..	42	2	-	-	-	-	-	-	1	-	1	3	2	5	4	8	10	2	2	2	-	-	-
	FEMALE	14	1	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	1	1	1	4	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	111	2	-	3	4	3	3	1	-	6	7	6	7	3	11	7	11	9	12	10	5	1	-
	WHITE.....MALE..	64	-	-	1	3	3	2	-	-	5	1	4	3	1	7	4	5	6	10	5	3	1	-
	FEMALE	46	2	-	2	1	-	1	1	-	1	6	2	4	2	4	2	6	3	2	5	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	ACCIDENTS.	218	10	13	4	4	16	20	11	7	12	15	9	10	7	9	14	10	11	16	14	5	1	-
	WHITE.....MALE..	143	7	7	4	3	14	18	9	5	10	13	6	9	6	6	8	2	5	7	3	1	-	-
	FEMALE	74	3	6	-	1	2	1	2	2	2	2	3	1	1	3	6	8	6	9	11	4	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	100	-	3	3	1	11	13	10	4	7	9	3	4	4	6	4	6	5	2	3	2	-	-
	WHITE.....MALE..	70	-	2	3	-	9	12	8	3	5	9	1	3	3	4	1	2	3	1	1	-	-	-
	FEMALE	29	-	1	-	1	2	-	2	1	2	-	2	1	1	2	3	4	2	1	2	2	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	118	10	10	1	3	5	7	1	3	5	6	6	6	3	3	10	4	6	14	11	3	1	-
	WHITE.....MALE..	73	7	5	1	3	5	6	1	2	5	4	5	6	3	2	7	-	2	6	2	1	-	-
	FEMALE	45	3	5	-	-	-	1	-	1	-	2	1	-	-	1	3	4	4	8	9	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	49	...	...	-	1	-	2	1	3	2	5	7	4	8	3	5	5	2	1	-	-	-	-
	WHITE.....MALE..	39	...	...	-	1	-	2	1	2	2	4	5	3	7	2	4	3	2	1	-	-	-	-
	FEMALE	10	...	...	-	-	-	-	-	1	-	1	2	1	1	1	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA																							
	ALL CAUSES	35,658	2,818	358	195	162	319	323	357	468	798	1,125	1,599	2,164	2,570	3,138	3,848	4,282	4,071	3,494	2,368	903	285	13
	WHITE.....MALE	15,140	1,010	133	75	68	173	170	167	194	316	488	755	1,019	1,289	1,413	1,729	1,802	1,733	1,362	860	298	83	3
	FEMALE	11,280	736	103	54	41	65	57	71	101	172	240	340	469	554	759	1,000	1,410	1,604	1,653	1,222	494	131	4
	NONWHITE.....MALE	5,076	592	56	33	38	63	68	79	102	166	226	292	399	398	494	655	557	391	241	141	47	32	6
	FEMALE	4,162	480	66	33	15	18	28	40	71	144	171	212	277	329	472	464	513	343	238	145	64	39	-
001-019	TUBERCULOSIS, ALL FORMS	197	-	1	1	1	2	-	1	1	11	6	13	17	20	21	31	26	22	12	10	1	-	-
	WHITE.....MALE	89	-	-	-	-	-	-	-	-	4	3	8	8	5	11	18	7	12	7	5	1	-	-
	FEMALE	29	-	-	-	-	1	-	-	-	1	-	2	2	2	2	4	5	2	4	4	-	-	-
	NONWHITE.....MALE	55	-	-	1	1	1	-	1	1	3	3	1	5	8	6	7	10	5	1	1	-	-	-
	FEMALE	24	-	1	-	-	-	-	-	-	3	-	2	2	5	2	2	4	3	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	177	-	-	-	-	2	-	1	1	10	6	13	13	19	19	27	23	22	11	9	1	-	-
	WHITE.....MALE	83	-	-	-	-	-	-	-	-	4	3	8	6	5	10	15	7	12	7	5	1	-	-
	FEMALE	24	-	-	-	-	1	-	-	-	1	-	2	1	2	2	4	3	2	3	3	-	-	-
	NONWHITE.....MALE	49	-	-	-	-	1	-	1	1	2	3	1	4	8	5	6	10	5	1	1	-	-	-
	FEMALE	21	-	-	-	-	-	-	-	-	3	-	2	2	4	2	2	3	3	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	20	-	1	1	1	-	-	-	-	1	-	-	4	1	2	4	3	-	1	1	-	-	-
	WHITE.....MALE	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	-
	NONWHITE.....MALE	6	-	-	1	1	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	FEMALE	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	64	-	-	-	-	-	-	-	-	2	2	5	13	11	8	10	7	4	1	1	-	-	-
	WHITE.....MALE	10	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	1	2	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-
	NONWHITE.....MALE	36	-	-	-	-	-	-	-	-	1	1	5	7	6	5	6	4	-	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	1	1	-	2	3	1	1	2	2	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	13	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	20	5	8	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	WHITE.....MALE	7	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	2	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	NONWHITE.....MALE	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	10	2	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	123	24	11	4	5	2	2	3	1	8	3	5	9	8	13	9	5	3	7	-	1	-	-
	WHITE.....MALE	39	5	5	2	1	-	1	-	-	1	1	2	3	3	7	4	-	2	1	-	1	-	-
	FEMALE	48	7	6	1	4	2	1	2	1	1	1	1	6	1	4	2	3	-	5	-	-	-	-
	NONWHITE.....MALE	14	5	-	-	-	-	-	1	-	2	1	1	-	1	1	1	-	1	-	-	-	-	-
	FEMALE	22	7	-	1	-	-	-	-	-	4	-	1	-	3	1	2	2	-	1	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	5,168	5	41	28	21	21	32	46	61	122	208	345	510	563	620	729	680	553	351	178	42	11	1
	WHITE.....MALE..	2,153	2	13	10	7	12	22	19	27	47	65	140	175	234	274	322	315	242	144	69	11	3	-
	FEMALE	1,923	2	21	12	8	6	7	17	19	39	84	123	194	210	191	231	247	231	163	90	23	5	-
	NONWHITE.....MALE..	590	-	3	1	4	3	2	5	3	14	26	40	74	65	79	111	68	53	20	11	5	2	1
	FEMALE	502	1	4	5	2	-	1	5	12	22	33	42	67	54	76	65	50	27	24	8	3	1	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	125	-	2	2	-	1	1	-	-	1	2	11	18	20	11	16	13	13	10	4	-	-	-
	WHITE.....MALE..	71	-	-	2	-	1	1	-	-	1	-	9	6	8	7	12	9	9	4	2	-	-	-
	FEMALE	32	-	2	-	-	-	-	-	-	-	-	-	5	7	4	-	3	3	6	2	-	-	-
	NONWHITE.....MALE..	21	-	-	-	-	-	-	-	-	-	2	2	7	5	-	3	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,534	-	2	-	-	2	5	3	9	17	53	72	119	160	192	239	235	201	121	76	21	6	1
	WHITE.....MALE..	614	-	1	-	-	1	4	2	5	9	22	30	45	78	70	93	95	72	51	28	5	3	-
	FEMALE	550	-	1	-	-	-	1	1	2	4	9	16	31	46	60	87	88	95	54	40	13	2	-
	NONWHITE.....MALE..	216	-	-	-	-	1	-	-	1	3	13	12	30	20	34	36	32	18	6	6	2	1	1
	FEMALE	154	-	-	-	-	-	-	-	1	1	9	14	13	16	28	23	20	16	10	2	1	-	-
160-164	OF RESP. SYSTEM, ETC.....	903	-	1	-	-	-	-	3	8	16	35	72	111	129	145	158	109	69	37	8	2	-	-
	WHITE.....MALE..	632	-	-	-	-	-	-	2	4	9	18	52	74	88	111	113	82	46	29	4	-	-	-
	FEMALE	133	-	-	-	-	-	-	-	2	1	10	10	16	22	13	19	16	14	5	4	1	-	-
	NONWHITE.....MALE..	117	-	-	-	-	-	-	1	1	4	7	9	18	14	17	24	11	8	2	-	1	-	-
	FEMALE	21	-	1	-	-	-	-	-	1	2	-	1	3	5	4	2	-	1	1	-	-	-	-
170	OF BREAST.....	416	1	-	-	-	-	-	1	8	18	27	43	63	54	47	41	38	34	23	14	1	3	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	336	-	-	-	-	-	-	1	4	13	22	34	47	44	37	35	31	31	21	13	1	2	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	75	1	-	-	-	-	-	-	4	5	4	8	15	10	9	5	7	3	2	1	-	1	-
171-179	OF GENITAL ORGANS.....	773	-	-	-	1	-	5	12	8	25	29	44	80	67	79	103	122	93	64	30	10	1	-
	WHITE.....MALE..	225	-	-	-	-	-	5	1	1	3	-	2	5	6	21	29	51	50	28	19	4	-	-
	FEMALE	336	-	-	-	1	-	-	7	5	9	19	32	53	44	31	31	45	24	26	5	4	-	-
	NONWHITE.....MALE..	94	-	-	-	-	-	-	-	-	1	-	2	1	6	12	26	16	14	10	4	1	1	-
	FEMALE	118	-	-	-	-	-	-	4	2	12	10	8	21	11	15	17	10	5	-	2	1	-	-
180, 181	OF URINARY ORGANS.....	216	-	6	5	-	-	-	1	1	1	4	13	17	20	20	23	34	34	21	14	2	-	-
	WHITE.....MALE..	102	-	3	-	-	-	-	-	-	1	2	6	7	8	11	8	21	20	9	5	1	-	-
	FEMALE	60	-	2	3	-	-	-	1	-	-	1	2	3	2	5	5	9	10	8	8	1	-	-
	NONWHITE.....MALE..	31	-	1	-	-	-	-	-	-	-	-	4	3	8	1	8	1	3	1	1	-	-	-
	FEMALE	23	-	-	2	-	-	-	-	1	-	1	1	4	2	3	2	3	1	3	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	719	2	15	4	6	11	9	11	16	29	38	57	63	74	82	94	75	63	44	22	3	1	-
	WHITE.....MALE..	276	2	4	-	1	5	6	3	9	17	13	24	20	28	37	40	24	23	12	8	-	-	-
	FEMALE	294	-	7	2	3	5	3	4	3	8	14	19	26	29	22	33	39	36	28	11	1	1	-
	NONWHITE.....MALE..	67	-	2	-	-	1	-	3	1	2	3	8	10	10	9	8	5	4	-	-	1	-	-
	FEMALE	82	-	2	2	2	-	-	1	3	2	8	6	7	7	14	13	7	-	4	3	1	-	-
204	LEUKEMIA AND ALEUKEMIA...	232	1	13	14	11	4	4	7	5	3	6	13	13	16	18	29	30	17	21	6	1	-	-
	WHITE.....MALE..	113	-	4	6	3	2	2	5	4	3	2	10	3	9	7	16	19	10	6	2	-	-	-
	FEMALE	93	1	8	7	4	1	1	2	1	-	4	2	7	6	7	11	10	5	11	4	1	-	-
	NONWHITE.....MALE..	12	-	-	-	4	1	-	-	-	-	-	-	-	-	2	1	1	2	1	-	-	-	-
	FEMALE	14	-	1	1	-	-	1	-	-	-	-	1	3	1	2	1	-	-	3	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	250	1	2	3	3	3	8	8	6	12	14	20	26	23	26	26	24	29	10	4	2	-	-
	WHITE.....MALE..	117	-	1	2	3	3	4	6	4	4	7	7	14	9	10	10	14	12	5	1	1	-	-
	FEMALE	89	1	1	-	-	-	2	1	2	4	5	8	6	10	12	10	6	13	4	3	1	-	-
	NONWHITE.....MALE..	30	-	-	1	-	-	2	1	-	4	1	2	5	2	3	5	1	3	-	-	-	-	-
	FEMALE	14	-	-	-	-	-	-	-	-	-	1	3	1	2	1	1	3	1	1	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	95	2	1	3	3	3	2	3	7	6	10	2	11	7	7	12	4	9	2	-	1	-	-
	WHITE.....MALE..	33	1	-	1	-	1	1	1	4	2	2	1	4	4	2	2	3	3	1	-	-	-	-
	FEMALE	32	1	1	-	2	1	-	2	3	-	5	-	4	1	3	4	1	4	-	-	-	-	-
	NONWHITE.....MALE..	13	-	-	-	1	-	-	-	-	1	1	-	1	2	2	2	-	2	1	-	-	-	-
	FEMALE	17	-	-	2	-	1	1	-	-	3	2	1	2	-	-	4	-	-	-	-	1	-	-
241	ASTHMA.....	88	2	-	1	2	2	-	4	2	3	3	9	7	12	9	12	7	7	3	3	-	-	-
	WHITE.....MALE..	35	1	-	-	-	-	-	1	1	-	-	4	-	6	6	5	4	4	2	1	-	-	-
	FEMALE	30	-	-	-	1	1	-	2	-	1	2	5	4	2	1	4	2	2	1	2	-	-	-
	NONWHITE.....MALE..	12	-	-	1	-	-	-	-	-	1	-	-	3	3	1	1	1	1	-	-	-	-	-
	FEMALE	11	1	-	-	1	1	-	1	1	1	1	-	-	1	1	2	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	524	-	1	1	1	2	3	1	6	6	17	23	33	40	73	84	95	68	45	23	2	-	-
	WHITE.....MALE..	158	-	-	-	-	1	-	-	3	2	6	7	14	11	21	26	29	21	12	4	1	-	-
	FEMALE	198	-	1	-	1	-	-	-	1	3	2	5	7	9	22	31	43	34	24	15	-	-	-
	NONWHITE.....MALE..	53	-	-	1	-	-	2	1	1	1	2	2	4	7	7	7	10	5	3	-	-	-	-
	FEMALE	115	-	-	-	-	1	1	-	1	-	7	9	8	13	23	20	13	8	6	4	1	-	-
290-293	ANEMIAS.....	70	3	5	3	-	3	1	1	-	3	2	1	5	7	5	8	5	9	6	2	1	-	-
	WHITE.....MALE..	22	1	1	-	-	-	-	-	-	-	-	1	-	4	3	3	3	5	1	-	-	-	-
	FEMALE	30	1	2	2	-	1	-	-	-	1	-	-	3	2	2	4	2	4	4	1	1	-	-
	NONWHITE.....MALE..	8	-	1	-	-	2	1	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	FEMALE	10	1	1	1	-	-	-	-	-	1	2	-	1	1	-	1	-	-	-	1	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	56	22	7	3	1	1	1	-	-	2	2	3	-	1	3	2	1	1	2	2	2	-	-
	WHITE.....MALE..	21	4	3	1	1	-	1	-	-	2	2	2	-	1	1	-	-	-	1	1	1	-	-
	FEMALE	14	6	-	1	-	1	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-
	NONWHITE.....MALE..	13	9	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-
	FEMALE	8	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	19,103	15	5	7	15	11	15	55	91	269	445	715	1,058	1,369	1,824	2,322	2,812	2,790	2,578	1,787	693	219	8
	WHITE.....MALE..	8,133	5	3	2	5	3	4	29	31	100	217	371	562	730	830	1,041	1,127	1,156	983	633	234	65	2
	FEMALE	6,273	2	1	2	5	4	2	9	14	47	62	104	143	210	395	580	932	1,114	1,229	935	380	100	3
	NONWHITE.....MALE..	2,424	5	-	2	3	3	3	5	19	63	93	133	202	220	292	392	373	259	188	112	30	24	3
	FEMALE	2,273	3	1	1	2	1	6	12	27	59	73	107	151	209	307	309	380	261	178	107	49	30	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	18,824	11	4	7	12	5	13	45	80	257	428	699	1,039	1,345	1,806	2,297	2,781	2,764	2,548	1,769	688	218	8
	WHITE.....MALE..	8,030	3	3	2	5	1	3	22	28	95	209	367	557	722	825	1,031	1,112	1,149	974	626	229	65	2
	FEMALE	6,188	2	1	2	2	1	2	9	13	42	59	101	138	203	390	573	926	1,099	1,212	930	380	100	3
	NONWHITE.....MALE..	2,378	3	-	2	3	3	3	5	18	63	88	129	198	214	289	386	368	256	185	108	30	24	3
	FEMALE	2,228	3	-	1	2	-	5	9	21	57	72	102	146	206	302	307	375	260	177	105	49	29	-
330-334	VASCULAR LESIONS, ETC.	4,112	3	1	3	2	1	1	16	20	59	60	118	169	213	346	439	600	686	668	488	161	57	1
	WHITE.....MALE..	1,354	2	-	-	-	-	-	7	5	9	11	37	57	76	93	133	192	255	252	168	45	12	-
	FEMALE	1,548	-	1	2	1	1	1	4	3	16	17	27	24	43	70	118	215	285	318	275	94	32	1
	NONWHITE.....MALE..	582	-	-	1	-	-	-	2	4	17	12	27	47	39	84	104	96	70	46	19	9	5	-
	FEMALE	628	1	-	-	1	-	-	3	8	17	20	27	41	55	99	84	97	76	52	26	13	8	-
400-402, 410-443	DISEASES OF HEART	13,267	8	2	4	9	4	9	23	46	164	345	536	814	1,065	1,356	1,728	1,976	1,861	1,661	1,080	437	132	7
	WHITE.....MALE..	6,095	1	2	2	4	1	2	13	19	80	196	312	473	612	691	832	834	799	635	382	156	47	2
	FEMALE	4,131	2	-	-	1	-	-	4	8	23	39	67	107	152	292	427	643	732	788	555	236	53	2
	NONWHITE.....MALE..	1,614	3	-	1	3	3	3	-	9	35	65	88	138	166	185	259	247	169	129	75	18	15	3
	FEMALE	1,427	2	-	1	1	-	4	6	10	26	45	69	96	135	188	210	252	161	109	68	27	17	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	275	1	-	2	3	2	3	6	9	25	34	32	36	22	30	21	25	7	10	6	1	-	-
	WHITE.....MALE..	99	-	-	1	2	1	1	4	2	9	18	12	11	6	13	9	7	-	3	-	-	-	-
	FEMALE	124	-	-	-	-	-	-	2	2	11	13	14	17	11	14	11	13	4	6	5	1	-	-
	NONWHITE.....MALE..	22	1	-	-	1	1	1	-	-	1	1	3	4	2	1	1	2	2	-	1	-	-	-
	FEMALE	30	-	-	1	-	-	1	-	5	4	2	3	4	3	2	-	3	1	1	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	9,248	-	1	-	1	-	2	8	27	105	240	402	607	824	1,024	1,264	1,423	1,301	1,034	643	260	76	6
	WHITE.....MALE..	4,885	-	1	-	-	-	1	6	16	68	171	278	410	535	584	688	682	621	441	253	103	25	2
	FEMALE	2,731	-	-	-	1	-	-	-	2	6	18	36	66	119	233	312	457	501	487	324	136	31	2
	NONWHITE.....MALE..	942	-	-	-	-	-	1	-	6	19	33	51	87	101	121	155	150	101	59	39	7	10	2
	FEMALE	690	-	-	-	-	-	-	2	3	12	18	37	44	69	86	109	134	78	47	27	14	10	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	1,394	1	-	-	2	1	1	-	2	4	9	18	30	42	70	130	216	226	293	220	101	28	-
	WHITE.....MALE..	480	-	-	-	1	-	-	-	1	2	2	4	9	18	24	45	73	92	100	64	32	13	-
	FEMALE	525	1	-	-	-	-	-	-	1	1	-	5	6	6	9	30	74	72	139	114	55	12	-
	NONWHITE.....MALE..	183	-	-	-	-	1	-	-	-	1	4	7	7	9	17	24	32	26	26	19	8	2	-
	FEMALE	206	-	-	-	1	-	1	-	-	-	3	2	8	9	20	31	37	36	28	23	6	1	-
430-434	OTHER DISEASES OF HEART	536	6	1	2	3	1	1	6	3	7	17	23	38	43	49	60	65	63	75	50	16	6	1
	WHITE.....MALE..	188	1	1	1	1	-	-	2	-	1	2	10	15	21	18	23	22	21	24	19	4	2	-
	FEMALE	159	1	-	-	-	-	-	2	2	2	5	4	9	3	10	12	15	27	31	23	11	2	-
	NONWHITE.....MALE..	100	2	-	1	2	1	1	-	1	1	4	3	9	10	7	15	19	8	11	4	-	-	1
	FEMALE	89	2	-	-	-	-	-	2	-	3	6	6	5	9	14	10	9	7	9	4	1	2	-
440-443	HYPERTENSIVE HEART DIS.	1,814	-	-	-	-	-	2	3	5	23	45	61	103	134	183	253	247	264	249	161	59	22	-
	WHITE.....MALE..	443	-	-	-	-	-	-	1	-	-	3	8	28	32	52	67	50	65	67	46	17	7	-
	FEMALE	592	-	-	-	-	-	-	-	1	3	3	8	9	13	26	62	84	128	125	89	33	8	-
	NONWHITE.....MALE..	367	-	-	-	-	-	-	-	2	13	23	24	31	44	39	64	44	32	33	12	3	3	-
	FEMALE	412	-	-	-	-	-	2	2	2	7	16	21	35	45	66	60	69	39	24	14	6	4	-
444-447	OTHER HYPERTENSIVE DIS.	298	-	-	-	-	-	-	5	7	20	13	17	12	16	25	23	32	43	42	29	11	3	-
	WHITE.....MALE..	80	-	-	-	-	-	-	1	1	2	-	4	3	5	7	7	10	13	14	10	2	1	-
	FEMALE	96	-	-	-	-	-	-	1	-	1	1	3	1	3	6	8	7	19	23	14	9	-	-
	NONWHITE.....MALE..	73	-	-	-	-	-	-	3	4	9	9	7	6	1	8	7	8	5	2	3	-	1	-
	FEMALE	49	-	-	-	-	-	-	-	2	8	3	3	2	7	4	1	7	6	3	2	-	1	-
450	GENERAL ARTERIOSCLEROSIS	680	-	-	-	-	-	-	-	-	-	1	5	6	17	24	35	90	120	144	141	71	26	-
	WHITE.....MALE..	264	-	-	-	-	-	-	-	-	-	-	1	3	7	6	16	31	57	55	58	25	5	-
	FEMALE	283	-	-	-	-	-	-	-	-	-	1	1	-	2	6	7	38	42	69	66	36	15	-
	NONWHITE.....MALE..	63	-	-	-	-	-	-	-	-	-	-	1	2	5	6	9	10	7	8	9	3	3	-
	FEMALE	70	-	-	-	-	-	-	-	-	-	-	2	1	3	6	3	11	14	12	8	7	3	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	467	-	1	-	1	-	3	1	7	14	9	23	38	34	55	72	83	54	33	31	8	-	-
	WHITE.....MALE..	237	-	1	-	1	-	1	1	3	4	2	13	21	22	28	43	45	25	18	8	1	-	-
	FEMALE	130	-	-	-	-	-	1	-	2	2	1	3	6	3	16	13	23	21	14	20	5	-	-
	NONWHITE.....MALE..	46	-	-	-	-	-	-	-	1	2	2	6	5	3	6	7	7	5	-	2	-	-	-
	FEMALE	54	-	-	-	-	-	1	-	1	6	4	1	6	6	5	9	8	3	1	1	2	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	279	4	1	-	3	6	2	10	11	12	17	16	19	24	18	25	31	26	30	18	5	1	-
	WHITE.....MALE..	103	2	-	-	-	2	1	7	3	5	8	4	5	8	5	10	15	7	9	7	5	-	-
	FEMALE	85	-	-	-	3	3	-	-	1	5	3	3	5	7	5	7	6	15	17	5	-	-	-
	NONWHITE.....MALE..	46	2	-	-	-	-	-	-	1	-	5	4	4	6	3	6	5	3	3	4	-	-	-
	FEMALE	45	-	1	-	-	1	1	3	6	2	1	5	5	3	5	2	5	1	1	2	-	1	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,268	228	51	13	7	10	11	7	10	22	30	31	30	50	59	94	123	149	147	117	58	20	1
	WHITE.....MALE..	533	52	22	5	1	5	3	3	2	8	12	15	11	23	24	49	69	77	68	55	24	5	-
	FEMALE	390	45	6	4	4	3	4	2	3	7	5	8	9	12	15	14	32	52	68	54	30	13	-
	NONWHITE.....MALE..	198	75	9	4	1	1	1	2	4	2	6	5	5	11	11	23	13	14	5	3	2	-	1
	FEMALE	147	56	14	-	1	1	3	-	1	5	7	3	5	4	9	8	9	6	6	5	2	2	-
480-483	INFLUENZA.....	61	6	2	2	-	1	-	-	-	-	1	3	2	2	3	5	5	5	11	10	2	1	-
	WHITE.....MALE..	23	1	-	-	-	-	-	-	-	-	-	1	1	-	-	3	3	3	5	4	1	1	-
	FEMALE	19	1	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	1	6	5	1	-	-
	NONWHITE.....MALE..	8	1	-	2	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	FEMALE	11	3	2	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	1	-	-	-
490-493	PNEUMONIA, ETC.....	1,207	222	49	11	7	9	11	7	10	22	29	28	28	48	56	89	118	144	136	107	56	19	1
	WHITE.....MALE..	510	51	22	5	1	5	3	3	2	8	12	14	10	23	24	46	66	74	63	51	23	4	-
	FEMALE	371	44	6	4	4	3	4	2	3	7	5	7	9	10	14	14	31	51	62	49	29	13	-
	NONWHITE.....MALE..	190	74	9	2	1	-	1	2	4	2	6	5	4	11	10	21	13	14	5	3	2	-	1
	FEMALE	136	53	12	-	1	1	3	-	1	5	6	2	5	4	8	8	8	5	6	4	2	2	-
500-502	BRONCHITIS.....	103	7	8	-	-	-	-	2	-	1	-	3	8	11	11	19	8	7	11	6	1	-	-
	WHITE.....MALE..	52	1	1	-	-	-	-	-	-	1	-	-	4	5	7	14	3	6	8	1	1	-	-
	FEMALE	29	2	4	-	-	-	-	-	-	-	-	1	2	3	3	3	2	1	3	5	-	-	-
	NONWHITE.....MALE..	14	3	2	-	-	-	-	1	-	-	-	2	-	3	1	1	1	-	-	-	-	-	-
	FEMALE	8	1	1	-	-	-	-	1	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	438	47	8	1	-	-	2	2	5	4	14	13	26	46	50	74	52	61	20	8	3	1	1
	WHITE.....MALE..	279	11	5	-	-	-	-	2	1	-	5	8	13	34	32	57	41	49	12	5	2	1	1
	FEMALE	73	8	-	1	-	-	-	-	2	1	5	1	7	3	10	10	6	9	6	3	1	-	-
	NONWHITE.....MALE..	60	15	1	-	-	-	-	-	2	3	4	3	4	7	6	7	5	2	1	-	-	-	-
	FEMALE	26	13	2	-	-	-	2	-	-	-	-	1	2	2	2	-	-	1	1	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	181	3	-	-	-	-	-	-	-	5	9	8	15	27	23	22	23	25	10	7	3	1	-
	WHITE.....MALE..	90	1	-	-	-	-	-	-	-	4	5	3	5	17	11	9	14	12	3	4	1	1	-
	FEMALE	45	1	-	-	-	-	-	-	-	-	2	5	4	1	6	6	4	7	5	2	2	-	-
	NONWHITE.....MALE..	33	1	-	-	-	-	-	-	-	1	1	-	5	7	5	5	1	6	1	-	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	4	-	1	1	-	-	-
550-553	APPENDICITIS.....	35	1	4	4	2	3	-	-	1	1	-	1	-	1	3	7	3	2	1	1	-	-	-
	WHITE.....MALE..	12	-	2	1	-	2	-	-	1	1	-	-	-	-	-	3	1	-	-	1	-	-	-
	FEMALE	11	1	-	1	-	1	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-
	NONWHITE.....MALE..	7	-	-	1	2	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	FEMALE	5	-	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	185	15	4	-	-	2	-	1	3	5	3	6	8	16	7	30	28	22	20	11	4	-	-
	WHITE.....MALE..	56	3	2	-	-	-	-	-	-	1	-	1	3	3	2	13	10	6	9	3	-	-	-
	FEMALE	73	7	1	-	-	2	-	-	-	1	-	1	2	8	1	8	12	11	9	7	3	-	-
	NONWHITE.....MALE..	24	2	-	-	-	-	-	1	1	1	-	1	2	3	2	5	3	1	1	1	-	-	-
	FEMALE	32	3	1	-	-	-	-	-	2	2	3	3	1	2	2	4	3	4	1	-	1	-	-
543, 571, 572	GASTRITIS, ETC.....	169	75	9	2	-	1	2	-	2	-	3	3	10	1	10	9	7	16	8	7	3	1	-
	WHITE.....MALE..	53	12	3	1	-	-	1	-	1	-	1	2	6	-	5	3	6	3	4	4	1	-	-
	FEMALE	42	10	2	-	-	-	1	-	1	-	2	-	-	-	3	4	1	9	4	3	1	1	-
	NONWHITE.....MALE..	43	31	2	-	-	1	-	-	-	-	-	1	2	1	1	1	-	2	-	-	1	-	-
	FEMALE	31	22	2	1	-	-	-	-	-	-	-	-	2	-	1	1	-	2	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	302	-	-	-	-	1	2	-	10	19	36	44	45	58	26	24	20	10	3	4	-	-	-
	WHITE.....MALE..	141	-	-	-	-	-	-	-	5	5	10	22	24	33	12	13	9	6	2	-	-	-	-
	FEMALE	97	-	-	-	-	-	1	-	3	6	14	11	12	19	8	6	10	3	1	3	-	-	-
	NONWHITE.....MALE..	40	-	-	-	-	1	-	-	1	3	8	8	6	5	4	2	1	-	-	1	-	-	-
	FEMALE	24	-	-	-	-	-	1	-	1	5	4	3	3	1	2	3	-	1	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	84	-	-	-	-	-	-	-	-	-	-	2	4	3	9	11	14	17	12	8	3	1	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	-	1	3	1	6	4	6	4	5	1	-	-	-
	FEMALE	42	-	-	-	-	-	-	-	-	-	-	1	1	1	2	7	5	9	7	5	3	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	-	2	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	34	2	3	1	1	-	1	2	2	3	2	-	2	1	3	4	2	2	1	-	1	1	-
	WHITE.....MALE..	12	-	1	1	-	-	-	1	-	-	2	-	-	1	3	2	-	1	-	-	-	-	-
	FEMALE	9	1	2	-	-	-	1	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-
	NONWHITE.....MALE..	6	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-
	FEMALE	7	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	1	1	-	-	1	-	-
600	INFECTIONS OF KIDNEY.....	251	2	-	-	-	2	-	2	3	12	8	10	20	17	31	42	28	31	19	18	4	2	-
	WHITE.....MALE..	74	2	-	-	-	-	-	-	-	4	2	-	4	5	9	17	7	7	7	8	1	1	-
	FEMALE	99	-	-	-	-	1	-	2	2	2	2	5	6	7	10	11	14	16	9	9	3	-	-
	NONWHITE.....MALE..	40	-	-	-	-	1	-	-	-	1	3	3	6	1	5	9	4	4	2	-	-	1	-
	FEMALE	38	-	-	-	-	-	-	-	1	5	1	2	4	4	7	5	3	4	1	1	-	-	-
610	HYPERPLASIA OF PROSTATE..	96	-	-	-	-	-	-	-	-	-	-	-	1	5	7	16	15	23	13	13	3	-	-
	WHITE.....MALE..	55	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	8	17	9	10	2	-	-
	NONWHITE.....MALE..	41	-	-	-	-	-	-	-	-	-	-	-	1	5	4	10	7	6	4	3	1	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	VIRGINIA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	35	-	-	-	-	4	6	7	7	7	3	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	13	-	-	-	-	1	4	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	22	-	-	-	-	3	2	4	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	6	-	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	5	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	29	-	-	-	-	3	6	5	5	6	3	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	12	-	-	-	-	1	4	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	17	-	-	-	-	2	2	3	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	471	346	37	15	6	6	3	5	5	4	6	6	9	8	4	7	3	1	-	-	-	-	-
	WHITE.....MALE..	200	153	8	5	1	2	3	2	1	-	3	2	7	4	3	4	2	-	-	-	-	-	-
	FEMALE	169	128	15	7	3	2	-	2	1	3	1	2	1	2	1	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	61	39	7	1	2	1	-	1	2	1	-	2	-	2	-	2	1	-	-	-	-	-	-
	FEMALE	41	26	7	2	-	1	-	-	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	1,756	1,756	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	667	667	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	347	347	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	288	288	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	710	710	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	131	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	116	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	908	908	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	371	371	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	225	225	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	471	85	6	4	-	3	2	3	10	10	15	21	22	32	47	32	38	31	40	38	21	11	-
	WHITE.....MALE..	144	23	2	2	-	3	1	2	1	2	5	5	7	12	16	6	13	10	16	11	5	2	-
	FEMALE	129	24	1	2	-	-	1	-	4	3	4	4	3	8	11	4	9	5	15	16	12	3	-
	NONWHITE.....MALE..	113	19	3	-	-	-	-	1	3	3	3	6	9	9	12	12	9	12	4	4	2	2	-
	FEMALE	85	19	-	-	-	-	-	-	2	2	3	6	3	3	8	10	7	4	5	7	2	4	-
RESIDUAL	ALL OTHER DISEASES.	1,194	68	26	20	18	18	9	19	31	47	78	92	93	100	105	105	117	95	74	45	30	3	1
	WHITE.....MALE..	470	29	9	9	9	12	2	8	9	13	28	35	36	51	44	41	48	35	31	15	6	-	-
	FEMALE	377	17	12	4	4	1	2	3	8	18	16	21	25	21	32	35	37	42	33	26	17	2	1
	NONWHITE.....MALE..	191	12	4	3	2	3	2	5	10	9	19	22	18	13	14	19	18	8	4	2	4	-	-
	FEMALE	156	10	1	4	3	2	3	3	4	7	15	14	14	15	15	10	14	10	6	2	3	1	-
E800-E962	ACCIDENTS.	2,246	90	107	74	74	190	176	135	124	136	128	149	125	94	97	100	133	97	99	77	26	14	1
	WHITE.....MALE..	1,121	32	46	31	41	118	111	75	69	71	72	79	78	51	42	41	56	41	28	28	6	5	-
	FEMALE	516	17	23	15	7	31	25	20	22	24	19	21	22	24	22	21	36	45	59	39	18	6	-
	NONWHITE.....MALE..	430	20	15	15	20	35	38	32	28	30	32	37	21	15	23	26	27	5	4	3	1	2	1
	FEMALE	179	21	23	13	6	6	2	8	5	11	5	12	4	4	10	12	14	6	8	7	1	1	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	939	7	34	39	33	129	124	89	71	67	52	53	51	45	43	35	36	17	11	3	-	-	-
	WHITE.....MALE..	528	4	19	17	20	83	76	53	43	34	30	27	29	24	20	16	17	10	4	2	-	-	-
	FEMALE	181	1	10	10	4	23	21	14	13	14	8	8	13	10	8	8	6	7	2	1	-	-	-
	NONWHITE.....MALE..	178	1	3	6	7	18	26	18	11	14	12	15	9	8	11	8	10	-	1	-	-	-	-
	FEMALE	52	1	2	6	2	5	1	4	4	5	2	3	-	3	4	3	3	-	4	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,307	83	73	35	41	61	52	46	53	69	76	96	74	49	54	65	97	80	88	74	26	14	1
	WHITE.....MALE..	593	28	27	14	21	35	35	22	26	37	42	52	49	27	22	25	39	31	24	26	6	5	-
	FEMALE	335	16	13	5	3	8	4	6	9	10	11	13	9	14	14	13	30	38	57	38	18	6	-
	NONWHITE.....MALE..	252	19	12	9	13	17	12	14	17	16	20	22	12	7	12	18	17	5	3	3	1	2	1
	FEMALE	127	20	21	7	4	1	1	4	1	6	3	9	4	1	6	9	11	6	4	7	1	1	-
E963, E970-E979	SUICIDE.	490	...	...	-	2	13	22	23	42	46	58	55	57	52	48	28	24	12	7	1	-	-	-
	WHITE.....MALE..	362	...	...	-	2	8	16	14	28	35	41	36	44	46	33	23	19	10	6	1	-	-	-
	FEMALE	91	...	...	-	-	4	4	5	9	7	10	15	9	6	11	5	4	1	1	-	-	-	-
	NONWHITE.....MALE..	33	...	...	-	-	1	2	4	4	4	6	3	4	-	4	-	-	1	-	-	-	-	-
	FEMALE	4	...	...	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	310	2	4	1	2	19	31	35	43	44	34	33	26	10	14	4	2	4	2	-	-	-	-
	WHITE.....MALE..	83	2	2	-	-	6	4	10	10	13	6	10	6	3	5	1	1	2	2	-	-	-	-
	FEMALE	28	-	1	-	1	2	4	2	5	5	3	3	-	1	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	158	-	1	-	1	10	17	17	23	21	17	17	18	4	7	3	-	2	-	-	-	-	-
	FEMALE	41	-	-	1	-	1	6	6	5	5	8	3	2	2	2	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON																							
	ALL CAUSES	27,383	1,478	230	138	116	201	197	182	267	377	617	961	1,347	1,665	2,212	2,783	3,519	4,049	3,468	2,301	956	311	8
	WHITE.....MALE	15,758	787	116	76	74	140	128	97	145	202	357	585	855	1,130	1,436	1,786	2,104	2,283	1,790	1,122	426	114	5
	FEMALE	10,760	537	95	52	34	54	54	68	87	142	200	345	429	473	717	939	1,355	1,707	1,626	1,144	513	186	3
	NONWHITE.....MALE	551	86	12	5	6	4	12	11	16	16	38	17	47	48	45	36	39	44	33	22	8	6	-
	FEMALE	314	68	7	5	2	3	3	6	19	17	22	14	16	14	14	22	21	15	19	13	9	5	-
001-019	TUBERCULOSIS, ALL FORMS	87	-	2	1	-	-	-	-	2	1	3	5	10	11	20	8	6	9	7	2	-	-	-
	WHITE.....MALE	65	-	1	-	-	-	-	-	-	-	1	4	5	10	16	8	6	8	6	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	1	3	1	4	-	-	-	1	1	-	-	-
	NONWHITE.....MALE	5	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-
	FEMALE	5	-	1	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	78	-	-	-	-	-	-	-	1	1	3	5	9	9	20	7	5	9	7	2	-	-	-
	WHITE.....MALE	59	-	-	-	-	-	-	-	-	-	1	4	4	8	16	7	5	8	6	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	1	3	1	4	-	-	-	1	1	-	-	-
	NONWHITE.....MALE	5	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	9	-	2	1	-	-	-	-	1	-	-	-	1	2	-	1	1	-	-	-	-	-	-
	WHITE.....MALE	6	-	1	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	37	-	-	-	-	-	-	-	-	1	1	-	2	3	7	9	6	5	1	2	-	-	-
	WHITE.....MALE	21	-	-	-	-	-	-	-	-	1	-	-	-	3	3	6	4	2	1	1	-	-	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	-	1	-	-	-
	NONWHITE.....MALE	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	9	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	4	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	66	12	5	3	1	3	3	3	1	4	1	3	2	1	8	6	5	4	1	-	-	-	-
	WHITE.....MALE	32	5	2	-	1	2	2	1	-	2	1	2	1	-	4	3	3	2	1	-	-	-	-
	FEMALE	29	5	2	3	-	1	1	2	1	2	-	1	-	1	4	2	2	2	-	-	-	-	-
	NONWHITE.....MALE	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON—CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	4,351	4	22	32	21	17	14	22	49	82	147	237	331	383	470	613	662	568	399	195	67	15	1
	WHITE.....MALE..	2,376	4	10	19	15	9	7	8	17	27	63	100	168	202	271	372	378	328	219	109	43	6	1
	FEMALE	1,869	-	10	10	5	8	6	14	30	51	77	133	153	166	186	232	273	229	171	84	22	9	-
	NONWHITE.....MALE..	65	-	1	2	-	-	1	-	-	-	2	1	7	12	8	6	6	10	6	2	1	-	-
	FEMALE	41	-	1	1	1	-	-	-	2	4	5	3	3	3	5	3	5	1	3	-	1	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	85	-	-	-	-	-	1	-	1	-	5	9	10	10	14	11	10	7	3	3	1	-	-
	WHITE.....MALE..	62	-	-	-	-	-	1	-	1	-	3	5	7	7	10	11	7	6	1	2	1	-	-
	FEMALE	21	-	-	-	-	-	-	-	-	-	2	3	2	3	4	-	3	1	2	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	1,388	1	2	1	-	-	-	1	6	10	29	59	82	104	136	217	248	217	173	66	30	5	1
	WHITE.....MALE..	763	1	1	1	-	-	-	-	5	4	15	33	46	58	79	125	139	111	87	38	16	3	1
	FEMALE	590	-	-	-	-	-	-	1	1	6	12	25	34	43	51	88	104	101	81	28	13	2	-
	NONWHITE.....MALE..	23	-	1	-	-	-	-	-	-	-	1	-	1	2	4	2	4	4	4	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	1	1	1	-	1	-	-
160-164	OF RESP. SYSTEM, ETC.....	678	-	-	-	-	1	-	1	1	10	21	36	73	87	101	135	97	64	30	15	6	-	-
	WHITE.....MALE..	563	-	-	-	-	-	-	1	1	6	18	24	52	73	91	119	84	53	24	14	3	-	-
	FEMALE	96	-	-	-	-	1	-	-	-	4	3	12	17	9	8	15	11	7	5	1	3	-	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	-	3	5	2	1	2	4	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	370	-	-	-	-	-	-	4	9	15	19	53	40	34	39	36	48	32	22	15	3	1	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	363	-	-	-	-	-	-	4	8	13	18	52	40	34	38	36	47	32	22	15	3	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	1	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	627	-	1	-	1	3	2	6	9	19	26	23	36	47	55	68	95	101	77	42	13	3	-
	WHITE.....MALE..	292	-	1	-	1	2	1	3	-	2	1	2	4	8	13	32	54	72	54	29	11	2	-
	FEMALE	318	-	-	-	-	1	1	3	8	16	24	20	32	38	39	33	40	27	21	13	1	1	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	1	-	-
	FEMALE	10	-	-	-	-	-	-	-	1	1	1	1	-	1	2	1	1	-	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	228	-	-	2	1	-	-	-	1	3	4	4	16	22	20	35	34	43	24	13	5	1	-
	WHITE.....MALE..	155	-	-	-	-	-	-	-	1	3	1	3	13	19	15	25	21	29	13	7	5	-	-
	FEMALE	69	-	-	-	1	-	-	-	-	-	2	1	3	3	5	9	13	14	11	6	-	1	-
	NONWHITE.....MALE..	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	512	3	4	8	8	7	6	6	14	13	19	37	43	46	55	54	63	56	42	24	1	3	-
	WHITE.....MALE..	276	3	2	4	6	3	2	2	7	5	9	23	25	23	38	28	36	30	21	8	1	-	-
	FEMALE	223	-	2	3	1	4	3	4	7	8	10	14	16	19	17	26	26	26	20	14	-	3	-
	NONWHITE.....MALE..	8	-	-	1	-	-	1	-	-	-	-	-	-	1	3	-	-	-	-	2	-	-	-
	FEMALE	5	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	235	-	13	17	9	2	3	3	2	2	9	6	11	13	24	29	33	25	15	12	5	2	-
	WHITE.....MALE..	136	-	5	10	6	1	2	2	-	1	6	4	8	6	13	17	21	15	8	7	3	1	-
	FEMALE	97	-	7	7	3	1	1	1	2	1	2	2	3	7	11	12	12	10	7	5	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	228	-	2	4	2	4	2	1	6	10	15	10	20	20	26	28	34	23	13	5	3	-	-
	WHITE.....MALE..	129	-	1	4	2	3	1	-	2	6	10	6	13	8	12	15	16	12	11	4	3	-	-
	FEMALE	92	-	1	-	-	1	1	1	4	3	4	4	6	10	13	13	17	11	2	1	-	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	67	1	2	-	1	2	2	-	2	1	2	5	6	12	4	9	5	9	3	1	-	-	-
	WHITE.....MALE..	33	-	-	-	-	-	1	-	-	1	1	2	2	5	2	5	4	6	3	1	-	-	-
	FEMALE	30	1	2	-	1	2	1	-	1	-	1	3	4	5	1	4	1	3	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
241	ASTHMA.....	100	-	3	-	1	-	-	1	1	1	2	6	8	12	10	21	13	11	4	6	-	-	-
	WHITE.....MALE..	65	-	1	-	-	-	-	-	1	-	1	3	5	9	8	14	9	8	4	2	-	-	-
	FEMALE	32	-	2	-	1	-	-	-	-	-	1	3	2	3	2	7	4	3	-	4	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	475	-	-	1	1	1	3	5	9	5	8	10	13	22	46	74	84	76	60	41	14	1	1
	WHITE.....MALE..	186	-	-	-	-	-	-	-	4	2	5	4	7	7	21	33	31	25	24	18	5	-	-
	FEMALE	272	-	-	1	1	1	3	5	4	3	3	5	5	13	24	38	53	47	36	20	8	1	1
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	2	-	1	1	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	2	-	2	-	-	-
290-293	ANEMIAS.....	62	-	3	5	1	1	-	-	1	1	1	-	1	2	3	5	4	7	20	6	1	-	-
	WHITE.....MALE..	40	-	3	2	-	-	-	-	-	1	-	-	1	2	-	4	3	5	14	4	1	-	-
	FEMALE	22	-	-	3	1	1	-	-	1	-	1	-	-	-	3	1	1	2	6	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	27	16	5	1	-	-	-	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	15	8	4	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	9	5	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	15,187	11	4	5	6	14	10	22	48	91	193	371	604	878	1,216	1,626	2,213	2,802	2,458	1,698	691	222	4
	WHITE.....MALE..	8,755	9	3	1	3	10	4	9	27	56	134	265	427	650	820	1,059	1,321	1,536	1,224	820	295	79	3
	FEMALE	6,120	1	1	4	2	4	6	11	15	28	41	95	152	196	366	537	853	1,229	1,196	861	386	135	1
	NONWHITE.....MALE..	206	1	-	-	-	-	-	1	2	3	11	4	20	27	25	19	24	27	23	12	3	4	-
	FEMALE	106	-	-	-	1	-	-	1	4	4	7	7	5	5	5	11	15	10	15	5	7	4	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	15,048	9	3	4	4	13	8	18	40	86	186	364	591	865	1,209	1,613	2,200	2,784	2,447	1,689	691	220	4
	WHITE.....MALE..	8,689	8	3	-	2	10	3	7	24	53	131	260	423	643	818	1,052	1,313	1,527	1,222	815	295	77	3
	FEMALE	6,059	-	-	4	1	3	5	9	12	26	38	94	145	192	363	531	849	1,221	1,187	857	386	135	1
	NONWHITE.....MALE..	198	1	-	-	-	-	-	1	1	3	10	4	19	25	24	19	23	26	23	12	3	4	-
	FEMALE	102	-	-	-	1	-	-	1	3	4	7	6	4	5	4	11	15	10	15	5	7	4	-
330-334	VASCULAR LESIONS, ETC....	3,333	2	2	2	-	6	4	7	10	20	27	46	75	116	192	295	488	706	643	464	180	47	1
	WHITE.....MALE..	1,611	2	2	-	-	5	1	3	3	6	17	17	32	61	107	178	232	350	297	209	73	15	1
	FEMALE	1,637	-	-	2	-	1	3	3	6	11	7	28	37	46	77	112	241	345	335	251	103	29	-
	NONWHITE.....MALE..	56	-	-	-	-	-	-	-	-	2	3	1	5	6	7	3	7	9	8	3	-	2	-
	FEMALE	29	-	-	-	-	-	-	1	1	1	-	-	1	3	1	2	8	2	3	1	4	1	-
400-402, 410-443	DISEASES OF HEART.....	10,524	7	1	2	4	5	3	10	28	59	150	296	488	713	958	1,226	1,582	1,881	1,546	1,017	416	129	3
	WHITE.....MALE..	6,429	6	1	-	2	4	2	4	19	44	106	231	372	560	672	812	1,005	1,070	786	508	175	48	2
	FEMALE	3,900	-	-	2	1	1	1	5	6	12	31	59	99	132	267	393	556	790	735	496	236	77	1
	NONWHITE.....MALE..	132	1	-	-	-	-	-	1	1	1	7	1	14	19	16	15	14	14	15	9	2	2	-
	FEMALE	63	-	-	-	1	-	-	-	2	2	6	5	3	2	3	6	7	7	10	4	3	2	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.....	297	-	-	-	-	2	2	4	6	11	20	35	41	41	32	40	20	16	14	12	1	-	-
	WHITE.....MALE..	145	-	-	-	-	1	1	1	2	3	8	17	22	20	16	22	11	9	6	5	1	-	-
	FEMALE	140	-	-	-	-	1	1	2	3	7	11	15	18	19	16	18	8	6	8	7	-	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	1	1	1	3	-	1	-	-	-	1	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.....	8,130	-	1	-	1	-	1	3	15	42	111	240	396	593	800	1,024	1,312	1,439	1,092	713	258	87	2
	WHITE.....MALE..	5,282	-	1	-	1	-	1	2	13	38	92	198	320	481	584	709	870	848	590	383	115	34	2
	FEMALE	2,718	-	-	-	-	-	-	1	2	3	12	39	64	95	203	299	428	579	482	321	140	50	-
	NONWHITE.....MALE..	93	-	-	-	-	-	-	-	-	-	5	1	11	16	12	11	8	9	12	5	1	2	-
	FEMALE	37	-	-	-	-	-	-	-	-	1	2	2	1	1	1	5	6	3	8	4	2	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.....	766	1	-	-	1	1	-	1	1	-	3	6	15	22	32	47	83	161	169	136	67	20	-
	WHITE.....MALE..	398	1	-	-	-	1	-	-	1	-	1	5	8	16	21	29	46	90	76	61	33	9	-
	FEMALE	361	-	-	-	1	-	-	1	-	-	2	1	5	6	9	18	36	71	93	73	34	11	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	2	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART..	492	6	-	2	2	2	-	2	3	3	12	5	21	26	38	47	53	92	89	54	27	7	1
	WHITE.....MALE..	263	5	-	-	1	2	-	1	2	2	5	4	15	18	26	24	34	47	38	30	7	2	-
	FEMALE	215	-	-	2	-	-	-	1	1	1	5	1	6	7	11	20	19	44	49	23	20	4	1
	NONWHITE.....MALE..	10	1	-	-	-	-	-	-	-	-	2	-	-	1	1	2	-	1	1	1	-	-	-
	FEMALE	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-
440-443	HYPERTENSIVE HEART DIS...	839	-	-	-	-	-	-	-	3	3	4	10	15	31	56	68	114	173	182	102	63	15	-
	WHITE.....MALE..	341	-	-	-	-	-	-	-	1	1	-	7	7	25	25	28	44	76	76	29	19	3	-
	FEMALE	466	-	-	-	-	-	-	-	-	1	1	3	6	5	28	38	65	90	103	72	42	12	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	1	1	-	-	1	1	1	2	4	4	2	1	1	-	-
	FEMALE	13	-	-	-	-	-	-	-	1	-	3	-	1	-	2	-	1	3	1	-	1	-	-
444-447	OTHER HYPERTENSIVE DIS...	98	-	-	-	-	-	-	-	-	2	1	7	4	3	3	7	16	16	22	11	5	1	-
	WHITE.....MALE..	53	-	-	-	-	-	-	-	-	-	1	4	2	3	3	5	7	10	11	5	1	1	-
	FEMALE	42	-	-	-	-	-	-	-	-	1	-	2	2	-	-	1	9	6	11	6	4	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	745	-	-	-	-	-	-	-	-	-	1	3	4	8	18	36	62	122	197	170	86	38	-
	WHITE.....MALE..	374	-	-	-	-	-	-	-	-	-	1	2	3	7	6	19	33	62	105	81	43	12	-
	FEMALE	362	-	-	-	-	-	-	-	-	-	-	1	1	1	12	16	28	57	90	89	42	25	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM.....	348	-	-	-	-	2	1	1	2	5	7	12	20	25	38	49	52	59	39	27	4	5	-
	WHITE.....MALE..	222	-	-	-	-	1	-	-	2	3	6	6	14	12	30	38	36	35	23	12	3	1	-
	FEMALE	118	-	-	-	-	1	1	1	-	2	-	4	6	13	7	9	15	23	16	15	1	4	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	139	2	1	1	2	1	2	4	8	5	7	7	13	13	7	13	13	18	11	9	-	2	-
	WHITE.....MALE..	66	1	-	1	1	-	1	2	3	3	3	5	4	7	2	7	8	9	2	5	-	2	-
	FEMALE	61	1	1	-	1	1	1	2	3	2	3	1	7	4	3	6	4	8	9	4	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	1	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	979	184	22	7	2	4	-	3	2	10	8	21	33	24	42	42	88	135	142	125	63	22	-
	WHITE.....MALE..	523	92	8	3	1	4	-	1	1	3	4	11	19	16	22	26	50	86	77	61	31	7	-
	FEMALE	392	66	10	4	1	-	-	1	-	4	4	8	10	6	18	15	34	47	61	59	30	14	-
	NONWHITE.....MALE..	39	12	3	-	-	-	-	1	-	3	-	2	3	2	2	-	3	1	3	3	1	-	-
	FEMALE	25	14	1	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	1	2	1	1	-
480-483	INFLUENZA.....	64	-	3	-	-	-	-	1	-	-	1	-	3	1	2	5	6	11	11	13	6	1	-
	WHITE.....MALE..	34	-	1	-	-	-	-	1	-	-	-	-	1	-	-	3	3	8	6	9	2	-	-
	FEMALE	29	-	2	-	-	-	-	-	-	-	1	-	2	1	1	2	3	3	5	4	4	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	915	184	19	7	2	4	-	2	2	10	7	21	30	23	40	37	82	124	131	112	57	21	-
	WHITE.....MALE..	489	92	7	3	1	4	-	-	1	3	4	11	18	16	22	23	47	78	71	52	29	7	-
	FEMALE	363	66	8	4	1	-	-	1	-	4	3	8	8	5	17	13	31	44	56	55	26	13	-
	NONWHITE.....MALE..	38	12	3	-	-	-	-	1	-	3	-	2	3	2	1	-	3	1	3	3	1	-	-
	FEMALE	25	14	1	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	1	2	1	1	-
500-502	BRONCHITIS.....	70	17	1	1	-	-	-	-	-	-	1	-	2	3	5	7	10	6	9	4	2	2	-
	WHITE.....MALE..	51	9	1	-	-	-	-	-	-	-	-	-	2	3	4	6	10	6	7	2	-	1	-
	FEMALE	18	8	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	2	2	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	362	12	3	-	-	1	-	-	1	3	4	12	17	27	51	55	69	51	39	10	3	4	-
	WHITE.....MALE..	294	8	1	-	-	1	-	-	-	2	1	8	10	18	46	51	62	44	31	7	2	2	-
	FEMALE	61	2	2	-	-	-	-	-	1	1	3	3	5	9	5	3	7	7	8	3	1	1	-
	NONWHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	1	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	229	-	-	-	2	1	-	-	1	2	17	10	18	15	17	25	42	29	21	16	11	2	-
	WHITE.....MALE..	168	-	-	-	2	-	-	-	1	1	14	8	13	14	14	22	27	23	13	7	7	2	-
	FEMALE	52	-	-	-	-	1	-	-	-	1	2	2	3	-	3	2	13	6	7	8	4	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
550-553	APPENDICITIS.....	29	1	1	2	2	1	-	1	-	-	2	-	2	3	4	2	2	1	3	1	1	-	-
	WHITE.....MALE..	17	1	-	2	2	-	-	1	-	-	-	-	1	2	2	2	2	1	-	1	-	-	-
	FEMALE	11	-	1	-	-	1	-	-	-	-	1	-	1	1	2	-	-	-	3	-	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	146	17	-	2	-	-	-	-	-	1	3	6	2	8	11	11	19	27	21	11	3	4	-
	WHITE.....MALE..	77	14	-	1	-	-	-	-	-	-	1	2	2	5	5	4	7	20	10	3	1	2	-
	FEMALE	65	3	-	1	-	-	-	-	-	1	1	4	-	1	5	7	12	7	11	8	2	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	116	12	9	1	1	1	1	1	-	4	3	2	2	1	5	9	22	16	7	14	4	1	-
	WHITE.....MALE..	52	2	7	-	1	-	1	-	-	2	2	1	2	-	4	4	8	6	5	6	1	-	-
	FEMALE	56	4	2	1	-	1	-	1	-	2	1	-	-	1	1	5	14	10	2	7	3	1	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
581	CIRRHOSIS OF LIVER.....	266	-	-	-	-	2	-	2	5	10	19	40	39	41	31	37	23	9	4	3	-	1	-
	WHITE.....MALE..	157	-	-	-	-	2	-	-	2	2	4	22	21	25	26	23	17	6	4	2	-	1	-
	FEMALE	89	-	-	-	-	-	-	-	-	3	12	18	17	14	5	11	5	3	-	1	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	-	1	-	1	-	-	1	2	-	2	1	-	-	-	-	-	-
	FEMALE	12	-	-	-	-	-	-	1	3	4	3	-	-	-	-	1	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	64	-	-	-	-	-	-	1	-	-	-	1	3	2	2	3	6	14	16	12	2	2	-
	WHITE.....MALE..	31	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	3	6	10	3	1	1	-
	FEMALE	32	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	8	6	8	1	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	16	-	-	-	-	2	1	1	-	-	2	-	-	1	1	3	2	2	1	-	-	-	-
	WHITE.....MALE..	8	-	-	-	-	1	1	1	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	1	-	-	-	-	1	-	-	1	-	2	-	1	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	90	1	-	-	-	1	-	-	1	1	-	4	6	5	6	11	14	13	13	9	4	1	-
	WHITE.....MALE..	47	-	-	-	-	-	-	-	1	-	-	1	4	5	2	4	8	7	7	4	4	-	-
	FEMALE	42	1	-	-	-	1	-	-	-	-	-	3	2	-	4	7	6	6	6	5	-	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	56	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	9	13	11	9	2	1	-
	WHITE.....MALE..	56	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	9	13	11	9	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WASHINGTON--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	8	-	-	-	-	-	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	6	-	-	-	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	6	-	-	-	-	-	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	4	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	303	193	38	10	9	7	4	2	3	6	5	3	5	7	2	5	-	2	1	1	-	-	-
	WHITE.....MALE..	159	99	21	7	6	6	2	1	1	1	3	1	3	3	2	-	-	2	1	-	-	-	-
	FEMALE	126	79	16	2	3	1	2	1	2	4	2	2	2	4	-	5	-	-	-	1	-	-	-
	NONWHITE.....MALE..	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	864	863	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	468	467	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	33	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	394	394	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	213	213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	442	441	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	244	243	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	150	14	1	-	-	2	-	-	2	2	4	3	7	7	12	3	9	23	22	17	14	6	2
	WHITE.....MALE..	87	7	1	-	-	2	-	-	-	1	1	1	5	7	8	2	9	16	12	10	2	2	1
	FEMALE	55	5	-	-	-	-	-	-	1	1	2	1	2	-	4	1	-	7	10	5	12	3	1
	NONWHITE.....MALE..	6	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	-	1	-
	FEMALE	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	918	42	19	18	5	8	8	13	10	23	38	61	68	77	91	87	93	94	91	41	24	7	-
	WHITE.....MALE..	509	20	13	14	3	7	7	5	1	12	22	37	41	53	45	52	56	50	42	20	8	1	-
	FEMALE	374	19	5	4	2	1	1	5	6	8	12	21	23	23	43	32	37	43	49	20	14	6	-
	NONWHITE.....MALE..	22	1	1	-	-	-	-	1	2	3	4	3	1	-	2	1	-	-	-	1	2	-	-
	FEMALE	13	2	-	-	-	-	-	2	1	-	-	-	3	1	1	2	-	1	-	-	-	-	-
E800-E962	ACCIDENTS.	1,697	70	80	43	58	124	123	81	78	76	98	99	93	66	109	66	91	97	104	72	50	19	-
	WHITE.....MALE..	1,094	40	37	25	37	91	87	57	55	56	64	72	71	52	76	46	57	57	54	29	23	8	-
	FEMALE	509	24	36	13	15	28	27	17	15	16	21	22	15	12	30	18	31	39	50	42	27	11	-
	NONWHITE.....MALE..	67	2	4	3	6	3	8	6	6	3	10	3	5	2	1	1	3	1	-	-	-	-	-
	FEMALE	27	4	3	2	-	2	1	1	2	1	3	2	2	-	2	1	-	-	-	1	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	657	8	27	19	18	85	89	44	37	35	49	45	33	21	41	31	32	19	16	5	3	-	-
	WHITE.....MALE..	434	4	10	9	12	57	62	31	23	23	27	27	27	15	27	21	23	16	12	5	3	-	-
	FEMALE	175	4	14	8	5	24	20	11	8	10	13	14	4	6	11	8	8	3	4	-	-	-	-
	NONWHITE.....MALE..	33	-	2	1	1	2	6	2	5	1	7	2	1	-	1	1	1	-	-	-	-	-	-
	FEMALE	15	-	1	1	-	2	1	-	1	1	2	2	1	-	2	1	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,040	62	53	24	40	39	34	37	41	41	49	54	60	45	68	35	59	78	88	67	47	19	-
	WHITE.....MALE..	660	36	27	16	25	34	25	26	32	33	37	45	44	37	49	25	34	41	42	24	20	8	-
	FEMALE	334	20	22	5	10	4	7	6	7	6	8	8	11	6	19	10	23	36	46	42	27	11	-
	NONWHITE.....MALE..	34	2	2	2	5	1	2	4	1	2	3	1	4	2	-	-	2	1	-	-	-	-	-
	FEMALE	12	4	2	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-
E963, E970-E979	SUICIDE.	459	...	...	-	2	7	19	20	39	40	43	55	63	46	33	35	19	24	8	5	-	1	-
	WHITE.....MALE..	331	...	...	-	2	5	12	12	28	30	31	37	37	32	29	28	17	19	8	3	-	1	-
	FEMALE	112	...	...	-	-	-	5	8	8	9	8	18	25	14	4	5	2	4	-	2	-	-	-
	NONWHITE.....MALE..	12	...	...	-	-	1	1	-	2	-	4	-	1	-	-	2	-	1	-	-	-	-	-
	FEMALE	4	...	...	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	85	2	5	1	3	2	6	3	10	8	8	7	9	7	3	4	3	2	2	-	-	-	-
	WHITE.....MALE..	36	-	1	-	1	-	4	1	5	2	2	3	5	5	1	2	1	1	2	-	-	-	-
	FEMALE	29	2	3	1	2	2	-	1	1	4	3	2	3	1	-	1	2	1	-	-	-	-	-
	NONWHITE.....MALE..	14	-	-	-	-	-	2	1	2	1	2	1	1	1	2	1	-	-	-	-	-	-	-
	FEMALE	6	-	1	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA																							
	ALL CAUSES	18,684	986	152	95	94	148	159	135	198	309	456	666	973	1,296	1,679	2,030	2,290	2,487	2,209	1,555	576	182	9
	WHITE.....MALE..	10,371	542	79	54	62	102	109	90	120	183	271	401	607	816	1,004	1,192	1,256	1,309	1,121	732	244	74	3
	FEMALE	7,153	382	63	38	28	39	45	36	57	106	142	209	298	385	516	685	861	1,054	1,013	779	318	97	2
	NONWHITE.....MALE..	717	37	3	2	3	6	3	6	12	10	19	34	39	62	104	100	115	80	38	27	9	6	2
	FEMALE	443	25	7	1	1	1	2	3	9	10	24	22	29	33	55	53	58	44	37	17	5	5	2
001-019	TUBERCULOSIS, ALL FORMS..	145	1	2	1	1	-	2	2	4	10	8	14	12	13	21	15	18	8	9	3	1	-	-
	WHITE.....MALE..	89	-	1	-	-	-	1	2	3	2	3	9	7	7	16	10	15	5	6	1	1	-	-
	FEMALE	38	-	1	1	1	-	-	-	1	8	4	3	2	2	3	1	3	3	3	2	-	-	-
	NONWHITE.....MALE..	14	1	-	-	-	-	-	-	-	-	-	1	3	4	2	3	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	138	-	-	-	1	-	2	1	4	10	8	14	12	13	20	15	18	7	9	3	1	-	-
	WHITE.....MALE..	86	-	-	-	-	-	1	1	3	2	3	9	7	7	16	10	15	4	6	1	1	-	-
	FEMALE	35	-	-	-	1	-	-	-	1	8	4	3	2	2	2	1	3	3	3	2	-	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	-	-	-	1	3	4	2	3	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	7	1	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	WHITE.....MALE..	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	3	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	39	-	-	-	-	-	-	-	-	-	1	1	3	3	7	6	9	5	1	3	-	-	-
	WHITE.....MALE..	22	-	-	-	-	-	-	-	-	-	1	1	1	2	5	3	5	3	-	1	-	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	1	1	-	-	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	52	8	3	1	1	2	1	-	1	2	2	2	4	4	4	1	3	7	3	2	1	-	-
	WHITE.....MALE..	28	3	2	1	1	2	-	-	-	1	1	2	2	2	1	1	2	3	1	2	1	-	-
	FEMALE	18	5	1	-	-	-	-	-	-	1	-	-	1	2	2	-	1	3	2	-	-	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	2,749	1	15	17	9	10	14	17	30	58	81	142	230	293	349	390	376	319	230	135	24	9	-
	WHITE.....MALE..	1,412	-	12	6	5	4	11	8	9	14	29	56	102	143	199	229	204	168	127	74	9	3	-
	FEMALE	1,176	1	3	10	3	4	3	9	19	39	47	75	112	129	126	138	145	138	101	54	14	6	-
	NONWHITE.....MALE..	108	-	-	1	1	2	-	-	1	-	2	5	10	14	21	18	16	10	1	5	1	-	-
	FEMALE	53	-	-	-	-	-	-	-	1	5	3	6	6	7	3	5	11	3	1	2	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	47	-	-	-	1	-	-	-	-	1	1	3	4	7	7	2	5	6	3	3	3	1	-
	WHITE.....MALE..	27	-	-	-	1	-	-	-	-	-	-	1	2	5	5	2	5	3	2	-	-	1	-
	FEMALE	15	-	-	-	-	-	-	-	-	1	-	1	2	2	2	-	-	1	1	3	2	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	865	-	-	-	-	-	-	-	2	12	14	35	42	73	118	119	148	131	103	56	8	4	-
	WHITE.....MALE..	413	-	-	-	-	-	-	-	1	3	7	16	22	26	62	68	67	62	48	27	4	-	-
	FEMALE	404	-	-	-	-	-	-	-	1	8	6	17	14	39	48	46	70	66	55	26	4	4	-
	NONWHITE.....MALE..	32	-	-	-	-	-	-	-	-	-	-	2	5	5	7	4	5	2	-	2	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	1	1	-	1	3	1	1	6	1	-	1	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	475	-	-	-	-	-	-	1	3	4	9	33	55	78	81	87	61	38	20	5	-	-	-
	WHITE.....MALE..	387	-	-	-	-	-	-	1	2	4	7	20	45	64	64	72	52	34	17	5	-	-	-
	FEMALE	54	-	-	-	-	-	-	-	-	-	1	9	6	9	9	10	4	3	3	-	-	-	-
	NONWHITE.....MALE..	30	-	-	-	-	-	-	-	1	-	1	2	3	4	8	5	5	1	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	206	-	-	-	-	-	-	1	-	11	15	18	33	31	12	28	25	15	9	5	2	1	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	FEMALE	197	-	-	-	-	-	-	1	-	9	15	18	32	29	12	27	23	14	9	5	2	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	1	1	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	429	-	-	-	-	-	2	8	11	17	18	21	35	34	36	48	61	53	47	32	5	1	-
	WHITE.....MALE..	173	-	-	-	-	-	1	3	1	-	-	2	2	6	9	20	34	34	31	27	2	1	-
	FEMALE	226	-	-	-	-	-	1	5	9	15	18	17	31	25	25	21	22	16	15	3	3	-	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	2	3	1	2	-	-	-
	FEMALE	13	-	-	-	-	-	-	-	1	2	-	2	1	1	1	2	3	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	98	-	-	2	-	-	-	1	-	1	2	2	8	11	12	15	14	11	11	8	-	-	-
	WHITE.....MALE..	57	-	-	1	-	-	-	-	-	-	1	1	4	7	11	9	9	5	7	2	-	-	-
	FEMALE	33	-	-	1	-	-	-	1	-	1	1	1	3	3	1	4	2	5	4	6	-	-	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	382	1	8	3	4	5	5	2	4	9	13	17	33	37	50	69	33	41	24	18	4	2	-
	WHITE.....MALE..	206	-	6	-	1	2	4	1	-	5	8	9	15	21	31	41	19	19	14	7	2	1	-
	FEMALE	159	1	2	3	3	2	1	1	4	4	5	6	16	14	14	26	13	22	9	10	2	1	-
	NONWHITE.....MALE..	9	-	-	-	-	1	-	-	-	-	-	-	-	1	4	1	1	-	-	1	-	-	-
	FEMALE	8	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	1	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	132	-	6	10	1	3	5	2	5	1	7	6	7	4	20	12	15	17	6	3	2	-	-
	WHITE.....MALE..	79	-	5	4	1	1	5	1	3	1	5	3	5	3	11	9	9	7	3	2	1	-	-
	FEMALE	46	-	1	5	-	1	-	1	2	-	1	3	2	1	9	3	5	8	3	-	1	-	-
	NONWHITE.....MALE..	5	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	115	-	1	2	3	2	2	2	5	2	2	7	13	18	13	10	14	7	7	5	-	-	-
	WHITE.....MALE..	68	-	1	1	2	1	1	2	2	1	1	4	7	10	6	8	8	4	5	4	-	-	-
	FEMALE	42	-	-	1	-	1	1	-	3	1	-	3	6	7	6	1	6	3	2	1	-	-	-
	NONWHITE.....MALE..	4	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	50	2	1	2	3	1	-	-	1	1	2	2	5	6	9	5	2	1	2	4	1	-	-
	WHITE.....MALE..	18	1	-	1	1	1	-	-	-	1	1	-	2	1	5	3	-	-	1	-	-	-	-
	FEMALE	29	1	1	1	2	-	-	-	1	-	1	2	1	5	3	2	2	1	1	4	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
241	ASTHMA.....	58	-	-	-	-	-	3	-	3	-	-	6	7	3	8	7	9	8	2	2	-	-	-
	WHITE.....MALE..	29	-	-	-	-	-	2	-	1	-	-	1	3	1	4	5	6	4	1	1	-	-	-
	FEMALE	27	-	-	-	-	-	1	-	1	-	-	5	4	2	3	2	3	4	1	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	273	-	2	-	-	-	2	2	3	5	1	9	11	17	30	52	44	47	31	13	3	1	-
	WHITE.....MALE..	97	-	2	-	-	-	-	-	1	4	-	6	3	12	9	18	11	16	10	4	-	1	-
	FEMALE	148	-	-	-	-	-	2	2	-	-	1	1	6	5	13	31	26	29	21	8	3	-	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	2	-	-	1	-	-	1	2	2	1	-	1	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	1	-	1	2	-	7	1	5	1	-	-	-	-	-
290-293	ANEMIAS.....	37	1	2	1	-	1	-	-	-	-	1	-	3	1	5	2	5	6	5	3	1	-	-
	WHITE.....MALE..	22	-	2	-	-	-	-	-	-	-	-	-	3	-	4	2	2	5	3	1	-	-	-
	FEMALE	15	1	-	1	-	1	-	-	-	-	1	-	-	1	1	-	3	1	2	2	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	23	11	1	2	1	-	-	-	-	-	2	-	-	2	1	-	2	-	-	1	-	-	-
	WHITE.....MALE..	13	6	1	2	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
	FEMALE	7	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	10,494	4	4	3	7	11	16	24	38	77	172	296	483	685	954	1,214	1,470	1,724	1,607	1,131	428	140	6
	WHITE.....MALE..	5,750	2	2	1	3	7	7	17	27	51	117	190	326	463	576	698	797	904	794	524	184	58	2
	FEMALE	4,128	2	2	2	3	4	8	5	9	21	39	81	125	174	287	424	564	734	758	580	234	71	1
	NONWHITE.....MALE..	362	-	-	-	-	-	-	1	-	3	7	15	17	30	53	54	72	53	28	16	6	6	1
	FEMALE	254	-	-	-	1	-	1	1	2	2	9	10	15	18	38	38	37	33	27	11	4	5	2
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	10,343	4	4	2	7	7	13	19	33	70	169	282	475	673	937	1,206	1,457	1,710	1,595	1,116	422	136	6
	WHITE.....MALE..	5,663	2	2	-	3	3	5	13	24	48	115	185	322	453	568	691	791	899	785	513	183	56	2
	FEMALE	4,078	2	2	2	3	4	7	4	7	18	38	74	123	172	282	424	558	727	755	577	229	69	1
	NONWHITE.....MALE..	352	-	-	-	-	-	-	1	-	2	7	13	17	30	51	53	71	51	28	15	6	6	1
	FEMALE	250	-	-	-	1	-	1	1	2	2	9	10	13	18	36	38	37	33	27	11	4	5	2
330-334	VASCULAR LESIONS, ETC.	2,160	-	1	-	2	-	2	3	3	12	24	35	56	85	155	243	316	414	383	281	107	36	2
	WHITE.....MALE..	1,051	-	-	-	1	-	1	2	1	9	9	14	30	39	71	112	157	224	189	137	41	13	1
	FEMALE	960	-	1	-	1	-	1	1	1	2	11	14	22	34	66	105	132	174	174	140	62	19	-
	NONWHITE.....MALE..	76	-	-	-	-	-	-	-	-	1	1	2	1	8	10	16	16	9	6	1	3	2	-
	FEMALE	73	-	-	-	-	-	-	-	1	-	3	5	3	4	8	10	11	7	14	3	1	2	1
400-402, 410-443	DISEASES OF HEART	7,418	4	3	1	2	6	10	11	27	51	136	236	395	557	739	897	1,032	1,169	1,068	737	252	81	4
	WHITE.....MALE..	4,224	2	2	-	2	3	4	7	21	37	103	164	276	393	474	543	576	609	528	330	114	35	1
	FEMALE	2,800	2	1	1	-	3	5	3	5	12	23	57	96	131	201	296	389	502	510	390	132	40	1
	NONWHITE.....MALE..	243	-	-	-	-	-	-	1	-	1	5	10	14	20	37	35	46	37	20	10	3	3	1
	FEMALE	151	-	-	-	-	-	1	-	1	1	5	5	9	13	27	23	21	21	10	7	3	3	1
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	171	-	1	-	1	5	5	6	8	9	13	21	20	9	25	12	8	12	7	5	3	1	-
	WHITE.....MALE..	84	-	1	-	1	2	2	4	5	4	7	8	12	5	12	7	3	5	2	1	3	-	-
	FEMALE	82	-	-	-	-	3	2	2	3	5	6	12	8	4	11	5	4	7	5	4	-	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC.	5,603	-	-	-	-	1	3	5	16	34	105	181	316	461	590	733	825	852	771	490	160	59	1
	WHITE.....MALE..	3,377	-	-	-	-	1	1	3	13	29	87	140	229	333	398	462	479	465	402	232	76	26	1
	FEMALE	1,957	-	-	-	-	-	2	1	2	4	15	32	69	105	146	231	303	345	348	244	80	30	-
	NONWHITE.....MALE..	170	-	-	-	-	-	-	1	-	-	2	7	10	15	25	26	30	27	15	9	1	2	-
	FEMALE	99	-	-	-	-	-	-	-	1	1	1	2	8	8	21	14	13	15	6	5	3	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC.	568	-	-	-	-	-	1	-	-	3	3	8	15	17	33	44	63	93	124	114	37	11	2
	WHITE.....MALE..	289	-	-	-	-	-	1	-	-	1	2	4	12	12	19	20	32	53	57	54	14	8	-
	FEMALE	255	-	-	-	-	-	-	-	-	2	-	4	3	4	11	19	23	40	65	59	22	2	1
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	-	-	1	-	-	1	3	3	7	-	1	-	1	1	1
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-
430-434	OTHER DISEASES OF HEART	328	4	2	1	1	-	1	-	1	4	6	14	19	19	36	25	38	61	33	42	15	6	-
	WHITE.....MALE..	168	2	1	-	1	-	-	-	1	3	3	7	14	14	20	18	18	30	17	15	4	-	-
	FEMALE	133	2	1	1	-	-	1	-	-	1	1	4	4	2	12	6	14	26	14	27	11	6	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	4	3	2	-	-	-	-
	FEMALE	10	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	2	2	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	748	-	-	-	-	-	-	-	2	1	9	12	25	51	55	83	98	151	133	86	37	4	1
	WHITE.....MALE..	306	-	-	-	-	-	-	-	2	-	4	5	9	29	25	36	44	56	50	28	17	1	-
	FEMALE	373	-	-	-	-	-	-	-	-	-	1	5	12	16	21	35	45	84	78	56	19	1	-
	NONWHITE.....MALE..	34	-	-	-	-	-	-	-	-	1	1	1	3	2	5	6	4	7	2	1	1	-	-
	FEMALE	35	-	-	-	-	-	-	-	-	-	3	1	1	4	4	6	5	4	3	1	-	2	1
444-447	OTHER HYPERTENSIVE DIS.	156	-	-	-	-	-	-	2	-	1	4	2	6	8	10	11	23	28	27	21	7	6	-
	WHITE.....MALE..	86	-	-	-	-	-	-	2	-	1	1	-	3	6	6	8	12	16	13	12	4	2	-
	FEMALE	56	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	8	9	14	8	3	4	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	2	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	-	1	-	-	-
450	GENERAL ARTERIOSCLEROSIS.	388	-	-	-	-	-	1	-	-	1	-	2	3	4	8	23	45	69	99	69	51	13	-
	WHITE.....MALE..	178	-	-	-	-	-	-	-	-	-	-	2	3	3	5	9	19	31	47	31	22	6	-
	FEMALE	182	-	-	-	-	-	1	-	-	1	-	-	-	1	2	13	15	32	48	34	29	6	-
	NONWHITE.....MALE..	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	8	2	1	4	-	1	-
	FEMALE	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	221	-	-	1	3	1	-	3	3	5	5	7	15	19	25	32	41	30	18	8	5	-	-
	WHITE.....MALE..	124	-	-	-	-	-	-	2	2	1	2	5	10	12	12	19	27	19	8	3	2	-	-
	FEMALE	80	-	-	1	2	1	-	-	1	3	3	2	3	5	10	8	14	10	9	5	3	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	1	1	-	-	-
	FEMALE	8	-	-	-	1	-	-	1	-	1	-	-	1	1	-	3	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	151	-	-	1	-	4	3	5	5	7	3	14	8	12	17	8	13	14	12	15	6	4	-
	WHITE.....MALE..	87	-	-	1	-	4	2	4	3	3	2	5	4	10	8	7	6	5	9	11	1	2	-
	FEMALE	50	-	-	-	-	-	1	1	2	3	1	7	2	2	5	-	6	7	3	3	5	2	-
	NONWHITE.....MALE..	10	-	-	-	-	-	-	-	-	1	-	2	-	-	2	1	1	2	-	1	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	692	81	33	2	3	4	4	2	6	9	13	18	26	23	39	51	59	85	91	94	40	9	-
	WHITE.....MALE..	356	43	15	2	2	2	2	2	3	6	9	13	15	14	25	30	35	35	45	45	12	1	-
	FEMALE	287	30	14	-	1	2	2	-	3	3	4	3	8	7	10	17	20	44	39	45	27	8	-
	NONWHITE.....MALE..	30	4	2	-	-	-	-	-	-	-	-	2	1	1	3	2	4	3	4	3	1	-	-
	FEMALE	19	4	2	-	-	-	-	-	-	-	-	-	2	1	1	2	-	3	3	1	-	-	-
480-483	INFLUENZA.....	60	3	5	-	-	1	-	-	-	-	2	1	1	2	1	4	6	8	7	10	9	-	-
	WHITE.....MALE..	29	2	2	-	-	1	-	-	-	-	1	-	1	1	1	2	2	5	2	3	6	-	-
	FEMALE	30	1	3	-	-	-	-	-	-	-	1	1	-	1	-	2	3	3	5	7	3	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	632	78	28	2	3	3	4	2	6	9	11	17	25	21	38	47	53	77	84	84	31	9	-
	WHITE.....MALE..	327	41	13	2	2	1	2	2	3	6	8	13	14	13	24	28	33	30	43	42	6	1	-
	FEMALE	257	29	11	-	1	2	2	-	3	3	3	2	8	6	10	15	17	41	34	38	24	8	-
	NONWHITE.....MALE..	29	4	2	-	-	-	-	-	-	-	-	2	1	1	3	2	3	3	4	3	1	-	-
	FEMALE	19	4	2	-	-	-	-	-	-	-	-	-	2	1	1	2	-	3	3	1	-	-	-
500-502	BRONCHITIS.....	53	2	-	1	-	-	-	-	-	1	3	-	5	6	5	6	7	4	5	5	1	2	-
	WHITE.....MALE..	41	-	-	1	-	-	-	-	-	-	1	-	4	5	5	6	7	3	4	2	1	2	-
	FEMALE	9	1	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	3	-	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	247	11	-	1	1	-	-	-	1	-	8	9	14	36	33	39	38	29	18	6	2	1	-
	WHITE.....MALE..	182	7	-	1	1	-	-	-	1	-	3	4	12	29	26	29	27	22	15	3	1	1	-
	FEMALE	44	3	-	-	-	-	-	-	-	-	5	3	2	6	5	4	4	7	3	2	-	-	-
	NONWHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	2	-	1	1	6	7	-	-	-	1	-	-
	FEMALE	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	111	-	-	-	-	-	1	-	-	3	5	6	7	12	10	18	17	17	8	5	2	-	-
	WHITE.....MALE..	82	-	-	-	-	-	1	-	-	3	3	4	5	10	7	13	12	12	6	5	1	-	-
	FEMALE	23	-	-	-	-	-	-	-	-	-	2	1	-	1	2	4	5	5	2	-	1	-	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	18	-	2	2	-	1	1	-	1	-	-	1	2	3	1	2	-	-	1	-	-	1	-
	WHITE.....MALE..	12	-	2	1	-	1	-	-	1	-	-	-	2	1	1	2	-	-	-	-	-	1	-
	FEMALE	6	-	-	1	-	-	1	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	94	9	2	-	1	-	-	1	-	1	3	3	4	3	7	7	14	16	12	8	2	1	-
	WHITE.....MALE..	40	6	-	-	-	-	-	1	-	1	1	1	2	1	3	4	8	5	4	2	1	-	-
	FEMALE	48	3	2	-	1	-	-	-	-	-	-	1	2	2	4	2	5	11	7	6	1	1	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	72	21	2	2	-	-	-	1	1	2	-	3	1	3	5	3	5	8	9	6	-	-	-
	WHITE.....MALE..	40	12	1	2	-	-	-	-	1	-	-	3	1	-	2	2	2	6	4	4	-	-	-
	FEMALE	28	6	1	-	-	-	-	1	-	2	-	-	-	3	3	1	3	1	5	2	-	-	-
	NONWHITE.....MALE..	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	147	-	-	-	-	1	-	-	1	10	11	12	25	11	23	20	10	9	8	3	3	-	-
	WHITE.....MALE..	92	-	-	-	-	-	-	-	-	6	4	10	14	8	14	10	6	8	7	2	3	-	-
	FEMALE	43	-	-	-	-	-	-	-	1	4	6	1	9	3	4	8	4	1	1	1	-	-	-
	NONWHITE.....MALE..	10	-	-	-	-	1	-	-	-	-	-	1	2	-	4	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	36	-	-	-	-	-	-	-	-	-	-	-	3	5	1	6	8	7	5	-	1	-	-
	WHITE.....MALE..	18	-	-	-	-	-	-	-	-	-	-	-	2	3	-	4	5	1	3	-	-	-	-
	FEMALE	18	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	6	2	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	16	-	1	-	2	-	-	-	1	1	3	-	-	1	1	-	3	-	-	2	1	-	-
	WHITE.....MALE..	7	-	-	-	1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	1	-	-
	FEMALE	8	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	2	-	-	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	83	-	-	-	1	-	1	-	2	2	-	2	4	9	10	18	10	8	8	6	2	-	-
	WHITE.....MALE..	46	-	-	-	1	-	-	-	-	-	-	-	3	4	6	10	5	5	7	4	1	-	-
	FEMALE	28	-	-	-	-	-	1	-	1	2	-	1	-	3	4	6	5	2	1	2	-	-	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-
610	HYPERPLASIA OF PROSTATE..	46	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	13	9	7	3	1	-
	WHITE.....MALE..	42	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	11	9	7	3	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WEST VIRGINIA--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	18	-	-	-	-	3	1	4	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	13	-	-	-	-	2	1	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	5	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	16	-	-	-	-	2	1	4	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	12	-	-	-	-	1	1	3	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	4	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	212	149	14	14	3	3	7	1	2	2	1	3	1	2	4	4	1	-	-	1	-	-	-
	WHITE.....MALE..	125	81	8	10	3	2	5	1	1	1	-	2	1	2	3	4	1	-	-	-	-	-	-
	FEMALE	83	65	5	4	-	1	2	-	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY	588	588	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	333	333	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	223	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	290	290	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	149	149	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	401	39	2	1	2	3	2	2	4	9	9	18	11	29	27	31	47	46	47	43	21	8	-
	WHITE.....MALE..	231	21	-	1	2	2	2	2	3	5	5	11	5	21	19	19	28	31	26	17	7	4	-
	FEMALE	126	16	2	-	-	1	-	-	1	2	2	5	4	2	4	5	12	11	17	24	14	4	-
	NONWHITE.....MALE..	26	1	-	-	-	-	-	-	-	2	-	1	1	2	3	4	7	3	2	-	-	-	-
	FEMALE	18	1	-	-	-	-	-	-	-	-	2	1	1	4	1	3	-	1	2	2	-	-	-
RESIDUAL	ALL OTHER DISEASES.	521	18	14	11	7	10	8	5	19	17	22	29	26	31	56	60	58	51	33	29	15	1	1
	WHITE.....MALE..	274	7	6	4	2	6	4	3	13	8	8	18	16	15	28	41	30	24	17	16	7	1	-
	FEMALE	209	8	8	7	5	4	4	1	4	7	10	9	10	13	21	18	23	24	13	12	8	-	-
	NONWHITE.....MALE..	26	3	-	-	-	-	-	-	-	2	4	1	-	2	6	-	2	2	2	1	-	-	1
	FEMALE	12	-	-	-	-	-	-	1	2	-	-	1	-	1	1	1	3	1	1	-	-	-	-
E800-E962	ACCIDENTS	1,144	36	47	30	51	88	79	59	54	74	78	70	58	67	51	53	54	61	58	42	24	8	2
	WHITE.....MALE..	768	17	21	18	39	68	62	48	41	63	61	54	52	47	33	32	28	31	25	15	11	1	1
	FEMALE	312	13	21	11	10	17	15	8	7	8	10	13	6	15	13	17	23	27	30	27	13	7	1
	NONWHITE.....MALE..	42	4	1	-	2	3	2	3	6	2	3	2	-	5	4	2	1	2	-	-	-	-	-
	FEMALE	22	2	4	1	-	-	-	-	-	1	4	1	-	-	1	2	2	1	3	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	437	3	9	9	18	58	62	32	24	30	34	27	17	30	20	20	19	14	6	5	-	-	-
	WHITE.....MALE..	324	2	5	7	13	43	49	27	20	23	25	17	15	22	13	12	11	11	4	5	-	-	-
	FEMALE	93	1	3	2	5	12	12	3	3	7	7	8	2	7	5	5	6	3	2	-	-	-	-
	NONWHITE.....MALE..	15	-	-	-	-	3	1	2	1	-	1	1	-	1	2	2	1	-	-	-	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS	707	33	38	21	33	30	17	27	30	44	44	43	41	37	31	33	35	47	52	37	24	8	2
	WHITE.....MALE..	444	15	16	11	26	25	13	21	21	40	36	37	37	25	20	20	17	20	21	10	11	1	1
	FEMALE	219	12	18	9	5	5	3	5	4	1	3	5	4	8	8	12	17	24	28	27	13	7	1
	NONWHITE.....MALE..	27	4	1	-	2	-	1	1	5	2	2	1	-	4	2	-	-	2	-	-	-	-	-
	FEMALE	17	2	3	1	-	-	-	-	-	1	3	-	-	-	1	1	1	1	3	-	-	-	-
E963, E970-E979	SUICIDE	183	...	...	-	-	4	11	8	12	12	23	15	18	24	13	14	14	7	7	1	-	-	-
	WHITE.....MALE..	148	...	...	-	-	3	9	4	10	8	19	12	15	21	9	13	12	6	6	1	-	-	-
	FEMALE	33	...	...	-	-	1	2	4	2	4	4	3	2	3	3	1	2	1	1	-	-	-	-
	NONWHITE.....MALE..	2	...	...	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE	71	2	2	2	-	5	6	7	7	11	5	5	10	3	1	4	-	1	-	-	-	-	-
	WHITE.....MALE..	47	1	2	2	-	4	3	2	3	8	4	4	9	2	-	2	-	1	-	-	-	-	-
	FEMALE	14	1	-	-	-	1	3	3	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	2	1	1	1	1	-	1	-	2	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN																							
	ALL CAUSES	38,380	1,953	320	170	159	280	284	218	316	429	656	1,107	1,645	2,286	3,184	4,440	5,335	5,841	4,660	3,330	1,419	343	5
	WHITE.....MALE	21,494	1,052	164	105	87	186	206	147	188	251	371	679	1,059	1,463	2,002	2,794	3,175	3,084	2,244	1,526	590	116	5
	FEMALE	16,218	750	138	62	63	87	70	63	107	160	243	399	545	777	1,136	1,578	2,111	2,714	2,387	1,783	821	224	-
	NONWHITE.....MALE	376	82	12	-	3	4	4	4	12	6	26	14	24	22	30	39	31	25	18	13	5	2	-
	FEMALE	292	69	6	3	6	3	4	4	9	12	16	15	17	24	16	29	18	18	11	8	3	1	-
001-019	TUBERCULOSIS, ALL FORMS	103	2	1	-	-	-	-	-	-	4	3	4	7	10	10	18	20	12	6	5	-	1	-
	WHITE.....MALE	65	-	1	-	-	-	-	-	-	1	-	-	6	6	7	12	18	8	2	3	-	1	-
	FEMALE	29	1	-	-	-	-	-	-	-	2	1	3	1	3	3	3	2	4	4	2	-	-	-
	NONWHITE.....MALE	7	1	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS	87	1	1	-	-	-	-	-	-	4	1	3	7	8	7	12	20	11	6	5	-	1	-
	WHITE.....MALE	57	-	1	-	-	-	-	-	-	1	-	-	6	4	6	8	18	7	2	3	-	1	-
	FEMALE	24	1	-	-	-	-	-	-	-	2	1	2	1	3	1	1	2	4	4	2	-	-	-
	NONWHITE.....MALE	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	16	1	-	-	-	-	-	-	-	-	2	1	-	2	3	6	-	1	-	-	-	-	-
	WHITE.....MALE	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	1	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-
	NONWHITE.....MALE	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	33	-	-	-	1	-	-	-	-	-	-	2	2	4	1	11	7	2	2	1	-	-	-
	WHITE.....MALE	23	-	-	-	-	-	-	-	-	-	-	2	-	4	-	9	5	1	2	-	-	-	-
	FEMALE	9	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	2	1	-	1	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS	10	3	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	WHITE.....MALE	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES	102	15	5	2	3	2	1	3	3	2	3	2	9	7	6	11	10	11	5	2	-	-	-
	WHITE.....MALE	44	4	4	-	3	1	-	1	3	1	1	2	3	3	2	4	7	1	4	-	-	-	-
	FEMALE	54	10	1	2	-	1	-	2	-	1	1	-	6	4	3	7	3	10	1	2	-	-	-
	NONWHITE.....MALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	6,319	7	50	30	28	19	26	22	60	100	168	291	418	566	705	968	964	963	560	274	83	16	1
	WHITE.....MALE..	3,350	1	29	16	14	11	19	13	33	41	63	114	209	288	363	550	561	534	288	149	45	8	1
	FEMALE	2,891	5	20	14	13	7	7	9	23	56	101	173	197	268	333	407	397	422	269	124	38	8	-
	NONWHITE.....MALE..	42	-	1	-	1	1	-	-	1	-	1	2	6	5	7	9	3	3	1	1	-	-	-
	FEMALE	36	1	-	-	-	-	-	-	3	3	3	2	6	5	2	2	3	4	2	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	139	-	-	-	-	-	-	-	-	-	5	7	16	18	15	23	17	14	11	8	5	-	-
	WHITE.....MALE..	114	-	-	-	-	-	-	-	-	-	3	6	16	17	13	18	14	10	7	6	4	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	2	1	-	1	1	5	3	4	4	2	1	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	2,289	-	2	1	-	1	4	4	8	17	35	63	111	175	236	367	380	439	264	138	39	5	-
	WHITE.....MALE..	1,271	-	1	-	-	-	1	2	3	9	17	30	61	99	132	214	230	251	130	69	21	1	-
	FEMALE	998	-	1	1	-	-	3	2	5	8	17	32	47	73	101	149	149	186	133	69	18	4	-
	NONWHITE.....MALE..	14	-	-	-	-	1	-	-	-	-	1	1	2	3	2	3	1	-	1	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	759	-	1	-	-	-	2	-	4	10	19	45	90	88	112	138	112	93	31	12	2	-	-
	WHITE.....MALE..	634	-	-	-	-	-	2	-	2	8	15	31	75	77	98	122	95	76	24	8	1	-	-
	FEMALE	111	-	1	-	-	-	-	-	1	2	3	13	13	11	11	12	16	16	7	4	1	-	-
	NONWHITE.....MALE..	13	-	-	-	-	-	-	-	1	-	1	1	2	-	2	4	1	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
170	OF BREAST.....	602	-	-	-	-	-	-	2	6	18	33	53	60	74	73	70	80	67	45	15	5	1	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	FEMALE	592	-	-	-	-	-	-	2	5	18	33	52	58	72	72	69	80	66	44	15	5	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	1	-	-	-	-
171-179	OF GENITAL ORGANS.....	887	-	1	-	1	-	4	4	12	16	33	44	41	63	87	132	143	147	96	45	13	4	1
	WHITE.....MALE..	386	-	1	-	-	-	4	2	4	1	2	4	6	10	22	56	76	83	68	33	10	3	1
	FEMALE	483	-	-	-	1	-	-	2	7	13	29	39	32	50	64	75	66	62	27	12	3	1	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	1	2	2	1	3	3	-	-	1	1	1	-	-	-	-
180, 181	OF URINARY ORGANS.....	338	1	2	-	-	-	-	-	-	-	4	14	21	30	36	57	63	54	26	18	8	4	-
	WHITE.....MALE..	226	-	1	-	-	-	-	-	-	-	3	8	12	20	23	37	50	39	14	12	5	2	-
	FEMALE	106	1	1	-	-	-	-	-	-	-	1	6	8	8	12	19	13	15	12	5	3	2	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1568, 165, 190-199	OF OTHER SITES, ETC.....	638	2	13	8	14	11	4	8	11	13	20	37	37	68	78	79	84	64	60	18	8	1	-
	WHITE.....MALE..	349	-	7	5	9	7	3	5	10	6	15	19	22	36	39	45	48	31	31	9	1	1	-
	FEMALE	285	2	6	3	4	4	1	3	1	6	5	18	15	32	39	34	35	32	29	9	7	-	-
	NONWHITE.....MALE..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	315	4	29	17	8	4	6	1	7	9	7	12	13	15	29	36	38	43	20	14	2	1	-
	WHITE.....MALE..	180	1	17	8	2	2	4	1	5	7	3	8	5	8	19	20	25	20	12	10	2	1	-
	FEMALE	129	2	11	9	6	2	2	-	1	2	4	4	8	6	10	16	11	23	8	4	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	352	-	2	4	5	3	6	3	12	17	12	16	29	35	39	66	47	42	7	6	1	-	-
	WHITE.....MALE..	186	-	2	3	3	2	5	3	9	10	5	8	12	20	16	37	23	23	2	2	1	-	-
	FEMALE	163	-	-	1	2	1	1	-	3	7	7	8	16	15	23	28	24	18	5	4	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	88	2	1	1	2	3	-	-	1	5	1	8	7	10	17	7	4	7	7	3	2	-	-
	WHITE.....MALE..	38	-	-	1	2	1	-	-	1	2	1	3	3	5	5	6	1	3	4	-	-	-	-
	FEMALE	46	2	1	-	-	2	-	-	-	3	-	4	4	5	9	1	3	4	3	3	2	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
241	ASTHMA.....	99	-	1	2	1	-	3	-	4	2	3	5	7	4	9	20	16	11	7	3	1	-	-
	WHITE.....MALE..	63	-	-	1	-	-	1	-	2	-	2	3	4	2	5	15	13	7	4	3	1	-	-
	FEMALE	35	-	1	1	1	-	1	-	2	2	1	2	3	2	4	5	3	4	3	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	768	-	2	-	2	2	5	10	9	12	12	20	21	45	86	133	161	98	89	48	13	-	-
	WHITE.....MALE..	333	-	-	-	1	1	-	6	7	9	7	10	13	22	37	53	63	48	32	19	5	-	-
	FEMALE	425	-	2	-	1	1	5	4	1	3	4	9	8	22	47	79	96	50	56	29	8	-	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	1	-	-	-	-
290-293	ANEMIAS.....	77	1	-	2	5	-	1	1	1	1	2	1	5	2	1	6	16	12	13	5	2	-	-
	WHITE.....MALE..	37	1	-	1	1	-	1	-	-	-	1	-	4	2	-	2	7	7	7	1	2	-	-
	FEMALE	38	-	-	1	4	-	-	-	1	1	1	1	1	-	1	3	9	5	6	4	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	49	15	12	2	2	-	1	-	-	-	-	2	4	5	1	3	1	-	1	-	-	-	-
	WHITE.....MALE..	25	7	6	2	-	-	-	-	-	-	-	1	2	4	1	1	1	-	-	-	-	-	-
	FEMALE	22	8	5	-	2	-	1	-	-	-	-	1	1	1	-	2	-	-	1	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	22,040	8	5	7	13	17	16	31	72	118	227	453	777	1,196	1,839	2,605	3,402	4,020	3,376	2,489	1,101	267	1
	WHITE.....MALE..	12,240	4	3	5	3	9	7	17	43	80	158	342	558	831	1,238	1,675	1,998	2,072	1,572	1,101	437	86	1
	FEMALE	9,548	3	1	2	8	8	8	13	26	34	55	100	202	342	573	888	1,373	1,920	1,784	1,371	658	179	-
	NONWHITE.....MALE..	139	1	-	-	-	-	-	1	2	2	7	6	8	10	18	21	21	15	14	9	3	1	-
	FEMALE	113	-	1	-	2	-	1	-	1	2	7	5	9	13	10	21	10	13	6	8	3	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	21,833	8	5	5	8	13	9	26	65	107	219	438	769	1,176	1,822	2,577	3,383	3,994	3,368	2,475	1,099	266	1
	WHITE.....MALE..	12,125	4	3	5	3	7	4	15	38	73	153	332	553	823	1,232	1,657	1,987	2,052	1,566	1,096	435	86	1
	FEMALE	9,460	3	1	-	3	6	4	10	24	31	53	95	199	331	562	879	1,365	1,914	1,782	1,362	658	178	-
	NONWHITE.....MALE..	137	1	-	-	-	-	-	1	2	2	6	6	8	10	18	20	21	15	14	9	3	1	-
	FEMALE	111	-	1	-	2	-	1	-	1	1	7	5	9	12	10	21	10	13	6	8	3	1	-
330-334	VASCULAR LESIONS, ETC	4,638	2	2	2	3	6	1	8	15	20	38	53	121	165	294	506	697	964	826	592	270	52	1
	WHITE.....MALE..	2,203	-	2	2	2	4	1	4	5	9	18	20	52	84	172	275	378	457	368	230	97	22	1
	FEMALE	2,372	2	-	-	1	2	-	4	8	9	15	31	67	77	115	218	315	500	452	356	171	29	-
	NONWHITE.....MALE..	34	-	-	-	-	-	-	-	1	1	2	-	1	2	2	7	3	6	4	3	1	1	-
	FEMALE	29	-	-	-	-	-	-	-	1	1	3	2	1	2	5	6	1	1	2	3	1	-	-
400-402, 410-443	DISEASES OF HEART	15,302	6	3	3	1	4	5	16	48	84	166	359	609	953	1,419	1,911	2,448	2,692	2,205	1,557	650	163	-
	WHITE.....MALE..	8,927	4	1	3	1	3	2	9	33	63	127	292	477	698	991	1,275	1,468	1,415	1,034	725	256	50	-
	FEMALE	6,211	1	1	-	-	1	2	6	14	20	32	60	118	238	408	612	953	1,259	1,157	825	392	112	-
	NONWHITE.....MALE..	93	1	-	-	-	-	-	1	1	1	4	4	7	8	15	10	18	7	10	5	1	-	-
	FEMALE	71	-	1	-	-	-	1	-	-	-	3	3	7	9	5	14	9	11	4	2	1	1	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS	399	1	1	-	-	-	2	8	9	13	23	37	45	47	57	55	40	31	18	7	4	1	-
	WHITE.....MALE..	202	-	-	-	-	-	1	1	5	8	15	24	25	23	26	26	19	14	9	2	3	1	-
	FEMALE	193	-	1	-	-	-	1	6	4	5	8	12	20	24	30	29	21	17	9	5	1	-	-
	NONWHITE.....MALE..	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	11,969	-	1	-	-	-	1	5	31	60	125	284	503	794	1,187	1,578	1,969	2,127	1,642	1,087	464	111	-
	WHITE.....MALE..	7,311	-	1	-	-	-	1	5	23	48	103	242	416	608	857	1,096	1,227	1,152	795	524	175	38	-
	FEMALE	4,548	-	-	-	-	-	-	-	8	11	16	39	79	174	314	465	725	961	838	559	287	72	-
	NONWHITE.....MALE..	64	-	-	-	-	-	-	-	-	1	3	2	3	7	12	6	13	6	7	3	1	-	-
	FEMALE	46	-	-	-	-	-	-	-	-	-	3	1	5	5	4	11	4	8	2	1	1	1	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	1,243	-	-	1	-	-	1	1	5	3	1	7	13	16	44	86	156	235	272	251	120	31	-
	WHITE.....MALE..	613	-	-	1	-	-	-	1	3	2	1	6	11	9	32	61	78	117	122	107	55	7	-
	FEMALE	626	-	-	-	-	-	1	-	2	1	-	1	2	7	11	25	77	116	150	144	65	24	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
430-434	OTHER DISEASES OF HEART	514	5	1	2	1	4	1	2	2	5	11	16	17	41	32	56	74	78	72	71	20	3	-
	WHITE.....MALE..	318	4	-	2	1	3	-	2	2	2	6	15	11	29	23	36	52	47	42	32	9	-	-
	FEMALE	185	1	-	-	-	1	-	-	-	3	5	1	5	11	9	19	20	31	28	37	11	3	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	2	-	-	-
	FEMALE	5	-	1	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
440-443	HYPERTENSIVE HEART DIS	1,177	-	-	-	-	-	-	-	1	3	6	15	31	55	99	136	209	221	201	141	42	17	-
	WHITE.....MALE..	483	-	-	-	-	-	-	-	-	3	2	5	14	29	53	56	92	85	66	60	14	4	-
	FEMALE	659	-	-	-	-	-	-	-	-	-	3	7	12	22	44	74	110	134	132	80	28	13	-
	NONWHITE.....MALE..	19	-	-	-	-	-	-	-	1	-	1	2	3	1	2	4	3	-	2	-	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	-	-	1	2	3	-	2	4	2	1	1	-	-	-
444-447	OTHER HYPERTENSIVE DIS	226	-	-	-	-	-	2	-	-	1	4	10	9	7	10	17	25	55	37	28	17	4	-
	WHITE.....MALE..	105	-	-	-	-	-	1	-	-	1	2	7	3	3	6	9	10	26	19	11	6	1	-
	FEMALE	118	-	-	-	-	-	1	-	-	-	2	2	5	4	4	8	15	29	18	16	11	3	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	1,053	-	-	-	-	-	-	-	-	-	-	3	3	7	23	44	114	190	227	247	150	45	-
	WHITE.....MALE..	501	-	-	-	-	-	-	-	-	-	-	3	2	5	14	23	59	98	110	103	72	12	-
	FEMALE	545	-	-	-	-	-	-	-	-	-	-	-	1	2	9	20	55	91	117	141	76	33	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	614	-	-	-	4	3	1	2	2	2	11	13	27	44	76	99	99	93	73	51	12	2	-
	WHITE.....MALE..	389	-	-	-	-	-	-	2	-	-	6	10	19	33	49	75	72	56	35	27	4	1	-
	FEMALE	214	-	-	-	2	3	1	-	2	2	4	2	8	10	26	21	27	35	38	24	8	1	-
	NONWHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	1	-	-	-	-	-
	FEMALE	6	-	-	-	2	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	207	-	-	2	5	4	7	5	7	11	8	15	8	20	17	28	19	26	8	14	2	1	-
	WHITE.....MALE..	115	-	-	-	-	2	3	2	5	7	5	10	5	8	6	18	11	20	6	5	2	-	-
	FEMALE	88	-	-	2	5	2	4	3	2	3	2	5	3	11	11	9	8	6	2	9	-	1	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	1,227	151	40	6	6	2	6	6	6	9	13	17	26	32	46	81	148	176	184	175	77	20	-
	WHITE.....MALE..	654	87	17	2	3	-	4	3	2	4	8	6	14	16	29	57	95	88	96	86	32	5	-
	FEMALE	521	43	20	4	2	2	2	3	3	4	2	9	10	13	17	24	48	85	86	87	43	14	-
	NONWHITE.....MALE..	32	11	1	-	-	-	-	-	-	1	2	1	2	1	-	-	3	3	2	2	2	1	-
	FEMALE	20	10	2	-	1	-	-	-	1	-	1	1	-	2	-	-	2	-	-	-	-	-	-
480-483	INFLUENZA.....	91	8	5	1	2	-	2	-	1	2	-	2	1	3	5	6	10	11	11	13	6	2	-
	WHITE.....MALE..	48	7	4	1	1	-	1	-	1	1	-	1	-	1	1	5	6	4	7	4	3	-	-
	FEMALE	43	1	1	-	1	-	1	-	-	1	-	1	1	2	4	1	4	7	4	9	3	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	1,136	143	35	5	4	2	4	6	5	7	13	15	25	29	41	75	138	165	173	162	71	18	-
	WHITE.....MALE..	606	80	13	1	2	-	3	3	1	3	8	5	14	15	28	52	89	84	89	82	29	5	-
	FEMALE	478	42	19	4	1	2	1	3	3	3	2	8	9	11	13	23	44	78	82	78	40	12	-
	NONWHITE.....MALE..	32	11	1	-	-	-	-	-	-	1	2	1	2	1	-	-	3	3	2	2	2	1	-
	FEMALE	20	10	2	-	1	-	-	-	1	-	1	1	-	2	-	-	2	-	-	-	-	-	-
500-502	BRONCHITIS.....	88	16	7	1	-	-	-	-	2	-	1	-	6	3	9	10	7	12	4	6	4	-	-
	WHITE.....MALE..	54	5	5	-	-	-	-	-	-	-	-	-	3	3	8	7	5	9	3	2	4	-	-
	FEMALE	32	11	1	1	-	-	-	-	2	-	1	-	2	-	1	3	2	3	1	4	-	-	-
	NONWHITE.....MALE..	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	372	21	3	-	-	-	-	-	-	5	4	7	23	36	39	64	72	41	33	14	6	4	-
	WHITE.....MALE..	293	13	2	-	-	-	-	-	-	3	1	4	16	28	35	54	65	32	21	12	5	2	-
	FEMALE	71	7	-	-	-	-	-	-	-	2	3	2	5	8	4	8	7	8	12	2	1	2	-
	NONWHITE.....MALE..	7	1	1	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	277	-	2	-	-	-	-	-	1	5	8	16	19	30	29	39	43	43	25	13	3	1	-
	WHITE.....MALE..	201	-	1	-	-	-	-	-	1	3	5	11	16	26	20	33	31	32	15	6	1	-	-
	FEMALE	69	-	1	-	-	-	-	-	-	1	3	4	2	1	8	6	12	11	10	7	2	1	-
	NONWHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	45	-	1	2	1	2	-	1	-	1	2	1	3	4	3	5	6	5	3	4	-	1	-
	WHITE.....MALE..	32	-	-	2	-	-	-	1	-	-	2	1	2	3	3	4	4	4	2	3	-	1	-
	FEMALE	11	-	1	-	1	1	-	-	-	1	-	-	-	1	-	1	2	1	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	241	16	2	-	-	-	-	-	1	2	-	6	14	13	16	32	35	43	34	23	4	-	-
	WHITE.....MALE..	127	7	1	-	-	-	-	-	-	2	-	3	7	8	11	20	13	25	17	12	1	-	-
	FEMALE	110	8	1	-	-	-	-	-	-	-	-	3	7	4	5	12	22	17	17	11	3	-	-
	NONWHITE.....MALE..	4	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	146	24	8	2	1	1	3	2	3	-	4	4	3	3	14	9	13	19	16	12	4	1	-
	WHITE.....MALE..	69	9	4	-	-	-	1	1	3	-	1	2	2	1	12	5	6	9	7	5	-	1	-
	FEMALE	71	10	4	2	1	1	2	1	-	-	3	1	1	2	2	4	7	10	9	7	4	-	-
	NONWHITE.....MALE..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	360	-	1	-	1	-	1	-	1	20	37	37	44	53	48	51	40	18	3	4	1	-	-
	WHITE.....MALE..	242	-	-	-	1	-	1	-	1	14	19	24	28	38	34	36	31	13	-	2	-	-	-
	FEMALE	110	-	1	-	-	-	-	-	-	5	15	13	15	15	12	15	8	5	3	2	1	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	149	-	-	-	-	-	-	1	-	-	-	2	8	6	16	27	28	26	19	10	6	-	-
	WHITE.....MALE..	61	-	-	-	-	-	-	1	-	-	-	-	3	1	7	14	14	8	6	5	2	-	-
	FEMALE	86	-	-	-	-	-	-	-	-	-	-	2	5	5	9	12	14	18	12	5	4	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	22	1	1	1	-	1	2	-	-	-	-	2	1	2	1	2	3	2	2	1	-	-	-
	WHITE.....MALE..	14	-	1	1	-	-	2	-	-	-	-	1	1	2	1	1	2	1	1	-	-	-	-
	FEMALE	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	128	-	1	1	1	1	-	-	2	1	3	3	6	9	15	17	20	22	9	11	6	-	-
	WHITE.....MALE..	79	-	-	-	1	-	-	-	1	-	1	2	4	3	6	13	14	14	8	8	4	-	-
	FEMALE	44	-	1	1	-	1	-	-	1	1	-	1	2	5	9	3	6	7	1	3	2	-	-
	NONWHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	94	-	-	-	-	-	-	-	-	-	-	1	-	-	-	11	16	16	27	12	10	1	-
	WHITE.....MALE..	94	-	-	-	-	-	-	-	-	-	-	1	-	-	-	11	16	16	27	12	10	1	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WISCONSIN--CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	28	-	-	-	-	2	6	6	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	26	-	-	-	-	2	6	6	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	24	-	-	-	-	2	5	4	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	23	-	-	-	-	2	5	4	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	476	303	53	15	17	12	8	4	4	6	6	6	10	8	11	5	5	2	1	-	-	-	-
	WHITE.....MALE..	249	168	22	10	6	6	5	1	2	4	4	3	2	4	4	4	3	1	-	-	-	-	-
	FEMALE	208	121	28	5	11	5	3	3	1	2	2	3	8	4	7	1	2	1	1	-	-	-	-
	NONWHITE.....MALE..	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	8	5	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	1,244	1,244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	676	676	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	468	468	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	519	519	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	298	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	663	663	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	344	344	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	215	9	1	-	-	2	1	-	1	1	2	6	9	5	11	10	22	26	36	32	23	15	3
	WHITE.....MALE..	117	7	1	-	-	2	-	-	1	-	1	3	6	5	7	7	13	13	20	16	7	5	3
	FEMALE	98	2	-	-	-	-	1	-	-	1	1	3	3	-	4	3	9	13	16	16	16	10	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	ALL OTHER DISEASES.	1,028	49	31	18	9	12	13	13	19	28	35	61	55	85	76	120	129	105	81	63	21	5	-
	WHITE.....MALE..	569	26	13	9	4	6	6	7	9	16	19	30	32	50	45	74	81	55	43	30	11	3	-
	FEMALE	434	21	15	8	5	6	6	6	10	10	12	28	22	34	31	44	46	48	37	33	10	2	-
	NONWHITE.....MALE..	16	2	2	-	-	-	-	-	-	-	4	2	1	1	-	2	1	1	-	-	-	-	-
	FEMALE	9	-	1	1	-	-	1	-	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-
E800-E962	ACCIDENTS.	2,064	58	84	75	64	192	172	92	84	74	88	90	101	99	129	132	121	129	107	112	50	11	-
	WHITE.....MALE..	1,383	34	49	52	47	141	146	77	58	51	54	64	77	71	92	93	85	68	55	44	22	3	-
	FEMALE	632	22	31	21	12	47	24	11	21	19	28	24	24	26	37	36	34	61	51	67	28	8	-
	NONWHITE.....MALE..	30	-	4	-	2	2	2	1	5	1	5	1	-	1	-	2	2	-	1	1	-	-	-
	FEMALE	19	2	-	2	3	2	-	3	-	3	1	1	-	1	-	1	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	966	3	34	38	28	148	140	63	51	37	50	46	49	54	55	64	49	33	18	5	1	-	-
	WHITE.....MALE..	702	1	21	25	20	109	118	54	36	26	26	30	36	41	37	45	36	19	17	4	1	-	-
	FEMALE	245	2	11	12	6	38	20	8	12	10	22	15	13	13	18	17	12	14	1	1	-	-	-
	NONWHITE.....MALE..	13	-	2	-	1	1	2	-	3	-	1	-	-	-	-	2	1	-	-	-	-	-	-
	FEMALE	6	-	-	1	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	1,098	55	50	37	36	44	32	29	33	37	38	44	52	45	74	68	72	96	89	107	49	11	-
	WHITE.....MALE..	681	33	28	27	27	32	28	23	22	25	28	34	41	30	55	48	49	49	38	40	21	3	-
	FEMALE	387	20	20	9	6	9	4	3	9	9	6	9	11	13	19	19	22	47	50	66	28	8	-
	NONWHITE.....MALE..	17	-	2	-	1	1	-	1	2	1	4	1	-	1	-	-	1	-	1	1	-	-	-
	FEMALE	13	2	-	1	2	2	-	2	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	433	...	...	-	1	9	13	22	23	27	30	57	56	45	41	43	26	20	10	8	2	-	-
	WHITE.....MALE..	326	...	...	-	1	8	11	17	16	19	19	46	41	33	27	34	23	15	8	7	1	-	-
	FEMALE	103	...	...	-	-	1	2	5	6	8	9	11	15	12	14	8	3	5	2	1	1	-	-
	NONWHITE.....MALE..	3	...	...	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	...	...	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	47	5	2	1	1	1	6	4	7	3	3	2	4	4	4	-	-	-	-	-	-	-	-
	WHITE.....MALE..	26	1	1	1	-	-	2	2	4	1	3	1	3	4	3	-	-	-	-	-	-	-	-
	FEMALE	13	4	1	-	1	1	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	8	-	-	-	-	-	2	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING																							
	ALL CAUSES.....	2,746	243	37	17	25	38	37	30	46	51	78	101	126	151	216	324	349	337	276	183	60	21	-
	WHITE.....MALE..	1,653	129	20	7	10	23	28	19	32	30	54	67	75	99	145	202	209	210	154	103	28	9	-
	FEMALE	1,034	100	15	8	13	15	8	11	13	16	22	32	49	48	65	119	137	123	118	79	32	11	-
	NONWHITE.....MALE..	34	9	2	1	2	-	-	-	-	2	1	1	2	2	2	2	2	2	3	1	-	-	-
	FEMALE	25	5	-	1	-	-	1	-	1	3	1	1	-	2	4	1	1	2	1	-	-	1	-
001-019	TUBERCULOSIS, ALL FORMS..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	RESPIRATORY TUBERCULOSIS.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
	WHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	TUBERCULOSIS, OTHER FORMS	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	SYPHILIS AND ITS SEQUELAE	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	1	-	-	-
	WHITE.....MALE..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	DYSENTERY, ALL FORMS.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	SCARLET FEVER AND STREP. SORE THROAT.....	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	DIPHTHERIA.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	WHOOPING COUGH.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	MENINGOCOCCAL INFECTIONS.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	ACUTE POLIOMYELITIS.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	MEASLES.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESID-UAL	OTHER INFECTIVE AND PARASITIC DISEASES.....	17	4	1	1	-	1	-	1	1	1	-	1	1	1	1	3	-	-	-	-	-	-	-
	WHITE.....MALE..	11	3	-	-	-	1	-	1	1	-	-	1	1	-	1	2	-	-	-	-	-	-	-
	FEMALE	6	1	1	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
140-205	MALIGNANT NEOPLASMS, ETC.	372	-	5	3	1	1	2	-	7	5	10	19	29	44	41	61	52	49	26	16	1	-	-
	WHITE.....MALE..	202	-	3	1	-	-	2	-	5	3	4	8	13	24	24	33	28	29	16	9	-	-	-
	FEMALE	166	-	2	2	1	1	-	-	2	2	6	11	16	19	17	27	24	19	9	7	1	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
140-148	OF BUCCAL CAVITY AND PHARYNX.....	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
150-156A, 157-159	OF DIGESTIVE ORGANS AND PERITONEUM, ETC.....	105	-	-	-	-	-	-	-	-	1	3	3	7	12	6	18	21	21	8	5	-	-	-
	WHITE.....MALE..	49	-	-	-	-	-	-	-	-	-	2	2	2	5	3	7	8	13	6	1	-	-	-
	FEMALE	54	-	-	-	-	-	-	-	-	1	1	1	5	7	3	10	13	7	2	4	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
160-164	OF RESP. SYSTEM, ETC.....	57	-	-	-	-	-	-	-	-	1	1	3	6	7	11	10	8	6	2	1	1	-	-
	WHITE.....MALE..	50	-	-	-	-	-	-	-	-	1	-	1	6	7	10	10	8	4	2	1	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	2	-	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	OF BREAST.....	33	-	-	-	-	-	-	-	1	-	1	3	7	4	2	4	2	4	4	1	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	FEMALE	32	-	-	-	-	-	-	-	1	-	1	3	7	4	1	4	2	4	4	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	OF GENITAL ORGANS.....	54	-	-	-	-	-	-	-	1	-	3	2	3	5	7	14	6	8	2	3	-	-	-
	WHITE.....MALE..	27	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	5	7	2	2	-	-	-
	FEMALE	27	-	-	-	-	-	-	-	1	-	3	2	3	3	5	7	1	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	OF URINARY ORGANS.....	19	-	1	-	-	-	-	-	-	-	1	-	2	3	4	3	1	2	1	1	-	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	1	-	2	3	1	3	1	1	1	1	-	-	-
	FEMALE	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	OF OTHER SITES, ETC.....	53	-	1	-	-	1	1	-	3	2	1	6	1	8	7	4	4	5	7	2	-	-	-
	WHITE.....MALE..	31	-	1	-	-	-	1	-	3	1	1	4	1	4	3	2	1	2	5	2	-	-	-
	FEMALE	21	-	-	-	-	1	-	-	-	1	-	2	-	3	4	2	3	3	2	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	LEUKEMIA AND ALEUKEMIA...	22	-	2	2	1	-	1	-	1	1	-	1	-	2	1	4	4	1	-	1	-	-	-
	WHITE.....MALE..	15	-	1	1	-	-	1	-	1	1	-	1	-	1	1	3	2	1	-	1	-	-	-
	FEMALE	7	-	1	1	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	LYMPHOMAS, ETC.....	24	-	1	1	-	-	-	-	1	-	-	1	2	3	3	4	5	2	-	1	-	-	-
	WHITE.....MALE..	12	-	1	-	-	-	-	-	1	-	-	-	1	2	3	1	2	1	-	-	-	-	-
	FEMALE	12	-	-	1	-	-	-	-	-	-	-	1	1	1	-	3	3	1	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	BENIGN, UNSPEC. NEOPLASMS	10	-	1	1	-	2	2	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	WHITE.....MALE..	7	-	-	1	-	2	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
241	ASTHMA.....	16	-	-	-	-	-	-	-	-	-	1	-	1	1	2	6	3	1	-	1	-	-	-
	WHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	-	-	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	DIABETES MELLITUS.....	54	1	-	-	-	-	-	-	1	-	1	-	2	6	9	9	12	9	4	-	-	-	-
	WHITE.....MALE..	23	1	-	-	-	-	-	-	-	-	1	-	-	2	3	5	6	3	2	-	-	-	-
	FEMALE	29	-	-	-	-	-	-	-	1	-	-	-	2	3	5	4	6	6	2	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
290-293	ANEMIAS.....	5	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-
	WHITE.....MALE..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-
	FEMALE	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING--CON.																							
340	NONMENINGOCOCCAL MENINGITIS	3	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	MAJOR CARDIOVASCULAR-RENAL DISEASES	1,317	1	-	-	1	3	5	2	6	9	35	35	47	66	119	175	211	221	194	127	42	18	-
	WHITE.....MALE..	799	-	-	-	-	1	3	2	5	5	27	26	30	52	90	105	126	132	100	70	18	7	-
	FEMALE	503	1	-	-	1	2	2	-	1	4	8	8	16	13	26	69	83	87	92	56	24	10	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	2	1	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-
330-334, 400-468	DIS. OF CARDIOVASCULAR SYSTEM	1,300	1	-	-	1	2	3	2	4	8	34	35	45	66	117	175	207	220	193	127	42	18	-
	WHITE.....MALE..	789	-	-	-	-	1	1	2	3	4	26	26	30	52	89	105	124	131	100	70	18	7	-
	FEMALE	497	1	-	-	1	1	2	-	1	4	8	8	14	13	26	69	81	87	91	56	24	10	-
	NONWHITE.....MALE..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	2	1	-	-	-
	FEMALE	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-
330-334	VASCULAR LESIONS, ETC	308	-	-	-	1	1	-	-	1	-	6	4	6	6	18	36	49	61	66	40	9	4	-
	WHITE.....MALE..	158	-	-	-	-	1	-	-	-	-	3	2	1	3	12	15	27	34	32	23	3	2	-
	FEMALE	147	-	-	-	1	-	-	-	1	-	3	2	5	3	6	21	22	26	33	17	6	1	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
400-402, 410-443	DISEASES OF HEART	878	1	-	-	-	1	1	1	3	5	27	27	39	55	90	128	145	142	111	66	24	12	-
	WHITE.....MALE..	570	-	-	-	-	-	-	1	3	4	22	21	29	47	70	82	88	89	61	36	12	5	-
	FEMALE	299	1	-	-	-	1	1	-	-	1	5	5	9	8	18	45	55	53	49	29	12	7	-
	NONWHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
400-402, 410-416	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DIS.	26	1	-	-	-	1	1	-	1	1	1	4	3	3	2	4	2	1	1	-	-	-	-
	WHITE.....MALE..	12	-	-	-	-	-	-	-	1	-	1	2	2	3	1	1	1	-	-	-	-	-	-
	FEMALE	14	1	-	-	-	1	1	-	-	1	-	2	1	-	1	3	1	1	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	ARTERIOSCLEROTIC HEART DISEASE, ETC	706	-	-	-	-	-	-	1	2	2	22	21	32	48	82	106	119	114	87	48	15	7	-
	WHITE.....MALE..	487	-	-	-	-	-	-	1	2	2	19	17	24	40	64	71	75	75	55	29	8	5	-
	FEMALE	212	-	-	-	-	-	-	-	-	-	3	3	7	8	16	34	44	39	31	18	7	2	-
	NONWHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
421, 422	NONRHEUMATIC CHRONIC ENDOCARDITIS, ETC	64	-	-	-	-	-	-	-	-	1	1	-	-	1	2	6	10	16	11	9	4	3	-
	WHITE.....MALE..	28	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	5	9	3	2	3	-	-
	FEMALE	34	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	3	7	8	7	1	3	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
430-434	OTHER DISEASES OF HEART	35	-	-	-	-	-	-	-	-	1	3	1	1	1	1	4	8	4	6	3	2	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	1	2	1	1	1	1	2	4	3	2	2	-	-	-
	FEMALE	15	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	1	4	1	2	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	HYPERTENSIVE HEART DIS.	47	-	-	-	-	-	-	-	-	-	-	1	3	2	3	8	6	7	6	6	3	2	-
	WHITE.....MALE..	23	-	-	-	-	-	-	-	-	-	-	1	2	2	2	6	3	2	1	3	1	-	-
	FEMALE	24	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	5	5	3	2	2	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	OTHER HYPERTENSIVE DIS.	17	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	4	1	4	2	1	-	-
	WHITE.....MALE..	8	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	-	2	1	1	-	-
	FEMALE	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	GENERAL ARTERIOSCLEROSIS	52	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	7	10	16	8	2	-
	WHITE.....MALE..	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	5	8	2	-	-
	FEMALE	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	8	6	2	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	OTHER DISEASES OF CIRCULATORY SYSTEM	45	-	-	-	-	-	2	-	-	3	1	4	-	4	5	7	5	9	2	3	-	-	-
	WHITE.....MALE..	28	-	-	-	-	-	1	-	-	-	1	3	-	2	4	5	5	5	-	2	-	-	-
	FEMALE	16	-	-	-	-	-	1	-	-	3	-	1	-	1	1	2	-	4	2	1	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING—CON.																							
592-594	CHRONIC NEPHRITIS, ETC...	17	-	-	-	-	1	2	-	2	1	1	-	2	-	2	-	4	1	1	-	-	-	-
	WHITE.....MALE..	10	-	-	-	-	-	2	-	2	1	1	-	-	-	1	-	2	1	-	-	-	-	-
	FEMALE	6	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	2	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	INFLUENZA AND PNEUMONIA, ETC.....	89	17	4	1	1	1	-	1	1	2	-	2	2	2	2	7	8	11	16	4	7	-	-
	WHITE.....MALE..	58	8	3	1	1	-	-	1	1	1	-	2	-	2	1	5	5	9	11	3	4	-	-
	FEMALE	28	7	1	-	-	1	-	-	-	1	-	-	2	-	1	2	2	2	5	1	3	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	INFLUENZA.....	10	-	2	-	-	1	-	1	-	-	-	2	-	1	-	-	1	1	-	-	1	-	-
	WHITE.....MALE..	8	-	1	-	-	-	-	1	-	-	-	2	-	1	-	-	1	1	-	-	1	-	-
	FEMALE	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	PNEUMONIA, ETC.....	79	17	2	1	1	-	-	-	1	2	-	-	2	1	2	7	7	10	16	4	6	-	-
	WHITE.....MALE..	50	8	2	1	1	-	-	-	1	1	-	-	-	1	1	5	4	8	11	3	3	-	-
	FEMALE	26	7	-	-	-	-	-	-	-	1	-	-	2	-	1	2	2	2	5	1	3	-	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	BRONCHITIS.....	15	2	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	-	1	1	-	-	-
	WHITE.....MALE..	12	2	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
525-527	OT. BRONCHOPULMONIC DIS..	45	3	-	1	-	-	-	-	-	-	-	-	2	2	7	8	13	5	3	1	-	-	-
	WHITE.....MALE..	40	2	-	-	-	-	-	-	-	-	-	-	2	2	7	7	12	5	2	1	-	-	-
	FEMALE	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	ULCER OF STOMACH AND DUODENUM.....	27	-	-	-	-	-	-	-	-	-	1	1	5	1	3	7	2	3	3	1	-	-	-
	WHITE.....MALE..	20	-	-	-	-	-	-	-	-	-	1	-	4	1	2	7	1	2	2	-	-	-	-
	FEMALE	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	1	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
550-553	APPENDICITIS.....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	HERNIA AND INTESTINAL OBSTRUCTION.....	20	5	-	1	-	-	-	-	-	-	-	1	1	1	1	3	-	1	1	4	-	1	-
	WHITE.....MALE..	12	2	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	1	3	-	1	-
	FEMALE	7	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-
	NONWHITE.....MALE..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	GASTRITIS, ETC.....	15	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	3	-	2	1	-	-
	WHITE.....MALE..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	1	-	-
	FEMALE	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	CIRRHOSIS OF LIVER.....	33	-	-	-	-	-	-	-	-	2	4	6	4	2	6	3	1	2	1	2	-	-	-
	WHITE.....MALE..	15	-	-	-	-	-	-	-	-	-	2	3	2	-	2	2	1	2	-	1	-	-	-
	FEMALE	16	-	-	-	-	-	-	-	-	2	2	3	2	1	4	1	-	-	-	1	-	-	-
	NONWHITE.....MALE..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
584, 585	CHOLELITHIASIS, ETC.....	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	ACUTE NEPHRITIS, ETC.....	3	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	INFECTIONS OF KIDNEY.....	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
	WHITE.....MALE..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
610	HYPERPLASIA OF PROSTATE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-
	WHITE.....MALE..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-5. Deaths From 60 Selected Causes, by 5-Year Age Groups, Color, and Sex: Each State, 1962—Con.

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. For complete category titles, see table 7-6)

7th Revision No.	AREA, CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1-4 years	5-9 years	10-14 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95 years and over	Not stated
	WYOMING—CON.																							
640-689	COMPLICATIONS OF PREGNANCY, ETC.	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	ABORTION.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	OTHER COMPLICATIONS OF PREGNANCY, ETC.	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....FEMALE	3	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	CONGENITAL MALFORMATIONS.	45	31	1	-	3	2	-	-	2	-	1	1	-	-	-	1	1	2	-	-	-	-	-
	WHITE.....MALE..	24	17	1	-	1	-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	-	-	-
	FEMALE	20	13	-	-	2	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	CERTAIN DISEASES OF EARLY INFANCY.	153	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	BIRTH INJURIES, ETC.	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	INFECTIONS OF NEWBORN.	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	OTHER DISEASES OF EARLY INFANCY, ETC.	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	WHITE.....MALE..	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	SENILITY, ETC.	21	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	4	2	4	3	2	-	-
	WHITE.....MALE..	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	1	2	1	-	-
	FEMALE	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	1	1	-	-
	NONWHITE.....MALE..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
RESIDUAL	ALL OTHER DISEASES.	93	5	3	2	1	2	-	3	-	2	2	6	8	7	7	11	11	10	6	5	2	-	-
	WHITE.....MALE..	52	4	2	1	-	1	-	1	-	-	2	3	4	3	3	8	5	7	4	4	-	-	-
	FEMALE	33	-	-	1	1	1	-	2	-	1	-	2	3	4	3	2	6	2	2	1	2	-	-
	NONWHITE.....MALE..	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	FEMALE	5	1	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
E800-E962	ACCIDENTS.	269	13	22	4	12	23	24	18	21	20	15	17	11	6	6	10	14	9	10	10	3	1	-
	WHITE.....MALE..	180	5	11	2	7	17	19	11	17	16	11	15	8	4	3	6	8	6	8	4	2	-	-
	FEMALE	82	7	11	2	4	6	5	7	3	2	2	2	3	2	3	4	6	3	2	6	1	1	-
	NONWHITE.....MALE..	4	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	MOTOR VEHICLE ACCIDENTS.	115	2	7	3	4	19	14	10	12	10	4	7	6	4	2	4	6	1	-	-	-	-	-
	WHITE.....MALE..	80	2	3	2	1	13	11	6	10	6	4	6	3	3	1	3	6	1	-	-	-	-	-
	FEMALE	32	-	4	1	2	6	3	4	2	2	-	1	3	1	1	1	-	1	-	-	-	-	-
	NONWHITE.....MALE..	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	OTHER ACCIDENTS.	154	11	15	1	8	4	10	8	9	10	11	10	5	2	4	6	8	8	10	10	3	1	-
	WHITE.....MALE..	100	3	8	-	6	4	8	5	7	10	7	9	5	1	2	3	2	6	8	4	2	-	-
	FEMALE	50	7	7	1	2	-	2	3	1	-	2	1	-	1	2	3	6	2	2	6	1	1	-
	NONWHITE.....MALE..	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	SUICIDE.	74	...	...	-	2	1	4	4	3	5	6	10	10	4	4	8	6	3	2	-	2	-	-
	WHITE.....MALE..	55	...	...	-	1	1	3	3	1	3	4	7	7	3	2	8	5	3	2	-	2	-	-
	FEMALE	19	...	...	-	1	-	1	1	2	2	2	3	3	1	2	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	HOMICIDE.	11	1	-	1	2	-	-	-	3	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	WHITE.....MALE..	4	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	NONWHITE.....MALE..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 7-6. Deaths From 60 Selected Causes by State

(Excludes fetal deaths. Numbers under causes of death are category

	AREA	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156h,157-159)
1	UNITED STATES-----	1,756,720	9,506	8,792	714	2,811	323	102	41	83	649	60	408	5,791	278,582	6,481	92,047
2	Alabama----------	30,590	274	262	12	46	16	2	2	2	10	2	12	131	4,002	85	1,127
3	Alaska----------	1,258	17	15	2	2	-	-	-	7	2	-	11	13	95	3	34
4	Arizona----------	11,484	141	133	8	27	19	1	-	-	6	1	11	59	1,645	29	547
5	Arkansas----------	18,789	166	159	7	37	13	2	2	3	13	3	2	72	2,666	47	811
6	California----------	141,172	654	605	49	259	17	3	1	3	67	7	16	443	23,295	569	7,264
7	Colorado----------	16,410	81	73	8	25	2	1	-	1	5	-	6	71	2,327	40	736
8	Connecticut----------	24,661	104	97	7	42	-	-	-	-	9	-	6	75	4,442	112	1,587
9	Delaware----------	4,386	27	25	2	8	-	-	-	1	1	-	-	15	756	11	265
10	District of Columbia--	10,391	82	71	11	26	-	-	1	-	2	1	-	33	1,894	61	595
11	Florida----------	54,257	224	205	19	98	10	3	1	3	19	1	11	280	8,753	245	2,662
12	Georgia----------	36,355	180	159	21	59	12	2	2	-	28	1	14	186	4,666	118	1,279
13	Hawaii----------	3,579	23	20	3	4	-	1	-	-	2	-	1	12	559	16	198
14	Idaho----------	5,363	10	10	-	11	1	1	-	-	1	-	2	14	695	14	211
15	Illinois----------	103,015	527	491	36	68	13	4	1	1	27	3	17	219	16,684	405	5,811
16	Indiana----------	45,704	237	223	14	74	3	6	-	1	12	5	8	131	7,005	132	2,300
17	Iowa----------	28,628	61	55	6	34	1	1	1	-	8	-	10	72	4,412	81	1,479
18	Kansas----------	21,567	53	49	4	33	-	-	1	1	9	-	2	63	3,123	58	988
19	Kentucky----------	30,205	291	266	25	56	6	6	-	3	20	-	6	115	4,356	108	1,369
20	Louisiana----------	30,615	248	230	18	105	9	4	4	2	20	-	15	194	4,576	106	1,364
21	Maine----------	11,056	39	39	-	13	1	-	-	-	8	-	4	28	1,688	28	603
22	Maryland----------	28,254	257	245	12	73	4	-	-	2	10	-	4	101	4,599	112	1,388
23	Massachusetts----------	56,678	271	259	12	102	4	2	-	-	12	-	5	169	9,747	240	3,527
24	Michigan----------	69,493	328	303	25	103	2	6	2	2	26	2	8	199	11,669	291	3,952
25	Minnesota----------	32,393	88	80	8	49	1	-	2	1	9	2	11	97	5,471	82	1,813
26	Mississippi----------	22,442	118	108	10	25	19	-	2	7	10	-	11	115	2,742	57	920
27	Missouri----------	49,675	272	251	21	87	6	3	-	1	9	-	6	140	7,785	201	2,497
28	Montana----------	6,397	29	25	4	6	-	-	-	-	3	-	-	19	893	16	288
29	Nebraska----------	14,338	24	24	-	7	2	1	1	-	4	-	4	43	2,290	43	802
30	Nevada----------	2,956	12	11	1	9	-	-	1	-	-	-	1	4	338	6	103
31	New Hampshire----------	6,853	17	16	1	9	-	-	-	2	5	1	-	13	1,102	23	394
32	New Jersey----------	80,525	340	305	35	54	1	3	1	-	26	2	9	141	10,705	249	3,932
33	New Mexico----------	6,616	80	71	9	17	8	1	-	1	5	-	9	22	827	6	288
34	New York----------	181,685	1,108	1,048	62	221	7	7	-	1	51	1	35	484	32,267	760	11,446
35	North Carolina--------	39,274	188	165	23	71	9	2	-	3	16	1	9	164	5,046	140	1,360
36	North Dakota----------	5,392	10	8	2	2	-	1	1	-	2	1	2	14	831	9	285
37	Ohio----------	94,903	404	380	24	186	4	4	-	4	34	-	13	282	15,819	364	5,366
38	Oklahoma----------	23,500	145	135	10	36	8	5	-	2	8	2	3	78	3,591	81	1,088
39	Oregon----------	17,175	46	39	7	22	1	.	-	1	7	-	2	55	2,751	57	903
40	Pennsylvania----------	122,699	772	720	52	206	2	2	-	5	34	5	9	321	19,994	440	6,990
41	Rhode Island----------	9,121	30	28	2	8	1	1	1	-	2	-	1	30	1,668	44	626
42	South Carolina--------	20,156	110	98	12	56	10	3	3	7	9	-	5	90	2,305	65	648
43	South Dakota----------	6,532	22	16	6	4	-	-	-	-	4	2	5	24	977	8	316
44	Tennessee----------	35,588	319	290	29	43	11	6	2	3	15	-	18	146	4,986	147	1,471
45	Texas----------	81,113	511	472	39	196	77	10	9	5	29	13	60	429	12,286	329	3,665
46	Utah----------	6,502	18	18	-	6	5	1	-	-	3	-	3	33	923	18	286
47	Vermont----------	4,372	19	17	2	4	1	-	-	-	1	-	-	12	698	13	227
48	Virginia----------	35,014	181	163	18	61	13	2	1	4	21	1	10	122	4,873	112	1,477
49	Washington----------	27,700	89	80	9	44	2	1	-	-	9	1	4	66	4,410	84	1,414
50	West Virginia----------	18,884	148	140	8	40	1	2	-	-	4	1	4	55	2,781	52	888
51	Wisconsin----------	38,277	107	89	18	31	-	2	-	3	10	1	3	103	6,254	139	2,282
52	Wyoming----------	2,726	4	3	1	6	1	1	-	-	2	-	-	14	335	5	95

# of Occurrence: United States and Each State, 1962

numbers of the Seventh Revision of the International Lists, 1955)

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156,158,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (280-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
44,644	24,958	39,590	13,289	30,791	12,997	13,755	4,681	4,896	31,222	3,398	2,322	968,809	957,437	197,451	688,009	17,751	527,561	54,645	1
611	312	782	156	540	199	190	76	81	413	59	57	16,096	15,809	4,269	10,399	167	6,903	984	2
12	5	9	3	19	6	4	3	6	9	1	16	405	397	97	270	8	198	10	3
322	121	227	78	169	75	77	43	130	158	24	31	5,031	4,963	935	3,626	131	2,915	201	4
354	198	473	101	408	158	118	70	41	257	50	30	10,227	9,980	2,463	6,832	111	5,126	371	5
3,989	2,258	3,072	1,060	2,647	1,157	1,279	412	423	1,733	238	210	74,848	74,105	14,900	53,577	1,598	40,202	6,468	6
358	209	327	118	280	127	132	56	60	198	27	30	8,240	8,141	1,704	5,644	272	4,576	246	7
697	417	565	207	469	163	225	89	56	490	48	29	13,823	13,693	2,514	9,956	272	8,294	468	8
139	51	92	32	95	37	34	16	7	98	7	7	2,342	2,306	373	1,714	40	1,214	206	9
375	175	260	68	177	74	89	45	24	142	23	18	4,872	4,816	891	3,461	135	2,464	248	10
1,671	708	1,270	441	997	361	398	135	149	782	115	84	29,074	28,744	6,374	20,182	501	15,817	1,203	11
749	429	820	198	617	238	218	87	92	546	102	72	19,358	18,999	5,530	12,110	191	8,500	986	12
106	25	55	22	58	40	39	9	26	78	9	9	1,691	1,654	322	1,217	39	819	82	13
91	54	105	38	93	48	41	18	14	83	10	9	2,862	2,824	597	2,036	67	1,545	158	14
2,684	1,598	2,380	871	1,397	726	812	228	215	1,609	152	98	60,858	60,208	10,395	45,973	962	36,567	3,470	15
1,108	567	1,106	331	816	312	333	110	132	907	76	61	26,219	25,963	5,863	17,885	452	13,735	1,261	16
621	398	706	243	423	217	244	68	94	506	54	17	16,965	16,820	4,096	11,216	228	8,773	965	17
469	264	476	154	372	180	162	39	66	423	56	20	12,343	12,152	2,712	8,343	156	6,565	666	18
674	329	710	170	557	222	217	76	114	489	70	28	16,737	16,493	3,998	11,209	208	8,193	874	19
828	338	668	187	658	212	215	91	94	673	87	85	15,736	15,495	3,295	11,165	128	8,092	874	20
241	160	265	91	167	52	81	34	42	165	25	8	6,636	6,570	1,380	4,706	98	3,681	423	21
798	415	619	216	573	249	229	98	70	578	59	42	15,345	15,161	2,235	11,874	307	6,849	2,595	22
1,453	969	1,218	488	1,017	395	440	167	156	1,052	98	57	32,344	32,055	6,030	23,410	679	19,421	1,088	23
1,912	1,021	1,689	635	1,060	540	569	171	248	1,899	161	83	38,013	37,549	7,741	26,920	891	21,772	1,346	24
628	508	751	286	616	333	354	90	89	551	70	29	18,042	17,913	4,308	12,136	426	9,694	725	25
412	211	481	92	352	131	86	53	43	293	49	50	11,100	10,884	3,083	7,008	119	4,445	567	26
1,262	679	1,113	359	939	387	348	119	166	775	97	47	28,031	27,691	6,155	19,232	435	14,546	1,897	27
130	78	130	42	90	60	59	22	20	112	18	7	3,208	3,150	688	2,186	63	1,647	175	28
284	228	346	110	216	100	161	31	56	283	33	9	8,075	8,004	1,919	5,540	140	4,232	505	29
59	34	46	17	43	14	16	13	15	36	9	10	1,383	1,364	251	1,025	31	816	70	30
159	99	160	57	103	52	55	17	23	152	18	6	4,042	4,001	821	2,778	61	2,252	143	31
1,793	1,065	1,296	559	953	394	464	132	115	1,246	116	66	35,125	34,795	5,420	27,207	764	21,009	2,742	32
108	63	134	33	112	36	47	29	24	93	9	17	2,476	2,439	563	1,663	88	1,213	131	33
5,352	3,206	3,912	1,574	3,107	1,308	1,602	573	404	3,316	243	199	102,702	101,757	15,566	79,913	2,453	65,806	4,406	34
720	461	866	190	771	262	276	119	97	573	92	64	21,135	20,825	5,171	14,123	272	9,691	1,167	35
83	84	118	45	97	46	64	10	18	91	8	4	2,982	2,956	671	2,073	51	1,679	118	36
2,548	1,447	2,390	786	1,474	733	711	208	240	2,258	161	90	53,767	53,218	11,351	37,154	1,106	28,497	2,802	37
603	255	534	166	507	182	175	65	80	399	47	31	12,635	12,425	3,100	8,468	135	6,734	437	38
429	230	394	131	307	160	140	43	73	278	41	24	9,500	9,423	2,180	6,535	201	5,142	370	39
3,230	1,721	2,587	959	2,298	855	914	340	291	2,773	231	143	71,210	70,439	12,672	52,426	1,448	39,546	4,948	40
265	180	190	82	145	53	83	16	20	234	16	8	5,319	5,259	852	4,057	115	3,474	139	41
332	201	442	88	310	114	105	52	47	311	38	29	10,807	10,618	2,775	7,046	119	4,769	559	42
102	83	169	67	102	67	63	15	28	128	11	14	3,507	3,467	829	2,356	46	1,924	167	43
789	395	806	220	675	235	228	80	102	468	76	48	19,190	18,912	5,108	12,252	235	8,875	1,064	44
2,084	954	1,852	532	1,528	691	631	192	222	1,295	193	158	40,802	40,161	9,515	27,794	466	20,667	2,017	45
94	83	153	46	118	65	60	12	15	101	18	10	3,039	2,991	635	2,162	148	1,529	179	46
109	78	106	42	66	26	31	7	11	58	8	4	2,520	2,492	511	1,750	48	1,420	112	47
827	392	720	220	682	214	229	91	90	519	68	54	18,917	18,637	4,106	13,101	261	9,124	1,391	48
678	374	644	226	518	238	234	68	96	483	64	27	15,333	15,192	3,559	10,622	303	8,210	765	49
500	203	423	101	375	121	118	50	58	278	34	23	10,566	10,410	2,179	7,483	171	5,685	559	50
747	597	883	340	632	315	339	84	98	780	75	45	22,000	21,799	4,640	15,276	381	11,988	1,235	51
55	28	50	21	48	17	16	9	15	50	4	5	1,331	1,318	311	898	24	726	64	52

Table 7-6. Deaths From 60 Selected Causes by State

(Excludes fetal deaths. Numbers under causes of death are category

	AREA	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	UNITED STATES------	25,876	62,176	12,497	36,848	22,632	11,372	59,995	3,431	56,564	4,665	20,072	12,228	1,800	9,723	8,194	21,824
2	Alabama----------	664	1,681	288	552	301	267	964	133	851	58	275	149	34	169	187	191
3	Alaska----------	40	14	2	26	2	8	62	8	54	3	14	6	1	6	15	24
4	Arizona----------	128	251	78	177	147	68	416	20	396	76	384	84	9	56	131	171
5	Arkansas----------	502	722	163	334	188	247	683	65	618	49	209	89	13	103	101	102
6	California----------	1,237	4,072	688	2,678	2,262	743	4,380	137	4,243	402	2,384	1,213	128	800	549	3,249
7	Colorado----------	213	337	97	368	328	99	915	21	894	48	290	135	20	112	65	218
8	Connecticut----------	225	697	206	628	389	130	824	12	812	56	235	169	22	119	104	365
9	Delaware----------	63	191	32	112	75	36	147	3	144	13	55	26	3	22	21	56
10	District of Columbia---	78	536	61	159	244	56	368	4	364	38	169	114	11	56	55	288
11	Florida----------	1,065	1,596	417	913	858	330	1,674	93	1,581	143	866	342	51	292	322	617
12	Georgia----------	751	1,682	310	619	430	359	1,541	106	1,435	67	484	250	34	200	196	261
13	Hawaii----------	37	240	34	42	39	37	146	6	140	7	39	24	1	12	14	48
14	Idaho----------	101	165	24	109	58	38	165	11	154	13	83	33	8	25	29	31
15	Illinois----------	1,621	3,353	915	1,970	955	650	4,035	123	3,912	259	852	764	121	531	398	1,336
16	Indiana----------	646	1,791	407	1,259	549	256	1,263	106	1,157	85	564	313	60	289	183	407
17	Iowa----------	433	817	248	893	367	145	954	93	861	62	338	208	29	189	99	164
18	Kansas----------	351	605	180	642	275	191	735	62	673	47	283	152	18	131	88	173
19	Kentucky----------	722	1,212	194	786	308	244	1,008	80	928	71	300	174	29	147	136	289
20	Louisiana----------	659	1,432	189	485	341	241	1,145	40	1,105	70	345	144	27	175	162	249
21	Maine----------	110	394	78	260	146	66	325	27	298	29	98	75	15	62	29	82
22	Maryland----------	346	1,777	176	509	367	184	809	33	776	96	320	166	32	181	104	366
23	Massachusetts----------	654	1,568	397	1,237	981	289	2,464	32	2,432	200	551	467	52	315	201	812
24	Michigan----------	844	2,067	500	1,451	937	464	1,927	129	1,798	186	630	569	70	394	275	829
25	Minnesota----------	395	896	201	821	447	129	1,159	94	1,065	83	301	232	30	189	115	294
26	Mississippi----------	604	1,273	217	342	234	216	863	97	766	48	178	85	20	113	247	123
27	Missouri----------	764	1,590	387	1,255	662	340	1,859	171	1,688	120	561	291	53	313	194	459
28	Montana----------	146	155	23	177	76	58	194	10	184	27	107	39	11	40	35	61
29	Nebraska----------	244	419	65	318	162	71	477	77	400	31	156	140	18	77	49	94
30	Nevada----------	56	52	10	51	27	19	80	3	77	8	54	28	5	11	12	66
31	New Hampshire----------	77	245	47	277	78	41	157	10	147	18	77	58	7	35	33	77
32	New Jersey----------	587	2,105	373	1,029	766	330	1,681	26	1,655	151	490	436	61	343	296	1,000
33	New Mexico----------	123	108	42	103	68	37	294	23	271	26	123	44	10	57	67	102
34	New York----------	972	6,276	1,179	3,085	2,014	945	6,676	127	6,549	584	1,535	1,450	195	893	802	3,376
35	North Carolina----------	977	2,016	394	695	442	310	1,460	142	1,318	86	360	195	43	197	200	263
36	North Dakota----------	110	115	37	109	66	26	231	13	218	16	47	28	8	27	29	39
37	Ohio----------	1,177	3,572	741	2,729	1,243	549	2,533	288	2,245	303	1,163	678	108	525	383	1,101
38	Oklahoma----------	543	619	148	476	233	210	745	61	684	46	234	140	34	151	126	196
39	Oregon----------	248	574	79	397	232	77	637	22	615	56	258	117	12	89	51	213
40	Pennsylvania----------	1,736	4,750	822	2,826	1,693	771	3,558	161	3,397	190	1,073	834	116	724	492	1,452
41	Rhode Island----------	68	261	92	146	112	60	213	1	212	29	84	75	5	52	31	138
42	South Carolina----------	412	1,187	183	400	214	189	918	102	816	44	187	123	22	112	162	122
43	South Dakota----------	104	115	32	156	94	40	226	12	214	21	83	47	6	38	20	54
44	Tennessee----------	591	1,487	373	773	406	278	1,462	183	1,279	87	417	222	26	163	159	213
45	Texas----------	2,398	2,246	494	1,392	966	641	2,964	157	2,807	253	965	393	85	468	663	854
46	Utah----------	100	206	22	72	100	48	219	9	210	20	82	59	7	35	33	59
47	Vermont----------	46	124	50	110	71	28	152	14	138	14	73	23	3	29	25	39
48	Virginia----------	525	1,800	301	682	447	280	1,260	60	1,200	100	425	174	33	178	164	294
49	Washington----------	501	843	101	754	356	141	987	65	922	72	390	234	28	147	116	270
50	West Virginia----------	334	734	160	369	219	156	705	59	646	56	241	114	19	95	71	155
51	Wisconsin----------	509	1,163	223	1,046	614	201	1,242	91	1,151	84	372	277	45	238	141	353
52	Wyoming----------	39	45	17	49	43	13	93	9	84	14	48	26	2	18	14	29

# of Occurrence: United States and Each State, 1962—Con.

numbers of the Seventh Revision of the International Lists, 1955)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-785)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963, E970-E979)	Homicide (E964, E980-E985)	
4,831	1,573	8,744	4,283	1,465	305	1,160	21,192	64,205	28,199	4,551	31,455	19,730	52,173	97,139	40,804	56,335	20,207	9,013	1
78	30	168	80	50	6	44	380	1,316	463	136	717	1,473	956	2,112	947	1,165	283	356	2
-	2	1	-	5	-	5	20	119	38	6	75	48	55	245	39	206	35	10	3
45	14	67	20	13	3	10	184	577	182	48	347	176	388	1,014	506	508	226	106	4
42	25	120	50	16	4	12	191	626	269	51	306	631	514	1,291	528	763	143	137	5
361	99	680	312	112	35	77	1,955	5,345	2,502	366	2,477	293	4,250	8,477	4,219	4,258	2,820	734	6
48	15	76	37	8	2	6	262	688	281	39	368	93	625	1,223	490	733	307	95	7
62	11	111	53	18	5	13	280	816	362	43	411	163	768	954	348	606	276	44	8
19	2	20	5	-	-	-	65	140	78	6	56	17	157	264	99	165	49	20	9
15	12	122	34	14	6	8	185	670	409	40	221	94	389	397	73	324	104	93	10
150	65	342	126	50	8	42	604	1,944	831	165	948	741	1,751	3,263	1,412	1,851	717	475	11
75	37	262	95	50	7	43	495	1,660	617	202	861	531	1,204	2,588	1,169	1,419	422	476	12
17	3	15	5	3	1	2	93	239	87	12	140	32	107	265	91	174	68	17	13
12	5	14	16	4	1	3	69	212	91	6	115	54	162	590	268	322	88	19	14
299	75	530	254	66	12	54	1,084	3,445	2,141	299	1,005	388	2,091	4,229	1,786	2,443	970	564	15
130	46	194	125	37	6	31	496	1,604	761	83	760	210	1,361	2,661	1,239	1,422	530	159	16
68	28	85	95	8	-	8	308	764	343	41	380	58	908	1,590	664	926	327	42	17
54	25	91	67	11	2	9	246	656	277	36	343	182	745	1,316	611	705	253	62	18
82	46	147	86	26	4	22	378	1,161	457	88	616	316	921	1,943	844	1,099	356	216	19
61	26	269	71	34	5	29	444	1,666	713	194	759	213	1,000	2,037	778	1,259	262	272	20
31	13	37	34	2	-	2	115	356	168	19	169	52	307	546	187	359	146	11	21
66	21	112	47	21	5	16	386	1,205	446	86	673	87	908	1,581	602	979	319	185	22
149	42	294	98	19	5	14	550	1,581	654	95	832	185	1,729	2,304	705	1,599	399	80	23
304	51	268	214	55	13	42	985	2,752	1,207	160	1,385	218	1,966	3,629	1,581	2,048	783	266	24
121	21	105	64	9	3	6	545	1,099	497	49	553	232	1,148	1,695	743	952	340	29	25
34	41	139	92	54	3	51	235	1,157	377	114	666	1,842	594	1,576	657	919	164	200	26
137	48	209	138	43	5	38	551	1,538	674	111	753	723	1,449	2,660	1,050	1,610	566	219	27
24	8	27	7	6	1	5	74	243	94	17	132	236	188	605	264	341	109	19	28
51	15	52	56	7	-	7	156	459	215	18	226	80	435	952	411	541	141	29	29
4	1	6	9	5	1	4	47	167	62	13	92	42	115	361	185	176	72	32	30
20	6	24	14	6	1	5	71	176	47	13	116	67	201	306	117	189	83	10	31
161	47	261	138	43	8	35	568	1,995	1,025	99	871	118	1,432	2,481	927	1,554	548	193	32
22	10	29	6	15	-	15	109	487	199	26	262	357	226	844	455	389	109	61	33
523	107	856	429	169	59	110	1,907	5,606	2,429	349	2,828	1,240	4,302	7,167	2,404	4,763	1,574	675	34
76	41	269	83	52	11	41	542	1,859	776	151	932	964	1,336	2,728	1,372	1,356	494	417	35
22	2	22	19	6	2	4	71	224	104	18	102	21	157	371	181	190	67	8	36
256	73	482	239	53	13	40	1,149	3,219	1,511	190	1,518	610	2,681	4,504	1,865	2,639	1,067	322	37
68	33	141	87	13	2	11	222	766	276	60	430	586	835	1,612	714	898	213	117	38
45	9	74	39	7	2	5	217	458	231	25	202	117	489	1,135	488	647	236	72	39
337	121	476	242	57	18	39	1,197	3,461	1,524	179	1,758	1,246	4,279	5,055	1,674	3,381	1,133	318	40
24	5	37	16	1	-	1	108	310	155	28	127	13	254	316	90	226	48	7	41
50	18	142	37	35	2	33	229	867	333	91	443	546	607	1,608	754	854	182	264	42
19	5	25	15	5	-	5	68	256	108	14	134	92	193	509	265	244	85	24	43
98	46	238	104	40	6	34	467	1,420	485	99	836	1,086	1,052	2,116	978	1,138	401	268	44
193	114	480	204	113	23	90	1,245	3,902	1,574	371	1,957	1,630	2,836	5,612	2,486	3,126	920	732	45
25	13	39	16	8	1	7	151	307	150	6	151	304	246	577	247	330	95	20	46
15	2	21	9	1	-	1	42	130	62	6	62	61	110	230	105	125	49	1	47
84	34	251	93	35	6	29	432	1,685	657	141	887	462	1,157	2,322	1,013	1,309	487	316	48
63	18	93	54	9	2	7	302	862	391	28	443	138	935	1,741	635	1,106	455	89	49
36	17	89	49	21	3	18	216	588	293	43	252	415	541	1,153	428	725	183	75	50
147	22	128	93	27	3	24	458	1,253	517	62	674	210	1,024	2,089	975	1,114	432	46	51
8	3	4	7	3	-	3	38	149	56	9	84	27	91	295	135	160	71	11	52

Table 7-7. Deaths From 60 Selected Causes for Standard

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh England, where areas are metropolitan State economic areas as established by the

	AREA	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156A,157-159)
1	UNITED STATES, 201 AREAS------	1,087,179	6,297	5,855	442	1,815	124	42	26	27	384	29	185	3,406	182,153	4,476	60,542
2	Abilene, Texas--------	986	3	3	-	3	1	-	-	-	-	-	-	6	147	3	43
3	Akron, Ohio-----------	4,414	9	8	1	13	-	1	-	1	1	-	-	17	779	13	260
4	Albany, Ga------------	572	4	4	-	-	1	-	-	-	1	-	-	5	72	1	24
5	Albany-Schenectady-Troy, N.Y.----------	7,678	34	33	1	10	-	-	-	-	1	-	-	24	1,204	36	432
6	Albuquerque, N. Mex---	1,612	15	14	1	5	-	-	-	-	-	-	-	4	228	1	69
7	Allentown-Bethlehem-Easton, Pa.-N.J------	5,157	25	25	-	8	-	-	-	-	-	-	-	13	817	17	306
8	Altoona, Pa-----------	1,691	7	7	-	1	-	-	-	-	1	-	-	4	260	6	75
9	Amarillo, Texas-------	957	6	5	1	1	-	-	-	-	-	-	1	2	141	3	29
10	Ann Arbor, Mich-------	1,148	-	-	-	-	-	-	-	-	-	-	-	3	195	7	67
11	Asheville, N.C--------	1,350	9	8	1	5	-	-	-	-	1	-	-	2	188	6	58
12	Atlanta, Ga-----------	8,711	41	35	6	7	1	-	-	-	6	-	4	46	1,287	30	351
13	Atlantic City, N.J----	2,272	14	14	-	5	-	-	-	-	-	-	-	4	399	7	140
14	Augusta, Ga.-S.C------	1,786	19	18	1	7	-	1	-	-	-	-	-	8	247	4	79
15	Austin, Texas---------	1,618	9	8	1	1	-	-	-	-	-	-	1	11	270	4	85
16	Bakersfield, Calif----	2,249	16	14	2	3	-	-	-	-	2	-	-	10	329	11	77
17	Baltimore, Md---------	16,794	164	154	10	46	5	-	-	2	8	-	1	69	2,762	60	898
18	Baton Rouge, La-------	1,629	9	9	-	11	-	-	-	-	2	-	-	8	223	4	63
19	Bay City, Mich--------	996	6	5	1	-	-	-	-	-	-	-	-	5	172	1	61
20	Beaumont-Fort Arthur, Texas----------	2,276	13	11	2	6	-	1	1	-	1	-	1	14	397	9	125
21	Billings, Mont--------	624	-	-	-	2	-	-	-	-	1	-	-	2	97	2	38
22	Binghamton, N.Y-------	2,135	9	8	1	5	-	-	-	-	-	-	-	5	356	8	127
23	Birmingham, Ala-------	6,192	62	61	1	12	-	-	-	-	1	-	4	22	881	19	247
24	Boston-Lowell-Lawrence, Mass-------	34,179	177	170	7	65	1	2	-	-	7	-	4	117	5,893	154	2,133
25	Bridgeport-Stamford-Norwalk, Conn--------	6,468	20	19	1	15	-	-	-	-	1	-	2	25	1,202	24	426
26	Brockton, Mass--------	2,784	9	7	2	2	-	-	-	-	1	-	-	7	447	8	167
27	Brownsville-Harlingen-San Benito, Texas----	989	10	7	3	2	2	-	-	1	1	1	1	17	119	4	33
28	Buffalo, N.Y----------	12,988	56	55	1	7	-	2	-	-	4	-	-	60	2,175	53	755
29	Canton, Ohio----------	3,308	6	6	-	8	-	-	-	-	-	-	-	9	526	12	203
30	Cedar Rapids, Iowa----	1,194	3	3	-	4	-	-	-	-	2	-	-	1	209	3	60
31	Champaign-Urbana, Ill-	824	1	1	-	2	-	-	-	-	-	-	-	-	102	4	39
32	Charleston, S.C-------	1,757	14	11	3	6	1	1	2	-	-	-	-	7	238	8	67
33	Charleston, W. Va-----	2,068	17	17	-	3	-	1	-	-	1	-	-	4	316	5	89
34	Charlotte, N.C--------	2,162	13	12	1	3	2	1	-	-	-	-	-	8	280	4	62
35	Chattanooga, Tenn.-Ga-	2,683	30	30	-	2	1	-	-	-	1	-	-	15	392	10	109
36	Chicago, Ill----------	63,214	378	352	26	38	8	1	1	-	19	3	15	116	10,548	268	3,768
37	Cincinnati, Ohio-Ky---	11,383	82	77	5	30	-	-	-	-	10	-	-	37	2,071	69	662
38	Cleveland, Ohio-------	17,740	105	102	3	33	1	-	-	1	6	-	5	49	3,301	88	1,157
39	Colorado Springs, Colo-	1,151	10	10	-	1	-	-	-	1	1	-	-	13	143	4	35
40	Columbia, S.C---------	1,916	4	3	1	3	1	-	-	1	2	-	-	13	238	10	75
41	Columbus, Ga.-Ala-----	1,591	9	9	-	3	-	-	-	-	3	-	3	8	214	3	52
42	Columbus, Ohio--------	6,194	17	14	3	20	-	-	-	-	2	-	-	13	1,057	21	331
43	Corpus Christi, Texas-	1,423	17	17	-	3	-	1	1	1	-	-	3	9	228	3	58
44	Dallas, Texas---------	8,834	53	50	3	18	8	-	-	-	3	2	7	30	1,446	37	420
45	Davenport-Rock Island-Moline, Iowa-Ill-----	2,739	3	1	2	2	1	-	-	-	1	-	-	4	407	8	124
46	Dayton, Ohio----------	5,950	35	31	4	10	1	-	-	-	2	-	1	15	919	22	288
47	Decatur, Ill----------	1,187	2	2	-	-	-	-	-	-	-	-	-	2	218	5	52
48	Denver, Colo----------	8,217	40	38	2	16	1	-	-	-	2	-	1	31	1,163	19	364
49	Des Moines, Iowa------	2,500	3	3	-	2	1	-	-	-	-	-	1	3	400	7	122
50	Detroit, Mich---------	32,104	228	213	15	55	-	1	2	1	10	-	6	113	5,806	167	1,950
51	Dubuque, Iowa---------	794	2	2	-	2	-	-	-	-	-	-	-	1	131	5	46
52	Duluth-Superior, Minn.-Wis------------------	2,905	4	4	-	3	-	-	-	-	1	-	-	4	486	11	182
53	Durham, N.C-----------	1,015	5	4	1	4	-	-	-	-	1	-	-	5	147	5	34
54	El Paso, Texas--------	1,933	19	16	3	5	1	-	-	-	-	-	2	9	274	6	82
55	Erie, Pa--------------	2,508	12	10	2	4	-	1	-	-	-	-	-	6	380	3	140
56	Eugene, Oreg----------	1,226	-	-	-	2	-	-	-	-	1	-	-	4	204	3	65
57	Evansville, Ind.-Ky---	2,076	14	10	4	2	-	-	-	-	-	-	-	7	318	4	101
58	Fall River-New Bedford, Mass----------	4,573	26	24	2	7	-	-	-	-	-	-	-	7	798	17	302
59	Fargo-Moorhead, N. Dak.-Minn---------	798	1	1	-	-	-	-	-	-	1	-	-	1	121	1	32
60	Flint, Mich-----------	2,923	9	8	1	4	-	-	-	-	1	-	-	8	447	11	143
61	Fort Lauderdale-Hollywood, Fla--------	3,564	8	7	1	5	1	-	-	-	-	-	1	16	643	15	209
62	Fort Smith, Ark-------	743	2	2	-	1	-	-	-	-	1	-	-	3	114	5	35
63	Fort Wayne, Ind-------	2,136	15	13	2	4	-	-	-	-	1	1	-	5	326	9	118
64	Fort Worth, Texas-----	4,683	23	22	1	12	1	-	-	-	-	-	1	24	734	24	183
65	Fresno, Calif---------	3,007	26	23	3	6	-	-	-	-	3	-	-	10	507	13	162
66	Gadsden, Ala----------	862	8	8	-	2	-	1	-	-	1	-	-	3	127	2	35
67	Galveston-Texas City, Texas----------	1,141	5	5	-	3	1	-	-	-	1	-	-	9	181	7	52
68	Gary-Hammond-East Chicago, Ind---------	4,568	24	24	-	7	-	-	-	-	4	1	-	19	791	16	245

Metropolitan Statistical Areas of the United States: 1962

Revision of the International Lists, 1955. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-178)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (155B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (280-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
30,701	17,038	24,271	8,853	19,286	8,031	8,955	3,022	2,838	19,752	2,005	1,539	594,578	588,210	111,241	433,796	12,258	337,295	32,686	1
27	21	19	6	18	5	5	1	8	15	2	1	472	464	87	343	6	257	15	2
120	62	125	42	86	29	42	9	13	103	9	6	2,417	2,392	470	1,704	72	1,347	96	3
8	5	16	4	7	4	3	1	2	4	2	1	292	285	103	161	2	111	10	4
192	122	155	49	125	43	50	15	15	140	15	6	4,749	4,708	792	3,533	72	2,982	214	5
31	24	33	8	37	11	14	9	9	28	1	2	681	670	135	473	30	345	36	6
132	68	98	53	81	33	29	9	13	110	11	10	3,193	3,162	465	2,443	68	1,899	256	7
47	26	46	14	30	11	5	3	5	62	1	1	1,050	1,026	213	716	26	588	28	8
32	15	17	3	17	15	10	4	2	10	3	-	475	471	98	340	9	285	12	9
23	22	30	12	13	12	9	6	6	31	4	-	589	585	157	379	20	309	14	10
31	15	28	7	27	8	8	3	1	18	4	3	810	800	181	548	8	417	50	11
198	139	198	63	180	69	59	21	28	121	22	23	4,535	4,437	1,192	2,904	58	2,084	185	12
50	43	59	27	42	12	19	2	3	58	6	3	1,334	1,327	203	1,054	23	821	94	13
46	11	55	9	29	8	6	8	8	29	2	2	926	903	246	605	7	416	38	14
46	25	44	11	24	17	14	5	6	24	-	4	800	789	175	556	12	426	27	15
76	28	48	22	26	25	16	6	14	24	2	5	1,082	1,074	200	798	26	630	31	16
497	247	358	136	351	95	120	59	49	405	38	26	9,067	8,944	1,195	7,181	167	3,712	1,877	17
28	20	20	14	40	17	17	6	8	41	2	3	842	829	183	572	14	378	41	18
28	9	23	7	20	12	11	8	7	27	3	2	518	510	108	360	13	294	17	19
78	25	48	17	51	23	21	7	9	46	5	7	1,165	1,130	223	821	17	626	50	20
13	11	11	1	7	9	5	5	3	6	3	-	303	299	66	199	12	157	8	21
62	34	46	21	31	10	17	8	3	38	6	3	1,240	1,231	242	903	38	766	37	22
146	81	155	42	105	39	47	14	19	88	11	7	3,153	3,116	889	1,971	38	1,265	246	23
930	572	699	275	630	235	265	97	99	616	63	33	19,166	18,995	3,530	13,850	439	11,415	669	24
198	113	157	47	138	45	54	24	6	119	10	7	3,500	3,462	624	2,513	75	2,082	117	25
80	45	51	14	51	12	19	10	4	71	3	5	1,629	1,614	325	1,175	24	958	62	26
17	8	20	8	16	8	5	2	3	19	3	3	392	387	84	276	5	207	18	27
405	189	291	123	167	99	93	40	31	240	18	7	7,451	7,387	1,310	5,560	174	4,598	360	28
81	44	78	23	46	20	19	10	6	79	5	1	1,927	1,905	439	1,309	41	1,075	82	29
31	17	31	21	24	13	9	2	3	18	1	1	682	672	156	451	11	375	18	30
9	11	11	1	10	8	9	1	3	10	1	1	479	473	98	340	8	270	23	31
52	17	37	6	27	12	12	4	2	20	11	3	842	829	240	532	10	369	31	32
74	25	48	9	45	11	10	9	4	23	1	3	1,145	1,133	200	883	24	696	51	33
56	23	51	14	45	8	17	7	5	22	7	7	1,176	1,163	208	857	18	652	75	34
80	31	61	20	47	16	18	4	5	34	4	4	1,325	1,302	356	853	22	621	68	35
1,759	1,054	1,393	535	862	415	494	153	98	1,069	90	70	36,463	36,084	5,681	28,337	626	22,517	1,900	36
357	210	334	89	176	92	82	32	25	238	23	13	6,257	6,199	1,234	4,375	132	3,360	347	37
582	318	454	148	285	128	141	33	43	459	33	24	9,638	9,551	1,664	7,192	263	5,606	359	38
26	15	20	14	16	8	5	5	2	11	1	4	580	575	136	378	22	318	4	39
42	23	36	12	24	4	12	7	2	23	3	4	1,037	1,020	236	719	9	519	48	40
44	19	33	10	25	18	10	1	3	18	2	4	855	839	193	588	4	412	29	41
185	101	141	53	114	59	52	12	9	161	10	5	3,256	3,225	784	2,176	68	1,526	109	42
56	14	32	11	27	9	18	6	3	25	2	2	631	623	124	454	5	375	21	43
246	122	231	61	178	81	70	19	13	142	24	25	4,407	4,353	1,090	2,947	41	2,365	153	44
65	39	66	28	29	27	21	5	13	38	11	-	1,643	1,629	317	1,216	27	992	90	45
173	85	136	45	91	33	46	14	10	114	11	9	3,377	3,349	808	2,218	56	1,670	215	46
40	19	41	14	20	12	15	1	8	21	7	-	672	667	131	478	14	382	35	47
177	112	165	65	126	59	76	30	26	91	12	15	4,092	4,053	828	2,797	132	2,319	118	48
78	35	58	21	34	18	27	14	9	25	8	3	1,415	1,408	346	934	23	798	33	49
1,037	510	790	306	521	247	278	79	119	920	56	47	17,009	16,813	3,213	12,509	464	10,062	566	50
18	12	17	9	10	7	7	5	1	15	-	1	444	442	109	277	9	232	12	51
73	38	56	30	48	24	24	6	7	57	2	4	1,695	1,685	301	1,252	42	1,020	60	52
21	15	25	9	24	7	7	1	6	18	4	1	531	520	109	378	10	272	20	53
44	26	44	8	37	12	15	9	8	37	3	4	717	700	182	455	30	311	42	54
54	32	49	15	50	14	23	14	6	47	4	2	1,404	1,392	293	1,022	32	828	55	55
30	18	36	6	21	10	15	2	6	23	4	1	643	640	136	436	16	379	16	56
61	27	42	14	40	16	13	5	5	48	1	1	1,201	1,195	223	833	30	602	77	57
98	91	113	48	65	36	28	7	19	141	7	1	2,760	2,738	550	1,999	54	1,625	80	58
21	13	17	5	13	8	11	2	3	10	1	-	436	433	124	287	11	245	6	59
75	40	54	38	46	19	21	3	8	72	7	4	1,578	1,565	288	1,145	36	1,004	33	60
130	51	89	33	60	26	30	8	11	62	12	4	1,834	1,808	316	1,343	52	1,069	74	61
16	10	14	4	15	8	7	2	4	7	2	-	438	433	96	313	6	270	11	62
46	23	46	16	33	16	19	2	5	42	6	7	1,181	1,174	231	833	15	652	68	63
145	63	109	29	99	48	34	6	20	68	12	7	2,399	2,370	531	1,657	32	1,267	107	64
79	42	62	26	66	23	34	8	8	24	7	9	1,422	1,394	274	984	32	788	59	65
29	12	24	4	12	5	4	1	1	10	3	1	470	468	105	323	6	256	13	66
41	6	20	8	31	8	8	3	-	22	2	3	620	614	141	430	-	353	27	67
169	63	99	45	89	27	38	16	13	99	11	8	2,343	2,319	446	1,702	58	1,341	77	68

Table 7-7. Deaths From 60 Selected Causes for Standard

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh England, where areas are metropolitan State economic areas as established by the

	AREA	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050, 051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156A,157-159)
1	Grand Rapids, Mich-----	3,247	5	5	-	-	-	-	-	-	1	-	1	10	534	16	168
2	Great Falls, Mont------	597	1	-	1	2	-	-	-	-	1	-	-	-	85	1	24
3	Green Bay, Wis---------	1,064	3	3	-	2	-	-	-	1	-	-	-	-	175	4	72
4	Greensboro-High Point, N.C----------	1,906	4	2	2	4	-	-	-	-	1	-	-	25	283	8	85
5	Greenville, S.C--------	1,720	8	8	-	4	-	-	-	-	1	-	-	7	230	1	71
6	Hamilton-Middletown, Ohio----------	1,643	4	4	-	2	-	-	-	-	1	-	-	6	273	2	76
7	Harrisburg, Pa---------	3,603	15	14	1	9	-	-	-	-	1	-	-	14	576	13	200
8	Hartford-New Britain-Bristol, Conn---------	6,422	41	39	2	9	-	-	-	-	3	-	3	20	1,210	41	444
9	Honolulu, Hawaii-------	2,551	18	15	3	3	-	1	-	-	2	-	-	7	409	15	140
10	Houston, Texas---------	9,339	75	74	1	34	5	1	-	-	5	2	4	45	1,485	37	424
11	Huntington-Ashland, W. Va.-Ky.-Ohio-------	2,601	15	13	2	11	-	-	-	1	-	-	1	12	393	9	107
12	Huntsville, Ala--------	846	12	12	-	-	-	-	1	-	-	-	1	5	111	3	31
13	Indianapolis, Ind------	6,706	46	45	1	18	3	2	-	-	1	-	1	15	1,101	32	348
14	Jackson, Mich----------	1,252	5	5	-	1	-	-	-	-	-	-	-	5	219	5	72
15	Jackson, Miss----------	1,665	4	3	1	2	2	-	1	1	-	-	-	16	214	3	70
16	Jacksonville, Fla------	3,972	24	18	6	20	1	-	1	-	1	-	1	15	645	28	159
17	Jersey City, N.J--------	7,455	65	55	10	6	-	1	-	-	6	-	2	32	1,337	44	477
18	Johnstown, Pa----------	3,051	20	19	1	5	-	-	-	-	4	1	-	11	425	8	151
19	Kalamazoo, Mich--------	1,389	4	4	-	3	-	-	-	-	-	-	-	2	240	9	82
20	Kansas City, Mo.-Kansas	10,148	67	61	6	25	1	-	-	-	2	-	1	29	1,578	36	479
21	Kenosha, Wis-----------	924	2	2	-	-	-	-	-	-	1	-	-	2	129	5	45
22	Knoxville, Tenn--------	3,006	24	21	3	2	-	-	-	-	1	-	1	9	442	16	132
23	Lake Charles, La-------	988	8	5	3	3	1	-	-	-	2	-	2	9	156	1	43
24	Lancaster, Pa----------	2,666	8	8	-	3	-	-	-	-	-	-	1	5	427	6	158
25	Lansing, Mich----------	2,468	7	7	-	6	-	-	-	-	-	-	-	6	429	8	139
26	Laredo, Texas----------	508	9	7	2	1	3	-	-	-	-	1	-	7	70	3	19
27	Las Vegas, Nev---------	1,137	7	7	-	5	-	-	-	1	-	-	1	3	146	7	46
28	Lawton, Okla-----------	524	2	2	-	1	-	-	-	-	-	1	-	1	79	5	26
29	Lexington, Ky----------	1,258	18	15	3	4	-	-	-	-	-	-	-	6	165	3	41
30	Lima, Ohio-------------	981	7	6	1	-	-	-	-	-	1	-	-	6	144	6	51
31	Lincoln, Nebr----------	1,310	1	1	-	3	-	-	-	-	-	-	-	2	177	1	65
32	Little Rock-North Little Rock, Ark------	2,357	20	18	2	9	2	-	-	-	3	-	-	15	360	11	96
33	Lorain-Elyria, Ohio----	1,748	9	9	-	9	1	-	-	-	-	-	-	6	296	10	103
34	Los Angeles-Long Beach, Calif----------	61,353	256	236	20	81	10	-	1	-	31	1	7	193	10,093	220	3,105
35	Louisville, Ky.-Ind----	7,121	81	78	3	10	-	-	-	-	2	-	2	23	1,156	37	336
36	Lubbock, Texas---------	937	2	2	-	1	2	-	-	-	-	1	4	6	112	7	29
37	Lynchburg, Va----------	1,062	7	6	1	2	2	-	-	-	-	-	1	5	154	4	50
38	Macon, Ga--------------	1,642	13	11	2	5	-	-	1	-	2	-	-	7	189	2	46
39	Madison, Wis-----------	1,744	4	4	-	3	-	-	-	-	1	-	-	7	282	7	82
40	Manchester, N.H--------	2,008	3	3	-	3	-	-	-	1	2	-	-	6	353	12	123
41	Memphis, Tenn----------	5,971	34	31	3	17	2	2	1	1	2	-	2	33	909	26	271
42	Miami, Fla-------------	9,409	63	62	1	21	3	-	-	-	4	-	2	38	1,736	48	545
43	Midland, Texas---------	326	1	1	-	-	-	-	-	-	-	-	-	1	49	-	19
44	Milwaukee, Wis---------	11,069	39	35	4	7	-	1	-	1	1	1	-	29	1,938	57	687
45	Minneapolis-St. Paul, Minn----------	12,828	47	43	4	20	-	-	1	-	4	1	3	39	2,148	39	688
46	Mobile, Ala------------	2,716	39	35	4	4	1	-	-	-	3	1	-	11	419	6	105
47	Monroe, La-------------	934	7	6	1	1	-	-	-	-	2	-	-	6	146	1	42
48	Montgomery, Ala--------	1,628	10	10	-	3	1	1	-	-	1	-	-	8	208	2	62
49	Muncie, Ind------------	974	3	3	-	3	-	-	-	-	-	-	-	-	137	4	36
50	Muskegon-Muskegon Heights, Mich---------	1,208	5	4	1	2	-	-	-	-	2	-	-	4	182	6	65
51	Nashville, Tenn--------	3,753	36	32	4	6	1	-	-	-	2	-	1	4	525	15	155
52	Newark, N.J------------	17,442	118	107	11	22	-	-	1	-	10	-	4	44	3,117	75	1,126
53	New Haven-Waterbury, Conn----------	6,823	21	19	2	11	-	-	-	-	3	-	1	19	1,261	27	418
54	New Orleans, La--------	8,910	86	84	2	41	3	-	4	-	5	-	1	41	1,346	47	396
55	Newport News-Hampton, Va----------	1,705	5	5	-	2	1	-	-	-	-	-	1	6	250	6	64
56	New York, N.Y----------	114,601	877	825	52	152	4	4	-	-	31	-	29	275	21,404	501	7,777
57	Norfolk-Portsmouth, Va-	4,724	20	18	2	12	1	-	-	1	2	-	-	16	715	20	184
58	Odessa, Texas----------	446	-	-	-	-	-	-	-	-	1	-	-	3	62	-	18
59	Ogden, Utah------------	784	2	2	-	2	-	-	-	-	-	-	-	5	109	7	34
60	Oklahoma City, Okla----	4,303	35	34	1	7	-	-	-	-	3	1	-	18	712	14	205
61	Omaha, Nebr.-Iowa------	4,383	16	16	-	2	1	-	1	-	2	-	2	19	728	15	249
62	Orlando, Fla-----------	2,960	10	10	-	4	1	-	-	-	2	-	-	14	473	15	138
63	Paterson-Clifton-Passaic, N.J----------	10,984	51	45	6	8	-	-	-	-	3	-	-	16	2,241	64	794
64	Pensacola, Fla---------	1,429	9	9	-	1	-	-	-	-	1	-	-	3	195	2	38
65	Peoria, Ill------------	2,585	11	9	2	3	1	-	-	-	1	-	-	9	427	8	130
66	Philadelphia, Pa.-N.J--	45,745	332	305	27	77	1	-	-	3	12	2	4	109	7,826	185	2,690
67	Phoenix, Ariz----------	5,555	45	43	2	10	3	-	-	-	2	1	-	20	924	16	267
68	Pittsburgh, Pa---------	25,204	158	143	15	44	-	1	-	-	3	2	2	69	4,277	97	1,491
69	Pittsfield, Mass-------	1,534	1	1	-	3	-	-	-	-	-	-	-	7	264	9	122
70	Portland, Maine--------	2,187	9	9	-	2	-	-	-	-	2	-	-	3	365	6	121

Metropolitan Statistical Areas of the United States: 1962—Con.

Revision of the International Lists, 1955. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (290-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
79	53	82	37	34	36	29	8	7	81	11	5	1,628	1,802	418	1,222	36	1,019	74	1
13	9	10	6	8	7	7	1	-	12	2	1	287	282	65	198	8	141	14	2
18	21	16	6	18	12	8	2	4	22	1	-	599	594	140	395	12	308	33	3
47	24	41	5	40	16	17	5	5	34	2	-	1,014	1,005	262	684	18	493	63	4
25	20	45	9	33	12	14	8	7	32	4	2	870	856	191	598	15	417	41	5
45	28	50	13	31	19	9	3	1	51	3	4	883	871	156	615	11	466	59	6
82	59	79	22	69	23	29	9	8	78	4	7	2,157	2,139	376	1,593	36	1,205	170	7
179	126	131	65	120	40	64	19	23	119	16	9	3,500	3,470	658	2,468	79	2,023	104	8
78	22	35	19	42	33	25	8	22	51	5	7	1,136	1,112	210	832	33	565	52	9
281	117	228	71	162	85	80	17	15	124	28	23	4,643	4,583	941	3,340	56	2,542	233	10
67	28	78	21	47	18	18	4	6	33	4	3	1,458	1,445	348	977	25	730	94	11
16	14	20	5	17	2	3	6	4	11	2	2	427	422	122	277	9	192	15	12
184	88	171	61	122	50	45	20	20	109	4	14	3,639	3,604	818	2,487	72	1,937	145	13
37	18	29	12	28	7	11	1	2	41	4	1	687	676	138	477	11	386	25	14
40	24	27	6	27	8	9	4	1	26	4	10	744	725	183	470	8	265	27	15
134	54	108	31	87	18	26	9	16	54	8	10	1,931	1,913	469	1,272	23	910	89	16
276	114	139	70	121	45	51	23	15	167	13	15	4,322	4,279	539	3,554	103	2,805	371	17
60	43	62	21	52	12	16	6	10	80	10	-	1,815	1,796	335	1,265	37	993	91	18
38	28	40	6	17	7	13	1	3	31	4	1	740	733	179	480	12	375	37	19
275	143	236	68	192	66	83	25	33	147	20	18	5,586	5,510	1,168	3,872	93	3,050	304	20
14	10	20	11	12	3	9	3	-	25	-	-	549	540	101	401	3	344	19	21
75	46	75	18	42	18	20	5	8	46	7	3	1,573	1,544	375	1,029	22	818	64	22
29	14	22	7	33	3	4	6	3	13	2	5	468	460	109	322	5	247	13	23
49	39	58	19	47	25	26	3	6	73	7	3	1,590	1,563	256	1,175	25	853	155	24
76	42	64	24	35	19	22	7	13	60	2	4	1,356	1,337	266	933	37	739	40	25
17	6	15	-	2	6	2	2	1	10	1	-	194	190	38	136	-	112	5	26
29	8	25	3	17	5	6	5	10	14	1	6	468	460	98	328	16	263	20	27
12	6	10	7	8	2	3	4	3	5	1	-	236	236	54	170	1	134	14	28
26	15	34	8	20	12	6	3	10	19	1	2	719	711	154	509	7	362	47	29
16	15	25	8	16	4	3	2	-	17	2	2	565	560	128	379	12	261	58	30
22	18	24	10	19	7	11	5	9	22	2	2	736	729	179	493	9	339	58	31
50	30	65	15	60	19	14	15	2	43	5	-	1,222	1,200	291	810	15	640	21	32
44	27	58	7	22	13	12	5	6	50	6	1	962	951	179	693	23	542	43	33
1,709	1,095	1,378	452	1,134	479	521	180	188	730	95	82	33,949	33,621	6,965	24,226	721	16,876	4,387	34
212	84	190	51	139	61	46	16	17	126	11	12	3,790	3,738	886	2,520	62	1,842	134	35
15	12	16	1	15	6	11	2	7	15	2	3	383	375	75	276	7	179	16	36
20	11	21	6	23	6	13	2	1	23	1	-	593	589	121	427	14	263	56	37
37	16	28	10	32	5	13	4	3	38	4	9	824	809	197	533	5	380	53	38
30	32	41	21	32	15	22	8	4	30	2	2	947	929	167	658	23	536	28	39
54	35	41	16	35	16	21	8	6	50	4	3	1,165	1,155	203	781	16	632	38	40
151	79	142	38	125	39	38	8	14	79	10	14	3,176	3,139	939	1,881	43	1,233	162	41
325	163	225	81	192	72	85	26	26	159	19	12	4,732	4,677	859	3,479	126	2,809	142	42
6	5	5	3	3	4	4	2	-	1	2	1	135	135	25	99	2	82	3	43
270	219	253	102	178	82	90	22	19	193	24	19	6,133	6,091	1,260	4,242	138	3,440	233	44
263	216	278	117	260	143	144	45	29	203	26	10	7,037	6,993	1,583	4,828	145	3,960	190	45
78	35	78	21	57	18	21	7	6	32	3	8	1,442	1,409	238	1,083	14	679	95	46
23	4	34	3	24	9	6	2	4	18	3	4	465	455	96	335	4	254	32	47
35	15	32	7	26	12	17	4	2	19	3	6	785	769	220	478	9	332	27	48
25	9	24	9	18	8	4	1	2	12	1	7	531	529	116	375	13	297	20	49
26	14	31	5	15	8	12	-	3	22	2	3	694	687	138	493	12	433	12	50
100	42	70	29	64	20	30	7	16	46	9	5	2,083	2,061	489	1,430	24	968	172	51
449	337	389	171	290	135	145	30	24	348	43	16	9,956	9,828	1,504	7,731	269	6,027	737	52
204	124	174	63	130	55	66	29	13	145	15	12	3,859	3,832	630	2,916	72	2,467	128	53
271	104	175	56	180	56	61	27	20	272	26	26	4,690	4,632	845	3,554	41	2,675	219	54
49	27	38	9	31	11	15	4	1	21	6	4	835	824	168	591	16	445	35	55
3,557	2,158	2,401	1,003	2,128	813	1,066	382	252	2,167	133	141	63,039	62,434	8,375	50,819	1,709	41,947	2,310	56
134	62	100	29	112	43	31	16	13	76	16	10	2,371	2,341	511	1,650	27	1,137	173	57
12	6	11	2	6	3	4	1	-	8	1	1	192	188	38	137	5	102	9	58
9	10	20	6	12	6	5	1	1	9	2	-	370	367	72	274	16	219	15	59
133	58	88	29	106	35	44	6	14	61	6	16	2,108	2,088	531	1,405	28	1,121	59	60
113	66	113	30	67	31	44	12	16	72	11	3	2,363	2,339	497	1,672	50	1,334	106	61
86	38	70	26	55	26	19	9	8	39	4	11	1,562	1,544	375	1,067	35	830	88	62
358	244	246	110	196	104	125	33	20	244	22	14	6,265	6,209	1,039	4,716	176	3,820	305	63
35	16	38	14	27	11	14	4	1	10	1	5	688	682	148	488	9	404	25	64
69	45	65	26	37	19	28	5	8	38	2	7	1,499	1,485	270	1,052	27	859	83	65
1,411	678	986	361	831	320	364	118	105	969	75	68	25,442	25,192	3,958	19,483	542	13,893	2,222	66
178	64	141	39	104	53	62	22	60	79	9	13	2,542	2,515	474	1,871	69	1,523	70	67
724	353	508	196	528	191	189	75	53	568	41	26	14,710	14,564	2,789	10,729	311	8,861	515	68
36	16	24	16	21	10	10	5	4	29	2	2	928	919	201	645	15	559	14	69
60	33	48	24	49	7	17	3	3	27	4	1	1,313	1,301	275	932	20	731	97	70

Table 7-7. Deaths From 60 Selected Causes for Standard

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh
England, where areas are metropolitan State economic areas as established by the

	AREA	Total	Tuberculosis, all forms (001-019)	Tuberculosis of respiratory system (001-008)	Tuberculosis, other forms (010-019)	Syphilis and its sequelae (020-029)	Dysentery, all forms (045-048)	Scarlet fever and streptococcal sore throat (050,051)	Diphtheria (055)	Whooping cough (056)	Meningococcal infections (057)	Acute poliomyelitis (080)	Measles (085)	Other infective and parasitic diseases (Residual)	Malignant neoplasms, including neoplasms of lymphatic and hemopoietic tissues (140-205)	Malignant neoplasm of buccal cavity and pharynx (140-148)	Malignant neoplasm of digestive organs and peritoneum, not spec. as secondary (150-156A,157-159)
1	Portland, Oreg.-Wash--	8,922	29	25	4	14	-	-	-	1	3	-	-	21	1,484	36	481
2	Providence, R.I-------	7,947	26	25	1	9	1	1	1	-	2	-	1	23	1,509	48	570
3	Provo-Orem, Utah------	651	1	1	-	-	-	-	-	-	-	-	-	2	145	3	44
4	Pueblo, Colo----------	1,028	2	2	-	1	-	-	-	-	-	-	-	2	205	4	66
5	Racine, Wis-----------	1,273	3	3	-	1	-	-	-	-	1	-	-	2	205	4	66
6	Raleigh, N.C----------	1,319	2	2	-	3	-	-	-	-	-	1	1	9	209	5	45
7	Reading, Pa-----------	3,229	21	21	-	4	-	-	-	-	-	-	-	2	505	12	155
8	Reno, Nev-------------	829	3	3	-	2	-	-	-	-	-	-	-	-	113	3	25
9	Richmond, Va----------	4,269	23	20	3	10	1	-	-	-	3	-	1	16	672	18	218
10	Roanoke, Va-----------	1,475	11	10	1	1	-	-	-	-	-	-	-	7	211	6	69
11	Rochester, N.Y--------	6,183	17	15	2	6	-	-	-	-	2	-	-	19	1,038	21	341
12	Rockford, Ill---------	1,674	9	9	-	1	-	-	-	-	-	-	1	10	273	12	72
13	Sacramento, Calif-----	4,132	15	14	1	14	2	-	-	-	3	-	-	15	676	20	201
14	Saginaw, Mich---------	1,737	3	3	-	6	-	-	-	-	1	-	-	1	274	3	89
15	St. Joseph, Mo--------	1,253	8	7	1	6	-	-	-	-	-	-	1	3	184	4	57
16	St. Louis, Mo.-Ill----	21,055	129	119	10	43	2	3	-	-	4	-	-	47	3,553	96	1,148
17	Salt Lake City, Utah--	2,857	9	9	-	4	-	-	-	-	1	-	-	11	437	6	128
18	San Angelo, Texas-----	611	5	5	-	-	-	-	-	-	-	-	1	3	88	1	25
19	San Antonio, Texas----	5,427	58	55	3	12	3	-	2	1	1	-	4	31	882	36	287
20	San Bernardino-River-side-Ontario, Calif--	7,423	43	41	2	18	-	-	-	1	2	-	2	14	1,121	32	338
21	San Diego, Calif------	7,924	37	34	3	8	-	1	-	1	7	-	-	21	1,370	28	463
22	San Francisco-Oakland, Calif----------	26,334	125	115	10	43	2	1	-	-	7	2	1	79	4,568	133	1,499
23	San Jose, Calif-------	4,620	16	16	-	13	1	-	-	-	2	-	1	17	777	17	260
24	Santa Barbara, Calif--	1,545	6	4	2	2	-	-	-	-	-	-	-	4	248	5	88
25	Savannah, Ga----------	1,916	13	10	3	4	-	-	-	-	1	-	-	6	247	6	77
26	Scranton, Pa----------	3,146	43	42	1	5	-	-	-	-	2	-	-	11	502	13	205
27	Seattle, Wash---------	10,736	37	33	4	15	-	-	-	-	3	1	2	27	1,756	36	567
28	Shreveport, La--------	2,517	23	21	2	8	-	1	-	-	2	-	2	12	374	8	119
29	Sioux City, Iowa------	1,154	2	1	1	3	-	-	1	-	-	-	-	2	177	3	64
30	Sioux Falls, S. Dak---	718	1	1	-	2	-	-	-	-	-	-	-	1	137	2	52
31	South Bend, Ind-------	2,046	7	6	1	1	-	-	-	-	-	-	-	3	341	6	112
32	Spokane, Wash---------	2,797	10	9	1	3	-	-	-	-	1	-	-	10	414	7	108
33	Springfield, Ill------	1,715	5	5	-	2	-	1	-	-	-	-	-	4	293	7	105
34	Springfield, Mo-------	1,331	6	6	-	1	1	-	-	-	-	-	-	3	172	2	58
35	Springfield, Ohio-----	1,265	7	7	-	3	-	-	-	-	-	-	1	3	206	1	75
36	Springfield-Holyoke, Mass----------	5,411	21	20	1	15	2	-	-	-	2	-	-	9	891	21	298
37	Steubenville-Weirton, Ohio-W. Va------	1,699	6	6	-	2	-	-	-	-	-	-	-	7	292	6	114
38	Stockton, Calif-------	2,350	17	17	-	4	1	1	-	-	1	1	-	8	381	12	108
39	Syracuse, N.Y---------	5,851	15	15	-	9	-	1	-	-	1	-	-	14	919	15	313
40	Tacoma, Wash----------	3,027	12	11	1	3	-	-	-	-	-	-	1	8	478	14	158
41	Tampa-St. Petersburg, Fla----------	10,537	32	28	4	16	2	2	-	-	2	-	1	61	1,839	58	572
42	Terre Haute, Ind------	1,334	10	10	-	3	-	-	-	-	-	-	-	3	233	5	87
43	Texarkana, Texas-Ark--	939	6	6	-	6	1	-	-	-	-	-	-	4	145	3	48
44	Toledo, Ohio----------	4,758	7	7	-	9	-	-	-	-	2	-	2	12	763	19	266
45	Topeka, Kans----------	1,322	2	2	-	2	-	-	1	-	-	-	-	9	207	1	65
46	Trenton, N.J----------	2,758	18	16	2	2	-	-	-	-	2	-	-	5	491	15	190
47	Tucson, Ariz----------	2,367	39	37	2	4	-	-	-	-	3	-	1	18	375	5	129
48	Tulsa, Okla-----------	3,681	20	18	2	7	1	-	-	-	1	-	-	14	593	14	157
49	Tuscaloosa, Ala-------	837	5	5	-	2	1	-	-	-	-	-	1	2	91	1	26
50	Tyler, Texas----------	857	3	3	-	-	-	-	-	-	1	-	-	1	151	-	44
51	Utica-Rome, N.Y-------	3,864	10	9	1	2	-	-	-	-	1	-	-	8	535	12	188
52	Waco, Texas-----------	1,533	7	6	1	4	3	-	-	-	1	-	-	9	216	5	65
53	Washington, D.C.-Md. -Va----------	16,642	123	112	11	38	-	-	1	-	4	-	5	53	2,760	93	884
54	Waterloo, Iowa--------	1,057	5	5	-	5	-	-	-	-	1	-	-	1	147	3	55
55	West Palm Beach, Fla--	2,685	10	9	1	1	-	-	-	1	2	-	-	12	501	14	144
56	Wheeling, W. Va.-Ohio-	2,355	5	5	-	5	-	-	-	-	1	-	-	6	396	9	126
57	Wichita, Kans---------	2,493	9	8	1	2	-	-	-	-	2	-	1	9	374	9	91
58	Wichita Falls, Texas--	973	1	1	-	1	-	-	-	-	1	-	2	2	152	1	41
59	Wilkes-Barre-Hazle-ton, Pa----------	4,511	42	42	-	7	-	-	-	-	-	-	-	10	639	13	269
60	Wilmington, Del.-N.J--	3,484	16	15	1	7	-	-	-	-	1	-	-	11	637	10	242
61	Winston-Salem, N.C----	1,645	10	9	1	2	1	1	-	1	1	-	1	17	218	5	69
62	Worcester, Mass-------	6,387	24	23	1	5	1	-	-	-	-	-	-	15	1,021	20	358
63	York, Pa--------------	2,303	12	10	2	5	-	-	-	-	3	-	-	11	404	4	135
64	Youngstown-Warren,Ohio	4,751	22	21	1	4	-	-	-	-	2	-	-	8	838	16	313
	STANDARD CONSOLIDATED AREAS																
65	New York-North-eastern New Jersey[1]--	155,075	1,137	1,057	80	194	4	5	1	-	51	2	36	385	29,012	701	10,505
66	Chicago-Northwestern Indiana[2]----------	67,782	402	376	26	45	8	1	1	-	23	4	15	135	11,339	284	4,013

[1]Comprised of four standard metropolitan statistical areas—New York, N.Y., Newark, N.J., Jersey City, N.J., Paterson-Clifton-Passaic, N.J.,—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.

[2]Comprised of two standard metropolitan statistical areas—Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Metropolitan Statistical Areas of the United States: 1962—Con.

Revision of the International Lists, 1955. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

Malignant neoplasm of respiratory system, not specified as secondary (160-164)	Malignant neoplasm of breast (170)	Malignant neoplasm of genital organs (171-179)	Malignant neoplasm of urinary organs (180,181)	Malignant neoplasm of other and unspecified sites (156B,165, 190-199)	Leukemia and aleukemia (204)	Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues (200-203,205)	Benign neoplasms and neoplasms of unspecified nature (210-239)	Asthma (241)	Diabetes mellitus (260)	Anemias (290-293)	Meningitis, except meningococcal and tuberculous (340)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Diseases of cardiovascular system (330-334,400-468)	Vascular lesions affecting central nervous system (330-334)	Diseases of heart (400-402,410-443)	Rheumatic fever and chronic rheumatic heart disease (400-402, 410-416)	Arteriosclerotic heart disease, including coronary disease (420)	Nonrheumatic chronic endocarditis and other myocardial degeneration (421,422)	
224	111	228	85	164	82	73	21	38	147	20	14	5,089	5,055	1,174	3,508	99	2,692	246	1
220	159	178	74	140	43	77	19	18	198	17	9	4,629	4,583	740	3,538	101	3,018	126	2
7	5	11	3	9	7	6	1	4	14	2	-	326	320	62	240	22	152	31	3
27	12	17	11	17	9	5	2	5	13	5	-	505	493	87	379	18	305	12	4
31	17	26	12	28	11	10	3	5	30	-	-	748	740	137	539	12	470	13	5
36	23	30	13	38	6	13	2	1	23	3	6	657	651	160	457	7	279	29	6
90	54	71	32	43	30	18	11	6	73	2	6	1,983	1,972	460	1,370	32	1,117	90	7
19	17	14	7	16	6	6	3	1	5	5	-	435	432	76	331	7	284	12	8
123	52	85	29	91	29	27	20	14	73	13	7	2,297	2,267	510	1,575	30	1,111	149	9
22	22	33	7	34	7	11	2	7	24	2	3	799	787	181	533	10	380	39	10
176	112	137	44	116	50	41	14	21	96	5	5	3,703	3,684	608	2,780	87	2,374	131	11
40	32	42	18	26	13	18	2	1	21	3	2	907	891	191	644	25	539	34	12
138	55	85	27	95	32	23	7	8	51	10	7	2,061	2,033	288	1,601	46	1,228	187	13
46	25	47	21	20	13	10	3	1	55	8	1	992	978	170	718	20	611	27	14
21	13	33	12	18	7	19	3	5	16	1	2	727	719	161	499	15	392	31	15
664	341	468	183	346	155	152	53	56	364	30	17	11,596	11,463	2,148	8,354	224	6,403	796	16
58	42	71	29	56	18	29	4	4	41	7	7	1,297	1,276	286	900	63	660	61	17
17	6	14	4	11	4	6	1	2	5	1	1	288	286	71	185	3	153	8	18
145	66	124	43	87	47	47	14	15	113	18	18	2,610	2,551	578	1,768	27	1,264	173	19
174	91	136	48	169	68	65	28	35	76	15	8	3,826	3,785	761	2,737	85	2,192	180	20
232	128	209	66	111	49	84	23	23	85	14	23	4,022	3,981	803	2,865	98	2,320	147	21
817	440	558	193	475	211	242	83	61	356	44	33	13,831	13,692	2,587	10,043	268	8,040	707	22
115	75	106	38	81	47	38	21	9	59	8	10	2,300	2,280	490	1,598	46	1,316	89	23
39	25	33	7	37	18	17	7	8	17	4	2	782	774	158	552	21	444	27	24
45	22	33	12	33	9	10	7	-	38	6	5	1,071	1,053	342	672	17	472	51	25
75	45	54	31	47	18	14	12	8	70	11	4	1,846	1,821	287	1,400	37	975	177	26
269	166	238	85	210	94	91	22	37	169	30	6	5,850	5,793	1,277	4,028	121	3,169	321	27
48	29	58	15	55	25	17	9	6	50	12	7	1,245	1,223	248	899	10	589	106	28
29	13	22	10	15	11	10	-	4	20	1	1	668	661	157	436	12	329	43	29
16	15	18	9	11	6	8	3	4	8	2	1	383	380	88	261	5	219	9	30
47	25	54	17	40	18	22	2	5	46	3	1	1,140	1,131	280	772	19	633	34	31
75	39	53	28	47	29	28	8	8	48	7	2	1,572	1,562	313	1,153	40	777	91	32
49	20	40	16	25	16	15	2	3	23	3	2	1,007	1,001	205	723	17	584	60	33
28	16	20	9	22	7	10	3	5	20	2	2	778	770	181	529	13	362	62	34
34	24	25	13	16	10	8	1	1	34	1	-	705	697	168	479	15	367	39	35
140	87	123	46	94	43	39	19	9	81	9	6	3,096	3,057	587	2,255	53	1,910	86	36
40	20	41	14	29	15	13	8	4	35	4	3	976	965	171	740	14	579	71	37
79	35	45	13	43	18	28	9	3	35	4	6	1,219	1,208	225	869	28	657	46	38
155	84	125	54	74	40	59	19	12	86	9	7	3,512	3,479	697	2,527	64	2,136	137	39
76	37	61	20	58	21	33	7	9	70	8	1	1,722	1,702	363	1,189	30	900	80	40
365	146	253	101	202	59	83	21	18	129	30	14	6,100	6,047	1,462	4,109	76	3,224	234	41
41	12	30	10	25	8	15	3	1	33	-	2	783	772	164	547	15	380	74	42
20	12	14	4	28	5	10	5	1	13	2	2	449	443	113	293	4	207	18	43
120	60	96	53	76	45	28	11	13	140	6	5	2,746	2,718	502	1,865	45	1,462	144	44
37	17	26	16	28	9	8	3	3	18	4	1	718	707	184	461	5	367	30	45
84	33	61	23	46	17	22	8	6	43	9	2	1,548	1,538	238	1,169	22	901	116	46
78	32	44	21	38	10	18	9	33	21	9	3	1,057	1,043	188	752	29	602	51	47
109	39	90	32	94	24	34	11	8	60	2	5	1,996	1,955	468	1,340	21	1,096	57	48
21	9	9	2	10	7	6	2	1	15	2	2	433	424	123	271	1	205	11	49
18	16	22	6	24	12	9	1	5	8	6	1	471	465	91	349	2	267	36	50
87	56	69	22	49	26	26	10	11	61	5	4	2,269	2,243	351	1,737	35	1,271	164	51
46	19	29	6	23	10	13	2	2	24	4	2	840	823	218	534	12	354	30	52
518	276	378	118	273	115	125	58	35	222	30	25	8,149	8,072	1,502	5,870	166	4,286	459	53
21	16	23	8	7	7	7	2	3	15	3	-	624	620	182	378	14	293	35	54
117	31	58	26	51	30	30	7	15	47	6	3	1,356	1,348	356	895	17	746	48	55
72	32	63	18	44	14	18	5	7	42	3	-	1,449	1,428	324	1,010	23	828	68	56
61	32	57	24	50	23	27	6	8	41	5	6	1,303	1,289	258	934	24	769	46	57
31	16	23	7	22	2	9	3	1	13	1	1	487	485	103	360	4	295	29	58
80	61	78	34	62	24	18	14	10	104	12	1	2,572	2,540	381	1,988	54	1,368	260	59
95	44	71	31	79	39	26	16	-	76	6	4	1,859	1,827	292	1,377	35	1,003	143	60
31	23	32	8	26	15	9	8	4	25	2	-	961	952	194	693	16	564	21	61
142	104	138	62	102	37	60	17	14	93	12	7	3,828	3,803	651	2,851	60	2,450	143	62
64	41	57	16	48	18	21	12	2	53	4	2	1,344	1,323	238	989	29	701	130	63
117	71	127	46	70	31	47	10	19	134	7	3	2,681	2,654	538	1,898	55	1,461	155	64
4,829	2,941	3,265	1,387	2,831	1,126	1,427	480	324	3,033	218	193	86,076	85,215	11,909	68,706	2,324	56,040	3,997	65
1,928	1,117	1,492	580	951	442	532	169	111	1,168	101	78	38,806	38,403	6,127	30,039	684	23,858	1,977	66

Table 7-7. Deaths From 60 Selected Causes for Standard

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh England, where areas are metropolitan State economic areas as established by the

	AREA	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	UNITED STATES, 201 AREAS	13,699	37,858	7,240	20,951	14,982	6,368	36,936	1,289	35,647	3,052	12,775	8,037	1,054	5,865	4,705	16,867
2	Abilene, Texas	38	27	4	13	17	8	35	4	31	1	8	4	-	6	5	8
3	Akron, Ohio	45	144	35	121	62	25	101	26	75	5	59	29	4	22	14	52
4	Albany, Ga	9	29	4	5	12	7	26	1	25	2	10	4	1	-	2	4
5	Albany-Schenectady-Troy, N.Y	44	221	61	193	129	41	226	7	219	25	70	63	5	40	34	102
6	Albuquerque, N. Mex	31	31	12	25	25	11	66	3	63	10	46	13	3	16	4	38
7	Allentown-Bethlehem-Easton, Pa.-N.J	45	175	39	115	100	31	127	5	122	6	40	42	7	30	25	40
8	Altoona, Pa	28	46	25	51	21	24	34	3	31	3	17	14	-	8	6	7
9	Amarillo, Texas	16	18	3	15	15	4	32	1	31	3	18	9	2	3	3	19
10	Ann Arbor, Mich	16	20	6	32	11	4	35	1	34	1	15	12	2	3	5	6
11	Asheville, N.C	36	37	19	30	22	10	43	2	41	5	15	10	1	6	6	10
12	Atlanta, Ga	167	410	80	126	135	98	317	19	298	15	148	58	5	43	26	68
13	Atlantic City, N.J	29	87	10	35	25	7	63	-	63	12	21	17	3	7	10	37
14	Augusta, Ga.-S.C	37	109	6	24	22	23	74	4	70	2	21	11	-	10	13	16
15	Austin, Texas	55	36	11	27	20	11	56	-	56	7	20	6	1	14	7	27
16	Bakersfield, Calif	19	92	9	28	39	8	86	1	85	6	45	23	2	12	11	49
17	Baltimore, Md	231	1,194	90	249	229	123	489	17	472	58	214	104	19	115	68	244
18	Baton Rouge, La	67	72	11	44	19	13	43	1	42	4	17	6	-	7	6	16
19	Bay City, Mich	10	26	9	20	13	8	29	2	27	4	6	12	-	8	2	11
20	Beaumont-Port Arthur, Texas	59	69	17	48	21	35	57	1	56	3	29	10	2	14	7	13
21	Billings, Mont	6	16	3	19	12	4	23	-	23	3	9	5	-	5	2	10
22	Binghamton, N.Y	10	52	15	43	28	9	79	1	78	3	27	18	5	11	3	28
23	Birmingham, Ala	102	320	70	107	79	37	184	39	146	21	76	39	5	39	17	40
24	Boston-Lowell-Lawrence, Mass	399	928	203	804	608	171	1,565	13	1,552	138	344	291	32	201	116	558
25	Bridgeport-Stamford-Norwalk, Conn	50	189	46	173	106	38	221	5	216	14	74	41	8	46	43	97
26	Brockton, Mass	51	80	29	51	34	15	121	2	119	7	20	18	-	19	8	29
27	Brownsville-Harlingen-San Benito, Texas	29	17	7	14	6	5	46	2	44	2	13	5	3	4	28	10
28	Buffalo, N.Y	97	331	80	162	275	64	525	7	518	53	149	111	23	66	68	164
29	Canton, Ohio	35	76	24	101	32	22	108	14	94	4	34	25	6	16	15	31
30	Cedar Rapids, Iowa	19	28	3	38	24	10	36	1	35	-	14	9	2	5	5	10
31	Champaign-Urbana, Ill	13	26	11	14	10	6	34	2	32	5	13	3	-	3	4	10
32	Charleston, S.C	34	88	15	24	18	13	58	3	55	6	21	6	-	12	5	15
33	Charleston, W. Va	25	87	5	29	16	12	77	1	76	6	24	12	1	10	11	20
34	Charlotte, N.C	20	92	23	47	28	13	103	3	100	2	17	13	3	5	8	13
35	Chattanooga, Tenn.-Ga	47	95	17	47	29	23	114	5	109	4	38	26	-	10	11	29
36	Chicago, Ill	1,279	2,015	504	975	587	379	2,789	31	2,758	137	475	494	68	303	265	1,064
37	Cincinnati, Ohio-Ky	137	399	93	320	177	58	308	20	288	47	133	97	11	67	53	165
38	Cleveland, Ohio	165	799	129	314	252	87	443	41	402	55	208	129	16	84	62	363
39	Colorado Springs, Colo	13	21	4	28	29	5	53	-	53	2	22	12	-	9	7	9
40	Columbia, S.C	42	101	17	29	19	17	98	22	76	3	18	8	1	13	10	17
41	Columbus, Ga.-Ala	49	94	14	22	22	16	64	1	63	1	17	7	6	13	6	10
42	Columbus, Ohio	82	391	42	124	99	31	164	12	152	27	86	41	3	27	28	70
43	Corpus Christi, Texas	28	25	6	21	18	8	49	1	48	4	12	4	1	6	10	21
44	Dallas, Texas	204	184	62	147	107	54	340	13	327	70	122	53	8	44	38	119
45	Davenport-Rock Island-Moline, Iowa-Ill	22	85	28	41	27	14	85	8	77	6	32	20	2	18	10	16
46	Dayton, Ohio	77	200	56	193	74	28	113	6	107	28	89	43	7	27	29	59
47	Decatur, Ill	15	32	11	34	13	5	25	-	25	4	20	7	1	6	5	8
48	Denver, Colo	83	145	51	183	194	39	515	5	510	24	158	73	3	52	24	134
49	Des Moines, Iowa	18	62	19	69	40	7	80	4	76	4	43	19	-	20	13	30
50	Detroit, Mich	327	1,090	186	445	460	196	973	37	936	67	384	268	37	153	113	505
51	Dubuque, Iowa	7	17	6	33	17	2	35	1	34	3	11	5	1	7	5	3
52	Duluth-Superior, Minn.-Wis	30	100	15	81	36	10	96	4	92	5	28	20	6	10	5	29
53	Durham, N.C	17	59	6	20	7	11	38	1	37	3	11	3	2	7	4	12
54	El Paso, Texas	27	45	13	27	23	17	102	4	98	6	48	16	2	17	18	26
55	Erie, Pa	37	70	7	45	25	12	101	11	90	1	39	29	4	19	10	21
56	Eugene, Oreg	4	21	1	31	36	3	45	2	43	7	20	8	1	9	3	17
57	Evansville, Ind.-Ky	15	109	17	100	22	6	45	4	41	5	17	9	4	10	10	32
58	Fall River-New Bedford, Mass	37	203	55	84	50	22	126	-	126	14	30	33	11	27	21	46
59	Fargo-Moorhead, N. Dak.-Minn	11	14	3	2	17	3	27	2	25	4	10	6	1	9	5	5
60	Flint, Mich	22	50	14	84	34	13	77	4	73	16	41	25	3	20	14	29
61	Fort Lauderdale-Hollywood, Fla	58	90	33	54	62	26	119	4	115	5	67	19	3	19	29	61
62	Fort Smith, Ark	9	17	7	10	7	5	10	2	8	-	11	8	-	5	6	12
63	Fort Wayne, Ind	20	78	15	50	45	7	51	4	47	2	17	18	4	14	13	25
64	Fort Worth, Texas	130	121	26	96	60	29	166	14	152	14	71	18	3	22	17	47
65	Fresno, Calif	32	73	11	68	57	28	159	10	149	11	64	29	5	18	15	57
66	Gadsden, Ala	6	42	10	18	12	2	27	-	27	3	8	5	-	4	1	7
67	Galveston-Texas City, Texas	27	23	9	15	19	6	41	-	41	1	7	3	1	2	5	18
68	Gary-Hammond-East Chicago, Ind	59	167	53	64	54	24	148	9	139	6	49	28	3	26	17	61

Metropolitan Statistical Areas of the United States: 1962-Con.

Revision of the International Lists, 1955.. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	
2,950	862	5,644	2,348	868	241	627	13,642	41,199	18,669	2,704	19,826	8,759	31,822	52,989	21,170	31,819	12,666	5,917	1
5	2	6	1	1	-	1	23	54	25	4	25	26	34	93	46	47	9	6	2
15	5	33	6	2	-	2	62	175	101	7	67	91	122	175	101	74	46	18	3
-	-	-	3	2	-	2	15	39	16	4	19	2	15	49	18	31	5	8	4
25	5	28	14	4	-	4	74	198	90	15	93	32	188	263	102	161	57	12	5
4	3	9	1	7	1	6	33	126	54	6	66	17	54	136	63	73	30	14	6
10	5	20	10	-	-	-	52	104	60	10	34	13	132	208	72	136	70	7	7
5	2	9	6	1	-	1	13	43	23	7	13	8	48	57	20	37	12	3	8
-	3	3	5	-	-	-	21	46	20	2	24	11	38	82	36	46	11	3	9
6	3	4	5	1	-	1	18	50	14	2	34	5	39	85	42	43	17	2	10
4	-	11	2	3	-	3	16	41	25	3	13	10	37	58	32	26	17	11	11
14	3	71	20	7	-	7	141	420	145	41	234	174	261	510	221	289	128	140	12
4	-	7	4	1	-	1	11	62	33	1	28	6	61	94	36	58	16	8	13
5	3	17	2	6	1	5	29	86	29	6	51	12	53	133	66	67	17	19	14
3	-	7	4	1	-	1	36	79	38	4	37	28	62	98	32	66	21	10	15
6	1	8	8	3	-	3	48	119	70	10	39	8	64	200	128	72	41	16	16
41	10	51	26	13	3	10	207	735	228	59	448	41	556	797	278	519	177	128	17
1	1	14	4	2	-	2	42	105	44	8	53	16	68	97	54	43	13	12	18
6	1	5	3	1	-	1	18	36	16	-	20	1	32	60	25	35	9	4	19
8	4	12	5	3	2	1	34	109	56	15	38	29	84	143	57	86	20	17	20
2	2	4	-	1	1	-	16	24	5	2	17	8	18	50	28	22	16	4	21
9	2	8	3	-	-	-	22	84	62	5	17	9	47	89	42	47	14	1	22
13	7	44	12	5	3	2	61	231	96	15	120	460	199	337	139	198	57	71	23
94	24	203	55	13	3	10	309	941	398	60	483	120	1,093	1,475	414	1,061	208	59	24
21	4	35	9	8	3	5	90	210	117	15	78	46	200	272	85	187	80	18	25
12	2	15	5	3	1	2	34	86	32	5	49	10	77	102	35	67	26	2	26
5	2	7	4	6	2	4	21	81	35	14	32	55	37	66	31	35	10	8	27
43	8	66	34	8	-	8	147	408	227	14	167	55	339	506	187	319	104	20	28
5	1	19	5	1	1	-	46	110	67	4	39	7	91	161	85	76	38	9	29
-	-	4	1	-	-	-	13	44	24	2	18	3	45	50	18	32	26	1	30
6	1	6	1	-	-	-	20	33	18	3	12	2	22	53	32	21	5	3	31
3	1	16	1	1	-	1	29	57	25	2	30	148	51	140	52	88	19	17	32
4	2	6	6	3	1	2	32	76	36	4	36	15	65	139	64	75	26	6	33
2	5	12	4	4	-	4	46	131	71	16	44	5	67	122	64	58	35	34	34
5	3	19	10	1	-	1	35	117	46	4	67	139	91	162	59	103	19	33	35
170	39	364	137	44	11	33	668	2,321	1,545	237	539	203	1,198	2,382	895	1,487	567	456	36
39	13	84	39	6	-	6	143	336	128	19	189	34	330	471	174	297	123	66	37
30	9	91	40	14	6	8	190	638	257	35	346	37	380	745	208	537	199	76	38
6	-	4	2	-	-	-	26	73	27	3	43	4	38	82	36	46	22	8	39
1	-	7	4	5	1	4	18	88	38	9	41	29	56	150	71	79	15	37	40
3	-	7	4	2	-	2	34	97	37	7	53	17	56	88	36	52	21	15	41
22	8	29	20	4	1	3	80	280	112	24	144	219	196	251	115	136	65	12	42
2	-	11	-	4	2	2	33	113	48	12	53	13	44	130	62	68	20	14	43
19	3	56	10	9	3	6	134	405	154	33	218	122	296	549	216	333	118	122	44
3	1	8	11	-	-	-	37	103	51	2	50	2	69	148	66	82	34	6	45
8	5	34	9	4	1	3	97	255	132	13	110	56	173	288	125	163	77	31	46
2	-	3	2	-	-	-	21	42	18	3	21	8	32	53	25	28	14	3	47
23	7	36	19	6	1	5	115	383	153	18	212	49	324	514	200	314	189	49	48
7	3	20	9	1	-	1	37	84	37	8	39	6	70	138	50	88	23	9	49
126	25	139	81	28	9	19	474	1,318	588	77	653	108	910	1,413	607	806	347	182	50
3	-	2	1	-	-	-	10	34	13	2	19	2	25	40	12	28	5	-	51
9	-	9	5	1	-	1	40	75	15	12	48	24	84	154	59	95	35	1	52
-	1	7	4	1	1	-	15	51	17	6	28	6	47	59	22	37	8	13	53
9	2	6	6	10	1	9	60	180	63	20	97	50	88	145	71	74	41	13	54
7	-	7	4	2	-	2	33	87	45	3	39	10	85	149	53	96	16	4	55
3	1	9	7	-	-	-	21	35	21	1	13	4	39	85	33	52	20	2	56
6	5	6	10	1	-	1	27	59	24	5	30	9	64	118	59	59	18	19	57
8	4	14	10	-	-	-	40	108	44	12	52	11	108	167	71	96	19	3	58
7	-	2	2	-	-	-	10	41	20	-	21	3	27	50	27	23	13	-	59
14	1	11	5	2	-	2	53	165	62	15	88	3	85	176	93	83	31	11	60
16	3	23	9	4	-	4	36	120	63	11	46	11	126	194	73	121	52	43	61
1	-	3	3	-	-	-	10	28	13	2	13	10	23	31	15	16	6	2	62
10	2	8	1	4	1	3	32	104	47	5	52	7	75	125	64	61	24	5	63
4	4	24	8	-	-	-	76	214	104	8	102	80	177	307	118	189	61	63	64
9	3	25	10	4	-	4	48	133	74	10	49	7	72	240	129	111	45	23	65
3	-	4	1	1	-	1	13	35	16	4	15	24	31	50	24	26	10	7	66
3	3	8	2	-	-	-	20	52	17	3	32	8	31	68	35	33	8	10	67
12	7	14	13	5	1	4	83	213	120	14	79	25	120	300	140	160	65	37	68

Table 7-7. Deaths From 60 Selected Causes for Standard

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh England, where areas are metropolitan State economic areas as established by the

	AREA	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	Grand Rapids, Mich-------	33	60	33	91	38	26	64	-	64	8	40	24	3	18	11	31
2	Great Falls, Mont-------	19	18	1	12	6	5	11	1	10	5	8	1	-	2	5	7
3	Green Bay, Wis----------	11	31	9	32	18	5	19	2	17	5	10	5	2	5	1	7
4	Greensboro-High Point, N.C----------	27	83	16	17	26	9	63	14	49	3	14	15	1	9	3	14
5	Greenville, S.C---------	44	81	11	29	27	14	68	4	64	2	18	8	1	10	9	13
6	Hamilton-Middletown, Ohio----------	12	67	24	56	20	12	34	5	29	6	22	12	2	11	5	19
7	Harrisburg, Pa----------	61	121	21	77	72	18	108	3	105	3	36	27	3	19	8	26
8	Hartford-New Britain-Bristol, Conn----------	69	193	57	172	115	30	229	4	225	16	45	37	4	24	29	113
9	Honolulu, Hawaii--------	19	163	21	21	28	24	105	2	103	6	29	15	1	8	12	33
10	Houston, Texas----------	157	352	60	130	112	60	304	9	295	22	107	38	7	54	36	179
11	Huntington-Ashland, W. Va.-Ky.-Ohio--------	29	99	17	67	36	13	103	3	100	12	26	18	4	12	14	28
12	Huntsville, Ala---------	17	44	3	13	7	5	19	1	18	1	7	2	1	-	17	2
13	Indianapolis, Ind-------	127	206	50	162	87	35	233	5	228	15	122	48	9	39	20	84
14	Jackson, Mich-----------	11	44	11	36	14	11	17	4	13	4	16	12	1	5	4	10
15	Jackson, Miss-----------	63	107	14	23	35	19	57	5	52	8	20	7	2	2	7	12
16	Jacksonville, Fla-------	47	203	35	72	65	18	123	5	118	14	55	22	4	24	18	36
17	Jersey City, N.J--------	81	194	26	77	83	43	234	3	231	25	41	65	6	46	26	178
18	Johnstown, Pa-----------	49	95	28	124	44	19	55	6	49	5	33	20	1	17	11	31
19	Kalamazoo, Mich---------	20	36	11	43	20	7	41	2	39	5	19	11	1	4	7	16
20	Kansas City, Mo.-Kans---	166	259	61	268	141	76	396	23	373	21	128	66	4	67	43	115
21	Kenosha, Wis------------	10	25	9	20	9	9	20	-	20	1	3	4	2	2	4	14
22	Knoxville, Tenn---------	21	104	28	74	38	29	109	17	92	10	48	20	4	11	10	29
23	Lake Charles, La--------	25	32	4	14	11	8	34	3	31	-	19	7	1	6	10	5
24	Lancaster, Pa-----------	46	96	9	84	39	27	71	7	64	2	27	20	1	22	8	16
25	Lansing, Mich-----------	43	74	20	75	43	19	58	5	53	11	33	14	2	15	11	16
26	Laredo, Texas-----------	7	12	5	3	8	4	37	1	36	-	10	-	-	3	8	4
27	Las Vegas, Nev----------	12	17	6	16	12	8	39	1	38	3	14	16	3	3	4	34
28	Lawton, Okla------------	8	13	3	6	3	-	25	-	25	4	7	6	1	5	2	3
29	Lexington, Ky-----------	26	67	9	30	9	8	36	-	36	2	13	8	-	9	3	15
30	Lima, Ohio--------------	20	28	3	39	11	5	33	1	32	4	15	6	4	4	7	10
31	Lincoln, Nebr-----------	51	36	6	34	17	7	37	4	33	3	19	20	2	10	1	9
32	Little Rock-North Little Rock, Ark-------	45	89	24	52	23	22	82	4	78	8	27	14	1	15	13	20
33	Lorain-Elyria, Ohio-----	18	67	15	43	21	11	52	4	48	2	31	13	4	13	6	22
34	Los Angeles-Long Beach, Calif----------	493	1,749	328	1,201	901	328	1,706	86	1,620	161	925	501	57	299	251	1,403
35	Louisville, Ky.-Ind-----	140	342	50	177	105	52	227	5	222	17	108	32	3	34	27	140
36	Lubbock, Texas----------	57	17	6	10	8	8	52	2	50	1	16	6	1	7	28	5
37	Lynchburg, Va-----------	23	71	7	19	15	4	31	3	28	-	16	8	-	7	5	9
38	Macon, Ga---------------	28	67	15	53	11	15	59	6	53	3	25	13	1	6	6	15
39	Madison, Wis------------	14	57	13	60	31	18	70	5	65	5	22	8	1	13	8	22
40	Manchester, N.H---------	19	76	15	133	23	10	40	1	39	7	11	25	2	8	16	33
41	Memphis, Tenn-----------	184	259	124	113	82	37	236	33	203	16	71	31	3	20	28	36
42	Miami, Fla--------------	108	294	51	115	173	55	275	3	272	28	192	74	12	47	36	179
43	Midland, Texas----------	6	6	3	3	5	-	11	-	11	1	5	7	-	4	5	4
44	Milwaukee, Wis----------	80	351	47	277	265	42	459	9	450	28	149	102	12	66	51	151
45	Minneapolis-St. Paul, Minn----------	138	395	89	300	193	44	458	18	440	38	133	98	11	68	52	147
46	Mobile, Ala-------------	23	272	25	30	33	33	77	9	68	3	28	6	5	14	9	33
47	Monroe, La--------------	10	35	5	12	7	10	28	3	25	3	19	6	-	5	5	10
48	Montgomery, Ala---------	23	87	31	26	14	16	50	5	45	2	13	12	-	7	17	13
49	Muncie, Ind-------------	10	35	5	17	16	2	14	2	12	3	15	12	1	8	4	7
50	Muskegon-Muskegon Heights, Mich----------	13	23	9	30	17	7	35	5	30	8	21	9	1	3	7	7
51	Nashville, Tenn---------	51	215	26	67	49	22	154	21	133	9	46	19	3	18	19	22
52	Newark, N.J-------------	141	557	132	242	219	128	414	5	409	43	144	120	26	94	96	311
53	New Haven-Waterbury, Conn----------	63	186	52	127	107	27	209	1	208	19	71	51	6	34	22	99
54	New Orleans, La---------	153	466	49	93	91	58	297	8	289	25	95	50	7	43	37	115
55	Newport News-Hampton, Va----------	16	79	18	21	26	11	74	-	74	5	22	11	1	9	13	11
56	New York, N.Y-----------	589	4,264	661	1,573	1,006	605	4,389	44	4,345	359	749	927	128	543	524	2,634
57	Norfolk-Portsmouth, Va--	75	238	37	84	59	30	198	3	195	12	59	21	9	19	19	57
58	Odessa, Texas-----------	17	4	1	4	9	4	14	-	14	2	5	2	-	2	5	4
59	Ogden, Utah-------------	6	18	3	6	12	3	59	1	58	-	10	8	-	7	3	5
60	Oklahoma City, Okla-----	102	95	28	74	50	20	117	4	113	6	41	29	4	31	23	43
61	Omaha, Nebr.-Iowa-------	50	132	27	76	67	24	145	9	136	17	46	45	4	28	15	44
62	Orlando, Fla------------	25	89	15	49	38	18	124	4	120	10	43	19	4	22	14	31
63	Paterson-Clifton-Passaic, N.J-----------	76	339	76	234	144	56	288	5	283	29	79	81	8	55	47	184
64	Pensacola, Fla----------	14	36	7	18	21	6	53	-	53	1	20	5	1	5	15	19
65	Peoria, Ill-------------	14	69	17	106	40	14	84	1	83	12	22	21	3	17	11	24
66	Philadelphia, Pa.-N.J---	664	2,162	294	796	661	250	1,473	27	1,446	76	421	313	38	268	201	818
67	Phoenix, Ariz-----------	61	148	29	78	63	27	186	8	178	29	190	41	3	24	41	93
68	Pittsburgh, Pa----------	304	738	164	567	315	148	813	32	781	37	182	169	20	145	101	359
69	Pittsfield, Mass--------	11	46	18	35	20	9	44	3	41	4	17	16	-	1	7	19
70	Portland, Maine---------	13	71	11	40	43	12	82	2	80	4	26	14	3	11	7	20

Metropolitan Statistical Areas of the United States: 1962–Con.

Revision of the International Lists, 1955. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	
10	3	11	11	2	1	1	53	124	60	9	55	54	96	167	69	98	25	1	1
1	-	5	-	-	-	-	16	35	19	3	13	28	16	54	22	32	7	4	2
4	-	5	2	1	-	1	20	48	12	2	34	9	37	62	27	35	13	-	3
8	1	16	6	5	2	3	24	113	40	8	65	13	64	122	55	67	23	12	4
4	1	15	5	1	-	1	33	100	42	10	48	18	62	129	61	68	15	35	5
7	1	4	3	1	-	1	19	74	40	6	28	10	51	106	48	58	16	9	6
5	6	14	2	1	-	1	36	94	57	4	33	17	97	180	61	119	34	9	7
17	1	18	9	2	-	2	75	243	109	10	124	23	215	256	93	163	79	15	8
9	1	11	3	2	1	1	83	206	75	10	121	24	80	193	73	120	46	15	9
12	14	56	16	11	5	6	159	544	229	55	260	55	314	666	302	364	116	123	10
8	1	15	15	2	-	2	37	73	46	4	23	33	72	150	61	89	24	13	11
1	1	2	5	4	1	3	20	51	16	6	29	30	19	56	30	26	12	14	12
13	13	34	13	8	3	5	87	283	124	16	143	10	209	353	132	221	78	42	13
9	2	4	6	1	1	-	16	54	30	3	21	2	35	63	30	33	19	6	14
3	5	14	5	2	1	1	24	106	39	6	61	173	43	116	55	61	15	15	15
5	8	35	13	4	1	3	72	225	104	18	103	23	167	283	109	174	56	49	16
23	5	41	11	3	-	3	80	185	66	14	105	19	170	218	66	152	52	23	17
16	7	14	7	1	-	1	28	96	48	1	47	14	146	139	51	88	20	2	18
4	-	4	3	1	-	1	18	65	31	4	30	6	56	81	42	39	16	2	19
27	9	49	20	10	1	9	139	416	152	27	237	57	315	529	219	310	128	77	20
3	1	3	-	-	-	-	16	34	14	1	19	10	34	50	30	20	8	4	21
10	5	13	6	1	-	1	31	106	45	5	56	151	104	152	66	86	47	18	22
4	3	6	1	1	-	1	17	63	32	7	24	7	46	69	35	34	6	5	23
5	4	12	2	1	-	1	29	83	34	3	46	11	96	96	37	59	35	1	24
12	1	12	8	1	-	1	45	93	53	8	32	2	60	153	70	83	24	7	25
2	-	2	3	-	-	-	7	45	22	5	18	27	17	41	16	25	1	2	26
2	-	2	3	3	-	3	20	102	45	9	48	8	41	126	64	62	27	20	27
-	1	2	-	-	-	-	9	45	15	3	27	11	9	54	28	26	2	5	28
2	3	6	1	-	-	-	18	54	18	1	35	6	31	68	27	41	22	14	29
2	-	3	3	-	-	-	8	49	28	3	18	-	17	60	38	22	7	3	30
2	1	4	9	1	-	1	14	62	34	3	25	5	47	85	37	48	18	2	31
3	3	17	6	2	-	2	26	126	54	14	58	51	54	145	61	84	18	30	32
5	1	7	2	2	-	2	28	61	28	4	29	4	37	83	46	37	18	6	33
156	37	272	121	50	16	34	818	2,253	1,079	152	1,022	90	1,736	2,961	1,436	1,525	1,301	358	34
24	9	53	12	6	-	6	100	323	131	17	175	48	229	356	135	221	72	55	35
1	1	6	1	3	-	3	26	91	38	6	47	5	34	80	45	35	13	20	36
1	-	10	3	-	-	-	10	46	20	5	21	10	40	59	28	31	9	7	37
3	6	17	2	2	1	1	28	102	41	7	54	13	70	120	46	74	23	29	38
6	1	7	5	2	-	2	37	75	36	4	35	11	41	104	43	61	16	-	39
8	2	8	3	1	-	1	25	45	13	1	31	20	55	69	26	43	22	4	40
13	11	57	13	7	1	6	99	325	68	17	240	148	164	288	130	158	51	50	41
26	5	90	28	11	4	7	113	309	114	28	167	33	353	473	222	251	178	106	42
1	-	1	-	1	-	1	4	26	11	1	14	4	19	30	9	21	5	6	43
64	7	60	20	8	1	7	143	417	173	25	219	30	266	454	186	268	133	22	44
46	9	44	21	2	2	-	217	523	285	17	221	77	487	612	274	338	150	22	45
5	1	13	5	2	-	2	63	153	47	2	104	29	70	177	77	100	11	36	46
2	1	17	-	2	1	1	20	44	15	8	21	8	36	55	26	29	8	7	47
3	5	8	3	6	-	6	20	64	18	7	39	171	60	86	42	44	15	22	48
1	-	5	4	1	-	1	13	49	31	3	15	11	38	69	38	31	17	5	49
9	-	1	8	-	-	-	13	53	23	4	26	1	30	60	29	31	17	6	50
15	3	36	9	6	1	5	51	170	65	6	99	27	103	209	82	127	45	48	51
48	15	72	44	18	5	13	183	615	378	30	207	38	429	766	228	538	158	75	52
9	1	34	16	4	2	2	61	214	72	11	131	86	201	224	76	148	66	7	53
13	5	66	12	9	1	8	111	417	182	39	196	34	314	514	141	373	68	90	54
3	3	12	6	4	1	3	32	125	54	5	66	22	45	120	46	74	24	27	55
325	49	570	302	129	53	76	1,174	3,573	1,363	258	1,952	978	2,601	4,250	1,263	2,987	933	574	56
13	3	43	9	12	3	9	89	323	118	19	186	76	158	242	89	153	51	42	57
1	2	2	-	-	-	-	11	24	8	3	13	14	15	53	26	27	14	7	58
3	-	-	3	1	-	1	21	23	13	1	9	38	24	59	26	33	17	2	59
13	3	22	14	-	-	-	48	221	80	17	124	170	167	282	124	158	53	29	60
15	4	22	15	1	-	1	56	184	77	5	102	18	145	262	100	162	48	21	61
3	1	12	3	2	1	1	45	132	84	9	39	25	76	196	89	107	33	28	62
25	7	44	29	3	-	3	122	329	167	16	146	27	233	355	126	229	100	22	63
1	1	10	6	1	1	-	26	99	60	6	33	9	48	163	69	94	12	16	64
8	3	10	8	3	-	3	40	77	55	3	19	4	64	125	59	66	24	14	65
143	43	201	111	30	12	18	445	1,655	682	81	892	779	1,386	1,788	608	1,180	426	187	66
17	6	38	4	5	3	2	95	256	75	25	156	35	177	414	174	240	116	55	67
76	26	105	34	13	6	7	226	701	280	36	385	229	668	970	304	666	216	65	68
2	2	5	1	-	-	-	14	44	12	1	31	7	44	48	13	35	13	1	69
2	1	9	7	-	-	-	28	66	29	2	35	4	51	92	35	57	27	1	70

Table 7-7. Deaths From 60 Selected Causes for Standard

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh England, where areas are metropolitan State economic areas as established by the

	AREA	Other diseases of heart (430-434)	Hypertensive heart disease (440-443)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic and unspecified nephritis and other renal sclerosis (592-594)	Influenza and pneumonia, except pneumonia of newborn (480-493)	Influenza (480-483)	Pneumonia, except pneumonia of newborn (490-493)	Bronchitis (500-502)	Other bronchopulmonic diseases (525-527)	Ulcer of stomach and duodenum (540-541)	Appendicitis (550-553)	Hernia and intestinal obstruction (560,561,570)	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn (543,571,572)	Cirrhosis of liver (581)
1	Portland, Oreg.-Wash---	137	334	50	202	121	34	311	11	300	28	122	52	8	51	23	116
2	Providence, R.I--------	61	232	81	123	101	46	175	1	174	24	79	68	3	41	29	117
3	Provo-Orem, Utah-------	10	25	4	6	8	6	17	-	17	2	10	6	1	4	3	4
4	Pueblo, Colo-----------	22	22	5	12	10	12	69	5	64	2	12	7	-	6	6	20
5	Racine, Wis------------	9	35	11	38	15	8	22	2	20	3	15	3	-	8	3	16
6	Raleigh, N.C-----------	86	56	8	11	15	6	59	3	56	6	11	6	1	7	4	11
7	Reading, Pa------------	39	92	20	79	43	11	77	2	75	10	33	19	3	19	15	26
8	Reno, Nev--------------	7	21	2	11	12	3	15	-	15	7	17	3	1	3	4	21
9	Richmond, Va-----------	68	217	31	87	64	30	127	3	124	12	58	19	-	21	22	46
10	Roanoke, Va------------	15	89	14	32	27	12	43	4	39	1	16	19	2	10	4	18
11	Rochester, N.Y---------	25	163	23	165	108	19	230	4	226	22	53	43	4	35	24	52
12	Rockford, Ill----------	8	38	12	23	21	16	55	-	55	7	25	17	5	13	8	13
13	Sacramento, Calif------	39	101	15	58	71	28	153	3	150	8	80	34	7	16	20	132
14	Saginaw, Mich----------	26	34	22	47	21	14	26	4	22	4	17	15	1	12	12	17
15	St. Joseph, Mo---------	15	46	8	36	15	8	31	3	28	1	17	10	-	10	1	9
16	St. Louis, Mo.-Ill-----	222	709	192	465	304	133	820	36	784	63	249	113	23	135	78	252
17	Salt Lake City, Utah---	49	67	9	36	45	21	79	6	73	10	30	28	5	12	12	34
18	San Angelo, Texas------	8	13	1	18	11	2	15	1	14	6	10	3	2	5	3	9
19	San Antonio, Texas-----	150	154	48	98	59	59	197	12	185	22	67	31	3	27	72	91
20	San Bernardino-Riverside-Ontario, Calif---	73	207	35	133	119	41	246	5	241	24	210	75	9	49	25	127
21	San Diego, Calif-------	52	248	42	131	140	41	229	6	223	20	135	67	5	59	46	139
22	San Francisco-Oakland, Calif-----------	213	815	125	477	460	139	719	10	709	85	429	217	19	148	94	820
23	San Jose, Calif--------	47	100	26	68	98	20	161	3	178	13	92	36	4	40	13	83
24	Santa Barbara, Calif---	18	42	1	38	25	8	45	-	45	5	25	15	-	14	5	25
25	Savannah, Ga-----------	48	84	6	15	18	18	78	5	73	4	32	11	4	13	7	18
26	Scranton, Pa-----------	48	163	21	71	42	25	101	6	95	4	20	22	1	15	10	41
27	Seattle, Wash----------	151	266	39	313	136	57	453	14	439	26	139	101	12	55	52	146
28	Shreveport, La---------	48	146	18	29	29	22	109	1	108	5	25	12	1	17	12	21
29	Sioux City, Iowa-------	18	34	10	44	14	7	37	4	33	2	19	7	2	10	3	7
30	Sioux Falls, S. Dak----	18	10	2	16	13	3	25	2	23	4	13	7	1	2	2	8
31	South Bend, Ind--------	31	55	9	47	23	9	55	6	49	4	19	18	1	21	9	22
32	Spokane, Wash----------	56	189	8	54	34	10	94	13	81	12	42	22	-	14	16	23
33	Springfield, Ill-------	11	51	22	29	22	6	45	1	44	8	18	14	1	11	5	20
34	Springfield, Mo--------	25	67	6	38	16	8	30	1	29	4	14	14	1	6	8	8
35	Springfield, Ohio------	16	42	5	21	24	8	46	-	46	7	17	8	4	7	8	11
36	Springfield-Holyoke, Mass----------	58	148	35	90	90	39	244	3	241	18	49	47	3	38	22	80
37	Steubenville-Weirton, Ohio-W. Va---------	19	57	7	35	12	11	51	6	45	8	14	13	2	10	6	17
38	Stockton, Calif--------	25	113	12	53	49	11	96	2	94	13	38	18	3	12	5	45
39	Syracuse, N.Y----------	48	142	29	159	77	33	174	9	165	18	90	47	3	31	18	56
40	Tacoma, Wash-----------	106	73	7	112	31	20	81	-	81	2	38	21	1	14	4	26
41	Tampa-St.Petersburg,Fla	310	265	85	223	168	53	300	7	293	23	179	69	10	65	41	76
42	Terre Haute, Ind-------	27	51	19	22	20	11	25	2	23	1	18	12	4	6	7	12
43	Texarkana, Texas-Ark---	33	31	7	8	22	6	31	2	29	3	10	5	-	5	4	7
44	Toledo, Ohio-----------	61	153	29	272	50	28	145	4	141	10	87	39	3	22	16	57
45	Topeka, Kans-----------	19	40	15	28	19	11	37	5	32	1	16	13	-	8	8	13
46	Trenton, N.J.----------	23	107	12	72	47	10	87	1	86	6	28	25	3	14	14	44
47	Tucson, Ariz-----------	21	49	13	46	44	14	77	5	72	34	110	14	3	10	16	33
48	Tulsa, Okla------------	86	80	21	82	44	41	110	7	103	5	42	21	6	25	17	35
49	Tuscaloosa, Ala--------	5	49	8	12	10	9	25	2	23	3	3	9	-	2	1	5
50	Tyler, Texas-----------	15	29	-	16	9	6	20	3	17	1	5	4	2	4	3	7
51	Utica-Rome, N.Y--------	14	253	37	83	35	26	90	3	87	5	37	31	3	21	10	52
52	Waco, Texas------------	98	40	12	39	20	17	64	-	64	5	16	11	2	10	14	12
53	Washington, D.C.-Md.-Va	143	816	103	275	322	77	585	11	574	63	246	148	18	89	78	369
54	Waterloo, Iowa---------	9	27	10	28	22	4	27	4	23	6	14	6	1	3	2	7
55	West Palm Beach, Fla---	28	56	13	40	44	8	84	8	76	7	53	20	2	13	30	29
56	Wheeling, W. Va.-Ohio--	36	55	11	50	33	21	62	9	53	3	26	11	4	11	8	28
57	Wichita, Kans----------	39	56	11	55	31	14	98	5	93	6	42	20	4	18	10	23
58	Wichita Falls, Texas---	9	23	3	12	7	2	45	2	43	3	14	2	1	7	4	17
59	Wilkes-Barre--Hazleton, Pa---------	127	179	30	93	48	32	72	4	68	12	33	33	6	27	23	79
60	Wilmington, Del.-N.J---	43	153	22	75	61	32	101	1	100	6	43	26	3	23	17	54
61	Winston-Salem, N.C-----	12	80	18	20	27	9	43	4	39	3	18	6	2	9	4	12
62	Worcester, Mass--------	66	132	35	140	126	25	290	3	287	18	78	39	3	23	18	73
63	York, Pa---------------	51	78	6	49	41	21	54	3	51	5	21	7	1	8	7	15
64	Youngstown-Warren, Ohio	83	144	36	112	70	27	98	4	94	15	58	38	3	32	23	55
	STANDARD CONSOLIDATED AREAS																
65	New York-Northeastern New Jersey[1]---	918	5,527	924	2,168	1,508	861	5,437	58	5,379	471	1,065	1,227	171	756	718	3,377
66	Chicago-Northwestern Indiana[2]----------	1,338	2,182	557	1,039	641	403	2,937	40	2,897	143	524	522	71	329	282	1,125

[1]Comprised of four standard metropolitan statistical areas—New York, N.Y., Newark, N.J., Jersey City, N.J., Paterson-Clifton-Passaic, N.J.,—and two nonmetropolitan counties—Middlesex and Somerset Counties, N.J.

[2]Comprised of two standard metropolitan statistical areas—Chicago, Ill. and Gary-Hammond-East Chicago, Ind.

Metropolitan Statistical Areas of the United States: 1962–Con.

Revision of the International Lists, 1955. Areas shown are those listed in Standard Metropolitan Statistical Areas issued in 1961 by the Bureau of the Budget, except for New Bureau of the Census in 1960. For definitions of areas, see Technical Appendix)

Cholelithiasis, cholecystitis, and cholangitis (584,585)	Acute nephritis, and nephritis with edema including nephrosis (590,591)	Infections of kidney (600)	Hyperplasia of prostate (610)	Deliveries and complications of pregnancy, childbirth, and the puerperium (640-689)	Abortion (650-652)	Other complications of pregnancy, childbirth, and the puerperium (640-649,660-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Birth injuries, postnatal asphyxia, and atelectasis (760-762)	Infections of newborn (763-768)	Other diseases peculiar to early infancy, and immaturity, unqualified (769-776)	Symptoms, senility, and ill-defined conditions (780-795)	All other diseases (Residual)	Accidents (E800-E962)	Motor vehicle accidents (E810-E835)	Other accidents (E800-E802, E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	
24	4	48	18	5	2	3	87	211	102	11	98	51	245	487	205	282	118	32	1
20	5	28	12	-	-	-	90	244	123	21	100	14	219	272	77	195	39	5	2
3	-	11	1	-	-	-	17	32	17	1	14	12	22	71	37	34	11	3	3
2	3	8	5	1	1	-	20	48	19	5	24	2	46	69	27	42	16	6	4
-	2	2	4	1	-	1	16	50	22	5	23	4	43	66	35	31	14	2	5
2	1	10	1	1	-	1	22	68	45	2	21	17	52	82	40	42	19	22	6
10	7	10	4	1	1	-	25	65	30	6	29	26	84	139	48	91	33	10	7
1	1	3	2	1	1	-	18	38	8	1	29	5	35	63	27	36	19	5	8
11	2	32	9	4	-	4	49	183	65	12	106	39	152	234	91	143	48	51	9
6	2	8	3	-	-	-	22	55	21	-	34	22	60	89	27	62	22	6	10
19	2	51	10	4	1	3	57	188	96	8	84	9	143	240	101	139	56	15	11
7	-	7	2	1	-	1	28	77	49	4	24	2	52	93	51	42	25	7	12
10	2	33	11	2	-	2	56	168	64	14	90	14	121	314	157	157	58	24	13
10	1	9	7	2	-	2	22	70	35	-	35	-	46	97	51	46	16	8	14
2	2	4	2	-	-	-	11	36	14	1	21	75	31	42	12	30	11	2	15
54	18	64	40	22	2	20	244	788	383	41	364	173	572	1,072	383	689	231	127	16
6	4	20	7	2	-	2	71	148	74	1	73	195	113	212	84	128	40	7	17
1	3	4	1	-	-	-	21	22	11	6	5	13	27	57	28	29	9	5	18
15	9	37	10	7	2	5	95	311	132	21	158	47	192	283	135	148	68	61	19
26	4	35	13	12	5	7	99	306	153	18	135	12	239	569	320	249	127	27	20
25	3	43	14	9	3	6	155	420	210	34	176	10	258	448	263	185	173	31	21
63	18	122	68	15	7	8	322	875	382	55	438	43	822	1,526	649	877	556	137	22
6	5	24	10	4	2	2	74	218	98	11	109	19	154	296	141	155	100	14	23
5	2	4	7	2	-	2	22	89	46	4	39	4	49	112	58	54	26	9	24
5	2	21	1	4	2	2	22	76	39	2	35	7	57	117	49	68	15	24	25
6	5	7	5	1	-	1	27	46	18	1	27	16	166	123	39	84	15	1	26
22	7	42	22	1	-	1	107	332	163	16	153	34	361	633	223	410	195	41	27
3	2	28	7	2	-	2	40	170	64	18	88	17	87	144	50	94	25	39	28
3	-	5	4	2	-	2	18	28	16	1	11	3	43	64	32	32	14	4	29
1	-	1	-	-	-	-	7	29	16	-	13	8	17	42	23	19	9	-	30
3	1	13	5	1	1	-	28	84	33	1	50	18	64	103	43	60	25	3	31
7	1	9	3	1	1	-	32	97	45	3	49	15	120	145	49	96	53	8	32
3	1	15	4	1	-	1	18	55	21	1	33	9	38	82	47	35	18	4	33
4	1	1	1	2	1	1	22	43	16	4	23	47	36	70	35	35	26	-	34
5	1	10	-	-	-	-	15	48	29	2	17	2	30	67	22	45	14	3	35
18	2	21	11	1	1	-	52	157	66	6	85	24	164	237	70	167	56	7	36
1	3	7	1	1	1	-	20	50	25	5	20	10	43	87	28	59	14	4	37
5	3	13	4	3	-	3	28	61	25	7	29	8	55	199	109	90	43	8	38
16	7	23	8	3	1	2	59	187	92	7	88	17	146	268	112	156	69	7	39
4	2	15	5	1	-	1	37	112	48	3	61	13	101	164	74	90	60	7	40
36	12	63	20	7	-	7	88	269	108	17	144	82	312	440	188	252	122	56	41
7	3	10	3	-	-	-	7	27	9	2	16	8	39	59	24	35	11	4	42
5	4	4	1	2	-	2	12	31	19	2	10	63	34	62	24	38	10	12	43
16	1	11	4	2	2	-	47	148	76	12	60	10	122	213	69	144	67	22	44
2	1	3	1	2	-	2	15	55	24	4	27	21	47	75	22	53	27	9	45
5	2	18	2	-	-	-	27	80	45	2	33	8	79	144	50	94	30	8	46
10	4	19	7	1	-	1	37	119	50	4	65	36	67	154	76	78	48	16	47
11	3	19	4	2	1	1	47	150	65	9	76	38	125	248	112	136	37	18	48
-	1	4	3	-	-	-	7	45	24	2	19	62	28	65	31	34	7	10	49
1	-	6	3	2	-	2	4	40	14	1	25	10	26	54	28	26	7	10	50
10	8	7	6	3	-	3	56	117	73	2	42	4	91	164	70	94	29	4	51
1	2	14	5	1	-	1	15	73	25	8	40	24	47	77	32	45	14	12	52
28	13	161	48	17	8	9	251	1,018	570	59	389	137	593	913	333	580	217	127	53
1	1	3	1	-	-	-	25	48	22	-	26	2	32	58	29	29	9	5	54
6	3	19	4	3	-	3	23	77	31	4	42	29	78	178	82	96	42	24	55
6	2	10	10	2	-	2	17	58	31	3	24	22	41	90	28	62	19	6	56
1	6	11	7	1	-	1	47	115	59	11	45	12	92	174	95	79	31	9	57
1	2	6	2	2	1	1	14	41	16	3	22	9	28	86	37	49	18	6	58
12	3	12	4	2	-	2	33	67	28	4	35	24	453	173	48	125	28	4	59
12	2	20	3	-	-	-	50	111	60	4	47	8	113	205	68	137	40	14	60
4	3	15	-	2	1	1	18	81	25	6	50	5	56	76	43	33	16	20	61
11	8	31	11	1	-	1	50	185	67	10	108	15	180	264	102	162	48	4	62
2	1	8	6	1	-	1	29	77	34	4	39	14	71	86	36	50	31	7	63
15	-	10	3	2	-	2	66	148	72	11	65	7	140	241	112	129	50	19	64
436	80	741	393	156	58	98	1,630	4,886	2,038	325	2,523	1,070	3,554	5,765	1,762	4,003	1,288	703	65
182	46	378	150	49	12	37	751	2,534	1,665	251	618	228	1,318	2,682	1,035	1,647	632	493	66

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties are those counties in Standard Metropolitan Statistical Areas (SMSA's) and New England counties in Standard Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
UNITED STATES	1,756,720	9,506	2,811	7,457	278,562	92,047	44,644	24,958	39,590	13,299	12,997	51,027	31,222	968,809	197,451	688,009
URBAN	1,160,422	6,836	2,049	4,504	190,170	63,423	31,569	17,522	26,007	9,222	8,340	34,087	21,089	641,814	125,742	461,677
RURAL	596,298	2,670	762	2,953	88,392	28,624	13,075	7,436	13,583	4,077	4,657	16,940	10,133	326,995	71,709	226,332
METROPOLITAN COUNTIES	1,087,179	6,297	1,815	4,223	182,153	60,542	30,701	17,038	24,271	8,853	8,031	32,717	19,752	594,578	111,241	433,796
URBAN	891,491	5,541	1,574	3,311	150,128	50,377	25,452	14,069	19,838	7,333	6,369	26,690	16,405	489,708	90,981	358,207
RURAL	195,688	756	241	912	32,025	10,165	5,249	2,969	4,433	1,520	1,662	6,027	3,347	104,870	20,260	75,589
NONMETROPOLITAN COUNTIES	669,541	3,209	996	3,234	96,409	31,505	13,943	7,920	15,319	4,446	4,966	18,310	11,470	374,231	86,210	254,213
URBAN	268,931	1,295	475	1,193	40,042	13,046	6,117	3,453	6,169	1,889	1,971	7,397	4,684	152,106	34,761	103,470
RURAL	400,610	1,914	521	2,041	56,367	18,459	7,826	4,467	9,150	2,557	2,995	10,913	6,786	222,125	51,449	150,743
ALABAMA	30,906	281	45	183	4,071	1,145	630	312	785	163	204	832	413	16,178	4,299	10,435
URBAN	15,837	160	31	85	2,229	616	364	195	404	95	109	446	221	8,431	2,172	5,483
RURAL	15,069	121	14	98	1,842	529	266	117	381	68	95	386	192	7,747	2,127	4,952
METROPOLITAN COUNTIES	13,531	141	25	77	1,887	514	339	171	325	83	87	368	180	6,961	1,760	4,572
URBAN	10,258	116	21	62	1,476	403	269	129	256	71	68	280	136	5,384	1,332	3,545
RURAL	3,273	25	4	15	411	111	70	42	69	12	19	88	44	1,577	428	1,027
NONMETROPOLITAN COUNTIES	17,375	140	20	106	2,184	631	291	141	460	80	117	464	233	9,217	2,539	5,863
URBAN	5,579	44	10	23	753	213	95	66	148	24	41	166	85	3,047	840	1,938
RURAL	11,796	96	10	83	1,431	418	196	75	312	56	76	298	148	6,170	1,699	3,925
AUTAUGA	195	1	-	2	25	8	6	1	4	1	-	5	3	106	27	66
BALDWIN	474	6	1	4	76	18	12	5	13	5	5	18	9	218	33	156
BARBOUR	273	4	1	2	30	8	2	2	10	-	4	4	2	162	54	84
BIBB	158	3	-	1	29	7	6	-	2	4	2	8	1	79	17	58
BLOUNT	250	2	-	1	29	7	5	2	6	-	1	8	3	147	45	89
BULLOCK	162	1	-	1	17	2	5	1	2	2	1	4	2	93	23	62
BUTLER	268	1	-	2	34	13	2	2	2	2	2	11	3	155	47	93
CALHOUN	797	9	-	7	119	27	24	7	22	3	9	27	14	393	95	263
ANNISTON	402	4	-	3	60	13	10	6	11	2	3	15	5	212	52	138
BALANCE OF COUNTY	395	5	-	4	59	14	14	1	11	1	6	12	9	181	43	125
CHAMBERS	351	2	-	2	35	15	5	3	4	1	2	5	2	205	95	97
CHEROKEE	144	2	-	1	14	4	2	3	1	-	1	3	-	71	14	48
CHILTON	245	3	-	-	35	10	4	3	8	1	-	9	1	148	49	95
CHOCTAW	172	2	1	1	19	4	2	3	5	2	1	2	-	86	17	63
CLARKE	292	3	-	3	42	11	6	1	10	2	1	11	8	149	41	100
CLAY	138	1	-	-	12	1	2	-	2	-	2	5	-	85	19	60
CLEBURNE	119	-	1	-	17	3	3	1	7	-	1	2	1	60	18	40
COFFEE	247	-	-	3	29	5	5	2	8	2	1	6	4	130	37	85
ENTERPRISE	85	-	-	1	12	1	3	-	3	1	1	3	1	46	14	29
BALANCE OF COUNTY	162	-	-	2	17	4	2	2	5	1	-	3	3	84	23	56
COLBERT	425	11	-	2	42	18	5	4	7	-	2	6	4	217	59	137
SHEFFIELD	145	5	-	1	14	3	3	2	1	-	1	4	1	78	22	47
BALANCE OF COUNTY	280	6	-	1	28	15	2	2	6	-	1	2	3	139	37	90
CONECUH	184	-	-	1	28	4	5	1	7	-	2	9	1	99	17	43
COOSA	95	1	-	-	13	4	1	1	3	1	2	1	2	51	14	30
COVINGTON	418	-	-	1	52	13	7	2	12	-	3	15	9	250	57	172
ANDALUSIA	108	-	-	-	8	3	-	1	1	-	1	2	4	73	13	54
BALANCE OF COUNTY	310	-	-	1	44	10	7	1	11	-	2	13	5	177	44	118
CRENSHAW	166	1	-	-	17	3	1	3	5	-	-	5	-	94	40	51
CULLMAN	396	3	1	2	54	13	4	3	14	1	-	19	11	217	54	137
CULLMAN	98	1	-	-	19	5	2	3	3	-	-	6	3	53	10	36
BALANCE OF COUNTY	298	2	1	2	35	8	2	-	11	1	-	13	8	164	44	101
DALE	257	2	1	3	33	10	-	1	7	3	3	9	-	109	31	68
DALLAS	654	4	4	7	67	16	8	5	18	1	5	14	9	290	95	166
SELMA	336	1	3	3	38	9	4	5	9	1	2	8	5	154	44	92
BALANCE OF COUNTY	318	3	1	4	29	7	4	-	9	-	3	6	4	136	51	74
DE KALB	375	3	-	2	49	14	7	3	8	3	4	10	6	216	41	149
ELMORE	298	-	-	-	42	13	5	2	7	3	1	11	7	156	48	97
ESCAMBIA	355	4	-	3	47	16	5	2	10	2	1	11	6	192	42	137
ETOWAH	862	8	2	5	127	35	29	12	24	4	5	18	10	470	105	323
GADSDEN	516	7	1	4	77	25	19	6	14	2	2	9	7	279	58	198
BALANCE OF COUNTY	346	1	1	1	50	10	10	6	10	2	3	9	3	191	47	125
FAYETTE	155	2	-	3	18	5	3	1	5	-	1	3	1	76	18	54
FRANKLIN	238	2	-	-	27	13	5	1	2	2	1	3	3	111	33	71
GENEVA	212	-	-	2	28	9	3	2	7	-	2	5	2	116	33	74
GREENE	148	2	1	-	13	1	2	2	5	1	-	2	1	89	21	57
HALE	204	1	-	1	21	8	3	-	9	-	-	1	-	119	41	73
HENRY	158	1	-	-	12	4	1	1	3	1	1	1	2	97	28	59
HOUSTON	498	-	2	4	57	12	9	3	17	2	5	9	5	265	58	181
DOTHAN	287	-	1	2	35	5	5	1	14	1	4	5	5	150	35	104
BALANCE OF COUNTY	211	-	1	2	22	7	4	2	3	1	1	4	-	115	23	77
JACKSON	317	3	-	3	42	16	5	2	5	2	2	10	5	169	51	100
JEFFERSON	6,192	62	12	27	881	247	146	81	155	42	39	171	88	3,153	889	1,971
BESSEMER	403	9	1	1	49	14	7	4	10	3	1	10	4	227	65	138
BIRMINGHAM	3,676	38	8	18	508	152	83	43	92	25	18	95	57	1,908	542	1,182
FAIRFIELD	152	2	1	2	27	11	3	3	4	-	1	5	4	66	17	42

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421-434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-669)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
17,751	527,561	62,176	80,521	12,497	36,848	22,632	11,372	59,995	12,228	8,194	21,824	1,465	21,192	64,205	19,730	40,804	56,335	20,207	9,013	123,161	1 2
																					3
																					4
12,268	356,851	41,488	51,070	8,230	23,558	15,442	7,165	39,532	8,560	5,175	17,234	910	13,602	42,304	10,801	21,412	34,092	12,751	6,199	81,388	5
5,483	170,710	20,688	29,451	4,267	13,290	7,190	4,207	20,463	3,668	3,019	4,590	555	7,590	21,901	8,929	19,392	22,243	7,456	2,814	41,773	6
																					7
12,258	337,295	37,858	46,385	7,240	20,951	14,982	6,368	36,936	8,037	4,705	16,867	868	13,642	41,199	8,759	21,170	31,819	12,666	5,917	75,776	8
9,977	278,588	31,768	37,874	6,044	17,020	12,215	5,241	30,802	6,762	3,833	14,839	715	10,460	32,764	7,061	15,134	25,378	9,958	5,096	62,022	9
2,281	58,707	6,090	8,511	1,196	3,931	2,767	1,127	6,134	1,275	872	2,028	153	3,182	8,435	1,698	6,036	6,441	2,708	821	13,754	10
																					11
5,493	190,266	24,318	34,136	5,257	15,897	7,650	5,004	23,059	4,191	3,489	4,957	597	7,550	23,006	10,971	19,634	24,516	7,541	3,096	47,385	12
2,291	78,263	9,720	13,196	2,186	6,538	3,227	1,924	8,730	1,798	1,342	2,395	195	3,142	9,540	3,740	6,278	8,714	2,793	1,103	19,366	13
3,202	112,003	14,598	20,940	3,071	9,359	4,423	3,080	14,329	2,393	2,147	2,562	402	4,408	13,466	7,231	13,356	15,802	4,748	1,993	28,019	14
																					15
																					16
173	6,937	1,673	1,652	293	558	301	292	987	150	185	193	50	386	1,314	1,461	999	1,187	286	361	2,176	17
																					18
92	3,724	919	748	179	272	183	142	476	88	75	118	19	203	703	779	249	486	147	192	1,145	19
81	3,213	754	904	114	286	118	150	511	62	110	75	31	183	611	682	750	701	139	169	1,031	20
																					21
78	3,045	841	608	151	213	159	106	408	75	62	102	18	186	599	789	353	439	115	163	951	22
58	2,377	650	460	124	173	130	80	294	61	45	85	12	140	443	599	152	276	89	128	739	23
20	668	191	148	27	40	29	26	114	14	17	17	6	46	156	190	201	163	26	35	212	24
95	3,892	832	1,044	142	345	142	186	579	75	123	91	32	200	715	672	646	748	171	198	1,225	25
34	1,347	269	288	55	99	53	62	182	27	30	33	7	63	260	180	97	210	58	64	406	26
61	2,545	563	756	87	246	89	124	397	48	93	58	25	137	455	492	549	538	113	134	819	27
																					28
1	31	7	27	5	5	2	1	6	-	3	1	1	2	11	12	3	7	-	3	9	29
4	110	30	12	3	19	5	2	15	2	5	3	1	12	9	23	24	28	2	5	31	30
1	52	22	9	2	20	2	-	5	1	3	-	1	1	10	13	8	9	2	6	13	31
1	31	5	21	1	-	2	1	7	-	1	1	-	3	6	4	4	5	1	5	8	32
3	69	2	15	3	9	1	-	9	1	-	1	-	2	11	3	10	11	1	3	16	33
-	37	20	5	3	3	-	2	4	3	-	-	1	-	5	11	3	11	-	1	9	34
1	61	11	20	2	9	1	3	5	3	3	4	2	2	4	7	5	11	2	4	21	35
5	208	23	27	7	7	8	13	29	6	1	3	3	14	53	5	27	41	6	12	55	36
3	106	16	13	4	3	5	10	19	3	-	2	1	7	30	3	1	14	5	6	27	37
2	102	7	14	3	4	3	3	10	3	1	1	2	7	23	2	26	27	1	6	28	38
																					39
1	79	10	7	4	2	5	2	19	1	1	3	1	1	16	9	9	15	7	2	21	40
1	31	5	11	1	3	2	3	2	-	-	3	-	1	3	10	8	7	6	4	12	41
-	66	13	16	3	1	-	-	10	-	-	-	1	3	4	11	8	6	3	-	12	42
5	31	17	10	2	-	-	4	8	1	-	-	1	1	7	3	8	9	-	4	21	43
-	63	12	25	3	2	2	1	7	2	-	3	1	2	16	5	15	13	-	4	19	44
1	38	15	6	1	2	2	1	1	-	1	1	1	-	6	2	7	6	2	2	11	45
-	26	5	9	-	1	-	1	2	1	1	-	-	2	3	4	7	9	1	2	8	46
-	63	6	16	2	5	-	1	11	1	3	1	-	4	18	5	8	8	3	1	18	47
-	24	2	3	-	3	-	-	3	-	-	-	-	2	10	1	1	1	1	-	6	48
-	39	4	13	2	2	-	1	8	1	3	1	-	2	8	4	7	7	2	1	12	49
																					50
1	114	9	13	5	12	1	3	10	2	1	4	-	6	24	17	19	23	5	7	31	51
1	38	2	6	4	5	-	-	4	1	1	3	-	4	5	6	4	4	1	3	10	52
-	76	7	7	1	7	1	3	6	1	-	1	-	2	19	11	15	19	4	4	21	53
2	30	3	8	4	30	3	2	6	-	-	1	-	2	5	11	10	6	3	2	9	54
1	17	3	9	1	4	1	1	2	-	-	1	-	1	3	3	2	3	1	1	11	55
3	117	38	14	7	3	6	5	17	-	2	1	-	2	17	12	9	10	3	3	30	56
1	40	10	3	-	2	3	1	-	-	-	-	-	-	3	2	2	1	1	2	12	57
2	77	28	11	7	1	3	4	17	-	2	1	-	2	14	10	7	9	2	1	18	58
-	29	5	17	-	2	-	1	6	1	1	-	1	6	5	6	4	9	3	-	12	59
2	79	17	39	6	10	2	8	8	4	2	3	1	7	14	6	14	16	9	2	22	60
-	24	4	8	2	3	1	1	2	-	1	1	-	-	4	-	2	3	1	-	8	61
2	55	13	31	4	7	1	7	6	4	1	2	1	7	10	6	12	13	8	2	14	62
																					63
2	47	8	11	1	6	1	2	12	1	-	1	-	4	17	4	23	10	4	8	25	64
7	97	24	38	4	14	4	7	30	3	12	3	1	6	31	91	13	29	3	9	42	65
4	55	12	21	4	8	3	3	19	1	6	2	-	6	10	38	4	17	2	5	22	66
3	42	12	17	-	6	1	4	11	2	6	1	1	-	21	53	9	12	1	4	20	67
2	116	7	24	-	19	4	3	12	3	2	3	-	1	8	14	16	16	1	2	21	68
2	73	14	8	2	4	3	2	12	1	3	2	-	2	9	13	8	19	4	1	19	69
1	94	25	17	2	2	4	5	7	1	2	-	-	5	18	3	20	15	4	4	24	70
6	256	42	19	10	18	12	2	27	5	1	7	1	13	35	24	24	26	10	7	60	71
5	160	23	10	5	11	6	1	14	2	-	6	-	9	24	16	6	16	7	4	37	72
1	96	19	9	5	7	6	1	13	3	1	1	1	4	11	8	18	10	3	3	23	73
																					74
1	39	10	4	-	2	1	1	11	-	2	-	-	1	5	6	7	6	2	2	13	75
3	60	2	6	1	3	1	2	17	4	1	3	1	2	11	12	14	7	2	1	20	76
1	50	12	11	2	2	4	1	9	1	-	4	-	3	6	1	7	9	1	2	21	77
-	35	16	6	2	9	-	-	6	-	-	1	1	1	9	3	3	7	-	5	6	78
-	41	10	22	1	3	-	1	9	1	8	-	1	1	7	8	5	9	-	-	13	79
2	36	8	13	3	1	2	4	6	2	2	1	-	-	9	1	5	4	1	2	13	80
2	93	19	67	11	5	6	4	17	3	5	5	1	7	19	14	19	24	5	2	44	81
1	54	13	36	6	1	4	-	9	1	3	4	1	5	13	7	5	13	4	2	27	82
1	39	6	31	5	4	2	4	8	2	2	1	-	2	6	7	14	11	1	-	17	83
2	80	14	4	2	8	6	2	10	1	4	5	1	2	11	7	14	11	2	4	23	84
																					85
38	1,265	320	348	70	107	79	37	184	39	17	40	5	61	231	460	139	198	57	71	467	86
1	78	34	25	4	9	5	6	11	2	-	-	-	4	16	23	7	12	4	7	26	87
24	750	196	212	47	72	45	20	111	24	13	32	3	32	115	297	57	106	30	47	272	88
2	27	9	4	1	1	3	2	4	2	-	-	-	-	5	14	2	3	-	3	17	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B,165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
ALABAMA--CON.																
JEFFERSON--CON.																
HOMEWOOD	132	-	1	1	28	7	4	4	5	2	1	5	-	63	12	39
MOUNTAIN BROOK	103	-	-	-	20	5	3	-	2	3	3	4	2	58	15	39
BALANCE OF COUNTY	1,726	13	1	5	249	58	46	27	42	9	15	52	21	831	238	531
LAMAR	176	1	-	2	22	8	5	1	2	-	2	4	2	94	24	57
LAUDERDALE	464	7	-	4	72	27	4	6	15	-	2	18	5	238	74	152
FLORENCE	233	3	-	-	37	12	2	4	10	-	2	7	4	120	43	71
BALANCE OF COUNTY	231	4	-	4	35	15	2	2	5	-	-	11	1	118	31	81
LAWRENCE	193	1	-	2	28	8	3	-	11	-	3	3	6	99	28	69
LEE	413	3	1	1	50	18	3	5	12	1	4	7	4	217	62	142
AUBURN	97	1	-	-	14	2	2	5	2	-	1	2	-	49	14	34
OPELIKA	131	2	1	-	16	7	1	-	5	-	1	2	2	76	21	48
BALANCE OF COUNTY	185	-	-	1	20	9	-	-	5	1	2	3	2	92	27	60
LIMESTONE	339	3	-	2	44	15	2	3	13	2	1	8	3	178	43	117
LOWNDES	153	1	-	1	16	3	4	1	4	-	1	3	-	72	23	46
MACON	232	-	-	2	33	14	4	1	6	1	-	7	1	128	28	80
MADISON	846	12	-	7	111	31	16	14	20	5	2	23	11	427	122	277
HUNTSVILLE	521	9	-	2	73	20	9	10	14	3	2	15	7	265	71	175
BALANCE OF COUNTY	325	3	-	5	38	11	7	4	6	2	-	8	4	162	51	102
MARENGO	329	-	1	-	30	10	6	1	6	2	1	4	7	202	73	99
MARION	188	4	-	-	26	8	3	1	5	1	1	7	3	99	16	77
MARSHALL	452	3	-	1	54	13	3	5	9	4	6	14	8	255	62	175
MOBILE	2,716	39	4	16	419	105	78	35	78	21	18	84	32	1,442	238	1,083
CHICKASAW	64	2	-	-	14	3	1	1	1	-	-	8	1	31	4	26
MOBILE	1,792	28	4	11	285	64	56	29	58	17	11	50	20	990	165	744
PRICHARD	295	5	-	4	36	8	6	1	6	3	3	9	6	149	16	121
BALANCE OF COUNTY	565	4	-	1	84	30	15	4	13	1	4	17	5	272	53	192
MONROE	208	1	-	-	23	5	5	1	6	1	2	3	2	111	34	66
MONTGOMERY	1,628	10	3	11	208	62	35	15	32	7	12	45	19	785	220	478
MONTGOMERY	1,313	9	3	10	176	53	33	12	25	6	12	35	13	675	188	411
BALANCE OF COUNTY	315	1	-	1	32	9	2	3	7	1	-	10	6	110	32	67
MORGAN	549	8	-	3	83	24	13	7	11	5	7	16	7	299	86	182
DECATUR	260	1	-	1	45	12	6	5	6	3	4	9	2	146	43	92
BALANCE OF COUNTY	289	7	-	2	38	12	7	2	5	2	3	7	5	153	43	90
PERRY	175	4	-	1	16	6	3	1	3	2	-	1	3	109	23	82
PICKENS	219	3	1	1	30	10	5	1	7	-	-	7	1	126	43	69
PIKE	309	2	1	2	33	9	3	3	6	-	2	10	7	177	61	105
TROY	119	-	1	-	9	1	-	2	2	-	1	3	4	69	20	46
BALANCE OF COUNTY	190	2	-	2	24	8	3	1	4	-	1	7	3	108	41	59
RANDOLPH	200	-	-	-	26	8	4	1	8	1	-	4	1	101	24	72
RUSSELL	450	5	2	7	50	8	14	5	7	2	4	10	5	251	63	169
PHENIX CITY	280	3	1	2	33	4	11	4	4	2	2	6	2	161	46	99
BALANCE OF COUNTY	170	2	1	5	17	4	3	1	3	-	2	4	3	90	17	70
ST. CLAIR	261	1	-	3	30	11	6	1	1	-	-	11	5	140	41	85
SHELBY	323	1	-	1	37	11	8	2	8	2	1	5	4	170	50	112
SUMTER	227	3	2	3	21	8	5	1	3	-	1	3	-	116	46	64
TALLADEGA	600	5	-	3	91	22	12	10	24	3	5	15	11	312	94	200
SYLACAUGA	129	1	-	1	19	5	1	1	4	1	3	4	5	68	19	46
TALLADEGA	147	-	-	-	22	6	2	5	6	-	-	3	-	81	29	47
BALANCE OF COUNTY	324	4	-	2	50	11	9	4	14	2	2	8	6	163	46	107
TALLAPOOSA	390	1	-	-	43	11	2	4	11	2	1	12	9	214	46	150
ALEXANDER CITY	124	-	-	-	15	2	1	2	2	1	1	6	5	72	11	51
BALANCE OF COUNTY	266	1	-	-	28	9	1	2	9	1	-	6	4	142	35	99
TUSCALOOSA	837	5	2	4	91	26	21	9	9	2	7	17	15	433	123	271
TUSCALOOSA	483	2	1	4	64	14	15	7	5	2	7	14	8	244	67	152
BALANCE OF COUNTY	354	3	1	-	27	12	6	2	4	-	-	3	7	189	56	119
WALKER	590	2	-	2	92	26	11	8	20	5	7	15	6	278	81	171
JASPER	115	1	-	-	18	4	5	2	3	-	1	3	2	58	22	30
BALANCE OF COUNTY	475	1	-	2	74	22	6	6	17	5	6	12	4	220	59	141
WASHINGTON	122	1	-	1	17	5	3	-	5	1	2	1	2	60	22	34
WILCOX	223	2	1	4	25	6	3	2	4	-	-	10	7	94	21	59
WINSTON	202	3	-	3	18	10	1	-	3	-	-	4	2	108	22	83
ALASKA[1]	1,303	19	2	32	122	43	17	5	8	5	11	33	8	417	106	268
URBAN	483	6	1	2	61	20	9	2	4	-	6	20	5	185	43	121
RURAL	820	13	1	30	61	23	8	3	4	5	5	13	3	232	63	147
NONMETROPOLITAN COUNTIES	1,303	19	2	32	122	43	17	5	8	5	11	33	8	417	106	268
URBAN	483	6	1	2	61	20	9	2	4	-	6	20	5	185	43	121
RURAL	820	13	1	30	61	23	8	3	4	5	5	13	3	232	63	147
DIST. 2, KETCHIKAN[2]	108	2	-	1	7	4	1	-	-	-	2	-	-	57	16	30
DIST. 3, WRANGELL-PETERSBURG	39	-	1	-	2	-	-	-	1	1	-	-	-	22	7	11
DIST. 4, SITKA	50	-	1	1	5	2	2	-	-	-	-	1	-	17	3	11
DIST. 5, JUNEAU	84	3	-	-	11	5	1	-	-	-	1	4	-	35	11	22
DIST. 6, LYNN CANAL-ICY STRAITS	24	-	-	1	2	2	-	-	-	-	-	-	-	8	3	5
DIST. 7, CORDOVA-MC CARTHY	22	-	-	-	3	2	-	-	1	-	-	-	-	8	5	2

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
2	32	3	2	2	4	5	1	2	1	1	1	-	1	5	4	-	6	2	-	16	4
-	36	-	3	-	1	2	1	3	1	-	-	-	3	3	3	2	-	-	-	8	5
9	342	78	102	16	20	19	7	53	9	3	7	2	21	87	119	71	71	21	14	128	6
-	40	13	4	1	6	3	3	4	-	2	-	-	1	3	1	10	8	3	-	23	7
2	115	16	19	2	6	1	3	10	2	3	2	-	5	17	28	25	14	6	3	23	8
-	57	9	5	1	2	1	2	3	1	2	2	-	3	14	13	8	7	3	1	12	9
2	58	7	14	1	4	-	1	7	1	1	-	-	2	3	15	17	7	3	2	11	10
1	46	10	12	-	-	1	1	8	1	1	2	-	3	4	8	7	6	-	-	17	11
2	93	31	16	2	6	5	-	19	1	4	1	1	4	25	14	17	17	7	6	21	12
-	26	7	1	-	1	-	-	1	1	-	-	-	3	9	3	5	3	2	1	5	13
-	31	12	5	2	1	4	-	5	-	1	-	-	1	5	5	3	6	-	2	6	14
2	36	12	10	-	4	1	-	13	-	3	1	1	-	11	6	9	8	5	3	10	15
																					16
-	93	7	17	3	7	2	6	10	1	3	1	-	5	15	13	8	11	6	10	26	17
1	24	10	11	-	2	-	1	5	1	2	1	3	1	9	21	5	4	-	2	9	18
2	43	28	7	4	5	3	8	4	1	1	1	-	5	8	9	8	9	1	1	20	19
9	192	44	32	3	13	7	5	19	2	17	2	4	20	51	30	30	26	12	14	51	20
4	126	25	20	1	10	5	3	12	1	6	2	2	14	32	21	6	14	9	9	37	21
5	66	19	12	2	3	2	2	7	1	11	-	2	6	19	9	24	12	3	5	14	22
3	56	14	26	6	6	4	14	10	-	4	2	-	4	11	11	9	14	3	2	19	23
1	52	8	16	1	2	3	-	8	2	1	1	-	1	8	-	10	12	-	2	11	24
2	119	19	35	3	5	2	8	7	-	4	3	-	4	16	17	26	20	4	1	29	25
14	679	272	118	25	30	33	33	77	6	9	33	2	63	153	29	77	100	11	36	168	26
-	24	1	1	-	-	-	1	-	-	-	-	-	5	2	-	3	1	1	-	4	27
9	462	188	85	17	21	27	16	47	4	5	24	1	40	97	19	29	47	9	25	107	28
2	62	44	13	3	-	3	6	9	-	3	2	1	5	25	5	8	12	-	5	20	29
3	131	39	19	5	9	3	10	21	2	1	7	-	13	29	5	37	40	1	6	37	30
																					31
3	51	8	4	-	5	2	4	4	1	6	1	-	4	10	11	9	7	2	2	14	32
9	332	87	50	31	26	14	16	50	12	17	13	6	20	64	171	42	44	15	22	116	33
6	293	72	40	29	21	12	14	36	11	14	12	5	15	47	126	12	30	11	17	91	34
3	39	15	10	2	5	2	2	14	1	3	1	1	5	17	45	30	14	4	5	25	35
3	127	23	29	5	18	4	4	5	6	4	3	2	9	21	23	12	15	3	6	40	36
1	66	13	12	4	6	1	-	2	4	-	2	1	3	17	8	2	5	1	3	17	37
2	61	10	17	1	12	3	4	3	2	4	1	1	6	4	15	10	10	2	3	23	38
2	36	9	35	-	2	-	2	7	1	1	-	-	1	6	5	8	3	-	-	10	39
-	42	15	12	3	7	3	1	11	-	-	1	-	1	6	3	7	12	2	4	10	40
1	68	12	24	2	5	-	4	16	1	1	1	-	-	10	3	9	11	6	6	23	41
1	30	4	11	-	1	-	2	7	-	1	-	-	-	2	3	2	4	2	1	14	42
-	38	8	13	2	4	-	2	9	1	-	1	-	-	8	-	7	7	4	5	9	43
																					44
1	50	11	10	1	1	-	3	8	-	2	-	-	4	4	8	7	14	3	3	19	45
1	116	27	25	4	7	4	4	26	2	-	2	-	2	20	13	10	11	3	3	38	46
1	71	10	17	4	7	3	2	15	2	-	1	-	2	9	6	5	4	3	2	29	47
-	45	17	8	-	-	1	2	11	-	-	1	-	-	11	7	5	7	-	1	9	48
2	55	12	16	2	3	7	2	6	1	-	2	-	4	12	5	9	13	5	2	23	49
1	87	7	17	4	3	-	1	7	-	2	1	-	4	12	20	7	15	3	5	34	50
1	34	7	22	1	1	2	2	5	-	-	1	1	1	13	20	8	12	1	1	19	51
6	123	27	44	1	5	6	6	25	2	4	2	1	10	29	2	20	27	7	10	39	52
1	28	6	11	1	-	2	-	4	-	-	-	-	1	3	1	3	8	4	2	9	53
3	35	4	5	-	1	1	3	10	-	-	-	1	4	8	1	1	4	2	3	10	54
2	60	17	28	-	4	3	3	11	2	4	2	-	5	18	-	16	15	1	5	20	55
																					56
2	68	35	45	1	6	3	8	12	1	4	-	-	4	21	7	14	22	7	2	29	57
1	20	15	15	1	2	1	6	5	1	2	-	-	2	5	2	1	5	3	1	5	58
1	48	20	30	-	4	2	2	7	-	2	-	-	2	16	5	13	17	4	1	24	59
1	205	49	16	8	12	10	9	25	9	1	5	-	7	45	62	31	34	7	10	51	60
-	122	24	6	6	7	6	6	13	6	-	3	-	4	34	37	7	11	6	4	35	61
1	83	25	10	2	5	4	3	12	3	1	2	-	3	11	25	24	23	1	6	16	62
1	121	24	25	3	13	7	3	24	2	2	2	-	9	25	45	18	24	7	9	43	63
-	20	4	6	2	1	1	2	6	-	-	-	-	2	4	11	2	5	-	1	5	64
1	101	20	19	1	12	6	1	18	2	2	2	-	7	21	34	16	19	7	8	38	65
-	24	7	3	-	1	1	2	1	1	1	-	-	2	3	11	6	5	-	2	9	66
-	37	14	8	1	3	-	10	7	-	2	-	1	3	10	25	7	14	2	3	16	67
-	45	18	20	-	-	2	1	9	-	-	1	1	2	7	3	14	10	4	1	16	68
																					69
12	196	13	47	3	28	4	8	66	7	15	24	5	23	120	46	42	191	37	10	117	70
																					71
5	95	4	17	2	16	1	2	15	4	2	16	2	5	39	8	14	64	18	8	28	72
7	101	9	30	1	12	3	6	51	3	13	8	3	18	81	38	28	127	19	2	89	73
																					74
12	196	13	47	3	28	4	8	66	7	15	24	5	23	120	46	42	191	37	10	117	75
5	95	4	17	2	16	1	2	15	4	2	16	2	5	39	8	14	64	18	8	28	76
7	101	9	30	1	12	3	6	51	3	13	8	3	18	81	38	28	127	19	2	89	77
																					78
-	26	-	4	1	5	1	4	8	2	-	-	-	-	5	3	1	16	1	-	5	79
																					80
-	6	2	3	-	4	-	-	2	1	-	-	-	1	1	2	1	3	1	-	2	81
-	9	-	2	-	3	-	-	4	-	-	1	-	4	2	-	-	11	-	1	3	82
2	16	1	3	1	1	-	-	1	2	-	2	-	-	5	1	1	14	-	-	9	83
																					84
-	4	-	1	-	-	-	-	-	-	-	-	-	-	3	1	1	4	1	-	3	85
																					86
-	2	-	-	-	-	-	1	1	-	-	-	-	-	1	1	2	1	-	-	5	87
																					88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

	AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-445)
1																	
2	ALASKA--CON.																
3																	
4	DIST. 8, VALDEZ-CHITTINA-																
5	WHITTIER	11	1	-	-	1	1	-	-	-	-	-	-	-	3	-	3
6	DIST. 9, PALMER-WASILLA-																
7	TALKEETNA	34	-	-	-	3	1	2	-	-	-	-	-	1	12	-	11
8	DIST. 10, ANCHORAGE	337	1	-	-	44	12	5	4	4	-	3	16	3	90	18	69
9	ANCHORAGE	210	1	-	-	31	9	4	2	3	-	1	12	2	64	10	51
10	BALANCE OF DISTRICT	127	-	-	-	13	3	1	2	1	-	2	4	1	26	8	18
11	DIST. 11, SEWARD	22	-	-	-	3	1	1	-	-	-	-	1	-	13	2	11
12	DIST. 12, KENAI-COOK																
13	INLET	30	-	-	-	3	1	-	-	-	1	-	1	-	13	3	10
14																	
15	DIST. 13, KODIAK	36	-	-	1	2	1	-	-	-	-	-	1	-	12	4	8
16	DIST. 14, ALEUTIAN																
17	ISLANDS	27	-	-	-	3	1	1	-	-	-	-	1	-	9	4	5
18	DIST. 15, BRISTOL BAY	35	1	-	1	6	3	-	-	-	2	-	1	-	8	4	3
19	DIST. 16, BETHEL	64	1	-	9	3	1	-	-	-	-	-	2	-	8	2	6
20	DIST. 17, KUSKOKWIM	29	-	-	4	2	1	1	-	-	-	-	-	-	5	-	2
21	DIST. 18, YUKON-KOYUKUK	31	1	-	1	1	-	-	-	-	-	-	1	-	11	4	6
22	DIST. 19, FAIRBANKS	167	1	-	2	15	5	2	-	2	-	4	2	4	58	13	36
23	FAIRBANKS	88	1	-	1	12	4	2	-	1	-	3	2	3	35	8	21
24	BALANCE OF DISTRICT	79	-	-	1	3	1	-	-	1	-	1	-	1	23	5	15
25																	
26	DIST. 20, UPPER YUKON	17	1	-	2	1	-	1	-	-	-	-	-	-	4	2	2
27	DIST. 21, BARROW	23	1	-	1	-	-	-	-	-	-	-	-	-	3	1	2
28	DIST. 22, KOBUK	56	1	-	5	4	-	-	1	-	1	1	1	-	9	2	6
29	DIST. 23, NOME	33	1	-	2	-	-	-	-	-	-	-	-	-	11	2	6
30	DIST. 24, WADE HAMPTON	24	4	-	1	1	-	-	-	-	-	-	1	-	1	-	1
31																	
32																	
33	**ARIZONA**	11,177	146	24	107	1,661	532	321	124	235	80	82	287	155	4,806	919	3,434
34																	
35	URBAN	8,499	88	20	49	1,378	437	268	100	196	73	67	237	115	3,881	734	2,796
36	RURAL	2,678	58	4	58	283	95	53	24	39	7	15	50	40	925	185	638
37																	
38	METROPOLITAN COUNTIES	7,942	84	14	48	1,299	396	256	96	185	60	63	243	100	3,599	662	2,623
39	URBAN	7,001	72	14	36	1,172	364	227	86	164	59	58	214	85	3,208	588	2,339
40	RURAL	941	12	-	12	127	32	29	10	21	1	5	29	15	391	74	284
41	NONMETROPOLITAN COUNTIES	3,235	62	10	59	362	136	65	28	50	20	19	44	55	1,207	257	811
42	URBAN	1,498	16	6	13	206	73	41	14	32	14	9	23	30	673	146	457
43	RURAL	1,737	46	4	46	156	63	24	14	18	6	10	21	25	534	111	354
44																	
45	APACHE	253	8	-	7	20	9	3	2	1	2	1	2	3	30	8	19
46	COCHISE	441	5	-	6	56	16	14	6	10	3	1	6	4	199	48	130
47	DOUGLAS	135	1	-	3	20	6	5	2	3	-	-	4	1	68	19	40
48	BALANCE OF COUNTY	306	4	-	3	36	10	9	4	7	3	1	2	3	131	29	90
49	COCONINO	254	4	1	8	22	10	3	1	3	-	3	2	3	75	11	59
50	FLAGSTAFF	96	-	-	1	9	4	1	1	2	-	-	1	1	41	7	32
51	BALANCE OF COUNTY	158	4	1	7	13	6	2	-	1	-	3	1	2	34	4	27
52	GILA	274	4	3	4	39	19	8	1	1	3	3	4	6	99	21	72
53	GRAHAM	111	1	-	4	11	6	3	-	2	-	-	-	2	41	12	24
54	GREENLEE	79	-	-	-	9	2	1	1	1	1	-	3	3	32	7	19
55																	
56	MARICOPA	5,555	45	10	26	924	267	178	64	141	39	53	182	79	2,542	474	1,871
57	GLENDALE	178	-	2	2	24	4	3	1	7	2	2	5	5	65	14	47
58	MESA	322	3	-	2	54	18	8	4	10	4	4	6	4	150	30	101
59	PHOENIX	3,889	34	8	14	675	209	133	48	95	29	39	122	45	1,833	337	1,361
60	SCOTTSDALE	202	2	-	1	38	8	7	1	6	1	3	12	4	85	18	60
61	TEMPE	136	-	-	-	24	6	3	1	2	2	1	9	3	59	14	43
62	BALANCE OF COUNTY	828	6	-	7	109	22	24	9	21	1	4	28	18	350	61	259
63	MOHAVE	102	1	-	-	15	6	3	-	1	-	2	3	2	39	5	30
64	NAVAJO	280	9	-	15	14	4	3	1	1	-	2	3	4	66	19	39
65	PIMA	2,387	39	4	22	375	129	78	32	44	21	10	61	21	1,057	188	752
66	TUCSON	2,133	30	4	17	344	117	70	30	42	21	9	55	21	964	167	687
67	BALANCE OF COUNTY	254	9	-	5	31	12	8	2	2	-	1	6	-	93	21	65
68																	
69	PINAL	510	17	3	8	50	19	6	3	12	3	2	5	10	183	50	99
70	SANTA CRUZ	89	2	-	2	9	4	-	-	1	1	1	2	2	47	13	29
71	YAVAPAI	449	4	2	2	66	26	10	10	7	4	2	7	8	223	38	161
72	PRESCOTT	266	2	2	-	43	17	6	5	4	4	1	6	5	131	21	93
73	BALANCE OF COUNTY	183	2	-	2	23	9	4	5	3	-	1	1	3	92	17	68
74	YUMA	393	7	1	3	51	15	11	3	10	3	2	7	8	173	25	130
75	YUMA	256	4	1	2	37	10	10	-	8	3	2	4	7	109	17	85
76	BALANCE OF COUNTY	137	3	-	1	14	5	1	3	2	-	-	3	1	64	8	45
77																	
78																	
79	**ARKANSAS**	18,859	177	39	117	2,723	828	368	201	483	106	158	579	259	10,179	2,454	6,782
80																	
81	URBAN	8,661	79	20	52	1,273	377	169	101	235	58	63	270	121	4,734	1,072	3,223
82	RURAL	10,198	98	19	65	1,450	451	199	100	248	48	95	309	138	5,445	1,382	3,559
83																	
84	METROPOLITAN COUNTIES	3,454	24	12	25	520	143	71	44	85	21	29	127	57	1,822	431	1,220
85	URBAN	2,844	17	7	18	424	114	57	37	77	18	23	98	46	1,516	349	1,026
86	RURAL	610	7	5	7	96	29	14	7	8	3	6	29	11	306	82	194
87	NONMETROPOLITAN COUNTIES	15,405	153	27	92	2,203	685	297	157	398	85	129	452	202	8,357	2,023	5,562
88	URBAN	5,817	62	13	34	849	263	112	64	158	40	40	172	75	3,218	723	2,197
89	RURAL	9,588	91	14	58	1,354	422	185	93	240	45	89	280	127	5,139	1,300	3,365

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	-	-	1	1
1	8	-	2	-	-	1	-	2	-	1	-	-	-	2	1	4	5	3	-	-	2
3	51	3	12	-	2	-	1	4	1	-	7	2	9	43	9	23	55	19	5	22	3
2	39	1	9	-	2	-	1	3	1	-	5	2	2	25	5	11	26	14	5	13	4
1	12	2	3	-	-	-	-	1	-	-	2	-	7	18	4	12	29	5	-	9	5
-	7	1	3	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	1	6
2	5	2	1	-	-	-	-	-	-	-	1	-	-	2	-	-	6	1	-	4	7
1	6	-	1	-	-	-	-	2	-	-	1	-	-	6	1	1	6	-	-	4	8
-	3	1	1	-	-	-	-	-	1	-	-	-	1	5	2	1	3	-	1	1	9
-	2	-	1	-	-	-	1	4	-	-	-	1	-	2	4	-	5	-	-	3	10
-	3	-	3	-	-	-	-	10	-	2	-	2	1	4	4	-	11	-	1	8	11
1	1	-	-	-	2	1	-	6	-	-	-	-	-	1	2	-	3	-	-	6	12
-	6	-	-	-	1	-	-	2	-	1	2	-	2	2	1	-	6	-	-	1	13
-	31	3	2	-	7	1	1	6	-	2	9	-	3	18	1	4	20	8	2	14	14
-	18	2	1	-	6	-	-	5	-	2	8	-	1	2	1	1	8	3	2	3	15
-	13	1	1	-	1	1	1	1	-	-	1	-	2	16	-	3	12	5	-	11	16
1	1	-	-	-	-	-	-	3	-	-	1	-	-	-	-	1	3	-	-	1	17
-	1	-	1	-	-	-	-	2	-	-	-	-	-	4	-	-	8	-	-	4	18
1	3	-	2	1	-	-	-	5	-	7	-	-	-	7	4	1	4	-	-	9	19
-	2	-	4	-	3	-	-	2	-	1	-	-	2	1	4	-	2	3	-	4	20
-	-	-	1	-	-	-	-	1	-	-	-	-	-	4	4	-	1	-	-	7	21
124	2,730	251	329	74	172	142	65	420	72	132	167	13	197	584	179	443	501	223	103	1,244	22
100	2,235	208	253	56	141	102	52	296	61	58	137	6	144	397	75	263	343	164	70	954	23
24	495	43	76	18	31	40	13	124	11	74	30	7	53	187	104	180	158	59	33	290	24
98	2,125	197	203	42	124	107	41	263	55	57	126	6	132	375	71	250	318	164	71	910	25
86	1,897	178	178	38	113	91	39	231	50	40	108	5	117	316	51	210	269	142	61	814	26
12	228	19	25	4	11	16	2	32	5	17	18	1	15	59	20	40	49	22	10	96	27
26	605	54	126	32	48	35	24	157	17	75	41	7	65	209	108	193	183	59	32	334	28
14	338	30	75	18	28	11	13	65	11	18	29	1	27	81	24	53	74	22	9	140	29
12	267	24	51	14	20	24	11	92	6	57	12	6	38	128	84	140	109	37	23	194	30
2	12	1	4	1	-	2	-	26	-	15	2	-	6	25	23	25	21	4	3	35	31
3	102	6	19	3	8	6	4	17	3	4	5	1	7	25	12	20	22	9	4	42	32
-	30	3	7	1	4	1	3	8	1	3	3	-	-	1	3	1	7	1	-	14	33
3	72	3	12	2	4	5	1	9	2	1	2	1	7	24	9	19	15	8	4	28	34
3	49	2	5	-	1	2	2	12	1	8	4	1	7	16	13	29	19	7	1	23	35
2	30	-	-	-	-	2	-	4	1	3	2	-	3	9	2	5	7	1	-	7	36
1	19	2	5	-	1	-	2	8	-	5	2	1	4	7	11	24	12	6	1	16	37
1	63	5	3	-	2	2	2	13	-	7	4	-	3	26	8	10	11	2	3	32	38
-	16	1	7	-	4	-	1	5	3	3	1	-	2	11	2	8	7	2	-	8	39
1	16	-	2	-	5	1	-	1	-	1	2	-	2	7	5	5	6	2	-	4	40
69	1,523	148	131	29	78	63	27	186	41	41	93	5	95	256	35	174	240	116	55	592	41
3	36	2	6	-	2	2	-	11	2	-	3	-	3	14	1	7	13	3	3	20	42
6	83	10	2	4	2	5	8	6	4	1	1	-	3	10	2	14	20	5	1	42	43
46	1,114	108	93	20	57	42	16	126	27	25	69	3	65	169	21	98	145	84	40	408	44
1	52	4	3	1	4	-	2	6	2	1	3	1	7	10	1	9	8	5	1	18	45
-	34	5	4	-	2	-	-	5	-	2	2	-	4	8	1	6	9	1	3	9	46
13	204	19	23	4	11	14	1	32	6	12	15	1	13	45	9	40	45	18	7	95	47
-	25	-	5	-	3	1	-	2	-	2	1	-	1	4	7	9	3	1	4	11	48
1	23	3	12	1	3	2	2	17	-	16	4	2	13	24	18	16	21	8	5	28	49
29	602	49	72	13	46	44	14	77	14	16	33	1	37	119	36	76	78	48	16	318	50
27	549	44	67	12	43	42	13	68	13	10	27	1	32	95	24	69	66	42	11	295	51
2	53	5	5	1	3	2	1	9	1	6	6	-	5	24	12	7	12	6	5	23	52
2	74	5	18	17	7	4	6	29	3	8	4	1	12	38	11	40	36	7	6	44	53
1	19	3	6	1	1	2	1	2	1	2	1	-	1	2	3	6	2	-	-	7	54
5	135	7	14	6	11	6	1	14	5	5	5	1	4	11	3	13	13	10	2	58	55
3	75	5	10	6	8	3	-	12	5	1	4	-	1	7	-	4	4	4	2	39	56
2	60	2	4	-	3	3	1	2	-	4	1	1	3	4	3	9	9	6	-	19	57
7	71	21	31	3	3	7	5	19	1	4	8	1	7	20	3	12	22	7	4	42	58
5	51	10	19	2	1	2	2	12	1	4	7	1	6	12	1	6	13	4	2	27	59
2	20	11	12	1	2	5	3	7	-	-	1	-	1	8	2	6	9	3	2	15	60
110	5,086	727	859	167	336	191	249	694	93	104	103	14	204	654	632	505	758	143	138	1,323	61
43	2,465	335	380	83	152	97	107	272	47	48	68	6	99	336	255	225	294	62	64	606	62
67	2,621	392	479	84	184	94	142	422	46	56	35	8	105	318	377	280	464	81	74	717	63
22	986	116	96	35	65	39	32	105	23	19	33	3	40	166	99	82	117	27	37	243	64
19	834	100	73	29	58	34	20	83	19	17	29	2	31	139	77	67	93	24	30	205	65
3	152	16	23	6	7	5	12	22	4	2	4	1	9	27	22	15	24	3	7	38	66
88	4,100	611	763	132	271	152	217	589	70	85	70	11	164	488	533	423	641	116	101	1,080	67
24	1,631	235	307	54	94	63	87	189	28	31	39	4	68	197	178	158	201	38	34	401	68
64	2,469	376	456	78	177	89	130	400	42	54	31	7	96	291	355	265	440	78	67	679	69

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties" are standard metropolitan statistical areas (SMSA's) or New England counties in metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,582-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
ARKANSAS--CON.																
ARKANSAS	232	-	1	2	36	9	6	5	6	1	2	7	3	123	27	84
ASHLEY	228	2	1	-	27	11	6	-	3	-	-	7	2	112	21	83
BAXTER	136	-	-	1	24	5	3	1	5	1	2	7	3	80	14	61
BENTON	508	4	3	1	75	23	7	9	10	5	10	11	11	286	83	172
BOONE	175	1	1	-	29	3	4	2	6	-	2	12	1	92	17	70
BRADLEY	151	1	-	1	17	5	2	2	4	3	-	1	4	86	29	47
CALHOUN	58	2	-	1	8	2	2	-	4	-	-	-	-	35	8	20
CARROLL	158	-	-	-	15	3	4	2	3	-	-	3	3	86	24	52
CHICOT	208	5	-	-	28	9	6	4	3	-	1	5	2	119	35	72
CLARK	210	6	-	-	36	14	5	1	5	-	5	6	2	127	29	90
CLAY	248	1	-	2	35	11	6	2	6	-	2	8	5	143	45	76
CLEBURNE	108	1	-	-	16	8	1	-	2	-	1	4	1	55	11	40
CLEVELAND	88	2	1	2	16	2	2	1	9	1	-	1	2	42	9	29
COLUMBIA	246	2	-	3	40	18	7	2	3	2	2	6	-	142	38	88
MAGNOLIA	77	1	-	1	15	9	3	-	-	1	-	2	-	44	9	31
BALANCE OF COUNTY	169	1	-	2	25	9	4	2	3	1	2	4	-	98	29	57
CONWAY	133	3	-	-	19	8	3	2	2	-	2	2	-	70	8	57
CRAIGHEAD	404	4	-	4	55	20	6	3	11	2	1	12	5	222	71	136
JONESBORO	190	2	-	1	27	11	2	1	6	1	1	5	4	99	32	59
BALANCE OF COUNTY	214	2	-	3	28	9	4	2	5	1	-	7	1	123	39	77
CRAWFORD	242	1	1	-	49	13	4	6	7	3	3	13	4	124	42	75
CRITTENDEN	461	5	-	6	46	12	4	4	11	4	1	10	3	201	59	127
WEST MEMPHIS	160	1	-	-	20	5	2	2	2	1	1	7	1	75	17	56
BALANCE OF COUNTY	301	4	-	6	26	7	2	2	9	3	-	3	2	126	42	71
CROSS	185	1	-	-	24	7	3	2	4	-	2	6	1	101	19	72
DALLAS	127	-	1	2	16	5	1	1	7	-	1	1	2	72	15	54
DESHA	188	2	-	3	29	10	5	1	2	1	1	9	4	95	33	56
DREW	185	2	-	3	26	6	4	2	9	1	1	3	2	106	28	69
FAULKNER	230	3	1	2	37	14	4	5	7	2	1	4	6	116	27	80
FRANKLIN	145	1	1	-	28	10	-	2	4	2	5	5	1	67	33	32
FULTON	98	2	-	1	17	5	2	1	3	1	3	2	1	52	11	35
GARLAND	749	6	1	4	126	40	27	8	18	3	7	23	10	435	83	322
HOT SPRINGS	562	5	1	3	97	32	18	6	14	3	7	17	5	327	58	247
BALANCE OF COUNTY	187	1	-	1	29	8	9	2	4	-	-	6	5	108	25	75
GRANT	75	-	-	-	16	4	3	1	1	1	4	2	-	41	8	30
GREENE	240	-	-	2	36	4	5	2	10	-	3	12	4	134	36	87
HEMPSTEAD	278	1	1	2	46	13	9	3	6	2	1	12	3	146	31	106
HOT SPRING	184	2	1	1	28	7	3	2	5	1	3	7	3	96	19	72
HOWARD	128	-	-	-	20	7	3	2	3	1	-	4	-	87	18	63
INDEPENDENCE	256	3	-	1	32	8	4	3	7	3	2	5	3	157	38	95
IZARD	78	2	-	-	14	3	1	1	1	-	-	8	-	53	17	28
JACKSON	211	3	-	1	23	10	5	1	3	-	-	4	2	120	39	72
JEFFERSON	820	12	3	2	107	38	8	7	20	6	3	25	12	426	73	301
PINE BLUFF	546	6	1	1	74	28	6	4	14	5	3	14	6	311	48	225
BALANCE OF COUNTY	274	6	2	1	33	10	2	3	6	1	-	11	6	115	25	76
JOHNSON	181	3	1	-	34	14	4	2	2	3	1	8	1	104	23	71
LAFAYETTE	124	2	-	3	19	8	3	-	4	-	1	3	1	61	18	34
LAWRENCE	191	2	-	-	18	3	6	2	5	-	-	2	-	126	26	90
LEE	211	3	-	1	23	8	2	2	6	1	1	3	-	106	29	68
LINCOLN	138	1	1	3	16	7	3	1	3	-	1	1	2	75	23	43
LITTLE RIVER	106	2	-	-	19	6	5	-	6	-	1	1	1	66	14	47
LOGAN	196	2	1	-	26	8	5	2	3	1	-	7	3	113	21	82
LONOKE	272	1	-	1	35	12	5	2	4	2	2	8	10	146	42	88
MADISON	92	-	-	1	9	5	-	-	1	-	-	3	1	54	11	40
MARION	68	2	-	2	13	4	1	3	3	-	-	2	-	35	10	21
MILLER	354	2	2	1	46	12	5	4	6	2	2	15	7	162	44	97
TEXARKANA[3]	245	-	1	1	32	7	4	2	4	1	2	12	5	111	29	70
BALANCE OF COUNTY	109	2	1	-	14	5	1	2	2	1	-	3	2	51	15	27
MISSISSIPPI	632	5	1	7	81	21	11	9	19	2	6	13	9	287	77	192
BLYTHEVILLE	232	2	-	2	28	6	3	2	6	1	4	6	4	108	37	66
BALANCE OF COUNTY	400	3	1	5	53	15	8	7	13	1	2	7	5	179	40	126
MONROE	184	3	-	2	20	8	2	2	4	1	1	2	1	101	16	76
MONTGOMERY	86	-	-	-	11	5	2	1	1	-	1	1	1	51	16	32
NEVADA	105	-	-	-	21	6	-	2	9	-	-	4	4	60	17	34
NEWTON	39	1	-	-	5	2	1	-	1	-	-	1	-	20	4	12
OUACHITA	300	3	1	2	34	12	3	2	6	1	4	6	3	175	47	92
CAMDEN	149	3	-	2	13	3	-	1	4	1	1	3	1	85	22	44
BALANCE OF COUNTY	151	-	1	-	21	9	3	1	2	-	3	3	2	90	25	48
PERRY	49	-	-	-	11	3	2	2	1	-	1	2	1	25	6	14
PHILLIPS	485	9	2	1	59	27	9	2	8	3	2	8	10	233	51	148
HELENA	153	4	1	-	20	10	3	-	3	1	-	3	4	70	21	39
BALANCE OF COUNTY	332	5	1	1	39	17	6	2	5	2	2	5	6	163	30	109
PIKE	130	-	-	-	22	6	2	2	3	-	1	8	2	63	14	43
POINSETT	266	3	-	5	39	9	7	1	7	2	2	11	1	126	34	88
POLK	186	1	-	-	30	8	3	-	10	2	1	6	2	128	8	116
POPE	224	4	-	1	39	10	7	2	4	2	5	9	6	122	34	72
PRAIRIE	105	-	-	1	12	6	-	2	1	-	-	3	1	61	22	37
PULASKI	2,357	20	9	20	360	96	50	30	65	15	19	85	43	1,222	291	810
JACKSONVILLE	43	1	-	2	5	-	1	2	-	1	-	1	-	10	2	6

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	60	16	8	4	5	-	3	6	-	1	-	1	4	2	15	17	11	1	1	8	1
1	51	19	12	1	3	1	3	8	5	-	-	-	2	12	20	6	10	1	3	17	2
1	49	3	8	-	3	2	-	4	1	-	1	-	-	1	1	1	8	1	-	10	3
2	132	8	30	5	15	9	2	21	1	3	2	-	6	16	15	12	17	8	-	27	4
1	47	4	18	-	1	3	1	5	-	3	-	-	2	6	2	7	10	-	-	16	5
1	39	4	3	2	3	4	1	12	1	1	-	-	-	3	2	2	9	1	1	10	6
2	9	2	7	-	1	3	3	-	-	-	-	-	-	-	1	1	7	-	-	3	7
2	48	1	1	1	5	-	4	11	-	-	5	-	-	3	3	3	6	1	-	22	8
-	56	10	6	-	6	3	3	9	1	1	-	-	-	9	10	5	8	1	1	9	9
-	70	12	8	1	6	-	1	4	2	1	-	1	-	5	4	5	4	1	2	10	10
3	62	8	3	5	2	5	10	10	1	1	-	-	4	3	10	9	3	-	-	21	11
-	32	3	5	1	1	1	1	3	3	1	-	-	1	4	3	2	1	1	2	14	12
1	18	1	9	1	1	1	1	4	-	1	-	-	1	2	2	1	3	-	-	9	13
2	74	8	4	1	4	2	9	8	-	1	-	2	1	4	4	6	13	2	2	16	14
1	26	3	1	-	2	-	2	2	-	1	-	-	-	3	1	2	2	-	1	4	15
1	48	5	3	1	2	2	7	6	-	-	-	2	1	1	3	4	11	2	1	12	16
-	49	5	3	1	2	1	1	4	-	1	1	-	1	3	1	3	16	1	1	9	17
3	100	10	23	4	9	-	2	14	3	-	1	2	4	19	10	7	21	4	1	28	18
-	44	5	10	3	3	-	2	5	2	-	-	1	2	11	5	4	9	1	1	16	19
3	56	5	13	1	6	-	-	9	1	-	1	1	2	8	5	3	12	3	-	12	20
-	52	10	13	-	5	1	1	6	3	3	4	-	2	3	13	9	8	2	-	10	21
-	52	17	58	6	3	3	3	33	4	4	3	-	1	33	43	14	23	2	6	34	22
-	23	5	28	-	2	-	-	12	1	-	2	-	-	15	6	5	9	2	2	9	23
-	29	12	30	6	1	3	3	21	3	4	1	-	1	18	37	9	14	-	4	25	24
2	52	9	9	1	3	3	3	9	-	4	-	-	1	7	11	5	10	1	1	9	25
2	34	8	10	-	2	1	-	10	1	-	-	-	1	7	4	1	4	-	-	6	26
1	35	12	8	-	1	1	4	8	1	2	-	-	4	7	5	3	3	-	3	19	27
-	59	4	6	1	3	3	2	10	1	1	1	1	1	3	5	2	9	2	-	10	28
2	59	11	8	1	3	1	4	4	1	-	-	-	2	11	6	9	11	1	1	19	29
-	30	-	2	1	-	1	1	8	-	-	-	-	1	5	5	2	12	2	-	12	30
-	29	4	2	-	2	2	2	1	1	-	1	-	-	1	3	1	5	-	-	12	31
5	226	24	67	5	10	7	8	29	3	4	12	-	6	19	5	13	20	2	2	52	32
4	166	21	56	5	6	5	6	21	2	4	11	-	5	16	5	6	16	2	2	34	33
1	60	3	11	-	4	2	2	8	1	-	1	-	1	3	-	7	4	-	-	18	34
-	23	1	6	-	1	2	-	-	-	2	-	-	1	1	-	2	1	-	1	10	35
-	56	11	20	4	6	-	1	8	2	2	1	-	2	6	3	6	9	4	-	21	36
1	82	18	5	1	5	1	2	14	1	3	-	-	3	8	4	8	13	1	3	21	37
1	54	4	13	1	2	1	1	6	-	1	-	-	4	4	6	5	6	3	-	18	38
-	53	8	2	1	1	2	2	3	-	2	1	-	-	1	-	4	4	1	-	5	39
2	78	8	7	3	8	2	11	7	1	-	1	-	3	3	2	10	5	7	-	21	40
2	17	1	8	1	1	5	1	3	-	-	-	-	-	1	2	1	1	-	-	1	41
1	61	7	3	4	3	2	-	8	-	1	1	1	-	6	7	7	9	1	2	19	42
5	226	46	24	15	10	9	18	20	-	2	2	-	12	33	53	19	34	5	5	73	43
4	178	30	13	12	7	8	11	11	-	1	2	-	6	17	31	11	19	3	2	44	44
1	48	16	11	3	3	1	7	9	-	1	-	-	6	16	22	8	15	2	3	29	45
2	57	7	5	-	6	3	1	6	2	1	1	-	1	3	-	7	4	3	-	10	46
-	29	4	1	6	-	1	2	6	1	-	-	-	-	2	4	8	6	-	1	10	47
2	66	16	6	4	5	-	1	6	-	-	1	-	3	4	5	8	4	4	-	10	48
2	41	4	21	3	3	2	1	8	-	2	-	-	4	12	15	9	6	2	2	18	49
2	37	2	2	2	2	1	4	6	-	-	-	-	3	4	3	3	9	-	2	10	50
-	40	3	4	-	-	1	4	4	-	-	-	-	1	7	2	-	2	-	-	2	51
-	68	4	10	1	6	3	-	5	2	-	-	-	1	5	10	7	9	-	1	11	52
2	71	10	5	1	6	2	7	13	2	2	1	-	1	14	8	8	11	1	2	16	53
1	26	6	7	1	1	1	-	1	1	-	1	-	-	2	5	2	1	2	2	10	54
-	14	3	4	2	2	-	-	4	1	-	-	-	-	1	-	-	5	-	1	4	55
1	76	10	10	4	3	9	5	13	1	-	1	1	4	12	38	6	17	3	5	33	56
1	52	9	8	2	1	6	3	9	1	-	1	-	2	9	27	3	12	2	3	26	57
-	24	1	2	2	2	3	2	4	-	-	-	1	2	3	11	3	5	1	2	7	58
-	144	16	32	-	10	1	7	24	3	9	-	-	22	49	33	22	23	3	7	47	59
-	51	1	14	-	3	1	1	7	2	4	-	-	10	13	18	9	3	2	1	19	60
-	93	15	18	-	7	-	6	17	1	5	-	-	12	36	15	13	20	1	6	28	61
-	57	12	7	2	2	4	1	13	-	2	-	-	3	3	4	3	10	3	2	14	62
-	21	2	9	-	1	1	1	4	-	1	-	-	-	-	7	2	2	1	-	6	63
-	28	1	5	2	3	1	3	6	1	1	-	-	-	1	3	1	3	1	-	3	64
1	10	1	-	1	-	2	1	4	-	-	1	-	-	-	3	1	4	-	-	-	65
2	65	7	18	6	13	7	10	7	-	-	3	-	3	9	1	8	21	2	2	26	66
-	29	3	12	2	7	5	5	4	-	-	1	-	2	4	-	4	10	2	2	16	67
2	36	4	6	4	6	2	5	3	-	-	2	-	1	5	1	4	11	-	-	10	68
-	12	1	1	-	4	-	1	1	-	-	1	-	1	1	-	-	4	-	1	3	69
-	104	26	18	8	11	6	9	11	3	6	9	1	4	20	40	16	30	1	5	25	70
-	26	7	6	2	-	2	6	2	-	2	4	-	3	6	16	3	8	-	-	10	71
-	78	19	12	6	11	4	3	9	3	4	5	1	1	14	24	13	22	1	5	15	72
1	32	2	8	1	3	-	2	9	1	1	1	-	1	5	4	3	7	2	1	8	73
2	66	5	15	1	-	2	1	9	1	3	-	-	2	9	15	9	16	1	6	21	74
1	52	29	34	-	1	1	2	2	1	1	2	-	1	2	-	3	6	2	-	5	75
1	58	9	4	2	5	4	5	3	-	-	-	-	3	6	11	5	5	1	1	17	76
1	29	3	4	-	-	-	2	5	-	-	1	-	1	3	9	3	2	1	-	5	77
15	640	89	66	24	52	23	22	82	14	13	20	2	26	126	51	61	84	18	30	156	78
-	6	-	-	-	-	2	-	3	-	-	-	1	1	7	1	2	3	1	1	5	79

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. "Nonmetropolitan counties" include all other counties. Specified urban and rural areas are metropolitan State economic areas for New England).

AREA	Total	Tuberculosis, all forms (010-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, e-c. (140-205)	Of digestive organs and peritoneum, etc. (150, 154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (188,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-149,156?, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
ARKANSAS--CON.																
PULASKI--CON.																
LITTLE ROCK	1,397	7	5	7	226	69	33	20	37	9	7	51	24	763	159	523
NORTH LITTLE ROCK	560	7	-	5	74	11	8	5	23	5	6	16	12	282	81	177
BALANCE OF COUNTY	357	5	4	6	55	16	8	3	5	-	6	17	7	167	49	104
RANDOLPH	126	1	-	-	16	3	3	1	6	-	1	2	-	75	19	54
ST. FRANCIS	316	2	1	1	39	13	5	1	10	2	1	7	1	161	30	117
FORREST CITY	106	1	1	-	14	3	-	1	4	-	-	6	-	61	6	49
BALANCE OF COUNTY	210	1	-	1	25	10	5	-	6	2	1	1	1	100	24	68
SALINE	204	1	-	-	34	8	4	1	10	1	-	10	4	106	30	66
BENTON	105	-	-	-	20	5	3	-	7	-	-	5	2	55	16	33
BALANCE OF COUNTY	99	1	-	-	14	3	1	1	3	1	-	5	2	51	14	33
SCOTT	85	-	-	1	12	4	1	1	3	-	1	2	1	58	12	45
SEARCY	103	3	-	3	16	5	2	2	2	1	-	4	2	58	12	45
SEBASTIAN	743	2	1	4	114	35	16	10	14	4	8	27	7	438	96	313
FORT SMITH	599	2	1	3	87	27	11	8	13	2	8	18	5	350	78	250
BALANCE OF COUNTY	144	-	-	1	27	8	5	2	1	2	-	9	2	88	18	63
SEVIER	135	1	-	1	19	6	3	2	1	1	3	3	1	88	17	65
SHARP	68	-	-	1	10	2	3	2	-	1	-	2	-	44	10	28
STONE	54	-	-	-	6	4	-	-	1	-	1	-	1	33	9	22
UNION	499	6	1	2	77	14	9	6	17	3	11	17	7	275	70	175
EL DORADO	263	3	-	2	41	7	6	2	9	3	3	11	4	141	29	93
BALANCE OF COUNTY	236	3	1	-	36	7	3	4	8	-	8	6	3	134	41	82
VAN BUREN	74	2	-	-	10	3	-	-	2	-	1	4	4	37	15	21
WASHINGTON	517	3	-	4	78	23	11	7	9	6	5	17	3	294	57	203
FAYETTEVILLE	120	-	-	2	22	7	3	5	2	4	-	1	2	51	11	35
SPRINGDALE	118	1	-	-	11	3	2	1	2	2	-	1	1	78	13	58
BALANCE OF COUNTY	279	2	-	2	45	13	6	1	5	-	5	15	-	165	33	110
WHITE	404	5	-	1	50	21	4	2	8	3	3	9	9	204	50	134
WOODRUFF	157	1	1	-	28	8	2	-	6	1	-	11	1	69	15	50
YELL	122	1	-	1	16	6	2	1	2	-	-	5	3	68	16	44
CALIFORNIA	141,395	646	258	557	23,249	7,263	3,983	2,259	3,068	1,060	1,148	4,468	1,744	74,858	14,896	53,579
URBAN	109,185	517	187	403	18,100	5,714	3,074	1,830	2,352	835	844	3,451	1,341	58,739	11,813	41,914
RURAL	32,210	129	71	154	5,149	1,549	909	429	716	225	304	1,017	403	16,119	3,083	11,665
METROPOLITAN COUNTIES	120,937	557	192	466	20,070	6,281	3,457	2,014	2,660	892	970	3,796	1,457	64,494	12,751	46,273
URBAN	99,485	474	154	364	16,613	5,253	2,826	1,698	2,184	750	775	3,127	1,189	53,704	10,714	38,439
RURAL	21,452	83	38	102	3,457	1,028	631	316	476	142	195	669	268	10,790	2,037	7,834
NONMETROPOLITAN COUNTIES	20,458	89	66	91	3,179	982	526	245	408	168	178	672	287	10,364	2,145	7,306
URBAN	9,700	43	33	39	1,487	461	248	132	168	85	69	324	152	5,035	1,099	3,475
RURAL	10,758	46	33	52	1,692	521	278	113	240	83	109	348	135	5,329	1,046	3,831
ALAMEDA	8,653	34	11	32	1,469	465	261	132	186	63	66	296	135	4,721	884	3,443
ALAMEDA	510	1	-	2	83	19	22	5	13	3	4	17	8	276	43	212
ALBANY	170	1	-	-	32	5	8	3	3	3	2	8	3	99	11	75
BERKELEY	1,094	3	1	3	208	63	29	23	25	13	12	43	15	635	159	426
FREMONT	225	1	-	-	38	13	10	4	4	-	1	6	2	103	15	82
HAYWARD	555	-	-	2	88	24	15	9	12	-	6	22	8	280	43	214
LIVERMORE	124	5	-	1	20	4	7	1	2	1	1	4	2	54	9	42
OAKLAND	4,462	18	7	18	740	251	128	66	98	32	32	133	72	2,466	465	1,774
PIEDMONT	118	-	-	-	18	6	1	-	3	2	-	6	2	75	21	49
SAN LEANDRO	553	2	1	1	95	29	14	10	8	5	3	26	11	302	48	236
BALANCE OF COUNTY	842	3	2	5	147	51	27	11	18	4	5	31	12	431	70	333
ALPINE	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
AMADOR	121	-	1	-	20	6	4	-	5	2	1	2	1	64	18	40
BUTTE	1,058	5	1	1	155	39	27	12	19	14	10	34	6	550	106	399
CHICO	236	-	1	-	37	10	6	4	2	3	2	10	3	123	26	84
BALANCE OF COUNTY	822	5	-	1	118	29	21	8	17	11	8	24	3	427	80	315
CALAVERAS	149	2	-	-	26	6	7	2	4	4	1	2	-	86	21	59
COLUSA	163	-	-	3	30	12	7	2	3	2	1	3	1	80	21	53
CONTRA COSTA	2,640	5	6	12	457	138	84	38	65	17	24	91	33	1,319	236	956
ANTIOCH	117	-	1	-	24	4	9	2	2	-	1	6	-	62	7	44
CONCORD	215	1	1	2	31	11	3	2	3	-	3	9	2	87	16	64
EL CERRITO	166	-	-	-	31	14	6	3	3	1	1	3	2	82	15	63
PITTSBURG	139	-	1	2	23	6	4	4	3	-	1	5	3	68	11	47
RICHMOND	563	2	-	2	93	36	16	4	11	7	3	16	7	289	54	212
SAN PABLO	148	1	-	-	20	7	2	3	2	-	1	5	2	70	8	54
BALANCE OF COUNTY	1,292	1	3	6	235	60	44	20	41	9	14	47	17	661	125	472
DEL NORTE	155	1	1	-	21	7	2	1	5	1	3	2	4	67	11	54
EL DORADO	256	1	-	1	50	15	11	5	8	2	-	9	2	127	25	96
FRESNO	3,007	26	6	13	507	162	79	42	62	26	23	113	24	1,422	274	984
FRESNO	1,484	15	5	3	234	77	31	20	30	12	9	55	9	758	142	531
BALANCE OF COUNTY	1,523	11	1	10	273	85	48	22	32	14	14	58	15	664	132	453
GLENN	185	1	-	2	29	6	3	2	9	-	4	5	3	93	14	75
HUMBOLDT	796	5	2	2	103	35	9	9	10	5	7	28	13	409	64	319
EUREKA	330	3	-	-	44	16	6	4	2	2	2	12	5	173	31	133
BALANCE OF COUNTY	466	2	2	2	59	19	3	5	8	3	5	16	8	236	33	186
IMPERIAL	544	2	4	3	61	15	18	7	4	1	3	13	9	245	45	181
BRAWLEY	101	1	1	-	10	4	2	-	1	-	-	3	1	45	8	35
EL CENTRO	140	1	2	1	16	3	8	2	-	-	1	2	2	62	10	47
BALANCE OF COUNTY	303	-	1	2	35	8	8	5	3	1	2	8	6	138	27	99

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
12	423	49	39	17	41	14	9	42	9	6	14	-	11	58	27	31	44	12	18	93	5
1	135	26	15	4	7	5	8	21	4	5	4	1	8	40	13	17	20	4	6	37	6
2	76	14	12	3	4	2	5	16	1	2	2	-	6	21	10	11	17	1	5	21	7
-	46	6	2	-	1	1	-	4	1	-	-	-	2	2	-	3	10	2	2	8	8
1	59	27	30	1	2	4	7	20	1	2	1	1	5	13	11	6	17	2	4	29	9
1	23	10	15	-	2		4	4	-	-	1	1	1	2	-	2	8	-	1	9	10
-	36	17	15	1	-	4	3	16	-	2	-	-	4	11	11	4	9	2	3	20	11
1	49	4	12	-	4	3	3	10	1	-	3	-	4	5	3	9	6	2	3	13	12
1	26	2	4	-	3	-	5	1	-	-	-	-	3	2	2	3	4	1	2	5	13
-	23	2	8	-	1	3	-	5	-	-	3	-	1	3	1	6	2	1	1	8	14
2	39	3	1	-	1	-	-	1	-	-	-	-	2	2	2	3	1	1	1	2	15
-	42	-	3	-	1	-	-	4	1	-	-	-	1	-	2	1	5	2	1	4	16
6	270	17	20	7	10	7	5	10	8	6	12	-	10	28	10	15	16	6	2	54	17
5	218	16	11	6	9	7	-	8	5	6	10	-	9	25	9	14	14	5	2	44	18
1	52	1	9	1	1	-	5	2	3	-	2	-	1	3	1	1	2	1	-	10	19
																					20
1	40	19	5	1	2	-	3	7	1	-	-	-	1	2	3	4	5	1	-	1	21
-	20	1	7	1	4	-	1	2	-	-	-	-	-	1	-	3	4	-	-	3	22
-	20	1	1	-	1	1	-	2	-	1	-	-	-	-	2	4	1	1	1	2	23
4	135	23	13	4	10	5	11	18	3	3	2	1	8	16	2	14	17	2	9	36	24
2	73	11	7	3	6	4	6	10	2	2	2	1	3	9	-	9	10	1	6	17	25
2	62	12	6	1	4	1	5	8	1	1	-	-	5	7	2	5	7	1	3	19	26
-	17	2	2	-	1	-	-	4	-	-	-	-	1	1	3	2	2	1	1	6	27
8	166	16	13	7	14	5	8	19	-	3	1	-	9	13	5	24	9	10	3	39	28
1	30	2	2	-	2	1	2	6	-	-	1	-	3	3	-	5	5	3	2	15	29
2	51	3	2	2	3	1	1	1	-	-	-	-	3	8	1	8	-	1	-	5	30
5	85	11	9	5	9	3	5	12	-	3	-	-	3	2	4	11	4	6	1	19	31
3	107	9	15	3	4	6	7	18	4	1	3	-	5	11	22	9	24	3	2	33	32
3	29	8	10	-	-	2	2	11	3	-	1	-	-	5	13	4	9	1	-	10	33
2	30	2	10	-	6	1	1	2	-	-	-	-	3	4	3	1	7	1	-	12	34
																					35
																					36
1,593	40,255	4,060	7,671	695	2,681	2,258	749	4,383	1,219	547	3,244	111	1,958	5,353	319	4,312	4,378	2,818	740	10,701	37
																					38
1,207	31,322	3,212	6,173	549	2,160	1,729	574	3,312	933	424	2,659	81	1,405	3,914	216	2,862	3,126	2,170	551	8,245	39
386	8,933	848	1,498	146	521	529	175	1,071	286	123	585	30	553	1,439	103	1,450	1,252	648	189	2,456	40
																					41
1,371	34,491	3,540	6,871	604	2,255	1,959	652	3,620	1,015	485	2,880	104	1,670	4,642	215	3,390	3,475	2,470	647	9,088	42
1,098	28,598	2,943	5,800	505	1,928	1,592	526	2,946	841	393	2,489	79	1,267	3,542	171	2,520	2,763	2,033	513	7,430	43
273	5,893	597	1,071	99	327	367	126	674	174	92	391	25	403	1,100	44	870	712	437	134	1,658	44
222	5,764	520	800	91	426	299	97	763	204	62	364	7	288	711	104	922	903	348	93	1,613	45
109	2,724	269	373	44	232	137	48	366	92	31	170	2	138	372	45	342	363	137	38	815	46
113	3,040	251	427	47	194	162	49	397	112	31	194	5	150	339	59	580	540	211	55	798	47
																					48
91	2,701	262	389	46	178	132	38	193	73	33	212	7	123	301	10	201	240	163	52	643	49
4	165	13	30	4	11	5	1	12	4	1	17	1	11	24	-	13	16	3	3	35	50
2	58	9	6	-	8	4	1	1	-	2	7	1	-	3	-	3	5	1	-	12	51
16	331	33	46	6	24	16	4	23	12	6	21	-	18	30	1	7	29	13	6	63	52
3	66	2	11	-	2	3	1	7	2	1	4	-	9	16	-	15	2	6	1	18	53
9	170	12	23	2	14	5	2	11	5	2	12	-	16	23	1	16	17	14	5	55	54
-	31	5	6	-	2	1	-	-	-	-	4	-	2	8	-	7	5	2	1	13	55
33	1,408	154	179	31	92	82	22	109	42	14	118	4	45	135	5	90	117	89	29	344	56
-	40	1	8	-	4	1	-	3	-	2	1	-	-	2	-	2	5	1	-	7	57
11	192	13	20	1	6	8	3	11	6	4	8	-	8	16	-	13	16	16	4	39	58
13	240	20	60	2	15	7	4	16	2	1	20	1	14	44	3	35	28	18	3	57	59
-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	60
1	35	1	3	2	2	2	-	4	1	-	3	-	3	-	1	6	3	5	2	7	61
																					62
12	330	19	38	7	21	11	6	77	13	3	14	-	8	15	6	39	51	20	5	89	63
2	70	5	7	2	4	5	2	18	2	1	2	-	-	3	4	9	8	5	1	19	64
10	260	14	31	5	17	6	4	59	11	2	12	-	8	12	2	30	43	15	4	70	65
1	52	1	5	-	4	2	-	1	1	1	1	-	-	-	1	10	9	3	-	8	66
-	41	5	7	2	3	1	-	3	1	-	2	-	1	1	-	9	16	5	-	11	67
34	738	92	92	15	47	42	23	70	17	13	41	2	45	122	3	118	100	47	11	219	68
1	40	2	1	-	9	2	-	3	1	-	3	-	-	3	-	5	3	-	-	12	69
2	51	9	2	-	3	3	1	6	2	-	6	-	9	15	1	15	10	4	1	22	70
3	46	7	7	1	1	1	1	5	1	3	6	-	1	4	-	13	5	2	1	10	71
-	38	4	5	2	6	1	1	4	-	-	3	-	3	7	-	7	8	3	-	7	72
5	172	22	13	3	5	9	6	16	6	2	6	1	8	32	1	19	16	9	3	51	73
1	45	6	2	1	4	3	-	4	1	-	1	-	2	11	-	10	6	3	1	16	74
22	346	42	62	8	19	23	14	32	6	8	16	1	22	50	1	49	52	26	5	101	75
																					76
2	41	5	6	-	2	-	-	3	1	1	4	-	4	9	2	8	10	3	1	15	77
3	64	7	22	-	2	2	2	2	3	-	4	-	7	6	3	17	11	3	3	16	78
32	788	73	91	11	68	57	28	159	29	15	57	4	48	133	7	129	111	45	23	249	79
16	426	41	48	7	39	25	14	68	13	5	24	2	20	52	3	54	59	25	6	129	80
16	362	32	43	4	29	32	14	91	16	10	33	2	28	81	4	75	52	20	17	120	81
-	62	4	9	1	2	-	1	3	-	-	3	-	3	6	4	12	10	2	-	14	82
11	241	18	49	1	14	10	1	29	8	1	10	-	19	33	2	33	54	18	3	52	83
3	104	4	22	-	4	5	-	16	2	-	2	-	8	19	2	8	17	7	2	22	84
8	137	14	27	1	10	5	1	13	6	1	8	-	11	14	-	25	37	11	1	30	85
4	132	23	22	4	7	5	3	25	8	3	8	1	10	39	1	34	30	5	5	51	86
1	21	7	6	-	1	-	1	5	2	1	3	-	2	6	-	7	5	1	-	11	87
1	39	3	4	2	1	1	1	3	1	1	4	-	3	11	1	6	5	1	2	18	88
2	72	13	12	2	5	4	1	17	5	1	1	1	5	22	-	21	20	3	3	22	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-136)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
CALIFORNIA--CON.																
INYO	138	-	-	1	21	6	6	1	-	1	-	7	2	66	18	38
KERN	2,249	16	3	12	329	77	76	28	48	22	25	53	24	1,082	200	798
BAKERSFIELD	605	2	1	4	99	30	24	9	14	6	5	11	4	302	58	218
DELANO	109	-	-	2	17	4	4	-	3	1	3	2	3	53	11	39
BALANCE OF COUNTY	1,535	14	2	6	213	43	48	19	31	15	17	40	17	727	131	541
KINGS	487	-	1	2	80	22	17	7	5	1	4	24	9	224	60	131
HANFORD	164	-	-	-	24	5	5	4	-	-	1	9	4	87	29	40
BALANCE OF COUNTY	323	-	1	2	56	17	12	3	5	1	3	15	5	137	31	91
LAKE	229	1	1	-	35	12	6	3	6	1	2	5	1	129	29	83
LASSEN	131	-	-	1	22	7	5	1	5	1	2	1	-	61	20	38
LOS ANGELES	55,998	246	72	219	9,217	2,858	1,587	991	1,255	408	421	1,697	669	31,253	6,361	22,399
ALHAMBRA	716	1	-	2	110	49	13	9	9	6	9	15	9	462	107	321
ARCADIA	397	4	-	1	80	26	15	3	8	6	4	18	4	220	47	161
AZUSA	125	1	-	4	15	4	4	2	-	-	1	4	3	60	12	45
BALDWIN PARK	275	-	-	5	43	12	8	4	8	4	2	5	5	144	38	94
BELL	215	-	-	1	42	14	7	9	4	2	-	6	5	104	17	81
BELLFLOWER	338	1	-	3	47	11	16	4	4	2	-	10	2	193	36	140
BEVERLY HILLS	414	-	-	1	71	22	7	5	7	3	2	25	11	263	47	194
BURBANK	788	1	-	5	147	52	26	12	13	8	5	31	9	447	86	311
CLAREMONT	115	-	-	-	13	5	-	1	1	-	1	5	1	82	25	53
COMPTON	495	4	-	2	74	21	16	7	15	3	2	10	6	242	57	166
COVINA	172	-	-	1	37	11	5	2	8	2	3	6	-	87	16	63
CULVER CITY	265	1	-	1	49	16	9	3	5	-	3	13	-	150	27	110
DOWNEY	447	1	1	4	84	36	9	10	12	2	7	8	5	227	51	164
DUARTE	98	-	-	1	21	7	2	2	3	1	4	2	1	44	12	27
EL MONTE	343	2	-	1	51	23	10	3	5	2	-	8	5	178	24	140
EL SEGUNDO	107	-	1	-	23	8	-	4	6	-	-	5	1	55	9	44
GARDENA	266	-	-	2	50	20	7	2	6	-	3	4	3	128	26	93
GLENDALE	1,476	1	3	4	248	80	46	32	36	10	8	36	13	919	201	638
GLENDORA	160	-	-	-	26	3	4	8	1	2	4	4	3	94	21	66
HAWTHORNE	231	1	-	-	47	16	13	2	2	2	-	12	2	129	30	95
HERMOSA BEACH	162	1	-	-	34	7	5	5	4	2	5	6	-	97	17	72
HUNTINGTON PARK	410	1	-	1	64	20	8	9	9	4	2	12	7	239	41	185
INGLEWOOD	767	4	-	5	126	47	23	14	11	4	7	20	9	446	86	329
LAKEWOOD	306	-	2	3	66	14	11	16	5	3	4	13	3	158	33	115
LA PUENTE	121	-	-	1	10	2	6	1	-	-	1	-	3	52	11	39
LAWNDALE	153	-	-	-	29	6	8	2	5	3	1	4	2	74	16	51
LONG BEACH	4,025	14	6	8	635	174	125	73	102	29	23	109	43	2,384	484	1,723
LOS ANGELES	25,895	152	41	87	4,280	1,321	731	466	569	195	185	813	329	14,317	2,888	10,228
LYNWOOD	287	1	1	-	42	14	6	6	5	2	2	7	3	170	20	142
MANHATTAN BEACH	217	-	-	2	45	9	8	7	7	2	2	10	3	102	20	75
MAYWOOD	154	-	1	-	21	5	3	5	2	-	-	6	1	86	14	71
MIRADA HILLS	76	-	-	-	15	-	2	2	2	1	3	5	1	31	10	21
MONROVIA	322	1	-	1	53	22	6	3	13	1	2	6	2	200	47	137
MONTEBELLO	272	-	-	1	52	24	7	4	8	2	3	4	1	148	38	101
MONTEREY PARK	269	1	1	2	43	15	6	2	5	2	3	10	4	138	24	106
NORWALK	310	1	-	2	51	15	12	3	8	1	3	9	5	136	20	105
PARAMOUNT	195	3	-	1	26	4	6	3	3	1	-	9	1	96	14	76
PASADENA	1,709	9	2	6	274	81	40	37	38	18	9	51	13	1,053	272	685
PICO RIVERA	240	-	-	5	36	11	6	4	4	2	4	5	2	118	13	96
POMONA	630	1	-	3	92	28	18	5	18	4	3	16	7	384	78	278
REDONDO BEACH	359	2	1	1	55	18	15	7	7	-	-	8	4	202	37	151
ROSEMEAD	137	-	1	1	25	8	4	3	4	-	3	3	1	76	15	55
SAN FERNANDO	171	3	-	1	16	7	3	-	1	-	-	5	-	103	20	74
SAN GABRIEL	276	-	-	1	47	15	7	1	8	4	4	8	4	156	29	118
SAN MARINO	117	-	-	-	19	3	3	1	9	1	-	2	2	75	19	47
SANTA FE SPRINGS	48	-	-	-	5	1	2	1	-	-	-	1	-	28	7	17
SANTA MONICA	1,077	4	-	3	175	45	36	21	27	8	6	32	14	663	131	469
SOUTH GATE	535	4	1	1	88	31	13	11	11	4	1	17	3	311	60	233
SOUTH PASADENA	236	-	-	1	42	14	7	4	10	1	-	6	1	156	36	105
TORRANCE	495	-	-	1	88	20	16	10	14	4	4	20	7	257	51	188
WEST COVINA	200	1	-	2	44	17	5	3	6	1	2	10	1	101	20	76
WHITTIER	512	2	-	1	83	37	6	8	8	6	8	10	7	303	71	210
BALANCE OF COUNTY	7,872	23	10	40	1,258	387	216	130	179	45	72	229	98	4,165	830	3,015
MADERA	356	5	2	2	48	14	11	4	5	1	5	8	7	166	30	120
MADERA	140	2	-	2	14	5	3	1	2	-	1	2	3	71	12	53
BALANCE OF COUNTY	216	3	2	-	34	9	8	3	3	1	4	6	4	95	18	67
MARIN	1,129	2	2	4	199	65	35	27	28	5	10	29	7	603	150	401
MILL VALLEY	116	-	-	-	25	9	4	2	2	1	2	5	1	61	16	39
NOVATO	86	-	-	-	18	3	8	1	-	1	1	4	-	29	8	20
SAN ANSELMO	120	-	-	-	22	8	4	6	2	1	-	1	-	75	24	46
SAN RAFAEL	299	-	1	-	52	15	7	11	10	1	1	7	1	165	38	112
BALANCE OF COUNTY	508	2	1	4	82	30	12	7	14	1	6	12	5	273	64	184
MARIPOSA	65	-	-	-	9	3	3	1	2	-	-	-	-	38	8	25
MENDOCINO	467	3	2	-	73	24	7	6	7	2	5	22	8	250	40	186
MERCED	717	11	-	7	111	39	20	7	11	4	7	23	22	308	56	222
MERCED	197	7	-	2	29	11	5	2	4	1	-	6	5	84	19	56
BALANCE OF COUNTY	520	4	-	5	82	28	15	5	7	3	7	17	17	224	37	166
MODOC	76	-	-	-	10	2	3	1	1	-	1	2	3	39	9	30
MONO	25	2	-	-	2	-	-	1	-	-	-	1	-	10	1	5

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962).	Suicide (E963,E970-E978)	Homicide (E964,E980-E985)	All other causes (Residual)	
																						1
																						2
																						3
-	33	-	5	2	3	3	2	5	3	-	6	-	1	4	-	13	4	3	1	8		4
26	630	92	50	9	28	39	8	86	23	11	49	3	48	119	8	128	72	41	16	179		5
6	177	28	7	3	9	12	2	27	7	3	14	1	12	16	3	23	18	11	6	52		6
-	32	4	3	-	1	2	-	2	-	1	2	-	1	5	-	10	3	3	-	7		7
20	421	60	40	6	18	25	6	57	16	7	33	2	35	98	5	95	51	27	10	120		8
4	108	10	9	2	24	3	4	18	5	3	7	1	15	28	5	25	9	8	6	41		9
3	34	3	-	2	14	1	1	4	-	1	3	-	5	11	2	3	2	1	-	17		10
1	74	7	9	-	10	2	3	14	5	2	4	1	10	17	3	22	7	7	6	24		11
1	72	3	7	2	9	6	-	9	2	-	5	-	1	3	1	14	5	7	-	15		12
-	35	2	1	-	1	-	2	1	1	-	2	-	3	7	2	6	8	5	-	12		13
																						14
625	15,380	1,646	4,748	310	1,097	786	300	1,510	452	224	1,322	47	710	1,947	73	1,259	1,366	1,174	326	3,912		15
10	212	18	81	6	19	6	3	14	6	4	8	2	6	10	1	9	10	12	1	49		16
4	110	18	29	-	7	5	-	9	2	-	13	-	2	8	1	5	7	8	2	31		17
-	27	4	14	-	1	-	2	3	1	3	5	-	2	5	1	1	4	6	2	9		18
2	64	5	23	3	7	1	1	14	1	-	7	-	3	17	-	6	3	4	2	21		19
4	61	3	13	-	3	3	-	7	2	2	7	-	2	12	-	4	2	7	-	18		20
1	99	8	32	4	7	4	2	13	-	3	8	-	5	16	-	10	6	7	1	23		21
2	147	16	29	1	12	8	1	6	3	1	1	-	-	2	1	6	7	11	2	28		22
10	212	21	68	6	20	19	5	16	6	1	33	-	7	25	1	18	11	11	4	46		23
-	41	6	6	-	1	3	-	3	1	-	2	-	1	-	-	1	2	1	-	8		24
7	100	13	46	2	11	5	1	22	6	2	14	-	11	30	-	19	17	10	7	29		25
2	47	-	14	-	3	3	2	7	-	2	2	-	2	8	-	5	5	-	-	16		26
2	70	5	33	4	6	2	1	4	6	2	12	-	4	11	1	5	7	2	-	10		27
8	122	12	22	3	6	3	-	16	1	-	10	-	7	27	2	9	7	15	1	30		28
																						29
3	17	3	4	-	2	3	-	1	1	-	2	-	1	6	-	4	3	3	1	9		30
-	103	12	25	3	2	7	2	13	8	1	6	-	5	12	-	9	12	4	1	35		31
2	28	2	12	-	2	-	-	4	2	-	2	-	1	3	1	1	2	3	1	7		32
2	65	8	18	2	2	4	1	10	2	1	7	-	4	15	-	10	3	9	2	20		33
14	442	36	146	4	47	24	5	32	13	3	21	1	13	28	1	32	22	34	2	86		34
3	40	7	16	1	2	2	2	2	-	-	2	-	2	7	-	9	4	2	-	9		35
3	63	5	24	-	1	3	-	4	3	1	9	-	3	8	2	5	7	3	-	7		36
1	47	6	18	-	6	2	-	3	-	-	1	-	-	3	1	7	2	3	-	10		37
7	126	10	42	-	7	4	2	12	3	1	16	-	5	5	1	10	11	12	2	20		38
5	243	17	64	3	16	11	1	12	8	6	21	-	11	28	1	8	11	14	3	54		39
8	75	10	22	1	2	6	1	10	-	-	3	-	6	9	-	13	6	9	-	18		40
4	22	2	11	-	1	1	-	2	-	-	4	-	6	9	-	6	13	6	-	9		41
3	28	8	12	3	2	1	1	8	2	-	5	-	2	11	1	2	3	2	-	12		42
43	1,116	92	472	16	86	59	16	103	27	11	90	3	51	110	6	73	77	74	20	290		43
																						44
280	7,146	776	2,026	156	517	371	157	716	216	115	675	26	292	844	29	529	666	569	182	1,830		45
4	98	13	27	-	3	4	1	3	7	1	8	1	1	12	-	7	6	4	-	20		46
3	54	4	14	2	4	1	-	6	-	-	5	-	5	10	-	8	7	9	1	14		47
2	50	1	18	-	-	1	-	1	2	-	4	1	1	9	-	7	2	3	-	15		48
-	13	2	6	-	-	-	-	-	-	1	2	-	4	11	-	2	-	2	1	6		49
5	83	21	28	2	7	6	1	5	1	2	3	-	3	10	2	7	5	3	1	23		50
4	65	12	20	1	3	4	1	8	-	2	6	-	5	11	-	5	9	2	-	22		51
2	78	6	20	1	4	2	1	4	3	1	5	2	6	9	-	4	10	8	1	27		52
4	75	7	19	2	2	4	3	8	-	1	11	-	7	29	-	11	16	2	1	29		53
3	53	5	15	1	2	3	-	11	1	-	7	-	2	13	-	6	4	4	1	19		54
22	446	64	153	12	51	21	12	44	7	5	33	-	13	30	5	25	42	36	5	107		55
5	59	7	25	2	3	4	-	5	-	-	4	-	8	10	-	14	9	5	1	23		56
6	172	29	71	4	7	12	5	13	10	4	5	-	6	27	-	21	7	11	3	36		57
																						58
5	104	8	34	1	7	3	3	10	1	2	9	-	4	16	-	19	12	4	3	14		59
2	36	2	15	1	3	2	-	5	1	1	3	-	-	5	-	4	2	3	-	9		60
1	48	5	20	1	2	4	2	6	2	2	5	-	1	3	-	4	12	-	-	13		61
4	86	12	16	3	2	2	2	6	3	3	6	-	3	6	1	7	4	8	-	21		62
-	31	3	13	-	2	7	-	2	1	-	3	-	1	-	-	-	1	3	-	10		63
-	11	3	3	1	1	1	1	1	-	-	-	-	1	5	-	-	2	-	1	5		64
9	289	42	129	7	39	6	11	27	9	1	25	-	9	13	1	16	14	31	4	68		65
5	161	18	49	3	5	8	2	18	2	1	18	1	7	12	1	8	16	10	3	30		66
4	72	9	20	-	11	3	1	6	-	-	4	-	-	-	-	2	6	4	-	14		67
4	131	17	36	-	9	7	2	11	3	2	7	-	8	27	1	16	18	15	3	31		68
3	54	4	15	-	3	1	1	5	-	-	1	2	4	8	1	5	4	6	1	14		69
3	152	14	41	2	7	10	3	15	9	2	3	-	5	12	-	22	8	6	1	33		70
95	2,086	215	619	46	122	110	42	224	70	34	159	8	152	390	10	223	220	154	59	575		71
																						72
3	95	16	6	4	4	5	3	10	4	2	4	-	6	12	3	13	31	7	3	31		73
-	42	8	3	3	-	2	1	6	1	-	3	-	3	3	-	3	11	3	1	14		74
3	53	8	3	1	4	3	2	4	3	2	1	-	3	9	3	10	20	4	2	17		75
9	331	29	32	4	20	21	7	24	9	4	32	-	19	40	3	30	45	27	3	76		76
1	34	-	4	-	3	2	1	4	1	1	2	-	2	4	-	2	2	3	-	8		77
-	17	2	1	-	-	1	-	-	-	-	1	-	5	11	-	3	5	1	-	13		78
-	39	5	2	1	1	2	1	3	1	1	2	-	1	-	-	4	4	1	-	6		79
3	94	4	11	2	4	6	3	5	3	1	12	-	3	10	2	7	11	3	1	22		80
5	147	18	14	1	12	10	2	12	4	1	15	-	8	15	1	14	23	19	2	27		81
-	24	-	1	-	2	3	-	1	-	-	2	-	-	4	-	5	3	-	1	2		82
7	127	27	25	2	4	15	3	19	3	1	3	-	9	10	1	19	24	6	-	36		83
																						84
4	186	11	21	1	12	9	8	30	10	-	19	1	18	29	2	41	34	11	4	59		85
1	49	2	4	1	4	4	-	9	2	-	5	1	3	10	1	10	8	2	1	18		86
3	137	9	17	-	8	5	8	21	8	-	14	-	15	19	1	31	26	9	3	41		87
1	22	1	6	-	-	-	-	1	-	-	2	-	1	5	1	4	2	-	-	8		88
-	5	-	-	2	2	-	-	-	-	-	1	-	-	-	1	4	2	1	-	2		89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,154B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
CALIFORNIA--CON.																
MONTEREY	1,423	3	5	11	234	73	30	17	31	15	10	58	18	660	158	449
MONTEREY	184	-	1	5	29	6	3	5	4	3	1	7	3	81	19	55
PACIFIC GROVE	137	-	-	-	20	9	1	1	2	3	-	4	2	74	20	44
SALINAS	293	2	2	1	54	21	11	2	5	1	2	12	7	135	32	87
SEASIDE	126	-	-	-	19	5	3	1	4	2	1	3	2	51	15	33
BALANCE OF COUNTY	683	1	2	5	112	32	12	8	16	6	6	32	4	319	72	230
NAPA	645	1	1	1	109	34	18	7	15	8	5	22	6	366	70	266
NAPA	312	-	-	1	58	16	9	6	7	3	3	14	2	168	30	121
BALANCE OF COUNTY	333	1	1	-	51	18	9	1	8	5	2	8	4	198	40	145
NEVADA	340	1	2	2	56	18	13	-	9	5	2	9	3	197	47	137
ORANGE	5,355	10	9	24	876	247	122	104	123	44	58	178	61	2,696	604	1,827
ANAHEIM	763	2	3	1	125	33	13	18	14	9	9	29	14	370	90	254
BUENA PARK	220	-	1	2	30	11	3	3	5	1	1	6	3	85	15	61
COSTA MESA	353	-	-	2	51	15	9	6	9	2	4	6	3	186	43	127
FULLERTON	324	1	1	6	58	21	9	8	6	2	1	11	2	167	45	110
GARDEN GROVE	436	-	-	-	68	16	7	10	11	4	6	14	2	214	43	156
HUNTINGTON BEACH	190	-	1	2	24	11	2	-	3	1	2	5	2	102	22	66
LA HABRA	156	-	-	-	22	9	3	-	3	2	2	3	2	85	13	65
NEWPORT BEACH	294	-	2	-	54	10	9	5	14	1	1	14	-	170	44	114
ORANGE	288	-	-	2	47	14	7	8	5	2	3	8	6	154	42	100
SANTA ANA	1,022	6	-	3	179	52	28	23	26	8	7	35	6	516	119	325
STANTON	38	-	-	-	2	-	-	-	-	-	-	2	-	16	4	11
WESTMINSTER	159	1	-	1	21	3	7	3	-	1	3	4	1	64	8	55
BALANCE OF COUNTY	1,112	-	1	5	195	52	25	20	27	11	19	41	20	567	116	383
PLACER	596	4	9	2	96	30	21	4	6	2	4	29	10	293	67	197
ROSEVILLE	142	-	1	-	18	4	5	-	1	-	1	7	3	86	22	59
BALANCE OF COUNTY	454	4	8	2	78	26	16	4	5	2	3	22	7	207	45	138
PLUMAS	121	2	1	-	15	7	3	1	1	1	2	-	-	54	11	39
RIVERSIDE	2,892	14	10	9	446	143	77	34	48	22	24	98	27	1,488	283	1,085
BANNING	157	-	-	1	22	4	3	1	4	2	1	7	-	90	17	65
CORONA	141	1	1	1	26	10	4	-	5	2	3	2	-	82	15	64
PALM SPRINGS	175	2	2	1	33	5	8	3	7	-	1	9	4	72	15	55
RIVERSIDE	768	5	2	1	144	45	20	15	16	6	10	32	8	387	72	285
BALANCE OF COUNTY	1,651	6	5	5	221	79	42	15	16	12	9	48	15	857	164	616
SACRAMENTO	4,132	15	14	20	676	201	138	55	85	27	32	138	51	2,061	288	1,601
NORTH SACRAMENTO	163	-	-	1	28	10	9	1	5	-	-	3	1	72	11	55
SACRAMENTO	2,480	13	7	11	433	131	96	29	51	20	16	90	34	1,278	182	987
BALANCE OF COUNTY	1,489	2	7	8	215	60	33	25	29	7	16	45	16	711	95	559
SAN BENITO	152	-	1	-	26	7	3	1	4	-	2	9	4	74	16	54
SAN BERNARDINO	4,531	29	8	10	675	195	97	57	88	26	44	168	49	2,338	478	1,652
BARSTOW	85	-	-	1	15	2	4	1	2	-	3	3	-	37	3	31
CHINO	77	-	-	-	12	4	1	2	2	1	-	2	-	40	10	25
COLTON	177	-	-	2	28	5	3	2	4	1	2	11	1	74	14	51
FONTANA	176	2	-	-	24	9	2	1	3	1	2	6	1	96	20	70
MONTCLAIR	73	-	1	-	8	3	1	-	-	-	1	3	-	34	11	22
ONTARIO	413	2	-	-	59	16	12	5	7	1	2	16	6	231	66	150
REDLANDS	302	1	1	1	51	11	5	8	6	1	4	16	-	150	45	87
RIALTO	114	-	-	-	17	4	6	-	2	-	2	3	3	58	11	43
SAN BERNARDINO	1,017	6	5	4	162	51	15	12	21	8	15	40	14	523	88	386
UPLAND	153	1	-	1	35	12	5	3	4	1	2	8	3	73	9	58
BALANCE OF COUNTY	1,944	17	1	1	264	78	43	23	37	12	11	60	21	1,022	201	729
SAN DIEGO	7,924	37	8	30	1,370	463	232	128	209	66	49	223	85	4,022	803	2,865
CHULA VISTA	307	3	-	2	62	21	11	5	9	-	6	10	2	132	21	102
CORONADO	132	-	-	2	18	5	2	5	2	-	-	4	1	63	11	43
EL CAJON	245	1	-	-	37	7	10	6	7	1	-	6	1	131	23	100
ESCONDIDO	200	3	1	1	38	13	6	3	6	3	1	6	3	100	26	63
IMPERIAL BEACH	99	-	-	-	19	5	3	1	5	1	2	2	1	31	9	21
LA MESA	245	2	1	1	43	12	7	5	5	1	4	9	1	130	30	88
NATIONAL CITY	215	-	-	2	39	15	4	2	6	4	2	6	1	103	19	76
OCEANSIDE	222	1	-	2	34	15	6	1	5	3	-	4	3	110	16	86
SAN DIEGO	4,452	22	4	13	779	264	109	81	123	41	28	133	48	2,316	468	1,638
BALANCE OF COUNTY	1,807	5	2	7	301	106	74	19	41	12	6	43	24	906	180	648
SAN FRANCISCO, COEX. WITH SAN FRANCISCO CITY	9,813	62	14	25	1,726	620	309	176	190	72	74	285	131	5,139	931	3,772
SAN JOAQUIN	2,350	17	4	12	381	108	79	35	45	13	18	83	35	1,219	225	869
LODI	256	2	-	-	45	15	10	7	4	-	2	7	6	147	27	110
STOCKTON	1,018	10	1	5	168	58	24	12	16	9	8	41	13	513	96	356
TRACY	87	2	-	-	12	1	5	2	1	1	-	2	1	42	14	26
BALANCE OF COUNTY	989	3	3	7	156	34	40	14	24	3	8	33	15	517	88	377
SAN LUIS OBISPO	867	3	2	4	134	38	21	15	18	10	7	25	17	471	99	347
SAN LUIS OBISPO	196	-	1	1	24	5	4	3	-	3	1	8	3	119	27	85
BALANCE OF COUNTY	671	3	1	3	110	33	17	12	18	7	6	17	14	352	72	262
SAN MATEO	3,190	17	8	13	569	171	101	53	63	29	30	122	38	1,600	317	1,133
BELMONT	87	1	-	-	19	4	4	3	-	1	-	7	1	40	7	28
BURLINGAME	285	2	-	6	40	13	6	2	6	-	1	12	6	172	27	131
DALY CITY	279	1	1	-	58	18	11	5	5	5	2	12	3	128	23	90
MENLO PARK	226	-	-	-	43	11	6	3	10	3	1	9	3	116	24	76
MILLBRAE	112	1	-	-	32	10	4	5	3	-	3	7	-	54	9	37
PACIFICA	114	1	-	1	9	1	3	-	-	1	1	3	-	48	6	39
REDWOOD CITY	436	4	1	-	66	19	10	2	12	5	2	16	5	219	56	147
SAN BRUNO	179	1	-	1	32	13	5	1	5	4	2	2	1	85	9	72

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
15	371	28	35	5	24	19	5	61	12	6	31	-	24	66	6	62	59	29	14	122	4
2	44	1	8	-	-	7	-	6	2	-	5	-	2	12	-	8	11	3	-	16	5
2	36	4	2	1	6	1	2	5	-	-	3	-	1	5	1	3	2	2	-	19	6
1	76	5	5	-	9	5	2	11	3	4	4	-	9	11	1	11	10	6	2	20	7
1	24	3	5	-	2	1	-	3	2	1	4	-	3	13	-	4	4	3	2	15	8
9	191	15	15	4	7	5	1	36	5	1	15	-	9	25	4	36	32	15	10	52	9
4	214	22	26	1	13	13	3	17	10	1	9	-	6	16	9	17	21	6	1	48	10
2	102	9	8	-	7	8	2	9	4	-	3	-	4	7	7	13	12	1	1	22	11
2	112	13	18	1	6	5	1	8	6	1	6	-	2	9	2	4	9	5	-	26	12
1	89	11	36	1	7	3	2	11	3	-	-	-	1	7	6	5	14	4	-	28	13
																					14
96	1,496	103	132	18	104	115	28	196	49	27	81	3	108	306	17	177	159	127	32	397	15
12	214	11	17	2	8	12	4	28	5	5	12	-	17	46	5	30	23	21	10	46	16
4	50	1	6	-	5	2	2	13	1	1	2	1	8	25	2	10	6	7	2	21	17
6	103	10	8	1	7	7	1	16	4	1	6	-	9	17	1	10	9	13	-	25	18
11	83	8	8	1	3	6	2	8	2	1	4	-	7	17	-	4	12	8	2	24	19
7	132	10	7	-	7	7	1	17	6	1	8	-	5	32	1	15	23	9	3	32	20
-	53	3	10	2	5	7	-	7	3	1	2	-	4	13	1	8	3	5	-	12	21
3	44	11	7	1	4	1	1	7	-	2	3	-	1	8	-	6	3	2	-	15	22
3	94	5	12	1	2	7	2	6	2	1	6	-	2	4	-	12	5	7	1	22	23
4	89	2	5	1	7	4	-	8	5	1	4	-	3	9	2	7	5	5	1	29	24
23	271	15	16	2	36	27	7	48	12	7	12	1	22	57	-	35	29	15	8	66	25
-	9	1	1	1	-	-	-	1	-	-	1	-	-	9	-	-	3	3	-	3	26
4	44	5	2	-	1	-	-	7	1	1	2	-	6	20	-	4	6	5	2	17	27
19	310	21	33	6	19	35	8	30	8	5	19	1	24	49	5	36	32	27	3	85	28
																					29
4	138	16	39	-	19	9	1	15	9	2	8	-	3	20	2	31	27	6	2	57	30
1	45	4	9	-	3	2	-	3	2	-	3	-	-	2	1	9	4	-	1	9	31
3	93	12	30	-	16	7	1	12	7	2	5	-	3	18	1	22	23	6	1	48	32
-	33	2	4	2	1	1	-	11	2	-	2	-	1	3	2	8	5	2	-	13	33
36	849	94	106	14	42	52	12	91	28	11	41	1	27	130	2	128	99	42	11	287	34
3	55	1	6	-	5	2	1	7	1	2	2	-	-	4	-	7	5	1	-	15	35
-	43	11	10	3	-	-	-	3	-	1	1	-	2	4	-	4	4	1	1	9	36
4	43	6	2	1	-	1	-	8	1	-	1	-	1	5	1	13	7	1	2	21	37
10	222	26	27	5	8	14	3	15	6	1	12	-	11	35	-	28	21	11	1	80	38
19	486	50	61	5	29	35	8	58	20	7	25	1	13	82	1	76	62	28	7	162	39
46	1,228	101	226	15	58	71	28	153	34	20	132	2	56	168	14	157	157	58	24	320	40
4	40	2	9	-	4	-	2	6	1	-	4	-	3	12	-	4	13	1	3	14	41
25	749	74	139	11	40	43	15	85	21	13	108	1	22	73	8	71	74	27	13	188	42
17	439	25	78	4	14	28	11	62	12	7	20	1	31	83	6	82	70	30	8	118	43
																					44
5	39	5	5	2	1	1	-	4	1	-	3	-	5	1	3	6	7	2	-	15	45
49	1,343	113	147	21	91	67	29	155	47	14	86	11	72	176	10	192	150	85	16	408	46
1	25	2	3	-	1	-	2	4	-	-	3	-	3	7	-	5	-	2	1	7	47
1	16	3	5	1	2	1	1	5	-	-	1	-	2	3	-	3	4	3	-	4	48
-	42	6	3	-	6	-	3	7	1	1	8	1	3	4	-	9	11	5	-	22	49
3	55	4	8	2	1	2	1	6	4	-	1	-	6	5	-	7	6	2	-	16	50
1	19	-	2	1	-	-	-	2	-	-	1	1	1	8	-	5	2	3	-	7	51
5	123	14	8	-	6	6	3	6	2	1	9	-	6	14	1	9	19	4	1	43	52
4	71	3	9	2	7	9	-	15	6	-	5	1	3	8	1	14	7	10	-	28	53
2	37	2	2	-	2	2	-	2	1	-	1	-	1	5	-	4	8	4	1	9	54
10	322	27	27	5	23	14	7	44	14	5	22	2	12	30	4	31	30	15	2	92	55
2	42	7	7	1	4	1	-	5	2	1	1	-	1	4	-	11	1	3	-	11	56
20	591	45	73	9	39	32	12	59	17	6	34	6	34	88	4	94	62	34	11	169	57
																					58
98	2,320	248	199	42	131	140	41	229	67	46	139	9	155	420	10	263	185	173	31	645	59
-	90	9	3	2	2	5	-	7	3	2	7	-	4	20	1	9	12	10	3	28	60
1	37	4	1	3	3	2	1	7	1	-	7	-	3	6	-	5	3	7	-	9	61
8	72	10	10	1	5	1	1	7	1	1	5	1	5	11	-	9	6	3	1	25	62
2	55	2	4	2	7	2	-	5	1	-	2	-	6	6	1	11	3	-	1	18	63
2	17	1	1	-	-	1	-	6	1	2	-	-	1	15	-	3	7	2	1	10	64
3	67	12	6	1	8	2	1	5	1	2	3	-	2	8	1	8	7	8	-	22	65
4	58	5	9	-	3	4	1	7	4	1	5	-	6	16	-	1	3	5	1	21	66
2	62	14	8	-	3	3	2	8	2	-	4	-	8	14	-	8	6	4	3	15	67
48	1,336	139	115	23	78	84	25	126	40	29	82	7	87	230	3	122	91	90	17	346	68
28	526	52	42	10	22	36	10	51	13	9	24	1	33	94	4	87	47	44	4	151	69
																					70
79	3,090	321	282	41	165	181	49	324	88	39	452	4	71	235	16	153	347	215	48	724	71
28	657	113	71	12	53	49	11	96	18	5	45	3	28	61	8	109	90	43	8	168	72
1	85	13	11	-	7	2	1	8	1	-	4	-	2	4	2	9	2	3	1	20	73
12	262	51	31	7	27	24	3	50	9	4	24	-	9	22	4	32	42	16	4	92	74
1	20	3	2	-	-	1	1	2	-	-	-	-	3	4	-	10	4	3	-	4	75
14	290	46	27	5	19	22	6	36	8	1	17	3	14	31	2	58	42	21	3	52	76
																					77
6	265	24	52	2	8	14	1	25	18	5	17	1	13	21	1	29	23	9	3	71	78
1	72	5	7	-	3	3	1	5	4	-	6	-	5	6	-	4	5	2	-	11	79
5	193	19	45	2	5	11	-	20	14	5	11	1	8	15	1	25	18	7	3	60	80
48	901	88	96	12	55	67	16	71	25	4	69	2	46	116	9	109	111	83	20	280	81
1	24	1	2	-	3	2	-	1	1	1	-	-	2	2	-	3	4	2	-	10	82
4	100	15	12	1	7	5	1	6	2	-	7	-	1	7	-	8	8	4	-	16	83
4	76	5	5	-	7	7	1	3	3	-	3	-	4	17	2	10	10	6	4	26	84
6	58	6	6	2	4	7	3	6	1	1	2	-	3	10	2	4	6	5	2	22	85
3	31	3	-	1	4	2	1	2	2	-	2	-	2	3	-	3	4	3	-	4	86
-	32	1	6	-	2	-	1	6	4	-	2	-	4	8	-	9	5	5	-	12	87
1	115	16	15	3	2	8	3	13	4	1	14	-	7	15	3	22	13	5	1	43	88
7	61	2	2	1	-	2	1	5	2	-	3	1	2	9	-	3	7	6	-	21	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties are those in Standard Metropolitan Statistical Areas (SMSA's) or Standard Consolidated Areas (SCA's) or Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
CALIFORNIA--CON.																
SAN MATEO--CON.																
SAN CARLOS	149	-	-	-	32	14	5	8	2	-	1	2	2	85	14	62
SAN MATEO	562	4	2	3	93	28	15	11	8	3	7	21	4	293	73	190
SOUTH SAN FRANCISCO	233	1	3	-	48	10	14	6	3	4	-	11	1	100	22	70
BALANCE OF COUNTY	528	1	1	2	97	30	18	7	9	3	10	20	12	260	47	191
SANTA BARBARA	1,545	6	2	4	248	68	38	25	33	7	18	59	17	782	158	552
LOMPOC	98	-	-	-	7	1	1	-	1	-	1	3	-	39	5	33
SANTA BARBARA	773	3	2	1	126	38	16	11	17	5	7	32	8	444	97	298
SANTA MARIA	194	1	-	-	30	9	7	2	3	-	4	5	3	96	20	71
BALANCE OF COUNTY	480	2	-	3	85	20	14	12	12	2	6	19	6	203	36	150
SANTA CLARA	4,620	16	13	21	777	260	115	75	106	38	47	136	59	2,300	490	1,598
CAMPBELL	124	-	2	1	17	7	1	-	1	2	-	6	-	55	13	39
LOS ALTOS	162	-	-	1	41	9	7	7	5	2	1	10	1	79	9	59
MOUNTAIN VIEW	230	1	1	2	34	13	7	-	4	-	3	7	3	110	22	77
PALO ALTO	435	1	1	-	70	29	7	7	11	4	2	10	8	255	61	167
SAN JOSE	1,841	6	6	9	298	104	48	27	37	12	20	50	23	909	182	659
SANTA CLARA	338	2	2	2	49	21	6	7	8	1	1	5	5	177	38	123
SARATOGA	91	-	-	-	11	2	1	2	2	-	2	2	-	61	16	38
SUNNYVALE	275	1	-	3	67	16	13	6	9	3	5	15	4	118	26	81
BALANCE OF COUNTY	1,124	5	1	3	190	59	25	19	29	14	13	31	15	536	123	355
SANTA CRUZ	1,322	8	2	7	218	71	31	15	28	14	13	46	17	752	161	530
SANTA CRUZ	577	3	1	3	101	28	15	5	16	6	7	24	9	327	85	215
WATSONVILLE	199	2	-	1	32	9	3	6	2	4	2	6	1	105	27	70
BALANCE OF COUNTY	546	3	1	3	85	34	13	4	10	4	4	16	7	320	49	245
SHASTA	517	2	-	1	83	24	13	7	11	6	8	14	8	253	45	188
REDDING	150	1	-	1	21	4	7	1	3	1	-	5	2	77	12	62
BALANCE OF COUNTY	367	1	-	-	62	20	6	6	8	5	8	9	6	176	33	126
SIERRA	24	-	-	-	5	2	2	-	-	-	-	1	-	15	3	12
SISKIYOU	342	-	1	-	45	12	7	4	6	6	3	7	4	200	42	133
SOLANO	909	5	2	6	148	40	27	14	26	7	7	27	12	449	69	338
FAIRFIELD	68	-	-	-	10	3	1	-	1	1	1	3	1	35	2	27
VACAVILLE	54	-	1	-	8	4	2	1	-	-	-	1	-	28	6	20
VALLEJO	517	3	-	4	89	25	18	10	16	3	4	13	8	260	36	203
BALANCE OF COUNTY	270	2	1	2	41	8	6	3	9	3	2	10	3	126	25	88
SONOMA	1,716	4	6	5	292	109	38	20	38	15	11	61	22	891	164	640
PETALUMA	185	1	-	-	27	12	4	2	1	1	-	7	4	96	15	68
SANTA ROSA	491	-	3	2	86	39	12	5	6	1	4	19	5	260	41	193
BALANCE OF COUNTY	1,040	3	3	3	179	58	22	13	31	13	7	35	13	535	108	379
STANISLAUS	1,501	6	4	6	236	67	41	29	30	12	14	43	23	744	186	480
MODESTO	492	2	3	2	78	17	16	9	8	5	2	21	4	243	66	151
BALANCE OF COUNTY	1,009	4	1	4	158	50	25	20	22	7	12	22	19	501	120	329
SUTTER	316	2	-	4	49	12	9	2	7	2	5	12	1	173	25	130
YUBA CITY	124	-	-	-	15	7	2	-	1	1	1	3	1	69	11	50
BALANCE OF COUNTY	192	2	-	4	34	5	7	2	6	1	4	9	-	104	14	80
TEHAMA	262	-	-	2	40	12	10	1	4	3	2	8	1	141	24	100
TRINITY	70	-	-	-	8	1	-	1	2	1	2	1	-	33	7	24
TULARE	1,472	1	5	12	236	71	40	23	37	9	8	48	24	747	154	512
TULARE	158	1	-	-	34	12	2	6	3	3	1	7	3	72	21	42
VISALIA	199	-	1	2	34	13	2	1	9	-	1	8	4	115	23	79
BALANCE OF COUNTY	1,115	-	4	10	168	46	36	16	25	6	6	33	17	560	110	391
TUOLUMNE	204	1	-	-	26	9	5	1	3	1	2	5	3	121	29	86
VENTURA	1,513	8	4	4	242	80	38	18	30	8	13	55	31	718	159	502
OXNARD	273	3	2	1	50	13	10	5	9	-	1	12	5	102	22	74
PORT HUENEME	58	-	-	1	6	2	2	1	1	-	-	-	-	24	5	19
SAN BUENAVENTURA	327	2	2	-	43	14	7	4	5	1	1	11	8	188	36	137
SANTA PAULA	142	-	-	-	20	9	1	2	1	2	2	3	5	81	27	51
BALANCE OF COUNTY	713	3	-	2	123	42	18	6	14	5	9	29	13	323	69	221
YOLO	595	2	5	5	81	23	13	7	11	4	7	16	1	279	53	202
WOODLAND	158	-	-	1	26	7	2	3	3	1	3	7	1	76	14	56
BALANCE OF COUNTY	437	2	5	4	55	16	11	4	8	3	4	9	-	203	39	146
YUBA	339	2	3	-	42	12	4	-	8	4	2	12	3	168	29	123
COLORADO	16,005	70	23	87	2,241	718	335	200	318	119	122	429	193	8,111	1,681	5,567
URBAN	11,441	56	18	56	1,600	514	252	149	225	87	90	283	136	5,851	1,247	3,975
RURAL	4,564	14	5	31	641	204	83	51	93	32	32	146	57	2,260	434	1,592
METROPOLITAN COUNTIES	10,396	52	18	52	1,451	443	230	139	202	90	76	271	115	5,177	1,051	3,554
URBAN	8,840	46	15	42	1,236	383	199	116	171	75	68	224	101	4,449	921	3,031
RURAL	1,556	6	3	10	215	60	31	23	31	15	8	47	14	728	130	523
NONMETROPOLITAN COUNTIES	5,609	18	5	35	790	275	105	61	116	29	46	158	78	2,934	630	2,013
URBAN	2,601	10	3	14	364	131	53	33	54	12	22	59	35	1,402	326	944
RURAL	3,008	8	2	21	426	144	52	28	62	17	24	99	43	1,532	304	1,069
ADAMS	545	4	1	5	94	21	9	7	11	7	4	35	4	211	34	162
ARVADA, PART	5	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1
AURORA, PART	91	-	1	-	20	4	4	-	2	2	2	6	2	31	8	21
THORNTON	32	-	-	-	5	1	-	-	-	-	-	4	-	12	1	8
WESTMINSTER	59	1	-	-	7	2	1	-	-	1	-	3	1	26	5	20
BALANCE OF COUNTY	358	3	-	5	61	14	4	7	9	4	2	21	1	141	20	112
ALAMOSA	87	-	1	1	10	4	1	2	2	-	1	-	-	33	7	24

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (582-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-796)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
3	43	9	7	1	6	2	-	3	1	-	2	-	3	1	-	5	3	1	1	10	1
9	152	15	14	1	10	17	2	16	-	-	12	-	9	16	2	16	22	24	3	43	2
2	61	2	5	1	2	3	2	3	2	1	11	1	3	9	-	5	9	7	2	27	3
8	148	13	22	1	8	12	1	7	3	-	11	-	6	19	-	21	20	15	7	46	4
21	444	42	45	1	38	25	8	45	15	5	25	2	22	89	4	58	54	26	9	132	5
2	27	3	1	-	-	1	-	4	2	-	-	-	5	10	-	7	10	1	-	13	6
9	241	22	26	-	27	18	4	19	9	1	11	1	5	23	2	17	23	10	6	62	7
3	62	3	3	-	2	1	2	4	2	1	4	-	4	14	1	7	5	4	3	15	8
7	114	14	15	1	9	5	2	18	2	3	10	1	8	42	1	27	16	11	-	42	9
46	1,316	100	136	26	68	98	20	181	36	13	83	4	74	218	19	141	155	100	14	396	10
1	34	3	1	1	1	1	-	6	1	2	2	-	6	10	-	5	5	2	1	9	11
2	45	-	12	1	4	6	-	7	1	-	3	-	1	2	1	2	11	1	-	11	12
5	65	2	5	1	3	7	-	7	2	1	5	-	3	15	1	7	8	8	-	22	13
3	136	15	13	5	9	12	1	16	1	-	5	-	3	7	1	12	12	9	2	32	14
18	538	46	57	9	19	31	9	76	20	2	37	2	31	91	11	59	56	30	7	168	15
3	103	7	10	1	6	8	1	3	-	-	9	-	7	16	-	10	12	10	2	32	16
1	29	-	8	-	6	1	-	5	-	-	-	-	1	1	-	-	2	3	-	7	17
3	71	3	4	1	4	4	2	9	2	1	3	2	6	15	2	4	9	11	1	17	18
10	295	24	26	7	16	28	7	52	9	7	19	-	16	61	3	42	40	26	1	98	19
21	431	31	47	2	25	33	1	43	9	7	21	-	7	24	4	40	43	31	3	86	20
6	178	13	18	2	14	11	-	21	5	4	10	-	2	9	-	12	16	9	-	45	21
5	54	7	4	-	4	3	1	8	-	2	3	-	2	6	1	6	10	6	2	12	22
10	199	11	25	-	7	19	-	14	4	1	8	-	3	9	3	22	17	16	1	29	23
12	142	17	17	4	7	6	3	9	9	2	8	-	11	21	2	34	33	6	1	34	24
3	48	3	8	-	2	1	-	1	1	-	2	-	4	10	-	8	7	3	1	11	25
9	94	14	9	4	5	5	3	8	8	2	6	-	7	11	2	26	26	3	-	23	26
-	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	27
1	119	6	7	-	13	8	4	15	1	1	6	-	1	7	1	11	15	7	2	25	28
7	279	23	29	7	12	17	6	37	5	1	14	-	18	61	2	38	34	21	3	53	29
-	18	2	7	1	-	4	1	2	1	-	1	-	3	4	-	5	2	-	-	4	30
-	19	1	-	-	-	2	-	2	-	-	1	-	-	1	-	1	3	3	-	6	31
4	168	13	18	3	8	7	3	26	4	-	12	-	8	28	2	20	16	8	1	28	32
3	74	7	4	3	4	4	2	7	-	1	-	-	7	28	-	12	13	10	2	15	33
22	494	46	78	11	39	29	8	62	23	4	36	-	13	51	6	64	67	29	4	137	34
2	50	7	9	1	6	4	2	9	3	1	3	-	1	5	1	10	8	5	-	11	35
6	148	13	26	4	10	9	3	15	3	-	9	-	5	11	-	16	24	4	2	46	36
14	296	26	43	6	23	16	3	38	17	3	24	-	7	35	5	38	35	20	2	80	37
25	368	38	49	7	37	22	12	79	13	4	19	1	15	44	3	66	61	18	5	154	38
5	125	6	15	3	14	5	4	31	5	1	7	-	5	12	-	14	23	5	-	57	39
20	243	32	34	4	23	17	8	48	8	3	12	1	10	32	3	52	38	13	5	97	40
3	110	6	11	2	9	6	1	8	1	-	5	-	7	16	-	14	13	4	1	18	41
1	44	4	1	1	4	3	-	3	1	-	2	-	4	10	-	5	2	3	1	8	42
2	66	2	10	1	5	3	1	5	-	-	3	-	3	6	-	9	11	1	-	10	43
4	84	1	11	-	13	2	2	5	1	1	6	-	3	14	-	12	12	2	3	19	44
-	17	4	3	-	1	1	-	2	1	-	1	-	1	1	-	5	6	3	1	8	45
14	396	48	54	12	36	23	10	53	12	8	27	1	19	48	6	65	62	21	11	114	46
-	33	6	3	-	5	4	-	8	2	-	1	-	-	3	-	8	10	1	1	14	47
2	64	7	6	-	7	3	3	3	1	-	5	-	5	6	-	5	4	2	-	12	48
12	299	35	45	12	24	16	7	42	9	8	21	1	14	39	6	52	48	18	10	88	49
4	67	5	10	1	2	3	-	6	1	1	2	-	3	3	4	5	5	6	-	17	50
19	405	43	35	4	35	15	3	59	10	2	36	1	39	89	6	67	61	26	4	106	51
1	59	12	2	1	2	2	1	12	1	-	15	1	6	30	1	9	10	4	-	21	52
-	18	1	-	-	-	-	-	4	-	1	4	-	3	3	-	2	5	3	-	2	53
9	104	11	13	1	10	3	1	7	4	-	3	-	6	14	2	8	9	6	2	23	54
3	44	3	1	1	1	1	-	5	1	-	2	-	3	2	-	10	3	-	-	10	55
6	180	16	19	1	22	9	1	31	4	1	12	-	21	40	3	38	34	13	2	50	56
5	172	3	22	2	9	9	4	27	3	2	18	-	1	33	5	42	31	17	2	41	57
1	48	2	5	-	4	2	-	5	1	-	3	-	-	10	1	10	5	3	-	16	58
4	124	1	17	2	5	7	4	22	2	2	15	-	1	23	4	32	26	14	2	25	59
3	96	10	14	1	9	5	1	10	1	1	9	-	6	15	2	23	22	7	2	23	60
257	4,508	336	466	96	357	313	97	889	133	66	218	9	223	690	93	483	673	299	95	1,409	61
191	3,245	231	308	68	260	238	63	675	103	42	175	6	143	487	66	294	435	212	69	1,017	62
66	1,263	105	158	28	97	75	34	214	30	24	43	3	80	203	27	189	238	87	26	392	63
172	2,942	188	252	60	223	233	56	637	92	37	163	7	161	504	55	263	402	227	63	920	64
148	2,503	166	214	54	194	201	48	552	81	31	146	6	119	392	48	217	330	188	52	789	65
24	439	22	38	6	29	32	8	85	11	6	17	1	42	112	7	46	72	39	11	131	66
85	1,566	148	214	36	134	80	41	252	41	29	55	2	62	186	38	220	271	72	32	489	67
43	742	65	94	14	66	37	15	123	22	11	29	-	24	95	18	77	105	24	17	228	68
42	824	83	120	22	68	43	26	129	19	18	26	2	38	91	20	143	166	48	15	261	69
11	131	9	11	2	8	4	1	27	8	2	-	-	25	46	3	20	27	17	2	49	70
-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	71
3	14	1	3	-	1	1	-	4	2	-	-	-	4	6	1	3	6	3	-	8	72
1	7	-	-	-	2	-	1	4	-	-	-	-	1	2	-	1	1	2	-	4	73
1	18	1	-	-	1	-	-	3	3	-	-	-	5	2	-	-	2	1	-	8	74
6	91	7	8	2	4	3	-	16	3	2	-	-	15	33	2	16	18	11	2	29	75
-	18	2	4	-	-	2	-	5	1	-	-	-	-	5	2	7	6	1	3	12	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (011-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
COLORADO--CON.																
ARAPAHOE	669	2	1	5	100	23	15	12	17	5	8	20	5	318	89	194
AURORA, PART	98	-	-	2	17	-	3	1	3	1	2	7	-	38	13	23
AURORA, TOTAL	189	-	1	2	37	4	7	1	5	3	4	13	2	69	21	44
ENGLEWOOD	300	1	-	1	43	12	5	7	7	2	3	7	3	150	44	91
LITTLETON	150	1	-	2	24	5	6	3	3	1	3	3	1	69	19	43
BALANCE OF COUNTY	121	-	1	-	16	6	1	1	4	1	-	3	1	61	13	37
ARCHULETA	29	-	-	-	4	2	-	1	-	1	-	-	1	12	3	8
BACA	55	1	-	-	10	1	2	-	-	-	-	7	-	32	4	24
BENT	65	-	-	2	9	2	1	-	3	-	-	3	-	36	8	26
BOULDER	647	2	-	5	94	24	14	16	13	5	4	18	8	341	75	236
BOULDER	302	2	-	4	38	5	6	10	6	3	1	7	5	159	48	102
LONGMONT	147	-	-	1	27	12	2	1	2	1	1	8	1	79	10	58
BALANCE OF COUNTY	198	-	-	-	29	7	6	5	5	1	2	3	2	103	17	76
CHAFFEE	108	1	-	-	22	8	2	-	2	4	2	4	1	58	8	43
CHEYENNE	28	-	-	1	2	-	-	-	-	-	1	1	1	15	6	9
CLEAR CREEK	43	-	-	-	7	3	1	-	-	1	1	1	-	18	6	9
CONEJOS	66	-	1	1	6	3	-	-	1	-	-	2	1	30	4	20
COSTILLA	39	1	-	-	10	7	1	1	1	-	-	-	1	13	1	10
CROWLEY	45	-	-	1	3	1	-	1	-	-	1	-	1	26	5	15
CUSTER	11	-	-	-	-	-	-	-	-	-	-	-	-	6	-	6
DELTA	219	-	-	1	27	9	5	1	3	2	1	6	1	143	31	98
DENVER, COEX. WITH DENVER CITY	5,533	30	12	17	758	254	123	67	111	40	39	124	64	2,823	559	1,916
DOLORES	14	-	-	-	1	-	-	1	-	-	-	-	-	5	-	4
DOUGLAS	49	-	-	-	10	5	-	-	1	-	-	4	1	23	5	16
EAGLE	46	-	-	-	3	1	1	-	-	-	1	-	1	20	2	15
ELBERT	35	-	-	-	2	1	-	-	-	-	1	-	-	23	5	17
EL PASO	1,151	10	1	15	143	35	26	15	20	14	8	25	11	580	136	378
COLORADO SPRINGS	880	8	1	11	108	27	19	11	15	11	7	18	9	463	112	299
BALANCE OF COUNTY	271	2	-	4	35	8	7	4	5	3	1	7	2	117	24	79
FREMONT	297	2	-	2	38	11	7	3	6	2	3	6	2	161	34	109
GARFIELD	128	1	1	-	23	4	6	3	6	-	1	3	2	63	17	36
GILPIN	13	1	-	-	1	1	-	-	-	-	-	-	-	10	2	8
GRAND	42	-	-	-	7	-	4	-	1	1	-	1	-	20	4	12
GUNNISON	28	-	-	-	3	1	-	1	1	-	-	-	-	15	4	10
HINSDALE	7	-	-	-	-	-	-	-	-	-	-	-	-	5	-	4
HUERFANO	103	-	-	-	16	8	1	-	3	1	1	2	1	51	12	35
JACKSON	20	-	-	1	1	-	1	-	-	-	-	-	1	6	4	2
JEFFERSON	823	2	2	3	117	42	16	10	13	8	4	24	10	399	71	289
ARVADA, PART	141	-	-	1	21	8	4	2	3	-	2	2	2	64	9	49
ARVADA, TOTAL	146	-	-	1	22	8	4	2	3	-	2	3	2	65	9	50
BALANCE OF COUNTY	682	2	2	2	96	34	12	8	10	8	2	22	8	335	62	240
KIOWA	19	-	-	-	3	-	1	-	-	1	1	-	-	10	2	6
KIT CARSON	63	-	-	-	5	1	2	-	1	-	-	1	-	40	10	28
LAKE	67	-	-	-	7	1	2	1	1	-	-	2	1	23	4	16
LA PLATA	157	-	-	-	18	7	2	2	3	1	-	3	4	73	20	45
DURANGO	95	-	-	-	11	4	2	1	1	1	-	2	2	46	16	26
BALANCE OF COUNTY	62	-	-	-	7	3	-	1	2	-	-	1	2	27	4	19
LARIMER	552	1	-	3	88	27	13	13	13	5	4	13	8	305	53	224
FORT COLLINS	243	1	-	2	41	17	5	4	7	2	2	3	5	129	27	93
BALANCE OF COUNTY	309	-	-	1	47	10	7	9	6	3	2	10	3	176	26	131
LAS ANIMAS	243	3	-	2	32	9	5	5	2	-	1	10	4	143	38	89
TRINIDAD	167	2	-	1	21	6	4	3	2	-	1	5	2	102	27	65
BALANCE OF COUNTY	76	1	-	1	11	3	1	2	-	-	-	5	2	41	11	24
LINCOLN	40	-	-	1	6	3	-	1	-	-	-	2	-	22	4	16
LOGAN	191	-	-	-	31	14	2	2	4	-	3	6	1	109	21	82
STERLING	131	-	-	-	19	12	1	1	3	-	1	1	1	75	12	59
BALANCE OF COUNTY	60	-	-	-	12	2	1	1	1	-	2	5	-	34	9	23
MESA	475	-	1	2	75	27	10	5	9	2	1	21	7	240	57	162
GRAND JUNCTION	231	-	-	-	28	10	3	3	2	1	1	8	4	127	28	89
BALANCE OF COUNTY	244	-	1	2	47	17	7	2	7	1	-	13	3	113	29	73
MINERAL	3	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
MOFFAT	59	-	-	-	10	3	-	2	1	-	1	3	-	32	6	22
MONTEZUMA	102	-	-	1	18	8	2	1	2	-	1	4	5	40	9	26
MONTROSE	195	1	-	2	23	5	5	-	6	-	1	6	6	93	22	63
MORGAN	170	-	1	5	29	7	3	3	6	-	1	9	5	82	25	48
OTERO	247	1	-	-	38	16	5	3	3	2	6	3	5	141	31	95
OURAY	24	-	-	-	4	2	1	-	1	-	-	-	-	11	1	10
PARK	19	-	-	-	1	1	-	-	-	-	-	-	-	13	3	8
PHILLIPS	41	-	-	-	4	1	1	-	-	1	1	-	-	27	5	20
PITKIN	20	-	-	-	5	2	1	-	-	1	1	-	-	6	1	5
PROWERS	132	1	-	2	16	8	-	3	3	1	-	1	1	68	8	57
PUEBLO	1,028	2	1	2	145	44	27	12	17	11	9	25	13	505	87	379
PUEBLO	849	2	1	2	126	40	23	12	14	8	7	22	12	418	74	312
BALANCE OF COUNTY	179	-	-	-	19	4	4	-	3	3	2	3	1	87	13	67
RIO BLANCO	45	-	-	1	8	5	1	-	1	-	-	1	1	13	1	8
RIO GRANDE	125	-	-	1	15	4	2	1	1	-	-	7	2	64	18	41
ROUTT	60	-	-	-	7	3	-	-	1	-	-	3	-	34	6	27
SAGUACHE	46	-	-	1	6	2	-	-	2	-	1	1	-	24	7	15
SAN JUAN	12	2	-	-	-	-	-	-	-	-	-	-	1	3	1	2
SAN MIGUEL	18	-	-	1	1	-	-	-	-	-	-	1	-	13	3	10

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
15	157	10	12	1	11	15	8	33	3	2	9	2	4	38	-	17	33	22	1	74	4
1	19	1	2	-	-	1	1	4	-	-	3	-	-	10	-	5	5	5	-	9	5
4	33	2	5	-	1	2	1	8	2	-	3	-	4	16	1	8	11	8	-	17	6
8	74	5	4	1	4	7	3	19	3	1	3	-	1	10	-	9	8	9	-	39	7
2	35	1	5	-	4	1	2	2	-	-	1	2	3	14	-	3	10	4	-	14	8
4	29	3	1	-	3	6	2	8	-	1	2	-	-	4	-	-	10	4	1	12	9
1	6	-	1	-	1	-	-	-	1	-	-	-	2	2	-	2	4	-	-	1	10
1	17	6	-	-	1	1	2	-	1	-	-	-	1	1	-	2	3	-	-	4	11
1	20	1	4	-	-	2	-	4	-	-	-	-	1	2	-	5	1	2	-	4	12
11	200	6	19	6	16	8	-	29	3	6	10	-	11	34	2	18	14	19	1	50	13
3	93	2	4	-	5	4	-	15	-	4	4	-	6	18	1	5	8	13	1	19	14
2	43	3	10	6	3	2	-	4	-	1	2	-	3	6	-	4	1	5	-	13	15
6	64	1	5	-	8	2	-	10	3	1	4	-	2	10	1	9	5	1	-	18	16
4	35	1	3	3	4	-	-	5	-	-	-	-	1	2	1	1	4	1	1	10	17
-	8	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	5	18
																					19
1	8	-	-	-	3	-	-	4	-	-	1	-	1	-	-	2	1	2	-	7	20
1	14	2	3	1	2	2	1	6	1	-	-	-	1	5	-	4	5	-	1	4	21
-	9	1	-	-	-	1	1	1	-	1	-	-	-	1	1	2	4	-	-	4	22
1	11	1	2	2	2	1	1	5	-	1	-	-	-	1	-	2	2	-	-	3	23
-	4	-	2	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	1	24
1	86	5	6	1	5	6	2	6	3	1	-	-	1	4	-	9	6	5	-	12	25
																					26
86	1,590	109	131	39	135	150	24	372	53	12	111	4	54	210	38	125	211	113	41	485	27
-	4	-	-	-	-	1	-	1	-	-	-	-	1	-	1	2	1	-	-	2	28
1	14	-	1	-	-	2	-	-	-	-	2	-	-	2	-	4	2	1	-	4	29
1	13	-	1	-	3	-	-	3	-	2	-	-	1	-	-	-	7	2	2	5	30
-	14	-	3	-	-	1	-	-	1	-	-	-	-	1	-	1	1	1	-	5	31
22	318	21	17	4	28	29	5	53	12	7	9	-	26	73	4	36	46	22	8	95	32
21	248	14	16	4	23	20	5	46	10	6	9	-	15	46	4	23	30	15	5	71	33
1	70	7	1	-	5	9	-	7	2	1	-	-	11	27	-	13	16	7	3	24	34
																					35
3	87	4	15	2	7	5	4	24	2	1	3	-	2	3	2	7	16	2	2	28	36
2	23	4	7	-	5	2	3	3	1	-	-	-	1	6	1	5	7	1	-	13	37
-	6	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	38
-	10	1	1	1	3	-	-	-	-	-	1	-	3	3	-	1	5	-	-	2	39
-	8	1	1	-	1	-	-	-	-	1	-	-	-	1	-	1	3	1	-	3	40
-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	41
2	30	3	-	-	2	2	-	6	-	-	3	-	1	3	2	1	6	2	1	10	42
-	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	3	-	-	1	43
9	241	11	28	3	13	17	6	54	6	2	4	-	21	55	6	20	29	18	4	71	44
-	39	3	7	1	2	2	1	6	1	-	-	-	7	11	2	6	6	1	-	13	45
-	40	3	7	1	2	2	1	6	1	-	-	-	7	14	2	6	6	1	-	13	46
9	202	8	21	2	11	15	5	48	5	2	4	-	14	44	4	14	23	17	4	58	47
1	4	1	-	-	2	-	-	-	-	-	1	-	-	-	-	3	-	-	-	2	48
-	21	5	2	-	-	1	1	3	-	1	2	-	1	2	-	3	2	1	-	3	49
2	10	1	3	-	-	2	1	3	1	-	1	-	1	6	-	3	14	1	-	6	50
																					51
2	34	-	9	1	6	1	-	7	-	2	1	-	6	3	1	8	12	4	2	16	52
2	21	-	3	-	4	-	-	5	-	1	1	-	4	2	-	6	4	2	-	11	53
-	13	-	6	1	2	1	-	2	-	1	-	-	2	1	1	2	8	2	2	5	54
7	172	21	24	2	15	7	4	23	1	2	7	-	4	19	4	10	28	8	1	40	55
7	61	12	13	1	3	5	-	12	-	2	3	-	2	12	4	5	7	3	-	15	56
-	111	9	11	1	12	2	4	11	1	-	4	-	2	7	-	5	21	5	1	25	57
6	80	1	2	1	5	7	3	11	3	-	5	1	-	9	-	2	6	2	2	18	58
2	62	-	1	-	5	5	-	7	2	-	4	-	-	6	-	1	5	2	-	12	59
4	18	1	1	1	-	2	3	4	1	-	1	1	-	3	-	1	1	-	2	6	60
-	12	1	3	-	-	2	-	-	-	-	1	-	1	1	-	1	1	-	-	6	61
2	62	6	12	2	2	1	1	6	1	2	2	-	-	10	-	5	6	1	1	16	62
1	45	5	8	1	1	1	1	6	-	1	2	-	-	5	-	3	2	1	1	15	63
1	17	1	4	1	1	-	-	-	1	1	-	-	-	5	-	2	4	-	-	1	64
																					65
7	128	13	14	1	7	9	4	22	4	3	3	1	2	8	2	18	21	7	3	56	66
6	68	7	8	-	3	4	3	10	2	1	3	-	2	4	1	10	11	2	2	24	67
1	60	6	6	1	4	5	1	12	2	2	-	1	-	4	1	8	10	5	1	32	68
-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	69
2	18	1	1	-	1	3	-	2	1	1	1	-	-	3	-	2	3	-	-	4	70
-	22	-	4	-	2	2	1	8	2	-	2	-	3	3	1	10	-	-	1	8	71
2	48	-	13	1	5	1	1	7	3	-	3	-	4	10	1	11	10	2	1	18	72
3	31	6	8	-	8	1	-	6	1	-	1	-	3	6	-	4	6	1	-	20	73
2	70	5	18	8	5	-	2	13	1	1	3	-	3	7	-	10	7	3	-	14	74
1	5	-	4	-	-	-	-	2	-	-	-	-	-	1	-	1	1	1	1	2	75
1	5	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	3	76
-	15	3	2	-	2	-	-	2	-	-	-	-	-	1	1	3	1	1	-	1	77
																					78
-	4	-	1	-	-	-	-	1	-	-	-	-	-	2	-	2	2	-	-	2	79
1	32	16	8	1	1	-	1	8	1	-	-	-	1	8	2	2	6	1	2	13	80
18	305	22	34	5	12	10	12	69	7	6	20	1	20	48	2	27	42	16	6	96	81
15	252	19	26	3	9	9	11	55	6	5	12	-	16	40	2	25	32	14	5	76	82
3	53	3	8	2	3	1	1	14	1	1	8	1	4	8	-	2	10	2	1	20	83
1	7	-	-	1	3	-	-	3	-	-	-	-	2	1	2	4	1	1	-	8	84
3	30	3	5	-	3	2	-	4	2	2	1	-	1	2	7	7	3	1	3	10	85
2	21	2	2	-	1	-	-	2	-	-	1	-	-	2	-	5	1	2	-	6	86
-	12	3	-	-	-	1	1	2	-	-	1	-	1	1	2	1	1	-	-	6	87
-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	-	1	88
-	9	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156h,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
COLORADO--CON.																
SEDGWICK	35	-	-	-	7	2	-	1	3	-	1	-	-	18	2	13
SUMMIT	10	-	-	-	2	-	-	-	1	-	1	-	-	7	2	5
TELLER	30	-	-	1	3	3	-	-	-	-	-	-	-	13	4	7
WASHINGTON	56	-	-	1	7	1	1	-	2	-	-	3	1	32	3	24
WELD	667	2	-	1	90	33	12	3	17	2	7	16	7	344	78	228
GREELEY	324	2	-	1	42	16	6	2	7	1	4	6	2	174	47	112
BALANCE OF COUNTY	343	-	-	-	48	17	6	1	10	1	3	10	5	170	31	116
YUMA	109	-	-	-	15	7	1	1	3	1	-	2	4	66	13	51
CONNECTICUT	24,883	103	43	90	4,515	1,593	705	429	573	211	177	827	488	13,879	2,502	10,019
URBAN	16,670	79	32	54	3,043	1,094	473	292	376	143	108	557	336	9,282	1,639	6,748
RURAL	8,213	24	11	36	1,472	499	232	137	197	68	69	270	152	4,597	863	3,271
METROPOLITAN COUNTIES	19,713	82	35	77	3,673	1,288	581	363	462	175	140	664	383	10,859	1,912	7,897
URBAN	14,629	70	30	49	2,713	964	432	269	337	127	94	490	291	8,071	1,389	5,910
RURAL	5,084	12	5	28	960	324	149	94	125	48	46	174	92	2,788	523	1,987
NONMETROPOLITAN COUNTIES	5,170	21	8	13	842	305	124	66	111	36	37	163	105	3,020	590	2,122
URBAN	2,041	9	2	5	330	130	41	23	39	16	14	67	45	1,211	250	838
RURAL	3,129	12	6	8	512	175	83	43	72	20	23	96	60	1,809	340	1,284
FAIRFIELD	6,468	20	15	28	1,202	426	198	113	157	47	45	216	119	3,500	624	2,513
BRIDGEPORT	1,866	11	4	9	342	117	51	31	50	11	7	75	45	1,019	163	764
DANBURY	175	-	-	1	25	4	7	2	8	-	1	3	5	103	20	77
FAIRFIELD TOWN#	337	-	1	2	60	20	8	10	8	1	1	12	4	192	32	133
GREENWICH TOWN#	434	1	2	2	92	32	14	8	17	6	4	11	-	252	52	172
NORWALK	528	1	2	-	94	29	13	11	12	7	5	17	6	285	55	189
SHELTON	140	1	-	1	23	12	3	2	2	1	1	2	2	88	10	72
STAMFORD	945	3	3	5	185	78	34	13	17	8	6	29	22	456	79	340
STRATFORD TOWN#	370	-	-	3	72	23	11	7	7	4	3	17	9	206	42	140
BALANCE OF COUNTY	1,673	3	3	5	309	111	57	29	36	9	17	50	26	899	171	626
HARTFORD	6,422	41	9	26	1,210	444	179	126	131	65	40	225	119	3,500	658	2,468
BRISTOL	393	4	1	1	77	25	12	11	9	3	2	15	6	227	26	172
EAST HARTFORD TOWN#	313	2	1	-	46	15	2	8	4	1	4	12	11	174	33	116
ENFIELD TOWN#	103	-	-	2	22	10	2	-	4	2	1	3	2	57	9	42
HARTFORD	2,004	17	4	8	378	125	74	37	45	18	9	70	38	1,023	194	727
MANCHESTER TOWN#	372	1	-	-	59	23	6	3	8	1	2	16	6	238	46	167
NEW BRITAIN	824	5	1	1	168	76	17	16	15	9	8	27	17	440	72	325
WEST HARTFORD TOWN#	567	4	-	1	109	38	18	14	11	6	-	22	7	334	73	223
WETHERSFIELD TOWN#	169	-	-	-	36	16	5	6	1	4	-	4	2	101	16	71
BALANCE OF COUNTY	1,677	8	2	13	315	116	43	31	34	21	14	56	30	906	189	625
LITCHFIELD	1,246	5	5	6	211	74	36	14	31	9	8	39	30	716	140	491
TORRINGTON	307	1	-	1	52	19	5	2	7	2	1	16	9	189	36	131
BALANCE OF COUNTY	939	4	5	5	159	55	31	12	24	7	7	23	21	527	104	360
MIDDLESEX	879	3	1	1	152	55	18	15	15	9	5	35	12	531	117	373
MIDDLETOWN	297	1	1	1	52	20	6	4	5	4	1	12	6	171	48	112
BALANCE OF COUNTY	582	2	-	-	100	35	12	11	10	5	4	23	6	360	69	261
NEW HAVEN	6,823	21	11	23	1,261	418	204	124	174	63	55	223	145	3,859	630	2,916
ANSONIA	222	-	-	2	53	26	7	3	3	1	4	9	3	115	26	81
DERBY	104	-	-	-	18	4	5	6	2	-	-	1	3	62	16	43
EAST HAVEN TOWN#	62	-	1	-	11	7	1	-	2	-	-	1	4	35	9	26
HAMDEN TOWN#	190	1	-	-	39	9	10	3	8	4	1	4	3	112	16	88
MERIDEN	527	2	1	-	98	37	11	8	13	4	4	21	7	294	59	199
MILFORD	357	-	1	2	66	15	9	6	9	4	7	16	10	199	25	152
NAUGATUCK	206	2	-	-	37	14	5	4	4	2	2	6	3	122	23	90
NEW HAVEN	1,756	8	4	5	310	109	54	32	39	16	8	52	39	998	147	781
WALLINGFORD TOWN#	264	1	1	-	47	9	9	3	11	4	3	8	11	169	20	138
WATERBURY	1,250	6	2	4	219	86	34	22	24	9	11	33	24	671	113	503
WEST HAVEN TOWN#	151	-	1	-	27	5	10	3	4	1	-	4	2	99	13	79
BALANCE OF COUNTY	1,734	1	-	10	336	97	49	34	55	18	15	68	36	983	163	736
NEW LONDON	1,750	7	1	2	282	104	38	23	36	12	13	56	38	1,004	191	705
GROTON	69	-	-	-	5	2	1	-	-	-	-	2	3	44	6	34
NEW LONDON	367	2	1	-	65	29	11	4	6	2	3	10	7	200	40	132
NORWICH	467	3	-	-	77	27	8	5	13	5	5	14	11	268	57	181
BALANCE OF COUNTY	847	2	-	2	135	46	18	14	17	5	5	30	17	492	88	358
TOLLAND	526	4	-	1	71	23	15	4	12	1	4	12	13	321	64	226
WINDHAM	769	2	1	3	126	49	17	10	17	5	7	21	12	448	78	327
WILLIMANTIC	162	2	-	-	31	10	2	5	4	-	2	8	1	89	15	66
BALANCE OF COUNTY	607	-	1	3	95	39	15	5	13	5	5	13	11	359	63	261
DELAWARE	4,252	23	7	16	714	245	121	53	85	30	38	142	93	2,282	364	1,675
URBAN	1,929	10	6	5	336	120	64	25	37	15	21	54	54	1,055	170	768
RURAL	2,323	13	1	11	378	125	57	28	48	15	17	88	39	1,227	194	907
METROPOLITAN COUNTIES	2,807	13	7	11	515	201	80	34	49	21	30	100	65	1,501	229	1,113
URBAN	1,554	6	6	4	282	107	51	21	26	14	18	45	44	842	133	614
RURAL	1,253	7	1	7	233	94	29	13	23	7	12	55	21	659	96	499
NONMETROPOLITAN COUNTIES	1,445	10	-	5	199	44	41	19	36	9	8	42	28	781	135	562
URBAN	375	4	-	1	54	13	13	4	11	1	3	9	10	213	37	154
RURAL	1,070	6	-	4	145	31	28	15	25	8	5	33	18	568	98	408

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
1	11	1	-	-	2	1	-	2	-	-	1	-	-	1	-	1	2	1	-	2	1
-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2
-	5	2	-	1	-	-	1	2	1	-	-	-	2	-	-	-	1	1	-	6	3
2	17	3	2	1	1	2	1	4	-	1	1	-	-	-	-	1	4	1	-	3	4
15	192	7	14	5	21	8	4	30	7	4	6	-	8	28	5	36	33	10	4	52	5
7	101	1	3	1	10	3	1	14	5	3	3	-	4	16	4	12	13	2	4	23	6
8	91	6	11	4	11	5	3	16	2	1	3	-	4	12	1	24	20	8	-	29	7
2	34	13	2	-	1	-	1	4	-	2	-	-	-	3	-	4	5	-	-	6	8
273	8,347	697	702	209	625	395	129	828	173	109	368	19	293	827	166	357	632	278	45	1,670	9
172	5,618	494	464	144	394	270	87	567	118	80	276	16	177	564	115	187	416	185	36	1,107	10
101	2,729	203	238	65	231	125	42	261	55	29	92	3	116	263	51	170	216	93	9	563	11
226	6,572	568	531	155	472	328	95	659	129	94	309	14	226	667	155	254	498	225	40	1,334	12
152	4,927	437	394	116	338	248	70	506	100	72	244	13	155	505	112	159	367	163	35	974	13
74	1,645	131	137	39	134	80	25	153	29	22	65	1	71	162	43	95	131	62	5	360	14
47	1,775	129	171	54	153	67	34	169	44	15	59	5	67	160	11	103	134	53	5	336	15
20	691	57	70	28	56	22	17	61	18	8	32	3	22	59	3	28	49	22	1	133	16
27	1,084	72	101	26	97	45	17	108	26	7	27	2	45	101	8	75	85	31	4	203	17
75	2,082	189	167	46	173	106	38	221	41	43	97	8	90	210	46	85	187	80	18	458	18
18	643	57	46	12	41	27	12	64	18	10	34	1	20	65	4	21	50	17	8	124	19
1	63	4	9	2	2	2	-	9	1	-	3	-	4	8	3	3	1	1	-	8	20
8	105	9	11	3	17	5	2	10	2	1	3	-	4	9	1	-	8	9	1	30	21
4	142	18	8	-	14	11	3	12	2	4	7	-	4	12	2	-	9	5	-	28	22
7	160	3	19	2	17	17	5	23	5	7	5	2	7	13	2	10	20	4	-	42	23
-	63	6	3	-	6	-	-	2	-	1	2	1	-	6	-	1	1	2	-	9	24
8	266	44	22	11	13	11	2	38	5	8	19	3	18	37	7	13	29	10	5	79	25
2	119	13	6	4	13	5	2	8	3	2	5	1	6	8	2	4	11	7	1	22	26
27	521	35	43	12	50	28	12	55	5	10	19	-	27	52	25	33	58	25	3	116	27
79	2,023	193	173	57	172	115	30	229	37	29	113	2	75	243	23	93	163	79	15	416	28
7	141	17	7	2	14	12	1	19	1	3	8	-	1	9	-	6	6	7	-	17	29
4	103	4	5	4	7	11	3	7	2	1	6	-	5	14	-	5	12	8	-	19	30
1	38	1	2	-	4	2	-	3	-	-	1	1	1	6	1	-	2	2	-	3	31
18	607	64	38	20	39	29	14	83	12	10	45	-	22	94	10	29	56	19	13	143	32
5	140	7	15	5	11	8	1	9	2	-	4	-	7	13	1	4	5	4	1	18	33
8	230	40	47	5	26	10	2	23	6	4	20	-	10	23	3	6	21	7	-	69	34
12	191	10	10	2	17	18	1	20	2	1	6	-	4	11	1	7	18	9	-	33	35
1	56	6	8	1	5	8	-	4	-	2	1	-	1	2	-	4	5	3	-	8	36
23	517	44	41	18	49	17	8	61	12	8	22	1	24	71	7	32	38	20	1	106	37
15	398	45	33	16	47	19	3	38	7	3	17	2	14	34	4	31	29	16	2	76	38
4	105	9	13	6	13	2	1	9	1	1	6	1	2	8	-	2	3	5	-	17	39
11	293	36	20	10	34	17	2	29	6	2	11	1	12	26	4	29	26	11	2	59	40
4	322	18	29	5	22	9	5	17	10	3	9	-	9	25	2	11	34	9	1	49	41
1	95	10	6	2	5	4	-	3	3	1	5	-	4	12	1	5	11	4	-	16	42
3	227	8	23	3	17	5	5	14	7	2	4	-	5	13	1	6	23	5	1	33	43
72	2,467	186	191	52	127	107	27	209	51	22	99	4	61	214	86	76	148	66	7	460	44
1	68	5	7	-	4	3	1	12	2	1	5	-	-	6	1	1	6	3	-	12	45
-	31	3	9	-	1	2	-	4	-	1	2	-	-	-	1	-	2	5	-	6	46
1	23	1	1	-	-	-	-	3	-	-	-	-	-	-	1	1	2	-	-	4	47
1	78	4	5	4	2	2	-	10	-	-	5	-	1	1	-	2	2	4	-	10	48
5	178	13	3	8	16	10	2	16	10	2	6	-	3	24	2	6	15	4	1	36	49
5	119	15	13	4	6	6	6	8	2	1	5	-	5	17	1	6	6	5	-	23	50
1	79	5	5	1	5	1	2	7	-	-	1	-	1	11	10	2	-	4	-	6	51
15	684	32	50	14	19	32	5	76	11	4	28	3	16	65	17	11	36	14	4	107	52
1	119	5	13	1	7	3	-	3	1	1	3	-	1	5	1	3	4	-	-	13	53
17	411	45	30	10	30	10	5	31	11	8	20	1	14	44	41	10	35	7	1	101	54
1	70	6	2	1	2	3	1	2	2	-	-	-	-	2	-	4	5	3	-	4	55
24	607	52	53	9	35	35	5	37	12	4	24	-	20	39	11	30	35	17	1	138	56
19	610	25	51	16	55	21	16	64	17	4	19	2	30	65	2	27	43	18	1	124	57
-	31	1	2	-	2	1	1	3	1	1	-	-	2	3	-	2	-	1	1	3	58
5	113	7	7	4	17	4	3	14	4	1	7	-	5	20	1	1	7	6	-	26	59
5	146	7	23	8	9	4	9	19	4	1	6	1	5	7	-	9	15	4	-	37	60
9	320	10	19	4	27	12	3	28	8	1	6	1	18	35	1	15	21	7	-	58	61
4	205	4	13	5	13	7	6	21	3	2	4	-	6	17	-	15	12	6	-	30	62
5	240	37	45	12	16	11	4	29	7	3	10	1	8	19	3	19	16	4	1	57	63
-	49	7	10	2	2	3	1	5	2	2	3	-	3	2	1	5	4	1	-	11	64
5	191	30	35	10	14	8	3	24	5	1	7	1	5	17	2	14	12	3	1	46	65
45	1,185	189	256	32	109	65	37	143	25	21	57	1	67	137	18	91	166	47	20	324	66
15	561	84	108	15	50	32	20	67	13	12	37	-	20	40	6	42	66	15	8	137	67
30	624	105	148	17	59	33	17	76	12	9	20	1	47	97	12	49	100	32	12	187	68
32	805	122	154	17	61	51	30	85	19	10	45	-	42	82	8	44	110	33	8	209	69
14	461	63	76	12	37	27	19	54	12	7	32	-	17	31	4	27	53	12	6	115	70
18	344	59	78	5	24	24	11	31	7	3	13	-	25	51	4	17	57	21	2	94	71
13	380	67	102	15	48	14	7	58	6	11	12	1	25	55	10	47	56	14	12	115	72
1	100	21	32	3	13	5	1	13	1	5	5	-	3	9	2	15	13	3	2	22	73
12	280	46	70	12	35	9	6	45	5	6	7	1	22	46	8	32	43	11	10	93	74

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-139)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
DELAWARE--CON.																
KENT	584	3	-	2	83	14	17	5	17	5	3	22	12	301	57	203
NEW CASTLE	2,807	13	7	11	515	201	80	34	49	21	30	100	65	1,501	229	1,113
NEWARK	93	-	-	-	18	5	2	2	2	2	1	4	2	56	16	34
WILMINGTON	1,387	6	5	4	249	97	46	19	22	12	16	37	42	743	114	546
BALANCE OF COUNTY	1,327	7	2	7	248	99	32	13	25	7	13	59	21	702	99	533
SUSSEX	861	7	-	3	116	30	24	14	19	4	5	20	16	480	78	359
DISTRICT OF COLUMBIA	8,906	93	26	35	1,413	475	278	140	191	54	44	231	121	4,425	840	3,118
FLORIDA	52,877	224	98	301	8,825	2,632	1,679	726	1,276	452	368	1,692	752	27,796	6,206	19,122
URBAN	33,640	167	69	161	5,739	1,720	1,087	467	816	306	236	1,107	504	18,121	4,120	12,374
RURAL	19,237	57	29	140	3,086	912	592	259	460	146	132	585	248	9,675	2,086	6,748
METROPOLITAN COUNTIES	34,556	156	68	188	6,032	1,805	1,192	499	841	312	242	1,141	500	18,203	3,985	12,653
URBAN	24,631	126	54	109	4,348	1,315	855	350	598	231	172	827	369	13,339	2,994	9,189
RURAL	9,925	30	14	79	1,684	490	337	149	243	81	70	314	131	4,864	991	3,464
NONMETROPOLITAN COUNTIES	18,321	68	30	113	2,793	827	487	227	435	140	126	551	252	9,593	2,221	6,469
URBAN	9,009	41	15	52	1,391	405	232	117	218	75	64	280	135	4,782	1,126	3,185
RURAL	9,312	27	15	61	1,402	422	255	110	217	65	62	271	117	4,811	1,095	3,284
ALACHUA	603	1	-	8	96	27	20	4	16	5	4	20	2	288	84	166
GAINESVILLE	333	1	-	5	55	11	9	4	13	4	4	10	1	158	47	87
BALANCE OF COUNTY	270	-	-	3	41	16	11	-	3	1	-	10	1	130	37	79
BAKER	55	-	-	-	7	2	2	-	2	-	-	1	-	25	6	15
BAY	451	4	1	4	59	11	15	6	8	2	2	15	9	201	46	134
PANAMA CITY	268	3	1	2	34	8	7	3	4	1	1	10	6	133	35	85
BALANCE OF COUNTY	183	1	-	2	25	3	8	3	4	1	1	5	3	68	11	49
BRADFORD	123	1	-	1	20	7	3	-	4	1	2	3	1	53	16	31
BREVARD	826	2	-	3	111	33	13	15	10	7	3	30	17	390	80	279
COCOA	87	-	-	1	10	3	1	-	2	-	-	4	2	42	9	33
EAU GALLIE	80	-	-	-	15	5	2	1	1	1	-	5	2	29	8	18
MELBOURNE	131	-	-	-	25	5	7	3	2	3	-	5	-	57	15	37
BALANCE OF COUNTY	528	2	-	2	61	20	3	11	5	3	3	16	13	262	48	191
BROWARD	3,564	8	5	18	643	209	130	51	89	33	26	105	62	1,834	316	1,343
FORT LAUDERDALE	1,119	3	1	5	192	63	33	17	28	9	4	38	17	610	112	439
HALLANDALE	103	-	-	2	20	5	2	2	8	-	2	1	3	47	12	34
HOLLYWOOD	505	2	-	1	105	32	22	6	13	9	5	18	11	288	61	206
POMPANO BEACH	280	1	1	2	57	20	18	1	5	2	5	6	2	123	22	85
BALANCE OF COUNTY	1,557	2	3	8	269	89	55	25	35	13	10	42	29	766	109	579
CALHOUN	83	-	-	1	11	6	3	-	1	-	-	1	-	52	10	40
CHARLOTTE	229	-	-	1	42	13	7	4	8	5	2	3	5	143	22	112
CITRUS	130	-	-	-	25	6	5	5	5	1	-	3	-	80	18	56
CLAY	152	-	-	2	26	8	5	1	6	1	-	5	4	76	23	43
COLLIER	155	-	-	1	22	4	8	-	3	1	-	6	2	69	14	47
COLUMBIA	234	6	-	2	28	10	3	4	5	2	-	4	2	116	33	76
DADE	9,409	63	21	47	1,736	545	325	163	225	81	72	325	159	4,732	859	3,479
CORAL GABLES	333	5	-	2	54	18	6	6	7	4	2	11	7	185	41	127
HIALEAH	476	3	1	1	96	26	17	7	14	2	9	21	9	219	48	146
MIAMI	3,871	36	14	12	691	207	131	61	96	31	21	144	56	1,954	368	1,408
MIAMI BEACH	1,124	4	2	3	222	77	35	27	25	9	6	43	20	661	86	538
MIAMI SPRINGS	78	1	-	-	14	4	4	1	-	2	2	1	1	42	6	34
NORTH MIAMI	267	-	-	2	56	25	7	3	6	2	4	9	4	154	31	106
NORTH MIAMI BEACH	229	-	-	-	52	21	9	2	5	3	2	10	8	120	14	101
BALANCE OF COUNTY	3,031	14	4	27	551	167	116	56	72	28	26	86	54	1,397	265	1,019
DE SOTO	119	-	-	-	22	4	7	1	2	1	1	6	2	58	16	32
DIXIE	50	1	-	-	11	2	3	1	1	-	-	4	1	20	8	8
DUVAL	3,972	24	20	19	645	159	134	54	108	31	18	141	54	1,931	469	1,272
JACKSONVILLE	2,456	19	16	12	386	102	82	26	62	22	11	81	38	1,245	311	810
JACKSONVILLE BEACH	102	-	1	-	19	4	5	3	4	-	-	3	-	53	12	37
BALANCE OF COUNTY	1,414	5	3	7	240	53	47	25	42	9	7	57	16	633	146	425
ESCAMBIA	1,216	8	1	4	172	33	30	15	37	12	9	36	8	585	122	417
PENSACOLA	543	6	-	1	84	16	16	7	17	9	2	17	3	281	58	201
BALANCE OF COUNTY	673	2	1	3	88	17	14	8	20	3	7	19	5	304	64	216
FLAGLER	71	-	-	-	10	2	4	-	1	1	-	2	-	34	8	21
FRANKLIN	96	-	-	1	16	1	4	3	4	1	-	3	1	45	9	33
GADSDEN	359	-	1	1	40	17	6	3	5	1	1	7	4	158	38	103
GILCHRIST	36	-	-	-	2	1	-	-	1	-	-	-	-	24	3	18
GLADES	24	1	-	1	3	-	-	1	1	-	-	1	-	10	2	8
GULF	66	1	-	-	9	2	3	-	2	-	1	1	1	36	8	27
HAMILTON	86	1	-	2	7	1	2	-	-	1	2	1	1	55	8	44
HARDEE	125	1	2	1	24	9	2	-	6	1	1	5	1	60	22	34
HENDRY	76	-	1	-	10	2	1	3	-	-	-	4	-	31	2	23
HERNANDO	123	-	-	1	26	11	1	2	6	2	1	3	3	62	16	36
HIGHLANDS	305	1	1	4	58	21	17	4	5	1	1	9	6	154	37	105
HILLSBOROUGH	4,131	19	11	31	666	177	139	51	95	36	25	143	63	2,189	513	1,503
PLANT CITY	190	1	1	1	17	3	6	1	3	2	-	2	3	117	36	70
TAMPA	3,168	16	9	22	547	144	116	43	76	27	23	118	52	1,669	391	1,152
BALANCE OF COUNTY	773	2	1	8	102	30	17	7	16	7	2	23	8	403	86	281
HOLMES	126	-	-	2	16	9	1	-	3	-	-	3	-	80	16	57

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
3	141	23	36	10	24	5	2	26	-	4	6	-	14	27	1	27	24	7	6	41	4
32	805	122	154	17	61	51	30	85	19	10	45	-	42	82	8	44	110	33	8	209	5
-	28	1	5	2	2	1	1	3	2	1	2	-	2	-	-	3	1	-	-	3	6
14	406	58	68	10	32	25	16	48	9	6	30	-	14	29	4	22	52	12	6	106	7
18	371	63	81	5	27	25	13	34	8	3	13	-	26	53	4	19	57	21	2	100	8
10	239	44	66	5	24	9	5	32	6	7	6	1	11	28	9	20	32	7	6	74	9
																					10
																					11
85	2,190	518	325	57	163	207	40	347	95	41	245	13	84	474	89	101	312	92	99	801	12
																					13
																					14
491	14,895	1,550	2,186	409	905	828	326	1,673	334	313	610	52	616	1,955	723	1,380	1,811	710	478	4,226	15
																					16
297	9,657	1,060	1,360	272	613	553	189	1,049	215	181	401	29	351	1,048	375	733	1,021	438	307	2,731	17
194	5,238	490	826	137	292	275	137	624	119	132	209	23	265	907	348	647	790	272	171	1,495	18
																					19
338	9,992	1,033	1,290	239	571	571	184	1,078	228	183	431	32	403	1,231	212	832	1,095	495	322	2,867	20
221	7,219	789	960	189	425	411	131	753	168	120	309	20	240	702	153	487	719	344	233	2,038	21
117	2,773	244	330	50	146	160	53	325	60	63	122	12	163	529	59	345	376	151	89	829	22
153	4,903	517	896	170	334	257	142	595	106	130	179	20	213	724	511	548	716	215	156	1,359	23
76	2,438	271	400	83	188	142	58	296	47	61	92	9	111	346	222	246	302	94	74	693	24
77	2,465	246	496	87	146	115	84	299	59	69	87	11	102	378	289	302	414	121	82	666	25
																					26
1	121	22	22	6	22	5	5	18	4	4	8	-	7	43	32	21	18	5	8	40	27
-	64	13	10	3	14	4	3	4	3	3	7	-	7	23	14	11	8	5	4	24	28
1	57	9	12	3	8	1	2	14	1	1	1	-	-	20	18	10	10	-	4	16	29
1	12	-	2	2	-	2	-	6	-	-	1	-	-	5	1	-	2	2	1	5	30
3	87	15	29	4	6	11	-	11	2	-	3	-	13	32	27	14	22	9	7	33	31
3	55	11	16	2	4	7	-	8	2	-	2	-	6	16	17	6	7	4	3	18	32
-	32	4	13	2	2	4	-	3	-	-	1	-	7	16	10	8	15	5	4	15	33
1	24	2	4	1	2	-	3	5	-	-	1	1	4	3	1	5	6	9	2	10	34
10	209	14	46	6	13	8	4	22	8	6	15	-	10	67	9	38	37	13	7	71	35
1	23	6	3	-	-	-	-	4	-	1	1	-	-	8	1	5	3	-	1	8	36
-	13	1	4	2	-	-	1	1	-	-	-	-	3	11	2	9	1	1	-	6	37
3	23	1	10	1	2	2	-	5	2	-	1	-	-	8	2	5	5	1	2	18	38
6	150	6	29	3	11	6	3	12	6	5	13	-	7	40	4	19	28	11	4	39	39
																					40
52	1,069	90	132	33	54	62	26	119	19	29	61	4	36	120	11	73	121	52	43	306	41
8	350	39	42	14	19	19	7	37	3	8	28	-	10	28	4	23	32	16	12	90	42
1	28	1	4	1	-	-	-	2	-	2	3	-	4	5	-	1	3	4	-	7	43
10	172	5	19	4	8	8	1	12	3	1	5	-	1	5	1	8	11	12	2	37	44
2	71	2	10	3	4	5	4	10	2	5	2	1	2	13	2	5	11	6	5	30	45
31	448	43	57	11	23	30	14	58	11	13	23	3	19	69	4	36	64	14	24	142	46
-	33	3	4	1	1	-	-	2	2	-	-	-	1	2	2	1	3	-	-	6	47
-	98	2	12	3	2	4	-	2	2	1	4	-	2	3	5	2	5	3	-	9	48
-	48	3	5	2	2	2	-	3	-	-	1	-	3	3	4	2	4	-	-	5	49
1	33	5	4	3	4	3	-	6	-	1	-	-	4	7	4	1	10	1	2	8	50
2	36	4	5	1	4	2	1	6	1	3	2	-	6	6	14	6	5	-	3	9	51
1	57	7	11	4	-	2	1	7	1	5	2	-	4	6	10	12	8	5	2	18	52
																					53
126	2,809	294	250	51	115	173	55	275	74	36	179	11	113	309	33	222	251	178	106	864	54
3	105	10	9	3	4	7	3	10	1	-	7	1	3	4	2	6	12	7	1	26	55
5	125	12	4	4	9	11	1	9	3	2	13	1	10	16	1	12	10	14	8	48	56
42	1,096	140	130	25	56	75	22	127	32	17	88	6	36	109	7	76	103	65	51	391	57
21	473	23	21	6	8	16	7	23	16	3	10	-	4	10	3	9	21	27	3	83	58
1	30	1	2	-	-	2	-	2	2	-	3	-	-	2	1	2	1	-	-	7	59
6	81	9	10	2	6	6	3	7	2	-	5	1	2	1	-	5	7	5	1	15	60
5	81	7	8	-	2	2	1	6	1	-	3	-	1	6	3	7	8	3	-	11	61
43	818	92	66	11	30	54	18	91	17	14	50	2	57	161	16	105	89	57	42	283	62
-	23	5	4	1	2	5	2	2	2	-	2	-	-	8	4	4	2	2	2	9	63
-	7	1	-	-	2	1	1	4	1	-	1	-	-	2	1	3	1	-	-	4	64
																					65
23	910	203	136	35	72	65	18	123	22	18	36	4	72	225	23	109	174	56	49	368	66
15	540	160	95	24	40	48	12	79	15	12	19	2	39	106	15	59	97	31	39	227	67
1	32	2	2	1	3	-	-	4	-	1	-	-	1	5	-	4	3	1	-	10	68
7	338	41	39	10	29	17	6	40	7	5	17	2	32	114	8	46	74	24	10	131	69
9	337	32	39	7	15	20	4	45	5	12	18	1	24	86	9	60	59	11	13	95	70
3	161	15	22	6	10	5	1	20	3	3	11	1	10	26	4	22	21	3	10	34	71
6	176	17	17	1	5	15	3	25	2	9	7	-	14	60	5	38	38	8	3	61	72
1	14	-	6	1	3	-	1	5	-	-	-	-	1	3	4	3	5	-	-	6	73
1	21	8	3	-	-	2	1	2	2	-	2	-	2	-	4	2	8	1	1	9	74
3	72	15	13	9	2	4	2	17	-	8	1	1	3	32	20	13	35	2	-	23	75
1	15	-	2	-	1	1	1	3	-	-	1	-	-	3	1	-	2	-	-	-	76
-	6	1	1	-	-	-	-	-	-	-	1	-	1	2	2	-	2	-	-	1	77
																					78
																					79
-	22	2	3	-	1	-	-	-	-	-	-	-	1	3	1	1	8	-	1	4	80
-	20	8	16	-	3	-	-	2	1	-	1	-	-	4	3	2	2	-	2	3	81
-	30	1	3	-	3	1	-	4	2	2	2	-	1	2	-	6	5	3	1	8	82
-	20	2	1	2	2	2	-	3	-	1	2	-	-	5	1	9	4	-	3	6	83
2	31	1	2	2	6	2	-	2	-	1	2	-	2	4	6	6	1	-	1	6	84
5	88	3	9	-	4	4	4	8	-	3	-	-	2	9	3	11	7	4	4	30	85
27	1,230	97	149	38	59	49	27	143	22	18	28	6	62	169	66	96	138	50	34	320	86
-	55	5	10	3	3	3	2	3	2	2	2	-	5	8	5	1	5	2	1	14	87
19	935	80	118	26	43	35	22	114	16	12	22	5	46	121	44	62	106	37	28	240	88
8	240	12	21	9	13	11	3	26	4	4	4	1	11	40	17	33	27	11	5	66	89
-	41	4	12	1	2	1	3	3	-	-	1	-	-	7	6	3	2	-	2	4	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
FLORIDA--CON.																
INDIAN RIVER	323	-	-	-	54	18	11	6	6	4	1	8	2	171	34	126
JACKSON	320	-	1	1	39	9	10	2	8	-	3	7	4	192	46	119
JEFFERSON	112	-	-	2	15	4	3	4	1	-	-	3	1	61	14	36
LAFAYETTE	38	-	-	1	4	1	-	-	-	1	1	1	1	21	6	13
LAKE	757	1	1	6	126	50	21	6	12	2	9	26	8	402	81	269
LEESBURG	110	-	-	1	16	5	6	-	-	-	2	3	-	61	14	37
BALANCE OF COUNTY	647	1	1	5	110	45	15	6	12	2	7	23	8	341	67	232
LEE	661	1	1	4	101	27	13	7	13	10	7	24	11	313	70	215
FORT MYERS	324	1	1	1	48	11	8	1	9	4	3	12	4	149	37	101
BALANCE OF COUNTY	337	-	-	3	53	16	5	6	4	6	4	12	7	164	33	114
LEON	520	5	2	-	68	17	9	6	12	3	6	15	6	243	62	163
TALLAHASSEE	338	4	1	-	47	11	6	4	8	2	6	10	2	151	35	104
BALANCE OF COUNTY	182	1	1	-	21	6	3	2	4	1	-	5	4	92	27	59
LEVY	111	-	-	1	12	1	4	1	3	-	1	2	-	53	18	30
LIBERTY	18	-	-	-	3	-	-	2	-	-	-	1	-	9	2	6
MADISON	139	-	2	2	17	7	2	1	3	1	1	2	-	68	9	58
MANATEE	1,056	4	2	4	162	48	26	11	27	7	10	33	20	621	158	420
BRADENTON	401	2	-	2	52	17	10	5	6	3	5	6	8	247	73	154
BALANCE OF COUNTY	655	2	2	2	110	31	16	6	21	4	5	27	12	374	85	266
MARION	591	2	1	5	91	23	19	3	15	6	6	19	4	325	97	206
OCALA	202	-	1	3	32	7	5	2	7	2	2	7	-	105	34	68
BALANCE OF COUNTY	389	2	-	2	59	16	14	1	8	4	4	12	4	220	63	138
MARTIN	231	-	2	1	31	9	7	5	6	1	-	3	4	120	31	78
MONROE	365	1	-	1	57	14	14	6	8	3	2	10	5	174	44	111
KEY WEST	241	-	-	1	37	10	10	2	5	1	1	8	4	115	34	67
BALANCE OF COUNTY	124	1	-	-	20	4	4	4	3	2	1	2	1	59	10	44
NASSAU	143	-	-	1	29	8	7	1	6	1	1	5	3	58	16	37
OKALOOSA	315	2	-	2	36	11	7	1	5	1	1	10	4	140	26	102
FORT WALTON BEACH	58	1	-	2	6	2	1	-	1	-	-	2	-	17	3	12
BALANCE OF COUNTY	257	1	-	-	30	9	6	1	4	1	1	8	4	123	23	90
OKEECHOBEE	59	1	-	-	6	-	-	-	2	-	1	3	1	21	4	16
ORANGE	2,452	8	2	9	388	110	76	32	56	19	20	75	31	1,316	317	897
ORLANDO	1,083	3	1	3	170	44	36	20	19	9	7	35	13	599	162	389
WINTER PARK	253	2	1	1	47	16	5	2	8	2	4	10	5	149	32	104
BALANCE OF COUNTY	1,116	3	-	5	171	50	35	10	29	8	9	30	13	568	123	404
OSCEOLA	331	-	1	1	54	15	4	4	13	7	5	6	1	168	46	107
PALM BEACH	2,685	10	1	15	501	144	117	31	58	26	30	95	47	1,356	356	895
BELLE GLADE	113	1	-	1	12	1	6	-	3	-	-	2	5	43	20	22
BOYNTON BEACH	110	1	-	1	23	4	7	3	1	1	3	4	-	59	16	41
DELRAY BEACH	154	-	-	-	38	15	6	4	4	2	2	5	1	68	20	43
LAKE WORTH	377	1	-	-	71	24	16	5	7	5	2	12	4	218	55	143
RIVIERA BEACH	146	1	-	2	30	10	8	3	2	1	-	6	2	73	18	48
WEST PALM BEACH	779	5	1	4	137	40	37	8	12	9	10	21	13	398	102	258
BALANCE OF COUNTY	1,006	1	-	7	190	50	37	8	29	8	13	45	22	497	125	340
PASCO	508	1	1	2	77	28	12	5	11	2	2	17	6	309	64	221
PINELLAS	6,406	13	5	37	1,173	395	226	95	158	65	34	200	66	3,911	949	2,606
CLEARWATER	574	1	-	6	121	48	25	8	8	5	5	22	6	329	72	231
PINELLAS PARK	128	-	1	-	23	10	2	2	4	3	-	2	2	69	14	48
ST. PETERSBURG	3,479	9	2	13	612	202	117	48	90	32	13	110	41	2,147	544	1,397
BALANCE OF COUNTY	2,225	3	2	18	417	135	82	37	56	25	16	66	17	1,366	319	930
POLK	1,913	8	1	13	311	79	61	32	50	19	13	57	35	969	232	632
BARTOW	126	-	-	1	16	8	1	2	1	-	-	4	1	58	16	33
LAKELAND	532	3	-	2	89	19	13	12	18	7	1	19	15	303	63	215
WINTER HAVEN	198	-	-	1	34	9	5	6	6	3	-	5	1	109	27	66
BALANCE OF COUNTY	1,057	5	1	9	172	43	42	12	25	9	12	29	18	499	126	318
PUTNAM	330	2	2	3	33	13	5	2	5	-	3	5	6	180	30	129
PALATKA	116	2	1	1	12	7	2	-	1	-	-	2	1	64	12	45
BALANCE OF COUNTY	214	-	1	2	21	6	3	2	4	-	3	3	5	116	18	84
ST. JOHNS	332	-	-	1	56	20	6	3	10	5	2	10	4	170	39	105
ST. AUGUSTINE	200	-	-	-	36	12	5	3	3	4	2	7	2	107	24	64
BALANCE OF COUNTY	132	-	-	1	20	8	1	-	7	1	-	3	2	63	15	41
ST. LUCIE	431	4	2	6	75	26	14	6	14	3	3	9	7	194	40	137
FORT PIERCE	297	1	2	6	43	16	5	3	10	2	3	4	7	125	22	90
BALANCE OF COUNTY	134	3	-	-	32	10	9	3	4	1	-	5	-	69	18	47
SANTA ROSA	213	1	-	-	23	5	5	1	1	2	2	7	2	103	26	71
SARASOTA	1,106	3	1	4	202	60	31	25	27	9	8	42	13	625	144	421
SARASOTA	559	1	-	1	100	26	14	12	9	9	5	25	8	327	80	217
BALANCE OF COUNTY	547	2	1	3	102	34	17	13	18	-	3	17	5	298	64	204
SEMINOLE	508	2	2	8	85	28	10	6	14	7	6	14	8	246	58	170
SANFORD	211	-	1	3	30	8	5	-	8	4	3	2	5	111	28	79
BALANCE OF COUNTY	297	2	1	5	55	20	5	6	6	3	3	12	3	135	30	91
SUMTER	154	-	-	1	19	6	3	2	4	-	1	3	3	72	19	47
SUWANNEE	160	1	-	2	16	9	3	-	2	-	-	2	2	88	28	51
TAYLOR	121	-	1	1	20	3	3	-	7	1	3	3	-	71	18	45
UNION	56	2	-	-	1	1	-	-	-	-	-	-	-	33	8	22
VOLUSIA	2,073	10	3	11	341	103	52	26	51	19	15	75	36	1,191	230	860
DAYTONA BEACH	661	1	1	5	86	28	12	8	14	2	4	18	8	388	73	283
DE LAND	185	2	-	-	28	8	6	1	4	1	-	8	2	107	27	68
BALANCE OF COUNTY	1,227	7	2	6	227	67	34	17	33	16	11	49	26	696	130	509

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
5	88	9	24	3	2	4	2	12	1	1	1	-	4	13	7	13	12	3	7	22	4
-	80	11	28	5	13	4	5	10	1	-	3	-	3	10	15	7	7	2	-	25	5
-	15	17	4	6	2	1	2	5	-	1	-	1	-	9	5	1	5	-	-	6	6
-	8	-	5	-	1	-	1	-	-	-	-	-	-	2	2	1	4	-	-	2	7
6	198	31	34	10	26	10	6	24	6	12	9	1	9	18	15	21	26	10	6	56	8
-	30	5	2	2	7	1	-	2	1	-	3	-	3	2	2	4	7	1	-	7	9
6	168	26	32	8	19	9	6	22	5	12	6	1	6	16	13	17	19	9	6	49	10
11	166	13	25	8	5	9	6	16	4	5	6	-	6	24	44	18	26	12	11	58	11
3	77	8	13	5	3	2	1	14	2	3	2	-	4	12	21	8	9	4	8	33	12
8	89	5	12	3	2	7	5	2	2	2	4	-	2	12	23	10	17	8	3	25	13
																					14
3	110	24	26	3	8	3	4	22	4	3	7	-	9	28	24	12	20	9	6	52	15
2	74	15	13	3	6	2	1	16	4	2	3	-	4	22	16	8	13	6	2	37	16
1	36	9	13	-	2	1	3	6	-	1	4	-	5	6	8	4	7	3	4	15	17
1	24	3	2	1	3	1	-	11	-	-	-	-	2	3	2	3	6	1	-	17	18
-	5	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	-	2	19
1	30	8	19	1	-	-	-	6	1	3	1	1	2	6	5	4	8	1	1	11	20
13	320	24	63	8	19	11	5	46	8	9	9	-	5	23	5	18	33	10	7	70	21
1	114	13	26	3	10	4	3	20	2	1	4	-	2	6	3	9	11	2	2	28	22
12	206	11	37	5	9	7	2	26	6	8	5	-	3	17	2	9	22	8	5	42	23
6	161	16	23	5	8	4	5	10	4	4	5	3	3	13	22	18	26	7	7	41	24
3	55	5	5	2	1	-	-	6	1	1	3	1	2	5	9	6	8	2	3	14	25
3	106	11	18	3	7	4	5	4	3	3	2	2	1	8	13	12	18	5	4	27	26
																					27
4	62	4	8	1	6	2	2	6	1	2	4	-	4	9	16	8	6	-	1	16	28
-	92	6	13	5	7	3	4	9	2	2	5	2	4	21	5	21	16	4	2	34	29
-	57	3	7	4	7	1	2	8	2	2	3	1	2	19	3	11	7	2	1	23	30
-	35	3	6	1	-	2	2	1	-	-	2	1	2	2	2	10	9	2	1	11	31
-	23	11	3	1	2	-	2	2	1	1	2	-	1	3	5	8	7	3	1	18	32
-	77	7	18	3	-	4	5	15	1	1	3	-	14	35	9	10	19	10	3	11	33
-	12	-	-	-	-	1	1	5	-	1	1	-	4	5	2	3	5	3	-	3	34
-	65	7	18	3	-	3	4	10	1	-	2	-	10	30	7	7	14	7	3	8	35
-	14	-	2	1	-	-	1	6	-	1	-	-	2	2	1	4	8	-	1	5	36
28	699	69	101	12	43	29	18	102	11	14	27	1	41	107	20	78	82	28	22	165	37
12	309	29	39	6	20	12	10	48	1	3	12	-	14	46	15	30	32	10	12	71	38
2	89	4	9	-	2	10	1	5	3	2	3	-	2	3	1	6	3	3	1	16	39
14	301	36	53	6	21	7	7	49	7	9	12	1	25	58	4	42	47	15	9	78	40
																					41
1	82	6	18	2	6	6	1	11	2	2	2	-	3	8	21	5	13	2	3	34	42
17	746	56	76	13	40	44	8	84	20	30	29	3	23	77	29	82	96	42	24	216	43
-	20	1	1	1	-	-	-	9	-	5	-	-	1	6	1	12	5	1	2	9	44
1	35	2	3	-	1	1	-	3	-	2	-	-	1	2	-	6	5	1	-	6	45
-	37	3	3	1	1	3	-	6	1	1	3	-	-	9	-	3	2	2	2	18	46
2	115	11	15	2	12	5	1	7	6	2	3	-	1	5	3	5	6	7	1	37	47
-	39	4	5	2	1	3	1	4	-	1	2	-	1	2	3	5	5	6	1	8	48
6	206	23	23	2	18	14	4	25	8	3	7	1	7	21	15	16	27	9	4	78	49
8	294	12	26	5	7	18	2	30	5	16	14	2	12	32	7	35	46	16	14	60	50
3	152	28	38	5	8	10	1	12	3	1	5	1	3	10	7	18	18	5	2	27	51
																					52
49	1,994	168	395	47	164	119	26	157	47	23	48	1	26	100	16	92	114	72	22	483	53
7	189	15	20	2	10	13	1	10	3	3	4	-	3	7	-	8	8	8	4	53	54
1	35	6	6	1	2	3	1	2	1	-	-	-	-	5	1	5	-	2	1	16	55
17	1,046	100	234	35	105	53	13	98	29	14	24	-	13	50	5	40	72	35	10	265	56
24	72.	47	135	9	47	50	11	47	14	6	20	1	10	38	10	39	34	27	7	149	57
13	507	41	71	13	33	39	20	62	13	15	16	4	25	78	28	77	70	19	17	152	58
2	28	1	2	-	5	-	4	7	-	4	-	1	1	7	1	5	8	-	1	15	59
5	171	17	22	5	3	11	6	19	1	3	3	2	2	15	5	14	11	2	3	40	60
-	56	3	7	1	6	7	2	4	1	1	3	-	1	9	6	4	5	3	1	15	61
6	252	20	40	7	19	21	8	32	11	7	10	1	21	47	16	54	46	14	12	82	62
																					63
6	71	14	38	3	4	1	13	16	2	5	2	1	2	11	-	12	20	3	6	24	64
3	24	5	13	1	1	1	4	7	-	-	1	-	1	4	-	2	4	2	5	9	65
3	47	9	25	2	3	-	9	9	2	5	1	1	1	7	-	10	16	1	1	15	66
4	67	15	19	4	10	7	5	12	2	2	5	-	7	12	12	3	15	3	3	25	67
4	39	10	11	2	10	6	1	6	1	-	2	-	4	7	5	1	8	2	1	18	68
-	28	5	8	2	-	1	4	6	1	2	3	-	3	5	7	2	7	1	2	7	69
2	107	14	14	5	1	7	4	12	3	8	1	-	12	22	12	13	14	6	7	33	70
2	67	12	9	4	1	4	4	8	1	7	1	-	9	20	11	10	13	3	6	24	71
-	40	2	5	1	-	3	-	4	2	1	-	-	3	2	1	3	1	3	1	9	72
-	67	4	-	-	3	1	2	8	-	3	1	-	2	13	-	9	35	1	3	9	73
																					74
16	356	18	31	10	21	26	3	30	7	4	14	1	9	24	4	29	36	19	1	80	75
7	188	9	13	5	12	12	1	17	2	2	4	-	8	10	2	9	17	9	1	41	76
9	168	9	18	5	9	14	2	13	5	2	10	1	1	14	2	20	19	10	-	39	77
7	131	20	12	3	6	9	-	22	8	-	4	1	4	25	5	11	25	5	6	41	78
3	63	11	2	2	-	2	-	7	2	-	1	1	1	7	1	3	13	2	4	19	79
4	68	9	10	1	6	7	-	15	6	-	3	-	3	18	4	8	12	3	2	22	80
-	35	2	10	-	2	1	3	3	1	2	5	-	2	9	4	7	10	1	-	15	81
1	43	1	6	1	5	1	2	8	-	1	-	-	3	5	5	1	11	1	4	12	82
2	38	4	1	3	1	4	-	7	-	-	-	1	-	8	-	4	1	-	2	5	83
-	18	-	4	-	3	-	-	3	2	-	-	-	1	1	4	1	3	2	-	3	84
																					85
20	705	39	96	14	46	30	11	61	9	9	20	2	11	42	49	41	58	21	7	151	86
10	227	13	33	4	15	6	7	19	2	6	9	-	6	16	12	15	23	5	4	55	87
1	53	6	8	3	7	2	-	6	1	1	1	-	2	2	5	3	5	-	1	19	88
9	425	20	55	7	24	22	4	36	6	2	10	2	3	24	32	23	30	16	2	77	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
FLORIDA--CON.																
WAKULLA	43	-	-	-	7	3	2	-	-	-	-	2	1	22	10	10
WALTON	155	-	-	-	18	2	2	2	7	1	-	4	-	94	26	66
WASHINGTON	146	-	-	1	11	3	1	1	2	-	-	4	2	95	24	63
GEORGIA	36,069	178	58	247	4,602	1,263	747	420	814	192	235	931	544	19,262	5,499	12,062
URBAN	19,890	107	35	133	2,628	730	436	256	463	115	124	504	312	10,577	2,930	6,691
RURAL	16,179	71	23	114	1,974	533	311	164	351	77	111	427	232	8,685	2,569	5,371
METROPOLITAN COUNTIES	15,470	97	23	96	2,166	613	352	207	347	106	110	431	244	8,088	2,154	5,197
URBAN	12,461	77	17	83	1,721	497	291	167	282	85	84	315	199	6,549	1,764	4,189
RURAL	3,009	20	6	13	445	116	61	40	65	21	26	116	45	1,539	390	1,008
NONMETROPOLITAN COUNTIES	20,599	81	35	151	2,436	650	395	213	467	86	125	500	300	11,174	3,345	6,865
URBAN	7,429	30	18	50	907	233	145	89	181	30	40	189	113	4,028	1,166	2,502
RURAL	13,170	51	17	101	1,529	417	250	124	286	56	85	311	187	7,146	2,179	4,363
APPLING	139	-	-	1	13	1	2	1	4	-	1	4	2	80	32	45
ATKINSON	69	-	-	1	4	-	-	-	1	-	-	3	2	34	8	25
BACON	64	1	-	1	7	3	1	-	3	-	-	-	1	31	7	20
BAKER	40	-	-	2	1	1	-	-	-	-	-	-	-	21	7	12
BALDWIN	219	-	1	2	26	9	4	2	5	-	3	3	2	109	32	66
MILLEDGEVILLE	154	-	-	2	18	5	4	2	2	-	3	2	2	73	22	42
BALANCE OF COUNTY	65	-	1	-	8	4	-	-	3	-	-	1	-	36	10	24
BANKS	49	-	-	-	9	3	-	1	2	-	-	3	1	33	11	18
BARROW	137	-	-	-	22	8	2	2	3	1	1	5	1	86	20	57
BARTOW	248	2	1	5	26	6	5	2	4	2	2	5	3	130	42	79
BEN HILL	161	-	-	-	14	5	3	-	5	-	-	1	3	101	33	61
BERRIEN	131	-	-	2	21	6	2	2	5	1	1	4	5	60	10	45
BIBB	1,391	11	4	8	164	40	31	16	21	10	5	41	35	722	170	467
MACON	1,256	10	4	8	147	35	29	14	18	9	5	37	32	652	156	418
BALANCE OF COUNTY	135	1	-	-	17	5	2	2	3	1	-	4	3	70	14	49
BLECKLEY	93	-	-	-	15	4	2	2	4	-	-	3	1	56	16	34
BRANTLEY	60	-	-	-	6	1	3	-	-	-	-	2	1	32	13	18
BROOKS	175	-	1	2	24	4	2	4	4	-	-	10	1	97	32	53
BRYAN	55	-	1	-	8	2	-	1	3	-	-	2	1	28	8	17
BULLOCH	235	1	-	2	20	8	3	4	1	1	-	3	3	120	39	70
BURKE	223	1	-	3	22	6	3	1	7	-	1	4	3	122	47	58
BUTTS	113	-	-	-	11	2	2	1	4	-	1	1	2	64	16	43
CALHOUN	106	2	-	2	17	7	2	-	4	-	1	3	2	44	17	27
CAMDEN	86	1	-	-	16	2	2	2	6	-	-	4	1	33	7	26
CANDLER	80	-	-	1	13	4	1	1	4	1	-	2	2	48	12	32
CARROLL	340	1	-	4	41	13	8	2	10	-	2	6	1	179	50	115
CARROLLTON	102	-	-	2	15	2	4	1	3	-	2	3	1	47	13	30
BALANCE OF COUNTY	238	1	-	2	26	11	4	1	7	-	-	3	-	132	37	85
CATOOSA	140	-	-	2	18	6	4	-	-	1	1	6	1	84	36	44
CHARLTON	57	1	-	1	5	1	3	-	-	-	-	1	-	32	6	25
CHATHAM	1,916	13	4	7	247	77	45	22	33	12	9	49	38	1,071	342	672
SAVANNAH	1,584	12	2	6	198	66	36	18	25	11	7	35	34	888	274	564
BALANCE OF COUNTY	332	1	2	1	49	11	9	4	8	1	2	14	4	183	68	108
CHATTAHOOCHEE	23	1	-	-	5	-	-	-	-	-	2	3	-	9	4	3
CHATTOOGA	178	2	-	2	18	5	4	1	1	1	-	6	2	98	29	54
CHEROKEE	204	-	-	-	24	7	1	2	4	1	1	8	2	114	42	67
CLARKE	384	2	-	2	37	12	10	6	4	-	1	4	7	203	56	124
ATHENS	302	1	-	2	30	11	6	5	4	-	1	3	4	163	47	99
BALANCE OF COUNTY	82	1	-	-	7	1	4	1	-	-	-	1	3	40	9	25
CLAY	64	1	-	-	6	2	1	1	-	-	-	2	-	38	20	17
CLAYTON	275	-	-	2	34	8	3	2	6	1	2	12	2	148	40	96
COLLEGE PARK, PART	29	-	-	-	4	2	-	-	1	-	-	1	-	17	5	10
FOREST PARK	73	-	-	-	9	1	-	2	2	1	1	2	2	35	12	21
BALANCE OF COUNTY	173	-	-	2	21	5	3	-	3	-	1	9	-	96	23	65
CLINCH	63	1	-	-	3	-	1	1	-	-	-	1	-	35	9	24
COBB	752	5	1	4	117	35	15	7	20	4	5	31	10	395	107	249
MARIETTA	223	2	-	3	32	10	4	1	6	2	-	9	5	115	26	72
SMYRNA	86	1	-	1	20	6	2	-	4	-	2	6	-	39	8	29
BALANCE OF COUNTY	443	2	1	-	65	19	9	6	10	2	3	16	5	241	73	148
COFFEE	228	2	-	1	18	5	5	-	3	-	1	4	5	131	29	92
COLQUITT	311	2	-	2	41	10	11	3	7	1	3	6	7	175	45	116
MOULTRIE	155	1	-	1	17	5	3	-	4	-	1	4	6	88	24	54
BALANCE OF COUNTY	156	1	-	1	24	5	8	3	3	1	2	2	1	87	21	62
COLUMBIA	105	-	-	-	12	2	4	-	2	1	1	2	4	44	17	26
COOK	110	1	-	1	13	3	4	2	1	-	-	3	4	59	15	35
COWETA	280	-	-	3	36	11	5	3	8	-	3	6	1	160	46	96
NEWNAN	122	-	-	-	16	5	2	1	4	-	3	1	-	65	21	38
BALANCE OF COUNTY	158	-	-	3	20	6	3	2	4	-	-	5	1	95	25	58
CRAWFORD	48	-	1	-	5	-	-	-	1	-	-	4	1	24	10	14
CRISP	214	-	-	3	23	6	5	1	5	-	-	6	2	115	27	82
CORDELE	139	-	-	2	15	4	3	1	2	-	-	5	2	76	20	52
BALANCE OF COUNTY	75	-	-	1	8	2	2	-	3	-	-	1	-	39	7	30
DADE	60	-	-	-	3	-	1	-	-	1	-	1	1	33	9	21
DAWSON	31	-	-	-	6	3	-	-	-	1	1	1	-	18	8	9

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
–	8	1	1	–	1	1	–	2	–	–	–	–	–	2	1	–	2	1	–	5	4
2	24	14	26	–	1	1	–	8	–	1	–	–	–	6	11	1	8	–	1	7	5
–	49	7	7	1	2	4	1	5	–	–	1	–	–	5	5	3	3	1	1	13	6
																					7
																					8
190	8,453	1,686	1,733	308	609	434	350	1,538	241	204	252	47	498	1,669	534	1,131	1,413	413	479	2,759	9
																					10
112	4,654	1,006	919	152	335	256	213	817	142	92	173	27	294	1,010	290	490	687	214	289	1,573	11
78	3,799	680	814	156	274	178	137	721	99	112	79	20	204	659	244	641	726	199	190	1,186	12
																					13
91	3,687	735	684	122	233	213	169	580	103	62	127	21	257	780	213	415	555	203	231	1,209	14
80	2,921	640	548	92	186	172	146	464	82	45	116	17	201	650	192	291	412	154	194	997	15
11	766	95	136	30	47	41	23	116	21	17	11	4	56	130	21	124	143	49	37	212	16
99	4,766	951	1,049	186	376	221	181	958	138	142	125	26	241	889	321	716	858	210	248	1,550	17
32	1,733	366	371	60	149	84	67	353	60	47	57	10	93	360	98	199	275	60	95	576	18
67	3,033	585	678	126	227	137	114	605	78	95	68	16	148	529	223	517	583	150	153	974	19
																					20
–	34	5	6	–	2	–	1	5	2	2	3	–	1	1	1	7	7	1	2	11	21
1	15	4	5	–	–	1	–	8	–	–	–	–	–	4	1	4	4	–	1	6	22
–	17	3	–	1	1	2	–	3	1	1	1	–	–	3	1	4	6	–	–	3	23
–	7	4	1	–	1	–	1	5	1	1	–	–	2	–	2	2	2	–	–	1	24
–	53	2	11	2	2	1	6	13	2	4	2	–	3	13	1	4	7	4	8	18	25
–	35	–	7	2	2	1	4	10	2	4	1	–	2	9	1	3	6	3	8	10	26
–	18	2	4	–	–	–	2	3	–	–	1	–	1	4	–	1	1	1	–	8	27
–	15	2	1	1	3	–	–	1	–	–	–	–	1	–	1	–	2	–	–	1	28
1	48	2	6	3	4	1	1	5	–	1	–	–	–	3	–	6	5	3	1	4	29
																					30
1	66	5	7	1	5	2	1	12	3	–	–	–	2	11	2	17	11	5	–	18	31
2	37	3	19	1	3	3	–	6	2	1	1	–	2	6	1	5	4	2	1	12	32
–	34	6	5	–	4	1	–	5	1	3	–	–	3	6	1	5	7	–	2	10	33
5	345	57	60	11	50	10	14	46	9	4	13	2	26	75	12	33	49	15	28	135	34
4	311	50	53	10	47	9	12	44	8	4	13	2	22	69	12	28	37	15	28	121	35
1	34	7	7	1	3	1	2	2	1	–	–	–	4	6	–	5	12	–	–	14	36
1	16	7	10	1	4	–	1	1	–	–	–	–	1	6	1	3	2	1	–	6	37
1	7	5	5	–	–	–	1	1	–	1	–	–	1	4	1	4	3	2	–	4	38
–	37	8	8	5	1	1	5	11	2	–	1	–	1	8	1	2	6	2	4	12	39
–	11	3	3	1	–	1	1	4	–	–	–	–	–	4	–	2	1	1	3	2	40
																					41
1	42	9	18	3	6	2	–	7	2	–	2	1	3	7	15	11	12	3	2	24	42
2	37	8	11	5	8	4	–	9	1	2	–	2	5	7	5	7	10	1	4	19	43
–	26	9	8	–	3	1	1	7	–	1	–	–	1	4	–	8	4	1	2	8	44
1	19	2	5	–	–	–	–	6	–	2	–	–	1	2	–	4	7	–	1	16	45
–	17	5	4	–	–	–	–	1	–	–	1	–	3	5	–	3	12	–	–	10	46
–	27	4	1	–	2	1	1	3	1	–	2	–	–	–	1	1	3	–	1	4	47
–	85	10	20	3	7	2	2	7	1	2	2	–	5	11	10	14	16	7	4	35	48
–	21	–	9	1	1	1	1	3	1	1	–	–	3	3	1	5	4	4	–	12	49
–	64	10	11	2	6	1	1	4	–	1	2	–	2	8	9	9	12	3	4	23	50
3	36	2	3	–	2	2	–	3	–	–	–	1	3	5	2	4	5	2	–	10	51
																					52
–	14	2	9	1	–	–	–	–	–	1	–	1	1	4	–	4	1	–	1	5	53
17	472	84	99	6	15	18	18	78	11	7	18	4	22	76	7	49	68	15	24	157	54
16	388	73	87	4	15	16	15	66	10	5	17	4	16	69	7	34	52	11	19	134	55
1	84	11	12	2	–	2	3	12	1	2	1	–	6	7	–	15	16	4	5	23	56
–	1	1	1	–	–	1	1	1	–	–	–	–	–	3	–	1	–	1	–	2	57
2	31	19	2	3	11	1	–	7	2	1	4	–	5	9	2	5	3	1	1	16	58
2	49	7	9	2	1	1	1	12	2	1	–	–	4	8	1	9	9	1	2	15	59
2	94	20	8	4	13	3	3	29	2	2	1	–	8	12	24	12	12	4	4	23	60
1	78	15	5	1	10	3	3	19	2	2	1	–	4	10	18	8	10	3	4	21	61
1	16	5	3	3	3	–	–	10	–	–	–	–	4	2	6	4	2	1	–	2	62
–	13	–	4	–	–	–	1	1	1	–	–	–	–	2	–	2	5	–	–	8	63
																					64
4	67	6	19	1	6	2	3	16	2	2	–	–	3	14	1	19	12	2	1	17	65
–	8	–	2	–	–	1	1	–	–	1	–	–	1	4	–	–	1	–	–	1	66
2	15	1	3	1	1	–	–	3	1	–	–	–	–	7	–	7	2	1	–	6	67
2	44	5	14	–	5	1	2	13	1	1	–	–	2	3	1	12	9	1	1	10	68
–	19	4	1	–	1	1	–	5	1	1	–	–	1	2	–	1	4	1	3	5	69
7	180	29	33	13	15	7	4	22	8	4	2	1	15	41	4	30	27	14	10	42	70
3	44	9	16	7	7	2	1	6	4	1	2	–	6	14	2	7	7	4	3	10	71
4	21	3	1	–	1	–	1	1	1	–	–	–	1	6	–	2	3	1	–	10	72
–	115	17	16	6	7	5	2	15	3	3	–	1	8	21	2	21	17	9	7	22	73
2	74	13	3	1	2	5	2	15	–	–	1	1	3	11	1	9	11	–	3	16	74
3	78	20	15	3	7	2	2	16	2	1	–	–	6	7	5	13	10	5	4	15	75
1	38	7	8	2	6	1	1	7	–	–	–	–	2	3	4	7	7	1	2	9	76
2	40	13	7	1	1	1	1	9	2	1	–	–	4	4	1	6	3	4	2	6	77
																					78
3	17	3	3	–	1	–	–	6	–	2	1	–	1	10	2	4	8	–	1	10	79
2	25	–	8	3	2	3	1	6	2	–	–	–	–	9	–	3	2	1	1	8	80
–	76	6	14	6	4	3	5	15	3	1	–	–	3	4	10	11	10	4	–	19	81
–	29	3	6	1	2	1	2	7	3	–	–	–	2	2	2	6	8	2	–	9	82
–	47	3	8	5	2	2	3	8	–	1	–	–	1	2	8	5	2	2	–	10	83
–	11	1	2	–	–	–	–	3	–	–	–	–	1	1	–	2	3	1	–	6	84
1	58	8	15	–	4	1	1	13	2	3	2	–	4	8	3	5	11	1	3	16	85
1	36	6	9	–	3	1	–	8	2	2	1	–	3	5	–	3	6	1	3	10	86
–	22	2	6	–	1	–	1	5	–	1	1	–	1	3	3	2	5	–	–	6	87
1	16	2	2	1	1	1	–	3	–	–	1	–	2	3	2	3	6	–	–	3	88
–	6	2	1	–	1	–	–	2	–	–	–	–	1	1	–	–	1	1	–	1	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
GEORGIA--CON.																
DECATUR	224	-	1	1	26	8	1	2	4	-	-	11	6	124	37	77
BAINBRIDGE	116	-	1	1	16	5	-	1	2	-	-	8	2	65	19	39
BALANCE OF COUNTY	108	-	-	-	10	3	1	1	2	-	-	3	4	59	18	38
DE KALB	1,688	4	-	14	307	67	47	36	50	18	15	74	23	851	212	550
ATLANTA, PART	603	1	-	7	108	23	15	17	20	8	4	21	9	313	88	196
DECATUR	362	1	-	3	65	16	14	5	10	4	2	14	3	188	48	120
NORTH ATLANTA	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BALANCE OF COUNTY	722	2	-	4	134	28	18	14	20	6	9	39	11	349	76	233
DODGE	169	-	-	1	16	6	6	-	-	-	1	3	-	89	22	50
DOOLY	123	-	-	1	18	8	1	1	6	1	-	1	-	62	16	33
DOUGHERTY	572	4	-	7	72	24	8	5	16	4	4	11	4	292	103	161
ALBANY	485	4	-	7	61	20	8	4	14	4	2	9	4	248	86	139
BALANCE OF COUNTY	87	-	-	-	11	4	-	1	2	-	2	2	-	44	17	22
DOUGLAS	129	1	-	-	10	2	2	1	2	-	1	2	-	82	30	47
EARLY	131	3	-	1	16	2	3	2	4	2	-	3	4	74	28	43
ECHOLS	12	-	-	-	1	1	-	-	-	-	-	-	-	8	1	7
EFFINGHAM	106	1	-	2	10	4	3	-	-	-	-	3	1	64	12	48
ELBERT	170	2	-	-	21	5	2	3	4	-	3	4	7	92	26	58
EMANUEL	170	2	-	1	18	8	2	-	4	2	-	2	2	99	21	73
EVANS	74	-	-	-	11	1	3	2	2	-	1	2	2	27	6	14
FANNIN	112	1	-	2	7	1	1	2	2	-	1	-	2	74	17	54
FAYETTE	77	-	-	-	8	1	2	1	1	-	1	2	2	42	13	26
FLOYD	663	6	3	3	110	27	15	6	26	1	8	27	3	316	89	190
ROME	386	3	1	2	67	16	13	6	15	-	3	14	2	176	46	111
BALANCE OF COUNTY	277	3	2	1	43	11	2	-	11	1	5	13	1	140	43	79
FORSYTH	93	-	-	-	11	5	1	-	4	-	-	1	3	52	12	37
FRANKLIN	165	-	1	-	20	11	2	2	3	-	-	2	8	94	25	62
FULTON	5,641	32	6	34	784	233	130	88	115	38	42	138	85	2,934	778	1,875
ATLANTA, PART	4,836	26	5	28	666	211	115	68	95	34	38	105	71	2,550	685	1,620
ATLANTA, TOTAL	5,439	27	5	35	774	234	130	85	115	42	42	126	80	2,863	773	1,816
COLLEGE PARK, PART	141	-	-	1	24	2	3	2	7	1	-	9	3	66	26	31
COLLEGE PARK, TOTAL	170	-	-	1	28	4	3	2	8	1	-	10	3	83	31	41
EAST POINT	228	3	-	4	32	7	5	10	4	-	2	4	2	115	22	85
HAPEVILLE	89	-	-	-	12	3	1	2	2	-	-	4	-	43	11	32
BALANCE OF COUNTY	347	3	1	1	50	10	6	6	7	3	2	16	9	160	34	107
GILMER	74	-	-	1	12	3	1	-	3	-	4	1	1	38	16	21
GLASCOCK	29	-	-	-	3	2	-	-	1	-	-	-	-	12	4	7
GLYNN	358	-	1	1	54	13	6	3	13	7	3	9	9	178	51	112
BRUNSWICK	237	-	1	1	33	6	4	2	9	5	-	7	8	121	38	74
BALANCE OF COUNTY	121	-	-	-	21	7	2	1	4	2	3	2	1	57	13	38
GORDON	176	1	-	1	22	8	1	4	2	-	3	4	5	92	20	65
GRADY	169	1	-	-	18	7	4	-	2	1	1	3	2	98	30	64
GREENE	132	-	-	3	11	6	2	-	1	-	-	2	1	77	14	58
GWINNETT	355	-	-	3	45	8	3	6	7	2	5	14	1	207	55	134
HABERSHAM	162	1	-	-	24	5	4	2	5	1	1	6	2	85	30	47
HALL	365	1	1	1	40	13	4	5	4	1	1	12	6	198	57	136
GAINESVILLE	160	1	1	1	16	4	2	3	1	-	-	6	3	91	22	68
BALANCE OF COUNTY	205	-	-	-	24	9	2	2	3	1	1	6	3	107	35	68
HANCOCK	106	-	1	-	8	2	1	1	3	-	-	1	1	60	14	35
HARALSON	128	-	1	3	10	4	1	-	3	-	1	1	5	71	21	44
HARRIS	124	-	-	1	16	5	2	-	7	-	-	2	1	72	30	35
HART	147	-	-	-	20	5	2	2	1	3	3	4	1	77	26	46
HEARD	59	-	-	2	6	2	1	1	-	-	-	2	-	36	9	19
HENRY	157	2	-	1	13	4	3	-	2	-	1	3	3	77	28	42
HOUSTON	251	2	1	2	25	6	6	-	7	-	-	6	3	102	27	66
WARNER ROBINS	96	1	-	2	10	2	3	-	4	-	-	1	1	36	14	20
BALANCE OF COUNTY	155	1	1	-	15	4	3	-	3	-	-	5	2	66	13	46
IRWIN	97	1	-	-	15	5	2	2	3	-	1	2	1	50	23	24
JACKSON	195	1	-	5	20	4	3	3	5	1	1	3	1	120	43	68
JASPER	88	-	-	-	9	2	3	1	-	1	-	2	-	50	27	20
JEFF DAVIS	72	-	1	-	10	2	1	2	2	1	-	2	-	40	7	27
JEFFERSON	163	-	-	1	27	6	4	-	7	-	1	9	5	76	28	43
JENKINS	99	-	-	-	10	2	3	1	2	-	-	2	2	51	18	32
JOHNSON	73	1	-	1	13	5	-	1	2	3	1	1	-	37	13	20
JONES	76	-	-	-	10	2	1	1	1	-	-	5	3	41	7	32
LAMAR	117	-	-	2	10	2	1	-	2	-	2	3	-	70	19	36
LANIER	35	1	-	1	4	-	1	-	1	-	-	2	-	21	10	10
LAURENS	366	5	-	-	39	12	10	2	5	-	3	7	6	187	49	119
DUBLIN	185	3	-	-	23	8	4	1	5	-	2	3	3	86	21	56
BALANCE OF COUNTY	181	2	-	-	16	4	6	1	-	-	1	4	3	101	28	63
LEE	49	1	-	1	6	-	3	-	2	-	-	1	-	22	8	10
LIBERTY	120	-	-	2	11	5	-	2	-	-	1	3	4	65	26	37
LINCOLN	47	-	-	-	7	4	-	1	-	-	-	2	-	26	9	15
LONG	42	-	-	-	3	-	2	-	1	-	-	-	-	26	7	19
LOWNDES	419	4	1	1	56	7	13	4	14	2	3	13	5	213	65	125
VALDOSTA	282	3	1	-	40	5	9	-	12	2	2	10	4	151	48	87
BALANCE OF COUNTY	137	1	-	1	16	2	4	4	2	-	1	3	1	62	17	38
LUMPKIN	57	-	1	-	6	1	-	-	3	-	1	1	3	27	6	20
MC DUFFIE	146	-	1	2	15	2	1	4	5	1	-	2	1	81	25	41
MC INTOSH	75	-	1	1	8	4	-	-	1	-	-	3	2	39	12	20

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (545,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	53	11	13	1	6	1	2	7	1	2	3	-	3	12	6	6	9	2	3	12	1
-	27	5	7	1	4	1	1	3	-	-	2	-	-	6	1	4	5	1	3	6	2
-	26	6	6	-	2	-	1	4	1	-	1	-	3	6	5	2	4	1	-	6	3
9	431	53	57	11	26	41	11	51	10	7	8	2	34	82	13	40	52	31	16	143	4
4	160	16	16	4	5	13	7	18	-	4	1	-	8	24	8	13	19	8	5	57	5
3	93	12	12	1	8	9	2	13	4	1	4	2	8	21	2	7	6	5	3	26	6
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
2	177	25	29	6	13	19	2	20	6	2	3	-	18	37	3	20	27	18	8	60	8
-	35	6	9	-	11	6	-	6	-	1	-	-	1	7	11	10	5	5	4	13	9
-	19	6	8	-	5	4	4	3	3	1	1	-	1	6	9	4	3	1	1	9	10
2	111	29	19	4	5	12	7	26	4	2	4	2	15	39	2	18	31	5	8	37	11
2	96	27	14	4	3	12	4	20	4	1	3	-	15	36	2	14	23	3	7	33	12
-	15	2	5	-	2	-	3	6	-	1	1	2	-	3	-	4	8	2	1	4	13
1	32	5	9	-	2	3	-	7	-	1	-	-	2	7	-	3	5	-	1	10	14
-	19	16	8	1	-	2	-	5	-	-	1	1	1	3	1	6	8	-	3	4	15
-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	16
2	37	3	6	2	1	1	-	10	-	2	-	-	-	-	2	3	3	1	1	6	17
-	40	5	13	-	2	2	4	2	-	2	2	1	1	4	3	5	5	2	1	20	18
-	51	11	11	1	4	-	-	5	2	1	-	-	-	7	2	9	4	3	1	14	19
1	9	3	1	1	4	1	1	7	1	2	1	-	1	4	1	3	2	-	1	11	20
2	35	10	7	-	2	1	-	7	-	-	1	1	-	3	2	-	8	-	-	4	21
-	20	-	6	-	2	1	-	5	2	-	1	-	3	1	-	4	2	2	1	4	22
1	139	29	21	9	15	10	3	25	8	4	6	1	15	39	6	17	23	8	9	61	23
1	79	21	10	2	9	5	3	16	5	2	2	1	12	25	5	5	17	4	5	36	24
-	60	8	11	7	6	5	-	9	3	2	4	-	3	14	1	12	6	4	4	25	25
-	22	5	10	-	2	1	-	3	1	-	1	-	3	4	-	2	3	1	-	9	26
-	54	4	4	-	3	1	3	5	-	-	-	-	1	7	1	7	5	3	1	12	27
35	1,293	317	230	50	72	81	78	211	35	11	58	4	85	265	154	122	182	78	109	452	28
30	1,098	289	203	44	60	69	72	182	29	9	53	4	61	221	141	96	154	56	96	388	29
34	1,258	305	219	48	65	82	79	200	29	13	54	4	69	245	149	109	173	64	101	445	30
-	20	5	6	1	5	2	1	2	2	-	1	-	4	7	1	5	5	6	4	10	31
-	28	5	8	1	5	3	2	2	2	1	1	-	5	11	1	5	6	6	4	11	32
2	69	8	6	-	1	3	4	7	1	1	2	-	8	14	7	-	9	2	2	19	33
2	23	5	2	-	-	-	-	5	1	-	-	-	4	8	-	3	2	2	1	8	34
1	83	10	13	5	6	7	1	15	2	1	2	-	8	15	5	18	12	12	6	27	35
1	16	1	3	1	-	-	-	5	-	1	-	-	2	1	2	6	3	-	-	2	36
-	7	-	-	-	-	-	1	4	-	-	-	-	1	1	1	-	1	-	-	6	37
2	62	22	26	5	3	6	1	9	6	1	1	-	3	23	2	13	18	6	4	29	38
1	36	20	17	2	2	4	1	8	2	1	1	-	3	18	2	6	9	4	3	16	39
1	26	2	9	3	1	2	-	1	4	-	-	-	-	5	-	7	9	2	1	13	40
-	43	5	17	3	2	1	1	9	3	-	2	-	1	9	3	11	10	-	-	7	41
1	42	8	13	-	1	2	1	10	1	1	-	-	1	12	2	5	6	2	-	10	42
-	39	10	9	1	4	-	-	7	-	1	-	-	-	8	2	4	7	1	1	9	43
3	113	5	13	5	7	4	2	17	3	2	-	-	4	18	2	10	16	3	4	20	44
1	39	-	7	4	3	1	-	5	1	-	-	-	1	6	-	9	4	3	2	19	45
3	95	22	16	-	3	2	-	13	2	2	6	-	7	10	4	14	23	4	3	30	46
3	45	15	5	-	1	-	-	5	1	-	3	-	4	3	1	5	5	1	3	16	47
-	50	7	11	-	2	2	-	8	1	2	3	-	3	7	3	9	18	3	-	14	48
-	16	12	7	2	2	2	5	7	-	2	-	-	-	8	1	3	3	-	1	11	49
1	28	5	10	1	2	2	1	3	2	-	1	-	-	6	6	4	6	3	1	6	50
-	22	8	5	-	4	3	-	2	1	1	2	-	2	3	1	8	4	1	1	8	51
-	38	5	3	-	3	1	1	3	2	2	1	1	4	8	1	8	6	-	2	11	52
-	13	-	6	-	2	5	1	4	-	1	-	-	3	-	-	2	1	1	1	2	53
1	30	6	5	-	2	3	2	9	2	1	1	-	2	10	2	7	7	3	4	13	54
-	35	10	21	4	3	1	1	13	4	2	2	-	2	27	1	13	25	8	1	18	55
-	16	1	3	-	2	-	-	3	2	-	-	-	-	17	-	6	10	5	-	3	56
-	19	9	18	4	1	1	1	10	2	2	2	-	2	10	1	7	15	3	1	15	57
1	18	2	3	-	1	1	1	4	1	3	-	-	-	4	1	1	4	1	4	7	58
1	58	4	5	2	3	4	-	2	2	2	2	-	-	8	1	8	12	6	1	4	59
-	12	1	7	1	-	-	2	3	-	-	1	-	-	2	2	7	4	1	1	8	60
1	20	1	5	-	3	2	1	4	1	1	2	-	1	3	-	3	4	-	-	2	61
-	29	8	6	-	3	-	2	6	3	2	1	-	-	7	3	5	9	3	2	13	62
-	21	4	7	-	-	1	-	11	-	1	-	-	-	2	7	4	4	1	-	6	63
-	14	3	3	-	4	-	-	2	-	2	1	-	1	3	-	4	2	-	-	6	64
1	19	5	7	-	1	1	-	3	2	-	1	1	1	1	1	1	6	-	2	3	65
-	21	7	8	2	5	5	3	4	-	-	-	-	-	6	-	12	1	3	1	8	66
-	7	1	2	-	1	-	-	2	-	-	-	-	-	1	-	1	1	-	-	3	67
1	62	39	17	7	7	2	3	15	-	-	3	2	5	28	7	10	14	2	6	36	68
1	27	19	9	1	4	1	3	6	-	-	3	2	1	2	17	3	7	6	1	21	69
-	35	20	8	6	3	1	-	9	-	-	-	-	-	3	11	4	3	8	1	5	15
-	8	2	-	1	2	1	-	3	-	1	-	-	-	2	3	3	4	1	-	2	70
1	31	2	3	-	-	2	-	4	-	2	-	-	3	7	-	7	5	1	3	6	71
-	10	3	2	-	-	2	-	2	1	-	-	-	-	2	3	-	-	-	-	6	72
1	15	2	1	-	-	-	-	-	-	-	1	-	2	1	-	2	5	-	-	2	73
3	86	12	24	7	11	3	2	18	2	3	4	-	10	18	9	10	11	6	6	42	74
1	61	9	16	5	8	1	2	13	2	3	3	-	6	8	5	4	6	3	3	27	75
2	25	3	8	2	3	2	-	5	-	-	1	-	4	10	4	6	5	3	3	15	76
-	14	2	4	1	-	-	-	4	-	-	4	-	1	-	-	2	2	-	3	4	77
-	30	4	7	2	6	5	2	8	-	-	-	-	-	16	4	5	3	1	-	9	78
-	15	4	1	1	4	1	1	1	1	-	-	-	-	2	1	7	7	-	-	5	79

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties" include all other counties. Specified urban and rural areas are generally those delineated for the 1960 census (Standard Metropolitan Statistical Areas, urbanized areas, and New England). "Nonmetropolitan counties" include all other counties. Specified urban and rural areas are generally those delineated for the 1960 census (Standard Metropolitan Statistical Areas, urbanized areas, and New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-139)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140,148,156B, 165,19-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
GEORGIA--CON.																
MACON	152	1	-	1	19	5	-	2	6	1	-	5	2	82	25	49
MADISON	117	-	-	-	17	6	-	3	1	2	3	2	2	66	23	43
MARION	39	-	1	-	3	2	-	-	-	-	-	1	-	22	6	14
MERIWETHER	221	1	1	1	28	9	5	2	6	1	2	3	5	130	58	64
MILLER	72	-	-	1	7	2	-	-	2	-	-	1	2	32	9	19
MITCHELL	192	-	-	-	26	8	6	2	4	1	1	4	2	99	35	58
MONROE	109	-	-	-	19	8	2	2	2	1	2	2	1	60	8	50
MONTGOMERY	70	-	-	1	9	3	-	-	2	-	-	4	1	40	16	20
MORGAN	113	-	2	1	18	3	2	1	8	1	2	1	-	60	24	31
MURRAY	99	-	-	3	19	2	3	1	4	-	1	8	2	49	14	32
MUSCOGEE	1,118	3	1	7	159	44	30	14	26	8	12	25	13	595	126	416
COLUMBUS	1,015	3	1	6	141	37	28	12	24	5	11	24	13	545	116	378
BALANCE OF COUNTY	103	-	-	1	18	7	2	2	2	3	1	1	-	50	10	38
NEWTON	229	-	-	3	25	3	5	5	7	-	2	3	2	120	35	70
OCONEE	71	-	-	-	7	2	1	2	-	-	-	2	3	47	14	30
OGLETHORPE	92	-	1	-	14	3	1	1	5	1	-	3	-	49	19	25
PAULDING	121	1	-	-	18	8	1	2	2	1	2	2	2	63	23	37
PEACH	128	1	1	1	12	4	-	2	2	-	-	4	3	60	16	40
PICKENS	64	-	-	-	7	2	-	-	2	-	1	2	1	39	13	23
PIERCE	87	-	-	-	8	2	-	2	2	-	-	2	1	50	8	40
PIKE	84	-	-	-	16	8	5	-	1	-	1	1	2	38	13	21
POLK	299	-	-	1	34	12	1	2	8	3	4	4	-	182	38	129
PULASKI	109	-	-	-	9	3	-	-	4	-	1	1	-	54	14	34
PUTNAM	80	-	1	2	10	3	1	3	1	-	-	2	1	40	8	26
QUITMAN	21	-	-	-	3	1	-	-	2	-	-	-	-	10	6	3
RABUN	72	-	-	-	4	1	-	-	2	-	-	1	-	44	10	28
RANDOLPH	134	-	-	-	18	2	6	3	3	-	1	3	1	78	16	52
RICHMOND	1,149	17	6	6	160	62	25	7	38	4	5	19	23	588	158	379
AUGUSTA	903	11	5	5	123	47	19	4	33	3	3	14	16	474	133	301
BALANCE OF COUNTY	246	6	1	1	37	15	6	3	5	1	2	5	7	114	25	78
ROCKDALE	102	1	-	-	10	1	3	1	2	-	2	1	1	59	6	48
SCHLEY	35	-	-	-	2	-	1	-	-	1	-	-	1	20	9	8
SCREVEN	165	2	-	2	19	3	4	2	5	-	-	5	4	91	28	56
SEMINOLE	62	-	-	-	6	-	1	1	1	1	-	2	-	28	9	17
SPALDING	338	2	2	4	42	10	9	2	7	4	1	9	3	190	62	112
GRIFFIN	232	-	2	3	28	6	5	2	5	2	1	7	2	134	44	79
BALANCE OF COUNTY	106	2	-	1	14	4	4	-	2	2	-	2	1	56	18	33
STEPHENS	164	-	-	1	22	5	2	7	1	2	3	2	2	100	21	66
STEWART	80	-	-	1	6	2	2	-	2	-	-	2	2	42	18	19
SUMTER	296	1	2	3	37	9	11	2	2	1	2	10	3	151	53	86
AMERICUS	174	1	2	1	26	7	8	2	1	1	2	5	2	87	33	47
BALANCE OF COUNTY	122	-	-	2	11	2	3	-	1	-	-	5	1	64	20	39
TALBOT	67	-	-	-	5	-	1	1	1	-	-	2	2	36	18	17
TALIAFERRO	41	-	-	-	3	1	-	1	-	-	1	-	1	26	6	16
TATTNALL	142	1	-	1	20	2	6	1	4	-	1	6	2	73	28	42
TAYLOR	111	1	-	1	11	1	1	1	2	2	1	3	1	60	14	36
TELFAIR	131	-	-	-	11	2	6	1	-	-	-	2	4	83	22	48
TERRELL	148	-	-	1	15	3	3	4	3	-	-	2	4	63	24	33
THOMAS	344	-	-	1	46	12	5	5	12	1	2	9	3	181	46	122
THOMASVILLE	200	-	-	1	32	9	5	2	8	1	2	5	1	102	27	68
BALANCE OF COUNTY	144	-	-	-	14	3	-	3	4	-	-	4	2	79	19	54
TIFT	204	1	2	2	19	4	6	1	3	2	2	1	1	118	43	66
TOOMBS	181	-	-	2	16	3	2	1	3	3	-	4	5	108	38	60
TOWNS	33	-	-	-	6	2	1	-	1	-	1	1	-	17	4	13
TREUTLEN	63	-	-	-	6	1	1	1	2	-	-	1	1	43	10	29
TROUP	503	4	-	8	63	17	12	7	6	3	3	15	2	290	114	165
LA GRANGE	251	3	-	3	37	12	4	4	3	3	1	10	2	138	47	86
BALANCE OF COUNTY	252	1	-	5	26	5	8	3	3	-	2	5	-	152	67	79
TURNER	71	-	-	2	10	3	-	1	3	1	-	2	1	39	8	28
TWIGGS	73	-	-	-	8	2	2	3	1	-	-	-	-	34	7	24
UNION	45	-	-	1	4	1	-	1	1	-	-	1	1	18	8	10
UPSON	214	1	-	1	22	7	4	2	7	1	1	-	6	124	26	85
WALKER	339	5	-	2	47	9	9	4	8	5	4	8	7	174	32	129
WALTON	225	1	-	1	24	4	7	3	5	1	1	3	3	126	42	73
WARE	335	-	1	4	45	12	9	4	11	-	3	6	5	182	23	143
WAYCROSS	246	-	1	4	35	9	5	4	9	-	3	5	2	134	18	106
BALANCE OF COUNTY	89	-	-	-	10	3	4	-	2	-	-	1	3	48	5	37
WARREN	82	-	1	-	6	3	1	1	-	-	-	1	-	53	17	31
WASHINGTON	213	3	-	2	15	3	2	3	3	2	1	1	7	125	34	76
WAYNE	162	-	-	1	29	8	6	-	5	2	2	6	1	88	24	57
WEBSTER	41	-	-	1	5	1	-	1	-	1	-	2	-	17	2	14
WHEELER	47	-	-	-	4	-	1	1	-	-	-	2	1	30	8	20
WHITE	61	-	-	-	8	3	-	-	-	-	-	5	2	34	11	18
WHITFIELD	327	1	-	5	48	11	6	4	9	1	-	17	3	161	38	105
DALTON	138	1	-	1	18	6	2	2	3	-	-	5	3	66	19	42
BALANCE OF COUNTY	189	-	-	4	30	5	4	2	6	1	-	12	-	95	19	63
WILCOX	92	-	-	1	12	4	1	2	1	2	-	2	3	41	14	26
WILKES	133	-	-	-	13	3	2	-	5	-	-	3	1	85	31	48
WILKINSON	101	-	-	1	8	-	3	-	-	-	-	5	3	53	21	28
WORTH	152	1	1	1	17	3	3	1	3	2	2	3	3	88	37	47

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
1	24	21	3	1	6	-	1	10	2	3	1	-	-	7	1	1	7	1	2	12	4
-	26	8	9	-	-	-	-	3	2	1	-	1	-	3	1	5	5	-	2	9	5
-	12	-	2	-	1	-	1	3	-	-	-	-	-	1	-	-	3	-	-	6	6
1	39	14	10	2	3	1	2	10	1	1	3	2	3	4	2	6	8	2	4	9	7
-	15	1	3	1	1	2	-	4	-	3	-	-	-	2	2	2	4	2	2	9	8
1	42	9	6	4	2	-	-	16	-	2	1	1	-	9	6	6	5	3	7	9	9
-	27	10	13	2	-	-	-	2	1	2	-	-	1	6	4	2	3	1	1	6	10
-	14	4	2	-	-	1	3	3	-	1	-	-	-	2	1	1	4	1	3	3	11
3	26	1	1	3	-	2	-	9	2	1	-	-	1	3	-	1	4	-	1	10	12
2	21	6	3	2	1	-	-	1	-	2	-	-	2	3	-	4	5	2	-	7	13
																					14
3	295	66	52	10	15	17	11	37	5	6	8	2	32	74	4	25	41	17	12	77	15
3	265	62	48	10	14	17	10	32	4	5	7	1	29	67	3	23	36	17	12	70	16
-	30	4	4	-	1	-	1	5	1	1	1	1	3	7	1	2	5	-	-	7	17
1	52	11	6	3	4	5	3	12	1	3	-	-	4	18	1	4	11	4	3	18	18
1	21	2	6	-	2	1	-	2	-	-	1	-	-	2	-	-	1	-	2	6	19
-	19	4	2	1	-	1	3	3	-	-	-	-	-	3	3	5	2	2	3	7	20
1	27	2	7	2	1	-	-	8	-	1	1	-	-	4	2	9	4	1	2	5	21
-	26	11	3	-	2	1	1	9	2	-	-	-	3	8	1	8	5	-	2	12	22
-	21	2	-	-	1	1	1	4	-	-	-	-	-	1	1	3	-	-	-	8	23
-	30	6	4	1	1	-	-	3	-	1	1	-	-	8	2	5	3	-	-	5	24
																					25
-	6	9	6	1	3	-	-	3	2	1	-	-	1	6	1	5	3	1	-	5	26
-	96	15	18	4	2	3	6	13	3	1	2	2	5	7	-	13	12	2	3	19	27
1	23	4	6	1	2	-	3	5	1	-	-	-	1	5	10	4	8	2	-	11	28
-	22	2	2	1	3	-	2	3	1	1	-	-	-	3	1	7	3	1	2	4	29
-	1	2	-	-	1	-	-	-	-	-	-	-	-	1	1	1	4	-	-	1	30
-	20	2	6	2	1	1	2	2	-	-	2	-	3	3	1	3	4	-	1	5	31
-	32	7	13	2	4	3	1	6	1	1	1	1	1	4	5	4	4	-	2	7	32
3	250	72	54	5	13	17	16	50	8	13	12	4	15	55	5	40	34	12	16	85	33
3	188	65	45	4	10	13	13	40	6	10	11	4	12	39	5	27	26	10	11	68	34
-	62	7	9	1	3	4	3	10	2	3	1	-	3	16	-	13	8	2	5	17	35
																					36
-	34	7	7	-	3	-	2	2	-	-	1	-	3	5	-	5	4	1	2	8	37
-	4	2	2	1	2	-	-	2	1	-	1	-	-	2	-	1	3	-	1	1	38
-	32	6	16	-	2	2	3	4	-	1	1	-	1	7	5	1	12	2	1	12	39
-	12	2	3	1	1	-	-	8	1	1	-	-	1	2	3	5	1	-	2	4	40
-	94	9	9	-	7	5	4	12	2	-	4	-	6	15	1	10	12	2	2	29	41
-	66	5	8	-	4	5	2	8	1	-	3	-	3	13	-	4	9	-	1	21	42
-	28	4	1	-	3	-	2	4	1	-	1	-	3	2	1	6	3	2	1	8	43
1	45	12	8	1	3	6	3	5	3	-	-	-	2	4	-	8	4	2	3	8	44
-	17	-	2	2	1	1	1	5	1	2	-	-	-	4	-	1	4	-	2	9	45
-	37	18	31	1	6	4	1	12	1	1	3	1	4	7	11	4	12	5	4	34	46
-	19	12	16	1	3	3	1	9	1	1	2	-	1	3	4	1	7	2	1	23	47
-	18	6	15	-	3	1	1	3	-	-	1	1	3	4	7	3	5	3	3	11	48
																					49
-	9	-	8	1	-	-	-	4	1	1	-	1	1	6	-	3	1	-	-	6	50
-	7	4	5	-	3	1	-	2	-	-	-	-	-	2	2	-	1	-	-	4	51
1	34	1	6	1	-	1	1	5	-	1	2	1	-	5	1	4	8	3	3	12	52
1	22	5	8	2	4	2	2	6	-	4	-	-	2	7	2	4	5	-	1	6	53
-	37	8	3	1	5	4	3	3	-	-	1	-	1	3	-	2	3	3	2	15	54
2	17	6	8	1	-	3	2	16	2	3	-	-	-	13	4	5	7	3	1	11	55
4	98	10	10	4	2	3	4	27	2	4	3	-	-	18	1	5	16	2	8	27	56
2	60	2	4	3	2	1	1	15	2	1	3	-	-	9	1	2	12	-	5	14	57
2	38	8	6	1	-	2	3	12	-	3	-	-	-	9	-	3	4	2	3	13	58
4	44	6	12	1	4	2	2	12	3	-	1	-	1	14	3	5	8	2	1	11	59
1	40	11	8	2	3	2	3	11	1	-	1	-	2	6	1	4	10	3	3	8	60
-	13	-	-	-	-	-	-	1	2	-	-	-	-	1	-	2	-	-	3	1	61
-	17	11	1	1	-	2	1	2	-	1	-	-	-	1	1	-	5	1	-	2	62
-	119	19	27	2	1	3	5	23	1	2	1	1	6	19	5	17	20	1	6	34	63
-	59	10	17	1	1	-	3	13	1	1	1	1	3	12	2	7	8	1	1	17	64
-	60	9	10	1	-	3	2	10	-	1	-	-	3	7	3	10	12	-	5	17	65
																					66
-	24	2	2	-	2	1	-	8	-	1	-	-	-	3	-	-	1	2	-	4	67
-	10	7	7	1	-	-	2	4	-	-	-	-	1	6	6	2	5	-	1	6	68
1	5	2	2	-	-	-	-	4	1	-	-	-	1	2	1	-	2	-	-	10	69
1	61	9	14	1	5	4	3	6	2	1	3	-	2	13	1	5	7	2	1	17	70
3	94	6	26	2	6	2	3	12	4	2	2	-	4	11	8	15	18	2	2	24	71
3	59	7	4	1	3	4	3	12	-	1	-	1	2	14	3	4	4	4	7	18	72
1	82	36	24	1	3	4	8	18	2	1	1	-	5	7	2	7	14	2	3	36	73
-	63	29	14	1	2	2	5	13	2	-	1	-	3	5	2	4	8	1	2	29	74
1	19	7	10	-	1	2	3	5	-	1	-	-	2	2	-	3	6	1	1	7	75
																					76
-	26	2	3	-	3	2	-	3	-	-	1	-	-	2	2	5	2	-	-	7	77
-	59	11	6	7	3	1	4	9	1	-	3	1	-	7	2	4	11	-	3	20	78
-	37	15	5	3	4	-	-	6	1	2	1	-	1	9	-	10	4	-	1	8	79
-	11	3	-	1	-	-	-	5	1	-	-	-	-	3	-	3	2	1	1	2	80
-	18	-	2	1	-	1	-	2	-	-	-	-	-	2	1	-	1	1	1	4	81
1	12	1	4	1	-	-	4	1	-	-	1	-	-	3	-	3	2	-	-	6	82
5	77	13	10	5	9	3	1	17	1	3	4	-	4	25	2	9	19	2	1	22	83
1	33	5	3	-	4	1	-	5	1	2	3	-	2	13	1	4	5	2	1	10	84
4	44	8	7	5	5	2	1	12	-	1	1	-	2	12	1	5	14	-	-	12	85
-	13	4	9	-	1	-	-	4	3	-	-	-	3	2	2	2	5	2	1	11	86
-	31	4	13	-	5	-	1	9	-	-	1	-	4	2	2	2	6	3	1	4	87
-	24	-	4	1	1	-	2	9	-	1	2	-	1	4	-	1	3	-	5	10	88
-	29	4	14	1	2	-	1	6	1	2	-	-	-	8	-	9	7	3	-	5	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Urban and rural are based on the 1960 census definitions. Urban includes all places of 2,500 inhabitants or more and the urban fringe of Standard Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neo-plasms (140-149,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
HAWAII	3,532	23	4	16	556	198	104	26	53	22	40	113	78	1,661	317	1,192
URBAN	1,853	13	3	8	306	110	61	16	26	17	20	56	38	872	178	616
RURAL	1,679	10	1	8	250	88	43	10	27	5	20	57	40	789	139	576
METROPOLITAN COUNTIES	2,551	18	3	10	409	140	78	22	35	19	33	82	51	1,136	210	832
URBAN	1,673	12	3	7	284	102	58	15	22	16	19	52	34	765	146	554
RURAL	878	6	-	3	125	38	20	7	13	3	14	30	17	371	64	278
NONMETROPOLITAN COUNTIES	981	5	1	6	147	58	26	4	18	3	7	31	27	525	107	360
URBAN	180	1	-	1	22	8	3	1	4	1	1	4	4	107	32	62
RURAL	801	4	1	5	125	50	23	3	14	2	6	27	23	418	75	298
HAWAII	428	2	-	3	62	24	10	1	10	1	4	12	12	234	63	141
HILO[4]	180	1	-	1	22	8	3	1	4	1	1	4	4	107	32	62
BALANCE OF COUNTY	248	1	-	2	40	16	7	-	6	-	3	8	8	127	31	79
HONOLULU[4]	2,551	18	3	10	409	140	78	22	35	19	33	82	51	1,136	210	832
HONOLULU	1,673	12	3	7	284	102	58	15	22	16	19	52	34	765	146	554
BALANCE OF COUNTY	878	6	-	3	125	38	20	7	13	3	14	30	17	371	64	278
KALAWAO	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
KAUAI	211	-	-	1	34	13	10	1	3	1	2	4	6	102	12	82
MAUI	340	3	1	1	51	21	6	2	5	1	1	15	9	189	32	137
IDAHO	5,587	13	16	20	756	235	98	56	113	40	50	164	82	2,948	614	2,085
URBAN	3,037	8	10	14	418	120	54	29	67	33	26	89	44	1,627	341	1,153
RURAL	2,550	5	6	6	338	115	44	27	46	7	24	75	38	1,321	273	932
NONMETROPOLITAN COUNTIES	5,587	13	16	20	756	235	98	56	113	40	50	164	82	2,948	614	2,085
URBAN	3,037	8	10	14	418	120	54	29	67	33	26	89	44	1,627	341	1,153
RURAL	2,550	5	6	6	338	115	44	27	46	7	24	75	38	1,321	273	932
ADA	765	2	4	3	111	35	13	5	17	11	9	21	9	415	90	292
BOISE CITY	643	2	4	2	87	25	11	4	15	10	5	17	9	356	75	256
BALANCE OF COUNTY	122	-	-	1	24	10	2	1	2	1	4	4	-	59	15	36
ADAMS	33	-	-	-	8	1	-	2	-	1	1	3	-	17	2	14
BANNOCK	352	1	2	2	60	25	7	1	9	3	2	13	7	170	39	116
ALAMEDA	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
POCATELLO	282	-	1	2	52	20	7	1	9	3	2	10	5	132	29	94
BALANCE OF COUNTY	68	1	1	-	8	5	-	-	-	-	-	3	2	37	10	21
BEAR LAKE	54	-	-	-	3	-	-	1	-	-	-	2	1	35	3	28
BENEWAH	76	-	-	-	7	3	-	-	2	-	1	1	-	49	12	35
BINGHAM	210	-	-	-	19	5	2	-	1	1	2	8	5	92	16	65
BLAINE	53	-	-	-	14	3	1	1	2	-	2	5	1	20	6	14
BOISE	17	-	-	-	3	2	-	1	-	-	-	-	1	8	1	5
BONNER	162	1	-	-	17	6	2	2	-	1	1	5	1	97	21	73
BONNEVILLE	276	2	1	1	44	9	3	7	10	2	2	11	4	130	29	93
IDAHO FALLS	210	2	1	-	33	7	1	6	7	2	1	9	4	97	17	73
BALANCE OF COUNTY	66	-	-	1	11	2	2	1	3	-	1	2	-	33	12	20
BOUNDARY	68	-	-	-	5	1	1	1	1	-	-	1	-	39	7	28
BUTTE	32	-	-	-	2	-	-	1	1	-	-	-	-	16	2	12
CAMAS	12	-	-	-	2	1	-	1	-	-	-	-	-	7	2	4
CANYON	540	1	2	1	76	23	12	6	8	5	5	17	3	296	70	199
CALDWELL	157	-	-	-	26	8	3	3	3	4	-	5	1	88	24	54
NAMPA	204	1	1	1	31	9	5	3	4	1	4	5	1	109	20	81
BALANCE OF COUNTY	179	-	1	-	19	6	4	-	1	-	1	7	1	99	26	64
CARIBOU	51	-	-	1	7	2	2	1	1	-	-	1	1	30	10	18
CASSIA	116	-	-	1	13	3	2	-	1	3	1	3	-	57	9	46
CLARK	5	-	-	-	1	-	-	-	-	1	-	-	-	3	1	2
CLEARWATER	66	-	-	-	7	3	1	1	1	-	-	1	1	39	6	29
CUSTER	31	1	-	-	5	2	-	1	-	-	-	2	1	17	2	14
ELMORE	96	-	-	-	10	3	-	3	-	1	1	2	-	32	9	22
FRANKLIN	85	-	-	-	16	5	1	2	5	-	1	2	1	51	11	35
FREMONT	80	-	1	-	8	4	-	-	1	-	2	1	4	42	7	32
GEM	76	-	-	1	8	2	-	2	2	1	-	1	1	38	10	25
GOODING	87	-	-	2	12	6	2	-	1	-	2	1	1	40	6	27
IDAHO	119	-	-	-	21	5	6	1	4	-	1	4	-	66	7	48
JEFFERSON	90	-	-	-	11	5	-	1	-	1	2	2	-	51	7	40
JEROME	89	-	1	-	15	3	4	1	4	1	1	1	4	45	12	31
KOOTENAI	315	-	1	4	46	11	10	6	10	-	2	7	5	180	39	127
COEUR D ALENE	187	-	-	3	30	8	7	2	6	-	2	5	3	105	25	69
BALANCE OF COUNTY	128	-	1	1	16	3	3	4	4	-	-	2	2	75	14	58
LATAH	148	-	-	-	24	11	3	-	4	-	-	6	3	83	17	59
MOSCOW	61	-	-	-	7	2	1	-	1	-	-	3	2	37	9	25
BALANCE OF COUNTY	87	-	-	-	17	9	2	-	3	-	-	3	1	46	8	34
LEMHI	69	-	-	-	9	3	-	1	1	2	1	1	1	43	12	30
LEWIS	35	-	-	-	3	-	1	-	2	-	-	-	1	16	2	14
LINCOLN	24	-	-	-	4	1	-	-	1	-	-	2	-	15	2	11
MADISON	60	-	-	-	5	-	1	-	2	-	-	2	-	34	4	28
MINIDOKA	105	-	-	1	11	3	-	-	-	1	1	6	2	53	10	42
NEZ PERCE	254	-	2	-	27	9	4	2	3	2	2	5	3	129	24	92
LEWISTON	198	-	2	-	19	6	2	2	1	2	2	4	3	104	19	75
BALANCE OF COUNTY	56	-	-	-	8	3	2	-	2	-	-	1	-	25	5	17

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
39	798	239	116	32	43	40	37	144	24	14	49	3	96	240	32	86	164	67	16	259	1
18	434	114	50	22	17	17	22	83	14	8	27	1	49	128	20	36	62	34	10	141	4
21	364	125	66	10	26	23	15	61	10	6	22	2	47	112	12	50	102	33	6	118	5
33	565	163	71	21	21	28	24	105	15	12	33	2	83	206	24	73	120	46	15	190	7
18	390	105	41	18	12	17	18	75	13	8	24	1	47	122	19	34	57	31	10	127	8
15	175	58	30	3	9	11	6	30	2	4	9	1	36	84	5	39	63	15	5	63	9
6	233	76	45	11	22	12	13	39	9	2	16	1	13	34	8	13	44	21	1	69	10
-	44	9	9	4	5	-	4	8	1	-	3	-	2	6	1	2	5	3	-	14	11
6	189	67	36	7	17	12	9	31	8	2	13	1	11	28	7	11	39	18	1	55	12
1	91	23	26	8	13	2	7	16	3	1	7	1	6	14	4	4	19	9	-	31	14
-	44	9	9	4	5	-	4	8	1	-	3	-	2	6	1	2	5	3	-	14	15
1	47	14	17	4	8	2	3	8	2	1	4	1	4	8	3	2	14	6	-	17	16
33	565	163	71	21	21	28	24	105	15	12	33	2	83	206	24	73	120	46	15	190	17
18	390	105	41	18	12	17	18	75	13	8	24	1	47	122	19	34	57	31	10	127	18
15	175	58	30	3	9	11	6	30	2	4	9	1	36	84	5	39	63	15	5	63	19
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	20
-	42	35	5	-	2	4	2	12	2	-	2	-	3	6	4	7	7	3	1	21	21
5	100	18	14	3	7	6	4	11	4	1	7	-	4	14	-	2	17	9	-	17	22
76	1,578	169	262	25	117	67	40	171	39	32	38	5	85	219	58	274	310	85	17	419	25
46	860	100	147	10	68	37	18	87	15	19	29	2	49	116	27	120	141	49	11	251	27
30	718	69	115	15	49	30	22	84	24	13	9	3	36	103	31	154	169	36	6	168	28
76	1,578	169	262	25	117	67	40	171	39	32	38	5	85	219	58	274	310	85	17	419	30
46	860	100	147	10	68	37	18	87	15	19	29	2	49	116	27	120	141	49	11	251	31
30	718	69	115	15	49	30	22	84	24	13	9	3	36	103	31	154	169	36	6	168	32
15	234	13	30	3	14	10	6	18	3	-	5	-	16	31	1	20	34	19	4	70	34
14	204	12	26	3	13	5	4	15	2	-	4	-	13	23	-	18	28	16	3	61	35
1	30	1	4	-	1	5	2	3	1	-	1	-	3	8	1	2	6	3	1	9	36
1	12	-	1	-	1	-	-	2	-	-	-	-	-	-	-	4	2	-	-	-	37
6	88	6	16	2	6	5	2	10	2	4	7	1	8	19	2	21	17	3	1	15	38
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	39
6	70	5	13	1	3	4	1	4	2	3	7	1	8	17	2	19	11	3	1	12	40
-	18	1	2	1	3	1	1	6	-	1	-	-	-	2	-	2	6	-	-	2	41
2	20	1	5	1	3	-	-	1	1	-	-	-	1	3	-	4	2	1	-	2	42
1	32	1	1	-	1	-	1	2	2	1	-	-	-	4	-	1	5	1	1	3	44
1	50	3	11	1	4	4	2	6	2	1	1	-	7	13	6	20	17	4	2	15	45
3	10	-	1	-	-	-	-	1	1	-	-	-	-	1	2	4	2	-	-	7	46
-	3	1	1	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	47
1	48	18	6	-	1	2	-	14	1	-	-	1	2	2	-	5	9	1	-	11	48
2	61	21	9	1	5	-	2	4	3	1	1	-	4	11	4	18	26	6	-	16	49
2	48	16	7	1	4	-	2	3	2	1	1	-	4	9	2	13	18	6	-	14	50
-	13	5	2	-	1	-	-	1	1	-	-	-	-	2	2	5	8	-	-	2	51
1	21	2	4	-	2	2	-	2	-	-	1	-	1	4	-	4	5	-	-	7	52
1	9	-	2	-	1	-	1	1	-	1	1	-	-	-	-	3	2	-	-	6	54
1	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	55
5	153	14	27	1	13	11	2	13	2	4	6	-	13	13	2	21	31	9	1	46	56
1	43	2	8	-	5	5	-	5	-	3	2	-	2	5	1	6	3	3	-	12	57
2	58	7	14	1	4	2	1	5	-	1	4	-	4	3	-	4	14	2	1	22	58
2	52	5	5	-	4	4	1	3	2	-	-	-	7	5	1	11	14	4	-	12	59
1	10	2	5	-	2	-	-	-	1	-	1	-	-	2	-	4	2	1	-	1	60
2	25	5	14	-	-	1	1	2	-	-	-	-	5	11	3	10	2	2	1	9	61
-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	62
1	25	1	2	-	-	3	1	3	1	-	-	-	1	2	-	6	3	-	-	3	63
1	11	-	2	-	-	1	-	1	-	-	-	-	1	2	-	1	2	-	-	-	65
-	19	1	2	-	-	1	-	4	-	-	1	-	3	12	-	17	7	-	2	8	66
3	28	2	2	1	2	2	-	-	2	-	-	1	1	1	-	4	5	-	-	3	67
2	25	1	4	2	-	1	-	1	-	1	-	-	-	3	-	6	6	1	-	7	68
-	18	5	2	1	1	1	-	2	-	1	1	1	-	1	2	5	1	2	-	12	69
1	25	1	-	-	4	3	-	4	1	1	1	-	-	2	-	2	3	1	-	17	70
1	38	5	4	2	7	2	-	4	1	1	-	-	1	5	-	2	8	2	-	8	71
-	21	10	9	1	1	-	2	2	2	-	-	-	1	7	-	2	8	2	-	4	72
-	25	2	4	-	-	1	1	3	1	1	-	-	-	5	2	3	4	1	-	4	73
2	91	12	22	1	5	4	4	10	4	2	-	-	1	7	4	14	10	2	1	24	75
1	41	8	19	-	4	4	3	5	3	1	-	-	-	3	2	6	5	1	-	20	76
1	50	4	3	1	1	-	1	5	1	1	-	-	1	4	2	8	5	1	1	4	77
3	44	4	8	-	7	-	-	4	1	-	-	-	1	2	1	8	5	6	-	10	78
2	15	2	6	-	3	-	-	2	-	-	-	-	1	2	-	1	1	2	-	6	79
1	29	2	2	-	4	-	-	2	1	-	-	-	-	-	1	7	4	4	-	4	80
-	26	-	4	-	1	-	-	1	-	-	-	-	-	-	-	5	4	1	1	4	81
-	11	-	3	-	-	-	-	3	-	-	-	-	-	3	-	4	2	1	-	2	82
-	11	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	1	-	-	2	83
3	17	-	8	-	1	1	-	2	-	-	1	-	2	5	-	1	6	-	-	4	85
3	20	6	13	-	-	-	1	6	-	1	-	-	4	3	2	10	5	1	-	6	86
4	64	10	14	1	4	5	3	10	-	3	6	-	1	7	6	10	20	4	-	26	87
4	55	9	7	1	3	4	2	8	-	2	4	-	-	7	4	10	15	3	-	17	88
-	9	1	7	-	1	1	1	2	-	1	2	-	1	-	2	-	5	1	-	9	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths Numbers under causes of death are category numbers of the Seventh Revipolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
IDAHO--CON.																
ONEIDA	28	-	-	-	3	1	-	1	-	-	-	1	2	15	3	10
OWYHEE	52	-	-	-	7	5	1	1	-	-	-	-	1	23	8	14
PAYETTE	109	1	-	1	20	7	5	-	3	-	-	5	3	59	8	46
POWER	43	-	-	-	6	2	-	1	1	-	-	2	-	19	3	13
SHOSHONE	188	3	1	-	25	9	5	-	1	1	1	8	5	89	21	59
TETON	16	-	-	-	1	-	-	-	1	-	-	-	-	13	-	11
TWIN FALLS	361	1	-	2	41	11	4	2	10	2	7	5	9	217	48	146
TWIN FALLS	190	1	-	2	19	6	1	1	5	2	1	3	5	116	27	76
BALANCE OF COUNTY	171	-	-	-	22	5	3	1	5	-	6	2	4	101	21	70
VALLEY	45	-	-	-	4	1	-	-	2	-	-	1	-	19	5	13
WASHINGTON	94	-	1	-	15	4	5	-	1	-	-	5	1	39	11	23
YELLOWSTONE NATIONAL PARK, PART[5]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS	104,649	535	68	281	16,941	5,881	2,720	1,613	2,405	885	757	2,680	1,655	61,600	10,569	46,452
URBAN	83,912	471	58	228	13,779	4,830	2,271	1,358	1,895	714	580	2,131	1,352	49,100	8,144	37,426
RURAL	20,737	64	10	53	3,162	1,051	449	255	510	171	177	549	303	12,500	2,425	9,026
METROPOLITAN COUNTIES	77,480	434	54	207	12,862	4,510	2,143	1,260	1,726	665	530	2,028	1,286	44,659	7,232	34,293
URBAN	70,750	415	53	191	11,765	4,158	1,974	1,175	1,548	614	476	1,820	1,179	40,883	6,522	31,545
RURAL	6,730	19	1	16	1,097	352	169	85	178	51	54	208	107	3,776	710	2,748
NONMETROPOLITAN COUNTIES	27,169	101	14	74	4,079	1,371	577	353	679	220	227	652	369	16,941	3,337	12,159
URBAN	13,162	56	5	37	2,014	672	297	183	347	100	104	311	173	8,217	1,622	5,881
RURAL	14,007	45	9	37	2,065	699	280	170	332	120	123	341	196	8,724	1,715	6,278
ADAMS	852	3	1	3	127	41	27	7	17	12	6	17	8	524	119	358
QUINCY	618	3	1	3	94	28	22	6	14	10	3	11	6	388	91	262
BALANCE OF COUNTY	234	-	-	-	33	13	5	1	3	2	3	6	2	136	28	96
ALEXANDER	281	3	-	2	34	13	4	2	8	1	1	5	6	165	25	126
BOND	172	3	-	1	25	8	1	3	3	1	2	7	1	110	21	84
BOONE	211	-	-	1	30	13	3	5	5	-	1	3	4	136	25	106
BELVIDERE	149	-	-	-	20	10	1	3	3	-	1	2	4	98	21	73
BALANCE OF COUNTY	62	-	-	1	10	3	2	2	2	-	-	1	-	38	4	33
BROWN	105	-	-	1	11	6	-	3	1	-	-	1	2	66	16	44
BUREAU	406	-	-	2	65	19	11	6	13	3	5	8	7	244	45	172
CALHOUN	72	-	-	-	11	1	2	1	1	2	1	3	1	45	8	33
CARROLL	237	-	-	1	43	15	7	4	2	7	2	6	4	142	25	102
CASS	207	1	1	1	32	11	10	2	4	1	2	2	4	130	28	97
CHAMPAIGN	824	1	2	-	102	39	9	11	11	1	8	23	10	479	98	340
CHAMPAIGN	336	-	1	-	40	15	4	6	3	-	4	8	6	176	24	137
RANTOUL	51	1	-	-	5	3	2	-	-	-	-	-	-	19	5	12
URBANA	168	-	1	-	25	13	-	3	1	-	2	6	2	106	29	67
BALANCE OF COUNTY	269	-	-	-	32	8	3	2	7	1	2	9	2	178	40	124
CHRISTIAN	492	5	-	1	83	28	20	2	14	7	2	10	9	292	52	202
CLARK	206	1	-	-	34	13	6	2	4	3	2	4	2	125	36	79
CLAY	196	-	-	1	19	5	2	5	2	2	2	1	2	137	25	103
CLINTON	233	1	-	-	31	12	3	2	4	-	2	8	2	149	26	113
CENTRALIA, PART	5	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3
BALANCE OF COUNTY	228	1	-	-	31	12	3	2	4	-	2	8	2	144	24	110
COLES	450	3	1	-	64	14	7	4	13	3	4	19	7	273	60	179
CHARLESTON	143	1	-	-	19	4	2	-	6	1	1	5	2	92	20	56
MATTOON	202	1	-	-	33	6	5	3	5	1	2	11	4	114	27	77
BALANCE OF COUNTY	105	1	1	-	12	4	-	1	2	1	1	3	1	67	13	46
COOK	54,681	359	32	135	9,117	3,279	1,528	912	1,203	457	353	1,385	936	31,651	4,776	24,806
ARLINGTON HEIGHTS	204	-	-	3	38	10	2	5	4	1	1	15	5	102	19	79
BELLWOOD	141	1	-	1	17	7	3	3	1	-	1	2	1	78	9	65
BERWYN	657	3	1	4	99	38	22	7	14	4	3	11	10	422	56	340
BLUE ISLAND	206	-	-	-	34	13	4	-	7	1	2	7	2	125	17	101
BROOKFIELD	195	1	-	-	38	10	9	6	4	3	2	4	7	112	15	89
CALUMET CITY	190	1	-	-	38	12	10	3	4	4	2	3	3	93	13	75
CHICAGO, PART	42,574	320	26	98	6,880	2,518	1,158	655	934	349	259	1,007	738	24,811	3,650	19,580
CHICAGO, TOTAL	42,574	320	26	98	6,880	2,518	1,158	655	934	349	259	1,007	738	24,811	3,650	19,580
CHICAGO HEIGHTS	320	1	1	3	50	15	10	3	9	3	3	7	7	162	26	121
CICERO	754	3	-	2	145	53	19	20	16	8	5	24	17	441	77	347
DEERFIELD, PART	3	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1
DES PLAINES	284	1	-	2	39	11	10	4	5	4	1	4	3	159	27	121
DOLTON	92	-	-	-	17	3	2	3	2	-	2	5	2	49	8	37
ELGIN, PART	16	-	-	-	2	-	2	-	-	-	-	-	-	10	2	7
ELMWOOD PARK	214	-	-	-	50	18	6	6	6	1	5	8	4	124	11	104
EVANSTON	890	3	-	1	159	55	31	16	14	8	8	27	17	514	105	356
EVERGREEN PARK	170	2	-	1	31	8	4	8	4	-	2	5	2	103	10	83
FOREST PARK	180	-	-	2	37	9	4	7	10	3	1	3	2	93	12	78
FRANKLIN PARK	116	1	-	-	16	6	3	1	2	-	2	2	4	61	15	44
GLENCOE	59	1	-	-	15	6	5	2	-	1	-	1	1	37	8	24
GLENVIEW	158	-	-	2	39	12	9	4	4	1	2	7	5	79	18	54
HARVEY	282	2	-	1	42	21	7	2	1	2	2	7	4	161	26	127
HINSDALE, PART	13	-	-	-	-	1	-	-	-	-	-	-	-	9	1	8
HOMEWOOD	113	-	-	-	28	11	3	1	6	1	-	6	2	62	17	39
LA GRANGE	189	-	1	-	31	15	4	2	-	3	2	5	2	114	21	82

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
1	8	-	1	-	2	-	-	1	1	-	1	-	1	-	-	-	1	-	-	3	4
1	11	1	1	-	-	-	1	3	-	-	-	-	-	2	1	6	5	1	-	3	5
1	40	3	2	1	3	-	1	6	1	-	-	-	1	4	1	1	2	-	2	7	6
-	8	1	4	1	-	1	1	1	2	-	-	-	1	2	1	3	1	1	-	6	7
-	48	4	7	2	2	2	3	5	-	3	1	-	2	19	-	5	18	5	-	7	8
1	10	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	9
5	126	10	5	2	16	4	1	10	3	3	1	-	3	8	1	14	15	5	1	27	10
4	63	6	3	-	10	3	-	5	-	-	1	-	3	3	1	6	7	3	1	17	11
1	63	4	2	2	6	1	1	5	3	3	-	-	-	5	-	8	8	2	-	10	12
-	10	1	2	-	1	-	-	2	-	-	-	-	1	2	2	2	7	1	-	5	13
-	20	1	2	-	2	-	3	4	1	3	2	1	-	1	15	3	2	1	-	5	14
																					15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
																					17
																					18
996	36,935	3,389	5,132	916	1,994	1,003	666	4,066	782	410	1,360	69	1,114	3,493	402	1,908	2,584	977	568	5,836	19
																					20
809	29,773	2,724	4,120	738	1,463	798	531	3,417	659	332	1,235	55	896	2,899	303	1,257	1,968	763	528	4,612	21
187	7,162	665	1,012	178	531	205	135	649	123	78	125	14	218	594	99	651	616	214	40	1,224	22
																					23
769	27,255	2,487	3,782	635	1,281	752	466	3,234	595	317	1,189	55	865	2,876	276	1,248	1,875	721	526	4,201	24
701	25,057	2,291	3,496	588	1,122	671	435	3,014	553	288	1,131	50	758	2,611	244	1,004	1,668	639	506	3,798	25
68	2,198	196	286	47	159	81	31	220	42	29	58	5	107	265	32	244	207	82	20	403	26
227	9,680	902	1,350	281	713	251	200	832	187	93	171	14	249	617	126	660	709	256	42	1,635	27
108	4,716	433	624	150	341	127	96	403	106	44	104	5	138	288	59	253	300	124	22	814	28
119	4,964	469	726	131	372	124	104	429	81	49	67	9	111	329	67	407	409	132	20	821	29
																					30
2	308	12	36	12	22	4	9	20	10	1	12	-	9	17	5	16	27	12	-	57	31
2	226	8	26	11	15	3	6	14	8	-	8	-	6	11	4	10	16	9	-	37	32
-	82	4	10	1	7	1	3	6	2	1	4	-	3	6	1	6	11	3	-	20	33
2	106	9	9	1	6	3	4	6	1	1	2	1	5	12	6	4	8	5	3	17	34
-	55	8	21	3	1	1	-	4	3	-	-	-	3	-	3	7	2	-	-	10	35
3	85	6	12	2	3	-	-	6	4	1	-	-	2	6	1	7	5	-	-	8	36
1	61	3	8	1	3	-	-	2	3	1	-	-	2	4	1	5	4	-	-	5	37
2	24	3	4	1	-	-	-	4	1	-	-	-	-	2	-	2	1	-	-	3	38
5	31	3	5	1	4	1	-	3	1	-	-	-	-	3	1	2	4	-	-	11	39
																					40
5	133	14	20	3	14	6	4	13	3	2	1	-	4	7	2	13	10	3	-	30	41
1	19	6	7	-	3	1	-	5	-	-	1	-	1	1	-	1	2	1	-	3	42
3	79	8	12	1	8	5	1	6	3	-	-	-	-	6	1	5	8	8	-	10	43
2	85	8	2	-	1	1	3	7	2	1	1	-	2	2	-	-	8	4	1	10	44
8	270	26	36	11	14	10	6	34	3	4	10	-	20	33	2	32	21	5	3	63	45
3	110	10	14	8	4	1	2	16	3	1	3	-	11	15	-	26	7	1	3	27	46
1	9	1	1	-	1	1	-	5	-	1	1	-	4	8	-	2	3	-	-	2	47
1	55	4	7	1	4	3	2	6	-	-	1	-	1	4	1	1	3	2	-	15	48
3	96	11	14	2	5	5	2	7	-	2	5	-	4	6	1	3	8	2	-	19	49
																					50
4	174	12	12	8	20	3	7	16	5	1	4	-	4	16	-	12	14	4	-	26	51
2	58	9	10	1	7	1	1	7	-	3	2	-	1	5	-	3	8	-	-	15	52
2	84	7	10	-	5	4	-	4	1	1	2	-	-	1	1	5	8	1	-	13	53
1	81	11	20	3	5	1	1	6	3	1	1	-	3	7	1	11	4	1	-	12	54
-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
1	79	10	20	3	5	1	1	6	3	1	1	-	3	7	1	11	4	1	-	12	56
2	143	18	16	5	12	5	12	8	2	3	3	-	5	13	-	18	14	2	1	33	57
1	47	1	7	3	3	2	8	-	-	-	2	-	2	2	-	6	5	-	1	11	58
-	62	9	6	1	6	1	2	5	2	2	-	-	2	7	-	8	8	2	-	14	59
1	34	8	3	1	3	2	2	3	-	1	1	-	1	4	-	4	1	-	-	8	60
																					61
538	19,753	1,735	2,780	436	812	484	337	2,549	446	226	958	36	543	1,960	163	617	1,251	473	436	2,793	62
1	56	3	19	-	3	1	-	6	2	1	3	-	4	10	1	6	7	2	1	13	63
4	52	7	2	-	1	3	-	6	-	1	3	-	4	10	-	2	3	3	1	10	64
9	287	21	23	6	9	3	8	18	7	5	6	-	9	15	-	6	14	7	-	31	65
-	88	6	7	3	2	2	-	5	2	2	3	-	1	13	1	-	7	2	-	9	66
2	62	13	12	2	3	3	-	8	2	-	-	-	3	5	-	6	4	2	-	7	67
2	63	5	5	-	2	1	2	6	4	1	3	-	5	13	2	2	8	1	1	9	68
375	15,496	1,362	2,347	334	616	362	269	2,141	345	155	795	30	357	1,469	123	411	993	342	401	2,139	69
375	15,496	1,362	2,347	334	616	362	269	2,141	345	155	795	30	357	1,469	123	411	993	342	401	2,139	70
1	97	13	10	2	8	3	2	17	3	3	8	-	1	18	2	10	10	2	3	19	71
																					72
7	304	19	17	1	5	3	8	26	6	2	12	-	6	26	3	3	15	10	2	35	73
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	74
5	94	6	16	-	7	4	-	16	2	2	3	-	11	9	1	9	13	2	-	12	75
-	31	3	3	1	3	-	-	3	2	1	2	1	2	7	-	2	1	1	-	2	76
-	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	77
3	84	10	7	3	2	2	2	1	1	4	2	-	3	9	-	1	3	1	1	10	78
9	283	30	34	12	23	17	1	24	4	7	12	-	6	23	4	5	18	14	3	76	79
4	69	3	7	2	4	2	2	4	-	1	4	-	2	6	-	3	4	1	-	6	80
3	66	4	5	-	-	1	2	7	1	1	4	-	1	10	-	1	5	2	-	14	81
																					82
2	39	2	1	-	1	-	1	7	-	1	1	-	4	9	-	2	3	2	1	4	83
-	21	1	2	3	-	1	1	-	-	-	1	-	-	1	-	-	1	1	-	1	84
7	42	3	2	-	5	1	1	1	2	1	1	-	5	8	-	-	5	3	-	7	85
5	104	14	4	3	1	2	2	13	5	2	3	-	2	19	2	4	1	2	1	18	86
-	6	-	2	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	87
1	30	5	3	2	3	-	1	2	1	1	1	-	1	1	-	1	4	2	-	7	88
5	64	7	6	1	7	3	-	6	-	1	1	-	5	5	1	3	3	2	-	14	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties" include all standard metropolitan statistical areas and New England counties in standard metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
ILLINOIS--CON.																
COOK--CON.																
LA GRANGE PARK	111	-	-	1	23	7	4	4	2	3	1	2	2	74	12	58
LANSING	108	-	-	1	17	7	3	2	2	2	-	1	2	55	10	35
LINCOLNWOOD	75	-	-	-	16	4	2	2	2	1	-	5	5	46	10	31
MARKHAM	58	-	-	-	12	4	1	3	1	-	-	3	-	24	4	19
MAYWOOD	256	-	-	-	46	13	8	8	5	2	2	8	6	144	20	117
MELROSE PARK	200	4	-	1	36	12	7	2	7	-	2	6	1	102	15	78
MORTON GROVE	92	-	-	-	15	8	2	-	1	-	1	3	2	54	9	42
MOUNT PROSPECT	123	1	-	-	25	11	4	4	2	-	-	4	-	58	12	42
NILES	126	-	-	-	24	9	3	3	3	2	1	2	2	75	11	54
NORRIDGE	79	-	-	-	12	4	3	1	-	1	-	3	2	47	9	37
NORTHBROOK	75	-	-	-	17	6	2	1	1	1	1	5	-	39	11	28
NORTHLAKE	66	-	-	-	12	3	1	2	-	2	-	4	3	30	3	25
OAK LAWN	288	1	-	2	46	17	9	2	7	2	3	6	3	155	26	117
OAK PARK	820	2	-	-	157	64	28	11	21	7	9	17	13	523	110	383
PALATINE	92	-	-	-	20	9	2	2	1	1	-	5	2	44	6	31
PARK FOREST, PART	85	1	-	-	19	3	1	5	1	1	1	7	-	33	5	25
PARK FOREST, TOTAL	89	1	-	-	19	3	1	5	1	1	1	7	-	37	5	28
PARK RIDGE	248	-	1	2	47	11	12	7	9	3	-	5	2	153	29	115
RIVERDALE	100	-	-	-	21	6	2	3	3	2	-	5	-	56	3	50
RIVER FOREST	120	-	-	-	20	5	5	4	1	2	1	2	1	88	18	66
ROLLING MEADOWS	44	-	-	-	8	3	1	2	-	-	-	2	-	23	4	17
SKOKIE	359	-	-	-	90	21	17	16	6	5	3	22	3	209	27	166
SOUTH HOLLAND	69	-	-	-	11	3	4	2	-	-	1	1	1	40	5	34
SUMMIT	107	1	-	-	16	7	2	1	1	1	1	3	-	58	17	37
WESTCHESTER	100	-	-	-	25	5	5	4	4	2	-	5	2	51	7	41
WESTERN SPRINGS	61	-	-	-	17	5	3	-	3	-	1	5	2	38	7	31
WILMETTE	223	-	-	2	46	17	9	4	6	4	2	4	6	130	24	92
WINNETKA	104	-	1	-	24	8	1	7	1	1	1	5	-	61	9	44
BALANCE OF COUNTY	2,472	9	1	6	450	156	60	52	66	14	16	86	38	1,317	188	1,029
CRAWFORD	255	-	-	-	32	17	4	1	4	1	2	3	2	173	29	129
CUMBERLAND	117	-	-	1	14	7	2	2	2	-	-	1	4	79	26	48
DE KALB	474	-	2	1	78	32	5	10	11	4	2	14	7	286	57	209
DE KALB	138	-	1	1	27	14	1	1	3	2	2	4	1	84	16	60
BALANCE OF COUNTY	336	-	1	-	51	18	4	9	8	2	-	10	6	202	41	149
DE WITT	226	-	-	-	31	11	7	2	5	2	1	3	2	151	35	105
DOUGLAS	200	-	-	1	20	7	4	2	2	1	2	2	2	139	24	101
DU PAGE	2,048	-	1	13	372	123	54	49	51	17	18	60	33	1,117	223	815
CHICAGO, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DOWNERS GROVE	166	-	-	-	25	8	5	2	6	2	-	2	1	98	22	73
ELMHURST	300	-	1	3	59	22	8	6	8	3	1	11	3	184	42	130
GLEN ELLYN	137	-	-	1	27	9	1	5	3	1	1	7	4	68	21	42
HINSDALE, PART	105	-	-	2	22	7	3	5	-	1	1	5	1	66	9	51
HINSDALE, TOTAL	118	-	-	2	22	7	3	5	-	1	1	5	1	75	10	59
LOMBARD	157	-	-	1	28	8	2	5	5	2	2	4	4	85	14	65
NAPERVILLE	91	-	-	-	20	6	3	4	2	1	3	1	-	42	7	31
VILLA PARK	131	-	-	-	21	9	3	4	1	2	-	2	2	67	9	52
WHEATON	139	-	-	2	21	6	2	2	4	-	1	6	2	84	27	49
BALANCE OF COUNTY	822	-	-	4	149	48	27	16	22	5	9	22	16	423	72	322
EDGAR	300	-	-	1	43	11	6	4	11	4	-	7	5	192	57	115
EDWARDS	92	-	-	-	20	6	-	2	5	2	2	3	5	48	11	34
EFFINGHAM	219	-	-	2	36	9	4	2	7	2	3	9	4	121	28	80
FAYETTE	248	-	-	-	30	5	3	7	9	4	2	-	3	162	35	114
FORD	175	1	-	-	32	10	2	2	7	2	2	7	1	95	15	72
FRANKLIN	600	5	1	-	102	30	17	9	16	4	6	20	10	386	48	320
FULTON	538	2	-	-	59	20	13	3	7	1	3	12	10	357	75	246
CANTON	188	-	-	-	20	6	4	1	3	-	-	6	4	125	21	91
BALANCE OF COUNTY	350	2	-	-	39	14	9	2	4	1	3	6	6	232	54	155
GALLATIN	135	2	-	1	16	4	1	1	4	-	1	5	2	85	24	57
GREENE	247	4	-	-	32	14	6	1	2	-	-	9	2	169	49	105
GRUNDY	222	1	-	2	35	14	4	3	7	-	2	5	4	136	37	90
HAMILTON	132	1	-	-	18	7	2	2	1	1	4	1	1	90	13	74
HANCOCK	316	1	-	-	46	12	5	2	12	2	3	10	6	204	46	140
HARDIN	73	1	-	-	10	4	2	-	1	-	2	1	-	45	17	25
HENDERSON	84	-	-	-	14	2	2	1	-	1	1	7	2	43	11	30
HENRY	548	4	1	2	81	29	11	7	16	6	3	9	6	337	68	236
KEWANEE	210	4	-	1	32	12	4	2	7	3	2	2	2	130	27	89
BALANCE OF COUNTY	338	-	1	1	49	17	7	5	9	3	1	7	4	207	41	147
IROQUOIS	381	3	-	1	60	19	7	10	8	3	1	12	4	240	38	187
JACKSON	456	1	-	4	80	20	17	7	16	6	-	14	10	268	59	178
CARBONDALE	138	1	-	-	32	8	5	3	8	3	-	5	2	76	27	47
BALANCE OF COUNTY	318	-	-	4	48	12	12	4	8	3	-	9	8	192	32	131
JASPER	154	1	-	-	23	6	2	2	4	2	1	6	4	88	8	74
JEFFERSON	375	2	-	1	49	19	8	2	12	1	1	6	4	214	42	154
MOUNT VERNON	215	2	-	1	27	9	3	1	8	1	1	4	3	120	23	90
BALANCE OF COUNTY	160	-	-	-	22	10	5	1	4	-	-	2	1	94	19	64
JERSEY	149	1	-	2	25	8	1	2	5	-	1	8	1	84	16	62
JO DAVIESS	280	2	-	-	48	14	7	3	7	6	3	8	7	171	44	111
JOHNSON	109	-	-	2	12	6	-	1	1	-	-	4	3	67	8	55

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
5	43	4	6	-	2	2	-	2	1	-	-	-	2	1	-	1	-	-	-	4	5
-	30	1	4	1	6	2	1	5	2	2	2	1	5	7	-	5	1	-	1	2	6
1	28	2	-	-	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	5	7
-	14	1	4	-	1	-	-	7	1	-	2	-	1	3	-	5	2	-	-	1	8
7	83	16	11	4	1	1	1	11	4	1	2	-	2	9	1	8	3	1	1	17	9
5	58	4	11	1	3	3	2	8	2	1	2	-	4	9	3	5	8	3	-	13	10
-	39	2	1	1	2	-	-	1	-	1	2	-	2	5	-	-	2	1	-	7	11
1	34	2	5	1	1	2	-	4	2	1	1	-	3	16	-	2	6	1	-	4	12
5	48	1	-	-	1	7	2	5	2	1	-	-	5	3	-	2	2	-	-	5	13
-	34	3	-	-	1	-	-	1	3	1	1	-	-	3	-	2	3	-	-	4	14
																					15
1	22	1	4	-	-	-	-	1	-	1	2	-	1	3	-	1	4	2	-	4	16
-	22	-	3	-	-	1	1	4	-	-	1	-	2	3	-	1	2	1	-	6	17
5	87	10	15	5	4	3	-	8	3	2	10	1	7	19	-	4	6	2	3	16	18
11	297	34	41	7	14	4	5	20	7	4	11	-	5	13	1	8	6	6	-	44	19
2	25	1	3	2	3	2	-	-	-	1	3	-	-	6	1	2	1	3	1	8	20
2	19	2	2	-	1	2	-	4	1	-	-	-	3	8	1	2	1	3	-	9	21
2	22	2	2	-	2	2	-	4	1	-	-	-	3	8	1	2	1	3	-	9	22
2	100	4	9	3	6	-	-	9	1	1	5	-	2	5	1	3	6	2	-	8	23
3	44	2	1	2	1	-	-	8	2	-	1	-	-	4	-	2	3	2	-	1	24
3	46	5	12	1	1	1	1	1	1	-	3	-	-	-	1	1	1	1	-	2	25
																					26
-	14	1	2	-	-	1	1	2	-	-	1	-	2	4	-	1	1	1	-	1	27
9	136	6	15	3	9	3	1	7	2	4	2	-	4	8	1	6	2	4	-	17	28
-	24	5	5	1	-	-	-	3	-	-	2	-	3	3	1	1	-	-	-	4	29
1	33	-	3	2	2	-	-	3	-	1	3	-	1	7	3	2	4	3	-	5	30
-	37	2	2	1	1	-	1	2	-	1	3	-	2	3	1	1	4	1	-	4	31
2	27	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	3	32
2	70	12	8	3	6	2	3	9	5	-	4	-	2	-	1	3	-	2	-	13	33
-	38	1	5	2	3	3	-	3	-	1	2	-	2	-	-	1	3	-	-	6	34
26	856	73	74	20	35	29	16	101	18	12	24	3	51	131	7	68	57	29	15	135	35
																					36
-	109	8	12	3	5	1	6	4	2	2	-	-	4	3	-	6	9	1	-	17	37
-	43	4	1	-	3	-	2	-	1	1	-	-	1	5	-	1	1	2	-	7	38
3	186	8	12	3	10	3	4	22	4	2	2	-	5	8	3	13	10	2	-	31	39
2	53	2	3	2	3	2	1	5	2	1	1	-	2	1	-	3	2	1	-	7	40
1	133	6	9	1	7	1	3	17	2	-	1	-	3	7	3	10	8	1	-	24	41
1	69	11	24	4	3	4	-	5	2	1	-	-	1	7	-	6	3	2	-	15	42
2	57	18	24	2	4	4	4	6	3	-	-	-	2	6	2	4	4	3	-	8	43
																					44
30	613	51	121	13	32	24	10	56	8	7	26	3	38	88	10	64	61	24	5	122	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
3	54	5	11	1	-	2	-	3	1	-	2	-	3	6	1	5	3	5	-	13	47
-	101	10	19	1	7	3	1	4	1	-	3	-	5	10	1	4	7	3	1	11	48
3	35	2	2	1	2	1	1	2	-	-	1	-	3	7	-	5	7	1	1	10	49
4	37	2	8	3	2	1	-	1	-	-	2	-	-	-	-	3	3	2	-	3	50
4	43	2	10	3	2	1	-	3	-	-	2	-	-	1	-	4	3	2	-	3	51
-	45	2	18	1	2	2	1	3	1	-	1	-	6	7	2	5	3	1	-	10	52
-	27	3	1	1	1	1	1	7	-	1	-	-	1	7	1	1	3	-	-	8	53
3	36	3	10	-	2	2	2	5	1	-	5	1	3	6	2	-	5	2	-	11	54
2	35	3	9	-	4	2	2	3	1	-	1	1	1	6	1	5	4	2	-	5	55
15	243	21	43	5	12	10	2	28	3	6	11	1	16	39	2	36	26	8	3	51	56
																					57
2	85	7	21	3	9	3	5	8	2	-	1	-	2	6	1	10	6	2	-	21	58
-	28	5	1	1	2	-	-	-	1	1	-	-	1	4	1	2	5	-	-	4	59
1	56	5	18	1	6	2	4	6	2	1	2	-	4	7	2	7	6	2	-	17	60
1	88	5	20	1	9	-	3	9	3	-	2	-	1	6	-	6	7	1	-	18	61
-	59	4	9	1	4	2	1	8	-	-	-	-	1	7	1	10	5	-	-	11	62
6	256	38	20	1	14	3	-	16	-	3	2	-	6	4	1	10	18	5	2	29	63
6	193	15	32	10	20	4	2	17	3	2	3	1	5	6	2	22	10	5	-	34	64
1	76	7	7	-	11	1	1	6	-	2	2	-	2	2	-	8	6	2	-	9	65
5	117	8	25	10	9	3	1	11	3	-	1	1	3	4	2	14	4	3	-	25	66
-	38	9	10	-	2	1	1	3	1	-	2	-	-	3	1	2	9	1	-	7	67
																					68
3	76	13	13	3	8	4	-	13	2	1	1	-	1	2	3	2	5	1	-	9	69
4	74	5	7	5	-	3	1	5	1	1	-	-	-	8	2	7	6	-	-	14	70
-	43	17	14	2	-	1	-	2	1	-	-	-	1	4	-	4	2	2	-	6	71
3	123	2	12	3	9	5	1	8	1	1	1	-	1	10	1	9	6	4	1	16	72
-	22	1	2	-	2	-	1	3	1	1	1	-	-	3	-	4	2	-	-	2	73
1	23	1	5	1	-	-	1	1	1	-	-	-	1	-	-	13	3	-	-	6	74
4	205	7	20	9	19	3	2	14	3	-	4	-	7	20	-	18	11	6	2	32	75
-	78	4	7	4	8	-	2	9	1	-	1	-	1	7	-	4	3	2	1	12	76
4	127	3	13	5	11	3	-	5	2	-	3	-	6	13	-	14	8	4	1	20	77
5	140	13	29	3	6	3	3	19	5	1	4	1	2	7	1	8	4	1	-	20	78
																					79
2	151	12	13	12	9	7	3	12	3	3	2	1	6	8	1	6	10	5	2	34	80
-	42	1	4	1	1	-	-	4	2	1	-	1	1	3	-	3	-	2	1	9	81
2	109	11	9	11	8	7	3	8	1	2	2	-	5	5	1	3	10	3	1	25	82
1	61	6	6	3	2	-	1	3	1	1	1	-	-	5	1	5	6	-	-	15	83
4	113	8	29	-	8	-	10	11	4	1	3	-	7	12	13	11	8	5	-	30	84
2	69	6	13	-	4	-	3	8	4	1	1	-	4	9	4	6	2	1	-	22	85
2	44	2	16	-	4	-	7	3	-	-	2	-	3	3	9	5	6	4	-	8	86
1	47	5	9	1	4	1	-	7	1	-	-	-	2	4	1	5	6	1	1	8	87
4	81	7	19	2	8	6	-	7	2	-	-	-	1	4	-	9	8	5	-	16	88
-	49	5	1	-	2	1	1	6	-	-	-	-	1	4	-	4	1	1	-	8	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156a,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156b, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
ILLINOIS--CON.																
KANE	1,873	1	-	4	304	98	42	28	41	18	15	62	31	1,067	209	775
AURORA	705	-	-	1	100	32	14	4	13	9	4	24	6	424	86	301
CARPENTERSVILLE	73	-	-	-	11	3	4	1	-	-	1	2	1	26	5	19
ELGIN, PART	522	1	-	1	93	28	13	13	14	3	4	18	9	310	51	237
ELGIN, TOTAL	538	1	-	1	95	28	15	13	14	3	4	18	9	320	53	244
BALANCE OF COUNTY	573	-	-	2	100	35	11	10	14	6	6	18	15	307	67	218
KANKAKEE	779	5	-	4	125	47	16	18	21	4	3	16	14	444	52	356
KANKAKEE	344	2	-	3	58	20	7	10	6	2	2	11	6	207	28	162
BALANCE OF COUNTY	435	3	-	1	67	27	9	8	15	2	1	5	8	237	24	194
KENDALL	165	-	-	-	26	11	5	1	2	4	1	2	-	88	14	66
KNOX	648	-	-	1	98	30	12	7	20	4	5	20	10	417	76	312
GALESBURG	393	-	-	-	64	22	7	4	11	2	3	15	8	236	41	180
BALANCE OF COUNTY	255	-	-	1	34	8	5	3	9	2	2	5	2	181	35	132
LAKE	2,121	10	2	8	373	124	76	35	44	24	11	59	27	1,176	200	876
DEERFIELD, PART	59	-	-	-	8	1	-	-	3	-	-	4	-	39	10	23
DEERFIELD, TOTAL	62	-	-	-	8	1	-	-	3	-	-	4	-	42	12	24
HIGHLAND PARK	193	-	1	-	38	11	6	3	10	1	1	6	3	113	18	88
LAKE FOREST	81	-	-	-	15	6	4	2	2	-	1	-	-	47	5	39
MUNDELEIN	48	-	1	-	8	6	1	-	-	1	-	-	3	23	-	20
NORTH CHICAGO	114	1	-	1	27	8	4	4	2	2	2	5	2	58	12	38
WAUKEGAN	536	3	-	3	94	36	18	13	9	4	3	11	6	293	52	213
ZION	114	-	-	2	11	3	2	1	1	3	-	1	-	69	18	47
BALANCE OF COUNTY	976	6	-	2	172	53	41	12	17	13	4	32	13	534	85	408
LA SALLE	1,255	4	1	5	223	73	27	27	34	14	16	32	13	746	170	516
LA SALLE	183	1	-	-	34	13	4	1	4	3	3	6	2	109	26	74
OTTAWA	242	2	-	-	47	16	6	8	6	3	1	7	2	134	40	88
PERU	122	1	-	-	21	5	2	3	6	1	3	1	2	73	16	51
STREATOR, PART	211	-	1	3	37	14	6	5	6	2	4	-	1	133	30	83
STREATOR, TOTAL	212	-	1	3	37	14	6	5	6	2	4	-	1	134	30	84
BALANCE OF COUNTY	497	-	-	2	84	25	9	10	12	5	5	18	6	297	58	220
LAWRENCE	213	-	-	1	28	6	6	-	6	2	3	5	1	143	29	92
LEE	388	-	-	2	59	19	13	3	9	5	2	8	8	237	53	167
DIXON	212	-	-	-	35	10	10	2	6	1	2	4	3	129	25	92
BALANCE OF COUNTY	176	-	-	2	24	9	3	1	3	4	-	4	5	108	28	75
LIVINGSTON	391	1	-	-	58	23	7	6	10	5	2	5	4	245	64	165
STREATOR, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BALANCE OF COUNTY	390	1	-	-	58	23	7	6	10	5	2	5	4	244	64	164
LOGAN	346	-	-	-	47	19	7	2	10	-	1	8	3	216	19	172
LINCOLN	191	-	-	-	28	12	3	2	6	-	-	5	2	111	8	91
BALANCE OF COUNTY	155	-	-	-	19	7	4	-	4	-	1	3	1	105	11	81
MC DONOUGH	327	-	-	-	43	15	4	3	6	5	3	7	5	204	35	157
MACOMB	130	-	-	-	12	7	-	1	1	1	-	2	2	88	16	67
BALANCE OF COUNTY	197	-	-	-	31	8	4	2	5	4	3	5	3	116	19	90
MC HENRY	824	2	-	-	129	50	22	14	14	8	4	17	15	464	88	336
MC LEAN	922	3	-	2	147	47	19	20	22	9	5	25	4	582	126	404
BLOOMINGTON	461	1	-	2	72	24	11	9	9	4	3	12	3	295	63	210
NORMAL	116	1	-	-	21	8	2	4	2	1	-	4	1	72	11	52
BALANCE OF COUNTY	345	1	-	-	54	15	6	7	11	4	2	9	-	215	52	142
MACON	1,187	2	-	2	218	52	40	19	41	14	12	40	21	672	131	478
DECATUR	922	2	-	1	169	41	30	17	33	11	8	29	16	530	108	377
BALANCE OF COUNTY	265	-	-	1	49	11	10	2	8	3	4	11	5	136	23	101
MACOUPIN	596	2	1	2	93	31	14	8	16	3	7	14	7	371	76	264
MADISON	2,021	11	-	6	352	126	60	33	49	13	17	54	26	1,118	216	811
ALTON	487	-	-	2	88	33	14	9	12	3	5	12	8	265	56	187
COLLINSVILLE, PART	194	2	-	-	34	13	7	3	3	1	-	7	2	113	17	89
COLLINSVILLE, TOTAL	197	2	-	-	35	13	7	3	4	1	-	7	2	115	17	90
GRANITE CITY	351	-	-	2	53	20	12	5	3	2	2	9	2	202	48	141
WOOD RIVER	81	2	-	-	17	4	3	-	4	-	1	5	1	38	6	30
BALANCE OF COUNTY	908	7	-	2	160	56	24	16	27	7	9	21	13	500	89	364
MARION	485	3	1	2	78	30	12	8	12	1	3	12	9	308	44	240
CENTRALIA, PART	189	-	-	1	37	12	6	4	7	-	1	7	3	118	15	93
CENTRALIA, TOTAL	194	-	-	1	37	12	6	4	7	-	1	7	3	123	17	96
BALANCE OF COUNTY	296	3	1	1	41	18	6	4	5	1	2	5	6	190	29	147
MARSHALL	180	1	-	1	17	7	-	3	-	-	-	7	3	120	31	74
MASON	177	-	-	1	34	12	5	1	6	-	3	7	3	99	13	82
MASSAC	180	2	-	1	36	13	4	4	5	2	2	6	2	90	28	51
MENARD	122	1	-	-	14	2	2	1	3	1	-	5	2	81	10	65
MERCER	197	-	-	-	25	9	3	2	4	-	4	3	7	129	23	96
MONROE	178	-	-	-	32	6	7	4	5	1	6	3	-	109	15	79
MONTGOMERY	453	2	-	-	73	28	11	6	10	2	6	10	7	288	67	200
MORGAN	420	2	-	-	54	26	4	3	6	4	2	9	2	304	52	223
JACKSONVILLE	267	2	-	-	26	14	-	3	3	3	1	2	1	196	34	142
BALANCE OF COUNTY	153	-	-	-	28	12	4	-	3	1	1	7	1	108	18	81
MOULTRIE	152	1	-	-	23	5	2	4	3	1	1	7	1	100	31	66
OGLE	373	-	-	4	54	17	5	5	12	5	3	7	7	217	44	155
PEORIA	1,853	9	1	7	291	89	48	30	44	15	11	54	22	1,101	199	761
PEORIA	1,202	7	1	1	188	56	31	18	31	10	8	34	15	706	113	517
BALANCE OF COUNTY	651	2	-	6	103	33	17	12	13	5	3	20	7	395	86	244
PERRY	256	2	-	2	36	13	6	1	7	2	1	6	4	159	31	122
PIATT	138	-	-	-	27	5	7	2	6	2	2	3	-	82	18	51

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
18	632	52	73	17	25	28	13	53	13	15	18	-	23	88	6	55	52	22	2	119	4
7	247	23	24	8	8	16	5	20	3	5	7	-	9	33	4	16	22	7	2	46	5
2	13	2	2	-	-	1	1	2	1	1	-	-	3	16	-	5	3	1	-	3	6
8	190	19	20	3	11	6	2	13	4	4	6	-	1	21	2	12	8	3	-	34	7
8	196	20	20	4	11	6	2	13	4	4	6	-	1	21	2	13	9	3	-	36	8
1	182	8	27	6	6	5	5	18	5	5	5	-	10	18	-	22	19	11	-	36	9
9	302	26	19	10	12	9	5	26	7	7	7	3	15	31	6	14	29	4	-	38	10
6	135	13	8	5	7	4	1	10	2	2	4	-	5	15	3	3	7	2	-	15	11
3	167	13	11	5	5	5	4	16	5	5	3	3	10	16	3	11	22	2	-	23	12
2	52	6	6	2	2	-	4	6	-	-	2	-	4	7	2	12	3	3	-	12	13
																					14
5	279	10	18	3	16	9	1	19	7	2	2	1	3	13	1	11	14	7	2	40	15
2	163	3	12	2	9	3	1	16	7	2	1	1	1	10	1	6	12	5	1	22	16
3	116	7	6	1	7	6	-	3	-	-	1	-	2	3	-	5	2	2	1	18	17
14	719	67	76	15	53	20	12	60	11	9	37	2	32	100	16	55	49	18	10	126	18
2	19	1	1	-	3	1	2	1	-	-	-	-	2	1	1	1	3	-	-	3	19
2	20	1	1	-	3	1	2	1	-	-	-	-	2	1	1	1	3	-	-	3	20
2	80	2	4	3	3	1	-	7	1	1	3	-	3	5	2	4	1	-	-	11	21
-	31	6	2	-	-	2	1	2	-	-	3	-	-	7	1	-	1	1	-	4	22
-	15	2	3	1	1	-	1	-	-	-	-	-	3	4	-	4	-	1	-	1	23
-	32	3	3	1	3	3	1	2	-	-	1	1	-	9	-	-	3	2	1	6	24
4	163	23	23	3	20	2	3	15	3	2	14	1	11	22	2	10	16	2	2	37	25
1	43	2	1	1	3	-	-	2	-	-	-	-	2	8	2	2	1	2	6	7	26
5	336	28	39	6	20	11	4	31	7	6	16	-	11	44	8	34	24	10	1	57	27
																					28
11	415	30	60	4	29	19	8	28	10	4	14	-	12	29	2	31	35	16	2	80	29
2	49	7	16	1	2	4	2	2	2	1	1	-	2	4	-	1	6	4	-	14	30
1	63	9	15	-	2	1	3	9	2	-	3	-	-	5	1	8	8	4	1	16	31
1	44	5	1	1	4	1	-	1	1	1	1	-	1	3	-	3	3	3	-	8	32
1	73	4	5	1	9	9	1	3	1	-	4	-	3	5	1	5	2	-	-	12	33
1	73	5	5	1	9	9	1	3	1	-	4	-	3	5	1	5	2	-	-	12	34
6	186	5	23	1	12	4	2	13	4	2	5	-	6	12	-	14	16	5	1	30	35
2	66	10	14	10	7	2	3	8	3	2	-	-	-	3	1	4	5	3	4	7	36
2	128	21	16	1	13	3	-	9	4	2	4	-	6	10	2	3	10	5	1	26	37
-	67	15	10	-	10	2	-	5	2	1	4	-	5	3	2	2	5	2	1	13	38
2	61	6	6	1	3	1	-	4	2	1	-	-	1	7	-	1	5	3	-	13	39
																					40
3	137	8	17	1	10	4	1	16	2	-	2	1	4	10	-	10	9	4	-	25	41
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	42
3	137	7	17	1	10	4	1	16	2	-	2	1	4	10	-	10	9	4	-	25	43
4	136	8	24	6	13	5	1	11	1	1	4	-	4	7	4	11	8	6	1	22	44
3	68	4	16	4	6	1	1	7	1	1	2	-	3	4	1	6	4	4	1	16	45
1	68	4	8	2	7	4	-	4	-	-	2	-	1	3	3	5	4	2	-	6	46
3	132	8	14	2	8	2	-	18	3	1	2	-	-	2	-	9	6	5	-	29	47
1	54	4	8	1	3	1	-	8	1	1	1	-	-	-	-	2	1	3	-	11	48
2	78	4	6	1	5	1	-	10	2	-	1	-	-	2	-	7	5	2	-	18	49
10	277	26	23	8	22	9	1	32	8	4	9	1	6	29	7	46	17	14	-	41	50
10	338	28	28	9	30	10	3	26	6	4	7	-	11	25	1	29	26	5	-	44	51
8	172	17	13	6	11	5	-	14	5	2	5	-	6	14	1	8	9	4	-	20	52
1	41	2	8	1	6	1	1	1	-	-	1	-	1	3	-	4	2	1	-	8	53
1	125	9	7	2	13	4	2	11	1	2	1	-	4	8	-	17	15	-	-	16	54
																					55
14	382	32	50	11	34	13	5	25	7	5	8	-	21	42	8	25	28	14	3	86	56
12	301	26	38	7	29	11	4	14	6	4	7	-	17	31	6	15	21	12	1	64	57
2	81	6	12	4	5	2	1	11	1	1	1	-	4	11	2	10	7	2	2	22	58
1	210	34	19	8	11	4	8	30	2	1	8	-	4	10	2	10	13	5	-	35	59
28	609	68	106	22	38	23	8	78	13	7	20	4	23	80	14	53	70	26	9	111	60
9	126	25	27	3	13	4	2	23	4	1	4	1	4	20	3	10	19	5	4	26	61
2	74	7	6	2	2	2	1	5	1	1	1	-	1	3	1	2	12	2	1	13	62
2	75	7	6	2	2	3	1	5	1	1	1	-	1	3	1	2	12	2	1	13	63
4	112	7	18	5	4	3	1	11	2	2	9	1	6	21	1	9	8	4	-	18	64
1	23	1	5	-	1	-	1	2	-	1	1	1	4	2	1	1	1	2	1	6	65
12	274	28	50	12	18	14	3	37	6	2	5	1	8	34	8	31	30	13	3	48	66
																					67
2	190	12	36	4	7	4	9	16	1	4	6	-	3	10	2	10	11	2	2	17	68
1	66	6	20	2	3	1	4	4	-	2	4	-	1	4	1	2	3	1	1	7	69
1	68	7	20	2	3	1	4	4	-	2	4	-	1	4	1	2	3	1	1	7	70
1	124	6	16	2	4	3	5	12	1	2	2	-	2	6	1	8	8	1	1	10	71
4	62	3	5	-	9	3	3	3	1	2	2	1	1	4	-	7	3	2	-	12	72
2	65	5	10	-	-	2	2	9	-	2	1	-	1	2	-	4	5	3	-	13	73
1	34	7	9	-	9	1	1	5	2	2	2	-	4	5	-	5	12	-	-	12	74
1	54	3	7	3	2	1	-	8	1	1	-	-	-	2	1	2	2	1	-	6	75
2	79	7	8	1	5	2	2	12	2	-	1	-	-	1	-	4	4	1	-	11	76
2	65	5	7	1	14	-	-	3	-	2	-	-	4	3	2	7	3	-	-	13	77
3	150	15	32	2	10	5	4	14	3	-	1	-	5	1	11	7	13	7	1	20	78
																					79
6	178	9	30	4	21	3	1	7	1	1	1	-	2	10	-	11	5	2	-	18	80
3	112	5	22	3	14	2	1	5	1	1	-	-	1	7	-	8	4	1	-	14	81
3	66	4	8	1	7	1	-	2	-	-	1	-	1	3	-	3	1	1	-	4	82
-	59	4	3	1	1	-	1	3	-	-	1	-	2	4	-	1	5	2	-	9	83
7	116	14	18	7	5	2	4	15	3	2	3	-	6	11	3	5	10	4	-	29	84
16	642	44	59	15	87	28	11	65	14	8	18	3	24	59	1	39	44	17	11	119	85
10	438	28	41	10	38	20	8	45	9	3	15	3	14	41	1	24	23	14	11	81	86
6	204	16	18	5	49	8	3	20	5	5	3	-	10	18	-	15	21	3	-	38	87
1	106	10	5	2	2	1	1	10	3	-	2	-	1	4	1	10	8	3	-	11	88
-	36	6	9	1	11	1	-	3	-	3	4	-	4	3	-	4	3	1	-	4	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
ILLINOIS--CON.																
PIKE	274	2	-	2	47	15	10	4	10	2	1	5	5	181	25	140
POPE	65	-	-	-	9	4	3	-	1	1	-	-	3	41	9	27
PULASKI	158	2	-	1	21	12	-	1	3	2	-	3	2	99	24	66
PUTNAM	52	-	-	-	6	4	-	1	-	-	-	1	1	30	4	24
RANDOLPH	337	-	-	-	53	9	13	7	13	5	2	4	3	224	41	168
RICHLAND	209	-	-	-	35	11	3	2	6	2	4	7	1	124	17	101
ROCK ISLAND	1,573	2	-	3	222	73	39	17	30	17	13	33	28	979	165	754
EAST MOLINE	170	-	-	-	23	8	3	1	3	5	-	3	3	96	17	77
MOLINE	532	1	-	-	70	19	16	6	11	5	5	8	9	342	63	258
ROCK ISLAND	577	1	-	2	94	30	17	8	11	5	7	16	10	367	51	291
BALANCE OF COUNTY	294	-	-	1	35	16	3	2	5	2	1	6	6	174	34	128
ST. CLAIR	2,687	15	8	6	427	145	78	29	55	25	17	78	50	1,535	275	1,154
BELLEVILLE	486	2	2	1	97	35	22	10	11	7	3	9	7	279	67	196
CAHOKIA	35	-	-	-	10	1	2	-	2	2	1	2	-	11	1	7
CENTREVILLE	112	1	-	-	19	3	7	2	3	1	1	2	2	58	9	44
COLLINSVILLE, PART	3	-	-	-	1	-	-	-	1	-	-	-	-	2	-	1
EAST ST. LOUIS	1,184	5	6	4	167	62	24	11	18	9	5	38	23	691	118	522
BALANCE OF COUNTY	867	7	-	1	133	44	23	6	20	6	7	27	18	494	80	384
SALINE	475	-	-	-	66	25	11	3	10	1	3	13	6	333	53	256
SANGAMON	1,715	5	2	5	293	105	49	20	40	16	16	47	23	1,007	205	723
SPRINGFIELD	1,177	5	2	4	192	71	33	15	26	9	9	29	14	692	137	504
BALANCE OF COUNTY	538	-	-	1	101	34	16	5	14	7	7	18	9	315	68	219
SCHUYLER	132	-	-	-	14	4	1	-	1	1	2	5	1	96	19	75
SCOTT	88	-	-	-	15	4	3	2	3	-	-	3	1	57	12	40
SHELBY	299	1	2	-	39	16	5	2	7	2	4	3	4	186	46	124
STARK	96	-	-	-	11	3	2	-	3	1	-	2	6	64	14	44
STEPHENSON	529	2	-	-	84	25	7	11	13	3	6	19	5	327	62	236
FREEPORT	339	2	-	-	51	17	6	6	7	2	3	10	4	216	45	151
BALANCE OF COUNTY	190	-	-	-	33	8	1	5	6	1	3	9	1	111	17	85
TAZEWELL	732	2	2	4	136	41	21	15	21	11	8	19	16	398	71	291
EAST PEORIA	75	-	-	-	12	3	3	-	2	-	1	3	-	50	8	39
PEKIN	278	1	2	1	47	16	7	5	6	5	2	6	5	149	28	102
BALANCE OF COUNTY	379	1	-	3	77	22	11	10	13	6	5	10	11	199	35	150
UNION	207	1	-	1	27	8	6	2	2	-	1	8	5	128	18	96
VERMILION	1,144	3	-	1	171	51	29	11	34	8	13	25	13	714	144	495
DANVILLE	642	1	-	1	87	28	13	7	18	5	4	12	4	401	84	268
BALANCE OF COUNTY	502	2	-	-	84	23	16	4	16	3	9	13	9	313	60	227
WABASH	163	-	1	1	26	12	2	1	3	3	1	4	3	108	22	76
WARREN	246	2	-	-	34	14	4	5	2	2	4	3	2	157	30	116
MONMOUTH	137	1	-	-	15	5	2	2	-	1	2	3	-	88	17	66
BALANCE OF COUNTY	109	1	-	-	19	9	2	3	2	1	2	-	2	69	13	50
WASHINGTON	222	1	-	-	36	10	5	4	6	1	5	5	2	131	29	89
WAYNE	203	-	-	-	38	13	3	5	8	1	2	6	-	118	24	90
WHITE	238	-	1	1	29	8	4	-	7	2	3	5	2	162	31	114
WHITESIDE	545	2	-	1	72	29	6	7	11	4	6	9	11	316	58	223
ROCK FALLS	88	-	-	-	8	4	1	-	1	1	-	1	4	49	13	28
STERLING	160	2	-	-	29	7	2	4	6	2	5	3	1	82	15	57
BALANCE OF COUNTY	297	-	-	1	35	18	3	3	4	1	1	5	6	185	30	138
WILL	1,667	6	3	3	253	94	37	16	40	11	14	41	27	988	185	729
JOLIET	784	3	3	1	125	50	19	9	18	7	7	15	16	479	78	367
PARK FOREST, PART	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3
BALANCE OF COUNTY	879	3	-	2	128	44	18	7	22	4	7	26	11	505	107	359
WILLIAMSON	685	4	-	2	103	48	13	5	20	3	5	9	6	444	73	320
MARION	171	2	-	-	28	17	1	3	4	-	-	3	1	115	29	77
BALANCE OF COUNTY	514	2	-	2	75	31	12	2	16	3	5	6	5	329	44	243
WINNEBAGO	1,674	9	1	11	273	72	40	32	42	18	13	56	21	907	191	644
ROCKFORD	1,218	7	-	9	204	49	32	25	26	15	12	45	16	675	139	478
BALANCE OF COUNTY	456	2	1	2	69	23	8	7	16	3	1	11	5	232	52	166
WOODFORD	236	-	-	1	38	10	4	3	8	3	4	6	1	154	30	115
INDIANA	46,037	229	75	165	7,168	2,327	1,146	572	1,129	340	331	1,323	904	26,321	5,873	17,950
URBAN	28,751	166	59	102	4,594	1,446	798	362	710	224	213	841	584	16,228	3,611	11,072
RURAL	17,286	63	16	63	2,574	881	348	210	419	116	118	482	320	10,093	2,262	6,878
METROPOLITAN COUNTIES	20,526	124	38	68	3,368	1,089	591	255	492	178	145	618	403	11,220	2,344	7,839
URBAN	17,047	112	32	60	2,790	878	511	205	411	153	121	511	339	9,336	1,963	6,496
RURAL	3,479	12	6	8	578	211	80	50	81	25	24	107	64	1,884	381	1,343
NONMETROPOLITAN COUNTIES	25,511	105	37	97	3,800	1,238	555	317	637	162	186	705	501	15,101	3,529	10,111
URBAN	11,704	54	27	42	1,804	568	287	157	299	71	92	330	245	6,892	1,648	4,576
RURAL	13,807	51	10	55	1,996	670	268	160	338	91	94	375	256	8,209	1,881	5,535
ADAMS	210	1	1	-	26	8	1	2	3	3	4	5	5	135	42	81
ALLEN	2,136	15	4	7	326	118	46	23	46	16	16	61	42	1,181	231	833
FORT WAYNE	1,724	12	4	6	268	99	36	18	39	13	14	49	38	951	196	664
BALANCE OF COUNTY	412	3	-	1	58	19	10	5	7	3	2	12	4	230	35	169
BARTHOLOMEW	426	2	-	3	58	14	8	8	8	3	2	15	11	232	55	158
COLUMBUS	238	2	-	1	30	8	3	7	4	1	-	7	8	128	33	85
BALANCE OF COUNTY	188	-	-	2	28	6	5	1	4	2	2	8	3	104	22	73
BENTON	137	1	1	-	22	4	2	5	4	1	3	3	3	81	17	58

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
5	92	8	35	-	13	3	-	5	3	-	-	-	3	4	-	4	4	3	-	11	1
1	20	-	6	1	2	1	1	2	-	-	-	-	-	-	-	3	4	-	1	2	2
2	58	3	3	1	7	1	-	9	-	1	-	-	-	4	1	3	3	-	-	11	3
-	19	1	4	-	1	-	1	2	2	-	1	-	-	-	-	3	1	1	-	4	4
1	135	10	22	2	6	3	4	6	-	-	4	-	2	11	4	9	2	1	1	17	5
3	81	8	9	1	4	1	-	16	2	-	1	-	2	3	2	2	7	3	1	10	6
8	648	48	50	16	25	12	7	42	11	5	10	-	16	69	2	36	43	14	3	88	7
1	66	7	3	-	1	1	-	3	2	-	2	-	2	12	-	8	5	-	-	14	8
1	215	23	19	7	8	3	3	19	3	1	1	-	6	19	1	11	9	10	1	29	9
5	259	11	16	7	10	6	2	13	4	3	2	-	2	26	1	8	12	2	2	28	10
1	108	7	12	2	6	2	2	7	2	1	5	-	6	12	-	9	17	2	-	17	11
16	847	140	151	20	37	24	25	82	15	7	20	2	31	122	32	50	83	28	27	147	12
1	151	20	24	3	5	4	4	12	3	2	1	-	5	14	9	7	17	5	-	23	13
1	5	-	1	-	1	2	-	2	1	-	-	-	2	4	-	1	-	-	-	4	14
1	28	8	7	1	-	2	2	6	-	-	1	-	-	11	-	1	2	-	2	9	15
-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
7	367	77	71	12	19	7	13	39	6	5	11	2	12	55	13	13	42	11	21	58	17
6	295	35	48	4	12	8	6	23	5	-	7	-	12	38	10	28	22	12	4	53	18
2	212	20	22	8	9	4	3	8	1	1	1	1	1	4	2	9	11	5	2	24	19
17	584	51	71	22	29	22	6	45	14	5	20	1	18	55	9	47	35	18	4	109	20
16	398	41	49	17	18	14	2	30	9	4	18	1	10	44	8	32	24	11	4	73	21
1	186	10	22	5	11	8	4	15	5	1	2	-	8	11	1	15	11	7	-	36	22
1	34	6	34	1	-	1	-	1	1	-	-	-	-	1	-	5	4	2	-	7	23
-	34	1	5	-	4	1	-	4	1	1	-	-	-	3	1	1	1	1	-	2	24
1	94	17	12	4	9	1	2	13	1	-	2	-	3	4	1	5	12	6	-	20	25
1	35	6	2	2	1	2	1	2	-	-	-	-	1	3	-	2	2	1	-	4	26
8	190	28	10	10	6	9	4	15	4	1	1	-	5	13	3	11	15	5	-	38	27
6	126	14	5	8	2	8	2	8	4	1	1	-	2	8	1	4	11	3	-	23	28
2	64	14	5	2	4	1	2	7	-	-	-	-	3	5	2	7	4	2	-	15	29
11	217	25	38	2	19	12	3	19	7	3	6	-	16	18	3	20	22	7	3	50	30
1	30	2	6	-	1	-	2	1	1	-	-	-	1	1	-	1	2	-	-	6	31
2	75	11	14	1	9	8	1	7	3	-	3	-	7	8	2	8	11	4	2	18	32
8	112	12	18	1	9	4	-	11	3	3	3	-	8	9	1	11	9	3	1	26	33
4	73	8	11	-	13	1	-	9	1	1	1	-	2	4	-	3	6	2	1	15	34
7	388	36	64	14	43	8	10	40	3	1	8	-	11	33	4	19	35	8	6	74	35
4	216	19	29	10	27	4	8	30	2	-	6	-	8	25	3	6	17	4	4	43	36
3	172	17	35	4	16	4	2	10	1	1	2	-	3	8	1	13	18	4	2	31	37
2	57	12	5	2	5	-	3	4	1	-	1	-	1	2	-	1	3	2	-	9	38
1	80	10	25	-	5	6	-	11	-	-	3	1	2	10	-	2	7	3	-	12	39
-	44	8	14	-	3	2	-	7	-	-	3	1	2	6	-	1	5	-	-	8	40
1	36	2	11	-	2	4	-	4	-	-	-	-	-	4	-	1	2	3	-	4	41
-	81	7	1	4	4	1	4	13	1	1	-	-	1	4	1	11	4	2	1	13	42
1	64	16	9	1	2	1	-	9	-	-	2	-	2	-	4	3	3	7	1	16	43
-	97	7	10	3	8	4	2	7	-	-	-	-	-	2	-	14	6	3	-	11	44
8	156	10	49	8	20	6	1	9	10	3	4	1	9	23	-	10	18	6	1	49	45
2	23	1	2	3	3	2	-	1	5	-	-	-	2	7	-	1	1	1	-	9	46
2	42	5	8	1	6	2	1	1	1	2	1	-	3	6	-	1	6	2	-	23	47
4	91	4	39	4	11	2	-	7	4	1	3	1	4	10	-	8	11	3	1	17	48
16	523	84	106	15	31	22	6	39	8	4	16	2	26	56	1	58	57	16	3	101	49
6	261	37	63	9	14	8	3	14	5	4	10	1	11	20	-	14	27	7	-	44	50
-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
10	259	47	43	6	16	14	3	25	3	-	6	1	15	36	1	44	30	9	3	57	52
5	278	21	16	22	18	7	4	11	5	-	6	-	4	14	4	7	23	5	1	46	53
1	74	2	-	4	3	2	-	3	3	-	-	-	2	3	2	2	1	-	-	9	54
4	204	19	16	18	15	5	4	8	2	-	6	-	2	11	2	5	22	5	1	37	55
25	539	38	42	12	23	21	16	55	17	8	13	1	28	77	2	51	42	25	7	126	56
17	406	22	33	9	17	19	13	39	16	3	9	1	14	52	1	35	30	13	4	90	57
8	133	16	9	3	6	2	3	16	1	5	4	-	14	25	1	16	12	12	3	36	58
3	97	8	7	1	7	1	-	5	1	1	-	-	2	6	-	6	3	1	-	17	59
458	13,766	1,786	1,940	418	1,244	570	266	1,279	319	184	425	37	517	1,603	209	1,187	1,429	545	159	3,282	60
301	8,545	1,107	1,119	258	752	382	153	804	213	110	307	26	345	1,111	128	611	842	321	127	2,073	61
157	5,221	679	821	160	492	188	113	475	106	74	118	11	172	492	81	576	587	224	32	1,209	62
225	6,042	741	831	171	487	275	104	599	148	81	250	20	280	858	91	505	646	246	114	1,467	63
191	4,980	655	670	149	407	234	87	514	126	66	219	18	227	735	75	365	507	186	105	1,235	64
34	1,062	86	161	22	80	41	17	85	22	15	31	2	53	123	16	140	139	60	9	232	65
233	7,724	1,045	1,109	247	757	295	162	680	171	103	175	17	237	745	118	682	783	299	45	1,815	66
110	3,565	452	449	109	345	148	66	290	87	44	88	8	118	376	53	246	335	135	22	838	67
123	4,159	593	660	138	412	147	96	390	84	59	87	9	119	369	65	436	448	164	23	977	68
4	71	1	5	3	7	2	-	2	2	1	-	-	2	5	3	5	6	1	-	15	69
15	652	78	88	15	50	45	7	51	18	13	25	4	32	104	7	64	61	24	5	153	70
13	516	67	68	15	36	34	6	41	17	10	22	3	21	87	6	44	46	21	3	124	71
2	136	11	20	-	14	11	1	10	1	3	3	1	11	17	1	20	15	3	2	29	72
13	122	15	8	2	8	6	3	19	4	1	2	-	7	29	3	16	12	5	1	21	73
7	67	6	5	-	4	4	2	15	3	-	1	-	5	16	2	7	6	3	-	11	74
6	55	9	3	2	4	2	1	4	1	1	1	-	2	13	1	9	6	2	1	10	75
-	38	5	15	1	5	-	-	2	2	1	-	-	2	3	-	5	2	-	-	12	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-149,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
INDIANA--CON.																
BLACKFORD	175	-	-	3	30	15	2	3	2	2	-	6	5	105	36	61
BOONE	291	3	1	-	34	11	2	1	9	2	1	8	9	181	53	112
BROWN	67	-	-	-	8	3	-	-	2	1	-	2	1	41	11	28
CARROLL	220	-	-	-	32	9	4	2	7	1	2	7	1	131	28	86
CASS	512	1	-	5	73	20	11	10	13	4	3	12	10	303	59	208
LOGANSPORT	302	1	-	2	46	14	6	6	9	2	3	6	7	180	32	122
BALANCE OF COUNTY	210	-	-	3	27	6	5	4	4	2	-	6	3	123	27	86
CLARK	542	5	-	2	95	32	18	6	21	3	1	14	10	284	55	206
JEFFERSONVILLE	228	2	-	-	42	15	11	2	5	-	1	8	5	114	22	84
BALANCE OF COUNTY	314	3	-	2	53	17	7	4	16	3	-	6	5	170	33	122
CLAY	347	2	-	-	47	11	7	6	10	1	1	11	7	214	46	152
CLINTON	387	3	-	2	49	15	3	5	13	2	3	8	6	232	46	159
FRANKFORT	209	2	-	-	32	11	2	3	8	2	2	4	1	125	21	87
BALANCE OF COUNTY	178	1	-	2	17	4	1	2	5	-	1	4	5	107	25	72
CRAWFORD	125	2	-	-	17	4	-	1	1	2	1	8	2	85	21	53
DAVIESS	317	1	-	1	45	14	5	4	9	1	1	11	4	189	31	134
WASHINGTON	151	1	-	1	22	6	4	2	3	-	-	7	2	86	14	61
BALANCE OF COUNTY	166	-	-	-	23	8	1	2	6	1	1	4	2	103	17	73
DEARBORN	320	1	-	2	47	18	9	-	11	-	3	6	4	193	42	129
DECATUR	231	-	-	1	36	14	2	3	8	2	-	7	1	140	36	84
DE KALB	342	-	-	3	43	11	8	3	7	-	2	12	12	204	30	147
DELAWARE	974	3	3	-	137	36	25	9	24	9	8	26	12	531	116	375
MUNCIE	678	2	2	-	101	24	18	7	16	8	6	22	7	370	81	254
BALANCE OF COUNTY	296	1	1	-	36	12	7	2	8	1	2	4	5	161	35	121
DUBOIS	264	3	-	2	40	15	6	-	7	4	-	8	7	151	42	91
ELKHART	1,005	3	1	3	164	54	25	12	21	9	11	32	19	585	138	396
ELKHART	457	3	1	3	64	17	11	9	4	3	5	15	4	268	57	178
GOSHEN	184	-	-	-	34	10	6	-	6	3	4	5	8	107	28	71
BALANCE OF COUNTY	364	-	-	-	66	27	8	3	11	3	2	12	7	210	53	147
FAYETTE	253	3	1	2	41	16	6	2	4	1	3	9	6	139	32	88
CONNERSVILLE	195	3	1	2	29	11	5	2	3	1	1	6	5	110	26	69
BALANCE OF COUNTY	58	-	-	-	12	5	1	-	1	-	2	3	1	29	6	19
FLOYD	505	4	1	1	78	26	7	7	15	5	3	15	10	302	52	208
NEW ALBANY	413	3	-	-	61	19	7	4	11	5	3	12	9	248	41	168
BALANCE OF COUNTY	92	1	1	1	17	7	-	3	4	-	-	3	1	54	11	40
FOUNTAIN	263	2	-	-	47	15	8	2	10	2	2	8	4	136	26	90
FRANKLIN	155	1	-	-	18	5	1	4	5	3	-	-	5	99	17	72
FULTON	218	1	1	1	31	12	4	3	2	1	1	8	8	134	25	99
GIBSON	366	1	1	2	51	17	12	5	10	-	2	5	7	210	61	135
GRANT	728	4	3	4	123	33	22	17	19	6	7	19	5	438	112	307
MARION	417	3	3	2	69	17	16	10	10	3	4	9	2	253	52	185
BALANCE OF COUNTY	311	1	-	2	54	16	6	7	9	3	3	10	3	185	60	122
GREENE	393	2	1	2	71	27	8	6	18	-	4	8	8	237	49	169
HAMILTON	381	2	1	-	70	17	15	5	11	2	3	17	3	221	44	159
HANCOCK	263	-	-	1	38	4	8	4	10	2	2	8	5	145	32	100
HARRISON	191	1	-	1	18	7	3	2	1	-	1	4	6	125	35	70
HENDRICKS	307	2	-	2	51	14	14	3	6	2	-	12	9	160	40	113
HENRY	456	-	-	1	73	15	14	5	12	5	4	18	9	277	67	192
NEW CASTLE	217	-	-	-	40	11	8	2	7	2	3	7	2	131	33	89
BALANCE OF COUNTY	239	-	-	1	33	4	6	3	5	3	1	11	7	146	34	103
HOWARD	648	6	1	4	99	29	10	9	19	7	2	23	13	366	74	257
KOKOMO	496	4	1	1	80	21	10	8	15	5	2	19	9	287	58	205
BALANCE OF COUNTY	152	2	-	3	19	8	-	1	4	2	-	4	4	79	16	52
HUNTINGTON	391	-	1	1	57	23	3	9	8	2	3	9	5	247	69	153
HUNTINGTON	195	-	-	1	36	15	2	4	5	1	3	6	4	117	36	70
BALANCE OF COUNTY	196	-	1	-	21	8	1	5	3	1	-	3	1	130	33	83
JACKSON	328	1	-	-	50	21	5	2	6	1	5	10	6	167	37	110
SEYMOUR	126	-	-	-	18	8	2	-	2	-	2	4	4	60	11	40
BALANCE OF COUNTY	202	1	-	-	32	13	3	2	4	1	3	6	2	107	26	70
JASPER	135	-	-	-	21	7	3	3	3	1	2	2	3	85	19	56
JAY	259	1	1	-	38	8	8	1	6	1	1	13	6	160	47	81
JEFFERSON	264	4	-	1	43	15	5	2	4	6	4	7	4	147	36	96
MADISON	136	1	-	-	22	5	3	-	3	3	3	5	3	76	20	48
BALANCE OF COUNTY	128	3	-	1	21	10	2	2	1	3	1	2	1	71	16	48
JENNINGS	159	1	-	2	24	10	5	-	2	-	2	5	3	96	24	60
JOHNSON	396	1	-	2	63	21	10	4	12	-	4	12	8	226	40	165
KNOX	531	4	1	3	80	21	19	9	9	3	2	17	13	304	55	215
VINCENNES	261	2	1	2	40	12	9	3	4	3	1	8	6	146	20	107
BALANCE OF COUNTY	270	2	-	1	40	9	10	6	5	-	1	9	7	158	35	108
KOSCIUSKO	421	-	1	3	62	17	8	2	13	2	4	16	13	238	57	162
LAGRANGE	159	-	-	-	17	7	1	-	2	1	1	5	2	100	27	63
LAKE	4,105	23	6	23	711	218	157	54	87	43	24	128	87	2,115	395	1,543
EAST CHICAGO	554	3	-	2	88	31	27	2	9	3	2	14	3	294	56	218
GARY	1,643	15	3	7	282	78	61	22	40	15	15	51	43	827	153	605
HAMMOND	828	2	2	6	157	47	26	13	23	14	4	30	19	432	85	312
HIGHLAND	79	-	-	1	8	4	1	1	1	-	1	-	4	42	7	31
HOBART	143	-	-	-	24	8	5	-	1	3	-	7	2	76	14	55
MUNSTER	51	-	1	2	13	4	1	4	2	-	-	2	-	16	4	9
BALANCE OF COUNTY	807	3	-	5	139	46	36	12	11	8	2	24	16	428	76	313

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	49	3	9	-	4	2	2	-	-	-	3	-	4	4	1	5	1	-	-	14	1
-	94	7	11	5	7	3	1	15	2	-	2	-	6	3	-	4	7	5	-	19	2
2	20	3	3	-	1	-	1	1	-	-	-	-	3	1	-	1	3	1	-	7	3
-	81	2	3	2	10	4	1	9	1	-	1	-	-	6	1	5	6	3	-	23	4
6	162	8	32	8	21	3	4	16	4	2	3	-	3	13	4	14	23	8	-	30	5
4	92	6	20	6	14	3	3	13	2	-	-	-	2	7	3	5	12	6	-	16	6
2	70	2	12	2	7	4	1	3	2	2	3	-	1	6	1	9	11	2	-	14	7
5	151	17	33	1	13	4	5	24	4	2	3	-	8	26	2	17	19	5	3	33	8
4	57	10	13	-	4	1	3	10	1	1	2	-	3	16	2	6	6	2	1	15	9
1	94	7	20	1	9	3	2	14	3	1	1	-	5	10	-	11	13	3	2	18	10
3	106	33	10	7	4	3	2	10	3	4	2	-	-	10	-	6	18	2	-	22	11
2	123	9	25	3	22	2	-	11	5	5	3	1	4	9	5	12	10	4	1	25	12
1	62	6	18	2	13	2	-	5	3	2	2	1	3	6	4	7	4	1	-	11	13
1	61	3	7	1	9	-	-	6	2	3	1	-	1	3	1	5	6	3	1	14	14
1	40	5	7	-	7	3	1	4	1	-	-	-	1	2	1	1	3	2	-	4	15
3	96	11	24	1	17	5	1	6	1	-	3	1	-	11	3	9	13	3	1	26	16
1	48	4	8	-	8	3	-	2	1	-	2	1	-	8	-	3	4	2	-	16	17
2	48	7	16	1	9	2	1	4	-	-	1	-	-	3	3	6	9	1	1	10	18
4	110	7	8	4	9	9	-	3	1	1	5	-	4	11	1	8	12	5	-	22	19
2	77	3	2	-	16	4	-	5	1	-	2	-	2	10	-	10	10	-	-	13	20
-	91	36	20	1	18	4	4	5	3	2	2	2	1	7	5	15	8	3	2	25	21
13	297	35	30	5	17	16	2	14	12	4	7	1	13	49	11	38	31	17	5	86	22
10	198	25	21	4	15	14	2	10	9	3	5	1	10	36	5	17	23	13	5	59	23
3	99	10	9	1	2	2	-	4	3	1	2	-	3	13	6	21	8	4	-	27	24
1	63	12	15	5	11	1	1	7	2	2	3	-	1	6	-	7	9	5	-	19	25
6	325	33	32	3	27	12	9	27	10	7	5	-	10	32	3	19	28	12	1	76	26
2	155	10	11	1	19	8	5	17	3	6	5	-	5	13	1	5	17	5	1	36	27
-	60	7	4	-	5	2	1	2	2	-	-	-	2	3	1	4	4	3	-	14	28
4	110	16	17	2	3	2	3	8	5	1	-	-	3	16	1	10	7	4	-	26	29
2	72	9	5	4	5	8	2	6	3	1	2	-	5	6	-	6	4	3	-	25	30
-	57	8	4	2	4	7	2	2	3	1	2	-	2	6	-	5	3	2	-	19	31
2	15	1	1	2	1	1	-	4	-	-	-	-	3	-	-	1	1	1	-	6	32
4	140	33	31	6	22	8	6	16	1	1	6	-	4	20	2	8	15	6	1	29	33
4	110	29	25	6	19	8	6	14	1	1	4	-	2	16	2	5	14	6	1	26	34
-	30	4	6	-	3	-	-	2	-	-	2	-	2	4	-	3	1	-	-	3	35
3	58	14	15	6	10	4	-	8	2	3	1	-	3	5	2	12	7	4	-	27	36
2	59	2	9	2	5	1	2	3	-	-	1	-	1	4	-	2	7	1	-	13	37
-	58	34	7	-	6	4	-	6	1	1	2	-	-	1	1	4	7	-	-	19	38
2	101	15	17	-	8	5	1	13	4	3	4	-	1	15	1	12	11	1	-	29	39
13	249	32	13	5	9	4	1	14	-	-	5	-	6	26	3	20	20	9	5	43	40
7	149	20	9	4	8	3	1	6	-	-	2	-	3	12	1	12	14	4	2	29	41
6	100	12	4	1	1	1	-	8	-	-	3	-	3	14	2	8	6	5	3	14	42
-	99	34	36	4	6	4	5	8	5	1	2	-	2	6	2	9	8	5	-	24	43
3	119	14	23	4	9	3	2	9	1	1	3	1	3	12	3	11	13	6	-	21	44
4	74	7	15	1	9	2	1	7	1	2	3	-	5	8	1	8	16	2	1	20	45
-	56	8	6	-	10	2	8	7	4	2	-	-	2	1	5	2	5	-	-	12	46
4	91	9	9	2	4	-	1	8	2	-	1	1	7	19	1	13	11	1	-	19	47
2	156	12	22	4	7	5	2	15	2	2	4	-	6	16	1	7	9	5	1	28	48
1	82	2	4	3	1	4	1	6	1	-	3	-	3	10	-	-	6	3	1	11	49
1	74	10	18	1	6	1	1	9	1	2	1	-	3	6	1	7	3	2	-	17	50
7	207	11	32	5	17	6	7	14	4	2	6	-	7	31	1	20	23	5	2	44	51
6	163	8	28	2	12	4	6	13	4	2	5	-	5	21	1	12	16	3	1	31	52
1	44	3	4	3	5	2	1	1	-	-	1	-	2	10	-	8	7	2	1	13	53
2	112	11	28	4	14	3	4	11	2	2	1	1	7	6	1	12	2	3	-	32	54
1	45	4	20	3	5	2	1	8	1	2	1	1	4	2	-	4	-	1	-	14	55
1	67	7	8	1	9	1	3	3	1	1	1	-	3	4	1	8	2	2	-	18	56
-	63	26	21	4	12	1	3	10	2	1	2	-	2	12	3	7	18	5	4	38	57
-	30	8	2	1	6	-	2	3	1	-	-	-	1	5	2	1	7	3	3	18	58
-	33	18	19	3	6	1	1	7	1	1	2	-	1	7	1	6	11	2	1	20	59
1	44	1	10	-	6	4	-	4	1	-	1	-	-	6	-	2	4	1	-	7	60
-	67	4	10	4	18	7	3	7	-	1	2	1	1	5	5	5	5	4	1	16	61
2	84	6	4	2	10	2	1	3	-	-	3	-	3	10	4	6	12	5	-	19	62
2	40	4	2	1	7	-	-	2	-	-	3	-	2	5	1	4	4	3	-	10	63
-	44	2	2	1	3	2	1	1	-	-	-	-	1	5	3	2	8	2	-	9	64
1	39	17	3	1	8	1	2	7	-	-	-	-	-	4	1	1	4	2	-	14	65
4	148	5	8	5	9	5	2	11	5	3	1	1	6	11	1	11	4	6	3	33	66
6	177	12	20	3	27	2	2	11	2	1	2	-	1	13	5	18	17	3	1	52	67
5	89	3	10	2	17	-	-	3	1	1	2	-	-	9	1	8	10	3	1	25	68
1	88	9	10	1	10	2	2	8	1	-	-	-	1	4	4	10	7	-	-	27	69
8	132	11	11	3	11	4	1	19	6	1	6	-	5	10	2	14	14	1	-	26	70
4	50	3	6	-	7	1	2	3	2	1	-	-	3	5	-	7	4	4	-	11	71
46	1,219	159	119	50	56	51	20	133	28	16	59	5	72	201	22	116	137	57	36	258	72
5	168	24	21	5	5	6	4	25	4	5	11	-	11	32	-	13	18	3	4	38	73
18	458	88	41	24	21	17	7	58	9	4	28	5	23	89	5	45	45	23	26	106	74
11	253	26	22	9	11	10	5	19	9	2	8	-	17	29	13	18	25	11	2	57	75
-	27	3	1	1	1	2	-	4	-	-	-	-	6	7	-	2	2	1	-	2	76
3	42	4	6	-	4	3	-	6	2	1	2	-	2	6	-	10	6	3	1	2	77
-	9	-	-	-	1	2	-	1	-	-	-	-	3	-	2	1	-	3	-	9	78
9	262	14	28	11	13	11	4	20	4	4	10	-	10	38	2	27	41	13	3	44	79

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,155B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330, 334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
INDIANA--CON.																
LA PORTE	913	3	1	3	160	47	26	10	32	8	13	24	22	512	132	328
LA PORTE	248	1	1	-	48	14	9	3	8	3	3	8	2	150	40	99
MICHIGAN CITY	342	2	-	2	59	19	8	6	11	2	5	8	10	172	51	104
BALANCE OF COUNTY	323	-	-	1	53	14	9	1	13	3	5	8	10	190	41	125
LAWRENCE	437	1	1	2	74	26	15	4	14	4	1	10	9	243	62	158
BEDFORD	201	1	-	-	38	11	10	2	9	2	1	3	2	110	33	69
BALANCE OF COUNTY	236	-	1	2	36	15	5	2	5	2	-	7	7	133	29	89
MADISON	1,172	4	3	1	174	48	37	14	18	7	12	38	28	681	148	464
ANDERSON	576	2	2	1	92	29	23	6	9	6	6	13	16	324	73	227
ELWOOD	160	-	1	-	20	5	5	2	2	-	1	5	4	101	16	73
BALANCE OF COUNTY	436	2	-	-	62	14	9	6	7	1	5	20	8	256	59	164
MARION	6,706	46	18	22	1,101	348	184	88	171	61	50	199	109	3,639	818	2,487
BEECH GROVE	86	-	-	-	23	7	3	5	3	1	1	3	2	45	7	38
INDIANAPOLIS	5,523	42	15	21	874	266	158	64	146	54	37	149	87	3,007	688	2,034
LAWRENCE	40	-	-	-	2	1	-	1	-	-	-	-	-	22	3	17
BALANCE OF COUNTY	1,057	4	3	1	202	74	23	18	22	6	12	47	20	565	120	398
MARSHALL	313	1	-	1	37	13	5	3	4	2	4	6	4	179	48	114
MARTIN	126	1	-	-	12	3	3	1	1	-	2	2	1	74	9	54
MIAMI	394	1	1	2	55	15	5	4	14	-	3	14	5	230	52	150
PERU	229	1	1	2	37	9	5	3	9	-	3	8	2	131	30	83
BALANCE OF COUNTY	165	-	-	-	18	6	-	1	5	-	-	6	3	99	22	67
MONROE	446	7	1	1	59	19	8	5	14	-	4	9	12	259	48	181
BLOOMINGTON	269	4	1	1	39	10	4	5	10	-	4	6	9	157	31	107
BALANCE OF COUNTY	177	3	-	-	20	9	4	-	4	-	-	3	3	102	17	74
MONTGOMERY	378	2	-	4	55	21	11	7	5	1	2	8	9	232	61	152
CRAWFORDSVILLE	186	2	-	2	24	9	6	4	3	-	1	1	7	111	32	67
BALANCE OF COUNTY	192	-	-	2	31	12	5	3	2	1	1	7	2	121	29	85
MORGAN	332	2	-	-	52	13	10	4	13	4	3	5	8	190	41	127
NEWTON	112	1	-	-	19	8	2	1	4	2	-	2	2	70	13	51
NOBLE	329	1	-	-	42	15	4	3	5	6	1	8	5	211	45	140
OHIO	59	-	-	-	8	5	-	2	-	-	1	-	2	31	5	23
ORANGE	227	-	1	2	36	10	4	3	3	2	-	14	4	145	23	113
OWEN	146	2	-	-	28	14	5	2	5	1	-	1	5	86	17	61
PARKE	209	2	-	1	26	15	-	1	4	1	2	3	2	131	30	92
PERRY	187	-	-	1	27	13	3	1	5	2	-	3	1	114	28	74
PIKE	186	-	-	1	31	10	6	3	3	1	-	8	3	123	41	74
PORTER	463	1	1	1	80	27	12	9	12	2	3	15	12	228	51	159
PORTAGE	64	-	-	1	12	2	4	-	2	-	2	2	1	23	2	16
VALPARAISO	132	-	-	-	20	6	3	4	2	-	-	5	4	72	16	50
BALANCE OF COUNTY	267	1	1	-	48	19	5	5	8	2	1	8	7	133	33	93
POSEY	206	-	-	-	24	10	3	2	4	1	1	3	3	138	32	93
PULASKI	134	1	-	-	11	5	1	2	2	-	-	1	1	85	21	51
PUTNAM	271	2	-	3	38	17	5	2	6	2	-	6	5	166	53	101
RANDOLPH	349	1	2	-	54	18	8	3	12	4	1	8	6	223	49	155
RIPLEY	233	-	-	1	27	12	2	2	7	2	-	2	7	147	20	118
RUSH	247	-	-	1	41	5	7	3	12	1	2	11	2	152	38	94
ST. JOSEPH	2,046	7	1	3	341	112	47	25	54	17	18	68	46	1,140	280	772
MISHAWAKA	309	2	-	1	54	17	6	4	6	5	3	13	8	176	48	118
SOUTH BEND	1,278	5	1	1	213	70	29	14	35	9	12	44	30	711	175	483
BALANCE OF COUNTY	459	-	-	1	74	25	12	7	13	3	3	11	8	253	57	171
SCOTT	143	-	-	1	21	7	5	1	3	-	2	3	4	77	19	52
SHELBY	339	2	-	3	47	14	10	4	8	2	1	8	8	210	48	140
SHELBYVILLE	161	2	-	2	21	4	6	1	4	1	1	4	3	93	27	57
BALANCE OF COUNTY	178	-	-	1	26	10	4	3	4	1	-	4	5	117	21	83
SPENCER	199	1	-	-	24	11	4	-	3	1	2	3	5	124	24	88
STARKE	223	-	-	1	41	19	6	4	4	1	3	4	6	118	31	80
STEUBEN	205	-	-	-	29	11	3	2	5	1	3	4	6	119	41	68
SULLIVAN	306	1	3	1	44	17	6	6	8	1	1	5	5	197	43	137
SWITZERLAND	107	1	-	1	14	2	1	2	3	1	1	4	3	67	13	47
TIPPECANOE	691	1	2	2	101	43	11	12	18	4	4	9	16	394	104	255
LAFAYETTE	417	1	2	1	60	25	8	6	12	1	2	6	15	237	61	156
WEST LAFAYETTE	55	-	-	-	7	2	-	1	2	-	1	1	-	35	10	21
BALANCE OF COUNTY	219	-	-	1	34	16	3	5	4	3	1	2	1	122	33	78
TIPTON	171	-	-	-	24	7	2	4	4	1	3	3	2	114	27	79
UNION	68	-	1	-	5	2	2	-	-	-	1	-	1	41	7	26
VANDERBURGH	1,715	10	1	6	266	85	54	22	32	12	14	47	42	1,017	182	709
EVANSVILLE	1,563	10	1	5	237	76	50	17	28	10	12	44	39	928	167	646
BALANCE OF COUNTY	152	-	-	1	29	9	4	5	4	2	2	3	3	89	15	63
VERMILLION	280	-	-	-	42	19	4	3	7	2	2	5	9	166	44	106
VIGO	1,334	10	3	3	233	87	41	12	30	10	8	45	33	783	164	547
TERRE HAUTE	1,004	9	3	3	174	61	32	10	24	6	4	37	26	593	127	413
BALANCE OF COUNTY	330	1	-	-	59	26	9	2	6	4	4	8	7	190	37	134
WABASH	346	-	-	2	52	22	5	5	8	2	2	8	5	218	73	126
WABASH	125	-	-	1	17	8	3	2	3	-	-	1	1	79	24	51
BALANCE OF COUNTY	221	-	-	1	35	14	2	3	5	2	2	7	4	139	49	75
WARREN	87	-	-	-	9	1	1	1	3	-	-	3	1	50	6	40
WARRICK	248	-	-	2	44	19	1	3	8	1	1	11	5	142	27	105
WASHINGTON	189	3	-	-	27	5	6	3	6	1	1	5	2	114	31	76
WAYNE	797	3	3	2	124	43	22	12	14	4	3	26	8	478	119	312
RICHMOND	516	2	3	2	76	23	18	9	8	1	2	15	5	305	78	203
BALANCE OF COUNTY	281	1	-	-	48	20	4	3	6	3	1	11	3	173	41	109

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
14	275	24	15	12	25	9	6	27	9	5	12	2	7	30	4	22	21	7	3	63	1
2	87	5	5	1	8	2	-	9	3	2	1	-	2	9	-	4	1	-	1	14	2
5	84	11	4	7	6	3	1	12	6	2	8	2	3	13	2	4	13	2	1	29	3
7	104	8	6	4	11	4	5	6	-	1	3	-	2	8	2	14	7	5	1	20	4
5	91	28	34	4	12	6	1	17	5	-	2	-	8	13	-	8	8	3	1	42	5
2	42	12	13	-	4	4	-	11	4	-	1	-	3	3	-	4	3	2	1	18	6
3	49	16	21	4	8	2	1	6	1	-	1	-	5	10	-	4	5	1	-	24	7
13	377	26	48	14	27	18	10	23	5	3	9	1	15	38	7	32	35	18	3	92	8
8	185	10	24	3	9	9	3	12	3	1	3	-	6	19	1	13	23	7	1	50	9
-	63	3	7	5	1	4	2	3	-	1	1	1	4	2	3	6	3	3	2	5	10
5	129	13	17	6	17	5	5	8	2	1	5	-	5	17	3	13	9	8	-	37	11
72	1,937	206	272	50	162	87	35	233	48	20	84	8	87	283	10	132	221	78	42	525	12
2	26	6	4	-	-	-	-	4	-	-	-	-	-	1	-	1	3	-	1	6	13
56	1,573	179	226	42	141	73	29	207	39	19	72	8	73	243	10	93	178	58	38	439	14
2	15	-	-	-	1	-	1	1	-	-	-	-	1	5	-	2	3	1	1	2	15
12	323	21	42	8	20	14	5	21	9	1	12	-	13	34	-	36	37	19	2	78	16
-	88	10	16	6	5	5	1	11	1	5	3	-	3	17	1	14	4	4	-	28	17
1	27	18	8	1	6	2	2	5	-	2	1	1	1	3	-	3	9	1	-	12	18
5	124	9	12	5	19	2	2	9	3	1	1	1	3	14	1	11	17	9	-	30	19
4	66	7	6	2	15	1	-	5	1	1	1	-	2	5	1	5	9	6	-	19	20
1	58	2	6	3	4	1	2	4	2	-	-	1	1	9	-	6	8	3	-	11	21
6	133	15	27	3	13	11	3	9	5	1	1	-	7	20	1	9	17	9	2	26	22
4	82	7	14	1	9	7	2	5	3	1	-	-	4	11	1	4	6	5	-	18	23
2	51	8	13	2	4	4	1	4	2	-	1	-	3	9	-	5	11	4	2	8	24
2	123	15	12	4	9	3	3	6	2	1	3	-	3	9	-	11	15	2	-	24	25
2	59	3	3	2	6	2	2	3	1	1	3	-	2	5	-	2	11	2	-	10	26
-	64	12	9	2	3	1	1	3	1	-	-	-	1	4	-	9	4	-	-	14	27
2	95	16	14	4	10	5	3	10	2	1	1	-	3	11	1	10	9	3	-	29	28
-	43	3	5	1	3	2	-	2	-	1	1	-	-	1	-	3	2	-	-	10	29
1	124	10	5	5	15	4	2	6	2	5	2	1	2	5	1	8	17	2	-	19	30
-	16	5	2	2	1	-	-	2	-	-	-	-	2	2	-	1	5	1	1	4	31
4	71	21	17	1	4	1	3	9	1	3	-	-	1	3	-	2	3	3	-	14	32
1	34	20	6	4	2	1	1	2	1	-	1	-	1	3	-	3	2	-	-	12	33
1	61	17	13	3	5	1	-	11	3	1	-	-	-	6	-	4	11	1	-	10	34
2	53	7	12	1	10	1	-	6	1	3	1	-	1	9	-	-	4	2	-	17	35
1	66	3	4	3	3	2	-	2	1	-	-	-	1	4	-	6	6	-	-	8	36
12	122	8	17	3	8	3	4	15	-	1	2	-	11	12	3	24	23	8	1	40	37
2	13	1	-	1	2	-	2	2	-	-	-	-	1	4	-	5	6	-	-	9	38
1	37	4	8	2	3	1	-	2	-	-	1	-	3	1	1	4	7	2	1	14	39
9	72	3	9	-	3	2	2	11	-	1	1	-	7	7	2	15	10	6	-	17	40
-	75	7	11	4	5	3	1	3	2	1	2	-	2	1	-	6	4	2	-	18	41
3	35	3	10	4	5	2	2	7	1	-	1	-	3	1	1	6	5	2	-	9	42
2	74	14	11	2	3	7	-	8	2	-	2	-	1	9	1	2	9	4	-	19	43
3	77	48	27	2	6	6	5	8	1	1	2	-	1	9	4	14	8	3	-	12	44
-	79	30	9	1	7	1	-	6	1	-	2	-	-	9	2	4	7	3	1	16	45
4	80	3	7	4	12	3	1	3	1	-	5	-	2	6	-	4	8	4	-	18	46
19	633	55	65	9	47	23	9	55	18	9	22	1	28	84	18	43	60	25	3	142	47
4	106	4	4	-	7	2	1	8	5	-	4	-	3	11	2	6	5	1	-	23	48
13	389	42	39	6	26	16	5	36	11	6	18	1	15	57	13	23	33	13	3	88	49
2	138	9	22	3	14	5	3	11	2	3	-	-	10	16	3	14	22	11	-	31	50
3	37	8	4	-	-	4	2	7	1	-	1	1	1	2	-	7	7	4	-	9	51
2	105	19	14	4	14	3	1	7	1	2	3	-	4	13	-	3	5	7	4	20	52
-	43	8	6	1	6	2	-	3	1	1	2	-	1	10	-	2	1	4	3	12	53
2	62	11	8	3	8	1	1	4	-	1	1	-	3	3	-	1	4	3	1	8	54
1	55	11	21	1	3	4	4	7	-	1	2	-	1	6	1	2	5	1	-	19	55
1	65	1	13	-	3	1	3	9	-	1	1	-	1	6	-	11	14	2	-	12	56
2	50	7	9	-	4	4	2	4	4	-	-	-	5	5	1	6	3	3	-	20	57
4	109	8	16	6	4	3	4	5	2	-	5	-	-	2	1	3	8	6	-	23	58
-	36	7	4	-	4	2	1	4	1	-	-	-	-	-	2	4	3	-	-	7	59
5	206	25	19	12	13	9	1	18	6	4	5	-	11	32	5	16	25	14	1	38	60
4	125	18	9	6	9	5	-	11	4	3	5	-	6	17	4	8	12	9	1	21	61
-	17	1	3	1	2	1	-	2	-	-	-	-	2	5	-	1	1	1	-	1	62
1	64	6	7	5	2	3	1	5	2	1	-	-	3	10	1	7	12	4	-	16	63
3	62	10	4	4	1	2	1	2	1	-	3	-	2	2	1	6	2	2	-	10	64
1	17	3	5	-	4	4	-	1	-	2	-	-	1	3	-	3	2	1	-	7	65
24	511	99	75	13	90	18	5	33	7	8	30	1	18	52	8	39	44	15	14	104	66
24	466	89	67	12	82	16	5	31	6	8	29	-	16	48	7	33	41	11	14	99	67
-	45	10	8	1	8	2	-	2	1	-	1	1	2	4	1	6	3	4	-	5	68
4	76	8	18	2	11	1	2	9	3	-	3	-	1	4	1	13	10	4	-	15	69
15	380	51	101	19	22	20	11	25	12	7	12	-	7	27	8	24	35	11	4	97	70
11	287	42	73	15	17	14	7	20	7	6	9	-	7	18	5	17	23	7	4	73	71
4	93	9	28	4	5	6	4	5	5	1	3	-	-	9	3	7	12	4	-	24	72
-	105	6	15	3	10	3	3	6	-	1	1	-	2	7	3	12	16	4	1	16	73
-	40	3	8	1	1	1	1	3	-	1	1	-	-	2	1	3	7	1	-	8	74
-	65	3	7	2	9	2	2	3	-	-	-	-	2	5	2	9	9	3	1	8	75
-	25	2	13	1	1	2	-	5	1	-	-	1	1	-	-	1	6	1	1	10	76
2	79	15	9	1	7	1	1	15	-	-	2	-	3	2	-	10	6	2	-	15	77
2	53	16	5	2	2	3	-	5	-	-	-	-	-	6	-	9	5	5	-	13	78
11	234	40	27	10	25	7	5	17	7	2	6	-	4	22	1	15	23	14	2	66	79
8	162	17	16	5	11	5	3	9	4	2	3	-	2	16	1	11	15	9	2	49	80
3	72	23	11	5	14	2	2	8	3	-	3	-	2	6	-	4	8	5	-	17	81

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-136)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
INDIANA--CON.																
WELLS	215	-	-	-	38	14	3	2	8	1	2	8	4	128	40	76
WHITE	213	1	1	-	31	8	6	1	5	1	3	7	5	129	28	89
WHITLEY	237	-	-	1	36	11	-	6	8	1	3	7	2	134	30	92
IOWA	28,666	62	34	96	4,441	1,488	628	396	702	251	225	751	505	16,956	4,094	11,202
URBAN	15,673	37	29	44	2,435	816	370	210	383	148	125	383	269	9,233	2,205	6,104
RURAL	12,993	25	5	52	2,006	672	258	186	319	103	100	368	236	7,723	1,889	5,098
METROPOLITAN COUNTIES	8,689	18	18	21	1,362	434	223	123	209	87	74	212	119	4,979	1,201	3,279
URBAN	7,242	16	17	16	1,138	362	191	98	173	74	64	176	100	4,166	1,005	2,745
RURAL	1,447	2	1	5	224	72	32	25	36	13	10	36	19	813	196	534
NONMETROPOLITAN COUNTIES	19,977	44	16	75	3,079	1,054	405	273	493	164	151	539	386	11,977	2,893	7,923
URBAN	8,431	21	12	28	1,297	454	179	112	210	74	61	207	169	5,067	1,200	3,359
RURAL	11,546	23	4	47	1,782	600	226	161	283	90	90	332	217	6,910	1,693	4,564
ADAIR	157	-	-	-	22	7	2	4	2	3	1	3	2	92	13	65
ADAMS	105	-	-	-	14	4	1	3	-	3	1	2	1	69	14	47
ALLAMAKEE	177	-	-	1	29	16	5	2	4	-	-	2	3	102	29	63
APPANOOSE	244	-	-	-	36	11	3	5	6	2	1	8	9	144	46	91
AUDUBON	116	-	-	-	15	4	2	1	2	4	-	2	-	78	16	52
BENTON	222	-	-	3	26	8	5	5	2	-	-	6	3	142	44	86
BLACK HAWK	1,057	5	5	2	147	55	21	16	23	8	7	17	15	624	182	378
CEDAR FALLS	177	-	-	-	24	6	3	5	4	1	1	4	4	114	37	62
WATERLOO	722	4	4	2	103	40	15	10	16	6	5	11	9	431	117	273
BALANCE OF COUNTY	158	1	1	-	20	9	3	1	3	1	1	2	2	79	28	43
BOONE	332	-	-	2	51	21	5	4	5	3	2	11	6	195	56	127
BOONE	187	-	-	2	28	11	2	1	3	2	1	8	5	111	32	71
BALANCE OF COUNTY	145	-	-	-	23	10	3	3	2	1	1	3	1	84	24	56
BREMER	180	-	-	-	25	13	-	2	3	1	1	5	1	114	42	65
BUCHANAN	219	1	-	3	25	10	2	3	5	2	2	1	9	129	18	95
BUENA VISTA	197	-	1	-	28	12	-	2	7	1	2	4	5	117	24	82
BUTLER	198	-	-	1	29	11	4	4	4	-	1	5	4	137	38	92
CALHOUN	153	-	-	-	25	7	3	4	4	-	3	4	5	94	26	60
CARROLL	217	-	-	-	32	8	7	2	6	3	1	5	4	147	31	105
CASS	218	-	-	-	39	22	3	2	4	4	1	3	7	131	27	94
CEDAR	183	-	1	1	29	11	6	-	4	2	-	6	-	118	32	73
CERRO GORDO	524	-	3	3	86	29	15	6	14	3	4	15	8	296	62	203
MASON CITY	348	-	3	2	55	16	8	4	10	3	3	11	6	186	33	133
BALANCE OF COUNTY	176	-	-	1	31	13	7	2	4	-	1	4	2	110	29	70
CHEROKEE	169	1	-	1	29	8	2	3	6	2	2	6	1	84	16	59
CHICKASAW	179	-	-	1	29	10	3	2	2	3	5	4	2	114	27	76
CLARKE	115	-	-	2	22	7	2	1	6	2	3	1	2	64	17	41
CLAY	169	1	-	-	28	7	3	2	3	4	4	5	4	108	33	70
CLAYTON	264	3	-	5	43	13	1	6	9	1	4	9	9	142	31	99
CLINTON	623	3	-	1	101	37	12	10	15	5	4	18	10	349	91	231
CLINTON	411	1	-	1	69	27	6	9	7	3	3	14	7	230	58	157
BALANCE OF COUNTY	212	2	-	-	32	10	6	1	8	2	1	4	3	119	33	74
CRAWFORD	202	-	-	2	37	8	3	5	9	5	2	5	9	118	16	93
DALLAS	298	-	-	1	46	15	8	-	6	7	2	8	5	175	45	119
DAVIS	108	-	-	-	11	3	4	1	-	1	-	2	2	73	10	60
DECATUR	150	-	-	-	22	5	2	1	3	1	1	9	2	85	25	56
DELAWARE	182	-	-	-	30	12	6	1	4	1	3	3	2	110	39	63
DES MOINES	520	3	-	1	89	27	11	7	14	6	7	17	6	314	66	207
BURLINGTON	412	3	-	-	69	20	9	6	10	6	5	13	2	250	56	165
BALANCE OF COUNTY	108	-	-	1	20	7	2	1	4	-	2	4	4	64	10	42
DICKINSON	137	1	-	-	24	10	2	1	3	-	1	7	1	81	12	60
DUBUQUE	794	2	2	1	131	46	18	12	17	9	7	22	15	444	109	277
DUBUQUE	600	-	2	-	102	35	15	8	14	9	5	16	9	343	87	210
BALANCE OF COUNTY	194	2	-	1	29	11	3	4	3	-	2	6	6	101	22	67
EMMET	129	-	-	1	16	6	1	1	3	1	1	3	3	73	15	45
FAYETTE	316	1	-	-	41	18	4	4	4	2	3	6	11	195	42	121
FLOYD	251	2	-	-	44	15	5	5	8	-	2	9	10	137	26	89
FRANKLIN	151	1	-	-	20	9	2	1	2	2	-	4	4	98	25	57
FREMONT	137	-	-	-	19	3	2	2	6	1	1	4	4	77	9	63
GREENE	159	1	-	-	24	9	3	2	4	2	1	3	4	101	29	60
GRUNDY	124	-	-	-	29	9	3	1	9	1	1	5	4	62	25	30
GUTHRIE	152	-	-	1	17	6	4	2	2	1	1	1	2	99	28	64
HAMILTON	213	-	-	1	25	11	5	1	3	1	-	4	3	143	33	100
HANCOCK	138	-	-	-	26	7	1	6	3	3	-	6	1	85	22	54
HARDIN	250	-	-	1	40	12	5	4	7	6	3	3	3	156	42	100
HARRISON	237	-	-	-	29	10	2	2	9	2	1	3	8	156	31	110
HENRY	231	-	-	-	29	9	5	1	6	-	1	7	6	154	39	106
HOWARD	134	1	-	-	18	9	4	1	1	1	1	1	1	89	21	63
HUMBOLDT	143	-	-	-	24	11	2	1	4	3	1	2	4	80	16	56
IDA	106	-	-	-	16	8	-	1	2	1	1	3	2	62	18	35
IOWA	178	-	-	-	31	15	1	4	6	1	1	3	3	102	25	69
JACKSON	232	1	-	-	34	14	4	8	2	1	1	4	3	140	37	85
JASPER	358	2	-	-	64	16	12	5	15	2	1	13	1	190	42	122
NEWTON	147	1	-	-	32	4	7	3	10	2	1	5	-	82	14	57
BALANCE OF COUNTY	211	1	-	-	32	12	5	2	5	-	-	8	1	108	28	65

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
1	63	7	5	2	4	3	3	6	3	-	1	-	1	6	1	7	6	3	-	11	4
1	75	1	12	1	8	2	1	10	-	-	2	-	3	4	-	7	6	-	-	14	5
3	68	9	12	-	11	1	-	5	1	1	-	-	3	6	4	16	8	6	1	13	6
																					7
																					8
																					9
234	8,771	809	1,388	251	886	377	146	943	212	102	166	8	322	753	68	658	930	334	40	2,036	10
																					11
128	4,796	488	692	143	478	226	77	536	110	62	115	4	187	454	38	291	474	170	26	1,159	12
106	3,975	321	696	108	408	151	69	407	102	40	51	4	135	299	30	367	456	164	14	877	13
																					14
101	2,614	240	324	72	247	140	40	288	62	35	67	4	134	295	17	188	281	107	24	670	15
79	2,186	219	261	59	201	122	34	241	53	29	65	4	109	240	16	136	223	85	21	567	16
22	428	21	63	13	46	18	6	47	9	6	2	-	25	55	1	52	58	22	3	103	17
133	6,157	569	1,064	179	639	237	106	655	150	67	99	4	188	458	51	470	649	227	16	1,366	18
49	2,610	269	431	84	277	104	43	295	57	33	50	-	78	214	22	155	251	85	5	592	19
84	3,547	300	633	95	362	133	63	360	93	34	49	4	110	244	29	315	398	142	11	774	20
																					21
2	48	4	11	1	11	2	-	5	-	1	-	-	3	3	-	2	5	6	-	16	22
-	35	1	11	2	4	2	-	4	2	-	1	-	-	1	-	1	5	2	-	5	23
4	51	2	6	2	3	3	2	5	1	1	1	-	1	4	1	1	9	-	1	17	24
-	50	6	35	-	1	4	2	6	3	-	-	1	1	5	3	4	7	2	-	23	25
-	34	2	16	2	4	4	-	2	1	-	1	-	1	3	1	3	6	1	-	4	26
3	69	2	12	-	7	3	2	5	-	-	2	-	3	5	-	7	8	3	-	15	27
14	293	27	44	10	28	22	4	27	6	2	7	-	25	48	2	29	29	9	5	70	28
2	48	4	8	2	4	8	1	7	1	1	2	-	1	8	-	3	1	2	-	9	29
11	217	20	25	5	20	13	3	15	3	1	5	-	21	34	1	15	20	5	3	46	30
1	28	3	11	3	4	1	-	5	2	-	-	-	3	6	1	11	8	2	2	15	31
1	82	26	18	2	5	3	2	16	1	1	2	-	5	5	2	9	12	4	-	21	32
-	45	15	11	2	4	1	1	9	-	1	2	-	3	3	1	3	9	2	-	8	33
1	37	11	7	-	1	2	1	7	1	-	-	-	2	2	1	6	3	2	-	13	34
																					35
2	55	2	6	1	6	-	-	2	3	1	3	-	2	3	-	4	6	5	-	11	36
1	64	11	19	2	10	3	1	2	1	1	1	-	3	11	-	4	9	1	-	19	37
-	72	4	6	2	6	1	2	5	2	-	1	-	4	4	-	5	9	3	-	13	38
1	59	16	16	-	7	-	-	2	-	2	1	1	1	3	-	5	2	-	-	10	39
2	52	4	2	2	6	-	-	8	1	-	1	-	2	1	-	3	3	3	1	6	40
1	88	7	9	-	7	4	-	4	1	-	1	-	1	5	-	3	5	2	-	12	41
4	71	8	11	-	4	5	1	4	1	1	-	-	2	2	-	4	9	-	-	18	42
1	55	5	12	4	3	4	2	5	1	1	-	-	-	2	1	5	6	1	-	12	43
3	172	10	18	3	13	7	8	33	4	1	3	-	8	15	2	12	16	5	-	29	44
2	115	7	9	1	9	5	5	23	3	1	3	-	7	11	1	8	14	4	-	21	45
1	57	3	9	2	4	2	3	10	1	-	-	-	1	4	1	4	2	1	-	8	46
-	52	2	5	-	7	2	-	14	-	1	-	-	1	1	-	10	4	1	-	21	47
2	43	14	17	2	7	2	-	3	1	-	-	-	1	8	-	4	4	3	-	9	48
																					49
-	24	2	15	1	1	1	3	6	1	-	-	-	1	2	-	5	4	2	-	4	50
2	58	3	7	1	2	2	-	6	1	-	-	-	3	2	-	2	7	1	-	6	51
-	78	9	12	3	5	2	2	12	3	-	1	-	3	5	-	6	13	4	-	15	52
6	188	15	22	5	13	8	1	31	8	10	7	-	6	25	2	8	13	8	1	40	53
4	126	11	16	3	6	6	-	21	6	7	5	-	2	17	1	3	10	6	-	25	54
2	62	4	6	2	7	2	1	10	2	3	2	-	4	8	1	5	3	2	1	15	55
2	64	15	12	1	6	2	-	7	2	-	1	-	2	2	-	4	7	4	-	7	56
2	90	5	22	2	7	1	1	7	3	2	1	-	5	6	-	10	10	5	-	22	57
-	50	4	6	-	3	-	-	-	-	-	-	-	-	3	-	1	7	1	-	10	58
1	46	4	5	-	3	1	-	6	1	-	-	-	-	1	1	5	9	2	-	16	59
2	41	8	12	-	4	4	-	7	2	1	1	-	2	4	-	4	6	2	-	11	60
4	159	30	14	10	20	9	2	22	2	-	3	-	3	13	1	16	18	5	-	24	61
2	133	20	10	10	11	6	2	19	2	-	2	-	2	9	1	11	17	4	-	21	62
2	26	10	4	-	9	3	-	3	-	-	1	-	1	4	-	5	1	1	-	3	63
																					64
-	55	3	2	1	7	1	-	6	1	-	1	-	1	6	-	6	2	1	-	6	65
9	232	17	19	6	33	17	2	35	5	5	3	-	10	34	2	12	28	5	-	60	66
4	176	16	14	4	24	16	2	26	4	4	2	-	6	24	2	6	19	3	-	48	67
5	56	1	5	2	9	1	-	9	1	1	1	-	4	10	-	6	9	2	-	12	68
-	39	2	4	4	8	1	-	7	3	-	2	-	-	3	-	2	3	5	-	11	69
3	91	14	13	6	17	6	3	10	3	1	4	-	4	11	-	3	7	2	1	22	70
2	75	4	8	1	17	3	1	10	3	-	3	-	3	6	1	5	8	1	-	18	71
1	49	-	7	8	5	3	-	5	-	-	-	-	2	2	-	5	3	1	-	10	72
-	48	11	4	2	3	-	-	5	2	-	1	-	-	3	1	2	7	3	-	13	73
3	49	4	4	3	4	3	2	3	-	2	-	-	2	-	-	3	5	3	-	11	74
1	23	2	4	1	5	1	-	4	-	-	-	-	3	2	-	3	6	1	-	10	75
3	49	4	8	1	5	1	-	6	3	-	-	-	-	1	-	5	2	2	-	14	76
1	82	6	11	2	6	-	2	8	-	-	-	-	-	7	1	2	11	-	-	12	77
																					78
2	47	1	4	3	5	1	-	3	3	1	-	-	-	2	-	3	6	1	-	7	79
-	85	6	9	4	6	3	1	4	3	-	1	-	3	2	-	11	6	-	-	20	80
-	81	8	21	4	3	4	4	3	-	-	-	-	2	6	-	3	5	3	-	22	81
1	82	5	18	1	3	4	1	4	-	1	-	-	-	3	-	8	7	3	-	16	82
-	48	2	13	1	3	1	-	3	2	-	1	-	2	2	-	-	5	1	-	9	83
-	47	3	6	3	3	1	1	8	-	-	-	-	1	8	-	5	4	-	-	9	84
1	29	-	5	-	8	1	-	6	1	2	-	-	-	-	-	1	4	3	-	9	85
1	60	-	8	2	5	-	1	6	1	-	3	-	2	2	-	4	5	2	-	17	86
2	59	3	21	3	9	4	2	10	1	1	3	-	2	9	-	7	8	2	1	10	87
2	97	5	18	2	17	6	1	18	6	-	1	-	4	8	2	9	12	5	-	36	88
-	46	3	8	1	7	2	1	7	3	-	-	-	3	3	1	2	3	-	-	10	89
2	51	2	10	1	10	4	-	11	3	-	1	-	1	5	1	7	9	5	-	26	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
IOWA--CON.																
JEFFERSON	151	1	-	-	21	10	2	1	2	1	-	5	3	89	25	60
JOHNSON	379	2	2	1	66	21	15	9	10	1	2	8	15	193	38	136
IOWA CITY	237	-	1	-	40	12	8	8	3	1	2	6	8	128	26	94
BALANCE OF COUNTY	142	2	1	1	26	9	7	1	7	-	-	2	7	65	12	42
JONES	206	-	-	1	30	9	1	2	7	5	2	4	3	111	21	77
KEOKUK	236	-	-	1	40	13	5	4	5	-	2	11	2	142	46	82
KOSSUTH	232	-	-	-	31	13	2	3	8	-	1	4	6	143	24	104
LEE	476	2	1	3	65	24	12	5	13	2	1	8	15	294	60	203
FORT MADISON	160	-	-	1	13	6	2	1	2	1	-	1	5	107	19	76
KEOKUK	193	2	1	2	31	15	4	1	6	1	1	3	3	111	21	74
BALANCE OF COUNTY	123	-	-	-	21	3	6	3	5	-	-	4	7	76	20	53
LINN	1,194	3	4	3	209	60	31	17	31	21	13	36	18	682	156	451
CEDAR RAPIDS	852	3	4	2	146	38	27	10	19	16	9	27	15	475	108	307
MARION	75	-	-	-	16	7	1	-	6	-	1	1	2	46	10	31
BALANCE OF COUNTY	267	-	-	1	47	15	3	7	6	5	3	8	1	161	38	113
LOUISA	134	-	-	2	24	6	3	3	6	-	1	5	4	72	17	47
LUCAS	152	-	-	-	16	7	1	-	4	-	1	3	7	96	29	60
LYON	121	-	-	1	22	8	6	2	2	-	1	3	1	67	14	46
MADISON	144	-	-	-	23	7	3	3	4	1	1	4	2	91	22	57
MAHASKA	274	-	-	3	44	20	1	6	7	1	2	7	3	162	47	96
OSKALOOSA	167	-	-	2	24	10	-	3	6	1	1	3	1	98	25	57
BALANCE OF COUNTY	107	-	-	1	20	10	1	3	1	-	1	4	2	64	22	39
MARION	261	1	-	1	46	17	6	5	9	3	1	5	3	155	33	107
MARSHALL	427	3	-	2	73	25	15	4	9	1	4	15	3	264	68	156
MARSHALLTOWN	280	2	-	1	51	17	12	2	7	1	3	9	2	171	43	98
BALANCE OF COUNTY	147	1	-	1	22	8	3	2	2	-	1	6	1	93	25	58
MILLS	135	1	-	-	19	5	3	2	3	1	2	3	6	75	22	49
MITCHELL	166	-	-	2	30	7	6	2	5	1	2	7	3	100	25	65
MONONA	187	1	-	-	32	13	7	2	4	1	3	2	2	108	35	70
MONROE	155	-	1	1	21	11	-	-	2	1	2	5	2	95	33	60
MONTGOMERY	218	-	-	1	31	6	4	3	5	3	2	8	2	149	52	83
MUSCATINE	429	2	1	3	69	23	13	6	14	3	2	8	14	263	66	174
MUSCATINE	293	2	1	2	45	16	8	4	9	1	-	7	9	184	46	123
BALANCE OF COUNTY	136	-	-	1	24	7	5	2	5	2	2	1	5	79	20	51
O BRIEN	183	1	-	-	30	10	3	3	5	3	1	5	5	107	25	75
OSCEOLA	78	-	-	1	13	6	1	1	2	1	1	1	-	40	9	28
PAGE	259	1	1	-	36	8	3	8	7	-	3	7	4	161	35	110
PALO ALTO	154	-	-	-	22	6	2	3	4	2	1	4	2	81	28	43
PLYMOUTH	223	-	-	1	31	9	9	5	1	1	1	5	7	144	32	93
POCAHONTAS	159	-	-	1	32	7	7	-	7	2	1	8	1	98	25	65
POLK	2,500	3	2	5	400	122	78	35	58	21	18	68	25	1,415	346	934
DES MOINES	2,097	3	2	5	324	97	65	30	46	17	15	54	23	1,185	291	774
WEST DES MOINES	88	-	-	-	19	8	3	1	2	2	-	3	-	55	15	38
BALANCE OF COUNTY	315	-	-	-	57	17	10	4	10	2	3	11	2	175	40	122
POTTAWATTAMIE	824	2	-	4	113	36	20	8	22	7	4	16	16	482	99	341
COUNCIL BLUFFS	592	2	-	3	83	24	17	4	16	5	4	13	12	335	69	239
BALANCE OF COUNTY	232	-	-	1	30	12	3	4	6	2	-	3	4	147	30	102
POWESHIEK	214	-	-	1	31	7	1	2	5	1	6	9	2	133	30	95
RINGGOLD	107	1	-	1	16	4	3	1	3	1	-	4	1	67	24	34
SAC	176	-	-	3	26	4	4	1	8	1	1	7	2	104	27	68
SCOTT	1,166	1	2	3	185	51	26	22	36	11	14	25	10	664	152	462
BETTENDORF	73	-	-	1	16	3	4	2	4	1	-	2	-	37	10	23
DAVENPORT	944	1	2	2	150	43	21	16	28	9	12	21	10	554	128	387
BALANCE OF COUNTY	149	-	-	-	19	5	1	4	4	1	2	2	-	73	14	52
SHELBY	165	-	-	-	20	7	2	1	4	1	1	4	5	100	10	82
SIOUX	236	-	-	-	54	22	9	4	9	1	2	7	5	121	21	71
STORY	377	1	-	2	55	21	6	4	7	4	2	11	6	229	62	143
AMES	141	1	-	1	27	11	2	2	6	2	1	3	1	72	17	51
BALANCE OF COUNTY	236	-	-	1	28	10	4	2	1	2	1	8	5	157	45	92
TAMA	230	1	1	2	33	14	1	2	4	2	2	8	5	136	35	88
TAYLOR	138	-	-	-	18	8	3	1	4	-	2	-	2	93	19	65
UNION	208	-	-	1	34	13	5	-	5	2	2	7	5	130	28	90
VAN BUREN	125	-	-	-	18	3	3	4	-	2	-	6	3	85	24	57
WAPELLO	479	1	3	1	74	21	13	8	12	4	3	13	2	287	68	197
OTTUMWA	358	1	3	-	60	14	12	7	10	3	2	12	2	206	50	140
BALANCE OF COUNTY	121	-	-	1	14	7	1	1	2	1	1	1	-	81	18	57
WARREN	191	1	-	1	28	12	3	3	4	1	1	4	3	116	23	78
WASHINGTON	235	-	-	-	30	11	1	4	2	-	1	11	6	157	30	114
WAYNE	178	-	-	-	28	13	6	1	3	-	1	4	3	107	30	67
WEBSTER	503	-	-	2	87	22	15	5	19	6	5	15	12	279	47	201
FORT DODGE	310	-	-	1	56	14	13	3	12	4	4	6	8	170	30	120
BALANCE OF COUNTY	193	-	-	1	31	8	2	2	7	2	1	9	4	109	17	81
WINNEBAGO	157	-	1	1	19	11	2	1	1	-	2	2	3	104	35	61
WINNESHIEK	209	1	-	2	29	6	5	2	6	1	-	9	4	119	28	82
WOODBURY	1,154	2	3	3	177	64	29	13	22	10	11	28	20	668	157	436
SIOUX CITY	941	2	3	1	142	53	20	11	17	8	11	22	15	549	125	368
BALANCE OF COUNTY	213	-	-	2	35	11	9	2	5	2	-	6	5	119	32	68
WORTH	116	1	-	-	15	4	3	-	3	-	-	5	1	70	14	47
WRIGHT	197	-	-	1	29	7	3	6	1	3	1	8	2	119	36	74

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	44	4	12	1	1	-	2	10	-	-	1	-	-	4	-	1	4	2	-	15	1
3	115	2	16	1	9	7	2	14	1	4	2	-	11	11	-	9	21	5	1	21	2
1	79	2	12	-	5	2	1	9	1	2	2	-	7	8	-	4	9	2	1	15	3
2	36	-	4	1	4	5	1	5	-	2	-	-	4	3	-	5	12	3	-	6	4
-	67	2	8	1	10	2	-	5	-	2	1	-	1	9	1	6	5	2	-	29	5
-	66	4	12	2	9	2	1	7	2	-	1	-	3	3	3	4	4	5	5	14	6
1	77	8	18	4	7	4	-	8	2	-	1	-	3	6	1	7	9	2	-	13	7
5	164	7	27	4	18	7	2	17	2	4	2	-	4	14	-	6	15	7	1	24	8
-	68	3	5	1	7	2	2	3	-	3	1	-	2	1	-	3	7	4	1	9	9
3	56	3	12	2	10	4	-	10	1	1	1	-	2	10	-	2	5	2	-	9	10
2	40	1	10	1	1	1	-	4	1	-	-	-	-	3	-	1	3	1	-	6	11
11	375	28	37	3	38	24	10	36	9	5	10	-	13	44	3	18	32	26	1	78	12
7	258	22	20	2	31	18	9	24	8	2	10	-	10	31	3	14	22	22	1	60	13
2	19	2	8	1	2	1	1	1	-	-	-	-	1	3	-	2	1	-	-	3	14
2	98	4	9	-	5	5	-	11	1	3	-	-	2	10	-	2	9	4	-	15	15
-	30	9	8	-	6	2	-	1	1	-	1	-	1	7	-	2	5	3	-	11	16
1	33	7	19	2	1	2	2	4	-	1	1	-	-	3	-	2	6	2	-	14	17
1	30	5	10	1	2	2	2	6	-	1	3	-	1	5	1	3	5	-	-	5	18
2	48	5	2	-	4	7	1	4	3	-	1	-	1	2	1	1	6	1	-	8	19
2	73	8	13	4	11	2	2	17	2	-	3	-	-	6	1	6	8	2	-	17	20
1	41	5	10	4	10	-	2	14	1	-	3	-	-	4	-	3	6	1	-	10	21
1	32	3	3	-	1	2	-	3	1	-	-	-	-	2	1	3	2	1	-	7	22
2	92	3	10	1	11	3	-	6	1	3	-	-	5	4	-	7	11	2	1	15	23
6	131	6	13	2	32	5	1	12	7	2	1	-	3	10	1	3	9	7	-	27	24
4	79	6	9	2	23	4	1	6	5	1	1	-	-	6	1	2	6	5	-	20	25
2	52	-	4	-	9	1	-	6	2	1	-	-	3	4	-	1	3	2	-	7	26
2	38	-	9	1	3	-	-	5	2	-	1	-	2	2	1	7	6	-	-	8	27
-	55	-	10	1	5	3	1	5	1	-	-	-	3	5	-	6	5	-	-	6	28
2	47	9	12	2	-	1	-	6	4	-	-	-	2	5	1	5	5	-	-	16	29
1	49	3	7	1	-	1	-	8	4	1	-	-	-	5	2	2	2	1	-	10	30
2	75	2	4	1	8	2	3	10	-	1	-	-	-	2	-	6	5	4	-	7	31
3	130	17	24	2	16	3	2	13	2	-	2	-	2	7	-	11	17	2	1	20	32
2	93	11	17	1	10	2	2	12	1	-	1	-	1	6	-	5	10	1	-	13	33
1	37	6	7	1	6	1	-	1	1	-	1	-	1	1	-	6	7	1	1	7	34
2	66	4	3	-	3	2	2	4	2	-	1	-	1	2	1	10	7	3	-	9	35
-	23	2	3	-	2	-	1	2	-	-	1	-	1	1	-	7	1	2	-	9	36
-	89	9	12	-	12	3	1	10	1	1	2	-	1	2	-	4	11	3	-	21	37
2	35	1	5	3	3	1	3	5	4	1	2	1	1	5	1	7	6	2	-	14	38
1	74	4	14	2	12	4	1	2	1	3	-	-	1	5	-	3	10	1	-	14	39
1	57	1	6	2	3	3	-	4	-	-	1	-	3	2	1	2	3	-	-	11	40
23	798	62	51	19	69	40	7	80	19	13	30	1	37	84	6	50	88	23	9	210	41
20	663	54	37	18	61	34	7	68	17	12	28	1	29	67	6	43	74	19	8	183	42
-	33	1	4	-	2	-	-	2	-	-	1	-	2	2	-	-	3	-	-	4	43
3	102	7	10	1	6	6	-	10	2	1	1	-	6	15	-	7	11	4	1	23	44
13	243	35	50	12	19	8	3	30	7	2	4	1	10	23	1	17	33	10	2	67	45
5	165	32	37	10	13	4	-	23	6	2	4	1	9	19	1	9	21	7	2	53	46
8	78	3	13	2	6	4	3	7	1	-	-	-	1	4	-	8	12	3	-	14	47
1	76	-	18	2	2	4	-	6	2	-	-	-	-	2	-	8	7	3	-	19	48
-	27	2	5	-	8	1	-	5	1	-	-	-	-	2	-	-	-	1	-	12	49
1	54	5	8	1	5	1	2	6	1	-	-	-	1	5	-	7	4	2	-	15	50
19	344	37	62	12	16	15	7	43	9	5	6	-	21	34	-	30	39	20	3	91	51
-	18	1	4	1	1	1	1	3	-	-	1	-	1	4	-	1	3	-	-	6	52
16	285	33	53	9	11	14	5	34	9	4	5	-	17	24	-	19	26	16	3	68	53
3	41	3	5	2	4	-	1	6	-	1	-	-	3	6	-	10	10	4	-	17	54
1	59	4	18	3	3	1	1	4	-	-	-	-	4	5	-	4	8	2	-	13	55
1	50	5	15	4	20	1	4	3	2	1	1	-	6	3	2	8	9	1	-	20	56
3	121	8	11	4	13	5	2	5	3	1	1	-	2	14	4	11	11	8	-	24	57
1	44	5	1	1	2	1	-	5	1	1	-	-	1	8	2	5	6	2	-	8	58
2	77	3	10	3	11	4	2	-	2	-	1	-	1	6	2	6	5	6	-	16	59
1	68	10	9	3	5	4	1	4	1	-	3	-	3	5	5	6	6	6	-	13	60
-	53	6	6	2	6	1	-	5	2	-	-	-	1	1	-	2	4	-	-	10	61
3	65	3	19	1	5	4	2	6	1	-	2	-	3	-	-	3	4	2	-	17	62
1	47	6	3	-	3	-	1	2	2	-	1	-	-	4	-	2	2	-	-	6	63
5	143	27	22	3	14	5	-	12	3	2	2	-	5	18	-	7	13	7	1	41	64
5	105	21	9	3	9	4	-	8	1	1	2	-	4	15	-	6	11	6	1	31	65
-	38	6	13	-	5	1	-	4	2	1	-	-	1	3	-	1	2	1	-	10	66
-	51	11	16	2	10	2	1	4	2	-	2	-	3	4	1	7	4	4	1	10	67
2	75	10	27	1	9	-	3	4	1	1	-	1	1	1	-	8	7	2	-	16	68
1	46	4	16	-	5	2	3	8	-	1	2	-	1	2	-	2	4	1	-	19	69
2	137	31	31	7	12	9	3	14	3	2	3	-	6	25	3	9	19	7	-	32	70
1	77	24	18	5	8	5	2	9	2	2	1	-	4	18	2	6	9	3	-	19	71
1	60	7	13	2	4	4	1	5	1	-	2	-	2	7	1	3	10	4	-	13	72
1	53	3	4	2	3	2	1	2	1	-	-	-	1	4	-	6	4	-	-	11	73
2	72	3	5	1	7	-	1	9	1	-	1	-	3	5	-	6	10	5	-	14	74
12	329	34	61	10	44	14	7	37	7	3	7	2	18	28	3	32	32	14	4	94	75
12	276	31	49	6	32	13	5	33	4	3	7	2	10	23	3	22	27	10	4	81	76
-	53	3	12	4	12	1	2	4	3	-	-	-	8	5	-	10	5	4	-	13	77
-	40	4	3	-	6	1	2	4	2	2	1	-	-	2	-	5	4	1	-	8	78
-	67	1	6	5	1	3	-	9	2	1	-	-	3	2	1	8	8	2	-	10	79

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-136)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
KANSAS	21,734	53	34	76	3,170	1,026	466	275	479	156	171	597	424	12,460	2,773	8,410
URBAN	12,594	32	21	52	1,818	598	280	152	272	94	83	339	239	7,137	1,593	4,820
RURAL	9,140	21	13	24	1,352	428	186	123	207	62	88	258	185	5,323	1,180	3,590
METROPOLITAN COUNTIES	6,498	20	10	31	1,015	296	183	82	139	56	55	204	111	3,475	754	2,392
URBAN	5,523	14	7	27	838	249	151	67	115	47	41	168	93	3,017	657	2,078
RURAL	975	6	3	4	177	47	32	15	24	9	14	36	18	458	97	314
NONMETROPOLITAN COUNTIES	15,236	33	24	45	2,155	730	283	193	340	100	116	393	313	8,985	2,019	6,018
URBAN	7,071	18	14	25	980	349	129	85	157	47	42	171	146	4,120	936	2,742
RURAL	8,165	15	10	20	1,175	381	154	108	183	53	74	222	167	4,865	1,083	3,276
ALLEN	249	1	-	1	32	11	7	2	5	2	2	3	14	153	17	111
ANDERSON	136	-	-	-	18	4	5	-	5	-	1	3	3	77	12	60
ATCHISON	274	1	-	2	33	11	4	3	5	2	4	4	5	177	38	132
ATCHISON	192	-	-	1	19	7	1	3	2	-	4	2	3	128	29	95
BALANCE OF COUNTY	82	1	-	1	14	4	3	-	3	2	-	2	2	49	9	37
BARBER	84	-	-	1	12	3	4	-	1	-	2	2	1	53	6	43
BARTON	270	1	1	1	43	10	5	7	4	4	1	12	6	142	36	96
GREAT BEND	130	1	-	1	25	7	3	3	4	1	-	7	2	68	17	48
BALANCE OF COUNTY	140	-	1	-	18	3	2	4	-	3	1	5	4	74	19	48
BOURBON	292	1	-	-	39	18	3	4	7	3	1	3	5	196	48	135
BROWN	168	-	-	-	24	7	2	2	5	-	4	4	2	102	22	68
BUTLER	358	1	1	1	60	19	8	4	11	4	2	12	4	201	58	131
EL DORADO	148	1	1	-	21	9	1	2	4	2	-	3	1	88	25	56
BALANCE OF COUNTY	210	-	-	1	39	10	7	2	7	2	2	9	3	113	33	75
CHASE	45	-	-	-	10	4	1	1	2	-	1	1	1	22	4	18
CHAUTAUQUA	101	-	-	1	6	2	2	-	1	1	-	-	3	60	17	37
CHEROKEE	324	3	2	-	32	9	6	1	8	1	-	7	6	215	49	144
CHEYENNE	61	-	-	-	9	3	-	2	-	1	-	3	1	36	4	26
CLARK	44	-	-	-	5	2	-	-	1	1	1	-	3	20	5	12
CLAY	170	2	1	-	22	7	3	4	1	3	2	2	7	104	35	51
CLOUD	205	1	-	3	31	10	2	-	8	3	1	7	7	127	31	86
COFFEY	130	-	-	1	25	12	2	1	3	-	2	5	2	76	24	44
COMANCHE	47	-	-	-	5	2	-	-	-	-	-	3	1	29	5	18
COWLEY	485	2	1	4	62	21	4	7	12	1	2	15	13	280	72	171
ARKANSAS CITY	204	1	-	1	29	11	4	4	3	-	-	7	4	119	37	64
WINFIELD	150	1	-	2	17	8	-	1	5	1	-	2	4	83	22	53
BALANCE OF COUNTY	131	-	1	1	16	2	-	2	4	-	2	6	5	78	13	54
CRAWFORD	513	-	-	2	70	28	13	4	8	1	5	11	8	330	85	230
PITTSBURG	270	-	-	1	40	18	4	1	5	1	2	9	6	171	44	119
BALANCE OF COUNTY	243	-	-	1	30	10	9	3	3	-	3	2	2	159	41	111
DECATUR	64	-	-	-	13	6	3	-	2	1	-	1	1	34	7	25
DICKINSON	254	-	1	1	32	10	3	8	1	1	1	8	1	143	44	75
DONIPHAN	130	-	-	-	26	6	1	4	5	-	1	9	3	75	13	56
DOUGLAS	346	2	-	-	45	13	4	5	10	2	2	9	6	200	41	147
LAWRENCE	252	2	-	-	34	11	2	3	9	2	1	6	6	138	32	98
BALANCE OF COUNTY	94	-	-	-	11	2	2	2	1	-	1	3	-	62	9	49
EDWARDS	79	-	-	-	13	4	1	2	1	1	2	2	2	44	6	35
ELK	78	-	-	-	8	3	-	2	1	-	1	1	1	53	13	35
ELLIS	161	-	-	-	28	10	2	1	7	-	-	8	5	89	10	72
HAYS	84	-	-	-	15	6	-	1	3	-	-	5	4	44	9	31
BALANCE OF COUNTY	77	-	-	-	13	4	2	-	4	-	-	3	1	45	1	41
ELLSWORTH	113	1	-	-	21	11	1	2	3	-	3	1	6	61	16	43
FINNEY	137	-	1	-	15	4	5	2	-	2	1	1	4	68	21	42
GARDEN CITY	108	-	-	-	11	3	5	1	-	-	1	1	4	57	17	36
BALANCE OF COUNTY	29	-	1	-	4	1	-	1	-	2	-	-	-	11	4	6
FORD	214	1	-	-	35	14	3	3	8	-	1	6	5	117	13	94
DODGE CITY	144	1	-	-	21	9	2	2	4	-	-	4	5	76	8	62
BALANCE OF COUNTY	70	-	-	-	14	5	1	1	4	-	1	2	-	41	5	32
FRANKLIN	268	-	-	1	28	6	6	5	5	-	-	6	7	181	30	137
OTTAWA	153	-	-	1	12	3	3	-	3	-	-	3	3	103	19	77
BALANCE OF COUNTY	115	-	-	-	16	3	3	5	2	-	-	3	4	78	11	60
GEARY	205	1	-	1	29	9	4	3	4	-	3	6	5	105	21	69
JUNCTION CITY	170	-	-	1	23	9	2	2	4	-	2	4	3	91	17	61
BALANCE OF COUNTY	35	1	-	-	6	-	2	1	-	-	1	2	2	14	4	8
GOVE	33	-	1	-	9	2	1	2	1	-	-	3	2	12	4	7
GRAHAM	39	-	-	-	5	2	-	-	-	1	1	1	1	21	4	15
GRANT	25	-	-	-	2	1	-	-	-	-	-	1	-	11	1	9
GRAY	41	-	-	-	7	1	2	1	2	-	-	1	-	26	6	17
GREELEY	23	-	-	-	6	1	-	2	2	-	1	-	-	9	2	7
GREENWOOD	166	-	-	-	20	5	3	1	3	-	-	8	7	105	21	69
HAMILTON	29	-	-	-	3	-	-	-	1	1	-	1	2	15	4	11
HARPER	129	1	-	-	19	11	2	2	2	-	1	1	4	80	28	44
HARVEY	242	-	-	-	33	3	4	4	10	3	2	7	2	143	33	93
NEWTON	142	-	-	-	17	3	2	4	3	2	1	2	2	90	22	56
BALANCE OF COUNTY	100	-	-	-	16	-	2	-	7	1	1	5	-	53	11	37
HASKELL	17	-	-	-	3	1	-	-	-	-	-	2	-	11	5	4
HODGEMAN	32	-	-	2	5	3	-	-	1	-	-	1	-	14	4	9
JACKSON	169	-	-	-	21	6	2	1	1	1	4	6	4	106	19	80
JEFFERSON	170	-	-	-	22	6	2	3	4	2	1	4	2	115	33	66
JEWELL	88	-	-	-	7	3	1	1	-	1	-	1	2	62	10	46

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
158	6,613	604	1,035	176	645	271	185	723	147	90	168	10	257	670	187	586	741	251	56	1,631	3
99	3,796	362	563	103	344	162	115	436	84	56	116	6	161	463	110	320	406	139	43	955	5
59	2,817	242	472	73	301	109	70	287	63	34	52	4	96	207	77	266	335	112	13	676	6
53	1,929	164	246	44	140	87	58	226	51	28	66	5	100	295	44	185	231	88	29	488	8
43	1,674	141	220	39	116	77	50	197	42	24	58	5	78	238	37	137	193	71	26	421	9
10	255	23	26	5	24	10	8	29	9	4	8	-	22	57	7	48	38	17	3	67	10
105	4,684	440	789	132	505	184	127	497	96	62	102	5	157	375	143	401	510	163	27	1,143	11
56	2,122	221	343	64	228	85	65	239	42	32	58	1	83	225	73	183	213	68	17	534	12
49	2,562	219	446	68	277	99	62	258	54	30	44	4	74	150	70	218	297	95	10	609	13
1	69	16	25	4	13	7	1	7	2	-	1	-	2	11	1	5	1	2	-	16	15
-	54	2	4	-	4	1	-	8	-	-	-	-	2	1	6	6	6	2	-	7	16
-	85	21	26	1	4	1	1	6	2	1	2	-	-	5	6	2	9	-	-	23	17
-	60	16	19	1	2	1	-	4	1	1	2	-	-	4	3	2	4	-	-	20	18
-	25	5	7	-	2	-	1	2	1	-	-	-	-	1	3	-	5	-	-	3	19
-	37	4	2	1	-	3	-	4	-	-	-	-	-	1	-	3	1	1	-	7	20
1	86	1	8	1	4	3	2	12	-	2	7	1	6	6	-	8	12	5	-	17	21
1	41	1	5	-	1	2	-	8	-	1	4	1	4	3	-	-	4	2	-	6	22
-	45	-	3	1	3	1	2	4	-	1	3	-	2	3	-	8	8	3	-	11	23
1	121	11	2	2	3	5	3	8	2	1	1	-	1	4	-	6	5	3	1	19	24
2	49	15	2	3	7	1	1	6	-	-	-	-	1	2	-	5	9	3	-	14	25
5	101	13	12	2	8	1	1	27	3	2	2	-	5	8	1	6	11	3	1	21	27
3	42	6	5	1	5	1	-	12	-	1	2	-	1	3	-	2	4	-	-	11	28
2	59	7	7	1	3	-	1	15	3	1	-	-	4	5	1	4	7	3	1	10	29
-	13	4	1	-	-	-	-	-	-	-	-	-	-	1	-	4	1	-	-	6	30
2	32	-	3	1	5	-	-	5	-	1	-	-	1	-	-	1	7	3	1	12	31
5	117	5	17	3	9	4	6	11	1	2	2	1	3	9	1	5	14	1	-	16	32
-	12	1	13	3	2	-	1	2	-	-	-	-	2	1	1	2	-	-	2	5	33
-	12	-	-	1	2	-	-	4	1	-	-	-	3	4	-	1	-	-	-	3	34
-	34	4	13	2	5	4	7	6	1	-	1	-	1	1	-	3	3	1	1	16	35
-	77	3	6	2	3	-	5	5	2	1	-	-	-	3	1	4	4	2	-	14	36
3	29	1	11	-	5	1	2	2	-	1	-	1	-	-	3	6	6	-	-	7	37
-	16	1	1	-	5	1	-	-	2	-	-	-	-	-	1	1	2	1	-	5	39
5	145	10	11	4	26	5	2	12	-	4	4	-	5	10	4	11	17	9	1	46	40
2	53	6	3	3	12	2	1	5	-	-	2	-	3	5	1	6	8	4	1	15	41
-	45	2	6	-	7	1	-	5	-	2	2	-	1	3	1	3	4	1	-	21	42
3	47	2	2	1	7	2	1	2	-	2	-	-	1	2	2	2	5	4	-	10	43
5	197	18	10	3	7	2	3	20	2	1	1	-	3	10	-	10	12	6	-	38	44
2	102	8	7	2	5	-	1	8	1	1	-	-	1	5	-	5	6	3	-	22	45
3	95	10	3	1	2	2	2	12	1	-	1	-	2	5	-	5	6	3	-	16	46
-	21	-	4	-	-	1	1	5	1	-	-	-	-	1	-	2	2	1	-	4	47
1	52	7	15	-	20	3	1	10	3	1	2	-	1	6	-	12	15	1	2	23	48
-	40	3	13	1	2	3	-	2	1	1	-	-	-	-	1	5	7	2	-	7	49
5	120	10	12	3	3	3	3	10	2	1	3	-	2	15	13	9	13	3	-	22	51
3	79	8	8	2	2	2	2	9	1	1	3	-	2	10	12	7	9	3	-	15	52
2	41	2	4	1	1	1	1	1	1	-	-	-	-	5	1	2	4	-	-	7	53
1	33	-	1	1	1	-	1	2	1	-	1	-	-	4	-	3	2	1	-	6	54
1	32	-	2	1	2	-	2	1	2	-	1	-	-	1	1	-	3	3	-	4	55
-	63	3	6	-	4	2	1	5	-	-	2	-	4	9	-	7	3	1	-	8	56
-	27	1	3	-	2	1	1	3	-	-	-	-	3	4	-	4	2	1	-	4	57
-	36	2	3	-	2	1	-	2	-	-	2	-	1	5	-	3	1	-	-	4	58
1	37	1	4	-	2	-	-	2	-	1	1	-	1	1	-	1	3	-	-	14	59
-	36	2	4	1	1	1	2	5	-	-	1	1	4	7	-	6	9	2	1	13	61
-	31	2	3	-	1	1	2	4	-	-	1	-	4	5	-	4	6	2	1	9	62
-	5	-	1	1	-	-	-	1	-	-	-	1	-	2	-	2	3	-	-	4	63
3	70	13	8	1	3	2	4	3	2	3	2	-	2	8	-	8	6	6	-	16	64
-	46	8	8	-	2	2	2	3	1	3	2	-	2	7	-	4	4	3	-	12	65
3	24	5	-	1	1	2	2	-	1	-	-	-	-	1	-	4	2	3	-	4	66
-	115	11	11	3	6	1	4	2	2	-	2	-	-	5	1	7	10	2	-	20	67
-	67	6	4	-	4	-	3	2	1	-	1	-	-	4	1	5	6	1	-	13	68
-	48	5	7	3	2	1	1	-	1	-	1	-	-	1	-	2	4	1	-	7	69
-	58	2	9	2	5	4	4	4	2	-	2	-	10	15	-	7	7	2	1	14	70
-	51	2	8	-	5	4	4	4	1	-	1	-	7	12	-	6	6	2	-	13	71
-	7	-	1	2	-	-	-	-	1	-	1	-	3	3	-	1	1	-	1	1	72
1	6	-	-	-	-	1	-	1	-	-	-	-	-	2	-	1	-	-	-	5	74
-	13	1	1	-	1	-	1	2	-	-	1	-	-	3	-	1	1	1	-	3	75
-	7	2	-	-	1	-	-	-	1	1	1	-	2	2	-	1	3	-	-	1	76
-	12	1	4	1	1	-	1	-	1	-	-	-	1	2	-	3	-	-	-	1	77
-	6	-	1	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	2	78
-	57	5	7	1	12	-	2	10	1	1	-	-	1	2	-	1	6	2	-	10	79
-	10	-	1	-	-	-	-	1	1	1	1	-	1	-	-	1	1	-	-	3	80
1	35	-	8	1	5	-	2	1	-	-	1	-	1	-	-	3	4	2	-	13	81
1	80	6	6	1	5	9	2	11	4	2	1	-	3	4	-	5	5	1	1	27	82
1	48	3	4	1	4	6	1	5	1	1	1	-	1	4	-	5	2	1	1	11	83
-	32	3	2	-	1	3	1	6	3	1	-	-	2	-	-	-	3	-	-	16	84
-	4	-	-	-	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	86
-	4	2	3	1	-	-	-	2	1	-	1	-	-	3	-	1	2	-	-	1	87
-	40	7	33	1	2	3	1	4	-	1	-	-	1	3	-	6	9	1	1	12	88
-	57	5	4	2	11	3	-	6	2	-	2	-	-	4	-	3	3	2	-	9	89
1	26	4	15	-	4	1	1	3	1	-	-	-	-	-	-	-	2	1	-	10	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
KANSAS--CON.																
JOHNSON	857	3	1	-	159	52	23	17	19	6	14	28	9	442	89	298
OLATHE	99	-	-	-	18	5	2	3	3	-	-	5	-	50	7	36
PRAIRIE VILLAGE	112	1	-	-	21	3	3	4	2	-	2	7	1	65	13	46
BALANCE OF COUNTY	646	2	1	-	120	44	18	10	14	6	12	16	8	327	69	216
KEARNY	19	-	-	-	-	-	-	-	-	-	-	-	-	10	-	10
KINGMAN	112	-	-	1	13	5	2	3	2	1	-	-	3	65	20	30
KIOWA	45	-	-	-	5	3	-	-	-	-	-	2	1	30	5	20
LABETTE	351	-	3	-	54	24	8	3	6	1	3	9	1	220	53	138
PARSONS	199	-	2	-	30	13	3	2	3	1	3	5	1	132	32	80
BALANCE OF COUNTY	152	-	1	-	24	11	5	1	3	-	-	4	-	88	21	58
LANE	22	-	-	-	6	3	-	-	1	-	-	2	-	13	1	11
LEAVENWORTH	478	4	2	1	79	34	8	6	12	5	2	12	9	265	65	179
LEAVENWORTH	296	2	2	1	46	20	6	3	7	4	1	5	6	174	41	118
BALANCE OF COUNTY	182	2	-	-	33	14	2	3	5	1	1	7	3	91	24	61
LINCOLN	77	-	-	-	10	4	2	1	-	-	-	3	2	45	6	33
LINN	111	-	-	1	9	3	3	1	-	1	-	1	2	75	19	54
LOGAN	33	-	-	-	3	1	-	-	1	-	1	-	1	19	2	16
LYON	301	-	-	2	52	20	5	6	5	2	2	12	3	169	40	112
EMPORIA	196	-	-	1	41	19	1	4	5	1	1	10	2	117	27	82
BALANCE OF COUNTY	105	-	-	1	11	1	4	2	-	1	1	2	1	52	13	30
MC PHERSON	244	1	-	1	40	19	4	9	2	2	-	4	3	144	27	94
MARION	159	-	-	1	25	4	4	2	8	-	1	6	2	98	29	59
MARSHALL	221	-	-	-	32	11	5	2	6	1	3	4	4	136	19	106
MEADE	52	-	-	-	7	5	2	-	-	-	-	-	2	31	9	21
MIAMI	217	-	1	-	27	11	3	4	4	-	1	4	-	136	25	87
MITCHELL	129	-	-	-	19	8	1	2	2	-	1	5	2	75	17	53
MONTGOMERY	613	-	1	2	83	21	20	6	15	5	3	13	12	363	69	246
COFFEYVILLE	209	-	1	1	20	4	6	3	4	1	-	2	6	135	16	96
INDEPENDENCE	164	-	-	-	28	7	6	3	5	2	2	3	1	94	27	56
BALANCE OF COUNTY	240	-	-	1	35	10	8	-	6	2	1	8	5	134	26	94
MORRIS	93	-	1	-	15	3	4	3	1	-	-	4	1	50	15	29
MORTON	21	1	-	-	3	2	-	-	-	1	-	-	-	13	3	9
NEMAHA	153	-	-	-	23	8	-	1	3	1	4	6	2	97	17	61
NEOSHO	256	2	-	-	39	18	3	2	7	1	3	5	4	150	38	104
CHANUTE	124	2	-	-	21	9	2	2	2	1	2	3	-	72	17	51
BALANCE OF COUNTY	132	-	-	-	18	9	1	-	5	-	1	2	4	78	21	53
NESS	66	-	-	-	15	3	3	1	2	-	-	6	2	33	6	25
NORTON	93	2	-	1	12	2	2	-	5	1	-	2	3	51	14	29
OSAGE	163	-	1	-	27	8	5	1	9	-	1	3	5	95	15	74
OSBORNE	93	-	-	-	11	5	1	-	2	-	-	3	2	56	10	43
OTTAWA	100	-	-	1	19	7	2	1	4	2	1	2	-	67	21	34
PAWNEE	111	-	1	1	22	10	2	-	1	1	1	7	-	62	14	43
PHILLIPS	105	-	1	-	11	5	1	1	-	1	2	1	2	71	18	44
POTTAWATOMIE	152	-	-	-	18	3	3	3	-	3	1	5	4	83	18	53
PRATT	136	-	1	1	16	5	-	1	3	1	3	3	7	80	10	54
RAWLINS	57	-	-	-	11	5	-	-	2	1	-	3	1	33	5	26
RENO	606	-	2	3	60	23	12	9	12	2	6	16	15	329	78	204
HUTCHINSON	415	-	2	2	56	16	9	6	8	2	5	10	7	217	49	133
BALANCE OF COUNTY	191	-	-	1	24	7	3	3	4	-	1	6	8	112	29	71
REPUBLIC	112	-	-	-	17	5	2	-	1	3	1	5	1	77	14	49
RICE	166	-	-	1	25	8	2	2	6	-	2	5	5	102	30	63
RILEY	259	-	1	1	32	16	-	4	2	2	2	6	6	139	32	87
MANHATTAN	176	-	1	1	21	13	-	1	2	1	1	3	6	89	19	59
BALANCE OF COUNTY	83	-	-	-	11	3	-	3	-	1	1	3	-	50	13	28
ROOKS	98	-	-	-	14	4	2	-	3	2	2	1	1	59	14	39
RUSH	70	-	-	-	7	3	1	-	-	-	2	1	3	43	13	24
RUSSELL	109	-	-	-	16	7	3	1	1	1	2	1	2	63	15	40
SALINE	439	-	-	1	77	22	16	5	15	6	1	12	5	222	63	136
SALINA	360	-	-	1	64	20	15	4	12	5	-	8	5	180	49	111
BALANCE OF COUNTY	79	-	-	-	13	2	1	1	3	1	1	4	-	42	14	25
SCOTT	32	-	-	-	4	1	1	1	1	-	-	-	2	14	-	12
SEDGWICK	2,493	9	2	12	374	91	61	32	57	24	23	86	41	1,303	258	934
WICHITA	2,204	6	2	9	326	83	53	28	51	22	16	73	38	1,165	237	834
BALANCE OF COUNTY	289	3	-	3	48	8	8	4	6	2	7	13	3	138	21	100
SEWARD	107	-	-	-	19	6	2	-	5	-	1	5	2	46	16	30
LIBERAL	97	-	-	-	18	6	2	-	5	-	1	4	2	42	16	26
BALANCE OF COUNTY	10	-	-	-	1	-	-	-	-	-	-	1	-	4	-	4
SHAWNEE	1,322	2	2	10	207	65	37	17	26	16	9	37	18	718	184	461
TOPEKA	1,183	2	1	9	184	58	34	16	23	14	8	31	15	663	174	420
BALANCE OF COUNTY	139	-	1	1	23	7	3	1	3	2	1	6	3	55	10	41
SHERIDAN	33	-	-	-	1	-	-	1	-	-	-	-	1	25	2	22
SHERMAN	57	-	-	-	9	5	-	-	2	1	-	1	2	35	5	28
SMITH	110	1	-	2	14	7	1	-	3	-	1	2	2	74	25	41
STAFFORD	87	-	-	-	7	1	2	1	2	-	-	1	2	60	11	38
STANTON	18	-	-	-	3	1	-	-	-	1	-	1	-	7	-	4
STEVENS	29	-	-	-	3	-	1	-	2	-	-	-	-	17	1	14
SUMNER	286	3	-	1	42	11	8	6	5	4	1	7	5	164	30	125
THOMAS	48	-	-	-	7	1	-	1	2	-	1	2	4	22	2	18
TREGO	36	-	-	-	3	1	-	-	2	-	-	-	1	22	2	20

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
7	241	15	35	5	24	17	9	25	6	4	4	-	13	48	6	28	23	16	3	67	3
-	29	4	3	-	3	3	1	3	1	2	-	-	1	7	2	6	3	-	-	6	4
1	37	2	6	1	1	3	1	4	-	-	-	-	1	4	-	1	2	3	1	8	5
6	175	9	26	4	20	11	7	18	5	2	4	-	11	37	4	21	18	13	2	53	6
-	10	-	-	-	-	-	-	1	-	1	-	-	-	-	1	3	-	-	-	3	7
1	25	1	3	3	8	2	2	6	1	-	-	-	1	3	-	2	2	2	-	13	8
-	19	1	-	-	4	1	-	1	-	-	-	-	-	1	-	1	2	2	-	2	9
4	99	18	17	3	15	4	7	11	2	1	5	-	-	14	1	7	8	2	-	22	10
3	52	15	10	3	9	4	4	6	1	1	2	-	-	8	-	4	2	1	-	9	11
1	47	3	7	-	6	-	3	5	1	-	3	-	-	6	1	3	6	1	-	13	12
-	8	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	13
3	149	11	16	6	4	6	5	20	3	2	4	-	6	14	3	8	17	4	-	37	14
3	98	7	10	5	2	6	2	8	2	2	3	-	4	8	2	5	5	4	-	22	15
-	51	4	6	1	2	-	3	12	1	-	1	-	2	6	1	3	12	-	-	15	16
-	24	2	7	2	4	-	-	2	1	-	-	-	1	1	-	-	2	1	-	12	17
1	48	4	1	-	2	-	-	3	-	-	1	-	1	2	-	3	3	2	-	9	18
-	16	-	-	-	1	-	-	1	-	-	-	-	-	2	-	1	3	1	-	2	19
1	88	14	9	2	12	2	1	5	2	1	-	1	14	7	6	10	3	-	-	26	20
1	65	10	6	1	5	1	1	1	1	1	-	-	10	-	2	2	1	-	-	17	21
-	23	4	3	1	7	1	-	4	1	-	-	1	4	7	4	8	2	-	-	9	22
																					23
-	72	5	17	2	17	2	2	9	2	-	1	-	2	3	-	9	9	3	-	17	24
-	45	3	11	-	6	3	1	3	-	1	2	-	2	1	2	4	5	3	-	10	25
-	81	6	19	1	3	4	3	7	3	2	3	-	2	3	-	6	5	3	-	17	26
1	19	-	1	-	-	1	-	-	-	-	-	-	2	1	-	1	5	1	-	2	27
1	69	4	13	-	16	2	6	14	2	1	2	-	1	-	3	6	6	2	-	16	28
1	33	7	12	-	3	2	-	3	-	2	1	-	2	6	2	3	5	-	-	9	29
4	185	13	44	9	28	6	5	23	7	2	3	-	7	8	27	12	21	3	1	38	30
2	70	3	21	5	12	2	4	6	-	1	1	-	2	2	3	4	9	1	-	17	31
1	42	5	8	1	8	2	-	7	3	1	-	-	4	1	15	3	2	-	-	5	32
1	73	5	15	3	8	2	1	10	4	-	2	-	1	5	9	5	10	2	1	16	33
																					34
1	24	1	3	1	3	2	-	3	-	-	1	-	1	1	-	5	5	1	1	9	35
-	7	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	36
1	37	6	17	-	16	2	1	7	-	-	-	-	1	1	1	3	5	1	-	12	37
1	61	9	33	-	5	3	-	2	2	4	-	-	2	5	2	12	6	1	1	24	38
2	37	5	8	-	3	1	-	2	1	2	-	-	2	2	2	5	1	-	1	11	39
-	24	4	25	-	2	2	-	-	1	2	-	-	-	3	-	7	5	1	-	13	40
1	19	-	6	1	-	1	-	1	1	-	-	-	1	2	-	1	2	-	-	8	41
1	16	-	12	-	5	1	2	5	-	-	-	-	-	6	1	2	1	1	-	8	42
2	56	7	9	1	1	3	1	9	1	-	1	-	-	3	-	5	5	3	-	8	43
-	33	2	8	-	2	1	1	3	-	-	-	-	-	-	1	3	6	2	-	9	44
																					45
2	28	1	3	-	6	5	1	1	-	-	-	-	-	-	3	1	-	-	-	8	46
-	33	6	4	1	2	2	-	6	2	1	1	-	1	-	1	2	4	-	-	7	47
-	38	1	5	1	6	2	-	2	-	-	-	-	1	1	-	3	4	-	-	9	48
1	47	4	1	4	5	3	-	6	-	-	-	-	1	3	-	7	9	2	-	19	49
4	37	12	1	8	7	1	-	5	2	-	-	-	1	4	1	-	5	1	-	12	50
1	16	3	6	-	2	-	-	-	-	-	-	-	1	-	1	1	3	-	-	6	51
5	167	10	22	5	30	9	3	19	5	2	5	-	13	22	13	16	26	8	3	45	52
4	109	7	13	4	23	6	2	19	3	2	3	-	8	16	11	12	16	6	3	32	53
1	58	3	9	1	7	3	1	2	2	-	2	-	5	6	2	4	10	2	-	13	54
1	42	1	5	-	4	8	2	3	2	-	-	-	-	1	2	1	1	-	-	7	55
																					56
1	49	5	8	-	6	2	1	2	1	1	-	-	1	4	1	7	7	-	1	8	57
3	68	7	9	6	7	6	1	11	4	1	4	-	5	14	2	8	8	3	4	16	58
3	46	6	4	1	6	3	1	9	2	1	3	-	4	12	-	6	5	3	3	10	59
-	22	1	5	5	1	3	-	2	2	-	1	-	1	2	2	2	3	-	1	6	60
1	31	3	4	1	3	2	-	4	1	-	1	-	1	1	-	4	3	2	-	7	61
-	19	1	4	-	4	2	-	4	-	-	-	-	1	-	-	2	3	-	-	7	62
-	33	4	3	3	3	-	2	-	-	-	-	-	3	4	1	1	7	2	1	9	63
5	105	18	8	2	15	4	2	17	2	-	5	-	11	27	2	18	15	5	1	31	64
5	84	17	5	1	13	4	2	13	1	-	4	-	7	24	1	15	13	5	-	27	65
-	21	1	3	1	2	-	-	4	1	-	1	-	4	3	1	3	2	-	1	4	66
																					67
1	11	-	1	-	-	1	1	2	-	-	1	-	1	2	2	1	2	-	-	1	68
24	769	56	85	11	55	31	14	98	20	10	23	1	47	115	12	95	79	31	9	212	69
22	684	47	81	10	46	26	12	91	17	9	22	1	41	104	11	70	69	27	8	188	70
2	85	9	4	1	9	5	2	7	3	1	1	-	6	11	1	25	10	4	1	24	71
2	22	2	4	-	-	-	-	4	-	1	-	-	-	3	3	7	7	3	-	12	72
1	20	1	4	-	-	-	-	4	-	1	-	-	-	2	2	6	5	3	-	12	73
1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	74
5	367	40	49	15	28	19	11	37	13	8	13	2	15	55	21	22	53	27	9	90	75
5	331	38	46	14	26	19	10	29	10	7	12	2	8	46	18	16	47	23	9	82	76
-	36	2	3	1	2	-	1	8	3	1	1	-	7	9	3	6	6	4	-	8	77
																					78
-	17	-	5	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	3	79
1	24	2	1	-	-	1	1	3	-	-	1	-	-	1	-	1	1	-	-	4	80
2	31	2	6	2	4	2	-	2	-	-	1	-	1	-	-	1	5	-	-	7	81
-	33	2	3	1	7	3	-	1	-	-	-	-	1	2	4	1	1	-	-	8	82
-	3	-	1	-	1	2	-	-	-	-	2	-	-	1	-	3	1	-	-	1	83
-	10	1	3	-	-	1	1	-	-	-	-	-	-	1	1	2	2	-	-	3	84
3	77	6	39	2	3	2	2	6	2	1	4	-	11	5	-	10	10	4	-	18	85
-	16	2	-	-	2	-	-	1	-	1	1	-	-	4	-	2	-	-	-	6	86
-	18	-	2	-	-	-	-	5	-	-	-	-	-	-	-	1	3	-	1	-	87
																					88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neo-plasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
KANSAS--CON.																
WABAUNSEE	75	-	-	-	13	7	3	-	2	1	-	-	-	41	13	26
WALLACE	18	-	-	-	5	1	1	-	1	-	-	-	-	10	2	8
WASHINGTON	154	-	-	1	21	5	3	3	4	1	2	3	4	77	12	54
WICHITA	11	-	-	-	4	1	1	1	-	-	-	1	-	5	1	3
WILSON	194	-	-	-	25	8	5	3	5	2	1	1	5	137	29	85
WOODSON	91	-	-	-	8	2	3	-	-	-	-	3	1	60	22	31
WYANDOTTE	1,826	6	5	9	275	88	62	16	37	10	9	53	43	1,012	223	699
KANSAS CITY	1,533	5	4	8	218	75	50	11	30	8	7	37	33	876	190	606
BALANCE OF COUNTY	293	1	1	1	57	13	12	5	7	2	2	16	10	136	33	93
KENTUCKY	30,463	302	53	152	4,443	1,376	697	333	713	170	235	919	500	16,923	4,021	11,366
URBAN	13,899	135	30	60	2,156	671	354	171	350	81	104	425	233	7,747	1,779	5,247
RURAL	16,564	167	23	92	2,287	705	343	162	363	89	131	494	267	9,176	2,242	6,119
METROPOLITAN COUNTIES	10,531	117	21	40	1,696	489	304	139	276	72	90	326	194	5,674	1,291	3,842
URBAN	8,148	94	17	28	1,312	393	241	103	215	53	66	241	160	4,426	1,020	2,983
RURAL	2,383	23	4	12	384	96	63	36	61	19	24	85	34	1,248	271	859
NONMETROPOLITAN COUNTIES	19,932	185	32	112	2,747	887	393	194	437	98	145	593	306	11,249	2,730	7,524
URBAN	5,751	41	13	32	844	278	113	68	135	28	38	184	73	3,321	759	2,264
RURAL	14,181	144	19	80	1,903	609	280	126	302	70	107	409	233	7,928	1,971	5,260
ADAIR	141	3	-	1	15	3	1	2	5	-	1	3	-	93	21	64
ALLEN	150	2	1	2	12	3	1	1	2	-	1	4	2	108	14	90
ANDERSON	103	-	-	1	13	3	2	-	1	2	1	4	1	69	15	48
BALLARD	108	-	-	-	13	3	3	-	3	-	1	3	4	62	12	46
BARREN	310	7	1	2	53	23	5	1	11	-	1	12	8	168	54	94
GLASGOW	129	4	1	2	26	14	-	1	4	-	1	6	2	59	23	33
BALANCE OF COUNTY	181	3	-	-	27	9	5	-	7	-	-	6	6	109	31	61
BATH	104	2	-	1	15	8	1	-	1	-	2	3	3	66	19	42
BELL	365	3	-	3	58	14	8	4	15	2	2	13	5	181	47	121
MIDDLESBOROUGH	154	-	-	1	26	7	3	3	7	1	-	5	-	87	18	63
BALANCE OF COUNTY	211	3	-	2	32	7	5	1	8	1	2	8	5	94	29	58
BOONE	189	-	-	2	37	10	4	4	6	2	4	7	2	105	21	77
BOURBON	208	1	-	2	36	12	6	4	6	2	1	5	4	123	23	75
BOYD	467	3	4	1	80	17	17	8	16	3	5	14	6	253	61	157
ASHLAND	320	2	2	1	58	10	14	6	12	2	3	11	5	172	42	108
BALANCE OF COUNTY	147	1	2	-	22	7	3	2	4	1	2	3	1	81	19	49
BOYLE	212	4	-	-	30	10	9	1	3	-	1	6	3	128	34	80
BRACKEN	82	1	-	1	12	4	-	1	3	-	1	3	1	55	12	38
BREATHITT	123	2	1	2	10	2	2	-	1	1	2	2	3	67	14	44
BRECKINRIDGE	170	-	1	1	17	2	3	-	4	1	1	6	3	95	22	62
BULLITT	127	1	-	-	21	7	6	1	-	1	1	5	1	58	15	38
BUTLER	99	3	-	2	15	5	2	1	3	1	-	3	3	50	16	31
CALDWELL	181	-	-	-	22	6	4	3	4	1	-	4	8	103	32	67
CALLOWAY	213	-	-	1	36	14	4	1	4	1	2	10	3	136	42	84
CAMPBELL	1,021	3	2	1	181	59	31	18	31	4	7	31	28	550	130	369
FORT THOMAS	165	1	-	-	40	10	10	4	8	1	-	7	3	98	27	62
NEWPORT	393	-	1	1	64	21	14	6	8	2	2	11	12	201	50	130
BALANCE OF COUNTY	463	2	1	-	77	28	7	8	15	1	5	13	13	251	53	177
CARLISLE	85	1	1	-	8	2	1	-	1	1	-	3	-	52	15	30
CARROLL	117	2	-	-	13	7	1	-	-	-	2	3	1	75	17	48
CARTER	220	1	1	1	28	15	2	1	3	1	3	3	1	127	26	92
CASEY	127	1	-	-	21	3	3	2	4	2	4	3	1	69	12	49
CHRISTIAN	530	3	-	2	67	19	10	13	11	1	-	13	7	285	54	196
HOPKINSVILLE	270	-	-	1	39	12	6	9	6	-	-	6	2	157	29	106
BALANCE OF COUNTY	260	3	-	1	28	7	4	4	5	1	-	7	5	128	25	90
CLARK	236	1	-	-	38	16	6	2	6	1	-	7	1	131	33	94
WINCHESTER	162	1	-	-	29	9	5	2	6	1	-	6	-	89	24	62
BALANCE OF COUNTY	74	-	-	-	9	7	1	-	-	-	-	1	1	42	9	32
CLAY	167	4	-	-	19	6	3	3	2	1	1	3	1	76	16	47
CLINTON	102	4	-	-	9	2	1	1	1	-	-	4	3	41	11	29
CRITTENDEN	124	3	-	3	13	4	-	1	4	-	1	3	4	63	23	33
CUMBERLAND	80	2	-	-	12	2	2	-	5	-	1	2	2	48	11	33
DAVIESS	624	3	3	8	101	33	7	8	17	6	5	25	8	368	67	271
OWENSBORO	456	3	3	6	67	19	5	7	13	4	4	15	6	271	51	197
BALANCE OF COUNTY	168	-	-	2	34	14	2	1	4	2	1	10	2	97	16	74
EDMONSON	82	-	-	1	8	2	1	-	2	-	-	3	1	56	9	45
ELLIOTT	49	1	-	-	9	3	1	-	1	-	-	4	-	21	5	12
ESTILL	118	1	-	1	20	5	1	1	6	1	1	5	3	69	20	40
FAYETTE	1,258	18	4	6	165	41	26	15	34	8	12	29	19	719	154	509
LEXINGTON	829	12	4	5	92	21	15	7	23	6	7	13	14	482	101	347
BALANCE OF COUNTY	429	6	-	1	73	20	11	8	11	2	5	16	5	237	53	162
FLEMING	164	2	-	-	21	5	1	2	4	1	-	8	4	106	26	68
FLOYD	307	6	1	-	39	14	8	1	7	2	-	7	6	137	33	92
FRANKLIN	306	1	1	-	45	19	5	4	8	-	-	9	7	179	44	121
FRANKFORT	230	1	1	-	36	15	4	3	7	-	-	7	5	134	28	96
BALANCE OF COUNTY	76	-	-	-	9	4	1	1	1	-	-	2	2	45	16	25
FULTON	175	2	-	1	26	8	5	1	3	2	-	7	1	98	25	62
GALLATIN	33	2	-	-	5	1	-	-	1	-	-	3	-	20	5	13

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	23	-	3	-	1	1	-	2	-	1	2	-	-	-	2	5	3	3	-	3	1
-	6	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	2
1	38	11	4	5	5	-	1	7	1	2	1	-	-	1	2	9	5	4	1	18	3
-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4
-	58	3	24	3	16	2	2	2	-	-	1	-	1	4	1	4	4	3	-	7	5
3	19	1	8	3	4	-	-	3	2	2	1	-	1	1	1	1	6	-	-	4	6
17	552	53	77	13	33	20	24	66	12	6	26	2	25	77	5	40	76	14	8	119	7
14	474	46	72	11	29	19	21	55	12	5	23	1	19	59	3	28	62	13	6	103	8
3	78	7	5	2	4	1	3	11	-	1	3	1	6	18	2	12	14	1	2	16	9
218	8,306	1,228	1,614	194	783	314	245	1,023	177	134	302	28	382	1,129	317	784	1,105	349	219	2,141	10
95	3,864	617	671	100	371	154	96	445	96	62	202	9	149	524	106	269	441	135	106	994	11
123	4,442	611	943	94	412	160	149	578	81	72	100	19	233	605	211	515	664	214	113	1,147	12
85	2,849	461	447	72	259	142	68	330	63	39	192	7	149	419	59	198	324	124	82	803	13
64	2,187	372	360	57	214	103	49	265	54	33	156	5	93	306	46	138	246	79	67	623	14
21	662	89	87	15	45	39	19	65	9	6	36	2	56	113	13	60	78	45	15	180	15
133	5,457	767	1,167	122	524	172	177	693	114	95	110	21	233	710	258	586	781	225	137	1,338	16
31	1,677	245	311	43	157	51	47	180	42	29	46	4	56	218	60	131	195	56	39	371	17
102	3,780	522	856	79	367	121	130	513	72	66	64	17	177	492	198	455	586	169	98	967	18
1	38	7	18	-	6	-	2	4	-	1	-	-	1	2	1	3	3	2	-	12	19
1	50	14	25	-	2	2	-	7	1	1	-	-	1	2	1	5	1	1	-	3	20
-	42	3	3	1	3	1	1	3	1	-	1	-	-	1	-	3	2	2	1	5	21
-	41	3	2	1	1	-	2	4	3	-	-	-	1	1	1	6	5	-	-	8	22
3	65	14	12	1	11	2	6	7	1	-	2	-	-	12	7	6	11	3	-	22	23
-	20	8	5	1	2	-	-	2	1	-	2	-	-	6	3	3	5	1	-	12	24
3	45	6	7	-	9	2	6	5	-	-	-	-	-	6	4	3	6	2	-	10	25
-	37	3	2	-	3	2	-	4	-	-	-	-	1	4	1	1	1	-	-	5	26
3	66	14	38	2	5	1	5	14	3	2	2	-	5	14	12	19	13	1	8	22	27
1	42	9	11	2	3	-	1	2	2	-	1	-	2	2	10	6	3	1	2	9	28
2	24	5	27	-	2	1	4	12	1	2	1	-	3	12	2	13	10	-	6	13	29
3	59	4	11	-	5	2	-	4	-	-	1	-	1	9	-	4	13	1	-	10	30
3	49	12	11	4	16	4	1	7	-	-	-	2	-	4	2	4	6	3	3	11	31
-	128	13	16	3	22	5	5	20	4	-	4	-	4	9	4	10	19	4	2	40	32
-	90	8	10	2	13	4	3	14	2	-	2	-	2	7	3	4	12	2	2	30	33
-	38	5	6	1	9	1	2	6	2	-	2	-	2	2	1	6	7	2	-	10	34
-	68	6	6	2	11	1	-	7	1	2	1	-	-	4	1	5	6	4	-	16	35
1	23	1	13	-	3	1	1	1	1	-	-	-	-	1	-	-	5	1	-	3	36
1	31	8	4	1	4	3	1	4	1	2	2	-	2	4	2	3	6	1	3	8	37
5	45	4	8	-	8	1	2	5	2	-	1	-	2	10	6	1	12	2	-	12	38
1	30	6	1	1	4	-	-	6	1	-	1	-	5	8	1	3	8	1	-	12	39
-	26	2	3	3	-	-	-	3	-	2	1	-	1	2	1	5	3	1	1	6	40
-	58	6	3	-	3	-	1	7	2	1	-	-	-	5	8	4	5	2	-	14	41
-	57	12	15	2	4	-	4	5	-	-	1	-	2	3	1	3	6	3	-	13	42
6	296	32	35	6	21	14	10	44	10	3	11	1	10	39	3	11	29	16	7	72	43
-	54	4	4	2	4	3	-	2	-	-	-	-	2	7	-	1	2	3	1	5	44
1	102	15	12	1	8	6	6	17	5	2	6	-	5	15	3	3	18	3	5	32	45
5	140	13	19	3	9	5	4	25	5	1	5	1	3	17	-	7	9	10	1	35	46
-	25	2	3	1	1	1	4	3	-	1	-	-	-	3	-	3	2	1	1	9	47
1	39	5	3	2	5	1	2	4	1	1	2	-	1	1	2	5	1	2	-	6	48
1	83	1	7	1	4	1	3	5	3	-	1	1	5	7	3	4	12	5	1	14	49
-	29	6	14	-	5	2	1	5	1	1	-	-	1	2	3	5	3	3	-	11	50
2	126	33	35	8	16	1	10	28	4	8	1	2	7	30	7	19	20	11	7	22	51
1	65	23	17	6	11	-	5	15	3	5	1	-	2	12	2	6	6	5	3	11	52
1	61	10	18	2	5	1	5	13	1	3	-	2	5	18	5	13	14	6	4	11	53
1	82	-	11	1	3	-	-	14	2	1	1	-	1	9	-	9	8	4	3	13	54
1	55	-	6	1	2	-	-	8	1	1	1	-	1	7	-	5	5	4	3	7	55
-	27	-	5	-	1	-	-	6	1	-	-	-	-	2	-	4	3	-	-	6	56
1	36	2	8	1	9	1	2	8	1	1	2	-	5	10	4	8	9	2	4	13	57
-	19	7	3	1	-	-	-	8	1	-	-	-	4	3	-	6	7	2	-	14	58
-	25	1	7	1	6	-	-	2	-	1	-	-	-	5	7	6	5	-	1	11	59
-	24	8	1	-	2	2	-	2	-	-	1	-	1	-	1	2	4	-	-	5	60
8	202	34	27	2	17	8	3	14	2	4	3	-	10	14	1	19	19	3	2	42	61
7	144	26	20	-	13	7	3	9	2	3	3	-	8	10	1	13	17	2	1	31	62
1	58	8	7	2	4	1	-	5	-	1	-	-	2	4	-	6	2	1	1	11	63
-	28	9	8	1	-	1	-	3	2	-	-	-	-	-	1	-	1	2	-	7	64
1	6	1	4	1	2	1	-	3	1	-	-	-	1	-	-	6	2	2	-	3	65
-	27	4	9	2	2	1	4	3	3	-	-	-	2	4	1	3	4	-	3	1	66
7	362	67	73	9	30	9	8	36	8	3	15	-	18	54	6	27	41	22	14	83	67
4	244	45	54	4	23	2	5	24	6	2	12	-	10	40	4	17	25	11	10	59	68
3	118	22	19	5	7	7	3	12	2	1	3	-	8	14	2	10	16	11	4	24	69
-	51	6	11	-	1	3	8	-	3	-	1	-	1	5	-	2	6	2	1	10	70
3	71	7	11	2	6	2	2	13	2	1	1	1	8	14	17	17	18	-	2	24	71
1	104	6	10	2	6	5	1	16	5	-	5	-	6	5	1	6	8	1	2	18	72
1	82	5	8	1	5	4	-	11	4	-	5	-	-	4	1	3	6	1	1	17	73
-	22	1	2	1	1	1	1	5	1	-	-	-	6	1	-	3	2	-	1	1	74
-	40	13	9	2	8	1	-	5	1	-	1	1	2	8	3	6	11	-	-	9	75
-	9	2	2	-	2	-	-	1	-	1	-	-	1	-	-	-	1	-	1	1	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

	AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (350-334)	Diseases of heart (400-402,410-443)
1																	
2	KENTUCKY--CON.																
3																	
4	GARRARD	110	1	-	1	13	2	2	-	2	1	2	4	1	63	18	33
5	GRANT	134	-	-	1	22	10	5	-	1	-	2	4	-	74	17	51
6	GRAVES	378	3	-	2	53	16	9	5	14	1	-	8	4	226	61	152
7	MAYFIELD	148	2	-	-	24	6	4	2	8	-	-	4	-	94	28	61
8	BALANCE OF COUNTY	230	1	-	2	29	10	5	3	6	1	-	4	4	132	33	91
9	GRAYSON	168	3	-	1	24	6	1	3	7	2	1	4	2	97	18	70
10	GREEN	99	-	-	-	16	6	1	1	1	1	2	4	1	58	29	26
11	GREENUP	226	1	-	2	31	11	5	2	4	2	2	5	4	124	27	76
12	HANCOCK	62	-	-	1	9	2	2	-	1	2	-	2	-	34	7	20
13	HARDIN	351	2	-	3	42	15	3	4	10	-	4	6	5	170	33	123
14	HARLAN	376	6	1	3	61	23	14	4	7	3	2	8	7	195	31	145
15																	
16	HARRISON	191	1	-	-	22	9	2	3	3	-	1	4	5	117	30	72
17	HART	139	5	-	-	24	11	3	2	3	1	2	2	1	75	15	53
18	HENDERSON	361	4	1	1	52	16	7	5	10	2	2	10	6	184	41	124
19	HENDERSON	247	3	1	-	39	11	4	5	8	2	2	7	2	125	29	80
20	BALANCE OF COUNTY	114	1	-	1	13	5	3	-	2	-	-	3	4	59	12	44
21	HENRY	162	2	-	1	13	5	2	2	2	-	1	1	1	99	29	64
22	HICKMAN	91	-	-	-	15	3	4	1	3	1	1	2	2	52	10	37
23	HOPKINS	447	5	1	2	81	25	14	4	13	3	1	21	7	240	47	164
24	MADISONVILLE	146	1	1	1	31	11	7	1	2	1	1	8	-	79	10	63
25	BALANCE OF COUNTY	301	4	-	1	50	14	7	3	11	2	-	13	7	161	37	101
26	JACKSON	74	-	-	-	10	5	1	-	1	-	2	1	1	48	17	28
27																	
28	JEFFERSON	6,074	72	9	24	983	278	187	71	154	43	57	193	106	3,204	779	2,106
29	LOUISVILLE	4,723	61	7	17	763	228	146	50	123	30	38	148	90	2,528	626	1,653
30	SHIVELY	35	-	-	-	8	3	2	1	-	1	1	-	1	15	3	11
31	BALANCE OF COUNTY	1,316	11	2	7	212	47	39	20	31	12	18	45	15	661	150	442
32	JESSAMINE	121	-	1	2	11	2	2	1	3	-	-	3	1	72	9	60
33	JOHNSON	190	-	-	1	28	7	6	-	2	1	3	9	4	126	34	85
34	KENTON	1,350	17	1	7	235	78	36	22	31	12	7	49	29	764	126	577
35	COVINGTON	829	12	1	3	138	48	23	9	18	5	5	30	21	456	71	347
36	BALANCE OF COUNTY	521	5	-	4	97	30	13	13	13	7	2	19	8	308	55	230
37	KNOTT	81	1	-	1	5	1	-	-	1	-	-	3	1	38	9	26
38																	
39	KNOX	266	2	1	-	33	13	8	2	2	-	1	7	3	151	47	91
40	LARUE	95	1	-	1	10	3	1	1	2	-	-	3	3	56	16	35
41	LAUREL	253	1	1	1	32	4	6	3	4	2	1	12	7	132	32	85
42	LAWRENCE	145	1	1	-	18	4	3	2	7	-	-	2	4	92	17	65
43	LEE	82	2	-	-	13	3	2	1	1	-	2	4	3	41	21	16
44	LESLIE	84	1	1	1	8	-	2	1	1	1	1	2	2	41	8	30
45	LETCHER	235	1	1	1	39	7	8	1	7	1	3	12	4	116	24	88
46	LEWIS	134	3	-	4	12	4	-	1	2	1	1	3	3	76	23	47
47	LINCOLN	187	-	-	1	29	8	9	1	6	-	-	5	1	101	22	71
48	LIVINGSTON	100	1	-	-	12	5	2	-	1	-	-	4	1	64	14	43
49	LOGAN	239	1	-	-	32	8	2	2	8	-	3	9	-	151	36	107
50	LYON	64	-	-	1	13	3	-	2	2	1	3	2	2	32	2	20
51																	
52	MC CRACKEN	677	5	2	3	89	34	13	8	14	3	2	15	10	405	113	246
53	PADUCAH	534	5	2	3	67	23	8	8	10	3	2	13	7	323	92	193
54	BALANCE OF COUNTY	143	-	-	-	22	11	5	-	4	-	-	2	3	82	21	53
55	MC CREARY	122	1	-	1	21	6	2	2	5	1	1	4	3	63	12	44
56	MC LEAN	102	-	-	-	13	3	-	1	2	-	2	5	1	72	25	43
57	MADISON	317	2	-	-	51	19	3	5	8	1	6	9	7	171	45	108
58	RICHMOND	126	2	-	-	24	8	1	1	4	1	3	6	5	55	20	31
59	BALANCE OF COUNTY	191	-	-	-	27	11	2	4	4	-	3	3	2	116	25	77
60	MAGOFFIN	43	-	1	-	10	2	1	1	-	-	-	6	1	23	2	19
61	MARION	175	2	-	1	18	7	2	2	1	-	1	5	7	107	19	81
62	MARSHALL	161	-	1	1	21	6	7	1	1	-	2	4	3	95	23	63
63	MARTIN	87	2	-	-	11	6	2	-	1	-	2	-	2	46	10	35
64																	
65	MASON	215	2	-	1	25	8	3	-	7	1	1	5	3	141	28	105
66	MEADE	93	-	-	-	16	9	1	1	-	1	2	2	2	42	8	31
67	MENIFEE	40	-	1	1	1	1	-	-	-	-	-	-	-	24	11	12
68	MERCER	208	-	-	3	26	9	4	-	1	3	2	7	3	130	25	94
69	METCALFE	83	-	1	-	16	6	1	1	-	-	2	6	-	52	20	26
70	MONROE	113	2	-	2	22	6	1	-	6	3	2	4	2	58	13	35
71	MONTGOMERY	147	2	-	1	26	11	4	-	4	-	-	7	3	79	16	56
72	MORGAN	111	2	-	1	10	2	1	1	3	-	-	3	-	72	15	52
73	MUHLENBERG	308	2	1	3	37	13	8	4	4	2	2	4	7	190	50	129
74	NELSON	201	1	1	-	24	3	5	2	5	2	-	7	2	119	28	76
75	NICHOLAS	77	-	-	-	9	2	3	1	2	1	-	-	1	42	9	27
76	OHIO	243	3	-	-	44	14	7	6	6	2	2	7	3	146	39	104
77																	
78	OLDHAM	108	5	-	-	15	7	2	2	3	-	-	1	2	59	26	27
79	OWEN	120	1	-	1	13	3	3	5	1	-	-	1	-	79	18	57
80	OWSLEY	46	-	-	3	5	2	1	-	-	-	-	2	1	25	6	19
81	PENDLETON	123	2	-	-	15	5	3	-	2	1	-	4	3	79	15	58
82	PERRY	277	7	-	1	39	16	8	2	3	2	3	5	4	121	22	88
83	PIKE	491	5	-	1	73	23	14	3	12	-	5	16	7	221	62	146
84	POWELL	75	2	-	1	6	3	-	-	1	1	-	1	1	35	9	23
85	PULASKI	353	4	1	1	38	11	4	1	6	6	2	8	1	189	48	126
86	ROBERTSON	31	-	-	-	3	1	-	-	-	-	-	2	-	20	-	20
87	ROCKCASTLE	112	3	-	1	19	8	5	1	-	1	-	4	6	56	19	28
88	ROWAN	106	1	-	-	11	6	-	-	2	-	-	3	3	48	12	31
89	RUSSELL	100	-	1	1	12	4	-	2	2	-	-	4	-	60	14	39

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
1	29	1	2	-	8	2	2	4	1	-	1	-	2	9	3	3	1	2	-	5	4
-	44	3	4	1	4	1	-	2	-	-	1	-	2	2	2	11	5	3	-	9	5
1	117	15	19	5	5	1	2	10	3	2	1	1	7	13	2	9	10	3	1	28	6
-	52	2	7	3	1	1	-	4	-	1	1	-	2	6	-	2	4	-	-	8	7
1	65	13	12	2	4	-	2	6	3	1	-	1	5	7	2	7	6	3	1	20	8
1	46	8	15	1	5	2	1	4	2	-	-	-	2	4	1	5	4	2	2	15	9
1	19	-	6	-	3	-	-	-	1	-	-	-	2	2	1	3	3	2	-	10	10
1	64	4	7	1	12	2	6	4	1	-	-	-	2	15	2	10	12	1	2	15	11
-	15	2	3	-	6	1	-	-	-	-	-	-	-	1	9	2	2	-	1	3	12
5	92	15	11	5	8	-	1	12	-	-	-	-	2	16	9	5	14	8	6	24	13
2	114	9	20	3	8	6	2	16	-	2	1	1	4	19	2	10	19	5	4	20	14
																					15
-	50	8	14	2	10	1	2	5	1	-	1	-	3	9	1	5	4	3	2	12	16
-	35	4	14	-	6	-	1	2	1	1	-	-	-	4	1	6	7	1	1	10	17
6	91	10	17	4	10	4	1	12	2	2	2	-	9	7	1	20	15	3	5	35	18
6	54	7	13	3	9	4	-	7	1	-	2	-	7	6	1	15	9	1	4	24	19
-	37	3	4	1	1	-	1	5	1	2	-	-	2	1	-	5	6	2	1	11	20
3	47	7	7	-	3	2	1	4	2	1	3	-	2	6	-	7	6	1	2	12	21
1	28	5	3	-	4	-	1	1	1	2	-	-	-	2	1	4	4	2	-	5	22
4	131	5	24	2	17	6	4	15	2	1	4	-	4	15	3	4	20	10	4	29	23
1	56	-	6	-	5	1	-	4	1	-	2	-	1	5	1	1	5	2	1	10	24
3	75	5	18	2	12	5	4	11	1	1	2	-	3	10	2	3	15	8	3	19	25
-	24	3	1	-	2	-	1	2	1	1	-	-	-	2	1	2	2	-	-	4	26
																					27
53	1,551	292	210	43	142	93	41	187	27	24	131	6	88	277	44	110	187	61	51	483	28
43	1,188	247	175	35	116	66	32	155	24	21	106	5	50	194	34	76	147	39	42	364	29
-	8	2	1	-	1	-	-	3	-	1	1	-	-	1	-	2	1	-	-	2	30
10	355	43	34	8	25	27	9	29	3	2	24	1	38	82	10	32	39	22	9	117	31
3	46	6	5	1	2	-	-	5	-	1	3	-	-	4	3	1	5	2	1	9	32
3	64	3	15	-	4	-	3	5	1	-	-	-	1	6	1	3	5	-	1	8	33
13	421	47	96	7	34	17	3	31	12	7	29	-	20	33	1	20	33	18	3	90	34
7	246	32	62	4	22	10	2	22	10	5	22	-	10	26	1	9	21	7	2	63	35
6	175	15	34	3	12	7	1	9	2	2	7	-	10	7	-	11	12	11	1	27	36
3	20	1	2	1	1	1	-	4	-	2	1	1	2	3	1	6	4	-	-	11	37
																					38
1	55	7	28	-	7	3	3	15	2	2	-	-	2	2	5	6	13	5	4	20	39
1	29	3	2	-	1	1	3	3	-	-	1	-	-	3	3	2	4	1	-	7	40
4	53	8	20	3	5	4	3	19	1	1	3	1	1	12	5	1	6	2	3	25	41
1	39	6	19	-	7	3	-	6	1	1	1	1	-	3	1	1	6	2	1	5	42
-	15	-	1	-	3	-	1	2	1	1	-	-	2	2	-	5	2	3	1	4	43
-	25	3	2	-	3	-	-	6	-	-	-	-	1	5	1	2	6	-	1	8	44
3	62	14	9	1	1	2	-	5	3	-	1	-	4	12	5	3	13	-	-	27	45
1	34	2	10	1	1	4	-	9	-	1	-	1	1	3	-	6	3	1	-	11	46
2	48	9	12	-	4	2	2	16	1	-	3	-	-	5	9	6	7	2	-	6	47
-	35	1	7	2	2	3	-	4	-	-	-	-	3	-	3	5	-	-	-	7	48
-	60	14	33	1	3	4	-	6	1	3	2	-	-	7	3	7	9	2	-	15	49
-	15	1	4	1	7	1	1	1	-	-	1	-	1	1	2	-	1	1	-	8	50
																					51
1	194	12	39	7	22	8	9	11	5	3	8	1	5	25	12	15	20	5	7	46	52
1	151	10	31	7	15	8	8	9	5	2	7	1	4	16	9	12	16	3	6	37	53
-	43	2	8	-	7	-	1	2	-	1	1	-	1	9	3	3	4	2	1	9	54
1	18	4	21	2	4	-	1	2	-	1	1	-	2	5	5	-	8	1	-	8	55
-	26	2	15	1	3	-	-	4	-	-	-	-	1	2	1	-	2	1	-	5	56
-	80	15	13	3	9	3	3	9	1	2	2	-	6	13	1	9	15	3	1	24	57
-	25	3	3	1	2	-	1	3	1	1	2	-	3	10	-	2	5	1	-	12	58
-	55	12	10	2	7	3	2	6	-	1	-	-	3	3	1	7	10	2	1	12	59
1	8	4	6	1	1	-	-	2	-	-	-	-	-	-	-	1	3	-	-	2	60
-	57	16	8	-	5	2	-	3	1	1	3	-	5	9	-	3	5	1	-	9	61
4	44	4	11	1	4	3	1	2	2	-	-	1	2	6	1	6	4	2	-	14	62
1	18	11	5	-	1	-	-	6	-	1	3	1	-	3	2	1	2	1	-	6	63
																					64
1	78	8	18	-	2	1	5	6	-	1	-	-	4	8	2	7	4	2	1	8	65
-	12	4	15	-	1	1	1	1	1	-	-	-	3	9	2	2	4	1	-	10	66
-	5	1	6	-	-	1	1	1	-	-	-	-	-	1	1	1	5	1	-	3	67
-	71	15	8	3	6	1	1	8	1	-	-	-	2	6	1	7	6	4	-	11	68
1	16	7	2	2	2	2	-	1	-	-	-	-	-	2	-	3	2	2	1	3	69
1	32	1	1	-	7	1	2	3	1	1	1	1	1	-	-	6	2	1	2	8	70
-	41	9	6	-	5	-	2	4	2	-	2	-	3	2	3	4	4	1	3	8	71
1	32	10	9	-	2	1	2	4	-	-	1	-	1	4	-	2	5	-	1	8	72
2	85	21	21	-	8	1	2	8	3	3	1	-	3	12	1	7	9	1	1	19	73
2	62	5	7	1	6	7	1	9	-	1	2	-	2	11	-	4	7	4	-	14	74
1	19	-	7	-	4	-	2	5	1	-	1	-	-	5	-	2	3	-	-	8	75
2	83	9	10	1	1	1	-	12	2	1	-	-	1	1	1	5	7	4	-	13	76
																					77
-	23	3	1	-	4	-	2	2	-	-	1	-	2	2	-	5	5	1	1	8	78
-	46	5	6	-	2	2	-	2	2	1	-	-	-	1	1	3	3	-	-	10	79
1	16	1	1	-	-	-	-	2	-	-	-	-	-	1	2	1	2	2	1	1	80
1	37	6	14	1	4	1	-	2	1	-	-	-	1	1	-	5	6	1	-	7	81
4	71	5	8	4	4	1	2	14	2	1	3	-	7	22	1	8	18	5	8	16	82
4	101	19	22	1	4	2	6	30	1	-	5	1	5	25	4	20	43	7	3	40	83
1	14	2	6	-	1	-	2	10	-	1	-	-	2	6	-	1	4	-	2	4	84
4	106	13	3	2	7	3	3	20	1	3	4	1	3	8	-	17	14	2	5	41	85
-	15	1	4	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	-	1	86
1	19	4	4	1	5	2	1	5	-	-	-	-	-	4	2	5	6	1	-	4	87
-	29	1	1	-	5	-	-	7	-	-	2	-	3	6	3	6	4	1	-	11	88
-	26	3	10	1	1	2	3	3	-	2	-	-	2	1	-	8	3	1	2	4	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revipolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
KENTUCKY--CON.																
SCOTT	165	-	-	-	25	8	4	2	5	1	1	4	2	99	25	68
SHELBY	211	1	2	1	26	10	1	2	4	-	1	8	5	127	38	76
SIMPSON	150	-	-	1	21	7	4	2	2	-	2	4	2	85	22	59
SPENCER	45	1	-	-	6	2	-	-	1	-	-	3	-	22	6	15
TAYLOR	165	2	-	2	25	7	2	3	5	1	-	7	-	100	28	63
TODD	145	2	-	-	20	4	2	2	3	2	2	5	-	86	8	73
TRIGG	96	1	-	-	15	6	1	2	2	-	2	2	3	62	18	42
TRIMBLE	52	1	-	-	7	4	-	2	1	-	-	-	-	31	11	18
UNION	185	1	-	1	22	7	4	1	3	-	2	5	3	116	34	71
WARREN	503	2	1	5	79	26	6	5	12	2	8	20	6	277	78	185
BOWLING GREEN	319	1	-	4	51	16	3	4	5	1	7	15	5	171	54	109
BALANCE OF COUNTY	184	1	1	1	28	10	3	1	7	1	1	5	1	106	24	76
WASHINGTON	115	2	-	1	17	10	2	1	1	-	-	3	-	70	28	33
WAYNE	140	1	-	1	18	5	1	2	5	-	1	4	2	74	17	52
WEBSTER	199	-	-	1	19	7	2	3	2	2	1	2	2	130	26	90
WHITLEY	306	2	-	1	36	6	12	2	6	1	2	7	5	164	36	112
WOLFE	62	-	-	-	8	-	3	-	-	1	1	3	1	34	10	24
WOODFORD	113	-	-	1	16	6	3	-	4	-	2	1	2	54	15	36
LOUISIANA	30,415	243	105	248	4,493	1,348	800	331	660	184	214	956	670	15,669	3,296	11,136
URBAN	18,028	160	79	132	2,702	828	480	214	370	109	132	569	438	9,359	1,898	6,754
RURAL	12,387	83	26	116	1,791	520	320	117	290	75	82	387	232	6,310	1,398	4,382
METROPOLITAN PARISHES	14,978	133	64	103	2,245	663	399	171	309	95	110	498	394	7,710	1,481	5,682
URBAN	12,238	118	58	83	1,828	556	310	134	252	75	93	408	335	6,346	1,210	4,684
RURAL	2,740	15	6	20	417	107	89	37	57	20	17	90	59	1,364	271	998
NONMETROPOLITAN PARISHES	15,437	110	41	145	2,248	685	401	160	351	89	104	458	276	7,959	1,815	5,454
URBAN	5,790	42	21	49	874	272	170	80	118	34	39	161	103	3,013	688	2,070
RURAL	9,647	68	20	96	1,374	413	231	80	233	55	65	297	173	4,946	1,127	3,384
ACADIA	443	4	-	7	67	24	18	7	4	3	-	11	2	225	65	146
CROWLEY	164	1	-	3	21	8	5	2	3	1	-	2	-	86	26	52
BALANCE OF PARISH	279	3	-	4	46	16	13	5	1	2	-	9	2	139	39	94
ALLEN	190	-	-	1	39	15	5	2	9	1	1	6	4	87	23	55
ASCENSION	276	2	1	1	37	17	3	4	4	2	-	7	5	154	42	97
ASSUMPTION	176	3	-	1	24	4	5	2	6	-	3	4	2	94	22	62
AVOYELLES	404	3	-	2	60	23	7	-	9	4	5	12	3	210	41	158
BEAUREGARD	201	4	-	3	35	10	3	1	9	2	1	9	2	101	28	69
BIENVILLE	193	1	1	3	29	8	5	1	8	1	1	5	2	99	14	75
BOSSIER	375	7	1	2	60	17	8	8	11	1	4	11	5	162	35	118
BOSSIER CITY	166	4	1	1	29	9	3	4	3	1	3	6	3	62	10	50
SHREVEPORT, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BALANCE OF PARISH	209	3	-	1	31	8	5	4	8	-	1	5	2	100	25	68
CADDO	2,142	16	7	15	314	102	40	21	47	14	21	69	45	1,083	213	781
SHREVEPORT, PART	1,692	15	6	10	248	82	27	19	38	12	16	54	36	832	169	597
SHREVEPORT, TOTAL	1,692	15	6	10	248	82	27	19	38	12	16	54	36	832	169	597
BALANCE OF PARISH	450	1	1	5	66	20	13	2	9	2	5	15	9	251	44	184
CALCASIEU	988	8	3	14	156	43	29	14	22	7	3	38	13	468	109	322
LAKE CHARLES	462	4	1	5	81	31	14	6	10	3	2	15	7	209	57	138
SULPHUR	85	1	-	2	13	5	2	1	-	1	-	4	1	44	10	29
BALANCE OF PARISH	441	3	2	7	62	7	13	7	12	3	1	19	5	215	42	155
CALDWELL	96	-	1	1	13	2	4	1	4	-	1	1	2	52	13	34
CAMERON	52	1	1	1	11	5	3	1	-	-	1	1	1	25	5	18
CATAHOULA	123	1	-	-	25	9	5	-	6	-	-	5	-	70	27	41
CLAIBORNE	205	2	-	3	35	11	6	3	5	2	1	7	5	106	25	73
CONCORDIA	204	-	3	-	26	7	5	3	2	-	1	8	4	113	30	72
DE SOTO	305	6	-	-	48	18	8	2	5	3	4	8	-	169	68	95
EAST BATON ROUGE	1,629	9	11	10	223	63	28	20	20	14	17	61	41	842	183	572
BATON ROUGE	1,203	7	9	8	171	55	18	16	14	10	13	45	26	649	140	445
BALANCE OF PARISH	426	2	2	2	52	8	10	4	6	4	4	16	15	193	43	127
EAST CARROLL	188	-	-	1	32	9	4	4	7	-	1	7	1	87	37	45
EAST FELICIANA	177	3	-	1	28	6	2	3	8	3	1	5	7	83	15	58
EVANGELINE	355	4	-	4	46	12	11	2	7	1	1	12	2	168	33	121
FRANKLIN	263	1	2	4	38	12	8	4	4	2	1	7	6	133	28	92
GRANT	120	1	1	-	22	11	5	1	1	-	2	2	3	70	15	47
IBERIA	448	2	1	7	75	20	15	4	12	2	5	17	14	203	50	135
NEW IBERIA	249	1	1	2	49	12	9	4	7	2	5	10	4	119	28	80
BALANCE OF PARISH	199	1	-	5	26	8	6	-	5	-	-	7	10	84	22	55
IBERVILLE	338	5	-	6	32	10	9	1	2	1	2	7	10	198	59	124
JACKSON	158	-	3	1	21	6	2	2	5	1	1	4	3	89	32	51
JEFFERSON	1,430	9	4	9	228	68	52	20	21	14	7	46	37	718	126	556
GRETNA	175	1	1	1	24	11	4	3	3	-	1	2	6	103	13	83
KENNER	126	-	-	1	21	5	3	3	2	3	1	4	4	50	7	40
BALANCE OF PARISH	1,129	8	3	7	183	52	45	14	16	11	5	40	27	565	106	433
JEFFERSON DAVIS	261	1	1	2	47	18	10	1	4	-	4	10	8	112	33	62
JENNINGS	82	-	-	1	15	6	6	-	-	-	-	3	2	35	9	21
BALANCE OF PARISH	179	1	1	1	32	12	4	1	4	-	4	7	6	77	24	41
LAFAYETTE	617	5	2	5	98	27	20	11	14	1	6	19	7	306	75	189
LAFAYETTE	402	3	1	3	65	20	14	8	8	1	4	10	4	196	56	115
BALANCE OF PARISH	215	2	1	2	33	7	6	3	6	-	2	9	3	110	19	74

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
1	44	11	12	1	3	2	-	9	2	1	-	-	3	8	-	2	3	3	-	8	1
3	66	2	5	-	11	1	1	2	1	1	1	-	2	8	3	4	6	3	1	17	2
1	35	11	12	1	2	1	-	7	2	-	-	-	2	2	6	5	6	3	1	7	3
-	14	-	1	1	-	-	-	2	1	-	-	-	-	2	1	-	1	1	2	6	4
2	40	14	7	-	4	2	3	3	1	-	-	1	-	1	7	1	6	6	3	1	6	5
-	49	9	15	-	-	4	1	5	-	-	2	-	-	1	3	2	4	4	3	1	12	6
-	30	-	12	1	-	-	1	1	-	-	-	-	-	-	3	-	1	1	1	2	6	7
1	14	1	2	-	2	-	-	-	-	-	-	-	-	-	2	2	4	1	1	-	3	8
1	45	9	16	1	7	2	1	3	1	1	3	-	-	4	1	5	9	1	1	13	9
4	136	9	36	1	8	1	4	21	2	7	2	1	5	15	1	17	25	6	4	27	10
3	82	6	18	-	6	-	2	10	2	6	2	1	4	9	-	11	21	2	2	17	11
1	54	3	18	1	2	1	2	11	-	1	-	-	1	6	1	6	4	4	2	10	12
-	26	4	3	1	6	2	-	3	-	-	1	-	1	3	2	5	2	2	1	5	13
-	30	17	5	1	2	2	-	1	1	-	-	-	2	3	4	4	11	1	2	15	14
-	59	5	26	2	6	3	3	6	-	1	1	-	1	6	3	5	10	-	1	13	15
-	73	16	23	2	5	4	5	9	-	-	2	1	4	17	14	9	19	2	-	21	16
2	18	1	3	-	-	-	-	2	-	-	-	-	-	3	2	5	1	1	-	5	17
-	28	4	4	1	2	-	-	5	-	2	1	-	3	6	-	5	4	1	-	13	18
132	8,056	1,425	1,523	182	483	332	240	1,141	146	166	245	33	458	1,673	228	765	1,230	252	272	2,378	19
88	4,906	881	879	108	255	196	148	615	88	90	186	19	271	998	117	349	662	156	170	1,437	20
44	3,150	544	644	74	228	136	92	526	58	76	59	14	187	675	111	416	568	96	102	941	21
74	4,143	751	714	87	192	157	111	511	81	70	167	16	230	799	82	306	573	120	153	1,221	22
63	3,420	634	567	75	161	126	90	412	63	56	152	13	175	645	58	207	447	109	128	1,005	23
11	723	117	147	12	31	31	21	99	18	14	15	3	55	154	24	99	126	11	25	216	24
58	3,913	674	809	95	291	175	129	630	65	96	78	17	228	874	146	459	657	132	119	1,157	25
25	1,486	247	312	33	94	70	58	203	25	34	34	6	96	353	59	142	215	47	42	432	26
33	2,427	427	497	62	197	105	71	427	40	62	44	11	132	521	87	317	442	85	77	725	27
7	108	4	27	2	5	5	2	15	4	5	2	-	9	24	-	13	20	1	3	42	28
2	41	2	7	2	2	3	1	8	1	4	2	-	2	6	-	3	6	-	-	21	29
5	67	2	20	-	3	2	1	7	3	1	-	-	7	18	-	10	14	1	3	21	30
1	41	5	8	-	3	3	3	3	1	1	6	-	-	12	2	4	11	2	-	17	31
-	67	14	16	1	7	3	4	14	-	3	1	-	6	20	-	3	12	2	2	13	32
-	36	10	16	1	7	1	1	12	-	2	-	-	6	6	5	6	6	1	2	6	33
1	125	15	17	-	3	4	4	30	2	1	-	1	3	21	1	9	24	6	4	24	34
-	64	2	3	-	2	-	2	12	-	1	-	-	3	10	2	2	8	1	1	16	35
-	58	11	6	1	2	2	5	8	1	2	-	1	2	12	4	3	8	2	3	12	36
3	83	20	12	1	2	2	4	17	1	2	2	-	12	36	3	11	15	5	7	27	37
3	38	6	3	-	-	-	2	4	-	-	1	-	10	24	1	2	5	4	1	14	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	45	14	9	1	2	2	2	13	1	2	1	-	2	12	2	9	10	1	6	13	40
7	506	126	142	17	27	27	18	92	11	10	19	2	28	134	14	39	79	20	32	182	41
6	388	94	109	16	21	17	12	78	9	7	18	2	18	120	9	32	59	20	24	149	42
6	388	94	109	16	21	17	12	78	9	7	18	2	18	120	9	32	59	20	24	149	43
1	118	32	33	1	6	10	6	14	2	3	1	-	10	14	5	7	20	-	8	33	44
5	247	32	38	4	14	11	8	34	7	10	5	1	17	63	7	35	34	6	5	102	45
4	103	17	14	-	2	7	5	12	4	5	5	-	8	26	4	17	16	4	2	52	46
-	26	3	-	2	3	-	-	3	-	1	-	-	3	3	-	3	3	1	-	7	47
1	118	12	24	2	9	4	3	19	3	4	-	1	6	34	3	15	15	1	3	43	48
-	26	4	4	1	3	1	-	2	1	-	-	-	1	4	-	1	4	-	-	14	49
1	15	2	-	-	2	-	-	1	-	-	-	-	-	5	-	3	1	-	-	2	50
-	36	1	4	-	1	-	1	2	1	1	-	-	-	6	1	6	2	1	1	6	51
-	57	9	7	2	3	2	1	12	1	2	-	-	1	9	3	6	2	3	5	10	52
1	38	15	18	1	1	5	4	10	-	2	1	-	4	12	3	4	8	1	2	11	53
1	73	3	18	2	4	-	-	16	2	1	1	1	3	8	2	6	14	1	6	21	54
14	378	72	108	11	44	19	13	43	6	6	16	2	42	105	16	54	43	13	12	135	55
11	293	58	83	8	33	15	8	24	5	5	13	2	26	64	10	38	24	11	10	101	56
3	85	14	25	3	11	4	5	19	1	1	3	-	16	41	6	16	19	2	2	34	57
-	27	3	15	1	1	2	1	7	-	2	-	2	2	11	7	5	8	1	1	21	58
-	36	16	6	2	1	2	5	13	1	2	-	-	3	7	1	10	5	-	1	12	59
3	92	16	10	2	5	4	3	21	-	5	-	1	5	21	1	13	14	8	2	40	60
-	56	10	26	1	7	3	2	20	-	-	1	1	3	11	-	9	11	2	-	21	61
-	39	1	7	1	5	2	-	3	-	-	-	-	4	2	1	1	4	-	-	8	62
1	99	9	26	1	6	4	7	15	1	3	4	-	12	32	1	14	21	2	1	40	63
-	55	7	18	-	4	2	5	5	-	2	4	-	11	18	1	3	11	1	1	16	64
1	44	2	8	1	2	2	2	10	1	1	-	-	1	14	-	11	10	1	-	24	65
1	76	25	22	3	6	3	3	20	1	2	2	1	3	18	1	6	9	2	4	18	66
1	40	6	4	-	2	1	3	7	2	-	-	1	1	4	2	1	7	1	2	13	67
5	431	58	62	6	9	18	3	41	8	4	12	1	29	74	8	51	64	11	9	113	68
1	69	8	5	2	4	-	1	3	1	-	-	-	4	8	-	4	4	1	1	13	69
-	23	7	10	-	-	3	-	6	-	-	3	-	6	9	1	6	12	2	2	3	70
4	339	43	47	4	5	15	2	32	7	4	9	1	19	57	7	41	48	8	6	97	71
1	45	5	11	1	9	1	6	12	3	2	2	-	5	17	5	10	6	1	2	25	72
-	16	3	2	-	3	-	2	1	1	1	-	-	4	6	2	4	2	1	-	7	73
1	29	2	9	1	6	1	4	11	2	1	2	-	1	11	3	6	4	-	2	18	74
5	138	27	19	8	23	6	5	18	5	2	3	-	14	43	7	19	30	8	2	43	75
4	82	17	12	7	11	3	4	11	4	2	3	-	9	27	5	11	24	2	1	31	76
1	56	10	7	1	12	3	1	7	1	-	-	-	5	16	2	8	6	6	1	12	77

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-

politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
LOUISIANA--CON.																
LAFOURCHE	395	3	-	2	61	13	12	4	10	2	6	14	7	188	25	152
THIBODAUX	101	1	-	-	14	4	3	1	2	1	-	3	1	52	10	41
BALANCE OF PARISH	294	2	-	2	47	9	9	3	8	1	6	11	6	136	15	111
LA SALLE	111	-	-	-	17	5	1	1	4	1	1	4	-	73	19	47
LINCOLN	256	1	1	3	26	12	4	1	3	2	2	2	2	143	48	77
RUSTON	122	-	-	2	10	5	2	1	-	1	1	-	-	78	31	40
BALANCE OF PARISH	134	1	1	1	16	7	2	-	3	1	1	2	2	65	17	37
LIVINGSTON	240	1	-	1	35	7	8	-	7	4	2	7	4	126	25	87
MADISON	196	2	-	3	24	14	4	2	3	-	-	1	4	96	21	69
MOREHOUSE	297	1	2	4	45	12	10	-	7	2	4	10	3	145	47	83
BASTROP	120	1	1	1	18	4	5	-	3	2	-	4	1	67	19	43
BALANCE OF PARISH	177	-	1	3	27	8	5	-	4	-	4	6	2	78	28	40
NATCHITOCHES	355	1	2	1	50	11	6	5	7	1	4	16	2	211	54	138
NATCHITOCHES	125	-	1	-	16	3	3	3	1	-	-	6	2	75	19	49
BALANCE OF PARISH	230	1	1	1	34	8	3	2	6	1	4	10	-	136	35	89
ORLEANS, COEX. WITH NEW ORLEANS CITY	7,262	74	37	45	1,085	319	214	78	149	41	48	236	231	3,867	702	2,916
OUACHITA	934	7	1	8	146	42	23	4	34	3	9	31	18	465	96	335
MONROE	580	4	-	5	84	22	15	1	24	2	3	17	14	292	59	212
WEST MONROE	154	3	1	1	31	9	4	1	5	-	5	7	3	64	11	46
BALANCE OF PARISH	200	-	-	2	31	11	4	2	5	1	1	7	1	109	26	77
PLAQUEMINES	144	-	-	3	23	7	2	4	5	2	-	3	1	61	6	54
POINTE COUPEE	229	2	1	2	28	10	6	2	5	-	-	5	6	133	26	100
RAPIDES	1,019	7	3	7	140	39	26	14	19	3	6	33	18	538	109	380
ALEXANDRIA	483	2	3	6	67	22	13	9	9	1	1	12	10	261	49	186
BALANCE OF PARISH	536	5	-	1	73	17	13	5	10	2	5	21	8	277	60	194
RED RIVER	112	1	-	1	14	3	3	2	2	1	-	3	3	58	18	28
RICHLAND	236	2	-	3	28	7	4	2	8	1	-	6	9	126	28	91
SABINE	208	3	-	-	19	7	2	-	4	1	3	2	3	137	45	80
ST. BERNARD	218	3	-	-	33	9	5	6	5	1	1	6	4	105	17	82
ST. CHARLES	161	1	-	3	25	11	5	-	3	2	-	4	3	64	10	51
ST. HELENA	89	-	-	1	6	3	1	1	1	-	-	-	1	54	11	43
ST. JAMES	195	1	-	2	20	8	2	2	5	1	-	2	2	114	29	80
ST. JOHN THE BAPTIST	163	-	-	4	26	7	4	-	2	3	2	8	2	78	12	60
ST. LANDRY	773	9	5	11	98	33	19	6	15	8	-	17	15	393	82	274
EUNICE	108	1	-	-	21	5	5	2	4	3	-	2	7	49	12	34
OPELOUSAS	177	2	1	-	26	9	6	2	2	3	-	4	1	95	19	65
BALANCE OF PARISH	488	6	4	11	51	19	8	2	9	2	-	11	7	249	51	175
ST. MARTIN	252	1	-	3	49	14	14	4	6	3	2	6	8	116	22	82
ST. MARY	373	1	2	4	56	18	8	5	5	3	3	14	6	183	27	144
MORGAN CITY	80	-	-	-	13	5	2	2	1	-	2	1	1	34	3	31
BALANCE OF PARISH	293	1	2	4	43	13	6	3	4	3	1	13	5	149	24	113
ST. TAMMANY	418	6	-	4	66	13	10	6	19	1	4	13	10	218	31	162
TANGIPAHOA	665	7	2	7	93	33	16	8	11	3	2	20	12	332	81	235
HAMMOND	106	2	-	2	19	4	3	3	1	1	1	6	4	46	6	36
BALANCE OF PARISH	559	5	2	5	74	29	13	5	10	2	1	14	8	286	75	199
TENSAS	118	-	-	-	17	7	7	-	3	-	-	-	3	59	12	43
TERREBONNE	426	1	-	7	47	10	10	3	6	2	4	12	10	193	17	144
HOUMA	218	1	-	4	27	8	5	2	2	-	4	6	6	104	10	81
BALANCE OF PARISH	208	-	-	3	20	2	5	1	4	2	-	6	4	89	7	63
UNION	194	2	1	-	29	8	7	4	4	2	2	2	3	103	25	63
VERMILION	325	2	-	4	58	16	12	5	5	4	3	13	9	161	26	125
ABBEVILLE	92	1	-	1	15	2	4	2	3	2	1	1	2	41	8	30
BALANCE OF PARISH	233	1	-	3	43	14	8	3	2	2	2	12	7	120	18	95
VERNON	230	-	-	2	31	6	4	3	5	1	-	12	7	113	21	85
WASHINGTON	473	1	-	4	67	18	10	5	13	1	3	17	10	262	51	195
BOGALUSA	256	1	-	1	37	10	6	3	9	-	2	7	6	149	29	108
BALANCE OF PARISH	217	-	-	3	30	8	4	2	4	1	1	10	4	113	22	87
WEBSTER	400	3	1	1	67	18	5	4	14	2	3	21	6	207	48	126
MINDEN	143	-	-	-	20	6	2	1	3	1	-	7	1	79	21	42
BALANCE OF PARISH	257	3	1	1	47	12	3	3	11	1	3	14	5	128	27	84
WEST BATON ROUGE	152	2	1	-	21	9	2	4	4	-	-	2	3	78	13	62
WEST CARROLL	151	-	-	2	29	6	2	-	5	4	3	9	1	81	15	56
WEST FELICIANA	83	-	1	2	11	3	3	1	2	-	-	2	3	40	13	24
WINN	205	-	2	-	34	13	9	2	4	-	2	4	7	121	18	95
MAINE	11,096	43	13	43	1,723	607	250	160	271	96	60	279	164	6,643	1,392	4,702
URBAN	4,302	17	8	15	688	259	115	58	99	36	17	104	65	2,581	515	1,835
RURAL	6,794	26	5	28	1,035	348	135	102	172	60	43	175	99	4,062	877	2,867
METROPOLITAN COUNTIES	2,187	9	2	5	365	121	60	33	48	24	7	72	27	1,313	275	932
URBAN	1,426	4	2	3	238	87	42	18	34	16	-	41	20	857	180	605
RURAL	761	5	-	2	127	34	18	15	14	8	7	31	7	456	95	327
NONMETROPOLITAN COUNTIES	8,909	34	11	38	1,358	486	190	127	223	72	53	207	137	5,330	1,117	3,770
URBAN	2,876	13	6	12	450	172	73	40	65	20	17	63	45	1,724	335	1,230
RURAL	6,033	21	5	26	908	314	117	87	158	52	36	144	92	3,606	782	2,540
ANDROSCOGGIN	967	3	2	3	169	73	21	16	30	6	3	20	13	576	111	417
AUBURN	262	1	-	2	50	21	7	5	6	-	3	8	4	146	34	102
LEWISTON	464	2	2	1	79	39	9	7	12	6	-	6	4	286	48	212
BALANCE OF COUNTY	241	-	-	-	40	13	5	4	12	-	-	6	5	144	29	103

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metro-
ban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-669)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
2	122	16	12	1	5	3	2	11	2	3	3	-	10	23	1	16	24	4	1	36	5
-	33	5	3	-	1	-	-	1	2	1	-	-	2	8	1	2	7	1	-	8	6
2	89	11	9	1	4	3	2	10	-	2	3	-	8	15	-	14	17	3	1	28	7
1	35	4	7	1	2	3	1	-	2	1	1	-	1	3	-	3	2	-	-	8	8
-	49	9	19	2	6	6	4	10	2	2	-	2	6	22	8	4	7	2	3	12	9
-	26	5	9	-	4	-	3	4	-	-	-	1	1	9	4	2	3	1	-	7	10
-	23	4	10	2	2	6	1	6	2	2	-	1	5	13	4	2	4	1	3	5	11
2	69	7	9	3	3	6	2	8	1	4	1	-	4	13	1	16	8	-	1	16	12
3	68	10	14	1	3	1	1	9	-	1	2	-	2	4	12	7	10	2	1	17	13
1	37	8	4	2	7	3	3	11	-	4	2	-	2	17	-	8	15	1	4	33	14
2	31	4	1	-	3	1	1	2	-	-	1	-	1	7	-	1	5	1	-	14	15
1	110	4	3	2	4	2	2	9	-	4	1	-	2	10	-	7	10	-	4	19	16
1	42	8	19	5	8	4	2	7	1	-	1	-	3	17	2	9	16	2	6	24	17
-	68	3	3	2	3	2	-	1	1	-	1	-	-	9	-	2	4	2	3	8	18
		5	16	3	5	2	2	6	-	-	-	-	3	8	2	7	12	-	3	16	19
																					20
35	2,182	402	297	43	82	70	54	245	40	33	99	8	75	337	26	79	290	57	80	554	21
																					22
4	254	35	42	5	12	7	10	28	6	5	10	2	20	44	8	26	29	8	7	96	23
3	157	26	26	2	7	5	7	22	4	3	6	1	14	27	6	11	14	4	6	63	24
-	40	3	3	2	3	2	-	4	-	1	3	-	5	7	-	6	7	2	1	15	25
1	57	6	13	1	2	-	3	2	2	1	1	1	1	10	2	9	8	2	-	18	26
1	34	6	13	-	-	1	-	5	-	1	3	-	1	10	-	13	9	1	-	13	27
-	49	35	16	1	3	2	1	8	1	2	1	-	-	12	4	-	10	2	1	16	28
3	284	36	57	4	15	17	13	60	6	5	6	-	16	55	2	30	37	13	9	67	29
3	131	17	35	1	6	10	9	19	4	3	4	-	9	27	-	8	16	6	5	33	30
-	153	19	22	3	9	7	4	41	2	2	2	-	7	28	2	22	21	7	4	34	31
-	17	6	5	4	4	3	1	5	-	-	1	-	1	6	5	2	7	-	1	7	32
-	57	17	17	2	3	-	2	8	1	1	1	1	3	19	-	4	11	1	1	17	33
-	51	14	15	4	6	1	1	4	-	1	-	-	1	4	3	5	12	2	-	14	34
1	62	6	13	-	2	3	1	11	2	-	4	-	7	6	-	11	19	-	1	12	35
-	36	5	10	-	-	1	2	6	-	1	3	-	6	19	-	9	10	2	-	9	36
-	27	8	8	-	-	-	-	1	2	-	-	-	2	1	5	5	6	1	-	4	37
-	41	16	23	1	1	2	1	6	1	2	1	-	5	11	2	1	15	-	-	12	38
-	38	15	7	2	3	1	-	5	-	1	1	-	2	12	1	2	14	1	1	13	39
																					40
3	194	40	37	4	22	11	-	33	1	5	5	1	8	52	2	31	24	8	6	66	41
-	25	6	3	-	3	-	-	5	-	1	-	-	-	11	1	1	4	1	-	6	42
1	48	8	8	1	6	4	-	4	-	2	1	-	4	8	-	9	4	2	3	15	43
2	121	26	26	3	13	7	-	24	1	2	4	1	4	33	1	21	16	5	3	45	44
-	66	12	4	2	3	2	5	9	-	-	-	1	7	19	-	7	8	3	1	20	45
-	87	30	27	-	7	1	4	11	3	6	2	-	7	32	-	9	20	5	2	24	46
-	20	5	6	-	-	-	-	2	1	1	2	-	3	8	-	3	3	-	-	9	47
-	67	25	21	-	7	1	4	9	2	5	-	-	4	24	-	6	17	5	2	15	48
1	134	5	22	4	15	6	-	10	4	2	1	-	3	25	1	11	13	5	4	35	49
5	182	19	29	2	9	1	4	23	5	5	6	-	11	35	9	22	39	7	8	42	50
-	28	2	6	-	3	1	-	2	-	1	2	-	1	4	3	1	7	-	3	9	51
5	154	17	23	2	6	-	4	21	5	4	4	-	10	31	6	21	32	7	5	33	52
-	27	3	13	-	2	2	-	5	-	-	1	1	2	6	-	5	8	1	-	10	53
-	114	18	12	2	24	6	-	29	2	3	5	-	7	41	1	21	21	3	3	32	54
-	63	11	7	2	7	4	-	14	-	2	4	-	5	19	1	6	9	3	1	12	55
-	51	7	5	-	17	2	-	15	2	1	1	-	2	22	-	15	12	-	2	20	56
																					57
2	47	6	8	-	10	4	1	4	-	2	-	-	2	6	5	7	8	4	1	17	58
3	91	9	22	-	2	7	1	11	1	1	1	-	7	23	10	4	6	5	-	22	59
1	20	1	8	-	1	2	-	2	1	1	-	-	2	11	4	1	1	1	-	8	60
2	71	8	14	-	1	5	1	9	-	-	1	-	5	12	6	3	5	4	-	14	61
-	68	5	12	-	1	4	2	13	-	1	2	-	4	10	4	9	9	3	1	21	62
6	113	48	28	2	4	5	5	17	2	1	2	1	6	19	5	15	18	2	7	34	63
4	57	33	14	1	2	4	5	8	-	-	-	-	-	12	4	6	11	2	-	19	64
2	56	15	14	1	2	1	-	9	2	1	2	1	6	7	1	9	7	-	7	15	65
-	96	14	16	11	7	12	3	12	2	1	2	-	3	25	5	11	8	4	8	34	66
-	34	5	3	6	3	6	1	6	-	-	-	-	1	9	3	4	2	2	3	13	67
-	62	9	13	5	4	6	2	6	2	1	2	-	2	16	2	7	6	2	5	21	68
1	46	7	8	-	1	2	-	8	-	-	-	1	2	7	-	10	8	-	2	9	69
-	45	4	7	2	5	2	1	1	-	-	1	-	3	1	2	5	8	1	-	16	70
-	15	6	3	1	1	-	1	5	-	1	-	-	1	3	1	1	4	1	-	9	71
-	64	15	16	1	1	2	4	2	-	-	-	-	-	7	6	3	7	-	3	13	72
																					73
																					74
104	3,681	390	527	77	260	147	65	322	75	28	84	2	121	342	55	192	349	143	10	744	75
																					76
39	1,452	140	204	31	111	67	22	144	25	13	39	1	38	127	13	63	119	58	5	283	77
65	2,229	250	323	46	149	80	43	178	50	15	45	1	83	215	42	129	230	85	5	461	78
																					79
20	731	71	110	11	40	43	12	82	14	7	20	-	28	66	4	35	57	27	1	125	80
15	466	39	85	9	25	29	9	53	10	2	12	-	14	49	3	25	36	16	1	81	81
5	265	32	25	2	15	14	3	29	4	5	8	-	14	17	1	10	21	11	-	44	82
84	2,950	319	417	66	220	104	53	240	61	21	64	2	93	276	51	157	292	116	9	619	83
24	986	101	119	22	86	38	13	91	15	11	27	1	24	78	10	38	83	42	4	202	84
60	1,964	218	298	44	134	66	40	149	46	10	37	1	69	198	41	119	209	74	5	417	85
																					86
9	336	31	41	9	26	10	3	30	9	1	8	-	13	24	4	15	21	18	3	55	87
1	84	5	12	2	5	3	-	11	1	1	3	-	4	4	-	3	8	7	-	17	88
3	175	17	17	4	14	5	3	10	4	-	5	-	4	14	1	5	11	6	3	27	89
5	77	9	12	3	7	2	-	9	4	-	-	-	5	6	3	7	2	5	-	11	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan and nonmetropolitan counties are defined on the basis of Standard Metropolitan Statistical Areas and Standard Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MAINE--CON.																
AROOSTOOK	830	-	-	5	126	42	17	12	18	9	6	22	7	436	94	311
PRESQUE ISLE	84	-	-	-	12	5	-	2	2	-	1	2	-	52	8	39
BALANCE OF COUNTY	746	-	-	5	114	37	17	10	16	9	5	20	7	384	86	272
CUMBERLAND	2,187	9	2	5	365	121	60	33	48	24	7	72	27	1,313	275	932
PORTLAND	1,052	2	2	2	175	63	31	13	26	11	-	31	14	639	128	461
SOUTH PORTLAND	228	2	-	1	40	14	7	3	7	5	-	4	2	136	34	85
WESTBROOK	146	-	-	-	23	10	4	2	1	-	-	6	4	82	18	59
BALANCE OF COUNTY	761	5	-	2	127	34	18	15	14	8	7	31	7	456	95	327
FRANKLIN	259	-	-	3	33	15	2	5	6	1	1	3	2	155	39	109
HANCOCK	437	1	1	2	69	24	14	4	12	4	4	7	4	264	60	178
KENNEBEC	1,039	7	1	6	149	43	25	11	26	6	5	33	17	640	125	456
AUGUSTA	218	2	-	2	27	9	6	1	2	1	-	8	2	131	30	91
WATERVILLE	218	2	-	1	35	12	7	3	8	1	-	4	3	131	21	94
BALANCE OF COUNTY	603	3	1	3	87	22	12	7	16	4	5	21	12	378	74	271
KNOX	416	-	-	2	77	29	11	12	7	3	2	13	14	257	58	179
LINCOLN	261	1	-	-	37	13	1	4	9	1	1	8	4	169	37	120
OXFORD	535	1	1	2	73	27	12	6	11	4	4	9	13	325	59	232
PENOBSCOT	1,280	5	1	8	175	63	28	21	17	8	6	32	12	767	156	543
BANGOR	447	1	-	4	61	28	11	5	6	3	1	7	5	264	50	192
BALANCE OF COUNTY	833	4	1	4	114	35	17	16	11	5	5	25	7	503	106	351
PISCATAQUIS	234	5	-	-	34	14	2	1	7	4	-	6	3	148	25	109
SAGADAHOC	239	1	-	-	42	16	6	7	10	1	-	2	2	143	28	97
BATH	125	-	-	-	23	8	3	4	6	1	-	1	1	76	15	53
BALANCE OF COUNTY	114	1	-	-	19	8	3	3	4	-	-	1	1	67	13	44
SOMERSET	446	4	1	1	62	21	9	3	12	4	5	8	9	263	73	174
WALDO	325	1	-	1	43	21	5	2	6	2	4	3	4	193	51	126
WASHINGTON	446	2	1	1	70	19	7	6	16	3	2	17	5	273	59	200
YORK	1,195	3	3	4	199	66	30	17	36	16	10	24	28	721	142	519
BIDDEFORD	239	1	1	-	39	11	9	2	4	3	3	7	6	141	28	104
SACO	134	-	1	1	19	6	3	-	4	1	2	3	8	84	12	65
BALANCE OF COUNTY	822	2	1	3	141	49	18	15	28	12	5	14	14	496	102	350
MARYLAND	28,415	232	68	128	4,598	1,444	814	412	623	220	187	898	596	15,309	2,221	11,853
URBAN	15,636	160	47	77	2,481	772	441	238	341	119	90	480	347	8,493	1,208	6,622
RURAL	12,779	72	21	51	2,117	672	373	174	282	101	97	418	249	6,816	1,013	5,231
METROPOLITAN COUNTIES	21,369	181	51	100	3,549	1,133	626	325	467	172	139	687	467	11,294	1,555	8,861
URBAN	13,122	144	41	65	2,088	666	359	197	285	103	70	408	299	7,019	956	5,543
RURAL	8,247	37	10	35	1,461	467	267	128	182	69	69	279	168	4,275	599	3,318
NONMETROPOLITAN COUNTIES	7,046	51	17	28	1,049	311	188	87	156	48	48	211	129	4,015	666	2,992
URBAN	2,514	16	6	12	393	106	82	41	56	16	20	72	48	1,474	252	1,079
RURAL	4,532	35	11	16	656	205	106	46	100	32	28	139	81	2,541	414	1,913
ALLEGANY	974	4	2	3	154	52	25	13	24	6	10	24	20	607	79	477
CUMBERLAND	464	2	2	1	82	24	15	7	15	1	4	16	6	295	36	229
BALANCE OF COUNTY	510	2	-	2	72	28	10	6	9	5	6	8	14	312	43	248
ANNE ARUNDEL	1,382	11	6	9	237	78	45	21	33	8	10	42	41	726	93	574
ANNAPOLIS	258	3	4	1	38	12	6	5	5	1	-	9	3	156	24	119
BALANCE OF COUNTY	1,124	8	2	8	199	66	39	16	28	7	10	33	38	570	69	455
BALTIMORE	3,313	15	3	12	621	194	117	55	70	33	26	126	70	1,786	235	1,406
BALTIMORE CITY	11,332	135	37	60	1,790	585	311	158	245	90	58	343	276	6,121	806	4,863
CALVERT	144	1	-	-	29	8	5	3	4	3	2	4	3	62	13	42
CAROLINE	226	1	-	1	33	9	6	5	1	1	1	10	2	129	24	89
CARROLL	504	-	-	1	72	24	16	7	6	4	-	15	16	288	44	220
CECIL	393	4	-	1	54	13	13	4	5	3	4	12	5	218	27	176
CHARLES	317	7	1	-	48	16	10	5	7	3	2	5	6	148	27	108
DORCHESTER	372	1	1	1	41	18	6	1	6	2	-	8	3	221	43	159
CAMBRIDGE	177	-	-	-	20	8	4	1	2	-	-	5	1	102	20	71
BALANCE OF COUNTY	195	1	1	1	21	10	2	-	4	2	-	3	2	119	23	88
FREDERICK	802	9	3	2	126	34	25	8	18	8	4	29	17	460	80	344
FREDERICK	261	2	1	1	43	12	7	3	8	3	1	9	7	147	31	106
BALANCE OF COUNTY	541	7	2	1	83	22	18	5	10	5	3	20	10	313	49	238
GARRETT	228	2	1	1	24	10	1	4	4	1	-	4	3	150	22	106
HARFORD	542	5	1	3	96	31	20	7	13	2	5	18	11	264	38	207
HOWARD	263	3	-	3	42	17	8	6	4	1	1	5	2	146	17	118
KENT	211	1	-	-	35	10	6	3	6	2	1	7	7	115	27	82
MONTGOMERY	2,232	7	4	8	397	129	59	41	61	17	19	71	31	1,143	202	841
ROCKVILLE	244	2	-	1	36	12	6	5	6	-	4	3	1	119	24	86
TAKOMA PARK, PART	120	-	-	-	26	8	1	4	5	3	1	4	3	55	9	40
TAKOMA PARK, TOTAL	162	-	-	-	38	11	1	9	7	3	1	6	3	74	15	53
BALANCE OF COUNTY	1,868	5	4	7	335	109	52	32	50	14	14	64	27	969	169	715
PRINCE GEORGES	2,343	10	1	7	390	106	70	37	48	19	25	85	31	1,084	158	839
COLLEGE PARK	92	2	-	1	12	3	1	-	1	-	1	6	4	40	7	30
HYATTSVILLE	385	-	-	-	76	18	14	12	5	3	5	19	3	184	26	144
TAKOMA PARK, PART	42	-	-	-	12	3	-	5	2	-	-	2	-	19	6	13
BALANCE OF COUNTY	1,824	8	1	6	290	82	55	20	40	16	19	58	24	841	119	652
QUEEN ANNES	166	2	2	-	20	6	1	1	5	1	2	4	2	99	9	81
ST. MARYS	260	-	1	1	43	16	7	3	6	2	3	6	4	113	16	83
SOMERSET	297	1	1	1	38	9	8	2	7	-	1	11	6	169	38	110
TALBOT	308	3	1	2	52	14	6	4	12	3	2	11	3	180	34	131

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
4	264	20	23	7	10	3	11	30	6	2	4	-	13	54	5	23	49	8	-	62	4
2	32	5	-	1	3	-	1	3	-	-	1	-	-	3	-	1	5	-	-	7	5
2	232	15	23	6	7	3	10	27	6	2	3	-	13	51	5	22	44	8	-	55	6
20	731	71	110	11	40	43	12	82	14	7	20	-	28	66	4	35	57	27	1	125	7
12	352	27	70	6	15	24	5	35	8	2	8	-	8	34	2	22	29	15	1	54	8
-	71	5	9	2	7	5	3	9	1	-	2	-	4	6	1	3	6	-	-	15	9
3	43	7	6	1	3	-	1	9	1	-	2	-	2	9	-	-	1	1	-	12	10
5	265	32	25	2	15	14	3	29	4	5	8	-	14	17	1	10	21	11	-	44	11
3	97	5	4	1	2	3	1	5	2	-	3	-	3	12	2	4	10	5	-	20	12
5	129	14	30	2	12	7	5	9	4	-	5	1	5	12	-	11	10	5	-	34	13
																					14
6	367	35	48	8	33	11	7	31	6	5	9	-	9	22	2	13	33	17	3	69	15
3	74	6	8	-	8	1	1	9	2	3	2	-	1	7	-	4	6	6	1	13	16
-	79	9	6	5	6	4	1	4	1	1	5	-	1	5	-	2	9	2	-	16	17
3	214	20	34	3	19	6	5	18	3	1	2	-	7	10	2	7	18	9	2	40	18
6	132	8	33	3	10	5	2	5	2	1	-	-	4	8	1	11	7	4	1	22	19
5	98	5	12	2	5	4	1	5	3	-	-	-	4	2	2	4	5	3	1	21	20
4	189	19	20	5	23	5	1	15	4	2	4	-	3	14	-	7	23	3	-	45	21
11	432	51	49	10	32	22	4	53	6	4	10	-	14	62	10	21	42	7	-	83	22
4	159	15	14	3	14	4	1	28	4	2	4	-	7	18	4	5	14	2	-	24	23
7	273	36	35	7	18	18	3	25	2	2	6	-	7	44	6	16	28	5	-	59	24
6	74	18	11	2	6	5	1	7	1	1	1	-	-	-	1	4	3	3	-	23	25
																					26
2	81	7	7	6	8	3	1	8	1	2	1	-	3	7	-	5	1	5	-	18	27
1	47	4	1	2	4	1	1	6	1	1	1	-	1	1	-	1	1	4	-	8	28
1	34	3	6	4	4	2	-	2	-	1	-	-	2	6	-	4	-	1	-	10	29
4	123	19	28	2	8	3	3	6	3	-	4	1	4	10	10	11	24	10	1	22	30
1	92	18	15	2	9	3	2	7	3	-	3	-	2	10	1	3	18	8	-	28	31
5	146	17	32	2	5	4	3	7	4	1	3	-	5	12	6	4	19	8	-	25	32
13	390	52	64	5	31	16	8	22	7	2	9	-	11	27	7	21	27	12	-	92	33
3	73	13	15	1	6	1	1	3	-	-	1	-	3	6	2	4	5	2	-	25	34
2	47	5	11	1	3	3	-	2	1	-	1	-	1	2	-	1	1	1	-	11	35
8	270	34	38	3	22	12	7	17	6	2	7	-	7	19	5	16	21	9	-	56	36
																					37
292	6,930	1,763	2,868	169	493	383	190	827	177	115	386	19	392	1,324	98	615	954	321	178	2,078	38
																					39
140	3,595	1,099	1,788	92	253	206	112	463	108	56	240	11	194	711	42	263	524	136	116	1,167	40
152	3,335	664	1,080	77	240	177	78	364	69	59	146	8	198	613	56	352	430	185	62	911	41
																					42
217	4,961	1,389	2,294	116	320	300	142	631	141	87	319	14	313	1,052	57	426	664	250	142	1,631	43
114	2,878	972	1,579	73	183	171	93	403	93	48	222	10	163	619	33	214	428	111	107	1,015	44
103	2,083	417	715	43	137	129	49	228	48	39	97	4	150	433	24	212	236	139	35	616	45
75	1,969	374	574	53	173	83	48	196	36	28	67	5	79	272	41	189	290	71	36	447	46
26	717	127	209	19	70	35	19	60	15	8	18	1	31	92	9	49	96	25	9	152	47
49	1,252	247	365	34	103	48	29	136	21	20	49	4	48	180	32	140	194	46	27	295	48
																					49
13	276	53	135	5	24	16	6	16	7	1	7	-	18	20	-	20	33	8	3	51	50
5	133	23	68	4	14	9	3	7	2	1	3	-	10	12	-	3	13	2	1	22	51
8	143	30	67	1	10	7	3	9	5	-	4	-	8	8	-	17	20	6	2	29	52
11	313	78	172	8	21	22	8	40	6	7	14	2	22	64	5	36	37	23	5	91	53
2	64	19	34	2	4	4	3	9	2	2	3	-	4	7	-	3	6	1	-	16	54
9	249	59	138	6	17	18	5	31	4	5	11	2	18	57	5	33	31	22	5	75	55
51	815	179	361	14	57	49	25	80	12	17	33	1	53	150	6	58	89	44	16	247	56
98	2,404	890	1,471	63	159	148	82	349	79	42	194	9	119	490	29	161	368	90	104	879	57
3	21	13	5	1	3	2	1	6	-	-	2	-	2	4	5	2	9	4	3	12	58
2	59	8	20	-	12	3	1	8	1	1	4	1	2	3	3	3	13	1	3	17	59
4	117	27	72	4	7	5	8	14	7	2	2	1	7	15	1	17	16	16	-	29	60
5	117	21	33	4	2	6	3	9	-	2	6	1	6	22	1	10	18	6	2	28	61
3	73	18	14	2	8	2	1	9	1	3	1	-	4	28	3	16	14	6	3	19	62
																					63
3	111	24	21	7	7	4	1	17	3	3	2	-	5	22	5	5	17	2	2	21	64
-	47	12	12	2	4	4	1	10	-	3	2	-	2	11	2	3	7	2	-	12	65
3	64	12	9	5	3	-	-	7	3	-	-	-	3	11	3	2	10	-	2	9	66
14	247	26	57	4	22	7	3	18	5	2	7	-	4	24	5	23	26	6	2	63	67
6	79	8	13	-	6	1	3	8	4	-	2	-	-	10	-	1	10	3	-	22	68
8	168	18	44	4	16	6	-	10	1	2	5	-	4	14	5	22	16	3	2	41	69
5	76	11	14	3	16	3	-	5	-	1	-	-	2	5	1	2	15	3	-	13	70
2	109	26	70	3	7	6	3	18	3	3	9	-	9	39	2	30	20	1	3	25	71
3	63	20	32	1	5	5	-	6	-	-	1	-	6	16	-	6	9	4	3	16	72
1	47	13	21	-	4	2	-	5	-	-	1	-	2	7	5	4	10	1	-	18	73
																					74
24	651	70	96	14	42	33	11	56	19	8	36	-	40	123	8	64	56	41	5	186	75
3	66	8	9	2	1	5	1	8	2	-	3	-	7	23	-	8	7	8	2	17	76
1	26	4	9	-	5	1	-	1	1	2	4	-	3	5	1	3	4	1	-	11	77
1	35	5	12	-	5	1	-	1	2	2	4	-	3	8	1	5	6	2	-	13	78
20	559	58	78	12	36	27	10	47	16	6	29	-	30	95	7	53	45	32	3	158	79
26	598	125	90	12	29	38	8	86	18	11	39	1	66	194	8	84	89	32	9	183	80
-	18	7	5	1	2	-	-	3	-	-	4	-	-	7	-	4	4	1	-	10	81
3	122	11	8	2	5	5	2	10	5	1	4	-	12	39	1	14	6	4	-	26	82
-	9	1	3	-	-	-	-	-	1	-	-	-	-	3	-	2	2	1	-	2	83
23	449	106	74	9	22	33	6	73	12	10	31	1	54	145	7	64	77	26	9	145	84
1	58	9	13	1	5	1	2	6	1	2	-	-	3	6	1	6	10	1	1	4	85
-	53	10	20	4	3	2	5	16	2	-	6	-	1	22	-	9	20	4	2	16	86
1	71	17	21	2	9	4	6	14	2	3	2	2	4	5	2	5	17	1	2	22	87
2	100	13	16	2	7	5	1	8	-	1	3	1	4	8	3	9	7	4	-	19	88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MARYLAND--CON.																
WASHINGTON	924	5	1	5	139	40	23	14	18	9	6	29	13	557	89	411
HAGERSTOWN	552	5	1	4	92	21	15	14	11	8	5	18	7	321	58	232
BALANCE OF COUNTY	372	-	-	1	47	19	8	-	7	1	1	11	6	236	31	179
WICOMICO	598	2	-	5	77	16	21	3	11	2	3	21	16	364	73	267
SALISBURY	298	2	-	1	36	9	12	1	4	1	2	7	10	177	28	135
BALANCE OF COUNTY	300	-	-	4	41	7	9	2	7	1	1	14	6	187	45	132
WORCESTER	284	3	2	2	40	9	5	7	9	-	2	8	8	159	27	119
MASSACHUSETTS	56,512	263	101	188	9,601	3,499	1,460	948	1,191	477	384	1,642	1,054	32,375	6,029	23,454
URBAN	42,822	222	84	145	7,277	2,665	1,115	709	888	358	283	1,259	809	24,467	4,484	17,795
RURAL	13,690	41	17	43	2,324	834	345	239	303	119	101	383	245	7,908	1,545	5,659
METROPOLITAN COUNTIES	54,868	258	97	182	9,314	3,378	1,426	915	1,148	461	373	1,613	1,031	31,407	5,844	22,775
URBAN	42,822	222	84	145	7,277	2,665	1,115	709	888	358	283	1,259	809	24,467	4,484	17,795
RURAL	12,046	36	13	37	2,037	713	311	206	260	103	90	354	222	6,940	1,360	4,980
NONMETROPOLITAN COUNTIES	1,644	5	4	6	287	121	34	33	43	16	11	29	23	968	185	679
URBAN	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
RURAL	1,644	5	4	6	287	121	34	33	43	16	11	29	23	968	185	679
BARNSTABLE	881	4	4	2	156	64	18	20	25	6	9	14	18	520	93	368
BERKSHIRE	1,534	1	3	7	264	122	36	16	24	16	10	40	29	928	201	645
NORTH ADAMS	257	-	1	-	53	21	4	5	10	4	1	8	6	157	39	105
PITTSFIELD	596	-	2	3	97	48	13	5	9	4	3	15	7	354	77	249
BALANCE OF COUNTY	681	1	-	4	114	53	19	6	5	8	6	17	16	417	85	291
BRISTOL	4,573	26	7	7	798	302	98	91	113	48	36	110	141	2,760	550	1,999
ATTLEBORO	299	1	-	2	48	12	11	4	11	3	2	5	2	191	36	143
FALL RIVER	1,268	16	2	2	218	89	24	21	36	17	8	23	55	741	151	546
NEW BEDFORD	1,325	4	3	1	238	97	30	28	29	10	10	34	47	807	180	565
SOMERSET TOWN#	112	-	-	-	18	9	1	4	2	1	-	1	4	66	11	53
TAUNTON	426	2	-	-	74	30	8	8	9	5	4	10	13	261	36	202
BALANCE OF COUNTY	1,143	3	2	2	202	65	24	26	26	12	12	37	20	694	136	490
DUKES	99	-	-	-	13	5	3	1	1	1	-	2	1	62	12	41
ESSEX	6,778	29	17	28	1,214	422	191	142	151	59	42	207	106	3,970	831	2,723
BEVERLY	374	3	1	1	65	26	7	13	4	3	3	9	4	206	35	153
DANVERS TOWN#	211	-	-	2	28	4	8	6	2	1	2	5	-	138	31	87
GLOUCESTER	281	-	-	1	37	12	4	7	4	2	1	7	5	194	33	138
HAVERHILL	643	2	3	2	109	44	14	9	17	7	2	16	4	375	88	259
LAWRENCE	954	3	3	5	167	70	27	5	26	8	4	27	20	568	123	380
LYNN	1,279	11	3	6	232	71	50	23	29	9	13	37	23	732	137	524
MARBLEHEAD TOWN#	196	-	1	1	38	12	6	2	4	2	3	9	4	103	15	77
METHUEN TOWN#	331	-	1	1	83	34	12	10	9	2	1	15	2	186	48	125
NEWBURYPORT	186	1	-	-	40	16	8	6	4	2	2	2	1	111	25	76
PEABODY	341	-	-	1	57	19	9	7	8	3	1	10	8	208	43	139
SALEM	533	5	2	1	92	31	14	14	13	3	2	15	15	314	48	234
SAUGUS TOWN#	201	1	-	1	32	11	4	6	4	1	-	6	2	121	29	79
SWAMPSCOTT TOWN#	152	1	-	2	24	5	2	9	2	2	-	4	2	101	23	67
BALANCE OF COUNTY	1,096	2	3	4	210	67	26	25	25	14	8	45	16	613	153	385
FRANKLIN	617	1	-	4	113	50	12	12	17	8	2	12	4	359	73	254
HAMPDEN	4,479	17	14	12	734	240	115	77	106	37	32	127	67	2,558	480	1,864
CHICOPEE	470	1	2	2	83	21	14	9	7	7	6	19	5	272	49	198
HOLYOKE	719	7	2	2	122	44	18	11	17	5	5	22	13	418	71	314
SPRINGFIELD	2,058	7	8	5	337	106	48	38	48	19	16	62	30	1,169	220	844
WESTFIELD	271	-	-	-	43	18	6	6	7	1	1	4	5	145	38	97
BALANCE OF COUNTY	961	2	2	3	149	51	29	13	27	5	4	20	14	554	102	411
HAMPSHIRE	932	4	1	1	157	58	25	10	17	9	11	27	14	538	107	391
NORTHAMPTON	268	1	1	-	42	19	6	3	1	4	2	7	2	152	31	112
BALANCE OF COUNTY	664	3	-	1	115	39	19	7	16	5	9	20	12	386	76	279
MIDDLESEX	12,318	38	18	37	2,149	770	339	207	280	101	94	358	230	6,996	1,270	5,163
ARLINGTON TOWN#	552	4	-	1	100	33	17	14	9	8	3	16	7	330	70	227
BELMONT TOWN#	318	1	-	2	72	27	9	7	14	3	1	11	5	168	29	117
CAMBRIDGE	1,245	8	4	5	216	71	26	33	28	8	13	37	18	674	126	505
EVERETT	465	2	-	-	80	35	12	4	10	2	3	14	20	274	45	210
FRAMINGHAM TOWN#	356	-	1	1	59	24	8	7	2	4	1	13	13	194	30	144
LEXINGTON TOWN#	167	-	-	-	25	7	3	1	4	2	2	6	4	93	19	68
LOWELL	1,242	4	3	3	176	76	29	22	19	6	1	23	18	779	143	568
MALDEN	710	-	-	2	130	51	24	11	14	7	3	20	13	409	66	309
MARLBOROUGH	204	-	-	-	37	11	10	4	2	2	2	6	2	115	16	89
MEDFORD	702	2	-	2	114	40	21	14	12	6	4	17	20	443	84	328
MELROSE	355	-	-	-	62	19	9	5	11	1	6	11	1	221	42	163
NATICK TOWN#	258	1	-	2	32	15	5	-	5	-	3	4	7	151	29	104
NEWTON	887	2	1	3	167	66	14	14	25	7	10	31	16	501	111	347
READING TOWN#	164	-	-	1	25	7	4	4	6	1	1	2	2	110	27	70
SOMERVILLE	1,065	3	3	2	191	58	37	7	35	16	5	33	20	601	85	474
STONEHAM TOWN#	161	-	-	1	36	10	7	3	4	2	1	9	4	90	8	75
WAKEFIELD TOWN#	225	2	1	1	42	13	7	4	8	2	2	6	4	127	31	85
WALTHAM	509	3	1	-	94	40	12	3	15	6	4	14	13	253	41	196
WATERTOWN TOWN#	398	1	1	1	71	21	16	9	10	1	2	12	7	235	39	176
WINCHESTER TOWN#	179	-	1	1	48	16	6	3	6	1	2	14	3	95	20	71
WOBURN	259	1	-	1	48	22	7	7	3	-	4	5	3	142	33	99
BALANCE OF COUNTY	1,897	4	2	8	324	108	56	31	38	16	21	54	30	991	176	738

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
8	311	50	42	9	33	9	6	19	6	5	9	-	7	26	2	24	37	11	2	56	4
5	177	32	18	5	21	4	1	7	3	2	6	-	4	17	1	16	25	9	2	30	5
3	134	18	24	4	12	5	5	12	3	3	3	-	3	9	1	8	12	2	-	26	6
8	169	37	53	4	7	8	5	16	4	1	5	-	4	19	3	12	16	9	6	39	7
1	89	20	25	3	3	5	3	6	2	-	2	-	3	15	1	7	11	3	4	18	8
7	80	17	28	1	4	3	2	10	2	1	3	-	1	4	2	5	5	6	2	21	9
4	71	25	19	2	4	3	4	6	1	-	3	-	2	12	-	9	8	3	2	24	10
																					11
																					12
658	19,474	1,578	1,744	397	1,242	966	287	2,450	457	201	826	18	515	1,562	195	730	1,629	398	78	3,871	13
																					14
514	14,790	1,201	1,290	274	941	761	212	1,933	366	150	688	13	353	1,104	136	469	1,291	264	67	2,984	15
144	4,684	377	454	123	301	205	75	517	91	51	138	5	162	458	59	261	338	134	11	887	16
																					17
645	18,917	1,537	1,676	375	1,204	928	281	2,390	444	192	805	18	499	1,521	187	705	1,588	370	76	3,784	18
514	14,790	1,201	1,290	274	941	761	212	1,933	366	150	688	13	353	1,104	136	469	1,291	264	67	2,984	19
131	4,127	336	386	101	263	167	69	457	78	42	117	5	146	417	51	236	297	106	9	800	20
13	557	41	68	22	38	38	6	60	13	9	21	-	16	41	8	25	41	28	2	87	21
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	22
13	557	41	68	22	38	38	6	60	13	9	21	-	16	41	8	25	41	28	2	87	23
																					24
12	317	15	24	17	15	25	2	32	2	7	10	-	10	22	3	10	28	10	-	43	25
15	559	46	25	18	35	20	9	44	16	7	19	-	14	44	7	13	35	13	1	89	26
3	97	4	1	1	7	2	3	3	1	-	2	-	1	4	-	2	8	-	-	19	27
4	210	20	15	6	8	11	3	13	9	3	10	-	8	21	3	5	16	4	-	41	28
8	252	22	9	11	20	7	3	28	6	4	7	-	5	19	4	6	11	9	1	29	29
54	1,625	203	117	55	84	50	22	126	33	21	46	-	40	108	11	71	96	19	3	260	30
2	122	12	7	2	4	5	1	11	2	-	2	-	3	7	1	5	7	2	-	15	31
19	452	47	28	8	21	7	8	36	9	9	20	-	8	35	1	15	17	5	1	78	32
14	451	57	43	19	20	20	3	29	9	6	14	-	10	25	3	12	35	6	-	76	33
3	40	7	3	1	-	-	1	3	3	1	1	-	1	1	-	3	-	-	-	11	34
1	168	26	7	9	11	1	2	16	-	1	5	-	4	10	2	9	6	1	-	22	35
15	392	54	29	16	28	17	7	31	10	4	4	-	14	30	4	27	31	5	2	58	36
1	38	2	-	-	7	1	1	6	1	-	3	-	1	1	-	1	2	2	-	6	37
																					38
74	2,262	194	193	41	226	117	32	244	47	26	76	1	60	143	19	76	218	39	6	459	39
6	131	4	12	2	10	4	2	18	-	4	1	-	4	6	-	1	22	5	-	33	40
2	83	1	1	1	12	7	-	12	-	2	2	-	-	4	-	1	9	1	-	12	41
4	84	22	28	2	14	5	2	9	1	1	1	-	1	7	1	2	5	1	-	15	42
9	213	22	15	2	9	16	1	15	7	2	11	-	7	19	5	5	32	6	1	38	43
8	327	24	21	5	45	12	3	30	3	5	16	-	7	18	3	7	28	4	-	67	44
17	429	39	39	12	31	24	4	52	14	2	17	-	14	21	2	13	45	3	4	85	45
1	65	8	3	-	7	4	-	6	2	-	1	-	1	8	3	1	6	3	-	18	46
3	104	7	11	2	7	3	1	6	1	2	3	-	2	8	1	5	-	3	1	26	47
1	68	1	6	3	6	-	1	5	2	2	-	-	1	2	-	3	6	1	-	11	48
2	111	15	11	1	20	4	1	8	6	2	5	-	6	11	1	3	11	1	-	13	49
9	194	23	8	2	14	12	4	25	3	2	8	-	4	7	1	5	15	5	-	29	50
3	63	6	7	1	6	3	3	7	2	1	1	-	1	5	-	3	9	-	-	15	51
1	60	4	2	3	5	2	1	2	-	-	1	-	1	4	-	-	5	-	-	9	52
8	330	18	29	5	40	21	9	49	6	1	9	1	11	23	2	27	25	6	-	88	53
																					54
-	189	24	41	5	14	10	3	21	9	2	7	-	5	13	4	14	11	15	-	35	55
46	1,606	123	89	27	75	80	32	211	37	20	66	1	44	127	17	49	145	45	7	308	56
4	177	11	6	6	6	11	2	17	6	5	9	-	5	21	1	4	13	6	-	18	57
10	265	26	13	5	15	10	3	34	6	-	10	-	4	15	3	6	17	9	1	50	58
21	729	53	41	11	42	37	15	116	12	6	29	1	21	50	9	21	83	17	5	132	59
-	81	12	4	-	2	5	3	14	3	1	5	-	4	7	3	5	7	1	-	28	60
11	354	21	25	5	10	17	9	30	10	8	13	-	10	34	1	13	25	12	1	80	61
7	304	25	55	8	15	10	7	33	10	2	14	-	8	30	7	21	22	11	-	59	62
-	81	12	19	1	2	6	-	15	6	1	6	-	2	8	2	6	7	3	-	14	63
7	223	13	36	7	13	4	7	18	4	1	8	-	6	22	5	15	15	8	-	45	64
																					65
165	4,322	333	343	82	232	198	51	504	121	41	189	8	123	378	17	170	403	69	11	816	66
10	187	11	19	4	17	10	2	13	5	7	5	-	2	10	-	6	21	2	1	38	67
2	106	4	5	3	9	10	-	17	2	1	5	-	2	5	1	-	13	5	-	19	68
15	427	37	26	4	21	14	4	61	19	7	23	1	6	24	-	14	60	13	1	91	69
7	169	21	13	-	4	12	3	9	6	3	8	2	3	10	-	2	15	2	-	29	70
9	117	9	9	3	8	9	-	22	1	-	6	-	5	16	2	6	9	1	-	20	71
1	57	4	6	2	2	1	1	5	2	-	1	-	3	6	-	4	4	3	1	16	72
13	482	40	33	14	29	20	5	48	18	1	23	-	5	36	-	13	40	6	-	69	73
13	254	23	19	5	16	9	4	27	4	3	10	1	10	21	2	3	21	4	1	49	74
3	74	8	4	3	3	3	1	6	2	-	2	-	5	10	-	3	7	1	-	14	75
10	287	17	14	6	10	12	3	22	8	2	6	-	3	13	1	9	13	2	-	42	76
3	143	9	8	2	8	4	2	11	2	1	6	-	2	10	1	5	10	-	-	23	77
																					78
2	91	4	7	3	8	5	2	17	3	-	4	-	4	9	-	4	6	2	-	16	79
13	292	16	26	4	15	22	2	46	5	3	9	-	6	15	2	14	37	2	-	58	80
1	62	5	2	3	4	6	-	3	-	-	3	-	2	4	-	-	2	2	-	10	81
15	381	37	41	3	21	14	4	40	12	1	38	1	13	33	-	11	26	4	2	64	82
1	65	5	4	1	4	2	-	9	1	1	-	-	1	4	1	1	4	2	-	6	83
-	75	2	8	3	3	4	1	10	1	-	-	-	1	4	1	6	7	-	-	18	84
8	158	13	17	3	2	8	3	23	4	3	7	2	5	20	1	7	22	1	1	49	85
6	145	11	14	3	5	8	4	18	7	-	4	-	3	11	-	3	13	2	-	21	86
3	62	2	4	2	2	-	-	8	-	-	3	-	-	4	-	4	5	2	-	5	87
5	76	12	6	-	3	4	3	9	4	-	2	-	4	11	-	7	8	2	2	15	88
25	612	43	58	11	38	21	7	80	15	8	24	1	38	102	5	48	60	11	2	144	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan and nonmetropolitan counties are defined by Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,155B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MASSACHUSETTS--CON.																
NANTUCKET	47	-	-	-	5	2	1	-	-	1	-	1	-	27	7	16
NORFOLK	4,750	14	8	16	843	315	114	103	86	44	36	145	89	2,596	533	1,831
BRAINTREE TOWN#	235	1	-	1	34	11	8	4	2	2	1	6	8	134	21	96
BROOKLINE TOWN#	826	4	1	3	154	59	20	23	8	13	5	26	13	485	85	359
DEDHAM TOWN#	200	1	-	-	40	11	6	4	10	2	-	7	4	97	29	60
MILTON TOWN#	308	-	2	-	51	17	6	5	4	1	5	13	5	191	42	134
NEEDHAM TOWN#	209	-	-	-	48	14	7	9	3	4	3	8	4	112	17	86
NORWOOD TOWN#	203	1	-	3	43	22	7	1	2	1	3	7	7	86	14	58
QUINCY	928	3	2	3	169	65	22	15	23	7	4	33	8	527	121	357
RANDOLPH TOWN#	141	-	-	1	27	12	3	3	1	-	1	7	2	72	15	50
WELLESLEY TOWN#	190	-	-	-	35	16	1	5	6	2	3	2	4	92	22	66
WEYMOUTH TOWN#	383	2	1	2	57	24	6	6	7	4	2	8	12	205	39	148
BALANCE OF COUNTY	1,127	2	2	3	185	64	28	28	20	8	9	28	22	595	128	417
PLYMOUTH	2,784	9	2	8	447	167	80	45	51	14	12	78	71	1,629	325	1,175
BROCKTON	934	2	-	3	148	52	26	19	13	5	4	29	20	547	103	404
WHITMAN TOWN#	115	-	-	1	18	7	6	1	1	-	-	3	2	72	13	53
BALANCE OF COUNTY	1,735	7	2	4	281	108	48	25	37	9	8	46	49	1,010	209	718
SUFFOLK	10,333	96	22	50	1,687	626	286	120	182	71	63	339	191	5,604	896	4,133
BOSTON	9,312	90	21	46	1,496	563	252	103	164	64	50	300	165	5,015	800	3,686
CHELSEA	403	4	-	1	70	18	17	7	6	3	8	11	15	226	33	178
REVERE	393	2	-	2	82	30	12	6	8	-	2	24	10	221	41	160
WINTHROP TOWN#	225	-	1	1	39	15	5	4	4	4	3	4	1	142	22	109
WORCESTER	6,387	24	5	16	1,021	356	142	104	138	62	37	182	93	3,828	651	2,851
CLINTON TOWN#	142	-	-	-	18	5	-	3	3	-	-	7	5	82	21	58
FITCHBURG	468	5	2	1	69	19	11	9	11	6	1	12	3	277	47	191
GARDNER	234	-	-	1	35	16	4	1	5	2	1	6	2	152	22	122
LEOMINSTER	266	1	1	-	36	11	6	5	5	5	-	4	4	163	20	127
WORCESTER	2,336	6	-	6	379	140	53	39	43	21	22	61	35	1,364	223	1,024
BALANCE OF COUNTY	2,941	12	2	8	484	165	68	47	71	28	13	92	44	1,790	318	1,329
MICHIGAN	70,035	334	106	258	11,725	3,962	1,923	1,022	1,692	642	541	1,943	1,901	38,304	7,768	27,162
URBAN	47,266	281	81	171	8,178	2,786	1,397	725	1,149	447	357	1,317	1,332	25,731	5,151	18,339
RURAL	22,769	53	25	87	3,547	1,176	526	297	543	195	184	626	569	12,573	2,617	8,823
METROPOLITAN COUNTIES	48,472	272	77	183	8,498	2,836	1,465	761	1,190	468	380	1,398	1,340	25,991	5,075	18,716
URBAN	39,393	255	69	145	6,961	2,336	1,228	622	963	382	299	1,131	1,123	21,218	4,161	15,284
RURAL	9,079	17	8	38	1,537	500	237	139	227	86	81	267	217	4,773	914	3,432
NONMETROPOLITAN COUNTIES	21,563	62	29	75	3,227	1,126	458	261	502	174	161	545	561	12,313	2,693	8,446
URBAN	7,873	26	12	26	1,217	450	169	103	186	65	58	186	209	4,513	990	3,055
RURAL	13,690	36	17	49	2,010	676	289	158	316	109	103	359	352	7,800	1,703	5,391
ALCONA	84	-	-	-	12	2	4	1	2	1	1	1	2	44	18	23
ALGER	107	2	-	-	13	4	2	1	3	1	-	2	4	74	21	49
ALLEGAN	522	2	-	2	92	35	16	4	22	3	5	7	14	291	62	198
HOLLAND, PART	6	-	-	-	2	-	-	-	2	-	-	-	-	3	-	3
BALANCE OF COUNTY	516	2	-	2	90	35	16	4	20	3	5	7	14	288	62	195
ALPENA	280	-	2	2	44	16	10	3	4	3	5	3	8	155	40	108
ALPENA	170	-	1	-	32	11	9	2	3	2	3	2	4	100	25	69
BALANCE OF COUNTY	110	-	1	2	12	5	1	1	1	1	2	1	4	55	15	39
ANTRIM	149	-	-	1	26	7	2	1	8	1	1	6	1	99	18	72
ARENAC	128	-	-	-	20	8	4	1	4	-	-	3	1	68	20	42
BARAGA	77	1	-	-	14	6	3	1	1	1	-	2	3	34	8	20
BARRY	309	1	1	-	49	12	7	6	9	5	2	8	6	176	37	126
BAY	996	6	-	5	172	61	28	9	23	7	12	32	27	518	108	360
BAY CITY	614	3	-	4	110	37	19	6	15	5	4	24	13	327	69	230
BALANCE OF COUNTY	382	3	-	1	62	24	9	3	8	2	8	8	14	191	39	130
BENZIE	112	1	-	1	16	4	1	-	6	2	-	3	2	56	11	37
BERRIEN	1,444	5	-	5	207	62	39	21	30	12	10	33	37	805	158	560
BENTON HARBOR	222	2	-	2	31	9	8	2	5	3	2	2	10	121	21	84
NILES	108	-	-	1	28	10	6	2	3	1	3	3	3	88	17	60
ST. JOSEPH	142	-	-	1	17	4	4	3	3	2	1	-	6	78	12	55
BALANCE OF COUNTY	912	3	-	1	131	39	21	14	19	6	4	28	18	518	108	361
BRANCH	352	-	-	1	52	17	9	2	4	4	1	15	4	215	59	132
CALHOUN	1,188	4	2	4	187	67	15	13	39	7	12	34	27	652	119	436
ALBION	119	-	1	1	20	8	1	2	6	-	-	3	2	62	15	41
BATTLE CREEK	541	-	1	2	83	32	7	6	16	4	5	13	13	310	57	208
BALANCE OF COUNTY	528	4	-	1	84	27	7	5	17	3	7	18	12	280	47	187
CASS	405	1	1	3	56	18	9	2	8	2	2	15	7	226	43	167
CHARLEVOIX	151	-	1	1	21	7	4	2	3	1	1	3	4	91	19	57
CHEBOYGAN	149	-	2	-	21	8	6	-	4	-	-	3	-	89	7	72
CHIPPEWA	322	1	-	-	36	12	5	1	5	1	3	9	12	172	25	137
SAULT STE. MARIE	184	-	-	-	21	7	4	1	3	-	1	5	6	100	14	80
BALANCE OF COUNTY	138	1	-	-	15	5	1	-	2	1	2	4	6	72	11	57
CLARE	152	-	-	1	17	5	2	1	3	2	-	4	5	88	19	63
CLINTON	341	1	-	1	59	19	8	5	11	4	2	10	9	209	52	128
CRAWFORD	63	-	-	-	8	2	1	1	1	1	-	2	2	37	10	26
DELTA	405	1	1	1	60	25	4	3	14	4	3	7	11	219	40	157
ESCANABA	191	1	-	-	27	11	2	2	4	3	2	3	5	100	22	67
BALANCE OF COUNTY	214	-	1	1	33	14	2	1	10	1	1	4	6	119	18	90

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	13	-	3	-	2	2	-	1	1	-	1	-	-	5	1	-	-	1	2	3	1
60	1,484	135	152	22	109	78	23	198	35	25	52	1	47	157	61	71	143	41	4	349	2
4	68	10	14	3	7	7	-	9	1	1	3	-	3	11	-	5	7	2	-	15	3
9	309	13	28	1	15	23	2	49	4	1	5	-	5	11	2	9	18	7	-	55	4
2	48	3	7	-	3	5	-	5	1	1	2	-	1	4	9	3	10	6	1	15	5
5	115	4	10	2	9	2	2	10	2	-	3	-	4	3	1	3	4	2	1	26	-
-	77	8	1	-	4	5	-	5	-	2	-	-	1	5	8	1	11	2	-	10	2
2	51	2	3	3	6	3	2	11	2	2	5	-	1	8	11	4	7	1	-	11	11
11	298	31	17	3	30	12	4	31	15	6	16	-	10	31	3	4	26	6	-	68	3
3	37	2	8	1	5	-	1	3	-	1	1	-	4	11	3	4	6	-	-	6	4
4	52	3	7	-	1	3	-	6	-	3	2	-	-	3	9	5	9	2	-	20	5
5	113	16	14	-	10	4	4	15	3	2	4	-	2	17	1	9	20	2	-	29	15
15	316	43	43	9	19	14	8	54	7	6	11	1	16	53	14	24	25	11	2	94	24
24	958	80	113	29	51	34	15	121	18	8	29	3	34	86	10	35	67	26	2	179	10
10	317	20	57	7	15	14	4	52	6	6	13	1	10	27	1	10	27	5	1	55	1
1	43	4	5	3	3	-	-	4	1	-	1	-	1	2	-	-	4	1	-	8	13
13	598	56	51	19	33	20	11	65	11	2	15	2	23	57	9	25	36	20	1	116	140
140	3,347	266	380	58	237	215	65	619	88	24	241	3	79	263	23	97	297	59	38	852	126
126	2,981	231	348	51	217	202	59	581	78	19	221	3	75	245	20	88	273	50	37	789	6
6	149	13	10	6	2	6	1	17	4	3	13	-	1	9	2	2	11	4	-	21	5
5	126	17	12	1	15	3	1	15	3	2	5	-	3	3	-	5	7	5	-	28	3
3	91	5	10	-	3	4	4	6	3	-	2	-	-	6	1	2	6	-	1	14	60
60	2,450	132	209	35	140	126	25	290	39	18	73	1	50	185	15	102	162	48	4	413	-
-	54	2	2	-	2	1	-	6	-	1	1	-	2	3	1	3	4	-	-	16	6
6	157	7	21	3	18	14	4	24	5	2	6	-	3	22	1	6	12	3	-	27	2
2	95	13	12	2	3	3	-	8	3	1	3	-	1	4	1	2	5	3	-	13	4
4	111	3	9	2	6	7	1	18	1	-	1	-	1	11	-	3	8	1	-	17	19
19	914	37	54	9	46	52	10	127	17	6	33	1	17	61	4	33	59	13	4	171	29
29	1,119	70	111	19	65	49	10	107	13	8	29	-	26	84	8	55	74	28	-	169	904
904	21,971	2,070	2,217	504	1,452	951	467	1,944	570	276	832	56	999	2,757	230	1,654	2,071	789	267	4,962	640
640	14,803	1,521	1,375	353	912	667	309	1,347	385	173	655	36	643	1,883	172	868	1,286	489	223	3,332	264
264	7,168	549	842	151	540	284	158	597	185	103	177	20	356	874	58	786	785	300	44	1,630	661
661	15,232	1,457	1,366	321	903	671	305	1,355	403	186	648	39	730	2,028	182	1,058	1,297	521	229	3,435	547
547	12,400	1,274	1,063	274	690	562	247	1,141	321	139	571	32	554	1,615	156	711	1,005	387	203	2,787	114
114	2,832	183	303	47	213	109	58	214	82	47	77	7	176	413	26	347	292	134	26	648	243
243	6,739	613	851	183	549	280	162	589	167	90	184	17	269	729	48	596	774	268	38	1,527	93
93	2,403	247	312	79	222	105	62	206	64	34	84	4	89	268	16	157	281	102	20	545	150
150	4,336	366	539	104	327	175	100	383	103	56	100	13	180	461	32	439	493	166	18	982	1
1	22	-	-	-	2	1	-	1	-	-	3	-	-	7	-	4	2	-	-	9	-
-	43	-	6	1	1	2	-	-	1	-	2	-	-	1	2	1	-	4	-	3	5
5	159	17	17	11	11	6	3	11	2	1	5	-	7	15	1	14	20	7	2	36	-
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5
5	156	17	17	11	11	6	3	11	2	1	5	-	7	15	1	14	20	7	2	35	1
1	93	4	10	1	3	2	1	10	1	-	4	1	6	8	-	8	15	2	-	14	1
1	60	1	7	-	3	2	1	5	1	-	3	1	2	2	-	1	8	1	-	9	-
-	33	3	3	1	-	-	-	5	-	-	1	-	4	6	-	7	7	1	-	5	-
-	57	5	10	3	3	3	-	-	1	-	-	-	1	2	-	4	1	2	1	10	1
1	40	-	1	3	1	2	-	10	1	2	1	-	1	8	1	4	4	-	-	7	-
-	19	-	1	2	2	1	1	7	1	-	1	-	2	-	1	2	-	1	-	10	4
4	109	4	9	3	5	3	2	2	3	-	4	-	5	13	-	12	12	5	-	20	13
13	294	26	27	9	20	13	8	29	12	2	11	1	18	36	1	25	35	9	4	85	9
9	181	18	22	9	8	6	5	16	8	1	6	-	8	19	1	9	21	5	3	60	4
4	113	8	5	-	12	7	3	13	4	1	5	1	10	17	-	16	14	4	1	25	3
3	27	1	6	1	4	3	-	7	1	1	2	-	1	5	-	3	4	1	-	11	36
36	427	38	59	14	41	22	10	40	13	7	15	-	27	49	1	50	51	22	5	105	2
2	60	10	12	4	7	4	1	7	-	-	3	-	3	10	-	7	9	4	2	11	5
5	44	5	6	2	6	2	1	2	3	-	2	-	4	5	-	2	9	3	-	18	4
4	49	-	2	2	8	1	-	2	2	2	2	-	4	7	-	3	3	1	-	14	25
25	274	23	39	6	20	15	8	29	8	5	8	-	16	27	1	38	30	14	3	62	3
3	110	8	11	2	13	7	2	7	2	1	3	-	3	12	-	12	13	5	-	22	15
15	337	39	45	12	54	15	16	25	7	3	14	1	10	51	4	23	35	23	6	110	1
1	31	6	3	-	3	3	-	1	2	-	1	-	2	7	-	3	4	2	1	10	6
6	165	17	20	7	21	7	10	12	2	1	10	1	3	18	2	8	16	10	3	46	8
8	141	16	22	5	30	5	6	12	3	2	3	-	5	26	2	12	15	11	2	54	3
3	140	13	11	2	8	6	-	7	3	5	5	-	6	10	1	18	10	6	1	39	3
3	41	7	6	1	9	4	1	5	1	1	1	-	3	4	-	5	2	3	-	8	3
3	50	5	14	2	5	3	-	3	2	1	1	-	4	2	-	3	6	2	-	13	3
3	109	13	12	2	4	3	1	12	1	3	-	1	2	31	1	5	21	-	-	24	2
2	65	8	5	1	2	2	1	6	1	2	-	1	1	18	1	2	9	-	-	16	1
1	44	5	7	1	2	1	-	6	-	1	-	-	1	13	-	3	12	-	-	8	2
2	59	-	2	3	1	1	1	7	1	-	1	-	-	7	-	8	2	1	-	14	9
9	95	13	11	2	22	3	2	6	-	1	2	1	4	12	-	13	8	1	-	14	1
1	20	4	1	-	-	-	1	-	2	-	-	-	-	4	-	2	3	1	-	4	2
2	126	4	25	4	4	8	6	11	3	3	5	-	1	21	1	15	16	4	-	32	2
2	53	4	8	2	1	3	5	4	2	2	4	-	-	12	1	6	7	2	-	18	-
-	73	-	17	2	3	5	1	7	1	1	1	-	1	9	-	9	9	2	-	14	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-

politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MICHIGAN--CON.																
DICKINSON	304	1	1	1	36	17	3	5	5	3	2	1	12	195	35	140
EATON	479	2	2	1	88	30	12	10	12	4	9	11	12	253	37	196
EMMET	193	1	-	-	28	9	5	4	4	1	1	4	3	117	27	78
GENESEE	2,923	9	4	9	447	143	75	40	54	38	19	78	72	1,578	288	1,145
FLINT	1,735	6	4	5	272	93	48	23	34	21	13	40	40	930	175	665
BALANCE OF COUNTY	1,188	3	-	4	175	50	27	17	20	17	6	38	32	648	113	480
GLADWIN	108	-	-	-	18	8	1	1	6	-	-	2	1	62	16	39
GOGEBIC	341	4	-	-	50	17	11	3	8	3	2	6	10	215	39	152
IRONWOOD	158	2	-	-	22	8	5	-	4	-	1	4	3	102	25	71
BALANCE OF COUNTY	183	2	-	-	28	9	6	3	4	3	1	2	7	113	14	81
GRAND TRAVERSE	331	2	1	1	48	16	5	7	6	1	5	8	-	194	40	129
TRAVERSE	196	1	1	1	29	8	4	4	6	-	3	4	-	119	23	77
BALANCE OF COUNTY	135	2	-	-	19	8	1	3	-	1	2	4	-	75	17	52
GRATIOT	395	-	2	3	55	16	10	9	6	4	-	10	8	237	67	149
HILLSDALE	350	-	-	1	44	23	5	5	2	2	3	4	11	217	50	147
HOUGHTON	495	4	1	2	71	32	10	3	10	8	1	7	15	288	70	196
HURON	372	1	-	3	40	14	5	2	7	3	3	6	19	214	62	137
INGHAM	1,648	4	4	4	282	90	56	27	41	16	8	44	39	894	177	609
EAST LANSING	94	1	-	-	16	5	2	2	2	1	1	3	-	48	11	29
LANSING	1,045	2	3	2	182	63	35	22	21	9	5	27	27	574	118	378
BALANCE OF COUNTY	509	1	1	2	84	22	19	3	18	6	2	14	12	272	48	202
IONIA	447	2	-	3	55	20	4	7	11	2	6	5	10	262	58	170
IOSCO	166	1	-	-	21	8	2	1	1	1	1	7	1	82	19	53
IRON	221	1	-	-	32	11	6	1	3	-	3	8	6	138	43	87
ISABELLA	297	-	-	1	49	16	7	5	11	2	2	6	8	162	41	102
MOUNT PLEASANT	111	-	-	-	20	7	4	3	2	1	1	2	4	65	20	40
BALANCE OF COUNTY	186	-	-	1	29	9	3	2	9	1	1	4	4	97	21	62
JACKSON	1,252	5	1	5	219	72	37	18	29	12	7	44	41	687	138	477
JACKSON	630	3	-	3	116	32	22	9	21	3	3	26	22	357	80	241
BALANCE OF COUNTY	622	2	1	2	103	40	15	9	8	9	4	18	19	330	58	236
KALAMAZOO	1,389	4	3	2	240	82	38	28	40	6	7	39	31	740	179	480
KALAMAZOO	801	4	2	1	125	41	21	17	24	2	3	17	16	438	109	280
BALANCE OF COUNTY	588	-	1	1	115	41	17	11	16	4	4	22	15	302	70	200
KALKASKA	63	1	-	-	9	3	-	-	2	1	1	2	1	39	8	25
KENT	3,247	5	-	12	534	168	79	53	82	37	36	79	81	1,828	418	1,222
EAST GRAND RAPIDS	66	-	-	1	16	5	2	2	3	1	1	2	2	37	11	23
GRAND RAPIDS	2,196	5	-	7	353	116	53	36	51	25	20	52	59	1,238	286	811
WYOMING	256	-	-	2	44	12	5	6	8	2	5	6	7	143	22	109
BALANCE OF COUNTY	729	-	-	2	121	35	19	9	20	9	10	19	13	410	99	279
KEWEENAW	31	-	-	-	4	3	-	-	-	-	-	1	1	24	4	18
LAKE	88	1	-	-	14	3	-	1	7	-	2	1	4	50	10	36
LAPEER	375	-	-	-	48	11	12	6	7	4	1	7	11	214	37	159
LEELANAU	88	-	-	-	11	4	2	-	2	2	1	-	2	53	7	38
LENAWEE	736	4	3	2	125	31	23	10	25	6	6	24	23	408	100	268
ADRIAN	198	3	1	-	45	14	5	6	10	3	-	7	7	97	25	64
BALANCE OF COUNTY	538	1	2	2	80	17	18	4	15	3	6	17	16	311	75	204
LIVINGSTON	324	-	1	-	56	16	13	6	5	5	3	8	7	186	33	136
LUCE	69	-	1	1	8	4	2	-	1	1	-	-	4	39	6	32
MACKINAC	97	-	-	-	14	6	1	1	2	1	-	3	1	51	5	42
MACOMB	2,606	14	3	11	427	141	72	39	55	25	23	72	85	1,321	256	908
CENTER LINE	46	-	-	-	6	1	1	1	1	1	-	1	1	30	3	25
EAST DETROIT	273	2	-	1	55	19	10	6	6	4	1	9	8	141	25	102
MOUNT CLEMENS	292	3	-	2	50	16	7	4	8	4	3	8	14	138	37	77
ROSEVILLE	281	2	1	-	40	13	6	3	5	3	3	7	5	147	31	97
ST. CLAIR SHORES	419	3	1	1	82	31	17	8	5	4	3	14	10	211	35	160
WARREN	587	1	1	-	98	25	19	13	11	5	7	18	22	272	51	193
BALANCE OF COUNTY	708	3	-	7	96	36	12	4	19	4	6	15	25	382	74	254
MANISTEE	237	1	-	-	30	11	7	-	2	2	1	7	1	146	33	105
MARQUETTE	586	1	1	2	97	38	11	8	18	4	3	15	13	311	80	213
MARQUETTE	173	-	1	-	33	10	4	2	7	2	2	6	2	89	19	65
BALANCE OF COUNTY	413	1	-	2	64	28	7	6	11	2	1	9	11	222	61	148
MASON	274	1	-	-	46	15	2	2	11	2	1	13	7	157	38	110
MECOSTA	218	-	-	-	22	8	2	2	2	1	2	5	13	126	33	80
MENOMINEE	267	2	-	1	40	13	5	6	7	2	1	6	5	160	47	99
MENOMINEE	133	2	-	-	19	8	3	2	5	1	-	-	4	80	25	48
BALANCE OF COUNTY	134	-	-	1	21	5	2	4	2	1	1	6	1	80	22	51
MIDLAND	337	3	-	2	69	25	9	7	11	2	1	14	10	160	37	109
MIDLAND	153	2	-	-	31	10	6	2	5	-	-	8	6	64	13	44
BALANCE OF COUNTY	184	1	-	2	38	15	3	5	6	2	1	6	4	96	24	65
MISSAUKEE	106	-	-	1	25	12	2	2	4	-	2	3	5	57	17	34
MONROE	882	5	2	7	155	45	27	12	23	6	7	35	18	457	85	333
MONROE	265	3	-	3	44	14	8	4	7	-	2	9	7	141	25	104
BALANCE OF COUNTY	617	2	2	4	111	31	19	8	16	6	5	26	11	316	60	229
MONTCALM	430	-	-	2	54	16	9	2	8	6	3	10	6	243	46	168
MONTMORENCY	58	-	-	-	17	9	3	1	2	-	-	2	-	31	5	19
MUSKEGON	1,208	5	2	6	182	65	26	14	31	5	8	33	22	694	138	493
MUSKEGON	504	2	1	4	78	28	13	6	10	4	5	12	10	297	58	206
MUSKEGON HEIGHTS	168	2	1	-	22	12	2	1	4	-	-	3	2	98	24	67
BALANCE OF COUNTY	536	1	-	2	82	25	11	7	17	1	3	18	10	299	56	220
NEWAYGO	277	-	-	1	49	13	11	5	5	1	3	11	10	142	31	100

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-688)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
3	111	5	21	2	7	4	7	2	5	-	5	-	5	6	-	4	8	4	1	18	1
4	148	14	30	2	5	10	3	8	4	3	5	-	9	11	1	18	16	2	-	44	2
4	66	7	1	1	9	1	1	6	-	-	-	-	1	10	-	2	9	1	1	14	3
36	1,004	50	55	14	84	34	13	77	25	14	29	2	53	165	3	93	83	31	11	218	4
19	587	29	30	10	53	22	5	56	11	4	20	1	29	107	1	44	47	15	10	133	5
17	417	21	25	4	31	12	8	21	14	10	9	1	24	58	2	49	36	16	1	85	6
1	38	-	-	2	2	2	1	4	2	-	1	-	1	2	-	2	8	2	-	5	7
4	136	5	7	3	20	-	1	7	3	1	5	-	1	8	-	5	11	2	-	19	8
1	65	3	2	2	4	-	-	5	2	-	2	-	-	-	-	3	4	1	-	12	9
3	71	2	5	1	16	-	1	2	1	1	3	-	1	8	-	2	7	1	-	7	10
5	103	11	10	4	10	8	3	13	2	2	4	-	9	11	1	7	11	7	1	17	11
3	60	6	8	3	8	6	2	9	1	1	2	-	5	8	-	4	6	4	-	6	12
2	43	5	2	1	2	2	1	4	1	1	2	-	4	3	1	3	5	3	1	11	13
1	133	6	9	2	12	5	2	9	4	-	2	1	1	7	1	12	15	6	-	32	14
6	127	6	8	4	8	4	4	9	4	2	-	-	5	4	-	6	18	3	1	25	15
3	167	4	22	2	10	8	2	14	4	-	5	-	2	16	1	8	18	8	-	38	16
1	118	7	11	3	9	1	2	8	2	4	3	2	8	10	-	16	9	6	-	27	17
24	496	47	42	16	48	30	14	44	10	7	9	-	32	70	1	39	59	21	7	122	18
-	26	1	2	-	2	5	1	2	2	-	-	-	1	7	-	4	4	-	-	9	19
15	313	30	20	13	36	19	10	29	6	1	9	-	22	43	1	22	23	11	6	82	20
9	157	16	20	3	10	6	3	13	2	6	-	-	9	20	-	13	32	10	1	31	21
8	128	13	21	5	13	5	11	21	3	1	3	-	10	13	1	12	15	3	-	33	22
1	43	5	4	2	5	1	2	10	-	-	1	1	5	16	-	3	8	1	-	16	23
4	68	5	10	1	5	2	-	2	2	2	2	-	1	5	-	4	11	3	-	12	24
4	91	4	3	3	11	3	2	7	3	1	6	-	3	12	1	9	14	2	-	19	25
1	37	1	1	1	3	1	-	2	-	-	1	-	1	1	-	3	5	2	-	7	26
3	54	3	2	2	8	2	2	5	3	1	5	-	2	11	1	6	9	-	-	12	27
11	386	44	36	11	36	14	11	17	12	4	10	1	16	54	2	30	33	19	6	90	28
2	190	31	18	7	16	10	3	6	5	1	4	-	7	31	1	11	15	6	1	41	29
9	196	13	18	4	20	4	8	11	7	3	6	1	9	23	1	19	18	13	5	49	30
12	375	36	57	11	43	20	7	41	11	7	16	1	18	65	6	42	39	16	2	105	31
11	213	23	33	8	23	16	2	29	4	5	12	-	12	35	3	16	25	9	1	64	32
1	162	13	24	3	20	4	5	12	7	2	4	1	6	30	3	26	14	7	1	41	33
-	23	2	-	3	1	2	-	1	-	1	-	-	-	-	1	1	1	2	-	6	34
36	1,019	60	107	33	91	38	26	64	24	11	31	2	53	124	54	69	98	25	1	231	35
-	19	2	2	-	-	1	2	1	1	-	-	-	1	-	-	2	3	-	-	2	36
20	684	47	60	22	67	32	20	47	17	9	27	2	31	85	44	36	62	16	1	157	37
3	94	4	8	6	1	3	2	5	1	-	-	-	5	11	1	5	8	4	-	20	38
13	222	7	37	5	23	2	2	11	5	2	4	-	16	28	9	26	25	5	-	52	39
1	16	1	-	-	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	40
-	22	6	8	-	1	3	-	2	-	-	-	-	1	1	2	3	3	-	-	7	41
4	125	13	17	2	9	4	3	10	-	-	4	-	5	17	1	15	18	6	2	24	42
2	30	6	-	2	3	3	-	1	-	-	2	-	-	5	-	1	1	-	-	12	43
10	196	18	44	2	18	10	10	17	2	1	1	2	4	30	4	23	23	8	-	56	44
1	51	4	8	-	4	-	4	4	1	-	1	-	1	10	1	4	6	1	-	16	45
9	145	14	36	2	14	10	6	13	1	1	-	2	3	20	3	19	17	7	-	40	46
1	115	9	11	2	9	4	2	5	1	1	3	-	3	8	-	13	14	4	2	20	47
1	21	2	8	1	-	-	-	3	-	-	1	1	1	1	-	2	2	-	1	4	48
-	33	4	5	-	2	2	-	1	1	1	1	-	-	10	-	4	7	1	-	5	49
40	705	65	98	14	77	49	17	66	20	9	39	-	64	164	5	67	81	45	7	178	50
5	17	2	1	1	1	-	-	1	1	-	-	-	-	4	-	-	-	-	-	3	51
2	82	11	7	1	3	8	2	6	1	1	1	-	7	10	2	5	6	6	1	20	52
2	57	7	11	-	16	7	1	10	2	-	8	-	8	15	-	4	9	5	-	24	53
5	74	6	12	4	7	5	3	8	1	-	6	-	9	16	-	6	14	4	1	21	54
9	132	12	7	1	5	8	2	11	4	3	4	-	9	34	-	4	8	8	3	23	55
11	153	11	18	2	15	7	4	18	7	1	9	-	23	50	2	22	13	9	1	38	56
6	190	16	42	5	30	14	5	12	4	4	11	-	8	35	1	26	31	13	1	49	57
3	92	6	4	-	1	6	1	9	3	2	3	-	1	12	-	1	7	-	1	20	58
4	150	20	39	2	12	3	1	17	3	4	7	-	4	18	5	13	34	10	1	45	59
2	47	4	12	1	3	1	-	9	-	2	-	-	1	6	1	2	7	2	-	18	60
2	103	16	27	1	9	2	1	8	3	2	7	-	3	12	4	11	27	8	1	27	61
3	94	7	6	1	4	2	2	9	3	2	2	1	3	8	-	7	7	5	-	16	62
4	56	5	15	1	9	3	-	4	2	2	1	1	2	7	2	6	10	2	-	18	63
3	65	8	23	1	7	3	3	10	2	-	5	-	1	4	-	5	13	4	-	15	64
1	39	1	7	1	4	1	1	6	-	-	3	-	-	2	-	1	7	2	-	7	65
2	26	7	16	-	3	2	2	4	2	-	2	-	1	2	-	4	6	2	-	8	66
3	91	5	10	2	4	8	-	10	2	1	3	-	5	15	1	15	13	5	1	22	67
2	36	3	3	1	1	5	-	6	2	1	1	-	3	6	-	9	9	3	1	9	68
1	55	2	7	1	3	3	-	4	-	-	2	-	2	9	1	6	4	2	-	13	69
-	26	1	7	1	2	2	1	2	-	1	-	1	-	1	-	3	4	-	-	6	70
7	266	20	40	6	12	14	7	33	9	3	8	-	19	28	2	22	35	18	1	60	71
4	85	8	7	1	6	3	2	9	4	1	2	-	5	3	2	4	11	4	1	21	72
3	181	12	33	5	6	11	5	24	5	2	6	-	14	25	-	18	24	14	-	39	73
3	128	11	26	4	17	7	1	10	3	1	5	-	10	15	-	12	19	6	1	43	74
-	18	-	1	-	3	3	1	-	-	-	1	-	-	2	-	2	1	1	-	3	75
12	433	23	25	9	30	17	7	35	9	7	7	-	13	53	1	29	31	17	6	89	76
5	185	9	7	6	18	5	4	15	4	5	3	-	3	22	1	4	12	7	2	34	77
-	55	8	4	1	4	2	-	4	3	-	-	-	2	9	-	2	7	4	-	12	78
7	193	6	14	2	8	10	3	16	2	2	4	-	8	22	-	23	12	6	4	43	79
4	68	12	16	2	6	2	1	11	4	1	2	1	5	3	-	8	14	1	-	25	80

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revipolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-175)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-200,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MICHIGAN--CON.																
OAKLAND	4,466	19	6	33	807	243	133	93	111	46	32	149	96	2,352	433	1,745
BERKLEY	121	-	-	-	34	9	2	4	7	3	2	7	5	51	5	42
BIRMINGHAM	230	-	-	2	38	14	8	6	2	1	1	6	5	126	20	91
CLAWSON	83	-	-	-	16	8	1	-	2	2	1	2	2	43	10	29
FERNDALE	266	1	1	2	45	13	11	4	5	1	3	8	7	145	21	112
HAZEL PARK	159	2	-	-	33	4	6	7	4	1	5	6	5	78	10	61
MADISON HEIGHTS	141	-	-	-	19	7	4	2	3	-	-	3	1	64	9	52
OAK PARK	164	-	-	-	41	13	7	6	4	1	1	9	2	90	9	76
PONTIAC	712	6	-	7	132	32	22	11	29	9	8	21	18	366	81	255
ROYAL OAK	470	1	1	2	83	26	9	11	8	3	5	21	14	257	56	182
SOUTHFIELD	185	2	1	1	44	18	8	6	2	6	1	3	5	93	23	66
TROY	98	1	-	3	19	10	1	-	2	1	-	5	3	37	6	30
BALANCE OF COUNTY	1,837	6	3	16	303	89	54	36	43	18	5	58	29	1,002	183	749
OCEANA	171	-	-	1	28	11	3	3	3	3	2	3	6	96	21	61
OGEMAW	139	-	-	1	19	7	2	-	2	-	1	7	2	90	33	45
ONTONAGON	113	-	-	1	14	6	-	1	2	-	2	3	6	71	11	53
OSCEOLA	169	-	-	2	24	13	1	2	2	1	1	4	1	109	21	79
OSCODA	35	-	-	-	4	1	1	-	-	-	1	1	-	27	3	21
OTSEGO	83	-	-	-	14	3	3	1	2	2	-	3	2	46	7	36
OTTAWA	835	1	-	2	133	54	15	12	19	8	4	21	27	463	95	332
GRAND HAVEN	131	-	-	-	16	5	4	1	2	2	-	2	1	72	18	49
HOLLAND, PART	210	-	-	-	46	22	2	3	5	1	2	11	6	116	17	90
HOLLAND, TOTAL	216	-	-	-	48	22	2	3	7	1	2	11	6	119	17	93
BALANCE OF COUNTY	494	1	-	2	71	27	9	8	12	5	2	8	20	275	60	193
PRESQUE ISLE	126	-	-	3	19	6	2	4	3	1	1	2	3	68	20	41
ROSCOMMON	102	-	-	-	21	9	2	2	4	1	2	1	4	60	11	43
SAGINAW	1,737	3	6	2	274	89	46	25	47	21	13	33	55	992	170	718
SAGINAW	1,011	3	5	1	159	49	31	14	29	14	7	15	34	591	93	431
BALANCE OF COUNTY	726	-	1	1	115	40	15	11	18	7	6	18	21	401	77	287
ST. CLAIR	1,101	2	3	3	158	53	24	16	20	4	11	30	28	655	113	488
PORT HURON	439	2	-	-	64	21	13	7	8	3	3	9	9	269	48	194
BALANCE OF COUNTY	662	-	3	3	94	32	11	9	12	1	8	21	19	386	65	294
ST. JOSEPH	457	1	-	1	74	26	7	7	9	6	6	13	10	283	62	189
SANILAC	403	1	2	1	56	30	3	3	4	5	1	10	15	240	73	157
SCHOOLCRAFT	97	-	-	-	16	10	-	2	-	3	-	1	5	53	8	42
SHIAWASSEE	504	-	-	1	82	28	12	6	8	5	3	20	11	283	63	193
OWOSSO	168	-	-	-	31	13	1	2	3	1	-	11	3	99	26	67
BALANCE OF COUNTY	336	-	-	1	51	15	11	4	5	4	3	9	8	184	37	126
TUSCOLA	449	-	1	3	57	18	8	4	13	3	3	8	15	270	82	167
VAN BUREN	589	2	-	-	89	29	14	9	12	3	10	12	21	351	85	227
WASHTENAW	1,148	-	-	3	195	67	23	22	30	12	12	29	31	589	157	379
ANN ARBOR	387	-	-	2	74	25	12	10	13	3	3	8	12	193	55	117
YPSILANTI	197	-	-	1	28	10	3	1	5	1	2	6	8	102	23	66
BALANCE OF COUNTY	564	-	-	-	93	32	8	11	12	8	7	15	11	294	79	196
WAYNE	25,032	195	46	89	4,572	1,566	832	378	624	235	192	745	739	13,336	2,524	9,856
ALLEN PARK	183	2	-	-	34	7	5	5	6	1	2	8	6	97	12	81
DEARBORN	1,043	2	1	1	197	65	37	11	29	7	13	35	28	571	109	417
DETROIT	18,282	164	41	66	3,316	1,170	599	278	446	176	125	522	569	9,893	1,910	7,274
ECORSE	151	1	-	-	29	10	8	1	5	1	2	2	7	73	11	53
GARDEN CITY	186	-	-	1	28	3	5	3	5	3	1	8	2	94	12	77
GROSSE POINTE FARMS	108	-	-	2	26	7	3	5	4	2	1	4	4	61	17	39
GROSSE POINTE PARK	169	1	-	-	46	19	11	5	4	1	1	5	5	89	18	65
GROSSE POINTE WOODS	116	1	-	3	18	3	7	1	1	1	1	4	1	72	17	49
HAMTRAMCK	443	5	-	2	85	37	16	8	10	2	3	9	19	236	29	190
HARPER WOODS	124	2	-	-	29	10	5	1	4	2	-	7	3	59	8	47
HIGHLAND PARK	495	6	1	1	86	25	17	5	14	7	4	14	16	279	48	205
INKSTER	238	1	1	4	35	9	9	2	4	2	2	7	3	104	21	77
LINCOLN PARK	308	-	-	1	52	18	8	3	8	1	3	11	7	151	34	103
LIVONIA	353	3	-	-	52	16	6	5	6	4	2	13	5	175	25	141
MELVINDALE	97	-	-	-	18	6	4	2	4	-	1	1	3	48	10	36
RIVER ROUGE	160	1	-	1	20	4	8	1	2	2	-	3	5	92	20	58
SOUTHGATE	120	-	-	-	29	7	4	2	3	-	4	9	6	52	11	38
TRENTON	105	-	1	-	19	5	2	3	3	-	1	5	3	50	5	42
WAYNE	217	1	1	1	35	8	11	3	4	1	2	6	3	89	12	70
WYANDOTTE	397	2	-	1	76	26	9	5	12	1	3	20	8	218	39	168
BALANCE OF COUNTY	1,737	3	-	5	342	111	58	29	50	21	21	52	36	833	156	626
WEXFORD	228	-	-	-	28	12	3	1	5	2	-	5	9	120	22	87
CADILLAC	115	-	-	-	10	6	1	-	2	-	-	1	5	60	13	41
BALANCE OF COUNTY	113	-	-	-	18	6	2	1	3	2	-	4	4	60	9	46
MINNESOTA	31,825	89	40	117	5,238	1,820	586	492	737	281	321	1,001	558	17,845	4,292	12,002
URBAN	19,596	62	26	64	3,288	1,092	387	329	445	175	206	654	326	10,887	2,546	7,359
RURAL	12,229	27	14	53	1,950	728	199	163	292	106	115	347	232	6,958	1,746	4,643
METROPOLITAN COUNTIES	15,506	49	23	55	2,596	851	331	248	332	147	167	520	250	8,571	1,880	5,941
URBAN	13,964	48	21	47	2,353	768	294	232	301	129	156	473	224	7,748	1,707	5,359
RURAL	1,542	1	2	8	243	83	37	16	31	18	11	47	26	823	173	582
NONMETROPOLITAN COUNTIES	16,319	40	17	62	2,642	969	255	244	405	134	154	481	308	9,274	2,412	6,061
URBAN	5,632	14	5	17	935	324	93	97	144	46	50	181	102	3,139	839	2,000
RURAL	10,687	26	12	45	1,707	645	162	147	261	88	104	300	206	6,135	1,573	4,061

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E940-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
70	1,419	105	151	24	61	67	22	105	43	17	46	4	95	235	10	117	113	58	14	296	4
-	41	1	-	-	2	2	-	3	1	-	1	-	3	10	-	3	1	-	-	9	5
4	72	5	10	2	3	7	3	7	4	1	1	-	3	9	2	5	7	4	-	16	6
-	26	1	2	1	-	1	2	1	1	1	-	-	2	3	-	3	2	1	-	8	7
3	89	7	13	1	6	4	1	7	4	-	3	-	6	14	1	4	6	3	-	17	8
5	52	3	1	1	2	4	-	5	1	2	4	1	2	7	-	1	6	3	-	9	9
5	38	4	5	1	-	-	2	2	3	-	1	-	7	20	1	9	4	2	-	8	10
3	66	3	4	2	1	2	-	3	1	2	1	-	4	8	-	1	1	1	1	8	11
8	197	18	32	4	12	8	6	25	4	2	8	3	16	38	1	13	16	8	5	44	12
11	151	9	11	1	8	9	1	7	4	1	7	-	11	24	-	6	11	6	-	35	13
-	57	3	6	1	-	3	-	1	3	-	1	-	5	8	1	4	2	4	-	10	14
1	23	3	3	1	-	-	-	1	1	1	1	-	1	5	-	6	7	2	-	10	15
30	607	48	64	9	27	27	7	43	16	7	18	-	35	89	4	62	50	24	8	122	16
																					17
-	48	5	8	4	5	5	-	4	4	-	-	-	3	2	-	8	3	2	1	13	18
-	44	-	1	3	3	3	3	1	1	2	-	-	1	2	-	3	4	2	-	11	19
-	49	-	4	1	5	-	1	2	-	-	1	-	-	4	-	-	3	3	-	8	20
-	57	7	15	1	2	3	3	4	2	-	-	1	-	3	-	4	10	3	-	6	21
-	21	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-	1	-	1	22
2	30	3	1	-	2	1	-	3	-	-	2	-	3	3	-	1	3	1	-	5	23
13	260	32	27	9	20	6	1	25	13	8	4	-	10	30	2	24	24	12	-	57	24
3	37	2	7	3	1	1	-	3	5	1	2	-	2	4	-	3	3	3	-	16	25
4	68	8	10	2	5	2	-	7	4	-	1	-	2	3	-	8	4	4	-	9	26
4	71	8	10	2	5	2	-	7	4	-	1	-	2	3	-	8	4	4	-	10	27
6	155	22	10	4	14	3	1	15	4	7	1	-	6	23	2	13	17	5	-	32	28
1	34	3	3	1	2	3	1	7	1	-	-	-	1	7	-	5	6	1	-	5	29
1	37	2	3	1	2	1	2	1	2	-	1	-	1	4	1	1	4	-	-	2	30
																					31
																					32
20	611	34	53	22	47	21	14	26	15	12	17	2	22	70	-	51	46	16	8	120	33
13	370	21	27	15	32	14	6	15	8	6	10	1	9	35	-	20	30	10	5	69	34
7	241	13	26	7	15	7	8	11	7	6	7	1	13	35	-	31	16	6	3	51	35
11	356	90	31	11	21	11	11	24	8	5	9	-	14	37	3	35	42	12	4	59	36
4	133	49	8	8	7	6	6	8	2	2	5	-	7	10	-	12	13	5	2	29	37
7	223	41	23	3	14	5	5	16	6	3	4	-	7	27	3	23	29	7	2	30	38
3	150	15	21	1	16	9	6	9	2	3	1	-	5	20	1	8	9	3	1	26	39
5	126	11	15	5	2	-	3	16	5	2	1	-	6	11	-	11	7	3	1	25	40
2	29	-	11	-	2	1	-	4	4	1	1	-	1	2	-	-	5	-	-	5	41
6	153	18	16	3	17	4	3	21	2	1	3	-	12	20	-	24	13	4	1	26	42
2	56	5	4	1	2	2	1	9	1	-	-	-	3	4	-	3	3	2	-	10	43
4	97	13	12	2	15	2	2	12	1	1	3	-	9	16	-	21	10	2	1	16	44
8	131	11	17	2	12	2	5	9	2	3	2	2	9	9	2	13	15	3	1	33	45
3	191	16	17	6	20	9	4	13	5	1	4	-	4	14	1	14	21	3	-	46	46
																					47
20	309	20	30	6	32	11	4	35	12	5	6	1	18	50	5	42	43	17	2	94	48
6	95	10	6	2	11	6	2	7	5	1	4	-	4	16	1	13	17	8	2	28	49
3	56	-	7	1	8	3	1	4	1	-	1	-	4	13	1	9	8	3	-	14	50
11	158	10	17	3	13	2	1	24	6	4	1	1	10	21	3	20	18	6	-	52	51
354	7,938	920	644	148	307	344	157	802	206	87	420	24	315	919	93	423	612	244	161	1,749	52
3	65	8	5	-	3	-	1	2	1	1	6	-	5	6	2	4	3	4	-	10	53
15	358	26	18	4	13	18	10	39	7	6	18	-	16	28	2	24	14	10	-	79	54
264	5,787	738	485	108	227	250	124	561	150	61	316	19	185	598	64	252	438	157	141	1,291	55
-	49	3	1	-	3	3	3	11	1	-	-	-	1	14	1	2	3	-	1	7	56
3	64	3	7	1	1	3	-	7	1	2	-	-	6	16	-	6	8	5	-	10	57
-	34	1	4	2	1	2	-	-	1	1	2	-	2	1	1	-	-	1	-	6	58
3	53	5	4	1	3	2	-	3	1	-	1	-	1	4	1	3	3	2	-	9	59
1	46	-	2	3	1	1	1	2	4	1	1	-	2	2	-	2	2	1	-	4	60
7	152	21	10	3	7	7	-	24	2	3	15	-	5	6	-	4	10	2	2	23	61
																					62
3	36	6	2	2	1	1	-	2	-	-	4	-	2	3	1	2	5	-	-	12	63
6	155	22	22	6	8	12	-	12	7	2	9	1	-	10	1	8	14	6	4	32	64
3	60	7	7	1	2	1	2	13	3	1	3	2	3	26	1	5	6	1	4	22	65
3	88	7	5	-	5	8	1	9	2	-	3	-	8	17	7	15	8	6	1	21	66
4	124	7	6	1	2	5	1	10	2	2	5	-	13	25	3	8	18	5	-	27	67
4	30	2	-	1	-	-	1	7	-	-	2	-	3	5	-	2	2	1	-	6	68
3	48	7	-	3	3	4	4	13	1	-	4	-	1	5	1	-	3	2	-	11	69
1	34	1	2	1	1	1	-	4	1	-	2	1	2	8	1	5	1	1	1	6	70
1	36	3	2	-	-	1	2	3	-	1	-	-	1	6	1	7	5	1	-	7	71
4	56	6	4	3	2	2	-	8	5	1	-	1	11	22	2	6	11	1	-	19	72
3	141	12	12	2	5	1	3	10	1	-	11	-	5	22	-	6	7	5	1	24	73
23	522	35	46	6	19	22	4	62	16	5	18	-	43	95	4	62	51	33	6	123	74
4	71	4	8	2	4	4	1	12	1	2	2	-	4	6	1	5	7	5	-	26	75
3	30	2	6	2	3	1	-	9	1	1	1	-	4	4	1	3	4	1	-	11	76
1	41	2	2	-	1	3	1	3	-	1	1	-	-	2	-	2	3	4	-	15	77
																					78
																					79
350	9,659	889	1,104	191	811	427	122	1,159	223	107	276	7	460	1,107	233	781	957	338	32	2,258	80
																					81
241	5,987	572	559	132	491	281	78	707	152	73	203	4	311	727	138	411	521	220	26	1,450	82
109	3,672	317	545	59	320	146	44	452	71	34	73	3	149	380	95	370	436	118	6	808	83
																					84
187	4,860	490	404	100	367	229	54	551	114	59	173	3	256	602	100	334	424	187	23	1,136	85
170	4,391	448	350	95	332	204	51	505	104	56	166	3	228	525	88	272	370	168	22	1,016	86
17	469	42	54	5	35	25	3	46	10	3	7	-	28	77	12	62	54	19	1	120	87
163	4,799	399	700	91	444	198	68	608	109	48	103	4	204	505	133	447	533	151	9	1,122	88
71	1,596	124	209	37	159	77	27	202	48	17	37	1	83	202	50	139	151	52	4	434	89
92	3,203	275	491	54	285	121	41	406	61	31	66	3	121	303	83	308	382	99	5	688	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-139)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156a,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MINNESOTA--CON.																
AITKIN	152	1	1	-	18	7	3	1	3	2	-	2	1	100	33	56
ANOKA	470	-	1	-	62	22	7	6	9	4	4	10	9	229	53	163
ANOKA	98	-	-	-	13	5	1	-	2	2	1	2	2	54	18	34
COLUMBIA HEIGHTS	87	-	1	-	12	5	1	2	2	-	-	2	1	39	10	28
COON RAPIDS	62	-	-	-	9	1	3	-	1	2	1	1	1	30	6	23
FRIDLEY	55	-	-	-	4	1	-	1	-	-	1	1	1	25	3	19
BALANCE OF COUNTY	168	-	-	-	24	10	2	3	4	-	1	4	4	81	16	59
BECKER	257	-	-	1	44	18	2	2	11	3	2	6	4	154	39	107
BELTRAMI	241	2	1	7	38	14	5	1	6	3	1	8	-	136	51	75
BENTON	157	-	-	-	24	11	3	5	2	1	-	2	2	87	28	49
ST. CLOUD, PART	28	-	-	-	5	3	1	1	-	-	-	-	-	15	5	9
BALANCE OF COUNTY	129	-	-	-	19	8	2	4	2	1	-	2	2	72	23	40
BIG STONE	99	-	-	1	17	6	5	-	1	2	1	2	2	55	11	39
BLUE EARTH	422	2	-	2	58	20	3	6	10	1	4	14	8	244	64	155
MANKATO	243	2	-	1	29	9	2	3	5	-	3	7	4	138	31	90
BALANCE OF COUNTY	179	-	-	1	29	11	1	3	5	1	1	7	4	106	33	65
BROWN	289	-	-	1	43	12	8	2	10	-	3	8	8	164	33	118
NEW ULM	128	-	-	-	21	7	3	1	4	-	1	5	3	69	18	45
BALANCE OF COUNTY	161	-	-	1	22	5	5	1	6	-	2	3	5	95	15	73
CARLTON	255	-	-	-	37	16	4	2	4	2	1	8	3	158	27	115
CARVER	181	-	-	-	33	16	3	3	4	2	1	4	3	101	21	70
CASS	214	-	1	2	38	15	5	5	4	2	2	5	2	121	26	86
CHIPPEWA	164	-	-	-	28	12	3	4	6	-	1	2	-	97	23	70
CHISAGO	172	-	-	-	22	8	1	3	5	1	1	3	2	109	33	67
CLAY	276	-	-	2	44	11	6	5	6	1	4	11	4	145	46	93
MOORHEAD	138	-	-	-	22	5	4	2	2	1	2	6	3	67	23	44
BALANCE OF COUNTY	138	-	-	2	22	6	2	3	4	-	2	5	1	78	23	49
CLEARWATER	104	-	2	1	15	7	1	-	3	-	2	2	2	58	17	38
COOK	24	-	-	1	7	1	-	2	1	-	-	3	-	12	2	10
COTTONWOOD	171	-	-	-	33	8	3	3	11	2	2	4	6	94	15	65
CROW WING	361	3	-	1	77	29	7	5	15	5	-	16	9	190	39	139
BRAINERD	162	1	-	-	31	11	1	2	7	1	-	9	3	94	22	64
BALANCE OF COUNTY	199	2	-	1	46	18	6	3	8	4	-	7	6	96	17	75
DAKOTA	510	2	-	2	94	24	16	10	11	8	6	19	8	269	57	181
SOUTH ST. PAUL	150	1	-	2	30	9	6	-	4	5	1	5	1	77	15	54
WEST ST. PAUL	94	-	-	-	21	5	3	3	4	1	1	4	2	51	10	35
BALANCE OF COUNTY	266	1	-	-	43	10	7	7	3	2	4	10	5	141	32	92
DODGE	138	-	-	-	27	11	2	1	4	1	2	6	6	75	16	55
DOUGLAS	208	1	-	1	46	12	6	8	6	1	4	9	1	109	17	82
FARIBAULT	251	1	1	1	46	16	7	5	6	1	2	9	1	152	44	93
FILLMORE	302	1	1	2	38	7	6	5	7	2	5	6	5	194	67	110
FREEBORN	327	1	1	1	49	22	3	6	2	2	4	10	6	192	54	115
ALBERT LEA	176	1	-	1	26	11	2	5	1	1	3	3	3	99	33	57
BALANCE OF COUNTY	151	-	1	-	23	11	1	1	1	1	1	7	3	93	21	58
GOODHUE	377	3	-	2	57	17	6	8	7	1	2	16	9	219	58	137
RED WING	154	1	-	1	24	4	4	6	4	1	1	4	2	88	17	63
BALANCE OF COUNTY	223	2	-	1	33	13	2	2	3	-	1	12	7	131	41	74
GRANT	90	-	-	-	15	5	-	1	3	2	1	3	-	53	15	34
HENNEPIN	7,477	26	12	27	1,251	402	141	129	161	67	72	279	120	4,235	940	2,949
BLOOMINGTON	242	1	-	2	37	11	4	1	4	3	2	12	3	113	32	73
BROOKLYN CENTER	66	1	-	-	7	2	1	1	-	1	-	2	2	34	10	22
BROOKLYN PARK	31	-	-	-	5	-	3	-	1	-	1	-	-	12	3	8
CRYSTAL	86	-	-	-	12	4	2	1	-	1	1	3	1	41	11	28
EDINA	154	-	-	-	35	12	3	3	8	1	1	7	3	77	23	49
GOLDEN VALLEY	70	-	-	-	17	4	1	2	3	-	1	6	-	39	6	30
HOPKINS	88	-	-	-	17	5	2	2	2	2	2	2	2	49	9	36
MINNEAPOLIS	5,533	19	10	20	909	299	96	96	120	48	52	198	91	3,212	709	2,227
MINNETONKA	90	-	1	-	17	5	2	2	3	-	1	4	3	49	8	38
RICHFIELD	174	-	-	2	33	6	6	7	2	4	-	8	2	97	17	76
ROBBINSDALE	115	-	-	-	22	7	2	1	1	1	4	6	1	61	14	45
ST. LOUIS PARK	262	3	1	-	51	14	7	6	5	-	5	14	5	134	30	96
BALANCE OF COUNTY	566	2	-	3	89	33	12	7	12	6	2	17	7	317	68	221
HOUSTON	159	-	-	-	28	11	2	5	3	1	1	5	2	86	20	58
HUBBARD	144	-	-	-	19	9	2	-	3	-	2	3	2	83	32	48
ISANTI	131	-	-	-	17	6	4	2	2	-	-	3	4	91	25	58
ITASCA	344	-	-	2	66	24	9	4	9	5	3	12	4	180	31	133
JACKSON	153	-	-	-	27	9	2	3	6	-	4	3	1	90	22	55
KANABEC	93	-	-	-	12	2	2	1	1	-	3	3	1	60	22	36
KANDIYOHI	268	-	-	1	38	15	1	3	5	1	3	10	7	150	28	109
WILLMAR	103	-	-	1	15	5	-	1	3	1	1	4	2	60	10	42
BALANCE OF COUNTY	165	-	-	-	23	10	1	2	2	-	2	6	5	90	18	67
KITTSON	98	-	1	1	12	6	-	-	1	2	1	2	4	62	13	45
KOOCHICHING	159	-	-	2	18	10	-	1	3	-	-	4	5	83	19	53
LAC QUI PARLE	148	1	-	2	21	5	2	4	4	1	1	4	5	81	20	57
LAKE	91	-	-	-	16	4	1	2	5	1	1	2	1	40	11	20
LAKE OF THE WOODS	56	-	-	-	8	2	-	-	2	1	1	2	3	32	8	22
LE SUEUR	227	-	-	-	42	13	8	4	3	3	1	10	5	127	38	79
LINCOLN	100	1	-	1	13	2	1	3	2	1	1	3	1	64	20	37
LYON	243	-	-	-	41	21	1	2	6	2	4	5	6	142	47	84
MC LEOD	262	-	-	2	47	17	3	4	10	4	3	6	7	168	54	97

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
2	45	2	7	-	7	4	-	4	-	-	-	-	-	1	-	3	11	1	-	11	4
6	125	8	24	2	9	1	1	16	3	1	3	-	18	38	11	25	18	7	-	29	5
-	27	1	6	-	1	1	-	4	2	-	-	-	1	2	-	4	6	2	-	8	6
1	20	2	5	-	1	-	-	3	-	-	-	-	8	11	1	3	2	1	-	5	7
1	19	3	-	-	1	-	-	-	-	-	-	-	1	7	4	6	3	-	-	1	8
2	14	-	3	-	2	1	-	-	-	-	-	-	2	6	-	2	2	3	-	8	9
2	45	2	10	2	4	-	-	9	1	1	1	-	6	12	6	10	5	1	-	7	10
3	90	6	8	2	4	1	1	14	1	-	1	1	3	5	9	4	4	1	-	11	11
2	65	3	5	-	3	4	3	8	2	1	1	-	4	5	5	5	8	-	-	18	12
3	34	4	8	1	6	3	-	7	3	-	2	2	3	7	1	4	2	3	-	10	13
-	5	1	3	-	1	-	-	1	2	-	1	-	1	1	-	-	-	-	-	2	14
3	29	3	5	1	5	3	-	6	1	-	1	2	2	6	1	4	2	3	-	8	15
																					16
-	31	-	8	1	2	2	-	3	-	-	-	-	3	4	-	5	3	1	-	5	17
6	107	17	25	1	18	6	-	16	1	1	4	-	6	11	3	12	13	8	1	32	18
4	67	7	12	1	12	4	-	6	1	1	2	-	3	10	3	11	5	5	1	21	19
2	40	10	13	-	6	2	-	10	-	-	2	-	3	1	-	1	8	3	-	11	20
3	89	10	16	2	7	3	1	6	4	-	1	-	8	11	5	7	7	4	-	20	21
2	31	5	7	-	4	2	-	1	3	-	-	-	2	4	5	5	3	3	-	9	22
1	58	5	9	2	3	1	1	5	1	-	1	-	6	7	-	2	4	1	-	11	23
3	90	10	12	1	10	3	2	6	1	1	1	-	1	10	1	13	5	1	-	17	24
1	51	12	6	2	4	2	2	3	2	1	3	-	5	5	-	1	7	2	-	15	25
4	74	3	5	2	6	-	1	4	1	-	3	-	4	7	5	9	5	1	-	11	26
2	66	-	2	-	1	2	1	8	2	1	1	-	-	3	1	3	4	2	-	14	27
-	51	3	13	2	4	1	2	5	4	-	1	-	2	4	2	2	6	-	-	13	28
																					29
3	83	3	4	1	-	5	-	11	-	2	1	-	3	16	2	12	8	6	-	20	30
1	40	1	2	-	-	-	-	8	-	2	1	-	3	11	2	2	3	6	-	9	31
2	43	2	2	1	-	5	-	3	-	1	1	-	1	5	-	10	5	-	-	11	32
2	16	2	18	-	2	-	1	3	1	1	1	-	1	1	3	2	6	-	-	7	33
-	7	-	3	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	34
2	47	8	8	1	6	5	2	9	2	-	-	-	1	3	2	2	5	2	-	13	35
3	128	4	4	1	4	4	3	11	2	1	2	-	1	6	11	7	9	6	-	25	36
3	57	2	2	1	3	1	3	5	1	-	-	-	1	4	6	3	3	5	-	5	37
-	71	2	2	-	1	3	-	6	1	1	2	-	-	2	5	4	6	1	-	20	38
7	139	18	17	4	14	7	6	17	-	2	5	-	6	36	4	12	15	6	-	32	39
-	41	8	5	-	5	1	2	2	-	1	4	-	1	12	-	2	3	2	-	12	40
2	25	2	6	2	1	2	1	3	-	-	1	-	-	6	1	2	3	1	-	3	41
5	73	8	6	2	8	4	3	12	-	1	-	-	5	18	3	8	9	3	-	17	42
2	34	8	11	-	-	3	1	6	1	-	-	-	1	5	-	3	6	1	-	7	43
																					44
1	68	7	6	1	8	1	-	10	3	2	-	-	5	4	-	7	4	-	-	15	45
2	75	7	9	1	8	4	2	8	-	2	1	-	5	5	1	6	8	-	-	13	46
3	67	3	37	-	12	3	2	8	-	2	3	1	3	5	-	5	10	1	-	23	47
3	84	15	13	6	14	2	1	9	1	-	3	-	6	10	1	8	9	3	-	27	48
2	43	7	5	3	4	1	1	3	1	-	1	-	2	8	-	5	7	2	-	17	49
1	41	8	8	3	10	1	-	6	-	-	2	-	4	2	1	3	2	1	-	10	50
-	94	12	31	5	13	5	1	19	3	2	3	-	4	5	2	8	12	5	1	23	51
-	43	3	17	-	3	4	1	9	2	-	2	-	2	-	-	4	6	1	-	12	52
-	51	9	14	5	10	1	-	10	1	2	1	-	2	5	2	4	6	4	1	11	53
1	28	-	5	-	1	3	-	4	-	-	1	-	-	2	1	3	4	-	-	7	54
																					55
90	2,464	220	175	47	170	107	22	243	57	29	77	1	113	263	42	143	176	104	14	544	56
3	57	4	9	2	5	1	-	5	2	1	2	-	8	23	2	2	9	5	2	25	57
3	16	3	-	-	1	1	-	1	-	-	-	-	3	9	-	3	2	1	-	3	58
-	6	1	1	-	1	-	-	-	-	-	1	-	3	5	-	1	1	-	-	3	59
1	23	4	-	-	-	2	1	-	1	-	-	-	4	8	-	7	4	1	1	5	60
4	40	1	4	1	1	3	-	4	1	-	-	-	4	7	2	4	3	2	-	12	61
-	27	-	3	1	2	-	-	-	-	1	1	-	1	1	1	2	2	3	-	3	62
2	27	3	4	-	1	3	-	3	1	-	2	-	1	3	-	-	2	2	-	6	63
58	1,877	174	118	38	138	82	18	200	43	21	60	1	65	152	33	88	125	68	11	405	64
1	34	1	2	1	1	1	-	2	-	-	1	-	-	5	1	3	2	3	-	3	65
3	63	3	7	1	-	3	-	1	2	-	2	-	6	10	-	3	5	2	-	9	66
2	37	2	4	-	2	-	-	3	3	1	3	-	2	4	-	5	1	1	-	8	67
3	85	4	4	1	6	1	-	8	-	2	5	-	5	7	1	5	5	9	-	21	68
10	172	20	19	2	12	12	2	15	5	2	-	-	12	29	2	20	15	7	-	41	69
																					70
-	51	3	4	1	6	1	-	4	-	-	-	-	2	9	7	2	3	5	-	11	71
2	37	2	7	-	2	1	-	5	2	3	-	-	1	6	2	-	7	3	3	8	72
2	49	2	5	1	5	2	-	4	-	1	-	-	2	2	-	3	3	-	-	4	73
2	106	13	12	3	9	3	1	13	3	1	2	-	5	14	2	12	12	3	-	25	74
1	45	6	3	4	4	3	2	4	-	-	1	-	4	2	2	5	3	1	-	13	75
-	31	1	4	-	1	1	-	4	-	1	1	-	1	2	-	3	3	-	-	5	76
6	84	6	13	2	6	5	-	11	-	2	-	-	3	7	7	6	5	4	-	27	77
4	30	5	3	1	3	4	-	5	-	2	-	-	2	1	1	-	2	1	-	11	78
2	54	1	10	1	3	1	-	6	-	-	-	-	1	6	6	6	3	3	-	16	79
-	34	1	10	1	2	-	1	1	-	-	2	-	1	1	-	2	5	1	-	5	80
1	37	12	3	-	7	3	1	3	1	-	1	-	4	4	2	9	8	8	-	11	81
2	43	4	8	-	2	1	1	3	1	1	2	-	-	3	1	10	8	2	-	7	82
																					83
-	17	1	2	-	7	2	-	5	-	1	3	-	3	6	2	1	10	1	-	2	84
1	19	2	-	-	2	-	-	2	-	-	-	-	-	2	-	2	2	-	-	5	85
2	69	-	8	-	5	3	2	4	2	1	2	-	5	5	5	5	8	-	-	16	86
2	26	3	6	-	7	-	-	7	-	-	-	-	-	2	-	1	4	1	-	5	87
1	64	9	10	1	5	3	2	10	-	2	1	-	3	13	1	3	5	1	-	15	88
3	81	5	8	1	11	3	2	4	1	1	-	-	1	5	2	4	7	3	-	10	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MINNESOTA--CON.																
MAHNOMEN	62	1	-	1	10	5	-	1	1	-	1	2	1	38	8	27
MARSHALL	151	1	-	1	23	8	2	1	2	3	3	4	4	104	36	64
MARTIN	242	1	-	1	41	16	1	5	8	1	4	6	4	132	41	81
MEEKER	196	-	-	-	34	8	1	7	10	1	1	6	1	119	26	75
MILLE LACS	217	-	-	3	35	10	7	3	6	1	2	6	6	125	42	74
MORRISON	246	1	-	-	40	21	2	4	8	1	-	4	5	124	33	83
MOWER	403	1	1	1	68	35	7	7	6	1	2	10	13	222	68	136
AUSTIN	261	-	1	1	41	19	5	5	4	1	-	7	6	151	43	94
BALANCE OF COUNTY	142	1	-	-	27	16	2	2	2	-	2	3	7	71	25	42
MURRAY	117	1	-	2	16	3	1	1	2	-	4	5	4	64	13	49
NICOLLET	181	-	-	-	31	17	2	3	5	-	-	4	3	104	23	68
NOBLES	190	-	-	1	31	9	2	3	4	-	2	11	2	100	30	65
NORMAN	142	-	-	1	22	11	2	3	2	4	-	-	2	83	32	43
OLMSTED	518	1	-	-	102	29	6	12	14	8	9	24	5	220	45	148
ROCHESTER	368	1	-	-	71	22	4	9	9	6	4	17	3	156	40	98
BALANCE OF COUNTY	150	-	-	-	31	7	2	3	5	2	5	7	2	64	5	50
OTTER TAIL	477	1	-	2	75	27	4	11	10	6	4	13	8	287	86	188
FERGUS FALLS	131	1	-	-	18	4	2	4	3	2	-	3	1	73	25	42
BALANCE OF COUNTY	346	-	-	2	57	23	2	7	7	4	4	10	7	214	61	146
PENNINGTON	112	1	1	-	16	5	1	-	2	2	2	4	-	68	25	40
PINE	200	1	-	-	28	13	1	3	1	2	2	6	3	119	25	87
PIPESTONE	123	-	-	1	15	8	-	1	1	-	2	3	3	67	14	44
POLK	383	2	-	-	67	28	5	5	8	5	6	10	9	216	61	128
POPE	120	-	-	1	11	8	-	-	1	1	1	-	2	79	24	49
RAMSEY	3,937	18	6	15	671	223	87	67	88	30	55	121	58	2,089	471	1,396
MAPLEWOOD	85	-	-	2	17	8	3	1	-	-	1	4	3	40	12	19
ROSEVILLE	98	-	-	-	17	6	2	-	2	1	3	3	2	47	11	31
ST. PAUL	3,413	16	5	12	571	185	76	60	75	24	45	106	51	1,846	420	1,232
WHITE BEAR LAKE	112	-	-	-	23	10	1	1	4	2	2	3	1	44	9	31
BALANCE OF COUNTY	229	2	1	1	43	14	5	5	7	3	4	5	1	112	19	83
RED LAKE	64	-	-	-	10	2	1	-	2	1	2	2	3	33	7	25
REDWOOD	208	2	-	-	33	12	5	-	2	4	1	9	8	117	27	78
RENVILLE	228	1	1	1	33	9	2	3	7	1	3	8	6	129	22	102
RICE	344	1	-	2	51	16	4	5	10	2	3	11	3	217	49	153
FARIBAULT	160	-	-	1	23	4	3	-	7	2	1	6	1	108	19	83
BALANCE OF COUNTY	184	1	-	1	28	12	1	5	3	-	2	5	2	109	30	70
ROCK	89	-	-	-	18	8	1	1	1	-	-	7	-	49	17	29
ROSEAU	137	1	-	1	17	9	-	-	3	3	-	2	1	81	27	49
ST. LOUIS	2,402	2	3	5	404	152	62	27	48	29	20	66	43	1,389	251	1,020
DULUTH	1,206	1	2	2	211	90	27	13	26	16	10	29	17	711	118	533
HIBBING	198	-	-	-	31	9	9	2	2	3	1	5	5	123	24	84
VIRGINIA	192	-	-	1	30	10	2	4	6	2	1	5	3	115	31	80
BALANCE OF COUNTY	806	1	1	2	132	43	24	8	14	8	8	27	18	440	78	323
SCOTT	188	-	-	1	31	16	6	1	6	-	-	2	3	107	28	63
SHERBURNE	135	1	-	-	24	8	3	2	2	4	-	5	2	75	19	55
ST. CLOUD, PART	21	-	-	-	2	-	-	-	-	-	-	2	1	12	2	10
BALANCE OF COUNTY	114	1	-	-	22	8	3	2	2	4	-	3	1	63	17	45
SIBLEY	169	-	-	-	20	11	1	1	4	1	1	1	1	109	31	68
STEARNS	673	3	-	3	115	34	15	16	14	8	9	19	11	358	76	253
ST. CLOUD, PART	240	2	-	1	41	9	8	7	2	3	2	10	3	117	21	81
ST. CLOUD, TOTAL	289	2	-	1	48	12	9	8	2	3	2	12	4	144	28	100
BALANCE OF COUNTY	433	1	-	2	74	25	7	9	12	5	7	9	8	241	55	172
STEELE	222	1	-	1	33	13	3	2	6	1	2	6	1	131	39	81
OWATONNA	109	-	-	-	18	8	1	1	4	1	1	2	-	70	22	42
BALANCE OF COUNTY	113	1	-	1	15	5	2	1	2	-	1	4	1	61	17	39
STEVENS	95	-	-	-	17	3	-	1	4	2	1	6	2	49	14	29
SWIFT	129	-	-	2	14	6	3	-	2	1	1	1	2	67	19	43
TODD	244	-	-	-	39	19	3	5	6	-	-	6	5	140	36	91
TRAVERSE	73	-	-	-	11	5	1	1	1	-	1	2	1	43	7	30
WABASHA	202	-	-	-	44	23	7	1	4	2	1	6	4	105	36	62
WADENA	128	-	1	-	20	5	4	5	5	-	1	-	5	74	15	55
WASECA	173	1	-	-	33	10	7	1	6	1	1	7	6	95	20	63
WASHINGTON	434	1	1	4	70	17	12	4	9	8	6	14	8	215	62	139
WATONWAN	147	-	-	-	26	11	1	1	3	2	2	6	4	85	22	57
WILKIN	76	-	-	1	13	4	1	2	3	-	-	3	6	33	6	24
WINONA	410	-	2	-	63	15	8	4	15	3	7	11	6	237	67	145
WINONA	284	-	2	-	44	9	7	2	12	2	4	8	6	170	47	101
BALANCE OF COUNTY	126	-	-	-	19	6	1	2	3	1	3	3	-	67	20	44
WRIGHT	305	-	2	-	53	17	9	4	10	2	1	10	9	162	32	113
YELLOW MEDICINE	168	-	-	-	24	6	2	2	2	2	2	8	6	94	21	68
MISSISSIPPI	22,730	125	26	163	2,829	935	434	216	486	91	145	522	303	11,223	3,114	7,080
URBAN	8,468	33	13	53	1,106	353	213	90	178	40	50	182	108	4,218	1,142	2,673
RURAL	14,262	92	13	110	1,723	582	221	126	308	51	95	340	195	7,005	1,972	4,407
METROPOLITAN COUNTIES	1,665	4	2	20	214	70	40	24	27	6	8	39	26	744	183	470
URBAN	1,293	3	2	15	175	53	36	21	23	6	6	30	20	586	138	376
RURAL	372	1	-	5	39	17	4	3	4	-	2	9	6	158	45	94

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	21	6	-	-	3	-	-	1	-	-	1	-	-	1	1	1	2	3	1	-	1	1
-	48	5	11	-	3	1	-	5	-	-	1	-	-	1	1	1	-	2	-	-	6	2
-	72	3	6	1	5	4	-	4	3	-	1	-	-	3	9	1	12	10	2	-	18	3
4	58	2	11	-	13	5	-	3	2	-	1	-	-	1	3	1	10	6	2	-	14	4
1	66	2	5	2	6	1	-	16	2	-	-	-	-	2	5	-	6	4	4	-	9	5
-	65	8	10	2	2	4	-	14	1	-	1	-	-	3	13	-	9	9	4	1	21	6
2	123	4	7	1	10	6	1	11	2	1	5	-	-	4	11	3	14	14	4	-	28	7
2	86	2	4	-	8	5	1	6	1	1	3	-	-	3	7	2	11	10	1	-	16	8
-	37	2	3	1	2	1	-	5	1	-	2	-	-	1	4	1	3	4	3	-	12	9
1	43	-	5	-	1	1	-	4	1	-	2	-	-	1	8	1	3	3	-	-	7	10
-	59	4	5	4	4	2	3	10	3	-	2	-	-	3	2	-	9	6	1	-	9	11
3	47	4	11	1	-	2	2	9	-	-	2	-	-	1	10	-	11	6	2	-	15	12
1	35	2	5	-	4	3	1	12	-	-	2	-	-	1	5	-	4	1	2	-	7	13
11	110	10	17	4	11	11	1	33	7	1	4	-	-	19	29	4	15	22	2	-	54	14
11	69	5	13	3	9	6	-	23	6	1	3	-	-	15	21	2	10	16	1	-	39	15
-	41	5	4	1	2	5	1	10	1	-	1	-	-	4	8	2	5	6	1	-	15	16
5	160	12	11	3	6	2	2	25	2	4	-	-	-	5	13	-	15	8	3	-	29	17
-	39	1	2	1	2	2	1	10	-	1	-	-	-	3	4	-	5	1	1	-	13	18
5	121	11	9	2	4	-	1	15	2	3	-	-	-	2	9	-	10	7	2	-	16	19
2	31	3	4	-	1	2	-	5	-	2	-	-	-	2	4	1	4	-	-	1	7	20
2	75	3	7	-	4	3	-	9	2	2	1	-	-	1	4	1	6	6	4	-	13	21
-	35	3	6	1	7	1	-	6	-	-	-	-	-	3	2	2	7	7	-	-	10	22
4	95	11	18	7	12	6	2	20	3	1	1	-	-	4	11	1	7	10	-	-	31	23
-	40	2	7	1	3	1	1	3	-	-	-	-	-	2	5	2	3	3	2	-	7	24
40	1,119	138	99	34	99	75	14	169	35	20	60	1	-	72	164	19	76	110	30	7	317	25
4	15	-	-	-	6	2	1	4	-	-	-	-	-	2	3	-	4	1	-	-	9	26
-	28	2	1	2	2	1	-	4	1	1	1	-	-	6	10	-	2	2	-	-	5	27
31	984	127	90	26	87	69	12	148	31	18	57	1	-	56	127	15	57	97	24	6	275	28
2	23	2	4	3	1	-	-	10	2	-	1	-	-	3	6	2	3	3	1	1	12	29
3	69	7	4	3	3	3	1	3	1	1	1	-	-	5	18	2	10	7	5	-	16	30
-	22	2	1	-	1	-	-	8	-	1	-	-	-	-	-	1	2	1	-	-	5	31
1	68	2	7	1	8	1	2	1	-	1	4	-	-	5	8	1	3	4	2	2	17	32
2	90	2	8	-	4	1	-	11	1	-	-	-	-	2	2	1	6	11	8	-	15	33
4	119	13	17	1	9	4	1	10	2	-	2	-	-	5	8	3	8	9	6	-	17	34
3	58	12	10	1	3	1	1	5	1	-	2	-	-	1	2	1	3	4	-	-	8	35
1	61	1	7	-	6	3	-	5	1	-	-	-	-	4	6	2	5	5	6	-	9	36
2	27	-	-	-	2	-	1	5	-	-	-	-	-	-	2	1	4	-	2	-	8	37
4	41	2	2	-	4	1	-	5	-	1	1	-	-	1	3	-	4	10	1	-	10	38
39	817	92	72	10	67	31	10	82	16	5	25	1	-	36	63	21	48	78	31	1	149	39
24	404	67	38	5	33	18	4	42	10	1	15	1	-	19	26	15	19	37	11	1	65	40
4	73	1	6	3	10	2	-	3	1	-	1	-	-	3	5	-	2	8	-	-	16	41
3	69	1	7	-	1	2	1	10	1	-	1	-	-	1	2	-	6	4	3	-	15	42
8	271	23	21	2	23	9	5	27	4	4	8	-	-	13	30	6	21	29	17	-	53	43
2	50	5	6	5	8	2	1	5	3	-	-	-	-	3	11	-	6	6	1	-	11	44
3	43	4	5	-	1	-	-	3	-	-	1	-	-	-	7	1	2	12	-	-	7	45
-	9	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	2	46
3	34	4	4	-	1	-	-	3	-	-	1	-	-	-	5	1	2	10	-	-	5	47
2	50	10	6	-	8	-	2	8	3	-	3	-	-	4	3	3	3	5	1	-	6	48
8	212	10	23	1	18	8	2	20	5	3	7	-	-	8	40	3	23	27	5	-	42	49
3	72	3	3	1	9	4	1	9	2	2	3	-	-	3	21	2	6	6	4	-	18	50
3	86	4	7	1	10	4	1	10	4	2	4	-	-	4	24	2	6	8	4	-	22	51
5	140	7	20	-	9	4	1	11	3	1	4	-	-	5	19	1	17	21	1	-	24	52
3	70	1	7	-	4	5	2	6	2	-	2	-	-	1	12	-	4	4	1	-	23	53
3	35	-	4	-	2	2	2	2	1	-	1	-	-	-	3	-	2	-	-	-	12	54
-	35	1	3	-	2	3	-	4	1	-	1	-	-	1	9	-	2	4	1	-	11	55
1	26	-	2	-	3	3	-	5	1	-	1	-	-	-	2	1	6	6	-	-	5	56
-	39	2	2	-	3	1	1	8	-	-	3	-	-	1	3	3	2	8	2	-	14	57
1	72	9	9	1	11	1	-	11	1	-	-	-	-	-	2	3	12	10	2	-	19	58
2	17	3	8	-	4	1	1	2	2	-	-	-	-	-	2	1	4	2	-	-	5	59
3	46	6	7	3	3	1	-	11	-	-	-	-	-	2	6	-	4	7	1	-	18	60
1	39	11	4	-	2	2	-	2	3	-	-	-	-	3	1	-	-	5	2	-	12	61
3	50	2	8	1	8	3	-	6	-	-	2	-	-	-	6	-	5	5	1	-	13	62
2	113	11	13	2	8	3	1	13	3	-	2	-	-	8	22	1	18	19	3	1	45	63
3	51	-	3	-	4	2	-	4	2	1	-	-	-	-	5	-	4	7	1	-	8	64
1	21	2	-	-	1	2	-	4	1	-	-	-	-	1	2	-	4	2	-	-	9	65
6	104	8	27	6	10	8	1	10	2	-	5	-	-	4	22	5	7	14	2	-	31	66
4	73	5	19	6	8	8	-	5	1	-	4	-	-	3	11	4	6	9	1	-	18	67
2	31	3	8	-	2	-	1	5	1	-	1	-	-	1	11	1	1	5	1	-	13	68
1	81	14	17	1	8	5	3	13	4	2	3	-	-	4	13	-	6	8	3	-	23	69
1	44	1	22	1	4	-	-	5	3	-	-	-	-	5	5	1	3	8	2	-	12	70
124	4,494	1,282	1,180	218	348	247	216	866	89	248	130	55	260	1,158	1,825	619	941	168	197	1,505	71
47	1,707	478	441	78	138	101	86	260	39	74	58	12	123	461	648	198	341	72	78	573	72
77	2,787	804	739	140	210	146	130	606	50	174	72	43	137	697	1,177	421	600	96	119	932	73
8	265	107	90	14	23	35	19	57	7	7	12	2	24	106	173	55	61	15	15	121	74
8	204	87	77	10	20	28	14	41	4	6	12	2	22	87	117	42	50	10	12	87	75
-	61	20	13	4	3	7	5	16	3	1	-	-	2	19	56	13	11	5	3	34	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MISSISSIPPI--CON.																
NONMETROPOLITAN COUNTIES	21,065	121	24	143	2,615	865	394	192	459	85	137	483	277	10,479	2,931	6,610
URBAN..	7,175	30	11	38	931	300	177	69	155	34	44	152	88	3,632	1,004	2,297
RURAL..	13,890	91	13	105	1,684	565	217	123	304	51	93	331	189	6,847	1,927	4,313
ADAMS	400	1	-	2	56	17	10	5	8	4	2	10	7	208	51	135
NATCHEZ	286	-	-	1	44	14	7	4	5	3	1	10	5	159	41	100
BALANCE OF COUNTY	114	1	-	1	12	3	3	1	3	1	1	-	2	49	10	35
ALCORN	281	4	-	-	43	21	3	2	6	-	6	5	6	152	49	96
CORINTH	148	1	-	-	25	14	2	1	4	-	2	2	1	80	27	51
BALANCE OF COUNTY	133	3	-	-	18	7	1	1	2	-	4	3	5	72	22	45
AMITE	148	1	-	2	24	6	5	4	3	-	-	6	2	63	14	45
ATTALA	245	1	2	3	38	11	9	3	6	-	2	7	5	125	38	75
BENTON	74	2	-	2	8	2	1	-	1	-	-	4	2	36	7	27
BOLIVAR	645	2	1	1	70	27	4	8	18	3	2	8	2	307	80	200
CLEVELAND	92	-	-	-	13	3	1	1	5	-	2	1	-	47	11	33
BALANCE OF COUNTY	553	2	1	1	57	24	3	7	13	3	-	7	2	260	69	167
CALHOUN	175	1	-	-	24	9	3	-	3	-	1	8	5	90	17	72
CARROLL	142	-	-	1	15	5	2	-	2	1	2	3	1	82	25	49
CHICKASAW	191	2	-	3	14	3	2	1	3	-	1	4	-	115	38	68
CHOCTAW	101	-	-	1	19	6	3	1	2	-	1	6	2	48	10	30
CLAIBORNE	128	1	-	1	9	1	2	2	3	-	-	1	1	75	16	50
CLARKE	179	-	-	2	22	10	2	1	3	-	3	3	4	99	29	65
CLAY	199	-	-	-	30	6	2	1	11	2	4	4	5	112	30	74
COAHOMA	597	5	-	4	57	13	12	1	12	3	4	12	2	264	74	167
CLARKSDALE	294	2	-	2	26	7	5	-	8	-	2	4	1	143	41	87
BALANCE OF COUNTY	303	3	-	2	31	6	7	1	4	3	2	8	1	121	33	80
COPIAH	348	2	-	5	55	14	7	2	14	1	4	13	2	187	38	137
COVINGTON	145	-	-	1	18	6	1	-	3	1	2	5	5	83	21	53
DE SOTO	210	1	-	3	17	4	4	3	2	-	-	4	1	101	34	59
FORREST	512	6	1	2	72	29	13	4	8	1	2	15	12	254	55	179
HATTIESBURG	342	5	1	2	40	14	9	2	5	-	2	8	8	178	35	132
BALANCE OF COUNTY	170	1	-	-	32	15	4	2	3	1	-	7	4	76	20	47
FRANKLIN	128	-	-	-	19	6	1	1	4	-	2	5	1	70	16	51
GEORGE	98	-	-	-	18	3	1	1	2	1	-	10	1	44	13	29
GREENE	84	1	1	-	18	5	1	3	3	-	1	5	2	43	11	24
GRENADA	197	-	-	1	29	13	4	6	1	-	1	4	1	107	50	50
HANCOCK	145	1	-	-	23	8	7	-	6	-	-	2	3	72	15	53
HARRISON	947	9	2	7	145	48	33	6	24	9	5	20	9	397	93	268
BILOXI	270	1	-	3	38	11	9	3	6	3	2	4	1	111	27	72
GULFPORT	300	3	1	1	54	21	12	1	10	2	1	7	1	122	37	76
BALANCE OF COUNTY	377	5	1	3	53	16	12	2	8	4	2	9	7	164	29	120
HINDS	1,665	4	2	20	214	70	40	24	27	6	8	39	26	744	183	470
JACKSON	1,271	3	2	15	171	51	36	20	23	6	6	29	20	576	134	373
BALANCE OF COUNTY	394	1	-	5	43	19	4	4	4	-	2	10	6	168	49	97
HOLMES	337	3	1	1	49	17	6	2	8	5	3	8	5	158	52	88
HUMPHREYS	211	1	-	-	25	7	3	1	4	1	1	8	3	97	24	61
ISSAQUENA	27	-	-	-	4	-	-	2	1	-	-	1	-	16	8	7
ITAWAMBA	122	-	-	-	16	5	1	1	3	1	1	4	1	75	19	51
JACKSON	427	-	-	2	58	16	11	6	6	5	4	10	9	182	43	120
PASCAGOULA	141	-	-	1	24	6	3	4	4	1	2	4	3	63	16	43
BALANCE OF COUNTY	286	-	-	1	34	10	8	2	2	4	2	6	6	119	27	77
JASPER	213	-	-	2	29	10	4	5	5	-	1	4	3	99	30	60
JEFFERSON	144	-	-	1	20	5	4	1	7	-	-	3	1	77	24	43
JEFFERSON DAVIS	134	1	-	-	14	8	1	-	2	1	1	1	3	71	24	43
JONES	595	2	3	3	80	22	15	6	15	2	2	18	11	289	103	157
LAUREL	319	-	2	1	41	8	10	2	10	1	-	10	5	159	58	84
BALANCE OF COUNTY	276	2	1	2	39	14	5	4	5	1	2	8	6	130	45	73
KEMPER	116	-	-	1	12	4	4	1	1	-	2	-	2	61	15	39
LAFAYETTE	188	-	-	-	30	8	2	2	6	-	2	10	2	108	30	72
LAMAR	142	2	-	2	25	6	6	3	4	-	2	4	1	75	24	45
LAUDERDALE	756	3	-	3	88	27	16	8	15	1	4	17	11	384	100	257
MERIDIAN	545	2	-	2	64	21	11	6	9	1	3	13	8	274	71	184
BALANCE OF COUNTY	211	1	-	1	24	6	5	2	6	-	1	4	3	110	29	73
LAWRENCE	114	1	-	2	16	7	3	-	3	-	-	3	1	60	15	40
LEAKE	204	1	-	2	32	10	3	1	5	3	2	8	5	104	25	61
LEE	385	2	-	2	47	14	6	6	8	-	2	11	5	193	45	131
TUPELO	153	1	-	-	20	4	3	1	7	-	-	5	2	82	18	57
BALANCE OF COUNTY	232	1	-	2	27	10	3	5	1	-	2	6	3	111	27	74
LEFLORE	530	1	-	3	57	17	10	5	9	2	4	10	9	233	55	153
GREENWOOD	271	-	-	1	38	11	7	3	6	2	2	7	4	127	22	90
BALANCE OF COUNTY	259	1	-	2	19	6	3	2	3	-	2	3	5	106	33	63
LINCOLN	306	2	-	-	30	9	7	2	5	1	3	3	3	193	36	142
LOWNDES	479	3	-	5	51	17	9	5	9	2	2	7	6	221	57	133
COLUMBUS	295	1	-	3	31	11	6	3	5	1	1	4	3	138	38	80
BALANCE OF COUNTY	184	2	-	2	20	6	3	2	4	1	1	3	3	83	19	53
MADISON	372	1	-	1	34	11	4	3	7	1	2	6	3	165	45	104
MARION	233	1	-	1	33	14	6	1	8	-	3	1	6	131	47	72
MARSHALL	261	1	-	2	17	3	-	2	5	-	-	7	3	149	43	99
MONROE	332	-	1	2	35	15	3	2	6	2	1	6	5	184	56	108
MONTGOMERY	179	1	-	2	18	5	1	-	4	1	1	6	2	105	27	67

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
116	4,229	1,175	1,090	204	325	212	197	809	82	241	118	53	236	1,052	1,652	564	880	153	182	1,384	4
39	1,503	391	364	68	118	73	72	219	35	68	46	10	101	374	531	156	291	62	66	486	5
77	2,726	784	726	136	207	139	125	590	47	173	72	43	135	678	1,121	408	589	91	116	898	6
																					7
5	60	36	34	3	10	7	2	12	2	4	4	4	5	29	13	8	18	2	3	22	8
4	39	32	25	2	9	5	2	5	2	3	3	1	4	17	8	4	11	1	3	15	9
1	21	4	9	1	1	2	-	7	-	1	1	3	1	12	5	4	7	1	-	7	10
2	78	8	8	3	4	-	-	7	5	1	1	-	2	8	17	5	15	1	1	13	11
1	40	5	5	1	1	-	-	2	3	1	1	-	1	3	10	3	9	-	1	7	12
1	38	3	3	2	3	-	-	5	2	-	-	-	1	5	7	2	6	1	-	6	13
1	23	8	13	-	1	1	2	4	-	5	1	-	2	8	11	6	4	1	-	14	14
1	44	17	13	3	4	3	2	7	2	3	-	2	-	14	12	4	6	3	-	18	15
1	18	5	3	-	1	-	1	2	-	1	-	-	1	4	6	-	4	2	1	3	16
3	105	68	24	3	14	5	5	25	1	10	3	5	8	38	79	20	31	4	5	33	17
-	26	5	2	-	1	1	1	5	-	1	-	1	1	1	9	3	4	2	-	5	18
3	79	63	22	3	13	4	4	20	1	9	3	4	7	37	70	17	27	2	5	28	19
																					20
-	35	22	15	-	-	1	-	6	-	3	-	1	2	3	18	5	4	2	1	10	21
-	24	10	15	4	2	2	-	4	-	3	-	-	2	5	11	6	6	-	1	5	22
1	47	8	12	2	1	3	3	9	1	2	1	-	-	3	9	4	10	1	2	15	23
-	22	5	3	-	7	1	-	-	1	2	1	-	-	6	2	2	4	-	1	12	24
-	32	11	7	4	2	1	2	3	-	2	-	-	1	9	11	5	3	-	1	6	25
3	43	7	12	1	2	1	1	6	-	-	-	-	-	5	14	6	3	1	4	13	26
-	47	15	12	1	-	4	3	4	1	2	1	-	1	2	11	5	9	1	1	14	27
3	69	45	50	4	4	6	9	43	1	11	5	-	4	56	59	14	19	6	4	43	28
-	49	20	18	3	2	6	4	16	-	5	2	-	2	33	17	9	8	5	2	21	29
3	20	25	32	1	2	-	5	27	1	6	3	-	2	23	42	5	11	1	2	22	30
																					31
-	87	35	15	2	4	4	2	12	1	1	1	-	-	11	11	9	20	2	2	27	32
-	42	4	7	-	2	4	3	7	1	2	-	-	-	3	5	7	5	-	-	8	33
2	41	9	7	5	2	-	1	6	-	3	-	2	4	12	27	7	7	2	6	11	34
1	127	12	39	2	6	7	5	16	2	1	3	1	10	23	16	11	21	2	6	53	35
1	96	6	29	2	1	5	3	9	2	1	2	-	8	15	12	4	17	2	5	31	36
-	31	6	10	-	5	2	2	7	-	-	1	1	2	8	4	7	4	-	1	22	37
-	33	11	7	-	3	-	-	3	2	1	-	-	1	4	3	4	3	-	-	17	38
1	22	4	2	-	1	-	1	2	1	1	-	-	2	7	2	4	2	-	2	12	39
-	20	3	1	1	4	1	2	-	-	1	-	-	1	2	-	3	3	2	-	7	40
1	29	6	14	4	2	-	1	7	1	1	1	-	2	9	16	3	8	-	1	10	41
-	46	4	3	-	-	3	1	4	-	-	1	-	-	1	16	5	7	-	-	12	42
																					43
5	207	29	27	9	8	9	10	30	1	5	13	1	10	62	97	23	42	12	11	71	44
1	55	8	8	4	1	2	5	7	-	1	4	-	2	19	33	8	11	5	4	22	45
2	56	9	9	-	3	3	3	11	1	1	-	1	4	19	27	5	17	3	5	24	46
2	96	12	10	5	4	4	2	12	-	3	9	-	4	24	37	10	14	4	2	25	47
8	265	107	90	14	23	35	19	57	7	7	12	2	24	106	173	55	61	15	15	121	48
7	202	87	77	10	20	25	14	41	3	6	12	2	22	86	117	42	49	10	12	82	49
1	63	20	13	4	3	10	5	16	4	1	-	-	2	20	56	13	12	5	3	39	50
2	51	24	11	5	2	8	3	21	1	1	-	2	1	6	46	4	13	-	1	24	51
-	33	23	5	2	2	-	8	12	1	6	2	-	1	13	21	7	5	1	3	13	52
1	3	2	1	-	-	1	-	1	-	-	-	-	-	3	2	-	1	-	-	-	53
-	41	6	4	1	-	3	1	3	-	-	-	-	1	9	1	1	9	1	1	4	54
																					55
1	96	13	10	4	9	3	3	16	3	1	5	-	10	38	28	19	18	3	4	31	56
-	31	5	7	2	2	-	-	3	2	-	1	-	4	7	8	3	6	2	-	14	57
1	65	8	3	2	7	3	3	13	1	1	4	-	6	31	20	16	12	1	4	17	58
2	36	13	9	1	2	4	2	6	-	2	2	2	2	12	10	15	12	2	3	12	59
1	25	12	5	-	6	-	4	3	-	-	1	-	-	5	14	3	10	-	1	8	60
-	39	-	4	-	2	-	-	6	1	2	-	-	3	8	7	5	6	1	-	6	61
3	124	14	16	6	6	13	4	40	1	5	4	-	10	20	36	14	21	4	6	46	62
1	69	8	6	3	3	7	4	19	1	2	3	-	7	13	17	3	11	1	4	30	63
2	55	6	10	3	3	6	-	21	-	3	1	-	3	7	19	11	10	3	2	16	64
-	27	5	7	4	-	2	1	3	-	2	-	3	-	2	13	3	7	-	1	6	65
1	42	11	18	1	3	1	1	7	1	2	-	-	-	11	6	4	6	1	2	8	66
																					67
-	29	11	5	1	3	2	-	2	-	1	1	-	3	7	3	4	7	-	1	8	68
13	166	54	24	2	10	8	7	24	4	9	4	-	6	24	73	13	35	9	8	58	69
8	117	40	19	2	8	4	5	18	4	6	3	-	4	17	51	8	27	8	6	43	70
5	49	14	5	-	2	4	2	6	-	3	1	-	2	7	22	5	8	1	2	15	71
-	34	2	4	1	3	1	-	3	1	1	1	1	4	3	4	2	2	3	-	9	72
4	39	7	11	9	6	3	-	13	2	1	1	-	2	7	3	5	10	1	1	14	73
1	91	18	21	5	8	2	2	16	3	1	2	2	8	25	14	10	17	3	4	31	74
1	34	8	14	1	5	-	1	8	-	1	2	-	2	8	4	3	7	2	4	7	75
-	57	10	7	4	3	2	1	8	3	-	-	2	6	17	10	7	10	1	-	24	76
1	118	15	19	8	7	4	6	22	2	8	2	1	7	33	76	20	22	4	5	25	77
-	70	10	10	4	6	2	3	3	2	4	-	-	6	16	29	13	12	3	4	9	78
1	48	5	9	4	1	2	3	19	-	4	2	1	1	17	47	7	10	1	1	16	79
																					80
-	88	16	38	1	6	5	3	8	-	2	2	-	4	9	12	5	12	5	-	19	81
1	81	23	28	8	11	6	6	25	1	8	2	1	6	23	41	13	26	7	6	34	82
1	51	13	15	3	8	5	4	13	-	5	2	-	4	18	24	3	16	6	4	24	83
-	30	10	13	5	3	1	2	12	1	3	-	1	2	5	17	10	10	1	2	10	84
3	44	30	27	5	5	2	4	19	3	7	1	-	7	12	64	13	15	1	7	19	85
-	43	10	19	2	4	6	-	5	2	2	2	1	-	8	19	7	7	1	-	7	86
2	59	21	17	1	1	2	3	13	1	5	-	2	4	13	21	7	7	-	-	16	87
1	81	14	12	2	8	3	7	6	2	1	2	1	2	19	11	9	18	6	4	24	88
-	46	11	10	3	2	5	1	3	1	1	-	-	1	8	7	9	9	-	-	12	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-

politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-158,159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-149,158, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MISSISSIPPI--CON.																
NESHOBA	212	2	-	1	16	5	3	2	3	-	-	3	4	116	49	58
NEWTON	223	2	-	2	27	15	1	1	4	-	1	5	4	118	39	67
NOXUBEE	199	2	-	2	26	6	1	2	8	-	6	3	3	100	29	63
OKTIBBEHA	196	-	-	-	24	11	6	-	4	-	1	2	4	103	23	67
PANOLA	349	3	1	1	36	16	3	2	7	1	-	7	1	180	55	110
PEARL RIVER	243	1	-	1	38	12	10	3	1	1	1	10	4	114	24	71
PERRY	84	-	-	1	8	4	3	-	-	-	-	1	1	40	14	26
PIKE	413	3	-	5	57	28	6	5	8	1	1	8	6	215	70	123
MC COMB	154	1	-	2	23	10	3	2	5	1	1	1	3	82	21	52
BALANCE OF COUNTY	259	2	-	3	34	18	3	3	3	-	-	7	3	133	49	71
PONTOTOC	222	3	-	-	30	7	4	3	3	-	1	12	2	125	19	98
PRENTISS	176	2	1	-	28	10	3	3	5	-	-	7	1	91	30	53
QUITMAN	231	2	2	5	29	8	2	2	11	-	-	6	4	89	19	65
RANKIN	225	2	-	5	37	12	7	2	5	3	3	5	2	109	26	73
SCOTT	214	2	1	4	20	5	3	1	7	-	1	3	4	113	35	67
SHARKEY	135	2	-	2	9	3	-	1	3	-	1	1	3	73	11	55
SIMPSON	222	1	-	1	34	13	7	4	2	2	-	6	5	106	35	60
SMITH	131	-	-	1	18	6	4	1	4	1	-	2	2	69	19	39
STONE	82	-	1	-	10	-	5	-	2	2	-	1	2	38	8	27
SUNFLOWER	472	3	-	7	48	19	9	1	10	1	1	7	3	207	66	125
TALLAHATCHIE	286	-	1	4	34	14	3	2	3	1	2	9	2	143	35	93
TATE	184	2	-	2	20	9	1	2	2	1	1	4	5	99	23	70
TIPPAH	162	-	-	-	21	7	-	3	3	-	-	8	1	97	29	62
TISHOMINGO	145	2	-	-	19	5	1	2	4	-	2	5	2	80	33	41
TUNICA	234	2	-	2	22	8	2	-	7	-	1	4	1	89	30	56
UNION	198	1	-	1	27	12	2	4	3	2	1	3	1	112	42	64
WALTHALL	119	-	-	1	12	5	3	1	1	-	1	1	2	56	17	34
WARREN	541	4	1	3	71	22	10	4	14	6	4	11	8	271	87	154
VICKSBURG	377	3	1	2	47	12	10	3	9	4	3	6	6	197	59	116
BALANCE OF COUNTY	164	1	-	1	24	10	-	1	5	2	1	5	2	74	28	38
WASHINGTON	839	3	1	6	93	26	17	8	17	3	7	15	8	369	89	231
GREENVILLE	442	-	-	2	47	12	9	7	8	2	1	8	5	193	47	123
BALANCE OF COUNTY	397	3	1	4	46	14	8	1	9	1	6	7	3	176	42	108
WAYNE	173	1	-	2	18	7	2	1	4	1	1	2	-	84	25	55
WEBSTER	110	1	-	-	18	7	-	-	4	1	4	2	2	62	28	31
WILKINSON	133	4	-	1	18	9	2	-	3	1	1	2	2	62	28	30
WINSTON	219	1	-	4	19	6	3	4	-	1	4	1	-	131	28	99
YALOBUSHA	162	1	2	-	22	5	5	4	4	-	1	3	4	74	31	37
YAZOO	405	3	1	1	43	13	9	4	9	2	2	4	3	180	64	97
YAZOO CITY	175	1	-	-	19	8	3	2	3	1	-	2	1	88	31	47
BALANCE OF COUNTY	230	2	1	1	24	5	6	2	6	1	2	2	2	92	33	50
MISSOURI	49,037	272	86	155	7,550	2,425	1,230	664	1,084	351	357	1,439	763	27,845	6,090	19,147
URBAN	31,291	207	67	94	4,866	1,542	838	461	676	235	222	892	492	17,658	3,629	12,302
RURAL	17,746	65	19	61	2,684	883	392	203	408	116	135	547	271	10,187	2,461	6,845
METROPOLITAN COUNTIES	26,396	175	61	76	4,274	1,331	765	418	597	218	178	767	419	14,580	2,855	10,292
URBAN	23,457	165	58	68	3,774	1,185	675	371	525	186	152	680	377	13,032	2,529	9,190
RURAL	2,939	10	3	8	500	146	90	47	72	32	26	87	42	1,548	326	1,102
NONMETROPOLITAN COUNTIES	22,641	97	25	79	3,276	1,094	465	246	487	133	179	672	344	13,265	3,235	8,855
URBAN	7,834	42	9	26	1,092	357	163	90	151	49	70	212	115	4,626	1,100	3,112
RURAL	14,807	55	16	53	2,184	737	302	156	336	84	109	460	229	8,639	2,135	5,743
ADAIR	250	1	-	3	39	16	2	1	4	3	-	13	2	132	29	88
KIRKSVILLE	162	1	-	2	25	12	2	-	3	1	-	7	1	82	16	57
BALANCE OF COUNTY	88	-	-	1	14	4	-	1	1	2	-	6	1	50	13	31
ANDREW	133	-	-	-	18	5	2	3	6	-	-	2	1	82	24	56
ATCHISON	111	1	-	-	20	8	3	-	4	-	1	4	1	67	11	54
AUDRAIN	277	3	1	2	44	13	5	3	8	2	3	10	2	149	27	107
MEXICO	154	2	1	1	26	10	4	2	5	1	2	2	-	83	15	61
BALANCE OF COUNTY	123	1	-	1	18	3	1	1	3	1	1	8	2	66	12	46
BARRY	243	-	1	1	31	12	5	2	4	2	2	4	5	155	26	109
BARTON	144	-	-	-	18	6	1	3	4	-	-	4	4	89	16	59
BATES	281	2	-	-	49	17	9	2	10	-	2	9	6	171	29	128
BENTON	156	-	1	-	21	9	4	2	1	-	2	3	3	102	37	61
BOLLINGER	126	-	-	-	18	8	4	-	5	-	-	1	1	74	20	43
BOONE	464	-	-	1	78	30	13	3	11	3	4	14	7	254	73	165
COLUMBIA	260	-	-	1	44	17	5	2	6	2	3	9	4	134	37	87
BALANCE OF COUNTY	204	-	-	-	34	13	8	1	5	1	1	5	3	120	36	78
BUCHANAN	1,253	8	6	4	184	57	21	13	33	12	7	41	16	727	161	499
ST. JOSEPH	1,119	8	6	3	164	51	18	11	29	12	5	38	14	656	142	454
BALANCE OF COUNTY	134	-	-	1	20	6	3	2	4	-	2	3	2	71	19	45
BUTLER	469	3	-	2	49	17	10	2	2	2	3	13	7	269	69	177
POPLAR BLUFF	262	1	-	1	27	8	5	2	-	2	2	8	5	162	39	110
BALANCE OF COUNTY	207	2	-	1	22	9	5	-	2	-	1	5	2	107	30	67
CALDWELL	143	-	-	-	15	3	3	1	2	3	-	3	1	93	29	55
CALLAWAY	258	1	-	1	38	7	4	5	3	2	4	13	4	141	44	84
FULTON	103	1	-	-	8	-	-	1	-	1	1	5	1	56	18	32
BALANCE OF COUNTY	155	-	-	1	30	7	4	4	3	1	3	8	3	85	26	52

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-483)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
1	39	3	15	1	5	1	2	6	1	2	3	-	5	10	7	5	9	4	3	18	5
-	59	7	1	4	3	4	1	4	3	3	2	2	1	6	15	8	10	1	1	14	6
1	35	14	13	3	5	-	-	9	-	4	1	2	1	4	23	2	6	2	1	11	7
4	44	14	5	6	4	2	1	7	1	2	-	-	4	4	13	5	13	1	3	12	8
2	72	12	24	1	9	2	3	18	-	11	2	2	5	16	22	6	15	2	2	26	9
1	56	6	8	3	11	2	3	13	4	-	1	-	4	16	11	10	9	2	2	13	10
-	19	2	5	-	-	-	-	-	-	-	1	-	5	3	4	5	4	1	1	10	11
2	89	16	16	2	11	5	4	12	-	5	2	1	5	19	34	4	16	4	4	21	12
1	44	3	4	1	5	1	2	2	-	-	-	1	3	9	10	1	3	2	2	10	13
1	45	13	12	1	6	4	2	10	-	5	2	-	2	10	24	3	13	2	2	11	14
																					15
1	63	8	26	5	-	1	2	10	-	1	3	-	2	8	10	5	7	-	2	14	16
1	38	4	10	3	3	1	1	5	2	-	1	-	4	5	9	7	6	-	1	13	17
-	37	17	11	1	-	1	3	11	-	6	1	-	5	16	14	4	16	2	2	23	18
3	50	10	10	2	3	3	2	7	1	2	1	-	3	17	9	7	8	1	3	11	19
2	43	14	8	2	5	1	3	5	-	4	4	-	3	15	13	5	2	3	3	13	20
-	28	21	6	2	1	-	4	10	-	1	2	-	-	8	5	4	2	-	-	14	21
-	51	2	7	1	5	2	3	14	3	3	1	-	2	10	13	5	7	-	2	15	22
-	25	-	14	2	5	1	3	7	1	2	-	-	1	3	1	6	10	2	1	7	23
1	19	3	4	-	1	2	-	2	1	1	-	-	1	5	7	3	2	-	-	9	24
3	55	44	23	6	3	4	3	32	3	11	-	2	3	36	46	18	21	3	3	26	25
																					26
2	49	30	12	3	5	2	5	5	-	6	4	3	3	21	25	5	9	1	4	16	27
1	29	25	15	1	1	1	3	4	1	3	-	-	4	8	13	3	4	1	3	12	28
1	36	16	9	2	3	1	-	3	1	3	1	-	1	5	5	4	9	1	-	10	29
-	35	2	4	1	2	2	1	6	1	1	-	-	3	2	4	4	4	3	2	12	30
-	37	6	13	-	1	2	2	18	-	10	5	1	3	19	30	9	10	2	2	9	31
-	40	1	23	2	3	1	-	8	1	-	1	-	3	7	7	5	7	6	1	10	32
-	23	3	8	-	2	2	1	6	1	2	1	-	2	5	6	3	5	1	3	13	33
15	81	40	18	5	18	3	4	15	2	4	6	-	7	29	54	9	22	1	6	28	34
9	65	28	14	3	14	2	3	10	2	2	4	-	6	20	33	5	16	1	2	20	35
6	16	12	4	2	4	1	1	5	-	2	2	-	1	9	21	4	6	-	4	8	36
																					37
3	105	62	61	13	11	10	15	28	1	13	1	5	11	63	128	20	37	5	7	40	38
1	53	44	25	4	7	6	6	15	-	4	1	4	7	32	83	10	13	3	5	18	39
2	52	18	36	9	4	4	9	13	1	9	-	1	4	31	45	10	24	2	2	22	40
-	39	4	12	-	2	2	-	7	-	3	1	2	2	9	15	9	9	2	3	6	41
-	25	3	3	-	1	1	1	3	-	-	1	-	-	1	5	2	4	1	-	10	42
-	18	5	7	2	1	1	-	5	-	-	-	-	-	9	15	1	7	-	-	9	43
3	72	15	9	-	2	2	-	11	-	1	-	1	1	7	8	4	12	4	2	13	44
1	31	4	1	-	3	3	-	8	1	-	1	-	2	5	11	8	8	-	1	14	45
1	50	25	21	8	6	-	5	14	-	4	1	-	-	19	72	11	21	-	3	29	46
1	20	12	14	7	1	-	2	2	-	4	-	-	-	11	23	3	12	-	1	10	47
-	30	13	7	1	5	-	3	12	-	-	1	-	-	8	49	8	9	-	2	19	48
																					49
																					50
435	14,477	1,587	2,648	388	1,251	646	323	1,865	288	184	451	40	515	1,514	718	1,028	1,558	554	226	3,425	51
																					52
298	9,424	989	1,591	255	826	449	197	1,192	173	129	356	23	344	1,081	398	563	943	358	166	2,181	53
137	5,053	598	1,057	133	425	197	126	673	115	55	95	17	171	433	320	465	615	196	60	1,244	54
																					55
277	7,958	805	1,252	207	675	392	159	1,026	157	106	314	26	324	956	295	478	812	312	159	1,846	56
245	7,122	724	1,099	192	614	361	146	933	128	92	290	20	264	832	240	387	728	268	149	1,652	57
32	836	81	153	15	61	31	13	93	29	14	24	6	60	124	55	91	84	44	10	194	58
158	6,519	782	1,396	181	576	254	164	839	131	78	137	14	191	558	423	550	746	242	67	1,579	59
53	2,302	265	492	63	212	88	51	259	45	37	66	3	80	249	158	176	215	90	17	529	60
105	4,217	517	904	118	364	166	113	580	86	41	71	11	111	309	265	374	531	152	50	1,050	61
																					62
1	70	6	11	3	5	4	3	8	2	-	1	-	2	11	-	8	7	5	-	29	63
1	45	2	9	2	2	3	2	5	-	-	1	-	2	9	-	4	5	3	-	22	64
-	25	4	2	1	3	1	1	3	2	-	-	-	-	2	-	4	2	2	-	7	65
2	50	3	1	-	1	-	1	7	2	-	-	-	2	1	-	2	5	3	1	9	66
2	39	5	8	-	2	-	-	3	1	2	-	-	1	3	-	3	5	1	-	3	67
5	76	14	12	4	5	3	3	9	1	2	2	-	7	10	2	9	4	3	1	26	68
3	45	5	8	2	4	1	-	7	1	1	1	-	4	6	1	3	1	1	1	14	69
2	31	9	4	2	1	2	3	2	-	1	1	-	3	4	1	6	3	2	-	12	70
-	78	15	16	-	13	3	4	3	1	-	-	-	2	7	3	6	7	1	-	20	71
1	48	2	8	1	6	2	5	7	2	-	1	-	-	-	2	3	3	2	-	13	72
6	82	21	19	3	4	4	3	11	2	1	1	-	1	4	-	6	4	2	-	21	73
1	51	1	8	-	-	3	1	5	1	-	2	-	-	1	2	2	4	-	-	12	74
																					75
1	30	10	2	5	5	1	-	9	-	-	-	-	-	1	2	5	6	1	-	9	76
4	131	12	18	4	3	8	1	10	5	5	8	1	10	25	4	6	15	4	-	31	77
1	73	3	10	2	3	4	1	3	5	3	7	-	7	14	3	5	10	2	-	18	78
3	58	9	8	2	-	4	-	7	-	2	1	1	3	11	1	1	5	2	-	13	79
15	392	46	46	8	36	15	8	31	10	1	9	-	11	36	75	12	30	11	2	80	80
15	354	42	43	6	32	14	8	28	9	1	9	-	9	29	66	11	25	11	1	69	81
-	38	4	3	2	4	1	-	3	1	-	-	-	2	7	9	1	5	-	1	11	82
4	128	11	34	6	8	7	2	19	2	1	3	2	5	12	31	12	18	2	3	29	83
3	81	7	19	3	3	5	2	10	-	-	2	1	2	8	16	4	10	-	1	12	84
1	47	4	15	3	5	2	-	9	2	1	1	1	3	4	15	8	8	2	2	17	85
																					86
1	43	3	8	1	5	3	-	9	1	-	-	-	1	3	2	1	3	3	-	11	87
2	59	8	15	2	8	2	1	11	1	-	1	-	1	10	5	8	13	4	-	19	88
-	22	4	6	1	3	2	-	6	-	-	1	-	-	9	3	1	4	2	-	11	89
2	37	4	9	1	5	-	1	5	1	-	-	-	1	1	2	7	9	2	-	8	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-445)
MISSOURI--CON.																
CAMDEN	123	-	-	-	21	10	3	4	-	-	1	3	2	75	8	58
CAPE GIRARDEAU	430	-	1	1	77	24	8	6	12	3	6	18	4	246	50	172
CAPE GIRARDEAU	252	-	1	1	48	15	7	4	7	3	2	10	1	139	30	99
BALANCE OF COUNTY	178	-	-	-	29	9	1	2	5	-	4	8	3	107	20	73
CARROLL	214	-	-	-	29	15	4	-	1	-	2	7	4	120	27	82
CARTER	59	-	-	1	7	3	-	1	1	-	-	2	1	34	9	23
CASS	276	-	1	1	40	11	8	4	5	1	2	9	2	153	41	101
CEDAR	140	1	-	-	15	4	1	-	4	-	2	4	4	83	19	59
CHARITON	170	1	1	-	26	9	2	-	3	1	2	9	5	102	26	70
CHRISTIAN	151	1	-	-	27	6	2	3	2	-	1	13	-	91	26	61
CLARK	100	-	-	-	12	4	-	3	2	-	-	3	-	60	19	38
CLAY	606	6	1	2	94	26	19	7	18	5	2	17	9	336	89	205
GLADSTONE	19	-	-	-	6	1	2	-	2	-	-	1	-	5	1	3
KANSAS CITY, PART	166	2	1	1	33	5	4	7	8	3	2	4	5	80	18	54
BALANCE OF COUNTY	421	4	-	1	55	20	13	-	8	2	-	12	4	251	70	148
CLINTON	169	-	-	-	24	12	3	2	4	1	-	2	1	113	27	76
COLE	382	-	1	4	53	13	15	2	16	2	2	3	5	238	43	170
JEFFERSON CITY	268	-	1	4	34	7	13	1	11	1	-	1	3	164	28	122
BALANCE OF COUNTY	114	-	-	-	19	6	2	1	5	1	2	2	2	74	15	48
COOPER	185	1	-	-	17	8	1	2	2	1	1	2	5	123	26	86
CRAWFORD	179	1	-	1	30	15	3	5	3	-	-	4	3	99	17	74
DADE	118	1	-	-	23	10	1	1	2	-	2	7	-	67	13	51
DALLAS	123	1	-	-	27	12	6	-	3	-	2	4	3	61	18	38
DAVIESS	151	-	1	-	23	8	4	2	2	1	-	6	1	97	25	54
DE KALB	105	-	-	-	17	5	-	3	1	-	2	6	1	70	15	48
DENT	166	-	1	-	22	9	3	-	4	-	-	6	1	98	24	66
DOUGLAS	116	-	-	1	18	6	1	-	4	-	1	6	1	63	12	42
DUNKLIN	419	2	1	2	45	13	5	7	6	3	1	10	3	242	45	183
FRANKLIN	476	2	-	3	84	34	7	4	8	4	4	23	11	268	41	207
GASCONADE	148	1	-	1	18	2	2	5	2	1	2	4	5	99	21	68
GENTRY	152	-	-	-	29	12	5	-	4	1	-	7	-	82	23	48
GREENE	1,331	6	1	4	172	58	28	16	20	9	7	34	20	778	181	529
SPRINGFIELD	1,072	6	1	4	135	37	24	13	19	8	6	28	15	641	142	438
BALANCE OF COUNTY	259	-	-	-	37	21	4	3	1	1	1	6	5	137	39	91
GRUNDY	243	1	-	-	33	9	3	2	8	1	1	9	8	145	39	95
HARRISON	190	-	1	2	32	14	7	1	7	-	1	2	-	111	17	79
HENRY	300	1	-	1	41	14	3	4	10	-	5	5	2	188	57	124
HICKORY	75	-	-	1	9	-	1	1	3	1	-	3	-	48	10	35
HOLT	129	1	-	1	24	10	1	3	5	2	-	3	-	74	26	43
HOWARD	139	-	-	1	18	6	3	4	3	-	-	2	2	83	21	58
HOWELL	293	-	2	-	32	7	4	2	9	4	3	3	5	184	45	121
IRON	149	-	-	-	23	6	4	3	4	1	3	2	1	92	27	52
JACKSON	6,859	52	18	22	1,050	313	171	103	162	47	41	213	86	3,796	767	2,670
INDEPENDENCE	670	2	1	5	105	29	9	13	21	5	9	19	9	387	71	273
KANSAS CITY, PART	5,580	48	16	13	849	267	145	80	126	35	25	171	71	3,089	628	2,167
KANSAS CITY, TOTAL	5,746	50	17	14	882	272	149	87	134	38	27	175	76	3,169	646	2,221
RAYTOWN	150	-	-	2	30	5	3	5	6	4	1	6	1	74	10	59
BALANCE OF COUNTY	459	2	1	2	66	12	14	5	9	3	6	17	5	246	58	171
JASPER	1,109	10	-	5	156	49	26	16	22	2	6	35	20	640	122	452
CARTHAGE	165	1	-	-	25	8	6	1	2	-	3	5	2	110	14	88
JOPLIN, PART	536	7	-	4	71	26	10	9	8	2	-	16	14	288	65	189
JOPLIN, TOTAL	544	7	-	4	73	26	11	9	8	2	1	16	14	294	67	193
BALANCE OF COUNTY	408	2	-	1	60	15	10	6	12	-	3	14	4	242	43	175
JEFFERSON	558	2	3	2	97	22	21	10	14	6	3	21	6	318	70	212
JOHNSON	286	-	-	1	30	10	4	3	7	1	-	5	3	168	37	108
KNOX	96	-	-	-	14	6	1	-	1	2	-	4	5	63	18	38
LACLEDE	244	1	-	-	35	10	11	1	5	-	3	5	9	132	29	92
LAFAYETTE	339	2	-	-	52	20	5	2	5	1	7	12	6	197	47	135
LAWRENCE	308	4	-	-	45	20	5	6	2	2	1	9	2	185	50	109
LEWIS	159	-	-	-	18	4	3	-	4	-	1	6	4	99	24	69
LINCOLN	223	-	-	-	33	10	3	4	9	1	1	5	6	139	39	87
LINN	297	1	1	-	40	22	3	1	3	3	4	4	3	191	50	133
LIVINGSTON	214	-	-	1	29	9	5	2	4	2	2	5	2	129	35	80
MC DONALD	168	-	-	-	34	12	5	1	6	2	-	8	4	91	25	60
MACON	271	3	-	-	37	17	2	3	5	2	-	8	3	167	51	101
MADISON	136	2	-	1	18	2	5	2	4	-	-	5	4	70	17	45
MARIES	84	1	-	1	8	2	2	1	2	-	-	1	1	47	12	33
MARION	417	1	1	-	63	19	13	6	6	3	6	10	6	245	61	159
HANNIBAL, PART	308	1	-	-	40	10	11	5	3	2	1	8	4	195	45	128
HANNIBAL, TOTAL	311	1	-	-	40	10	11	5	3	2	1	8	4	198	45	131
BALANCE OF COUNTY	109	-	1	-	23	9	2	1	3	1	5	2	2	50	16	31
MERCER	76	-	1	1	7	2	1	-	1	2	-	1	2	50	11	39
MILLER	178	1	-	-	27	9	4	4	1	1	3	5	3	102	31	60
MISSISSIPPI	257	1	1	3	25	11	5	2	2	-	2	3	1	125	27	83
MONITEAU	163	1	-	3	18	4	3	-	9	-	-	2	1	98	30	58
MONROE	143	3	-	1	21	6	2	4	3	2	-	4	3	88	20	59
MONTGOMERY	156	1	-	3	30	8	5	4	7	2	1	3	2	86	22	54
MORGAN	123	1	-	-	17	5	3	1	2	3	1	2	1	79	25	48

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-688)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	48	7	3	3	3	2	1	1	1	1	3	-	-	1	2	6	5	-	-	5	1
-	148	14	10	4	12	5	3	10	2	1	3	-	7	17	2	15	11	2	-	31	2
-	85	7	7	1	4	3	2	7	-	1	2	-	3	15	1	9	5	1	-	18	3
-	63	7	3	3	8	2	1	3	2	-	1	-	4	2	1	6	6	1	-	13	4
-	58	8	16	3	4	3	1	11	1	1	1	-	4	2	6	9	7	2	-	17	5
1	19	1	2	-	1	-	1	2	-	-	-	-	1	1	-	3	2	-	1	6	6
3	82	1	15	2	7	2	-	10	3	1	-	1	4	14	4	10	15	-	1	16	7
-	46	1	12	1	3	1	-	6	3	1	1	-	1	5	2	5	1	4	-	8	8
1	52	8	9	-	4	2	-	3	1	-	-	-	1	2	-	9	5	2	-	12	9
1	44	4	12	1	2	1	-	3	-	-	1	-	1	3	2	6	5	-	-	11	10
-	32	1	5	-	2	-	1	3	1	-	1	-	-	1	3	3	6	-	-	10	11
4	172	12	17	2	30	5	5	13	2	3	3	-	12	34	5	14	19	10	1	42	12
-	3	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	2	-	3	13
2	44	3	5	-	6	1	1	3	2	-	1	-	2	11	2	5	4	3	-	11	14
2	125	9	12	2	23	4	4	10	-	3	2	-	9	21	3	9	15	5	1	28	15
-	63	4	9	1	5	1	3	5	1	-	2	2	1	1	1	1	5	3	-	9	16
1	129	17	23	1	13	8	3	11	1	-	3	-	3	11	4	4	12	4	2	26	17
-	97	9	16	-	7	6	1	8	1	-	3	-	1	10	3	2	9	3	2	20	18
1	32	8	7	1	6	2	2	3	-	-	-	-	2	1	1	2	3	1	-	6	19
1	73	6	6	3	6	-	2	7	2	2	-	-	-	2	-	-	3	3	1	19	20
-	57	2	15	1	3	4	-	11	-	1	2	-	1	5	5	2	3	2	1	12	21
-	42	2	7	-	1	1	1	4	1	1	-	-	1	1	4	4	1	2	-	8	22
1	29	5	3	-	2	1	2	4	-	-	-	-	1	5	7	3	-	1	-	10	23
1	37	3	13	1	11	1	5	5	2	-	1	-	1	1	1	2	3	1	-	12	24
2	33	3	10	4	1	-	2	1	-	-	-	-	-	1	2	1	4	-	-	8	25
-	53	8	5	-	5	3	-	11	-	-	1	-	-	5	10	2	8	3	-	4	26
-	31	5	6	1	3	2	3	1	1	2	1	-	1	5	4	3	4	2	-	9	27
2	147	10	24	3	5	2	4	13	4	4	3	-	6	13	12	17	13	3	2	34	28
1	140	20	46	2	5	7	6	15	3	-	6	1	3	8	8	15	13	3	-	33	29
1	55	5	7	2	5	1	2	8	-	-	-	-	2	1	-	2	2	1	-	8	30
-	38	3	7	2	3	4	2	7	1	-	2	-	1	3	-	4	6	2	-	15	31
13	362	67	87	6	38	16	8	30	14	8	8	2	22	43	47	35	35	26	-	80	32
11	306	53	68	6	32	15	8	27	9	8	4	1	19	41	34	27	24	19	-	57	33
2	56	14	19	-	6	1	-	3	5	-	4	1	3	2	13	8	11	7	-	23	34
1	54	24	16	-	7	1	3	7	-	2	2	-	-	2	8	5	8	7	-	15	35
1	42	16	20	1	8	2	4	8	2	-	-	-	-	2	-	3	7	3	-	19	36
2	94	4	24	2	5	-	-	7	3	1	-	-	5	2	9	9	9	5	-	17	37
-	26	3	6	-	3	-	-	7	-	-	-	-	1	-	-	-	4	1	1	3	38
2	33	5	3	1	3	1	-	6	-	-	-	-	2	2	-	2	3	1	1	12	39
-	45	6	7	-	2	1	1	3	-	-	-	-	-	2	1	3	7	1	-	18	40
2	87	10	22	7	9	2	-	8	-	1	1	-	6	8	3	8	7	-	2	26	41
1	43	3	5	-	11	1	1	8	-	-	1	-	3	2	-	4	4	-	2	9	42
65	2,085	179	341	41	181	99	38	292	46	30	82	8	89	257	41	137	192	88	65	508	43
3	211	23	36	9	19	9	6	15	4	2	3	2	8	31	3	12	16	10	2	53	44
55	1,690	138	284	30	152	84	28	260	36	27	77	5	67	199	37	87	154	65	59	421	45
57	1,734	141	289	30	158	85	29	263	38	27	78	5	69	210	39	92	158	68	59	432	46
2	48	3	6	-	2	2	1	3	2	-	2	1	2	8	-	8	3	3	-	11	47
5	136	15	15	2	8	4	3	14	4	1	-	-	12	19	1	30	19	10	4	23	48
9	318	43	82	11	32	12	11	33	13	5	18	-	9	17	32	35	31	9	4	72	49
1	61	1	25	2	4	2	-	3	-	-	1	-	1	1	3	6	2	1	-	9	50
4	133	26	26	6	17	5	6	18	8	1	15	-	5	13	20	18	13	5	2	34	51
5	135	27	26	6	17	5	6	18	8	1	15	-	5	13	20	18	13	5	2	34	52
4	124	16	31	3	11	5	5	12	5	4	2	-	3	3	9	11	16	3	2	29	53
5	143	8	56	7	20	8	1	21	5	3	5	1	7	17	3	20	12	9	-	27	54
2	76	4	26	6	14	1	2	12	2	2	2	1	5	16	-	3	15	4	1	21	55
1	32	3	2	3	1	2	1	2	-	-	1	1	-	1	-	1	2	1	-	5	56
1	64	8	19	1	3	3	4	14	-	-	2	-	2	6	4	12	7	3	-	17	57
2	109	12	12	2	8	4	1	10	3	1	3	-	-	7	1	8	13	5	-	31	58
3	77	9	20	4	17	4	1	8	-	-	-	-	-	5	13	3	11	1	1	30	59
1	55	-	13	1	2	1	2	4	1	-	3	-	1	2	1	6	1	1	1	17	60
2	65	3	17	2	4	4	3	8	1	-	3	-	4	3	3	3	6	3	1	10	61
1	94	8	30	-	5	1	2	6	1	1	1	-	2	4	6	5	8	5	-	22	62
-	59	3	18	2	9	1	2	11	-	2	-	-	2	4	3	3	5	5	1	17	63
1	44	1	14	1	-	3	2	8	2	-	-	-	-	2	4	2	7	1	-	13	64
1	70	12	18	1	11	2	1	6	2	1	-	-	1	4	6	9	6	3	1	22	65
1	37	-	7	1	3	2	2	12	-	-	1	-	-	5	5	4	5	1	-	8	66
1	22	2	8	1	-	1	-	6	-	-	-	-	-	2	5	1	3	1	-	8	67
4	140	2	13	2	15	6	2	13	2	1	2	-	7	7	5	13	6	9	-	36	68
4	113	2	9	1	13	6	2	10	2	-	1	-	6	6	2	6	2	8	-	25	69
4	116	2	9	1	13	6	2	10	2	-	1	-	6	6	2	6	2	8	-	25	70
-	27	-	4	1	2	-	-	3	-	1	1	-	1	1	3	7	4	1	-	11	71
-	30	6	3	-	-	-	-	3	-	-	-	-	-	2	-	1	6	2	-	1	72
3	34	8	15	2	6	3	-	14	-	1	-	-	1	7	4	1	8	1	-	8	73
1	55	6	21	3	8	3	1	9	-	3	2	1	2	17	28	14	10	-	5	10	74
-	35	-	23	1	6	3	-	4	3	-	1	-	-	2	2	6	6	3	-	15	75
1	43	6	9	1	5	2	1	2	1	-	1	-	-	2	5	2	7	3	-	4	76
-	40	3	11	2	4	2	2	7	1	-	-	-	2	5	-	-	9	1	-	9	77
-	43	3	2	-	3	3	-	2	1	1	-	-	-	3	-	3	4	1	1	9	78

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified u.-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-136)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MISSOURI--CON.																
NEW MADRID	334	3	2	1	41	8	6	3	9	3	-	12	4	163	58	94
SIKESTON, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
BALANCE OF COUNTY	332	3	2	1	41	8	6	3	9	3	-	12	4	161	57	93
NEWTON	309	4	-	3	46	14	9	2	7	2	6	6	4	164	45	104
JOPLIN, PART	8	-	-	-	2	-	1	-	-	-	1	-	-	6	2	4
BALANCE OF COUNTY	301	4	-	3	44	14	8	2	7	2	5	6	4	158	43	100
NODAWAY	289	-	-	2	37	12	3	7	3	1	1	10	3	192	69	105
OREGON	124	1	1	-	18	8	1	-	4	1	-	4	1	79	18	54
OSAGE	124	-	-	-	19	7	-	4	2	-	2	4	-	75	17	47
OZARK	79	-	-	-	16	4	3	1	3	2	1	2	-	48	12	29
PEMISCOT	404	3	-	1	54	16	11	1	10	1	3	12	2	186	52	121
PERRY	170	-	-	-	21	12	2	2	-	1	2	2	2	98	22	66
PETTIS	480	2	-	1	72	27	7	4	6	5	7	16	7	277	52	205
SEDALIA	335	2	-	1	43	18	5	2	3	4	5	6	3	206	39	151
BALANCE OF COUNTY	145	-	-	-	29	9	2	2	3	1	2	10	4	71	13	54
PHELPS	261	-	-	1	37	13	4	3	7	1	-	9	5	149	42	93
ROLLA	89	-	-	-	14	3	1	1	2	-	-	7	3	47	12	31
BALANCE OF COUNTY	172	-	-	1	23	10	3	2	5	1	-	2	2	102	30	62
PIKE	255	-	-	2	36	10	5	4	4	1	2	10	6	143	24	103
PLATTE	186	-	1	2	34	9	6	1	4	2	5	7	3	106	27	72
POLK	175	-	-	-	23	7	7	2	2	1	1	3	4	117	25	77
PULASKI	152	1	-	2	18	5	3	1	2	-	1	6	1	68	11	52
PUTNAM	124	-	-	-	13	6	1	-	4	-	1	1	4	87	21	58
RALLS	94	-	-	-	15	5	2	1	1	-	-	6	2	53	22	27
HANNIBAL, PART	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3
BALANCE OF COUNTY	91	-	-	-	15	5	2	1	1	-	-	6	2	50	22	24
RANDOLPH	350	4	1	1	62	24	7	3	8	3	3	14	10	211	44	150
MOBERLY	216	4	1	-	35	12	4	2	6	2	2	7	6	137	31	94
BALANCE OF COUNTY	134	-	-	1	27	12	3	1	2	1	1	7	4	74	13	56
RAY	207	2	-	2	18	5	3	2	-	3	2	3	1	122	32	76
REYNOLDS	67	1	-	-	9	2	-	-	1	1	-	5	5	41	5	33
RIPLEY	122	1	1	2	18	5	4	-	2	1	1	5	4	77	16	58
ST. CHARLES	421	3	-	2	70	24	8	8	13	1	4	12	3	217	43	158
ST. CHARLES	208	1	-	1	30	8	5	4	4	1	2	6	2	119	30	82
BALANCE OF COUNTY	213	2	-	1	40	16	3	4	9	-	2	6	1	98	13	76
ST. CLAIR	142	-	-	-	24	5	5	2	3	1	2	6	3	87	21	59
ST. FRANCOIS	432	1	-	1	65	19	10	3	18	2	1	12	13	260	84	158
ST. LOUIS	5,201	17	4	10	972	304	175	112	121	54	50	156	88	2,776	479	2,043
BELLEFONTAINE NEIGHBORS	79	-	1	-	17	4	4	2	1	1	1	4	3	39	8	25
BERKELEY	67	-	-	-	9	4	2	1	-	1	-	1	-	33	3	27
BRENTWOOD	72	-	-	-	9	2	2	2	-	-	-	1	-	42	9	31
CLAYTON	176	-	-	1	40	14	6	6	4	2	4	4	2	96	14	75
CRESTWOOD	37	-	-	-	4	1	2	1	-	-	-	-	1	19	5	11
FERGUSON	153	2	1	-	30	8	8	2	3	4	2	3	3	84	12	65
FLORISSANT	173	2	-	-	26	9	5	3	4	-	-	5	1	86	12	69
JENNINGS	163	1	-	-	34	12	7	2	4	1	3	5	5	86	14	64
KIRKWOOD	249	2	-	-	52	14	9	10	6	3	2	8	4	132	21	96
MAPLEWOOD	145	-	-	-	17	7	5	1	2	-	-	2	-	90	16	61
OVERLAND	206	-	-	-	39	8	7	7	7	3	2	5	7	119	14	87
RICHMOND HEIGHTS	163	1	1	-	38	12	5	2	9	1	3	6	-	80	16	59
ST. ANN	72	1	-	-	9	4	1	2	1	-	-	1	3	32	6	22
UNIVERSITY CITY	472	-	-	2	92	36	12	9	4	9	3	19	15	273	45	210
WEBSTER GROVES	270	-	-	-	52	13	6	9	7	3	3	11	2	158	29	116
BALANCE OF COUNTY	2,704	8	1	7	504	156	94	53	67	26	27	81	42	1,407	255	1,025
ST. LOUIS CITY	10,167	81	28	30	1,635	527	322	149	216	84	64	273	191	5,632	1,065	3,976
STE. GENEVIEVE	117	-	-	-	13	2	3	-	1	2	1	4	3	72	14	53
SALINE	367	4	-	-	52	18	9	6	6	1	4	8	4	225	55	159
SCHUYLER	87	-	-	-	12	4	1	2	1	1	1	2	2	58	25	27
SCOTLAND	94	-	-	-	17	6	1	2	3	1	-	4	2	61	16	41
SCOTT	331	2	-	-	42	8	9	4	3	3	4	11	5	196	44	144
SIKESTON, PART	126	1	-	-	16	2	4	3	1	3	2	1	2	77	23	51
SIKESTON, TOTAL	128	1	-	-	16	2	4	3	1	3	2	1	2	79	24	52
BALANCE OF COUNTY	205	1	-	-	26	6	5	1	2	-	2	10	3	119	21	93
SHANNON	80	-	-	-	14	5	4	1	2	-	-	2	-	44	10	33
SHELBY	147	-	-	-	27	9	2	5	6	-	1	4	-	90	23	50
STODDARD	289	2	-	1	39	7	7	1	8	5	1	10	5	153	36	99
STONE	95	1	-	-	17	5	3	2	1	-	1	5	1	54	14	35
SULLIVAN	129	-	-	1	27	9	2	4	6	1	-	5	4	71	21	44
TANEY	130	-	1	1	20	5	4	2	2	-	-	7	2	88	24	51
TEXAS	187	1	-	-	28	10	2	1	7	1	2	5	4	114	30	78
VERNON	287	-	-	-	48	16	8	1	11	3	3	6	2	185	41	135
WARREN	114	-	-	-	20	7	2	-	1	2	2	6	4	68	10	48
WASHINGTON	166	1	-	-	28	10	7	2	2	1	2	4	2	77	30	40
WAYNE	126	-	1	-	27	12	3	1	5	3	2	1	1	64	15	42
WEBSTER	190	1	-	2	27	8	5	2	2	1	4	5	3	113	30	73
WORTH	61	-	-	-	6	4	1	-	1	-	-	-	1	39	8	25
WRIGHT	192	3	-	2	25	7	2	-	5	-	5	6	-	112	36	67

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
2	61	12	19	3	5	2	1	16	1	2	3	1	-	18	20	13	22	2	2	20	1
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	61	11	19	3	5	2	1	16	1	2	3	1	-	18	20	13	22	2	2	20	3
4	62	12	26	1	8	4	2	15	2	-	1	-	3	7	13	5	12	4	-	26	4
1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
3	60	11	26	1	8	4	2	15	2	-	1	-	3	7	13	5	12	4	-	26	6
1	71	17	16	7	6	5	2	9	-	-	2	-	4	7	-	4	10	4	-	15	7
2	35	9	8	1	4	-	2	3	-	-	1	-	1	4	-	1	2	2	-	10	8
2	32	8	5	1	4	6	-	5	1	-	1	-	1	2	-	6	5	2	1	6	9
-	23	1	5	1	3	2	1	5	-	1	-	-	1	1	1	-	1	-	-	6	10
2	86	19	14	3	5	3	2	20	1	4	1	1	4	28	28	14	22	4	9	22	11
2	45	13	6	-	4	2	4	5	-	-	1	-	1	10	2	3	6	3	-	18	12
4	145	20	36	2	10	6	2	17	5	2	4	-	8	19	-	13	18	5	1	29	13
2	110	15	24	1	8	5	2	11	2	2	2	-	5	12	-	11	12	5	1	17	14
2	35	5	12	1	2	1	-	6	3	-	2	-	3	7	-	2	6	-	-	12	15
2	71	7	13	3	4	5	2	19	2	1	4	-	1	10	3	7	4	5	1	12	16
-	25	2	4	-	2	2	-	4	-	-	2	-	1	5	-	5	1	2	-	5	17
2	46	5	9	3	2	3	2	15	2	1	2	-	-	5	3	2	3	3	1	7	18
-	65	15	23	-	9	4	3	9	2	2	1	-	2	7	8	1	12	4	2	18	19
-	65	2	5	-	5	2	-	6	-	-	3	-	2	3	2	3	7	3	1	10	20
-	42	4	31	-	11	4	-	5	1	1	-	-	2	3	5	3	1	1	-	9	21
3	38	6	5	1	1	2	1	8	-	1	-	-	4	13	2	8	9	3	1	13	22
-	38	11	9	2	3	1	2	3	1	-	-	-	2	-	-	1	5	2	-	5	23
-	19	1	7	1	1	2	-	5	-	1	1	-	1	1	2	1	4	1	-	7	24
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	16	1	7	1	1	2	-	5	-	1	1	-	1	1	2	1	4	1	-	7	26
2	106	11	31	2	10	5	-	8	2	1	1	-	1	2	11	8	6	3	1	17	27
1	72	6	15	1	7	4	-	2	1	1	1	-	1	2	7	5	4	1	-	8	28
1	34	5	16	1	3	1	-	6	1	-	-	-	-	-	4	3	2	2	1	9	29
-	65	3	8	-	12	2	-	15	1	-	-	-	4	3	1	3	12	5	-	18	30
2	19	1	11	-	2	-	1	2	-	-	-	-	-	-	-	-	2	-	-	7	31
-	56	2	-	-	-	2	1	3	-	-	1	-	-	3	1	4	1	1	-	5	32
3	127	13	15	3	6	4	3	14	1	1	4	-	6	26	10	14	14	2	1	33	33
3	71	3	5	3	2	2	-	7	-	1	1	-	3	16	6	4	7	1	1	8	34
-	56	10	10	-	4	2	3	7	1	-	3	-	3	10	4	10	7	1	-	25	35
-	53	4	2	1	4	1	1	5	-	2	1	-	-	1	-	3	1	2	-	13	36
11	114	14	19	3	12	3	-	23	1	1	2	-	1	10	7	1	15	3	1	27	37
64	1,622	138	219	41	116	77	20	152	38	28	42	6	93	204	88	110	149	74	17	333	38
-	20	2	3	-	3	3	-	1	-	-	-	-	2	3	2	3	3	2	-	3	39
1	22	1	3	-	3	-	-	2	-	-	1	-	1	6	2	2	3	3	1	4	40
-	25	3	3	1	1	-	-	3	1	-	-	-	1	3	3	4	3	1	-	2	41
1	67	3	4	2	3	2	-	6	-	1	3	-	-	2	5	1	1	6	-	12	42
-	10	1	-	-	2	-	1	-	-	-	-	1	1	4	3	1	1	-	-	2	43
3	53	3	6	-	5	2	-	3	1	1	1	-	-	4	1	4	1	2	-	8	44
2	61	2	4	-	3	1	1	5	-	2	1	-	4	16	1	8	4	2	2	13	45
7	44	3	10	1	4	2	1	5	2	-	1	-	-	6	3	2	5	2	-	11	46
1	84	5	6	1	9	5	-	5	1	-	1	-	5	9	5	7	3	7	1	15	47
-	50	3	8	3	6	4	-	10	3	-	-	-	1	4	5	-	3	2	-	10	48
5	65	4	13	2	7	7	2	4	-	2	2	-	3	6	1	1	7	2	-	13	49
2	49	3	5	2	1	2	-	4	1	-	1	-	1	5	2	4	7	2	1	15	50
-	16	1	5	-	3	1	-	5	-	-	1	-	2	3	1	1	2	-	-	12	51
13	165	20	12	3	6	9	7	9	7	1	3	-	5	3	12	4	11	4	3	28	52
-	86	12	18	3	10	-	-	12	-	3	1	-	3	6	2	9	5	5	-	12	53
29	805	72	119	23	50	39	15	78	22	18	26	5	57	124	40	59	90	34	9	173	54
108	3,055	342	471	99	248	168	76	473	41	32	161	9	84	339	26	136	361	92	73	743	55
1	41	3	8	1	1	1	2	4	1	-	3	-	1	4	1	-	5	1	1	8	56
6	117	17	19	1	3	4	3	11	4	-	3	1	1	10	-	10	13	2	2	25	57
-	22	1	4	2	2	-	2	3	-	-	-	-	1	-	-	2	5	-	-	4	58
-	23	-	18	-	3	1	-	3	2	-	-	-	1	2	-	1	1	-	-	4	59
7	99	15	23	3	2	2	1	12	4	5	1	-	3	11	3	10	13	2	1	21	60
-	32	5	14	2	-	-	1	4	3	1	-	-	2	2	1	4	4	2	1	6	61
-	32	6	14	2	-	-	1	4	3	1	-	-	2	2	1	4	4	2	1	6	62
7	67	10	9	1	2	2	-	8	1	4	1	-	1	9	2	6	9	-	-	15	63
-	25	2	6	-	-	1	-	6	-	1	-	-	2	2	2	2	3	1	-	3	64
1	33	8	8	5	8	2	2	4	3	1	1	-	3	2	1	6	3	-	-	6	65
2	71	7	19	3	9	3	3	11	1	-	1	-	2	7	17	6	15	5	1	23	66
1	31	2	1	1	2	2	-	1	1	1	1	-	-	1	1	2	2	-	-	12	67
-	33	2	9	-	5	-	1	5	-	-	-	-	1	1	-	7	3	-	-	9	68
3	40	4	4	2	7	-	4	2	-	-	1	-	2	-	-	5	2	1	-	5	69
-	62	9	7	-	4	2	-	10	1	-	-	1	2	3	-	5	4	3	1	10	70
1	93	23	18	-	6	3	-	8	2	2	3	-	-	3	5	4	3	5	1	16	71
1	34	10	3	3	4	1	2	4	1	-	-	-	-	3	-	3	4	2	-	5	72
-	27	2	11	1	5	-	1	15	1	1	-	-	2	8	1	7	7	4	1	11	73
1	31	4	6	2	2	3	-	9	-	-	1	-	1	2	5	3	3	-	1	8	74
4	56	6	7	2	6	2	-	6	1	-	-	-	-	6	-	3	10	2	1	15	75
1	16	1	7	1	4	1	-	2	-	-	-	-	-	1	-	-	3	-	-	9	76
-	47	12	8	-	5	1	3	6	2	-	-	-	-	1	1	6	17	3	1	13	77

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-136)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MONTANA	6,426	32	8	21	907	291	132	80	135	41	65	163	112	3,241	693	2,214
URBAN	3,396	18	6	10	487	155	74	43	72	19	35	89	54	1,748	372	1,188
RURAL	3,030	14	2	11	420	136	58	37	63	22	30	74	58	1,493	321	1,026
METROPOLITAN COUNTIES	1,221	1	4	4	182	62	26	20	21	7	16	30	18	590	131	397
URBAN	1,024	1	4	3	150	52	22	16	18	5	11	26	14	506	121	334
RURAL	197	-	-	1	32	10	4	4	3	2	5	4	4	84	10	63
NONMETROPOLITAN COUNTIES	5,205	31	4	17	725	229	106	60	114	34	49	133	94	2,651	562	1,817
URBAN	2,372	17	2	7	337	103	52	27	54	14	24	63	40	1,242	251	854
RURAL	2,833	14	2	10	388	126	54	33	60	20	25	70	54	1,409	311	963
BEAVERHEAD	84	-	1	-	13	4	2	-	3	-	-	4	-	43	11	31
BIG HORN	107	4	-	-	14	8	-	-	2	2	1	1	4	40	11	27
BLAINE	106	1	-	-	10	2	4	1	1	1	-	1	1	55	12	39
BROADWATER	29	-	-	-	5	2	1	-	1	-	-	1	4	11	1	9
CARBON	83	-	-	-	9	2	1	-	1	-	1	4	1	52	16	29
CARTER	16	-	-	-	7	6	-	1	-	-	-	-	-	6	1	5
CASCADE	597	1	2	1	85	24	13	9	10	6	7	16	12	287	65	198
GREAT FALLS	499	1	2	1	67	20	11	6	7	4	5	14	9	240	58	162
BALANCE OF COUNTY	98	-	-	-	18	4	2	3	3	2	2	2	3	47	7	36
CHOUTEAU	63	-	-	1	9	3	1	1	-	1	1	2	1	33	6	27
CUSTER	118	1	-	-	21	11	1	-	3	-	3	3	1	57	12	41
DANIELS	31	-	-	-	2	2	-	-	-	-	-	-	1	17	2	13
DAWSON	93	1	-	-	14	3	1	1	3	1	2	3	3	45	5	40
DEER LODGE	156	3	-	1	21	7	5	3	3	-	1	2	1	75	12	54
ANACONDA	129	3	-	-	18	6	4	2	3	-	1	2	1	61	10	42
BALANCE OF COUNTY	27	-	-	1	3	1	1	1	-	-	-	-	-	14	2	12
FALLON	36	-	-	-	11	2	2	-	1	1	1	4	-	13	1	12
FERGUS	162	-	-	-	17	5	4	1	6	-	-	1	4	91	21	64
FLATHEAD	317	2	-	2	39	11	3	2	8	1	5	9	2	184	39	125
KALISPELL	132	1	-	2	16	2	2	1	4	1	2	4	1	78	14	53
BALANCE OF COUNTY	185	1	-	-	23	9	1	1	4	-	3	5	1	106	25	72
GALLATIN	205	1	-	1	29	10	3	4	3	-	1	8	3	105	15	79
BOZEMAN	132	1	-	-	19	5	3	3	1	-	-	7	3	68	8	53
BALANCE OF COUNTY	73	-	-	1	10	5	-	1	2	-	1	1	-	37	7	26
GARFIELD	19	-	-	-	3	-	-	1	-	-	1	1	1	10	3	7
GLACIER	111	1	-	1	11	3	1	1	2	-	3	1	2	48	13	33
GOLDEN VALLEY	14	-	-	-	2	2	-	-	-	-	-	-	-	5	-	4
GRANITE	30	-	-	-	5	2	-	1	-	-	-	2	2	14	2	10
HILL	150	-	-	-	23	5	3	2	6	1	2	4	4	72	22	41
HAVRE	88	-	-	-	14	3	2	-	3	-	2	4	4	45	14	24
BALANCE OF COUNTY	62	-	-	-	9	2	1	2	3	1	-	-	-	27	8	17
JEFFERSON	45	2	-	-	7	3	3	1	-	-	-	-	1	25	5	14
JUDITH BASIN	35	-	-	-	4	1	-	-	-	1	-	2	-	22	4	15
LAKE	151	2	-	1	18	6	1	3	2	4	1	1	5	81	13	61
LEWIS AND CLARK	309	2	-	-	40	9	10	1	3	1	2	14	9	166	26	125
HELENA	242	2	-	-	33	9	8	1	1	1	2	11	6	133	21	100
BALANCE OF COUNTY	67	-	-	-	7	-	2	-	2	-	-	3	3	33	5	25
LIBERTY	18	-	-	-	2	1	-	1	-	-	-	-	1	11	2	9
LINCOLN	99	-	-	1	11	2	1	2	2	-	3	1	3	54	17	32
MC CONE	25	-	-	-	-	-	-	-	-	-	-	-	-	15	5	8
MADISON	63	-	-	-	8	4	-	-	2	-	-	2	1	28	8	14
MEAGHER	25	-	-	-	2	-	1	-	1	-	-	-	1	6	4	1
MINERAL	30	-	-	-	3	1	-	-	1	-	-	1	-	16	2	14
MISSOULA	414	1	-	3	75	14	14	8	11	7	5	16	7	207	47	143
MISSOULA	297	1	-	2	52	12	7	7	9	6	2	9	3	152	36	103
BALANCE OF COUNTY	117	-	-	1	23	2	7	1	2	1	3	7	4	55	11	40
MUSSELSHELL	59	-	-	1	7	2	3	1	-	-	-	1	-	33	7	22
PARK	138	-	-	-	21	9	1	-	4	2	2	3	3	73	20	42
PETROLEUM	19	-	-	-	4	2	-	1	-	-	1	-	-	9	2	7
PHILLIPS	76	-	1	-	15	5	1	2	4	1	1	1	2	27	6	20
PONDERA	71	-	-	1	12	2	2	-	1	2	1	4	3	31	6	24
POWDER RIVER	18	-	-	-	3	2	-	-	-	-	-	1	-	8	1	7
POWELL	73	-	-	-	11	3	4	-	3	-	-	1	-	51	7	43
PRAIRIE	24	-	-	-	5	3	1	-	-	-	1	-	-	11	2	8
RAVALLI	155	-	-	-	24	4	5	3	9	-	-	3	3	92	21	62
RICHLAND	104	1	-	-	14	6	1	-	4	-	1	2	3	60	8	48
ROOSEVELT	120	1	-	-	13	4	3	-	3	1	-	2	3	64	14	44
ROSEBUD	54	-	-	-	7	3	-	3	-	-	-	1	-	33	6	17
SANDERS	77	-	1	-	7	1	3	-	1	1	1	-	-	37	6	27
SHERIDAN	64	1	-	-	16	8	-	2	3	-	2	1	3	26	5	19
SILVER BOW	596	5	1	2	74	28	12	9	8	3	5	9	7	283	56	174
BUTTE	461	5	1	2	54	18	8	8	7	2	4	7	6	218	43	136
BALANCE OF COUNTY	135	-	-	-	20	10	4	1	1	1	1	2	1	65	13	38
STILLWATER	47	-	-	-	5	1	-	-	1	1	-	2	-	28	9	18
SWEET GRASS	45	-	-	-	11	2	-	-	5	1	-	3	-	26	7	13
TETON	68	1	-	-	7	3	1	1	-	1	-	1	-	33	8	24
TOOLE	64	-	-	-	10	1	2	2	1	-	1	3	1	35	11	21
TREASURE	6	-	-	-	1	-	-	-	-	-	-	1	-	2	-	2
VALLEY	129	1	-	1	18	7	4	1	2	-	-	4	1	52	12	37
WHEATLAND	37	-	-	1	4	2	1	-	-	-	-	1	2	20	7	6

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
71	1,672	153	318	22	177	77	58	200	37	35	58	6	84	250	229	230	329	112	22	513	1
-																					2
41	888	91	168	15	87	51	35	100	23	22	36	5	46	140	121	91	148	59	8	274	3
30	784	62	150	7	90	26	23	100	14	13	22	1	38	110	108	139	181	53	14	239	4
																					5
20	298	32	47	4	31	18	9	34	6	7	17	1	32	59	36	50	54	23	8	95	6
19	249	26	40	4	21	17	9	26	6	7	16	1	24	49	32	36	40	19	7	83	7
1	49	6	7	-	10	1	-	8	-	-	1	-	8	10	4	14	14	4	1	12	8
51	1,374	121	271	18	146	59	49	166	31	28	41	5	52	191	193	180	275	89	14	418	9
22	639	65	128	11	66	34	26	74	17	15	20	4	22	91	89	55	108	40	1	191	10
29	735	56	143	7	80	25	23	92	14	13	21	1	30	100	104	125	167	49	13	227	11
																					12
-	24	1	6	-	1	-	-	2	1	-	-	-	-	2	6	-	4	2	-	10	13
2	22	-	3	-	1	1	-	7	-	-	2	-	3	5	2	5	4	4	-	13	14
-	31	4	4	1	1	-	2	2	1	-	1	-	-	3	3	6	11	-	2	10	15
-	7	1	1	-	1	-	-	-	-	-	-	-	-	-	2	-	1	1	-	5	16
1	21	1	6	1	4	1	1	4	1	1	1	-	1	-	2	-	1	1	-	10	17
1	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	18
8	141	16	33	1	12	6	5	11	1	5	7	-	16	35	28	22	32	7	4	41	19
7	113	15	27	1	8	6	5	10	1	5	7	-	12	31	25	15	27	5	4	37	20
1	28	1	6	-	4	-	-	1	-	-	-	-	4	4	3	7	5	2	-	4	21
-	25	-	2	-	-	-	-	4	-	-	1	-	-	4	-	2	3	1	-	4	22
1	36	2	2	1	1	1	1	10	2	-	1	-	-	7	2	1	5	-	-	10	23
																					24
-	7	-	6	-	-	2	-	1	-	-	1	-	1	2	1	2	1	-	-	2	25
1	28	2	9	-	-	-	-	2	-	-	-	-	2	4	1	7	9	1	-	4	26
4	41	4	5	1	4	1	3	7	2	-	1	-	-	3	2	4	9	2	-	25	27
2	33	3	4	1	4	1	3	6	2	-	1	-	-	1	2	2	7	-	-	25	28
2	8	1	1	-	-	-	-	1	-	-	-	-	-	2	-	2	2	2	-	-	29
-	12	-	-	-	-	-	-	1	-	-	-	-	1	4	-	-	2	-	-	4	30
1	49	3	11	-	2	2	2	4	3	-	-	1	3	4	5	3	9	1	-	17	31
3	73	21	28	2	10	5	3	6	3	2	1	-	4	16	2	11	19	7	1	16	32
1	30	8	14	1	5	3	2	4	3	-	-	-	1	6	-	1	9	4	-	6	33
2	43	13	14	1	5	2	1	2	-	2	1	-	3	10	2	10	10	3	1	10	34
																					35
1	65	6	7	-	5	4	2	6	3	1	-	-	3	6	3	4	10	2	-	28	36
1	44	4	4	-	3	3	1	2	1	1	-	-	2	4	2	4	5	1	-	19	37
-	21	2	3	-	2	1	1	4	2	-	-	-	1	2	1	-	5	1	-	9	38
-	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	39
-	23	-	10	1	-	-	1	7	-	1	1	-	4	7	2	9	9	-	-	8	40
-	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	41
-	8	-	2	-	2	-	-	-	-	-	1	-	1	-	-	1	-	1	1	4	42
1	33	2	5	1	4	3	1	6	2	-	-	1	1	6	5	7	10	3	-	10	43
1	20	2	1	1	3	3	-	2	2	-	-	-	-	2	1	5	5	2	-	6	44
-	13	-	4	-	1	-	1	4	-	-	-	1	1	4	4	2	5	1	-	4	45
																					46
1	11	1	1	-	2	-	4	-	2	-	-	-	-	-	-	-	2	1	-	5	47
-	12	-	3	-	3	-	-	-	-	-	-	-	-	2	1	3	1	-	-	1	48
-	56	2	3	-	5	1	1	3	2	1	1	-	-	5	3	6	3	-	-	14	49
3	83	12	27	2	4	4	5	5	2	1	1	1	3	10	16	3	15	10	1	24	50
3	66	11	20	-	4	3	5	3	1	1	1	1	3	9	10	1	13	8	-	17	51
-	17	1	7	2	-	1	-	2	1	-	-	-	-	1	6	2	2	2	1	7	52
-	8	-	1	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	53
3	20	7	2	-	2	2	1	2	-	-	1	-	-	6	-	6	9	2	-	4	54
1	4	1	2	-	1	1	-	2	-	-	1	-	-	-	1	1	2	1	-	2	55
1	11	1	1	-	6	-	-	4	-	-	-	-	-	1	6	2	2	1	-	4	56
-	1	-	-	-	1	-	-	1	-	-	-	-	-	1	6	2	1	-	1	4	57
																					58
2	11	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	2	-	-	4	59
3	115	10	15	2	6	6	3	9	2	-	4	1	7	19	19	7	21	8	-	24	60
2	81	9	11	2	4	5	2	6	1	-	3	1	7	12	11	2	18	6	-	20	61
1	34	1	4	-	2	1	1	3	1	-	1	-	-	7	8	5	3	2	-	4	62
-	21	-	1	-	1	2	1	11	-	-	-	-	-	2	-	3	1	-	-	1	63
1	28	5	8	1	7	3	-	3	-	-	-	-	-	5	7	4	5	3	-	14	64
-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	2	65
1	17	-	2	-	-	-	1	3	-	-	1	-	-	1	-	4	8	1	1	11	66
2	19	1	2	-	-	1	-	4	-	-	1	-	2	3	2	1	6	2	1	2	67
-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	-	2	68
-	31	5	7	-	1	-	-	1	-	-	1	-	1	2	2	-	2	-	-	2	69
																					70
-	6	-	2	-	-	1	-	1	-	-	-	-	-	1	1	-	4	-	-	1	71
2	45	1	14	-	7	1	1	5	-	-	2	-	1	7	2	4	4	-	-	11	72
1	36	-	11	-	3	1	-	3	-	-	1	-	1	3	-	7	3	1	-	7	73
1	31	5	7	-	1	1	4	6	-	9	1	-	-	1	2	5	6	3	-	6	74
-	12	1	4	-	9	1	-	1	-	1	-	-	1	1	1	3	1	3	-	2	75
-	24	2	1	-	3	1	-	2	1	-	-	-	-	-	13	3	5	2	-	6	76
1	14	2	2	1	-	1	-	1	1	-	1	-	-	1	-	5	5	1	-	3	77
10	140	5	19	1	40	6	6	17	2	2	12	-	3	20	60	20	28	10	2	48	78
8	110	4	14	1	30	4	4	16	2	2	10	-	2	19	43	17	22	7	1	34	79
2	30	1	5	-	10	2	2	1	-	-	2	-	1	1	17	3	6	3	1	14	80
																					81
-	13	2	3	-	-	-	1	1	-	-	-	-	-	4	1	1	-	3	1	3	82
1	10	1	1	-	1	5	-	-	-	-	1	-	-	-	3	1	1	-	1	2	83
-	17	1	6	-	1	-	-	3	-	1	2	-	2	1	5	1	5	1	-	6	84
1	15	2	3	-	-	-	3	-	-	2	-	-	-	2	2	3	4	1	1	3	85
-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	86
-	20	4	13	1	2	-	-	4	1	3	-	1	3	13	2	10	9	2	-	8	87
-	5	-	1	2	2	1	2	-	-	-	-	-	-	1	3	-	1	-	-	5	88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
MONTANA--CON.																
WIBAUX	17	-	-	-	1	-	-	-	-	-	-	1	-	10	3	6
YELLOWSTONE	624	-	2	3	97	38	13	11	11	1	9	14	6	303	66	199
BILLINGS	485	-	2	2	77	31	9	9	10	1	6	11	4	242	56	155
BALANCE OF COUNTY	139	-	-	1	20	7	4	2	1	-	3	3	2	61	10	44
YELLOWSTONE NATIONAL PARK, PART[5]	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA	14,330	26	10	54	2,267	801	277	225	340	100	102	422	276	8,111	1,920	5,570
URBAN	7,827	19	8	30	1,230	428	169	124	190	51	58	210	126	4,391	1,018	3,037
RURAL	6,503	7	2	24	1,037	373	108	101	150	49	44	212	150	3,720	902	2,533
METROPOLITAN COUNTIES	4,869	15	5	23	792	278	115	76	115	33	34	141	78	2,617	577	1,824
URBAN	4,450	14	4	22	722	257	105	68	105	33	27	127	71	2,403	524	1,684
RURAL	419	1	1	1	70	21	10	8	10	-	7	14	7	214	53	140
NONMETROPOLITAN COUNTIES	9,461	11	5	31	1,475	523	162	149	225	67	68	281	198	5,494	1,343	3,746
URBAN	3,377	5	4	8	508	171	64	56	85	18	31	83	55	1,988	494	1,353
RURAL	6,084	6	1	23	967	352	98	93	140	49	37	198	143	3,506	849	2,393
ADAMS	296	-	-	-	39	17	7	5	5	1	1	3	3	177	50	116
HASTINGS	260	-	-	-	36	16	7	5	5	1	1	1	3	154	47	100
BALANCE OF COUNTY	36	-	-	-	3	1	-	-	-	-	-	2	-	23	3	16
ANTELOPE	107	-	-	-	14	9	1	1	1	2	-	-	1	74	21	52
ARTHUR	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BANNER	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
BLAINE	10	-	-	1	1	-	-	-	-	-	-	1	-	5	-	5
BOONE	122	-	-	-	26	7	1	3	4	1	2	8	-	69	16	43
BOX BUTTE	128	-	1	1	17	7	1	-	2	-	2	5	1	70	21	45
BOYD	45	-	-	-	4	1	-	-	2	-	-	1	2	23	4	18
BROWN	53	-	-	1	7	3	2	1	-	1	-	-	-	34	6	27
BUFFALO	264	1	-	2	28	7	1	2	7	3	1	7	2	154	32	116
KEARNEY	144	1	-	1	14	3	-	-	2	3	1	5	1	90	16	71
BALANCE OF COUNTY	120	-	-	1	14	4	1	2	5	-	-	2	1	64	16	45
BURT	148	1	-	1	21	9	2	3	2	1	-	4	3	87	21	64
BUTLER	139	-	-	-	33	15	3	-	4	3	2	6	3	83	28	48
CASS	193	1	-	1	28	9	-	3	5	2	1	8	6	106	37	62
CEDAR	116	-	-	-	31	9	3	6	5	-	1	7	3	62	16	41
CHASE	63	-	-	-	13	5	-	1	2	1	-	4	3	34	14	19
CHERRY	73	-	-	-	9	2	2	-	-	-	1	4	1	46	11	32
CHEYENNE	87	-	-	-	14	3	5	1	2	1	-	2	1	44	8	32
CLAY	122	-	-	-	22	10	3	1	1	1	-	6	-	74	24	48
COLFAX	126	-	-	-	23	7	3	4	3	1	-	5	3	68	24	39
CUMING	117	-	-	-	23	10	2	3	2	1	1	4	1	64	19	43
CUSTER	186	-	-	1	28	9	2	5	4	-	3	5	3	103	32	57
DAKOTA	110	1	-	-	15	8	1	1	1	-	1	3	1	65	13	42
DAWES	111	-	-	-	12	4	2	1	2	1	-	2	5	76	17	52
DAWSON	197	-	-	1	34	13	6	4	8	-	1	2	7	99	10	85
DEUEL	35	-	-	-	3	1	-	-	1	1	-	-	2	20	3	14
DIXON	93	-	-	-	15	7	-	-	3	-	2	3	2	52	9	35
DODGE	343	2	1	2	61	17	12	4	9	4	5	10	9	179	53	111
FREMONT	216	2	1	1	40	11	10	4	5	2	3	5	3	111	36	64
BALANCE OF COUNTY	127	-	-	1	21	6	2	-	4	2	2	5	6	68	17	47
DOUGLAS	3,411	14	2	21	594	207	89	56	88	23	25	106	52	1,815	386	1,285
OMAHA	3,224	13	2	20	561	196	86	51	83	23	22	100	50	1,722	365	1,223
BALANCE OF COUNTY	187	1	-	1	33	11	3	5	5	-	3	6	2	93	21	62
DUNDY	37	-	-	-	5	-	1	2	1	1	-	-	1	25	7	17
FILLMORE	129	-	-	1	23	7	3	2	4	1	-	6	3	82	12	64
FRANKLIN	70	1	-	-	13	5	-	1	1	1	-	5	-	46	10	34
FRONTIER	46	-	-	-	2	1	-	-	-	-	-	1	1	30	6	21
FURNAS	118	-	-	2	12	3	1	1	3	1	-	3	3	79	15	56
GAGE	330	-	-	-	50	21	5	6	4	1	1	12	8	207	41	155
BEATRICE	174	-	-	-	27	15	3	2	2	-	1	4	5	107	28	72
BALANCE OF COUNTY	156	-	-	-	23	6	2	4	2	1	-	8	3	100	13	83
GARDEN	36	-	-	-	6	2	1	1	1	1	-	-	1	24	9	15
GARFIELD	28	-	-	-	8	3	2	-	1	-	-	2	1	16	3	12
GOSPER	21	-	-	-	1	-	-	-	-	-	-	1	1	13	2	11
GRANT	7	-	-	-	2	-	-	-	1	-	-	1	-	3	-	3
GREELEY	66	-	-	-	9	5	-	1	1	-	-	2	3	39	2	29
HALL	370	-	-	1	56	20	6	5	7	2	2	14	6	203	60	127
GRAND ISLAND	294	-	-	1	47	15	4	5	6	2	2	13	3	163	48	105
BALANCE OF COUNTY	76	-	-	-	9	5	2	-	1	-	-	1	3	40	12	22
HAMILTON	87	-	-	1	11	5	2	1	3	-	-	-	1	49	19	27
HARLAN	64	-	-	-	15	6	2	1	2	1	1	2	1	36	11	24
HAYES	18	-	-	-	3	-	-	2	-	-	-	1	-	11	2	7
HITCHCOCK	60	-	-	-	11	5	-	2	-	1	1	2	5	29	7	20
HOLT	143	-	-	1	15	6	2	1	1	-	2	3	8	79	25	48
HOOKER	6	-	-	-	-	-	-	-	-	-	-	-	-	6	1	5
HOWARD	61	-	-	-	14	3	2	-	1	1	-	7	1	36	6	20
JEFFERSON	163	1	-	1	26	7	4	1	6	1	2	5	3	100	18	74
JOHNSON	89	-	-	-	19	10	4	-	1	-	2	2	1	52	25	24

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
-	6	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	2	-	-	1	4
12	157	16	14	3	19	12	4	23	5	2	10	1	16	24	8	28	22	16	4	54	5
11	125	10	9	3	13	11	4	15	5	2	8	1	12	17	7	17	13	14	3	44	6
1	32	6	5	-	6	1	-	8	-	-	2	-	4	7	1	11	9	2	1	10	7
																					8
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9
																					10
																					11
137	4,257	425	751	67	318	161	75	477	139	48	94	6	149	454	84	406	538	143	31	1,017	12
																					13
73	2,361	231	372	36	158	105	37	256	84	28	57	2	85	304	48	183	273	78	25	600	14
64	1,896	194	379	31	160	56	38	221	55	20	37	4	64	150	36	223	265	65	6	417	15
																					16
46	1,430	133	215	21	91	76	28	152	58	14	49	1	60	223	22	120	177	56	21	386	17
42	1,326	121	195	18	79	73	25	141	56	14	46	1	51	195	20	100	157	47	21	365	18
4	104	12	20	3	12	3	3	11	2	-	3	-	9	28	2	20	20	9	-	21	19
91	2,827	292	536	46	227	85	47	325	81	34	45	5	89	231	62	286	361	87	10	631	20
31	1,035	110	177	18	79	32	12	115	28	14	11	1	34	109	28	83	116	31	4	235	21
60	1,792	182	359	28	148	53	35	210	53	20	34	4	55	122	34	203	245	56	6	396	22
																					23
2	105	1	8	3	5	3	-	10	-	-	-	-	4	9	8	11	9	1	1	24	24
2	92	1	5	2	3	2	-	10	-	-	-	-	4	8	7	8	7	1	1	21	25
-	13	-	3	1	2	1	-	-	-	-	-	-	-	1	1	3	2	-	-	3	26
-	34	5	13	-	1	-	-	5	-	-	-	-	-	1	-	-	6	-	-	6	27
-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	28
-	2	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	29
-	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	30
-	36	2	5	-	5	3	2	5	2	1	-	-	1	1	-	4	5	-	-	8	31
-	35	5	5	-	3	-	1	3	3	-	1	-	-	7	2	5	6	2	-	9	32
1	14	-	3	-	1	-	-	3	-	1	1	-	1	3	-	-	2	-	-	5	33
																					34
-	24	-	3	-	-	1	-	1	-	-	-	-	-	-	-	1	4	1	-	4	35
1	93	7	15	-	3	3	-	7	3	1	2	-	4	8	4	11	13	1	-	23	36
1	55	7	8	-	1	2	-	3	1	1	1	-	3	3	1	5	6	-	-	13	37
-	38	-	7	-	2	1	-	4	2	-	1	-	1	5	3	6	7	1	-	10	38
3	49	4	8	-	2	-	-	4	2	-	1	-	3	2	-	3	5	-	1	14	39
3	39	1	5	-	2	1	4	4	1	-	2	-	1	2	2	3	3	-	-	2	40
2	45	2	13	1	3	3	-	13	3	3	1	-	2	8	-	4	7	3	-	7	41
-	24	3	14	-	3	2	-	5	-	-	1	-	-	1	-	1	3	2	-	7	42
-	14	4	1	-	-	-	1	1	2	-	-	-	-	1	-	2	3	-	-	4	43
-	26	4	2	1	1	1	-	2	-	-	-	-	1	2	-	2	5	-	1	4	44
																					45
2	22	5	3	-	3	1	-	3	1	-	2	-	1	1	-	5	6	2	-	7	46
2	32	8	6	-	1	1	-	-	-	1	-	-	1	2	1	8	5	1	-	7	47
2	25	2	10	-	4	1	-	3	-	-	-	-	2	2	3	10	2	1	-	9	48
1	34	3	5	-	2	-	-	9	1	1	-	-	-	3	-	4	5	-	-	6	49
-	48	2	7	1	10	1	2	6	3	1	-	-	1	5	-	7	11	2	-	15	50
-	36	4	2	1	6	1	2	6	-	-	-	-	2	3	2	2	4	-	-	9	51
-	29	22	1	2	3	1	1	3	-	1	-	-	2	2	-	-	3	-	-	7	52
4	61	5	15	2	2	-	-	4	-	-	-	-	1	8	2	12	10	1	-	18	53
1	11	1	1	-	-	2	1	2	-	-	1	-	-	1	-	-	-	-	-	6	54
1	21	2	11	-	6	2	-	6	-	1	-	-	-	2	1	7	6	-	-	1	55
																					56
2	93	5	11	4	5	5	1	11	1	-	2	-	3	14	1	14	7	5	-	31	57
1	54	2	7	3	4	3	1	11	1	-	1	-	3	12	1	6	2	2	-	19	58
1	39	3	4	1	1	2	-	-	-	-	1	-	-	2	-	8	5	3	-	12	59
36	1,056	95	98	14	53	56	21	112	38	13	40	-	40	145	16	75	121	36	19	258	60
34	1,006	92	91	12	48	55	19	105	37	13	39	-	38	133	15	69	111	33	19	244	61
2	50	3	7	2	5	1	2	7	1	-	1	-	2	12	1	6	10	3	-	14	62
-	14	2	1	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	2	63
1	49	2	12	1	4	-	1	2	-	-	-	-	-	3	-	6	2	1	-	6	64
2	24	2	6	-	2	-	-	2	2	-	-	-	-	2	-	1	-	-	-	3	65
-	16	4	1	-	2	1	-	-	1	-	-	-	-	2	-	-	3	2	-	5	66
1	43	4	8	1	2	1	4	1	1	-	-	-	-	-	2	1	4	-	-	13	67
																					68
2	127	11	15	-	7	4	-	12	3	1	2	-	4	6	-	7	6	5	-	19	69
1	62	6	3	-	6	1	-	7	1	1	1	-	2	2	-	5	3	2	-	11	70
1	65	5	12	-	1	3	-	5	2	-	1	-	2	4	-	2	3	3	-	8	71
-	9	3	3	-	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	1	72
-	12	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	73
1	7	2	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	4	74
-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	75
-	19	7	3	-	8	-	-	1	-	-	1	1	1	2	-	1	2	-	-	6	76
3	105	9	10	2	8	5	1	14	5	4	3	-	7	12	1	21	16	5	1	15	77
3	85	8	9	1	6	3	-	11	4	4	2	-	4	9	1	17	10	5	1	12	78
-	20	1	1	1	2	2	1	3	1	-	1	-	3	3	-	4	6	-	-	3	79
																					80
-	18	1	8	-	3	-	-	1	2	1	-	-	1	2	-	2	8	1	-	7	81
-	18	-	6	-	1	-	-	-	2	-	-	1	-	1	-	1	-	1	-	6	82
-	7	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	2	-	-	1	83
1	14	2	3	-	1	-	1	3	-	-	1	-	1	1	-	2	2	1	-	4	84
1	38	4	5	1	-	3	2	8	-	-	-	-	3	9	2	4	4	2	-	8	85
-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	86
-	15	1	4	1	8	1	-	1	-	-	-	-	-	2	-	-	3	1	-	3	87
2	53	6	13	1	4	1	2	4	2	1	1	-	2	2	-	2	3	1	-	14	88
2	17	1	4	-	1	2	-	1	1	1	1	-	1	-	1	3	3	-	-	5	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties include all counties in standard metropolitan statistical areas (SMSA's) and in New England, all counties in standard metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEBRASKA--CON.																
KEARNEY	79	1	-	-	8	2	1	1	3	-	-	1	1	45	7	34
KEITH	62	-	-	-	6	-	3	-	-	1	-	2	1	29	5	23
KEYA PAHA	10	-	-	-	-	-	-	-	-	-	-	-	-	7	-	7
KIMBALL	39	-	-	-	6	-	-	1	3	-	-	2	1	18	4	12
KNOX	138	-	1	-	21	8	2	1	4	2	-	4	6	83	17	59
LANCASTER	1,310	1	3	2	177	65	22	18	24	10	7	31	22	736	179	493
LINCOLN	1,178	1	2	2	157	61	18	16	20	10	5	27	20	665	158	448
BALANCE OF COUNTY	132	-	1	-	20	4	4	2	4	-	2	4	2	71	21	45
LINCOLN	259	-	1	-	42	14	4	7	8	-	3	6	2	166	39	113
NORTH PLATTE	178	-	1	-	25	9	2	5	5	-	3	1	2	116	26	80
BALANCE OF COUNTY	81	-	-	-	17	5	2	2	3	-	-	5	-	50	13	33
LOGAN	12	-	-	-	-	-	-	-	-	-	-	-	-	8	-	8
LOUP	9	-	-	1	3	-	1	-	2	-	-	-	1	1	-	-
MC PHERSON	8	-	-	-	-	-	-	-	-	-	-	-	-	6	2	3
MADISON	284	-	-	-	36	11	5	5	10	-	1	4	7	174	31	132
NORFOLK	165	-	-	-	23	7	5	3	5	-	1	2	4	97	21	70
BALANCE OF COUNTY	119	-	-	-	13	4	-	2	5	-	-	2	3	77	10	62
MERRICK	93	-	-	1	21	8	-	3	1	2	1	6	2	43	13	27
MORRILL	59	-	-	-	11	2	-	2	4	-	1	2	-	31	3	27
NANCE	84	-	-	-	8	3	2	1	-	1	-	1	1	59	16	39
NEMAHA	98	-	-	-	14	7	2	2	3	-	-	-	2	60	18	38
NUCKOLLS	87	-	-	-	10	3	-	1	5	1	-	-	2	50	13	34
OTOE	192	-	-	-	31	11	3	1	5	2	2	7	1	110	37	66
PAWNEE	92	-	-	1	11	2	1	4	3	1	-	-	1	56	9	44
PERKINS	34	-	-	-	6	3	-	-	-	-	1	2	4	15	5	9
PHELPS	105	-	-	-	20	6	2	4	1	2	1	4	-	64	15	43
PIERCE	81	-	-	-	10	5	1	-	1	1	2	-	2	54	13	38
PLATTE	177	-	-	1	24	6	2	3	2	2	5	4	3	109	15	86
COLUMBUS	102	-	-	-	12	2	2	3	1	-	3	1	1	65	10	50
BALANCE OF COUNTY	75	-	-	1	12	4	-	-	1	2	2	3	2	44	5	36
POLK	78	-	-	-	13	4	1	4	4	-	-	-	-	49	20	26
RED WILLOW	125	-	-	1	24	8	4	5	5	-	1	1	3	70	12	49
RICHARDSON	171	-	-	-	24	11	1	4	3	-	1	4	-	121	27	86
ROCK	31	-	-	-	8	3	4	-	-	-	-	1	-	15	1	12
SALINE	175	-	-	1	26	8	4	-	3	2	1	8	7	113	23	81
SARPY	148	-	-	-	21	6	4	2	3	-	2	4	4	66	12	46
SAUNDERS	176	-	-	-	41	16	5	2	6	1	2	9	4	98	41	51
SCOTTS BLUFF	311	-	-	2	46	15	2	4	7	1	4	13	7	159	40	103
SCOTTSBLUFF	132	-	-	-	22	7	1	-	3	-	3	8	2	72	19	44
BALANCE OF COUNTY	179	-	-	2	24	8	1	4	4	1	1	5	5	87	21	59
SEWARD	150	-	-	1	24	11	3	5	2	-	-	3	3	95	27	62
SHERIDAN	93	1	-	-	12	2	-	1	2	1	-	6	4	47	14	30
SHERMAN	55	-	-	-	8	3	1	1	1	-	-	2	3	30	4	21
SIOUX	20	-	-	-	4	1	1	1	-	-	1	-	-	8	2	4
STANTON	50	-	-	-	8	3	-	2	2	-	-	1	2	34	4	28
THAYER	132	-	-	-	17	5	2	1	5	4	-	-	4	75	16	55
THOMAS	16	-	-	1	1	1	-	-	-	-	-	-	1	8	2	6
THURSTON	90	1	-	-	14	6	1	1	3	1	-	2	3	38	6	30
VALLEY	92	-	-	1	23	9	2	1	2	-	3	6	3	51	13	34
WASHINGTON	123	-	-	1	17	6	2	-	2	2	1	4	2	68	17	49
WAYNE	76	-	-	-	18	4	3	3	-	-	2	1	-	37	7	28
WEBSTER	71	-	-	1	14	5	3	-	2	1	-	3	2	36	13	20
WHEELER	11	-	-	-	3	1	-	-	1	1	-	-	-	6	-	5
YORK	171	-	1	-	20	12	-	2	2	1	-	3	3	112	22	82
NEVADA	2,713	20	10	6	356	106	65	34	48	17	13	73	31	1,232	230	900
URBAN	1,950	9	6	5	261	75	46	24	33	12	10	61	21	905	171	656
RURAL	763	11	4	1	95	31	19	10	15	5	3	12	10	327	59	244
METROPOLITAN COUNTIES	1,966	10	7	5	259	71	48	25	39	10	11	55	19	903	174	659
URBAN	1,699	9	6	5	223	61	40	22	29	10	9	52	17	797	158	573
RURAL	267	1	1	-	36	10	8	3	10	-	2	3	2	106	16	86
NONMETROPOLITAN COUNTIES	747	10	3	1	97	35	17	9	9	7	2	18	12	329	56	241
URBAN	251	-	-	-	38	14	6	2	4	2	1	9	4	108	13	83
RURAL	496	10	3	1	59	21	11	7	5	5	1	9	8	221	43	158
CHURCHILL	79	-	-	-	10	1	-	-	2	1	-	6	-	43	7	33
CLARK	1,137	7	5	5	146	46	29	8	25	3	5	30	14	468	98	328
HENDERSON	69	-	-	-	8	2	1	-	3	-	-	2	1	24	2	20
LAS VEGAS	715	5	3	3	89	28	16	6	11	2	4	22	9	304	70	207
NORTH LAS VEGAS	128	1	1	2	15	4	3	1	2	1	-	4	2	44	7	31
BALANCE OF COUNTY	225	1	1	-	34	12	9	1	9	-	1	2	2	96	19	70
DOUGLAS	41	-	-	1	5	2	2	-	-	1	-	-	-	19	3	15
ELKO	114	-	-	-	19	6	5	1	3	2	1	1	3	47	4	35
ESMERALDA	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2
EUREKA	10	-	-	-	-	-	-	-	-	-	-	-	-	6	1	4
HUMBOLDT	60	2	-	-	6	2	1	1	-	-	-	2	1	24	1	21
LANDER	20	1	-	-	4	1	1	-	1	1	-	-	-	9	3	6
LINCOLN	21	-	-	-	4	-	2	1	-	1	-	-	-	9	2	7
LYON	69	-	2	-	6	3	1	-	-	-	1	1	3	26	4	17

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
-	32	-	2	-	4	-	-	4	1	-	-	-	2	-	-	4	8	-	-	5	4
-	21	-	2	-	-	-	1	10	1	-	-	-	3	3	-	-	3	1	-	5	5
-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	6
-	9	3	-	-	-	1	1	-	-	-	1	-	-	2	-	1	5	-	-	5	7
8	38	4	9	-	6	1	-	2	-	-	1	1	1	2	1	5	5	4	-	5	8
9	339	36	109	6	34	17	7	37	20	1	9	1	14	62	5	37	48	18	2	115	9
8	309	29	102	5	31	17	6	34	19	1	7	1	13	54	5	27	43	14	2	111	10
1	30	7	7	1	3	-	1	3	1	-	2	-	1	8	-	10	5	4	-	4	11
3	82	11	17	2	9	1	2	7	2	-	-	-	2	9	2	3	7	2	-	14	12
3	55	11	11	2	7	1	-	6	2	-	-	-	1	9	2	2	4	2	-	6	13
-	27	-	6	-	2	-	2	1	-	-	-	-	1	-	-	1	3	1	-	8	14
																					15
-	6	-	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	16
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	17
-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	18
5	92	13	22	-	7	3	1	10	5	1	1	-	5	5	5	4	13	4	1	13	19
4	47	4	15	-	3	3	-	3	2	1	1	-	1	4	5	1	9	3	1	10	20
1	45	9	7	-	4	-	1	7	3	-	-	-	4	1	-	3	4	1	-	3	21
-	20	-	7	-	3	-	-	7	-	-	-	-	1	4	-	2	2	1	-	9	22
1	22	3	1	-	1	-	-	3	2	1	-	-	-	-	-	2	6	1	-	2	23
1	32	3	3	1	2	1	-	4	-	-	-	-	-	1	1	1	3	1	-	5	24
1	33	-	4	1	2	1	-	3	-	1	-	-	2	2	1	3	4	1	-	5	25
-	24	3	7	-	2	1	-	5	1	-	-	-	-	3	2	2	3	-	1	8	26
																					27
-	55	2	9	-	4	-	3	7	4	2	-	1	2	2	1	7	8	1	-	15	28
1	23	15	5	1	1	-	1	4	3	-	-	-	-	1	-	4	5	1	-	5	29
-	7	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	3	30
2	28	6	7	1	3	1	1	3	1	-	1	-	-	2	-	1	9	1	-	3	31
3	20	3	12	1	2	-	-	2	2	-	-	-	1	1	-	4	1	1	-	3	32
3	64	6	13	-	3	5	-	6	-	1	2	-	1	5	-	3	7	1	-	14	33
2	35	3	10	-	2	3	-	3	-	1	2	-	1	3	-	1	5	1	-	7	34
1	29	3	3	-	1	2	-	3	-	-	-	-	-	2	-	2	2	-	-	7	35
2	21	-	3	1	1	1	-	3	1	-	-	-	-	1	1	1	2	-	-	7	36
4	37	5	3	1	6	-	2	4	-	-	-	-	2	4	-	4	4	-	-	9	37
-	78	3	5	-	7	1	-	9	2	-	1	-	-	1	1	2	2	2	-	6	38
																					39
1	11	-	-	-	2	-	-	1	-	-	-	-	-	2	-	-	3	-	-	2	40
1	44	12	24	1	3	2	3	2	1	-	2	-	1	1	3	3	3	2	1	9	41
1	35	2	8	1	4	3	-	3	-	-	-	-	6	16	1	8	8	2	-	13	42
1	42	4	4	1	5	-	-	4	1	1	1	-	2	3	-	7	6	-	-	8	43
3	81	9	10	1	11	2	2	9	6	2	2	-	-	20	1	10	17	3	-	27	44
-	34	5	5	1	6	1	1	5	2	-	1	-	-	9	-	3	5	2	-	9	45
3	47	4	5	-	5	1	1	4	4	2	1	-	-	11	1	7	12	1	-	18	46
-	45	5	12	-	4	2	-	6	-	-	1	-	2	2	1	3	3	-	-	6	47
-	28	1	1	1	-	2	-	2	-	-	-	-	1	6	3	4	4	2	2	5	48
-	20	-	1	1	1	1	2	-	-	-	-	-	3	1	-	-	2	1	-	7	49
-	4	-	-	-	-	2	-	-	1	-	-	-	2	1	-	1	1	-	-	2	50
																					51
1	20	2	5	-	1	1	-	1	-	-	-	-	-	2	-	-	1	1	-	1	52
3	29	6	17	-	1	2	1	9	-	-	-	-	1	-	1	4	7	2	-	12	53
-	2	1	3	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	-	-	54
-	25	1	4	1	1	-	-	5	2	3	1	1	-	2	2	5	4	-	-	9	55
1	29	2	2	-	4	-	-	4	-	-	-	-	-	-	1	1	4	2	-	2	56
2	35	2	10	-	1	1	-	8	2	-	2	-	-	2	1	5	5	-	-	10	57
-	21	3	4	1	1	-	-	2	1	1	1	-	1	1	-	3	3	1	-	7	58
-	15	-	5	1	2	-	-	3	-	-	1	-	-	-	-	2	1	1	-	10	59
-	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	60
1	54	4	23	3	3	1	1	3	1	1	1	-	1	2	1	7	2	3	1	12	61
																					62
																					63
34	712	50	104	9	47	29	17	73	27	11	65	5	51	167	38	132	144	63	30	252	64
																					65
22	530	33	71	8	32	25	13	47	17	7	53	4	37	127	15	89	97	47	23	180	66
12	182	17	33	1	15	4	4	26	10	4	12	1	14	40	23	43	47	16	7	72	67
																					68
23	547	38	51	8	27	24	11	54	19	8	55	4	38	140	13	91	98	46	25	172	69
19	478	31	45	8	24	24	10	42	14	7	49	4	34	115	12	78	76	41	22	148	70
4	69	7	6	-	3	-	1	12	5	1	6	-	4	25	1	13	22	5	3	24	71
11	165	12	53	1	20	5	6	19	8	3	10	1	13	27	25	41	46	17	5	80	72
3	52	2	26	-	8	1	3	5	3	-	4	-	3	12	3	11	21	6	1	32	73
8	113	10	27	1	12	4	3	14	5	3	6	1	10	15	22	30	25	11	4	48	74
																					75
-	20	1	12	-	2	1	-	2	1	-	1	-	1	5	2	2	3	1	-	8	76
16	263	17	32	6	16	12	8	39	16	4	34	3	20	102	8	64	62	27	20	93	77
-	15	2	3	-	-	-	2	6	3	-	1	-	1	8	1	7	3	2	1	3	78
12	163	11	21	5	11	8	3	17	8	4	25	2	12	64	7	36	33	20	14	60	79
-	30	-	1	-	3	3	-	5	1	-	4	1	3	11	-	10	9	3	3	13	80
4	55	4	7	1	2	1	3	11	4	-	4	-	4	19	-	11	17	2	2	17	81
1	12	1	1	-	1	-	-	2	-	-	-	-	2	1	-	4	2	1	1	3	82
2	21	-	12	-	7	-	1	3	3	-	1	-	1	2	5	5	3	2	3	17	83
-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	84
-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	85
2	8	1	10	-	2	-	-	-	1	-	2	-	-	1	3	4	8	1	-	7	86
-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	87
-	6	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	6	88
2	11	2	2	-	5	-	-	3	-	-	1	-	2	4	-	4	5	1	-	12	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B,165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEVADA--CON.																
MINERAL	55	2	-	-	4	-	-	2	1	-	-	1	1	22	3	16
NYE	53	3	-	-	10	3	2	2	-	1	-	2	1	25	12	11
ORMSBY	81	1	-	-	15	8	2	-	1	-	-	4	1	36	3	32
PERSHING	42	-	1	-	5	2	1	1	-	-	-	1	1	17	3	13
STOREY	10	1	-	-	-	-	-	-	-	-	-	-	1	5	-	5
WASHOE	829	3	2	-	113	25	19	17	14	7	6	25	5	435	76	331
RENO	602	3	2	-	83	20	10	13	11	7	4	18	3	328	56	250
SPARKS	130	-	-	-	21	4	7	2	1	-	1	6	1	65	14	46
BALANCE OF COUNTY	97	-	-	-	9	1	2	2	2	-	1	1	1	42	6	35
WHITE PINE	88	-	-	-	9	7	-	1	1	-	-	-	-	39	10	24
NEW HAMPSHIRE	6,808	17	9	18	1,108	383	164	104	159	57	52	189	151	3,970	795	2,734
URBAN	3,422	11	4	12	592	214	85	52	80	28	24	109	81	1,972	393	1,364
RURAL	3,386	6	5	6	516	169	79	52	79	29	28	80	70	1,998	402	1,370
METROPOLITAN COUNTIES	2,008	3	3	9	353	123	54	35	41	16	16	68	50	1,165	203	781
URBAN	1,480	2	2	6	271	93	46	27	30	12	10	53	39	848	144	570
RURAL	528	1	1	3	82	30	8	8	11	4	6	15	11	317	59	211
NONMETROPOLITAN COUNTIES	4,800	14	6	9	755	260	110	69	118	41	36	121	101	2,805	592	1,953
URBAN	1,942	9	2	6	321	121	39	25	50	16	14	56	42	1,124	249	794
RURAL	2,858	5	4	3	434	139	71	44	68	25	22	65	59	1,681	343	1,159
BELKNAP	362	-	2	-	67	26	7	7	12	4	3	8	2	213	43	151
LACONIA	176	-	1	-	33	12	4	2	6	2	1	6	1	110	27	75
BALANCE OF COUNTY	186	-	1	-	34	14	3	5	6	2	2	2	1	103	16	76
CARROLL	225	-	1	-	44	8	9	5	9	4	2	7	4	128	20	101
CHESHIRE	472	3	-	1	61	24	11	5	8	2	2	9	11	280	80	176
KEENE	165	2	-	1	22	9	4	1	1	1	2	4	2	98	36	58
BALANCE OF COUNTY	307	1	-	-	39	15	7	4	7	1	-	5	9	182	44	118
COOS	415	1	-	3	65	27	6	7	13	2	3	7	13	234	59	163
BERLIN	184	-	-	2	33	15	2	1	8	1	1	5	8	94	17	73
BALANCE OF COUNTY	231	1	-	1	32	12	4	6	5	1	2	2	5	140	42	90
GRAFTON	556	1	-	-	77	26	8	8	7	5	3	20	8	336	60	238
HILLSBOROUGH	2,008	3	3	9	353	123	54	35	41	16	16	68	50	1,165	203	781
MANCHESTER	1,038	-	2	3	196	67	36	18	20	10	7	38	25	599	89	425
NASHUA	442	2	-	3	75	26	10	9	10	2	3	15	14	249	55	145
BALANCE OF COUNTY	528	1	1	3	82	30	8	8	11	4	6	15	11	317	59	211
MERRIMACK	829	2	1	1	128	47	22	13	13	9	5	19	28	490	96	348
CONCORD	381	2	1	1	48	18	8	7	7	3	-	5	15	229	43	167
BALANCE OF COUNTY	448	-	-	-	80	29	14	6	6	6	5	14	13	261	53	181
ROCKINGHAM	958	3	1	1	152	49	21	13	26	6	10	27	13	541	110	363
PORTSMOUTH	233	2	-	-	43	14	4	1	9	3	2	10	2	115	28	79
BALANCE OF COUNTY	725	1	1	1	109	35	17	12	17	3	8	17	11	426	82	284
STRAFFORD	651	3	1	2	111	40	15	8	20	6	6	16	19	381	83	269
DOVER	233	3	-	-	34	15	7	2	3	2	1	4	6	139	30	93
ROCHESTER	167	-	-	2	37	12	4	2	8	2	3	6	3	100	20	75
BALANCE OF COUNTY	251	-	1	-	40	13	4	4	9	2	2	6	10	142	33	101
SULLIVAN	332	1	-	1	50	13	11	3	10	3	2	8	3	202	41	144
CLAREMONT	143	-	-	-	21	8	2	3	4	1	1	2	1	92	17	67
BALANCE OF COUNTY	189	1	-	1	29	5	9	-	6	2	1	6	2	110	24	77
NEW JERSEY[6]	62,024	347	65	206	11,323	4,064	1,911	1,120	1,353	582	466	1,827	1,262	35,470	5,458	27,424
URBAN	52,380	323	55	171	9,617	3,493	1,614	950	1,134	487	381	1,558	1,102	30,115	4,624	23,305
RURAL	9,644	24	10	35	1,706	571	297	170	219	95	85	269	160	5,355	834	4,119
METROPOLITAN COUNTIES	49,071	304	51	154	8,975	3,209	1,471	905	1,072	481	377	1,460	998	28,085	4,196	21,887
URBAN	44,172	288	46	137	8,101	2,918	1,327	816	964	423	329	1,324	923	25,358	3,776	19,778
RURAL	4,899	16	5	17	874	291	144	89	108	58	48	136	75	2,727	420	2,109
NONMETROPOLITAN COUNTIES	12,953	43	14	52	2,348	855	440	215	281	101	89	367	264	7,385	1,262	5,537
URBAN	8,208	35	9	34	1,516	575	287	134	170	64	52	234	179	4,757	848	3,527
RURAL	4,745	8	5	18	832	280	153	81	111	37	37	133	85	2,628	414	2,010
ATLANTIC	2,272	14	5	4	399	140	50	43	59	27	12	68	58	1,334	203	1,054
ATLANTIC CITY	1,087	12	2	1	189	61	27	19	29	13	5	35	22	638	94	511
PLEASANTVILLE	172	-	-	2	28	9	2	3	4	4	2	4	7	100	14	79
BALANCE OF COUNTY	1,013	2	3	1	182	70	21	21	26	10	5	29	29	596	95	464
BERGEN	6,762	27	3	12	1,422	489	217	176	145	69	68	258	127	3,842	609	2,906
BERGENFIELD	236	2	-	-	48	13	14	6	3	1	-	11	1	133	19	103
CLIFFSIDE PARK	199	1	-	-	37	11	12	3	5	1	1	4	5	119	12	96
DUMONT	144	1	-	-	31	9	5	4	6	1	1	5	3	78	15	53
EAST PATERSON	125	-	-	-	28	12	5	2	2	1	-	6	4	69	10	51
ENGLEWOOD	301	1	1	-	48	13	9	6	9	3	-	8	5	189	28	144
FAIR LAWN	242	2	-	-	62	25	11	3	7	1	6	9	2	121	24	87
FORT LEE	204	1	-	1	40	15	4	7	1	4	3	6	3	120	17	94
GARFIELD	265	1	-	2	54	24	8	7	4	2	3	6	10	153	37	110
GLEN ROCK	94	1	-	-	20	10	2	1	2	1	3	1	1	55	8	45
HACKENSACK	377	1	1	-	105	40	14	12	14	5	4	16	4	202	35	155
HASBROUCK HEIGHTS	113	1	-	-	24	7	3	4	1	1	1	7	3	64	11	47
LODI	149	-	-	-	38	16	5	7	4	1	3	2	3	76	11	58

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	13	-	3	1	-	-	2	3	-	2	-	-	-	1	3	8	1	1	-	7	1
-	9	-	2	-	-	1	1	-	-	-	1	-	1	1	2	2	2	3	-	2	2
3	24	1	4	-	-	1	-	2	-	1	-	-	3	3	1	3	7	2	-	6	3
-	8	1	4	-	-	1	-	-	-	-	-	1	1	1	5	1	4	1	1	3	4
1	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	5
7	284	21	19	2	11	12	3	15	3	4	21	1	18	38	5	27	36	19	5	79	6
6	213	13	18	1	9	10	2	8	2	3	17	-	13	25	2	21	20	11	3	58	7
-	41	5	-	1	1	2	1	3	-	-	2	1	3	6	2	1	9	5	1	10	8
1	30	3	1	-	1	-	-	4	1	1	2	-	2	7	1	5	7	3	1	11	9
-	19	2	3	-	2	1	2	4	2	-	3	-	2	5	4	4	7	2	-	7	10
63	2,212	244	215	47	273	81	40	161	60	33	81	6	84	194	64	101	176	87	11	477	11
40	1,098	123	103	20	149	35	11	81	40	19	54	3	38	101	27	40	77	33	5	232	12
23	1,114	121	112	27	124	46	29	80	20	14	27	3	46	93	37	61	99	54	6	245	13
16	632	76	57	15	133	23	10	40	25	16	33	1	25	45	20	26	43	22	4	125	14
12	469	58	31	11	97	18	8	31	20	12	29	1	18	36	17	15	25	14	4	90	15
4	163	18	26	4	36	5	2	9	5	4	4	-	7	9	3	11	18	8	-	35	16
47	1,580	168	158	32	140	58	30	121	35	17	48	5	59	149	44	75	133	65	7	352	17
28	629	65	72	9	52	17	3	50	20	7	25	2	20	65	10	25	52	19	1	142	18
19	951	103	86	23	88	41	27	71	15	10	23	3	39	84	34	50	81	46	6	210	19
5	114	14	18	2	11	5	1	9	1	-	3	1	3	8	3	3	9	5	-	33	20
3	53	6	13	-	5	3	-	4	1	-	-	-	1	5	1	-	4	2	-	13	21
2	61	8	5	2	6	2	1	5	-	-	3	1	2	3	2	3	5	3	-	20	22
2	75	11	13	1	4	2	-	4	2	1	-	-	5	4	1	2	8	5	-	16	23
2	146	16	12	7	10	4	3	8	5	3	5	-	4	20	5	9	18	4	-	35	24
-	53	2	3	2	2	-	-	-	3	1	2	-	2	8	1	2	8	3	-	10	25
2	93	14	9	5	8	4	3	8	2	2	3	-	2	12	4	7	10	1	-	25	26
6	105	24	28	3	3	5	1	16	7	1	7	-	4	14	3	6	8	6	-	27	27
5	48	7	13	2	1	1	-	5	3	1	5	-	2	7	1	4	7	-	-	12	28
1	57	17	15	1	2	4	1	11	4	-	2	-	2	7	2	2	1	6	-	15	29
9	198	15	16	2	22	10	4	15	2	1	3	1	8	12	15	12	9	5	-	51	30
16	632	76	57	15	133	23	10	40	25	16	33	1	25	45	20	26	43	22	4	125	31
5	352	48	20	8	59	14	4	23	13	7	17	-	15	20	10	11	20	10	4	63	32
7	117	10	11	3	38	4	4	8	7	5	12	1	3	16	7	4	5	4	-	27	33
4	163	18	26	4	36	5	2	9	5	4	4	-	7	9	3	11	18	8	-	35	34
5	289	26	28	5	28	4	9	13	9	5	13	-	12	20	4	14	32	10	1	46	35
4	128	17	18	1	14	1	3	8	7	3	8	-	6	11	1	7	7	2	1	24	36
1	161	9	10	4	14	3	6	5	2	2	5	-	6	9	3	7	25	8	-	22	37
10	311	27	15	8	35	15	10	33	3	5	8	1	14	41	10	16	26	20	2	68	38
6	66	1	6	1	5	2	-	14	1	1	2	1	2	12	1	2	8	4	-	23	39
4	245	26	9	7	30	13	10	19	2	4	6	-	12	29	9	14	18	16	2	45	40
4	228	24	13	4	16	7	2	15	4	-	5	1	3	23	-	9	15	5	-	54	41
-	79	11	3	3	7	6	-	5	2	-	4	-	-	9	-	1	10	2	-	18	42
2	64	7	2	-	4	1	-	3	-	-	1	-	2	2	-	3	3	1	-	10	43
2	85	6	8	1	5	-	2	7	2	-	-	1	1	12	-	5	2	2	-	26	44
4	114	11	15	-	11	6	-	8	2	1	4	1	6	7	3	4	8	5	4	22	45
3	53	7	4	-	8	-	-	5	1	1	1	1	1	4	-	3	4	3	-	5	46
1	61	4	11	-	3	6	-	3	1	-	3	-	5	3	3	1	4	2	4	17	47
833	21,125	2,114	3,352	377	1,032	827	352	1,728	459	301	1,041	43	669	2,037	147	904	1,597	549	192	3,684	48
728	18,057	1,760	2,760	327	856	699	304	1,440	395	254	930	35	538	1,666	123	642	1,318	436	163	3,057	49
105	3,068	354	592	50	176	128	48	288	64	47	111	8	131	371	24	262	279	113	29	627	50
679	17,017	1,628	2,563	287	779	652	284	1,384	372	239	839	32	513	1,580	117	661	1,275	430	156	2,906	51
630	15,423	1,450	2,275	268	693	578	265	1,244	340	214	792	28	440	1,395	109	521	1,136	374	146	2,580	52
49	1,594	178	288	19	86	74	19	140	32	25	47	4	73	185	8	140	139	56	10	326	53
154	4,108	486	789	90	253	175	68	344	87	62	202	11	156	457	30	243	322	119	36	778	54
98	2,634	310	485	59	163	121	39	196	55	40	138	7	98	271	14	121	182	62	17	477	55
56	1,474	176	304	31	90	54	29	148	32	22	64	4	58	186	16	122	140	57	19	301	56
23	821	87	123	10	35	25	7	63	17	10	37	1	11	62	6	36	58	16	8	133	57
9	389	51	62	3	14	12	4	33	10	2	25	1	4	31	6	11	25	3	7	65	58
5	61	7	6	1	3	3	-	3	1	3	1	-	-	3	-	1	4	2	-	17	59
9	371	29	55	6	18	10	3	27	6	5	11	-	7	28	-	24	29	11	1	51	60
110	2,370	182	244	38	191	92	36	174	45	26	114	3	80	201	22	81	141	66	12	364	61
8	77	12	6	1	7	3	-	6	1	2	3	-	5	8	2	4	7	4	-	10	62
1	80	2	13	2	7	1	1	4	2	-	7	-	-	3	-	1	6	-	1	13	63
2	42	3	6	1	5	3	1	5	2	1	3	-	3	3	-	3	2	2	-	7	64
3	43	2	3	1	3	2	2	-	1	-	3	-	1	2	-	3	2	1	2	9	65
4	114	11	15	2	6	5	4	8	2	4	3	1	2	9	2	5	7	-	-	14	66
2	75	3	7	-	4	4	2	7	1	2	2	-	3	5	1	3	12	3	2	14	67
6	72	4	12	2	3	3	1	4	2	1	4	-	3	7	-	2	4	1	1	10	68
4	90	8	8	1	4	1	-	8	2	-	7	-	5	7	1	3	2	3	-	7	69
2	40	1	2	1	-	1	-	5	-	1	1	-	1	1	-	1	1	-	-	6	70
8	126	8	13	2	6	4	-	7	-	-	9	-	5	7	1	4	8	3	2	18	71
5	38	1	3	2	3	-	1	1	1	-	3	-	3	2	-	-	1	3	-	7	72
3	46	2	7	2	2	1	2	1	2	-	3	-	2	9	1	-	6	-	-	8	73

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEW JERSEY--CON.																
BERGEN--CON.																
LYNDHURST TWP#.....	217	-	-	-	43	17	9	-	2	1	1	13	7	123	16	98
MAYWOOD.....	92	-	-	-	22	7	5	2	1	-	2	5	-	50	3	44
NEW MILFORD.....	119	-	-	1	29	7	9	3	2	2	2	4	1	57	5	46
NORTH ARLINGTON.....	182	1	-	-	42	13	5	5	8	1	2	8	5	102	19	77
PALISADES PARK.....	107	-	-	-	26	8	3	2	6	3	1	3	2	61	5	52
PARAMUS.....	108	1	-	-	27	9	3	4	4	2	1	4	3	51	7	42
RIDGEFIELD.....	98	-	-	1	25	7	4	-	2	3	3	6	3	45	5	37
RIDGEFIELD PARK.....	142	1	-	-	27	6	6	5	3	2	1	4	2	89	11	60
RIDGEWOOD.....	257	-	-	1	58	21	4	7	6	3	3	14	6	150	33	107
RIVER EDGE.....	85	-	-	-	21	7	5	2	1	2	1	3	1	57	14	38
RUTHERFORD.....	266	-	-	1	51	15	8	5	6	1	3	13	4	160	29	117
SADDLE BROOK TWP#.....	82	-	-	-	21	9	4	1	-	-	2	5	3	41	5	29
TEANECK TWP#.....	377	4	-	1	66	22	10	12	3	5	2	12	9	229	35	168
TENAFLY.....	138	-	-	-	36	8	6	5	2	2	3	10	3	71	13	49
WALDWICK.....	46	-	-	-	13	4	1	2	2	-	-	4	-	17	3	14
WYCKOFF TWP#.....	92	-	-	-	17	4	3	2	1	2	2	3	2	52	8	39
BALANCE OF COUNTY....	1,905	8	1	4	363	130	40	57	38	18	14	66	32	1,108	171	846
BURLINGTON.....	1,658	8	1	9	273	92	51	27	29	15	16	43	20	902	161	664
BURLINGTON.....	140	-	-	2	27	9	4	3	4	1	1	5	3	67	12	47
LEVITTOWN TWP#.....	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
MAPLE SHADE TWP#.....	98	-	-	-	15	7	3	1	-	2	-	2	4	60	14	40
MOUNT HOLLY TWP#.....	118	2	-	-	19	6	1	2	3	1	2	4	-	66	12	50
NEW HANOVER TWP#.....	12	-	-	-	1	1	-	-	-	-	-	-	-	5	-	5
BALANCE OF COUNTY....	1,287	6	1	7	211	69	43	21	22	11	13	32	13	703	123	521
CAMDEN.....	3,835	22	6	8	669	230	131	64	86	36	28	94	76	2,236	284	1,823
AUDUBON.....	108	-	-	-	16	4	5	3	1	2	-	1	3	70	10	52
BELLMAWR.....	61	-	-	-	10	6	-	1	-	-	-	3	1	33	4	26
CAMDEN.....	1,440	16	4	3	243	82	46	25	34	14	7	35	35	819	98	664
COLLINGSWOOD.....	224	-	-	-	38	10	9	5	2	3	3	6	5	152	27	118
DELAWARE TWP#.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
GLOUCESTER CITY.....	161	-	-	-	28	9	6	1	5	4	-	3	3	92	6	81
HADDON TWP#.....	110	-	-	-	18	7	2	3	4	-	-	2	-	81	12	67
HADDONFIELD.....	185	2	-	-	28	12	4	4	-	3	-	5	2	116	17	91
PENNSAUKEN TWP#.....	231	-	-	1	41	14	10	2	7	-	3	5	7	130	16	109
BALANCE OF COUNTY....	1,156	4	2	4	223	78	49	17	27	9	13	30	19	646	84	531
CAPE MAY.....	801	-	2	3	121	40	23	5	16	7	6	24	24	510	73	399
CUMBERLAND.....	1,190	1	3	5	189	63	35	17	29	7	7	31	35	696	112	513
BRIDGETON.....	273	-	1	1	34	11	4	2	9	-	3	5	11	167	25	127
MILLVILLE.....	234	-	-	1	40	10	12	7	5	-	1	5	5	149	28	104
VINELAND.....	369	1	1	1	63	25	11	4	6	3	2	12	9	215	30	162
BALANCE OF COUNTY....	314	-	1	2	52	17	8	4	9	4	1	9	10	165	29	120
ESSEX.....	10,673	82	13	35	1,837	659	277	194	230	92	77	308	218	6,078	874	4,794
BELLEVILLE.....	312	1	1	2	58	26	10	5	5	2	1	9	7	186	30	138
BLOOMFIELD.....	544	1	-	1	106	37	20	15	13	5	3	13	11	327	44	256
CEDAR GROVE TWP#.....	73	1	-	-	15	7	2	2	1	-	-	3	-	36	8	22
EAST ORANGE.....	1,036	4	1	2	186	72	26	20	26	9	5	28	17	641	95	503
IRVINGTON.....	721	1	-	-	137	61	13	13	17	10	8	15	21	443	40	378
LIVINGSTON TWP#.....	112	-	-	-	30	11	2	1	6	1	2	7	1	57	6	44
MAPLEWOOD TWP#.....	294	1	1	1	69	20	15	8	8	4	4	10	2	175	34	131
MILLBURN TWP#.....	173	-	-	-	42	14	7	3	6	3	1	8	2	101	25	66
MONTCLAIR.....	558	-	-	2	111	34	12	18	20	5	5	17	15	315	65	231
NEWARK.....	5,162	64	7	18	786	289	126	69	93	36	32	141	109	2,783	372	2,235
NUTLEY.....	259	1	-	-	46	13	10	4	10	1	1	7	8	154	30	107
ORANGE.....	454	3	3	3	75	24	12	13	6	6	3	11	10	272	28	227
SOUTH ORANGE.....	179	2	-	-	34	11	2	4	5	3	3	6	1	120	17	94
VERONA.....	106	-	-	-	22	9	3	3	2	-	1	4	5	56	15	36
WEST ORANGE.....	337	1	-	2	66	18	4	9	9	3	3	20	4	196	30	160
BALANCE OF COUNTY....	353	2	-	4	54	13	13	7	3	4	5	9	5	216	35	166
GLOUCESTER.....	1,241	4	1	3	210	70	35	22	31	13	7	32	23	707	102	553
GLASSBORO.....	77	1	-	-	10	5	2	1	1	1	-	-	3	36	8	23
WOODBURY.....	165	-	-	-	22	7	1	3	7	1	1	2	1	105	17	79
BALANCE OF COUNTY....	999	3	1	3	178	58	32	18	23	11	6	30	19	566	77	451
HUDSON.....	7,455	65	6	41	1,337	477	276	114	139	70	45	216	167	4,322	539	3,554
BAYONNE.....	849	7	-	3	155	54	31	12	15	7	6	30	22	518	48	446
HARRISON.....	151	3	-	1	27	9	7	2	1	2	-	6	4	90	5	80
HOBOKEN.....	601	3	-	1	108	38	31	7	12	2	5	13	14	346	29	301
JERSEY CITY.....	3,554	44	2	31	599	208	115	47	74	35	21	99	82	2,003	297	1,588
KEARNY.....	413	1	-	2	70	29	12	7	6	2	2	12	6	259	32	209
NORTH BERGEN TWP#.....	422	1	1	-	83	23	18	11	6	7	1	17	6	255	28	222
SECAUCUS.....	84	1	-	-	16	8	4	-	1	-	-	3	2	42	3	34
UNION CITY.....	706	3	2	2	126	47	29	11	13	5	4	17	14	428	52	354
WEEHAWKEN TWP#.....	193	-	-	-	37	6	10	6	5	3	1	6	5	109	10	95
WEST NEW YORK.....	378	2	1	1	84	42	14	7	6	5	4	6	6	219	30	180
BALANCE OF COUNTY....	104	-	-	-	32	13	5	4	-	2	1	7	6	53	5	45
HUNTERDON.....	613	1	1	1	105	42	12	10	13	2	6	20	7	363	54	270
MERCER.....	2,758	18	2	7	491	190	84	33	61	23	17	83	43	1,548	238	1,169
EWING TWP#.....	179	-	-	1	44	19	10	2	1	3	3	6	2	99	19	71
HAMILTON TWP#.....	538	2	-	-	92	29	19	8	15	3	2	16	11	311	46	235
PRINCETON.....	113	1	-	-	16	9	-	2	1	-	1	3	-	63	9	47

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E982)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
7	80	8	3	3	4	1	1	6	3	1	4	-	-	7	1	2	5	3	-	12	1
2	34	4	4	-	1	1	1	2	-	-	2	-	-	6	-	2	1	3	-	4	2
4	38	4	-	-	5	-	1	7	1	-	1	-	4	10	-	1	1	-	-	7	3
-	65	9	3	3	-	-	-	2	1	1	4	1	1	1	-	1	2	3	-	15	4
3	47	2	-	-	2	2	-	3	-	-	2	-	1	4	-	1	1	-	-	3	5
2	31	5	4	-	1	-	1	4	2	1	3	-	-	5	-	1	2	-	-	8	6
1	30	2	4	-	2	1	-	2	1	2	2	-	-	6	-	-	2	3	-	6	7
1	50	2	7	-	16	2	-	3	1	-	1	-	-	2	-	-	4	-	-	9	8
1	94	3	9	2	4	4	-	6	2	-	4	-	3	2	-	2	1	5	-	13	9
2	33	2	1	-	2	3	-	2	1	-	-	-	-	1	-	-	1	-	-	1	10
2	98	4	13	4	2	5	3	5	2	-	1	-	2	4	2	5	7	-	4	21	11
-	21	1	7	1	2	3	1	4	-	-	-	-	1	3	-	1	3	1	1	3	12
3	142	13	10	-	13	11	2	9	3	1	6	-	-	9	2	4	4	6	1	23	13
1	43	3	2	1	5	2	1	4	1	1	2	-	-	4	-	2	5	2	-	7	14
1	12	1	-	-	-	-	-	2	2	-	1	-	-	5	-	-	4	-	-	2	15
1	33	5	-	2	2	-	1	3	-	-	2	-	1	5	1	-	2	2	-	5	16
31	676	57	82	5	50	26	10	54	10	8	31	1	31	64	6	30	32	19	1	102	17
17	536	42	69	6	27	35	9	72	14	8	17	-	32	87	9	30	37	17	1	121	18
-	41	2	4	1	-	4	3	6	-	1	4	-	3	6	2	1	3	1	-	14	19
-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	20
1	29	3	7	-	3	2	1	3	1	1	2	-	-	4	-	1	1	-	-	6	21
1	43	2	4	1	2	1	-	6	1	-	-	-	2	6	-	3	5	4	-	3	22
-	4	1	-	-	-	-	-	1	-	-	-	-	-	3	1	-	-	-	-	1	23
15	418	34	54	4	22	28	5	56	12	5	11	-	26	67	6	25	28	12	1	97	24
47	1,263	174	339	16	46	50	17	155	25	16	45	4	34	128	9	47	76	31	9	239	25
1	38	5	8	1	3	2	2	6	1	1	-	-	-	3	-	1	2	-	-	5	26
2	18	1	5	-	1	1	1	4	1	-	1	-	2	2	-	2	1	-	-	4	27
13	458	70	123	9	18	26	4	72	9	8	27	2	15	41	2	14	31	10	6	83	28
6	80	7	25	-	2	5	-	6	2	2	-	-	2	3	-	-	4	-	-	10	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
1	52	6	22	-	2	3	-	6	2	-	4	-	-	6	-	3	3	1	-	13	31
-	54	5	8	-	-	2	-	1	-	-	-	-	1	2	-	-	1	2	-	4	32
2	60	6	23	1	2	1	4	7	2	-	-	-	1	9	-	2	-	1	-	15	33
4	76	9	20	-	2	3	-	7	-	-	3	-	2	12	-	3	6	1	1	17	34
15	370	56	90	5	15	6	5	39	8	4	8	2	10	44	6	20	25	13	2	77	35
5	253	34	107	6	20	7	5	13	4	4	14	-	3	15	4	14	11	5	-	54	36
11	300	75	127	7	34	24	6	31	4	6	5	1	9	49	2	32	31	23	7	61	37
3	61	19	44	-	8	6	1	4	1	1	-	1	-	15	1	8	8	3	3	14	38
1	66	11	26	2	12	2	1	6	-	1	1	-	3	3	-	4	6	4	-	11	39
5	105	28	24	3	7	11	2	5	1	-	2	-	5	18	-	11	7	7	3	20	40
2	68	17	33	2	7	5	2	16	2	4	2	-	1	13	1	9	10	9	1	16	41
149	3,767	323	555	77	135	119	79	243	78	66	201	14	99	401	23	127	354	93	65	646	42
9	117	4	8	3	6	6	3	3	6	1	4	-	3	10	-	3	11	1	-	15	43
9	191	19	37	3	8	9	7	5	6	1	8	-	7	10	1	5	18	4	-	33	44
6	10	2	4	-	2	1	3	1	-	-	-	-	2	5	-	-	3	1	2	7	45
13	337	41	112	10	14	16	3	25	5	6	16	1	11	18	-	5	36	8	-	54	46
9	313	26	30	5	10	8	2	10	3	2	15	-	8	8	-	7	22	8	1	35	47
1	36	4	3	2	3	2	-	1	2	1	-	-	1	6	1	2	1	1	-	8	48
6	96	7	22	3	1	6	-	4	3	-	3	-	1	7	-	3	10	1	-	13	49
2	53	6	5	4	3	3	-	1	-	-	5	1	-	4	1	3	2	3	-	8	50
12	162	16	41	5	6	3	5	9	7	8	11	-	4	11	2	8	16	7	-	32	51
60	1,852	144	179	36	51	44	45	155	35	35	118	11	49	281	13	72	187	41	60	338	52
1	88	11	7	3	9	3	2	3	2	2	5	-	4	7	-	1	8	2	1	15	53
4	168	16	39	-	5	7	5	12	2	4	7	1	3	11	-	1	14	3	1	29	54
1	72	6	15	-	6	2	1	-	1	2	2	-	-	3	1	3	4	-	-	6	55
1	32	-	3	-	1	2	2	1	2	-	1	-	1	5	-	1	3	1	-	8	56
6	125	11	18	-	2	3	1	8	3	4	3	-	3	5	-	4	7	7	-	24	57
9	115	10	32	3	8	4	-	5	1	-	3	-	2	10	4	9	12	5	-	21	58
9	390	60	94	2	18	26	6	34	10	9	9	3	8	43	-	39	39	12	3	84	59
1	15	5	2	1	1	1	2	7	-	-	-	-	-	4	-	4	4	2	-	6	60
-	58	8	13	-	5	4	-	6	-	2	2	-	-	8	-	3	6	1	-	9	61
8	317	47	79	1	12	21	4	21	10	7	7	3	8	31	-	32	29	9	3	69	62
103	2,805	194	452	26	77	83	43	234	65	26	178	3	80	185	19	66	152	52	23	434	63
9	384	31	22	3	7	7	7	23	6	2	20	-	11	19	1	6	16	5	2	33	64
1	63	7	9	-	3	2	-	3	1	-	4	-	-	2	-	1	5	-	-	10	65
6	233	14	48	3	5	8	-	30	2	4	15	-	6	19	2	10	9	5	1	26	66
45	1,259	76	208	13	40	42	23	114	33	15	88	2	41	107	12	22	83	26	19	231	67
10	165	15	19	4	3	10	1	11	3	1	7	-	4	8	1	3	8	2	-	27	68
11	168	10	33	1	1	3	-	9	6	2	5	-	4	5	-	7	9	6	-	23	69
3	23	2	6	-	1	2	2	3	-	-	5	-	3	2	1	1	1	-	-	7	70
10	266	20	58	-	14	3	5	18	8	2	14	1	5	14	1	11	11	5	1	40	71
3	68	3	21	1	1	2	-	8	2	-	7	-	2	3	-	2	7	-	-	11	72
5	139	12	24	1	1	3	4	13	4	-	10	-	3	5	1	-	3	2	-	24	73
-	37	4	4	-	1	1	1	2	-	-	3	-	1	1	-	3	-	1	-	2	74
6	214	21	29	7	16	12	4	22	5	3	9	-	10	19	3	11	12	10	1	30	75
22	901	107	139	12	72	47	10	87	25	14	44	-	27	80	8	50	94	30	8	182	76
2	56	6	7	1	5	3	-	7	2	-	-	-	2	1	-	2	3	4	-	12	77
4	187	22	22	2	15	12	1	20	7	5	9	-	4	15	1	8	15	8	2	28	78
1	38	4	4	-	3	3	1	5	3	1	1	-	-	2	1	2	4	1	-	13	79

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEW JERSEY--CON.																
MERCER--CON.																
TRENTON	1,514	14	2	6	269	110	45	16	34	13	9	42	27	844	137	626
BALANCE OF COUNTY	414	1	-	-	70	23	10	5	10	4	2	16	3	231	27	190
MIDDLESEX	3,429	23	2	15	684	260	142	61	65	24	21	111	86	1,863	344	1,400
CARTERET	156	1	1	-	24	7	3	4	3	1	1	5	3	101	19	76
EDISON TWP#	242	-	-	-	55	19	17	5	3	2	1	8	3	124	27	88
HIGHLAND PARK	127	-	-	1	28	15	3	1	3	1	1	4	4	78	17	58
METUCHEN	122	1	-	-	18	7	3	3	1	2	1	1	3	74	12	61
MIDDLESEX	82	-	-	-	16	8	5	1	-	1	-	1	2	41	4	33
NEW BRUNSWICK	400	8	1	3	77	25	20	8	8	-	2	14	14	220	52	157
PERTH AMBOY	502	4	-	3	104	39	30	4	13	2	5	11	9	294	49	223
SAYREVILLE	125	1	-	1	27	9	4	3	4	-	1	6	2	67	11	51
SOUTH PLAINFIELD	105	-	-	-	18	8	1	2	3	-	1	3	2	49	12	35
SOUTH RIVER	146	1	-	-	32	11	4	3	4	6	1	3	9	79	13	62
WOODBRIDGE TWP#	533	2	-	4	115	50	19	7	9	3	6	21	12	276	55	203
BALANCE OF COUNTY	889	5	-	3	170	62	33	20	14	6	1	34	23	460	73	353
MONMOUTH	3,793	12	1	13	663	251	123	59	86	26	18	100	62	2,197	379	1,607
ASBURY PARK	281	3	-	1	34	14	3	4	4	3	4	2	4	176	32	120
EATONTOWN	35	-	-	1	7	3	-	1	1	-	-	2	1	12	5	7
LONG BRANCH	274	-	-	2	45	17	10	3	4	1	1	9	6	155	23	120
MIDDLETOWN TWP#	319	-	-	1	66	28	8	10	6	3	1	10	4	174	30	122
NEPTUNE TWP#	327	1	-	-	60	26	10	5	10	3	1	5	3	203	35	151
RARITAN TWP#	75	-	-	-	14	6	2	-	2	2	1	1	3	33	6	23
RED BANK	216	1	-	1	34	15	6	3	7	-	-	3	5	133	17	104
BALANCE OF COUNTY	2,266	7	1	7	403	142	84	33	52	14	10	68	36	1,311	231	960
MORRIS	2,165	6	2	6	393	128	59	49	52	34	18	53	31	1,243	209	941
DOVER	157	-	-	-	22	9	1	2	3	2	2	3	1	95	14	74
MADISON	162	-	1	-	32	12	4	5	-	2	1	8	2	95	20	66
MORRISTOWN	226	1	-	2	40	17	5	4	6	2	1	5	1	137	20	107
PARSIPPANY-TROY HILLS TWP#	107	1	-	-	26	8	3	6	3	2	1	3	1	52	9	38
BALANCE OF COUNTY	1,513	4	1	4	273	82	46	32	40	26	13	34	26	864	146	656
OCEAN	1,404	2	1	6	256	88	43	26	34	23	16	26	20	815	122	637
POINT PLEASANT	133	-	-	1	26	7	5	5	2	4	2	1	2	82	8	67
BALANCE OF COUNTY	1,271	2	1	5	230	81	38	21	32	19	14	25	18	733	114	570
PASSAIC	4,222	24	5	7	819	305	141	68	101	41	36	127	117	2,423	430	1,810
CLIFTON	711	1	1	1	136	38	23	16	20	10	5	24	19	440	82	323
HAWTHORNE	182	-	1	1	37	14	3	5	6	2	-	7	5	111	25	78
PASSAIC	649	7	1	-	107	43	14	5	15	3	10	17	21	377	67	281
PATERSON	1,822	12	-	3	356	132	73	22	40	19	13	57	51	1,020	174	757
TOTOWA	71	-	1	-	17	5	2	2	2	1	1	4	2	39	8	30
WAYNE TWP#	206	-	1	1	37	16	7	6	5	2	-	1	6	114	19	89
BALANCE OF COUNTY	581	4	-	1	129	57	19	12	13	4	7	17	13	322	55	252
SALEM	677	3	-	1	122	41	15	10	22	10	9	15	11	358	63	264
SOMERSET	1,164	3	4	7	229	71	47	27	25	9	8	42	21	631	108	486
BOUND BROOK	97	-	1	4	11	3	2	2	1	-	1	2	5	50	2	43
MANVILLE	80	2	-	-	18	5	3	1	4	1	1	3	2	32	5	27
NORTH PLAINFIELD	168	-	-	1	45	17	10	3	2	1	1	11	4	89	12	72
SOMERVILLE	156	-	-	-	31	11	4	4	5	3	2	2	2	92	23	63
BALANCE OF COUNTY	663	1	3	2	124	35	28	17	13	4	3	24	8	368	66	281
SUSSEX	559	1	-	2	101	40	15	10	13	3	7	13	9	310	70	225
UNION	4,604	30	7	18	887	339	113	94	107	45	40	149	99	2,635	421	1,996
CLARK TWP#	72	-	-	-	14	6	2	1	2	1	-	2	4	35	7	26
CRANFORD TWP#	185	1	-	1	28	10	3	2	2	2	1	8	8	110	17	82
ELIZABETH	1,268	8	2	5	227	97	35	16	32	9	5	33	28	719	105	556
HILLSIDE TWP#	237	1	-	1	52	17	8	10	6	2	1	8	5	142	24	110
LINDEN	310	5	-	2	41	13	6	3	5	2	3	9	8	179	29	134
NEW PROVIDENCE	64	-	-	1	20	8	1	3	1	-	1	6	1	32	5	27
PLAINFIELD	482	4	1	1	83	31	11	10	10	3	5	13	11	270	48	205
RAHWAY	243	2	-	-	49	18	6	4	4	2	6	9	4	141	16	115
ROSELLE	194	4	1	-	32	12	4	5	1	3	2	5	3	115	32	77
ROSELLE PARK	123	-	-	2	25	8	1	7	2	1	2	4	4	75	15	55
SCOTCH PLAINS TWP#	103	1	-	1	22	5	5	2	5	1	-	4	1	56	7	47
SPRINGFIELD TWP#	121	-	-	-	32	14	7	3	2	1	3	2	2	68	13	47
SUMMIT	252	1	-	-	52	18	4	6	4	4	4	12	5	138	20	95
UNION TWP#	455	1	3	1	95	35	10	11	16	3	2	18	11	266	38	214
WESTFIELD	244	1	-	3	60	26	3	9	5	8	2	7	3	143	25	100
BALANCE OF COUNTY	251	1	-	-	55	21	7	2	10	3	3	9	1	146	20	106
WARREN	749	1	-	3	116	49	22	11	10	6	4	14	8	457	63	359
PHILLIPSBURG	274	-	-	1	42	19	9	4	2	3	2	3	5	172	24	136
BALANCE OF COUNTY	475	1	-	2	74	30	13	7	8	3	2	11	3	285	39	223
NEW MEXICO	6,520	70	17	48	859	293	106	71	137	35	41	176	90	2,463	562	1,644
URBAN	4,040	28	11	22	580	179	75	49	94	23	33	127	59	1,630	347	1,104
RURAL	2,480	42	6	26	279	114	31	22	43	12	8	49	31	833	215	540
METROPOLITAN COUNTIES	1,612	15	5	4	228	69	31	24	33	8	11	52	28	681	135	473
URBAN	1,348	10	5	4	197	56	27	17	31	8	10	48	24	578	104	413
RURAL	264	5	-	-	31	13	4	7	2	-	1	4	4	103	31	60

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
12	479	62	73	9	41	24	7	41	10	6	27	-	18	49	4	27	51	10	6	103	1
3	141	13	33	-	8	5	1	14	3	2	7	-	3	13	2	11	21	7	-	26	2
47	1,061	134	158	18	34	43	24	76	31	16	50	3	52	140	7	61	76	35	7	202	3
4	62	4	6	2	-	1	3	3	1	-	1	-	1	7	1	1	4	3	-	4	4
4	69	7	8	-	3	4	2	2	3	-	3	-	5	19	1	2	5	2	-	18	5
-	44	4	10	1	-	2	-	-	-	-	2	-	1	3	-	2	2	-	-	6	6
1	46	6	8	-	-	1	-	4	2	-	1	-	1	6	-	2	2	2	-	6	7
2	25	2	4	-	-	2	2	2	-	2	1	-	3	3	-	3	3	2	-	4	8
2	124	12	19	4	2	5	-	7	3	3	8	-	4	15	-	6	2	3	3	23	9
5	158	29	31	1	10	6	5	12	2	2	10	1	6	7	-	6	10	3	-	29	10
1	47	1	2	2	-	2	1	7	1	-	1	-	-	4	1	1	1	1	-	10	11
2	24	3	6	-	-	2	-	2	2	1	-	-	2	15	-	2	5	1	1	5	12
2	48	9	3	-	1	2	1	2	1	-	2	-	3	4	-	2	1	2	-	8	13
6	161	22	14	2	5	7	4	13	8	4	9	2	8	17	2	12	18	4	-	27	14
18	253	35	47	6	13	9	6	22	8	4	12	-	18	40	2	22	23	12	3	62	15
45	1,219	116	227	31	108	54	18	115	32	13	72	5	41	124	5	68	108	20	13	229	16
3	87	14	16	6	7	10	1	9	1	4	8	1	3	3	-	5	6	-	1	22	17
-	7	-	-	-	-	-	-	2	-	-	-	-	1	7	-	-	1	-	-	3	18
4	96	6	14	1	7	1	3	11	3	1	4	-	4	11	-	3	10	1	-	18	19
5	100	3	14	-	17	5	-	9	2	1	4	-	5	11	-	13	9	2	1	17	20
4	101	23	23	3	11	2	1	10	1	2	6	1	3	4	-	4	6	1	2	20	21
2	17	-	4	-	3	1	-	4	1	-	2	-	3	6	-	2	4	-	-	3	22
3	76	10	15	2	6	3	1	10	2	-	6	-	2	3	2	1	7	-	-	9	23
24	735	60	141	19	57	32	12	60	22	5	42	3	20	79	3	40	65	16	9	137	24
46	748	66	81	19	34	30	10	59	12	9	31	2	37	67	3	48	53	22	2	139	25
3	53	10	8	2	4	1	-	5	1	1	1	-	3	8	1	1	7	-	-	11	26
1	59	5	1	2	1	6	-	1	1	1	4	1	4	-	-	3	4	-	-	13	27
5	85	7	10	4	2	3	1	7	1	-	3	-	3	8	-	4	5	3	-	11	28
-	27	6	5	1	1	2	1	2	1	1	2	-	1	5	-	3	3	2	-	7	29
37	524	38	57	10	26	18	8	44	8	6	21	1	26	46	2	37	34	17	2	97	30
15	509	39	74	7	27	17	5	30	6	7	22	2	15	51	6	29	41	10	5	80	31
3	57	3	4	2	1	4	-	2	-	1	4	-	1	5	-	-	4	1	-	4	32
12	452	36	70	5	26	13	5	28	6	6	18	2	14	46	6	29	37	9	5	76	33
66	1,450	157	137	38	73	52	20	114	36	21	70	-	42	128	5	45	88	34	10	234	34
13	273	17	20	6	13	11	5	10	6	2	9	-	8	17	1	9	9	6	3	33	35
1	59	13	5	2	3	3	-	2	2	-	3	-	2	2	2	1	2	1	-	10	36
12	225	23	21	5	11	7	6	13	5	3	11	-	7	13	-	10	14	7	-	53	37
26	598	70	63	21	39	22	7	64	17	11	33	-	14	72	2	12	50	11	6	88	38
-	26	2	2	-	1	-	-	3	1	1	-	-	-	2	-	-	-	-	-	5	39
3	70	11	5	-	3	3	-	6	1	-	5	-	3	7	-	4	5	3	1	12	40
11	199	21	21	4	3	6	2	16	4	4	9	-	8	15	-	9	8	6	-	33	41
3	198	31	32	5	14	10	2	16	7	7	9	-	8	29	-	24	27	7	6	42	42
20	380	39	47	11	8	13	5	36	3	9	20	-	19	44	1	18	21	10	2	86	43
-	36	4	3	-	2	2	1	1	-	-	2	-	5	3	1	1	-	1	-	12	44
2	19	3	3	-	-	-	-	2	-	1	3	-	4	8	-	-	-	-	-	8	45
3	58	4	7	1	2	2	-	5	1	2	4	-	-	4	-	2	3	1	-	7	46
3	50	2	8	3	1	2	-	4	1	1	-	-	2	6	-	2	2	-	1	12	47
12	217	26	26	7	3	7	4	24	1	5	11	-	8	23	-	13	16	8	1	47	48
5	172	28	20	3	6	5	1	21	2	4	10	-	7	15	2	10	22	6	1	36	49
74	1,512	168	242	36	73	70	39	112	30	21	79	2	47	147	12	53	131	43	8	243	50
3	13	5	5	-	-	1	1	3	-	-	1	-	3	3	-	2	1	3	-	3	51
4	63	5	10	2	4	4	1	4	2	2	2	1	1	8	1	1	1	2	-	12	52
16	449	39	52	10	16	21	11	31	10	5	30	-	14	56	4	13	47	7	5	57	53
3	87	8	12	-	2	4	2	7	2	3	1	-	-	5	-	-	2	3	-	13	54
6	102	8	18	3	7	3	3	8	3	-	6	-	6	10	2	4	10	5	1	20	55
-	24	-	3	-	-	-	-	3	-	-	-	-	1	-	-	-	4	1	-	1	56
9	153	16	27	-	5	3	9	13	1	4	12	-	7	17	1	9	16	4	1	27	57
3	73	15	24	3	3	2	2	7	1	-	2	-	1	9	1	7	7	1	-	11	58
2	55	8	12	1	2	-	3	6	2	1	2	-	1	10	-	-	4	1	1	11	59
4	45	1	5	2	2	-	1	1	1	-	3	-	-	2	-	-	1	-	-	9	60
4	30	7	6	1	1	-	-	2	-	1	4	-	1	2	-	1	1	1	-	9	61
3	35	4	5	1	1	5	1	-	-	-	1	-	1	2	-	1	3	4	-	7	62
6	65	11	13	5	11	5	2	6	3	-	3	-	3	5	1	3	15	2	-	15	63
6	164	20	24	3	5	6	-	12	2	1	5	1	2	6	1	4	8	7	-	29	64
2	76	10	12	4	6	7	1	4	1	2	2	-	3	4	-	4	6	1	-	7	65
3	78	11	14	1	8	9	2	5	2	2	5	-	3	8	1	4	5	1	-	12	66
10	256	37	56	2	14	13	6	21	8	6	5	-	8	22	1	15	25	7	1	45	67
3	100	18	15	-	5	4	3	9	3	2	3	-	1	10	-	2	7	1	-	16	68
7	156	19	41	2	9	9	3	12	5	4	2	-	7	12	1	13	18	6	1	29	69
98	1,186	111	249	45	104	67	41	290	41	66	108	16	127	489	327	373	386	104	54	592	70
60	813	71	160	26	78	48	27	156	27	31	78	6	77	307	141	178	221	77	39	372	71
38	373	40	89	19	26	19	14	134	14	35	30	10	50	182	186	195	165	27	15	220	72
30	345	31	67	12	25	25	11	66	13	4	38	7	33	126	17	63	73	30	14	167	73
25	303	25	60	11	20	21	9	51	12	2	33	2	30	105	8	48	61	27	13	138	74
5	42	6	7	1	5	4	2	15	1	2	5	5	3	21	9	15	12	3	1	29	75

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. "Metropolitan counties" include all counties in Standard Metropolitan Statistical Areas and New England County Metropolitan Areas. "Nonmetropolitan counties" include all other counties. Specified urban and rural areas are those within Standard Metropolitan Statistical Areas, New England County Metropolitan Areas, and Nonmetropolitan State economic areas for New England).

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEW MEXICO--CON.																
NONMETROPOLITAN COUNTIES	4,908	55	12	44	631	224	75	47	104	27	30	124	62	1,782	427	1,171
URBAN..	2,692	18	6	18	383	123	48	32	63	15	23	79	35	1,052	243	691
RURAL..	2,216	37	6	26	248	101	27	15	41	12	7	45	27	730	184	480
BERNALILLO	1,612	15	5	4	228	69	31	24	33	8	11	52	28	681	135	473
ALBUQUERQUE	1,348	10	5	4	197	56	27	17	31	8	10	48	24	578	104	413
BALANCE OF COUNTY	264	5	-	-	31	13	4	7	2	-	1	4	4	103	31	60
CATRON	21	-	-	-	1	-	1	-	-	-	-	-	-	7	-	7
CHAVES	394	5	-	1	50	18	8	6	4	3	4	7	8	144	28	101
ROSWELL	299	4	-	1	42	16	7	5	3	3	4	4	5	114	21	80
BALANCE OF COUNTY	95	1	-	-	8	2	1	1	1	-	-	3	3	30	7	21
COLFAX	127	-	-	1	13	5	-	-	1	2	1	4	-	69	15	44
CURRY	224	1	1	-	34	11	2	4	7	3	4	3	4	85	27	51
CLOVIS	170	1	1	-	28	9	2	4	7	2	2	2	4	59	21	31
BALANCE OF COUNTY	54	-	-	-	6	2	-	-	-	1	2	1	-	26	6	20
DE BACA	30	-	-	-	4	1	-	-	2	-	-	1	1	15	1	14
DONA ANA	344	7	2	2	51	14	5	7	11	2	1	11	4	123	29	77
LAS CRUCES	164	3	1	1	29	4	3	5	8	1	-	8	1	59	11	39
BALANCE OF COUNTY	180	4	1	1	22	10	2	2	3	1	1	3	3	64	18	38
EDDY	317	1	3	2	43	13	12	3	5	2	2	6	5	108	30	70
ARTESIA	87	-	-	2	11	4	1	-	2	1	1	2	1	34	9	23
CARLSBAD	171	1	2	-	23	8	6	2	1	1	1	4	3	55	17	33
BALANCE OF COUNTY	59	-	1	-	9	1	5	1	2	-	-	-	1	19	4	14
GRANT	151	3	-	1	24	9	5	1	3	1	2	3	3	56	14	35
GUADALUPE	59	-	1	-	7	2	-	-	2	1	-	2	-	25	5	20
HARDING	21	-	-	-	3	1	-	-	1	-	-	1	1	9	1	7
HIDALGO	47	-	-	-	7	4	1	-	1	-	-	1	-	15	6	8
LEA	290	3	1	3	31	9	3	2	6	-	-	11	1	111	20	76
HOBBS	158	2	1	2	14	4	-	1	5	-	-	4	1	65	11	44
BALANCE OF COUNTY	132	1	-	1	17	5	3	1	1	-	-	7	-	46	9	32
LINCOLN	78	-	-	-	6	2	1	-	2	1	-	-	2	31	2	27
LOS ALAMOS	36	-	-	-	7	1	-	2	-	-	1	3	-	11	1	9
LUNA	101	-	-	3	12	4	1	1	2	1	-	3	-	43	8	29
MC KINLEY	267	9	-	13	25	9	1	1	4	-	2	8	3	76	16	54
GALLUP	116	-	-	1	15	6	1	1	1	-	1	5	2	51	8	39
BALANCE OF COUNTY	151	9	-	12	10	3	-	-	3	-	1	3	1	25	8	15
MORA	45	1	1	-	5	2	1	-	2	-	-	1	1	14	4	9
OTERO	201	2	-	1	27	11	5	1	3	1	1	5	3	69	14	47
ALAMOGORDO	115	-	-	-	18	6	4	1	2	1	1	3	-	48	8	34
BALANCE OF COUNTY	86	2	-	1	9	5	1	-	1	-	-	2	3	21	6	13
QUAY	134	1	-	-	20	9	3	1	-	-	-	7	3	64	27	33
RIO ARRIBA	211	-	1	3	24	14	-	-	6	1	1	2	3	71	23	43
ROOSEVELT	132	2	-	3	20	6	5	-	4	-	3	2	5	65	18	40
SANDOVAL	100	2	-	1	3	1	-	-	-	-	-	2	1	28	7	17
SAN JUAN	259	9	-	4	34	11	1	3	8	1	1	9	1	61	14	40
FARMINGTON	106	1	-	1	15	3	-	2	4	1	1	4	-	31	6	21
BALANCE OF COUNTY	153	8	-	3	19	8	1	1	4	-	-	5	1	30	8	19
SAN MIGUEL	243	2	-	3	31	13	3	1	2	2	1	9	5	90	24	51
SANTA FE	344	2	1	2	43	12	4	7	9	-	2	9	4	148	33	101
SANTA FE	262	-	-	2	34	8	4	6	8	-	1	7	3	123	29	81
BALANCE OF COUNTY	82	2	1	-	9	4	-	1	1	-	1	2	1	25	4	20
SIERRA	120	-	-	-	21	9	2	4	3	-	1	2	1	55	11	43
SOCORRO	86	2	-	-	17	8	2	-	4	1	-	2	-	32	6	23
TAOS	148	1	-	-	15	8	2	-	4	1	-	-	-	43	15	25
TORRANCE	52	-	-	1	7	2	-	-	1	-	-	4	-	20	3	14
UNION	71	-	1	-	13	1	3	2	3	-	1	3	1	24	4	17
VALENCIA	255	2	-	-	33	14	4	1	4	4	2	4	2	70	21	39
GRANTS	43	-	-	-	8	3	1	-	1	1	2	-	-	10	3	6
BALANCE OF COUNTY	212	2	-	-	25	11	3	1	3	3	-	4	2	60	18	33
NEW YORK	181,795	1,094	219	583	31,910	11,400	5,300	3,157	3,888	1,561	1,256	5,348	3,328	103,244	15,639	80,390
URBAN..	142,732	994	189	445	25,542	9,261	4,278	2,519	2,990	1,227	958	4,309	2,688	80,688	11,677	63,620
RURAL..	39,063	100	30	138	6,368	2,139	1,022	638	898	334	298	1,039	640	22,556	3,962	16,770
METROPOLITAN COUNTIES	153,100	1,018	191	485	27,631	9,933	4,634	2,755	3,224	1,316	1,081	4,688	2,828	85,963	12,365	67,859
URBAN..	129,953	950	173	398	23,550	8,585	3,951	2,327	2,691	1,115	879	4,002	2,451	72,900	10,190	57,975
RURAL..	23,147	68	18	87	4,081	1,348	683	428	533	201	202	686	377	13,063	2,175	9,884
NONMETROPOLITAN COUNTIES	28,695	76	28	98	4,279	1,467	666	402	664	245	175	660	500	17,281	3,274	12,531
URBAN..	12,779	44	16	47	1,992	676	327	192	299	112	79	307	237	7,788	1,487	5,645
RURAL..	15,916	32	12	51	2,287	791	339	210	365	133	96	353	263	9,493	1,787	6,886
ALBANY	3,173	16	3	12	502	175	87	50	65	12	19	94	58	1,940	292	1,506
ALBANY	1,892	12	2	6	315	104	55	30	39	9	11	67	28	1,162	147	942
COHOES	263	1	-	2	34	19	3	4	6	-	2	-	7	163	26	127
WATERVLIET	180	1	-	-	27	11	7	1	1	2	-	5	3	116	19	87
BALANCE OF COUNTY	838	2	1	4	126	41	22	15	19	1	6	22	20	499	100	350
ALLEGANY	518	-	-	3	71	25	10	8	15	4	2	7	8	318	66	227
BROOME	2,135	9	5	5	356	127	62	34	46	21	10	56	38	1,240	242	903
BINGHAMTON	991	6	4	1	164	58	25	18	21	13	4	25	24	580	108	427
ENDICOTT	241	1	-	3	43	16	11	3	4	2	2	5	5	136	33	96

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-466)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
68	841	80	182	33	79	42	30	224	28	62	70	9	94	363	310	310	313	74	40	425	4
35	510	46	100	15	58	27	18	105	15	29	45	4	47	202	133	130	160	50	26	234	5
33	331	34	82	18	21	15	12	119	13	33	25	5	47	161	177	180	153	24	14	191	6
																					7
30	345	31	67	12	25	25	11	66	13	4	38	7	33	126	17	63	73	30	14	167	8
25	303	25	60	11	20	21	9	51	12	2	33	2	30	105	8	48	61	27	13	138	9
5	42	6	7	1	5	4	2	15	1	2	5	5	3	21	9	15	12	3	1	29	10
1	5	-	1	-	-	-	-	2	-	-	-	-	-	3	1	1	3	-	-	3	11
4	73	8	16	3	6	4	2	13	-	8	5	-	7	35	21	25	14	9	7	42	12
3	59	7	11	3	5	3	2	8	-	5	3	-	6	29	13	12	10	8	6	33	13
1	14	1	5	-	1	1	-	5	-	3	2	-	1	6	8	13	4	1	1	9	14
2	34	3	5	2	3	4	1	4	-	1	1	-	2	4	6	3	12	-	-	11	15
1	39	5	6	-	3	3	1	5	4	3	-	-	5	22	5	12	15	2	2	24	16
1	24	4	2	-	3	3	1	4	1	3	-	-	5	16	5	8	11	2	2	20	17
-	15	1	4	-	-	-	-	1	3	-	-	-	-	6	-	4	4	-	-	4	18
																					19
-	9	1	4	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	1	2	20
7	56	1	13	3	9	3	2	13	1	2	3	1	8	24	31	16	17	7	-	32	21
5	25	1	8	1	5	1	2	10	1	1	1	1	2	8	14	3	9	4	-	16	22
2	31	-	5	2	4	2	-	3	-	1	2	-	6	16	17	13	8	3	-	16	23
1	64	1	4	1	5	1	1	16	3	1	8	1	7	32	9	21	23	6	3	25	24
-	21	-	2	-	2	-	-	-	2	-	-	-	-	14	4	4	5	3	2	4	25
1	30	1	1	-	3	1	1	11	1	-	7	-	6	12	4	15	11	2	1	17	26
-	13	-	1	1	-	-	-	5	-	1	-	1	1	6	1	2	7	1	-	4	27
1	26	3	5	3	1	1	2	6	2	1	2	1	-	13	7	12	8	2	-	10	28
2	16	1	1	-	-	-	-	1	-	1	1	-	-	5	5	6	4	2	-	1	29
-	4	-	3	-	1	-	-	4	-	-	-	-	-	1	1	1	1	-	-	-	30
-	6	2	-	-	1	-	-	4	2	-	-	-	-	2	5	4	5	1	1	1	31
																					32
6	63	4	3	2	9	2	2	5	1	2	2	-	4	23	27	24	27	7	3	15	33
6	33	3	2	2	6	1	1	3	1	1	2	-	1	9	20	12	9	4	2	9	34
-	30	1	1	-	3	1	1	2	-	1	-	-	3	14	7	12	18	3	1	6	35
3	16	-	8	1	-	1	-	3	-	1	3	-	2	3	4	9	5	-	1	8	36
1	7	1	-	1	-	-	-	1	-	-	2	-	4	4	-	2	2	1	-	2	37
1	23	2	3	2	2	2	-	2	-	5	2	-	4	9	-	4	5	1	1	10	38
7	37	4	6	1	1	1	3	20	1	1	5	-	7	23	18	22	16	4	-	24	39
4	28	4	3	1	-	1	2	6	-	-	2	-	3	6	6	11	5	1	-	7	40
3	9	-	3	-	1	-	1	14	1	1	3	-	4	17	12	11	11	3	-	17	41
1	5	1	2	-	-	1	-	6	-	-	-	-	-	2	5	4	2	-	1	3	42
																					43
3	37	-	7	1	6	1	-	11	3	-	3	-	6	12	13	10	17	8	1	15	44
2	27	-	5	1	4	1	-	3	2	-	1	-	4	4	8	3	10	5	-	9	45
1	10	-	2	-	2	-	-	8	1	-	2	-	2	8	5	7	7	3	1	6	46
-	25	2	6	1	2	-	1	11	-	1	-	1	1	7	2	10	7	-	-	6	47
4	29	6	4	1	2	2	-	11	2	1	4	-	5	14	16	27	11	1	2	15	48
1	23	4	12	1	2	3	1	3	-	2	-	-	1	7	4	3	6	2	-	9	49
1	10	4	2	1	2	1	-	9	-	4	1	1	3	7	13	5	8	1	2	11	50
2	29	2	7	1	5	-	1	11	2	8	1	-	7	23	22	17	29	4	5	21	51
1	14	2	4	-	4	-	-	1	1	2	1	-	2	11	6	9	13	2	3	7	52
1	15	-	3	1	1	-	1	10	1	6	-	-	5	12	16	8	16	2	2	14	53
4	30	5	12	1	8	1	5	16	1	4	6	3	1	23	19	7	11	3	1	17	54
																					55
8	72	7	14	2	6	5	1	11	2	1	10	-	8	19	7	14	22	7	3	40	56
5	58	5	13	2	5	5	1	9	1	1	7	-	6	15	4	7	16	4	2	28	57
3	14	2	1	-	1	-	-	2	1	-	3	-	2	4	3	7	6	3	1	12	58
1	33	3	6	-	1	-	-	4	1	-	3	-	2	1	2	4	8	2	1	15	59
1	16	3	3	2	-	-	1	4	-	2	1	-	1	7	2	4	6	-	-	8	60
1	16	2	6	-	-	2	1	8	1	4	-	-	2	9	27	16	8	-	2	12	61
-	9	1	4	1	1	1	-	3	-	1	-	-	1	4	3	1	1	1	-	9	62
-	6	-	11	-	1	-	2	6	-	2	3	-	1	4	2	2	1	-	1	10	63
4	23	4	8	2	2	3	3	11	2	6	3	1	4	19	32	23	18	3	2	24	64
-	4	-	2	-	-	1	-	-	-	2	-	-	-	7	3	4	5	1	-	3	65
4	19	4	6	2	2	2	3	11	2	4	3	1	4	12	29	19	13	2	2	21	66
																					67
																					68
																					69
2,482	66,167	6,286	5,455	1,185	3,084	2,005	941	6,672	1,447	804	3,341	170	1,886	5,575	1,221	2,531	4,688	1,577	668	10,837	70
1,963	52,390	5,135	4,132	904	2,265	1,486	736	5,397	1,170	630	2,925	146	1,389	4,244	972	1,542	3,615	1,133	613	8,410	71
519	13,777	1,151	1,323	281	819	519	205	1,275	277	174	416	24	497	1,331	249	989	1,073	444	55	2,427	72
																					73
2,179	56,074	5,426	4,180	906	2,378	1,658	797	5,713	1,240	681	3,088	151	1,589	4,755	1,104	1,877	3,903	1,262	633	8,988	74
1,824	47,848	4,733	3,570	771	1,953	1,325	686	4,994	1,081	587	2,794	137	1,254	3,892	906	1,345	3,321	1,029	600	7,591	75
355	8,226	693	610	135	425	333	111	719	159	94	294	14	335	863	198	532	582	233	33	1,397	76
303	10,093	860	1,275	279	706	347	144	959	207	123	253	19	297	820	117	654	785	315	35	1,849	77
139	4,542	402	562	133	312	161	50	403	89	43	131	9	135	352	66	197	294	104	13	819	78
164	5,551	458	713	146	394	186	94	556	118	80	122	10	162	468	51	457	491	211	22	1,030	79
																					80
26	1,257	84	139	20	57	50	15	91	28	12	36	-	36	95	8	40	64	24	9	199	81
16	778	51	97	10	30	28	5	56	17	8	27	-	18	51	2	17	36	14	6	115	82
2	105	10	10	4	3	1	2	9	3	-	2	-	4	7	2	4	7	1	1	16	83
1	73	8	5	1	4	3	2	4	3	-	1	-	2	5	1	2	3	-	-	12	84
7	301	15	27	5	20	18	6	22	5	4	6	-	12	32	3	17	18	9	2	56	85
1	166	16	44	7	9	6	3	18	4	1	4	-	5	17	4	17	16	4	-	28	86
38	766	52	47	15	43	28	9	79	18	3	28	-	22	84	9	42	47	14	1	135	87
17	351	31	28	10	24	8	3	32	8	1	16	-	6	33	3	23	25	4	1	60	88
4	85	3	4	-	2	4	1	15	1	-	2	-	2	9	-	6	2	2	-	14	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. "Metropolitan counties" include all other counties. Specified urban and rural areas are defined within metropolitan State economic areas for New England).

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-149,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEW YORK--CON.																
BROOME--CON.																
JOHNSON CITY	197	1	1	1	23	10	2	2	3	2	-	4	3	122	21	87
BALANCE OF COUNTY	706	1	-	-	126	43	24	11	18	4	4	22	6	402	80	293
CATTARAUGUS	977	1	-	1	133	40	17	17	21	4	8	26	13	590	119	410
OLEAN	288	1	-	-	45	14	8	6	4	1	2	10	1	170	36	122
BALANCE OF COUNTY	689	-	-	1	88	26	9	11	17	3	6	16	12	420	83	288
CAYUGA	895	1	-	4	130	49	18	17	14	5	10	17	18	571	100	394
AUBURN	457	1	-	3	66	30	9	8	4	1	7	7	9	300	52	213
BALANCE OF COUNTY	438	-	-	1	64	19	9	9	10	4	3	10	9	271	48	181
CHAUTAUQUA	1,721	6	1	10	241	89	30	20	43	17	5	37	38	1,060	207	774
DUNKIRK	230	2	-	2	35	16	4	5	5	-	1	4	8	129	18	103
JAMESTOWN	540	3	1	4	81	31	7	7	12	9	-	15	8	342	78	240
BALANCE OF COUNTY	951	1	-	4	125	42	19	8	26	8	4	18	22	589	111	431
CHEMUNG	1,100	2	3	5	188	56	34	14	30	14	6	34	11	650	152	435
ELMIRA	625	2	2	4	100	29	24	8	14	8	4	13	8	380	89	259
BALANCE OF COUNTY	475	-	1	1	88	27	10	6	16	6	2	21	3	270	63	176
CHENANGO	494	2	-	4	66	20	8	8	12	5	4	9	20	290	61	201
CLINTON	668	3	1	2	70	21	13	6	10	3	5	12	20	405	72	304
PLATTSBURGH	228	1	1	-	27	9	6	3	4	-	1	4	6	133	29	94
BALANCE OF COUNTY	440	2	-	2	43	12	7	3	6	3	4	8	14	272	43	210
COLUMBIA	653	1	-	-	107	31	18	12	17	5	4	20	4	410	77	307
HUDSON	174	1	-	-	33	7	8	3	4	-	-	11	2	104	15	87
BALANCE OF COUNTY	479	-	-	-	74	24	10	9	13	5	4	9	2	306	62	220
CORTLAND	443	1	-	3	64	22	8	5	9	6	2	12	6	262	70	167
CORTLAND	223	-	-	1	34	8	6	2	6	4	1	7	2	142	38	88
BALANCE OF COUNTY	220	1	-	2	30	14	2	3	3	2	1	5	4	120	32	79
DELAWARE	514	1	1	-	63	23	8	5	10	5	2	10	6	320	54	243
DUTCHESS	1,817	3	-	10	300	108	63	31	37	15	8	38	22	1,055	176	795
BEACON	180	2	-	-	26	9	9	2	1	3	1	1	1	119	25	74
POUGHKEEPSIE	589	-	-	2	91	28	21	7	15	4	5	11	6	361	62	274
BALANCE OF COUNTY	1,048	1	-	8	183	71	33	22	21	8	2	26	15	575	89	447
ERIE	10,804	52	7	59	1,814	626	344	155	240	104	80	265	193	6,206	1,096	4,641
BUFFALO	6,685	35	6	32	1,090	393	226	77	133	70	44	147	118	3,893	671	2,948
DEPEW	106	1	-	-	15	4	4	2	2	1	1	1	3	64	5	52
KENMORE	252	1	-	1	62	25	10	6	7	1	1	12	3	140	28	100
LACKAWANNA	243	2	-	1	39	14	7	3	4	1	3	7	10	131	25	95
LANCASTER	127	1	-	-	23	6	3	3	6	2	2	1	2	68	9	53
TONAWANDA	265	1	-	1	40	15	5	4	5	2	2	7	2	148	30	104
BALANCE OF COUNTY	3,126	11	1	24	545	169	89	60	83	27	27	90	55	1,762	328	1,289
ESSEX	439	4	1	1	58	21	9	6	9	4	1	8	7	263	47	186
FRANKLIN	562	6	1	3	74	25	7	7	17	4	3	11	12	321	58	236
FULTON	722	1	2	3	123	41	23	11	16	11	1	20	9	436	89	313
GLOVERSVILLE	356	1	2	3	58	15	10	5	8	7	1	12	5	227	41	170
JOHNSTOWN	148	-	-	-	33	15	5	3	4	3	-	3	3	81	19	54
BALANCE OF COUNTY	218	-	-	-	32	11	8	3	4	1	-	5	1	128	29	89
GENESEE	590	-	-	1	90	24	16	9	24	4	4	9	10	340	78	226
BATAVIA	216	-	-	-	34	10	6	2	7	3	1	5	3	123	28	80
BALANCE OF COUNTY	374	-	-	1	56	14	10	7	17	1	3	4	7	217	50	146
GREENE	456	2	-	-	62	23	8	8	5	5	-	13	5	312	58	228
HAMILTON	67	-	-	-	18	4	4	-	3	2	2	3	2	27	2	23
HERKIMER	778	4	-	3	116	40	20	12	16	4	5	19	16	456	80	332
ILION	137	2	-	-	24	11	3	4	4	-	1	1	2	80	10	59
BALANCE OF COUNTY	641	2	-	3	92	29	17	8	12	4	4	18	14	376	70	273
JEFFERSON	1,106	1	-	2	131	44	21	13	26	5	5	17	31	686	147	470
WATERTOWN	434	-	-	1	50	17	8	5	11	4	2	3	13	273	61	192
BALANCE OF COUNTY	672	1	-	1	81	27	13	8	15	1	3	14	18	413	86	278
LEWIS	262	1	-	-	38	20	4	3	4	3	3	1	4	164	37	111
LIVINGSTON	477	-	-	2	63	22	9	3	17	2	-	10	5	299	66	215
MADISON	615	2	1	-	101	32	16	4	21	9	5	14	14	368	68	275
ONEIDA	159	-	-	-	19	5	4	1	2	2	1	4	4	100	24	70
BALANCE OF COUNTY	456	2	1	-	82	27	12	3	19	7	4	10	10	268	44	205
MONROE	6,183	17	6	21	1,038	341	176	112	137	44	50	178	96	3,703	608	2,780
ROCHESTER	4,220	15	3	12	700	230	116	74	94	36	35	115	65	2,525	409	1,900
BALANCE OF COUNTY	1,963	2	3	9	338	111	60	38	43	8	15	63	31	1,178	199	880
MONTGOMERY	782	4	-	1	120	41	20	13	14	5	3	24	29	469	78	351
AMSTERDAM	427	3	-	1	70	29	9	9	6	1	1	15	20	250	47	183
BALANCE OF COUNTY	355	1	-	-	50	12	11	4	8	4	2	9	9	219	31	168
NASSAU	9,480	34	8	29	1,854	639	294	201	194	91	92	343	149	5,196	771	4,065
EAST ROCKAWAY	102	-	-	1	21	6	5	4	2	1	-	3	2	55	10	38
FLORAL PARK	208	1	1	-	34	15	2	6	5	1	1	4	2	123	22	97
FREEPORT	393	-	1	1	76	26	13	6	10	5	5	11	6	222	33	168
GARDEN CITY	213	-	-	1	43	15	7	4	5	4	1	7	1	123	20	96
GLEN COVE	215	3	-	2	32	10	4	5	5	2	4	2	6	109	22	79
GREAT NECK	151	1	-	-	29	6	7	4	3	-	3	6	2	78	8	64
HEMPSTEAD	417	4	2	1	70	29	11	8	4	5	3	10	3	226	36	167
LONG BEACH	331	-	-	1	61	23	14	4	4	2	2	12	4	188	34	150
LYNBROOK	237	-	-	1	48	17	10	6	5	3	2	5	6	133	17	100
MASSAPEQUA PARK	86	-	-	-	21	8	2	3	3	1	2	2	1	43	7	34
MINEOLA	212	1	-	-	38	12	7	5	4	2	2	6	3	121	13	95
NEW HYDE PARK	163	-	-	-	35	9	7	2	7	2	1	7	3	87	15	65

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
6	74	4	3	1	5	6	2	9	-	-	3	-	2	9	-	2	4	1	-	16	1
11	256	14	12	4	12	10	3	23	9	2	7	-	12	33	6	11	16	7	-	45	2
10	309	26	65	7	26	20	8	48	7	6	11	1	12	25	6	15	26	9	-	73	3
5	92	10	15	1	2	6	3	9	2	1	5	-	5	14	3	4	8	1	-	19	4
5	217	16	50	6	24	14	5	39	5	5	6	1	7	11	3	11	18	8	-	54	5
13	328	28	25	19	47	10	1	35	5	1	7	-	12	16	2	20	20	8	-	45	6
6	177	19	11	11	19	5	-	14	3	1	4	-	9	9	1	5	7	5	-	20	7
7	151	9	14	8	28	5	1	21	2	-	3	-	3	7	1	15	13	3	-	25	8
43	581	47	103	13	47	13	6	41	12	10	16	-	22	36	8	35	49	17	2	117	9
6	70	10	17	-	5	2	1	6	-	-	4	-	4	9	4	5	5	-	-	17	10
14	186	11	29	2	14	6	2	21	3	3	2	-	5	11	1	7	7	4	2	35	11
23	325	26	57	11	28	5	3	14	9	7	10	-	13	16	3	23	37	13	-	65	12
12	388	14	21	13	28	17	5	36	6	7	7	-	15	35	2	31	19	11	1	71	13
5	234	9	11	6	16	7	3	22	3	3	4	-	10	16	2	13	13	3	1	39	14
7	154	5	10	7	12	10	2	14	3	4	3	-	5	19	-	18	6	8	-	32	15
12	152	20	17	2	14	2	10	22	5	-	1	1	5	2	3	12	18	6	2	35	16
5	242	39	18	3	17	6	3	16	2	2	3	-	7	34	6	22	28	3	2	42	17
2	79	8	5	2	5	1	2	8	-	-	-	-	1	18	1	8	9	1	2	12	18
3	163	31	13	1	12	5	1	8	2	2	3	-	6	16	5	14	19	2	-	30	19
9	246	22	30	5	8	10	3	29	4	1	7	1	4	15	2	8	17	5	-	38	20
5	62	10	10	-	1	1	-	5	2	-	3	-	-	5	1	1	4	1	-	12	21
4	184	12	20	5	7	9	3	24	2	1	4	1	4	10	1	7	13	4	-	26	22
5	129	10	23	3	13	9	-	14	5	2	3	-	6	12	1	10	20	7	-	27	23
3	67	6	12	1	8	7	-	5	2	1	1	-	4	7	-	6	8	-	-	10	24
2	62	4	11	2	5	2	-	9	3	1	2	-	2	5	1	4	12	7	-	17	25
5	201	4	33	6	9	4	4	20	7	3	6	-	3	27	-	10	17	5	-	25	26
16	677	63	39	20	42	17	5	51	17	7	28	2	20	66	1	42	43	29	3	118	27
-	62	8	4	3	15	2	-	4	1	-	8	1	-	3	-	1	3	1	-	10	28
6	248	13	7	10	8	5	2	18	9	3	10	-	7	13	-	10	9	8	1	41	29
10	367	42	28	7	19	10	3	29	7	4	10	1	13	50	1	31	31	20	2	67	30
148	3,834	289	370	64	119	234	52	455	96	52	135	6	121	328	44	138	256	84	20	738	31
93	2,439	203	213	41	67	136	30	303	56	33	84	4	63	192	26	58	161	47	18	466	32
3	43	1	5	-	2	4	1	2	1	1	1	-	2	4	2	3	3	-	-	4	33
2	80	8	10	1	5	5	1	6	1	-	2	-	2	8	1	3	7	4	-	11	34
3	82	3	7	2	-	7	2	9	3	1	5	-	5	6	1	3	8	2	1	16	35
2	44	3	4	-	2	2	2	7	1	-	2	-	1	6	1	2	3	-	-	10	36
5	87	4	8	1	2	10	1	21	4	2	2	-	-	12	1	7	6	2	-	16	37
40	1,059	67	123	19	41	70	15	107	30	15	39	2	48	100	12	62	68	29	1	215	38
4	166	8	8	8	13	8	1	16	3	4	8	1	3	14	1	14	14	3	1	23	39
5	206	7	18	3	14	7	3	19	2	1	3	2	8	23	1	21	17	10	-	38	40
11	225	31	46	11	9	7	7	24	4	2	10	-	7	19	3	11	13	8	-	47	41
7	125	13	25	6	3	4	3	9	2	-	7	-	3	8	1	4	2	4	-	20	42
-	40	5	9	4	2	-	2	4	2	-	-	-	2	3	1	1	4	1	-	13	43
4	60	13	12	1	4	3	2	11	-	2	3	-	2	8	1	6	7	3	-	14	44
5	193	12	16	3	21	10	2	7	2	4	9	-	9	19	-	21	10	9	1	58	45
1	70	4	5	-	11	3	1	2	1	2	7	-	3	3	-	5	2	3	-	28	46
4	123	8	11	3	10	7	1	5	1	2	2	-	6	16	-	16	8	6	1	30	47
3	192	11	22	3	14	7	2	5	1	-	1	-	6	8	1	9	11	5	1	27	48
1	18	2	2	-	-	1	1	7	1	-	1	-	1	2	1	1	3	-	-	3	49
7	263	32	30	10	24	7	3	20	9	1	6	-	15	31	2	16	28	12	1	42	50
1	52	5	1	2	7	1	1	5	2	-	2	-	2	4	-	3	1	3	-	7	51
6	211	27	29	8	17	6	2	15	7	1	4	-	13	27	2	13	27	9	1	35	52
8	413	26	23	7	39	21	2	38	6	1	11	1	11	32	7	24	29	16	-	79	53
4	172	12	4	4	5	11	-	14	2	1	3	-	5	14	2	4	13	5	-	34	54
4	241	14	19	3	34	10	2	24	4	-	8	1	6	18	5	20	16	11	-	45	55
2	103	4	2	2	7	2	5	5	2	2	2	1	3	11	-	9	8	3	-	9	56
5	166	16	28	2	9	6	1	20	2	1	4	-	5	17	-	8	15	6	-	30	57
6	186	30	53	3	9	6	7	13	4	2	9	-	4	19	2	17	13	11	-	35	58
1	48	9	12	-	1	2	3	6	-	-	3	-	1	8	-	1	6	2	-	9	59
5	138	21	41	3	8	4	4	7	4	2	6	-	3	11	2	16	7	9	-	26	60
87	2,374	163	156	23	165	108	19	230	43	24	52	4	57	188	9	101	139	56	15	384	61
58	1,623	120	99	21	111	71	13	174	32	15	39	3	36	115	4	62	102	30	11	277	62
29	751	43	57	2	54	37	6	56	11	9	13	1	21	73	5	39	37	26	4	107	63
11	282	23	35	3	19	13	5	27	7	5	10	-	6	7	-	19	26	5	-	47	64
6	144	12	21	3	7	8	2	11	2	2	8	-	4	6	-	5	13	4	-	28	65
5	138	11	14	-	12	5	3	16	5	3	2	-	2	1	-	14	13	1	-	19	66
176	3,334	358	197	50	117	145	48	295	63	26	166	7	130	291	163	134	276	68	21	570	67
-	34	4	-	2	3	2	-	4	-	-	2	-	-	5	1	1	3	-	-	7	68
8	70	11	8	-	2	2	-	8	2	-	3	-	4	6	1	3	7	2	1	10	69
8	134	21	5	3	10	6	2	8	2	-	3	-	4	9	9	7	14	2	-	29	70
2	73	10	11	-	2	3	2	7	4	1	2	-	3	-	3	3	9	4	-	9	71
-	64	9	6	1	1	4	2	7	2	1	1	1	4	7	3	1	12	4	1	19	72
2	51	8	3	1	1	2	2	5	-	1	6	-	3	3	2	3	6	3	-	9	73
6	147	6	8	6	6	10	1	14	4	2	8	-	9	19	9	7	10	-	1	28	74
5	129	6	10	-	2	2	-	7	1	-	7	-	2	11	6	8	9	5	-	21	75
4	85	5	6	3	10	2	1	8	3	-	3	-	1	2	4	6	8	-	-	14	76
2	29	2	1	-	1	-	1	3	-	1	-	-	-	4	4	1	-	1	-	7	77
7	67	16	5	1	6	6	-	5	1	1	7	-	2	6	5	2	9	1	-	10	78
3	47	10	5	1	3	1	2	3	2	1	5	1	3	2	3	3	5	1	-	9	79

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-

politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEW YORK--CON.																
NASSAU--CON.																
ROCKVILLE CENTRE	273	-	-	1	43	12	9	8	5	2	4	3	2	170	19	128
VALLEY STREAM	379	1	1	3	64	19	11	5	6	1	3	19	4	225	32	180
WESTBURY	146	-	-	-	28	9	5	2	5	1	1	5	3	72	12	53
BALANCE OF COUNTY	5,954	23	3	17	1,211	423	180	129	121	59	58	241	101	3,221	471	2,551
NEW YORK CITY	90,637	793	131	272	16,824	6,202	2,820	1,663	1,865	777	583	2,914	1,754	49,821	6,353	40,639
BRONX BOR., BRONX CO.	16,109	103	22	39	3,267	1,243	518	341	322	154	102	587	368	8,686	1,054	7,241
BROOKLYN BOR., KINGS CO.	29,455	233	25	108	5,113	1,909	848	460	578	239	186	893	618	16,601	2,201	13,457
MANHATTAN BOR., NEW YORK CO.	24,444	327	62	71	4,319	1,552	717	419	533	187	138	773	414	12,832	1,708	10,341
QUEENS BOR., QUEENS CO.	18,230	120	20	45	3,685	1,354	654	408	375	172	141	581	315	10,354	1,165	8,574
RICHMOND BOR., RICHMOND CO.	2,399	10	2	9	440	144	83	35	57	25	16	80	39	1,348	225	1,026
NIAGARA	2,184	4	-	7	361	129	61	34	51	19	19	48	47	1,245	214	919
LOCKPORT	327	1	-	1	53	24	11	3	7	3	-	5	8	195	32	144
NIAGARA FALLS	969	2	-	1	168	57	26	17	21	8	12	27	25	547	89	406
NORTH TONAWANDA	276	-	-	2	54	22	5	7	6	4	3	7	4	152	25	115
BALANCE OF COUNTY	612	1	-	3	86	26	19	7	17	4	4	9	10	351	68	254
ONEIDA	2,886	6	2	6	419	148	67	44	53	18	21	68	45	1,813	271	1,405
ROME	454	1	-	2	60	17	10	7	7	1	3	15	6	292	42	233
UTICA	1,307	4	2	1	196	77	25	18	26	9	9	32	21	828	132	636
BALANCE OF COUNTY	1,125	1	-	3	163	54	32	19	20	8	9	21	18	693	97	536
ONONDAGA	4,234	11	6	14	691	241	123	65	89	37	30	106	56	2,517	503	1,803
SYRACUSE	2,662	8	5	8	436	145	78	46	55	23	16	73	33	1,629	319	1,170
BALANCE OF COUNTY	1,572	3	1	6	255	96	45	19	34	14	14	33	23	888	184	633
ONTARIO	728	-	1	3	107	36	13	12	18	8	3	17	12	424	83	306
GENEVA	203	-	-	-	20	7	4	2	5	1	1	-	8	120	18	94
BALANCE OF COUNTY	525	-	1	3	87	29	9	10	13	7	2	17	4	304	65	212
ORANGE	2,218	18	5	4	393	153	57	33	54	20	13	63	33	1,236	208	927
MIDDLETOWN	292	5	1	-	56	24	7	5	10	2	1	7	4	161	27	122
NEWBURGH	495	3	2	-	83	31	17	5	12	2	5	11	4	274	48	201
BALANCE OF COUNTY	1,431	10	2	4	254	98	33	23	32	16	7	45	25	801	133	604
ORLEANS	426	2	-	-	48	18	6	7	9	5	1	2	8	273	36	212
OSWEGO	1,002	2	2	2	127	40	16	15	15	8	5	28	16	627	116	449
FULTON	169	-	-	1	25	8	2	5	3	1	2	4	2	101	17	73
OSWEGO	303	-	1	-	41	15	5	3	5	3	1	9	7	184	31	129
BALANCE OF COUNTY	530	2	1	1	61	17	9	7	7	4	2	15	7	342	68	247
OTSEGO	696	-	-	-	111	32	15	18	16	4	9	17	11	440	79	332
ONEONTA	183	-	-	-	37	12	6	6	6	1	1	5	-	111	22	83
BALANCE OF COUNTY	513	-	-	-	74	20	9	12	10	3	8	12	11	329	57	249
PUTNAM	343	2	1	1	68	23	13	7	6	2	6	11	7	175	37	125
RENSSELAER	1,756	8	2	1	277	110	40	27	31	16	3	50	33	1,116	182	821
RENSSELAER	132	-	1	-	20	8	4	-	2	3	-	3	1	90	9	61
TROY	986	3	1	1	167	68	24	15	18	6	1	35	16	641	102	482
BALANCE OF COUNTY	638	5	-	-	90	34	12	12	11	7	2	12	16	385	71	278
ROCKLAND	1,186	2	-	1	212	67	34	20	30	18	10	33	27	664	99	512
ST. LAWRENCE	1,167	-	-	9	167	51	26	12	36	7	8	27	16	702	105	536
MASSENA	140	-	-	-	21	6	1	2	6	1	1	4	2	91	16	68
OGDENSBURG	191	-	-	1	28	10	5	1	5	1	1	5	3	117	9	100
BALANCE OF COUNTY	836	-	-	8	118	35	20	9	25	5	6	18	11	494	80	368
SARATOGA	994	2	2	3	127	37	19	12	27	10	4	18	16	623	131	437
SARATOGA SPRINGS	214	1	1	-	22	6	2	1	6	-	2	5	4	132	24	93
BALANCE OF COUNTY	780	1	1	3	105	31	17	11	21	10	2	13	12	491	107	344
SCHENECTADY	1,755	8	3	9	298	110	46	33	32	11	17	49	33	1,070	187	769
SCHENECTADY	1,197	6	1	4	204	78	32	19	20	11	10	34	24	731	133	518
BALANCE OF COUNTY	558	2	2	5	94	32	14	14	12	-	7	15	9	339	54	251
SCHOHARIE	340	-	-	-	46	11	6	3	9	5	5	7	9	217	48	153
SCHUYLER	197	-	1	-	20	5	4	2	2	2	2	3	2	133	18	100
SENECA	340	-	-	2	46	17	11	2	4	3	-	9	5	223	41	164
STEUBEN	1,167	2	1	5	163	67	24	10	24	10	7	21	20	683	149	486
CORNING	208	-	-	2	27	11	4	3	4	1	2	2	7	127	32	82
HORNELL	226	1	-	3	33	16	3	2	3	2	1	6	3	142	27	105
BALANCE OF COUNTY	733	1	1	-	103	40	17	5	17	7	4	13	10	414	90	299
SUFFOLK	5,578	20	2	17	994	326	174	95	129	54	47	169	89	3,129	479	2,425
BABYLON	120	-	-	-	24	11	3	2	4	-	-	4	1	74	10	61
LINDENHURST	216	2	-	2	43	12	8	4	4	3	3	9	2	121	15	102
BALANCE OF COUNTY	5,242	18	2	15	927	303	163	89	121	51	44	156	86	2,934	454	2,262
SULLIVAN	681	2	2	3	103	39	17	15	14	6	3	9	19	407	59	321
TIOGA	370	1	-	2	51	20	7	6	7	2	1	8	7	243	58	159
TOMPKINS	588	1	1	3	97	31	15	7	14	6	5	19	6	350	64	246
ITHACA	279	1	-	2	58	17	11	6	6	4	3	11	4	153	25	111
BALANCE OF COUNTY	309	-	1	1	39	14	4	1	8	2	2	8	2	197	39	135
ULSTER	1,574	2	3	5	277	90	47	28	34	13	15	50	15	908	153	685
KINGSTON	498	-	2	-	85	28	18	7	14	4	4	10	5	293	52	209
BALANCE OF COUNTY	1,076	2	1	5	192	62	29	21	20	9	11	40	10	615	101	476
WARREN	608	2	2	1	109	38	25	8	18	7	2	11	11	353	52	289
GLENS FALLS	316	1	1	-	59	21	12	5	7	4	2	8	6	196	31	156
BALANCE OF COUNTY	292	1	1	1	50	17	13	3	11	3	-	3	5	157	21	133

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
5	109	7	7	3	10	9	1	6	2	1	6	-	6	8	7	1	7	3	-	10	6
8	139	19	14	3	3	5	2	12	-	2	9	-	2	9	4	5	10	1	-	27	7
2	43	4	4	-	1	5	1	5	2	-	2	-	4	9	4	2	9	-	1	5	8
114	2,113	220	104	26	56	86	31	193	38	15	102	5	83	191	98	81	158	41	17	356	9
1,300	33,555	3,430	2,354	495	1,186	674	474	3,621	752	438	2,242	115	857	2,763	659	875	2,330	746	527	5,117	10
242	5,980	620	399	84	121	117	69	618	155	84	337	29	160	495	68	182	353	145	82	916	11
431	11,205	970	851	170	412	212	149	1,319	220	125	556	35	304	1,103	186	289	660	181	159	1,620	13
292	8,452	958	639	127	344	185	127	1,023	187	139	938	36	171	623	322	203	794	266	226	1,491	15
289	7,045	826	414	89	281	140	105	547	175	77	358	14	186	477	73	177	449	136	54	968	17
46	873	56	51	25	28	20	24	114	15	13	53	1	36	65	10	24	74	18	6	122	19
26	764	42	87	16	43	41	12	70	15	16	29	2	26	80	11	49	63	20	-	139	21
4	115	6	19	3	7	8	1	7	-	3	5	1	5	7	2	6	14	1	-	18	22
9	343	19	35	8	25	14	5	35	6	7	19	1	12	34	5	7	23	12	-	65	23
7	90	7	11	3	1	7	1	11	4	2	2	-	4	8	-	9	4	2	-	18	24
6	216	10	22	2	10	12	5	17	5	4	3	-	5	31	4	27	22	5	-	38	25
28	1,008	221	148	27	59	28	23	70	22	9	46	3	41	86	2	54	66	17	3	176	26
2	125	75	31	1	11	3	2	17	4	1	8	-	5	15	1	6	7	4	-	25	27
15	510	59	52	17	20	11	12	26	10	5	27	1	18	36	1	19	31	3	2	76	28
11	373	87	65	9	28	14	9	27	8	3	11	2	18	35	-	29	28	10	1	75	29
48	1,586	78	91	19	115	56	21	131	36	11	37	3	47	138	14	69	108	50	7	288	30
32	1,026	52	60	10	77	36	17	87	23	6	20	3	20	72	11	27	60	24	7	183	31
16	560	26	31	9	38	20	4	44	13	5	17	-	27	66	3	42	48	26	-	105	32
5	263	17	21	6	13	11	5	32	5	2	5	-	7	20	-	24	20	12	1	53	34
2	83	3	6	1	5	1	1	8	1	1	2	-	2	7	-	7	7	2	-	18	35
3	180	14	15	5	8	10	4	24	4	1	3	-	5	13	-	17	13	10	1	35	36
21	726	51	129	33	40	18	10	86	19	9	25	2	21	61	30	36	75	17	6	142	37
4	87	8	23	5	3	3	1	12	1	-	1	-	6	3	1	1	10	2	-	28	38
1	160	8	32	3	16	3	3	18	4	1	9	1	5	20	23	1	18	4	2	23	39
16	479	35	74	25	21	12	6	56	14	8	15	1	10	38	6	34	47	11	4	91	40
6	166	20	20	5	9	9	2	12	2	1	5	-	7	13	1	12	11	1	1	29	41
10	364	34	41	7	35	15	5	30	7	5	10	-	8	30	1	26	35	8	-	66	42
3	49	6	15	1	8	1	1	7	3	1	2	-	2	5	-	-	5	1	-	14	43
1	107	11	10	1	15	5	3	11	2	2	5	-	4	7	1	3	7	2	-	26	44
6	208	17	16	5	12	9	1	12	2	2	3	-	2	18	-	23	23	5	-	26	45
13	261	31	27	6	7	9	7	15	8	1	2	1	6	15	4	14	11	9	-	48	47
3	68	6	6	-	1	4	1	3	3	-	-	1	-	3	-	2	3	2	-	18	48
10	193	25	21	6	6	5	6	12	5	1	2	-	6	12	4	12	8	7	-	30	49
3	99	11	12	2	7	3	1	9	4	-	2	-	2	17	2	11	9	3	-	30	50
14	689	59	59	21	48	29	15	45	13	8	21	-	14	40	5	24	48	11	1	89	51
1	44	4	12	1	10	7	2	4	-	-	-	-	2	1	1	2	3	1	-	6	52
10	413	36	23	13	22	11	11	20	7	3	15	-	7	20	1	7	22	3	1	51	53
3	232	19	24	7	16	11	2	21	6	5	6	-	5	19	3	15	23	7	-	32	54
16	415	52	29	12	20	10	11	44	7	6	18	1	21	53	5	21	21	13	-	70	55
6	464	40	26	4	38	13	6	57	9	6	2	1	12	37	5	23	34	20	3	64	56
2	57	2	7	1	5	-	1	7	-	2	-	1	1	5	1	1	3	1	-	4	57
1	89	6	4	-	4	4	-	5	1	-	1	-	3	7	2	6	3	-	-	14	58
3	318	32	15	3	29	9	5	45	8	4	1	-	8	25	2	16	28	19	3	46	59
10	356	43	28	4	29	17	5	27	6	7	10	3	12	34	13	13	16	11	-	69	61
3	65	20	5	-	11	1	3	6	1	1	3	-	1	7	6	2	2	4	-	21	62
7	291	23	23	4	18	16	2	21	5	6	7	3	11	27	7	11	14	7	-	48	63
22	680	35	32	16	59	33	6	63	16	7	35	1	12	29	6	25	33	11	2	94	64
15	458	22	23	12	39	25	4	48	9	6	25	1	7	21	4	13	19	4	2	68	65
7	222	13	9	4	20	8	2	15	7	1	10	-	5	8	2	12	14	7	-	26	66
1	135	3	14	5	8	3	-	10	1	2	4	-	2	7	1	7	11	6	1	16	67
2	67	21	10	2	8	4	1	10	1	1	2	1	1	6	-	9	5	2	-	3	68
3	130	9	22	-	12	3	3	10	-	1	2	-	2	10	2	11	10	3	-	13	69
8	393	43	42	14	17	15	2	50	9	7	5	3	13	35	3	32	46	7	1	82	70
1	62	10	9	3	7	3	-	2	1	1	1	1	1	9	1	8	4	1	-	15	71
-	81	12	12	3	2	5	-	10	-	-	-	-	1	5	-	4	11	-	-	13	72
7	250	21	21	8	8	7	2	38	8	6	4	2	11	21	2	20	31	6	1	54	73
104	2,048	141	132	43	112	47	23	166	34	21	87	3	94	242	61	146	134	44	11	284	75
4	52	3	2	1	1	-	1	5	-	1	2	-	4	1	-	1	2	1	-	4	76
5	89	4	4	-	3	-	1	7	2	1	2	-	3	15	1	1	3	1	-	10	77
95	1,907	134	126	42	108	47	21	154	32	19	83	3	87	226	60	144	129	42	11	270	78
9	218	21	73	2	15	3	7	21	5	2	8	-	4	17	3	15	14	10	2	44	79
-	129	5	25	3	15	5	3	7	4	2	3	1	5	9	1	5	6	3	-	20	80
5	208	20	13	14	21	3	2	21	5	1	4	-	7	13	2	9	21	6	1	40	81
2	95	11	3	7	8	1	1	13	2	-	2	-	3	3	-	3	8	1	-	26	82
3	113	9	10	7	13	2	1	8	3	1	2	-	4	10	2	6	13	5	1	14	83
9	553	47	76	14	30	17	9	53	13	13	14	-	11	46	3	26	34	21	3	127	85
2	172	14	21	6	11	12	3	15	6	3	4	-	2	14	2	6	9	9	-	43	86
7	381	33	55	8	19	5	6	38	7	10	10	-	9	32	1	20	25	12	3	84	87
8	204	24	53	-	5	6	1	20	3	3	3	-	8	18	2	18	13	10	2	30	88
4	104	14	34	-	4	5	-	10	3	1	1	-	2	5	-	6	9	2	1	13	89
4	100	10	19	-	1	1	1	10	-	2	2	-	6	13	2	12	4	8	1	17	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan counties include all counties in standard metropolitan statistical areas (SMSA's) and in New York-New Jersey-Connecticut metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NEW YORK--CON.																
WASHINGTON	615	2	1	1	80	29	11	3	20	5	2	10	7	388	77	278
WAYNE	757	1	-	1	115	39	12	10	16	6	9	23	14	458	86	320
NEWARK	112	-	-	-	23	7	3	1	1	3	3	5	2	66	13	49
BALANCE OF COUNTY	645	1	-	1	92	32	9	9	15	3	6	18	12	392	73	271
WESTCHESTER	7,720	28	11	24	1,520	543	235	179	183	63	81	236	148	4,229	673	3,178
MAMARONECK	155	-	-	2	31	10	5	4	4	-	5	3	1	74	14	53
MOUNT VERNON	819	4	1	3	163	57	21	19	23	4	12	27	14	443	62	326
NEW ROCHELLE	713	6	2	2	150	49	28	17	17	5	5	29	12	392	69	288
OSSINING	201	1	1	1	53	18	12	4	9	1	5	4	4	107	20	80
PEEKSKILL	269	-	-	-	46	21	9	3	2	2	4	5	5	150	25	105
PORT CHESTER	263	2	1	1	57	24	8	10	2	1	1	11	7	136	19	103
RYE	140	-	-	1	28	9	3	7	1	4	-	4	7	86	19	60
SCARSDALE	155	1	-	-	34	10	4	4	5	2	1	8	2	82	11	63
TARRYTOWN	112	-	-	2	19	6	5	2	2	-	-	4	2	48	12	28
WHITE PLAINS	585	1	3	-	120	44	17	15	14	9	4	17	7	310	47	235
YONKERS	1,931	3	1	4	368	140	60	34	48	12	20	54	50	1,085	140	875
BALANCE OF COUNTY	2,377	10	2	8	451	155	63	60	56	23	24	70	37	1,316	235	962
WYOMING	361	1	-	2	34	11	2	1	5	2	5	8	14	238	65	146
YATES	256	-	-	1	34	8	7	2	5	4	1	7	4	182	42	130
NORTH CAROLINA	39,090	173	70	229	5,023	1,362	707	456	860	194	265	1,179	558	21,072	5,177	14,076
URBAN	15,849	75	39	91	2,167	573	349	178	356	88	102	521	210	8,646	2,034	5,861
RURAL	23,241	98	31	138	2,856	789	358	278	504	106	163	658	348	12,426	3,143	8,215
METROPOLITAN COUNTIES	9,397	43	21	79	1,325	353	222	123	207	56	60	304	140	5,149	1,114	3,617
URBAN	6,678	30	19	52	949	250	171	87	150	40	35	216	92	3,632	769	2,554
RURAL	2,719	13	2	27	376	103	51	36	57	16	25	88	48	1,517	345	1,063
NONMETROPOLITAN COUNTIES	29,693	130	49	150	3,698	1,009	485	333	653	138	205	875	418	15,923	4,063	10,459
URBAN	9,171	45	20	39	1,218	323	178	91	206	48	67	305	118	5,014	1,265	3,307
RURAL	20,522	85	29	111	2,480	686	307	242	447	90	138	570	300	10,909	2,798	7,152
ALAMANCE	692	1	1	4	101	25	9	11	19	5	5	27	8	395	93	275
BURLINGTON	260	-	-	3	34	6	4	7	4	2	2	9	6	144	31	103
BALANCE OF COUNTY	432	1	1	1	67	19	5	4	15	3	3	18	2	251	62	172
ALEXANDER	133	-	-	-	22	3	4	1	5	1	2	6	5	63	13	43
ALLEGHANY	84	-	-	-	15	6	1	2	3	-	-	3	-	42	17	21
ANSON	246	2	-	1	34	5	6	4	7	-	3	9	7	115	28	76
ASHE	187	-	-	1	19	6	1	1	6	1	-	4	1	111	24	78
AVERY	97	-	-	-	9	6	-	1	1	-	1	-	2	50	15	29
BEAUFORT	359	2	1	1	58	14	6	5	14	2	3	14	7	183	51	122
BERTIE	223	4	-	1	24	10	1	1	4	1	1	6	6	115	26	78
BLADEN	290	2	1	1	28	9	6	4	2	-	1	6	3	168	42	114
BRUNSWICK	210	-	1	2	17	8	2	-	2	-	2	3	1	114	26	74
BUNCOMBE	1,350	9	5	3	188	58	31	15	28	7	8	41	18	810	181	548
ASHEVILLE	820	4	4	3	119	37	23	10	17	5	6	21	10	496	108	332
BALANCE OF COUNTY	530	5	1	-	69	21	8	5	11	2	2	20	8	314	73	216
BURKE	393	2	-	-	50	14	6	9	9	2	3	7	5	224	50	143
CABARRUS	603	4	-	1	84	25	11	7	11	2	6	22	7	346	91	229
CONCORD	208	1	-	1	31	9	4	1	4	1	-	12	3	121	23	87
BALANCE OF COUNTY	395	3	-	-	53	16	7	6	7	1	6	10	4	225	68	142
CALDWELL	358	-	3	3	53	15	5	1	11	1	10	10	3	168	36	114
LENOIR	80	-	2	-	12	2	2	1	3	-	4	-	-	36	7	26
BALANCE OF COUNTY	278	-	1	3	41	13	3	-	8	1	6	10	3	132	29	88
CAMDEN	49	-	-	-	5	2	2	-	-	-	-	1	1	26	11	14
CARTERET	257	2	1	1	48	8	12	5	7	2	2	12	4	136	31	98
CASWELL	182	-	-	-	21	8	2	4	1	1	3	2	4	86	19	59
CATAWBA	526	2	1	3	74	14	7	9	19	4	2	19	6	265	64	185
HICKORY	199	1	-	-	25	6	4	2	5	-	1	7	2	113	33	72
BALANCE OF COUNTY	327	1	1	3	49	8	3	7	14	4	1	12	4	152	31	113
CHATHAM	271	-	-	1	34	8	5	4	8	2	-	7	3	160	41	110
CHEROKEE	175	1	-	1	22	7	6	-	3	-	1	5	3	75	23	45
CHOWAN	105	-	-	-	11	3	-	4	3	-	-	1	2	50	13	27
CLAY	42	1	-	-	5	-	1	-	2	-	-	2	-	27	10	17
CLEVELAND	530	-	-	4	77	28	12	5	9	6	1	16	9	293	75	203
SHELBY	142	-	-	1	22	8	4	-	3	2	-	5	1	78	20	55
BALANCE OF COUNTY	388	-	-	3	55	20	8	5	6	4	1	11	8	215	55	148
COLUMBUS	460	-	-	1	37	13	11	2	6	-	-	5	3	248	63	173
CRAVEN	472	3	-	4	58	17	9	2	12	3	3	12	5	248	73	164
NEW BERN	206	1	-	1	31	10	5	1	4	3	3	5	1	111	39	70
BALANCE OF COUNTY	266	2	-	3	27	7	4	1	8	-	-	7	4	137	34	94
CUMBERLAND	865	2	1	8	90	14	17	7	20	4	4	24	2	381	95	249
FAYETTEVILLE	460	-	1	4	55	8	13	3	14	2	2	13	1	209	48	138
BALANCE OF COUNTY	405	2	-	4	35	6	4	4	6	2	2	11	1	172	47	111
CURRITUCK	82	-	-	-	12	2	4	-	2	1	-	3	1	45	11	31
DARE	85	-	-	1	11	3	-	-	3	2	1	2	-	46	7	33
DAVIDSON	601	2	1	4	75	28	6	7	4	5	3	22	4	350	83	243
LEXINGTON	144	-	-	-	13	3	-	3	1	1	1	4	1	80	24	50
THOMASVILLE	148	-	-	-	20	8	2	-	1	1	1	7	-	94	12	75
BALANCE OF COUNTY	309	2	1	4	42	17	4	4	2	3	1	11	3	176	47	118

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
3	203	28	44	3	14	13	3	19	6	5	6	-	4	18	2	11	18	7	1	39	4
11	262	19	28	20	20	8	4	22	6	4	6	-	10	24	2	20	15	4	-	55	5
3	38	2	6	1	2	-	1	4	2	-	2	-	2	2	1	2	1	1	-	4	6
8	224	17	22	19	18	8	3	18	4	4	4	-	8	22	1	18	14	3	-	51	7
113	2,595	283	187	61	138	130	49	263	71	33	121	3	72	224	90	87	226	62	15	493	8
3	45	1	4	-	2	5	-	5	1	-	7	-	1	9	1	1	6	-	-	16	9
9	263	32	22	12	22	16	5	30	5	3	14	1	4	29	9	6	22	11	6	51	10
5	243	25	15	4	10	17	4	24	7	2	8	1	5	24	8	7	11	5	1	46	11
3	70	3	4	-	6	-	1	9	2	-	1	-	2	2	2	2	2	1	-	11	12
3	94	5	3	1	8	8	3	9	3	-	5	-	3	6	6	4	9	1	2	20	13
																					14
1	85	11	6	3	6	4	1	14	-	2	5	-	3	8	4	3	4	-	-	16	15
4	50	3	3	-	2	3	2	2	2	1	2	-	-	3	2	-	1	1	-	4	16
5	50	7	1	2	2	4	-	6	1	-	3	-	1	5	2	3	5	2	-	8	17
1	24	3	-	4	2	2	-	6	4	1	1	-	3	5	-	2	7	-	-	12	18
10	191	25	9	2	13	7	6	23	10	1	8	1	3	16	7	10	16	5	2	42	19
32	677	100	66	8	23	27	12	51	23	12	35	-	29	44	18	13	60	15	1	119	20
37	803	68	54	25	42	37	15	84	13	11	32	-	18	73	31	36	83	21	3	148	21
4	109	17	16	3	17	6	1	5	2	1	3	-	4	11	5	7	7	3	-	24	22
-	120	4	6	3	5	2	-	2	1	2	-	-	1	6	-	5	6	2	-	10	23
																					24
																					25
266	9,675	2,002	2,133	393	685	427	314	1,455	195	199	267	51	539	1,847	966	1,343	1,360	498	414	2,831	26
																					27
108	4,086	839	828	171	269	189	122	564	84	58	130	18	215	780	294	420	516	171	184	1,187	28
158	5,589	1,163	1,305	222	416	238	192	891	111	141	137	33	324	1,067	672	923	844	327	230	1,644	29
																					30
77	2,677	407	456	90	145	125	58	349	53	29	72	16	141	485	56	256	263	118	112	690	31
58	1,875	314	307	68	104	93	44	247	39	18	58	13	104	364	36	169	195	71	94	496	32
19	802	93	149	22	41	32	14	102	14	11	14	3	37	121	20	87	68	47	18	194	33
189	6,998	1,595	1,677	303	540	302	256	1,106	142	170	195	35	398	1,362	910	1,087	1,097	380	302	2,141	34
50	2,211	525	521	103	165	96	78	317	45	40	72	5	111	416	258	251	321	100	90	691	35
139	4,787	1,070	1,156	200	375	206	178	789	97	130	123	30	287	946	652	836	776	280	212	1,450	36
																					37
6	194	32	43	7	13	4	3	25	2	2	2	-	8	24	11	22	24	8	3	51	38
4	71	10	18	1	6	2	1	7	2	1	-	-	4	10	6	8	11	5	-	19	39
2	123	22	25	6	7	2	2	18	-	1	2	-	4	14	5	14	13	3	3	32	40
2	36	3	2	3	1	1	2	7	-	-	-	-	3	1	18	6	4	-	-	4	41
-	12	1	8	3	1	-	-	3	-	1	-	-	3	-	-	3	6	-	-	11	42
-	48	21	7	4	4	3	-	12	-	1	-	-	-	14	22	6	7	1	3	21	43
5	47	18	8	2	6	1	-	7	-	1	-	-	3	10	8	7	3	4	-	12	44
-	23	3	3	1	2	2	1	9	-	1	-	-	2	3	6	3	-	1	-	11	45
3	75	19	25	2	5	2	1	6	5	1	5	-	3	13	7	3	19	5	5	35	46
1	40	17	20	3	-	7	1	9	-	2	3	1	5	8	7	8	12	3	-	15	47
-	67	24	23	2	4	3	3	14	1	2	1	-	5	14	1	12	10	2	5	20	48
																					49
1	43	16	14	5	2	4	3	7	-	-	1	1	4	13	10	11	12	1	3	12	50
8	417	37	86	19	30	22	10	43	10	6	10	3	16	41	10	32	26	17	11	92	51
5	254	25	48	13	18	18	7	21	6	2	9	2	9	27	5	17	18	8	5	55	52
3	163	12	38	6	12	4	3	22	4	4	1	1	7	14	5	15	8	9	6	37	53
2	108	16	17	4	14	7	6	16	3	1	2	-	4	14	-	19	12	9	5	27	54
2	177	31	19	5	8	6	7	23	-	2	1	-	5	25	5	26	20	8	9	37	55
1	68	11	7	2	4	3	2	7	-	2	-	-	-	11	2	9	5	1	2	12	56
1	109	20	12	3	4	3	5	16	-	-	1	-	5	14	3	17	15	7	7	25	57
8	75	19	12	7	4	4	3	9	5	1	1	1	7	10	19	14	9	5	2	45	58
2	16	5	3	1	1	1	-	1	-	-	1	1	-	6	5	2	2	-	1	11	59
6	59	14	9	6	3	3	3	8	5	1	-	-	7	4	14	12	7	5	1	34	60
																					61
-	13	1	-	-	1	-	-	1	2	-	-	-	-	2	2	-	3	-	1	6	62
2	74	7	15	1	-	2	4	8	2	-	3	-	5	8	2	9	10	2	1	15	63
-	40	13	6	1	2	3	2	7	3	1	2	1	2	10	3	8	9	5	1	19	64
5	109	24	47	1	7	5	3	11	2	1	3	-	4	40	16	24	17	16	6	35	65
2	38	6	26	1	3	3	1	3	-	1	2	-	2	12	4	5	7	7	1	14	66
3	71	18	21	-	4	2	2	8	2	-	1	-	2	28	12	19	10	9	5	21	67
2	71	21	16	2	2	5	-	3	2	4	-	1	3	12	2	7	18	4	2	15	68
1	31	8	5	2	4	1	-	6	1	2	-	-	2	11	22	8	5	5	4	7	69
-	21	2	4	3	4	3	-	9	-	-	1	-	3	7	1	3	9	2	-	7	70
1	13	1	2	-	-	-	-	1	-	-	1	-	-	1	-	2	2	-	1	1	71
																					72
3	132	43	25	3	3	8	1	24	2	5	8	-	12	18	2	15	20	4	2	35	73
-	32	14	9	-	-	3	-	5	-	-	4	-	5	4	-	3	4	1	2	12	74
3	100	29	16	3	3	5	1	19	2	5	4	-	7	14	2	12	16	3	-	23	75
2	83	28	60	2	4	3	3	37	2	7	3	1	8	29	8	23	17	2	9	25	76
1	119	26	18	2	3	3	3	23	3	5	1	2	3	32	2	17	21	6	6	33	77
-	55	9	6	-	-	2	-	11	2	2	-	1	3	10	2	6	6	1	2	15	78
1	64	17	12	2	3	1	3	12	1	3	1	1	-	22	-	11	15	5	4	18	79
6	151	43	49	10	14	6	7	28	6	8	9	1	15	62	76	38	45	12	12	69	80
2	82	28	26	8	6	4	5	14	3	4	4	-	7	33	41	14	19	4	6	41	81
4	69	15	23	2	8	2	2	14	3	4	5	1	8	29	35	24	26	8	6	28	82
																					83
-	21	7	3	-	3	-	-	-	-	1	-	-	1	6	2	1	3	1	3	6	84
2	23	3	5	2	1	1	2	3	1	-	-	-	-	1	2	4	3	2	1	10	85
3	186	24	30	5	10	4	5	15	4	1	5	1	11	31	4	21	27	9	4	32	86
1	42	3	4	2	1	-	3	2	1	1	3	-	3	8	1	11	8	3	-	9	87
1	61	6	7	2	4	1	-	2	1	-	1	-	2	5	-	1	7	1	2	12	88
1	83	15	19	1	5	3	2	11	2	-	1	1	6	18	3	9	12	5	2	11	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
N. CAROLINA--CON.																
DAVIE	150	1	-	1	20	5	2	-	3	1	1	8	5	79	20	52
DUPLIN	362	1	-	2	38	9	7	6	9	-	1	6	6	203	55	138
DURHAM	1,015	5	4	6	147	34	21	15	25	9	7	36	18	531	109	378
DURHAM	787	4	4	5	110	25	17	11	23	8	2	24	14	413	85	298
BALANCE OF COUNTY	228	1	-	1	37	9	4	4	2	1	5	12	4	118	24	80
EDGECOMBE	536	5	2	3	65	19	9	8	14	2	3	10	6	278	79	168
ROCKY MOUNT, PART	163	3	2	1	29	7	4	2	10	1	-	5	-	81	20	54
BALANCE OF COUNTY	373	2	-	2	36	12	5	6	4	1	3	5	6	197	59	114
FORSYTH	1,645	10	2	22	218	69	31	23	32	8	15	40	25	961	194	693
WINSTON-SALEM	1,119	8	2	15	142	44	21	13	19	6	8	31	15	640	130	454
BALANCE OF COUNTY	526	2	-	7	76	25	10	10	13	2	7	9	10	321	64	239
FRANKLIN	272	-	-	-	39	14	3	7	4	2	3	6	5	133	30	91
GASTON	995	7	2	6	122	31	17	7	24	3	9	31	7	530	146	342
GASTONIA	362	5	-	3	50	12	4	2	13	1	3	15	3	184	52	117
BALANCE OF COUNTY	633	2	2	3	72	19	13	5	11	2	6	16	4	346	94	225
GATES	109	1	-	1	12	5	2	1	1	-	-	3	1	58	19	37
GRAHAM	67	-	-	-	7	5	1	-	1	-	-	-	-	35	5	27
GRANVILLE	258	2	-	3	21	4	3	1	5	-	1	7	5	164	36	99
GREENE	140	-	2	-	17	6	4	2	1	-	-	4	2	69	22	45
GUILFORD	1,906	4	4	26	283	85	47	24	41	5	16	65	34	1,014	262	684
GREENSBORO	962	2	2	15	149	40	26	13	24	2	10	34	15	499	127	332
HIGH POINT	481	1	1	4	66	23	12	7	7	1	2	14	10	257	65	181
BALANCE OF COUNTY	463	1	1	7	68	22	9	4	10	2	4	17	9	258	70	171
HALIFAX	568	4	2	1	59	17	8	5	13	3	4	9	10	300	77	193
ROANOKE RAPIDS	121	1	-	-	18	8	3	1	5	-	-	1	2	67	13	47
BALANCE OF COUNTY	447	3	2	1	41	9	5	4	8	3	4	8	8	233	64	146
HARNETT	459	1	-	1	51	16	9	3	12	-	3	8	10	250	65	159
HAYWOOD	331	1	2	2	50	17	5	1	6	5	3	13	5	186	57	105
HENDERSON	396	1	-	2	75	18	16	4	11	4	8	14	8	216	45	144
HERTFORD	188	3	-	-	28	9	6	4	2	1	-	6	2	110	24	78
HOKE	127	1	-	-	11	2	1	-	4	1	2	1	2	64	15	46
HYDE	79	-	1	-	8	2	1	-	3	2	-	-	2	39	6	29
IREDELL	555	1	1	3	67	24	3	7	7	3	5	18	10	330	71	221
STATESVILLE	185	1	1	1	24	7	2	5	1	1	4	4	-	112	29	71
BALANCE OF COUNTY	370	-	-	2	43	17	1	2	6	2	1	14	10	218	42	150
JACKSON	152	2	1	1	21	9	2	1	4	1	1	3	7	82	17	58
JOHNSTON	607	2	-	1	68	15	5	9	10	5	7	17	8	316	64	228
JONES	86	-	1	-	6	-	2	-	2	1	-	1	4	40	13	26
LEE	247	1	-	-	32	6	6	3	6	2	2	7	4	130	29	89
SANFORD	111	1	-	-	17	3	3	1	2	2	-	6	4	56	13	39
BALANCE OF COUNTY	136	-	-	-	15	3	3	2	4	-	2	1	-	74	16	50
LENOIR	475	6	-	5	51	6	6	1	17	-	7	14	6	265	79	179
KINSTON	248	3	-	2	32	5	3	-	9	-	4	11	6	144	37	101
BALANCE OF COUNTY	227	3	-	3	19	1	3	1	8	-	3	3	-	121	42	78
LINCOLN	249	-	-	1	42	10	6	1	9	1	2	13	5	130	50	72
MC DOWELL	217	3	-	-	32	7	6	6	6	2	1	4	2	93	34	52
MACON	143	-	-	-	26	16	2	3	1	1	-	3	2	81	21	57
MADISON	149	1	-	1	21	4	4	1	2	-	-	10	1	82	30	48
MARTIN	239	2	-	2	25	5	2	2	5	1	2	8	6	134	22	99
MECKLENBURG	2,162	13	3	11	280	62	56	23	51	14	8	66	22	1,176	208	857
CHARLOTTE	1,663	10	3	4	214	46	47	18	39	10	4	50	16	908	156	663
BALANCE OF COUNTY	499	3	-	7	66	16	9	5	12	4	4	16	6	268	52	194
MITCHELL	141	3	-	-	13	5	1	1	2	1	-	3	2	77	20	49
MONTGOMERY	175	1	-	2	22	7	2	3	2	-	1	7	2	94	21	61
MOORE	373	2	1	3	46	12	6	6	8	1	2	11	5	194	50	127
NASH	570	4	1	5	58	14	8	5	12	1	5	13	7	318	78	218
ROCKY MOUNT, PART	195	2	-	1	31	9	5	3	5	1	3	5	1	110	28	74
ROCKY MOUNT, TOTAL	358	5	2	2	60	16	9	5	15	2	3	10	1	191	48	128
BALANCE OF COUNTY	375	2	1	4	27	5	3	2	7	-	2	8	6	208	50	144
NEW HANOVER	764	7	7	6	110	28	12	6	16	5	4	39	12	397	107	258
WILMINGTON	537	7	6	2	81	23	7	2	12	4	3	30	7	269	84	161
BALANCE OF COUNTY	227	-	1	4	29	5	5	4	4	1	1	9	5	128	23	97
NORTHAMPTON	278	2	-	1	22	6	2	1	4	-	-	9	3	163	41	104
ONSLOW	387	2	-	1	40	13	6	4	6	3	-	8	7	140	35	81
JACKSONVILLE	73	-	-	1	9	3	2	1	1	1	-	1	2	23	2	20
BALANCE OF COUNTY	314	2	-	-	31	10	4	3	5	2	-	7	5	117	33	61
ORANGE	261	-	-	3	42	14	5	2	9	3	3	6	2	147	43	92
CHAPEL HILL	57	-	-	-	7	3	2	-	2	-	-	-	-	33	15	16
BALANCE OF COUNTY	204	-	-	3	35	11	3	2	7	3	3	6	2	114	28	76
PAMLICO	99	-	-	1	19	3	2	2	2	2	1	7	1	51	15	31
PASQUOTANK	243	1	-	1	30	5	8	4	5	1	2	5	1	142	27	104
ELIZABETH CITY	151	1	-	1	16	4	4	2	3	1	-	2	1	92	19	65
BALANCE OF COUNTY	92	-	-	-	14	1	4	2	2	-	2	3	-	50	8	39
PENDER	192	3	-	-	29	8	4	1	8	-	-	8	2	102	40	53
PERQUIMANS	94	1	-	-	10	3	-	1	6	-	-	-	-	56	13	35
PERSON	218	-	-	1	28	7	-	4	5	-	4	8	1	111	28	76
PITT	637	3	1	3	62	22	6	10	5	1	2	16	8	365	61	264
GREENVILLE	207	2	-	-	24	7	2	3	1	1	1	9	1	125	13	100
BALANCE OF COUNTY	430	1	1	3	38	15	4	7	4	-	1	7	7	240	48	164
POLK	115	-	-	-	11	-	1	2	2	1	2	3	1	70	14	44
RANDOLPH	473	1	1	1	64	24	6	4	10	2	1	17	10	273	78	165

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E982)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
1	38	6	7	-	4	2	1	4	1	-	-	-	3	2	-	11	3	1	1	18	4
4	83	13	38	2	6	2	-	10	1	-	2	1	6	20	16	17	10	4	5	20	5
10	272	59	37	6	20	7	11	38	3	4	12	1	15	51	6	22	37	8	13	94	6
7	208	52	31	4	13	5	8	21	3	4	9	-	13	42	6	19	28	7	10	75	7
3	64	7	6	2	7	2	3	17	-	-	3	1	2	9	-	3	9	1	3	19	8
2	112	37	17	6	5	11	9	19	2	2	8	-	2	22	17	19	24	8	6	48	9
-	36	16	2	3	-	2	2	3	1	-	6	-	-	11	2	7	5	3	1	8	10
2	76	21	15	3	5	9	7	16	1	2	2	-	2	11	15	12	19	5	5	40	11
16	564	80	33	18	20	27	9	43	6	4	12	2	18	81	5	43	33	16	20	124	12
10	363	62	19	17	15	17	7	35	4	3	8	2	12	59	4	32	23	8	19	88	13
6	201	18	14	1	5	10	2	8	2	1	4	-	6	22	1	11	10	8	1	36	14
2	64	16	9	3	2	5	2	14	-	4	3	-	3	13	1	10	8	3	7	29	15
																					16
3	243	43	53	9	16	10	7	38	7	5	4	-	22	50	50	44	29	4	4	64	17
1	85	20	11	4	3	6	2	22	3	-	1	-	7	17	19	10	6	2	1	29	18
2	158	23	42	5	13	4	5	16	4	5	3	-	15	33	31	34	23	2	3	35	19
-	14	6	17	-	2	-	-	3	2	1	-	-	1	5	4	6	1	2	2	9	20
-	22	2	3	-	-	3	-	-	1	-	-	-	1	2	5	5	2	-	-	8	21
-	58	11	30	1	17	5	6	6	3	1	1	1	3	12	5	4	14	1	3	9	22
1	26	10	8	-	-	2	-	1	1	6	1	-	2	11	2	6	5	3	2	10	23
18	493	83	90	16	17	26	9	63	15	3	14	5	24	113	13	55	67	23	12	134	24
10	255	30	37	11	9	14	6	34	9	3	10	4	9	61	7	23	39	11	6	67	25
5	109	39	28	3	4	3	1	16	3	3	3	1	8	31	-	17	13	5	5	37	26
3	129	14	25	2	4	9	2	13	3	-	1	-	7	21	6	15	15	7	1	30	27
1	103	54	35	10	10	5	5	29	3	6	4	1	6	27	19	25	20	7	3	42	28
-	30	9	8	3	4	-	-	3	-	-	-	-	-	4	-	6	4	2	1	13	29
1	73	45	27	7	6	5	5	26	3	6	4	1	6	23	19	19	16	5	2	29	30
																					31
5	90	29	35	5	8	6	7	14	3	3	5	1	8	23	7	24	15	1	6	36	32
5	79	7	14	3	13	4	4	8	2	-	2	-	3	15	3	4	13	4	5	26	33
1	117	11	15	8	13	4	2	19	2	1	4	-	2	10	1	12	17	3	1	22	34
2	49	18	9	-	2	3	3	9	-	3	-	-	3	7	4	5	4	-	2	5	35
-	30	11	5	1	-	2	-	10	1	-	2	-	2	8	2	4	5	2	2	10	36
-	22	2	5	-	2	2	2	8	-	-	-	-	1	3	4	2	5	2	1	3	37
3	145	41	32	6	18	8	6	16	3	4	3	1	8	26	11	8	22	6	2	33	38
-	50	13	8	3	4	3	2	6	1	2	-	-	3	9	5	2	4	1	1	12	39
3	95	28	24	3	14	5	4	10	2	2	3	1	5	17	6	6	18	5	1	21	40
3	47	3	5	1	4	2	-	7	-	1	1	-	-	3	-	2	9	2	-	13	41
2	119	39	68	7	7	7	3	13	2	4	7	1	6	28	22	24	25	15	8	57	42
1	17	3	5	-	-	-	1	2	2	-	1	-	2	4	-	3	5	1	3	12	43
-	64	17	8	3	4	3	2	11	1	-	4	1	6	5	3	12	11	3	6	17	44
-	33	5	1	-	2	2	-	5	1	-	1	-	2	-	3	4	4	1	4	8	45
-	31	12	7	3	2	1	2	6	-	-	3	1	4	5	-	8	7	2	2	9	46
																					47
2	105	30	42	1	2	-	4	21	1	3	-	-	7	22	6	18	20	11	6	27	48
1	60	20	20	1	2	-	3	8	1	1	-	-	3	10	3	6	7	3	4	15	49
1	45	10	22	-	-	-	1	13	-	2	-	-	4	12	3	12	13	8	2	12	50
5	53	6	8	2	3	2	1	14	-	1	1	1	3	8	5	12	13	1	-	12	51
4	35	9	4	-	3	-	4	5	-	5	2	-	-	10	21	11	5	6	6	16	52
-	43	6	8	-	2	-	1	7	3	-	-	-	-	9	2	1	2	2	-	8	53
1	39	3	5	1	2	-	1	11	2	-	2	-	-	7	3	4	6	-	1	7	54
-	53	37	9	-	5	5	3	5	-	2	4	-	2	9	10	5	10	5	1	17	55
18	652	92	95	23	47	28	13	103	13	8	13	4	46	131	5	64	58	35	34	143	56
15	510	71	67	16	38	24	11	77	10	5	12	4	40	103	4	40	49	22	33	109	57
3	142	21	28	7	9	4	2	26	3	3	1	-	6	28	1	24	9	13	1	34	58
3	35	5	6	1	6	1	-	3	1	-	-	-	3	2	11	2	7	1	1	15	59
1	53	6	1	6	3	3	-	4	-	-	1	-	4	8	14	4	6	3	1	9	60
3	103	9	12	7	4	3	3	11	2	3	2	-	5	18	9	20	14	6	3	29	61
																					62
4	156	34	24	4	4	3	11	25	2	5	1	1	8	40	9	24	18	10	1	33	63
-	51	12	11	1	2	-	5	9	-	1	-	-	3	12	3	6	5	4	-	7	64
-	87	28	13	4	2	2	7	12	1	7	-	-	3	23	5	13	10	7	1	15	65
4	105	22	13	3	2	3	6	16	2	5	-	1	5	28	6	18	13	6	1	26	66
5	190	27	36	8	9	9	6	31	-	1	4	2	4	31	37	13	25	10	10	57	67
3	114	20	24	8	7	5	4	23	-	1	3	2	3	20	29	7	21	7	7	42	68
2	76	7	12	-	2	4	2	8	-	-	1	-	1	11	8	6	4	3	3	15	69
-	67	18	19	4	8	3	3	13	2	6	5	2	1	8	9	11	11	2	6	11	70
2	60	8	11	-	16	4	4	13	2	2	9	-	14	55	9	34	23	8	4	24	71
1	15	2	2	-	1	-	-	2	1	-	2	-	4	9	2	2	7	2	1	6	72
1	45	6	9	-	15	4	4	11	1	2	7	-	10	46	7	32	16	6	3	18	73
3	52	9	28	1	5	3	3	9	2	1	-	-	7	13	2	6	5	1	2	19	74
1	9	2	4	-	-	2	-	-	1	-	-	-	1	5	1	2	1	-	-	6	75
2	43	7	24	1	5	1	3	9	1	1	-	-	6	8	1	4	4	1	2	13	76
																					77
1	17	3	10	-	2	2	1	1	-	-	-	-	-	4	-	6	4	1	-	11	78
-	65	25	14	5	2	3	1	4	2	3	1	-	3	8	7	8	12	4	3	13	79
-	41	18	6	4	1	2	1	4	1	1	1	-	1	4	7	3	5	2	1	10	80
-	24	7	8	1	1	1	-	-	1	2	-	-	2	4	-	5	7	2	2	3	81
-	33	5	15	3	2	3	1	3	-	-	1	-	2	8	14	4	9	-	3	12	82
1	22	5	7	-	6	-	2	1	1	-	-	1	1	-	5	2	3	3	-	10	83
-	38	19	19	2	2	2	1	8	-	2	-	-	2	16	4	8	10	6	4	17	84
4	143	71	46	8	12	12	8	34	2	4	7	2	8	31	6	20	21	6	2	52	85
2	50	34	14	4	3	4	1	9	-	2	3	-	2	13	2	5	5	2	-	12	86
2	93	37	32	4	9	8	7	25	2	2	4	2	6	18	4	15	16	4	2	40	87
-	33	5	6	3	6	2	1	8	-	-	-	-	2	1	2	2	7	2	-	9	88
4	121	12	28	4	19	5	2	15	3	1	-	-	5	15	3	18	18	9	2	34	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision of the International Classification of Diseases, Injuries, and Causes of Death. Rates are deaths per 100,000 population in specified group. Urban and rural are based on 1960 census definitions. Metropolitan counties are those in standard metropolitan statistical areas (or New England counties in New England). "Nonmetropolitan counties" include all other counties. Specified urban and rural areas are those within metropolitan counties. Nonmetropolitan urban and rural areas are those within nonmetropolitan counties. Urban areas are those with 2,500 or more inhabitants. Rural areas are those with fewer than 2,500 inhabitants. Metropolitan counties are those in standard metropolitan statistical areas (or New England counties in New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-364)	Diseases of heart (400-402,410-445)
N. CAROLINA--CON.																
RICHMOND	453	3	2	3	57	12	11	4	6	1	5	18	3	238	68	159
ROBESON	845	6	2	4	82	15	12	16	22	2	3	12	13	388	131	213
LUMBERTON	167	2	-	1	15	2	2	1	6	-	2	2	2	79	33	37
BALANCE OF COUNTY	678	4	2	3	67	13	10	15	16	2	1	10	11	309	98	176
ROCKINGHAM	606	-	1	2	96	30	15	8	10	4	4	25	9	331	93	209
REIDSVILLE	146	-	1	-	22	8	5	-	2	-	-	7	2	84	25	52
BALANCE OF COUNTY	460	-	-	2	74	22	10	8	8	4	4	18	7	247	68	157
ROWAN	682	2	-	4	106	26	18	13	16	3	8	22	13	385	92	254
SALISBURY	231	-	-	1	27	9	5	2	4	1	2	4	7	138	33	88
BALANCE OF COUNTY	451	2	-	3	79	17	13	11	12	2	6	18	6	247	59	166
RUTHERFORD	407	2	3	1	55	15	8	5	8	4	4	11	4	230	64	146
SAMPSON	450	1	-	2	54	18	3	3	10	1	4	15	9	248	63	154
SCOTLAND	241	1	2	3	27	7	1	2	6	2	-	9	6	132	30	92
STANLY	336	-	1	2	31	8	4	4	7	1	-	7	6	197	63	120
ALBEMARLE	115	-	1	-	12	3	2	1	2	1	-	3	1	69	18	45
BALANCE OF COUNTY	221	-	-	2	19	5	2	3	5	-	-	4	5	128	45	75
STOKES	145	-	-	-	13	1	1	2	2	1	2	4	3	87	23	57
SURRY	429	4	-	1	61	21	8	3	9	3	1	16	7	238	51	175
SWAIN	76	-	-	-	5	2	-	-	-	1	1	1	2	50	17	30
TRANSYLVANIA	117	-	-	-	21	8	3	3	2	-	1	4	1	63	10	47
TYRRELL	49	-	-	2	4	-	-	1	3	-	-	-	2	13	3	7
UNION	422	1	1	3	46	12	4	2	5	-	2	21	6	241	53	156
MONROE	119	1	-	-	16	4	2	1	1	-	-	8	-	74	20	45
BALANCE OF COUNTY	303	-	1	3	30	8	2	1	4	-	2	13	6	167	33	111
VANCE	325	-	-	2	43	16	6	5	8	3	2	3	3	194	42	144
HENDERSON	162	-	-	1	18	7	3	2	3	1	-	2	1	98	24	72
BALANCE OF COUNTY	163	-	-	1	25	9	3	3	5	2	2	1	2	96	18	72
WAKE	1,319	2	3	11	209	45	36	23	30	13	6	56	23	657	160	457
RALEIGH	710	1	3	5	126	28	21	14	19	6	2	36	9	343	81	239
BALANCE OF COUNTY	609	1	-	6	83	17	15	9	11	7	4	20	14	314	79	218
WARREN	188	-	-	2	19	3	4	2	1	1	1	7	5	99	33	55
WASHINGTON	131	-	-	-	18	8	5	1	3	-	-	1	6	61	20	40
WATAUGA	138	-	-	-	17	7	3	-	1	-	1	5	3	80	13	61
WAYNE	667	1	-	4	74	17	8	8	20	2	4	15	8	366	103	208
GOLDSBORO	297	-	-	4	39	7	6	5	9	2	3	7	5	161	47	91
BALANCE OF COUNTY	370	1	-	-	35	10	2	3	11	-	1	8	3	205	56	117
WILKES	371	-	-	3	48	10	6	4	9	-	5	14	3	185	43	131
WILSON	530	3	1	3	60	10	3	3	15	2	2	25	4	283	63	190
WILSON	297	1	-	1	36	7	1	-	9	1	2	16	3	162	34	108
BALANCE OF COUNTY	233	2	1	2	24	3	2	3	6	1	-	9	1	121	29	82
YADKIN	215	-	-	1	32	5	1	7	10	-	5	4	5	113	31	73
YANCEY	117	-	-	1	15	5	2	2	3	-	1	2	-	74	21	47
NORTH DAKOTA	5,419	10	3	20	834	297	83	84	115	47	49	159	90	2,997	668	2,092
URBAN	1,779	4	1	6	280	94	29	32	39	20	9	57	23	974	238	647
RURAL	3,640	6	2	14	554	203	54	52	76	27	40	102	67	2,023	430	1,445
METROPOLITAN COUNTIES	522	1	-	-	77	21	15	8	11	4	4	14	6	291	78	194
URBAN	374	1	-	-	63	17	13	6	10	4	3	10	4	207	56	134
RURAL	148	-	-	-	14	4	2	2	1	-	1	4	2	84	22	60
NONMETROPOLITAN COUNTIES	4,897	9	3	20	757	276	68	76	104	43	45	145	84	2,706	590	1,898
URBAN	1,405	3	1	6	217	77	16	26	29	16	6	47	19	767	182	513
RURAL	3,492	6	2	14	540	199	52	50	75	27	39	98	65	1,939	408	1,385
ADAMS	35	-	-	-	7	2	1	-	-	-	2	2	1	18	5	13
BARNES	138	1	1	1	24	10	1	4	4	-	1	4	4	78	16	54
BENSON	87	-	-	-	14	2	2	3	1	3	2	1	3	47	9	35
BILLINGS	8	-	-	-	3	-	-	-	1	1	-	1	-	3	1	2
BOTTINEAU	93	-	-	1	16	5	3	4	1	2	-	1	1	48	17	26
BOWMAN	44	-	-	-	5	2	-	-	2	-	1	-	2	22	4	13
BURKE	63	-	-	-	10	5	1	-	-	-	1	3	2	37	8	28
BURLEIGH	249	1	-	-	49	13	7	2	10	3	2	12	3	125	29	81
BISMARCK	194	1	-	-	35	12	5	1	7	3	1	6	3	98	23	63
BALANCE OF COUNTY	55	-	-	-	14	1	2	1	3	-	1	6	-	27	6	18
CASS	522	1	-	-	77	21	15	8	11	4	4	14	6	291	78	194
FARGO	370	1	-	-	63	17	13	6	10	4	3	10	4	203	56	132
BALANCE OF COUNTY	152	-	-	-	14	4	2	2	1	-	1	4	2	88	22	62
CAVALIER	78	-	-	-	11	3	4	2	-	1	-	1	2	43	11	30
DICKEY	83	-	-	-	16	4	-	2	5	1	2	2	-	48	2	44
DIVIDE	58	-	-	-	5	3	-	1	-	-	-	1	2	37	6	26
DUNN	45	-	-	-	2	1	-	-	-	1	-	-	1	32	7	22
EDDY	69	-	-	-	13	7	-	2	-	1	1	2	-	40	6	31
EMMONS	66	-	-	1	8	2	1	1	-	-	-	4	1	32	7	20
FOSTER	61	-	-	-	7	3	1	-	-	1	-	2	-	36	9	21
GOLDEN VALLEY	32	-	-	-	6	4	-	-	-	-	1	1	-	23	3	17
GRAND FORKS	362	-	-	2	48	15	4	7	7	2	2	11	4	186	46	133
GRAND FORKS	243	-	-	1	30	9	2	5	3	1	1	9	3	124	38	82
BALANCE OF COUNTY	119	-	-	1	18	6	2	2	4	1	1	2	1	62	8	51
GRANT	54	-	1	-	6	1	1	-	2	1	1	-	-	32	9	20
GRIGGS	63	-	-	-	13	5	1	2	2	-	1	2	1	28	6	21

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
1	102	29	27	3	6	-	2	9	1	1	3	1	8	16	34	10	17	4	5	38	3
2	167	27	17	11	23	4	6	36	-	8	5	1	9	37	100	46	30	6	13	59	4
-	33	4	-	-	7	-	2	8	-	-	1	-	2	8	22	8	7	1	4	7	5
2	134	23	17	11	16	4	4	28	-	8	4	1	7	29	78	38	23	5	9	52	6
1	161	19	28	4	10	6	9	17	4	1	5	-	10	14	26	22	17	7	7	37	7
-	36	5	11	-	2	2	3	2	2	-	1	-	2	4	12	2	3	1	1	7	8
1	125	14	17	4	8	4	6	15	2	1	4	-	8	10	14	20	14	6	6	30	9
5	183	29	37	11	15	8	5	16	4	2	3	-	10	22	19	15	16	9	4	52	10
2	65	12	9	5	5	5	2	4	1	1	2	-	1	5	6	6	6	1	2	23	11
3	118	17	28	6	10	3	3	12	3	1	1	-	9	17	13	9	10	8	2	29	12
																					13
8	98	7	33	8	8	4	-	18	2	2	1	-	2	19	1	12	15	4	4	32	14
2	92	35	25	13	9	3	6	13	2	3	4	-	9	19	3	17	15	10	3	38	15
1	52	23	16	5	4	1	-	6	1	-	3	-	2	11	2	10	9	2	4	20	16
1	105	6	8	3	3	6	2	18	1	1	-	-	4	8	12	18	7	2	4	24	17
1	38	2	4	1	2	3	-	6	-	-	-	-	1	2	7	3	2	1	-	10	18
-	67	4	4	2	1	3	2	12	1	1	-	-	3	6	5	15	5	1	4	14	19
2	39	11	5	2	2	2	1	6	2	-	-	-	2	6	1	5	5	3	1	11	20
8	124	26	17	2	7	1	2	18	3	-	3	-	6	13	6	24	11	3	1	30	21
1	24	1	4	-	1	1	1	4	-	-	-	-	2	1	2	3	2	1	2	2	22
1	36	3	7	2	-	3	1	7	2	1	-	-	2	7	1	1	2	-	2	7	23
1	5	-	1	1	1	-	1	1	1	-	-	-	-	5	10	2	4	-	-	5	24
																					25
2	87	36	31	1	18	2	11	16	1	3	-	-	4	26	6	16	14	3	4	31	26
-	26	13	6	-	3	1	5	6	-	-	-	-	-	8	-	2	2	-	2	8	27
2	61	23	25	1	15	1	6	10	1	3	-	-	4	18	6	14	12	3	2	23	28
3	92	24	25	2	1	2	3	11	2	1	1	1	4	12	6	12	11	1	2	19	29
1	44	13	14	1	-	-	1	5	1	-	-	-	3	10	2	4	7	1	1	10	30
2	48	11	11	1	1	2	2	6	1	1	1	1	1	2	4	8	4	-	1	9	31
7	279	56	115	8	11	15	6	59	6	4	11	1	22	68	17	40	42	19	22	103	32
3	139	28	69	4	5	11	3	36	3	-	7	1	11	33	10	17	23	9	15	59	33
4	140	28	46	4	6	4	3	23	3	4	4	1	11	35	7	23	19	10	7	44	34
-	41	9	5	1	4	4	2	5	-	2	2	-	1	8	19	5	2	2	1	16	35
-	17	9	14	-	-	-	1	6	1	2	2	-	5	4	8	3	7	1	-	7	36
																					37
1	49	4	7	1	5	-	-	5	2	1	1	-	1	2	1	7	4	5	1	8	38
-	121	20	67	16	24	8	7	35	1	4	7	1	8	38	4	27	26	9	10	44	39
-	42	12	37	9	12	1	1	15	-	1	4	-	4	15	3	11	9	2	5	19	40
-	79	8	30	7	12	7	6	20	1	3	3	1	4	23	1	16	17	7	5	25	41
8	97	14	12	4	2	2	3	22	2	2	4	-	5	14	14	17	18	8	2	24	42
2	133	38	17	4	12	4	10	24	1	5	3	1	8	22	7	10	13	10	15	57	43
1	76	24	7	3	5	3	9	9	-	1	3	-	4	15	6	6	7	5	9	29	44
1	57	14	10	1	7	1	1	15	1	4	-	1	4	7	1	4	6	5	6	28	45
2	49	14	8	1	4	2	2	2	1	-	3	1	1	12	6	3	8	4	3	20	46
-	34	9	4	1	3	2	-	1	-	-	-	-	3	8	-	2	1	-	1	11	47
																					48
50	1,686	117	239	37	113	60	27	223	30	25	40	6	83	221	24	190	191	64	8	360	49
																					50
17	523	43	64	12	39	26	12	86	9	5	14	2	35	85	9	56	46	22	2	120	51
33	1,163	74	175	25	74	34	15	137	21	20	26	4	48	136	15	134	145	42	6	240	52
																					53
8	162	11	13	2	2	12	3	16	6	3	4	-	7	25	1	15	15	7	-	48	54
5	110	7	12	2	2	10	3	12	1	1	2	-	6	17	1	8	10	7	-	34	55
3	52	4	1	-	-	2	-	4	5	2	2	-	1	8	-	7	5	-	-	14	56
42	1,524	106	226	35	111	48	24	207	24	22	36	6	76	196	23	175	176	57	8	312	57
12	413	36	52	10	37	16	9	74	8	4	12	2	29	68	8	48	36	15	2	86	58
30	1,111	70	174	25	74	32	15	133	16	18	24	4	47	128	15	127	140	42	6	226	59
																					60
1	11	-	1	-	-	-	-	3	-	-	-	-	-	1	-	1	-	1	-	3	61
-	46	2	6	-	6	2	-	8	1	-	-	-	3	3	-	9	2	1	-	2	62
-	27	3	5	-	3	-	-	4	-	1	2	-	1	3	-	1	10	1	-	-	63
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	64
-	25	-	1	1	2	2	-	3	-	-	-	1	2	5	-	2	1	1	-	12	65
-	10	-	3	1	3	1	-	2	2	-	1	-	1	2	-	-	-	-	-	7	66
-	20	2	6	-	-	1	-	3	-	-	-	-	-	1	-	3	5	-	-	2	67
1	69	4	7	2	11	1	1	13	1	-	2	-	4	12	1	9	3	7	-	19	68
1	53	4	5	2	10	-	-	9	1	-	2	-	2	10	1	9	3	4	-	16	69
-	16	-	2	-	1	1	1	4	-	-	-	-	2	2	-	-	-	3	-	3	70
8	162	11	13	2	2	12	3	16	6	3	4	-	7	25	1	15	15	7	-	48	71
5	108	7	12	2	2	10	1	12	1	1	2	-	6	17	1	8	10	7	-	34	72
3	54	4	1	-	-	2	2	4	5	2	2	-	1	8	-	7	5	-	-	14	73
																					74
2	27	-	1	-	2	-	-	1	1	2	-	-	3	3	1	-	1	1	1	8	75
1	38	1	4	-	2	-	-	4	1	-	1	-	-	2	1	-	4	1	-	5	76
-	17	3	6	2	3	-	-	2	-	-	-	-	1	1	-	2	3	-	-	5	77
-	14	2	6	-	1	-	2	-	-	-	1	-	-	1	1	1	3	1	-	2	78
3	24	1	3	1	-	1	1	3	1	-	1	-	-	-	-	3	4	-	-	4	79
-	13	4	3	2	2	-	1	2	1	1	1	-	-	2	-	2	5	1	-	9	80
-	19	-	2	-	4	2	-	-	1	2	-	-	2	1	1	2	1	-	-	8	81
3	13	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	82
3	105	11	14	-	5	2	-	22	-	2	4	-	9	22	2	11	14	7	-	29	83
1	71	2	8	-	2	2	-	15	-	2	2	-	8	15	2	6	10	4	-	21	84
2	34	9	6	-	3	-	-	7	-	-	2	-	1	7	-	5	4	3	-	8	85
1	15	2	2	1	1	1	-	-	-	-	-	-	-	3	-	4	6	-	-	2	86
-	15	3	3	-	-	1	-	1	-	-	2	-	-	3	1	3	2	1	-	8	87
																					88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
NORTH DAKOTA--CON.																
HETTINGER	51	-	-	-	7	3	-	2	2	-	-	-	1	33	9	23
KIDDER	56	-	-	-	12	3	3	2	1	-	1	2	-	37	3	31
LA MOURE	69	-	-	-	12	6	-	1	2	-	1	2	2	41	13	25
LOGAN	52	-	-	-	15	6	3	4	-	-	-	2	3	21	6	14
MC HENRY	88	-	-	-	13	4	1	2	4	1	-	1	1	48	9	35
MC INTOSH	56	-	-	-	9	2	3	1	1	-	1	1	-	37	7	28
MC KENZIE	67	-	-	-	4	-	-	-	-	2	1	1	-	43	11	30
MC LEAN	114	1	-	-	16	10	-	-	-	2	1	3	2	60	10	49
MERCER	56	-	-	-	10	4	4	-	-	-	-	2	1	25	3	18
MORTON	165	-	-	1	30	9	1	3	4	4	1	8	1	92	19	61
MANDAN	79	-	-	-	18	3	1	-	3	4	-	7	1	42	11	25
BALANCE OF COUNTY	86	-	-	1	12	6	-	3	1	-	1	1	-	50	8	36
MOUNTRAIL	121	-	-	1	16	9	-	-	5	-	-	2	1	66	20	41
NELSON	68	-	-	-	13	5	-	2	1	-	2	3	-	43	6	34
OLIVER	16	-	-	-	2	1	-	-	-	-	-	1	-	10	2	6
PEMBINA	98	-	-	2	16	5	1	2	4	-	2	2	1	66	17	43
PIERCE	66	-	-	-	10	2	1	1	-	1	1	4	1	43	6	30
RAMSEY	157	-	-	-	22	5	3	5	1	1	-	7	1	98	37	50
RANSOM	91	-	-	-	18	5	3	1	4	-	1	4	2	53	7	44
RENVILLE	45	1	-	-	7	2	1	1	1	-	-	2	-	26	6	19
RICHLAND	162	-	-	1	32	12	2	3	7	-	-	8	6	91	18	66
ROLETTE	98	1	-	-	11	4	2	-	1	1	-	3	4	44	12	29
SARGENT	71	-	-	1	18	5	1	-	3	1	3	5	-	33	10	23
SHERIDAN	26	-	-	-	4	3	-	1	-	-	-	-	-	11	5	6
SIOUX	31	-	-	2	3	1	-	-	1	-	1	-	1	10	1	6
SLOPE	15	-	-	-	3	3	-	-	-	-	-	-	-	7	-	6
STARK	142	1	-	2	16	8	1	-	-	1	2	4	1	79	15	55
STEELE	43	-	-	-	5	2	-	1	1	-	-	1	1	18	4	14
STUTSMAN	191	-	-	-	25	8	2	2	4	1	3	5	2	121	15	93
JAMESTOWN	104	-	-	-	15	6	-	-	3	-	3	3	1	63	8	48
BALANCE OF COUNTY	87	-	-	-	10	2	2	2	1	1	-	2	1	58	7	45
TOWNER	53	-	-	-	7	3	1	-	2	-	-	1	5	29	7	21
TRAILL	98	-	-	1	8	3	-	-	3	1	-	1	3	62	12	45
WALSH	182	2	-	1	35	15	2	4	4	3	2	5	5	100	28	70
WARD	391	-	1	1	58	22	4	6	9	5	1	11	7	194	41	141
MINOT	261	-	-	-	41	16	2	5	6	5	-	7	4	131	24	98
BALANCE OF COUNTY	130	-	1	1	17	6	2	1	3	-	1	4	3	63	17	43
WELLS	90	-	-	-	13	7	1	-	3	1	-	1	1	59	11	41
WILLIAMS	180	1	-	2	24	12	1	2	1	1	4	3	4	91	19	64
WILLISTON	97	1	-	2	14	8	1	1	1	-	1	2	-	51	11	33
BALANCE OF COUNTY	83	-	-	-	10	4	-	1	-	1	3	1	4	40	8	31
OHIO	95,209	409	189	330	15,787	5,370	2,550	1,443	2,388	786	711	2,539	2,254	53,965	11,382	37,313
URBAN	66,198	315	151	217	11,329	3,827	1,925	1,034	1,665	580	487	1,811	1,624	37,242	7,709	25,895
RURAL	29,011	94	38	113	4,458	1,543	625	409	723	206	224	728	630	16,723	3,673	11,418
METROPOLITAN COUNTIES	64,577	297	145	228	11,213	3,811	1,876	1,035	1,662	545	486	1,798	1,578	35,803	7,180	25,159
URBAN	52,988	264	129	177	9,262	3,137	1,571	864	1,366	450	389	1,485	1,319	29,310	5,839	20,631
RURAL	11,589	33	16	51	1,951	674	305	171	296	95	97	313	259	6,493	1,341	4,528
NONMETROPOLITAN COUNTIES	30,632	112	44	102	4,574	1,559	674	408	726	241	225	741	676	18,162	4,202	12,154
URBAN	13,210	51	22	40	2,067	690	354	170	299	130	98	326	305	7,932	1,870	5,264
RURAL	17,422	61	22	62	2,507	869	320	238	427	111	127	415	371	10,230	2,332	6,890
ADAMS	272	2	-	1	38	17	7	3	2	2	2	5	10	159	27	116
ALLEN	981	7	-	7	144	51	16	15	25	8	4	25	17	565	128	379
LIMA	587	4	-	6	89	32	9	7	16	8	1	16	8	343	73	236
BALANCE OF COUNTY	394	3	-	1	55	19	7	8	9	-	3	9	9	222	55	143
ASHLAND	420	-	1	1	59	20	8	7	9	5	2	8	10	268	69	171
ASHLAND	197	-	-	-	25	7	4	5	3	4	-	2	6	130	33	84
BALANCE OF COUNTY	223	-	1	1	34	13	4	2	6	1	2	6	4	138	36	87
ASHTABULA	1,021	1	-	2	164	51	35	11	19	8	11	29	24	599	135	415
ASHTABULA	286	1	-	2	50	9	12	4	4	3	5	13	7	171	35	119
CONNEAUT	136	-	-	-	18	9	2	1	2	-	2	2	8	81	15	60
BALANCE OF COUNTY	599	-	-	-	96	33	21	6	13	5	4	14	9	347	85	236
ATHENS	502	-	-	-	68	26	18	5	10	2	-	7	10	298	63	211
ATHENS	129	-	-	-	16	4	6	1	4	-	-	1	5	77	14	53
BALANCE OF COUNTY	373	-	-	-	52	22	12	4	6	2	-	6	5	221	49	158
AUGLAIZE	370	1	-	2	51	18	5	8	9	4	2	5	4	239	55	153
BELMONT	1,108	1	4	2	178	58	31	13	26	6	8	36	20	701	176	464
BELLAIRE	176	-	-	-	31	6	3	4	5	1	2	10	2	116	38	70
MARTINS FERRY	154	-	1	-	23	10	4	3	-	1	3	2	6	99	21	67
BALANCE OF COUNTY	778	1	3	2	124	42	24	6	21	4	3	24	12	486	117	327
BROWN	293	1	-	-	33	12	2	6	7	1	-	5	3	196	51	131
BUTLER	1,643	4	2	7	273	76	45	28	50	13	19	42	51	883	156	615
HAMILTON	667	2	-	2	111	35	17	15	20	8	4	12	20	368	57	268
MIDDLETOWN	416	-	2	2	69	14	19	5	14	2	5	10	16	218	41	140
BALANCE OF COUNTY	560	2	-	3	93	27	9	8	16	3	10	20	15	297	58	207
CARROLL	213	-	-	-	20	8	3	4	1	-	1	3	2	137	33	92
CHAMPAIGN	326	1	1	2	54	16	10	6	8	3	3	8	7	185	47	121
URBANA	124	-	1	-	22	4	6	2	1	1	3	5	2	71	15	48
BALANCE OF COUNTY	202	1	-	2	32	12	4	4	7	2	-	3	5	114	32	73

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-669)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
3	18	-	2	-	-	1	-	1	-	-	-	-	-	2	2	1	-	-	-	5	1
-	25	2	4	1	2	-	-	1	-	-	-	-	2	-	-	-	-	1	-	3	2
-	15	4	6	1	-	1	1	-	-	1	-	-	2	-	-	4	2	2	-	3	3
-	11	2	1	-	1	-	-	1	-	-	-	-	1	1	2	2	3	1	1	1	4
-	33	-	2	-	3	-	1	3	-	2	2	-	1	4	-	4	2	1	-	7	5
1	21	1	5	1	-	1	-	2	-	-	1	-	1	2	-	2	1	1	-	-	6
-	22	2	6	-	2	-	-	1	1	-	-	1	2	2	-	4	2	-	-	7	7
1	44	2	2	1	-	-	-	3	1	-	-	-	1	6	1	12	7	-	-	4	8
-	15	1	2	2	2	-	-	3	-	-	1	-	1	2	-	4	6	-	-	3	9
-	44	5	12	2	5	2	3	4	-	1	2	-	1	11	1	5	5	-	2	9	10
-	19	1	5	1	1	1	3	2	-	-	-	-	1	3	1	4	1	-	1	5	11
-	25	4	7	1	4	1	-	2	-	1	2	-	-	8	-	1	4	-	1	4	12
-	29	1	11	-	1	2	2	6	2	-	-	-	-	4	-	6	8	1	-	10	13
-	20	4	10	1	2	-	-	6	1	-	-	-	-	1	-	-	1	-	-	3	14
1	3	-	2	-	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	1	15
1	36	2	4	-	4	2	-	3	-	-	-	-	-	1	1	-	4	1	-	3	16
-	27	1	2	2	3	2	-	2	-	-	1	-	-	1	-	5	-	-	1	2	17
1	46	-	3	3	2	2	4	10	3	-	-	-	4	3	-	4	4	1	1	5	18
-	41	1	2	-	-	-	2	3	1	-	-	-	1	1	-	2	3	1	-	6	19
-	16	-	3	-	-	1	-	1	-	1	-	-	-	1	-	4	2	-	-	2	20
3	60	1	2	1	3	2	1	3	3	-	1	1	1	4	-	4	3	4	-	8	21
-	27	-	2	-	1	2	-	6	-	1	-	-	-	9	-	8	4	1	-	9	22
-	20	1	2	-	-	-	-	4	-	-	-	-	3	3	-	2	2	1	-	4	23
-	6	-	-	-	-	-	-	5	-	-	-	-	-	3	-	1	1	-	-	1	24
-	5	-	1	-	2	1	-	2	-	2	1	-	-	4	-	1	2	-	2	1	25
-	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	2	26
-	48	3	4	3	5	-	1	5	-	-	3	-	4	7	3	7	6	2	-	6	27
1	11	-	2	-	-	-	-	2	-	-	1	-	-	3	-	-	7	1	-	5	28
2	70	15	6	4	8	1	-	11	-	2	-	-	5	5	1	1	6	2	-	10	29
2	32	10	4	2	4	1	-	7	-	1	-	-	4	4	1	1	2	2	-	3	30
-	38	5	2	2	4	-	-	4	-	1	-	-	1	1	-	-	4	-	-	7	31
1	17	-	3	-	-	1	-	2	-	-	-	-	-	-	1	-	4	2	-	3	32
-	38	1	6	-	4	1	-	4	1	-	1	-	-	3	-	3	2	2	-	8	33
3	52	5	10	-	-	2	-	6	-	1	2	-	3	10	1	3	3	-	-	10	34
6	108	12	15	-	6	5	1	21	1	1	3	2	9	30	-	22	17	2	-	22	35
5	71	12	10	-	4	5	-	17	1	1	2	1	4	17	-	15	10	1	-	16	36
1	37	-	5	-	2	-	1	4	-	-	1	1	5	13	-	7	7	1	-	6	37
1	34	-	6	3	1	3	-	2	-	-	1	-	2	2	-	2	1	1	-	6	38
2	46	2	14	-	6	1	1	13	1	-	1	-	6	6	1	9	4	3	-	14	39
1	21	2	9	-	5	1	1	4	1	-	1	-	2	4	1	5	2	-	-	9	40
1	25	-	5	-	1	-	-	9	-	-	-	-	4	2	-	4	2	3	-	5	41
1,094	28,672	3,560	3,987	748	2,727	1,243	552	2,535	679	390	1,105	56	1,147	3,206	606	1,959	2,668	1,072	326	6,526	42
790	19,913	2,643	2,549	523	1,850	906	359	1,729	499	286	911	45	735	2,201	433	1,095	1,779	684	267	4,656	43
304	8,759	917	1,438	225	877	337	193	806	180	104	194	11	412	1,005	173	864	889	388	59	1,870	44
800	19,362	2,514	2,483	494	1,730	894	346	1,652	476	269	904	40	801	2,316	481	1,163	1,740	709	273	4,489	45
645	15,827	2,186	1,973	405	1,416	739	280	1,358	403	229	810	34	600	1,861	398	840	1,433	558	244	3,759	46
155	3,535	328	510	89	314	155	66	294	73	40	94	6	201	455	83	323	307	151	29	730	47
294	9,310	1,046	1,504	254	997	349	206	883	203	121	201	16	346	890	125	796	928	363	53	2,037	48
145	4,086	457	576	118	434	167	79	371	96	57	101	11	135	340	35	255	346	126	23	897	49
149	5,224	589	928	136	563	182	127	512	107	64	100	5	211	550	90	541	582	237	30	1,140	50
4	97	6	9	-	6	3	7	7	-	3	2	-	1	6	-	7	7	5	2	22	51
12	261	28	78	3	39	11	5	33	6	7	10	-	8	49	-	38	22	7	3	58	52
7	162	23	44	1	23	7	3	18	4	4	6	-	3	31	-	19	11	6	2	33	53
5	99	5	34	2	16	4	2	15	2	3	4	-	5	18	-	19	11	1	1	25	54
4	130	10	27	5	15	6	2	10	3	1	-	1	8	8	2	5	12	4	1	26	55
3	66	3	12	3	5	4	1	3	1	1	-	1	3	4	1	4	3	2	1	12	56
1	64	7	15	2	10	2	1	7	2	-	-	-	5	4	1	1	9	2	-	14	57
10	309	60	36	8	19	11	11	39	8	3	10	1	7	26	4	26	28	12	2	65	58
2	94	14	9	2	7	5	3	7	2	1	4	1	-	7	-	6	6	3	1	17	59
3	39	11	7	-	2	1	3	4	1	-	1	-	2	4	-	1	2	1	-	13	60
5	176	35	20	6	10	5	5	28	5	2	5	-	5	15	4	19	20	8	1	35	61
5	131	15	60	3	12	4	5	20	3	2	4	-	4	16	8	7	10	4	2	46	62
1	30	3	19	2	3	3	2	5	-	1	2	-	1	6	1	2	-	1	-	12	63
4	101	12	41	1	9	1	3	15	3	1	2	-	3	10	7	5	10	3	2	34	64
-	105	19	29	2	18	4	7	9	3	1	2	-	5	9	1	6	19	3	1	14	65
12	386	15	51	7	34	13	7	30	7	3	18	1	11	25	3	10	25	7	-	62	66
2	64	2	2	-	2	3	3	1	1	1	6	-	-	2	-	-	4	-	-	12	67
4	56	3	4	2	8	1	-	5	1	-	1	1	3	2	-	1	3	-	-	8	68
6	266	10	45	5	24	9	4	24	5	2	11	-	8	21	3	9	18	7	-	42	69
2	101	10	18	2	6	1	5	7	1	1	1	-	5	8	-	6	10	5	-	16	70
11	466	67	71	24	56	20	12	34	12	5	19	1	19	74	10	48	58	16	9	118	71
7	205	25	31	15	20	4	4	15	7	5	3	1	9	20	4	19	20	6	5	50	72
1	112	14	13	4	17	13	3	9	2	-	12	-	4	20	3	11	16	3	4	25	73
3	149	28	27	5	19	3	5	10	3	-	4	-	6	34	3	18	22	7	-	43	74
1	55	10	26	1	7	4	-	1	-	1	1	-	2	13	2	17	9	1	-	7	75
1	98	6	16	5	5	6	1	17	-	-	3	-	3	10	1	8	12	5	-	17	76
-	42	3	3	1	3	4	-	7	-	-	2	-	-	4	1	3	3	1	-	7	77
1	56	3	13	4	2	2	1	10	-	-	1	-	3	6	-	5	9	4	-	10	78

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
OHIO--CON.																
CLARK	1,265	7	3	4	206	75	34	24	25	13	10	25	34	705	168	479
SPRINGFIELD	952	7	2	3	156	61	25	13	18	12	7	20	25	515	131	343
BALANCE OF COUNTY	313	-	1	1	50	14	9	11	7	1	3	5	9	190	37	136
CLERMONT	578	5	1	4	75	27	7	8	11	5	2	15	11	289	65	199
CLINTON	361	-	-	1	46	14	4	3	4	3	6	12	7	234	61	150
COLUMBIANA	1,189	6	2	7	205	66	39	19	27	11	10	33	17	723	131	512
EAST LIVERPOOL	290	3	1	-	48	11	10	5	7	4	4	7	3	184	25	135
SALEM	160	-	-	1	27	7	8	2	2	1	-	7	2	94	23	59
BALANCE OF COUNTY	739	3	1	6	130	48	21	12	18	6	6	19	12	445	83	318
COSHOCTON	406	2	1	-	58	15	6	9	10	1	4	13	10	235	59	154
COSHOCTON	189	2	1	-	25	7	4	4	3	-	3	4	3	109	30	73
BALANCE OF COUNTY	217	-	-	-	33	8	2	5	7	1	1	9	7	126	29	81
CRAWFORD	513	3	-	-	84	37	8	3	12	6	7	11	8	300	76	197
BUCYRUS	157	2	-	-	25	13	2	-	3	2	1	4	5	89	23	59
GALION	144	1	-	-	20	6	2	-	3	3	1	5	1	86	25	54
BALANCE OF COUNTY	212	-	-	-	39	18	4	3	6	1	5	2	2	125	28	84
CUYAHOGA	16,721	103	29	58	3,128	1,107	547	303	425	141	118	487	438	9,090	1,549	6,805
BAY	107	-	-	-	22	9	3	1	4	2	-	3	5	53	11	40
BEDFORD	107	-	-	-	20	8	3	-	3	1	1	4	5	55	11	40
BEREA	135	1	-	1	20	4	2	2	1	2	2	7	7	73	21	46
BROOKLYN	82	-	-	-	18	6	2	2	4	1	-	3	1	39	1	34
BROOK PARK	48	-	1	-	8	3	3	1	-	-	-	1	-	19	8	9
CLEVELAND	10,050	82	18	40	1,815	658	327	156	257	73	65	279	282	5,318	885	3,985
CLEVELAND HEIGHTS	700	2	1	2	129	43	17	16	21	9	5	18	21	420	77	314
EAST CLEVELAND	468	1	1	3	109	49	15	9	14	4	5	13	10	261	44	201
EUCLID	478	2	1	1	100	38	25	12	11	2	4	8	11	256	48	188
FAIRVIEW PARK	132	1	-	1	22	11	1	3	2	-	1	4	3	80	19	53
GARFIELD HEIGHTS	289	1	2	1	43	15	6	7	7	1	1	6	9	159	29	119
LAKEWOOD	836	1	3	-	169	51	35	24	21	12	4	22	17	497	85	370
LYNDHURST	104	-	-	-	20	8	4	4	1	-	2	1	1	66	7	57
MAPLE HEIGHTS	199	1	-	1	39	13	7	6	5	2	1	5	6	109	14	86
MAYFIELD HEIGHTS	105	1	-	1	23	6	1	2	4	1	2	7	1	58	10	46
NORTH OLMSTED	116	-	-	2	21	8	2	1	3	1	1	5	3	59	11	43
PARMA	536	3	1	-	129	37	29	13	16	11	9	14	13	288	52	217
PARMA HEIGHTS	122	-	-	-	29	11	4	1	4	1	2	6	3	63	5	51
ROCKY RIVER	190	-	-	-	34	11	5	3	5	3	1	6	4	109	18	82
SHAKER HEIGHTS	382	1	-	-	67	21	8	12	11	2	1	12	6	237	39	184
SOUTH EUCLID	216	1	-	-	43	13	5	4	7	2	1	11	6	127	14	100
UNIVERSITY HEIGHTS	143	1	-	-	31	14	8	4	2	-	2	1	4	84	13	66
WARRENSVILLE HEIGHTS	79	1	-	-	15	6	2	-	1	1	1	4	-	45	7	37
WESTLAKE	108	-	-	-	22	6	4	2	2	2	1	5	3	67	18	44
BALANCE OF COUNTY	989	3	1	5	180	58	29	18	19	8	6	42	17	548	102	393
DARKE	517	1	-	4	72	26	8	7	11	3	6	11	9	332	74	233
GREENVILLE	174	-	-	-	26	10	4	1	4	-	1	6	2	120	30	79
BALANCE OF COUNTY	343	1	-	4	46	16	4	6	7	3	5	5	7	212	44	154
DEFIANCE	296	-	-	2	52	18	3	7	8	5	3	8	10	165	29	124
DEFIANCE	134	-	-	2	21	10	2	3	1	3	-	2	5	69	17	45
BALANCE OF COUNTY	162	-	-	-	31	8	1	4	7	2	3	6	5	96	12	79
DELAWARE	394	-	-	2	48	14	6	3	8	3	5	9	10	238	55	151
DELAWARE	168	-	-	-	21	7	3	-	9	-	4	2	3	106	21	66
BALANCE OF COUNTY	226	-	-	2	27	7	3	3	3	3	1	7	7	132	34	85
ERIE	762	3	-	3	129	43	23	10	16	6	4	27	8	429	94	290
SANDUSKY	431	-	-	1	76	28	13	7	8	3	3	14	4	239	50	159
BALANCE OF COUNTY	331	3	-	2	53	15	10	3	8	3	1	13	4	190	44	131
FAIRFIELD	610	2	1	3	105	38	11	12	16	8	7	13	11	379	89	253
LANCASTER	292	1	1	3	51	16	6	6	8	5	3	7	10	177	49	112
BALANCE OF COUNTY	318	1	-	-	54	22	5	6	8	3	4	6	1	202	40	141
FAYETTE	262	-	-	-	45	13	4	7	10	4	3	4	7	147	32	102
WASHINGTON	163	-	-	-	25	6	2	4	9	2	2	-	5	94	19	68
BALANCE OF COUNTY	99	-	-	-	20	7	2	3	1	2	1	4	2	53	13	34
FRANKLIN	6,194	17	20	15	1,057	331	185	101	141	53	59	187	161	3,256	784	2,176
BEXLEY	153	-	-	-	26	6	4	7	-	3	3	3	2	97	25	63
COLUMBUS	4,688	15	16	9	783	244	149	68	109	41	36	136	126	2,467	611	1,638
UPPER ARLINGTON	157	-	-	-	29	10	3	2	2	-	5	7	6	88	16	66
WHITEHALL	92	-	-	1	18	1	3	2	4	-	2	6	4	44	12	31
BALANCE OF COUNTY	1,104	2	4	5	201	70	26	22	26	9	13	35	23	560	120	378
FULTON	312	3	-	-	39	7	4	7	12	1	3	5	6	189	32	132
GALLIA	277	2	-	2	30	14	-	2	2	2	2	8	7	178	52	113
GEAUGA	391	1	-	2	54	21	9	7	3	1	-	13	7	213	34	161
GREENE	605	2	1	4	87	28	17	8	11	6	3	14	17	334	98	201
FAIRBORN	108	-	-	1	11	3	2	2	1	-	1	2	4	53	15	29
XENIA	197	2	1	-	23	5	4	4	3	2	-	5	5	117	31	79
BALANCE OF COUNTY	300	-	-	3	53	20	11	2	7	4	2	7	8	164	52	93
GUERNSEY	513	3	1	1	68	21	10	5	16	3	2	11	7	330	76	216
CAMBRIDGE	222	2	-	1	32	10	5	4	5	2	-	6	-	145	41	82
BALANCE OF COUNTY	291	1	1	-	36	11	5	1	11	1	2	5	7	185	35	134
HAMILTON	9,012	62	27	39	1,655	525	290	170	272	73	78	247	181	4,943	978	3,429
CHEVIOT	142	-	-	1	27	8	4	1	6	3	-	5	1	86	17	58
CINCINNATI	6,222	51	24	24	1,100	352	200	111	197	36	43	161	134	3,385	686	2,337
NORTH COLLEGE HILL	81	-	-	-	22	8	3	4	5	-	1	1	-	48	8	35

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
15	367	42	55	5	21	24	8	46	8	8	11	-	15	48	2	22	45	14	3	84	1
7	268	27	41	5	16	14	6	34	7	8	10	-	9	35	1	18	38	10	2	72	2
8	99	15	14	-	5	10	2	12	1	-	1	-	6	13	1	4	7	4	1	12	3
9	165	9	16	4	14	6	1	15	7	4	7	-	11	30	4	22	24	13	-	56	4
2	110	9	29	1	17	3	2	3	3	1	3	-	4	8	2	6	14	4	-	25	5
19	405	59	29	13	47	11	9	18	5	6	5	1	9	19	1	29	37	12	-	87	6
9	109	11	6	7	13	1	3	5	3	1	-	-	3	3	-	5	6	3	-	22	7
3	48	5	3	2	6	3	1	1	-	1	1	-	3	3	1	2	10	3	-	11	8
7	248	43	20	4	28	7	5	12	2	4	4	1	3	13	-	22	21	6	-	54	9
3	124	2	25	2	16	1	3	17	2	1	5	-	6	9	-	13	11	4	-	32	10
2	62	1	8	1	5	-	-	6	1	1	2	-	5	7	-	4	4	2	-	17	11
1	62	1	17	1	11	1	3	11	1	-	3	-	1	2	-	9	7	2	-	15	12
5	148	15	29	1	18	4	4	8	1	5	-	-	7	15	1	15	21	5	-	40	13
-	47	4	8	1	5	1	-	3	1	2	-	-	3	4	-	2	8	1	-	12	14
1	44	4	5	-	4	2	1	2	-	1	-	-	1	5	-	3	4	2	-	18	15
4	57	7	16	-	9	1	3	3	-	2	-	-	3	6	1	10	9	2	-	10	16
251	5,295	770	489	125	298	232	81	408	125	60	350	14	165	591	35	186	512	180	75	1,174	17
5	31	3	1	-	2	-	-	1	2	-	1	-	2	7	-	-	7	-	-	7	18
2	29	7	2	2	1	-	1	5	-	-	2	-	1	3	-	2	3	1	-	10	19
-	36	6	4	-	2	4	-	5	-	-	3	-	4	4	-	-	3	1	-	13	20
1	29	2	2	1	-	3	-	-	-	-	2	-	1	7	-	1	-	5	1	7	21
1	7	1	-	-	1	1	-	1	-	-	1	1	3	7	-	-	2	1	-	4	22
136	3,039	499	311	74	189	131	54	260	66	32	247	12	95	414	24	110	322	101	66	746	23
11	258	24	21	5	9	13	2	16	9	4	12	-	4	12	-	4	15	4	2	43	24
7	149	24	21	2	10	3	1	7	1	-	11	-	3	9	-	-	15	5	-	32	25
8	163	12	5	1	5	10	4	13	2	2	9	-	8	16	1	5	9	8	1	33	26
3	41	7	2	1	4	3	-	1	2	2	3	-	3	1	-	-	5	2	-	6	27
3	95	15	6	6	2	2	1	13	4	3	5	-	3	8	-	5	6	5	-	22	28
13	296	39	22	11	13	13	5	16	9	6	11	-	6	14	3	5	29	3	1	46	29
-	50	5	2	-	-	1	1	2	1	-	1	-	-	3	-	1	2	-	-	7	30
4	65	6	11	1	5	2	1	4	-	1	6	-	4	6	1	4	6	3	-	8	31
4	37	4	1	-	1	1	-	1	2	1	-	-	2	2	-	1	2	1	-	9	32
1	36	5	1	1	2	2	-	1	2	2	1	-	1	5	-	4	5	4	-	6	33
12	171	20	14	3	7	9	-	12	4	-	10	-	8	10	2	6	9	8	-	33	34
3	44	3	1	1	3	2	1	3	1	1	3	-	1	11	-	1	1	-	-	5	35
4	65	9	4	2	3	4	-	4	2	-	1	-	-	1	-	7	6	2	-	20	36
9	157	13	5	4	3	7	-	10	1	1	3	-	1	4	1	7	11	5	-	27	37
4	76	10	10	2	6	2	3	2	3	2	1	1	1	7	-	1	9	2	1	9	38
6	53	6	1	1	1	2	1	1	-	1	1	-	3	2	-	1	2	2	-	10	39
-	29	7	1	1	-	-	-	-	-	-	2	-	1	-	-	3	3	1	-	8	40
4	25	9	6	-	5	-	-	-	-	1	-	-	-	3	-	1	4	1	1	5	41
10	314	34	35	6	24	17	6	30	14	1	14	-	10	35	3	17	36	15	2	58	42
5	147	49	32	7	10	7	1	13	4	1	2	-	5	10	-	12	12	5	-	35	43
1	49	22	7	1	5	4	1	7	-	-	-	-	1	2	-	-	1	2	-	13	44
4	98	27	25	6	5	3	-	6	4	1	2	-	4	8	-	12	11	3	-	22	45
4	94	9	17	-	5	2	5	1	3	2	1	1	2	18	-	10	8	2	-	19	46
3	38	-	4	-	4	2	1	1	2	2	1	1	-	9	-	4	4	2	-	11	47
1	56	9	13	-	1	-	4	-	1	-	-	-	2	9	-	6	4	-	-	8	48
2	107	9	33	5	19	5	3	16	3	1	3	-	2	15	4	10	12	6	3	21	49
2	45	7	12	2	13	3	1	10	2	-	2	-	1	4	1	4	4	2	-	8	50
-	62	2	21	3	6	2	2	6	1	1	1	-	1	11	3	6	8	4	3	13	51
9	222	32	27	9	23	8	5	24	4	2	7	-	12	28	5	22	25	9	2	50	52
5	125	15	14	3	19	4	4	18	4	1	7	-	7	13	4	12	13	4	2	26	53
4	97	17	13	6	4	4	1	6	-	1	-	-	5	15	1	10	12	5	-	24	54
9	197	22	25	2	23	9	3	20	3	-	7	-	4	12	1	6	13	7	1	35	55
5	90	5	12	1	9	5	1	8	1	-	5	-	1	8	-	3	7	1	1	14	56
4	107	17	13	1	14	4	2	12	2	-	2	-	3	4	1	3	6	6	-	21	57
2	91	8	1	3	6	3	1	12	3	1	-	-	2	4	1	4	11	3	-	22	58
1	60	6	1	2	4	1	-	7	1	1	-	-	2	1	1	3	6	2	-	15	59
1	31	2	-	1	2	2	1	5	2	-	-	-	-	3	-	1	5	1	-	7	60
68	1,526	391	191	42	124	99	31	164	41	28	70	4	80	280	219	115	136	65	12	454	61
1	49	8	5	1	4	4	-	2	-	2	4	-	-	3	-	1	-	2	-	14	62
53	1,103	332	150	30	92	73	23	138	33	17	52	4	53	215	169	73	105	49	11	353	63
1	56	7	2	1	2	3	-	2	1	2	3	-	1	1	6	3	1	1	-	13	64
-	27	4	-	-	-	1	-	2	-	-	-	-	1	8	3	5	-	-	-	6	65
13	291	40	34	10	26	18	8	20	7	7	11	-	25	53	41	33	30	13	1	68	66
4	95	14	19	1	20	2	2	11	1	-	1	-	4	7	2	12	10	4	1	22	67
1	97	9	6	4	6	1	2	10	2	1	2	-	2	10	-	2	7	4	-	18	68
9	124	12	16	3	11	1	3	10	4	1	2	-	9	17	9	11	19	12	1	19	69
11	164	14	12	1	19	7	8	11	5	4	8	-	13	33	2	18	26	8	1	31	70
1	26	1	1	-	6	1	2	1	1	1	5	-	3	9	1	4	5	2	-	7	71
5	61	8	5	-	4	-	3	6	3	1	1	-	3	11	-	7	9	-	-	8	72
5	77	5	6	1	9	6	3	4	1	2	2	-	7	13	1	7	12	6	1	16	73
7	152	24	33	6	17	11	4	21	6	-	4	-	6	6	-	3	11	5	1	40	74
5	54	8	15	2	11	7	2	9	3	-	1	-	2	2	-	2	5	-	1	17	75
2	98	16	18	4	6	4	2	12	3	-	3	-	4	4	-	1	6	5	-	23	76
113	2,643	320	353	80	265	146	45	233	75	43	125	5	113	264	30	143	235	89	56	694	77
-	49	5	4	-	8	2	1	3	2	3	-	-	-	3	-	2	-	3	-	11	78
83	1,762	236	256	54	184	98	26	172	58	29	92	5	71	173	20	95	175	61	50	503	79
3	26	2	4	1	4	-	-	1	-	-	1	-	2	3	-	-	1	1	-	2	80

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revipolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
OHIO--CON.																
HAMILTON--CON.																
NORWOOD	359	2	2	1	62	18	16	5	4	7	2	10	8	210	33	146
READING	87	1	-	-	15	5	4	1	1	-	2	2	2	53	6	42
BALANCE OF COUNTY	2,121	8	1	13	429	134	63	48	59	27	30	68	36	1,161	228	811
HANCOCK	546	2	2	2	101	37	13	5	16	5	5	20	5	297	68	192
FINDLAY	341	1	2	1	67	25	9	4	10	4	2	13	2	184	42	119
FOSTORIA, PART	24	1	-	-	5	2	1	-	1	-	-	1	1	10	-	9
BALANCE OF COUNTY	181	-	-	1	29	10	3	1	5	1	3	6	2	103	26	64
HARDIN	358	4	1	1	50	15	7	5	11	2	3	7	5	201	70	105
HARRISON	231	1	-	-	33	11	7	2	6	1	1	5	8	156	35	100
HENRY	258	2	-	2	42	17	4	5	6	2	1	7	2	154	38	101
HIGHLAND	368	2	-	1	44	12	6	5	6	6	2	7	8	237	55	144
HOCKING	258	-	-	1	45	15	13	2	8	1	1	5	10	156	37	107
HOLMES	217	-	-	1	21	7	-	4	3	-	-	7	2	137	29	94
HURON	518	-	1	1	83	30	11	8	12	5	2	15	16	294	66	194
NORWALK	158	-	-	-	24	8	3	4	3	2	-	4	3	97	26	60
BALANCE OF COUNTY	360	-	1	1	59	22	8	4	9	3	2	11	13	197	40	134
JACKSON	365	-	1	2	47	19	7	4	4	3	4	6	7	231	60	153
JEFFERSON	1,071	4	-	4	181	71	24	13	26	11	6	30	20	633	105	485
STEUBENVILLE	456	2	-	2	79	27	12	7	10	4	6	13	9	266	44	204
BALANCE OF COUNTY	615	2	-	2	102	44	12	6	16	7	-	17	11	367	61	281
KNOX	429	-	1	-	65	20	14	7	9	2	3	10	10	269	55	181
MOUNT VERNON	200	-	1	-	33	10	10	4	3	-	2	4	3	120	25	89
BALANCE OF COUNTY	229	-	-	-	32	10	4	3	6	2	1	6	7	149	30	92
LAKE	1,019	2	4	4	173	50	35	15	29	7	10	27	21	548	115	387
EASTLAKE	70	-	1	-	20	7	5	-	4	1	1	2	1	35	6	26
PAINESVILLE	174	-	-	2	22	3	6	2	5	1	-	5	-	103	24	72
WICKLIFFE	84	-	-	1	15	3	4	1	1	1	2	3	2	38	7	28
WILLOUGHBY	87	1	-	-	14	4	2	1	4	1	-	2	2	48	10	36
WILLOWICK	93	-	1	-	21	4	2	1	5	-	3	6	2	37	9	24
BALANCE OF COUNTY	511	1	2	1	81	29	16	10	10	3	4	9	14	287	59	201
LAWRENCE	634	2	3	8	97	34	14	4	23	4	3	15	15	369	85	253
IRONTON	230	1	3	-	35	13	4	1	10	2	1	4	5	151	35	102
BALANCE OF COUNTY	404	1	-	8	62	21	10	3	13	2	2	11	10	218	50	151
LICKING	1,001	3	2	6	140	55	21	18	14	7	7	18	22	578	114	408
NEWARK	536	2	1	2	78	33	9	11	9	4	3	9	15	314	66	215
BALANCE OF COUNTY	465	1	1	4	62	22	12	7	5	3	4	9	7	264	48	193
LOGAN	386	2	-	-	59	16	11	3	13	5	2	9	9	224	88	120
BELLEFONTAINE	139	1	-	-	21	7	5	2	3	2	1	1	4	73	33	29
BALANCE OF COUNTY	247	1	-	-	38	9	6	1	10	3	1	8	5	151	55	91
LORAIN	1,748	9	9	7	296	103	44	27	58	7	13	44	50	962	179	693
ELYRIA	403	1	-	2	74	21	14	7	21	1	3	7	8	216	40	158
LORAIN	593	4	2	1	107	43	16	5	21	5	4	13	19	323	50	243
BALANCE OF COUNTY	752	4	7	4	115	39	14	15	16	1	6	24	23	423	89	292
LUCAS	4,758	7	9	16	763	266	120	60	96	53	45	123	140	2,746	502	1,865
MAUMEE	81	-	-	-	11	5	1	2	1	-	-	2	1	47	8	33
OREGON	88	-	-	1	11	6	1	-	1	-	1	2	6	49	5	37
TOLEDO	3,798	6	9	13	611	203	92	50	82	44	38	102	114	2,200	413	1,475
BALANCE OF COUNTY	791	1	-	2	130	52	26	8	12	9	6	17	19	450	76	320
MADISON	235	1	-	-	26	8	4	-	3	1	7	3	1	141	40	90
MAHONING	2,905	17	3	7	532	206	72	45	75	31	19	84	83	1,616	342	1,113
CAMPBELL	114	-	-	-	18	6	5	-	1	2	-	4	6	63	13	43
STRUTHERS	139	1	-	3	25	13	2	1	5	1	2	1	5	75	9	59
YOUNGSTOWN, PART	1,872	13	3	3	343	141	46	30	46	20	12	48	47	1,023	215	708
YOUNGSTOWN, TOTAL	1,872	13	3	3	343	141	46	30	46	20	12	48	47	1,023	215	708
BALANCE OF COUNTY	780	3	-	1	146	46	19	14	23	8	5	31	25	455	105	303
MARION	667	3	3	1	85	24	18	4	24	4	3	8	19	400	112	255
MARION	443	3	1	1	56	20	14	3	11	4	-	4	13	265	81	165
BALANCE OF COUNTY	224	-	2	-	29	4	4	1	13	-	3	4	6	135	31	90
MEDINA	551	2	-	1	93	36	20	7	13	5	2	10	9	317	57	234
BRUNSWICK	33	-	-	-	10	3	4	-	1	-	-	2	-	11	5	5
WADSWORTH	100	2	-	-	16	7	4	2	3	-	-	-	-	58	10	43
BALANCE OF COUNTY	418	-	-	1	67	26	12	5	9	5	2	8	9	248	42	186
MEIGS	259	-	-	2	35	15	2	4	5	4	2	3	4	163	42	111
MERCER	320	2	2	2	49	18	5	5	8	2	6	5	7	177	46	113
MIAMI	737	2	2	1	104	30	22	12	21	3	3	13	14	450	119	296
PIQUA	240	2	2	-	30	9	5	4	8	1	1	2	6	156	47	95
TROY	131	-	-	-	18	3	6	1	4	1	-	3	1	82	25	56
BALANCE OF COUNTY	366	-	-	1	56	18	11	7	9	1	2	8	7	212	47	145
MONROE	194	-	-	-	27	12	1	2	8	-	3	1	4	117	37	73
MONTGOMERY	4,608	31	7	14	728	230	134	65	104	36	27	132	83	2,593	591	1,721
DAYTON	2,813	20	6	10	429	127	85	29	65	25	14	84	54	1,589	369	1,041
KETTERING	298	3	-	-	45	12	6	6	6	1	5	9	5	182	42	125
OAKWOOD CITY	137	-	-	1	40	14	8	6	1	2	1	8	2	80	17	59
BALANCE OF COUNTY	1,360	8	1	3	214	77	35	24	32	8	7	31	22	742	163	496
MORGAN	172	1	2	-	21	8	-	3	4	-	-	6	7	110	24	80
MORROW	222	-	-	1	34	13	1	1	10	2	2	5	6	142	31	96
MUSKINGUM	926	5	2	6	128	44	25	8	21	8	9	13	24	564	91	394
ZANESVILLE	512	4	1	3	76	24	18	4	10	7	6	7	15	308	49	213
BALANCE OF COUNTY	414	1	1	3	52	20	7	4	11	1	3	6	9	256	42	181
NOBLE	178	-	-	-	29	9	5	3	3	2	2	5	5	107	23	71
OTTAWA	375	-	-	1	54	21	5	5	8	4	2	9	5	239	41	172

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
2	124	12	8	8	15	6	2	8	3	4	5	-	1	5	3	7	9	2	1	26	1
-	37	4	1	-	2	3	-	1	-	-	2	-	1	2	-	1	3	-	-	6	2
25	645	61	80	17	52	37	16	48	12	7	25	-	38	78	7	38	47	22	5	146	3
1	141	15	35	6	21	10	-	17	4	3	2	-	8	9	2	15	17	5	2	53	4
1	90	10	18	5	12	6	-	13	2	2	2	-	5	4	2	7	9	2	1	35	5
-	7	1	1	-	1	-	-	-	-	-	-	-	1	2	-	1	-	-	-	3	6
-	44	4	16	1	8	4	-	4	2	1	-	-	2	3	-	7	8	3	1	15	7
1	90	2	12	4	15	5	2	10	2	3	2	1	4	13	2	9	11	2	-	37	8
3	75	8	14	5	10	1	5	5	1	-	1	-	3	1	-	1	5	3	1	12	9
5	74	3	19	3	8	3	1	5	4	1	2	1	2	3	2	8	8	3	2	15	10
3	115	10	16	5	24	5	4	18	2	1	1	-	3	7	1	10	9	4	-	20	11
2	68	12	25	3	5	2	2	5	2	1	1	-	1	4	1	4	6	5	-	16	12
4	71	8	11	-	12	2	-	16	-	1	1	-	-	9	-	7	7	5	-	10	13
4	151	23	16	5	22	4	3	8	6	2	5	1	6	20	2	15	17	4	-	37	14
4	48	5	3	3	7	1	-	5	2	-	1	1	2	5	-	2	6	-	-	10	15
-	103	18	13	2	15	3	3	3	4	2	4	-	4	15	2	13	11	4	-	27	16
1	127	14	11	2	12	3	1	13	1	2	2	-	5	8	1	10	8	3	2	22	17
8	370	43	64	5	21	11	6	34	7	6	10	1	10	24	5	20	40	11	4	57	18
2	149	21	32	1	11	4	2	14	2	3	7	-	2	11	-	6	19	7	2	25	19
6	221	22	32	4	10	7	4	20	5	3	3	1	8	13	5	14	21	4	2	32	20
2	160	10	9	6	13	7	7	7	3	2	1	-	-	13	1	11	15	7	-	24	21
1	79	6	3	-	3	-	3	3	2	1	1	-	-	8	1	5	6	4	-	12	22
1	81	4	6	6	10	7	4	4	1	1	-	-	-	5	-	6	9	3	-	12	23
12	311	29	35	4	16	20	6	35	4	2	13	-	25	47	2	22	25	19	1	72	24
-	23	1	2	1	-	2	-	3	-	-	1	-	-	3	-	1	1	-	-	4	25
4	53	8	7	1	2	3	1	6	-	-	2	-	4	4	-	2	4	3	1	21	26
-	23	4	1	-	-	2	1	2	-	1	2	-	4	4	-	4	3	1	-	7	27
1	29	2	4	-	1	1	-	4	-	-	1	-	1	8	1	1	3	1	-	2	28
-	22	-	2	1	-	3	-	2	1	-	1	-	4	10	-	1	5	3	-	5	29
7	161	14	19	1	13	9	4	18	3	1	6	-	12	18	1	13	9	11	-	33	30
6	180	25	42	4	14	9	4	18	4	4	2	1	9	17	-	21	19	5	5	35	31
1	71	13	17	2	5	6	1	3	2	2	1	-	4	2	-	3	5	2	-	11	32
5	109	12	25	2	9	3	3	15	2	2	1	1	5	15	-	18	14	3	5	24	33
7	332	39	30	10	26	17	3	32	7	5	9	2	9	24	4	21	30	15	1	91	34
5	168	26	16	7	15	10	1	11	2	4	4	1	3	7	3	9	14	9	1	56	35
2	164	13	14	3	11	7	2	21	5	1	5	1	6	17	1	12	16	6	-	35	36
2	94	11	13	1	10	1	4	14	2	3	2	-	1	13	-	14	17	2	1	23	37
-	24	2	3	1	5	1	4	8	1	-	-	-	-	4	-	6	8	1	-	12	38
2	70	9	10	-	5	-	-	6	1	3	2	-	1	9	-	8	9	1	1	11	39
23	542	67	61	15	43	21	11	52	13	6	22	2	28	61	4	46	37	18	6	120	40
3	127	14	14	5	7	6	-	14	1	1	5	-	9	21	2	9	7	-	1	32	41
2	191	27	23	5	14	6	5	15	9	4	7	1	6	19	2	15	15	5	1	38	42
18	224	26	24	5	22	9	6	23	3	1	10	1	13	21	-	22	15	13	4	50	43
45	1,462	153	205	29	272	50	28	145	39	16	57	2	47	148	10	69	144	67	22	311	44
-	23	3	7	2	4	-	-	-	1	-	-	-	3	6	-	1	6	2	-	3	45
2	26	6	3	1	3	1	2	2	1	1	1	-	-	-	1	1	3	2	3	6	46
32	1,168	122	153	23	227	42	20	114	29	13	49	2	34	115	6	49	114	49	18	253	47
11	245	22	42	3	38	7	6	29	8	2	7	-	10	27	3	18	21	14	1	49	48
-	66	6	18	1	7	2	1	11	4	2	4	-	1	9	1	10	6	3	-	15	49
26	887	83	117	22	73	51	15	59	23	11	36	1	37	79	4	68	73	24	18	214	50
2	33	4	4	2	1	2	2	2	4	-	4	-	1	2	-	1	2	3	1	7	51
-	44	8	7	-	3	4	-	4	1	1	1	-	4	4	-	5	1	1	1	7	52
19	563	52	74	11	51	30	8	38	11	7	27	1	21	59	4	34	54	16	15	153	53
19	563	52	74	11	51	30	8	38	11	7	27	1	21	59	4	34	54	16	15	153	54
5	247	19	32	9	18	15	5	15	7	3	4	-	11	14	-	28	16	4	1	47	55
6	175	43	31	3	16	9	5	16	6	5	3	1	5	24	3	12	24	5	1	51	56
3	121	27	14	2	9	5	3	14	4	3	1	1	3	15	1	6	12	4	1	39	57
3	54	16	17	1	7	4	2	2	2	2	2	-	2	9	2	6	12	1	-	12	58
13	167	21	33	2	15	7	2	10	5	1	5	-	6	34	1	17	15	2	-	33	59
-	5	-	-	-	1	-	-	-	-	-	-	-	2	5	-	1	1	-	-	3	60
3	20	7	13	-	2	3	-	1	2	-	-	-	1	10	-	3	2	-	-	5	61
10	142	14	20	2	12	4	2	9	3	1	5	-	3	19	1	13	12	2	-	25	62
2	81	4	24	1	4	3	2	10	2	-	-	-	5	4	-	1	9	4	-	20	63
3	92	7	11	1	15	2	-	12	1	1	3	-	6	13	-	11	12	2	-	20	64
1	266	19	10	7	21	6	1	22	4	2	8	-	11	25	3	20	16	11	-	42	65
-	89	3	3	5	6	3	-	8	1	-	1	-	2	6	2	10	4	3	-	7	66
1	51	3	1	-	1	-	-	4	-	2	2	-	2	4	1	-	5	1	-	9	67
-	126	13	6	2	14	3	1	10	3	-	5	-	7	15	-	10	7	7	-	26	68
3	51	7	12	1	6	-	-	8	1	-	-	-	1	4	-	3	2	9	3	15	69
44	1,240	167	270	48	153	61	19	80	34	23	43	4	73	197	51	87	121	58	30	351	70
24	735	114	168	27	100	41	11	54	23	14	31	3	42	110	37	40	77	32	23	219	71
3	104	4	14	2	9	2	2	5	1	3	1	-	5	7	3	5	7	4	2	20	72
3	42	5	9	-	4	-	-	1	-	-	2	-	1	2	-	2	1	3	-	2	73
14	359	44	79	19	40	18	6	20	10	6	9	1	25	78	11	40	36	19	5	110	74
2	59	7	12	1	2	3	-	7	-	-	-	-	-	-	7	3	6	2	1	5	75
3	67	11	15	2	12	-	1	9	-	1	-	-	5	8	-	3	3	1	-	9	76
6	318	36	34	7	59	11	2	31	7	1	10	-	7	24	3	17	27	10	2	58	77
4	176	21	12	4	35	6	1	15	5	-	9	-	3	13	1	8	14	3	2	32	78
2	142	15	22	3	24	5	1	16	2	1	1	-	4	11	2	9	13	7	-	26	79
3	58	2	8	2	8	1	2	5	1	-	1	-	3	1	-	7	7	3	-	9	80
4	131	19	18	5	15	4	2	14	5	2	1	-	7	12	1	10	8	3	-	13	81

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neo- plasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular- renal diseases (330- 334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400- 402,410-443)
OHIO--CON.																
PAULDING	153	1	-	-	26	9	1	3	5	4	2	2	4	83	23	53
PERRY	371	1	1	1	58	23	8	5	9	1	1	11	7	230	48	163
PICKAWAY	298	2	1	1	47	15	5	5	11	1	2	8	12	164	46	99
CIRCLEVILLE	114	1	1	-	23	11	2	2	5	-	1	2	5	63	18	39
BALANCE OF COUNTY	184	1	-	1	24	4	3	3	6	1	1	6	7	101	28	60
PIKE	196	2	1	1	23	8	4	-	6	-	-	5	7	106	27	66
PORTAGE	770	-	1	5	114	32	22	8	12	8	10	22	24	440	105	298
KENT	118	-	-	2	17	7	3	-	-	2	2	3	3	69	15	47
RAVENNA	146	-	-	-	22	9	5	-	-	1	1	6	3	94	28	58
BALANCE OF COUNTY	506	-	1	3	75	16	14	8	12	5	7	13	18	277	62	193
PREBLE	298	-	2	1	32	10	4	3	5	-	2	8	7	182	46	123
PUTNAM	279	-	-	-	47	16	4	9	4	4	3	7	9	156	41	91
RICHLAND	1,009	6	1	2	153	53	27	12	28	6	3	24	28	568	174	340
MANSFIELD	538	5	1	2	87	28	21	6	11	4	2	15	15	301	98	177
BALANCE OF COUNTY	471	1	-	-	66	25	6	6	17	2	1	9	13	267	76	163
ROSS	589	4	1	-	73	25	9	4	12	4	3	16	13	357	84	243
CHILLICOTHE	305	1	1	-	39	9	6	3	7	4	1	9	11	191	41	130
BALANCE OF COUNTY	284	3	-	-	34	16	3	1	5	-	2	7	2	166	43	113
SANDUSKY	575	4	1	2	88	22	12	13	16	8	3	14	12	352	70	258
FREMONT	228	1	-	-	32	7	7	4	6	-	-	8	4	143	22	107
BALANCE OF COUNTY	347	3	1	2	56	15	5	9	10	8	3	6	8	209	48	151
SCIOTO	955	7	5	1	167	60	24	13	24	6	8	32	36	510	120	346
PORTSMOUTH	462	1	3	-	85	29	15	9	7	3	3	19	22	252	68	164
BALANCE OF COUNTY	493	6	2	1	82	31	9	4	17	3	5	13	14	258	52	182
SENECA	572	2	1	3	81	29	13	6	18	5	2	8	18	361	66	265
FOSTORIA, PART	125	-	1	1	21	6	5	1	3	1	1	4	2	80	15	55
FOSTORIA, TOTAL	150	1	1	1	26	8	6	1	4	1	1	5	3	91	15	64
TIFFIN	233	1	-	-	32	12	5	4	7	2	1	1	8	147	28	113
BALANCE OF COUNTY	214	1	-	2	28	11	3	1	8	2	-	3	8	134	23	97
SHELBY	323	3	1	1	47	7	13	7	10	1	2	7	13	196	34	145
SIDNEY	166	2	1	1	28	6	6	4	8	1	-	3	6	104	24	71
BALANCE OF COUNTY	157	1	-	-	19	1	7	3	2	-	2	4	7	92	10	74
STARK	3,308	6	8	8	526	203	81	44	78	23	20	77	79	1,927	439	1,309
ALLIANCE	338	-	-	1	43	19	2	3	8	2	1	8	13	210	51	135
CANTON	1,425	3	5	1	231	86	36	23	33	9	5	39	32	848	209	564
MASSILLON	368	1	-	2	65	27	12	5	7	1	5	8	8	206	44	138
BALANCE OF COUNTY	1,177	2	3	4	187	71	31	13	30	11	9	22	26	663	135	472
SUMMIT	4,414	9	13	20	779	260	120	62	125	42	29	141	103	2,417	470	1,704
AKRON	2,830	6	8	16	483	162	73	44	76	27	15	86	65	1,551	290	1,100
BARBERTON	338	1	2	2	52	19	7	1	8	2	3	12	11	189	36	134
CUYAHOGA FALLS	336	-	-	-	64	24	10	1	8	5	4	12	7	196	33	144
STOW	91	-	-	-	20	4	3	-	5	-	2	6	1	45	11	26
TALLMADGE	66	-	-	-	7	2	1	2	1	-	-	1	-	43	16	23
BALANCE OF COUNTY	753	2	3	2	153	49	26	14	27	8	5	24	19	393	84	277
TRUMBULL	1,846	5	1	3	306	107	45	26	52	15	12	49	51	1,065	196	785
GIRARD	110	-	-	-	13	4	-	-	6	1	-	2	4	64	14	45
NILES	209	-	-	1	30	9	8	2	3	2	1	5	8	126	20	94
WARREN	645	1	1	1	131	49	23	10	19	7	6	17	17	358	76	251
YOUNGSTOWN, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BALANCE OF COUNTY	882	4	-	1	132	45	14	14	24	5	5	25	22	517	86	395
TUSCARAWAS	910	6	-	5	135	55	15	6	20	8	5	26	12	551	134	357
DOVER	141	-	-	1	15	5	4	1	2	-	-	3	5	95	20	68
NEW PHILADELPHIA	186	1	-	2	37	12	4	3	5	6	1	6	2	108	36	58
BALANCE OF COUNTY	583	5	-	2	83	38	7	2	13	2	4	17	5	348	78	231
UNION	249	1	1	-	44	9	12	4	8	2	1	8	5	140	26	98
VAN WERT	320	2	-	-	63	25	3	8	10	3	3	11	10	187	33	131
VAN WERT	139	-	-	-	36	12	2	6	4	3	3	6	4	75	16	50
BALANCE OF COUNTY	181	2	-	-	27	13	1	2	6	-	-	5	6	112	17	81
VINTON	102	-	1	2	11	4	2	1	-	2	-	2	2	55	19	32
WARREN	441	2	-	2	75	21	15	5	16	2	2	14	14	230	39	176
WASHINGTON	552	1	-	2	90	34	9	4	17	3	5	18	6	340	93	214
MARIETTA	249	1	-	-	39	11	6	1	9	1	3	8	1	163	46	101
BALANCE OF COUNTY	303	-	-	2	51	23	3	3	8	2	2	10	5	177	47	113
WAYNE	637	1	1	1	90	32	9	11	10	6	5	17	13	391	98	235
WOOSTER	161	-	-	-	29	8	3	1	2	-	2	3	4	112	27	67
BALANCE OF COUNTY	476	1	1	1	71	24	6	10	8	6	3	14	9	279	71	168
WILLIAMS	327	-	-	1	59	17	10	4	17	2	4	5	11	185	30	135
WOOD	623	-	-	-	105	40	17	7	12	3	3	23	10	360	100	214
BOWLING GREEN	106	-	-	-	13	4	2	-	3	-	2	2	-	70	18	41
FOSTORIA, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
BALANCE OF COUNTY	516	-	-	-	92	36	15	7	9	3	1	21	10	289	82	173
WYANDOT	251	-	-	1	38	9	6	1	10	4	2	6	3	145	48	87
OKLAHOMA	24,000	153	36	114	3,694	1,118	617	257	549	171	195	787	406	12,903	3,176	8,625
URBAN	14,614	87	29	69	2,294	681	377	161	348	112	115	500	238	7,842	1,995	5,179
RURAL	9,386	66	7	45	1,400	437	240	96	201	59	80	287	168	5,061	1,181	3,446
METROPOLITAN COUNTIES	8,508	57	15	40	1,384	388	254	103	188	68	61	322	126	4,340	1,053	2,915
URBAN	7,347	49	15	34	1,209	338	218	91	160	64	53	285	105	3,734	913	2,497
RURAL	1,161	8	-	6	175	50	36	12	28	4	8	37	21	606	140	418

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
4	39	2	8	3	4	-	-	3	2	-	-	-	2	6	-	10	7	1	-	8	4
2	130	19	12	2	11	3	3	7	3	1	3	-	2	6	1	10	7	6	-	27	5
4	79	7	9	4	6	7	2	5	3	1	4	-	4	9	2	14	9	2	-	18	6
-	31	5	3	2	2	1	1	2	-	-	2	-	2	4	-	3	3	-	-	5	7
4	48	2	6	2	4	6	1	3	3	1	2	-	2	5	2	11	6	2	-	13	8
2	41	6	17	2	4	4	3	5	2	1	1	-	5	3	1	5	15	-	-	18	9
2	244	13	39	6	20	10	1	21	4	3	5	1	10	35	4	25	12	16	3	47	10
-	35	3	9	3	2	2	-	4	-	-	1	-	1	7	1	2	2	4	-	5	11
1	50	2	5	-	5	2	1	1	2	2	1	-	-	4	-	2	3	2	1	9	12
1	159	8	25	3	13	6	-	16	2	1	3	1	9	24	3	21	7	10	2	33	13
2	91	9	21	-	9	4	-	4	2	2	3	-	2	11	2	7	11	6	1	23	14
2	74	5	10	3	13	7	1	11	2	1	4	-	2	13	1	8	6	3	-	16	15
15	259	25	41	10	23	17	4	30	10	2	6	-	19	23	8	32	34	12	4	71	16
8	145	9	15	5	8	12	1	19	6	2	3	-	4	10	3	10	23	6	3	38	17
7	114	16	26	5	15	5	3	11	4	-	3	-	15	13	5	22	11	6	1	33	18
																					19
5	194	15	29	2	18	3	7	22	3	5	3	-	4	16	2	13	15	3	1	54	20
2	110	7	11	-	14	2	4	8	1	2	2	-	1	5	2	6	7	2	1	25	21
3	84	8	18	2	4	1	3	14	2	3	1	-	3	11	-	7	8	1	-	29	22
7	217	17	17	7	13	4	-	9	2	3	2	2	13	14	-	14	16	9	1	31	23
3	91	7	6	5	7	2	-	7	-	2	1	1	3	9	-	3	7	2	-	13	24
4	126	10	11	2	6	2	-	2	2	1	1	1	10	5	-	11	9	7	1	18	25
7	275	20	44	6	17	15	6	24	7	3	8	1	13	21	4	35	27	16	3	67	26
5	139	9	11	2	9	6	3	12	4	1	4	-	7	9	1	7	16	4	1	33	27
2	136	11	33	4	8	9	3	12	3	2	4	1	6	12	3	28	11	12	2	34	28
2	204	23	36	5	9	7	9	7	3	3	3	-	2	21	1	13	16	6	-	31	29
2	38	4	11	3	3	2	2	1	1	1	-	-	-	3	-	4	2	1	-	7	30
2	45	5	12	3	5	2	2	1	1	1	-	-	1	5	-	5	2	1	-	10	31
-	92	11	10	1	2	1	2	3	1	-	2	-	1	12	-	2	7	3	-	14	32
-	74	8	15	1	4	4	5	3	1	2	1	-	1	6	1	7	7	2	-	10	33
																					34
3	106	15	21	3	6	7	1	7	2	2	-	-	5	6	-	16	8	1	-	15	35
3	51	8	9	1	5	2	1	4	-	2	-	-	2	3	-	4	4	-	-	5	36
-	55	7	12	2	1	5	-	3	2	-	-	-	3	3	-	12	4	1	-	10	37
41	1,075	76	117	24	101	32	22	108	25	15	31	1	46	110	7	85	76	38	9	203	38
1	104	13	17	3	12	7	2	14	1	1	3	-	2	10	-	6	12	-	2	20	39
21	463	29	51	10	41	13	11	51	10	7	13	-	12	50	3	34	21	10	6	88	40
3	115	11	9	2	17	2	3	13	4	1	5	-	12	8	-	7	8	7	-	21	41
16	393	23	40	9	31	10	6	30	10	6	10	1	20	42	4	38	35	21	1	74	42
72	1,347	144	141	35	121	62	25	101	29	14	52	2	62	175	91	101	74	46	18	308	43
40	875	98	87	24	80	40	17	72	17	9	42	2	37	108	60	56	51	31	12	204	44
5	108	8	13	5	7	7	-	7	2	-	3	-	3	13	11	4	5	4	-	29	45
9	110	15	10	-	11	6	2	4	5	3	1	-	6	16	4	4	5	3	-	18	46
1	16	2	7	1	4	1	2	1	-	-	-	-	4	9	1	3	-	1	-	6	47
1	20	2	-	1	1	1	1	3	-	-	-	-	-	2	1	2	-	1	-	7	48
16	218	19	24	4	18	7	3	14	5	2	6	-	12	27	14	32	13	6	6	44	49
																					50
29	574	61	121	14	39	19	12	39	15	12	19	1	29	69	3	44	56	26	1	101	51
3	30	1	11	-	2	2	1	3	1	2	2	-	-	7	-	2	-	3	-	9	52
2	70	11	11	1	5	3	3	3	2	2	1	-	3	9	-	4	7	-	-	13	53
11	185	19	36	8	11	7	5	13	5	4	6	-	6	24	1	13	19	8	1	36	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
13	289	30	63	5	21	7	3	20	7	4	10	1	20	29	2	25	30	15	-	43	56
12	268	21	56	9	39	7	5	21	6	3	8	-	14	39	2	18	31	12	2	45	57
1	58	3	6	1	4	1	1	4	3	-	1	-	1	5	-	-	1	3	-	7	58
4	42	2	10	1	11	1	1	1	-	1	1	-	6	9	-	3	6	1	-	8	59
7	168	16	40	7	24	5	3	16	3	2	6	-	7	25	2	15	24	8	2	30	60
3	74	9	12	2	11	1	2	15	-	2	1	-	4	6	1	6	4	2	-	17	61
-	96	11	24	2	12	8	1	5	2	4	3	-	2	7	3	7	9	3	-	13	62
-	35	6	9	1	5	3	-	5	-	4	-	-	-	2	2	-	3	-	-	8	63
-	61	5	15	1	7	5	1	-	2	-	3	-	2	5	1	7	6	3	-	5	64
																					65
-	20	5	7	-	4	-	-	3	-	-	5	-	2	1	1	4	8	1	1	5	66
3	137	15	21	4	6	2	3	12	3	1	2	1	8	15	2	21	12	8	1	32	67
3	178	17	16	13	8	8	4	20	2	1	3	-	3	17	3	7	22	3	2	30	68
1	86	6	8	4	4	4	4	12	-	1	1	-	-	4	1	1	10	1	2	12	69
2	92	11	8	9	4	4	-	8	2	-	2	-	3	13	2	6	12	2	-	18	70
12	185	11	27	4	38	6	10	26	3	4	3	-	12	20	2	16	15	4	-	35	71
4	55	1	7	3	14	1	-	4	1	-	3	-	4	3	-	4	3	1	-	3	72
8	130	10	20	1	24	5	10	22	2	4	-	-	8	17	2	12	12	3	-	32	73
1	90	29	15	1	12	2	5	5	2	1	1	-	5	12	2	13	8	6	-	16	74
6	176	10	22	2	32	10	2	20	3	2	5	-	4	20	2	19	18	4	1	50	75
2	28	4	7	1	8	1	1	3	1	-	1	-	-	2	-	3	4	1	-	8	76
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77
4	148	6	15	1	23	9	1	17	2	2	4	-	4	18	2	16	14	3	1	42	78
-	66	6	15	1	5	2	2	9	2	1	-	1	1	8	1	5	7	3	-	26	79
																					80
140	6,857	636	992	150	484	249	219	766	147	125	200	15	233	779	589	708	902	213	113	1,904	81
																					82
87	4,171	376	545	90	313	146	119	462	91	72	121	9	156	557	356	391	519	131	69	1,121	83
53	2,686	260	447	60	171	103	100	304	56	53	79	6	77	222	233	317	383	82	44	783	84
																					85
50	2,351	188	326	52	162	97	61	252	56	42	81	2	104	416	219	264	320	92	52	646	86
43	2,032	156	266	42	146	84	52	228	53	37	75	2	90	371	191	214	268	81	43	548	87
7	319	32	60	10	16	13	9	24	3	5	6	-	14	45	28	50	52	11	9	98	88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
OKLAHOMA--CON.																
NONMETROPOLITAN COUNTIES	15,492	96	21	74	2,310	730	363	154	361	103	134	465	280	8,563	2,123	5,710
URBAN..	7,267	38	14	35	1,085	343	159	70	188	48	62	215	133	4,108	1,082	2,682
RURAL..	8,225	58	7	39	1,225	387	204	84	173	55	72	250	147	4,455	1,041	3,028
ADAIR	180	2	-	-	24	7	3	-	2	1	2	9	5	96	31	52
ALFALFA	124	-	1	-	16	4	1	2	1	1	1	6	3	71	23	39
ATOKA	142	2	-	1	20	6	4	1	3	1	1	4	3	79	17	55
BEAVER	66	1	-	-	8	3	1	-	1	-	-	3	1	43	12	29
BECKHAM	212	-	1	-	41	15	3	3	7	-	3	10	6	116	31	81
BLAINE	173	1	-	1	27	10	4	6	1	-	2	4	4	86	23	57
BRYAN	354	-	-	2	50	18	6	7	5	-	2	12	1	215	55	139
DURANT	173	-	-	2	21	6	4	2	3	-	1	5	1	103	28	64
BALANCE OF COUNTY	181	-	-	-	29	12	2	5	2	-	1	7	-	112	27	75
CADDO	330	-	-	-	46	14	11	2	4	2	2	11	8	176	54	106
CANADIAN	281	-	-	3	36	11	8	3	5	2	2	5	5	159	46	98
EL RENO	178	-	-	2	21	7	6	-	3	1	2	2	3	103	28	65
OKLAHOMA CITY, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
BALANCE OF COUNTY	101	-	-	1	15	4	2	3	2	1	-	3	2	54	17	32
CARTER	474	4	-	3	82	25	21	1	9	7	7	12	8	263	84	163
ARDMORE	272	2	-	1	46	14	7	-	8	5	5	7	5	156	52	97
BALANCE OF COUNTY	202	2	-	2	36	11	14	1	1	2	2	5	3	107	32	66
CHEROKEE	204	1	-	-	29	5	2	2	8	1	2	9	5	106	32	63
CHOCTAW	223	3	-	1	20	7	3	1	3	-	2	4	8	138	23	97
CIMARRON	30	-	-	-	3	1	-	-	1	1	-	-	-	20	2	18
CLEVELAND	339	2	-	-	48	13	7	6	5	4	3	10	9	195	51	132
NORMAN	239	1	-	-	34	12	6	4	3	2	2	5	7	142	41	95
OKLAHOMA CITY, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BALANCE OF COUNTY	99	1	-	-	14	1	1	2	2	2	1	5	2	52	10	36
COAL	82	1	1	-	12	7	2	-	2	-	1	-	2	46	12	33
COMANCHE	524	2	1	2	79	26	12	6	10	7	2	16	5	236	54	170
LAWTON	401	1	1	1	62	20	9	6	6	7	2	12	4	178	38	131
BALANCE OF COUNTY	123	1	-	1	17	6	3	-	4	-	-	4	1	58	16	39
COTTON	73	-	-	1	14	7	1	3	1	-	-	2	-	38	4	30
CRAIG	222	1	1	-	32	9	6	2	4	3	-	8	5	126	39	83
CREEK	474	1	2	1	67	21	16	3	9	4	2	12	12	280	63	190
SAPULPA	178	-	-	-	28	12	4	1	2	2	1	6	5	94	23	64
BALANCE OF COUNTY	296	1	2	1	39	9	12	2	7	2	1	6	7	186	40	126
CUSTER	198	4	-	1	30	7	8	3	1	3	3	5	5	98	20	70
DELAWARE	142	2	-	-	15	6	5	-	2	-	2	-	3	87	24	56
DEWEY	98	1	-	-	13	3	2	-	5	1	-	2	-	55	11	42
ELLIS	80	-	-	-	11	4	-	-	3	1	-	3	1	43	6	33
GARFIELD	517	-	3	3	80	21	12	6	18	5	4	14	11	266	64	184
ENID	401	-	3	3	58	18	7	3	13	1	3	13	7	210	49	144
BALANCE OF COUNTY	116	-	-	-	22	3	5	3	5	4	1	1	4	56	15	40
GARVIN	299	1	-	2	41	13	13	7	2	1	-	5	5	165	38	110
GRADY	341	1	-	3	66	25	7	3	8	5	1	17	5	186	58	110
CHICKASHA	183	-	-	3	42	13	3	3	7	4	1	11	2	95	31	54
BALANCE OF COUNTY	158	1	-	-	24	12	4	-	1	1	-	6	3	91	27	56
GRANT	97	-	-	-	13	6	1	1	3	1	-	1	2	64	13	48
GREER	122	-	-	1	18	8	2	1	-	-	1	6	4	57	7	45
HARMON	74	-	-	-	9	4	2	1	1	-	1	-	-	39	5	31
HARPER	73	-	-	1	14	3	2	1	4	1	-	3	1	36	8	27
HASKELL	112	1	-	-	16	5	1	-	4	1	1	4	2	63	9	47
HUGHES	238	1	1	1	40	13	10	-	8	2	2	5	5	132	32	92
JACKSON	233	-	-	2	28	7	5	2	3	1	4	6	4	112	23	81
ALTUS	136	-	-	1	12	4	1	-	1	-	3	3	2	67	14	48
BALANCE OF COUNTY	97	-	-	1	16	3	4	2	2	1	1	3	2	45	9	33
JEFFERSON	119	-	-	-	17	5	5	2	1	-	2	2	3	71	18	47
JOHNSTON	128	1	-	1	23	6	4	2	4	-	3	4	3	73	15	52
KAY	523	4	1	2	80	27	13	5	13	6	6	10	12	268	55	187
PONCA CITY	231	3	-	-	37	12	4	2	8	1	3	7	7	108	26	76
BALANCE OF COUNTY	292	1	1	2	43	15	9	3	5	5	3	3	5	160	29	111
KINGFISHER	117	-	2	1	18	4	2	1	3	2	3	3	2	59	17	36
KIOWA	201	-	-	2	18	6	1	2	2	-	3	4	4	129	32	89
LATIMER	92	2	-	-	12	3	3	1	1	-	1	3	2	46	15	25
LE FLORE	378	5	-	2	63	23	4	4	8	2	1	21	6	206	51	138
LINCOLN	267	3	-	-	37	11	1	2	4	3	3	13	7	146	33	101
LOGAN	280	1	-	-	38	11	4	1	12	1	1	8	1	170	43	115
LOVE	58	-	-	1	14	5	1	-	2	1	-	5	2	25	11	13
MC CLAIN	128	-	-	1	22	9	3	-	2	-	1	7	2	65	11	44
MC CURTAIN	298	9	-	3	39	12	4	1	8	2	5	7	2	158	42	103
MC INTOSH	154	-	-	-	24	5	2	2	8	2	-	5	4	75	19	52
MAJOR	123	-	-	1	18	9	3	-	2	1	1	2	2	70	14	48
MARSHALL	91	-	-	1	16	11	2	1	-	-	-	2	3	57	16	39
MAYES	247	4	-	1	45	11	6	2	12	-	4	10	4	124	39	74
MURRAY	159	3	-	1	17	6	3	2	1	-	-	5	2	97	31	59
MUSKOGEE	795	4	3	8	119	30	23	9	26	6	2	23	11	458	114	309
MUSKOGEE	550	2	3	5	82	22	13	7	20	4	1	15	7	320	81	214
BALANCE OF COUNTY	245	2	-	3	37	8	10	2	6	2	1	8	4	138	33	95

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,424)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-669)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
90	4,506	448	666	98	322	152	158	514	91	83	119	13	129	363	370	444	582	121	61	1,258	4
44	2,139	220	279	48	167	62	67	234	38	35	46	7	66	186	165	177	251	50	26	573	5
46	2,367	228	387	50	155	90	91	280	53	48	73	6	63	177	205	267	331	71	35	685	6
1	35	10	6	-	6	1	6	10	-	-	2	-	1	9	2	4	5	1	-	19	8
-	33	1	5	-	7	2	-	2	1	-	1	-	2	2	3	4	6	1	-	11	9
1	35	7	12	2	2	3	-	4	1	1	1	-	2	3	1	7	8	1	1	9	10
2	24	1	2	-	2	-	-	-	1	-	1	-	1	3	-	4	1	-	-	3	11
2	57	11	11	-	-	3	1	5	3	-	1	-	-	6	5	1	6	1	1	19	12
2	48	-	7	-	1	5	-	9	-	-	2	-	1	4	3	5	4	1	1	24	13
-	129	3	7	3	7	4	7	14	3	1	1	1	2	7	5	12	7	3	3	27	14
-	62	-	2	-	4	2	5	6	1	1	1	-	1	4	4	5	2	2	-	19	15
-	67	3	5	3	3	2	2	8	2	-	-	1	1	3	1	7	5	1	3	8	16
1	84	7	14	3	6	4	3	14	1	4	4	-	-	5	7	12	13	4	-	36	17
2	77	5	14	-	11	4	-	3	1	-	1	-	4	6	9	9	12	5	-	28	19
1	54	2	8	-	8	2	-	2	-	-	1	-	2	4	7	1	8	2	-	22	20
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
1	22	3	6	-	3	2	-	1	1	-	-	-	2	2	2	8	4	3	-	6	22
3	130	15	15	4	4	2	6	16	1	1	2	1	3	9	12	11	20	3	1	34	23
1	77	8	11	1	3	-	3	9	-	1	2	1	1	5	4	7	8	3	1	20	24
2	53	7	4	3	1	2	3	7	1	-	-	-	2	4	8	4	12	-	-	14	25
-	51	2	10	2	5	4	-	12	1	1	2	-	3	5	9	7	7	-	2	14	26
-	66	13	18	1	11	2	4	7	1	1	1	-	1	8	11	-	7	-	1	15	27
1	16	-	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-	2	-	1	28
2	110	11	9	2	6	3	1	7	1	2	-	-	2	15	8	12	11	4	-	23	29
1	77	10	7	-	4	2	-	6	1	2	-	-	2	10	4	10	7	2	-	11	30
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	32	1	2	2	2	1	1	1	-	-	-	-	-	5	4	2	4	2	-	12	32
-	21	4	8	1	-	-	-	-	-	-	-	-	-	2	3	4	-	1	-	8	33
1	134	13	22	3	6	3	-	25	6	2	3	-	9	45	11	28	26	2	5	37	34
1	107	9	14	1	6	2	-	20	6	2	1	-	8	39	7	20	19	2	4	26	35
-	27	4	8	2	-	1	-	5	-	-	2	-	1	6	4	8	7	-	1	11	36
-	22	-	8	-	1	-	3	3	-	-	1	-	1	-	2	3	5	1	-	4	37
1	51	18	13	-	3	1	-	3	1	3	6	-	-	3	4	10	11	1	-	15	38
2	149	14	25	4	5	4	14	16	5	2	1	-	2	10	8	10	21	3	-	33	39
-	55	-	9	3	-	2	2	12	-	-	1	-	-	5	3	6	9	2	-	13	40
2	94	14	16	1	5	2	12	4	5	2	-	-	2	5	5	4	12	1	-	20	41
1	58	5	6	3	3	-	2	7	1	2	-	-	3	7	3	5	8	3	3	18	42
1	44	3	8	1	6	-	-	4	-	1	1	-	3	1	2	3	7	1	1	11	43
1	28	5	8	-	-	2	-	4	-	-	2	-	-	1	3	3	5	1	-	10	44
1	21	3	8	1	1	1	1	-	1	-	2	-	-	3	4	5	2	1	-	9	45
3	132	13	36	-	13	4	1	10	6	2	2	1	9	14	13	13	26	6	1	51	46
2	104	8	30	-	13	3	1	10	4	2	1	1	7	12	11	10	19	4	1	38	47
1	28	5	6	-	-	1	-	-	2	-	1	-	2	2	2	3	7	2	-	13	48
-	82	13	15	3	8	3	3	4	-	-	2	1	2	6	8	18	10	4	1	29	49
5	89	7	9	-	13	4	1	8	4	3	2	1	2	10	6	9	9	-	3	23	50
3	47	4	-	-	8	2	-	5	4	2	-	-	2	6	4	6	4	-	1	7	51
2	42	3	9	-	5	2	1	3	-	1	2	1	-	4	2	3	5	-	2	16	52
-	39	1	8	-	2	1	-	1	1	1	-	-	-	1	3	2	1	2	-	6	53
1	39	1	4	-	3	1	1	3	-	1	1	-	2	4	1	4	8	2	1	15	54
-	26	1	4	-	3	-	-	1	1	2	1	-	3	2	1	8	1	-	-	6	55
-	18	1	8	-	-	-	1	1	-	-	-	-	1	1	1	2	7	3	-	5	56
1	40	2	4	1	-	3	3	3	-	1	1	-	4	5	4	4	1	-	1	6	57
-	80	3	9	-	3	2	3	9	-	1	2	-	1	3	4	3	9	1	-	25	58
1	64	3	13	1	1	1	5	7	2	3	1	-	2	12	9	10	13	3	2	23	59
-	38	2	8	1	1	-	3	5	-	1	1	-	1	6	7	6	8	1	1	17	60
1	26	1	5	-	-	1	2	2	2	2	-	-	1	6	2	4	5	2	1	6	61
1	36	3	7	2	2	2	-	3	-	1	1	-	1	2	7	2	2	-	-	9	62
2	45	2	3	1	4	-	1	7	3	-	1	-	1	2	1	7	2	-	-	3	63
6	149	15	17	5	8	8	5	18	7	-	8	-	4	12	8	17	29	1	2	50	64
4	58	10	4	1	1	3	1	10	3	-	3	-	2	7	3	12	10	-	1	25	65
2	91	5	13	4	7	5	4	8	4	-	5	-	2	5	5	5	19	1	1	25	66
1	32	-	3	1	4	-	1	2	-	-	2	-	2	3	3	4	7	-	-	12	67
1	74	7	7	1	2	3	2	9	-	1	2	-	1	8	3	7	7	1	-	9	68
1	18	-	6	-	3	1	2	3	1	-	1	-	1	4	-	4	2	1	-	13	69
1	104	15	18	3	10	3	1	12	1	6	4	-	1	8	13	7	12	3	2	27	70
2	82	13	4	1	6	1	4	8	1	1	1	-	2	4	9	11	16	1	3	17	71
1	81	12	21	1	7	3	1	7	-	-	2	-	2	7	3	4	10	5	-	30	72
-	12	1	-	1	-	-	-	2	-	-	-	-	-	-	4	1	2	-	-	7	73
-	41	2	1	3	3	3	1	4	1	-	2	-	2	3	2	4	9	1	-	10	74
1	85	8	9	1	7	3	2	15	4	4	1	1	4	10	6	6	10	1	3	22	75
3	40	5	4	1	1	2	-	4	-	-	3	-	1	6	5	4	9	-	1	18	76
-	34	4	10	1	5	1	1	1	2	-	-	-	-	2	4	1	5	-	1	16	77
-	29	3	7	1	-	-	1	3	-	-	1	-	1	-	2	2	2	-	-	3	78
1	60	5	8	1	7	2	1	13	1	-	2	-	-	3	12	8	11	-	-	19	79
2	53	2	2	2	1	2	2	9	-	1	-	-	1	3	1	8	2	-	-	14	80
4	265	23	17	6	18	3	8	26	2	5	5	-	10	17	28	19	18	7	8	47	81
4	187	14	9	5	14	1	5	14	2	4	3	-	6	13	18	16	14	4	5	32	82
-	78	9	8	1	4	2	3	12	-	1	2	-	4	4	10	3	4	3	3	15	83

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
OKLAHOMA--CON.																
NOBLE	117	-	1	-	16	6	2	2	2	-	1	3	3	68	15	50
NOWATA	135	1	-	2	23	3	6	1	4	3	-	6	3	70	12	49
OKFUSKEE	170	-	1	2	30	11	6	3	5	-	3	2	1	86	20	57
OKLAHOMA	3,683	33	7	19	628	181	118	49	78	23	30	149	47	1,754	434	1,175
BETHANY	72	-	-	1	12	4	2	-	1	1	1	3	1	40	12	24
DEL CITY	39	1	-	-	8	2	1	-	2	-	-	3	1	16	1	12
MIDWEST CITY	144	-	-	-	23	10	5	3	-	-	-	5	4	65	12	48
OKLAHOMA CITY, PART	3,107	30	7	16	546	153	108	43	67	21	26	128	34	1,469	366	984
OKLAHOMA CITY, TOTAL	3,110	30	7	16	546	153	108	43	67	21	26	128	34	1,472	367	986
THE VILLAGE	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
BALANCE OF COUNTY	320	2	-	2	39	12	2	3	8	1	3	10	7	163	42	107
OKMULGEE	482	1	1	5	73	33	8	3	11	2	2	14	9	255	53	185
OKMULGEE	233	-	1	1	43	23	2	2	7	2	1	6	2	109	29	73
BALANCE OF COUNTY	249	1	-	4	30	10	6	1	4	-	1	8	7	146	24	112
OSAGE	299	-	-	-	46	14	8	1	13	1	4	5	7	166	41	109
BARTLESVILLE, PART	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1
TULSA, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BALANCE OF COUNTY	296	-	-	-	46	14	8	1	13	1	4	5	7	163	40	107
OTTAWA	401	7	-	2	54	18	8	3	9	1	6	9	1	236	41	166
MIAMI	166	4	-	1	25	7	5	3	3	-	3	4	-	101	18	70
BALANCE OF COUNTY	235	3	-	1	29	11	3	-	6	1	3	5	1	135	23	96
PAWNEE	169	-	-	2	25	9	5	3	-	2	1	5	6	84	15	64
PAYNE	401	1	-	1	60	12	16	7	8	2	3	12	13	214	50	138
STILLWATER	139	-	-	-	22	4	8	3	1	-	1	5	6	74	15	50
BALANCE OF COUNTY	262	1	-	1	38	8	8	4	7	2	2	7	7	140	35	88
PITTSBURG	449	3	1	-	66	14	10	7	13	5	4	13	9	248	67	154
MC ALESTER	232	2	1	-	30	8	2	5	8	1	2	4	5	132	41	77
BALANCE OF COUNTY	217	1	-	-	36	6	8	2	5	4	2	9	4	116	26	77
PONTOTOC	342	5	1	1	45	7	7	4	8	-	3	16	2	221	81	127
ADA	191	3	1	-	23	3	5	1	3	-	2	9	1	123	47	68
BALANCE OF COUNTY	151	2	-	1	22	4	2	3	5	-	1	7	1	98	34	59
POTTAWATOMIE	492	5	1	2	67	22	10	3	7	4	5	16	7	286	81	188
SHAWNEE	283	3	-	2	40	15	2	2	5	2	4	10	4	166	49	108
BALANCE OF COUNTY	209	2	1	-	27	7	8	1	2	2	1	6	3	120	32	80
PUSHMATAHA	136	1	-	1	18	11	1	1	3	-	-	2	-	67	14	49
ROGER MILLS	56	-	-	-	10	7	-	1	-	2	-	-	3	30	5	24
ROGERS	239	1	-	2	36	11	8	3	7	-	2	5	2	133	34	84
SEMINOLE	325	1	-	1	46	12	9	1	13	1	2	8	3	187	45	125
SEMINOLE	90	-	-	-	8	2	2	1	2	-	-	1	-	58	11	44
BALANCE OF COUNTY	235	1	-	1	38	10	7	-	11	1	2	7	3	129	34	81
SEQUOYAH	219	2	-	1	30	12	7	1	3	1	2	4	4	116	36	73
STEPHENS	389	-	1	3	66	17	12	3	10	4	8	12	9	217	40	153
DUNCAN	180	-	1	-	35	10	6	1	6	-	5	7	6	102	22	71
BALANCE OF COUNTY	209	-	-	3	31	7	6	2	4	4	3	5	3	115	18	82
TEXAS	151	-	-	-	20	5	2	1	1	3	3	5	3	83	21	54
TILLMAN	163	-	-	1	28	11	3	1	6	-	1	6	4	98	28	64
TULSA	2,908	19	5	15	480	122	85	35	68	27	18	125	41	1,550	364	1,041
TULSA, PART	2,385	14	4	11	406	102	65	32	60	25	16	106	34	1,271	306	840
TULSA, TOTAL	2,386	14	4	11	406	102	65	32	60	25	16	106	34	1,272	306	841
BALANCE OF COUNTY	523	5	1	4	74	20	20	3	8	2	2	19	7	279	58	201
WAGONER	173	2	-	-	24	8	-	1	5	1	1	8	1	109	22	74
WASHINGTON	339	2	-	-	64	16	13	6	11	5	1	12	4	180	39	124
BARTLESVILLE, PART	241	-	-	-	51	14	10	3	10	3	1	10	4	118	30	77
BARTLESVILLE, TOTAL	243	-	-	-	51	14	10	3	10	3	1	10	4	120	31	78
BALANCE OF COUNTY	98	2	-	-	13	2	3	3	1	2	-	2	-	62	9	47
WASHITA	167	-	-	-	25	12	1	1	3	-	4	4	8	97	30	57
WOODS	150	-	-	-	24	6	6	3	4	1	2	2	2	72	22	38
WOODWARD	156	1	-	-	22	10	1	3	5	1	-	2	4	87	16	61
OREGON	17,218	44	26	63	2,747	906	425	231	401	129	157	498	278	9,548	2,180	6,575
URBAN	9,731	31	13	28	1,527	518	227	132	221	84	91	254	159	5,584	1,336	3,795
RURAL	7,487	13	13	35	1,220	388	198	99	180	45	66	244	119	3,964	844	2,780
METROPOLITAN COUNTIES	9,236	27	15	30	1,525	502	229	121	230	82	85	276	154	5,215	1,211	3,580
URBAN	6,116	23	9	19	1,002	332	156	81	143	60	60	170	96	3,522	844	2,402
RURAL	3,120	4	6	11	523	170	73	40	87	22	25	106	58	1,693	367	1,178
NONMETROPOLITAN COUNTIES	7,982	17	11	33	1,222	404	196	110	171	47	72	222	124	4,333	969	2,995
URBAN	3,615	8	4	9	525	186	71	51	78	24	31	84	63	2,062	492	1,393
RURAL	4,367	9	7	24	697	218	125	59	93	23	41	138	61	2,271	477	1,602
BAKER	189	-	-	-	26	8	4	2	3	1	1	7	2	109	19	82
BENTON	237	-	-	1	36	11	7	4	3	3	1	7	-	136	35	91
CORVALLIS	137	-	-	-	21	8	3	3	2	3	-	2	-	85	21	57
BALANCE OF COUNTY	100	-	-	1	15	3	4	1	1	-	1	5	-	51	14	34
CLACKAMAS	984	2	1	5	148	57	18	10	26	8	6	23	22	566	116	411
PORTLAND, PART	7	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3
BALANCE OF COUNTY	977	2	1	5	148	57	18	10	26	8	6	23	21	562	115	408
CLATSOP	345	1	-	3	57	18	8	6	13	1	6	5	4	210	50	145
ASTORIA	151	-	-	-	23	8	3	1	7	-	3	1	-	100	21	70
BALANCE OF COUNTY	194	1	-	3	34	10	5	5	6	1	3	4	4	110	29	75

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																						1
																						2
-	39	5	6	-	1	1	1	1	1	-	2	1	1	2	5	3	4	-	-	9		3
1	36	3	9	1	4	1	3	6	-	1	1	-	1	1	6	4	7	-	-	9		4
1	41	5	10	1	1	1	6	8	-	3	2	-	1	3	3	6	6	2	1	15		5
24	934	79	138	26	57	43	19	107	27	21	42	-	42	200	153	103	135	44	29	292		6
-	20	2	2	-	1	2	1	3	-	-	-	-	1	2	3	2	1	2	-	4		7
-	10	1	1	-	2	1	-	-	1	-	-	-	2	4	-	2	-	2	-	2		8
2	40	2	4	-	3	2	-	3	1	-	-	-	2	15	3	6	7	4	-	11		9
22	782	64	116	24	44	34	17	94	24	20	39	-	33	164	135	78	114	33	25	246		10
22	784	64	116	24	44	34	17	94	24	20	39	-	33	164	135	78	114	33	25	246		11
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		12
-	82	10	15	2	7	4	1	7	1	1	3	-	4	15	12	15	13	3	4	29		13
																						14
4	161	10	10	3	6	7	1	22	2	3	7	-	5	18	12	7	16	1	2	43		15
3	60	5	5	1	4	1	1	11	1	2	2	-	4	12	9	4	8	-	1	23		16
1	101	5	5	2	2	6	-	11	1	1	5	-	1	6	3	3	8	1	1	20		17
3	93	3	10	2	5	7	2	9	1	2	3	-	2	6	2	13	15	1	3	23		18
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		19
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		20
3	92	3	9	2	5	7	2	9	1	2	3	-	2	6	2	13	15	1	3	23		21
1	146	8	11	8	8	4	9	17	1	4	-	-	4	3	5	8	16	2	1	40		22
-	67	3	-	5	6	2	-	6	-	2	-	-	4	2	2	1	3	1	1	13		23
1	79	5	11	3	2	2	9	11	1	2	-	-	-	1	3	7	13	1	-	27		24
-	46	9	9	2	2	1	-	11	4	2	1	-	4	1	4	2	10	-	-	13		25
																						26
6	111	10	11	4	12	3	7	11	5	1	2	-	3	18	18	5	15	3	2	29		27
3	38	4	5	1	7	1	-	3	-	1	-	-	2	11	9	-	3	-	1	7		28
3	73	6	6	3	5	2	7	8	5	-	2	-	1	7	9	5	12	3	1	22		29
2	118	10	24	2	9	4	12	21	-	3	5	-	-	4	13	11	15	6	2	42		30
2	57	5	13	2	5	2	5	11	-	1	1	-	-	1	8	6	5	2	1	26		31
-	61	5	11	-	4	2	7	10	-	2	4	-	-	3	5	5	10	4	1	16		32
2	106	5	14	3	5	2	3	13	1	1	-	-	2	8	4	9	8	5	-	16		33
1	57	3	7	1	5	-	2	6	-	1	-	-	2	7	3	6	2	3	-	10		34
1	49	2	7	2	-	2	1	7	1	-	-	-	-	1	1	3	6	2	-	6		35
2	164	8	14	-	10	5	2	12	4	2	1	-	3	9	4	21	15	7	1	45		36
1	97	4	6	-	7	2	-	6	1	-	1	-	2	5	2	7	11	6	-	27		37
1	67	4	8	-	3	3	2	6	3	2	-	-	1	4	2	14	4	1	1	18		38
																						39
2	26	3	18	-	1	2	1	6	1	1	-	1	-	5	1	5	6	-	-	23		40
1	16	4	3	-	1	-	-	5	1	-	1	-	-	3	1	-	-	-	-	2		41
1	69	5	9	1	11	1	2	12	-	1	5	-	1	4	5	9	13	3	-	12		42
1	98	14	12	2	4	6	5	9	1	2	3	1	4	6	12	9	13	2	1	24		43
1	41	1	1	-	1	1	1	1	-	-	2	-	1	3	1	1	7	1	-	7		44
-	57	13	11	2	3	5	4	8	1	2	1	1	3	3	11	8	6	1	1	17		45
-	58	11	4	1	3	1	2	10	2	-	3	1	2	6	9	6	11	2	-	14		46
4	114	15	20	6	15	2	1	9	3	2	1	1	3	7	8	12	14	3	2	28		47
2	53	12	4	6	2	1	-	6	2	-	-	1	1	3	-	7	7	1	-	8		48
2	61	3	16	-	13	1	1	3	1	2	1	-	2	4	8	5	7	2	2	20		49
-	42	4	8	-	5	2	1	1	1	-	1	1	-	4	1	7	11	4	3	11		50
1	44	13	6	3	1	-	2	-	-	-	1	-	1	3	1	8	7	3	1	7		51
																						52
16	854	63	108	15	72	33	25	85	15	13	31	2	43	134	28	89	100	33	15	210		53
14	692	50	84	13	58	30	24	73	14	12	27	2	33	114	21	65	81	25	9	169		54
14	692	50	85	13	58	30	24	73	14	12	27	2	33	114	21	65	81	25	9	169		55
2	162	13	24	2	14	3	1	12	1	1	4	-	10	20	7	24	19	8	6	41		56
-	60	7	7	2	5	4	2	6	1	-	3	-	3	1	3	2	6	3	-	9		57
2	94	11	17	1	3	8	5	6	5	2	1	-	3	11	8	10	7	3	2	31		58
2	60	8	7	1	1	6	3	5	1	2	1	-	3	10	7	8	4	3	2	22		59
2	61	8	7	1	1	6	3	5	1	2	1	-	3	10	7	8	4	3	2	22		60
-	34	3	10	-	2	2	2	1	4	-	-	-	-	1	1	2	3	-	-	9		61
2	47	5	3	-	4	3	3	5	2	1	-	-	3	8	2	6	3	-	-	7		62
-	29	3	6	-	8	2	2	9	3	2	1	1	3	1	3	2	9	2	-	16		63
1	39	7	14	-	4	2	4	6	1	2	2	-	1	7	2	-	8	2	-	11		64
																						65
198	5,172	576	629	82	398	237	76	638	118	47	211	7	215	445	112	467	650	241	72	1,289		66
																						67
93	2,954	352	396	52	235	127	39	358	75	21	141	2	103	221	68	202	308	139	36	715		68
105	2,218	224	233	30	163	110	37	280	43	26	70	5	112	224	44	265	342	102	36	574		69
																						70
106	2,791	318	365	49	202	139	34	334	56	20	130	3	98	226	49	207	305	126	32	684		71
59	1,853	222	268	32	135	85	24	219	36	11	102	-	61	121	38	122	184	83	25	443		72
47	938	96	97	17	67	54	10	115	20	9	28	3	37	105	11	85	121	43	7	241		73
92	2,381	258	264	33	196	98	42	304	62	27	81	4	117	219	63	260	345	115	40	605		74
34	1,101	130	128	20	100	42	15	139	39	10	39	2	42	100	30	80	124	56	11	272		75
58	1,280	128	136	13	96	56	27	165	23	17	42	2	75	119	33	180	221	59	29	333		76
																						77
2	72	4	4	1	2	2	3	8	2	1	3	1	3	8	1	2	4	2	1	16		78
2	80	5	4	-	4	6	-	9	3	1	1	-	5	7	-	5	8	5	2	18		79
2	50	3	2	-	3	4	-	3	3	1	1	-	2	3	-	4	1	3	1	9		80
-	30	2	2	-	1	2	-	6	-	-	-	-	3	4	-	1	7	2	1	9		81
10	315	45	41	3	22	11	3	30	5	6	8	1	9	22	2	30	35	18	-	74		82
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1		83
10	312	45	41	3	22	11	3	30	5	6	8	1	9	22	2	30	34	18	-	73		84
3	120	13	9	1	8	5	1	6	4	-	6	1	4	6	-	6	8	7	1	21		85
2	56	5	7	1	5	2	1	1	2	-	3	1	1	1	-	2	3	4	1	9		86
1	64	8	2	-	3	3	-	5	2	-	3	-	3	5	-	4	5	3	-	12		87

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B,, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
OREGON--CON.																
COLUMBIA	252	-	-	1	51	20	8	3	6	3	4	7	1	137	27	100
COOS	429	2	-	1	69	20	16	6	11	1	3	12	8	220	51	157
CROOK	70	-	-	-	10	-	3	2	1	3	1	-	3	33	5	24
CURRY	104	-	-	1	16	4	4	-	2	1	2	3	-	45	12	28
DESCHUTES	258	-	-	-	38	9	7	7	8	2	1	4	5	141	27	100
BEND	135	-	-	-	16	5	1	3	3	1	1	2	2	77	16	55
BALANCE OF COUNTY	123	-	-	-	22	4	6	4	5	1	-	2	3	64	11	45
DOUGLAS	491	1	-	-	82	30	13	5	12	4	5	13	6	256	48	186
ROSEBURG	143	-	-	-	17	9	2	1	1	3	-	1	2	84	12	62
BALANCE OF COUNTY	348	1	-	-	65	21	11	4	11	1	5	12	4	172	36	124
GILLIAM	17	-	-	-	2	1	-	1	-	-	-	-	-	9	2	7
GRANT	72	-	-	1	12	4	3	1	1	-	-	3	1	40	6	27
HARNEY	42	-	1	1	4	1	1	-	2	-	-	-	1	21	2	17
HOOD RIVER	149	1	-	-	22	8	4	2	2	1	-	5	1	86	29	52
JACKSON	717	2	3	2	104	37	18	6	17	2	9	15	13	427	115	293
MEDFORD	230	1	1	-	34	15	1	-	8	-	3	7	6	154	44	104
BALANCE OF COUNTY	487	1	2	2	70	22	17	6	9	2	6	8	7	273	71	189
JEFFERSON	58	-	-	-	6	5	1	-	-	-	-	-	1	23	2	18
JOSEPHINE	322	-	2	1	54	17	10	5	8	1	1	12	6	177	38	117
GRANTS PASS	145	-	-	1	27	11	2	3	6	-	1	4	1	80	18	49
BALANCE OF COUNTY	177	-	2	-	27	6	8	2	2	1	-	8	5	97	20	68
KLAMATH	436	2	-	9	62	26	13	5	8	2	2	6	8	185	42	118
KLAMATH FALLS	182	1	-	1	30	18	5	1	3	-	1	2	6	86	13	63
BALANCE OF COUNTY	254	1	-	8	32	8	8	4	5	2	1	4	2	99	29	55
LAKE	65	-	-	-	10	5	1	1	-	-	1	2	2	35	5	26
LANE	1,226	-	2	5	204	65	30	18	36	6	10	39	23	643	136	436
EUGENE	395	-	1	1	72	21	11	8	11	4	4	13	5	198	43	136
SPRINGFIELD	136	-	-	-	24	7	3	2	6	-	1	5	5	73	15	49
BALANCE OF COUNTY	695	-	1	4	108	37	16	8	19	2	5	21	13	372	78	251
LINCOLN	258	-	-	-	42	12	7	6	6	2	2	7	6	143	17	113
LINN	490	2	1	3	73	24	10	8	9	1	4	17	5	264	65	180
ALBANY	127	-	-	-	19	4	5	-	3	-	-	7	2	74	17	50
BALANCE OF COUNTY	363	2	1	3	54	20	5	8	6	1	4	10	3	190	48	130
MALHEUR	194	1	-	1	30	5	6	1	6	2	2	8	-	99	28	62
MARION	1,212	3	3	2	185	54	18	19	28	10	11	45	26	679	171	441
SALEM, PART	525	1	2	-	90	28	9	13	11	6	3	20	7	295	67	196
SALEM, TOTAL	547	1	2	-	95	29	10	14	12	6	3	21	7	305	67	204
BALANCE OF COUNTY	687	2	1	2	95	26	9	6	17	4	8	25	19	384	104	245
MORROW	45	-	-	1	5	4	-	-	-	-	-	1	2	27	5	18
MULTNOMAH	6,306	23	12	19	1,062	344	166	86	150	63	63	190	94	3,586	879	2,437
PORTLAND, PART	5,051	21	7	15	842	279	133	69	117	50	52	142	74	2,917	708	2,001
PORTLAND, TOTAL	5,058	21	7	15	842	279	133	69	117	50	52	142	75	2,921	709	2,004
BALANCE OF COUNTY	1,255	2	5	4	220	65	33	17	33	13	11	48	20	669	171	436
POLK	225	-	-	-	37	11	4	3	6	2	4	7	3	109	19	84
SALEM, PART	22	-	-	-	5	1	1	1	1	-	-	1	-	10	-	8
BALANCE OF COUNTY	203	-	-	-	32	10	3	2	5	2	4	6	3	99	19	76
SHERMAN	14	-	-	-	1	-	-	-	-	-	-	1	-	8	3	4
TILLAMOOK	169	-	-	-	19	9	5	-	1	-	-	4	2	98	20	70
UMATILLA	369	2	1	-	56	16	8	7	8	3	5	9	6	183	39	135
PENDLETON	132	-	-	-	24	6	4	3	2	2	2	5	3	65	14	48
BALANCE OF COUNTY	237	2	1	-	32	10	4	4	6	1	3	4	3	118	25	87
UNION	178	-	-	4	20	5	4	2	3	-	2	4	2	112	23	77
WALLOWA	52	-	-	-	13	3	3	2	-	1	-	4	-	26	7	14
WASCO	175	-	-	1	24	10	3	2	2	1	3	3	4	105	22	75
DALLES	94	-	-	-	11	5	2	-	1	1	2	-	3	61	14	42
BALANCE OF COUNTY	81	-	-	1	13	5	1	2	1	-	1	3	1	44	8	33
WASHINGTON	720	2	-	1	111	36	15	7	18	5	6	24	15	420	80	296
WHEELER	15	-	-	-	6	2	2	-	1	-	-	1	-	2	2	-
YAMHILL	333	-	-	-	50	25	5	4	4	-	2	10	6	188	33	134
PENNSYLVANIA	123,290	784	208	369	19,930	7,001	3,188	1,727	2,581	946	864	3,623	2,784	71,722	12,776	52,827
URBAN	87,552	635	163	256	14,479	5,108	2,424	1,238	1,833	664	587	2,625	2,002	50,447	8,730	37,472
RURAL	35,738	149	45	113	5,451	1,893	764	489	748	282	277	998	782	21,275	4,046	15,355
METROPOLITAN COUNTIES	95,333	660	164	286	15,770	5,534	2,629	1,375	1,990	744	664	2,834	2,160	54,804	9,441	40,774
URBAN	75,657	560	140	219	12,625	4,449	2,148	1,069	1,591	581	515	2,272	1,723	43,239	7,337	32,300
RURAL	19,676	100	24	67	3,145	1,085	481	306	399	163	149	562	437	11,565	2,104	8,474
NONMETROPOLITAN COUNTIES	27,957	124	44	83	4,160	1,467	559	352	591	202	200	789	624	16,918	3,335	12,053
URBAN	11,895	75	23	37	1,854	659	276	169	242	83	72	353	279	7,208	1,393	5,172
RURAL	16,062	49	21	46	2,306	808	283	183	349	119	128	436	345	9,710	1,942	6,881
ADAMS	477	1	-	1	68	27	3	6	12	5	3	12	13	292	56	205
ALLEGHENY	17,584	128	30	59	2,979	1,051	505	252	346	139	120	566	385	10,104	1,870	7,426
BALDWIN TWP#	144	2	-	-	27	11	3	1	3	-	3	6	5	78	11	64
BELLEVUE	164	2	-	-	23	9	4	5	2	1	-	2	1	105	13	80
BETHEL	147	-	1	-	24	7	8	1	1	1	1	5	2	79	11	61
BRADDOCK	170	1	-	-	32	7	9	1	3	1	2	9	4	98	9	84
BRENTWOOD	127	-	1	1	20	8	3	1	2	1	-	5	2	80	22	52
CARNEGIE	127	1	-	1	23	8	4	3	3	-	-	5	6	62	12	46

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (490-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
5	70	16	9	1	6	2	1	10	1	2	2	-	3	5	1	7	9	2	3	17	4
2	125	16	14	-	4	5	3	30	2	-	8	-	5	10	2	12	21	8	2	29	5
-	17	7	-	-	-	2	2	4	1	-	-	-	1	-	-	6	5	2	2	3	6
1	23	1	3	2	3	-	-	3	2	-	1	-	1	3	1	6	13	1	-	11	7
4	71	13	12	1	9	4	-	10	3	-	1	-	4	11	2	4	11	5	2	21	8
2	35	9	9	-	3	3	-	6	3	-	-	-	3	6	1	1	8	2	1	9	9
2	36	4	3	1	6	1	-	4	-	-	1	-	1	5	1	3	3	3	1	12	10
6	153	10	17	4	10	5	3	12	3	2	2	-	4	14	6	28	33	9	-	33	11
-	51	3	8	2	6	1	1	4	2	1	-	-	-	3	4	6	9	-	-	11	12
6	102	7	9	2	4	4	2	8	1	1	2	-	4	11	2	22	24	9	-	22	13
																					14
-	4	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	5	15
1	21	2	3	-	4	1	2	3	-	-	1	-	1	-	-	4	1	1	-	7	16
-	13	-	4	-	-	2	-	2	1	-	-	-	-	1	-	1	2	1	-	6	17
1	45	5	1	-	3	1	1	3	-	1	-	-	1	5	5	3	7	1	3	10	18
6	248	19	20	2	6	7	4	16	5	2	2	-	8	12	5	24	31	11	4	46	19
1	88	8	7	1	-	4	1	1	3	-	1	-	3	3	1	7	5	2	2	6	20
5	160	11	13	1	6	3	3	15	2	2	1	-	5	9	4	17	26	9	2	40	21
-	16	1	1	-	1	-	2	3	-	-	-	-	1	3	-	6	5	-	-	6	22
3	94	9	11	3	16	3	-	19	3	-	3	-	3	8	2	8	12	6	2	16	23
1	36	5	7	3	9	1	-	5	3	-	1	-	2	4	2	1	5	3	2	8	24
2	58	4	4	-	7	2	-	14	-	-	2	-	1	4	-	7	7	3	-	8	25
																					26
4	94	5	15	-	12	8	5	24	4	2	18	-	7	19	2	21	19	10	10	34	27
1	51	2	9	-	6	2	2	9	2	-	11	-	2	6	-	5	5	3	1	14	28
3	43	3	6	-	6	6	3	15	2	2	7	-	5	13	2	16	14	7	9	20	29
-	19	2	5	1	3	-	-	2	1	-	-	-	1	-	-	4	4	-	-	6	30
16	379	21	20	1	31	36	3	45	8	3	17	-	21	35	4	33	52	20	2	109	31
4	118	6	8	-	7	12	-	16	3	1	2	-	7	12	1	15	13	7	-	41	32
1	45	1	2	-	6	3	-	2	1	-	7	-	2	2	-	5	1	1	-	13	33
11	216	14	10	1	18	21	3	27	4	2	8	-	12	21	3	13	38	12	2	55	34
4	93	5	11	1	7	4	1	9	3	-	3	-	3	3	6	10	11	1	-	18	35
6	135	10	29	3	10	4	2	24	3	-	5	-	11	13	4	19	23	9	1	30	36
1	35	3	11	3	2	2	-	8	-	-	-	-	-	2	1	4	7	2	-	8	37
5	100	7	18	-	8	2	2	16	3	-	5	-	11	11	3	15	16	7	1	22	38
																					39
5	51	3	3	-	2	5	2	5	3	2	1	-	5	10	2	7	6	1	-	21	40
18	332	54	37	8	45	11	3	48	9	3	7	1	24	29	7	35	39	14	1	97	41
8	149	25	14	4	21	4	3	16	5	2	4	1	8	10	2	11	14	10	-	47	42
8	155	26	15	4	22	5	3	17	5	2	4	1	8	12	2	12	15	10	-	49	43
10	183	29	23	4	24	7	-	32	4	1	3	-	16	19	5	24	25	4	1	50	44
-	12	3	3	-	2	-	2	2	-	-	-	-	-	-	-	3	1	-	-	4	45
63	1,859	231	284	34	132	79	25	240	35	10	99	2	57	148	42	126	192	76	30	453	46
49	1,525	191	236	27	97	62	22	182	26	9	86	-	45	97	36	89	153	70	25	357	47
49	1,528	191	236	27	97	62	22	182	26	9	86	-	45	97	36	89	154	70	25	358	48
14	334	40	48	7	35	17	3	58	9	1	13	2	12	51	6	37	39	6	5	96	49
																					50
1	63	14	6	-	4	2	-	12	2	-	1	1	1	8	6	8	12	1	1	23	51
-	6	1	1	-	1	1	-	1	-	-	-	-	-	2	-	1	1	-	-	2	52
1	57	13	5	-	3	1	-	11	2	-	1	1	1	6	6	7	11	1	1	21	53
-	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	54
4	53	5	8	-	5	3	-	1	2	-	4	-	3	4	3	6	11	-	1	15	55
6	99	13	17	1	3	3	2	19	3	3	5	-	4	19	3	14	13	6	1	31	56
1	33	7	7	1	1	-	1	7	1	1	1	-	2	9	1	1	4	3	-	10	57
5	66	6	10	-	2	3	1	12	2	2	4	-	2	10	2	13	9	3	1	21	58
2	65	5	5	1	8	3	-	2	-	-	-	-	3	5	2	-	5	2	1	20	59
1	10	1	2	2	3	-	-	-	-	-	1	-	-	3	-	-	4	2	-	3	60
																					61
3	68	3	1	-	5	3	-	2	1	-	3	-	2	6	2	3	10	4	1	7	62
1	39	2	-	-	3	2	-	-	1	-	1	-	1	4	-	1	4	3	-	4	63
2	29	1	1	-	2	1	-	2	-	-	2	-	1	2	2	2	6	1	1	3	64
17	238	21	20	11	17	13	3	19	8	1	6	-	11	21	1	18	26	12	-	48	65
-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	1	-	-	2	66
2	111	13	8	-	11	7	3	13	1	4	3	-	7	7	1	7	15	3	1	27	67
																					68
																					69
1,434	39,905	4,781	6,707	825	2,844	1,681	769	3,540	820	493	1,439	56	1,157	3,482	1,243	1,789	3,438	1,152	328	8,556	70
																					71
1,018	28,197	3,532	4,725	589	1,893	1,221	542	2,616	607	367	1,178	42	769	2,539	1,099	1,017	2,307	726	261	6,042	72
416	11,708	1,249	1,982	236	951	460	227	924	213	126	261	14	388	943	144	772	1,131	426	67	2,514	73
																					74
1,146	30,836	3,702	5,090	638	2,046	1,327	578	2,804	658	386	1,203	47	894	2,838	1,142	1,246	2,554	869	286	6,562	75
906	24,325	3,064	4,005	509	1,582	1,055	456	2,302	532	314	1,057	40	672	2,302	1,052	854	1,974	641	249	5,162	76
240	6,511	638	1,085	129	464	272	122	502	126	72	146	7	222	536	90	392	580	228	37	1,400	77
288	9,069	1,079	1,617	187	798	354	191	736	162	107	236	9	263	644	101	543	884	283	42	1,994	78
112	3,872	468	720	80	311	166	86	314	75	53	121	2	97	237	47	163	333	85	12	880	79
176	5,197	611	897	107	487	188	105	422	87	54	115	7	166	407	54	380	551	198	30	1,114	80
																					81
3	142	20	40	1	11	10	9	11	-	-	6	1	6	15	-	6	14	9	2	32	82
214	6,139	535	538	100	385	222	101	609	117	76	266	11	149	507	209	208	474	152	55	1,066	83
7	49	5	3	1	-	2	-	3	1	1	1	-	4	10	-	-	3	-	-	9	84
3	58	14	5	2	7	1	2	7	2	1	1	-	-	5	1	2	5	-	-	9	85
2	50	5	4	2	1	3	1	7	1	-	1	-	1	11	2	5	2	3	-	8	86
2	77	4	1	-	5	-	-	8	-	2	2	-	2	6	2	1	4	3	-	5	87
1	43	7	1	1	2	2	1	3	1	-	2	-	2	5	1	3	1	1	-	4	88
-	42	-	4	1	3	-	-	7	-	1	2	-	1	1	4	2	2	4	1	9	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
PENNSYLVANIA--CON.																
ALLEGHENY--CON.																
CASTLE SHANNON	74	-	-	1	13	5	2	-	2	-	-	4	1	40	6	30
CLAIRTON	197	2	2	-	34	13	9	2	2	-	1	7	5	111	22	82
DORMONT	139	1	1	-	24	10	2	2	2	1	1	6	1	88	21	60
DUQUESNE	214	3	-	-	42	12	7	-	9	1	3	10	6	117	22	88
HARRISON TWP#	162	1	-	-	27	12	4	4	-	-	2	5	4	97	20	71
MC KEESPORT	628	6	2	1	116	47	15	10	12	3	6	23	19	376	71	281
MC KEES ROCKS	192	2	-	1	31	13	4	2	5	2	1	4	6	115	19	82
MONROEVILLE	125	-	1	1	23	6	5	2	3	1	1	5	2	66	6	57
MOUNT LEBANON TWP#	314	1	1	5	71	19	8	9	9	4	4	18	5	169	32	123
MUNHALL	202	2	-	-	37	13	5	6	5	1	2	5	7	116	18	93
NORTH BRADDOCK	138	-	-	-	20	8	2	-	-	2	1	7	3	85	12	66
NORTH VERSAILLE TWP*	90	2	-	-	12	5	1	-	2	1	-	3	2	53	11	39
PENN HILLS TWP#	345	3	2	-	57	15	12	2	7	4	4	13	6	188	39	133
PITTSBURGH	8,032	71	10	31	1,322	482	226	102	167	63	55	227	180	4,599	854	3,330
PLUM	75	-	-	-	15	9	2	-	1	-	-	3	6	35	6	28
ROSS TWP#	192	1	-	-	35	11	6	6	2	1	3	6	5	108	27	72
SCOTT TWP#	95	-	-	-	16	3	2	3	3	1	-	4	1	52	12	36
SHALER TWP#	181	2	-	-	46	17	4	4	5	2	2	12	1	96	16	72
STOWE TWP#	93	1	-	-	17	7	2	1	-	2	-	5	4	53	9	38
SWISSVALE	190	1	-	1	32	15	1	-	5	1	2	8	10	109	13	91
TURTLE CREEK	113	-	-	-	20	8	5	2	2	-	-	3	2	68	12	54
WEST MIFFLIN	133	1	-	-	27	12	7	2	3	2	-	1	1	71	11	58
WHITEHALL	94	-	-	-	23	5	3	3	5	1	-	6	1	47	7	40
WILKINSBURG	418	1	-	1	63	17	7	11	7	5	4	12	8	269	51	189
BALANCE OF COUNTY	4,269	21	9	15	707	237	133	67	74	37	22	137	79	2,474	475	1,826
ARMSTRONG	823	2	-	-	118	43	13	12	12	6	6	26	9	546	107	391
BEAVER	1,836	9	1	5	333	114	75	26	33	11	20	54	31	1,083	203	772
ALIQUIPPA	297	1	-	-	63	18	19	5	4	3	5	9	6	163	31	121
AMBRIDGE	163	-	-	2	19	10	1	-	1	1	1	5	4	108	19	85
BEAVER FALLS	218	2	1	-	41	12	9	4	6	1	2	7	2	125	25	85
ELLWOOD CITY, PART	6	-	-	-	1	1	-	-	-	-	-	-	-	3	1	1
BALANCE OF COUNTY	1,152	6	-	3	209	73	46	17	22	6	12	33	19	684	127	480
BEDFORD	419	1	-	2	43	10	5	5	8	3	2	10	6	277	52	195
BERKS	3,229	21	4	2	505	155	90	54	71	32	30	73	73	1,983	460	1,370
READING	1,521	11	4	-	236	73	48	20	29	14	19	33	35	944	213	655
BALANCE OF COUNTY	1,708	10	-	2	269	82	42	34	42	18	11	40	38	1,039	247	715
BLAIR	1,691	7	1	5	260	75	47	26	46	14	11	41	62	1,050	213	716
ALTOONA	948	1	1	2	151	48	32	11	27	7	4	22	30	594	118	405
BALANCE OF COUNTY	743	6	-	3	109	27	15	15	19	7	7	19	32	456	95	311
BRADFORD	633	4	2	-	91	40	13	7	9	4	3	15	6	404	47	304
BUCKS	2,271	8	6	6	390	121	70	35	45	22	15	82	44	1,266	229	944
BRISTOL	150	-	-	-	25	11	6	1	4	1	-	2	3	96	20	70
BRISTOL TWP#	230	3	-	-	39	12	4	5	6	3	1	8	9	102	17	80
FALLS TWP#	61	-	1	-	9	-	1	-	-	-	2	6	1	24	2	22
LOWER SOUTHAMPTON TWP#	68	-	-	-	11	2	4	-	1	-	1	3	-	41	6	33
MIDDLETOWN TWP#	96	-	-	1	18	5	3	2	2	-	-	6	3	55	7	42
WARMINSTER TWP#	78	2	-	-	16	4	1	2	1	1	1	6	1	35	4	25
BALANCE OF COUNTY	1,588	3	5	5	272	87	51	25	31	17	10	51	27	913	173	672
BUTLER	1,082	3	3	5	163	60	29	7	17	12	8	30	32	637	129	439
BUTLER	295	2	-	-	43	16	12	2	5	1	2	5	12	189	40	126
BALANCE OF COUNTY	787	1	3	5	120	44	17	5	12	11	6	25	20	448	89	313
CAMBRIA	2,191	16	3	13	309	113	48	28	44	16	6	54	64	1,303	229	925
JOHNSTOWN	884	10	2	7	122	49	20	10	15	7	2	19	22	549	102	377
BALANCE OF COUNTY	1,307	6	1	6	187	64	28	18	29	9	4	35	42	754	127	548
CAMERON	86	-	-	1	12	3	2	2	1	1	-	3	3	47	6	37
CARBON	692	7	2	2	115	51	11	10	19	4	7	13	21	378	73	271
CENTRE	603	2	-	-	89	31	8	12	12	4	4	18	6	386	87	266
STATE COLLEGE	80	-	-	-	13	5	1	2	-	-	-	5	2	48	5	38
BALANCE OF COUNTY	523	2	-	-	76	26	7	10	12	4	4	13	4	338	82	228
CHESTER	1,909	10	1	7	316	109	39	32	43	9	11	73	30	1,047	194	764
COATESVILLE	164	1	-	-	38	12	7	3	9	-	-	7	2	80	14	56
PHOENIXVILLE	146	1	-	1	15	3	1	4	1	-	2	4	2	89	7	81
WEST CHESTER	229	-	-	-	43	13	10	5	6	1	1	7	3	137	32	94
BALANCE OF COUNTY	1,370	8	1	6	220	81	21	20	27	8	8	55	23	741	141	533
CLARION	365	-	-	-	59	15	15	2	8	2	4	13	9	217	53	145
CLEARFIELD	940	4	2	4	140	49	15	5	37	7	12	15	16	553	123	383
DU BOIS	150	1	-	1	24	7	2	1	5	3	2	4	2	89	19	63
BALANCE OF COUNTY	790	3	2	3	116	42	13	4	32	4	10	11	14	464	104	320
CLINTON	423	-	2	1	78	29	14	7	6	5	2	15	14	240	59	151
LOCK HAVEN	146	-	2	1	29	10	5	3	1	2	1	7	5	77	18	45
BALANCE OF COUNTY	277	-	-	-	49	19	9	4	5	3	1	8	9	163	41	106
COLUMBIA	653	2	1	1	88	32	4	10	14	5	6	17	32	380	67	268
BERWICK	204	1	-	-	28	9	2	4	5	-	3	5	11	121	18	92
BLOOMSBURG	124	1	-	-	19	9	1	1	2	-	2	4	7	65	12	48
BALANCE OF COUNTY	325	-	1	1	41	14	1	5	7	5	1	8	14	194	37	128
CRAWFORD	906	-	1	1	142	40	21	13	25	12	7	24	17	544	123	378
MEADVILLE	248	-	-	-	43	9	8	6	9	4	1	6	4	151	37	106
BALANCE OF COUNTY	658	-	1	1	99	31	13	7	16	8	6	18	13	393	86	272

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
																					5
1	26	2	1	-	1	2	1	3	1	-	1	-	2	5	-	-	1	-	-	6	6
2	69	8	3	-	1	4	2	3	1	-	3	-	1	10	1	4	2	1	-	17	7
-	54	5	1	-	4	3	-	5	1	1	1	-	1	1	3	-	3	1	-	7	8
3	80	1	4	3	3	-	1	12	1	-	5	-	-	2	3	1	6	-	-	16	9
4	62	1	4	1	2	2	1	2	1	2	5	-	1	3	-	2	5	1	-	11	10
4	223	33	21	1	13	8	2	14	5	1	8	-	4	13	3	2	10	2	-	46	11
2	62	13	5	4	4	4	2	5	-	2	3	-	2	2	2	1	7	1	1	11	12
2	48	2	5	1	1	1	-	3	-	1	3	-	2	8	-	2	4	3	-	6	13
5	102	6	10	1	8	5	-	9	2	4	6	-	-	9	2	5	9	2	-	14	14
2	82	7	2	4	1	-	-	6	1	-	6	-	2	4	-	4	8	2	-	7	15
2	53	8	3	1	5	1	-	2	1	1	4	1	-	4	2	-	3	1	-	11	16
2	27	6	4	-	1	1	1	3	-	1	1	-	1	1	1	2	7	1	-	3	17
																					18
3	113	4	13	1	4	8	3	15	4	-	4	-	2	15	3	8	7	8	-	23	19
84	2,771	227	248	50	196	109	60	307	55	34	129	6	59	221	131	79	228	56	35	479	20
2	20	1	5	-	1	-	-	1	1	-	-	-	2	3	3	3	3	1	1	1	21
4	56	3	9	2	6	-	1	6	2	1	1	-	2	8	1	1	8	3	-	10	22
-	33	1	2	-	2	1	1	3	-	1	2	-	2	2	-	-	3	-	-	13	23
1	62	2	7	-	6	1	1	5	2	2	2	-	2	3	1	3	3	1	1	11	24
1	29	4	4	1	1	4	-	4	1	-	1	-	-	-	-	1	4	1	-	6	25
3	75	5	8	1	2	1	1	6	1	-	3	-	1	5	2	-	6	1	-	12	26
1	46	3	4	-	2	-	-	4	-	-	1	-	-	6	-	2	4	2	-	4	27
2	47	5	4	-	2	-	-	3	-	1	1	-	-	5	1	4	8	1	2	7	28
1	32	3	4	-	-	-	-	1	-	-	1	-	1	6	1	-	4	1	-	8	29
4	149	19	17	5	16	7	1	13	2	1	8	1	6	8	2	4	10	4	-	17	30
64	1,499	131	132	17	85	52	19	139	30	18	58	3	46	125	37	67	104	47	14	276	31
																					32
6	293	18	74	4	22	17	5	14	-	1	8	-	9	28	5	6	21	9	-	47	33
35	637	55	45	10	56	31	11	47	13	6	27	-	18	64	2	22	48	14	4	109	34
5	96	15	5	-	6	2	3	9	4	-	4	-	6	12	-	1	9	1	-	18	35
5	68	7	5	1	3	-	-	3	2	-	6	-	1	1	-	2	2	3	-	10	36
-	72	6	7	3	6	5	1	7	1	-	3	-	-	14	-	1	3	4	2	12	37
-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	38
25	401	27	27	6	41	24	6	28	6	5	14	-	11	37	2	18	33	6	2	69	39
7	160	17	11	5	19	3	3	11	3	1	2	-	3	5	-	10	16	5	1	33	40
32	1,117	92	129	20	79	43	11	77	19	15	26	1	25	65	26	48	91	33	10	205	41
15	537	47	56	8	41	22	5	44	9	5	15	1	10	23	12	16	40	8	6	102	42
17	580	45	73	12	38	21	6	33	10	10	11	-	15	42	14	32	51	25	4	103	43
																					44
26	588	46	56	25	51	21	24	34	14	6	7	1	13	43	8	20	37	12	3	108	45
13	335	21	36	17	32	10	12	17	8	4	4	-	9	23	4	5	19	7	1	68	46
13	253	25	20	8	19	11	12	17	6	2	3	1	4	20	4	15	18	5	2	40	47
6	203	25	70	4	38	9	2	22	3	4	6	-	7	19	1	14	15	8	-	27	48
28	676	78	162	17	36	27	13	59	7	12	14	1	35	100	7	51	71	26	8	160	49
2	47	5	16	-	2	2	2	6	-	1	2	-	1	3	-	-	-	-	1	12	50
6	54	3	17	-	2	3	-	5	-	1	1	-	5	19	-	5	12	7	4	18	51
2	15	2	3	-	-	-	-	3	-	2	1	-	-	9	-	3	2	1	1	4	52
																					53
-	26	3	4	1	-	1	-	1	-	1	-	-	3	3	-	1	2	-	-	5	54
1	32	4	5	1	2	2	1	1	-	-	1	-	2	6	1	1	2	2	-	3	55
-	16	1	8	2	1	1	2	3	-	-	-	-	1	9	1	3	2	-	-	5	56
17	486	60	109	13	29	18	8	40	7	7	9	1	23	51	5	38	51	16	2	113	57
																					58
16	350	43	30	8	40	14	7	28	8	1	14	-	12	26	1	26	26	19	1	77	59
7	96	11	12	2	11	6	4	9	4	-	7	-	2	4	-	-	3	2	-	18	60
9	254	32	18	6	29	8	3	19	4	1	7	-	10	22	1	26	23	17	1	59	61
28	722	69	106	16	91	28	14	33	14	9	27	1	21	73	8	29	61	15	-	192	62
9	281	38	49	6	44	16	4	14	5	3	14	1	8	25	2	8	20	4	-	68	63
19	441	31	57	10	47	12	10	19	9	6	13	-	13	48	6	21	41	11	-	124	64
-	31	3	3	-	-	3	1	2	-	-	-	-	2	5	1	1	4	2	4	2	65
9	196	24	42	3	13	11	7	17	5	6	3	1	3	9	2	18	22	6	-	75	66
3	199	20	44	6	11	10	6	15	1	4	5	-	8	17	6	16	13	6	-	29	67
-	31	3	4	-	-	3	2	2	-	1	1	-	1	2	-	-	4	-	-	6	68
3	168	17	40	6	11	7	4	13	1	3	4	-	7	15	6	16	9	6	-	23	69
																					70
18	556	65	125	18	39	21	11	72	12	10	20	-	30	68	15	49	56	31	5	130	71
2	42	5	7	3	3	3	1	7	-	2	4	-	2	9	-	2	3	2	2	10	72
-	45	15	21	-	-	1	-	3	1	-	5	-	1	7	1	1	5	3	1	10	73
4	69	4	17	2	6	2	1	15	1	-	1	-	2	5	-	4	3	2	2	11	74
12	400	41	80	13	30	15	9	47	10	8	10	-	25	47	14	42	45	24	-	99	75
3	96	14	32	1	13	3	2	3	3	1	2	1	8	7	-	13	11	4	-	27	76
10	309	28	36	6	20	16	5	31	4	2	5	-	12	28	5	25	30	8	1	70	77
1	50	4	8	-	4	3	-	1	2	2	1	-	-	7	3	2	3	-	-	12	78
9	259	24	28	6	16	13	5	30	2	-	4	-	12	21	2	23	27	8	1	58	79
2	102	12	35	3	17	9	1	9	5	2	4	-	5	8	3	8	19	2	2	21	80
-	35	2	8	1	9	3	1	4	3	-	2	-	2	2	2	1	4	1	-	11	81
2	67	10	27	2	8	6	-	5	2	2	2	-	3	6	1	7	15	1	2	10	82
																					83
11	195	17	45	5	34	5	1	23	3	1	3	-	5	13	1	9	19	10	-	62	84
2	75	4	11	1	8	2	-	9	1	1	1	-	3	3	-	-	8	2	-	15	85
-	35	4	9	-	5	-	-	3	1	-	2	-	2	3	1	2	5	1	-	12	86
9	85	9	25	4	21	3	1	11	1	-	-	-	-	7	-	7	6	7	-	35	87
4	275	29	70	6	18	11	8	29	8	3	6	1	12	13	4	26	35	13	1	50	88
2	74	10	20	2	3	1	2	6	2	1	3	-	2	3	1	8	8	2	-	14	89
2	201	19	50	4	15	10	6	23	6	2	3	1	10	10	3	18	27	11	1	36	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
PENNSYLVANIA--CON.																
CUMBERLAND	1,136	3	3	6	191	65	23	24	29	8	11	31	26	672	120	491
CARLISLE	194	-	-	-	34	10	5	4	8	2	-	5	5	117	28	79
BALANCE OF COUNTY	942	3	3	6	157	55	18	20	21	6	11	26	21	555	92	412
DAUPHIN	2,467	12	6	9	385	135	59	35	50	14	12	80	52	1,485	256	1,102
HARRISBURG	1,156	3	3	5	184	62	29	19	23	8	7	36	31	692	115	510
MIDDLETOWN	90	1	2	-	14	6	1	1	2	1	-	3	1	57	12	43
STEELTON	150	2	-	1	25	10	4	2	3	1	-	5	5	83	11	67
BALANCE OF COUNTY	1,071	6	1	3	162	57	25	13	22	4	5	36	15	653	118	482
DELAWARE	4,970	27	8	13	895	310	157	83	104	50	40	151	98	2,872	410	2,233
ASTON TWP#	57	-	-	-	5	1	-	1	1	-	1	1	2	33	3	27
CHESTER	801	13	3	4	117	44	24	10	11	6	5	17	10	409	39	343
COLLINGDALE	111	1	-	1	18	8	1	2	-	2	-	5	4	66	9	51
DARBY	140	1	-	-	26	12	3	2	4	2	1	2	4	83	14	65
DARBY TWP#	27	1	-	-	4	1	-	1	-	-	-	2	-	13	-	12
HAVERFORD TWP#	428	1	1	-	93	32	12	10	15	3	5	16	14	245	37	189
LANSDOWNE	154	1	-	-	30	8	4	3	4	1	5	5	2	94	15	70
MARPLE TWP#	93	-	-	1	20	6	5	1	1	2	-	5	4	55	13	35
NETHER PROVIDENCE TWP#	41	-	-	-	7	2	-	2	-	-	-	3	-	24	3	20
RADNOR TWP#	152	-	1	-	21	5	4	1	4	1	1	5	2	95	19	69
RIDLEY TWP#	148	2	-	-	26	9	8	2	2	3	-	2	2	86	7	74
SPRINGFIELD TWP#	152	-	2	-	29	9	3	2	6	1	1	7	3	93	10	71
UPPER DARBY TWP#	805	-	-	1	165	52	33	17	16	9	11	27	20	469	70	365
YEADON	128	-	-	-	21	12	6	1	1	-	1	-	2	80	15	57
BALANCE OF COUNTY	1,733	7	1	6	313	109	54	28	39	20	9	54	29	1,027	156	785
ELK	375	1	1	2	63	29	4	6	7	4	1	12	12	213	37	158
ERIE	2,508	12	4	7	380	140	54	32	49	15	14	76	47	1,404	293	1,022
ERIE	1,518	7	3	5	241	92	38	15	32	8	6	50	29	838	159	629
MILLCREEK TWP#	185	2	-	1	26	13	4	4	3	-	-	2	4	98	18	76
BALANCE OF COUNTY	805	3	1	1	113	35	12	13	14	7	8	24	14	468	116	317
FAYETTE	2,016	9	2	8	308	114	46	25	40	13	11	59	35	1,222	242	919
CONNELLSVILLE	166	4	-	-	26	4	5	3	4	2	1	7	6	86	22	59
UNIONTOWN	294	1	-	3	47	17	9	4	6	2	-	9	5	192	46	136
BALANCE OF COUNTY	1,556	4	2	5	235	93	32	18	30	9	10	43	24	944	174	724
FOREST	52	-	-	-	7	3	-	1	1	-	-	2	-	36	6	26
FRANKLIN	892	4	3	3	141	50	14	12	22	8	10	25	21	567	98	425
CHAMBERSBURG	240	1	1	1	31	13	2	3	1	4	2	6	3	162	30	117
WAYNESBORO	138	-	-	-	21	6	2	4	5	1	1	2	5	87	11	70
BALANCE OF COUNTY	514	3	2	2	89	31	10	5	16	3	7	17	13	318	57	238
FULTON	103	-	-	1	16	5	2	1	3	1	2	2	3	60	13	38
GREENE	474	-	-	-	69	24	8	7	6	-	2	22	7	304	64	224
HUNTINGDON	443	4	-	-	56	16	9	8	10	2	1	10	15	278	44	194
INDIANA	814	5	2	-	119	41	11	12	18	6	12	19	18	519	113	360
INDIANA	151	3	-	-	23	9	2	4	3	-	1	4	1	105	23	74
BALANCE OF COUNTY	663	2	2	-	96	32	9	8	15	6	11	15	17	414	90	286
JEFFERSON	567	2	2	2	70	28	11	7	5	5	5	9	12	348	61	265
JUNIATA	155	1	-	-	25	9	5	2	2	-	2	5	3	93	25	61
LACKAWANNA	3,146	43	5	13	502	205	75	45	54	31	18	74	70	1,846	287	1,400
CARBONDALE	185	-	-	1	18	6	5	1	2	-	-	4	4	121	12	98
DUNMORE	204	1	-	2	36	17	7	3	2	-	1	6	4	112	21	79
SCRANTON	1,645	24	3	8	262	105	36	30	34	21	5	31	41	981	166	725
BALANCE OF COUNTY	1,112	18	2	2	186	77	27	11	16	10	12	33	21	632	88	498
LANCASTER	2,668	8	3	6	427	158	49	39	58	19	25	79	73	1,590	256	1,175
COLUMBIA	142	1	-	1	21	7	6	1	3	-	2	2	3	86	22	62
LANCASTER	795	4	2	3	120	40	14	7	20	4	7	28	21	481	78	367
LANCASTER TWP#	58	-	-	-	7	4	2	-	-	1	-	-	2	39	7	29
BALANCE OF COUNTY	1,673	3	1	2	279	107	27	31	35	14	16	49	47	984	149	717
LAWRENCE	1,130	3	-	2	176	60	19	10	33	12	6	36	21	711	149	490
ELLWOOD CITY, PART	115	-	-	-	14	3	2	-	2	1	1	5	1	75	15	48
ELLWOOD CITY, TOTAL	121	-	-	-	15	4	2	-	2	1	1	5	1	78	16	49
NEW CASTLE	580	1	-	1	108	38	13	7	17	6	5	22	12	353	76	247
BALANCE OF COUNTY	435	2	-	1	54	19	4	3	14	5	-	9	8	283	58	195
LEBANON	965	4	2	1	149	52	19	9	31	4	6	28	20	601	110	430
LEBANON	372	2	-	-	56	23	9	5	9	2	2	6	8	240	46	166
BALANCE OF COUNTY	593	2	2	1	93	29	10	4	22	2	4	22	12	361	64	264
LEHIGH	2,345	8	6	7	360	130	62	30	45	22	16	55	56	1,485	232	1,124
ALLENTOWN	1,314	3	5	4	187	67	30	14	27	11	3	35	26	855	137	642
BETHLEHEM, PART	158	-	-	1	33	13	5	4	4	-	3	4	4	91	15	68
EMMAUS	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
BALANCE OF COUNTY	871	5	1	2	140	50	27	12	14	11	10	16	26	538	80	413
LUZERNE	4,511	42	7	10	639	269	80	61	78	34	24	93	104	2,572	381	1,988
HAZLETON	437	2	-	2	64	22	6	4	8	8	3	13	7	257	38	193
KINGSTON	259	1	-	1	38	17	6	4	2	4	1	4	7	157	31	110
NANTICOKE	241	3	-	-	26	13	2	5	3	-	1	2	7	132	20	103
PITTSTON	160	1	1	2	13	4	1	1	3	-	2	2	4	92	17	73
PLYMOUTH	169	-	-	-	21	7	2	4	4	1	1	2	4	96	17	77
WILKES-BARRE	1,002	15	3	2	138	61	16	11	17	7	4	22	19	591	77	472
BALANCE OF COUNTY	2,243	20	3	3	339	145	47	32	41	14	12	48	56	1,247	181	960

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metropolitan places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
9	385	39	58	4	28	25	4	29	6	4	2	-	11	33	2	21	39	20	4	64	5
-	60	6	13	-	6	3	1	2	-	2	-	-	1	4	2	5	9	4	-	9	6
9	325	33	45	4	22	22	3	27	6	2	2	-	10	29	-	16	30	16	4	55	7
27	820	82	173	17	49	47	14	79	21	4	24	1	25	61	15	40	80	14	5	149	8
10	379	44	77	8	25	25	9	37	10	3	15	-	7	31	5	11	34	7	3	75	9
1	34	2	6	-	-	1	1	4	1	-	1	-	1	3	1	-	3	-	-	1	10
2	51	6	8	2	1	2	-	7	1	-	3	-	1	1	2	2	6	-	1	10	11
14	356	30	82	7	23	19	4	31	9	1	5	1	16	26	7	27	37	7	1	63	12
69	1,567	237	360	35	97	73	24	140	38	22	66	-	50	180	15	50	132	42	8	314	14
2	20	4	1	1	-	1	1	-	-	-	-	-	1	6	-	2	1	1	-	6	15
11	249	38	45	7	5	12	3	39	11	4	12	-	11	39	2	16	33	8	4	66	16
2	36	3	10	1	4	1	-	2	1	1	3	-	2	2	1	1	1	-	-	7	17
3	46	8	8	1	2	-	1	3	-	2	2	-	1	4	-	-	1	-	-	13	18
-	9	-	3	-	1	-	-	-	-	-	-	-	1	1	-	-	2	-	-	5	19
1	138	17	33	8	5	6	-	7	1	2	4	-	7	14	3	5	9	2	-	20	20
1	52	4	13	2	3	2	2	5	-	1	2	-	2	4	-	1	2	4	-	6	21
4	21	4	6	-	3	4	-	2	1	-	1	-	-	1	-	1	2	2	-	3	23
-	19	-	1	-	1	-	-	2	-	-	-	-	-	-	1	-	3	1	-	3	25
3	46	6	14	-	6	1	-	9	-	1	2	-	1	5	1	2	4	2	-	6	26
3	57	7	7	-	-	2	3	5	-	-	1	-	3	5	-	2	5	1	-	10	27
6	43	7	15	2	5	1	4	3	-	3	-	-	2	6	-	-	1	1	-	9	28
9	259	38	59	6	14	8	6	13	5	6	13	-	2	30	2	5	18	8	1	47	29
3	41	7	6	2	3	3	-	3	2	-	2	-	2	1	-	-	7	1	-	7	30
21	531	94	139	5	45	32	4	47	17	2	24	-	15	62	5	15	43	11	3	106	31
5	135	9	9	2	10	6	-	12	2	1	10	-	5	8	-	6	14	1	1	23	33
32	828	70	92	7	45	25	12	101	29	10	21	2	33	87	10	53	96	16	4	192	34
18	517	35	59	5	23	16	6	68	18	6	14	2	17	51	6	30	60	6	3	114	35
2	61	12	1	-	1	-	3	3	1	2	1	-	9	12	1	5	3	3	1	13	36
12	250	23	32	2	21	9	3	30	10	2	6	-	7	24	3	18	33	7	-	65	37
21	767	80	51	15	24	11	11	46	14	11	22	1	15	46	4	32	92	18	4	127	38
-	46	11	2	3	2	-	-	4	2	1	1	-	4	2	1	1	8	3	-	17	39
4	111	14	7	3	2	2	3	7	1	1	3	-	-	7	-	2	7	-	1	17	40
17	610	55	42	9	20	9	8	35	11	9	18	1	11	37	3	29	77	15	3	93	41
-	24	-	2	-	4	-	-	4	-	-	-	-	-	1	-	-	-	-	-	4	43
15	315	42	53	6	20	17	1	22	2	-	6	-	10	17	4	23	13	8	1	47	44
6	92	11	8	4	5	5	1	6	2	-	2	-	4	6	1	2	2	1	-	15	45
1	52	6	11	2	3	1	-	8	-	-	1	-	1	2	-	3	2	1	-	7	46
8	171	25	34	-	12	11	-	8	-	-	3	-	5	9	3	18	9	6	1	25	47
2	26	4	6	-	3	6	-	1	-	-	1	-	2	1	-	2	4	2	-	10	48
4	196	14	10	5	7	3	1	13	2	1	3	-	3	13	2	7	22	9	1	18	49
6	126	24	38	4	30	6	-	9	5	1	4	-	2	10	2	4	9	6	3	35	50
6	280	25	49	7	20	5	14	18	4	1	6	-	6	17	1	14	33	9	1	41	52
2	52	9	11	2	5	-	1	4	-	-	-	-	1	3	-	1	3	1	-	6	53
4	228	16	38	5	15	5	13	14	4	1	6	-	5	14	1	13	30	8	1	35	54
5	175	31	54	1	15	4	2	9	4	3	4	-	3	17	2	18	27	2	-	42	55
3	47	3	8	-	5	2	-	4	-	2	2	-	4	2	-	2	7	1	-	9	56
37	975	163	225	21	71	42	25	101	22	10	41	1	27	46	16	39	84	15	1	264	57
2	57	13	26	-	8	1	2	6	2	-	1	1	1	5	1	6	5	1	-	12	58
4	55	9	11	1	5	3	3	6	1	-	5	-	4	4	2	3	6	-	-	18	59
14	507	95	109	15	40	23	12	62	13	8	20	-	11	23	7	17	44	7	-	114	60
17	356	46	79	5	18	15	8	27	6	2	15	-	11	14	6	13	29	7	1	120	61
25	853	96	201	9	84	39	27	71	20	8	16	1	29	83	11	37	59	35	1	190	63
2	39	6	15	-	1	-	1	4	1	-	1	-	-	2	1	2	5	2	-	12	64
7	259	32	69	3	18	11	4	20	8	3	5	-	8	33	1	6	19	9	1	51	65
-	18	2	9	-	3	-	-	3	2	-	-	-	1	-	-	1	-	-	-	3	66
16	537	56	108	6	62	28	22	44	9	5	10	1	20	48	9	29	34	24	-	124	67
16	411	35	28	10	30	12	20	27	11	7	5	-	8	27	5	15	31	5	1	75	68
4	43	1	-	1	5	4	2	1	1	2	-	-	-	4	1	3	4	-	1	8	69
4	43	1	1	1	5	4	3	1	1	3	-	-	-	4	1	3	5	-	1	8	70
5	211	17	14	4	12	5	9	17	5	4	4	-	6	16	2	4	11	2	-	34	71
7	157	17	14	5	13	3	9	9	5	1	1	-	2	7	2	8	16	3	-	33	72
12	308	46	64	7	27	22	5	34	3	5	6	1	10	25	4	11	24	13	2	50	74
8	113	20	25	6	11	11	-	9	1	2	2	1	2	11	2	3	6	5	1	21	75
4	195	26	39	1	16	11	5	25	2	3	4	-	8	14	2	8	18	8	1	29	76
44	897	81	102	17	50	50	12	44	20	11	22	-	25	34	7	32	54	37	3	134	77
21	519	45	57	7	33	29	7	24	12	7	12	-	12	15	2	16	35	16	2	81	78
1	52	10	5	-	3	5	-	1	2	-	4	-	3	2	-	1	1	3	-	12	79
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	80
22	325	26	40	10	14	16	5	19	6	4	6	-	10	17	5	14	18	18	1	41	81
54	1,368	179	387	30	93	48	32	72	33	23	79	2	33	67	24	48	125	28	4	599	83
8	121	20	44	3	14	6	3	7	3	2	11	-	3	6	-	7	12	1	1	52	84
6	66	19	19	3	3	7	3	4	-	2	6	1	2	6	1	-	3	-	-	30	85
1	68	12	22	2	5	1	1	2	4	2	1	-	1	4	2	2	6	2	-	47	86
2	50	5	16	-	1	-	1	4	1	-	5	-	2	1	2	1	7	1	-	23	87
3	62	5	7	1	-	1	-	4	2	1	2	-	2	1	2	3	4	2	-	25	88
12	341	40	79	6	16	16	4	20	10	4	18	-	5	18	9	7	28	6	-	109	89
22	660	78	200	15	54	17	20	31	13	12	36	1	18	31	8	28	65	16	3	313	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
PENNSYLVANIA--CON.																
LYCOMING	1,274	2	2	5	217	79	29	18	28	11	9	43	29	780	165	560
WILLIAMSPORT	561	-	1	1	116	46	14	14	12	4	3	23	13	325	58	243
BALANCE OF COUNTY	713	2	1	4	101	33	15	4	16	7	6	20	16	455	107	317
MC KEAN	629	1	-	1	94	29	22	8	5	6	8	16	7	381	90	241
BRADFORD	240	1	-	1	31	11	9	4	2	1	1	3	2	152	31	105
BALANCE OF COUNTY	389	-	-	-	63	18	13	4	3	5	7	13	5	229	59	136
MERCER	1,332	3	2	6	187	55	29	15	23	12	5	48	33	795	159	577
FARRELL	161	-	-	1	23	11	3	-	2	1	1	5	7	88	22	61
SHARON	325	3	-	1	59	14	9	5	5	6	1	19	8	174	33	133
BALANCE OF COUNTY	846	-	2	4	105	30	17	10	16	5	3	24	18	533	104	383
MIFFLIN	458	2	-	3	66	25	14	6	6	4	2	9	6	284	53	216
LEWISTOWN	202	-	-	2	31	11	5	4	2	3	1	5	3	125	22	95
BALANCE OF COUNTY	256	2	-	1	35	14	9	2	4	1	1	4	3	159	31	121
MONROE	471	2	1	1	81	25	21	9	12	3	-	11	11	254	67	169
MONTGOMERY	4,760	20	8	9	810	275	129	76	107	37	32	154	103	2,835	465	2,141
ABINGTON TWP#	426	1	1	-	72	25	11	3	9	3	4	17	3	254	50	184
CHELTENHAM TWP#	318	-	-	1	67	25	14	10	2	4	2	10	5	186	34	137
CONSHOHOCKEN	138	3	-	-	23	5	6	3	5	-	-	4	4	75	11	58
LANSDALE	122	-	-	1	19	10	1	1	3	-	-	4	2	84	9	66
LOWER MERION TWP#	570	-	1	1	100	33	18	6	11	6	2	24	10	365	62	272
NORRISTOWN	543	5	2	2	83	29	14	6	14	2	2	16	17	312	41	239
POTTSTOWN	286	1	1	-	45	15	4	5	9	1	4	7	8	175	22	144
SPRINGFIELD TWP#	125	1	-	-	17	5	1	4	2	1	2	2	5	75	17	51
UPPER MORELAND TWP#	96	-	-	-	17	8	3	1	-	1	1	3	-	53	10	41
BALANCE OF COUNTY	2,136	9	3	4	367	120	57	37	52	19	15	67	49	1,256	209	949
MONTOUR	175	1	-	2	17	7	4	-	-	-	1	5	5	123	26	84
NORTHAMPTON	2,063	16	2	3	341	127	48	27	43	25	13	58	46	1,251	170	960
BETHLEHEM, PART	575	7	2	-	116	40	15	9	18	11	3	20	13	330	36	262
BETHLEHEM, TOTAL	733	7	2	1	149	53	20	13	22	11	6	24	17	421	51	330
EASTON	473	2	-	2	56	22	11	1	5	2	2	13	14	293	35	228
BALANCE OF COUNTY	1,015	7	-	1	169	65	22	17	20	12	8	25	19	628	99	470
NORTHUMBERLAND	1,385	14	5	5	212	88	15	17	34	12	11	35	44	841	130	630
MOUNT CARMEL	161	4	-	1	22	13	-	2	3	-	-	4	3	96	15	75
SHAMOKIN	239	1	1	1	35	13	5	3	3	4	1	6	8	144	21	107
SUNBURY	204	-	1	-	32	11	2	2	11	-	2	4	7	132	19	100
BALANCE OF COUNTY	781	9	3	3	123	51	8	10	17	8	8	21	26	469	75	348
PERRY	287	3	1	1	37	13	6	1	5	-	6	6	7	174	34	122
PHILADELPHIA, COEX. WITH PHILADELPHIA CITY	25,101	233	46	76	4,263	1,483	799	339	541	179	171	751	575	13,577	2,113	10,361
PIKE	138	1	-	-	25	6	4	3	5	2	2	3	-	84	18	58
POTTER	189	-	1	2	23	9	3	3	2	1	2	3	4	119	18	91
SCHUYLKILL	2,307	23	2	9	356	109	43	36	57	13	15	83	61	1,303	255	915
POTTSVILLE	324	4	1	2	57	19	8	8	6	3	2	11	11	187	30	144
SHENANDOAH	183	3	-	1	24	6	5	1	4	-	2	6	3	98	19	73
TAMAQUA	119	1	-	2	20	5	2	1	4	1	-	7	-	75	12	58
BALANCE OF COUNTY	1,681	15	1	4	255	79	28	26	43	9	11	59	47	943	194	640
SNYDER	258	-	-	2	33	10	3	1	8	1	1	9	9	160	26	119
SOMERSET	860	4	2	3	116	38	12	15	18	5	6	22	16	512	106	340
SULLIVAN	84	-	-	-	9	2	3	1	1	-	-	2	2	59	13	42
SUSQUEHANNA	355	3	-	1	53	22	8	4	10	1	2	6	5	198	32	143
TIOGA	411	2	1	2	52	20	3	4	9	2	3	11	10	243	39	185
UNION	254	2	1	1	35	14	3	2	7	1	2	6	6	164	42	105
VENANGO	824	4	2	2	117	39	24	15	9	2	3	25	17	465	111	300
OIL CITY	253	1	2	1	36	9	7	6	3	-	2	9	9	161	44	100
BALANCE OF COUNTY	571	3	-	1	81	30	17	9	6	2	1	16	8	304	67	200
WARREN	489	1	1	1	66	20	11	6	5	6	2	16	9	295	63	215
WARREN	204	1	-	-	32	11	2	1	4	3	2	9	5	119	21	91
BALANCE OF COUNTY	285	-	1	1	34	9	9	5	1	3	-	7	4	176	42	124
WASHINGTON	2,370	10	5	6	391	142	51	29	56	22	28	63	58	1,463	313	1,050
CANONSBURG	170	1	-	-	30	11	2	4	3	2	1	7	5	108	25	75
DONORA	140	-	-	-	19	8	2	1	-	1	3	4	4	89	20	65
WASHINGTON	403	3	1	1	53	21	9	4	10	2	3	4	4	260	63	180
BALANCE OF COUNTY	1,657	6	4	5	289	102	38	20	43	17	21	48	45	1,006	205	730
WAYNE	328	-	-	-	50	22	9	4	6	-	4	5	6	201	32	149
WESTMORELAND	3,414	11	8	7	574	184	93	46	73	24	23	131	94	2,060	403	1,481
GREENSBURG	260	-	-	1	36	12	5	3	8	3	-	5	7	163	37	114
HEMPFIELD TWP#	209	-	2	-	31	9	5	5	5	-	1	6	4	129	27	94
JEANNETTE	168	2	-	-	24	4	3	3	4	1	2	7	5	99	15	75
LATROBE	139	-	1	1	20	7	7	-	4	-	-	2	1	97	17	73
LOWER BURRELL	71	-	-	-	12	5	1	-	4	-	1	1	2	40	8	30
MONESSEN	207	1	-	1	44	12	8	4	4	4	2	10	13	107	14	88
NEW KENSINGTON	247	1	-	-	52	18	8	4	4	3	2	13	4	145	27	103
BALANCE OF COUNTY	2,113	7	5	4	355	117	56	27	40	13	15	87	58	1,280	258	904
WYOMING	221	1	-	2	25	12	4	1	1	-	-	7	2	142	18	109
YORK	2,303	12	5	14	404	135	64	41	57	16	18	73	53	1,344	238	989
HANOVER	180	3	2	1	30	1	7	4	6	1	2	9	1	111	21	81
SPRING GARDEN TWP#	102	-	-	-	19	12	2	-	1	2	1	1	5	62	13	42
YORK	713	6	3	2	127	48	22	11	14	5	3	24	10	402	63	303
BALANCE OF COUNTY	1,308	3	-	11	228	74	33	26	36	8	12	39	37	769	141	563

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (582-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
10	376	61	113	3	22	19	11	41	2	3	9	-	7	31	6	21	32	4	5	78	1
6	169	26	42	3	10	7	4	15	1	1	4	-	3	13	5	6	11	3	3	40	2
4	207	35	71	-	12	12	7	26	1	2	5	-	4	18	1	15	21	1	-	38	3
4	189	18	30	3	34	9	4	20	3	4	5	-	6	22	1	17	20	8	2	38	4
2	85	7	11	1	10	3	2	7	-	2	1	-	3	13	2	5	4	3	-	13	5
2	104	11	19	2	24	6	2	13	3	2	4	-	3	9	2	12	16	5	-	25	6
20	443	48	66	11	30	16	2	30	8	5	14	1	15	28	3	34	42	20	3	103	7
-	46	8	7	1	2	2	-	5	1	-	5	-	2	2	-	1	5	1	2	17	8
6	94	15	18	2	4	2	-	8	2	-	6	-	6	8	1	3	13	2	-	31	9
14	303	25	41	8	24	12	2	17	5	3	3	-	7	18	2	30	24	17	1	55	10
4	176	12	24	1	11	3	-	11	1	2	2	-	6	14	-	11	17	5	1	27	11
2	80	3	10	-	6	2	-	5	1	1	1	-	1	1	-	7	9	4	-	11	12
2	96	9	14	1	5	1	-	6	-	1	1	-	5	13	-	4	8	1	1	16	13
3	128	7	31	1	6	8	3	23	2	2	3	-	4	15	1	14	15	5	2	35	14
59	1,506	194	382	39	116	52	22	135	24	19	47	2	33	126	16	74	99	55	10	335	15
6	132	15	31	3	11	2	4	10	3	1	4	-	5	18	2	3	9	6	1	33	16
5	98	11	23	1	7	4	3	8	2	1	4	-	2	2	1	3	4	4	-	28	17
-	38	8	12	-	5	-	1	1	-	1	7	-	2	3	1	1	3	1	-	13	18
1	47	5	13	2	3	3	1	1	2	-	1	-	1	3	-	1	2	2	-	3	19
5	208	22	37	3	16	12	-	8	-	2	3	-	1	15	1	11	9	5	-	38	20
3	161	25	50	9	16	6	1	20	2	5	5	1	3	12	5	8	12	5	1	43	21
5	99	17	23	2	4	2	1	6	6	-	3	-	1	12	2	4	6	2	1	13	22
1	40	-	10	-	4	2	1	7	-	-	3	-	1	4	1	-	2	1	-	13	23
1	29	5	6	-	1	1	-	3	1	-	1	-	-	17	3	43	51	28	7	138	24
32	654	86	177	19	49	20	10	71	8	9	16	1	17	56	3	-	-	-	-	-	25
2	62	7	13	1	8	2	2	3	1	-	-	-	1	5	1	3	2	1	-	10	26
14	746	57	143	20	51	37	13	62	14	8	13	-	19	48	5	25	57	26	3	124	27
3	226	15	18	9	13	8	2	16	5	3	4	-	6	7	1	6	13	10	-	36	28
4	278	25	23	9	16	13	2	17	7	3	8	-	9	9	1	7	14	13	-	48	29
3	159	13	53	3	14	10	3	19	1	1	3	-	3	18	1	6	20	4	-	30	30
8	361	29	72	8	24	19	8	27	8	4	6	-	10	23	3	13	24	12	3	58	31
23	450	86	71	14	43	12	12	25	7	8	12	-	10	25	7	11	36	9	-	112	32
1	58	9	7	1	2	-	3	4	1	2	-	-	3	1	-	-	3	-	-	21	33
5	82	10	10	3	8	2	3	3	4	-	5	-	2	1	2	3	8	1	-	20	34
5	72	5	18	3	6	3	1	5	1	1	1	-	-	5	2	-	6	5	-	6	35
12	238	62	36	7	27	7	5	13	1	5	6	2	5	18	3	8	19	3	-	65	36
4	85	13	20	4	8	3	3	7	-	-	2	-	2	4	2	7	14	3	-	23	37
295	7,399	1,312	1,355	161	417	377	148	806	183	105	400	20	223	923	708	268	670	212	143	1,670	38
1	38	15	4	1	3	4	-	5	1	-	2	-	3	1	-	2	1	2	1	10	39
3	49	15	24	1	6	1	2	11	2	-	-	-	3	2	1	5	7	-	-	9	40
14	720	81	100	16	69	30	18	31	17	8	32	-	16	39	12	32	80	14	2	270	41
2	115	10	17	3	6	2	2	2	-	3	6	-	-	6	-	3	14	1	-	24	42
-	61	5	7	-	3	2	1	2	-	1	-	-	-	3	-	2	3	2	-	34	43
1	42	3	12	1	1	3	-	3	-	1	-	-	-	-	-	-	7	2	-	10	44
11	502	63	64	12	59	23	15	24	14	3	25	-	16	30	10	26	54	10	2	202	45
4	88	13	14	3	11	-	1	8	-	-	2	-	5	7	-	5	9	3	1	14	46
9	271	26	34	12	33	16	5	22	6	2	4	-	7	23	6	22	27	5	2	81	47
-	33	4	5	3	-	-	1	3	-	-	-	-	-	3	-	2	2	2	-	4	48
4	101	20	18	1	8	9	5	12	5	2	6	-	4	8	5	8	16	4	-	25	49
2	124	15	44	2	13	4	-	15	4	1	1	-	6	15	2	14	9	9	1	24	50
2	79	7	17	3	11	1	2	2	-	4	1	-	1	5	1	4	6	4	-	17	51
5	217	41	37	4	35	6	9	45	8	5	8	-	9	16	1	21	27	6	-	71	52
1	75	14	10	-	11	-	6	7	2	1	1	-	2	5	-	6	6	2	-	11	53
4	142	27	27	4	24	6	3	38	6	4	7	-	7	11	1	15	21	4	-	60	54
6	157	11	41	1	9	7	-	18	7	4	2	-	2	14	-	10	12	5	-	42	55
4	68	4	15	1	2	4	-	9	2	1	1	-	2	5	-	2	3	3	-	19	56
2	89	7	26	-	7	3	-	9	5	3	1	-	-	9	-	8	9	2	-	23	57
25	857	65	103	18	37	31	14	64	14	9	28	1	21	48	12	28	54	24	2	132	58
2	56	3	14	1	4	1	2	5	1	-	3	-	2	3	2	1	2	-	-	7	59
3	48	5	9	1	2	1	-	6	-	-	2	-	5	5	1	3	3	-	-	3	60
8	142	16	14	4	5	7	1	15	4	2	7	-	3	10	1	4	3	5	1	26	61
12	611	41	66	12	26	22	11	38	9	7	16	1	11	30	8	20	46	19	1	96	62
1	108	9	31	3	11	4	2	6	3	-	1	-	3	5	-	5	11	3	-	34	63
37	1,228	83	133	36	89	31	20	93	25	10	38	1	38	82	6	46	90	26	4	201	64
3	99	3	9	1	8	2	1	11	1	1	3	-	-	12	-	3	4	4	1	13	65
1	75	7	11	3	4	-	1	5	2	-	1	-	1	8	-	6	4	3	1	13	66
2	65	5	3	-	7	2	-	4	2	1	4	-	-	5	-	3	7	2	-	9	67
2	65	3	3	-	4	1	2	2	-	-	-	-	2	3	-	4	1	2	1	4	68
1	25	1	3	-	-	2	-	-	-	-	-	-	4	4	-	-	5	-	-	4	69
1	73	7	7	-	2	2	1	5	1	-	-	-	5	5	-	1	3	1	-	15	70
1	79	9	14	5	8	2	-	9	2	-	5	-	1	6	1	3	7	1	-	14	71
26	747	48	83	27	56	20	15	57	17	8	24	1	25	39	5	26	59	13	1	129	72
1	85	13	10	2	9	1	3	6	1	1	1	-	-	8	4	7	5	1	-	15	73
29	701	78	181	6	49	41	21	54	7	7	15	1	29	77	14	36	50	31	7	143	74
4	55	10	12	-	7	1	1	2	-	1	1	-	5	9	-	-	2	1	1	10	75
2	33	1	6	-	2	3	2	3	-	-	-	-	-	5	-	1	2	-	-	2	76
13	215	21	54	1	17	13	5	24	2	4	5	-	11	25	3	6	15	7	4	56	77
10	398	46	109	5	23	24	13	25	5	2	9	1	13	38	4	29	31	23	2	75	78

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
RHODE ISLAND	9,127	30	9	35	1,692	630	251	179	199	84	51	298	228	5,312	858	4,037
URBAN	7,200	22	9	24	1,347	514	202	133	155	66	42	235	180	4,221	678	3,231
RURAL	1,927	8	-	11	345	116	49	46	44	18	9	63	48	1,091	180	806
METROPOLITAN COUNTIES	7,947	26	9	29	1,509	570	220	159	178	74	43	265	198	4,629	740	3,538
URBAN	6,826	21	9	23	1,283	490	189	129	151	63	38	223	171	4,008	639	3,074
RURAL	1,121	5	-	6	226	80	31	30	27	11	5	42	27	621	101	464
NONMETROPOLITAN COUNTIES	1,180	4	-	6	183	60	31	20	21	10	8	33	30	683	118	499
URBAN	374	1	-	1	64	24	13	4	4	3	4	12	9	213	39	157
RURAL	806	3	-	5	119	36	18	16	17	7	4	21	21	470	79	342
BRISTOL	354	-	1	2	61	27	7	2	7	2	2	14	15	201	49	129
BARRINGTON TOWN#	114	-	-	1	20	10	1	1	1	1	2	4	4	65	22	39
BRISTOL TOWN#	138	-	1	1	27	11	4	-	4	1	-	7	6	73	14	49
BALANCE OF COUNTY	102	-	-	-	14	6	2	1	2	-	-	3	5	63	13	41
KENT	1,022	1	2	4	204	72	23	29	21	11	4	44	29	588	80	462
WARWICK	617	1	2	2	125	40	15	15	17	6	2	30	17	354	51	273
WEST WARWICK TOWN#	201	-	-	-	42	19	3	9	1	3	2	5	6	124	9	107
BALANCE OF COUNTY	204	-	-	2	37	13	5	5	3	2	-	9	6	110	20	82
NEWPORT	652	2	-	2	109	39	23	10	9	4	6	18	16	369	69	266
NEWPORT	374	1	-	1	64	24	13	4	4	3	4	12	9	213	39	157
BALANCE OF COUNTY	278	1	-	1	45	15	10	6	5	1	2	6	7	156	30	109
PROVIDENCE	6,571	25	6	23	1,244	471	190	128	150	61	37	207	154	3,840	611	2,947
CENTRAL FALLS	255	1	-	2	49	18	7	7	6	3	1	7	2	154	25	119
CRANSTON	632	1	1	1	129	52	19	12	17	6	3	20	14	371	51	285
EAST PROVIDENCE	402	1	-	-	77	35	7	4	10	4	-	17	12	242	53	171
NORTH PROVIDENCE TOWN#	144	-	-	-	32	15	6	1	3	1	1	5	7	76	6	63
PAWTUCKET	962	7	2	3	171	76	30	18	11	8	7	21	19	570	84	437
PROVIDENCE	2,812	6	3	9	502	173	77	54	67	28	17	86	71	1,653	272	1,268
WOONSOCKET	549	4	-	4	109	41	20	8	14	2	3	21	13	326	52	263
BALANCE OF COUNTY	815	5	-	4	175	61	24	24	22	9	5	30	16	448	68	341
WASHINGTON	528	2	-	4	74	21	8	10	12	6	2	15	14	314	49	233
SOUTH CAROLINA	20,447	113	58	128	2,380	665	348	204	450	94	121	503	318	10,922	2,808	7,100
URBAN	7,487	49	24	38	980	280	159	115	148	32	37	209	118	4,121	1,032	2,697
RURAL	12,960	64	34	90	1,405	385	189	89	302	62	84	294	200	6,801	1,776	4,403
METROPOLITAN COUNTIES	6,030	28	14	39	793	230	140	64	135	32	31	161	81	3,087	755	2,075
URBAN	2,937	16	10	17	416	129	83	38	61	14	12	79	39	1,547	390	1,038
RURAL	3,093	12	4	22	377	101	57	26	74	18	19	82	42	1,540	365	1,037
NONMETROPOLITAN COUNTIES	14,417	85	44	89	1,592	435	208	140	315	62	90	342	237	7,835	2,053	5,025
URBAN	4,550	33	14	21	564	151	76	77	87	18	25	130	79	2,574	642	1,659
RURAL	9,867	52	30	68	1,028	284	132	63	228	44	65	212	158	5,261	1,411	3,366
ABBEVILLE	194	-	-	6	29	8	6	4	6	-	1	4	3	97	35	55
AIKEN	637	2	1	3	87	17	21	4	17	5	3	20	6	338	88	226
AIKEN	128	1	-	-	26	4	8	3	4	-	1	6	1	58	13	42
NORTH AUGUSTA	66	-	-	-	11	4	2	-	1	2	-	2	1	39	13	23
BALANCE OF COUNTY	443	1	1	3	50	9	11	1	12	3	2	12	4	241	62	161
ALLENDALE	104	-	1	1	11	4	1	1	2	1	-	2	1	62	13	45
ANDERSON	827	2	1	3	104	24	14	10	12	4	11	29	21	440	98	301
ANDERSON	282	1	1	1	38	6	5	5	5	1	4	12	13	150	25	108
BALANCE OF COUNTY	545	1	-	2	66	18	9	5	7	3	7	17	8	290	73	193
BAMBERG	147	1	2	-	18	5	3	3	5	-	-	2	1	73	27	39
BARNWELL	148	1	-	3	16	8	1	1	2	1	-	3	3	78	21	47
BEAUFORT	274	1	2	3	27	7	6	1	3	-	1	9	4	109	39	62
BERKELEY	261	4	-	4	26	7	4	3	6	3	-	3	2	154	33	116
CALHOUN	146	1	1	1	14	5	1	-	4	1	-	3	-	73	15	54
CHARLESTON	1,757	14	6	11	238	67	52	17	37	6	12	47	20	842	240	532
CHARLESTON	828	8	5	6	123	39	28	8	19	2	2	25	11	421	129	264
BALANCE OF COUNTY	929	6	1	5	115	28	24	9	18	4	10	22	9	421	111	268
CHEROKEE	331	-	1	1	37	10	7	5	6	-	3	6	5	197	58	122
GAFFNEY	92	-	1	1	13	5	3	2	1	-	1	1	1	60	16	39
BALANCE OF COUNTY	239	-	-	-	24	5	4	3	5	-	2	5	4	137	42	83
CHESTER	321	2	-	-	29	11	5	1	4	2	1	5	7	186	41	115
CHESTERFIELD	322	3	2	2	35	11	2	2	8	1	3	8	8	165	37	106
CLARENDON	248	2	-	3	23	6	4	5	3	1	1	3	3	130	39	73
COLLETON	305	2	2	3	26	10	4	1	6	1	1	3	6	154	33	109
DARLINGTON	485	3	1	2	41	8	8	-	15	2	3	5	7	272	64	184
DILLON	288	2	1	1	27	7	1	5	6	-	-	8	5	129	44	75
DORCHESTER	251	1	1	1	27	3	5	2	8	2	1	6	8	137	47	84
EDGEFIELD	156	1	-	1	15	5	-	-	5	1	-	4	3	82	31	48
FAIRFIELD	199	4	1	2	19	5	1	2	3	2	-	6	3	111	29	74
FLORENCE	798	10	6	2	78	25	8	9	10	5	5	16	7	424	113	253
FLORENCE	287	4	2	1	31	10	1	5	5	4	1	5	-	163	41	98
BALANCE OF COUNTY	511	6	4	1	47	15	7	4	5	1	4	11	7	261	72	155
GEORGETOWN	311	1	1	2	39	9	9	4	4	1	4	8	9	172	48	99
GEORGETOWN	119	1	-	1	13	3	2	2	2	1	1	2	4	73	22	43
BALANCE OF COUNTY	192	-	1	1	26	6	7	2	2	-	3	6	5	99	26	56

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-445)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
112	3,449	262	214	91	147	120	59	208	77	32	128	1	105	305	16	91	226	52	8	572	1
																					2
95	2,756	215	165	78	110	84	40	165	58	26	106	1	81	226	14	62	172	35	6	445	3
17	693	47	49	13	37	36	19	43	19	6	22	-	24	79	2	29	54	17	2	127	4
																					5
101	3,018	232	187	81	123	101	46	175	68	29	117	-	90	244	14	77	195	39	5	494	6
90	2,618	204	162	71	105	80	39	155	57	25	104	-	77	202	14	60	162	32	5	418	7
11	400	28	25	10	18	21	7	20	11	4	13	-	13	42	-	17	33	7	-	76	8
11	431	30	27	10	24	19	13	33	9	3	11	1	15	61	2	14	31	13	3	78	9
5	138	11	3	7	5	4	1	10	1	1	2	1	4	24	-	2	10	3	1	27	10
6	293	19	24	3	19	15	12	23	8	2	9	-	11	37	2	12	21	10	2	51	11
																					12
3	105	9	12	2	9	6	6	5	4	2	4	-	3	12	1	2	7	5	-	29	13
-	32	4	3	-	1	-	3	3	1	1	-	-	1	4	-	1	-	2	-	11	14
2	38	3	6	2	3	5	-	2	-	1	2	-	2	3	1	1	5	1	-	12	15
1	35	2	3	-	5	1	3	-	3	-	2	-	-	5	-	-	2	2	-	6	16
11	381	42	28	9	17	16	4	18	5	3	22	-	15	34	3	12	21	5	-	56	17
7	230	19	17	7	12	9	2	8	3	2	14	-	12	20	3	7	9	4	-	34	18
2	85	14	6	1	3	2	2	4	2	1	6	-	-	3	-	2	4	-	-	7	19
2	66	9	5	1	2	5	-	6	-	-	2	-	3	11	-	3	8	1	-	15	20
8	230	16	12	9	9	14	2	18	4	1	6	1	6	40	1	6	16	5	3	47	21
5	138	11	3	7	5	4	1	10	1	1	2	1	4	24	-	2	10	3	1	27	22
3	92	5	9	2	4	10	1	8	3	-	4	-	2	16	1	4	6	2	2	20	23
																					24
87	2,532	181	147	70	97	79	36	152	59	24	91	-	72	198	10	63	167	29	5	409	25
3	101	11	4	3	4	2	1	7	3	1	5	-	5	6	2	3	5	-	-	10	26
9	245	20	11	10	12	9	4	17	6	4	2	-	8	22	1	5	17	3	-	30	27
3	155	7	6	5	7	4	2	8	2	1	5	-	4	13	2	3	5	2	1	24	28
																					29
2	54	7	-	2	1	2	2	2	-	-	3	-	1	5	-	3	3	-	-	12	30
10	383	24	20	13	11	18	7	33	8	4	9	-	9	31	2	2	17	5	-	70	31
45	1,074	83	66	24	45	29	15	63	26	10	52	-	31	79	3	28	87	13	3	173	32
7	221	12	23	4	6	-	1	8	6	-	6	-	4	16	-	5	10	2	1	35	33
8	299	17	17	9	11	15	4	14	8	4	9	-	10	26	-	14	23	4	-	55	34
3	201	14	15	1	15	5	11	15	5	2	5	-	9	21	1	8	15	8	-	31	35
																					36
129	4,796	1,197	978	186	411	222	195	936	128	156	126	38	248	890	548	720	858	178	264	1,433	37
																					38
49	1,842	437	369	64	166	77	85	272	46	35	61	14	96	298	170	183	297	68	86	531	39
80	2,954	760	609	122	245	145	110	664	82	121	65	24	152	592	378	537	561	110	178	902	40
																					41
38	1,471	307	259	44	93	69	51	248	25	24	49	9	94	276	202	210	268	54	92	437	42
17	738	159	124	19	50	28	22	115	12	10	25	6	44	113	93	72	121	22	49	210	43
21	733	148	135	25	43	41	29	133	13	14	24	3	50	163	109	138	147	32	43	227	44
91	3,325	890	719	142	318	153	144	688	103	132	77	29	154	614	346	510	590	124	172	996	45
32	1,104	278	245	45	116	49	63	157	34	25	36	8	52	185	77	111	176	46	37	321	46
59	2,221	612	474	97	202	104	81	531	69	107	41	21	102	429	269	399	414	78	135	675	47
																					48
2	39	9	5	2	1	4	-	10	3	3	-	-	-	6	5	8	8	2	-	14	49
4	166	37	19	1	11	5	7	24	3	-	4	2	14	31	7	26	33	5	3	48	50
-	32	9	1	-	2	1	-	4	-	-	2	1	4	6	2	7	6	-	1	9	51
1	17	3	2	-	1	-	2	2	-	-	-	1	1	2	-	-	5	-	-	4	52
3	117	25	16	1	8	4	5	18	3	-	2	-	9	23	5	19	22	5	2	35	53
3	29	9	4	1	1	1	1	6	-	2	-	-	-	4	3	1	7	-	2	3	54
4	201	50	46	6	15	8	12	32	6	3	9	-	9	26	16	28	30	11	9	77	55
3	67	22	16	3	7	1	6	12	2	-	3	-	3	8	3	6	12	4	3	22	56
1	134	28	30	3	8	7	6	20	4	3	6	-	6	18	13	22	18	7	6	55	57
																					58
1	24	8	6	2	4	1	-	8	1	2	2	-	-	4	5	4	14	-	2	10	59
-	36	9	2	1	4	2	3	3	-	6	-	-	2	7	7	3	8	1	1	9	60
2	36	11	13	-	4	1	3	14	1	2	1	1	7	21	25	10	19	1	4	22	61
-	84	26	6	-	3	-	2	16	1	3	-	-	5	2	6	4	14	2	4	14	62
2	28	21	3	2	2	-	-	15	1	1	-	-	-	7	5	6	7	3	1	10	63
10	369	88	65	15	24	18	13	58	6	5	15	1	29	57	148	52	88	19	17	131	64
4	180	46	34	5	11	8	4	25	4	2	6	1	14	13	68	14	31	8	10	58	65
6	189	42	31	10	13	10	9	33	2	3	9	-	15	44	80	38	57	11	7	73	66
																					67
2	88	9	23	6	7	2	2	16	-	2	1	-	4	11	1	8	12	1	6	28	68
1	27	1	10	1	2	1	1	1	-	-	1	-	1	1	1	2	-	1	1	7	69
1	61	8	13	5	5	1	1	15	-	2	-	-	3	10	-	6	12	-	5	21	70
1	80	17	17	3	21	3	3	16	3	5	2	-	5	9	2	15	4	4	5	27	71
1	71	20	14	1	16	2	3	13	1	5	2	1	5	19	2	14	22	4	3	16	72
2	57	5	9	3	5	4	6	17	1	1	3	-	-	15	12	7	14	2	1	14	73
3	75	16	15	2	1	5	4	18	5	3	-	-	2	12	21	12	11	2	5	21	74
3	147	22	12	7	5	4	8	18	6	5	4	2	8	19	2	33	15	3	5	39	75
																					76
-	46	20	9	3	2	4	1	23	-	5	-	2	-	27	20	11	8	2	8	17	77
2	47	17	18	1	5	-	-	9	1	4	2	-	6	9	6	10	13	2	-	14	78
-	33	5	10	-	1	1	1	7	2	1	1	-	-	4	6	9	6	-	-	18	79
-	54	9	11	2	3	1	2	11	1	2	1	1	3	5	8	13	9	-	1	4	80
7	151	51	44	16	11	13	18	35	5	10	2	1	12	52	5	33	34	5	12	65	81
5	62	13	18	4	5	3	12	8	2	1	1	1	6	19	1	10	8	3	3	23	82
2	89	38	26	12	6	10	6	27	3	9	1	-	6	33	4	23	26	2	9	42	83
																					84
-	51	21	27	6	10	5	4	13	3	3	1	-	7	7	6	11	15	2	5	14	85
-	27	4	12	1	1	3	3	5	1	-	1	-	2	3	-	3	5	2	1	4	86
-	24	17	15	5	9	2	1	8	2	3	-	-	5	4	6	8	10	-	4	10	87

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
S. CAROLINA--CON.																
GREENVILLE	1,720	8	4	8	230	71	25	20	45	9	12	48	32	870	191	598
GREENVILLE	668	2	3	3	85	33	10	9	13	-	5	15	9	343	75	238
BALANCE OF COUNTY	1,052	6	1	5	145	38	15	11	32	9	7	33	23	527	116	360
GREENWOOD	449	2	1	1	60	19	11	7	9	2	1	11	9	271	57	190
GREENWOOD	217	1	1	-	29	12	4	4	3	-	1	5	5	140	36	92
BALANCE OF COUNTY	232	1	-	1	31	7	7	3	6	2	-	6	4	131	21	98
HAMPTON	175	-	-	1	23	7	2	2	4	1	2	5	3	87	25	52
HORRY	537	3	1	5	47	11	6	2	12	1	4	11	4	306	87	196
JASPER	119	1	1	1	8	5	-	-	1	-	1	1	2	62	23	35
KERSHAW	343	3	-	2	43	11	2	3	9	2	3	13	8	191	42	134
LANCASTER	293	-	-	3	31	8	2	5	3	1	2	10	6	161	29	111
LAURENS	396	1	-	-	51	11	6	6	12	2	1	13	8	212	64	130
LEE	194	3	-	-	19	7	2	-	2	3	-	5	3	102	23	71
LEXINGTON	517	1	-	9	63	23	10	3	9	3	1	14	6	283	64	205
MC CORMICK	97	-	-	2	11	5	-	2	2	1	-	1	-	42	15	24
MARION	319	3	2	3	35	7	2	7	10	3	2	4	9	156	53	85
MARLBORO	324	2	1	2	27	6	3	2	8	-	-	8	3	181	59	110
NEWBERRY	307	1	-	1	39	9	6	2	10	1	4	7	-	202	57	127
OCONEE	366	1	2	4	54	18	6	1	14	1	5	9	9	188	39	131
ORANGEBURG	646	4	3	3	82	22	6	6	25	4	3	16	8	338	101	203
ORANGEBURG	132	1	-	1	17	5	1	2	2	-	1	6	3	84	17	61
BALANCE OF COUNTY	514	3	3	2	65	17	5	4	23	4	2	10	5	254	84	142
PICKENS	354	1	2	1	41	12	8	1	9	1	5	5	7	205	40	141
RICHLAND	1,399	3	3	8	175	52	32	20	27	9	3	32	17	754	172	514
COLUMBIA	945	3	2	4	122	34	24	16	18	8	2	20	13	533	118	364
BALANCE OF COUNTY	454	-	1	4	53	18	8	4	9	1	1	12	4	221	54	150
SALUDA	137	-	-	-	13	3	4	-	4	-	-	2	3	80	20	50
SPARTANBURG	1,359	5	3	6	170	46	24	19	27	5	9	40	22	763	177	520
SPARTANBURG	433	2	1	2	54	14	9	11	5	1	-	14	6	234	53	161
BALANCE OF COUNTY	926	3	2	4	116	32	15	8	22	4	9	26	16	529	124	359
SUMTER	580	3	1	3	52	14	7	4	15	-	1	11	6	308	86	190
SUMTER	256	2	1	-	33	9	6	3	6	-	1	8	3	136	34	85
BALANCE OF COUNTY	324	1	-	3	19	5	1	1	9	-	-	3	3	172	52	105
UNION	313	1	1	1	46	12	6	2	11	-	5	10	1	186	53	112
UNION	105	1	-	-	14	2	2	2	4	-	1	3	-	72	20	39
BALANCE OF COUNTY	208	-	1	1	32	10	4	-	7	-	4	7	1	114	33	73
WILLIAMSBURG	337	6	1	4	28	6	5	2	2	1	3	9	9	183	56	113
YORK	656	4	2	5	71	18	10	8	8	5	4	18	11	366	82	239
ROCK HILL	221	-	1	3	25	9	2	1	2	1	-	10	5	130	25	84
BALANCE OF COUNTY	435	4	1	2	46	9	8	7	6	4	4	8	6	236	57	155
SOUTH DAKOTA	6,570	21	4	34	992	321	106	85	172	64	68	176	135	3,488	817	2,355
URBAN	2,632	5	3	11	419	140	53	40	56	26	27	77	41	1,395	325	948
RURAL	3,938	16	1	23	573	181	53	45	116	38	41	99	94	2,093	492	1,407
METROPOLITAN COUNTIES	718	1	2	1	137	52	16	15	18	9	6	21	8	383	88	261
URBAN	556	1	2	-	107	45	13	12	12	7	3	15	6	294	70	198
RURAL	162	-	-	1	30	7	3	3	6	2	3	6	2	89	18	63
NONMETROPOLITAN COUNTIES	5,852	20	2	33	855	269	90	70	154	55	62	155	127	3,105	729	2,094
URBAN	2,076	4	1	11	312	95	40	28	44	19	24	62	35	1,101	255	750
RURAL	3,776	16	1	22	543	174	50	42	110	36	38	93	92	2,004	474	1,344
AURORA	41	-	-	-	7	2	2	1	1	-	-	1	1	25	4	15
BEADLE	219	-	-	3	35	6	5	5	3	5	4	7	1	119	30	78
HURON	159	-	-	3	28	2	5	5	3	5	3	5	1	86	20	56
BALANCE OF COUNTY	60	-	-	-	7	4	-	-	-	-	1	2	-	33	10	22
BENNETT	19	-	-	-	4	-	2	-	1	-	-	1	-	3	-	2
BON HOMME	111	-	-	-	18	8	-	1	4	-	-	5	3	72	17	48
BROOKINGS	181	-	-	1	31	6	3	4	5	2	3	8	4	107	27	71
BROOKINGS	90	-	-	1	13	1	-	3	1	-	3	5	3	56	11	40
BALANCE OF COUNTY	91	-	-	-	18	5	3	1	4	2	-	3	1	51	16	31
BROWN	321	-	-	3	58	17	8	5	8	2	3	15	4	162	44	102
ABERDEEN	232	-	-	2	44	13	7	4	6	-	2	12	3	119	31	79
BALANCE OF COUNTY	89	-	-	1	14	4	1	1	2	2	1	3	1	43	13	23
BRULE	72	1	-	-	5	3	-	-	-	1	-	1	1	44	15	25
BUFFALO	17	1	-	-	-	-	-	-	-	-	-	-	1	3	-	2
BUTTE	100	1	-	-	13	5	3	2	-	1	-	2	-	58	9	47
CAMPBELL	30	-	-	-	4	2	-	1	-	-	-	1	1	14	3	10
CHARLES MIX	109	-	-	-	25	9	4	2	4	1	-	5	3	54	14	37
CLARK	81	-	-	-	15	2	1	2	3	2	4	1	1	50	10	38
CLAY	96	-	-	1	19	8	2	3	3	1	-	2	2	52	15	35
CODINGTON	214	1	-	1	34	13	2	2	5	4	2	6	4	116	30	81
WATERTOWN	158	1	-	1	24	8	2	2	5	2	2	3	4	82	20	59
BALANCE OF COUNTY	56	-	-	-	10	5	-	-	-	2	-	3	-	34	10	22
CORSON	65	1	-	2	10	3	2	-	2	-	-	3	3	28	4	22
CUSTER	58	1	-	-	8	2	-	1	3	-	1	1	-	28	8	15
DAVISON	204	1	-	2	38	16	2	-	9	2	5	4	8	110	25	72
MITCHELL	159	-	-	2	33	14	2	-	8	2	4	3	7	86	19	58
BALANCE OF COUNTY	45	1	-	-	5	2	-	-	1	-	1	1	1	24	6	14

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
15	417	81	85	11	29	27	14	68	8	9	13	1	33	100	18	61	68	15	35	139	1
4	154	33	47	5	12	9	4	27	3	2	6	-	12	36	7	19	27	7	16	61	2
11	263	48	38	6	17	18	10	41	5	7	7	1	21	64	11	42	41	8	19	78	3
4	115	37	34	4	12	7	1	15	4	3	1	1	4	16	1	17	9	4	4	26	4
3	54	13	22	2	7	2	1	6	1	2	1	-	2	8	1	4	3	2	3	8	5
1	61	24	12	2	5	5	-	9	3	1	-	1	2	8	-	13	6	2	1	18	6
2	33	11	6	2	3	2	3	12	1	4	2	1	1	9	1	5	10	1	1	14	7
1	112	28	55	4	9	5	5	32	2	2	1	1	8	34	5	21	20	6	9	30	8
-	21	6	8	2	1	1	-	6	-	1	2	-	-	3	12	4	3	1	6	6	9
1	101	18	14	2	8	1	4	16	3	1	2	1	3	16	2	12	12	2	4	22	10
8	70	15	18	7	7	2	5	13	2	-	2	2	4	17	3	16	11	-	1	21	11
2	96	14	18	2	15	1	-	23	6	-	2	1	1	13	3	10	17	8	7	33	12
-	43	15	13	2	1	3	2	13	2	3	-	1	2	7	11	7	8	1	2	10	13
2	143	23	37	4	2	5	3	24	3	3	5	2	4	23	4	32	14	3	5	33	14
3	16	4	1	-	2	1	-	7	1	3	2	-	-	7	5	1	3	-	2	11	15
2	50	13	20	9	4	4	1	12	-	4	2	2	1	17	15	9	17	5	4	23	16
3	67	25	15	3	4	5	-	19	3	10	1	-	4	13	5	10	15	3	6	19	17
-	82	20	25	3	8	3	4	11	5	-	1	-	2	4	2	3	9	-	3	24	18
-	87	30	14	2	11	4	1	24	3	6	4	1	5	10	-	13	11	5	4	22	19
3	99	64	37	4	12	12	6	29	2	10	2	4	3	38	27	15	22	3	6	47	20
1	33	12	15	1	4	1	-	4	-	-	1	-	-	8	1	1	3	1	-	7	21
2	66	52	22	3	8	11	6	25	2	10	1	4	3	30	26	14	19	2	6	40	22
1	89	25	26	6	9	7	2	4	7	2	3	1	5	9	-	18	12	4	1	31	23
7	376	78	53	13	27	14	14	74	5	7	12	3	14	65	25	39	65	12	32	86	24
7	270	57	30	8	23	9	11	40	4	5	8	1	10	40	15	20	40	6	17	62	25
-	106	21	23	5	4	5	3	34	1	2	4	2	4	25	10	19	25	6	15	24	26
-	36	8	6	2	6	2	-	8	-	-	2	-	-	8	1	7	3	2	3	7	27
13	393	75	39	10	26	17	13	56	10	5	8	1	13	62	14	31	64	13	19	94	28
3	116	33	9	2	10	3	5	14	3	4	2	1	2	28	6	3	29	4	5	33	29
10	277	42	30	8	16	14	8	42	7	1	6	-	11	34	8	28	35	9	14	61	30
5	97	60	28	5	12	5	10	22	4	6	2	-	11	24	49	29	22	6	2	30	31
2	43	30	10	1	8	3	5	8	1	-	2	-	6	3	19	14	6	4	1	17	32
3	54	30	18	4	4	2	5	14	3	6	-	-	5	21	30	15	16	2	1	13	33
1	85	12	14	2	16	2	1	13	2	1	2	2	3	9	3	10	9	1	4	18	34
-	30	5	4	2	9	1	1	5	1	-	1	1	1	1	-	-	-	-	2	6	35
1	55	7	10	-	7	1	-	8	1	1	1	1	2	8	3	10	9	1	2	12	36
5	78	22	8	5	7	2	-	20	-	1	1	3	3	16	13	9	13	-	5	22	37
2	178	33	26	2	24	6	13	33	5	2	4	-	6	16	11	23	30	12	5	50	38
2	63	13	6	-	11	1	9	10	2	-	4	-	2	2	4	8	5	4	1	15	39
-	115	20	20	2	13	5	4	23	3	2	-	-	4	14	7	15	25	8	4	35	40
55	1,917	113	270	30	157	92	37	229	48	24	56	6	76	254	90	260	278	79	23	473	41
22	777	47	102	11	64	35	12	90	24	5	27	1	33	125	28	98	86	31	10	200	42
33	1,140	66	168	19	93	57	25	139	24	19	29	5	43	129	62	162	192	48	13	273	43
5	219	10	27	2	16	13	3	25	7	2	8	-	7	29	8	23	19	9	-	49	44
5	163	9	21	1	12	11	2	20	5	1	8	-	3	24	7	18	14	8	-	38	45
-	56	1	6	1	4	2	1	5	2	1	-	-	4	5	1	5	5	1	-	11	46
50	1,698	103	243	28	141	79	34	204	41	22	48	6	69	225	82	237	259	70	23	424	47
17	614	38	81	10	52	24	10	70	19	4	19	1	30	101	21	80	72	23	10	162	48
33	1,084	65	162	18	89	55	24	134	22	18	29	5	39	124	61	157	187	47	13	262	49
-	11	1	3	-	4	-	2	4	-	-	-	-	-	-	-	-	1	1	-	2	50
1	62	6	9	2	6	2	1	10	1	-	5	-	4	9	-	7	7	3	-	15	51
1	44	5	6	2	6	2	-	6	1	-	5	-	2	7	-	3	4	1	-	12	52
-	18	1	3	-	-	-	1	4	-	-	-	-	2	2	-	4	3	2	-	3	53
-	2	-	-	-	-	1	-	1	-	-	-	-	-	2	1	3	4	-	-	1	54
1	40	2	5	3	3	1	-	4	-	1	1	-	-	3	-	1	3	1	-	4	55
3	62	-	6	1	3	4	1	3	2	-	-	-	2	5	-	6	3	2	5	10	56
1	38	-	1	1	2	1	1	1	2	-	-	-	2	5	-	1	-	-	-	6	57
2	24	-	5	-	1	3	-	2	-	-	-	-	-	-	-	5	3	2	5	4	58
2	89	5	6	2	9	4	1	7	3	1	3	-	6	9	11	9	10	5	-	30	59
2	68	4	5	2	5	2	-	4	3	1	2	-	4	8	4	7	8	5	-	18	60
-	21	1	1	-	4	2	1	3	-	-	1	-	2	1	7	2	2	-	-	12	61
-	22	2	1	-	3	1	-	4	-	-	-	-	4	4	-	5	1	1	1	1	62
-	1	1	-	-	-	-	1	-	-	-	-	-	1	3	-	1	3	-	1	3	63
4	31	-	12	-	2	-	-	3	-	-	1	-	2	2	2	4	3	1	1	9	64
-	8	1	1	1	-	-	-	2	1	-	-	-	2	1	-	2	-	1	-	2	65
-	35	-	2	-	3	-	-	4	-	-	1	-	2	3	5	3	2	1	-	6	66
-	33	2	3	-	1	1	-	1	-	-	1	-	1	-	-	2	3	-	-	7	67
-	32	2	1	-	1	-	1	3	1	-	1	-	3	1	1	6	1	-	-	5	68
5	61	3	12	1	1	2	1	9	2	-	-	-	3	8	2	9	4	2	-	19	69
2	45	3	9	-	-	2	1	7	2	-	-	-	2	7	2	9	2	2	-	13	70
3	16	-	3	1	1	-	-	2	-	-	-	-	1	1	-	-	2	-	-	6	71
-	19	1	2	-	2	-	-	2	-	4	-	-	-	1	-	3	4	1	-	6	72
-	14	-	1	1	1	3	-	4	1	-	1	-	-	2	2	2	4	2	-	3	73
-	63	6	3	-	7	4	2	8	1	-	-	-	2	10	-	7	2	1	-	13	74
-	51	4	3	-	6	2	1	6	1	-	-	-	1	9	-	4	1	-	-	8	75
-	12	2	-	-	1	2	1	2	-	-	-	1	1	1	-	3	1	1	-	5	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330 334)	Diseases of heart (400-402,410-443)
SOUTH DAKOTA--CON.																
DAY	120	1	-	-	24	10	3	1	4	-	1	5	2	71	14	47
DEUEL	58	-	-	-	10	5	-	1	1	-	1	2	3	28	8	14
DEWEY	50	1	-	1	7	1	1	2	2	-	-	1	3	20	3	15
DOUGLAS	47	-	-	-	5	-	1	3	1	-	-	-	-	30	7	20
EDMUNDS	51	-	-	-	4	1	-	-	3	-	-	-	4	31	10	20
FALL RIVER	112	-	-	-	20	8	2	2	2	1	2	3	1	50	4	43
FAULK	52	-	-	1	7	2	-	1	-	1	1	2	1	31	10	19
GRANT	101	-	-	-	12	6	2	-	2	-	-	2	1	55	14	36
GREGORY	74	-	-	1	8	2	-	2	1	-	3	-	3	45	13	25
HAAKON	35	-	-	-	3	2	-	-	1	-	-	-	-	20	5	14
HAMLIN	72	-	-	-	7	2	1	1	3	-	-	-	1	43	13	29
HAND	68	1	-	-	10	2	-	-	3	-	2	3	4	34	2	25
HANSON	51	-	-	-	10	2	1	-	2	2	-	3	1	27	10	13
HARDING	25	-	-	-	2	-	-	-	-	1	-	1	2	11	3	7
HUGHES	92	-	-	1	12	5	1	2	1	1	-	2	2	47	9	35
PIERRE	69	-	-	-	11	5	1	2	-	1	-	2	1	31	6	23
BALANCE OF COUNTY	23	-	-	1	1	-	-	-	1	-	-	-	1	16	3	12
HUTCHINSON	111	-	-	-	23	5	3	2	4	2	-	7	1	52	14	37
HYDE	26	1	-	-	5	3	-	-	-	1	1	-	1	10	2	8
JACKSON	27	-	-	-	6	2	2	-	-	1	-	1	1	12	3	7
JERAULD	58	-	-	1	12	5	1	-	2	3	1	-	1	35	4	28
JONES	21	-	-	-	4	1	-	-	1	1	-	1	-	10	2	6
KINGSBURY	110	-	-	-	14	6	2	1	4	-	1	-	4	76	23	45
LAKE	110	-	-	-	14	-	3	1	2	2	1	5	-	65	14	44
LAWRENCE	192	1	1	1	23	7	5	1	2	-	2	6	4	108	22	80
LINCOLN	124	1	-	-	17	7	1	2	3	3	1	-	1	72	13	54
LYMAN	57	-	-	-	5	1	-	-	2	-	-	2	-	39	8	29
MC COOK	75	-	-	-	11	3	1	-	-	-	2	5	1	45	11	30
MC PHERSON	51	-	-	-	7	2	1	-	2	1	-	1	-	29	5	23
MARSHALL	67	-	-	-	11	5	-	2	2	-	1	1	1	36	7	25
MEADE	157	-	-	2	13	1	-	-	5	4	1	2	2	60	10	49
MELLETTE	25	1	-	-	5	1	2	-	1	-	-	1	-	10	1	7
MINER	56	-	-	1	6	2	-	1	2	-	1	-	-	28	3	23
MINNEHAHA	718	1	2	1	137	52	16	15	18	9	6	21	8	383	88	261
SIOUX FALLS	556	1	2	-	107	45	13	12	12	7	3	15	6	294	70	198
BALANCE OF COUNTY	162	-	-	1	30	7	3	3	6	2	3	6	2	89	18	63
MOODY	96	-	-	-	14	8	1	-	2	-	-	3	2	59	5	52
PENNINGTON	396	1	-	1	45	14	8	2	5	3	5	8	8	174	38	109
RAPID CITY	314	1	-	-	41	13	8	2	4	3	4	7	4	140	30	85
BALANCE OF COUNTY	82	-	-	1	4	1	-	-	1	-	1	1	4	34	8	24
PERKINS	61	-	-	1	7	3	-	-	2	-	1	1	2	33	8	23
POTTER	29	-	-	-	4	2	2	-	-	-	-	-	1	13	2	10
ROBERTS	157	1	-	1	25	12	-	3	4	2	1	3	5	78	22	48
SANBORN	47	-	-	-	5	-	1	-	2	-	1	1	2	30	10	17
SHANNON	77	3	-	5	2	1	-	-	-	-	-	1	3	14	-	9
SPINK	130	1	-	-	20	6	-	1	5	2	3	3	2	79	28	43
STANLEY	29	-	-	-	6	1	1	-	3	-	-	1	-	18	5	11
SULLY	23	-	-	-	7	1	-	3	1	-	-	2	-	11	4	6
TODD	42	-	-	1	2	-	1	1	-	-	-	-	1	13	1	10
TRIPP	76	-	-	1	8	2	1	-	2	-	2	1	3	46	8	32
TURNER	130	-	-	-	14	4	1	1	5	1	1	1	6	76	24	47
UNION	95	-	1	-	16	8	-	-	5	-	1	2	3	54	14	36
WALWORTH	73	-	-	-	18	3	1	2	3	1	3	5	-	40	8	30
WASHABAUGH	13	-	-	-	-	-	-	-	-	-	-	-	1	6	4	2
YANKTON	146	-	-	-	20	3	4	3	5	1	-	4	5	83	24	51
ZIEBACH	19	-	-	1	1	-	-	-	1	-	-	-	1	3	2	1
TENNESSEE	34,089	305	40	184	4,639	1,402	723	386	758	206	212	952	452	18,629	4,931	11,946
URBAN	17,271	151	27	80	2,451	751	400	221	401	116	99	463	226	9,401	2,572	5,969
RURAL	16,818	154	13	104	2,188	651	323	165	357	90	113	489	226	9,228	2,359	5,977
METROPOLITAN COUNTIES	15,074	119	27	77	2,221	658	397	194	340	100	89	443	198	7,983	2,127	5,064
URBAN	11,471	93	21	56	1,686	510	296	153	261	81	62	323	160	6,133	1,693	3,853
RURAL	3,603	26	6	21	535	148	101	41	79	19	27	120	38	1,850	434	1,211
NONMETROPOLITAN COUNTIES	19,015	186	13	107	2,418	744	326	192	418	106	123	509	254	10,646	2,804	6,882
URBAN	5,800	58	6	24	765	241	104	68	140	35	37	140	66	3,268	879	2,116
RURAL	13,215	128	7	83	1,653	503	222	124	278	71	86	369	188	7,378	1,925	4,766
ANDERSON	364	2	-	2	66	25	9	5	15	-	6	6	3	186	49	114
OAK RIDGE, PART	100	2	-	1	22	6	4	2	2	-	4	4	1	41	10	26
OAK RIDGE, TOTAL	100	2	-	1	22	6	4	2	2	-	4	4	1	41	10	26
BALANCE OF COUNTY	264	-	-	1	44	19	5	3	13	-	2	2	2	145	39	88
BEDFORD	284	3	2	4	27	10	3	1	3	-	4	6	4	187	37	134
SHELBYVILLE	126	1	1	2	15	4	2	1	2	-	3	3	2	79	16	59
BALANCE OF COUNTY	158	2	1	2	12	6	1	-	1	-	1	3	2	108	21	75
BENTON	139	2	-	3	18	8	2	-	1	2	-	5	-	86	14	70
BLEDSOE	78	-	-	-	15	2	2	1	6	-	2	2	1	33	9	22
BLOUNT	433	-	-	3	61	21	9	4	8	3	5	11	4	225	53	142
MARYVILLE	98	-	-	-	13	4	3	-	2	-	3	1	-	56	17	33
BALANCE OF COUNTY	335	-	-	3	48	17	6	4	6	3	2	10	4	169	36	109

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
2	43	-	2	1	6	1	2	3	3	-	-	-	-	4	1	4	1	1	-	5	3
-	10	2	2	1	1	4	-	3	-	-	-	-	1	2	-	3	4	-	-	4	4
-	11	2	2	-	-	1	1	-	-	-	1	1	-	1	-	4	5	-	-	6	5
-	16	2	2	-	-	2	1	-	1	1	-	-	1	1	-	1	3	1	-	3	6
1	18	1	-	-	1	-	1	1	-	-	1	-	1	2	-	1	3	-	-	3	7
2	35	2	4	1	-	2	6	2	-	-	2	-	1	5	10	3	1	4	1	6	8
-	15	-	4	1	1	-	2	-	-	-	1	1	-	5	-	1	1	-	-	2	9
-	30	4	2	1	2	1	1	2	1	-	1	-	1	1	2	8	3	-	-	14	10
-	20	2	3	1	3	3	-	3	-	-	-	-	1	2	5	1	2	1	1	1	11
-	11	1	2	-	1	-	-	1	-	-	1	-	-	3	1	1	2	-	-	3	12
3	24	1	1	-	-	1	-	-	-	-	-	1	1	2	1	6	3	-	-	7	13
																					14
1	20	2	2	-	4	2	1	-	-	1	1	-	-	1	-	5	5	1	-	5	15
-	12	1	-	1	1	1	1	1	-	-	2	-	-	3	-	2	-	-	1	4	16
-	7	-	-	-	1	-	-	1	-	-	1	-	-	1	1	-	2	-	-	4	17
2	24	3	6	1	2	-	-	2	1	1	1	-	-	4	1	6	4	2	1	2	18
-	17	1	5	-	2	-	-	1	1	1	1	-	-	4	1	4	4	2	1	2	19
2	7	2	1	1	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	20
1	30	1	5	-	1	-	-	5	-	-	1	-	-	6	-	8	3	2	-	10	21
-	7	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	2	-	-	4	22
-	6	-	1	-	1	1	-	-	-	-	2	-	-	1	-	1	-	-	-	4	23
1	20	1	6	-	3	-	-	2	1	-	1	-	-	-	1	2	-	-	-	2	24
-	5	-	1	1	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	4	25
																					26
-	38	2	5	-	4	3	1	2	-	-	-	-	-	2	1	1	4	-	-	6	27
1	32	5	6	2	3	2	-	3	-	-	1	-	2	4	-	4	7	2	-	8	28
1	58	1	20	-	2	2	2	4	1	1	1	-	1	6	1	6	13	2	-	18	29
4	34	8	8	1	3	1	-	6	2	1	-	-	1	6	-	3	8	1	-	5	30
-	24	2	3	-	1	1	-	2	-	-	1	-	1	3	1	2	2	1	-	-	31
-	23	1	6	-	1	3	-	3	1	2	1	-	-	3	1	1	1	2	-	3	32
2	18	1	2	-	-	-	1	2	-	-	-	-	1	2	-	3	2	-	-	5	33
-	21	-	4	-	3	1	-	4	1	-	1	-	1	3	-	1	1	3	1	3	34
1	41	2	5	-	-	1	-	3	1	1	-	-	1	6	5	13	41	2	1	6	35
-	3	2	2	-	-	1	1	1	-	-	-	-	1	-	5	-	1	-	-	1	36
-	19	-	4	-	2	-	-	4	-	-	-	-	-	4	-	2	1	2	-	8	37
																					38
5	219	10	27	2	16	13	3	25	7	2	8	-	7	29	8	23	19	9	-	49	39
5	163	9	21	1	12	11	2	20	5	1	8	-	3	24	7	18	14	8	-	38	40
-	56	1	6	1	4	2	1	5	2	1	-	-	4	5	1	5	5	1	-	11	41
1	20	6	25	-	1	1	-	3	1	-	-	-	-	2	-	6	1	1	-	7	42
3	93	7	6	2	17	6	2	19	7	1	3	1	4	33	-	23	27	3	5	41	43
3	75	4	3	2	16	6	1	16	4	1	2	-	3	25	-	17	21	3	5	31	44
-	18	3	3	-	1	-	1	3	3	-	1	1	1	8	-	6	6	-	-	10	45
-	22	1	-	-	2	-	-	2	-	-	1	-	-	3	-	3	4	1	-	4	46
-	8	-	2	-	-	1	-	-	-	-	-	-	-	3	-	2	3	1	-	2	47
1	42	3	2	-	2	4	2	10	1	-	1	-	1	7	2	4	7	1	-	13	48
-	17	-	-	-	3	-	-	2	-	-	1	-	1	1	-	2	1	-	-	2	49
1	4	-	4	1	2	1	1	10	1	3	-	-	-	4	7	8	8	1	3	5	50
1	37	-	5	1	7	-	-	3	1	-	-	-	1	2	1	3	7	2	-	8	51
																					52
1	9	-	1	-	2	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	53
-	6	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	2	-	-	1	54
1	7	-	2	-	-	-	2	4	-	-	-	-	2	4	5	3	-	1	-	6	55
-	29	-	3	1	3	2	-	1	-	-	-1	-	-	2	1	2	1	2	1	7	56
1	40	-	6	-	3	2	-	4	1	-	-	-	1	4	2	3	5	4	-	10	57
-	29	1	6	1	3	-	-	1	-	1	1	-	2	3	-	1	3	2	-	7	58
2	26	1	1	-	-	2	-	4	-	-	1	-	-	2	-	3	1	-	-	4	59
-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	-	1	60
-	47	1	3	-	3	3	2	1	1	-	3	-	2	5	1	7	6	1	-	11	61
-	-	1	-	-	-	-	-	1	-	1	1	-	2	-	1	3	1	-	-	3	62
																					63
																					64
222	8,633	1,453	1,638	361	757	374	260	1,387	212	146	203	40	410	1,351	1,078	906	1,073	406	263	2,365	65
																					66
109	4,212	760	888	195	329	209	127	698	108	76	126	21	214	722	487	361	518	180	153	1,271	67
113	4,421	693	750	166	428	165	133	689	104	70	77	19	196	629	591	545	555	226	110	1,094	68
																					69
108	3,546	667	743	193	295	196	108	601	92	66	114	15	212	707	457	322	456	160	147	1,100	70
76	2,640	528	609	151	208	147	81	477	76	43	91	14	142	523	336	205	330	111	118	856	71
32	906	139	134	42	87	49	27	124	16	23	23	1	70	184	121	117	126	49	29	244	72
114	5,087	786	895	168	462	178	152	786	120	80	89	25	198	644	621	584	617	246	116	1,265	73
33	1,572	232	279	44	121	62	46	221	32	33	35	7	72	199	151	156	188	69	35	415	74
81	3,515	554	616	124	341	116	106	565	88	47	54	18	126	445	470	428	429	177	81	850	75
																					76
3	88	11	12	4	10	4	5	9	-	1	4	1	4	17	17	8	13	6	1	24	77
1	19	2	4	-	4	-	1	1	-	-	2	1	1	6	4	2	4	3	-	9	78
1	19	2	4	-	4	-	1	1	-	-	2	1	1	6	4	2	4	3	-	9	79
2	69	9	8	4	6	4	4	8	-	1	2	-	3	11	13	6	9	3	1	15	80
-	91	24	19	2	6	3	5	12	-	-	2	-	1	4	3	8	6	4	1	16	81
-	37	11	11	-	2	1	1	3	-	-	1	-	1	-	2	4	2	2	1	10	82
-	54	13	8	2	4	2	4	9	-	-	1	-	-	4	1	4	4	2	-	6	83
3	44	12	11	-	2	-	-	5	-	-	-	-	1	6	3	3	7	-	-	5	84
-	19	1	2	-	2	-	-	6	1	-	-	-	2	4	6	1	1	3	1	4	85
3	120	14	5	7	14	4	5	28	2	2	1	-	6	18	17	10	15	7	2	32	86
-	30	3	-	2	2	1	1	5	-	-	-	-	-	5	3	2	1	2	1	10	87
3	90	11	5	5	12	3	4	23	2	2	1	-	6	13	14	8	14	5	1	22	88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi- politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TENNESSEE--CON.																
BRADLEY	341	5	-	3	44	16	4	5	7	2	3	7	8	166	48	111
CLEVELAND	201	4	-	2	28	12	1	3	5	1	1	5	5	94	29	62
BALANCE OF COUNTY	140	1	-	1	16	4	3	2	2	1	2	2	3	72	19	49
CAMPBELL	283	3	1	-	46	13	10	3	6	4	2	8	-	141	19	119
CANNON	90	-	-	1	9	3	-	1	2	1	-	2	1	54	9	38
CARROLL	293	4	-	-	34	9	4	3	9	3	2	4	4	193	40	117
CARTER	326	1	1	2	48	20	6	3	4	3	3	9	1	176	60	101
ELIZABETHTON	90	-	1	-	10	4	1	1	1	1	1	1	1	54	17	32
BALANCE OF COUNTY	236	1	-	2	38	16	5	2	3	2	2	8	-	122	43	69
CHEATHAM	115	3	-	-	16	5	3	2	2	-	1	3	-	61	12	39
CHESTER	106	1	-	1	18	3	2	2	3	3	2	3	5	68	19	35
CLAIBORNE	189	1	-	1	23	6	8	1	2	-	1	5	3	91	23	61
CLAY	84	3	-	-	12	3	2	1	1	-	2	3	2	48	6	31
COCKE	257	3	-	2	36	12	4	1	5	1	-	13	3	124	35	76
COFFEE	233	-	-	-	27	8	3	3	2	-	1	10	2	118	29	81
TULLAHOMA, PART	86	-	-	-	10	2	2	1	-	-	-	5	1	42	10	29
TULLAHOMA, TOTAL	88	-	-	-	11	2	2	1	-	-	-	6	1	43	10	30
BALANCE OF COUNTY	147	-	-	-	17	6	1	2	2	-	1	5	1	76	19	52
CROCKETT	154	-	-	2	24	8	3	-	6	-	1	6	-	99	34	61
CUMBERLAND	177	1	-	-	19	6	2	-	4	1	-	6	3	95	30	55
DAVIDSON	3,753	36	6	8	525	155	100	42	70	29	20	109	46	2,083	489	1,430
NASHVILLE	2,805	26	4	6	368	116	71	33	53	19	10	66	35	1,581	389	1,073
BALANCE OF COUNTY	948	10	2	2	157	39	29	9	17	10	10	43	11	502	100	357
DECATUR	82	-	-	1	13	4	-	1	2	-	1	5	-	35	14	19
DE KALB	114	-	-	2	10	3	4	2	-	-	-	1	3	63	16	38
DICKSON	206	2	-	1	21	12	2	-	1	2	-	4	1	132	30	98
DYER	349	4	-	1	43	19	4	3	9	1	3	4	4	201	56	117
DYERSBURG	191	1	-	1	21	6	1	3	8	-	2	1	2	120	38	64
BALANCE OF COUNTY	158	3	-	-	22	13	3	-	1	1	1	3	2	81	18	53
FAYETTE	214	-	1	2	18	4	2	3	3	-	1	5	2	97	34	51
FENTRESS	118	1	-	-	21	8	2	1	4	2	1	3	1	49	18	30
FRANKLIN	270	2	-	-	36	7	3	4	7	4	1	10	6	146	46	87
TULLAHOMA, PART	2	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1
BALANCE OF COUNTY	268	2	-	-	35	7	3	4	7	4	1	9	6	145	46	86
GIBSON	546	5	-	1	67	17	6	5	14	4	3	18	2	345	109	203
GILES	257	-	-	2	36	15	5	1	7	2	-	6	10	146	37	91
GRAINGER	112	2	-	-	12	3	2	-	2	1	-	4	2	60	17	42
GREENE	426	6	1	2	43	10	7	6	6	2	2	10	11	267	48	202
GREENVILLE	115	4	-	2	12	3	1	2	1	1	1	3	1	68	9	54
BALANCE OF COUNTY	311	2	1	-	31	7	6	4	5	1	1	7	10	199	39	148
GRUNDY	117	7	-	1	12	4	1	-	-	-	3	4	2	47	13	32
HAMBLEN	279	5	-	-	38	10	4	4	7	2	-	11	6	145	36	100
MORRISTOWN	164	4	-	-	23	7	3	3	3	-	-	7	2	86	17	62
BALANCE OF COUNTY	115	1	-	-	15	3	1	1	4	2	-	4	4	59	19	38
HAMILTON	2,344	25	2	15	345	100	71	27	53	15	12	67	27	1,151	324	724
CHATTANOOGA	1,568	16	1	8	225	66	45	15	35	11	6	47	17	765	215	479
EAST RIDGE	116	2	-	-	17	3	7	1	3	-	-	3	2	72	17	47
RED BANK-WHITE OAK	74	1	-	1	7	1	1	-	3	1	1	-	-	41	10	31
BALANCE OF COUNTY	586	6	1	6	96	30	18	11	12	3	5	17	8	273	82	167
HANCOCK	80	-	-	-	11	5	1	-	2	-	1	2	-	51	5	41
HARDEMAN	196	-	-	1	27	10	2	-	7	1	2	5	3	102	16	79
HARDIN	178	1	-	1	14	4	2	1	3	1	1	2	2	96	30	59
HAWKINS	275	2	-	4	32	10	6	4	4	-	1	7	6	160	40	100
HAYWOOD	229	1	-	1	19	5	-	3	7	1	1	2	4	111	35	73
HENDERSON	157	1	-	1	22	9	2	2	4	-	-	5	2	96	29	52
HENRY	313	3	-	3	46	22	6	4	7	2	1	4	11	188	50	126
HICKMAN	110	1	-	-	10	2	2	2	2	-	1	1	5	59	17	37
HOUSTON	56	2	-	-	10	1	2	-	3	1	1	2	1	32	14	17
HUMPHREYS	119	1	-	1	23	3	2	3	5	2	3	5	-	68	7	59
JACKSON	117	2	-	-	6	1	-	-	-	1	-	4	-	80	22	38
JEFFERSON	206	1	-	-	25	11	-	4	1	1	3	5	1	120	39	64
JOHNSON	107	1	-	-	15	2	1	-	4	1	1	6	1	52	13	36
KNOX	2,209	22	2	6	315	86	57	37	52	15	7	61	39	1,162	273	773
KNOXVILLE	1,376	16	1	3	195	57	30	26	33	12	4	33	26	722	196	462
BALANCE OF COUNTY	833	6	1	3	120	29	27	11	19	3	3	28	13	440	77	311
LAKE	102	2	-	-	16	4	3	1	4	1	1	2	-	47	15	26
LAUDERDALE	259	4	-	6	31	9	6	2	5	2	1	6	4	136	36	88
LAWRENCE	272	6	-	-	30	10	3	1	8	1	1	6	4	156	38	94
LEWIS	62	1	-	-	6	1	1	-	1	-	-	3	-	35	9	24
LINCOLN	268	1	-	2	27	11	2	4	5	-	1	4	2	153	45	95
LOUDON	241	3	-	1	33	10	5	1	2	3	2	10	4	121	30	80
MC MINN	298	1	-	1	33	14	4	-	6	1	2	6	5	174	41	118
ATHENS	90	-	-	-	16	8	-	-	3	1	-	4	1	42	11	28
BALANCE OF COUNTY	208	1	-	1	17	6	4	-	3	-	2	2	4	132	30	90
MC NAIRY	188	1	-	1	28	10	4	2	4	-	2	6	2	101	22	72
MACON	123	1	-	1	11	6	-	1	3	-	-	1	-	76	21	51
MADISON	690	9	1	3	97	33	18	7	16	3	5	15	9	387	117	243
JACKSON	450	7	1	1	60	20	12	3	10	2	2	11	6	253	81	154
BALANCE OF COUNTY	240	2	-	2	37	13	6	4	6	1	3	4	3	134	36	89

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
3	86	11	11	1	3	2	1	9	2	2	5	1	3	14	29	13	8	2	2	25	3
3	46	6	7	-	2	-	1	6	1	-	4	1	2	5	23	7	1	-	1	17	4
-	40	5	4	1	1	2	-	3	1	2	1	-	1	9	6	6	7	2	1	8	5
-	84	21	14	-	-	1	2	20	1	1	2	-	6	11	12	9	6	4	1	19	6
-	30	4	4	1	5	1	-	4	1	-	-	-	2	3	2	4	1	2	-	6	7
3	87	14	13	10	21	4	1	13	2	1	-	-	1	4	3	8	5	3	-	18	8
4	78	4	15	3	10	2	-	10	5	1	-	1	7	7	15	12	9	4	3	23	9
2	24	1	5	2	2	1	-	3	2	-	-	-	1	2	2	3	2	2	-	7	10
2	54	3	10	1	8	1	-	7	3	1	-	1	6	5	13	9	7	2	3	16	11
1	25	2	11	1	7	2	-	7	-	1	-	-	1	5	6	3	6	-	-	6	12
																					13
-	33	-	2	1	10	3	-	-	1	-	-	-	1	3	1	1	3	1	-	2	14
2	49	3	7	2	2	1	2	19	-	2	-	-	2	13	14	3	4	5	1	7	15
1	20	9	1	2	5	1	3	3	-	-	-	-	-	2	1	4	4	2	1	2	16
1	40	23	12	2	5	3	3	9	2	1	-	-	1	7	26	11	11	3	3	15	17
2	63	3	13	3	3	1	1	9	-	1	2	-	9	13	6	12	9	4	3	18	18
1	24	2	2	-	2	1	-	4	-	1	1	-	3	4	2	2	4	1	1	10	19
1	25	2	2	-	2	1	-	4	-	1	1	-	3	4	2	2	4	1	1	10	20
1	39	1	11	3	1	-	1	5	-	-	1	-	6	9	4	10	5	3	2	8	21
-	45	11	5	-	1	2	1	7	-	-	-	-	1	3	1	5	4	-	-	8	22
3	44	5	3	1	5	1	3	13	-	-	2	-	3	10	11	2	4	3	-	11	23
																					24
24	968	215	223	26	67	49	22	154	19	19	22	6	51	170	27	82	127	45	48	279	25
20	698	179	176	18	46	36	19	131	15	15	16	6	31	119	20	47	98	29	40	218	26
4	270	36	47	8	21	13	3	23	4	4	6	-	20	51	7	35	29	16	8	61	27
1	15	1	2	-	1	-	1	2	-	1	-	1	2	2	10	6	3	1	-	5	28
-	28	6	4	3	5	1	-	3	1	3	1	-	-	6	-	3	5	4	2	8	29
2	65	23	8	1	2	1	-	6	3	1	1	-	1	5	4	4	5	3	1	15	30
2	79	10	26	4	14	3	7	12	2	-	6	-	3	4	11	15	20	1	2	20	31
1	40	9	14	2	8	2	6	9	2	-	2	-	3	-	4	1	10	-	2	13	32
1	39	1	12	2	6	1	1	3	-	-	4	-	-	4	7	14	10	1	-	7	33
1	40	2	8	5	3	4	-	9	-	3	-	-	2	11	35	9	11	2	2	10	34
2	22	4	2	-	1	-	-	11	2	-	-	-	1	3	4	8	6	1	2	8	35
																					36
1	65	6	15	-	7	4	2	9	2	-	-	-	2	11	10	11	10	6	1	18	37
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
1	64	6	15	-	7	4	2	9	2	-	-	-	2	11	10	11	10	6	1	18	39
3	160	20	20	9	14	5	5	19	5	3	-	1	4	13	11	11	14	2	2	38	40
-	59	15	17	8	6	2	2	12	1	1	2	1	2	8	6	3	4	3	3	17	41
-	33	3	6	-	1	-	-	3	1	-	-	-	-	4	8	3	5	-	-	12	42
2	148	23	29	3	11	1	2	12	3	4	1	-	7	11	8	7	8	14	5	16	43
-	40	8	6	1	3	-	1	4	-	2	-	-	3	6	2	2	-	6	1	2	44
2	108	15	23	2	8	1	1	8	3	2	1	-	4	5	6	5	8	8	4	14	45
-	17	1	14	-	-	1	1	6	3	-	3	-	-	2	5	4	9	1	4	11	46
																					47
1	84	8	7	1	1	2	5	19	1	1	1	-	3	14	6	7	16	4	1	12	48
-	52	5	5	-	1	2	4	10	-	1	1	-	3	8	3	3	8	3	1	8	49
1	32	3	2	1	-	-	1	9	1	-	-	-	-	6	3	4	8	1	-	4	50
19	527	89	89	15	41	27	20	102	22	9	27	1	91	106	131	44	85	17	31	173	51
10	345	63	61	11	30	17	13	67	15	6	24	1	16	72	101	21	58	11	23	121	52
1	39	4	3	-	3	3	2	5	1	-	-	-	2	2	4	2	2	1	-	4	53
2	24	-	5	-	-	-	-	3	-	-	1	-	2	3	4	4	1	-	-	6	54
6	119	22	20	4	8	7	5	27	6	3	2	-	11	29	22	17	24	5	8	42	55
2	35	2	2	-	3	-	-	2	-	-	1	-	-	5	1	4	2	-	-	3	56
-	66	7	6	2	4	1	-	6	-	-	1	1	4	7	5	13	6	1	1	18	57
																					58
3	44	5	7	3	1	3	-	13	2	1	1	-	4	2	7	5	6	2	4	17	59
6	63	10	21	4	6	1	9	8	3	1	-	-	2	7	9	12	5	2	2	20	60
2	37	28	6	-	1	2	-	10	-	1	1	1	4	10	33	2	14	3	1	13	61
-	45	7	-	5	9	1	-	3	2	-	1	-	-	5	9	6	3	2	-	4	62
1	105	10	10	2	7	1	2	8	3	1	2	-	2	2	5	12	2	5	2	18	63
-	28	3	6	-	4	1	-	4	-	-	-	1	-	7	5	7	2	2	-	7	64
-	15	2	-	-	1	-	-	2	1	1	-	-	-	1	-	-	-	2	-	4	65
-	29	9	21	-	1	1	-	4	-	-	-	-	1	3	-	4	4	-	1	9	66
1	30	4	3	4	13	1	2	6	-	-	2	-	-	1	4	1	1	4	3	7	67
1	49	8	6	1	14	2	-	7	1	1	-	-	3	10	5	5	10	2	1	14	68
2	25	6	3	1	-	1	1	6	1	1	-	-	2	5	8	6	1	2	-	6	69
																					70
16	610	79	68	17	50	30	19	72	18	7	24	-	21	71	117	48	58	34	15	178	71
4	369	51	38	12	21	18	13	46	15	2	14	-	11	40	92	20	27	17	12	117	72
12	241	28	30	5	29	12	6	26	3	5	10	-	10	31	25	28	31	17	3	61	73
-	24	1	1	-	3	1	2	8	2	-	-	-	2	8	2	1	3	2	1	8	74
-	68	10	10	4	5	-	3	14	3	2	1	1	2	11	6	7	6	3	1	21	75
4	61	4	25	4	13	4	3	9	2	1	-	1	3	15	5	9	13	3	-	15	76
-	18	4	2	-	-	1	1	2	1	-	-	-	-	3	2	5	3	1	-	3	77
2	57	15	21	1	6	5	1	19	-	2	4	1	1	14	7	9	8	5	1	12	78
-	52	25	3	2	2	1	6	10	3	2	-	1	2	9	9	10	6	2	2	23	79
2	82	17	17	3	7	2	3	15	1	1	2	-	5	12	5	9	11	4	2	17	80
1	19	3	5	1	1	1	-	2	-	1	-	-	1	6	2	3	4	3	2	7	81
1	63	14	12	2	6	1	3	13	1	-	2	-	4	6	3	6	7	1	-	10	82
																					83
1	67	3	1	-	4	3	-	5	1	1	1	1	1	3	11	8	5	1	-	17	84
1	38	6	6	-	3	-	1	4	2	-	-	-	1	4	-	4	3	2	1	13	85
2	189	33	19	8	10	8	1	32	-	5	-	1	6	26	34	11	20	6	2	41	86
2	116	25	11	6	6	5	1	20	-	3	-	1	4	17	21	6	14	4	-	32	87
-	73	8	8	2	4	3	-	12	-	2	-	-	2	9	13	5	6	2	2	9	88
																					89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Rates are deaths per 100,000 population in specified group. Population estimates are as of July 1, 1960. Metropolitan counties are those in standard metropolitan statistical areas (or New England). "Nonmetropolitan counties" include all other counties. Specified urban-rural areas are those in urban places of 2,500 inhabitants or more in the 1960 census. Rural areas are those outside urban places. Urban places are those within standard metropolitan statistical areas (or New England economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TENNESSEE--CON.																
MARION	214	3	1	-	32	11	4	3	3	4	2	5	3	122	28	91
MARSHALL	192	1	1	1	19	3	3	-	4	3	3	5	3	110	36	66
MAURY	451	7	1	3	52	11	9	8	9	1	4	10	4	274	58	182
COLUMBIA	200	4	1	1	28	6	5	5	3	1	3	5	1	112	25	71
BALANCE OF COUNTY	251	3	-	2	24	5	4	3	6	-	1	5	3	162	33	111
MEIGS	57	1	-	1	6	3	2	-	1	-	-	-	2	31	13	16
MONROE	207	1	-	3	29	9	5	3	4	-	-	8	5	110	28	69
MONTGOMERY	417	1	-	4	52	12	7	2	9	3	2	17	3	206	76	110
CLARKSVILLE	192	1	-	2	21	5	4	2	5	1	1	3	1	95	35	50
BALANCE OF COUNTY	225	-	-	2	31	7	3	-	4	2	1	14	2	111	41	60
MOORE	28	1	-	-	3	2	-	-	1	-	-	-	1	15	7	5
MORGAN	99	1	-	1	11	3	-	1	1	1	1	4	2	55	15	34
OBION	294	3	1	-	51	22	5	4	8	3	1	8	2	177	38	126
OVERTON	156	2	-	2	17	4	2	4	4	-	-	3	3	87	21	58
PERRY	57	-	-	-	8	3	3	-	1	-	-	1	2	32	6	26
PICKETT	44	1	-	-	4	1	-	-	1	1	1	-	-	22	5	13
POLK	113	2	-	1	15	4	1	1	2	-	2	5	3	62	15	43
PUTNAM	275	2	-	2	36	10	9	3	9	1	1	3	3	163	24	122
RHEA	157	-	-	3	15	6	3	-	2	-	1	3	4	91	22	60
ROANE	298	5	-	1	48	11	5	6	9	1	3	13	3	160	49	98
OAK RIDGE, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BALANCE OF COUNTY	298	5	-	1	48	11	5	6	9	1	3	13	3	160	49	98
ROBERTSON	273	2	-	-	28	5	4	-	9	-	3	7	5	157	42	100
RUTHERFORD	433	3	-	3	58	14	9	7	11	5	-	12	6	227	73	134
MURFREESBORO	181	1	-	1	27	6	5	4	6	2	-	4	4	93	32	52
BALANCE OF COUNTY	252	2	-	2	31	8	4	3	5	3	-	8	2	134	41	82
SCOTT	149	3	-	-	19	4	2	1	6	-	-	3	-	74	18	51
SEQUATCHIE	44	1	-	-	6	3	-	1	-	-	-	2	-	24	9	12
SEVIER	207	1	-	2	28	9	2	4	6	-	3	4	3	116	26	82
SHELBY	5,971	34	17	43	909	271	151	79	142	38	39	189	79	3,176	939	1,881
MEMPHIS	5,109	29	14	36	795	245	131	70	122	34	31	162	75	2,741	810	1,626
BALANCE OF COUNTY	862	5	3	7	114	26	20	9	20	4	8	27	4	435	129	255
SMITH	150	1	-	-	17	5	2	1	3	-	-	6	3	92	35	53
STEWART	90	1	-	1	8	2	1	1	1	-	-	3	1	56	14	39
SULLIVAN	781	9	-	-	119	27	27	9	20	3	4	29	8	400	88	284
BRISTOL[7]	180	-	-	-	24	4	5	1	4	2	2	6	3	99	21	70
KINGSPORT	178	3	-	-	32	12	10	2	4	1	1	2	-	82	20	55
BALANCE OF COUNTY	423	6	-	-	63	11	12	6	12	-	1	21	5	219	47	159
SUMNER	365	4	-	4	61	20	7	8	7	6	1	12	4	218	55	143
TIPTON	281	2	1	1	31	6	7	2	9	-	3	4	4	136	46	73
TROUSDALE	63	-	-	1	5	-	1	-	2	-	-	2	1	34	9	17
UNICOI	131	2	-	-	12	6	-	2	1	1	-	2	-	82	24	52
UNION	76	3	-	-	7	3	-	1	2	-	-	1	2	47	14	30
VAN BUREN	35	-	-	1	4	2	-	1	1	-	-	-	-	26	6	18
WARREN	220	2	-	1	31	6	7	2	6	2	2	6	-	137	32	97
WASHINGTON	631	7	-	6	92	26	13	12	15	4	5	17	7	344	102	210
JOHNSON CITY	340	5	-	2	47	9	5	9	9	3	3	9	2	203	63	129
BALANCE OF COUNTY	291	2	-	4	45	17	8	3	6	1	2	8	5	141	39	81
WAYNE	104	2	-	-	12	5	-	-	4	2	-	1	-	66	14	49
WEAKLEY	303	-	-	1	43	18	4	1	6	1	3	10	8	173	38	110
WHITE	180	1	-	-	23	8	4	1	3	1	1	5	1	122	32	73
WILLIAMSON	251	2	-	3	25	8	2	2	6	-	1	6	3	144	37	98
WILSON	304	-	1	2	33	11	4	2	4	1	3	8	-	180	60	105
LEBANON	118	-	1	2	12	7	1	-	2	-	-	2	-	67	21	39
BALANCE OF COUNTY	186	-	-	-	21	4	3	2	2	1	3	6	-	113	39	66
TEXAS	80,752	506	188	627	12,193	3,648	2,082	946	1,849	524	688	2,456	1,288	40,609	9,487	27,648
URBAN	57,618	396	144	453	8,819	2,597	1,575	704	1,348	385	473	1,737	903	28,594	6,530	19,579
RURAL	23,134	110	44	174	3,374	1,051	507	242	501	139	215	719	385	12,015	2,957	8,069
METROPOLITAN COUNTIES	46,382	323	111	338	7,303	2,118	1,335	602	1,079	307	408	1,454	735	22,608	4,982	15,659
URBAN	40,879	288	102	294	6,483	1,898	1,189	528	967	277	347	1,277	651	19,901	4,384	13,764
RURAL	5,503	35	9	44	820	220	146	74	112	30	61	177	84	2,707	598	1,895
NONMETROPOLITAN COUNTIES	34,370	183	77	289	4,890	1,530	747	344	770	217	280	1,002	553	18,001	4,505	11,989
URBAN	16,739	108	42	159	2,336	699	386	176	381	108	126	460	252	8,693	2,146	5,815
RURAL	17,631	75	35	130	2,554	831	361	168	389	109	154	542	301	9,308	2,359	6,174
ANDERSON	355	2	1	-	42	20	5	2	5	1	3	6	3	212	37	158
PALESTINE	200	1	-	-	19	10	2	1	1	-	3	2	1	126	25	92
BALANCE OF COUNTY	155	1	1	-	23	10	3	1	4	1	-	4	2	86	12	66
ANDREWS	55	-	-	-	9	3	2	-	2	-	1	1	1	21	2	18
ANDREWS	50	-	-	-	9	3	2	-	2	-	1	1	1	18	1	16
BALANCE OF COUNTY	5	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2
ANGELINA	374	2	1	2	63	19	8	4	9	3	6	14	3	218	57	143
LUFKIN	172	1	1	1	29	11	6	1	2	1	3	5	2	99	25	66
BALANCE OF COUNTY	202	1	-	1	34	8	2	3	7	2	3	9	1	119	32	77
ARANSAS	73	-	-	-	8	-	1	4	-	-	-	3	-	47	7	37
ARCHER	54	-	-	-	12	6	3	1	1	-	-	1	-	31	5	25
WICHITA FALLS, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BALANCE OF COUNTY	54	-	-	-	12	6	3	1	1	-	-	1	-	31	5	25

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
1	67	10	13	-	2	1	-	5	2	1	3	1	-	5	7	6	5	-	4	14	5
-	50	7	9	1	6	1	-	5	1	1	-	1	1	8	2	10	8	3	-	15	6
2	130	27	23	3	21	6	4	22	1	2	2	-	2	12	3	10	14	6	4	32	7
1	47	16	7	1	9	3	3	10	1	1	2	-	1	6	1	7	4	2	2	16	8
1	83	11	16	2	12	3	1	12	-	1	-	-	1	6	2	3	10	4	2	16	9
-	11	1	4	1	1	-	-	5	-	-	-	-	-	2	2	-	2	-	2	3	10
3	45	13	8	1	9	1	2	12	-	-	2	-	4	6	2	5	7	3	3	13	11
1	77	10	22	3	8	2	7	16	3	2	1	-	8	22	20	21	20	6	1	31	12
1	38	2	9	2	3	1	4	6	1	1	-	-	5	14	6	7	13	6	1	12	13
-	39	8	13	1	5	1	3	10	2	1	-	-	3	8	14	14	7	-	-	19	14
1	2	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	2	1	-	5	15
																					16
-	21	2	11	2	1	2	1	4	1	-	-	-	-	6	8	3	3	2	1	1	17
2	106	10	8	3	5	3	2	9	4	1	1	1	2	8	1	3	9	2	1	19	18
-	38	7	13	-	4	3	1	7	2	2	-	2	2	4	6	3	3	2	-	12	19
1	21	2	2	-	-	-	-	4	1	-	-	-	-	1	-	1	2	2	-	4	20
-	8	2	3	1	1	1	1	2	1	-	-	-	-	3	4	1	1	-	-	5	21
-	35	6	2	-	1	1	2	5	-	-	1	-	3	4	5	3	2	-	-	7	22
1	93	16	12	3	12	2	-	4	2	1	-	-	7	3	8	6	9	6	-	23	23
1	46	3	10	1	4	2	2	2	-	-	-	-	2	4	3	10	4	5	4	10	24
2	68	7	21	1	5	1	6	9	-	1	4	-	3	9	9	8	9	4	2	23	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
2	68	7	21	1	5	1	6	9	-	1	4	-	3	9	9	8	9	4	2	23	27
																					28
2	73	10	15	1	5	5	4	14	5	1	1	-	2	9	3	6	9	7	1	23	29
4	101	14	15	4	5	4	7	27	-	3	2	2	5	20	1	17	27	2	2	28	30
2	39	4	7	2	3	1	3	10	-	2	1	-	2	6	-	10	8	2	1	13	31
2	62	10	8	2	2	3	4	17	-	1	1	2	3	14	1	7	19	-	1	15	32
-	43	6	2	1	1	1	2	4	1	1	2	-	1	10	4	3	10	4	2	11	33
-	10	1	1	1	-	1	1	-	-	-	1	-	2	4	-	-	4	-	1	1	34
-	59	14	9	1	5	2	-	11	1	1	-	1	4	5	6	6	4	2	1	15	35
43	1,233	259	346	124	113	82	37	236	31	28	36	7	99	325	148	130	158	51	50	414	36
37	1,061	220	308	106	96	72	31	207	28	20	31	6	76	266	104	103	132	47	40	359	37
6	172	39	38	18	17	10	6	29	3	8	5	1	23	59	44	27	26	4	10	55	38
-	43	1	9	1	3	-	-	7	1	-	1	-	2	7	1	3	3	3	-	9	39
																					40
-	29	3	7	-	3	-	-	4	-	-	-	-	-	2	1	4	2	2	2	6	41
9	220	24	31	4	10	11	3	30	6	2	5	1	14	21	10	32	33	11	3	77	42
3	56	6	5	1	4	3	-	6	3	-	4	-	3	4	3	7	12	1	-	11	43
-	46	1	8	1	1	3	2	11	-	-	-	-	7	3	3	8	4	3	1	21	44
6	118	17	18	2	5	5	1	13	3	2	1	1	4	14	4	17	17	7	2	45	45
3	118	13	9	5	13	1	1	10	1	-	5	-	5	7	1	10	7	3	4	21	46
-	53	11	9	4	7	2	4	16	2	4	-	1	-	16	21	13	11	2	1	19	47
-	14	2	1	-	7	1	-	8	-	-	-	-	1	2	-	1	3	3	-	4	48
1	46	3	2	1	3	-	2	2	2	-	2	-	-	6	3	7	4	-	-	9	49
-	18	1	11	1	-	2	-	4	-	-	-	-	-	4	3	-	2	-	-	4	50
1	6	5	6	-	1	1	-	2	-	1	-	-	-	-	-	-	1	-	-	-	51
																					52
3	53	8	33	-	1	3	4	7	2	-	3	-	1	5	7	4	4	1	-	15	53
7	159	20	24	2	9	14	7	29	6	5	2	-	5	21	24	20	14	9	5	35	54
4	101	12	12	-	-	7	4	9	1	3	1	-	1	11	11	9	7	3	3	22	55
3	58	8	12	2	9	7	3	20	5	2	1	-	4	10	13	11	7	6	2	13	56
-	37	6	6	-	2	1	-	1	1	-	-	-	-	5	3	6	1	-	-	7	57
1	101	4	4	12	6	5	2	9	5	-	5	-	3	3	6	9	9	4	1	24	58
-	63	4	6	2	12	3	-	-	-	1	-	-	-	10	5	3	6	3	-	9	59
-	69	6	23	-	8	-	1	17	-	1	-	-	2	6	2	4	10	6	3	23	60
-	74	18	13	1	9	2	3	7	2	-	1	1	1	11	11	6	15	4	2	27	61
-	25	5	9	-	4	2	1	2	-	-	-	-	-	6	4	3	9	1	1	10	62
-	49	13	4	1	5	-	2	5	2	-	1	1	1	5	7	3	6	3	1	17	63
																					64
442	20,573	2,237	4,396	499	1,396	944	635	2,970	393	660	845	111	1,193	3,905	1,625	2,536	3,105	913	738	6,347	65
																					66
319	14,732	1,586	2,942	370	988	678	449	2,114	296	454	703	76	962	3,078	938	1,689	2,140	673	577	4,609	67
123	5,841	651	1,454	129	408	266	186	856	97	206	142	35	231	827	687	847	965	240	161	1,738	68
																					69
278	11,953	1,236	2,192	300	761	566	340	1,701	236	320	646	62	822	2,569	655	1,380	1,767	591	525	3,690	70
245	10,542	1,075	1,902	275	671	495	312	1,481	214	274	595	53	732	2,305	538	1,166	1,536	513	475	3,278	71
33	1,411	161	290	25	90	71	28	220	22	46	51	9	90	264	117	214	231	78	50	412	72
164	8,620	1,001	2,204	199	635	378	295	1,269	157	340	199	49	371	1,336	970	1,156	1,338	322	213	2,657	73
74	4,190	511	1,040	95	317	183	137	633	82	180	108	23	230	773	400	523	604	160	102	1,331	74
90	4,430	490	1,164	104	318	195	158	636	75	160	91	26	141	563	570	633	734	162	111	1,326	75
																					76
2	100	25	31	3	6	4	4	4	-	2	1	-	1	8	32	5	8	4	2	28	77
-	68	8	16	2	3	3	1	1	-	2	1	-	1	6	16	5	5	-	2	14	78
2	32	17	15	1	3	1	3	3	-	-	-	-	-	2	16	-	3	4	-	14	79
-	15	2	1	-	-	-	1	3	-	1	-	-	1	5	3	4	3	-	2	2	80
-	13	2	1	-	-	-	1	3	-	1	-	-	-	5	3	4	3	-	2	1	81
-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	82
3	108	27	5	-	17	1	-	12	-	1	1	-	3	17	2	6	13	6	-	24	83
2	48	13	3	-	7	1	-	6	-	-	-	-	1	10	2	2	6	2	-	10	84
1	60	14	2	-	10	-	-	6	-	1	1	-	2	7	-	4	7	4	-	14	85
-	30	3	4	-	-	2	1	3	1	-	-	-	1	2	1	1	7	-	1	1	86
1	19	1	4	-	-	1	-	2	-	-	1	-	-	1	1	-	2	1	-	3	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
1	19	1	4	-	-	1	-	2	-	-	1	-	-	1	1	-	2	1	-	3	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TEXAS--CON.																
ARMSTRONG	24	-	-	-	4	1	1	1	1	-	-	-	1	10	5	4
ATASCOSA	161	2	-	1	24	7	5	3	2	-	-	5	4	81	20	59
AUSTIN	179	2	-	-	31	13	5	1	4	2	3	3	2	105	37	60
BAILEY	74	1	-	-	6	1	1	-	1	-	1	2	2	40	6	31
BANDERA	48	-	-	-	9	3	2	-	2	1	-	1	1	31	8	20
BASTROP	217	-	2	2	24	4	5	3	5	1	1	5	7	129	25	98
BAYLOR	58	-	-	-	10	1	4	-	2	-	-	3	-	29	5	20
BEE	183	2	-	5	25	7	7	1	2	1	1	6	2	77	32	38
BEEVILLE	123	2	-	4	13	3	2	1	2	-	1	4	1	49	23	22
BALANCE OF COUNTY	60	-	-	1	12	4	5	-	-	1	-	2	1	28	9	16
BELL	759	5	2	3	79	19	13	4	11	4	6	22	13	350	92	235
KILLEEN	129	-	-	1	11	1	4	-	2	-	1	3	1	42	11	29
TEMPLE	305	4	2	1	37	12	6	2	5	2	2	8	6	151	35	105
BALANCE OF COUNTY	325	1	-	1	31	6	3	2	4	2	3	11	6	157	46	101
BEXAR	5,427	58	12	42	882	287	145	66	124	43	47	170	113	2,610	578	1,768
SAN ANTONIO	4,885	52	12	39	783	257	129	58	114	37	35	153	104	2,364	521	1,606
BALANCE OF COUNTY	542	6	-	3	99	30	16	8	10	6	12	17	9	246	57	162
BLANCO	42	-	-	1	5	3	-	-	-	-	1	1	2	25	8	16
BORDEN	11	-	-	-	1	-	-	-	-	-	-	1	-	6	-	5
BOSQUE	139	-	-	-	18	7	2	-	1	2	2	4	1	91	21	60
BOWIE	585	4	4	4	99	37	15	8	8	2	3	26	6	287	69	196
TEXARKANA[8]	298	2	3	2	51	18	8	4	6	2	2	11	3	138	38	90
BALANCE OF COUNTY	287	2	1	2	48	19	7	4	2	-	1	15	3	149	31	106
BRAZORIA	480	4	-	4	84	18	16	9	13	2	5	21	1	238	44	169
FREEPORT	63	1	-	-	15	2	3	1	5	-	1	3	-	32	4	26
BALANCE OF COUNTY	417	3	-	4	69	16	13	8	8	2	4	18	1	206	40	143
BRAZOS	352	-	-	7	46	14	11	4	7	1	2	7	3	181	34	130
BRYAN	256	-	-	5	35	11	8	3	5	1	2	5	3	132	27	95
COLLEGE STATION	34	-	-	2	6	2	2	1	1	-	-	-	-	15	1	13
BALANCE OF COUNTY	62	-	-	-	5	1	1	-	1	-	-	2	-	34	6	22
BREWSTER	50	-	-	-	8	2	2	-	1	-	-	3	-	27	10	13
BRISCOE	48	-	-	1	5	1	1	-	1	1	1	-	-	26	3	21
BROOKS	41	-	-	1	2	2	-	-	-	-	-	-	2	21	5	14
BROWN	322	1	1	4	55	15	8	3	10	3	3	13	4	177	33	131
BROWNWOOD	210	-	1	3	41	14	6	1	9	1	2	8	3	107	19	80
BALANCE OF COUNTY	112	1	-	1	14	1	2	2	1	2	1	5	1	70	14	51
BURLESON	136	2	-	1	21	9	2	1	4	1	-	4	-	78	24	46
BURNET	123	-	-	1	17	5	4	1	1	1	1	4	3	65	16	45
CALDWELL	205	3	-	1	30	6	6	2	10	-	1	5	4	113	25	78
CALHOUN	106	1	-	3	19	3	4	1	3	3	2	3	3	41	12	28
CALLAHAN	95	1	1	1	12	4	3	2	2	-	-	1	2	49	9	32
CAMERON	989	10	2	23	119	33	17	8	20	8	8	25	19	392	84	276
BROWNSVILLE	376	5	1	8	36	8	6	2	7	3	2	8	6	154	33	105
HARLINGEN	208	2	-	8	28	7	3	4	5	1	4	4	4	79	14	60
SAN BENITO	122	1	1	3	21	6	4	1	4	2	-	4	4	43	9	33
BALANCE OF COUNTY	283	2	-	4	34	12	4	1	4	2	2	9	5	116	28	78
CAMP	99	-	-	-	14	6	-	2	4	1	-	1	1	59	20	29
CARSON	45	-	-	1	5	1	-	-	-	-	1	3	2	17	7	7
CASS	269	1	1	1	39	7	7	2	11	1	1	10	8	146	37	94
CASTRO	54	-	-	1	9	2	-	1	1	1	1	3	-	22	6	15
CHAMBERS	68	1	-	-	7	2	3	-	1	1	-	-	2	32	5	25
CHEROKEE	348	2	1	1	50	14	14	3	5	1	3	10	2	209	72	122
CHILDRESS	142	-	-	1	19	2	6	3	5	1	-	2	2	76	25	49
CLAY	93	-	-	-	12	3	3	-	1	2	1	2	2	60	12	42
COCHRAN	46	-	-	-	-	-	-	-	-	-	-	-	1	24	5	18
COKE	41	-	-	-	9	4	2	1	1	-	-	1	2	13	2	10
COLEMAN	159	-	-	2	20	5	5	-	4	-	1	5	3	90	18	65
COLLIN	506	1	2	3	93	27	17	7	9	7	7	19	4	257	75	159
MC KINNEY	200	1	-	-	37	13	6	1	4	2	3	8	-	99	22	68
RICHARDSON, PART	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
BALANCE OF COUNTY	306	-	2	3	56	14	11	6	5	5	4	11	4	158	53	91
COLLINGSWORTH	79	-	-	-	14	5	2	-	1	-	2	4	1	45	15	27
COLORADO	237	-	-	-	33	12	4	3	6	1	-	7	6	133	33	87
COMAL	170	3	-	1	33	12	3	3	6	2	2	5	4	88	23	55
NEW BRAUNFELS	133	3	-	-	26	7	3	2	6	2	2	4	3	70	17	44
BALANCE OF COUNTY	37	-	-	1	7	5	-	1	-	-	-	1	1	18	6	11
COMANCHE	194	-	-	1	23	12	3	1	3	-	1	3	5	110	27	71
CONCHO	44	1	-	-	6	2	1	-	-	1	-	2	2	20	4	14
COOKE	269	1	1	-	41	18	6	-	8	1	-	8	2	155	46	103
GAINESVILLE	177	1	-	-	22	11	3	-	5	1	-	2	1	107	30	74
BALANCE OF COUNTY	92	-	1	-	19	7	3	-	3	-	-	6	1	48	16	29
CORYELL	164	-	1	-	18	5	4	4	-	1	1	3	11	96	24	65
COTTLE	36	-	-	-	8	4	1	-	3	-	-	-	-	19	1	16
CRANE	30	-	1	-	4	-	1	-	-	2	-	1	1	11	1	9
CROCKETT	24	-	-	-	5	2	1	-	1	-	-	1	-	10	-	9
CROSBY	87	-	-	2	12	9	1	-	2	-	-	-	1	39	8	29
CULBERSON	28	-	-	1	2	-	-	-	-	-	-	2	-	7	2	5
DALLAM	59	1	-	-	5	2	2	-	-	-	-	1	-	29	4	24

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	4	-	-	-	-	-	1	1	-	-	-	-	-	1	2	1	1	-	-	3	1
-	41	6	12	-	1	-	1	11	-	2	1	1	-	5	2	7	4	2	1	13	2
1	36	8	15	1	3	2	2	4	-	1	1	1	-	-	7	3	5	1	1	15	3
-	21	5	5	-	-	-	3	4	-	-	-	2	-	5	1	3	5	-	-	5	4
-	17	1	2	-	1	1	1	1	-	-	1	-	-	1	-	1	-	1	-	2	5
-	63	17	18	1	3	2	-	9	-	-	-	1	-	7	7	5	8	2	1	15	6
1	8	7	4	-	2	2	-	3	-	-	-	-	-	2	2	1	3	-	-	8	7
-	23	3	12	1	3	2	1	8	-	-	1	-	5	14	1	7	8	3	-	21	8
-	12	3	7	-	3	1	-	6	-	-	1	-	5	10	-	4	6	2	-	17	9
-	11	-	5	1	-	1	1	2	-	-	-	-	-	4	1	3	2	1	-	4	10
2	171	13	49	4	10	6	3	28	2	2	8	1	15	67	15	57	33	15	6	58	11
-	23	2	4	-	1	1	-	6	-	1	2	-	8	36	-	7	9	2	1	2	12
2	71	5	27	2	4	2	3	15	1	1	3	-	5	13	6	13	9	5	4	29	13
1	77	6	18	2	5	3	-	7	1	-	3	1	2	18	9	37	15	8	1	27	14
27	1,264	154	323	48	98	59	59	197	31	72	91	7	95	311	47	135	148	68	61	447	15
25	1,138	138	305	44	85	56	52	179	30	64	83	4	84	285	43	119	129	53	57	401	16
2	126	16	18	4	13	3	7	18	1	8	8	3	11	26	4	16	19	15	4	46	17
-	12	-	4	-	1	-	-	-	-	-	-	-	-	-	5	-	2	-	-	2	18
-	3	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	19
1	47	4	8	-	7	3	-	1	1	1	-	-	-	1	5	4	3	2	1	10	20
3	131	21	41	3	5	13	1	18	4	4	6	1	8	19	25	18	21	7	7	43	21
1	63	7	19	2	3	5	-	12	3	3	3	1	6	8	13	8	12	4	4	22	22
2	68	14	22	1	2	8	1	6	1	1	3	-	2	11	12	10	9	3	3	21	23
6	126	17	20	4	8	10	3	10	1	2	4	-	3	25	12	24	31	5	6	26	24
1	24	1	-	-	-	1	1	1	-	-	1	-	-	2	1	3	4	-	1	2	25
5	102	16	20	4	8	9	2	9	1	2	3	-	3	23	11	21	27	5	5	24	26
-	82	21	27	5	2	6	4	8	2	3	1	-	5	21	35	8	7	4	2	19	27
-	60	17	18	3	1	4	2	7	1	2	-	-	4	11	23	7	6	4	2	14	28
-	9	3	1	-	1	-	-	-	-	-	1	-	-	7	2	1	-	-	-	-	29
-	13	1	8	2	-	2	2	1	1	1	-	-	1	3	10	-	1	-	-	5	30
-	7	1	5	-	3	-	1	-	-	-	2	-	1	1	1	1	4	-	-	5	31
1	17	1	2	-	-	2	-	1	1	-	-	-	2	1	-	3	5	-	1	2	32
1	7	-	6	1	-	-	1	1	-	-	1	-	-	4	-	4	1	-	1	3	33
2	96	5	28	1	7	2	3	9	1	3	3	-	5	4	1	11	10	2	1	30	34
1	60	4	15	-	4	2	2	7	1	2	3	-	4	2	1	7	7	1	1	19	35
1	36	1	13	1	3	-	1	2	-	1	-	-	1	2	-	4	3	1	-	11	36
1	30	7	8	-	4	3	1	4	2	-	-	-	-	2	11	1	3	-	3	8	37
-	34	-	11	-	3	1	-	4	-	2	1	-	-	2	4	7	3	2	-	12	38
-	38	19	21	2	1	3	4	8	2	1	1	1	1	5	3	4	8	2	4	14	39
1	23	3	1	-	-	-	1	6	-	2	-	-	1	9	1	9	4	-	1	6	40
2	23	1	6	-	3	2	3	4	-	2	-	-	-	-	2	2	8	1	-	10	41
5	207	17	47	7	14	6	5	46	5	28	10	6	21	81	55	31	35	10	8	88	42
1	84	9	11	3	6	3	4	18	-	12	5	4	4	28	33	11	10	3	3	35	43
2	38	4	16	-	2	3	-	12	2	6	2	-	4	17	6	6	9	4	1	18	44
-	27	1	5	-	1	-	-	3	2	1	1	-	2	8	9	3	1	1	2	16	45
2	58	3	15	4	5	-	1	13	1	9	2	2	11	28	7	11	15	2	2	19	46
-	23	3	3	1	6	2	1	3	1	3	-	-	-	3	2	3	2	-	2	6	47
1	5	1	-	-	1	2	-	5	-	-	1	-	-	3	2	-	2	-	-	7	48
1	70	5	18	-	5	7	3	5	1	3	1	1	3	5	14	9	10	1	-	20	49
1	12	-	2	-	1	-	-	-	1	1	-	-	1	6	-	4	5	-	-	4	50
-	17	3	5	-	1	-	1	3	-	-	1	-	-	1	2	-	10	1	1	7	51
1	94	12	15	2	8	3	2	11	4	1	1	1	1	6	7	10	8	2	2	29	52
1	41	3	4	1	-	1	-	7	1	1	1	-	-	3	1	5	6	2	-	17	53
-	36	4	2	-	5	1	-	2	-	-	-	-	1	2	-	6	4	-	-	4	54
1	13	2	2	-	1	-	-	1	1	3	-	-	1	5	2	3	1	-	-	4	55
-	10	-	-	-	-	-	1	2	-	-	3	-	1	-	4	1	2	2	-	2	56
1	43	6	15	2	5	-	-	4	2	-	-	-	1	-	-	9	7	-	-	21	57
-	126	9	24	3	10	8	2	25	6	2	1	-	3	17	17	9	17	2	3	44	58
-	51	3	14	2	5	2	-	14	1	2	1	-	-	5	8	5	8	1	1	17	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
-	75	6	10	1	5	6	2	11	5	-	-	-	3	12	9	4	9	1	2	27	61
-	21	-	6	1	-	2	-	1	-	-	1	-	1	3	2	4	3	1	-	3	62
1	61	8	17	3	6	3	1	11	2	4	1	1	4	9	6	5	3	1	1	17	63
3	42	1	9	-	4	2	4	5	-	1	3	1	4	5	1	2	3	3	-	13	64
2	36	1	5	-	3	2	4	5	-	-	3	1	3	4	1	2	2	2	-	8	65
1	6	-	4	-	1	-	-	-	-	1	-	-	1	1	-	-	1	1	-	5	66
1	54	6	10	3	8	-	1	3	1	1	1	-	-	4	5	9	4	4	3	20	67
-	11	-	3	-	1	1	-	1	-	-	-	-	-	4	-	5	1	1	-	3	68
2	76	7	18	-	2	3	1	7	3	-	1	-	4	10	2	8	13	6	-	15	69
2	55	4	13	-	1	2	-	6	1	-	-	-	3	7	1	1	11	6	-	10	70
-	21	3	5	-	1	1	1	1	2	-	1	-	1	3	1	7	2	-	-	5	71
1	50	5	9	1	5	-	1	2	-	2	-	-	4	2	1	2	7	-	-	18	72
-	16	-	-	-	-	-	2	2	1	1	-	-	-	1	-	-	1	-	-	3	73
-	8	-	1	-	-	1	-	-	1	-	-	-	1	4	-	1	2	-	-	4	74
-	7	2	-	1	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	3	75
-	21	1	7	-	1	1	-	7	-	1	1	-	-	5	1	-	2	1	1	11	76
-	3	1	1	-	-	-	-	-	-	1	-	-	-	5	1	2	1	2	2	4	77
-	18	-	6	-	1	-	-	1	-	-	-	-	1	3	4	4	2	-	1	8	78

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TEXAS--CON.																
DALLAS	7,350	48	15	38	1,220	353	208	107	193	50	69	240	125	3,601	876	2,421
DALLAS	5,810	40	13	29	938	270	166	79	148	39	57	179	105	2,860	700	1,905
FARMERS BRANCH	44	-	-	-	6	2	2	-	1	-	1	-	2	17	2	15
GARLAND	153	-	-	1	37	14	3	3	6	-	3	8	1	51	12	36
GRAND PRAIRIE, PART	145	2	-	-	18	6	1	2	2	2	1	4	-	71	19	49
GRAND PRAIRIE, TOTAL	146	2	-	-	18	6	1	2	2	2	1	4	-	71	19	49
HIGHLAND PARK	122	-	-	-	35	6	6	3	7	4	3	6	3	68	25	40
IRVING	223	-	1	1	40	14	4	4	11	1	-	6	3	99	24	69
MESQUITE	130	-	-	3	20	4	5	1	5	-	1	4	2	57	12	41
RICHARDSON, PART	71	1	-	-	11	2	-	1	2	-	2	4	1	27	6	20
RICHARDSON, TOTAL	71	1	-	-	11	2	-	1	2	-	2	4	1	27	6	20
UNIVERSITY PARK	205	1	-	-	42	13	9	8	2	1	1	8	1	123	23	90
BALANCE OF COUNTY	447	4	1	4	73	22	12	6	9	3	-	21	7	228	53	156
DAWSON	161	1	1	1	20	5	5	1	5	3	-	1	2	65	14	46
LAMESA	109	-	1	1	14	3	5	1	4	1	-	-	2	46	10	32
BALANCE OF COUNTY	52	1	-	-	6	2	-	-	1	2	-	1	-	19	4	14
DEAF SMITH	99	-	-	2	14	4	1	2	1	1	1	4	-	41	11	28
DELTA	67	-	-	-	11	6	2	-	2	-	-	1	-	40	10	26
DENTON	450	1	-	4	69	27	11	5	9	2	3	12	3	251	60	168
DENTON	201	-	-	3	35	14	5	3	6	1	-	6	2	106	28	66
BALANCE OF COUNTY	249	1	-	1	34	13	6	2	3	1	3	6	1	145	32	102
DE WITT	249	2	-	5	31	13	5	1	2	2	1	7	6	148	42	83
DICKENS	55	-	-	1	6	-	1	-	3	-	-	2	-	27	3	21
DIMMIT	69	1	-	1	5	2	-	-	-	-	1	2	-	28	11	12
DONLEY	58	-	1	-	6	3	-	-	-	-	2	1	1	37	8	27
DUVAL	107	-	1	4	10	3	1	2	2	1	-	1	5	50	14	34
EASTLAND	288	3	1	1	35	13	6	5	4	1	5	1	4	169	40	109
ECTOR	446	-	-	4	62	18	12	6	11	2	3	10	8	192	38	137
ODESSA	406	-	-	4	53	15	11	4	10	2	3	8	7	177	37	124
BALANCE OF COUNTY	40	-	-	-	9	3	1	2	1	-	-	2	1	15	1	13
EDWARDS	29	-	-	-	2	-	1	-	-	-	-	1	-	14	5	8
ELLIS	528	3	1	5	64	13	10	3	20	2	2	14	10	298	79	199
WAXAHACHIE	168	-	1	1	21	4	5	1	4	-	1	6	2	98	30	62
BALANCE OF COUNTY	360	3	-	4	43	9	5	2	16	2	1	8	8	200	49	137
EL PASO	1,933	19	5	12	274	82	44	26	44	8	12	58	37	717	182	455
EL PASO	1,787	18	5	9	263	80	43	21	43	8	11	57	34	676	172	431
BALANCE OF COUNTY	146	1	-	3	11	2	1	5	1	-	1	1	3	41	10	24
ERATH	256	1	-	2	35	11	6	2	4	3	4	5	6	153	26	119
FALLS	310	-	2	1	40	14	9	1	6	1	1	8	5	173	55	102
FANNIN	336	1	1	-	46	16	8	3	6	1	3	9	4	219	46	155
FAYETTE	314	1	-	4	50	23	5	4	6	5	1	6	3	167	37	115
FISHER	90	1	-	-	11	3	-	1	-	1	-	6	1	46	11	27
FLOYD	112	-	-	1	11	2	-	3	2	1	-	3	1	61	16	39
FOARD	30	-	-	-	5	2	-	-	2	-	-	1	1	16	3	13
FORT BEND	335	3	-	2	55	15	12	3	8	5	-	12	8	145	33	103
FRANKLIN	65	1	-	-	7	2	-	1	1	-	1	2	2	44	15	24
FREESTONE	139	-	-	1	21	5	1	1	7	1	1	5	3	81	18	58
FRIO	92	-	-	4	11	3	1	-	1	2	-	4	2	51	9	40
GAINES	71	1	-	1	9	5	1	-	1	-	1	1	-	26	4	19
GALVESTON	1,141	5	3	11	181	52	41	6	20	8	8	46	22	620	141	430
GALVESTON	712	4	2	9	121	38	23	3	17	6	3	31	12	408	101	273
LA MARQUE	83	-	1	1	9	-	1	2	-	1	1	4	3	46	6	37
TEXAS CITY	165	1	-	1	28	10	7	1	2	1	1	6	5	75	15	57
BALANCE OF COUNTY	181	-	-	-	23	4	10	-	1	-	3	5	2	91	19	63
GARZA	57	1	-	-	6	2	-	1	-	-	1	2	-	28	9	19
GILLESPIE	136	1	-	-	16	6	-	1	3	1	2	3	1	88	25	62
GLASSCOCK	5	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3
GOLIAD	61	1	1	2	8	3	2	-	2	-	-	1	2	30	12	16
GONZALES	251	-	1	7	22	12	2	3	2	-	2	1	6	132	31	91
GRAY	214	-	-	-	38	7	7	1	4	3	7	9	2	106	22	72
PAMPA	166	-	-	-	35	5	7	1	4	3	6	9	-	77	16	53
BALANCE OF COUNTY	48	-	-	-	3	2	-	-	-	-	1	-	2	29	6	19
GRAYSON	822	3	3	2	120	36	14	14	19	4	6	27	10	459	134	288
DENISON	265	-	2	2	32	9	3	4	5	2	2	7	3	151	28	107
SHERMAN	249	-	-	-	36	12	4	6	4	-	1	9	4	134	50	74
BALANCE OF COUNTY	308	3	1	-	52	15	7	4	10	2	3	11	3	174	56	107
GREGG	615	-	4	2	104	31	19	9	13	4	6	22	23	322	82	217
KILGORE, PART	103	-	1	-	16	5	6	-	2	1	-	2	5	61	15	39
KILGORE, TOTAL	113	-	1	-	19	6	7	-	3	1	-	2	5	66	17	42
LONGVIEW	317	-	2	2	55	14	8	6	7	2	4	14	14	163	38	115
BALANCE OF COUNTY	195	-	1	-	33	12	5	3	4	1	2	6	4	98	29	63
GRIMES	185	1	-	-	30	11	4	3	5	1	1	5	4	107	26	71
GUADALUPE	273	2	1	2	43	14	7	4	6	1	3	8	5	157	45	93
SEGUIN	153	1	-	1	19	5	4	2	2	-	1	5	4	94	30	54
BALANCE OF COUNTY	120	1	1	1	24	9	3	2	4	1	2	3	1	63	15	39
HALE	325	-	-	6	34	12	5	2	3	2	3	7	3	161	48	100
PLAINVIEW	189	-	-	4	20	6	3	2	3	1	2	3	1	97	32	57
BALANCE OF COUNTY	136	-	-	2	14	6	2	-	-	1	1	4	2	64	16	43
HALL	91	-	-	1	14	2	4	3	3	-	-	2	-	47	13	29
HAMILTON	143	-	-	-	23	10	-	1	2	-	-	10	2	81	24	52

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
38	1,995	135	253	56	111	88	49	279	41	32	115	8	117	361	79	167	280	112	111	601	5
27	1,560	104	214	48	91	74	42	223	36	26	94	6	77	275	61	118	230	84	104	491	6
1	8	1	5	-	-	-	-	1	-	-	2	-	2	5	-	1	2	2	-	4	7
2	23	5	6	-	-	2	1	5	-	-	3	-	5	11	1	12	4	6	2	14	8
-	43	3	3	-	1	1	1	4	-	-	3	-	7	16	4	6	6	1	1	6	9
-	43	3	3	-	1	1	1	4	-	-	3	-	7	17	4	6	6	1	1	6	10
1	32	3	4	-	2	1	-	1	1	2	3	-	1	1	-	1	2	-	-	4	11
3	58	5	3	1	2	1	2	12	1	-	-	-	7	14	3	9	8	8	1	16	12
1	37	1	2	-	2	1	1	5	-	-	2	1	3	14	-	3	3	4	-	13	13
1	14	-	5	1	-	-	-	1	-	1	2	-	3	6	1	7	2	1	1	6	14
1	14	-	5	1	-	-	-	1	-	1	2	-	3	6	1	7	2	1	1	6	15
1	81	5	3	2	6	2	-	3	-	1	4	-	3	4	1	1	6	1	1	13	16
1	139	8	8	4	7	6	2	24	3	2	2	1	9	15	8	9	17	5	1	34	17
																					18
1	38	4	3	-	2	3	-	9	2	5	1	2	3	11	5	7	12	-	1	13	19
1	27	3	1	-	2	2	-	7	-	3	-	2	2	8	3	1	7	-	1	11	20
-	11	1	2	-	-	1	-	2	2	2	1	-	1	3	2	6	5	-	-	2	21
-	26	-	2	-	2	-	-	3	-	5	-	-	4	13	-	5	3	1	-	8	22
2	21	-	3	-	3	1	-	3	1	-	-	-	-	3	3	-	2	-	1	3	23
1	125	16	26	2	12	8	1	12	5	1	3	-	7	12	9	19	16	4	1	33	24
-	47	10	9	-	6	5	1	5	3	1	-	-	5	6	1	11	5	2	-	16	25
1	78	6	17	2	6	3	-	7	2	-	3	-	2	6	8	8	11	2	1	17	26
1	50	8	24	1	14	6	2	5	3	3	2	-	2	5	4	3	4	1	3	22	27
1	15	-	5	-	2	1	-	1	1	1	-	-	-	4	1	5	5	-	-	3	28
1	8	-	3	3	-	-	2	2	2	3	-	1	2	4	4	4	6	-	-	6	29
-	24	1	2	-	2	-	-	3	2	-	-	-	-	-	-	1	4	-	-	3	30
																					31
-	23	2	9	1	-	-	1	3	1	2	2	-	1	4	4	4	3	1	-	12	32
2	81	7	19	1	9	7	3	8	3	2	-	-	2	5	6	8	6	2	1	32	33
5	102	4	26	1	4	8	4	14	2	5	4	-	11	24	14	26	27	14	7	32	34
4	93	4	23	1	3	8	4	14	2	4	4	-	11	23	11	25	24	12	4	31	35
1	9	-	3	-	1	-	-	-	-	1	-	-	-	1	3	1	3	2	3	1	36
-	7	-	1	-	-	1	-	1	-	1	-	-	1	4	-	4	1	-	-	1	37
2	119	24	54	1	14	3	2	24	1	3	-	1	7	15	17	21	20	-	7	31	38
1	43	2	16	1	5	-	-	5	1	-	-	-	3	3	9	9	5	-	1	9	39
1	76	22	38	-	9	3	2	19	-	3	-	1	4	12	8	12	15	-	6	22	40
30	311	45	69	13	27	23	17	102	16	18	26	10	60	180	50	71	74	41	13	208	41
29	293	45	64	13	24	21	15	93	14	15	25	9	54	161	45	61	66	38	12	189	42
1	18	-	5	-	3	2	2	9	2	3	1	1	6	19	5	10	8	3	1	19	43
																					44
-	83	5	31	3	2	2	1	8	2	1	1	-	-	5	8	6	6	2	-	20	45
-	78	11	13	3	4	3	6	11	4	3	2	1	3	7	11	8	12	2	4	21	46
4	111	13	27	4	4	4	6	7	2	-	-	-	-	6	4	4	3	4	-	35	47
-	81	7	27	3	8	3	1	15	-	1	3	-	3	3	20	4	8	4	4	24	48
2	16	2	7	1	7	-	-	3	1	3	-	-	3	1	11	2	3	-	-	4	49
2	26	4	7	-	1	3	2	4	1	4	-	1	3	9	-	4	1	3	-	8	50
-	11	2	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	1	-	2	51
1	77	7	18	1	3	-	5	10	-	4	1	-	1	23	16	11	16	5	2	33	52
-	16	1	7	-	5	-	-	1	1	-	-	-	-	-	3	3	-	-	-	3	53
2	36	7	13	1	4	-	-	2	-	-	1	-	1	2	4	3	7	1	2	10	54
-	31	3	6	-	1	-	1	2	-	4	-	-	4	4	1	5	-	1	-	3	55
1	15	1	2	-	1	1	1	2	-	1	1	1	1	7	1	7	4	2	1	6	56
																					57
-	353	23	54	9	15	19	6	41	3	5	18	-	20	52	8	35	33	8	10	66	58
-	225	18	30	4	10	15	5	23	2	3	13	-	11	22	4	13	12	4	8	41	59
-	28	2	7	1	1	1	-	4	-	-	2	-	3	6	-	-	2	1	-	5	60
-	47	3	7	1	-	1	1	5	-	2	-	-	1	12	3	14	9	2	-	7	61
-	53	-	10	3	4	2	-	9	1	-	3	-	5	12	1	8	10	1	2	13	62
-	14	3	2	-	-	-	-	5	-	3	-	-	-	2	1	-	3	1	2	5	63
-	35	8	19	-	-	-	1	3	-	3	1	-	-	6	-	5	2	1	-	9	64
-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	65
-	10	1	5	1	-	-	1	2	-	-	-	-	-	4	2	-	1	1	-	7	66
2	62	10	17	3	4	1	2	15	2	5	-	-	3	9	7	11	7	4	1	19	67
																					68
1	54	10	7	3	4	2	3	6	2	-	3	-	5	12	6	7	5	2	-	20	69
1	38	8	6	2	2	2	2	3	1	-	1	-	4	12	3	5	5	2	-	18	70
-	16	2	1	1	2	-	1	3	1	-	2	-	1	-	3	2	-	-	-	2	71
3	200	18	67	7	17	6	7	30	5	2	6	1	7	26	39	21	24	7	8	49	72
1	54	10	42	2	8	3	3	9	1	1	4	1	3	9	9	4	6	4	4	20	73
1	59	2	12	3	4	1	2	8	1	1	1	-	2	9	24	9	6	1	1	12	74
1	87	6	13	2	5	2	2	13	3	-	1	-	2	8	6	8	12	2	3	17	75
2	170	9	36	2	10	5	6	13	1	-	5	1	3	16	15	18	28	7	12	41	76
1	33	2	3	-	3	1	3	2	-	-	-	-	2	2	2	3	3	1	1	4	77
1	36	2	3	-	3	1	3	2	-	-	-	-	2	2	2	4	4	1	1	4	78
1	91	4	19	2	4	2	2	7	-	-	-	-	1	12	5	5	16	3	8	24	79
-	46	3	14	-	3	2	1	4	1	-	5	1	-	2	8	10	9	3	3	13	80
																					81
-	26	10	35	3	2	2	3	8	-	1	2	-	1	1	8	4	6	-	4	8	82
-	55	4	34	4	8	4	3	10	-	3	5	-	2	10	5	3	7	1	1	16	83
-	30	3	21	3	5	1	1	7	-	2	2	-	2	5	2	1	4	-	1	8	84
-	25	1	13	1	3	3	2	3	-	1	3	-	-	5	3	2	3	1	-	8	85
1	79	3	17	1	6	4	2	12	1	3	1	2	6	28	8	23	14	2	-	21	86
-	49	1	7	1	3	2	2	6	1	-	1	1	3	15	7	12	7	1	-	13	87
1	30	2	10	-	3	2	-	6	-	3	-	1	3	13	1	11	7	1	-	8	88
-	19	5	5	2	1	1	1	7	-	1	1	-	2	1	2	2	3	-	1	9	
1	34	7	10	-	4	1	-	9	-	2	-	-	2	-	3	2	6	-	1	12	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TEXAS--CON.																
HANSFORD	24	-	-	1	4	1	-	1	-	1	-	1	-	8	3	4
HARDEMAN	119	-	-	1	12	6	2	-	1	1	-	2	-	61	17	39
HARDIN	223	3	-	1	22	5	4	1	3	3	-	6	3	119	29	79
HARRIS	9,339	75	34	62	1,485	424	281	117	228	71	85	279	124	4,643	941	3,340
BAYTOWN	216	-	-	-	38	8	6	3	7	1	2	11	2	119	22	92
BELLAIRE	112	-	-	-	22	3	4	3	2	2	3	5	-	58	16	41
GALENA PARK	62	2	1	-	13	4	3	1	2	1	1	1	-	19	4	11
HOUSTON	7,446	62	31	50	1,177	345	226	89	182	60	61	214	98	3,696	743	2,650
PASADENA	273	1	-	2	45	16	7	4	5	-	3	10	4	118	17	88
WEST UNIVERSITY PLACE	154	-	-	1	33	9	7	3	4	1	4	5	3	87	24	56
BALANCE OF COUNTY	1,076	10	2	9	157	39	28	14	26	6	11	33	17	546	115	402
HARRISON	459	2	2	2	75	18	6	10	14	3	6	18	7	252	66	154
MARSHALL	268	1	1	-	48	12	2	6	10	3	4	11	3	148	36	94
BALANCE OF COUNTY	191	1	1	2	27	6	4	4	4	-	2	7	4	104	30	60
HARTLEY	17	-	-	-	1	1	-	-	-	-	-	-	-	10	1	9
HASKELL	129	1	-	-	13	5	3	2	1	-	-	2	-	79	25	44
HAYS	178	4	1	2	31	8	7	-	8	1	1	6	6	79	21	51
SAN MARCOS	109	3	1	1	17	5	4	-	4	1	-	3	4	51	14	31
BALANCE OF COUNTY	69	1	-	1	14	3	3	-	4	-	1	3	2	28	7	20
HEMPHILL	35	-	-	-	5	1	2	-	1	-	-	1	1	23	6	16
HENDERSON	293	2	-	3	39	11	6	3	9	1	3	6	4	181	49	116
HIDALGO	1,133	8	5	42	132	52	20	9	22	1	11	17	16	443	93	309
EDINBURG	128	2	-	12	12	1	3	1	5	-	-	2	3	40	9	29
MC ALLEN	211	1	2	3	25	7	4	1	4	1	3	5	3	93	19	65
MERCEDES	97	2	-	3	12	6	1	3	1	-	-	1	-	42	9	26
MISSION	87	-	-	4	8	4	-	-	2	-	1	1	2	40	7	30
PHARR	70	1	1	1	10	5	3	-	-	-	-	2	-	26	5	18
WESLACO	77	-	-	2	6	2	2	-	1	-	1	-	4	28	5	20
BALANCE OF COUNTY	463	3	2	17	59	27	7	4	9	-	6	6	4	174	39	121
HILL	357	1	2	2	50	17	9	1	6	2	3	12	9	206	51	135
HOCKLEY	146	1	-	1	22	7	4	1	3	1	2	4	1	58	15	39
LEVELLAND	83	1	-	1	10	2	3	-	1	-	1	3	-	39	10	26
BALANCE OF COUNTY	63	-	-	-	12	5	1	1	2	1	1	4	1	19	5	13
HOOD	83	-	-	-	18	6	4	3	1	-	-	4	1	47	16	29
HOPKINS	240	-	-	-	46	20	2	2	5	1	3	13	2	127	31	88
HOUSTON	196	1	-	4	20	9	5	-	3	-	-	3	2	104	19	76
HOWARD	271	-	-	2	39	11	8	2	8	2	2	6	4	117	30	80
BIG SPRING	230	-	-	1	34	9	7	2	8	1	2	5	4	96	22	67
BALANCE OF COUNTY	41	-	-	1	5	2	1	-	-	1	-	1	-	21	8	13
HUDSPETH	19	-	-	1	1	1	-	-	-	-	-	-	1	7	1	6
HUNT	482	3	1	3	75	26	11	5	12	8	3	10	14	259	64	172
GREENVILLE	266	2	1	3	43	13	7	4	10	5	1	3	8	146	37	95
BALANCE OF COUNTY	216	1	-	-	32	13	4	1	2	3	2	7	6	113	27	77
HUTCHINSON	182	-	-	-	29	12	6	-	4	-	1	6	4	67	9	50
BORGER	124	-	-	-	16	7	2	-	2	-	1	4	4	45	6	34
BALANCE OF COUNTY	58	-	-	-	13	5	4	-	2	-	-	2	-	22	3	16
IRION	9	-	-	-	1	-	-	1	-	-	-	-	-	5	-	4
JACK	70	-	-	-	11	4	2	1	1	-	-	3	-	38	6	28
JACKSON	95	-	-	-	21	8	1	3	1	1	2	3	1	45	7	37
JASPER	235	-	-	3	22	5	4	2	2	-	-	6	5	146	48	81
JEFF DAVIS	10	-	-	-	2	-	-	-	-	-	-	1	-	2	-	2
JEFFERSON	1,922	12	6	14	344	113	67	19	44	16	20	65	41	997	194	698
BEAUMONT	1,064	6	2	6	191	67	36	8	25	12	8	35	26	545	107	374
GROVES	67	-	-	1	12	3	3	2	2	-	-	2	1	39	6	30
NEDERLAND	57	2	-	-	9	3	1	1	1	-	1	2	1	22	1	20
PORT ARTHUR	581	4	2	5	100	33	19	6	12	3	9	18	10	308	61	216
BALANCE OF COUNTY	153	-	2	2	32	7	8	2	4	1	2	8	3	83	19	58
JIM HOGG	45	-	-	1	10	3	3	-	-	-	-	-	-	-	-	-
JIM WELLS	228	3	1	1	39	13	5	3	7	2	-	4	1	22	5	17
ALICE	151	2	-	1	27	7	4	2	6	2	3	6	5	78	19	56
BALANCE OF COUNTY	77	1	-	-	12	6	1	1	2	2	2	4	2	55	12	40
JOHNSON	371	1	-	1	50	13	7	2	8	3	1	2	3	23	7	16
CLEBURNE	215	1	-	-	28	7	7	1	4	3	3	11	12	214	63	137
BALANCE OF COUNTY	156	-	-	1	22	6	3	1	4	3	1	5	6	128	42	80
JONES	224	-	-	-	29	5	6	1	7	-	2	6	6	86	21	57
ABILENE, PART	2	-	-	-	-	-	-	1	-	-	1	5	1	113	13	89
BALANCE OF COUNTY	222	-	-	-	29	5	6	1	7	-	-	-	-	2	-	2
KARNES	138	3	-	1	7	4	1	-	-	-	1	5	1	111	13	87
KAUFMAN	371	2	-	4	60	17	10	5	12	2	3	2	3	77	21	50
TERRELL	169	1	-	4	25	6	5	3	6	1	1	11	5	212	59	136
BALANCE OF COUNTY	202	1	-	-	35	11	5	2	6	1	2	3	1	99	29	64
KENDALL	96	2	1	-	23	11	3	-	3	1	3	8	4	113	30	72
KENEDY	3	-	-	-	-	-	-	-	-	-	-	2	-	45	12	28
KENT	18	-	-	-	2	1	-	1	-	-	-	-	-	2	-	2
KERR	210	9	1	2	36	13	6	3	2	2	3	7	1	10	3	4
KIMBLE	51	1	-	1	12	3	3	1	4	-	1	-	3	101	33	60
KING	2	-	-	-	1	-	-	-	-	-	-	1	-	20	4	15
KINNEY	23	-	-	-	7	5	-	-	-	-	-	-	-	-	-	-
KLEBERG	185	1	-	3	23	5	6	2	2	-	-	4	10	13	2	11
KINGSVILLE	163	1	-	2	21	4	6	2	5	-	1	3	9	73	18	52
BALANCE OF COUNTY	22	-	-	1	2	1	-	-	1	-	1	1	1	6	1	5

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-669)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
	1	1	2	-	1	-	-	2	-	-	-	-	1	3	-	2	1	1	-	1	
-	33	3	3	-	3	1	1	6	2	-	-	-	2	4	1	6	11	-	-	12	
4	54	11	10	1	5	3	2	7	-	5	3	-	1	7	8	5	12	5	-	22	
56	2,542	352	390	60	130	112	60	304	38	36	179	11	159	544	55	302	364	116	123	685	
-	76	3	13	2	1	2	-	6	-	1	2	-	-	16	1	6	7	-	-	18	
-	32	4	5	-	1	-	-	3	1	-	2	-	4	4	1	4	5	3	-	5	
-	8	-	3	-	1	3	-	1	2	-	2	-	2	5	-	3	3	-	-	9	
45	1,993	290	322	53	109	87	54	256	34	29	147	10	126	438	43	226	286	89	111	537	
-	74	7	7	2	5	4	2	9	-	1	6	1	7	21	2	15	13	5	-	23	
2	40	6	8	1	2	3	1	3	-	-	4	-	2	4	-	1	5	2	1	8	
9	319	42	32	2	11	13	3	26	1	5	16	-	18	56	8	47	45	17	11	85	
1	98	14	41	4	6	7	15	16	1	4	1	1	3	15	12	15	9	2	4	36	
1	67	7	19	1	2	5	10	9	1	2	1	1	2	10	3	8	5	1	2	22	
-	31	7	22	3	4	2	5	7	-	2	-	-	1	5	9	7	4	1	2	14	
1	7	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	
-	30	3	11	-	6	3	1	7	-	-	-	1	-	5	3	2	7	3	1	7	
1	37	4	9	1	1	4	1	5	1	1	2	-	2	11	8	4	3	3	-	15	
-	24	3	4	1	1	3	1	3	1	1	2	-	1	7	4	1	1	2	-	9	
1	13	1	5	-	-	1	-	2	-	-	1	-	1	4	4	3	2	1	-	6	
-	14	-	2	-	-	1	-	-	-	-	1	-	-	-	1	2	-	-	-	2	
-	76	11	29	2	3	5	6	8	-	2	1	-	1	12	4	10	9	2	1	14	
9	205	30	65	8	20	10	3	68	5	27	11	1	25	107	48	43	49	12	3	88	
2	21	4	2	-	2	-	-	12	-	2	-	1	1	12	6	7	6	1	1	10	
4	35	11	15	1	2	5	1	6	3	5	6	-	9	15	9	6	7	4	-	14	
-	21	2	3	1	6	-	-	9	1	1	-	-	-	11	7	1	3	-	-	5	
1	18	2	9	1	2	-	-	4	-	2	1	-	-	5	3	2	1	2	-	13	
1	9	-	8	-	2	1	-	4	-	2	1	-	3	8	-	5	3	2	-	4	
-	18	1	1	1	-	1	1	6	-	6	-	-	3	5	1	4	1	-	-	10	
1	83	10	27	4	6	3	1	27	1	9	3	-	9	51	22	18	28	3	1	32	
-	94	5	36	1	11	5	3	18	1	3	2	-	4	7	4	5	15	-	2	26	
1	31	2	5	2	2	-	-	6	2	12	1	-	2	10	1	9	4	1	1	14	
1	20	1	4	2	1	-	-	3	1	7	1	-	1	2	-	7	3	-	-	7	
-	11	1	1	-	1	-	-	3	1	5	-	-	1	8	1	2	1	1	1	7	
-	21	6	2	-	1	1	-	4	-	-	1	-	-	2	1	1	-	-	1	7	
-	68	8	12	2	3	3	-	8	3	-	1	-	2	4	16	5	9	-	1	16	
-	47	11	18	-	2	1	6	12	2	-	3	-	-	3	8	11	5	3	1	17	
2	65	2	11	-	2	3	2	10	-	4	2	-	5	22	9	14	11	6	2	24	
-	56	2	9	-	2	3	2	9	-	3	2	-	5	21	8	11	10	5	2	19	
2	9	-	2	-	-	-	-	1	-	1	-	-	-	1	1	3	1	1	-	5	
-	6	-	-	-	-	-	-	2	-	1	-	-	1	2	-	1	-	-	-	2	
-	141	13	18	4	13	5	1	14	3	6	3	1	2	15	18	11	14	5	1	34	
-	79	9	7	2	9	2	1	6	1	4	2	1	2	10	2	7	6	3	1	18	
-	62	4	11	2	4	3	-	8	2	2	1	-	-	5	16	4	8	2	-	16	
2	45	1	2	2	2	2	2	8	1	4	-	-	5	11	9	9	12	4	2	17	
2	29	1	2	2	1	1	1	6	1	3	-	-	3	11	8	4	6	3	2	12	
-	16	-	-	-	1	1	1	2	-	1	-	-	2	-	1	5	6	1	-	5	
-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	
1	18	3	6	2	-	-	2	2	1	-	-	-	-	1	5	-	5	2	1	4	
1	28	4	4	-	1	-	-	1	1	1	1	-	-	3	1	5	5	-	1	9	
1	73	2	5	2	8	5	2	6	-	1	1	-	2	6	5	8	9	5	2	14	
-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	2	
12	545	60	81	13	40	21	31	45	10	7	13	2	26	89	25	41	68	17	17	148	
9	293	32	40	5	30	9	20	31	4	4	7	1	9	52	10	24	37	8	11	90	
-	21	1	8	1	1	-	1	1	-	-	-	-	-	5	-	3	-	1	-	4	
-	19	-	1	-	-	-	1	1	-	-	-	-	1	4	2	1	6	-	-	8	
2	167	26	21	7	6	9	9	9	5	3	5	1	12	22	9	9	22	6	5	44	
1	45	1	11	-	3	3	-	3	1	-	1	-	4	6	4	4	3	2	1	2	
-	13	2	2	-	-	-	-	4	1	3	-	-	1	-	-	1	-	1	-	-	
1	39	1	15	1	1	1	-	12	-	3	1	1	2	21	5	16	20	2	3	16	
1	28	1	10	1	1	1	-	11	-	3	-	1	2	12	3	9	16	-	1	6	
-	11	-	5	-	-	-	-	1	-	-	1	-	-	9	2	7	4	2	2	10	
1	88	8	40	2	7	1	4	10	1	1	1	-	4	7	9	12	15	2	2	29	
-	48	4	28	2	3	-	1	5	-	-	-	-	3	5	6	6	8	1	1	17	
1	40	4	12	-	4	1	3	5	1	1	1	-	1	2	3	6	7	1	1	12	
1	61	3	24	2	2	2	5	9	1	3	3	1	4	12	16	12	6	2	-	12	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	59	3	24	2	2	2	5	9	1	3	3	1	4	12	16	12	6	2	-	12	
1	38	1	10	-	1	3	2	7	-	-	1	-	2	3	5	6	12	-	-	11	
1	91	9	35	1	7	5	4	19	1	4	1	-	3	7	4	6	13	3	3	24	
-	43	3	18	1	1	1	3	5	1	1	1	-	3	2	1	2	7	1	2	13	
1	48	6	17	-	6	4	1	14	-	3	-	-	-	5	3	4	6	2	1	11	
2	25	-	1	1	2	2	-	3	-	-	1	-	-	2	1	3	1	-	-	14	
-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
-	4	-	-	1	1	-	1	-	-	1	-	-	-	-	1	1	1	-	-	1	
6	42	1	11	1	5	2	-	9	1	2	1	-	1	7	4	7	4	1	2	19	
-	9	4	2	-	-	1	-	5	-	-	1	-	1	1	5	-	1	-	-	2	
-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
-	11	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	
1	40	4	7	-	1	1	1	4	1	4	1	2	4	19	2	8	14	1	1	14	
1	37	4	5	-	1	1	1	3	1	4	1	2	3	18	1	6	10	1	1	12	
-	3	-	2	-	-	-	1	1	-	-	-	-	1	1	1	2	4	-	-	2	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,208)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TEXAS--CON.																
KNOX	66	-	-	-	14	3	3	2	2	-	-	4	-	31	4	23
LAMAR	487	3	1	2	73	13	10	6	15	6	4	19	9	276	76	178
PARIS	327	1	1	1	53	8	7	4	12	4	2	16	4	192	54	123
BALANCE OF COUNTY	160	2	-	1	20	5	3	2	3	2	2	3	5	84	22	55
LAMB	206	1	-	1	20	8	3	2	2	1	2	2	3	96	25	65
LAMPASAS	123	-	-	-	24	5	3	3	5	1	3	4	2	66	22	38
LA SALLE	39	1	1	-	6	2	1	1	1	-	-	1	-	14	2	11
LAVACA	271	-	1	1	38	14	3	4	4	3	4	6	4	175	37	121
LEE	112	-	-	1	19	5	3	-	6	1	-	4	2	50	12	34
LEON	136	-	1	1	21	8	3	2	4	2	-	2	3	82	24	54
LIBERTY	318	3	-	3	41	11	3	2	5	1	2	17	6	167	35	125
LIMESTONE	252	2	1	2	30	12	3	-	7	-	-	8	5	139	25	108
LIPSCOMB	28	-	-	-	6	2	-	1	3	-	-	-	-	15	5	10
LIVE OAK	56	-	1	-	13	4	2	-	2	-	2	3	-	34	11	18
LLANO	78	-	-	2	13	4	1	1	2	2	1	2	3	44	10	32
LOVING	5	-	-	-	2	1	-	-	-	-	1	-	-	2	2	-
LUBBOCK	937	2	1	13	112	29	15	12	16	1	6	33	15	383	75	276
LUBBOCK	744	1	1	9	91	23	12	11	12	1	6	26	12	318	65	230
BALANCE OF COUNTY	193	1	-	4	21	6	3	1	4	-	-	7	3	65	10	46
LYNN	113	-	-	-	10	4	1	-	1	-	-	4	1	45	6	38
MC CULLOCH	134	-	1	2	24	4	7	2	6	1	-	4	1	63	15	45
MC LENNAN	1,533	7	4	13	216	65	46	19	29	6	10	41	24	840	218	534
WACO	1,117	6	2	11	159	49	32	16	24	2	8	28	14	600	160	376
BALANCE OF COUNTY	416	1	2	2	57	16	14	3	5	4	2	13	10	240	58	158
MC MULLEN	6	-	-	1	1	-	-	-	-	1	-	-	-	2	-	1
MADISON	90	-	1	2	13	4	-	1	4	-	3	1	1	51	12	37
MARION	107	1	-	-	14	4	1	2	1	1	2	3	3	63	12	39
MARTIN	40	-	-	-	6	1	1	-	1	1	-	2	-	11	6	5
MASON	63	1	-	1	7	3	-	1	-	-	1	2	1	43	5	35
MATAGORDA	224	1	1	2	36	9	11	1	7	1	1	6	5	111	25	70
BAY CITY	112	1	1	2	22	5	9	-	5	1	-	2	3	51	9	32
BALANCE OF COUNTY	112	-	-	-	14	4	2	1	2	-	1	4	2	60	16	38
MAVERICK	119	-	-	3	10	5	-	-	3	-	1	1	3	48	14	25
EAGLE PASS	103	-	-	3	7	3	-	-	2	-	1	1	2	43	12	23
BALANCE OF COUNTY	16	-	-	-	3	2	-	-	1	-	-	-	1	5	2	2
MEDINA	169	1	-	1	27	5	3	1	8	2	2	6	1	73	15	51
MENARD	39	-	-	-	4	-	1	-	-	-	-	3	2	17	4	13
MIDLAND	326	1	-	1	49	19	6	5	5	3	4	7	1	135	25	99
MIDLAND	305	1	-	1	48	19	6	4	5	3	4	7	1	122	22	89
BALANCE OF COUNTY	21	-	-	-	1	-	-	1	-	-	-	-	-	13	3	10
MILAM	285	-	-	6	43	9	4	5	6	3	3	13	5	154	28	119
MILLS	51	-	-	-	8	2	1	1	1	1	-	2	-	28	7	17
MITCHELL	124	1	1	1	14	2	2	1	5	1	-	3	2	60	17	39
MONTAGUE	215	1	1	1	34	9	4	2	6	-	4	9	2	133	36	92
MONTGOMERY	309	2	-	2	50	17	7	1	3	5	4	13	5	151	52	84
MOORE	72	-	-	1	15	5	4	-	2	1	1	2	2	26	3	22
MORRIS	120	2	1	2	17	4	6	-	1	3	1	2	3	60	19	37
MOTLEY	26	-	-	-	1	-	-	-	1	-	-	-	1	14	3	11
NACOGDOCHES	262	-	-	2	42	12	7	3	11	2	1	6	6	154	54	88
NACOGDOCHES	130	-	-	1	23	6	4	2	6	2	-	3	2	73	31	35
BALANCE OF COUNTY	132	-	-	1	19	6	3	1	5	-	1	3	4	81	23	53
NAVARRO	433	-	2	1	65	21	10	2	9	3	5	15	3	236	65	156
CORSICANA	273	-	2	1	39	12	8	1	5	1	2	10	3	150	41	100
BALANCE OF COUNTY	160	-	-	-	26	9	2	1	4	2	3	5	-	86	24	56
NEWTON	89	-	1	-	9	3	2	1	3	-	-	-	5	49	11	30
NOLAN	193	-	1	1	25	4	5	2	6	-	1	7	4	109	20	72
SWEETWATER	140	-	1	1	18	4	4	1	5	-	1	3	1	76	14	48
BALANCE OF COUNTY	53	-	-	-	7	-	1	1	1	-	-	4	3	33	6	24
NUECES	1,423	17	3	15	228	58	56	14	32	11	9	48	25	631	124	454
CORPUS CHRISTI	1,150	12	3	14	192	47	48	12	31	10	7	37	17	515	97	376
ROBSTOWN	94	3	-	1	11	6	1	-	1	-	-	3	4	37	8	24
BALANCE OF COUNTY	179	2	-	-	25	5	7	2	-	1	2	8	4	79	19	54
OCHILTREE	64	-	-	-	16	3	1	-	2	-	4	6	-	27	7	19
OLDHAM	16	-	-	-	1	-	-	-	1	-	-	-	1	11	-	10
ORANGE	354	1	-	4	53	12	11	6	4	1	3	16	5	168	29	123
ORANGE	162	1	-	2	28	7	7	4	2	-	2	6	2	76	14	51
BALANCE OF COUNTY	192	-	-	2	25	5	4	2	2	1	1	10	3	92	15	72
PALO PINTO	225	1	1	2	37	12	3	4	6	1	3	8	1	127	31	84
MINERAL WELLS	132	-	1	-	25	9	3	3	3	1	1	5	-	73	19	47
BALANCE OF COUNTY	93	1	-	2	12	3	-	1	3	-	2	3	1	54	12	37
PANOLA	157	-	1	1	24	7	4	2	3	-	1	7	2	90	27	51
PARKER	262	1	-	3	32	11	2	3	5	1	3	7	7	152	40	94
PARMER	64	-	-	-	8	2	2	-	2	-	-	2	3	27	4	20
PECOS	69	-	1	-	7	1	-	1	-	1	2	2	-	23	3	19
POLK	140	2	-	1	18	5	1	1	4	1	2	4	-	71	16	42
POTTER	802	6	1	2	118	25	28	13	14	3	11	24	6	394	80	281
AMARILLO, PART	785	6	1	2	116	24	28	13	14	3	10	24	6	387	79	278
AMARILLO, TOTAL	884	6	1	2	131	27	31	14	15	3	12	29	9	436	90	314
BALANCE OF COUNTY	17	-	-	-	2	1	-	-	-	-	1	-	-	7	1	3

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
2	17	2	2	-	1	1	2	3	-	-	-	-	1	-	4	3	5	-	-	5	5
-	116	15	47	4	6	5	7	30	1	2	1	2	2	11	6	14	18	3	1	32	6
-	78	12	33	1	3	4	7	12	1	2	1	-	2	8	3	8	11	3	1	23	7
-	38	3	14	3	3	1	-	18	-	-	-	2	2	3	3	6	7	-	-	9	8
-	43	3	19	2	3	1	-	5	1	5	-	1	2	21	6	17	9	2	-	16	9
-	25	6	7	2	1	1	2	2	-	1	-	-	4	3	1	-	3	2	-	15	10
-	9	1	1	-	-	-	1	4	-	1	-	-	-	3	2	4	2	-	-	1	11
-	92	8	21	3	8	3	3	8	1	4	2	-	5	3	7	4	3	4	1	10	12
-	23	3	8	-	2	1	1	5	1	-	2	-	-	3	13	1	6	-	1	8	13
1	39	6	8	-	2	1	1	2	-	-	1	-	-	1	7	4	4	1	-	8	14
																					15
2	87	12	24	1	3	2	1	16	1	3	-	-	2	8	11	10	13	4	5	25	16
2	80	15	11	-	2	2	2	8	1	3	1	1	-	6	7	8	15	3	2	18	17
-	10	-	-	-	-	-	-	2	-	-	-	-	1	-	-	2	-	-	-	2	18
-	15	-	3	-	5	-	-	1	-	1	-	-	-	2	-	1	2	-	-	-	19
-	26	2	4	-	-	1	1	1	-	-	-	-	1	-	-	-	6	2	-	6	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	21
7	179	17	73	6	10	8	8	52	6	28	5	3	26	91	5	45	35	13	20	82	22
4	154	14	58	5	6	5	7	30	4	22	4	3	16	70	5	35	25	10	16	72	23
3	25	3	15	1	4	3	1	22	2	6	1	-	10	21	-	10	10	3	4	10	24
-	20	6	12	-	-	-	1	3	-	9	2	-	3	15	-	10	3	1	2	9	25
-	37	5	3	-	1	2	-	2	-	1	1	-	1	6	1	5	7	-	-	19	26
																					27
12	354	40	128	12	39	20	17	64	11	14	12	1	15	73	24	32	45	14	12	112	28
6	244	32	94	8	29	14	13	47	9	11	10	-	12	60	15	27	31	8	12	83	29
6	110	8	34	4	10	6	4	17	2	3	2	1	3	13	9	5	14	6	-	29	30
-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	31
1	27	2	8	-	2	-	-	2	-	-	-	-	-	3	1	4	2	-	1	9	32
1	24	5	9	1	2	1	8	4	-	-	-	-	1	-	4	4	4	2	1	6	33
-	4	-	1	-	-	-	-	3	1	1	-	-	1	3	3	3	2	1	2	3	34
4	16	1	14	-	2	-	1	1	-	-	-	-	-	-	1	-	2	-	-	6	35
1	53	4	12	3	4	8	1	6	-	4	1	-	4	11	3	10	5	-	-	24	36
1	24	-	7	2	3	5	-	5	-	-	-	-	4	2	3	4	-	-	-	14	37
-	29	4	5	1	1	3	1	1	-	4	1	-	-	9	-	6	5	-	-	10	38
																					39
-	21	2	2	-	4	1	4	19	-	3	-	1	4	11	2	5	5	-	-	5	40
-	20	2	1	-	4	1	3	16	-	1	-	1	3	11	2	4	5	-	-	5	41
-	1	-	1	-	-	-	1	3	-	2	-	-	1	-	-	1	-	-	-	-	42
1	40	5	5	2	5	-	-	7	2	5	-	-	5	2	1	9	7	3	-	25	43
-	7	2	4	-	-	-	-	-	-	-	1	-	-	-	4	2	2	-	-	7	44
2	82	6	9	3	3	5	-	11	7	5	4	1	4	26	4	9	21	5	6	36	45
2	72	6	9	3	3	5	-	11	7	4	3	1	4	25	4	8	20	3	6	36	46
-	10	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	2	-	-	47
-	57	19	43	1	3	2	1	14	-	1	1	-	7	3	4	9	14	2	-	22	48
-	16	-	1	-	3	1	-	4	-	-	-	-	1	-	-	5	1	1	-	3	49
-	32	2	5	-	2	1	1	7	-	1	1	-	-	9	4	4	8	1	-	10	50
																					51
1	74	6	11	1	1	1	2	5	1	-	2	-	-	3	5	5	5	1	3	13	52
1	55	14	14	7	1	6	1	11	4	3	3	-	2	5	28	8	14	2	5	14	53
2	14	2	4	-	-	1	-	4	-	-	-	-	1	6	-	6	3	1	-	7	54
-	36	1	-	-	1	2	1	6	2	2	1	-	1	2	4	2	9	-	-	6	55
-	10	-	1	-	-	-	-	3	-	1	-	-	-	1	-	-	3	-	-	2	56
-	71	5	12	2	6	2	2	8	2	-	1	-	2	2	7	6	11	-	1	18	57
-	27	3	5	1	3	2	1	5	1	-	1	-	2	2	3	5	3	-	1	8	58
-	44	2	7	1	3	-	1	3	1	-	-	-	-	-	4	1	8	-	-	10	59
1	121	18	16	5	3	2	5	20	1	1	3	1	4	11	19	9	20	1	3	33	60
1	75	14	10	1	2	2	4	10	1	1	2	1	2	7	8	7	11	1	1	26	61
-	46	4	6	4	1	-	1	10	-	-	1	-	2	4	11	2	9	-	2	7	62
																					63
-	22	1	7	1	5	2	-	6	-	-	-	-	-	1	2	2	5	4	2	3	64
-	56	2	14	1	14	2	-	4	-	1	-	-	3	9	9	4	11	3	1	8	65
-	40	2	6	1	12	1	-	3	-	1	-	-	2	8	7	3	7	3	1	8	66
-	16	-	8	-	2	1	-	1	-	-	-	-	1	1	2	1	4	-	-	-	67
5	375	25	49	6	21	18	8	49	4	10	21	4	33	113	13	62	68	20	14	93	68
5	312	18	41	4	14	17	7	39	3	5	19	3	27	90	7	49	50	16	12	77	69
-	18	2	4	1	4	-	-	4	1	4	-	-	3	9	-	3	6	-	-	8	70
-	45	5	4	1	3	1	1	6	-	1	2	1	3	14	6	10	12	4	2	8	71
-	16	-	3	1	-	-	-	2	-	-	-	-	1	8	-	2	3	2	-	3	72
-	8	-	2	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	73
																					74
5	81	9	28	4	8	-	4	12	-	-	-	1	8	20	4	16	18	3	-	41	75
2	28	7	14	4	3	-	4	3	-	-	-	1	5	7	3	-	10	-	-	24	76
3	53	2	14	-	5	-	-	9	-	-	-	-	3	13	1	16	8	3	-	17	77
2	62	6	14	2	5	2	3	4	2	-	-	-	1	6	6	9	6	2	3	17	78
2	38	2	5	2	3	2	-	2	2	-	-	-	1	3	4	4	5	1	2	9	79
-	24	4	9	-	2	-	3	2	-	-	-	-	-	3	2	5	1	1	1	8	80
1	46	1	3	3	5	1	3	4	-	3	1	-	1	5	1	4	12	3	1	4	81
1	74	5	14	2	7	4	5	7	2	-	1	-	5	6	2	7	6	4	1	26	82
-	16	1	3	2	-	-	1	2	1	-	1	-	1	9	-	7	4	-	-	1	83
3	13	1	2	-	-	-	1	5	-	3	2	-	-	10	2	5	2	-	1	8	84
																					85
1	29	5	7	-	-	8	5	2	-	-	1	-	-	1	8	10	9	2	-	15	86
8	233	17	23	3	13	13	4	30	8	2	15	-	19	37	10	29	43	8	3	71	87
8	230	17	23	2	11	13	4	29	8	2	15	-	19	34	10	29	41	8	3	69	88
8	263	18	25	2	11	15	4	31	9	3	18	-	20	41	10	35	41	11	3	77	89
-	3	-	-	1	2	-	-	1	-	-	-	-	-	3	-	-	2	-	-	2	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-149,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-445)
TEXAS--CON.																
PRESIDIO	55	3	-	-	4	2	-	1	1	-	-	-	-	23	4	17
RAINS	39	-	-	-	6	2	1	-	1	-	-	2	1	26	2	24
RANDALL	155	-	-	1	23	4	4	2	3	-	4	6	4	81	18	59
AMARILLO, PART	99	-	-	-	15	3	3	1	1	-	2	5	3	49	11	36
BALANCE OF COUNTY	56	-	-	1	8	1	1	1	2	-	2	1	1	32	7	23
REAGAN	17	1	-	-	3	1	1	-	-	-	-	1	-	7	-	7
REAL	22	1	-	-	2	-	-	-	-	-	-	2	-	12	3	9
RED RIVER	201	-	-	1	27	7	5	-	4	1	2	8	2	125	38	77
REEVES	116	1	-	-	19	4	1	2	3	3	2	4	1	41	8	26
PECOS	98	1	-	-	14	4	1	1	1	3	-	4	-	36	7	23
BALANCE OF COUNTY	18	-	-	-	5	-	-	1	2	-	2	-	1	5	1	3
REFUGIO	95	-	1	-	16	4	2	4	3	1	-	2	1	42	13	29
ROBERTS	12	-	-	-	-	-	-	-	-	-	-	-	-	8	4	4
ROBERTSON	187	1	2	6	25	16	2	1	1	-	1	4	1	90	30	52
ROCKWALL	65	-	1	2	8	4	1	1	2	-	-	-	1	39	9	28
RUNNELS	181	2	-	1	19	9	1	1	3	-	2	3	2	105	29	72
RUSK	411	2	1	1	56	15	12	4	8	-	4	13	7	228	51	156
KILGORE, PART	10	-	-	-	3	1	1	-	1	-	-	-	-	5	2	3
BALANCE OF COUNTY	401	2	1	1	53	14	11	4	7	-	4	13	7	223	49	153
SABINE	84	-	-	1	11	4	-	1	3	-	1	2	2	52	20	22
SAN AUGUSTINE	81	-	-	-	9	2	3	-	2	-	1	1	1	44	12	32
SAN JACINTO	69	1	-	1	12	6	1	-	2	-	-	3	1	40	14	26
SAN PATRICIO	342	3	-	6	45	12	11	3	3	1	3	12	6	164	35	117
SAN SABA	98	1	-	-	16	2	4	2	2	1	1	4	1	55	8	38
SCHLEICHER	25	-	-	-	2	-	-	-	-	-	-	2	-	15	3	11
SCURRY	121	1	-	1	17	5	2	3	1	-	2	4	-	55	15	35
SNYDER	81	1	-	-	11	2	2	2	-	-	1	4	-	40	11	25
BALANCE OF COUNTY	40	-	-	1	6	3	-	1	1	-	1	-	-	15	4	10
SHACKELFORD	53	-	-	1	6	-	4	-	-	1	-	1	3	31	10	16
SHELBY	279	1	-	-	40	13	4	5	9	1	3	5	2	167	56	103
SHERMAN	19	-	-	-	5	2	-	-	2	-	-	1	-	10	1	7
SMITH	857	3	-	2	151	44	18	16	22	6	12	33	8	471	91	349
TYLER	458	2	-	2	82	29	10	7	8	4	5	19	3	260	52	190
BALANCE OF COUNTY	399	1	-	-	69	15	8	9	14	2	7	14	5	211	39	159
SOMERVELL	34	-	-	-	9	2	1	-	1	1	-	4	-	21	4	16
STARR	118	1	-	1	10	3	3	1	1	1	-	1	7	49	17	25
STEPHENS	102	-	-	-	19	4	3	1	5	-	-	6	1	49	9	37
STERLING	10	-	-	1	1	-	-	-	-	-	-	1	-	5	1	3
STONEWALL	33	1	-	-	7	-	-	2	3	-	2	-	-	17	3	11
SUTTON	26	-	-	1	4	2	-	-	1	-	-	1	-	13	3	10
SWISHER	86	1	-	-	8	4	-	2	1	1	-	-	3	42	7	32
TARRANT	4,312	22	12	25	684	170	135	61	101	26	45	146	56	2,185	468	1,520
ARLINGTON	216	-	1	2	38	8	4	5	7	-	5	9	-	91	19	68
FORT WORTH	3,268	22	9	19	507	133	101	40	69	22	32	110	48	1,722	374	1,190
GRAND PRAIRIE, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
HALTOM CITY	149	-	1	1	29	4	6	2	5	2	3	7	2	65	11	47
HURST	46	-	1	-	10	2	4	1	1	-	1	1	1	18	1	17
WHITE SETTLEMENT	48	-	-	-	10	1	3	2	4	-	-	-	-	17	4	12
BALANCE OF COUNTY	584	-	-	3	90	22	17	11	15	2	4	19	5	272	59	186
TAYLOR	762	3	3	7	118	38	21	16	12	6	4	21	14	359	74	254
ABILENE, PART	637	1	3	5	104	34	19	14	10	6	1	20	12	293	55	213
ABILENE, TOTAL	639	1	3	5	104	34	19	14	10	6	1	20	12	295	55	215
BALANCE OF COUNTY	125	2	-	2	14	4	2	2	2	-	3	1	2	66	19	41
TERRELL	25	-	-	-	4	-	2	-	-	-	-	2	1	7	1	5
TERRY	137	1	-	2	17	6	-	1	1	3	-	6	1	59	10	46
BROWNFIELD	95	1	-	1	14	4	-	1	1	2	-	6	1	42	9	31
BALANCE OF COUNTY	42	-	-	1	3	2	-	-	-	1	-	-	-	17	1	15
THROCKMORTON	42	-	-	-	10	6	1	1	1	-	1	-	1	19	3	13
TITUS	181	-	2	1	34	7	6	6	6	1	3	5	2	93	18	64
TOM GREEN	611	5	-	4	88	25	17	6	14	4	4	18	5	288	71	185
SAN ANGELO	552	3	-	4	82	22	16	6	14	4	4	16	4	260	64	167
BALANCE OF COUNTY	59	2	-	-	6	3	1	-	-	-	-	2	1	28	7	18
TRAVIS	1,618	9	1	12	270	85	46	25	44	11	17	42	24	800	175	556
AUSTIN	1,440	7	-	10	242	75	41	23	41	11	13	38	21	716	154	498
BALANCE OF COUNTY	178	2	1	2	28	10	5	2	3	-	4	4	3	84	21	58
TRINITY	101	-	1	-	12	4	-	-	2	2	-	4	1	56	12	41
TYLER	120	1	-	-	14	4	1	1	2	1	-	5	2	75	24	44
UPSHUR	217	1	-	2	38	13	4	2	7	-	3	9	2	97	23	69
UPTON	44	-	-	-	8	4	1	1	-	-	2	-	1	18	1	17
UVALDE	150	1	1	1	20	9	4	-	1	2	1	3	4	76	21	45
UVALDE	94	1	1	1	13	6	2	-	1	1	1	2	3	45	13	28
BALANCE OF COUNTY	56	-	-	-	7	3	2	-	-	1	-	1	1	31	8	17
VAL VERDE	191	2	-	-	27	6	5	-	9	3	-	4	2	79	25	50
DEL RIO	169	2	-	-	24	5	4	-	9	2	-	4	2	71	23	45
BALANCE OF COUNTY	22	-	-	-	3	1	1	-	-	1	-	-	-	8	2	5
VAN ZANDT	203	-	-	4	35	9	2	5	6	3	1	9	3	114	32	73
VICTORIA	368	1	1	8	60	19	9	5	8	3	2	14	3	188	46	114
VICTORIA	251	-	-	6	42	12	5	4	6	2	1	12	3	115	32	66
BALANCE OF COUNTY	117	1	1	2	18	7	4	1	2	1	1	2	-	73	14	48

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
																					4
1	11	-	5	-	1	1	-	-	2	-	1	-	-	3	1	6	4	-	-	8	5
-	18	-	6	-	-	-	-	2	-	-	-	-	1	-	-	2	1	-	-	-	6
1	52	1	5	-	2	2	-	2	1	1	4	-	2	9	1	7	3	3	-	13	7
1	33	1	2	-	-	2	-	2	1	1	3	-	1	7	-	6	-	3	-	8	8
1	19	-	3	-	2	-	-	-	-	-	1	-	1	2	1	1	3	-	-	5	9
-	6	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	2	10
-	6	1	2	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	2	11
1	53	18	6	3	3	2	2	12	-	-	2	-	1	3	4	3	6	-	-	15	12
2	17	2	5	-	4	2	1	4	-	-	4	-	4	14	1	8	5	1	1	11	13
1	15	2	5	-	4	2	-	3	-	-	4	-	4	14	-	7	3	1	1	9	14
1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	2	-	-	2	15
																					16
-	17	1	11	-	-	-	-	5	-	3	-	2	2	5	3	5	5	-	-	5	17
-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	1	18
-	38	5	9	4	3	-	1	6	2	2	1	-	3	13	13	3	4	-	-	15	19
-	24	-	4	1	1	-	-	4	-	-	1	-	-	2	-	1	1	-	-	5	20
1	62	2	7	-	2	1	1	9	1	2	-	1	6	6	4	6	3	2	1	11	21
1	115	18	22	5	11	4	1	11	1	2	4	1	2	8	17	14	16	4	3	33	22
-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
1	112	18	22	5	11	4	1	11	1	2	4	1	2	8	17	13	15	4	3	33	24
-	18	3	1	3	4	3	-	2	-	1	-	-	-	3	1	2	2	1	2	4	25
-	26	4	2	-	-	-	-	5	-	-	1	-	1	1	2	4	7	2	-	4	26
																					27
-	16	-	10	-	-	-	-	3	-	-	-	1	-	2	3	1	-	-	1	3	28
3	86	8	20	-	5	5	2	18	1	4	2	-	11	17	12	11	15	5	1	21	29
1	18	7	12	-	3	2	4	3	-	-	-	-	1	4	-	-	4	1	1	11	30
-	8	-	3	-	-	-	1	1	-	-	-	-	1	-	1	2	1	-	-	2	31
1	27	5	2	-	4	1	-	5	1	-	-	-	2	6	2	8	10	-	-	13	32
1	18	4	2	-	3	1	-	4	1	-	-	-	1	2	2	5	5	-	-	9	33
-	9	1	-	-	1	-	-	1	-	-	-	-	1	4	-	3	5	-	-	4	34
-	13	3	-	-	4	1	-	-	-	1	1	1	1	-	1	1	4	-	-	2	35
1	89	7	6	-	3	3	2	10	2	1	1	2	2	4	4	12	12	2	3	14	36
-	7	-	-	-	1	1	-	-	-	-	-	-	-	2	-	1	1	-	-	-	37
																					38
2	267	29	51	-	16	9	6	20	4	3	7	2	4	40	10	28	26	7	10	61	39
1	158	14	17	-	10	3	5	10	2	1	1	-	4	22	4	11	13	5	4	32	40
1	109	15	34	-	6	6	1	10	2	2	6	2	-	18	6	17	13	2	6	29	41
1	10	2	3	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	42
-	17	1	7	-	3	3	1	13	-	1	2	-	2	6	7	5	2	-	-	12	43
2	23	3	9	1	-	1	1	2	-	1	-	-	-	2	-	6	6	-	-	16	44
-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	45
-	9	1	1	-	2	1	-	-	-	-	-	-	-	1	-	-	5	-	-	2	46
1	6	-	3	-	-	-	-	1	1	-	1	-	-	-	1	-	2	1	-	1	47
1	18	5	8	-	2	-	1	1	1	2	-	-	1	4	-	9	5	1	1	7	48
																					49
31	1,179	113	197	24	89	59	25	156	17	16	46	-	72	207	71	106	174	59	61	343	50
1	39	6	22	-	2	2	-	6	-	4	1	-	2	22	2	8	12	3	3	21	51
27	932	92	139	19	74	45	20	116	15	10	35	-	49	128	46	75	122	39	51	255	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	53
-	38	2	7	1	1	2	3	5	-	-	3	-	-	13	1	-	13	5	-	11	54
1	13	-	3	-	-	-	-	1	-	-	-	-	3	3	1	1	-	2	2	3	55
-	9	-	3	-	-	-	1	-	-	-	2	-	1	6	4	1	2	-	-	5	56
2	148	13	23	4	12	10	1	28	2	2	5	-	17	34	17	21	25	10	5	48	57
5	196	24	29	2	11	15	3	26	3	2	5	-	19	42	10	34	41	7	6	63	58
5	170	13	25	1	10	11	3	20	2	1	4	-	18	39	8	31	35	6	4	51	59
5	172	13	25	1	10	11	3	20	2	1	4	-	18	39	8	31	35	6	4	51	60
-	26	11	4	1	1	4	-	6	1	1	1	-	1	3	2	3	6	1	2	12	61
																					62
1	3	1	-	1	-	-	-	-	-	-	2	-	-	4	2	1	-	-	1	3	63
1	38	2	5	-	2	-	1	4	-	8	-	1	-	18	1	4	5	1	2	13	64
1	24	2	4	-	2	-	-	2	-	6	-	1	-	12	-	3	1	-	2	9	65
-	14	-	1	-	-	-	1	2	-	2	-	-	-	6	1	1	4	1	-	4	66
-	10	-	3	-	-	1	2	2	-	-	-	-	-	2	-	-	1	-	-	7	67
-	48	4	12	-	8	2	1	5	1	1	3	-	-	2	5	6	6	1	-	18	68
3	153	13	16	1	18	11	2	15	3	3	9	-	21	22	13	28	29	9	5	64	69
3	138	12	14	1	17	9	2	12	3	3	8	-	18	19	11	26	27	8	5	59	70
-	15	1	2	-	1	2	-	3	-	-	1	-	3	3	2	2	2	1	-	5	71
12	426	36	82	11	27	20	11	56	6	7	27	1	36	79	28	32	66	21	10	133	72
12	385	33	68	10	25	18	11	48	5	6	26	1	34	73	23	27	62	17	9	113	73
-	41	3	14	1	2	2	-	8	1	1	1	-	2	6	5	5	4	4	1	20	74
																					75
-	29	7	5	-	1	1	1	4	-	-	1	-	2	3	2	3	3	1	-	12	76
-	34	1	9	1	3	2	1	8	1	-	-	-	2	3	2	2	5	-	1	4	77
1	41	6	21	-	3	1	1	8	1	-	-	-	-	9	6	8	11	5	4	25	78
-	13	2	2	-	-	-	-	1	-	1	-	1	2	5	-	2	3	-	-	2	79
-	28	3	14	-	4	5	1	7	1	3	2	-	1	8	6	4	3	1	-	11	80
-	15	2	11	-	2	2	-	5	-	1	2	-	1	7	5	3	-	1	-	5	81
-	13	1	3	-	2	3	1	2	1	2	-	-	-	1	1	1	3	-	-	6	82
-	42	4	4	-	-	2	2	21	2	6	2	-	6	16	-	2	13	2	2	9	83
-	38	3	4	-	-	1	2	21	2	6	1	-	5	15	-	1	9	2	-	8	84
-	4	1	-	-	-	1	-	-	-	-	1	-	1	1	-	1	4	-	2	1	85
																					86
1	54	3	15	-	3	4	2	8	1	2	1	-	-	4	5	3	8	1	1	13	87
3	94	10	7	2	17	6	3	7	1	1	4	-	7	24	8	14	8	1	1	31	88
3	50	8	5	2	10	3	2	7	1	-	4	-	7	19	6	10	6	-	-	25	89
-	44	2	2	-	7	3	1	-	-	1	-	-	-	5	2	4	2	1	1	6	

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
TEXAS--CON.																
WALKER	195	-	1	-	36	8	8	1	8	5	1	5	2	101	28	63
HUNTSVILLE	96	-	-	-	19	3	7	1	5	1	1	1	-	50	14	31
BALANCE OF COUNTY	99	-	1	-	17	5	1	-	3	4	-	4	2	51	14	32
WALLER	132	1	1	-	17	7	2	1	5	-	-	2	2	78	26	48
WARD	93	2	-	1	12	2	2	-	3	-	1	4	-	48	17	28
WASHINGTON	252	1	-	4	28	12	1	-	5	1	2	7	4	143	40	90
WEBB	508	9	1	11	70	19	17	6	15	-	6	7	10	194	38	136
LAREDO	490	9	1	10	64	16	15	6	15	-	5	7	10	188	38	130
BALANCE OF COUNTY	18	-	-	1	6	3	2	-	-	-	1	-	-	6	-	6
WHARTON	320	4	-	2	48	18	6	4	9	2	1	8	2	185	57	118
WHEELER	99	1	-	-	10	2	2	-	-	1	3	2	1	62	15	42
WICHITA	919	1	1	5	140	35	28	15	22	7	2	31	13	456	98	335
WICHITA FALLS, PART	733	1	1	5	116	29	26	13	16	7	-	25	10	361	72	272
WICHITA FALLS, TOTAL	733	1	1	5	116	29	26	13	16	7	-	25	10	361	72	272
BALANCE OF COUNTY	186	-	-	-	24	6	2	2	6	-	2	6	3	95	26	63
WILBARGER	199	1	1	1	33	10	9	3	6	-	2	3	4	109	21	85
VERNON	155	1	1	1	25	7	7	3	4	-	2	2	3	86	15	68
BALANCE OF COUNTY	44	-	-	-	8	3	2	-	2	-	-	1	1	23	6	17
WILLACY	131	2	-	3	20	2	4	4	2	1	2	5	-	49	7	36
WILLIAMSON	403	5	1	-	61	21	11	3	8	3	3	12	2	214	50	141
WILSON	138	-	-	2	17	6	1	-	3	-	1	6	6	78	14	59
WINKLER	68	-	1	-	18	5	4	-	3	1	3	2	-	27	2	22
KERMIT	56	-	1	-	15	5	3	-	2	1	2	2	-	20	2	15
BALANCE OF COUNTY	12	-	-	-	3	-	1	-	1	-	1	-	-	7	-	7
WISE	178	1	-	1	26	11	2	-	2	1	-	10	2	102	26	66
WOOD	235	1	1	-	43	18	6	2	8	-	-	9	5	129	40	82
YOAKUM	33	-	-	-	2	1	-	1	-	-	-	-	-	12	3	9
YOUNG	175	-	1	-	26	7	4	3	5	2	-	5	1	90	23	62
ZAPATA	31	1	-	-	5	1	-	-	2	-	-	2	1	11	1	9
ZAVALA	91	1	-	-	10	6	1	1	1	-	-	1	4	30	3	25
UTAH	6,322	16	6	35	869	268	92	80	146	43	50	190	102	2,999	613	2,157
URBAN	4,114	12	5	16	583	180	68	44	100	28	34	129	66	1,973	398	1,429
RURAL	2,208	4	1	19	286	88	24	36	46	15	16	61	36	1,026	215	728
METROPOLITAN COUNTIES	4,292	12	6	18	618	186	74	57	102	38	31	130	64	1,993	420	1,414
URBAN	3,349	11	5	10	490	153	59	37	85	27	23	106	47	1,587	334	1,131
RURAL	943	1	1	8	128	33	15	20	17	11	8	24	17	406	86	283
NONMETROPOLITAN COUNTIES	2,030	4	-	17	251	82	18	23	44	5	19	60	38	1,006	193	743
URBAN	765	1	-	6	93	27	9	7	15	1	11	23	19	386	64	298
RURAL	1,265	3	-	11	158	55	9	16	29	4	8	37	19	620	129	445
BEAVER	40	-	-	-	5	1	1	-	1	-	1	1	-	23	7	15
BOX ELDER	172	-	-	4	22	4	1	3	3	2	3	6	3	92	20	64
BRIGHAM CITY	77	-	-	3	9	1	1	1	2	1	-	3	2	41	6	33
BALANCE OF COUNTY	95	-	-	1	13	3	-	2	1	1	3	3	1	51	14	31
CACHE	235	-	-	3	36	12	-	4	9	-	4	7	3	128	37	85
LOGAN	114	-	-	-	18	6	-	4	2	-	4	2	2	63	17	42
BALANCE OF COUNTY	121	-	-	3	18	6	-	-	7	-	-	5	1	65	20	43
CARBON	129	2	-	-	20	9	1	-	6	-	-	4	2	59	10	48
DAGGETT	9	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4
DAVIS	292	-	-	1	44	11	7	4	2	1	5	14	3	123	20	93
BOUNTIFUL	86	-	-	-	10	3	2	-	1	-	1	3	1	42	7	33
BALANCE OF COUNTY	206	-	-	1	34	8	5	4	1	1	4	11	2	81	13	60
DUCHESNE	62	-	-	1	9	2	-	1	2	-	2	2	1	26	4	19
EMERY	46	-	-	-	3	2	-	-	-	-	-	1	-	28	4	23
GARFIELD	30	-	-	-	3	2	-	-	-	-	-	1	1	19	3	14
GRAND	52	-	-	2	3	1	2	-	-	-	-	-	-	16	1	15
IRON	69	1	-	1	7	2	1	-	1	-	2	1	2	41	7	29
JUAB	62	1	-	-	6	2	-	1	2	1	-	-	2	39	6	32
KANE	14	-	-	-	1	1	-	-	-	-	-	-	-	5	2	3
MILLARD	77	-	-	-	11	4	-	-	2	-	1	4	3	33	7	21
MORGAN	23	-	-	-	4	1	1	-	1	-	-	1	-	11	1	10
PIUTE	15	-	-	-	2	-	-	-	1	-	-	1	1	11	2	9
RICH	21	-	-	-	3	2	-	-	1	-	-	-	-	9	1	8
SALT LAKE	2,857	9	4	12	437	128	58	42	71	29	18	91	41	1,297	286	900
MURRAY	103	-	-	-	15	3	5	1	1	-	2	3	2	45	6	37
SALT LAKE CITY	1,903	7	3	6	303	98	36	24	50	21	10	64	24	891	200	614
BALANCE OF COUNTY	851	2	1	6	119	27	17	17	20	8	6	24	15	361	80	249
SAN JUAN	53	-	-	4	3	-	-	1	2	-	-	-	-	7	-	7
SANPETE	133	-	-	-	18	8	1	-	4	-	-	5	2	80	20	56
SEVIER	82	-	-	-	7	4	-	1	1	-	-	1	4	36	6	25
SUMMIT	64	-	-	-	3	2	-	-	-	-	-	1	2	43	14	25
TOOELE	120	-	-	1	17	4	1	3	3	-	-	6	2	57	5	49
UINTAH	90	-	-	-	6	3	-	2	-	-	1	-	2	40	4	27
UTAH	651	1	-	1	72	24	7	5	11	3	7	15	14	326	62	240
OREM	91	-	-	-	7	-	3	-	-	-	-	4	1	38	10	28
PROVO	217	-	-	-	30	12	2	3	4	-	4	5	4	108	19	81
BALANCE OF COUNTY	343	1	-	1	35	12	2	2	7	3	3	6	9	180	33	131

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metro-ban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	51	4	8	1	2	4	3	4	2	1	1	-	2	1	6	6	7	2	3	20	1
-	26	1	4	1	2	1	1	2	2	-	-	-	2	1	2	4	2	-	1	11	2
-	25	3	4	-	-	3	2	2	-	1	1	-	-	-	4	2	5	2	2	9	3
2	33	5	8	-	-	2	2	4	1	1	2	1	1	3	1	2	7	1	1	9	4
-	17	2	9	-	-	-	3	1	1	1	1	-	4	2	2	3	4	2	2	7	5
1	48	5	36	-	4	6	3	13	2	1	1	-	-	4	5	4	10	2	-	30	6
-	112	12	12	5	3	8	4	37	-	8	4	-	7	45	27	16	25	1	2	41	7
-	108	11	11	5	3	8	4	37	-	8	3	-	7	44	27	16	22	1	2	41	8
-	4	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	9
1	88	9	20	1	4	2	3	9	1	1	2	-	2	11	8	8	9	2	5	21	10
-	33	3	6	-	2	3	-	4	1	2	-	-	-	1	1	3	5	-	-	8	11
3	276	22	34	3	12	6	2	43	2	4	16	2	14	40	8	37	47	17	6	67	12
2	218	19	33	3	8	5	1	32	2	4	14	1	12	31	6	31	32	15	6	53	13
2	218	19	33	3	8	5	1	32	2	4	14	1	12	31	6	31	32	15	6	53	14
1	58	3	1	-	4	1	1	11	-	-	2	1	2	9	2	6	15	2	-	14	15
1	65	6	13	1	1	1	-	4	1	2	-	-	1	2	4	4	13	1	-	18	16
1	51	5	11	1	1	1	-	3	1	-	-	-	1	1	4	3	9	-	-	16	17
-	14	1	2	-	-	-	-	1	-	2	-	-	-	1	-	1	4	1	-	2	18
-	31	2	3	-	2	3	1	7	2	3	-	-	4	11	2	9	6	2	1	10	19
1	97	10	33	1	12	8	2	16	1	2	1	1	4	7	9	9	18	4	3	45	20
1	26	7	25	2	1	2	-	4	1	2	1	-	-	5	4	2	4	-	1	11	21
-	16	-	6	-	2	1	-	1	-	-	-	-	1	8	2	3	2	2	1	2	22
-	12	-	3	-	2	1	-	1	-	-	-	-	1	6	2	3	2	2	1	2	23
-	4	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	24
1	50	7	8	1	8	1	-	5	2	-	-	-	2	2	1	7	8	2	-	17	25
1	58	6	17	1	2	1	3	5	1	-	1	-	2	4	3	6	12	4	1	17	26
-	8	-	1	-	-	-	-	-	-	2	-	-	1	1	1	8	3	2	1	-	27
-	40	5	17	1	2	1	1	7	2	1	-	-	2	1	9	10	6	4	-	15	28
-	6	-	3	-	1	-	-	2	-	-	-	-	1	2	2	-	2	-	-	4	29
-	20	1	4	-	-	-	2	11	-	5	1	-	1	9	3	-	2	-	-	14	30
143	1,535	205	274	21	71	93	44	212	56	32	52	8	143	295	294	233	330	99	20	521	31
100	1,031	135	163	14	38	62	32	152	43	18	37	4	100	176	203	146	175	69	13	323	32
43	504	70	111	7	33	31	12	60	13	14	15	4	43	119	91	87	155	30	7	198	33
101	1,031	110	172	16	48	65	30	155	42	18	43	3	109	203	245	147	195	68	12	341	34
80	830	91	130	12	35	52	23	129	37	14	35	3	77	130	190	117	135	55	12	265	35
21	201	19	42	4	13	13	7	26	5	4	8	-	32	73	55	30	60	13	-	76	36
42	504	95	102	5	23	28	14	57	14	14	9	5	34	92	49	86	135	31	8	180	37
20	201	44	33	2	3	10	9	23	6	4	2	1	23	46	13	29	40	14	1	58	38
22	303	51	69	3	20	18	5	34	8	10	7	4	11	46	36	57	95	17	7	122	39
-	14	1	-	-	1	-	-	1	1	-	-	-	2	3	2	-	2	1	-	2	40
4	42	5	13	-	3	4	1	6	-	1	1	-	2	10	2	7	12	1	2	7	41
3	24	1	5	-	-	2	-	1	-	-	-	-	2	4	2	5	5	-	-	3	42
1	18	4	8	-	3	2	1	5	-	1	1	-	-	6	-	2	7	1	2	4	43
5	48	20	12	1	1	4	-	4	2	2	1	1	4	9	5	4	8	4	-	21	44
4	24	8	6	1	1	2	-	2	2	1	1	-	2	5	3	3	3	3	-	5	45
1	24	12	6	-	-	2	-	2	-	1	-	-	2	4	2	1	5	1	-	16	46
4	39	5	-	-	-	1	-	5	1	1	1	-	2	4	3	10	4	1	1	13	47
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	48
4	67	13	9	1	1	5	3	11	3	-	2	-	12	23	8	10	18	5	-	29	49
1	24	5	3	-	1	1	-	4	-	-	-	-	8	8	2	-	2	1	-	8	50
3	43	8	6	1	-	4	3	7	3	-	2	-	4	15	6	10	16	4	-	21	51
1	14	1	3	-	-	3	-	3	-	-	1	-	-	3	2	1	5	-	-	10	52
1	13	3	6	-	1	-	-	1	1	-	1	-	-	1	1	1	4	-	-	5	53
2	5	6	1	-	1	1	-	-	-	-	-	-	1	-	1	-	2	-	-	3	54
1	11	-	3	-	-	-	-	-	1	-	-	1	3	6	-	4	9	1	-	6	55
1	19	7	2	-	1	1	3	2	2	1	1	-	1	-	-	1	4	-	-	5	56
1	24	-	7	1	-	-	-	2	1	-	-	-	1	2	2	-	4	-	-	2	57
-	3	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	1	-	1	58
2	17	-	2	-	4	1	-	1	-	-	-	-	1	2	4	4	11	1	-	6	59
-	6	2	2	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	4	60
1	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	61
-	7	-	1	-	-	-	-	-	-	-	-	-	-	1	2	4	-	-	-	2	62
63	660	67	110	9	36	45	21	79	28	12	34	2	71	148	195	84	128	40	7	229	63
6	23	4	4	-	-	2	-	3	-	-	-	1	2	9	5	4	7	3	-	7	64
37	458	48	71	6	24	33	14	55	23	8	25	1	36	64	136	54	74	27	6	160	65
20	179	15	35	3	12	10	7	21	5	4	9	-	33	75	54	26	47	10	1	62	66
1	3	1	2	-	-	-	-	3	-	4	-	1	-	4	4	3	10	-	2	8	67
2	37	6	11	-	2	1	1	2	-	-	-	-	1	3	5	4	6	4	-	8	68
1	15	4	5	-	2	3	-	3	-	-	1	-	1	2	3	6	6	2	1	10	69
1	22	-	2	-	2	2	-	2	-	-	-	-	-	3	-	1	3	1	1	5	70
4	37	5	3	-	1	1	1	4	-	2	-	-	1	7	1	8	6	4	-	10	71
1	15	8	3	2	3	1	3	3	-	3	-	2	-	4	1	9	7	2	1	10	72
22	152	25	41	4	6	8	6	17	6	3	4	-	17	32	12	37	34	11	3	61	73
2	16	6	4	-	-	-	-	3	1	-	1	-	3	9	2	7	6	-	1	12	74
9	54	8	10	1	2	4	1	2	1	2	2	-	9	12	2	9	9	4	1	22	75
11	82	11	27	3	4	4	5	12	4	1	1	-	5	11	8	21	19	7	1	27	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
UTAH--CON.																
WASATCH	46	-	-	-	3	-	-	-	-	1	-	2	2	27	6	21
WASHINGTON	78	-	-	-	14	5	1	3	3	-	-	2	1	42	5	35
WAYNE	16	-	-	-	1	-	1	-	-	-	-	-	2	7	1	6
WEBER	784	2	2	5	109	34	9	10	20	6	6	24	9	370	72	274
OGDEN	605	2	2	3	86	27	9	7	18	3	4	18	6	296	58	220
BALANCE OF COUNTY	179	-	-	2	23	7	-	3	2	3	2	6	3	74	14	54
VERMONT	4,355	22	4	14	720	232	105	77	118	41	30	117	58	2,496	501	1,739
URBAN	1,602	7	-	7	264	79	43	30	33	14	14	51	17	930	194	661
RURAL	2,753	15	4	7	456	153	62	47	85	27	16	66	41	1,566	307	1,078
NONMETROPOLITAN COUNTIES	4,355	22	4	14	720	232	105	77	118	41	30	117	58	2,496	501	1,739
URBAN	1,602	7	-	7	264	79	43	30	33	14	14	51	17	930	194	661
RURAL	2,753	15	4	7	456	153	62	47	85	27	16	66	41	1,566	307	1,078
ADDISON	212	-	1	-	35	13	8	4	3	2	2	3	4	114	18	85
BENNINGTON	307	1	-	3	47	14	8	6	7	4	-	8	3	182	30	134
CALEDONIA	291	1	1	-	43	14	7	5	7	3	1	6	4	176	40	120
CHITTENDEN	652	4	-	2	115	34	16	11	18	9	5	22	14	353	71	253
BURLINGTON	359	2	-	1	57	13	10	6	6	6	3	13	12	199	46	136
BALANCE OF COUNTY	293	2	-	1	58	21	6	5	12	3	2	9	2	154	25	117
ESSEX	60	1	-	-	7	1	1	-	2	1	-	2	1	40	13	24
FRANKLIN	352	2	-	2	55	14	8	7	9	1	1	15	4	197	43	126
GRAND ISLE	47	-	-	-	6	4	-	-	2	-	-	-	-	30	6	21
LAMOILLE	106	1	-	-	17	4	4	1	2	2	1	3	2	65	11	43
ORANGE	193	-	-	1	21	7	-	3	3	2	1	5	1	121	22	85
ORLEANS	231	3	-	1	36	10	10	4	5	-	4	3	3	138	31	87
RUTLAND	627	1	1	1	114	42	13	13	21	4	6	15	13	360	68	256
RUTLAND	274	-	-	1	40	13	5	6	5	2	2	7	3	167	35	114
BALANCE OF COUNTY	353	1	1	-	74	29	8	7	16	2	4	8	10	193	33	142
WASHINGTON	411	4	-	2	58	19	13	5	11	3	1	6	-	247	46	183
BARRE	134	2	-	-	23	8	6	1	4	1	1	2	-	74	17	53
BALANCE OF COUNTY	277	2	-	2	35	11	7	4	7	2	-	4	-	173	29	130
WINDHAM	375	1	-	1	79	24	10	9	11	6	6	13	4	190	55	116
WINDSOR	491	3	1	1	87	32	7	9	17	4	2	16	5	283	47	206
VIRGINIA	35,658	197	64	174	5,168	1,534	903	416	773	216	232	1,094	524	19,103	4,112	13,267
URBAN	17,173	89	33	73	2,642	769	506	221	373	113	107	553	274	9,078	1,953	6,329
RURAL	18,485	108	31	101	2,526	765	397	195	400	103	125	541	250	10,025	2,159	6,938
METROPOLITAN COUNTIES	16,396	79	34	77	2,582	759	459	232	355	108	123	546	256	8,392	1,793	5,848
URBAN	12,349	62	27	50	1,929	570	357	172	260	86	80	404	200	6,376	1,385	4,435
RURAL	4,047	17	7	27	653	189	102	60	95	22	43	142	56	2,016	408	1,413
NONMETROPOLITAN COUNTIES	19,262	118	30	97	2,586	775	444	184	418	108	109	548	268	10,711	2,319	7,419
URBAN	4,824	27	6	23	713	199	149	49	113	27	27	149	74	2,702	568	1,894
RURAL	14,438	91	24	74	1,873	576	295	135	305	81	82	399	194	8,009	1,751	5,525
ACCOMACK	467	2	1	3	65	19	15	4	10	2	4	11	5	278	64	198
ALBEMARLE	291	1	-	2	34	9	7	2	5	1	-	10	4	183	33	138
ALLEGHANY	122	1	-	-	23	4	7	2	1	1	1	7	1	71	13	54
AMELIA	89	1	-	2	13	5	-	-	2	1	-	5	1	48	9	36
AMHERST	210	2	-	2	30	9	2	2	4	-	1	12	13	107	24	70
APPOMATTOX	112	2	-	1	15	2	2	-	2	1	2	6	1	59	14	45
ARLINGTON#	1,139	7	4	9	227	70	47	27	27	14	7	35	18	566	116	410
AUGUSTA	336	2	-	3	38	15	5	2	4	-	1	11	5	189	45	135
BATH	70	-	-	-	11	2	2	2	-	-	-	5	2	44	5	33
BEDFORD	312	-	-	1	39	9	3	3	10	2	2	10	9	184	56	113
BLAND	57	-	-	-	7	1	1	1	3	-	-	1	3	36	7	26
BOTETOURT	182	2	-	1	30	12	4	4	3	2	2	3	5	94	19	63
BRUNSWICK	190	2	1	-	26	4	5	2	9	2	2	2	2	112	29	78
BUCHANAN	230	1	1	2	20	5	2	4	3	-	-	6	2	94	10	78
BUCKINGHAM	145	-	1	-	12	6	1	-	1	-	-	4	1	97	16	72
CAMPBELL	270	3	-	4	33	13	4	3	3	-	4	6	1	152	32	113
CAROLINE	137	2	-	-	17	5	2	3	2	1	1	3	1	70	23	45
CARROLL	215	3	-	-	35	11	2	3	8	2	1	8	3	125	20	97
CHARLES CITY	68	-	-	1	2	1	-	1	-	-	-	-	-	31	9	21
CHARLOTTE	142	-	1	1	15	6	1	-	2	1	1	4	4	79	22	45
CHESTERFIELD	440	-	-	3	71	22	11	8	13	1	4	12	4	231	50	157
CLARKE	105	1	-	-	21	7	7	-	5	-	-	2	2	58	16	40
CRAIG	39	1	-	-	4	1	-	2	-	-	-	1	-	21	4	15
CULPEPER	171	-	-	1	25	10	4	3	2	-	-	6	2	110	12	88
CUMBERLAND	74	-	-	1	13	3	4	2	3	-	-	1	1	42	10	30
DICKENSON	163	-	1	2	30	11	6	-	3	4	-	6	-	70	21	44
DINWIDDIE	170	1	-	1	21	3	5	1	5	1	2	4	2	92	24	62
ESSEX	82	1	-	-	7	-	1	1	3	-	1	1	4	50	5	42
FAIRFAX[b]	1,154	5	1	3	208	58	41	19	32	7	13	38	10	516	106	361
VIENNA	48	-	-	-	10	3	4	1	1	-	-	1	-	21	3	16
BALANCE OF COUNTY	1,106	5	1	3	198	55	37	18	31	7	13	37	10	495	103	345

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
5	13	-	3		-	-	-	2		-	-	-	1	-	1	-	1	1	-	8	3
-	22	6	7	-	-	-	2	2		-	-	-	1	-	2	5	8	1	-	2	4
-	3	-	3	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	3	5
16	219	18	21	3	6	12	3	59	8	3	5	1	21	23	38	26	33	17	2	51	6
14	179	12	15	2	5	10	1	42	5	2	4	1	17	14	31	21	22	15	1	35	7
2	40	6	6	1	1	2	2	17	3	1	1	-	4	9	7	5	11	2	1	16	8
																					9
49	1,413	121	156	46	110	69	31	149	23	21	37	2	44	133	56	100	118	49	1	308	10
																					11
20	549	49	43	14	32	24	5	55	9	9	20	1	20	58	26	31	33	12	-	103	12
29	864	72	113	32	78	45	26	94	14	12	17	1	24	75	30	69	85	37	1	205	13
																					14
49	1,413	121	156	46	110	69	31	149	23	21	37	2	44	133	56	100	118	49	1	308	15
20	549	49	43	14	32	24	5	55	9	9	20	1	20	58	26	31	33	12	-	103	16
29	864	72	113	32	78	45	26	94	14	12	17	1	24	75	30	69	85	37	1	205	17
																					18
1	67	8	9	2	4	3	2	11	2	2	-	-	1	4	1	8	6	2	-	21	19
9	107	11	7	4	5	8	1	17	1	1	3	1	5	6	-	3	11	4	-	19	20
3	90	20	7	3	4	6	3	8	2	1	3	-	1	7	7	6	7	3	-	21	21
5	224	7	17	5	9	14	1	22	4	4	6	1	10	28	5	11	17	8	-	48	22
4	114	6	12	4	6	7	-	11	2	4	4	-	5	17	5	5	5	6	-	24	23
1	110	1	5	1	3	7	1	11	2	-	2	1	5	11	-	6	12	2	-	24	24
-	20	2	2	-	2	-	1	2	-	-	1	-	-	-	2	1	1	-	-	4	25
4	93	8	21	-	22	2	4	24	3	1	1	-	3	10	-	18	6	1	-	25	26
-	21	-	-	-	1	2	-	1	-	1	-	-	-	3	-	1	3	-	-	2	27
1	33	4	5	-	6	3	2	3	-	-	-	-	-	2	-	4	4	2	-	6	28
																					29
2	64	8	11	1	8	4	1	6	2	1	-	-	2	8	2	3	5	5	-	15	30
-	75	7	5	8	8	1	3	4	2	1	4	-	3	9	-	5	7	1	-	14	31
6	210	16	24	9	11	12	4	15	2	2	3	-	9	22	21	11	15	5	-	32	32
5	94	9	6	5	7	6	-	7	1	1	3	-	6	6	14	4	8	2	-	11	33
1	116	7	18	4	4	6	4	8	1	1	-	-	3	16	7	7	7	3	-	21	34
2	162	8	11	3	8	3	4	9	2	-	6	-	5	12	2	10	12	6	-	36	35
-	44	2	7	1	1	2	-	5	1	-	4	-	2	6	-	-	1	2	-	14	36
2	118	6	4	2	7	1	4	4	1	-	2	-	3	6	2	10	11	4	-	22	37
9	93	4	10	9	6	2	2	8	2	5	5	-	1	11	11	7	12	5	-	33	38
7	154	18	27	2	16	9	3	19	1	2	5	-	4	11	5	12	12	7	1	32	39
																					40
275	9,248	1,814	1,930	298	680	467	279	1,268	181	169	302	35	471	1,756	471	939	1,307	490	310	2,729	41
																					42
132	4,499	908	790	148	294	237	117	588	92	86	193	20	235	893	221	337	616	198	148	1,357	43
143	4,749	906	1,140	150	386	230	162	680	89	83	109	15	236	863	250	602	691	292	162	1,372	44
																					45
128	4,183	797	740	127	284	235	105	569	94	81	190	23	263	959	201	365	586	206	147	1,292	46
93	3,163	645	534	105	207	171	73	430	69	70	151	17	186	702	156	237	442	132	114	999	47
35	1,020	152	206	22	77	64	32	139	25	11	39	6	77	257	45	128	144	74	33	293	48
147	5,065	1,017	1,190	171	396	232	174	699	87	88	112	12	208	797	270	574	721	284	163	1,437	49
39	1,336	263	256	43	87	66	44	158	23	16	42	3	49	191	65	100	174	66	34	358	50
108	3,729	754	934	128	309	166	130	541	64	72	70	9	159	606	205	474	547	218	129	1,079	51
																					52
3	151	27	17	6	4	4	2	13	3	5	1	1	5	15	1	15	15	2	7	30	53
4	97	11	26	1	5	4	2	10	2	-	-	-	-	8	6	2	12	6	2	16	54
2	39	9	4	1	-	1	2	3	1	-	2	-	3	2	1	4	2	2	2	7	55
-	25	6	5	-	1	1	1	8	2	-	-	1	1	2	-	1	1	-	-	8	56
3	51	8	8	1	6	5	1	5	2	-	2	-	3	4	2	6	11	1	1	19	57
-	21	4	20	-	-	-	-	6	-	-	-	-	2	6	1	3	3	-	1	12	58
13	329	37	31	10	13	11	6	34	3	7	20	-	17	70	7	10	31	16	3	90	59
3	102	11	19	1	2	6	-	17	-	1	1	-	4	9	4	14	15	7	2	25	60
																					61
2	17	4	10	1	1	1	3	2	-	-	1	-	-	1	-	-	2	2	-	5	62
2	69	16	26	1	12	2	-	7	1	1	3	-	4	7	9	8	13	3	2	21	63
-	14	7	5	1	2	-	-	1	-	1	-	-	-	1	-	1	1	-	1	5	64
1	40	6	16	-	3	5	4	8	1	1	5	-	1	4	3	8	4	4	-	11	65
-	49	16	13	1	3	1	-	6	-	2	1	-	2	8	2	6	4	3	4	9	66
3	49	16	10	1	1	1	3	18	3	3	-	-	2	25	3	7	13	5	4	27	67
1	57	7	7	1	4	3	1	3	1	2	1	-	1	5	-	6	7	1	2	5	68
6	60	17	30	1	5	-	1	9	1	2	-	-	2	16	3	11	7	3	4	19	69
																					70
-	28	7	10	1	1	-	-	5	2	-	1	-	1	6	5	6	3	4	1	13	71
1	65	18	13	-	1	4	3	7	-	1	-	-	1	6	2	8	7	4	-	13	72
-	16	1	4	-	1	-	-	1	1	-	-	1	1	3	3	8	4	-	-	12	73
-	34	3	8	1	6	3	2	-	-	-	-	-	2	7	3	7	5	1	-	17	74
1	108	19	29	2	10	9	3	13	5	1	2	2	8	29	8	16	15	4	7	21	75
2	27	1	10	1	-	1	-	4	-	-	2	-	2	4	-	2	2	1	-	6	76
-	7	2	6	-	-	-	2	1	-	1	-	-	2	3	-	1	-	1	-	4	77
4	44	12	28	2	3	5	-	7	-	-	-	-	-	3	-	2	8	5	-	8	78
																					79
-	16	10	4	-	2	-	-	1	1	-	-	1	-	1	3	1	3	1	1	4	80
2	34	6	2	-	2	2	1	6	1	-	-	-	1	7	6	1	7	7	2	22	81
3	37	10	12	1	1	3	1	7	1	2	-	-	2	13	-	7	9	1	1	10	82
1	27	6	8	3	-	-	-	4	-	-	1	-	-	1	1	1	3	1	-	8	83
11	285	29	36	7	14	21	7	42	9	4	17	1	25	103	15	46	44	21	6	78	84
-	14	1	1	-	-	-	2	3	2	1	-	-	2	3	-	2	1	-	1	2	85
11	271	28	35	7	14	21	5	39	7	3	17	1	23	100	15	44	43	21	5	76	86

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
VIRGINIA--CON.																
FAUQUIER	261	4	-	1	36	13	6	1	3	4	2	7	5	133	30	93
FLOYD	104	-	-	-	18	10	1	1	2	-	-	4	1	60	22	31
FLUVANNA	88	1	-	2	11	4	-	1	3	-	-	3	-	53	14	32
FRANKLIN	250	-	-	-	32	10	5	1	8	-	-	8	3	138	36	88
FREDERICK	195	-	-	1	35	18	7	3	2	-	-	5	1	105	22	69
GILES	173	-	-	2	25	5	5	2	3	-	2	8	3	89	12	63
GLOUCESTER	137	-	-	-	14	6	-	2	3	-	-	3	2	83	11	67
GOOCHLAND	77	-	-	1	8	1	1	-	-	1	1	4	1	47	16	25
GRAYSON	172	-	-	2	15	3	3	-	3	-	-	6	2	102	21	73
GREENE	53	-	-	-	5	3	1	-	1	-	-	-	1	27	7	18
GREENSVILLE	149	1	-	3	19	3	7	1	1	2	2	3	-	77	18	54
HALIFAX	326	2	2	3	43	15	3	7	7	1	4	6	2	178	32	137
HANOVER	269	1	-	4	31	10	5	1	6	2	2	5	4	156	43	103
HENRICO	828	1	3	6	137	37	30	14	17	6	7	26	11	450	84	320
HENRY	286	1	-	1	35	10	1	-	8	3	2	11	7	119	25	84
HIGHLAND	42	1	-	-	5	2	1	-	-	-	-	2	1	23	5	15
ISLE OF WIGHT	160	2	-	2	31	14	4	1	5	1	2	4	2	74	15	50
JAMES CITY	100	-	-	1	19	6	4	3	4	-	-	2	-	36	3	29
KING AND QUEEN	55	1	-	-	5	4	-	1	-	-	-	-	2	36	8	23
KING GEORGE	70	-	-	-	12	3	4	1	2	-	1	1	2	30	9	20
KING WILLIAM	87	-	1	-	13	5	1	1	2	1	-	3	2	49	9	34
LANCASTER	98	-	-	-	17	8	4	1	2	-	-	2	1	60	12	38
LEE	260	3	-	-	35	9	6	1	9	-	1	9	1	158	24	115
LOUDOUN	253	2	-	1	40	9	5	5	8	1	1	11	3	139	29	93
LOUISA	167	-	-	-	16	5	4	1	1	1	-	4	5	97	18	72
LUNENBURG	130	-	-	2	15	8	4	1	-	-	-	2	2	83	23	54
MADISON	80	-	-	-	13	3	1	-	2	-	-	7	-	46	11	31
MATHEWS	109	-	-	-	22	8	5	1	3	-	1	4	2	65	14	36
MECKLENBURG	306	4	1	1	35	12	3	2	7	1	-	10	5	183	42	126
MIDDLESEX	95	1	-	-	14	1	5	-	3	2	-	3	3	57	15	38
MONTGOMERY	256	4	-	1	29	8	3	1	7	3	3	4	1	149	33	91
NANSEMOND	322	7	1	4	28	9	6	5	3	2	1	2	4	176	51	108
NELSON	157	-	-	-	21	5	3	4	5	1	1	2	-	93	28	58
NEW KENT	53	-	-	-	11	2	1	-	1	-	2	5	3	24	3	21
NORFOLK	388	2	1	2	55	10	9	6	7	2	7	14	3	192	36	140
NORTHAMPTON	231	2	3	-	30	8	1	3	9	3	2	4	4	127	32	77
NORTHUMBERLAND	145	2	-	-	18	7	4	2	2	1	-	2	4	89	33	51
NOTTOWAY	171	4	1	-	22	7	2	1	5	1	-	6	4	103	30	65
ORANGE	130	1	-	4	24	8	3	3	3	1	2	4	-	73	14	54
PAGE	193	2	1	-	26	10	2	1	3	-	2	8	3	110	28	71
PATRICK	155	1	-	1	21	2	5	1	6	1	2	4	-	87	29	54
PITTSYLVANIA	523	1	2	2	56	15	8	4	9	3	6	11	5	285	76	176
POWHATAN	66	1	-	-	10	3	1	-	2	1	1	2	-	33	7	21
PRINCE EDWARD	147	1	-	-	20	7	1	1	4	2	1	4	1	84	21	48
PRINCE GEORGE	103	1	-	-	13	3	4	2	3	-	-	1	3	47	8	36
PRINCE WILLIAM	302	2	-	2	31	7	6	2	6	1	4	5	4	120	26	83
PRINCESS ANNE	443	1	2	4	67	26	4	2	14	3	5	13	7	196	46	128
PULASKI	226	1	1	1	33	7	9	2	6	2	1	6	4	125	11	107
PULASKI	103	-	-	-	19	6	7	1	2	1	-	2	3	57	7	50
BALANCE OF COUNTY	123	1	1	1	14	1	2	1	4	1	1	4	1	68	4	57
RAPPAHANNOCK	58	2	-	-	9	1	4	1	1	2	-	-	1	32	9	21
RICHMOND	61	-	-	-	6	2	1	-	-	-	1	2	2	36	7	27
ROANOKE	441	4	-	2	75	24	6	9	10	3	3	20	8	245	47	172
SALEM	141	1	-	-	24	9	2	2	5	1	2	3	1	79	13	57
BALANCE OF COUNTY	300	3	-	2	51	15	4	7	5	2	1	17	7	166	34	115
ROCKBRIDGE	233	3	1	3	32	11	6	4	2	2	3	4	3	125	20	86
ROCKINGHAM	362	-	1	3	45	21	7	1	7	1	-	8	2	226	49	156
RUSSELL	236	3	1	-	31	10	2	1	7	2	1	8	1	133	35	81
SCOTT	218	2	-	-	31	14	6	2	4	1	-	4	1	123	27	78
SHENANDOAH	265	2	-	-	47	16	7	4	3	2	6	9	9	143	17	110
SMYTH	260	-	2	-	25	7	6	2	4	-	1	5	6	154	18	120
SOUTHAMPTON[10]	229	2	-	1	22	6	3	3	2	3	-	5	-	125	26	91
SPOTSYLVANIA	104	-	-	-	5	-	1	-	1	-	-	3	3	67	16	47
STAFFORD	152	-	-	1	23	5	2	3	4	2	1	6	3	77	16	54
SURRY	66	-	-	-	6	-	2	-	-	1	-	3	1	38	12	19
SUSSEX	149	1	1	1	8	3	1	-	1	2	-	1	1	84	22	54
TAZEWELL	418	1	-	3	63	14	16	2	11	1	3	16	4	226	36	171
WARREN	147	1	-	-	15	4	2	1	5	1	-	2	1	88	9	66
WASHINGTON	374	1	-	2	44	10	11	2	5	-	2	14	5	229	53	155
WESTMORELAND	138	-	1	1	24	7	4	1	5	2	1	4	2	78	11	62
WISE	382	2	-	1	56	14	12	3	9	1	3	14	3	195	33	147
WYTHE	246	1	-	-	37	14	6	3	5	1	3	5	4	148	30	99
YORK	163	3	-	1	22	4	4	2	1	2	1	8	2	79	16	56
INDEPENDENT CITIES[11]																
ALEXANDRIA	673	1	1	-	111	35	16	10	14	5	6	25	9	327	63	238
BRISTOL[12]	163	-	-	1	24	3	7	1	3	-	2	8	-	100	17	78
BUENA VISTA	51	-	-	-	5	1	3	-	-	-	-	1	-	23	4	16
CHARLOTTESVILLE	323	1	-	-	50	20	5	5	5	1	-	14	6	166	39	114

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-669)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
1	66	13	13	4	4	1	1	14	3	2	1	-	1	14	6	10	14	5	2	10	1
-	24	3	4	-	4	1	2	4	-	-	-	-	1	1	2	2	5	3	-	7	2
-	20	3	9	-	7	-	-	3	1	-	-	-	2	1	1	3	2	1	-	7	3
2	70	6	10	1	6	4	3	12	-	2	1	-	6	8	1	12	12	4	3	16	4
1	54	4	10	1	6	6	1	9	2	-	1	-	3	8	1	11	3	2	1	12	5
4	46	5	8	1	6	5	2	6	2	-	1	-	2	8	4	3	7	6	1	14	6
2	39	14	12	2	2	-	1	7	-	-	2	-	1	8	-	3	5	1	-	11	7
-	13	5	7	1	3	2	-	2	-	-	-	-	-	2	-	4	4	1	1	6	8
1	33	9	30	-	1	6	1	8	-	-	1	-	2	4	1	7	8	4	1	15	9
-	10	1	7	-	-	-	2	-	1	-	-	-	1	1	4	3	5	-	2	4	10
-	35	9	10	1	3	-	1	10	-	1	-	-	2	5	7	8	3	1	3	9	11
-	98	30	9	4	-	4	1	18	-	2	4	-	2	14	5	8	10	3	5	25	12
4	61	13	25	1	4	1	4	7	3	-	1	-	4	9	5	12	7	6	5	14	13
5	246	33	36	4	22	11	9	27	4	3	7	2	12	35	3	17	21	15	3	71	14
1	57	11	15	-	5	3	2	16	-	3	3	-	7	24	7	17	10	6	7	23	15
-	8	2	5	1	2	-	-	1	-	-	1	-	-	-	-	3	-	2	-	5	16
2	30	10	8	4	1	2	2	6	3	2	1	-	3	4	2	4	4	4	6	10	17
2	22	3	2	1	1	2	-	2	1	2	-	-	2	10	2	4	6	3	-	12	18
-	9	5	9	1	3	1	-	1	-	-	1	-	1	1	2	1	1	-	-	3	19
-	20	-	-	-	-	-	1	7	1	1	-	-	-	3	1	1	6	2	1	3	20
-	25	5	4	3	1	1	1	3	-	1	1	-	-	4	4	-	2	1	1	5	21
-	29	4	5	1	9	-	-	2	-	-	1	-	1	4	1	-	2	1	1	7	22
2	85	17	11	2	9	3	5	7	2	1	1	-	3	4	7	6	6	1	3	22	23
1	72	11	10	2	9	2	4	9	1	-	3	-	2	8	2	9	7	5	1	21	24
-	38	6	28	2	4	1	-	4	2	-	1	-	2	8	3	10	1	5	1	12	25
1	37	5	11	-	3	-	3	4	-	1	1	-	-	5	-	2	4	-	-	11	26
-	21	7	3	2	1	1	-	3	-	-	1	-	3	1	-	2	4	2	-	5	27
-	25	3	8	10	4	1	-	1	1	-	-	-	-	3	1	2	4	2	-	6	28
1	80	20	25	1	10	-	4	6	3	1	-	-	-	9	6	11	10	5	7	19	29
-	30	3	5	1	-	1	2	-	-	-	-	-	-	5	3	1	3	2	-	6	30
1	69	10	11	4	9	4	8	7	1	-	3	-	3	17	1	11	5	3	-	21	31
1	70	23	14	5	4	5	3	16	-	2	3	-	4	22	3	6	11	-	4	31	32
1	42	3	12	3	3	-	1	3	1	-	1	-	1	7	1	7	9	3	1	9	33
-	14	3	4	-	-	-	-	2	1	-	-	-	1	-	-	3	3	1	1	3	34
4	100	21	15	2	6	6	2	18	1	1	2	1	7	24	3	11	20	8	4	33	35
-	57	12	8	4	10	3	1	8	1	4	1	1	1	13	5	1	4	2	5	19	36
1	36	7	7	-	3	1	1	8	-	-	-	-	1	5	2	2	3	-	2	9	37
-	52	8	5	3	4	-	1	10	-	-	-	-	-	3	2	4	8	1	2	7	38
1	32	9	12	2	2	1	-	5	-	-	1	-	2	3	1	2	5	3	-	6	39
1	48	4	18	2	4	3	2	7	-	-	1	-	1	9	1	3	9	4	-	16	40
1	37	4	12	1	3	-	-	8	1	1	-	-	1	3	-	6	5	3	3	14	41
-	125	35	16	7	18	4	4	24	2	3	1	3	8	35	5	22	21	5	8	35	42
-	15	1	5	-	4	1	-	-	-	-	-	-	1	3	1	3	5	1	-	8	43
1	31	10	6	1	11	2	1	12	-	3	1	-	3	2	-	3	3	2	1	11	44
1	29	2	4	1	-	1	1	4	-	1	1	-	3	13	-	3	5	2	-	7	45
1	63	6	13	-	2	4	5	14	-	1	2	-	14	37	8	25	16	5	-	21	46
1	78	13	36	2	10	4	6	17	1	-	5	-	13	32	8	16	14	16	9	35	47
2	61	19	25	-	5	1	1	6	-	-	1	-	2	8	2	9	8	4	1	20	48
-	28	9	13	-	-	-	-	4	-	-	1	-	1	4	-	1	5	1	-	7	49
2	33	10	12	-	5	1	1	2	-	-	-	-	1	4	2	8	3	3	1	13	50
-	14	5	2	-	1	-	1	1	2	-	-	-	1	2	-	1	1	1	1	4	51
-	21	5	1	-	-	1	1	3	-	-	-	-	1	2	-	3	3	-	-	5	52
3	126	17	26	5	5	13	3	14	3	-	4	-	6	13	3	9	23	9	1	22	53
-	43	5	9	3	1	4	1	5	-	-	1	-	1	7	-	2	9	2	-	9	54
3	83	12	17	2	4	9	2	9	3	-	3	-	5	6	3	7	14	7	1	13	55
6	53	4	23	3	10	3	3	7	-	-	5	-	2	6	1	9	8	4	-	24	56
2	90	24	40	3	6	4	8	12	1	-	1	-	4	10	6	12	14	7	3	15	57
3	61	6	11	5	6	3	3	6	1	-	1	-	1	4	4	6	12	4	3	25	58
-	71	3	4	-	9	7	2	12	-	2	1	-	3	5	3	7	8	3	1	17	59
4	57	29	20	1	3	5	7	11	-	1	1	-	-	3	3	6	8	5	2	24	60
2	81	14	23	3	6	3	4	2	3	-	-	-	9	11	4	10	10	2	-	22	61
2	54	20	15	2	4	2	-	9	1	4	-	-	1	10	4	10	13	3	3	22	62
1	31	6	9	-	2	-	2	5	1	-	2	-	-	7	-	2	6	2	-	4	63
2	43	3	6	3	2	2	-	9	-	-	2	-	1	9	-	6	7	2	2	10	64
1	8	6	4	2	2	1	2	1	-	1	-	-	2	4	-	4	3	1	1	4	65
2	39	5	8	-	5	3	-	8	1	1	2	-	1	17	-	1	5	3	1	13	66
5	129	20	17	6	4	6	3	13	3	1	1	-	8	16	8	11	18	9	4	29	67
-	30	14	22	2	6	-	5	3	-	1	1	-	-	7	-	8	5	4	-	13	68
10	97	26	22	1	14	4	2	11	3	1	3	-	2	12	3	8	15	4	1	30	69
-	41	8	13	3	1	1	-	4	1	1	1	1	-	1	5	2	3	2	1	10	70
6	109	18	14	1	5	4	5	14	3	2	-	-	3	18	20	3	19	5	2	36	71
2	77	9	11	1	11	4	3	3	-	3	2	1	1	7	2	9	11	2	1	14	72
2	45	3	6	2	-	2	3	4	1	1	1	-	7	15	-	6	6	1	1	13	73
6	183	28	21	2	9	10	5	19	3	7	8	2	16	42	8	17	35	10	5	52	74
3	60	5	10	1	2	2	-	7	-	-	1	-	-	5	-	-	3	5	-	17	75
-	7	2	7	-	1	-	2	6	-	-	-	-	-	1	-	4	6	1	1	4	76
1	92	4	17	2	2	6	3	12	-	-	4	-	2	19	4	5	17	9	4	24	77

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-154,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
VIRGINIA--CON.																
INDEPENDENT CITIES--CON.																
CLIFTON FORGE	80	1	-	-	8	5	1	-	-	-	1	1	2	42	5	36
COLONIAL HEIGHTS	73	-	-	1	13	4	3	1	2	-	-	3	-	41	8	31
COVINGTON	103	-	-	-	21	7	4	3	2	1	-	4	4	59	13	40
DANVILLE	529	2	2	4	80	25	16	6	17	5	3	8	9	302	73	200
FAIRFAX[13]	89	-	-	1	15	6	2	1	-	2	-	4	2	35	5	27
FALLS CHURCH	106	-	1	-	19	5	5	1	5	-	1	2	-	53	12	36
FRANKLIN[14]	75	1	-	-	11	4	-	1	4	2	-	-	1	45	6	34
FREDERICKSBURG	149	1	-	-	25	5	4	-	7	3	1	5	2	79	19	56
GALAX	47	-	-	-	7	2	1	-	2	-	1	1	-	30	8	19
HAMPTON	695	1	1	4	101	29	21	9	17	5	2	18	5	349	68	249
HARRISONBURG	114	1	-	-	23	10	2	2	4	1	-	4	1	67	9	50
HOPEWELL	148	3	-	1	18	3	4	-	3	-	-	8	5	67	18	42
LYNCHBURG	582	2	2	2	91	28	14	6	14	6	1	22	9	334	65	244
MARTINSVILLE	162	-	-	1	23	4	3	-	4	1	1	10	2	73	14	50
NEWPORT NEWS	847	1	1	3	127	31	24	16	20	2	8	26	14	407	84	286
NORFOLK	2,595	15	2	10	381	88	85	40	52	17	19	80	40	1,289	284	887
NORTON	47	-	-	-	7	1	2	2	-	-	-	2	-	21	4	15
PETERSBURG	470	4	1	1	64	21	17	5	10	-	2	9	10	263	52	191
PORTSMOUTH	1,022	1	6	3	160	49	24	11	23	5	10	38	18	564	120	400
RADFORD	81	1	-	1	12	2	6	-	1	-	1	2	1	43	5	35
RICHMOND	3,001	22	7	12	464	159	82	30	55	22	18	98	58	1,616	376	1,098
ROANOKE	1,034	7	1	5	136	45	16	13	23	4	4	31	16	554	134	361
SOUTH BOSTON	63	-	-	1	3	2	-	1	-	-	-	-	1	35	15	19
SOUTH NORFOLK	204	1	1	1	39	5	11	2	4	1	2	14	7	103	22	74
STAUNTON	233	-	-	3	33	6	8	4	6	1	-	8	3	151	23	113
SUFFOLK	170	4	-	1	24	5	4	1	6	1	1	6	1	106	24	72
VIRGINIA BEACH	72	-	-	-	13	6	1	1	-	1	-	4	1	27	3	21
WAYNESBORO	121	-	1	2	19	2	5	4	1	2	-	5	1	70	17	48
WILLIAMSBURG	55	-	-	-	14	4	3	2	3	-	-	2	1	27	-	25
WINCHESTER	206	1	-	-	38	13	6	-	4	3	2	10	3	109	38	61
WASHINGTON	27,383	87	37	83	4,351	1,388	678	370	627	228	235	825	475	15,187	3,333	10,524
URBAN	17,920	64	26	44	2,864	906	465	247	411	160	134	541	315	10,075	2,208	7,002
RURAL	9,463	23	11	39	1,487	482	213	123	216	68	101	284	160	5,112	1,125	3,522
METROPOLITAN COUNTIES	17,472	61	22	53	2,811	877	445	250	386	142	151	560	303	9,661	2,052	6,734
URBAN	13,009	54	18	31	2,105	662	344	196	288	113	94	408	232	7,277	1,536	5,090
RURAL	4,463	7	4	22	706	215	101	54	98	29	57	152	71	2,384	516	1,644
NONMETROPOLITAN COUNTIES	9,911	26	15	30	1,540	511	233	120	241	86	84	265	172	5,526	1,281	3,790
URBAN	4,911	10	8	13	759	244	121	51	123	47	40	133	83	2,798	672	1,912
RURAL	5,000	16	7	17	781	267	112	69	118	39	44	132	89	2,728	609	1,878
ADAMS	66	-	-	-	7	3	1	-	1	-	-	2	1	35	8	24
ASOTIN	137	-	-	-	26	9	4	2	3	3	5	-	1	84	16	63
BENTON	358	-	1	-	71	31	9	3	11	3	5	9	4	177	38	130
KENNEWICK	106	-	-	-	23	13	2	1	2	1	2	2	-	54	9	42
RICHLAND	103	-	-	-	22	6	4	1	6	-	1	4	3	47	8	36
BALANCE OF COUNTY	149	-	1	-	26	12	3	1	3	2	2	3	1	76	21	52
CHELAN	396	1	-	-	61	14	14	8	11	3	2	9	7	223	57	140
WENATCHEE	223	1	-	-	37	10	9	4	5	3	2	4	3	127	35	75
BALANCE OF COUNTY	173	-	-	-	24	4	5	4	6	-	-	5	4	96	22	65
CLALLAM	304	-	1	1	48	13	9	2	5	4	-	15	8	172	39	125
PORT ANGELES	161	-	-	1	24	6	6	-	-	3	-	9	4	97	22	72
BALANCE OF COUNTY	143	-	1	-	24	7	3	2	5	1	-	6	4	75	17	53
CLARK	912	2	1	-	163	44	25	8	34	9	7	36	16	517	99	364
VANCOUVER	428	2	1	-	86	22	14	5	13	6	4	22	4	242	42	178
BALANCE OF COUNTY	484	-	-	-	77	22	11	3	21	3	3	14	12	275	57	186
COLUMBIA	61	-	-	-	6	3	-	-	2	-	-	1	-	49	21	23
COWLITZ	506	1	-	2	81	22	14	7	15	4	3	16	17	301	80	202
LONGVIEW	209	-	-	1	35	8	5	5	6	3	1	7	4	117	34	75
BALANCE OF COUNTY	297	1	-	1	46	14	9	2	9	1	2	9	13	184	46	127
DOUGLAS	80	-	-	-	16	5	7	1	-	2	-	1	1	47	8	37
FERRY	44	-	-	-	4	1	-	-	2	-	1	-	-	15	4	8
FRANKLIN	151	-	-	1	22	6	3	3	3	2	-	5	2	70	24	42
PASCO	109	-	-	1	16	4	3	2	1	2	-	4	2	51	18	30
BALANCE OF COUNTY	42	-	-	-	6	2	-	1	2	-	-	1	-	19	'6	12
GARFIELD	38	-	-	-	6	1	-	1	3	-	-	1	2	27	4	18
GRANT	275	4	-	2	33	13	2	4	2	2	2	8	8	101	14	76
MOSES LAKE	54	-	-	-	9	2	-	1	-	1	-	5	2	11	2	8
BALANCE OF COUNTY	221	4	-	2	24	11	2	3	2	1	2	3	6	90	12	68
GRAYS HARBOR	618	2	-	1	110	44	18	9	16	3	6	14	13	332	63	245
ABERDEEN	247	-	-	-	44	21	5	3	4	1	3	7	5	127	20	97
HOQUIAM	118	1	-	-	19	5	6	-	4	-	1	3	4	70	11	54
BALANCE OF COUNTY	253	1	-	1	47	18	7	6	8	2	2	4	4	135	32	94
ISLAND	135	-	-	1	25	10	2	2	3	1	1	6	2	73	19	54
JEFFERSON	100	-	-	-	13	4	1	1	2	-	3	2	2	63	9	52
KING	9,046	32	14	30	1,491	468	242	136	209	71	77	288	144	4,904	1,041	3,396
AUBURN	149	-	-	-	29	11	5	-	5	1	1	6	2	79	19	53
BELLEVUE	123	-	-	-	30	12	1	6	2	1	2	6	3	57	13	41
RENTON	175	2	-	1	28	6	7	1	3	1	3	7	4	99	20	67

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,572,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	28	5	3	-	1	-	-	2	-	-	-	-	2	3	-	-	7	2	-	11	1
2	25	2	2	-	-	2	-	1	-	1	-	-	1	3	-	-	3	2	-	7	2
3	30	3	4	-	4	1	1	4	-	1	-	-	1	3	-	3	2	2	-	3	3
5	128	47	20	5	8	10	6	26	5	4	3	-	6	21	7	3	15	2	5	33	4
-	21	5	1	-	3	-	-	-	1	-	4	-	2	7	-	2	4	2	-	14	5
1	29	4	2	1	2	2	-	1	-	-	-	-	1	9	2	9	9	3	-	3	6
1	21	11	1	1	1	1	2	-	-	-	1	-	-	2	-	1	5	2	-	6	7
-	41	7	8	1	2	1	-	5	-	1	3	-	-	6	-	9	5	-	1	12	8
-	16	3	-	1	1	-	1	-	1	1	-	-	1	4	1	-	-	1	-	1	9
9	181	34	25	11	8	11	2	31	5	8	5	1	10	47	5	19	36	14	8	45	10
4	28	9	9	1	2	4	1	3	-	-	1	-	1	2	1	1	-	1	-	12	11
-	32	3	7	-	3	2	2	3	1	1	-	1	2	12	2	4	5	2	1	20	12
5	152	46	41	5	8	10	2	17	5	3	7	-	5	26	5	11	13	5	2	43	13
1	29	15	5	3	2	4	-	5	1	-	2	-	5	12	7	6	8	1	3	13	14
5	219	42	20	5	13	13	6	39	5	4	5	3	15	63	17	21	32	9	18	63	15
18	633	100	136	22	54	29	13	112	13	13	38	7	52	190	49	36	81	19	19	229	16
1	9	2	3	1	1	-	-	2	-	-	-	-	-	1	7	-	6	-	-	3	17
4	127	36	24	5	4	8	3	14	4	-	4	-	6	23	6	7	23	3	5	32	18
2	258	92	48	9	10	18	7	43	5	5	10	4	15	59	11	15	27	6	5	65	19
-	29	6	-	1	1	1	-	-	-	-	1	-	1	2	1	5	6	1	-	6	20
24	757	165	152	25	55	44	18	87	10	18	37	-	29	119	28	58	107	29	41	259	21
7	254	72	28	9	27	14	9	29	16	4	14	-	16	42	19	18	39	13	5	100	22
-	11	5	3	1	-	-	-	2	1	-	1	-	1	4	3	1	4	-	-	6	23
2	55	10	7	2	2	2	1	6	1	-	2	-	1	12	3	6	7	2	3	9	24
1	86	16	10	3	8	2	2	6	2	-	3	1	1	3	2	5	5	2	1	12	25
1	46	6	19	3	-	6	1	4	1	-	1	-	1	4	-	3	5	1	3	11	26
-	13	2	6	-	2	-	1	2	-	-	-	-	1	6	2	5	4	-	2	9	27
-	40	3	5	-	4	1	-	2	-	-	2	-	4	5	2	2	6	1	-	4	28
-	20	3	2	1	1	-	-	2	1	1	1	-	-	1	1	1	1	1	1	2	29
2	51	-	8	1	6	3	-	8	-	3	1	-	-	7	-	8	.2	4	-	22	30
297	8,130	839	1,258	98	745	348	139	979	229	116	266	8	303	864	150	657	1,040	459	85	2,007	31
195	5,424	571	812	62	498	222	83	664	159	64	198	7	171	509	94	330	624	290	59	1,363	32
102	2,706	268	446	36	247	126	56	315	70	52	68	1	132	355	56	327	416	169	26	644	33
200	5,126	565	843	56	510	219	90	650	148	78	198	5	186	561	68	377	625	320	58	1,287	34
145	3,892	441	612	37	389	159	66	492	117	52	165	4	112	362	54	214	451	228	47	994	35
55	1,234	124	231	19	121	60	24	158	31	26	33	1	74	199	14	163	174	92	11	293	36
97	3,004	274	415	42	235	129	49	329	81	38	68	3	117	303	82	280	415	139	27	720	37
50	1,532	130	200	25	109	63	17	172	42	12	33	3	59	147	40	116	173	62	12	369	38
47	1,472	144	215	17	126	66	32	157	39	26	35	-	58	156	42	164	242	77	15	351	39
-	16	3	5	1	1	1	-	2	-	1	1	-	2	4	-	4	5	1	-	3	40
1	45	7	10	1	1	3	-	5	-	1	-	-	2	1	-	1	2	2	-	12	41
4	116	6	4	1	3	4	1	8	1	2	2	-	6	21	3	12	16	10	1	23	42
1	39	2	-	1	-	1	1	1	-	-	2	-	1	10	-	3	2	3	-	7	43
1	30	2	3	-	-	3	-	2	-	-	-	-	3	4	2	3	8	3	1	5	44
2	47	2	1	-	3	-	-	5	1	2	-	-	2	7	1	6	6	4	-	11	45
6	122	7	5	2	15	9	-	10	5	1	4	-	5	8	2	14	12	9	1	33	46
2	66	3	4	2	9	6	-	7	3	-	3	-	2	3	2	4	5	6	-	20	47
4	56	4	1	-	6	3	-	3	2	1	1	-	3	5	-	10	7	3	1	13	48
-	115	4	6	1	3	3	1	7	2	1	4	-	6	7	2	7	11	2	-	25	49
-	69	1	2	1	-	2	-	1	2	-	-	-	3	4	-	3	6	1	-	15	50
-	46	3	4	-	3	1	1	6	-	1	4	-	3	3	2	4	5	1	-	10	51
9	280	37	38	2	31	18	3	22	4	6	3	2	10	20	6	31	29	12	2	66	52
5	144	15	14	-	11	9	2	13	3	1	2	-	5	10	5	12	11	4	-	27	53
4	136	22	24	2	20	9	1	9	1	5	1	2	5	10	1	19	18	8	2	39	54
1	22	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	1	-	-	4	55
9	173	10	10	3	9	3	4	13	2	-	5	-	13	6	-	12	12	2	3	36	56
3	66	3	3	-	4	2	2	6	1	-	4	-	8	4	-	10	3	-	2	14	57
6	107	7	7	3	5	1	2	7	1	-	1	-	5	2	-	2	9	2	1	22	58
1	27	4	5	-	1	1	-	1	-	-	-	-	2	2	-	3	2	-	-	6	59
-	7	1	-	-	1	1	1	1	2	1	-	-	1	3	1	3	5	-	1	7	60
3	31	2	6	1	1	2	-	8	-	1	2	-	3	7	5	5	9	-	4	12	61
3	24	1	2	1	1	1	-	6	-	-	2	-	1	5	5	3	8	-	4	5	62
-	7	1	4	-	-	1	-	2	-	1	-	-	2	2	-	2	1	-	-	7	63
-	11	-	7	-	4	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	64
2	64	4	6	-	4	3	4	9	2	-	2	-	8	23	-	37	23	6	-	17	65
-	7	1	-	-	-	-	1	2	-	-	-	-	2	7	-	11	4	1	-	5	66
2	57	3	6	-	4	3	3	7	2	-	2	-	6	16	-	26	19	5	-	12	67
5	185	26	29	2	9	10	3	23	11	2	5	-	4	14	13	9	18	8	-	53	68
2	70	13	12	1	4	4	1	12	6	-	3	-	-	5	7	4	7	4	-	23	69
1	46	3	4	1	3	1	-	4	4	-	1	-	1	2	1	-	2	1	-	8	70
2	69	10	13	-	2	5	2	7	1	2	1	-	3	7	5	5	9	3	-	22	71
2	42	5	5	-	-	-	-	2	-	-	-	-	-	9	1	1	9	2	-	10	72
-	41	7	4	-	-	-	2	1	-	-	1	-	1	2	-	1	6	3	-	7	73
106	2,695	218	377	33	267	118	49	405	92	45	131	1	89	278	26	183	334	162	34	651	74
1	41	1	10	-	6	1	-	4	-	-	2	-	1	6	2	5	7	1	-	11	75
4	33	-	4	-	-	1	2	9	1	1	2	-	-	3	-	1	6	5	-	5	76
2	49	3	13	2	6	3	1	6	1	-	1	-	2	5	1	5	4	2	-	14	77

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revipolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190.203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
WASHINGTON--CON.																
KING--CON.																
SEATTLE	6,555	27	13	13	1,074	345	176	101	152	57	45	198	114	3,591	755	2,488
BALANCE OF COUNTY	2,044	3	1	16	330	94	53	28	47	11	26	71	21	1,078	234	747
KITSAP	783	1	3	1	120	35	28	11	13	6	4	23	11	434	95	289
BREMERTON	301	-	2	-	51	13	13	5	5	1	1	13	4	163	38	115
BALANCE OF COUNTY	482	1	1	1	69	22	15	6	8	5	3	10	7	271	57	174
KITTITAS	208	-	-	-	26	4	3	1	6	2	2	8	4	117	29	72
KLICKITAT	121	-	-	1	18	6	1	1	9	-	-	1	2	68	19	40
LEWIS	520	2	2	-	88	30	12	5	18	6	3	14	11	287	76	190
LINCOLN	102	-	-	-	17	8	2	3	1	-	1	2	-	62	19	38
MASON	166	-	-	1	22	4	5	1	3	4	1	4	2	94	14	77
OKANOGAN	250	-	1	-	39	15	3	1	7	3	2	8	3	127	28	88
PACIFIC	169	1	-	1	28	7	6	4	3	1	1	6	4	100	19	73
PEND OREILLE	78	-	-	-	14	6	-	-	2	-	3	3	1	45	7	36
PIERCE	3,027	12	3	9	478	158	76	37	61	20	21	105	70	1,722	363	1,189
PUYALLUP	163	-	-	-	30	6	2	3	8	1	2	8	6	96	17	68
TACOMA	1,890	9	1	7	294	106	47	23	40	15	7	56	43	1,105	225	774
BALANCE OF COUNTY	974	3	2	2	154	46	27	11	13	4	12	41	21	521	121	347
SAN JUAN	45	-	1	-	7	3	-	2	1	1	-	-	-	31	6	22
SKAGIT	539	1	-	-	77	23	7	6	19	3	9	10	13	282	63	198
SKAMANIA	38	-	-	-	5	2	1	-	-	-	-	2	-	21	2	17
SNOHOMISH	1,690	5	1	3	265	99	27	30	29	14	17	49	25	946	236	632
EVERETT	598	2	-	2	97	39	14	7	12	5	6	14	9	339	103	216
BALANCE OF COUNTY	1,092	3	1	1	168	60	13	23	17	9	11	35	16	607	133	416
SPOKANE	2,797	10	3	11	414	108	75	39	53	28	29	82	48	1,572	313	1,153
SPOKANE	2,195	9	2	7	318	81	62	34	42	22	18	59	36	1,255	247	930
BALANCE OF COUNTY	602	1	1	4	96	27	13	5	11	6	11	23	12	317	66	223
STEVENS	176	-	-	2	16	4	5	2	3	1	-	1	2	108	26	77
THURSTON	539	2	3	2	101	36	14	9	14	8	6	14	11	280	62	200
OLYMPIA	231	2	2	1	48	13	7	6	8	5	1	8	5	121	27	85
BALANCE OF COUNTY	308	-	1	1	53	23	7	3	6	3	5	6	6	159	35	115
WAHKIAKUM	48	1	-	-	13	6	4	1	-	-	-	2	1	24	2	15
WALLA WALLA	429	1	-	3	66	21	10	3	11	4	3	14	7	244	73	149
WALLA WALLA	301	-	-	2	44	14	8	1	6	3	3	9	4	178	49	116
BALANCE OF COUNTY	128	1	-	1	22	7	2	2	5	1	-	5	3	66	24	33
WHATCOM	752	-	2	1	104	30	10	9	19	10	7	19	9	487	108	326
BELLINGHAM	457	-	2	1	61	17	7	6	10	6	3	12	5	302	76	195
BALANCE OF COUNTY	295	-	-	-	43	13	3	3	9	4	4	7	4	185	32	131
WHITMAN	262	1	-	1	36	15	2	2	2	1	4	10	8	147	28	112
PULLMAN	57	-	-	-	8	1	-	1	1	-	1	4	2	26	9	15
BALANCE OF COUNTY	205	1	-	1	28	14	2	1	1	1	3	6	6	121	19	97
YAKIMA	1,417	8	1	9	214	77	36	16	31	9	10	35	15	799	201	532
YAKIMA	591	2	1	2	84	29	14	3	14	7	4	13	7	354	85	238
BALANCE OF COUNTY	826	6	-	7	130	48	22	13	17	2	6	22	8	445	116	294
WEST VIRGINIA	18,684	145	39	63	2,749	865	475	206	429	98	132	544	273	10,494	2,160	7,418
URBAN	7,653	51	20	20	1,203	397	209	106	175	48	51	217	114	4,428	889	3,166
RURAL	11,031	94	19	43	1,546	468	266	100	254	50	81	327	159	6,066	1,271	4,252
METROPOLITAN COUNTIES	5,443	33	10	19	861	256	167	67	139	38	36	158	72	3,072	616	2,251
URBAN	3,712	24	8	14	612	176	118	56	103	31	22	106	53	2,109	417	1,548
RURAL	1,731	9	2	5	249	80	49	11	36	7	14	52	19	963	199	703
NONMETROPOLITAN COUNTIES	13,241	112	29	44	1,888	609	308	139	290	60	96	386	201	7,422	1,544	5,167
URBAN	3,941	27	12	6	591	221	91	50	72	17	29	111	61	2,319	472	1,618
RURAL	9,300	85	17	38	1,297	388	217	89	218	43	67	275	140	5,103	1,072	3,549
BARBOUR	199	1	-	1	31	12	4	4	5	1	-	5	-	104	33	60
BERKELEY	424	5	-	3	64	27	5	4	7	2	3	16	9	253	56	180
MARTINSBURG	234	2	-	1	36	17	4	-	3	2	1	9	2	148	29	107
BALANCE OF COUNTY	190	3	-	2	28	10	1	4	4	-	2	7	7	105	27	73
BOONE	220	2	-	1	29	10	7	1	6	1	-	4	5	118	25	84
BRAXTON	158	-	-	1	16	5	1	2	-	2	2	4	-	104	22	60
BROOKE	254	1	-	1	44	16	6	4	7	-	3	8	3	147	23	114
WEIRTON, PART	20	-	-	-	6	2	-	1	-	-	1	2	1	12	3	8
BALANCE OF COUNTY	234	1	-	1	38	14	6	3	7	-	2	6	2	135	20	106
CABELL	1,187	8	3	5	174	48	25	15	37	10	9	30	10	670	167	452
HUNTINGTON, PART	938	8	3	5	146	37	22	13	33	8	7	26	8	521	133	343
HUNTINGTON, TOTAL	985	8	3	5	154	37	24	13	33	9	7	31	8	553	139	367
BALANCE OF COUNTY	249	-	-	-	28	11	3	2	4	2	2	4	2	149	34	109
CALHOUN	82	1	-	-	8	2	1	1	2	-	-	2	1	50	10	36
CLAY	91	1	-	-	10	2	1	-	2	2	-	3	-	45	9	32
DODDRIDGE	83	1	-	-	10	4	-	2	2	-	-	2	1	54	9	38
FAYETTE	638	9	1	3	92	18	20	6	15	6	2	25	6	346	91	226
GILMER	84	1	-	-	13	3	2	2	2	-	-	4	1	45	8	32
GRANT	93	1	-	-	16	8	2	1	1	1	1	2	4	51	12	37
GREENBRIER	369	-	-	-	45	9	11	1	10	-	2	12	9	230	45	147
HAMPSHIRE	152	1	1	1	21	5	3	-	9	-	1	3	1	76	19	56
HANCOCK	374	1	2	2	67	27	10	3	8	3	6	10	12	196	43	141
WEIRTON, PART	214	-	2	1	42	18	7	2	5	2	4	4	10	108	23	81
WEIRTON, TOTAL	234	-	2	1	48	20	7	3	5	2	5	6	11	120	26	89
BALANCE OF COUNTY	160	1	-	1	25	9	3	1	3	1	2	6	2	88	20	60

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E965,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
71	1,988	169	260	22	209	81	36	295	73	30	104	1	50	162	19	103	247	116	32	491	1
28	584	45	90	9	46	32	10	91	17	14	22	-	36	102	4	69	70	38	2	130	2
6	222	18	43	5	30	11	4	22	5	2	10	-	11	29	10	24	29	14	-	57	3
-	85	9	21	2	4	3	1	8	-	-	4	-	8	11	2	8	5	7	-	28	4
6	137	9	22	3	26	8	3	14	5	2	6	-	3	18	8	16	24	7	-	29	5
2	53	5	12	4	8	4	-	9	1	-	1	-	1	3	1	8	10	4	1	22	6
3	28	2	7	-	5	2	2	1	1	-	-	-	3	3	2	6	7	1	-	8	7
7	138	13	32	4	7	5	5	11	6	-	2	-	7	10	7	11	22	10	1	43	8
1	30	3	4	-	4	1	-	6	-	-	-	-	5	1	1	4	-	-	-	6	9
-	60	8	9	-	-	1	2	6	1	1	1	-	2	3	-	5	9	5	-	14	10
1	76	1	10	-	9	1	1	10	3	-	3	-	-	9	1	9	20	3	4	18	11
1	48	11	13	2	4	2	-	3	1	2	1	-	1	4	-	2	4	-	-	17	12
-	27	3	6	1	1	-	-	3	-	1	2	-	1	3	-	1	3	1	-	3	13
30	900	73	186	7	112	31	20	81	21	4	26	1	37	112	13	74	90	60	7	207	14
-	57	5	6	-	10	1	-	6	-	-	1	-	-	2	-	5	4	4	-	9	15
19	586	41	128	4	71	19	12	49	14	3	20	-	18	61	12	26	47	38	4	139	16
11	257	27	52	3	31	11	8	26	7	1	5	1	19	49	1	43	39	18	3	59	17
3	15	1	3	1	-	2	-	1	-	1	-	-	-	-	-	2	1	-	-	1	18
4	154	16	24	3	10	7	1	11	7	3	5	1	6	10	6	16	41	15	3	42	19
-	11	3	3	-	2	-	-	2	-	1	1	-	1	-	-	1	3	1	1	1	20
15	474	48	95	6	46	18	8	48	9	7	15	-	18	54	8	40	76	33	7	130	21
7	163	19	27	1	14	3	2	16	3	2	9	-	3	11	3	13	31	13	3	42	22
8	311	29	68	5	32	15	6	32	6	5	6	-	15	43	5	27	45	20	4	88	23
40	777	189	147	8	54	34	10	94	22	16	23	1	32	97	15	49	96	53	8	233	24
28	623	165	114	5	36	29	8	72	15	12	22	1	23	73	11	29	76	33	8	193	25
12	154	24	33	3	18	5	2	22	7	4	1	-	9	24	4	20	20	20	-	40	26
3	62	-	12	-	2	3	-	7	2	3	-	-	2	4	4	5	9	3	-	9	27
3	157	14	26	1	9	5	3	13	6	-	2	-	6	27	16	6	22	7	4	31	28
2	69	4	10	-	6	2	1	6	2	-	2	-	2	10	5	-	9	2	1	13	29
1	88	10	16	1	3	3	2	7	4	-	-	-	4	17	11	6	13	5	3	18	30
-	10	2	3	-	1	5	1	3	1	-	-	-	-	1	-	-	1	-	-	3	31
5	127	7	10	2	13	7	-	16	1	1	-	-	3	13	-	5	20	7	-	42	32
5	98	6	7	2	8	3	-	9	-	1	-	-	-	9	-	3	12	5	-	34	33
-	29	1	3	-	5	4	-	7	1	-	-	-	3	4	-	2	8	2	-	8	34
8	251	28	39	4	32	10	7	26	6	3	1	2	7	14	2	13	18	12	-	45	35
3	152	14	26	2	21	5	3	18	6	1	-	2	4	7	1	6	9	7	-	25	36
5	99	14	13	2	11	5	4	8	-	2	1	-	3	7	1	7	9	5	-	20	37
4	85	9	14	-	2	5	-	14	5	2	-	-	2	9	-	9	10	2	-	16	38
1	13	-	1	-	1	1	-	2	2	1	-	-	2	4	-	4	2	1	-	3	39
3	72	9	13	-	1	4	-	12	3	1	-	-	-	5	-	5	8	1	-	13	40
12	433	44	43	3	42	15	6	74	10	8	13	-	11	48	5	46	50	9	3	94	41
7	191	20	20	2	18	8	3	32	4	2	5	-	2	19	2	15	17	3	2	38	42
5	242	24	23	1	24	7	3	42	6	6	8	-	9	29	3	31	33	6	1	56	43
171	5,603	748	896	156	388	221	151	692	111	72	147	18	212	588	401	437	707	183	71	1,282	44
77	2,450	297	342	67	149	102	55	249	48	28	80	6	84	218	106	146	239	63	16	534	45
94	3,153	451	554	89	239	119	96	443	63	44	67	12	128	370	295	291	468	120	55	748	46
60	1,769	202	220	21	90	59	35	191	32	26	59	5	72	182	68	120	182	56	18	365	47
40	1,229	133	146	15	54	51	24	127	24	20	43	4	46	118	35	70	114	36	7	248	48
20	540	69	74	6	36	8	11	64	8	6	16	1	26	64	33	50	68	20	11	117	49
111	3,834	546	676	135	298	162	116	501	79	46	88	13	140	406	333	317	525	127	53	917	50
37	1,221	164	196	52	95	51	31	122	24	8	37	2	38	100	71	76	125	27	9	286	51
74	2,613	382	480	83	203	111	85	379	55	38	51	11	102	306	262	241	400	100	44	631	52
-	51	5	4	1	5	1	4	10	1	1	2	-	3	7	14	5	9	1	-	9	53
4	126	21	29	8	5	1	3	5	2	3	2	-	2	7	9	21	13	2	-	24	54
1	77	12	17	6	3	1	2	3	1	2	1	-	1	3	2	10	6	-	-	16	55
3	49	9	12	2	2	-	1	2	1	1	1	-	1	4	7	11	7	2	-	8	56
4	55	11	14	-	4	3	2	11	2	-	2	-	5	6	9	6	8	3	-	13	57
2	48	3	7	-	18	2	2	6	2	-	-	1	-	2	10	4	3	1	1	7	58
-	94	9	11	1	5	-	4	6	4	-	4	-	3	4	2	2	11	1	-	21	59
-	7	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	60
-	87	8	11	1	4	-	4	6	3	-	4	-	3	4	2	2	11	1	-	21	61
15	341	41	55	9	21	19	2	54	10	7	20	1	20	37	4	20	39	11	3	91	62
13	258	31	41	7	18	19	1	47	8	6	17	1	13	25	3	13	27	8	3	76	63
15	276	32	44	7	19	20	1	47	8	6	17	1	14	25	5	14	28	9	3	77	64
2	83	10	14	2	3	-	1	7	2	1	3	-	7	12	1	7	12	3	-	15	65
1	29	1	5	2	1	1	-	3	-	-	2	-	1	4	2	-	5	1	-	4	66
-	15	6	11	-	4	-	-	5	-	2	1	-	-	2	8	2	4	1	1	9	67
2	28	3	5	-	2	3	2	3	1	-	-	-	1	1	4	-	5	1	-	1	68
3	166	29	28	4	7	10	8	22	5	1	1	-	8	23	12	19	22	6	4	58	69
2	24	-	6	1	-	1	3	2	-	2	2	-	-	3	3	5	3	1	-	3	70
2	29	4	2	1	-	1	-	1	2	-	-	-	3	2	2	3	3	1	-	4	71
4	109	9	25	6	22	7	3	8	2	3	1	-	6	4	4	10	15	9	1	22	72
2	40	-	14	-	-	1	-	19	-	1	-	-	-	11	-	4	7	-	-	9	73
6	115	5	15	1	9	1	1	11	2	-	3	-	7	22	3	6	8	2	-	30	74
3	66	4	8	-	3	-	1	7	1	-	2	-	5	13	3	3	2	1	-	14	75
3	73	5	8	-	4	-	1	7	2	-	2	-	5	13	3	3	2	1	-	14	76
3	49	1	7	1	6	1	-	4	1	-	1	-	2	9	-	3	6	1	-	16	77

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
WEST VIRGINIA--CON.																
HARDY	97	-	-	-	10	4	1	2	1	-	2	-	2	54	15	36
HARRISON	903	5	1	2	143	44	26	14	16	3	8	32	8	563	107	397
CLARKSBURG	404	4	1	-	62	22	8	3	5	1	3	20	2	262	51	188
BALANCE OF COUNTY	499	1	-	2	81	22	18	11	11	2	5	12	6	301	56	209
JACKSON	170	3	-	1	18	7	4	1	2	-	1	3	1	93	28	55
JEFFERSON	241	-	1	3	29	9	3	2	7	-	2	6	4	144	20	110
KANAWHA	2,068	17	3	6	316	89	74	25	48	9	11	60	23	1,145	200	883
CHARLESTON	878	7	1	2	145	38	35	16	21	5	4	26	8	481	78	376
DUNBAR	77	-	-	-	10	3	3	1	1	-	-	2	1	49	10	38
ST. ALBANS	112	1	-	-	14	5	1	1	3	-	1	3	2	61	7	51
SOUTH CHARLESTON	138	1	-	1	25	3	9	4	5	1	-	3	3	65	9	55
BALANCE OF COUNTY	863	8	2	3	122	40	26	3	18	3	6	26	9	489	96	363
LEWIS	254	1	-	-	36	12	3	5	7	1	1	7	4	150	31	105
LINCOLN	194	3	-	1	29	13	3	-	1	1	4	7	4	86	10	71
LOGAN	468	10	2	1	67	18	12	3	9	3	3	19	6	220	51	154
MC DOWELL	594	12	4	1	81	23	22	7	6	2	6	15	15	307	65	215
MARION	777	7	1	2	125	47	27	6	14	4	11	16	14	467	89	350
FAIRMONT	331	3	-	-	48	24	8	2	5	2	3	4	9	207	44	151
BALANCE OF COUNTY	446	4	1	2	77	23	19	4	9	2	8	12	5	260	45	199
MARSHALL	387	1	-	2	73	27	17	4	10	-	4	11	8	220	42	163
MOUNDSVILLE	158	1	-	1	36	14	9	3	5	-	1	4	4	90	15	66
BALANCE OF COUNTY	229	-	-	1	37	13	8	1	5	-	3	7	4	130	27	97
MASON	203	-	-	1	28	8	2	3	3	1	2	9	6	116	25	78
MERCER	652	5	2	3	97	30	11	18	11	3	6	18	8	349	66	242
BLUEFIELD[15]	211	1	1	2	30	10	2	9	4	-	-	5	4	109	18	78
BALANCE OF COUNTY	441	4	1	1	67	20	9	9	7	3	6	13	4	240	48	164
MINERAL	231	2	-	1	26	8	7	4	3	1	-	3	4	147	21	115
MINGO	372	3	1	-	47	13	10	3	10	1	1	9	8	174	33	109
MONONGALIA	544	5	-	1	82	36	13	4	7	4	2	16	14	306	86	194
MORGANTOWN	279	1	-	1	50	22	11	3	3	2	1	8	5	157	51	91
BALANCE OF COUNTY	265	4	-	-	32	14	2	1	4	2	1	8	9	149	35	103
MONROE	155	-	-	-	15	3	3	2	4	-	-	3	3	100	25	58
MORGAN	92	1	1	1	9	2	-	-	3	1	-	3	1	56	5	46
NICHOLAS	217	-	2	1	28	10	4	3	4	-	4	3	1	117	25	83
OHIO	860	3	1	3	145	41	24	15	27	12	2	24	14	528	106	383
WHEELING	742	3	1	3	121	35	17	14	24	11	1	19	12	461	86	337
BALANCE OF COUNTY	118	-	-	-	24	6	7	1	3	1	1	5	2	67	20	46
PENDLETON	83	1	-	-	18	4	2	1	3	2	3	3	-	48	12	33
PLEASANTS	82	1	-	1	10	5	1	-	2	-	-	2	1	52	12	35
POCAHONTAS	127	-	-	-	17	5	4	-	4	-	-	4	1	76	12	54
PRESTON	294	2	2	2	34	13	4	1	5	1	-	10	4	164	31	119
PUTNAM	190	1	1	-	26	10	4	-	4	2	1	5	4	103	18	75
RALEIGH	705	9	1	4	106	31	22	4	21	2	1	25	11	371	71	275
BECKLEY	233	2	1	-	35	10	8	-	8	1	-	8	4	133	31	94
BALANCE OF COUNTY	472	7	-	4	71	21	14	4	13	1	1	17	7	238	40	181
RANDOLPH	305	1	1	-	57	16	8	8	10	2	3	10	3	169	37	104
RITCHIE	135	1	-	-	16	7	-	-	4	-	2	3	2	67	18	43
ROANE	159	-	2	-	23	11	1	-	6	-	2	3	5	80	20	60
SUMMERS	215	3	-	1	38	14	7	3	2	3	4	5	3	109	22	73
TAYLOR	206	1	3	-	30	9	9	1	3	-	1	7	2	127	14	95
TUCKER	108	2	-	-	11	3	1	1	4	-	-	2	1	72	19	45
TYLER	138	-	-	1	34	9	3	2	4	-	2	14	2	66	12	50
UPSHUR	217	-	-	1	25	7	5	4	7	1	-	1	2	146	31	108
WAYNE	313	2	1	-	42	8	11	1	2	4	1	15	2	166	35	115
HUNTINGTON, PART	47	-	-	-	8	-	2	-	-	1	-	5	-	32	6	24
BALANCE OF COUNTY	266	2	1	-	34	8	9	1	2	3	1	10	2	134	29	91
WEBSTER	133	1	-	1	19	5	1	2	2	1	2	6	1	74	13	54
WETZEL	233	2	1	2	33	12	5	1	10	-	1	4	3	128	27	94
WIRT	65	-	-	-	11	4	-	2	2	-	-	3	1	38	9	28
WOOD	821	4	1	1	119	44	15	6	19	3	10	22	11	471	104	316
PARKERSBURG	539	2	1	-	80	32	10	4	12	2	7	13	10	311	70	203
BALANCE OF COUNTY	282	2	-	1	39	12	5	2	7	1	3	9	1	160	34	113
WYOMING	268	3	-	1	36	8	8	2	9	3	-	6	4	136	21	100
WISCONSIN	38,380	103	33	120	6,319	2,289	759	602	887	338	315	1,129	768	22,040	4,638	15,302
URBAN	24,366	73	20	71	4,091	1,438	526	421	571	220	198	717	471	13,997	2,931	9,687
RURAL	14,014	30	13	49	2,228	851	233	181	316	118	117	412	297	8,043	1,707	5,615
METROPOLITAN COUNTIES	16,577	53	13	49	2,811	982	374	310	364	153	127	501	314	9,282	1,855	6,467
URBAN	14,410	51	12	38	2,474	866	339	277	321	133	108	430	275	8,089	1,656	5,594
RURAL	2,167	2	1	11	337	116	35	33	43	20	19	71	39	1,193	199	873
NONMETROPOLITAN COUNTIES	21,803	50	20	71	3,508	1,307	385	292	523	185	188	628	454	12,758	2,783	8,835
URBAN	9,956	22	8	33	1,617	572	187	144	250	87	90	287	196	5,908	1,275	4,093
RURAL	11,847	28	12	38	1,891	735	198	148	273	98	98	341	258	6,850	1,508	4,742
ADAMS	99	-	-	-	17	7	4	-	3	1	-	2	4	51	18	32
ASHLAND	188	1	-	1	26	11	-	2	3	4	3	3	4	114	17	82
ASHLAND	109	1	-	-	16	4	-	2	1	3	3	3	2	65	12	45
BALANCE OF COUNTY	79	-	-	1	10	7	-	-	2	1	-	-	2	49	5	37

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
1	21	5	9	-	3	-	-	3	1	-	1	-	-	2	2	10	4	-	-	8	1
7	321	43	26	10	30	11	8	25	5	1	3	-	7	16	8	24	26	4	4	58	2
2	158	14	14	3	13	4	3	9	2	-	2	-	5	6	3	9	13	-	-	24	3
5	163	29	12	7	17	7	5	16	3	1	1	-	2	10	5	15	13	4	4	34	4
1	35	8	11	1	4	3	2	7	1	1	2	-	5	3	6	5	9	1	-	14	5
4	75	20	11	5	5	3	1	10	1	2	2	-	3	5	1	8	10	4	1	13	6
24	696	87	76	5	29	16	12	77	12	11	20	3	32	76	15	64	75	26	6	141	7
5	308	32	31	2	11	9	5	32	5	6	8	3	9	37	8	18	32	11	2	63	8
1	34	1	2	-	-	-	1	1	-	1	1	-	1	4	-	1	3	-	-	5	9
2	40	5	4	-	2	-	1	3	-	-	-	-	6	5	1	4	5	2	-	8	10
2	39	7	7	-	1	-	-	4	2	1	1	-	3	2	-	8	9	2	-	11	11
14	275	42	32	3	15	7	5	37	5	3	10	-	13	28	6	33	26	11	4	54	12
-	80	6	19	1	7	2	4	13	5	1	1	-	2	6	2	3	9	1	-	20	13
1	41	14	15	-	1	1	3	11	-	-	-	-	2	14	5	9	8	1	2	19	14
8	108	14	24	1	4	5	5	20	3	2	7	-	6	21	30	5	27	1	-	40	15
2	170	31	12	7	5	8	7	23	4	4	6	2	-	30	3	8	24	6	8	56	16
10	268	37	35	5	16	4	3	28	3	-	10	2	6	13	2	10	23	7	1	56	17
4	118	15	14	2	7	2	1	9	1	-	7	1	2	6	1	1	5	1	1	29	18
6	150	22	21	3	9	2	2	19	2	-	3	1	4	7	1	9	18	6	-	27	19
4	131	8	20	3	4	6	2	13	2	-	1	1	4	13	5	8	12	5	2	17	20
2	53	5	6	3	1	4	1	3	2	-	-	-	2	3	2	2	4	3	-	5	21
2	78	3	14	-	3	2	1	10	-	-	1	1	2	10	3	6	8	2	2	12	22
3	55	7	13	3	6	4	-	10	2	-	2	-	2	4	5	6	6	3	-	12	23
3	183	31	25	13	19	6	3	31	7	3	5	-	6	13	42	19	19	6	2	35	24
1	61	13	3	3	7	2	1	4	4	-	3	-	1	2	22	4	8	1	-	15	25
2	122	18	22	10	12	4	2	27	3	3	2	-	5	11	20	15	11	5	2	20	26
-	76	8	31	1	8	2	-	9	-	1	-	1	4	9	2	3	6	1	1	14	27
3	80	14	12	5	4	2	21	23	1	4	3	1	6	24	9	9	20	2	2	35	28
5	165	10	14	7	10	7	2	17	3	1	3	-	8	12	6	15	18	4	3	46	29
3	81	5	2	3	7	3	2	9	3	1	-	-	3	2	3	9	10	1	2	22	30
2	84	5	12	4	3	4	-	8	-	-	3	-	5	10	3	6	8	3	1	24	31
-	50	6	2	4	7	4	2	9	-	1	-	-	-	5	-	4	5	3	-	10	32
-	33	3	10	-	1	3	1	5	1	-	-	-	1	1	6	2	3	-	-	4	33
1	69	8	5	-	3	5	1	3	2	3	1	-	-	10	9	8	15	1	2	14	34
7	311	32	33	1	12	14	12	19	2	5	9	-	2	20	14	10	25	7	4	49	35
6	270	31	30	1	11	14	12	16	2	5	8	-	1	18	13	9	20	6	-	43	36
1	41	1	3	-	1	-	-	3	-	-	1	-	1	2	1	1	5	1	4	6	37
1	24	4	4	-	1	2	-	2	-	2	-	-	-	2	-	2	2	1	-	5	38
-	28	4	3	-	4	1	-	4	-	1	-	-	1	2	-	2	3	1	-	3	39
2	46	1	5	1	3	5	1	7	3	-	-	-	3	3	3	-	3	2	-	9	40
1	90	11	17	1	6	5	2	7	3	-	1	-	3	12	8	7	18	-	-	27	41
1	54	13	7	3	3	1	3	4	1	-	2	-	5	7	2	3	11	6	1	13	42
4	173	42	56	1	11	9	4	17	3	1	8	3	11	12	23	10	31	11	10	63	43
1	56	16	21	1	3	2	2	5	-	-	3	-	3	6	3	4	4	4	1	25	44
3	117	26	35	-	8	7	2	12	3	1	5	3	8	6	20	6	27	7	9	38	45
1	78	15	10	4	17	3	4	9	1	1	4	1	2	11	5	5	11	2	1	21	46
1	37	1	4	-	5	1	-	4	-	1	2	-	1	2	17	4	9	-	-	9	47
4	38	6	12	-	-	-	-	8	2	-	1	-	1	4	6	1	8	4	1	13	48
2	54	1	16	2	9	2	1	8	1	-	2	-	2	7	4	1	16	2	-	18	49
3	66	17	9	10	6	2	-	9	1	-	1	-	-	3	2	6	9	3	1	8	50
-	36	2	7	1	6	1	-	3	1	-	-	-	-	1	-	2	4	2	-	9	51
3	44	-	3	1	-	3	-	9	-	-	2	-	1	7	5	-	5	1	-	5	52
-	83	12	13	3	3	1	-	9	1	-	1	-	5	7	3	3	4	2	-	8	53
4	81	20	10	1	10	3	2	11	-	3	2	-	4	10	25	10	12	4	3	16	54
2	18	1	3	-	1	1	-	-	-	-	-	-	1	-	2	1	1	1	-	1	55
2	63	19	7	1	9	2	2	11	-	3	2	-	3	10	23	9	11	3	3	15	56
1	46	2	5	-	5	1	1	6	-	-	-	1	2	2	1	5	10	1	-	9	57
3	63	13	15	-	2	2	3	7	2	-	1	-	1	8	16	6	9	2	-	12	58
1	19	-	8	-	-	-	1	6	1	-	-	-	1	-	-	-	4	-	-	3	59
6	234	32	44	18	13	17	3	31	2	1	4	-	7	42	20	19	22	14	2	50	60
5	144	27	27	12	9	14	3	16	-	1	3	-	4	28	15	13	12	7	1	35	61
1	90	5	17	6	4	3	-	15	2	-	1	-	3	14	5	6	10	7	1	15	62
2	71	13	14	4	3	5	3	9	1	2	-	1	7	14	3	14	17	1	4	15	63
399	11,969	1,177	1,757	226	1,053	614	207	1,227	277	146	360	28	476	1,244	215	966	1,098	433	47	2,480	64
270	7,673	762	982	148	656	446	129	777	197	103	273	12	320	833	128	465	623	274	33	1,605	65
129	4,296	415	775	78	397	168	78	450	80	43	87	16	156	411	87	501	475	159	14	875	66
191	5,301	507	468	94	441	343	82	604	126	67	214	12	236	636	67	332	432	188	28	1,113	67
166	4,583	444	401	81	364	320	74	524	119	63	190	8	201	540	54	253	350	164	26	979	68
25	718	63	67	13	77	23	8	80	7	4	24	4	35	96	13	79	82	24	2	134	69
208	6,668	670	1,289	132	612	271	125	623	151	79	146	16	240	608	148	634	666	245	19	1,367	70
104	3,090	318	581	67	292	126	55	253	78	40	83	4	119	293	74	212	273	110	7	626	71
104	3,578	352	708	65	320	145	70	370	73	39	63	12	121	315	74	422	393	135	12	741	72
1	27	-	4	-	-	-	1	5	-	-	3	-	1	3	2	2	3	2	1	5	73
1	64	9	8	2	10	2	1	3	1	1	1	-	-	6	1	5	9	1	-	14	74
-	35	5	5	1	5	1	1	1	-	-	1	-	-	3	-	4	5	1	-	10	75
1	29	4	3	1	5	1	-	2	1	1	-	-	-	3	1	1	4	-	-	4	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revision. Metropolitan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
WISCONSIN--CON.																
BARRON	352	-	-	3	58	20	9	3	7	3	4	12	9	204	66	118
BAYFIELD	151	-	-	1	33	9	5	7	3	2	2	5	3	83	21	53
BROWN	1,064	3	2	1	175	72	18	21	16	6	12	30	22	599	140	395
DE PERE	85	-	-	1	12	7	1	1	-	1	1	1	2	50	12	35
GREEN BAY	616	3	2	-	90	37	14	10	9	-	5	15	14	362	92	238
BALANCE OF COUNTY	363	-	-	-	73	28	3	10	7	5	6	14	6	187	36	122
BUFFALO	163	-	-	-	24	10	3	1	4	-	1	5	4	102	24	70
BURNETT	117	-	-	-	17	4	-	-	5	4	2	2	5	74	23	43
CALUMET	201	-	-	1	26	10	3	-	3	1	7	2	3	121	26	87
APPLETON, PART	5	-	-	-	1	1	-	-	-	-	-	-	-	4	-	4
BALANCE OF COUNTY	196	-	-	1	25	9	3	-	3	1	7	2	3	117	26	83
CHIPPEWA	425	1	1	2	73	17	14	5	14	4	6	13	11	250	51	176
CHIPPEWA FALLS	125	1	-	1	22	6	5	2	5	1	1	2	7	68	15	48
EAU CLAIRE, PART	2	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
BALANCE OF COUNTY	298	-	1	1	50	10	9	3	9	3	5	11	4	181	36	128
CLARK	329	-	2	2	50	17	6	5	7	5	1	9	8	191	50	119
COLUMBIA	424	-	1	-	76	23	11	7	13	4	5	13	6	262	51	200
CRAWFORD	174	1	-	-	21	10	5	2	1	-	1	2	6	99	20	68
DANE	1,744	4	3	8	282	82	30	32	41	21	15	61	30	947	167	658
MADISON	1,020	4	3	2	170	49	21	14	21	14	10	41	18	535	102	372
BALANCE OF COUNTY	724	-	-	6	112	33	9	18	20	7	5	20	12	412	65	286
DODGE	630	-	-	2	112	48	12	7	18	4	9	14	11	360	69	252
BEAVER DAM	136	-	-	1	21	4	6	1	3	-	2	5	2	87	17	60
WATERTOWN, PART	48	-	-	-	8	5	-	1	1	-	1	-	-	24	2	12
BALANCE OF COUNTY	446	-	-	1	83	39	6	5	14	4	6	9	9	249	50	180
DOOR	239	-	-	-	32	12	4	5	5	-	2	4	8	153	40	106
DOUGLAS	503	2	-	-	82	30	11	11	8	1	4	17	14	306	50	232
SUPERIOR	386	2	-	-	62	24	7	10	3	1	3	14	10	236	40	177
BALANCE OF COUNTY	117	-	-	-	20	6	4	1	5	-	1	3	4	70	10	55
DUNN	287	-	1	1	48	16	4	3	8	3	-	14	6	165	31	114
EAU CLAIRE	589	1	1	2	93	33	10	7	18	7	2	16	9	350	65	263
EAU CLAIRE, PART	400	-	1	2	69	25	7	6	14	4	2	11	6	243	46	178
EAU CLAIRE, TOTAL	402	-	1	2	70	26	7	6	14	4	2	11	6	244	46	178
BALANCE OF COUNTY	189	1	-	-	24	8	3	1	4	3	-	5	3	107	19	85
FLORENCE	55	-	-	-	7	4	1	-	1	1	-	-	3	32	10	19
FOND DU LAC	783	1	1	4	119	47	10	8	20	2	3	29	18	471	118	299
FOND DU LAC	375	1	-	1	60	23	8	6	10	2	1	10	11	233	53	156
BALANCE OF COUNTY	408	-	1	3	59	24	2	2	10	-	2	19	7	238	65	143
FOREST	97	-	-	-	12	6	1	-	-	2	-	3	1	55	14	33
GRANT	504	-	1	-	80	25	7	7	13	3	6	19	10	301	79	202
GREEN	288	1	1	1	53	15	3	4	6	3	5	17	2	152	25	111
GREEN LAKE	184	-	-	2	35	12	3	6	5	2	-	7	4	104	20	75
IOWA	224	-	-	1	24	10	4	2	1	1	-	6	5	149	41	91
IRON	109	1	1	1	14	3	4	2	4	-	-	1	5	54	10	39
JACKSON	193	-	-	-	24	10	2	2	4	2	1	3	5	112	31	73
JEFFERSON	574	2	1	1	92	37	7	8	16	3	4	17	13	334	62	231
WATERTOWN, PART	150	-	-	-	24	13	-	1	4	2	1	3	5	88	20	49
WATERTOWN, TOTAL	198	-	-	-	32	18	-	2	5	2	2	3	5	112	22	61
BALANCE OF COUNTY	424	2	1	1	68	24	7	7	12	1	3	14	8	246	42	182
JUNEAU	204	1	-	-	29	9	2	4	4	4	1	5	7	118	23	81
KENOSHA	924	2	-	3	129	45	14	10	20	11	3	26	25	549	101	401
KENOSHA	684	1	-	3	96	30	9	9	14	8	3	23	22	396	73	285
BALANCE OF COUNTY	240	1	-	-	33	15	5	1	6	3	-	3	3	153	28	116
KEWAUNEE	150	-	1	-	23	10	4	1	3	-	3	2	7	81	22	54
LA CROSSE	708	1	1	7	113	48	8	13	17	8	5	14	8	405	100	284
LA CROSSE	532	1	1	4	84	34	6	7	15	6	4	12	6	309	71	223
BALANCE OF COUNTY	176	-	-	3	29	14	2	6	2	2	1	2	2	96	29	61
LAFAYETTE	216	1	-	-	29	16	2	3	2	1	2	3	4	125	33	85
LANGLADE	252	-	-	1	35	11	4	-	6	-	2	12	5	161	31	112
LINCOLN	269	-	-	-	41	17	5	1	7	2	2	7	7	167	33	114
MANITOWOC	627	2	-	1	117	50	10	7	21	2	5	22	17	357	70	262
MANITOWOC	293	-	-	-	56	27	6	3	9	2	-	9	7	170	30	128
TWO RIVERS	99	1	-	-	16	5	1	-	3	-	3	4	2	55	9	39
BALANCE OF COUNTY	235	1	-	1	45	18	3	4	9	-	2	9	8	132	31	95
MARATHON	727	1	-	-	136	57	7	20	19	6	5	22	13	424	91	299
MARSHFIELD, PART	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
WAUSAU	324	1	-	-	62	22	4	11	11	2	2	10	4	197	44	135
BALANCE OF COUNTY	402	-	-	-	74	35	3	9	8	4	3	12	9	226	46	164
MARINETTE	363	-	-	-	69	26	13	7	8	3	1	11	10	216	48	147
MARINETTE	168	-	-	-	37	12	7	4	4	2	1	7	4	102	18	72
BALANCE OF COUNTY	195	-	-	-	32	14	6	3	4	1	-	4	6	114	30	75
MARQUETTE	136	1	-	1	21	7	2	-	2	4	2	4	4	87	18	62
MENOMINEE[18]	39	-	-	-	4	2	1	-	1	-	-	-	1	10	2	8
MILWAUKEE	9,842	38	7	28	1,725	614	246	198	230	95	71	271	168	5,516	1,130	3,807
BROWN DEER	39	-	-	-	7	3	2	2	-	-	-	-	-	25	8	17
CUDAHY	147	-	-	-	33	6	4	4	8	2	2	7	4	81	12	59
FRANKLIN	50	-	-	-	3	1	1	-	-	1	-	-	2	22	2	18
GREENFIELD	104	1	-	-	17	7	2	2	3	-	1	2	2	50	9	35
MILWAUKEE	7,508	34	6	22	1,297	480	180	151	172	67	47	200	123	4,228	847	2,936
ST. FRANCIS	55	-	-	-	18	6	1	3	2	1	1	4	1	25	5	18
SHOREWOOD	164	-	-	-	25	12	5	3	-	1	2	2	3	99	22	68

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-688)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
																					1
																					2
																					3
3	90	1	24	1	11	6	2	10	1	-	1	-	3	8	2	10	17	3	-	23	4
5	41	6	1	1	4	3	1	7	-	-	-	-	1	5	1	2	2	1	-	12	5
12	308	31	44	9	32	18	5	19	5	1	7	1	20	48	9	27	35	13	-	77	6
-	24	5	6	-	1	2	-	1	-	-	1	-	2	1	-	5	1	-	-	9	7
7	191	14	26	5	12	11	4	12	4	-	3	-	13	25	6	5	17	12	-	48	8
5	93	12	12	4	19	5	1	6	1	1	3	1	5	22	3	17	17	1	-	20	9
-	60	5	5	-	8	-	-	3	1	-	-	-	-	3	1	9	5	1	-	10	10
1	35	1	6	-	6	2	-	3	1	-	2	1	1	3	1	1	4	-	-	4	11
-	76	4	7	-	7	1	-	5	-	-	-	-	2	9	2	8	9	3	-	12	12
-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13
-	72	4	7	-	7	1	-	5	-	-	-	-	2	9	2	8	9	3	-	12	14
3	161	2	10	1	14	4	4	11	1	3	3	1	6	7	3	16	8	3	-	25	15
-	45	-	3	-	3	1	1	3	-	1	2	-	2	4	1	1	3	1	-	8	16
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
3	116	2	7	1	11	2	3	8	1	2	1	1	4	3	2	15	5	2	-	17	18
																					19
1	97	1	20	2	15	4	1	18	3	2	-	-	7	6	1	9	11	2	-	17	20
5	138	14	43	-	7	3	1	5	4	-	7	1	6	8	-	6	13	6	-	23	21
1	41	20	6	1	7	2	1	6	-	1	2	-	1	6	2	8	6	1	-	14	22
23	536	57	42	13	60	31	18	70	8	8	22	2	37	75	11	43	61	16	-	117	23
15	301	33	23	6	26	20	9	36	6	7	15	2	21	55	7	25	34	6	-	74	24
8	235	24	19	7	34	11	9	34	2	1	7	-	16	20	4	18	27	10	-	43	25
7	200	24	21	3	21	12	3	19	1	4	6	1	6	19	3	23	27	3	-	33	26
2	50	5	3	1	3	5	1	5	-	1	1	1	-	3	-	3	4	1	-	6	27
-	10	1	1	-	8	1	1	2	1	-	-	-	-	1	2	2	2	1	-	5	28
5	140	18	17	2	10	6	1	12	-	3	5	-	6	15	1	18	21	1	-	22	29
1	76	8	21	1	5	-	1	6	1	-	-	-	1	1	1	5	8	3	-	20	30
3	203	8	18	5	14	5	-	14	4	-	4	-	4	12	3	11	17	4	-	26	31
2	155	5	15	4	11	4	-	11	3	-	4	-	4	8	2	8	10	3	-	23	32
1	48	3	3	1	3	1	-	3	1	-	-	-	-	4	1	3	7	1	-	3	33
4	96	6	8	3	5	8	4	11	1	1	1	-	4	7	-	12	9	3	-	17	34
																					35
10	173	23	57	4	13	4	1	15	4	2	3	-	9	23	1	20	21	6	-	29	36
10	113	14	41	3	12	4	-	7	4	1	3	-	5	14	1	7	15	5	-	17	37
10	113	14	41	3	12	5	-	7	4	1	3	-	5	14	1	7	15	5	-	17	38
-	60	9	16	1	1	-	1	8	-	1	-	-	4	9	-	13	6	1	-	12	39
-	11	2	6	-	1	1	1	2	-	-	-	-	-	1	1	1	4	1	-	3	40
10	211	27	51	2	39	9	4	22	12	1	6	1	11	18	4	12	25	7	-	50	41
6	106	15	29	1	16	6	1	11	7	-	3	1	3	6	3	3	8	4	-	20	42
4	105	12	22	1	23	3	3	11	5	1	3	-	8	12	1	9	17	3	-	30	43
1	20	3	9	-	1	6	1	8	2	-	-	-	-	1	1	3	4	-	-	10	44
3	151	9	39	2	15	1	2	23	3	1	1	-	3	15	2	8	19	1	-	36	45
-	64	16	31	5	6	5	-	12	1	2	3	-	4	7	3	9	10	4	-	23	46
1	50	7	17	1	4	3	1	4	-	-	1	-	-	3	3	5	6	2	-	15	47
1	72	7	11	1	10	5	1	8	3	-	-	-	4	5	-	6	5	3	-	11	48
1	29	6	3	2	2	1	-	3	2	1	-	-	-	-	1	4	7	3	2	10	49
1	67	2	3	2	3	3	-	9	3	1	2	-	3	3	2	10	7	3	-	9	50
																					51
6	148	18	59	6	24	7	4	19	6	1	5	1	3	13	6	18	15	4	-	40	52
2	30	4	13	1	14	2	2	5	2	-	1	-	1	3	2	5	3	1	-	10	53
2	40	5	14	1	22	3	3	7	3	-	1	-	1	4	4	7	5	2	-	15	54
4	118	14	46	5	10	5	2	14	4	1	4	1	2	10	4	13	12	3	-	30	55
2	63	5	11	3	6	4	1	4	2	-	-	-	2	4	3	8	8	2	-	16	56
3	344	25	29	9	20	9	9	20	4	4	14	-	16	34	10	30	20	8	4	52	57
3	246	17	19	6	17	7	8	12	-	3	12	-	11	24	8	23	14	8	4	44	58
-	98	8	10	3	3	2	1	8	1	1	2	-	5	10	2	7	6	-	-	8	59
1	39	5	9	1	4	-	-	2	-	-	1	1	2	5	3	3	8	4	-	9	60
12	234	24	14	2	9	8	2	20	6	2	6	-	13	30	2	11	22	9	-	52	61
7	187	19	10	2	6	5	2	16	5	2	5	-	11	22	1	8	13	6	-	38	62
5	47	5	4	-	3	3	-	4	1	-	1	-	2	8	1	3	9	3	-	14	63
2	58	4	21	2	3	1	1	7	1	1	2	-	4	4	4	6	10	4	-	14	64
2	80	12	18	7	4	3	4	9	-	1	-	-	1	6	3	10	3	1	-	16	65
3	74	12	25	2	10	4	4	8	1	-	4	-	6	6	1	8	5	-	-	15	66
																					67
1	229	11	21	3	15	2	5	19	3	2	4	-	7	14	4	16	20	8	-	36	68
1	119	1	7	-	8	1	3	11	1	2	4	-	5	6	2	6	4	3	-	16	69
-	35	-	4	2	3	-	2	1	-	-	-	-	1	4	1	1	7	3	-	7	70
-	75	10	10	1	4	1	-	7	2	-	-	-	1	4	1	9	9	2	-	13	71
6	206	29	58	3	14	13	4	24	2	2	5	-	8	24	2	13	10	13	3	47	72
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	73
4	90	16	25	-	10	6	2	15	2	1	3	-	2	7	-	9	2	2	-	17	74
2	116	13	33	3	4	7	2	9	-	1	2	-	6	17	2	4	8	11	3	30	75
3	109	7	28	1	6	6	8	9	2	1	5	-	2	8	-	6	5	5	2	23	76
2	50	5	15	-	3	5	4	3	1	-	2	-	2	3	-	1	4	-	2	9	77
1	59	2	13	1	3	1	4	6	1	1	3	-	2	5	-	5	1	5	-	14	78
2	48	4	8	1	2	4	-	2	1	1	1	-	1	-	1	4	5	-	-	6	79
-	4	1	3	-	-	-	-	4	-	2	-	-	1	3	-	4	6	-	-	4	80
																					81
122	3,114	316	255	43	253	246	37	407	95	47	135	6	123	364	22	139	225	119	20	658	82
-	14	1	2	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	1	83
5	47	6	1	2	3	4	1	5	2	-	5	-	1	5	-	1	3	-	-	7	84
-	17	1	-	-	1	1	-	1	-	2	3	-	3	8	1	1	2	-	1	1	85
-	30	2	3	-	2	4	-	7	-	-	2	-	4	4	1	3	2	2	-	9	86
95	2,389	254	198	30	191	195	29	314	76	32	102	6	86	277	13	106	173	89	18	506	87
1	14	2	1	-	2	-	-	2	1	-	-	-	2	2	-	-	2	1	-	1	88
1	61	2	4	1	6	2	-	5	2	-	7	-	1	5	1	-	3	-	-	13	89

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
WISCONSIN--CON.																
MILWAUKEE--CON.																
SOUTH MILWAUKEE	145	-	-	1	28	14	4	1	2	3	2	2	2	78	12	56
WAUWATOSA	613	2	-	2	104	32	10	9	12	7	7	27	9	356	79	238
WEST ELLIS	597	1	-	2	116	33	22	15	23	5	3	15	16	328	78	216
WHITEFISH BAY	96	-	1	-	17	5	3	3	1	1	2	2	2	60	20	37
BALANCE OF COUNTY	324	-	-	1	60	15	12	5	7	7	4	10	4	164	36	109
MONROE	330	-	1	1	46	13	6	4	10	2	4	7	3	203	41	144
OCONTO[17]	283	2	-	-	36	11	3	2	7	1	4	8	8	177	37	124
ONEIDA	254	1	-	2	36	16	5	1	4	1	2	7	9	136	21	102
OUTAGAMIE	759	1	-	3	120	40	10	9	21	4	8	28	19	434	80	319
APPLETON, PART	375	-	-	1	62	19	6	6	7	2	4	18	8	217	38	162
APPLETON, TOTAL	380	-	-	1	63	20	6	6	7	2	4	18	8	221	38	166
KAUKAUNA	89	-	-	-	17	5	2	-	7	-	2	1	2	45	8	33
BALANCE OF COUNTY	295	1	-	2	41	16	2	3	7	2	2	9	9	172	34	124
OZAUKEE	266	-	-	1	33	18	5	3	4	1	1	1	3	154	29	108
PEPIN	62	-	-	-	6	-	3	-	3	-	-	-	1	42	14	23
PIERCE	200	-	1	-	29	10	1	1	6	2	2	7	2	112	28	72
POLK	301	1	-	2	61	25	5	2	7	4	3	15	6	168	44	112
PORTAGE	366	3	-	1	65	25	5	7	15	2	2	9	8	197	37	144
STEVENS POINT	176	-	-	1	32	15	3	1	9	-	1	3	4	93	18	67
BALANCE OF COUNTY	190	3	-	-	33	10	2	6	6	2	1	6	4	104	19	77
PRICE	195	-	-	-	24	9	4	2	3	3	1	2	5	131	36	84
RACINE	1,273	3	1	4	205	66	31	17	26	12	11	42	30	748	137	539
RACINE	845	3	-	2	145	44	25	15	18	9	8	26	21	499	106	347
BALANCE OF COUNTY	428	-	1	2	60	22	6	2	8	3	3	16	9	249	31	192
RICHLAND	223	1	-	-	35	7	1	1	7	4	1	14	2	143	37	96
ROCK	1,100	6	-	4	198	58	25	14	30	17	14	40	9	605	140	410
BELOIT	355	2	-	3	62	14	11	5	10	7	3	12	5	215	50	145
JANESVILLE	353	2	-	1	66	21	3	7	9	4	6	16	1	180	47	118
BALANCE OF COUNTY	392	2	-	-	70	23	11	2	11	6	5	12	3	210	43	147
RUSK	194	-	-	-	31	14	2	2	5	3	-	5	2	117	35	74
ST. CROIX	305	-	-	-	57	25	3	10	7	3	2	7	3	182	66	104
SAUK	445	3	-	-	69	31	8	6	8	3	3	10	16	266	49	203
SAWYER	139	1	-	1	26	11	2	2	7	-	2	2	4	75	12	61
SHAWANO[17]	348	-	-	-	66	31	8	5	9	5	3	5	7	203	34	152
SHEBOYGAN	953	2	1	1	158	55	17	21	22	13	4	26	21	557	125	391
SHEBOYGAN	550	1	-	1	101	36	14	15	12	8	2	14	11	312	73	212
BALANCE OF COUNTY	403	1	1	-	57	19	3	6	10	5	2	12	10	245	52	179
TAYLOR	144	2	-	-	18	10	-	2	4	-	1	1	3	80	12	60
TREMPEALEAU	290	1	-	1	55	18	3	6	7	3	4	14	5	156	29	111
VERNON	290	-	-	1	39	17	4	3	6	1	3	5	4	181	42	127
VILAS	122	-	-	-	22	8	4	3	1	1	2	3	2	73	13	51
WALWORTH	558	1	1	1	101	36	18	7	14	1	6	19	8	351	74	229
WASHBURN	133	-	-	1	26	7	3	2	4	2	-	8	3	71	19	38
WASHINGTON	396	-	-	5	59	24	11	1	3	2	5	13	8	211	44	139
WAUKESHA	1,227	1	-	5	213	73	24	21	23	7	11	54	25	617	130	435
BROOKFIELD	90	-	-	-	19	3	1	5	4	1	1	4	-	47	6	34
MENOMONEE FALLS	99	-	-	2	21	7	2	2	1	-	2	7	3	36	10	24
NEW BERLIN	60	-	-	-	9	2	3	-	2	-	-	2	2	28	4	24
WAUKESHA	266	-	-	-	52	18	4	7	5	1	2	15	4	141	34	95
BALANCE OF COUNTY	712	1	-	3	112	43	14	7	11	5	6	26	16	365	76	258
WAUPACA	417	2	-	2	64	21	7	3	10	4	6	13	9	258	56	172
WAUSHARA	181	1	-	-	23	12	2	2	3	1	-	3	3	121	26	88
WINNEBAGO	971	6	2	6	135	52	19	14	14	9	5	22	28	576	92	433
MENASHA	133	2	-	-	21	9	1	-	2	1	2	6	3	71	13	51
NEENAH	125	1	-	-	20	11	3	1	-	1	1	3	7	64	14	46
OSHKOSH	512	2	1	5	68	23	13	7	9	6	2	8	15	316	45	239
BALANCE OF COUNTY	201	1	1	1	26	9	2	6	3	1	-	5	3	125	20	97
WOOD	508	-	1	3	87	34	11	8	10	2	8	14	7	284	58	200
MARSHFIELD, PART	138	-	-	-	23	8	1	1	5	1	2	5	1	81	17	56
MARSHFIELD, TOTAL	139	-	-	-	23	8	1	1	5	1	2	5	1	82	18	56
WISCONSIN RAPIDS	165	-	-	1	25	7	5	3	1	1	2	6	3	95	25	59
BALANCE OF COUNTY	205	-	1	2	39	19	5	4	4	-	4	3	3	108	16	85
WYOMING	2,746	4	7	21	372	105	57	33	54	19	22	82	54	1,317	308	878
URBAN	1,647	2	3	11	230	61	43	25	33	8	14	46	35	798	184	528
RURAL	1,099	2	4	10	142	44	14	8	21	11	8	36	19	519	124	350
NONMETROPOLITAN COUNTIES	2,746	4	7	21	372	105	57	33	54	19	22	82	54	1,317	308	878
URBAN	1,647	2	3	11	230	61	43	25	33	8	14	46	35	798	184	528
RURAL	1,099	2	4	10	142	44	14	8	21	11	8	36	19	519	124	350
ALBANY	150	-	1	-	22	7	3	1	3	1	1	6	2	62	20	33
LARAMIE	128	-	1	-	20	6	3	1	2	1	1	6	2	56	19	28
BALANCE OF COUNTY	22	-	-	-	2	1	-	-	1	-	-	-	-	6	1	5
BIG HORN	135	-	-	-	19	3	4	1	3	2	-	6	3	78	18	55
CAMPBELL	40	-	-	-	3	-	-	2	1	-	-	-	1	16	4	10
CARBON	114	-	-	1	16	2	1	1	5	2	2	3	2	55	9	43
CONVERSE	77	-	-	1	6	3	-	1	-	-	-	2	5	39	7	28
CROOK	48	-	-	2	5	2	-	1	1	-	-	1	-	29	14	15

SEE FOOTNOTES AT END OF TABLE.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic fever dis. (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421,434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
1	49	4	2	2	4	2	2	6	-	-	2	-	3	7	-	4	2	3	-	9	1
9	196	11	22	1	18	19	1	42	4	7	4	-	1	15	1	2	13	7	-	44	2
6	176	22	12	3	17	11	3	15	5	4	6	-	11	19	3	10	14	10	-	37	3
-	31	1	5	-	2	1	-	1	-	-	1	-	1	2	-	1	1	2	-	7	4
4	90	10	5	4	7	7	1	9	4	2	3	-	9	20	1	10	8	5	1	23	5
2	117	19	6	4	3	4	7	9	3	1	1	1	6	5	3	11	10	5	-	22	6
3	87	5	29	2	5	6	3	8	1	-	1	-	2	14	-	10	5	-	-	18	7
2	71	5	24	1	4	6	2	14	1	-	3	-	2	14	2	5	13	3	1	11	8
11	237	20	51	2	23	6	4	13	9	-	7	-	10	41	4	24	26	14	-	34	9
2	121	12	27	1	12	3	1	3	5	-	4	-	5	17	3	8	13	8	-	21	10
2	125	12	27	1	12	3	1	3	5	-	4	-	5	17	3	8	13	8	-	21	11
2	26	3	2	1	3	-	-	3	2	-	2	-	1	8	-	-	2	2	-	5	12
7	90	5	22	-	8	3	3	7	2	-	1	-	4	16	1	16	11	4	-	8	13
4	86	8	10	2	11	4	-	7	2	3	7	-	5	8	-	8	7	6	-	22	14
-	19	1	3	2	2	1	-	3	-	-	-	-	2	-	-	2	2	1	-	3	15
1	53	7	11	-	7	3	2	6	1	4	-	-	6	4	-	10	8	6	-	11	16
3	81	10	18	2	5	-	5	5	2	3	1	-	1	9	-	9	13	2	-	18	17
4	122	10	8	2	8	3	3	12	4	2	4	-	4	10	1	14	8	3	1	29	18
1	56	5	5	1	6	1	2	8	2	2	3	-	2	8	1	3	6	1	-	10	19
3	66	5	3	1	2	2	3	4	2	-	1	-	2	2	-	11	2	2	1	19	20
1	71	4	8	2	7	-	2	4	-	-	-	-	-	3	1	3	8	3	-	13	21
12	470	35	22	11	38	15	8	22	3	3	16	1	16	50	4	35	31	14	2	85	22
9	302	20	16	10	20	10	6	12	2	3	12	-	11	31	2	19	20	9	1	53	23
3	168	15	6	1	18	5	2	10	1	-	4	1	5	19	2	16	11	5	1	32	24
-	86	3	7	1	3	3	3	3	-	-	-	-	2	4	1	10	7	4	-	11	25
15	319	28	48	8	28	16	3	25	17	7	15	1	10	35	6	38	31	10	2	81	26
6	111	9	19	3	13	3	1	6	3	1	5	-	3	8	2	7	7	1	1	24	27
5	94	8	11	2	8	5	-	14	9	2	7	-	7	14	2	10	12	6	-	20	28
4	114	11	18	3	7	8	2	5	5	4	3	1	-	13	2	21	12	3	1	37	29
1	59	8	6	-	4	4	-	7	-	-	2	1	2	6	4	6	7	3	1	7	30
5	82	8	9	-	7	4	1	6	4	2	2	-	3	11	1	9	9	1	-	15	31
2	115	41	45	2	6	5	1	7	2	1	1	1	1	11	7	,12	16	7	-	25	32
3	42	7	9	-	2	-	-	6	2	1	3	-	-	6	-	5	-	1	-	10	33
5	116	17	14	3	9	5	-	9	2	1	2	-	2	7	1	18	9	3	1	17	34
3	316	24	48	4	25	8	4	32	5	4	5	-	10	18	8	27	27	12	-	65	35
1	174	14	23	3	17	3	4	19	3	2	2	-	5	11	6	13	18	5	-	40	36
2	142	10	25	1	8	5	-	13	2	2	3	-	5	7	2	14	9	7	-	25	37
-	36	2	22	-	7	1	-	8	2	-	-	-	1	6	1	2	7	2	-	12	38
4	85	9	13	-	14	1	1	10	-	1	1	-	-	11	2	10	6	5	-	26	39
3	106	4	14	-	7	2	3	18	4	-	1	-	4	8	-	8	4	5	-	13	40
1	44	3	3	2	3	3	1	5	-	1	-	-	1	2	1	5	6	1	-	3	41
5	185	11	28	4	34	8	2	6	3	1	2	1	3	12	2	18	11	8	-	28	42
-	27	1	10	-	8	4	2	4	1	3	1	-	2	2	2	1	3	3	-	9	43
5	101	10	23	4	16	5	3	9	1	4	3	-	3	15	3	13	18	9	1	34	44
16	326	35	58	4	24	19	5	52	7	4	16	2	20	53	8	47	43	14	2	98	45
2	27	1	4	-	3	3	1	1	1	-	2	-	3	6	-	4	2	1	-	4	46
1	18	3	2	-	-	2	-	-	1	2	-	1	4	9	-	7	4	1	-	9	47
-	21	-	3	-	-	-	-	1	-	-	-	-	3	5	-	4	1	2	-	4	48
3	60	15	17	2	3	7	-	13	2	-	-	-	3	5	5	7	10	1	1	22	49
10	200	16	32	2	18	7	4	37	3	2	13	2	7	28	3	25	26	9	1	59	50
6	128	6	32	2	22	4	2	13	4	1	3	-	5	10	5	9	4	5	-	23	51
1	69	5	13	1	3	2	1	5	1	-	3	-	1	3	2	3	2	1	2	10	52
9	308	41	75	11	20	14	6	10	11	1	4	1	14	30	20	28	28	6	1	64	53
-	44	1	6	3	3	1	-	2	1	-	-	-	3	7	1	3	6	1	-	12	54
2	31	6	7	-	2	2	-	1	2	-	1	-	2	2	5	8	3	1	-	8	55
7	163	22	47	7	14	7	4	7	3	1	2	-	8	14	9	11	14	4	-	32	56
-	70	12	15	1	1	4	2	-	5	-	1	1	1	7	5	6	5	-	1	12	57
8	158	18	16	6	8	12	-	14	2	4	2	1	15	19	4	15	15	4	1	30	58
1	52	2	1	2	2	4	-	5	1	-	1	-	8	6	-	1	3	1	-	7	59
1	52	2	1	2	2	4	-	5	1	-	1	-	8	6	-	1	3	1	-	7	60
3	41	11	4	2	4	5	-	1	-	3	-	-	3	8	1	4	7	1	1	12	61
4	65	5	11	2	2	3	-	8	1	1	1	1	4	5	3	10	5	2	-	11	62
26	706	47	99	17	52	45	17	89	27	15	33	3	45	153	21	115	154	74	11	231	63
18	427	28	55	12	34	30	10	54	13	9	21	1	25	97	10	70	74	41	8	145	64
8	279	19	44	5	18	15	7	35	14	6	12	2	20	56	11	45	80	33	3	86	65
26	706	47	99	17	52	45	17	89	27	15	33	3	45	153	21	115	154	74	11	231	66
18	427	28	55	12	34	30	10	54	13	9	21	1	25	97	10	70	74	41	8	145	67
8	279	19	44	5	18	15	7	35	14	6	12	2	20	56	11	45	80	33	3	86	68
-	27	1	5	3	2	4	-	3	4	2	2	-	1	13	4	8	9	1	2	14	69
-	23	1	4	3	2	4	-	3	2	1	1	-	1	11	3	8	6	1	2	10	70
-	4	-	1	-	-	-	-	-	2	1	1	-	-	2	1	-	3	-	-	4	71
2	45	-	8	2	1	1	1	6	-	-	1	1	2	6	1	4	5	1	-	8	72
2	5	1	2	-	1	1	-	2	1	-	-	-	3	1	-	1	5	1	-	6	73
-	35	1	7	-	1	-	2	7	1	1	3	-	1	4	1	3	6	6	-	7	74
-	26	-	2	1	3	-	-	1	1	1	-	-	1	5	-	2	4	-	1	10	75
-	14	-	1	-	-	-	-	1	-	-	-	-	1	-	-	6	-	-	1	3	76

Table 7-8. Deaths From Selected Causes: United States, Each State and County, Urban and Rural

(By place of residence. Data refer only to deaths occurring within the United States. Excludes fetal deaths. Numbers under causes of death are category numbers of the Seventh Revi-
politan State economic areas for New England). "Nonmetropolitan counties" include all other counties. Specified ur-

	AREA	Total	Tuberculosis, all forms (001-019)	Syphilis and its sequelae (020-029)	All other infective and parasitic diseases (030-138)	Malignant neoplasms, etc. (140-205)	Of digestive organs and peritoneum, etc. (150-156A,157-159)	Of respiratory system, etc. (160-164)	Of breast (170)	Of genital organs (171-179)	Of urinary organs (180,181)	Leukemia and aleukemia (204)	Other malignant neoplasms (140-148,156B, 165,190-203,205)	Diabetes mellitus (260)	Major cardiovascular-renal diseases (330-334,400-468,592-594)	Vascular lesions, etc. (330-334)	Diseases of heart (400-402,410-443)
1																	
2	WYOMING--CON.																
3																	
4	FREMONT	210	2	-	2	28	8	4	3	1	3	4	5	-	85	21	55
5	GOSHEN	115	-	-	1	14	2	3	2	5	1	-	1	4	55	14	38
6	HOT SPRINGS	59	1	1	-	5	2	-	-	-	-	1	2	-	29	9	17
7	JOHNSON	60	-	-	-	13	4	1	2	1	1	1	3	-	31	5	20
8	LARAMIE	433	1	-	5	59	18	11	6	11	2	2	9	6	210	42	145
9	CHEYENNE	353	1	-	5	48	14	10	5	9	2	2	6	4	171	33	118
10	BALANCE OF COUNTY	80	-	-	-	11	4	1	1	2	-	-	3	2	39	9	27
11	LINCOLN	94	-	-	3	18	7	2	-	2	3	-	4	-	35	8	24
12	NATRONA	331	-	2	4	43	11	5	4	7	2	3	11	5	142	31	98
13	CASPER	273	-	1	4	32	9	3	4	6	2	2	6	5	114	24	80
14	BALANCE OF COUNTY	58	-	1	-	11	2	2	-	1	-	1	5	-	28	7	18
15																	
16	NIOBRARA	40	-	-	-	6	3	-	1	-	-	1	1	2	22	2	18
17	PARK	121	-	-	1	16	5	1	2	3	-	2	3	2	60	14	35
18	PLATTE	79	-	1	-	10	4	1	1	1	-	1	2	-	41	9	26
19	SHERIDAN	229	-	-	-	46	13	12	3	3	-	1	14	6	113	36	69
20	SHERIDAN	168	-	-	-	38	10	11	3	3	-	1	10	4	83	22	57
21	BALANCE OF COUNTY	61	-	-	-	8	3	1	-	-	-	-	4	2	30	14	12
22	SUBLETTE	23	-	1	-	1	-	-	-	1	-	-	-	-	11	1	7
23	SWEETWATER	156	-	-	-	19	7	3	-	2	1	-	6	9	82	13	61
24	ROCK SPRINGS	101	-	-	-	16	6	3	-	2	1	-	4	5	54	6	43
25	BALANCE OF COUNTY	55	-	-	-	3	1	-	-	-	-	-	2	4	28	7	18
26																	
27	TETON	32	-	-	-	4	-	1	-	1	1	1	-	1	14	1	12
28	UINTA	80	-	-	1	4	1	1	1	1	-	-	-	4	48	15	28
29	WASHAKIE	61	-	-	-	9	3	1	1	-	-	1	3	-	31	7	23
30	WESTON	57	-	1	-	6	-	3	-	2	-	1	-	2	28	8	17
31	YELLOWSTONE NATIONAL																
32	PARK, PART[5]	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
33	YELLOWSTONE NATIONAL																
34	PARK, TOTAL	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1

#Classified as urban under special rule; see Technical Appendix.
[1]"Districts" shown are election districts, the nearest equivalent of counties.
[2]Includes District 1, Prince of Wales.
[3]Includes data for Texarkana, Ark., only.
[4]The cities of Honolulu and Hilo have legally established limits and, therefore, are treated as incorporated places.
[5]Geographically located within limits of Idaho, Montana, and Wyoming.
[6]New Jersey did not require reporting of color; see Technical Appendix.
[7]Includes data for Bristol, Tenn., only.
[8]Includes data for Texarkana, Tex., only.
[9]Excludes data for Fairfax city which became independent of the county as of July 1, 1961.
[10]Excludes data for Franklin city which became independent of the county as of January 1, 1962.
[11]Independent cities having populations of less than 10,000 according to the 1960 census are: Buena Vista, Clifton Forge, Colonial Heights, Franklin, Galax, Norton, Radford, South Boston, Virginia Beach, and Williamsburg.
[12]Includes data for Bristol, Va., only.
[13]Independent city as of July 1, 1961; formerly town in Fairfax County.
[14]Independent city as of January 1, 1962; formerly town in Southampton County.
[15]Includes data for Bluefield, W. Va., only.
[16]New county, May 1, 1961, formed from parts of Oconto and Shawano counties.
[17]Excludes data for that part of county annexed to Menominee, a new county as of May 1, 1961.

Areas, Metropolitan and Nonmetropolitan Counties, and Specified Urban Places, 1962—Con.

sion of the International Lists, 1955. For complete category titles, see table 7-6. "Metropolitan counties" include all counties that are in standard metropolitan statistical areas (metroban places are those with populations of 10,000 or more in 1960. For definitions of areas, see Technical Appendix)

Rheumatic fever and chronic rheumatic heart disease (400-402,410-416)	Arteriosclerotic heart disease (420)	Hypertensive heart disease (440-443)	Other forms of heart disease (421-434)	Other hypertensive disease (444-447)	General arteriosclerosis (450)	Other diseases of circulatory system (451-468)	Chronic nephritis, etc. (592-594)	Influenza and pneumonia, etc. (480-493)	Ulcer of stomach and duodenum (540,541)	Gastritis, duodenitis, etc. (543,571,572)	Cirrhosis of liver (581)	Complications of pregnancy, etc. (640-689)	Congenital malformations (750-759)	Certain diseases of early infancy (760-776)	Symptoms, senility, etc. (780-795)	Motor vehicle accidents (E810-E835)	All other accidents (E800-E802,E840-E962)	Suicide (E963,E970-E979)	Homicide (E964,E980-E985)	All other causes (Residual)	
-	42	6	7	-	5	4	-	8	2	2	4	-	3	16	1	21	12	1	1	22	1
1	32	1	4	-	3	-	-	7	-	-	1	-	5	5	-	3	7	5	-	8	2
-	14	1	2	-	1	2	-	3	1	2	-	-	-	2	-	-	5	4	-	6	3
1	18	-	1	1	1	4	-	2	1	-	-	-	-	4	-	1	1	4	-	3	4
5	120	7	13	4	10	7	2	11	5	2	8	-	10	27	1	15	22	14	2	35	5
4	98	6	10	4	9	6	1	10	4	2	7	-	9	23	1	12	16	10	2	28	6
1	22	1	3	-	1	1	1	1	1	-	1	-	1	4	-	3	6	4	-	7	7
-	16	6	2	1	-	1	1	2	1	-	1	-	3	3	3	10	9	1	-	5	8
2	82	5	9	-	1	9	3	11	2	1	2	-	3	24	4	16	19	14	1	38	9
1	67	4	8	-	1	6	3	10	2	1	2	-	3	20	3	15	17	11	1	32	10
1	15	1	1	-	-	3	-	1	-	-	-	-	-	4	1	1	2	3	-	6	11
-	9	6	3	-	1	-	1	1	2	-	-	-	1	1	-	-	3	-	-	2	12
-	34	-	1	2	4	4	1	1	1	1	-	2	4	9	1	6	2	3	1	11	13
-	22	1	3	-	4	2	-	3	1	-	-	-	1	4	-	2	7	6	-	3	14
3	54	4	8	2	4	1	1	8	1	-	2	-	2	8	1	5	12	5	-	20	15
3	43	4	7	1	2	1	-	5	-	-	2	-	1	7	1	3	6	5	-	13	16
-	11	-	1	1	2	-	1	3	1	-	-	-	1	1	-	2	6	-	-	7	17
1	6	-	-	-	1	2	-	1	-	1	-	-	-	2	-	1	4	1	-	-	18
4	46	2	9	-	5	1	2	4	1	-	7	-	1	6	1	4	5	1	1	15	19
3	31	2	7	-	3	-	2	3	1	-	7	-	-	2	-	1	4	-	-	8	20
1	15	-	2	-	2	1	-	1	-	-	-	-	1	4	1	3	1	1	1	7	21
1	10	-	1	-	-	-	1	-	-	1	-	-	-	3	-	1	6	1	-	1	22
-	20	4	4	1	1	2	1	2	1	1	1	-	-	4	2	1	4	1	-	6	23
3	15	1	4	-	-	-	1	2	1	-	-	-	1	2	1	3	4	2	1	4	24
1	13	-	3	-	3	-	-	3	-	-	1	-	2	4	-	2	3	1	-	4	25
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	26
-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	27
																					28
																					29
																					30
																					31
																					32
																					33
																					34

Table 7-9. Deaths From Specified Infective Diseases: United States and Specified States and Counties, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Listed States and counties or county equivalents are those in which one or more deaths occurred from a specified cause. Includes data for urban places shown in table 7-10. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
United States	15
Alabama	1
Coffee	1
Arkansas	1
Drew	1
California	1
Sacramento	1
District of Columbia	1
Georgia	1
Fulton	1
Louisiana[1]	2
Lincoln	1
Richland	1
Massachusetts	1
Plymouth	1
Mississippi	3
Hinds	1
Quitman	1
Tallahatchie	1
Oklahoma	1
Johnston	1
Pennsylvania	1
Somerset	1
Tennessee	1
Bedford	1
Wisconsin	1
Washington	1
DYSENTERY, ALL FORMS (045-048)	
United States	323
Alabama	16
Baldwin	1
Coffee	1
Dale	1
Dallas	2
Fayette	1
Houston	1
Lauderdale	1
Macon	1
Mobile	1
Montgomery	1
St. Clair	1
Sumter	1
Talladega	1
Tuscaloosa	1
Wilcox	1
Arizona	21
Apache	1
Coconino	4
Gila	1
Graham	2
Maricopa	3
Navajo	6
Pinal	2
Santa Cruz	1
Yuma	1
Arkansas	15
Columbia	2
Crittenden	1
Faulkner	1
Garland	1
Hempstead	1
Jefferson	1
Mississippi	1
Monroe	1
Ouachita	1
Prairie	1
Pulaski	2
Searcy	1
Yell	1
California	17
Alameda	1
Contra Costa	1
DYSENTERY, ALL FORMS (045-048)—Con.	
California—Con.	
Los Angeles	10
Sacramento	2
San Joaquin	1
Santa Clara	1
Santa Cruz	1
Colorado	3
Adams	1
Bent	1
Montrose	1
Florida	10
Broward	1
Collier	1
Dade	3
Duval	1
Hillsborough	1
Orange	1
Pinellas	1
Putnam	1
Georgia	12
Brooks	1
Burke	1
Chattooga	1
Coweta	1
Crisp	1
Dougherty	1
Emanuel	1
Fulton	1
Liberty	1
Sumter	1
Turner	1
Whitfield	1
Idaho	1
Minidoka	1
Illinois	13
Cook	3
De Kalb	1
Du Page	3
Kankakee	1
Lake	1
Madison	1
Peoria	1
Rock Island	1
Will	1
Indiana	3
Marion	3
Iowa	1
Polk	1
Kentucky	6
Butler	1
Greenup	1
Knott	1
Lewis	2
Shelby	1
Louisiana[1]	10
Calcasieu	1
Claiborne	1
East Carroll	1
East Feliciana	1
New Orleans	3
St. Helena	1
St. Landry	1
St. Tammany	1
Maine	1
Hancock	1
Maryland	5
Baltimore	2
Baltimore (independent city)	3
Massachusetts	4
Hampden	2
Middlesex	1
Worcester	1
Michigan	2
Antrim	1
Menominee	1
Minnesota	1
Beltrami	1
DYSENTERY, ALL FORMS (045-048)—Con.	
Mississippi	18
Amite	1
Benton	1
Bolivar	1
Clarke	1
Copiah	1
Hinds	2
Leake	2
Leflore	1
Quitman	1
Sharkey	1
Simpson	1
Sunflower	1
Tallahatchie	1
Tate	1
Walthall	1
Washington	1
Missouri	6
Greene	1
Henry	1
Jackson	1
Pemiscot	1
St. Louis (independent city)	1
Wright	1
Nebraska	2
Douglas	1
Scotts Bluff	1
New Jersey	1
Ocean	1
New Mexico	8
Lea	1
McKinley	3
Roosevelt	2
San Juan	1
Santa Fe	1
New York	6
Cayuga	1
Essex	1
New York City[2]	4
North Carolina	8
Alamance	1
Beaufort	1
Cleveland	2
Forsyth	1
Lenoir	1
Mecklenburg	2
Ohio	4
Cuyahoga	1
Jackson	1
Lorain	1
Montgomery	1
Oklahoma	9
Bryan	1
Custer	1
Hughes	1
McCurtain	1
Marshall	1
Murray	1
Okmulgee	2
Tulsa	1
Oregon	1
Klamath	1
Pennsylvania	2
Delaware	1
Schuylkill	1
Rhode Island	1
Providence	1
South Carolina	10
Barnwell	1
Berkeley	2
Charleston	1
Florence	1
Lexington	1
Marion	3
Newberry	1
Tennessee	10
Cocke	1
Davidson	1
Fayette	1
Gibson	1
DYSENTERY, ALL FORMS (045-048)—Con.	
Tennessee—Con.	
Hamilton	1
Henry	1
Madison	1
Shelby	2
Wilson	1
Texas	76
Atascosa	1
Bexar	3
Bowie	1
Brazos	1
Briscoe	1
Cameron	2
Dallas	8
Deaf Smith	1
De Witt	1
Dickens	1
Duval	1
El Paso	1
Floyd	1
Galveston	1
Goliad	1
Gonzales	1
Harris	5
Hays	1
Hidalgo	18
Houston	3
Hudspeth	1
Jim Hogg	1
Llano	2
Lubbock	2
McLennan	3
Matagorda	1
Medina	1
Milam	1
Runnels	1
Shackelford	1
Tarrant	1
Taylor	1
Terry	1
Victoria	1
Webb	3
Wharton	1
Willacy	1
Utah	2
San Juan	2
Vermont	1
Washington	1
Virginia	13
Accomack	1
Botetourt	1
Campbell	2
Charlotte	1
Greensville	1
Isle of Wight	1
Pittsylvania	1
Princess Anne	1
Sussex	1
Independent Cities	
Danville	1
Newport News	1
Richmond	1
Washington	2
Yakima	2
West Virginia	1
Preston	1
Wyoming	1
Natrona	1
DIPHTHERIA (055)	
United States	41
Alabama	2
Madison	1
Pike	1
Arkansas	3
Clay	1
Poinsett	1
Washington	1

See footnotes at end of table.

Table 7-9. Deaths From Specified Infective Diseases: United States and Specified States and Counties, 1962—Con.

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
DIPHTHERIA (055)—Con.	
California	1
Los Angeles	1
District of Columbia	1
Florida	1
Duval	1
Georgia	2
Bibb	1
Washington	1
Illinois	1
Cook	1
Iowa	1
Woodbury	1
Kansas	1
Shawnee	1
Louisiana[1]	4
Jefferson	1
New Orleans	3
Michigan	2
Wayne	2
Minnesota	2
Beltrami	1
Ramsey	1
Mississippi	2
Hinds	1
Warren	1
Nebraska	1
Douglas	1
New Jersey	1
Essex	1
North Dakota	1
Sargent	1
Rhode Island	1
Providence	1
South Carolina	3
Charleston	2
Union	1
Tennessee	1
Shelby	1
Texas	9
Bexar	2
De Witt	2
Gonzales	1
Hidalgo	2
Jefferson	1
Nueces	1
Virginia	1
Dinwiddie	1
WHOOPING COUGH (056)	
United States	83
Alabama	2
Morgan	1
Winston	1
Alaska[3]	7
Dist. 15, Bristol Bay	6
Dist. 16, Bethel	1
Arkansas	4
Crittenden	2
Mississippi	1
Poinsett	1
California	3
San Bernardino	1
San Diego	1
Ventura	1
Colorado	1
El Paso	1
Delaware	1
Sussex	1

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Con.	
Florida	3
Highlands	1
Palm Beach	1
Polk	1
Indiana	1
Putnam	1
Kansas	1
Pratt	1
Kentucky	3
Breathitt	1
Owen	1
Warren	1
Louisiana[1]	2
Rapides	1
Vermilion	1
Maryland	2
Anne Arundel	1
Baltimore (independent city)	1
Michigan	2
Houghton	1
Wayne	1
Minnesota	1
Mahnomen	1
Mississippi	7
De Soto	1
Hinds	1
Marshall	1
Quitman	1
Tate	1
Tunica	1
Wilkinson	1
Missouri	1
Pike	1
Nevada	1
Clark	1
New Hampshire	2
Coos	1
Hillsborough	1
New Mexico	1
Luna	1
New York	1
Dutchess	1
North Carolina	3
Brunswick	1
Davidson	1
Forsyth	1
Ohio	4
Cuyahoga	1
Hardin	1
Lawrence	1
Summit	1
Oklahoma	2
Greer	1
Okfuskee	1
Oregon	1
Clackamas	1
Pennsylvania	5
Lawrence	1
Philadelphia	3
Tioga	1
South Carolina	7
Chesterfield	2
Georgetown	1
Horry	1
Lancaster	1
Lexington	1
Williamsburg	1
Tennessee	2
Crockett	1
Shelby	1
Texas	6
Bexar	1
Cameron	1
Hale	1

AREA AND CAUSE OF DEATH	Deaths
WHOOPING COUGH (056)—Con.	
Texas—Con.	
Milam	1
Nueces	1
San Patricio	1
Virginia	4
Cumberland	1
Nansemond	1
Princess Anne	1
Westmoreland	1
Wisconsin	3
Brown	1
Milwaukee	1
Racine	1
MENINGOCOCCAL INFECTIONS (057)	
United States	649
Alabama	12
De Kalb	1
Etowah	1
Geneva	1
Jefferson	1
Macon	1
Marshall	1
Mobile	3
Montgomery	1
Morgan	1
Winston	1
Alaska[3]	2
Dist. 2, Ketchikan[4]	1
Dist. 20, Upper Yukon	1
Arizona	7
Cochise	1
Maricopa	2
Navajo	1
Pima	3
Arkansas	13
Craighead	2
Drew	1
Garland	1
Hempstead	1
Jefferson	1
Mississippi	1
Phillips	1
Pulaski	3
Sebastian	1
Washington	1
California	66
Alameda	4
Butte	1
Colusa	2
Fresno	3
Imperial	1
Kern	2
Los Angeles	25
Madera	1
Monterey	1
Orange	6
Sacramento	3
San Bernardino	2
San Diego	7
San Francisco	1
San Joaquin	1
San Luis Obispo	1
San Mateo	1
Santa Clara	2
Solano	1
Stanislaus	1
Colorado	5
Alamosa	1
Denver	1
El Paso	1
Jefferson	1
Prowers	1
Connecticut	9
Fairfield	1
Hartford	3
New Haven	3
New London	1
Tolland	1
Delaware	1
New Castle	1

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Con.	
District of Columbia	1
Florida	19
Alachua	1
Clay	1
Dade	4
Duval	1
Escambia	1
Lee	2
Palm Beach	2
Pinellas	2
Polk	2
Seminole	2
Washington	1
Georgia	28
Atkinson	1
Baldwin	1
Bibb	2
Charlton	1
Chatham	1
Cobb	1
De Kalb	2
Dodge	1
Dooly	1
Dougherty	1
Fulton	2
Gwinnett	1
Henry	1
Jackson	3
Meriwether	1
Muscogee	3
Spalding	1
Troup	1
Union	1
Walton	1
Whitfield	1
Hawaii	2
Honolulu	2
Idaho	1
Cassia	1
Illinois	24
Cook	14
Du Page	2
Jersey	1
Lake	3
Madison	1
Pike	1
Rock Island	1
Tazewell	1
Indiana	14
Allen	1
Cass	1
De Kalb	2
Greene	1
Lake	4
La Porte	1
Marion	1
Scott	1
Sullivan	1
Wabash	1
Iowa	7
Allamakee	1
Black Hawk	1
Linn	2
Mahaska	1
Osceola	1
Union	1
Kansas	6
Barber	1
Cowley	1
Crawford	1
Reno	1
Sedgwick	2
Kentucky	15
Boone	1
Breathitt	1
Butler	1
Daviess	1
Garrard	1
Grayson	1

See footnotes at end of table.

Table 7-9. Deaths From Specified Infective Diseases: United States and Specified States and Counties, 1962—Con.

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Con.	
Kentucky—Con.	
Harlan	2
Jefferson	2
Kenton	1
Pike	1
Union	1
Warren	1
Wayne	1
Louisiana[1]	21
Acadia	1
Caddo	2
Calcasieu	2
East Baton Rouge	2
Jefferson	1
New Orleans	4
Ouachita	2
Plaquemines	1
Rapides	1
Red River	1
St. Landry	1
St. Martin	1
Terrebonne	1
Washington	1
Maine	8
Androscoggin	1
Aroostook	1
Cumberland	2
Penobscot	2
Waldo	1
York	1
Maryland	12
Anne Arundel	2
Baltimore	2
Baltimore (independent city)	2
Howard	2
Montgomery	2
Washington	2
Massachusetts	10
Hampden	1
Hampshire	1
Middlesex	2
Norfolk	2
Plymouth	1
Suffolk	3
Michigan	27
Alpena	2
Berrien	1
Calhoun	1
Cass	2
Clare	1
Dickinson	1
Genesee	1
Ionia	1
Kent	1
Macomb	2
Montcalm	1
Muskegon	2
Oakland	3
Oceana	1
Saginaw	1
St. Clair	1
Wayne	5
Minnesota	10
Beltrami	1
Blue Earth	1
Clay	1
Hennepin	2
Mille Lacs	1
Ramsey	1
Roseau	1
St. Louis	1
Washington	1
Mississippi	11
Coehoma	1
De Soto	1
Forrest	1
Lamar	1
Leflore	1
Lowndes	1
Perry	1
Pike	1
Rankin	1
Scott	1
Winston	1
MENINGOCOCCAL INFECTIONS (057)—Con.	
Missouri	10
Boone	1
Butler	1
Howard	1
Jackson	2
Jasper	1
Platte	1
St. Louis	1
St. Louis (independent city)	2
Montana	3
Cascade	1
Missoula	1
Yellowstone[5]	1
Nebraska	4
Box Butte	1
Douglas	2
Platte	1
New Hampshire	5
Cheshire	1
Hillsborough	2
Rockingham	1
Strafford	1
New Jersey	30
Bergen	1
Burlington	1
Camden	2
Essex	6
Hudson	6
Mercer	2
Middlesex	1
Monmouth	4
Morris	1
Ocean	1
Passaic	2
Union	3
New Mexico	5
Colfax	1
McKinley	2
Roosevelt	1
Torrance	1
New York	52
Albany	1
Allegany	1
Cayuga	1
Chautauqua	1
Dutchess	2
Erie	4
Fulton	1
Herkimer	1
Livingston	1
Monroe	2
Nassau	1
New York City[2]	27
Onondaga	1
Orange	1
Suffolk	2
Tompkins	1
Ulster	1
Warren	1
Westchester	1
Wyoming	1
North Carolina	19
Anson	1
Brunswick	1
Buncombe	1
Cumberland	1
Davie	1
Durham	1
Forsyth	1
Guilford	1
Iredell	1
Lincoln	1
New Hanover	2
Northampton	1
Onslow	1
Richmond	1
Rowan	2
Sampson	1
Warren	1
North Dakota	1
Stark	1
MENINGOCOCCAL INFECTIONS (057)—Con.	
Ohio	35
Allen	1
Ashtabula	1
Auglaize	1
Butler	1
Clermont	2
Cuyahoga	5
Franklin	2
Hamilton	9
Henry	1
Lake	1
Lucas	2
Mahoning	2
Montgomery	2
Muskingum	2
Portage	1
Summit	1
Wayne	1
Oklahoma	10
Canadian	1
Carter	1
Creek	1
Garfield	2
Jackson	1
Oklahoma	2
Ottawa	1
Pushmataha	1
Oregon	7
Klamath	1
Lane	1
Multnomah	3
Union	1
Wasco	1
Pennsylvania	33
Allegheny	1
Blair	1
Bucks	1
Butler	1
Cambria	3
Carbon	1
Chester	2
Clearfield	2
Dauphin	1
Jefferson	1
Lackawanna	2
Lycoming	2
Mifflin	2
Montgomery	2
Philadelphia	4
Schuylkill	1
Somerset	1
Washington	1
Westmoreland	1
York	3
Rhode Island	2
Providence	2
South Carolina	8
Beaufort	1
Greenville	1
Lexington	2
Oconee	1
York	3
South Dakota	4
Brookings	1
Clay	1
Custer	1
Sanborn	1
Tennessee	13
Anderson	1
Bedford	1
Davidson	2
De Kalb	1
Hamilton	1
Hardin	1
Hawkins	1
Montgomery	1
Overton	1
Rutherford	1
Shelby	2
Texas	29
Bexar	1
Brown	2
Cameron	1
MENINGOCOCCAL INFECTIONS (057)—Con.	
Texas—Con.	
Dallas	2
Denton	1
Ector	1
Falls	1
Galveston	1
Hale	1
Harris	5
Hidalgo	3
Hockley	1
Jefferson	1
Kleberg	2
McLennan	1
Robertson	2
Smith	1
Wharton	1
Wichita	1
Utah	2
Salt Lake	1
San Juan	1
Vermont	1
Chittenden	1
Virginia	20
Accomack	1
Amelia	1
Augusta	1
Chesterfield	1
Fairfax	1
Fauquier	1
Frederick	1
Hanover	1
Henry	1
Nansemond	1
Patrick	1
Pulaski	1
Southampton	1
Washington	1
Independent Cities	
Colonial Heights	1
Hopewell	1
Norfolk	2
Richmond	2
Washington	9
Cowlitz	1
Island	1
King	3
Kitsap	1
Spokane	1
Thurston	1
Walla Walla	1
West Virginia	4
Hampshire	1
Kanawha	1
Logan	1
Marshall	1
Wisconsin	10
Clark	1
Dane	1
Fond du Lac	1
Green Lake	1
Jefferson	1
Kenosha	1
Manitowoc	1
Racine	1
Waukesha	1
Waupaca	1
Wyoming	2
Fremont	1
Laramie	1
ACUTE POLIOMYELITIS (080)	
United States	60
Alabama	2
Houston	1
Mobile	1
Arizona	1
Maricopa	1

See footnotes at end of table.

Table 7-9. Deaths From Specified Infective Diseases: United States and Specified States and Counties, 1962—Con.

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
ACUTE POLIOMYELITIS (080)—Con.	
Arkansas	3
Desha	1
Drew	1
Washington	1
California	7
Glenn	1
Los Angeles	1
Monterey	2
San Francisco	2
San Joaquin	1
Florida	1
Jefferson	1
Georgia	1
Lowndes	1
Illinois	3
Cook	3
Indiana	5
Allen	1
Fayette	1
Hendricks	1
Lake	1
Orange	1
Maryland	1
Frederick	1
Michigan	2
Newaygo	1
Presque Isle	1
Minnesota	2
Hennepin	1
Swift	1
New Hampshire	1
Sullivan	1
New Jersey	2
Middlesex	2
New York	1
Clinton	1
North Carolina	1
Wake	1
North Dakota	1
Walsh	1
Oklahoma	2
Comanche	1
Oklahoma	1
Pennsylvania	5
Allegheny	1
Beaver	1
Cambria	1
Chester	2
South Dakota	2
Brookings	1
Mellette	1
Texas	13
Cameron	1
Dallas	1
De Witt	1
Duval	1
Ellis	1
Frio	2
Harris	2
Harrison	1
Hidalgo	1
Lubbock	1
Webb	1
Virginia	1
Mecklenburg	1
Washington	1
King	1
West Virginia	1
Lincoln	1
Wisconsin	1
Milwaukee	1

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)	
United States	408
Alabama	12
Calhoun	1
Dale	1
Jackson	1
Jefferson	4
Lamar	1
Madison	1
Russell	2
Tuscaloosa	1
Alaska[3]	11
Dist. 12, Kenai-Cook	1
Dist. 14, Aleutian	1
Dist. 15, Bristol Bay	2
Dist. 16, Bethel	3
Dist. 19, Fairbanks	1
Dist. 22, Kobuk	2
Dist. 23, Nome	1
Arizona	13
Apache	3
Cocomino	3
Navajo	5
Pima	1
Pinal	1
Arkansas	2
Lincoln	1
Searcy	1
California	16
Humboldt	1
Inyo	1
Kings	1
Los Angeles	4
Orange	3
Riverside	2
San Mateo	1
Santa Clara	1
Ventura	2
Colorado	6
Denver	1
Fremont	1
Morgan	2
Prowers	1
San Miguel	1
Connecticut	6
Fairfield	2
Hartford	3
New Haven	1
Florida	11
Broward	1
Dade	2
Duval	1
Gadsden	1
Hillsborough	1
Jackson	1
Okaloosa	1
Polk	1
Putnam	1
St. Lucie	1
Georgia	15
Bartow	1
Coweta	1
De Kalb	1
Fannin	1
Fulton	3
Greene	1
Miller	1
Murray	1
Muscogee	1
Sumter	1
Toombs	1
Turner	1
Washington	1
Hawaii	1
Maui	1
Idaho	2
Booneville	1
Gooding	1
Illinois	18
Cook	12
Du Page	1
Kane	1

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Illinois—Con.	
Kankakee	1
La Salle	1
Will	1
Winnebago	1
Indiana	8
Clinton	2
Grant	1
Marion	1
Marshall	1
Miami	1
Rush	1
Warrick	1
Iowa	10
Buchanan	1
Clarke	1
Clayton	1
Des Moines	1
Emmet	1
Muscatine	1
Polk	1
Pottawattamie	2
Warren	1
Kansas	2
Geary	1
Sedgwick	1
Kentucky	6
Carter	1
Jefferson	2
Lewis	1
Menifee	1
Montgomery	1
Louisiana[1]	16
Caddo	2
Calcasieu	2
Iberia	2
Lafourche	1
New Orleans	1
Rapides	1
Richland	1
St. Landry	2
St. Martin	1
St. Mary	1
St. Tammany	1
Vermilion	1
Maine	4
Kennebec	1
Knox	1
Somerset	1
York	1
Maryland	4
Baltimore (independent city)	1
Prince Georges	3
Massachusetts	5
Essex	1
Franklin	1
Middlesex	1
Suffolk	2
Michigan	8
Kent	1
Macomb	1
Oakland	3
Tuscola	1
Wayne	2
Minnesota	11
Becker	1
Beltrami	2
Clearwater	1
Hennepin	2
Mower	1
Murray	2
Nobles	1
Washington	1
Mississippi	11
Adams	1
Claiborne	1
Coahoma	1
Copiah	2
Lawrence	1
Newton	1
Quitman	1
Sunflower	2
Tunica	1

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Missouri	6
Buchanan	1
Jackson	1
Jasper	1
Monroe	1
Newton	1
Pike	1
Nebraska	3
Buffalo	1
Dodge	1
Hall	1
Nevada	1
Clark	1
New Jersey	9
Cumberland	2
Essex	1
Hudson	2
Middlesex	1
Morris	1
Union	2
New Mexico	9
Eddy	1
Lea	1
Luna	1
McKinley	4
San Juan	2
New York	35
Chautauqua	1
Dutchess	1
Franklin	1
Nassau	3
New York City[2]	17
Orange	1
Suffolk	3
Tioga	1
Ulster	1
Westchester	6
North Carolina	9
Cumberland	1
Forsyth	1
Granville	1
Nash	3
Orange	1
Wake	1
Warren	1
North Dakota	2
Sioux	2
Ohio	14
Adams	1
Clark	1
Cuyahoga	5
Fairfield	1
Lawrence	1
Lucas	2
Marion	1
Montgomery	1
Washington	1
Oklahoma	3
Cotton	1
Kiowa	1
Stephens	1
Oregon	2
Columbia	1
Curry	1
Pennsylvania	9
Allegheny	1
Elk	1
Lancaster	1
Lawrence	1
Philadelphia	4
Washington	1
Rhode Island	1
Providence	1
South Carolina	5
Calhoun	1
Clarendon	1
Colleton	1
Edgefield	1
Marlboro	1

See footnotes at end of table.

Table 7-9. Deaths From Specified Infective Diseases: United States and Specified States and Counties, 1962—Con.

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
South Dakota	6
Aurora	2
Custer	1
Deuel	1
Sanborn	2
Tennessee	17
Benton	2
Chester	1
Davidson	1
Dyer	1
Fayette	1
Henry	1
Knox	1
Lincoln	1
Monroe	1
Rhea	1
Shelby	2
Sumner	2
Warren	1
Williamson	1

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Texas	59
Angelina	1
Bell	1
Bexar	4
Brazoria	1
Cameron	1
Carson	1
Cherokee	1
Comanche	1
Crosby	1
Dallas	5
Denton	1
Dimmit	1
Eastland	1
Ellis	1
El Paso	2
Gonzales	1
Harris	4
Hidalgo	5
Houston	1
Lavaca	1
Lubbock	4

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Texas—Con.	
Matagorda	1
Maverick	2
Morris	1
Nueces	3
Orange	1
Polk	1
Potter	1
Scurry	1
Sterling	1
Tarrant	1
Tom Green	1
Travis	1
Van Zandt	2
Victoria	1
Wichita	2
Utah	1
Grand	1
Virginia	10
Amherst	1
Arlington	1

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Virginia—Con.	
Fairfax	1
Hanover	1
Rockbridge	1
Rockingham	2
Independent Cities	
Hampton	1
Richmond	1
South Boston	1
Washington	4
King	2
Pierce	1
Yakima	1
West Virginia	3
Braxton	1
Harrison	1
Wetzel	1
Wisconsin	2
Vernon	1
Washington	1

[1]Divisions are parishes.
[2]Comprising Bronx, Kings, New York, Queens, and Richmond Counties.
[3]"Districts" shown are election districts, the nearest equivalent of counties.
[4]Includes District 1, Prince of Wales.
[5]Geographically located within limits of Idaho, Montana, and Wyoming.

Table 7-10. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1962

(By place of residence. Data refer only to deaths occurring within the United States. Listed urban places are those with populations of 10,000 or more in 1960 in which one or more deaths occurred from a specified cause. Counties in which urban places are located are shown in parentheses. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

AREA AND CAUSE OF DEATH	Deaths
TYPHOID FEVER (040)	
District of Columbia:	
Washington, D.C.	1
Georgia:	
East Point (Fulton)	1
Louisiana:	
Ruston (Lincoln)	1
Mississippi:	
Jackson (Hinds)	1
DYSENTERY, ALL FORMS (045-048)	
Alabama:	
Enterprise (Coffee)	1
Montgomery (Montgomery)	1
Prichard (Mobile)	1
Tuscalcosa (Tuscalcosa)	1
Arizona:	
Mesa (Maricopa)	1
Yuma (Yuma)	1
Arkansas:	
Camden (Ouachita)	1
Hot Springs (Garland)	1
Little Rock (Pulaski)	2
Magnolia (Columbia)	1
California:	
Inglewood (Los Angeles)	1
Los Angeles (Los Angeles)	6
Oakland (Alameda)	1
Sacramento (Sacramento)	2
Stockton (San Joaquin)	1
Watsonville (Santa Cruz)	1
Florida:	
Clearwater (Pinellas)	1
Fort Lauderdale (Broward)	1
Jacksonville (Duval)	1
Tampa (Hillsborough)	1
Georgia:	
Albany (Dougherty)	1
Atlanta (Fulton)	1
Dalton (Whitfield)	1
Illinois:	
Chicago (Cook)	2
De Kalb (De Kalb)	1
Forest Park (Cook)	1
Granite City (Madison)	1
Hindsdale (Du Page)	1
Joliet (Will)	1
Kankakee (Kankakee)	1
Lombard (Du Page)	1
Waukegan (Lake)	1
Wheaton (Du Page)	1
Indiana:	
Indianapolis (Marion)	3
Iowa:	
Des Moines (Polk)	1
Louisiana:	
New Orleans (Orleans)	3
Maryland:	
Baltimore (independent city)	3
Massachusetts:	
Springfield (Hampden)	1
Mississippi:	
Greenville (Washington)	1
Jackson (Hinds)	1
Missouri:	
Kansas City (Jackson)	1
Springfield (Greene)	1
St. Louis (independent city)	1
Nebraska:	
Omaha (Douglas)	1
New Mexico:	
Santa Fe (Santa Fe)	1

AREA AND CAUSE OF DEATH	Deaths
DYSENTERY, ALL FORMS (045-048)—Con.	
New York:	
Auburn (Cayuga)	1
New York City[1]	4
North Carolina:	
Charlotte (Mecklenburg)	1
Shelby (Cleveland)	1
Ohio:	
Cleveland (Cuyahoga)	1
Dayton (Montgomery)	1
Elyria (Lorain)	1
Oklahoma:	
Durant (Bryan)	1
Pennsylvania:	
Chester (Delaware)	1
Rhode Island:	
Woonsocket (Providence)	1
Tennessee:	
Chattanooga (Hamilton)	1
Lebanon (Wilson)	1
Memphis (Shelby)	2
Nashville (Davidson)	1
Texas:	
Abilene (Taylor)	1
Bay City (Matagorda)	1
Bryan (Brazos)	1
Dallas (Dallas)	7
Edinburg (Hidalgo)	8
Galveston (Galveston)	1
Houston (Harris)	5
Laredo (Webb)	3
Lubbock (Lubbock)	1
McAllen (Hidalgo)	2
Mercedes (Hidalgo)	1
Mesquite (Dallas)	1
Mission (Hidalgo)	1
Pharr (Hidalgo)	1
San Antonio (Bexar)	3
San Benito (Cameron)	2
San Marcos (Hays)	1
Texarkana (Bowie)[2]	1
Victoria (Victoria)	1
Waco (McLennan)	3
Weslaco (Hidalgo)	1
Virginia:	
Danville (independent city)	1
Newport News (independent city)	1
Richmond (independent city)	1
Wyoming:	
Casper (Natrona)	1
DIPHTHERIA (055)	
California:	
Los Angeles (Los Angeles)	1
District of Columbia:	
Washington, D.C.	1
Florida:	
Jacksonville (Duval)	1
Georgia:	
Macon (Bibb)	1
Illinois:	
Chicago (Cook)	1
Iowa:	
Sioux City (Woodbury)	1
Kansas:	
Topeka (Shawnee)	1
Louisiana:	
Gretna (Jefferson)	1
New Orleans (Orleans)	3
Michigan:	
Detroit (Wayne)	1
Mississippi:	
Jackson (Hinds)	1
Vicksburg (Warren)	1

AREA AND CAUSE OF DEATH	Deaths
DIPHTHERIA (055)—Con.	
Nebraska:	
Omaha (Douglas)	1
New Jersey:	
Newark (Essex)	1
Rhode Island:	
Providence (Providence)	1
South Carolina:	
Charleston (Charleston)	1
Tennessee:	
Memphis (Shelby)	1
Texas:	
Beaumont (Jefferson)	1
Corpus Christi (Nueces)	1
San Antonio (Bexar)	2
WHOOPING COUGH (056)	
Alabama:	
Decatur (Morgan)	1
California:	
Oceanside (San Diego)	1
Kentucky:	
Bowling Green (Warren)	1
Louisiana:	
Abbeville (Vermilion)	1
Alexandria (Rapides)	1
Maryland:	
Baltimore (independent city)	1
Michigan:	
Detroit (Wayne)	1
Mississippi:	
Jackson (Hinds)	1
Nevada:	
Las Vegas (Clark)	1
New Hampshire:	
Berlin (Coos)	1
Nashua (Hillsborough)	1
North Carolina:	
Winston-Salem (Forsyth)	1
Ohio:	
Akron (Summit)	1
Cleveland (Cuyahoga)	1
Pennsylvania:	
Philadelphia (Philadelphia)	3
South Carolina:	
Georgetown (Georgetown)	1
Tennessee:	
Memphis (Shelby)	1
Texas:	
Corpus Christi (Nueces)	1
Harlingen (Cameron)	1
San Antonio (Bexar)	1
Wisconsin:	
De Pere (Brown)	1
Milwaukee (Milwaukee)	1
MENINGOCOCCAL INFECTIONS (057)	
Alabama:	
Birmingham (Jefferson)	1
Mobile (Mobile)	1
Montgomery (Montgomery)	1
Prichard (Mobile)	2
Arizona:	
Douglas (Cochise)	1
Phoenix (Maricopa)	1
Tucson (Pima)	3
Arkansas:	
Blytheville (Mississippi)	1
Fayetteville (Washington)	1
Fort Smith (Sebastian)	1
Hot Springs (Garland)	1
Little Rock (Pulaski)	1
North Little Rock (Pulaski)	1
Pine Bluff (Jefferson)	1

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Con.	
California:	
Arcadia (Los Angeles)	1
Bakersfield (Kern)	1
Baldwin Park (Los Angeles)	2
Barstow (San Bernardino)	1
Bellflower (Los Angeles)	1
Colton (San Bernardino)	1
Downey (Los Angeles)	1
Fullertown (Orange)	1
Gardena (Los Angeles)	1
Hayward (Alameda)	1
Inglewood (Los Angeles)	1
Lakewood (Los Angeles)	1
Los Altos (Santa Clara)	8
Los Angeles (Los Angeles)	1
Madera (Madera)	1
Modesto (Stanislaus)	2
Oakland (Alameda)	1
Orange (Orange)	1
Pacifica (San Mateo)	1
Paramount (Los Angeles)	1
Sacramento (Sacramento)	5
San Diego (San Diego)	1
San Fernando (Los Angeles)	1
San Francisco (San Francisco)	1
San Jose (Santa Clara)	1
San Luis Obispo (San Luis Obispo)	1
Santa Ana (Orange)	1
South Gate (Los Angeles)	1
Westminster (Orange)	1
Colorado:	
Arvada (Jefferson)	1
Colorado Springs (El Paso)	1
Denver (Denver)	1
Connecticut:	
Hartford (Hartford)	1
Shelton (Fairfield)	1
Waterbury (New Haven)	2
District of Columbia:	
Washington, D.C.	1
Florida:	
Gainesville (Alachua)	1
Hialeah (Dade)	1
Sanford (Seminole)	1
Georgia:	
Albany (Dougherty)	1
Atlanta (De Kalb)	1
Atlanta (Fulton)	1
Columbus (Muscogee)	2
Decatur (De Kalb)	1
Griffin (Spalding)	1
La Grange (Troup)	1
Macon (Bibb)	2
Marietta (Cobb)	1
Milledgeville (Baldwin)	1
Savannah (Chatham)	1
Hawaii:	
Honolulu (Honolulu)[3]	1
Illinois:	
Alton (Madison)	1
Chicago (Cook)	11
Des Plaines (Cook)	1
Forest Park (Cook)	1
Oak Lawn (Cook)	1
Rock Island (Rock Island)	1
Waukegan (Lake)	1
Wheaton (Du Page)	1
Indiana:	
Fort Wayne (Allen)	1
Gary (Lake)	1
Hammond (Lake)	2
Indianapolis (Marion)	1
Munster (Lake)	1
Wabash (Wabash)	1
Iowa:	
Cedar Rapids (Linn)	2
Waterloo (Black Hawk)	1
Kansas:	
Hutchinson (Reno)	1
Wichita (Sedgwick)	2
Winfield (Cowley)	1

Table 7-10. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1962—Con.

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Con.	
Kentucky:	
Bowling Green (Warren)	1
Louisville (Jefferson)	2
Louisiana:	
Alexandria (Rapides)	1
Baton Rouge (East Baton Rouge)	2
Kenner (Jefferson)	1
Lake Charles (Calcasieu)	1
Monroe (Ouachita)	2
New Orleans (Orleans)	4
Shreveport (Caddo)	1
Maine:	
Auburn (Androscoggin)	1
Bangor (Penobscot)	1
Portland (Cumberland)	2
Maryland:	
Baltimore (independent city)	2
Hagerstown (Washington)	2
Rockville (Montgomery)	1
Massachusetts:	
Boston (Suffolk)	2
Cambridge (Middlesex)	1
Norwood town (Norfolk)[4]	1
Somerville (Middlesex)	1
Whitman town (Plymouth)[4]	1
Winthrop town (Suffolk)[4]	1
Michigan:	
Battle Creek (Calhoun)	1
Birmingham (Oakland)	1
Detroit (Wayne)	4
Flint (Genesee)	1
Grand Rapids (Kent)	1
Muskegon (Muskegon)	2
Niles (Berrien)	1
River Rouge (Wayne)	1
Minnesota:	
Bloomington (Hennepin)	1
Duluth (St. Louis)	1
Mankato (Blue Earth)	1
Minneapolis (Hennepin)	1
St. Paul (Ramsey)	1
Mississippi:	
Clarksdale (Coahoma)	1
Columbus (Lowndes)	1
Hattiesburg (Forrest)	1
McComb (Pike)	1
Missouri:	
Columbia (Boone)	1
Independence (Jackson)	1
Joplin (Jasper)	1
Kansas City (Jackson)	1
Poplar Bluff (Butler)	1
St. Louis (independent city)	2
Montana:	
Billings (Yellowstone)	1
Great Falls (Cascade)	1
Nebraska:	
Omaha (Douglas)	1
New Hampshire:	
Keene (Cheshire)	1
Nashua (Hillsborough)	1
Rochester (Strafford)	1
New Jersey:	
Cranford twp. (Union)[4]	1
Eatontown (Monmouth)	1
Elizabeth (Union)	1
Garfield (Bergen)	1
Harrison (Hudson)	1
Jersey City (Hudson)	4
Maplewood twp. (Essex)[4]	1
Montclair (Essex)	1
New Providence (Union)	1
Newark (Essex)	2
Paterson (Passaic)	1
Red Bank (Monmouth)	1
Trenton (Mercer)	2
Union City (Hudson)	1
Woodbridge twp. (Middlesex)[4]	1
New York:	
Auburn (Cayuga)	1
Buffalo (Erie)	2

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Con.	
New York—Con.	
Gloversville (Fulton)	1
Ithaca (Tompkins)	1
Jamestown (Chautauqua)	1
New York City[1]	27
Rochester (Monroe)	1
Syracuse (Onondaga)	1
Tarrytown (Westchester)	1
North Carolina:	
Asheville (Buncombe)	1
Durham (Durham)	1
High Point (Guilford)	1
Jacksonville (Onslow)	1
Salisbury (Rowan)	1
Wilmington (New Hanover)	1
Winston-Salem (Forsyth)	1
Ohio:	
Ashtabula (Ashtabula)	1
Cincinnati (Hamilton)	4
Cleveland (Cuyahoga)	5
Dayton (Montgomery)	1
Struthers (Mahoning)	1
Toledo (Lucas)	2
Whitehall (Franklin)	1
Youngstown (Mahoning)	1
Zanesville (Muskingum)	1
Oklahoma:	
Altus (Jackson)	1
El Reno (Canadian)	1
Enid (Garfield)	2
Oklahoma City (Oklahoma)	2
Oregon:	
Portland (Multnomah)	3
Pennsylvania:	
Blair (Altoona)	1
Cheltenham twp. (Montgomery)[4]	1
Du Bois (Clearfield)	1
Greensburg (Westmoreland)	1
Harrisburg (Dauphin)	1
Johnstown (Cambria)	3
Lewistown (Mifflin)	1
Philadelphia (Philadelphia)	4
Scranton (Lackawanna)	2
Williamsport (Lycoming)	1
Rhode Island:	
Providence (Providence)	1
South Carolina:	
Greenville (Greenville)	1
Rock Hill (York)	2
South Dakota:	
Aberdeen (Brown)	1
Mitchell (Davison)	1
Watertown (Codington)	1
Tennessee:	
Chattanooga (Hamilton)	1
Memphis (Shelby)	2
Nashville (Davidson)	1
Texas:	
Brownwood (Brown)	2
Dallas (Dallas)	1
Galveston (Galveston)	1
Houston (Harris)	3
Kingsville (Kleberg)	1
Levelland (Hockley)	1
Mesquite (Dallas)	1
Odessa (Ector)	1
Plainview (Hale)	1
San Antonio (Bexar)	1
Tyler (Smith)	1
Waco (McLennan)	1
Weslaco (Hidalgo)	1
Wichita Falls (Wichita)	1
Vermont:	
Burlington (Chittenden)	1
Virginia:	
Hopewell (independent city)	1
Norfolk (independent city)	2
Richmond (independent city)	2
Washington:	
Spokane (Spokane)	1

AREA AND CAUSE OF DEATH	Deaths
MENINGOCOCCAL INFECTIONS (057)—Con.	
West Virginia:	
Charleston (Kanawha)	1
Moundsville (Marshall)	1
Wisconsin:	
Fond du Lac (Fond du Lac)	1
Kenosha (Kenosha)	1
Menomonee Falls (Waukesha)	1
Wyoming:	
Cheyenne (Laramie)	1
ACUTE POLIOMYELITIS (080)	
Alabama:	
Dothan (Houston)	1
Mobile (Mobile)	1
Arizona:	
Phoenix (Maricopa)	1
Arkansas:	
Fayetteville (Washington)	1
California:	
Los Angeles (Los Angeles)	1
Monterey (Monterey)	1
San Francisco (San Francisco)	2
Illinois:	
Chicago (Cook)	3
Indiana:	
Connersville (Fayette)	1
Fort Wayne (Allen)	1
Maryland:	
Frederick (Frederick)	1
New Jersey:	
Woodbridge twp. (Middlesex)[4]	1
North Carolina:	
Raleigh (Wake)	1
Oklahoma:	
Oklahoma City (Oklahoma)	1
Texas:	
Harlingen (Cameron)	1
Houston (Harris)	2
Laredo (Webb)	1
Lubbock (Lubbock)	1
Mission (Hidalgo)	1
Waxahachie (Ellis)	1
Wisconsin:	
Milwaukee (Milwaukee)	1
MEASLES (085)	
Alabama:	
Birmingham (Jefferson)	2
Fairfield (Jefferson)	1
Tuscaloosa (Tuscaloosa)	1
California:	
Buena Park (Orange)	1
Costa Mesa (Orange)	1
Orange (Orenge)	1
Pasadena (Los Angeles)	2
Pico Rivera (Los Angeles)	1
Port Hueneme (Ventura)	1
San Bruno (San Mateo)	1
Colorado:	
Denver (Denver)	1
Connecticut:	
Bridgeport (Fairfield)	1
Enfield town (Hartford)[4]	1
Greenwich town (Fairfield)[4]	1
Hartford (Hartford)	2
Florida:	
Bartow (Polk)	1
Fort Pierce (St. Lucie)	1
Fort Walton Beach (Okaloosa)	1
Hollywood (Broward)	1
Jacksonville (Duval)	1
Palatka (Putnam)	1

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Georgia:	
Americus (Sumter)	1
Atlanta (De Kalb)	1
Atlanta (Fulton)	2
College Park (Fulton)	1
Columbus (Muscogee)	1
Illinois:	
Arlington Heights (Cook)	1
Bellwood (Cook)	1
Chicago (Cook)	8
Glenview (Cook)	1
Kankakee (Kankakee)	1
Rockford (Winnebago)	1
Streator (La Salle)	1
Indiana:	
Indianapolis (Marion)	1
Marion (Grant)	1
Peru (Miami)	1
Iowa:	
Council Bluffs (Pottawattamie)	2
Des Moines (Polk)	1
Muscatine (Muscatine)	1
Kansas:	
Junction City (Geary)	1
Wichita (Sedgwick)	1
Louisiana:	
Lake Charles (Calcasieu)	1
New Iberia (Iberia)	1
New Orleans (Orleans)	1
Shreveport (Caddo)	2
Maine:	
Saco (York)	1
Maryland:	
Baltimore (independent city)	1
Massachusetts:	
Boston (Suffolk)	2
Malden (Middlesex)	1
Michigan:	
Detroit (Wayne)	2
Mount Clemens (Macomb)	1
Pontiac (Oakland)	2
Minnesota:	
Austin (Mower)	1
Richfield (Hennepin)	1
Missouri:	
Joplin (Jasper)	1
Kansas City (Jackson)	1
St. Joseph (Buchanan)	1
Nebraska:	
Fremont (Dodge)	1
Grand Island (Hall)	1
Nevada:	
North Las Vegas (Clark)	1
New Jersey:	
Elizabeth (Union)	1
Hillside twp. (Union)[4]	1
Morristown (Morris)	1
Newark (Essex)	1
Union City (Hudson)	1
Vineland (Cumberland)	1
West New York (Hudson)	1
Woodbridge twp. (Middlesex)[4]	1
New Mexico:	
Artesia (Eddy)	1
Hobbs (Lea)	1
New York:	
Jamestown (Chautauqua)	1
Mamaroneck (Westchester)	1
Mount Vernon (Westchester)	1
New York City[1]	17
Poughkeepsie (Dutchess)	1
Rockville Centre (Nassau)	1
Tarrytown (Westchester)	1
Yonkers (Westchester)	1
North Carolina:	
Rocky Mount (Nash)	1
Winston-Salem (Forsyth)	1

Table 7-10. Deaths From Specified Infective Diseases: Specified Urban Places in the United States, 1962—Con.

(See headnote at beginning of table)

AREA AND CAUSE OF DEATH	Deaths
MEASLES (085)—Con.	
Ohio:	
Cleveland (Cuyahoga)	4
Dayton (Montgomery)	1
Fairview Park (Cuyahoga)	1
Lancaster (Fairfield)	1
Marion (Marion)	1
Oregon (Lucas)	1
Toledo (Lucas)	1
Pennsylvania:	
New Castle (Lawrence)	1
Philadelphia (Philadelphia)	4
Pittsburgh (Allegheny)	1
Rhode Island:	
Pawtucket (Providence)	1
South Dakota:	
Huron (Beadle)	2
Mitchell (Davison)	1
Tennessee:	
Dyersburg (Dyer)	1
Memphis (Shelby)	1
Texas:	
Amarillo (Potter)	1
Austin (Travis)	1
Bay City (Matagorda)	1
Corpus Christi (Nueces)	3
Dallas (Dallas)	4
Denton (Denton)	1
Eagle Pass (Maverick)	2
El Paso (El Paso)	1
Fort Worth (Tarrant)	1
Harlingen (Cameron)	1
Houston (Harris)	1
Lubbock (Lubbock)	1
Mercedes (Hidalgo)	1
Mission (Hidalgo)	1
Orange (Orange)	1
Pasadena (Harris)	1
San Angelo (Tom Green)	1
San Antonio (Bexar)	3
Victoria (Victoria)	1
Wichita Falls (Wichita)	2
Virginia:	
Arlington County[4]	1
Hampton (independent city)	1
Richmond (independent city)	1
Washington:	
Renton (King)	1

[1]Comprising Bronx, Kings, New York, Queens, and Richmond Counties.
[2]Includes data for Texarkana, Texas, only.
[3]The city of Honolulu has legally established limits and is therefore treated as an incorporated place.
[4]Classified as urban under special rule; see Technical Appendix.

NOTE: Certain cities are located in more than one county. In these cases, figures are shown for that part of the city to which the death was allocated. These cities are: Abilene, Tex.; Amarillo, Tex.; Atlanta, Ga.; Chicago, Ill.; College Park, Ga.; Hinsdale, Ill.; Joplin, Mo.; Kansas City, Mo.; Oklahoma City, Okla.; Portland, Oreg.; Rocky Mount, N.C.; Shreveport, La.; Streator, Ill.; Texarkana, Tex.; Wichita, Tex.; and Youngstown, Ohio.

Guide to tables in Section 8

(All data are for deaths occurring in Puerto Rico or the Virgin Islands)

TABLE: 8	-1	-2	-3	-4	-5	-6	-7	-8	-9	-10	-11	-12	-13	-14	-15	-16
PAGE: 8	-3	-3	-4	-8	-12	-12	-13	-14	-14	-15	-16	-17	-17	-17	-18	-18
Geographic area:																
Islands								X[1]								
Municipios							X[1]									
Puerto Rico	X	X	X		X	X	X		X	X	X	X	X	X	X	X
Specified urban place								X								
Virgin Islands	X	X		X	X	X		X	X	X	X	X	X	X	X	X
Years:																
1940-1962	X															
1962 only		X	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Type of entry:																
Number of deaths—all ages	X	X	X	X	X	X	X[1]	X[1]								
Number of fetal deaths							X	X				X	X	X	X	X
Number of infant deaths							X	X	X	X	X[2]					
Number of neonatal deaths							X	X	X	X	X					
Death rates—all ages	X															
Characteristics:																
Age of decedent			X	X						X						
Age of mother													X			
Cause of death:																
60 selected causes			X	X												
55 selected causes of infant mortality											X					
Motor vehicle accidents					X											
Nontransport accidents						X										
Color (for Virgin Islands only)		X		X	X	X		X	X	X	X	X	X	X	X	X
Month		X							X			X				
Period of gestation																X
Place of accident						X										
Sex		X	X	X	X	X				X						
Total-birth order														X		
Type of motor vehicle involved					X											
Weight at birth															X	

[1]Both occurrence and residence distributions.

[2]Number of deaths also shown for the age-group 28 days to 11 months.

Section 8. Puerto Rico and Virgin Islands: Tables

General Tables

8-1. Deaths and death rates: Puerto Rico and Virgin Islands, 1940-62---------- 8-3

8-2. Deaths by month and sex for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-3

8-3. Deaths from 60 selected causes, by age and sex: Puerto Rico, 1962---------- 8-4

8-4. Deaths from 60 selected causes, by age, color, and sex: Virgin Islands, 1962-- 8-8

8-5. Deaths from motor vehicle accidents, by type of motor vehicle involved and sex, for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---- 8-12

8-6. Deaths from nontransport accidents, by place of accident and sex, for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-12

8-7. Total, infant, and neonatal deaths, and fetal deaths: Puerto Rico and each municipio, 1962---------- 8-13

8-8. Total, infant, and neonatal deaths, and fetal deaths, by color: Virgin Islands and specified urban place, 1962---------- 8-14

8-9. Deaths under 1 year and under 28 days, by month for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-14

8-10. Deaths under 1 year, by age and sex, for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-15

8-11. Deaths under 1 year, under 28 days, and 28 days to 11 months, from 55 selected causes, for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962 ---------- 8-16

8-12. Fetal deaths by month for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-17

8-13. Fetal deaths by age of mother for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-17

8-14. Fetal deaths by total-birth order for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-17

8-15. Fetal deaths by birth weight, for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-18

8-16. Fetal deaths by period of gestation, for Puerto Rico and Virgin Islands; and by color for Virgin Islands: 1962---------- 8-18

NOTES

Occurrence and residence allocation

In contrast with the method of allocating deaths to place of residence for each of the 50 States and the District of Columbia, residence data for the Commonwealth of Puerto Rico include only those deaths occurring in Puerto Rico. Deaths to nonresidents of the Commonwealth are included in the total, but deaths to residents of Puerto Rico occurring elsewhere are excluded. The same qualification applies to resident deaths in the Virgin Islands.

Data are shown by both place of occurrence and place of residence in Puerto Rico for the primary geographic subdivision, "municipio," and in the Virgin Islands for St. Croix Island and St. John and St. Thomas Islands (the latter two combined). Deaths by place of residence are not shown for urban places having a population of 10,000 or more in Puerto Rico, but they are shown for Charlotte Amalie in the Virgin Islands.

Race and color

For 1962, deaths are not shown by color for Puerto Rico; they are classified as white and nonwhite for the Virgin Islands.

Symbols used in tables

Data not available	---
Category not applicable	...
Quantity zero	-
Quantity more than 0 but less than 0.05	0.0
Figure does not meet standards of reliability or precision	*

The Technical Appendix—Section 6 in Part A of Volume II, *Vital Statistics of the United States, 1962*—discusses other factors concerning these mortality statistics.

Table 8-1. Deaths and Death Rates: Puerto Rico and Virgin Islands, 1940-62

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Rates per 1,000 population in each area, enumerated as of April 1 for 1940, 1950, and 1960 and estimated as of July 1 for all other years)

YEAR	PUERTO RICO		VIRGIN ISLANDS	
	Number	Rate	Number	Rate
1962	16,548	6.7	321	9.0
1961	16,364	6.8	326	9.7
1960	15,791	6.7	332	10.3
1959	15,818	6.8	320	10.3
1958	16,074	7.0	340	11.3
1957	15,978	7.1	324	11.0
1956	16,566	7.4	354	12.5
1955	16,221	7.2	311	11.3
1954	16,783	7.6	301	11.1
1953	17,972	8.2	279	10.4
1952	20,480	9.2	346	12.4
1951	22,374	10.0	375	13.5
1950	21,895	9.9	374	14.0
1949	23,389	10.6	362	13.6
1948	26,209	12.0	340	12.6
1947	25,407	11.8	394	14.5
1946	27,517	12.9	408	15.1
1945	28,837	13.7	401	15.0
1944	29,795	14.4	402	14.8
1943	29,019	14.3	389	14.2
1942	32,220	16.2	483	18.5
1941	35,492	18.3	468	18.1
1940	34,468	18.4	553	22.2

Table 8-2. Deaths by Month and Sex, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths)

AREA, COLOR, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	16,548	1,448	1,334	1,504	1,359	1,451	1,349	1,407	1,367	1,370	1,374	1,345	1,240
Male	9,200	799	725	793	771	837	734	776	758	807	746	760	694
Female	7,348	649	609	711	588	614	615	631	609	563	628	585	546
Virgin Islands	321	30	22	29	16	39	15	30	31	31	19	25	34
Male	172	16	11	16	6	18	8	13	16	19	13	16	20
Female	149	14	11	13	10	21	7	17	15	12	6	9	14
White	42	4	2	5	5	5	1	1	4	3	1	5	6
Male	32	4	2	4	3	4	-	1	3	2	1	2	6
Female	10	-	-	1	2	1	1	-	1	1	-	3	-
Nonwhite	279	26	20	24	11	34	14	29	27	28	18	20	28
Male	140	12	9	12	3	14	8	12	13	17	12	14	14
Female	139	14	11	12	8	20	6	17	14	11	6	6	14

Table 8-3. Deaths From 60 Selected Causes, by Age and Sex: Puerto Rico, 1962

(Data refer only to deaths occurring within Puerto Rico. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALL CAUSES------	16,548	3,191	748	231	183	254	251	273	310	382	462	555	700	797	1,045	1,215	1,352	1,134	1,124	932	726	674	9
	M--	9,200	1,833	395	132	109	166	147	172	184	235	276	334	452	491	628	749	765	610	568	442	272	234	6
	F--	7,348	1,358	353	99	74	88	104	101	126	147	186	221	248	306	417	466	587	524	556	490	454	440	3
001-019	Tuberculosis, all forms--------	586	7	6	3	2	9	15	43	42	49	40	64	40	50	46	46	36	19	30	13	4	1	1
	M--	345	4	4	1	1	4	5	25	18	26	28	35	31	36	33	35	25	11	15	6	1	-	1
	F--	221	3	2	2	1	5	10	18	24	23	12	29	9	14	13	11	11	8	15	7	3	1	-
001-008	Tuberculosis of resp. system-----	546	3	3	1	2	7	14	43	42	48	40	64	39	47	44	46	36	19	30	13	3	1	1
	M--	333	2	1	1	1	3	5	25	18	26	28	35	30	34	31	35	25	11	15	6	-	-	1
	F--	213	1	2	-	1	4	9	18	24	22	12	29	9	13	13	11	11	8	15	7	3	1	-
010-019	Tuberculosis, other forms------	20	4	3	2	-	2	1	-	-	1	-	-	1	3	2	-	-	-	-	-	1	-	-
	M--	12	2	3	-	-	1	-	-	-	-	-	-	1	2	2	-	-	-	-	-	1	-	-
	F--	8	2	-	2	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae---------	36	1	-	-	-	-	-	-	-	-	2	2	2	-	7	9	3	5	4	1	-	-	-
	M--	25	1	-	-	-	-	-	-	-	-	2	1	1	-	7	6	2	2	2	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	1	3	2	-	-	-	-
045-048	Dysentery, all forms----------	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-
	M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
050, 051	Scarlet fever and strep. throat----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria--------	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough----	25	12	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	12	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	3	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections---------	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis----------	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles----------	28	11	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	16	6	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	Other infective and parasitic diseases---------	223	62	51	18	14	8	1	6	2	5	5	1	7	4	9	7	8	5	4	5	-	1	-
	M--	128	38	26	8	11	7	1	4	2	3	2	-	5	3	5	3	3	1	2	3	-	1	-
	F--	95	24	25	10	3	1	-	2	-	2	3	1	2	1	4	4	5	4	2	2	-	-	-
140-205	Malignant neoplasms, etc------	1,975	4	24	20	22	11	16	22	25	42	82	107	165	178	253	265	264	184	122	93	40	36	-
	M--	1,096	2	13	13	15	4	6	11	7	15	32	57	84	99	150	168	156	117	69	50	17	11	-
	F--	879	2	11	7	7	7	10	11	18	27	50	50	81	79	103	97	108	67	53	43	23	25	-
140-148	Of buccal cavity and pharynx------	101	-	-	-	-	-	-	-	-	2	2	9	9	9	15	16	19	7	6	2	3	2	-
	M--	83	-	-	-	-	-	-	-	-	2	1	9	6	8	12	14	15	5	5	2	3	1	-
	F--	18	-	-	-	-	-	-	-	-	-	1	-	3	1	3	2	4	2	1	-	-	1	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)----------	869	-	-	3	2	-	3	6	7	8	27	39	67	85	119	125	140	103	53	50	16	16	-
	M--	525	-	-	2	-	-	1	5	2	3	11	26	43	59	78	82	87	65	30	21	5	5	-
	F--	344	-	-	1	2	-	2	1	5	5	16	13	24	26	41	43	53	38	23	29	11	11	-
160-164	Malignant neoplasm of resp. system (not secondary)--	192	-	1	-	-	-	3	-	2	3	9	9	16	18	35	33	24	18	13	6	1	1	-
	M--	139	-	-	-	-	-	2	-	-	2	6	4	12	13	29	28	14	17	8	2	1	1	-
	F--	53	-	1	-	-	-	1	-	2	1	3	5	4	5	6	5	10	1	5	4	-	-	-
170	Of breast---------	67	-	-	-	-	-	1	1	3	7	10	4	7	6	7	6	6	4	3	2	-	-	-
	M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	67	-	-	-	-	-	1	1	3	7	10	4	7	6	7	6	6	4	3	2	-	-	-
171-179	Of genital organs-	296	-	1	-	-	-	-	3	4	9	18	24	24	27	32	39	31	23	19	24	10	8	-
	M--	101	-	1	-	-	-	-	-	1	-	2	4	1	3	6	17	14	12	9	19	6	4	-
	F--	195	-	-	-	-	-	-	3	3	9	16	20	23	24	24	22	17	11	10	5	4	4	-
180, 181	Of urinary organs-	60	-	5	2	-	-	-	-	-	1	1	1	-	6	8	11	6	10	3	4	2	-	-
	M--	39	-	2	2	-	-	-	-	-	1	-	1	-	3	5	7	6	7	2	2	1	-	-
	F--	21	-	3	-	-	-	-	-	-	-	1	-	-	3	3	4	-	3	1	2	1	-	-
156B, 165, 190-199	Of other sites, etc----------	226	2	7	4	7	2	2	2	4	5	9	11	27	19	22	27	31	15	11	5	6	8	-
	M--	117	1	5	3	4	1	1	-	2	2	7	6	14	11	11	15	15	8	7	4	-	-	-
	F--	109	1	2	1	3	1	1	2	2	3	2	5	13	8	11	12	16	7	4	1	6	8	-

Table 8-3. Deaths From 60 Selected Causes, by Age and Sex: Puerto Rico, 1962—Con.

(Data refer only to deaths occurring within Puerto Rico. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
204	Leukemia and aleukemia	96	2	9	8	11	7	3	6	4	3	4	6	8	4	7	3	3	2	5	-	1	-	-
	M--	57	1	5	3	9	3	1	3	1	3	3	5	3	1	5	3	2	1	4	-	1	-	-
	F--	39	1	4	5	2	4	2	3	3	-	1	1	5	3	2	-	1	1	1	-	-	-	-
200-203, 205	Lymphomas, etc	68	-	1	3	2	2	4	4	1	4	2	4	7	4	8	5	4	2	9	-	1	1	-
	M--	35	-	-	3	2	-	1	3	1	2	2	2	5	1	2	2	3	2	4	-	-	-	-
	F--	33	-	1	-	-	2	3	1	-	2	-	2	2	3	6	3	1	-	5	-	1	1	-
210-239	Benign & unspec. neoplasms	94	3	3	3	3	4	3	4	2	6	5	5	15	3	3	8	10	4	3	1	3	3	-
	M--	55	-	2	2	1	3	1	2	-	2	3	5	12	2	3	5	6	2	1	-	-	3	-
	F--	39	3	1	1	2	1	2	2	2	4	2	-	3	1	-	3	4	2	2	1	3	-	-
241	Asthma	126	5	20	1	3	3	1	4	2	2	4	4	5	11	11	16	8	9	7	2	4	4	-
	M--	57	2	6	-	1	2	1	1	-	-	3	2	4	6	4	11	6	3	2	-	1	2	-
	F--	69	3	14	1	2	1	-	3	2	2	1	2	1	5	7	5	2	6	5	2	3	2	-
260	Diabetes mellitus	295	-	1	-	1	1	-	2	3	1	7	11	9	19	48	40	53	43	25	20	8	3	-
	M--	108	-	1	-	-	-	-	2	1	-	3	4	4	8	17	12	23	16	11	3	1	2	-
	F--	187	-	-	-	1	1	-	-	2	1	4	7	5	11	31	28	30	27	14	17	7	1	-
280-283	Anemias	142	20	24	10	2	-	6	-	1	2	1	2	8	5	8	12	12	7	5	10	4	3	-
	M--	76	12	14	4	1	-	2	-	1	1	1	-	3	2	4	8	6	2	3	8	1	3	-
	F--	66	8	10	6	1	-	4	-	-	1	-	2	5	3	4	4	6	5	2	2	3	-	-
340	Nonmeningococcal meningitis	89	38	21	10	1	4	2	2	1	2	-	4	-	-	2	-	1	1	-	-	-	-	-
	M--	50	21	11	6	1	4	1	1	-	1	-	2	-	-	1	-	1	-	-	-	-	-	-
	F--	39	17	10	4	-	-	1	1	1	1	-	2	-	-	1	-	-	1	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	5,072	12	17	12	27	21	15	21	42	55	112	128	191	309	389	546	629	588	642	527	428	358	3
	M--	2,634	7	10	7	12	13	6	13	21	32	62	72	117	184	234	324	358	303	331	243	167	115	3
	F--	2,438	5	7	5	15	8	9	8	21	23	50	56	74	125	155	222	271	285	311	284	261	243	-
330-334, 400-468	Dis. of cardiovascular system	4,946	12	13	11	22	19	12	18	36	43	106	120	178	297	385	537	619	582	635	523	424	351	3
	M--	2,565	7	8	7	11	11	3	10	18	22	58	69	110	181	233	318	351	300	328	241	165	111	3
	F--	2,381	5	5	4	11	8	9	8	18	21	48	51	68	116	152	219	268	282	307	282	259	240	-
330-334	Vascular lesions, etc	1,183	2	9	4	7	7	2	3	11	12	22	26	41	55	99	131	139	160	140	143	94	76	-
	M--	599	1	7	2	1	5	1	1	5	6	11	12	21	31	66	81	77	80	70	61	33	27	-
	F--	584	1	2	2	6	2	1	2	6	6	11	14	20	24	33	50	62	80	70	82	61	49	-
400-402, 410-443	Diseases of heart	3,102	8	3	7	13	9	7	10	22	26	71	82	118	219	265	359	407	353	396	292	244	188	3
	M--	1,668	4	-	5	9	4	2	5	11	14	37	52	76	139	156	214	238	186	213	141	96	63	3
	F--	1,434	4	3	2	4	5	5	5	11	12	34	30	42	80	109	145	169	167	183	151	148	125	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis	93	-	1	3	7	6	5	2	5	4	9	13	5	5	4	5	5	5	1	1	3	4	-
	M--	37	-	-	3	6	2	1	1	1	2	4	3	3	3	-	-	2	3	-	-	1	2	-
	F--	56	-	1	-	1	4	4	1	4	2	5	10	2	2	4	5	3	2	1	1	2	2	-
420	Arteriosclerotic heart dis., etc	1,867	-	-	-	1	-	1	3	4	10	32	41	74	138	169	221	272	221	247	177	144	110	2
	M--	1,066	-	-	-	1	-	1	2	4	7	20	33	52	91	109	140	166	116	138	87	61	36	2
	F--	801	-	-	-	-	-	-	1	-	3	12	8	22	47	60	81	106	105	109	90	83	74	-
421, 422	Nonrheumatic chronic endocarditis, etc	454	-	-	-	2	-	-	1	8	2	7	6	9	28	30	44	44	62	68	55	47	41	-
	M--	233	-	-	-	1	-	-	1	4	1	4	3	3	19	16	24	26	37	35	26	19	14	-
	F--	221	-	-	-	1	-	-	-	4	1	3	3	6	9	14	20	18	25	33	29	28	27	-
430-434	Other diseases of heart	393	8	2	4	3	3	1	4	4	5	17	16	17	25	31	42	44	32	48	30	32	24	1
	M--	198	4	-	2	1	2	-	1	2	2	7	10	10	13	19	24	22	17	28	13	11	9	1
	F--	195	4	2	2	2	1	1	3	2	3	10	6	7	12	12	18	22	15	20	17	21	15	-
440-443	Hypertensive heart disease	295	-	-	-	-	-	-	-	1	5	6	6	13	23	31	47	42	33	32	29	18	9	-
	M--	134	-	-	-	-	-	-	-	-	2	2	3	8	13	12	26	22	13	12	15	4	2	-
	F--	161	-	-	-	-	-	-	-	1	3	4	3	5	10	19	21	20	20	20	14	14	7	-
444-447	Other hypertensive disease	109	1	-	-	-	-	-	2	-	2	4	7	9	9	6	7	17	7	13	12	8	5	-
	M--	52	1	-	-	-	-	-	2	-	1	3	2	6	2	3	4	10	3	4	8	3	-	-
	F--	57	-	-	-	-	-	-	-	-	1	1	5	3	7	3	3	7	4	9	4	5	5	-
450	General arteriosclerosis	426	-	-	-	-	-	-	-	-	-	2	-	4	5	4	27	34	48	76	73	74	79	-
	M--	169	-	-	-	-	-	-	-	-	-	1	-	2	3	2	11	15	22	34	29	31	19	-
	F--	257	-	-	-	-	-	-	-	-	-	1	-	2	2	2	16	19	26	42	44	43	60	-
451-468	Other diseases of circulatory sys	126	1	1	-	2	3	3	3	3	3	7	5	6	9	11	13	22	14	10	3	4	3	-
	M--	77	1	1	-	1	2	-	2	2	1	6	3	5	6	6	8	11	9	7	2	2	2	-
	F--	49	-	-	-	1	1	3	1	1	2	1	2	1	3	5	5	11	5	3	1	2	1	-
592-594	Chronic nephritis, etc	126	-	4	1	5	2	3	3	6	12	6	8	13	12	4	9	10	6	7	4	4	7	-
	M--	69	-	2	-	1	2	3	3	3	10	4	3	7	3	1	6	7	3	3	2	2	4	-
	F--	57	-	2	1	4	-	-	-	3	2	2	5	6	9	3	3	3	3	4	2	2	3	-
480-493	Influenza and pneumonia, etc	866	310	147	19	6	8	7	10	6	10	14	10	19	15	18	29	40	31	49	39	41	38	-
	M--	439	166	84	8	2	4	2	5	5	7	9	7	11	9	11	18	17	17	25	19	4	9	-
	F--	427	144	63	11	4	4	5	5	1	3	5	3	8	6	7	11	23	14	24	20	37	29	-

Table 8-3. Deaths From 60 Selected Causes, by Age and Sex: Puerto Rico, 1962—Con.

(Data refer only to deaths occurring within Puerto Rico. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
480-483	Influenza	39	5	5	-	-	-	-	-	-	1	-	-	1	1	-	2	8	2	2	-	8	4	-
	M--	14	1	3	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	2	-	1	1	-
	F--	25	4	2	-	-	-	-	-	-	-	-	-	1	1	-	1	5	1	-	-	7	3	-
490-493	Pneumonia, etc	827	305	142	19	6	8	7	10	6	9	14	10	18	14	18	27	32	29	47	39	33	34	-
	M--	425	165	81	8	2	4	2	5	5	6	9	7	11	9	11	17	14	16	23	19	3	8	-
	F--	402	140	61	11	4	4	5	5	1	3	5	3	7	5	7	10	18	13	24	20	30	26	-
500-502	Bronchitis	80	27	19	1	-	-	1	-	1	-	1	1	1	1	4	3	4	-	5	4	2	5	-
	M--	45	17	10	-	-	-	1	-	-	-	1	-	-	-	3	1	4	-	3	2	1	2	-
	F--	35	10	9	1	-	-	-	-	1	-	-	1	1	1	1	2	-	-	2	2	1	3	-
525-527	Other broncho-pulmonic diseases	130	8	3	1	1	1	3	3	1	2	2	4	9	4	9	14	25	10	11	11	6	2	-
	M--	71	5	1	1	1	-	2	2	1	2	1	2	5	3	5	7	15	3	5	6	3	1	-
	F--	59	3	2	-	-	1	1	1	-	-	1	2	4	1	4	7	10	7	6	5	3	1	-
540, 541	Ulcer of stomach and duodenum	100	2	-	-	-	-	2	1	3	2	6	7	7	12	9	15	11	10	7	6	-	-	-
	M--	72	2	-	-	-	-	2	1	1	1	5	4	5	7	7	13	8	8	4	4	-	-	-
	F--	28	-	-	-	-	-	-	-	2	1	1	3	2	5	2	2	3	2	3	2	-	-	-
550-553	Appendicitis	8	-	-	2	1	-	-	-	-	1	-	-	1	-	-	2	-	1	-	-	-	-	-
	M--	7	-	-	2	1	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	86	16	6	-	-	-	1	2	1	3	3	2	4	2	4	8	7	5	8	6	3	5	-
	M--	50	11	4	-	-	-	-	1	1	-	1	1	2	1	1	7	4	3	5	2	2	4	-
	F--	36	5	2	-	-	-	1	1	-	3	2	1	2	1	3	1	3	2	3	4	1	1	-
543, 571, 572	Gastritis, etc	702	464	108	21	4	1	2	2	2	1	2	2	5	6	4	9	8	11	15	10	12	13	-
	M--	363	240	56	14	2	-	2	1	-	-	2	2	3	3	3	5	6	7	7	4	3	3	-
	F--	339	224	52	7	2	1	-	1	2	1	-	-	2	3	1	4	2	4	8	6	9	10	-
581	Cirrhosis of liver	383	-	2	5	1	2	2	6	15	32	33	44	59	37	42	32	35	15	13	2	3	3	-
	M--	274	-	2	1	-	-	2	3	11	25	24	31	50	24	33	24	24	12	4	1	1	2	-
	F--	109	-	-	4	1	2	-	3	4	7	9	13	9	13	9	8	11	3	9	1	2	1	-
584, 585	Cholelithiasis, etc	15	-	-	-	-	-	1	-	-	1	1	-	-	-	1	3	2	2	1	2	1	-	-
	M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	1	1	-	-	-	1	3	1	1	1	2	1	-	-
590, 591	Acute nephritis, etc	17	1	1	2	-	1	1	1	1	-	-	-	1	-	-	1	2	2	-	1	2	-	-
	M--	10	1	1	-	-	-	1	1	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-
	F--	7	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-
600	Infections of kidney	39	2	2	-	-	2	1	3	1	-	2	2	-	2	6	3	3	5	3	2	-	-	-
	M--	24	2	-	-	-	1	1	1	-	-	1	1	-	2	4	2	2	3	2	2	-	-	-
	F--	15	-	2	-	-	1	-	2	1	-	1	1	-	-	2	1	1	2	1	-	-	-	-
610	Hyperplasia of prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	5	1	2	6	-
	M--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	5	1	2	6	-
640-689	Complications of pregnancy, etc	55	-	-	-	-	2	12	12	6	11	11	1	-	-	-	-	-	-	-	-	-	-	-
	F--	55	-	-	-	-	2	12	12	6	11	11	1	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	5	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc	50	-	-	-	-	1	11	12	6	10	9	1	-	-	-	-	-	-	-	-	-	-	-
	F--	50	-	-	-	-	1	11	12	6	10	9	1	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	380	304	41	9	6	10	3	2	-	2	2	4	3	-	2	2	-	-	-	-	-	-	-
	M--	211	170	22	2	1	7	2	-	-	1	2	2	1	-	-	1	-	-	-	-	-	-	-
	F--	179	134	19	7	5	3	1	2	-	1	-	2	2	-	2	1	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,535	1,534	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	913	912	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	622	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc	372	372	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	330	330	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	194	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	136	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc	833	832	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M--	488	487	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	345	345	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc	1,413	227	93	17	13	11	23	20	21	29	26	27	43	54	51	67	85	100	115	107	127	152	5
	M--	718	131	45	12	5	5	10	11	13	18	17	13	30	35	31	37	39	52	53	56	50	53	2
	F--	695	96	48	5	8	6	13	9	8	11	9	14	13	19	20	30	46	48	62	51	77	99	3
Residual	All other diseases	745	84	82	26	18	22	18	12	25	19	26	27	31	30	55	32	65	43	31	50	20	27	-
	M--	402	51	48	16	11	12	8	8	13	10	15	15	19	19	23	23	34	23	12	18	12	12	-
	F--	343	33	34	12	7	10	10	4	12	9	11	12	12	11	32	9	31	20	19	32	8	15	-

Table 8-3. Deaths From 60 Selected Causes, by Age and Sex: Puerto Rico, 1962—Con.

(Data refer only to deaths occurring within Puerto Rico. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
E800-E962	Accidents	931	33	48	42	53	97	76	63	59	65	46	70	47	37	45	35	30	26	16	16	16	11	-
	M	703	20	22	29	41	82	67	56	49	57	41	57	40	31	32	28	16	13	5	9	5	3	-
	F	228	13	26	13	12	15	9	7	10	8	5	13	7	6	13	7	14	13	11	7	11	8	-
E810-E835	Motor vehicle accidents	285	1	11	15	15	38	28	25	17	20	15	27	13	12	12	14	7	7	4	-	3	1	-
	M	233	1	9	10	12	33	24	25	14	18	13	21	10	9	11	11	4	4	2	-	2	-	-
	F	52	-	2	5	3	5	4	-	3	2	2	6	3	3	1	3	3	3	2	-	1	1	-
E800-E802, E840-E962	Other accidents	646	32	37	27	38	59	48	38	42	45	31	43	34	25	33	21	23	19	12	16	13	10	-
	M	470	19	13	19	29	49	43	31	35	39	28	36	30	22	21	17	12	9	3	9	3	3	-
	F	176	13	24	8	9	10	5	7	7	6	3	7	4	3	12	4	11	10	9	7	10	7	-
E963, E970-E979	Suicide	190	...	...	-	1	24	14	18	24	15	14	20	13	15	12	6	6	2	2	2	-	2	-
	M	144	...	...	-	-	11	8	11	19	13	11	16	11	14	12	6	5	2	1	2	-	2	-
	F	46	...	...	-	1	13	6	7	5	2	3	4	2	1	-	-	1	-	1	-	-	-	-
E964, E980-E985	Homicide	159	1	-	-	4	11	25	14	24	25	15	6	15	3	5	3	3	3	1	1	-	-	-
	M	118	-	-	-	2	6	17	12	20	20	10	5	13	3	3	1	1	3	1	1	-	-	-
	F	41	1	-	-	2	5	8	2	4	5	5	1	2	-	2	2	2	-	-	-	-	-	-

Table 8-4. Deaths From 60 Selected Causes, by Age, Color, and Sex: Virgin Islands, 1962

(Data refer only to deaths occurring within the Virgin Islands. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
	ALL CAUSES	321	40	14	1	3	3	11	3	9	6	12	16	17	20	18	25	30	28	37	11	10	6	1
	White--M	32	1	-	-	-	-	1	-	1	-	4	2	3	5	3	4	5	1	2	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	1	1	-	1	-	-
	Nonwhite--M	140	21	7	1	3	2	8	2	4	2	3	7	8	7	8	12	15	9	10	2	4	5	-
	F	139	18	7	-	-	1	2	1	4	4	5	6	4	7	5	9	9	17	24	9	5	1	1
001-019	Tuberculosis, all forms	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of resp. system	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever and strep. throat	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	Other infective and parasitic diseases	5	-	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140-205	Malignant neoplasms, etc	31	-	-	-	-	-	-	-	-	-	2	2	2	4	3	2	7	3	6	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M	10	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	2	1	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	4	1	4	-	-	-	-
140-148	Of buccal cavity and pharynx	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum (not secondary)	15	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	1	4	-	-	-	-
	White--M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	-	-	-	-

Table 8-4 Deaths From 60 Selected Causes, by Age, Color, and Sex: Virgin Islands, 1962—Con.

(Data refer only to deaths occurring within the Virgin Islands. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
160-164	Malignant neoplasm of resp. system (not secondary)--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast---------	6	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-
171-179	Of genital organs-	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
180, 181	Of urinary organs-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc----------	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia--------	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc-----	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign & unspec. neoplasms--------	6	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-
241	Asthma------------	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	2	2	-	-	1
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	3	1	2	-	-	1
290-293	Anemias-----------	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases---------	136	-	-	-	-	-	2	-	1	3	4	5	4	9	9	17	16	19	25	8	10	4	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	2	1	-	3	1	4	4	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-
	Nonwhite--M--	53	-	-	-	-	-	2	-	-	1	1	2	2	2	4	9	7	6	7	2	4	4	-
	F--	60	-	-	-	-	-	-	-	1	2	1	2	2	4	2	4	4	11	16	6	5	-	-
330-334, 400-468	Dis. of cardiovascular system--	135	-	-	-	-	-	2	-	1	3	4	5	4	9	9	17	16	18	25	8	10	4	-
	White-----M--	17	-	-	-	-	-	-	-	-	-	2	1	-	3	1	4	4	1	1	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	1	-	-
	Nonwhite--M--	53	-	-	-	-	-	2	-	-	1	1	2	2	2	4	9	7	6	7	2	4	4	-
	F--	59	-	-	-	-	-	-	-	1	2	1	2	2	4	2	4	4	10	16	6	5	-	-
330-334	Vascular lesions, etc----------	32	-	-	-	-	-	-	-	-	1	-	1	2	1	3	3	6	5	6	-	3	1	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	-	1	1	-
	F--	17	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	3	3	4	-	2	-	-
400-402, 410-443	Diseases of heart-	73	-	-	-	-	-	-	-	-	-	3	4	1	5	6	10	9	8	13	7	4	3	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	2	1	-	2	1	4	3	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	1	2	1	-	2	4	4	1	3	2	2	3	-
	F--	31	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	1	6	9	5	2	-	-
400-402, 410-416	Rheumatic fever & chronic rheumatic heart dis--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths From 60 Selected Causes, by Age, Color, and Sex: Virgin Islands, 1962—Con.

(Data refer only to deaths occurring within the Virgin Islands. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
420	Arteriosclerotic heart dis., etc--	43	-	-	-	-	-	-	-	-	-	1	3	-	5	2	8	7	3	5	3	3	3	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	2	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	3	1	2	1	2	3	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	2	3	2	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc----	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-
430-434	Other diseases of heart---------	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	2	2	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-
440-443	Hypertensive heart disease----	16	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	-	4	4	2	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	3	2	2	-	-	-
444-447	Other hypertensive disease-----	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
450	General arteriosclerosis--------	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	6	1	3	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	3	-	2	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-
451-468	Other diseases of circulatory sys--	8	-	-	-	-	-	1	-	1	2	1	-	-	2	-	-	1	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc----------	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc---	16	4	3	-	-	-	2	-	2	1	-	-	1	1	-	1	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	2	2	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-483	Influenza---------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc-----	16	4	3	-	-	-	2	-	2	1	-	-	1	1	-	1	-	-	1	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	2	2	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	F--	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis--------	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
525-527	Other bronchopulmonic dis------	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction---	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
543, 571, 572	Gastritis, etc-----	7	2	1	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	12	1	-	-	-	-	1	-	2	-	2	1	3	1	1	-	-	-	-	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 8-4. Deaths From 60 Selected Causes, by Age, Color, and Sex: Virgin Islands, 1962—Con.

(Data refer only to deaths occurring within the Virgin Islands. Excludes fetal deaths)

7th Revision No.	CAUSE OF DEATH, COLOR, AND SEX	Total	Under 1 year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 and over	Not stated
584, 585	Cholelithiasis, etc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
600	Infections of kidney	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
650-652	Abortion	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-649, 660-689	Other complications of pregnancy, etc	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
750-759	Congenital malformations	9	7	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, etc	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
Residual	All other diseases	15	-	2	-	1	-	1	1	1	-	1	2	2	-	1	1	-	-	1	1	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	-	-	1	-	1	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	F	7	-	2	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	1	-	-	-
E800-E962	Accidents	17	-	3	1	-	2	2	-	1	-	-	2	-	1	-	2	2	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	9	-	1	1	-	2	-	-	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-
	F	6	-	2	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-
E810-E835	Motor vehicle accidents	5	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	Other accidents	12	-	2	1	-	1	1	-	-	-	-	1	-	1	-	2	2	-	1	-	-	-	-
	White--M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	7	-	1	1	-	1	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
E963, E970-E979	Suicide	5	...	...	-	-	1	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	White--M	2	...	...	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	...	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	2	...	...	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	1	...	...	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	5	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White--M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

Table 8-5. Deaths From Motor Vehicle Accidents, by Type of Motor Vehicle Involved and Sex, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to deaths occurring within the specified area. Deaths are those assigned to category numbers E810-E835 of the Seventh Revision of the International Lists, 1955. Numbers under types of vehicle are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	TYPE OF MOTOR VEHICLE									
		Goods transport vehicle(s) only (.0)	Goods transport vehicle and passenger motor vehicle (.1)	Goods transport vehicle and motorbus (.2)	Goods transport vehicle and unspecified motor vehicle (.3)	Passenger motor vehicle(s) only (.4)	Passenger motor vehicle and motorbus (.5)	Passenger motor vehicle and unspecified motor vehicle (.6)	Motor-bus(es) only (.7)	Motorbus and unspecified motor vehicle (.8)	Unspecified motor vehicle(s) (.9)
Puerto Rico	285	14	2	-	1	240	-	-	-	-	28
Male	233	12	2	-	1	194	-	-	-	-	24
Female	52	2	-	-	-	46	-	-	-	-	4
Virgin Islands	5	2	-	-	-	3	-	-	-	-	-
White--Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Nonwhite--Male	2	2	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	3	-	-	-	-	-

Table 8-6. Deaths From Nontransport Accidents, by Place of Accident and Sex, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to deaths occurring within the specified area. Deaths are those assigned to category numbers E870-E936 of the Seventh Revision of the International Lists, 1955. Numbers under places of accident are fourth-digit subcategory numbers)

AREA, COLOR, AND SEX	Total deaths	PLACE OF ACCIDENT									
		Home[1] (.0)	Farm[2] (.1)	Mine and quarry (.2)	Industrial place and premises (.3)	Place for recreation and sport (.4)	Street and highway (.5)	Public building (.6)	Resident institution (.7)	Other specified places (.8)	Place not specified (.9)
Puerto Rico	605	101	17	-	30	19	60	3	6	89	280
Male	437	56	17	-	30	16	51	3	4	76	184
Female	168	45	-	-	-	3	9	-	2	13	96
Virgin Islands	12	4	-	-	-	-	1	-	-	4	3
White--Male	2	-	-	-	-	-	-	-	-	2	-
Female	-	-	-	-	-	-	-	-	-	-	-
Nonwhite--Male	7	2	-	-	-	-	1	-	-	2	2
Female	3	2	-	-	-	-	-	-	-	-	1

[1]Including home premises and any noninstitutional place of residence.
[2]Including buildings and land under cultivation, but excluding farm home and home premises.

Table 8-7. Total, Infant, and Neonatal Deaths, and Fetal Deaths: Puerto Rico and Each Municipio, 1962

(Data refer only to events occurring within Puerto Rico. Deaths exclude fetal deaths. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated)

AREA	Total deaths by municipio of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
PUERTO RICO	16,548	16,548	3,191	1,814	2,171
Adjuntas	94	135	28	17	26
Aguada	119	157	36	17	36
Aguadilla	619	387	108	75	38
Aguas Buenas	64	99	20	9	20
Aibonito	150	138	36	22	18
Añasco	111	143	26	15	13
Arecibo	931	656	108	62	73
Arroyo	107	115	37	24	17
Barceloneta	115	134	17	8	17
Barranquitas	75	112	22	11	19
Bayamón	385	475	101	76	70
Cabo Rojo	153	202	31	18	22
Caguas	423	497	107	50	68
Camuy	98	128	14	9	15
Carolina	138	254	49	34	32
Cataño	93	200	40	22	16
Cayey	244	273	57	26	46
Ceiba	34	58	9	8	1
Ciales	88	112	18	9	17
Cidra	84	137	41	22	23
Coamo	113	169	35	24	20
Comerío	78	116	37	24	14
Corozal	82	136	28	15	27
Culebra	2	4	-	-	-
Dorado	45	79	13	8	5
Fajardo	508	167	21	11	8
Guánica	64	94	23	13	20
Guayama	214	263	40	15	53
Guayanilla	57	103	23	12	20
Guaynabo	109	206	42	26	24
Gurabo	95	125	25	13	14
Hatillo	89	130	20	13	17
Hormigueros	42	52	9	8	5
Humacao	306	269	40	27	32
Isabela	132	187	42	15	22
Jayuya	88	114	23	11	22
Juana Díaz	166	235	55	26	48
Juncos	109	167	32	21	12
Lajas	85	116	23	13	16
Lares	168	191	51	23	36
Las Marías	40	53	7	4	4
Las Piedras	71	116	16	7	10
Loíza	133	214	55	24	22
Luquillo	43	73	10	5	7
Manatí	187	226	39	16	32
Maricao	33	53	10	3	8
Maunabo	54	69	11	7	9
Mayagüez	639	589	76	52	53
Moca	102	144	31	18	25
Morovis	53	95	26	14	21
Naguabo	91	146	17	8	19
Naranjito	50	75	17	8	14
Orocovis	93	122	34	19	30
Patillas	107	147	39	19	21
Peñuelas	63	115	26	18	19
Ponce	1,925	1,220	240	136	163
Quebradillas	74	94	17	8	13
Rincón	41	52	7	6	4
Río Grande	77	100	20	8	10
Sabana Grande	77	109	25	13	15
Salinas	104	169	44	31	31
San Germán	206	219	30	16	34
San Juan	4,066	2,898	442	290	266
San Lorenzo	132	185	39	17	40
San Sebastián	155	227	38	15	25
Santa Isabel	73	125	36	18	17
Toa Alta	52	77	17	7	13
Toa Baja	79	111	24	11	26
Trujillo Alto	48	86	17	12	11
Utuado	276	323	74	36	57
Vega Alta	79	107	18	10	15
Vega Baja	169	235	53	22	27
Vieques	53	62	6	4	7
Villalba	69	118	40	26	22
Yabucoa	151	202	45	22	30
Yauco	206	257	60	32	49

Table 8-8. Total, Infant, and Neonatal Deaths, and Fetal Deaths, by Color: Virgin Islands and Specified Urban Place, 1962

(Data refer only to events occurring within the Virgin Islands. The specified urban place is that with a population of 10,000 or more in 1960. Deaths exclude fetal deaths. Fetal deaths include only those for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total deaths by place of occurrence	DEATHS BY PLACE OF RESIDENCE			Fetal deaths by place of residence
		Total deaths	Under 1 year	Under 28 days	
VIRGIN ISLANDS	321	321	40	28	45
White	42	42	1	1	4
Nonwhite	279	279	39	27	41
St. Croix Island	155	156	14	8	20
White	11	11	-	-	2
Nonwhite	144	145	14	8	18
St. John and St. Thomas Islands	166	165	26	20	25
White	31	31	1	1	2
Nonwhite	135	134	25	19	23
Charlotte Amalie (St. Thomas Island)	---	137	23	17	21
White	---	21	1	1	1
Nonwhite	---	116	22	16	20
Balance of area	---	28	3	3	4
White	---	10	-	-	1
Nonwhite	---	18	3	3	3

Table 8-9. Deaths Under 1 Year and Under 28 Days, by Month, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths)

AREA, AGE, AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PUERTO RICO													
Under 1 year	3,191	276	264	251	228	258	280	306	278	289	292	251	218
Under 28 days	1,814	146	140	149	120	162	150	165	165	166	171	152	128
VIRGIN ISLANDS													
Under 1 year	40	3	1	2	2	2	7	2	6	3	5	2	5
White	1	-	-	-	-	-	-	-	-	1	-	-	-
Nonwhite	39	3	1	2	2	2	7	2	6	2	5	2	5
Under 28 days	28	2	1	-	2	1	5	-	4	3	5	2	3
White	1	-	-	-	-	-	-	-	-	1	-	-	-
Nonwhite	27	2	1	-	2	1	5	-	4	2	5	2	3

Table 8-10. Deaths Under 1 Year, by Age and Sex, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths)

AGE	PUERTO RICO			VIRGIN ISLANDS								
				Total			White			Nonwhite		
	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
TOTAL, UNDER 1 YEAR	3,191	1,833	1,358	40	22	18	1	1	-	39	21	18
Under 28 days	1,814	1,070	744	28	17	11	1	1	-	27	16	11
Under 7 days	1,400	830	570	25	14	11	1	1	-	24	13	11
Under 1 hour	137	84	53	4	4	-	-	-	-	4	4	-
1-23 hours	546	327	219	1	-	1	-	-	-	1	-	1
1 day	220	132	88	13	6	7	-	-	-	13	6	7
2 days	158	90	68	2	1	1	-	-	-	2	1	1
3 days	146	90	56	1	-	1	-	-	-	1	-	1
4 days	83	49	34	3	2	1	1	1	-	2	1	1
5 days	63	32	31	1	1	-	-	-	-	1	1	-
6 days	47	26	21	-	-	-	-	-	-	-	-	-
7-13 days	194	101	93	1	1	-	-	-	-	1	1	-
14-20 days	133	83	50	-	-	-	-	-	-	-	-	-
21-27 days	87	56	31	2	2	-	-	-	-	2	2	-
28-59 days	307	189	118	3	2	1	-	-	-	3	2	1
2 months	218	118	100	1	1	-	-	-	-	1	1	-
3 months	178	93	85	3	1	2	-	-	-	3	1	2
4 months	118	65	53	-	-	-	-	-	-	-	-	-
5 months	119	67	52	1	-	1	-	-	-	1	-	1
6 months	101	50	51	1	-	1	-	-	-	1	-	1
7 months	71	36	35	-	-	-	-	-	-	-	-	-
8 months	76	43	33	1	1	-	-	-	-	1	1	-
9 months	67	35	32	1	-	1	-	-	-	1	-	1
10 months	68	36	32	1	-	1	-	-	-	1	-	1
11 months	54	31	23	-	-	-	-	-	-	-	-	-

Table 8-11. Deaths Under 1 Year, Under 28 Days, and 28 Days to 11 Months, From 55 Selected Causes, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to deaths occurring within the specified area. Excludes fetal deaths. Numbers after causes of death are category numbers of the Seventh Revision of the International Lists, 1955)

CAUSE OF DEATH	PUERTO RICO			VIRGIN ISLANDS				
	Total, under 1 year	Under 28 days	28 days to 11 months	Total, under 1 year	Under 28 days		28 days to 11 months	
					White	Nonwhite	White	Nonwhite
ALL CAUSES	3,191	1,814	1,377	40	1	27	-	12
Dysentery, all forms---045-048	1	-	1	-	-	-	-	-
Septicemia and pyemia---053	31	-	31	-	-	-	-	-
Whooping cough---056	12	1	11	-	-	-	-	-
Meningococcal infections---057	1	-	1	-	-	-	-	-
Tetanus---061	17	16	1	-	-	-	-	-
Other infective and parasitic diseases---001-044,049-052,054,055,058-060,062-138	34	3	31	1	-	1	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues---140-205	4	1	3	-	-	-	-	-
Benign neoplasms and neoplasms of unspecified nature---210-239	3	2	1	-	-	-	-	-
Diseases of thymus gland---273	3	1	2	-	-	-	-	-
Meningitis, except meningococcal and tuberculous---340	38	7	31	-	-	-	-	-
Other diseases of nervous system and sense organs---330-334,341-398	24	4	20	-	-	-	-	-
Acute upper respiratory infections---470-475	2	2	-	-	-	-	-	-
Influenza and pneumonia, except pneumonia of newborn---480-493	310	-	310	4	-	-	-	4
Influenza---480-483	5	-	5	-	-	-	-	-
Pneumonia, except pneumonia of newborn---490-493	305	...	305	4	...	...	-	4
Bronchitis---500-502	27	4	23	-	-	-	-	-
Other diseases of respiratory system---510-522,525-527	14	4	10	-	-	-	-	-
Pulmonary congestion and hypostasis---522	1	1	-	-	-	-	-	-
Other chronic interstitial pneumonia---525	2	-	2	-	-	-	-	-
Bronchiectasis---526	-	-	-	-	-	-	-	-
Other diseases of lung and pleural cavity---527.2	4	1	3	-	-	-	-	-
All other diseases of respiratory system---510-521,527.1	7	2	5	-	-	-	-	-
Hernia and intestinal obstruction---560,561,570	16	8	8	-	-	-	-	-
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	464	-	464	2	-	-	-	2
Other diseases of digestive system---530-542,544-553,573-587	25	12	13	1	-	-	-	1
Congenital malformations---750-759	304	187	117	7	1	2	-	4
Spina bifida and meningocele---751	43	23	20	-	-	-	-	-
Congenital hydrocephalus and other congenital malformations of nervous system and sense organs---752,753	17	11	6	1	-	1	-	-
Congenital malformations of circulatory system---754	140	69	71	5	1	-	-	4
Other congenital malformations---750,755-759	104	84	20	1	-	1	-	-
Certain diseases of early infancy---760-776	1,534	1,422	112	24	-	24	-	-
Birth injuries---760,761	154	154	-	1	-	1	-	-
Without mention of immaturity (.0)---	104	104	-	1	-	1	-	-
With immaturity (.5)---	50	50	-	-	-	-	-	-
Intracranial and spinal injury at birth---760	88	88	...	1	-	1	...	...
Without mention of immaturity (.0)---	62	62	...	1	-	1	...	...
With immaturity (.5)---	26	26	...	-	-	-	...	...
Other birth injury---761	66	66	-	-	-	-	-	-
Without mention of immaturity (.0)---	42	42	-	-	-	-	-	-
With immaturity (.5)---	24	24	-	-	-	-	-	-
Postnatal asphyxia and atelectasis---762	218	208	10	10	-	10	-	-
Without mention of immaturity (.0)---	119	110	9	3	-	3	-	-
With immaturity (.5)---	99	98	1	7	-	7	-	-
Pneumonia of newborn---763	197	197	...	5	-	5	...	...
Without mention of immaturity (.0)---	143	143	...	5	-	5	...	...
With immaturity (.5)---	54	54	...	-	-	-	...	...
Diarrhea of newborn---764	91	91	-	-	-	-	-	-
Without mention of immaturity (.0)---	52	52	-	-	-	-	-	-
With immaturity (.5)---	39	39	-	-	-	-	-	-
Other infections of newborn---765-768	42	42	-	-	-	-	-	-
Without mention of immaturity (.0)---	25	25	-	-	-	-	-	-
With immaturity (.5)---	17	17	-	-	-	-	-	-
Neonatal disorders arising from certain diseases of mother during pregnancy---769	13	13	-	-	-	-	-	-
Without mention of immaturity (.0-.4)---	2	2	-	-	-	-	-	-
With immaturity (.5-.9)---	11	11	-	-	-	-	-	-
Hemolytic disease of newborn (erythroblastosis)---770	40	38	2	-	-	-	-	-
Without mention of immaturity (.0-.2)---	35	33	2	-	-	-	-	-
With immaturity (.5-.7)---	5	5	-	-	-	-	-	-
Hemorrhagic disease of newborn---771	29	28	1	-	-	-	-	-
Without mention of immaturity (.0)---	19	18	1	-	-	-	-	-
With immaturity (.5)---	10	10	-	-	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	330	250	80	5	-	5	-	-
Without mention of immaturity (.0)---	132	61	71	-	-	-	-	-
With immaturity (.5)---	198	189	9	5	-	5	-	-
Immaturity with mention of any other subsidiary condition---774	25	14	11	-	-	-	-	-
Immaturity, unqualified---776	395	387	8	3	-	3	-	-
Symptoms and ill-defined conditions---780-793,795	227	117	110	-	-	-	-	-
All other diseases---Residual	66	16	50	1	-	-	-	1
Accidents---E800-E962	33	6	27	-	-	-	-	-
Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	10	2	8	-	-	-	-	-
Accidental mechanical suffocation in bed and cradle---E924	4	-	4	-	-	-	-	-
Other accidental causes---E800-E920,E923,E925-E962	19	4	15	-	-	-	-	-
Homicide---E964,E980-E984	1	1	-	-	-	-	-	-

Table 8-12. Fetal Deaths by Month for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to fetal deaths occurring within the specified area for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Puerto Rico	2,171	198	172	179	186	187	167	204	180	178	198	163	161
Virgin Islands	45	3	2	4	5	6	6	5	3	4	1	4	2
White	4	-	1	1	-	1	-	1	-	-	-	-	-
Nonwhite	41	3	1	3	5	5	6	4	3	4	1	4	2

Table 8-13 Fetal Deaths by Age of Mother for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to fetal deaths occurring within the specified area for which the period of gestation was given as 20 weeks or more or was not stated. Figures for age of mother not stated are distributed)

AREA AND COLOR	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over
Puerto Rico	2,171	4	255	548	416	361	370	183	32	2
Virgin Islands	45	-	6	7	9	6	14	2	1	-
White	4	-	-	-	-	-	4	-	-	-
Nonwhite	41	-	6	7	9	6	10	2	1	-

Table 8-14. Fetal Deaths by Total-Birth Order for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to fetal deaths occurring within the specified area for which the period of gestation was given as 20 weeks or more or was not stated. Total-birth order refers to number of children ever born to mother, including fetal deaths)

AREA AND COLOR	Total	TOTAL-BIRTH ORDER								
		1	2	3	4	5	6	7	8 and over	Not stated
Puerto Rico	2,171	438	254	246	172	160	126	128	633	14
Virgin Islands	45	8	6	5	5	9	2	-	9	1
White	4	1	-	-	1	2	-	-	-	-
Nonwhite	41	7	6	5	4	7	2	-	9	1

Table 8-15. Fetal Deaths by Birth Weight, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to fetal deaths occurring within the specified area for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	BIRTH WEIGHT[1]											
		500 grams or less	501-1,000 grams	1,001-1,500 grams	1,501-2,000 grams	2,001-2,500 grams	2,501-3,000 grams	3,001-3,500 grams	3,501-4,000 grams	4,001-4,500 grams	4,501-5,000 grams	5,001-grams or more	Not stated
Puerto Rico	2,171	67	261	259	219	292	307	280	167	72	34	11	202
Virgin Islands	45	3	9	4	2	6	5	3	7	3	1	-	2
White	4	-	1	-	-	1	1	-	-	-	-	-	1
Nonwhite	41	3	8	4	2	5	4	3	7	3	1	-	1

[1]Equivalents of the gram weights in terms of pounds and ounces are as follows:

500 grams or less = 1 lb. 1 oz. or less
501-1,000 grams = 1 lb. 2 oz.-2 lb. 3 oz.
1,001-1,500 grams = 2 lb. 4 oz.-3 lb. 4 oz.
1,501-2,000 grams = 3 lb. 5 oz.-4 lb. 6 oz.
2,001-2,500 grams = 4 lb. 7 oz.-5 lb. 8 oz.
2,501-3,000 grams = 5 lb. 9 oz.-6 lb. 9 oz.
3,001-3,500 grams = 6 lb. 10 oz.-7 lb. 11 oz.
3,501-4,000 grams = 7 lb. 12 oz.-8 lb. 13 oz.
4,001-4,500 grams = 8 lb. 14 oz.-9 lb. 14 oz.
4,501-5,000 grams = 9 lb. 15 oz.-11 lb. 0 oz.
5,001 grams or more 11 lb. 1 oz. or more

Table 8-16. Fetal Deaths by Period of Gestation, for Puerto Rico and Virgin Islands; and by Color for Virgin Islands: 1962

(Data refer only to fetal deaths occurring within the specified area for which the period of gestation was given as 20 weeks or more or was not stated)

AREA AND COLOR	Total	PERIOD OF GESTATION[1]								
		20-23 weeks	24-27 weeks	28-31 weeks	32-35 weeks	36 weeks	37-39 weeks	40 weeks	41 weeks or more	Not stated
Puerto Rico	2,171	160	184	263	209	226	74	1,015	28	12
Virgin Islands	45	7	8	4	1	-	1	21	-	3
White	4	1	1	-	-	-	1	-	-	1
Nonwhite	41	6	7	4	1	-	-	21	-	2

[1]Period of gestation reported in months allocated to gestation interval in weeks as follows: 5 months to "20-23 weeks"; 6 months to "24-27 weeks"; 7 months to "28-31 weeks"; 8 months to "32-35 weeks"; 9 months to "40 weeks"; 10 months to "41 weeks or more."

☆ U. S. GOVERNMENT PRINTING OFFICE : 1963 O — 713-893