



All Men




White Men



State Profile — Hawaii



Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	284,131	482
American Indian and Alaska Native Men	1,217	Insufficient Data
Asian and Pacific Islander Men	177,321	490
Black Men	5,595	338
Hispanic Men	15,882	397
White Men	99,998	476



Black Men



* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.

Smoothed County Heart Disease Death Rates, 1991-1995






State Profile — Idaho


Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	265,228	546
American Indian and Alaska Native Men	2,669	604
Asian and Pacific Islander Men	1,925	395
Black Men	1,064	Insufficient Data
Hispanic Men	11,257	336
White Men	259,570	546

* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.



Smoothed County Heart Disease Death Rates, 1991-1995

American Indian and Alaska Native Men



Average Annual Deaths per 100,000

507
707
889
916
Insufficient Data


Asian and Pacific Islander Men



Average Annual Deaths per 100,000



487
537
Insufficient Data

Hispanic Men



Average Annual Deaths per 100,000


244 - 275
276 - 311
312 - 383
384 - 464
465
Insufficient Data



State Profile — Illinois

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	2,654,479	723
American Indian and Alaska Native Men	5,326	232
Asian and Pacific Islander Men	72,489	285
Black Men	308,311	944
Hispanic Men	174,456	328
White Men	2,268,353	702

* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.




Smoothed County Heart Disease Death Rates, 1991-1995



American Indian and Alaska Native Men

Average Annual Deaths per 100,000


- 290
- 293
- 300 - 354
- 355
- 359
- Insufficient Data



Asian and Pacific Islander Men

Average Annual Deaths per 100,000



- 259 - 270
- 271 - 283
- 284 - 285
- 286 - 287
- 288 - 294
- Insufficient Data



Hispanic Men

Average Annual Deaths per 100,000

- 219 - 267
- 268 - 320
- 321 - 342
- 343 - 358
- 359 - 397
- Insufficient Data





State Profile — Indiana


Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	1,330,593	715
American Indian and Alaska Native Men	2,985	Insufficient Data
Asian and Pacific Islander Men	8,522	326
Black Men	85,137	796
Hispanic Men	21,113	351
White Men	1,233,949	712

* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.


Smoothed County Heart Disease Death Rates, 1991-1995



All Men



White Men




State Profile — Iowa

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	679,490	639
American Indian and Alaska Native Men	1,325	Insufficient Data
Asian and Pacific Islander Men	4,530	373
Black Men	9,219	814
Hispanic Men	6,670	448
White Men	664,416	638


* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.

Black Men




Smoothed County Heart Disease Death Rates, 1991-1995



American Indian and Alaska Native Men





Hispanic Men



All Men



White Men





State Profile — Kansas

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	592,608	619
American Indian and Alaska Native Men	4,159	712
Asian and Pacific Islander Men	6,113	315
Black Men	28,051	698
Hispanic Men	18,452	368
White Men	554,285	617



* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.

Black Men





Smoothed County Heart Disease Death Rates, 1991-1995



American Indian and Alaska Native Men



Asian and Pacific Islander Men





Hispanic Men





All Men

Average Annual Deaths per 100,000



White Men

Average Annual Deaths per 100,000





State Profile — Kentucky

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	888,583	783
American Indian and Alaska Native Men	1,350	Insufficient Data
Asian and Pacific Islander Men	3,927	Insufficient Data
Black Men	50,876	882
Hispanic Men	4,474	551
White Men	832,430	780

* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.


Black Men

Average Annual Deaths per 100,000






All Men



White Men




State Profile — Louisiana

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	926,174	764
American Indian and Alaska Native Men	3,683	295
Asian and Pacific Islander Men	8,683	181
Black Men	228,324	892
Hispanic Men	21,836	295
White Men	685,484	733


* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.

Black Men




Smoothed County Heart Disease Death Rates, 1991-1995


American Indian and Alaska Native Men





Asian and Pacific Islander Men



Hispanic Men






State Profile — Maine

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	303,666	641
American Indian and Alaska Native Men	1,071	Insufficient Data
Asian and Pacific Islander Men	1,188	Insufficient Data
Black Men	1,093	1069
Hispanic Men	1,237	Insufficient Data
White Men	300,314	642


* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.



All Men



White Men




State Profile — Maryland

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	1,159,121	657
American Indian and Alaska Native Men	3,261	Insufficient Data
Asian and Pacific Islander Men	36,610	286
Black Men	252,031	749
Hispanic Men	27,776	140
White Men	867,219	644


* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.

Black Men




Smoothed County Heart Disease Death Rates, 1991-1995


Asian and Pacific Islander Men




Hispanic Men



All Men




White Men



State Profile — Massachusetts

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	1,404,656	612
American Indian and Alaska Native Men	2,712	Insufficient Data
Asian and Pacific Islander Men	31,995	296
Black Men	61,033	580
Hispanic Men	46,239	291
White Men	1,308,916	616


Black Men




* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.



Smoothed County Heart Disease Death Rates, 1991-1995

Asian and Pacific Islander Men



Hispanic Men






State Profile — Michigan

Race or Ethnicity	State Population 1995	State Heart Disease Death Rate, 1991-1995*
All Men	2,181,417	726
American Indian and Alaska Native Men	10,619	1,067
Asian and Pacific Islander Men	23,801	336
Black Men	244,909	914
Hispanic Men	38,415	445
White Men	1,902,088	704

* Average annual age-adjusted rate (deaths per 100,000) for men ages 35 years and older. Data for Hispanics are also included within each of the four categories of race.



Smoothed County Heart Disease Death Rates, 1991-1995

