

ABSTRACT

This material provides documentation for users of the 2005 National Ambulatory Medical Care Survey (NAMCS) public use micro-data file. The NAMCS is a national probability sample survey of visits to office-based physicians conducted by the National Center for Health Statistics, Centers for Disease Control and Prevention. It is a component of the National Health Care Survey which measures health care utilization across a variety of health care providers. Section I, "Description of the National Ambulatory Medical Care Survey," includes information on the scope of the survey, the sample, field activities, data collection procedures, medical coding procedures, population estimates, and sampling errors. Section II provides technical information, including a detailed description of the contents of each data record by location, and a list of physician specialties represented in the survey. Section III contains marginal data and estimates for selected items on the data record. The appendixes contain sampling errors, instructions and definitions for completing the Patient Record form, and lists of codes used in the survey.

SUMMARY OF CHANGES FOR 2005

The 2005 NAMCS public use micro-data file contains many of the same items as the 2004 file, but also reflects a number of changes made to the 2005 Patient Record form. There are also new items that were created during data processing using recoded data collected on the Patient Record form. The items listed below were added or modified for 2005.

1. New/Modified Items

- a. **Is female patient pregnant?** – This item last appeared on the public use file in 2000.
- b. **If patient is pregnant, specify gestation week** -- This item was never collected previously.
- c. **Tobacco use** -- In previous years, tobacco use was surveyed using checkboxes for “Yes”, “No” and “Unknown.” The item changed to a two part question for 2005. The first part asks if the patient’s tobacco use is current or not current. If “not current” is checked, a subitem asks if this means “never” or “former”.
- d. **Expected source(s) of payment for this visit?** – This item has undergone various changes over the years. In recent years prior to 2005, respondents were asked to check only the “primary” expected source of payment. For 2005, respondents could check all categories that applied. Each category has its own checkbox on the public use file, so all checked categories can be examined for each record. In addition, the variable **PAYTYPE** has been created (corresponding to the format of PAYTYPE in 2004) which reflects an “assigned” PRIMARY source of payment. The assignment of the primary source is made during data processing and is based on a hierarchy of expected sources of payment, with Medicaid being first, followed by Medicare, Workers Compensation, Private Insurance, Self-Payment, and No Charge.
- e. **Injury/Poisoning/Adverse Effect** – This item was modified from the 2004 version. A series of checkboxes addresses whether the visit was related to 1) an unintentional injury or poisoning, 2) an intentional injury or poisoning, 3) an adverse effect of medical or surgical care or an adverse effect of a medicinal drug, or 4) none of the above. These results can be found in the new item **INJDET**. The **INJURY** item on the file is an edited item which incorporates information from INJDET along with information from the reason for visit and diagnosis fields to determine whether the visit was injury related.
- f. **Does the patient now have:** [list of 14 conditions] – This item last appeared on the public use file in 1996, with a slightly different list of conditions. The current list includes: arthritis, asthma, cancer, cerebrovascular disease, CHF (Congestive heart failure), chronic renal failure, COPD (Chronic obstructive pulmonary disease), depression, diabetes, hyperlipidemia, hypertension, ischemic heart disease, obesity, and osteoporosis.
- g. **Status of patient enrollment in a disease management program for any of the conditions marked in the checklist** – This item was never previously collected.
- h. **Patient Height** – This item was never previously collected. Height in inches is provided on the public use file.
- i. **Patient Weight** – This item was never previously collected. Weight in pounds is provided on the public use file.
- j. **Diagnostic/Screening Services** – This item was modified from 2004. New categories relative to 2004 include: breast exam, pelvic exam, rectal exam, skin exam, depression screening, bone mineral density, MRI/CT/PET, ultrasound, biopsy, chlamydia test, and spirometry/pulmonary function test. Some of these appeared on the form in previous years. In addition, a summary variable, OTHIMAGE, was created during data processing that reviews all of the imaging checkboxes and reflects whether any type of imaging was ordered or provided.
- k. **Health Education** – This item was called “Counseling/Education/Therapy” in 2004. For 2005, the previous education categories were retained, a category for injury

prevention was added, and the counseling and therapy components were moved to the new Non-Medication Treatment item.

- i. Non-Medication Treatment** – This item represents a modification of two items from 2004. In 2004, the items “Counseling/Education/Therapy” and “Surgical Procedures” covered a variety of non-medication therapies with checkboxes and write-in spaces. For 2005, “Health Education” (as mentioned above) was split off in a separate item, and “Surgical Procedures” was combined with other categories from the old “Counseling/Education/Therapy” item along with newly added categories to form the new “Non-Medication Treatment” item. The new checkboxes relative to 2004 include: complementary alternative medicine, durable medical equipment, home health care, hospice care, speech/occupational therapy, excision of tissue, orthopedic care, and wound care. Some of these appeared on the form in previous years.
- m. Sigmoidoscopy/Colonoscopy [SIGCOLON]** – This item was **created** during data processing. It is a summary variable that reviews all of the write-in procedure codes and reflects whether a sigmoidoscopy or colonoscopy was ordered or provided during the visit. It should NOT be added to any results from the write-in procedure codes, in order to avoid doublecounting.
- n. For each listed medication, is it new or continued?** - This information was last collected in 1992. Related to this, counter variables have been added to the file for total number of new medications **[NUMNEW]** and total number of continued medications **[NUMCONT]** listed.
- o. Providers seen** – Combined categories of RN and LPN.
- p. Visit disposition** – A new category, “Refer to emergency department”, was added.
- q. Body Mass Index** -- This is a variable **[BMI]** that was computed during data processing, using patient height in inches, patient weight in pounds, and a standard formula: $BMI = WTLB / (HTIN * HTIN) * 703$. It was not computed for persons under the age of 2 or for pregnant females
- r. Race/Ethnicity** – This variable **[RACEETH]** was created during data processing. It uses the RACE and ETHNICITY items to create categories for non-Hispanic White, non-Hispanic Black, and Hispanic.

The following data were collected at the Physician Induction Interview and added to the visit records for each physician in 2005.

- s. For practices that use electronic medical records, does your system include:**
 - 1. Patient demographic information
 - 2. Computerized orders for prescriptions
 - 3. Computerized orders for tests
 - 4. Test results
 - 5. Nurses’ notes
 - 6. Physicians’ notes
 - 7. Reminders for guideline-based interventions and/or screening tests?
 - 8. Public health reporting

The following item was added during data processing and was based upon information collected during the survey.

- t. Physician Weight** -- Prior to this data release, researchers could not make physician-level estimates with publicly available NAMCS data. For 2005, we have added a new variable to the first record for each individual physician in the dataset. By following the guidelines provided in the “Description of the National Ambulatory Medical Care Survey” (page 24), it is now possible to produce physician-level estimates with NAMCS data.

2. Deleted Items

The following data items, which were collected in 2004, were not collected in 2005.

- a. **Episode of care (Initial visit for problem, follow-up visit for problem)**
- b. **Do other physicians share patient's care for this diagnosis?**
- c. **Cause of injury, poisoning, or adverse effect**
- d. **Diagnostic/screening services** – deleted these categories: general medical exam, other exam, urine culture, cervical/urethral culture, hematocrit/hemoglobin, throat culture/rapid strep test, stool culture
- e. **Providers seen** – deleted categories of medical/nursing assistant and medical technician/technologist

Weighting and Estimation

Sample data are weighted to produce annual national estimates. For 2005, sample physicians were reviewed to determine whether their response status had been impacted by Hurricane Katrina. All potentially affected physicians in the sample were accounted for, and no special weighting adjustments related to the hurricane were needed.

Table of Contents

	Page
Abstract	1
Summary of Changes for 2005	2
I. Description of the National Ambulatory Medical Care Survey.....	7-26
A. Introduction	7
B. Scope of the survey	7
C. Sampling frame and size of sample.....	8
D. Sample design	8
E. Population figures	10
F. Field activities	10
G. Data collection	11
H. Confidentiality	11
I. Data processing	11
J. Medical coding.....	19
K. Estimation procedures	22
L. Sampling errors	24
M. Patient visit weight.....	24
N. Physician code and patient code	24
O. Use of the physician-level weight	24
References	26
II Record Format and Physician Specialty List.....	27-64
A. Record format	27
B. Physician specialty list	61
C. AMA specialties regrouped into primary, medical and surgical	63
III Marginal Data	65-71
A. Patient visits	65
B. Drug mentions	68
C. Physicians	71
 Appendixes 	
Appendix I	72-88
A. Relative standard errors.....	72
B. 2005 NAMCS Patient Record Form - Instructions and definitions	76
C. Definitions of certain terms used in the NAMCS.....	86
Appendix II	89-125
A. Reason for Visit Classification.....	89
Appendix III	126-172
A. Generic codes and names in numeric order	126
B. Drug entry codes and names in numeric order	145
C. National Drug Code directory drug classes	171

Table of Contents (cont.)

List of Tables and Figures		Page
Table I. Number of physicians in the universe, total sample, sample response categories, and response rates by physician stratum.....		9
Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2005		12
Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2005		14
Table IV. Coefficients appropriate for determining approximate relative standard errors by type of estimate and physician specialty: 2005 NAMCS		75
Figure 1. 2005 NAMCS Patient Record Form		18

I. DESCRIPTION OF THE NATIONAL AMBULATORY MEDICAL CARE SURVEY

A. INTRODUCTION

This micro-data file contains data collected in the 2005 National Ambulatory Medical Care Survey (NAMCS). The NAMCS is a national probability sample survey conducted by the Division of Health Care Statistics, National Center for Health Statistics (NCHS), Centers for Disease Control and Prevention (CDC). A national sample of office-based physicians provides data on patients' office visits. These data are weighted to produce national estimates that describe the utilization of ambulatory medical care services in the United States.

In 2005, a total of 25,665 Patient Record forms (PRFs) were received from the physicians who participated in the NAMCS. For a brief description of the survey design and data collection procedures, see below. A more detailed description of the survey design, data collection procedures, and the estimation process has been published (1,2).

Please note the following important points concerning analysis of NAMCS data on this micro-data file:

► PATIENT VISIT WEIGHT

Micro-data file users should be fully aware of the importance of the "patient visit weight" and how it must be used. Information about the patient visit weight is presented on page 24. If more information is needed, the staff of the Ambulatory Care Statistics Branch can be consulted by calling (301) 458-4600 during regular working hours.

► RELIABILITY OF ESTIMATES

Users should also be aware of the reliability or unreliability of certain estimates, particularly the smaller estimates. The National Center for Health Statistics considers an estimate to be reliable if it has a relative standard error of 30 percent or less (i.e., the standard error is no more than 30 percent of the estimate). Therefore, it is important to know the value of the lowest possible estimate in this survey that is considered reliable, so as not to present data in a journal article or paper that may be unreliable. Most data file users can obtain an adequate working knowledge of relative standard errors from the information presented in Appendix I. It should be noted that estimates based on fewer than 30 records are also considered unreliable, regardless of the magnitude of the relative standard error. If you would like more information, do not hesitate to consult the staff of the Ambulatory Care Statistics Branch.

B. SCOPE OF THE SURVEY

The basic sampling unit for the NAMCS is the physician-patient encounter or visit. Only visits to the offices of nonfederally employed physicians classified by the American Medical Association (AMA) or the American Osteopathic Association (AOA) as "office-based, patient care" were included in the 2005 NAMCS. Physicians in the specialties of anesthesiology, pathology, and radiology were excluded from the physician universe. Types of contacts not included in the 2005 NAMCS were those made by telephone, those made outside the physician's office (for example, house calls), visits made in hospital settings (unless the physician has a private office in a hospital and that office meets the NAMCS definition of "office"), visits made in institutional settings by patients for whom the institution has primary responsibility over time (for example, nursing homes), and visits to doctors' offices that are made for administrative purposes only (for example, to leave a specimen, pay a bill, or pick up insurance forms).

C. SAMPLING FRAME AND SIZE OF SAMPLE

The sampling frame for the 2005 NAMCS was composed of all physicians contained in the master files maintained by the AMA and AOA, at a point roughly 6 months prior to the start of the survey year, who met the following criteria:

- Office-based, as defined by the AMA and AOA;
- Principally engaged in patient care activities;
- Nonfederally employed;
- Not in specialties of anesthesiology, pathology, and radiology.

The 2005 NAMCS sample included 3,000 physicians: 2,770 Medical Doctors and 230 Doctors of Osteopathy. Sample physicians were screened at the time of the survey to assure that they met the above-mentioned criteria. A total of 1,064 physicians did not meet all of the criteria and were ruled out of scope (ineligible) for the study. The most frequent reasons for being out of scope were that the physician was retired, deceased, or employed in teaching, research, or administration. Of the 1,936 in-scope (eligible) physicians, 1,281 participated in the study. Of these, 1,058 completed a total of 25,665 Patient Record forms (PRFs), while 223 saw no patients during their assigned reporting period because of vacations, illness, or other reasons for being temporarily not in practice and hence did not submit PRFs. Of the 1,058 physicians who completed PRFs, 968 participated fully or adequately (i.e. at least half of the PRFs expected, based on the total number of visits during the reporting week, were submitted), and 90 participated minimally (i.e. fewer than half of the expected number of PRFs were submitted). The unweighted response rate was 61.5 percent, based on the number of full participants only. The physician universe, sample size, and response rates by physician specialty are shown in table I.

D. SAMPLE DESIGN

The 2005 NAMCS utilized a multistage probability design that involved probability samples of primary sampling units (PSUs), physician practices within PSUs, and patient visits within practices. The first-stage sample included 112 PSUs. A PSU consists of a county, a group of counties, county equivalents (such as parishes and independent cities), towns, townships, minor civil divisions (for some PSUs in New England), or a metropolitan statistical area (MSA). MSAs were defined by the U.S. Office of Management and Budget on the basis of the 1980 Census. The first-stage sample consisted of 112 PSUs that comprised a probability subsample of the PSUs used in the 1985-94 National Health Interview Survey (NHIS). The NAMCS PSU sample included with certainty the 26 NHIS PSUs with the largest populations. In addition, the NAMCS sample included one-half of the next 26 largest PSUs, and one PSU from each of the 73 PSU strata formed from the remaining PSUs for the NHIS sample.

The NHIS PSU sample was selected from approximately 1,900 geographically defined PSUs that covered the 50 States and the District of Columbia. The 1,900 PSUs were stratified by socioeconomic and demographic variables and then selected with a probability proportional to their size. Stratification was done within four geographical regions by MSA or non-MSA status. A detailed description of the 1985-94 NHIS PSU sample design is available (3).

Table I. Number of physicians in the universe, total sample, sample response categories, and response rate by physician strata: National Ambulatory Medical Care Survey, 2005

Physician stratum	Universe (1)	Sample					Response rate (2)
		Total	Out of Scope	In Scope	Nonrespondents	Respondents	
Total	508,118	3,000	1,064	1,936	745	1,191	61.5
General and family practice	72,267	317	106	211	84	127	60.2
Osteopathy	28,914	230	75	155	67	88	56.8
Internal medicine	77,522	171	64	107	45	62	57.9
Pediatrics	51,731	197	73	124	32	92	74.2
General surgery	20,434	199	85	114	33	81	71.1
Obstetrics and gynecology	33,983	157	54	103	36	67	65.0
Orthopedic surgery	18,894	137	36	101	41	60	59.4
Cardiovascular diseases	17,273	208	57	151	72	79	52.3
Dermatology	8,677	117	30	87	29	58	66.7
Urology	8,805	153	44	109	37	72	66.1
Psychiatry	32,277	281	125	156	64	92	59.0
Neurology	10,282	252	96	156	77	79	50.6
Ophthalmology	16,341	126	28	98	35	63	64.3
Otolaryngology	8,082	147	39	108	40	68	63.0
All other specialties	102,636	308	152	156	53	103	66.0

(1) Data are derived from the American Medical Association and the American Osteopathic Association and represent the total number of physicians who are eligible for the NAMCS.

(2) Response rate is number of respondents divided by number of in-scope physicians.

NOTE: An additional 90 physicians participated at a minimal level and are not included in the number of responding physicians.

The second stage consisted of a probability sample of practicing physicians selected from the master files maintained by the American Medical Association (AMA) and American Osteopathic Association (AOA). Within each PSU, all eligible physicians were stratified into fifteen specialty groups: general and family practice, osteopathy, internal medicine, pediatrics, general surgery, obstetrics and gynecology, orthopedic surgery, cardiovascular diseases, dermatology, urology, psychiatry, neurology, ophthalmology, otolaryngology, and "all other" specialties.

The final stage was the selection of patient visits within the annual practices of sample physicians. This involved two steps. First, the total physician sample was divided into 52 random subsamples of approximately equal size, and each subsample was randomly assigned to 1 of the 52 weeks in the survey year. Second, a systematic random sample of visits was selected by the physician during the assigned week. The sampling rate varied for this final step from a 100-percent sample for very small practices to a 20-percent sample for very large practices as determined in a presurvey interview. The method by which the sampling rate was determined is available (4).

E. POPULATION FIGURES

The base population used in computing annual visit rates is presented in table II and table III. The denominators used in calculating 2005 visit rates for age, sex, race, ethnicity, and geographic region are Census 2000-based postcensal estimates of the civilian noninstitutional population of the United States. The population estimates are special tabulations developed by the Population Division, U.S. Census Bureau, from the July 1, 2005 set of state population estimates by age, sex, race, and ethnicity.

Population estimates of metropolitan statistical area status are based on data from the 2005 National Health Interview Survey (NHIS), National Center for Health Statistics, adjusted to the US Census Bureau definition of core-based statistical areas as of November 2004. See <http://www.census.gov/population/www/estimates/metrodef.html> for more about metropolitan statistical area definitions.

Estimates of visit rates for metropolitan and non-metropolitan statistical areas from 2003 on may differ somewhat from those reported in 2002 and previous years because of methodological differences in how the denominators were calculated. In survey years 1992-2002, the NHIS used a 1992 definition of MSAs and non-MSAs, and also used 1990-based Census estimates as controls. Because the NAMCS used Census 2000-based population estimates beginning in 2001, adjustments needed to be made to the MSA figures obtained from the NHIS in 2001 and 2002. For 2005, special tabulations were obtained from the Office of Analysis and Epidemiology, NCHS, where 2005 NHIS data were matched to the November 2004 U.S. Census Bureau definition of core-based statistical areas. The estimates were further adjusted based on the 2005 population estimates obtained from the Census Bureau.

Population estimates for race groups in the 2005 NAMCS are based on Census 2000 in which respondents were able to indicate more than one race category. The multiple race indicator was adopted starting in the 1999 NAMCS but the population estimates that were available for calculating rates in 1999 and 2000 were based on estimates from the 1990 census, which used only single response race categories. The NAMCS had very few records for multiple race persons in those years, so rates for single race groups were calculated by dividing estimates by denominators that included some unidentifiable number of multiple race persons. Starting with 2001, the denominators used for calculating race-specific visit rates in NAMCS reports reflect the transition to multiple-race reporting. Specific race denominators reflect persons with a single race identification, and a separate denominator is now available for persons with more than one race designation.

Data indicate that multiple races are recorded for a patient less frequently in medical records compared to their numbers in the general population. The 2005 population estimates indicate that 1.6 percent of the total population identify themselves as being of multiple races. In contrast, multiple race patients account for 0.3 percent of NAMCS visits. This difference may exist partly because office staff are less likely to know and record the multiple race preference of the patient. It suggests that the race population rates calculated for 2005 may be slight overestimates for the single race categories and slight underestimates for the multiple race category.

F. FIELD ACTIVITIES

The first contact with the sample physician is through a letter from the Director, NCHS. After the physician receives the introductory letter (along with letters from professional medical societies which endorse the NAMCS), the Field Representative (FR) telephones the physician to establish basic eligibility and to schedule an appointment. At the appointment, the FR explains the survey to the physician and to any staff who may be involved in completing the forms. The FR also obtains the practice characteristics of up to four office locations where the physician sees patients during the reporting week. Typically, the FR will contact the physician's office just before, during and after the reporting week to remind him or her about the survey and to answer any questions that may arise. After the reporting period, the FR makes another visit to the practice to collect the forms and reviews them briefly to ensure that there are no large errors or information gaps. During this last visit, the physician is given a certificate of appreciation for his or her participation.

G. DATA COLLECTION

The actual data collection for the NAMCS was carried out by the physician aided by his/her office staff when possible. Physicians were instructed to keep a daily listing of all patient visits during the assigned reporting week using an arrival log, optional worksheet, or similar method. This list was the sampling frame to indicate the visits for which data were to be recorded. It was to include both scheduled and unscheduled patients, but not cancellations or no-shows. Visits were selected from the list using a random start and a predetermined sampling interval based on the physician's estimated visits for the week and the number of days the physician was expected to see patients that week. In this way, a systematic random sample of visits was obtained. The sampling procedures were designed so that about 30 Patient Record forms were completed during the assigned reporting week. This minimized the data collection workload and maintained about equal reporting levels among sample physicians regardless of practice size.

Data for sampled visits were recorded on Patient Record forms. The Patient Record form was printed on one side of an 8 x 14 inch sheet (Figure 1). At the top of each form, physicians could record the patient's name and record number. However, this information was detached by the physician prior to submitting the completed forms and was never given to Census personnel. It was used only to assist physicians in clarifying missing or ambiguous responses that may have been found during the data editing process.

Terms and definitions relating to the Patient Record form are included in Appendix I. More than 1 of every 3 NAMCS Patient Record forms (37.5 percent) were collected via Census abstraction.

H. CONFIDENTIALITY

In April 2003, the Privacy Rule of the Health Insurance Portability and Accountability Act (HIPAA) was implemented to establish minimum Federal standards for safeguarding the privacy of individually identifiable health information. No personally identifying information, such as patient's name or address or Social Security number, is collected in the NAMCS. Data collection is authorized by Section 306 of the Public Health Service Act (Title 42, U.S. Code, 242k). All information collected is held in the strictest confidence according to law [Section 308(d) of the Public Health Service Act (42, U.S. Code, 242m(d))] and the Confidential Information Protection and Statistical Efficiency Act (Title 5 of PL 107-347). The NAMCS protocol was approved by the NCHS Research Ethics Review Board in February 2003. Waivers of the requirements to obtain informed consent of patients and patient authorization for release of patient medical record data by health care providers were granted.

In the Spring of 2003, the NAMCS implemented additional data collection procedures to help providers assure patient confidentiality. Census Bureau Field Representatives were trained on how the Privacy Rule allows physicians to make disclosures of protected health information without patient authorization for public health purposes and for research that has been approved by a Research Ethics Review Board. Physicians were encouraged to accept a data use agreement between themselves and NCHS/CDC, since the Privacy Rule allows physicians to disclose limited data sets (i.e., data sets with no direct patient identifiers) for research and public health purposes if such an agreement exists.

Assurance of confidentiality was provided to all physicians according to Section 308 (d) of the Public Health Service Act (42 USC 242m). Strict procedures were utilized to prevent disclosure of NAMCS data. All information which could identify the physician was confidential and was seen only by persons engaged in the NAMCS, and was not disclosed or released to others for any other purpose. Names or other identifying information for individual patients were not removed from the physician's office.

I. DATA PROCESSING

1. Edits

In addition to the completeness checks made by the field staff, clerical edits were performed upon receipt of the data for central processing. Detailed editing instructions were provided to manually review the patient records and to reclassify or recode ambiguous entries. Computer edits for code ranges and inconsistencies were also performed.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2005

Race and sex	Age in years					
	All ages	Under 1	1-4	5-14	15-24	25-34
All races	291,155,919	4,102,990	16,194,370	40,351,606	41,025,544	39,004,677
Male	142,442,130	2,099,182	8,278,786	20,643,731	20,727,094	19,415,878
Female	148,713,789	2,003,808	7,915,584	19,707,875	20,298,450	19,588,799
White Only	234,154,178	3,131,603	12,378,927	30,789,989	31,890,582	30,551,301
Male	115,514,106	1,603,011	6,337,880	15,794,620	16,239,067	15,485,118
Female	118,640,072	1,528,592	6,041,047	14,995,369	15,651,515	15,066,183
Black Only	36,540,357	611,310	2,433,551	6,259,162	6,020,672	5,075,031
Male	16,965,145	311,497	1,234,057	3,174,054	2,919,411	2,277,809
Female	19,575,212	299,813	1,199,494	3,085,108	3,101,261	2,797,222
Asian Only	12,616,683	175,567	684,916	1,573,962	1,684,827	2,305,800
Male	6,097,905	90,198	351,467	798,058	854,597	1,122,519
Female	6,518,778	85,369	333,449	775,904	830,230	1,183,281
NHOPI* Only	507,620	7,552	28,020	87,248	88,770	91,102
Male	255,757	3,921	14,508	44,694	45,072	47,185
Female	251,863	3,631	13,512	42,554	43,698	43,917
AIAN* Only	2,809,526	40,678	158,247	491,656	513,509	420,767
Male	1,392,029	20,733	80,179	249,606	258,878	214,577
Female	1,417,497	19,945	78,068	242,050	254,631	206,190
Multiple Races	4,527,555	136,280	510,709	1,149,589	827,184	560,676
Male	2,217,188	69,822	260,695	582,699	410,069	268,670
Female	2,310,367	66,458	250,014	566,890	417,115	292,006

*NHOPI is Native Hawaiian/Other Pacific Islander. AIAN is American Indian/Alaska Native.

Geographic Region totals		Metropolitan Statistical Area totals	
Northeast	53,819,521	MSA	245,444,440
Midwest	64,958,634	Non-MSA	45,711,479
South	105,211,225		
West	67,166,539		

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2005. The estimates of age, sex, race and region are from special tabulations developed by the Population Division, U.S. Census Bureau using the July 1, 2005 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at www.census.gov. The 2005 MSA population estimates are based on data from the 2005 National Health Interview Survey (NHIS), National Center for Health Statistics, adjusted to the U.S. Census Bureau definition of core-based statistical areas as of November 2004. See www.census.gov/population/www/estimates/metrodef.html for more about MSA definitions.

Table II. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by selected characteristics: July 1, 2005 - con.

Race and sex	Age in years				
	35-44	45-54	55-64	65-74	75 and over
All races	42,985,836	42,145,882	30,195,444	18,395,955	16,753,615
Male	21,172,955	20,614,754	14,520,530	8,417,048	6,552,172
Female	21,812,881	21,531,128	15,674,914	9,978,907	10,201,443
White Only	34,543,218	34,662,536	25,558,200	15,785,733	14,862,089
Male	17,284,743	17,176,981	12,428,621	7,301,984	5,862,081
Female	17,258,475	17,485,555	13,129,579	8,483,749	9,000,008
Black Only	5,307,807	4,888,444	2,982,815	1,705,009	1,256,556
Male	2,370,747	2,214,540	1,320,763	706,647	435,620
Female	2,937,060	2,673,904	1,662,052	998,362	820,936
Asian Only	2,181,493	1,768,089	1,143,854	644,402	453,773
Male	1,054,345	826,583	528,797	288,350	182,991
Female	1,127,148	941,506	615,057	356,052	270,782
NHOPI* Only	78,072	60,515	36,045	18,824	11,472
Male	38,935	30,131	17,701	8,876	4,734
Female	39,137	30,384	18,344	9,948	6,738
AIAN* Only	409,885	364,681	223,163	112,803	74,137
Male	202,258	176,047	107,631	52,249	29,871
Female	207,627	188,634	115,532	60,554	44,266
Multiple Races	465,361	401,617	251,367	129,184	95,588
Male	221,927	190,472	117,017	58,942	36,875
Female	243,434	211,145	134,350	70,242	58,713

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2005

Race and sex	Age in years					
	All ages	Under 1	1-4	5-14	15-24	25-34
HISPANIC						
All races	42,168,862	931,494	3,599,064	7,805,116	7,041,639	7,660,049
Male	21,620,632	475,912	1,836,837	3,991,934	3,687,385	4,142,209
Female	20,548,230	455,582	1,762,227	3,813,182	3,354,254	3,517,840
White Only	39,024,178	871,451	3,384,074	7,110,787	6,467,165	7,117,320
Male	20,063,456	445,191	1,727,153	3,639,852	3,396,790	3,869,541
Female	18,960,722	426,260	1,656,921	3,470,935	3,070,375	3,247,779
Black Only	1,547,473	27,703	96,425	330,994	273,107	270,395
Male	746,506	14,173	49,201	167,919	136,493	128,315
Female	800,967	13,530	47,224	163,075	136,614	142,080
Asian Only	263,788	5,337	17,167	57,126	46,719	46,618
Male	129,832	2,710	8,757	28,971	23,723	23,189
Female	133,956	2,627	8,410	28,155	22,996	23,429
NHOPI* Only	110,378	2,039	6,466	23,511	20,878	22,119
Male	57,617	1,060	3,360	12,037	10,989	12,417
Female	52,761	979	3,106	11,474	9,889	9,702
AIAN* Only	623,835	5,465	20,499	126,771	124,553	118,563
Male	327,059	2,780	10,340	64,528	64,867	66,627
Female	296,776	2,685	10,159	62,243	59,686	51,936
Multiple Races	599,210	19,499	74,433	155,927	109,217	85,034
Male	296,162	9,998	38,026	78,627	54,523	42,120
Female	303,048	9,501	36,407	77,300	54,694	42,914

SOURCE: These are U.S. Bureau of the Census postcensal estimates of the civilian noninstitutionalized population of the United States as of July 1, 2005. They were developed by the Population Division, U.S. Census Bureau using the July 1, 2005 set of state population estimates, and reflect Census 2000 data. More information may be obtained from the Census website at www.census.gov.

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2005 - con.

HISPANIC	Age in years				
	Race and sex	35-44	45-54	55-64	65-74
All races	6,289,227	4,234,157	2,366,077	1,309,981	932,058
Male	3,283,089	2,123,218	1,126,584	584,080	369,384
Female	3,006,138	2,110,939	1,239,493	725,901	562,674
White Only	5,839,903	3,922,256	2,202,710	1,228,681	879,831
Male	3,063,827	1,972,976	1,050,030	548,569	349,527
Female	2,776,076	1,949,280	1,152,680	680,112	530,304
Black Only	228,235	159,457	85,838	45,701	29,618
Male	106,400	74,467	39,259	19,531	10,748
Female	121,835	84,990	46,579	26,170	18,870
Asian Only	38,703	27,227	13,986	6,762	4,143
Male	18,600	12,942	6,446	2,946	1,548
Female	20,103	14,285	7,540	3,816	2,595
NHOPI* Only	16,503	9,989	4,981	2,380	1,512
Male	8,611	5,052	2,381	1,074	636
Female	7,892	4,937	2,600	1,306	876
AIAN* Only	99,290	69,498	34,163	15,464	9,569
Male	53,311	36,270	17,204	7,122	4,010
Female	45,979	33,228	16,959	8,342	5,559
Multiple Races	66,593	45,730	24,399	10,993	7,385
Male	32,340	21,511	11,264	4,838	2,915
Female	34,253	24,219	13,135	6,155	4,470

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2005 – con.

Race and sex	Age in years					
	All ages	Under 1	1-4	5-14	15-24	25-34
NON-HISPANIC						
All races	248,987,057	3,171,496	12,595,306	32,546,490	33,983,905	31,344,628
Male	120,821,498	1,623,270	6,441,949	16,651,797	17,039,709	15,273,669
Female	128,165,559	1,548,226	6,153,357	15,894,693	16,944,196	16,070,959
White Only	195,130,000	2,260,152	8,994,853	23,679,202	25,423,417	23,433,981
Male	95,450,650	1,157,820	4,610,727	12,154,768	12,842,277	11,615,577
Female	99,679,350	1,102,332	4,384,126	11,524,434	12,581,140	11,818,404
Black Only	34,992,884	583,607	2,337,126	5,928,168	5,747,565	4,804,636
Male	16,218,639	297,324	1,184,856	3,006,135	2,782,918	2,149,494
Female	18,774,245	286,283	1,152,270	2,922,033	2,964,647	2,655,142
Asian Only	12,352,895	170,230	667,749	1,516,836	1,638,108	2,259,182
Male	5,968,073	87,488	342,710	769,087	830,874	1,099,330
Female	6,384,822	82,742	325,039	747,749	807,234	1,159,852
NHOPI* Only	397,242	5,513	21,554	63,737	67,892	68,983
Male	198,140	2,861	11,148	32,657	34,083	34,768
Female	199,102	2,652	10,406	31,080	33,809	34,215
AIAN* Only	2,185,691	35,213	137,748	364,885	388,956	302,204
Male	1,064,970	17,953	69,839	185,078	194,011	147,950
Female	1,120,721	17,260	67,909	179,807	194,945	154,254
Multiple Races	3,928,345	116,781	436,276	993,662	717,967	475,642
Male	1,921,026	59,824	222,669	504,072	355,546	226,550
Female	2,007,319	56,957	213,607	489,590	362,421	249,092

Table III. U.S. population estimates used in computing annual visit rates for the National Ambulatory Medical Care Survey and the National Hospital Ambulatory Medical Care Survey, by ethnicity, age, race, and sex: July 1, 2005 - con.

NON- HISPANIC	Age in years				
	Race and sex	35-44	45-54	55-64	65-74
All races	36,696,609	37,911,725	27,829,367	17,085,974	15,821,557
Male	17,889,866	18,491,536	13,393,946	7,832,968	6,182,788
Female	18,806,743	19,420,189	14,435,421	9,253,006	9,638,769
White Only	28,703,315	30,740,280	23,355,490	14,557,052	13,982,258
Male	14,220,916	15,204,005	11,378,591	6,753,415	5,512,554
Female	14,482,399	15,536,275	11,976,899	7,803,637	8,469,704
Black Only	5,079,572	4,728,987	2,896,977	1,659,308	1,226,938
Male	2,264,347	2,140,073	1,281,504	687,116	424,872
Female	2,815,225	2,588,914	1,615,473	972,192	802,066
Asian Only	2,142,790	1,740,862	1,129,868	637,640	449,630
Male	1,035,745	813,641	522,351	285,404	181,443
Female	1,107,045	927,221	607,517	352,236	268,187
NHOPI* Only	61,569	50,526	31,064	16,444	9,960
Male	30,324	25,079	15,320	7,802	4,098
Female	31,245	25,447	15,744	8,642	5,862
AIAN* Only	310,595	295,183	189,000	97,339	64,568
Male	148,947	139,777	90,427	45,127	25,861
Female	161,648	155,406	98,573	52,212	38,707
Multiple Races	398,768	355,887	226,968	118,191	88,203
Male	189,587	168,961	105,753	54,104	33,960
Female	209,181	186,926	121,215	64,087	54,243

[Figure 1 omitted]

Please note: Figure 1 has been omitted from this version of the documentation in order to minimize file size and download time. You may view or download the 2005 NAMCS Patient Record form from this web address:

[http://www.cdc.gov/nchs/about/major/ahcd/surinst.htm#Survey Instrument NAMCS](http://www.cdc.gov/nchs/about/major/ahcd/surinst.htm#Survey%20Instrument%20NAMCS)

2. Quality Control

All medical and drug coding and keying operations were subject to quality control procedures. Quality control for the medical and drug coding operation, as well as straight-key items, involved a two-way 10-percent independent verification procedure. As an additional quality control, all Patient Record forms with differences between coders or illegible entries for the reason for visit, diagnosis, cause of injury (E-code), procedures, diagnosis, and medication items were reviewed and adjudicated at NCHS. For nonmedical coding items, the error rate was 0.3 percent. For items which required medical coding, coding error rates ranged between 0.6 and 4.5 percent for various survey items.

3. Adjustments for Item Nonresponse

Unweighted item nonresponse rates were 5.0 percent or less for all data items with the following exceptions: is female patient pregnant? (24.9 percent of visits by females ages 10-54), if pregnant, gestation week (13.2 percent), ethnicity (25.2 percent), race (20.6 percent), does patient use tobacco? (32.3 percent), for "not current" smoker, is "never" or "former" applicable? (14.1 percent), is visit related to injury/poisoning/adverse effect? (7.4 percent), was patient referred for this visit? (18.0 percent), how many past visits in last 12 months? (5.4 percent), status of patient enrollment in a chronic disease management program for any of the chronic conditions in item 5b of Patient Record form (38.4 percent), time spent with physician (13.9 percent of visits where a physician was seen), during physician's last normal week of practice, did physician -- make hospital visits (5.3 percent), do telephone consults (6.4 percent), do email consults (6.2 percent); what percent of physician's practice revenue from patient care comes from -- Medicare (6.3 percent), Medicaid (7.2 percent), private insurance (6.2 percent), managed care (19.2 percent), other source (13.0 percent); does your practice's electronic medical records system include -- reminders for guideline-based interventions and/or screening tests? (11.1 percent), public health reporting? (21.7 percent); for new patients, does physician accept the following types of payment -- private insurance - capitated (10.8 percent), private insurance - non-capitated - (9.5 percent), Worker's compensation (5.7 percent), no charge (9.8 percent); and has your practice experienced any difficulty, in the last 12 months, in referring patients with the following types of health insurance for specialty consultations: Medicaid (6.7 percent), Medicare (6.9 percent), private insurance (5.6 percent), uninsured (10.8 percent). Denominators for the above rates were adjusted to account for skip patterns on the data collection forms. For example, only physicians that reported use of electronic medical records were included in the response rates for whether their electronic system included public health reporting.

Some missing data items were imputed by randomly assigning a value from a Patient Record form with similar characteristics; imputations were based on physician specialty, geographic region, and 3-digit ICD-9-CM codes for primary diagnosis. For ethnicity, state was used instead of geographic region. The following variables were imputed: birth year (2.6 percent), sex (0.9 percent), race (20.6 percent), ethnicity (25.2 percent), have you or anyone in your practice seen patient before? (2.9 percent), how many past visits in last 12 months (5.4 percent of visits by established patients), and time spent with physician (13.9 percent of visits where a physician was seen). Blank or otherwise missing responses are so noted in the data.

J. MEDICAL CODING

The Patient Record form contains several medical items requiring three separate coding systems. The three coding systems are described briefly below. Quality control for the NAMCS medical and drug coding operations involved a two-way 10 percent independent verification procedure. A dependent verification procedure was used to review and adjudicate all records with coding discrepancies. Definitions of the medical items can be found in Appendix I.

1. Patient's Complaint(s), Symptoms(s) or Other Reason(s) for this Visit: Information collected in item 3 of the Patient Record form was coded according to A Reason for Visit Classification for Ambulatory Care (RVC) (5). The updated classification is available (6), and the list of codes is shown in Appendix II. The classification was updated to incorporate several new codes as well as changes to existing codes. The system continues to utilize a modular structure. The digits 1 through 8 precede the 3-digit RVC codes to identify the various modules as follows:

<u>Prefix</u>	<u>Module</u>
"1" =	Symptom module
"2" =	Disease module
"3" =	Diagnostic, screening, and preventive module
"4" =	Treatment module
"5" =	Injuries and adverse effects module
"6" =	Test results module
"7" =	Administrative module
"8" =	Uncodable entries
"9" =	Special code = blank

Up to three reasons for visit were coded from item 3 in sequence; coding instructions for this item are contained in the Reason for Visit Classification and Coding Manual (6).

2. Physician's Diagnoses: Diagnostic information in item 5 of the Patient Record form was coded according to the International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM) (7). The ICD-9-CM codes are provided in two formats, character and numeric. Please see page 57 in the Record Format section for information on the background, purpose, and appearance of the numeric recodes. The rest of this paragraph describes the format of the character version.

The character version ICD-9-CM codes are not prefixed or zero-filled on the public use file. For example, 38100 = 381.00 = Acute nonsuppurative otitis media, unspecified.

There is an implied decimal between the third and fourth digits. For inapplicable fourth or fifth digits, a dash has been inserted. For example, 4011- = 401.1 = Essential hypertension, benign.

Supplementary classification codes are not prefixed or zero-filled.

For example, V700- = V70.0 = Routine general medical examination at a health care facility

In addition to the diagnostic codes from the ICD-9-CM the following unique codes in the diagnostic fields were developed by ACSB staff:

V990- = noncodable diagnosis, insufficient information for coding, illegible diagnosis
 V991- = left before being seen, patient walked out, not seen by doctor, left against medical advice
 V992- = transferred to another facility, sent to see specialist
 V993- = HMO will not authorize treatment
 V997- = entry of "none," "no diagnosis," "no disease," "healthy"
 00000 = blank

A maximum of three diagnoses were coded in sequence. Coding instructions concerning diagnoses are contained in the NAMCS Coding Requirements Manual, volume 1 (8).

3. Diagnostic/Screening Services and Non-Medication Treatment: Open-ended responses for "Scope procedure" and "Other test/service" from item 7 on the Patient Record form (Diagnostic/Screening Services) as well as open-ended responses for "Procedures" from item 9 (Non-Medication Treatment) were coded according to the International Classification of Diseases (ICD-9-CM) using the procedure codes in Volume III. Up to 2 scope procedures, 2 other diagnostic/screening tests/services, and up to 4 procedures in the non-medication treatment item could be coded for each office visit.

Character format codes have an implied decimal between the second and third position and do not use prefixes or zero-fills. Codes without an applicable 4th digit have a dash inserted. Please note that, as with the diagnosis codes described above, the file also contains numeric recodes for procedures at the end of the record format. These are described in the Record Format section.

It should be noted that some respondents reported procedures in item 7, while others may have reported the same procedure in item 9. For this reason, when analyzing procedures, it is recommended that all of the possible procedure fields be taken into account regardless of item location.

4. Medications/Injections: The NAMCS drug data collected in item 10 have been classified and coded according to a unique classification scheme developed at NCHS (9). Up to 8 medications could be recorded for each visit. A list of drug codes is included in Appendix III. In addition to drugs coded by entry name (the entry made on the Patient Record form by the physician or his/her staff), this file contains the following drug information:

a. Generic name code: A unique, 5-digit code assigned to each official generic name assigned to every drug entity by the United States Pharmacopeia or other responsible authority.

b. Prescription status code: A code designed to identify the legal status (prescription or nonprescription) of the drug entry.

c. Controlled substance status code: A code used to denote the degree of potential abuse and federal control of a drug entry.

d. Composition status code: A code used to distinguish between single-ingredient and combination drugs.

Note: If the user is searching for single ingredient (or single entity) drugs, then he/she may utilize the composition status code = "1" in conjunction with the "generic name code" field. A single ingredient drug will have one generic code in the "generic name code" field, and blanks in the five "ingredient codes" fields. If the user is searching for combination drugs, then he/she may utilize composition status code = "2" in conjunction with the "ingredient codes" fields. But combination drugs are also identified by the codes 51380, 51381, or 51382 (see below) in the "generic name code" field. These codes indicate that the drug is a combination product and the ingredients are listed as generic codes in the "ingredient codes" fields. Therefore, the user may search for combination products using either the generic name code field or the composition status code.

e. Ingredient codes: Codes used to identify the active generic ingredients of combination drugs. A maximum of 5 ingredients can be identified for each combination drug.

f. Therapeutic class code: A 4-digit code used to identify up to three therapeutic classes to which the drug entry may belong. These are based on the standard drug classifications used in the National Drug Code Directory, 1995 edition (10). The first two digits of each 4-digit code represent the major drug classes and can be used alone or in conjunction with the additional digits for greater specificity within the major classes. A listing of the drug classes is shown in Appendix III. Prior to the 2002 release, only a single class was listed for each drug on the file.

The medical classification system of drugs by entry name (Appendix III) utilizes a five-digit coding scheme which is updated regularly to include new products. It includes the following special codes:

90000 = blank

99980 = unknown entry, other

99999 = illegible entry

The classification of drugs by generic name (Appendix III) also utilizes a five-digit coding scheme, with the following special codes:

50000 = generic name undetermined

51380 = combination product (multi-vitamin/multi-mineral)

51381 = fixed combination

51382 = multi-vitamin/multi-mineral

IMPORTANT: In 2005, we have continued to update and revise the drug characteristics in our ambulatory care drug database, which underwent substantial revision in 2002. In 2002, many drugs had ingredient lists reviewed, and non-active ingredients were removed. Duplicate codes caused by misspellings or other variant entries were eliminated, and incorrect codes (for example, for non-medications) were removed. Also, beginning in 2002, each drug entry has up to three therapeutic classes associated with it.

Because of these ongoing revisions to the drug database, trend analysis with older years of data becomes more problematic. We recommend that researchers download our Drug Characteristics file, which is updated annually, at our Ambulatory Health Care Data website. The characteristics from this file can be applied by matching on drug code to previous years of data in order to get the most accurate results when doing analysis of drug trends. A SAS program for applying drug characteristics from the current drug database to previous years of public use data is also available for downloading. Our website can be accessed at: <http://www.cdc.gov/nchs/namcs.htm>

And, as a general reminder, if you are interested in a generic code for a particular drug, be sure to consider other formulations which each have separate codes on the file. A number of substances can appear in both generic and salt forms, as in the case of albuterol and albuterol sulfate, and these are assigned separate generic substance codes. For over the counter drugs, data users should be aware that manufacturers may alter the ingredients in a particular product, and we do not generally update the drug database to reflect this. This is especially relevant in the case of multi-vitamins.

We continue to enhance and update the drug database, but if you find any anomalies or errors, please contact us at the number below.

For users who are interested in analyzing drug data, one method involves the isolation of those records with drugs, or drug mentions, and the creation of a separate data file of drug mentions. Each Patient Record form for 2005 can have up to eight drug mentions recorded in item 10, so whatever file is created would need to include all of them. This method can be used for obtaining estimates of drug mentions, but is not recommended for variance estimation. Rather, the structure of the visit file should be kept intact when estimating variance. In order to do this, estimates of drug mentions can be obtained by creating a new weight variable (called DRUGWT in this example). This variable is created by multiplying PATWT (the patient visit weight) by NUMMED (the number of medications recorded at the sampled visit) or $DRUGWT = PATWT * NUMMED$. DRUGWT can then be used in place of PATWT to weight one's data; it produces the estimated number of drug mentions rather than visits. (See Record Format for more on PATWT and NUMMED.)

This documentation contains some marginal data for drug mentions. Should the data user need additional assistance in analyzing data on drug mentions, the staff of the Ambulatory Care Statistics Branch is available by calling (301) 458-4600.

K. ESTIMATION PROCEDURES

Statistics produced from the 2005 National Ambulatory Medical Care Survey were derived by a multistage estimation procedure. The procedure produces essentially unbiased national estimates and has basically four components: 1) inflation by reciprocals of the probabilities of selection, 2) adjustment for nonresponse, 3) a ratio adjustment to fixed totals, and 4) weight smoothing. Each of these components is described below.

1. Inflation of Reciprocals by Sampling Probabilities

Since the survey utilized a three-stage sample design, there were three probabilities:

- a) the probability of selecting the PSU;
- b) the probability of selecting a physician within the PSU; and
- c) the probability of selecting a patient visit within the physician's practice.

The last probability was defined to be the exact number of office visits during the physician's specified reporting week divided by the number of Patient Record forms completed. All weekly estimates were inflated by a factor of 52 to derive annual estimates.

2. Adjustment for Nonresponse

Estimates from NAMCS data were adjusted to account for in-scope physicians who did not provide PRFs (non-PRF physicians) either because they saw no patients during their sample week or failed to provide PRFs for visits by patients they did see during their sample week.

Beginning with 2004 data, changes were made to the nonresponse adjustment factor to account for the seasonality of the reporting period. Extra weights for nonresponding physicians were shifted to responding physicians in reporting periods within the same quarter of the year. The shift in nonresponse adjustment did not significantly affect any of the overall annual estimates.

Beginning with 2003 data, the adjustment for non-PRF physicians differs from the adjustment used in prior years. Previously the adjustment accounted for non-response by physician specialty, geographic region, and metropolitan statistical area status. The revised non-response adjustment also accounts for non-response from physicians by practice size, as measured by number of weekly visits, and for variability in number of weeks that participating physicians saw patients during the year.

Previously, these characteristics were assumed to be the same for physicians providing patient encounter information and those not providing such information. However, research done for the first time with 2003 data showed that these two assumptions are not always true. In general, the weekly visit volume for non-PRF physicians was larger than for PRF physicians. Also, physicians who saw no patients during their sample week tended to see patients fewer weeks annually than did physicians who saw patients during their week. To minimize understatement (and in some cases, overstatement) of visits, the non-response adjustment factor was revised to include information on the number of weeks physicians actually practiced during a typical year and the number of visits physicians reported during a week. Both data items were collected for responding and nonresponding physicians during the induction interview starting with the 2001 survey.

The 2003 weight with the revised non-response adjustment increased the overall visit estimate by 12 percent over the same estimate obtained using the original weight. For this reason, 2003 and subsequent year visit estimates are not entirely comparable to visit estimates computed using the previous weighting strategy. If researchers are presenting data with estimates or rates across these years, we recommend including a footnote such as the following:

3. Ratio Adjustment

A postratio adjustment was made within each of the fifteen physician specialty groups. The ratio adjustment is a multiplication factor which had as its numerator the number of physicians in the universe in each physician specialty group and as its denominator the estimated number of physicians in that particular specialty group. The numerator was based on figures obtained from the AMA and AOA master files, and the denominator was based on data from the sample.

4. Weight Smoothing

Each year there are a few sample physicians whose final visit weights are large relative to those for the rest of the sample. There is a concern that those few may adversely affect the ability of the resulting statistics to reflect the universe, especially if the sampled patient visits to some of those few physicians should be unusual relative to the universe. Extremes in final weights also increase the resulting variances. Extreme weights can be truncated, but this leads to an understatement of the total visit count. The technique of weight smoothing is used instead, because it preserves the total estimated visit count within each specialty by shifting the "excess" from visits with the largest weights to visits with smaller weights.

Excessively large visit weights were truncated, and a ratio adjustment was performed. The ratio adjustment is a multiplication factor that uses as its numerator the total visit count in each physician specialty group before the largest weights are truncated, and, as its denominator, the total visit count in the same specialty group after the largest weights are truncated. The ratio adjustment was made within each of the fifteen physician specialty groups and yields the same estimated total visit count as the unsmoothed weights.

L. SAMPLING ERRORS

Procedures for calculating sampling errors as well as estimates of standard errors of statistics derived from the NAMCS are described in the technical notes of other documents (2,11) as well as in Appendix I of this document.

M. PATIENT VISIT WEIGHT

The "patient visit weight" is a vital component in the process of producing national estimates from sample data, and its use should be clearly understood by all micro-data file users. The statistics contained on the micro-data file reflect data concerning only a sample of patient visits, not a complete count of all the visits that occurred in the United States. Each record on the data file represents one visit in the sample of 25,665 visits. In order to obtain national estimates from the sample, each record is assigned an inflation factor called the "patient visit weight." By aggregating the patient visit weights on the 25,665 sample records for 2005, the user can obtain the estimated total of 963,617,399 office visits made in the United States.

The marginal tables on pages 65-71 contain data on numbers of records for selected variables as well as the corresponding national estimated number of visits and drug mentions obtained by aggregating the "patient visit weights" on those records. Similar tables are also provided for physician-level estimates.

N. PHYSICIAN CODE and PATIENT CODE

The purpose of these codes is to allow for greater analytical depth by permitting the user to link individual Patient Record forms on the public use file with individual physicians' practices. This linkage will enable users to conduct more comprehensive analysis without violating the confidentiality of patients or physicians.

To uniquely identify a record, both the physician code and the patient code must be used. Patient codes are merely a sequential numbering of the visits recorded by the physician and alone will not uniquely identify visit records. In order to do so, both the unique 4-digit physician code and the 3-digit patient code must be used.

O. USE OF THE PHYSICIAN-LEVEL WEIGHT

For the first time in 2005, a physician-level weight (PHYSWT) has been added to the NAMCS public use file. These weights will enable data users to calculate physician-level estimates. There is one weight for each physician which appears on the first visit record only for that physician. When running an analysis of physician-level characteristics using PHYSWT, it is recommended to select only those records where PHYSWT is greater than 0. This will result in correct sample counts of variables, which is useful for assessing reliability. Weighted estimates will be correct either way, because of the one weight per physician format.

Items on the file which are appropriate for physician-level estimates include the following: type of office setting [RETYPOFF], solo or group practice [SOLO], employment status of physician [EMPSTAT], who owns this practice [OWNS], is lab testing performed at this office [LAB], during last normal week of

practice, did physician make any home visits [HOMVISR], hospital visits [HOSVISR], telephone consults [TELCONR], email consults [ECONR]; does practice submit claims electronically EBILLREC], does practice use electronic medical records (EMR) (not including billing records) [EMEDREC], does practice's EMR system include: patient demographics [EDEMOG], computerized prescription orders [ECPOE], computerized test orders [ECTOE], test results [ERESULT], nurses' notes [ENNOTES], physicians' notes [EPNOTES], reminders for interventions/tests [EREMIND], public health reporting [EPUBHLTH]; percent of patient care revenue from Medicare [PRMCARER], from Medicaid [PRMAIDR], from private insurance [PRPRVTR], or from other sources [PROTHR]; number of managed care contracts [MANCAREC], percent of patient care revenue from managed care contracts [PRMANR], is physician currently accepting new patients [ACCEPTNEW], for new patients, does physician accept capitated private insurance [CAPITATE], noncapitated private insurance [NOCAP], Medicare [NMEDCARE], Medicaid [NMEDCAID], Workers Compensation [NWORKCMP], self-pay [NSELFPAY], no charge [NNOCHARGE]; difficulty in referring patients with the following forms of payment for specialty consultation: Medicaid [REFMDCAD], Medicare [REFMDCAR], private insurance [REFPRIV], uninsured [REFUNINS]; specialty group (15 strata) SPECR], specialty category (primary, medical, surgical) [SPECCAT], specialty (SPEC), geographic region [REGION], and metropolitan statistical area [MSA]. These variables all pertain to the physician or the physician's practice characteristics. Also see the Marginal Data section (page 65) which includes some marginal tables of physician-level estimates. Appendix I ("Relative Standard Errors") provides further information.

In addition to generating estimates for physician characteristics at the physician level, the addition of PHYSWT also means that one can link visit data with physician data. For example, one could examine average time spent with physicians across physicians rather than simply across visits. This type of analysis is slightly complicated; a description along with sample SAS code is available at the Ambulatory Health Care Data website.

For more information, contact the Ambulatory Care Statistics Branch at 301-458-4600.

REFERENCES

1. Tenney JB, White KL, Williamson JW. National Ambulatory Medical Care Survey: Background and Methodology. National Center for Health Statistics. Vital Health Stat 2(61). 1974.
2. Schappert SM., Nelson CR. National Ambulatory Medical Care Survey, 1995-96 Summary. National Center for Health Statistics. Vital Health Stat 13(142). 2000.
3. Massey JT, Moore TF, Parsons VL, Tadros W. Design and estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital Health Stat 2(110).1989.
4. Physician Induction Interview Form. National Ambulatory Medical Care Survey. OMB No. 0920-0234.
5. Schneider D, Appleton L, McLemore T. A Reason for Visit Classification for Ambulatory Care. National Center for Health Statistics. Vital Health Stat 2(78). 1979.
6. National Ambulatory Medical Care Survey and National Hospital Ambulatory Medical Care Survey Reason for Visit Classification and Coding Manual: (updated annually). Ambulatory Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.
7. U.S. Dept. of Health and Human Services, Centers for Disease Control and Prevention, Health Care Financing Administration. International Classification of Diseases, 9th Revision, Clinical Modification. Sixth Edition. October 2006.
8. National Ambulatory Medical Care Survey: Coding Requirements (updated annually). Ambulatory Care Statistics Branch, Division of Health Care Statistics, National Center for Health Statistics.
9. Koch H, Campbell W. The Collection and Processing of Drug Information. National Ambulatory Medical Care Survey, 1980. National Center for Health Statistics. Vital Health Stat 2(90). 1982.
10. Food and Drug Administration. National Drug Code Directory, 1995 edition. Washington: Public Health Service. 1995.
11. Cherry D, Woodwell, DA. Rechtsteiner, E. National Ambulatory Medical Care Survey, 2005 summary. Advance data from vital and health statistics, no. 387. Hyattsville, Maryland: National Center for Health Statistics. 2007.

II. RECORD FORMAT AND PHYSICIAN SPECIALTY LIST

A. RECORD FORMAT

Number of records = 25,655

This section consists of a detailed breakdown of each data record. For each item on the record, the user is provided with a sequential item number, field length, file location, and brief description of the item, along with valid codes. Most data are from the Patient Record form (PRF). Such items are so noted in the description below. The American Medical Association (AMA), the American Osteopathic Association (AOA) and the induction interview (reference 3) are alternate sources of data. Some information is obtained by recoding selected data from these sources.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
			DATE OF VISIT (from PRF Q1.a)
1	2	1-2	[VMONTH] MONTH OF VISIT 01-12: January-December
2	4	3-6	[VYEAR] YEAR OF VISIT 2004, 2005 (Survey dates were 12/27/2004-12/25/2005.)
3	1	7	[VDAYR] DAY OF WEEK OF VISIT 1 = Sunday 2 = Monday 3 = Tuesday 4 = Wednesday 5 = Thursday 6 = Friday 7 = Saturday
4	3	8-10	[AGE] PATIENT AGE (IN YEARS; DERIVED FROM DATE OF BIRTH) (from PRF Q1.c) 000 = Under 1 year 001-099 100 = 100 years or over
5	1	11	[SEX] SEX (from PRF Q1.d) 1 = Female 2 = Male

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
6	1	12	<p>[PREGNANT] If female, is patient pregnant? (from PRF Q1.d)</p> <p>NOTE: It was discovered that this variable, along with GESTWK, was often completed incorrectly by survey respondents. This was because, in many cases where the patient's last menstrual period was known, that date was reported and the pregnancy box was checked, even though the patient was not pregnant. Much editing was done to correct these errors, but in some cases it was not possible to determine if the patient was really pregnant. The last menstrual period date was used to calculate GESTWK (or to corroborate a reported GESTWK) and is not included on the public use file. PREGNANT and GESTWK should be used with some caution.</p> <p>1 = Yes 2 = No 3 = Unknown 8 = Not applicable (patient is not female) 9 = Blank</p>
7	2	13-14	<p>[GESTWEEK] Week of gestation (from PRF Q1.d) 01-44 88 = Not applicable (patient is male, or patient is female with unknown or negative pregnancy status) 99 = Blank</p>
8	1	15	<p>[ETHNIC] ETHNICITY (from PRF Q1.e) 1 = Hispanic or Latino 2 = Not Hispanic or Latino</p>
9	1	16	<p>[RACE] RACE (from PRF Q1.f)</p> <p>Data users should be aware that some records have masked race values. This was required for disclosure avoidance.</p> <p>1 = White 2 = Black/African American 3 = Asian 4 = Native Hawaiian/Other Pacific Islander 5 = American Indian/Alaska Native 6 = More than one race reported</p>
10	17		<p>[USETOBAC] TOBACCO USE (from PRF Q1.g) 0 = Blank 1 = Not current 2 = Current 3 = Unknown</p>

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
11		18	[NOTOBAC] NON-CURRENT TOBACCO USE (from PRF Q1.g) 1 = Never 2 = Former 8 = Not Applicable 9 = Blank
12	1	19	[PAYPRIV] EXPECTED SOURCE OF PAYMENT: PRIVATE INSURANCE (from PRF Q1.h) 0 = No 1 = Yes
13	1	20	[PAYMCARE] EXPECTED SOURCE OF PAYMENT: MEDICARE (from PRF Q1.h) 0 = No 1 = Yes
14	1	21	[PAYMCAID] EXPECTED SOURCE OF PAYMENT: MEDICAID (from PRF Q1.h) 0 = No 1 = Yes
15	1	22	[PAYWKCMP] EXPECTED SOURCE OF PAYMENT: WORKERS COMPENSATION (from PRF Q1.h) 0 = No 1 = Yes
16	1	23	[PAYSELF] EXPECTED SOURCE OF PAYMENT: SELF PAY (from PRF Q1.h) 0 = No 1 = Yes
17	1	24	[PAYNOCHG] EXPECTED SOURCE OF PAYMENT: NO CHARGE (from PRF Q1.h) 0 = No 1 = Yes
18	1	25	[PAYOTH] EXPECTED SOURCE OF PAYMENT: OTHER (from PRF Q1.h) 0 = No 1 = Yes

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
19	1	26	[PAYUNK] EXPECTED SOURCE OF PAYMENT: UNKNOWN (from PRF Q1.h) 0 = No 1 = Yes
20	1	27	[PAYTYPE] PRIMARY EXPECTED SOURCE OF PAYMENT FOR THIS VISIT (Recoded from PRF Q1.h using this hierarchy of payment categories: Medicaid, Medicare, Private Insurance, Workers Compensation, Self-Pay, No Charge, Other, Unknown) 0 = Blank 1 = Private insurance 2 = Medicare 3 = Medicaid/SCHIP 4 = Worker's Compensation 5 = Self-pay 6 = No charge/charity 7 = Other 8 = Unknown
21	1	28	[INJDET] (INJURY/POISONING/ADVERSE EFFECT) Is this visit related to any of the following: (from PRF Q2) 1 = Unintentional injury/poisoning 2 = Intentional injury/poisoning 3 = Adverse effect of medical/surgical care or adverse effect of medicinal drug 4 = None of the above 5 = Unknown 9 = Blank
22	1	29	[INJURY] Is this visit related to an injury, poisoning, or adverse effect of medical treatment? (recoded from PRF Q2, PRF Q3 and PRF Q5) 0 = No 1 = Yes
23			PATIENT'S REASON(S) FOR VISIT (See page 19 in Section I and Coding List in Appendix II.) (from PRF Q3)
23.1	5	30-34	[RFV1] REASON # 1 10050-89990 = 1005.0-8999.0 90000 = Blank
23.2	5	35-39	[RFV2] REASON # 2 10050-89990 = 1005.0-8999.0 90000 = Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
23.3	5	40-44	[RFV3] REASON # 3 10050-89990 = 1005.0-8999.0 90000 = Blank
24	1	45	[PRIMCARE] ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN? (from PRF Q4.a) 0 = Blank 1 = Yes 2 = No 3 = Unknown
25	1	46	[REFER] WAS PATIENT REFERRED FOR THIS VISIT? (from PRF Q4.a) 0 = Blank 1 = Yes 2 = No 3 = Unknown 8 = Not applicable
26	1	47	[SENBEPOR] HAVE YOU OR ANYONE IN YOUR PRACTICE SEEN PATIENT BEFORE? (from PRF Q4.b) 1 = Yes, established patient 2 = No, new patient
27	1	48	[PASTVIS] HOW MANY PAST VISITS IN THE LAST 12 MONTHS? (from PRF Q4.b) 1 = None 2 = 1-2 3 = 3-5 4 = 6 or more 8 = Not applicable
28	1	49	[MAJOR] MAJOR REASON FOR THIS VISIT (from PRF Q4.c) 0 = Blank 1 = New problem (<3 mos. onset) 2 = Chronic problem, routine 3 = Chronic problem, flare up 4 = Pre- or post surgery 5 = Preventive care (e.g. routine prenatal, well-baby, screening, insurance, general exams)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
29			PHYSICIAN'S DIAGNOSES (See page 20, Section 1 for explanation of coding.) (from PRF Q5a)
29.1	5	50-54	[DIAG1] DIAGNOSIS # 1 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. 0010[-] - V829[-] = 001.0[0]-V82.9[0] V990- = Noncodable, insufficient information for coding, illegible V991- = Left before being seen; patient walked out; not seen by doctor; left against medical advice V992- = Transferred to another facility; sent to see specialist V993- = HMO will not authorize treatment V997- = Entry of "none," "no diagnosis," "no disease," or "healthy" 00000 = Blank
29.2	5	55-59	[DIAG2] DIAGNOSIS # 2 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
29.3	5	60-64	[DIAG3] DIAGNOSIS # 3 (ICD-9-CM) There is an implied decimal between the third and fourth digits; for inapplicable fourth or fifth digits, a dash is inserted. See DIAGNOSIS #1 for details.
30			PROBABLE, QUESTIONABLE, AND RULE OUT DIAGNOSES
30.1	1	65	[PRDIAG1] IS DIAGNOSIS #1 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) 0 = No 1 = Yes 8 = Not applicable
30.2	1	66	[PRDIAG2] IS DIAGNOSIS #2 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) 0 = No 1 = Yes 8 = Not applicable
30.3	1	67	[PRDIAG3] IS DIAGNOSIS #3 PROBABLE, QUESTIONABLE, OR RULE OUT? (derived from PRF Q5.a) 0 = No 1 = Yes 8 = Not applicable

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
31			REGARDLESS OF THE DIAGNOSES WRITTEN IN 5A, DOES THE PATIENT NOW HAVE: (from PRF Q5.b) 0 = No 1 = Yes
31.1	1	68	[ARTHRTIS] Arthritis
31.2	1	69	[ASTHMA] Asthma
31.3	1	70	[CANCER] Cancer
31.4	1	71	[CEBVD] Cerebrovascular disease
31.5	1	72	[CHF] Congestive heart failure
31.6	1	73	[CRF] Chronic renal failure
31.7	1	74	[COPD] Chronic obstructive pulmonary disease
31.8	1	75	[DEPRN] Depression
31.9	1	76	[DIABETES] Diabetes
31.10	1	77	[HYPLIPID] Hyperlipidemia
31.11	1	78	[HTN] Hypertension
31.12	1	79	[IHD] Ischemic heart disease
31.13	1	80	[OBESITY] Obesity
31.14	1	81	[OSTPRISIS] Osteoporosis
31.15	1	82	[NOCHRON] None of the above 0 = "None" not checked 1 = "None" checked 2 = Entire item blank
31.16	2	83-84	[TOTCHRON] TOTAL NUMBER OF CHRONIC CONDITIONS (derived from PRF Q5.b) 0-13 99 = Entire item blank
32	1	85	[DMP] STATUS OF PATIENT ENROLLMENT IN A DISEASE MANAGEMENT PROGRAM FOR CONDITION(S) MARKED IN 5B (from PRF Q5.c) 1 = Currently enrolled 2 = Ordered/advised to enroll at this visit 3 = Not enrolled 4 = Unknown 8 = Not applicable 9 = Blank
33			VITAL SIGNS (from PRF Q6)
33.1	2	86-87	[HTIN] PATIENT'S HEIGHT (inches) 5-95 inches 99 = Blank
33.2	3	88-90	[WTLB] PATIENT'S WEIGHT (pounds) 3-500 999 = Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
33.2a	6	91-96	[BMI] Body-Mass Index This was calculated from Patient's Height and Weight during data processing. It contains a decimal point and up to 2 decimal places. BMI was not calculated for pregnant females or patients under age 2. 10.13-95.72 999=Unknown/Not Applicable
33.3	4	97-100	[TEMPF] Temperature (Fahrenheit) There is an implied decimal between the third and fourth digits. 0000 = Blank 0600-1112 = 60.0 – 111.2 Fahrenheit
33.4a	3	101-103	[BPSYS] Blood pressure - systolic 0-290 999 = Blank
33.4b	3	104-106	[BPDIAS] Blood pressure – diastolic 0-190 = 0-190 998 = P, Palp, DOP, or DOPPLER 999 = Blank
34			DIAGNOSTIC/SCREENING SERVICES (from PRF Q7)
34.1	1	107	[DIAGSCRN] Were any diagnostic/screening services ordered or provided at this visit? 0 = No 1 = Yes 2 = No answer (Entire item blank, including "None" box.) 0 = No, 1 = Yes (excludes write-ins)
34.2	1	108	EXAMINATIONS: [BREAST] Breast exam
34.3	1	109	[PELVIC] Pelvic exam
34.4	1	110	[RECTAL] Rectal exam
34.5	1	111	[SKIN] Skin exam
34.6	1	112	[DEPRESS] Depression screening exam
34.7	1	113	IMAGING: [ANYIMAGE] (derived from PRF Q7, boxes 7-12) This item was created during data processing and indicates whether any of the imaging boxes were checked.
34.8	1	114	[BONEDENS] Bone density exam
34.9	1	115	[MAMMO] Mammography
34.10	1	116	[MRI] MRI/CT/PET
34.11	1	117	[ULTRASND] Ultrasound
34.12	1	118	[XRAY] X-ray
34.13	1	119	[OTHIMAGE] Other imaging

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
BLOOD TESTS:			
34.13	1	120	[CBC] Complete blood count
34.14	1	121	[ELECTROL] Electrolytes
34.15	1	122	[GLUCOSE] Glucose
34.16	1	123	[HGBA] HgbA1C (glycohemoglobin)
34.17	1	124	[CHOLEST] Cholesterol
34.18	1	125	[PSA] PSA (prostate specific antigen)
34.19	1	126	[OTHERBLD] Other blood test
OTHER TESTS:			
34.20	1	127	[BIOPSY] Biopsy
34.21	1	128	[CHLAMYD] Chlamydia test
34.22	1	129	[EKG] EKG/ECG
34.23	1	130	[PAP] PAP test/Cervical cytology
34.24	1	131	[SCOPPROC] Any scope procedure
34.25	1	132	[SIGCOLON] (derived from PRF Q7, box 24) This item was created during data processing and indicates whether any type of sigmoidoscopy/colonoscopy was ordered or performed at the visit, based on write-in procedure entries. It is a summary variable only and should not be added to results from the write-in procedure fields.
34.26.a	4	133-136	[SCOPEWI1] Scope procedure write-in #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
34.26.b	4	137-140	[SCOPEWI2] Scope procedure write-in #2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
34.27	1	141	[SPIRO] Spirometry/Pulmonary function test
34.28	1	142	[URINE] Urinalysis
34.29	1	143	[HTTAKE] Height taken (derived from PRF Q6)
34.30	1	144	[WTTAKE] Weight taken (derived from PRF Q6)
34.31	1	145	[TEMPTAKE] Temperature taken (derived from PRF Q6)
34.32	1	146	[BLODPRES] Blood pressure taken (derived from PRF Q6)
34.33	1	147	[OTHDIAG] Other service

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
34.34.a	4	148-151	[DIAGSC1] Other diagnostic service write-in #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
34.34.b	4	152-155	[DIAGSC2] Other diagnostic service write-in #2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
34.35	2	156-157	[TOTDIAG] Total number of diagnostic/screening services ordered or provided 0-32 99 = Entire item blank
35			HEALTH EDUCATION (rom PRF Q8)
35.1	1	158	[HLTHED] Was any health education ordered or provided at this visit? 0 = No 1 = Yes 2 = No answer (Entire item blank, including "None" box.) 0 = No, 1 = Yes
35.2	1	159	[ASTHMAED] Asthma education
35.3	1	160	[DIETNUTR] Diet/Nutrition
35.4	1	161	[EXERCISE] Exercise
35.5	1	162	[GRWTHDEV] Growth/Development
35.6	1	163	[INJPREV] Injury prevention
35.7	1	164	[STRESMGT] Stress management
35.8	1	165	[TOBACED] Tobacco use/exposure
35.9	1	166	[WTREDUC] Weight reduction
35.10	1	167	[OTHLTHED] Other health education
35.11	2	168-169	[TOTHLTED] Total health education ordered or provided 0-9 99 = Entire item blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
36			NON-MEDICATION TREATMENT (from PRF Q9)
36.1	1	170	[NONMED] Was any non-medication treatment ordered or provided? 0 = No 1 = Yes 2 = No answer (Entire item blank, including "None" box.) 0 = No, 1 = Yes
36.2	1	171	[CAM] Complementary alternative medicine
36.3	1	172	[DME] Durable medical equipment
36.4	1	173	[HOMEHLTH] Home health care
36.5	1	174	[HOSPICE] Hospice care
36.6	1	175	[PT] Physical therapy
36.7	1	176	[SPOCTHER] Speech/Occupational therapy
36.8	1	177	[PSYCHOTH] Psychotherapy
36.9	1	178	[OTHMNTL] Other mental health counseling
36.10	1	179	[EXCISION] Excision
36.11	1	180	[ORTHO] Orthopedic care
36.12	1	181	[WOUND] Wound care
36.13	1	182	[OTHPROC] Other surgical or non-surgical procedure This created checkbox combines data from item 9.13 and 9.14 on the Patient Record form. Procedures written in these items are listed below.
36.13.a	4	183-186	[OTHPROC1] Procedure #1 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
36.13.b	4	187-190	[OTHPROC2] Procedure # 2 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
36.13.c	4	191-194	[OTHPROC3] Procedure # 3 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
36.13.d	4	195-198	[OTHPROC4] Procedure #4 (ICD-9-CM, Vol.3, Procedure Classification) A left-justified alphanumeric code with an implied decimal after the first two digits; inapplicable fourth digits have a dash inserted. 0101-999 = 01.01-99.99 0000 = Not applicable/blank
36.14	2	199-200	[TOTNONMED] Total number of non-medication treatments 0-15 99 = Entire item blank
37			MEDICATIONS & IMMUNIZATIONS (See page 21 for more information. See Appendix III for Code List.) (from PRF Q10)
37.1	1	201	[MED] WERE MEDICATIONS ORDERED OR PROVIDED AT THIS VISIT? 0 = No 1 = Yes 2 = Entire item blank, including "None" box
37.2	5	202-206	[MED1] MEDICATION #1 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.3	5	207-211	[MED2] MEDICATION #2 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.4	5	212-216	[MED3] MEDICATION #3 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.5	5	217-221	[MED4] MEDICATION #4 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.6	5	222-226	[MED5] MEDICATION #5 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
37.7	5	227-231	[MED6] MEDICATION #6 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.8	5	232-236	[MED7] MEDICATION #7 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.9	5	237-241	[MED8] MEDICATION #8 00001-99227 = 00001-99227 90000 = Blank 99980 = Unknown Entry; Other 99999 = Illegible Entry
37.10	1	242	[NCMED1] Was medication #1 new or continued? 1 = New 2 = Continued 3 = Both "New" and "Continued" were checked 8 = Not Applicable (no drug listed) 9 = Blank
37.11	1	243	[NCMED2] Was medication #2 new or continued? See NCMED1.
37.12	1	244	[NCMED3] Was medication #3 new or continued? See NCMED1.
37.13	1	245	[NCMED4] Was medication #4 new or continued? See NCMED1.
37.14	1	246	[NCMED5] Was medication #5 new or continued? See NCMED1.
37.15	1	247	[NCMED6] Was medication #6 new or continued? See NCMED1.
37.16	1	248	[NCMED7] Was medication #7 new or continued? See NCMED1.
37.17	1	249	[NCMED8] Was medication #8 new or continued? See NCMED1

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
37.18	1	250	[NUMNEW] NUMBER OF NEW MEDICATIONS CODED 0 – 8
37.19	1	251	[NUMCONT] NUMBER OF CONTINUED MEDICATIONS CODED 0 – 8
			NOTE: For NUMNEW and NUMCONT, the value '0' can reflect the following situations: for NUMNEW, a) no drug listed; b) drug listed as continued medication only; or c) drug listed but unknown whether new or continued; for NUMCONT, a) no drug listed; b) drug listed as new medication only, or c) drug listed but unknown whether new or continued
37.20	1	252	[NUMMED] NUMBER OF MEDICATIONS CODED 0 – 8
38			PROVIDERS SEEN (from PRF Q11) 0 = No, 1 = Yes
38.1	1	253	[NOPROVID] No answer to item
38.2	1	254	[PHYS] Physician
38.3	1	255	[PHYSASST] Physician assistant
38.4	1	256	[NPNMW] Nurse practitioner/Midwife
38.5	1	257	[RNLPN] RN/LPN
38.6	1	258	[OTHPROV] Other provider
39			VISIT DISPOSITION (from PRF Q12) 0 = No, 1 = Yes
39.1	1	259	[NODISP] No answer to item
39.2	1	260	[NOFU] No follow-up planned
39.3	1	261	[RETPRN] Return if needed, P.R.N
39.4	1	262	[REFOTHMD] Refer to other physician
39.5	1	263	[RETAPPT] Return at specified time
39.6	1	264	[TELEPHON] Telephone follow-up planned
39.7	1	265	[REFERED] Refer to emergency department
39.8	1	266	[ADMITHOS] Admit to hospital
39.9	1	267	[OTHDISP] Other visit disposition
40	3	268-270	[TIMEMD] TIME SPENT WITH MD (in minutes) (from PRF Q13) 0-240
41	6	271-276	[PATWT] PATIENT VISIT WEIGHT (See page 24 in Section I) A right-justified integer developed by NCHS staff for the purpose of producing national estimates from sample data.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
42	1	277	[REGION] GEOGRAPHIC REGION (Based on actual location of the practice.) 1= Northeast 2= Midwest 3= South 4= West
43	1	278	[MSA] METROPOLITAN/NON-METROPOLITAN STATUS (Based on actual location in conjunction with the definition of the Bureau of the Census and the U.S. Office of Management and Budget.) 1 = MSA (Metropolitan Statistical Area) 2 = Non-MSA (includes micropolitan statistical areas)
44	3	279-281	[SPEC] PHYSICIAN SPECIALTY COLLECTED FROM INDUCTION INTERVIEW (REFERENCE 3) (See "Physician Specialty List" on page 61.)
45	1	282	[MDDO] TYPE OF DOCTOR 1 = M.D. - Doctor of Medicine 2 = D.O. - Doctor of Osteopathy
46	4	283-286	[PHYCODE] PHYSICIAN CODE - A unique code assigned to all records from a particular physician. 13-3010
47	3	287-289	[PATCODE] PATIENT CODE - A number assigned to identify each individual record from a particular physician. 1-107
**** THE FOLLOWING FIELDS SHOW WHETHER DATA WERE IMPUTED TO REPLACE BLANKS ****			
48			IMPUTED FIELDS 0 = Not imputed 1 = Imputed
48.1	1	290	[BDATEFL] Patient birth date
48.2	1	291	[SEXFL] Patient sex
48.3	1	292	[ETHNICFL] Patient ethnicity
48.4	1	293	[RACEFL] Patient race
48.5	1	294	[SENBEFL] Have you/anyone in practice seen patient before?
48.6	1	295	[PASTFL] If yes, how many past visits in last 12 months?
48.7	1	296	[TIMEMDFL] Time spent with physician (minutes)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
49			DRUG-RELATED INFO FOR MEDICATION #1
49.1	5	297-301	[GEN1] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
49.2	1	302	[PRESCR1] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
49.3	1	303	[CONTSUB1] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
49.4	1	304	[COMSTAT1] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
49.5a	4	305-308	[DRUG1CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #1. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
49.5b	4	309-312	[DRUG1CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #1. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
49.5c	4	313-316	[DRUG1CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #1. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
49.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
49.6a	5	317-321	[DRG1ING1] INGRED #1 CODE - 50000-92512
49.6b	5	322-326	[DRG1ING2] INGRED #2 CODE - 50000-92512
49.6c	5	327-331	[DRG1ING3] INGRED #3 CODE - 50000-92512
49.6d	5	332-336	[DRG1ING4] INGRED #4 CODE - 50000-92512
49.6e	5	337-341	[DRG1ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
50			DRUG-RELATED INFO FOR MEDICATION #2
50.1	5	342-346	[GEN2] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
50.2	1	347	[PRESCR2] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
50.3	1	348	[CONTSUB2] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
50.4	1	349	[COMSTAT2] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
50.5a	4	350-353	[DRUG2CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #2. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
50.5b	4	354-357	[DRUG2CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #2. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
50.5c	4	358-361	[DRUG2CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #2. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
50.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
50.6a	5	362-366	[DRG2ING1] INGRED #1 CODE - 50000-92512
50.6b	5	367-371	[DRG2ING2] INGRED #2 CODE - 50000-92512
50.6c	5	372-376	[DRG2ING3] INGRED #3 CODE - 50000-92512
50.6d	5	377-381	[DRG2ING4] INGRED #4 CODE - 50000-92512
50.6e	5	382-386	[DRG2ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
51			DRUG-RELATED INFO FOR MEDICATION #3
51.1	5	387-391	[GEN3] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
51.2	1	392	[PRESCR3] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
51.3	1	393	[CONTSUB3] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
51.4	1	394	[COMSTAT3] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
51.5a	4	395-398	[DRUG3CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #3. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
51.5b	4	399-402	[DRUG3CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #3. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
51.5c	4	403-406	[DRUG3CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #3. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
51.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
51.6a	5	407-411	[DRG3ING1] INGRED #1 CODE - 50000-92512
51.6b	5	412-416	[DRG3ING2] INGRED #2 CODE - 50000-92512
51.6c	5	417-421	[DRG3ING3] INGRED #3 CODE - 50000-92512
51.6d	5	422-426	[DRG3ING4] INGRED #4 CODE - 50000-92512
51.6e	5	427-431	[DRG3ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
52			DRUG-RELATED INFO FOR MEDICATION #4
52.1	5	432-436	[GEN4] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
52.2	1	437	[PRESCR4] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
52.3	1	438	[CONTSUB4] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
52.4	1	439	[COMSTAT4] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
52.5a	4	440-443	[DRUG4CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #4. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
52.5b	4	444-447	[DRUG4CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #4. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
52.5c	4	448-451	[DRUG4CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #4. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
52.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
52.6a	5	452-456	[DRG4ING1] INGRED #1 CODE - 50000-92512
52.6b	5	457-461	[DRG4ING2] INGRED #2 CODE - 50000-92512
52.6c	5	462-466	[DRG4ING3] INGRED #3 CODE - 50000-92512
52.6d	5	467-471	[DRG4ING4] INGRED #4 CODE - 50000-92512
52.6e	5	472-476	[DRG4ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
53			DRUG-RELATED INFO FOR MEDICATION #5
53.1	5	477-481	[GEN5] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
53.2	1	482	[PRESCR5] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
53.3	1	483	[CONSUB5] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
53.4	1	484	[COMSTAT5] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
53.5a	4	485-488	[DRUG5CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #5. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
53.5b	4	489-492	[DRUG5CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #5. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
53.5c	4	493-496	[DRUG5CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #5. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
53.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
53.6a	5	497-501	[DRG5ING1] INGRED #1 CODE - 50000-92512
53.6b	5	502-506	[DRG5ING2] INGRED #2 CODE - 50000-92512
53.6c	5	507-511	[DRG5ING3] INGRED #3 CODE - 50000-92512
53.6d	5	512-516	[DRG5ING4] INGRED #4 CODE - 50000-92512
53.6e	5	517-521	[DRG5ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
54			DRUG-RELATED INFO FOR MEDICATION #6
54.1	5	522-526	[GEN6] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
54.2	1	527	[PRESCR6] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
54.3	1	528	[CONTSUB6] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
54.4	1	529	[COMSTAT6] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
54.5a	4	530-533	[DRUG6CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #6. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
54.5b	4	534-537	[DRUG6CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #6. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
54.5c	4	538-541	[DRUG6CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #6. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
54.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
54.6a	5	542-546	[DRG6ING1] INGRED #1 CODE - 50000-92512
54.6b	5	547-551	[DRG6ING2] INGRED #2 CODE - 50000-92512
54.6c	5	552-556	[DRG6ING3] INGRED #3 CODE - 50000-92512
54.6d	5	557-561	[DRG6ING4] INGRED #4 CODE - 50000-92512
54.6e	5	562-566	[DRG6ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
55			DRUG-RELATED INFO FOR MEDICATION #7
55.1	5	567-571	[GEN7] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
55.2	1	572	[PRESCR7] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
55.3	1	573	[CONTSUB7] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
55.4	1	574	[COMSTAT7] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
55.5a	4	575-578	[DRUG7CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #7. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
55.5b	4	579-582	[DRUG7CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #7. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
55.5c	4	583-586	[DRUG7CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #7. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
55.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
55.6a	5	587-591	[DRG7ING1] INGRED #1 CODE - 50000-92512
55.6b	5	592-596	[DRG7ING2] INGRED #2 CODE - 50000-92512
55.6c	5	597-601	[DRG7ING3] INGRED #3 CODE - 50000-92512
55.6d	5	602-606	[DRG7ING4] INGRED #4 CODE - 50000-92512
55.6e	5	607-611	[DRG7ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
56			DRUG-RELATED INFO FOR MEDICATION #8
56.1	5	612-616	[GEN8] GENERIC NAME CODE (See p. 126 for Code list.) 50001-51379, 51383-92512 = Specific Generic Code 51380 = Combination Product 51381 = Fixed Combination 51382 = Multi-vitamin/multi-mineral 50000 = Generic Name Undetermined
56.2	1	617	[PRESCR8] PRESCRIPTION STATUS CODE 1 = Prescription Drug 2 = Nonprescription Drug 3 = Undetermined
56.3	1	618	[CONTSUB8] CONTROLLED SUBSTANCE STATUS CODE 1 = Schedule I (Research Only) 2 = Schedule II 5 = Schedule V 3 = Schedule III 6 = No Control 4 = Schedule IV 7 = Undetermined
56.4	1	619	[COMSTAT8] COMPOSITION STATUS CODE 1 = Single Entity Drug 2 = Combination Drug 3 = Undetermined
56.5a	4	620-623	[DRUG8CL1] NAT'L DRUG CODE DIRECTORY DRUG CLASS - First class listed in NDC for Medication #8. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
56.5b	4	624-627	[DRUG8CL2] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Second class listed in NDC for Medication #8. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
56.5c	4	628-631	[DRUG8CL3] NAT'L DRUG CODE DIRECTORY DRUG CLASS - Third class listed in NDC for Medication #8. See page 171 for list of NDC codes. 0100 - 2100 = NDC Drug Class
56.6			INGREDIENT CODES (Ingredients of Combination Drugs; Maximum of 5 Generic Name Codes, see p. 126)
56.6a	5	632-636	[DRG8ING1] INGRED #1 CODE - 50000-92512
56.6b	5	637-641	[DRG8ING2] INGRED #2 CODE - 50000-92512
56.6c	5	642-646	[DRG8ING3] INGRED #3 CODE - 50000-92512
56.6d	5	647-651	[DRG8ING4] INGRED #4 CODE - 50000-92512
56.6e	5	652-656	[DRG8ING5] INGRED #5 CODE - 50000-92512

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

The following items were collected using the Physician Induction Interview form at the start of the survey process. All of them pertain to aspects of the physician's practice.

57	1	657	[RETYPOFF] TYPE OF OFFICE SETTING FOR THIS VISIT 1 = Private solo or group practice 2 = Free standing clinic/urgicenter (not part of hospital emergency department or outpatient department) 3 = Federally qualified health center (FQHC) 4 = Mental health center 5 = Non-Federal government clinic 6 = Family planning clinic 7 = Health maintenance organization (HMO) or other prepaid practice 8 = Faculty Practice Plan 9 = Other
58	1	658	[SOLO] IS THIS A SOLO PRACTICE? 1 = Yes 2 = No
59	1	659	[EMPSTAT] EMPLOYMENT STATUS OF PHYSICIAN 1 = Owner 2 = Employee 3 = Contractor 4 = Blank
60	1	660	[OWNS] WHO OWNS THE PRACTICE? 1 = Physician or physician group 2 = Health Maintenance Organization (HMO) 3 = Medical/Academic health center 4 = Other hospital 5 = Other health care corporation 6 = Other
61	1	661	[LAB] IS ANY LAB TESTING PERFORMED AT THE OFFICE? 1 = Yes 2 = No 9 = Blank
62	1	662	[HOMVISR] DURING LAST NORMAL WEEK OF PRACTICE, DID PHYSICIAN MAKE ANY HOME VISITS (INCLUDING NURSING HOMES)? 0 = No 1 = Yes 2 = Unknown
63	1	663	[HOSVISR] DURING LAST NORMAL WEEK OF PRACTICE, DID PHYSICIAN MAKE ANY HOSPITAL VISITS? 0 = No 1 = Yes 2 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
64	1	664	[TELCONR] DURING LAST NORMAL WEEK OF PRACTICE, DID PHYSICIAN DO ANY TELEPHONE CONSULTS WITH PATIENTS? 0 = No 1 = Yes 2 = Unknown
65	2	665	[ECONR] DURING LAST NORMAL WEEK OF PRACTICE, DID PHYSICIAN DO ANY INTERNET/EMAIL CONSULTS WITH PATIENTS? 0 = No 1 = Yes 2 = Unknown
66	1	666	[EBILLREC] DOES THIS PRACTICE SUBMIT CLAIMS ELECTRONICALLY? (ELECTRONIC BILLING) 0 = Blank 1 = Yes 2 = No 3 = Unknown
67	1	667	[EMEDREC] DOES THIS PRACTICE USE ELECTRONIC MEDICAL RECORDS (NOT INCLUDING BILLING RECORDS)? 0 = Blank 1 = Yes, all electronic 2 = Yes, part paper and part electronic 3 = No 4 = Don't know
68	1	668	[EDEMOG] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE PATIENT DEMOGRAPHIC INFORMATION? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable
69	1	669	[ECPOE] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE COMPUTERIZED ORDERS FOR PRESCRIPTIONS? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
70	1	670	[ECTOE] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYTEM INCLUDE COMPUTERIZED ORDERS FOR TESTS? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable
71	1	671	[ERESULT] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE TEST RESULTS? 1 = Yes 2 = No 3 = Unknown 4 = Blank/Not applicable
72	1	672	[ENNOTES] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE NURSES' NOTES? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable
73	1	673	[EPNOTES] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE PHYSICIANS' NOTES? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable
74	1	674	[EREMIND] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE REMINDERS FOR GUIDELINE-BASED INTERVENTIONS AND/OR SCREENING TESTS? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable
75	1	675	[EPUBLTH] DOES THIS PRACTICE'S ELECTRONIC MEDICAL RECORD SYSTEM INCLUDE PUBLIC HEALTH REPORTING? 1 = Yes 2 = No 3 = Unknown 4 = Blank 8 = Not applicable

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
76	1	676	[PRMCARER] Roughly, what percent of your practice revenue from patient care comes from Medicare? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
77	1	677	[PRMAIDR] Roughly, what percent of your practice revenue from patient care comes from Medicaid? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
78	1	678	[PRPRVTR] Roughly, what percent of your practice revenue from patient care comes from private insurance? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
79	1	679	[PROTHR] Roughly, what percent of your practice revenue from patient care comes from other sources? (including charity, research, Champus, VA, etc.) 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank
80	1	680	[MANCAREC] Roughly, how many managed care contracts does this practice have, such as HMOs, PPOs, IPAs, and point-of-service plans? 0 = Blank 1 = None 2 = Less than 3 3 = 3-10 4 = More than 10
81	1	681	[PRMANR] Roughly, what percentage of the patient care revenue received by this practice comes from (these) managed care contracts? 1 = Less than or equal to 25 percent 2 = 26-50 percent 3 = 51-75 percent 4 = More than 75 percent 9 = Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
82	1	682	[ACETPNEW] Are you currently accepting "new" patients into your practice? 0 = Blank 1 = Yes 2 = No 3 = Unknown
83	1	683	[CAPITATE] From those "new" patients, which of the following types of payment do you accept? - Capitated private insurance 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable
84	1	684	[NOCAP] From those "new" patients, which of the following types of payment do you accept? – Non-capitated private insurance 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable
85	1	685	[NMEDCARE] From those "new" patients, which of the following types of payment do you accept? – Medicare 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable
86	1	686	[NMEDCAID] From those "new" patients, which of the following types of payment do you accept? – Medicaid 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable
87	1	687	[NWORKCMP] From those "new" patients, which of the following types of payment do you accept? – Workers compensation 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
88	1	688	[NSELFPAY] From those "new" patients, which of the following types of payment do you accept? – Self-pay 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable
89	1	689	[NNOCHRG] From those "new" patients, which of the following types of payment do you accept? – No charge 0 = Blank 1 = Yes 2 = No 3 = Unknown 4 = Not applicable
90	1	690	[REFMDCAD] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Medicaid 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown 6 = Not applicable
91	1	691	[REFMDCAR] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Medicare 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown 6 = Not applicable
92	1	692	[REFPRIV] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Private insurance 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown 6 = Not applicable

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
93	1	693	[REFUNINS] In the past 12 months, has your practice experienced difficulty in referring patients with the following types of health insurance for specialty consultations? – Uninsured 0 = Blank 1 = A lot of difficulty 2 = Some difficulty 3 = Little difficulty 4 = No difficulty 5 = Unknown 6 = Not applicable
94	1	694	[RACER] RACE RECODE 1 = White 2 = Black 3 = Other
95	1	695	[RACEETH] RACE/ETHNICITY 1 = White Only, Non-Hispanic 2 = Black Only, Non-Hispanic 3 = Hispanic 4 = Asian Only 5 = Native Hawaiian, Other Pacific Islander Only 6 = American Indian/Alaska Native Only 7 = Multiple Races

*** THE FOLLOWING ITEM WAS ADDED TO ENABLE USERS TO CREATE TABLES USING THE PHYSICIAN SPECIALTY GROUPS SHOWN ON PAGES 61-62 OF SECTION 1. THIS WILL PRODUCE TABLES BY SPECIALTY SIMILAR TO THOSE SHOWN IN NAMCS PUBLISHED REPORTS ***

96	2	696-697	[SPECR] PHYSICIAN SPECIALTY RECODE 01 = General and family practice 03 = Internal medicine 04 = Pediatrics 05 = General surgery 06 = Obstetrics and gynecology 07 = Orthopedic surgery 08 = Cardiovascular diseases 09 = Dermatology 10 = Urology 11 = Psychiatry 12 = Neurology 13 = Ophthalmology 14 = Otolaryngology 15 = All other
----	---	---------	--

(Note : For this variable, doctors of osteopathy (stratum 02) have been aggregated with doctors of medicine according to their self-designated practice specialty, and therefore are not differentiated in the variable range. To isolate doctors of osteopathy from medical doctors using the Physician Specialty Recode, it is necessary to crosstabulate it with Type of Doctor located in position 282.)

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
97	1	698	[SPECCAT] PHYSICIAN SPECIALTY GROUP (Recoded from SPEC using categories shown on page 63.) 1 = Primary care specialty 2 = Surgical care specialty 3 = Medical care specialty

*** THE FOLLOWING ITEM WAS ADDED TO ENABLE USERS TO CREATE SUBSETS OF VISITS BY PATIENTS UNDER ONE YEAR OF AGE ***

98	3	699-701	[AGEDAYS] AGE IN DAYS 001-365 = 001-365 days 999 = More than 365 days
----	---	---------	---

*** THE FOLLOWING ITEM WAS ADDED TO FACILITATE ANALYSIS OF AGE DATA, USING THE CATEGORIES FOUND IN NAMCS REPORTS.

99	1	702	[AGER] AGE RECODE 1 = Under 15 years 2 = 15-24 years 3 = 25-44 years 4 = 45-64 years 5 = 65-74 years 6 = 75 years and over
----	---	-----	--

NUMERIC RECODES FOR DIAGNOSIS AND PROCEDURES

The following items were included on the public use file to facilitate analysis of visits using ICD-9-CM codes. Prior to the 1995 public use file, all ICD-9-CM diagnosis codes on the NAMCS micro-data file were converted from alphanumeric to numeric fields according to the following coding conventions: A prefix of '1' was added to ICD-9-CM codes in the range of 001.0[-] through 999.9[-]. A prefix of '20' was substituted for the letter 'V' for codes in the range of V01.0[-] through V82.9[-]. Inapplicable fourth or fifth digits were zero-filled. This conversion was done to facilitate analysis of ICD-9-CM data using Ambulatory Care Statistics software systems. Similar conversions were made for ICD-9-CM procedure codes and external cause of injury codes. Specific coding conventions are discussed in the public use documentation for each data year.

In 1995, however, the decision was made to use actual ICD-9-CM codes on the public use data file. Codes were not prefixed, and a dash was inserted for inapplicable fourth or fifth digits. For specific details pertaining to each type of code (diagnosis, procedure, cause of injury), refer to the documentation for the survey year of interest. This had the advantage of preserving actual codes and avoiding possible confusion over the creation of some artificial codes due to zero-filling.

It had come to our attention that some users of NAMCS data find it preferable to use the numeric field recodes rather than the alphanumeric fields in certain data applications. Therefore, since data year 1997, we have included numeric recodes for any ICD-9-CM codes on our datasets. These are in addition to the actual codes for these variables which appear earlier on the public use file. Users can make their own choice about which format best suits their needs.

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
----------	--------------	---------------	-------------------------------------

We would be interested in hearing from data users as to which format they prefer so that a decision can be made about whether to include both formats in future years. Please contact Susan Schappert, Ambulatory Care Statistics Branch, at 301-458-4480.

100.1	6	703-708	[DIAG1R] DIAGNOSIS # 1 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 900000 = Blank
100.2	6	709-714	[DIAG2R] DIAGNOSIS # 2 (Recode to Numeric Field) 00100-208290 = 001.0[0]-V82.9[0] 09900 = Noncodable, insufficient information for coding, illegible 09910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 09920 = Transferred to another facility; sent to see specialist 09930 = HMO will not authorize treatment 09970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 900000 = Blank
100.3	6	715-720	[DIAG3R] DIAGNOSIS # 3 (Recode to Numeric Field) 100100-208290 = 001.0[0]-V82.9[0] 209900 = Noncodable, insufficient information for coding, illegible 209910 = Left before being seen; patient walked out; not seen by doctor; left against medical advice 209920 = Transferred to another facility; sent to see specialist 209930 = HMO will not authorize treatment 209970 = Entry of "none," "no diagnosis," "no disease," or "healthy" 900000 = Blank
101.1	4	721-724	[SCOPWI1R] SCOPE PROCEDURE WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
101.2	4	725-728	[SCOPWI2R] SCOPE PROCEDURE WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
102.1	4	729-732	DIAGSC1R] OTHER DIAGNOSTIC/SCREENING SERVICE WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
102.2	4	733-736	[DIAGSC2R] OTHER DIAGNOSTIC/SCREENING SERVICE WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
103.1	4	737-740	[OTHPROC1] PROCEDURE WRITE-IN #1 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
103.2	4	741-744	[OTHPROC2] PROCEDURE WRITE-IN #2 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
103.3	4	745-748	[OTHPROC3] PROCEDURE WRITE-IN #3 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
103.4	4	749-752	[OTHPROC4] PROCEDURE WRITE-IN #4 (Recode to Numeric Field) 0101-999 = 01.01 - 99.99 0000 = Not applicable/Blank
		*****	END OF NUMERIC RECODES *****
104	1	753	[WHOCOMP] WHO COMPLETED THE PATIENT RECORD FORMS? 1 = Physician 2 = Office Staff 3 = Census Field Representative (abstraction from record) 4 = Other 5 = Multiple categories checked 6 = Unknown

ITEM NO.	FIELD LENGTH	FILE LOCATION	[ITEM NAME], DESCRIPTION, AND CODES
105	1	754	[SETTYPE] SETTING TYPE This item is intended for use when combining data from the NAMCS and NHAMCS. 1 = Physician office (NAMCS) 2 = Hospital outpatient department (NHAMCS) 3 = Hospital emergency departments (NHAMCS)
106	4	755-758	[YEAR] SURVEY YEAR 2005

NAMCS DESIGN VARIABLES

NAMCS sampling design variables (in masked format) were first added to the 2000 public use file, and data years from 1993-1999 were re-released to include them. These variables were for use with statistical software such as SUDAAN that takes into account the complex sampling design of the survey. However, for those running versions of SAS, Stata, SPSS and other software that assumes a single stage of sampling, the multi-stage design variables provided on the public use files could not be used without modification. Therefore, in 2002, two new variables, CSTRATM and CPSUM, were developed, that could be used in such programs instead of the multi-stage variables. In 2003, the decision was made to include on the public use file just these two variables and not the multi-stage design variables that appeared in the past.

Until such time as the older public use files may be re-released to include these variables, data users wishing to combine data from 2003 and later years with data from earlier years will find it necessary to create CSTRATM and CPSUM for the earlier files. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: <http://www.cdc.gov/nchs/about/major/ahcd/ahcd1.htm>. This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models, such as those used in SAS proc surveymeans, Stata, SPSS, and the SUDAAN with-replacement option, and how to handle instances of single-case strata in the data on the older files. Please also see the section in on Relative Standard Errors in the current document for more information on these variables and how to use them. PSU is primary sampling unit.

107	8	759-766	[CSTRATM] CLUSTERED PSU STRATUM MARKER (masked) 20105101-40400000
108	6	767-772	[CPSUM] CLUSTERED PSU MARKER (masked) 5-102987
109	6	773-778	[PHYSWT] PHYSICIAN WEIGHT Physician weight enables data users to make physician-level estimates. See also "Description of the NAMCS," Marginal Data, and Appendix I.

B. PHYSICIAN SPECIALTY LIST

The 2005 NAMCS survey design grouped physicians into 15 strata, or specialty groups, for sampling purposes. One stratum, doctors of osteopathy, was based on information from the American Osteopathic Association. The other groups were developed based on information from the American Medical Association (AMA). Below is a list of the AMA physician specialties comprising each of these sample strata. Some small specialties were masked on the public use file for confidentiality purposes.

GENERAL AND FAMILY PRACTICE

FP - Family Practice
 FPG - Family Practice, Geriatric Medicine
 FSM - Sports Medicine (Family Practice)
 GP - General Practice

INTERNAL MEDICINE

IM - Internal Medicine

PEDIATRICS

ADL - Adolescent Medicine
 CCP - Critical Care Pediatrics
 DBP - Developmental - Behavioral Pediatrics
 MPD - Internal Medicine/Pediatrics
 NDN - Neurodevelopmental Disabilities
 NPM - Neonatal-Perinatal Medicine
 PD - Pediatrics
 PDA - Pediatric Allergy
 PDC - Pediatric Cardiology
 PDE - Pediatric Endocrinology
 PDI - Pediatric Infectious Diseases
 PDP - Pediatric Pulmonology
 PDT - Medical Toxicology
 PEM - Pediatric Emergency Medicine
 PG - Pediatric Gastroenterology
 PHO - Pediatric Hematology/Oncology
 PN - Pediatric Nephrology
 PPR - Pediatric Rheumatology
 PSM - Sports Medicine (Pediatrics)

GENERAL SURGERY

GS - General Surgery

OBSTETRICS AND GYNECOLOGY

GO - Gynecological Oncology
 GYN - Gynecology
 MFM - Maternal & Fetal Medicine
 OBG - Obstetrics & Gynecology
 OBS - Obstetrics
 OCC -Critical Care Medicine
 (Obstetrics & Gynecology)
 REN - Reproductive Endocrinology

ORTHOPEDIC SURGERY

OAR - Adult Reconstructive Orthopedics
 OFA - Foot and Ankle Orthopedics
 OMO - Musculoskeletal Oncology
 OP - Pediatric Orthopedics
 ORS - Orthopedic Surgery
 OSM - Sports Medicine (Orthopedic Surgery)
 OSS - Orthopedic Surgery of the Spine
 OTR - Orthopedic Trauma

CARDIOVASCULAR DISEASES

CD - Cardiovascular Diseases

DERMATOLOGY

D - Dermatology

UROLOGY

U - Urology
 UP - Pediatric Urology

PSYCHIATRY

ADP - Addiction Psychiatry
 CHP - Child Psychiatry
 NUP - Neuropsychiatry
 P - Psychiatry
 PFP - Forensic Psychiatry
 PYA - Psychoanalysis
 PYG - Geriatric Psychiatry

NEUROLOGY

CHN - Child Neurology
 CN -Clinical Neurophysiology
 ESN - Endovascular Surgical Neuroradiology
 N - Neurology
 NRN - Neurology (Diagnostic Radiology)

OPHTHALMOLOGY

OPH - Ophthalmology
 PO - Pediatric Ophthalmology

OTOLARYNGOLOGY

NO - Otology - Neurotology
 OTO - Otolaryngology
 PDO - Pediatric Otolaryngology

ALL OTHER

A - Allergy
 ADM - Addiction Medicine
 AI - Allergy and Immunology
 ALI - Allergy & Immunology/
 Diagnostic Lab. Immunology
 AM - Aerospace Medicine
 AMI - Adolescent Medicine (Internal
 Medicine)
 AS - Abdominal Surgery
 CBG - Clinical Biochemical Genetics
 CCG - Clinical Cytogenetics
 CCM - Critical Care Medicine
 CCS - Critical Care Surgery
 CFS - Craniofacial Surgery
 CG - Clinical Genetics
 CMG - Clinical Molecular Genetics
 CRS - Colon and Rectal Surgery
 CS - Cosmetic Surgery
 DDL - Dermatological Immunology/
 Diagnostic Lab. Immunology
 DIA - Diabetes
 DS - Dermatologic Surgery
 EM - Emergency Medicine
 END - Endocrinology
 EP - Epidemiology
 ESM - Sports Medicine (Emergency Medicine)
 ETX - Medical Toxicology (Emergency
 Medicine)
 FPS - Facial Plastic Surgery
 GE - Gastroenterology
 GPM - General Preventive Medicine
 HEM - Hematology
 HEP - Hepatology
 HNS - Head and Neck Surgery
 HO - Hematology/Oncology
 HS - Hand Surgery
 HSP - Hand Surgery (Plastic Surgery)
 HSS - Hand Surgery (Surgery)
 IC - Interventional Cardiology
 ICE - Cardiac Electrophysiology
 ID - Infectious Diseases
 IG - Immunology
 ILI - Internal Medicine/Diagnostic Lab.
 Immunology

ALL OTHER (cont.)

IMG - Geriatric Medicine (Internal Medicine)
 ISM - Sports Medicine (Internal Medicine)
 LM - Legal Medicine
 MDM - Medical Management
 MG - Medical Genetics
 NEP - Nephrology
 NS - Neurological Surgery
 NSP - Pediatric Surgery (Neurology)
 NTR - Nutrition
 OM - Occupational Medicine
 OMF - Oral & Maxillofacial Surgery
 OMM - Osteopathic Manipulative Medicine
 ON - Medical Oncology
 PA - Clinical Pharmacology
 PCC - Pulmonary Critical Care Medicine
 PCS - Pediatric Cardiothoracic Surgery
 PDS - Pediatric Surgery
 PE - Pediatric Emergency Medicine
 (Emergency Medicine)
 PHM - Pharmaceutical Medicine
 PHP - Public Health/General Preventive
 Medicine
 PLI - Pediatric/Diagnostic Lab. Immunology
 PLM - Palliative Medicine
 PM - Physical Medicine and
 Rehabilitation
 PMD - Pain Medicine
 PMM - Sports Medicine (Physical Medicine and
 Rehabilitation)
 PRM - Pediatric Rehabilitation Medicine
 PRO - Proctology
 PS - Plastic Surgery
 PSH - Plastic Surgery within the Head & Neck
 PTX - Medical Toxicology (Preventive
 Medicine)
 PUD - Pulmonary Diseases
 RHU - Rheumatology
 SCI - Spinal Cord Injury
 SM - Sleep Medicine
 SO - Surgical Oncology
 TRS - Traumatic Surgery
 TS - Thoracic Surgery
 TTS - Transplant Surgery
 UCM - Urgent Care Medicine
 UM - Undersea Medicine
 VM - Vascular Medicine
 VS - Vascular Surgery
 OS - Other Specialty
 US - Unspecified

C. AMA SPECIALTIES REGROUPED INTO PRIMARY CARE, SURGICAL, AND MEDICAL SPECIALTIES

Below is a list of the AMA physician specialties comprising the NAMCS sample strata, regrouped into primary care, surgical, and medical specialties for analytic purposes (see SPECCAT variable on file layout).

PRIMARY CARE SPECIALTIES

ADL - Adolescent Medicine
 AMI - Adolescent Medicine (Internal Medicine)
 FP - Family Practice
 FPG - Family Practice, Geriatric Medicine
 FSM - Sports Medicine (Family Practice)
 GP - General Practice
 GYN - Gynecology
 IM - Internal Medicine
 IMG - Geriatric Medicine (Internal Medicine)
 MPD - Internal Medicine/Pediatrics
 MFM - Maternal & Fetal Medicine
 OBG - Obstetrics & Gynecology
 OBS - Obstetrics
 PD - Pediatrics
 PSM - Sports Medicine (Pediatrics)

SURGICAL SPECIALTIES

AS - Abdominal Surgery
 OAR - Adult Reconstructive Orthopedics
 CRS - Colon and Rectal Surgery
 CS - Cosmetic Surgery
 CFS - Craniofacial Surgery
 OCC - Critical Care Medicine (Obstetrics & Gynecology)
 CCS - Critical Care Surgery
 DS - Dermatologic Surgery
 ESN - Endovascular Surgical Neuroradiology
 FPS - Facial Plastic Surgery
 OFA - Foot and Ankle Orthopedics
 GS - General Surgery
 GO - Gynecological Oncology
 HS - Hand Surgery
 HSP - Hand Surgery (Plastic Surgery)
 HSS - Hand Surgery (Surgery)
 HNS - Head and Neck Surgery
 OMO - Musculoskeletal Oncology
 NS - Neurological Surgery
 OPH - Ophthalmology
 OMF - Oral & Maxillofacial Surgery
 OTO - Otolaryngology
 NO - Otology - Neurotology
 ORS - Orthopedic Surgery
 OSS - Orthopedic Surgery of the Spine
 OTR - Orthopedic Trauma

SURGICAL SPECIALTIES (cont.)

PCS - Pediatric Cardiothoracic Surgery
 OP - Pediatric Orthopedics
 PO - Pediatric Ophthalmology
 PDO - Pediatric Otolaryngology
 NSP - Pediatric Surgery (Neurology)
 PDS - Pediatric Surgery
 UP - Pediatric Urology
 PS - Plastic Surgery
 PSH - Plastic Surgery within the Head & Neck
 OSM - Sports Medicine (Orthopedic Surgery)
 SO - Surgical Oncology
 TS - Thoracic Surgery
 TTS - Transplant Surgery
 TRS - Traumatic Surgery
 U - Urology
 VS - Vascular Surgery

MEDICAL SPECIALTIES

A - Allergy
 ADM - Addiction Medicine
 ADP - Addiction Psychiatry
 AI - Allergy and Immunology
 ALI - Allergy & Immunology/
 Diagnostic Lab. Immunology
 AM - Aerospace Medicine
 CBG - Clinical Biochemical Genetics
 CCG - Clinical Cytogenetics
 CCM - Critical Care Medicine
 CCP - Critical Care Pediatrics
 CD - Cardiovascular Diseases
 CG - Clinical Genetics
 CMG - Clinical Molecular Genetics
 CHN - Child Neurology
 CHP - Child Psychiatry
 CN - Clinical Neurophysiology
 D - Dermatology
 DBP - Developmental - Behavioral Pediatrics
 DDL - Dermatological Immunology/
 Diagnostic Lab. Immunology
 DIA - Diabetes
 EM - Emergency Medicine
 END - Endocrinology
 EP - Epidemiology

MEDICAL SPECIALTIES (cont.)

ESM - Sports Medicine (Emergency Medicine)
ETX - Medical Toxicology (Emergency Medicine)
GE - Gastroenterology
GPM - General Preventive Medicine
HEM - Hematology
HEP - Hepatology
HO - Hematology/Oncology
IC - Interventional Cardiology
ICE - Cardiac Electrophysiology
ID - Infectious Diseases
IG - Immunology
ILI - Internal Medicine/Diagnostic Lab.
ISM - Sports Medicine (Internal Medicine)
LM - Legal Medicine
MDM - Medical Management
MG - Medical Genetics
NDN - Neurodevelopmental Disabilities
N - Neurology
NEP - Nephrology
NPM - Neonatal-Perinatal Medicine
NRN - Neurology (Diagnostic Radiology)
NTR - Nutrition
NUP - Neuropsychiatry
PHM - Pharmaceutical Medicine
OM - Occupational Medicine
OMM - Osteopathic Manipulative Medicine
ON - Medical Oncology
P - Psychiatry
PA - Clinical Pharmacology
PCC - Pulmonary Critical Care Medicine
PDA - Pediatric Allergy
PDC - Pediatric Cardiology
PDE - Pediatric Endocrinology
PDI - Pediatric Infectious Diseases
PDP - Pediatric Pulmonology
PDT - Medical Toxicology
PE - Pediatric Emergency Medicine (Emergency Medicine)
PEM - Pediatric Emergency Medicine
PFP - Forensic Psychiatry
PG - Pediatric Gastroenterology

PHP - Public Health/General Preventive Medicine
PHO - Pediatric Hematology/Oncology
PLI - Pediatric/Diagnostic Lab. Immunology
PLM - Palliative Medicine
PM - Physical Medicine and Rehabilitation
PMD - Pain Medicine
PMM - Sports Medicine (Physical Medicine and Rehabilitation)
PN - Pediatric Nephrology
PPR - Pediatric Rheumatology
PRM - Pediatric Rehabilitation Medicine
PRO - Proctology
PTX - Medical Toxicology (Preventive Medicine)
PUD - Pulmonary Diseases
PYA - Psychoanalysis
PYG - Geriatric Psychiatry
REN - Reproductive Endocrinology Immunology
RHU - Rheumatology
SCI - Spinal Cord Injury
SM - Sleep Medicine
UCM - Urgent Care Medicine
UM - Undersea Medicine
VM - Vascular Medicine
OS - Other Specialty
US - Unspecified

III. MARGINAL DATA**A. PATIENT VISITS**-----
PATIENT AGE

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
1 - Under 15 years	3,785	160,551,569	16.661
2 - 15-24 years	1,900	70,583,442	7.325
3 - 25-44 years	5,303	201,619,060	20.923
4 - 45-64 years	7,801	283,180,078	29.387
5 - 65-74 years	3,239	119,060,552	12.356
6 - 75 years and over	3,637	128,622,698	13.348

PATIENT SEX

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
1 - Female	14,558	560,355,214	58.151
2 - Male	11,107	403,262,185	41.849

PATIENT RACE

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
1 - White Only	22,393	832,038,052	86.345
2 - Black/African American Only	2,244	88,930,181	9.229
3 - Asian Only	759	33,258,599	3.451
4 - Native Hawaiian/Oth Pac Isl Only	91	3,519,965	0.365
5 - American Indian/Alaska Native Only	90	3,046,109	0.316
6 - More than one race reported	88	2,824,493	0.293

EXPECTED PRIMARY SOURCE OF PAYMENT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
0 - Blank	730	29,490,272	3.060
1 - Private insurance	13,797	524,847,242	54.466
2 - Medicare	5,854	212,653,395	22.068
3 - Medicaid	2,734	108,600,683	11.270
4 - Worker's compensation	277	9,856,234	1.023
5 - Self-pay	1,143	39,171,874	4.065
6 - No charge	115	4,417,328	0.458
7 - Other	522	17,632,416	1.830
8 - Unknown	493	16,947,955	1.759

MAJOR REASON FOR VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
0 - Blank	453	18,844,540	1.956
1 - Acute problem	7,601	319,329,820	33.139
2 - Chronic problem, routine	8,878	290,545,380	30.152
3 - Chronic problem, flare-up	2,629	89,842,596	9.323
4 - Pre/Post-surgery	2,230	70,668,514	7.334
5 - Preventive care	3,874	174,386,549	18.097

HAVE YOUR OR ANYONE IN YOUR PRACTICE SEEN PATIENT BEFORE?

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
1 - Yes, established patient	21,801	841,423,945	87.319
2 - No, new patient	3,864	122,193,454	12.681

NUMBER OF MEDICATION CODES THIS VISIT

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
0	8,431	284,368,311	29.510
1	6,326	237,110,468	24.606
2	3,743	142,934,170	14.833
3	2,258	90,067,866	9.347
4	1,366	55,508,104	5.760
5	965	41,548,645	4.312
6	722	31,059,854	3.223
7	598	26,672,859	2.768
8	1,256	54,347,122	5.640

PHYSICIAN SPECIALTY

CATEGORY	RECORDS	WEIGHTED VISITS	PERCENT
Total	25,665	963,617,399	100.000
1 - General/family practice	4,483	215,866,052	22.402
3 - Internal medicine	1,737	167,627,500	17.396
4 - Pediatrics	2,616	128,986,188	13.386
5 - General surgery	1,318	24,057,081	2.497
6 - Obstetrics and gynecology	1,549	64,109,809	6.653
7 - Orthopedic surgery	1,294	45,815,296	4.755
8 - Cardiovascular diseases	1,349	26,938,520	2.796
9 - Dermatology	1,368	32,442,422	3.367
10 - Urology	1,566	18,921,678	1.964
11 - Psychiatry	1,682	28,125,493	2.919
12 - Neurology	1,547	13,029,725	1.352
13 - Ophthalmology	1,697	59,025,016	6.125
14 - Otolaryngology	1,605	22,452,269	2.330
15 - Other specialties	1,854	116,220,350	12.061

B. DRUG MENTIONS

PATIENT AGE

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	49,441	2,030,804,160	100.000
1 - Under 15 years	4,368	197,957,083	9.748
2 - 15-24 years	2,315	87,371,851	4.302
3 - 25-44 years	8,016	327,784,709	16.141
4 - 45-64 years	16,364	673,999,695	33.189
5 - 65-74 years	8,300	344,905,779	16.984
6 - 75 years and over	10,078	398,785,043	19.637

PATIENT SEX

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	49,441	2,030,804,160	100.000
1 - Female	28,845	1,206,035,142	59.387
2 - Male	20,596	824,769,018	40.613

PHYSICIAN SPECIALTY

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	49,441	2,030,804,160	100.000
1 - General/family practice	11,192	557,672,855	27.461
3 - Internal medicine	5,455	504,591,393	24.847
4 - Pediatrics	3,272	162,989,008	8.026
5 - General surgery	1,768	28,113,534	1.384
6 - Obstetrics and gynecology	1,342	58,653,297	2.888
7 - Orthopedic surgery	1,143	40,792,181	2.009
8 - Cardiovascular diseases	6,313	115,619,848	5.693
9 - Dermatology	1,921	50,428,427	2.483
10 - Urology	2,158	25,562,323	1.259
11 - Psychiatry	3,525	64,562,759	3.179
12 - Neurology	3,460	31,780,607	1.565
13 - Ophthalmology	1,975	71,404,486	3.516
14 - Otolaryngology	1,630	23,052,379	1.135
15 - Other specialties	4,287	295,581,063	14.555

NATIONAL DRUG CODE DIRECTORY DRUG CLASSES

CATEGORY	RECORDS	WEIGHTED MENTIONS	PERCENT
Total	56,963	2,340,128,744	100.000
1 - Anesthetics	335	10,257,576	0.438
2 - Antidotes	50	1,053,686	0.045
3 - Antimicrobial agents	3,232	143,406,380	6.128
4 - Hematologic agents	1,318	50,172,744	2.144
5 - Cardiovascular-renal drugs	9,897	409,878,506	17.515
6 - Central Nervous System	6,458	214,475,803	9.165
7 - Radiopharmaceutical/contrast media	11	287,635	0.012
8 - Gastrointestinal agents	2,403	101,200,102	4.325
9 - Metabolic/Nutrients	5,304	230,683,069	9.858
10 - Hormones and agents affecting hormonal mechanisms	4,477	205,770,315	8.793
11 - Immunologic agents	1,364	69,400,932	2.966
12 - Skin/Mucous Membrane	2,048	69,499,914	2.970
13 - Neurologic drugs	2,255	60,189,950	2.572
14 - Oncolytics	359	15,248,390	0.652
15 - Ophthalmic drugs	1,212	46,025,336	1.967
16 - Otologic drugs	426	17,991,188	0.769
17 - Drugs used for Relief of Pain	9,364	394,193,578	16.845
18 - Antiparasitic agents	241	11,409,954	0.488
19 - Respiratory tract drugs	4,954	236,397,587	10.102
20 - Unclassified/Miscellaneous	956	40,050,894	1.711
21 - Homeopathic products	299	12,535,205	0.536

Adapted from the National Drug Code Directory (NDC), 1995 edition.

C. PHYSICIAN ESTIMATES

PHYSICIAN SPECIALTY

CATEGORY	RECORDS	WEIGHTED PHYSICIANS	PERCENT
Total	1,058	317,083	100.000
General/family practice	167	59,225	18.678
Internal medicine	65	48,446	15.279
Pediatrics	89	32,699	10.312
General surgery	67	11,807	3.724
Obstetrics and gynecology	59	22,406	7.066
Orthopedic surgery	53	14,787	4.663
Cardiovascular diseases	68	12,776	4.029
Dermatology	50	7,011	2.211
Urology	64	6,517	2.055
Psychiatry	86	18,071	5.699
Neurology	73	6,404	2.020
Ophthalmology	60	13,448	4.241
Otolaryngology	57	6,245	1.970
Other specialties	100	57,241	18.052

IS THIS A SOLO PRACTICE?

CATEGORY	RECORDS	WEIGHTED PHYSICIANS	PERCENT
Total	1,058	317,083	100.000
Yes	396	124,817	39.364
No	662	192,266	60.636

SPECIALTY TYPE

CATEGORY	RECORDS	WEIGHTED PHYSICIANS	PERCENT
Total	1,058	317,083	100.000
Primary care specialty	376	161,192	50.836
Surgical care specialty	329	69,440	21.900
Medical care specialty	353	86,451	27.264

APPENDIX I

A. RELATIVE STANDARD ERRORS

The standard error is primarily a measure of the sampling variability that occurs by chance because only a sample is surveyed, rather than the entire universe. The relative standard error (RSE) of an estimate is obtained by dividing the standard error of the estimate by the estimate itself and is expressed as a percentage of the estimate. Standard errors and other measures of sampling variability are best determined by using a statistical software package that takes into account the sample designs of surveys to produce such measures.

Using computer software like SUDAAN to produce standard errors will, in general, yield results that are more accurate than those produced using the generalized variance curve described below. This is especially true for clustered variables like race, provider seen, or expected source of payment. The standard errors produced with such software using masked design variables, while improving substantially over the generalized variance curve results, will not always be as accurate as those produced using unmasked data. However, data files containing unmasked variables are confidential and are only available through the NCHS Research Data Center.

NAMCS (and NHAMCS) public use files for 1993-2002 included masked multi-stage design variables used to estimate variance with software such as SUDAAN's full sample without replacement design option. In 2002, two new sample design variables (CSTRATM and CPSUM) were added to the file for use with software utilizing a "between PSU" variance estimator or "ultimate cluster" sampling design.

Ultimate cluster variance estimates depend only on the first stage of the sample design, so that only first-stage cluster and first-stage stratum identification are required. Starting with 2003 data, the NAMCS public use files include only these first-stage design variables, CSTRATM and CPSUM. They differ from the STRATM and PSUM variables on 1993-2002 files in that providers are the first-stage sampling units in certainty areas (geographic areas selected with certainty), while geographic areas are the first-stage sampling units in non-certainty areas.

Examples using CSTRATM and CPSUM in Stata, SUDAAN's 1-stage WR (with replacement) design option, and SAS's PROC surveymeans applications are presented below:

Stata

The pweight (PATWT), strata (CSTRATM), and PSU (CPSUM) are set with the svyset command as follows:

Stata 8:

```
svyset [pweight=patwt], psu(cpsum) strata(cstratm)
```

Stata 9:

```
svyset cpsum [pweight=patwt], strata(cstratm)
```

SUDAAN 1-stage WR Option

The program below provides a with replacement ultimate cluster (1-stage) estimate of standard errors for a cross-tabulation.

```
PROC CROSSTAB DATA=COMB1 DESIGN=WR FILETYPE=SAS;  
NEST CSTRATM CPSUM/MISSUNIT;
```


SAS - PROC SURVEYMEANS

```
PROC SURVEYMEANS DATA=COMB1;  
CLUSTER CPSUM;  
STRATA CSTRATM;
```

SPSS

This code pertains to SPSS Inc.'s Complex Samples 12.0 module. It would be used with the "Analysis Preparation Wizard" component of that module. The PLAN FILE statement would be invoked in statistical runs, as in the example for CSTABULATE shown below.

```
CSPLAN ANALYSIS  
/PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'  
/PLAN VARS ANALYSISWEIGHT=PATWT  
/PRINT PLAN  
/DESIGN STAGELABEL= 'ANY LABEL' STRATA=CSTRATM CLUSTER=CPSUM  
/ESTIMATOR TYPE=WR.
```

```
CSTABULATE  
/PLAN FILE='DIRECTORY\PLANNAME.CSAPLAN'  
/TABLES VARIABLES = var1 var2  
/CELLS POPSIZE  
/STATISTICS SE  
/MISSING SCOPE = TABLE CLASSMISSING = EXCLUDE.
```

If researchers wish to combine data from 2003 and later years of NAMCS public use files with earlier years, it will be necessary to create the CSTRATM and CPSUM variables and to consider the possibility of single case strata in the data, in order to estimate variances. A technical paper, *Using Ultimate Cluster Models with NAMCS and NHAMCS Public Use Files*, is available for downloading at the Ambulatory Health Care Data website: <http://www.cdc.gov/nchs/namcs.htm>. This paper gives instructions on how to configure data files prior to 2002 for variance estimation based on 1-stage sampling models and how to handle instances of single-case strata in the data on the older files.

IMPORTANT NOTE: These examples can be used when producing visit or drug estimates. For physician-level estimates, the statements are the same, but replace PATWT with PHYSWT. The PHYSWT variable is only placed on the first record for each physician. When running purely physician level analysis, it is recommended that only records with PHYSWT > 0 be selected; this will give the correct sample counts and will not affect estimation of variance. Weighted estimates will be correct either way.

In addition to generating estimates for physician characteristics at the physician level, the addition of PHYSWT also means that one can link visit data with physician data. For example, one could examine average time spent with physicians across physicians rather than simply across visits. This type of analysis is slightly complicated; a description along with sample SAS code is available at the Ambulatory Health Care Data website. For more information, contact the Ambulatory Care Statistics Branch at 301-458-4600.

For data users who do not wish to use SUDAAN or similar programs to produce measures of sampling variability, we may make available upon request tables which contain relative standard errors based on generalized variance curves for a wide range of visit estimates and drug mention estimates by physician specialty. (Estimates with a relative standard error greater than 30 percent are considered unreliable by the standards of the National Center for Health Statistics. It should also be noted here that estimates based on fewer than 30 sample records are considered unreliable, regardless of the magnitude of the relative standard

error.) The following formulas may be used to calculate approximate relative standard errors for visit estimates and drug mention estimates.

For aggregate estimates, approximate relative standard errors can be calculated using the following general formula, where "x" is the aggregate of patient visits or drug mentions in thousands, and coefficients "A" and "B" are obtained from Table IV:

$$RSE(x) = 100 \cdot \sqrt{A + \frac{B}{x}}$$

For estimates of percents, approximate relative standard errors can be calculated using the following general formula, where "p" is the percent of visits or mentions, "x" is the denominator of the percent in thousands, and coefficient "B" is obtained from Table IV:

$$RSE(p) = 100 \cdot \sqrt{\frac{B \cdot (1 - p)}{p \cdot x}}$$

For estimates of visit rates in which the numerator is the number of visits for a particular characteristic and the denominator is the total U.S. population or one of the age-sex-race groups of the total population, the relative standard error is equivalent to the relative standard error of the numerator, as shown above in the paragraph on aggregate estimates. For additional information, contact the Ambulatory Care Statistics Branch at (301) 458-4600.

Table IV. Coefficients appropriate for determining approximate relative standard errors by type of estimate and physician specialty: National Ambulatory Medical Care Survey, 2005

Type of estimate and physician specialty	Coefficient for use with estimates in thousands		Lowest reliable estimate (in thousands)
	A	B	
Visits			
Overall totals	0.002812	89.1013	1,022
General and family practice	0.006981	64.52823	778
Internal medicine	0.015567	156.3109	2,101
Pediatrics	0.008843	75.03605	925
General surgery	0.024941	33.58287	517
Obstetrics and gynecology	0.012008	81.85856	1,050
Orthopedic surgery	0.012772	66.52329	862
Cardiovascular diseases	0.020545	33.21357	479
Dermatology	0.021971	28.30911	417
Urology	0.012695	18.83727	244
Psychiatry	0.015353	37.66525	505
Neurology	0.011747	12.52463	161
Ophthalmology	0.017722	63.81045	883
Otolaryngology	0.013014	25.12422	327
All other specialties	0.021234	155.9187	2,268
Drug mentions			
Overall totals	0.00576	213.054	2,530
General and family practice	0.009703	217.6697	2,711
Internal medicine	0.024766	490.2941	7,516
Pediatrics	0.010752	142.8184	1,803
General surgery	0.040104	114.1143	2,287
Obstetrics and gynecology	0.022489	145.3219	2,153
Orthopedic surgery	0.025707	95.27442	1,482
Cardiovascular diseases	0.021762	144.3675	2,116
Dermatology	0.033373	51.35112	907
Urology	0.02571	41.17809	641
Psychiatry	0.027584	61.17865	981
Neurology	0.018736	33.33576	468
Ophthalmology	0.039642	182.7023	3,629
Otolaryngology	0.042855	26.32259	559
All other specialties	0.04791	156.9963	3,730

(NOTE: FOOTNOTE is on next page)

NOTE: These coefficients apply to NAMCS data where doctors of osteopathy (D.O.'s) have been aggregated with doctors of medicine (M.D.'s) according to their self-designated practice specialty. For those who wish to conduct a separate analysis on doctors of osteopathy, the A and B coefficients for use with visit estimates in thousands are 0.015483 and 51.24165, respectively. The coefficients for estimates of drug mentions in thousands are 0.022487 and 152.5189. To perform analyses of NAMCS data on visits to M.D.'s only, excluding all D.O.'s, please contact the Ambulatory Care Statistics Branch for more information.

B. 2005 NAMCS PATIENT RECORD FORM - INSTRUCTIONS AND DEFINITIONS

1. PATIENT INFORMATION

ITEM 1a. DATE OF VISIT

The month, day and year should be recorded in figures, for example, 05/17/2005 for May 17, 2005. Enter the last digit in the pre-filled 4-digit year.

ITEM 1b. ZIP CODE

Enter 5-digit ZIP code from patient's mailing address.

ITEM 1c. DATE OF BIRTH

The month, day, and year of the patient's birth should be recorded here, in the same fashion as Date of Visit above. In the rare event the date of birth is unknown, the year of birth should be estimated as closely as possible. Enter 4-digit year.

ITEM 1d. SEX

Please check the appropriate category. If "*female*" is marked, please answer the sub-question: "Is patient pregnant?" If "Yes" is marked, specify gestation week. If gestation week is unknown, then record LMP (last menstrual period) date in same fashion as Date of Visit.

ITEM 1e. ETHNICITY

Ethnicity refers to a person's national or cultural group. The Patient Record form has two categories for ethnicity, Hispanic or Latino and Not Hispanic or Latino.

Mark the appropriate category according to your knowledge of the patient or from information in the medical record. You are not expected to ask the patient for this information. If the patient's ethnicity is not known and is not obvious, mark the box which in your judgment is most appropriate. The definitions of the categories are listed below. Do not determine the patient's ethnicity from their last name.

Ethnicity	Definition
1 Hispanic or Latino	A person of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race.
2 Not Hispanic or Latino	All other persons.

ITEM 1f. RACE

Mark *all* appropriate categories based on observation, or your knowledge of the patient, or from information in the medical record. You are not expected to ask the patient for this information. If the patient's race is not known or not obvious, mark the box(es) which in your judgment is (are) most appropriate. Do not determine the patient's race from their last name.

Race	Definition
1 White	A person having origins in any of the original peoples of Europe, the Middle East or North Africa.
2 Black/African American	A person having origins in any of the black racial groups of Africa.
3 Asian	A person having origins in any of the original peoples of the Far East, Southeast Asia, or the Indian subcontinent including, for example, Cambodia, China, India, Japan, Korea, Malaysia, Pakistan, the Philippine Islands, Thailand, and Vietnam.
4 Native Hawaiian/ Other Pacific Islander	A person having origins in any of the original peoples of Hawaii, Guam, Samoa, or other Pacific Islands.
5 American Indian/ Alaskan Native	A person having origins in any of the original peoples of North America, and who maintains cultural identification through tribal affiliation or community recognition.

ITEM 1g. TOBACCO USE

Tobacco use is defined as smoking cigarettes/cigars, using snuff, or chewing tobacco. Mark "Not current" if the patient does not currently use tobacco. If "Not current" is marked, then mark "Never" if the patient has never used tobacco or "Former" if the patient formerly used tobacco. Mark "Current" if the patient uses tobacco. Mark "Unknown" if it cannot be determined whether the patient currently uses or does not use tobacco.

- | | |
|---------------|-----------|
| 1 Not current | 2 Current |
| 1 Never | 3 Unknown |
| 2 Former | |

ITEM 1h. EXPECTED SOURCE OF PAYMENT FOR THIS VISIT

Mark (X) ALL appropriate expected source(s) of payment.

Expected Source of Payment	Definition
1 Private insurance	Charges paid in-part or in-full by a private insurer (e.g., Blue Cross/Blue Shield) either directly to the physician or reimbursed to the patient. Include charges covered under a private insurance sponsored prepaid plan.
2 Medicare	Charges paid in-part or in-full by a Medicare plan. Includes payments directly to the physician as well as payments reimbursed to the patient. Include charges covered under a Medicare sponsored prepaid plan.
3 Medicaid/SCHIP	Charges paid in-part or in-full by a Medicaid plan. Includes payments made directly to the physician as well as payments reimbursed to the patient. Include charges covered under a Medicaid sponsored prepaid plan or the State Children's Health Insurance Program (SCHIP).
4 Worker's compensation	Includes programs designed to enable employees injured on the job to receive financial compensation regardless of fault.
5 Self-pay	Charges, to be paid by the patient or patient's family, which will not be reimbursed by a third party. "Self-pay" is perhaps a poor choice of wording since we really have no interest in whether the patient actually pays the bill. This category is intended to include visits for which the patient is expected to be ultimately responsible for most of the bill. DO NOT check this box for a copayment or deductible.
6 No charge/Charity	Visits for which no fee is charged (e.g., charity, special research, or teaching). Do not include visits paid for as part of a total package (e.g., prepaid plan visits, post-operative visits included in a surgical fee, and pregnancy visits included in a flat fee charged for the entire pregnancy). Mark the box or boxes that indicate how the services were originally paid.
7 Other	Any other sources of payment not covered by the above categories, such as CHAMPUS, state and local governments, private charitable organizations, and other liability insurance (e.g., automobile collision policy coverage).
8 Unknown	The primary source of payment is not known.

2. INJURY/POISONING/ADVERSE EFFECT**ITEM 2.IS THIS VISIT RELATED TO ANY OF THE FOLLOWING?**

If ANY PART of this visit was related to an injury or poisoning or adverse effect of medical or surgical care or an adverse effect of a medicinal drug, then mark (X) the appropriate box. Indicate whether the injury or poisoning was intentional (i.e., self-inflicted or an assault) or unintentional. The injury/poisoning/adverse effect does not need to be recent. It can include those visits for follow up of previously treated injuries and visits for flare-ups of problems due to old injuries. This not only includes injuries or poisonings, but also adverse effects of medical treatment or surgical procedures (e.g., unintentional cut during a surgical procedure, foreign object left in body during procedure, and adverse drug events). Include any prescription

or over-the-counter medication involved in an adverse drug event (e.g., allergies, overdose, medication error, drug interactions).

If the visit was not related to an injury, or poisoning or adverse effect of medical or surgical care or an adverse effect of a medicinal drug, then mark (X) "None of the above" and if it could not be determined mark (X) "Unknown."

3. REASON FOR VISIT

ITEM 3. PATIENT'S COMPLAINT(S), SYMPTOM(S), OR OTHER REASON(S) FOR THIS VISIT (in patient's own words.)

Enter the patient's complaint(s), symptom(s), or other reason(s) for this visit *in the Patient's own words*. Space has been allotted for the "most important" and two "other" complaints, symptoms, and reasons as indicated below.

- (1) Most important
- (2) Other
- (3) Other

The *Most Important* reasons should be entered in (1). Space is available for two other reasons in (2) and (3). By "most important" we mean the problem or symptom which in the physician's judgment, was most responsible for the patient making this visit. Since we are interested only in the patient's *most important complaints/symptoms/reasons*, it is not necessary to record more than three.

This is one of the most important items on the Patient Record form. No similar data on office based physician visits are available in any other survey and there is tremendous interest in the findings. Please take the time to be sure you understand what is wanted--especially the following three points:

We want the patient's principal complaint(s), symptom(s) or other reason(s) in the patient's own words. The physician may recognize right away, or may find out after the examination, that the real problem is something entirely different. In item 3 we are interested in how the patient defines the reason for the visit (e.g., "cramps after eating," or "fell and twisted my ankle").

The item refers to the patient's complaint, symptom, or other reason for *this visit*. Conceivably, the patient may be undergoing a course of treatment for a serious illness, but if his/her principal reason for this visit is a cut finger or a twisted ankle, then that is the information we want.

There will be visits by patients for reasons other than some complaint or symptom. Examples might be well baby check-up or routine prenatal care. In such cases, simply record the *reason for the visit*.

Reminder: If the reason for a patient's visit is to pay a bill, ask the physician to complete an insurance form, or drop off a specimen, then the patient is not eligible for the sample. A Patient Record form should not be completed for this patient.

4. CONTINUITY OF CARE

ITEM 4a. ARE YOU THE PATIENT'S PRIMARY CARE PHYSICIAN/PROVIDER ?

The primary care physician/provider plans and provides the comprehensive primary health care of the patient. Mark "Yes" if the health care provided to the patient during this visit was from his/her primary care physician/provider and skip to Item 4b. If the physician/provider seen at this visit was substituting for the primary care physician/provider, also check "Yes." Mark "No" if care was not from the primary care physician/provider or "Unknown" if it is not known.

If "No" or "Unknown" is checked, also indicate whether the patient was referred for this visit by another physician or health care provider. This item provides an idea of the "flow" of ambulatory patients from one physician/provider to another. Mark the "Yes," "No," or "Unknown" category, as appropriate.

Notice that this item concerns referrals to the sample physician by a *different* physician/provider. The interest is in referrals for this visit and not in referrals for any prior visit.

Referrals are any visits that are made because of the advice or direction of a clinic or physician/provider other than the physician/provider being visited.

ITEM 4b. HAVE YOU OR ANYONE IN YOUR PRACTICE SEEN THIS PATIENT BEFORE?

"Seen" means "provided care for" at any time in the past. In group practices, mark "Yes, established patient" if the patient was seen before by any physician or staff member in the group. Exclude this visit.

Mark "No, new patient" if the patient has not been seen by the physician or her/his office.

If "Yes" is checked, also indicate approximately how many past visits the patient has made to your practice within the last 12 months using the check boxes provided. Do not include the current visit in your total. If you cannot determine how many past visits were made, then please mark "Unknown." Include all visits to other physicians or health care providers under a physician's supervision in this practice/department.

ITEM 4c. MAJOR REASON FOR THIS VISIT

Mark the major reason for the patient's current visit. Be sure to *check only one* of the following "Major Reasons:"

	Problem	Definition
1	New problem	A visit for a condition, illness, or injury having a relatively sudden or recent onset (within three months of this visit).
2	Chronic Problem, Routine	A visit primarily to receive care or examination for a pre-existing chronic condition, illness, or injury (onset of condition was three months or more before this visit).
3	Chronic Problem, Flare up	A visit primarily due to sudden exacerbation of a pre-existing chronic condition.
4	Pre- or Post-Surgery	A visit scheduled primarily for care required prior to or following surgery (e.g., pre-surgery tests, removing sutures).
5	Preventive Care	General medical examinations and routine periodic examinations. Includes prenatal and postnatal care, annual physicals, well-baby exams, screening, and insurance examinations.

5. PHYSICIAN'S DIAGNOSIS FOR THIS VISIT

ITEM 5a. AS SPECIFICALLY AS POSSIBLE, LIST DIAGNOSES RELATED TO THIS VISIT INCLUDING CHRONIC CONDITIONS.

- (1) Primary diagnosis
- (2) Other
- (3) Other

This is one of the most important items on the Patient Record form. Item 5a(1) refers to the physician's primary diagnosis for this visit. While the diagnosis may be tentative, provisional, or definitive it should represent the physician's best judgment at this time, expressed in acceptable medical terminology including "problem" terms. If the patient was not seen by a physician, then the diagnosis by the main medical provider should be recorded.

If a patient appears for *postoperative* care (follow up visit after surgery), record the postoperative diagnosis as well as any other. The postoperative diagnosis should be indicated with the letters "P.O."

Space has been allotted for two "other" diagnoses. In Items 5a(2) and 5a(3) list the diagnosis of other conditions related to this visit. Include chronic conditions (e.g., hypertension, depression, etc.) if related to this visit.

ITEM 5b. REGARDLESS OF THE DIAGNOSES WRITTEN IN 5a, DOES PATIENT NOW HAVE:

The intent of this item is to supplement the diagnosis reported in item 5a(1), 5a(2), and 5a(3). Mark all of the selected condition(s) regardless if it is already reported in item 5a. Even if the condition is judged to be not clinically significant for this visit, it should still be checked. General descriptions for each condition are listed below.

Condition	Description
1 Arthritis	Includes those types of rheumatic diseases in which there is an inflammation involving joints (e.g., osteoarthritis, rheumatoid arthritis, acute arthritis, juvenile chronic arthritis, hypertrophic arthritis, Lyme arthritis, and psoriatic arthritis).
2 Asthma	Includes extrinsic, intrinsic, and chronic obstructive asthma.
3 Cancer (ca)	Includes any type of cancer (ca), such as, carcinoma, sarcoma, leukemia, and lymphoma.
4 Cerebrovascular disease	Includes stroke and transient ischemic attacks (TIAs)
5 CHF (congestive heart failure)	
6 Chronic renal failure	Includes end-stage renal disease (ESRD) and chronic kidney failure due to diabetes or hypertension.
7 COPD (chronic obstructive pulmonary disease)	Includes chronic bronchitis and emphysema. Excludes asthma.
8 Depression	Includes affective disorders and major depressive disorders, such as episodes of depression reaction, psychogenic depression, and reactive depression.
9 Diabetes	Includes both diabetes mellitus and diabetes insipidus.
10 Hyperlipidemia	Includes hyperlipoproteinemia and hypercholesterolemia.

11	Hypertension	Includes essential (primary or idiopathic) and secondary hypertension.
12	Ischemic heart disease	Includes angina pectoris, coronary atherosclerosis, acute myocardial infarction, and other forms of ischemic heart disease.
13	Obesity	Includes body weight 20% over the standard optimum weight.
14	Osteoporosis	
15	None of the above	Mark (X) if none of the conditions above exist.

ITEM 5c. STATUS OF PATIENT ENROLLMENT IN A DISEASE MANAGEMENT PROGRAM FOR ANY OF THE CONDITIONS MARKED IN 5b

A disease management program is defined as a set of interventions designed to improve the health of individuals by working more directly with them and their physicians and support-service providers on their treatment plans regarding diet, adherence to medicine schedules, and other self-management techniques. Other components of the program include outcomes measurement and a routine reporting/feedback loop which may involve communication with the patient, physician, health plan, and ancillary providers.

6. VITAL SIGNS

(1)	Height	Record the patient's height if measured at this visit. If it was not measured at this visit and the patient is 21 years of age or over, then review the chart for the last time that height was recorded and enter that value. Mark the appropriate box (ft/in or cm).
(2)	Weight	Record the patient's weight if measured at this visit. If it was not measured at this visit and the patient is 21 years of age or over, then review the chart for the last time that weight was recorded and enter that value. Mark the appropriate box (lbs or kg).
(3)	Temperature	Record the patient's temperature if measured at this visit. Mark the appropriate box (degrees C or F).
(4)	Blood pressure	Record the patient's blood pressure if measured at this visit.

7. DIAGNOSTIC/SCREENING SERVICES

Mark all services that were ordered or provided during this visit for the purpose of screening (i.e., early detection of health problems in asymptomatic individuals) or diagnosis (i.e., identification of health problems causing individuals to be symptomatic). EACH SERVICE ORDERED OR PROVIDED SHOULD BE MARKED. At visits for a complete physical exam, several tests may be ordered prior to the visit, so that the results can be reviewed during the visit. Since these services are related to the visit, the appropriate box(es) should be marked.

Mark the "NONE" box if no Diagnostic/Screening Services were ordered or provided.

For "Electrolytes," include any of the following tests: electrolytes, sodium (Na), chloride (Cl), potassium (K), calcium (Ca), or magnesium (Mg).

For "Lipids/Cholesterol," include any of the following tests: cholesterol, LDL, HDL, cholesterol/HDL ratio, triglycerides, coronary risk profile, or lipid profile.

For "Biopsy," include any form of open or closed biopsy of lesions or tissues.

For "Chlamydia test," only include the following tests if chlamydia is specifically mentioned: enzyme-linked immunosorbent assay (ELISA, EIA), direct fluorescent antibody test (DFA), nucleic acid amplification test (NAAT), nucleic acid hybridization test (DNA probe testing), or chlamydia culture.

If a scope procedure was ordered or provided, mark the "Scope procedure - Specify" box and write-in the type in the space provided.

If services were ordered or provided, but are not listed on the form, mark the "Other test/service - Specify" box and write-in the service(s) in the space provided.

8. HEALTH EDUCATION

Mark all appropriate boxes for any of the following types of health education ordered or provided to the patient during the visit. Exclude medications.

Mark the "NONE" box if no counseling, educational, or therapeutic services were provided.

Health Education	Definition
2 Asthma Education	Information regarding the elimination of allergens that may exacerbate asthma, or other activities that could lead to an asthma attack or instruction on the use of medication, such as an inhaler.
3 Diet/Nutrition	Any topic related to the foods and/or beverages consumed by the patient. Examples include general dietary guidelines for health promotion and disease prevention, dietary restrictions to treat or control a specific medical problem or condition, and dietary instructions related to medications. Includes referrals to other health professionals, for example, dietitians and nutritionists.
4 Exercise	Any topics related to the patient's physical conditioning or fitness. Examples include information aimed at general health promotion and disease prevention and information given to treat or control a specific medical condition. Includes referrals to other health and fitness professionals. Does not include referrals for physical therapy. Physical therapy ordered or provided at the visit is listed as a separate check box in Item 9.
5 Growth/Development	Any topics related to human growth and development.
6 Injury Prevention	Any topic aimed at minimizing the chances of injury in one's daily life. May include issues as diverse as drinking and driving, seat belt use, child safety, avoidance of injury during various physical activities, and use of smoke detectors.
7 Stress Management	Information intended to help patients reduce stress through exercise, biofeedback, yoga, etc. Includes referrals to other health professionals for the purpose of coping with stress.

Health Education		Definition
8	Tobacco use/exposure	Information given to the patient on issues related to tobacco use in any form, including cigarettes, cigars, snuff, and chewing tobacco, and on the exposure to tobacco in the form of "secondhand smoke." Includes information on smoking cessation as well as prevention of tobacco use. Includes referrals to other health professionals for smoking cessation programs.
9	Weight reduction	Information given to the patient to assist in the goal of weight reduction. Includes referrals to other health professionals for the purpose of weight reduction.
10	Other	Check if there were other types of health or education ordered or provided that were not listed above.

9. NON-MEDICATION TREATMENT

Mark (X) all non-medication treatments ordered or provided at this visit.

Non-Medication Treatment		Definition
1	NONE	No non-medication treatments were ordered, scheduled, or performed at this visit.
2	Complementary or Alternative medicine	Includes medical interventions neither widely taught in medical schools nor generally available in physician offices or hospitals (e.g., acupuncture, chiropractic, homeopathy, massage, or herbal therapies).
3	Durable medical equipment	Equipment which can withstand repeated use (i.e., could normally be rented and used by successive patients); is primarily used to serve a medical purpose; generally is not useful to a person in the absence of illness or injury; and is appropriate for use in the patient's home (e.g., cane crutch, walker, and wheelchair.)
4	Home health care	Includes services provided to individuals and families in their places of residence for the purpose of promoting, maintaining, or restoring health or for maximizing the level of independence while minimizing the effects of disability and illness, including terminal illness. Services may include skilled nursing care; help with bathing, using the toilet, or dressing provided by home health aides; and physical therapy, speech language pathology services, and occupational therapy.
5	Hospice care	A program of palliative care (i.e., care which serves to relieve or alleviate without curing) and supportive care services providing physical, psychological, social, and spiritual care for dying persons, their families, and other loved ones. Hospice services are available in both the home and inpatient settings. Home hospice care is provided on a part-time, intermittent, regularly scheduled, and around-the-clock basis. Bereavement services and other types of counseling are available to the family and other loved ones.

6	Physical therapy	Physical therapy includes treatments using heat, light, sound, or physical pressure or movement, (e.g., ultrasonic, ultraviolet, infrared, whirlpool, diathermy, cold, or manipulative therapy).
7	Speech/ Occupational therapy	Speech therapy includes the treatment of defects and disorders of the voice and of spoken and written communication. Occupational therapy includes the therapeutic use of work, self-care, and play activities to increase independent function, enhance development, and prevent disability.
8	Psychotherapy	All treatments involving the intentional use of verbal techniques to explore or alter the patient's emotional life in order to effect symptom reduction or behavior change.
9	Other mental health counseling	General advise and counseling about mental health issues and education about mental disorders. Includes referrals to other mental health professionals for mental health counseling.
10	Excision of tissue	Includes any excision of tissue such as polyps, cysts, or moles. Excludes would care and biopsy.
11	Orthopedic care	Includes reduction, casting, wrapping, splinting, and aspiration of fluid from joints.
12	Wound care	Includes cleaning, debridement, and dressing of burns; repair of lacerations with skin tape or sutures; removal of foreign bodies; and incision and draining of wounds.
13	Other non-surgical procedures	Write-in any non-surgical procedure ordered or performed at this visit that was not previously recorded.
14	Other surgical procedures	Write-in any surgical procedure ordered or performed at this visit that was not previously recorded. Surgical procedures may be simple (e.g., insertion of intrauterine contraceptive device) or complex (e.g., cataract extraction, hernia repair, hip replacement, etc.).

10. MEDICATIONS & IMMUNIZATIONS

If medications or immunizations were ordered, supplied, administered, or continued at this visit, please list them (up to 8) in the space provided using either the brand or generic names. Record the exact drug name (brand or generic) written on any prescription or on the medical record. Do not enter broad drug classes, such as "laxative," "cough preparation," "analgesic," "antacid," "birth control pill," or "antibiotic." The one exception is "allergy shot." If no medication was prescribed, provided, or continued then mark (X) the "NONE" box and continue.

Medication, broadly defined, includes the specific name of any:

- prescription and over-the-counter medications, anesthetics, hormones, vitamins, immunizations, allergy shots, and dietary supplements.
- medication and immunizations which the physician ordered or provided *prior to this visit* and *instructs or expects* the patient to continue taking regardless of whether a "refill" is provided at the time of visit.

For each medication, record if it was new or continued.

11. PROVIDERS

Mark all providers seen during this visit. If care was provided, at least in part, by a person not represented in the four categories, mark the "Other" box.

12. VISIT DISPOSITION

Mark all that apply.

Visit Disposition	Definition
1 No follow-up planned	No return visit or telephone contact was scheduled or planned for the patient's problem.
2 Return if needed, PRN	The patient was instructed to return to the office as needed.
3 Refer to other physician	The patient was instructed to consult or seek care from another physician. The patient may or may not return to this office at a later date.
4 Return at specified time	The patient was told to schedule an appointment or was given an appointment to return to the office at a particular time.
5 Telephone follow-up planned	The patient was instructed to telephone the physician or physician's staff on a particular day to report on his or her progress, or a member of the office staff plans to call the patient to check on his or her condition.
6 Refer to emergency department	The patient was instructed to go to the emergency department for further evaluation and care immediately.
7 Admit to hospital	The patient was instructed that further care or treatment will be provided as an inpatient in the hospital.
8 Other	Any other disposition not included in the above list.

13. TIME SPENT WITH PHYSICIAN

Include here the length of time the physician spent with the patient. DO NOT include the time the patient spent waiting to see the physician or receiving care from someone other than the physician. For example, DO NOT include the time the nurse spent giving the patient an inoculation or the time a technician spent administering an electrocardiogram. It is entirely possible that for visits such as these, the patient would not see the doctor at all. In that case, "0" minutes should be recorded. DO NOT include physician's time spent preparing for a patient such as reviewing the patient's medical records or test results before seeing the patient.

If more than one patient is seen by the doctor at the same time, apply the following rule:

If the doctor can easily separate the time spent with each (e.g., 3 minutes with one and 27 minutes with the other), he/she should record that on the Patient Record forms. If the doctor cannot easily estimate how much time was spent with each, he/she should divide the total time equally among the patients seen together.

C. DEFINITIONS OF CERTAIN TERMS USED IN THE NAMCS

Ambulatory patient --An individual presenting for personal health services, neither bedridden nor currently admitted to any health care institution on the premises.

Continuity of care -- Continuity of care is a goal of health care achieved through an interdisciplinary process involving patients, families, health care professionals, and providers in the management of a coordinated plan of care. Based on changing needs and available resources, the process optimizes quality outcomes in the health status of patients. It may involve professionals from many different disciplines within multiple systems.

Drug mention(s) --The physician's entry of a pharmaceutical agent ordered or provided--by any route of administration--for prevention, diagnosis, or treatment. Generic as well as brand-name drugs are included. Along with all new drugs, the physician also records continued medications if the patient was specifically instructed or expected to continue the medication.

Drug visit -- A drug visit is a visit at which medication was prescribed or provided by the physician.

Office(s) --Premises that the physician identifies as locations for his or her ambulatory practice. Responsibility over time for patient care and professional services rendered there generally resides with the individual physician rather than with any institution.

Visit --A direct, personal exchange between ambulatory patient and the physician (or members of his/her staff) for the purpose of seeking care and rendering health services.

PATIENTS

In-scope -- All patients seen by the physician or members of his/her staff in the physician's office(s).

Out-of-scope -- Patients seen by the physician in a hospital, nursing home, or other extended care institution, or the patient's home. Note: If the doctor has a private office (which fits definition of "office") located in a hospital, the ambulatory patients seen there would be considered "in-scope." The following types of patients are also considered out-of-scope:

- patients seen by the physician in any institution (including outpatient clinics of hospitals) for which the institution has the primary responsibility for the care of the patient over time;
- patients who telephone and receive advice from the physician;
patients who come to the office only to leave a specimen, pick up insurance forms, or pay their bills;
- patients who come to the office only to pick up medications previously prescribed by the physician.

PHYSICIANS

In-Scope -- All duly licensed doctors of medicine and doctors of osteopathy currently in practice who have regularly scheduled time for seeing ambulatory patients at an office location.

Out-of-Scope -- Those physicians who treat patients only indirectly, including specialists in anesthesiology, pathology, forensic pathology, radiology, therapeutic radiology, and diagnostic radiology, and the following physicians:

- physicians who are federally employed or who are in military service;
- physicians who treat patients only in an institutional setting (e.g., patients in nursing homes and hospitals);
- physicians employed full time by an industry or institution and having no private practice (e.g., physicians who work for the VA, the Ford Motor Company, etc.);
- physicians who spend no time seeing ambulatory patients.

Physician specialty -- Principal specialty (including general practice) as designated by the physician at the time of the survey. Those physicians for whom a specialty was not obtained were assigned the principal specialty recorded in the Master Physician files maintained by the AMA or AOA.

Metropolitan status — Physicians are classified by their location in metropolitan statistical area as follows:

Metropolitan statistical area (MSA)—As defined by the U.S. Office of Management and Budget, the definition of an individual MSA involves two considerations: first, a city or cities of specified population, that constitute the central city and identify the county in which it is located as the central county; second, economic and social relationships with “contiguous” counties that are metropolitan in character so that the periphery of the specific metropolitan area may be determined. MSAs may cross state lines. In New England, MSAs consist of cities and towns rather counties.

Non-MSA—Non-MSA areas are those not defined as MSAs, including rural and micropolitan areas.

Region of practice location -- The four geographic regions which correspond to those used by the U.S. Bureau of the Census, are as follows:

<u>Region</u>	<u>States Included</u>
Northeast.....	Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont
Midwest.....	Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Wisconsin
South.....	Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, West Virginia
West.....	Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming, Alaska, Hawaii

**APPENDIX II
REASON FOR VISIT CLASSIFICATION**

A. SUMMARY OF CODES

MODULE	CODE NUMBER
SYMPTOM MODULE	
General Symptoms	1001-1099
Symptoms Referable to Psychological and Mental Disorders	1100-1199
Symptoms Referable to the Nervous System (Excluding Sense Organs)	1200-1259
Symptoms Referable to the Cardiovascular and Lymphatic Systems	1260-1299
Symptoms Referable to the Eyes and Ears	1300-1399
Symptoms Referable to the Respiratory System	1400-1499
Symptoms Referable to the Digestive System	1500-1639
Symptoms Referable to the Genitourinary System	1640-1829
Symptoms Referable to the Skin, Nails, and Hair	1830-1899
Symptoms Referable to the Musculoskeletal System	1900-1999
DISEASE MODULE	
Infective and Parasitic Diseases	2001-2099
Neoplasms	2100-2199
Endocrine, Nutritional, Metabolic, and Immunity Diseases	2200-2249
Diseases of the Blood and Blood-forming Organs	2250-2299
Mental Disorders	2300-2349
Diseases of the Nervous System	2350-2399
Diseases of the Eye	2400-2449
Diseases of the Ear	2450-2499
Diseases of the Circulatory System	2500-2599
Diseases of the Respiratory System	2600-2649
Diseases of the Digestive System	2650-2699
Diseases of the Genitourinary System	2700-2799
Diseases of the Skin and Subcutaneous Tissue	2800-2899
Diseases of the Musculoskeletal System and Connective Tissue	2900-2949
Congenital Anomalies	2950-2979
Perinatal Morbidity and Mortality Conditions	2980-2999
DIAGNOSTIC, SCREENING AND PREVENTIVE MODULE	
General Examinations	3100-3199
Special Examinations	3200-3299
Diagnostic Tests	3300-3399
Other Screening and Preventive Procedures	3400-3499
Family Planning	3500-3599
TREATMENT MODULE	
Medications	4100-4199
Preoperative and Postoperative Care	4200-4299
Specific Types of Therapy	4400-4499
Specific Therapeutic Procedures	4500-4599
Medical Counseling	4600-4699
Social Problem Counseling	4700-4799
Progress Visit, NEC	4800-4899

MODULE	CODE NUMBER
INJURIES AND ADVERSE EFFECTS MODULE	
Injury by Type and/or Location	5001-5799
Injury, NOS	5800-5899
Poisoning and Adverse Effects	5900-5999
TEST RESULTS MODULE	6100-6700
ADMINISTRATIVE MODULE	7100-7140
UNCODABLE ENTRIES	8990-8999
BLANK	9000

NOTE: NOS = Not otherwise specified; NEC = not elsewhere classified

B. REASON FOR VISIT CLASSIFICATION TABULAR LISTING

SYMPTOM MODULE			
GENERAL SYMPTOMS (1001-1099)			
1005.0	Chills	1035.0	Symptoms of fluid abnormalities Includes: Fluid retention Holding water
1010.0	Fever	1035.1	Edema Includes: Ankles swelling (both) Bloated Dropsy Legs (both) Peripheral Swollen with water
1012.0	Other symptoms of body temperature Includes: High temperature Excludes: Chills (1005.0) Fever (1010.0)	1035.2	Excessive sweating, perspiration Includes: Diaphoresis
	1012.1 Feeling cold 1012.2 Feeling hot 1012.3 Feeling hot and cold	1035.3	Excessive thirst
1015.0	Tiredness, exhaustion Includes: Exercise intolerance Fatigue Lack of energy No energy Run down Worn out	1040.0	Weight gain Includes: Fat pads (localized) Fatty deposits Obesity Overweight Too fat
1020.0	General weakness		Excludes: Counseling for weight problem (4600.0)
1025.0	General ill feeling Includes: Diffuse Cx Illness, NOS Malaise Not feeling well Multiple complaints Sick, NOS	1045.0	Weight loss 1045.1 Recent weight loss 1045.2 Underweight
1030.0	Fainting (syncope) Includes: Blacking out Fainting spells Passing out Excludes: Unconsciousness (5840.0)	1046.0	Symptoms of face, NEC Excludes: Facial pain 1055.4 Facial paralysis 1230.0
		1050.0	Chest pain and related symptoms (not referable to a specific body system) 1050.1 Chest pain Excludes: Heart pain (1265.0) 1050.2 Chest discomfort, pressure, tightness, heaviness Includes: C - pressure 1050.3 Burning sensation in the chest

1055.0	Pain, specified site not referable to a specific body system	1075.0	Symptoms of growth and developmental disorders
	Includes: Buttock pain Gluteal pain Perineal pain		Includes: Developmental regression
	Excludes: Abdominal pain (see 1545.1-1545.3) Chest pain (1050.1) Phantom leg/limb (2307.0)	1075.1	Lack of growth
1055.1	Rib pain		Includes: Failure to thrive Immaturity, physical Poor weight gain Slowness, physical Too short
1055.2	Side pain, flank pain	1075.2	Excessive growth
1055.3	Groin pain		Includes: Development, early (physical) Too big for age Too tall
	Includes: Pubic pain	1080.0	General symptoms of infants (under 1 year of age), NEC
1055.4	Facial pain	1080.1	Cranky, crying too much, fussy, fidgety, irritable
	Includes: Jaw pain Pain over eye	1080.2	Regurgitation, spitting up
1060.0	Pain and related symptoms, generalized, site unspecified		Excludes: Vomiting (1530.0)
	1060.1 Pain, unspecified	1080.3	Feeding problem, eating difficulty
	Includes: Ache all over (generalized) Incisions	1085.0	General or unspecified nonviral infection
1060.2	Cramps, spasms, site unspecified		Includes: Infection, NOS
	Excludes: Menstrual cramps (1745.2)	1090.0	Allergy, NOS
1060.3	Stiffness, site unspecified		Includes: Angioedema Allergic reaction, NOS Food allergy, NOS Milk allergy, NOS
1065.0	Tumor or mass, site unspecified		Excludes: Allergic skin reaction (2825.0) Allergy to medications (5905.0) Nasal allergy (2635.0)
	1065.1 Internal mass, NOS	1095.0	Disorders of motor functions
1066.0	Lesion, Internal NOS (excludes brain and skin)		Includes: Ataxia Clumsiness Difficulty in walking Dyskinesia Fall, NOS Limping Staggering Stumbling Uncoordinated Unsteady gait
1070.0	Bleeding, multiple or unspecified sites	1096.0	Dyslexia, NOS

SYMPTOMS REFERABLE TO PSYCHOLOGICAL AND MENTAL DISORDERS (1100-1199)

		1125.0	Restlessness	
				Includes: Can't rest Hyperactivity Overactivity
1100.0	Anxiety and nervousness			
	Includes: Apprehension Bad nerves Jittery Panicky feeling Stress Tension Upset Worried	1130.0	Behavioral disturbances	Includes: Behavior problem Gambling problem Lack of self control Staring spells
1105.0	Fears and phobias			
	Includes: General fearfulness Agoraphobia	1130.1	Antisocial behavior	Includes: Avoiding people Excessive shyness Lying Social isolation Withdrawal
1110.0	Depression			
	Includes: Crying excessively Dejected Distress (NOS) Feeling down Feeling low Grief Hopelessness Sadness Tension Tension headache (also code 1210.0) Unhappy	1130.2	Hostile behavior	Includes: Aggressiveness Child abuser Child neglecter Combative Criminality Cruelty Destructiveness Elder abuser Homicidal Negativism Parent abuser Quarrelsome Spouse abuser Spouse batterer
1115.0	Anger			
	Includes: Bitterness Hostile feelings	1130.3	Hysterical behavior	
	Excludes: Temper problems (1130.4)	1130.4	Temper problems	
1120.0	Problems with identity and self-esteem			
	Includes: Co-dependency Dependency Don't like myself Guilt Helpless Identity crisis Insecurity, emotional Lack of motivation Loss of identity No confidence No goals Poor boundaries Too much is expected of me			Includes: Blowing up Fussy Irritability Losing temper Temper tantrums
				Excludes: Fussy infants (1080.1)
		1130.5	Obsessions and compulsions	

1135.0	Disturbances of sleep		1155.0	Delusions or hallucinations
	Includes: Night terrors			Includes: Flashback Grandiosity Hearing voices Ideas of reference Medicine is poisoned Seeing things
1135.1	Insomnia		1160.0	Psychosexual disorders
	Includes: Can't sleep Sleeplessness Trouble falling asleep		1160.1	Frigidity, loss of sex drive, lack of response, lack of libido
1135.2	Sleepiness (hypersomnia)		1160.2	Homosexuality, concerns with
	Includes: Can't stay awake Drowsiness Groggy		1160.3	Impotence, Erectile dysfunction
1135.3	Nightmares		1160.4	Premature ejaculation
1135.4	Sleepwalking		1160.5	Masturbation excessive, concerns about
1135.5	Apnea		1160.6	Orgasm, problem with
	Includes: Sleep apnea (use additional code 1420.0 if breathing problem)		1160.7	Preoccupation with sex
1140.0	Smoking problems		1165.0	Other symptoms or problems relating to psychological and mental disorders, NEC
	Includes: Can't quit smoking Smoking too much			Includes: Blunted affect Can't cope Chemical imbalance Constricted affect Danger to self Deja vu feelings Disoriented Difficulty concentrating Frustration Going crazy Hate everybody Inhibited Learning disability Losing my mind Mood fluctuation Mood swings Non-communicative Peculiar thinking Psychological problems, NOS Sundown syndrome Trouble concentrating Wandering around
	Excludes: Physical symptoms of smoking (see particular symptom) Smoker's cough (1440.0)			Excludes: Character disorder (2315.0) Personality disorder (2315.0)
1145.0	Alcohol-related problems		1165.1	Nailbiting
	Includes: Alcohol abuse Drinking problem		1165.2	Thumbsucking
	Excludes: Adverse effects of alcohol (5915.0) Alcoholism (2320.0)			
1150.0	Abnormal drug usage			
	Includes: Drug abuse Frequent or excessive use of stimulants, hallucinogens, depressants, etc.			
	Excludes: Drug addiction (2321.0) Drug dependence (2321.0) Intoxication with drugs (5910.0) Overdose, intentional (5820.1) Overdose, unintentional, NOS (5910.0)			

**SYMPTOMS REFERABLE TO THE NERVOUS SYSTEM
(EXCLUDING SENSE ORGANS) (1200 - 1259)**

1200.0	Abnormal involuntary movements	1220.0	Disturbances of sensation
	Includes: Jerking Shaking Tics Tremors Twitch	1220.1	Loss of feeling (anesthesia)
	Excludes: Eye movements (see 1325.0-1325.4) Eyelid twitch (1340.4)		Includes: Lack of sensation No response to pain Numbness Stunned
			Excludes: Post-op complications of anesthesia
			Note: Use additional code to identify body part.
1205.0	Convulsions	1220.2	Increased sensation (hyperesthesia)
	Includes: Febrile convulsions Fits Seizures Spells	1220.3	Abnormal sensation (paresthesia)
	Excludes: Fainting (1030.0)		Includes: Burning legs Burning, tingling sensation Needles and pins Prickly feeling
1207.0	Symptoms of head, NEC	1220.4	Other disturbances of sense, including smell and taste
	Excludes: Headache, pain in head (1210.0)	1225.0	Vertigo - dizziness
1210.0	Headache, pain in head		Includes: Falling sensation Giddiness (dizziness) Lightheadedness Loss of sense of equilibrium or balance Room spinning
	Includes: Post-traumatic (also code 5575.0)		
	Excludes: Migraine (2365.0) Sinus headache (1410.1) Symptoms of head, NEC (1207.0)	1230.0	Weakness (neurologic)
1215.0	Memory, disturbances of		Includes: Drooping, facial or NOS Right- or left-sided weakness
	Includes: Amnesia Forgetfulness Lack or loss of memory Temporary loss of memory		Excludes: General weakness (1020.0)
		1235.0	Disorders of speech, speech disturbance
			Includes: Groping for words Speech/verbal apraxia Unable to speak
		1235.1	Stuttering, stammering
		1235.2	Slurring

1240.0 Other symptoms referable to the nervous system

Includes:
 Brain lesion
 Confusion
 Cognitive decline
 Damaged nerves
 Neuralgia
 Pinched nerve

Excludes:
 Nerve block 4560.0

1240.1 Apraxia

Excludes:
 Speech/verbal apraxia 1235.0

1275.0 Symptoms of lymph glands (or nodes)

1275.1 Swollen or enlarged glands

1275.2 Sore glands

1280.0 Other symptoms referable to the cardiovascular/lymphatic system, NEC

Includes:
 Telangiectasia

1280.1 Poor circulation

1280.2 Pallor, paleness

1280.3 Flushed, blushing

SYMPTOMS REFERABLE TO THE CARDIOVASCULAR AND LYMPHATIC SYSTEMS (1260-1299)

1260.0 Abnormal pulsations and palpitations

1260.1 Increased heartbeat

Includes:
 Pulse too fast
 Rapid heartbeat

1260.2 Decreased heartbeat

Includes:
 Pulse too slow
 Slow heart

1260.3 Irregular heartbeat

Includes:
 Fluttering
 Jumping
 Racing
 Skipped beat

1265.0 Heart pain

Includes:
 Anginal pain
 Heart distress
 Pain over heart

Excludes:
 Angina pectoris (2515.0)
 Chest pain (1050.1)

1270.0 Other symptoms of the heart

Includes:
 Bad heart
 Heart condition
 Poor heart
 Weak heart

SYMPTOMS REFERABLE TO THE EYES AND EARS (1300-1399)

1305.0 Vision dysfunctions

Excludes:
 Refractive errors (2405.0)

1305.1 Blindness and half vision

Includes:
 Visual field deficit

1305.2 Diminished vision

Includes:
 Blurred vision
 Can't see distances
 Difficulty reading
 Focus, Eyes won't (other than
 Infant 1335.0)
 Obstruction, Vision
 Poor vision
 Scotoma
 Trouble seeing
 Weak eyes

1305.3 Extraneous vision

Includes:
 Cloudy vision
 Hazy vision
 Spots in front of eyes (floaters)

1305.4 Double vision (diplopia)

1310.0 Discharge from eye

1310.1 Bleeding

1310.2 Tearing, watering (lacrimation)

1310.3 Pus, matter, white discharge

1315.0	Eye infection and inflammation	1340.0	Symptoms of eyelids
	1315.1 Pinkeye		Includes: Can't close eye Lesion Rash
1320.0	Abnormal sensations of the eye	1340.1	Infection, inflammation, swelling
	Includes: Foreign body sensation	1340.2	Itching
1320.1	Pain	1340.3	Mass or growth
	Includes: Irritation	1340.4	Abnormal movement
1320.2	Itching		Includes: Blinking Drooping Squinting Twitching
1320.3	Burning, stinging		
1320.4	Strain		
1325.0	Abnormal eye movements	1345.0	Hearing dysfunctions
	1325.1 Abnormal retraction	1345.1	Diminished hearing
	1325.2 Cross-eyed		Includes: Deafness Hearing loss Trouble hearing
	1325.3 Pupils unequal	1345.2	Heightened or acute hearing
	1325.4 Deviation	1345.3	Extraneous hearing
1330.0	Abnormal appearance of eyes		Includes: Ringing (tinnitus) Excludes: Hearing things (1155.0)
	1330.1 Abnormal color	1350.0	Discharge from ear
	Includes: Bloodshot Red		Includes: Fluid in ear
	Excludes: Yellow (1610.2)	1350.1	Bleeding
	1330.2 Protrusion (exophthalmos)	1350.2	Pus (purulent drainage)
	1330.3 Cloudy, dull, hazy appearance	1350.3	Swimmer's ear
1335.0	Other and unspecified symptoms referable to eye, NEC	1355.0	Earache, or ear infection
	Includes: Defect, NOS	1355.1	Earache, pain
	1335.1 Contact lens problems	1355.2	Ear infection
	1335.2 Allergy	1360.0	Plugged feeling in ear
	1335.3 Swelling		Includes: Blocked Congestion in ear Cracking Ear feels full Ears need cleaning Ear wax Popping
	Excludes: Foreign body (5600.0) Injury (5510.0) Abrasion (5410.0)		

1365.0	Other and unspecified symptoms referable to the ears, NEC	1410.0	Sinus problems
	Includes red, redness		Includes: Sinus cyst Sinus drainage
1365.1	Itching	1410.1	Pain and pressure
1365.2	Growths or mass		Includes: Sinus headache
1365.3	Pulling at ears, picking at ears	1410.2	Sinus inflammation, infection
1365.4	Abnormal size or shape, "ears stick out"	1410.3	Sinus congestion
	Excludes: Foreign body in ear (5620.0)	1415.0	Shortness of breath
SYMPTOMS REFERABLE TO THE RESPIRATORY SYSTEM (1400-1499)			Includes: Breathlessness Out of breath Sensation of suffocation
1400.0	Nasal congestion	1420.0	Labored or difficult breathing (dyspnea)
	Includes: Drippy nose Excess mucus Nasal obstruction Post-nasal drip Runny nose Sniffles Stuffy nose		Includes: Anoxia Can't breathe Hypoxia Smothering Respiratory distress Trouble breathing
1405.0	Other symptoms of nose	1425.0	Wheezing
	Excludes: Nasal allergy (2635.0)		Includes: Sighing respiration
1405.1	Nosebleed (epistaxis)	1430.0	Breathing problems, NEC
1405.2	Sore in nose		Includes: Hurts to breathe
1405.3	Inflammation and swelling	1430.1	Disorders of respiratory sound, NEC
	Includes: Infection Red nose Sore nose		Includes: Abnormal breathing sounds Snoring Rales Rattles Stridor
1405.4	Problem with appearance of nose	1430.2	Rapid breathing (hyperventilation)
	Includes: Bump(s) Too large Undesirable appearance	1435.0	Sneezing
		1440.0	Cough
			Includes: Congested Croupy cough Smoker's cough

1445.0	Head cold, upper respiratory infection (coryza)		
	Includes: Cold, NOS		
	Excludes: Chest cold (1475.0)		
1450.0	General viral infection		
	1450.1 Flu		
	Includes: Grip Influenza		
	Excludes: Croup (2600.0)		
1455.0	Symptoms referable to throat		
	1455.1 Soreness		
	Includes: Throat hurts		
	1455.2 Pain		
	1455.3 Infection		
	Includes: Throat virus		
	Excludes: Strep throat (2010.0)		
	1455.4 Irritation, scratch, tickle, itch		
	1455.5 Swelling		
	1455.6 Lump or mass		
	Includes: Sensation of something in throat		
	Excludes: Foreign body in throat (5615.0)		
1460.0	Symptoms referable to tonsils		
	Includes: Hypertrophy Infection Inflammation		
		1470.0	Abnormalities of sputum or phlegm
			1470.1 Coughing up blood
			Includes: Hemoptysis
			1470.2 Pus in sputum
			1470.3 Excessive sputum
			Includes: Productive
		1475.0	Congestion in chest
			Includes: Lung congestion Chest cold
		1480.0	Disorders of voice
			1480.1 Hoarseness, loss of voice
			Includes: Croaky
			1480.2 Hypernasality
		1485.0	Other symptoms referable to the respiratory system, NEC
			Includes: Drainage in throat
			1485.1 Lung pain
			1485.2 Lung infection
			SYMPTOMS REFERABLE TO THE DIGESTIVE SYSTEM (1500-1639)
		1500.0	Symptoms of teeth and gums
			Includes: Loose tooth (no injury) Tooth infection
			1500.1 Toothache
			1500.2 Gum pain
			1500.3 Bleeding gums
		1501.0	Symptoms of the jaw, NOS
			Includes: Jaw problem, unspecified
			1501.1 Swelling
			1501.2 Lump or mass

1505.0	Symptoms referable to lips	1540.0	Gastrointestinal infection
	1505.1 Cracked, bleeding, dry		Includes:
	1505.2 Abnormal color		Intestinal virus
	1505.3 Cold sore		Stomach flu
			Stomach virus
			Viral gastroenteritis
1510.0	Symptoms referable to mouth	1545.0	Stomach and abdominal pain, cramps and spasms
	Includes:		Includes:
	Foaming at the mouth		Gastric pain
	Saliva too thick		Excludes:
	White spots		Groin pain (1055.3)
	1510.1 Pain, burning, soreness		
	1510.2 Bleeding	1545.1	Abdominal pain, cramps, spasms, NOS
	1510.3 Dryness		Includes:
	1510.4 Ulcer, sore		Abdominal discomfort, NO
			Gas pains
1515.0	Symptoms referable to tongue		Intestinal colic
	Includes:	1545.2	Lower abdominal pain, cramps, spasms,
	Ulcer on tongue		Includes:
	Sore on tongue		Right lower quadrant (RLQ) pain
	1515.1 Pain		Left lower quadrant (LLQ) pain
	1515.2 Bleeding		Inguinal pain
	1515.3 Inflammation, infection, swelling	1545.3	Upper abdominal pain, cramps, spasms
	1515.4 Abnormal color, ridges, coated		Includes:
1520.0	Difficulty in swallowing (dysphagia)		Epigastric pain
	Includes:		Left upper quadrant (LUQ) pain
	Choking		Pain in umbilical region
	Inability to swallow		Right upper quadrant (RUQ) pain
1525.0	Nausea	1565.0	Change in abdominal size
	Includes:	1565.1	Distention, fullness, NOS
	Feel like throwing up		Includes:
	Nervous stomach		Abdominal bloating
	Sick to stomach		Stomach fullness
	Upset stomach	1565.2	Mass or tumor
1530.0	Vomiting		Includes:
	Includes:		Mass in groin
	Can't keep food down		Mass, inguinal
	Dry heaves	1565.3	Abdominal swelling, NOS
	Retching		
	Throwing up		
	Excludes:		
	Regurgitation, infants (1080.2)		
	Vomiting blood (1580.2)		
1535.0	Heartburn and indigestion (dyspepsia)		
	Includes:		
	Acid in stomach		
	Excessive belching		

1570.0	Appetite, abnormal		1605.0	Symptoms referable to anus-rectum	
	1570.1	Excessive appetite Eats too much Always hungry		1605.1	Pain
					Includes: Burning Irritation
	1570.2	Decreased appetite Not hungry Loss of appetite Decreased fluid intake		1605.2	Bleeding
1575.0	Difficulty eating			1605.3	Swelling or mass
1580.0	Gastrointestinal bleeding			1605.4	Itching
	Includes:				
	Bowel				
	1580.1	Blood in stool (melena)	1610.0	Symptoms of liver, gallbladder, and biliary tract	
	1580.2	Vomiting blood (hematemesis)		1610.1	Pain
1585.0	Flatulence			1610.2	Jaundice
	Includes:				Includes: Yellow eyes Yellow skin
	Bloated, gas				
	Distention due to gas				
	Excessive gas				
	Gas		1615.0	Other and unspecified symptoms referable to digestive system	
	Excludes:				Includes: Abdominal pressure Bad breath Epigastric distress Gastrointestinal distress Halitosis Hiccoughs Regurgitation (adult) Stomach problem Stomach trouble
	Gas pains (1545.1)				
1590.0	Constipation				
1595.0	Diarrhea				
	Includes:				
	Loose stools				
	The runs				
1600.0	Other symptoms or changes in bowel function				
	1600.1	Discharge in stools			
		Includes: Guaiac positive Hemocult positive Mucus Pus	1640.0	Abnormalities of urine	
	1600.2	Worms			Excludes: Abnormal findings of urine tests (6200.0)
	1600.3	Changes in size, color, shape, or odor		1640.1	Blood in urine (hematuria)
		Includes: Bulky stools Too narrow Unusual odor or color		1640.2	Pus in urine
	1600.4	Incontinence of stool		1640.3	Unusual color or odor
		Includes: Dirty pants (encopresis) Leaking stools	1645.0	Frequency and urgency of urination	
				1645.1	Excessive urination, night (nocturia)
			1650.0	Painful urination	
					Includes: Burning, discomfort

SYMPTOMS REFERABLE TO THE GENITOURINARY SYSTEM (1640-1829)

1655.0	Incontinence of urine (enuresis)	1700.0	Symptoms of penis
	1655.1 Involuntary urination, can't hold urine, dribbling, wetting pants	1700.1	Pain, aching, soreness, tenderness, painful erection
	1655.2 Bedwetting	1700.2	Infection, inflammation, swelling
1660.0	Other urinary dysfunctions	1700.3	Lumps, bumps, growths, warts
	Includes: Trouble going Weak Stream	1705.0	Penile discharge
1660.1	Retention of urine	1710.0	Symptoms of prostate
	Includes: Can't urinate		Includes: Prostate trouble
1660.2	Hesitancy	1710.1	Swelling
	Includes: Difficulty in starting stream	1710.2	Infection
1660.3	Large volume	1715.0	Symptoms of the scrotum and testes
	Includes: Polyuria	1715.1	Pain, aching, tenderness
1660.4	Small volume	1715.2	Swelling, inflammation
1665.0	Symptoms of bladder	1715.3	Growths, warts, lumps, bumps
	Includes: Bladder trouble	1715.4	Itching, jock itch
1665.1	Pain	1720.0	Other symptoms of male reproductive system
1665.2	Infection		Includes: Painful ejaculation
1665.3	Mass		Excludes: Psychosexual problems (1160.0-1160.6)
1670.0	Symptoms of the kidneys	1730.0	Absence of menstruation (amenorrhea)
	Includes: Kidney trouble		Excludes: Suspected pregnancy (3200.0) Missed a period (3200.0) Period late (3200.0)
1670.1	Pain	1735.0	Irregularity of menstrual interval
1670.2	Infection	1735.1	Frequent
1670.3	Mass	1735.2	Infrequent
1675.0	Urinary tract infection, NOS	1735.3	Unpredictable
	Includes: Genitourinary infection Urine infection	1740.0	Irregularity of menstrual flow
1680.0	Other symptoms referable to urinary tract	1740.1	Excessively heavy (menorrhagia)
	Includes: Passed stones Urethral bleeding Urinary irritation	1740.2	Scanty flow (oligomenorrhea)
	Excludes: Kidney stones or bladder stones (2705.0)	1740.3	Abnormal material, including clots

1745.0	Menstrual symptoms, other and unspecified	1770.0	Vulvar disorders
	Includes: Long periods	1770.1	Itching and irritation, swelling
1745.1	Premenstrual symptoms, PMS	1770.2	Mass, lump
	Includes: Bloating before periods Premenstrual tension or irritability	1770.3	Growth, wart, cyst, ulcer, sore
1745.2	Painful menstruation (dysmenorrhea)	1775.0	Pelvic symptoms
	Includes: Menstrual cramps Pain in legs and back during menstruation	1775.1	Pain
1750.0	Menopausal symptoms	1775.2	Pressure or dropping sensation
1750.1	Early or late onset of menopause		Includes: Feeling of uterus falling out
1750.2	Vasomotor symptoms-hot flashes	1775.3	Infection, inflammation
1750.3	Emotional symptoms, change of life problems	1790.0	Problems of pregnancy
1755.0	Uterine and vaginal bleeding		Includes: Fetal movement
	Excludes: Bleeding during pregnancy (1790.2)		Excludes: Routine prenatal visits (3205.0)
1755.1	Intermenstrual bleeding (metrorrhagia)	1790.1	Pain during pregnancy
	Includes: Bleeding between periods Breakthrough bleeding	1790.2	Spotting, bleeding during pregnancy
1755.2	Postmenopausal bleeding	1790.3	Symptoms of onset of labor
1755.3	Postcoital bleeding, female		Includes: Water broke Ruptured membranes Labor pain, contractions Labor, NOS
1760.0	Vaginal discharge	1791.0	Postpartum problems
	Includes: Bloody, brown, white (leukorrhea), excessive		Includes: Bleeding Pain
1765.0	Other vaginal symptoms		Excludes: Postpartum examination, routine (3215.0)
1765.1	Pain	1795.0	Other symptoms referable to the female reproductive system
1765.2	Infection	1800.0	Pain or soreness of breast
1765.3	Itching, burning		Includes: Tenderness
1765.4	Vaginal dryness	1805.0	Lump or mass of breast
			Includes: Bump Knot Nodule Cyst

1810.0	Other symptoms referable to breast		
	1810.1	Bleeding or discharge from nipple or breast	Includes: Birthmark Blotches Circles under eyes Freckles Redness Spots
	1810.2	Postpartum problems Includes: Engorgement Postpartum infection Nursing difficulties	Excludes: Blushing (1280.3) Bruise (see 5405.0-5430.0) Flushing (1280.3) Jaundice (1610.2)
	1810.3	Problems with shape or size Includes: Too large Too small Sagging Uneven development	
1815.0	Symptoms of infertility		
		Includes: Can't get pregnant Inability to conceive Sterility	
1820.0	Hormone deficiency or problem		
1825.0	Symptoms of sexual dysfunction		
		Includes: Dyspareunia Painful intercourse	
		Excludes: Psychological disorders (see 1160.0-1160.6)	
SYMPTOMS REFERABLE TO THE SKIN, NAILS, AND HAIR (1830-1899)			
1830.0	Acne or pimples		
		Includes: Bad complexion Blackheads Blemishes Breaking out Complexion, NOS Whiteheads	
1835.0	Discoloration or abnormal pigmentation		
1840.0	Infections of skin, NOS		
		Includes: Draining wound Infected blister Infected wound	
		Excludes: Athlete's foot (2025.0) Wound drainage (as treatment)	
1840.1	Infection of skin of head or neck area		
1840.2	Infection of skin of arm, hand, or finger		
1840.3	Infection of skin of leg, foot, or toe		
1845.0	Symptoms of skin moles		
		Includes: Skin mole, NOS	
1845.1	Change in size or color		
1845.2	Bleeding mole		
1850.0	Warts, NOS		
		Includes: Condyloma Condyloma acuminatum	
		Excludes: Plantar's warts (2015.0)	
1855.0	Other growths of skin		
		Includes: Callus Corns Cysts, NOS Cyst, scalp Skin growth, NOS Skin tag	

1860.0 Skin rash
 Includes:
 Rash
 Skin eruption
 Excludes:
 Poison ivy (2825.0)
 Poison oak (2825.0)
 1860.1 Diaper rash

1865.0 Skin lesion, NOS
 Includes:
 Blister
 Face
 Papule
 Pustule
 Raw area
 Sore
 Ulcer

1870.0 Skin irritations, NEC
 1870.1 Pain
 1870.2 Itching

1875.0 Swelling of skin
 Includes:
 Bumps, lumps
 Nodules
 Welts, except hives (2825.0)
 Tumor, skin

1880.0 Other symptoms referable to skin
 Excludes:
 Navel problems (1895.0)
 1880.1 Oiliness
 1880.2 Dryness, peeling, scaliness,
 roughness
 1880.3 Wrinkles

1885.0 Symptoms referable to nails
 1885.1 Infected
 1885.2 Ingrown
 1885.3 Brittle, breaking, splitting, cracked,
 ridged

1890.0 Symptoms referable to hair and scalp
 Includes:
 Scalp lesion
 1890.1 Too little hair
 Includes:
 Alopecia
 Baldness
 Falling out
 Losing hair
 1890.2 Unwanted hair
 Includes:
 Abnormal hairiness
 Hirsutism
 Superfluous hair
 1890.3 Dryness, flaky scalp, dry scalp
 1890.4 Itching

1895.0 Navel problems
 Includes:
 Umbilicus not healing
 Protrusion

SYMPTOMS REFERABLE TO THE MUSCULOSKELETAL SYSTEM (1900-1999)

These codes exclude all injuries (See Injuries and Adverse Effects Module.)

The following fifth digits should be used with categories 1900-1970 in place of the zero when there is adequate information given:

- .1 pain, ache, soreness, discomfort
- .2 cramps, contractures, spasms
- .3 limitation of movement, stiffness
- .4 weakness
- .5 swelling
- .6 lump, mass, tumor

1900.0 Neck symptoms
 1905.0 Back symptoms
 1910.0 Low back symptoms
 1915.0 Hip symptoms
 1920.0 Leg symptoms
 1925.0 Knee symptoms
 1930.0 Ankle symptoms
 1935.0 Foot and toe symptoms
 1940.0 Shoulder symptoms

1945.0	Arm symptoms	2015.0	Viral diseases
1950.0	Elbow symptoms		Includes:
1955.0	Wrist symptoms		Chickenpox
1960.0	Hand and finger symptoms		Genital warts
	Includes:		German measles (rubella)
	Ring stuck on finger		Hepatitis (infectious and NOS)
1965.0	Symptoms of unspecified muscles		Herpes simplex
1970.0	Symptoms of unspecified joints		Infectious mononucleosis
1975.0	Musculoskeletal deformities		Measles
	Excludes:		Meningitis
	Clubfoot (2960.0)		Mumps
	Curvature of spine (2910.0)		Plantar's warts
1975.1	Bowlegged, knock-kneed		Poliomyelitis
1975.2	Posture problems		Rabies
1975.3	Pigeon-toed, feet turn in		Respiratory syncytival virus (RSV)
1980.0	Other musculoskeletal symptoms		Shingles (Herpes zoster)
	Includes:		Smallpox, NOS
	Bone pain		Venereal warts
	Stump pain		Verruca
		2015.1	Human immunodeficiency virus (HIV) with or without associated conditions
			Includes:
			Acquired immunodeficiency syndrome
			AIDS
			AIDS-like syndrome
			AIDS-related complex
			ARC
			HIV positive
			Excludes:
			Results, follow-up of test for HIV (6106.0)
		2015.2	Hemorrhagic fevers
			Includes:
			Botulism
			Ebola
			Fever, Hemorrhagic
			Marburg
		2020.0	Sexually transmitted diseases
			Includes:
			Chlamydia
			Gonorrhea
			Syphilis
		2025.0	Fungus infections (mycoses)
			Includes:
			Athlete's foot
			Candidiasis monilia
			Dermatophytoses
			Moniliasis
			Ringworm
			Thrush
			Tinea
			Yeast infection

DISEASE MODULE**INFECTIVE AND PARASITIC DISEASES (2001-2099)**

2030.0	Parasitic diseases Includes: Ascaris Leeches Lice Maggots Pinworms Scabies	2125.0	Cancer, male genital tract Includes: Epididymitis Penis Prepuce (foreskin) Prostate Scrotum Spermatic Cord Testes
2031.0	Sepsis, septicemia		
2035.0	Other and unspecified infectious and parasitic diseases Includes: Cattleman's disease Lyme disease PCP (pneumocystis carinii) Plague Staphylococcal infections Trichomonas vaginitis Tuberculosis Tularemia	2126.0	Cancer of urinary tract Includes: Bladder Kidney Renal pelvis Ureter Urethra
NEOPLASMS (2100-2199)		2130.0	Other malignant neoplasms Includes: Bone cancer Metastatic carcinoma Brain tumor Carcinoma-in-situ, NOS
<u>Malignant neoplasms:</u>			
2100.0	Cancer, gastrointestinal tract Includes: Colon Esophagus Liver Small intestine Stomach	2135.0	Hodgkin's disease, lymphomas, leukemias Includes: Cancer of blood Lymphosarcoma Multiple myeloma Polycythemia vera
2105.0	Cancer, respiratory tract Includes: Bronchus Larynx Lung Throat Trachea	<u>Benign and uncertain nature neoplasms:</u>	
2110.0	Cancer, skin and subcutaneous tissues Includes: Basal cell carcinoma Melanoma Squamous cell carcinoma	2140.0	Fibroids and other uterine neoplasms Includes: Cervical polyp Leiomyomata Myoma Nabothian cyst
2115.0	Cancer, breast	2145.0	Other benign neoplasms Includes: Bartholin's cyst Dermoid cyst (ovary) Hemangioma Lipoma Nasal polyp Nevus Ovarian cyst Rectal polyp Vaginal inclusion Vocal cord
2120.0	Cancer, female genital tract Includes: Cervix Endometrium Fallopian tube(s) Ovary(ies) Uterus Vagina Vulva		Excludes: Cyst, NOS (1855.0) Epidermoid cyst (2825.0) Pilonidal cyst (2825.0) Sebaceous cyst (2825.0)

2150.0 Neoplasm of uncertain nature

Excludes:

Brain tumor (2130.0)

ENDOCRINE, NUTRITIONAL, METABOLIC AND IMMUNITY DISEASES (2200-2249)

2200.0 Diseases of the thyroid gland

Includes:

Goiter
Hyperthyroidism
Hypothyroidism
Myxedema
Thyroid nodule
Thyrotoxicosis

2205.0 Diabetes mellitus

2210.0 Gout, hyperuricemia

2215.0 Other endocrine, nutritional, metabolic and immunity diseases

Includes:

Amyloidosis
Barter's Syndrome
Calcium deficiency
Cystinosis
Disorders of intestinal absorption
Electrolyte imbalance
Female hormone deficiency
Hemochromatosis
HL, elevated
Hormone imbalance
Hypercholesterolemia
Hyperlipidemia
Hypoglycemia
Impaired immune system
Iron deficiency
Low blood sugar
Malnutrition
Ovarian dysfunction
Poor nutrition

DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS (2250-2299)

2250.0 Anemia

Includes:

Anemia, NOS
Iron deficiency anemia
Pernicious anemia
Sickle cell anemia

2255.0 Other diseases of blood and blood-forming organs

Includes:

Hemophilia
Thrombocytopenia
von Willebrand's disease

MENTAL DISORDERS (2300-2349)

2300.0 Organic psychoses

Includes:

Alcoholic psychoses
Drug withdrawal
Organic brain syndromes
Senile dementia

2305.0 Functional psychoses

Includes:

Autism
Bipolar disease
Depression, Major
Manic-depressive psychoses
Paranoid states
Psychosis, NOS
Schizophrenia, all types

2310.0 Neuroses

Includes:

Anxiety reaction
Depressive neurosis
Depressive reaction
Neurosis, NOS
Obsessive compulsive neurosis

Excludes:

Anxiety (1100.0)
Depression (1110.0)

2315.0 Personality and character disorders

2320.0 Alcoholism

Includes:

Alcohol dependence

Excludes:

Adverse effect of alcohol (5915.0)
Alcohol abuse (1145.0)
Alcohol-related problems (1145.0)

2321.0 Drug dependence

Includes:

Drug addiction

Excludes:

Abnormal drug usage (1150.0)
Adverse effect of drug abuse (5910.0)
Overdose, intentional (5820.1)

2325.0 Mental retardation

2330.0 Other and unspecified mental disorders

Includes:

- Adolescent adjustment reaction
- Attention deficit disorder (ADD)
- Attention deficit hyperactivity disorder (ADHD)
- Note: Use additional code (1125.0) for hyperactivity.
- Bruxism
- Dyslexia, Mental
- Grief reaction
- Sexual deviations
- Transient situational disturbances

DISEASES OF THE NERVOUS SYSTEM (2350-2399)

2350.0 Multiple sclerosis

2355.0 Parkinson's disease (paralysis agitans)

2360.0 Epilepsy

2365.0 Migraine headache

2370.0 Other and unspecified diseases of the nervous system

Includes:

- Alzheimer's disease
- Bell's palsy
- Carpal tunnel syndrome
- Cerebral palsy
- Demyelinating disease
- Meningitis
- Morton's neuroma
- Muscular dystrophy
- Myasthenia gravis
- Neuropathy
- Paralysis, NEC
- Phantom leg/limb pain
- Thoracic outlet syndrome
- Tourette's syndrome

DISEASES OF THE EYE (2400-2449)

2400.0 Inflammatory diseases of the eye

Includes:

- Blepharitis
- Conjunctivitis
- Ophthalmia
- Iritis
- Keratitis (includes sicca)
- Sty
- Ulcer

Excludes:

- Infection, NOS (1315.0)

2405.0 Refractive error

Includes:

- Anisometropia
- Astigmatism
- Hyperopia, farsightedness
- Myopia, nearsightedness
- Presbyopia

2405.0 Refractive error (continued)

Excludes:

- Test for refractive errors (3230.0)

2410.0 Cataract

2415.0 Glaucoma

Includes:

- Hypertensive ocular disease
- Increased ocular pressure

2420.0 Other diseases of the eye

Includes:

- Amblyopia
- Aphakia
- Color blindness
- Esotropia
- Exotropia
- Krukenberg's spindle
- Macular degeneration
- Pterygium
- Retinal detachment
- Strabismus

DISEASES OF THE EAR (2450-2499)

2450.0 Otitis media

2455.0 Other diseases of the ear

Includes:

- Abscess
- Labyrinthitis
- Ruptured tympanic membrane

Excludes:

- Deafness (1345.1)
- Infection, NOS (1355.2)

DISEASES OF THE CIRCULATORY SYSTEM (2500-2599)

2500.0 Rheumatic fever and chronic rheumatic heart disease

Includes:

- Chorea

2505.0 Hypertension with involvement of target organs

Includes:

- HCD
- HCVD
- Hypertensive cardiovascular disease
- Hypertensive heart disease
- Pulmonary hypertension
- Renal hypertension

2510.0 Hypertension, hypertensive

Includes:

- High blood pressure

2515.0 Ischemic heart disease
 Includes:
 Angina pectoris
 Arteriosclerotic cardiovascular disease (ACVD)
 Arteriosclerotic heart disease (ASHD)
 Coronary
 Coronary artery disease
 Heart attack
 Myocardial infarction

2520.0 Other heart disease
 Includes:
 Aortic valve stenosis
 Arrhythmia, NOS
 Atrial fibrillation
 Cardiac arrhythmia
 Cardiac dysrhythmias
 Cardiomyopathy
 Cardiomyopathy (congestive)
 Congestive heart failure
 Cor pulmonale
 Heart failure
 Heart murmur
 Mitral valve prolapse
 Mitral valve regurgitation
 Paroxysmal tachycardia
 Premature ventricular contractions (PVCs)
 Ventricular tachycardia

2525.0 Cerebrovascular disease
 Includes:
 Carotid stenosis
 Cerebral arteriosclerosis
 Cerebral hemorrhage
 Cerebral stenosis
 Cerebrovascular accident (CVA)
 Stroke
 TIA

2530.0 Atherosclerosis
 Includes:
 Arteriosclerosis
 Hardening of the arteries
 Excludes:
 Cerebral arteriosclerosis (2525.0)

2535.0 Phlebitis, thrombophlebitis
 Includes:
 Phlebothrombosis

2540.0 Varicose veins

2545.0 Hemorrhoids
 Includes:
 Perineal tags

2550.0 Other disease of circulatory system
 Includes:
 Aneurysm
 Blood clots
 Pulmonary embolism
 Heart disease, NOS
 Infarct(s), NOS
 Lymphadenitis
 Lymphadenopathy
 Stasis dermatitis
 Temporal arteritis
 Vasculitis
 Venous insufficiency

DISEASES OF THE RESPIRATORY SYSTEM (2600-2649)

2600.0 Upper respiratory infections except tonsillitis
 Includes:
 Croup
 Laryngitis
 Pharyngitis
 Rhinitis
 Sinusitis

Excludes:
 Allergic rhinitis (2635.0)
 Cold (1445.0)
 Nose infection, NOS (1405.3)
 Sinus infection, NOS (1410.2)
 Throat infection, NOS (1455.3)

2605.0 Tonsillitis

2610.0 Bronchitis
 Includes:
 Acute bronchitis
 Bronchitis, NOS
 Chronic bronchitis

2620.0 Emphysema
 2625.0 Asthma
 2630.0 Pneumonia

Includes:
 Bacterial pneumonia
 Bronchopneumonia
 Pneumonitis
 Viral pneumonia

2635.0 Hay fever

Includes:
 Allergic rhinitis
 Allergy to:
 Dust
 Pollen
 Animals
 Ragweed
 Nasal allergy
 Pollenosis

2640.0 Other respiratory diseases

Includes:
 Bronchospasm
 Chronic obstructive pulmonary disease
 Deviated nasal septum
 Hemothorax
 Pleurisy
 Pneumothorax
 Pulmonary edema
 Respiratory failure
 SARS

DISEASES OF THE DIGESTIVE SYSTEM (2650-2699)

2650.0 Diseases of the esophagus, stomach, and duodenum

Includes:
 Barrett's esophagus
 Duodenal ulcer
 Esophageal ulcer
 Esophagitis
 Gastritis
 GERD
 Peptic ulcer
 Stomach ulcer

Excludes:
 Gastroenteritis (2005.0)
 Stomach flu (1540.0)

2655.0 Appendicitis, all types

2660.0 Hernia of abdominal cavity

Includes:
 Abdominal
 Femoral
 Hiatus
 Inguinal
 Umbilical
 Ventral

2665.0 Diseases of the intestine and peritoneum

Includes:
 Abscess, rectal
 Adhesions
 Crohn's disease
 Diverticulitis
 Diverticulosis
 Fissure - rectal, anal
 Fistula - rectal, anal
 Ileitis
 Irritable bowel syndrome
 Proctitis
 Small bowel obstruction
 Spastic colitis
 Ulcerative colitis

Excludes:
 Intestinal virus (1540.0)

2670.0 Diseases of the liver, gallbladder, and pancreas

Includes:
 Biliary colic
 Cholecystitis
 Cholelithiasis (gallstones)
 Cirrhosis
 Liver diseases
 Pancreatitis

2675.0 Other diseases of digestive system, NEC

Includes:
 Mandibular cyst

2675.1 Dental abscess

2675.2 Dental cavities

2675.3 Canker sore

2675.4 Stomatitis

2675.5 Temperomandibular joint (TMJ) pain,
 Temperomandibular joint (TMJ)
 syndrome

DISEASES OF THE GENITOURINARY SYSTEM (2700-2799)

2700.0 Cystitis

Excludes:
 Bladder infection (1665.2)

2705.0 Urinary tract disease except cystitis

Includes:
 Bladder stones
 Glomerulonephritis
 Glomerulonephrosis
 Kidney stones
 Neurogenic bladder
 Pyelonephritis
 Renal failure
 Ureteral calculus
 Urethritis

Excludes:
 Bladder infection (1665.2)
 Kidney infection, NOS (1670.2)
 Passed stones (1680.0)
 Urinary tract infection (1675.0)

2710.0 Diseases of the male genital organs

Includes:
 Benign prostatic hypertrophy (BPH)
 Epididymitis
 Hydrocele
 Peyronie's disease
 Phimosis
 Prostatitis

Excludes:
 Prostate infection (1710.2)

2715.0	Fibrocystic and other diseases of breast	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE (2800-2899)
	Includes: Abscess Mastitis	2800.0 Carbuncle, furuncle, boil, cellulitis, abscess, NEC
	Excludes: Infection (1810.0) Cancer (2115.0)	2805.0 Impetigo
2720.0	Pelvic inflammatory disease (PID)	2810.0 Seborrheic dermatitis Includes: Dandruff
	Includes: Oophoritis Pelvic peritonitis Salpingitis	2815.0 Eczema and dermatitis, NOS
	Excludes: Pelvic infection, NOS (1775.3)	2820.0 Psoriasis
2725.0	Cervicitis, vaginitis	2825.0 Other diseases of the skin Includes: Allergic skin reactions Epidermal inclusion cyst Folliculitis Hidradenitis Hives Keloid Keratosis Lupus erythematosus, NOS Paronychia Pilonidal cyst Poison ivy Poison oak Rosacea Sebaceous cyst Urticaria
	Includes: Cervical erosion Vulvovaginitis	Excludes: Acne (1830.0) Cyst, NOS (1855.0)
2730.0	Other diseases of female reproductive system	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (2900-2949)
	Includes: Cervical dysplasia Cystocele Dysfunctional uterine bleeding Endometriosis Polycystic ovaries Procidentia uteri Prolapse of uterus Rectal-vaginal fistula Rectocele Vulvitis	2900.0 Arthritis Includes: Osteoarthritis Rheumatism, NOS Rheumatoid arthritis Septic
2735.0	Diagnosed complications of pregnancy and puerperium	2905.0 Nonarticular rheumatism Includes: Bursitis Ganglion cyst Lumbago Myositis Radiculitis/Radiculopathy Synovitis Tendinitis Tenosynovitis
	Includes: Advanced maternal age Diabetes during pregnancy Ectopic pregnancy Edema of pregnancy Fetal death in utero High blood pressure during pregnancy High risk pregnancy Hyperemesis Intrauterine growth retardation (IUGR) Miscarriage (if patient is pregnant) Multiple pregnancy Placenta previa Post dates RH sensitization Spontaneous abortion Threatened abortion Toxemia	Excludes: Rheumatism, NOS (2900.0)
	Excludes: Abortion induced (3520.0)	
2736.0	Other diseases of the genitourinary system, NEC	

2910.0 Other musculoskeletal or connective tissue disease

Includes:
 Baker's cyst
 Bone cysts
 Bone spur
 Bunions
 Cervical myelopathy
 Curvatures of spine
 Degenerative disc diseases
 Dupuytren's contracture
 Exostosis
 Kyphoscoliosis
 Kyphosis
 Osteomyelitis
 Osteoporosis
 Paget's
 Plantar fistula
 Scleroderma
 Scoliosis
 Sjogen's
 Slipped disc
 Spondylosis
 Spur, NOS
 Systemic lupus erythematosus

CONGENITAL ANOMALIES (2950-2979)

2950.0 Congenital anomalies of heart and circulatory system

2955.0 Undescended testicles

Includes:
 Hypospadias

2960.0 Other and unspecified congenital anomalies

Includes:
 Absence of organs
 Blocked tear duct
 Cleft palate
 Cleft lip
 Clubfoot
 Congenital dislocation of hip
 Deformed earlobe
 Down syndrome
 Duplication of organs
 Dymorphic
 Harelip
 Turner's Syndrome

PERINATAL MORBIDITY AND MORTALITY CONDITIONS (2980-2999)

2980.0 Prematurity

Includes:
 Late effects of prematurity
 Premature infant

2990.0 All other perinatal conditions

DIAGNOSTIC, SCREENING, AND PREVENTIVE MODULE**GENERAL EXAMINATIONS (3100-3199)**

3100.0 General medical examination

Includes:
 Annual exam
 Checkup, NOS
 Checkup, routine
 Evaluation, NOS
 General exam
 Healthy adult
 Healthy child
 History and physical (H&P)
 Multiphasic screening exam
 Physical exam
 Preventive
 Regular exam
 Routine exam

Excludes:
 Administrative exam (7100.0-7140.0)
 Followup visit (4800.0)
 Gynecological exam (3225.0)
 Pre-op exam (4200.0)
 Prenatal exam (3205.0)
 Progress visit (4800.0)

3105.0 Well baby examination (any child under 1 year of age)

3130.0 General psychiatric or psychological examination

Includes:
 Psychological testing

Excludes:
 Court- or school-ordered examination (7140.0)

SPECIAL EXAMINATIONS (3200-3299)

3200.0 Pregnancy, unconfirmed

Includes:
 HCG
 Late menses
 Late menstruation
 Might be pregnant
 Missed period
 Period late
 Possible pregnancy
 Pregnancy test

3205.0 Prenatal examination, routine

Includes:
 Normal antepartum visit
 Pregnancy, NOS
 Routine obstetrical care

3215.0 Postpartum examination, routine

3220.0	Breast examination		3305.0	Skin immunity test
	Excludes:			Includes:
	Breast thermography (3340.0)			PPD test
	Mammography (3340.0)			Tuberculin test
	Xerography (3340.0)			Excludes:
				To check results of skin tests (6600.0)
3225.0	Gynecological examination		3310.0	Glucose level determination
	Includes:			Includes:
	Pelvic exam			Blood sugar test
	Excludes:			Check sugar
	Examination for birth control medication (3505.0)			Glucose tolerance test
	Examination for birth control, NOS (3500.0)			Test for diabetes
	Examination involving IUD (3510.0)		3314.0	Human immunodeficiency virus (HIV) test
	Repeat or abnormal Pap smear (6300.0)			Includes:
				AIDS test
				Excludes:
				To check results of human immunodeficiency virus test (6106.0)
3230.0	Eye examination		3315.0	Other blood test
	Includes:			Includes:
	Check contacts			Blood alcohol
	Check glasses			Blood count
	For contacts			Blood culture
	For glasses			Blood test, NOS
	Glasses, NOS			Blood thinning test
	Need new glasses			Check cholesterol
	Routine ophthalmologic exam			Prothrombin time
	Test for nearsightedness, farsightedness			Sickle cell anemia test
	To test my eyes			Excludes:
	Vision test			Premarital blood test (7135.1)
	Visual field test			
	Excludes:			
	Fitting glasses or contacts (4515.0)			
3235.0	Heart examination		3315.1	Blood test for sexually transmitted disease
	Includes:			
	Cardiac checkup			
	Heart checkup			
3240.0	Other special examination		3320.0	Blood pressure test
	Includes:			Includes:
	AICD check			Blood pressure check
	Check tubes			Check blood pressure
	Examination of functioning internal prosthetic devices: implants, stents,shunts, etc.			
	Hearing aid		3325.0	Urine test
	ICD check			Includes:
	Neurological exam			Estriol for fetal evaluation
	Thyroid			Test urine for sugar
				Urinalysis
				Urine culture
			3330.0	Diagnostic endoscopies
				Includes:
				Arthroscopy
				Cystoscopy
				Laparoscopy
				Proctoscopy
				Sigmoidoscopy
DIAGNOSTIC TESTS (3300-3399)				
3300.0	Sensitization test		3335.0	Biopsies
	Includes:			
	Allergy test			
	Excludes:			
	To check results of skin tests (6600.0)			

3340.0	Mammography, xerography, breast thermography	OTHER SCREENING AND PREVENTIVE PROCEDURES (3400-3499)
	Excludes: Breast examination (3220.0)	3400.0 Prophylactic inoculations
3345.0	Diagnostic radiology	Includes: Flu shot Immunization Influenza shot Rhogam Tetanus shot Vaccination
	Includes: Angiogram/angiography Bone scan Hysterosalpingogram IVP MRI Myelogram Radioisotope scanning Venogram X-ray	3405.0 Exposure to sexually transmitted disease (STD)
3350.0	EKG, ECG, electrocardiogram, treadmill, stress testing	Includes: Check for STD May have STD
3355.0	EEG, electroencephalogram	3408.0 Possible HIV
3360.0	Hearing test	3409.0 Exposure to human immunodeficiency virus (HIV)
	Includes: Hearing exam	Includes: Exposed to AIDS
3365.0	Pap smear	3410.0 Exposure to other infectious diseases
3366.0	Nasal swab	Includes: Chickenpox Infectious hepatitis Measles Mumps Pathogens Tuberculosis
3370.0	Other and unspecified diagnostic tests	3415.0 Exposure to bodily fluids of another person, NOS
	Includes: Amniocentesis Centesis Drug screening Electronic fetal monitoring Lab test, NOS Pulmonary function test Spinal tap	Includes: Blood exposure Exposure to another's secretions
3370.1	Glaucoma test	FAMILY PLANNING (3500-3599)
	Includes: ATN check Check intraocular pressure	3500.0 Family Planning, NOS
3370.2	Throat culture	Includes: Birth control, NOS Counseling, examinations, and general advice regarding: Genetics Sterilization Fertility, NOS Unwanted pregnancy, contraceptive, NOS
3370.3	Heart catheterization	Excludes: Procedures performed [See Counseling and examinations for pregnancy interruption (3515.0) through Artificial insemination (3530.0)]
3370.4	Other cultures	Specified types of birth control: Birth control medication (3505.0) IUD (3510.0)
	Includes: Skin	

3505.0	Contraceptive medication	<ul style="list-style-type: none"> Includes: Depo Provera Examinations, instructions, and advice regarding: <ul style="list-style-type: none"> Birth control pills Contraceptive implants Foams, jellies Oral contraceptives Renewing pill prescription Norplant checkup Norplant insertion/removal (also code 4520.0) 	TREATMENT MODULE
			MEDICATIONS (4100-4199)
			4100.0 Allergy medication <ul style="list-style-type: none"> Includes: Allergy shots Allergy treatments Excludes: Allergy testing (3300.0)
			4110.0 Injections <ul style="list-style-type: none"> Includes: Antibiotics Fat Hormones Injections, NOS Iron Lupron Depot Shots, NOS Steroid Vitamins Excludes: Allergy shots (4100.0) Immunizations (3400.0) Inoculations (3400.0) Vaccinations (3400.0)
3510.0	Contraceptive device	<ul style="list-style-type: none"> Includes: Diaphragm insertion, removal, checkup IUD insertion, removal, checkup 	
3515.0	Counseling and examinations for pregnancy interruption	<ul style="list-style-type: none"> Includes: Evaluation for an arrangement for abortion Wants abortion 	
3520.0	Abortion to be performed (at this visit)		
3525.0	Sterilization and sterilization reversal to be performed (at this visit)	<ul style="list-style-type: none"> Includes: Male - vasectomy Female - tubal ligation 	4111.0 Noncompliance with medication therapy 4115.0 Medication, other and unspecified kinds
3530.0	Artificial insemination (at this visit)	<ul style="list-style-type: none"> Includes: Assisted reproductive technologies Fetal reduction Intrauterine insemination In vitro fertilization 	<ul style="list-style-type: none"> Includes: Antibiotics, NOS Check medication Drug studies For medication Medication for pain Oral Prescribe medication Renew prescription Renew scripts Request prescription Scripts Excludes: Antibiotic medication injections (4110.0) Birth control medication (3505.0) Eyeglass prescription (see Eye examination (3230.0) and Fitting glasses and contact lenses (4515.0))
3535.0	Preconception counseling and education	<ul style="list-style-type: none"> Includes: Counseling, examinations, and general advice regarding: <ul style="list-style-type: none"> Artificial insemination Desires pregnancy Egg donor Infertility Semen analysis Sperm donor Sperm washing 	

PREOPERATIVE AND POSTOPERATIVE CARE (4200-4299)

4200.0 Preoperative visit for specified and unspecified types of surgery

Includes:
 Discussion of cosmetic surgery
 Pre-op examination
 Surgical consultation

4205.0 Postoperative visit

Includes:
 Check graft
 Check implant
 Check shunt
 Check stoma
 Check surgical wound
 Clotted graft/shunt
 Endoscopy follow-up
 Postop care
 Postop pain
 Postop suture removal
 Suture removal follow-up

Excludes:
 Complications of surgical or medical procedures and treatments (5930.0)

SPECIFIC TYPES OF THERAPY (4400-4499)

4400.0 Physical medicine and rehabilitation

Includes:
 Back adjustment
 Cardiac rehabilitation
 Heat therapy
 Hydrotherapy
 Occupational therapy
 Physical therapy
 Pulmonary rehabilitation
 Recreational therapy
 Speech therapy
 Therapeutic exercises
 Vocational rehabilitation

4401.0 Cardiopulmonary resuscitation (CPR)

4405.0 Respiratory therapy

Includes:
 Asthma treatment
 Inhalation therapy
 Inhaler/breathing treatment

4410.0 Psychotherapy

Includes:
 Group counseling
 Includes:
 12 Step programs (e.g. AA, Overeaters Anonymous, etc.)
 Group therapy
 Psychoanalysis

4415.0 Radiation therapy
 Includes treatment of s/p

4420.0 Acupuncture

4425.0 Chemotherapy

SPECIFIC THERAPEUTIC PROCEDURES (4500-4599)

4500.0 Tube insertion

Includes:
 Chest tube
 Flushed catheter
 PEG, Replacement
 Port-a-cath placement

Excludes:
 Flushed urinary catheter 4510.0

4505.0 Cauterization, all sites

4507.0 IV therapy, infusion

4510.0 Urinary tract instrumentation and catheterization

Includes:
 Flushed urinary catheter
 Urethral dilation
 Urinary catheterization

Excludes:
 Cystoscopy [see Diagnostic endoscopies (3330.0)]

4515.0 Fitting glasses and contact lenses

Includes:
 Broken or lost glasses or contacts
 Clean glasses or contacts
 Pick up glasses or contacts
 Prescription renewal

Excludes:
 Eye examination (3230.0)

4518.0 Detoxification

4518.1 Alcohol

4518.2 Drug

4605.0	Medical Counseling, NOS		
	Includes:		
	Alcohol		
	Disease counseling		
	Drug		
	Drug rehabilitation		
	Medical consultation		
	New patient		
	Patient education		
	Personal problem		
	Referral		
	Second opinion		
	To learn about a condition		
	To meet doctor		
	Trouble toilet training		
	Wants to talk to doctor		
4605.1	Family history of cardiovascular disease		
4605.2	Family history of cancer		
4605.3	Family history of diabetes		
4605.4	Family history of other disease or condition		
SOCIAL PROBLEM COUNSELING (4700-4799)			
4700.0	Economic problem		
	Includes:		
	Can't pay bills		
	Too little income		
4702.0	Problem with access to medical care		
	Includes:		
	Blocked access to medical care		
	Limited access to medical care		
4705.0	Marital problems		
	Includes:		
	Alcoholic spouse		
	Custody battle		
	Divorce, desertion, separation		
	Marriage counseling, NOS		
	Premarital counseling		
	Problem with husband, wife		
4710.0	Parent-child problems		
	Includes:		
	Adopted or foster child		
	Concern about childhood behavior		
	Discipline		
	Maturation problems		
	Working mother		
4715.0	Other problems of family relationship		
	Includes:		
	Aged parents or in-laws		
	Divorced parents		
	Family fights and disruptions		
	Problems with relatives		
4720.0	Educational problems		
	Includes:		
	Absenteeism, truancy		
	Hates school		
	Problems with teachers		
	School behavior problems		
4725.0	Occupational problems		
	Includes:		
	Job dissatisfaction		
	Out of work		
	Problem with boss or coworkers		
	Unable to work		
	Unemployment		
4730.0	Social adjustment problems		
	Includes:		
	Discrimination problems		
	Don't have any friends		
	Loneliness		
	Neighborhood and community relations problems		
	Social isolation		
4735.0	Legal problems		
	Includes:		
	Imprisonment, prosecution		
	Lawsuits, litigation		
4735.1	Police involvement in outpatient visit circumstances		
	Includes:		
	Brought in by police		
	Police called		
4740.0	Other social problems		
	Includes:		
	Disabled		
	Disasters		
	Housing and clothing problems		
	Pregnancy out-of-wedlock		
	Problem with boyfriend or girlfriend		
	Problems of aging		

PROGRESS VISIT, NEC (4800-4899)

4800.0 Progress visit, NOS (Use only when the only information given is progress or followup)

Includes:
 Chronic, NOS
 Followup, NOS
 Getting better
 I'm better
 I'm the same
 I'm worse
 Monthly visit
 Ongoing treatment, NOS
 Recheck
 Routine followup
 Same problems, NOS
 Touching base

Excludes:
 Followup, disease (Code to disease)
 Followup, injury (Code to injury)
 Followup, symptom (Code to symptom)
 Followup, test results (Code to 6100.0-6700.0)
 General checkup (3100.0)
 Postoperative followup (4205.0)
 Preventive medicine (3100.0)

INJURIES AND ADVERSE EFFECTS MODULE

INJURY BY TYPE AND/OR LOCATION (5001-5799)

Fractures and dislocations:

5005.0 Head and face

Includes:
 Facial bones
 Jaw
 Nose
 Skull

5010.0 Spinal column

Includes:
 Back
 Neck
 Vertebrae

5015.0 Trunk area, except spinal column

Includes:
 Clavicle
 Collarbone
 Pelvic scapula
 Rib

5020.0 Leg

Includes:
 Femur
 Fibula
 Hip
 Knee
 Tibia

5025.0 Ankle

5030.0 Foot and toes

5035.0 Arm

Includes:
 Elbow
 Humerus
 Radius
 Shoulder
 Ulna

5040.0 Wrist

5045.0 Hand and fingers

5050.0 Fracture, other and unspecified

Sprains and strains:

5105.0 Cervical spine, neck

Includes:
 Whiplash

5110.0 Back

5115.0 Knee

5120.0 Ankle

5125.0 Wrist

5130.0 Sprain or strain, other and unspecified

Lacerations and cuts:

5205.0 Head and neck area

Excludes:
 Face (5210.0)

5210.0 Facial area

Includes:
 Eye
 Ear
 Forehead
 Lip
 Nose

5215.0 Trunk area

Includes:
 Perineum

5220.0 Lower extremity

Includes:
 Ankle
 Foot

5225.0 Upper extremity

Includes:
 Arm
 Fingers
 Hand
 Wrist

5230.0	Laceration and cuts, site unspecified	5520.0	Chest and abdomen
<u>Puncture wounds:</u>		<u>Includes:</u> Internal injuries	
5305.0	Head, neck and facial area	5525.0	Hip
5310.0	Trunk area	5530.0	Leg
5315.0	Lower extremity	5535.0	Knee
5320.0	Upper extremity	5540.0	Ankle
5325.0	Puncture wound, site unspecified	5545.0	Foot and toe(s)
	<u>Includes:</u> Needlestick, NOS	5550.0	Shoulder
<u>Contusions, abrasions, and bruises:</u>		5555.0	Arm
5405.0	Head, neck, and face	5560.0	Elbow
	<u>Excludes:</u> Eye (5410.0)	5565.0	Wrist
5410.0	Eye	5570.0	Hand and finger(s)
	<u>Includes:</u> Black eye Contusion Corneal abrasion	5575.0	Injury, multiple or unspecified <u>Includes post-traumatic (NOS) headache (and 1210.0)</u>
5415.0	Trunk area	<u>Foreign body:</u>	
	<u>Includes:</u> Injury to scrotum	5600.0	Eye
5420.0	Lower extremity	5605.0	Nose
5425.0	Upper extremity	5610.0	Skin
5430.0	Contusion, abrasion, bruise, site unspecified	5615.0	Digestive tract
<u>Injury, other and unspecified type:</u>		<u>Includes:</u> Mouth Rectum Throat	
5505.0	Head, neck, and face	5616.0	Respiratory tract
	<u>Includes:</u> Post concussive syndrome Tooth fracture Tooth knocked out Traumatic brain injury (TBI)	5620.0	Other and unspecified sites
	<u>Excludes:</u> Loose tooth (no injury) 1500.0	<u>Burns, all degrees:</u>	
5510.0	Eye	5705.0	Head, neck, and face <u>Includes eyes</u>
5515.0	Back	5710.0	Trunk area
	<u>Includes:</u> Tail bone	5715.0	Extremities
		<u>Includes:</u> Lower Upper	
		5720.0	Burn, site unspecified

5750.0	Sunburn, windburn		
	Excludes: Sun poisoning 5920.0		
	<u>Bites:</u>		
5755.0	Insect		
	Includes: Sting Tick		
5760.0	Animal ,snake, human		
	INJURY, NOS (5800-5899)		
5800.0	Late effects of an old injury		
	Includes: Deformities Scars		
5805.0	Motor vehicle accident, type of injury unspecified		
	Includes: Auto accident Car accident Motorcycle accident		
5810.0	Accident, NOS		
	Includes: Fall, type or location of injury unspecified		
5815.0	Violence, NOS		
	Includes: Abuse Beat up In a fight Stabbing		
	Excludes: Violence against oneself (5818.0, 5820.0)		
	5815.1 Child abuse or neglect		
	Excludes: Child sexual abuse (5830.1)		
	5815.2 Battered spouse		
	5815.3 Elder abuse		
	5815.4 Gunshot wound		
5818.0	Intentional self-mutilation		
	Includes: Self-abuse Tried to hurt self		
	Excludes: Suicide attempt (5820.0)		
5820.0	Suicide attempt		
	Includes: Found in car with motor running Hanging oneself Slashed wrists Code also: Laceration of wrists (5225.0) Stabbed oneself		
	5820.1 Overdose, intentional		
	Excludes: Unintentional overdose (5910.0)		
5830.0	Rape		
	Includes: Sexual assault		
	5830.1 Sexual abuse		
	Includes: Molestation		
5835.0	Dead on arrival (DOA)		
	Includes: Death		
	Excludes: Cardiac arrest (5837.0) Cardiopulmonary arrest (5839.0) Respiratory arrest (5836.0)		
5836.0	Respiratory arrest		
	Excludes: Cardiac arrest (5837.0) Cardiopulmonary arrest (5839.0) Dead on arrival (5835.0) Drowning (5838.0) Near drowning (5838.0)		
5837.0	Cardiac arrest		
	Includes: Code blue		
	Excludes: Cardiopulmonary arrest (5839.0) CPR (4401.0) Dead on arrival (5835.0) Respiratory arrest (5836.0)		
5838.0	Drowning		
	Includes: Near drowning		
5839.0	Cardiopulmonary arrest		
	Excludes: Cardiac arrest (5837.0) Respiratory arrest (5836.0)		

5840.0	Unconscious on arrival	Includes: Coma Found unconscious Knocked out Shock Stupor Unresponsive	5915.0	Adverse effect of alcohol	Includes: Acute intoxication Drunk Intoxication
5841.0	State of consciousness not specified	Includes: Brought in by ambulance Found on floor Verbally unresponsive	5920.0	Adverse effects of environment	Includes: Air pollution Frostbite Hypothermia Noise pollution Sun damage Sun poisoning Water pollution
5842.0	Altered level of consciousness, NOS	Excludes: Adverse effect of alcohol 5915.0 Adverse effect of drug abuse 5910.0	5922.0	Adverse effects of terrorism and bioterrorism	Includes: Anthrax, skin Anthrax, respiratory (inhalation) Bombing Food/water contamination Smallpox
POISONING AND ADVERSE EFFECTS (5900-5999)					
5900.0	Unintentional poisoning				
	5900.1	Food poisoning			
	5900.2	Ingestion, inhalation, or exposure to potentially poisonous products			
		Includes: Household products Chemicals Drugs Gas Smoke Lead Mace in eyes			
5905.0	Adverse effect of medication	Includes: Allergy to medication Anaphylactic shock Bad reaction to prescribed medication Penicillin allergy			
5910.0	Adverse effect of drug abuse	Includes: Bad trip Combination of drugs and alcohol (nonsuicidal) Drug-induced hallucinations Freaked out on drugs Ingestion of drugs for nonmedicinal purposes Unintentional overdose			
		Excludes: Intentional overdose (5820.1)			
					Note: Use an additional code to identify the complaint, symptom, or disease, if any.
			5925.0	Adverse effects, other and unspecified	Includes: Seasickness
			5930.0	Complications of surgical or medical procedures and treatments	Includes: Artificial openings (ostomies, stoma) Catheter Foreign body (accidentally left during surgery e.g. sponge, instrument) Medical complication, NOS Non-healing surgical wound Post-op fever Post-op hemorrhage (bleeding) Post-op infection or inflammation Post-op sepsis (septicemia) Shunt Tubes Wound dehiscence
					Use additional code to identify condition Such as: UTI (1675.0) Fever (1010.0)
					Excludes: Postpartum conditions (1791.0 and 1810.2) Complication of transplant organs (4565.1-4565.2)

TEST RESULTS MODULE

(Includes all abnormal test results and followups for test results)

- 6100.0 For results of blood glucose tests
- Includes:
Abnormal glucose tolerance test
Elevated blood sugar
Glucose control
High blood sugar
Hyperglycemia
Sugar in blood
- 6105.0 For results of cholesterol and triglyceride tests
- Includes:
High cholesterol
- 6106.0 For results of test for human immunodeficiency virus (HIV)
- Includes:
Results of AIDS test
- Excludes:
History of positive HIV test findings (2015.1)
- 6110.0 For other findings of blood tests
- Includes:
Elevated sed rate
Low potassium
Positive blood culture
Positive serology, VDRL
- 6200.0 For results of urine tests
- Includes:
Abnormal urinalysis
Positive urine culture
Sugar in urine
- 6300.0 For cytology findings
- Includes:
Atypical Pap smear
For results of Pap smear of cervix or other area
Positive Pap smear
Repeat Pap smear
- 6400.0 For radiological findings
- Includes:
Abnormal X-ray
X-ray results
Xeromammography results
- 6500.0 For results of EKG, Holter monitor review
- 6600.0 For results of skin tests

6700.0 For other and unspecified test results

Includes:
Abnormal EEG
Abnormal lab test results, NOS
Abnormal scans
Abnormal pulmonary function test
Results of fetal evaluation tests
To discuss test results with physician
Ultrasonography results

ADMINISTRATIVE MODULE

- 7100.0 Physical examination required for school or employment
- 7100.1 Physical examination required for employment
- Includes:
Preemployment examination
Required company physical
Return to work checkup
Teacher's certificate physical
- 7100.2 Executive physical examination
- 7100.3 Physical examination required for school
- Includes:
College
Day care center
Grade school
High school
Nursery school
- 7100.4 Physical examination for extracurricular activities
- Includes:
Athletics
Boy Scouts or Girl Scouts
Camp
Little League
- 7120.0 Driver's license examination
- 7125.0 Insurance examination
- 7130.0 Disability examination
- Includes:
Evaluation of disability
Social Security examination
- 7131.0 Worker's comp exam
- 7135.0 Premarital examination
- 7135.1 Premarital blood test

7137.0 Direct admission to hospital

Includes:
Admit to hospital
Direct admit
For admission
Here for admission
Involuntary commitment
Pre admission evaluation
Pre admission exam
Voluntary commitment

7140.0 Other reason for visit required by party other than
the patient or the health care provider

Includes:
Physical examination for adoption
Psychiatric examination required by
court

UNCODABLE ENTRIES

8990.0 Problems, complaints, NEC

8991.0 Patient unable to speak English

8993.0 Patient (or patient's spokesperson) refused care

Includes:
Left AMA
Walked out

8997.0 Entry of "none" or "no complaint"

Includes:
Asymptomatic, NOS
Doing well

8998.0 Insufficient information

8999.0 Illegible entry

SPECIAL CODE

90000 Blank

APPENDIX III

A. GENERIC CODES AND NAMES IN NUMERIC ORDER

50000	UNDETERMINED	50183	AMINACRINE	50433	AURANOFIN
50002	LEVONORGESTREL	50185	AMINO ACIDS	50435	AUROTHIOGLUCOSE
50004	ACACIA GUM	50190	AMINOACETIC ACID	50440	AZATADINE
50005	ACETAMINOPHEN	50195	AMINOBENZOIC ACID	50444	AZTREONAM
50008	ACEBUTOLOL HYDROCHLORIDE	50200	AMINOCAPROIC ACID	50445	AZATHIOPRINE
50015	ACETANILID	50203	AMINOGLUTETHIMIDE	50446	AZLOCILLIN SODIUM
50018	ACETATE ION	50205	AMINOHIPPURATE SODIUM	50447	BACAMPICILLIN
50020	ACETAZOLAMIDE	50210	AMINOPHYLLINE	50450	BACITRACIN
50025	ACETIC ACID	50220	AMINOSALICYLIC ACID	50455	BACLOFEN
50030	ACETOHEXAMIDE	50223	AMIODARONE HCL	50460	BALSAM
50032	ACETOHYDROXAMIC ACID	50223	AMITRIPTYLINE	50465	BANDAGE
50035	ACETONE	50235	AMMONIA SPIRIT AROMATIC	50475	BARBITAL
50040	ACETOPHENAZINE	50238	AMMONIA STRONG	50480	BARIUM SULFATE
50060	ACETYLCYSTEINE	50240	AMMONIATED MERCURY	50485	BCG VACCINE
50078	ACYCLOVIR	50243	AMMONIUM BROMIDE	50490	BECLOMETHASONE
50080	ADENOSINE	50244	AMMONIUM CARBONATE	50492	BEEF EXTRACT
50085	ALBUMIN HUMAN	50245	AMMONIUM CHLORIDE	50495	BELLADONNA
50088	ALBUTEROL	50249	AMMONIUM PHOSPHATE	50498	BENZAEPRIIL HYDROCHLORIDE
50090	ALCOHOL	50250	AMOBARBITAL SODIUM	50499	BENACTYZINE
50093	ALFENTANIL HYDROCHLORIDE	50258	AMOXAPINE	50500	BENDROFLUMETHIAZIDE
50096	ALGINIC ACID	50260	AMOXICILLIN	50505	BENOXINATE
50097	ALKYL ARYL POLYETHER ALCOHOL	50265	AMPHETAMINE	50507	BENTIROMIDE
50103	ALLANTOIN	50270	AMPHOTERICIN	50508	BENTONITE
50104	ALLOBARBITAL	50275	AMPICILLIN	50515	BENZALKONIUM CHLORIDE
50105	ALLOPURINOL	50278	AMRINONE LACTATE	50516	BENZENE
50107	ALMOND OIL	50280	AMYL NITRITE	50520	BENZETHONIUM CHLORIDE
50109	ALOIN	50281	AMYL PHENYL PHENOL	50525	BENZIN
50110	ALPHAPRODINE	50283	AMYLASE	50530	BENZOCAINE
50113	ALPRAZOLAM	50284	ANETHOLE	50538	BENZOIC ACID
50116	ALPROSTADIL	50290	ANISE OIL	50540	BENZOIN
50120	ALSEROXYLON	50295	ANISINDIONE	50545	BENZONATATE
50125	ALUMINUM	50300	ANISOTROPINE	50548	BENZOPHENONE
50130	ALUMINUM ACETATE	50305	ANTAZOLINE	50550	BENZOYL PEROXIDE
50135	ALUMINUM AMMONIUM SULFATE	50310	ANTHRALIN	50555	BENZPHETAMINE
50138	ALUMINUM CHLORHYDROXY- ALLANTOINATE	50320	ANTIHEMOPHILIC FACTOR HUMAN	50558	BENZQUINAMIDE
50140	ALUMINUM CHLORIDE	50323	ANTIMONY POTASSIUM TARTRATE	50560	BENZTHIAZIDE
50145	ALUMINUM HYDROXIDE	50325	ANTIPYRINE	50565	BENZTROPINE
50155	ALUMINUM PHOSPHATE	50330	ANTIRABIES SERUM	50570	BENZYL ALCOHOL
50157	ALUMINUM POTASSIUM SULFATE	50338	ANTIVENIN BEE STING	50575	BENZYL BENZOATE
50160	ALUMINUM SUBACETATE	50360	APOMORPHINE	50576	BENZYL CINNAMATE
50163	ALUMINUM SULFATE	50365	APROBARBITAL	50577	BERACTANT
50165	AMANTADINE	50367	ARALIA	50580	BETA CAROTENE
50170	AMBENONIUM	50370	ARGININE	50583	BETAINE
50175	AMCINONIDE	50375	ARNICA TINCTURE	50585	BETAMETHASONE
50178	AMDINOCILLIN	50380	ASAFETIDA TINCTURE	50588	BETAXOLOL HCL
50180	AMIKACIN	50400	ASPARAGINASE	50590	BETAZOLE
50182	AMILORIDE	50410	ASPIRIN	50595	BETHANECHOL
		50418	ATENOLOL	50605	BILAZO REAGENT
		50419	ATRACURIUM BESYLATE	50610	BILE ACIDS
		50420	ATROPINE	50613	BILE SALTS
		50430	ATTAPULGITE	50615	BIOFLAVONOIDS
				50620	BIOTIN

50625	BIPERIDEN	50805	CALCIUM SILICATE	50969	CEFOTETAN DISODIUM
50630	BISACODYL	50806	CALCIUM ION	50975	CELLULOSE
50631	BISMUTH ALUMINATE	50810	CALCIUM SUCCINATE	50980	CEPHALEXIN
50632	BISMUTH OXIDE	50811	CALCIUM	50990	CEPHALORIDINE
50634	BISMUTH SULFONATE		PANTOTHENATE	50995	CEPHALOTHIN
50635	BISMUTH ANTI-DIARRHEA AGENTS	50818	CALCIUM THIOGLYCOLLATE	51000	CEPHAPIRIN
50637	BISMUTH, EXTERNAL	50821	CALCIUM THIOSULFATE	51005	CEPHRADINE
50638	BISMUTH IODIDE	50823	CALCIUM	51008	CERESIN WAX
50640	BISMUTH SALICYLATE		UNDECYLENATE	51010	CERIUM OXALATE
50650	BISMUTH TRIBROMOPHENATE	50840	CALUSTERONE	51012	CERULETIDE
50653	BITOLTEROL MESYLATE	50845	CAMPHOR	51015	DIETHYLAMINE CETALKONIUM CHLORIDE
50655	BLEOMYCIN	50848	CANDELILLA WAX	51016	CETEARETH
50660	BORIC ACID	50860	CANTHARIDIN	51017	CETEARYL OCTANOATE
50663	BRAN	50865	CAPREOMYCIN	51018	CETRIMONIUM BROMIDE
50665	BRETYLIUM	50866	CAPRYLIC ACID	51020	CETYL ALCOHOL
50668	BRILLIANT BLUE	50867	CAPSAICIN	51023	CETYLPYRIDINIUM
50670	BRILLIANT GREEN	50868	CAPSICUM	51025	CHARCOAL
50675	BROMELAINS	50869	CAPTOPRIL	51030	CHERRY SYRUP
50679	BROMINE	50870	CARAMEL	51040	CHLORAL HYDRATE
50680	BROMOCRIPTINE	50873	CARAMIPHEN	51045	CHLORAMBUCIL
50685	BROMODIPHEN- HYDRAMINE	50875	CARBACHOL	51050	CHLORAMPHENICOL
50687	BROMOPHENOL	50880	CARBAMAZEPINE	51053	CHLORCYCLIZINE
50690	BROMPHENIRAMINE	50885	CARBARSONE	51055	CHLORDIAZEPOXIDE
50698	BUCHU	50887	CALCIUM CARBASPIRIN	51060	CHLORHEXIDINE
50705	BUCLIZINE	50890	CARBAZOCROME	51064	CHLORIDE ION
50706	BUFFERS	50895	CARBENICILLIN	51066	CHLORMEZANONE
50708	BUMETANIDE	50898	CARBETAPENTANE	51068	CHLOROACETIC ACID
50710	BUPIVACAINE	50899	CARBIDOPA	51070	CHLOROALLYL- HEXAMINIUM CHLORIDE
50711	BUPRENORPHINE HCL	50900	CARBINOXAMINE	51075	CHLOROBUTANOL
50713	BUSPIRONE HCL	50905	CARBOL-FUCHSIN	51080	CHLOROFORM
50714	BUPROPION	50908	CARBON DIOXIDE	51085	CHLOROPHYLL
50715	BUSULFAN	50910	CARBON	51090	CHLOROPROCAINE
50720	BUTABARBITAL		TETRACHLORIDE	51095	CHLOROQUINE
50728	BUTALBITAL	50912	CARBOXY- METHYLCELLULOSE	51100	CHLOROTHIAZIDE
50730	BUTAMBEN	50920	CARISOPRODOL	51105	CHLOROTHYMOL
50733	BUTOCONAZOLE NITRATE	50923	CARMELLOSE	51110	CHLOROTRIANISENE
50740	BUTORPHANOL TARTRATE	50925	CARMUSTINE	51115	CHLOROXINE
50742	BUTYLPARABEN	50929	CARNITINE	51120	CHLOROXYLENOL
50745	CAFFEINE	50930	CARPHENAZINE	51125	CHLORPHENESIN
50755	CALAMINE	50933	CASANTHRANOL	51130	CHLORPHENIRAMINE
50758	CALCIFEDIOL	50935	CASCARA	51150	CHLORPROMAZINE
50760	CALCITONIN	50938	CASEIN	51155	CHLORPROPAMIDE
50770	CALCIUM REPLACEMENT AGENTS	50940	CASTOR OIL	51160	CHLORPROTHIXENE
50773	CALCIUM GLYCEROPHOSPHATE	50943	CEDAR LEAF OIL	51165	CHLORTETRACYCLINE
50775	CALCIUM ACETATE	50945	CEFACLOR	51170	CHLORTHALIDONE
50776	CALCIUM	50950	CEFADROXIL	51175	CHLORZOXAZONE
50780	CALCIUM BROMIDE	50955	CEFAMANDOLE	51177	CHOLECALCIFEROL
50785	CALCIUM CARBONATE	50960	CEFAZOLIN	51180	CHOLERA VACCINE
50800	CALCIUM HYDROXIDE	50961	CEFTRIAXONE	51185	CHOLESTEROL
50802	CALCIUM IODIDE	50962	CEFOPERAZONE	51190	CHOLESTYRAMINE
50803	CALCIUM POLYSULFIDE	50963	CEFORANIDE	51193	CHOLIC ACID
		50964	CEFOTAXIME SODIUM	51195	CHOLINE
		50965	CEFOXITIN SODIUM	51200	CHOLINE SALICYLATE
		50966	CEFTAZIDIME	51203	CHONDRUS
		50967	CEFUZOXIME SODIUM		
		50968	CELLULASE		

51205	CHORIONIC GONADOTROPIN	51405	CORTISONE	51686	DIABETIC SUPPLIES, MISCELL
51208	CHROMIC CHLORIDE	51410	COSYNTROPIN	51688	DIASTASE
51209	CHROMIUM	51415	COTTONSEED OIL	51689	DIATRIZOATE SODIUM
51211	CHYMOPAPAIN	51425	CRESOL	51695	DIAZEPAM
51215	CHYMOTRYPSIN	51430	CROMOLYN SODIUM	51700	DIAZOXIDE
51218	CICLOPIROX	51435	CROTAMITON	51705	DIBUCAINE
51219	CILASTATIN SODIUM	51440	CRYPTENAMINE	51708	DICHLORALPHENAZONE
51220	CIMETIDINE	51445	CUPRIC SULFATE	51709	DICHLORODI- FLUOROMETHANE
51223	CINNAMEDRINE	51450	OXYTETRACYCLINE	51710	DICHLORO- TETRAFLUOROETHANE
51225	CINNAMON OIL	51460	CYCLACILLIN	51712	DICHLOROPHENE
51227	CINOXACIN	51465	CYCLANDELATE	51715	DICHLORPHENAMIDE
51228	CINOXATE	51470	CYCLOBENZAPRINE	51720	DICLOXACILLIN
51229	CIPROFLOXACIN HCL	51475	CYCLOMETHYCAINE	51725	DICUMAROL
51230	CISPLATIN	51478	CYCLOPENTAMINE	51730	DICYCLOMINE
51235	CITRIC ACID	51480	CYCLOPENTOLATE	51732	DIDANOSINE
51240	CITRONELLA OIL	51485	CYCLOPHOSPHAMIDE	51735	DIENESTROL
51242	CLARITHROMYCIN	51490	CYCLOSERINE	51740	DIETARY SUPPLEMENT
51243	CLOBETASOL PROPIONATE	51493	CYCLOSPORINE	51750	DIETHYLPROPION
51245	CLEMASTINE	51495	CYCLOTHIAZIDE	51755	DIETHYLSTILBESTROL
51250	CLIDINIUM BROMIDE	51500	CYCLIZINE	51760	DIFLORASONE DIACETATE
51255	CLINDAMYCIN	51505	CYCRIMINE	51763	DIFLUNISAL
51257	CLOCORTOLONE	51510	CYPROHEPTADINE	51765	DIGALLOYL TRIOLEATE
51260	CLOFIBRATE	51515	CYSTEINE	51770	DIGITALIS
51265	CLOMIPHENE	51518	CYSTINE	51775	DIGITOXIN
51270	CLONAZEPAM	51520	CYTARABINE	51780	DIGOXIN
51275	CLONIDINE	51523	D-ALPHA TOCOPHERYL	51785	DIHYDROERGOTAMINE
51280	CLORAZEPATE	51530	DACARBAZINE	51790	DIHYDROTACHYSTEROL
51290	CLOTRIMAZOLE	51535	DACTINOMYCIN	51792	DIHYDROXYACETONE
51295	CLOVE OIL	51540	DANAZOL	51795	DIHYDROXYALUMINUM AMINOACETATE
51300	CLOXACILLIN	51545	DANTHRON	51803	DILTIAZEM
51303	CLOZAPINE	51550	DANTROLENE	51810	DIMENHYDRINATE
51305	COAL TAR	51555	DAPSONE	51815	DIMERCAPROL
51308	COBALAMIN	51560	DAUNORUBICIN	51817	DIMETHICONE
51310	COCAINE HCL	51575	DEFEROXAMINE	51825	DIMETHISOQUIN
51313	COCAMIDOPROPYL BETAINE	51585	DEHYDROCHOLIC ACID	51830	DIMETHYL SULFOXIDE
51315	COCCIDIIDIN	51590	DEMECARIUM	51835	DIMETHYL- AMINOBENZALDEHYDE
51320	COCILLANA	51595	DEMECLOCYCLINE	51840	DINOPROSTONE
51325	COCOA BUTTER	51597	DEOXYCHOLIC ACID	51848	DIPERODON
51330	COCONUT OIL	51598	DESOXYRIBONUCLEASE	51860	DIPHENHYDRAMINE
51335	COD & HALIBUT LIVER OIL	51600	DESERPIDINE	51865	DIPHENIDOL
51340	CODEINE	51605	DESIPRAMINE	51868	DIPHENOXYLATE
51345	COLCHICINE	51610	DESLANOSIDE	51885	DIPHENYLPYRALINE
51355	COLESTIROL	51615	DESMOPRESSIN	51900	DIPHThERIA ANTITOXIN
51358	COLIFORM VACCINE	51620	DESONIDE	51903	DIPH PERTUSSIS TETANUS VACCINE
51360	COLISTIN	51625	DESOXIMETASONE	51910	DIPHThERIA TOXOID
51365	COLLAGEN DERIVATIVE	51627	DESOXYCHOLIC ACID	51913	DIPIVEFRIN
51375	COLLODION	51630	DESOXY- CORTICOSTERONE	51914	DIPROPYLENE GLYCOL SALICYLATE
51380	COMBINATION PRODUCT	51633	DETERGENT	51915	DIPYRIDAMOLE
51382	MULTIVITAMIN COMBINATION	51635	DEXAMETHASONE	51920	DISOPYRAMIDE
51385	CONGO RED	51638	DEXBROMPHENIRAMINE	51925	DISULFIRAM
51390	CONTACT LENS SOLUTION	51640	DEXCHLORPHENIRAMINE	51927	DIVALPROEX SODIUM
51393	COPPER	51645	DEXPANTHENOL	51930	DOBUTAMINE
51395	CORN OIL	51647	DEXTRAN		
51400	CORTICOTROPIN	51660	DEXTRANOMER		
		51665	DEXTROAMPHETAMINE		
		51670	DEXTROMETHORPHAN		
		51675	DEXTROSE		
		51685	DEXTROTHYROXINE		

51935	DOCUSATE	52170	ETHYLNOREPINEPHRINE	52398	GEMFIBROZIL
51945	DOPAMINE	52175	ETIDOCAINE	52400	GENTAMICIN
51947	DOXACURIUM CHLORIDE	52185	ETIDRONATE DISODIUM	52405	GENTIAN VIOLET
51950	DOXAPRAM	52186	ETODOLAC	52408	GINGER
51953	DOXAZOSIN MESYLATE	52188	ETOMIDATE	52410	GINSENG
51955	DOXEPIN	52189	ETOPOSIDE	52415	GITALIN
51960	DOXORUBICIN	52190	EUCALYPTUS OIL	52417	GLIPIZIDE
51965	DOXYCYCLINE	52194	EUPHORBIA	52420	GLUCAGON
51970	DOXYLAMINE	52195	EUGENOL	52422	GLUCONIC ACID
51978	DRONABINOL	52198	FAMOTIDINE	52425	GLUCOSE
51980	DROMOSTANOLONE	52203	FACTOR IX COMPLEX HUMAN	52435	GLUTAMIC ACID
51985	DROPERIDOL			52440	GLUTARALDEHYDE
51990	DYCLONINE	52210	FAST GREEN FCF	52445	GLUTETHIMIDE
52000	DYPHYLLINE	52213	FAT EMULSION	52447	GLYBURIDE
52005	ECHOTHIOPHATE	52215	FENFLURAMINE	52450	GLYCERIN
52008	ECONAZOLE	52218	FENNEL OIL	52452	GLYCERYL
52010	EDETATE CALCIUM DISODIUM	52219	FELODIPINE	52455	GLYCOPYRROLATE
52015	EDETATE DISODIUM	52220	FENOPROFEN	52465	GLYCYRRHIZA
52020	EDROPHONIUM	52225	FENTANYL	52470	GOLD SODIUM THIOMALATE
52023	ELECTROLYTES	52270	FIBRINOLYSIN		
52024	ENCAINIDE HCL	52275	FLAVOXATE	52472	GONADORELIN
52025	EMETINE	52278	FLECAINIDE ACETATE	52475	GOLD SODIUM THIOSULFATE
52028	ENALAPRIL	52280	FLOXURIDINE		
52030	ENFLURANE	52290	FLUCYTOSINE	52478	GRAMICIDIN
52035	EPHEDRINE	52295	FLUDROCORTISONE ACETATE	52480	GRISEOFULVIN
52040	EPINEPHRINE	52300	FLUMETHASONE	52485	GUAIACOL
52042	EPOETIN ALFA	52303	FLUMETHAZIDE	52490	GUAIFENESIN
52045	ERGOCALCIFEROL	52304	FLUNISOLIDE	52492	GUANABENZ ACETATE
52048	ERGOLOID MESYLATES	52305	FLUOCINOLONE	52493	GUANADREL
52050	ERGONOVINE	52310	FLUOCINONIDE	52495	GUANETHIDINE
52053	ERGOT	52315	FLUORESCEIN	52498	GUANFACINE HCL
52055	ERGOTAMINE	52318	FLUORIDE	52500	GUANIDINE
52060	ERYTHRITYL TETRANITRATE	52320	FLUOROMETHOLONE	52502	GUAR GUM
52065	ERYTHROMYCIN	52325	FLUOROURACIL	52503	HALAZEPAM
52067	ESMOLOL HCL	52330	FLUOXYMESTERONE	52504	HALOBETASOL PROPIONATE
52068	ESTAZOLAM	52335	FLUPHENAZINE	52505	HALAZONE
52070	ESTRADIOL	52340	FLUPREDNISOLONE	52510	HALCINONIDE
52072	ESTRAMUSTINE	52345	FLURANDRENOLIDE	52520	HALOPERIDOL
52075	ESTROGENS	52350	FLURAZEPAM	52525	HALOPROGIN
52080	ESTRONE	52353	FLURBIPROFEN SODIUM	52530	HALOTHANE
52082	ESTROPIPATE	52354	FLUTICASONE PROPIONATE	52533	HEMICELLULASE
52085	ETHACRYNIC ACID	52355	FOLIC ACID	52535	HAMAMELIS WATER
52090	ETHAMBUTOL	52358	FOOD SUPPLEMENT	52537	HEMIN
52095	ETHAVERINE	52360	FORMALDEHYDE	52540	HEPARIN
52100	ETHCHLORVYNOL	52361	FOSCARNET SODIUM	52545	HEPATITIS B IMMUNE GLOBULIN
52105	ETHER	52363	FRANGULA	52548	HEPATITIS B VACCINE
52115	ETHIONAMIDE	52365	FORMIC ACID	52550	HESPERIDIN
52125	ETHOPROPAZINE	52367	FOSINOPRIL SODIUM	52555	HETASTARCH
52130	ETHOSUXIMIDE	52370	FRUCTOSE	52560	HEXACHLOROPHENE
52135	ETHOTOIN	52373	FUCHSIN	52565	HEXAFLUORENIUM
52150	ETHYL ACETATE	52375	FULLER'S EARTH	52575	HEXESTROL
52155	ETHYL CHLORIDE	52380	FURAZOLIDONE	52580	HEXOBARBITAL
52160	ETHYLESTRENOL	52385	FUROSEMIDE	52585	HEXOCYCLIUM
52165	ETHYLMORPHINE	52390	GALLAMINE	52590	HEXYLCAINE
52168	ETHNODIOL DIACETATE	52395	GELATIN	52595	HEXYLRESORCINOL
52169	ETRETINATE	52397	GELSEMIUM		

52598	HISTIDINE MONOHYDRO- CHLORIDE	52793	INTRINSIC FACTOR CONCENTRATE	52985	LACTOBACILLUS ACIDOPHILLUS
52600	HISTAMINE	52794	INTERFERON ALFA	52986	LACTOBACILLUS BULGARICUS
52610	HISTOPLASMIN	52795	INULIN	52990	LACTOSE
52615	HOMATROPINE	52796	INTERFERON ALFA-N3	52992	LACTUCA
52617	HOMOSALATE	52800	INVERT SUGAR	52995	LACTULOSE
52620	HOUSE DUST ALLERGENIC EXTRACT	52810	IOCETAMIC ACID	53000	LANATOSIDE C
52625	HYALURONIDASE	52815	IODAMIDE MEGLUMINE	53003	LANOLIN
52630	HYDRALAZINE	52820	IODINE TOPICAL PREPARATIONS	53004	LAURETH
52634	HYDRASTIS	52825	IODINATED GLYCEROL	53005	LAURYL SULFOACETATE
52635	HYDRIODIC ACID	52830	IODINE SOLUTIONS	53010	LAVENDER OIL
52640	HYDROCHLORIC ACID	52835	IODIPAMIDE MEGLUMINE	53015	LEAD ACETATE
52645	HYDROCHLOROTHIAZIDE	52845	IODOCHLOR- HYDROXYQUIN	53020	LECITHIN
52647	DIHYDROCODEINE	52850	IDOQUINOL	53025	LEMON OIL
52650	HYDROCODONE	52853	IOHEXOL	53030	LEUCINE
52655	HYDROCORTISONE	52854	IOPAMIDOL	53035	LEUCOVORIN
52660	HYDROFLUMETHIAZIDE	52855	IOPANOIC ACID	53040	LEVALLORPHAN
52665	HYDROGEN PEROXIDE	52860	IOPHENDYLATE	53043	LEVOBUNOLOL HCL
52670	HYDROMORPHONE	52865	IOTHALAMATE	53045	LEVODESOXYEPHEDRINE
52675	HYDROQUINONE	52870	IPECAC	53050	LEVODOPA
52680	HYDROXOCOBALAMIN	52880	IPODATE CALCIUM	53055	LEVORPHANOL
52685	HYDROXYAMPHETAMINE	52881	IPODATE SODIUM	53065	LEVOTHYROXINE
52690	HYDROXYCHLOROQUINE	52883	IPRATROPIUM BROMIDE	53070	LIDOCAINE
52691	HYDROXYETHYL CELLULOSE	52885	IRON PREPARATIONS	53090	LINCOMYCIN
52693	HYDROXYPHENYL- MERCURIC CHLORIDE	52890	IRON BILE SALTS	53095	LINDANE
52695	HYDROXY- PROGESTERONE	52895	ISOCARBOXAZID	53100	LINOLENIC ACID
52700	HYDROXYPROPYL METHYLCELLULOSE	52900	ISOETHARINE	53105	LINSEED OIL
52705	HYDROXYSTILBAMIDINE	52904	ISOFLURANE	53110	LIOTHYRONINE
52710	HYDROXYUREA	52905	ISOFLUROPHATE	53115	LIOTRIX
52715	HYDROXYZINE	52908	ISOMETHEPTENE MUCATE	53118	LIPASE
52718	HYMEOPTERA ALLERGENIC EXTRACT	52910	ISOLEUCINE	53120	LITHIUM
52720	HYOSCYAMINE	52915	ISONIAZID	53125	LIVER DERIVATIVE
52723	HYOSCYAMINE HYDROBROMIDE	52920	ISOPROPAMIDE	53135	LOMUSTINE
52730	IBUPROFEN	52925	ISOPROPYL ALCOHOL	53140	LOPERAMIDE
52735	ICHTHAMMOL	52927	ISOPROPYL PALMITATE	53145	LORAZEPAM
52740	IDOXURIDINE	52928	ISOPROPYL MYRISTATE	53148	LOVASTATIN
52743	IMIPENEM	52930	ISOPROTERENOL	53150	LOXAPINE
52745	IMIPRAMINE	52933	ISOQUINOLINIUM BROMIDE	53154	LYMPHOCYTE IMMUNE GLOBULIN
52750	IMMUNE GLOBULIN	52935	ISOSORBIDE	53155	LYPRESSIN
52752	INHALER	52936	ISOSTEARIC ACID	53160	LYSINE
52753	INDAPAMIDE	52943	ISOTRETINOIN	53165	MAFENIDE
52755	INDIGOINDISULFONATE	52945	ISOXSUPRINE	53170	MAGALDRATE
52765	INDOCYANINE GREEN	52946	ISRADIPINE	53173	MAGNESIUM ACETATE
52770	INDOMETHACIN	52948	JUNIPER	53175	MAGNESIUM ANTACIDS
52775	INFANT FORMULA	52950	KANAMYCIN	53180	MAGNESIUM GLUCONATE
52780	INFLUENZA VIRUS VACCINE	52955	KAOLIN	53190	MAGNESIUM CHLORIDE
52785	INOSITOL	52965	KARAYA GUM	53195	MAGNESIUM CATHARTICS
52790	INSULIN	52968	KELP	53220	MAGNESIUM SALICYLATE
52791	INTERFERON ALFA-2A	52970	KETAMINE	53222	MAGNESIUM STEARATE
52792	INTERFERON ALFA-2B	52972	KETOCONAZOLE	53224	MALATHION
		52973	L-TRYPTOPHANE	53235	MALT SOUP EXTRACT
		52975	LACTASE	53240	MANGANESE GLUCONATE
		52978	KETOPROFEN	53241	MANGANESE (PROTEIN COMPLEX)
		52979	LABELALOL HCL	53242	MANGANESE SULFATE
		52980	LACTIC ACID		

53245	MANNITOL	53515	METHARBITAL	53758	MONOETHANOLAMINE
53248	MAPROTILINE	53520	METHAZOLAMIDE	53760	MORPHINE
53250	MAZINDOL	53525	METHDILAZINE	53770	MORRHUATE SODIUM
53255	MEASLES VIRUS VACCINE	53530	METHENAMINE	53775	MOUTHWASH
53260	MEBENDAZOLE	53535	METHICILLIN	53778	MOXALACTAM
53265	MECAMYLAMINE	53540	METHIMAZOLE	53780	MULTIVITAMINS GENERAL
53270	MECHLORETHAMINE	53550	METHIONINE	53785	MULTIVITAMINS THERAPEUTIC
53275	MECLIZINE	53560	METHOCARBAMOL	53805	MULTIVITAMINS
53277	MECLOFENAMATE	53565	METHOHEXITAL	53820	MUMPS VIRUS VACCINE
53278	MECLOFENAMIC ACID	53570	METHOTREXATE	53825	MUSTARD OIL
53280	MEDROXY- PROGESTERONE	53575	METHOTRIMEPRAZINE	53835	MYRRH
53285	MEDRYSONE	53580	METHOXAMINE	53838	NABILONE
53290	MEFENAMIC ACID	53585	METHOXSALEN	53840	NADOLOL
53295	MEGESTROL	53590	METHOXYFLURANE	53845	NAFCILLIN
53298	MEGLUMINE	53600	METHSCOPOLAMINE	53855	NALBUPHINE
53300	MELPHALAN	53605	METHSUXIMIDE	53860	NALIDIXIC ACID
53315	MENINGOCOCCAL VACCINE	53610	METHYCLOTHIAZIDE	53865	NALOXONE
53320	MENOTROPINS	53615	METHYL ALCOHOL	53868	NALTREXONE HYDROCHLORIDE
53325	MENTHOL	53620	METHYL SALICYLATE	53870	NANDROLONE
53328	METHYL ANTHRANILATE	53625	METHYLBENZETHONIUM CHLORIDE	53875	NAPHAZOLINE
53330	MEPENZOLATE	53630	METHYLCELLULOSE	53880	NAPROXEN
53335	MEPERIDINE	53635	METHYLDOPA	53885	NATAMYCIN
53340	MEPHENESIN	53638	METHYLDOPATE	53890	NEGATOL
53345	MEPHENTERMINE	53640	METHYLENE BLUE	53891	NEISSERIA
53350	MEPHENYTOIN	53645	METHYLERGONOVINE	53895	NEOMYCIN
53355	MEPHOBARBITAL	53647	METHYL NICOTINATE	53900	NEOSTIGMINE
53360	MEPIVACAINE	53650	METHYLPARABEN	53903	NETILMICIN
53370	MEPROBAMATE	53655	METHYLPHENIDATE	53905	NIACIN
53373	MERALEIN SODIUM	53660	METHYLPREDNISOLONE	53915	NIACINAMIDE
53375	MERBROMIN	53670	METHYLTESTOSTERONE	53919	NICOTINE POLACRILEX
53380	MERCAPTOMERIN	53675	METHYPRYLON	53920	NICOTINYL ALCOHOL
53385	MERCAPTOPURINE	53680	METHYRERGIDE	53922	NIFEDIPINE
53395	MERCURIC CHLORIDE	53683	METIPRANOLOL	53925	NIKETHAMIDE
53405	MERCURIC IODIDE	53685	METOCURINE	53930	NITROFURANTOIN
53407	MERCURIC OLEATE	53688	METOCLOPRAMIDE	53935	NITROFURAZONE
53410	MERCURIC OXIDE	53690	METOLAZONE	53940	NITROGEN
53415	MERCURIC SULFIDE	53695	METRIZAMIDE	53945	NITROGLYCERIN
53420	MERCUROPHYLLINE	53700	METRONIDAZOLE	53950	NITROUS OXIDE
53425	MERCURIOUS CHLORIDE	53705	METYRAPONE	53955	NONOXYNOL 9
53431	MERSALYL	53710	METYROSINE	53960	NOREPINEPHRINE
53435	MESORIDAZINE	53712	MEXILETINE HCL	53965	NORETHINDRONE
53438	MESTRANOL	53713	MEZLOCILLIN	53968	NORETHYNODREL
53445	METOPROLOL	53715	MICONAZOLE	53969	NORFLOXACIN
53450	METAPROTERENOL	53716	MIDAZOLAM HCL	53970	NORGESTREL
53455	METARAMINOL	53718	MILK SOLIDS NONFAT	53975	NORTRIPTYLINE
53460	METAXALONE	53720	MINERAL OIL	53980	NOSCAPINE
53465	METHACHOLINE	53723	MINERALS	53985	NOVOBIOCIN
53470	METHACYCLINE HCL	53725	MINOCYCLINE	53988	NUTMEG OIL
53475	METHADONE	53730	MINOXIDIL	53989	NUX VOMICA
53485	METHAMPHETAMINE	53735	MITHRAMYCIN	53990	NYLIDRIN
53490	METHANDRIOL	53740	MITOMYCIN	53991	NUTGALL
53495	METHANDROSTENOLONE	53745	MITOTANE	53995	NYSTATIN
53500	METHANTHELIN	53750	MOLINDONE	54000	OATMEAL
53505	METHAPYRILENE	53753	MOLYBDENUM	54003	OCTOXYNOL
53510	METHAQUALONE	53754	MOMETASONE FUROATE MONOHYDRATE	54005	OCTYL DIMETHYL PABA
		53755	MONOBENZONE		

54009	OFLOXACIN	54250	PENICILLIN	54500	PILOCARPINE
54015	OINTMENT HYDROPHILIC	54260	PENICILLIN G PROCAINE	54501	PINDOLOL
54020	OLEANDOMYCIN	54268	PENICILLIN V POTASSIUM	54502	PINE OIL
54025	OLEIC ACID	54270	PENICILLOYL	54504	PIMOZIDE
54030	OLIVE OIL	54275	PENTAERYTHRITOL	54505	PIPERACETAZINE
54032	ONDANSETRON HYDROCHLORIDE	54278	PENTAMIDINE ISETHIONATE	54508	PIPERACILLIN
54035	OPIUM	54280	PENTAGASTRIN	54510	PIPERAZINE
54045	ORANGE OIL	54290	PENTAZOCINE	54523	PIPERONYL
54050	ORPHENADRINE	54295	PENTOBARBITAL	54525	PIPOBROMAN
54055	ORTHOTOLIDINE REAGENT	54297	PENTOXIFYLLINE	54528	PIROXICAM
54060	OUABAIN	54300	PENTYLENETETRAZOL	54530	PITUITARY POSTERIOR
54063	OVULATION TEST KIT	54305	PEPPERMINT	54535	PLACEBO
54065	OX BILE EXTRACT	54310	PEPSIN	54540	PLAGUE VACCINE
54070	OXACILLIN	54315	PERMETHRIN	54545	PLANTAGO SEED
54075	OXALIC ACID	54320	PERPHENAZINE	54550	PLASMA PROTEIN FRACTION
54080	OXANDROLONE	54325	PERTUSSIS IMMUNE GLOBULIN	54555	PNEUMOCOCCAL VACCINE
54085	OXAZEPAM	54328	PERTUSSIS VACCINE	54560	PODOPHYLLUM
54093	OXYBENZONE	54330	PETROLATUM	54565	POISON IVY EXTRACT
54094	OXYCODONE	54332	PETROLEUM DISTILLATE	54575	POLIO VACCINE
54095	OXYPHENCYCLIMINE	54345	PHENACEMIDE	54585	POLLEN ANTIGEN
54100	OXTRIPHYLLINE	54350	PHENACETIN	54587	POLYCARBOPHIL
54105	OXYBUTYNYNIN	54360	PHENAPHTHAZINE	54590	POLYETHYLENE GLYCOL
54110	OXYCHLOROSENE	54365	PHENAZOPYRIDINE	54599	POLYOXY 40 STEARATE
54115	OXYGEN	54370	PHENDIMETRAZINE	54605	POLYTHIAZIDE
54120	OXYMETAZOLINE	54375	PHENELZINE	54610	POLYVINYL ALCOHOL
54130	OXYMETHOLONE	54378	PHENINDAMINE	54613	POPLAR BUD
54135	OXYMORPHONE	54385	PHENIRAMINE	54615	POTASH SULFURATED
54140	OXYPHENBUTAZONE	54390	PHENMETRAZINE	54620	POTASSIUM ALKALINIZING AGENTS
54145	OXYPHENOMIUM	54395	PHENOBARBITAL	54625	POTASSIUM AMINOBENZOATE
54148	OXYQUINOLONE	54400	PHENOL	54640	POTASSIUM BITARTRATE
54155	OXYTOCIN	54405	PHENOLPHTHALEIN	54645	POTASSIUM BROMIDE
54157	PADIMATE O	54410	PHENOLSULFON- PHTHALEIN	54650	POTASSIUM CARBONATE
54158	PAMABRON	54415	PHENOXYBENZAMINE HCL	54655	POTASSIUM REPLACEMENT SOLUTIONS
54160	PANCREATIN	54420	PHENPROCOUMON	54700	POTASSIUM GUAIACOLSULFONATE
54165	PANCRELIPASE	54425	PHENSUXIMIDE	54703	POTASSIUM GLUTAMATE
54170	PANCURONIUM	54430	PHENTERMINE	54705	POTASSIUM HYDROXIDE
54173	PANTHENOL	54435	PHENTOLAMINE	54710	POTASSIUM IODIDE
54175	PANTOTHENIC ACID	54440	PHENYL SALICYLATE	54713	POTASSIUM ION
54180	PAPAIN	54445	PHENYLALANINE	54715	POTASSIUM NITRATE
54190	PAPAVERINE	54450	PHENYLBUTAZONE	54720	POTASSIUM OXYQUINOLINE SULFATE
54191	PARACHOLORO- METAXYLENOL	54455	PHENYLEPHRINE	54725	POTASSIUM PERCHLORATE
54193	PARAFFIN	54460	PHENYLMERCURIC NITRATE	54730	POTASSIUM PERMANGANATE
54195	PARALDEHYDE	54465	PHENYLPROPA- NOLAMINE	54733	POTASSIUM PHOSPHATE
54200	PARAMETHADIONE	54468	PHENYLTOLOXAMINE	54735	POTASSIUM ACIDIFYING AGENTS
54205	PARAMETHASONE	54470	PHENYTOIN	54737	POTASSIUM SALICYLATE
54215	PAREGORIC	54475	PHOSPHOMOLYBDATE REAGENT	54740	POTASSIUM SODIUM TARTRATE
54220	PARGYLINE	54480	PHOSPHORIC ACID	54743	POTASSIUM SULFATE
54225	PAROMOMYCIN	54485	PHTHALYLSULFA- THIAZOLE		
54227	PASSIFLORA EXTRACT	54488	PHYSIOLOGIC IRRIGATING SOLUTION		
54228	PEG-3 DISTERATE	54490	PHYSOSTIGMINE		
54230	PATCHOULI OIL	54495	PHYTONADIONE		
54235	PEANUT OIL				
54237	PEG-4 DILAURATE				
54238	PECTIN				
54239	PELLITORY ROOT				
54240	PEMOLINE				
54245	PENICILLAMINE				

54745	POTASSIUM THIOCYANATE	55032	QUINAPRIL	55270	SODIUM ACETATE
54748	POVIDONE	55035	QUINESTROL	55273	SODIUM ALGINATE
54749	POVIDONE-IODINE	55040	QUINETHAZONE	55274	SODIUM AMINOBENZOATE
54750	PRALIDOXIME	55045	QUINIDINE	55275	SODIUM BENZOATE
54755	PRAMOXINE	55050	QUININE	55280	SODIUM BICARBONATE
54757	PRAVASTATIN SODIUM	55053	QUININE & UREA HCL	55285	SODIUM BISULFATE
54760	PRAZEPAM	55055	RABIES IMMUNE GLOBULIN	55290	SODIUM BISULFITE
54765	PRAZOSIN	55060	RABIES VACCINE	55295	SODIUM BORATE
54770	PREDNISOLONE	55061	RACEMETHIONINE	55300	SODIUM BROMIDE
54775	PREDNISON	55063	RACEPHEDRINE	55305	SODIUM CACODYLATE
54785	PRILOCAINE	55064	RANITIDINE	55308	SODIUM CAPRYLATE
54790	PRIMAQUINE	55065	RASPBERRY SYRUP	55310	SODIUM CARBONATE
54795	PRIMIDONE	55070	RAUWOLFIA	55315	SODIUM CHLORIDE
54800	PROBENECID	55075	RESCINNAMINE	55320	SODIUM CITRATE
54805	PROBUCOL	55080	RESERPINE	55325	SODIUM DICHROMATE
54810	PROCAINAMIDE	55085	RESORCINOL	55330	SODIUM FLUORIDE
54815	PROCAINE	55095	RHUBARB & SODA	55331	SODIUM GLUCONATE
54825	PROCARBAZINE	55105	RIBOFLAVIN	55335	SODIUM GLUTAMATE
54830	PROCHLORPERAZINE	55108	RICINOLEIC ACID	55338	SODIUM GLYCERPHOSPHATE
54835	PROCYCLIDINE	55110	RIFAMPIN	55339	SODIUM HYALURONATE
54840	PROFLAVINE	55115	RINGERS LACTATED	55340	SODIUM HYDROXIDE
54845	PROGESTERONE	55117	RITODRINE	55345	SODIUM HYPOCHLORITE
54850	PROMAZINE	55120	ROSA GALLICA EXTRACT	55348	SODIUM ION
54860	PROMETHAZINE	55125	ROSE WATER	55355	SODIUM LACTATE
54865	PROPRANOLOL	55126	ROSEMARY OIL	55360	SODIUM LAURYL SULFATE
54870	PROPANTHELINE	55130	RUBELLA VIRUS VACCINE	55365	SODIUM NITRATE
54875	PROPARACAINE	55135	RUTIN	55370	SODIUM NITROPRUSSIDE
54885	PROPIOMAZINE	55140	SACCHARIN	55378	SODIUM PANTOTHENATE
54890	PROPOXYPHENE	55145	SAFFLOWER OIL	55380	SODIUM PERBORATE
54895	PROPYLENE GLYCOL	55148	SALICYL ALCOHOL	55383	SODIUM PHENOXIDE
54900	PROPYLHEXEDRINE	55150	SALICYLAMIDE	55385	SODIUM PHOSPHATE
54905	PROPYLPARABEN	55160	SALICYLIC ACID	55390	SODIUM POLYSTYRENE SULFONATE
54910	PROPYLTHIOURACIL	55165	SALSALATE	55393	SODIUM PROPIONATE
54915	PROTAMINE SULFATE	55168	SARALASIN	55395	SODIUM PYROPHOSPHATE
54920	PROTEIN HYDROLSATE	55169	SASSAFRAS	55400	SODIUM SUCCINATE
54922	PROTEIN SUPPLEMENT	55170	SCARLET RED	55405	SODIUM SULFATE
54923	PROTEINASE	55171	SANGUINARIA	55407	SODIUM TARTRATE
54935	PROTIRELIN	55180	SCOPOLAMINE HBR	55410	SODIUM SULFITE
54950	PROTRIPTYLINE HCL	55185	SECOBARBITAL	55420	SODIUM THIOSALICYLATE
54960	PSEUDOEPHEDRINE	55190	SECRETIN	55425	SODIUM THIOSULFATE
54965	PSYLLIUM	55195	SELENIUM SULFIDE	55430	SOMATROPIN
54967	PVP / VA COPOLYMER	55198	SENEGA FLUID EXTRACT	55433	SORBIC ACID
54975	PYRANTEL	55200	SENNA	55434	PEG-40 SORBITAN
54980	PYRAZINAMIDE	55210	SESAME OIL	55435	SORBITOL
54983	PYRETHRINS	55213	SHARK LIVER OIL	55440	SOYBEAN OIL
54984	PYRETHROID	55215	SILICIC ACID	55445	SPEARMINT OIL
54985	PYRIDOSTIGMINE	55218	SILICONE	55450	SPECTINOMYCIN
54990	PYRIDOXINE	55225	SILVER NITRATE	55455	SPIDER-BITE ANTIVENIN
54995	PYRILAMINE	55230	SILVER PROTEIN	55460	SPIRONOLACTONE
55000	PYRIMETHAMINE	55235	SILVER SULFADIAZINE	55461	SQUALENE
55005	PYRITHIONE	55240	SIMETHICONE	55463	SQUILL
55015	PYROGALLOL	55245	SINCALIDE	55465	STANNOUS FLUORIDE
55023	PYRROBUTAMINE	55253	SKIN RESP FACTOR YEAST		
55025	PYRVINIUM	55255	SMALLPOX VACCINE		
55027	QUATERNIUM	55260	ANTIVENIN SNAKE BITE		
55028	QUAZEPAM	55265	SOAP		
55030	QUINACRINE				

55470	STANOZOLOL	55710	TETANUS TOXOID	55975	TRIHENXYPHENIDYL
55475	STAPHYLOCOCCUS TOXOID	55715	TETRACAINE	55978	TRILOSTANE
55480	STARCH	55725	TETRACYCLINE	55985	TRIMEPRAZINE
55485	STEARIC ACID	55730	TETRAHYDROZOLINE	55990	TRIMETHADIONE
55490	STEARYL ALCOHOL	55733	THENYLDIAMINE	55995	TRIMETHAPHAN
55491	STEARYL CHLORIDE	55735	THEOBROMINE	55997	TRIMETHOPRIM
55494	STORAX	55745	THEOPHYLLINE	56000	TRIMETHOBENZAMIDE
55495	STREPTOKINASE	55750	THIABENDAZOLE	56005	TRIMIPRAMINE
55500	STREPTOMYCIN	55755	THIAMINE	56010	TRIOXSALEN
55503	STREPTOZOCIN	55760	THIAMYLAL	56015	TRIPLENNAMINE
55505	STRYCHNINE	55765	THIETHYLPERAZINE	56020	TRIPROLDINE
55508	STYRAMATE	55770	THIMEROSAL	56030	TROLAMINE
55510	SUCCINYLCHOLINE	55775	THIOGUANINE	56040	TROMETHAMINE
55515	SUCCINYL- SULFATHIAZOLE	55780	THIOPENTAL	56045	TROPICAMIDE
55518	SUCRALFATE	55783	THIOPROPAZATE	56048	TRYPSIN
55520	SUCROSE	55785	THIORIDAZINE	56050	TRYPTOPHAN
55521	SULBACTIN SODIUM	55790	THIOTEPA	56065	TUBERCULIN
55525	SULFACETAMIDE	55795	THIOTHIXENE	56075	TUBOCURARINE
55535	SULFACYTINE	55800	THIPHENAMIL	56080	TURPENTINE
55540	SULFADIAZINE	55801	THONZONIUM BROMIDE	56085	TYBAMATE
55543	SULFAMERAZINE	55810	THROMBIN	56090	TYLOXAPOL
55548	SULFAMETHAZINE	55815	THYMOL	56095	TYPHOID VACCINE
55550	SULFAMETHIZOLE	55820	THYROGLOBULIN	56100	TYPHUS VACCINE
55555	SULFAMETHOXAZOLE	55825	THYROID	56105	TYROPANOATE SODIUM
55565	SULFANILAMIDE	55830	THYROTROPIN	56110	UNDECYLENIC ACID
55567	SULFANILYLBENZAMIDE	55835	TICARCILLIN	56115	URACIL
55570	SULFAPYRIDINE	55845	TIMOLOL	56120	UREA
55575	SULFASALAZINE	55850	TOBRAMYCIN	56123	UROFOLLITROPIN
55580	SULFATHIAZOLE	55860	TOCAINIDE HYDROCHLORIDE	56130	UROKINASE
55583	SUFENTANIL CITRATE	55870	TOLAZAMIDE	56134	UVA URSI
55585	SULFINPYRAZONE	55875	TOLAZOLINE	56135	VALERIAN
55590	SULFISOXAZOLE	55880	TOLBUTAMIDE	56145	VALPROIC ACID
55595	SULFOBROMO- PHTHALEIN	55885	TOLMETIN SODIUM	56150	VANCOMYCIN
55600	SULFOSALICYLIC ACID	55890	TOLNAFTATE	56161	VEGETABLE OIL
55605	SULFOXONE SODIUM	55893	TOLU BALSAM	56162	VECURONIUM BROMIDE
55610	SULFUR	55895	TRAGACANTH	56163	VERAPAMIL
55613	SULFURATED LIME	55900	TRANLYCYPROMINE	56165	VERATRUM VIRIDE
55615	SULINDAC	55903	TRAZODONE	56170	VIDARABINE
55618	SUPROFEN	55905	TRETINOIN	56175	VINBLASTINE
55623	SURFACTANT	55910	TRIACETIN	56180	VINCRISTINE
55630	SUTILAINS	55915	TRIAMCINOLONE	56185	VITAMIN A
55635	SYRUP	55925	TRIAMTERENE	56192	VITAMIN B-12
55645	TALC	55928	TRIAZOLAM	56193	VITAMIN C
55647	TALLOW	55930	TRICHLORMETHIAZIDE	56194	VITAMIN D
55650	TAMOXIFEN	55935	TRICHLOROACETIC ACID	56195	VITAMIN E
55655	TANNIC ACID	55940	TRICHLOROETHYLENE	56198	VITAMIN K
55665	TARTARIC ACID	55943	TRICHLOROFLUORO- METHANE	56205	WARFARIN SODIUM
55666	TARTRAZINE	55945	TRICLOFOS	56210	WATER STERILE
55668	TEMAZEPAM	55947	TRICLOSAN	56211	WATER FOR INHALATION
55670	TERBUTALINE	55950	TRIDIHEXETHYL CHLORIDE	56213	WAX
55673	TERFENADINE	55952	TRIETHYLENE GLYCOL	56214	WHEAT GERM
55675	TERPIN HYDRATE	55953	TRIENTINE	56220	WHITE LOTION
55690	TESTOLACTONE	55955	TRICHOCHLORIDE	56225	WHITE PINE SYRUP
55695	TESTOSTERONE	55960	TRIFLUANOLAMINE	56230	WILD CHERRY SYRUP
55700	TETANUS ANTITOXIN	55967	TRIFLUOPERAZINE	56235	WINE
55705	TETANUS IMMUNE GLOBULIN	55970	TRIFLURIDINE	56238	WOOL ALCOHOLS
			TRIGLYCERIDES	56240	XYLOMETAZOLINE
				56245	XYLOSE
				56250	YEAST
				56255	YELLOW FEVER VACCINE

56260	YOHIMBINE	56625	RIFABUTIN	57052	DIDEOXYCYTIDINE
56261	ZIDOVUDINE	56630	SELEGILINE	57053	OMEGA-3 FATTY ACIDS
56262	ZEA	56635	SERTRALINE	57054	TERBINAFINE
56265	ZINC TOPICAL AGENTS, EXTERNAL USE	56640	SIMVASTATIN	57055	ZALCITABINE
56271	ZINC (PROTEIN COMPEX)	56655	SOMATREM	57057	M-CRESYL ACETATE
56275	ZOMEPIRAC	56660	SOTALOL	57058	DESOGESTREL
56285	ZINC SULFATE	56665	SUCCIMER	57062	FAMVIR
56288	ZIRCONIUM	56670	SUMATRIPTAN	57064	FLUVOXAMINE
56290	TERAZOSIN HCL	56675	TACRINE	57066	MONOLAURINE
56300	ALOE	56685	THYPOID VACCINE	57068	NITROPRUSSIDE
56310	AMYLTRICRESOLS	56690	TICLOPIDINE	57070	CEFPODOXIME
56320	SODIUM ASCORBATE	56695	URSODIOL	57072	CHONDROITIN SULFATE
56325	SODIUM SALICYLATE	56710	AZITHROMYCIN	57076	LODOXAMIDE
56333	STAPHAGE LYSATE	56715	CALCIUM POLYCARBOPHIL	57078	PAMIDRONATE DISODIUM
56340	VITAMIN B	56720	ENOXACIN	57082	DICLOFENAC POTASSIUM
56345	VITAMIN B COMPLEX	56730	FLUCONAZOLE	57084	COLLAGEN
56350	ALGLUCERASE	56735	GOSERELIN ACETATE	57086	OXAPROZIN
56355	AMLODIPINE	56740	INTERFERON BETA	57088	TORSEMIDE
56360	ANISTREPLASE	56750	OCTREOTIDE ACETATE	57090	PREDNICARBATE
56365	BOTULISM TOXIN	56760	SARGRAMOSTIN	57092	RECOMBINANT HUMAN DEOXYRIBONUCLEASE
56370	CALCIUM CITRATE	56765	TIOCONAZOLE	57094	CALCIPOTRIENE
56375	CARBOPLATIN	56770	VARICELLA-ZOSTER IMMUNE GLOBULIN	57096	VENLAFAXINE
56380	CARTEOLOL	56780	NIMODIPINE	57098	FLUDARABINE PHOSPHATE
56390	CEFPROZIL	56790	STAVUDINE	57100	RIMANTADINE HCL
56395	CISAPRIDE	56795	PACLITAXEL	57102	GABAPENTIN
56415	FELBAMATE	56800	SODIUM TETRABORATE DECAHYDRATE	57104	HALOFANTRINE
56420	FILGRASTIM	56845	BOTULISM ANTITOXIN	57106	GRANISETRON
56435	FLUMAZENIL	56914	RIFAPENTINE	57108	FLUVASTATIN
56440	FLUOREXON	57001	BLOOD SUGAR DIAGNOSTIC	57110	LEVOCARBASTINE HCL
56445	HAEMOPHILUS B CONJUGATE VACCINE	57003	FLUTAMIDE	57112	ENOXAPARIN SODIUM
56455	IFOSFAMIDE	57004	GANCICLOVIR SODIUM	57114	MAGNESIUM LACTATE
56465	ITRACONAZOLE	57005	MESALAMINE	57116	MESNA
56470	LACTASE ENZYME	57006	OMEPRAZOLE	57118	MONOCHLOREACETIC ACID
56480	LOMEFLOXACIN	57008	PERGOLIDE MESYLATE	57120	ATOVAQUONE
56485	LORACARBEF	57009	TRANEXAMIC ACID	57122	NORGESTIMATE
56490	LORATADINE	57012	LEUPROLIDE	57124	BUDESONIDE
56495	MAGNESIUM OXIDE	57014	ERYTHROPOIETIN	57126	RISPERIDONE
56500	MASOPROCOL	57016	RAMIPRIL	57128	ACRIVASTINE
56505	MEFLOQUINE	57018	CARBAMIDE PEROXIDE	57130	SALMETEROL
56510	MIDODRINE	57024	MAGNESIUM ION	57132	SODIUM TETRADECYL
56515	MIVACURIUM	57026	SELENIUM	57134	NAFARELIN ACETATE
56525	NABUMETONE	57028	SULFABENZAMIDE	57136	BISOPROLOL FUMARATE
56530	NEDOCROMIL	57032	CEFTIZOXIME	57138	AZACITIDINE
56535	NICARDIPINE	57034	PHOSPHORUS	57140	ALPHA-D- GALACTOSIDASE
56540	NICOTINE TRANSDERMAL	57036	CLOFAZIMINE	57142	GARLIC
56545	NITRAZEPAM	57038	PIRBUTEROL ACETATE	57144	GLIBENCLAMIDE
56570	PIPECURONIUM	57040	MECLOCYCLINE	57146	LAMIVUDINE
56575	PODOFILOX	57042	ACLOMETASONE	57148	OXICONAZOLE
56580	POLOXAMER 188	57044	CEFIXIME	57150	PAROXETINE HCL
56585	POTASSIUM CHLORIDE	57046	DEZOCINE	57152	PHENOTHIAZINE
56590	POTASSIUM CITRATE	57048	ZOLPIDEM TARTRATE	57154	CD4
56600	PROPAFENONE	57049	LEVOCARNITINE	57156	SICKLE CELL TEST
56605	PROPOFOL	57050	HYDROACTIVE DRESSING	57158	TECHNETIUM
56615	RETINOIC ACID			57160	TRAMADOL
56620	RHO (D) IMMUNE GLOBULIN				

57162	BEPRIDIL HCL	59628	DINITROCHLORO- BENZENE	59738	CARBOPROST TROMETHAMINE
57164	DESFLURANE	59629	LANSOPRAZOLE	59739	QUETIAPINE FUMARATE
57166	PROTEIN	59630	ADAPALENE	59740	PENCICLOVIR
57168	CARBOHYDRATE(S)	59631	TIOPRONIN	59741	JAPANESE ENCEPHALITIS VIRUS VACCINE
57170	FAT	59632	DEHYDRO- EPIANDROSTERENE	59742	POLOXAMER
57172	ROCURONIUM	59633	GLIMEPRIDE	59743	TROGLITAZONE
57174	INTERFERON	59634	ZAFIRLUKAST	59744	TOPIRAMATE
57176	NEFAZODONE HCL	59635	MYCOPHENOLATE MOFETIL	59745	REMIFENTANIL HCL
57186	DORZOLAMIDE HCL	59636	RILUZOLE	59800	BEE POLLEN
57188	LOVERSOL	59637	ALCLOMETASONE	59801	CARRISYN
57190	CURARE	59638	PENTOSAN	59802	SIBUTRAMINE
57192	METFORMIN	59639	LATANOPROST	59804	ZOLMITRIPTAN
57194	HYPERTONIC SALINE	59640	TRANDOLAPRIL	59805	IMIQUIMOD
57198	TENPOSIDE	59641	ACIDOPHILUS	59807	SILDENAFIL CITRATE
57202	FLAX SEED OIL	59642	CIDOFOVIR	59808	NARATRIPTAN HYDROCHLORIDE
57204	HEPATITIS C VACCINE	59643	BUTENAFINE HYDROCHLORIDE	59809	ANASTROZOLE
57206	TAZOBACTAM	59644	OLANZAPINE	59810	BRINZOLAMIDE
57208	LOSARTAN	59645	FEXOFENADINE	59811	TOLTERODINE TARITRATE
57210	QUERCETIN	59701	FOSPHENYTOIN SODIUM	59812	DOMPERIDONE
57214	TACROLIMUS	59702	VITAMINS	59813	FOLLITROPIN BETA
57216	DICHLOROACETIC ACID	59703	TOPOTECAN HCL	59814	FOLLITROPIN ALPHA
57218	FINASTERIDE	59704	DONEPEZIL HCL	59815	FOSFOMYCIN TROMETHAMINE
57220	LAMOTRIGINE	59705	ATORVASTATIN CALCIUM	59816	CLOPIDOGEL
57222	ALENDRONATE	59706	ZILEUTON	59817	REPAGLINIDE
57224	DIRITHROMYCIN	59707	BRIMONIDINE	59818	BECAPLERMIN
57226	MOEXIPRIL HCL	59709	AZELASTINE	59821	RETEPLASE RECOMBINANT
57228	BICALUTAMIDE	59710	VALSARTAN	59822	NALMEFENE
57230	PHOSPHOCYSTEAMINE	59711	DELAVIRDINE MESYLATE	59823	EFAVIREN
57232	SULCONAZOLE NITRATE	59712	FAMCICLOVIR	59824	TOLCAPONE
57236	SODIUM NITRITE	59714	MIRTAZAPINE	59825	TAZAROTENE
57238	AZELAIC ACID	59715	NEVIRAPINE	59826	DOLAESTRON MESYLATE
57240	CETIRIZINE	59716	LEVOFLOXACIN	59827	ACITRETIN
58001	IMIQUIMOD	59717	ANDROGENS	59828	CERIVASTATIN SODIUM
58002	MONTELUKAST SODIUM	59718	ROPIVACAINE HCL	59829	CITALOPRAM HYDROBRIMIDE
59600	ALBENDAZOLE	59719	NELFINAVIR MESYLATE	59830	TIAGABINE HCL
59601	SAQUINAVIR MESYLATE	59720	NILUTAMIDE	59831	FENOFIBRATE
59602	HEPATITIS A VACCINE	59721	OLOPATADINE HCL	59832	ROTAVIRUS VACCINE
59603	HEPATITIS VACCINE	59722	TILUDRONATE SODIUM	59833	OXALIPLATIN
59604	GEMCITABINE HCL	59723	IRINOTECAN HCL	59834	DACLIZUMAB
59605	VINORELBINE	59724	DALTEPARIN SODIUM	59835	RECOMBINANT HUMAN INTERLEUKIN ELEVE
59606	RITONAVIR	59725	PRAMIPEXOLE	59836	LOTEPREDNOL ETABONATE
59607	PIRACETAM	59726	BROMFENAC SODIUM	59837	GLATITAMER ACETATE
59608	ACARBOSE	59727	TIZANIDINE HCL	59838	RIZATRIPTAN BENZOATE
59609	DAPIPRAZOLE HCL	59728	SODIUM BIPHOSPHATE	59839	LEFLUNOMIDE
59610	SEVOFLURANE	59729	MELARSOPROL	59840	CAPECITABINE
59611	THYROID STIMULATING HORMONE	59730	MIBEFRADIL DIHYDROCHLORIDE	59841	GRAPESEED
59612	CEFTIBUTEN	59731	TAMSULOSIN HYDROCHLORIDE	59842	TROVAFLOXACIN/ ALTROFLOXAVIN
59615	SOMATOSTATIN	59732	CEFEPIME HCL	60020	DIPROPYLENE GLYCOL
59619	VALACYCLOVIR	59733	CISATRACURIUM BESYLATE	60025	ETHYL CINNAMATE
59620	INDINAVIR	59734	CARVEDILOL		
59621	DEXFENFLURAMINE	59735	IRBESARTAN		
59622	NISOLDIPINE	59736	CALCITRIOL		
59623	ALTRETAMINE	59737	ROPINROLE HCL		
59624	DIATRIZOATE MEGLUMINE				
59625	NITROGEN MUSTARD				
59626	RIMEXOLONE				
59627	MELATONIN				

70001	CEFEPIME	70053	NETTLE EXTRACT	70131	ISOSORBIDE MONONITRATE
70003	INFLIXIMAB	70054	PROTEASE	70132	ALLIUM CEPA
70004	SEVELAMER HCL	70055	ELDER	70133	CRANBERRY
70005	ETHINY ESTRADIOL	70056	THYME	70134	MAGNESIUM ASPARTATE
70006	TRIAMCINOLONE ACETON	70057	MALTODEXTRIN NF	70135	POTASSIUM ASPARTATE
70007	CEFDINIR	70058	ASCORBIC ACID	70136	ASPARTIC ACID
70008	RIBAVIRIN	70059	ADENOSYL- TRIPHOSPHATE	70137	NICOTINE
70009	HYALURONIC ACID	70060	DOLASETRON MESYLATE	70138	MOXIFLOXACIN HCL
70010	SEROTONIN	70061	EMEDASTINE DIFUMARATE	70139	BOSWELLIN
70011	POLYMYXIN B	70062	FENRETINIDE	70140	SEA CUCUMBER
70012	GLUCOSAMINE	70063	ABCIXIMAB	70141	GLYCOLIC ACID
70013	ROSIGLITAZONE MALEATE	70064	TETRABENAZINE	70142	AMMONIUM LACTATE
70014	CANDESARTAN CILEXETIL	70065	BRIMONIDINE TARTRATE	70143	SODIUM COGLYCERYL
70015	ISOPHANE INSULIN	70066	CALENDULA	70144	ETHER SULFONATE
70016	LYME DISEASE VACCINE	70067	PLANTAIN	70145	CETOSTEARYL ALCOHOL
70017	RITUXIMAB	70068	OREGON GRAPE	70146	CETETH-20
70018	SODIUM SULFACETAMIDE	70069	GINKGO	70147	METHYL PARABEN
70019	ORLISTAT	70070	EICOSAPENTAENOIC ACID	70148	IMIGLUCERASE
70020	AMPRENAVIR	70071	DOCOSAHEXAENOIC ACID	70149	TIROFIBAN
70021	ACTIVATED CHARCOAL	70102	OSELTAMIVIR PHOSPHATE	70150	PROPOXYPHENE NAPSYLATE
70022	FERROUS SULFATE EXSICCATED	70103	SIROLIMUS	70151	SODIUM PHENYLBUTYRATE
70023	TELMISARTAN	70104	CYSTEAMINE BITARTRATE	70152	LOPINAVIR
70024	MILRINONE LACTATE	70105	HAWTHORN	70153	MAGNESIUM CHELATE
70026	ROFECOXIB	70106	ALOSETRON HCL	70154	ZINC CHELATE
70027	ETHINYL ESTRADIOL	70107	PNEUMOCOCCAL 7- VALENT CONJUGATE VAC	70155	CHROMIUM PICOLINATE
70028	ETHYNODIOL DIACETATE	70108	PALIVIZUMAB	70156	GUARANA
70029	ETANERCEPT	70109	GATIFLOXACIN	70157	SODIUM CARBOXYMETHYL- CELLULOS
70030	ALITRETINOIN	70110	CABERGOLINE	70158	PREDNISOLONE ACETATE
70031	ZANAMIVIR	70111	ALDESLEUKIN	70159	SILVER
70032	ABACAVIR SULFATE	70112	MAGNESIUM HYDROXIDE	70160	LEVETIRACETAM
70033	RABEPRAZOLE SODIUM	70113	PERINDOPRIL ERBUMINE	70161	L-LYSINE
70034	PIOGLITAZONE HCL	70114	MIGLITOL	70162	BETA-GLUCAN
70035	METHYLSULFONY- METHANE	70115	ZALEPLON	70163	CALCIUM CHLORIDE DIHYDRATE
70036	CETYLMYRISTOLEATE	70116	SOY	70164	TEMOZOLOMIDE
70037	TRASTUZUMAB	70117	ADEFOVIR DIPIVOXIL	70165	PARACETAMOL
70038	PETROLEUM	70118	PANTOPRAZOLE SODIUM	70166	DEXTROPROPOXYPHENE
70039	CILOSTAZOL	70119	ANTITHROMBIN III	70167	CALCIUM GLUBIONATE
70040	LEVALBUTEROL HCL	70120	ATROPINE SULFATE	70168	RISEDRONATE SODIUM
70041	KETOTIFEN FUMARATE	70121	MELOXICAM	70169	CELECOXIB
70042	FERROUS FUMARATE	70122	ENTACAPONE	70170	NICOTINAMIDE ADENINE DINUCLEOTIDE
70043	OPRELVEKIN	70123	BISMUTH	70171	DANAPAROID SODIUM
70044	MORPHINE SULFATE	70124	BEECHWOOD CREOSOTE	70172	MOLASSES
70045	RALOXIFENE	70125	EPIRUBICIN HCL	70173	CYTOMEGALOVIRUS IMMUNE GLOBULIN IV
70046	PENICILLIN G \\ BENZATHINE	70126	EPTIFIBATIDE	70174	FERROUS SULFATE
70047	HELIUM	70127	BETAMETHASONE VALERATE	70175	COAGULATION FACTOR VIII
70048	OIL OF EVENING PRIMROSE	70128	OXCARBAZEPINE	70176	EFLORNITHINE HCL
70049	ROPINIROLE HCL	70129	RIVASTIGMINE TARTRATE	70177	METHACHOLINE CHLORIDE
70050	COENZYME Q10	70130	ISOSORBIDE DINITRATE		
70051	CREATINE				
70052	ZINC OXIDE				

70178	DIMETICONE	70226	CHLORPHENIRAMINE MALEATE	70273	METHENAMINE MANDELATE
70179	ACRYLATE COPOLYMER	70227	IBUTILIDE FUMARATE	70274	SODIUM ACID PHOSPHATE MONOHYDR
70180	CARBOMER 940	70228	FERRIC SUBSULFATE	70275	MAGNESIUM CITRATE
70181	GLUTAMINE	70230	IVERMECTIN	70276	MILK THISTLE EXTRACT
70182	SARGRAMOSTIM	70231	CODEINE PHOSPHATE	70277	LINEZOLID
70183	PEGINTERFERON ALFA- 2B	70232	ZIPRASIDONE HCL	70278	ALMOTRIPTAN MALATE
70184	INSULIN ANALOG	70233	MINERAL SPIRITS	70279	FLUVASTATIN SODIUM
70185	AMIFOSTINE	70234	OCTYLPHENOXY- POLYETHOXYETHANO	70280	NALTREXONE
70186	KAVA	70235	AMPICILLIN SODIUM	70281	UNOPROSTONE ISOPROPYL
70187	MODAFINIL	70237	PREDNISOLONE SODIUM PHOSPHATE	70282	TRAMADOL HCL
70188	VERTEPORFIN	70238	NORETHINDRONE ACETATE	70283	PERUVIAN BALSAM
70189	POLYSORBATE	70239	BROMPHENIRAMINE MALEATE	70284	NICOTINAMIDE
70190	EDTA	70241	AMINOLEVULINIC ACID HCL	70285	CHLORELLA PYRENOIDOSA
70191	RETINYL PALMITATE	70242	BUPROPION HCL	70286	ARNICA MONTANA
70192	DEXRAZOXANE	70243	METHSCOPOLAMINE NITRATE	70287	ACONITUM NAPELLUS
70193	SYNTHETIC CONJUGATED ESTROGENS	70244	OCTYL METHOXYCINNAMATE	70288	CHAMOMILLA
70194	GRAFT T STARCH COPOLYMER	70245	ESTRADIOL CYPIONATE	70289	SYMPHYTUM OFFICINALE
70195	EPROSARTAN MESYLATE	70246	NATEGLINIDE	70290	CALCIUM LACTATE
70196	PODOPHYLLIN	70247	LONICERA JAPONICA	70291	BOVINE UTERUS PMG EXTRACT
70197	ALOE VERA	70248	ESTRIOL	70292	CALCIUM STEARATE
70198	ZINCUM GLUCONICUM	70249	BIMATOPROST	70293	ACETRETIN
70199	MAGNESIUM GLYCINATE	70250	AMLEXANOX	70294	RED CLOVER
70200	CATIONIC CELLULOSE	70251	CEFPODOXIME PROXETIL	70295	PUMPKIN SEED OIL
70201	POLIDOCANOL	70252	IOTHALAMATE MEGLUMINE	70296	GALANTAMINE HYDROBROMIDE
70202	GREPAFLOXACIN HCL	70253	IOTHALAMATE SODIUM	70297	CANADA BALSAM
70203	RACEMIC EPINEPHRINE	70254	PHENYLPROPA- NOLAMINE HCL	70298	PINE NEEDLE OIL
70204	ACEMANNAN	70255	PHENYLTOLOXAMINE CITRATE	70299	TINCTURE OF CAPSICUM
70205	BETAMETHASONE ACETATE	70256	PSEUDOEPHEDRINE HCL	70300	PHOSPHOLINE IODIDE
70206	BETAMETHASONE SODIUM PHOSPHATE	70257	AMPHETAMINE ASPARTATE	70301	AMMONIUM GLYCOLATE
70207	HETASTARCH SODIUM	70258	AMPHETAMINE SULFATE	70302	GLYCOLIC COMPOUND
70208	TRIETHANOLAMINE POLYPEPTIDE OLEATE-	70259	DEXTROAMPHETAMINE SACCHARATE	70303	EUCALYPTUS GLOGULUS OIL
70209	TRIPROLIDINE HCL	70260	DEXTROAMPHETAMINE SULFATE	70304	ESTRADIOL HEMIHYDRATE
70211	DIPHENOXYLATE HCL	70261	TITANIUM DIOXIDE	70305	XYLOCAINE
70212	POLYMYXIN B SULFATE	70262	DOCUSATE SODIUM	70306	MARCAINE
70213	BACITRACIN ZINC	70263	ALUMINUM ANTACID	70307	TRIAMCINOLONE ACETONIDE
70214	SULFACETAMIDE SODIUM	70264	EPHEDRINE SULFATE	70308	NORMAL SALINE
70215	INSULIN RECOMBINANT HUMAN	70265	SECOBARBITAL SODIUM	70309	QUINAPRIL HCL
70216	INSULIN SUSP ISO RECOMB HUMAN	70266	BOTULINUM TOXIN TYPE A	70310	ZINC
70217	HYDROCODONE BITARTRATE	70267	MEPERIDINE HCL	70311	TRIMETHOPRIM HCL
70218	HOMATROPINE METHYL BROMIDE	70268	PHENERGAN	70313	COLESEVELAM
70219	IOXAGLATE MEGLUMINE	70269	OXYCODONE HCL	70314	MANGANESE ASCORBATE
70220	IOXAGLATE SODIUM	70270	LUTEIN	70315	ANAGRELIDE HYDROCHLORIDE
70221	ESOMEPRAZOLE MAGNESIUM	70271	SPIRULINA	70316	EXEMESTANE
70222	NAPROXEN SODIUM	70272	TRAVOPROST	70317	LACTATED RINGERS
70223	FERRIMIN			70318	MAGNESIUM L-LACTATE DIHYDRATE
70224	DOFETILIDE			70319	CONDYLOX
70225	ZONISAMIDE			70320	ZINC PYRITHIONE

70321	PASSION FLOWER POWER	70369	DEXAMETHASONE SODIUM PHOSPHAT	70414	HYDROCOLLOID GEL
70322	DIPHThERIA TOXIN	70370	LIDOCAINE HCL	70415	CHROMIUM CHLORIDE
70323	PERTUSSIS TOXOID	70371	HYDROXYZINE HCL	70416	COPPER SULFATE
70324	AMPHOTERICIN B	70372	TESTOSTERONE CYPIONATE	70417	SELENIOS ACID
70325	BORON	70373	DEXBROMPHENIRAMINE MALEATE	70418	BALSAM PERU
70326	BLACK COHOSH ROOT	70374	METHYLPHENIDATE HCL	70419	BISMUTH RESORCIN
70327	ISOFLAVONES	70375	ESTRADIOL VALERATE	70420	HYDROXYQUINOLINE SULFATE
70328	INSULIN GLARGINE	70376	TESTOSTERONE ENANTHATE	70421	MAGNESIUM ACID CITRATE
70329	TOREMIFENE CITRATE	70377	PROPOXYPHENE HCL	70422	MAGNESIUM HYDROXYCARBONATE
70330	FEXOFENADINE HCL	70378	PSEUDOEPHEDRINE SULFATE	70423	PHENYLCARBINOL
70331	LANOLIN OIL	70379	ISOPROTERENOL HCL	70424	OLMESARTAN MEDOXOMIL
70332	AMILORIDE HCL	70380	PHENYLEPHRINE BITARTRATE	70425	VALDECOXIB
70333	AMITRIPTYLINE HCL	70381	EPINEPHRINE BITARTRATE	70426	DES LorATADINE
70334	HYDROCORTISONE ACETATE	70382	ETIDOCAINE HCL	70427	DEXMETHYLPHENIDATE HCL
70335	PRAMOXINE HCL	70383	COAGULATION FACTOR IX	70428	FORMOTEROL FUMARATE
70336	HYOSCYAMINE SULFATE	70384	MEADOWFOAM OIL	70429	CILICA
70337	ANISOTROPINE METHYLBROMIDE	70385	SILYBUM	70430	DECYLOLEATE
70338	DEXTROMETHORPHAN HBR	70386	PROPOXYCAINE HCL	70431	DROSPIRENONE
70339	HYDRALAZINE HCL	70387	POSACONAZOLE	70432	PIMECROLIMUS
70340	PRIMAQUINE PHOSPHATE	70388	TAPIOCA	70433	GYM NEMA SYLVESTRE
70341	CLAVULANATE POTASSIUM	70389	BISMUTH SUBGALLATE	70434	LIPOIC ACID
70342	PHENAZOPYRIDINE HCL	70390	CALCIUM CHLORIDE	70435	VANADIUM
70343	PYRIDOXINE HCL	70391	PARABENS	70436	BURDOCK ROOT
70344	DIPHENHYDRAMINE HCL	70392	XALATAN	70437	SLIPPERY ELM
70345	DICYCLOMINE HCL	70393	ZOLEDRONIC ACID	70438	SHEEP SORREL
70346	PRAZOSIN HCL	70394	PYRILAMINE MALEATE	70439	INDIAN RHUBARB ROOT
70347	ANTITHYMOCYTE GLOBULIN	70395	NAPHAZOLINE HCL	70440	ACELLULAR PERTUSSIS VACCINE
70348	BECLOMETHASONE DIPROPIONATE	70396	COD LIVER OIL	70441	POTASSIUM ACETATE
70349	BROMODIPHE- HYDRAMINE HCL	70398	MAGNESIUM SULFATE	70442	NESIRITIDE
70350	EPHEDRINE HCL	70399	ATROPINE METHYLNITRATE	70443	ADRENALINE
70351	BUPIVACAINE HCL	70400	CASCARA SAGRADA	70444	CINNARIZINE
70352	BUTABARBITAL SODIUM	70401	CARBINOXAMINE MALEATE	70445	TRIMETHOPRIM SULFATE
70353	ERGOTAMINE TARTRATE	70402	CHLORPHENIRAMINE TANNATE	70446	PONTOCAINE
70354	MEPENZOLATE BROMIDE	70403	PHENYLEPHRINE TANNATE	70447	1-TYROSINE
70355	ARGININE HCL	70404	PYRILAMINE TANNATE	70448	ACETYL-1-TYROSINE
70356	CHLORDIAZEPOXIDE HCL	70405	DIHYDROCODEINE BITARTRATE	70449	GREEN TEA EXTRACT
70357	CLONIDINE HCL	70406	THEOPHYLLINE ANHYDROUS	70450	ERTAPENEM SODIUM
70358	PHENYLEPHRINE HCL	70407	PHENIRAMINE MALEATE	70451	TENECTEPLASE
70359	ALBUTEROL SULFATE	70408	PIPERONYL BUTOXIDE	70452	FENTANYL CITRATE
70360	CODEINE SULFATE	70409	COLLAGEN HEMOSTAT	70453	CHLORHEXIDINE GLUCONATE
70361	PAPAVERINE HCL	70410	FERROUS GLUCONATE	70454	CHLORHEXIDINE DIGLUCONATE
70362	NEOMYCIN SULFATE	70411	PROMETHAZINE HCL	70455	LEUPROLIDE ACETATE
70363	5-FLUOROURACIL	70412	CETYLPYRIDINIUM CL	70456	MEROPENEM
70364	CEFAZOLIN SODIUM	70413	CORN STARCH	70457	OIL OF PINE
70365	ZINC ACETATE			70458	CAJEPUT
70366	TIMOLOL MALEATE			70459	LEVOTHYROXINE SODIUM
70367	CYCLOPENTOLATE HCL			70460	WATER
70368	OXYPHENCYCLIMINE HCL			70461	GUGGULSTERONES

70462	CLADRIBINE	70511	ERUCAMIDOPROPYL HYDROXY SULTA	70561	SODIUM ACID PHOSPHATE
70463	BALSALAZIDE DISODIUM	70512	SILK AMINO ACID	70562	SODIUM PYRROLIDONE CARBOXYLATE
70464	ACETYLCHOLINE CHLORIDE	70513	CYCLOMETHICONE	70563	LIVER DESSICATED
70465	SUPER OXIDE DISMUTASE	70514	ETHYLHEXYL METHOXYCINNAMATE	70564	AMLODIPINE BESYLATE
70466	ESCITALOPRAM OXALATE	70515	ETHYLHEXYL SALICYLATE	70565	BETAMETHASONE DIPROPIONATE
70467	BENZYDAMINE	70516	GLYCERYL TALLOWATE	70566	MANNITOL HEXANITRATE
70468	SURAMIN	70517	GLYCERYL COCOATE	70567	DIFENOXIN HCL
70469	FOXGLOVE	70518	LAURETH-23	70568	DEXTRAN 40
70470	CLORAZEPATE DIPOTASSIUM	70519	COCOAMIDO PROPYLAMINE OXIDE	70569	NEOSTIGMINE METHYLSULFATE
70472	GANIRELIX ACETATE	70520	VARICELLA VIRUS VACCINE	70570	PREDNISOLONE PHOSPHATE
70473	NORELGESTROMIN	70521	GRIFFONIA SIMPLICIFOLIA	70571	CARAMIPHEN EDISYLATE
70474	INTERFERON BETA-1A	70523	BIFIDOBACTERIUM INFANTIS	70572	ISOPROPAMIDE IODIDE
70475	IMATINIB MESYLATE	70524	GLOBULIN PROTEIN CONCENTRATE	70573	PENTAERYTHRITOL TETRANITRATE
70476	VIGABATRIN	70525	PHOSPHATE	70574	PILOCARPINE HCL
70477	BLACK COHOSH	70526	IRON SUCROSE	70575	CHLOROPHYLLIN COPPER COMPLEX
70478	CARBONYL IRON	70527	VALGANCICLOVIR HCL	70576	HYDROXYAMPHETAMINE HBR
70479	BORAGE OIL	70528	BAKING SODA	70577	ERYTHROMYCIN ETHYLSUCCINATE
70480	ALPHA LIPOIC ACID	70529	MELANOMA VACCINE	70578	SULFISOXAZOLE ACETYL
70481	METFORMIN HCL	70530	PROANTHOCYANIDINS	70579	CHLORPHENIRAMIN POLISTIREX
70482	CETIRIZINE HCL	70531	ESTERIFIED ESTROGENS	70580	CODEINE POLISTIREX
70483	CADEXOMER IODINE	70532	LACTOBACILLUS RHAMNOSUS	70582	OXYCODONE TEREPHTHALATE
70484	CARBOXYMETHYL- CELLULOSE SODIUM	70533	BIFIDOBACTERIUM BIFIDUM	70583	BUTYL METHOXYDIBEZOYL METHANE
70485	WITCH HAZEL	70534	LACTOBACILLUS CASEI	70584	AMPICILLIN TRIHYDRATE
70486	ARIPIPRAZOLE	70535	TENOFOVIR DISOPROXIL FUMARATE	70585	GENTAMICIN SULFATE
70487	BILBERRY EXTRACT	70536	POTASSIUM BICARBONATE	70586	MEDROXY- PROGESTERONE ACETATE
70488	BROWN RICE FLOUR	70537	TARRAGON OIL	70587	PROPANTHELINE BROMINE
70490	GUM GHATTI	70538	GINGER OIL	70588	PROCAINE HCL
70491	HYOSCYNAMINE SULFATE	70539	PEPPERMINT OIL	70590	RAUWOLFIA SERPENTINA
70492	DARBEPOETIN ALFA	70540	JUNIPER OIL	70591	PENTAZOCINE HCL
70493	CARBETAPENTANE TANNATE	70541	LIME WATER	70592	PSEUDOEPHEDRINE TANNATE
70494	EZETIMIBE	70542	METHAMINE	70593	CLEMASTINE FUMARATE
70495	FROVATRIPTAN SUCCINATE	70543	DOOK OIL	70594	OXYTETRACYCLINE HCL
70496	PROGUANIL HCL	70544	SALOL	70595	TICARCILLIN DISODIUM
70497	TINIDAZOLE	70545	QXYQUINOLONE SULFATE	70596	CHOLINE MAGNESIUM TRISALICYLATE
70498	DILTIAZEM HCL	70546	CARNOSINE	70597	AZATADINE MALEATE
70499	VERAPAMIL HCL	70547	ORTHOPHOSPHORIC ACID	70598	LETROZOLE
70500	ACETYLATED LANOLIN	70549	TRIPLENNAMINE HCL	70599	HYDROCODONE POLISTIREX
70501	LANOLIN ALCOHOLS EXTRACT	70550	SOLUMET	70600	ENALAPRIL MALEATE
70502	BOTULINUM TOXIN TYPE B	70551	POLYTAR	70601	ANTAZOLINE PHOSPHATE
70503	AMMONIUM HYDROXIDE	70552	EPHEDRINE TANNATE		
70504	POLYQUATERNIUM-10	70554	CLIOQUINOL		
70505	ACRYLATES/STEARETH- 20	70555	LOSARTAN POTASSIUM		
70506	ITACONATE COPOLYMER	70556	CHOLINE BITARTRATE		
70507	PEGFILGRASTIM	70557	ILOPAN		
70508	VORICONAZOLE	70559	PROPRANOLOL HCL		
70509	EDATREXATE	70560	BATH OIL		
70510	COCAMIDOPROPYL HYDROXY SULTAN				

70602	SODIUM CHONDROITIN SULFATE	70652	ISOPROTERENOL SULFATE	70695	METHYLSULFONYL- METHANE
70603	THIAMINE HCL	70653	OXYMETAZOLINE HCL	70696	VITAMIN B-1
70604	PIPERACILLIN SODIUM	70654	ALUMINUM	70697	VITAMIN B-6
70605	TAZOBACTAM SODIUM		CHLORHYDROXIDE	70699	LYCOPENE
70606	GLACIAL ACETIC ACID	70655	DOXYCYCLINE HYCLATE	70700	GAMMALINOLENIC ACID
70607	OXYQUINOLONE SULFATE	70656	BASILIXIMAB	70701	ISOSULFAN BLUE
70608	PHENYLPRO- PANOLAMINE BITARTRATE	70657	IMMUNE GLOBULIN INTRAVENOUS	70702	BROMPHENIRAMINE TANNATE
70609	DIPERODON HCL	70658	ANDROSTENEDIONE	70703	DOXERCALCIFEROL
70610	CALCIUM GLUCONATE	70659	DROTRECOCIN ALFA	70704	SODIUM CITRATE DIHYDRATE
70611	MAGNESIUM CARBONATE	70660	NITRIC OXIDE	70705	CITRIC ACID MONOHYDRATE
70612	BELLAFOLINE	70661	CETYLDIMETHYLETHYL AMMONIUM BR	70706	RECOMBINANT INTERFERON ALFA-2A
70613	WRINKLED GIANT HYSSOP	70662	GUANETHIDINE MONOSULFATE	70707	PERTUSSIS TOXIN
70614	ANGELICA ROOT	70663	PARGYLINE HCL	70708	FILAMENTOUS HEMAGGLUTININ
70615	ARECA PEEL	70664	SULFADOXINE	70709	PERTACTIN
70616	PERILLA LEAF	70665	TRICHLOROMONO- FLUOROMETHANE	70710	VARDENAFIL HCL
70617	BISMUTH SUBNITRATE	70666	LIVE YEAST CELL	70711	ROSUVASTATIN CALCIUM
70618	ALUMINUM CHLORHYDRATE	70667	MINERAL WAX	70712	KOJIC ACID
70619	BUROW'S SOLUTION	70668	WOOLWAX ALCOHOL	70713	TADALAFIL
70620	BUTYL AMINOBEZOATE	70669	DEODORIZED KEROSENE	70714	FIBER
70621	COLISTIN SULFATE	70670	POTASSIUM ESTRONE SULFATE	70715	DIPHENHYDRAMINE TANNATE
70622	PLATELET PHERESIS	70671	SENNOSIDES A	70716	DEXTROMETHORPHAN TANNATE
70623	HYDROMORPHONE HCL	70672	SENNOSIDES B	70717	DEXCHLORPHENIRAMINE TANNATE
70624	DOCUSATE POTASSIUM	70673	PROPYLENE GLYCOL DIACETATE	70718	CEVIMELINE HCL
70625	ISOPROPYL SEBACATE	70674	TOTAL UNDECYLENATE	70719	RANITIDINE HCL
70626	TETANUS VACCINE	70675	DUTASTERIDE	70721	METOPROLOL SUCCINATE
70627	DIHYDROERGOTAMINE MESYLATE	70676	DONNATAL	70722	SODIUM OXYBATE
70628	HEPARIN SODIUM	70677	DOXYLAMINE SUCCINATE	70723	PEMIROLAST POTASSIUM
70629	GLYCEROL	70678	ATAZANAVIR SULFATE	70724	METHENAMINE SULFATE
70630	ETONOGESTREL	70679	EPOPROSTENOL SODIUM	70725	ASPARTAME
70631	COLFOSCERIL PALMITATE	70680	GEFITINIB	70726	CO ENZYME B-12
70632	GREEN SOAP	70681	ALEFACEPT	70727	ATP
70633	BISMUTH SUBSALICYLATE	70682	ELETRIPTAN HYDROBROMIDE	70728	ALPHA GPC
70634	TEA TREE OIL	70683	MEGESTROL ACETATE	70729	MEQUINOL
70635	RICE	70684	PSYLLIUM HYDROPHILIC MUCILLOID FIBE	70730	ACRIFLAVINE
70639	TRIPLE SULFA	70685	IRON SULFATE	70731	FENTANYL TRANSMUCOSAL LOZENGE
70640	TRISULFAPYRIMIDINES	70686	CROTALIDAE POLYVALENT IMMUNE FAB	70732	EPIDURAL
70641	POLYOXYETHYLENE NONYLPHENOL	70687	ATOMOXETINE HCL	70733	VITAMIN K5
70642	TEGASEROD MALEATE	70688	DIBASIC SODIUM PHOSPHATE	70734	ERWINIA L- ASPARAGINASE
70643	ANHYDROUS LANOLIN	70689	MONOBASIC SODIUM PHOSPHATE	70735	INSULIN LIKE GROWTH FACTOR 1
70644	BISMUTH FORMIC IODIDE	70690	HP GUAR	70736	SODIUM FERRIC GLUCONATE COMPLEX
70645	BISMUTH VIOLET	70691	BORATE	70737	BEESWAX
70646	COLD CREAM	70692	MEMANTINE HCL	70738	SUGAR
70647	HYOSCINE HBR	70693	AZELASTINE HCL	70739	PURIFIED WATER
70648	DOVER'S POWDER	70694	RED YEAST RICE FORMULA		
70650	PHENINDAMINE TARTRATE				
70651	ORPHENADRINE CITRATE				

70740	ZINC CITRATE	70793	GLYCERYL STEARATE	70845	IMIDURA
70741	ZINC GLUCONATE	70794	FOSAMPRENAVIR	70846	BOVINE HEART PMG EXTRACT
70742	L-ALKALOIDS OF BELLADONNA	70795	L-GLUTAMINE	70847	SELENIUM YEAST
70743	CLODRONATE DISODIUM	70796	DIGESTIVE ENZYMES	70848	ALUM
70744	DANDELION	70797	ZEAXANTHIN	70849	PHENOL FRAGRANCE
70745	ISOPROPYL PLAMITATE	70798	SOY LECITHIN	70850	CASPOFUNGIN ACETATE
70746	SALMETROL XINAFOATE	70799	MAGNESIUM	70851	BOVINE LIVER POWDER
70747	PROLINE	70800	GENISTEIN	70852	PORCINE STOMACH
70748	ALPHA-GALACTOSIDASE	70801	DAIDZEIN	70853	CALCIUM SALTS
70749	CHLORAMINE-T	70802	INDOL-3 CARBINOL	70854	RHUBARB
70750	SODIUM P-TOLUENE- SULFONCHLORA	70803	FRUIT (DRIED)	70855	BLACK WALNUT
70751	METOMIDATE	70804	FRUIT JUICE	70856	ANTIOXIDANTS
70752	LEVOBUPIVACAINE HCL	70805	CREAM	70857	L-METHYLFOLATE
70753	D-BIOTIN	70806	MILK PROTEIN CONCENTRATE	70858	CYANOCOBALAMIN
70754	ADALIMUMAB	70807	TELITHROMYCIN	70859	BOVINE COLOSTRUM
70755	EMTRICITABINE	70808	JUICE	70860	ACESULFAME K
70756	LAVOLTIDINE SUCCINATE	70809	ARABINOXYLANE COMPOUND	70861	BIEBRICH SCARLET RED SULFONATED
70757	ENFUVRTIDE	70810	SKIM MILK	70862	EPINASTINE HCL
70758	APREPITANT	70812	INSULIN ASPART INJECTION	70863	MALTODEXTRIN
70759	ALFALFA	70813	INSULIN ASPART PROTAMINE	70864	WHEY PROTEIN ISOLATE
70760	MAGNESIUM TRISILICATE	70814	ALFUZOSIN HCL	70865	CIWUJIA EXTRACT
70761	CALCIUM CASEINATE	70815	DEONIZED WATER	70866	SACCHAROMYCES BOULARDII
70762	MONOGLYCERIDE	70816	PEG-150	70867	VITAMIN B-2
70763	DIGLYCERIDE	70817	SODIUM TRIDECETH SULFATE	70868	VITAMIN B-3
70764	WHEY	70818	DISTEARATE	70869	VITAMIN B-5
70765	METHYLCOBALAMIN	70819	SODIUM LAURETH-13 CARBOX	70870	DEXTRAN 70
70766	CALCIUM PHOSPHATE	70821	POLYSACCHARIDE IRON COMPLEX	70871	PALONOSETRON HCL
70767	MG GLYCERO- PHOSPHATE	70822	PRUNES	70872	RAISINS
70768	CARTEOLOL HCL	70823	PRUNE JUICE	70873	DATES
70769	MAGNESIUM AMINO ACIDS CHELATE	70824	APPLE JUICE	70874	OATS
70770	CALCIUM D-GLUCARATE	70827	BETA SISTEROL	70875	CORN
70771	CITRUS BIOFLAVONOIDS	70828	SAW PALMETTO BERRY	70876	LEGUME
70772	MITODRINE	70829	PYGEUM AFRICANUM	70877	APPLE FIBERS
70773	SNURON	70830	METAPROTARENOL SULFATE	70878	GLUCOTAMINE
70774	TIOTROPIUM BROMIDE	70831	CEFDITOREN PIVOXIL	70879	SPARFLOXACIN
70775	CIPROFLOXACIN	70832	OAT BRAN	70880	ALBUTEROL EXTENDED- RELEASE
70776	LACTOBACILLUS GG	70833	OAT FIBER	70881	WHEY PROTEIN CONCENTRATE
70777	CHICORY ROOT EXTRACT	70834	LANOLIN ALCOHOL	70882	COLLAGEN PROTEIN
70778	DULOXETINE HCL	70835	CALCIUM-POTASSIUM CASEINATE	70883	POTASSIUM SORBATE
70779	DESLOTADINE	70836	GAMMA-AMINOBUTRYIC ACID	70884	RISPERDAL INJECTION
70781	POLYSACCHARIDE IRON COMPLEX	70837	SENNA CONCENTRATE	70885	PARICALCITOL
70782	SOY PROTEIN	70838	ROSEMARY EXTRACT	70886	IRON
70783	SOY FIBER	70839	TRIMETHYLGLYCINE	70887	ALGINATE
70784	FLAVOXATE HCL	70840	DICALCIUM PHOSPHATE	70888	ELEUTHEROSIDE E
70785	TERIPARATIDE INJECTION	70841	POLOXAMER 331	70889	SIBERIAN ELEUTHERO
70786	OMALIZUMAB	70842	CALCIUM-SODIUM ALGINATE FIBE	70890	CINACALCET HCL
70787	POLYETHYLENE GLYCOL SOLN	70843	HORSETAIL	70891	HYDROGEL
70788	L-CYSTEINE	70844	ACEMANNAN HYDROGEL	70892	SILICONE (LIQUID)
70789	VITAMIN D2			70893	DROMETRIZOLE
70790	MILK			70894	TURMERIC
70791	IRON CARBONYL			70895	DIOSMIN COMPLEX
70792	HMB			70896	HESPERIDIN COMPLEX
				70897	OVINE SPLEEN
				70898	DESICCATED BOVINE SPLEEN

70899	POTASSIUM	70951	TRIMETREXATE	70995	DARIFENACIN
70900	CALCIUM SENNOSIDE		CLUCURONATE	70996	PREGNENOLONE
70901	GLIBENDAMIDE	70952	GEMTUZUMAB	70997	NEPAFENAC
70902	L-HOMOCYSTEINE THIOLACTONE		OZOGAMICIN	70998	ACETYLSALICYLIC ACID
70903	FONDAPARINUX SODIUM	70953	DESICCATED STOMACH SUBSTANCE	70999	PREGABALIN
70904	ASTRAGALUS	70954	ECHINACEA	71000	PREGABALIN
70906	ILEX	70955	METHYLPREDNISOLONE	71001	ISTRADEFYLLINE
70907	SOYBEAN LECITHIN COMPLEX		SODIUM SUCCINATE	71002	FLOXACILLIN
70908	GINKGO BILOBA	70956	SULBACTAM SODIUM STERILE	71003	CHORIOGONADOTROPIN ALFA
70909	HUPERZINE	70957	SORBITAN	71004	CHLOROPHYLLIN COPPER COMPLEX SODIUM
70910	RHODODENDRON CAUCASICUM		SESQUIOLEATE	71005	BEVACIZUMAB
70912	TEBOKAN	70958	HYDROCORTISONE	71006	CETUXIMAB
70913	SENNOSIDES		VALERATE	71007	TYPHOID PURIFIED VI VACCINE
70914	WHEAT GRASS POWDER	70959	SOTALOL HCL	71008	TECHNETIUM TC 99M MERTIATIDE INJECT
70915	ROYAL JELLY	70960	TEMOCAPRIL	71009	ARSENIC TRIOXIDE
70916	IRON GLYCINATE		HYDROCHLORIDE	71010	EXENATIDE
70917	FOLATE	70961	SERMORELIN ACETATE	71011	PENTOSTATIN
70918	TERMINALIA CHEBULA	70962	RECOMBINANT HEMOPHILIC FACTOR	71012	SULFUR HEXAFLUORIDE
70919	ZINGIBER OFFICINALE	70963	L-ARGININE	71013	LANTHANUM CARBONATE
70920	CHICORIUM INTYBUS	70964	PARATHYROID HORMONE	71014	TIPRANAVIR DISODIUM
70921	IPOMOEA TURPETHUM		PARAGUAY TEA	71015	HYALURONAN
70922	GLYCYRRHIZA GLABRA	70965	SERTACONAZOLE	71016	GEMIFLOXACIN
70923	SODIUM CASEINATE		NITRATE	71017	DOCUSATE CALCIUM
70924	CHOLINE CHLORIDE	70966	SPINACH POWER	71018	ANAZOLENE SODIUM
70925	TINZAPARIN SODIUM	70967	DOCETAXEL	71019	GLUCAN
70926	SODIUM METABISULFITE	70968	LINOLEIC ACID	71020	FLUORESCEIN SODIUM
70927	CHONDROITIN SULFATE	70969	HYDROLYZED LATALBUMIN	71021	HISTERLIN
70928	ANAKINRA	70970	MCT OIL	71022	THERAPEUTICS- RADIOPHARMA- CEUTICALS
70929	MAGNESIUM ASCORBATE	70971	PRAZIQUANTEL	71023	RAMELTEON
70930	SOY OIL	70972	POLYDIMETHYL- SILOXANE	71024	TROSPIUM
70931	CALCIUM SULFATE	70973	MYCOPHENOLIC ACID	71025	EPLERENONE
70932	CALCIUM AMINO ACIDE CHELATE	70974	BOSENTAN	71026	FOMEPIZOLE
70933	MICROCRYSTALLINE HYDROXYAPATITE	70975	ROSAVASTATIN CALCIUM	71027	PEMETREXED
70934	POLYSACCHARIDE-IRON COMPLEX	70976	ALEMTUZUMAB	71028	COLISTIMETHATE
70935	GRAPE SEED EXTRACT	70977	S-ADENOSYL-L- METHIONINE	71029	FIBRINOGEN
70936	PINE BARK EXTRACT	70978	FENOLDOPAM MESYLATE	71030	SOREFENIB
70937	GLUCOAMYLASE	70979	DAPTOMYCIN	71031	TREPROSTINIL
70938	TENOFOVIR	70980	SWEET-EASE	80001	ALPHA-1-PROTEINASE INHIBITOR
70939	LIQUID PARAFFIN	70981	N-ACETYL-L-CYSTEINE	80002	ALTEPLASE
70940	AVOCADO OIL	70982	TIROFIBAN HCL	80003	APRACLONIDINE
70941	TROLAMINE/SODIUM ALGINATE	70983	HAMAMELIS LEAF	80004	DICLOFENAC SODIUM
70942	BIVALIRUDIN	70984	EFALIZUMAB	80005	OCCULT BLOOD TEST KIT
70943	DOCOSANOL	70985	SQUARIC ACID	80006	FLUOXETINE HYDROCHLORIDE
70944	CATRIX	70986	ESCZOPICLONE	80007	LISINOPRIL
70945	DIPENTAERYTHRITYL	70987	PEGAPTANIB	80008	NIZATIDINE
70946	HEXACAPRYLATE	70988	OCTASODIUM	80009	MITOXANTRONE
70947	BETADEX	70989	SOLIFENACIN	80010	MURONAB
70948	CANDIDA ALBICANS SKIN TEST ANTIGEN	70990	HYDROPHILIC POLYMER	80011	MUPIROCIIN
70949	FULVESTRANT	70991	ACAMPROSATE CALCIUM		
70950	BORTEZOMIB	70992	ERLOTINIB		
		70993	IBANDRONATE SODIUM		
		70994			

80012	NAFTIFINE	92501	ASTEMIZOLE	92507	GAMMA-
80013	PENBUTOLOL SULFATE	92502	KETOROLAC		HYDROXYBUTYRATE
80014	TERCONAZOLE		TROMETHAMINE	92508	PETROLEUM
91011	MISOPROSTOL	92503	CLOMIPRAMINE		HYDROCARBONS
91013	OLSALAZINE	92504	CEFMETAZOLE SODIUM	92509	PHENCYCLIDINE
91016	LEVAMISOLE	92505	CANNABIS SATIVA	92510	TOLUENE
91018	ETHANOLAMINE OLEATE	92506	METHYLENE	92511	THALIDOMIDE
91019	MORICIZINE		DIOXYMETH-	92512	MICONAZOLE NITRATE
91060	CEFUROXIME AXETIL		AMPHETAMINE		

B. DRUG ENTRY CODES AND NAMES IN NUMERIC ORDER

00002 TAMIFLU	00092 ESTROSTEP FE	00200 MEPERIDINE HCL
00003 DITROPAN XL	00096 OSTEO-BIFLEX	00205 VAPONEPHRINE
00004 LIDODERM PATCH	00099 ALOCRIAL	00206 ACTONEL
00006 NEPHRON	00100 A.S.A.	00208 CELECOXIB
00007 TMP-SMZ DS	00101 ISOSORBIDE DINITRATE	00209 GLUCOVANCE
00008 VIACTIV	00102 ISOSORBIDE MONONITRATE	00210 ACCELERASE
00009 BICILLIN L-A	00104 HAART	00211 LEVALL 5.0
00012 IPOL	00105 A.S.A. & CODEINE	00212 NICOTINAMIDE ADENINE DINUCLEOT
00013 MYCOPHENOLATE MOFETIL	00106 ORLISTAT	00213 PANTOPRAZOLE SODIUM
00014 PSOR-A-SET	00107 ROSIGLITAZONE MALEATE	00217 TEMODAR
00017 SIROLIMUS	00109 URSODIOL	00218 CARBAMIDE PEROXIDE
00022 PREVNAR	00111 MAXILIFE	00219 DYCLONINE HCL
00023 A.C.N.	00112 MEDERMA	00220 ACCURBRON
00024 PROLEX DM	00113 ANDROGEL	00221 CHINESE HERBAL MEDS
00027 SYNAGIS	00114 DILTIA XT	00223 ACCUTANE
00028 TEQUIN	00115 EDEX	00224 MILK AND MOLASSES ENEMA
00029 DOSTINEX	00117 CRANBERRY	00226 PEDIACARE INFANTS DECONGESTA
00030 A.P.C.	00120 URIMAX	00230 DYNEX
00032 EXCEDRIN MIGRAINE	00122 GATORADE	00233 CONCERTA
00036 MAALOX PLUS	00123 NICOTINE	00235 NOVOSEVEN
00037 ACEON	00125 AVELOX	00236 SBE PROPHALAXIS
00038 GLYSET	00129 PROFEN II DM	00237 VANIQ
00039 SONATA	00131 URISTAT	00238 ZOLMITRIPTAN
00040 SOY	00132 CAL-MAG	00239 FEMHRT
00041 PREVEON	00133 CANDESARTAN	00240 ACEPHEN
00042 PROTONIX	00141 VITAMIN E & D	00242 TIMODINE
00043 D-50-W	00144 ESKALITH CR	00244 GLUTAMINE
00044 PANLOR DC	00147 PRETZ	00246 LEUKINE
00047 DONNATAL ELIXIR	00148 PROLIXIN D	00247 PEGINTERFERON ALFA- 2B
00048 MOBIC	00149 D51/2 NS	00251 VICODIN ES
00049 ORTHO-PREFEST	00150 NICODERM CQ PATCH	00252 DIZAC
00052 SILDENAFIL CITRATE	00151 TUSSIN	00253 LISPRO
00053 TAMSULOSIN HYDROCHLORIDE	00152 CEREZYME	00254 CARTIA XT
00054 COMTAN	00153 AGGRASTAT	00256 CAF
00056 ENTEX PSE	00154 CHILDREN'S IBUPROFEN	00257 DECONSAL II
00058 MINERAL SUPPLEMENT	00157 RETEPLASE	00258 ETHYOL
00059 RHO IMMUNE GLOBULIN	00159 KALETRA	00259 FML
00061 BISMUTH	00160 A-POXIDE	00260 ACETAMINOPHEN
00064 D5 1/2 NS WITH KCL	00161 BISOPROLOL	00261 GRANISETRON HCL
00065 A.P.C. W/CODEINE	00167 NOVOLIN N	00266 MP
00067 INTEGRILIN	00168 TRIMO-SAN	00268 MOMETASONE FUROATE
00068 CLEOMYCIN	00169 KETOROLAC TROMETHAMINE	00270 ACETAMINOPHEN NO. 3
00069 AURODEX	00170 A-200 PYRINATE	00272 PREMESISRX
00073 LUXIQ	00172 OPHTHALMIC OINTMENT	00273 PROVIGIL
00075 SAL-TROPINE	00173 ELA-MAX	00274 QVAR
00076 TRILEPTAL	00176 PREDNISOLONE ACETATE	00280 ACETAMINOPHEN W/CODEINE
00078 AGGRENOX	00177 SALT WATER	00283 ACETAMINOPHEN W/OXYCODONE
00080 CARBIDOPA-LEVODOPA	00181 ATUSS MS	00287 CENESTIN
00081 EXELON	00184 KEPPRA	00288 ACETASOL
00084 PREGABALIN	00187 OPHTHALMIC DROPS	00292 TEVETEN
00086 HISTOFREEZER	00190 ABDEC	
00089 PANMIST-DM	00195 TEMOZOLOMIDE	
00090 PROMAX	00198 ENOXAPARIN SODIUM	
00091 ACT		

00293	AMLACTIN	01011	PANCOF HC	01102	GYNAZOLE I
00295	ACETAZOLAMIDE	01012	BUDESONIDE	01104	LOESTRIN FE
00296	PENLAC	01017	BACTRIM DS	01106	LUTEIN
00297	PLEXION	01018	MONSEL'S SOLUTION	01108	QUIXIN
00303	ZICAM	01019	NIFEDICAL XL	01111	TRAVATAN
00304	ZYDERM	01020	OPTIVAR	01113	TUSSIBID
00305	ACETIC ACID	01021	BUTORPHANOL TARTRATE	01116	ZYVOX
00306	MEDENT LD	01022	METOPROLOL TARTRATE	01117	AXERT
00307	METADATE ER	01023	PHOSPHENYTOIN	01118	ALPHA BLOCKER
00311	BUPAP	01024	RABAVERT	01119	INDERAL LA
00312	COMBIPATCH	01026	HUMIBID LA	01121	LESCOL XL
00313	DIGITEK	01028	CODEINE COUGH SYRUP	01122	NALTREL
00314	DILATING DROPS	01029	EFFEXOR XR	01124	ULTRACET
00317	NICOTROL INHALER	01030	ALLOPURINOL	01126	ACUPRESS
00318	SARAFEM	01032	TPA	01127	CARAC
00320	ACETONE	01033	ALL-VIMS	01131	NICOMIDE
00322	LEVLITE	01034	ADVAIR DISKUS	01135	ALPHATOCOPHEROL
00324	SEMPREX-D	01035	D-2	01141	REMINYL
00330	ACETYCOL	01036	GEODON	01144	OLUX
00338	ACETYLCYSTEINE	01037	GLUCOTROL XL	01146	CHROMIUM PICOLINATE
00360	ACID MANTLE	01038	HALDOL DECANOATE	01147	LUSTRA AF
00380	ACIDULATED PHOSPHATE FLUORIDE	01041	RABEPRAZOLE SODIUM	01148	ALTOCO
00390	AVEENOBAR MEDICATED	01043	ZIPRASIDONE HCL	01153	VAGIFEM
00395	ACNE	01044	Z-PAK	01154	XYLOCAINE/MARCAINE
00465	ACTICORT	01046	QUINOLONES	01157	CHROMAGEN FORTE
00470	ACTIDIL	01047	IRBESARTAN	01160	D5NS
00475	ACTIFED	01049	TECNU POISON OAK-N- IVY ARMOR	01161	ACCURETIC
00483	ACTIN-N	01050	TOLTERODINE TARTRATE	01163	PRIMSOL
00486	ACTIVASE	01053	AMPICILLIN AND SULBACTAM	01166	WELCHOL
00510	ADAPIN	01055	ORAPRED	01167	KRISTALOSE
00535	ADENOSINE	01056	ACTIVELLA	01168	COSAMIN DS
00540	ADIPEX	01057	DETROL LA	01169	AGRYLIN
00560	ADRENALIN	01059	DIMETANE DX	01171	AROMASIN
00570	ADRIAMYCIN	01062	RHINOCORT AQUA	01172	CIPRIL
00580	ADRUCIL	01063	TEGRETOL XR	01173	D5 LR
00597	ADVIL	01064	WELLBUTRIN SR	01174	PROACTIVE
00598	AEROBID	01065	ALMOPHEN	01176	GENGRAF
00645	AFRIN	01066	ZEBUTAL	01177	MAG TAB SR
00780	ALBUTEIN	01067	ALLERX	01178	PODOFILOX
00785	ALCAINE	01068	CENOGEN OB	01188	MYOXIN
00790	ALCOHOL	01072	TRIPTANS	01189	BIAXIN XL
00810	ALCON	01073	MAXALT-MLT	01194	EMBREX
00825	ALDACTAZIDE	01076	STARLIX	01196	MOXIFLOXACIN
00830	ALDACTONE	01077	PROLEX	01199	NEOSURE
00845	ALDOMET	01079	ALOIN	01203	BACILLIN C-R
00850	ALDORIL	01082	BENZACLIN	01206	COENZYME Q10
00880	ALKA-SELTZER	01084	LUMIGAN	01207	LITHIUM CARBONATE
00900	ALKALINE AROMATIC	01085	ALPHA CHYMAR	01209	MOTRIN DROPS
00970	ALLEREST TIME CAPSULE	01086	MSM	01210	NYSTATIN W/HYDROCORTISONE
00976	ALLERGAN	01087	PROTOPIC	01211	PULMICORT RESPULES
00980	ALLERGY RELIEF OR SHOTS	01089	APTHASOL PASTE	01212	ESTROVAN
01001	CLARITIN D	01092	ATUSS G	01214	LANTUS
01002	NEXIUM	01093	BOTOX	01215	ALUMINETT
01003	ANAPROX DS	01094	CARDIZEM CD	01216	OXCARBAZEPINE
01004	ATUSS EX	01096	CLINDAGEL	01217	BIDEX DM
01005	ALLERPHED SYRUP	01098	DEMEROL/PHEN	01219	FARESTON
01007	TIKOSYN	01101	ESTRIOL CREAM	01220	ALUMINIUM
01008	ZONEGRAN			01222	NORDITROPIN
				01223	ALUMINIUM CHLORIDE

01224 ACUVITE	01563 AMMONIA INHALANTS	02061 GUAIFENESIN/ PSEUDOEPHEDRINE
01225 ALUMINUM HYDROXIDE	01600 AMOBARBITAL- EPHEDRINE	02062 TRILUMA
01229 PEG-INTRON	01628 AMOXAPINE	02064 INVANZ
01231 ZEPHREX LA	01630 AMOXICILLIN	02065 TNKASE
01232 MVF	01640 AMOXIL	02066 NOTUSS
01233 RAPAMUNE	01655 AMPHENOL	02067 ACTIQ
01234 RITALIN-SR	01660 AMPHETAMINE	02074 LUPRON
01235 ALUMINUM MAGNESIUM HYDROXIDE	01670 AMPHOJEL	02075 ANTABUSE
01236 VERAPAMIL SR	01678 AMPHOTERICIN	02077 MEROPENEM
01237 5-FLUOROURACIL	01680 AMPI-CO	02079 NITROGLYCERIN SUBLINGUAL
01238 AMIFOSTINE	01685 AMPICILLIN	02080 ANTACID
01243 BENEDRYL ITCH RELIEF CHILDREN	01720 AMYL NITRITE	02082 MAXIDONE
01248 METERED DOSE INHALER	01755 ANACIN	02083 UNITHROID
01249 METADATE CD	01775 ANALGESIC	02084 RALLY PAK
01251 PROFEN FORTE	01780 ANALGESIC BALM	02085 ANTACID #6
01252 VITAMAX	01835 ANAPHYLATIC SHOCK DRUG KIT	02086 Z-COF DM SYRUP
01253 ALUM/MAG HYDROX/SIMETHI	01838 ANAPROX	02087 SOAPSUDS ENEMA
01255 ALUPENT	01860 ANBESOL	02089 TENECTEPLASE
01257 BARRIER OINTMENT	01865 ANCEF	02091 STAFLEX
01258 ALUPRIN	01960 ANDRYL 200	02093 OATMEAL BATH
01259 MILK THISTLE	01975 ANECTINE	02096 GREEN COCKTAIL
01261 RAVOCAINE	01983 ANESTHETIC	02098 LEUSTATIN
01262 CORICIDIN HBP COUGH & COLD	01995 ANEXSIA	02099 DEPAKOTE ER
01263 VIDEX EC	02011 RONDEC-DM ORAL DROPS	02100 ANTAR
01264 DEPACON	02013 BENICAR	02102 GATIFLOXACIN
01266 INSULIN GLARGINE	02014 BEXTRA	02103 LEVALBUTEROL HCL
01267 HUMALOG MIX 75/25	02016 CLARINEX	02104 MAGNESIUM HYDROXIDE
01268 LORCET PLUS	02018 FOCALIN	02106 TRIAMINIC VAPOR PATCH
01269 PAROMOMYCIN	02019 FORADIL AEROLIZER	02108 COLAZAL
01274 TRIZIVIR	02022 PEDIACARE COUGH-COLD LIQUID	02109 MIOCHOL-E
01275 ZONISAMIDE	02023 SUPARTZ	02112 DIAPER RASH
01277 MEGAVITAMINS	02024 VITAMIN B & E	02114 DOUBLE ANTIBIOTIC
01278 METROLOTION	02026 YASMIN	02117 PLAN B
01281 ADDERALL XR	02027 GLUCAGEN	02119 LEXAPRO
01282 LATANOPROST	02029 ADVICOR	02120 ANTHRALIN
01285 ZOMETA	02031 ELIDEL CREAM	02125 ANTIACID
01286 ANTIMICROBIAL	02032 GLUCONASE	02127 BANANA BAG
01287 ASP	02036 EXTRA STRENGTH TYLENOL	02128 BENZONATATE
01290 AMANTADINE	02037 LEVETIRACETAM	02131 ESOMEPRAZOLE MAGNESIUM
01297 NICOTINE GUM	02038 LO-OGESTREL	02133 NITROGLYCERIN TRANSLINGUAL
01304 HAMAMELIS LEAF	02039 DTAP-HIB	02135 ANTI-ITCH
01325 AMEN	02042 DUONEB	02137 ZYPREXA ZYDIS
01335 AMERICAINE	02044 NATRECOR	02138 MAALOX W/ VISCOUS LIDOCAINE
01375 AMICAR	02046 LAT	02140 THIAMINE HCL
01378 AMIDATE	02047 AUGMENTIN ES	02141 HRT
01395 AMIDOXINE	02048 PALGIC DS	02142 ANTAGON
01405 AMIKACIN	02049 PEDIATEX-D	02143 FOLTX
01450 AMINOPHYLLINE	02052 SUPRADOL	02144 ORTHO-EVRA
01505 AMIPAQUE	02055 ANOVO	02145 REBIF
01530 AMITRIPTYLINE	02056 XAP	02146 ADOXA
01532 AMITRIPTYLINE/ CHLORDIAZEPOXIDE	02057 XENADRINE EFX	02147 METHYLIN
01535 AMITRIPTYLINE HCL W/PERPHENAZINE	02059 AZMACORT	02148 SOLARAZE
	02060 DIAMOX SEQUELS	02149 DECADRON/KENALOG

02152 KENALOG/LIDOCAINE	02241 FINEVIN	02359 VIREAD
02153 VITAMIN B12/FOLIC ACID	02244 CALAN SR	02364 CALCITRATE
02154 ENTOCORT EC	02247 FLOXIN OTIC	02367 NUVARING
02156 GLEEVEC	02249 PEPCID AC	02368 BAG BALM
02158 ANTIBIOTIC AGENT	02250 ANTIVERT	02369 KENALOG/XYLOCAINE
02159 ANTIBIOTIC EAR DROPS	02251 TRIAMCINOLONE	02371 SCALPICIN SOLUTION
02161 PRINCIPEN	ACETONIDE W/	02373 ZELNORM
02163 K+ CARE	CAMPHOR	02374 REBETOL
02164 VITAMIN E & A	02254 ANAGRELIDE	02379 TRIPLE PASTE
02165 ANTICOAGULANT	02256 ESCITALOPRAM OXALATE	02382 PERIOSTAT
02166 ACCUHIST DM PEDIATRIC	02257 GLY-SAL PAD	02384 DOC-Q-LACE
02167 ACCUHIST LA	02259 NEULASTA	02391 NITRIC OXIDE
02168 BLACK COHOSH	02261 VORICONAZOLE	02395 APRESAZIDE
02169 ICAR	02262 ALTOCOR	02396 VARICELLA VIRUS
02171 RESCON-MX	02267 K-DERM CREAM	VACCINE
02173 BORAGE OIL	02268 RETIN-A MICRO GEL	02400 APRESODEX
02174 CLARIPEL	02270 ANTRIN	02405 APRESOLINE
02176 ALPHA LIPOIC ACID	02271 RITALIN LA	02465 AQUAMEPHYTON
02177 CAPZASIN P	02272 LANACANE	02470 AQUAPHOR
02181 DRIXOMED	02273 LIDEX-E	02490 AQUASOL BODY LOTION
02186 ORTHO EVRA	02279 PULMICORT	02560 ARGYROL S.S.
02187 ALPHAGAN P	02280 APRI	02575 ARISTOCORT
02188 DEXEDRINE SPANSULES	02281 CHICKEN POX VACCINE	02580 ARISTOCORT A
02189 GLUCOPHAGE XR	02282 5-HYDROXYTRYPTOPHAN	02627 ARMOUR THYROID
02191 ZYRTEC-D 12 HOUR	02284 ULTRA FLORA PLUS	02645 ARTANE
TABLETS	02289 HUMULIN N PREFILLED	02670 ARTHROPAN
02193 HIB/HEP B	02292 VENOFER	02705 ASCORBIC ACID
02194 IODOSORB	02293 VALCYTE	02725 ASCRIPTIN
02195 ANTIPYRINE	02297 CHEWABLE VITAMINS	02805 ASPIRIN
02197 NOVASAL	02298 CYCLESSA	02810 ASPIRIN COMPOUND
02198 VITAMIN A & C & E	02299 SENNA-GEN	02850 ASTHMACON
02199 PREPARATION H	02300 ANULAN	02870 ATABRINE
OINTMENT	02303 REMIFEMIN	02875 ATARAX
02203 ABILIFY	02304 TWINRIX	02900 ATIVAN
02204 BILBERRY EXTRACT	02305 ANUPHEN	02940 ATROPINE
02205 ANTISEPTIC MOUTHWASH	02307 ESTEROL ESTER-C	02950 ATROPINE SULFATE
02206 ECONOPRED PLUS	02310 ANUSOL	02955 ATROPINE SULFATE &
02207 ROBAXIN-750	02311 PIOGLITAZONE HCL	MEPERIDINE HCL
02209 NOVOLOG	02314 LORTAB ELIXIR	02982 ATROVENT
02211 PEDIOX	02315 ANUSOL-HC	02985 ATTENUVAX
02212 AMBROTOSE	02316 PAXIL CR	02987 AUGMENTIN 125
02213 ELIDEL	02321 TENOFOVIR DISOPROXIL	02995 AURALGAN
02214 NULEV	FUMARATE	03000 AURASOL
02215 ANTISEPTIC SOLUTION	02326 CALCIUM GLUBIONATE	03002 AVODART
02217 ARANESP	02331 NEOMYCIN/POLYMYXIN B	03003 CORTISPORIN OINTMENT
02218 TUSSI-12D S	SULFATES/HYDRO-	03006 GI COCKTAIL
02221 VITAMIN C & E & B	CORT	W/DONNATAL
02222 Z-COF LA	02332 PANCRECARB MS-8	03008 PANCOF XP
02223 ZETIA	02333 ROXICODONE	03011 GREEN LIZARD
02224 FERGUSON 361 CREAM	02334 LIPRAM-CR5	03017 TIGER BALM
02225 ANTISPASMODIC	02335 APAP	03018 NORMAL
02226 FROVA	02340 APAP W/CODEINE	SALINE/MULTIVITAMIN
02228 MALARONE	02341 ARA-C	03019 REYATAZ
02231 ADALAT CC	02343 PARACETAMOL	03020 AUROTO DROPS
02232 BENEFIBER	02347 CALMOSEPTINE	03021 MOTRIN CHILDREN'S
02234 TAZTIA XT	02349 LIDOCAINE W/MARCAINE	COLD SUSP
02236 TRIEST	02351 FEMARA	03026 ZANFEL
02237 CLORPRES	02352 TRIHIBIT	03028 NITROSPRAY
02238 ULTRASE MT 12	02353 CALCIUM AND VITAMIN C	03030 AVAZYME
02239 DOVE SOAP	02355 APATATE	03031 ZYMINE

03032 FLAX ENEMA	03136 ACTALIN	03228 AVINZA
03037 IRESSA	03137 BROVEX	03229 RED YEAST RICE
03039 IMODIUM A-D	03138 CIPRO XR	03231 MYTUSSIN
03040 AVC	03139 HECTOROL	03234 TERAZOL 3
03041 OVIDE	03141 LISINOPRIL/HCTZ	03236 TERAZOL 7
03044 RENAL CAPS	03142 NIFEDIPINE ER	03237 ATOMOXETINE HCL
03048 RELPAX	03147 AVAPRO W/HCTZ	03239 CLOBEX LOTION
03049 HYDROGEN BLOCKER	03148 AVIANE	03241 TESTIM
03050 AVEENO	03151 STERAPRED DS	03243 VERELAN PM
03055 AVEENO LOTION	03153 AVAGE	03250 B COMPLEX
03058 PROFEN FORTE DM	03156 BUPROPION SR	03251 RANITIDINE HCl
03060 AVEENO OILATED	03158 MAXIFED DM	03252 AMNESTEEM
03062 BETAVENT	03161 MICROGESTIN FE	03253 GREEN TEA EXTRACT
03065 AVEENO-BAR	03162 PEGASYS	03254 HIBTITER
03067 COX-2 INHIBITOR	03163 ROSULA	03255 B COMPLEX #100
03068 LEXAPRIL	03165 AZO-STANDARD	03256 PREFEST
03069 NYSTOP	03166 DERMAZINC	03257 PRIMACARE
03071 OXYTROL	03169 FEVERFEW	03258 QDALL
03072 A & D OINTMENT	03174 CARBONYL IRON	03267 INDOCIN SR
03074 HISTEX PD	03177 CALCARB 600	03269 SEASONALE
03075 AVITENE	03179 PEDIARIX	03271 EPIQUIN MICRO
03076 MILRINONE LACTATE	03180 LEVITRA	03272 METOPROLOL
03078 PANLOR SS	03181 METAGLIP	SUCCINATE
03080 STRATTERA	03182 NEOPOLYDEX	03273 NOVOLIN R
03081 AMOXICILLIN AND CLAVULANATE POTASSIUM	03183 TUMS E-X	03276 SUBOXONE
03083 FLEET PEDIATRIC ENEMA	03184 WELLBUTRIN XL	03277 XYREM
03084 SYSTANE	03185 XANAX XR	03279 AMPHETAMINE SALT
03088 TUSSI-12 D	03187 CRESTOR	COMBO
03089 ATACAND HCT	03188 MUCINEX	03281 ANESTACON
03090 AVP-NATAL	03189 ORTHO-TRICYCLEN LO	03282 CANASA
03093 MSM W/GLUCOSAMINE	03191 PRENATE GT	03283 CEFDINIR
03097 TUSSI-ORGANIDIN NR	03192 VIGAMOX	03287 OVACE
03098 VOLTAREN XR	03194 AVAR	03288 PANMIST JR
03099 CILOSTAZOL	03195 AVAR GEL	03290 B COMPLEX W/B-12
03101 AXID	03197 CIPRODEX	VITAMIN C & LIVER
03102 FOLGARD	03198 CLENIA	03291 TRI-MIX
03104 METROCREAM	03201 MEMANTINE	03294 ASPARTAME
03105 AVANDAMET	03203 RYNA-12	03296 IVERMECTIN
03106 ONE A DAY VITAMIN	03204 ALACOL DM	03297 LADY'S CHOICE
03107 PROLEX D	03206 BALAMINE DM	03298 RYNA-12 S
03108 ZYMAR	03207 PHENYTEK	03301 SOLAGE
03109 AUGMENTIN XR	03208 ALAVERT	03302 VANAMIDE
03113 AYGESTIN	03209 ATAZANAVIR SULFATE	03306 NOVALOG
03115 AYR SALINE MIST	03211 CIALIS	03309 PROVENTIL HFA
03116 URSO	03212 GLYQUIN-XM	03311 CALCIONATE
03117 AZACTAM	03213 ROSANIL	03312 CORAL CALCIUM DAILY
03118 XTRAMINS	03214 STALEVO	03313 EPIDURAL ANESTHESIA
03122 GINGER	03216 DEFENDOL	TRAY
03123 AZATHIOPRINE	03217 DURAHIST	03315 VITAMIN K5
03125 AZENE	03218 DYTAN-D	03319 TRAMADOL HCL
03126 BOWEL PREP	03219 ELIGARD	03320 B.P.P.-LEMMON
03127 CARDIZEM LA	03221 ENDOMYCIN	03321 TRIMETHOPRIM SULFATE
03129 DIPROLENE AF	03222 MICARDIS HCT	03325 SOMATOMEDIN-C
03131 DUAC	03223 AZPAN	03326 RESERPINE W/HCTZ
03132 FINACEA	03224 TANAFED DMX	03328 ENALAPRIL/HCTZ
03134 RESTASIS	03225 AZULFIDINE	03329 FERRLECIT
	03226 ENALAPRIL MALEATE	03345 B-COMPLEX W/B-12 &
	03227 EVOXAC	VITAMIN C

03347	DERMAGRAN TRI-ZINC INCONTINENT WASH	03920	BENAHIST	04158	LACTASE ENZYME
03349	DERMAGRAN ZINC- SALINE HYDROGEL	03925	BENASEPT VAGINAL GEL	04162	FLUMIST
03352	PROLEX PD	03955	BENEMID	04164	PRUNE JUICE
03354	L-LYSINE	04000	BENTYL	04168	REFRESH TEARS
03355	B-12	04002	CALCIUM- MAGNESIUM-ZINC SUPPLEMENT	04170	BETAMETHASONE
03358	ZINC LOZENGES	04008	ARGINAID	04171	EMTRIVA
03359	MODAFINIL	04011	NAMENDA	04173	DURAPHEN DM
03362	TREXALL	04012	ALTOPREV	04175	METFORMIN HYDROCHLORIDE ER
03368	LINEZOLID	04014	ARIPIRAZOLE	04178	TESSALON
03369	PANOKASE	04015	BENYLIN SYRUP	04187	XENADERM
03372	DYNACIRC CR	04020	BENZAC	04190	BETHANECHOL
03374	ISOVUE-M 300	04021	BENICAR HCT	04196	CADUET
03376	BELLAMINE	04023	BISOPROLOL/HCTZ	04201	CALTRATE PLUS
03379	KENALOG IN ORABASE	04024	BONE-UP	04212	COENZYME (UNSPECIFIED)
03380	LODRANE 12 D	04025	BENZAC W GEL	04221	CEREFOLIN
03392	TYLENOL ELIXIR	04030	BENZAGEL	04225	BICARBONATE OF SODA
03395	BACID	04031	CERTAGEN	04226	DECONAMINE
03397	SOY MILK	04041	ALBUTEROL/ATROVENT	04233	DAILY VITE W/IRON & MINERALS TABLETS
03401	CREON 5	04042	SPIRIVA	04235	BICILLIN
03402	CREON 10	04043	SYMBYAX	04238	ELESTAT
03403	CREON 20	04044	CIPROFLOXACIN EYE SOLUTION	04240	BICILLIN C-R
03405	SYPRINE	04048	RONDEC ORAL DROPS	04242	FERREX 150 FORTE
03410	BACITRACIN	04051	CYMBALTA	04249	ALOXI
03411	FLAX SEED	04054	CUBICIN	04250	BICITRA
03412	LODINE XL	04063	FERREX	04254	CO-TUSS V
03415	BACITRACIN- NEOMYCIN-POLYMYXIN	04068	XOLAIR	04256	HYDROCODONE GF
03418	GONAK	04069	FLAVOXATE HCL	04257	GARLIQUE
03419	VIRAVAN S	04070	BENZOIN	04266	GARLIC OIL
03420	BACITRACIN-POLYMYXIN	04071	FORTEO	04271	VAZOL-D
03421	DARBEPOETIN ALFA	04072	NASAL SALINE	04273	VOSPIRE ER
03422	DEFERRIOXAMINE	04079	GLYCOLAX	04278	RISPERDAL CONSTA
03423	BACLOFEN	04085	BENZOYL	04279	ROSAC CREAM
03425	BACTOCILL	04088	BENZOYL PEROXIDE	04280	BILEZYME
03426	DIATX	04095	BENZYL	04292	SENSIPAR
03427	HUMIRA	04097	LEXIVA	04295	BILRON
03430	BACTRIM	04099	MAGNA PAC FOR DAILY BASICS	04307	SENNOSIDES
03433	CORTANE-B	04109	KETEK	04311	Q-TUSSIN
03434	HYOSCYAMINE	04111	JUICE (UNSPECIFIED)	04318	ADAVITE
03435	FUZEON	04112	DURAPHEN II	04320	ATENOLOL/ CHLORTHALIDONE
03438	BACTROBAN	04113	FORTAMET	04327	BOUDREAUX'S BUTT PASTE
03439	EMEND	04114	VYTORIN	04330	BIOSONE
03442	SILVASORB	04116	ALATONE	04331	ST. JOSEPH ASPIRIN
03443	AQUACEL AG	04120	BETADINE	04339	HERBAL DRUG (UNSPECIFIED)
03590	BARIUM	04121	NOVAREL	04341	HI-CAL
03630	BARTRATE	04122	AFEDITAB CR	04345	BIOTIN
03665	BAXIMIN	04124	CENTANY	04354	MOISTURE EYES LIQUID GEL
03675	BC	04129	MYCELEX TROCHES	04358	KINERET
03685	BCG VACCINE	04133	PROBIOTICA	04367	NASCOBAL
03700	BECLOMETHASONE	04135	BETADINE VAGINAL GEL	04368	CONTRACEPTIVE AGENT
03705	BECLOVENT	04138	UROXATRAL	04370	BISACODYL
03709	BECONASE	04139	OCCUSOFT LID SCRUB	04380	BISCO LAX
03740	BEELITH	04140	DELTA	04382	PREVACID NAPRAPAC
03800	BELLADONNA	04146	EZETIMIBE	04393	TRUVADA
03805	BELLADONNA ALKALOIDS W/PHENOBARBITAL	04149	MARTEN-TAB		
03900	BEN-GAY	04154	SILVER NITRATE STICK		
03905	BENADRYL	04156	SPECTRACEF		

04400 ANGIOMAX	04561 RAZADYNE	05010 BUFFERIN
04404 PRELIEF	04564 DIABETES MEDICATION	05011 PEPPERMINT TEA
04406 ABREVA	04569 INNOPRAN XL	05012 PRESERVISION
04407 CAPTOPRIL/HCTZ	04571 ISTALOL	05013 RAPTIVA
04410 GLYTONE WASH	04573 PEXEVA	05014 SALEX
04413 SOTRET	04576 DULOXETINE	05016 SQUARIC ACID
04414 VITAMIN/FLUORIDE	04577 HORSE CHESTNUT	05017 MINTOX
04421 ERTAPENEM	04580 BONINE	05019 PERILLA SEED OIL
04422 BABY SHAMPOO	04581 POLICOSANOL	05021 SIMILASON
04423 LETROZOLE	04586 TELITHROMYCIN	05022 ACCUTHIST PAX
04429 ZOCAL	04590 BORAX	05023 APOKYN
04431 BROMHIST DM PEDIATRIC SYRUP	04594 COPEGUS	05024 BUMEX
04432 B-TUSS	04595 BORIC ACID	05026 ASCENSIA ELITE
04440 BISMUTH SUBSALICYLATE	04603 APEXICON	05027 ESTRASORB
04442 MIGRELIEF	04605 BOULTON'S SOLUTION	05028 MIGRAZONE
04443 ALENOL	04606 RESTYLANE	05029 DOLGIC
04446 LYCOPENE	04607 ERTACZO	05031 MASTOID POWDER
04447 TRITUSSIN COUGH	04611 DOCETAXEL	05032 MUCOLYTICS
04448 AMMONIUM LACTATE	04612 IRON SUCROSE	05033 LUNESTA
04451 CANDIDA ALBICANS SKIN TEST ANTIGEN	04613 PHENEX-1	05034 MACUGEN
04452 HYDRO-TUSSIN HC	04617 ACCUNEB	05035 BUPIVACAINE
04454 NASAL STEROID	04622 EXEMESTANE	05036 MENACTRA
04456 CLINDAMAX	04627 TRAVOPROST	05037 OCUSOFT
04457 LOKARA	04631 EPZICOM	05039 WELLBID-D
04458 TANAFED DM	04632 FOSAMPRENAVIR CALCIUM	05040 COMBUNOX
04459 U-CORT CREAM	04633 B6-PYRIDOXINE	05041 DURALEX
04461 KERALAC LOTION	04642 OYST-CAL	05042 MED-CAPS PMS
04462 KERALAC NAIL GEL	04643 PANTHENOL	05046 REJUVACEL
04463 LORTUSS DM	04644 AVACOR	05047 REPLENIX
04464 CHAMOMILE	04646 ATRA	05048 SOLVERE ACNE CLEARING KIT
04465 ICAR-C PLUS	04649 MYFORTIC	05049 GR8-DOPHILUS
04466 ACTIFOLATE	04650 BRETHINE	05050 PHYTOSTEROLS
04471 FASLODEX	04651 TOURO CC	05051 VESICARE
04475 LUSONEX	04654 TRACLEER	05052 DOLSED
04478 BLEOMYCIN	04662 ROSAVASTATIN CALCIUM	05054 SUBUTEX
04479 NORMASOL R	04664 MIRENA	05056 ZEGERID
04480 BLEPH	04665 BREVITAL	05057 CALTREX
04482 OXYMAX	04668 BREXIN	05058 SPECTRA 360
04485 BLEPHAMIDE	04671 BOVINE WHEY PROTEIN CONCENTRATE	05059 BENACOL
04486 VELCADE	04672 ETHEZYME	05061 AMIDRINE
04489 METADATE	04673 LOPINAVIR	05062 DMAX
04503 PEDIATEX	04678 RENAPHRO	05063 FLUORABON
04505 BLISTEX	04679 STATINS	05064 NOSEBLEEDQR
04512 TRINESSA	04682 UTIRA	05066 CAMPRAL
04514 TRISPRINTEC	04685 SANCURA	05067 MOVE FREE MSM
04517 ANAMANTLE HC	04803 BROMFED	05068 MULTIDOPHILUS
04519 MAXIPHEN DM	04808 BROMOCRIPTINE	05069 ULTRA -ZYME
04528 TAZOBACTAM	04873 BRONCHODILATOR	05070 BUTABARBITAL
04529 METHYLPREDNISOLONE SODIUM SUCCINATE	04950 BSS	05071 TARCEVA
04536 ABX OINTMENT	05001 CLOBEX SHAMPOO	05072 BONIVA
04538 TALWIN NX	05002 COMFREY	05073 PETADOLEX
04539 THERA-PLUS	05004 PROTOMAX	05074 ENABLEX
04541 TYLENOL INFANT'S	05006 ZYFLAMEND	05076 MUCUNA PRURIENS
04542 ENTSOL	05007 CLINDESSE	05077 RIMANTADINE
04553 ROBITUSSIN DM INFANT	05008 EVOCLIN	05078 THISILYN
	05009 HALFLYTELY	05081 OXYIR

05082 PREGNENOLONE	05152 SYNTHEROL	05223 HOMATROPINE- HYDROCODONE
05083 PROLACTIN RIA	05153 FOLBIC TABLETS	05224 FLUORETS
05084 LIVERTONE PLUS	05154 TECHNETIUM TC 99M MERTIATIDE INJECTION	05226 HENYDIN-M
05087 DIABETIC TUSSIN DM	05156 ERYTHROMYCIN BASE-NEOMYCIN	05227 ED-A-HIST DM
05088 LIPITROL	05157 ESTRATEST H.S.	05228 XPECT-HC
05089 DURADRYL	05158 ISOCORT	05230 BAY TET
05090 NEVANAC	05159 ARSENIC TRIOXIDE	05231 LEVALL G
05091 OXYDOSE	05161 XELOX	05232 LOMEFLOXACIN
05092 NOVANATAL	05162 BYETTA	05233 MOXILIN
05093 NOVACORT	05163 MEDENT	05234 BROMTAPP
05094 BASA	05164 NIRAVAM	05236 DURATAN DM
05095 BUTALBITAL	05166 RADIOPAQUE DYE	05237 VANTAS
05096 DURADEX	05167 ULTRAMEAL BAR	05238 ZEBRAX
05097 LYRICA	05168 PENTOSTATIN	05240 ISOTRETINOIN
05099 CLOTRIMAZOLE- BETAMETHASONE DIPROPIONAT	05169 POLYVENT	05241 PREDNICEN-M
05101 ISTRADefylline	05171 PRAMOTIC OTIC DROPS	05243 ATUSS HC
05102 CHOLEST-OFF	05172 SULFUR HEXAFLUORIDE	05244 ROZEREM
05104 GICOCKTAIL W/LIDOCAINE	05173 CLARAVIS	05245 ZMAX
05106 GLIPIZIDE ER	05174 ANTARA	05246 ENFUVIRTIDE
05108 BUTATRAN	05176 AVASTIN	05247 RESPA-DM
05109 ALDEX	05177 ANDEHIST DM NR	05248 CRANTEX LA
05111 BETATAN	05178 FOSRENOL	05249 PROSTA CARE
05112 DYTUSS	05179 CASPOFUNGIN ACETATE	05250 CAFERGOT
05113 LUSONAL	05180 ELECARE	05251 SINOFRESH
05114 SITREX	05181 GLUTAREX	05252 DIGESTIVE ADVANTAGE
05116 CARDIOTEK RX	05182 PHENYL-FREE 1	05253 SMILAX
05117 FLOXACILLIN	05183 TIPRANAVIR DISODUM	05254 SUBLINGUAL B TOTAL
05118 PARAPRIM	05184 DUET DHA	05256 BLUE-GREEN ALGAE
05119 DORMIN	05186 OPTINATE	05258 CHLORAPREP
05121 LUMICAINE	05187 ORTHOVISC	05259 OMACOR
05122 METHYLIN ER	05189 TIAMATE	05260 CAFETRATE
05123 PRENATE ELITE	05190 FACTIVE	05261 SOLIFENACIN
05124 ENPRESSE	05191 PROTID	05262 OCULAR DEFENSE PLUS
05126 OVIDREL	05192 ABSORBASE	05263 PROCERIN
05127 MONONESSA	05193 ANAKINRA	05264 ASMANEX TWISTHALER
05128 ALOE VESTA	05194 DUTASTERIDE	05265 CAFFEINE
05129 ALOE VESTA ANTIFUNGAL	05196 HYDRON KGS	05266 SANCTURA
05130 BUTIBEL-ZYME	05197 LOSARTAN-HCTZ	05267 NUZON
05131 GLADASE-C	05198 TEGASEROD	05268 SIMPLY SLEEP
05132 CARBOFLEX	05199 NITROTAB	05269 INSPRA
05133 RENAX	05201 NUTRI PACK	05271 METANX
05134 STA-D	05202 MORPLEX	05272 FORMOTEROL
05136 GEONE	05203 ENFALYTE	05273 ANTIZOL
05137 ZANTREX-3	05204 P-V-TUSSIN	05274 FLUTUSS HC
05138 NORVAL	05207 CEFUROXIME AXETIL	05276 ZOLAR
05139 CLORAZETABS	05208 DOCUSIL	05277 DEPO-MEDROL W/ LIDOCAINE
05141 AVASTATIN	05209 ALLFEN JR.	05278 OCUVITE LUTEIN
05142 ERBITUX	05211 DETANE	05279 ALIMTA
05143 ROSE HIP VITAMIN C	05212 FROVATRIPTAN	05281 CHLORELLA
05144 ATAZANAVIR-RITONAVIR	05213 READICAT	05282 CLADRIBINE
05145 BUTISOL	05214 ANAZOLENE SODIUM	05283 COLISTIMETHATE
05146 CHOLINESTERASE INHIBITORS	05216 ELIXSURE CHILDREN'S COUGH	05284 COLISTIN
05147 PROTON-PUMP INHIBITOR	05217 PEDIATEX-DM	05286 EQUISETUM
05148 TYPHIM VI	05218 CICLOPIROX	05287 ESSIAC TEA
05149 ULTRA VITAMIN A & D	05219 L-M-X4	05288 FIBROCAPS
05151 STOPAYNE	05221 GLUCANPRO	05289 INDOLE-3-CARBINOL
	05222 PYRANTEL	05291 LIDOCAINE/PRILOCAINE

05292	LOBELIA	05465	CALCIUM-D	06605	CHLORPHENIRAMINE
05293	MSP-BLU	05533	CALORIC AGENT	06620	CHLORPROMAZINE
05294	PECTASOL	05541	CALTRATE W/VITAMIN D	06625	CHLORPROPAMIDE
05296	PEGFILGRASTIM	05570	CAMPHOR	06645	CHLORTHALIDONE
05297	SLIPPERY ELM BARK	05595	CANTHARIDIN	06661	CHLORZOXAZONE
05301	ESTRAGEL	05598	CANTHARONE	06675	CHOLAN
05302	TEV-TROPIN	05600	CANTIL	06705	CHOLESTEROL
05303	FIBROVAN	05630	CAPEX	06765	CHORIONIC
05304	ACTICOAT ABSORBENT	05645	CAPITROL		GONADOTROPIN
05306	POLYMEM SILVER	05648	CAPOTEN	06780	CHROMAGEN
05307	ATRIDOX	05663	CARAFATE	06798	CHROMIUM
05308	MUCINEX DM	05680	CARBAMAZEPINE	06815	CIMETIDINE
05309	DERMAMYCIN	05695	CARBOCAINE	06825	CINNAMON OIL USP
05310	CALADRYL	05710	CARBON DIOXIDE	06839	CIPRO
05312	BEVACIZUMAB	05750	CARDEC-DM	06855	CITANEST
05314	CATHFLO ACTIVASE	05770	CARDIO-GREEN	06860	CITRATE OF MAGNESIA
05316	CETUXIMAB	05785	CARDIOQUIN	06865	CITRIC ACID
05317	PALONOSETRON	05789	CARDIZEM	06883	CLAFORAN
05319	SOREFENIB	05810	CARISOPRODOL	06890	CLEANING & SOAKING
05320	CALAMINE	05820	CARMOL		SOLUTION BARNES
05321	TRASTUZUMAB	05825	CARMOL-HC		HIND
05322	AMCINONIDE	05860	CASCARA	06895	CLEAR EYES
05323	MAX HC	05895	CATAPRES	06900	CLEARASIL
05324	EPLERENONE	05950	CEBRALAN	06905	CLEOCIN
05326	INFLIXIMAB	05955	CECLOR	06913	CLEOCIN T
05327	SPRINTEC	05980	CEETOLAN	06920	CLINDAMYCIN
05328	BALANCED B	05983	CEFADROXIL	06925	CLINDAMYCIN
05329	CAMILA	05993	CEFTIN		(PHOSPHATE)
05331	COMMIT	05995	CEFAZOLIN	06935	CLINORIL
05332	ESTROGEL	06005	CELESTONE	06963	CLOXACILLIN
05333	NORTREL	06015	CELESTONE SOLUSPAN	06968	CLODERM
05334	REMODULIN	06030	CELONTIN	06975	CLOMID
05335	CALAMINE LOTION	06095	CENTRAX	06980	CLONAZEPAM
05336	VFEND	06100	CENTRUM	06985	CLONIDINE
05337	LOFIBRA	06110	CEPACOL	06990	CLONOPIN
05338	FLUTICASON- SALMETEROL	06115	CEPACOL ANESTHETIC TROCHE	06993	CLORAZEPATE
05339	APAP/DICHLORAL- PHENAZONE/ ISOMETHEPTENE	06125	CEPHALEXIN	06995	CLORAZINE
05341	DROSPIRENONE	06128	CEPHALOSPORINS	07003	CLOTTRIMAZOLE
05342	ETANERCEPT	06130	CEPHALOTHIN	07015	CLOXAPEN
05343	REGENICARE	06170	CERUMENEX	07020	CLUSIVOL
05344	FLUOR-A-DAY	06180	CETACAINE	07030	CLYSODRAST
05347	CALAN	06195	CETANE	07067	CO-TRIMOXAZOLE
05348	NATALCARE PLUS	06210	CETAPHIL	07105	COBALPHAMEAD
05349	NEOMYCIN SULFATE	06260	CHARCOAL	07110	COCAINE
05351	ORTHO MICRONOR	06294	CHEMOTHERAPY	07140	COCOA BUTTER
05370	CALCIDRINE	06318	CHERATUSSIN	07145	COCONUT OIL
05390	CALCIMAR	06338	CHEWABLE VITAMIN W/FLUORIDE	07150	COD LIVER OIL
05393	CALCITONIN	06374	CHILDREN'S TYLENOL	07180	CODEINE
05394	CALCITREL	06400	CHLOR-TRIMETON	07185	CODEINE PHOSPHATE
05395	CALCIUM ACETATE	06440	CHLORAL HYDRATE	07190	CODEINE SULFATE
05405	CALCIUM CARBONATE	06445	CHLORAL-METHYLOL	07195	CODIMAL
05415	CALCIUM	06465	CHLORAMPHENICOL	07200	CODIMAL DH SYRUP
05418	CALCIUM CHLORIDE	06470	CHLORASEPTIC	07250	COGENTIN
05430	CALCIUM GLUCONATE	06495	CHLORDIAZEPOXIDE	07265	COLACE
05445	CALCIUM LACTATE	06580	CHLOROQUINE	07275	COLCHICINE
		06590	CHLOROTHIAZIDE	07285	COLD CAPSULE
				07293	COLD RELIEF
				07313	COLDRINE

07315 COLESTID	08535 DDAVP	09540 DIGITOXIN
07400 COLTAB	08565 DEBROX	09545 DIGOXIN
07405 COLY-MYCIN	08575 DECADERM	09573 DIHYDRERGOTOXINE MESYLATE
07430 COMBID	08580 DECADROL	09585 DILANTIN
07458 COMFORT DROPS	08585 DECADRON	09593 DILATRATE
07470 COMPAZINE	08659 DECON-AID	09595 DILAUDID COUGH SYRUP
07478 COMPOUND W	08665 DECONEX	09600 DILAUDID
07543 CONJUGATED ESTROGENS	08670 DECONGESTANT	09605 DILAX
07620 COPAVIN	08730 DELATESTRYL	09660 DIMETANE
07623 COPPER	08745 DELESTROGEN	09685 DIMETANE-TEN
07640 CORACIN	08753 DELSYM	09690 DIMETAPP
07660 CORDRAN	08770 DELTASONE	09705 DIOCTALOSE
07670 CORGARD	08775 DEMAZIN	09750 DIOEZE
07680 CORICIDIN	08805 DEMULEN	09770 DIONIN
07755 CORTAID	08835 DEPAKENE	09805 DIOVAL
07760 CORTEF	08836 DEPAKOTE	09815 DIPH TET TOXIODS
07778 CORTICOTROPIN	08860 DEPO-ESTRADIOL	09820 DIPH TET TOXOIDS PERTUSSIS
07795 CORTISONE	08865 DEPO-MEDROL	09839 DIPHENHIST
07800 CORTISPORIN OPHTHALMIC SOLUTION	08870 DEPO-PROVERA	09845 DIPHENHYDRAMINE COUGH SYRUP
07805 CORTONE	08875 DEPO-TESTADIOL	09850 DIPHENHYDRAMINE
07913 COUGH FORMULA	08880 DEPO-TESTOSTERONE	09855 DIPHENHYDRAMINE HCL COUGH SYRUP
07915 COUGH SILENCERS	08885 DEPOGEN	09860 DIPHENHYDRAMINE HCL ELIXIR
07920 COUGH SYRUP	08895 DEPOTEST	09865 DIPHENHYDRAMINE HCL EXPECTORANT
07925 COUGHINE SYRUP	08975 DERMAVAL	09870 DIPHENHYDRAMINE HCL SYRUP
07930 COUMADIN	09010 DESENEX	09885 DIPHENYLAN SODIUM
07997 CREON	09015 DESFERAL	09900 DIPHTHERIA TETANUS TOXOIDS
08015 CROMOLYN	09020 DESIPRAMINE	09905 DIPHTHERIA TOXOID ADULT
08060 CUPRIMINE	09025 DESITIN	09915 DIPROSONE
08090 CYANOCOBALAMIN	09030 DESO-CREME	09920 DIPYRIDAMOLE
08133 CYCLOCEN	09033 DESOWEN	09925 DISALCID
08135 CYCLOCORT	09043 DESQUAM-E	09930 DISANTHROL
08140 CYCLOGYL	09045 DESQUAM-X	09943 DISODAN
08145 CYCLOMYDRIL	09060 DETUSSIN LIQUID	09975 DISULFIRAM
08153 CYCLOPHOSPHAMIDE	09075 DEXAMETHASONE	09990 DIPHTHERIA TETNUS TOXOIDS PERTUSSIS
08175 CYLERT	09080 DEXAMETHASONE ACETATE	09993 DIPHTHERIA TOXOID
08180 CYPROHEPTADINE	09090 DEXAMETHASONE SODIUM	09995 DITROPAN
08215 CYTAL	09095 DEXAMETHASONE SODIUM PHOSPHATE	10020 DIURETIC
08230 CYTOMEL	09115 DEXASONE	10025 DIURIL
08240 CYTOSAR	09120 DEXEDRINE	10080 DOCTIENT
08245 CYTOXAN	09135 DEXPANTHENOL	10087 DOCUSATE
08270 D.H.E. 45	09173 DEXTROMETHORPHAN COUGH	10089 DOCUSATE CALCIUM
08280 D.S.S.	09175 DEXTROSE	10126 DOLOBID
08335 D-5	09194 DHT	10130 DOLOPHINE
08340 D-50	09200 DI-CAL MEAD	10145 DOMEBORO
08342 DACARBAZINE	09250 DIABINESE	10150 DOMEBORO OTIC
08345 DACRIOSE	09305 DIAMOX	10180 DONATUSSIN
08350 DAILY MULTIPLE VITAMIN	09370 DIAZEPAM	10183 DONATUSSIN DC
08385 DALLERGY	09373 DIAZOXIDE	10195 DONNA-SED ELIXIR
08390 DALMANE	09390 DIBUCAINE	10200 DONNAGEL
08420 DANTRIUM	09433 DICLOXACILLIN	
08440 DAPSONE	09455 DICYCLOMINE	
08450 DARAPRIM	09465 DIDREX	
08470 DARVOCET-N	09470 DIDRONEL	
08475 DARVON	09500 DIETHYLSTILBESTROL	
08480 DARVON COMPOUND	09520 DIGESTOZYME	
08490 DARVON-N	09535 DIGITALIS	
08505 DASIN		

10210 DONNATAL	11650 ERO FORTE	12645 FLEXOJECT
10225 DOPAMINE	11651 ERYC	12650 FLEXON
10275 DOSS 300	11655 ERYPAR	12663 FLORICAL
10325 DOXEPIN	11658 ERY-TAB	12665 FLORINEF ACETATE
10330 DOXIDAN	11660 ERYTHROCIN	12683 FLUIDIL
10335 DOXINATE	11665 ERYTHROMYCIN	12690 FLUOCINOLONE
10343 DOXY-CAPS	11667 ERYTHRO-RX	12695 FLUOGEN
10350 DOXYCHEL	11668 ERYTHROMYCIN	12710 FLUOR-I-STRIP
10355 DOXYCYCLINE	OPHTHALMIC	12715 FLUORESCEIN
10358 DOXYLAMINE B-6	11688 ESGIC	12735 FLUORIDE
10380 DRAMAMINE	11700 ESKALITH	12760 FLUORODEX
10410 DREST GEL	11738 ESTRA	12763 FLUOROMETHOLONE
10440 DRISDOL	11740 ESTRACE	12770 FLUOROURACIL
10475 DRISTAN ROOM VAPORIZER	11745 ESTRADIOL	12780 FLUPHENAZINE
10485 DRIXORAL	11765 ESTRATEST	12785 FLURA-DROPS
10500 DROPERIDOL	11790 ESTROFEM	12805 FLURA-VITE
10518 DRY SOL	11800 ESTROGEN	12810 FLURAZEPAM
10525 DSS	11850 ETHAMBUTOL	12830 FLUZONE
10575 DULCOLAX	11880 ETHINYL ESTRADIOL	12865 FOLIC ACID
10620 DUO-MEDIHALER	11898 ETHOSUXAMIDE	12880 FOLVITE
10630 DUOFILM	11915 ETHYL CHLORIDE	12967 FORTAZ
10635 DUOGEN	11945 EUCERIN	13030 FUDR
10660 DUOSOL	11960 EURAX	13085 FUNGIZONE
10675 DUOVENT	11978 EXPECTORANT	13105 FURADANTIN
10720 DURAGEN	12025 EX-LAX	13118 FUROSEMIDE
10730 DURALONE	12035 EXCEDRIN	13135 G.B.S.
10740 DURALUTIN	12050 EXSEL LOTION	13205 GARAMYCIN
10800 DURICEF	12055 EXTENDRYL	13208 GARGLE
10812 DXO-5	12075 EXZIT	13215 GASTROGRAFIN
10815 DYZAZIDE	12078 EYE PREPARATION	13220 GAVISCON
10860 DYPHYLLINE	12085 EYE-STREAM	13275 GELFOAM
10865 DYRENIUM	12100 E2	13310 GENOPTIC
10875 E.E.S.	12193 FELDENE	13320 GENTAMICIN
10895 E-FEROL	12250 FENYLHIST	13325 GENTIAN VIOLET
10905 E-MYCIN	12255 FEOSOL	13455 GERITOL
10918 E-VISTA	12285 FER-IN-SOL	13515 GINSENG
10925 EAR DROPS	12300 FERGON	13535 GLUCAGON
10970 ECONOPRED	12305 FERGON ELIXIR	13540 GLUCOLA
10975 ECOTRIN	12365 FERRALET	13550 GLUCOSE
11025 EFUDEX	12385 FERRIC AMMONIUM SULFATE	13553 GLUCOTROL
11065 ELAVIL	12415 FERRO-SEQUEL	13585 GLUTOL
11130 ELECTROLYTE	12465 FERROUS FUMARATE	13590 GLUTOSE
11133 ELIMINAL	12480 FERROUS GLUCONATE	13615 GLYCEROL
11152 ELOCON	12485 FERROUS PLUS	13635 GLYCERYL-T
11190 EMETROL	12490 FERROUS SULFATE	13648 GLYCOFED
11305 ENARAX	12510 FESTAL	13650 GLYCOGEL
11340 ENDURON	12521 FIBERCON	13655 GLYCOPYRROLATE
11355 ENFAMIL	12545 FIOGESIC	13750 GOLD SODIUM THIOSULFATE
11390 ENSURE	12550 FIORINAL	13785 GRIFULVIN
11395 ENTEX	12565 FIORINAL NO. 3	13790 GRIS-PEG
11433 ENZYME	12570 FIORINAL W/CODEINE	13800 GRISEOFULVIN
11450 EPHEDRINE	12585 FLAGYL	13818 GUAIFED
11540 EPINEPHRINE	12620 FLEET ENEMA	13830 GUAIFENESIN & DEXTROMETHOR- PHAN HBR
11548 EPIPEN	12622 FLEET GLYCERIN SUPPOSITORY	13835 GUAIFENESIN
11575 EPSOM SALT	12623 FLEET RELIEF	13838 GUAIFENESIN W/CODEINE
11615 ERGOCALCIFEROL	12635 FLEXERIL	
11620 ERGOMAR		

13875 GUIATUSS	14970 HYDROCORTISONE	15950 ISOCLOL EXPECTORANT
13890 GUIATUSSIN W/CODEINE	IODOCHLOR-HYDROXY	15960 ISODINE
13895 GUIATUSSIN	QUIN	15980 ISOLLYL
W/DEXTRO-	14980 HYDROCORTONE	15990 ISONIAZID
METHORPHAN	14985 HYDRODIURIL	16095 ISORDIL
13930 GYNE-LOTRIMIN	14990 HYDROGEN PEROXIDE	16105 ISOSORBIDE
13980 H-H	15005 HYDROMORPHONE	16150 IVY-CHEX
13999 HALCION	15040 HYDROQUINONE	16195 K-C
14000 HALDOL	15058 HYDROXACEN	16210 K-LOR
14035 HALOG	15070 HYDROXYCHLOROQUINE	16215 K-LYTE DS
14040 HALOPERIDOL	15090 HYDROXYUREA	16245 K-PHOS
14080 HC	15100 HYDROXYZINE	16268 K-TAB
14090 HEAD & SHOULDERS	15105 HYDROXYZINE PAMOATE	16305 KANAMYCIN
14091 HEALON	15165 HYPaque	16340 KAOLIN & PECTIN
14135 HEMATINIC	15215 HYPERSAL	16365 KAOPECTATE
14168 HEMOCCULT HOME TEST	15240 HYPOTEARs	16405 KARAYA GUM
14170 HEMOFIL	15243 HYPOTENSIVE AGENT	16440 KAY CIEL
14225 HEP-LOCK	15305 HYTONE	16455 KAYEXALATE
14240 HEPARIN	15307 HYTRIN	16472 KEFLET
14245 HEPARIN LOCK FLUSH	15310 HYTUSS	16475 KEFLEX
SOLUTION	15320 HYZINE	16485 KEFZOL
14255 HEPFOMIN 500	15345 I-RON	16490 KELEX
14275 HEPRON	15370 IBERET	16495 KEMADRIN
14293 HESPAN	15395 IBUPROFEN	16505 KENALOG
14320 HEXACHLOROPHENE	15470 IDOXURIDINE	16525 KERI
14415 HIBICLENS	15490 ILOSONE	16535 KERODEX
14440 HIPREX	15495 ILOTYCIN	16570 KESTRIN
14540 HISTAMINE PHOSPHATE	15515 IMFERON	16575 KESTRONE
14580 HISTEX	15520 IMIPRAMINE	16585 KETALAR
14640 HOMATROCEL	15535 IMMUGLOBIN	16590 KETAMINE
14645 HOMATROPINE	15540 IMMUNE SERUM	16605 KETOSTIX
14675 HORMOGEN R-A	GLOBULIN	16650 KLARON
14683 HORMONE	15545 IMODIUM	16710 KLOR-CON
14713 HUMAN CHORIONIC	15548 IMOVAX RABIES	16728 KLOTRIX
GONADOTROPIN	15555 IMURAN	16785 KONDREMUL
14717 HUMATROPE	15560 INAPSINE	16800 KONSYL
14727 HUMULIN	15575 INDERAL	16845 KU-ZYME
14730 HURRICAIN	15580 INDERIDE	16860 KUTAPRESSIN
14770 HycODAN	15585 INDIGO CARMINE	16870 KWELL
14795 HYCOMINE	15590 INDOCIN	16895 L-THYROXINE
14805 HycOTUSS	15600 INDOMETHACIN	16900 LA-12
14840 HYDRALAZINE	15615 INFLAMASE	16915 LACRI-LUBE
14855 HYDRALAZINE-	15630 INH	16925 LACT-AID
HYDROCHLORO-	15670 INSTA GLUCOSE	16950 LACTINEX
THIAZIDE-RESERPI	15680 INSULIN	16955 LACTOBACILLUS
14870 HYDRATE	15685 INTAL	ACIDOPHILLUS
14875 HYDREA	15730 IODINE	16970 LACTOSE
14890 HYDRO PROPANOLAMINE	15733 IODINE SOLUTION	16975 LACTULOSE
SYRUP	STRONG	16985 LANABARB NO.1
14895 HYDRO-CHLOR	15760 IODOCHLOR-	17030 LANATUSS
14903 HYDROCORT	HYDROXYQUIN	EXPECTORANT
14920 HYDROCHLORIC ACID	15780 IONAMIN	17090 LANOPLEX
14930 HYDROCHLOROTHIAZIDE	15805 IOPIDINE	17113 LANOXICAPS
14945 HYDROCIL	15810 IPECAC	17115 LANOXIN
14953 HYDROCO	15835 IRCON	17145 LARODOPA
14955 HYDROCODONE	15860 IROMIN-G	17165 LASIX
14960 HYDROCODONE PA	15870 IRON PREPARATION	17243 LAXATIVE
SYRUP	15873 IRON PEDIATRIC	17265 LECITHIN
14965 HYDROCORTISONE	15875 IRON DEXTRAN	17295 LENSINE
	15910 IRRIGATING SOLUTION	17315 LEUCINE

17320 LEUCOVORIN	18010 LUGOL'S SOLUTION	18760 MEPERIDINE
17322 LEUKOVORIN CALCIUM	18015 LUMINAL	18775 MEPHYTON
17325 LEUKERAN	18020 LURIDE DROPS	18795 MEPROMAMATE
17330 LEVAMINE	18050 LYSINE	18820 MERCAPTOPYRINE
17333 LEVATOL	18055 LYSODREN	18840 MERCURIC IODIDE
17345 LEVODOPA	18065 LYTEERS	18920 MESTINON
17355 LEVOPHED	18080 M.V.I.	18930 METAMUCIL
17360 LEVOPROME	18100 M-M-R	18940 METAPREL
17362 LEVORPHANOL TARTRATE	18105 M-R-VAX II	18945 METAPROTERENOL
17365 LEVOTHROID	18125 MAALOX	18955 METASEP
17370 LEVOTHYROXINE	18130 MACRODANTIN	18985 METHADONE
17375 LEVSIN	18170 MAGNAL	18995 METHALATE
17390 LEVSINEX	18190 MAGNESIUM CHLORIDE	19005 METHAMPHETAMINE
17395 LEVSINEX/ PHENOBARBITAL	18195 MAGNESIUM CITRATE	19025 METHAZOLAMIDE
17440 LIBRAX	18200 MAGNESIUM GLUCONATE	19040 METHENAMINE MANDELATE
17450 LIBRIUM	18205 MAGNESIUM OXIDE	19045 METHERGINE
17465 LIDA-MANTLE	18210 MAGNESIUM PHOSPHATE TRIBASIC	19060 METHISCHOL
17470 LIDA-MANTLE-HC	18215 MAGNESIUM SULFATE	19070 METHOCARBAMOL
17475 LIDEX	18250 MALLERGAN	19075 METHOCARBAMOL W/ASA
17480 LIDINIUM	18295 MALTSUPEX	19090 METHOTREXATE
17485 LIDOCAINE	18315 MANDELAMINE	19140 METHYLCELLULOSE
17495 LIDOCAINE HCL W/EPINEPHRINE	18345 MANNITOL	19155 METHYLDOPA
17530 LIMBITROL	18375 MARAX	19165 METHYLONE
17540 LINCOCIN	18395 MARCAINE	19175 METHYLPHENIDATE
17545 LINCOCYCIN	18400 MARCAINE HCL W/EPINEPHRIN	19178 METHYLPRED-40
17548 LINDANE	18480 MATERNA	19180 METHYLPREDNISOLONE
17560 LIORESAL	18483 MATINEX	19208 METOCLOPRAMIDE
17563 LIOTHYRONINE SODIUM	18498 MAXAIR	19210 METOLAZONE
17568 LIP GARD	18515 MAXIDEX	19218 METOPROLOL
17625 LIPOSYN	18520 MAXITROL	19231 METRO
17715 LITHIUM	18523 MAXZIDE	19233 METRONIDAZOLE
17725 LITHOBID	18530 MCT OIL	19242 MEVACOR
17730 LITHONATE	18540 MEASLES VIRUS VACCINE	19266 MGP
17825 LO/OVRAL	18550 MEBARAL	19280 MICATIN
17833 LOCAL ANESTHETIC	18552 MEBENDAZOLE	19290 MICONAZOLE
17834 LOCOID	18553 MECLAN	19313 MICRO-K EXTENCAPS
17838 LODRANE	18555 MECLIZINE	19320 MICRONOR
17840 LOESTRIN	18556 MECLOFENAMATE SODIUM	19343 MIDAMOR
17845 LOFENALAC	18558 MECLOMEN	19350 MIDOL
17865 LOMOTIL	18625 MEDIHALER-ERGOTAMINE	19355 MIDRAN DECONGESTANT
17868 LOMUSTINE	18635 MEDRALONE	19360 MIDRIN
17870 LONALAC	18640 MEDROL	19375 MILK OF MAGNESIA
17875 LONITEN	18643 MEDROXY- PROGESTERONE	19395 MILKINOL
17878 LONOX	18645 MEFOXIN	19445 MINERAL OIL
17880 LOPERAMIDE	18650 MEGA-B	19455 MINIPRESS
17883 LOPID	18655 MEGACE	19460 MINOCIN
17885 LOPRESSOR	18663 MEGESTROL	19465 MINOCYCLINE
17888 LORAZEPAM	18664 MELANEX	19478 MINOXIDIL
17889 LOPURIN	18665 MELFIAT	19495 MIOCEL
17905 LOROXIDE	18670 MELLARIL	19505 MIOSTAT
17925 LOTRIMIN	18685 MELPHALAN	19575 MOBAN
17940 LOXAPINE	18695 MENEST	19580 MOBIDIN
17945 LOXITANE	18720 MENOMUNE	19618 MODURETIC
17975 LUBRIDERM	18755 MEPEGAN	19630 MOL-IRON W/VITAMIN C
17978 LUDIOMIL		19640 MONISTAT 7
		19650 MORPHINE
		19655 MORPHINE & ATROPINE

19675	MOTRIN	20735	NEOSTIGMINE	21765	OGEN
19680	MOUTHWASH	20798	NEPHROCAPS	21775	OILATUM SOAP
19685	MOUTHWASH & GARGLE	20805	NEPTAZANE	21845	OPHTHETIC
19695	MOVICOL GRANULE	20818	NETROMYCIN	21860	OPIUM
19699	MS CONTIN	20830	NEUT	21893	OPTICROM
19715	MUCOMYST	20835	NEUTRA-PHOS	21925	ORABASE
19765	MULTI-HEMA	20840	NEUTRA-PHOS-K	21958	ORAP
19775	MULTI-V	20855	NEUTROGENA	21981	ORATUSS
19780	MULTI-VI-FLOR DROPS	20870	NI-SPAN	21995	ORETIC
19785	MULTI-VITAMIN	20885	NIACIN	22005	ORETON
19790	MULTI-VITES	21010	NIFEREX	22030	ORINASE
19815	MULTIPLE VITAMIN	21065	NILSTAT	22050	ORNACOL
19825	MULTIPLE VITAMINS	21090	NIPRIDE	22065	ORPHENADRINE
19830	MULTIPLE VITAMINS W/IRON	21125	NITRO T.D.	22090	ORTHO-NOVUM
19835	MULTIPLE VITAMINS W/MINERALS	21130	NITRO-BID	22093	ORTHOCLONE OKT-3
19840	MULTIVITAMIN	21143	NITRO-DUR	22110	OS-CAL
19850	MULTIVITAMIN FORMULA	21144	NITRODISC	22120	OS-CAL 500
19853	MULTIVITAMIN/FLUORIDE	21145	NITROFURANTOIN	22140	OSMITROL
19870	MULTIVITAMINS & MINERALS	21155	NITROGEN	22160	OTIC DROPS
19905	MUMPS VIRUS VACCINE LIVE	21160	NITROGLYCERIN	22210	OVCON
19925	MURINE	21170	NITROL	22215	OVRAL
19948	MUSCLE RELAXANT	21176	NITROLINGUAL	22233	OXACILLIN
19950	MUSTARD OIL	21178	NITROPRESS	22242	OXAZEPAM
19960	MUTAMYCIN	21180	NITROSPAN	22285	OXY-SCRUB
20000	MYAMBUTOL	21185	NITROSTAT	22287	OXYBUTYNIN CHLORIDE
20010	MYCELEX	21195	NITROUS OXIDE	22295	OXYCEL GAUZE-TYPE PAD
20055	MYCOLOG	21200	NIVEA	22303	OXYCODONE HCL
20060	MYCOSTATIN	21203	NIZORAL	22305	OXYCODONE HCL & ACETAMINOPHEN
20075	MYDRIACYL	21225	NOLVADEX	22306	OXYCODONE W/APAP
20078	MYDRIATIC AGENT	21228	NORDETTE	22313	OXYFENESIN
20080	MYLANTA	21245	NOR-Q.D.	22315	OXYGEN
20095	MYLICON	21270	NORAZINE	22323	OXYMETAZOLINE HCL
20105	MYOCHRYSSINE	21280	NORFLEX	22338	OXYSTAT
20135	MYSOLINE	21290	NORGESIC	22435	P-V TUSSIN SYRUP
20175	NAFCILLIN	21300	NORINYL	22485	PAGITANE
20185	NAFTIN	21335	NORLUTATE	22520	PAMELOR
20210	NALFON	21373	NORMODYNE	22525	PAMINE
20218	NALLPEN	21390	NORPACE	22578	PANADOL
20255	NAPHAZOLINE	21400	NORPRAMIN	22585	PANAFIL
20260	NAPHCN	21403	NORTRIPTYLINE	22630	PANCREASE
20270	NAPHCN-A	21405	NOSE DROPS	22644	PANCURONIUM BROMIDE
20285	NAPROSYN	21430	NOVAFED A	22675	PANOXYL
20290	NAPROXEN	21440	NOVAHISTINE	22770	PAPAVERINE
20310	NARCAN	21490	NOVALAX	22810	PARAFON FORTE
20313	NARCOTIC ANTAGONIST	21494	NOVANTRONE	22845	PAREGORIC
20315	NARDIL	21500	NOVOCAIN	22875	PARLODEL
20325	NASAL DECONGESTANT	21513	NTG	22885	PARNATE
20385	NATAFORT	21530	NU-IRON	22945	PAVABID
20435	NAVANE	21550	NUBAIN	23005	PAVULON
20455	NEBCIN	21585	NUPERCAINAL	23040	PBZ W/EPHEDRINE EXPECTORANT
20515	NEO-CALGLUCON SYRUP	21620	NUTRAMIGEN	23045	PBZ-SR
20575	NEO-OXYLONE	21645	NYDRAZID	23047	PCE
20595	NEO-SYNEPHRINE	21670	NYQUIL LIQUI-CAPS	23080	PECTOKAY
20690	NEOMYCIN	21675	NYRAL	23100	PEDIACOF
20693	NEOMYCIN-POLYMYXIN B	21695	NYSTATIN	23120	PEDIALYTE
20730	NEOSPORIN	21701	NYSTATIN W/TRIAMCINOLONE	23140	PEDIATROL
		21710	O.B. VITAMIN	23145	PEDIATROL W/IRON
		21750	OCEAN MIST		
		21754	OCUFEN		

23150 PEDIAZOLE	23905 PHENOBARBITAL SODIUM	24970 PRENABEX
23185 PEN-VEE K	23920 PHENOBELLA	24975 PRENATAL FORMULA (VITAMINS)
23215 PENICILLIN	23930 PHENOJECT-50	24980 PRENATAL STUART
23220 PENICILLIN G	23935 PHENOL	24995 PREPARATION H CREAM
23221 PENICILLIN G POTASSIUM	23970 PHENTERMINE	25005 PREPRO
23225 PENICILLIN V	23995 PHENYLALANINE	25033 PREVIDENT LIME
23228 PENICILLIN V POTASSIUM	24015 PHENYLEPHRINE	25035 PRIMAQUINE
23230 PENICILLIN VK	24035 PHENYLZIN	25040 PRIMATENE MIST
23305 PENTIDS	24045 PHENYTOIN	25055 PRIMIDONE
23315 PENTOTHAL	24050 PHENZINE	25078 PRINIVIL
23320 PENTRASPAN-80	24080 PHISOHEX	25100 PRO-BANTHINE
23335 PENTYLAN	24085 PHISOSCRUB	25115 PRO-PHEN
23355 PEPSIN	24110 PHOSPHACAL-D	25150 PROBENECID
23370 PEPTO-BISMOL	24125 PHOSPHO-SODA	25155 PROBENECID W/COLCHICINE
23375 PERCHLORACAP	24185 PILO	25180 PROCAINAMIDE
23385 PERCOCET-5	24195 PILOCARPINE	25185 PROCAINE
23390 PERCODAN	24255 PITOCIN	25213 PROCARDIA
23395 PERCODAN-DEMI	24270 PITUITRIN	25220 PROCHLORPERAZINE
23415 PERDIEM GRANULE	24300 PLAQUENIL	25240 PROCTOCORT
23425 PERGONAL	24330 PLATINOL	25243 PROCTOCREAM-HC
23430 PERI-COLACE	24355 PNEUMOVAX	25250 PROCTOFOAM
23440 PERIACTIN	24405 POLIOMYELITIS VACCINE	25255 PROCTOFOAM-HC
23450 PERIDIN-C	24411 POLOCAINE	25291 PROGEST-50
23485 PERITONEAL DIALYSIS W/DEXTROSE	24415 POLY-VI-FLOR	25305 PROGESTERONE
23505 PERMITIL	24418 POLY-VI-FLOR W/IRON	25328 PROLASTIN
23523 PERPHENAZINE	24420 POLY-VI-SOL	25330 PROLIXIN
23535 PERSANTINE	24450 POLYCOSE	25338 PROLOPRIM
23555 PERTROPIN	24470 POLYMYXIN	25355 PROMAZINE
23560 PERTUSSIN	24485 POLYSORB	25358 PROMETH
23580 PETROGALAR	24510 POLYSPORIN	25365 PROMETHAZINE
23585 PETROLATUM	24525 POLYVITAMIN	25395 PROMETHAZINE HCL EXPECTORANT
23590 PETROLEUM ETHER	24535 POLYVITAMIN FLUORIDE	25405 PROMETHAZINE HCL SYRUP
23610 PHAZYME	24550 PONSTEL	25410 PROMETHAZINE HCL VC EXPECTORANT
23705 PHENAZINE	24555 PONTOCAINE	25432 PROMETHAZINE W/CODEINE
23715 PHENAZOPYRIDINE	24590 POT CHLOR	25455 PRONESTYL
23753 PHENELZINE	24615 POTASALAN ELIXIR	25460 PROPADRINE
23755 PHENERGAN	24650 POTASSIUM	25485 PROPARACAIN
23765 PHENERGAN EXPECTORANT PLAIN	24653 POTASSIUM CHLORIDE	25510 PROPOXYPHENE
23770 PHENERGAN EXPECTORANT W/CODEINE	24655 POTASSIUM CHLORIDE & SOD CHLOR	25530 PROPOXYPHENE HCL W/ACETAMINOPHEN
23780 PHENERGAN SYRUP	24660 POTASSIUM CHLORIDE MEQ D5-W	25545 PROPOXYPHENE W/APAP
23785 PHENERGAN VC EXPECTORANT PLAIN	24670 POTASSIUM CHLORIDE 20 MEQ D5-W	25550 PROPYLENE GLYCOL
23790 PHENERGAN VC EXPECTORANT W/CODEINE	24685 POTASSIUM CITRATE	25555 PROPYLPARABEN
23792 PHENERGEN W/DEXTROME- THORPHAN	24705 POTASSIUM HYDROXIDE	25560 PROPYLTHIOURACIL
23795 PHENERGAN-D	24730 POTASSIUM PHOSPHATE	25570 PROSOBEE
23798 PHENERGAN W/CODEINE	24765 POVIDONE	25580 PROSTIGMIN
23830 PHENISTIX	24805 PRAZOSIN	25595 PROTAMINE SULFATE
23845 PHENOBARBITAL	24830 PRE-NATAL VITAMINS	25608 PROTAXIN
23855 PHENOBARBITAL & BELLADONNA	24850 PRED FORTE	25635 PROVAL
	24855 PRED MILD	25638 PROVENTIL
	24885 PREDNISOLONE	25640 PROVERA
	24890 PREDNISONE	25674 PROZAC
	24895 PREDOXINE	
	24925 PREGNYL	
	24950 PREMARIN	
	24960 PREMARIN VAGINAL	

25675	PROZEX	27103	RUFEN	28510	SODIUM CHLORIDE (PHYSIOLOGICAL SALINE)
25695	PSEUDOEPHEDRINE	27170	RYNA	28525	SODIUM CHLORIDE CONCENTRATE
25705	PSORIASIS CREAM	27190	RYNATAN	28570	SODIUM CHLORIDE TEAR TOP
25750	PURINETHOL	27195	RYNATUSS	28595	SODIUM FLUORIDE
25760	PURPOSE	27300	SALAGEN	28665	SODIUM PHOSPHATE
25800	PYRAZINAMIDE	27310	SALATIN	28683	SODIUM SULFACETAMIDE OPHTH
25805	PYRIDIAE	27327	SALFLEX	28740	SOLARCAINE
25810	PYRIDIUM	27340	SALICYLATE	28790	SOLU-CORTEF
25820	PYRIDOSTIGMINE	27345	SALICYLIC ACID	28800	SOLU-MEDROL
25825	PYRIDOXINE HCL	27355	SALICYLIC ACID SOAP	28810	SOLUREX
25960	QUELTUSS	27368	SALINE	28815	SOMA COMPOUND
25965	QUESTRAN	27385	SALOMENTH	28825	SOMA
26020	QUINAMM	27405	SALSALATE	28865	SOOTHE EYE
26035	QUINIDINE	27423	SANDIMMUNE SANDOPAK	28880	SOPOR
26040	QUINIDINE SULFATE	27445	SANTYL	28910	SORBITOL
26045	QUININE SULFATE	27459	SARNA	28940	SOTRADECOL
26090	RABIES VACCINE	27545	SCOPOLAMINE	29075	SPECTRO-BIOTIC
26196	RCF	27635	SEBULEX	29105	SPEN-COLD SPRAY
26199	RECOMBIVAX-HB	27638	SEBULON	29180	SPENDUO
26210	RECTAL MEDICONE	27650	SECONAL	29215	SPENTANE
26250	REGITINE	27708	SEDATIVE	29250	SPIRONOLACTONE
26255	REGLAN	27725	SELENIUM	29255	SPIRONOLACTONE W/HYDRO- CHLOROTHIAZIDE
26260	REGONOL	27730	SELSUN	29275	SSKI
26265	REGROTON	27735	SELSUN BLUE	29285	STADOL
26328	RENAMIN	27755	SENNA COMPOUND	29365	STELAZINE
26368	RENU	27770	SENNA	29435	STERAPRED
26425	RESERPINE	27785	SENOKOT	29488	STERILE WATER FOR IRRIGATION
26445	RESPIROL	27795	SENOKOT S	29490	STERINAL-200
26450	RESPITAL	27816	SENSORCAINE	29498	STEROID(S)
26453	RESTORIL	27835	SEPTRA	29533	STOOL SOFTENER
26470	RETICULOGEN	27840	SEPTRA DS	29565	STREPTOMYCIN
26475	RETIN-A	27855	SERAX	29568	STRESS COMPLETE
26477	RETROVIR	27870	SERFOLIA	29581	STRESS TABLETS
26485	REXOLATE	27885	SERPANRAY	29605	STUART FORMULA
26620	RHINOSYN-X SYRUP	27985	SILVADENE	29615	STUARTNATAL 1+1
26685	RIBOFLAVIN	27995	SILVER NITRATE	29645	SUBLIMAZE
26715	RIFAMPIN	28000	SILVER NITRATE TOUGHENED STICKS	29660	SUCCINYLCHOLINE
26720	RIMACTANE	28015	SILVER SULFADIAZINE	29705	SUDAFED
26760	RITALIN	28025	SIMECO	29785	SULAMYD SODIUM
26785	ROBAXIN	28030	SIMETHICONE	29795	SULF-10
26800	ROBIMYCIN	28035	SIMILAC	29815	SULFACETAMID
26805	ROBINUL	28065	SINE-OFF	29825	SULFADIAZINE
26810	ROBINUL FORTE	28080	SINEMET	29840	SULFAMETHOXAZOLE
26820	ROBINUL-PH FORTE	28085	SINEQUAN	29843	SULFAMETHOX W/TRIMETHOPRIM
26830	ROBITUSSIN	28130	SINU-LETS	29844	SULFAMIDE OPHTHALMIC
26835	ROBITUSSIN A-C SYRUP	28135	SINUBID	29845	SULFAMYLON
26840	ROBITUSSIN-CF	28155	SINUS RELIEF	29860	SULFAPYRIDINE
26850	ROBITUSSIN-DAC SYRUP	28255	SK-DIPHENOXYLATE	29865	SULFASALAZINE
26860	ROBITUSSIN-DM SYRUP	28325	SK-TOLBUTAMIDE	29888	SULFATRIM
26865	ROBITUSSIN-PE SYRUP	28350	SKELAXIN	29985	SULFUR SUBLIMED
26870	ROCALTROL	28358	SKIN PREPARATION	29998	SULINDAC
26883	ROGAINE	28366	SLO-NIACIN		
26890	ROLAIDS	28390	SLOW-K		
26930	RONDEC SYRUP	28391	SLOW-MAG		
26935	RONDEC-DM SYRUP	28450	SODIUM BENZOATE		
26958	ROXICET	28455	SODIUM BICARBONATE		
26980	RU-CORT SPAN	28460	SODIUM BIPHOSPHATE		
27045	RU-TUSS	28490	SODIUM CARBONATE		
27075	RUBELLA VIRUS VACCINE LIVE	28495	SODIUM CHLORIDE		

30010	SULPHUR	31295	THERA-COMBEX	32353	TRIDIL
30030	SUNSCREEN	31325	THERAGRAN	32363	TRIFLUOPERAZINE
30150	SUPPRESSATE	31335	THERAGRAN-M	32390	TRIHXYPHENIDYL
30195	SURFAK	31440	THIACIDE	32395	TRILAFON
30215	SURGICEL	31455	THIAMINE	32405	TRILISATE
30235	SURMONTIL	31485	THIODYNE	32424	TRIMIPRAMINE
30265	SUX-CERT	31542	THIOTHIXENE	32430	TRIMOX
30275	SWEET OIL	31543	THIORIDAZINE	32433	TRIMPEX
30280	SWEETA	31550	THORAZINE	32438	TRIMETHOPRIM
30305	SYMMETREL	31585	THROAT LOZENGE NEO- VADRIN	32460	TRINSICON
30330	SYNALAR	31588	THROAT PREPARATION	32515	TRIPLE ANTIBIOTIC
30390	SYNTHETAR	31620	THYRO-TERIC	32550	TRIPROLDINE
30395	SYNTHROID	31625	THYROGLOBULIN	32580	TRISORALEN
30472	T/SAL	31630	THYROID	32610	TRIVITAMIN DROPS
30478	TAC-3	31635	THYROLAR	32658	TROPICAMIDE
30495	TAGAMET	31655	TIGAN	32660	TRYPTOPHAN
30513	TALACEN	31658	TIMOLOL	32710	TUCKS
30520	TALOIN	31660	TIMOPTIC	32735	TUMS
30535	TALWIN	31670	TINACTIN	32780	TUSSAGESIC
30545	TAMINE	31723	TOBRADEX	32820	TUSSCAPS
30553	TAMOXIFEN	31725	TOBRAMYCIN	32835	TUSSEX COUGH SYRUP
30575	TAO	31728	TOBREX OPHTHALMIC	32840	TUSSI-ORGANIDIN DM
30585	TAPAZOLE	31740	TOFRANIL	32855	TUSSIONEX
30590	TAR	31755	TOLBUTAMIDE	32860	TUSSTAT EXPECTORANT
30630	TAVIST	31770	TOLFRINIC	32895	TYBATRAN
30635	TAXOL	31775	TOLINASE	32905	TYLENOL
30655	TEARS NATURALE	31780	TOLMETIN	32915	TYLENOL NO. 2
30730	TEGRETOL	31845	TORA	32920	TYLENOL NO. 3
30735	TEGRIN	31850	TORECAN	32925	TYLENOL NO. 4
30756	TEMAZEPAM	31895	TPN ELECTROLYTES	32930	TYLENOL W/CODEINE
30777	TENEX	31927	TRANDATE	32935	TYLENOL W/CODEINE ELIXIR
30780	TENOL	31933	TRANQUILIZER	32940	TYLOSTERONE
30781	TENORETIC	31938	TRANSERM-NITRO	32945	TYLOX
30782	TENORMIN	31945	TRANXENE	32950	TYMATRO
30790	TENUATE	31965	TRAVAD PREFILLED B.E.	32955	TYMPAGESIC
30800	TERAZOL	31997	TRAZODONE	32960	TYPHOID VACCINE
30805	TERBUTALINE	32010	TRENDAR	32965	TYPHUS VACCINE
30880	TESSALON PERLE	32013	TRENTAL	32985	TYROSUM CLEANSER
30915	TESTOSTERONE	32090	TRI-MINE	33068	ULTRACEF
30930	TESTOSTERONE ENANTHATE	32095	TRI-MINE EXPECTORANT	33092	UNASYN
30950	TESTOSTERONE PROPIONATE	32100	TRI-MINE SYRUP	33170	UNISOM
31000	TETANUS ANTITOXIN	32110	TRI-PHEN-CHLOR	33225	URECHOLINE
31005	TETANUS DIPHTHERIA TOXOID	32140	TRI-VI-FLOR	33240	UREX
31010	TETANUS IMMUNE GLOBULIN	32145	TRI-VI-SOL	33265	URIHAB
31015	TETANUS TOXOID	32190	TRIAM	33270	URIMED
31020	TETRA	32195	TRIAMCINOLONE	33280	URISED
31025	TETRACAINE	32200	TRIAMCINOLONE ACETONIDE	33300	URISPAS
31045	TETRACYCLINE	32210	TRIAMCINOLONE NYSTATIN	33355	UROBIOTIC-250
31050	TETRACYCLINE HCL	32215	TRIAMINIC DM	33365	UROGESIC
31058	TETRAHYDROZOLINE HCL	32225	TRIAMINIC EXPECTORANT DH	33430	V-CILLIN K
31120	THEO-DUR	32245	TRIAMINIC	33448	VACCINATION
31130	THEO-LIX	32255	TRIAMINICIN	33450	VACON
31219	THEOPHENYLLINE	32273	TRIAMTERENE	33500	VALADOL
31235	THEOPHYLLINE	32290	TRIAVIL	33538	VALESIN
				33550	VALISONE
				33555	VALIUM
				33573	VALPROIC ACID

33575 VANCERIL	34710 VOCALZONES	40460 CYTOTEC
33580 VANCOCIN	34720 VOLEX IN SODIUM	40520 DESYREL
33585 VANCOCIN HCL	CHLORIDE	40555 DEXTROSE W/POTASSIUM
33588 VANCOMYCIN	34725 VOLTAREN	CHL
33590 VANCOR	34740 VOSOL OTIC	40580 DIABETA
33625 VAPONEFRIN	34745 VOSOL HC	40585 DIHYDROERGOTOXINE
33630 VAPORUB	34755 VYTONE	MESYLATE
33670 VASELINE	34775 WARFARIN	40610 DIPHENOXYLATE
33677 VASERETIC	34780 WART OFF	40615 DIPROLENE
33685 VASOCIDIN	34795 WATER FOR INJECTION	40635 DOCUSATE SOD &
33700 VASOCON	34855 WESTCORT	CASANTHRANOL
33740 VASOPRINE	34890 WIGRAINE	40725 ERYMAX
33843 VENTOLIN	34905 WINGEL	40730 ESTROGENIC
33855 VERACOLATE	34920 WITCH HAZEL	SUBSTANCE
33858 VERAPAMIL	34985 WYGESIC	40750 FLUORAL
33895 VERMOX	35023 XANAX	40755 FOLEX
33905 VERSAL	35050 XEROFOAM DRESSING	40790 HEP-PAK
33935 VESICHOLINE	35060 XYLOCAINE	40940 LITHOSTAT
34085 VIBRA	35080 XYLOCAINE HCL	40950 LOPROX
34090 VIBRAMYCIN	W/EPINEPHRINE	40955 LOZOL
34100 VICAM	35085 XYLOCAINE VISCOUS	41115 MULTI VIT
34103 VICKS VAPORUB	35105 YEAST	41150 NASALCROM
34105 VICKS INHALER	35110 YELLOW FEVER VACCINE	41185 NORCURON
34110 VICODIN	35130 Z-BEC	41220 OTICAIR
34115 VICON	35148 ZANOSAR	41310 POLY-VI-SOL W/IRON
34140 VIFEX	35150 ZARONTIN	41315 POLYETHYLENE GLYCOL
34158 VINBLASTINE	35155 ZAROXOLYN	41330 PRAMASONE
34160 VINCRISTINE	35165 ZEASORB MEDICATED	41360 PRO-2
34210 VIOFORM	35224 ZESTRIL	41405 RESPAIRE
34220 VIOKASE	35240 ZINC	41420 ROXANOL
34240 VIRILON	35250 ZINC OXIDE	41470 SLOW FE
34248 VIROPTIC	35260 ZINC SULFATE	41495 SODIUM POLYSTYRENE
34260 VISINE	35293 ZINCA-PAK	SULFON
34270 VISTARIL	35338 ZOMAX	41505 SPECTAZOLE
34280 VISTRAX	35341 ZOVIRAX	41610 THEO-24
34290 VITA TOT	35350 ZYLOPRIM	41665 TRAXIN
34360 VITAMIN A	35415 ANTIDEPRESSANT AGENT	41670 TRI-NORINYL
34370 VITAMIN A & D	35420 ANTIDIABETIC AGENT	41700 TRIPLE ANTIBIOTIC
34410 VITAMIN A SOLUBLE	35425 ANTIDIARRHEAL AGENT	W/DIPERODON
NEO-VADRIN	35430 ANTIEMETIC AGENT	41745 UNIPHYL
34425 VITAMIN B COMPLEX	35445 ANTIFUNGAL AGENT	41780 ZANTAC
34455 VITAMIN B-1	35450 ANTIHISTAMINE	41785 ZINACEF
34495 VITAMIN B-12	35460 ANTIINFLAMMATORY	41790 ZINC CHLORIDE
34505 VITAMIN B-2	AGENT	41800 HCTZ
34510 VITAMIN B-6	35465 ANTILIPEMIC AGENT	41820 GLYCERIN
34520 VITAMIN C	35480 ANTINEOPLASTIC AGENT	SUPPOSITORIES
34525 VITAMIN C & E	35483 ANTI OBESITY AGENT	41825 AKARPINE
34560 VITAMIN CHEWABLE	35490 ANTIPRURITIC AGENT	41830 PSYLLIUM
CHILDREN'S	35495 ANTIPYRETIC AGENT	41840 HYOSCINE
34565 VITAMIN D	35510 ANTIVIRAL AGENT	41845 PTU
34575 VITAMIN E	35530 BACTINE	41850 KCL
34580 VITAMIN E & C	35580 SLO-BID	41855 NPH INSULIN
34623 VITAMIN K	35595 TRIMETHOPRIM/	41860 FOLATE
34625 VITAMIN(S)	SULFAMETHOXAZOLE	41865 MOM
34628 VITAMINS AND MINERALS	35600 VANCENASE	41870 AK-SPORE
34641 VITASOL	40185 BAYER ASPIRIN	41875 CAPTOPRIL
34642 VITAZIN	40285 CALTRATE	41880 ZORPRIN
34675 VITRON-C	40290 CARBODEC	41895 HUMULIN INSULIN
34685 VIVACTIL	40320 CENTABS	41905 THYROXINE
34690 VIVARIN	40445 CORZIDE	41915 K-LYTE

41920 MULTIVITAMIN W/B12	60725 ILETIN & PROTAMINE ZINC	89004 AMILORIDE HCL W/HCTZ
41928 PSEUDOEPHED/DM	60735 INFLUENZA VIRUS VACC	89006 AMINOSYN II IN DEXTROSE
42425 GOLYTELY	60740 INTRON-A	89010 BETAMETHASONE DIPROPIONATE
42705 MINIZIDE	60755 IOPHEN DM	89012 BROMFED-DM
42730 MUCOSOL	60765 ISOVUE	89014 BUPIVACAINE W/EPINEPHRINE
42780 NEOSPORIN OPHTHALMIC	60775 K-DUR	89016 CHARCOAL, ACTIVATED W/ SORBITOL
42800 NORMAL SALINE	60780 KEFUROX	89017 CHILDREN'S ADVIL
42985 PROPRANOLOL	60790 KLONOPIN	89018 CLINDAMYCIN HCL
42990 PROPRANOLOL W/HCTZ	60795 LACHYDRIN	89019 CLONIDINE HCL
50030 KRONOFED-A	60800 LACTATED RINGER'S	89020 CYCLOBENZAPRINE HCL
50035 MICRONASE	60815 LEVLEN	89025 DOXEPIN HCL
50040 SUFENTA	60835 LOTRISONE	89028 ERYTHROMYCIN ETHYLSUCCINATE
60015 ABEROKE	60850 MAGALDRATE	89029 ERYTHROMYCIN STEARATE
60035 ACLOVATE	60865 MANNEST	89032 EULEXIN
60040 ADALAT	60870 MARINOL	89035 FLUCINONIDE
60070 ALPHA-TREX	60895 MERITAL	89036 FML-S LIQUIFILM
60115 AUGMENTIN	60920 MEXITIL	89037 HUMULIN 70/30
60120 AUGMENTIN 250	60940 MSIR	89038 HYDROCODONE BITARTRATE W/APAP
60125 AUGMENTIN 500	60955 MURO TEARS	89039 HYDROCODONE W/ACETAMINOPHEN
60150 BACITRACIN OPHTHALMIC	60990 NALBUPHINE HCL	89042 HYDROXYPRO- GESTERONE CAPROATE
60175 BENZAMYCIN	60995 NALOXONE HCL	89043 INFLAMASE FORTE
60180 BENZTROPINE MESYLATE	61025 NICORETTE	89044 INSPIREASE
60185 BETAGAN LIQUIFILM	61035 NIX	89045 LIDOCAINE HCL VISCOUS
60205 BETOPTIC	61045 NOVOLIN	89046 LIPOSYN II
60240 BRETYLIUM TOSYLATE	61060 NUPRIN	89048 MEPIVICAINE HCL
60250 BSS OPHTHALMIC	61080 OMNIPAQUE	89053 NITROFURANTOIN MACROCRYSTALS
60265 BUPRENEX	61090 OP-THAL-ZIN	89056 OS-CAL 500+D
60270 BUSPAR	61100 ORUDIS	89058 PERMAX
60290 CAPOZIDE	61130 PAIN RELIEVER	89061 POLYTRIM
60295 CEFOTAN	61135 PEDIACARE	89066 PRELONE
60315 CHROMIC CHLORIDE	61140 PEDIAPRED	89067 PROCARDIA XL
60325 CITRUCEL	61160 PEPCID	89070 PROFENAL
60355 COLYTE	61170 PERSA	89071 PROPOXYPHENE HCL W/APAP
60370 CORDARONE	61185 PIPERACILLIN	89072 PROPOXYPHENE NAPSYLATE W/APAP
60385 CORTISPORIN OPHTHALMIC	61205 POVIDONE-IODINE	89074 ROWASA
60415 DEXAMETHASONE/ NEOMYCIN/POLYMIX	61215 PRIMAXIN	89076 SUPRAX
60435 DHS ZINC	61240 PROPACET	89077 TENORMIN I.V.
60450 DIGIBIND	61260 PSORCON	89079 THERAFLU FLU, COLD, & COUGH
60470 DISOPYRAMIDE PHOSPHATE	61290 RIDAURA	89080 TIMOLOL MALEATE
60485 DORYX	61295 ROCEPHIN	89081 TOBRAMYCIN SULFATE
60500 DOXY-100	61330 SECTRAL	90000 NO ENTRY MADE
60545 ESTRADERM	61340 SELDANE	91000 ALBUTEROL SULFATE
60550 EYE DROPS	61385 SULFACETAMIDE SODIUM	91002 AMILORIDE HCL
60555 EYE WASH	61395 SUPROL	
60565 FENTANYL CITRATE	61405 TAMBOCOR	
60595 FIORICET	61425 TEC	
60605 FLUOR-OP	61440 TEMOVATE	
60615 GAMMAGARD	61445 TEN-K	
60625 GASTROVIST	61470 TIMENTIN	
60640 GENTAMICIN OPHTHALMIC	61475 TOLAZAMIDE	
60650 GERITOL MEGA VITAMIN	61495 TOPICORT	
60665 GLYCERIN	61515 TRI-LEVLEN	
60695 HIB-IMUNE	61565 VASOTEC	
60700 HIB-VAX	61570 VERSED	
	61595 VITEC	
	61605 WELLBUTRIN	
	61610 ZYDONE	
	61625 TRIAMTERENE W/HCTZ	

91003 ANTIPYRINE W/BENZOCAINE	92016 CLOZARIL	92118 DIDEOXYINOSINE
91008 BROMATANE DX	92017 CUTIVATE	92120 DOXAZOSIN MESYLATE
91009 BUTALBITAL/APAP/ CAFFAINE	92018 DESOXIMETASONE	92122 EPOETIN ALFA
91014 DOXORUBICIN HCL	92019 DEXTRAN	92124 ETODOLAC
91015 DOXYCYCLINE HYCLATE	92020 DEXTROSE 5%-LACTATED RINGERS	92125 FELODIPINE
91025 GENAPAP	92022 DORAL	92126 FLUTICASONE
91029 HYDROXYZINE HCL	92023 DUPHALAC	92128 FOSINOPRIL
91031 ISOPTIN S.R.	92024 DURAGESIC	92131 HEPATITIS B VACCINE
91034 LOTRIMIN AF	92025 DYNACIRC	92134 LEVONORGESTREL
91035 LUPRON DEPOT	92030 FLAREX	92135 MESALAMINE
91036 LUTREPULSE	92031 FLOXIN	92136 METIPRANOLOL
91039 NIFEDIPINE	92033 FLUPHENAZINE DECANOATE	92137 METROGEL
91040 ONE TOUCH TEST STRIPS	92036 G-MYTICIN	92138 NADOLOL
91043 PRILOSEC	92038 GENTAMICIN SULFATE	92139 NORGESTREL
91045 RETIN-A REGIMEN	92042 HYDROMET	92140 OFLOXACIN
91057 VENOGLOBULIN	92043 HYOSCYAMINE SULFATE	92141 ONDANSETRON
91058 VERELAN	92045 INSULATARD HUMAN N	92142 PENTAMIDINE ISETHIONATE
91061 ACYCLOVIR	92049 JENSTAT	92143 PENTOXIFYLLINE
91062 ALPRAZOLAM	92051 LODINE	92145 PIROXICAM
91063 ATENOLOL	92052 LOTENSIN	92146 PRAVASTAN
91064 AZTREONAM	92053 MeproBAMATE W/ASPIRIN	92148 QUAZEPAM
91065 BENZPHETAMINE	92054 METAMUCIL WAFER	92149 QUINAPRIL
91066 BUSPIRONE HCL	92055 MIACALCIN	92150 RAMIPRIL
91067 CEFMETAZOLE	92057 MONOPRIL	92152 TERCONAZOLE
91068 CEFTAZIDIME	92059 MURO 128	92154 ANAFRANIL
91069 CEFTRIAXONE	92061 NASACORT	92155 ANSAID
91070 CEFUROXIME SODIUM	92069 OPTIPRANOLOL	92156 DIFLUCAN
91072 DILTIAZEM HCL	92070 ORAMORPH SR	92157 ELIMITE
91073 DIMETHYL SULFOXIDE	92071 PEDIA-PROFEN	92159 MINITRAN
91074 ENALAPRIL	92073 PLENDIL	92160 PRINZIDE
91078 FLECAINIDE ACETATE	92076 PRAVACHOL	92161 TORADOL
91079 FLUOXETINE	92078 PROCRIT	92162 TRIPHASIL
91080 FLUTAMIDE	92079 PROSED/DS	92163 ZESTORETIC
91081 GLIPIZIDE	92080 PROSOM	92164 LISINOPRIL
91082 GONADORELIN ACETATE	92081 PSEUD/APAP/CPM	92165 CODICLEAR-DH
91083 INTERFERON-ALFA	92085 ROBITUSSIN PEDIATRIC	92167 DECONSAL SPRINKLE
91084 IPRATROPIUM BROMIDE	92088 SULFACETAMIDE W/PREDNISOLONE	92174 ENDAL-HD
91085 KETOCONAZOLE	92090 T-PHYL	92175 ENDAL
91086 LEUPROLIDE ACETATE	92096 TUMS PLUS	92178 HUMIBID
91087 LEVAMISOLE HCL	92100 ULTRAVATE	92179 HUMIBID DM
91088 LOVASTATIN	92101 VELOSULIN HUMAN R	92180 LORTAB
91089 METHIMAZOLE	92102 VELOSULIN R	92186 POLYHISTINE-DM
91090 MEXILITENE	92103 VIDEX	92187 PRENATE
91096 OMEPRAZOLE	92104 ZEASORB-AF	92190 ZEPHREX
91098 PROCYCLIDINE	92105 ZOFRAN	93002 ADIPOST
91099 RANITIDINE	92106 AZT	93008 AKNE-MYCIN
91102 TRETINOIN	92107 BENAZEPRIL	93010 ALIMENTUM
92000 ACCUPRIL	92108 BERACTANT	93012 ALLENT
92002 ACTIDOSE-AQUA	92109 CEFACLOR	93014 ALLERGY MEDICATION
92003 ALTACE	92110 CEFIXIME	93015 AMI-TEX
92005 BENYLIN	92111 CIPROFLOXACIN	93016 ANALPRAM HC
92006 BIAXIN	92112 CLARITHROMYCIN	93019 ANTIPARKINSONIAN AGENT
92007 BREVOXYL	92114 CLOMIPHENE	93020 AQUA GLYCOLIC
92009 BROMPHEN-DC	92115 CLOZAPINE	93022 ARTIFICIAL TEAR SOLUTION
92011 CALCIUM ANTACID	92116 DICLOFENAC	93023 ASACOL
92012 CARDURA	92117 DIDANOSINE	93024 ASPERCREME
92013 CEPTAZ		93029 BETA CAROTENE
92015 CILOXAN		93030 BLEPH-10

93035	CARBIDOPA	93127	PROSCAR	93218	ORTHO-CEPT
93036	CARDENE	93129	Q-VEL	93220	KETOROLAC
93037	CARNITINE	93131	REFRESH	93222	SPORANOX
93038	CEFZIL	93132	RELAFEN	93223	CISPLATIN
93039	CELLUFRESH	93136	RHOGAM	93224	CLARITIN
93040	CELLUVISC	93137	SALAC	93225	ETOPOSIDE
93041	CITRACAL	93143	SHUR-CLENS	93226	ERYTHROPOIETIN
93042	CONDYLOX	93144	SLEEPING PILL	93230	DYNACIN
93044	CRESYLATE	93147	STAHIST	93231	IMITREX
93045	DEPO PREDATE	93150	SULFONYLUREAS	93232	BOTULISM TOXIN
93046	DERMA-SMOOTH	93151	SUPPOSITORY	93233	ACULAR
93048	DILACOR-XR	93152	TAC	93234	KERLONE
93050	DML	93153	THERAPLEX T	93237	SIMVASTATIN
93053	E-LOR	93156	TOPROL XL	93238	BETAPACE
93054	ELDEPRYL	93157	TRANS-PLANTAR	93239	FLURBIPROFEN
93057	ENULOSE	93158	TRANS-VER-SAL	93242	FS SHAMPOO
93059	EPOGEN	93159	TRIAD	93243	LAMISIL
93061	FENESIN	93161	TUSSAFED	93245	HALFPRIN
93062	FISH OIL	93163	URIMAR-T	93246	RIFABUTIN
93063	FLATULEX	93164	VAGISIL	93248	SUMATRIPTAN
93064	FLEXALL	93166	VANTIN	93249	VALPROATE
93065	GAS-X	93167	VARICELLA-ZOSTER IMMUNE GLOBULIN	93251	VANEX-FORTE
93067	GENTAK	93173	WART TREATMENT	93252	PHENTOLAMINE
93068	GLYCOLIC ACID	93174	YOCON	93254	TILADE
93069	GLYNASE	93175	YOHIMEX	93256	PNEUMOCOCCAL VACCINE
93070	GROWTH HORMONE	93179	ZITHROMAX	93257	LORATADINE
93071	HABITROL	93180	ZNP	93258	CARBOPLATIN
93073	HEMORRHOID PREPARATION	93181	ZOCOR	93259	PARAPLATIN
93074	HEMOCYTE	93182	ZOLADEX	93262	MIDAZOLAM HCL
93076	HISTUSSIN D	93183	ZOLOFT	93303	CEFOTAXIME
93080	ISMO	93184	ZONE- A	93304	NEPHRO-VITE
93082	ISOMIL	93185	ZOSTRIX	93305	GLYBURIDE
93085	LACTISOL	93186	ANTIHYPERTENSIVE AGENT	93306	ADENOCARD
93086	LEGATRIN	93187	NORVASC	93307	ENGERIX-B
93087	LEVOXINE	93188	NALTREXONE	93309	BENZODIAZEPINES
93089	LORCET	93189	ACTINEX	93311	PEDVAX HIB
93090	MACROBID	93193	SERTRALINE	93312	KETOPROFEN
93092	MAX-EPA	93195	HISTAMINE H-2 BLOCKER/ANTAGONIST	93313	DOBUTAMINE
93094	ROMAZICON (MAZICON)	93197	RYTHMOL	93315	PROPAFENONE
93096	MIVACRON	93199	ASTHMA MEDICATION	93316	MEFLOQUINE
93098	MONODOX	93200	ACTIGALL	93317	PILOPINE
93101	NASAL SPRAY	93202	CYCLOSPORINE	93321	NITRAZEPAM
93104	NEUPOGEN	93203	LABETALOL	93324	DIDEOXYCYTIDINE
93105	NICODERM	93204	SELEGILINE	93325	EMLA
93106	NICOTINE TRANSDERMAL SYSTEM	93207	NALSPAN	93326	INJECTION
93107	NICOTROL	93208	JEVITY	93327	ITRACONAZOLE
93109	NUTRITIONAL SUPPLEMENT	93209	ANTI-PSYCHOTIC MEDICATION	93328	NUTREN
93112	OCUPRESS	93210	FIBER SUPPLEMENT	93330	ASPARAGINASE
93113	OCUVITE	93211	AMIODARONE	93334	CLEMASTINE
93116	ORAGEL	93212	PAXIL	93335	APRACLONIDINE
93117	ORTH-CYCLEN	93213	GEMFIBROZIL	93337	PROPOFOL
93119	OXY-10	93214	AZITHROMYCIN	93338	DEMECLOCYCLINE
93120	PEDIASURE	93215	FLUCONAZOLE	93341	FELBATOL
93121	PERIDEX	93217	DAIRY EASE	93344	SOAP
93124	PINDOLOL			93345	DIPRIVAN
				93347	AMBIEN
				93348	PHOSLO

93352 FAMOTIDINE	93981 MEDICATION(S) – PRESCRIBED/ PROVIDED/OTC	94090 NASABID
93353 PROGESTIN		94092 ADEKS
93355 BUPROPION		94097 MEPRON
93356 ANTIGEN	93982 MEDICATION(S) - IV	94099 NEURONTIN
93359 LIQUIBID	94001 SOTALOL	94100 NIZATIDINE
93362 TICLOPIDINE	94002 BENZONATE	94101 OXISTAT
93363 DESOGEN	94003 FLUMADINE	94103 QUININE
93365 MITOXANTRONE	94004 PAROXETINE	94104 RISPERIDONE
93367 RESAID	94005 TUBERCULIN MEDICATION	94107 SUDEX
93368 DUODERM		94108 TECHNETIUM
93371 MIDODRINE	94007 ENEMA	94110 LOZENGES
93372 BETASERON	94008 DURATUSS	94112 AURO EAR DROPS
93373 UROCIT K	94009 VOLMAX	94113 DIFLUNISAL
93383 IMMUNIZATION	94010 PENTASA	94114 GABAPENTIN
93386 GI COCKTAIL	94011 CATAFLAM	94116 HUMULIN R
93387 CEFOXITIN	94012 ORTHO-EST	94117 LOVENOX
93392 TAXOTERE	94013 ETRETINATE	94118 NAPHAZOLINE/ PHENIRAMINE
93394 AEROSOL THERAPY	94014 VENLAFAXINE	94119 NORETHINDRONE ACETATE
93395 INHALER	94016 ZIAC	
93396 AMLODIPINE	94018 BABY OIL	94124 CHOLESTYRAMINE
93397 BALMEX	94020 ALOMIDE	94125 ALEVE
93399 OXAPROZIN	94023 CATAFLEEN	94126 DEMADEx
93400 NEBULIZER	94024 CONTACT LENS SOLUTION	94127 DAYPRO
93404 SUCRALFATE		94128 DAYQUIL
93405 SANDOSTATIN	94025 DERMATOP	94129 DOXY
93408 THALIDOMIDE	94027 SHAMPOO	94131 GARLIC PILL
93412 BACMIN	94029 NULYTELY	94133 TERAZOSIN
93417 CEFPROZIL	94031 IMDUR	94134 DESONIDE
93418 FILGRASTIM	94034 ORTHO-TRICYCLEN	94136 LAMIVUDINE
93419 TRIAZOLAM	94035 ZOLPIDEM TARTRATE	94137 SULFA
93420 NEVIRAPINE	94036 AQUANIL	94139 CEFPODOXIME
93421 SELENIUM SULFIDE SHAMPOO	94037 ERAMYCIN	94141 BACTIGEN
93422 FLUNISOLIDE	94038 FACTOR VIII	94143 DEPO INJECTION
93424 FLUDROCORTISONE ACETATE	94043 TYLENOL ALLERGY SINUS	94144 VICKS 44D
93425 TAR DERIVATIVE SHAMPOO	94044 AMINO ACID(S)	94145 OINTMENT
93429 INJECTION (EPIDURAL)	94045 BEANO	94146 PENICILLIN G BENZATHINE
93430 INJECTION (GANGLION/ NERVE BLOCK)	94047 MESNA	94147 MEDICATION(S) - IM
93432 ORUVAIL	94048 METROGEL VAGINAL	94148 UROKINASE
93437 THIAZIDE	94049 OYSTER SHELL CALCIUM	94149 ESGIC PLUS
93440 CONDOMS	94051 SOLAQUIN FORTE	94154 LESCOL
93442 HAEMOPHILUS B CONJUGATE VACCINE	94052 TRIAMETERNE	94155 MEDIPLAST
93446 BETAXOLOL	94053 BETA BLOCKER	94157 LIVOSTIN
93447 EMOLLIENT / LOTION / CREAM /MOISTURIZER	94054 ACE INHIBITOR	94158 RISPERDAL
93448 VECURONIUM	94056 AK DILATE	94160 KYTRIL
93449 RABIES IMMUNE GLOBULIN	94059 DOVONEX	94161 DACTINOMYCIN
93451 CLOMIPRAMINE	94062 MONOKET	94163 ALOE VERA
93453 RH IMMUNE GLOBULIN	94063 SODIUM TETRADECYL	94164 HISTUSSIN HC
93455 PERTUSSIS IMMUNE GLOBULIN	94065 PROSTAGLANDIN(S)	94166 PSORALENS
93980 MEDICATION(S) – CONTINUE/MONITOR/ REVIEW	94068 PIRBUTEROL ACETATE	94173 ACEBUTOLOL
	94070 EFFEXOR	94174 RHINOCORT
	94071 INDAPAMIDE	94175 ANTIBACTERIAL AGENT
	94072 NSAID	94177 AREDIA
	94073 OCUFLOX	94179 NABUMETONE
	94074 PULMOZYME	94184 P-V-TUSSIN TABLETS
	94075 SEREVENT	94185 SEIZURE MEDICATION
	94079 CORTICOSTEROID(S)	94188 FENTANYL
	94080 DESMOPRESSIN	94189 FLUMAZENIL
	94081 DIVALPROEX SODIUM	94190 MG
	94082 GLAUCOMA MEDICATION	
	94089 ICAPS	

94191	MONISTAT	95092	PRAVASTATIN	95183	FOSAMAX
94192	HIV MEDICATION	95095	LARIAM	95184	CLIDINIUM BROMIDE
94193	VICKS 44E	95096	ZETAR	95186	ESMOLOL
94196	OCTREOTIDE	95097	CARDIOLITE	95188	PREMPHASE
94198	NITROGEN MUSTARD	95098	ADENOSINE PHOSPHATE	95189	UNIVASC
95002	BETAGEN	95100	PROTEIN SUPPLEMENT	95191	EPIVIR
95003	ECONAZOLE	95101	T-GEL SHAMPOO	95192	CASODEX
95005	FLONASE	95102	TI-SCREEN	96002	DEFEN-LA
95007	LUBRIN	95106	DANDRUFF SHAMPOO	96003	PERMETHRIN
95009	DECONAMINE SR	95108	CETAPHIL MOISTURIZER	96005	ALENDRONATE SODIUM
95016	ADDERALL	95109	CROLOM	96006	AZELEX
95017	FAMVIR	95111	GLUCOPHAGE	96007	CETIRIZINE
95018	NASAL WASH	95112	HYPERTONIC SALINE	96008	HUMULIN N
95019	FENFLURAMINE	95113	LACTICARE HC	96009	BENZOCAINE
95020	NICARDIPINE	95114	TRUSOPT	96010	VAPORIZER
95021	ARTHRITIS MEDICATION	95115	NUTROPIN	96012	MEPERGAN FORTIS
95022	FEVERALL	95116	CAPSAICIN	96013	PALGIC
95023	CHILDRENS MOTRIN	95118	HEPATITIS A VACCINE	96020	LEVOXYL
95024	FLUVOXAMINE	95119	MULTIVITAMIN W/ IRON	96021	TSH
95025	LUVOX	95122	PREVACID	96022	ZYRTEC
95028	CEFTIZOXIME	95123	VITAMIN C & D	96024	CLOBETASOL
95030	DEXTROSE/SODIUM CHLORIDE/0.9 NS	95126	METHYLENE DIPHOSPHONATE	96027	DOCUSATE SODIUM
95032	NITRATES	95130	ULTRASE	96028	ACETAMINOPHEN- HYDROCODONE
95033	MAC	95133	METFORMIN	96032	INVIRASE
95036	BUPRENORPHINE	95135	PRECARE	96033	LEVOBUNOLOL
95038	FACTOR IX COMPLEX	95136	THEO	96034	RIFAPENTINE
95042	NOREPINEPHRINE	95137	ALFALFA	96035	SAQUINAVIR
95044	ROBITUSSIN W/ CODEINE	95139	APPETITE DEPRESSANT	96036	SEPTISOL
95045	TYLENOL PM	95140	FLUVASTATIN	96038	MUPIROCIN
95046	AMYLASE	95141	NEFAZODONE	96041	TRAMADOL
95050	ULTRAM	95142	PREMPRO	96042	NEORAL
95051	VASCOR	95144	LOTREL	96043	VALTRES
95052	OPTIRAY	95145	MENINGOCOCCAL VACCINE	96044	NASAREL
95054	ACTHIB	95147	VAGINAL CREAM	96045	DEMEROL
95055	DESFLURANE	95148	HEPATITIS C VACCINE	96046	GOUT MEDICATION
95057	DTAP	95149	ZOSYN	96048	ORAL RINSE
95058	ISOFLURANE	95150	ADVERA	96049	HEPATITIS VACCINE
95059	ISOTOPE	95151	RADIOACTIVE IODINE	96050	HOMEOPATHICS
95061	PAPAYA ENZYME	95152	COZAAR	96053	SHARK CARTILAGE
95062	STROVITE	95154	QUERCETIN	96054	NAVELBINE
95064	ZIDOVUDINE	95155	FLAX SEED OIL	96055	LEVOTHYROID
95065	ZEMURON	95159	CALCIUM BLOCKER	96058	PRECOSE
95066	GASTROINTESTINAL AGENT	95160	CLIMARA	96060	SEVOFLURANE
95067	INTERFERON	95166	ACYCLOGUANOSINE	96062	ULTANE
95071	ZERIT	95168	HISTINEX HC	96065	GEMCITABINE
95072	BENZTROPINE	95169	BRONTEX	96066	NORVIR
95073	BION TEARS	95171	HYZAAR	96067	ANTIOXIDANTS
95074	DIMETAPP DM	95173	LEVBIID	96068	TRIAZ
95078	PANCREASE MT	95174	PROGRAF	96070	CEDAX
95080	SERZONE	95175	TOURO LA	96072	TIAZAC
95082	PAMIDRONATE	95176	DICHLOROACETIC ACID	96074	BARIUM ENEMA
95083	RECOMBINATE	95177	FINASTERIDE	96075	HYDROGEL
95084	STAVUDINE	95178	FIORICET/ CODEINE	96076	FLUCYTOSINE
95086	LIQUID NITROGEN	95180	GLUCERNA	96077	HYDROCOLLOID DRESSINGS
95087	PROPHYLAXIS	95181	LAMICTAL	96080	CRIXIVAN
95088	ESTROPIPATE	95182	VARIVAX	96083	NAPRELAN

96084	OPCON-A	96174	ALLEGRA	97087	CORTANE B OTIC DROPS
96086	SULAR	96175	TRITEC	97089	GUANFACINE
96087	VIBRA-TABS	96176	DIFFERIN	97092	TRANDOLAPRIL
96089	DEFEROXAMINE	96177	IMMUNO THERAPY	97094	ZOTO
96091	FLOVENT	97002	OLANZAPINE	97097	LIQUIBID-D
96093	RITONAVIR	97004	CEFOTETAN	97098	PRAMIPEXOLE
96094	ACARBOSE	97005	CEREBYX	97099	GENERAL ANESTHESIC
96095	ETOMIDATE	97010	GAMMA GLOBULIN	97101	NIFEREX FORTE
96096	SECOBARBITAL	97011	MIGRAINE AGENT	97103	ALA-CORT
96099	MOLINDONE	97012	PACLITAXEL	97104	CEZIN-S
96101	VENOSET	97015	TOPOTECAN	97105	COMBIVENT
96102	EC-NAPROSYN	97016	ARICEPT	97107	DURACT
96105	TEGADERM	97017	HUMALOG	97108	HELIDAC
96106	ADRENALINE CHLORIDE	97018	MOEXIPRIL	97109	REVIA
96107	BUMETANIDE	97019	SAW PALMETTO	97111	TARKA
96109	OXYCONTIN	97020	LIPITOR	97112	SUDAL
96110	CARNITOR	97021	MUSE	97113	ZANAFLEX
96112	VEXOL	97022	PROTUSS	97115	PANMIST
96115	SALMETEROL	97024	ZYFLO	97116	LANEX
96117	SPINAL	97027	FLINTSTONES VITAMINS	97118	FLEET PHOSPHO-SODA
96119	CAVERJECT	97028	ALPHAGAN	97120	NISOLDIPINE
96121	DIMETAPP COLD/ALLERGY	97029	ATUSS DM	97126	FLOMAX
96122	REMERON	97030	NEOCATE	97127	PANDEL
96123	ZEBETA	97034	ZYBAN	97129	ST JOHNS WORT
96124	HAVRIX	97035	ASTELIN	97130	TACROLIMUS
96125	MELATONIN	97036	DIOVAN	97131	RESPIGAM
96128	AVONEX	97037	PATANOL	97132	MAXIPIME
96130	LANSOPRAZOLE	97038	GEMZAR	97133	NIMBEX
96131	COVERA HS	97041	ANTITUSSIVE	97134	PLASMA
96132	DNCB	97043	BROMFED PD	97135	VALACYCLOVIR
96133	ADAPALENE	97045	LEVAQUIN	97136	LAMOTRIGINE
96135	PHENERGAN DM	97046	OMNIHIST	97138	TUSSIN DM
96136	CORMAX	97047	MAGNESIUM	97139	TYLENOL COLD & FLU
96137	DHEA	97048	NILANDRON	97141	COMBIVIR
96138	AMARYL	97049	TOPAMAX	97142	COREG
96139	OTOCAIN	97050	VISIPAQUE	97144	GUAIFENEX
96140	TANAFED	97051	VIRACEPT	97145	AVAPRO
96141	VIVELLE	97052	VIRAMUNE	97146	ESTRING
96144	ACCOLATE	97055	ESTROSTEP	97150	REQUIP
96145	ALFENTANIL	97056	MIRTAZAPINE	97151	CHONDROITIN SULFATE
96147	CELLCEPT	97057	NELFINAVIR	97152	MIRAPEX
96150	INDINAVIR	97058	RESCRIPTOR	97153	COMVAX
96152	RILUTEK	97060	FAMCICLOVIR	97154	VINEGAR
96153	RILUZOLE	97061	NAROPIN	97155	TIMOPTIC XE
96155	TRIAMINIC ALLERGY	97063	CLAVULANIC ACID	97157	ATORVASTATIN
96156	VITAFOL	97065	MULTIPLE VITAMIN WITH CALCIUM	97159	CALCITRIOL
96157	AEROCHAMBER	97066	PANCREATIC ENZYME	97160	CRINONE
96161	DIFLORASONE DIACETATE	97067	TOURO DM	97162	FOSPHENYTOIN
96162	PROVISC	97068	DEXTROSTAT	97163	LEVOFLOXACIN
96163	VITRAX	97070	TEARS NATURALE II	97164	WATER PILL
96164	BETIMOL	97071	CAPREOMYCIN	97165	HEMABATE
96165	ELMIRON	97073	LOSARTAN	97166	DURATUSS HD
96166	RENOVA	97074	PRENATAL ULTRA	97167	BEROCCA PLUS
96167	XALATAN	97075	GENTEAL	97168	SEROQUEL
96168	MAVIK	97078	ANDRODERM PATCHES	97169	MEDRYSONE
96169	ACIDOPHILUS	97079	CAMPTOSAR	97170	CENTRUM SILVER
96171	MENTAX	97081	FRAGMIN	97174	BABY ASPIRIN
96173	ZYPREXA	97085	TORSEMIDE	97178	PULMICORT TURBUHALER
		97086	ALESSE	97179	DENAVIR

97180	JAPANESE ENCEPHALITIS VIR VACC	98093	MONTELUKAST	99010	MIRCETTE
97181	OXY IR	98094	REGRANEX	99011	NALEX
98001	MAG-OX	98095	SUSTIVA	99012	NALEX-A
98004	OPTI-FREE	98096	TOBI	99013	NASACORT AQ
98005	ANAPLEX HD	98097	AMERGE	99014	OMNICEF
98006	ARTHROTEC	98098	COSOPT	99015	ORTHO-NOVUM 7/7/7
98008	CARVEDILOL	98099	GINKGO	99016	PRIMROSE OIL
98009	MUCO-FEN	98100	MIGRANAL	99017	RIBAVIRIN
98010	NASONEX	98101	PRANDIN	99019	SYNVISC
98013	BEE POLLEN	98103	XELODA	99020	SEROTONIN
98017	PROPECIA	98104	VICODIN TUSS	99021	TYCOLENE P.M.
98018	VANICREAM	98106	ANZEMET	99022	CECLOR CD
98020	MARTHRTIC	98107	IRINOTECAN	99023	CORTISPORIN OTIC
98022	ZOMIG	98109	CHLORHEXIDINE GLUCONATE	99024	C/T/S
98023	MERIDIA	98111	SORIATANE	99026	GLUCOSAMINE
98026	ACNE MEDICATION	98112	AVITA	99027	LID SCRUB
98027	RETAVASE	98113	BAYCOL	99028	TYLENOL ARTHRITIS
98028	PANCOF	98114	CARBATROL	99029	PREDNISOLONE ACETATE OPHTHALMIC
98030	ECHINACEA	98115	CELEXA	99030	AVANDIA
98033	ALDARA	98116	GABITRIL	99031	ATACAND
98034	FORTOVASE	98122	ACTIDOSE WITH SORBITOL	99032	BROMFENEX
98036	NORCO	98123	ANTIRETROVIRAL AGENT	99033	CLOPIDOGREL
98037	RHO VACCINE	98125	MYCOPHENLATE	99035	DURATUSS DM
98038	SINGULAIR	98130	BOOST	99036	GLUCOSAMINE CHONDROITIN
98039	SINUVENT	98131	TOPIRAMATE	99038	VANEX-HD
98041	VIAGRA	98132	OXALIPLATIN	99039	LOTENSIN HCT
98043	VICOPROFEN	98133	ZENAPAX	99041	MAXIFED
98045	PROTUSS DM	98134	CF	99042	PACERONE
98046	MICROZIDE	98136	PROMETRIUM	99043	PROAMATINE
98047	NORITATE	98138	PANNAZ	99044	PROTUSS-D
98048	ALORA	98139	TIZANIDINE	99045	RESCON JR
98049	DONEPEZIL HCL	98141	VALSARTAN	99046	RITUXAN
98051	OS-CAL +D	98142	ALREX	99049	XENICAL
98053	PREVPAC	98143	COPAXONE	99050	AGENERASE
98054	TAZORAC	98144	KADIAN	99051	AVALIDE
98055	FOLLISTIM	98146	EFAVIRENZ	99052	ACTIVATED CHARCOAL
98056	GONAL-F	98150	DEHYDRO- EPIANDROSTERONE	99054	FERATAB
98057	HYALAGAN	98151	GENOTROPIN	99055	FLUROX
98058	OXANDRIN	98156	MAXALT	99057	HEMOCYTE PLUS
98065	DETROL	98158	TRICOR	99058	KINERASE
98066	METHACYCLINE	98160	ARAVA	99059	MICARDIS
98067	ANALGESIC-NARCOTIC	98161	CAPECITABINE	99060	MICRO-K 10
98069	EAR WASH	98162	CLINDETS	99061	PRENATE ULTRA
98071	THERAFLU	98164	LOTEMAX	99062	PRIMACOR
98074	ANDROID	98165	MARCOF EXPECTORANT	99063	RYNATAN-S
98075	CALCIUM CITRATE	98166	RONDEC TR	99066	SINEMET CR
98076	TUBERCULOSIS VACCINE	98167	GRAPSEED EXTRACT	99067	VIOXX
98078	ADVIL COLD AND SINUS	99001	CEFEPIME	99068	ZOVIA 1/35E
98079	ANTIARTHRITIC AGENT	99002	CELEBREX	99070	AQUATAB D
98080	RESINOL	99003	LUSTRA CREAM	99073	CIPRO HC
98083	AZOPT	99005	REMICADE	99074	CITALOPRAM
98085	NIASPAN	99006	RENAGEL	99075	ENBREL
98086	PLAVIX	99007	ROPIVACAINE HCL	99076	GLUCOSAMINE SULFATE
98089	TERBINAFINE	99008	ALLEGRA D	99078	KEROTOLYTIC EMOLLIENT
98090	ARIMIDEX	99009	BIOHIST-LA	99079	MENOPLEX
98092	DOXIL				

99080 MIRALAX	99130 SINEX	99196 CISATRACURIUM
99084 RELAXIN	99132 EVISTA	BESYLATE
99088 ZIAGEN	99133 ALBUTEROL	99197 DOLASETRON MESYLATE
99089 ACIPHEX	99137 HERBS	99199 FENRETINIDE
99090 ACTOS	99139 MAGIC MOUTHWASH	99201 ORTHO-CYCLEN
99092 ARTHRO-7	99140 MORNING-AFTER PILL	99202 PRENATAL VITAMINS W/ CALCIUM
99095 HERCEPTIN	99142 PRENATAL VITAMINS W/ IRON	99203 RITUXIMAB
99098 NITROQUICK	99144 RACEMIC EPINEPHRINE	99207 BRIMONIDINE
99099 PLETAL	99146 VITAPLEX	99209 CALENDULA CREAM
99101 QUETIAPINE FUMARATE	99147 ACCUZYME	99210 CARTIA
99102 THERATEARS	99148 ARMIDEX	99211 CITRACAL + D
99103 TUBEX	99150 B-50	99213 DIASTAT
99104 TUSSI-12	99152 EVENING PRIMROSE OIL	99214 DIOVAN HCT
99105 ULTRA MEGA ONE	99153 FLEXTRA-DS	99215 ENTEX LA
99106 XOPENEX	99155 L-CARNITINE	99216 FEXOFENADINE
99107 ZADITOR	99156 LIPID LOWERING AGENT	99219 GINKGO BILOBA
99109 BUFFERED LIDOCAINE	99157 LOPIDINE	99222 IV SEDATION
99110 CARBOFED DM ORAL DROPS	99163 ANAPLEX DM	99223 LEVORA
99111 CONTRIN	99167 COQ-10	99224 OMEGA-3
99112 D-5-W	99168 CREATINE	99225 RALOXIFENE
99113 DOAN'S PILLS	99169 DEPO-MEDROXYPRO- GESTERONE	99226 SCANDISHAKE
99114 ENDOCET	99172 NOVOLIN 70/30	99227 UNIRETIC
99115 INTERLEUKIN 11	99178 PORCELANA	99980 OTHER
99117 LIDOCAINE BICARBONATE	99179 PREVEN	99999 ILLEGIBLE
99118 NECON	99183 THERAVITE	
99119 NITROPASTE	99184 TRIVORA	
99121 TRI-CHLOR	99185 UNIRECTIC	
99123 MORPHINE SULFATE	99189 CALCIUM W/ VITAMIN D	
99124 NASAL DROPS	99190 CORTIC	
99125 NITRODRIP	99191 MULTIDEX	
99126 KARO	99193 SAM-E	
99127 LIDOCAINE/EPINEPHRINE/ TETRACAINE	99194 ABACAVIR SULFATE	
99128 LIPASE		

C. LIST OF NATIONAL DRUG CODE DIRECTORY DRUG CLASSES**CODE DRUG CLASS****0100 ANESTHETICS/ADJUNCTS**

0117 ANESTHETICS, LOCAL
 0118 .. ANESTHETICS, GENERAL
 0119 ADJUNCTS TO ANESTHESIA/ANAESTHETICS
 0120 MEDICINAL GASES
 0121 ANESTHETICS, TOPICAL
 0122 ANESTHETICS, OPHTHALMIC
 0123 ANESTHETICS, RECTAL

0200 ANTIDOTES

0281 ANTIDOTES, SPECIFIC
 0283 ANTIDOTES, GENERAL
 0285 ANTITOXINS/ANTIVENINS
 0286 ANAPHYLAXIS TREATMENT KIT

0300 ANTIMICROBIALS

0346 PENICILLINS
 0347 CEPHALOSPORINS
 0348 LINCOSAMIDES/MACROLIDES
 0349 POLYMYXINS
 0350 TETRACYCLINES
 0351 CHLORAMPHENICOL/DERIVATIVES
 0352 AMINOGLYCOSIDES
 0353 SULFONAMIDES/RELATED
 COMPOUNDS
 0354 ANTISEPTICS, URINARY TRACT
 0355 ANTIBACTERIALS, MISCELLANEOUS
 0356 ANTIMYCOBACTERIALS (INCL ANTI
 LEPROSY)
 0357 QUINOLONES/DERIVATIVES
 0358 ANTIFUNGALS
 0388 ANTIVIRALS

0400 HEMATOLOGICS

0408 DEFICIENCY ANEMIAS
 0409 ANTICOAGULANTS/THROMBOLYTICS
 0410 BLOOD COMPONENTS/SUBSTITUTES
 0411 HEMOSTATICS

0500 CARDIOVASCULAR-RENAL

0501 CARDIAC GLYCOSIDES
 0502 ANTIARRHYTHMICS
 0503 ANTIANGINALS
 0504 VASCULAR DISORDERS,
 CEREBRAL/ PERIPHERAL
 0505 HYPOTENSION/ SHOCK
 0506 ANTIHYPERTENSIVES
 0507 DIURETICS
 0508 CORONARY VASODILATORS
 0509 RELAXANTS /STIMULANTS, URINARY
 TRACT
 0510 CALCIUM CHANNEL BLOCKERS
 0511 CARBONIC ANHYDRASE INHIBITORS
 0512 BETA BLOCKERS
 0513 ALPHA AGONISTS/ ALPHA BLOCKERS
 0514 ACE INHIBITORS

CODE DRUG CLASS**0600 CENTRAL NERVOUS SYSTEM**

0626 SEDATIVES/HYPNOTICS
 0627 ANTIANXIETY
 0628 ANTIPSYCHOTICS/ANTIMANICS
 0630 ANTIDEPRESSANTS
 0631 ANOREXIANTS/CNS STIMULANTS
 0632 CNS, MISCELLANEOUS
 0633 ALZHEIMER-TYPE DEMENTIA
 0634 SLEEP AID PRODUCTS (OTC)
 0635 ANTIEMETICS

0700 CONTRAST MEDIA/ RADIOPHARMACEUTICALS

0789 DIAGNOSTICS, RADIOPAQUE &
 NONRADIOACTIVE
 0790 DIAGNOSTICS -RADIOPHARMACEUTICALS
 0791 THERAPEUTICS - RADIOPHARMACEUTICALS
 0792 DIAGNOSTICS, MISCELLANEOUS

0800 GASTROINTESTINALS

0874 DISORDERS, ACID/PEPTIC
 0875 ANTIDIARRHEALS
 0876 LAXATIVES
 0877 GASTROINTESTINAL,
 MISCELLANEOUS
 0878 ANTISPASMODICS/
 ANTICHOLINERGICS
 0879 ANTACIDS

0900 METABOLICS /NUTRIENTS

0912 HYPERLIPIDEMIA
 0913 VITAMINS/MINERALS
 0914 NUTRITION, ENTERAL/PARENTERAL
 0915 REPL/REGS OF ELECTROLYTES/
 WATER BALANCE
 0916 CALCIUM METABOLISM
 0917 HEMATOPOIETIC GROWTH FACTORS

1000 HORMONES /H ORMONAL MECHANISMS

1032 ADRENAL CORTICOSTEROIDS
 1033 ANDROGENS/ ANABOLIC STEROIDS
 1034 ESTROGENS/PROGESTINS
 1035 ANTERIOR PITUITARY/HYPOTHALMIC
 FUNCTION
 1036 BLOOD GLUCOSE REGULATORS
 1037 THYROID/ ANTITHYROID
 1038 ANTIDIURETICS
 1039 RELAXANTS/ STIMULANTS, UTERINE
 1040 CONTRACEPTIVES
 1041 INFERTILITY
 1042 DRUGS USED IN DISORDERS OF
 GROWTH HORMONE SECRETION

CODE DRUG CLASS**1100 IMMUNOLOGICS**

1180 VACCINES/ANTISERA
 1181 IMMUNOMODULATORS
 1182 ALLERGENIC EXTRACTS
 1183 IMMUNE SERUMS

1200 SKIN/MUCOUS MEMBRANES

1264 ANTISEPTICS/DISINFECTANTS
 1265 DERMATOLOGICS
 1266 KERATOLYTICS
 1267 ANTIPERSPIRANTS
 1268 TOPICAL STEROIDS
 1269 BURN/SUNBURN,
 SUNSCREEN/SUNTAN
 PRODUCTS
 1270 ACNE PRODUCTS
 1271 TOPICAL ANTI-INFECTIVES
 1272 ANORECTAL PRODUCTS
 1273 PERSONAL CARE PRODUCTS (VAGINAL)
 1274 DERMATITIS/ ANTIPRURITICS
 1275 TOPICAL ANALGESICS

1300 NEUROLOGICS

1371 EXTRAPYRAMIDAL MOVEMENT
 DISORDERS
 1372 MYASTHENIA GRAVIS
 1373 SKELETAL MUSCLE HYPERACTIVITY
 1374 ANTICONVULSANTS

1400 ONCOLYTICS

1479 ANTINEOPLASTICS
 1480 HORMONAL/BIOLOGICAL
 RESPONSE MODIFIERS
 1481 ANTIMETABOLITES
 1482 ANTIBIOTICS, ALKALOIDS, AND ENZYMES
 1483 DNA DAMAGING DRUGS

1500 OPHTHALMICS

1566 GLAUCOMA
 1567 CYCLOPLEGICS/MYDRIATICS
 1568 OCULAR ANTI-INFECTIVE/
 ANTI-INFLAMMATORY
 1569 OPHTHALMICS, MISCELLANEOUS
 1570 OPHTHALMICS-DECONGESTANTS/
 ANTIALLERGYAGENT
 1571 CONTACT LENS PRODUCTS

CODE DRUG CLASS**1600 OTICS**

1670 OTICS, TOPICAL
 1671 VERTIGO/MOTION
 SICKNESS/VOMITING

1700 RELIEF OF PAIN

1720 ANALGESICS, GENERAL
 1721 ANALGESICS-NARCOTIC
 1722 ANALGESICS-NON-NARCOTIC
 1723 ANTIMIGRAINE/OTHER HEADACHES
 1724 ANTIARTHRITICS
 1725 ANTIGOUT
 1726 CENTRAL PAIN SYNDROMES
 1727 NSAID
 1728 ANTIPYRETICS
 1729 MENSTRUAL PRODUCTS

1800 ANTIPARASITICS

1860 ANTIPROTOZOALS
 1862 ANTHELMINTICS
 1863 SCABICIDES/ PEDICULICIDES
 1864 ANTIMALARIALS

1900 RESPIRATORY TRACT

1940 ANTI-ASTHMATICS/
 BRONCHODILATORS
 1941 NASAL DECONGESTANTS
 1943 ANTITUSSIVES/
 EXPECTORANTS/ MUCOLYTICS
 1944 ANTIHISTAMINES
 1945 COLD REMEDIES
 1946 LOZENGE PRODUCTS
 1947 CORTICOSTEROIDS-
 INHALATION/NASAL

2000 UNCLASSIFIED/MISCELLANEOUS

2087 UNCLASSIFIED
 2095 PHARMACEUTICAL AIDS
 2096 SURGICAL AIDS
 2097 DENTAL PREPARATIONS
 2098 DENTRIFICE/DENTURE PRODUCTS
 2099 MOUTH PAIN, COLD SORE, CANKER
 SORE PRODUCTS

2100 HOMEOPATHIC PRODUCTS