
2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Identification Fields****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: IDN.000_00.000

Instrument Variable Name:

Final Documentation Name: RECTYPE

Record Type

Universe:

Description:

Sources: None

Recodes: None

Keywords: None

Notes: None

File type identifier

10	Household
20	Person
25	Income Imputation
30	Sample Adult
31	Sample Adult Cancer
38	Functioning and Disability
39	Adult Disability Questions Test
40	Sample Child
49	Child Disability Questions Test
60	Family
63	Family Disability Questions Test
65	Paradata
70	Injury/Poisoning Episode
75	Injury/Poisoning Verbatim

Question ID: IDN.000_02.000

Instrument Variable Name:

Final Documentation Name: SRVY_YR

Survey Year

Universe:

Description:

Sources: None

Recodes: None

Keywords: None

Notes: None

Year of National Health Interview Survey

Year	Survey Year
------	-------------

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Identification Fields

PUBLIC USE

Document Version Date: 30-May-12

Question ID: IDN.000_04.000

Instrument Variable Name:

Final Documentation Name: HHX

Household Number

Universe:

Description: All households

Sources: None

Recodes: None

Keywords: household number

Notes: Use this variable in combination with SRVY_YR to identify individual households.

Household Number

Question ID: IDN.000_25.000

Instrument Variable Name:

Final Documentation Name: INTV_QRT

Interview Quarter

Universe:

Description: All households

Sources: None

Recodes: None

Keywords: None

Notes: None

Interview Quarter

- 1 Quarter 1
 - 2 Quarter 2
 - 3 Quarter 3
 - 4 Quarter 4
-
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Identification Fields****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: IDN.000_30.000

Instrument Variable Name:

Final Documentation Name: INTV_MON

Interview Month

Universe:

Description: All households

Sources: None

Recodes: None

Keywords: interview month

Notes: None

Interview Month

01	January
02	February
03	March
04	April
05	May
06	June
07	July
08	August
09	September
10	October
11	November
12	December

Question ID: IDN.000_35.000

Instrument Variable Name:

Final Documentation Name: FMX

Family Number

Universe:

Description: All families

Sources: None

Recodes: None

Keywords: family number

Notes: Use this variable in combination with HHX and SRVY_YR to identify individual families.

Family Number

01-25 Family number 1 - 25

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Identification Fields

PUBLIC USE

Document Version Date: 30-May-12

Question ID: IDN.000_40.000

Instrument Variable Name: FPX

Final Documentation Name: FPX

Person Number

Universe:

Description: All persons

Sources: None

Recodes: None

Keywords: person number

Notes: Use this variable in combination with HHX, FMX, and SRVY_YR to identify individual persons.

Person Number (Within family)

01-25 Person number 1 thru 25

Question ID: IDN.000_70.000

Instrument Variable Name:

Final Documentation Name: WTFA_AFD

Universe: RECTYPE = 38

Description: All respondents to the Functioning and Disability Section AFD

Sources: None

Recodes: None

Keywords: final weight; annual; Functioning and Disability weight

Notes: This weight is designed to produce annual-level estimates for the Functioning and Disability file.

Weight - Final Annual Functioning and Disability file

Question ID: UCF.000_00.000

R15 RECODE

Instrument Variable Name:

Final Documentation Name: STRAT_P

Universe: ALL

Description: All records

Sources: None

Recodes: None

Keywords: None

Notes: Pseudo-stratum variable for public-use file variance estimation. Created by NCHS/ORM.

Pseudo-stratum for public-use file variance estimation

001-300 001-300

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Unit Control File

PUBLIC USE

Document Version Date: 30-May-12

Question ID: UCF.000_00.000

R16 RECODE

Instrument Variable Name:

Final Documentation Name: PSU_P

Universe: ALL

Description: All records

Sources: None

Recodes: None

Keywords: None

Notes: Pseudo-PSU variable for public-use file variance estimation. Created by NCHS/ORM.

Pseudo-PSU for public-use file variance estimation

01-02

01-02

Question ID: AFD.100_00.000

Instrument Variable Name: VIS_SS

Final Documentation Name: VIS_SS

These next questions are new and we are testing them. Some may sound similar to questions you already answered.**Do you have difficulty seeing, even when wearing glasses? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?**

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty seeing; vision problems; corrective glasses

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty seeing

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.150_00.000

Instrument Variable Name: HEAR_SS

Final Documentation Name: HEAR_SS

Do you have difficulty hearing, even when using a hearing aid? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty hearing; hearing problems; hearing aid

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty hearing

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.160_00.000

Instrument Variable Name: HEAR_1

Final Documentation Name: HEAR_1

Do you use a hearing aid?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and HEAR_SS IN ('1','2','3','7','9')

Description: Sample adults 18+ who had no difficulty, some difficulty, or a lot of difficulty hearing even when using a hearing aid, or refused to answer or didn't know if they had difficulty hearing, even when using a hearing aid

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty hearing; hearing problems; hearing aid

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Do you use a hearing aid?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.160_00.001

Instrument Variable Name: HEAR_2

Final Documentation Name: HEAR_2

How often do you use your hearing aid(s)? Would you say all of the time, some of the time, rarely, or never?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and HEAR_1='1'

Description: Sample adults 18+ who use a hearing aid

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty hearing; hearing problems; hearing aid

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How often do you use a hearing aid?

- 1 All of the time
 - 2 Some of the time
 - 3 Rarely
 - 4 Never
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.170_00.000

Instrument Variable Name: HEAR_3

Final Documentation Name: HEAR_3

Do you have difficulty hearing what is said in a conversation with one other person in a quiet room {fill: even when wearing your hearing aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and HEAR_SS IN ('1','2','3','7','9')

Description: Sample adults 18+ who had no difficulty, some difficulty, or a lot of difficulty hearing even when using a hearing aid, or refused to answer or didn't know if they had difficulty hearing even when using a hearing aid

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty hearing; hearing problems; hearing conversation

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty hearing conversation with one person in quiet room

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.170_00.001

Instrument Variable Name: HEAR_4

Final Documentation Name: HEAR_4

Do you have difficulty hearing what is said in a conversation with one other person in a noisier room {fill: even when wearing your hearing aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and HEAR_3 IN ('1','2','3','7','9')

Description: Sample adults 18+ who had no difficulty, some difficulty, or a lot of difficulty hearing what was said in a conversation with one other person in a quiet room (even when wearing their hearing aid(s)), or refused to answer or didn't know if they had difficulty hearing what was said in a conversation with one other person in a quiet room (even when wearing their hearing aid(s))

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty hearing; hearing problems; listening to conversation

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty hearing conversation with one person in noisier room even when wearing hearing aid

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.180_00.000

Instrument Variable Name: MOB_SS

Final Documentation Name: MOB_SS

Do you have any difficulty walking or climbing steps? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty walking or climbing steps

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking or climbing steps

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.200_00.000

Instrument Variable Name: MOB_2

Final Documentation Name: MOB_2

Do you use any equipment or receive help with walking, climbing steps, or moving around?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty walking or climbing steps; equipment; mobility aids

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use equipment to help walk, climb stairs, or move around?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

Question ID: AFD.200_00.001

Instrument Variable Name: MOB_3A

Final Documentation Name: MOB_3A

Do you use any of the following... Cane or walking stick?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; cane; walking stick

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use cane or walking stick?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.200_00.002

Instrument Variable Name: MOB_3B

Final Documentation Name: MOB_3B

Do you use any of the following... Walker?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; walker

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use a walker?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

Question ID: AFD.200_00.003

Instrument Variable Name: MOB_3C

Final Documentation Name: MOB_3C

Do you use any of the following... Crutches?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; crutches

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use crutches?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.200_00.004

Instrument Variable Name: MOB_3D

Final Documentation Name: MOB_3D2

Do you use any of the following... Wheelchair or scooter?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; wheelchair; scooter

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. MOB_3D2 is similar to MOB_3D in the 2010 Quality of Life (QOL) section except that MOB_3D asked about using wheelchairs only.

Use a wheelchair or scooter?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

Question ID: AFD.200_00.005

Instrument Variable Name: MOB_3E

Final Documentation Name: MOB_3E

Do you use any of the following... Prosthesis?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; prosthesis

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use prosthesis?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.200_00.006

Instrument Variable Name: MOB_3F

Final Documentation Name: MOB_3F

Do you use any of the following... Someone's assistance?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; assistance

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use someone's assistance?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

Question ID: AFD.200_00.007

Instrument Variable Name: MOB_3G

Final Documentation Name: MOB_3G

Do you use any of the following... Other type of equipment or help?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking or climbing stairs; other equipment or mobility aids

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use other type of equipment or help?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.210_00.000

Instrument Variable Name: MOB_4

Final Documentation Name: MOB_4

Do you have difficulty walking 100 yards on level ground, that would be about the length of one football field or one city block {fill: without the use of your aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (MOB_2 IN ('2','7','9') OR MOB_3D2 IN ('2','7','9'))

Description: Sample adults 18+ who did not use any equipment or receive help with walking, climbing steps, or moving around, or refused to answer or didn't know if they had used any equipment or received help with walking, climbing steps, or moving around OR who used equipment or received help but did not use a wheelchair or scooter

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking 100 yards on level ground without the use of aid or equipment

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.220_00.000

Instrument Variable Name: MOB_5

Final Documentation Name: MOB_5

Do you have difficulty walking a third of a mile on level ground, that would be the length of five football fields or five city blocks {fill: without the use of your aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_3D2 NE '1' AND MOB_4 IN ('1','2','3','7','9')

Description: Sample adults 18+ who did not use a wheelchair or scooter AND they had no difficulty, some difficulty, a lot of difficulty walking 100 yards on level ground (without the use of an aid), or refused to answer or didn't know if they had difficulty walking 100 yards on level ground (without the use of an aid)

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking a third of a mile on level ground without the use of aid or equipment

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.230_00.000

Instrument Variable Name: MOB_6

Final Documentation Name: MOB_6

Do you have difficulty walking up or down 12 steps {fill: without the use of your aid(s)}? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (MOB_2 IN ('2','7','9') OR MOB_3D2 IN ('2','7','9'))

Description: Sample adults 18+ who did not use any equipment or receive help with walking, climbing steps, or moving around, or refused to answer or didn't know if they used any equipment or received help with walking, climbing steps, or moving around OR who used equipment or received help but did not use a wheelchair or scooter

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking up or down 12 steps without the use of aid or equipment

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.240_00.000

Instrument Variable Name: MOB_7

Final Documentation Name: MOB_7

Do you have difficulty walking 100 yards on level ground, that would be about the length of one (1) football field or one city block, when using your aid(s)? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1' AND MOB_3D2 NE '1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around AND they did not use a wheelchair or scooter

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking; equipment; mobility aids

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking 100 yards on level ground when using aid or equipment

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.250_00.000

Instrument Variable Name: MOB_8

Final Documentation Name: MOB_8

Do you have difficulty walking a third of a mile on level ground, that would be the length of five football fields or five city blocks, when using your aid(s)? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1' AND MOB_3D2 NE '1' AND MOB_7 IN ('1','2','3','7','9')

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around AND they did not use a wheelchair or scooter AND they had no difficulty, some difficulty, or a lot of difficulty walking 100 yards on level ground when using their aid, or refused to answer or didn't know if they had difficulty walking 100 yards on level ground when using their aid

Sources: FRDN_FLG

Recodes: None

Keywords: difficulty walking; equipment, mobility aids

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking a third of a mile on level ground when using aid or equipment

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.260_00.000

Instrument Variable Name: MOB_9

Final Documentation Name: MOB_9

Do you have difficulty walking up or down 12 steps, even when using your aid(s)? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and MOB_2='1' AND MOB_3D2 NE '1'

Description: Sample adults 18+ who used equipment or received help with walking, climbing steps, or moving around AND they did not use a wheelchair or scooter

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty walking up or down steps; equipment; mobility aids

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty walking up or down 12 steps using aid

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.270_00.000

Instrument Variable Name: COM_SS

Final Documentation Name: COM_SS

Using your usual language, do you have difficulty communicating, for example, understanding or being understood? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: language or communication difficulty

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty communicating using usual language

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.290_00.000

Instrument Variable Name: COM_2

Final Documentation Name: COM_2

Do you use sign language?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: sign language

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Use sign language?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.300_00.000

Instrument Variable Name: COG_SS

Final Documentation Name: COG_SS

Do you have difficulty remembering or concentrating? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty remembering or concentrating

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty remembering or concentrating

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.310_00.000

Instrument Variable Name: COG_1

Final Documentation Name: COG_1

Do you have difficulty remembering, concentrating, or both?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and COG_SS IN ('2','3','4','7','9')

Description: Sample adults 18+ who had some difficulty, a lot of difficulty, were unable to remember or concentrate, or refused to answer or didn't know if they had difficulty remembering or concentrating

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty remembering or concentrating

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Difficulty remembering, concentrating, or both?

- 1 Difficulty remembering only
 - 2 Difficulty concentrating only
 - 3 Difficulty with both remembering and concentrating
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.320_00.000

Instrument Variable Name: COG_2

Final Documentation Name: COG_2

How often do you have difficulty remembering? Would you say sometimes, often or all of the time?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and COG_SS IN ('2','3','4','7','9') AND COG_1 IN ('1','3','7','9')

Description: Sample adults 18+ who had some difficulty, a lot of difficulty, or were unable to remember or concentrate, or refused to answer or didn't know if they had difficulty remembering or concentrating AND they had difficulty remembering only, difficulty both remembering and concentrating, or refused to answer or didn't know if they had difficulty remembering, concentrating, or both

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty remembering

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How often have difficulty remembering?

- | | |
|---|-----------------|
| 1 | Sometimes |
| 2 | Often |
| 3 | All of the time |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.330_00.000

Instrument Variable Name: COG_3

Final Documentation Name: COG_3

Do you have difficulty remembering a few things, a lot of things, or almost everything?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and COG_SS IN ('2','3','4','7','9') AND COG_1 IN ('1','3','7','9')

Description: Sample adults 18+ who had some difficulty, a lot of difficulty, or were unable to remember or concentrate, or refused to answer or didn't know if they had difficulty remembering or concentrating, AND they had difficulty remembering only, difficulty both remembering and concentrating, or refused to answer or didn't know if they had difficulty remembering, concentrating, or both

Sources: FDRN_FLG

Recodes: None

Keywords: difficulty; remembering

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Amount of things you have difficulty remembering?

- | | |
|---|-------------------|
| 1 | A few things |
| 2 | A lot of things |
| 3 | Almost everything |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.360_00.000

Instrument Variable Name: UB_SS

Final Documentation Name: UB_SS

Do you have difficulty with self-care, such as washing all over or dressing? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty with self-care; washing or bathing; dressing

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty with self-care

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.370_00.000

Instrument Variable Name: UB_1

Final Documentation Name: UB_1

Do you have difficulty raising a 2 liter bottle of water or soda from waist to eye level? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty lifting; difficulty raising arms

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty raising 2 liter bottle of water or soda from waist to eye level

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.380_00.000

Instrument Variable Name: UB_2

Final Documentation Name: UB_2

Do you have difficulty using your hands and fingers, such as picking up small objects, for example, a button or pencil, or opening or closing containers or bottles? Would you say no difficulty, some difficulty, a lot of difficulty, or are you unable to do this?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: difficulty using hands and fingers, grasping; opening bottles

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Degree of difficulty using hands and fingers

- | | |
|---|-------------------------------|
| 1 | No difficulty |
| 2 | Some difficulty |
| 3 | A lot of difficulty |
| 4 | Cannot do at all/unable to do |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.410_00.000

Instrument Variable Name: ANX_1

Final Documentation Name: ANX_1

How often do you feel worried, nervous or anxious? Would you say daily, weekly, monthly, a few times a year, or never?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How often feel worried, nervous, or anxious?

- 1 Daily
 - 2 Weekly
 - 3 Monthly
 - 4 A few times a year
 - 5 Never
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.420_00.000

Instrument Variable Name: ANX_2

Final Documentation Name: ANX_2

Do you take medication for these feelings?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: medication; worried; nervous; anxious

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Take medication for worried, nervous, or anxious feelings?

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.430_00.000

Instrument Variable Name: ANX_3

Final Documentation Name: ANX_3

**Thinking about the last time you felt worried, nervous or anxious, how would you describe the level of these feelings?
Would you say a little, a lot, or somewhere in between?**

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (ANX_1 IN ('1','2','3','7','9') OR ANX_2 IN ('1','7','9'))

Description: Sample adults 18+ who felt worried, nervous, or anxious daily, weekly, or monthly or refused to answer or didn't know how often they had such feelings OR who took medication for these feelings, or refused to answer or didn't know if they took medication for these feelings

Sources: FDRN_FLG

Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Level of feelings when you last felt worried, nervous, or anxious?

- | | |
|---|---|
| 1 | A little |
| 2 | A lot |
| 3 | Somewhere in between a little and a lot |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.440_00.000

Instrument Variable Name: ANX_4

Final Documentation Name: ANX_4

Would you say this was closer to a little, closer to a lot, or exactly in the middle?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (ANX_1 IN ('1','2','3','7','9') OR ANX_2 IN ('1','7','9')) AND ANX_3='3'

Description: Sample adults 18+ who felt worried, nervous, or anxious daily, weekly, or monthly, or refused to answer or didn't know how often they had such feelings OR who took medication for these feelings, or refused to answer or didn't know if they took medication for these feelings AND the last time these sample adults felt worried, nervous, or anxious they described the level of these feelings as somewhere in between a little and a lot

Sources: FDRN_FLG

Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Last worried, nervous, or anxious feelings were closer to a little, closer to a lot, or exactly in the middle?

- | | |
|---|-----------------------|
| 1 | Closer to a little |
| 2 | Closer to a lot |
| 3 | Exactly in the middle |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.445_03.000

Instrument Variable Name: P_ANX_4C

Final Documentation Name: P_ANX_4C

Which of the following statements, if any, describe your feelings of being worried, nervous, or anxious? Please say yes or no to each.

...These are positive feelings that help me to accomplish goals and be productive.

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (ANX_1 IN ('1','2','3','7','9') OR ANX_2 IN ('1','7','9'))

Description: Sample adults 18+ who felt worried, nervous, or anxious daily, weekly, or monthly, or refused to answer or didn't know how often they had such feelings OR who took medication for these feelings, or refused to answer or didn't know if they took medication for these feelings

Sources: FDRN_FLG

Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Worried, nervous, or anxious feelings help me to accomplish goals and be productive

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.445_04.000

Instrument Variable Name: P_ANX_4D

Final Documentation Name: P_ANX_4D

Which of the following statements, if any, describe your feelings of being worried, nervous, or anxious? Please say yes or no to each.

...The feelings sometimes interfere with my life, and I wish that I did not have them.

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (ANX_1 IN ('1','2','3','7','9') OR ANX_2 IN ('1','7','9'))

Description: Sample adults 18+ who felt worried, nervous, or anxious daily, weekly, or monthly, or refused to answer or didn't know how often they had such feelings OR who took medication for these feelings or refused to answer or didn't know if they took medication for these feelings

Sources: FDRN_FLG

Recodes: None

Keywords: worried; nervous; anxious

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Worried, nervous, or anxious feelings sometimes interfere with my life and I wish I did not have them

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.450_00.000

Instrument Variable Name: DEP_1

Final Documentation Name: DEP_1

How often do you feel depressed? Would you say daily, weekly, monthly, a few times a year, or never?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: depression

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How often do you feel depressed?

- | | |
|---|--------------------|
| 1 | Daily |
| 2 | Weekly |
| 3 | Monthly |
| 4 | A few times a year |
| 5 | Never |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.460_00.000

Instrument Variable Name: DEP_2

Final Documentation Name: DEP_2

Do you take medication for depression?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: depression; medication

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Take medication for depression?

- 1 Yes
 - 2 No
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.470_00.000

Instrument Variable Name: DEP_3

Final Documentation Name: DEP_3

Thinking about the last time you felt depressed, how depressed did you feel? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (DEP_1 IN ('1','2','3','7','9') OR (DEP_1 IN ('4','5') and DEP_2 IN ('1','7','9')))

Description: Sample adults 18+ who felt depressed daily, weekly, monthly, or refused to answer or didn't know how often they felt depressed OR who felt depressed a few times a year or never and took medication for depression, or refused to answer or didn't know if they took medication for depression

Sources: FRDN_FLG

Recodes: None

Keywords: depression

Notes: FRDN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How depressed you felt last time you were depressed?

- 1 A little
 - 2 A lot
 - 3 Somewhere in between a little and a lot
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.480_00.000

Instrument Variable Name: DEP_4

Final Documentation Name: DEP_4

Would you say this was closer to a little, closer to a lot, or exactly in the middle?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (DEP_1 IN ('1','2','3','7','9') OR (DEP_1 IN ('4','5') and DEP_2 IN ('1','7','9'))) AND DEP_3='3'

Description: Sample adults 18+ who felt depressed daily, weekly, monthly, or refused to answer or didn't know how often they felt depressed OR who felt depressed a few times a year or never and took medication or refused to answer or didn't know if they took medication for depression AND the last time these sample adults felt depressed they described the level of this feeling as somewhere in between a little and a lot

Sources: FDRN_FLG

Recodes: None

Keywords: depression

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Was the level of most recent depression closer to a little, closer to a lot, or exactly in the middle?

- 1 Closer to a little
 - 2 Closer to a lot
 - 3 Exactly in the middle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.485_03.000

Instrument Variable Name: P_DEP_4C

Final Documentation Name: P_DEP_4C

Which of the following statements, if any, describe your feelings of being depressed? Please say yes or no.**...The feelings sometimes interfere with my life, and I wish I did not have them.**

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and (DEP_1 IN ('1','2','3','7','9') OR (DEP_1 IN ('4','5') and DEP_2 IN ('1','7','9')))

Description: Sample adults 18+ who felt depressed daily, weekly, monthly, or refused to answer or didn't know how often they felt depressed OR who felt depressed a few times a year or never and took medication for depression or refused to answer or didn't know if they took medication for depression

Sources: FDRN_FLG

Recodes: None

Keywords: depression

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTF_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Feelings of depression sometimes interfere with my life and I wish I did not have them

- | | |
|---|-----------------|
| 1 | Yes |
| 2 | No |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.500_00.000

Instrument Variable Name: PAIN_2

Final Documentation Name: PAIN_2

In the past 3 months, how often did you have pain? Would you say never, some days, most days, or every day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: pain

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Frequency of pain in past 3 months

- | | |
|---|-----------------|
| 1 | Never |
| 2 | Some days |
| 3 | Most days |
| 4 | Every day |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.510_00.000

Instrument Variable Name: PAIN_3

Final Documentation Name: PAIN_3

Thinking about the last time you had pain, how long did the pain last? Would you say some of the day, most of the day, or all of the day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and PAIN_2 IN ('2','3','4','7','9')

Description: Sample adults 18+ who had pain some days, most days or every day, or refused to answer or didn't know how often they had pain in the past 3 months

Sources: FDRN_FLG

Recodes: None

Keywords: pain

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How long pain lasted last time you had it?

- 1 Some of the day
 - 2 Most of the day
 - 3 All of the day
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.520_00.000

Instrument Variable Name: PAIN_4

Final Documentation Name: PAIN_4

Thinking about the last time you had pain, how much pain did you have? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and PAIN_2 IN ('2','3','4','7','9')

Description: Sample adults 18+ who had pain some days, most days, or every day, or refused to answer or didn't know how often they had pain in the past 3 months

Sources: None

Recodes: None

Keywords: pain

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How much pain you had last time you had pain?

- 1 A little
 - 2 A lot
 - 3 Somewhere in between a little and a lot
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.530_00.000

Instrument Variable Name: PAIN_5

Final Documentation Name: PAIN_5

Would you say the amount of pain was closer to a little, closer to a lot, or exactly in the middle?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and PAIN_4='3'

Description: Sample adults 18+ who said their most recent pain was somewhere between a little and a lot

Sources: FDRN_FLG

Recodes: None

Keywords: pain

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Was level of most recent pain closer to a little, closer to a lot, or exactly in the middle?

- 1 Closer to a little
 - 2 Closer to a lot
 - 3 Exactly in the middle
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.540_00.000

Instrument Variable Name: TIREDD_1

Final Documentation Name: TIREDD_1

In the past 3 months, how often did you feel very tired or exhausted? Would you say never, some days, most days, or every day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: tired; exhaustion; fatigue

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How often felt very tired or exhausted in past 3 months

- | | |
|---|-----------------|
| 1 | Never |
| 2 | Some days |
| 3 | Most days |
| 4 | Every day |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.550_00.000

Instrument Variable Name: TIREDD_2

Final Documentation Name: TIREDD_2

Thinking about the last time you felt very tired or exhausted, how long did it last? Would you say some of the day, most of the day, or all of the day?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and TIREDD_1 IN ('2','3','4','7','9')

Description: Sample adults 18+ who felt very tired or exhausted some days, most days, every day, or refused to answer or didn't know how often they felt very tired or exhausted in the past 3 months

Sources: FDRN_FLG

Recodes: None

Keywords: tired; exhaustion; fatigue

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How long most recent tired or exhausted feelings lasted?

- 1 Some of the day
 - 2 Most of the day
 - 3 All of the day
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.560_00.000

Instrument Variable Name: TIREDD_3

Final Documentation Name: TIREDD_3

Thinking about the last time you felt this way, how would you describe the level of tiredness? Would you say a little, a lot, or somewhere in between?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and TIREDD_1 IN ('2','3','4','7','9')

Description: Sample adults 18+ who felt very tired or exhausted some days, most days, every day, or refused to answer or didn't know how often they felt very tired or exhausted in the past 3 months

Sources: FDRN_FLG

Recodes: None

Keywords: tired; exhaustion; fatigue

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Level of tiredness last time felt very tired or exhausted

- | | |
|---|---|
| 1 | A little |
| 2 | A lot |
| 3 | Somewhere in between a little and a lot |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY**Functioning and Disability****funcdisb : Adult Functioning and Disability****PUBLIC USE****Document Version Date: 30-May-12**

Question ID: AFD.570_00.000

Instrument Variable Name: TIREDD_4

Final Documentation Name: TIREDD_4

Would you say it was closer to a little, closer to a lot, or exactly in the middle?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and TIREDD_1 IN ('2','3','4','7','9') and TIREDD_3='3'

Description: Sample adults 18+ who felt very tired or exhausted some days, most days, every day, or refused to answer or didn't know how often they felt very tired or exhausted in the past 3 months and the last time they felt such feelings the level of tiredness was somewhere between a little and a lot

Sources: FDRN_FLG

Recodes: None

Keywords: tired: exhaustion; fatigue

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Level of tiredness closer to a little, closer to a lot, or exactly in the middle

- | | |
|---|-----------------------|
| 1 | Closer to a little |
| 2 | Closer to a lot |
| 3 | Exactly in the middle |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.580_00.000

Instrument Variable Name: QOL_1

Final Documentation Name: QOL_1

Are you limited in your ability to carry out daily activities? Would you say not at all, a little, a lot, or completely limited?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: limited in daily activities

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

How limited are you in carrying out daily activities?

- 1 Not at all
 - 2 A little
 - 3 A lot
 - 4 Completely
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.002

Instrument Variable Name: QOL_2B

Final Documentation Name: QOL_2B

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Working outside the home to earn an income?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: working; employment

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Working outside the home to earn an income?

- 1 Do the activity
 - 2 Don't do the activity
 - 3 Unable to do the activity
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.003

Instrument Variable Name: QOL_2C

Final Documentation Name: QOL_2C

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Going to school or achieving your education goals?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: school; education

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Going to school or achieving your education goals?

- | | |
|---|---------------------------|
| 1 | Do the activity |
| 2 | Don't do the activity |
| 3 | Unable to do the activity |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.004

Instrument Variable Name: QOL_2D

Final Documentation Name: QOL_2D

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Participating in leisure or social activities?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: leisure activities; social activities

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Participating in leisure or social activities?

- | | |
|---|---------------------------|
| 1 | Do the activity |
| 2 | Don't do the activity |
| 3 | Unable to do the activity |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.005

Instrument Variable Name: QOL_2E

Final Documentation Name: QOL_2E

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Getting out with friends or family?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: going out with friends or family; socializing

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Getting out with friends or family?

- | | |
|---|---------------------------|
| 1 | Do the activity |
| 2 | Don't do the activity |
| 3 | Unable to do the activity |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.006

Instrument Variable Name: QOL_2F

Final Documentation Name: QOL_2F

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Doing household chores such as cooking and cleaning?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: household chores; cooking; cleaning

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Doing household chores such as cooking and cleaning?

- 1 Do the activity
 - 2 Don't do the activity
 - 3 Unable to do the activity
 - 7 Refused
 - 8 Not ascertained
 - 9 Don't know
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.007

Instrument Variable Name: QOL_2G

Final Documentation Name: QOL_2G

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Using transportation to get to places you want to go?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: transportation

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Using transportation to get to places you want to go?

- | | |
|---|---------------------------|
| 1 | Do the activity |
| 2 | Don't do the activity |
| 3 | Unable to do the activity |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.008

Instrument Variable Name: QOL_2H

Final Documentation Name: QOL_2H

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Participating in religious activities?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: religious activities; church

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Participating in religious activities?

- | | |
|---|---------------------------|
| 1 | Do the activity |
| 2 | Don't do the activity |
| 3 | Unable to do the activity |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.590_00.009

Instrument Variable Name: QOL_2I

Final Documentation Name: QOL_2I

For each of the following activities, please tell me if you do the activity, don't do the activity, or are unable to do the activity.

Participating in community gatherings?

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG='2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: community gatherings; socializing

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Participating in community gatherings?

- | | |
|---|---------------------------|
| 1 | Do the activity |
| 2 | Don't do the activity |
| 3 | Unable to do the activity |
| 7 | Refused |
| 8 | Not ascertained |
| 9 | Don't know |
-

2011 NATIONAL HEALTH INTERVIEW SURVEY

Functioning and Disability

funcdisb : Adult Functioning and Disability

PUBLIC USE

Document Version Date: 30-May-12

Question ID: AFD.000_00.000

R01 RECODE

Instrument Variable Name:

Final Documentation Name: RCS_AFD

Generated variable

Universe: ASTATFLG='1' and (AGE GE '018' and AGE not IN ('997','999')) and FDRN_FLG = '2'

Description: Sample adults 18+ who were selected to receive the family disability questions (FDB)

Sources: None

Recodes: None

Keywords: None

Notes: FDRN_FLG is located on the Person file, and indicates respondents who were randomly selected to receive the 2011 Family Disability (FDB) test questions. A sub-set of sample adult respondents also were asked the Adult Functioning and Disability (AFD) questions, which comprise the Adult Functioning and Disability file. This file has its own case weight (WTFA_AFD); please see the documentation accompanying the Adult Functioning and Disability file for more information on how to use the 2011 AFD variables. Users should be aware that many of the variables in the 2011 AFD file were also included in the 2010 Quality of Life (QOL) file.

Record completion status

- 1 Not ascertained answers only
 - 2 Refused and don't know answers only
 - 3 Refused, DK, and not ascertained answers only
 - 4 At least one valid answer
-