

National Immunization Survey

**A Codebook for the
2008 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization
and Respiratory Diseases**

and

National Center for Health Statistics

Presented by:

National Opinion Research Center (NORC)

August 2009

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics -- mean, median, minimum, maximum, and standard deviation -- for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

Table of Contents

Section Index of Variables	1
Section 1: ID, Weight, and Flag Variables	15
Section 2: Household Vaccination Variables	18
Section 3: Demographic and Socioeconomic Variables	27
Section 4: Geographic Variables	38
Section 5: Number of Providers Identified and Consent Variables	42
Section 6: Number of Responding Provider Variables.....	43
Section 7: Characteristics of Provider Variables.....	44
Section 8: Provider-Reported Up-to-Date Vaccination Variables	46
Section 9: Provider-Reported Age-at-Vaccination Variables	77
Section 10: Health Insurance Module	199
Alphabetical Index of Variables.....	203

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT	13	31	1	WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN
RDDWT	32	50	1	HH-PHASE CHILD INTERVIEW WEIGHT
YEAR	51	54	1	YEAR OF INTERVIEW
AGECPOXR	55	55	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
SC_431	56	57	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	58	59	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	60	61	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	62	63	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	64	65	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	66	67	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	68	69	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	70	71	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	72	73	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
HH_DTP	74	75	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_FLU	76	77	2	HH REPORT OF NUMBER OF FLU VACCINATIONS RECEIVED
HH_HEPB	78	79	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	80	81	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	82	83	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	84	85	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	86	87	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HAD_CPOX	88	89	2	CHILD EVER HAD CHICKEN POX DISEASE?
SHOTCARD	90	90	2	SHOT CARD USE FLAG
AGEGRP	91	91	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	92	99	3	DURATION OF BREAST FEEDING IN DAYS (TOPCODE)
BF_EXCLR06	100	107	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)
BF_FORMR08	108	115	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)
BFENDFL06	116	116	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	117	117	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	118	118	3	NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)
C5R	119	120	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	121	122	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	123	123	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
CHILDNM	124	124	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	125	126	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	127	128	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	129	129	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	130	130	3	FIRST BORN STATUS OF CHILD
I_HISP_K	131	131	3	HISPANIC ORIGIN OF CHILD
INCPORAR	132	147	3	INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)
INCPOV1	148	148	3	POVERTY STATUS
INCQ298A	149	150	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	151	151	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
INTRP	152	152	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
LANGUAGE	153	153	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP	154	154	3	AGE OF MOTHER CATEGORIES
MARITAL	155	155	3	MARITAL STATUS OF MOTHER CATEGORIES (RECODE)
MOBIL_I	156	156	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
RACE_K	157	157	3	RACE OF CHILD (RECODE)
RACEETHK	158	158	3	RACE/ETHNICITY OF CHILD (RECODE)
SEX	159	159	3	GENDER OF CHILD
ESTIAP08	160	162	4	ESTIMATION AREA OF RESIDENCE
STATE	163	164	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	165	165	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)
D7	166	166	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DISPCODE	167	168	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	169	169	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)
PROV_FAC	170	170	7	PROVIDER FACILITY TYPE
REGISTRY	171	171	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	172	172	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	173	173	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	174	174	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	175	175	8	NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	176	176	8	NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUHPHB	177	177	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	178	178	8	NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHB	179	179	8	NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	180	180	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHM	181	181	8	NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTA	182	182	8	NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTM	183	183	8	NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	184	184	8	NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	185	185	8	NUMBER OF FLU-CONTAINING VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	186	186	8	NUMBER OF FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	187	187	8	NUMBER OF FLU SPRAY VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	188	188	8	NUMBER OF INJECTED FLU VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	189	189	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	190	190	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	191	191	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	192	192	8	NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	193	193	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMIPV	194	194	8	NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	195	195	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMMMR	196	196	8	NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	197	197	8	NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	198	198	8	NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	199	199	8	NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	200	200	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	201	201	8	NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	202	202	8	NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	203	203	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	204	204	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	205	205	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	206	206	8	NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	207	207	8	NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCN	208	208	8	NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCP	209	209	8	NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	210	210	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPOL	211	211	8	NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	212	212	8	NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMROT	213	213	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPM	214	214	8	NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMTPN	215	215	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	216	216	8	NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	217	217	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	218	218	8	NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	219	219	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS
P_UTD331	220	220	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	221	221	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDFL1	222	222	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1
P_UTDFL2	223	223	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2
P_UTDFL3	224	224	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 3
P_UTDHEP	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS
P_UTDHIB	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
P_UTDMCV	227	227	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
P_UTDMMX	228	228	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
P_UTDPC3	229	229	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPCV	230	230	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPOL	231	231	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
P_UTDTP3	232	232	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS
P_UTDTP4	233	233	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS
PU431331	234	234	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313313	235	235	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313314	236	236	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PUT43133	237	237	8	UTD FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	238	238	8	UTD FLAG FOR PROVIDER 4:3:1:3
DDTP1	239	242	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	243	246	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	247	250	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	251	254	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	255	258	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DDTP6	259	262	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	263	265	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	266	268	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	269	269	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	270	273	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #1
DFLU2	274	277	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #2
DFLU3	278	281	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #3
DFLU4	282	285	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #4
DFLU5	286	289	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #5
DFLU6	290	292	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #6
DFLU7	293	293	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #7
DFLU8	294	294	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #8
DFLU9	295	295	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #9
DHEPA1	296	299	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	300	303	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	304	307	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	308	308	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	309	309	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	310	310	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	311	311	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	312	312	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	313	313	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	314	317	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	318	321	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	322	325	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	326	329	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	330	332	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	333	335	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	336	338	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	339	339	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	340	340	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	341	344	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	345	348	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	349	352	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	353	356	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	357	360	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	361	364	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	365	367	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DHIB8	368	370	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	371	371	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	372	375	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	376	379	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	380	383	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	384	384	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	385	385	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	386	386	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	387	387	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	388	388	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	389	389	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	390	392	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	393	393	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	394	394	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	395	395	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	396	396	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	397	397	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	398	398	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	399	399	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	400	400	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	401	403	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	404	404	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	405	405	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	406	406	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	407	407	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	408	408	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	409	409	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	410	410	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	411	411	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	412	415	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	416	419	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	420	423	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	424	427	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	428	431	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	432	435	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	436	438	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	439	441	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	442	442	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DPOLIO1	443	446	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	447	450	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	451	454	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	455	458	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	459	462	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	463	465	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	466	468	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	469	469	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	470	470	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	471	473	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	474	474	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	475	475	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	476	476	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	477	477	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	478	478	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	479	479	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	480	480	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	481	481	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	482	484	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	485	487	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	488	490	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	491	493	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	494	494	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	495	495	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	496	496	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	497	497	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	498	498	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	499	500	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	501	502	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	503	504	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	505	506	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	507	508	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	509	510	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	511	512	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	513	514	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	515	515	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	516	519	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	520	523	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DVRC3	524	527	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	528	528	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	529	529	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	530	530	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	531	531	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	532	532	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	533	533	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
FLU1_AGE	534	535	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #1
FLU2_AGE	536	537	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #2
FLU3_AGE	538	539	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #3
FLU4_AGE	540	541	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #4
FLU5_AGE	542	543	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #5
FLU6_AGE	544	545	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #6
FLU7_AGE	546	546	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #7
FLU8_AGE	547	547	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #8
FLU9_AGE	548	548	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #9
HEA1_AGE	549	550	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	553	554	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	555	555	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	556	556	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	557	557	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	558	558	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	559	559	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	560	560	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	561	562	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	563	564	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	565	566	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	575	575	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	576	576	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HIB4_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	593	593	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	594	595	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	596	597	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	598	599	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	605	605	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	615	615	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	616	616	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	617	617	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	619	619	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	620	620	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	621	621	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	622	622	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	623	623	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	624	624	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	625	626	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	627	628	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	629	630	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	631	632	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PCV5_AGE	633	634	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	637	638	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	639	640	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	641	641	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	652	653	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	654	655	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	668	669	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	670	671	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	672	673	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	679	679	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
VRC6_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	693	694	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	695	696	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	697	698	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	699	700	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	701	702	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	703	704	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	705	706	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	707	708	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	709	709	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	710	711	9	FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	712	713	9	FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	714	715	9	FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	716	717	9	FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	718	719	9	FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	720	721	9	FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	722	722	9	FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	723	723	9	FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	724	724	9	FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	725	726	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	727	728	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	729	730	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	731	732	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	733	734	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	735	736	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	737	738	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	739	739	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	740	740	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	741	742	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	743	744	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	745	746	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	747	748	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	749	750	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	751	752	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	753	754	9	HIB-CONTAINING VACCINATION #7 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XHIBTY8	755	756	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	757	757	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	758	759	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	760	761	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	762	763	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	764	764	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	765	765	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	766	766	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	767	767	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	768	768	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	769	769	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	770	771	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	772	773	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	774	775	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	776	777	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	778	779	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	780	781	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	782	783	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	784	785	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	786	786	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	787	788	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	789	790	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	791	792	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	793	794	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	795	796	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	797	798	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	799	800	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	801	801	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	802	802	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	803	804	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	805	806	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	807	808	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	809	809	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	810	810	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	811	811	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	812	812	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	813	813	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	814	814	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
INS_1	815	816	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_2	817	818	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	819	820	10	IS CHILD COVERED BY S-CHIP?
INS_3A	821	822	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4	823	824	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE?
INS_5	825	826	10	IS CHILD COVERED BY MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	827	828	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INS_11	829	830	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character							
Label: UNIQUE CHILD IDENTIFIER							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SEQNUMHH Type: Character							
Label: UNIQUE HOUSEHOLD IDENTIFIER							
Notes: Each household contains one or more children age 19 - 35 months.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PDAT Type: Numeric							
Label: CHILD HAS ADEQUATE PROVIDER DATA							
Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	18430	71.0%	71.0%	18430	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	7518	29.0%	29.0%	0	0.0%	0.0%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT Type: Numeric							
Label: WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN							
Notes: Final child weight to use for the calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1).							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18430	71.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7518	29.0%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PROVWT Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	334.7	184.4	8.1	7645.0	482.5
Adequate Provider Data	334.7	184.4	8.1	7645.0	482.5

Variable: RDDWT Type: Numeric							
Label: HH-PHASE CHILD INTERVIEW WEIGHT							
Notes: Final household interview weight for child. Use this weight for estimates based on children with completed household interviews.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: RDDWT Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	237.7	133.7	5.1	5073.5	327.3
Adequate Provider Data	233.8	131.8	5.1	5073.5	323.9

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: YEAR Type: Numeric****Label: YEAR OF INTERVIEW****Notes: Sampling year.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2008	2008	25948	100.0%	100.0%	18430	100.0%	100.0%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: AGECP0XR Type: Numeric****Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)****Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	116	0.4%	22.4%	72	0.4%	21.4%
7 TO 12 MONTHS OLD	2	156	0.6%	30.1%	91	0.5%	27.1%
13 TO 18 MONTHS OLD	3	131	0.5%	25.2%	87	0.5%	25.9%
19+ MONTHS OLD	4	116	0.4%	22.4%	86	0.5%	25.6%
SUBTOTALS:		519	2.0%	100.0%	336	1.8%	100.0%
RESERVED CODES:							
MISSING	.	25429	98.0%	n/a	18094	98.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SC_431 Type: Numeric**Label: HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE****Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing.****Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4823	18.6%	66.9%	3915	21.2%	67.9%
NOT UTD / SC	2	2391	9.2%	33.1%	1853	10.1%	32.1%
SUBTOTALS:		7214	27.8%	100.0%	5768	31.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	220	0.8%	n/a	163	0.9%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	6	0.0%	n/a	4	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_4313 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ HIB-containing. Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4443	17.1%	61.9%	3617	19.6%	62.9%
NOT UTD / SC	2	2736	10.5%	38.1%	2129	11.6%	37.1%
SUBTOTALS:		7179	27.7%	100.0%	5746	31.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	255	1.0%	n/a	185	1.0%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	6	0.0%	n/a	4	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SC_43133 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ Hib-containing, 3+ HepB-containing. Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	4184	16.1%	58.6%	3414	18.5%	59.7%
NOT UTD / SC	2	2957	11.4%	41.4%	2305	12.5%	40.3%
SUBTOTALS:		7141	27.5%	100.0%	5719	31.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	293	1.1%	n/a	212	1.2%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	6	0.0%	n/a	4	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_DTP Type: Numeric

Label: HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	5312	20.5%	71.9%	4302	23.3%	72.9%
NOT UTD / SC	2	2074	8.0%	28.1%	1596	8.7%	27.1%
SUBTOTALS:		7386	28.5%	100.0%	5898	32.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	51	0.2%	n/a	35	0.2%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SC_HEPB Type: Numeric

Label: HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6235	24.0%	84.8%	5014	27.2%	85.2%
NOT UTD / SC	2	1120	4.3%	15.2%	869	4.7%	14.8%
SUBTOTALS:		7355	28.3%	100.0%	5883	31.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	81	0.3%	n/a	50	0.3%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	4	0.0%	n/a	2	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_HIB Type: Numeric							
Label: HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE							
Notes: Valid only if shot card was used.							
Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6107	23.5%	83.0%	4924	26.7%	83.7%
NOT UTD / SC	2	1254	4.8%	17.0%	962	5.2%	16.3%
SUBTOTALS:		7361	28.4%	100.0%	5886	31.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	79	0.3%	n/a	49	0.3%	n/a
REFUSED	99	2	0.0%	n/a	2	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SC_MCV Type: Numeric							
Label: HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE							
Notes: Valid only if shot card was used.							
Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6588	25.4%	90.5%	5261	28.5%	90.5%
NOT UTD / SC	2	693	2.7%	9.5%	555	3.0%	9.5%
SUBTOTALS:		7281	28.1%	100.0%	5816	31.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	156	0.6%	n/a	118	0.6%	n/a
REFUSED	99	5	0.0%	n/a	3	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_POL Type: Numeric							
Label: HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE							
Notes: Valid only if shot card was used.							
Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6228	24.0%	84.7%	5013	27.2%	85.2%
NOT UTD / SC	2	1128	4.3%	15.3%	868	4.7%	14.8%
SUBTOTALS:		7356	28.3%	100.0%	5881	31.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	80	0.3%	n/a	51	0.3%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	4	0.0%	n/a	3	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SC_VRC Type: Numeric							
Label: HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE							
Notes: Valid only if shot card was used.							
Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6142	23.7%	85.0%	4945	26.8%	85.6%
NOT UTD / SC	2	1086	4.2%	15.0%	833	4.5%	14.4%
SUBTOTALS:		7228	27.9%	100.0%	5778	31.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	209	0.8%	n/a	156	0.8%	n/a
UNKNOWN	88	1	0.0%	n/a	1	0.0%	n/a
REFUSED	99	4	0.0%	n/a	2	0.0%	n/a
MISSING	.	18506	71.3%	n/a	12493	67.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_DTP Type: Numeric
Label: HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	653	2.5%	2.6%	384	2.1%	2.1%
AT LEAST ONE	1	19283	74.3%	76.2%	14026	76.1%	77.9%
"ALL"	50	5356	20.6%	21.2%	3599	19.5%	20.0%
SUBTOTALS:		25292	97.5%	100.0%	18009	97.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	642	2.5%	n/a	413	2.2%	n/a
REFUSED	99	14	0.1%	n/a	8	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HH_FLU Type: Numeric
Label: HH REPORT OF NUMBER OF FLU VACCINATIONS RECEIVED
**Notes: For shot card users, this is the number of vaccinations ever received.
For non-shotcard users,
this is the number of FLU vaccinations received in the past 12 months.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	10507	40.5%	41.6%	7255	39.4%	40.4%
AT LEAST ONE	1	14749	56.8%	58.4%	10693	58.0%	59.6%
SUBTOTALS:		25256	97.3%	100.0%	17948	97.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	685	2.6%	n/a	480	2.6%	n/a
REFUSED	99	7	0.0%	n/a	2	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HH_HEPB Type: Numeric
**Label:
HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED**
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1507	5.8%	6.0%	908	4.9%	5.1%
AT LEAST ONE	1	18069	69.6%	72.5%	13290	72.1%	74.7%
"ALL"	50	5356	20.6%	21.5%	3599	19.5%	20.2%
SUBTOTALS:		24932	96.1%	100.0%	17797	96.6%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_HEPB Type: Numeric							
Label: HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
DON'T KNOW	77	1001	3.9%	n/a	625	3.4%	n/a
REFUSED	99	15	0.1%	n/a	8	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HH_HIB Type: Numeric							
Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
NONE	0	2184	8.4%	9.2%	1344	7.3%	7.9%
AT LEAST ONE	1	16255	62.6%	68.3%	12077	65.5%	71.0%
"ALL"	50	5356	20.6%	22.5%	3599	19.5%	21.1%
SUBTOTALS:		23795	91.7%	100.0%	17020	92.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	2140	8.2%	n/a	1402	7.6%	n/a
REFUSED	99	13	0.1%	n/a	8	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HH_MCV Type: Numeric							
Label: HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED							
Notes: Reporting error exists in household report of vaccinations received.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
NONE	0	1801	6.9%	7.1%	1223	6.6%	6.8%
AT LEAST ONE	1	18034	69.5%	71.6%	13100	71.1%	73.1%
"ALL"	50	5356	20.6%	21.3%	3599	19.5%	20.1%
SUBTOTALS:		25191	97.1%	100.0%	17922	97.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	740	2.9%	n/a	499	2.7%	n/a
REFUSED	99	17	0.1%	n/a	9	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_POL Type: Numeric
Label: HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	2145	8.3%	8.8%	1366	7.4%	7.9%
AT LEAST ONE	1	16851	64.9%	69.2%	12429	67.4%	71.5%
"ALL"	50	5356	20.6%	22.0%	3599	19.5%	20.7%
SUBTOTALS:		24352	93.8%	100.0%	17394	94.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1581	6.1%	n/a	1027	5.6%	n/a
REFUSED	99	15	0.1%	n/a	9	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HH_VRC Type: Numeric
Label: HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	3309	12.8%	13.5%	2253	12.2%	12.9%
AT LEAST ONE	1	15910	61.3%	64.7%	11668	63.3%	66.6%
"ALL"	50	5356	20.6%	21.8%	3599	19.5%	20.5%
SUBTOTALS:		24575	94.7%	100.0%	17520	95.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1357	5.2%	n/a	901	4.9%	n/a
REFUSED	99	16	0.1%	n/a	9	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HAD_CPOX Type: Numeric
Label: CHILD EVER HAD CHICKEN POX DISEASE?
Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	523	2.0%	2.0%	340	1.8%	1.8%
NO	2	25345	97.7%	98.0%	18042	97.9%	98.2%
SUBTOTALS:		25868	99.7%	100.0%	18382	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	73	0.3%	n/a	46	0.2%	n/a

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: HAD_CPOX** Type: Numeric**Label: CHILD EVER HAD CHICKEN POX DISEASE?****Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
REFUSED	99	6	0.0%	n/a	1	0.0%	n/a
MISSING	.	1	0.0%	n/a	1	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SHOTCARD Type: Numeric**Label: SHOT CARD USE FLAG****Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SHOTCARD	1	7442	28.7%	28.7%	5937	32.2%	32.2%
NO SHOTCARD	2	18506	71.3%	71.3%	12493	67.8%	67.8%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric							
Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	7694	29.7%	29.7%	5535	30.0%	30.0%
24 - 29 MONTHS	2	9074	35.0%	35.0%	6413	34.8%	34.8%
30 - 35 MONTHS	3	9180	35.4%	35.4%	6482	35.2%	35.2%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric							
Label: DURATION OF BREAST FEEDING IN DAYS (TOPCODE)							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19215	74.1%	100.0%	13803	74.9%	100.0%
RESERVED CODES:							
MISSING	.	6733	25.9%	n/a	4627	25.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	236.4	182.6	1.0	730.5	175.6
Adequate Provider Data	234.0	182.6	1.0	730.5	174.8

Variable: BF_EXCLR06 Type: Numeric							
Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19531	75.3%	100.0%	14076	76.4%	100.0%
RESERVED CODES:							
MISSING	.	6417	24.7%	n/a	4354	23.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BF_EXCLR06 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	149.6	152.2	0.0	273.9	69.8
Adequate Provider Data	148.8	152.2	0.0	273.9	68.8

Variable: BF_FORMR08 Type: Numeric							
Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)							
Notes: BF_FORMR08 replaces BF_FORMR06 and includes a code of 888 for children never fed formula. See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16596	64.0%	100.0%	11941	64.8%	100.0%
RESERVED CODES:							
NEVER FED FORMULA	888	3216	12.4%	n/a	2319	12.6%	n/a
MISSING	.	6136	23.6%	n/a	4170	22.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: BF_FORMR08 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	90.5	60.9	0.0	730.5	106.9
Adequate Provider Data	87.6	56.0	0.0	730.5	103.8

Variable: BFENDFL06 Type: Numeric							
Label: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BFFORMFL06 Type: Numeric

Label:

AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: C1R Type: Numeric

Label: NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2	2	433	1.7%	1.7%	293	1.6%	1.6%
3	3	5286	20.4%	20.4%	3681	20.0%	20.0%
4	4	9472	36.5%	36.5%	6732	36.5%	36.5%
5	5	5895	22.7%	22.7%	4262	23.1%	23.1%
6	6	2707	10.4%	10.4%	1949	10.6%	10.6%
7	7	1136	4.4%	4.4%	808	4.4%	4.4%
8+	8	1019	3.9%	3.9%	705	3.8%	3.8%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	20837	80.3%	80.3%	15261	82.8%	82.8%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	3781	14.6%	14.6%	2400	13.0%	13.0%
GRANDPARENT	3	1056	4.1%	4.1%	642	3.5%	3.5%
OTHER FAMILY MEMBER/FRIEND	4	265	1.0%	1.0%	125	0.7%	0.7%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C5R Type: Numeric							
Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		25939	100.0%	100.0%	18428	100.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	7	0.0%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: CBF_01 Type: Numeric							
Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?							
Notes: See User's Guide for more information.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	19989	77.0%	77.4%	14360	77.9%	78.2%
NO	2	5841	22.5%	22.6%	4013	21.8%	21.8%
SUBTOTALS:		25830	99.5%	100.0%	18373	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	109	0.4%	n/a	56	0.3%	n/a
REFUSED	99	8	0.0%	n/a	1	0.0%	n/a
MISSING	.	1	0.0%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: CEN_REG Type: Numeric							
Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	4249	16.4%	16.4%	2925	15.9%	15.9%
MIDWEST	2	5827	22.5%	22.5%	4206	22.8%	22.8%
SOUTH	3	9932	38.3%	38.3%	7060	38.3%	38.3%
WEST	4	5940	22.9%	22.9%	4239	23.0%	23.0%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CHILDNM Type: Numeric							
Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	6127	23.6%	23.6%	4247	23.0%	23.0%
TWO OR THREE	2	16153	62.3%	62.3%	11584	62.9%	62.9%
FOUR OR MORE	3	3668	14.1%	14.1%	2599	14.1%	14.1%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: CWIC_01 Type: Numeric							
Label: CHILD EVER RECEIVED WIC BENEFITS?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	10804	41.6%	41.8%	7765	42.1%	42.2%
NO	2	14972	57.7%	57.9%	10557	57.3%	57.4%
NEVER HEARD OF WIC	3	90	0.3%	0.3%	66	0.4%	0.4%
SUBTOTALS:		25866	99.7%	100.0%	18388	99.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	72	0.3%	n/a	38	0.2%	n/a
REFUSED	99	10	0.0%	n/a	4	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: CWIC_02 Type: Numeric							
Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	6580	25.4%	61.0%	4814	26.1%	62.0%
NO	2	4211	16.2%	39.0%	2946	16.0%	38.0%
SUBTOTALS:		10791	41.6%	100.0%	7760	42.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	13	0.1%	n/a	5	0.0%	n/a
MISSING	.	15144	58.4%	n/a	10665	57.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: EDUC1 Type: Numeric
Label: EDUCATION OF MOTHER CATEGORIES (RECODE)
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	2909	11.2%	11.2%	2085	11.3%	11.3%
12 YEARS	2	4889	18.8%	18.8%	3437	18.6%	18.6%
> 12 YEARS, NON-COLLEGE GRAD	3	6966	26.8%	26.8%	4949	26.9%	26.9%
COLLEGE GRAD	4	11184	43.1%	43.1%	7959	43.2%	43.2%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FRSTBRN Type: Numeric
Label: FIRST BORN STATUS OF CHILD
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NO	1	13617	52.5%	52.5%	9807	53.2%	53.2%
YES	2	12331	47.5%	47.5%	8623	46.8%	46.8%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: I_HISP_K Type: Numeric
Label: HISPANIC ORIGIN OF CHILD
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	4974	19.2%	19.2%	3528	19.1%	19.1%
NON-HISPANIC	2	20974	80.8%	80.8%	14902	80.9%	80.9%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPORAR Type: Numeric							
Label: INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)							
Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2007 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23636	91.1%	100.0%	17223	93.5%	100.0%
RESERVED CODES:							
MISSING	.	2312	8.9%	n/a	1207	6.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INCPORAR Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.2	2.6	0.5	3.0	1.0
Adequate Provider Data	2.1	2.6	0.5	3.0	1.0

Variable: INCPOV1 Type: Numeric							
Label: POVERTY STATUS							
Notes: Based on 2007 Census poverty thresholds.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	8647	33.3%	35.4%	6284	34.1%	35.5%
ABOVE POVERTY, <= \$75K	2	10712	41.3%	43.8%	7635	41.4%	43.2%
BELOW POVERTY	3	5102	19.7%	20.9%	3766	20.4%	21.3%
SUBTOTALS:		24461	94.3%	100.0%	17685	96.0%	100.0%
RESERVED CODES:							
UNKNOWN	4	1487	5.7%	n/a	745	4.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INCQ298A Type: Numeric							
Label: FAMILY INCOME CATEGORIES (RECODE)							
Notes: Family income in 2007.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1051	4.1%	4.4%	762	4.1%	4.4%
\$7501 - \$10000	4	917	3.5%	3.9%	670	3.6%	3.9%
\$10001 - \$17500	5	1334	5.1%	5.6%	986	5.3%	5.7%
\$17501 - \$20000	6	976	3.8%	4.1%	728	4.0%	4.2%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric
Label: FAMILY INCOME CATEGORIES (RECODE)
Notes: Family income in 2007.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
\$20001 - \$25000	7	1013	3.9%	4.3%	766	4.2%	4.4%
\$25001 - \$30000	8	1250	4.8%	5.3%	905	4.9%	5.3%
\$30001 - \$35000	9	900	3.5%	3.8%	668	3.6%	3.9%
\$35001 - \$40000	10	1226	4.7%	5.2%	882	4.8%	5.1%
\$40001 - \$50000	11	1944	7.5%	8.2%	1394	7.6%	8.1%
\$50001 - \$60000	12	1843	7.1%	7.8%	1307	7.1%	7.6%
\$60001 - \$75000	13	2535	9.8%	10.7%	1871	10.2%	10.9%
\$75001+	14	8647	33.3%	36.6%	6284	34.1%	36.5%
SUBTOTALS:		23636	91.1%	100.0%	17223	93.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1220	4.7%	n/a	765	4.2%	n/a
REFUSED	99	1092	4.2%	n/a	442	2.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INOPHONR Type: Numeric
Label: LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
7 TO 14 DAYS	1	537	2.1%	32.4%	383	2.1%	32.6%
15 TO 30 DAYS	2	318	1.2%	19.2%	223	1.2%	19.0%
31 TO 365 DAYS	3	803	3.1%	48.4%	568	3.1%	48.4%
SUBTOTALS:		1658	6.4%	100.0%	1174	6.4%	100.0%
RESERVED CODES:							
MISSING	.	24290	93.6%	n/a	17256	93.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INTRP Type: Numeric

Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1729	6.7%	6.7%	1223	6.6%	6.6%
NO	2	24219	93.3%	93.3%	17207	93.4%	93.4%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: LANGUAGE Type: Numeric

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes:

Interviews conducted in other languages were administered using the AT&T language line.

This variable was constructed from call outcome codes.

While these outcome codes are considered accurate,

there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ENGLISH	1	23374	90.1%	90.1%	16608	90.1%	90.1%
SPANISH	2	2209	8.5%	8.5%	1602	8.7%	8.7%
OTHER	3	365	1.4%	1.4%	220	1.2%	1.2%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: M_AGEGRP Type: Numeric

Label: AGE OF MOTHER CATEGORIES

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<= 19 YEARS	1	513	2.0%	2.0%	359	1.9%	1.9%
20 - 29 YEARS	2	8575	33.0%	33.0%	6114	33.2%	33.2%
>= 30 YEARS	3	16860	65.0%	65.0%	11957	64.9%	64.9%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL Type: Numeric

Label: MARITAL STATUS OF MOTHER CATEGORIES (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WIDOWED/DIVORCED/SEPARATED/DECEASED	1	1686	6.5%	6.5%	1175	6.4%	6.4%
NEVER MARRIED	2	4654	17.9%	17.9%	3234	17.5%	17.5%
MARRIED	3	19608	75.6%	75.6%	14021	76.1%	76.1%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: MOBIL_I Type: Numeric

Label: GEOGRAPHIC MOBILITY STATUS:
STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	2196	8.5%	8.5%	1481	8.0%	8.0%
DID NOT MOVE FROM DIFFERENT STATE	2	23752	91.5%	91.5%	16949	92.0%	92.0%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: RACE_K Type: Numeric

Label: RACE OF CHILD (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	19576	75.4%	75.4%	14202	77.1%	77.1%
BLACK ONLY	2	3315	12.8%	12.8%	2108	11.4%	11.4%
OTHER + MULTIPLE RACE	3	3057	11.8%	11.8%	2120	11.5%	11.5%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric

Label: RACE/ETHNICITY OF CHILD (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	4974	19.2%	19.2%	3528	19.1%	19.1%
NON-HISPANIC WHITE ONLY	2	15528	59.8%	59.8%	11292	61.3%	61.3%
NON-HISPANIC BLACK ONLY	3	2902	11.2%	11.2%	1847	10.0%	10.0%
NON-HISPANIC OTHER + MULTIPLE RACE	4	2544	9.8%	9.8%	1763	9.6%	9.6%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: SEX Type: Numeric

Label: GENDER OF CHILD

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MALE	1	13300	51.3%	51.3%	9479	51.4%	51.4%
FEMALE	2	12648	48.7%	48.7%	8951	48.6%	48.6%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP08 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CT	1	332	1.3%	1.3%	227	1.2%	1.2%
MA	2	385	1.5%	1.5%	266	1.4%	1.4%
ME	4	375	1.4%	1.4%	275	1.5%	1.5%
NH	5	346	1.3%	1.3%	241	1.3%	1.3%
RI	6	308	1.2%	1.2%	224	1.2%	1.2%
VT	7	303	1.2%	1.2%	232	1.3%	1.3%
NJ	8	489	1.9%	1.9%	322	1.7%	1.7%
NY-REST OF STATE	10	372	1.4%	1.4%	262	1.4%	1.4%
NY-CITY OF NEW YORK	11	434	1.7%	1.7%	267	1.4%	1.4%
DC	12	404	1.6%	1.6%	269	1.5%	1.5%
DE	13	435	1.7%	1.7%	290	1.6%	1.6%
MD-REST OF STATE	14	437	1.7%	1.7%	316	1.7%	1.7%
MD-CITY OF BALTIMORE	15	427	1.6%	1.6%	294	1.6%	1.6%
PA-REST OF STATE	16	414	1.6%	1.6%	289	1.6%	1.6%
PA-PHILADELPHIA COUNTY	17	491	1.9%	1.9%	320	1.7%	1.7%
VA	18	358	1.4%	1.4%	225	1.2%	1.2%
WV	19	412	1.6%	1.6%	300	1.6%	1.6%
AL	20	490	1.9%	1.9%	339	1.8%	1.8%
FL-REST OF STATE	22	332	1.3%	1.3%	237	1.3%	1.3%
FL-MIAMI-DADE COUNTY	24	411	1.6%	1.6%	264	1.4%	1.4%
GA	25	403	1.6%	1.6%	299	1.6%	1.6%
KY	27	375	1.4%	1.4%	272	1.5%	1.5%
MS	28	515	2.0%	2.0%	377	2.0%	2.0%
NC	29	422	1.6%	1.6%	318	1.7%	1.7%
SC	30	471	1.8%	1.8%	345	1.9%	1.9%
TN	31	452	1.7%	1.7%	335	1.8%	1.8%
IL-REST OF STATE	34	471	1.8%	1.8%	335	1.8%	1.8%
IL-CITY OF CHICAGO	35	477	1.8%	1.8%	318	1.7%	1.7%
IN	36	433	1.7%	1.7%	301	1.6%	1.6%
MI	38	399	1.5%	1.5%	282	1.5%	1.5%
MN-REST OF STATE	40	155	0.6%	0.6%	117	0.6%	0.6%
OH	41	400	1.5%	1.5%	300	1.6%	1.6%
WI	44	307	1.2%	1.2%	222	1.2%	1.2%
AR	46	475	1.8%	1.8%	347	1.9%	1.9%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP08 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
LA	47	513	2.0%	2.0%	340	1.8%	1.8%
NM	49	383	1.5%	1.5%	280	1.5%	1.5%
OK	50	368	1.4%	1.4%	261	1.4%	1.4%
TX-REST OF STATE	51	347	1.3%	1.3%	240	1.3%	1.3%
TX-DALLAS COUNTY	52	413	1.6%	1.6%	299	1.6%	1.6%
TX-EL PASO COUNTY	53	349	1.3%	1.3%	281	1.5%	1.5%
TX-CITY OF HOUSTON	54	379	1.5%	1.5%	269	1.5%	1.5%
TX-BEXAR COUNTY	55	384	1.5%	1.5%	288	1.6%	1.6%
IA	56	342	1.3%	1.3%	262	1.4%	1.4%
KS	57	398	1.5%	1.5%	303	1.6%	1.6%
MO	58	454	1.7%	1.7%	315	1.7%	1.7%
NE	59	400	1.5%	1.5%	316	1.7%	1.7%
CO	60	437	1.7%	1.7%	305	1.7%	1.7%
MT	61	363	1.4%	1.4%	268	1.5%	1.5%
ND	62	352	1.4%	1.4%	269	1.5%	1.5%
SD	63	417	1.6%	1.6%	305	1.7%	1.7%
UT	64	299	1.2%	1.2%	232	1.3%	1.3%
WY	65	345	1.3%	1.3%	259	1.4%	1.4%
AZ	66	394	1.5%	1.5%	275	1.5%	1.5%
CA-REST OF STATE	68	342	1.3%	1.3%	220	1.2%	1.2%
CA-LOS ANGELES COUNTY	69	462	1.8%	1.8%	291	1.6%	1.6%
CA-SANTA CLARA COUNTY	70	304	1.2%	1.2%	208	1.1%	1.1%
HI	72	370	1.4%	1.4%	238	1.3%	1.3%
NV	73	356	1.4%	1.4%	246	1.3%	1.3%
AK	74	345	1.3%	1.3%	250	1.4%	1.4%
ID	75	354	1.4%	1.4%	282	1.5%	1.5%
OR	76	283	1.1%	1.1%	224	1.2%	1.2%
WA-REST OF STATE	77	270	1.0%	1.0%	193	1.0%	1.0%
CA-NORTHERN CA	85	313	1.2%	1.2%	231	1.3%	1.3%
FL-ORANGE COUNTY	91	360	1.4%	1.4%	255	1.4%	1.4%
IL-MADISON/ST. CLAIR COUNTIES	92	477	1.8%	1.8%	316	1.7%	1.7%
MN-TWIN CITIES	93	345	1.3%	1.3%	245	1.3%	1.3%
WA-EASTERN/WESTERN WA	774	320	1.2%	1.2%	237	1.3%	1.3%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP08 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALABAMA	1	490	1.9%	1.9%	339	1.8%	1.8%
ALASKA	2	345	1.3%	1.3%	250	1.4%	1.4%
ARIZONA	4	394	1.5%	1.5%	275	1.5%	1.5%
ARKANSAS	5	475	1.8%	1.8%	347	1.9%	1.9%
CALIFORNIA	6	1421	5.5%	5.5%	950	5.2%	5.2%
COLORADO	8	437	1.7%	1.7%	305	1.7%	1.7%
CONNECTICUT	9	332	1.3%	1.3%	227	1.2%	1.2%
DELAWARE	10	435	1.7%	1.7%	290	1.6%	1.6%
DISTRICT OF COLUMBIA	11	404	1.6%	1.6%	269	1.5%	1.5%
FLORIDA	12	1103	4.3%	4.3%	756	4.1%	4.1%
GEORGIA	13	403	1.6%	1.6%	299	1.6%	1.6%
HAWAII	15	370	1.4%	1.4%	238	1.3%	1.3%
IDAHO	16	354	1.4%	1.4%	282	1.5%	1.5%
ILLINOIS	17	1425	5.5%	5.5%	969	5.3%	5.3%
INDIANA	18	433	1.7%	1.7%	301	1.6%	1.6%
IOWA	19	342	1.3%	1.3%	262	1.4%	1.4%
KANSAS	20	398	1.5%	1.5%	303	1.6%	1.6%
KENTUCKY	21	375	1.4%	1.4%	272	1.5%	1.5%
LOUISIANA	22	513	2.0%	2.0%	340	1.8%	1.8%
MAINE	23	375	1.4%	1.4%	275	1.5%	1.5%
MARYLAND	24	864	3.3%	3.3%	610	3.3%	3.3%
MASSACHUSETTS	25	385	1.5%	1.5%	266	1.4%	1.4%
MICHIGAN	26	399	1.5%	1.5%	282	1.5%	1.5%
MINNESOTA	27	500	1.9%	1.9%	362	2.0%	2.0%
MISSISSIPPI	28	515	2.0%	2.0%	377	2.0%	2.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric							
Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)							
Notes:							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSOURI	29	454	1.7%	1.7%	315	1.7%	1.7%
MONTANA	30	363	1.4%	1.4%	268	1.5%	1.5%
NEBRASKA	31	400	1.5%	1.5%	316	1.7%	1.7%
NEVADA	32	356	1.4%	1.4%	246	1.3%	1.3%
NEW HAMPSHIRE	33	346	1.3%	1.3%	241	1.3%	1.3%
NEW JERSEY	34	489	1.9%	1.9%	322	1.7%	1.7%
NEW MEXICO	35	383	1.5%	1.5%	280	1.5%	1.5%
NEW YORK	36	806	3.1%	3.1%	529	2.9%	2.9%
NORTH CAROLINA	37	422	1.6%	1.6%	318	1.7%	1.7%
NORTH DAKOTA	38	352	1.4%	1.4%	269	1.5%	1.5%
OHIO	39	400	1.5%	1.5%	300	1.6%	1.6%
OKLAHOMA	40	368	1.4%	1.4%	261	1.4%	1.4%
OREGON	41	283	1.1%	1.1%	224	1.2%	1.2%
PENNSYLVANIA	42	905	3.5%	3.5%	609	3.3%	3.3%
RHODE ISLAND	44	308	1.2%	1.2%	224	1.2%	1.2%
SOUTH CAROLINA	45	471	1.8%	1.8%	345	1.9%	1.9%
SOUTH DAKOTA	46	417	1.6%	1.6%	305	1.7%	1.7%
TENNESSEE	47	452	1.7%	1.7%	335	1.8%	1.8%
TEXAS	48	1872	7.2%	7.2%	1377	7.5%	7.5%
UTAH	49	299	1.2%	1.2%	232	1.3%	1.3%
VERMONT	50	303	1.2%	1.2%	232	1.3%	1.3%
VIRGINIA	51	358	1.4%	1.4%	225	1.2%	1.2%
WASHINGTON	53	590	2.3%	2.3%	430	2.3%	2.3%
WEST VIRGINIA	54	412	1.6%	1.6%	300	1.6%	1.6%
WISCONSIN	55	307	1.2%	1.2%	222	1.2%	1.2%
WYOMING	56	345	1.3%	1.3%	259	1.4%	1.4%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES**Variable: D6R Type: Numeric****Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)****Notes:****Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	40	0.2%	0.2%	28	0.2%	0.2%
1	1	17840	68.8%	70.8%	12868	69.8%	69.8%
2	2	5978	23.0%	23.7%	4568	24.8%	24.8%
3+	3	1329	5.1%	5.3%	965	5.2%	5.2%
SUBTOTALS:		25187	97.1%	100.0%	18429	100.0%	100.0%
RESERVED CODES:							
MISSING	.	761	2.9%	n/a	1	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: D7 Type: Numeric**Label:****CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS****Notes: A blank value means consent was not obtained because of an interview break-off.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	21004	80.9%	99.3%	18402	99.8%	100.0%
NO	2	153	0.6%	0.7%	0	0.0%	0.0%
SUBTOTALS:		21157	81.5%	100.0%	18402	99.8%	100.0%
RESERVED CODES:							
MISSING	.	4791	18.5%	n/a	28	0.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: DISPCODE Type: Numeric

Label: NIS PROVIDER RECORD-CHECK DISPOSITION CODE

Notes: See User's Guide for definition of codes. Children with DISPCODE = 7 have inadequate provider data (PDAT = 2) to determine up-to-date status of child.

These children should not be used in the calculation of vaccination coverage rates.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
COMPLETE PROVIDER INFO, NO PROBLEMS	1	5323	20.5%	29.0%	5323	28.9%	29.1%
COMPLETE PROVIDER INFO, NO SHOT CARD	2	11898	45.9%	64.8%	11898	64.6%	65.1%
COMPLETE PROVIDER INFO, POOR HISTORY	3	329	1.3%	1.8%	329	1.8%	1.8%
COMPLETE PROVIDER INFO, POOR HIST/OTHER	4	57	0.2%	0.3%	57	0.3%	0.3%
INCOMPLETE PROVIDER RESP, BUT 4:3:1:3:3 INDICATED	5	492	1.9%	2.7%	492	2.7%	2.7%
INCOMPLETE PROVIDER RESP, INFO MATCHES	6	13	0.1%	0.1%	13	0.1%	0.1%
INCOMPLETE PROVIDER RESP, HISTORY UNKNOWN	7	85	0.3%	0.5%	0	0.0%	0.0%
INCOMPLETE PROVIDER RESP, 4:3:1:3:3 WITH HH	8	8	0.0%	0.0%	8	0.0%	0.0%
INCOMPLETE PROVIDER RESP, MATCHES HH	9	12	0.0%	0.1%	12	0.1%	0.1%
INCOMPLETE PROVIDER RESP, HH NOT EXACT	10	147	0.6%	0.8%	147	0.8%	0.8%
SUBTOTALS:		18364	70.8%	100.0%	18279	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7584	29.2%	n/a	151	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: N_PRVR Type: Numeric

Label: NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)

Notes:

Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7584	29.2%	29.2%	151	0.8%	0.8%
1	1	15326	59.1%	59.1%	15247	82.7%	82.7%
2	2	2747	10.6%	10.6%	2741	14.9%	14.9%
3+	3	291	1.1%	1.1%	291	1.6%	1.6%
SUBTOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV_FAC Type: Numeric

Label: PROVIDER FACILITY TYPE

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	2044	7.9%	11.1%	2030	11.0%	11.1%
ALL HOSPITAL FACILITIES	2	2092	8.1%	11.4%	2075	11.3%	11.4%
ALL PRIVATE FACILITIES	3	11719	45.2%	63.8%	11686	63.4%	63.9%
ALL MILITARY/OTHER FACILITIES	4	545	2.1%	3.0%	528	2.9%	2.9%
MIXED	5	1816	7.0%	9.9%	1812	9.8%	9.9%
TYPE OF PROVIDER UNKNOWN	6	142	0.5%	0.8%	142	0.8%	0.8%
ALL WIC CLINIC PROVIDERS	7	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		18364	70.8%	100.0%	18279	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7584	29.2%	n/a	151	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: REGISTRY Type: Numeric

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	9183	35.4%	50.0%	9142	49.6%	50.0%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1340	5.2%	7.3%	1338	7.3%	7.3%
NO PROVIDERS	3	4549	17.5%	24.8%	4539	24.6%	24.8%
UNKNOWN/DON'T KNOW	4	3292	12.7%	17.9%	3260	17.7%	17.8%
SUBTOTALS:		18364	70.8%	100.0%	18279	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7584	29.2%	n/a	151	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES**Variable: VFC_ORDER** Type: Numeric**Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?****Notes: Constructed from the responses of up to five providers.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	12612	48.6%	68.7%	12573	68.2%	68.8%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1261	4.9%	6.9%	1257	6.8%	6.9%
NO PROVIDERS	3	2143	8.3%	11.7%	2134	11.6%	11.7%
UNKNOWN/DON'T KNOW	4	2348	9.0%	12.8%	2315	12.6%	12.7%
SUBTOTALS:		18364	70.8%	100.0%	18279	99.2%	100.0%
RESERVED CODES:							
MISSING	.	7584	29.2%	n/a	151	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: HEP_BRTH** Type: Numeric**Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG****Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	10952	42.2%	60.3%	10900	59.1%	60.3%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	7212	27.8%	39.7%	7184	39.0%	39.7%
SUBTOTALS:		18164	70.0%	100.0%	18084	98.1%	100.0%
RESERVED CODES:							
MISSING	.	7784	30.0%	n/a	346	1.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP_FLAG Type: Numeric**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG****Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM SHOTCARD	1	22	0.1%	21.0%	21	0.1%	20.2%
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	83	0.3%	79.0%	83	0.5%	79.8%
SUBTOTALS:		105	0.4%	100.0%	104	0.6%	100.0%
RESERVED CODES:							
MISSING	.	25843	99.6%	n/a	18326	99.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUHEPX Type: Numeric**Label: NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 60**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	5040	19.4%	27.2%	5020	27.2%	27.2%
1	1	7620	29.4%	41.2%	7575	41.1%	41.1%
2	2	1506	5.8%	8.1%	1493	8.1%	8.1%
3	3	4026	15.5%	21.7%	4021	21.8%	21.8%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX Type: Numeric

Label:
**NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
 EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 60

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4	4	308	1.2%	1.7%	306	1.7%	1.7%
5	5	11	0.0%	0.1%	11	0.1%	0.1%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUHIBX Type: Numeric

Label: NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
 EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 44

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2236	8.6%	12.1%	2203	12.0%	12.0%
1	1	1016	3.9%	5.5%	1004	5.4%	5.4%
2	2	2052	7.9%	11.1%	2035	11.0%	11.0%
3	3	6909	26.6%	37.3%	6894	37.4%	37.4%
4	4	6239	24.0%	33.7%	6231	33.8%	33.8%
5	5	59	0.2%	0.3%	59	0.3%	0.3%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHPHB Type: Numeric

Label:
NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	15299	59.0%	82.6%	15219	82.6%	82.6%
1	1	798	3.1%	4.3%	798	4.3%	4.3%
2	2	989	3.8%	5.3%	984	5.3%	5.3%
3	3	1400	5.4%	7.6%	1400	7.6%	7.6%
4	4	28	0.1%	0.2%	28	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMDAH Type: Numeric

Label:
NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16593	63.9%	89.6%	16510	89.6%	89.6%
1	1	1821	7.0%	9.8%	1820	9.9%	9.9%
2	2	34	0.1%	0.2%	33	0.2%	0.2%
3	3	27	0.1%	0.1%	27	0.1%	0.1%
4	4	38	0.1%	0.2%	38	0.2%	0.2%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHB Type: Numeric

Label:
NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 05 or 07

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16534	63.7%	89.3%	16451	89.3%	89.3%
1	1	1874	7.2%	10.1%	1873	10.2%	10.2%
2	2	38	0.1%	0.2%	37	0.2%	0.2%
3	3	29	0.1%	0.2%	29	0.2%	0.2%
4	4	38	0.1%	0.2%	38	0.2%	0.2%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMDHI Type: Numeric

Label:
NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	8055	31.0%	43.5%	8003	43.4%	43.4%
1	1	976	3.8%	5.3%	968	5.3%	5.3%
2	2	1641	6.3%	8.9%	1631	8.8%	8.8%
3	3	7389	28.5%	39.9%	7374	40.0%	40.0%
4	4	444	1.7%	2.4%	444	2.4%	2.4%
5	5	9	0.0%	0.0%	9	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHM Type: Numeric

Label: NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 05

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18454	71.1%	99.7%	18369	99.7%	99.7%
1	1	57	0.2%	0.3%	57	0.3%	0.3%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMDTA Type: Numeric

Label: NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	3695	14.2%	20.0%	3641	19.8%	19.8%
1	1	6137	23.7%	33.1%	6125	33.2%	33.2%
2	2	1358	5.2%	7.3%	1350	7.3%	7.3%
3	3	1823	7.0%	9.8%	1815	9.8%	9.8%
4	4	5463	21.1%	29.5%	5460	29.6%	29.6%
5	5	38	0.1%	0.2%	38	0.2%	0.2%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTM Type: Numeric

Label: NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 01

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18496	71.3%	99.9%	18411	99.9%	99.9%
1	1	7	0.0%	0.0%	7	0.0%	0.0%
2	2	7	0.0%	0.0%	7	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMDTP Type: Numeric

Label: NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 01, 02, 03, 04, 05, 07, 08, or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	358	1.4%	1.9%	330	1.8%	1.8%
1	1	192	0.7%	1.0%	181	1.0%	1.0%
2	2	243	0.9%	1.3%	233	1.3%	1.3%
3	3	1984	7.6%	10.7%	1955	10.6%	10.6%
4	4	15497	59.7%	83.7%	15490	84.0%	84.0%
5	5	229	0.9%	1.2%	229	1.2%	1.2%
6	6	10	0.0%	0.1%	10	0.1%	0.1%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric

Label:
NUMBER OF FLU-CONTAINING VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM, FN, or FL

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7642	29.5%	41.3%	7570	41.1%	41.1%
1	1	3239	12.5%	17.5%	3231	17.5%	17.5%
2	2	4094	15.8%	22.1%	4091	22.2%	22.2%
3	3	3071	11.8%	16.6%	3069	16.7%	16.7%
4	4	461	1.8%	2.5%	461	2.5%	2.5%
5	5	7	0.0%	0.0%	7	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMFLUL Type: Numeric

Label:
NUMBER OF FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FL

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17912	69.0%	96.7%	17827	96.7%	96.7%
1	1	303	1.2%	1.6%	303	1.6%	1.6%
2	2	178	0.7%	1.0%	178	1.0%	1.0%
3	3	110	0.4%	0.6%	110	0.6%	0.6%
4	4	11	0.0%	0.1%	11	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLUM Type: Numeric

Label:
NUMBER OF FLU SPRAY VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18240	70.3%	98.5%	18157	98.5%	98.5%
1	1	254	1.0%	1.4%	253	1.4%	1.4%
2	2	19	0.1%	0.1%	18	0.1%	0.1%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMFLUN Type: Numeric

Label:
NUMBER OF INJECTED FLU VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type FN

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	8146	31.4%	44.0%	8073	43.8%	43.8%
1	1	3164	12.2%	17.1%	3156	17.1%	17.1%
2	2	3978	15.3%	21.5%	3975	21.6%	21.6%
3	3	2844	11.0%	15.4%	2843	15.4%	15.4%
4	4	379	1.5%	2.0%	379	2.1%	2.1%
5	5	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEA Type: Numeric

Label:**NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type HA**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	5861	22.6%	31.7%	5793	31.4%	31.4%
1	1	5178	20.0%	28.0%	5168	28.0%	28.0%
2	2	7426	28.6%	40.1%	7419	40.3%	40.3%
3	3	50	0.2%	0.3%	50	0.3%	0.3%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMHEN Type: Numeric

Label:**NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type HB or DH**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18090	69.7%	97.7%	18006	97.7%	97.7%
1	1	197	0.8%	1.1%	197	1.1%	1.1%
2	2	138	0.5%	0.7%	137	0.7%	0.7%
3	3	88	0.3%	0.5%	88	0.5%	0.5%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEP Type: Numeric

Label:
NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, HB, or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	352	1.4%	1.9%	347	1.9%	1.9%
1	1	297	1.1%	1.6%	267	1.4%	1.4%
2	2	583	2.2%	3.1%	565	3.1%	3.1%
3	3	10942	42.2%	59.1%	10927	59.3%	59.3%
4	4	5904	22.8%	31.9%	5887	31.9%	31.9%
5	5	416	1.6%	2.2%	416	2.3%	2.3%
6	6	19	0.1%	0.1%	19	0.1%	0.1%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMHIB Type: Numeric

Label:
NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 05, 07, 43, 44, or HI

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	409	1.6%	2.2%	382	2.1%	2.1%
1	1	265	1.0%	1.4%	254	1.4%	1.4%
2	2	1172	4.5%	6.3%	1151	6.2%	6.2%
3	3	7979	30.7%	43.1%	7961	43.2%	43.2%
4	4	8550	33.0%	46.2%	8542	46.3%	46.3%
5	5	133	0.5%	0.7%	133	0.7%	0.7%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIN Type: Numeric							
Label: NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.							
Notes: Vaccine type HI							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18015	69.4%	97.3%	17932	97.3%	97.3%
1	1	205	0.8%	1.1%	204	1.1%	1.1%
2	2	105	0.4%	0.6%	104	0.6%	0.6%
3	3	135	0.5%	0.7%	135	0.7%	0.7%
4	4	55	0.2%	0.3%	55	0.3%	0.3%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMIPV Type: Numeric							
Label: NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.							
Notes: Vaccine type 21							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	8892	34.3%	48.0%	8835	47.9%	47.9%
1	1	1759	6.8%	9.5%	1748	9.5%	9.5%
2	2	1102	4.2%	6.0%	1093	5.9%	5.9%
3	3	6530	25.2%	35.3%	6522	35.4%	35.4%
4	4	225	0.9%	1.2%	225	1.2%	1.2%
5	5	7	0.0%	0.0%	7	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMCN Type: Numeric

Label:**NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type MM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18340	70.7%	99.1%	18255	99.1%	99.1%
1	1	173	0.7%	0.9%	173	0.9%	0.9%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMMR Type: Numeric

Label:**NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1384	5.3%	7.5%	1320	7.2%	7.2%
1	1	16853	64.9%	91.0%	16832	91.3%	91.3%
2	2	276	1.1%	1.5%	276	1.5%	1.5%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMMMRX Type: Numeric****Label: NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7098	27.4%	38.3%	7027	38.1%	38.1%
1	1	11292	43.5%	61.0%	11278	61.2%	61.2%
2	2	125	0.5%	0.7%	125	0.7%	0.7%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMMX Type: Numeric**Label: NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30 or VM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1605	6.2%	8.7%	1541	8.4%	8.4%
1	1	16672	64.3%	90.0%	16651	90.3%	90.3%
2	2	238	0.9%	1.3%	238	1.3%	1.3%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMP Type: Numeric**Label: NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type MP**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18491	71.3%	99.9%	18406	99.9%	99.9%
1	1	24	0.1%	0.1%	24	0.1%	0.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMMP Type: Numeric****Label: NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type MP**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMPR Type: Numeric**Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type MB**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18514	71.4%	100.0%	18429	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMRV Type: Numeric**Label: NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type VM**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	12954	49.9%	70.0%	12876	69.9%	69.9%
1	1	5516	21.3%	29.8%	5509	29.9%	29.9%
2	2	45	0.2%	0.2%	45	0.2%	0.2%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMS Type: Numeric

Label:
NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18433	71.0%	99.6%	18348	99.6%	99.6%
1	1	80	0.3%	0.4%	80	0.4%	0.4%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMSM Type: Numeric

Label:
NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER
INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18515	71.4%	100.0%	18430	100.0%	100.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMMSR Type: Numeric

Label:
NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM
PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18513	71.3%	100.0%	18428	100.0%	100.0%
1	1	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSR Type: Numeric

Label:
NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMOLN Type: Numeric

Label:
NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17958	69.2%	97.0%	17877	97.0%	97.0%
1	1	187	0.7%	1.0%	185	1.0%	1.0%
2	2	121	0.5%	0.7%	121	0.7%	0.7%
3	3	237	0.9%	1.3%	235	1.3%	1.3%
4	4	11	0.0%	0.1%	11	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMOPV Type: Numeric

Label: NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18347	70.7%	99.1%	18262	99.1%	99.1%
1	1	25	0.1%	0.1%	25	0.1%	0.1%
2	2	30	0.1%	0.2%	30	0.2%	0.2%
3	3	94	0.4%	0.5%	94	0.5%	0.5%
4	4	14	0.1%	0.1%	14	0.1%	0.1%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOPV Type: Numeric

Label: NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
5	5	5	0.0%	0.0%	5	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMPCC Type: Numeric

Label: NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1730	6.7%	9.3%	1700	9.2%	9.2%
1	1	426	1.6%	2.3%	413	2.2%	2.2%
2	2	540	2.1%	2.9%	528	2.9%	2.9%
3	3	2300	8.9%	12.4%	2278	12.4%	12.4%
4	4	13400	51.6%	72.4%	13392	72.7%	72.7%
5	5	115	0.4%	0.6%	115	0.6%	0.6%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCN Type: Numeric

Label:**NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17041	65.7%	92.0%	16963	92.0%	92.0%
1	1	470	1.8%	2.5%	464	2.5%	2.5%
2	2	145	0.6%	0.8%	145	0.8%	0.8%
3	3	238	0.9%	1.3%	237	1.3%	1.3%
4	4	621	2.4%	3.4%	621	3.4%	3.4%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMPCP Type: Numeric

Label:**NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 71

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18245	70.3%	98.5%	18160	98.5%	98.5%
1	1	39	0.2%	0.2%	39	0.2%	0.2%
2	2	32	0.1%	0.2%	32	0.2%	0.2%
3	3	38	0.1%	0.2%	38	0.2%	0.2%
4	4	161	0.6%	0.9%	161	0.9%	0.9%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCV Type: Numeric

Label:
NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 70, 71, or 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	714	2.8%	3.9%	686	3.7%	3.7%
1	1	297	1.1%	1.6%	283	1.5%	1.5%
2	2	460	1.8%	2.5%	451	2.4%	2.4%
3	3	2126	8.2%	11.5%	2102	11.4%	11.4%
4	4	14765	56.9%	79.7%	14755	80.1%	80.1%
5	5	149	0.6%	0.8%	149	0.8%	0.8%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMPOL Type: Numeric

Label:
NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, or 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	443	1.7%	2.4%	414	2.2%	2.2%
1	1	189	0.7%	1.0%	178	1.0%	1.0%
2	2	600	2.3%	3.2%	586	3.2%	3.2%
3	3	16199	62.4%	87.5%	16170	87.7%	87.7%
4	4	1039	4.0%	5.6%	1037	5.6%	5.6%
5	5	36	0.1%	0.2%	36	0.2%	0.2%
6	6	8	0.0%	0.0%	8	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMPOL Type: Numeric****Label:****NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 08, 20, 21, or 22**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMRB Type: Numeric**Label:****NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type RB**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18490	71.3%	99.9%	18405	99.9%	99.9%
1	1	25	0.1%	0.1%	25	0.1%	0.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMROT Type: Numeric**Label:****NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type RO**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	15001	57.8%	81.0%	14930	81.0%	81.0%
1	1	381	1.5%	2.1%	377	2.0%	2.0%
2	2	537	2.1%	2.9%	531	2.9%	2.9%
3	3	2584	10.0%	14.0%	2580	14.0%	14.0%
4	4	12	0.0%	0.1%	12	0.1%	0.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMTPM Type: Numeric****Label: NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 02**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17906	69.0%	96.7%	17822	96.7%	96.7%
1	1	208	0.8%	1.1%	208	1.1%	1.1%
2	2	51	0.2%	0.3%	51	0.3%	0.3%
3	3	128	0.5%	0.7%	127	0.7%	0.7%
4	4	221	0.9%	1.2%	221	1.2%	1.2%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMTPN Type: Numeric**Label: NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 03 or DH**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	17912	69.0%	96.7%	17829	96.7%	96.7%
1	1	220	0.8%	1.2%	219	1.2%	1.2%
2	2	95	0.4%	0.5%	94	0.5%	0.5%
3	3	169	0.7%	0.9%	169	0.9%	0.9%
4	4	116	0.4%	0.6%	116	0.6%	0.6%
5	5	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRC Type: Numeric

Label:**NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1807	7.0%	9.8%	1744	9.5%	9.5%
1	1	16429	63.3%	88.7%	16407	89.0%	89.0%
2	2	277	1.1%	1.5%	277	1.5%	1.5%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_NUMVRN Type: Numeric

Label:**NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18314	70.6%	98.9%	18229	98.9%	98.9%
1	1	199	0.8%	1.1%	199	1.1%	1.1%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRX Type: Numeric

Label:
NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	7470	28.8%	40.3%	7400	40.2%	40.2%
1	1	10911	42.0%	58.9%	10896	59.1%	59.1%
2	2	133	0.5%	0.7%	133	0.7%	0.7%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_U12VRC Type: Numeric

Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+
MONTHS

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1955	7.5%	10.6%	1891	10.3%	10.3%
UTD	1	16560	63.8%	89.4%	16539	89.7%	89.7%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTD331 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1

**Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing
(08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1908	7.4%	10.3%	1837	10.0%	10.0%
UTD	1	16607	64.0%	89.7%	16593	90.0%	90.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTD331 Type: Numeric****Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1****Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTD431 Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1****Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3201	12.3%	17.3%	3119	16.9%	16.9%
UTD	1	15314	59.0%	82.7%	15311	83.1%	83.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDFL1 Type: Numeric**Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1**

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period. (VACCINATED) For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period. (NOT VACCINATED) Child falls into neither of the preceding categories. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	5048	19.5%	27.3%	5042	27.4%	27.4%
NOT VACCINATED	2	6977	26.9%	37.7%	6922	37.6%	37.6%
NOT ELIGIBLE	3	6490	25.0%	35.1%	6466	35.1%	35.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL1 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period. (VACCINATED) For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period. (NOT VACCINATED) Child falls into neither of the preceding categories. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDFL2 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X) OR (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1) (VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition. (NOT VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	3681	14.2%	19.9%	3678	20.0%	20.0%
NOT VACCINATED	2	8344	32.2%	45.1%	8286	45.0%	45.0%
NOT ELIGIBLE	3	6490	25.0%	35.1%	6466	35.1%	35.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDFL3 Type: Numeric****Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 3****Notes: Definition same as P_UTDFL2 with one exception:****For interviews conducted during year X****(defined using the year variable associated with the quarter),****if child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year****(X-1) and child received no doses of influenza prior to 9/1/X-2,****received 1 dose of varicella between 9/1/X-2 and 9/1/X-1,****and received 1 dose of varicella between 9/1/X-1 and whichever is earlier, date of interview or 1/31/X, then NOT VACCINATED.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	3021	11.6%	16.3%	3018	16.4%	16.4%
NOT VACCINATED	2	9004	34.7%	48.6%	8946	48.5%	48.5%
NOT ELIGIBLE	3	6490	25.0%	35.1%	6466	35.1%	35.1%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDHEP Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS****Notes: 3+ Hepatitis B-containing (08,43,60,HB,DH)**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1232	4.7%	6.7%	1179	6.4%	6.4%
UTD	1	17283	66.6%	93.3%	17251	93.6%	93.6%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB Type: Numeric
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
Notes: 3+ HIB-containing (05,07,43,44,HI)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1846	7.1%	10.0%	1787	9.7%	9.7%
UTD	1	16669	64.2%	90.0%	16643	90.3%	90.3%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDMCV Type: Numeric
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1384	5.3%	7.5%	1320	7.2%	7.2%
UTD	1	17131	66.0%	92.5%	17110	92.8%	92.8%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDMMX Type: Numeric
Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
Notes: 1+ MMR combo shot (30)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1605	6.2%	8.7%	1541	8.4%	8.4%
UTD	1	16910	65.2%	91.3%	16889	91.6%	91.6%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPC3 Type: Numeric
Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
Notes: 3+ Pneumococcal-containing (70,71,72)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1471	5.7%	7.9%	1420	7.7%	7.7%
UTD	1	17044	65.7%	92.1%	17010	92.3%	92.3%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDPCV Type: Numeric
Label: UTD
(UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
Notes: 4+ Pneumococcal-containing (70,71,72)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3597	13.9%	19.4%	3522	19.1%	19.1%
UTD	1	14918	57.5%	80.6%	14908	80.9%	80.9%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDPOL Type: Numeric
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
Notes: 3+ Polio-containing (08,20,21,22)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1232	4.7%	6.7%	1178	6.4%	6.4%
UTD	1	17283	66.6%	93.3%	17252	93.6%	93.6%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTP3 Type: Numeric							
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS							
Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	793	3.1%	4.3%	744	4.0%	4.0%
UTD	1	17722	68.3%	95.7%	17686	96.0%	96.0%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: P_UTDTP4 Type: Numeric							
Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS							
Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2777	10.7%	15.0%	2699	14.6%	14.6%
UTD	1	15738	60.7%	85.0%	15731	85.4%	85.4%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PU431331 Type: Numeric							
Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)							
Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), and 1+ Varicella-containing (VA,VO,VM) at age 12+ months							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4545	17.5%	24.5%	4460	24.2%	24.2%
UTD	1	13970	53.8%	75.5%	13970	75.8%	75.8%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PU4313313 Type: Numeric							
Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)							
Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), 1+ Varicella-containing (VA,VO,VM) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4890	18.8%	26.4%	4805	26.1%	26.1%
UTD	1	13625	52.5%	73.6%	13625	73.9%	73.9%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PU4313314 Type: Numeric							
Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)							
Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), 1+ Varicella-containing (VA,VO,VM) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72)							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	5852	22.6%	31.6%	5767	31.3%	31.3%
UTD	1	12663	48.8%	68.4%	12663	68.7%	68.7%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: PUT43133** Type: Numeric**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3**

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), and 3+ Hepatitis B-containing (08,43,60,HB,DH)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4049	15.6%	21.9%	3964	21.5%	21.5%
UTD	1	14466	55.7%	78.1%	14466	78.5%	78.5%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PUTD4313 Type: Numeric**Label: UTD FLAG FOR PROVIDER 4:3:1:3**

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (05,07,43,44,HI)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3805	14.7%	20.6%	3721	20.2%	20.2%
UTD	1	14710	56.7%	79.4%	14709	79.8%	79.8%
SUBTOTALS:		18515	71.4%	100.0%	18430	100.0%	100.0%
RESERVED CODES:							
MISSING	.	7433	28.6%	n/a	0	0.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18163	70.0%	100.0%	18106	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7785	30.0%	n/a	324	1.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	74.6	64.0	0.0	1196.0	57.7
Adequate Provider Data	74.6	64.0	0.0	1196.0	57.5

Variable: DDTP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17977	69.3%	100.0%	17931	97.3%	100.0%
RESERVED CODES:							
MISSING	.	7971	30.7%	n/a	499	2.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	144.0	127.0	57.0	1101.0	63.9
Adequate Provider Data	143.9	127.0	57.0	1101.0	63.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17753	68.4%	100.0%	17717	96.1%	100.0%
RESERVED CODES:							
MISSING	.	8195	31.6%	n/a	713	3.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	218.9	192.0	95.0	1230.0	85.3
Adequate Provider Data	218.8	192.0	95.0	1230.0	85.3

Variable: DDTP4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15966	61.5%	100.0%	15959	86.6%	100.0%
RESERVED CODES:							
MISSING	.	9982	38.5%	n/a	2471	13.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	519.2	494.0	141.0	1373.0	97.6
Adequate Provider Data	519.1	494.0	141.0	1373.0	97.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		254	1.0%	100.0%	254	1.4%	100.0%
RESERVED CODES:							
MISSING	.	25694	99.0%	n/a	18176	98.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	587.4	554.5	188.0	1219.0	146.8
Adequate Provider Data	587.4	554.5	188.0	1219.0	146.8

Variable: DDTP6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25932	99.9%	n/a	18414	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	618.1	613.5	216.0	1119.0	203.8
Adequate Provider Data	618.1	613.5	216.0	1119.0	203.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	673.0	673.0	557.0	789.0	164.0
Adequate Provider Data	673.0	673.0	557.0	789.0	164.0

Variable: DDTP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DDTP8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	847.0	847.0	847.0	847.0	.
Adequate Provider Data	847.0	847.0	847.0	847.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DFLU1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #1****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11065	42.6%	100.0%	11050	60.0%	100.0%
RESERVED CODES:							
MISSING	.	14883	57.4%	n/a	7380	40.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DFLU1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	374.3	356.0	0.0	1312.0	181.6
Adequate Provider Data	374.3	356.0	0.0	1312.0	181.6

Variable: DFLU2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		7891	30.4%	100.0%	7886	42.8%	100.0%
RESERVED CODES:							
MISSING	.	18057	69.6%	n/a	10544	57.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	456.5	424.0	46.0	1374.0	192.3
Adequate Provider Data	456.5	424.0	46.0	1374.0	192.4

Variable: DFLU3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #3							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3966	15.3%	100.0%	3964	21.5%	100.0%
RESERVED CODES:							
MISSING	.	21982	84.7%	n/a	14466	78.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DFLU3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	672.4	655.0	185.0	1204.0	145.8
Adequate Provider Data	672.4	655.0	185.0	1204.0	145.8

Variable: DFLU4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #4							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		711	2.7%	100.0%	711	3.9%	100.0%
RESERVED CODES:							
MISSING	.	25237	97.3%	n/a	17719	96.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DFLU4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	910.6	919.0	326.0	1321.0	132.1
Adequate Provider Data	910.6	919.0	326.0	1321.0	132.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #5							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25932	99.9%	n/a	18414	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DFLU5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	913.4	943.5	374.0	1178.0	173.8
Adequate Provider Data	913.4	943.5	374.0	1178.0	173.8

Variable: DFLU6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #6							
Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DFLU6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	752.0	752.0	752.0	752.0	.
Adequate Provider Data	752.0	752.0	752.0	752.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #7****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DFLU8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #8****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DFLU9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #9****Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12886	49.7%	100.0%	12867	69.8%	100.0%
RESERVED CODES:							
MISSING	.	13062	50.3%	n/a	5563	30.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPA1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	478.3	429.0	0.0	1373.0	136.5
Adequate Provider Data	478.3	429.0	0.0	1373.0	136.5

Variable: DHEPA2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8186	31.5%	100.0%	8179	44.4%	100.0%
RESERVED CODES:							
MISSING	.	17762	68.5%	n/a	10251	55.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPA2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	679.9	688.5	259.0	1230.0	119.8
Adequate Provider Data	679.9	688.0	259.0	1230.0	119.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		64	0.2%	100.0%	64	0.3%	100.0%
RESERVED CODES:							
MISSING	.	25884	99.8%	n/a	18366	99.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPA3 Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	782.0	747.5	549.0	1169.0	172.6
Adequate Provider Data	782.0	747.5	549.0	1169.0	172.6

Variable: DHEPA4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DHEPA5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DHEPA7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DHEPA8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DHEPB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18164	70.0%	100.0%	18084	98.1%	100.0%
RESERVED CODES:							
MISSING	.	7784	30.0%	n/a	346	1.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	29.7	2.0	0.0	1069.0	61.3
Adequate Provider Data	29.7	2.0	0.0	1069.0	61.2

Variable: DHEPB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17871	68.9%	100.0%	17821	96.7%	100.0%
RESERVED CODES:							
MISSING	.	8077	31.1%	n/a	609	3.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB2		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	100.3	70.0	17.0	1101.0	76.9	
Adequate Provider Data	100.3	70.0	17.0	1101.0	76.8	

Variable: DHEPB3		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17330	66.8%	100.0%	17298	93.9%	100.0%
RESERVED CODES:							
MISSING	.	8618	33.2%	n/a	1132	6.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPB3		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	227.5	189.0	45.0	1229.0	122.0	
Adequate Provider Data	227.6	189.0	45.0	1229.0	122.1	

Variable: DHEPB4		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6355	24.5%	100.0%	6338	34.4%	100.0%
RESERVED CODES:							
MISSING	.	19593	75.5%	n/a	12092	65.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPB4		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	253.7	197.0	101.0	1104.0	121.0	
Adequate Provider Data	253.8	197.0	101.0	1104.0	121.1	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		441	1.7%	100.0%	441	2.4%	100.0%
RESERVED CODES:							
MISSING	.	25507	98.3%	n/a	17989	97.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	465.6	463.0	182.0	960.0	132.8
Adequate Provider Data	465.6	463.0	182.0	960.0	132.8

Variable: DHEPB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		22	0.1%	100.0%	22	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25926	99.9%	n/a	18408	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	543.1	550.0	276.0	791.0	122.7
Adequate Provider Data	543.1	550.0	276.0	791.0	122.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHEPB7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	618.0	618.0	557.0	679.0	86.3
Adequate Provider Data	618.0	618.0	557.0	679.0	86.3

Variable: DHEPB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DHEPB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18112	69.8%	100.0%	18054	98.0%	100.0%
RESERVED CODES:							
MISSING	.	7836	30.2%	n/a	376	2.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	75.3	64.0	0.0	1109.0	58.7
Adequate Provider Data	75.3	64.0	0.0	1109.0	58.6

Variable: DHIB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17850	68.8%	100.0%	17803	96.6%	100.0%
RESERVED CODES:							
MISSING	.	8098	31.2%	n/a	627	3.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	144.8	128.0	43.0	1027.0	63.0
Adequate Provider Data	144.8	128.0	43.0	1027.0	62.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16715	64.4%	100.0%	16689	90.6%	100.0%
RESERVED CODES:							
MISSING	.	9233	35.6%	n/a	1741	9.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	298.5	222.0	101.0	1229.0	133.1
Adequate Provider Data	298.5	222.0	101.0	1229.0	133.1

Variable: DHIB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8755	33.7%	100.0%	8747	47.5%	100.0%
RESERVED CODES:							
MISSING	.	17193	66.3%	n/a	9683	52.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	471.8	463.0	141.0	1155.0	92.3
Adequate Provider Data	471.8	463.0	141.0	1155.0	92.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		145	0.6%	100.0%	145	0.8%	100.0%
RESERVED CODES:							
MISSING	.	25803	99.4%	n/a	18285	99.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	529.7	504.0	275.0	1099.0	135.1
Adequate Provider Data	529.7	504.0	275.0	1099.0	135.1

Variable: DHIB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9	0.0%	100.0%	9	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25939	100.0%	n/a	18421	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	592.8	555.0	368.0	1119.0	221.4
Adequate Provider Data	592.8	555.0	368.0	1119.0	221.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25945	100.0%	n/a	18427	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	567.0	557.0	478.0	666.0	94.4
Adequate Provider Data	567.0	557.0	478.0	666.0	94.4

Variable: DHIB8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DHIB8 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	742.0	742.0	742.0	742.0	.
Adequate Provider Data	742.0	742.0	742.0	742.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMMR1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17224	66.4%	100.0%	17203	93.3%	100.0%
RESERVED CODES:							
MISSING	.	8724	33.6%	n/a	1227	6.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	420.2	383.0	0.0	1229.0	84.4
Adequate Provider Data	420.2	383.0	0.0	1229.0	84.2

Variable: DMMR2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		295	1.1%	100.0%	295	1.6%	100.0%
RESERVED CODES:							
MISSING	.	25653	98.9%	n/a	18135	98.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR2		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	605.9	569.0	365.0	1112.0	155.3	
Adequate Provider Data	605.9	569.0	365.0	1112.0	155.3	

Variable: DMMR3		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25943	100.0%	n/a	18425	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DMMR3		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	845.4	791.0	748.0	1119.0	154.0	
Adequate Provider Data	845.4	791.0	748.0	1119.0	154.0	

Variable: DMMR4		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMMR6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMMR7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMMR9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMP1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26	0.1%	100.0%	26	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25922	99.9%	n/a	18404	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DMP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	583.3	540.5	369.0	958.0	175.3
Adequate Provider Data	583.3	540.5	369.0	958.0	175.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP2 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMP3 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMP4 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP5 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMP6 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMP7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMP9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMPRB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DMPRB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	295.0	295.0	295.0	295.0	.
Adequate Provider Data	295.0	295.0	295.0	295.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB2 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMPRB3 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMPRB4 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB5 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMPRB6 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMPRB7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DMPRB9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DPCV1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17808	68.6%	100.0%	17751	96.3%	100.0%
RESERVED CODES:							
MISSING	.	8140	31.4%	n/a	679	3.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV1 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	80.1	64.0	0.0	1101.0	70.8
Adequate Provider Data	80.0	64.0	0.0	1101.0	70.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV2 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17517	67.5%	100.0%	17474	94.8%	100.0%
RESERVED CODES:							
MISSING	.	8431	32.5%	n/a	956	5.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	150.0	128.0	57.0	1056.0	74.5
Adequate Provider Data	149.9	128.0	57.0	1056.0	74.6

Variable: DPCV3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17078	65.8%	100.0%	17044	92.5%	100.0%
RESERVED CODES:							
MISSING	.	8870	34.2%	n/a	1386	7.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	225.1	193.0	98.0	1230.0	89.5
Adequate Provider Data	225.1	193.0	98.0	1230.0	89.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15037	58.0%	100.0%	15027	81.5%	100.0%
RESERVED CODES:							
MISSING	.	10911	42.0%	n/a	3403	18.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	440.7	402.0	173.0	1246.0	95.4
Adequate Provider Data	440.7	402.0	173.0	1246.0	95.4

Variable: DPCV5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		157	0.6%	100.0%	157	0.9%	100.0%
RESERVED CODES:							
MISSING	.	25791	99.4%	n/a	18273	99.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	552.4	505.0	249.0	1085.0	158.8
Adequate Provider Data	552.4	505.0	249.0	1085.0	158.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25942	100.0%	n/a	18424	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	669.7	606.0	473.0	1119.0	239.5
Adequate Provider Data	669.7	606.0	473.0	1119.0	239.5

Variable: DPCV7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	611.5	611.5	557.0	666.0	77.1
Adequate Provider Data	611.5	611.5	557.0	666.0	77.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV8 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPCV8 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	742.0	742.0	742.0	742.0	.
Adequate Provider Data	742.0	742.0	742.0	742.0	.

Variable: DPCV9 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9							
Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DPOLIO1 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18075	69.7%	100.0%	18019	97.8%	100.0%
RESERVED CODES:							
MISSING	.	7873	30.3%	n/a	411	2.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO1		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	74.4	64.0	0.0	1069.0	52.8	
Adequate Provider Data	74.4	64.0	0.0	1069.0	52.8	

Variable: DPOLIO2		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17894	69.0%	100.0%	17849	96.8%	100.0%
RESERVED CODES:							
MISSING	.	8054	31.0%	n/a	581	3.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPOLIO2		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	145.5	128.0	32.0	1101.0	65.1	
Adequate Provider Data	145.5	128.0	32.0	1101.0	65.1	

Variable: DPOLIO3		Type: Numeric					
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17363	66.9%	100.0%	17332	94.0%	100.0%
RESERVED CODES:							
MISSING	.	8585	33.1%	n/a	1098	6.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPOLIO3		Type: Numeric				
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	276.4	203.0	67.0	1230.0	141.3	
Adequate Provider Data	276.5	203.0	67.0	1230.0	141.3	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1101	4.2%	100.0%	1099	6.0%	100.0%
RESERVED CODES:							
MISSING	.	24847	95.8%	n/a	17331	94.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPOLIO4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	478.4	468.0	98.0	1246.0	144.0
Adequate Provider Data	478.6	468.0	98.0	1246.0	144.0

Variable: DPOLIO5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		47	0.2%	100.0%	47	0.3%	100.0%
RESERVED CODES:							
MISSING	.	25901	99.8%	n/a	18383	99.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPOLIO5 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	474.4	488.0	134.0	1065.0	179.8
Adequate Provider Data	474.4	488.0	134.0	1065.0	179.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25938	100.0%	n/a	18420	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	538.4	566.5	216.0	679.0	136.8
Adequate Provider Data	538.4	566.5	216.0	679.0	136.8

Variable: DPOLIO7 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DPOLIO7 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	712.0	712.0	712.0	712.0	.
Adequate Provider Data	712.0	712.0	712.0	712.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DPOLIO9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DRB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26	0.1%	100.0%	26	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25922	99.9%	n/a	18404	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DRB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	573.7	554.0	229.0	980.0	151.8
Adequate Provider Data	573.7	554.0	229.0	980.0	151.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DRB3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DRB4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DRB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DRB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DRB9 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DROT1 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3515	13.5%	100.0%	3501	19.0%	100.0%
RESERVED CODES:							
MISSING	.	22433	86.5%	n/a	14929	81.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	81.0	65.0	31.0	959.0	56.1
Adequate Provider Data	81.0	65.0	31.0	959.0	56.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3133	12.1%	100.0%	3123	16.9%	100.0%
RESERVED CODES:							
MISSING	.	22815	87.9%	n/a	15307	83.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DROT2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	138.4	127.0	63.0	855.0	34.1
Adequate Provider Data	138.3	127.0	63.0	855.0	34.1

Variable: DROT3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3****Notes: The "age in days"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2597	10.0%	100.0%	2593	14.1%	100.0%
RESERVED CODES:							
MISSING	.	23351	90.0%	n/a	15837	85.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DROT3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	198.0	189.0	111.0	913.0	35.0
Adequate Provider Data	198.0	189.0	111.0	913.0	35.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25936	100.0%	n/a	18418	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DROT4 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	325.2	324.0	183.0	499.0	131.6
Adequate Provider Data	325.2	324.0	183.0	499.0	131.6

Variable: DROT5 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DROT6 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6							
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT7 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DROT8 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DROT9 Type: Numeric
Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
Notes: The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18163	70.0%	100.0%	18106	98.2%	100.0%
RESERVED CODES:							
MISSING	.	7785	30.0%	n/a	324	1.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.1	2.0	0.0	39.0	1.9
Adequate Provider Data	2.1	2.0	0.0	39.0	1.9

Variable: DTP2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17977	69.3%	100.0%	17931	97.3%	100.0%
RESERVED CODES:							
MISSING	.	7971	30.7%	n/a	499	2.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.4	4.0	1.0	36.0	2.1
Adequate Provider Data	4.4	4.0	1.0	36.0	2.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17753	68.4%	100.0%	17717	96.1%	100.0%
RESERVED CODES:							
MISSING	.	8195	31.6%	n/a	713	3.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	6.8	6.0	3.0	40.0	2.8
Adequate Provider Data	6.8	6.0	3.0	40.0	2.8

Variable: DTP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15966	61.5%	100.0%	15959	86.6%	100.0%
RESERVED CODES:							
MISSING	.	9982	38.5%	n/a	2471	13.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	16.7	16.0	4.0	45.0	3.2
Adequate Provider Data	16.7	16.0	4.0	45.0	3.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DTP5_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		254	1.0%	100.0%	254	1.4%	100.0%
RESERVED CODES:							
MISSING	.	25694	99.0%	n/a	18176	98.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP5_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	18.9	18.0	6.0	40.0	4.8
Adequate Provider Data	18.9	18.0	6.0	40.0	4.8

Variable: DTP6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25932	99.9%	n/a	18414	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP6_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	19.9	20.0	7.0	36.0	6.6
Adequate Provider Data	19.9	20.0	7.0	36.0	6.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DTP7_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP7_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	21.5	21.5	18.0	25.0	4.9
Adequate Provider Data	21.5	21.5	18.0	25.0	4.9

Variable: DTP8_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DTP8_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	27.0	27.0	27.0	27.0	.
Adequate Provider Data	27.0	27.0	27.0	27.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DVRC1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16797	64.7%	100.0%	16775	91.0%	100.0%
RESERVED CODES:							
MISSING	.	9151	35.3%	n/a	1655	9.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DVRC1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	421.8	382.0	3.0	1171.0	89.5
Adequate Provider Data	421.8	382.0	3.0	1171.0	89.5

Variable: DVRC2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		310	1.2%	100.0%	310	1.7%	100.0%
RESERVED CODES:							
MISSING	.	25638	98.8%	n/a	18120	98.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC2 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	640.0	605.5	366.0	1119.0	161.7
Adequate Provider Data	640.0	605.5	366.0	1119.0	161.7

Variable: DVRC3 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25944	100.0%	n/a	18426	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: DVRC3 Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	843.3	791.0	765.0	1026.0	122.4
Adequate Provider Data	843.3	791.0	765.0	1026.0	122.4

Variable: DVRC4 Type: Numeric							
Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DVRC6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DVRC7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: DVRC9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9****Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: FLU1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #1****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11065	42.6%	100.0%	11050	60.0%	100.0%
RESERVED CODES:							
MISSING	.	14883	57.4%	n/a	7380	40.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FLU1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	11.9	11.0	0.0	43.0	5.9
Adequate Provider Data	11.9	11.0	0.0	43.0	5.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #2							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		7891	30.4%	100.0%	7886	42.8%	100.0%
RESERVED CODES:							
MISSING	.	18057	69.6%	n/a	10544	57.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FLU2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.6	13.0	1.0	45.0	6.3
Adequate Provider Data	14.6	13.0	1.0	45.0	6.3

Variable: FLU3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #3							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3966	15.3%	100.0%	3964	21.5%	100.0%
RESERVED CODES:							
MISSING	.	21982	84.7%	n/a	14466	78.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FLU3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.7	21.0	6.0	39.0	4.8
Adequate Provider Data	21.7	21.0	6.0	39.0	4.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #4							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		711	2.7%	100.0%	711	3.9%	100.0%
RESERVED CODES:							
MISSING	.	25237	97.3%	n/a	17719	96.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FLU4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	29.4	30.0	10.0	43.0	4.4
Adequate Provider Data	29.4	30.0	10.0	43.0	4.4

Variable: FLU5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #5							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25932	99.9%	n/a	18414	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FLU5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	29.6	30.5	12.0	38.0	5.7
Adequate Provider Data	29.6	30.5	12.0	38.0	5.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #6							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: FLU6_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	24.0	24.0	24.0	24.0	.	
Adequate Provider Data	24.0	24.0	24.0	24.0	.	

Variable: FLU7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #7							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: FLU8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #8							
Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: FLU9_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #9****Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HEA1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12886	49.7%	100.0%	12867	69.8%	100.0%
RESERVED CODES:							
MISSING	.	13062	50.3%	n/a	5563	30.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEA1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	15.4	14.0	0.0	45.0	4.4
Adequate Provider Data	15.4	14.0	0.0	45.0	4.4

Variable: HEA2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8186	31.5%	100.0%	8179	44.4%	100.0%
RESERVED CODES:							
MISSING	.	17762	68.5%	n/a	10251	55.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	22.0	22.0	8.0	40.0	3.9
Adequate Provider Data	22.0	22.0	8.0	40.0	3.9

Variable: HEA3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		64	0.2%	100.0%	64	0.3%	100.0%
RESERVED CODES:							
MISSING	.	25884	99.8%	n/a	18366	99.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEA3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	25.3	24.0	18.0	38.0	5.7
Adequate Provider Data	25.3	24.0	18.0	38.0	5.7

Variable: HEA4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HEA6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HEA7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HEA9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HEP1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18164	70.0%	100.0%	18084	98.1%	100.0%
RESERVED CODES:							
MISSING	.	7784	30.0%	n/a	346	1.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	0.8	0.0	0.0	35.0	1.9
Adequate Provider Data	0.8	0.0	0.0	35.0	1.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17871	68.9%	100.0%	17821	96.7%	100.0%
RESERVED CODES:							
MISSING	.	8077	31.1%	n/a	609	3.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	3.0	2.0	0.0	36.0	2.5
Adequate Provider Data	3.0	2.0	0.0	36.0	2.5

Variable: HEP3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17330	66.8%	100.0%	17298	93.9%	100.0%
RESERVED CODES:							
MISSING	.	8618	33.2%	n/a	1132	6.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.1	6.0	1.0	40.0	4.0
Adequate Provider Data	7.1	6.0	1.0	40.0	4.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6355	24.5%	100.0%	6338	34.4%	100.0%
RESERVED CODES:							
MISSING	.	19593	75.5%	n/a	12092	65.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.0	6.0	3.0	36.0	4.0
Adequate Provider Data	8.0	6.0	3.0	36.0	4.0

Variable: HEP5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		441	1.7%	100.0%	441	2.4%	100.0%
RESERVED CODES:							
MISSING	.	25507	98.3%	n/a	17989	97.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.9	15.0	5.0	31.0	4.3
Adequate Provider Data	14.9	15.0	5.0	31.0	4.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		22	0.1%	100.0%	22	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25926	99.9%	n/a	18408	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.5	18.0	9.0	25.0	3.9
Adequate Provider Data	17.5	18.0	9.0	25.0	3.9

Variable: HEP7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HEP7_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	20.0	20.0	18.0	22.0	2.8
Adequate Provider Data	20.0	20.0	18.0	22.0	2.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HEP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: HIB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18112	69.8%	100.0%	18054	98.0%	100.0%
RESERVED CODES:							
MISSING	.	7836	30.2%	n/a	376	2.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.2	2.0	0.0	36.0	1.9
Adequate Provider Data	2.2	2.0	0.0	36.0	1.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HIB2_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17850	68.8%	100.0%	17803	96.6%	100.0%
RESERVED CODES:							
MISSING	.	8098	31.2%	n/a	627	3.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB2_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	4.4	4.0	1.0	33.0	2.1
Adequate Provider Data	4.4	4.0	1.0	33.0	2.0

Variable: HIB3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16715	64.4%	100.0%	16689	90.6%	100.0%
RESERVED CODES:							
MISSING	.	9233	35.6%	n/a	1741	9.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB3_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	9.5	7.0	3.0	40.0	4.4
Adequate Provider Data	9.5	7.0	3.0	40.0	4.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8755	33.7%	100.0%	8747	47.5%	100.0%
RESERVED CODES:							
MISSING	.	17193	66.3%	n/a	9683	52.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.1	15.0	4.0	37.0	3.0
Adequate Provider Data	15.1	15.0	4.0	37.0	3.0

Variable: HIB5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		145	0.6%	100.0%	145	0.8%	100.0%
RESERVED CODES:							
MISSING	.	25803	99.4%	n/a	18285	99.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.0	16.0	9.0	36.0	4.4
Adequate Provider Data	17.0	16.0	9.0	36.0	4.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		9	0.0%	100.0%	9	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25939	100.0%	n/a	18421	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.1	18.0	12.0	36.0	7.1
Adequate Provider Data	19.1	18.0	12.0	36.0	7.1

Variable: HIB7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25945	100.0%	n/a	18427	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB7_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.0	18.0	15.0	21.0	3.0
Adequate Provider Data	18.0	18.0	15.0	21.0	3.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: HIB8_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	24.0	24.0	24.0	24.0	.
Adequate Provider Data	24.0	24.0	24.0	24.0	.

Variable: HIB9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MMR1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17224	66.4%	100.0%	17203	93.3%	100.0%
RESERVED CODES:							
MISSING	.	8724	33.6%	n/a	1227	6.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR1_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	13.5	12.0	0.0	40.0	2.7	
Adequate Provider Data	13.5	12.0	0.0	40.0	2.7	

Variable: MMR2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		295	1.1%	100.0%	295	1.6%	100.0%
RESERVED CODES:							
MISSING	.	25653	98.9%	n/a	18135	98.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: MMR2_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	19.5	18.0	12.0	36.0	5.1	
Adequate Provider Data	19.5	18.0	12.0	36.0	5.1	

Variable: MMR3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25943	100.0%	n/a	18425	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: MMR3_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	27.0	25.0	24.0	36.0	5.0	
Adequate Provider Data	27.0	25.0	24.0	36.0	5.0	

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MMR5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MMR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MMR8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MMR9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MP1_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26	0.1%	100.0%	26	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25922	99.9%	n/a	18404	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: MP1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDev**

All	18.8	17.5	12.0	31.0	5.7
Adequate Provider Data	18.8	17.5	12.0	31.0	5.7

Variable: MP2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MP3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: MPR1_AGE Type: Numeric						
CASES	MEAN	MEDIAN	MIN	MAX	STDDev	
All	9.0	9.0	9.0	9.0	.	
Adequate Provider Data	9.0	9.0	9.0	9.0	.	

Variable: MPR2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MPR3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MPR5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MPR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR7_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MPR8_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: MPR9_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: PCV1_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17808	68.6%	100.0%	17751	96.3%	100.0%
RESERVED CODES:							
MISSING	.	8140	31.4%	n/a	679	3.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	2.3	2.0	0.0	36.0	2.3
Adequate Provider Data	2.3	2.0	0.0	36.0	2.3

Variable: PCV2_AGE Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2****Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17517	67.5%	100.0%	17474	94.8%	100.0%
RESERVED CODES:							
MISSING	.	8431	32.5%	n/a	956	5.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV2_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

All	4.6	4.0	1.0	34.0	2.4
Adequate Provider Data	4.6	4.0	1.0	34.0	2.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV3_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17078	65.8%	100.0%	17044	92.5%	100.0%
RESERVED CODES:							
MISSING	.	8870	34.2%	n/a	1386	7.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.1	6.0	3.0	40.0	2.9
Adequate Provider Data	7.1	6.0	3.0	40.0	2.9

Variable: PCV4_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		15037	58.0%	100.0%	15027	81.5%	100.0%
RESERVED CODES:							
MISSING	.	10911	42.0%	n/a	3403	18.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.1	13.0	5.0	40.0	3.1
Adequate Provider Data	14.1	13.0	5.0	40.0	3.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV5_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		157	0.6%	100.0%	157	0.9%	100.0%
RESERVED CODES:							
MISSING	.	25791	99.4%	n/a	18273	99.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.7	16.0	8.0	35.0	5.2
Adequate Provider Data	17.7	16.0	8.0	35.0	5.2

Variable: PCV6_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25942	100.0%	n/a	18424	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV6_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.5	19.5	15.0	36.0	7.7
Adequate Provider Data	21.5	19.5	15.0	36.0	7.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV7_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV7_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.5	19.5	18.0	21.0	2.1
Adequate Provider Data	19.5	19.5	18.0	21.0	2.1

Variable: PCV8_AGE Type: Numeric							
Label:							
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: PCV8_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	24.0	24.0	24.0	24.0	.
Adequate Provider Data	24.0	24.0	24.0	24.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV9_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9							
Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: POL1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18075	69.7%	100.0%	18019	97.8%	100.0%
RESERVED CODES:							
MISSING	.	7873	30.3%	n/a	411	2.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.1	2.0	0.0	35.0	1.7
Adequate Provider Data	2.1	2.0	0.0	35.0	1.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17894	69.0%	100.0%	17849	96.8%	100.0%
RESERVED CODES:							
MISSING	.	8054	31.0%	n/a	581	3.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.4	4.0	1.0	36.0	2.1
Adequate Provider Data	4.4	4.0	1.0	36.0	2.1

Variable: POL3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.							
The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		17363	66.9%	100.0%	17332	94.0%	100.0%
RESERVED CODES:							
MISSING	.	8585	33.1%	n/a	1098	6.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.7	6.0	2.0	40.0	4.6
Adequate Provider Data	8.7	6.0	2.0	40.0	4.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1101	4.2%	100.0%	1099	6.0%	100.0%
RESERVED CODES:							
MISSING	.	24847	95.8%	n/a	17331	94.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.3	15.0	3.0	40.0	4.7
Adequate Provider Data	15.3	15.0	3.0	40.0	4.7

Variable: POL5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		47	0.2%	100.0%	47	0.3%	100.0%
RESERVED CODES:							
MISSING	.	25901	99.8%	n/a	18383	99.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL5_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.1	16.0	4.0	34.0	5.8
Adequate Provider Data	15.1	16.0	4.0	34.0	5.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: POL6_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25938	100.0%	n/a	18420	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL6_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	17.2	18.0	7.0	22.0	4.3
Adequate Provider Data	17.2	18.0	7.0	22.0	4.3

Variable: POL7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7****Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: POL7_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: POL9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: RB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26	0.1%	100.0%	26	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25922	99.9%	n/a	18404	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: RB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.4	18.0	7.0	32.0	5.0
Adequate Provider Data	18.4	18.0	7.0	32.0	5.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: RB3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: RB4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: RB6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: RB7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: RB8_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: RB9_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: ROT1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3515	13.5%	100.0%	3501	19.0%	100.0%
RESERVED CODES:							
MISSING	.	22433	86.5%	n/a	14929	81.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: ROT1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.3	2.0	1.0	31.0	1.8
Adequate Provider Data	2.3	2.0	1.0	31.0	1.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: ROT2_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		3133	12.1%	100.0%	3123	16.9%	100.0%
RESERVED CODES:							
MISSING	.	22815	87.9%	n/a	15307	83.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: ROT2_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	4.2	4.0	2.0	28.0	1.1
Adequate Provider Data	4.2	4.0	2.0	28.0	1.1

Variable: ROT3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2597	10.0%	100.0%	2593	14.1%	100.0%
RESERVED CODES:							
MISSING	.	23351	90.0%	n/a	15837	85.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: ROT3_AGE Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	6.2	6.0	3.0	30.0	1.1
Adequate Provider Data	6.2	6.0	3.0	30.0	1.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		12	0.0%	100.0%	12	0.1%	100.0%
RESERVED CODES:							
MISSING	.	25936	100.0%	n/a	18418	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: ROT4_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	10.3	10.5	6.0	16.0	4.2
Adequate Provider Data	10.3	10.5	6.0	16.0	4.2

Variable: ROT5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: ROT6_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6							
Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: ROT8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: ROT9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		16797	64.7%	100.0%	16775	91.0%	100.0%
RESERVED CODES:							
MISSING	.	9151	35.3%	n/a	1655	9.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: VRC1_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.5	12.0	0.0	38.0	2.9
Adequate Provider Data	13.5	12.0	0.0	38.0	2.9

Variable: VRC2_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		310	1.2%	100.0%	310	1.7%	100.0%
RESERVED CODES:							
MISSING	.	25638	98.8%	n/a	18120	98.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: VRC2_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	20.7	19.0	12.0	36.0	5.3
Adequate Provider Data	20.7	19.0	12.0	36.0	5.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	25944	100.0%	n/a	18426	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: VRC3_AGE Type: Numeric					
CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	27.0	25.0	25.0	33.0	4.0
Adequate Provider Data	27.0	25.0	25.0	33.0	4.0

Variable: VRC4_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: VRC5_AGE Type: Numeric							
Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5							
Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: VRC7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: VRC8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XDTPTY1 Type: Character

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	10	0.0%	0.1%	10	0.1%	0.1%
DTP	02	388	1.5%	2.1%	387	2.1%	2.1%
DTP-UNKNOWN	03	423	1.6%	2.3%	421	2.3%	2.3%
DTAP	04	7635	29.4%	42.0%	7611	41.3%	42.0%
DTP-HIB	05	3	0.0%	0.0%	3	0.0%	0.0%
DTAP-HIB	07	88	0.3%	0.5%	88	0.5%	0.5%
DTAP-HEPB-IPV	08	9616	37.1%	52.9%	9586	52.0%	52.9%
SUBTOTALS:		18163	70.0%	100.0%	18106	98.2%	100.0%
RESERVED CODES:							
MISSING		7785	30.0%	n/a	324	1.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY2 Type: Character

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	9	0.0%	0.1%	9	0.0%	0.1%
DTP	02	396	1.5%	2.2%	395	2.1%	2.2%
DTP-UNKNOWN	03	386	1.5%	2.1%	385	2.1%	2.1%
DTAP	04	8237	31.7%	45.8%	8217	44.6%	45.8%
DTP-HIB	05	9	0.0%	0.1%	9	0.0%	0.1%
DTAP-HIB	07	102	0.4%	0.6%	102	0.6%	0.6%
DTAP-HEPB-IPV	08	8838	34.1%	49.2%	8814	47.8%	49.2%
SUBTOTALS:		17977	69.3%	100.0%	17931	97.3%	100.0%
RESERVED CODES:							
MISSING		7971	30.7%	n/a	499	2.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XDTPTY3 Type: Character

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	11	0.0%	0.1%	11	0.1%	0.1%
DTP	02	382	1.5%	2.2%	381	2.1%	2.2%
DTP-UNKNOWN	03	325	1.3%	1.8%	325	1.8%	1.8%
DTAP	04	7789	30.0%	43.9%	7774	42.2%	43.9%
DTP-HIB	05	6	0.0%	0.0%	6	0.0%	0.0%
DTAP-HIB	07	102	0.4%	0.6%	101	0.5%	0.6%
DTAP-HEPB-IPV	08	9138	35.2%	51.5%	9119	49.5%	51.5%
SUBTOTALS:		17753	68.4%	100.0%	17717	96.1%	100.0%
RESERVED CODES:							
MISSING		8195	31.6%	n/a	713	3.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY4 Type: Character							
Label: DT-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	9	0.0%	0.1%	9	0.0%	0.1%
DTP	02	421	1.6%	2.6%	421	2.3%	2.6%
DTP-UNKNOWN	03	255	1.0%	1.6%	255	1.4%	1.6%
DTAP	04	12757	49.2%	79.9%	12752	69.2%	79.9%
DTP-HIB	05	49	0.2%	0.3%	49	0.3%	0.3%
DTAP-HIB	07	1824	7.0%	11.4%	1822	9.9%	11.4%
DTAP-HEPB-IPV	08	651	2.5%	4.1%	651	3.5%	4.1%
SUBTOTALS:		15966	61.5%	100.0%	15959	86.6%	100.0%
RESERVED CODES:							
MISSING		9982	38.5%	n/a	2471	13.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XDTPTY5 Type: Character							
Label: DT-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	1	0.0%	0.4%	1	0.0%	0.4%
DTP	02	9	0.0%	3.5%	9	0.0%	3.5%
DTP-UNKNOWN	03	10	0.0%	3.9%	10	0.1%	3.9%
DTAP	04	181	0.7%	71.3%	181	1.0%	71.3%
DTAP-HIB	07	24	0.1%	9.4%	24	0.1%	9.4%
DTAP-HEPB-IPV	08	29	0.1%	11.4%	29	0.2%	11.4%
SUBTOTALS:		254	1.0%	100.0%	254	1.4%	100.0%
RESERVED CODES:							
MISSING		25694	99.0%	n/a	18176	98.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY6 Type: Character

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP	02	2	0.0%	12.5%	2	0.0%	12.5%
DTP-UNKNOWN	03	1	0.0%	6.3%	1	0.0%	6.3%
DTAP	04	8	0.0%	50.0%	8	0.0%	50.0%
DTAP-HEPB-IPV	08	5	0.0%	31.3%	5	0.0%	31.3%
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							
MISSING		25932	99.9%	n/a	18414	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XDTPTY7 Type: Character

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP	04	1	0.0%	50.0%	1	0.0%	50.0%
DTAP-HEPB-IPV	08	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XDTPTY8 Type: Character

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP	04	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY9 Type: Character							
Label: DT-CONTAINING VACCINATION #9 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XFLUTY1 Type: Character							
Label: FLU-CONTAINING VACCINATION #1 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
FLU-UNKNOWN	FL	509	2.0%	4.6%	509	2.8%	4.6%
FLU SPRAY	FM	106	0.4%	1.0%	105	0.6%	1.0%
FLU INJECTED	FN	10450	40.3%	94.4%	10436	56.6%	94.4%
SUBTOTALS:		11065	42.6%	100.0%	11050	60.0%	100.0%
RESERVED CODES:							
MISSING		14883	57.4%	n/a	7380	40.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XFLUTY2 Type: Character							
Label: FLU-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
FLU-UNKNOWN	FL	347	1.3%	4.4%	347	1.9%	4.4%
FLU SPRAY	FM	105	0.4%	1.3%	104	0.6%	1.3%
FLU INJECTED	FN	7439	28.7%	94.3%	7435	40.3%	94.3%
SUBTOTALS:		7891	30.4%	100.0%	7886	42.8%	100.0%
RESERVED CODES:							
MISSING		18057	69.6%	n/a	10544	57.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY3 Type: Character

Label: FLU-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
FLU-UNKNOWN	FL	195	0.8%	4.9%	195	1.1%	4.9%
FLU SPRAY	FM	137	0.5%	3.5%	136	0.7%	3.4%
FLU INJECTED	FN	3634	14.0%	91.6%	3633	19.7%	91.6%
SUBTOTALS:		3966	15.3%	100.0%	3964	21.5%	100.0%
RESERVED CODES:							
MISSING		21982	84.7%	n/a	14466	78.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XFLUTY4 Type: Character

Label: FLU-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
FLU-UNKNOWN	FL	38	0.1%	5.3%	38	0.2%	5.3%
FLU SPRAY	FM	104	0.4%	14.6%	104	0.6%	14.6%
FLU INJECTED	FN	569	2.2%	80.0%	569	3.1%	80.0%
SUBTOTALS:		711	2.7%	100.0%	711	3.9%	100.0%
RESERVED CODES:							
MISSING		25237	97.3%	n/a	17719	96.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XFLUTY5 Type: Character

Label: FLU-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
FLU-UNKNOWN	FL	4	0.0%	25.0%	4	0.0%	25.0%
FLU SPRAY	FM	2	0.0%	12.5%	2	0.0%	12.5%
FLU INJECTED	FN	10	0.0%	62.5%	10	0.1%	62.5%
SUBTOTALS:		16	0.1%	100.0%	16	0.1%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY5 Type: Character
Label: FLU-CONTAINING VACCINATION #5 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		25932	99.9%	n/a	18414	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XFLUTY6 Type: Character
Label: FLU-CONTAINING VACCINATION #6 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
FLU-UNKNOWN	FL	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XFLUTY7 Type: Character
Label: FLU-CONTAINING VACCINATION #7 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XFLUTY8 Type: Character
Label: FLU-CONTAINING VACCINATION #8 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XFLUTY9 Type: Character
Label: FLU-CONTAINING VACCINATION #9 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XHEPTY1 Type: Character
Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3649	14.1%	20.1%	3635	19.7%	20.1%
HEPB-HIB	43	1413	5.4%	7.8%	1410	7.7%	7.8%
HEPB ONLY	60	12978	50.0%	71.4%	12916	70.1%	71.4%
HEPB-UNKNOWN	HB	124	0.5%	0.7%	123	0.7%	0.7%
SUBTOTALS:		18164	70.0%	100.0%	18084	98.1%	100.0%
RESERVED CODES:							
MISSING		7784	30.0%	n/a	346	1.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9614	37.1%	53.8%	9588	52.0%	53.8%
HEPB-HIB	43	2705	10.4%	15.1%	2700	14.7%	15.2%
HEPB ONLY	60	5255	20.3%	29.4%	5237	28.4%	29.4%
HEPB-UNKNOWN	HB	297	1.1%	1.7%	296	1.6%	1.7%
SUBTOTALS:		17871	68.9%	100.0%	17821	96.7%	100.0%
RESERVED CODES:							
MISSING		8077	31.1%	n/a	609	3.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHEPTY3 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9537	36.8%	55.0%	9518	51.6%	55.0%
HEPB-HIB	43	2341	9.0%	13.5%	2339	12.7%	13.5%
HEPB ONLY	60	5188	20.0%	29.9%	5177	28.1%	29.9%
HEPB-UNKNOWN	HB	264	1.0%	1.5%	264	1.4%	1.5%
SUBTOTALS:		17330	66.8%	100.0%	17298	93.9%	100.0%
RESERVED CODES:							
MISSING		8618	33.2%	n/a	1132	6.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY4 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	5119	19.7%	80.6%	5105	27.7%	80.5%
HEPB-HIB	43	600	2.3%	9.4%	600	3.3%	9.5%
HEPB ONLY	60	577	2.2%	9.1%	574	3.1%	9.1%
HEPB-UNKNOWN	HB	59	0.2%	0.9%	59	0.3%	0.9%
SUBTOTALS:		6355	24.5%	100.0%	6338	34.4%	100.0%
RESERVED CODES:							
MISSING		19593	75.5%	n/a	12092	65.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHEPTY5 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	347	1.3%	78.7%	347	1.9%	78.7%
HEPB-HIB	43	37	0.1%	8.4%	37	0.2%	8.4%
HEPB ONLY	60	55	0.2%	12.5%	55	0.3%	12.5%
HEPB-UNKNOWN	HB	2	0.0%	0.5%	2	0.0%	0.5%
SUBTOTALS:		441	1.7%	100.0%	441	2.4%	100.0%
RESERVED CODES:							
MISSING		25507	98.3%	n/a	17989	97.6%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY6 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	12	0.0%	54.5%	12	0.1%	54.5%
HEPB ONLY	60	10	0.0%	45.5%	10	0.1%	45.5%
SUBTOTALS:		22	0.1%	100.0%	22	0.1%	100.0%
RESERVED CODES:							
MISSING		25926	99.9%	n/a	18408	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHEPTY8 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY9 Type: Character							
Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XHIBTY1 Type: Character							
Label: HIB-CONTAINING VACCINATION #1 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	4	0.0%	0.0%	4	0.0%	0.0%
DTAP-HIB	07	100	0.4%	0.6%	100	0.5%	0.6%
HEPB-HIB	43	2745	10.6%	15.2%	2740	14.9%	15.2%
HIB ONLY	44	14919	57.5%	82.4%	14868	80.7%	82.4%
HIB-UNKNOWN	HI	344	1.3%	1.9%	342	1.9%	1.9%
SUBTOTALS:		18112	69.8%	100.0%	18054	98.0%	100.0%
RESERVED CODES:							
MISSING		7836	30.2%	n/a	376	2.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY2 Type: Character							
Label: HIB-CONTAINING VACCINATION #2 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	8	0.0%	0.0%	8	0.0%	0.0%
DTAP-HIB	07	109	0.4%	0.6%	108	0.6%	0.6%
HEPB-HIB	43	2021	7.8%	11.3%	2016	10.9%	11.3%
HIB ONLY	44	15412	59.4%	86.3%	15372	83.4%	86.3%
HIB-UNKNOWN	HI	300	1.2%	1.7%	299	1.6%	1.7%
SUBTOTALS:		17850	68.8%	100.0%	17803	96.6%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY2 Type: Character****Label: HIB-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING		8098	31.2%	n/a	627	3.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY3 Type: Character**Label: HIB-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
DTP-HIB	05	17	0.1%	0.1%	17	0.1%	0.1%
DTAP-HIB	07	540	2.1%	3.2%	538	2.9%	3.2%
HEPB-HIB	43	2135	8.2%	12.8%	2135	11.6%	12.8%
HIB ONLY	44	13763	53.0%	82.3%	13739	74.5%	82.3%
HIB-UNKNOWN	HI	260	1.0%	1.6%	260	1.4%	1.6%
SUBTOTALS:		16715	64.4%	100.0%	16689	90.6%	100.0%
RESERVED CODES:							
MISSING		9233	35.6%	n/a	1741	9.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY4 Type: Character**Label: HIB-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
DTP-HIB	05	37	0.1%	0.4%	37	0.2%	0.4%
DTAP-HIB	07	1357	5.2%	15.5%	1357	7.4%	15.5%
HEPB-HIB	43	185	0.7%	2.1%	185	1.0%	2.1%
HIB ONLY	44	7042	27.1%	80.4%	7034	38.2%	80.4%
HIB-UNKNOWN	HI	134	0.5%	1.5%	134	0.7%	1.5%
SUBTOTALS:		8755	33.7%	100.0%	8747	47.5%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY4 Type: Character****Label: HIB-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		17193	66.3%	n/a	9683	52.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY5 Type: Character**Label: HIB-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	1	0.0%	0.7%	1	0.0%	0.7%
DTAP-HIB	07	33	0.1%	22.8%	33	0.2%	22.8%
HEPB-HIB	43	9	0.0%	6.2%	9	0.0%	6.2%
HIB ONLY	44	99	0.4%	68.3%	99	0.5%	68.3%
HIB-UNKNOWN	HI	3	0.0%	2.1%	3	0.0%	2.1%
SUBTOTALS:		145	0.6%	100.0%	145	0.8%	100.0%
RESERVED CODES:							
MISSING		25803	99.4%	n/a	18285	99.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY6 Type: Character**Label: HIB-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	1	0.0%	11.1%	1	0.0%	11.1%
HIB ONLY	44	8	0.0%	88.9%	8	0.0%	88.9%
SUBTOTALS:		9	0.0%	100.0%	9	0.0%	100.0%
RESERVED CODES:							
MISSING		25939	100.0%	n/a	18421	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY7 Type: Character****Label: HIB-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB-HIB	43	1	0.0%	33.3%	1	0.0%	33.3%
HIB ONLY	44	2	0.0%	66.7%	2	0.0%	66.7%
SUBTOTALS:		3	0.0%	100.0%	3	0.0%	100.0%
RESERVED CODES:							
MISSING		25945	100.0%	n/a	18427	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY8 Type: Character**Label: HIB-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HIB ONLY	44	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XHIBTY9 Type: Character**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	11434	44.1%	66.4%	11420	62.0%	66.4%
MEASLES ONLY	31	82	0.3%	0.5%	82	0.4%	0.5%
MEASLES-RUBELLA	33	2	0.0%	0.0%	2	0.0%	0.0%
MCV-UNKNOWN	MM	174	0.7%	1.0%	174	0.9%	1.0%
MMR-VARICELLA	VM	5532	21.3%	32.1%	5525	30.0%	32.1%
SUBTOTALS:		17224	66.4%	100.0%	17203	93.3%	100.0%
RESERVED CODES:							
MISSING		8724	33.6%	n/a	1227	6.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XMMRTY2 Type: Character

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	206	0.8%	69.8%	206	1.1%	69.8%
MEASLES ONLY	31	4	0.0%	1.4%	4	0.0%	1.4%
MCV-UNKNOWN	MM	6	0.0%	2.0%	6	0.0%	2.0%
MMR-VARICELLA	VM	79	0.3%	26.8%	79	0.4%	26.8%
SUBTOTALS:		295	1.1%	100.0%	295	1.6%	100.0%
RESERVED CODES:							
MISSING		25653	98.9%	n/a	18135	98.4%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY3 Type: Character****Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	3	0.0%	60.0%	3	0.0%	60.0%
MMR-VARICELLA	VM	2	0.0%	40.0%	2	0.0%	40.0%
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING		25943	100.0%	n/a	18425	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XMMRTY4 Type: Character**Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XMMRTY5 Type: Character**Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY6 Type: Character

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XMMRTY7 Type: Character

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XMMRTY8 Type: Character

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY9 Type: Character****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XPCVTY1 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	16514	63.6%	92.7%	16462	89.3%	92.7%
POLYSACCHARIDE	71	232	0.9%	1.3%	232	1.3%	1.3%
PCV-UNKNOWN	72	1062	4.1%	6.0%	1057	5.7%	6.0%
SUBTOTALS:		17808	68.6%	100.0%	17751	96.3%	100.0%
RESERVED CODES:							
MISSING		8140	31.4%	n/a	679	3.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPCVTY2 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	16296	62.8%	93.0%	16254	88.2%	93.0%
POLYSACCHARIDE	71	224	0.9%	1.3%	224	1.2%	1.3%
PCV-UNKNOWN	72	997	3.8%	5.7%	996	5.4%	5.7%
SUBTOTALS:		17517	67.5%	100.0%	17474	94.8%	100.0%
RESERVED CODES:							
MISSING		8431	32.5%	n/a	956	5.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY3 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	15934	61.4%	93.3%	15902	86.3%	93.3%
POLYSACCHARIDE	71	213	0.8%	1.2%	213	1.2%	1.2%
PCV-UNKNOWN	72	931	3.6%	5.5%	929	5.0%	5.5%
SUBTOTALS:		17078	65.8%	100.0%	17044	92.5%	100.0%
RESERVED CODES:							
MISSING		8870	34.2%	n/a	1386	7.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPCVTY4 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	13885	53.5%	92.3%	13876	75.3%	92.3%
POLYSACCHARIDE	71	186	0.7%	1.2%	186	1.0%	1.2%
PCV-UNKNOWN	72	966	3.7%	6.4%	965	5.2%	6.4%
SUBTOTALS:		15037	58.0%	100.0%	15027	81.5%	100.0%
RESERVED CODES:							
MISSING		10911	42.0%	n/a	3403	18.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPCVTY5 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	131	0.5%	83.4%	131	0.7%	83.4%
POLYSACCHARIDE	71	11	0.0%	7.0%	11	0.1%	7.0%
PCV-UNKNOWN	72	15	0.1%	9.6%	15	0.1%	9.6%
SUBTOTALS:		157	0.6%	100.0%	157	0.9%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		25791	99.4%	n/a	18273	99.1%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPCVTY6 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	6	0.0%	100.0%	6	0.0%	100.0%
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING		25942	100.0%	n/a	18424	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPCVTY7 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		25946	100.0%	n/a	18428	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY8 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPCVTY9 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XPOLTY1 Type: Character**Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9625	37.1%	53.3%	9595	52.1%	53.2%
OPV	20	145	0.6%	0.8%	145	0.8%	0.8%
IPV	21	7874	30.3%	43.6%	7851	42.6%	43.6%
POLIO-UNKNOWN	22	431	1.7%	2.4%	428	2.3%	2.4%
SUBTOTALS:		18075	69.7%	100.0%	18019	97.8%	100.0%
RESERVED CODES:							
MISSING		7873	30.3%	n/a	411	2.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY2 Type: Character

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	8910	34.3%	49.8%	8886	48.2%	49.8%
OPV	20	145	0.6%	0.8%	145	0.8%	0.8%
IPV	21	8450	32.6%	47.2%	8431	45.7%	47.2%
POLIO-UNKNOWN	22	389	1.5%	2.2%	387	2.1%	2.2%
SUBTOTALS:		17894	69.0%	100.0%	17849	96.8%	100.0%
RESERVED CODES:							
MISSING		8054	31.0%	n/a	581	3.2%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPOLTY3 Type: Character

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	9163	35.3%	52.8%	9144	49.6%	52.8%
OPV	20	129	0.5%	0.7%	129	0.7%	0.7%
IPV	21	7752	29.9%	44.6%	7742	42.0%	44.7%
POLIO-UNKNOWN	22	319	1.2%	1.8%	317	1.7%	1.8%
SUBTOTALS:		17363	66.9%	100.0%	17332	94.0%	100.0%
RESERVED CODES:							
MISSING		8585	33.1%	n/a	1098	6.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY4 Type: Character							
Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	556	2.1%	50.5%	556	3.0%	50.6%
OPV	20	21	0.1%	1.9%	21	0.1%	1.9%
IPV	21	479	1.8%	43.5%	478	2.6%	43.5%
POLIO-UNKNOWN	22	45	0.2%	4.1%	44	0.2%	4.0%
SUBTOTALS:		1101	4.2%	100.0%	1099	6.0%	100.0%
RESERVED CODES:							
MISSING		24847	95.8%	n/a	17331	94.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPOLTY5 Type: Character							
Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE							
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.							
LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	19	0.1%	40.4%	19	0.1%	40.4%
OPV	20	7	0.0%	14.9%	7	0.0%	14.9%
IPV	21	17	0.1%	36.2%	17	0.1%	36.2%
POLIO-UNKNOWN	22	4	0.0%	8.5%	4	0.0%	8.5%
SUBTOTALS:		47	0.2%	100.0%	47	0.3%	100.0%
RESERVED CODES:							
MISSING		25901	99.8%	n/a	18383	99.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY6 Type: Character****Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	4	0.0%	40.0%	4	0.0%	40.0%
OPV	20	1	0.0%	10.0%	1	0.0%	10.0%
IPV	21	3	0.0%	30.0%	3	0.0%	30.0%
POLIO-UNKNOWN	22	2	0.0%	20.0%	2	0.0%	20.0%
SUBTOTALS:		10	0.0%	100.0%	10	0.1%	100.0%
RESERVED CODES:							
MISSING		25938	100.0%	n/a	18420	99.9%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPOLTY7 Type: Character**Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
POLIO-UNKNOWN	22	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		25947	100.0%	n/a	18429	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XPOLTY8 Type: Character**Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY9 Type: Character
Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XVRCTY1 Type: Character
Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	197	0.8%	1.2%	197	1.1%	1.2%
MMR-VARICELLA	VM	5535	21.3%	33.0%	5528	30.0%	33.0%
VARICELLA-ONLY	VO	11065	42.6%	65.9%	11050	60.0%	65.9%
SUBTOTALS:		16797	64.7%	100.0%	16775	91.0%	100.0%
RESERVED CODES:							
MISSING		9151	35.3%	n/a	1655	9.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XVRCTY2 Type: Character
Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	10	0.0%	3.2%	10	0.1%	3.2%
MMR-VARICELLA	VM	75	0.3%	24.2%	75	0.4%	24.2%
VARICELLA-ONLY	VO	225	0.9%	72.6%	225	1.2%	72.6%
SUBTOTALS:		310	1.2%	100.0%	310	1.7%	100.0%
RESERVED CODES:							
MISSING		25638	98.8%	n/a	18120	98.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XVRCTY3 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR-VARICELLA	VM	3	0.0%	75.0%	3	0.0%	75.0%
VARICELLA-ONLY	VO	1	0.0%	25.0%	1	0.0%	25.0%
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING		25944	100.0%	n/a	18426	100.0%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: XVRCTY4 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XVRCTY5 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY6 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XVRCTY7 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

Variable: XVRCTY8 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		25948	100.0%	n/a	18430	100.0%	n/a
TOTALS:		25948	100.0%	n/a	18430	100.0%	n/a

SECTION 10: HEALTH INSURANCE MODULE**Variable: INS_1 Type: Numeric****Label: IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	13417	51.7%	62.2%	11380	61.7%	62.6%
NO	2	8152	31.4%	37.8%	6804	36.9%	37.4%
SUBTOTALS:		21569	83.1%	100.0%	18184	98.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	145	0.6%	n/a	112	0.6%	n/a
REFUSED	99	28	0.1%	n/a	7	0.0%	n/a
MISSING	.	4206	16.2%	n/a	127	0.7%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INS_2 Type: Numeric**Label: IS CHILD COVERED BY ANY MEDICAID PLAN?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	3573	13.8%	29.3%	3011	16.3%	29.1%
NO	2	8617	33.2%	70.7%	7321	39.7%	70.9%
SUBTOTALS:		12190	47.0%	100.0%	10332	56.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	107	0.4%	n/a	85	0.5%	n/a
REFUSED	99	9	0.0%	n/a	3	0.0%	n/a
MISSING	.	13642	52.6%	n/a	8010	43.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INS_3 Type: Numeric**Label: IS CHILD COVERED BY S-CHIP?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1648	6.4%	13.8%	1355	7.4%	13.4%
NO	2	10304	39.7%	86.2%	8781	47.6%	86.6%
SUBTOTALS:		11952	46.1%	100.0%	10136	55.0%	100.0%
RESERVED CODES:							

SECTION 10: HEALTH INSURANCE MODULE

Variable: INS_3 Type: Numeric
Label: IS CHILD COVERED BY S-CHIP?
Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	338	1.3%	n/a	277	1.5%	n/a
REFUSED	99	8	0.0%	n/a	4	0.0%	n/a
MISSING	.	13650	52.6%	n/a	8013	43.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INS_3A Type: Numeric
Label: IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	2947	11.4%	31.5%	2430	13.2%	31.0%
NO	2	6399	24.7%	68.5%	5404	29.3%	69.0%
SUBTOTALS:		9346	36.0%	100.0%	7834	42.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	49	0.2%	n/a	33	0.2%	n/a
REFUSED	99	7	0.0%	n/a	1	0.0%	n/a
MISSING	.	16546	63.8%	n/a	10562	57.3%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INS_4 Type: Numeric
Label: IS CHILD COVERED BY INDIAN HEALTH SERVICE?
Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	401	1.5%	1.9%	328	1.8%	1.8%
NO	2	20994	80.9%	98.1%	17727	96.2%	98.2%
SUBTOTALS:		21395	82.5%	100.0%	18055	98.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	285	1.1%	n/a	222	1.2%	n/a
REFUSED	99	10	0.0%	n/a	4	0.0%	n/a
MISSING	.	4258	16.4%	n/a	149	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE**Variable: INS_5** Type: Numeric**Label: IS CHILD COVERED BY MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	654	2.5%	3.0%	503	2.7%	2.8%
NO	2	20915	80.6%	97.0%	17699	96.0%	97.2%
SUBTOTALS:		21569	83.1%	100.0%	18202	98.8%	100.0%
RESERVED CODES:							
DON'T KNOW	77	101	0.4%	n/a	69	0.4%	n/a
REFUSED	99	11	0.0%	n/a	4	0.0%	n/a
MISSING	.	4267	16.4%	n/a	155	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

Variable: INS_6 Type: Numeric**Label: IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?****Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1512	5.8%	7.0%	1273	6.9%	7.0%
NO	2	20122	77.5%	93.0%	16973	92.1%	93.0%
SUBTOTALS:		21634	83.4%	100.0%	18246	99.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	33	0.1%	n/a	25	0.1%	n/a
REFUSED	99	10	0.0%	n/a	3	0.0%	n/a
MISSING	.	4271	16.5%	n/a	156	0.8%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

SECTION 10: HEALTH INSURANCE MODULE

Variable: INS_11 Type: Numeric

Label:**ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?****Notes:** See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1787	6.9%	8.7%	1529	8.3%	8.8%
NO	2	18697	72.1%	91.3%	15796	85.7%	91.2%
SUBTOTALS:		20484	78.9%	100.0%	17325	94.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	116	0.4%	n/a	91	0.5%	n/a
REFUSED	99	10	0.0%	n/a	3	0.0%	n/a
MISSING	.	5338	20.6%	n/a	1011	5.5%	n/a
TOTALS:		25948	100.0%	100.0%	18430	100.0%	100.0%

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGECPOXR	55	55	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	91	91	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	116	116	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	117	117	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	92	99	3	DURATION OF BREAST FEEDING IN DAYS (TOPCODE)
BF_EXCLR06	100	107	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)
BF_FORMR08	108	115	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)
C1R	118	118	3	NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)
C5R	119	120	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	121	122	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	123	123	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	124	124	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	125	126	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	127	128	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	165	165	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)
D7	166	166	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	239	242	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	243	246	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	247	250	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	251	254	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	255	258	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	259	262	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	263	265	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	266	268	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	269	269	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	270	273	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #1
DFLU2	274	277	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #2
DFLU3	278	281	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #3
DFLU4	282	285	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #4
DFLU5	286	289	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #5
DFLU6	290	292	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #6
DFLU7	293	293	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #7
DFLU8	294	294	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #8
DFLU9	295	295	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING VACCINATION #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DHEPA1	296	299	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	300	303	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	304	307	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	308	308	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	309	309	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	310	310	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	311	311	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	312	312	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	313	313	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	314	317	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	318	321	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	322	325	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	326	329	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	330	332	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	333	335	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	336	338	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	339	339	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	340	340	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	341	344	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	345	348	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	349	352	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	353	356	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	357	360	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	361	364	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	365	367	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	368	370	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	371	371	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DISPCODE	167	168	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	372	375	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	376	379	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	380	383	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	384	384	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	385	385	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	386	386	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	387	387	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	388	388	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	389	389	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	390	392	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMP2	393	393	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	394	394	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	395	395	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	396	396	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	397	397	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	398	398	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	399	399	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	400	400	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	401	403	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	404	404	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	405	405	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	406	406	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	407	407	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	408	408	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	409	409	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	410	410	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	411	411	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	412	415	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	416	419	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	420	423	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	424	427	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	428	431	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	432	435	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	436	438	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	439	441	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	442	442	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	443	446	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	447	450	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	451	454	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	455	458	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	459	462	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	463	465	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	466	468	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	469	469	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	470	470	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	471	473	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	474	474	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	475	475	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DRB4	476	476	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	477	477	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	478	478	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	479	479	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	480	480	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	481	481	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	482	484	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	485	487	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	488	490	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	491	493	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	494	494	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	495	495	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	496	496	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	497	497	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	498	498	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	499	500	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	501	502	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	503	504	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	505	506	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	507	508	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	509	510	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	511	512	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	513	514	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	515	515	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	516	519	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	520	523	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	524	527	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	528	528	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	529	529	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	530	530	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	531	531	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	532	532	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	533	533	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	129	129	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
ESTIAP08	160	162	4	ESTIMATION AREA OF RESIDENCE
FLU1_AGE	534	535	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #1
FLU2_AGE	536	537	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #2
FLU3_AGE	538	539	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
FLU4_AGE	540	541	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #4
FLU5_AGE	542	543	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #5
FLU6_AGE	544	545	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #6
FLU7_AGE	546	546	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #7
FLU8_AGE	547	547	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #8
FLU9_AGE	548	548	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING VACCINATION #9
FRSTBRN	130	130	3	FIRST BORN STATUS OF CHILD
HAD_CPOX	88	89	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	549	550	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	553	554	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	555	555	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	556	556	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	557	557	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	558	558	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	559	559	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	560	560	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	561	562	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	563	564	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	565	566	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	575	575	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	576	576	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	173	173	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	174	174	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HH_DTP	74	75	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_FLU	76	77	2	HH REPORT OF NUMBER OF FLU VACCINATIONS RECEIVED
HH_HEPB	78	79	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	80	81	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	82	83	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	84	85	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	86	87	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HIB1_AGE	577	578	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	579	580	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HIB4_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	589	590	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	591	592	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	593	593	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	132	147	3	INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)
INCPOV1	148	148	3	POVERTY STATUS
INCQ298A	149	150	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	151	151	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
INS_1	815	816	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_11	829	830	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?
INS_2	817	818	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	819	820	10	IS CHILD COVERED BY S-CHIP?
INS_3A	821	822	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4	823	824	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE?
INS_5	825	826	10	IS CHILD COVERED BY MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	827	828	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INTRP	152	152	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
I_HISP_K	131	131	3	HISPANIC ORIGIN OF CHILD
LANGUAGE	153	153	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL	155	155	3	MARITAL STATUS OF MOTHER CATEGORIES (RECODE)
MMR1_AGE	594	595	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	596	597	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	598	599	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	602	602	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	603	603	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	604	604	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	605	605	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	156	156	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MP3_AGE	609	609	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	610	610	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	611	611	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	612	612	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	613	613	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	614	614	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	615	615	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	616	616	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	617	617	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	618	618	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	619	619	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	620	620	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	621	621	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	622	622	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	623	623	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	624	624	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP	154	154	3	AGE OF MOTHER CATEGORIES
N_PRVR	169	169	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)
PCV1_AGE	625	626	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	627	628	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	629	630	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	631	632	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	633	634	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	637	638	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	639	640	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	641	641	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	642	643	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	644	645	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	646	647	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	650	651	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	652	653	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	654	655	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	656	656	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	657	657	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PROVWT	13	31	1	WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN
PROV_FAC	170	170	7	PROVIDER FACILITY TYPE
PU431331	234	234	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313313	235	235	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PU4313314	236	236	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PUT43133	237	237	8	UTD FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	238	238	8	UTD FLAG FOR PROVIDER 4:3:1:3
P_NUHEPX	175	175	8	NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	176	176	8	NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	177	177	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	178	178	8	NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHB	179	179	8	NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	180	180	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHM	181	181	8	NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTA	182	182	8	NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTM	183	183	8	NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	184	184	8	NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	185	185	8	NUMBER OF FLU-CONTAINING VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	186	186	8	NUMBER OF FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	187	187	8	NUMBER OF FLU SPRAY VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	188	188	8	NUMBER OF INJECTED FLU VACCINATIONS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	189	189	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMHEN	190	190	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	191	191	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	192	192	8	NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	193	193	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMIPV	194	194	8	NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	195	195	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	196	196	8	NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	197	197	8	NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	198	198	8	NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	199	199	8	NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	200	200	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	201	201	8	NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	202	202	8	NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	203	203	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	204	204	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	205	205	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	206	206	8	NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	207	207	8	NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCN	208	208	8	NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMPCP	209	209	8	NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	210	210	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPOL	211	211	8	NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	212	212	8	NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMROT	213	213	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPM	214	214	8	NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	215	215	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	216	216	8	NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	217	217	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	218	218	8	NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	219	219	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS
P_UTD331	220	220	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	221	221	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDFL1	222	222	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1
P_UTDFL2	223	223	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2
P_UTDFL3	224	224	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 3
P_UTDHEP	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS
P_UTDHIB	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
P_UTDMCV	227	227	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
P_UTDMMX	228	228	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
P_UTDPC3	229	229	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPCV	230	230	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPOL	231	231	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
P_UTDTP3	232	232	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS
P_UTDTP4	233	233	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS
RACEETHK	158	158	3	RACE/ETHNICITY OF CHILD (RECODE)

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
RACE_K	157	157	3	RACE OF CHILD (RECODE)
RB1_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	660	660	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	661	661	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT	32	50	1	HH-PHASE CHILD INTERVIEW WEIGHT
REGISTRY	171	171	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
ROT1_AGE	668	669	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	670	671	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	672	673	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	674	675	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	676	676	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	677	677	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	678	678	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	679	679	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	680	680	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SC_431	56	57	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	58	59	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	60	61	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	62	63	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	64	65	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	66	67	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	68	69	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	70	71	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	72	73	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	159	159	3	GENDER OF CHILD
SHOTCARD	90	90	2	SHOT CARD USE FLAG
STATE	163	164	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
VFC_ORDER	172	172	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
VRC1_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	693	694	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	695	696	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	697	698	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	699	700	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	701	702	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	703	704	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	705	706	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	707	708	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	709	709	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	710	711	9	FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	712	713	9	FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	714	715	9	FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	716	717	9	FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	718	719	9	FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	720	721	9	FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	722	722	9	FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	723	723	9	FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	724	724	9	FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	725	726	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	727	728	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	729	730	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	731	732	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	733	734	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	735	736	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	737	738	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	739	739	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	740	740	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	741	742	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	743	744	9	HIB-CONTAINING VACCINATION #2 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XHIBTY3	745	746	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	747	748	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	749	750	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	751	752	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	753	754	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	755	756	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	757	757	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	758	759	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	760	761	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	762	763	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	764	764	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	765	765	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	766	766	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	767	767	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	768	768	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	769	769	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	770	771	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	772	773	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	774	775	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	776	777	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	778	779	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	780	781	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	782	783	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	784	785	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	786	786	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	787	788	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	789	790	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	791	792	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	793	794	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	795	796	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	797	798	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	799	800	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	801	801	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	802	802	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	803	804	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	805	806	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	807	808	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	809	809	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XVRCTY5	810	810	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	811	811	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	812	812	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	813	813	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	814	814	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	51	54	1	YEAR OF INTERVIEW