

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	100.0	6.3 (0.13)	2.9 (0.08)	90.8 (0.17)
Sex				
Male	100.0	5.9 (0.16)	3.2 (0.11)	90.9 (0.20)
Female	100.0	6.7 (0.17)	2.7 (0.10)	90.6 (0.20)
Age				
18-44 years	100.0	3.4 (0.12)	1.9 (0.09)	94.7 (0.15)
45-64 years	100.0	10.8 (0.27)	4.0 (0.15)	85.2 (0.32)
65-69 years	100.0	10.9 (0.57)	7.7 (0.45)	81.4 (0.68)
Race				
One race ²	100.0	6.2 (0.13)	2.9 (0.08)	90.9 (0.16)
White	100.0	6.0 (0.14)	2.9 (0.09)	91.1 (0.18)
Black or African American	100.0	9.0 (0.36)	3.4 (0.21)	87.6 (0.44)
American Indian or Alaska Native	100.0	11.5 (1.63)	4.6 (1.03)	84.0 (1.81)
Asian	100.0	2.4 (0.24)	1.3 (0.19)	96.3 (0.32)
Native Hawaiian or Other Pacific Islander	100.0	*6.9 (2.56)	*3.8 (1.59)	89.3 (2.98)
Two or more races ³	100.0	12.3 (1.40)	4.8 (0.71)	82.9 (1.57)
Black or African American, white	100.0	8.8 (2.48)	5.7 (1.41)	85.5 (2.36)
American Indian or Alaska Native, white	100.0	18.0 (2.54)	6.2 (1.13)	75.7 (2.78)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	5.2 (0.25)	2.3 (0.16)	92.5 (0.30)
Mexican or Mexican American	100.0	4.8 (0.32)	2.1 (0.19)	93.1 (0.36)
Not Hispanic or Latino	100.0	6.6 (0.15)	3.1 (0.09)	90.4 (0.18)
White, single race	100.0	6.3 (0.16)	3.1 (0.10)	90.6 (0.21)
Black or African American, single race	100.0	9.1 (0.36)	3.5 (0.22)	87.4 (0.45)
Education ⁵				
Less than a high school diploma	100.0	14.4 (0.49)	4.4 (0.28)	81.2 (0.57)
High school diploma or GED ⁶	100.0	8.9 (0.29)	3.9 (0.19)	87.2 (0.34)
Some college	100.0	7.5 (0.23)	3.6 (0.16)	88.9 (0.29)
Bachelor's degree or higher	100.0	2.4 (0.13)	1.9 (0.11)	95.7 (0.18)

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	100.0	15.1 (0.34)	5.1 (0.19)	79.7 (0.40)
\$35,000 or more	100.0	3.3 (0.10)	2.2 (0.09)	94.5 (0.14)
\$35,000–\$49,999	100.0	5.7 (0.30)	3.3 (0.22)	91.0 (0.38)
\$50,000–\$74,999	100.0	4.6 (0.23)	2.8 (0.20)	92.6 (0.33)
\$75,000–\$99,999	100.0	2.5 (0.21)	2.0 (0.18)	95.5 (0.27)
\$100,000 or more	100.0	1.6 (0.12)	1.3 (0.11)	97.1 (0.17)
Poverty status ⁸				
Poor	100.0	19.5 (0.55)	5.3 (0.29)	75.2 (0.64)
Near poor	100.0	11.6 (0.40)	4.2 (0.24)	84.1 (0.46)
Not poor	100.0	3.2 (0.10)	2.3 (0.09)	94.5 (0.14)
Health insurance coverage ⁹				
Under 65:				
Private	100.0	2.3 (0.09)	1.8 (0.08)	95.8 (0.13)
Medicaid	100.0	26.6 (0.66)	6.0 (0.34)	67.4 (0.71)
Other	100.0	23.3 (1.08)	5.6 (0.53)	71.1 (1.15)
Uninsured	100.0	4.4 (0.23)	3.2 (0.19)	92.4 (0.31)
65 and over:				
Private	100.0	5.5 (0.54)	6.5 (0.59)	87.9 (0.81)
Medicare and Medicaid	100.0	38.1 (3.14)	10.8 (2.01)	51.0 (3.18)
Medicare only	100.0	11.8 (0.98)	8.5 (0.86)	79.7 (1.22)
Other	100.0	20.8 (2.63)	9.6 (1.80)	69.6 (2.81)
Uninsured	100.0	*15.0 (6.30)	*10.1 (3.64)	74.9 (6.63)
Place of residence ¹⁰				
Large MSA	100.0	5.2 (0.16)	2.5 (0.10)	92.3 (0.19)
Small MSA	100.0	6.9 (0.24)	3.1 (0.14)	89.9 (0.30)
Not in MSA	100.0	9.2 (0.47)	4.1 (0.25)	86.7 (0.62)
Region				
Northeast	100.0	5.6 (0.29)	2.3 (0.17)	92.1 (0.35)
Midwest	100.0	6.7 (0.32)	3.2 (0.19)	90.1 (0.41)
South	100.0	6.9 (0.22)	3.1 (0.13)	90.0 (0.28)
West	100.0	5.5 (0.22)	2.9 (0.15)	91.6 (0.27)

Table P-4a. Age-adjusted percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	4.9 (0.33)	2.6 (0.24)	92.5 (0.39)
Hispanic or Latina, female	100.0	5.5 (0.32)	2.0 (0.18)	92.5 (0.37)
Not Hispanic or Latino:				
White, single race, male	100.0	5.9 (0.20)	3.3 (0.15)	90.8 (0.26)
White, single race, female	100.0	6.7 (0.21)	2.9 (0.13)	90.5 (0.25)
Black or African American, single race, male	100.0	8.7 (0.47)	3.9 (0.32)	87.4 (0.59)
Black or African American, single race, female	100.0	9.4 (0.47)	3.1 (0.28)	87.5 (0.54)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	11.2 (0.77)	3.7 (0.44)	85.1 (0.84)
Near poor	100.0	6.1 (0.55)	2.2 (0.28)	91.8 (0.59)
Not poor	100.0	2.7 (0.27)	1.8 (0.21)	95.5 (0.36)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	23.5 (0.87)	6.7 (0.50)	69.7 (1.04)
Near poor	100.0	14.7 (0.63)	5.3 (0.40)	80.0 (0.71)
Not poor	100.0	3.3 (0.13)	2.4 (0.11)	94.3 (0.18)
Black or African American, single race				
Poor	100.0	21.6 (1.08)	4.6 (0.55)	73.8 (1.19)
Near poor	100.0	11.8 (0.75)	4.6 (0.51)	83.7 (0.89)
Not poor	100.0	3.6 (0.30)	2.6 (0.30)	93.8 (0.43)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution.

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over. Estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 25-44, 45-64, and 65-69.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. Unless otherwise specified, estimates are age adjusted using the projected 2000 U.S. population as the standard population and using three age groups: 18-44, 45-64, and 65-69. Estimates for age groups are not age-adjusted. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	208,578	14,239	6,551	187,648
Sex				
Male	101,897	6,496	3,383	91,926
Female	106,681	7,742	3,168	95,722
Age				
18-44 years	111,715	3,758	2,138	105,745
45-64 years	82,279	8,888	3,288	70,046
65-69 years	14,584	1,592	1,125	11,857
Race				
One race ²	205,172	13,858	6,403	184,780
White	164,713	10,897	5,234	148,456
Black or African American	26,150	2,428	910	22,813
American Indian or Alaska Native	1,837	214	85	1,538
Asian	12,020	288	155	11,570
Native Hawaiian or Other Pacific Islander	453	*31	*18	404
Two or more races ³	3,405	381	149	2,868
Black or African American, white	824	55	*19	750
American Indian or Alaska Native, white	1,286	243	83	953
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	33,718	1,560	721	31,426
Mexican or Mexican American	21,369	872	400	20,086
Not Hispanic or Latino	174,859	12,679	5,830	156,222
White, single race	133,929	9,511	4,583	119,722
Black or African American, single race	25,074	2,359	890	21,824
Education ⁵				
Less than a high school diploma	21,244	3,318	1,005	16,920
High school diploma or GED ⁶	45,323	4,462	1,926	38,913
Some college	51,471	4,135	1,951	45,361
Bachelor's degree or higher	57,533	1,468	1,145	54,864

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	56,009	8,613	2,957	44,416
\$35,000 or more	132,678	4,734	3,168	124,750
\$35,000–\$49,999	25,499	1,536	906	23,050
\$50,000–\$74,999	35,058	1,718	1,063	32,261
\$75,000–\$99,999	24,611	681	498	23,433
\$100,000 or more	47,509	800	701	46,006
Poverty status ⁸				
Poor	25,604	4,553	1,300	19,749
Near poor	30,910	3,496	1,296	26,107
Not poor	128,395	4,652	3,266	120,433
Health insurance coverage ⁹				
Under 65:				
Private	124,889	3,242	2,470	119,103
Medicaid	19,124	5,008	1,145	12,962
Other	8,616	2,688	584	5,340
Uninsured	39,295	1,634	1,188	36,466
65 and over:				
Private	7,268	402	475	6,385
Medicare and Medicaid	863	329	94	440
Medicare only	4,950	586	419	3,942
Other	1,104	230	106	769
Uninsured	285	*43	*29	214
Place of residence ¹⁰				
Large MSA	113,953	6,262	2,969	104,616
Small MSA	64,342	4,817	2,160	57,346
Not in MSA	30,283	3,160	1,422	25,686
Region				
Northeast	36,493	2,238	936	33,287
Midwest	46,176	3,299	1,561	41,272
South	77,751	5,862	2,586	69,258
West	48,158	2,840	1,469	43,831

Table P-4b. Frequency distribution (number in thousands) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	17,037	712	410	15,904
Hispanic or Latina, female	16,681	847	311	15,522
Not Hispanic or Latino:				
White, single race, male	65,949	4,428	2,335	59,112
White, single race, female	67,981	5,084	2,248	60,609
Black or African American, single race, male	11,379	1,023	451	9,905
Black or African American, single race, female	13,695	1,336	439	11,919
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	7,009	609	223	6,177
Near poor	8,502	425	159	7,918
Not poor	14,092	375	250	13,455
Not Hispanic or Latino:				
White, single race				
Poor	11,282	2,556	748	7,976
Near poor	15,020	2,299	835	11,876
Not poor	93,226	3,616	2,538	87,039
Black or African American, single race				
Poor	5,331	1,097	240	3,995
Near poor	4,908	562	217	4,130
Not poor	11,726	449	321	10,956

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution.

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the frequencies, but they were included in the "All persons aged 18-69" column. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>).

Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Total	100.0	6.8 (0.14)	3.1 (0.08)	90.0 (0.18)
Sex				
Male	100.0	6.4 (0.18)	3.3 (0.12)	90.3 (0.22)
Female	100.0	7.3 (0.18)	3.0 (0.11)	89.8 (0.21)
Age				
18-44 years	100.0	3.4 (0.12)	1.9 (0.09)	94.7 (0.15)
45-64 years	100.0	10.8 (0.27)	4.0 (0.15)	85.2 (0.32)
65-69 years	100.0	10.9 (0.57)	7.7 (0.45)	81.4 (0.68)
Race				
One race ²	100.0	6.8 (0.14)	3.1 (0.08)	90.1 (0.18)
White	100.0	6.6 (0.16)	3.2 (0.10)	90.2 (0.20)
Black or African American	100.0	9.3 (0.38)	3.5 (0.22)	87.2 (0.47)
American Indian or Alaska Native	100.0	11.6 (1.74)	4.6 (1.05)	83.7 (1.96)
Asian	100.0	2.4 (0.24)	1.3 (0.19)	96.3 (0.33)
Native Hawaiian or Other Pacific Islander	100.0	*6.8 (2.56)	*4.0 (1.74)	89.2 (3.05)
Two or more races ³	100.0	11.2 (1.34)	4.4 (0.66)	84.4 (1.54)
Black or African American, white	100.0	6.7 (1.75)	*2.4 (1.02)	91.0 (2.06)
American Indian or Alaska Native, white	100.0	19.0 (2.86)	6.5 (1.19)	74.5 (3.09)
Hispanic or Latino origin ⁴ and race				
Hispanic or Latino	100.0	4.6 (0.24)	2.1 (0.15)	93.2 (0.29)
Mexican or Mexican American	100.0	4.1 (0.28)	1.9 (0.17)	94.0 (0.31)
Not Hispanic or Latino	100.0	7.3 (0.16)	3.3 (0.09)	89.4 (0.20)
White, single race	100.0	7.1 (0.19)	3.4 (0.11)	89.5 (0.23)
Black or African American, single race	100.0	9.4 (0.38)	3.6 (0.23)	87.0 (0.48)
Education ⁵				
Less than a high school diploma	100.0	15.6 (0.54)	4.7 (0.29)	79.7 (0.63)
High school diploma or GED ⁶	100.0	9.8 (0.32)	4.3 (0.20)	85.9 (0.37)
Some college	100.0	8.0 (0.24)	3.8 (0.17)	88.2 (0.30)
Bachelor's degree or higher	100.0	2.6 (0.14)	2.0 (0.12)	95.5 (0.19)

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Family income ⁷				
Less than \$35,000	100.0	15.4 (0.39)	5.3 (0.20)	79.3 (0.47)
\$35,000 or more	100.0	3.6 (0.11)	2.4 (0.09)	94.0 (0.15)
\$35,000–\$49,999	100.0	6.0 (0.33)	3.6 (0.24)	90.4 (0.42)
\$50,000–\$74,999	100.0	4.9 (0.24)	3.0 (0.20)	92.1 (0.34)
\$75,000–\$99,999	100.0	2.8 (0.23)	2.0 (0.18)	95.2 (0.29)
\$100,000 or more	100.0	1.7 (0.13)	1.5 (0.12)	96.8 (0.18)
Poverty status ⁸				
Poor	100.0	17.8 (0.59)	5.1 (0.28)	77.1 (0.70)
Near poor	100.0	11.3 (0.41)	4.2 (0.24)	84.5 (0.48)
Not poor	100.0	3.6 (0.12)	2.5 (0.10)	93.8 (0.16)
Health insurance coverage ⁹				
Under 65:				
Private	100.0	2.6 (0.09)	2.0 (0.09)	95.4 (0.14)
Medicaid	100.0	26.2 (0.71)	6.0 (0.34)	67.8 (0.77)
Other	100.0	31.2 (1.21)	6.8 (0.52)	62.0 (1.28)
Uninsured	100.0	4.2 (0.22)	3.0 (0.18)	92.8 (0.30)
65 and over:				
Private	100.0	5.5 (0.54)	6.5 (0.59)	87.9 (0.81)
Medicare and Medicaid	100.0	38.1 (3.14)	10.8 (2.01)	51.0 (3.18)
Medicare only	100.0	11.8 (0.98)	8.5 (0.86)	79.7 (1.22)
Other	100.0	20.8 (2.63)	9.6 (1.80)	69.6 (2.81)
Uninsured	100.0	*15.0 (6.30)	*10.1 (3.64)	74.9 (6.63)
Place of residence ¹⁰				
Large MSA	100.0	5.5 (0.17)	2.6 (0.10)	91.9 (0.21)
Small MSA	100.0	7.5 (0.26)	3.4 (0.15)	89.2 (0.33)
Not in MSA	100.0	10.4 (0.55)	4.7 (0.27)	84.9 (0.68)
Region				
Northeast	100.0	6.1 (0.31)	2.6 (0.18)	91.3 (0.38)
Midwest	100.0	7.2 (0.34)	3.4 (0.19)	89.5 (0.44)
South	100.0	7.5 (0.25)	3.3 (0.14)	89.1 (0.32)
West	100.0	5.9 (0.24)	3.1 (0.16)	91.0 (0.30)

Table P-4c. Crude percent distribution (with standard errors) of limitation in work activity due to health problems among persons aged 18-69, by selected characteristics: United States, 2013

Selected characteristic	All persons aged 18-69	Unable to work ¹	Limited in work ¹	Not limited in work ¹
Hispanic or Latino origin ⁴ , race, and sex				
Hispanic or Latino, male	100.0	4.2 (0.29)	2.4 (0.22)	93.4 (0.36)
Hispanic or Latina, female	100.0	5.1 (0.30)	1.9 (0.17)	93.1 (0.35)
Not Hispanic or Latino:				
White, single race, male	100.0	6.7 (0.23)	3.5 (0.16)	89.7 (0.29)
White, single race, female	100.0	7.5 (0.23)	3.3 (0.15)	89.2 (0.28)
Black or African American, single race, male	100.0	9.0 (0.50)	4.0 (0.32)	87.0 (0.62)
Black or African American, single race, female	100.0	9.8 (0.50)	3.2 (0.29)	87.0 (0.57)
Hispanic or Latino origin ⁴ , race, and poverty status				
Hispanic or Latino:				
Poor	100.0	8.7 (0.62)	3.2 (0.36)	88.1 (0.72)
Near poor	100.0	5.0 (0.50)	1.9 (0.23)	93.1 (0.54)
Not poor	100.0	2.7 (0.27)	1.8 (0.21)	95.6 (0.36)
Not Hispanic or Latino:				
White, single race				
Poor	100.0	22.7 (1.01)	6.6 (0.51)	70.7 (1.22)
Near poor	100.0	15.3 (0.69)	5.6 (0.41)	79.1 (0.78)
Not poor	100.0	3.9 (0.15)	2.7 (0.12)	93.4 (0.20)
Black or African American, single race				
Poor	100.0	20.6 (1.14)	4.5 (0.54)	74.9 (1.29)
Near poor	100.0	11.4 (0.80)	4.4 (0.51)	84.1 (0.96)
Not poor	100.0	3.8 (0.32)	2.7 (0.30)	93.4 (0.45)

* Estimates are considered unreliable. Data preceded by an asterisk have a relative standard error (RSE) greater than 30% and less than or equal to 50% and should be used with caution.

¹Based on the questions, "Does a physical, mental, or emotional problem now keep [family members 18 years of age or older] from working at a job or business?" and for persons not kept from working, "Are [family members 18 years of age and older] limited in the kind or amount of work they can do because of a physical, mental, or emotional problem?"

²Refers to persons who indicated only a single race group, including those of Hispanic or Latino origin.

³Refers to persons who indicated more than one race group, including those of Hispanic or Latino origin. Only two combinations of multiple race groups are shown due to small sample sizes for other combinations.

⁴Refers to persons who are of Hispanic or Latino origin and may be of any race or combination of races. "Not Hispanic or Latino" refers to persons who are not of Hispanic or Latino origin, regardless of race.

⁵Shown only for persons aged 25 and over.

⁶GED is General Educational Development high school equivalency diploma.

⁷Includes persons who reported a dollar amount or who would not provide a dollar amount but provided an income interval.

⁸"Poor" persons are defined as having income below the poverty threshold. "Near poor" persons have incomes of 100% to less than 200% of the poverty threshold. "Not poor" persons have incomes that are 200% of the poverty threshold or greater.

⁹Based on a hierarchy of mutually exclusive categories. Persons with more than one type of health insurance were assigned to the first appropriate category in the hierarchy. "Uninsured" includes persons who had no coverage as well as those who had only Indian Health Service coverage or had only a private plan that paid for one type of service such as accidents or dental care.

¹⁰MSA is metropolitan statistical area. Large MSAs have a population of 1 million or more; small MSAs have a population of less than 1 million. "Not in MSA" consists of persons not living in a metropolitan statistical area.

NOTES: Estimates are based on household interviews of a sample of the civilian noninstitutionalized population. This table is based on responses about persons aged 18-69 in the family. Data came from the Person file and were weighted using the Person weight. Unknowns for the columns were not included in the denominators when calculating percentages. Percentages may not add to totals due to rounding. "Total" includes other races not shown separately and persons with unknown education, family income, poverty status, and health insurance characteristics. For more information on the data source, methods, and definitions used for this table, refer to Technical Notes for Summary Health Statistics Tables: National Health Interview Survey (available from <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>). Suggested citation: Adams PF, Martinez ME, Benson V. Tables of Summary Health Statistics for the U.S. Population: 2013 National Health Interview Survey, 2015. Available from: <http://www.cdc.gov/nchs/nhis/SHS/tables.htm>.

SOURCE: CDC/NCHS, National Health Interview Survey, 2013.