

**The National Ambulatory
Medical Care Survey
1977 Summary
United States, January-December 1977**

Based on data obtained from a national sample of office-based physicians, statistics are presented on the provision and utilization of ambulatory medical care in physicians' offices during 1977. Utilization patterns are described in terms of patient characteristics, visit characteristics, and physician and practice characteristics.

DHEW Publication No. (PHS) 80-1795

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Office of Health Research, Statistics, and Technology
National Center for Health Statistics
Hyattsville, Md. April 1980



Library of Congress Cataloging in Publication Data

Ezzati, Trena M.

The national ambulatory medical care survey: 1977 summary, United States.

(Vital and health statistics: Series 13, Data from the National Health Survey; no. 44)
(DHEW publication; (PHS) 80-1795)

Bibliography: p.

1. Physician services utilization--United States--Statistics. 2. Ambulatory medical care--United States--Utilization--Statistics. 3. Health surveys--United States. 4. United States--Statistics, Medical. I. McLemore, Thomas, joint author. II. Title. III. Series: United States. National Center for Health Statistics. Vital and health statistics: Series 13, Data from the National Health Survey, Data from the hospital discharge survey; no. 44. IV. Series: United States. Dept. of Health, Education, and Welfare. DHEW publication; (PHS) 80-1795. RA407.3.A349 no. 44 [RA410.7] 362.1'1'0973s [362.1] 79-18721

NATIONAL CENTER FOR HEALTH STATISTICS

DOROTHY P. RICE, *Director*

ROBERT A. ISRAEL, *Deputy Director*

JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis*

GAIL F. FISHER, Ph.D., *Associate Director for the Cooperative Health Statistics System*

ROBERT A. ISRAEL, *Acting Associate Director for Data Systems*

ROBERT M. THORNER, Sc.D., *Acting Associate Director for International Statistics*

ROBERT C. HUBER, *Associate Director for Management*

MONROE G. SIRKEN, Ph.D., *Associate Director for Mathematical Statistics*

PETER L. HURLEY, *Associate Director for Operations*

JAMES M. ROBEY, Ph.D., *Associate Director for Program Development*

GEORGE A. SCHNACK, *Acting Associate Director for Research*

ALICE HAYWOOD, *Information Officer*

DIVISION OF HEALTH RESOURCES UTILIZATION STATISTICS

SIEGFRIED A. HOERMANN, *Director*

JAMES E. DELOZIER, *Chief, Ambulatory Care Statistics Branch*

MANOOCH EHR K. NOZARY, *Chief, Technical Services Branch*

STEWART C. RICE, *Chief, Family Planning Statistics Branch*

JOAN F. VAN NOSTRAND, *Chief, Long-Term Care Statistics Branch*

Vital and Health Statistics-Series 13-No. 44

DHEW Publication No. (PHS) 80-1795
Library of Congress Catalog Card Number 79-18721

CONTENTS

Introduction	1
Scope of the Survey	1
Source and Limitations of Data	2
Comparisons With Previous Years	2
General Utilization Patterns	3
Physician and Practice Characteristics	5
Demographic Characteristics of Patients	5
Visit Characteristics	9
Principal Reason for Visit	9
Principal Diagnosis	10
Other Visit Characteristics	10
References	12
List of Detailed Tables	14
Appendixes	
I. Technical Notes	40
II. Definition of Terms	48
III. Survey Instruments	52

LIST OF TEXT FIGURES

1. Annual rate of office visits by sex and age of patient: United States, January-December 1977	7
2. Annual rate of office visits by color and age of patient: United States, January-December 1977 ...	7
3. Annual rate of office visits for medical or special examinations by age of patient: United States, January-December 1977	7
4. Annual rate of office visits for acute upper respiratory infection by age of patient: United States, January-December 1977	8
5. Annual rate of office visits for medical and surgical aftercare by age of patient: United States, January-December 1977	8
6. Annual rate of office visits for neuroses by age of patient: United States, January-December 1977	8
7. Percent of office visits by patient's prior visit status and time since onset of complaint or symptom: United States, January-December 1977	10

LIST OF TEXT TABLES

A.	Number and percent distribution of office visits by physician's specialty, age of patient, and principal diagnosis: United States, 1973-77	3
B.	Number of office visits per person per year by location of physician's practice: United States, January-December 1977	4
C.	Number of office visits, percent of referred visits, and percent of new patient visits, by physician's specialty: United States, January-December 1977	6
D.	Mean contact duration and standard error of mean contact duration, by physician's specialty: United States, January-December 1977	6
E.	Number, percent distribution, and annual rate of referred office visits, by age of patient: United States, January-December 1977	6
F.	Number and percent distribution of office visits by time since onset of complaint or symptom, according to age of patient: United States, January-December 1977	7
G.	Number and percent distribution of new problem office visits by time since onset of complaint or symptom, according to selected principal reasons for visit: United States, January-December 1977	9
H.	Number of office visits and number and percent of referred office visits by the most frequent principal reasons for visit: United States, January-December 1977	9
J.	Number of office visits, mean contact duration, and standard error of mean contact duration, by principal diagnosis: United States, January-December 1977	11
K.	Number and percent distribution of referred office visits, by patient's prior visit status, disposition of visit, and seriousness of condition: United States, January-December 1977	11

SYMBOLS

Data not available-----	---
Category not applicable-----	...
Quantity zero-----	-
Quantity more than 0 but less than 0.05-----	0.0
Figure does not meet standards of reliability or precision-----	*

THE NATIONAL AMBULATORY MEDICAL CARE SURVEY 1977 SUMMARY

Trena Ezzati, M.S. and Thomas McLemore, M.S.P.H.,
Division of Health Resources Utilization Statistics

INTRODUCTION

This report presents estimates of the utilization of ambulatory medical care services provided by nonfederally employed office-based physicians in the conterminous United States during 1977. The statistics are based on data collected in the National Ambulatory Medical Care Survey (NAMCS), a probability sample survey conducted yearly by the Division of Health Resources Utilization Statistics of the National Center for Health Statistics (NCHS).

Data collection and processing for the 1977 NAMCS was the responsibility of the National Opinion Research Center of the University of Chicago. Sample selection was accomplished with the assistance of the American Medical Association and the American Osteopathic Association.

Since May 1973, data have been collected in NAMCS on characteristics of patients, visits, and physicians' practices. A complete description of the background and survey methodology is available in an earlier report.¹ Detailed summary data from NAMCS have been published for 1973 and 1975.^{2,3} Physician profile reports have been published for the 1975 and 1976 NAMCS in the *Advance Data From Vital and Health Statistics* series.⁴⁻¹⁶ Other published reports present data on the utilization of ambulatory medical care services by specific age and race groups and on physicians' diagnoses.¹⁷⁻²² Published data from the 1977 NAMCS include a brief summary of the survey findings,²³ a report on office visits for family planning,²⁴ and a report on

office visits involving X-rays.²⁵ These publications and more detailed tabulations to meet specific user needs are available upon request from NCHS.

This report gives an overview of the data available from the 1977 NAMCS. Utilization of ambulatory medical care services is described here in terms of number and percent distribution of office visits, annual visit rates, and such measures as mean contact duration. The utilization statistics are presented in four sections:

General utilization patterns

Physician and practice characteristics

Demographic characteristics of patients

Visit characteristics.

Preceding the 1977 NAMCS results, a brief description of the scope of the survey, the source and limitations of the data, and comparisons with estimates from previous years are presented.

SCOPE OF THE SURVEY

The basic sampling unit for NAMCS is the physician-patient encounter or visit. Within the current scope of NAMCS are all office visits made in the conterminous United States by ambulatory patients to nonfederally employed office-based physicians as classified by the American Medical Association or the American Osteopathic Association. The NAMCS physician

universe excludes physicians practicing in Alaska and Hawaii and physicians in the specialties of anesthesiology, pathology, or radiology. Visits to physicians principally engaged in teaching, research, or administration, as well as telephone contacts and visits made outside the physician's office are excluded.

The definitions of office, physician, patient, and visit in terms of eligibility for NAMCS are presented in appendix II.

SOURCE AND LIMITATIONS OF DATA

Estimates presented here are based on information obtained through the completion of Patient Records (appendix III) for a sample of visits to a national probability sample of office-based physicians. The sample for the 1977 NAMCS included 3,000 physicians, of whom 507 were found not eligible (out of scope) at the time of the survey. Of the 2,493 physicians who were eligible for participation in NAMCS, 1,932 (77.5 percent) actually participated in the survey (see appendix I).

Physicians who participated in the survey maintained a list of all office visits during a randomly assigned 7-day reporting period. For a systematic random sample of these visits, information was recorded on the Patient Record provided for that purpose.

The appendixes to this report should be reviewed since information is provided that is necessary for a proper understanding and interpretation of the statistics presented. Appendix I contains a general description of the survey methods, the sample design, and the data collection and processing procedures. Methods of estimation and imputation are also presented. Because the statistics given here are based on a sample of office visits rather than on all visits, they are subject to sampling errors. Therefore, particular attention should be paid to the section entitled Reliability of Estimates. Charts on relative standard errors and instructions for their use are also given in appendix I.

Definitions of terms used in this report and in the survey operations are presented in appendix II. Facsimiles of survey materials, including

the introductory letter, Patient Record form, and Induction Interview form, are reproduced in appendix III.

Data on the utilization of physician services from a sample of the civilian noninstitutionalized population of the United States are collected through the Health Interview Survey (HIS), conducted by NCHS. Estimates of the number of office visits from HIS are generally larger than those of NAMCS because of differences in collection procedures, the population sampled, and definitions of terms. Data from HIS are published in Series 10 of *Vital and Health Statistics*.

COMPARISONS WITH PREVIOUS YEARS

National estimates of office-based ambulatory care according to selected physician, demographic, and visit characteristics for 1977 and the four previous years are presented in table A.

Caution should be exercised when comparing 1977 NAMCS data with NAMCS data from previous years. Analysis of the 1977 data indicate that for most data items results are similar to 1975 and 1976. In 1977, however, several changes were made in the Patient Record that affect comparability between survey years. In particular, items relating to the patient's referral status (item 5) and to the time since onset of complaint or symptom (item 7) were added in 1977. Items relating to prior visit status (item 9) and seriousness of condition (item 10), which in previous years referred to the patient's reason for visit, now refer to the physician's diagnosis. Prior to 1977, diagnostic services (item 11) and therapeutic services (item 12) were a single item. Furthermore, there were a number of additions or modifications to the categories listed in item 11 and 12; for example, "drug prescribed" (1975 and 1976 Patient Record) was changed to "drugs (prescription/nonprescription)." Diet counseling, family planning, and Pap test were added in 1977. In addition to these changes in the Patient Record, a new classification system was used to code the patient's complaints, symptoms, or other reasons for visit (item 6).²⁶

Table A. Number and percent distribution of office visits by physician's specialty, patient's age, and principal diagnoses and ICDA code¹: United States, 1973-1977

Selected characteristic	1973 ²	1974 ²	1975	1976	1977
	Number of visits in thousands				
All visits.....	590,791	577,931	567,600	588,300	570,052
	Percent distribution				
Total.....	100.0	100.0	100.0	100.0	100.0
<u>Physician specialty</u>					
General and family practice.....	42.1	42.0	41.3	38.4	39.1
Internal medicine.....	11.4	11.1	10.9	11.6	11.4
Pediatrics.....	7.2	7.9	8.2	10.3	9.6
Obstetrics and gynecology.....	7.5	8.3	8.5	8.3	8.6
General surgery.....	6.9	6.6	7.3	6.1	6.3
All other.....	24.9	24.1	23.8	25.3	25.0
<u>Patient age</u>					
Under 15 years.....	18.5	18.7	17.4	18.7	18.2
15-24 years.....	15.5	15.7	15.3	15.0	15.0
25-44 years.....	24.9	25.3	25.3	25.7	25.7
45-64 years.....	25.3	25.0	25.6	24.6	24.9
65 years and over.....	15.8	15.3	16.4	16.0	16.2
<u>Principal diagnosis and ICDA code</u>					
Infective and parasitic diseases.....001-136	3.9	3.9	4.0	4.3	4.0
Neoplasms.....140-239	2.0	2.0	2.4	2.1	2.5
Endocrine, nutritional, and metabolic diseases.....240-279	4.1	4.3	4.3	4.2	4.3
Mental disorders.....290-315	4.4	4.3	4.4	4.0	4.3
Diseases of nervous system and sense organs.....300-389	8.1	7.8	7.9	8.4	8.5
Diseases of circulatory system.....390-458	9.3	9.7	9.9	9.2	9.6
Diseases of respiratory system.....460,519	15.0	14.2	14.1	14.2	14.5
Diseases of digestive system.....580-577	3.7	3.2	3.5	3.1	3.2
Diseases of genitourinary system.....580-629	5.9	5.9	6.6	5.8	6.4
Diseases of skin and subcutaneous tissue.....680-709	5.2	5.5	5.0	5.6	5.6
Diseases of musculoskeletal system.....710-738	5.4	5.5	5.8	5.6	5.8
Symptoms and ill-defined conditions.....780-796	5.2	4.9	4.6	4.7	4.5
Accidents, poisoning, and violence.....800-999	7.6	7.7	7.2	7.5	7.7
Special conditions and examinations without sickness.....Y00-Y13	16.8	18.7	17.8	18.5	16.8
Other diagnoses ³	3.4	2.6	2.5	2.9	2.3

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

²Estimates may differ slightly from those published previously due to a revision of the NAMCS estimating procedure.

³Includes code numbers 280-289, diseases of the blood and blood-forming organs; 630-678, complications of pregnancy, childbirth, and the puerperium; 740-759, congenital anomalies; 750-779, certain causes of perinatal morbidity and mortality; blank diagnosis; noncodable diagnosis; and illegible diagnosis.

GENERAL UTILIZATION PATTERNS

In 1977 a total of 570.1 million visits were made to nonfederally employed office-based physicians in the conterminous United States, an annual rate of 2.7 visits per person. Tables 1-6

provide a general profile of these office visits for 1977.

Table 1 presents data on office visits by physician's specialty, professional identity, type of practice, and location of practice. Visits to office-based doctors of medicine accounted for 94 percent of all visits, and visits to office-based

doctors of osteopathy accounted for the remaining 6 percent.

Visits to general and family practitioners accounted for the largest number of office visits (222.9 million visits). Visits to physicians engaged in solo practice accounted for 59 percent of all visits, and visits to physicians engaged in multiple-member practices accounted for 41 percent of the total.

Annual visit rates according to physician's location of practice (table B) reveal a higher visit rate in metropolitan areas (3.0 visits per person) than in nonmetropolitan areas (2.0 visits per person). Although more visits were made in the South Region than any other region (table 1), both the Northeast and West Regions had higher annual visit rates than the South Region (table B).

Table 2 shows that the annual visit rate varied from 2.0 visits per person for the under 15 age group to 4.1 visits per person for those 65 years and over. White persons made approximately 90 percent of all office visits. The annual visit rate for white persons (2.8 visits per person) was significantly higher than for all other persons (2.0 visits per person). The annual visit rate for females (3.2 visits per person) was greater than that for males (2.2 visits per person).

In this report, the term "referred visits" means those visits in which the patient was referred by another physician. During 1977, 5 percent of all visits were referred visits (table 3).

Table B. Number of office visits per person per year by location of physician's practice: United States, January-December 1977

Location of practice	Number of visits per person per year ¹
Geographic region:	
Northeast	2.9
North Central	2.6
South	2.4
West	3.2
Area:	
Metropolitan ²	3.0
Nonmetropolitan	2.0

¹Rates are based on estimates of the civilian noninstitutionalized population of the United States for July 1, 1977, furnished by the U.S. Bureau of the Census (see appendix I).

²Location within the standard metropolitan statistical areas (SMSA's).

Approximately 85 percent of all visits were made by "old" patients, that is, patients who had seen the physician before. About 60 percent of all visits were return visits, that is visits made by "old" patients with old problems. Patients were advised to return at a specified time for about 61 percent of the visits. More than half of all visits had a duration of visit greater than 10 minutes. The mean contact duration of visit was about 15 minutes. The mean contact duration of visit represents only the amount of time spent in face-to-face contact between physician and patient.

In item 6 of the Patient Record the reason(s) for visit was recorded as expressed by the patient in his own words. During 1977 these data were classified and coded according to *A Reason For Visit Classification for Ambulatory Care (RVC)*, which was developed to provide a comprehensive scheme to code patient's symptoms, complaints, and other reasons for visit. A detailed description of the RVC and its applications has been published in Series 2, No. 78 of *Vital and Health Statistics*.²⁶ Prior to 1977 the National Ambulatory Medical Care Survey Symptom Classification²⁷ was used to code the reason for visit data.

The RVC utilizes a modular structure. The basic categorizations of patients' reasons for visit are represented by seven modules: (1) Symptom; (2) Disease; (3) Diagnostic, Screening, and Preventive; (4) Treatment; (5) Injuries and Adverse Effects; (6) Test Results; and (7) Administrative.

Generally, the reasons for visit classified in the Symptom Module represent visits in which the patient expresses his or her reason for visit as a complaint, symptom, or problem. Often these are initial visits for the problem. Reasons coded into the Disease Module represent visits at which the patient gives a diagnosis as the reason for visit. The reasons for visit coded into the Diagnostic, Screening, and Preventive Module usually represent nonillness visits, for example, visits for routine physicals and preventive care or visits for family planning or pregnancy-related examinations. Those visits coded in the Treatment Module are generally for the purpose of providing specific therapeutic care. The Injuries and Adverse Effects Module includes reasons for visit that are clearly the result of an injury or

adverse effect. Reasons coded into the Test Results Module represent return visits to receive test results. Reasons for visit coded into the Administrative Module are visits initiated by an outside party rather than by the patient or physician.

The principal reason for visit is the reason listed first in item 6 of the Patient Record. The distribution of principal reasons for visit according to the seven modules of the RVC is presented in table 4. Over one-half of the reasons for visit fell into the Symptom Module. A more detailed breakdown of the visits within this module, and other modules, is presented in the section on visit characteristics.

About 4 percent of all visits were made because of symptoms or complaints with an onset of less than 24 hours, and 30 percent were made for symptoms or complaints with an onset of more than 3 months (table 4).

The term principal diagnosis refers to the physician's diagnosis listed first in item 8 of the Patient Record. Table 5 presents the diagnostic data grouped according to the major classes of the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States* (ICDA).²⁸ "Special conditions and examinations without sickness," a supplementary classification (codes Y00-Y13) of the ICDA, accounted for the largest proportion of visits (17 percent).

Table 5 also includes data on the seriousness of the condition diagnosed. The degree of seriousness represents the physician's judgment of the extent of impairment that might result if no care were available. Interpretation of data obtained from this variable should be made within the framework of this definition. Fifty-one percent of all visits involved conditions judged to be "not serious." A large proportion of these visits were made for routine prenatal care, routine eye examinations, periodic check-ups, immunizations, and other types of preventive health care.

Among the diagnostic services ordered or provided, a limited history or examination was rendered at 56 percent of all visits, and a general history or examination at 22 percent of all visits (table 6). The procedures conducted most often were blood pressure checks (34 percent of visits) and clinical laboratory tests (21 percent

of visits). Among the therapeutic services, a prescription or nonprescription drug was ordered or provided at about 54 percent of visits. Again, caution should be exercised when comparing this estimate with estimates from previous survey years due to changes in the wording of the Patient Record.

PHYSICIAN AND PRACTICE CHARACTERISTICS

Tables 7-10 examine office-based care from the perspective of the physicians who provided that care. Data are presented on the physician's specialty and type of practice. Most of the data in this section are self-explanatory, but for proper interpretation of terms, appendix II should be consulted for applicable definitions.

Table C provides information on the proportions of visits by new patients and by patients referred by another physician. The proportion of new patient visits ranged from 7.3 percent for psychiatrists to 31.2 percent for ophthalmologists. The percent of referred visits ranged from 1.7 percent for general and family practitioners to 13.0 percent for urologists.

Data on mean contact duration, which refers to the average amount of time that a physician spends in face-to-face contact with a patient, are presented in table D. The data exclude visits in which there was no face-to-face contact between patient and physician. Time spent by the patient in the waiting room, time spent by the patient with a member of the physician's staff without the physician's presence, and time spent by the physician before and after the visit in such activities as reviewing records, recording information, or reviewing test results are excluded. The average duration ranged from about 13 minutes for pediatricians and general and family practitioners to about 44 minutes for psychiatrists.

DEMOGRAPHIC CHARACTERISTICS OF PATIENTS

Data on the use of ambulatory medical care according to demographic characteristics of patient's are shown in tables 11-13 and highlighted

Table C. Number of office visits, percent of referred visits, and percent of new patient visits, by physician's specialty: United States, January-December 1977

Physician specialty	Number of visits in thousands	Percent of referred ¹ visits	Percent of new patient visits
All specialties	570,052	5.0	15.3
General and family practice.....	222,919	1.7	11.5
Internal medicine.....	64,959	3.5	12.7
Pediatrics.....	54,762	3.4	11.4
Obstetrics and gynecology.....	49,273	4.4	14.8
General surgery.....	36,124	10.8	20.7
Ophthalmology.....	26,904	7.7	31.2
Orthopedic surgery.....	20,201	12.3	22.9
Dermatology.....	16,388	12.0	29.7
Psychiatry.....	16,197	3.4	7.3
Otolaryngology.....	15,716	12.5	28.2
Urology.....	11,205	13.0	19.5
Cardiovascular diseases.....	6,218	7.8	10.8

¹Visits referred by another physician.

in tables E and F and figures 1-6. The population figures used in computing annual visit rates appear in table II of appendix I.

Table D. Mean contact duration and standard error of mean contact duration, by physician's specialty: United States, January-December 1977

Physician specialty	Mean contact duration ¹	Standard error of mean contact duration ²
	Minutes	
All specialties.....	15.4	0.30
General and family practice.....	12.9	0.51
Internal medicine.....	18.8	0.56
Pediatrics.....	12.9	0.47
Obstetrics and gynecology.....	14.6	0.53
General surgery.....	13.3	0.42
Ophthalmology.....	17.9	1.05
Orthopedic surgery.....	15.1	0.72
Dermatology.....	13.6	0.81
Psychiatry.....	44.3	1.61
Otolaryngology.....	13.7	0.68
Urology.....	13.4	1.22
Cardiovascular diseases.....	21.8	2.50
Neurology.....	30.2	1.92
All other specialties.....	-	-

¹Time spent in face-to-face contact between physician and patient.

²Standard error measurements of precision are discussed in appendix I.

Table E. Number, percent distribution, and annual rate of referred office visits, by patient's age: United States, January-December 1977

Age of patient	Referred visits		
	Number in thousands	Percent distribution	Annual rate per 100 persons ¹
All ages.....	28,412	100.0	13.5
Under 15 years.....	5,041	17.7	9.8
15-24 years.....	3,872	13.6	9.8
25-44 years.....	7,960	28.0	14.5
45-64 years.....	7,378	26.0	17.1
65 years and over.....	4,161	14.7	18.7

¹Rates are based on estimates of the civilian noninstitutionalized population of the United States for July 1, 1977, furnished by the U.S. Bureau of the Census (see appendix I).

Figure 1 shows that females made more visits per person than males did in all age groups except the under 15 age group. In all age groups, the annual office visit rate for white persons exceeded that for all other persons (figure 2). Figures 3-6 show the annual rates of office visits per 100 persons for selected diagnoses. The annual visit rate for medical or special examinations and for acute upper respiratory infections (figures 3 and 4) tended to decrease as patient

Table F. Number and percent distribution of office visits by time since onset of complaint or symptom, according to patient's age: United States, January-December 1977

Age of patient	Number of visits in thousands	Total	Time since onset of complaint or symptom					
			Less than 1 day	1-6 days	1-3 weeks	1-3 months	More than 3 months	Not applicable ¹
			Percent distribution					
All ages.....	570,052	100.0	4.1	22.3	13.8	11.8	29.8	18.3
Under 15 years.....	103,756	100.0	8.5	38.5	11.7	5.9	10.4	24.9
15-24 years.....	85,761	100.0	5.1	23.8	15.0	12.0	24.6	19.6
25-44 years.....	146,329	100.0	3.4	20.1	14.4	13.4	30.2	18.5
45-64 years.....	142,163	100.0	2.5	17.0	14.4	13.8	37.4	15.0
65 years and over.....	92,043	100.0	1.9	14.2	13.3	12.5	43.9	14.1

¹Chiefly visits not involving a symptom or complaint, for example, annual or well-baby examination.

age increased; the annual visit rate for medical and surgical aftercare (figure 5) tended to increase as patient age increased. For neuroses (figure 6), the annual visit rate of persons aged 25-44 years (12.1 visits per 100 persons) exceeded that of any other age group.

Table E reveals that the rate of referred visits from another physician tended to increase with age. The referral visit rate for persons 65 years and over (18.7 visits per 100 persons per year) was approximately double the rate for persons under 25 years (9.8 visits per 100 persons per year).




Figure 2. Annual rate of office visits by color and age of patient: United States, January-December 1977




Figure 1. Annual rate of office visits by sex and age of patient: United States, January-December 1977




Figure 3. Annual rate of office visits for medical or special examinations by age of patient: United States, January-December 1977




Figure 4. Annual rate of office visits for acute upper respiratory infection by age of patient: United States, January-December 1977




Figure 6. Annual rate of office visits for neuroses by age of patient: United States, January-December 1977




Figure 5. Annual rate of office visits for medical and surgical aftercare by age of patient: United States, January-December 1977

The data in table F show that approximately one-fourth of visits by persons under 15 years of age fell into the "not applicable" category of time since onset of complaint or symptom—a reflection of the large number of well-baby and well-person examinations for this age group. (See definition of time since onset of complaint or symptom in appendix II.) Approximately 9 percent of all visits by persons under 15 years of age were for a complaint or symptom with a time since onset of less than 24 hours. Note that the length of time since onset tended to increase with age. This reflects the fact that proportionately more acute, self-limiting conditions are presented by younger persons and more chronic conditions by older persons. For example, about 44 percent of all visits by persons 65 years and over were made because of a complaint with a time since onset of more than 3 months.

VISIT CHARACTERISTICS

Data concerning the utilization of ambulatory medical care according to characteristics of the visit are presented in tables 14-24 and highlighted in tables G-K.

Principal Reason for Visit

Tables 14-18 and tables G and H present statistics on the patient's principal reason for visit by selected visit characteristics. The principal or first-listed reasons for visit presented in this section are grouped by the seven modules of the

RVC. Within these modules specific reasons for visit are presented.

One-half the visits coded in the Disease Module were made because of a complaint or symptom with an onset of more than 3 months (table 14), reflecting the chronic nature of the complaint. This is also reflected in table 15—78 percent of the Disease Module visits were return visits, that is, old patients with old problems.

Twenty-seven percent of the visits in the Injuries and Adverse Effects Module, compared to 4 percent of all visits, were made for a complaint

Table G. Number and percent distribution of new problem office visits by time since onset of complaint or symptom, according to selected principal reasons for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	Number of new problem visits in thousands	Total	Time since onset of complaint or symptom					
			Less than 1 day	1-6 days	1-3 weeks	1-3 months	More than 3 months	Not applicable ²
			Percent distribution					
All new problem visits.....	229,267	100.0	8.2	37.3	15.6	10.3	13.9	14.8
Symptoms of throat.....S455	11,579	100.0	6.9	77.9	10.6	*2.3	*1.9	*0.4
Cough.....S440	8,676	100.0	*3.3	73.0	18.6	*2.9	*2.1	*0.2
Head cold, URI.....S445	7,228	100.0	6.2	72.5	16.5	*3.0	*1.1	*0.7
Fever.....S010	6,791	100.0	17.6	76.4	*4.7	*0.2	*1.0	-
Headache.....S210	4,521	100.0	*5.1	35.6	19.0	16.5	19.7	*3.2
Back symptoms.....S905	4,180	100.0	*6.5	37.6	26.4	11.8	16.2	*1.5
Chest pain.....S050	3,512	100.0	7.6	45.8	22.6	*9.3	13.6	*1.2
Laceration, upper extremity.....J225	1,316	100.0	70.4	*15.4	*7.8	*3.0	*2.1	*1.3

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care (RVC)*.²⁶

²Chiefly visits not involving a symptom or complaint, e.g., annual or well-baby examination.

Table H. Number and percent of referred office visits by the most frequent principal reasons for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	All visits in thousands	Referred visits	
		Number in thousands	Percent
Back symptoms.....S905	10,696	670	6.3
Abdominal pain, cramps, spasms.....S550	8,715	664	7.6
Skin rash.....S860	9,531	662	7.0
Earache, or ear infection.....S355	9,249	639	6.9
Headache, pain in head.....S210	9,458	583	6.2
Symptoms referable to throat.....S455	17,525	579	3.3
Vision dysfunctions.....S305	6,844	578	8.4
Lump or mass of breast.....S805	2,276	557	24.5

¹Reason for visit group and codes are based on *A Reason for Visit Classification for Ambulatory Care (RVC)*.²⁶

or symptom with an onset of less than 24 hours (table 14). This indicates that a large proportion of the visits coded into the Injuries and Adverse Effects Module were of an emergency nature and required immediate care. A diagnostic X-ray was ordered or provided at 26 percent of all visits coded in this module (table 16).

Table 15 shows that the Symptom Module and Injuries and Adverse Effects Module had the highest proportions of new problem visits—which include any problem presented by a new patient along with any new problem presented by an old patient—50 and 55 percent, respectively. Eighty-seven percent of the Treatment Module visits were return visits for specific therapeutic services. In the Diagnostic, Screening, and Preventive Module, 74 percent of visits were return visits. Included in this module are mainly nonillness events, for example, routine physical examinations and preventive care.

It may be observed from figure 7 that as the time since onset of a complaint or symptom increased, the proportion of new problem visits decreased and the proportion of return visits increased.

Approximately 70 percent of the 1.3 million new problem visits (table G) for laceration of an upper extremity were made within 24 hours of the injury, indicating the emergency nature of this condition. It can also be seen from table G that 85 and 94 percent, respectively, of the new problem visits for symptoms of the throat and fever were made within 1 week of onset.

The most common principal reasons for referred visits are provided in table H. The proportion of visits referred ranged from 3 percent for symptoms of the throat to 25 percent for lump or mass of breast.

Principal Diagnosis

Tables 19-24 and table J provide statistics on the physician's principal diagnosis of the patient's presenting complaint or symptom according to visit characteristics. The principal or first-listed diagnoses included in this section are grouped by the 14 major diagnostic classes of the ICDA. Within these major diagnostic classes specific diagnoses are presented. Table J provides data on mean contact durations for principal diagnoses.

Tables 19-22 provide data on principal diagnoses by selected visit characteristics, and table




Figure 7. Percent of office visits by patient's prior visit status and time since onset of complaint or symptom: United States, January-December 1977

23 gives the 50 diagnoses most frequently rendered by office-based physicians.

Other Visit Characteristics

Table 24 shows patient's prior visit status and seriousness of the condition according to the time since onset of patient's complaint or symptom. Of the 341 million return visits (old patients with old problems), 41 percent were made for a complaint or symptom with an onset of more than 3 months. On the other hand, 45 percent of the 229 million new problem visits were made for complaints or symptoms with an onset of less than 1 week. Approximately one-half of the conditions considered serious or very serious were for complaints or symptoms with an onset of more than 3 months.

Table K provides information on referred visits. Of the 28 million referred visits, 79 per-

Table J. Number of visits, mean contact duration, and standard error of mean contact duration, by principal diagnoses: United States, January-December 1977

Principal diagnosis and ICDA code ¹	Number of visits in thousands	Minutes	
		Mean contact duration ²	Standard error of mean contact duration ³
All principal diagnoses.....	570,052	15.4	0.30
Infective and parasitic diseases.....001-136	22,668	12.5	1.38
Neoplasms140-239	14,286	14.4	1.08
Endocrine, nutritional, and metabolic diseases240-279	24,287	14.9	1.41
Mental disorders290-315	24,522	32.2	3.02
Diseases of nervous system and sense organs.....320-389	48,291	16.3	0.83
Diseases of circulatory system390-458	54,702	15.6	0.81
Diseases of respiratory system460-519	82,466	14.8	0.73
Diseases of digestive system520-577	18,451	14.9	0.84
Diseases of genitourinary system580-629	36,473	13.9	0.59
Diseases of skin and subcutaneous tissue680-709	31,910	13.5	0.97
Diseases of musculoskeletal system.....710-738	32,983	15.2	1.22
Symptoms and ill-defined conditions.....780-796	25,695	16.7	1.30
Accidents, poisoning, and violence800-999	43,761	15.1	0.82

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

²Time spent in face-to-face contact between physician and patient.

³Standard error measurements of precision are discussed in appendix I.

Table K. Number and percent distribution of referred office visits by patient's prior visit status, disposition, and seriousness of condition: United States, January-December 1977

Visit characteristic	All visits in thousands ¹	Percent distribution of referred visits
All characteristics.....	28,412	100.0
<u>Prior visit status</u>		
New patient.....	22,564	79.4
Old patient, new problem.....	5,848	20.6
Old patient, old problem.....	-	-
<u>Disposition</u>		
No followup planned.....	2,892	10.2
Return at specified time.....	14,656	51.6
Return if needed.....	5,190	18.3
Telephone followup planned.....	923	3.3
Referred to other physician.....	915	3.2
Returned to referring physician...	2,372	8.4
Admit to hospital.....	2,345	8.3
Other.....	1,325	4.7
<u>Seriousness of condition</u>		
Serious or very serious.....	6,006	21.1
Slightly serious.....	9,758	34.3
Not serious.....	12,648	44.5

¹Visits referred by another physician.

cent were made by new patients. The patient was advised to return at a specified time for 52 percent of referred visits, compared with 61 percent of all visits. It is noteworthy that at 8 percent of the visits the patient was advised to return to the referring physician. Approximately 45 percent of all referred visits were for conditions judged by the physician as not serious.

REFERENCES

¹National Center for Health Statistics: National Ambulatory Medical Care Survey, background and methodology, United States, 1967-72, by J. Tenney, M.D., K. White, M.D., and J. Williamson, M.D. *Vital and Health Statistics*. Series 2-No. 61. DHEW Pub. No. (HRA) 74-1335. Health Resources Administration. Washington. U.S. Government Printing Office, Apr. 1974.

²National Center for Health Statistics: The National Ambulatory Medical Care Survey, 1973 summary, United States, May 1973-Apr. 1974, by J. DeLozier and R. Gagnon. *Vital and Health Statistics*. Series 13-No. 21. DHEW Pub. No. (HRA) 76-1772. Health Resources Administration. Washington. U.S. Government Printing Office, Oct. 1975.

³National Center for Health Statistics: The National Ambulatory Medical Care Survey, 1975 summary, United States, January-December 1975, by H. Koch and T. McLemore. *Vital and Health Statistics*. Series 13-No. 33. DHEW Pub. No. (PHS) 78-1784. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1978.

⁴National Center for Health Statistics: Ambulatory medical care rendered in pediatricians' offices during 1975, by T. Ezzati. *Advance Data From Vital and Health Statistics*, No. 13. DHEW Pub. No. (HRA) 77-1250. Health Resources Administration. Hyattsville, Md., Oct. 13, 1977.

⁵National Center for Health Statistics: National Ambulatory Medical Care Survey of visits to general and family practitioners, January-December 1975, by B.K. Cypress. *Advance Data From Vital and Health Statistics*, No. 15. DHEW Pub. No. (HRA) 78-1250. Health Resources Administration. Hyattsville, Md., Dec. 14, 1977.

⁶National Center for Health Statistics: Office visits to internists: National Ambulatory Medical Care Survey, United States, 1975, by B. K. Cypress. *Advance Data From Vital and Health Statistics*, No. 16. DHEW Pub. No. 78-1250. Public Health Service. Hyattsville, Md., Feb. 7, 1978.

⁷National Center for Health Statistics: Office visits to obstetrician-gynecologists: National Ambulatory Medical Care Survey, United States, 1975, by T. Ezzati. *Advance Data From Vital and Health Statistics*, No. 20. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Mar. 13, 1978.

⁸National Center for Health Statistics: Office visits to general surgeons: National Ambulatory Medical Care Survey, United States, 1975, by R. Gagnon. *Advance*

Data From Vital and Health Statistics, No. 23. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Mar. 24, 1978.

⁹National Center for Health Statistics: Office visits to doctors of osteopathy: National Ambulatory Medical Care Survey, United States, 1975, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 25. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Mar. 22, 1978.

¹⁰National Center for Health Statistics: Office visits to ophthalmologists: National Ambulatory Medical Care Survey, United States, 1976, by H. Koch and T. Ezzati. *Advance Data From Vital and Health Statistics*, No. 31. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., July 14, 1978.

¹¹National Center for Health Statistics: Office visits to orthopedic surgeons: National Ambulatory Medical Care Survey, United States, 1975-76, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 33. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., July 18, 1978.

¹²National Center for Health Statistics: Office visits to otolaryngologists: National Ambulatory Medical Care Survey, United States, 1975-76, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 34. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., July 18, 1978.

¹³National Center for Health Statistics: Office visits to dermatologists: National Ambulatory Medical Care Survey, United States, 1975-76, by T. Ezzati. *Advance Data From Vital and Health Statistics*, No. 37. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Aug. 29, 1978.

¹⁴National Center for Health Statistics: Office visits to psychiatrists: National Ambulatory Medical Care Survey, United States, 1975-76, by B. K. Cypress. *Advance Data From Vital and Health Statistics*, No. 38. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Aug. 25, 1978.

¹⁵National Center for Health Statistics: Office visits to urologists: National Ambulatory Medical Care Survey, United States, 1975-76, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 39. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Sept. 7, 1978.

¹⁶National Center for Health Statistics: Office visits to cardiovascular specialists: National Ambulatory Medical Care Survey, United States, 1975-76, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 42.

DHEW Pub. No. (PHS) 79-1250. Public Health Service. Hyattsville, Md., Oct. 31, 1978.

¹⁷National Center for Health Statistics: Ambulatory care utilization patterns of children and young adults: National Ambulatory Medical Care Survey, United States, January-December 1975, by T. Ezzati. *Vital and Health Statistics*. Series 13-No. 39. DHEW Pub. No. (PHS) 78-1790. Public Health Service. Washington. U.S. Government Printing Office, Aug. 1978.

¹⁸National Center for Health Statistics: Office visits by black patients, National Ambulatory Medical Care Survey: United States, 1975-76, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 50. DHEW Pub. No. (PHS) 79-1250. Public Health Service. Hyattsville, Md., July 23, 1979.

¹⁹National Center for Health Statistics: Office visits by persons aged 65 and over: National Ambulatory Medical Care Survey, United States, 1975, by R. Gagnon. *Advance Data From Vital and Health Statistics*, No. 22. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Mar. 22, 1978.

²⁰National Center for Health Statistics: Office visits for diseases of the circulatory system: National Ambulatory Medical Care Survey, United States, 1975-76, by B. K. Cypress. *Vital and Health Statistics*. Series 13-No. 40. DHEW Pub. No. (PHS) 79-1791. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1979.

²¹National Center for Health Statistics: Office visits for diseases of the respiratory system: National Ambulatory Medical Care Survey, United States, 1975-76, by B. K. Cypress. *Vital and Health Statistics*. Series 13-No. 42. DHEW Pub. No. (PHS) 79-1793. Public Health Service. Washington. U.S. Government Printing Office, July 1979.

²²National Center for Health Statistics: Office visits for hypertension, National Ambulatory Medical Care Survey: United States, January 1975-December 1976, by B. K. Cypress. *Advance Data From Vital and Health Statistics*, No. 28. DHEW Pub. No. (PHS) 78-1250. Public Health Service. Hyattsville, Md., Apr. 28, 1978.

²³National Center for Health Statistics: 1977 Summary: National Ambulatory Medical Care Survey, by T. Ezzati and T. McLemore. *Advance Data From Vital*

and Health Statistics, No. 48. DHEW Pub. No. (PHS) 79-1250. Public Health Service. Hyattsville, Md., Apr. 13, 1979.

²⁴National Center for Health Statistics: Office visits for family planning, National Ambulatory Medical Care Survey: United States, 1977, by B. K. Cypress. *Advance Data From Vital and Health Statistics*, No. 49. DHEW Pub. No. (PHS) 79-1250. Public Health Service. Hyattsville, Md., Apr. 16, 1979.

²⁵National Center for Health Statistics: Office visits involving X-rays: National Ambulatory Medical Care Survey, United States, 1977, by H. Koch. *Advance Data From Vital and Health Statistics*, No. 53. DHEW Pub. No. (PHS) 79-1250. Public Health Service. Hyattsville, Md., Sept. 11, 1979.

²⁶National Center for Health Statistics: A reason for visit classification for ambulatory care, by D. Schneider, L. Appleton, and T. McLemore. *Vital and Health Statistics*. Series 2-No. 78. DHEW Pub. No. (PHS) 79-1352. Public Health Service. Washington. U.S. Government Printing Office, Feb. 1979.

²⁷National Center for Health Statistics: The National Ambulatory Medical Care Survey: Symptom classification, by S. Meads and T. McLemore. *Vital and Health Statistics*. Series 2-No. 63. DHEW Pub. No. (HRA) 74-1337. Health Resources Administration. Washington. U.S. Government Printing Office, May 1974.

²⁸National Center for Health Statistics: *Eighth Revision International Classification of Diseases, Adapted for Use in the United States*. PHS Pub. No. 1693. Public Health Service. Washington. U.S. Government Printing Office, 1967.

²⁹National Center for Health Statistics: Replication: An approach to the analysis of data from complex surveys. *Vital and Health Statistics*. Series 2-No. 14. DHEW Pub. No. (HSM) 73-1269. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Apr. 1966.

³⁰National Center for Health Statistics: Pseudoreplication: Further evaluation and application of the balanced half-sample technique. *Vital and Health Statistics*. Series 2-No. 31. DHEW Pub. No. (HSM) 73-1270. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Jan. 1969.

LIST OF DETAILED TABLES

1. Number and percent distribution of office visits by physician's specialty, professional identity, and type and location of practice: United States, January-December 1977	16
2. Number, percent distribution, and annual rate of office visits, by age, color, and sex of patient: United States, January-December, 1977	17
3. Number and percent distribution of office visits by patient's referral status, prior visit status, and disposition and duration of visit: United States, January-December 1977	18
4. Number and percent distribution of office visits by principal reason for visit and time since onset of complaint or symptom: United States, January-December 1977	19
5. Number and percent distribution of office visits by principal diagnosis and seriousness of condition: United States, January-December 1977	20
6. Number and percent of office visits by diagnostic and therapeutic services ordered or provided: United States, January-December 1977	21
7. Number and percent distribution of office visits by age, sex, and color of patient, according to physician's specialty: United States, January-December 1977	21
8. Number and percent distribution of office visits by principal reason for visit, according to physician's specialty: United States, January-December 1977	22
9. Number and percent of office visits by the five most visited specialties and selected principal reasons for visit: United States, January-December 1977	23
10. Number and percent of office visits by the five most visited specialties, physician's type of practice, principal diagnosis, diagnostic and therapeutic services ordered or provided, and disposition of visit: United States, January-December 1977	24
11. Number, percent distribution, and annual rate of office visits by age, sex, and color of patient: United States, January-December 1977	25
12. Number and percent distribution of office visits by age of patient, according to physician's specialty: United States, January-December 1977	26
13. Number and percent distribution of office visits by principal diagnosis and principal reason for visit, according to age, sex, and color of patient: United States, January-December 1977	27
14. Number and percent distribution of office visits by time since onset of complaint or symptom, according to principal reason for visit: United States, January-December 1977	28
15. Number and percent distribution of office visits by patient's prior visit status and seriousness of condition, according to principal reason for visit: United States, January-December 1977	29
16. Number and percent of office visits by selected diagnostic services ordered or provided and principal reason for visit: United States, January-December 1977	30
17. Number and percent of office visits by selected therapeutic services ordered or provided and principal reason for visit: United States, January-December 1977	31
18. Number and percent of office visits by selected dispositions of visit and principal reason for visit: United States, January-December 1977	32

19. Number and percent distribution of office visits by patient's prior visit status and seriousness of condition, according to principal diagnosis: United States, January-December 1977	33
20. Number and percent of office visits by selected diagnostic services ordered or provided and principal diagnosis: United States, January-December 1977	34
21. Number and percent of office visits by selected therapeutic services ordered or provided and principal diagnosis: United States, January-December 1977	35
22. Number and percent of office visits by selected dispositions of visit and principal diagnosis: United States, January-December 1977	36
23. Number, percent, and cumulative percent of office visits by the 50 most frequently rendered principal diagnosis: United States, January-December 1977	37
24. Number and percent distribution of office visits by time since onset of complaint or symptom, according to prior visit status and seriousness of condition: United States, January-December 1977	38

Table 1. Number and percent distribution of office visits by physician's specialty, professional identity, and type and location of practice: United States, January-December 1977

Physician characteristic	Number of visits in thousands	Percent distribution
All visits	570,052	100.0
<u>Specialty</u>		
General and family practice	222,919	39.1
Internal medicine	64,959	11.4
Pediatrics	54,762	9.6
Obstetrics and gynecology	49,273	8.6
General surgery	36,124	6.3
Ophthalmology	26,904	4.7
Orthopedic surgery	20,201	3.5
Dermatology	16,388	2.9
Psychiatry	16,197	2.8
Otolaryngology	15,716	2.8
Urology	11,205	2.0
Cardiovascular disease	6,218	1.1
Neurology	2,690	0.5
All other specialties	26,497	4.6
<u>Professional identity</u>		
Doctors of osteopathy	32,301	5.7
Doctors of medicine	537,751	94.3
<u>Type of practice</u>		
Solo	335,261	58.8
Other ¹	234,791	41.2
<u>Location of practice</u>		
Geographic region:		
Northeast	140,965	24.7
North Central	148,501	26.1
South	163,790	28.7
West	116,795	20.5
Area:		
Metropolitan ²	434,739	76.3
Nonmetropolitan	135,313	23.7

¹Includes partnership and group practice.

²Location within the standard metropolitan statistical areas (SMSA's).

Table 2. Number, percent distribution, and annual rate of office visits, by age, color, and sex of patient: United States, January-December 1977

Patient characteristic	Number of visits in thousands	Percent distribution	Number of visits per person per year ¹
All visits.....	570,052	100.0	2.7
<u>Age</u>			
Under 15 years	103,756	18.2	2.0
15-24 years.....	85,761	15.0	2.2
25-44 years.....	146,329	25.7	2.7
45-64 years.....	142,163	24.9	3.3
65 years and over.....	92,043	16.2	4.1
<u>Color</u>			
White	514,788	90.3	2.8
All other	55,264	9.7	2.0
<u>Sex</u>			
Female.....	345,187	60.5	3.2
Male.....	224,865	39.5	2.2

¹Rates are based on estimates of the civilian noninstitutionalized population of the United States for July 1, 1977, furnished by the U.S. Bureau of the Census (see appendix I).

Table 3. Number and percent distribution of office visits by referral status, prior visit status, and disposition and duration of visit: United States, January-December 1977

Visit characteristic	Number of visits in thousands	Percent distribution
All visits	570,052	100.0
<u>Referral status</u>		
Referral by another physician	28,412	5.0
Not referred by another physician.....	541,640	95.0
<u>Prior visit status</u>		
New patient.....	87,230	15.3
Old patient, new problem.....	142,037	24.9
Old patient, old problem.....	340,785	59.8
<u>Disposition of visit</u>		
No followup planned.....	63,546	11.2
Return at specified time.....	346,374	60.8
Return if needed	129,020	22.6
Telephone followup planned.....	17,961	3.2
Referred to other physician.....	14,423	2.5
Returned to referring physician.....	4,660	0.8
Admit to hospital	11,095	2.0
Other.....	7,129	1.3
<u>Duration of visit</u>		
Zero minutes ¹	13,038	2.3
1-5 minutes	83,263	14.6
6-10 minutes	170,787	30.0
11-15 minutes	152,860	26.8
16-30 minutes	116,961	20.5
31-60 minutes	30,406	5.3
61 minutes or more	2,736	0.5

¹Represents visits in which there was no face-to-face contact between the patient and the physician.

Table 4. Number and percent distribution of office visits by principal reason for visit and time since onset of complaint or symptom: United States, January-December 1977

Principal reason for visit, time since onset of complaint or symptom, and RVC code	Number of visits in thousands	Percent distribution
All visits	570,052	100.0
<u>Principal reason for visit¹</u>		
Symptom Module..... S 001-S999	318,849	55.9
Disease Module..... D001-D999	53,478	9.4
Diagnostic, Screening, and Preventive Module..... X100-X599	104,445	18.3
Treatment Module..... T100-T899	48,409	8.5
Injury and Adverse Effects Module..... J001-J999	24,952	4.4
Test Results Module..... R100-R700	2,615	0.5
Administrative Module..... A100-A140	10,403	1.8
Other ² U990-U999	6,902	1.2
<u>Time since onset of complaint or symptom</u>		
Less than 1 day	23,405	4.1
1-6 days.....	127,064	22.3
1-3 weeks.....	78,716	13.8
1-3 months.....	67,107	11.8
More than 3 months.....	169,692	29.8
Not applicable ³	104,068	18.3

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care* (RVC).²⁶

²Includes blanks; problems, complaints, NEC; entries of "none"; and illegible entries.

³Chiefly visits not involving a symptom or complaint, for example, annual or well-baby examination.

Table 5. Number and percent distribution of office visits by principal diagnosis and seriousness of condition: United States, January-December 1977

Principal diagnosis, seriousness of condition, and ICDA code	Number of visits in thousands	Percent distribution
All visits	570,052	100.0
<u>Principal diagnosis¹</u>		
Infective and parasitic diseases.....001-136	22,668	4.0
Neoplasms.....140-239	14,286	2.5
Endocrine, nutritional and metabolic diseases.....240-279	24,287	4.3
Mental disorders.....290-315	24,522	4.3
Diseases of nervous system and sense organs.....320-389	48,291	8.5
Diseases of circulatory system.....390-458	54,702	9.6
Diseases of respiratory system.....460-519	82,466	14.5
Diseases of digestive system.....520-577	18,451	3.2
Diseases of genitourinary system.....580-629	36,473	6.4
Diseases of skin and subcutaneous tissue.....680-709	31,910	5.6
Diseases of musculoskeletal system.....710-738	32,983	5.8
Symptoms and ill-defined conditions.....780-796	25,695	4.5
Accidents, poisoning, and violence.....800-999	43,761	7.7
Special conditions and examinations without sickness.....Y00-Y13	96,009	16.8
Other diagnoses ²	13,550	2.3
<u>Seriousness of condition</u>		
Serious or very serious.....	104,118	18.3
Slightly serious.....	175,252	30.7
Not serious.....	290,682	51.0

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

²Includes 280-289, diseases of the blood and blood-forming organs; 630-678, complications of pregnancy, childbirth, and the puerperium; 740-759, congenital anomalies; 750-779, certain causes of perinatal morbidity and mortality; blank diagnosis; noncodable diagnosis; and illegible diagnosis.

Table 6. Number and percent of office visits by diagnostic and therapeutic services ordered or provided: United States, January-December 1977

Service ordered or provided	Number of visits in thousands	Percent of visits
<u>Diagnostic service</u>		
None.....	68,301	12.0
Limited exam/history	321,040	56.3
General exam/history	127,515	22.4
Pap test.....	30,620	5.4
Clinical lab test	122,013	21.4
X-ray	44,662	7.8
EKG	17,333	3.0
Vision test	23,045	4.0
Endoscopy.....	6,945	1.2
Blood pressure check.....	193,889	34.0
Other diagnostic services.....	25,010	4.4
<u>Therapeutic service</u>		
None.....	109,077	19.1
Immunization/desensitization	37,576	6.6
Drugs (prescription/nonprescription)	305,607	53.6
Diet counseling.....	39,197	6.9
Family planning.....	8,372	1.5
Medical counseling.....	117,157	20.5
Physiotherapy.....	18,584	3.3
Office surgery	45,029	7.9
Psychotherapy/therapeutic listening	30,589	5.4
Other therapeutic services.....	15,624	2.7

Table 7. Number and percent distribution of office visits by age, sex, and color of patient, according to physician's specialty: United States, January-December 1977

Physician specialty	Number of visits in thousands	Total	Age of patient					Sex of patient		Color of patient	
			Under 15 years	15-24 years	25-44 years	45-64 years	65 years and over	Female	Male	White	All other
			Percent distribution								
All specialties	570,052	100.0	18.2	15.0	25.7	24.9	16.2	60.5	39.5	90.3	9.7
General and family practice	222,919	100.0	15.1	16.9	24.8	26.0	17.3	60.2	39.8	90.0	10.0
Internal medicine	64,959	100.0	2.3	7.3	21.8	37.8	30.9	58.8	41.2	90.5	9.5
Pediatrics	54,762	100.0	92.1	5.8	1.4	*0.6	*0.2	47.8	52.2	87.3	12.7
Obstetrics and gynecology	49,273	100.0	*0.7	29.5	52.9	14.0	3.0	99.1	*0.9	89.9	10.1
General surgery	36,124	100.0	7.8	13.7	26.8	32.1	19.6	57.8	42.2	90.3	9.7
Ophthalmology	26,904	100.0	10.3	14.4	19.1	29.7	26.5	58.9	41.1	93.3	6.7
Orthopedic surgery	20,201	100.0	14.6	17.2	30.0	27.9	10.3	47.3	52.7	89.1	10.9
Dermatology	16,388	100.0	8.5	26.7	26.9	24.2	13.8	60.4	39.6	93.2	6.8
Psychiatry	16,197	100.0	6.6	15.8	53.3	22.3	*2.1	59.0	41.0	95.3	4.7
Otolaryngology	15,716	100.0	21.6	11.4	23.6	26.9	16.4	54.2	45.8	92.4	7.6
Urology.....	11,205	100.0	5.1	6.5	24.0	33.6	30.8	40.6	59.4	89.5	10.5
Cardiovascular diseases.....	6,218	100.0	*0.5	*1.5	12.2	48.4	37.5	49.0	51.0	94.1	6.0

Table 8. Number and percent distribution of office visits by principal reason for visit, according to physician's specialty: United States, January-December 1977

Physician specialty	Number of visits in thousands	Total	Principal reason for visit and RVC code ¹					
			Symptom Module, S001-S999	Disease Module, D001-D999	Diagnostic, Screening, Preventive Module, X100-X599	Treatment Module, T100-T899	Injury, Adverse Effects Module, J001-J999	All other ²
All specialties	570,052	100.0	55.9	9.4	18.3	8.5	4.4	3.5
General and family practice.....	222,919	100.0	60.7	8.5	16.1	5.6	5.1	4.0
Internal medicine	64,959	100.0	54.8	14.7	18.5	5.5	1.4	5.1
Pediatrics.....	54,762	100.0	55.1	5.8	26.2	7.3	2.4	3.2
Obstetrics and gynecology.....	49,273	100.0	26.4	3.8	60.0	7.4	*0.3	2.0
General surgery	36,124	100.0	48.6	13.8	6.3	18.9	7.9	4.6
Ophthalmology	26,904	100.0	53.9	9.2	20.9	9.2	4.4	2.4
Orthopedic surgery.....	20,201	100.0	59.6	3.8	*0.4	9.2	25.9	*1.0
Dermatology	16,388	100.0	80.3	15.9	*0.1	*2.2	*1.1	*0.2
Psychiatry	16,197	100.0	61.8	2.5	*2.0	31.7	*0.5	*1.5
Otolaryngology	15,716	100.0	76.3	7.6	*1.7	11.0	*2.2	*1.1
Urology.....	11,205	100.0	61.2	18.9	7.7	9.7	*0.2	*2.3
Cardiovascular diseases.....	6,218	100.0	49.7	17.2	22.7	7.3	*0.2	*2.9

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care* (RVC).²⁶

²Includes Test Results Module; Administrative Module; blanks; problems and complaints not classified elsewhere; entries of "none"; and illegible entries.

Table 9. Number and percent of office visits by the five most visited specialties and principal reasons for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	Total	Physician specialty				
		General and family practice	Internal medicine	Pediatrics	Obstetrics and gynecology	General surgery
Number of visits in thousands						
All visits	570,052	222,919	64,959	54,762	49,273	36,124
Percent						
Symptom Module.....S001-S999	55.9	60.7	54.8	55.1	26.4	48.6
General symptoms.....S001-S099	7.7	9.4	11.1	11.9	1.7	6.5
Symptoms of psychological and mental disorders.....S100-S199	2.7	1.9	2.2	*0.5	*0.6	*0.8
Nervous system (excluding sense organs).....S200-S259	3.4	4.4	4.6	1.1	*0.5	2.2
Cardiovascular and lymphatic systems.....S260-S299	0.6	0.7	1.5	*0.5	*0.1	0.4
Eyes and ears.....S300-S399	5.5	3.1	1.4	8.2	*0.1	*1.0
Respiratory system.....S400-S499	10.9	14.6	9.9	21.1	*0.9	5.1
Digestive system.....S500-S639	4.9	6.0	7.8	4.2	2.3	8.8
Genitourinary system.....S640-S829	5.5	4.7	3.3	1.6	18.7	7.3
Skin, nails, and hair.....S830-S899	5.4	4.5	2.0	4.5	*0.6	7.2
Musculoskeletal system.....S900-S999	9.4	11.3	11.1	1.6	1.0	9.4
Disease Module.....D001-D999	9.4	8.5	14.7	5.8	3.8	13.8
Infective and parasitic diseases.....D001-D099	0.4	0.4	*0.3	1.0	*0.3	*0.2
Diseases of the ear.....D450-D499	0.2	*0.1	*0.0	1.4	-	*0.0
Diseases of the circulatory system.....D500-D599	2.3	2.9	5.9	*0.2	*0.3	2.7
Diseases of the respiratory system.....D600-D649	1.1	1.1	1.1	2.0	*0.1	*0.7
Diseases of the digestive system.....D650-D699	0.6	0.5	*0.6	*0.2	*0.0	3.7
Diseases of the genitourinary system.....D700-D799	0.6	0.3	*0.2	*0.0	2.1	*0.3
Diseases of the musculoskeletal system and connective tissue.....D900-D949	0.6	0.7	1.4	*0.0	*0.0	*0.7
All other ²	3.6	2.5	5.2	1.0	1.0	5.5
¹ Diagnostic, Screening and Preventive Module.....X100-X599	18.3	16.1	18.5	26.2	60.0	6.3
General examinations.....X100-X199	5.2	4.4	6.0	23.8	1.2	2.5
Special examinations.....X200-X299	7.5	4.3	2.1	*0.2	50.6	*1.2
Diagnostic tests.....X300-X399	4.2	6.0	9.9	*0.7	2.4	2.1
Other screening and preventive procedures.....X400-X499	0.7	0.9	*0.5	1.5	*0.1	*0.3
Family planning.....X500-X599	0.8	0.6	*0.1	-	5.7	*0.3
Treatment Module.....T100-T899	8.5	5.6	5.5	7.3	7.4	18.9
Medications.....T100-T199	2.1	2.0	1.7	5.7	1.0	0.5
Preoperative and postoperative care.....T200-T299	2.8	1.0	*0.6	*0.2	5.3	12.9
Progress visit, not elsewhere classifiable.....T800-T899	0.7	0.5	1.3	*0.4	*0.4	1.3
All other ³	2.9	2.1	1.9	1.0	*0.7	4.2

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care (RVC)*.²⁶

²Includes neoplasms, D100-D199; endocrine, nutritional, and metabolic diseases, D200-D249; diseases of the blood and blood-forming organs, D250-D299; mental disorders, D300-D349; diseases of the nervous system, D350-D399; diseases of the eye, D400-D449; diseases of the skin and subcutaneous tissue, D800-D899; congenital anomalies, D950-D989; perinatal morbidity and mortality conditions, D990-D999.

³Includes specific types of therapy, T400-T499; specific therapeutic procedures, T500-T599; medical counseling, T600-T699; social problem counseling, T700-T799.

Table 10. Number and percent of office visits by the five most visited specialties, physician's type of practice, principal diagnosis, diagnostic and therapeutic services ordered or provided, and disposition of visit: United States, January-December 1977

Visit characteristic and ICDA code	Total	Physician specialty					Type of practice	
		General and family practice	Internal medicine	Pediatrics	Obstetrics and gynecology	General surgery	Solo	Other ¹
Number of visits in thousands								
All visits.....	570,052	222,919	64,959	54,762	49,273	36,124	335,261	234,791
Percent of visits								
<u>Principal diagnosis²</u>								
Infective and parasitic diseases.....001-136	4.0	5.0	3.2	7.0	3.3	2.5	3.9	4.1
Neoplasms.....140-239	2.5	1.3	2.7	*0.1	3.1	9.3	2.1	3.1
Endocrine, nutritional, and metabolic diseases.....240-279	4.3	5.7	9.1	*0.7	2.0	2.9	5.0	3.2
Mental disorders.....290-315	4.3	3.0	3.0	*0.7	*0.5	*0.9	5.7	2.4
Diseases of nervous system and sense organs.....320-389	8.5	4.9	3.0	11.5	*0.1	1.7	9.5	7.1
Diseases of circulatory system.....390-458	9.6	12.4	26.1	*0.5	1.1	9.2	10.8	7.9
Diseases of respiratory system.....460-519	14.5	18.1	11.1	31.0	1.1	7.0	15.7	12.7
Diseases of digestive system.....520-577	3.2	3.5	6.5	1.4	*0.9	10.2	3.2	3.3
Diseases of genitourinary system.....580-629	6.4	5.5	3.8	1.2	21.5	6.0	5.5	7.7
Diseases of skin and subcutaneous tissue.....680-709	5.6	4.7	2.3	5.4	*0.6	6.8	6.4	4.4
Diseases of musculoskeletal system.....710-738	5.8	6.8	9.5	*0.6	*0.5	4.6	5.5	6.2
Symptoms and ill-defined conditions.....780-796	4.5	4.3	7.0	4.0	3.7	4.3	4.0	5.3
Accidents, poisoning, and violence.....800-999	7.7	9.1	3.4	3.8	1.1	13.0	6.7	9.0
Special conditions and examinations without sickness.....Y00-Y13	16.8	13.5	6.6	30.1	56.8	19.4	13.7	21.3
Other diagnoses ³	2.4	2.2	2.6	2.1	3.7	2.1	2.4	2.3
<u>Services ordered or provided</u>								
Diagnostic services:								
None.....	12.0	8.8	6.7	12.6	3.8	16.6	13.4	10.0
Limited exam/history.....	56.3	63.3	57.0	38.9	57.2	52.2	56.3	56.3
General exam/history.....	22.4	19.2	24.7	44.5	30.3	22.4	21.6	23.4
Pap test.....	5.4	4.0	3.9	*0.0	36.6	2.2	4.1	7.2
Clinical lab test.....	21.4	20.7	33.9	22.7	43.1	9.3	17.6	26.8
X-ray.....	7.8	6.9	14.6	2.5	1.8	9.5	5.7	10.9
EKG.....	3.0	2.4	13.9	*0.1	*0.2	*0.9	2.6	3.7
Vision test.....	4.0	0.9	2.1	3.3	*0.1	*0.6	4.9	2.9
Endoscopy.....	1.2	0.6	2.5	*0.1	1.4	2.0	0.9	1.7
Blood pressure check.....	34.0	43.3	59.2	8.2	65.9	21.7	36.2	30.9
Other diagnostic services.....	4.4	2.7	3.4	2.0	4.2	2.1	4.7	3.9
Therapeutic services:								
None.....	19.1	14.7	14.4	14.8	35.0	30.7	17.3	21.8
Immunization/desensitization.....	6.6	5.4	3.4	25.5	*0.8	2.5	6.9	6.2
Drugs (prescription/nonprescription).....	53.6	66.4	63.8	49.2	37.4	35.9	57.0	48.7
Diet counseling.....	6.9	8.0	13.2	8.3	6.5	3.5	7.3	6.3
Family planning.....	1.5	0.9	*0.4	*0.6	10.8	*0.4	0.9	2.3
Medical counseling.....	20.5	19.5	35.5	21.5	21.9	18.1	19.1	22.7
Physiotherapy.....	3.3	3.4	2.0	*0.3	*0.4	1.8	3.5	3.0
Office surgery.....	7.9	6.0	2.1	2.3	5.4	19.3	7.1	9.0
Psychotherapy/therapeutic listening.....	5.4	2.8	5.6	*0.8	4.5	*0.8	6.1	4.3
Other therapeutic services.....	2.7	0.9	1.2	0.9	1.7	3.2	2.9	2.5
<u>Disposition of visit</u>								
No followup planned.....	11.2	13.3	8.3	19.3	4.1	11.8	11.1	11.3
Return at specified time.....	60.8	53.9	66.8	45.4	77.4	57.7	61.1	60.3
Return if needed.....	22.6	28.3	17.3	29.9	18.4	17.8	22.7	22.6
Telephone followup planned.....	3.2	2.5	5.1	7.3	2.6	3.0	3.0	3.3
Referred to other physician.....	2.5	2.7	4.1	2.4	2.7	2.5	2.2	3.0
Returned to referring physician.....	0.8	*0.2	1.0	*0.6	*0.5	1.4	0.7	1.1
Admit to hospital.....	2.0	1.2	1.9	*0.5	2.5	6.2	1.7	2.3
Other.....	1.3	0.8	1.1	*0.6	1.7	3.0	1.2	1.3

¹Includes partnership and group practice.

²Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

³Includes 280-289, diseases of the blood and blood-forming organs; 630-678, complications of pregnancy, childbirth, and the puerperium; 740-759, congenital anomalies; 750-779, certain causes of perinatal morbidity and mortality; blank diagnosis; noncodable diagnosis; and illegible diagnosis.

Table 11. Number, percent distribution, and annual rate of office visits by age, sex, and color of patient: United States, January-December 1977

Patient characteristic	Number of visits in thousands	Percent distribution	Number of visits per person per year ¹
All patients.....	570,052	100.0	2.7
<u>Age</u>			
Under 15 years.....	103,756	18.2	2.0
15-24 years.....	85,761	15.0	2.2
25-44 years.....	146,329	25.7	2.7
45-64 years.....	142,163	24.9	3.3
65 years and over.....	92,043	16.2	4.1
<u>Sex and age</u>			
Female.....	345,187	60.5	3.2
Under 15 years.....	50,229	8.8	2.0
15-24 years.....	56,055	9.8	2.8
25-44 years.....	97,450	17.1	3.4
45-64 years.....	84,241	14.8	3.7
65 years and over.....	57,212	10.0	4.4
Male.....	224,865	39.5	2.2
Under 15 years.....	53,527	9.4	2.1
15-24 years.....	29,706	5.2	1.5
25-44 years.....	48,880	8.6	1.8
45-64 years.....	57,922	10.2	2.8
65 years and over.....	34,831	6.1	3.8
<u>Color</u>			
White.....	514,788	90.3	2.8
Under 15 years.....	92,172	16.2	2.2
15-24 years.....	77,346	13.6	2.3
25-44 years.....	129,429	22.7	2.7
45-64 years.....	129,876	22.8	3.4
65 years and over.....	85,965	15.1	4.3
All other.....	55,264	9.7	2.0
Under 15 years.....	11,584	2.0	1.3
15-24 years.....	8,415	14.0	1.5
25-44 years.....	16,900	23.6	2.4
45-64 years.....	12,287	23.2	2.7
65 years and over.....	6,078	15.2	2.9
<u>Sex and color</u>			
Female:			
White.....	311,509	54.7	3.3
All other.....	40,461	7.1	2.7
Male:			
White.....	203,280	35.7	2.3
All other.....	14,802	2.6	1.1

¹Rates are based on estimates of the civilian noninstitutionalized population of the United States for July 1, 1977, furnished by the U.S. Bureau of the Census (see appendix I).

Table 12. Number and percent distribution of office visits by age of patient, according to physician's specialty: United States, January-December 1977

Physician specialty	Age of patient					
	All ages	Under 15 years	15-25 years	25-44 years	45-64 years	65 years and over
	Number of visits in thousands					
All specialties.....	570,052	103,756	85,761	146,329	142,163	92,043
	Percent distribution					
Total.....	100.0	100.0	100.0	100.0	100.0	100.0
General and family practice	39.1	32.4	43.8	37.8	40.8	41.9
Internal medicine	11.4	1.4	5.5	9.7	17.3	21.8
Pediatrics	9.6	48.6	3.7	0.5	*0.2	*0.1
Obstetrics and gynecology	8.6	*0.3	16.9	17.8	4.9	1.6
General surgery	6.3	2.7	5.8	6.6	8.2	7.7
Ophthalmology	4.7	2.7	4.5	3.5	5.6	7.8
Orthopedic surgery	3.5	2.9	4.1	4.1	4.0	2.3
Dermatology	2.9	1.3	5.1	3.0	2.8	2.5
Psychiatry	2.8	1.0	3.0	5.9	2.5	*0.4
Otolaryngology	2.8	3.3	2.1	2.5	3.0	2.8
Urology.....	2.0	0.5	0.9	1.8	2.7	3.8
Cardiovascular diseases.....	1.1	*0.0	*0.1	0.5	2.1	2.5
All other	5.2	2.9	4.5	6.3	5.9	4.8

Table 13. Number and percent distribution of office visits by principal diagnosis and principal reason for visit, according to age, sex, and color of patient: United States, January-December 1977

Principal diagnosis and ICDA code, and principal reason for visit and RVC code	All patients	Age of patient					Sex of patient		Color of patient	
		Under 15 years	15-24 years	25-44 years	45-64 years	65 years and over	Female	Male	White	All other
Number of visits in thousands										
All visits.....	570,052	103,756	85,761	146,329	142,163	92,043	345,187	224,865	514,788	55,264
Percent distribution										
Total.....	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
<u>Principal diagnosis¹</u>										
Infective and parasitic diseases.....001-136	4.0	7.3	5.3	3.7	2.4	2.0	3.8	4.3	4.0	4.1
Neoplasms.....140-239	2.5	*0.2	1.2	2.2	3.7	4.9	2.7	2.2	2.6	1.7
Endocrine, nutritional, and metabolic diseases.....240-279	4.3	0.6	2.3	4.8	6.4	6.1	4.8	3.4	4.2	5.3
Mental disorders.....290-315	4.3	1.3	3.9	7.9	4.7	1.8	4.3	4.3	4.4	3.0
Diseases of nervous system and sense organs.....320-389	8.5	12.7	6.3	5.9	8.1	10.4	8.1	9.1	8.7	6.2
Diseases of circulatory system.....390-458	9.6	0.6	1.0	4.1	16.1	26.5	9.0	10.5	9.6	9.6
Diseases of respiratory system.....460-519	14.5	29.0	14.3	12.4	10.4	7.9	12.9	16.9	14.3	15.8
Diseases of digestive system.....520-577	3.2	1.5	2.4	3.2	4.2	4.5	3.0	3.6	3.2	3.7
Diseases of genitourinary system.....580-629	6.4	1.4	7.2	8.8	7.7	5.4	8.3	3.4	6.3	7.8
Diseases of skin and subcutaneous tissue.....680-709	5.6	8.0	9.2	5.4	4.8	3.4	5.3	6.0	5.7	4.9
Diseases of musculoskeletal system.....710-738	5.8	1.6	3.0	5.0	8.8	9.6	5.6	6.0	5.7	6.9
Symptoms and ill-defined conditions.....780-796	4.5	3.8	3.9	5.0	5.0	4.3	4.7	4.2	4.5	5.1
Accidents, poisoning, and violence.....800-999	7.7	8.2	10.6	8.5	7.0	4.1	5.6	10.9	7.6	8.4
Special conditions and examinations without sickness..... Y00-Y13	16.8	23.0	26.9	20.6	9.1	6.6	19.6	12.7	17.0	15.2
All other diagnoses ²	2.4	2.8	2.4	2.6	1.7	2.7	2.4	2.3	2.4	2.3
<u>Principal reason for visit³</u>										
Symptom Module.....S001-S999	55.9	58.3	53.7	54.8	56.9	55.6	55.3	56.9	55.8	57.3
Disease Module.....D001-D999	9.4	6.3	4.7	6.8	13.2	15.4	8.9	10.1	9.2	10.8
Diagnostic, Screening, and Preventive Module.....X100-X599	18.3	18.9	21.6	20.5	14.5	17.0	22.0	12.6	18.6	15.9
Treatment Module.....T100-T899	8.5	7.4	7.3	9.9	9.4	7.3	8.1	9.2	8.6	7.1
Injury and Adverse Effects Module.....J001-J999	4.4	5.7	6.6	4.5	3.4	2.2	2.9	6.7	4.3	5.1
Test Results Module.....R100-R700	0.5	*0.1	*0.5	0.6	0.5	0.6	0.5	0.4	0.5	*0.3
Administrative Module.....A100-A140	1.8	2.3	4.6	1.8	0.9	*0.2	1.2	2.8	1.8	2.2
Other ⁴U990-U999	1.2	1.0	1.0	1.2	1.2	1.8	1.2	1.3	1.2	1.3

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

²Includes 280-289, diseases of the blood and blood-forming organs; 630-678, complications of pregnancy, childbirth and the puerperium; 740-759, congenital anomalies; 750-779, certain causes of perinatal morbidity and mortality; blank diagnosis; noncodable diagnosis; and illegible diagnosis.

³Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care (RVC)*.²⁶

⁴Includes blanks; problems, complaints, NEC; entries of "none"; and illegible entries.

Table 14. Number and percent distribution of office visits by time since onset of complaint or symptom, according to principal reason for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	Number of visits in thousands	Total	Time since onset of complaint or symptom					
			Less than 1 day	1-6 days	1-3 weeks	1-3 months	More than 3 months	Not applicable ²
			Percent distribution					
All visits.....	570,052	100.0	4.1	22.3	13.8	11.8	29.8	18.3
Symptom Module..... S001-S999	318,849	100.0	4.6	33.3	17.3	13.3	27.7	3.8
Symptoms referable to throat..... S455	17,525	100.0	5.5	76.3	12.3	*2.6	2.7	*0.6
Cough..... S440	13,937	100.0	*3.1	64.7	19.8	5.2	7.0	*0.2
Head cold, upper respiratory infection..... S445	11,034	100.0	4.5	71.2	16.8	*2.8	*3.3	*1.4
Back symptoms..... S905	10,696	100.0	*3.3	22.9	21.7	14.7	35.0	*2.5
Skin rash..... S860	9,531	100.0	*3.5	41.2	25.0	10.2	18.3	*1.8
Fever..... S010	9,481	100.0	16.3	76.7	5.1	*0.7	*1.2	*0.1
Headache, pain in head..... S210	9,458	100.0	*3.4	27.8	17.2	16.1	31.4	*4.0
Disease Module..... D001-D999	53,478	100.0	1.0	12.1	12.9	11.6	49.7	12.8
Hypertension..... D510	8,310	100.0	*0.8	*2.7	*4.8	6.3	75.5	10.0
Diabetes mellitus..... D205	5,149	100.0	*0.8	*1.0	1.0	4.9	74.0	18.3
Arthritis..... D900	2,513	100.0	-	*4.5	*6.7	*9.7	68.0	*11.1
Diagnostic, Screening, and Preventive Module..... X100-X899	104,445	100.0	0.8	2.0	3.9	7.3	30.0	56.0
General medical exam..... X100	20,659	100.0	*0.9	2.6	4.5	4.0	17.7	70.4
Prenatal exam, routine..... X205	19,890	100.0	*0.1	*1.2	*0.9	11.5	54.6	31.7
Blood pressure test..... X320	14,990	100.0	*0.2	*1.1	4.1	6.4	58.7	29.5
Gynecological exam..... X225	9,496	100.0	*1.2	*1.8	*2.5	*4.6	12.3	77.7
Well-baby exam..... X105	8,677	100.0	*2.2	*2.9	*2.0	*2.3	*0.8	89.7
Treatment Module..... T100-T899	48,409	100.0	*0.5	7.6	14.4	13.2	37.4	26.8
Postoperative visit..... T205	15,083	100.0	*0.2	6.5	24.4	22.8	22.7	23.3
Allergy medication..... T100	7,386	100.0	*0.3	*0.4	*0.5	*2.2	50.4	46.1
Injections..... T110	3,058	100.0	*1.6	*8.3	*5.1	*4.2	41.5	39.3
Injuries and Adverse Effects Module..... J001-J999	24,952	100.0	26.5	32.1	18.3	14.0	8.0	*1.2
Lacerations and cuts, upper extremity..... J225	2,064	100.0	45.5	23.2	*17.6	*9.7	*3.3	*0.8
Test Results Module..... R100-R700	2,615	100.0	-	*6.5	20.9	19.5	27.5	25.6
Administrative Module..... A100-A140	10,403	100.0	*3.9	*1.7	*1.1	*0.6	4.5	88.2

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care* (RVC).²⁶

²Chiefly visits not involving a symptom or complaint, for example, annual or well-baby examination.

Table 15. Number and percent distribution of office visits by patient's prior visit status and seriousness of condition, according to principal reason for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	Number of visits in thousands	Total	Prior visit status			Seriousness of condition		
			New patient	Old patient, new problem	Old patient, old problem	Serious or very serious	Slightly serious	Not serious
Percent distribution								
All visits.....	570,052	100.0	15.3	24.9	59.8	18.3	30.7	51.0
Symptom Module..... S001-S999	318,849	100.0	17.9	32.0	50.1	17.4	35.4	47.2
Symptoms referable to throat..... S455	17,525	100.0	16.4	49.7	33.9	4.7	35.7	59.6
Cough..... S440	13,937	100.0	15.4	46.9	37.8	10.4	33.5	56.1
Head cold, upper respiratory infection..... S445	11,034	100.0	14.9	50.6	34.5	*3.2	29.7	67.1
Back symptoms..... S905	10,696	100.0	16.9	22.2	60.9	17.0	41.5	41.5
Skin rash..... S860	9,531	100.0	26.2	49.0	24.8	8.2	26.4	65.4
Fever..... S010	9,481	100.0	15.1	56.5	28.4	9.4	45.9	44.7
Headache, pain in head..... S210	9,458	100.0	20.8	27.0	52.2	11.6	35.1	53.3
Disease Module..... D001-D999	53,478	100.0	10.9	11.1	78.1	31.3	34.1	34.6
Hypertension..... D510	8,310	100.0	5.6	5.9	88.5	31.8	44.0	24.2
Diabetes mellitus..... D205	5,149	100.0	*4.7	*2.2	93.1	47.3	34.9	17.8
Arthritis..... D900	2,513	100.0	8.5	4.7	86.8	27.4	42.4	30.3
Diagnostic, Screening, and Preventive Module..... X100-X899	104,445	100.0	10.5	15.8	73.7	11.3	18.4	70.3
General medical exam..... X100	20,659	100.0	11.3	20.5	68.2	10.3	18.5	71.3
Prenatal exam, routine..... X205	19,890	100.0	8.4	8.2	83.4	5.4	8.5	86.1
Blood pressure test..... X320	14,990	100.0	3.7	4.2	92.1	24.6	49.0	26.4
Gynecological exam..... X225	9,496	100.0	11.9	14.7	73.5	*2.0	8.2	89.8
Well-baby exam..... X105	8,677	100.0	10.5	25.2	64.3	*0.8	*3.1	96.1
Treatment Module..... T100-T899	48,409	100.0	5.2	7.9	86.9	26.8	26.3	46.9
Postoperative visit..... T205	15,083	100.0	*2.7	5.9	91.4	26.6	24.3	49.1
Allergy medication..... T100	7,386	100.0	*0.2	*2.6	97.2	8.5	25.5	65.9
Injections..... T110	3,058	100.0	*2.2	*9.6	88.2	*14.5	24.6	60.9
Injuries and Adverse Effects Module..... J001-J999	24,952	100.0	23.8	31.4	44.9	18.0	37.1	44.9
Lacerations and cuts, upper extremity..... J225	2,064	100.0	29.9	33.9	36.3	*15.8	25.2	59.0
Test Results Module..... R100-R700	2,615	100.0	*10.3	22.1	67.6	27.1	31.9	41.0
Administrative Module..... A100-A140	10,403	100.0	38.1	40.2	21.7	*2.8	4.8	92.3

¹Reason for visit groups and codes based on *A Reason for Visit Classification for Ambulatory Care* (RVC).²⁶

Table 16. Number and percent of office visits by selected diagnostic services ordered or provided and principal reason for visit:
United States, January-December 1977

Principal reason for visit and RVC code ¹	Number of visits in thousands	Selected diagnostic services				
		Limited exam/history	General exam/history	Clinical lab test	X-ray	Blood pressure check
		Percent of visits				
All visits.....	570,052	56.3	22.4	21.4	7.8	34.0
Symptom Module S001-S999	318,849	62.5	20.1	18.9	8.8	30.1
Symptoms referable to throat..... S455	17,525	74.5	16.1	25.8	*1.3	22.7
Cough..... S440	13,937	66.1	27.3	14.7	11.2	26.3
Head cold, upper respiratory infection..... S445	11,034	68.5	20.1	11.2	4.4	30.0
Back symptoms..... S905	10,696	61.1	19.9	16.7	20.5	31.5
Skin rash..... S860	9,531	73.1	14.5	10.3	*0.8	14.8
Fever..... S010	9,481	59.2	35.3	25.9	*4.6	11.1
Headache, pain in head..... S210	9,458	59.5	25.7	16.2	8.2	51.2
Disease Module D001-D999	53,478	59.1	17.9	24.7	4.9	40.3
Hypertension..... D510	8,310	59.9	17.3	13.0	*4.0	82.0
Diabetes mellitus..... D205	5,149	55.6	19.3	71.9	*2.4	69.6
Arthritis..... D900	2,513	59.3	23.8	30.2	*7.8	60.6
Diagnostic, Screening, and Preventive Module X100-X899	104,445	45.2	36.7	35.3	4.6	54.5
General medical exam..... X100	20,659	23.0	67.7	44.6	13.6	50.4
Prenatal exam, routine..... X205	19,890	75.6	12.7	53.8	*1.0	73.4
Blood pressure test..... X320	14,990	57.2	18.3	18.1	5.5	85.5
Gynecological exam..... X225	9,496	33.4	56.9	49.0	*2.0	79.3
Well-baby exam..... X105	8,677	17.6	75.6	14.2	*0.5	*1.3
Treatment Module T100-T899	48,409	42.1	8.5	8.7	2.9	17.1
Postoperative visit..... T205	15,083	63.0	8.2	8.5	3.5	14.7
Allergy medication..... T100	7,386	11.0	*1.0	*0.4	*0.1	*2.2
Injections..... T110	3,058	*12.8	*3.4	*4.7	-	20.0
Injuries and Adverse Effects Module J001-J999	24,952	66.6	10.9	2.1	25.5	11.1
Lacerations and cuts, upper extremity..... J225	2,064	62.3	*7.9	*2.5	*3.7	*3.9
Test Results Module R100-R700	2,615	36.2	*12.4	28.7	*5.4	44.8
Administrative Module A100-A140	10,403	23.8	61.6	43.6	8.2	46.0

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care (RVC)*.²⁶

Table 17. Number and percent of office visits by selected therapeutic services ordered or provided and principal reason for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	Number of visits in thousands	Selected therapeutic services			
		Immunization/desensitization	Drugs (prescription/non-prescription)	Medical counseling	Office surgery
All visits.....	570,052	6.6	53.6	20.5	7.9
Percent of visits					
Symptom Module..... S001-S999	318,849	3.0	66.6	21.1	7.3
Symptoms referable to throat..... S455	17,525	3.1	88.0	18.1	*1.0
Cough..... S440	13,937	*2.3	93.8	24.5	*0.7
Head cold, upper respiratory infection..... S445	11,034	*2.6	92.6	16.6	*0.3
Back symptoms..... S905	10,696	*0.8	61.4	19.4	*3.5
Skin rash..... S860	9,531	*2.8	85.4	17.2	*3.8
Fever..... S010	9,481	1.6	87.6	21.6	*0.7
Headache, pain in head..... S210	9,458	*3.9	73.8	22.1	*1.5
Disease Module..... D001-D999	53,478	4.1	61.2	24.6	7.5
Hypertension..... D510	8,310	*1.6	82.4	27.9	*0.2
Diabetes mellitus..... D205	5,149	*2.6	62.2	36.8	*0.6
Arthritis..... D900	2,513	*1.1	79.9	27.4	*4.3
Diagnostic, Screening, and Preventive Module..... X100-X899	104,445	12.5	34.7	22.1	2.1
General medical exam..... X100	20,659	20.6	35.5	22.7	*1.2
Prenatal exam, routine..... X205	19,890	*0.4	16.2	24.2	*0.2
Blood pressure test..... X320	14,990	*1.2	72.3	29.2	*0.6
Gynecological exam..... X225	9,496	*0.3	41.4	14.1	*2.6
Well-baby exam..... X105	8,677	57.8	9.1	20.3	*0.4
Treatment Module..... T100-T899	48,409	17.4	26.3	12.7	15.0
Postoperative visit..... T205	15,083	*0.3	18.9	16.3	20.0
Allergy medication..... T100	7,386	95.7	6.4	*1.8	-
Injections..... T110	3,058	31.3	64.5	*5.1	*0.5
Injuries and Adverse Effects Module..... J001-J999	24,952	6.4	30.7	17.9	31.7
Lacerations and cuts, upper extremity..... J225	2,064	*18.1	*19.1	*14.5	70.4
Test Results Module..... R100-R700	2,615	*0.3	38.3	40.1	*6.1
Administrative Module..... A100-A140	10,403	14.2	5.0	7.5	*0.5

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care* (RVC).²⁶

Table 18. Number and percent of office visits by selected dispositions of visit, and principal reasons for visit: United States, January-December 1977

Principal reason for visit and RVC code ¹	Number of visits in thousands	Selected disposition			
		No followup	Return at specified time	Return if needed	Referred to other physician or admitted to hospital
		Percent of visits			
All visits	570,052	11.2	60.8	22.6	4.5
Symptom Module..... S001-S999	318,849	9.7	53.2	29.4	5.6
Symptoms referable to throat	S455 17,525	20.7	25.3	45.8	*1.4
Cough.....	S440 13,937	16.6	37.7	42.3	*2.1
Head cold, upper respiratory infection	S445 11,034	19.5	25.8	50.9	*0.4
Back symptoms.....	S905 10,696	6.3	57.4	26.7	6.0
Skin rash	S860 9,531	16.7	36.1	42.2	*2.4
Fever.....	S010 9,481	14.2	26.6	51.0	3.4
Headache, pain in head.....	S210 9,458	7.2	54.2	31.1	7.1
Disease Module..... D001-D999	53,478	5.8	73.9	14.7	5.2
Hypertension.....	D510 8,310	*2.1	91.9	5.6	*1.3
Diabetes mellitus.....	D205 5,149	*0.6	94.0	*2.0	*3.6
Arthritis.....	D900 2,513	*1.9	79.5	*15.5	*2.1
Diagnostic, Screening, and Preventive Module..... X100-X899	104,445	10.7	75.7	13.0	2.2
General medical exam	X100 20,659	22.0	57.3	19.3	2.8
Prenatal exam, routine	X205 19,890	*0.4	96.9	6.4	2.3
Blood pressure test.....	X320 14,990	*3.0	88.6	7.9	*2.0
Gynecological exam	X225 9,496	*3.8	75.9	20.6	2.8
Well-baby exam.....	X105 8,677	*6.2	88.1	6.9	*0.9
Treatment Module..... T100-T899	48,409	9.4	75.3	12.9	2.5
Postoperative visit	T205 15,083	10.5	74.4	13.6	*1.2
Allergy medication.....	T100 7,386	*2.6	95.0	4.2	*0.5
Injections.....	T110 3,058	*14.0	56.6	27.2	-
Injuries and Adverse Effects Module..... J001-J999	24,952	17.0	57.6	21.4	3.2
Lacerations and cuts, upper extremity	J225 2,064	17.4	68.5	9.8	*0.7
Test Results Module..... R100-R700	2,615	*3.7	65.2	19.6	*8.7
Administrative Module..... A100-A140	10,403	78.8	8.1	10.2	*1.1

¹Reason for visit groups and codes are based on *A Reason for Visit Classification for Ambulatory Care* (RVC).²⁶

Table 19. Number and percent distribution of office visits by patient's prior visit status and seriousness of condition, according to principal diagnosis: United States, January-December 1977

Principal diagnosis and ICDA code ¹	Number of visits in thousands	Total	Prior visit status			Seriousness of condition		
			New patient	Old patient, new problem	Old patient, old problem	Serious or very serious	Slightly serious	Not serious
			Percent distribution					
All diagnoses.....	570,052	100.0	15.3	24.9	59.8	18.3	30.7	51.0
Infective and parasitic diseases..... 001-136	22,668	100.0	17.9	46.5	35.6	8.6	35.4	56.0
Diarrheal diseases..... 009	4,321	100.0	13.9	50.9	35.2	*7.6	37.7	54.7
Streptococcal sore throat and scarlet fever..... 034	1,713	100.0	*17.7	47.6	34.7	*9.7	53.7	36.6
Neoplasms..... 140-239	14,286	100.0	18.0	17.8	64.2	51.0	22.2	26.8
Benign neoplasm of skin..... 216	1,146	100.0	*20.8	*32.8	46.3	*0.3	*14.9	84.8
Endocrine, nutritional and metabolic diseases..... 240-279	24,287	100.0	8.7	10.7	80.6	27.1	35.0	37.9
Diabetes mellitus..... 250	11,023	100.0	4.9	5.9	89.3	42.1	38.4	19.4
Obesity..... 277	6,762	100.0	13.0	12.9	74.2	11.2	24.0	64.7
Myxedema..... 244	1,639	100.0	*6.3	*5.7	88.1	*10.8	46.4	42.8
Mental disorders..... 290-315	24,522	100.0	10.4	11.4	78.2	48.6	27.5	23.9
Neuroses..... 300	12,551	100.0	9.5	11.6	78.9	41.5	30.4	28.1
Personality disorders..... 301	2,680	100.0	*6.4	*0.7	92.9	72.5	23.3	*4.2
Schizophrenia..... 295	2,025	100.0	*3.3	*1.7	95.0	81.2	*14.8	4.1
Diseases of nervous system and sense organs..... 320-389	48,291	100.0	24.3	22.6	53.1	15.8	35.3	48.9
Otitis media..... 381	11,029	100.0	15.4	37.9	46.7	11.7	49.5	38.9
Refractive errors..... 370	7,883	100.0	39.0	6.8	54.2	*1.5	15.3	83.2
Conjunctivitis and ophthalmia..... 360	2,628	100.0	34.4	46.3	19.3	*6.1	42.6	51.3
Cataract..... 374	2,232	100.0	19.4	*8.7	71.9	32.1	40.5	27.3
Glaucoma..... 375	1,956	100.0	*6.1	*3.1	90.8	60.1	24.3	*15.6
Diseases of circulatory system..... 390-458	54,702	100.0	6.5	9.0	84.5	39.1	40.9	20.0
Essential benign hypertension..... 401	24,837	100.0	5.2	6.0	88.8	23.9	50.8	25.4
Chronic ischemic heart disease..... 412	11,943	100.0	*2.5	3.7	93.8	55.8	34.6	9.5
Symptomatic heart disease..... 427	3,491	100.0	*5.9	12.8	81.3	56.4	29.3	14.4
Angina pectoris..... 413	1,597	100.0	*8.2	*7.1	84.7	68.2	21.9	9.9
Diseases of respiratory system..... 460-519	82,466	100.0	13.8	38.2	48.0	10.2	36.8	53.1
Acute respiratory infections (except influenza)..... 460-466	40,892	100.0	15.9	49.6	34.5	4.3	32.4	63.3
Influenza..... 470-474	3,597	100.0	12.1	62.4	25.5	*6.9	39.1	54.0
Hay fever..... 507	11,444	100.0	8.0	8.8	83.2	5.4	38.6	56.0
Bronchitis, unqualified..... 490	6,597	100.0	14.0	48.1	37.9	8.2	49.8	42.0
Asthma..... 493	5,044	100.0	8.9	*8.2	82.9	30.7	47.4	22.0
Emphysema..... 492	1,254	100.0	*7.8	*2.4	89.8	72.2	*19.8	*8.0
Diseases of digestive system..... 520-577	18,451	100.0	17.1	30.8	52.1	24.3	40.1	35.7
Gastritis and duodenitis..... 535	2,173	100.0	*13.6	42.5	44.0	*10.5	*48.7	40.9
Diseases of genitourinary system..... 580-629	36,473	100.0	16.4	26.5	57.0	11.7	33.8	54.4
Diseases of male genital organs..... 600-607	4,786	100.0	21.7	12.2	66.1	11.1	32.5	56.5
Diseases of female genital organs..... 610-629	19,971	100.0	16.6	29.4	54.1	8.9	30.3	60.8
Diseases of skin and subcutaneous tissue..... 680-709	31,910	100.0	21.9	26.7	51.4	10.7	26.5	62.9
Other eczema and dermatitis..... 692	9,880	100.0	21.3	26.0	52.8	9.6	23.7	66.7
Diseases of sebaceous glands..... 706	7,788	100.0	19.3	15.2	65.5	*5.5	21.1	73.4
Diseases of musculoskeletal system..... 710-738	32,983	100.0	14.1	20.5	65.5	19.5	40.2	40.2
Arthritis and rheumatism..... 710-718	17,668	100.0	10.1	17.6	72.3	21.8	42.8	35.4
Symptoms and ill-defined conditions..... 780-796	25,695	100.0	19.6	32.7	47.7	17.2	33.7	49.1
Accidents, poisoning, and violence..... 800-999	43,761	100.0	21.4	31.9	46.7	15.4	36.9	47.7
Fractures..... 800-829	8,309	100.0	13.3	18.4	68.3	29.1	37.8	33.2
Dislocations..... 830-839	1,159	100.0	*16.7	*11.2	72.1	27.7	35.4	*36.9
Sprains and strains..... 840-848	12,885	100.0	22.9	30.4	46.7	6.6	39.9	53.5
Special conditions and examinations without sickness..... Y00-Y13	96,009	100.0	12.2	20.4	67.4	7.2	10.0	82.7
Medical or special examination..... Y00	41,716	100.0	17.9	28.3	53.8	*0.8	3.6	95.6
Prenatal care..... Y06	20,778	100.0	9.7	10.5	79.9	5.0	8.3	86.7
Medical and surgical aftercare..... Y10	19,524	100.0	4.6	10.6	84.8	19.7	24.9	55.4

¹Diagnostic groups and codes are based on the Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA).²⁸

Table 20. Number and percent of office visits by selected diagnostic services ordered or provided, and principal diagnosis: United States, January-December 1977

Principal diagnosis and ICDA code ¹	Number of visits in thousands	Selected diagnostic services				
		Limited exam/history	General exam/history	Clinical lab test	X-ray	Blood pressure check
All diagnoses.....	570,052	56.3	22.4	21.4	7.8	34.0
Percent of visits						
Infective and parasitic diseases..... 001-136	22,668	64.2	20.3	25.3	2.8	23.5
Diarrheal diseases..... 009	4,321	62.8	25.3	19.3	4.0	26.6
Streptococcal sore throat and scarlet fever..... 034	1,713	64.5	*16.6	45.1	-	*14.8
Neoplasms..... 140-239	14,286	55.4	20.1	27.5	6.8	28.5
Benign neoplasm of skin..... 216	1,146	67.4	*4.3	*9.2	-	*6.3
Endocrine, nutritional, and metabolic diseases..... 240-279	24,287	55.1	22.5	47.3	4.4	63.2
Diabetes mellitus..... 250	11,023	53.0	22.6	69.3	*3.4	67.0
Obesity..... 277	6,762	56.2	23.2	19.8	*3.3	70.1
Myxedema..... 244	1,639	70.0	*18.4	33.8	*2.6	61.2
Mental disorders..... 290-315	24,522	29.8	11.8	7.2	2.4	24.9
Neuroses..... 300	12,551	35.1	11.3	7.6	*2.3	30.3
Personality disorders..... 301	2,680	8.0	*4.3	-	-	*3.3
Schizophrenia..... 295	2,025	*18.4	*2.9	*1.6	*0.6	*13.9
Diseases of nervous system and sense organs..... 320-389	48,291	65.1	19.5	5.8	2.7	12.6
Otitis media..... 381	11,029	74.9	17.4	7.1	*1.3	6.4
Refractive errors..... 370	7,883	48.7	28.0	*0.6	*0.1	*1.4
Conjunctivitis and ophthalmia..... 360	2,628	77.0	*12.5	*9.4	-	*8.3
Cataract..... 374	2,232	44.7	32.0	2.0	*0.8	*3.1
Glaucoma..... 375	1,956	57.3	*11.8	*1.0	-	*4.0
Diseases of circulatory system..... 390-458	54,702	57.7	23.2	20.3	7.8	73.0
Essential benign hypertension..... 401	24,837	58.1	19.9	16.8	6.7	81.8
Chronic ischemic heart disease..... 412	11,943	59.4	25.3	24.2	7.6	76.8
Symptomatic heart disease..... 427	3,491	54.3	23.4	19.7	14.8	65.7
Angina pectoris..... 413	1,597	56.5	32.0	*24.5	*15.3	61.7
Diseases of respiratory system..... 460-519	82,466	65.3	18.9	16.1	5.9	23.8
Acute respiratory infections (except influenza)..... 460-466	40,892	70.1	22.0	19.0	2.8	23.6
Influenza..... 470-474	3,597	75.4	17.0	*11.8	*2.5	27.9
Hay fever..... 507	11,444	39.0	8.0	9.9	*2.1	9.9
Bronchitis, unqualified..... 490	6,597	77.1	16.5	10.3	12.8	30.4
Asthma..... 493	5,044	53.5	17.9	13.5	*4.4	23.6
Emphysema..... 492	1,254	70.3	*16.2	*19.5	*22.4	65.0
Diseases of digestive system..... 520-577	18,451	55.1	29.0	21.6	14.5	39.5
Gastritis and duodenitis..... 535	2,173	61.1	28.0	*17.8	*17.0	51.5
Diseases of genitourinary system..... 580-629	36,473	54.3	25.8	49.3	5.1	38.5
Diseases of male genital organs..... 600-607	4,786	51.3	20.6	61.6	*8.9	10.2
Diseases of female genital organs..... 610-629	19,971	53.8	31.2	30.6	3.7	49.2
Diseases of skin and subcutaneous tissue..... 680-709	31,910	61.5	9.9	7.5	*1.2	12.7
Other eczema and dermatitis..... 692	9,880	50.3	10.5	7.1	*0.8	14.2
Diseases of sebaceous glands..... 706	7,788	61.3	8.4	*2.6	*0.4	6.6
Diseases of musculoskeletal system..... 710-738	32,983	62.5	19.4	15.5	20.1	38.1
Arthritis and rheumatism..... 710-718	17,668	61.6	21.1	21.2	16.9	51.3
Symptoms and ill-defined conditions..... 780-796	25,695	55.8	25.6	27.4	13.2	37.3
Accidents, poisoning, and violence..... 800-999	43,761	64.4	12.8	4.3	25.8	14.5
Fractures..... 800-829	8,309	63.5	9.9	*1.2	54.1	6.1
Dislocations..... 830-839	1,159	54.9	*14.2	*3.8	43.9	*10.7
Sprains and strains..... 840-848	12,885	67.2	13.8	5.8	27.9	21.5
Special conditions and examinations without sickness..... Y00-Y13	96,009	44.2	35.2	30.5	3.9	40.4
Medical or special examination..... Y00	41,716	21.7	64.8	34.3	4.9	39.3
Prenatal care..... Y06	20,778	75.0	13.7	54.5	*1.0	73.0
Medical and surgical aftercare..... Y10	19,524	61.3	9.5	9.4	6.9	17.1

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

Table 21. Number and percent of office visits by selected therapeutic services ordered or provided and principal diagnosis: United States, January-December 1977

Principal diagnosis and ICDA code ¹	Number of visits in thousands	Selected therapeutic services			
		Immunization/desensitization	Drugs (prescription/non-prescription)	Medical counseling	Office surgery
		Percent of visits			
All diagnoses.....	570,052	6.6	53.6	20.6	7.9
Infective and parasitic diseases..... 001-136	22,668	2.0	72.6	18.7	10.0
Diarrheal diseases..... 009	4,321	*2.2	82.7	20.7	-
Streptococcal sore throat and scarlet fever..... 034	1,713	*3.4	84.3	*10.8	-
Neoplasms..... 140-239	14,286	*0.9	28.4	21.1	23.7
Benign neoplasm of skin..... 216	1,146	-	*8.3	*0.8	68.7
Endocrine, nutritional, and metabolic diseases..... 240-279	24,287	*1.8	64.6	27.1	*1.2
Diabetes mellitus..... 250	11,023	2.2	62.3	32.1	*1.2
Obesity..... 277	6,762	*1.1	64.5	21.1	*0.5
Myxedema..... 244	1,639	*0.8	84.2	*17.4	*0.9
Mental disorders..... 290-315	24,522	0.4	46.8	13.3	0.1
Neuroses..... 300	12,551	0.5	50.1	13.3	-
Personality disorders..... 301	2,680	-	17.8	*1.9	-
Schizophrenia..... 295	2,025	-	59.7	*6.6	-
Diseases of nervous system and sense organs..... 320-389	48,291	1.1	54.2	14.5	7.7
Otitis media..... 381	11,029	*1.2	78.6	19.9	4.7
Refractive errors..... 370	7,883	*0.3	9.9	*5.2	*0.3
Conjunctivitis ophthalmia..... 360	2,628	*0.3	92.3	*10.5	*3.1
Cataract..... 374	2,232	-	24.6	*15.5	*2.0
Glaucoma..... 375	1,956	*0.9	65.0	*9.2	-
Diseases of circulatory system..... 390-458	54,702	2.1	73.2	31.1	1.8
Essential benign hypertension..... 401	24,837	*1.4	79.3	26.1	*0.5
Chronic ischemic heart disease..... 412	11,943	*3.0	74.9	38.5	*0.9
Symptomatic heart disease..... 427	3,491	*3.9	70.2	36.2	*1.0
Angina pectoris..... 413	1,597	*3.3	70.5	42.3	*0.3
Diseases of respiratory system..... 460-519	82,466	13.6	79.7	19.5	1.7
Acute respiratory infections (except influenza)..... 460-466	40,892	2.5	92.5	17.9	*0.5
Influenza..... 470-474	3,597	*1.4	86.6	14.7	*1.1
Hay fever..... 507	11,444	63.5	35.0	13.7	*3.6
Bronchitis, unqualified..... 490	6,597	*3.0	94.7	22.3	*0.2
Asthma..... 493	5,044	42.7	58.3	28.0	*2.2
Emphysema..... 492	1,254	6.1	77.8	*32.9	-
Diseases of digestive system..... 520-577	18,451	*1.1	57.9	28.0	4.3
Gastritis and duodenitis..... 535	2,173	*0.2	*91.0	23.0	-
Diseases of genitourinary system..... 580-629	36,473	*1.1	62.6	25.2	11.3
Diseases of male genital organs..... 600-607	4,786	*1.6	54.2	23.3	*5.7
Diseases of female genital organs..... 610-629	19,971	*1.6	57.4	26.3	7.8
Diseases of skin and subcutaneous tissue..... 680-709	31,910	9.9	66.2	13.4	23.4
Other eczema and dermatitis..... 692	9,880	28.2	67.7	9.8	*0.8
Diseases of sebaceous glands..... 706	7,788	*1.9	67.1	9.6	48.9
Diseases of musculoskeletal system..... 710-738	32,983	2.1	62.2	21.6	4.7
Arthritis and rheumatism..... 710-718	17,668	*2.1	74.7	22.7	3.0
Symptoms and ill-defined conditions..... 780-796	25,695	*0.9	48.9	24.7	3.2
Accidents, poisoning, and violence..... 800-999	43,761	5.2	35.1	19.9	24.4
Fractures..... 800-829	8,309	*1.0	12.9	17.8	33.1
Dislocations..... 830-839	1,159	*1.3	*6.1	*20.9	*12.3
Sprains and strains..... 840-848	12,885	*1.1	46.8	23.3	8.4
Special conditions and examinations without sickness..... Y00-Y13	96,009	16.2	18.4	17.2	6.8
Medical or special examination..... Y00	41,716	25.7	16.8	15.1	*0.9
Prenatal care..... Y06	20,778	*0.5	16.8	24.6	*0.3
Medical and surgical aftercare..... Y10	19,524	*0.5	21.7	18.1	24.7

¹Diagnostic groups and codes are based on the Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA).²⁸

Table 22. Number and percent of office visits by selected dispositions of visit and principal diagnosis: United States, January-December 1977

Principal diagnosis and ICDA code ¹	Number of visits in thousands	Selected disposition			
		No followup	Return at specified time	Return if needed	Referred to other physician, or admitted to hospital
		Percent of visits			
All diagnoses.....	570,052	11.2	60.8	22.6	4.5
Infective and parasitic diseases..... 001-136	22,668	13.4	41.0	39.2	2.5
Diarrheal diseases..... 009	4,321	*8.2	32.1	48.2	*4.9
Streptococcal sore throat and scarlet fever..... 034	1,713	*26.7	33.0	32.8	*0.3
Neoplasms..... 140-239	14,286	7.0	64.7	10.0	8.0
Benign neoplasm of skin..... 216	1,146	*27.8	*31.3	*34.5	*0.3
Endocrine, nutritional, and metabolic diseases..... 240-279	24,287	2.3	85.1	10.3	3.1
Diabetes mellitus..... 250	11,023	*1.1	90.1	5.8	3.9
Obesity..... 277	6,762	3.9	85.3	11.8	*0.5
Myxedema..... 244	1,639	2.7	90.1	*4.6	*1.1
Mental disorders..... 290-315	24,522	4.0	75.6	16.4	3.5
Neuroses..... 300	12,551	4.2	75.4	17.5	3.5
Personality disorders..... 301	2,680	*2.2	91.5	*4.9	*1.2
Schizophrenia..... 295	2,025	*3.5	85.8	*9.3	*3.3
Diseases of nervous system and sense organs..... 320-389	48,291	13.5	55.3	25.6	4.5
Otitis media..... 381	11,029	12.5	57.8	27.2	*2.6
Refractive errors..... 370	7,883	24.2	50.8	24.4	*0.6
Conjunctivitis and ophthalmia..... 360	2,628	17.7	26.5	51.1	*5.6
Cataract..... 374	2,232	*5.7	70.8	*5.5	*9.7
Glaucoma..... 375	1,956	2.3	93.7	*2.3	*2.7
Diseases of circulatory system..... 390-458	54,702	2.6	83.9	9.8	4.2
Essential benign hypertension..... 401	24,837	2.5	88.9	7.9	*1.4
Chronic ischemic heart disease..... 412	11,943	*0.7	89.6	8.4	3.0
Symptomatic heart disease..... 427	3,491	*1.3	80.4	*4.9	*11.7
Angina pectoris..... 413	1,597	*1.6	79.5	*15.7	*6.7
Diseases of respiratory system..... 460-519	82,466	13.4	41.1	40.3	2.4
Acute respiratory infections (except influenza)..... 460-466	40,892	18.5	25.0	50.1	1.2
Influenza..... 470-474	3,597	19.8	19.7	56.3	*0.9
Hay fever..... 507	11,444	*3.6	79.8	16.3	*0.7
Bronchitis, unqualified..... 490	6,597	13.9	34.3	49.1	2.2
Asthma..... 493	5,044	*1.7	76.6	22.5	*3.7
Emphysema..... 492	1,254	*0.9	87.2	*5.8	*5.8
Diseases of digestive system..... 520-577	18,451	6.7	59.3	18.9	13.4
Gastritis and duodenitis..... 535	2,173	*8.6	53.1	34.5	*4.5
Diseases of genitourinary system..... 580-629	36,473	5.0	63.5	23.4	7.1
Diseases of male genital organs..... 600-607	4,786	*4.5	66.7	18.1	10.3
Diseases of female genital organs..... 610-629	19,971	5.5	60.6	26.6	6.9
Diseases of skin and subcutaneous tissue..... 680-709	31,910	12.0	58.2	25.5	2.7
Other eczema and dermatitis..... 692	9,880	12.7	55.9	28.3	*2.1
Diseases of sebaceous glands..... 706	7,788	7.4	74.0	14.9	*2.1
Diseases of musculoskeletal system..... 710-738	32,983	5.4	60.7	26.0	5.4
Arthritis and rheumatism..... 710-718	17,668	4.4	64.4	26.1	3.6
Symptoms and ill-defined conditions..... 780-796	25,695	9.9	52.3	26.8	8.8
Accidents, poisoning, and violence..... 800-999	43,761	14.6	56.4	23.5	4.1
Fractures..... 800-829	8,309	8.8	74.6	11.4	5.6
Dislocations..... 830-839	1,159	*2.5	69.7	*12.2	*18.4
Sprains and strains..... 840-848	12,885	10.7	52.2	30.1	4.2
Special conditions and examinations without sickness..... Y00-Y13	96,009	19.7	66.3	13.4	1.9
Medical or special examination..... Y00	41,716	31.9	51.7	15.5	1.3
Prenatal care..... Y06	20,778	0.4	96.1	6.4	2.9
Medical and surgical aftercare..... Y10	19,524	14.7	66.6	16.0	*1.8

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States* (ICDA).²⁸

Table 23. Number, percent, and cumulative percent of office visits by the 50 most frequently rendered principal diagnoses: United States, January-December 1977

Rank	Principal diagnosis and ICDA code ¹	Number of visits in thousands	Percent of visits	Cumulative percent of visits
1	Medical or special examination..... Y00	41,716	7.3	7.3
2	Essential benign hypertension401	24,837	4.4	11.7
3	Prenatal care.....Y06	20,778	3.6	15.3
4	Medical and surgical aftercare.....Y10	19,524	3.4	18.7
5	Acute upper respiratory infection465	17,925	3.1	21.8
6	Neuroses.....300	12,551	2.2	24.0
7	Chronic ischemic heart disease412	11,943	2.1	26.1
8	Hay fever.....507	11,444	2.0	28.1
9	Otitis media.....381	11,029	1.9	30.0
10	Diabetes mellitus.....250	11,023	1.9	31.9
11	Acute pharyngitis.....462	9,968	1.7	33.6
12	Other eczema and dermatitis692	9,880	1.7	35.3
13	Refractive errors.....370	7,883	1.4	36.7
14	Diseases of sebaceous glands.....706	7,788	1.4	38.1
15	Obesity.....277	6,762	1.2	39.3
16	Bronchitis, unqualified.....490	6,597	1.2	40.5
17	Osteoarthritis713	5,866	1.0	41.5
18	Acute tonsillitis.....463	5,713	1.0	42.5
19	Synovitis, bursitis.....731	5,331	0.9	43.4
20	Other viral diseases.....079	5,193	0.9	44.3
21	Asthma.....493	5,044	0.9	45.2
22	Sprains and strains of back, unspecified847	4,981	0.9	46.1
23	Inoculations and vaccinations.....Y02	4,717	0.8	46.9
24	Arthritis, unspecified.....715	4,711	0.8	47.7
25	Chronic sinusitis.....503	4,423	0.8	48.5
26	Diarrheal diseases009	4,321	0.8	49.3
27	Other rheumatism717	4,027	0.7	50.0
28	Observation, without need for further medical care793	3,981	0.7	50.7
29	Disorders of menstruation.....626	3,933	0.7	51.4
30	Menopausal symptoms627	3,678	0.6	52.0
31	Cystitis.....595	3,491	0.6	52.6
32	Symptomatic heart disease427	3,491	0.6	53.2
33	Infective diseases of uterus, vagina, vulva622	3,307	0.6	53.8
34	Nervousness and debility790	3,207	0.6	54.4
35	Other diseases of urinary tract.....599	3,186	0.6	55.0
36	Influenza, unqualified470	3,119	0.5	55.5
37	Other diseases of ear and mastoid process387	3,095	0.5	56.0
38	Other diseases of ear.....378	2,961	0.5	56.5
39	Certain symptoms referable to nervous system and special senses780	2,913	0.5	57.0
40	Other ill-defined and unknown causes of morbidity and mortality796	2,797	0.5	57.5
41	Personality disorders301	2,680	0.5	58.0
42	Acute bronchitis.....466	2,645	0.5	58.5
43	Conjunctivitis and ophthalmia.....360	2,628	0.5	59.0
44	Acute nasopharyngitis (common cold)460	2,511	0.4	59.4
45	Other person without complaint or illness.....Y09	2,491	0.4	59.8
46	Sprains and strains of sacroiliac region846	2,478	0.4	60.2
47	Rheumatoid arthritis and allied conditions.....712	2,435	0.4	60.6
48	Vertebrogenic pain syndrome.....728	2,401	0.4	61.0
49	Postpartum observation.....Y07	2,254	0.4	61.4
50	Cataract.....374	2,232	0.4	61.8

¹Diagnostic groups and codes are based on the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States (ICDA)*.²⁸

Table 24. Number and percent distribution of office visits by time since onset of complaint or symptom, according to prior visit status and seriousness of condition: United States, January-December 1977

Selected characteristic	Number of visits in thousands	Total	Time since onset of complaint or symptom					
			Less than 1 day	1-6 days	1-3 weeks	1-3 months	More than 3 months	Not applicable ¹
All visits	570,052	100.0	4.1	22.3	13.8	11.8	29.8	18.3
			Percent distribution					
<u>Prior visit status</u>								
New problem visits	229,267	100.0	8.2	37.3	15.6	10.3	13.9	14.8
Old patient, old problem	340,785	100.0	1.3	12.2	12.6	12.7	40.5	20.6
<u>Seriousness of condition</u>								
Serious or very serious	104,118	100.0	3.6	12.2	11.3	12.6	49.8	10.6
Slightly serious	175,252	100.0	4.6	26.2	16.5	13.3	31.0	8.4
Not serious	290,682	100.0	4.0	23.6	13.1	10.5	21.9	27.0

¹Chiefly visits not involving a symptom or complaint, for example, annual or well-baby examination.

APPENDIXES

CONTENTS

I.	Technical Notes	40
	Statistical Design	40
	Data Collection and Processing	41
	Estimation Procedures	42
	Reliability of Estimates	43
	Tests of Significance	46
	Population Figures	46
	Systematic Bias	46
II.	Definition of Terms	48
	Terms Relating to the Survey	48
	Terms Relating to the Patient Record Form	49
III.	Survey Instruments	52
	Introductory Letter From Director, National Center for Health Statistics	52
	Patient Record and Patient Log	53
	Induction Interview Form	54

LIST OF APPENDIX FIGURES

I.	Approximate relative standard errors for estimated numbers of office visits, 1977 National Ambulatory Medical Care Survey	44
II.	Approximate relative standard errors for percentages of estimated numbers of office visits, 1977 National Ambulatory Medical Care Survey	45

LIST OF APPENDIX TABLES

I.	Distribution of physicians in the universe and in the 1977 National Ambulatory Medical Care Survey sample and response rates, by physician's specialty	41
II.	Estimates of the civilian noninstitutionalized population of the United States used in computing annual visit rates in this publication, by age, race, sex, geographic region, and metropolitan and nonmetropolitan area: United States, July 1, 1977	46

APPENDIX I

TECHNICAL NOTES

This report is based on data collected in the 1977 National Ambulatory Medical Care Survey (NAMCS), an annual sample survey of office-based physicians conducted by the Division of Health Resources Utilization Statistics of the National Center for Health Statistics.

Statistical Design

Scope of the survey.—The target population of NAMCS encompasses office visits within the conterminous United States made by ambulatory patients to nonfederally employed physicians who are principally engaged in office practice, but not in the specialties of anesthesiology, pathology, or radiology. Telephone contacts and nonoffice visits are excluded.

Sample design.—The NAMCS utilizes a multistage probability design that involves probability samples of primary sampling units (PSU's), physician practices within PSU's, and patient visits within practices. The first-stage sample of 87 PSU's was selected by the National Opinion Research Center (NORC) of the University of Chicago, the organization responsible for NAMCS field and data processing operations under contract to the National Center for Health Statistics. A PSU is a county, a group of adjacent counties, or a standard metropolitan statistical area (SMSA). A modified probability-proportional-to-size procedure using separate sampling frames for SMSA's and for nonmetropolitan counties was employed. After sorting and stratifying by size, region, and demographic characteristics, each frame was divided into sequential zones of 1 million residents, and a random number was drawn to determine which PSU came into the sample from each zone.

The second stage consisted of a probability sample of practicing physicians selected from the master files maintained by the American Medical Association (AMA) and the American Osteopathic Association (AOA) who met the following criteria:

Office-based, as defined by AMA and AOA.

Principally engaged in patient care activities.

Nonfederally employed.

Not in the specialties of anesthesiology, pathology, clinical pathology, forensic pathology, radiology, diagnostic radiology, pediatric radiology, or therapeutic radiology.

The 1977 NAMCS physician universe included 188,690 doctors of medicine and 10,010 doctors of osteopathy (see table I).

Within each PSU, all eligible physicians were arranged by nine specialty groups: general and family medicine, internal medicine, pediatrics, other medical specialties, general surgery, obstetrics and gynecology, other surgical specialties, psychiatry, and all other specialties. Then, within each PSU, a systematic random sample of physicians was selected in such a way that the overall probability of selecting any physician in the United States was approximately constant.

The 1977 NAMCS physician sample included 3,000 physicians. Sample physicians were screened at the time of the survey to ensure that they met the aforementioned criteria; 507 physicians did not meet all the criteria and were therefore ruled out of scope (ineligible) for the study. The most common reasons for being out of scope were that the physician was retired, deceased, or employed in teaching, research or

Table I. Distribution of physicians in the universe¹ and in the 1977 National Ambulatory Medical Care Survey sample and response rates, by physician specialty

Physician specialty	Universe	Gross total	Out of scope	Net total	Non-respondents	Respondents	Response rate
All specialties.....	198,700	3,000	507	2,493	561	1,932	77.5
General and family practice	52,432	740	140	600	162	438	73.0
Medical specialties.....	54,011	826	132	694	169	525	75.6
Internal medicine	28,109	430	65	365	99	266	72.9
Pediatrics	13,260	203	34	169	34	135	79.9
Other medical specialties.....	12,642	193	33	160	36	124	77.5
Surgical specialties	68,901	1,062	112	950	187	763	80.3
General surgery	20,067	302	41	261	44	217	83.1
Obstetrics and gynecology	15,937	249	21	228	54	174	76.3
Other surgical specialties.....	32,897	511	50	461	89	372	80.7
Other specialties.....	23,356	372	123	249	43	206	82.7
Psychiatry	13,747	221	47	174	32	142	81.6
Other specialties.....	9,609	151	76	75	11	64	85.3

¹Includes doctors of medicine (M.D.'s) and doctors of osteopathy (D.O.'s).

administration. Of the 2,493 in-scope (eligible) physicians, 1,932 (77.5 percent) participated in the study. Of the participating physicians, 265 physicians saw no patients during their assigned reporting period because of vacations, illnesses, or other reasons for being temporarily not in practice. The physician sample size and response data by physician specialty are shown in table I.

The final stage was the selection of patient visits within the annual practices of the sample physicians. This involved two steps. First, the total physician sample was divided into 52 random subsamples of approximately equal size, and each subsample was randomly assigned to 1 of the 52 weeks in the survey year. Second, a systematic random sample of visits was selected by the physician during the assigned week. The sampling rate varied for this final step from a 100 percent sample for very small practices to a 20 percent sample for very large practices. The method by which the sampling rate was determined is described later in this appendix and in the Induction Interview form in appendix III. During 1977, 51,044 useable Patient Record forms were completed by physicians participating in NAMCS.

Data Collection and Processing

Field procedures.—Both mail and telephone contacts were used to enlist sample physicians for NAMCS. Physicians received introductory letters from NCHS (see appendix III) and AMA or AOA. When appropriate, a letter from the physician's specialty organization endorsing the survey and urging his participation, was enclosed with the NCHS letter. A few days later, a field representative telephoned the physician to explain briefly the study and arrange an appointment for a personal interview. A physician who did not respond initially was generally recontacted via a telephone call or special explanatory letter requesting him to reconsider participation in the study.

During the personal interview the field representative determined the physician's eligibility, ascertained his cooperation, delivered survey materials with verbal and printed instructions, and assigned a predetermined Monday-Sunday reporting period. A short interview concerning basic practice characteristics, such as type of practice and expected number of office visits, was conducted. Office staff who were to assist

with data collection were invited to attend the instruction session or were offered separate instruction sessions.

Before the beginning of and again during the week assigned for data collection, the interviewer telephoned the sample physician to answer questions that might have arisen and to ensure that procedures were going smoothly. At the end of the survey week, the participating physician mailed the finished survey materials to the interviewer, who edited the forms for completeness before transmitting them for central data processing. Problems of missing or incomplete data were resolved at this stage by interviewer telephone followup to the sample physician, if there were no problems, field procedures were complete with respect to the sample physician's participation in NAMCS. After the end of the survey year, each sample physician was sent a thank-you letter from NCHS along with one of the survey's statistical reports.

Data collection.—The actual data collection for NAMCS was carried out by the physician, aided by his office staff when possible. Two data collection forms were employed by the physician: the Patient Log and the Patient Record (appendix III). The Patient Log is a sequential listing of patients seen in the physician's office during his assigned reporting week. This list served as the sampling frame to indicate the visits for which data were to be recorded. A perforation between the patient names and patient visit characteristics permitted the physician to remove and retain the patient names, thus protecting the confidentiality of the patients.

Based on the physician's estimate of the expected number of office visits, each physician was assigned a patient sampling ratio. These ratios were designed so that about 30 Patient Record forms were completed during the assigned reporting week. Physicians expecting 10 or fewer visits each day recorded data for all visits, those expecting more than 10 visits per day recorded data for every second, third, or fifth visit, based on the predetermined sampling interval. These procedures minimized the data collection workload and maintained approximately equal reporting levels among sample physicians regardless of practice size. For physicians assigned a patient sampling ratio, a random

start was provided on the first page of the log, so that predesignated sample visits recorded on each succeeding page of the log provided a systematic random sample of patient visits during the reporting period.

Data processing.—In addition to completeness checks made by the field staff, clerical edits were performed upon receipt of the data for central processing. These procedures proved quite efficient, reducing the item nonresponse rates to a negligible amount—2 percent or less for all items.

Information contained in item 6 (patient's problem or reason for visit) of the Patient Record was coded according to *A Reason for Visit Classification for Ambulatory Care*.²⁵ Diagnostic information (item 8 of the Patient Record) was coded according to the *Eighth Revision International Classification of Diseases, Adapted for Use in the United States* (ICDA).²⁸ A maximum of three entries were coded from each of these items. Quality control in the medical coding operation involved a two-way independent verification procedure with 100 percent verification. Coding differences were adjudicated at the National Center for Health Statistics.

Information from the Induction Interview and Patient Record forms was keypunched, with 100 percent verification, and converted to computer tape. At this point, extensive computer consistency and edit checks were performed. Incomplete items were imputed by assigning a value from a Patient Record with similar characteristics; physician specialty and broad diagnostic categories were used as the basis for these imputations.

Estimation Procedures

Statistics from the 1977 National Ambulatory Medical Care Survey were derived by a multistage estimation procedure, which produces essentially unbiased national estimates and has three basic components: (1) inflation by reciprocals of the probabilities of selection, (2) adjustment for nonresponse, and (3) a ratio adjustment to fixed totals. Each component is described briefly.

NOTE: A list of references follows the text.

Inflation by reciprocals of sampling probabilities.—Since the survey utilized a three-stage sample design, there were three probabilities of selection: (1) the probability of selecting the PSU, (2) the probability of selecting a physician within the PSU, and (3) the probability of selecting a patient visit within the physician's practice. The last probability was defined to be the exact number of office visits during the physician's specified reporting week divided by the number of Patient Records completed. All weekly estimates were inflated by a factor of 52 to derive annual estimates.

Adjustment for nonresponse.—Estimates from the NAMCS data were adjusted to account for sample physicians who did not participate in the study. This was done in such a manner as to minimize the impact of nonresponse on final estimates by imputing to nonresponding physicians the practice characteristics of similar responding physicians. For this purpose, physicians were judged similar if they had the same specialty designation and practiced in the same PSU.

Ratio adjustment.—A poststratification adjustment was made within each of nine physician specialty groups. The ratio adjustment was a multiplication factor of which the numerator was the number of physicians in the universe in each physician specialty group and the denominator the estimated number of physicians in that particular specialty group. The numerator was based on figures obtained from the AMA-AOA master files, and the denominator was based on data from the sample.

Reliability of Estimates

Since the statistics presented in this report are based on a sample, they differ somewhat from the figures that would be obtained if a complete census had been taken using the same forms, instructions, and procedures. However, the probability design of NAMCS permits the calculation of sampling errors. The standard error is primarily a measure of sampling variability that occurs by chance because only a sample rather than the entire population is surveyed. The standard error, as calculated in this report, also reflects part of the variation that arises in the measurement process. It does not include

estimates of any systematic biases that may be in the data. The chances are about 68 out of 100 that an estimate from the sample would differ from a complete census by less than the standard error. The chances are about 95 out of 100 that the difference would be less than twice the standard error, and about 99 out of 100 that it would be less than 2½ times as large.

The relative standard error of an estimate is obtained by dividing the standard error by the estimate itself and is expressed as a percent of the estimate. For this report, an asterisk (*) precedes any estimate with more than a 30 percent relative standard error.

Estimates of sampling variability were calculated using the method of half-sample replication. This method yields overall variability through observation of variability among random subsamples of the total sample. A description of the development and evaluation of the replication technique for error estimation has been published.^{29,30}

Approximate relative standard errors for aggregates and percentages are presented in figures I and II. In order to derive error estimates that would be applicable to a wide variety of statistics and could be prepared at moderate cost, several approximations were required. As a result, the relative standard errors shown in figures I and II should be interpreted as approximate rather than exact for any specific estimate. Directions for determining approximate relative standard errors from the figures follow.


Estimates of aggregates.—Approximate relative standard errors (in percent) for aggregate statistics, such as the number of office visits with a given characteristic, are obtained from the curve in figure I or calculated by the formula:

$$\text{RSE} (x) = \sqrt{0.00160725 + \frac{41.31046}{x}} \cdot 100$$

where x is the aggregate of interest in thousands.

Estimates of percentages.—Approximate relative standard errors (in percent) for estimates of this type can be calculated from the curve in figure I as follows. Obtain the relative standard error of the numerator and denominator. Square each of the relative standard errors, subtract the

Figure I. Approximate relative standard errors for estimated numbers of office visits, 1977 National Ambulatory Medical Care Survey



Example of use of this chart: An estimate of 10 million office visits (read from scale at bottom of chart) has a relative standard error of 7.6 percent (read from scale at left side of chart) or a standard error of 760,000 office visits (7.6 percent of 10 million visits).

resulting value for the denominator from the resulting value for the numerator, and extract the square root. This calculation has been made for several percents and bases and is presented in figure II. Alternatively, the formula

$$RSE(p) = \sqrt{\frac{41.31046(1-p)}{p \cdot x}} \cdot 100$$

can be used to calculate the RSE for any percent (p) and base (x , in thousands).


Estimates of rates where the numerator is not a subclass of the denominator.—Approximate relative standard errors for rates in which

the denominator is the total U.S. population or one or more of the age-sex-race groups of the total population are equivalent to the relative standard error of the numerator that can be obtained from figure I.

Estimates of differences between two statistics.—The relative standard errors shown in this appendix are not directly applicable to differences between two sample estimates. The standard error of a difference is approximately the square root of the sum of the squares of each standard error considered separately. This formula represents the standard error quite accurately for the difference between separate

Figure II. Approximate relative standard errors for percentages of estimated numbers of office visits, 1977 National Ambulatory Medical Care Survey

(Base of percentage shown on curves in millions)



Example of use of this chart: An estimate of 20 percent (read at bottom of chart) based on an estimate of 10 million office visits has a relative standard error of 12.9 percent (read from scale at left of chart) or a standard error of 2.6 percentage points (12.9 percent of 20 percent).

and uncorrelated characteristics, although it is only a rough approximation in most other cases.

The half-sample replication procedure was used to calculate standard errors for the specific estimates of mean contact duration of visits presented in tables D and J.

In addition to sampling error, survey results are subject to reporting and processing errors and biases due to nonresponse or incomplete response. There is no way to compute the magnitude of these errors. However, they were kept

to a minimum by procedures built into the survey operation. Careful attention and extensive pretesting were given to the phrasing of the questions and the terms (and their definitions) employed in order to eliminate ambiguities and encourage uniformity of reporting. The steps taken to reduce nonresponse bias are discussed in the sections on field procedures and data collection. Quality control procedures and consistency and edit checks, discussed in the data processing section, reduced errors in data coding and processing.

Tests of Significance

In this report, the determination of statistical inference is based on the *t*-test with a critical value of 1.96 (0.05 level of significance). Terms relating to differences, such as "higher," "less," etc., indicate that the differences are statistically significant. Terms such as "similar" or "no difference" mean that no statistical significance exists between the estimates being compared. A lack of comment regarding the difference between any two estimates does not mean that the difference was tested and found to be not significant.

Population Figures

The base population used in computing annual visit rates is presented in table II. The figures are based on provisional estimates for the

civilian noninstitutionalized population of the United States as of July 1, 1977, provided by the U.S. Bureau of the Census. Because NAMCS includes data for only the conterminous United States, the original census estimates were modified to account for the exclusion of Alaska and Hawaii from the study. For this reason the population estimates should not be considered official and are presented here solely to provide denominators for rate computations.

Systematic Bias

There have been no attempts to determine systematic bias on the data reported here. There are several factors, however, which the user of these data should understand, that indicate that these data underrepresent the total number of office visits to office-based physicians. Some of the factors are:

Table II. Estimates of the civilian noninstitutionalized population of the United States¹ used in computing of annual visit rates in this publication, by age, race, sex, geographic region, and metropolitan and nonmetropolitan area: United States, July 1, 1977

Race, sex, geographic region, and area	All ages	Age				
		Under 15 years	15-24 years	25-44 years	45-64 years	65 years and over
<u>Race</u>		Number in thousands				
All races.....	210,843	51,186	39,425	54,893	43,140	22,200
Male.....	101,745	26,110	19,350	26,520	20,597	9,169
Female.....	109,098	25,076	20,075	28,373	22,544	13,031
White.....	182,781	42,495	33,648	47,937	38,598	20,103
Male.....	88,607	21,734	16,639	23,457	18,508	8,268
Female.....	94,174	20,761	17,010	24,480	20,089	11,834
All other races.....	28,063	8,691	5,776	6,956	4,543	2,096
Male.....	13,139	4,375	2,711	3,063	2,088	901
Female.....	14,924	4,316	3,065	3,893	2,455	1,196
<u>Geographic region</u>						
Northeast.....	48,442
North Central.....	56,574
South.....	68,906
West.....	36,921
<u>Area</u>						
Metropolitan.....	143,994
Nonmetropolitan.....	66,850

¹Excludes Alaska and Hawaii.

1. The sampling frame for the 1977 NAMCS included all nonfederally employed, "office-based, patient care" physicians on the AMA-AOA master files. There are certainly physicians not so classified who, at the time of the survey, would have met the criteria for that classification. Visits to these physicians are not represented here.
2. Physicians who participated in NAMCS did a thorough and conscientious job in keeping the Patient Log; however, the probability that a patient visit was accidentally omitted from the survey is much greater than the probability that a patient was included who did not make a visit. This factor also introduces an unknown bias into the data.



APPENDIX II

DEFINITION OF TERMS

Terms Relating to the Survey

Office(s).—Premises identified by the physician as locations for his ambulatory practice. The responsibility over time for patient care and professional services rendered there generally resides with the individual physician rather than with any institution.

Ambulatory patient.—An individual seeking personal health services, who is neither bedridden nor currently admitted to any health care institution on the premises.

Physician.—Classified as either:

In scope: All duly licensed doctors of medicine and doctors of osteopathy currently in practice who spend some time in caring for ambulatory patients at an office location.

Out of scope: Those physicians who treat patients only indirectly, including specialists in anesthesiology, pathology, forensic pathology, radiology, therapeutic radiology, and diagnostic radiology, and the following physicians:

Physicians in military service.

Physicians who treat patients only in an institutional setting (e.g., patients in nursing homes and hospitals).

Physicians employed full time by an industry or institution and having no private practice (e.g., physicians who work for the Veterans Administration, the Ford Motor Company, etc.).

Physicians who spend no time seeing ambulatory patients (e.g., physicians who only teach, are engaged in research, or are retired).

Patients.—Classified as either:

In scope: All patients seen by the physician or a member of his staff in his office(s).

Out of scope: Patients seen by the physician in a hospital, nursing home, or other extended care institution, or the patient's home. [Note: If the physician has a *private* office (fitting the definition "office") located in a hospital, the ambulatory patients seen there are considered in scope.] The following types of patients are considered out of scope:

Patients seen by the physician in an institution (including outpatient clinics of hospitals) for whom the institution has the primary responsibility over time.

Patients who telephone and receive advice from the physician.

Patients who come to the office only to leave a specimen, pick up insurance forms, or pay their bills.

Patients who come to the office only to pick up medications previously prescribed by the physician.

Visit.—A direct, personal exchange between an ambulatory patient and a physician (or members of his staff) for the purpose of seeking care and rendering health services.

Physician specialty.—Principal specialty (including general practice) as designated by the physician at the time of the survey. Those physicians for whom a specialty was not obtained

were assigned the principal specialty recorded in the master physician files maintained by the American Medical Association or the American Osteopathic Association.

Region of practice location.—The four geographic regions, excluding Alaska and Hawaii, that correspond to those used by the U.S. Bureau of the Census:

<i>Region</i>	<i>States included</i>
Northeast	Connecticut, Maine, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont
North Central	Illinois, Indiana, Iowa, Kansas, Michigan, Minnesota, Missouri, Nebraska, North Dakota, Ohio, South Dakota, Wisconsin
South	Alabama, Arkansas, Delaware, District of Columbia, Florida, Georgia, Kentucky, Louisiana, Maryland, Mississippi, North Carolina, Oklahoma, South Carolina, Tennessee, Texas, Virginia, West Virginia
West	Arizona, California, Colorado, Idaho, Montana, Nevada, New Mexico, Oregon, Utah, Washington, Wyoming

Metropolitan status of practice location.—A physician's practice is classified by its location in a metropolitan or nonmetropolitan area. Metropolitan areas are standard metropolitan statistical areas (SMSA's) as defined by the U.S. Office of Management and Budget.

The definition of an individual SMSA involves two considerations: first, a city or cities of specified population which constitute the central city and identify in which it is located as the central county; second, economic and social relationships with "contiguous" counties which are metropolitan in character so that the periphery of the specific metropolitan area may be determined. SMSA's may cross State lines. In New England, SMSA's consist of cities and towns rather than counties.

Terms Relating to the Patient Record Form

Age.—The age calculated from date of birth was the age at last birthday on the date of visit.

Color or race.—On the Patient Record, color or race includes four categories: white, Negro/black, other, and unknown. The physician was instructed to mark the category which in his judgment was most appropriate for the patient based on observation and/or prior knowledge of the patient. "Other" was restricted to Oriental people, American Indians, and persons of other nonwhite, non-Negro races.

Was patient referred for this visit by another physician?—Referrals are any visits that are made because of the advice or direction of a physician other than the one being visited. The interest is in referrals for the current visit and not in referrals for any prior visit.

Patient's complaint(s), symptom(s), or other reason(s) for this visit (in patient's own words).—The patient's principal problem, complaint, symptom, or other reason for this visit as expressed by the patient. Physicians were instructed to record key words or phrases *verbatim* to the extent possible, listing that problem first which, in the physician's judgment, was most responsible for the patient's visit.

Time since onset of complaint/symptom in item 6a.—Physicians were instructed to check the category corresponding to the length of time since the known beginning of the patient's most important problem. "Not applicable" was used when the reason for visit was not a complaint or symptom (e.g., annual and well-baby examinations). For postoperative visits, "onset" refers to the length of time since the surgery. For routine prenatal visits, onset refers to the length of time since conception. For a flareup of a chronic condition (e.g., arthritis), onset refers to the length of time since the flareup, not the onset of the original condition.

Principal diagnoses.—The physician's diagnosis of the patient's principal problem, complaint, or symptom. In the event of multiple diagnoses, the physician was instructed to list them in order of decreasing importance; "principal" refers to the first-listed diagnosis. The diagnosis represents the physician's best judgment.

ment at the time of the visit and may be tentative, provisional, or definitive.

Other significant current diagnosis.—The diagnosis of any other condition known to exist for the patient at the time of the visit. Other diagnoses may or may not be related to the reason for that visit.

Seriousness of problem in item 8a.—This item includes four categories: very serious, serious, slightly serious, and not serious. The physician was instructed to check one of the four categories according to his own evaluation of the seriousness of the patient's problem causing this visit. Seriousness refers to the physician's clinical judgment as to the extent of the impairment that might result if no care were given.

Diagnostic services this visit.—Physicians were instructed to check any of the following services that were ordered or provided during the current visit:

Limited exam/history: History and/or physical examination which is limited to a specific body site or system, or which is concerned primarily with the patient's chief complaint, for example, pelvic examination or eye examination.

General exam/history: History and/or physical examination of a comprehensive nature, including all or most body systems.

Pap test: Papanicolaou test, self-explanatory.

Clinical lab test: One or more laboratory procedures or tests, including examination of blood, urine, sputum, smears, exudates, transudates, feces, and gastric content, and including chemistry, serology, bacteriology, and pregnancy test (excludes Pap test).

X-ray: Any single or multiple X-ray examination for diagnostic or screening purposes. Radiation therapy is not included in this category.

EKG: Electrocardiogram, self-explanatory.

Vision test: Visual acuity test.

Endoscopy: Examination of the interior of any body cavity, except ear, nose, and throat, by means of an endoscope.

Blood pressure check: Self-explanatory.

Other: All other diagnostic services ordered or provided which are not included in the preceding categories.

Therapeutic services this visit.—Physicians were instructed to check any of the following services that were ordered or provided during the current visit:

Immunization/desensitization: Administration of any immunizing, vaccinating, or desensitizing agent or substance by any route, for example, syringe, needle, oral, gun, or scarification.

Drugs (prescription/nonprescription): Drugs, vitamins, hormones, ointments, suppositories, or other medications ordered or provided, except injections and immunizations. Includes both prescription and nonprescription (over-the-counter) medication.

Diet counseling: Instructions, recommendations, or advice regarding diet or dietary habits.

Family planning: Services, counseling, or advice that might enable patients to determine the number and spacing of their children. Includes both contraception and infertility services.

Medical counseling: Instructions and recommendations regarding any health problem, including advice or counsel about change of habit or behavior. Physicians were instructed to check this category only if the medical counseling was a *significant* part of the treatment. (Excludes diet and family planning counseling.)

Physiotherapy: Any form of physical therapy ordered or provided, including any treatment using heat, light, sound, or physical pressure or movement, for example, ultrasonic, ultraviolet, infrared, whirlpool, diathermy, cold therapy, and manipulative therapy.

Office surgery: Any surgical procedure performed in the office this visit, including suture of wounds, reduction of fractures,

application and/or removal of casts, incision and draining of abscesses, application of supportive materials for fractures and sprains, and all irrigations, aspirations, dilations, and excisions.

Psychotherapy/therapeutic listening: All treatments designed to produce a mental or emotional response through suggestion, persuasion, reeducation, reassurance, or support, including psychological counseling, hypnosis, psychoanalysis, and transactional therapy.

Other: Treatments ordered or provided which are not included in the preceding categories.

Disposition this visit.—Eight categories are provided to describe the physician's disposition of the case as follows:

No followup planned: No return visit or telephone contact was scheduled for the patient's problem.

Return at specified time: Patient was told to schedule an appointment or was instructed to return at a particular time.

Return if needed, P.R.N.: No future appointment was made, but the patient was instructed to make an appointment with the physician if the patient considered it necessary.

Telephone followup planned: Patient was instructed to telephone the physician on a particular day to report on his progress, or if the need arose.

Referred to other physician: Patient was instructed to consult or seek care from another physician. The patient may or may not return to this physician at a later date.

Returned to referring physician: Patient was referred to this physician and was now instructed to consult again with the physician who referred him.

Admit to hospital: Patient was instructed that further care or treatment would be provided in a hospital. No further office visits were expected prior to that admission.

Other: Any other disposition of the case not included in the above categories

Duration of this visit.—Time the physician spent with the patient, not including the time the patient spent waiting to see the physician, time the patient spent receiving care from someone other than the physician without the presence of the physician, and time spent reviewing records, tests results, etc. In the event a patient was provided care by a member of the physician's staff but did not see the physician during the visit, the duration of visit was recorded as zero.



APPENDIX III
SURVEY INSTRUMENTS

Introductory Letter From Director, National Center for Health Statistics



DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
HEALTH RESOURCES ADMINISTRATION
HYATTSVILLE, MARYLAND 20782

NATIONAL CENTER FOR
HEALTH STATISTICS

Endorsing Organizations

American Medical Association
James H. Sammons, M.D.
Executive Vice President

National Medical Association
Alfred F. Fisher
Executive Director

American Academy of Dermatology
John M. Shaw, M.D.
Secretary-Treasurer

**American Academy of Family
Physicians**
Roger Tusken
Executive Director

American Academy of Neurology
Stanley A. Nelson
Executive Director

**American Academy of Orthopaedic
Surgeons**
Charles V. Heck, M.D.
Executive Director

American Academy of Pediatrics
Robert G. Frazier, M.D.
Executive Director

**American College of Obstetricians
and Gynecologists**
Warren H. Pearse, M.D.
Director

American College of Physicians
Edward C. Rosenow, Jr., M.D.
Executive Vice President

**American College of Preventive
Medicine**
Ward Bentley
Executive Director

American Osteopathic Association
Edward P. Crowell, D. O.
Executive Director

American Proctologic Society
Alejandro F. Castro, M.D.
Secretary

American Psychiatric Association
Melvin Sabshin, M.D.
Medical Director

**American Society of Internal
Medicine**
William R. Ramsey
Executive Director

**American Society of Plastic and
Reconstructive Surgeons, Inc.**
Dallas F. Whaley
Executive Vice President

American Urologic Association
Hal B. Jennings, Jr., M.D.
Executive Director

**Association of American Medical
Colleges**
John A. D. Copper, M.D., Ph.D.
President

Dear Dr.

The National Center for Health Statistics, as part of its continuing program to provide information on the health status of the American people, is conducting a National Ambulatory Medical Care Survey (NAMCS).

The purpose of this survey is to collect information about ambulatory patients, their problems, and the resources used for their care. The resulting published statistics will help your profession plan for more effective health services, determine health manpower requirements, and improve medical education.

Since practicing physicians are the only reliable source of this information, we need your assistance in the NAMCS. As one of the physicians selected in our national sample, your participation is essential to the success of the survey. Of course, all information that you provide is held in strict confidence.

Many organizations and leaders in the medical profession have expressed their support for this survey, including those shown to the left. They join me in urging your cooperation in this important research.

Within a few days, a survey representative will telephone you for an appointment to discuss the details of your participation. We greatly appreciate your cooperation.

Sincerely yours,

Dorothy P. Rice
Director

DPR/mho

PATIENT LOG		PATIENT RECORD NATIONAL AMBULATORY MEDICAL CARE SURVEY									
As each patient arrives, record name and time of visit on the log below. For the patient entered on line #2, also complete the patient record to the right.		ASSURANCE OF CONFIDENTIALITY—All information which would permit identification of an individual, a practice, or an establishment will be held confidential, will be used only by persons engaged in and for the purposes of the survey and will not be disclosed or released to other persons or used for any other purpose.									
		1. DATE OF VISIT _____ <i>Mo/Day/Yr</i>		2. DATE OF BIRTH _____ <i>Mo/Day/Yr</i>		3. SEX <input type="checkbox"/> FEMALE <input type="checkbox"/> MALE	4. COLOR OR RACE <input type="checkbox"/> WHITE <input type="checkbox"/> NEGRO/BLACK <input type="checkbox"/> OTHER <input type="checkbox"/> UNKNOWN	5. WAS PATIENT REFERRED FOR THIS VISIT BY ANOTHER PHYSICIAN? <input type="checkbox"/> YES <input type="checkbox"/> NO	6. PATIENT'S COMPLAINT(S), SYMPTOM(S), OR OTHER REASON(S) FOR THIS VISIT <i>(In patient's own words)</i> a. MOST IMPORTANT _____ b. OTHER _____		
PATIENT'S NAME _____		TIME OF VISIT _____	7. TIME SINCE ONSET OF COMPLAINT/SYMPTOM IN ITEM 6a <i>(Check one)</i> <input type="checkbox"/> LESS THAN 1 DAY <input type="checkbox"/> 1-6 DAYS <input type="checkbox"/> 1-3 WEEKS <input type="checkbox"/> 1-3 MONTHS <input type="checkbox"/> MORE THAN 3 MONTHS <input type="checkbox"/> NOT APPLICABLE	8. PHYSICIAN'S DIAGNOSES a. PRINCIPAL DIAGNOSIS/PROBLEM ASSOCIATED WITH ITEM 6a _____ b. OTHER SIGNIFICANT CURRENT DIAGNOSES _____		9. HAVE YOU SEEN PATIENT BEFORE? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, FOR THE CONDITION IN ITEM 6a? <input type="checkbox"/> YES <input type="checkbox"/> NO	10. SERIOUSNESS OF CONDITION IN ITEM 6a <i>(Check one)</i> <input type="checkbox"/> VERY SERIOUS <input type="checkbox"/> SERIOUS <input type="checkbox"/> SLIGHTLY SERIOUS <input type="checkbox"/> NOT SERIOUS				
1 _____ a.m. _____ p.m.		2 _____ a.m. _____ p.m.	3 _____ a.m. _____ p.m.	Record items 1-14 for this patient				11. DIAGNOSTIC SERVICES THIS VISIT <i>(Check all ordered or provided)</i> <input type="checkbox"/> NONE <input type="checkbox"/> LIMITED EXAM/HISTORY <input type="checkbox"/> GENERAL EXAM/HISTORY <input type="checkbox"/> PAP TEST <input type="checkbox"/> CLINICAL LAB TEST <input type="checkbox"/> X-RAY <input type="checkbox"/> EKG <input type="checkbox"/> VISION TEST <input type="checkbox"/> ENDOSCOPY <input type="checkbox"/> BLOOD PRESSURE CHECK <input type="checkbox"/> OTHER <i>(Specify)</i> _____	12. THERAPEUTIC SERVICES THIS VISIT <i>(Check all ordered or provided)</i> <input type="checkbox"/> NONE <input type="checkbox"/> IMMUNIZATION/DESENSITIZATION <input type="checkbox"/> DRUGS (PRESCRIPTION/NON-PRESCRIPTION) <input type="checkbox"/> DIET COUNSELING <input type="checkbox"/> FAMILY PLANNING <input type="checkbox"/> MEDICAL COUNSELING <input type="checkbox"/> PHYSIOTHERAPY <input type="checkbox"/> OFFICE SURGERY <input type="checkbox"/> PSYCHOTHERAPY/THERAPEUTIC LISTENING <input type="checkbox"/> OTHER <i>(Specify)</i> _____	13. DISPOSITION THIS VISIT <i>(Check all that apply)</i> <input type="checkbox"/> NO FOLLOW-UP PLANNED <input type="checkbox"/> RETURN AT SPECIFIED TIME <input type="checkbox"/> RETURN IF NEEDED, P.R.N. <input type="checkbox"/> TELEPHONE FOLLOW-UP PLANNED <input type="checkbox"/> REFERRED TO OTHER PHYSICIAN <input type="checkbox"/> RETURNED TO REFERRING PHYSICIAN <input type="checkbox"/> ADMIT TO HOSPITAL <input type="checkbox"/> OTHER <i>(Specify)</i> _____	14. DURATION OF THIS VISIT <i>(Time actually spent with physician)</i> _____ MINUTES
CONTINUE LISTING PATIENTS *ON NEXT PAGE											

HRA-34-2
REV. 9-76

DEPARTMENT OF HEALTH, EDUCATION AND WELFARE
PUBLIC HEALTH SERVICE
HEALTH RESOURCES ADMINISTRATION
NATIONAL CENTER FOR HEALTH STATISTICS

O.M.B. #68-R1498

Induction Interview Form

BEGIN DECK 3

CONFIDENTIAL*
NORC-4233

Form Approved OMB No. 68R1498

FOR OFFICE USE ONLY:	
(BATCH NO.)	
<input type="text"/>	<input type="text"/>
5-6/	
(LOG NO.)	
<input type="text"/>	<input type="text"/>
7-10/	

NATIONAL AMBULATORY MEDICAL CARE SURVEY
INDUCTION INTERVIEW

<u>BEFORE STARTING INTERVIEW</u>	
1. ENTER PHYSICIAN I.D. NUMBER IN BOX TO RIGHT.	
2. ENTER DATES OF ASSIGNED REPORTING WEEK IN Q. 2, P. 2.	

(Phys. ID Number)

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------	----------------------

1-4/

TIME _____ AM
BEGAN: _____ PM

Doctor, before I begin, let me take a minute to give you a little background about this survey.

*
The National Ambulatory Medical Care Survey is authorized by Congress in Public Law 93-353, section 308. It is a voluntary study and there are no penalties for refusing to answer any question. All information collected is confidential and will be used only to prepare statistical summaries. No information which will identify an individual or a physician's practice will be released.

Although ambulatory medical care accounts for nearly 90 per cent of all medical care received in the United States, there is no systematic information about the characteristics and problems of people who consult physicians in their offices. This kind of information has been badly needed by medical educators and others concerned with the medical manpower situation.

In response to increasing demands for this kind of information, the National Center for Health Statistics, in close consultation with representatives of the medical profession, has developed the National Ambulatory Medical Care Survey.

Your own task in the survey is simple, carefully designed, and should not take much of your time. Essentially, it consists of your participation during a specified 7-day period. During this period, you simply check off a minimal amount of information concerning patients that you see.

Now, before we get into the actual procedures, I have a few questions to ask about your practice. The answers you give me will be used only for classification and * analysis, and of course all information you provide is held in strict confidence.

1. First, you are a _____ . Is that right?
(ENTER SPECIALTY FROM CODE ON FACE SHEET LABEL.)

Yes X
No (ASK A) Y

A. IF NO: What is your specialty (including general practice)?

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

(Name of Specialty) 11-13/

- 2. Now, doctor, this study will be concerned with the ambulatory patients you will see in your office during the week of (READ REPORTING DATES ENTERED BELOW).

_____ / _____ (that's a _____ (that's a
 month / date Monday) through month / date Sunday)

Are you likely to see any ambulatory patients in your office during that week?

Yes (GO TO Q. 3) . . X

No (ASK A) Y

A. IF NO: Why is that? RECORD VERBATIM, THEN READ PARAGRAPH BELOW

Since it's very important, doctor, that we include any ambulatory patients that you do happen to see in your office during that week, I'd like to leave these forms with you anyway--just in case your plans change. I'll plan to check back with your office just before (STARTING DATE) to make sure, and I can explain them in detail then, if necessary.

GIVE DOCTOR THE A PATIENT RECORD FORMS AND GO TO Q. 9, P. 6.

3. A. At what office location will you be seeing ambulatory patients during that 7-day period? RECORD UNDER A BELOW AND THEN CODE B.

B. FOR EACH OFFICE LOCATION ENTERED IN A, CODE YES OR NO TO "IN SCOPE."

IN SCOPE (Yes)	OUT OF SCOPE (No)
Private offices	Hospital emergency rooms
Free-standing clinics (non-hospital based)	Hospital outpatient departments
Groups, partnerships	College or university infirmaries
Kaiser, HIP, Mayo Clinic	Industrial outpatient facilities
Neighborhood Health Centers	Family planning clinics
Privately operated clinics (except family planning)	Government-operated clinics (VD, maternal & child health, etc.)

IN CASE OF DOUBT, ASK: Is that (clinic/facility/institution) hospital based?
Is that (clinic/facility/institution) government operated?

C. Is that all of the office locations at which you expect to see ambulatory patients during that week?

Yes X
No Y

IF NO: OBTAIN ADDITIONAL OFFICE LOCATION(S), ENTER IN "A" BELOW, AND REPEAT.

A. Office Location	B. In Scope?	
	Yes	No
(1) _____	X	Y

(2) _____	X	Y

(3) _____	X	Y

(4) _____	X	Y

IF ALL LOCATIONS ARE OUT OF SCOPE, THANK THE DOCTOR AND LEAVE.

4. A. During that week (REPEAT DATES), how many ambulatory patients do you expect to see in your office practice? (DO NOT COUNT PATIENTS SEEN AT [OUT-OF-SCOPE LOCATIONS] CODED IN 3-B.)

ENTER TOTAL UNDER "A" BELOW AND CIRCLE ON APPROPRIATE LINE.

B. And during those seven days (REPEAT DATES IF NECESSARY), on how many days do you expect to see any ambulatory patients? COUNT EACH DAY IN WHICH DOCTOR EXPECTS TO SEE ANY PATIENTS AT AN IN-SCOPE OFFICE LOCATION.

ENTER TOTAL UNDER "B" BELOW AND CIRCLE NUMBER IN APPROPRIATE COLUMN.

DETERMINE PROPER PATIENT LOG FORM FROM CHART BELOW. READ ACROSS ON "TOTAL PATIENTS" LINE UNDER "A" AND CIRCLE LETTER IN APPROPRIATE "DAYS" COLUMN UNDER "B."

THIS LETTER TELLS YOU WHICH OF THE FOUR PATIENT LOG FORMS (A, B, C, D) SHOULD BE USED BY THIS DOCTOR.

LOG FORM DESCRIPTION	A. Expected total patients during survey week.	B. Total days in practice during week.									
		ENTER TOTAL FROM Q. 4-B. _____ DAYS									
A--Patient Record is to be completed for <u>ALL</u> patients listed on Log. 14-16/	ENTER TOTAL FROM Q. 4-A. <table border="1" style="display: inline-table; vertical-align: middle;"><tr><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td><td style="width: 20px; height: 20px;"></td></tr></table>										
1- 12 PATIENTS	A	A	A	A	A	A	A				
B--Patient Record is to be completed for every <u>SECOND</u> patient listed on Log.	13- 25 "	B	A	A	A	A	A				
	26- 39 "	C	B	A	A	A	A				
	40- 52 "	C	B	B	A	A	A				
	53- 65 "	D	C	B	B	A	A				
	66- 79 "	D	C	B	B	B	A				
	80- 92 "	D	D	C	B	B	B				
C--Patient Record is to be completed for every <u>THIRD</u> patient listed on Log.	93-105 "	D	D	C	B	B	B				
	106-118 "	D	D	C	C	B	B				
	119-131 "	D	D	C	C	B	B				
	132-145 "	D	D	D	C	C	B				
*D--Patient Record is to be completed for every <u>FIFTH</u> patient listed on Log.	146-158 "	D	D	D	C	C	B				
	159-171 "	D	D	D	C	C	C				
	172-184 "	D	D	D	C	C	C				
	185-197 "	D	D	D	D	D	D				
	198-210 "	D	D	D	D	D	D				
	211+ "	D	D	D	D	D	D				

* In the rare instance the physician will see more than 500 patients during his assigned reporting week, give him two D Patient Log Folios and instruct him to complete a patient record form for only every tenth patient. Then you are to draw an X through the Patient Record on every other page of the two folio pads, starting with page 1 of the pad. The physician then completes the Patient Log on every page, but completes the Patient Record on every second page.

- 5. FIND LOG FOLIO WITH APPROPRIATE LETTER AND CIRCLE LETTER, ENTER FIRST FOUR NUMBERS OF THE FORM AND NUMBER OF LINES STAMPED "BEGIN ON NEXT LINE" FOR THE B-C-D LOG FORMS (if no lines are stamped, enter "0") BELOW.

Letter	FOLIO				No. Lines Stamped "BEGIN ON NEXT LINE"	FOR OFFICE USE ONLY Number patient record forms completed.
	Number					
A					 	17-21/ 22-24/
B						
C						
D						

- 6. HAND DOCTOR HIS FOLIO AND EXPLAIN HOW FORMS ARE TO BE FILLED OUT. SHOW DOCTOR INSTRUCTIONS ON THE POCKET OF FOLIO, ITEMS 11 AND 12 DEFINITIONS ON CARD IN POCKET OF FOLIO AND ITEM DEFINITIONS ON THE BACK OF FOLIO, TO WHICH HE CAN REFER AFTER YOU LEAVE.

EMPHASIZE THAT EVERY PATIENT VISIT EXCEPT ADMINISTRATIVE PURPOSE ONLY IS TO BE RECORDED ON THE LOG FOR ENTIRE REPORTING PERIOD. FOR EXAMPLE, IF A MEDICAL ASSISTANT GAVE THE PATIENT AN INOCULATION, OR A TECHNICIAN ADMINISTERED AN ELECTROCARDIOGRAM AND THE PATIENT DID NOT SEE THE DOCTOR, THIS VISIT IS TO BE LISTED ON THE LOG.

RECORD VERBATIM BELOW ANY CONCERN, PROBLEMS OR QUESTIONS THE DOCTOR RAISES.

- 7. IF DOCTOR EXPECTS TO SEE AMBULATORY PATIENTS AT MORE THAN ONE IN-SCOPE LOCATION DURING ASSIGNED WEEK, TELL HIM YOU WILL DELIVER THE FORMS TO THE OTHER LOCATION(S). ENTER THE FORM LETTER AND NUMBER(S) AND NUMBER OF LINES STAMPED "BEGIN ON NEXT LINE" FOR THE B-C-D LOG FOR THOSE LOCATIONS BELOW, BEFORE DELIVERING FORM(S).

Location	FOLIO				No. Lines Stamped "BEGIN ON NEXT LINE"	FOR OFFICE USE ONLY: Number patient record forms completed
	Letter	Number				
						25-29/
						30-32/
						33-37/
						38-40/
						41-45/
						46-48/

8. During the survey week (REPEAT EXACT DATES), will anyone be available to help you in filling out these records (at each IN-SCOPE location)?

Yes (ASK A) . . . X

No Y

A. IF YES: Who would that be?

RECORD NAME, POSITION AND LOCATION.

NAME	POSITION	LOCATION

PERSONALLY BRIEF EACH PERSON LISTED ABOVE.

EMPHASIZE THAT EVERY PATIENT VISIT DURING THE ENTIRE WEEK IS TO BE RECORDED ON THE LOG EXCEPT "ADMINISTRATIVE PURPOSE ONLY."

9. Do you have a solo practice, or are you associated with other physicians in a partnership, in a group practice, or in some other way?

Solo. . . . (GO TO Q. 10) . . 1 49/

Partnership . . (ASK A-C) . . . 2

Group (ASK A-C) . . . 3

<--- Other (SPECIFY AND ASK A-C) . . 4

IF PARTNERSHIP, GROUP, OR OTHER:

A. Is this a prepaid group practice? Yes . . (ASK [1]) . . . 1 50/ No 2

[1] IF YES TO A: What per cent of patients are prepaid? _____ per cent 51-53/

B. How many other physicians are associated with you? NUMBER OF PHYSICIANS: _____ 54-56/

C. What are the specialties of the other physicians associated with you? (How many of these are there?)

Specialty	Number of Physicians
(1) _____	_____
(2) _____	_____
(3) _____	_____
(4) _____	_____
(5) _____	_____

10. Now I have just one more question about your practice. (NOTE: IF DOCTOR PRACTICES IN LARGE GROUP, THE FOLLOWING INFORMATION CAN BE OBTAINED FROM SOMEONE ELSE.)

- A. What is the total number of full-time (35 hours or more per week) employees of your (partnership/group) practice? Include persons regularly employed who are now on vacation, temporarily ill, etc. Do not include other physicians. RECORD ON BOTTOM LINE OF COLUMN A BELOW.
 - (1) How many of these full-time employees are a . . . (READ CATEGORIES BELOW AS NECESSARY AND RECORD NUMBER OF EACH IN COLUMN A.)
- B. And what is the total number of part-time (less than 35 hours per week) employees of your (partnership/group) practice? Again, include persons regularly employed who are now on vacation, ill, etc. Do not include other physicians. RECORD ON BOTTOM LINE OF COLUMN B BELOW.
 - (1) How many of these part-time employees are a . . . (READ CATEGORIES BELOW AS NECESSARY AND RECORD NUMBER OF EACH IN COLUMN B.)

Employees	A. Full-time (35 or more hours/week)	B. Part-time (Less than 35 hours/week)
(1) Registered Nurse	11-13/	35-37/
(2) Licensed Practical Nurse	14-16/	38-40/
(3) Nursing Aide	17-19/	41-43/
(4) Physician Assistant*	20-22/	44-46/
(5) Technician	23-25/	47-49/
(6) Secretary or Receptionist	26-28/	50-52/
(7) Other (SPECIFY) _____	29-31/	53-55/
TOTAL:	32-34/	TOTAL: 56-58/

* Physician Assistant must be a graduate of an accredited training program for Physician Assistants (Physician Extenders, Medex, etc.) or certified by the National Board of Medical Examiners through the Certification Exam for Assistant to the Primary Care Physician.

BEFORE YOU LEAVE, AGAIN STRESS THAT EACH AND EVERY AMBULATORY PATIENT SEEN BY THE DOCTOR OR HIS STAFF DURING THE 7-DAY PERIOD AT ALL IN-SCOPE OFFICE LOCATIONS (REPEAT THEM) IS TO BE INCLUDED IN THE SURVEY, THAT EACH PATIENT IS TO BE RECORDED ON THE LOG, AND ONLY THE APPROPRIATE NUMBER OF PATIENT RECORDS COMPLETED.

Thank you for your time, Dr. _____. If you have any (more) questions, please feel free to call me. My phone number is written in the folio. I'll call you on Monday morning of your survey week just to remind you.

11. TIME INTERVIEW ENDED _____ AM
PM

12. DATE OF INTERVIEW

--	--	--	--	--

(Month) (Day) (Year)

COMMENTS:

INTERVIEWER NUMBER

--	--	--	--	--

INTERVIEWER'S SIGNATURE

FOR OFFICE USE ONLY:

No. of Patients Seen:

--	--	--

59-61/

VITAL AND HEALTH STATISTICS Series

- Series 1. Programs and Collection Procedures.*—Reports which describe the general programs of the National Center for Health Statistics and its offices and divisions and data collection methods used and include definitions and other material necessary for understanding the data.
- Series 2. Data Evaluation and Methods Research.*—Studies of new statistical methodology including experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory.
- Series 3. Analytical Studies.*—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- Series 4. Documents and Committee Reports.*—Final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- Series 10. Data From the Health Interview Survey.*—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, all based on data collected in a continuing national household interview survey.
- Series 11. Data From the Health Examination Survey and the Health and Nutrition Examination Survey.*—Data from direct examination, testing, and measurement of national samples of the civilian noninstitutionalized population provide the basis for two types of reports: (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- Series 12. Data From the Institutionalized Population Surveys.*—Discontinued effective 1975. Future reports from these surveys will be in Series 13.
- Series 13. Data on Health Resources Utilization.*—Statistics on the utilization of health manpower and facilities providing long-term care, ambulatory care, hospital care, and family planning services.
- Series 14. Data on Health Resources: Manpower and Facilities.*—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- Series 20. Data on Mortality.*—Various statistics on mortality other than as included in regular annual or monthly reports. Special analyses by cause of death, age, and other demographic variables; geographic and time series analyses; and statistics on characteristics of deaths not available from the vital records based on sample surveys of those records.
- Series 21. Data on Natality, Marriage, and Divorce.*—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports. Special analyses by demographic variables; geographic and time series analyses; studies of fertility; and statistics on characteristics of births not available from the vital records based on sample surveys of those records.
- Series 22. Data From the National Mortality and Natality Surveys.*—Discontinued effective 1975. Future reports from these sample surveys based on vital records will be included in Series 20 and 21, respectively.
- Series 23. Data From the National Survey of Family Growth.*—Statistics on fertility, family formation and dissolution, family planning, and related maternal and infant health topics derived from a biennial survey of a nationwide probability sample of ever-married women 15-44 years of age.

For a list of titles of reports published in these series, write to:

Scientific and Technical Information Branch
National Center for Health Statistics
Public Health Service
Hyattsville, Md. 20782

DHEW Publication No. (PHS) 80-1795
Series 13 No. 44

NCHS

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Office of Health Research, Statistics, and Technology
National Center for Health Statistics
3700 East-West Highway
Hyattsville, Maryland 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

For publications in the
Vital and Health Statistics
Series call 301-436-NCHS.

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF H.E.W.

HEW 396
THIRD CLASS

