

List of Trend Tables

Health Status and Determinants

Population

1. **Resident population**, according to age, sex, race, and Hispanic origin: United States, selected years 1950–2000 **79**
2. Persons and families below **poverty** level, according to selected characteristics, race, and Hispanic origin: United States, selected years 1973–2000 **81**

Fertility and Natality

3. Crude birth rates, **fertility rates**, and **birth rates** by age of mother, according to race and Hispanic origin: United States, selected years 1950–2000 **83**
4. **Women** 15–44 years of age **who have not had at least 1 live birth**, by age: United States, selected years 1960–2001 **85**
5. **Live births**, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2000 **86**
6. **Prenatal care** for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2000 **87**
7. **Early prenatal care** according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1992–94, 1995–97, and 1998–2000 **88**
8. **Teenage childbearing**, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2000 **90**
9. **Nonmarital childbearing** according to detailed race and Hispanic origin of mother, and maternal age and birth rates for unmarried women by race and Hispanic origin of mother: United States, selected years 1970–2000 **91**
10. **Maternal education** for live births, according to detailed race and Hispanic origin of mother: United States, selected years 1970–2000 **92**
11. **Mothers who smoked cigarettes** during pregnancy, according to mother's detailed race, Hispanic origin, age, and education: Selected States, 1989–2000 **93**
12. **Low-birthweight** live births, according to mother's detailed race, Hispanic origin, and smoking status: United States, selected years 1970–2000 **94**
13. **Low-birthweight** live births among mothers 20 years of age and over, by mother's detailed race, Hispanic origin, and education: United States, 1989–2000 **95**

14. **Low-birthweight** live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1992–94, 1995–97, and 1998–2000 **96**
15. **Very low-birthweight** live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1992–94, 1995–97, and 1998–2000 **98**
16. Legal **abortion ratios**, according to selected patient characteristics: United States, selected years 1973–98 . . . **100**
17. Legal **abortions**, according to selected characteristics: United States, selected years 1973–98 **101**
18. **Contraceptive use** among women 15–44 years of age, according to age, race, Hispanic origin, and method of contraception: United States, 1982, 1988, and 1995 **102**
19. **Breastfeeding** by mothers 15–44 years of age by year of baby's birth, according to selected characteristics of mother: United States, average annual 1972–74 to 1993–94 **104**

Mortality

20. **Infant, neonatal, and postneonatal mortality rates**, according to detailed race and Hispanic origin of mother: United States, selected years 1983–99 **105**
21. **Infant mortality rates** for mothers 20 years of age and over, according to mother's education, detailed race, and Hispanic origin: United States, selected years 1983–99 . . . **107**
22. **Infant mortality rates** according to birthweight: United States, selected years 1983–99 **108**
23. **Infant mortality rates**, fetal mortality rates, and perinatal mortality rates, according to race: United States, selected years 1950–99 **109**
24. **Infant mortality rates**, according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91 and 1997–99 **110**
25. **Neonatal mortality rates**, according to race, Hispanic origin, geographic division, and State: United States, average annual 1989–91 and 1997–99 **112**
26. **Infant mortality rates** and international rankings: Selected countries, selected years 1960–98 **114**
27. **Life expectancy** at birth and at 65 years of age, according to sex: Selected countries, 1992 and 1997 **115**
28. **Life expectancy** at birth, at 65 years of age, and at 75 years of age, according to race and sex: United States, selected years 1900–99 **116**
29. **Age-adjusted death rates**, according to race, Hispanic origin, geographic division, and State: United States, average annual 1979–81, 1989–91, and 1997–99 **117**
30. **Age-adjusted death rates** for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1950–99 **119**

31. Years of potential life lost before age 75 for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1980–99	123	48. Death rates for firearm-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1970–99	172
32. Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 1999	127	49. Deaths from selected occupational diseases for persons 15 years of age and over: United States, selected years 1980–99	175
33. Leading causes of death and numbers of deaths, according to age: United States, 1980 and 1999	131	50. Occupational injury deaths and rates by industry, sex, age, race, and Hispanic origin: United States, 1992–2000	176
34. Age-adjusted death rates, according to race, sex, region, and urbanization level: United States, average annual 1984–86, 1989–91, and 1997–99	133	Determinants and Measures of Health	
35. Age-adjusted death rates for persons 25–64 years of age for selected causes of death, according to sex and educational attainment : Selected States, 1994–99	136	51. Occupational injuries with lost workdays in the private sector, according to industry: United States, selected years 1980–2000	178
36. Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	137	52. Healthy People 2010 Leading Health Indicators with 22 measures: United States, 1990–2000 and 2010 target	179
37. Death rates for diseases of heart , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	141	53. Selected notifiable disease rates , according to disease: United States, selected years 1950–2000	181
38. Death rates for cerebrovascular diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	144	54. Acquired immunodeficiency syndrome (AIDS) cases, according to age at diagnosis, sex, detailed race, and Hispanic origin: United States, selected years 1985–2001	182
39. Death rates for malignant neoplasms , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	147	55. Acquired immunodeficiency syndrome (AIDS) cases, according to race, Hispanic origin, sex, and transmission category for persons 13 years of age and over at diagnosis: United States, selected years 1985–2001	183
40. Death rates for malignant neoplasms of trachea, bronchus, and lung , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	151	56. Age-adjusted cancer incidence rates for selected cancer sites, according to sex, race, and Hispanic origin: Selected geographic areas, 1990–98	185
41. Death rates for malignant neoplasm of breast for females, according to race, Hispanic origin, and age: United States, selected years 1950–99	154	57. Five-year relative cancer survival rates for selected cancer sites, according to race and sex: Selected geographic areas, 1974–79, 1980–82, 1983–85, 1986–88, and 1989–97	188
42. Death rates for chronic lower respiratory diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1980–99	156	58. Limitation of activity caused by chronic conditions, according to selected characteristics: United States, selected years 1997–2000	189
43. Death rates for human immunodeficiency virus (HIV) disease , according to sex, race, Hispanic origin, and age: United States, selected years 1987–99	159	59. Respondent-assessed health status according to selected characteristics: United States, selected years 1991–2000	192
44. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, according to race, Hispanic origin, and age: United States, selected years 1950–99	161	60. Suicidal ideation, suicide attempts, and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States, selected years 1991–2001	194
45. Death rates for motor vehicle-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	162	61. Current cigarette smoking by persons 18 years of age and over according to sex, race, and age: United States, selected years 1965–2000	196
46. Death rates for homicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	166	62. Age-adjusted prevalence of current cigarette smoking by persons 25 years of age and over, according to sex, race, and education: United States, selected years 1974–2000	198
47. Death rates for suicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–99	169		

63. Current cigarette smoking by adults according to sex, race, Hispanic origin, age, and education: United States, average annual 1990–92, 1993–95, and 1999–2000	199
64. Use of selected substances in the past month by persons 12 years of age and over, according to age, sex, race, and Hispanic origin: United States, 1999–2000	201
65. Use of selected substances by high school seniors and eighth-graders, according to sex and race: United States, selected years 1980–2001	203
66. Cocaine-related emergency department episodes , according to age, sex, race, and Hispanic origin: United States, selected years 1990–2000	205
67. Alcohol consumption by persons 18 years of age and over, according to sex, age, race, and Hispanic origin: United States, selected years 1997–2000	207
68. Hypertension among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, and 1988–94	210
69. Serum cholesterol levels among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, and 1988–94	211
70. Healthy weight, overweight, and obesity among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, and 1988–94	213
71. Overweight children and adolescents 6–19 years of age, according to sex, age, race, and Hispanic origin: United States, selected years 1963–65 through 1988–94	215

Utilization of Health Resources

Ambulatory Care

72. Health care visits to doctor's offices, emergency departments, and home visits within the past 12 months, according to selected characteristics: United States, selected years 1997–2000	217
73. Vaccinations of children 19–35 months of age for selected diseases, according to race, Hispanic origin, poverty status, and residence in metropolitan statistical area (MSA): United States, 1995–2000	220
74. Vaccination coverage among children 19–35 months of age according to geographic division, State, and selected urban areas: United States, 1995–2000	222
75. No health care visits to an office or clinic within the past 12 months among children under 18 years of age, according to selected characteristics: United States, average annual 1997–98 and 1999–2000	224

76. No usual source of health care among children under 18 years of age, according to selected characteristics: United States, average annual 1993–94, 1997–98, and 1999–2000	226
77. Emergency department visits within the past 12 months among children under 18 years of age, according to selected characteristics: United States, selected years 1997–2000	228
78. No usual source of health care among adults 18–64 years of age, according to selected characteristics: United States, average annual 1993–94, 1995–96, 1997–98, and 1999–2000	231
79. Emergency department visits within the past 12 months among adults 18 years of age and over, according to selected characteristics: United States, selected years 1997–2000	233
80. Dental visits in the past year according to selected characteristics: United States, selected years 1997–2000	235
81. Untreated dental caries according to age, sex, race and Hispanic origin, and poverty status: United States, 1971–74, 1982–84, and 1988–94	237
82. Use of mammography for women 40 years of age and over according to selected characteristics: United States, selected years 1987–2000	238
83. Ambulatory care visits to physician offices and hospital outpatient and emergency departments by selected characteristics: United States, selected years 1995–2000	240
84. Injury-related visits to hospital emergency departments by sex, age, and intent and mechanism of injury: United States, average annual 1995–96, 1997–98, and 1999–2000	242
85. Ambulatory care visits to primary care and specialist physicians, according to selected characteristics and type of physician: United States, 1980, 1990, and 2000	244
86. Substance abuse clients in specialty treatment units according to substance abused, geographic division, and State: United States, 1997–2000	246
87. Additions to mental health organizations according to type of service and organization: United States, selected years 1986–98	247
88. Home health care patients , according to age, sex, and diagnosis: United States, selected years 1992–2000	248
89. Hospice patients , according to age, sex, and diagnosis: United States, selected years 1992–2000	249
Inpatient Care	
90. Discharges , days of care, and average length of stay in short-stay hospitals, according to selected characteristics: United States, selected years 1997–2000	250
91. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals, according to selected characteristics: United States, selected years 1980–2000	253

92. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals for discharges with the diagnosis of human immunodeficiency virus (HIV) and for all discharges: United States, selected years 1986–2000	255
93. Rates of discharges and days of care in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2000	256
94. Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years 1990–2000	259
95. Ambulatory and inpatient procedures according to place, sex, age, and type of procedure: United States, selected years 1994–2000	262
96. Hospital admissions , average length of stay, and outpatient visits, according to type of ownership and size of hospital, and percent outpatient surgery: United States, selected years 1975–2000	265
97. Nursing home residents 65 years of age and over, according to age, sex, and race: United States, 1973–74, 1985, 1995, and 1999	266
98. Nursing home residents 65 years of age and over, according to selected functional status and age, sex, and race: United States, 1985, 1995, and 1999.	267

Health Care Resources

Personnel

99. Persons employed in health service sites: United States, selected years 1970–2001	269
100. Active non-Federal physicians and doctors of medicine in patient care, according to geographic division and State: United States, 1975, 1985, 1995, and 2000 . . .	270
101. Physicians , according to activity and place of medical education: United States and outlying U.S. areas, selected years 1975–2000	272
102. Primary care doctors of medicine , according to specialty: United States and outlying U.S. areas, selected years 1949–2000	273
103. Active health personnel according to occupation: United States, selected years 1980–2000	274
104. First-year enrollment and graduates of health professions schools and number of schools, according to profession: United States, selected years 1980–2000	275
105. Total enrollment of minorities in schools for selected health occupations, according to detailed race and Hispanic origin: United States, academic years 1970–71, 1980–81, 1990–91, and 1999–2000	276

106. First-year and total enrollment of women in schools for selected health occupations, according to detailed race and Hispanic origin: United States, academic years 1971–72, 1980–81, 1990–91, and 1999–2000	278
---	-----

Facilities

107. Hospitals , beds, and occupancy rates, according to type of ownership and size of hospital: United States, selected years 1975–2000	279
108. Mental health organizations and beds for 24-hour hospital and residential treatment according to type of organization: United States, selected years 1986–98	280
109. Community hospital beds and average annual percent change, according to geographic division and State: United States, selected years 1940–2000	281
110. Occupancy rates in community hospitals and average annual percent change, according to geographic division and State: United States, selected years 1940–2000	283
111. Nursing homes , beds, occupancy, and residents, according to geographic division and State: United States, 1995–2000	284

Health Care Expenditures and Health Insurance

National Health Expenditures

112. Total health expenditures as a percent of gross domestic product and per capita health expenditures in dollars: Selected countries and years 1960–99	287
113. Gross domestic product, Federal and State and local government expenditures, national health expenditures , and average annual percent change: United States, selected years 1960–2000	288
114. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2001 . . .	289
115. Growth in personal health care expenditures and percent distribution of factors affecting growth: United States, 1960–2000	290
116. National health expenditures , average annual percent change, and percent distribution, according to type of expenditure: United States, selected years 1960–2000 . . .	291
117. Personal health care expenditures , according to type of expenditure and source of funds: United States, selected years 1960–2000	293
118. Expenditures and sources of payment for health care according to selected characteristics: United States, 1987, 1997, and 1998	295

119. Expenditures for health services and supplies and percent distribution, by type of payer: United States, selected calendar years 1987–2000	298
120. Employers' costs per employee-hour worked for total compensation, wages and salaries, and health insurance , according to selected characteristics: United States, selected years 1991–2001	300
121. Hospital expenses , according to type of ownership and size of hospital: United States, selected years 1975–2000	301
122. Nursing home average monthly charges per resident and percent of residents, according to selected facility and resident characteristics: United States, 1977, 1985, 1995, 1997, and 1999	302
123. Nursing home average monthly charges per resident and percent of residents, according to primary source of payments and selected facility characteristics: United States, 1985, 1995, and 1999	303
124. Mental health expenditures , percent distribution, and per capita expenditures, according to type of mental health organization: United States, selected years 1975–94	304
125. Funding for health research and development, according to source of funds: United States, selected fiscal years 1970–99	305
126. Federal spending for human immunodeficiency virus (HIV)-related activities, according to agency and type of activity: United States, selected fiscal years 1985–2001	306

Health Care Coverage and Major Federal Programs

127. Private health insurance coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2000	307
128. Medicaid coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2000	310
129. No health care coverage among persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2000	312
130. Health care coverage for persons 65 years of age and over, according to type of coverage and selected characteristics: United States, selected years 1989–99	314
131. Health maintenance organization (HMO) coverage by private insurance, Medicaid, and Medicare according to selected characteristics: United States, 1998, 1999, and 2000	317
132. Health maintenance organizations (HMOs) and enrollment, according to model type, geographic region, and Federal program: United States, selected years 1976–2001	319

133. Medical care benefits for employees of private establishments by size of establishment and occupation: United States, selected years 1990–97	320
134. Medicare enrollees and expenditures and percent distribution, according to type of service: United States and other areas, selected years 1970–2000	322
135. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, according to sex and age: United States and other areas, 1994–99	324
136. Medicare beneficiaries by race and ethnicity, according to selected characteristics: United States, selected years 1992–98	325
137. Medicaid recipients and medical vendor payments, according to basis of eligibility, and race and ethnicity: United States, selected fiscal years 1972–98	327
138. Medicaid recipients and medical vendor payments, according to type of service: United States, selected fiscal years 1972–98	328
139. Department of Veterans Affairs health care expenditures and use, and persons treated according to selected characteristics: United States, selected fiscal years 1970–99	330

State Health Expenditures and Health Insurance

140. Personal health care per capita expenditures , by type of service, geographic division, and State: United States, selected years 1991–98	331
141. Medicare expenditures as a percent of total personal health care expenditures by geographic division and State: United States, 1991–98	337
142. Medicaid expenditures as a percent of total personal health care expenditures by geographic division and State: United States, 1991–98	338
143. State mental health agency per capita expenditures for mental health services and average annual percent change by geographic division and State: United States, selected fiscal years 1981–97	339
144. Medicare enrollees, enrollees in managed care, payments per enrollee, and short-stay hospital utilization by geographic division and State: United States, 1994 and 1999	340
145. Medicaid recipients, recipients in managed care, payments per recipient, and recipients per 100 persons below the poverty level by geographic division and State: United States, selected fiscal years 1989–98	341
146. Persons enrolled in health maintenance organizations (HMOs) by geographic division and State: United States, selected years 1980–2001	343
147. Persons under 65 years of age without health care coverage by State: United States, selected years 1987–2000	344