14. Low-birthweight live births, according to race and **List of Trend Tables** Hispanic origin of mother, geographic division, and State: United States, average annual 1993-95, 1996-98, and 112 **Health Status and Determinants** 15. Very low-birthweight live births, according to race and Hispanic origin of mother, geographic division, and State: United States, average annual 1993-95, 1996-98, and **Population** 114 1. **Resident population**, according to age, sex, race, 16. Legal abortions and legal abortion ratios, according to and Hispanic origin: United States, selected years selected patient characteristics: United States, selected 95 years 1973–99 116 2. Persons and families below poverty level, according to 17. Contraceptive use among women 15-44 years of age, selected characteristics, race, and Hispanic origin: according to age, race, Hispanic origin, and method of United States, selected years 1973–2001..... 97 contraception: United States, 1982, 1988, and 1995 117 18. Breastfeeding by mothers 15-44 years of age by **Fertility and Natality** year of baby's birth, according to selected characteristics of mother: United States, average annual 1972-74 to 3. Crude birth rates, fertility rates, and birth rates by 1993–94 120 age of mother, according to race and Hispanic origin: United States, selected years 1950-2001 99 **Mortality** 4. Women 15-44 years of age who have not had at least 1 live birth, by age: United States, selected years 19. Infant, neonatal, and postneonatal mortality rates. 101 according to detailed race and Hispanic origin of mother: United States, selected years 1983–2000 121 5. Live births, according to detailed race and Hispanic origin of mother: United States, selected years 20. Infant mortality rates for mothers 20 years of age 102 and over, according to mother's education, detailed race, and Hispanic origin: United States, selected years 6. Prenatal care for live births, according to detailed race 123 and Hispanic origin of mother: United States, selected years 103 21. Infant mortality rates according to birthweight: United States, selected years 1983–2000 124 7. Early prenatal care according to race and Hispanic origin of mother, geographic division, and State: 22. Infant mortality rates, fetal mortality rates, and United States, average annual 1993-95, 1996-98, and perinatal mortality rates, according to race: United States, 104 selected years 1950-2000 125 8. Teenage childbearing, according to detailed race and 23. Infant mortality rates, according to race, Hispanic Hispanic origin of mother: United States, selected years origin, geographic division, and State: United States, 106 average annual 1989-91, 1995-97, and 1998-2000 126 9. Nonmarital childbearing according to detailed race and 24. Neonatal mortality rates, according to race, Hispanic Hispanic origin of mother, and maternal age: United States, origin, geographic division, and State: United States, selected years 1970-2001 107 average annual 1989-91, 1995-97, and 1998-2000 128 10. Maternal education for live births, according to detailed 25. Infant mortality rates and international rankings: race and Hispanic origin of mother: United States, selected Selected countries, selected years 1960-99 130 vears 1970-2001 108 26. Life expectancy at birth and at 65 years of age, 11. Mothers who smoked cigarettes during pregnancy, according to sex: Selected countries, selected years according to mother's detailed race, Hispanic origin, age, 131 and education: Selected States, 1989-2001 109 27. Life expectancy at birth, at 65 years of age, and at 12. Low-birthweight live births, according to mother's 75 years of age, according to race and sex: United States, detailed race, Hispanic origin, and smoking status: selected years 1900-2000 133 United States, selected years 1970-2001 110 28. Age-adjusted death rates, according to race, Hispanic 13. Low-birthweight live births among mothers 20 years origin, geographic division, and State: United States, of age and over, by mother's detailed race, Hispanic average annual 1979-81, 1989-91, and 1998-2000 134 origin, and education: United States, selected years

Health, United States, 2003

111

29. Age-adjusted death rates for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1950–2001	136	46. Death rates for suicide , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	187
30. Years of potential life lost before age 75 for selected causes of death, according to sex, race, and Hispanic origin: United States, selected years 1980–2001	140	47. Death rates for firearm-related injuries , according to sex, race, Hispanic origin, and age: United States, selected years 1970–2001	190
31. Leading causes of death and numbers of deaths, according to sex, race, and Hispanic origin: United States, 1980 and 2001	144	48. Deaths from selected occupational diseases for persons 15 years of age and over: United States, selected years 1980–2001	193
32. Leading causes of death and numbers of deaths, according to age: United States, 1980 and 2001	148	49. Occupational injury deaths and rates by industry, sex, age, race, and Hispanic origin: United States,	
33. Age-adjusted death rates, according to race, sex, region, and urbanization level: United States, average annual 1984–86, 1989–91, and 1998–2000	150	Determinants and Measures of Health	194
34. Age-adjusted death rates for persons 25–64 years of age for selected causes of death, according to sex and educational attainment: Selected States, 1994–2001	153	50. Occupational injuries with lost workdays in the private sector, according to industry: United States, selected years 1980–2001	196
35. Death rates for all causes, according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	155	51. Healthy People 2010 Leading Health Indicators : United States, selected years 1990–2002 and 2010 target	197
36. Death rates for diseases of heart , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	159	52. Selected notifiable disease rates , according to disease: United States, selected years 1950–2001	199
37. Death rates for cerebrovascular diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	162	53. Acquired immunodeficiency syndrome (AIDS) cases, according to age at diagnosis, sex, detailed race, and Hispanic origin: United States, selected years 1985–2002	200
38. Death rates for malignant neoplasms , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	165	54. Age-adjusted cancer incidence rates for selected cancer sites, according to sex, race, and Hispanic origin: Selected geographic areas, 1990–2000	201
39. Death rates for malignant neoplasms of trachea , bronchus , and lung , according to sex, race, Hispanic origin, and age: United States, selected years 1950–2001	169	55. Five-year relative cancer survival rates for selected cancer sites, according to race and sex: Selected geographic areas, 1974–79, 1980–82, 1983–85, 1986–88, 1989–91, and 1992–98	204
40. Death rates for malignant neoplasm of breast for females, according to race, Hispanic origin, and age: United States, selected years 1950–2001	172	56. Limitation of activity caused by chronic conditions, according to selected characteristics: United States, selected years 1997–2001	205
41. Death rates for chronic lower respiratory diseases , according to sex, race, Hispanic origin, and age: United States, selected years 1980–2001	174	57. Respondent-assessed health status according to selected characteristics: United States, selected years 1991–2001	208
42. Death rates for human immunodeficiency virus (HIV) disease, according to sex, race, Hispanic origin, and age: United States, selected years 1987–2001	177	58. Suicidal ideation, suicide attempts, and injurious suicide attempts among students in grades 9–12, by sex, grade level, race, and Hispanic origin: United States,	
43. Maternal mortality for complications of pregnancy, childbirth, and the puerperium, according to race, Hispanic origin, and age: United States, selected years	170	selected years 1991–2001	210
1950–2001	179	selected years 1965–2001	212
United States, selected years 1950–2001	180	race, and education: United States, selected years 1974–2001	214
1950–2001	184		

61. Current cigarette smoking by adults according to sex, race, Hispanic origin, age, and education: United States, average annual 1990–92, 1995–98, and 1999–2001	215	74. No usual source of health care among children under 18 years of age, according to selected characteristics: United States, average annual 1993–94, 1997–98, and	
62. Use of selected substances in the past month by bersons 12 years of age and over, according to age, sex,	017	75. Emergency department visits within the past 12	244
race, and Hispanic origin: United States, 1999–2001	217	months among children under 18 years of age, according to selected characteristics: United States, selected years 1997–2001	246
eighth-, and tenth-graders, according to sex and race: United States, selected years 1980–2002	219	76. No usual source of health care among adults 18–64 years of age, according to selected characteristics:	
according to age, sex, race, and Hispanic origin: United States, selected years 1990–2001	222	United States, average annual 1993–94, 1995–96, 1999–2000, and 2000–01	249
65. Alcohol consumption by persons 18 years of age and over, according to selected characteristics: United States, selected years 1997–2001	224	77. Emergency department visits within the past 12 months among adults 18 years of age and over, according to selected characteristics: United States, selected years 1997–2001	251
66. Hypertension among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, 1988–94, and 1999–2000	227	78. Dental visits in the past year according to selected characteristics: United States, selected years 1997–2001	253
67. Serum cholesterol levels among persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80,		79. Untreated dental caries according to age, sex, race and Hispanic origin, and poverty status: United States, 1971–74, 1982–84, and 1988–94	255
1988–94, and 1999–2000	228	80. Use of mammography for women 40 years of age and over according to selected characteristics: United States, selected years 1987–2000	256
persons 20 years of age and over, according to sex, age, race, and Hispanic origin: United States, 1960–62, 1971–74, 1976–80, 1988–94, and 1999–2000	230	81. Use of Pap smears for women 18 years of age and over according to selected characteristics: United States, selected years 1987–2000	258
69. Overweight children and adolescents 6–19 years of age, according to sex, age, race, and Hispanic origin: United States, selected years 1963–65 through 1999–2000	234	82. Ambulatory care visits to physician offices and hospital outpatient and emergency departments by selected characteristics: United States, selected years 1995–2000	260
Utilization of Health Resources		83. Injury-related visits to hospital emergency departments by sex, age, and intent and mechanism of injury: United States, average annual 1995–96, 1997–98, and 1999–2000	262
Ambulatory Care		84. Ambulatory care visits to primary care and specialist	202
70. Health care visits to doctor's offices, emergency departments, and home visits within the past 12 months, according to selected characteristics: United States,		physicians, according to selected characteristics and type of physician: United States, 1980, 1990, and 2000	264
selected years 1997–2001	235	85. Substance abuse clients in specialty treatment units according to substance abused, geographic division, and State: United States, 1998–2002	266
selected diseases, according to race, Hispanic origin, poverty status, and residence in metropolitan statistical area MSA): United States, 1995–2001	238	86. Additions to mental health organizations according to type of service and organization: United States, selected	200
72. Vaccination coverage among children 19–35 months of age according to geographic division, State, and selected		years 1986–98	267
urban areas: United States, 1995–2001	240	diagnosis: United States, selected years 1992–2000	268
73. No health care visits to an office or clinic within the past 12 months among children under 18 years of age, according to selected characteristics: United States, average		88. Hospice patients , according to age, sex, and diagnosis: United States, selected years 1992–2000	269
annual 1997–98 and 2000–01	242		

Health, United States, 2003 91

Inpatient Care		103. First-year enrollment and graduates of health professions schools and number of schools, according to	205
89. Discharges , days of care, and average length of stay in short-stay hospitals, according to selected characteristics: United States, selected years 1997–2001	270	profession: United States, selected years 1980–2001 104. Total enrollment of minorities in schools for selected health occupations, according to detailed race and Hispanic	295
90. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals, according to		origin: United States, academic years 1970–71, 1980–81, 1990–91, and 2000–01	296
selected characteristics: United States, selected years 1980–2001	273	105. First-year and total enrollment of women in schools for selected health occupations, according to detailed race	
91. Discharges , days of care, and average length of stay in non-Federal short-stay hospitals for discharges with the diagnosis of human immunodeficiency virus (HIV) and for all		and Hispanic origin: United States, academic years 1971–72, 1980–81, 1990–91, and 1999–2000	298
discharges: United States, selected years 1986–2001	275	Facilities	
92. Rates of discharges and days of care in non-Federal short-stay hospitals, according to sex, age, and selected first–listed diagnoses: United States, selected years 1990–2001	276	106. Hospitals , beds, and occupancy rates, according to type of ownership and size of hospital: United States, selected years 1975–2001	299
93. Discharges and average length of stay in non-Federal short-stay hospitals, according to sex, age, and selected first-listed diagnoses: United States, selected years		107. Mental health organizations and beds for 24-hour hospital and residential treatment according to type of organization: United States, selected years 1986–98	300
1990–2001	279	108. Community hospital beds and average annual percent change, according to geographic division and State: United States, selected years 1960–2001	301
selected years 1994–2001	282	109. Occupancy rates in community hospitals and average	
95. Hospital admissions , average length of stay, and outpatient visits, according to type of ownership and size of hospital, and percent outpatient surgery: United States,		annual percent change, according to geographic division and State: United States, selected years 1960–2001	302
selected years 1975–2001	285	110. Nursing homes , beds, occupancy, and residents, according to geographic division and State: United States,	303
96. Nursing home residents 65 years of age and over, according to age, sex, and race: United States, 1973–74, 1985, 1995, and 1999	286	1995–2001	303
97. Nursing home residents 65 years of age and over, according to selected functional status and age, sex, and		Health Care Expenditures	
race: United States, 1985, 1995, and 1999	287	National Health Expenditures	
Health Care Resources		111. Total health expenditures as a percent of gross domestic product and per capita health expenditures in dollars: Selected countries and years 1960–2000	305
Personnel		112. Gross domestic product, Federal and State and local	
98. Persons employed in health service sites: United States, selected years 1970–2002	289	government expenditures, national health expenditures, and average annual percent change: United States, selected years 1960–2001	306
99. Active non-Federal physicians and doctors of medicine in patient care, according to geographic division and State: United States, 1975, 1985, 1995, and 2001	290	113. Consumer Price Index and average annual percent change for all items, selected items, and medical care components: United States, selected years 1960–2002	307
100. Doctors of medicine , according to activity and place of medical education: United States and outlying U.S. areas, selected years 1975–2001	292	114. Growth in personal health care expenditures and percent distribution of factors affecting growth: United States, 1960–2001	308
101. Doctors of medicine in primary care, according to specialty: United States and outlying U.S. areas, selected years 1949–2001	293	115. National health expenditures , average annual percent change, and percent distribution, according to type of expenditure: United States, selected years 1960–2001	309
102. Active health personnel according to occupation:	294		

116. Personal health care expenditures , according to type of expenditure and source of funds: United States, selected years 1960–2001	311	130. Health insurance coverage for persons 65 years of age and over, according to type of coverage and selected characteristics: United States, selected years	222
117. Expenditures for health care and prescribed medicine according to selected population characteristics: United States, selected years 1987–99	313	1989–2001	333
118. Sources of payment for health care according to selected population characteristics: United States, selected years 1987–99	315	United States, 1998–2001	337
119. Health care expenses paid out of pocket for persons with medical expenses by age: United States 1987, 1998, and 1999	317	and enrollment, according to model type, geographic region, and Federal program: United States, selected years 1976–2002	339
120. Expenditures for health services and supplies and percent distribution, by type of payer: United States,		133. Medical care benefits for employees of private establishments by size of establishment and occupation: United States, selected years 1990–97	340
selected calendar years 1987–2000	318	134. Medicare enrollees and expenditures and percent distribution, according to type of service: United States and other areas, selected years 1970–2001	342
selected years 1991–2002	320	135. Medicare enrollees and program payments among fee-for-service Medicare beneficiaries, according to sex and	044
and size of hospital: United States, selected years 1980–2001	321	age: United States and other areas, 1994–2000	344
123. Nursing home average monthly charges per resident and percent of residents, according to selected facility and resident characteristics: United States, 1977, 1985, 1995, 1997, and 1999	322	and 1999	345
124. Nursing home average monthly charges per resident and percent of residents, according to primary source of payments and selected facility characteristics:		United States, selected fiscal years 1972–2000	347
United States, 1985, 1995, and 1999	323	years 1972–2000	348
125. Mental health expenditures , percent distribution, and per capita expenditures, according to type of mental health organization: United States, selected years 1975–98	324	139. Department of Veterans Affairs health care expenditures and use, and persons treated according to selected characteristics: United States, selected fiscal years	250
126. Federal spending for human immunodeficiency virus (HIV)-related activities, according to agency and type of activity: United States, selected fiscal years 1985–2002	325	State Health Expenditures and Health Insura	350 nce
Health Care Coverage and Major Federal Programs		140. Personal health care per capita expenditures , by geographic region and State: United States, selected years 1991–98	351
127. Private health insurance coverage among		141. Hospital care per capita expenditures, by	
persons under 65 years of age, according to selected characteristics: United States, selected years 1984–2001	326	geographic region and State: United States, selected years 1991–98	353
128. Medicaid coverage among persons under 65 years of age, according to selected characteristics: United States,	020	capita expenditures, by geographic region and State: United States, selected years 1991–98	355
selected years 1984–2001	329	143. Nursing home care and home health care per capita expenditures, by geographic region and State:	
65 years of age, according to selected characteristics: United States, selected years 1984–2001	331	United States, selected years 1991–98	356
5 Oldiou, obliotica yours 1007 2001 11111111111	001	144. Drugs and other nondurables per capita expenditures, by geographic region and State: United States, selected years 1991–98	357

145. Medicare expenditures as a percent of total personal health care expenditures by geographic region and State: United States, 1991–98	358
146. Medicaid expenditures as a percent of total personal health care expenditures by geographic region and State: United States, 1991–98	359
147. State mental health agency per capita expenditures for mental health services and average annual percent change by geographic region and State: United States, selected fiscal years 1981–2001	360
148. Medicare enrollees, enrollees in managed care, payments per enrollee, and short-stay hospital utilization by geographic region and State: United States, 1994 and 2000	362
149. Medicaid recipients, recipients in managed care, payments per recipient, and recipients per 100 persons below the poverty level by geographic region and State: United States, selected fiscal years 1989–2000	364
150. Persons enrolled in health maintenance organizations (HMOs) by geographic region and State: United States, selected years 1980–2002	366
151. Persons under 65 years of age without health insurance coverage by State: United States, selected	367