

Persons with disabilities experiencing problems accessing this page should contact NCHSED through e-mail at nchsed@cdc.gov or by calling 301-458-4688.

ICD-10-CM INDEX TO DISEASES and INJURIES

2013 Addenda

KEY:

New or Revised text: Underlined

Deleted text: ~~Strikeout~~

A**Arteritis I77.6**

- cerebral I67.7
- - in systemic lupus erythematosus M32.19
- - in
- - - diseases classified elsewhere I68.2
- - - systemic lupus erythematosus M32.19

B**Burn (electricity) (flame) (hot gas, liquid or hot object) (radiation) (steam) (thermal) T30.0**

- eye(s) and adnexa T26.4-
- - lid - see Burn, eyelid
- - periocular area - see Burn, eyelid

C**Calculus, calculi, calculous**

- hepatobiliary K80.80
- - with obstruction K80.81

Closure

- primary angle, without glaucoma damage H40.06-

Complication(s) (from) (of)

- ear procedure - see also Disorder, ear
- - intraoperative H95.88-
- - - specified NEC H95.88-
- - postoperative H95.89-
- - - specified NEC H95.89-
- mastoid (process) procedure
- - intraoperative H95.88-
- - - specified NEC H95.88-
- - postoperative H95.89-
- - - specified NEC H95.89-
- transfusion (blood) (lymphocytes) (plasma) T80.92
- - infection T80.29
- - - acute T80.22

D**Defect, defective Q89.9**

- osteochondral NEC (see also Deformity) M95.8-

Disease, diseased - see also Syndrome

- hepatobiliary K83.9
- - toxic K71.9
- kidney (functional) (pelvis) N28.9
- - diabetic - see E08-E13 with .22
- Kimura D21.9
- - specified site (see Neoplasm, connective tissue benign)

Dislocation (articular)

- lens (complete) H27.10-

Disorder (of) - see also Disease

- ear H93.9-

- - external H61.9-
- - - specified type NEC H61.89-
- - - - in diseases classified elsewhere H62.8X-
- feeding (infant or child) (see also Disorder, eating) R63.3-
- involuntary emotional expression (IEED) F07.8948.2

Disruption (of)

- ligament(s) - see also Sprain
- - knee
- - - old (chronic) - see Derangement, knee,~~instability~~ligament, instability, chronic

E**Encephalitis (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) G04.90**

- due to
- - human immunodeficiency virus [HIV] disease B20 [G05.3]

Examination (for) (following) (general) (of) (routine) Z00.00-**F****Failure, failed**

- kidney (see also Disease, kidney, chronic) N19
- - diabetic - see E08-E13 with .22

Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological) T14.8

- femur, femoral S72.9-
- - trochanteric S72.10-
- - - apophyseal (displaced) S72.143-
- - - - nondisplaced S72.143-
- - - intertrochanteric (displaced) S72.134-
- - - - nondisplaced S72.134-

G**Gout, gouty (acute) (attack) (flare) (see also Gout, chronic) M10.9-****H****Headache R51**

- vascular NEC G44.10
- - ~~intractable~~ G44.11
- - ~~not intractable~~ G44.10

History

- personal (of) - see also History, family (of)
- - malignant neoplasm (of) Z85.9
- - - ureter Z85.54

I**Infection, infected, infective (opportunistic) B99.9**

- due to or resulting from
- - infusion, injection or transfusion NEC T80.29
- - - acute T80.22

Iridocyclitis H20.9-**K****Kimura disease D21.9**

- specified site (see Neoplasm, connective tissue benign)

Klatskin's tumor C22.14.0**L****Lesion(s) (nontraumatic)**

- lung (coin) R91.21

Leydig cell

- carcinoma

- - unspecified site
- - - female C56.9-

M

Malibu disease L98.8-**Meningoencephalitis (see also Encephalitis) G04.90**

- parasitic NEC [G05.3-B89
- parasitic NEC B89 [G05.3]

Mucinosis (cutaneous) (focal) (papular) (reticular erythematous) (skin) L98.5**Myelitis (acute) (ascending) (childhood) (chronic) (descending) (diffuse) (disseminated) (idiopathic) (pressure) (progressive) (spinal cord) (subacute) (see also Encephalitis) G04.91**

- postimmunization G04.8902
- postvaccinal G04.8902

O

Obstruction, obstructed, obstructive

- hepatobiliary K83.1

~~Opitz' disease D73.2~~**Opitz' disease D73.2****Osteoarthritis M19.90**

- hand joint M19.04-
- - first carpometacarpal joint M18.9-
- knee M17.9-

Osteonecrosis M87.9

- specified type NEC M87.80
- - rib M87.88-

P

Pain(s) (see also Painful) R52

- joint M25.50
- - foot M79.625.57-
- - toe M79.625.57-

Prostatitis (congestive) (suppurative) (with cystitis) N41.9

- fibrous N41.10
- - with hematuria N41.11
- hypertrophic N41.10
- - with hematuria N41.11
- subacute N41.10
- - with hematuria N41.11

Pseudobulbar affect (PBA) F48.82**Puerperal, puerperium (complicated by, complications)**

- hemiplegia, cerebral O99.355-
- neuritis O90.89

R

Reticular erythematous mucinosis L98.5**Reticulosis (skin)**

- polymorphic C83.8-6.0

S

Sepsis (generalized) (unspecified organism) A41.9

- MSSA (Methicillin susceptible Staphylococcus aureus) A41.01
- newborn P36.9
- - due to
- - - anaerobes NEC P36.5
- - - Escherichia coli P36.4
- - - Staphylococcus P36.30
- - - - aureus P36.2
- - - - specified NEC P36.39

- - - Streptococcus P36.10
- - - group B P36.0
- - - specified NEC P36.19
- specified NEC P36.8
- Pasteurella multocida A28.0
- pelvic, puerperal, postpartum, childbirth O85
- postprocedural T81.4
- pneumococcal A40.3
- puerperal, postpartum, childbirth (pelvic) O85
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.1
- severe R65.20
- with septic shock R65.21
- skin, localized - see Abscess
- Shigella (see also Dysentery, bacillary) A03.9
- specified organism NEC A41.89
- Staphylococcus, staphylococcal A41.2
- aureus (methicillin susceptible) (MSSA) A41.01
- - methicillin resistant (MRSA) A41.02
- coagulase-negative A41.1
- specified NEC A41.1
- Streptococcus, streptococcal A40.9
- agalactiae A40.1
- group
- - A A40.0
- - B A40.1
- - D A41.81
- neonatal P36.10
- - group B P36.0
- - specified NEC P36.19
- pneumoniae A40.3
- pyogenes A40.0
- specified NEC A40.8
- tracheostomy stoma J95.02
- tularemic A21.7
- umbilical, umbilical cord (newborn) - see Sepsis, newborn
- Yersinia pestis A20.7

MSSA (Methicillin susceptible Staphylococcus aureus) A41.01

- newborn P36.9
- due to
- - anaerobes NEC P36.5
- - Escherichia coli P36.4
- - Staphylococcus P36.30
- - - aureus P36.2
- - - specified NEC P36.39
- - Streptococcus P36.10
- - - group B P36.0
- - - specified NEC P36.19
- specified NEC P36.8
- Pasteurella multocida A28.0
- pelvic, puerperal, postpartum, childbirth O85
- postprocedural T81.4
- pneumococcal A40.3
- puerperal, postpartum, childbirth (pelvic) O85
- Salmonella (arizonae) (cholerae-suis) (enteritidis) (typhimurium) A02.1
- severe R65.20
- with septic shock R65.21
- skin, localized - see Abscess
- Shigella (see also Dysentery, bacillary) A03.9
- specified organism NEC A41.89
- Staphylococcus, staphylococcal A41.2

- aureus (methicillin-susceptible) (MSSA) A41.01
- methicillin-resistant (MRSA) A41.02
- coagulase-negative A41.1
- specified NEC A41.1
- Streptococcus, streptococcal A40.9
- agalactiae A40.1
- group
- A A40.0
- B A40.1
- D A41.81
- neonatal P36.10
- group B P36.0
- specified NEC P36.19
- pneumoniae A40.3
- pyogenes A40.0
- specified NEC A40.8
- tracheostomy stoma J95.02
- tularemic A21.7
- umbilical, umbilical cord (newborn) - see Sepsis, newborn
- Yersinia pestis A20.7

T

Tenosynovitis (see also Synovitis) M65.9

- specified type NEC M65.88-

Tetraplegia (chronic) (see also Quadriplegia) G82.50-

Tuberculosis, tubercular, tuberculous (calcification) (calcified) (caseous) (chromogenic acid-fast bacilli) (degeneration) (fibrocaseous) (fistula) (interstitial) (isolated circumscribed lesions) (necrosis) (parenchymatous) (ulcerative) A15.9

- latent R76.11

Tumor - see also Neoplasm, unspecified behavior, by site

- Klatskin's ~~C22.14.0~~

Twiddler's syndrome (due to)

- automatic implantable defibrillator ~~T82.198~~
- automatic implantable defibrillator T82.198

X

Xanthoma(s), xanthomatosis (primary) (familial) (hereditary) E75.5

- bone (generalisata) C96.5