

ICD-10-CM INDEX to DISEASES and INJURIES

2019 Addenda

No Change

A

No Change

Abnormal, abnormality, abnormalities - see also Anomaly

No Change

- diagnostic imaging

Revise from

- - genitourinary organs R93.8

Revise to

- - genitourinary organs R93.89

Revise from

- - intrathoracic organ NEC R93.8

Revise to

- - intrathoracic organ NEC R93.89

Revise from

- - site specified NEC R93.8

Revise to

- - site specified NEC R93.89

Revise from

- - skin and subcutaneous tissue R93.8

Revise to

- - skin and subcutaneous tissue R93.89

Add

- - testis R93.81-

Revise from

- thermography (see also Abnormal, diagnostic imaging) R93.8

Revise to

- thermography (see also Abnormal, diagnostic imaging) R93.89

No Change

- urine (constituents) R82.90

Revise from

- - specified substance NEC R82.99

Revise to

- - specified substance NEC R82.998

No Change

Abscess (connective tissue) (embolic) (fistulous) (infective) (metastatic) (multiple) (pernicious) (pyogenic) (septic) L02.91

Revise from

- appendix K35.3

Revise to

- appendix K35.33

Revise from

- cecum K35.3

Revise to

- cecum K35.33

Revise from

- gingival - see Peridontitis, aggressive, localized

Revise to

- gingival - see Peridontitis, localized

Revise from

- gum - see Peridontitis, aggressive, localized

Revise to

- gum - see Peridontitis, localized

Add

- horseshoe K61.31

Revise from

- ileocecal K35.3

Revise to

- - ileocecal K35.33

No Change

- iliac (region) L02.214

Revise from

- - fossa K35.3

Revise to

- - fossa K35.33

Add

- intersphincteric K61.4

No Change

- intra-abdominal (see also Abscess, peritoneum) K65.1

Add

- - following procedure T81.43

Add

- - - obstetrical O86.03

Revise from

- - postprocedural T81.4

Revise to

- - postprocedural T81.49

Add

- intramuscular, following procedure T81.42

Add

- - obstetrical O86.02

Revise from

- ischiorectal (fossa) K61.3

Revise to

- ischiorectal (fossa) (specified NEC) K61.39

Revise from

- operative wound T81.4

Revise to

- operative wound T81.49

Revise from

- periappendicular K35.3

Revise to

- periappendicular K35.33

Revise from

- pericecal K35.3

Revise to

- pericecal K35.33

No Change

- peritoneum, peritoneal (perforated) (ruptured) K65.1

Revise from

- - with appendicitis K35.3

Revise to

- - with appendicitis (see also Appendicitis) K35.33

Revise from

- - postoperative T81.4

- Revise to* - - postoperative T81.49
Revise from - perityphlic K35.3
Revise to - perityphlic K35.33
Revise from - postcecal K35.3
Revise to - postcecal K35.33
Revise from - postoperative (any site) T81.4
Revise to - postoperative (any site) (see also Infection, postoperative wound) T81.49
Revise from - stitch T81.4
Revise to - stitch T81.41
Add - - following an obstetrical procedure O86.01
Revise from - subcecal K35.3
Revise to - subcecal K35.33
No Change - subcutaneous - see also Abscess, by site
Add - - following procedure T81.41
Add - - - obstetrical O86.01
Add - sub-fascial, following an obstetrical procedure O86.02
No Change - subphrenic K65.1
Add - - following an obstetrical procedure O86.03
Revise from - - postoperative T81.4
Revise to - - postoperative T81.43
Add - supralevator K61.5
Revise from - vermiform appendix K35.3
Revise to - vermiform appendix K35.33
Revise from - wound T81.4
Revise to - wound T81.49
No Change
Absorption
No Change - drug NEC - see Table of Drugs and Chemicals
No Change - - addictive
Revise from - - - through placenta (newborn) P04.49
Revise to - - - through placenta (newborn) (see also Newborn, affected by, maternal, use of) P04.40
Add - - - hallucinogens P04.42
Add - - - specified drug NEC P04.49
No Change - - medicinal
Revise from - - - through placenta (newborn) P04.1
Revise to - - - through placenta (newborn) P04.19
Revise from - - through placenta (newborn) P04.1
Revise to - - through placenta (newborn) P04.19
No Change
Accessory (congenital)
Revise from - uterus Q51.2
Revise to - uterus Q51.28
No Change **Acidosis (lactic) (respiratory)** E87.2
No Change - metabolic NEC E87.2
Add - - hyperchloremic, of newborn P74.421
No Change
Aciduria
Add - 4-hydroxybutyric E72.81
Add - gamma-hydroxybutyric E72.81
No Change **Admission (for)** - see also Encounter (for)
No Change - examination at health care facility (adult) (see also Examination) Z00.00
No Change - - hearing Z01.10
Add - - - infant or child (over 28 days old) Z00.129
Add - - - - with abnormal findings Z00.121
No Change - - vision Z01.00
Add - - - infant or child (over 28 days old) Z00.129
Add - - - - with abnormal findings Z00.121
No Change - vision examination Z01.00
Add - - infant or child (over 28 days old) Z00.129
Add - - - with abnormal findings Z00.121
No Change
Alkalosis E87.3
No Change - metabolic E87.3
Add - - of newborn P74.41

Revise from **Angelman syndrome** Q93.5
Revise to **Angelman syndrome** Q93.51
Revise from **Angiocholitis (see also Cholecystitis, acute)** K83.0
Revise to **Angiocholitis (see also Cholecystitis, acute)** K83.09
No Change **Appendicitis (pneumococcal) (retrocecal)** K37
- with
- - perforation or rupture K35.2
Add - - gangrene K35.891
Add - - perforation NOS K35.32
Revise from - - peritoneal abscess K35.3
Revise to - - peritoneal abscess K35.33
Revise from - - peritonitis NEC K35.3
Revise to - - peritonitis NEC K35.33
- - generalized (with perforation or rupture) K35.2
Revise to - - - generalized (with perforation or rupture) K35.20
Add - - - - with abscess K35.21
Revise from - - - localized (with perforation or rupture) K35.3
Revise to - - - localized K35.30
Add - - - - with
Add - - - - gangrene K35.31
Add - - - - perforation K35.32
Add - - - - and abscess K35.33
Add - - - - rupture (with localized peritonitis) K35.32
No Change - acute (catarrhal) (fulminating) (gangrenous) (obstructive) (retrocecal) (suppurative) K35.80
No Change - - with
Add - - - gangrene K35.891
Revise from - - - peritoneal abscess K35.3
Revise to - - - peritoneal abscess K35.33
Revise from - - - peritonitis NEC K35.3
Revise to - - - peritonitis NEC K35.33
- - - - generalized (with perforation or rupture) K35.2
Revise to - - - - generalized (with perforation or rupture) K35.20
Add - - - - - with abscess K35.21
Revise from - - - - localized (with perforation or rupture) K35.3
Revise to - - - - localized K35.30
Add - - - - with
Add - - - - - gangrene K35.31
Add - - - - - perforation K35.32
Add - - - - - and abscess K35.33
Revise from - - specified NEC K35.89
Revise to - - specified NEC K35.890
Add - - - with gangrene K35.891
Add - ruptured NOS (with localized peritonitis) K35.32
No Change **Arteriopathy** I77.9
- cerebral autosomal dominant, with subcortical infarcts and leukoencephalopathy (CADASIL) I67.850
Atrophy, atrophic (of)
- fascioscapulohumeral (Landouzy- Déjérine) G71.0
- fascioscapulohumeral (Landouzy- Déjérine) G71.02
- Landouzy-Déjérine G71.0
- Landouzy-Déjérine G71.02
No Change - muscle, muscular (diffuse) (general) (idiopathic) (primary) M62.50
Revise from - - pseudohypertrophic G71.0
Revise to - - pseudohypertrophic G71.02
Revise from - pseudohypertrophic (muscle) G71.0
Revise to - pseudohypertrophic (muscle) G71.02

B

No Change **Balanitis (circinata) (erosiva) (gangrenosa) (phagedenic) (vulgaris)** N48.1
Revise from - gonococcal (acute) (chronic) A54.09

Revise to - gonococcal (acute) (chronic) A54.23
No Change **Balanoposthitis** N47.6
Revise from - gonococcal (acute) (chronic) A54.09
Revise to - gonococcal (acute) (chronic) A54.23
No Change **Becker's**
Revise from - dystrophy G71.0
Revise to - dystrophy G71.01
No Change **Bell's**
Revise from - spasm G51.3
Revise to - spasm G51.3-
No Change **Blepharitis (angularis) (ciliaris) (eyelid) (marginal) (nonulcerative)** H01.009
No Change - left H01.006
Add - - upper and lower H01.00B
No Change - right H01.003
Add - - upper and lower H01.00A
No Change - squamous H01.029
No Change - - left H01.026
Add - - - upper and lower H01.02B
No Change - - right H01.023
Add - - - upper and lower H01.02A
No Change - ulcerative H01.019
No Change - - left H01.016
Add - - - upper and lower H01.01B
No Change - - right H01.013
Add - - - upper and lower H01.01A
No Change **Bruise (skin surface intact)** - see also Contusion
No Change - with
Revise from - - open wound - see Wound, ope
Revise to - - open wound - see Wound, open

C

Add **CADASIL (cerebral autosomal dominant arteriopathy with subcortical infarcts and leukoencephalopathy)** I67.850
Revise from **Calciuria** R82.99
Revise to **Calciuria** R82.994
No Change **Cardiomyopathy (familial) (idiopathic)** I42.9
No Change - due to
Revise from - - progressive muscular dystrophy G71.0 [I43]
Revise to - - progressive muscular dystrophy G71.09 [I43]
Delete **Carotinemia (dietary)** E67.1
Delete **Carotinosis (cutis) (skin)** E67.1
Add **Carotenemia (dietary)** E67.1
Add **Carotenosis (cutis) (skin)** E67.1
Revise from **Casts in urine** R82.99
Revise to **Casts in urine** R82.998
No Change **Cell(s), cellular** - see also condition
Revise from - in urine R82.99
Revise to - in urine R82.998
No Change **Cellulitis (diffuse) (phlegmonous) (septic) (suppurative)** L03.90
Revise from - drainage site (following operation) T81.4
Revise to - drainage site (following operation) T81.49
Revise from **Cholangiolitis (acute) (chronic) (extrahepatic) (gangrenous) (intrahepatic)** K83.0
Revise to **Cholangiolitis (acute) (chronic) (extrahepatic) (gangrenous) (intrahepatic)** K83.09
Revise from **Cholangitis (ascending) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative)** K83.0
Revise to **Cholangitis (ascending) (recurrent) (secondary) (stenosing) (suppurative)** K83.09
Add - primary K83.09
Add - - sclerosing K83.01
Add - - sclerosing K83.09
No Change **Cholecystitis** K81.9

No Change - with
Add -- gangrene of gallbladder K82.A1
Add -- perforation of gallbladder K82.A2
Revise from **Choledochitis (suppurative)** K83.0
Revise to **Choledochitis (suppurative)** K83.09
No Change **Coma** R40.20
No Change - with
No Change -- motor response (none) R40.231
Add --- score of
Add ---- 1 R40.231
Add ---- 2 R40.232
Add ---- 3 R40.233
Add ---- 4 R40.234
Add ---- 5 R40.235
Add ---- 6 R40.236
No Change -- opening of eyes (never) R40.211
Add --- score of
Add ---- 1 R40.211
Add ---- 2 R40.212
Add ---- 3 R40.213
Add ---- 4 R40.214
No Change -- verbal response (none) R40.221
Add --- score of
Add ---- 1 R40.221
Add ---- 2 R40.222
Add ---- 3 R40.223
Add ---- 4 R40.224
Add ---- 5 R40.225
No Change **Complication(s) (from) (of)**
No Change - cesarean delivery wound NEC O90.89
Revise from -- infection (following delivery) O86.0
Revise to -- infection (following delivery) O86.00
No Change - obstetric O75.9
No Change -- surgical wound NEC O90.89
Revise from --- infection O86.0
Revise to --- infection O86.00
No Change - perineal repair (obstetrical) NEC O90.89
Revise from -- infection (following delivery) O86.0
Revise to -- infection (following delivery) O86.09
No Change - surgical procedure (on) T81.9
Revise from -- stitch abscess T81.4
Revise to -- stitch abscess T81.41
Revise from -- wound infection T81.4
Revise to -- wound infection T81.49
No Change - transfusion (blood) (lymphocytes) (plasma) T80.92
No Change -- incompatibility reaction (antigen unspecified) T80.919
Revise from --- Non-ABO (minor antigens (Duffy) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)) T80.A0
Revise to --- Non-ABO (minor antigens (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S)) T80.A0
Revise from **Concealed penis** Q55.69
Revise to **Concealed penis** Q55.64
No Change **Conjunctivitis (staphylococcal) (streptococcal) NOS** H10.9
No Change - in (due to)
Revise from -- rosacea L71.9
Revise to -- rosacea H10.82-
Revise from - rosacea L71.9
Revise to - rosacea H10.82-
No Change **Contact (with)** - see also Exposure (to)
No Change - communicable disease Z20.9
Add -- Zika virus Z20.821
Add - Zika virus Z20.821

<i>Revise from</i>	Crystalluria R82.99
<i>Revise to</i>	Crystalluria R82.998
<i>Revise from</i>	Cylindruria R82.99
<i>Revise to</i>	Cylindruria R82.998
<i>No Change</i>	Cyst (colloid) (mucous) (simple) (retention)
<i>Revise from</i>	- eye NEC H57.8
<i>Revise to</i>	- eye NEC H57.89
 <i>No Change</i>	D
<i>No Change</i>	Defect, defective Q89.9
<i>Add</i>	- GABA (gamma aminobutyric acid) metabolic E72.81
<i>No Change</i>	Deficiency, deficient
<i>Add</i>	- GABA (gamma aminobutyric acid) transaminase E72.81
<i>Add</i>	- GABA-T (gamma aminobutyric acid transaminase) E72.81
<i>Add</i>	- multiple sulfatase (MSD) E75.26
<i>Add</i>	- plasminogen (type 1) (type 2) E88.02
<i>Add</i>	- succinic semialdehyde dehydrogenase E72.81
<i>Revise from</i>	- sulfatase E75.29
<i>Revise to</i>	- sulfatase E75.26
<i>No Change</i>	Deletion(s)
<i>No Change</i>	- chromosome
<i>Revise from</i>	- - part of NEC Q93.5
<i>Revise to</i>	- - part of NEC Q93.59
<i>No Change</i>	Dependence (on) (syndrome) F19.20
<i>No Change</i>	- drug NEC F19.20
<i>No Change</i>	- - cannabis F12.20
<i>No Change</i>	- - - with
<i>Add</i>	- - - withdrawal F12.23
<i>No Change</i>	Depression (acute) (mental) F32.9
<i>Revise from</i>	- postnatal F53
<i>Revise to</i>	- postnatal (NOS) F53.0
<i>Revise from</i>	- postpartum F53
<i>Revise to</i>	- postpartum (NOS) F53.0
<i>No Change</i>	Disease, diseased - see also Syndrome
<i>Add</i>	- autoinflammatory M04.9
<i>Add</i>	- - NOD2-associated M04.8
<i>Add</i>	- - specified type NEC M04.8
<i>No Change</i>	- cerebrovascular I67.9
<i>Add</i>	- - hereditary NEC I67.858
<i>Revise from</i>	- Duchenne-Griesinger G71.0
<i>Revise to</i>	- Duchenne-Griesinger G71.01
<i>No Change</i>	- Duchenne's
<i>Revise from</i>	- - muscular dystrophy G71.0
<i>Revise to</i>	- - muscular dystrophy G71.01
<i>Revise from</i>	- - pseudohypertrophy, muscles G71.0
<i>Revise to</i>	- - pseudohypertrophy, muscles G71.01
<i>Revise from</i>	- Erb (-Landouzy) G71.0
<i>Revise to</i>	- Erb (-Landouzy) G71.02
<i>No Change</i>	- eye H57.9
<i>Revise from</i>	- - inflammatory NEC H57.8
<i>Revise to</i>	- - inflammatory NEC H57.89
<i>Revise from</i>	- - specified NEC H57.8
<i>Revise to</i>	- - specified NEC H57.89
<i>No Change</i>	- hemolytic (newborn) P55.9
<i>No Change</i>	- - due to or with
<i>No Change</i>	- - - incompatibility
<i>Revise from</i>	- - - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC P55.8
<i>Revise to</i>	- - - blood (group) (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (S) NEC P55.8
<i>No Change</i>	- Zika virus A92.5

Add - - congenital P35.4
No Change **Dislocation (articular)**
No Change - interphalangeal (joint(s))
No Change - - thumb S63.12-
Delete - - - distal joint S63.14-
Delete - - - proximal joint S63.13-
No Change **Disorder (of) - see also Disease**
No Change - amino-acid
No Change - - metabolism - see Disturbance, metabolism, amino-acid
Revise from - - - specified NEC E72.8
Revise to - - - specified NEC E72.89
Revise from - beta-amino-acid metabolism E72.8
Revise to - beta-amino-acid metabolism E72.89
Revise from - factitious F68.10
Revise to - factitious
Delete - - with predominantly
Delete - - - psychological symptoms F68.11
Delete - - - - with physical symptoms F68.13
Delete - - - physical symptoms F68.12
Delete - - - - with psychological symptoms F68.13
Add - - by proxy F68.A
Add - - imposed on another F68.A
Add - - imposed on self F68.10
Add - - - with predominantly
Add - - - - psychological symptoms F68.11
Add - - - - with physical symptoms F68.13
Add - - - physical symptoms F68.12
Add - - - - with psychological symptoms F68.13
Add - gamma aminobutyric acid (GABA) metabolism E72.81
Revise from - gamma-glutamyl cycle E72.8
Revise to - gamma-glutamyl cycle E72.89
No Change - glycine metabolism E72.50
Revise from - - hyperoxaluria E72.53
Revise to - - hyperoxaluria R82.992
Add - - - primary E72.53
No Change - mental (or behavioral) (nonpsychotic) F99
Revise from - - puerperal F53
Revise to - - puerperal F53.0
No Change - metabolism NOS E88.9
No Change - - amino-acid E72.9
No Change - - - glycine E72.50
Revise from - - - - hyperoxaluria E72.53
Revise to - - - - hyperoxaluria R82.992
Add - - - - primary E72.53
Revise from - - - other specified E72.8
Revise to - - - other specified E72.89
Revise from - - - - beta-amino acid E72.8
Revise to - - - - beta-amino acid E72.89
Revise from - - - - gamma-glutamyl cycle E72.8
Revise to - - - - gamma-glutamyl cycle E72.89
Revise from - - - straight-chain E72.8
Revise to - - - straight-chain E72.89
Revise from - - glutamine E72.8
Revise to - - glutamine E72.89
Revise from - - serine E72.8
Revise to - - serine E72.89
Revise from - - threonine E72.8
Revise to - - threonine E72.89
No Change **Dissection**
Revise from - precerbral artery, congenital (nonruptured) Q28.1

- Revise to* - precerebral artery, congenital (nonruptured) Q28.1
No Change **Disturbance(s)** - see also Disease
No Change - electrolyte - see also Imbalance, electrolyte
Revise from - - newborn, transitory P74.4
Revise to - - newborn, transitory P74.49
Add - - - hyperchloremia P74.421
Add - - - hyperchloremic metabolic acidosis P74.421
Add - - - hypochloremia P74.422
Revise from - - - potassium balance P74.3
Revise to - - - potassium balance
Add - - - - hyperkalemia P74.31
Add - - - - hypokalemia P74.32
Revise from - - - sodium balance P74.2
Revise to - - - sodium balance
Add - - - - hypernatremia P74.21
Add - - - - hyponatremia P74.22
Revise from - - - specified type NEC P74.4
Revise to - - - specified type NEC P74.49
No Change - metabolism E88.9
No Change - - amino-acid E72.9
Revise from - - - straight-chain E72.8
Revise to - - - straight-chain E72.89
Revise from - - glutamine E72.8
Revise to - - glutamine E72.89
Revise from - - threonine E72.8
Revise to - - threonine E72.89
Revise from - - potassium balance, newborn P74.3
Revise to - - potassium balance, newborn
Add - - hyperkalemia P74.31
Add - - hypokalemia P74.32
Revise from - - sodium balance, newborn P74.2
Revise to - - sodium balance, newborn
Add - - hypernatremia P74.21
Add - - hyponatremia P74.22
No Change **Double**
Revise from - uterus Q51.2
Revise to - uterus Q51.20
Add - - complete Q51.21
Add - - partial Q51.22
Add - - specified NEC Q51.28
Revise from **Duchenne-Griesinger disease** G71.0
Revise to **Duchenne-Griesinger disease** G71.01
No Change **Duchenne's**
No Change - disease or syndrome
Revise from - - muscular dystrophy G71.0
Revise to - - muscular dystrophy G71.01
No Change - paralysis
No Change - - due to or associated with
Revise from - - - muscular dystrophy G71.0
Revise to - - - muscular dystrophy G71.01
No Change **Dysfunction**
No Change - gland, glandular NOS E34.9
Add - - meibomian, of eyelid - see Dysfunction, meibomian gland
Add - - meibomian gland, of eyelid H02.889
Add - - left H02.886
Add - - - lower H02.885
Add - - - upper H02.884
Add - - - upper and lower eyelids H02.88B
Add - - right H02.883
Add - - - lower H02.882

Add - - - upper H02.881
Add - - - upper and lower eyelids H02.88A
Add **Dysplasminogenemia** E88.02
No Change **Dystonia** G24.9
Add - cervical G24.3
No Change **Dystrophy, dystrophia**
- autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker G71.01
Revise from - Becker's type G71.0
Revise to - Becker's type G71.01
Revise from - Duchenne's type G71.0
Revise to - Duchenne's type G71.01
Revise from - Erb's G71.0
Revise to - Erb's G71.02
Revise from - Gower's muscular G71.0
Revise to - Gower's muscular G71.01
Revise from - Landouzy-Déjérine G71.0
Revise to - Landouzy-Déjérine G71.02
Revise from - Leyden-Möbius G71.0
Revise to - Leyden-Möbius G71.09
Revise from - muscular G71.0
Revise to - muscular G71.00
Add - - autosomal recessive, childhood type, muscular dystrophy resembling Duchenne or Becker G71.01
Revise from - - benign (Becker type) G71.0
Revise to - - benign (Becker type) G71.01
Add - - - scapuloperoneal with early contractures [Emery-Dreifuss] G71.09
Revise from - - congenital (hereditary) (progressive) (with specific morphological abnormalities of the muscle fiber) G71.0
Revise to - - congenital (hereditary) (progressive) (with specific morphological abnormalities of the muscle fiber) G71.09
Revise from - - distal G71.0
Revise to - - distal G71.09
Revise from - - Duchenne type G71.0
Revise to - - Duchenne type G71.01
Revise from - - Emery-Dreifuss G71.0
Revise to - - Emery-Dreifuss G71.09
Revise from - - Erb type G71.0
Revise to - - Erb type G71.02
Revise from - - facioscapulohumeral G71.0
Revise to - - facioscapulohumeral G71.02
Revise from - - Gower's G71.0
Revise to - - Gower's G71.01
Revise from - - hereditary (progressive) G71.0
Revise to - - hereditary (progressive) G71.09
Revise from - - Landouzy-Déjérine type G71.0
Revise to - - Landouzy-Déjérine type G71.02
Revise from - - limb-girdle G71.0
Revise to - - limb-girdle G71.09
Revise from - - progressive (hereditary) G71.0
Revise to - - progressive (hereditary) G71.09
Revise from - - pseudohypertrophic (infantile) G71.0
Revise to - - pseudohypertrophic (infantile) G71.01
Add - - scapulohumeral G71.02
Add - - scapuloperoneal G71.09
Revise from - - severe (Duchenne type) G71.0
Revise to - - severe (Duchenne type) G71.01
Add - - specified type NEC G71.09
Revise from - ocular G71.0
Revise to - ocular G71.09
Revise from - oculopharyngeal G71.0
Revise to - oculopharyngeal G71.09
Revise from - scapuloperoneal G71.0
Revise to - scapuloperoneal G71.09

E

No Change	Ectropion H02.109 - eyelid (paralytic) H02.109
Revise from	- eyelid H02.109
Revise to	- - paralytic H02.159
Add	- - - left H02.156
Add	- - - lower H02.155
Add	- - - upper H02.154
Add	- - - right H02.153
Add	- - - lower H02.152
Add	- - - upper H02.151
No Change	Elevated, elevation
Revise from	- lipoprotein a level E78.8
Revise to	- lipoprotein a (Lp(a)) level E78.41
Add	- Lp(a) (lipoprotein(a)) E78.41
No Change	Enteritis (acute) (diarrheal) (hemorrhagic) (noninfective) K52.9
No Change	- allergic K52.29
No Change	- - with
Add	- - - FPIES K52.21
No Change	Enteropathy K63.9
Revise from	- food protein-induced enterocolitis K52.22
Revise to	- food protein-induced enterocolitis (FPIES) K52.22
No Change	Erb's
Revise from	- disease G71.0
Revise to	- disease G71.02
Revise from	- pseudohypertrophic muscular dystrophy G71.0
Revise to	- pseudohypertrophic muscular dystrophy G71.02
Revise from	Ewing's sarcoma or tumor - - see Neoplasm, bone, malignant
Revise to	Ewing's sarcoma or tumor - see Neoplasm, bone, malignant
No Change	Examination (for) (following) (general) (of) (routine) Z00.00
Add	- forced sexual exploitation Z04.81
Add	- forced labor exploitation Z04.82
No Change	- hearing Z01.10
Add	- - infant or child (over 28 days old) Z00.129
Add	- - - with abnormal findings Z00.121
No Change	- medical (adult) (for) (of) Z00.00
Revise from	- - medicolegal reasons NEC Z04.8
Revise to	- - medicolegal reasons NEC Z04.89
Revise from	- medicolegal reason NEC Z04.8
Revise to	- medicolegal reason NEC Z04.89
Add	- - following
Add	- - - forced sexual exploitation Z04.81
Add	- - - forced labor exploitation Z04.82
Revise from	- specified type or reason NEC Z04.8
Revise to	- specified type or reason NEC Z04.89
No Change	- vision Z01.00
Add	- - infant or child (over 28 days old) Z00.129
Add	- - - with abnormal findings Z00.121
No Change	Exposure (to) (see also Contact, with) T75.89
No Change	- communicable disease Z20.9
Add	- - Zika virus Z20.821
Add	- Zika virus Z20.821
Revise from	Extrauterine gestation or pregnancy - - see Pregnancy, by site
Revise to	Extrauterine gestation or pregnancy - see Pregnancy, by site

F

Revise from	Fascioscapulohumeral myopathy G71.0
-------------	--

<i>Revise to</i>	Fascioscapulohumeral myopathy G71.02
<i>No Change</i>	Fever (inanition) (of unknown origin) (persistent) (with chills) (with rigor) R50.9
<i>Revise from</i>	- Charcot's (biliary) (hepatic) (intermittent) - - see Calculus, bile duct
<i>Revise to</i>	- Charcot's (biliary) (hepatic) (intermittent) - see Calculus, bile duct
<i>No Change</i>	- postoperative R50.82
<i>Revise from</i>	- - due to infection T81.4
<i>Revise to</i>	- - due to infection T81.40
<i>No Change</i>	- rheumatic (active) (acute) (chronic) (subacute) I00
<i>No Change</i>	- - inactive or quiescent with
<i>Revise from</i>	- - - heart failure (congestive) (conditions in I50.) I09.81
<i>Revise to</i>	- - - heart failure (congestive) (conditions in category I50.) I09.81
<i>Revise from</i>	Fibrodysplasia ossificans progressiva - - see Myositis, ossificans, progressiva
<i>Revise to</i>	Fibrodysplasia ossificans progressiva - see Myositis, ossificans, progressiva
<i>No Change</i>	Findings, abnormal, inconclusive, without diagnosis - see also Abnormal
<i>Revise from</i>	- casts, urine R82.99
<i>Revise to</i>	- casts, urine R82.998
<i>Revise from</i>	- cells, urine R82.99
<i>Revise to</i>	- cells, urine R82.998
<i>Revise from</i>	- crystals, urine R82.99
<i>Revise to</i>	- crystals, urine R82.998
<i>Revise from</i>	- electrolyte level, urinary R82.99
<i>Revise to</i>	- electrolyte level, urinary R82.998
<i>Revise from</i>	- mediastinal shift R93.8
<i>Revise to</i>	- mediastinal shift R93.89
<i>Revise from</i>	- melanin, urine R82.99
<i>Revise to</i>	- melanin, urine R82.998
<i>Revise from</i>	- radiologic (X-ray) R93.8
<i>Revise to</i>	- radiologic (X-ray) R93.89
<i>Revise from</i>	- - genitourinary organs R93.8
<i>Revise to</i>	- - genitourinary organs R93.89
<i>Revise from</i>	- - placenta R93.8
<i>Revise to</i>	- - placenta R93.89
<i>Revise from</i>	- - skin R93.8
<i>Revise to</i>	- - skin R93.89
<i>Revise from</i>	- - subcutaneous tissue R93.8
<i>Revise to</i>	- - subcutaneous tissue R93.89
<i>Add</i>	- - testis R93.81-
<i>No Change</i>	- urine R82.90
<i>Revise from</i>	- - casts or cells R82.99
<i>Revise to</i>	- - casts or cells R82.998
<i>No Change</i>	Fistula (cutaneous) L98.8
<i>Revise from</i>	- ischiorectal (fossa) K61.3
<i>Revise to</i>	- ischiorectal (fossa) K61.39
<i>Add</i>	FPIES (food protein-induced enteropathy syndrome) K52.21
<i>No Change</i>	Fracture, traumatic (abduction) (adduction) (separation) (see also Fracture, pathological) T14.8
<i>No Change</i>	- finger (except thumb) S62.60-
<i>No Change</i>	- - index S62.60-
<i>Revise from</i>	- - - medial phalanx (displaced) S62.62-
<i>Revise to</i>	- - - middle phalanx (displaced) S62.62-
<i>No Change</i>	- - little S62.60-
<i>Revise from</i>	- - - medial phalanx (displaced) S62.62-
<i>Revise to</i>	- - - middle phalanx (displaced) S62.62-
<i>Revise from</i>	- - medial phalanx (displaced) S62.62-
<i>Revise to</i>	- - middle phalanx (displaced) S62.62-
<i>No Change</i>	- - middle S62.60-
<i>Revise from</i>	- - - medial phalanx (displaced) S62.62-
<i>Revise to</i>	- - - middle phalanx (displaced) S62.62-
<i>No Change</i>	- - ring S62.60-
<i>Revise from</i>	- - - medial phalanx (displaced) S62.62-
<i>Revise to</i>	- - - middle phalanx (displaced) S62.62-

	G
No Change	Gangrene, gangrenous (connective tissue) (dropsical) (dry) (moist) (skin) (ulcer) (see also Necrosis) I96
No Change	- appendix K35.80
No Change	- - with
Delete	- - - perforation or rupture K35.2
Delete	- - - peritoneal abscess K35.3
Delete	- - - peritonitis NEC K35.3
Delete	- - - - generalized (with perforation or rupture) K35.2
Delete	- - - - localized (with perforation or rupture) K35.3
Add	- - - peritonitis, localized (see also Appendicitis) K35.31
No Change	Gower's
Revise from	- muscular dystrophy G71.0
Revise to	- muscular dystrophy G71.01

	H
Revise from	Happy puppet syndrome Q93.5
Revise to	Happy puppet syndrome Q93.51
No Change	Hearing examination Z01.10
Add	- infant or child (over 28 days old) Z00.129
Add	- - with abnormal findings Z00.121
No Change	Hemorrhage, hemorrhagic (concealed) R58
Revise from	- eye NEC H57.8
Revise to	- eye NEC H57.89
No Change	History
No Change	- family (of) - see also History, personal (of)
No Change	- - disease or disorder (of)
Add	- - - elevated lipoprotein(a) (Lp(a)) Z83.430
Add	- - - lipoprotein metabolism Z83.438
Add	- - elevated lipoprotein(a) (Lp(a)) Z83.430
Add	- - hyperlipidemia, familial combined Z83.438
Add	- - lipidemia NEC Z83.438
No Change	- personal (of) - see also History, family (of)
No Change	- - abuse
No Change	- - - childhood Z62.819
Add	- - - - forced labor or sexual exploitation in childhood Z62.813
No Change	- - - adult Z91.419
Add	- - - - forced labor or sexual exploitation Z91.42
Add	- - forced labor or sexual exploitation Z91.42
Add	- - - in childhood Z62.813
Add	Hyperbicarbonatemia P74.41
Revise from	Hypercalciuria, idiopathic E83.52
Revise to	Hypercalciuria, idiopathic R82.994
Delete	Hypercarotenemia, hypercarotinemia (dietary) E67.1
Add	Hypercarotenemia (dietary) E67.1
No Change	Hyperlipemia, hyperlipidemia E78.5
No Change	- combined E78.2
Revise from	- - familial E78.4
Revise to	- - familial E78.49
Revise from	- specified NEC E78.4
Revise to	- specified NEC E78.49
Revise from	Hyperoxaluria (primary) E72.53
Revise to	Hyperoxaluria R82.992
Add	- primary E72.53
No Change	Hypertension, hypertensive (accelerated) (benign) (essential) (idiopathic) (malignant) (systemic) I10
Delete	- transient, of pregnancy O13.-
Add	- transient R03.0

Add - - of pregnancy O13.-
No Change **Hypertrophy, hypertrophic**
Revise from - pseudomuscular G71.0
Revise to - pseudomuscular G71.09
Add **Hyperuricosuria** R82.993
Add **Hypocitraturia** R82.991
Add **Hypoplasminogenemia** E88.02

No Change **I**

No Change **Imbalance** R26.89
No Change - electrolyte E87.8
Revise from - - neonatal, transitory NEC P74.4
Revise to - - neonatal, transitory NEC P74.49
Revise from - - - potassium P74.3
Revise to - - - potassium
Add - - - hyperkalemia P74.31
Add - - - hypokalemia P74.32
Revise from - - - sodium P74.2
Revise to - - - sodium
Add - - - hypernatremia P74.21
Add - - - hyponatremia P74.22
No Change **Immunization** - see also Vaccination
Add - appropriate for age
Add - - child (over 28 days old) Z00.129
Add - - - with abnormal findings Z00.121
No Change - not done (not carried out) Z28.9
No Change - - because (of)
Add - - - delay in delivery of vaccine Z28.83
Add - - - lack of availability of vaccine Z28.83
Add - - - manufacturer delay of vaccine Z28.83
Add - - - unavailability of vaccine Z28.83
No Change **Incompatibility**
Revise from - blood (group) (Duffy) (K(ell)) (Kidd) (Lewis) (M) (S) NEC
Revise to - blood (group) (Duffy) (K) (Kell) (Kidd) (Lewis) (M) (S) NEC
No Change **Infarct, infarction**
No Change - cerebral (see also Occlusion, artery cerebral or precerebral, with infarction) I63.9-
No Change - - due to
No Change - - - occlusion NEC
Add - - - small artery I63.81
No Change - - - stenosis NEC
Add - - - small artery I63.81
Revise from - - specified NEC I63.8
Revise to - - specified NEC I63.89
Add - lacunar I63.81
No Change **Infection, infected, infective (opportunistic)** B99.9
Revise from - cesarean delivery wound (puerperal) O86.0
Revise to - cesarean delivery wound (puerperal) O86.00
No Change - due to or resulting from
Revise from - - surgery T81.4
Revise to - - surgery T81.40
Revise from - episiotomy (puerperal) O86.0
Revise to - episiotomy (puerperal) O86.09
Revise from - obstetrical surgical wound (puerperal) O86.0
Revise to - obstetrical surgical wound (puerperal) O86.00
Add - - incisional site
Add - - - deep O86.02
Add - - - superficial O86.01
Add - - organ and space site O86.03
Add - - surgical site specified NEC O86.09

Revise from - operation wound T81.4
Revise to - operation wound T81.49
Revise from - perineal repair (puerperal) O86.0
Revise to - perineal repair (puerperal) O86.09
Revise from - postoperative T81.4
Revise to - postoperative T81.40
Revise from - postoperative wound T81.4
Revise to - postoperative wound T81.49
Add - surgical site
Add - - deep incisional T81.42
Add - - organ and space T81.43
Add - - - specified NEC T81.49
Add - - - superficial incisional T81.41
Revise from - postprocedural T81.4
Revise to - postprocedural T81.40
No Change - Zika virus A92.5
Add - - congenital P35.4

L

No Change **Lagophthalmos (eyelid) (nervous)** H02.209
Add - bilateral, upper and lower eyelids H02.20C
No Change - cicatricial H02.219
Add - - bilateral, upper and lower eyelids H02.21C
No Change - - left H02.216
Add - - - upper and lower eyelids H02.21B
No Change - - right H02.213
Add - - - upper and lower eyelids H02.21A
No Change - left H02.206
Add - - upper and lower eyelids H02.20B
No Change - mechanical H02.229
Add - - bilateral, upper and lower eyelids H02.22C
No Change - - left H02.226
Add - - - upper and lower eyelids H02.22B
No Change - - right H02.223
Add - - - upper and lower eyelids H02.22A
No Change - paralytic H02.239
Add - - bilateral, upper and lower eyelids H02.23C
No Change - - left H02.236
Add - - - upper and lower eyelids H02.23B
No Change - - right H02.233
Add - - - upper and lower eyelids H02.23A
No Change - right H02.203
Add - - upper and lower eyelids H02.20A
Revise from **Landouzy-Déjérine dystrophy or facioscapulohumeral atrophy** G71.0
Revise to **Landouzy-Déjérine dystrophy or facioscapulohumeral atrophy** G71.02
No Change **Lesion(s) (nontraumatic)**
Add - vagina N89.8
Add - vulva N90.89
No Change **Leukemia, leukemic** C95.9-
Revise from - acute myeloid
Revise to - acute myeloid, NOS C92.0-
Revise from **Leyden-Moebius dystrophy** G71.0
Revise to **Leyden-Moebius dystrophy** G71.09
Revise from **Lithuria** R82.99
Revise to **Lithuria** R82.998

M

No Change **Maltreatment**

No Change - adult
Add - - bullying
Add - - - confirmed T74.31
Add - - - suspected T76.31
Add - - - intimidation (through social media)
Add - - - confirmed T74.31
Add - - - suspected T76.31
No Change - child
Add - - bullying
Add - - - confirmed T74.32
Add - - - suspected T76.32
Add - - - intimidation (through social media)
Add - - - confirmed T74.32
Add - - - suspected T76.32
Revise from **Mediastinal shift** R93.8
Revise to **Mediastinal shift** R93.89
No Change **Melanosis** L81.4
Revise from - eye NEC H57.8
Revise to - eye NEC H57.89
Revise from **Melanuria** R82.99
Revise to **Melanuria** R82.998
Add **MSD (multiple sulfatase deficiency)** E75.26
Revise from **Myalgia** M79.1
Revise to **Myalgia** M79.10
Add - auxiliary muscles, head and neck M79.12
Add - mastication muscle M79.11
Add - site specified NEC M79.18
No Change **Myocardiopathy (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic) (infiltrative) (obstructive) (primary) (restrictive) (sporadic) (see also Cardiomyopathy)** I42.9
No Change - in (due to)
Revise from - - progressive muscular dystrophy G71.0 [I43]
Revise to - - progressive muscular dystrophy G71.09 [I43]
No Change **Myoclonus, myoclonic, myoclonia (familial) (essential) (multifocal) (simplex)** G25.3
Revise from - facial G51.3
Revise to - facial G51.3-
No Change **Myopathy** G72.9
Revise from - distal G71.0
Revise to - distal G71.09
Revise from - facioscapulohumeral G71.0
Revise to - facioscapulohumeral G71.02
Revise from - limb-girdle G71.0
Revise to - limb-girdle G71.09
Revise from - ocular G71.0
Revise to - ocular G71.09
Revise from - oculopharyngeal G71.0
Revise to - oculopharyngeal G71.09
Revise from - scapulohumeral G71.0
Revise to - scapulohumeral G71.02

N

No Change **Neurosis, neurotic** F48.9
Revise from - compensation F68.1
Revise to - compensation F68.10
No Change **Newborn (infant) (liveborn) (singleton)** Z38.2
No Change - affected by
Revise from - - amnionitis P02.7
Revise to - - amnionitis P02.78
Revise from - - chemotherapy agents P04.1
Revise to - - chemotherapy agents P04.11

Revise from - - chorioamnionitis P02.7
Revise to - - chorioamnionitis P02.78
Add - - drugs of addiction P04.40
Add - - - cocaine P04.41
Add - - - hallucinogens P04.42
Add - - - specified drug NEC P04.49
No Change - - fetal (intrauterine)
Add - - - inflammatory response syndrome (FIRS) P02.70
Add - - FIRS (fetal inflammatory response syndrome) P02.70
No Change - - maternal (complication of) (use of)
Add - - - amphetamines P04.16
Add - - - anticonvulsants P04.13
Add - - - antidepressants P04.15
Add - - - antineoplastic chemotherapy P04.11
Add - - - anxiolytics P04.1A
Add - - - cannabis P04.81
Add - - - cytotoxic drugs P04.12
Revise from - - - medication P04.1
Revise to - - - medication P04.19
Add - - - - specified type NEC P04.18
Add - - - opiates P04.14
Add - - - - administered for procedures during pregnancy or labor and delivery P04.0
Add - - - sedative-hypnotics P04.17
Add - - - tranquilizers administered for procedures during pregnancy or labor and delivery P04.0
Revise from - - medication (legal) (maternal use) (prescribed) P04.1
Revise to - - medication (legal) (maternal use) (prescribed) P04.19
Revise from - - membranitis P02.7
Revise to - - membranitis P02.78
No Change - - noxious substances transmitted via placenta or breast milk P04.9
Add - - - cannabis P04.81
Revise from - - - specified NEC P04.8
Revise to - - - specified NEC P04.89
Revise from - - placentitis P02.7
Revise to - - placentitis P02.78
Revise from - hypernatremia P74.2
Revise to - hypernatremia P74.21
Revise from - hyponatremia P74.2
Revise to - hyponatremia P74.22

O

No Change **Observation (following) (for) (without need for further medical care)** Z04.9
Revise from - criminal assault Z04.8
Revise to - criminal assault Z04.89
Add - forced sexual exploitation Z04.81
Add - forced labor exploitation Z04.82
No Change - suspected, ruled out - see also Suspected condition, ruled out
Revise from - - inflicted injury NEC Z04.8
Revise to - - inflicted injury NEC Z04.89

P

No Change **Pain(s) (see also Painful)** R52
Revise from - musculoskeletal (see also Pain, by site) M79.1
Revise to - musculoskeletal (see also Pain, by site) M79.18
Revise from - myofascial M79.1
Revise to - myofascial M79.18
No Change **Paralysis, paralytic (complete) (incomplete)** G83.9
No Change - Duchenne's
No Change - - due to or associated with

Revise from - - - muscular dystrophy G71.0
Revise to - - - muscular dystrophy G71.01
No Change - muscle, muscular NEC G72.89
Revise from - - pseudohypertrophic G71.0
Revise to - - pseudohypertrophic G71.02
Revise from - pseudohypertrophic (muscle) G71.0
Revise to - pseudohypertrophic (muscle) G71.09
No Change **Paraplegia (lower)** G82.20
Add - traumatic
Add - - current injury - code to injury with seventh character A
Add - - - sequela of previous injury - code to injury with seventh character S
Paresis - see also Paralysis
Revise from - pseudohypertrophic G71.0
Revise to - pseudohypertrophic G71.09
No Change **Perforation, perforated (nontraumatic) (of)**
Revise from - appendix K35.2
Revise to - appendix K35.32
Revise from - - with localized peritonitis K35.3
Revise to - - with localized peritonitis K35.32
Revise from - cecum K35.2
Revise to - cecum K35.32
Revise from - - with localized peritonitis K35.3
Revise to - - with localized peritonitis K35.32
No Change **Peritonitis (adhesive) (bacterial) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative) (primary) (with adhesions) (with effusion)** K65.9
No Change - with or following
Revise from - - appendicitis K35.3
Revise to - - appendicitis
Revise from - - - with perforation or rupture K35.2
Revise to - - - with perforation or rupture K35.32
Revise from - - - generalized K35.2
Revise to - - - generalized (see also Appendicitis) K35.20
Revise from - - - localized K35.3
Revise to - - - localized (see also Appendicitis) K35.30
Pinhole meatus (see also Stricture, urethra) N35.9
Pinhole meatus (see also Stricture, urethra) N35.919
Pregnancy (single) (uterine) - see also Delivery and Puerperal
No Change - complicated by (care of) (management affected by)
No Change - - diabetes (mellitus) O24.91-
Revise from - - - gestational (pregnancy induced) - see - Diabetes, gestational
Revise to - - - gestational (pregnancy induced) - see Diabetes, gestational
Revise from - - presentation, fetal - - see Delivery, complicated by, malposition
Revise to - - presentation, fetal - see Delivery, complicated by, malposition
Revise from - - psychosis or psychoneurosis (puerperal) F53
Revise to - - psychosis or psychoneurosis (puerperal) F53.1
Add - heptachorionic, hepta-amniotic (sextuplets) O30.83-
Add - hexachorionic, hexa-amniotic (sextuplets) O30.83-
No Change - multiple (gestation) O30.9-
No Change - - specified NEC O30.80-
Add - - - number of chorions and amnions are both equal to the number of fetuses O30.83-
Add - pentachorionic, penta-amniotic (quintuplets) O30.83-
No Change - quadruplet O30.20-
Add - - quadrachorionic/quadra-amniotic O30.23-
No Change - triplet O30.10-
Add - - trichorionic/triamniotic O30.13-
Revise from **Pseudohypertrophic muscular dystrophy (Erb's)** G71.0
Revise to **Pseudohypertrophic muscular dystrophy (Erb's)** G71.02
Revise from **Pseudohypertrophy, muscle** G71.0
Revise to **Pseudohypertrophy, muscle** G71.09
No Change **Psychosis, psychotic** F29

No Change - organic F09
No Change - - due to or associated with
No Change - - - intoxication
Delete - - - drug F19 with .x59 F11-
Add - - - drug F11-F19 with .x59
Revise from - postpartum F53
Revise to - postpartum (NOS) F53.1
Revise from - puerperal F53
Revise to - puerperal (NOS) F53.1
No Change **Ptosis** - see also Blepharoptosis
Add - brow H57.81-
Add - eyebrow H57.81-
Puerperal, puerperium (complicated by, complications)
No Change - infection O86.4
No Change - - genital tract NEC O86.19
Revise from - - - obstetric surgical wound O86.0
Revise to - - - obstetric surgical wound O86.09
Revise from - psychosis F53
Revise to - psychosis (NOS) F53.1

R

No Change **Rapid**
Revise from - time-zone change syndrome - see Disorder, sleep, circadian rhythm, psychogenic
Revise to - time-zone change syndrome G47.25
No Change **Reaction** - see also Disorder
No Change - incompatibility
Revise from - - minor blood group (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) T80.89
Revise to - - minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89
Revise from **Request for expert evidence** Z04.8
Revise to **Request for expert evidence** Z04.89
No Change **Retained** - see also Retention
No Change - foreign body fragments (type of) Z18.9
Revise from - - diethylhexylphthalates Z18.2
Revise to - - diethylhexyl phthalates Z18.2
No Change - fragments (type of) Z18.9
Revise from - - diethylhexylphthalates Z18.2
Revise to - - diethylhexyl phthalates Z18.2
No Change **Rupture, ruptured**
Revise from - appendix (with peritonitis) K35.2
Revise to - appendix (with peritonitis) (see also Appendicitis) K35.32
Revise from - - with localized peritonitis K35.3
Revise to - - with localized peritonitis (see also Appendicitis) K35.32
No Change - cecum (with peritonitis) K65.0
Revise from - - with peritoneal abscess K35.3
Revise to - - with peritoneal abscess K35.33

S

Revise from **Scapulohumeral myopathy** G71.0
Revise to **Scapulohumeral myopathy** G71.02
No Change **Screening (for)** Z13.9
Revise from - alcoholism Z13.89
Revise to - alcoholism Z13.39
Add - autism Z13.41
Revise from - behavioral disorder Z13.89
Revise to - behavioral disorder Z13.30
Add - - specified NEC Z13.39
Revise from - depression Z13.89
Revise to - depression (adult) (adolescent) (child) Z13.31

Add - - maternal Z13.32
Add - - perinatal Z13.32
Delete - developmental handicap Z13.42
Delete - - in early childhood Z13.42
Delete - - infant Z13.41
Add - developmental
Add - - delays Z13.40
Add - - - global (milestones) Z13.42
Add - - - specified NEC Z13.49
Add - - handicap Z13.42
Add - - - in early childhood Z13.42
Revise from - disability, intellectual Z13.42
Revise to - disability, intellectual Z13.39
Delete - - infant Z13.41
No Change - disease or disorder Z13.9
Delete - - developmental Z13.42
Delete - - - in child Z13.42
Delete - - - infant Z13.41
Delete - - mental Z13.89
Add - - behavioral Z13.30
Add - - - specified NEC Z13.39
Add - - developmental delays Z13.40
Add - - - global (milestones) Z13.42
Add - - - specified NEC Z13.49
Add - - mental health and behavioral Z13.30
Add - - - specified NEC Z13.39
Add - infant or child (over 28 days old) Z00.129
Add - - with abnormal findings Z00.121
Revise from - intellectual disability Z13.42
Revise to - intellectual disability Z13.39
Delete - - infant Z13.41
Delete - mental disorder Z13.89
Add - mental health disorder Z13.30
Add - - specified NEC Z13.39
No Change **Sepsis (generalized) (unspecified organism)** A41.9
No Change - following
Add - - obstetrical procedure O86.04
No Change - localized - code to specific localized infection
Revise from - - in operation wound T81.4
Revise to - - in operation wound T81.49
Revise from - postprocedural T81.4
Revise to - postprocedural T81.44
No Change **Septum, septate (congenital)** - see also Anomaly, by site
Revise from - uterus (complete) (partial) Q51.2
Revise to - uterus Q51.20
Add - - complete Q51.21
Add - - partial Q51.22
Add - - specified NEC Q51.28
No Change **Shift**
Revise from - mediastinal R93.8
Revise to - mediastinal R93.89
No Change **Sore**
Revise from - muscle M79.1
Revise to - muscle M79.10
No Change **Spasm(s), spastic, spasticity (see also condition)** R25.2
Revise from - Bell's G51.3
Revise to - Bell's G51.3-
Revise from - facial G51.3
Revise to - facial G51.3-
Revise from - hemifacial (clonic) G51.3

Revise to - hemifacial (clonic) G51.3-
Revise from - urethra (sphincter) N35.9
Revise to - urethra (sphincter) N35.919
Add SSADHD (succinic semialdehyde dehydrogenase deficiency) E72.81
Stitch
- abscess T81.4
- abscess T81.41
Stricture - see also Stenosis
Revise from - urethra (organic) (spasmodic) N35.9
Revise to - urethra (organic) (spasmodic) (see also Stricture, urethra, male) N35.919
Add -- female N35.92
Add -- male N35.919
Add --- anterior urethra N35.914
Add --- bulbous urethra N35.912
Add --- meatal N35.911
Add --- membranous urethra N35.913
Add --- overlapping sites N35.916
No Change -- postinfective NEC
No Change -- male N35.119
Add ---- overlapping sites N35.116
No Change -- postprocedural
No Change -- male N99.114
Add ---- overlapping sites N99.116
No Change -- post-traumatic
No Change -- male N35.014
Add ---- overlapping sites N35.016
Revise from -- specified cause NEC N35.8
Revise to -- specified cause NEC
Add --- female N35.82
Add --- male N35.819
Add ---- anterior urethra N35.814
Add ---- bulbous urethra N35.812
Add ---- meatal N35.811
Add ---- membranous urethra N35.813
Add ---- overlapping sites N35.816
Subluxation - see also Dislocation
No Change - interphalangeal (joint)
No Change -- thumb S63.12-
Delete --- distal joint S63.14-
Delete --- proximal joint S63.13-
Subseptus uterus Q51.2
Subseptus uterus Q51.28
Supernumerary (congenital)
Revise from - uterus Q51.2
Revise to - uterus Q51.28
Syndrome - see also Disease
Revise from - Angelman Q93.5
Revise to - Angelman Q93.51
Revise from - fish odor E72.8
Revise to - fish odor E72.89
Revise from - food protein-induced enterocolitis K52.21
Revise to - food protein-induced enterocolitis (FPIES) K52.21
Revise from - happy puppet Q93.5
Revise to - happy puppet Q93.51
Revise from - myofascial pain M79.1
Revise to - myofascial pain M79.18
Revise from - scapuloperoneal G71.0
Revise to - scapuloperoneal G71.09
No Change - superior
Revise from -- cerebellar artery I63.8

Revise to - - cerebellar artery I63.89
Add - Williams Q93.82
Add - Yao M04.8

No Change

T

Test, tests, testing (for)
Revise from - blood-alcohol Z04.8
Revise to - blood-alcohol Z04.89
Revise from - blood-drug Z04.8
Revise to - blood-drug Z04.89
No Change - hearing Z01.10
Add - - infant or child (over 28 days old) Z00.129
Add - - - with abnormal findings Z00.121
No Change - laboratory (as part of a general medical examination) Z00.00
Revise from - - for medicolegal reason NEC Z04.8
Revise to - - for medicolegal reason NEC Z04.89
No Change - vision Z01.00
Add - - infant or child (over 28 days old) Z00.129
Add - - - with abnormal findings Z00.121
Thermography (abnormal) (see also Abnormal, diagnostic imaging) R93.8
Thermography (abnormal) (see also Abnormal, diagnostic imaging) R93.89
Thickening
Revise from - endometrium R93.8
Revise to - endometrium R93.89
Tight, tightness
Revise from - urethral sphincter N35.9
Revise to - urethral sphincter N35.919
Transfusion
No Change - blood
Revise from - - minor blood group (Duffy) (E) (K(ell)) (Kidd) (Lewis) (M) (N) (P) (S) T80.89
Revise to - - minor blood group (Duffy) (E) (K) (Kell) (Kidd) (Lewis) (M) (N) (P) (S) T80.89

No Change

U

Revise from **Uricosuria** R82.99
Revise to **Uricosuria** R82.998
Use (of)
No Change - cannabis F12.90
No Change - - with
Add - - - withdrawal F12.93

No Change

W

Add **Williams syndrome** Q93.82
Withdrawal state - see also Dependence, drug by type, with withdrawal
No Change
Revise from - cannabis F12.288
Revise to - cannabis F12.23

No Change

Z

No Change **Zika NOS** A92.5
Add - congenital P35.4