

User Guide to the 2013 Fetal Death Public Use File



2013 Fetal Death Data Set

User's Guide

ACKNOWLEDGMENTS

Preparation of this user's guide was coordinated by Elizabeth Wilson and Marian MacDorman of the Division of Vital Statistics (DVS) under the general direction of Joyce A. Martin, Lead Statistician, Reproductive Statistics Branch (RSB), DVS, and Amy Branum, Chief of the Reproductive Statistics Branch (DVS). The vital statistics computer file on which it is based was prepared by DVS staff.

The Division of Vital Statistics, Delton Atkinson, Director, manages the Vital Statistics Cooperative Program, through which the vital registration offices of all states, the District of Columbia, New York City, Puerto Rico, Virgin Islands, Guam, American Samoa, and the Commonwealth of the Northern Mariana Islands, provided the data to the National Center for Health Statistics (NCHS). This Division, and its Data Acquisition, Classification, and Evaluation Branch (DACEB), and Systems, Programming, and Statistical Resources Branch (SPSRB), processed computer edits, designed and programmed the tabulations, reviewed the data, prepared documentation for this publication, and were responsible for receipt and processing of the basic data file.

NCHS acknowledges the essential role of the vital registration offices of all states and territories in maintaining the system through which vital statistics data are obtained and their cooperation in providing the information on which this publication is based.

Questions on the documentation or substantive questions concerning the data should be directed to the Reproductive Statistics Branch, Division of Vital Statistics, NCHS, 3311 Toledo Road, Hyattsville, MD 20782-2003 (1-800) 232-4636.

Department of Health and Human Services
Centers for Disease Control and Prevention
National Center for Health Statistics
Division of Vital Statistics

2013 Fetal Death Data Set

Contents

Introduction

Control count of records

List of data elements and locations

Record layout and definition of item and codes

Documentation tables.

External links

Fetal and Perinatal Mortality, United States, 2006

http://www.cdc.gov/nchs/data/nvsr/nvsr60/nvsr60_08.pdf

Trends in Fetal and Perinatal Mortality in the United States, 2006-2012

<http://www.cdc.gov/nchs/data/databriefs/db169.pdf>

Births: Final Data for 2013

http://www.cdc.gov/nchs/data/nvsr/nvsr64/nvsr64_01.pdf

Infant Mortality Statistics from the 2010 Period Linked Birth/Infant Death Data Set

http://www.cdc.gov/nchs/data/nvsr/nvsr62/nvsr62_08.pdf

(the 2012 report will be forthcoming)

Introduction

Abridged Fetal Death File

In an effort to improve the timeliness of fetal death data, NCHS will be releasing abridged fetal death data files for the next several data years. These files contain only data items that are comparable between the 1989 and the 2003 revisions of the U.S. Standard Report of Fetal Death. The inclusion of only comparable items greatly reduces the complexity of the data file, while still including the most important analytical variables. Reduced file complexity means faster processing time and more years of data produced more quickly. The User Guides for the next few years will also be abridged to include only the most important information needed for data analysis. Please see the 2006 Fetal User Guide for more detailed information, including detailed Technical Notes on the fetal death data:

ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/DVS/fetaldeath/2006FetalUserGuide.pdf.

U.S. fetal death data

United States fetal death data represent fetal deaths registered in the 50 states, the District of Columbia, and New York City. The majority of states require reporting fetal deaths of 20 weeks of gestation or more, or 350 grams delivery weight (roughly equivalent to 20 weeks), or some combination of the two. The Centers for Disease Control and Prevention's National Center for Health Statistics (NCHS) receives these data as electronic files, prepared from individual records processed by each registration area, through the Vital Statistics Cooperative Program.

Fetal death data for the U.S. are limited to events occurring within the United States to U.S. residents and nonresidents. Fetal deaths to nonresidents of the United States are excluded from all tabulations by place of residence. Fetal deaths occurring to U.S. citizens outside of the United States are not included in this file. Most of the Documentation Tables included in this User's Guide are restricted to fetal deaths occurring at 20 weeks of gestation or more.

Availability of geographic detail

Beginning with the 2005 data year, the U.S. micro-data fetal death file no longer includes geographic detail (e.g., mother's state of residence). Tabulations of fetal death data by residence of mother for states are available using the VitalStats online data access tool described below. Certain geographic level data may also be available upon request: See "NCHS Data Release and Access Policy for Micro-data and Compressed Vital Statistics Files", available at: http://www.cdc.gov/nchs/dvs_data_release.htm .

The 2013 territories file includes data on fetal deaths occurring in American Samoa, Guam, the Northern Marianas, and Puerto Rico. It includes limited geographical data such as information identifying individual territories and counties (or their equivalent) with populations of 250,000 or more by place of occurrence and residence.

VitalStats

Fetal death public use data, including geographic level detail for states are available at VitalStats. VitalStats is an online data access tool which provides the ability to build tables from many public use fetal death variables. Tabulated data can be exported to Excel for further analysis. VitalStats for fetal deaths, 2003 – 2013, is available at: <http://www.cdc.gov/nchs/VitalStats.htm>.

Downloadable files

Fetal death public use data files from 1982 to 2013, including User Guides, U.S. Fetal Death Data, and U.S. Territories Fetal Death Data are available for downloading directly from the NCHS website at:
http://www.cdc.gov/nchs/data_access/Vitalstatsonline.htm.

The 1989 and 2003 Revisions of the U.S. Report of Fetal Death

This data file includes data based on both the 1989 revision of the U.S. Standard Report of Fetal Death (unrevised) and the 2003 revision of the U.S. Standard Report of Fetal Death (revised). The 2003 revision is described in detail elsewhere. (See the 2003 Revision website at: http://www.cdc.gov/nchs/vital_certs_rev.htm). Thirty-five states, the District of Columbia, New York City, Guam, and the Northern Marianas implemented the revised fetal death report as of January 1, 2013. The 35 revised states are: Arizona, California, Delaware, Florida, Georgia, Idaho, Indiana, Iowa, Kansas, Kentucky, Louisiana, Maine, Maryland, Michigan, Minnesota, Mississippi, Missouri, Montana, Nebraska, Nevada, New Hampshire, New Mexico, North Dakota, Ohio, Oklahoma, Oregon, Pennsylvania, South Carolina, South Dakota, Tennessee, Texas, Utah, Washington, Wisconsin, and Wyoming. Together, the revised reporting areas represent 75.6 percent of all U.S. fetal deaths of 20 weeks and over. Revised data are combined with unrevised data from the remaining areas to create US data.

Incomplete national reporting: The use of reporting flags

Even with the data file restricted to comparable items, there are some items that are not reported by all states. Reporting flags were developed to help the user more

readily identify the correct fetal deaths for items with less than national reporting.

Reporting flags are available for many items in the file, and positions for reporting flags are noted along with each data item in the file layout.

Translating “blanks”

In the 2013 fetal death file, for data items which are not reported by all states, fetal deaths to residents of a revised state occurring in an unrevised state, and fetal deaths to residents in an unrevised state occurring in a revised state, are represented by “blanks.” Blanks should be treated as “unknowns” for tabulations. In sum, the correct use of reporting flags and translation of blanks will result in an accurate tally of fetal deaths for items with incomplete national reporting. For an example of SAS code that may be used to incorporate the correct use of reporting flags and the translation of blanks, see below.

Example of SAS code using reporting flags (and translating blanks)

The example below is for the item “hysterotomy/hysterectomy,” which is reported by 47 states, New York City and the District of Columbia in 2013.

Sample SAS program

```
01      DATA work;
02          INFILE 'c:fet13us.dat' LRECL=801;
03          INPUT
04              tabflg    9
05              restatus 138
06              hyster   402
07              f_hyster 797;
08
09          /*Include if 20 weeks gestation or more*/
10         IF tabflg EQ 2;
11         /*Exclude foreign residents*/
12         IF restatus NE 4;
13         /*Select reporting area*/
14         IF f_hyster=1;
15         /*Convert blanks to unknown*/
16         IF hyster=. THEN hyster=9;
17
```

```
18 PROC FREQ;  
19      TABLE hyster;  
20 RUN;
```

In this example, “tabflg” is used to select fetal deaths of 20 weeks gestation or more.

Also, “restatus” is used to exclude fetal deaths to foreign residents (this is standard practice for all NCHS tabulations). As well in this example, blanks are represented by numeric values SAS code = (.). However, for some items in the file, e.g., pregnancy risk factors, blanks are represented by character values for which the SAS code is empty quotes (‘ ’).

Data Issues

Mother’s Race – Puerto Rico does not report data on mother’s race, thus data located in position 143 (Mother’s race recode variable) should be disregarded. This applies to all data years.

Mother’s Hispanic Origin – In the 2007-2010 fetal death data files, many records for Minnesota were erroneously assigned to the ‘9’ or not stated category for mother’s Hispanic origin (position 148) and mother’s race/Hispanic origin (position 149). This was due to a programming error. Data are correct for 2011 data onwards.

State Specific Issues

California - Due to changes in coding in California for the hysterectomy/hysterotomy item, the number of cesarean deliveries may be lower and the number of hysterectomies/hysterotomies may be higher than reported in previous years.

Oregon - Beginning in 2008, due to expanded reporting, there was an increase in the number of fetal deaths in Oregon.

Tennessee – As of July 1, 2010, Tennessee amended its fetal death reporting requirements. Tennessee now reports fetal deaths of 20 weeks of gestation or more or 350 grams or more. Prior to July 1, 2010, Tennessee only reported fetal deaths with a birthweight of 500 grams or more, or if weight was unknown, 22 weeks of completed gestation or more. Thus, the increase in the number of fetal deaths in Tennessee in 2010 and 2011 is due to the change in reporting, and not to a real increase in risk of fetal death.

Virgin Islands – The Virgin Islands did not report data for 2013.

Control Count of Records

File Characteristics: Fetal Public Use File 2013

All files:

Record format: Blocked, Fixed, Format
Code scheme: Numeric/Alphabetic/Blank
Record length: 801

Record counts

U.S. file record count:

Counts of all fetal deaths:

Record count	54,028
By occurrence	54,028
By residence	53,947
To foreign residents	81

Counts of 20 weeks or more:

Record count	23,621
By occurrence	23,621
By residence	23,595
To foreign residents	26

Counts of less than 20 weeks:

Record count	30,407
By occurrence	30,407
By residence	30,352
To foreign residents	55

U.S. territories file record count:

Counts of all fetal deaths:

Record count	467
By occurrence	467
By residence	462
To foreign residents	5

Counts of 20 weeks or more:

Record count	467
By occurrence	467
By residence	462
To foreign residents	5

Counts of less than 20 weeks:

Record count	-
By occurrence	-
By residence	-
To foreign residents	-

DATA ELEMENTS AND LOCATIONS – 2013 FETAL DEATH FILE

<u>Data Items</u>	<u>Locations</u>
1. General	
a) Tabulation flag (gestational age)	9
b) Data year	15-18
c) Resident status	138
d) Place of delivery	42,59
e) Attendant at delivery	410
2. Fetus	
a) Sex	436
b) Plurality	423
c) Weight at delivery	463-473
d) Gestational age	446-455
e) Month/year of delivery	15-20
f) Day of week of delivery	29
3. Mother	
a) Age	89-93
b) Race	143
c) Marital status	153
d) Hispanic Origin	148,149
4. Father	
a) Age	186
5. Pregnancy History	
a) Live birth order	212
b) Total birth order	217
6. Medical and Health Data	
a) Method of delivery	400-403
b) Breech	384
c) Medical risk factors	331,335,336,337
d) Weight gain during pregnancy	276-278
e) Congenital anomalies	504,505,513,518,523
7. Residence reporting flags	573-801

**2013 Fetal Death
Public-Use Record Layout**

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
1-6	6	BLANK					
7	1	VERSION	Version		A,S	A	State used the 2003 version of the US Standard Report of Fetal Death (Revised)
						S	State used the 1989 version of the US Standard Report of Fetal Death (Unrevised)
8	1	BLANK					
9	1	TABFLG	Tabulation Flag		A,S	1 2	Under 20 Weeks (exclude) 20 Weeks or more (include)
10-14	5	BLANK					
15-18	4	DOD_YY	Delivery Year		A,S	2007	Year of delivery
19-20	2	DOD_MM	Delivery Month		A,S	01 02 03 04 05 06 07 08 09 10 11 12	January February March April May June July August September October November December
21-28	8	BLANK					
29	1	DOD_WK	Weekday		A,S	1 2 3 4 5 6 7	Sunday Monday Tuesday Wednesday Thursday Friday Saturday

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag	Vers*	Values	Definition
30-31	2	OSTATE	Territory of occurrence <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S		
			<u>Territories</u>			AS	American Samoa
						GU	Guam
						MP	Northern Marianas
						PR	Puerto Rico
						VI	Virgin Islands
32-36	5	BLANK					
37-39	3	OCNTYFIPS	Occurrence County <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S		
			<u>Puerto Rico</u>			021	Bayamo'n
						025	Caguas
						031	Carolina
						097	Mayaguez
						113	Ponce
						127	San Juan
						999	County of less than 100,000
			<u>Other Outlying Areas of the United States</u>			000	No county level geography
						999	County of less than 100,000
40	1	OCNTYPOP	Occurrence Territory County Population <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>		A,S		
						0	County of 1,000,000 or more
						1	County of 500,000 to 1,000,000
						2	County of 250,000 to 500,000
						3	County of 100,000 to 250,000
						9	County less than 100,000
41	1	BLANK					
42	1	UBFACIL	Delivery Place		A,S	1	Hospital
						2	Freestanding Birthing Center

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
					3	Clinic / Doctor's Office	
					4	Residence	
					5	Other	
					9	Unknown	
43-58	16	BLANK					
59	1	BFACIL3	Delivery Place Recode	A,S	1	In Hospital	
					2	Not in Hospital	
					3	Unknown/not stated	
60-86	27	BLANK					
87	1	MAGE_IMPFLG	Mother's Age Imputed	A,S	Blank	Age not imputed	
					1	Age imputed	
88	1	MAGE_REPFLG	Reported Age of Mother Flag	A,S	Blank	Reported age not used	
					1	Reported age used	
89-90	2	MAGER	Mother's Single Year of Age	798	A,S	12	12 years and under
						13	13 years
						14	14 years
						15	15 years
						16	16 years
						17	17 years
						18	18 years
						19	19 years
						20	20 years
						21	21 years
						22	22 years
						23	23 years
						24	24 years
						25	25 years
						26	26 years
						27	27 years
						28	28 years
						29	29 years
						30	30 years
						31	31 years
						32	32 years
						33	33 years
						34	34 years

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag	Vers*	Values	Definition
					35	35 years	
					36	36 years	
					37	37 years	
					38	38 years	
					39	39 years	
					40	40 years	
					41	41 years	
					42	42 years	
					43	43 years	
					44	44 years	
					45	45 years	
					46	46 years	
					47	47 years	
					48	48 years	
					49	49 years	
					50	50 years and over **	
** Includes births to women aged 50 to 64 years.							
91-92	2	MAGER14	Mother's Age Recode 14	798	A,S	01	Under 15 Years
						03	15 years
						04	16 years
						05	17 years
						06	18 years
						07	19 years
						08	20-24 years
						09	25-29 years
						10	30-34 years
						11	35-39 years
						12	40-44 years
						13	45-49 years
						14	50-54 years **
** Includes births to women aged 50 to 64 years.							
93	1	MAGER9	Mother's Age Recode 9	798	A,S	1	Under 15 years
						2	15-19 years
						3	20-24 years
						4	25-29 years
						5	30-34 years
						6	35-39 years
						7	40-44 years
						8	45-49 years

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
					9		50-54 years **
			** Includes births to women aged 50 to 64 years.				
94-108	15	BLANK					
109-110	2	MRSTATEPSTL	Mother's Territory of Residence <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>	A,S			
			<u>Territories</u>				
					AS	American Samoa	
					GU	Guam	
					MP	Northern Marianas	
					PR	Puerto Rico	
					VI	Virgin Islands	
111-113	3	BLANK					
114-116	3	MRCNTYFIPS	Mother's FIPS County of Residence <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>	A,s	001-999	See Geographic Tables	
					000	Foreign	
117-131	15	BLANK					
132	1	RCNTY_POP	Population of Residence County <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>	A,S			
					0	County of 1,000,000 or more	
					1	County of 500,000 to 1,000,000	
					2	County of 250,000 to 500,000	
					3	County of 100,000 to 250,000	
					9	County less than 100,000	
					Z	Foreign resident	
133-136	4	BLANK					
137	1	RECTYPE	Record Type <i>(This item is available in the territory file only, geographic codes are not available in the U.S. file)</i>	A,S	1	RESIDENT: State and county of occurrence and residence are the same.	
					2	NONRESIDENT: State and county of occurrence and residence are different.	

* For the Version column (Vers) the following codes apply:

- A 2003 Version of US Standard Birth Certificate
- S 1989 Version of US Standard Birth Certificate
- s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
138	1	RESTATUS	Residence Status <u>United States</u>	A,S	1	RESIDENT: State and county of occurrence and residence are the same.	
					2	INTRASTATE NONRESIDENT: State of occurrence and residence are the same but county is different.	
					3	INTERSTATE NONRESIDENT: State of occurrence and residence are different but both are one of the 50 US states or District of Columbia.	
					4	FOREIGN RESIDENT: The state of residence is not one of the 50 US states or District of Columbia.	
			<u>Territories</u>		1	RESIDENT: State and county of occurrence and residence are the same. (Unique to Guam, all US residents are considered residents of Guam and thus are assigned 1.)	
					2	INTRATERRITORY NONRESIDENT: Territory of occurrence and residence are the same but county is different.	
					3	INTERTERRITORY RESIDENT: Territory of occurrence and residence are different but both are US Territories.	
					4	FOREIGN RESIDENT: The residence is not a US Territory.	
139-142	4	BLANK					
143	1	MRACEREC	Mother's Race Recode <u>United States and non-Puerto Rican Territories</u>	A,S	1	White	
					2	Black	
					3	American Indian or Alaskan Native	
					4	Asian or Pacific Islander	
144	1	MRACEIMP	Mother's Race Imputed	A,S	Blank	Mother's race not imputed	
					1	Unknown race imputed	
					2	All other races, formerly coded 09, imputed.	
145-147	3	BLANK					
148	1	UMHISP	Mother's Hispanic Origin	781	A,S	0	Non-Hispanic
					1	Mexican	
					2	Puerto Rican	
					3	Cuban	
					4	Central or South American	

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
					5		Other and Unknown Hispanic
					9		Origin unknown or not stated
149	1	MRACEHISP	Mother's Race/Hispanic Origin	781	A,S	1 2 3 4 5 6 7 8 9	Mexican Puerto Rican Cuban Central or South American Other and Unknown Hispanic Non-Hispanic White Non-Hispanic Black Non-Hispanic Other Races Origin unknown or not stated
150-152	3	BLANK					
153	1	MAR	Mother's Marital Status	780	A,S	1 2 9	Yes No Unknown or not Stated
			<u>United States & all non-Puerto Rican Territories</u>				
			<u>Puerto Rico</u>			1 2 3 9	Yes Unmarried parents living together Unmarried parents not living together Unknown or not stated
154-174	21	BLANK					
175	1	FAGERPT_FLG	Father's Reported Age Used		A,S	Blank 1	Father's reported age not used Father's reported age used
176-185	10	BLANK					
186-187	2	FAGEREC11	Father's Age Recode 11	786	A,S	01 02 03 04 05 06 07 08	Under 15 years 15-19 years 20-24 years 25-29 years 30-34 years 35-39 years 40-44 years 45-49 years

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
					09	50-54 years	
					10	55-98 years	
					11	Not stated	
188-211	24	BLANK					
212	1	LBO_REC	Live Birth Order Recode	A,S	0-7	Number of live birth order.	
					8	8 or more live births	
					9	Unknown or not stated	
213-214	4	BLANK					
217	1	TBO_REC	Total Birth Order Recode	A,S	1-7	Number of total birth order.	
					8	8 or more total births	
					9	Unknown or not stated	
218-275	58	BLANK					
276-277	2	WTGAIN	Weight Gain	648	A,S	00-97	Weight gain in pounds
					98	98 pounds and over	
					99	Unknown or not stated	
278	1	WTGAIN_REC	Weight Gain Recode	648	A,S	1	Less than 10 pounds
					2	10 to 14 pounds	
					3	15 to 19 pounds	
					4	20 to 24 pounds	
					5	25 to 29 pounds	
					6	30 to 34 pounds	
					7	35 or more pounds	
					8	Unknown or not stated	
279-330	52	BLANK					
331-337	7	Risk Factors	The checkbox items below follow this structure:		1	Yes	
					2	No	
					8	Not on certificate	
					9	Unknown	
331	1	URF_DIAB	Diabetes	684	A,S		
332-334	3	BLANK					
335	1	URF_CHYPER	Chronic Hypertension	688	A,S		
336	1	URF_PHYPER	Prepregnancy Associated Hypertension	689	A,S		
337	1	URF_ECLAMP	Eclampsia	690	A,S		

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag	Vers*	Values	Definition
338-383	46		BLANK				
384	1	ULD_BREECH	Breech Delivery	721	A,S	1 2 8 9	Yes No Not on certificate Not stated
385-399	15		BLANK				
400-402	3		<u>Method of Delivery</u>		A,S	1 2 8 9	Yes No Not on certificate Unknown or not stated
			The checkbox items indented below follow this structure:				
400	1	UME_FORCP	Forceps	734			
401	1	UME_VAC	Vacuum	735			
402	1	UME_HYSTER	Hysterectomy/hysterotomy	797			
403	1	DMETH_REC	Delivery Method Recode	678	A,S	1 2 3 9	Vaginal C-section Hysterectomy/Hysterotomy Not stated
			Connecticut, Hawaii, and New York State (excluding New York City), do not report hysterectomy/hysterotomy.				
404-409	6		BLANK				
410	1	ATTEND	Attendant	801	A,S	1 2 3 4 5 9	Doctor of Medicine (MD) Doctor of Osteopathy (DO) Certified Nurse Midwife (CNM) Other Midwife Other Unknown or not stated
411-422	12		BLANK				
423	1	DPLURAL	Plurality Recode		A,S	1 2 3 4 5	Single Twin Triplet Quadruplet Quintuplet or higher

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
424	1	BLANK					
425	1	IMP_PLUR	Plurality Imputed		A,S	Blank 1	Plurality is imputed Plurality is not imputed
426-435	10	BLANK					
436	1	SEX	Sex of Infant		A,S	M F	Male Female
437	1	IMP_SEX	Sex Imputed Only where gestation is stated or presumed to be 20 weeks or more		A,S	Blank 1	Infant Sex not Imputed Infant Sex is Imputed
<u>Gestation</u>							
438-439	2	DLMP_MM	Last Normal Menses Month	789	A,S	01 02 03 04 05 06 07 08 09 10 11 12 99	January February March April May June July August September October November December Unknown or not stated
440-441	2	BLANK					
442-445	4	DLMP_YY	Last Normal Menses Year	791	A,S	nnnn 9999	Year of last normal menses Unknown or not stated
446-447	2	ESTGEST	Obstetric/Clinical Gestation Est.	573	A,S	0-98 02-47 99	Range of obstetric estimate of gestation - revised Range of clinical estimate of gestation - unrevised Unknown or not stated
448-450	3	BLANK					

* For the Version column (Vers) the following codes apply:

- A 2003 Version of US Standard Birth Certificate
- S 1989 Version of US Standard Birth Certificate
- s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
451-452	2	COMBGEST	Gestation – Detail in Weeks	670	A,S	02-47 99	2 nd through 47 th week of Gestation Unknown
453-454	2	GESTREC12	Gestation Recode 12	670	A,S	01 02 03 04 05 06 07 08 09 10 11 12	Under 16 weeks 16-19 weeks 20-23 weeks 24-27 weeks 28-31 weeks 32-35 weeks 36 weeks 37-39 weeks 40 weeks 41 weeks 42 weeks and over Unknown
455	1	GESTREC5	Gestation Recode 5	670	A,S	1 2 3 4 5	Under 20 weeks 20-23 weeks 24-27 weeks 28 weeks and over Unknown
456	1	OBGEST_FLG	Obstetric Estimate of Gestation Used Flag		A,S	Blank 1	Obstetric Estimate is not used Obstetric Estimate is used
457	1	GEST_IMP	Gestation Imputed Flag		A,S	Blank 1	Gestation is not imputed Gestation is imputed
458-462	5	BLANK					
463-466	4	DBWT	Birth Weight – Detail in Grams		A,S	0001-8165 9999	Number of grams Not stated birth weight
467-470	4	BLANK					
471-472	2	BWTR14	Birth Weight Recode 14		A,S	01 02 03 04 05 06	0249 grams or less 0250 – 0349 grams 0350 – 0499 grams 0500 – 0999 grams 1000 – 1499 grams 1500 – 1999 grams

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
					07	2000 – 2499 grams	
					08	2500 – 2999 grams	
					09	3000 – 3499 grams	
					10	3500 – 3999 grams	
					11	4000 – 4499 grams	
					12	4500 – 4999 grams	
					13	5000 – 8165 grams	
					14	Unknown or Not Stated	
473	1	BWTR4	Birth Weight Recode 4	A,S	1	1499 grams or less	
					1	1500 – 2499 grams	
					2	2500 - 8165 grams	
					3	Unknown or not stated	
474-503	30	BLANK					
504-523	20	Congenital Anomalies of the Fetus	The checkbox items below follow this structure:	A,S	1	Anomaly reported	
					2	Anomaly not reported	
					8	Anomaly not on certificate	
					9	Anomaly not classifiable	
504	1	UCA_ANEN	Anencephalus		752		
505	1	UCA_SPINA	Spina Bifida / Meningocele		753		
506-512	7	BLANK					
513	1	UCA_OMPMA	Omphalocele / Gastroschisis		761		
514-517	4	BLANK					
518	1	UCA_CLEFTLP	Cleft Lip / Palate		766		
519-522	4	BLANK					
523	1	UCA_DOWNS	Downs Syndrome		771		
524-568	45	BLANK					
569-801		Flag File for Reporting Flags	The reporting flags indented below follow this coding structure:		0	Not reporting	
					1	Reporting	
569-572	4	BLANK					
573	1	F_CLINEST	Obstetric Estimate of Gestation	A,S			
574-647	74	BLANK					
648	1	F_WTGAIN	Weight Gain	A,S			
649-669	18	BLANK					

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Position	Len	Field	Description	Reporting Flag Position	Vers*	Values	Definition
670	1	F_CMBGST	Combined Gestation		A,S		
671-677	7	BLANK					
678	1	DelMethRecF	Delivery Method Recode Flag		A,S		
679-683	5	BLANK					
684	1	F_URF_DIABETES	Diabetes Flag		A,S		
685-687	3	BLANK					
688	1	F_URF_CHYPER	Chron Hyper Flag		A,S		
689	1	F_URF_PHYPER	Prep Hyper Flag		A,S		
690	1	F_URF_ECLAMP	Eclampsia		A,S		
691-720	30	BLANK					
721	1	F_ULD_BREECH	Breech Flag		A,S		
722-733	12	BLANK					
734	1	F_U_FORCEP	Forceps Flag		A,S		
735	1	F_U_VACUUM	Vacuum Flag		A,S		
736-751	16	BLANK					
752	1	F_UCA_ANEN	Anencephalus Flag		A,S		
753	1	F_UCA_SPINA	Spina Bifida Flag		A,S		
754-760	7	BLANK					
761	1	F_UCA_OMPHALO	Omphalo Flag		A,S		
762-765	4	BLANK					
766	1	F_UCA_CLEFTLP	Cleft Lip Flag		A,S		
767-770	4	BLANK					
771	1	F_UCA_DOWNS	Downs Syndrome Flag		A,S		
772-779	8	BLANK					
780	1	F_DMAR	Mother's Marital Status		A,S		
781	1	F_MORIGIN	Mother's Hispanic origin		A,S		
782-785	4	BLANK					
786	1	F_FAGE_U			A,S		
787-788	2	BLANK					
789	1	F_DLMP_MM_U			A,S		
790	1	BLANK					
791	1	F_DLMP_YY_U			A,S		
792-796	5	BLANK					
797	1	F_HYSTERu	Hysterectomy		A,S		
798	1	F_MAGE_R			A,S		
799-800	2	BLANK					
801	1	F_ATTENDANT	Attendant		A,S		

3350 END OF RECORD

* For the Version column (Vers) the following codes apply:

A 2003 Version of US Standard Birth Certificate

S 1989 Version of US Standard Birth Certificate

s 1989 Version of US Standard Birth Certificate but this element conforms to the 2003 standards

Table 1. Number of fetal deaths and fetal mortality rates: United States, 1985, 1990, and 1995-2013

	Fetal deaths			Fetal mortality rate\1		
	Total\2	20-27 weeks\3	28 weeks or more\3	Total\2	20-27 weeks\3	28 weeks or more\3
2013	23,595	11,874	11,721	5.96	3.01	2.97
2012	24,073	12,334	11,739	6.05	3.11	2.96
2011	24,289	12,432	11,857	6.11	3.13	2.99
2010	24,258	12,388	11,870	6.03	3.09	2.96
2009	24,872	12,813	12,059	5.99	3.09	2.91
2008	26,335	13,347	12,988	6.16	3.13	3.05
2007	26,593	13,822	12,771	6.12	3.19	2.95
2006	25,972	13,270	12,702	6.05	3.10	2.97
2005	25,894	13,327	12,567	6.22	3.21	3.03
2004 \4	26,001	13,068	12,933	6.28	3.17	3.14
2003 \4	26,004	13,348	12,656	6.32	3.25	3.08
2002	25,943	13,072	12,871	6.41	3.24	3.19
2001	26,373	13,122	13,251	6.51	3.25	3.28
2000	27,003	13,497	13,506	6.61	3.31	3.32
1999	26,884	13,457	13,427	6.74	3.39	3.38
1998	26,702	13,229	13,473	6.73	3.35	3.41
1997	26,486	12,800	13,686	6.78	3.29	3.51
1996	27,069	12,990	14,079	6.91	3.33	3.60
1995	27,294	13,043	14,251	6.95	3.33	3.64
1990	31,386	13,427	17,959	7.49	3.22	4.30
1985	29,661	10,958	18,703	7.83	2.91	4.95

\1Rate is number of fetal deaths in specified group per 1,000 live births and fetal deaths.

\2Fetal deaths with stated or presumed period of gestation of 20 weeks or more.

\3Not stated gestational age proportionally distributed.

\4Rates have been revised from those published previously; see Technical notes.

SOURCE: NCHS/CDC/National Vital Statistics System.

Table 2. Fetal Deaths by Period of Gestation and Mother's Residence: United States, Each State and
 [Nonresidents of the United States are excluded]

State/territory of residence	Fetal Deaths with Stated or Presumed Gestation of 20 weeks or More			
	Total	20-27 Weeks	28 Weeks and Over	Not stated
United States ¹	23,595	11,807	11,654	134
Alabama	521	255	265	1
Alaska	57	26	30	1
Arizona	505	238	266	1
Arkansas	248	103	145	-
California	2,557	1,149	1,381	27
Colorado	335	163	171	1
Connecticut	196	101	95	-
Delaware	65	33	32	-
District of Columbia	90	51	38	1
Florida	1,527	810	707	10
Georgia	1,154	672	477	5
Hawaii	114	63	51	-
Idaho	107	37	69	1
Illinois	936	471	463	2
Indiana	491	240	249	2
Iowa	171	75	96	-
Kansas	176	61	115	-
Kentucky	346	148	197	1
Louisiana	289	158	128	3
Maine	62	29	31	2
Maryland	553	320	232	1
Massachusetts	334	156	174	4
Michigan	575	285	289	1
Minnesota	350	158	190	2
Mississippi	345	192	142	11
Missouri	411	208	200	3
Montana	57	19	38	-
Nebraska	135	73	61	1
Nevada	223	122	101	-
New Hampshire	44	13	31	-
New Jersey	693	365	328	-
New Mexico	78	27	49	2
New York	717	379	330	8
New York City	1,023	624	399	-
North Carolina	759	371	387	1
North Dakota	56	28	28	-
Ohio	888	427	459	2
Oklahoma	273	120	147	6
Oregon	224	98	126	-
Pennsylvania	880	452	428	-
Rhode Island	73	39	34	-
South Carolina	445	218	226	1

South Dakota	64	20	43	1
Tennessee	569	279	287	3
Texas	1,905	882	1,007	16
Utah	294	152	142	-
Vermont	27	10	17	-
Virginia	652	365	283	4
Washington	520	280	233	7
West Virginia	101	50	50	1
Wisconsin	343	173	169	1
Wyoming	37	19	18	-
 American Samoa	 3	 -	 3	 -
Guam	42	12	26	4
Northern Marianas	5	1	2	2
Puerto Rico	412	253	153	6

- Quantity zero.

1 Excludes data for the territories.

Table 3. Fetal Deaths by Period of Gestation and State/Territory of Occurrence: United States, 2013

State / territory	All Fetal Deaths			
	Total	Under 20	20 Weeks and	Not stated
		Weeks	Over	
United States ¹	54,028	27,475	23,487	3,066
Alabama	515	29	486	-
Alaska	55	6	48	1
Arizona	528	21	506	1
Arkansas	247	3	244	-
California	2,610	55	2,528	27
Colorado	364	12	351	1
Connecticut	203	4	199	-
Delaware	59	-	59	-
District of Columbia	138	7	130	1
Florida	1,574	36	1,528	10
Georgia	8,183	5,537	1,174	1,472
Hawaii	889	550	116	223
Idaho	101	4	96	1
Illinois	941	26	913	2
Indiana	508	23	483	2
Iowa	171	1	170	-
Kansas	173	1	171	1
Kentucky	344	18	326	-
Louisiana	321	35	283	3
Maine	59	2	55	2
Maryland	548	19	528	1
Massachusetts	325	4	317	4
Michigan	592	19	572	1
Minnesota	410	55	353	2
Mississippi	356	10	334	12
Missouri	449	9	437	3
Montana	54	2	52	-
Nebraska	135	3	132	-
Nevada	233	14	219	-
New Hampshire	48	-	48	-
New Jersey	718	45	673	-
New Mexico	78	4	72	2
New York	5,992	4,525	666	801
New York City	12,062	10,929	1,101	32
North Carolina	794	32	761	1
North Dakota	67	1	66	-
Ohio	925	28	894	3
Oklahoma	269	8	255	6
Oregon	273	47	226	-
Pennsylvania	1,294	410	884	-
Rhode Island	701	574	87	40
South Carolina	439	14	424	1
South Dakota	71	-	70	1

Tennessee	628	26	599	3
Texas	2,141	222	1,903	16
Utah	313	6	307	-
Vermont	28	-	28	-
Virginia	5,088	4,079	628	381
Washington	544	11	526	7
West Virginia	112	2	109	1
Wisconsin	330	7	322	1
Wyoming	28	-	28	-
 American Samoa	 3	 -	 3	 -
Guam	42	-	38	4
Northern Marianas	6	-	4	2
Puerto Rico	416	-	410	6

- Quantity zero.

1 Excludes data for the territories.

Fetal Death Documentation Table 4A

Fetal deaths and percent distribution by month of delivery: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Jan	Feb	Mar	Apr	May	Jun	Jul Number	Aug	Sep	Oct	Nov	Dec	Total
	2,041	1,789	1,895	1,946	2,060	1,982	2,086	2,002	1,976	1,984	1,844	1,990	23,595
TOTAL	2,041	1,789	1,895	1,946	2,060	1,982	2,086	2,002	1,976	1,984	1,844	1,990	23,595
Alabama	43	46	42	44	47	34	50	44	35	48	46	42	521
Alaska	2	3	2	5	5	2	6	9	7	6	5	5	57
Arizona	53	41	33	35	49	42	52	38	48	39	33	42	505
Arkansas	26	26	14	22	28	21	23	20	23	21	9	15	248
California	231	195	199	193	203	220	247	210	218	216	217	208	2,557
Colorado	30	23	29	36	20	25	19	42	24	35	18	34	335
Connecticut	17	13	20	18	14	21	17	16	10	18	11	21	196
Delaware	8	5	2	5	2	2	8	7	2	5	10	9	65
District of Columbia	6	9	13	5	7	10	8	8	4	10	3	7	90
Florida	139	100	113	137	123	140	126	141	133	107	133	135	1,527
Georgia	89	85	101	100	101	83	98	102	110	104	96	85	1,154
Hawaii	15	6	5	11	8	5	11	8	10	9	10	16	114
Idaho	8	5	9	12	10	11	8	10	15	8	2	9	107
Illinois	72	85	98	78	83	79	79	66	72	82	65	77	936
Indiana	46	25	32	47	50	45	41	36	36	50	37	46	491
Iowa	30	13	11	16	7	14	15	6	13	16	16	14	171
Kansas	15	13	18	23	12	7	14	12	22	17	13	10	176
Kentucky	23	26	27	31	34	24	27	35	29	26	35	29	346
Louisiana	23	20	31	20	26	21	31	22	14	32	18	31	289
Maine	7	4	6	6	2	9	5	7	5	7	1	3	62
Maryland	46	46	36	45	44	61	42	44	55	47	56	31	553
Massachusetts	28	23	31	25	35	29	32	24	29	24	20	34	334
Michigan	53	58	45	46	57	52	59	36	40	48	42	39	575
Minnesota	37	23	25	30	35	23	27	37	23	26	31	33	350
Mississippi	31	20	30	26	35	32	27	27	28	28	33	28	345
Missouri	33	32	34	41	22	33	28	41	46	32	34	35	411
Montana	2	6	1	4	6	5	2	8	4	8	3	8	57
Nebraska	18	12	6	7	12	12	6	14	14	9	13	12	135
Nevada	18	17	14	23	21	20	18	21	14	30	14	13	223
New Hampshire	4	-	7	6	7	4	3	2	3	2	2	4	44
New Jersey	63	58	57	64	70	61	49	68	65	53	42	43	693
New Mexico	4	6	8	6	8	7	9	9	4	4	6	7	78
New York	72	51	44	51	63	67	49	68	49	71	65	67	717
New York City	90	76	84	79	90	95	79	86	81	86	84	93	1,023
North Carolina	55	63	73	58	65	68	76	68	61	63	51	58	759
North Dakota	8	3	10	5	5	3	9	6	2	1	2	2	56
Ohio	80	68	64	76	82	84	84	68	59	74	65	84	888
Oklahoma	20	27	28	19	23	22	23	21	21	26	25	18	273
Oregon	22	15	21	10	22	17	25	17	19	17	19	20	224
Pennsylvania	82	78	64	78	79	49	73	75	83	75	49	95	880
Rhode Island	7	6	6	6	5	7	8	4	4	9	6	5	73
South Carolina	37	26	37	46	37	43	55	31	38	37	30	28	445
South Dakota	7	6	8	5	6	2	4	3	5	8	2	8	64
Tennessee	29	44	40	39	65	55	52	49	58	35	48	55	569
Texas	145	123	161	157	158	158	178	174	167	147	163	174	1,905
Utah	29	16	25	26	40	20	22	19	24	19	35	19	294
Vermont	2	1	3	2	-	-	5	5	-	3	3	3	27
Virginia	54	52	52	41	55	56	69	58	71	53	40	51	652
Washington	40	43	33	43	44	40	56	46	34	54	42	45	520
West Virginia	11	10	5	10	8	5	3	7	11	10	11	10	101
Wisconsin	27	32	34	25	30	35	25	25	29	27	26	28	343
Wyoming	4	5	4	3	-	2	4	2	5	2	4	2	37

State	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
	Percent												
TOTAL	8.7	7.6	8.0	8.2	8.7	8.4	8.8	8.5	8.4	8.4	7.8	8.4	100.0
Alabama	8.3	8.8	8.1	8.4	9.0	6.5	9.6	8.4	6.7	9.2	8.8	8.1	100.0
Alaska	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Arizona	10.5	8.1	6.5	6.9	9.7	8.3	10.3	7.5	9.5	7.7	6.5	8.3	100.0
Arkansas	10.5	10.5	*	8.9	11.3	8.5	9.3	8.1	9.3	8.5	*	*	100.0
California	9.0	7.6	7.8	7.5	7.9	8.6	9.7	8.2	8.5	8.4	8.5	8.1	100.0
Colorado	9.0	6.9	8.7	10.7	6.0	7.5	*	12.5	7.2	10.4	*	10.1	100.0
Connecticut	*	*	10.2	*	*	10.7	*	*	*	*	*	10.7	100.0
Delaware	*	*	*	*	*	*	*	*	*	*	*	*	100.0
District of Columbia	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Florida	9.1	6.5	7.4	9.0	8.1	9.2	8.3	9.2	8.7	7.0	8.7	8.8	100.0
Georgia	7.7	7.4	8.8	8.7	8.8	7.2	8.5	8.8	9.5	9.0	8.3	7.4	100.0
Hawaii	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Idaho	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Illinois	7.7	9.1	10.5	8.3	8.9	8.4	8.4	7.1	7.7	8.8	6.9	8.2	100.0
Indiana	9.4	5.1	6.5	9.6	10.2	9.2	8.4	7.3	7.3	10.2	7.5	9.4	100.0
Iowa	17.5	*	*	*	*	*	*	*	*	*	*	*	100.0
Kansas	*	*	*	13.1	*	*	*	*	12.5	*	*	*	100.0
Kentucky	6.6	7.5	7.8	9.0	9.8	6.9	7.8	10.1	8.4	7.5	10.1	8.4	100.0
Louisiana	8.0	6.9	10.7	6.9	9.0	7.3	10.7	7.6	*	11.1	*	10.7	100.0
Maine	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Maryland	8.3	8.3	6.5	8.1	8.0	11.0	7.6	8.0	9.9	8.5	10.1	5.6	100.0
Massachusetts	8.4	6.9	9.3	7.5	10.5	8.7	9.6	7.2	8.7	7.2	6.0	10.2	100.0
Michigan	9.2	10.1	7.8	8.0	9.9	9.0	10.3	6.3	7.0	8.3	7.3	6.8	100.0
Minnesota	10.6	6.6	7.1	8.6	10.0	6.6	7.7	10.6	6.6	7.4	8.9	9.4	100.0
Mississippi	9.0	5.8	8.7	7.5	10.1	9.3	7.8	7.8	8.1	8.1	9.6	8.1	100.0
Missouri	8.0	7.8	8.3	10.0	5.4	8.0	6.8	10.0	11.2	7.8	8.3	8.5	100.0
Montana	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Nebraska	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Nevada	*	*	*	10.3	9.4	9.0	*	9.4	*	13.5	*	*	100.0
New Hampshire	*	*	*	*	*	*	*	*	*	*	*	*	100.0
New Jersey	9.1	8.4	8.2	9.2	10.1	8.8	7.1	9.8	9.4	7.6	6.1	6.2	100.0
New Mexico	*	*	*	*	*	*	*	*	*	*	*	*	100.0
New York	10.0	7.1	6.1	7.1	8.8	9.3	6.8	9.5	6.8	9.9	9.1	9.3	100.0
New York City	8.8	7.4	8.2	7.7	8.8	9.3	7.7	8.4	7.9	8.4	8.2	9.1	100.0
North Carolina	7.2	8.3	9.6	7.6	8.6	9.0	10.0	9.0	8.0	8.3	6.7	7.6	100.0
North Dakota	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Ohio	9.0	7.7	7.2	8.6	9.2	9.5	9.5	7.7	6.6	8.3	7.3	9.5	100.0
Oklahoma	7.3	9.9	10.3	*	8.4	8.1	8.4	7.7	7.7	9.5	9.2	*	100.0
Oregon	9.8	*	9.4	*	9.8	*	11.2	*	*	*	*	*	100.0
Pennsylvania	9.3	8.9	7.3	8.9	9.0	5.6	8.3	8.5	9.4	8.5	5.6	10.8	100.0
Rhode Island	*	*	*	*	*	*	*	*	*	*	*	*	100.0
South Carolina	8.3	5.8	8.3	10.3	8.3	9.7	12.4	7.0	8.5	8.3	6.7	6.3	100.0
South Dakota	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Tennessee	5.1	7.7	7.0	6.9	11.4	9.7	9.1	8.6	10.2	6.2	8.4	9.7	100.0
Texas	7.6	6.5	8.5	8.2	8.3	8.3	9.3	9.1	8.8	7.7	8.6	9.1	100.0
Utah	9.9	*	8.5	8.8	13.6	6.8	7.5	*	8.2	*	11.9	*	100.0
Vermont	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Virginia	8.3	8.0	8.0	6.3	8.4	8.6	10.6	8.9	10.9	8.1	6.1	7.8	100.0
Washington	7.7	8.3	6.3	8.3	8.5	7.7	10.8	8.8	6.5	10.4	8.1	8.7	100.0
West Virginia	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Wisconsin	7.9	9.3	9.9	7.3	8.7	10.2	7.3	7.3	8.5	7.9	7.6	8.2	100.0
Wyoming	*	*	*	*	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero.

Fetal Death Documentation Table 4B
Fetal deaths by month of delivery: U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total
TOTAL	36	36	35	38	45	40	43	38	34	37	34	46	462
American Samoa	-	-	-	1	-	-	1	-	-	-	1	-	3
Guam	2	-	2	5	6	3	7	5	3	4	2	3	42
Northern Marianas	-	1	1	-	-	1	-	-	1	-	1	-	5
Puerto Rico	34	35	32	32	39	36	35	33	30	33	30	43	412

- Quantity zero.

Fetal Death Documentation Table 5A

Fetal deaths and percent distribution by race of mother:

United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	White	Black	American	Asian or	Total
			Indian or Alaska native	Pacific Islander	
			Number		
TOTAL	15,280	6,777	288	1,250	23,595
Alabama	252	262	1	6	521
Alaska	38	2	8	9	57
Arizona	405	49	33	18	505
Arkansas	163	71	1	13	248
California	1,810	391	42	314	2,557
Colorado	281	36	3	15	335
Connecticut	130	54	1	11	196
Delaware	33	27	1	4	65
District of Columbia	20	69	-	1	90
Florida	888	600	4	35	1,527
Georgia	496	626	4	28	1,154
Hawaii	34	6	1	73	114
Idaho	105	1	-	1	107
Illinois	597	286	3	50	936
Indiana	394	84	-	13	491
Iowa	141	22	1	7	171
Kansas	135	34	-	7	176
Kentucky	270	65	1	10	346
Louisiana	124	163	2	-	289
Maine	61	1	-	-	62
Maryland	212	307	4	30	553
Massachusetts	220	92	2	20	334
Michigan	378	178	2	17	575
Minnesota	242	70	11	27	350
Mississippi	94	247	1	3	345
Missouri	293	106	5	7	411
Montana	46	-	10	1	57
Nebraska	113	18	3	1	135
Nevada	161	36	-	26	223
New Hampshire	43	-	-	1	44
New Jersey	413	223	2	55	693
New Mexico	62	4	8	4	78
New York	568	119	2	28	717
New York City	459	471	1	92	1,023
North Carolina	398	323	12	26	759
North Dakota	41	1	13	1	56
Ohio	598	262	-	28	888
Oklahoma	191	40	37	5	273
Oregon	197	8	6	13	224
Pennsylvania	610	236	1	33	880
Rhode Island	61	11	-	1	73
South Carolina	196	236	2	11	445
South Dakota	40	3	20	1	64
Tennessee	362	194	-	13	569
Texas	1,412	400	5	88	1,905
Utah	274	8	-	12	294
Vermont	26	1	-	-	27
Virginia	395	223	2	32	652
Washington	413	48	16	43	520
West Virginia	93	7	-	1	101
Wisconsin	263	55	11	14	343
Wyoming	29	1	6	1	37

State	White	Black	American	Asian or	Total
			Indian or Alaska native		
			Percent		
TOTAL	64.8	28.7	1.2	5.3	100.0
Alabama	48.4	50.3	*	*	100.0
Alaska	66.7	*	*	*	100.0
Arizona	80.2	9.7	6.5	*	100.0
Arkansas	65.7	28.6	*	*	100.0
California	70.8	15.3	1.6	12.3	100.0
Colorado	83.9	10.7	*	*	100.0
Connecticut	66.3	27.6	*	*	100.0
Delaware	50.8	41.5	*	*	100.0
District of Columbia	22.2	76.7	*	*	100.0
Florida	58.2	39.3	*	2.3	100.0
Georgia	43.0	54.2	*	2.4	100.0
Hawaii	29.8	*	*	64.0	100.0
Idaho	98.1	*	*	*	100.0
Illinois	63.8	30.6	*	5.3	100.0
Indiana	80.2	17.1	*	*	100.0
Iowa	82.5	12.9	*	*	100.0
Kansas	76.7	19.3	*	*	100.0
Kentucky	78.0	18.8	*	*	100.0
Louisiana	42.9	56.4	*	*	100.0
Maine	98.4	*	*	*	100.0
Maryland	38.3	55.5	*	5.4	100.0
Massachusetts	65.9	27.5	*	6.0	100.0
Michigan	65.7	31.0	*	*	100.0
Minnesota	69.1	20.0	*	7.7	100.0
Mississippi	27.2	71.6	*	*	100.0
Missouri	71.3	25.8	*	*	100.0
Montana	80.7	*	*	*	100.0
Nebraska	83.7	*	*	*	100.0
Nevada	72.2	16.1	*	11.7	100.0
New Hampshire	97.7	*	*	*	100.0
New Jersey	59.6	32.2	*	7.9	100.0
New Mexico	79.5	*	*	*	100.0
New York	79.2	16.6	*	3.9	100.0
New York City	44.9	46.0	*	9.0	100.0
North Carolina	52.4	42.6	*	3.4	100.0
North Dakota	73.2	*	*	*	100.0
Ohio	67.3	29.5	*	3.2	100.0
Oklahoma	70.0	14.7	13.6	*	100.0
Oregon	87.9	*	*	*	100.0
Pennsylvania	69.3	26.8	*	3.8	100.0
Rhode Island	83.6	*	*	*	100.0
South Carolina	44.0	53.0	*	*	100.0
South Dakota	62.5	*	31.3	*	100.0
Tennessee	63.6	34.1	*	*	100.0
Texas	74.1	21.0	*	4.6	100.0
Utah	93.2	*	*	*	100.0
Vermont	96.3	*	*	*	100.0
Virginia	60.6	34.2	*	4.9	100.0
Washington	79.4	9.2	*	8.3	100.0
West Virginia	92.1	*	*	*	100.0
Wisconsin	76.7	16.0	*	*	100.0
Wyoming	78.4	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 5B
Fetal deaths by race of mother: U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	White	Black	American Indian or Alaska native	Asian or Pacific Islander	Total
TOTAL 1	2	-	-	48	50
American Samoa	-	-	-	3	3
Guam	2	-	-	40	42
Northern Marianas	-	-	-	5	5

– Quantity zero.

1 Puerto Rico does not report mother's race.

Fetal Death Documentation Table 6A

Fetal deaths and percent distribution by race and Hispanic origin of mother: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Mexican	Puerto Rican	Cuban	Central and South American	Other and Unknown	Non-Hispanic white	Non-Hispanic black	Non-Hispanic other races	Unknown	Total
	Number									
TOTAL	2,798	412	88	600	832	10,435	6,216	1,361	853	23,595
Alabama	14	1	-	11	1	224	261	7	2	521
Alaska	2	-	-	1	1	31	2	15	5	57
Arizona	174	5	-	4	14	213	48	46	1	505
Arkansas	21	-	-	1	9	141	70	6	-	248
California	861	15	2	120	299	599	340	309	12	2,557
Colorado	46	1	-	5	41	188	34	16	4	335
Connecticut	7	26	1	11	5	74	40	12	20	196
Delaware	2	2	-	2	-	28	26	5	-	65
District of Columbia	2	-	-	4	2	13	68	1	-	90
Florida	71	72	58	84	36	562	543	38	63	1,527
Georgia	92	5	1	16	25	342	593	28	52	1,154
Hawaii	4	3	-	1	8	21	6	53	18	114
Idaho	12	-	-	1	4	88	1	1	-	107
Illinois	140	21	1	23	5	406	271	50	19	936
Indiana	22	1	1	3	7	357	84	13	3	491
Iowa	5	-	-	-	1	136	20	7	2	171
Kansas	24	1	5	3	3	104	28	7	1	176
Kentucky	10	-	2	3	3	254	62	10	2	346
Louisiana	5	-	1	5	-	113	163	2	-	289
Maine	-	-	-	-	-	56	1	-	5	62
Maryland	14	1	1	30	12	160	296	30	9	553
Massachusetts	-	26	-	18	-	139	68	18	65	334
Michigan	24	-	3	6	6	339	164	17	16	575
Minnesota	16	1	1	4	1	212	69	37	9	350
Mississippi	3	-	-	3	1	82	243	3	10	345
Missouri	14	3	-	3	-	271	103	10	7	411
Montana	3	1	-	-	-	43	-	10	-	57
Nebraska	19	1	-	2	-	91	18	4	-	135
Nevada	55	4	-	14	7	78	31	24	10	223
New Hampshire	1	-	-	2	-	39	-	1	1	44
New Jersey	30	64	6	29	14	283	204	54	9	693
New Mexico	14	2	-	1	21	25	4	10	1	78
New York	8	5	-	14	46	469	111	28	36	717
New York City	42	56	1	38	121	170	303	70	222	1,023
North Carolina	51	8	3	13	5	319	317	36	7	759
North Dakota	-	-	-	-	-	40	1	14	1	56
Ohio	16	6	-	6	9	550	247	27	27	888
Oklahoma	28	-	-	-	3	157	39	39	7	273
Oregon	35	2	-	4	2	158	5	18	-	224
Pennsylvania	13	49	-	8	11	502	209	30	58	880
Rhode Island	-	-	-	-	-	1	1	-	71	73
South Carolina	10	-	-	3	5	182	229	6	10	445
South Dakota	5	-	-	-	1	37	3	17	1	64
Tennessee	30	1	-	14	4	322	185	13	-	569
Texas	716	16	1	52	63	567	387	87	16	1,905
Utah	30	3	-	4	7	233	6	11	-	294
Vermont	-	-	-	-	-	25	1	-	1	27
Virginia	9	4	-	26	24	316	205	32	36	652
Washington	72	3	-	6	4	321	44	59	11	520
West Virginia	1	-	-	-	-	92	7	1	-	101
Wisconsin	25	3	-	1	-	234	54	23	3	343
Wyoming	-	-	-	1	1	28	1	6	-	37

State	Mexican	Puerto Rican	Cuban	Central and South American	Other and Unknown	Non-Hispanic white	Non-Hispanic black	Non-Hispanic other races	Total
	Percent								
TOTAL	12.3	1.8	0.4	2.6	3.7	45.9	27.3	6.0	100.0
Alabama	*	*	*	*	*	43.2	50.3	*	100.0
Alaska	*	*	*	*	*	59.6	*	*	100.0
Arizona	34.5	*	*	*	*	42.3	9.5	9.1	100.0
Arkansas	8.5	*	*	*	*	56.9	28.2	*	100.0
California	33.8	*	*	4.7	11.7	23.5	13.4	12.1	100.0
Colorado	13.9	*	*	*	12.4	56.8	10.3	*	100.0
Connecticut	*	14.8	*	*	*	42.0	22.7	*	100.0
Delaware	*	*	*	*	*	43.1	40.0	*	100.0
District of Columbia	*	*	*	*	*	*	75.6	*	100.0
Florida	4.8	4.9	4.0	5.7	2.5	38.4	37.1	2.6	100.0
Georgia	8.3	*	*	*	2.3	31.0	53.8	2.5	100.0
Hawaii	*	*	*	*	*	21.9	*	55.2	100.0
Idaho	*	*	*	*	*	82.2	*	*	100.0
Illinois	15.3	2.3	*	2.5	*	44.3	29.6	5.5	100.0
Indiana	4.5	*	*	*	*	73.2	17.2	*	100.0
Iowa	*	*	*	*	*	80.5	11.8	*	100.0
Kansas	13.7	*	*	*	*	59.4	16.0	*	100.0
Kentucky	*	*	*	*	*	73.8	18.0	*	100.0
Louisiana	*	*	*	*	*	39.1	56.4	*	100.0
Maine	*	*	*	*	*	98.2	*	*	100.0
Maryland	*	*	*	5.5	*	29.4	54.4	5.5	100.0
Massachusetts	*	9.7	*	*	*	51.7	25.3	*	100.0
Michigan	4.3	*	*	*	*	60.6	29.3	*	100.0
Minnesota	*	*	*	*	*	62.2	20.2	10.9	100.0
Mississippi	*	*	*	*	*	24.5	72.5	*	100.0
Missouri	*	*	*	*	*	67.1	25.5	*	100.0
Montana	*	*	*	*	*	75.4	*	*	100.0
Nebraska	*	*	*	*	*	67.4	*	*	100.0
Nevada	25.8	*	*	*	*	36.6	14.6	11.3	100.0
New Hampshire	*	*	*	*	*	90.7	*	*	100.0
New Jersey	4.4	9.4	*	4.2	*	41.4	29.8	7.9	100.0
New Mexico	*	*	*	*	27.3	32.5	*	*	100.0
New York	*	*	*	*	6.8	68.9	16.3	4.1	100.0
New York City	5.2	7.0	*	4.7	15.1	21.2	37.8	8.7	100.0
North Carolina	6.8	*	*	*	*	42.4	42.2	4.8	100.0
North Dakota	*	*	*	*	*	72.7	*	*	100.0
Ohio	*	*	*	*	*	63.9	28.7	3.1	100.0
Oklahoma	10.5	*	*	*	*	59.0	14.7	14.7	100.0
Oregon	15.6	*	*	*	*	70.5	*	*	100.0
Pennsylvania	*	6.0	*	*	*	61.1	25.4	3.6	100.0
Rhode Island	*	*	*	*	*	*	*	*	100.0
South Carolina	*	*	*	*	*	41.8	52.6	*	100.0
South Dakota	*	*	*	*	*	58.7	*	*	100.0
Tennessee	5.3	*	*	*	*	56.6	32.5	*	100.0
Texas	37.9	*	*	2.8	3.3	30.0	20.5	4.6	100.0
Utah	10.2	*	*	*	*	79.3	*	*	100.0
Vermont	*	*	*	*	*	96.2	*	*	100.0
Virginia	*	*	*	4.2	3.9	51.3	33.3	5.2	100.0
Washington	14.1	*	*	*	*	63.1	8.6	11.6	100.0
West Virginia	*	*	*	*	*	91.1	*	*	100.0
Wisconsin	7.4	*	*	*	*	68.8	15.9	6.8	100.0
Wyoming	*	*	*	*	*	75.7	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero.

Fetal Death Documentation Table 6B

Fetal deaths by race and Hispanic origin of mother: U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Mexican	Puerto Rican	Cuban	Central and South American	Other and Unknown Hispanic	Non-Hispanic white	Non-Hispanic black	Non-Hispanic other races	Non-Hispanic Unknown	Total
	Number									
TOTAL 1	-	-	-	-	-	2	-	44	1	47
Guam	-	-	-	-	-	2	-	39	1	42
Northern Marianas	-	-	-	-	-	-	-	5	-	5

– Quantity zero.

1 Puerto Rico does not report mother's race and American Samoa and Puerto Rico do not report mother's Hispanic origin.

Fetal Death Documentation Table 7A

Fetal deaths by age of mother (in years): United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	Total
TOTAL	50	70	175	285	481	821	5,337	6,015	5,772	3,361	1,114	104	10	23,595
Alabama	-	2	2	13	13	30	127	148	104	61	19	2	-	521
Alaska	-	-	1	-	3	-	12	10	18	12	1	-	-	57
Arizona	-	5	2	11	12	18	104	148	116	74	13	2	-	505
Arkansas	1	2	5	4	6	9	71	59	54	29	8	-	-	248
California	1	3	19	21	46	85	526	621	650	416	150	16	3	2,557
Colorado	-	-	3	6	2	9	63	81	102	49	18	2	-	335
Connecticut	1	-	1	3	3	5	36	34	65	34	12	2	-	196
Delaware	-	-	1	-	1	2	18	14	14	8	7	-	-	65
District of Columbia	-	-	-	-	3	3	19	22	26	11	6	-	-	90
Florida	1	5	8	15	38	40	365	424	336	217	75	3	-	1,527
Georgia	6	8	9	14	25	41	296	279	270	156	49	1	-	1,154
Hawaii	-	1	2	2	1	5	20	31	37	11	3	1	-	114
Idaho	-	-	2	-	2	3	34	29	26	7	4	-	-	107
Illinois	2	1	10	11	22	37	217	209	221	149	50	7	-	936
Indiana	-	-	3	4	12	10	129	123	114	63	30	3	-	491
Iowa	-	1	-	3	-	8	35	51	43	27	3	-	-	171
Kansas	-	2	3	3	7	4	52	40	35	21	9	-	-	176
Kentucky	1	3	3	3	13	14	106	95	59	37	11	1	-	346
Louisiana	3	1	-	5	7	12	88	73	63	26	10	1	-	289
Maine	-	-	-	3	-	1	13	18	13	10	3	1	-	62
Maryland	2	1	3	6	9	17	118	129	129	100	33	5	1	553
Massachusetts	-	-	2	2	2	7	47	84	96	67	26	1	-	334
Michigan	-	-	2	10	20	25	145	139	136	70	25	3	-	575
Minnesota	-	-	1	4	7	7	61	97	102	50	21	-	-	350
Mississippi	-	3	6	5	10	24	108	92	63	28	5	1	-	345
Missouri	-	-	1	5	15	19	98	119	95	38	19	1	1	411
Montana	-	-	1	-	-	1	10	19	16	9	1	-	-	57
Nebraska	-	-	2	1	1	1	31	25	40	24	10	-	-	135
Nevada	-	1	2	2	6	16	49	52	46	37	11	1	-	223
New Hampshire	-	-	1	-	-	2	9	6	12	9	5	-	-	44
New Jersey	2	1	6	6	7	18	108	172	200	133	34	5	1	693
New Mexico	-	1	-	2	3	4	21	22	15	7	3	-	-	78
New York	6	-	3	8	11	25	110	166	201	134	49	3	1	717
New York City	1	5	7	7	7	22	198	235	254	205	70	11	1	1,023
North Carolina	3	1	4	14	21	35	180	212	170	86	26	6	1	759
North Dakota	-	-	1	-	1	3	10	23	11	5	2	-	-	56
Ohio	2	2	8	11	20	32	214	217	233	112	35	2	-	888
Oklahoma	-	-	3	6	4	8	73	66	60	40	12	1	-	273
Oregon	1	1	1	-	3	7	50	63	49	39	10	-	-	224
Pennsylvania	1	2	7	13	13	34	210	245	209	112	32	2	-	880
Rhode Island	-	-	-	1	1	-	18	20	17	13	3	-	-	73
South Carolina	2	1	5	7	11	29	114	111	107	39	17	2	-	445
South Dakota	-	1	1	2	1	1	17	12	16	10	3	-	-	64
Tennessee	3	1	6	8	16	20	164	143	137	56	14	1	-	569
Texas	6	9	19	27	44	60	444	521	453	238	79	4	1	1,905
Utah	-	1	-	3	8	6	53	88	80	46	9	-	-	294
Vermont	-	-	-	-	2	1	4	12	5	3	-	-	-	27
Virginia	2	2	1	5	11	16	138	159	183	92	40	3	-	652
Washington	3	1	4	6	6	19	91	130	146	81	25	8	-	520
West Virginia	-	-	-	-	3	6	24	32	21	10	3	2	-	101
Wisconsin	-	2	3	3	2	19	78	82	98	47	9	-	-	343
Wyoming	-	-	1	-	-	1	11	13	6	3	2	-	-	37

– Quantity zero.

Fetal Death Documentation Table 7B

Fetal deaths by age of mother (in years): U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<15	15	16	17	18	19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	Total
TOTAL	1	3	12	18	21	28	139	96	86	41	15	2	-	462
American Samoa	-	-	-	-	-	-	1	-	1	-	1	-	-	3
Guam	-	-	2	-	1	1	12	4	12	7	3	-	-	42
Northern Marianas	-	-	-	-	-	-	1	1	-	2	1	-	-	5
Puerto Rico	1	3	10	18	20	27	125	91	73	32	10	2	-	412

– Quantity zero.

Fetal Death Documentation Table 8A
Fetal deaths by age of father (in years) : Total of 49 states and DC and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	<15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-98	Unknown	Total
TOTAL 1	8	586	2,701	3,914	4,399	3,031	1,532	592	174	95	5,911	22,943
Alabama	-	2	22	60	56	54	19	12	3	1	292	521
Alaska	-	3	3	11	14	8	9	1	-	1	7	57
Arizona	-	18	76	119	116	73	36	12	8	1	46	505
Arkansas	-	6	29	40	39	19	9	5	1	-	100	248
California	1	92	352	497	560	449	231	80	31	20	244	2,557
Colorado	-	9	33	74	89	58	26	12	4	-	30	335
Connecticut	-	5	20	29	57	29	26	4	4	-	22	196
Delaware	-	1	9	7	11	8	5	-	1	-	23	65
District of Columbia	-	2	6	7	4	5	3	2	-	-	61	90
Florida	1	45	232	297	313	210	131	49	17	14	218	1,527
Georgia	-	14	77	91	120	85	44	15	5	1	702	1,154
Hawaii	-	1	13	10	24	13	5	2	-	-	46	114
Idaho	-	2	20	31	26	18	2	-	-	-	8	107
Illinois	-	34	122	168	204	131	63	37	9	3	165	936
Indiana	-	9	91	104	118	73	39	16	2	2	37	491
Iowa	-	3	30	37	46	25	8	1	2	-	19	171
Kansas	-	8	40	37	34	26	12	6	-	1	12	176
Kentucky	-	3	32	49	41	29	15	8	2	-	167	346
Louisiana	-	6	33	39	41	17	15	10	-	1	127	289
Maine	-	-	3	19	19	8	4	3	-	-	6	62
Maryland	-	20	71	95	118	87	60	23	6	2	71	553
Massachusetts	-	4	22	58	82	48	28	12	2	1	77	334
Michigan	1	15	79	122	131	84	35	19	3	4	82	575
Minnesota	-	5	35	80	83	62	27	9	3	1	45	350
Mississippi	-	6	31	29	34	22	5	5	1	3	209	345
Missouri	-	15	46	96	73	44	34	13	4	2	84	411
Montana	-	-	7	13	11	16	5	1	-	-	4	57
Nebraska	-	3	14	28	37	21	8	4	2	-	18	135
Nevada	-	-	12	20	21	19	12	5	2	1	131	223
New Hampshire	-	2	5	7	6	9	5	2	-	-	8	44
New Jersey	1	26	76	112	187	145	69	23	5	3	46	693
New Mexico	-	2	10	16	13	2	3	1	1	-	30	78
New York	-	6	42	44	88	62	28	12	5	4	426	717
New York City	-	8	49	65	115	62	54	9	6	6	649	1,023
North Carolina	-	5	69	97	115	80	31	23	5	-	334	759
North Dakota	-	1	7	19	8	13	3	-	-	-	5	56
Ohio	-	35	135	188	202	142	48	28	2	1	107	888
Oklahoma	-	7	49	54	54	44	22	5	4	1	33	273
Oregon	-	3	28	53	46	31	18	6	2	-	37	224
Pennsylvania	1	37	104	210	175	115	60	27	6	3	142	880
Rhode Island	-	2	8	11	20	9	4	-	-	-	19	73
South Carolina	1	4	33	38	48	34	16	12	-	-	259	445
South Dakota	-	5	8	15	14	7	5	2	1	-	7	64
Tennessee	-	4	65	77	84	50	19	4	1	2	263	569
Texas	2	80	318	409	415	298	136	44	16	11	176	1,905
Utah	-	4	36	64	83	48	26	3	-	-	30	294
Vermont	-	2	5	6	5	3	-	-	-	-	6	27
Washington	-	19	63	93	110	84	37	19	6	4	85	520
West Virginia	-	-	13	32	16	9	9	-	1	-	21	101
Wisconsin	-	1	12	27	65	38	22	5	1	-	172	343
Wyoming	-	2	6	10	8	5	1	1	-	1	3	37

- Quantity zero

1 Virginia does not report father's age.

Fetal Death Documentation Table 8B

Fetal deaths by age of father (in years): U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-98	Unknown	Total
Total	-	25	107	105	76	31	32	10	3	1	72	462
American Samoa	-	-	-	1	1	-	-	-	-	-	1	3
Guam	-	2	3	2	1	1	4	1	1	-	27	42
Northern Marianas	-	-	-	-	-	-	1	-	-	-	4	5
Puerto Rico	-	23	104	102	74	30	27	9	2	1	40	412

– Quantity zero.

Fetal Death Documentation Table 9A

Fetal deaths and percent distribution by marital status: Total of 48 states and DC
 [Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Yes	No	Unknown	Total
	Number			
TOTAL 1	9,081	9,524	693	19,298
Alabama	235	285	1	521
Alaska	34	19	4	57
Arizona	251	246	8	505
Arkansas	115	133	-	248
Colorado	208	125	2	335
Connecticut	96	94	6	196
Delaware	31	34	-	65
District of Columbia	22	67	1	90
Florida	607	836	84	1,527
Georgia	497	646	11	1,154
Hawaii	67	37	10	114
Idaho	80	26	1	107
Illinois	414	443	79	936
Indiana	262	220	9	491
Iowa	94	76	1	171
Kansas	96	80	-	176
Kentucky	167	177	2	346
Louisiana	98	191	-	289
Maine	33	20	9	62
Maryland	248	265	40	553
Massachusetts	169	151	14	334
Michigan	262	310	3	575
Minnesota	203	141	6	350
Mississippi	84	252	9	345
Missouri	204	201	6	411
Montana	33	23	1	57
Nebraska	86	48	1	135
Nevada	96	124	3	223
New Hampshire	27	17	-	44
New Jersey	343	321	29	693
New Mexico	31	43	4	78
North Carolina	338	418	3	759
North Dakota	27	29	-	56
Ohio	373	452	63	888
Oklahoma	131	121	21	273
Oregon	129	95	-	224
Pennsylvania	382	428	70	880
Rhode Island	4	5	64	73
South Carolina	157	273	15	445
South Dakota	34	30	-	64
Tennessee	249	320	-	569
Texas	956	902	47	1,905
Utah	234	60	-	294
Vermont	13	14	-	27
Virginia	333	291	28	652
Washington	281	208	31	520
West Virginia	52	46	3	101
Wisconsin	166	173	4	343
Wyoming	29	8	-	37

State	Yes	No	Total
	Percent		
TOTAL 1	48.8	51.2	100.0
Alabama	45.2	54.8	100.0
Alaska	64.2	*	100.0
Arizona	50.5	49.5	100.0
Arkansas	46.4	53.6	100.0
Colorado	62.5	37.5	100.0
Connecticut	50.5	49.5	100.0
Delaware	47.7	52.3	100.0
District of Columbia	24.7	75.3	100.0
Florida	42.1	57.9	100.0
Georgia	43.5	56.5	100.0
Hawaii	64.4	35.6	100.0
Idaho	75.5	24.5	100.0
Illinois	48.3	51.7	100.0
Indiana	54.4	45.6	100.0
Iowa	55.3	44.7	100.0
Kansas	54.5	45.5	100.0
Kentucky	48.5	51.5	100.0
Louisiana	33.9	66.1	100.0
Maine	62.3	37.7	100.0
Maryland	48.3	51.7	100.0
Massachusetts	52.8	47.2	100.0
Michigan	45.8	54.2	100.0
Minnesota	59.0	41.0	100.0
Mississippi	25.0	75.0	100.0
Missouri	50.4	49.6	100.0
Montana	58.9	41.1	100.0
Nebraska	64.2	35.8	100.0
Nevada	43.6	56.4	100.0
New Hampshire	61.4	*	100.0
New Jersey	51.7	48.3	100.0
New Mexico	41.9	58.1	100.0
North Carolina	44.7	55.3	100.0
North Dakota	48.2	51.8	100.0
Ohio	45.2	54.8	100.0
Oklahoma	52.0	48.0	100.0
Oregon	57.6	42.4	100.0
Pennsylvania	47.2	52.8	100.0
Rhode Island	*	*	100.0
South Carolina	36.5	63.5	100.0
South Dakota	53.1	46.9	100.0
Tennessee	43.8	56.2	100.0
Texas	51.5	48.5	100.0
Utah	79.6	20.4	100.0
Vermont	*	*	100.0
Virginia	53.4	46.6	100.0
Washington	57.5	42.5	100.0
West Virginia	53.1	46.9	100.0
Wisconsin	49.0	51.0	100.0
Wyoming	78.4	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero

1 California, New York and New York City do not report marital status.

Fetal Death Documentation Table 9B**Fetal deaths by marital status: U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Yes	No	Unknown	Total
TOTAL	111	222	129	462
American Samoa	-	-	3	3
Guam	10	31	1	42
Northern Marianas	-	5	-	5
Puerto Rico	101	186	125	412

– Quantity zero.

Fetal Death Documentation Table 10A

Fetal deaths and percent distribution by live birth order: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	0	1	2	3	4	5	6	7	8+	Unknown	Total
	Number										
TOTAL	8,967	5,181	3,797	1,935	936	471	250	120	171	1,767	23,595
Alabama	218	140	76	43	21	7	5	1	3	7	521
Alaska	15	15	8	7	2	3	2	-	1	4	57
Arizona	198	115	96	49	24	13	7	1	2	-	505
Arkansas	113	51	35	25	8	5	2	-	2	7	248
California	1,024	552	414	223	105	56	22	13	20	128	2,557
Colorado	127	66	67	32	15	7	2	2	2	15	335
Connecticut	84	43	23	10	7	2	-	1	1	25	196
Delaware	33	14	8	7	3	-	-	-	-	-	65
District of Columbia	27	21	14	8	7	2	2	-	1	8	90
Florida	573	350	253	123	70	30	14	9	10	95	1,527
Georgia	415	264	180	105	50	22	13	5	7	93	1,154
Hawaii	23	12	13	5	3	1	-	-	-	57	114
Idaho	44	24	18	12	4	2	1	-	-	2	107
Illinois	351	244	156	86	29	22	8	3	3	34	936
Indiana	174	136	96	51	13	6	4	2	4	5	491
Iowa	72	26	38	16	11	2	2	1	-	3	171
Kansas	73	46	34	13	4	2	-	2	1	1	176
Kentucky	143	84	59	35	16	3	3	-	2	1	346
Louisiana	106	62	65	31	5	11	2	2	-	5	289
Maine	21	10	4	4	1	-	-	-	-	22	62
Maryland	266	123	90	41	14	6	3	4	3	3	553
Massachusetts	146	76	57	18	7	5	4	1	-	20	334
Michigan	206	123	101	46	26	13	8	3	6	43	575
Minnesota	142	77	67	25	13	8	4	2	3	9	350
Mississippi	145	75	64	30	14	7	1	2	1	6	345
Missouri	147	87	85	36	20	6	5	1	6	18	411
Montana	22	12	14	4	1	3	-	1	-	-	57
Nebraska	45	28	30	12	10	5	3	-	1	1	135
Nevada	85	42	34	22	15	7	4	2	2	10	223
New Hampshire	17	10	12	3	-	2	-	-	-	-	44
New Jersey	428	101	87	31	22	4	5	3	4	8	693
New Mexico	35	16	11	6	3	4	-	-	-	3	78
New York	260	145	98	62	25	16	6	3	9	93	717
New York City	373	189	105	38	16	10	14	5	17	256	1,023
North Carolina	310	172	123	72	27	15	11	5	7	17	759
North Dakota	25	11	14	2	1	3	-	-	-	-	56
Ohio	272	199	147	67	40	22	25	12	8	96	888
Oklahoma	73	45	21	22	10	3	2	-	1	96	273
Oregon	100	57	34	14	8	5	1	2	1	2	224
Pennsylvania	356	235	119	45	31	17	8	3	2	64	880
Rhode Island	1	2	-	1	-	-	1	-	-	68	73
South Carolina	174	116	83	36	21	8	2	2	2	1	445
South Dakota	27	15	5	7	5	3	1	-	-	1	64
Tennessee	231	140	89	53	21	17	10	2	6	-	569
Texas	447	356	307	184	95	51	19	16	15	415	1,905
Utah	101	51	71	32	19	10	2	2	3	3	294
Vermont	8	10	3	4	1	-	1	-	-	-	27
Virginia	274	135	108	61	36	8	7	3	4	16	652
Washington	232	117	86	38	18	9	7	-	7	6	520
West Virginia	31	35	16	6	7	3	1	2	-	-	101
Wisconsin	140	96	55	28	10	3	5	2	4	-	343
Wyoming	14	10	4	4	2	2	1	-	-	-	37

	0	1	2	3	4	5	6	7	8+	Total
	Percent									
TOTAL	41.1	23.7	17.4	8.9	4.3	2.2	1.1	0.5	0.8	100.0
Alabama	42.4	27.2	14.8	8.4	4.1	*	*	*	*	100.0
Alaska	*	*	*	*	*	*	*	*	*	100.0
Arizona	39.2	22.8	19.0	9.7	4.8	*	*	*	*	100.0
Arkansas	46.9	21.2	14.5	10.4	*	*	*	*	*	100.0
California	42.2	22.7	17.0	9.2	4.3	2.3	0.9	*	0.8	100.0
Colorado	39.7	20.6	20.9	10.0	*	*	*	*	*	100.0
Connecticut	49.1	25.1	13.5	*	*	*	*	*	*	100.0
Delaware	50.8	*	*	*	*	*	*	*	*	100.0
District of Columbia	32.9	25.6	*	*	*	*	*	*	*	100.0
Florida	40.0	24.4	17.7	8.6	4.9	2.1	*	*	*	100.0
Georgia	39.1	24.9	17.0	9.9	4.7	2.1	*	*	*	100.0
Hawaii	40.4	*	*	*	*	*	*	*	*	100.0
Idaho	41.9	22.9	*	*	*	*	*	*	*	100.0
Illinois	38.9	27.1	17.3	9.5	3.2	2.4	*	*	*	100.0
Indiana	35.8	28.0	19.8	10.5	*	*	*	*	*	100.0
Iowa	42.9	15.5	22.6	*	*	*	*	*	*	100.0
Kansas	41.7	26.3	19.4	*	*	*	*	*	*	100.0
Kentucky	41.4	24.3	17.1	10.1	*	*	*	*	*	100.0
Louisiana	37.3	21.8	22.9	10.9	*	*	*	*	*	100.0
Maine	52.5	*	*	*	*	*	*	*	*	100.0
Maryland	48.4	22.4	16.4	7.5	*	*	*	*	*	100.0
Massachusetts	46.5	24.2	18.2	*	*	*	*	*	*	100.0
Michigan	38.7	23.1	19.0	8.6	4.9	*	*	*	*	100.0
Minnesota	41.6	22.6	19.6	7.3	*	*	*	*	*	100.0
Mississippi	42.8	22.1	18.9	8.8	*	*	*	*	*	100.0
Missouri	37.4	22.1	21.6	9.2	5.1	*	*	*	*	100.0
Montana	38.6	*	*	*	*	*	*	*	*	100.0
Nebraska	33.6	20.9	22.4	*	*	*	*	*	*	100.0
Nevada	39.9	19.7	16.0	10.3	*	*	*	*	*	100.0
New Hampshire	*	*	*	*	*	*	*	*	*	100.0
New Jersey	62.5	14.7	12.7	4.5	3.2	*	*	*	*	100.0
New Mexico	46.7	*	*	*	*	*	*	*	*	100.0
New York	41.7	23.2	15.7	9.9	4.0	*	*	*	*	100.0
New York City	48.6	24.6	13.7	5.0	*	*	*	*	*	100.0
North Carolina	41.8	23.2	16.6	9.7	3.6	*	*	*	*	100.0
North Dakota	44.6	*	*	*	*	*	*	*	*	100.0
Ohio	34.3	25.1	18.6	8.5	5.1	2.8	3.2	*	*	100.0
Oklahoma	41.2	25.4	11.9	12.4	*	*	*	*	*	100.0
Oregon	45.0	25.7	15.3	*	*	*	*	*	*	100.0
Pennsylvania	43.6	28.8	14.6	5.5	3.8	*	*	*	*	100.0
Rhode Island	*	*	*	*	*	*	*	*	*	100.0
South Carolina	39.2	26.1	18.7	8.1	4.7	*	*	*	*	100.0
South Dakota	42.9	*	*	*	*	*	*	*	*	100.0
Tennessee	40.6	24.6	15.6	9.3	3.7	*	*	*	*	100.0
Texas	30.0	23.9	20.6	12.3	6.4	3.4	*	*	*	100.0
Utah	34.7	17.5	24.4	11.0	*	*	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	*	100.0
Virginia	43.1	21.2	17.0	9.6	5.7	*	*	*	*	100.0
Washington	45.1	22.8	16.7	7.4	*	*	*	*	*	100.0
West Virginia	30.7	34.7	*	*	*	*	*	*	*	100.0
Wisconsin	40.8	28.0	16.0	8.2	*	*	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero

Fetal Death Documentation Table 10B**Fetal deaths and percent distribution by live birth order: U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	0	1	2	3	4	5	6	7	8+	Unknown	Total
TOTAL	299	85	39	23	3	5	1	1	1	5	462
American Samoa	-	1	1	-	-	1	-	-	-	-	3
Guam	14	8	7	7	2	1	1	-	1	1	42
Northern Marianas	-	-	1	1	-	2	-	1	-	-	5
Puerto Rico	285	76	30	15	1	1	-	-	-	4	412

– Quantity zero.

Fetal Death Documentation Table 11A
Fetal deaths and percent distribution by total birth order: United States and each reporting area, 2013
[Fatal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	1	2	3	4	5	6	7	8+	Unknown	Total
	Number									
Total	6,776	4,714	3,647	2,349	1,482	829	510	834	2,454	23,595
Alabama	152	121	99	64	34	20	6	14	11	521
Alaska	13	11	4	9	6	4	2	2	6	57
Arizona	154	107	92	67	31	21	19	14	-	505
Arkansas	88	55	35	22	15	13	6	7	7	248
California	804	543	401	254	154	83	47	87	184	2,557
Colorado	100	57	62	38	25	15	7	13	18	335
Connecticut	63	36	22	14	11	11	2	5	32	196
Delaware	19	20	7	14	3	-	1	1	-	65
District of Columbia	21	17	16	5	8	6	2	5	10	90
Florida	439	312	242	151	103	49	33	71	127	1,527
Georgia	310	210	141	93	57	20	16	17	290	1,154
Hawaii	16	5	12	13	-	-	5	3	60	114
Idaho	39	24	15	13	5	4	3	2	2	107
Illinois	289	216	163	95	67	27	20	21	38	936
Indiana	155	97	93	40	42	23	15	21	5	491
Iowa	54	27	29	26	11	10	3	7	4	171
Kansas	52	47	37	19	11	3	1	5	1	176
Kentucky	110	80	52	46	34	13	4	6	1	346
Louisiana	81	65	69	28	13	13	9	6	5	289
Maine	16	8	3	4	3	1	1	-	26	62
Maryland	166	123	82	79	37	29	10	24	3	553
Massachusetts	106	76	74	24	13	5	3	11	22	334
Michigan	135	122	97	64	38	29	10	26	54	575
Minnesota	107	65	67	37	20	17	9	17	11	350
Mississippi	109	77	64	34	28	10	3	7	13	345
Missouri	101	103	63	42	25	21	10	21	25	411
Montana	17	10	14	6	4	2	-	4	-	57
Nebraska	29	30	24	18	7	9	6	8	4	135
Nevada	68	36	37	20	22	11	9	9	11	223
New Hampshire	11	9	11	5	5	1	1	1	-	44
New Jersey	359	104	81	52	31	14	13	29	10	693
New Mexico	25	16	17	5	5	3	1	3	3	78
New York	175	142	84	76	50	33	22	36	99	717
New York City	226	156	117	86	44	22	23	49	300	1,023
North Carolina	232	166	131	80	51	29	16	34	20	759
North Dakota	18	11	8	7	4	3	1	1	3	56
Ohio	216	157	127	84	45	40	28	59	132	888
Oklahoma	57	42	29	11	12	2	4	3	113	273
Oregon	79	51	30	28	15	8	2	4	7	224
Pennsylvania	240	196	135	85	54	27	22	25	96	880
Rhode Island	-	2	1	-	-	1	1	-	68	73
South Carolina	136	101	84	50	36	17	5	11	5	445
South Dakota	23	10	9	8	5	4	1	3	1	64
Tennessee	193	130	91	59	32	26	16	21	1	569
Texas	361	306	229	171	106	50	37	51	594	1,905
Utah	78	53	55	37	28	18	7	14	4	294
Vermont	7	3	6	4	4	-	2	-	1	27
Virginia	211	131	120	66	48	23	14	23	16	652
Washington	185	95	85	51	39	20	21	16	8	520
West Virginia	21	36	14	9	8	5	3	5	-	101
Wisconsin	98	89	63	31	30	11	6	12	3	343
Wyoming	12	8	4	5	3	3	2	-	-	37

State	1	2	3	4	5	6	7	8+	Total
	Percent								
Total	32.1	22.3	17.3	11.1	7.0	3.9	2.4	3.9	100.0
Alabama	29.8	23.7	19.4	12.5	6.7	3.9	*	*	100.0
Alaska	*	*	*	*	*	*	*	*	100.0
Arizona	30.5	21.2	18.2	13.3	6.1	4.2	*	*	100.0
Arkansas	36.5	22.8	14.5	9.1	*	*	*	*	100.0
California	33.9	22.9	16.9	10.7	6.5	3.5	2.0	3.7	100.0
Colorado	31.5	18.0	19.6	12.0	7.9	*	*	*	100.0
Connecticut	38.4	22.0	13.4	*	*	*	*	*	100.0
Delaware	*	30.8	*	*	*	*	*	*	100.0
District of Columbia	26.3	*	*	*	*	*	*	*	100.0
Florida	31.4	22.3	17.3	10.8	7.4	3.5	2.4	5.1	100.0
Georgia	35.9	24.3	16.3	10.8	6.6	2.3	*	*	100.0
Hawaii	*	*	*	*	*	*	*	*	100.0
Idaho	37.1	22.9	*	*	*	*	*	*	100.0
Illinois	32.2	24.1	18.2	10.6	7.5	3.0	2.2	2.3	100.0
Indiana	31.9	20.0	19.1	8.2	8.6	4.7	*	4.3	100.0
Iowa	32.3	16.2	17.4	15.6	*	*	*	*	100.0
Kansas	29.7	26.9	21.1	*	*	*	*	*	100.0
Kentucky	31.9	23.2	15.1	13.3	9.9	*	*	*	100.0
Louisiana	28.5	22.9	24.3	9.9	*	*	*	*	100.0
Maine	*	*	*	*	*	*	*	*	100.0
Maryland	30.2	22.4	14.9	14.4	6.7	5.3	*	4.4	100.0
Massachusetts	34.0	24.4	23.7	7.7	*	*	*	*	100.0
Michigan	25.9	23.4	18.6	12.3	7.3	5.6	*	5.0	100.0
Minnesota	31.6	19.2	19.8	10.9	5.9	*	*	*	100.0
Mississippi	32.8	23.2	19.3	10.2	8.4	*	*	*	100.0
Missouri	26.2	26.7	16.3	10.9	6.5	5.4	*	5.4	100.0
Montana	*	*	*	*	*	*	*	*	100.0
Nebraska	22.1	22.9	18.3	*	*	*	*	*	100.0
Nevada	32.1	17.0	17.5	9.4	10.4	*	*	*	100.0
New Hampshire	*	*	*	*	*	*	*	*	100.0
New Jersey	52.6	15.2	11.9	7.6	4.5	*	*	4.2	100.0
New Mexico	33.3	*	*	*	*	*	*	*	100.0
New York	28.3	23.0	13.6	12.3	8.1	5.3	3.6	5.8	100.0
New York City	31.3	21.6	16.2	11.9	6.1	3.0	3.2	6.8	100.0
North Carolina	31.4	22.5	17.7	10.8	6.9	3.9	*	4.6	100.0
North Dakota	*	*	*	*	*	*	*	*	100.0
Ohio	28.6	20.8	16.8	11.1	6.0	5.3	3.7	7.8	100.0
Oklahoma	35.6	26.3	18.1	*	*	*	*	*	100.0
Oregon	36.4	23.5	13.8	12.9	*	*	*	*	100.0
Pennsylvania	30.6	25.0	17.2	10.8	6.9	3.4	2.8	3.2	100.0
Rhode Island	*	*	*	*	*	*	*	*	100.0
South Carolina	30.9	23.0	19.1	11.4	8.2	*	*	*	100.0
South Dakota	36.5	*	*	*	*	*	*	*	100.0
Tennessee	34.0	22.9	16.0	10.4	5.6	4.6	*	3.7	100.0
Texas	27.5	23.3	17.5	13.0	8.1	3.8	2.8	3.9	100.0
Utah	26.9	18.3	19.0	12.8	9.7	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	100.0
Virginia	33.2	20.6	18.9	10.4	7.5	3.6	*	3.6	100.0
Washington	36.1	18.6	16.6	10.0	7.6	3.9	4.1	*	100.0
West Virginia	20.8	35.6	*	*	*	*	*	*	100.0
Wisconsin	28.8	26.2	18.5	9.1	8.8	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 11B**Fetal deaths by total birth order: U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	1	2	3	4	5	6	7	8 +	Unknown	Total
Total	276	91	42	27	7	7	-	3	9	462
American Samoa	-	-	-	-	-	-	-	-	3	3
Guam	12	9	8	5	2	3	-	2	1	42
Northern Marianas	-	-	1	1	-	2	-	1	-	5
Puerto Rico	264	82	33	21	5	2	-	-	5	412

- Quantity zero.

Fetal Death Documentation Table 12A

Fetal deaths by sex of child and sex ratio: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Male	Female	Ratio	M/F	Total
Total	12,404	11,191	1,108.4	1,108.4	23,595
Alabama	288	233	1,236.1	1,236.1	521
Alaska	34	23	1,478.3	1,478.3	57
Arizona	254	251	1,012.0	1,012.0	505
Arkansas	130	118	1,101.7	1,101.7	248
California	1,326	1,231	1,077.2	1,077.2	2,557
Colorado	155	180	861.1	861.1	335
Connecticut	95	101	940.6	940.6	196
Delaware	30	35	857.1	857.1	65
District of Columbia	52	38	1,368.4	1,368.4	90
Florida	820	707	1,159.8	1,159.8	1,527
Georgia	626	528	1,185.6	1,185.6	1,154
Hawaii	42	72	583.3	583.3	114
Idaho	50	57	877.2	877.2	107
Illinois	474	462	1,026.0	1,026.0	936
Indiana	258	233	1,107.3	1,107.3	491
Iowa	98	73	1,342.5	1,342.5	171
Kansas	85	91	934.1	934.1	176
Kentucky	189	157	1,203.8	1,203.8	346
Louisiana	156	133	1,172.9	1,172.9	289
Maine	40	22	1,818.2	1,818.2	62
Maryland	301	252	1,194.4	1,194.4	553
Massachusetts	172	162	1,061.7	1,061.7	334
Michigan	317	258	1,228.7	1,228.7	575
Minnesota	191	159	1,201.3	1,201.3	350
Mississippi	182	163	1,116.6	1,116.6	345
Missouri	212	199	1,065.3	1,065.3	411
Montana	31	26	1,192.3	1,192.3	57
Nebraska	68	67	1,014.9	1,014.9	135
Nevada	129	94	1,372.3	1,372.3	223
New Hampshire	23	21	1,095.2	1,095.2	44
New Jersey	368	325	1,132.3	1,132.3	693
New Mexico	40	38	1,052.6	1,052.6	78
New York	388	329	1,179.3	1,179.3	717
New York City	568	455	1,248.4	1,248.4	1,023
North Carolina	354	405	874.1	874.1	759
North Dakota	30	26	1,153.8	1,153.8	56
Ohio	462	426	1,084.5	1,084.5	888
Oklahoma	137	136	1,007.4	1,007.4	273
Oregon	112	112	1,000.0	1,000.0	224
Pennsylvania	473	407	1,162.2	1,162.2	880
Rhode Island	40	33	1,212.1	1,212.1	73
South Carolina	234	211	1,109.0	1,109.0	445
South Dakota	34	30	1,133.3	1,133.3	64
Tennessee	294	275	1,069.1	1,069.1	569
Texas	1,011	894	1,130.9	1,130.9	1,905
Utah	148	146	1,013.7	1,013.7	294
Vermont	11	16	687.5	687.5	27
Virginia	326	326	1,000.0	1,000.0	652
Washington	301	219	1,374.4	1,374.4	520
West Virginia	47	54	870.4	870.4	101
Wisconsin	178	165	1,078.8	1,078.8	343
Wyoming	20	17	1,176.5	1,176.5	37

– Quantity zero.

Fetal Death Documentation Table 12B**Fetal deaths by sex of child and sex ratio: U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Male	Female	Ratio M/F	Total
Total	255	207	1,231.9	462
American Samoa	2	1	2,000.0	3
Guam	20	22	909.1	42
Northern Marianas	4	1	4,000.0	5
Puerto Rico	229	183	1,251.4	412

– Quantity zero.

Fetal Death Documentation Table 13A
Fetal deaths by plurality: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Single	Twin	Triplet	Quadruplet	Quintuplet+	Total
TOTAL	21,559	1,888	141	5	2	23,595
Alabama	468	43	10	-	-	521
Alaska	56	1	-	-	-	57
Arizona	461	42	2	-	-	505
Arkansas	227	18	3	-	-	248
California	2,306	231	19	1	-	2,557
Colorado	309	25	1	-	-	335
Connecticut	177	19	-	-	-	196
Delaware	61	4	-	-	-	65
District of Columbia	87	-	3	-	-	90
Florida	1,403	120	4	-	-	1,527
Georgia	1,028	118	8	-	-	1,154
Hawaii	109	5	-	-	-	114
Idaho	101	6	-	-	-	107
Illinois	840	91	5	-	-	936
Indiana	438	44	8	1	-	491
Iowa	157	11	3	-	-	171
Kansas	161	14	1	-	-	176
Kentucky	325	21	-	-	-	346
Louisiana	267	21	1	-	-	289
Maine	59	3	-	-	-	62
Maryland	501	51	1	-	-	553
Massachusetts	280	46	7	1	-	334
Michigan	531	39	5	-	-	575
Minnesota	328	21	1	-	-	350
Mississippi	306	37	2	-	-	345
Missouri	377	32	2	-	-	411
Montana	53	4	-	-	-	57
Nebraska	118	16	1	-	-	135
Nevada	203	20	-	-	-	223
New Hampshire	41	3	-	-	-	44
New Jersey	643	40	9	1	-	693
New Mexico	75	3	-	-	-	78
New York	657	58	1	-	1	717
New York City	930	88	5	-	-	1,023
North Carolina	699	57	2	1	-	759
North Dakota	55	1	-	-	-	56
Ohio	817	66	5	-	-	888
Oklahoma	258	15	-	-	-	273
Oregon	209	15	-	-	-	224
Pennsylvania	805	67	8	-	-	880
Rhode Island	64	6	3	-	-	73
South Carolina	412	33	-	-	-	445
South Dakota	59	5	-	-	-	64
Tennessee	535	34	-	-	-	569
Texas	1,746	144	14	-	1	1,905
Utah	274	20	-	-	-	294
Vermont	22	5	-	-	-	27
Virginia	605	45	2	-	-	652
Washington	476	40	4	-	-	520
West Virginia	95	6	-	-	-	101
Wisconsin	311	31	1	-	-	343
Wyoming	34	3	-	-	-	37

– Quantity zero.

Fetal Death Documentation Table 13B
Fetal deaths by plurality: U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Single	Twin	Triplet	Quadruplet	Quintuplet+	Total
Total	433	29	-	-	-	462
American Samoa	3	-	-	-	-	3
Guam	40	2	-	-	-	42
Northern Marianas	5	-	-	-	-	5
Puerto Rico	385	27	-	-	-	412

– Quantity zero.

Fetal Death Documentation Table 14A

Fetal deaths and percent distribution by period of gestation (in weeks): United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	20-27	28-31	32-33	34-36	37-39	40	41	42 or more	Unknown	Total
TOTAL	11,807	2,960	1,477	2,713	3,171	691	307	335	134	23,595
Alabama	255	63	33	64	71	20	9	5	1	521
Alaska	26	3	4	10	8	3	-	2	1	57
Arizona	238	64	29	60	80	19	8	6	1	505
Arkansas	103	43	10	38	40	8	2	4	-	248
California	1,149	354	181	304	374	92	42	34	27	2,557
Colorado	163	29	22	44	54	12	7	3	1	335
Connecticut	101	26	8	25	25	4	3	4	-	196
Delaware	33	13	1	4	8	3	1	2	-	65
District of Columbia	51	4	2	14	14	2	1	1	1	90
Florida	810	195	89	165	173	44	17	24	10	1,527
Georgia	672	134	55	126	119	28	6	9	5	1,154
Hawaii	63	10	8	11	10	5	3	4	-	114
Idaho	37	15	5	14	24	5	3	3	1	107
Illinois	471	116	62	93	145	22	13	12	2	936
Indiana	240	56	35	72	65	14	2	5	2	491
Iowa	75	19	13	23	31	7	1	2	-	171
Kansas	61	31	14	17	37	11	3	2	-	176
Kentucky	148	53	18	44	58	14	4	6	1	346
Louisiana	158	39	14	35	30	4	-	6	3	289
Maine	29	3	6	5	10	4	2	1	2	62
Maryland	320	67	34	40	68	12	3	8	1	553
Massachusetts	156	40	24	42	49	13	4	2	4	334
Michigan	285	69	32	64	90	13	12	9	1	575
Minnesota	158	44	19	40	52	16	8	11	2	350
Mississippi	192	46	20	33	34	2	6	1	11	345
Missouri	208	58	26	39	57	7	6	7	3	411
Montana	19	9	10	9	8	2	-	-	-	57
Nebraska	73	17	11	9	19	4	-	1	1	135
Nevada	122	18	16	24	30	8	1	4	-	223
New Hampshire	13	5	9	4	12	1	-	-	-	44
New Jersey	365	62	53	70	91	18	8	26	-	693
New Mexico	27	13	10	8	12	4	1	1	2	78
New York	379	88	44	86	76	16	15	5	8	717
New York City	624	125	50	94	90	18	10	12	-	1,023
North Carolina	371	104	44	85	107	24	11	12	1	759
North Dakota	28	5	3	9	5	5	1	-	-	56
Ohio	427	110	47	117	129	24	12	20	2	888
Oklahoma	120	37	19	32	44	5	6	4	6	273
Oregon	98	25	14	28	38	9	7	5	-	224
Pennsylvania	452	119	51	91	123	27	14	3	-	880
Rhode Island	39	10	4	8	11	1	-	-	-	73
South Carolina	218	53	41	61	50	13	3	5	1	445
South Dakota	20	11	1	14	13	1	1	2	1	64
Tennessee	279	86	41	70	67	12	4	7	3	569
Texas	882	248	144	243	260	58	23	31	16	1,905
Utah	152	27	14	51	38	7	3	2	-	294
Vermont	10	5	2	-	9	-	1	-	-	27
Virginia	365	70	40	60	77	16	9	11	4	652
Washington	280	67	26	51	62	13	9	5	7	520
West Virginia	50	11	3	16	13	5	-	2	1	101
Wisconsin	173	39	14	43	54	15	1	3	1	343
Wyoming	19	2	2	4	7	1	1	1	-	37

State	20-27	28-31	32-33	34-36	37-39	40	41	42 or more	Total
	Percent								
TOTAL	50.3	12.6	6.3	11.6	13.5	2.9	1.3	1.4	100.0
Alabama	49.0	12.1	6.3	12.3	13.7	3.8	*	*	100.0
Alaska	46.4	*	*	*	*	*	*	*	100.0
Arizona	47.2	12.7	5.8	11.9	15.9	*	*	*	100.0
Arkansas	41.5	17.3	*	15.3	16.1	*	*	*	100.0
California	45.4	14.0	7.2	12.0	14.8	3.6	1.7	1.3	100.0
Colorado	48.8	8.7	6.6	13.2	16.2	*	*	*	100.0
Connecticut	51.5	13.3	*	12.8	12.8	*	*	*	100.0
Delaware	50.8	*	*	*	*	*	*	*	100.0
District of Columbia	57.3	*	*	*	*	*	*	*	100.0
Florida	53.4	12.9	5.9	10.9	11.4	2.9	*	1.6	100.0
Georgia	58.5	11.7	4.8	11.0	10.4	2.4	*	*	100.0
Hawaii	55.3	*	*	*	*	*	*	*	100.0
Idaho	34.9	*	*	*	22.6	*	*	*	100.0
Illinois	50.4	12.4	6.6	10.0	15.5	2.4	*	*	100.0
Indiana	49.1	11.5	7.2	14.7	13.3	*	*	*	100.0
Iowa	43.9	*	*	13.5	18.1	*	*	*	100.0
Kansas	34.7	17.6	*	*	21.0	*	*	*	100.0
Kentucky	42.9	15.4	*	12.8	16.8	*	*	*	100.0
Louisiana	55.2	13.6	*	12.2	10.5	*	*	*	100.0
Maine	48.3	*	*	*	*	*	*	*	100.0
Maryland	58.0	12.1	6.2	7.2	12.3	*	*	*	100.0
Massachusetts	47.3	12.1	7.3	12.7	14.8	*	*	*	100.0
Michigan	49.7	12.0	5.6	11.1	15.7	*	*	*	100.0
Minnesota	45.4	12.6	*	11.5	14.9	*	*	*	100.0
Mississippi	57.5	13.8	6.0	9.9	10.2	*	*	*	100.0
Missouri	51.0	14.2	6.4	9.6	14.0	*	*	*	100.0
Montana	*	*	*	*	*	*	*	*	100.0
Nebraska	54.5	*	*	*	*	*	*	*	100.0
Nevada	54.7	*	*	10.8	13.5	*	*	*	100.0
New Hampshire	*	*	*	*	*	*	*	*	100.0
New Jersey	52.7	8.9	7.6	10.1	13.1	*	*	3.8	100.0
New Mexico	35.5	*	*	*	*	*	*	*	100.0
New York	53.5	12.4	6.2	12.1	10.7	*	*	*	100.0
New York City	61.0	12.2	4.9	9.2	8.8	*	*	*	100.0
North Carolina	48.9	13.7	5.8	11.2	14.1	3.2	*	*	100.0
North Dakota	50.0	*	*	*	*	*	*	*	100.0
Ohio	48.2	12.4	5.3	13.2	14.6	2.7	*	2.3	100.0
Oklahoma	44.9	13.9	*	12.0	16.5	*	*	*	100.0
Oregon	43.8	11.2	*	12.5	17.0	*	*	*	100.0
Pennsylvania	51.4	13.5	5.8	10.3	14.0	3.1	*	*	100.0
Rhode Island	53.4	*	*	*	*	*	*	*	100.0
South Carolina	49.1	11.9	9.2	13.7	11.3	*	*	*	100.0
South Dakota	31.7	*	*	*	*	*	*	*	100.0
Tennessee	49.3	15.2	7.2	12.4	11.8	*	*	*	100.0
Texas	46.7	13.1	7.6	12.9	13.8	3.1	1.2	1.6	100.0
Utah	51.7	9.2	*	17.3	12.9	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	100.0
Virginia	56.3	10.8	6.2	9.3	11.9	*	*	*	100.0
Washington	54.6	13.1	5.1	9.9	12.1	*	*	*	100.0
West Virginia	50.0	*	*	*	*	*	*	*	100.0
Wisconsin	50.6	11.4	*	12.6	15.8	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero.

Fetal Death Documentation Table 14B**Fetal deaths by period of gestation (in weeks): U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	20-27	28-31	32-33	34-36	37-39	40	41	42 or more	Unknown	Total
TOTAL	266	53	25	56	40	5	5	-	12	462
American Samoa	-	-	-	2	-	1	-	-	-	3
Guam	12	11	1	8	2	1	3	-	4	42
Northern Marianas	1	1	-	-	1	-	-	-	2	5
Puerto Rico	253	41	24	46	37	3	2	-	6	412

– Quantity zero.

Fetal Death Documentation Table 15A

Fetal deaths and percent distribution by birthweight (in grams): United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	<0500	0500-0999	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000-4499	4500-4999	5000-8165	Unknown	Total
	Number												
Total	7,788	4,261	1,921	1,773	1,641	1,679	1,322	630	241	119	68	2,152	23,595
Alabama	201	85	46	43	46	39	31	9	7	4	1	9	521
Alaska	16	11	2	4	6	7	3	3	-	-	1	4	57
Arizona	166	107	45	48	34	46	37	15	3	2	1	1	505
Arkansas	61	59	29	25	24	19	14	5	4	4	1	3	248
California	774	521	250	217	183	196	185	79	37	21	14	80	2,557
Colorado	115	52	24	20	23	34	28	8	1	2	2	26	335
Connecticut	64	36	10	16	14	13	13	5	-	-	-	25	196
Delaware	24	16	4	6	6	1	6	1	1	-	-	-	65
District of Columbia	27	24	3	8	8	6	5	4	3	-	-	2	90
Florida	553	312	139	109	103	104	94	38	19	3	3	50	1,527
Georgia	400	170	74	74	68	60	46	21	9	3	2	227	1,154
Hawaii	23	12	3	4	4	3	4	2	1	-	1	57	114
Idaho	29	18	2	12	12	12	14	4	1	1	-	2	107
Illinois	327	145	68	60	58	56	42	24	8	6	2	140	936
Indiana	176	83	44	43	48	27	30	6	3	5	1	25	491
Iowa	57	26	17	16	16	17	6	9	1	-	1	5	171
Kansas	43	29	20	26	12	22	16	5	2	-	1	-	176
Kentucky	113	65	37	22	26	30	29	12	5	1	1	5	346
Louisiana	105	52	37	25	16	22	10	8	3	-	2	9	289
Maine	15	8	2	4	7	4	3	4	3	1	-	11	62
Maryland	221	116	41	33	30	33	21	15	4	4	5	30	553
Massachusetts	109	62	28	30	23	30	24	7	-	3	1	17	334
Michigan	198	112	38	43	46	42	37	15	3	5	-	36	575
Minnesota	123	48	30	22	27	36	23	18	5	1	-	17	350
Mississippi	143	69	33	29	19	18	12	6	3	1	2	10	345
Missouri	133	92	31	24	22	36	24	12	6	1	1	29	411
Montana	12	10	5	4	12	5	3	3	1	-	1	1	57
Nebraska	53	28	15	4	7	9	7	5	1	-	-	6	135
Nevada	91	32	20	17	12	24	8	7	1	1	-	10	223
New Hampshire	9	6	3	7	8	3	1	2	2	-	-	3	44
New Jersey	256	146	40	53	54	43	29	20	8	3	2	39	693
New Mexico	19	11	5	11	7	12	6	2	-	-	-	5	78
New York	225	63	29	28	8	28	19	8	5	1	1	302	717
New York City	308	150	69	72	44	63	35	15	6	4	3	254	1,023
North Carolina	264	139	65	62	74	60	39	19	6	4	1	26	759
North Dakota	16	10	10	5	3	6	3	-	1	1	-	1	56
Ohio	285	173	77	54	68	63	63	31	14	4	3	53	888
Oklahoma	80	40	25	24	16	27	14	8	2	1	1	35	273
Oregon	68	44	13	13	20	20	20	12	5	3	1	5	224
Pennsylvania	281	164	71	56	61	59	43	22	9	3	2	109	880
Rhode Island	21	14	8	3	4	3	8	1	-	-	-	11	73
South Carolina	149	98	37	40	40	20	28	10	9	2	3	9	445
South Dakota	20	10	3	7	7	6	4	5	1	1	-	-	64
Tennessee	197	117	54	54	41	42	29	19	6	5	-	5	569
Texas	584	366	177	183	162	148	105	55	13	9	3	100	1,905
Utah	111	49	16	19	14	19	23	8	6	-	1	28	294
Vermont	9	2	2	2	4	4	2	-	-	-	-	2	27
Virginia	186	79	35	27	29	40	22	19	4	-	-	211	652
Washington	152	100	45	25	32	23	21	11	5	5	-	101	520
West Virginia	38	16	5	10	5	8	8	2	-	1	-	8	101
Wisconsin	127	56	31	30	23	28	21	10	3	3	3	8	343
Wyoming	11	8	4	-	5	3	4	1	1	-	-	-	37

State	<0500	0500-0999	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000-4499	4500-4999	5000-8165	Total	
	Percent												
Total	36.3	19.9	9.0	8.3	7.7	7.8	6.2	2.9	1.1	0.6	0.3	100.0	
Alabama	39.3	16.6	9.0	8.4	9.0	7.6	6.1	*	*	*	*	*	100.0
Alaska	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Arizona	32.9	21.2	8.9	9.5	6.7	9.1	7.3	*	*	*	*	*	100.0
Arkansas	24.9	24.1	11.8	10.2	9.8	*	*	*	*	*	*	*	100.0
California	31.2	21.0	10.1	8.8	7.4	7.9	7.5	3.2	1.5	0.8	*	*	100.0
Colorado	37.2	16.8	7.8	6.5	7.4	11.0	9.1	*	*	*	*	*	100.0
Connecticut	37.4	21.1	*	*	*	*	*	*	*	*	*	*	100.0
Delaware	36.9	*	*	*	*	*	*	*	*	*	*	*	100.0
District of Columbia	30.7	27.3	*	*	*	*	*	*	*	*	*	*	100.0
Florida	37.4	21.1	9.4	7.4	7.0	7.0	6.4	2.6	*	*	*	*	100.0
Georgia	43.1	18.3	8.0	8.0	7.3	6.5	5.0	2.3	*	*	*	*	100.0
Hawaii	40.4	*	*	*	*	*	*	*	*	*	*	*	100.0
Idaho	27.6	*	*	*	*	*	*	*	*	*	*	*	100.0
Illinois	41.1	18.2	8.5	7.5	7.3	7.0	5.3	3.0	*	*	*	*	100.0
Indiana	37.8	17.8	9.4	9.2	10.3	5.8	6.4	*	*	*	*	*	100.0
Iowa	34.3	15.7	*	*	*	*	*	*	*	*	*	*	100.0
Kansas	24.4	16.5	11.4	14.8	*	12.5	*	*	*	*	*	*	100.0
Kentucky	33.1	19.1	10.9	6.5	7.6	8.8	8.5	*	*	*	*	*	100.0
Louisiana	37.5	18.6	13.2	8.9	*	7.9	*	*	*	*	*	*	100.0
Maine	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Maryland	42.3	22.2	7.8	6.3	5.7	6.3	4.0	*	*	*	*	*	100.0
Massachusetts	34.4	19.6	8.8	9.5	7.3	9.5	7.6	*	*	*	*	*	100.0
Michigan	36.7	20.8	7.1	8.0	8.5	7.8	6.9	*	*	*	*	*	100.0
Minnesota	36.9	14.4	9.0	6.6	8.1	10.8	6.9	*	*	*	*	*	100.0
Mississippi	42.7	20.6	9.9	8.7	*	*	*	*	*	*	*	*	100.0
Missouri	34.8	24.1	8.1	6.3	5.8	9.4	6.3	*	*	*	*	*	100.0
Montana	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Nebraska	41.1	21.7	*	*	*	*	*	*	*	*	*	*	100.0
Nevada	42.7	15.0	9.4	*	*	11.3	*	*	*	*	*	*	100.0
New Hampshire	*	*	*	*	*	*	*	*	*	*	*	*	100.0
New Jersey	39.1	22.3	6.1	8.1	8.3	6.6	4.4	3.1	*	*	*	*	100.0
New Mexico	*	*	*	*	*	*	*	*	*	*	*	*	100.0
New York	54.2	15.2	7.0	6.7	*	6.7	*	*	*	*	*	*	100.0
New York City	40.1	19.5	9.0	9.4	5.7	8.2	4.6	*	*	*	*	*	100.0
North Carolina	36.0	19.0	8.9	8.5	10.1	8.2	5.3	*	*	*	*	*	100.0
North Dakota	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Ohio	34.1	20.7	9.2	6.5	8.1	7.5	7.5	3.7	*	*	*	*	100.0
Oklahoma	33.6	16.8	10.5	10.1	*	11.3	*	*	*	*	*	*	100.0
Oregon	31.1	20.1	*	*	9.1	9.1	9.1	*	*	*	*	*	100.0
Pennsylvania	36.4	21.3	9.2	7.3	7.9	7.7	5.6	2.9	*	*	*	*	100.0
Rhode Island	33.9	*	*	*	*	*	*	*	*	*	*	*	100.0
South Carolina	34.2	22.5	8.5	9.2	9.2	4.6	6.4	*	*	*	*	*	100.0
South Dakota	31.3	*	*	*	*	*	*	*	*	*	*	*	100.0
Tennessee	34.9	20.7	9.6	9.6	7.3	7.4	5.1	*	*	*	*	*	100.0
Texas	32.4	20.3	9.8	10.1	9.0	8.2	5.8	3.0	*	*	*	*	100.0
Utah	41.7	18.4	*	*	*	*	8.6	*	*	*	*	*	100.0
Vermont	*	*	*	*	*	*	*	*	*	*	*	*	100.0
Virginia	42.2	17.9	7.9	6.1	6.6	9.1	5.0	*	*	*	*	*	100.0
Washington	36.3	23.9	10.7	6.0	7.6	5.5	5.0	*	*	*	*	*	100.0
West Virginia	40.9	*	*	*	*	*	*	*	*	*	*	*	100.0
Wisconsin	37.9	16.7	9.3	9.0	6.9	8.4	6.3	*	*	*	*	*	100.0
Wyoming	*	*	*	*	*	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

– Quantity zero.

Fetal Death Documentation Table 15B

Fetal deaths by birthweight (in grams): U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<0500	0500-0999	1000-1499	1500-1999	2000-2499	2500-2999	3000-3499	3500-3999	4000-4499	4500-4999	5000-8165	Unknown	Total
Total	142	120	33	33	35	27	19	9	2	1	1	40	462
American Samoa	-	-	1	-	1	-	-	1	-	-	-	-	3
Guam	8	8	6	4	3	7	1	1	1	-	-	3	42
Northern Marianas	-	1	-	1	1	-	1	-	-	-	-	1	5
Puerto Rico	134	111	26	28	30	20	17	7	1	1	1	36	412

– Quantity zero.

Fetal Death Documentation Table 16A

Fetal deaths by place of delivery: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Hospital	Freestanding Birth Center	Clinic or Doctors Office	Residence	Other	Unknown	Total
TOTAL	23,102	96	49	217	102	29	23,595
Alabama	503	16	-	-	2	-	521
Alaska	54	-	3	-	-	-	57
Arizona	489	-	13	2	1	-	505
Arkansas	244	4	-	-	-	-	248
California	2,519	1	-	24	12	1	2,557
Colorado	328	7	-	-	-	-	335
Connecticut	194	1	-	-	-	1	196
Delaware	64	1	-	-	-	-	65
District of Columbia	90	-	-	-	-	-	90
Florida	1,454	4	10	20	39	-	1,527
Georgia	1,145	-	-	4	5	-	1,154
Hawaii	110	-	-	1	-	3	114
Idaho	104	-	-	3	-	-	107
Illinois	925	9	-	-	1	1	936
Indiana	486	-	3	2	-	-	491
Iowa	163	-	-	4	4	-	171
Kansas	172	-	-	4	-	-	176
Kentucky	338	-	-	5	2	1	346
Louisiana	287	1	-	-	1	-	289
Maine	60	-	-	1	1	-	62
Maryland	547	1	-	5	-	-	553
Massachusetts	334	-	-	-	-	-	334
Michigan	560	2	-	7	6	-	575
Minnesota	344	-	-	5	-	1	350
Mississippi	339	-	-	5	1	-	345
Missouri	395	-	-	14	2	-	411
Montana	55	-	-	1	1	-	57
Nebraska	134	-	-	1	-	-	135
Nevada	217	-	-	5	1	-	223
New Hampshire	44	-	-	-	-	-	44
New Jersey	679	13	1	-	-	-	693
New Mexico	77	-	-	1	-	-	78
New York	704	13	-	-	-	-	717
New York City	1,008	-	3	11	1	-	1,023
North Carolina	748	11	-	-	-	-	759
North Dakota	55	-	-	1	-	-	56
Ohio	863	-	1	17	4	3	888
Oklahoma	266	-	-	7	-	-	273
Oregon	221	-	1	2	-	-	224
Pennsylvania	844	1	-	33	2	-	880
Rhode Island	73	-	-	-	-	-	73
South Carolina	436	-	-	8	1	-	445
South Dakota	63	-	-	1	-	-	64
Tennessee	566	-	-	1	2	-	569
Texas	1,871	2	2	10	4	16	1,905
Utah	289	-	-	-	5	-	294
Vermont	27	-	-	-	-	-	27
Virginia	645	6	-	-	-	1	652
Washington	502	1	9	6	2	-	520
West Virginia	98	2	1	-	-	-	101
Wisconsin	333	-	2	5	2	1	343
Wyoming	36	-	-	1	-	-	37

– Quantity zero.

Fetal Death Documentation Table 16B
Fetal deaths by place of delivery: U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Hospital	Freestanding Birth Center	Clinic / Doctors Office	Residence	Other	Unknown	Total
TOTAL	450	6	2	-	4	-	462
American Samoa	3	-	-	-	-	-	3
Guam	38	-	-	-	4	-	42
Northern Marianas	5	-	-	-	-	-	5
Puerto Rico	404	6	2	-	-	-	412

– Quantity zero.

Fetal Death Documentation Table 17A

Fetal deaths by attendant: United States and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Doctor of Medicine	Doctor of Osteopathy	Certified Nurse Midwife	Other Midwife	Other	Unknown	Total
TOTAL	20,782	1,335	449	53	494	482	23,595
Alabama	475	9	7	-	30	-	521
Alaska	50	3	1	-	2	1	57
Arizona	422	56	18	1	2	6	505
Arkansas	231	13	-	-	-	4	248
California	2,281	145	1	-	129	1	2,557
Colorado	298	25	6	-	6	-	335
Connecticut	174	10	9	-	-	3	196
Delaware	57	2	4	-	2	-	65
District of Columbia	90	-	-	-	-	-	90
Florida	1,374	135	15	-	3	-	1,527
Georgia	1,018	35	26	-	70	5	1,154
Hawaii	104	3	-	4	-	3	114
Idaho	89	9	1	-	8	-	107
Illinois	860	54	-	2	18	2	936
Indiana	255	20	7	-	1	208	491
Iowa	126	23	9	-	7	6	171
Kansas	148	15	4	2	7	-	176
Kentucky	308	13	14	-	4	7	346
Louisiana	275	1	2	-	11	-	289
Maine	43	14	4	-	-	1	62
Maryland	497	31	22	-	1	2	553
Massachusetts	305	13	16	-	-	-	334
Michigan	432	74	21	2	45	1	575
Minnesota	322	6	13	-	5	4	350
Mississippi	320	13	3	-	8	1	345
Missouri	347	45	7	3	9	-	411
Montana	50	2	2	1	1	1	57
Nebraska	126	3	5	-	1	-	135
Nevada	192	2	-	-	29	-	223
New Hampshire	37	1	5	-	1	-	44
New Jersey	690	-	-	-	-	3	693
New Mexico	67	-	9	-	1	1	78
New York	599	35	17	16	1	49	717
New York City	972	18	23	1	5	4	1,023
North Carolina	746	4	-	-	1	8	759
North Dakota	49	4	3	-	-	-	56
Ohio	683	120	15	4	7	59	888
Oklahoma	183	42	3	-	2	43	273
Oregon	190	11	16	1	6	-	224
Pennsylvania	656	139	51	5	26	3	880
Rhode Island	71	-	2	-	-	-	73
South Carolina	419	7	7	1	11	-	445
South Dakota	56	2	2	-	4	-	64
Tennessee	553	5	9	-	2	-	569
Texas	1,743	92	12	5	6	47	1,905
Utah	269	13	10	2	-	-	294
Vermont	22	-	3	-	1	1	27
Virginia	651	1	-	-	-	-	652
Washington	471	19	10	2	18	-	520
West Virginia	69	12	12	-	-	8	101
Wisconsin	285	32	22	1	3	-	343
Wyoming	32	4	1	-	-	-	37

– Quantity zero.

Fetal Death Documentation Table 17B**Fetal deaths by attendant: U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Doctor of Medicine	Doctor of Osteopathy	Certified Nurse Midwife	Other Midwife	Other	Unknown	Total
Total	425	5	2	-	10	20	462
American Samoa	3	-	-	-	-	-	3
Guam	30	5	-	-	7	-	42
Northern Marianas	2	-	2	-	1	-	5
Puerto Rico	390	-	-	-	2	20	412

- Quantity zero.

Table 18. Fetal deaths by method of delivery and age of mother: 49 reporting states and the District of Columbia, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Method of delivery	All fetal deaths ¹	Method of Delivery Reported							
		Age of mother (years)							
		All ages	Under 20	20-24	25-29	30-34	35-39	40-54	Not stated ²
Vaginal delivery									
Total vaginal	23,481	18,748	1,637	4,375	4,748	4,502	2,539	947	1,112
Vaginal with forceps	18,748	202	12	48	44	48	39	11	-
Vaginal with vacuum	18,748	227	14	49	59	48	43	14	-
Cesarean delivery	23,481	3,114	146	623	860	821	509	155	1,112
Hysterectomy/hysterotomy ³	22,568	507	17	100	112	129	109	40	2,643

¹ Total for total vaginal, cesarean delivery, and hysterectomy/hysterotomy is the number of fetal deaths to residents of areas reporting respective method of delivery. Total for vaginal with forceps and vaginal with vacuum is the total number of fetal deaths to women delivering vaginally.

² No response reported for method of delivery.

³ Excludes data for Connecticut and New York (excluding New York City), which do not report hysterectomy or hysterotomy.

Note: Hawaii does not report method of delivery.

Fetal Death Documentation Table 19A

Fetal deaths and percent distribution by weight gain during pregnancy (in pounds):

49 states and the District of Columbia and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

	<10	10-14	15-19	20-24	25-29	30-34	35+	Not stated	Total
	Number								
TOTAL 1	5,989	2,830	2,342	2,219	1,528	1,261	2,306	5,006	23,481
Alabama	72	73	63	68	43	50	61	91	521
Alaska	4	4	2	4	1	2	6	34	57
Arizona	123	65	55	56	39	39	65	63	505
Arkansas	31	37	28	23	21	16	17	75	248
California	703	320	314	277	194	171	281	297	2,557
Colorado	58	29	23	27	12	11	24	151	335
Connecticut	47	26	23	15	11	8	16	50	196
Delaware	18	7	5	5	2	4	12	12	65
District of Columbia	7	13	10	8	4	3	6	39	90
Florida	435	183	160	164	81	81	184	239	1,527
Georgia	330	74	83	71	56	35	84	421	1,154
Idaho	28	11	7	13	15	10	19	4	107
Illinois	153	153	57	92	42	44	65	330	936
Indiana	168	76	58	55	38	29	44	23	491
Iowa	52	20	18	18	14	15	24	10	171
Kansas	44	27	25	22	12	17	21	8	176
Kentucky	108	32	43	43	31	24	45	20	346
Louisiana	15	18	11	3	6	5	15	216	289
Maine	14	11	3	6	1	1	6	20	62
Maryland	153	77	60	59	41	40	57	66	553
Massachusetts	57	45	33	23	15	14	33	114	334
Michigan	158	62	59	61	56	47	67	65	575
Minnesota	107	54	41	28	22	19	30	49	350
Mississippi	78	51	28	27	19	12	34	96	345
Missouri	120	49	44	35	34	27	59	43	411
Montana	10	9	8	5	6	4	10	5	57
Nebraska	39	19	19	14	12	9	10	13	135
Nevada	72	32	15	22	9	4	40	29	223
New Hampshire	6	4	10	4	2	5	10	3	44
New Jersey	157	143	86	101	44	40	70	52	693
New Mexico	18	6	5	8	6	3	10	22	78
New York	126	60	59	38	28	23	53	330	717
New York City	235	113	91	105	67	45	60	307	1,023
North Carolina	168	113	86	97	47	47	66	135	759
North Dakota	21	9	2	6	1	2	8	7	56
Ohio	246	96	97	83	69	56	100	141	888
Oklahoma	73	39	31	23	24	11	40	32	273
Oregon	54	24	26	26	23	15	26	30	224
Pennsylvania	223	114	92	70	62	45	100	174	880
Rhode Island	1	1	-	-	-	-	-	71	73
South Carolina	141	55	41	36	26	33	40	73	445
South Dakota	20	5	4	13	6	1	12	3	64
Tennessee	124	61	59	64	37	39	73	112	569
Texas	696	231	196	169	129	89	144	251	1,905
Utah	85	39	36	29	29	18	42	16	294
Vermont	4	4	4	4	2	-	2	7	27
Virginia	59	37	30	21	18	14	34	439	652
Washington	150	49	47	43	34	18	37	142	520
West Virginia	20	5	10	6	5	2	7	46	101
Wisconsin	148	38	32	22	28	12	33	30	343
Wyoming	10	7	3	7	4	2	4	-	37

	<10	10-14	15-19	20-24	25-29	30-34	35+	Total
	Percent							
TOTAL	32.4	15.3	12.7	12.0	8.3	6.8	12.5	100.0
Alabama	16.7	17.0	14.7	15.8	10.0	11.6	14.2	100.0
Alaska	*	*	*	*	*	*	*	100.0
Arizona	27.8	14.7	12.4	12.7	8.8	8.8	14.7	100.0
Arkansas	17.9	21.4	16.2	13.3	12.1	*	*	100.0
California	31.1	14.2	13.9	12.3	8.6	7.6	12.4	100.0
Colorado	31.5	15.8	12.5	14.7	*	*	*	100.0
Connecticut	32.2	17.8	15.8	*	*	*	*	100.0
Delaware	*	*	*	*	*	*	*	100.0
District of Columbia	*	*	*	*	*	*	*	100.0
Florida	33.8	14.2	12.4	12.7	6.3	6.3	14.3	100.0
Georgia	45.0	10.1	11.3	9.7	7.6	4.8	11.5	100.0
Idaho	27.2	*	*	*	*	*	*	100.0
Illinois	25.2	25.2	9.4	15.2	6.9	7.3	10.7	100.0
Indiana	35.9	16.2	12.4	11.8	8.1	6.2	9.4	100.0
Iowa	32.3	12.4	*	*	*	*	14.9	100.0
Kansas	26.2	16.1	14.9	13.1	*	*	12.5	100.0
Kentucky	33.1	9.8	13.2	13.2	9.5	7.4	13.8	100.0
Louisiana	*	*	*	*	*	*	*	100.0
Maine	*	*	*	*	*	*	*	100.0
Maryland	31.4	15.8	12.3	12.1	8.4	8.2	11.7	100.0
Massachusetts	25.9	20.5	15.0	10.5	*	*	15.0	100.0
Michigan	31.0	12.2	11.6	12.0	11.0	9.2	13.1	100.0
Minnesota	35.5	17.9	13.6	9.3	7.3	*	10.0	100.0
Mississippi	31.3	20.5	11.2	10.8	*	*	13.7	100.0
Missouri	32.6	13.3	12.0	9.5	9.2	7.3	16.0	100.0
Montana	*	*	*	*	*	*	*	100.0
Nebraska	32.0	*	*	*	*	*	*	100.0
Nevada	37.1	16.5	*	11.3	*	*	20.6	100.0
New Hampshire	*	*	*	*	*	*	*	100.0
New Jersey	24.5	22.3	13.4	15.8	6.9	6.2	10.9	100.0
New Mexico	*	*	*	*	*	*	*	100.0
New York	32.6	15.5	15.2	9.8	7.2	5.9	13.7	100.0
New York City	32.8	15.8	12.7	14.7	9.4	6.3	8.4	101.0
North Carolina	26.9	18.1	13.8	15.5	7.5	7.5	10.6	100.0
North Dakota	42.9	*	*	*	*	*	*	100.0
Ohio	32.9	12.9	13.0	11.1	9.2	7.5	13.4	100.0
Oklahoma	30.3	16.2	12.9	9.5	10.0	*	16.6	100.0
Oregon	27.8	12.4	13.4	13.4	11.9	*	13.4	100.0
Pennsylvania	31.6	16.1	13.0	9.9	8.8	6.4	14.2	100.0
Rhode Island	*	*	*	*	*	*	*	100.0
South Carolina	37.9	14.8	11.0	9.7	7.0	8.9	10.8	100.0
South Dakota	32.8	*	*	*	*	*	*	100.0
Tennessee	27.1	13.3	12.9	14.0	8.1	8.5	16.0	100.0
Texas	42.1	14.0	11.9	10.2	7.8	5.4	8.7	100.0
Utah	30.6	14.0	12.9	10.4	10.4	*	15.1	100.0
Vermont	*	*	*	*	*	*	*	100.0
Virginia	27.7	17.4	14.1	9.9	*	*	16.0	100.0
Washington	39.7	13.0	12.4	11.4	9.0	*	9.8	100.0
West Virginia	36.4	*	*	*	*	*	*	100.0
Wisconsin	47.3	12.1	10.2	7.0	8.9	*	10.5	100.0
Wyoming	*	*	*	*	*	*	*	100.0

* Figure does not meet standards of reliability or precision; based on fewer than 20 events in the numerator.

- Quantity zero.

1Hawaii does not report weight gain during pregnancy.

Fetal Death Documentation Table 19B

Fetal deaths by weight gain during pregnancy (in pounds): U.S. territories, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	<10	10-14	15-19	20-24	25-29	30-34	35+	Not stated	Total
TOTAL 1	209	67	49	43	17	18	20	36	459
Guam	13	6	2	2	1	1	4	13	42
Northern Marianas	1	1	1	-	-	-	1	1	5
Puerto Rico	195	60	46	41	16	17	15	22	412

– Quantity zero.

1 American Samoa does not report weight gain during pregnancy.

Table 20. Fetal deaths by risk factors: Total of 49 reporting states and the District of Columbia, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Diabetes				Hypertension, chronic				Hypertension, pregnancy-associated			
	yes	no	unknown	total	yes	no	unknown	total	yes	no	unknown	total
Total 1	1,707	20,019	1,755	23,481	1,174	20,552	1,755	23,481	1,067	20,659	1,755	23,481
Alabama	30	483	8	521	31	482	8	521	28	485	8	521
Alaska	6	44	7	57	7	43	7	57	2	48	7	57
Arizona	43	452	10	505	10	485	10	505	31	464	10	505
Arkansas	17	227	4	248	30	214	4	248	13	231	4	248
California	178	2,152	227	2,557	65	2,265	227	2,557	97	2,233	227	2,557
Colorado	18	264	53	335	15	267	53	335	11	271	53	335
Connecticut	4	179	13	196	4	179	13	196	8	175	13	196
Delaware	3	62	-	65	2	63	-	65	2	63	-	65
District of Columbia	11	79	-	90	7	83	-	90	2	88	-	90
Florida	111	1,361	55	1,527	103	1,369	55	1,527	72	1,400	55	1,527
Georgia	58	945	151	1,154	47	956	151	1,154	54	949	151	1,154
Idaho	16	89	2	107	2	103	2	107	10	95	2	107
Illinois	62	801	73	936	43	820	73	936	45	818	73	936
Indiana	30	432	29	491	41	421	29	491	19	443	29	491
Iowa	10	157	4	171	6	161	4	171	10	157	4	171
Kansas	13	163	-	176	9	167	-	176	9	167	-	176
Kentucky	24	320	2	346	15	329	2	346	23	321	2	346
Louisiana	13	276	-	289	18	271	-	289	11	278	-	289
Maine	7	52	3	62	5	54	3	62	5	54	3	62
Maryland	46	506	1	553	48	504	1	553	34	518	1	553
Massachusetts	20	284	30	334	10	294	30	334	6	298	30	334
Michigan	42	499	34	575	26	515	34	575	34	507	34	575
Minnesota	27	311	12	350	10	328	12	350	22	316	12	350
Mississippi	27	301	17	345	33	295	17	345	24	304	17	345
Missouri	29	382	-	411	20	391	-	411	17	394	-	411
Montana	4	51	2	57	1	54	2	57	5	50	2	57
Nebraska	15	119	1	135	5	129	1	135	6	128	1	135
Nevada	18	205	-	223	5	218	-	223	3	220	-	223
New Hampshire	3	40	1	44	2	41	1	44	-	43	1	44
New Jersey	35	633	25	693	16	652	25	693	12	656	25	693
New Mexico	6	71	1	78	3	74	1	78	5	72	1	78
New York	69	418	230	717	26	461	230	717	18	469	230	717
New York City	52	538	433	1,023	36	554	433	1,023	13	577	433	1,023
North Carolina	63	694	2	759	56	701	2	759	44	713	2	759
North Dakota	4	52	-	56	-	56	-	56	3	53	-	56
Ohio	63	815	10	888	59	819	10	888	45	833	10	888
Oklahoma	22	239	12	273	13	248	12	273	10	251	12	273
Oregon	16	206	2	224	7	215	2	224	15	207	2	224
Pennsylvania	64	746	70	880	50	760	70	880	34	776	70	880
Rhode Island	1	5	67	73	1	5	67	73	-	6	67	73
South Carolina	39	394	12	445	29	404	12	445	31	402	12	445
South Dakota	9	53	2	64	4	58	2	64	1	61	2	64
Tennessee	49	520	-	569	40	529	-	569	44	525	-	569
Texas	171	1,730	4	1,905	110	1,791	4	1,905	107	1,794	4	1,905
Utah	20	274	-	294	12	282	-	294	15	279	-	294
Vermont	1	24	2	27	-	25	2	27	1	24	2	27
Virginia	34	576	42	652	40	570	42	652	16	594	42	652
Washington	46	376	98	520	15	407	98	520	24	398	98	520
West Virginia	15	86	-	101	10	91	-	101	8	93	-	101
Wisconsin	37	302	4	343	24	315	4	343	16	323	4	343
Wyoming	6	31	-	37	3	34	-	37	2	35	-	37

- Quantity zero.

1 Total number of fetal deaths to residents of areas reporting respective risk factors.

Note: Hawaii does not report these items.

Table 21. Fetal deaths to mothers with selected risk factors during pregnancy, characteristics of delivery, and congenital anomalies by age of mother: Total of 49 reporting states and the District of Columbia, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Risk factors, characteristics, and anomalies	All fetal deaths ¹	Risk factor, characteristic or anomaly reported								Factor not reported	Not stated ²		
		Age of mother (years)											
		All ages	Under 20	20-24	25-29	30-34	35-39	40-54					
Risk factors in this pregnancy													
Diabetes	23,481	1,707	58	238	390	465	401	155	20,019	1,755			
Hypertension, chronic	23,481	1,174	21	156	240	327	282	148	20,552	1,755			
Hypertension, pregnancy-associated	23,481	1,067	63	247	268	251	176	62	20,659	1,755			
Eclampsia ³	22,771	143	10	34	48	26	20	5	20,908	1,720			
Characteristics of delivery													
Breech or malpresentation	23,481	5,649	473	1,209	1,461	1,396	820	290	14,823	3,009			
Congenital anomalies													
Anencephaly	23,481	231	31	68	59	55	13	5	21,019	2,231			
Meningomyelocele or spina bifida	23,481	76	4	18	21	20	5	8	21,174	2,231			
Omphalocele or gastroschisis	23,481	135	13	33	24	26	26	13	21,115	2,231			
Cleft lip or palate	23,481	182	13	34	49	41	26	19	21,068	2,231			
Down's syndrome	23,481	256	8	45	55	59	54	35	20,994	2,231			

¹ Total number of fetal deaths to residents of areas reporting respective risk factors, characteristics, and anomalies.

² No response reported for specific item.

³ Michigan and Nebraska do not report eclampsia.

Note: Hawaii does not report these items.

Fetal Death Documentation Table 22A

Fetal deaths with selected congenital anomalies:

49 states and the District of Columbia and each reporting area, 2013

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

State	Anencephaly	Spina bifida	Omphalocele	Cleft Lip	Downs syndrome	Total
Total	231	76	135	182	256	23,481
Alabama	7	1	8	1	4	521
Alaska	-	1	1	-	-	57
Arizona	8	4	2	5	9	505
Arkansas	1	-	3	5	3	248
California	19	-	9	14	30	2,557
Colorado	3	1	4	5	3	335
Connecticut	1	-	1	1	3	196
Delaware	-	1	2	1	-	65
District of Columbia	1	1	-	-	1	90
Florida	11	3	6	11	20	1,527
Georgia	6	1	3	5	8	1,154
Idaho	-	-	-	1	3	107
Illinois	11	3	11	10	9	936
Indiana	11	4	6	7	7	491
Iowa	2	1	-	1	5	171
Kansas	6	-	2	2	2	176
Kentucky	6	2	2	1	1	346
Louisiana	2	-	-	1	2	289
Maine	-	-	1	4	-	62
Maryland	7	1	3	5	7	553
Massachusetts	1	2	1	-	1	334
Michigan	6	-	5	7	8	575
Minnesota	4	2	2	4	2	350
Mississippi	5	-	1	3	-	345
Missouri	3	1	2	3	1	411
Montana	-	1	1	2	1	57
Nebraska	-	1	1	1	7	135
Nevada	2	-	-	2	4	223
New Hampshire	-	1	1	-	1	44
New Jersey	1	4	2	3	9	693
New Mexico	-	1	-	1	-	78
New York	1	-	1	-	-	717
New York City	6	2	2	5	4	1,023
North Carolina	2	2	8	5	7	759
North Dakota	2	-	-	2	-	56
Ohio	11	2	1	1	13	888
Oklahoma	9	2	-	1	2	273
Oregon	2	-	1	2	1	224
Pennsylvania	11	6	8	7	14	880
Rhode Island	-	-	-	-	-	73
South Carolina	5	1	-	4	4	445
South Dakota	2	1	-	2	-	64
Tennessee	5	3	1	5	6	569
Texas	30	9	16	20	35	1,905
Utah	4	1	1	2	3	294
Vermont	-	-	2	-	-	27
Virginia	2	3	3	-	9	652
Washington	10	5	5	13	1	520
West Virginia	-	1	3	-	1	101
Wisconsin	5	1	3	7	5	343
Wyoming	-	-	-	-	-	37

– Quantity zero.

1 Hawaii does not report congenital anomalies.

Fetal Death Documentation Table 22B**Fetal deaths with selected congenital anomalies: U.S. territories, 2013**

[Fetal deaths include only those with stated or presumed period of gestation of 20 weeks or more.]

Territory	Anencephaly	Spina bifida	Omphalocele	Cleft Lip	Downs Syndrome	Total
Total 1	4	3	4	4	2	459
Guam	-	-	-	-	-	42
Northern Marianas	-	-	-	-	-	5
Puerto Rico	4	3	4	4	2	412

- Quantity zero.

1 American Samoa does not report congenital anomalies.