NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

PUBLIC USE CORE FILE LAYOUTS

1

GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics (NCHS) as the original source. The suggested citation, Source: National Center for Health Statistics, National Health Interview Survey, 1988," should appear at the bottom of all tables. When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1989). Public Use Data Tape Documentation, Part I, National Health Interview Survey, 1988 (Machine readable data file and documentation). National Center for Health Statistics, Hyattsville, MD. (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor)

It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Detailed technical information is also contained in the following publications and documents which accompany the NHIS Public Use Data Tape Package. Additional copies of the documentation may be purchased from the National Technical Information Service.

Interviewer's Manual, 1988. Part II, Public Use Data Tape Documentation.

Medical Coding Manual and Short Index, 1988. Part III, Public Use Data Tape Documentation.

Kovar MG, Poe GS. The National Health Interview Survey Design, 1973-84, and Procedures, 1975-83. National Center for Health Statistics. Vital Health Stat 1(18). 1985.

Massey JT, Moore TF, Parsons VL, Tadros W. Design and Estimation for the National Health Interview Survey, 1985-94. National Center for Health Statistics. Vital Health Stat 2(110). 1989.

Adams PF, Hardy AM. Current Estimates from the National Health Interview Survey, 1988. National Center for Health Statistics. Vital Health Stat 10(173). 1989.

o 0 i 1

The basic NHIS tape files are created and maintained by Record Type. The contents of these tape files are presented in the Outline of Items and Codes for each record type. Note that Household items in tape locations 3-24, 178 and 182-186 are repeated in all records associated with a household; Person items in tape locations 25-92 are repeated in all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

1. Type of Record (Tape Locations 1-2)

- 10 = Household Record The Household file contains one household record for each interviewed household and each Type A non-interviewed household (see Household locations 28-29).
- 20 = Person Record The Person file contains one person record for each person for whom information was obtained in an interviewed household.
- 30 = Condition Record The Condition file contains one condition record for each reported condition.
- 40 = Doctor Visit Record The Doctor Visit file contains one record for each reported two-week doctor visit (includes telephone calls).
- 50 = Hospital Record The Hospital file contains one record for each reported hospitalization (twelve-month recall).

2. File Sequence

Each file is in sequence by the following identifying items:

Item	Tape Locations
Quarter	5
PSU - Random recode	6-8
Week - Census code	9-10
Segment	11-12
Household Number	13-14
Person Number (Blank on Household Record)	15-16
Record Serial Number (Blank on Household and	17-18
Person Records)	

The Quarter x PSU x Week x Segment x Household Number identifies a household.

The Person Number identifies a person within a household. Records belonging to a single family within a household can be identified by using the household identifiers (specified above) and location 62. Unreleated individuals will have an "&" or "-" in this location. Persons within a single family will have the same numeric value from 0-9 in this location on all family records.

The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person. A person may have zero, one, or a multiple number of condition, hospital, and doctor visit records.

- 3. Other Tape Characteristics
 - .1 Headers and trailers = Standard IBM labels
 - .2 Density = 1600 BPI
 - .3 Record length = Fixed length of 335 bytes
 - .4 Blocksize = 3350 (10 records per block)
 - .5 Tape format = All fields are in character format.
 - .6 Data Set Names:

HOUSEHOLD = HISY1988.HOUSEHLD

PERSON = HISY1988.PERSONSX

CONDITION = HISY1988.CONDITON

HOSPITAL = HISY1988.HOSPITAL

DOCTOR VISIT = HISY1988.DRVISITS

NOTE: Metropolitan Statistical Areas are those defined for the 1980 Decennial Census.

0

iv

1 NATIONAL HEALTH INTERVIEW SURVEY

Calendar Year 1988 Computer Processing

Public Use Data Tape

TABLE OF CONTENTS - PART I

	Page
INTRODUCTION	1
REFERENCES	3
COMPARED CHANGES	5
TAPE FORMATS	
Household Record	7
Person Record	17
Condition Record	39
Doctor Visit Record	71
Hospital Record	99
DIAGNOSTIC RECODES	
Recode A. Acute Conditions	127
Recode B. Diseases, Injuries and Impairments	133
Recode C. Chronic Conditions and Impairments	157
TABULATION SPECIFICATIONS AND WEIGHTING - INTRODUCTION	167
SPECIFICATIONS FOR RECREATING CURRENT ESTIMATES TABLES	169
TABULATING DATA FOR CURRENT ESTIMATES TABLES	171
APPENDICES	
Appendix A. Codes for Types of Special Places	179
Appendix B. Industry Recodes	183
Appendix C. Occupation Recodes	189
Appendix D. Description of Class of Accident Code	197
Appendix E. Classification of Operations and Non-operative Procedures for HIS	199
${f v}$	
LNOTES:	
1 - 1 -	

THE NATIONAL HEALTH INTERVIEW SURVEY

INTRODUCTION

Since 1957, the National Center for Health Statistics has conducted the National Health Interview Survey (NHIS) annually. It includes a "core" set of questions on health-related variables which generally change little from

year-to-year and supplements which can vary annually. In 1982, however, fairly substantial changes were made to parts of the core. These changes reflect different concepts in the measurement of health-related variables. Therefore, data derived from these changed concepts, particularly limitation of activity, acute conditions, disability days and doctor visits, should not be compared to data gathered before 1982. A discussion of these changes and the effect on resulting statistics are contained in the Series 1, No. 18 report and in a special appendix to the Current Estimates, 1982 (Series 10, No. 150). More information on the survey in general and the 1988 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

Use of Sample Weights

Since the NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the NHIS are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

1 - 2 -

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach(1) is utilized in &REPERR-&PSALMS-OSIRIS.IV(2) to calculate the variance-covariance matrix. SESUDAAN(3) SURREGR and SUDAAN(4,5) are programs that calculate the variance-covariance matrix using the linearization approach(6,7,8) (Taylor series expansion).

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided the Basic Weight Before Age-Sex-Race Adjustment (loc. 172-177 - Person Record only), Substratum Identifier (loc. 178), Full Sample Stratum Identifier (loc. 179-181), and Strata and Pseudo Primary Sampling Unit (PSU) (loc. 187-189) codes on the data tapes. These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

1 - 3 -

REFERENCES

- (1) McCarthy PJ. Replication: An Approach to the Analysis of Data from Complex Surveys. National Center for Health Statistics. Vital Health Stat 2(14). 1966.
- (2) Survey Research Center Computer Support Group. OSIRIS IV User's Manual. Institute for Social Research. 1979.
- (3) Shah BV. "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. RTI/5250-00-01S. April, 1981.
- (4) Holt, Mary Margaret (revised April 1982 by B.V. Shah). "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May, 1977.
- (5) Shah BV, LaVange LM, Barnwell BG, Killinger JE, and Wheeless SC. "Software for Survey Data Analysis." Research Triangle Institute, Research Triangle Park, N.C. March, 1989.
- (6) Hidiroglou MA, Fuller WA, and Hickman RD. "SUPER CARP". Survey Section, Statistical Laboratory, Iowa State University. Sixth edition. October, 1980.
- (7) Fuller WA. "PC CARP". Statistical Laboratory and Department of Statistics, Iowa State University, Ames, Iowa. September, 1989.
- (8) Contingency Table Analysis for Complex Sample Designs (CPLX). U.S. Bureau of the Census.

1NOTES:

1 - 5 -

CHANGES IN THE 1988 PUBLIC USE TAPE COMPARED TO 1987

The 1988 Public Use Tape resembles the 1987 version, with only a few exceptions. These differences are described below:

PERSON VARIABLES:

Tape Location

184 Blank

CONDITION VARIABLES:

Tape Location Item

184 Blank

DOCTOR VISIT VARIABLES:

Tape Location Item

184 Blank

HOSPITAL VARIABLES:

Tape Location Item

184 Blank

1NOTES:

1 - 7 -

HOUSEHOLD RECORD

1NOTES:

1 - 9 -

NHIS PUBLIC USE TAPE RECORDS
Outline of Items and Codes
Number of Records = 50,061
HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	50,061	RECORD TYPE 10. Household Record
3-4	-	50,061	PROCESSING YEAR 88. 1988

5	-	PROCESSING QUARTER
		12,395
6-8	нн-5	RANDOM RECODE OF PSU NUMBER
9-10	нн-5	WEEK - CENSUS CODE*
		01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

- 10 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment

15-16	-		BLANK (Person Number on other record types)
17-18	-		BLANK (Record Serial Number on other record types)
19-20	нн−5	3,793 3,975 3,860 3,835 3,778 3,879 3,885 3,885 3,882 3,826 3,812 3,826 3,855	PROCESSING WEEK CODE (Numbered within Quarter) Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09. Week 10. Week 11. Week 12. Week 13.
21			BLANK

1 - 11 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Item	ns and Codes
22-23	HH-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = $(00-07)$
		715	00.	Housing unit; kind unknown
		46,215	01.	House, apartment, flat
		45	02.	HU in nontransient hotel, motel, etc.
		27	03.	HU-permanent in transient hotel, motel, etc.
		55	04.	
		2,082	05.	5
		325	06.	

		19	07.	more permanent rooms added HU not specified above
			Other U	nit = (08-13)
		25	08.	Quarters not HU in rooming or boarding house
		1	09.	
		45	10.	
		427	11.	
		64		Other unit not specified above
		16	13.	Other unit; kind unknown
24	нн-11		HAS TEL	EPHONE
		42,311	1.	, 1
		1,743 2,946	2. 3.	Yes, no phone number given No
		485	4.	
		2,576	Blank.	Non-interview
25-26	нн-6		SPECIAL	PLACE (Unedited)
			SEE APP Blank.	ENDIX A Not applicable
1			- 12	_
			BLIC USE	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
27	нн-15		COMPLET	ED INTERVIEW
		47,091	1.	Completed interview - non-military household
		2,576 394	2.3.	Non-interview

Tyme A

		Type A
interview)	1,523 516 339 198 47,485	01. Refused 02. No one at home 03. Temporarily absent 04. Other Blank. Not applicable (completed
30-33	нн-15	DATE OF COMPLETION (OR LAST ATTEMPT) OF INITIAL INTERVIEW (Unedited)
30-31		MONTH
		01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December Blank.
32-33		DAY
		01-31. Day of Month Blank.
34-35	Generated	NUMBER OF FAMILIES IN THE HOUSEHOLD - (Unrelated individuals are considered to be one-member families).
		Blank. Non-interview
*Spouse or	parent is in the Ar	med Forces.
1		- 13 -
	NHIS	PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
36-55	Generated		SIZE OF FAMILY

00. Not applicable or only unrelated individuals
01+ Number of persons in family

Blank. Non-interview

36-37		SIZE OF FAMILY - Primary Family
38-39		SIZE OF FAMILY - Secondary Family No. 1
40-41		SIZE OF FAMILY - Secondary Family No. 2
42-43		SIZE OF FAMILY - Secondary Family No. 3
44-45		SIZE OF FAMILY - Secondary Family No. 4
46-47		SIZE OF FAMILY - Secondary Family No. 5
48-49		SIZE OF FAMILY - Secondary Family No. 6
50-51		SIZE OF FAMILY - Secondary Family No. 7
52-53		SIZE OF FAMILY - Secondary Family No. 8
54-55		SIZE OF FAMILY - Secondary Family No. 9
56-57	Generated	NUMBER OF UNRELATED INDIVIDUALS
		00. Not applicable 01+ Number of unrelated individuals Blank. Non-interview

1 - 14 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
58	Generated		REFERENCE PERSON PRESENT - Primary Family
			 Yes or all adult family members in Armed Forces Blank. Household with unrelated individuals only or non-interviewed household
59			REFERENCE PERSON PRESENT -
			Secondary Family No. 1
60			REFERENCE PERSON PRESENT -
			Secondary Family No. 2
61			REFERENCE PERSON PRESENT -

	Se	econdary	Family	No.	3
62	REFERENCE	PERSON I	PRESENT	-	
	Se	econdary	Family	No.	4
63	REFERENCE	PERSON I	PRESENT	-	
	Se	econdary	Family	No.	5
64	REFERENCE	PERSON I	PRESENT	-	
	Se	econdary	Family	No.	6
65	REFERENCE	PERSON I	PRESENT	-	
	Se	econdary	Family	No.	7
66	REFERENCE	PERSON I	PRESENT	-	
	Se	econdary	Family	No.	8
67	REFERENCE	PERSON I	PRESENT	-	
	Se	econdary	Family	No.	9

1 - 15 -

NHIS PUBLIC USE TAPE RECORDS HOUSEHOLD RECORD

Tape Locations	Item No.	Frequency	Items and Codes
68-69	Generated		NUMBER OF PERSON RECORDS FOR THE HOUSEHOLD
70-71 HOUSEHOLD	Generated		NUMBER OF CONDITION RECORDS FOR THE
72-73	Generated		NUMBER OF TWO-WEEK DOCTOR VISIT RECORDS FOR THE HOUSEHOLD
74-75	Generated		NUMBER OF HOSPITAL RECORDS FOR THE HOUSEHOLD

76	A-A2		CONDITIO	ON LIST ASSIGNED
		7,934	1.	Condition List 1, Skin and Musculoskeletal
		7,887 7,912 7,914 7,871 7,932 35 2,576	2. 3. 4. 5. 6. 7. Blank.	Condition List 2, Impairments Condition List 3, Digestive Condition List 4, Miscellaneous Condition List 5, Circulatory Condition List 6, Respiratory Unknown
77-177	-		BLANK	
178	Master Record		TYPE OF	SUBSTRATUM
		5,110 5,065	1.	Permit Area, oversampled for blacks
		39,886	2.	Area, not oversampled for blacks
179-181			BLANK	
182	Master Record		REGION	
	Record	10,518 12,519	1.	Northeast Midwest
		16,852	3.	South
		10,172	4.	West
1			- 16	-
			LIC USE T	TAPE RECORDS RECORD
Tape Locations	Item No.	Frequency	Iter	ms and Codes
183	Master Record		GEOGRAPI	HIC DISTRIBUTION
	RECOLU		MSA	Size
		21,737		1. 1,000,000 or more 2. 250,000 - 999,999
		13,011 3,121		2. 250,000 - 999,999 3. 100,000 - 249,999

		812 11,380	4. Under 100,000 Blank. Non-MSA
184			BLANK
185	Master Record		TYPE OF PSU
		27,559 11,122	 MSA - Self-representing MSA - Nonself-representing
		8	4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing
186	Recode		MSA - NON-MSA RESIDENCE
		16,303 20,141	 MSA - Central City MSA - Not Central City
		10,392	3. Non-MSA - Nonfarm
		650 2,575	4. Non-MSA - Farm Blank. Non-interview
187-200			BLANK
201-206			QUARTER BASIC WEIGHT
			Adjusted by Segment and Special HH Sampling Factors (XXXXXX.X)
207-335			BLANK
1			- 17 -
		PERS	ON RECORD
1NOTES:			
1			- 19 -
		OUTLIN	BLIC USE TAPE RECORDS E OF ITEMS AND CODES of Records = 122,310 PERSON RECORD

Tape

1-2	-	RECORD TYPE 122,310 20. Person Record	
3-4	-	PROCESSING YEAR	
		122,310 88. 1988	
5	-	PROCESSING QUARTER	
		30,097	
6-8	нн-5	RANDOM RECODE OF PSU NUMBER	
9-10	нн−5	WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13	

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape
Locations Item No. Frequency Items and Codes

11-12	HH-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	-		BLANK (Record Serial Number on other record types).
19-20	нн-5		PROCESSING WEEK CODE (Numbered within Quarter)
		9,203	Week 01.
		9,790	Week 02.
		9,298	Week 03.
		9,452	Week 04.
		9,081 9,553	Week 05. Week 06.
		9,627	Week 07.
		9,384	Week 08.
		9,208	Week 09.
		9,433	Week 10.
		9,531 9,381	Week 11. Week 12.
		9,369	Week 12. Week 13.
21			BLANK
1			- 21 -
		NHIS PUE	BLIC USE TAPE RECORDS PERSON RECORD
Tape Locations	Item No.	Frequency	Items and Codes
22-23	нн-10d		TYPE OF LIVING QUARTERS:

			Housing	Unit	= (00-07)
		1,002 114,388 75		00. 01. 02.	House, apartment, flat
motel,					
hotel,		51		03.	etc. HU-permanent in transient
·		61 5,022		04. 05.	
		829		06.	permanent room added Mobile home or trailer with one
		23		07.	or more permanent rooms added HU not specified above
			Other U	nit =	(08-13)
		27		08.	Quarters not HU in rooming or
		2		09.	_
		138		10.	hotel, motel, etc. Unoccupied site for mobile
home,					trailer, or tent
		597		11.	Student quarters in college dormitory
		73 22		12. 13.	Other unit not specified above
24	нн-11		HAS TEL	EPHON	E
		109,169	1.		phone number given
		4,204 7,867	2. 3.		no phone number given
		1,070	4.	Unkn	own
25	A-1		SEX		
		58,037 64,273	1. 2.	Male Fema	
26	-		BLANK		

- 22 -

Tape Locations	Item No.	Frequency	Items and Codes	
27-28	Person Column	2,042 120,247 21	AGE 00. Under 1 year 01-98. Number of years 99. 99+ years of age	
29	Recode	9,767 24,178 11,980 37,958 23,302 5,208 4,078 5,839	1. Under 5 years 2. 5-17 years 3. 18-24 years 4. 25-44 years 5. 45-64 years 6. 65-69 years 7. 70-74 years 8. 75 years and over	
30	Recode	11,701 20,184 14,040 20,275 17,683 12,362 10,940 9,286 5,839	1. Under 6 years 2. 6-16 years 3. 17-24 years 4. 25-34 years 5. 35-44 years 6. 45-54 years 7. 55-64 years 8. 65-74 years 9. 75 years and over	
31-32	Recode	5,923 116,387	AGE RECODE #3 00-35. Months 36. Over 3 years	
33	-		BLANK	

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899 1900-1989. 1900-1989 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		1,056 2,740 18,642 97,198 1,195 191 1,288	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race Unknown
1			- 24 -
		NHIS PU	BLIC USE TAPE RECORDS PERSON RECORD
Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1

		99,719 18,713 3,878	 White Black Other
44		3,070	RECODE 2
		99,719	1. White
		22,591	2. Non-white
45			RECODE 3
		18,713 103,597	1. Black 2. Non-black
46-47	L-4		HISPANIC ORIGIN
		158 1,192	00. Multiple Hispanic 01. Puerto Rican
		553	02. Cuban
		1,785	03. Mexican-Mexicano
		3,455 69	04. Mexican-American 05. Chicano
		981	06. Other Latin American
		1,127	07. Other Spanish
		272	08. Spanish, DK type
		1,344 111,374	09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		26,516	0. Under 14 years
		55,990 787	 Married - spouse in household Married - spouse not in household
		6,807	3. Widowed
		6,313	4. Divorced
		1,963	5. Separated
		23,226 708	6. Never married 7. Unknown
1			- 25 -
			LIC USE TAPE RECORDS PERSON RECORD
Tape Locations	s Item No.	Frequency	Items and Codes

49 L-1

		72,878 64 4,289 2,249 4,106 1,061 2,111 348 1,259 33,945	1. Non-veteran 2. WW I 3. WW II 4. Korean War 5. Vietnam veteran 6. Post-Vietnam 7. Other service 8. Served in Armed Forces, unknown if war veteran 9. Unknown if served in Armed Forces Blank. Under 18 years of age
50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		72,878	0. Non-veteran
		961	1. All service in Guard/Reserve
		1,901	2. Some service in Guard/Reserve
		40	3. Unknown if all service in
			Guard/Reserve
		10,380	4. No active service in Guard/Reserve
		2,205	 Unknown if ever active member in Guard/Reserve or served in Armed Forces
		33,945	Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		4,918 73,400	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		6,357	13. 1 year
		7,913	14. 2 years
		2,898	15. 3 years
		9,241	16. 4 years
		1,949 4,583	17. 5 years 18. 6 years or more
		1,284	19. Unknown
		9,767	Blank. Under 5 years of age
		· ,	

- 26 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Mana

53	Recode		EDUCATION OF INDIVIDUAL RECODE
		4,918	0. None; kindergarten only
		23,349	1. 1-8 years (elementary)
		15,972	2. 9-11 years (high school)
		34,079	3. 12 years (high school graduate)
		17,168	4. 1-3 years (college)
		9,241	5. 4 years (college graduate)
		6,532	<pre>6. 5+ years (post-college)</pre>
		1,284	7. Unknown
		9,767	Blank. Under 5 years of age
54-55			HIGHEST EDUCATION OF RESPONSIBLE ADULT
FAMILY			HIGHEST EDUCATION OF RESPONSIBLE ADOLI
111111			MEMBER - (Detail)
		213	00. Never attended; kindergarten onl
		62,965	01-12. Grades 1-12
			College:
		9,462	13. 1 year
		13,298	14. 2 years
		4,769	15. 3 years
		16,712	16. 4 years
		3,865	17. 5 years
		10,400	18. 6 years or more
		626	19. Unknown
56	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT
FAMILY			MEMBER - Recode
		213	0. None; kindergarten only
		6,753	1. 1-8 years (elementary)
		11,249	2. 9-11 years (high school)
		44,963	3. 12 years (high school graduate)
		27,529	4. 1-3 years (college)
		16,712	4 years (college graduate)
		14,265	6. 5+ years (post-college)
		626	7. Unknown
L			- 27 -
		-	

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape
Locations Item No. Frequency Items and Codes

57	L-8		FAMILY INCOME \$20,000 OR MORE
		43,640	1. Less than \$20,000
		75,150	2. \$20,000 or more
		3,520	3. Unknown
58-59	L-8		FAMILY INCOME
		747	00. Less than \$1,000
		842	01. \$ 1,000 - \$ 1,999
		1,042	02. 2,000 - 2,999
		1,364	03. 3,000 - 3,999
		1,743	04. 4,000 - 4,999
		1,799	05. 5,000 - 5,999
		1,947	06. 6,000 - 6,999
		2,010	07. 7,000 - 7,999
		1,827 1,994	08. 8,000 - 8,999 09. 9,000 - 9,999
		2,537	10. 10,000 - 10,999
		1,666	11. 11,000 - 11,999
		2,413	12. 12,000 - 12,999
		1,637	13. 13,000 - 13,999
		1,756	14. 14,000 - 14,999
		2,491	15. 15,000 - 15,999
		1,749	16. 16,000 - 16,999
		2,025	17. 17,000 - 17,999
		2,418	18. 18,000 - 18,999
		3,081	19. 19,000 - 19,999
		10,717	20. 20,000 - 24,999
		9,912	21. 25,000 - 29,999
		9,319	22. 30,000 - 34,999 23. 35,000 - 39,999
		7,492 6,821	23. 35,000 - 39,999 24. 40,000 - 44,999
		5,072	25. 45,000 - 49,999
		17,366	26. \$50,000 and over
		18,523	27. Unknown
			- 28 -
			20
		NHIS PU	BLIC USE TAPE RECORDS

Tape Locations	Item No.	Frequency	Items and	Codes
60	Recode		FAMILY INCOME	RECODE

5,738 0. Under \$5,000

		3,746	1.	\$ 5,000 - \$ 6,999
		5,831	2.	7,000 - 9,999
		10,009	3.	10,000 - 14,999
		11,764		15,000 - 19,999
		10,717	5.	20,000 - 24,999
		19,231	6.	25,000 - 34,999
		19,385	7.	35,000 - 49,999
		17,366	8.	
		18,523	9.	Unknown
61	Generated		NHIS PO	VERTY INDEX*
		97,869	1.	At or above poverty threshold
		14,226	2.	Below poverty threshold

	14,226 10,215		Below poverty threshold Unknown
62-63		FAMILY :	RELATIONSHIP
62 A-2	12,756 1,358 108,008 188		Primary individual Secondary individual Primary family
63 A-2	11,735 36,564 27,410 333 40,525 2,316 939 2,458 29	&. 0. 1. 2. 3. 4. 5. 6.	Reference person, 2+ persons in household Spouse, other spouse NOT in Armed Forces and living at home Spouse, other spouse IN Armed Forces and living at home

^{*}Based on family size, number of children under 18 years of age & family income using the 1987 poverty levels derived from the August, 1988 Current Population Survey.

- 29 -

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

1

64	Recode	FAMILY RELATIONSHIP RECODE
	11,735	1. Living alone
	2,379	2. Living only with non-relative
	55,966	3. Living with spouse
	52,230	4. Living with relative - other
	32,230	1. Biving with relative sener
65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
	Garage to all	GIZE OF FAMILY PEGODE
67	Generated	SIZE OF FAMILY RECODE
		1-8. Number of members
		9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years
00	11 2	old and never married)
	26,174	1. Both parents, no other relative
	6,472	2. Mother only
	495	3. Father only
	3,084	 Both parents and other 21+ year old adult relative
	2,306	5. Mother and other 21+ year old adult relative
	181	6. Father and other 21+ year old adult relative
	460	7. No parent, but one 21+ year old
adult		relative
	740	8. No parent, but two or more 21+ year
	7 = 0	old adult relatives
	444	9. Unknown
	1,952	0. Other
	80,002	Blank. Not applicable (25+ years old or
ever	·	
		married)

^{*}Count includes spouse in military but living at home.

- 30 -

Locations	Item No.	Frequency	Ite	ms and Codes
69	B-1 B-8		MAJOR A	CTIVITY (18+ years old)
	Б-0	53,616	1.	Working
		17,588		Keeping house
		4,887		Going to school
		11,570		Something else
		704	5.	Unknown
		33,945	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		46,915	1.	Excellent
		33,446		Very Good
		28,621		Good
		9,108	4.	Fair
		3,484	5.	Poor
		736	6.	Unknown
71	Recode		ACTIVIT	Y LIMITATION STATUS - (all ages)
		5,123	1.	Unable to perform major activity
0.01.1.1.1.1		6,767	2.	
activity		5,313	3	Limited in other activities
		105,107		Not limited (includes unknowns)
72	Recode			Y LIMITATION STATUS MEASURED BY Y TO WORK" (18-69 years)
				-
		5,037	1.	
		3,677		Limited in kind/amount of work
		2,886	3.	Limited in other activities
		66,848 43,862	4. Blank.	Not limited (includes unknowns) Not applicable
		1 3,002	DIGIIV.	(under 18 years, 70+ years)
1			- 31	
			- -	
		NHIS PU	JBLIC USE PERSON R	TAPE RECORDS

Tape Locations Item No. Frequency Items and Codes

73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		92 732 104 255 403 22,592 98,132	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 18+ years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
			and limited, or age 60-69 years)*
needs		633	1. Unable to perform personal care
		1,393	 Limited in performing other routine needs
or		17,733	3. Not limited in performing personal
-		504 102,047	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
75 years)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
			In the Labor Force: (1-7)
		55,139 1,226 43	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-off and not looking for work
		137	3. Did not work, has job; looking for work Unemployed: (4-7) 4. Did not work, has job; on lay-
off			for work Unemployed: (4-7)
off		137	for work Unemployed: (4-7) 4. Did not work, has job; on lay-
		137 11	for work Unemployed: (4-7) 4. Did not work, has job; on lay- 5. Did not work, has job; on lay- and looking for work

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 32 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		29,349 42,335 1,756 2,225 4,704 1,477 5,140 142 76 1,161 33,945	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		59,016 63,294	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		59,016 63,294	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1 SEE APPENDIX C

- 33 -

98-99 Recode

NHIS PUBLIC USE TAPE RECORDS PERSON RECORD

Tape Locations	Item No.	Frequency	Items and Codes
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
91	L-R		RESPONDENT
		31,885 55,537 6,684 26,849 1,355	<pre>0. Under 17 1. Self-entirely 2. Self-partly 3. Proxy 4. Unknown</pre>
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		20,318 20,247 20,455 20,319 20,106 20,501 364	1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years) 36-98. Number of inches 99. Unknown Blank. Under 18 years of age
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years) 050-500. Number of pounds 501. Unknown Blank. Under 18 years of age
00.00			

TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO

WEEKS

109,510 00. None 12,800 01-14. Days

1 - 34 -

Tape Locations	Item No.	Frequency	Items and Codes
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		114,700 7,610	00. None 01-14. Days
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3)
		119,016 3,294	00. None 01-14. Days
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		120,219 2,091	00. None 01-14. Days
106-107 TWO	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST
100		116,420 5,890	WEEKS 00. None 01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		67,380 53,707 1,223	000. None 001-365. 1-365 days 366. Unknown
111	Recode		BED DAYS IN PAST 12 MONTHS - Recode

57,380	0. N	one
10,950	1. 1	-7 days
9,574	2. 8	-30 days
2,537	3. 3	1-180 days
646	4. 1	81-365 days
1,223	5. U	nknown
9,574 2,537 646	2. 8 3. 3 4. 1	-30 days 1-180 days 81-365 day

1 - 35 -

Tape Locations	Item No.	Frequency	Items and Codes
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		30,128 91,739 0 443	000. None 001-996. Visits 997. 997+ visits 998. Unknown
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		177 92,815 12,558 10,819 4,124 1,817	 Never Less than 1 year 1 to less than 2 years 2 to less than 5 years 5 years or more Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS

124-126	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS
127-128	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*

^{*}Based on operation codes and reason entered hospital.

- 36 -

Tape Locations	Item No.	Frequency	Items and Codes
132-133	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated		NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141 PAST	Generated		NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
142-171			BLANK
172-177			QUARTER BASIC WEIGHT BEFORE AGE-SEX-RACE ADJUSTMENT (Has one implied decimal)
178	Master Record	12,459 12,809 97,042	TYPE OF SUBSTRATUM 0. Permit 1. Area, oversampled for blacks 2. Area, not oversampled for blacks

Master		REGION	
	24,845	1.	Northeast
		2.	Midwest
	41,278	3.	South
	24,960	4.	West
		GEOGRAP	HIC DISTRIBUTION
Record		MSA	Size
	52 087	1	1,000,000 or more
	· · · · · · · · · · · · · · · · · · ·		250,000 - 999,999
	•		
	•		Under 100,000
			Non-MSA
	Master Record Master Record	Record 24,845 31,227 41,278 24,960	Record 24,845 31,227 2. 41,278 3. 24,960 Master Record MSA 52,087 32,014 2. 7,757 3. 1,821 4.

^{*}Based on operation codes and reason entered hospital.

1 - 37 -

Tape Locations	Item No.	Frequency	Items and Codes
184			BLANK
185	Master Record	66,255 27,424 16 28,615	1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing
186	Recode	39,852 53,827 26,810 1,821	MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm

187-189	PSEUDO PSU CODES
190-200 with	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format implied decimal
	FINAL BASIC WEIGHT
201-209	QUARTER
210-218	SEMI-ANNUAL (WT/2)
219-227	ANNUAL (WT/4)
1	- 38 -
NHIS F	PUBLIC USE TAPE RECORDS PERSON RECORD
Tape Locations Item No. Frequency	Items and Codes
	Items and Codes 6.5 WEIGHT
Locations Item No. Frequency	6.5 WEIGHT
Locations Item No. Frequency	6.5 WEIGHT QUARTER, SEMI-ANNUAL, AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2
Locations Item No. Frequency 228-236	6.5 WEIGHT QUARTER, SEMI-ANNUAL, AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
Locations Item No. Frequency 228-236	6.5 WEIGHT QUARTER, SEMI-ANNUAL, AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL
Locations Item No. Frequency 228-236 237-245	6.5 WEIGHT QUARTER, SEMI-ANNUAL, AND ANNUAL ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS QUARTER, SEMI-ANNUAL AND ANNUAL ESTIMATED BED DAYS IN PAST 2 WEEKS

_	_	-	_		
$^{\circ}$	_	1	$^{\circ}$	7	٦
_	n	4 -	. /	,	/

QUARTER, SEMI-ANNUAL AND ANNUAL

	ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
T.).	ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS
IN	PAST 12 MONTHS
300-308	QUARTER
309-317	SEMI-ANNUAL
318-326	ANNUAL
327-335	ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS

- 39 -

CONDITION RECORD

1NOTES:

1 - 41 -

CONDITION FILE INCLUSIONS

The Condition file contains the following types of records:

- 1. Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 107=1 or 2 and 111-112=01-14 or 109=1).
- 2. Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 107=1 and 126=1 or 2) or limitation in ability to work.
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode A), prevalence of selected chronic conditions (Recode C), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see Medical Coding Manual for complete list of X-codes) are found in the ICD column locations of the Person, Condition, and Doctor Visit Records. The X of the Impairment Codes is in the first of the four columns.

NHIS Code	Category Title
019	Tuberculosis, arrested or inactive
	Psychic factors associated with diseases classified elsewhere in specified system:
316.0	Musculoskeletal
316.1	Respiratory
316.2	Cardiovascular
316.3	Skin
1	- 42 -
316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes
799.5	Observation with no condition found

Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:

	Unused ICD	Coded To:
	009.1	558
	009.3	558
	137-139	Impairment, as appropriate
	230-234	Not applicable (not reported in NHIS)
	235-238	Benign, malignant or unspecified, by site
	268.1	Not applicable (not reported in NHIS)
	306.0,6,7,8,9	Code as if non-psychogenic
	315.0-2	X14
	317-319	X19
	326	Code residual effect to appropriate impairment or ICD 320-325
	331.3,4	X93
	342	X41
	343	X50
1		- 43 -
	344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
	353.5	X70-X79, by site
	369	X00-X03, by severity and site
	388.2	X05-X09, by severity and site
	389	X05-X09, by severity and site
	391	Usually 398.9 (see Short Index)
	410-412	414
	429.6	414
	436	437
	438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
	520.0-2,5	X92

	521.6	X92
	524	X92
	718.6	X85
	728.2	X70-X79, by site
	728.4	Orthopedic impairment, by site
	728.6	X74
	734	X77
	735	X76
	736	Impairment, by type, site and cause
	737	X70
	738	Impairment, by type, site and cause
	740	Not applicable (not reported in NHIS)
	741	X71.9
	742.0,1,3	X93.9
1		- 44 -
	743	Code to equivalent acquired diseases of the eye 744.0-3388.9 and/or appropriate impairment
		(see Appendix III)
	744.5	X79.9
	744.8,9	of face, coded to X90.9 of neck, coded to X79.9
	749	X91.9
	750.0,1	X11.9
	753.0	X31.9
	754.2	X70.9
	754.3	X75.9
	754.4	X76.9
	754.5-7	X78.9 except flatfoot coded to X77
	754.8	Appropriate impairment, by type and site
	755	Appropriate impairment, by type and site
	756.0-3	Appropriate impairment, by type and site

	758.0	X19.9
	759.7.9	X99.9
	761.6	Not applicable
	779.6	Not applicable (for fetus)
	781.5	X74
	783.1	278.0
	798	Not applicable
	871.3	X00-X03
	885-887	Appropriate impairment, by site
	895-897	Appropriate impairment, by site
	905.6-8	X80-89, by site
	905.9	X20-29, X35, by site
1		- 45 -
	908.6	Code to effect
	909.0,1,3,9	Code to effect
	958	Code injury only
	960-979	977.9
	980.987	989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (107:2) and categories from Recode A (location 100-103).
- 2. Select those with onset in last two weeks (108:1)
- 3. Use 6.5 weight (228-236) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 246-254 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

Chronic Conditions

Recode C is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the Recode C categories following the Tape Layouts.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, or doctor visits will be included.

1 - 46 -

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (107:1)
- 2. Select on the appropriate list number in tape Location 92
- 3. Select on specified codes in Location 104-106 (Recode C).
- 4. Multiply the chronic condition prevalence factor (Location 190-200). divided by 1,000,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator. Population estimates from the total sample also may be used as denominators; however, if rates are to be calculated for groups other than those defined by age, sex, and race, it may be preferable to use denominators based on the subsample.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 246-254.

Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition

basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode B (Location 97-99) be used to categorize the causal conditions.

Use of Recodes

Recode A - Recode categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

Recode B - The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

Recode C - Recode categories for chronic conditions. It is used by NHIS for estimating prevalence of chronic conditions.

1 - 47 -

NHIS PUBLIC USE TAPE RECORDS
OUTLINE OF ITEMS AND CODES
Number of Records = 88,345
CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2			RECORD TYPE
		88,345	30. Condition Record
3-4			PROCESSING YEAR
		88,345	88. 1988
5			PROCESSING QUARTER
		22,884 22,438 20,963 22,060	1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	HH-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE* 01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08

09, 29, 49, 69, 89 ... Week 09 10, 30, 50, 70, 90 ... Week 10 11, 31, 51, 71, 91 ... Week 11 12, 32, 52, 72, 92 ... Week 12 13, 33, 53, 73, 93 ... Week 13

tmbig gods warmagents the initial week of againmant. The intermination was be

1 - 48 -

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	-		CONDITION SERIAL NUMBER 01-99. Serial Number
19-20	нн-5	6,679 7,315 6,860 6,723 6,609 6,623 7,074 6,791 6,689	PROCESSING WEEK CODE (Numbered within Quarter) Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09.

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

6,785	Week	10.
6,633	Week	11.
6,811	Week	12.
6,753	Week	13.

21 BLANK

- 49 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
22-23	нн-10d		TYPE OF LIVING QUARTERS:	
			Housing Unit = (00-07)	
		621 82,268 69 30 45 3,969 763 26	 00. Housing unit; kind unknown 01. House, apartment, flat 02. HU in nontransient hotel, motel, etc. 03. HU-permanent in transient hotel, motel, etc. 04. HU in rooming house 05. Mobile home or trailer with no permanent room added 06. Mobile home or trailer with one or more permanent rooms added 07. HU not specified above 	
			Other Unit = (08-13)	
		24	08. Quarters not HU in rooming or boarding house	
		3 71	09. Unit not permanent in transient hotel, motel, etc.10. Unoccupied site for mobile home,	
		367	trailer, or tent 11. Student quarters in college dormitory	
		71 18	12. Other unit not specified above 13. Other unit; kind unknown	
24	нн-11		HAS TELEPHONE	

Yes, phone number given
 Yes, no phone number given

80,165

2,490

		5,076 614	3. 4.	No Unknown	
25	A-1		SEX		
		36,710 51,635	1. 2.	Male Female	
26	-		BLANK		
1			_	50 -	
		NHIS		USE TAPE RECORDS	
Tape Locations	Item No.	Frequency	Ite	ems and Codes	
27-28	Person Column	FF.0	AGE	1	
		759 87,540 46	00. 01-98. 99.	Number of years	
29	Recode		AGE REC	CODE #1	
		3,322 8,577 4,971 22,862 24,159 7,576 6,310 10,568	2.	Under 5 years 5-17 years 18-24 years 25-44 years 45-64 years 65-69 years 70-74 years 75 years and over	
30	Recode		AGE REC	CODE #2	
		4,015 7,061 5,794 10,895 11,967 10,603 13,556 13,886	1. 2. 3. 4. 5. 6. 7. 8.	Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years 65-74 years	

			_	
10,568	9.	75 years	and	over

31-32	Recode		AGE RECODE #3
		2,135 86,210	00-35. Months 36. Over 3 years
33	-		BLANK
			- 51 -
		NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. DK or refused 07. July
36-39			YEAR OF BIRTH 1800-1899. 1800-1899 1900-1989. 1900-1989 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		817 875 12,738 72,694 570 191	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other Multiple race

1 - 52 -

Tape Locations	Item No.	Frequency	y Items and Codes	
43-45	Recode		RACE RECODES	
43			RECODE 1	
		73,789 12,820 1,736	 White Black Other 	
44			RECODE 2	
		73,789 14,556	1. White 2. Non-white	
45			RECODE 3	
		12,820 75,525	1. Black 2. Non-black	
46-47	L-4		HISPANIC ORIGIN	
		109 780 356 651 1,525 30 372 669 183 604 83,066	00. Multiple Hispanic 01. Puerto Rican 02. Cuban 03. Mexican-Mexicano 04. Mexican-American 05. Chicano 06. Other Latin American 07. Other Spanish 08. Spanish, DK type 09. Unknown if Spanish origin 10. Not Spanish origin	
48	L-7		MARITAL STATUS	
		9,061 45,511 753 12,112 6,801	 Under 14 years Married - spouse in household Married - spouse not in household Widowed Divorced 	

2,058
 11,720
 329
 Separated
 Never married
 Unknown

1 - 53 -

Tape Locations	Item No.	Frequency	Items and C	odes
49	L-1		VETERAN STATUS	
		62,096	1. Non-vet	eran
		91	2. WW I	
		5,860	3. WW II	
		2,302	4. Korean	War
		2,961	5. Vietnam	veteran
		544	6. Post-Vi	etnam
		1,554	7. Other s	ervice
		247		in Armed Forces, unknown if
		791	9. Unknown	if served in Armed Forces
		11,899	Blank. Under 1	8 years of age
50	L-1		ACTIVE GUARD/RE ACTIVE DUTY IN	SERVE STATUS FOR PERSONS ON ARMED FORCES
		62,096	0. Non-vet	eran
		685	1. All ser	vice in Guard/Reserve
		1,954	2. Some se	rvice in Guard/Reserve
		23	3. Unknown Guard/R	if all service in eserve
		10,098	4. No acti	ve service in Guard/Reserve
		1,590		if ever active member in eserve or if served in Armed
		11,899		8 years of age
51-52	L-2		EDUCATION OF IN	DIVIDUAL - COMPLETED YEARS
		2,437 57,787	00. Never a 01-12. Grades	ttended; kindergarten only 1-12
			College:	
		4,780	13. 1 year	
		5,966	14. 2 year	S

2,132	15.	3 years
6,268	16.	4 years
1,435	17.	5 years
3,322	18.	6 years or more
896	19.	Unknown
3,322	Blank.	Under 5 years of age

274

1

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

- 54 -

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		2,437 18,092 13,486 26,209 12,878 6,268 4,757 896 3,322	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Blank. Under 5 years of age
54-55 FAMILY	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT
			MEMBER (Detail)
		274 50,087	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		6,390 8,900 3,185 10,309 2,400 6,473 327	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT MEMBER - Recode

0. None; kindergarten only

8,478	1.	1-8 years (elementary)
10,418	2.	9-11 years (high school)
31,191	3.	12 years (high school graduate)
18,475	4.	1-3 years (college)
10,309	5.	4 years (college graduate)
8,873	6.	5+ years (post-college)
327	7.	Unknown

1 - 55 -

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		41,402	1. Less than \$20,000
		44,926	2. \$20,000 or more
		2,017	3. Unknown
58-59	L-8		FAMILY INCOME
		520	00. Less than \$ 1,000
		677	01. \$ 1,000 - \$ 1,999
		851	02. 2,000 - 2,999
		1,518	03. 3,000 - 3,999
		2,334	04. 4,000 - 4,999
		2,211	05. 5,000 - 5,999
		2,371	06. 6,000 - 6,999
		2,409	07. 7,000 - 7,999
		2,143	08. 8,000 - 8,999
		2,155	09. 9,000 - 9,999
		2,522	10. 10,000 - 10,999
		1,705	11. 11,000 - 11,999
		2,203	12. 12,000 - 12,999
		1,415	13. 13,000 - 13,999
		1,458 1,933	14. 14,000 - 14,999 15. 15,000 - 15,999
		1,416	16. 16,000 - 16,999
		1,423	17. 17,000 - 17,999
		1,888	18. 18,000 - 18,999
		2,143	19. 19,000 - 19,999
		7,445	20. 20,000 - 24,999
		6,240	21. 25,000 - 29,999
		5,680	22. 30,000 - 34,999
		4,452	23. 35,000 - 39,999
		3,906	24. 40,000 - 44,999
		2,871	25. 45,000 - 49,999
		9,729	26. \$50,000 and over

- 56 -1

Tape Locations	Item No.	Frequency	Ite	ms and Codes
60	Recode		FAMILY	INCOME RECODE
		5,900 4,582 6,707 9,303 8,803 7,445 11,920 11,229 9,729 12,727	0. 1. 2. 3. 4. 5. 6. 7. 8. 9.	7,000 - 9,999 10,000 - 14,999 15,000 - 19,999 20,000 - 24,999 25,000 - 34,999 35,000 - 49,999
61	Generated		NHIS PO	VERTY INDEX*
		68,128	1.	± 2
		12,044 8,173	2.	1 1
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE OF	FAMILY
		16,605		Primary individual
		946 70,688	 0	Secondary individual Primary family
		106	1-9.	
63	A-2		סדו.⊿ידר	NSHIP TO REFERENCE PERSON
03	11 2	15,664	&.	
		31,503	0.	Reference person, 2+ persons in household
		22,477	1.	Spouse, other spouse NOT in Armed Forces and living at home
		226	2.	Spouse, other spouse IN Armed Forces and living at home
		14,975	3.	Child of reference person or spouse
		691	4.	Grandchild of reference person or spouse
		1,534	5.	Parent of reference person or spous

1,270	6.	Other relative
5	7.	Child of ineligible reference person
0	9.	DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1987 poverty levels derived from the August, 1988 Current Population Survey.

1 - 57 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		15,664	1. Living alone
		1,887	2. Living only with non-relative
		45,496	Living with spouse
		25,298	4. Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years and never married)
		9,092	1. Both parents, no other relative
		2,613	2. Mother only
		136	3. Father only
		886	4. Both parents and other 21+ year old adult relative
		682	5. Mother and other 21+ year old adult relative
		39	6. Father and other 21+ year old adult relative
- d1 ±		157	7. No parent, but one 21+ year old
adult			relative
		192	8. No parent, but two or more 21+ year

			old adult relatives
	230	9.	Unknown
	1,058	0.	Other
7	3,260	Blank.	Not applicable (25+ years old or
ever			married)

*Count includes spouse in military but living at home.

1 - 58 -

Tape Locations	Item No.	Frequency	Ite	ems and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
	2 0	31,647	1.	Working
		21,616	2.	
		2,290	3.	
		20,095	4.	_
		798	5.	_
		11,899	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		15,659	1.	Excellent
		18,929		Very Good
		24,645		Good
		17,081		Fair
		11,589		Poor
		442		Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
		15,204	1.	Unable to perform major activity
		16,253	2.	
activity		11 070	2	Timired in arban estimities
		11,970 44,918	3. 4.	Limited in other activities Not limited (includes unknowns)
		44,910	4.	NOC IIMITEA (INCLUAES UNANOWNS)
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		14,762	1.	Unable to work
		8,264	2.	
		0,201	۷.	Dimitoca in Aina/amount of Work

6,107	3	Limited in other activities
0,107	J .	Dimited in Other activities
30,435	4.	Not limited (includes unknowns)
28,777	Blank.	Not applicable
		(under 18 years, 70+ years)

1 - 59 -

Tape Locations	Item No.	Frequency	Items and Codes		
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years		
		176 1,176 162 449 605 6,009 79,768	 Unable to attend school Attends special school/classes Needs special school/classes Limited in school attendance Limited in other activities Not limited (includes unknowns) Blank. Not applicable (under 5 years or 1 years) 		
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years		
old			and limited, or age 60-69 years)*		
nooda		2,141	1. Unable to perform personal care		
needs		4,515	 Limited in performing other routin needs 		
or		29,595	3. Not limited in performing personal		
		35 52,059	routine needs 4. Unknown Blank. Not applicable (under 5 years; 5-5 years not limited; 70+ years old)		
75 years)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+		
			In the Labor Force: (1-7)		
		31,785 1,430	Currently Employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-		
off		29	and not looking for work3. Did not work, has job; looking for work		

	Unemployed: (4-7)
85	4. Did not work, has job; on lay-off
4	Did not work, has job; on lay-off and looking for work
357	6. Did not work, has job; unknown if looking or on lay-off
1,348	 Did not work, no job; looking for work or on lay-off
	Not in Labor Force (18+ years): (8)
41,408 11,899	8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74

- 60 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		41,408 23,946 1,130 1,585 3,118 879 3,580 118 38 644 11,899	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		35,038 53,307	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1 SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2

SEE APPENDIX B

84-86	L-6	35,038 53,307		ION DETAIL CODE . Code number . Not applicable
87-88	Recode		OCCUPAT:	ION RECODE 1
89-90	Recode		OCCUPAT:	ION RECODE 2
1		NHIS	PUBLIC U	51 - SE TAPE RECORDS ON RECORD
Tape Locations	Item No.	Frequency	Ite	ms and Codes
91	L-R	11,076 56,095 5,253 15,074 847	1. 2. 3.	Under 17 Self-entirely Self-partly Proxy Unknown
92	Recode	17,164 15,511 11,853 13,001 14,252 16,298 266	1. 2. 3. 4. 5. 6.	Condition List 1, Skin and musculoskeletal Condition List 2, Impairments Condition List 3, Digestive Condition List 4, Miscellaneous Condition List 5, Circulatory Condition List 6, Respiratory Unknown

93-96	K-3		ICD/NHIS CODE (DIAGNOSTIC CODE)			
			(See ICD-9 rubric and NHIS Medical Coding Manual, Part III of documentation)			
97-99	Recode		CONDITION RECODE (B) (ICD Recode, modified for NHIS)			
			(See Diagnostic Recodes Section)			
100-103	Recode		ACUTE RECODE (A)			
			(See Diagnostic Recodes Section)			
104-106	Recode		CHRONIC RECODE (C)			
		(See Diagnostic Recodes Section)				
1			- 62 -			
		NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD			
Tape Locations	Item No.	Frequency	Items and Codes			
107	K-3		CHRONIC/ACUTE CODE			
		74,940 13,405	1. Chronic 2. Acute			
108	K-5		ONSET			
		8,806 6,132 9,973 21,090 42,344	 During the past 2 weeks Over 2 weeks to 3 months Over 3 months to 12 months Over 1 year to 5 years Over 5 years 			
109	K-2		DOCTOR LAST SEEN FOR THIS CONDITION			
		325 22,535	 Interview week 2-week reference period 			

		26,650 8,539 5,906 5,635 5,925 1,376 886 10,568	 Over 2 weeks, less than 6 months 6 months, less than 1 year 1 year, less than 2 years 2 years, less than 5 years 5 years or more Doctor seen, DK when DK if doctor seen Doctor never seen
110	Recode		DOCTOR EVER SEEN FOR THIS CONDITION
		77,777 10,568	1. Yes 2. No
111-112	K-6		TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		84,045 4,300	00. None 01-14. 1-14 days
113-114	K-7		BED DAYS IN PAST 2 WEEKS FOR THIS CONDITION
		79,636 8,709	00. None 01-14. 1-14 days
1			- 63 -
		NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
115-116	K-8		WORK-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION (control on Currently Employed, 75:1-3)
		84,970 3,375	00. None 01-14. 1-14 days

86,243 00. None 2,102 01-14. 1-14 days

SCHOOL-LOSS DAYS IN PAST 2 WEEKS FOR THIS CONDITION

117-118 K-9

119-121	K-10		BED DAYS IN PAST 12 MONTHS FOR THIS CONDITION*
		35,661	000. None
		5,606	001-365. Days
		33,673	366. Unknown/not a "check-list" condition
		13,405	Blank. Not a chronic condition
122	K-11		EVER HOSPITALIZED FOR THIS CONDITION*
		6 020	
		6,930 34,751	1. Yes 2. No
		33,259	3. Unknown/not a "check-list" condition
		13,405	Blank. Not a chronic condition
123	K-12		CONDITION STATUS*
		35,206	1. Still has condition
		968	2. Condition cured
		3,479 295	 Condition under control Other
		34,992	5. Unknown status/not a "check-list"
		34,334	condition
		13,405	Blank. Not a chronic condition

^{*}Use only for check-list conditions.

- 64 -

Tape Locations	Item No.	Frequency	Items and Codes
124	K-12		LENGTH OF TIME HAD CONDITION BEFORE CURED* (Location 123 coded 2)
		54 115 181 53 121 136 79 74	 Less than 1 month 1-3 months Over 3 to 6 months Over 6 to 12 months 1 year 2-4 years 5-9 years 10 years or more

			155 87,377	8. Blank.	Unknown Not applicable/not a chronic condition
	125	K-12		CONDITI	ON PRESENT IN PAST 12 MONTHS*
			39,330 189 35,421 13,405	2. 3.	Yes No Unknown/not a "check-list" condition Not a chronic condition
	126	Recode		(all ag	CON CAUSES ACTIVITY LIMITATION (res) (Refer to loc. 71 in all records household for activity limitation)
of			17,203	1.	Limited, this condition main cause limitation
			10,246	2.	Limited, this condition secondary cause of limitation
			15,978	3.	Limited, but not caused by this condition
			44,918	4.	Not limited

^{*}Use only for check-list conditions.

- 65 -

NHIS PUBLIC USE TAPE RECORDS CONDITION RECORD

Tape Locations	Item No.	Frequency	Ite	ms and Codes
127	Recode			ON CAUSES LIMITATION IN ABILITY TO or all persons 18-69 years of age)
		8,714	1.	Limited in work, this condition main cause of this limitation
		5,229	2.	Limited in work, this condition secondary cause of this limitation
		9,083	3.	Limited in work but not caused by this condition
		36,542	4.	Not limited in work
		28,777	Blank.	Not applicable

128 -

ALL INJURIES*

		9,551 1,085 77,709	2.	First Not first Not an injury
129	Recode			JRY ADVERSE REACTION OR COMPLICATION
		70 352		Yes, adverse reaction** Yes, complication of medical care (therapeutic misadventure)**
		10,214 77,709		No, other injury Not an injury
130	K-14		PLACE C	OF ACCIDENT
		1,191	1.	At home (inside house)
		996		At home (adjacent premises)
roadway		2,473	3.	Street and highway (including
loadway				and public sidewalks)
		205	4.	
		1,830	5.	Industrial place (including
premises)		477	6	Gabasi (including promises)
		597	7.	School (including premises) Place of recreation and sports, except school
		1,306	8.	-
		1,561 77,709	9.	Unknown Not an injury

^{*}Includes all conditions reported as caused by an accident or injury, conditions

with ICD codes 800-999 and impairments (X-codes) due to accidents or injuries.

Tape Locations	Item No.	Frequency	Items and Codes
131	K-15		AT WORK AT TIME OF ACCIDENT
		2,647 4,373 1,598	 Yes No Not applicable, under 18 at time of accident

^{**}Locations 130-132 are coded 'Unknown' for these injuries.

		391 1,627 77,709	4. Not applicable, in Armed Forces 5. Unknown Blank. Not an injury
132	K-16		MOTOR VEHICLE INVOLVED
		2,551	1. Yes
		6,896	2. No
		1,189	3. Unknown
		77,709	Blank. Not an injury
133	K-16		NUMBER OF VEHICLES INVOLVED
		1,483	1. One
		1,030	2. Two or more
		38	3. Unknown
		85,794	Blank. Not an injury/no or unknown if motor vehicle involved
134	K-16		MOVING MOTOR VEHICLE INVOLVED
		2,226	1. Yes
		263	2. No
		62	3. Unknown
		85,794	Blank. Not an injury/no or unknown if motor vehicle involved
1			- 67 -
		NHIS	PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
135-137	Recode		CLASS OF ACCIDENT
		9,823	111-322.
		391	400. SEE APPENDIX D
		352	500.
		70 77,709	600. Blank. Not an injury
138	Recode		SELECTED FIRST INJURY*
		7,357	1. First
		663	2. Not first

80,325	Blank.	Not	а	selected	injurv

139	Recode		LIMITAT	ON CAUSES PERSONAL CARE ACTIVITY ION (5-59 years old and limited, or 69 years)
		2,026	1.	Limited, condition main cause of limitation
of		1,077	2.	Limited, condition secondary cause
O1				limitation
		3,553	3.	Limited, but not caused by this condition
		29,630	4.	Not limited
		52,059	Blank.	Not applicable (under 5 years, 5-59 years not limited, 70+ years old)
140-177	-		BLANK	
178	Master			SUBSTRATUM
1/0	Record		TIPE OF	SUBSTRATUM
		7,269	0.	Permit
		9,722	1.	Area, oversampled for blacks
		71,354	2.	Area, not oversampled for blacks
179-181			FULL SA	MPLE STRATUM IDENTIFIER
182	 Master		REGION	
102	Record		KEGION	
		16,143	1.	Northeast
		23,237		Midwest
		31,107		South
		17,858	4.	West

^{*}Limited to conditions with ICD codes 800-999 and impairments (X-codes due to accidents or injuries.

- 68 -

Tape Locations	Item No.	Frequency	Items and Codes
183	Master Record		GEOGRAPHIC DISTRIBUTION
	RECOLA		MSA Size

		34,506 23,801 5,507 1,435 23,096	1. 1,000,000 or more 2. 250,000 - 999,999 3. 100,000 - 249,999 4. Under 100,000 Blank. Non-MSA
184	-		Blank
185	Master Record	44,922 20,327 14 23,082	TYPE OF PSU 1. MSA - Self-representing 3. MSA - Nonself-representing 4. Non-MSA - Self-representing 6. Non-MSA - Nonself-representing
186	Recode	28,770 36,479 21,761 1,335	MSA - NON-MSA RESIDENCE 1. MSA - Central City 2. MSA - Not Central City 3. Non-MSA - Nonfarm 4. Non-MSA - Farm
187-189			PSEUDO PSU CODES
190-200 with			CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format implied decimal
1		NHIS	- 69 - B PUBLIC USE TAPE RECORDS CONDITION RECORD
Tape Locations	Item No.	Frequency	Items and Codes
			FINAL BASIC WEIGHT
201-209			QUARTER
210-218			SEMI-ANNUAL (WT/2)

219-227	ANNUAL (WT/4)
	6.5 WEIGHT
228-236	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS
237-245	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 2 WEEKS
246-254	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED WORK-LOSS IN PAST 2 WEEKS
255-263	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS
264-272	QUARTER, SEMI-ANNUAL AND ANNUAL
	ESTIMATED BED DAYS IN PAST 12 MONTHS
273-281	QUARTER
282-290	SEMI-ANNUAL
291-299	ANNUAL
300-335	BLANK
1NOTES:	
1	- 71 -
	DOCTOR VISIT RECORD
1NOTES:	
-	F.2

NHIS PUBLIC USE TAPE RECORDS

- 73 -

1

OUTLINE OF ITEMS AND CODES Number of Records = 25,541 DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	25,541	RECORD TYPE 40. Two-week Doctor Visit Record
3-4			PROCESSING YEAR
3 4		25,541	88. 1988
5	_		PROCESSING QUARTER
		6,858 6,503 6,052 6,128	 Quarter 1 Quarter 2 Quarter 3 Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER
			Week plus Segment Number identifies the segment
13-14	нн-5		HOUSEHOLD NUMBER
			Numbered within PSU-Week-Segment
15-16	_		PERSON NUMBER
17-18	_		DOCTOR VISIT SERIAL NUMBER
			01-99. Serial Number
19-20	нн-5	1,768 2 186 2,012 1,934 1,882 2,022 2,110 2,101 1,876 2,037 1,861 1,912 1,840	PROCESSING WEEK CODE (Numbered within Quarter) Week 01. Week 02. Week 03. Week 04. Week 05. Week 06. Week 07. Week 08. Week 09. Week 10. Week 11. Week 12. Week 13.
21		BLANK	

1 - 75 -

Tape Locations	Item No.	Frequency		Items and Codes
22-23	нн-10d		TYPE OF	LIVING QUARTERS:
			Housing	Unit = (00-07)
		173		Housing unit; kind unknown
		23,932 15	01. 02.	House, apartment, flat HU in nontransient hotel, motel, etc.
		9	03.	
		6 1,087	04. 05.	
		155	06.	permanent room added Mobile home or trailer with one or more permanent rooms added
		1	07.	
			Other U	nit = (08-13)
		3	08.	Quarters not HU in rooming or boarding house
		1	09.	Unit not permanent in transient
		22	10.	· · · · · · · · · · · · · · · · · · ·
		117	11.	trailer, or tent Student quarters in college dormitory
		15 5	12. 13.	Other unit not specified above
24	нн-11		HAS TEL	EPHONE
		23,267	1.	
		773 1,320	2. 3.	Yes, no phone number given No
		181	4.	Unknown
25	A-1		SEX	
		10,168	1.	Male
		15,373	2.	Female
26	-		BLANK	

1 - 76 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

·			
Tape Locations	Item No.	Frequency	Items and Codes
27-28	Person Column	885 24,653 3	AGE 00. Under 1 year 01-98. Number of years 99. 99+ years of age
29	Recode		AGE RECODE #1
		2,619 3,084 1,746 7,501 5,509 1,675 1,353 2,054	1. Under 5 years 2. 5-17 years 3. 18-24 years 4. 25-44 years 5. 45-64 years 6. 65-69 years 7. 70-74 years 8. 75 years and over
30	Recode		AGE RECODE #2
		2,939 2,479 2,031 3,911 3,590 2,638 2,871 3,028 2,054	 Under 6 years 6-16 years 17-24 years 25-34 years 35-44 years 45-54 years 55-64 years 65-74 years 75 years and over
31-32	Recode	1,943	AGE RECODE #3 00-35. Months
		23,598	36. Over 3 years
33			BLANK

- 77 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH
			01. January
			02. February 03. March
			04. April
			05. May
			06. June
			07. July
			08. August 09. September
			10. October
			11. November
			12. December
			99. DK or refused
36-39			YEAR OF BIRTH
			1800-1899. 1800-1899
			1900-1989. 1900-1989
			9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported
		188	1. Aleut, Eskimo, or American Indian
		329	2. Asian/Pacific Islander
		3,455	3. Black
		21,084	4. White
		196 35	5. Other6. Multiple race
		254	7. Unknown

1 - 78 -

Tape			
Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1
		21,546	1. White
		3,474 521	2. Black3. Other
44			RECODE 2
		21,546	1. White
		3,995	2. Non-white
45			RECODE 3
		3,474 22,067	 Black Non-black
		22,007	Z. NOII-DIACK
46-47	L-4		HISPANIC ORIGIN
		25	00. Multiple Hispanic
		235 98	01. Puerto Rican 02. Cuban
		246	03. Mexican-Mexicano
		498 14	04. Mexican-American 05. Chicano
		132	06. Other Latin American
		233	07. Other Spanish
		67 272	08. Spanish, DK type
		273 23,720	09. Unknown if Spanish origin 10. Not Spanish origin
48	L-7		MARITAL STATUS
		4,751	0. Under 14 years
		12,403 197	 Married - spouse in household Married - spouse not in household
		2,331	3. Widowed
		1,754	4. Divorced
		526 3,476	5. Separated6. Never married
		103	7. Unknown

1 - 79 -

DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
49	L-1		VETERAN STATUS
		16,481	1. Non-veteran
		25	2. WW I
		1,310	3. WW II
		469	4. Korean War
		732	5. Vietnam veteran
		171	6. Post-Vietnam
		385	7. Other service
		47	8. Served in Armed Forces, unknown if
		01.0	war veteran
		218 5,703	9. Unknown if served in Armed Forces
		5,705	Blank. Under 18 years of age
50 L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES	
	16,481	0. Non-veteran	
		173	1. All service in Guard/Reserve
		480	2. Some service in Guard/Reserve
		4	3. Unknown if all service in
			Guard/Reserve
		2,300	4. No active service in Guard/Reserve
		400	5. Unknown if ever active member in Guard/Reserve or if served in Arme
		5,703	Forces Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		869	00. Never attended; kindergarten only
		14,407	01-12. Grades 1-12
		College:	
		1,383	13. 1 year
		1,770	14. 2 years
		605	15. 3 years
		2,037	16. 4 years
		470	17. 5 years
		1,139 242	18. 6 years or more 19. Unknown
		2,619	Blank. Under 5 years of age
		-,	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

- 80 -

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		869 4,062 3,323 7,022 3,758 2,037 1,609 242 2,619	 None; kindergarten only 1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college) Unknown Under 5 years of age
54-55 FAMILY	_		HIGHEST EDUCATION OF RESPONSIBLE ADULT
			MEMBER (Detail)
		71 12,627	00. Never attended; kindergarten only 01-12. Grades 1-12
			College:
		1,965 2,850 1,042 3,641 873 2,373 99	13. 1 year 14. 2 years 15. 3 years 16. 4 years 17. 5 years 18. 6 years or more 19. Unknown
56 FAMILY	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT
		71 1,591 2,416 8,620 5,857 3,641 3,246 99	MEMBER - Recode 0. None; kindergarten only 1. 1-8 years (elementary) 2. 9-11 years (high school) 3. 12 years (high school graduate) 4. 1-3 years (college) 5. 4 years (college graduate) 6. 5+ years (post-college) 7. Unknown

1 - 81 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		9,987	1. Less than \$20,000
		14,974	2. \$20,000 or more
		580	3. Unknown
		300	3. Claritowia
58-59	L-8		FAMILY INCOME
		144	00. Less than \$1,000
		211	01. \$ 1,000 - \$ 1,999
		217	02. 2,000 - 2,999
		371	03. 3,000 - 3,999
		469	04. 4,000 - 4,999 05. 5,000 - 5,999
		518 541	05. 5,000 - 5,999 06. 6,000 - 6,999
		552	07. 7,000 - 7,999
		432	08. 8,000 - 8,999
		422	09. 9,000 - 9,999
		554	10. 10,000 - 10,999
		397	11. 11,000 - 11,999
		559	12. 12,000 - 12,999
		349	13. 13,000 - 13,999
		394	14. 14,000 - 14,999
		545	15. 15,000 - 15,999
		392	16. 16,000 - 16,999
		382	17. 17,000 - 17,999
		487	18. 18,000 - 18,999
		567	19. 19,000 - 19,999
		2,121	20. 20,000 - 24,999
		1,935	21. 25,000 - 29,999
		1,956	22. 30,000 - 34,999
		1,548	23. 35,000 - 39,999
		1,363	24. 40,000 - 44,999
		1,096	25. 45,000 - 49,999
		3,534	26. \$50,000 and over
		3,485	27. Unknown

1 - 82 -

Tape Locations	Item No.	Frequency		Items and Codes
-				
60	Recode		FAMILY	INCOME RECODE
		1,412	0.	Under \$5,000
		1,059	1.	\$ 5,000 - \$ 6,999
		1,406	2.	7,000 - 9,999
		2,253	3.	
		2,373	4.	
		2,121	5.	20,000 - 24,999
		3,891	6.	·
		4,007	7.	
		3,534		\$50,000 or more Unknown
		3,485	9.	Unknown
61	Generated		NHIS PO	VERTY INDEX*
		20,446	1.	Above poverty threshold
		3,009		Below poverty threshold
		2,086	3.	
62-63			FAMILY :	RELATIONSHIP
62	A-2		TYPE OF	
		3,763	&.	Primary individual
		274		
		21,467		Primary family
		37	1-9.	Secondary family
63	A-2		RELATIO	NSHIP TO REFERENCE PERSON
		3,496	&.	Reference person, living alone
		7,847	0.	Reference person, 2+ persons in household
		6,636	1.	Spouse, other spouse NOT in Armed Forces and living at home
		121	2.	Spouse, other spouse IN Armed Forces
		6,498	3.	and living at home Child of reference person or spouse
		297	4.	Grandchild of reference person or
		201	_	spouse
		301 338	5. 6.	Parent of reference person or spouse Other relative
		330 7	7.	
		0	7. 9.	DK or refused

^{*}Based on family size, number of children under 18 years of age and family income using the 1987 poverty levels derived from the August, 1988 Current Population Survey.

- 83 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		3,496 541 12,400	 Living alone Living only with non-relative Living with spouse
		9,104	4. Living with relative - other
65-66	Generated		SIZE OF FAMILY*
			Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
			1-8. Number of members 9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
		4,468 1,015	 Both parents, no other relative Mother only
		64 371	 Father only Both parents and other 21+ year old adult relative
		284	5. Mother and other 21+ year old adult relative
		19	Father and other 21+ year old adult relative
adult		53	7. No parent, but one 21+ year old
		51	relative 8. No parent, but two or more 21+ year old adult relatives
		89	9. Unknown
		334 18,793	 Other Blank. Not applicable (25+ years old or ever married)

*Count includes spouse in military but living at home.

1 - 84 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency		Items and Codes
69	B-1 B-8		MAJOR A	ACTIVITY (18+ years old)
	_ •	9,498	1.	Working
		4,975	2.	Keeping house
		768	3.	Going to school
		4,426	4.	Something else
		171	5.	Unknown
		5,703	Blank.	Not applicable (Under 18 years)
70	G-4		HEALTH	STATUS
		5 000	-	
		5,993		Excellent
		5,854		Very Good
		6,875		Good
		3,929		Fair
		2,754		Poor
		136	6.	Unknown
71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
		3,820	1	Unable to perform major activity
		3,020	2.	
activity		3,032	۷,	Himited in Kind/amount major
accivicy		1,973	3	Limited in other activities
		16,716		Not limited (includes unknowns)
72	Recode			TY LIMITATION STATUS MEASURED BY TY TO WORK" (18-69 years)
		3,527	1.	Unable to work
		1,557	2.	Limited in kind/amount of work
		1,141	3.	Limited in other activities
		10,206	4.	Not limited (includes unknowns)
		9,110	Blank.	Not applicable
				(under 18 years, 70+ years)

1 - 85 -

Tape			
Locations	Item No.	Frequency	Items and Codes
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 year
		53	1. Unable to attend school
		158	2. Attends special school/classes
		19	3. Needs special school/classes
		130	4. Limited in school attendance
		133 2,591	 Limited in other activities Not limited (includes unknowns)
		22,457	Blank. Not applicable (under 5 years or 1 years)
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
old			and limited, or age 60-69 years)*
			and indiced, or age of of years,
needs		649	1. Unable to perform personal care
Ticcus .		1,144	 Limited in performing other routin needs
or		6,186	3. Not limited in performing personal
			routine needs
		47	4. Unknown
		17,515	Blank. Not applicable (under 5 years; 5-5 years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
years)			
			In the Labor Force: (1-7)
			Currently employed: (1-3)
		9,104	1. Worked in past 2 weeks
off		847	2. Did not work, has job; not on lay-
022			and not looking for work
		6	Did not work, has job; looking for work
			Unemployed: (4-7)
		44	4. Did not work, has job; on lay-off
and		4	5. Did not work, has job; on lay-off
			looking for work
		128	6. Did not work, has job; unknown if
		210	looking or on lay-off
		319	7. Did not work, no job; looking for

work or on lay-off

	Not in	Labor Force (18+ years): (8)
9,386	8.	Not in Labor Force (18+ years)
5,703	Blank.	Not applicable (Under 18 years old)

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 86 -

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		9,386 7,236 316 467 948 269 975 36 12 193 5,703	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		10,452 15,089	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2 SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE

		10,452 15,089	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C
1			- 87 -
			BLIC USE TAPE RECORDS CTOR VISIT RECORD
Tape Locations	Item No.	Frequency	Items and Codes
91	L-R		RESPONDENT
		5,418 14,445 1,374 4,033 271	0. Under 171. Self-entirely2. Self-partly3. Proxy4. Unknown
92	Recode		CONDITION LIST ASSIGNED AND ASKED
		4,433 4,211 4,342 4,059 4,263 4,166 67	1. Condition List 1, Skin and musculoskeletal 2. Condition List 2, Impairments 3. Condition List 3, Digestive 4. Condition List 4, Miscellaneous 5. Condition List 5, Circulatory 6. Condition List 6, Respiratory 7. Unknown
93-96	F-1		DATE OF VISIT
		0 1,604 1,908	6666. During 2 weeks, DK when 7777. Last week, DK day 8888. Week before, DK day
93-94			MONTH
		1,838	01. January

	2,030	02.	February
	2,007	03.	March
	1,930	04.	April
	1,855	05.	May
	1,804	06.	June
	1,609	07.	July
	1,864	08.	August
	1,680	09.	September
	1,836	10.	October
	1,733	11.	November
	1,589	12.	December
	254	99.	DK month
95-96		DAY	
	21,775	01-31.	Day of month
	254	99.	DK day codes for Unknown in month
			and day

- 88 -

Tape Locations	Item No.	Frequency	Items and Codes
97-98	Recode		DOCTOR VISIT VALUES (Number of days between Date of Visit and Interview)
		238	00. Visit on last Sunday of reference
period		620	01. Visit on second Saturday of reference period
		2,330	02. Visit on second Friday of reference period
		2,043	03. Visit on second Thursday of reference period
		2,062	04. Visit on second Wednesday of reference period
		2,181	05. Visit on second Tuesday of reference period
		2,355	06. Visit on second Monday of reference period
		224	07. Visit on first Sunday of reference period
		498	08. Visit on first Saturday of reference
		1,879	period 09. Visit on first Friday of reference
		1,676	period 10. Visit on first Thursday of reference
		1,731	period 11. Visit on first Wednesday of reference

		period
	1.865	12. Visit on first Tuesday of reference
	1,003	period
	2,073	13. Visit on first Monday of reference
		period
	3,766	14. No value (records not coded 01-31 in
		Day of Month of Visit)
Recode		DAY OF WEEK OF VISIT
necode		DIT OF WEEK OF VIOLE
	4,428	1. Monday
	4,046	2. Tuesday
		3. Wednesday
		4. Thursday
		5. Friday
		6. Saturday
	462	7. Sunday
	3,766	8. Unknown
	Recode	3,766 Recode 4,428 4,046 3,793 3,719 4,209 1,118 462

Tape Locations	Item No.	Frequency		Items and Codes
100	Recode		WEEK OF	VISIT
		13,433 11,854 254	2.	Last week Week before During 2 weeks, DK when
101-102			PLACE O	F VISIT
		3,232	01.	Telephone
			Not in 1	Hospital
		493 14,997 328 1,669 107 622	03. 04. 05. 06.	Other clinic Laboratory Other
			In Hosp	ital
		1,870	08.	Outpatient clinic

		927 594 139 363 200	09. 10. 11. 12. 13.	Doctor's office Laboratory Other
103	Recode		PLACE O	F VISIT
		3,232	1.	Telephone
		14,997	2.	Doctor's office (not in hospital)
		1,870	3.	
		927	4.	
		594	5.	
		328	6.	Company or Industry clinic
		493	7.	
		2,900	8.	Other place (Loc. 101-102 = 5,6,7,11,12)
		200	9.	Unknown

Tape Locations	Item No.	Frequency		Items and Codes
104	F-3		MEDICAL	DOCTOR ACTUALLY TALKED TO
		19,735 5,400 406	1. 2. 3.	
105-106	F-3		KIND OF VISIT/C	MEDICAL DOCTOR FOR THIS DOCTOR
		1,524 9,936 25 466 2,766 357 1,607 854 1,177 128 452 4 2,315	00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10.	General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist

23	13.	Proctologist
510	14.	Psychiatrist
426	15.	Radiologist
522	16.	Surgeon (not listed above)
461	18.	Urologist
180	19.	Other M.D. specialist
377	20.	Specialist, DK kind
45	21.	Family Practice (specialist)
1,299	22.	DK if medical doctor
87	Blank.	Not applicable; no medical doctor
		reported for this visit/contact

1 - 91 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Item No.	Frequency		Items and Codes
F-3		TYPE OF	MEDICAL ASSISTANT SEEN/TALKED TO
	113 87 2,529 208 2 518 5 20 121 144 65 47 585 191 7 133 11 0 0 325 695 19,735	31. 32. 33. 34. 35. 36. 37. 38. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. Blank.	Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/oral surgeon Optometrist/Optician Chiropractor Foot specialist Dietician Psychologist Nutritionist Naprapath Orthoptic technician/Orthopist Other non-medical person Unknown type of medical assistant
		F-3 113 87 2,529 208 2 518 5 20 121 144 65 47 585 191 7 133 11 0 0 0 325 695	F-3 TYPE OF 113 87 32. 2,529 33. 208 34. 2 35. 518 36. 5 37. 20 38. 121 39. 144 40. 65 41. 47 42. 585 43. 191 44. 7 45. 133 46. 11 47. 0 48. 0 49. 325 50. 695

- 92 -

Tape Locations	Item No.	Frequency		Items and Codes
109-110	F-3		TYPE OF	PERSON TALKED TO/SEEN
109-110	F-3	754 8,301	TYPE OF 00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 13. 14. 15. 16. 18. 19. 20. 21. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45.	M.D., DK if G.P. or specialist General practitioner Anesthesiologist Dermatologist Internist Neurologist Obstetrician/Gynecologist Ophthalmologist Orthopedist Osteopath Otolaryngologist Pathologist Pediatrician Proctologist Psychiatrist Radiologist Surgeon (not listed above) Urologist Other M.D. specialist Specialist, DK kind Family Practice (specialist) Nurse practitioner Physician's assistant Nurse Laboratory technician Paramedic Physical therapist Social worker Pharmacist X-ray technician Other technician Dentist/Oral surgeon
		0 325 695	49. 50. 51.	Orthoptic technician/Orthoptist Other non-medical person Not MD; unknown type of medical assistant
		103	52.	Unknown if MD

- 93 -

DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes
111-161			CONDITIONS FOR WHICH DOCTOR VISITED
111-127			CONDITION NO. 1
111-112	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.
113-116	Condition Record		ICD/NHIS CODE
	Record	293 21,242 4,006	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit
117	Condition Record		CHRONIC/ACUTE CODE
	Record	293 12,945 8,297 4,006	0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit
118-121	Condition Record		ACUTE RECODE (A)
	1100020	293 7,543 754 16,951	0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns Blank. Chronic condition or no
condition		10,931	for this visit
122-124	Condition Record		CHRONIC RECODE (C)
		293 9,791 3,154	000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns
for		12,303	Blank. Acute condition or no condition this visit
125-127	Condition Record		CONDITION RECODE (B)
		293 21,079 163	000. No matched condition record 010-570. Condition recode 990. All other conditions including
		4,006	unknown Blank. No condition for this visit

1 - 94 -

Tape Locations	Item No.	Frequency	Items and Codes
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -
128-144			CONDITION NO. 2
128-129	F-4		SERIAL NUMBER
			01-99. Condition Serial Number Blank.
130-133	Condition Record		ICD/NHIS CODE
		56 3,432 22,053	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999) Blank. No condition for this visit
134	Condition Record		CHRONIC/ACUTE CODE
	11007u	56 2,429 1,003 22,053	0. No matched condition record 1. Chronic 2. Acute Blank. No condition for this visit
135-138	Condition Record		ACUTE RECODE (A)
	1.00024	56 796 207 24,482	0000. No matched condition record 1001-5931. Acute Recode 5932. All other acute conditions including unknowns Blank. Chronic condition or no
condition			for this visit
139-141	Condition Record		CHRONIC RECODE (C)
		56 1,873 556	000. No matched condition record 101-615. Chronic Recode 999. All other chronic conditions including unknowns
for		23,056	Blank. Acute condition or no condition
			this visit
142-144	Condition Record		CONDITION RECODE (B)
		56 3,416	000. No matched condition record 010-570. Condition recode

16 990. All other conditions including unknown

22,053 Blank. No condition for this visit

- 95 -

NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
111-161 cont			CONDITIONS FOR WHICH DOCTOR VISITED -	
145-161			CONDITION NO. 3	
145-146	F-4		SERIAL NUMBER	
			01-99. Condition Serial Number Blank.	
147-150	Condition Record		ICD/NHIS CODE	
	Record	23 709	0000. No matched condition record ICD/NHIS Code (note Unknown = 7999)	
		24,809	Blank. No condition for this visit	
151	Condition Record		CHRONIC/ACUTE CODE	
		23 583	 No matched condition record Chronic 	
		126 24,809	2. Acute Blank. No condition for this visit	
152-155	Condition Record		ACUTE RECODE (A)	
	Record	23	0000. No matched condition record	
		87 39	1001-5931. Acute Recode 5932. All other acute conditions including unknowns	
		25,392	Blank. Chronic condition or no	
condition			for this visit	
156-158	Condition Record		CHRONIC RECODE (C)	
	1100014	23	000. No matched condition record	
		474 109	101-615. Chronic Recode 999. All other chronic conditions	
		24,935	including unknowns Blank. Acute condition or no condition for this visit	
159-161	Condition		CONDITION RECODE (B)	

1

Record	
KECOLU	

ICCCCIA		
23	000.	No matched condition record
707	010-570.	Condition recode
2	990.	All other conditions including
		unknown
24,809	Blank.	No condition for this visit

- 96 -

Tape Locations	Item No.	Frequency	Items and Codes
162	F-5		OPERATIONS PERFORMED DURING THIS VISIT
		847 21,152 310 3,232	1. Yes 2. No 3. Unknown Blank. Not applicable (telephone call)
163-168	F-5		OPERATION CODE
163-164			OPERATION NO. 1
			See Appendix E
165-166			OPERATION NO. 2
			See Appendix E
167-168			OPERATION NO. 3
			See Appendix E
169-177			Blank
178	Master Record		TYPE OF SUBSTRATUM
		2,616	0. Permit
		2,500 20,425	 Area, oversampled for blacks Area, not oversampled for blacks
179-181			FULL SAMPLE STRATUM IDENTIFIER
182	Master Record		REGION
		4,833	1. Northeast

		6,566 8,442 5,700		Midwest South West
183	Master		GEOGRAP:	HIC DISTRIBUTION
	Record		MSA Siz	e
		10,907 6,943 1,653 343 5,692	3.	250,000 - 999,999 100,000 - 249,999 Under 100,000
1			- 97	_
			BLIC USE ' CTOR VISI'	TAPE RECORDS F RECORD
Tape Locations	Item No.	Frequency		Items and Codes
184			Blank	
185	Master Record		TYPE OF	
		13,979 5,870 4 5,688		MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
186	Recode		MSA - N	ON-MSA RESIDENCE
		8,457 11,392 5,347 345	2. 3.	MSA - Central City MSA - Not Central City Non-MSA - Nonfarm Non-MSA - Farm
187-189			PSEUDO :	PSU CODES
190-200			FACTOR	CONDITION PREVALENCE AND INCIDENCE (XX.XXXXXXXX) er format with implied decimal

	FINAL BASIC WEIGHT
201-209	QUARTER
210-218	SEMI-ANNUA1 (WT/2)
219-227	ANNUAL (WT/4)
1	- 98 -
	NHIS PUBLIC USE TAPE RECORDS DOCTOR VISIT RECORD
Tape Locations	Item No. Frequency Items and Codes
	6.5 WEIGHT
228-236	QUARTER, SEMI-ANNUAL AND ANNUAL
237-335	BLANK
1	- 99 -
	HOSPITAL RECORD
1NOTES:	
1	- 101 -
	NHIS PUBLIC USE TAPE RECORDS Outline of items and Codes Number of Records = 13,580 HOSPITAL RECORD
Tape Locations	Item No. Frequency Items and Codes
1-2	- RECORD TYPE

3-4	-		PROCESSING YEAR
		13,580	88. 1988
5	_		PROCESSING QUARTER
		3,420 3,495 3,322 3,343	 Quarter 1 Quarter 2 Quarter 3 Quarter 4
6-8	нн-5		RANDOM RECODE OF PSU NUMBER
9-10	нн-5		WEEK - CENSUS CODE*
			01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13

^{*}This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1 - 102 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	нн-5		SEGMENT NUMBER

Week plus Segment Number identifies the

segment

13-14	нн-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		HOSPITAL SERIAL NUMBER 01-99. Serial Number
19-20	нн-5	1,007 1,161 1,029 955 1,009 1,034 1,137 1,053 1,012 1,043 1,061 1,052 1,027	PROCESSING WEEK CODE (Numbered within Quarter) 01. Week 01 02. Week 02 03. Week 03 04. Week 04 05. Week 05 06. Week 06 07. Week 07 08. Week 08 09. Week 09 10. Week 10 11. Week 11 12. Week 12 13. Week 13
21			BLANK
1			- 103 - BLIC USE TAPE RECORDS OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
22-23	нн-10d		TYPE OF LIVING QUARTERS:

Housing Unit = (00-07)

		91 12,592 13	(00. 01. 02.	House, apartment, flat
		4	(03.	HU-permanent in transient hotel,
		9	(04.	<u> </u>
		698	(05.	Mobile home or trailer with no permanent room added
		104	(06.	Mobile home or trailer with one or more permanent rooms added
		0	(07.	
			Othe	r Ur	nit = (08-13)
		5	(08.	~
		0	(09.	boarding house Unit not permanent in transient hotel, motel, etc.
		13	-	10.	
		36	-	11.	
		11		12.	Other unit not specified above
		4	-	13.	Other unit; kind unknown
24	нн-11		HAS 7	TELE	EPHONE
		12,048			Yes, phone number given
		392 1,028		2. 3.	Yes, no phone number given No
		112			Unknown
25	A-1		SEX		
		5,441 8,139		1. 2.	Male Female
26	-		BLANI	K	
1			- 10	04 -	-
			BLIC US		TAPE RECORDS ECORD
-					
Tape Locations	Item No.	Frequency	:	Iten	ns and Codes

27-28	Person Column		AGE	
	COTUME	321 13,253	00. 01-98.	Number of years
		6	99.	99+ years of age
29	Recode		AGE REC	CODE #1
		791	1.	<u>-</u>
		860 1,289	2. 3.	-
		3,934	4.	25-44 years
		3,037	5.	
		1,062 986	6. 7.	-
		1,621	8.	
30	Recode		AGE REC	ODE #2
		854	1.	Under 6 years
		621	2.	6-16 years
		1,465 2,402	3. 4.	-
		1,532	5.	-
		1,310	6.	45-54 years
		1,727	7.	
		2,048 1,621	8. 9.	-
31-32	Recode		AGE REC	CODE #3
		632		Months
		12,948	36.	Over 3 years
33	-		BLANK	
1			- 105	
		NHTS DIII	BLIC USE	TAPE RECORDS
			OSPITAL R	
Tape	Thom No	Frogueray	T+ -	and Codes
Locations	Item No.	Frequency	Ite	ems and Codes

34-39	A-3	MONTH AND YEAR OF BIRTH					
34-35			MONTH				
36-39			01. January 08. August 02. February 09. September 03. March 10. October 04. April 11. November 05. May 12. December 06. June 99. DK or refused 07. July YEAR OF BIRTH 1800-1899. 1800-1899 1900-1989. 1900-1989				
			9999. DK or refused				
40-41			BLANK				
42	L-3		MAIN RACIAL BACKGROUND - Reported				
		170 167 2,189 10,842 92	 Aleut, Eskimo, or American Indian Asian/Pacific Islander Black White Other 				
		28 92	6. Multiple race 7. Unknown				
1			- 106 -				
			LIC USE TAPE RECORDS SPITAL RECORD				
Tape Locations	Item No.	Frequency	Items and Codes				
43-45	Recode		RACE RECODES				
43			RECODE 1				
		11,039 2,200 341	 White Black Other 				
44			RECODE 2				
		44 000	a and the				

1. White

11,039

		0 541	0	27 1.11
		2,541	2.	Non-white
45			RECODE	3
		2,200	1.	
		11,380	2.	Non-black
46-47	L-4		HISPANI	C ORIGIN
		9	00.	
		149		Puerto Rican
		59 144	02.	Cuban Mexican-Mexicano
		269		Mexican-Mexicano Mexican-American
		209		Chicano
		81		Other Latin American
		99		Other Spanish
		32	08.	Spanish, DK type
		112		Unknown if Spanish origin
		12,618	10.	
48	L-7		MARITAL	CTATIIC
40	ш- /		MAKITAL	514105
		1,254	0.	Under 14 years
		7,653	1.	Married - spouse in household
		152	2.	Married - spouse not in household
		1,632	3.	Widowed
		844	4.	
		366 1,623	5. 6.	±
		1,623 56	o. 7.	
		50	/.	UIRIIOWII
1			- 107	_
				TAPE RECORDS
		н	IOSPITAL R	ECORD
Tape				
Locations	Item No.	Frequency	Tte	ms and Codes
Locacions	10011110.	rrequeriey	100	and codes
49	L-1		VETERAN	STATUS
		9,643	1.	Non-veteran
		30	2.	WW I
		1,004	3.	WW II
		337	4.	Korean War
		378	5.	
		102		Post-Vietnam
		231	7.	Other service

		38	8.	Served in Armed Forces, unknown if war veteran
		166	9.	
		1,651	Blank.	Under 18 years of age
50	L-1		ACTIVE	GUARD/RESERVE STATUS FOR PERSONS ON
				DUTY IN ARMED FORCES
		9,643	0.	Non-veteran
		107	1.	All service in Guard/Reserve
		279	2.	Some service in Guard/Reserve
		4	3.	Unknown if all service in
		1	4	Guard/Reserve
		1,587 309	4. 5.	•
		309	5.	Guard/Reserve or if served in Armed
		1 (51	D11-	Forces
		1,651	Blank.	Under 18 years of age
	T 0			01.00 110111111111111111111111111111111
51-52	L-2		EDUCATI	ON OF INDIVIDUAL - COMPLETED YEARS
		236	00.	Never attended; kindergarten only
		8,949	01-12.	Grades 1-12
			College	:
		747	13.	1 year
		870	14.	
		296	15.	
		908	16.	
		203	17.	5 years
		399	18.	6 years or more
		181	19.	
		791	Blank.	Under 5 years of age
1			- 108	
_			100	
		NHIS PU	BLIC USE	TAPE RECORDS
		Н	OSPITAL R	ECORD
Tana				
Tape Locations	Item No.	Frequency	⊤ + ∽	ms and Codes

EDUCATION OF INDIVIDUAL RECODE

236
0. None; kindergarten only
2,385
1. 1-8 years (elementary)
2,204
2. 9-11 years (high school)
4,360
3. 12 years (high school graduate)

		1,913 908 602 181 791	4. 5. 6. 7. Blank.	4 years (college graduate) 5+ years (post-college) Unknown
54-55	-			EDUCATION OF RESPONSIBLE ADULT MEMBER (Detail)
		44 8,088		Never attended; kindergarten only Grades 1-12
			College	:
		971 1,305 478 1,465 293 853 83	13. 14. 15. 16. 17. 18.	2 years 3 years 4 years 5 years 6 years or more
56	-			EDUCATION OF RESPONSIBLE ADULT MEMBER RECODE
		44 1,246 1,720 5,122 2,754 1,465 1,146 83	0. 1. 2. 3. 4. 5. 6.	1-8 years (elementary) 9-11 years (high school) 12 years (high school graduate) 1-3 years (college) 4 years (college graduate) 5+ years (post-college)
1			- 109 BLIC USE OSPITAL R	TAPE RECORDS
Tape Locations	Item No.	Frequency	Ite	ms and Codes
57	L-8	6,556 6,631 393	1. 2.	INCOME \$20,000 OR MORE Less than \$20,000 \$20,000 or more Unknown

58-59	L-8		FAMILY I	NCOME	
58-59	L-8	80 118 127 298 385 310 364 406 308 272 359 274 370 201 249 255 222 259 316 361 1,114 997 863 634 564 427	FAMILY I 00. 01. 02. 03. 04. 05. 06. 07. 08. 09. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25.	Less tha \$ 1,000 2,000 3,000 4,000 5,000 6,000 7,000 11,000 12,000 13,000 14,000 15,000 16,000 17,000 18,000 19,000 25,000 30,000 35,000 40,000	- 3,999 - 4,999 - 5,999 - 6,999 - 7,999 - 8,999 - 9,999
		1,258 2,189	26. 27.	\$50,000 Unknown	and over

1 - 110 -

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		1,008 674 986 1,453 1,413 1,114 1,860 1,625 1,258 2,189	<pre>0. Under \$5,000 1. \$ 5,000 - \$ 6,999 2. 7,000 - 9,999 3. 10,000 - 14,999 4. 15,000 - 19,999 5. 20,000 - 24,999 6. 25,000 - 34,999 7. 35,000 - 49,999 8. \$50,000 or more 9. Unknown</pre>

61	Generated		NHIS PO	VERTY INDEX*
		10,019 2,126 1,435		Above poverty threshold Below poverty threshold Unknown
62-63			FAMILY	RELATIONSHIP
62	A-2		TYPE OF	FAMILY
		2,019 115 11,422 24	 0.	Primary individual Secondary individual Primary family Secondary family
63	A-2		RELATIO	NSHIP TO REFERENCE PERSON
		1,954 4,784		Reference person, living alone Reference person, 2+ persons in household
		3,935	1.	Spouse, other spouse NOT in Armed Forces and living at home
		72	2.	
		2,131 162	3. 4.	-
		246		Parent of reference person or spouse
		292		Other relative
		4 0	7. 9.	Child of ineligible reference person DK or refused

^{*}Based on family size, number of children under 18 years of age & family income using the 1987 poverty levels derived from the August, 1988 Current Population Survey.

1 - 111 -

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		1,954 180 7,649 3,797	 Living alone Living only with non-relative Living with spouse Living with relative - other

65-66	Generated	SIZE OF FAMILY*
		Unrelated individuals are coded 01
67	Generated	SIZE OF FAMILY RECODE
		1-8. Number of members 9. 9+ members
68	A-2	PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
	1,156 409	 Both parents, no other relative Mother only
	25 136	 Father only Both parents and other 21+ year old adult relative
	173	5. Mother and other 21+ year old adult relative
	10	6. Father and other 21+ year old adult relative
adult	38	7. No parent, but one 21+ year old
	41	relative 8. No parent, but two or more 21+ year old adult relatives
	63 132 11,397	9. Unknown 0. Other Blank. Not applicable (25+ years old or
ever	11,357	married)

^{*}Count includes spouse in military but living at home.

1 - 112 -

Tape Locations	Item No.	Frequency	Items and Codes
69	B-1		MAJOR ACTIVITY (18+ years old)
	B-8		
		4,465	1. Working
		3,357	2. Keeping house
		298	3. Going to school
		3,705	4. Something else
		104	5. Unknown
		1,651	Blank. Not applicable (Under 18 years)

1,176 7,698 1,176 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years)	70	G-4		HEALTH	STATUS
3,651 3. Good 2,626 4. Fair 2,364 5. Poor 57 6. Unknown 71 Recode ACTIVITY LIMITATION STATUS - (all ages) 2,925 1. Unable to perform major activity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 7 4. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years)			2,276	1.	Excellent
2,626 4. Fair 2,364 5. Poor 57 6. Unknown 71 Recode ACTIVITY LIMITATION STATUS - (all ages) 2,925 1. Unable to perform major activity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 7 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 16 years)			2,606	2.	Very Good
2,364 5. Poor 6. Unknown 71 Recode ACTIVITY LIMITATION STATUS - (all ages) 2,925 1. Unable to perform major activity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 550 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years)			3,651	3.	Good
71 Recode ACTIVITY LIMITATION STATUS - (all ages) 2,925					
71 Recode 2,925 1. Unable to perform major activity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 70 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS					
2,925 1. Unable to perform major activity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			57	6.	Unknown
2,925 1. Unable to perform major activity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS	71	Recode		ACTIVIT	TY LIMITATION STATUS - (all ages)
tivity 1,781 2. Limited in kind/amount major 1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 70 4. Limited in school attendance 67 5. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS					
1,176 3. Limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS					
1,176 7,698 4. Not limited in other activities 7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in hind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			1,781	2.	Limited in kind/amount major
7,698 4. Not limited (includes unknowns) 72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS	ctivity		1 100	2	
72 Recode ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) 2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS					
"ABILITY TO WORK" (18-69 years) 2,522			7,698	4.	Not limited (includes unknowns)
2,522 1. Unable to work 778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS	72	Recode		ACTIVIT	TY LIMITATION STATUS MEASURED BY
778 2. Limited in kind/amount of work 560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS				"ABILIT	TY TO WORK" (18-69 years)
560 3. Limited in other activities. 5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			2,522	1.	Unable to work
5,462 4. Not limited (includes unknowns) 4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			778	2.	Limited in kind/amount of work
4,258 Blank. Not applicable (under 18 years; 7 years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS				3.	
years) 73 B-11 LIMITATION OF SCHOOL ACTIVITIES (5-17 years) 29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS				4.	
29 1. Unable to attend school 61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			4,258	Blank.	
61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS	73	B-11	LIM	ITATION OF	SCHOOL ACTIVITIES (5-17 years)
61 2. Attends special school/classes 7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			29	1.	Unable to attend school
7 3. Needs special school/classes 70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS				2.	
70 4. Limited in school attendance 67 5. Limited in other activities 626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			7	3.	
626 6. Not limited (includes unknowns) 12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			70	4.	
12,720 Blank. Not applicable (under 5 years; 18 years) - 113 - NHIS PUBLIC USE TAPE RECORDS			67	5.	Limited in other activities
years) - 113 - NHIS PUBLIC USE TAPE RECORDS			626	6.	Not limited (includes unknowns)
NHIS PUBLIC USE TAPE RECORDS			12,720	Blank.	Not applicable (under 5 years; 18-years)
				- 113	
			NIII C .	DIIDI TO TICE	MADE DECORDS
			NHIS 1		

Locations Item No. Frequency Items and Codes

old	74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years
Old				and limited, or age 60-69 years)*
need	a		478	1. Unable to perform personal care
need	מ		728	2. Limited in performing other routine needs
or			3,500	3. Not limited in performing personal
			25 8,849	routine needs 4. Unkown Blank. Not applicable (under 5 years; 5-59 years not limited; 70+ years old)
year	75 s)	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+
				In the Labor Force: (1-7)
5.5			4,180 420	Currently employed: (1-3) 1. Worked in past 2 weeks 2. Did not work, has job; not on lay-
off			3	and not looking for work3. Did not work, has job; looking for work
			0.0	Unemployed: (4-7)
and			22 4	4. Did not work, has job; on lay-off 5. Did not work, has job; on lay-off
and			83 223	looking for work6. Did not work, has job; unknown if looking or on lay-off7. Did not work, no job; looking for work or on lay-off
			6,994 1,651	Not in Labor Force (18+ years): (8) 8. Not in Labor Force (18+ years) Blank. Not applicable (Under 18 years old)

^{*}For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

- 114 -

Tape Locations	Item No.	Frequency	Items and Codes

76	L-6		CLASS OF WORKER
		6,994 3,501 139 204 384 114 442 12 8 131 1,651	0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		4,935 8,645	010-996. Code number Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		4,935 8,645	003-999. Code number Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C
89-90	Recode		OCCUPATION RECODE 2
			SEE APPENDIX C

1 - 115 -

Tape Locations	Item No.	Frequency	Ite	ms and Codes		
91	L-R	RESPONDENT				
		1,475 8,463 935 2,555 152	2. 3.	Under 17 Self-entirely Self-partly Proxy Unknown		
92	Recode		CONDITI	ON LIST ASSIGNED AND ASKED		
		2,227 2,264 2,259 2,188 2,267 2,328 47	3. 4. 5. 6.	Condition List 1, Skin and Musculoskeletal Condition List 2, Impairments Condition List 3, Digestive Condition List 4, Miscellaneous Condition List 5, Circulatory Condition List 6, Respiratory Unknown		
93-94	Recode	le HOSPITAL EPISODE HOSPITALS IN PAS		L EPISODE NUMBER FOR SHORT-STAY LS IN PAST YEAR		
		13,305 275		Number Long-stay hospitals		
-			- 116	-		
			JBLIC USE IOSPITAL R	TAPE RECORDS ECORD		
Tape Locations	Item No.	Frequency	Ite	ms and Codes		
95-96	J-6		TYPE OF	SERVICE		
		12,525 91 0 31 8 183	01. 02. 03. 04. 06.	Psychiatric Tuberculosis Maternity Ear, Eye, Nose and Throat		

20 0 3 7 88 0 114	08. Orthopedic 09. Contagious Disease 10. Chronic Disease 11. Hospital department of institution 12. All other 89. In index, unknown type 90. DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital
25	92. DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital)
28	93. Hospitalized in Foreign Country, not in index
0	94. Nursing personal, and domiciliary care homes
20	95. Nursing home, assumed from title
21	98. Osteopathic
416	99. Not identified as a hospital, not in index
97 Recode	RECODE FOR TYPE OF SERVICE
13,305	1. Short-stay hospitals (Codes 01, 04, 06, 07, 11, 89, 90, 98, 99)
247	2. Long-stay hospitals (Codes 02, 03, 08, 09, 10, 12, 92, 94, 95)
28	3. Not in index (Code 93)
1	- 117 -

Tape Locations	Item No.	Frequency	Items and Codes
98-99	J-6		TYPE OF OWNERSHIP
		286 561 278 27 711	1. Governmental, nonfederal 12. State 13. County 14. City 15. City-county 16. Hospital district
		2,479 6,914 0	 Nonprofit Church operated or related Other nonprofit Nonprofit, N.O.S.

	3 44 1,207 0	3.	Proprietary 31. Individual 32. Partnership 33. Corporation (profit) 34. Proprietary, N.O.S.
	55 55 33 0 26 277 0	4.	Government, Federal 41. Air Force 51. Army 61. Navy 62. Department of Defense, N.O.S. 71. Public Health Service 81. Veterans Administration 91. Other Federal
	0 114	5.	All other 89. In index, unknown type 90. DK (entry of DK for hospital name and Not Reported, less than 31 nights in hospital)
	25 28		92. DK (entry of DK for hospital name and Not Reported - 31 or more nights in hospital) 93. Hospitalized in Foreign
Country,	20		not in index 95. Nursing home, assumed from
title	21 416		98. Osteopathic 99. Not identified as a hospital, not in index

1 - 118 -

Tape Locations	Item No.	Frequency	Items and Codes			
100-105	J-2		DATE OF ADMISSION			
100-101			MONTH			
		1,147 1,154 1,185 1,083 1,107 1,103 1,187 1,117	01. January 02. February 03. March 04. April 05. May 06. June 07. July 08. August 09. September			

102-103		1,180 1,095 1,174	10. October 11. November 12. December DAY OF MONTH
			01-31. Day of month
104-105			YEAR
		0 1 8 6,351 7,219 1	84. 1984 85. 1985 86. 1986 87. 1987 88. 1988 89. 1989
106-109	Derived		NUMERICAL VALUE OF DATE OF ADMISSION 0001-1842. Date Values
110	Derived	530 12,739 311	ADMISSION RECODE 1. Admission in past 2 weeks 2. Admission 2 weeks to a year ago 3. Admission prior to past 12 months
1			- 119 - JBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
111-114	Derived		NUMERICAL VALUE FOR DATE OF INTERVIEW
		13,580	1471-1842. Values 9999. Unknown
115-118	Derived		DERIVED DATE OF DISCHARGE
		13,580	0002-1842. Values 9999. Unknown

119-121	Derived		NUMBER OF NIGHTS IN PAST 12 MONTHS
			000-365. Number of nights
122-123	Derived		NUMBER OF NIGHTS IN PAST 2 WEEKS
			00-14. Number of nights
124-126	Derived		J - VALUE
101 100	2011/04	111	Blank. Negative value
		13,469	000-364. Value
127	Recode		J - RECODE
		111	0. Still in hospital
		653 6,566	 Discharges past 2 weeks (000-013) Discharges in 2 weeks to 6 months
			(014-181)
		6,250	3. Discharges in 6-12 months (182-364)
128-131	J-3		TOTAL NIGHTS IN HOSPITAL
			0001-1842. Nights
1			- 120 -
			BLIC USE TAPE RECORDS
		H	OSPITAL RECORD
Tape Locations	Item No.	Frequency	Items and Codes
Посастопъ	reem wo.	rrequericy	Teems and codes
132	Recode		SHORT-STAY HOSPITAL DISCHARGE (based on
	-		6-month recall)*
		7,082	1. Yes
		6,498	2. No
133	J-5		OPERATION PERFORMED DURING STAY
133	0 0		OF EVELTON LEVE OWNED DOUTING STAT

6,855 6,588

1. Yes 2. No

137	3.	Unknown

134-139	J-5		OPERATION CODES (See Appendix E)
134-135			OPERATION NUMBER 1
		6,855 6,725	00-99. Blank.
136-137			OPERATION NUMBER 2
		640 12,940	00-99. Blank.
138-139			OPERATION NUMBER 3
		64 13,516	00-99. Blank.
140-144			BLANK
145	Recode		HOSPITALIZATION FOR DELIVERY (Based on Operation Codes, Appendix E and reason entered hospital)
		1,805 11,775	1. Yes, delivery 2. No

^{*}Use weight field 210-218 for annual estimate.

1 - 121 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
146-177			BLANK
178	Master Record	1,084 1,685 10,811	TYPE OF SUBSTRATUM 0. Permit 1. Area, oversampled for blacks 2. Area, not oversampled for blacks

179-181	-		FULL SA	MPLE STRATUM IDENTIFIER
182	Master Record		REGION	
	RECOLA	2,552	1.	Northeast
		3,635		Midwest
		5,103 2,290	3. 4.	South West
		2,290	4.	WESC
183	Master		GEOGRAF	HIC DISTRIBUTION
	Record		MSA Siz	e
		5,030	1.	1,000,000 or more
		3,519	2.	
		874	3.	
		289	4.	
		3,868	Blank.	Non-MSA
184			BLANK	
			- 122	
			BLIC USE OSPITAL R	TAPE RECORDS ECORD
Tape Locations	Thom No	Eventuarian		mg and Codes
locations	Item No.	Frequency	ILE	ms and Codes
185	Master Record		TYPE OF	PSU
185	Master Record	6,593	TYPE OF	
185		6,593 3,119	1.	MSA - Self-representing MSA - Nonself-representing
185		3,119 5	1. 3. 4.	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing
185		3,119	1.3.	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing
185		3,119 5	1. 3. 4. 6.	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing
	Record	3,119 5 3,863	1. 3. 4. 6.	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing ON-MSA RESIDENCE
	Record	3,119 5	1. 3. 4. 6. MSA - N	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing
	Record	3,119 5 3,863 4,514	1. 3. 4. 6. MSA - N 1. 2.	MSA - Self-representing MSA - Nonself-representing Non-MSA - Self-representing Non-MSA - Nonself-representing ON-MSA RESIDENCE MSA - Central City MSA - Not Central City Non-MSA - Nonfarm

187-189	PSEUDO PSU CODES
190-200	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXX) - character format with implied decimal
	FINAL BASIC WEIGHT
201-209	QUARTER
210-218*	SEMI-ANNUAL (WT/2)
219-227	ANNUAL (WT/4)
	6.5 WEIGHT
228-236	QUARTER, SEMI-ANNUAL AND ANNUAL
1	- 123 -

NHIS PUBLIC USE TAPE RECORDS HOSPITAL RECORD

Tape Locations	Item No.	Frequency	Items and Codes
			ESTIMATED NIGHTS IN HOSPITAL IN PAST 2 WEEKS
237-245			QUARTER, SEMI-ANNUAL AND ANNUAL
			ESTIMATED NIGHTS IN HOSPITAL IN PAST 12 MONTHS
246-254			QUARTER
255-263			SEMI-ANNUAL
264-272			ANNUAL

	273-281	QUARTER
	282-290*	SEMI-ANNUAL
	291-299	ANNUAL
_		
	300-335	BLANK

^{*}Use these locations for estimates of hospital discharges and days based on a 6-month period.

1NOTES:

1

- 125 -

DIAGNOSTIC RECODES

1NOTES:

1

- 127 -

National Health Interview Survey

DIAGNOSTIC RECODE A

Acute Conditions

- I. Purpose Recode A consists of 32 4-digit categories of frequently reported acute conditions. The NHIS routinely publishes acute condition incidence estimates and other related acute condition data using these specific recode categories.
- II. Format and Content The first digit of this 4-digit recode separates the data into five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition An acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview except for certain conditions always classified as chronic regardless of onset. Acute conditions must also have either activity restriction or medical attention. Current deliveries, normal or complicated, and current complications of pregnancy and puerperium are always considered acute conditions. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week.

This recode is different from Acute Condition Recode 2, used prior to 1982.

1NOTES:

1

- 129 -

National Health Interview Survey Acute Condition Recode A

Recode Number	Title	ICD-9 Codes
	INFECTIVE AND PARASITIC DISEASES	
1001 1002 1003 1004	Common Childhood Diseases Intestinal virus, NOS Viral Infections, Unspecified Other	033, 052, 055, 056, 072 008.8 079.9 (001-136, except for above)*
	RESPIRATORY CONDITIONS	
2105 2106	Common Cold Other Acute Upper Respiratory	460
2100	Infections	461-465
2207	Influenza	487
2308 2309	Acute Bronchitis Pneumonia	466 480-483, 485, 486
2310	Other Respiratory Conditions	470, 475, 478. ,0-7,9, 495, 500-508, 510-515, 516. ,0,2,3,8,9, 518, 519
	DIGESTIVE SYSTEM CONDITIONS	
3411 3412	Dental Conditions Indigestion, Nausea and Vomiting	520.,6-9, 521.,0-5,7-9, 522,523,525 536.8,787.0
3413	Other Digestive Conditions	(520-579, and 787, except for above)*
	INJURIES	
4514 4515 4516 4517 4518	Fractures, Dislocations Sprains and Strains Open Wounds and Lacerations Contusions and Superficial Injuries Other Current Injuries	800-839 840-848 870-884, 890-894 910-929 (800-999, except for above)*

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS.

1 - 130 -

Revised April 30, 1983

Recode
Number Title ICD-9 Codes

	ALL OTHER AGENT GOVERNOOM	
	ALL OTHER ACUTE CONDITIONS	
5619	Eye conditions	360. ,0,3,5,6,8,9, 363. ,0-2,6-9, 364. ,0-6,8,9 368. ,0,2-4,8,9, 370. ,0,4-6,8,9, 371. ,0-2,4-9, 372. ,4,5,8,9, 373. ,0,2,8,9, 374, 375, 376. ,0,1,3,5,6,8,9, 379. ,0,1,3,4,8,9
5620	Acute Ear Infections	380.1, 381, 382, 383. ,0-2,9, 384.0, 386.3
5621	Other Ear Conditions	380. ,0,2-9, 383.3,8, 384. ,2,8,9, 385, 386. ,0-2,4-9, 387, 388. ,0,1,3-9
5722	Acute Urinary Tract Infections	580, 581, 590, 595. ,0-3,8,9, 597, 598.0, 599.0
5723	Other Urinary Conditions	582-589, 591, 593, 596, 598. ,1-9, 599. ,1-9
5724	Disorders of Menstruation	625.3,4, 626. ,0-6,8,9
5725	Other Disorders of Female Genital Tract	614-624, 625. ,0-2,5-9, 626.7, 628. ,0,2-9, 629
5726	Delivery and Other Conditions of Pregnancy and Puerperium	630-676
5827	Skin Conditions	680-684, 686, 690, 691, 693, (693.2 NHIS code), 694-698, 700-705, 706.,0,1,3,8,9, 707-709
1	- 131 -	

Revised April 30, 1983

National Health Interview Survey Acute Condition Recode A

Recode		
Number	Title	ICD-9 Codes

_		
	ALL OTHER ACUTE CONDITIONS (Continued))
5828	Acute Back, Spine and Neck Pain	723.1, 724.1-3,5
5829	Other Musculoskeletal Conditions	710. ,0-2,4,8,9, 717, 718. ,0-5,8,9, 719, 720.1,2, 722, 723. ,0,2-4,6-9, 724. ,0,4,6-9, 726. ,1,3-9, 727, 728. ,0,1,3,5,7-9, 729. 2-6,8,9, 730. ,0-3,9, 731. ,0,2, 732, 733. ,1,3-9, 739
5930	Headache, excluding migraine	307.8, 784.0**
5931	Fever, NOS	780.6
5932	All Other Acute Conditions	(All remaining ICD Codes)*

1NOTES:

1 - 133 -

National Health Interview Survey

DIAGNOSTIC RECODE B

Diseases, Injuries and Impairments

I. Purpose - Recode B is a listing of diseases and injuries developed by the World Health Assembly (WHA) and modified by the NHIS to include special impairment codes and residual categories. This recode, without NHIS modifications, also appears in Volume 1 of the International Classification of Diseases (1975 Revision).

The recode is intended to provide data users with a classification scheme whereby the NHIS diagnostic categories are more closely grouped according to the standard International Classification of Disease groupings. This recode is primarily used by NHIS to classify conditions reported as causing activity limitation. For data users interested in producing chronic condition prevalence estimates, see also Diagnostic Recode C.

II. Format and Content - Recode B is a 3-digit recode that can be tabulated in two ways. The first 2 digits represent more general groupings of condition categories and range from 01-57 and 99. For more detailed condition categories, the complete 3-digit number - from 010-570 and

^{*}Excludes ICD codes defined by the NHIS as chronic and ICD codes not used by NHIS $\,$

^{**}NHIS codes tension headache to 784.0

990 - is used.

The NHIS has modified this recode in two ways. First, the NHIS diagnostic coding procedure uses an X-code designation for impairments instead of an ICD number. For this recode, the X-codes are reassigned to the recode categories that would have been used under the ICD scheme. Secondly, residual categories have been added to accommodate all conditions coded by the NHIS. A code with the letter "A" following indicates conditions coded by the NHIS only.

This recode is the same as Recode 5 used prior to 1982.

1NOTES:

1 - 135 -

National Health Interview Survey Diagnostic Recode B

October 1981

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
01		Intestinal Infectious Diseases	001-009.0,2
	010	Cholera	001
	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
	029	Residual	017, 018, 019-A

1 - 136 -

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03		Other Bacterial Diseases	020-027, 030-041
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035
	036	Meningococcal infection	036
	037	Tetanus	037
	038	Septicaenia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral Diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
	043	Rubella	056
	044	Yellow fever	060
	045	Arthropod-borne encephalitis	062-064
	046	Viral hepatitis	070
	047	Rabies	071
	048	Trachoma	076
	049	Residual	046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079

National Health Interview Survey Diagnostic Recode B

	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
05		Rickettsiosis and Other Arthropod- borne Diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088
06		Venereal Diseases	090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098
	069	Residual	099
07		Other Infectious and Parasitic Diseases and Late Effects of Infectious and Parasitic Diseases	100-104, 110-112, 114-118,120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	073	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
	079	Residual	130-136
1		- 138 -	
		National Health Interview Survey	

_	3-digit Recode	Catagory		Diagnostic Inclusions
Recode	Recode	Category	Code	IIICIUSIOIIS

08		Malignant Neoplasm of Lip, Oral Cavity and Pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant of Neoplasm of Digestive Organs and Peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplasm of stomach	151
	092	Malignant neoplasm or small intestine, including duodenum	152
	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	099	Residual	155.1,2, 156, 158, 159
10		Malignant Neoplasm of Respiratory and Inthrathoracic Organs	160-165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, brochus and lung	162
	109	Residual	160, 163-165

- 139 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
11		Malignant Neoplasm of Bone, Connective Tissue, Skin and Breast	170-175
	110	Malignant neoplasm of bone, and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174

	119	Residual	171, 175
12		Malignant Neoplasm of Genitourinary Organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of ovary and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
13		Malignant Neoplasm of Other and Unspecified Sites	190-199
	130	Malignant neoplasm of brain	191
	139	Residual	190, 192-199
1		- 140 -	

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant Neoplasm of Lymphatic and Haemopoietic Tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
	149	Residual	200, 202, 203
15		Benign Neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other	223

urinary organs

	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and Unspecified Neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and Metabolic Diseases, Immunity Disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279

1 - 141 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
19		Nutritional Deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Disease of Blood and Blood-forming Organs	280-289
	200	Anaemias	280-285
	209	Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, X10, X14, X19
	210	Senile and presenile organic	290

	psychotic conditions	
211	Schizophrenic psychoses	295
212	Affective psychoses	296
213	Other psychoses	291-294, 297-299
214	Neurotic and personality disorders	300, 301
215	Alcohol dependence syndrome	303
216	Drug dependence	304
217	Physiological malnutrition arising from mental factors	306.1-5
218	Mental retardation	X19
219	Residual	302, 305, 307-314, 315.4,5,8,9,316-A, X10, X14

- 142 -National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
22		Disease of the Nervous System	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341, 344.1, 345-352, 353.0-4,6,8,9, 354-359, X40, X41.1- 8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)*, X50.9, X61***
	220	Meningitis	320, 322
	221	Parkinson's disease	332
	222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336
	223	Multiple sclerosis	340
	224	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)*
	225	Epilepsy	345
	229	Residual	323-325, 337, 341,

1

*Excludes .0

***Includes all 4th digits except .9

1 - 143 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
23		Disorders of the Eye and Adnexa	360-368, 370-379, X00*, (X01, X02, X04)*
	230	Glaucoma	365
	231	Cataract	366
	232	Blindness and low vision	X00*
	233	Conjunctivitis	372.0-3
	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
	239	Residual	360-364, 367, 368, 370, 371,372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)*
24		Disease of the Ear and Mastoid Process	380-387, 388.0,1,3-9, (X05, X08)*, (X06, X07, X09)*
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(X05, X08)*
	249	Residual	380, 384-387, 388.0.1,3-9, X06, X07, X09)*
25		Rheumatic Fever and Rheumatic Heart Disease	390, 392-398, 399-A
	250	Acute rheumatic fever	390, 392
	251	Chronic rheumatic heart disease	393-398

259 Residual 399-A

*Excludes .0

1 - 144 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
26		Hypertensive Disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic Heart Disease	413, 414
	271	Ischaemic heart disease	413, 414
28		Disease of Pulmonary Circulation and Other Forms of Heart Disease	415-417, 420-428, 429.0-5,8,9
	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426, 428, 429.0-5,8,9
29		Cerebrovascular Disease	430-435, 437, X50***
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50***

***Includes all 4th digits except .9

1 - 145 -

National Health Interview Survey
Diagnostic Recode B

2-digit 3-digit

Recode	Recode	Category	Code Inclusions
30		Other Diseases of the Circulatory System	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Haemorrhoids	455
	309	Residual	456-459
31		Diseases of the Upper Respiratory Tract	460-465, 470-478, 477.7-A
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464
	312	Other acute upper respiratory infections	460-462, 465
	313	Deflected nasal septum and nasal polyps	470, 471
	314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473
	315	Chronic diseases of tonsils and adenoids	474
	319	Residual	475-478, 477.7-A
-		- 146 -	

2-digit 3-digit Recode Recode	Category	NHIS Diagnostic Code Inclusions
32	Other Diseases of the Respiratory System	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30***
320	Acute bronchitis and bronchiolitis	466
321	Pheumonia	480-483, 485, 486

	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchietasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pheumonconiosis and other lung disease due to external agents	500-508
	327	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30***
33		Diseases of Oral Cavity, Salivary Glands and Jaws	520.3,4,7-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.3,4,7-9, 521-523, 525, X92
	331	Disease of the jaw	526
	339	Residual	527-529

***Includes all 4th digits except .9

1 - 147 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
34		Diseases of Other Parts of the Digestive System	530-537, 540-543, 550-553,555-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
	343	Hernia of abdominal cavity	550-553
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346	Other functional digestive disorders	564

	347	Chronic liver disease and cirrhosis	571
	348	Cholelithiasis and cholecystitis	574-575.1
	349	Residual	534-537, 555-558, 565-570 572,573, 575.0,2-6,8,9, 576-579
35	Diseases	s of Urinary System	580-599, X31***, X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	590
	352	Urinary calculus	592, 594
	353	Cystitis	595
	359	Residual	X31***, X62, 591, 593, 596-599

***Includes all 4th digits except .9

1 - 148 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
36		Disease of Male Genital Organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
	369	Residual	601, 602, 604, 607, 608
37		Diseases of Female Genital Organs	610, 611, 614-629, X32***
	370	Diseases of breast	610, 611, X32***
	371	Salpingitis and oophoritis	614.0-2
	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina and vulva	615, 616

	374	Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 626.6-9, 627, 629
38		Abortion	630-639
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	389	Residual	630-633, 637-639

^{***}Includes all 4th digits except .9

1 - 149 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
39		Direct Obstetric Causes	640-646, 651-676
	390	Haemorrhage of pregnancy and childbirth	640, 641, 666
	391	Toxaemia of pregnancy	642.4-9, 643
	392	Infections of genitourinary tract in pregnancy	646.6
	393	Obstructed labor	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40		Indirect Obstetric Causes	647, 648
	400	Indirect obstetric causes	647, 648
41		Normal Delivery	650
	410	Normal delivery	650
42		Diseases of Skin and Subcutaneous	680-686, 690-693,

	Tissue	693.2-A, 694-698, 700-709
420	Infections of skin and subcutaneous tissue	680-686
429	Residual	690-693, 693.2-A, 694-698, 700-709

1 - 150 -

National Health Interview Survey Diagnostic Recode B

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
43		Disease of the Musculoskeletal System and Connective Tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 739, (X20-X29, X33-X35, X73-X78)***, (X70, X79, X90, X93)***, X80, X84-X86, X89
	430	Rheumatoid arthritis, except spine	714
	431	Other arthropathies	710-712, 715, 716
	432	Other disorders of joints	717-719
	433	Ankylosing spondylitis	720.0
	434	Other dorsopathies	720.1-724, X80
	435	Rheumatism, excluding the back	725-727, 728.0,1 3,5,8,9, 729, X86
	436	Osteomyelitis, periostitis and other infections involving bone	730
	437	Acquired deformities of limbs	(X20-X29, X33-X35, X73-X78)***
	439	Residual	731-733, 739, (X70, X79, X90, X93)***, X84, X85, X89

***Includes all 4th digits except .9

1 - 151 -

National Health Interview Survey
Diagnostic Recode B

2-digit 3-digit

Recode	Recode	Category	Code Inclusions
44		Congenital Anomalies	742.2,4,5,8,9,744.4, 745-748,750.2-9, 751,752,753.1-9, 754.0,1,756.4-9, 757,758.1-9,759.0- 6,8,(x20-x29,x33- x35,x70,x73,x74, x76-x78,x93)**, x71.9,x75.9, (x30-x32,x79, x90)**
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	444	Other deformities of digestive system	750.2-9, 751
	445	Undescended testicle	752.5
	446	Congenital dislocation of hip	X75.9
	447	Other congenital anomalies of musculoskeletal system	(X20-X29, X33-X35, X70, X73, X74, X76-X78, X93)**, 754.0,1, 756.4-9
	449	Residual	744.4, 748, 752.0-4, 6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)**

^{**}Includes 4th digit .9 only.

1 - 152 -

2-digit 3-digit Recode Recode	Category	NHIS Diagnostic Code Inclusions
45	Certain Conditions Originating in the Perinatal Period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
450	Maternal conditions affecting fetus or newborn	760

	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
	452	Slow fetal growth, fetal malnutrition and immaturity	764, 765
	453	Birth trauma	767, X61.9
	454	Hypoxia, birth asphyxia and other respiratory conditions	768-770
	455	Haemolytic disease of fetus or newborn	773
	459	Residual	766, 771, 772, 774-778, 779.0-5,8,9
46		Signs, Symptoms and Ill-Defined Conditions	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknown origin	780.6
	461	Symptoms involving heart	785.0-3
	462	Renal colic	788.0
	463	Retention of urine	788.2
	464	Abdominal pain	789.0
	465	Senility without mention of psychosis	797
	467	Respiratory failure	799.1
	469	Residual	780.0-5,7-9, 781.0- 4,6,7,9, 782, 783.0, 2-6,9, 784.4-6,9, 786, 787, 788.1,3,4-9, 789.1-5,9, 790-796, 799.0,2-4,8,9, 799.5-A, X11, X12
1		1 🗀 🤈	

1 - 153 -

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna	812, 813

	473	Fracture of neck of femur	820
	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823,824
	476	Other fractures of limbs	810-811, 814-819, 822, 825, 829
	479	Residual	826-828
48		Dislocations, Sprains and Strains	830-848
	480	Dislocations, sprains, and strains	830-848
49		Intracranial and Internal Injuries Including Nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)****
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, x00.0, x05.0, x08.0
	499	Residual	860-869, 952-957, (X42-X49,X51-X60, X63, X64)****

****Includes 4th digit .0 only.

1 - 154 -

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
50		Open Wounds and Injury to Blood Vessels	870-884****, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873****
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
	509	Residual	874-879, 900-904
51		Effects of Foreign Body Entering Through Orifice	930-939
	510	Effects of foreign body entering through orifice	930-939

52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949
53		Poisonings and Toxic Effects	977.9*****, 979, 988, 989*****
	530	Medicinal agents	977.9*****, 979
	539	Residual	988, 989*****
54		Complications of Medical and Surgical Care	996-999
	540	Complications of medical and surgical care	996-999

^{*****871.3} is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

1 - 155 -

National Health Interview Survey
Diagnostic Recode B

_	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
55		Other Injuries, Early Complications of Trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
56		Late Effects of Injuries, of Poisonings, of Toxic Effects and of Other External Causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present Effects of Injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
99		Residual, All Other Conditions	All other not listed codes

^{*****}Anything classifiable to 960-978 is coded by NHIS to 977.9.

^{******}Anything classifiable to 980-987 is coded by NHIS to 989.9.

Residual, all other conditions All other not listed codes

1NOTES:

990

1 - 157 -

National Health Interview Survey

DIAGNOSTIC RECODE C

Chronic Conditions and Impairments

- I. Purpose Recode C consists of 134 3-digit categories of chronic conditions and impairments. The categories correspond to the conditions that appear on the six (6) NHIS check-lists of selected chronic conditions. These categories are used by NHIS to produce prevalence estimates of selected chronic conditions.
- II. Format and Content The first digit of this 3-digit recode identifies the specific chronic condition check-list number, i.e., 1-6, that corresponds to the number of the list used on the NHIS questionnaire. The second and third digits are numbered sequentially within each of the 6 lists. Each condition group contains between 15 and 43 2-digit categories.
- III. Definition of Chronic Condition and Impairment In most cases, a chronic condition or an impairment is any departure from normal health with onset more than 3 months from date of interview. Certain chronic conditions and impairments are classified as chronic, however, regardless of date of onset. Complications of pregnancy are always classified as acute. All chronic conditions and impairments are counted whether or not they necessitated activity restriction or medical care. Impairments coded with an "X" in the first digit are, by definition, chronic.

This recode is different from Chronic Condition Recode 3, used prior to 1982.

1NOTES:

Recode

1 - 159 -

Revised April 30, 1983

ICD Inclusion as modified

Number	Title	by the NHIS
	LIST I: SELECTED SKIN AND MUSCULOSKELETAL CONDITIONS	
101	Arthritis	711. ,0,9, 712. ,8,9, 714-716, 720.0, 721
102	Rheumatism, unspecified	729.0

103	Gout, including gouty arthritis	274
104	Sciatica (including lumbago)	724.2,3
105	Intervertebral disc disorders	722
106	Bone spur/tendinitis NOS	726. ,9
107	Disorders of bone or cartilage	730. ,0-3,9, 731. ,0,2, 732, 733
108	Bunion	727.1
109	Bursitis, NEC	726.0-8, 727. ,0,2-9
110	Sebaceous skin cyst	706.2
111	Acne	706.0,1
112	Psoriasis	696
113	Dermatitis	690-694 (693.2 NHIS code)
114	Dry (itching) skin NEC	698.9
115	Chronic ulcer of skin	707
116	Ingrown nails	703.0
117	Corns and calluses	700
118	Benign neoplasms of the skin	216
119	Malignant neoplasms of the skin	172, 173
1	- 160 -	

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS	
201	Blind - Both eyes	X00
202	Other Visual Impairment	X01-X03
203	Deaf - Both ears	x05
204	Other Hearing Impairments	X06-X09
205	Stammering and Stuttering	X10
206	Other Speech Impairments	X11
207	Impairment of Sensation	X12

208	Mental Retardation	X19
	Absence Upper Extremities	
209	Both Arms/Hands	X20,X21
210	One Hand/Arm	X23,X24
211	Fingers - One or Both Hands	X22,X25
	Absence Lower Extremities	
212	One or Both Legs	X26,X28
213	Feet/Toes - One or Both Limbs	X27,X29
214	Absence Lung	X30
215	Kidney	X31
216	Breast	X32
217	Bone, Joint,	
	Muscle of extremity	X34
218	Tips of Fingers, Toes	X35
	Paralysis of Extremities - Complete	
219	Entire Body	X40
220	One Side of Body - Hemiplegia	X41
221	Both Legs - Paraplegia	X46
222	Other paralysis	X42-X45, X47-X49
	Paralysis of Extremities - Partial	
223	Cerebral Palsy	X50
224	One Side of Body Only - Hemiparesis	X51
225	Legs - Both or Paraparesis	X56
226	Other paralysis	X52-X55, X57-X59
1	- 161 -	

Revised June 12, 1984

Recode Number	ICD Title	Inclusion as modified by the NHIS
	LIST II: IMPAIRMENTS (Continued)	
227	Paralysis - Complete or Partial - Other site	X60-X64
	Deformity/Orthopedic Impairment: Back	
228	Curvature or other deformity of	
	back or spine	X70
229	Orthopedic Impairment	X80
230	Spina Bifida	X71
	Other Upper Extremities	
231	Hands, Fingers only	X74
232	Orthopedic Impairment - Shoulder(s) X84
233	Other	x73
	Lower Extremities	
234	Flatfeet	X77

235 236	Clubfoot Other	X78 X75,X76,X85,X86
237	Other Deformities/ Orthopedic Impairment	X79,X89
238	Cleft Palate	X91
239	Color Blindness	368.5
240	Tinnitus	388.3
241	Cataracts	366
242	Glaucoma	365
243	Diseases of Retina	361,362. ,1-9
1	- 162 -	

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST III: SELECTED DIGESTIVE CONDITIONS	
301	Gallbladder stones	574
302	Liver diseases including cirrhosis	571, 572, 573. ,0,3-9
303	Gastric ulcer	531
304	Duodenal ulcer	532
305	Peptic ulcer	533
306	Hernia of abdominal cavity	550-553
307	Disease of the esophagus	530
308	Gastritis and duodenitis	535
309	Indigestion	536.8
310	Other functional disorders of stomach and digestive system	536 (except .8), 787
311	Enteritis and colitis	555, 556, 558
312	Spastic colon	564.1
313	Diverticula of intestines	562
314	Constipation	564.0

315	Other stomach and intestinal disorders	534, 537, 560, 569
316	Malignant neoplasms of stomach, intestines, colon, and rectum	151-154
1	- 163 -	

Revised April 30, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOOR METABOLIC AND BLOOD AND BLOOD	
401	Goiter	240, 241, 242.0-3
402	Other disorders of the thyroid	242.4,8,9, 243-246
403	Diabetes	250
404	Anemias	280-285
405	Epilepsy	345
406	Migraine headache	346
407	Other headache (excludes tension headache)	784.0
408	Neuralgia or neuritis, unspecified	729.2
409	Kidney stones	592
410	Kidney infections	590
411	Other kidney trouble, NEC	581-583, 593
412	Bladder infections	595. ,0-3,8,9
413	Other disorders of bladder	594.1, 596
414	Diseases of prostate	600-602 (ex 601.4)
415	Multiple sclerosis	340
416	Inflammatory disease of female genital organs	614-616
417	Non-Inflammatory disease of female genital organs	620-624
418	Menstrual disorders	626

1 - 164 -

Revised May 1, 1983

Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST IV: SELECTED CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD AND BLOOD FORM SYSTEMS (Continued)	
419	Other disorders of female genital organs	617-619, 625, 627, 628. ,0,2-9, 629. 0,1,8
420	Female trouble, NOS	629. ,9
421	Malignant neoplasm of breast - female	174
422	Malignant neoplasms of female genital organs	179-184
423	Malignant neoplasm of prostate	185
424	Benign neoplasm of breast - female	217
425	Benign neoplasms of female genital organs	218-221
1	- 165 -	
		Revised April 30, 1983
	National Health Interview Surve Chronic Condition Recode C	ey
Recode Number	Title	ICD Inclusion as modified by the NHIS
	LIST V: SELECTED CIRCULATORY CONDITIONS	
501	Rheumatic fever with or without heart disease	390, 392-398, 399 (NHIS code only)
502	Ischemic heart disease	413, 414 (NHIS includes 410-412 and 429.6 in 414)
503 504 505	Heart rhythm disorders Tachycardia or rapid heart Heart murmurs Other and unspecified heart	427.0-3, 785.0 785.2 427.,4-6,8,9, 785.1

rhythm disorders

506	Congenital heart disease	745, 746
507	Other selected diseases of heart (excludes hypertension)	415-417, 420.,9, 421.,0,9, 422.,9, 423, 424, 4250- 5,9, 426, 428, 429., 0-5,8,9
508	High blood pressure (hypertension)	401-405
509	Cerebrovascular disease	430-435, 437 (NHIS includes 436 and 438 in 437)
510	Hardening of the arteries	440
511	Aneurysm	441. ,0-6, 442
512	Phlebitis, thrombophlebitis	451
513	Varicose veins of lower extremities	454
514	Hemorrhoids	455
515	Poor circulation	459. ,8,9
1	- 166 -	

Revised April 30, 1983

Recode Number	Title	D Inclusion as modified by the NHIS
	LIST VI: SELECTED RESPIRATORY CONDITIONS	
601	Chronic Bronchitis	490, 491
602	Asthma	493
603	Hay fever/allergic rhinitis without asthma	477 (477.7 NHIS code)
604	Nasal polyps	471
605	Chronic sinusitis	473
606	Deviated Nasal Septum	470
607	Chronic disease of tonsils and adenoids	474
608	Chronic laryngitis	476
609	Emphysema	492

610	Pleurisy	511
611	Pneumoconiosis and asbestosis	500-505
612	Tuberculosis (pulmonary)	011, 019 (NHIS code)
613	Malignant neoplasms of lung and bronchus	162. ,2-9
614	Other diseases of lung	515, 518
615	Malignant neoplasms of other respiratory sites	160, 161, 162.0, 163
999	ALL OTHER SELECTED CHRONIC CONDITIONS	All remaining ICD and NHIS codes*

^{*}Excludes always acute codes and ICD codes not used by NHIS.

1 - 167 -

HEALTH INTERVIEW SURVEY - 1988

TABULATION SPECIFICATIONS AND WEIGHTING

INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weight for an event occurring or not occurring (binomial 1 or 0) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two types of weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 13 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight.

To illustrate the use of reference periods, suppose we have a person whose weight is 6,000 in the tape for the quarter. This person's annual weight is 6.000/4 = 1.500. His 6.5 weight is obtained by multiplying 6.000×6.5 to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been 39,000 x 2 or 78,000. If he had been discharged from a hospital once during the 6 months prior to

interview, his contribution to the annual volume of hospital discharges would be $1,500 \times 2$ or 3,000 for the full year's sample, or $6,000 \times 2$ or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1,500 (or 6,000 for the quarterly sample).

The weights are presented in character format in the tape in Locations 190-236. Locations from 237 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person Record Locations 98-99 may be 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in Locations 228-236) to obtain the weighted estimate of restricted activity days in Locations 237-245.

1NOTES:

1 - 169 -

SPECIFICATIONS FOR RECREATING THE CURRENT ESTIMATES TABLES

The accompanying instructions show procedures for deriving estimates from

Health Interview Survey data tapes. The publication, "Current Estimates",

for the year 1988 is used as a source for the examples.

Instructions for inclusions and all appropriate weights are included for each

table specified. In cases where classifications such as "other" may not be

clear or where several fields must be specified to produce a single variable,

for example, persons injured, the variables needed will be listed.

1NOTES:

1 - 171 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
_	ANNUAL ESTIMATES		
1-15	Incidence of Acute Conditions		
	Inclusions:		
	Condition records Acute Onset in 2 weeks	1-2 107 108	30 2 1
	Use:		
1-5	Acute Condition Recode A Denominator for rates is population:	100-103	1001-5932
11-15	see Table 78 specifications Restrict numerator to medically attended Denominator is all acute conditions	110	1

		Weight:		
		(2 week reference) inflated by 6.5 to obtain a quarterly estimate. Annual estimate is the sum of 4 quarterly estimates.	228-236	
	16-25	Restricted Activity Days Associated With Acute Conditions		
		Inclusions:		
		Condition records Acute	1-2 107	30 2
		Use:		
	16-20	Acute Condition Recode A Denominator is population: see Table 78 specifications	100-103	1001-5932
		Weight:		
		2 week restricted activity days	237-245	
1		- 172 -		
		TABULATING DATA FOR CURRENT ESTIMATES	TABLES	
	TABLE NUMBERS	TABULATING DATA FOR CURRENT ESTIMATES T	TAPE LOCATIONS	CODES
			TAPE	CODES
			TAPE	CODES
		ITEMS	TAPE	CODES
	NUMBERS	ITEMS ANNUAL ESTIMATES	TAPE	CODES
_	NUMBERS	ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions	TAPE	CODES 30 2
	NUMBERS	ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records	TAPE LOCATIONS	30
	NUMBERS	ITEMS ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records Acute	TAPE LOCATIONS	30
	NUMBERS 26-35	ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records Acute Use: Acute Condition Recode A Denominator is population:	TAPE LOCATIONS 1-2 107	30 2
	NUMBERS 26-35	ANNUAL ESTIMATES Bed Days Associated with Acute Conditions Inclusions: Condition records Acute Use: Acute Condition Recode A Denominator is population: see Table 78 specifications	TAPE LOCATIONS 1-2 107	30 2

1-2

30

Inclusions:

Condition records

	Acute	107	2
	Use:		
36-40	Acute Condition Recode A Denominator is currently employed population: see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week work-loss days	255-263	
1	- 173 -		
	TABULATING DATA FOR CURRENT ESTIMATES	S TABLES	
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES
	ANNUAL ESTIMATES		
46-49	School-Loss Days Associated with Acute Conditions		
	Inclusions:		
	Condition records Acute	1-2 107	30 2
	Use:		
46-47	Acute Condition Recode A Denominator is population ages 5-17 see Table 78 specifications	100-103	1001-5932
	Weight:		
	2 week school-loss days	264-272	
50	Acute Conditions per Quarter		
	Use specifications for Tables 1-10 but also use processing quarter	5	1,2,3 or 4
51-52	Episodes of Persons Injured		
	Inclusions:		
	Condition records Onset in 2 weeks First injury	1-2 108 128	30 1 1
	and Acute Condition Recode A (injuries)	100-103	4514-4518
	or Impairments due to injury	93 96	X 0

1 - 174 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES	
	ANNUAL ESTIMAT	res		
51-52	Episodes of Persons Injur	red - continued		
	Use:			
	Type/place of accident (all included records) Moving motor vehicle invo		134 and 130	1 1-9
		(traffic)	134 and 130	1 3
	At work (yes) (no) Place of accident (home) (street	(no)	134 131 131 130 130	2,4 1 2 1-2 3
51	(indust (other) Denominator is population (For person injured at denominator is 18+ pop	ı: : work	130 130	5 4,6-8
	see specifications for	Table 78		
	Weight:			
	6.5 weight (2 week refere	ence)	228-236	
53-54	Restricted Activity Days with Persons Injured	Associated		
	Use:			
	Specifications for Tables weight for days, delete sand change specification	specification 10		
	Weight:		237-245	
55-56	Bed Days Associated with	Persons Injured		
	Use:			
	Specifications for Tables weight for days, delete s and change specifications	specification 10	8:1	
	Weight:		246-254	
1	1	75		

1 - 175 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES	
	ANNUAL ESTIMATES			
57-66	Prevalence of Selected Chronic Conditions			
	Inclusions:			
	Condition records Chronic	1-2 107	30 1	
	Use:			
	Control on chronic condition list asked and use only Chronic Condition Recode C with location 104 equal to value in location 92	92 104-106	1,2,3,4,5 or 6	
	Weight:			
57-61	Chronic condition factor Multiplied by final basic weight Denominator is population: see specification for Table 78	190-200 219-227		
67-68 Limitation of Activity Due to Chronic Conditions				
	Inclusions:			
	Person records	1-2	20	
	Use:			
	LA-1 Unable to perform major activity	71	1	
	LA-2 Limited in kind/amount of major activity	71	2	
	LA-3 Limited in other activity	71	3	
	LA-4 Not Limited (includes unknowns)	71	4	
	Weight:	219-227		
67	Denominator for percent distribution is population 176 -			
	TABULATING DATA FOR CURRENT ESTIMATES	TABLES		
TABLE NUMBERS	ITEMS	TAPE LOCATIONS	CODES	

_

ANNUAL ESTIMATES

69	Person Disability Days		
	Inclusions:		
	Person records	1-2	20
	Weight:		
	Restricted activity days Bed days School-loss days (ages 5-17) Work-loss days (for currently employed) Denominator for rates is appropriate population: see specifications for Table 78	237-245 246-254 264-272 255-263	
70	Respondent Assessed Health Status		
	Inclusions:		
	Person records	1-2	20
	Weight:	219-227	
71	Physician Contacts: Place and Rate		
	Inclusions:		
	Doctor Visit records	1-2	40
	Use:		
	Place of visit	103	1-8(9)
	Weight:		
	<pre>6.5 weight (2 week) Denominator for rate columns are population: see specifications for Table 78</pre>	228-236	

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 177 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE TAPE
NUMBERS ITEMS LOCATIONS CODES

_

ANNUAL ESTIMATES

72	Interval Since Physician Contact					
	Inclusions:					
	Person records	1-2	20			
	Use:					
	<pre>Interval since doctor seen NOTE: 5 years and over</pre>	115 115	0-4(5) 0,4			
	Weight:	219-227				
73-74	Short Stay Hospital Episodes (12 month reference)					
	Inclusions:					
	Person records	1-2	20			
	Use:					
	To define number of episodes To define non-delivery episodes	122-123 127-128				
	Weights:					
73	Final basic weight Denominator for percent distribution is population	219-227				
75-76	Short Stay Hospital Episode Days					
	Inclusions:					
	Person records	1-2	20			
	Use:					
	To define number of episodes To define non-delivery episodes	122-123 127-128				

Codes in parenthesis are unknowns which are included in totals but not in specific categories.

1 - 178 -

TABULATING DATA FOR CURRENT ESTIMATES TABLES

TABLE		TAPE	
NUMBERS	ITEMS	LOCATIONS	CODES

_

ANNUAL ESTIMATES

Weight:

75	Short stay hospital episode days Denominator for rates is population with appropriate number of episodes (from Table 74)	318-326	
77	Short Stay Hospital Discharges, Days, Average Length of Stay (ALOS) (6 month reference)		
	Inclusions:		
	Hospital Records with	1-2 132	50 1
	Use:		
	All specified records for hospitalizations for all reasons		
	Hospitalizations for deliveries	145	1
	Weight:		
	Short stay hospital discharges Short stay hospital days Denominator for discharge rate is population Denominator for ALOS is discharges	210-218 282-290	
78	Population		
	Inclusions:		
	Person records	1-2	20
	Use:		
	All records for total population Currently employed population	75	1-3
	Weight:	219-227	
	- 179 -		11/14/05
	APPENDIX A		11/14/85
	CODES FOR TYPES OF SPECIAL PLACES		

I. SPECIFIED INSTITUTIONS

TYPES

1

CODES

Correctional Institutions
11-----State and Federal penitentiaries, prisons, and reformatories
11-----State and Federal prison farms and camps

11 11 12 12	-County and city jails, workhouses, penitentiaries -County and city prison farms and camps -Federal detention headquarters -State and Federal training or industrial schools -County and municipal training or industrial schools -Private schools for delinquents, such as "House of the Good Shepherd," "Boys Town," etc.
21 21 21 22	Mental Institutions -Homes and training schools for mentally handicapped -Homes, training schools, colonies, and villages for epileptics -State, Federal, county and city hospitals for mentally ill -Private hospitals and sanitariums for mentally ill -Hospitals and centers for the treatment of alcoholics and drug addicts -Veterans Administration mental hospitals
31 32 33 34 35 36 38 40 51 52 53 54 55 56	Home for the Aged, Infirm, and Needy -Orphan asylums -Children's homes -County homes, almshouses, poor farms, etcFraternal or religious homes for the aged -Commercial homes for the aged -Homes and schools for the blind -Homes and schools for the deaf -Hospital or resident schools, orthopedic hospitals, and homes for the crippled -Soldiers' and sailors' homes -Veterans Administration homes (domiciliary care) -Nursing, Convalescent, and Rest Homes Other Hospitals and Homes Providing Specialized Care -Tuberculosis sanitariums -Veterans Administration tuberculosis hospitals -Homes for incurables -Hospices -Chronic and cancer hospitals -Maternity homes for unmarried mothers -Detention and receiving homes -Hospitals and homes for other specialized care
3,	- 180 - APPENDIX A CODES FOR TYPES OF SPECIAL PLACES (continued)
CODES	TYPES
	II. OTHER SPECIAL PLACES
	Other Special Places -Veterans Administration General Medical and Surgical Hospitals -Facilities for the Treatment of the Physically ill This type of facility treats physical disorders and is one in which the patient stays for a relatively short period of time. Examples of this type of special place are:
	1. General or emergency hospital; children's hospital;

maternity hospital

2. Infirmary

- 71-----Hotels, transient-type 71-----Motels, transient-type
- 71-----Tourist camp or court (like motels except units are detached), transient-type
- 72-----Hotels, nontransient type
- 72-----Motels, nontransient type
- 72-----Tourist camp or court, nontransient type
- 73-----YMCA, YMHA, YWCA, transient type 74-----YMCA, YMHA, YWCA, nontransient type
- 75-----Private residential clubs
- 76-----Rooming and boarding houses. Those that meet the special place
- 76-----Tourist homes definition.

A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains five or more rooms or groups of rooms to be rented out. If there are fewer than five rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure).

- 77-----Combination tourist-trailer court, transient-type
- 78-----Combination tourist-trailer court, nontransient type
- 79-----Groups of five or more vacation cabins under single management, transient-type

Facilities for Housing Students

- 81----School dormitory
- 81-----Fraternity
- 81-----Sorority

- 181 -

11/14/85

APPENDIX A

CODES FOR TYPES OF SPECIAL PLACES (continued)

CODES TYPES

II. OTHER SPECIAL PLACES

Facilities for Housing Students---continued

- 82-----School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84----see below).*
- 83-----Schools with resident students and with predominantly nonsalaried faculty such as nuns or priests.*
- 84-----Schools with resident students and operated primarily for religious training (other than those with predominantly nonsalaried faculty) such as Bible Institutes.*

Facilities for Housing Workers

- 85-----Dormitory for workers (other than specified for codes 86, 87 and
- 86-----Bunkhouse (provided that it has or is expected to have quarters for 5 or more farm or ranch hands).

87	7 – – – – –	-Labor camp -Logging camp -Migratory workers definition).	s' camp (those that meet th	ne special place	
Additional Other Places 91Convents and other sisters' residences (those that med special place definition). 91Monasteries, other brothers' residences, and rectories that meet the special place definition). 92Communes 93Halfway houseswhen occupants live there on a volunta (assign halfway houses for persons not there on a volubasis to the appropriate institutional code).					
01 02 03 04 05	L		ion Army Shelters religious camps (adults or religious camps (children tallations		
	school priate.	with resident fac	culty only, assign code 82	, 83, or 84 as	
1NOTES:			- 183 -		
В		INI	DUSTRY RECODES OUTLINE	APPENDIX	
Rec	codes				
No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*	
01	01	010-011,020-021	AGRICULTURE	01-02,07,078	
02	01	030-031	FORESTRY AND FISHERIES	08-09	
10	02	040-042,050	MINING	10-14	
20	03	060	CONSTRUCTION	15-17	

(30-34, 40-46)	(04)	-	MANUFACTURING:	
(30-34)			NONDURABLE GOODS	
30	04	100-102,110-112, 120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34	04	130,160-162, 200-201,210-212,	Other nondurable goods	21,261-266,291,295, 299,301-304,306-
307,		220-222		311,313-317,319

*Standard Industrial Classification

1 - 184 -

APPENDIX

B INDUSTRY RECODES OUTLINE

Reco	odes			
	Chrs.	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
(30-34, 40-46)	(04)	-	MANUFACTURING: - continued	
(40-46)			DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	
41	04	270-272,280	Primary metal industries	331-332,334,3331-
3334,333	9,3351	,3353-		2257 2261
3362,3369	9,			3357,3361-
				339
42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359

44	04	340-342,350	Electrical machinery, equipment and supplies	361-367,369
45	04	351-352,360-362, 370	Transportation equipment	371-376,379
46	04	250-252,261-262, 301,371-372, 380-382,390-392	Other and not specified durable goods	321-329,381-387,394
(50-54)	(05)	-	TRANSPORTATION, COMMUNICATI AND OTHER PUBLIC UTILITIES	ONS
50	05	400	Railroads	40
51	05	410-411	Trucking service and warehousing	421-423
52	05	401-402,412, 420-422,432	Other transportation	41,43-47
53	05	440-442	Communications	481-483,489
54	05	460-462,470-472	Utilities and sanitary	491-497
*Standaı	rd Ind	ustrial Classifica	tion - 185 -	

APPENDIX

В

INDUSTRY RECODES OUTLINE

Rec	odes			
	Chrs.	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
60	06	500-502,510-512, 521-522,530-532, 540-542,550-552, 560-562,571	WHOLESALE TRADE	501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199
(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and	551-557,559

gasoline stations

64	07	641	Eating and drinking places	58
65	07	580-582,590, 630-632,640,642, 650-652,660-662,	Other and not specified retail trade	521,523,525-527,56, 571-573,591-593, 5941-5949,5961-
5963,		670-672,681-682, 691		598,5992-5994,5999
(70-71)	(08)	-	FINANCE, INSURANCE, AND REA	L
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-67
*Standaı	d Ind	ustrial Classifica	tion	
1			- 186 -	
В				APPENDIX
		IND	USTRY RECODES OUTLINE	
Reco	odes			
No. 1 Chrs.	No. Chrs	2 . Detail Code 3 (Chrs. 77-79)	Industry Title	SIC Code*
No. 1 Chrs.	No. Chrs 82-8	a. Detail Code 3 (Chrs. 77-79)	Industry Title SERVICES:	SIC Code*
No. 1 Chrs. 80-81	No. Chrs 82-8	2) -		
No. 1 Chrs. 80-81	No. Chrs 82-8	2) -	SERVICES:	
No. 1 Chrs. 80-81 (75-85)	No. Chrs 82-8 (09-1	2) - 721-722,730-732,	SERVICES: BUSINESS AND REPAIR SERVICE	rs 731-737,7391-7397,
No. 1 Chrs. 80-81 (75-85) (75-76)	No. Chrs 82-8 (09-1 (09	2) - 721-722,730-732, 740-742,750 751-752,760	SERVICES: BUSINESS AND REPAIR SERVICE Business services	731-737,7391-7397, 7399,751,752,754 753,762-764,7692,
No. 1 Chrs. 80-81 (75-85) (75-76) 75	No. Chrs 82-8 (09-1 (09	2) - 721-722,730-732, 740-742,750 751-752,760	SERVICES: BUSINESS AND REPAIR SERVICE Business services Repair services	731-737,7391-7397, 7399,751,752,754 753,762-764,7692,
No. 1 Chrs. 80-81 (75-85) (75-76) 75 76	No. Chrs 82-8 (09-1 (09 09	2) - 721-722,730-732, 740-742,750 751-752,760	SERVICES: BUSINESS AND REPAIR SERVICE Business services Repair services PERSONAL SERVICES	731-737,7391-7397, 7399,751,752,754 753,762-764,7692, 7694,7699

(80-85)	(12)	-	PROFESSIONAL AND RELATED SERVICES	
	80	12	831	Hospitals	806
	81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8042, 8049,805,807-809
	82	12	842,850	Elementary and secondary schools and colleges	821-822
	83	12	851-852,860	Other educational services	823-824,829
	84	12	861-862,870-872, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
	85	12	841,882,890-892	Legal, engineering and other professional services	81,891-893,899
*	Standa	rd Indu	ustrial Classifica	tion	
1				- 187 -	
					APPENDIX
В			IND	USTRY RECODES OUTLINE	
	Reco	des			
	No. 1 Chrs.	No. 2 Chrs.	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
	No. 1 Chrs.	No. 2 Chrs.		Industry Title PUBLIC ADMINISTRATION	SIC Code* 911-913,919,92-97
	No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	(Chrs. 77-79) 900-901,910,		
	No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	(Chrs. 77-79) 900-901,910, 921-922,930-932 990 and all other codes	PUBLIC ADMINISTRATION	

ARMED FORCES (excludes Reserves and National Guard)

*Standard Industrial Classification

1 - 188 -

APPENDIX

В

INDUSTRY RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
80	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90
14	UNKNOWN (includes new workers)	95-96
15	NOT IN LABOR FORCE	97
16	ARMED FORCES	98
	- 189 -	

OCCUPATION RECODE OUTLINE

No. 1 Chrs. 87-88	Chrs.		Occupation Title	SOC Code*
(01-03)	(01)	_	EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS	_
01	01	003-006	Officials and administrators, public administration	111-113
02	01	007-009,013-019	Managers and administrators, except public administration	121-128,132-139
03	01	023-029,033-037	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-
1473,149				
(04-11)	(02)	-	PROFESSIONAL SPECIALTY OCCUPATIONS	-
04	02	044-049,053-059	Engineers	1622-1628,1632- 1637,1639
05	02	043,063	Architects and surveyors	161,164
06	02	064-069,073-079 083	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089	Health diagnosing occupations	27,261-262,281, 283,289
08	02	095-099,103-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304,
09	02	113-119,123-129, 133-139,143-149 153-159,163-165	Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252
10	02	183-189,193-195, 197-199	Writers, artists, entertainers and athletes	34,321-329,331- 333,398
11	02	166-169,173-179	Other professional specialty occupations	1912-1916,1919, 192,2032-2033, 2042,2049,211-
212				

^{*}Standard Occupational Classification.

212

1 - 190 -

APPENDIX

OCCUPATION RECODE OUTLINE

Rec	odes				
No. 1 Chrs. 87-88				Occupation Title	SOC Code*
(12-13)	(03)	_		TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	
12	03	203-208		Health technologists and technicians	362-366,369
13	03	213-218,2 233-235	23-229,	Technologists, technicians except health	3711-3713,3719, 372-
373,382,	3831-				
3833,384	,389,3	92-			393,396,3971-
3972,397	4,399,	825			
(14-16)	(04)	_		SALES OCCUPATIONS	-
14	04	243		Supervisors and proprietors	40
15	04	253-259		Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269,2 283-285	274-278,	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449
(17-21)	(05)	_		ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICA	 _ L
17	05	308-309		Computer equipment operators	4612-4613
18	05	313-315		Secretaries, stenographers and typists	4622-4624
19	05	337-339,3	343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357		Mail and message distributing	4742-4745
21	05	303-307,3 323,325-3 335-336,3 353,359,3 368-369,3 383-387,3	329, 345-349, 363-366, 373-379,	Other administrative support	4511-4519,4521- 4529,463,4642- 4645,4649,4662- 4664,4692,4694, 4696,4699,4722- 4723,4729,4732-

*Standard Occupational Classification.

1 - 191 -

APPENDIX C

OCCUPATION RECODE OUTLINE

Rec	odes			
	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
22	06	403-407	PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	-	PROTECTIVE SERVICE OCCUPATIONS	
23	07	413-414,416-418, 423-424	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-427	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(80)	-	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	08			
26	0.0	433-439,443-444	Food service	5211-5219
∠0	08	433-439,443-444 445-447	Food service Health service	5211-5219 5232-5233,5236
26				
	08	445-447	Health service	5232-5233,5236 5241-5242,5244-
27	08	445-447 448-449,453-455	Health service Cleaning and building service	5232-5233,5236 5241-5242,5244- 5246,5249 5251-5258,5262-
27	08	445-447 448-449,453-455	Health service Cleaning and building service Personal service FARMING, FORESTRY AND FISHING	5232-5233,5236 5241-5242,5244- 5246,5249 5251-5258,5262-

agricultural workers 5622,5624-5625, 5627 31 09 494-499 Forestry and fishing 571-573,579, occupations 583-584,8241(pt.) *Standard Occupational Classification. - 192 -1 APPENDIX С OCCUPATION RECODE OUTLINE Recodes ______ No. 1 No. 2 Chrs. Chrs. Detail Code Occupation Title SOC Code* 87-88 89-90 (Chrs. 84-86) (32-34) (10)PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS 32 10 503,505-509, Mechanics and repairers 60,6111-6118, 514-519,523, 613-614,6151-525-527,529 6159,616,6171-533-536,538-539, 6179 543-544,547,549 33 10 553-558,563-567, Construction and extractive 6311-6316,6318, 569,573,575-577, trades 632,6412-6414, 6422,6424,6432-579,583-585, 587-589,593-599, 6433,6442-6444, 613-617 645,6462-6468, 6472,6476,6479, 652-654,656 34 10 633-637,639, Precision production 67,71,6811-6814, 643-647,649, occupations 6816-6817,6821-653-659,666-669, 6824,6829,6831-673-679,683-684, 6832,6835,6839, 686-689,693-696, 6844,6852-6854, 699 6856,6859,6861-6862,6864-6867, 6869,6871-6873, 6879,6881-6882, 691-696,7447, 7668,7677,7752,

828

1 - 193 -

^{*}Standard Occupational Classification

OCCUPATION RECODE OUTLINE

Rec	odes			· · · · · · · · · · · · · · · · · · ·
Chrs.	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
			OPERATORS, FABRICATORS AND LAB	ORERS
(35-36)	(11)		MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759, 763-766,768-769, 773-774,777,779	Machine operators and tenderers, except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478, 7479(pt.),7512- 7519,7522,7529, 7539,7542-7544, 7549,7631-7636, 7639,7642-7644, 7649,7651-7652, 7654-7659,7661- 7667,7669,7671- 7676,7677(pt.), 7678-7679
36	11	783-787,789, 793-799	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787
(37-39)	(12)	-	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	
37	12	803-806,808-809, 813-814	Motor vehicle operators	8111,8212-8216, 8218-8219,874
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245
39	12	843-845,848-849, 853,855-856,859	Material moving equipment operators	812,8312-8319

^{*}Standard Occupational Classification

1 - 194 -

APPENDIX

C OCCUPATION RECODE OUTLINE

Rec	odes			
	Chrs.	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(40-41)	(13)		HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	
40	13	869	Construction laborers	871
41	13	863-867,873, 875-878,883,885, 887-889	Freight, stock and material handlers	85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769
95	14	999 and all other codes except 990	UNKNOWN OCCUPATION	
96	14	990	NEW WORKER	
97	15	Not applicable	NOT IN LABOR FORCE - codes Bla and 8 in current activity reco (Loc. 75). (Under 18 or 18+ and Not in Labor Force)	
98	16	905	MILITARY	
*Standa	rd Occi	upational Classifi	cation	
1			- 195 -	
				APPENDIX
С		occ	CUPATION RECODE TITLES	

(Code	Titles	Recode No. 1 Inclusions	
		MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		
(01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03	
(02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11	
		TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS		
(03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13	
(04	SALES OCCUPATIONS	14-16	
(05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21	
		SERVICE OCCUPATIONS		
(06	PRIVATE HOUSEHOLD OCCUPATIONS	22	
(07	PROTECTIVE SERVICE OCCUPATIONS	23-24	
(8 0	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28	
(09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31	
:	10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	32-34	
		OPERATORS, FABRICATORS AND LABORERS		
	11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36	
	12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39	
:	13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41	
	14	UNKNOWN OCCUPATION (includes New Workers)	95-96	
:	15	NOT IN LABOR FORCE	97	
:	16	MILITARY	98	
1NOT	ES:			
1		- 197 -		

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

The three-digit Class of Accident Code described in detail below classifies accidents as follows. Priority is given to Codes 400, 500, 600 in that order.

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode

Moving Motor Vehicle

Accidents = Code 1 in first digit of recode

Nonmoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident	Description		SOURCE	- TAPE LO	CATIONS
Recode Loc. 135-137	Description	132 MV	134 MMV	130 Where?	131 Work?
111	Moving motor vehicle - at work - at home	1	1	1,2	1
112	Moving motor vehicle - at work- not at home- street or highway	1	1	3	1
113	Moving motor vehicle - at work - not at home - not on street or highway	1	1	Not 1-3	1
121	Moving motor vehicle - not at work - at home - not on street or highway	1	1	1,2	Not 1,4
122	Moving motor vehicle - not at work - not at home - on street or highway	1	1	3	Not 1
123	Moving motor vehicle - not at work - not at home not on street or highway	1	1	Not 1-3	Not 1-4

1 - 198 -

APPENDIX D

DESCRIPTION OF CLASS OF ACCIDENT CODE

Class of Accident	Description	SOURCE - TAPE LOCATIONS			
Recode Loc. 135-137	Debeliperon	132 MV	134 MMV	130 Where?	131 Work?
211	Nonmoving motor vehicle -	1	Not 1	1,2	1

at work - at home

212	Nonmoving motor vehicle - at work - not at home	1	Not 1	Not 1,2	1
221	Nonmoving motor vehicle - not at work - at home	1	Not 1	1,2	Not 1,4
222	Nonmoving motor vehicle - not at work - not at home	1	Not 1	Not 1,2	Not 1,4
311	Non-motor vehicle - at work - at home	Not 1	-	1,2	1
312	Non-motor vehicle - at work - not at home	Not 1	_	Not 1,2	1
321	Non-motor vehicle not at work - at home	Not 1	-	1,2	Not 1,4
322	Non-motor vehicle - not at work - not at home	Not 1	-	Not 1,2	Not 1,4
400	Injured in Armed Forces	-	-	-	4
500	Therapeutic misadventure	-	-	-	Not 4
600	Injury Condition/Adverse Reaction	_	_	-	Not 4

1 - 199 -

APPENDIX E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATION, TYPE UNKNOWN, SITE UNKNOWN

00 Operation, no site or type

Includes: operation NEC on gland NOS, or "side," or other very ill-defined site. Use 00 when it is known that an operation was performed but there is no information about the kind of operation or about the body system or part involved.

OPERATIONS ON THE NERVOUS SYSTEM (01-05)

- 01 Incision and excision of skull, brain, and cerebral meninges
- 02 Other operations on skull, brain, and cerebral meninges
- 03 Operations on spinal cord and spinal canal structures
- 04 Operations on cranial and peripheral nerves

	05	Operations on	sympathetic nerves or ganglia	
	OPE	RATIONS ON THE	ENDOCRINE SYSTEM (06-07)	
	06	Operations on	thyroid and parathyroid glands	
	07	Operations on	other endocrine glands	
	OPE	RATIONS ON THE	EYE (08-16)	
	08	Operations on	eyelids	
	09	Operations on	lacrimal system (tear ducts)	
	10	Operations on	conjuctiva	
	11	Operations on	cornea	
	12	Operations on	iris, ciliary body, sclera, and anterior chamber	
	13	Operations on	lens	
	14	Operations on	retina, choroid, vitreous, and posterior chamber	
	15	Operations on	extraocular muscles	
	16	Operations on	orbit and eyeball	
	1		- 200 -	
,	-		APPENDI	Χ
J	€			

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE EAR (18-20)

- 18 Operations on external ear
- 19 Reconstructive operations on middle ear
- 20 Other operations on middle and inner ear

OPERATIONS ON THE NOSE, MOUTH AND PHARYNX (21-29)

- 21 Operations on the nose
 - Includes: operations on bone and skin of nose
- 22 Operations on nasal sinuses
- 23 Removal and restoration of teeth
- 24 Other operations on teeth, gums and alveoli
- 25 Operations on tongue

- 26 Operations on salivary glands and ducts
- 27 Other operations on mouth and face

- 28 Operations on tonsils and adenoids
- 29 Operations on pharynx

OPERATIONS ON THE RESPIRATORY SYSTEM (30-34)

- 30 Excision of larynx
- 31 Other operations on larynx and trachea
- 32 Excision of lung and bronchus
- 33 Other operations on lung and bronchus
- 34 Operations on chest wall, pleura, mediastinum and diaphragm

1 - 201 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE CARDIOVASCULAR SYSTEM (35-39)

- 35 Operations on valves and septa of heart
- 36 Operations on vessels of heart
- 37 Other operations on heart and pericardium
- 38 Incision, excision and occlusion of vessels
- 39 Other operations on vessels

OPERATIONS ON THE HEMIC AND LYMPHATIC SYSTEM (40-41)

- 40 Operations on lymphatic system
- 41 Operations on bone marrow and spleen

OPERATIONS ON THE DIGESTIVE SYSTEM (42-54)

- 42 Operations on the esophagus
- 43 Incision and excision of stomach
- 44 Other operations on stomach
- 45 Incision, excision, and anastomosis of intestine

- 46 Other operations on intestine
- 47 Operations on appendix
- 48 Operations on rectum and perirectal tissue
- 49 Operations on anus
- 50 Operations on liver
- 51 Operations on gallbladder and biliary tract

Includes: operations on common bile duct, cystic duct and hepatic duct

- 52 Operations on pancreas
- 53 Repair of hernia
- 54 Other operations on abdominal region

Includes: operations on epigastric region, flank, groin region,
inguinal

region, loin region, male pelvic cavity, mesentery, omentum,

peritoneum and retroperitoneal tissue space

1 - 202 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE URINARY SYSTEM (55-59)

55 Operations on kidney

Includes: operations on renal pelvis

- 56 Operations on ureter
- 57 Operations on urinary bladder
- 58 Operations on urethra
- 59 Other operations on urinary tract

OPERATIONS ON MALE GENITAL ORGANS (60-64)

- 60 Operations on prostate and seminal vesicles
- 61 Operations on scrotum and tunica vaginalis
- 62 Operations on testes
- 63 Operations on spermatic cord, epididymis, and vas deferens
- 64 Operations on penis

```
OPERATIONS ON THE FEMALE GENITAL ORGANS (65-71)
65 Operations on ovary
66 Operations on fallopian tubes
67 Operations on cervix
```

- 68 Other incision and excision of uterus
- 69 Other operations on uterus and supporting structures
- 70 Operations on vagina and cul-de-sac
- 71 Operations on vulva and perineum

1 - 203 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OBSTETRICAL PROCEDURES (72-75)

- 72 Forceps, vacuum, and breech delivery
- 73 Other procedures inducing or assisting delivery

Includes: spontaneous delivery with manual assistance

- 74 Caesarean section and removal of fetus
- 75 Other obstetric operations

For HIS, includes also "normal delivery"

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84)

76 Operations on facial bones and joints

Excludes: accessory sinuses (22); nasal bones (21); and skull (01-02)

77 Incision, excision and division of other bones

Excludes: operations on facial bones (76); joint structures (80-81); nasal bones (21); and skull (01-02)

78 Other operations on bones, except facial bones

Excludes: operations on joint structures (80-81); nasal bones (21); and skull (01-02)

79 Reduction of fracture and dislocation

Excludes: external fixation alone for immobilization of fracture (93);

internal fixation without reduction of fracture (78); operations on facial bones (76); nasal bones (21); orbit

(76);

skull (02); vertebrae (03); removal of cast or splint (97); replacement of cast or splint (97); and traction alone for

reduction of fracture (93)

80 Incision and excision of joint structures

Includes: operations on capsule of joint; cartilage; condyle; ligament;

meniscus; and synovial membrane

Excludes: cartilage of ear (18); nose (21); and joints of face (76)

1 - 204 -

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

OPERATIONS ON THE MUSCULOSKELETAL SYSTEM (76-84) - continued

81 Repair and plastic operations on joint structures

Includes: operations on ankle; knee; shoulder; elbow; wrist; hip;
 vertebrae; fingers; and toes not codable elsewhere and when
 condition is not specified and tissue (such as skin, bone,

etc.) is not apparent.

82 Operations on muscle, tendon and fascia of hand

Includes: operations on synovial membrane and tendon sheath

83 Operations on muscle, tendon, fascia and bursa, except hand

Includes: operations on synovial membrane and tendon sheaths. Excludes: hand (82); diaphram (34); and muscles of eye (15).

84 Other procedures on musculoskeletal system.

OPERATIONS ON THE INTEGUMENTARY SYSTEM (85-86)

85 Operations on the breast

Includes: operations on skin of breast and previous mastectomy site

(female or male).

86 Operations on skin and subcutaneous tissue

Includes: operations on hair follicles; male perineum; nails; sebaceous

glands subcutaneous fat pads; and superficial fossae.

Includes also: operations on regions such as arm; armpit; back; cheek;

buttock; chin; feet; forearm; forehead; hand; head;

heel;

leg; neck; scalp; temple: temporal region; and thigh

when

specific tissue (such as bone; cartilage; joint; etc.)

involved is not mentioned.

Excludes: those on skin of anus (49); breast (85); ear (18); eyebrow (08); eyelid (08); female perineum (71); lips (27); nose

(21);

penis (64); scrotum (61); and vulva (71).

Excludes also: operations on the head when a specific part (such as

brain) is mentioned

1 - 205 -

APPENDIX

Ε

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99)

87 Diagnostic radiology

Includes: diagnostic X-rays of face, head, neck, brain, skull, spine,

chest, digestive tract, urinary system, genital organs,

abdomen and breast.

Excludes: angiography (88).

88 Other diagnostic radiology and related techniques

Includes: CAT scan of abdomen; skeletal X-rays of extremities;

arteriograms using contrast material; and X-rays of veins.

Excludes: angiogram of eye (95).

89 Interview, evaluation, consultation, and examination

Includes: diagnostic interviews; neurological exams; gynecological
 exams: dental exams; digital exams of rectum; pacemaker

checks; electrocardiograms and general physical exams.

90 Microscopic examination-I

larynx, trachea, bronchus, pleura, lung, of sputum, and

blood.

91 Microscopic examination - II

Includes: microscopic examination of specimen from liver, bile ducts or

passage, pancreas, peritoneal, retroperitoneal, kidney, ureter, perirenal, periureteral tissue, bladder, urethra, prostate, seminal vesicle, urine, semen, and female genital

tract.

92 Nuclear medicine

Includes: scans radiation therapy (cobalt) (iodine).

93 Physical therapy, respiratory therapy, rehabilitation, and related procedures

Includes: diagnostic physical therapy; physical therapy exercises such as breathing exercises; manual traction; training in use of

prosthesis; whirlpool treatments; heat therapy; skeletal traction; speech and reading training for blind; play

therapy;

education therapy; artificial respiration, mouth to mouth

resuscitation; oxygen and helium therapy.

1 - 206 -

APPENDIX

E

CLASSIFICATION OF OPERATIONS AND NON-OPERATIVE PROCEDURES, FOR HIS

MISCELLANEOUS DIAGNOSTIC AND THERAPEUTIC PROCEDURES (87-99) - continued

94 Psychiatric interviews, consultations and evaluations

Includes: routine psychiatric visits; psychoanalysis; psychiatric electroshock therapy and other non-operative procedures

relating to the psyche.

95 Ophthalmologic and otologic diagnosis and treatment

Includes: eye exams; functional tests of eye; fitting glasses, contact

lens; hearing tests; and fitting hearing aids.

96 Nonoperative intubation and irrigation

Includes: insertion of airway tubes; ear packing; vaginal packing;

insertion of vaginal diaphragm; rectal packing; dilation of rectum and anus; manual reduction of hernia; gastric lavage; irrigation of ostomies; cleaning of eye, ear and nose; lavage

of bronchus and trachea

97 Replacement and removal of therapeutic appliances

Includes: replacement of ostomy tubes; replacement of casts; removal of

nasal packing, removal of dental wiring; removal of sutures from head and neck; removal of drainage tubes; removal of IUD

and removal of sutures from genital tract.

98 Nonoperative removal of foreign body

Includes: removal of foreign body from digestive system, ear, nose,

larynx, vagina, etc. WITHOUT INCISION.

99 Other nonoperative procedures

Includes: blood transfusions, exchange transfusions, injections or
 infusions of therapeutic or prophylactic substances; cardiac

fitting

pacemaker (battery and sensing types), acupuncture and
of dentures.