

NATIONAL HEALTH INTERVIEW SURVEY
1994-1995 Polio Public Use data file

In 1994 and 1995 the National Health Interview Survey (NHIS) conducted a Disability Followback Survey (DFS) based on responses to a Disability Phase 1 Supplement. There were four DFS questionnaires: one for adults with a past history of Polio; one for children; one for adults; and one for elderly persons 69 years of age and older without any indication of disability, called the Supplement on Aging or SOA. The Polio, DFS-Child, and DFS-Adult, questionnaires were fielded in 1994 and 1995, but the SOA questionnaire was fielded ONLY in 1994. For reasons of economy, however, some SOA questions did remain on the survey instrument in 1995. Because of the very small numbers of polio survivors in the DFS, the files from 1994 and 1995 have been combined to produce one file, the 1994-1995 Polio file. This file includes only data from the 1994-1995 Polio Survivors Questionnaire and the NHIS Core from 1994 and 1995. Data files have already been released for the DFS-Child 1994, the DFS-Child 1995, the DFS-Adult 1994, the DFS-Adult 1995, and the SOA 1994.

The Polio Questionnaire collected additional information about the symptoms and impact of the illness at the time of initial diagnosis of polio and at various times after the diagnosis. This includes questions on periods of rehabilitation, post-polio syndrome, times when respondents felt they were at their "physical best", and other health problems experienced. Whenever possible, self response by the polio survivor was required for this component.

(Most of the information above was adapted from a paper entitled "The 1994-95 National Health Interview Survey on Disability" written by Gloria Simpson, David Keer, and Marcie Cynamon of the National Center for Health Statistics.)

Recodes

There are a limited number of recodes in these files; usually they were added to summarize data in several locations. Generally, the recodes are located close to the variables upon which they were based. When a recode was related to several non-contiguous variables, the recode was placed at the end of the relevant section of the data file.

Response rates

For the 1994-1995 NHIS Core the Household response rate was 93.8%; the response rate for Disability Phase 1 was 92.8%; and the response rate for the Polio Survivor Questionnaire was 92.0%. The overall estimated response rate can be calculated two ways. One method is to multiply all three response rates including the original NHIS core sample and Disability Phase 1 which were administered to all persons, as well as the Polio which was only administered to a subset of respondents to Phase 1. This method yields a response rate of

80.1%. The second method is based on the responses to Phase 1 which determined the eligibility criteria for Polio, as well as the respondents to the Polio questionnaire. This rate was calculated by multiplying the response rate to Phase 1 (92.8%) by the response rate to Polio (92.0%) yielding a rate of 85.4%.

Weights

Because the NHIS uses a multistage sample design to represent the civilian non-institutionalized population of the United States, weights must be used to make accurate, national estimates from the NHIS data. The weighting for the core NHIS in 1995 differs from that of 1994 because of the changes in the sample design in 1995. For the Polio file, combined weights (for the years 1994-1995) were created to be used WITH THIS POLIO FILE ONLY. A revised set of weights was calculated to adjust for the additional non-response between Disability Phase 1 and Polio. The re-weighting process was similar to the non-response adjustment for the 1994-1995 Disability Phase 1 data, but used year-age-sex categories. The health data from the Core were examined before re-weighting to look for any evidence of bias due to differences in health status between Disability Phase 1 respondents and non-respondents; no significant differences between the two groups were found. Overall, the polio weights have been adjusted for nonresponse three times. After the nonresponse adjustment, the weights were divided by two so that average annual estimates could be produced. Because of this re-weighting, the corresponding weights on the Polio, Disability Phase 1, and Core data files all differ.

The Final Annual Basic Weight (Locations 201-206) will be used in most analyses. This weight should be used with the Polio data found in locations 389-670 and with the person level variables in the beginning of the file.

The Final Quarter Basic Weight before age-sex-race-ethnicity adjustment (Locations 172-177) is identical to the weight from the Core NHIS. If an annualized version of this quarter weight is needed, divide the value in this field by 4.

Because of the small sample sizes, many single year estimates will not be reliable and variance estimators will be unstable. It is recommended that separate year analyses not be done. There are a number of computer programs that yield variance estimates for data based on complex sample surveys. Some are based on replication approaches and others are based on Taylor linearization approaches. Included on the DFS-Adult file are the Polio strata (Locations 345-348) and the Polio PSU (Location 349), which will enable the analyst to use such variance estimation procedures.

To reduce respondent error, the recall period for questions about some events is limited to two weeks. These events are bed days, work loss and school loss days, and doctor visits. The two week variables are found in locations 98-107 and 120-121. Estimates of the total number of occurrences of these events in the population can be derived as follows:

Number of events x 26 (number of two week periods in a year) x Final Annual Basic Weight

= Total number of events occurring in the population during 1994-1995.

Example: Number of bed days (Locations 100-101) x 26 x Final Annual Basic Weight (Locations 201-206) = total number of bed days reported for the population in 1994-1995.

The recall period for information on hospitalizations is 12 months. However, in calculating the number of discharges (Locations 132-133, 137-138), only discharges occurring in the past six months are counted. Therefore, the weighted estimates must be calculated as follows:

Number of discharges x 2 x Final Annual Basic Weight
= Total number of discharges occurring in the population in 1994-1995

Item non-response

Two different types of item non-response are possible in the data files. Responses of "Don't Know" or "Refused" were assigned codes of "9", "99", or "999". When a question was not answered when it should have been or the answer given was not possible, "Not ascertained" was assigned a code of "8", "98", or "998".

Additional files

In addition to the files mentioned above, the following NHIS data files exist for 1994 and for 1995.

For all the NHIS-DFS adult polio survivors:

- NHIS (Core)
- Disability Phase I
- Access to health care
- Health Insurance
- Imputed Family Income

Guidelines for Citation of Data

With the goal of mutual benefit, the National Center for Health Statistics (NCHS) requests that recipients of data files cooperate in certain actions related to the their use. Any published material derived from the data should acknowledge NCHS as the original source.

The suggested citation to appear at the bottom of all tables is as follows:

Source: National Center for Health Statistics (1994-1995).

The suggested citation to appear a bibliography is as follows:

National Center for Health Statistics (2000). Data File Documentation, National Health Interview Survey of Disability, Phase II, 1994-1995 Polio File (machine readable data file and documentation), National Center for Health Statistics, Hyattsville, Maryland.

The published material should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the data file) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make an effort to insure that the description is not inconsistent with that published by NCHS.

References

1. Adams PF, Marano MA. Current estimates from the National Health Interview Survey, 1994. National Center for Health Statistics. Vital Health Stat 10 (193), 1995.
2. Benson V., Marano MA. Current estimates from the National Health Interview Survey, 1995. National Center for Health Statistics. Vital Health Stat 10 (199), 1998.
3. National Center for Health Statistics (1998). Public Use Data Tape Documentation, Part I, Tape Formats, National Health Interview Survey, 1995. National Center for Health Statistics, Hyattsville, MD (Producer). National Technical Information Service, U.S. Department of Commerce, Springfield, VA. 22161 (Distributor).

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

Outline of Items and Codes

566 Records

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-----------|-----------|--|
| 1-2 | - | | RECORD TYPE |
| | | 566 | 69. Polio Record |
| 3-4 | HH-2 | | PROCESSING YEAR |
| | | 353 | 94. 1994 |
| | | 213 | 95. 1995 |
| 5-14 | Generated | | HOUSEHOLD ID |
| 15-16 | - | | PERSON NUMBER |
| 17-18 | - | | BLANK |
| 19-20 | HH-3 | | SAMPLING WEEK CODE (Numbered within Quarter, location 178) |
| | | 33 | 01. Week 1 |
| | | 46 | 02. Week 2 |
| | | 50 | 03. Week 3 |
| | | 42 | 04. Week 4 |
| | | 59 | 05. Week 5 |
| | | 43 | 06. Week 6 |
| | | 38 | 07. Week 7 |
| | | 45 | 08. Week 8 |
| | | 43 | 09. Week 9 |
| | | 44 | 10. Week 10 |
| | | 38 | 11. Week 11 |
| | | 40 | 12. Week 12 |
| | | 44 | 13. Week 13 |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 21 | Recode | | LATE INTERVIEW (OR LAST ATTEMPT) FLAG |
| | | 376 | 0. Interview not late |
| | | 140 | 1. One week late |
| | | 36 | 2. Two weeks late |
| | | 14 | 3. Unknown |
| 22-23 | HH-11c,d | | TYPE OF LIVING QUARTERS: |
| | | | Housing Unit = (00-07) |
| | | 5 | 00. Housing unit; kind unknown |
| | | 523 | 01. House, apartment, flat |
| | | 0 | 02. HU in nontransient hotel, motel, etc. |
| | | 0 | 03. HU-permanent in transient hotel, motel, etc. |
| | | 1 | 04. HU in rooming house |
| | | 27 | 05. Mobile home or trailer with no permanent room added |
| | | 8 | 06. Mobile home or trailer with one or more permanent rooms added |
| | | 1 | 07. HU not specified above |
| | | | Other Unit = (08-13) |
| | | 0 | 08. Quarters not HU in rooming or boarding house |
| | | 0 | 09. Unit not permanent in transient hotel, motel, etc. |
| | | 0 | 10. Unoccupied site for mobile home, trailer, or tent |
| | | 0 | 11. Student quarters in college dormitory |
| | | 1 | 12. Other unit not specified above |
| | | 0 | 13. Other unit; kind unknown |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|---------------|-----------|-------------------------------|
| 24 | HH-12 | | HAS TELEPHONE |
| | | 526 | 1. Yes, phone number given |
| | | 19 | 2. Yes, no phone number given |
| | | 15 | 3. No |
| | | 6 | 4. Unknown |
| 25 | A-1 | | SEX |
| | | 242 | 1. Male |
| | | 324 | 2. Female |
| 26 | - | | AGE IMPUTED FLAG |
| | | 566 | 0. Age known |
| | | 0 | 1. Age unknown, imputed as 34 |
| 27-28 | Person Column | | AGE |
| | | 0 | 00. Under 1 year |
| | | 559 | 01-84. Number of years |
| | | 7 | 85. 85 years or older |
| 29 | Recode | | AGE RECODE #1 |
| | | 0 | 1. Under 5 years |
| | | 0 | 2. 5-17 years |
| | | 2 | 3. 18-24 years |
| | | 77 | 4. 25-44 years |
| | | 335 | 5. 45-64 years |
| | | 51 | 6. 65-69 years |
| | | 43 | 7. 70-74 years |
| | | 58 | 8. 75 years and over |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|------------------------------------|
| 30 | Recode | | AGE RECODE #2 |
| | | 0 | 1. Under 6 years |
| | | 0 | 2. 6-16 years |
| | | 2 | 3. 17-24 years |
| | | 6 | 4. 25-34 years |
| | | 71 | 5. 35-44 years |
| | | 200 | 6. 45-54 years |
| | | 135 | 7. 55-64 years |
| | | 94 | 8. 65-74 years |
| | | 58 | 9. 75 years and over |
| 31-32 | Recode | | AGE RECODE #3 |
| | | 0 | 00-35. Months |
| | | 566 | 36. Over 3 years |
| 33 | - | | MONTH OF BIRTH IMPUTED FLAG |
| | | 563 | 0. Month known |
| | | 3 | 1. Month unknown '8' imputed |
| | | 0 | 9. Date of birth unknown |
| 34-39 | A-3 | | MONTH AND YEAR OF BIRTH |
| 34-35 | | | Month |
| | | | 01. January 08. August |
| | | | 02. February 09. September |
| | | | 03. March 10. October |
| | | | 04. April 11. November |
| | | | 05. May 12. December |
| | | | 06. June 99. Unknown |
| | | | 07. July |
| 36-39 | | | Year of Birth |
| | | 24 | 1912. 1912 and before |
| | | 542 | 1913-1996. 1913-1996 |
| | | 0 | 9999. Unknown |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 40 | Recode | | HISPANIC ORIGIN IMPUTED FLAG |
| | | 563 | 0. Hispanic Origin Known |
| | | 3 | 1. Hispanic Origin Imputed from Reference Person |
| 41-42 | A-6 | | MAIN RACIAL BACKGROUND* - Reported (see notation for locations 43-45) |
| | | 515 | 01. White |
| | | 26 | 02. Black/African American** |
| | | 4 | 03. Indian (American) |
| | | 4 | 06. Chinese |
| | | 3 | 07. Filipino |
| | | 3 | 15. Other API (includes Hawaiian, Korean, Vietnamese, Japanese, Asian Indian, Samoan, and Guamanian) |
| | | 6 | 16. Other Race (includes Eskimo and Aleut) |
| | | 1 | 17. Multiple Race |
| | | 4 | 99. Unknown |

*Some categories may be too small to analyze separately and therefore may produce unreliable estimates; in addition, counts may not agree with those produced by the Census Bureau.

**For convenience, the category 'Black/African American' will be shown as 'Black' in all race recode locations throughout the documentation.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|-------------------------------|
| 43-45 | Recode | | RACE RECODES |
| 43 | | | Recode 1* |
| | | 526 | 1. White |
| | | 26 | 2. Black |
| | | 14 | 3. Other |
| 44 | | | Recode 2 |
| | | 526 | 1. White |
| | | 40 | 2. Non-white |
| 45 | | | Recode 3 |
| | | 26 | 1. Black |
| | | 540 | 2. Non-black |
| 46-47 | A-5 | | HISPANIC ORIGIN** |
| | | 1 | 00. Multiple Hispanic |
| | | 1 | 01. Puerto Rican |
| | | 3 | 02. Cuban |
| | | 5 | 03. Mexican-Mexicano |
| | | 12 | 04. Mexican-American |
| | | 2 | 05. Chicano |
| | | 1 | 06. Other Latin American |
| | | 5 | 07. Other Spanish |
| | | 3 | 08. Spanish, DK type |
| | | 4 | 09. Unknown if Spanish origin |
| | | 529 | 10. Not Spanish origin |

*This recode is used to define race in the Current Estimates tables.

**If unknown, the family reference person code was imputed. A flag indicating imputation is in loc. 40 and the relationship to reference person is in loc. 63.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 48 | L-7 | | MARITAL STATUS |
| | | 0 | 0. Under 14 years |
| | | 364 | 1. Married - spouse in household |
| | | 6 | 2. Married - spouse not in household |
| | | 67 | 3. Widowed |
| | | 67 | 4. Divorced |
| | | 10 | 5. Separated |
| | | 50 | 6. Never married |
| | | 2 | 7. Unknown |
| 49 | L-1 | | VETERAN STATUS |
| | | 470 | 1. Non-veteran |
| | | 15 | 3. WW I and WW II |
| | | 16 | 4. Korean War |
| | | 33 | 5. Vietnam veteran |
| | | 6 | 6. Post-Vietnam |
| | | 19 | 7. Other service |
| | | 2 | 8. Served in Armed Forces, unknown if war veteran |
| | | 5 | 9. Unknown if served in Armed Forces |
| | | 0 | Blank. Under 18 years of age |
| 50 | L-1 | | ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES |
| | | 470 | 0. Non-veteran |
| | | 8 | 1. All service in Guard/Reserve |
| | | 20 | 2. Some service in Guard/Reserve |
| | | 0 | 3. Unknown if all service in Guard/Reserve |
| | | 58 | 4. No active service in Guard/Reserve |
| | | 10 | 5. Unknown if ever active member in Guard/Reserve or served in Armed Forces |
| | | 0 | Blank. Under 18 years of age |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 51-52 | L-2 | | EDUCATION OF INDIVIDUAL - COMPLETED YEARS |
| | | 2 | 00. Never attended; kindergarten only |
| | | 299 | 01-12. Grades 1-12 |
| | | | College: |
| | | 46 | 13. 1 year |
| | | 59 | 14. 2 years |
| | | 22 | 15. 3 years |
| | | 60 | 16. 4 years |
| | | 14 | 17. 5 years |
| | | 62 | 18. 6 years or more |
| | | 2 | 19. Unknown |
| | | 0 | Blank. Under 5 years of age |
| 53 | Recode | | EDUCATION OF INDIVIDUAL RECODE |
| | | 2 | 0. None; kindergarten only |
| | | 46 | 1. 1-8 years (elementary) |
| | | 50 | 2. 9-11 years (high school) |
| | | 203 | 3. 12 years (high school graduate) |
| | | 127 | 4. 1-3 years (college) |
| | | 60 | 5. 4 years (college graduate) |
| | | 76 | 6. 5+ years (post-college) |
| | | 2 | 7. Unknown |
| | | 0 | Blank. Under 5 years of age |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 54-55 | - | | HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER (Detail) |
| | | 1 | 00. Never attended; kindergarten only |
| | | 244 | 01-12. Grades 1-12 |
| | | | College: |
| | | 44 | 13. 1 year |
| | | 62 | 14. 2 years |
| | | 30 | 15. 3 years |
| | | 85 | 16. 4 years |
| | | 20 | 17. 5 years |
| | | 80 | 18. 6 years or more |
| | | 0 | 19. Unknown |
| 56 | - | | HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER Recode |
| | | 1 | 0. None; kindergarten only |
| | | 32 | 1. 1-8 years (elementary) |
| | | 38 | 2. 9-11 years (high school) |
| | | 174 | 3. 12 years (high school graduate) |
| | | 136 | 4. 1-3 years (college) |
| | | 85 | 5. 4 years (college graduate) |
| | | 100 | 6. 5+ years (post-college) |
| | | 0 | 7. Unknown |
| 57 | L-8 | | FAMILY INCOME \$20,000 MORE OR LESS |
| | | 155 | 1. Less than \$20,000 |
| | | 403 | 2. \$20,000 or more |
| | | 8 | 3. Unknown |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|-------------------------|
| 58-59 | L-8 | | FAMILY INCOME |
| | | 0 | 00. Less than \$1,000 |
| | | 1 | 01. \$ 1,000 - \$ 1,999 |
| | | 1 | 02. 2,000 - 2,999 |
| | | 5 | 03. 3,000 - 3,999 |
| | | 8 | 04. 4,000 - 4,999 |
| | | 11 | 05. 5,000 - 5,999 |
| | | 12 | 06. 6,000 - 6,999 |
| | | 1 | 07. 7,000 - 7,999 |
| | | 7 | 08. 8,000 - 8,999 |
| | | 3 | 09. 9,000 - 9,999 |
| | | 11 | 10. 10,000 - 10,999 |
| | | 9 | 11. 11,000 - 11,999 |
| | | 17 | 12. 12,000 - 12,999 |
| | | 8 | 13. 13,000 - 13,999 |
| | | 9 | 14. 14,000 - 14,999 |
| | | 11 | 15. 15,000 - 15,999 |
| | | 8 | 16. 16,000 - 16,999 |
| | | 6 | 17. 17,000 - 17,999 |
| | | 7 | 18. 18,000 - 18,999 |
| | | 7 | 19. 19,000 - 19,999 |
| | | 52 | 20. 20,000 - 24,999 |
| | | 33 | 21. 25,000 - 29,999 |
| | | 45 | 22. 30,000 - 34,999 |
| | | 33 | 23. 35,000 - 39,999 |
| | | 35 | 24. 40,000 - 44,999 |
| | | 26 | 25. 45,000 - 49,999 |
| | | 137 | 26. \$50,000 and over |
| | | 63 | 27. Unknown |
| 60 | Recode | | FAMILY INCOME RECODE |
| | | 15 | 0. Under \$5,000 |
| | | 23 | 1. \$ 5,000 - \$ 6,999 |
| | | 11 | 2. 7,000 - 9,999 |
| | | 54 | 3. 10,000 - 14,999 |
| | | 39 | 4. 15,000 - 19,999 |
| | | 52 | 5. 20,000 - 24,999 |
| | | 78 | 6. 25,000 - 34,999 |
| | | 94 | 7. 35,000 - 49,999 |
| | | 137 | 8. \$50,000 or more |
| | | 63 | 9. Unknown |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-----------|-----------|--|
| 61 | Generated | | NHIS POVERTY INDEX* |
| | | 492 | 1. At or above poverty threshold |
| | | 53 | 2. Below poverty threshold |
| | | 21 | 3. Unknown |
| 62-63 | | | FAMILY RELATIONSHIP |
| 62 | A-2 | | Type of Family |
| | | 121 | &. Primary individual |
| | | 3 | -. Secondary individual |
| | | 442 | 0. Primary family |
| | | 0 | 1-9. Secondary family |
| 63 | A-2 | | Relationship to Reference Person |
| | | 115 | &. Reference person, living alone |
| | | 245 | 0. Reference person, 2+ persons in household |
| | | 175 | 1. Spouse, other spouse NOT in Armed Forces and living at home |
| | | 1 | 2. Spouse, other spouse IN Armed Forces and living at home |
| | | 21 | 3. Child of reference person or spouse |
| | | 0 | 4. Grandchild of reference person or spouse |
| | | 5 | 5. Parent of reference person or spouse |
| | | 4 | 6. Other relative |
| | | 0 | 7. Child of military family with no eligible reference person |
| | | 0 | 9. Unknown |

*Based on family size, number of children under 18 years of age and family income using the poverty levels derived from the Current Population Survey issued in August of the prior year per survey.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-----------|-----------|--|
| 64 | Recode | | FAMILY RELATIONSHIP RECODE |
| | | 115 | 1. Living alone |
| | | 9 | 2. Living only with non-relative |
| | | 364 | 3. Living with spouse |
| | | 78 | 4. Living with relative - other |
| 65-66 | Generated | | SIZE OF FAMILY* |
| | | | Unrelated individuals are coded 01 |
| 67 | Generated | | SIZE OF FAMILY RECODE |
| | | 566 | 1-8. Number of members |
| | | 0 | 9. 9+ members |
| 68 | A-2 | | PARENT/OTHER ADULT RELATIVE (under 25 years old and never married) |
| | | 2 | 1. Both parents, no other relative |
| | | 0 | 2. Mother only |
| | | 0 | 3. Father only |
| | | 0 | 4. Both parents and other 21+ year old adult relative |
| | | 0 | 5. Mother and other 21+ year old adult relative |
| | | 0 | 6. Father and other 21+ year old adult relative |
| | | 0 | 7. No parent, but one 21+ year old adult relative |
| | | 0 | 8. No parent, but two or more 21+ year old adult relatives |
| | | 0 | 9. Unknown |
| | | 0 | 0. Other |
| | | 564 | Blank. Not applicable (25+ years old or ever married) |

*Count includes spouse in military but living at home.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|------------|-----------|--|
| 69 | B-1 B-8 | | MAJOR ACTIVITY (18+ years old) |
| | | 303 | 1. Working |
| | | 120 | 2. Keeping house |
| | | 8 | 3. Going to school |
| | | 131 | 4. Something else |
| | | 4 | 5. Unknown |
| | | 0 | Blank. Not applicable (Under 18 years) |
| 70 | G-4 | | HEALTH STATUS |
| | | 116 | 1. Excellent |
| | | 142 | 2. Very Good |
| | | 163 | 3. Good |
| | | 84 | 4. Fair |
| | | 56 | 5. Poor |
| | | 5 | 6. Unknown |
| 71 | Recode | | ACTIVITY LIMITATION STATUS*- (all ages) |
| | | 86 | 1. Unable to perform major activity |
| | | 98 | 2. Limited in kind/amount major activity |
| | | 66 | 3. Limited in other activities |
| | | 316 | 4. Not limited (includes unknowns) |
| 72 | Recode | | ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years) |
| | | 94 | 1. Unable to work |
| | | 65 | 2. Limited in kind/amount of work |
| | | 30 | 3. Limited in other activities |
| | | 276 | 4. Not limited (includes unknowns) |
| | | 101 | Blank. Not applicable (under 18 years, 70+ years) |

*This recode is used to categorize persons with limitation of activity in the Current Estimates tables.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 73 | B-11 | | LIMITATION OF SCHOOL ACTIVITIES (5-17 years) |
| | | 0 | 1. Unable to attend school |
| | | 0 | 2. Attends special school/ classes |
| | | 0 | 3. Needs special school/ classes |
| | | 0 | 4. Limited in school attendance |
| | | 0 | 5. Limited in other activities |
| | | 0 | 6. Not limited (includes unknowns) |
| | | 566 | Blank. Not applicable (Under 5 years or 18+ years) |
| 74 | B-14 | | NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)* |
| | | 15 | 1. Unable to perform personal care needs |
| | | 36 | 2. Limited in performing other routine needs |
| | | 181 | 3. Not limited in performing personal or routine needs |
| | | 5 | 4. Unknown |
| | | 329 | Blank. Not applicable (Under 5 years; 5-59 years not limited; 70+ years) |

*For persons 70+ years, use location 71 to analyze 'Needs Help With Personal Care'; codes 1 and 2 in location 71 correspond to codes 1 and 2 in location 74.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|---|
| 75 | D-1 | | EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years) |
| | | | In the Labor Force: (1-7) |
| | | | Currently employed: (1-3) |
| | | 291 | 1. Worked in past 2 weeks |
| | | 9 | 2. Did not work, has job; not on lay-off and not looking for work |
| | | 0 | 3. Did not work, has job; looking for work |
| | | | Unemployed: (4-7) |
| | | 2 | 4. Did not work, has job; on lay-off |
| | | 0 | 5. Did not work, has job; on lay-off and looking for work |
| | | 3 | 6. Did not work, has job; unknown if looking or on lay-off |
| | | 8 | 7. Did not work, has no job; looking for work or on lay-off |
| | | | Not in Labor Force (18+ years): (8) |
| | | 253 | 8. Not in Labor Force (18+ years) |
| | | 0 | Blank. Not applicable (Under 18 years old) |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---------------------------------------|
| 76 | L-6 | | CLASS OF WORKER |
| | | 253 | 0. Not in labor force |
| | | 189 | 1. Private company |
| | | 9 | 2. Federal Government employee |
| | | 20 | 3. State Government employee |
| | | 38 | 4. Local Government employee |
| | | 11 | 5. Incorporated business |
| | | 37 | 6. Self-employed |
| | | 0 | 7. Without pay |
| | | 1 | 8. Never worked |
| | | 8 | 9. Unknown |
| | | 0 | Blank. Under 18 |
| 77-79 | - | | BLANK |
| 80-81 | Recode | | INDUSTRY RECODE 1 SEE APPENDIX B |
| 82-83 | Recode | | INDUSTRY RECODE 2 SEE APPENDIX B |
| 84-86 | - | | BLANK |
| 87-88 | Recode | | OCCUPATION RECODE 1 SEE APPENDIX C |
| 89-90 | Recode | | OCCUPATION RECODE 2 SEE APPENDIX C |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 91 | L-R | | RESPONDENT |
| | | 435 | 1. Self-entirely |
| | | 25 | 2. Self-partly |
| | | 101 | 3. Proxy |
| | | 5 | 4. Unknown |
| 92 | Recode | | CONDITION LIST ASSIGNED AND ASKED |
| | | 93 | 1. Condition List 1, Skin and musculoskeletal |
| | | 93 | 2. Condition List 2, Impairments |
| | | 81 | 3. Condition List 3, Digestive |
| | | 97 | 4. Condition List 4, Miscellaneous |
| | | 84 | 5. Condition List 5, Circulatory |
| | | 113 | 6. Condition List 6, Respiratory |
| | | 5 | 7. Unknown |
| 93-94 | G-5 | | HEIGHT WITHOUT SHOES (18+ years) |
| | | 13 | 58. 58 inches or less |
| | | 543 | 59-76. Number of inches |
| | | 6 | 77. 77 inches or more |
| | | 4 | 99. Unknown |
| | | 0 | Blank. Under 18 years of age |
| 95-97 | G-5 | | WEIGHT WITHOUT SHOES (18+ years) |
| | | 10 | 098. 98 pounds or less |
| | | 532 | 099-284. Number of pounds |
| | | 24 | 285. 285 pounds or more |
| | | 0 | 999. Unknown |
| | | 0 | Blank. Under 18 years of age |
| 98-99 | Recode | | TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS |
| | | 466 | 00. None |
| | | 100 | 01-14. Days |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 100-101 | D-4 | | BED DAYS IN PAST TWO WEEKS |
| | | 520 | 00. None |
| | | 46 | 01-14. Days |
| 102-103 | D-2 | | WORK-LOSS DAYS IN PAST TWO WEEKS |
| | | 546 | 00. None |
| | | 20 | 01-14. Days |
| 104-105 | D-3 | | SCHOOL-LOSS DAYS IN PAST TWO WEEKS |
| | | 566 | 00. None |
| | | 0 | 01-14. Days |
| 106-107 | D-6 | | OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS |
| | | 509 | 00. None |
| | | 57 | 01-14. Days |
| 108-110 | G-2 | | BED DAYS IN PAST 12 MONTHS |
| | | 313 | 000. None |
| | | 245 | 001-365. 1-365 days |
| | | 8 | 366. Unknown |
| 111 | Recode | | BED DAYS IN PAST 12 MONTHS - Recode |
| | | 313 | 0. None |
| | | 154 | 1. 1-7 days |
| | | 56 | 2. 8-30 days |
| | | 22 | 3. 31-180 days |
| | | 13 | 4. 181-365 days |
| | | 8 | 5. Unknown |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-----------|-----------|--|
| 112-114 | G-3 | | DOCTOR VISITS IN PAST 12 MONTHS |
| | | 83 | 000. None |
| | | 481 | 001-996. Visits |
| | | 0 | 997. 997+ visits |
| | | 2 | 998. Unknown |
| 115 | G-3 | | INTERVAL SINCE LAST DOCTOR VISIT |
| | | 0 | 0. Never |
| | | 485 | 1. Less than 1 year |
| | | 23 | 2. 1 to less than 2 years |
| | | 34 | 3. 2 to less than 5 years |
| | | 13 | 4. 5 years or more |
| | | 11 | 5. Unknown |
| 116-117 | Generated | | NUMBER OF CONDITIONS |
| 118-119 | Generated | | NUMBER OF ACUTE INCIDENCE CONDITIONS |
| 120-121 | Generated | | NUMBER OF TWO-WEEK DOCTOR VISITS |
| 122-123 | Generated | | NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS |
| 124-126 | Generated | | SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS |
| 127-128 | Generated | | NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY* |
| 129-131 | Generated | | SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY* |

*Based on Operation codes and reason entered hospital.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-----------|-----------|---|
| 132-133 | Generated | | NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS |
| 134-136 | Generated | | NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS |
| 137-138 | Generated | | NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY* |
| 139-141 | Generated | | NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY* |
| 142-143 | - | | BLANK |
| 144 | L-9b | | YEARS LIVED IN STATE OF PRESENT RESIDENCE |
| | | 3 | 1. Less than 1 year |
| | | 21 | 2. 1 yr., less than 5 yrs. |
| | | 21 | 3. 5 yrs., less than 10 yrs. |
| | | 20 | 4. 10 yrs., less than 15 yrs. |
| | | 464 | 5. 15 years or more |
| | | 7 | 9. Unknown |
| | | 30 | Blank. Not applicable (Foreign-born) |
| 145 | L-9c | | YEARS LIVED IN UNITED STATES |
| | | 0 | 1. Less than 1 year |
| | | 1 | 2. 1 yr., less than 5 yrs. |
| | | 2 | 3. 5 yrs., less than 10 yrs. |
| | | 2 | 4. 10 yrs., less than 15 yrs. |
| | | 24 | 5. 15 years or more |
| | | 1 | 9. Unknown |
| | | 536 | Blank. Not applicable (U.S. born) |
| 146-171 | - | | BLANK |
| 172-177 | - | | FINAL QUARTER BASIC WEIGHT BEFORE AGE-SEX-RACE(-ETHNICITY) ADJUSTMENT (has one implied decimal) |

*Based on Operation codes and reason entered hospital.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------------|-----------|---|
| 178 | HH-5 | | SAMPLING QUARTER |
| | | 146 | 1. Quarter 1 |
| | | 136 | 2. Quarter 2 |
| | | 128 | 3. Quarter 3 |
| | | 156 | 4. Quarter 4 |
| 179-181 | - | | BLANK |
| 182 | Unit Control File | | REGION |
| | | 87 | 1. Northeast |
| | | 169 | 2. Midwest |
| | | 174 | 3. South |
| | | 136 | 4. West |
| 183 | Unit Control File | | GEOGRAPHIC DISTRIBUTION |
| | | | MSA Size |
| | | 329 | 1. 1,000,000 or more |
| | | 96 | 2. 250,000 - 999,999 |
| | | 26 | 6. 100,000 - 249,999 |
| | | 6 | 7. Under 100,000 |
| | | 109 | Blank. Non-MSA |
| 184-185 | - | | BLANK |
| 186 | Unit Control File | | MSA - NON-MSA RESIDENCE |
| | | 135 | 1. In MSA; in Central City |
| | | 251 | 2. In MSA; not in Central City |
| | | 180 | 3. Not in MSA |
| 187-189 | - | | BLANK |
| 190-200 | - | | CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXXXXX) - character format with implied decimal |
| 201-206 | - | | FINAL ANNUAL BASIC WEIGHT |
| 207-227 | - | | BLANK |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| | | | 6.5 WEIGHT |
| 228-236 | - | | QUARTER, SEMI-ANNUAL AND ANNUAL* |
| | | | ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS |
| 237-245 | - | | QUARTER, SEMI-ANNUAL AND ANNUAL* |
| | | | ESTIMATED BED DAYS IN PAST 2 WEEKS |
| 246-254 | - | | QUARTER, SEMI-ANNUAL AND ANNUAL* |
| | | | ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS |
| 255-263 | - | | QUARTER, SEMI-ANNUAL AND ANNUAL* |
| | | | ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS |
| 264-272 | - | | QUARTER, SEMI-ANNUAL AND ANNUAL* |
| | | | ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS |
| 273-281 | - | | QUARTER |
| 282-290 | - | | SEMI-ANNUAL |
| 291-299 | - | | ANNUAL |
| | | | ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS |
| 300-308 | - | | QUARTER |
| 309-317 | - | | SEMI-ANNUAL |
| 318-326 | - | | ANNUAL |

*Estimates can be made for these periods depending on whether one quarter, two quarters or all four quarters of records are used.

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 327-335 | - | | ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS |
| 336-344 | - | | BLANK |
| 345-348 | Recode | | POLIO STRATUM |
| 349 | Recode | | POLIO PSU |
| 350-388 | - | | BLANK |
| 389 | Recode | | MODE OF INTERVIEW |
| | | 145 | 1. Telephone |
| | | 401 | 2. Personal Visit |
| | | 20 | 8. Not ascertained |
| 390 | Recode | | RESPONDENT |
| | | 537 | 1. Self |
| | | 21 | 2. Proxy |
| | | 8 | 8. Not ascertained |
| 391 | Recode | | REASON FOR PROXY |
| | | 5 | 1. SP incapable |
| | | 1 | 2. SP institutionalized |
| | | 10 | 3. SP unavailable |
| | | 5 | 4. Other |
| | | 0 | 8. Not ascertained |
| | | 545 | Blank. NA; not a proxy |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-----------|-----------|--|
| (392-395) | - | | MONTH AND YEAR OF DFS INTERVIEW |
| 392-393 | | | DOI Month |
| | | 566 | 01-12. Month of Interview |
| | | 0 | 99. Unknown |
| 394-395 | | | DOI Year |
| | | 566 | 94-97. Year of Interview |
| 396-398 | Generated | - | LENGTH OF TIME BETWEEN INTERVIEWS (DAYS) |
| 399-400 | Generated | | AGE AT FOLLOWBACK INTERVIEW |
| | | 552 | 01-84. Number of years |
| | | 14 | 85. 85+ years of age |
| 401-403 | - | | BLANK |
| 404-405 | 2 | | YEAR POLIO STARTED |
| | | 9 | 12. 1912 and before |
| | | 512 | 13-95. 1913-1995 |
| | | 3 | 98. Not ascertained |
| | | 42 | 99. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|--|
| 406-407 | 3 | | MONTH POLIO STARTED |
| | | 10 | 01. January |
| | | 10 | 02. February |
| | | 12 | 03. March |
| | | 10 | 04. April |
| | | 11 | 05. May |
| | | 53 | 06. June |
| | | 50 | 07. July |
| | | 63 | 08. August |
| | | 51 | 09. September |
| | | 22 | 10. October |
| | | 8 | 11. November |
| | | 11 | 12. December |
| | | 1 | 98. Not ascertained |
| | | 254 | 99. DK or refused |
| 408-409 | 4 | | AGE WHEN DIAGNOSED WITH POLIO (RECODE) |
| | | 53 | 00. Less than 1 year |
| | | 447 | 01-84. Number of years |
| | | 0 | 85. 85+ years |
| | | 0 | 97. Unknown months |
| | | 0 | 98. Unknown years |
| | | 66 | 99. DK, refused, not ascertained |
| (410-415) | (4a-f) | | SYMPTOMS EXPERIENCED FIRST 2 WEEKS YOU HAD POLIO: |
| 410 | a | | FEVER |
| | | 331 | 1. Yes |
| | | 39 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 196 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (410-415) | (4a-f) | | SYMPTOMS EXPERIENCED FIRST TWO WEEKS YOU HAD POLIO: - Continued |
| 411 | b | | HEADACHE |
| | | 209 | 1. Yes |
| | | 50 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 306 | 9. DK or refused |
| 412 | c | | STIFF NECK |
| | | 224 | 1. Yes |
| | | 75 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 267 | 9. DK or refused |
| 413 | d | | DIARRHEA |
| | | 37 | 1. Yes |
| | | 144 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 384 | 9. DK or refused |
| 414 | e | | MUSCLE PAINS |
| | | 294 | 1. Yes |
| | | 45 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 227 | 9. DK or refused |
| 415 | f | | SKIN RASH |
| | | 27 | 1. Yes |
| | | 192 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 347 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|--|
| (416-424) | (5a-i) | | PART OF BODY WEAKENED IN FIRST MONTH HAD POLIO: |
| 416 | a | | RIGHT ARM OR HAND |
| | | 125 | 1. Yes |
| | | 242 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 199 | 9. DK or refused |
| 417 | b | | LEFT ARM OR HAND |
| | | 130 | 1. Yes |
| | | 241 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 195 | 9. DK or refused |
| 418 | c | | RIGHT LEG OR FOOT |
| | | 268 | 1. Yes |
| | | 144 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 154 | 9. DK or refused |
| 419 | d | | LEFT LEG OR FOOT |
| | | 279 | 1. Yes |
| | | 134 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 152 | 9. DK or refused |
| 420 | e | | SWALLOWING MUSCLES |
| | | 89 | 1. Yes |
| | | 230 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 246 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (416-424) | (5a-i) | | PART OF BODY WEAKENED IN FIRST MONTH HAD POLIO: - Continued |
| 421 | f | | FACE MUSCLES |
| | | 56 | 1. Yes |
| | | 271 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 239 | 9. DK or refused |
| 422 | g | | NECK MUSCLES |
| | | 128 | 1. Yes |
| | | 215 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 223 | 9. DK or refused |
| 423 | h | | BREATHING MUSCLES |
| | | 71 | 1. Yes |
| | | 276 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 219 | 9. DK or refused |
| 424 | i | | BACK OR STOMACH MUSCLES |
| | | 150 | 1. Yes |
| | | 192 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 224 | 9. DK or refused |
| 425 | 6 | | DIFFICULTY PASSING URINE DURING FIRST MONTH OF ILLNESS |
| | | 32 | 1. Yes |
| | | 206 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 326 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 426 | 7 | | HOSPITALIZED AT TIME OF POLIO DIAGNOSIS |
| | | 269 | 1. Yes |
| | | 256 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 40 | 9. DK or refused |
| 427 | 8 | | SPINAL TAP AT TIME OF DIAGNOSIS |
| | | 138 | 1. Yes |
| | | 31 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 100 | 9. DK or refused |
| | | 297 | Blank. NA; No/DK if was admitted to hospital when first diagnosed with polio |
| 428 | 9 | | BREATHING PROBLEMS AT TIME OF DIAGNOSIS |
| | | 81 | 1. Yes |
| | | 306 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 177 | 9. DK or refused |
| 429 | 10 | | NEEDED HELP WITH BREATHING |
| | | 35 | 1. Yes |
| | | 41 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| | | 485 | Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (430-432) | 11 | | KIND OF BREATHING HELP NEEDED |
| 430 | | | OCCASIONAL ASSISTANCE WITH A HAND HELD DEVICE |
| | | 0 | 1. Mentioned |
| | | 34 | 2. Not mentioned |
| | | 0 | 8. No answer to entire question |
| | | 1 | 9. DK or refused (entire question) |
| | | 531 | Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio; No/DK if require help with breathing |
| 431 | | | MECHANICAL VENTILATION (IRON LUNG OR RESPIRATOR) |
| | | 29 | 1. Mentioned |
| | | 5 | 2. Not mentioned |
| | | 0 | 8. No answer to entire question |
| | | 1 | 9. DK or refused (entire question) |
| | | 531 | Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio; No/DK if require help with breathing |
| 432 | | | SOMETHING ELSE |
| | | 5 | 1. Mentioned |
| | | 29 | 2. Not mentioned |
| | | 0 | 8. No answer to entire question |
| | | 1 | 9. DK or refused (entire question) |
| | | 531 | Blank. NA; No/DK if experienced problems with breathing when diagnosed with polio; No/DK if require help with breathing |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 433 | 12a | | REHABILITATION MONTH AFTER DIAGNOSIS OF POLIO |
| | | 295 | 1. Yes |
| | | 199 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 71 | 9. DK or refused |
| 434-436 | - | | BLANK |
| 437-438 | Recode | | LENGTH OF TIME REHABILITATION LASTED (RECODE) |
| | | 119 | 00. Less than 1 year |
| | | 124 | 01-84. Number of years |
| | | 0 | 85. 85+ years |
| | | 1 | 97. Unknown months |
| | | 1 | 98. Unknown years |
| | | 50 | 99. DK, refused, not ascertained |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| (439-451) | (13a-m) | | WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: |
| 439 | a | | RIGHT HIP/THIGH AND KNEE |
| | | 102 | 1. Not weakened |
| | | 33 | 2. Mildly weakened |
| | | 49 | 3. Moderately weakened |
| | | 45 | 4. Severely weakened |
| | | 24 | 5. Completely paralyzed |
| | | 0 | 8. Not ascertained |
| | | 42 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 440 | b | | RIGHT CALF/ANKLE AND FOOT |
| | | 99 | 1. Not weakened |
| | | 35 | 2. Mildly weakened |
| | | 43 | 3. Moderately weakened |
| | | 45 | 4. Severely weakened |
| | | 27 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 45 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (439-451) | (13a-m) | | WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued |
| 441 | c | | LEFT HIP/THIGH AND KNEE |
| | | 87 | 1. Not weakened |
| | | 33 | 2. Mildly weakened |
| | | 55 | 3. Moderately weakened |
| | | 48 | 4. Severely weakened |
| | | 32 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 38 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 442 | d | | LEFT CALF/ANKLE AND FOOT |
| | | 86 | 1. Not weakened |
| | | 29 | 2. Mildly weakened |
| | | 53 | 3. Moderately weakened |
| | | 50 | 4. Severely weakened |
| | | 34 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 42 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (439-451) | (13a-m) | | WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued |
| 443 | e | | RIGHT SHOULDER/UPPER ARM AND ELBOW |
| | | 151 | 1. Not weakened |
| | | 26 | 2. Mildly weakened |
| | | 27 | 3. Moderately weakened |
| | | 22 | 4. Severely weakened |
| | | 15 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 53 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 444 | f | | RIGHT FOREARM/WRIST AND HAND |
| | | 163 | 1. Not weakened |
| | | 22 | 2. Mildly weakened |
| | | 22 | 3. Moderately weakened |
| | | 21 | 4. Severely weakened |
| | | 12 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 53 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (439-451) | (13a-m) | | WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued |
| 445 | g | | LEFT SHOULDER/UPPER ARM AND ELBOW |
| | | 157 | 1. Not weakened |
| | | 29 | 2. Mildly weakened |
| | | 27 | 3. Moderately weakened |
| | | 21 | 4. Severely weakened |
| | | 15 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 45 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 446 | h | | LEFT FOREARM/WRIST AND HAND |
| | | 163 | 1. Not weakened |
| | | 23 | 2. Mildly weakened |
| | | 28 | 3. Moderately weakened |
| | | 18 | 4. Severely weakened |
| | | 15 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 47 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (439-451) | (13a-m) | | WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued |
| 447 | i | | BREATHING MUSCLES |
| | | 180 | 1. Not weakened |
| | | 23 | 2. Mildly weakened |
| | | 15 | 3. Moderately weakened |
| | | 9 | 4. Severely weakened |
| | | 7 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 60 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 448 | j | | SWALLOWING MUSCLES |
| | | 190 | 1. Not weakened |
| | | 16 | 2. Mildly weakened |
| | | 11 | 3. Moderately weakened |
| | | 7 | 4. Severely weakened |
| | | 3 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 66 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 449 | k | | FACE MUSCLES |
| | | 199 | 1. Not weakened |
| | | 13 | 2. Mildly weakened |
| | | 11 | 3. Moderately weakened |
| | | 3 | 4. Severely weakened |
| | | 3 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 64 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (439-451) | (13a-m) | | WEAKNESS TWO MONTHS AFTER DIAGNOSIS OF POLIO: - Continued |
| 450 | 1 | | BACK MUSCLES |
| | | 113 | 1. Not weakened |
| | | 40 | 2. Mildly weakened |
| | | 40 | 3. Moderately weakened |
| | | 30 | 4. Severely weakened |
| | | 12 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 59 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 451 | m | | STOMACH MUSCLES |
| | | 156 | 1. Not weakened |
| | | 21 | 2. Mildly weakened |
| | | 10 | 3. Moderately weakened |
| | | 20 | 4. Severely weakened |
| | | 11 | 5. Completely paralyzed |
| | | 1 | 8. Not ascertained |
| | | 76 | 9. DK or refused |
| | | 271 | Blank. NA; No/DK if went through a period of rehabilitation |
| 452 | 14 | | HOW WELL COULD WALK TWO MONTHS AFTER GETTING POLIO |
| | | 68 | 1. Walk without a limp |
| | | 58 | 2. Walk with a limp |
| | | 30 | 3. Unable to walk without leg braces |
| | | 73 | 4. Unable to walk at all |
| | | 25 | 5. Can't remember |
| | | 9 | 8. Not ascertained |
| | | 8 | 9. DK or refused |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (453-460) | 15 | | EXERCISES OR PHYSICAL THERAPY DONE DURING REHABILITATION |
| 453 | | | STRETCHING EXERCISES |
| | | 16 | 0. No exercise or physical therapy |
| | | 149 | 1. Mentioned |
| | | 91 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |
| 454 | | | MASSAGE/HEAT |
| | | 16 | 0. No exercise or physical therapy |
| | | 125 | 1. Mentioned |
| | | 115 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |
| 455 | | | YOGA |
| | | 16 | 0. No exercise or physical therapy |
| | | 2 | 1. Mentioned |
| | | 238 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (453-460) | 15 | | EXERCISES OR PHYSICAL THERAPY DONE DURING REHABILITATION - Continued |
| 456 | | | SWIMMING |
| | | 16 | 0. No exercise or physical therapy |
| | | 44 | 1. Mentioned |
| | | 196 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |
| 457 | | | WEIGHT LIFTING/ MEDICINE BALL |
| | | 16 | 0. No exercise or physical therapy |
| | | 25 | 1. Mentioned |
| | | 215 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |
| 458 | | | PUSH-UPS/PULL-UPS |
| | | 16 | 0. No exercise or physical therapy |
| | | 26 | 1. Mentioned |
| | | 214 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (453-460) | 15 | | EXERCISES OR PHYSICAL THERAPY DONE DURING REHABILITATION - Continued |
| 459 | | | OTHER |
| | | 16 | 0. No exercise or physical therapy |
| | | 62 | 1. Mentioned |
| | | 178 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |
| 460 | | | TOO YOUNG TO REMEMBER |
| | | 16 | 0. No exercise or physical therapy |
| | | 53 | 1. Mentioned |
| | | 187 | 2. Not mentioned |
| | | 9 | 8. No answer to entire question |
| | | 6 | 9. DK or refused (entire question) |
| | | 295 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |
| 461 | 16 | | FREQUENCY OF EXERCISES DURING REHABILITATION |
| | | 188 | 1. Regularly |
| | | 7 | 2. Occasionally |
| | | 2 | 8. Not ascertained |
| | | 43 | 9. DK or refused |
| | | 326 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1 |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 462-463 | 17 | | NUMBER OF YEARS CONTINUED PHYSICAL THERAPY/EXERCISE |
| | | 58 | 00. Less than 1 year |
| | | 126 | 01-84. 1-84 years |
| | | 0 | 85. 85+ years |
| | | 0 | 98. Not ascertained |
| | | 11 | 99. DK or refused |
| | | 371 | Blank. NA; No/DK if went through a period of rehabilitation; polio onset under age 1; DK how often did physical therapy or exercise to strengthen or stretch muscles |
| 464 | 18 | | OPERATIONS TO CORRECT LIMITATION OR WEAKNESS (Had rehabilitation; polio onset Under age 1 OR polio onset over age 1 and had physical therapy or exercise regularly or occasionally.) |
| | | 42 | 1. Yes |
| | | 175 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 347 | Blank. NA |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (465-476) | 19 | | SURGICAL PROCEDURES AND AGE: |
| 465-466 | | | AGE AT TIME OF FIRST OPERATION (Had surgery during rehabilitation to correct limitation caused by polio; had exercise or physical therapy regularly or occasionally? 18=yes.) |
| | | 35 | 01-84. 1-84 years old |
| | | 0 | 85. 85+ years old |
| | | 7 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 524 | Blank. NA |
| 467-468 | | | FIRST SURGICAL PROCEDURE PERFORMED |
| | | 1 | 00. Operation, type and site unknown |
| | | 34 | 01-86. HIS surgery codes |
| | | 7 | 99. Unknown surgical procedure, not ascertained |
| | | 524 | Blank. NA |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|---|
| (465-476) | 19 | | SURGICAL PROCEDURES AND AGE: - Continued |
| 469-470 | | | AGE AT TIME OF SECOND OPERATION (Had surgery during rehabilitation to correct limitation caused by polio; had exercise or physical therapy regularly or occasionally? 18=yes.) |
| | | 17 | 01-84. 1-84 years old |
| | | 0 | 85. 85+ years old |
| | | 1 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 548 | Blank. NA |
| 471-472 | | | SECOND SURGICAL PROCEDURE PERFORMED |
| | | 1 | 00. Operation, type and site unknown |
| | | 16 | 01-86. HIS surgery codes |
| | | 1 | 99. Unknown surgical procedure, not ascertained |
| | | 548 | Blank. NA |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (465-476) | 19 | | SURGICAL PROCEDURES AND AGE: - Continued |
| 473-474 | | | AGE AT TIME OF THIRD OPERATION (Had surgery during rehabilitation to correct limitation caused by polio; had exercise or physical therapy regularly or occasionally? 18=yes.) |
| | | 10 | 01-84. 1-84 years old |
| | | 0 | 85. 85+ years old |
| | | 1 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 555 | Blank. NA |
| 475-476 | | | THIRD SURGICAL PROCEDURE PERFORMED |
| | | 1 | 00. Operation, type and site unknown |
| | | 10 | 01-86. HIS surgery codes |
| | | 0 | 99. Unknown surgical procedure, not ascertained |
| | | 555 | Blank. NA |
| (477-480) | 20 | | AGE AT PHYSICAL BEST AFTER HAVING POLIO |
| | | 14 | 9988. Never had a physical best |
| | | 73 | 9999. DK or refused |
| 477-478 | | | FIRST AGE GIVEN |
| | | 431 | 01-84. 1-84 years |
| | | 0 | 85. 85+ years old |
| | | 135 | 99. Unknown, not ascertained |
| 479-480 | | | SECOND AGE GIVEN |
| | | 476 | 01-84. 1-84 years |
| | | 1 | 85. 85+ years old |
| | | 14 | 88. Never had a physical best |
| | | 75 | 99. Unknown, not ascertained |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 481 | 21 | | DISABILITY AT PHYSICAL BEST AFTER HAVING POLIO |
| | | 143 | 1. No disability |
| | | 96 | 2. No noticeable disability |
| | | 127 | 3. Mild disability |
| | | 67 | 4. Moderate disability |
| | | 26 | 5. Severe disability |
| | | 14 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| | | 87 | Blank. NA; Never/DK had a physical best |
| 482 | 22 | | WALK AT PHYSICAL BEST AFTER HAVING POLIO |
| | | 162 | 1. Walk without a limp |
| | | 123 | 2. Walk with a limp |
| | | 24 | 3. Unable to walk without leg braces/assistive devices |
| | | 6 | 4. Unable to walk at all |
| | | 4 | 5. Can't remember |
| | | 14 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 483 | 23 | | THE FARTHEST COULD WALK AT PHYSICAL BEST WITHOUT ASSISTIVE DEVICES AND WITHOUT STOPPING |
| | | 2 | 1. Could not walk (without device/stopping) |
| | | 7 | 2. Walk across a room |
| | | 21 | 3. Walk up and down the street |
| | | 28 | 4. Walk around the block |
| | | 228 | 5. Walk a mile or more |
| | | 14 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| | | 260 | Blank. NA; Never/DK had a physical best; No disability; unable to walk without assistive devices; unable to walk at all |
| 484 | 24 | | WITH A LEG BRACE OR ASSISTIVE DEVICE THE FARTHEST COULD WALK WITHOUT STOPPING |
| | | 3 | 1. Could not walk (without device/stopping) |
| | | 3 | 2. Walk across a room |
| | | 20 | 3. Walk up and down the street |
| | | 32 | 4. Walk around the block |
| | | 13 | 5. Walk a mile or more |
| | | 19 | 8. Not ascertained |
| | | 12 | 9. DK or refused |
| | | 464 | Blank. NA; Never/DK had a physical best; No disability; unable to walk at all; could walk a mile or more |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|---|
| 485 | 25 | | HOW WELL COULD YOU CLIMB STAIRS |
| | | 175 | 1. Easily without a railing |
| | | 132 | 2. Climb by using a railing |
| | | 3 | 3. Could not climb |
| | | 14 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 239 | Blank. NA; Never had a physical best; No disability; unable to/couldn't walk at all |
| 486 | 26 | | HOW EASILY WOULD YOU TIRE AT YOUR PHYSICAL BEST |
| | | 10 | 1. Very easily during day |
| | | 33 | 2. Easily during day |
| | | 66 | 3. Slowly during day |
| | | 197 | 4. After exercise or before bedtime |
| | | 14 | 8. Not ascertained |
| | | 16 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (487-500) | (27a-n) | | USE OF ASSISTIVE DEVICES ANYTIME DURING PHYSICAL BEST: |
| 487 | a | | CANE |
| | | 29 | 1. Yes |
| | | 290 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 488 | b | | CRUTCHES |
| | | 36 | 1. Yes |
| | | 283 | 2. No |
| | | 14 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 489 | c | | WALKER |
| | | 7 | 1. Yes |
| | | 312 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 490 | d | | WHEELCHAIR/ELECTRIC CART |
| | | 18 | 1. Yes |
| | | 301 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (487-500) | (27a-n) | | USE OF ASSISTIVE DEVICES ANYTIME DURING PHYSICAL BEST: - Continued |
| 491 | e | | LEFT LEG BRACE |
| | | 31 | 1. Yes |
| | | 287 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 492 | f | | RIGHT LEG BRACE |
| | | 30 | 1. Yes |
| | | 288 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 493 | g | | LEFT ARM SPLINT/BRACE |
| | | 3 | 1. Yes |
| | | 315 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 494 | h | | LEFT HAND SPLINT/BRACE |
| | | 3 | 1. Yes |
| | | 315 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 495 | i | | RIGHT ARM SPLINT/BRACE |
| | | 6 | 1. Yes |
| | | 312 | 2. No |
| | | 15 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (487-500) | (27a-n) | | USE OF ASSISTIVE DEVICES ANYTIME DURING PHYSICAL BEST: - Continued |
| 496 | j | | RIGHT HAND SPLINT/BRACE |
| | | 8 | 1. Yes |
| | | 309 | 2. No |
| | | 16 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 497 | k | | BREATHING AIDS |
| | | 3 | 1. Yes |
| | | 313 | 2. No |
| | | 17 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 498 | l | | BACK BRACE/CORSET |
| | | 23 | 1. Yes |
| | | 294 | 2. No |
| | | 16 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 499 | m | | SPECIAL SHOE(S) OR SHOE LIFTS |
| | | 83 | 1. Yes |
| | | 234 | 2. No |
| | | 16 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 500 | n | | ANOTHER TYPE OF DEVICE |
| | | 5 | 1. Yes |
| | | 312 | 2. No |
| | | 17 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (501-513) | (28a-m) | | WEAKNESS AT TIME OF PHYSICAL BEST: |
| 501 | a | | RIGHT HIP/THIGH AND KNEE |
| | | 175 | 1. Not weakened |
| | | 71 | 2. Mildly weakened |
| | | 49 | 3. Moderately weakened |
| | | 11 | 4. Severely weakened |
| | | 10 | 5. Completely paralyzed |
| | | 15 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 502 | b | | RIGHT CALF/ANKLE AND FOOT |
| | | 176 | 1. Not weakened |
| | | 65 | 2. Mildly weakened |
| | | 42 | 3. Moderately weakened |
| | | 20 | 4. Severely weakened |
| | | 11 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 503 | c | | LEFT HIP/THIGH AND KNEE |
| | | 183 | 1. Not weakened |
| | | 66 | 2. Mildly weakened |
| | | 41 | 3. Moderately weakened |
| | | 16 | 4. Severely weakened |
| | | 9 | 5. Completely paralyzed |
| | | 17 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 504 | d | | LEFT CALF/ANKLE AND FOOT |
| | | 181 | 1. Not weakened |
| | | 61 | 2. Mildly weakened |
| | | 39 | 3. Moderately weakened |
| | | 22 | 4. Severely weakened |
| | | 11 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (501-513) | (28a-m) | | WEAKNESS AT TIME OF PHYSICAL BEST: - Continued |
| 505 | e | | RIGHT SHOULDER/UPPER ARM AND ELBOW |
| | | 245 | 1. Not weakened |
| | | 32 | 2. Mildly weakened |
| | | 23 | 3. Moderately weakened |
| | | 10 | 4. Severely weakened |
| | | 4 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 506 | f | | RIGHT FOREARM/WRIST AND HAND |
| | | 252 | 1. Not weakened |
| | | 33 | 2. Mildly weakened |
| | | 16 | 3. Moderately weakened |
| | | 10 | 4. Severely weakened |
| | | 4 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 507 | g | | LEFT SHOULDER/UPPER ARM AND ELBOW |
| | | 246 | 1. Not weakened |
| | | 34 | 2. Mildly weakened |
| | | 20 | 3. Moderately weakened |
| | | 11 | 4. Severely weakened |
| | | 3 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 508 | h | | LEFT FOREARM/WRIST AND HAND |
| | | 249 | 1. Not weakened |
| | | 35 | 2. Mildly weakened |
| | | 18 | 3. Moderately weakened |
| | | 10 | 4. Severely weakened |
| | | 2 | 5. Completely paralyzed |
| | | 17 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (501-513) | (28a-m) | | WEAKNESS AT TIME OF PHYSICAL BEST: - Continued |
| 509 | i | | BREATHING MUSCLES |
| | | 277 | 1. Not weakened |
| | | 22 | 2. Mildly weakened |
| | | 10 | 3. Moderately weakened |
| | | 1 | 4. Severely weakened |
| | | 1 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 9 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 510 | j | | SWALLOWING MUSCLES |
| | | 280 | 1. Not weakened |
| | | 17 | 2. Mildly weakened |
| | | 11 | 3. Moderately weakened |
| | | 1 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 16 | 8. Not ascertained |
| | | 11 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 511 | k | | FACE MUSCLES |
| | | 296 | 1. Not weakened |
| | | 8 | 2. Mildly weakened |
| | | 7 | 3. Moderately weakened |
| | | 1 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 17 | 8. Not ascertained |
| | | 7 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 512 | l | | BACK MUSCLES |
| | | 206 | 1. Not weakened |
| | | 62 | 2. Mildly weakened |
| | | 32 | 3. Moderately weakened |
| | | 10 | 4. Severely weakened |
| | | 1 | 5. Completely paralyzed |
| | | 17 | 8. Not ascertained |
| | | 8 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (501-513) | (28a-m) | | WEAKNESS AT TIME OF PHYSICAL BEST: - Continued |
| 513 | m | | STOMACH MUSCLES |
| | | 262 | 1. Not weakened |
| | | 24 | 2. Mildly weakened |
| | | 14 | 3. Moderately weakened |
| | | 7 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 18 | 8. Not ascertained |
| | | 11 | 9. DK or refused |
| | | 230 | Blank. NA; Never/DK had a physical best; No disability |
| 514-516 | 29 | | BODY WEIGHT AT PHYSICAL BEST |
| | | 373 | 099-285. 99-285 pounds |
| | | 32 | 996. Not available - extreme values |
| | | 21 | 998. Not ascertained |
| | | 53 | 999. DK or refused |
| | | 87 | Blank. NA; Never/DK had a physical best |
| 517-520 | Recode | | WEIGHT DURING PHYSICAL BEST (RECODE - KILOGRAMS) |
| | | 373 | 0449-1293. 044.9 - 129.3 weight in kilograms |
| | | 32 | 9996. Not available - extreme values |
| | | 74 | 9999. DK or unknown |
| | | 87 | Blank. NA; Never/DK had a physical best; DK/refused if had physical best |
| 521 | 30 | | STILL AT PHYSICAL BEST AT PRESENT TIME |
| | | 129 | 1. Yes |
| | | 332 | 2. No |
| | | 16 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 87 | Blank. NA; Never/DK had a physical best |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 522 | 31 | | EXPERIENCED DECREASE IN ABILITY TO PERFORM ROUTINE ACTIVITIES |
| | | 115 | 1. Yes, decreased some |
| | | 124 | 2. Yes, decreased a lot |
| | | 91 | 3. No, no decrease |
| | | 17 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 216 | Blank. NA; Never/DK had a physical best; Still at physical best |
| 523 | 32 | | WEIGHT AFTER TIME OF PHYSICAL BEST |
| | | 260 | 1. More |
| | | 33 | 2. Less |
| | | 38 | 3. About the same |
| | | 17 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 216 | Blank. NA; Never/DK had a physical best; Still at physical best |
| 524-526 | 33 | | POUNDS GAINED/LOST |
| | | 119 | 050-500. 50-500 pounds |
| | | 158 | 998. Not ascertained |
| | | 16 | 999. DK or refused |
| | | 273 | Blank. NA; Never/DK had a physical best; Still at physical best; DK/weight about the same |
| 527-530 | Recode | | WEIGHT GAINED/LOST SINCE TIME OF PHYSICAL BEST (RECODE - KILOGRAMS) |
| | | 119 | 0227-2268. 022.7 - 226.8 weight in kilograms |
| | | 174 | 9999. DK or unknown |
| | | 273 | Blank. NA; Never/DK had a physical best; DK/refused if had physical best; Still at physical best; Weight about the same; DK/refused if weight changed |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 531 | 34 | | HAD ANY INJURIES SINCE TIME OF PHYSICAL BEST: |
| | | 105 | 1. Yes |
| | | 182 | 2. No |
| | | 62 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 216 | Blank. NA; Never/DK had a physical best; Still at physical best |
| (532-551) | 35 | | KIND OF INJURIES AND AGE AT TIME OF INJURY: |
| 532-533 | | | AGE AT TIME OF FIRST INJURY |
| | | 95 | 01-84. 1-84 years old |
| | | 3 | 85. 85+ years old |
| | | 7 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 461 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |
| 534-536 | | | KIND OF INJURY (1st injury) |
| | | 102 | 800-999. ICD Injury Codes |
| | | 3 | 799. DK kind of injury; not ascertained |
| | | 461 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |
| 537-538 | | | AGE AT TIME OF SECOND INJURY |
| | | 42 | 01-84. 1-84 years old |
| | | 1 | 85. 85+ years old |
| | | 4 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 519 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |
| 539-541 | | | KIND OF INJURY (2nd injury) |
| | | 47 | 800-999. ICD Injury Codes |
| | | 0 | 799. DK kind of injury; not ascertained |
| | | 519 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (532-551) | 35 | | KIND OF INJURIES AND AGE AT TIME OF INJURY: - Continued |
| 542-543 | | | AGE AT TIME OF THIRD INJURY |
| | | 21 | 01-84. 1-84 years old |
| | | 0 | 85. 85+ years old |
| | | 2 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 543 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |
| 544-546 | | | KIND OF INJURY (3RD INJURY) |
| | | 22 | 800-999. ICD Injury Codes |
| | | 1 | 799. DK kind of injury; not ascertained |
| | | 543 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |
| 547-548 | | | AGE AT TIME OF FOURTH INJURY |
| | | 8 | 01-84. 1-84 years old |
| | | 0 | 85. 85+ years old |
| | | 0 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 558 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |
| 549-551 | | | KIND OF INJURY (4TH INJURY) |
| | | 8 | 800-999. ICD Injury Codes |
| | | 0 | 799. DK kind of injury; not ascertained |
| | | 558 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if had any severe injuries that limited your daily activities |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 552 | 36 | | SINCE TIME OF PHYSICAL BEST HAS ABILITY TO SWALLOW SOLID FOOD CHANGED |
| | | 3 | 1. Gotten better |
| | | 44 | 2. Gotten worse |
| | | 280 | 3. Stayed the same |
| | | 18 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| | | 216 | Blank. NA; Never/DK had a physical best; Still at physical best |
| 553 | 37 | | EXPERIENCED NEW POLIO RELATED DIFFICULTIES SINCE REACHING YOUR PHYSICAL BEST |
| | | 46 | 1. Yes, one new difficulty |
| | | 40 | 2. Yes, more than one |
| | | 37 | 3. Yes, not sure polio related |
| | | 190 | 4. No |
| | | 18 | 8. Not ascertained |
| | | 19 | 9. DK or refused |
| | | 216 | Blank. NA; Never/DK had a physical best; Still at physical best |
| 554-555 | 38 | | AGE WHEN NEW POLIO RELATED DIFFICULTY BEGAN |
| | | 121 | 01-84. 1-84 years |
| | | 1 | 85. 85+ years |
| | | 1 | 98. Not ascertained |
| | | 0 | 99. DK or refused |
| | | 443 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 556 | 39 | | TIME OF DEVELOPMENT FOR NEW POLIO RELATED DIFFICULTY |
| | | 12 | 1. Less one month |
| | | 29 | 2. One month, but less than a year |
| | | 41 | 3. One year, but less than five years |
| | | 19 | 4. Five years, but less than ten years |
| | | 17 | 5. 10 or more years |
| | | 1 | 6. Other |
| | | 0 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| | | 443 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties |
| 557 | 40a | | COMPARED WITH PHYSICAL BEST, HAVE YOU EXPERIENCED NEW MUSCULAR WEAKNESS |
| | | 97 | 1. Yes |
| | | 24 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 443 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------|-----------|--|
| (558-563) | (40b (1-6)) | | WHICH MUSCLES INVOLVED: |
| 558 | (1) | | LEFT ARM OR HAND |
| | | 35 | 1. Yes |
| | | 61 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 469 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness |
| 559 | (2) | | RIGHT ARM OR HAND |
| | | 41 | 1. Yes |
| | | 56 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 469 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness |
| 560 | (3) | | LEFT LEG OR FOOT |
| | | 68 | 1. Yes |
| | | 29 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 469 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness |
| 561 | (4) | | RIGHT LEG OR FOOT |
| | | 67 | 1. Yes |
| | | 29 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 469 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------|-----------|--|
| (558-563) | (40b (1-6)) | | WHICH MUSCLES INVOLVED: - Continued |
| 562 | (5) | | STOMACH, BACK OR TORSO |
| | | 54 | 1. Yes |
| | | 43 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 469 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness |
| 563 | (6) | | NECK OR FACE |
| | | 27 | 1. Yes |
| | | 68 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 469 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle weakness |
| 564 | 40c | | COMPARED WITH PHYSICAL BEST HAVE YOU EXPERIENCED NEW MUSCULAR PAIN |
| | | 81 | 1. Yes |
| | | 41 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 443 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------|-----------|--|
| (565-570) | (40d (1-6)) | | WHICH MUSCLES INVOLVED: Continued |
| 565 | (1) | | LEFT ARM OR HAND |
| | | 30 | 1. Yes |
| | | 51 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 485 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain |
| 566 | (2) | | RIGHT ARM OR HAND |
| | | 29 | 1. Yes |
| | | 50 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 485 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain |
| 567 | (3) | | LEFT LEG OR FOOT |
| | | 55 | 1. Yes |
| | | 26 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 485 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain |
| 568 | (4) | | RIGHT LEG OR FOOT |
| | | 58 | 1. Yes |
| | | 21 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 485 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------|-----------|--|
| (565-570) | (40d (1-6)) | | WHICH MUSCLES INVOLVED: Continued |
| 569 | (5) | | STOMACH, BACK OR TORSO |
| | | 52 | 1. Yes |
| | | 28 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 485 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain |
| 570 | (6) | | NECK OR FACE |
| | | 23 | 1. Yes |
| | | 58 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 485 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new muscle pain |
| 571 | 40e | | COMPARED WITH PHYSICAL BEST, HAVE YOU EXPERIENCED NEW JOINT PAIN |
| | | 95 | 1. Yes |
| | | 26 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 443 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------|-----------|--|
| (572-576) | (40f (1-5)) | | WHICH JOINTS INVOLVED: |
| 572 | (1) | | LEFT SHOULDER, ELBOW, OR WRIST |
| | | 42 | 1. Yes |
| | | 52 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 471 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains |
| 573 | (2) | | RIGHT SHOULDER, ELBOW, OR WRIST |
| | | 46 | 1. Yes |
| | | 48 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 471 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains |
| 574 | (3) | | LEFT HIP, KNEE, OR ANKLE |
| | | 71 | 1. Yes |
| | | 24 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 471 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains |
| 575 | (4) | | RIGHT HIP, KNEE, OR ANKLE |
| | | 73 | 1. Yes |
| | | 22 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 471 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|-------------|-----------|--|
| (565-570) | (40d (1-6)) | | WHICH MUSCLES INVOLVED: Continued |
| 576 | (5) | | NECK OR SPINE |
| | | 46 | 1. Yes |
| | | 46 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 471 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if experienced any new joint pains |
| 577 | 40g | | CHANGE IN SIZE OF WEAKENED MUSCLES |
| | | 54 | 1. Yes |
| | | 59 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 10 | 9. DK or refused |
| | | 443 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties |
| 578 | 40h | | HOW SIZE OF MUSCLES HAVE CHANGED |
| | | 1 | 1. Increased in size |
| | | 49 | 2. Decreased in size |
| | | 3 | 3. Some increased/some decreased |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|------------|-----------|--|
| (579-584) | (40i(1-6)) | | WHICH MUSCLES ARE INVOLVED: |
| 579 | (1) | | LEFT ARM OR HAND |
| | | 24 | 1. Yes |
| | | 29 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |
| 580 | (2) | | RIGHT ARM OR HAND |
| | | 21 | 1. Yes |
| | | 31 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |
| 581 | (3) | | LEFT LEG OR FOOT |
| | | 39 | 1. Yes |
| | | 15 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |
| 582 | (4) | | RIGHT LEG OR FOOT |
| | | 33 | 1. Yes |
| | | 19 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|------------|-----------|--|
| (579-584) | (40i(1-6)) | | WHICH MUSCLES ARE INVOLVED:- Continued |
| 583 | (5) | | STOMACH, BACK OR TORSO |
| | | 19 | 1. Yes |
| | | 32 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |
| 584 | (6) | | NECK OR FACE |
| | | 10 | 1. Yes |
| | | 41 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 512 | Blank. NA; Never/DK had a physical best; Still at physical best; No/DK if experienced any new polio related difficulties; No/DK if noticed change in size of muscles weakened by polio |
| (585-597) | (41a-m) | | WEAKNESS AT THE PRESENT TIME: |
| 585 | a | | RIGHT HIP/THIGH AND KNEE |
| | | 336 | 1. Not weakened |
| | | 86 | 2. Mildly weakened |
| | | 85 | 3. Moderately weakened |
| | | 44 | 4. Severely weakened |
| | | 8 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 5 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|-------------------------------|
| (585-597) | (41a-m) | | WEAKNESS AT THE PRESENT TIME: |
| 586 | b | | RIGHT CALF/ANKLE AND FOOT |
| | | 351 | 1. Not weakened |
| | | 77 | 2. Mildly weakened |
| | | 75 | 3. Moderately weakened |
| | | 44 | 4. Severely weakened |
| | | 11 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| 587 | c | | LEFT HIP/THIGH AND KNEE |
| | | 333 | 1. Not weakened |
| | | 95 | 2. Mildly weakened |
| | | 70 | 3. Moderately weakened |
| | | 51 | 4. Severely weakened |
| | | 10 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| 588 | d | | LEFT CALF/ANKLE AND FOOT |
| | | 350 | 1. Not weakened |
| | | 76 | 2. Mildly weakened |
| | | 68 | 3. Moderately weakened |
| | | 54 | 4. Severely weakened |
| | | 11 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| 589 | e | | RIGHT SHOULDER/UPPER ARM |
| | | 415 | 1. Not weakened |
| | | 59 | 2. Mildly weakened |
| | | 50 | 3. Moderately weakened |
| | | 29 | 4. Severely weakened |
| | | 5 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 6 | 9. DK or refused |
| 590 | f | | RIGHT FOREARM/WRIST AND HAND |
| | | 427 | 1. Not weakened |
| | | 63 | 2. Mildly weakened |
| | | 46 | 3. Moderately weakened |
| | | 19 | 4. Severely weakened |
| | | 4 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 5 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (585-597) | (41a-m) | | WEAKNESS AT THE PRESENT TIME: - Continued |
| 591 | g | | LEFT SHOULDER/UPPER ARM AND ELBOW |
| | | 424 | 1. Not weakened |
| | | 56 | 2. Mildly weakened |
| | | 50 | 3. Moderately weakened |
| | | 29 | 4. Severely weakened |
| | | 1 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| 592 | h | | LEFT FOREARM/WRIST AND HAND |
| | | 428 | 1. Not weakened |
| | | 60 | 2. Mildly weakened |
| | | 46 | 3. Moderately weakened |
| | | 25 | 4. Severely weakened |
| | | 1 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| 593 | i | | BREATHING MUSCLES |
| | | 471 | 1. Not weakened |
| | | 40 | 2. Mildly weakened |
| | | 28 | 3. Moderately weakened |
| | | 14 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 11 | 9. DK or refused |
| 594 | j | | SWALLOWING MUSCLES |
| | | 492 | 1. Not weakened |
| | | 41 | 2. Mildly weakened |
| | | 21 | 3. Moderately weakened |
| | | 5 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 5 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (585-597) | (41a-m) | | WEAKNESS AT THE PRESENT TIME: - Continued |
| 595 | k | | FACE MUSCLES |
| | | 515 | 1. Not weakened |
| | | 30 | 2. Mildly weakened |
| | | 12 | 3. Moderately weakened |
| | | 1 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 3 | 8. Not ascertained |
| | | 5 | 9. DK or refused |
| 596 | l | | BACK MUSCLES |
| | | 367 | 1. Not weakened |
| | | 66 | 2. Mildly weakened |
| | | 74 | 3. Moderately weakened |
| | | 49 | 4. Severely weakened |
| | | 0 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 8 | 9. DK or refused |
| 597 | m | | STOMACH MUSCLES |
| | | 451 | 1. Not weakened |
| | | 44 | 2. Mildly weakened |
| | | 39 | 3. Moderately weakened |
| | | 19 | 4. Severely weakened |
| | | 1 | 5. Completely paralyzed |
| | | 2 | 8. Not ascertained |
| | | 10 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|--|
| 598 | 42 | | THE FARTHEST COULD WALK AT PRESENT WITHOUT USING ASSISTIVE DEVICES AND WITHOUT STOPPING |
| | | 48 | 1. Cannot walk at all |
| | | 71 | 2. Walk across a room |
| | | 60 | 3. Walk up and down the street |
| | | 66 | 4. Walk around the block |
| | | 318 | 5. Walk a mile or more |
| | | 1 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| 599 | 43 | | HOW WELL CAN YOU CLIMB STAIRS |
| | | 266 | 1. Easily without a railing |
| | | 229 | 2. By using a railing |
| | | 61 | 3. Cannot climb stairs |
| | | 1 | 8. Not ascertained |
| | | 9 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (600-613) | (44a-n) | | NOW USE ANY OF THE FOLLOWING ASSISTIVE DEVICES: |
| 600 | a | | CANE(S) |
| | | 89 | 1. Yes |
| | | 473 | 2. No |
| | | 3 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 601 | b | | CRUTCH(ES) |
| | | 26 | 1. Yes |
| | | 534 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 602 | c | | WALKER |
| | | 27 | 1. Yes |
| | | 533 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 603 | d | | WHEELCHAIR/ELECTRIC CART |
| | | 49 | 1. Yes |
| | | 511 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 604 | e | | LEFT LEG BRACE |
| | | 27 | 1. Yes |
| | | 532 | 2. No |
| | | 6 | 8. Not ascertained |
| | | 1 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (600-613) | (44a-n) | | NOW USE ANY OF THE FOLLOWING ASSISTIVE DEVICES: - Continued |
| 605 | f | | RIGHT LEG BRACE |
| | | 28 | 1. Yes |
| | | 532 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| 606 | g | | LEFT ARM SPLINT/BRACE |
| | | 5 | 1. Yes |
| | | 555 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 607 | h | | LEFT HAND SPLINT/BRACE |
| | | 4 | 1. Yes |
| | | 555 | 2. No |
| | | 6 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 608 | i | | RIGHT ARM SPLINT/BRACE |
| | | 4 | 1. Yes |
| | | 556 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 609 | j | | RIGHT HAND SPLINT/BRACE |
| | | 5 | 1. Yes |
| | | 555 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 1 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| (600-613) | (44a-n) | | HOW USE ANY OF THE FOLLOWING ASSISTIVE DEVICES: - Continued |
| 610 | k | | BREATHING AIDS |
| | | 18 | 1. Yes |
| | | 541 | 2. No |
| | | 6 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 611 | l | | BACK BRACE/CORSET |
| | | 27 | 1. Yes |
| | | 532 | 2. No |
| | | 6 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 612 | m | | SPECIAL SHOE(S) OR SHOE LIFTS |
| | | 53 | 1. Yes |
| | | 508 | 2. No |
| | | 3 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| 613 | n | | ANOTHER TYPE OF DEVICE |
| | | 19 | 1. Yes |
| | | 534 | 2. No |
| | | 12 | 8. Not ascertained |
| | | 1 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 614 | 45 | | HOW EASILY GOT TIRED WHILE PERFORMING DAILY ACTIVITIES PAST FEW WEEKS |
| | | 94 | 1. Very easily during day, requiring five or more rest periods |
| | | 85 | 2. Easily during day, requiring two to four rest periods |
| | | 112 | 3. Slowly, requiring one rest period |
| | | 258 | 4. Only after exercise or before bedtime |
| | | 6 | 8. Not ascertained |
| | | 11 | 9. DK or refused |
| 615 | 46 | | PERCEPTION OF HEALTH AT PRESENT TIME |
| | | 43 | 1. Improving |
| | | 147 | 2. Declining |
| | | 371 | 3. About the same |
| | | 3 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| 616 | 47 | | WHAT DO YOU THINK IS MAIN CAUSE OF DECLINE |
| | | 51 | 1. Aging |
| | | 5 | 2. Sedentary lifestyle |
| | | 10 | 3. Return of old problems/conditions |
| | | 18 | 4. New chronic conditions |
| | | 13 | 5. Other new illness |
| | | 31 | 6. Late effects of polio |
| | | 8 | 7. Other |
| | | 1 | 8. Not ascertained |
| | | 10 | 9. DK or refused |
| | | 419 | Blank. NA; feels general health is improving/about the same/unknown |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 617 | 48 | | WHICH STATEMENT BEST DESCRIBES YOUR FEELING ABOUT YOUR PHYSICAL CONDITION |
| | | 1 | 0. Proxy |
| | | 4 | 1. I do not feel disabled |
| | | 4 | 2. Disabled for first time in life |
| | | 18 | 3. Now feel like have a second disability |
| | | 3 | 4. None of the above |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 535 | Blank. NA; feels general health is improving/about the same/ unknown; DK/other conditions caused decline in health |
| 618 | 49 | | HAS EARLIER POLIO EXPERIENCE PREPARED YOU FOR NEW DECLINE |
| | | 10 | 1. Not at all |
| | | 9 | 2. Somewhat |
| | | 8 | 3. A lot |
| | | 0 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| | | 536 | Blank. NA; feels general health is improving/about the same/ unknown; DK/other conditions caused decline in health; proxy respondent |
| 619 | 50a | | DOCTOR EVER SAID YOU HAD DIABETES |
| | | 52 | 1. Yes |
| | | 509 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 620 | 51a | | CURRENTLY TAKING MEDICATION FOR DIABETES |
| | | 38 | 1. Yes |
| | | 14 | 2. No |
| | | 0 | 4. None of the above |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 514 | Blank. NA; No/DK if currently taking medication for diabetes |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 621 | 50b | | DOCTOR EVER SAID YOU HAD EMPHYSEMA |
| | | 18 | 1. Yes |
| | | 544 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| 622 | 51b | | CURRENTLY TAKING MEDICATION FOR EMPHYSEMA |
| | | 8 | 1. Yes |
| | | 10 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 548 | Blank. NA; No/DK if currently taking medication for emphysema |
| 623 | 50c | | DOCTOR EVER SAID YOU HAD CHRONIC BRONCHITIS |
| | | 61 | 1. Yes |
| | | 501 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| 624 | 51c | | CURRENTLY TAKING MEDICATION FOR CHRONIC BRONCHITIS |
| | | 21 | 1. Yes |
| | | 39 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 505 | Blank. NA; No/DK if currently taking medication for chronic bronchitis |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 625 | 50d | | DOCTOR EVER SAID YOU HAD ASTHMA |
| | | 62 | 1. Yes |
| | | 499 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| 626 | 51d | | CURRENTLY TAKING MEDICATION FOR ASTHMA |
| | | 32 | 1. Yes |
| | | 29 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 504 | Blank. NA; No/DK if currently taking medication for asthma |
| 627 | 50e | | DOCTOR EVER SAID YOU HAD HEART PROBLEMS |
| | | 125 | 1. Yes |
| | | 436 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 628 | 51e | | CURRENTLY TAKING MEDICATION FOR HEART PROBLEMS |
| | | 71 | 1. Yes |
| | | 50 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 441 | Blank. NA; No/DK if currently taking medication for heart problems |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 629 | 50f | | DOCTOR EVER SAID YOU HAD CIRCULATION PROBLEMS IN YOUR ARMS OR LEGS |
| | | 133 | 1. Yes |
| | | 426 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| 630 | 51f | | CURRENTLY TAKING MEDICATION FOR CIRCULATION PROBLEMS |
| | | 40 | 1. Yes |
| | | 85 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| | | 433 | Blank. NA; No/DK if currently taking medication for circulation problems |
| 631 | 50g | | DOCTOR EVER SAID YOU HAD HYPERTENSION |
| | | 184 | 1. Yes |
| | | 377 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 632 | 51g | | CURRENTLY TAKING MEDICATION FOR HYPERTENSION |
| | | 148 | 1. Yes |
| | | 34 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 382 | Blank. NA; No/DK if currently taking medication for hypertension |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 633 | 50h | | DOCTOR EVER SAID YOU HAD A STROKE |
| | | 29 | 1. Yes |
| | | 532 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 634 | 51h | | CURRENTLY TAKING MEDICATION FOR STROKE |
| | | 12 | 1. Yes |
| | | 15 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 537 | Blank. NA; No/DK if currently taking medication for stroke |
| 635 | 50i | | DOCTOR EVER SAID YOU HAD STOMACH ULCERS |
| | | 76 | 1. Yes |
| | | 482 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 3 | 9. DK or refused |
| 636 | 51i | | CURRENTLY TAKING MEDICATION FOR STOMACH ULCERS |
| | | 31 | 1. Yes |
| | | 45 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 490 | Blank. NA; No/DK if currently taking medication for stomach ulcers |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 637 | 50j | | DOCTOR EVER SAID YOU HAD GALLBLADDER PROBLEMS |
| | | 62 | 1. Yes |
| | | 500 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| 638 | 51j | | CURRENTLY TAKING MEDICATION FOR GALLBLADDER PROBLEMS |
| | | 5 | 1. Yes |
| | | 56 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 504 | Blank. NA; No/DK if currently taking medication for gallbladder problems |
| 639 | 50k | | DOCTOR EVER SAID YOU HAD URINARY TRACT PROBLEMS |
| | | 82 | 1. Yes |
| | | 476 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| 640 | 51k | | CURRENTLY TAKING MEDICATION FOR URINARY TRACT PROBLEMS |
| | | 18 | 1. Yes |
| | | 62 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 484 | Blank. NA; No/DK if currently taking medication for urinary tract problems |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|---|
| 641 | 501 | | DOCTOR EVER SAID YOU HAD KIDNEY STONES |
| | | 34 | 1. Yes |
| | | 528 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| 642 | 511 | | CURRENTLY TAKING MEDICATION FOR KIDNEY STONES |
| | | 2 | 1. Yes |
| | | 32 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 532 | Blank. NA; No/DK if currently taking medication for kidney stones |
| 643 | 50m | | DOCTOR EVER SAID YOU HAD ARTHRITIS |
| | | 253 | 1. Yes |
| | | 305 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| 644 | 51m | | CURRENTLY TAKING MEDICATION FOR ARTHRITIS |
| | | 111 | 1. Yes |
| | | 132 | 2. No |
| | | 8 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| | | 313 | Blank. NA; No/DK if currently taking medication for arthritis |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 645 | 50n | | DOCTOR EVER SAID YOU HAD ANY OTHER JOINT PROBLEMS |
| | | 124 | 1. Yes |
| | | 437 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 646 | 51n | | CURRENTLY TAKING MEDICATION FOR OTHER JOINT PROBLEMS |
| | | 45 | 1. Yes |
| | | 76 | 2. No |
| | | 3 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 442 | Blank. NA; No/DK if currently taking medication for other joint problems |
| 647 | 50o | | DOCTOR EVER SAID YOU HAD CANCER OR LEUKEMIA |
| | | 55 | 1. Yes |
| | | 506 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 648 | 51o | | CURRENTLY TAKING MEDICATION FOR CANCER OR LEUKEMIA |
| | | 4 | 1. Yes |
| | | 50 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 511 | Blank. NA; No/DK if currently taking medication for leukemia |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 649 | 50p | | DOCTOR EVER SAID YOU HAD A NERVE OR MUSCLE DISORDER OTHER THAN POLIO |
| | | 75 | 1. Yes |
| | | 482 | 2. No |
| | | 5 | 8. Not ascertained |
| | | 4 | 9. DK or refused |
| 650 | 51p | | CURRENTLY TAKING MEDICATION FOR A NERVE OR MUSCLE DISORDER |
| | | 31 | 1. Yes |
| | | 43 | 2. No |
| | | 1 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 491 | Blank. NA; No/DK if currently taking medication for a nerve or muscle disorder |
| 651 | 50q | | DOCTOR EVER SAID YOU HAD A SLEEP DISORDER |
| | | 63 | 1. Yes |
| | | 499 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| 652 | 51q | | CURRENTLY TAKING MEDICATION FOR A SLEEP DISORDER |
| | | 24 | 1. Yes |
| | | 36 | 2. No |
| | | 2 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 503 | Blank. NA; No/DK if currently taking medication for a sleep disorder |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|---|
| 653 | 50r | | DOCTOR EVER SAID YOU HAD PROSTATE PROBLEMS |
| | | 32 | 1. Yes |
| | | 204 | 2. No |
| | | 6 | 8. Not ascertained |
| | | 0 | 9. DK or refused |
| | | 324 | Blank. NA; female |
| 654 | 51r | | CURRENTLY TAKING MEDICATION FOR PROSTATE PROBLEMS |
| | | 4 | 1. Yes |
| | | 27 | 2. No |
| | | 0 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| | | 534 | Blank. NA; female, No/DK if currently taking medication for prostate problems |
| 655 | 52 | | DOCTOR EVER SAID YOU SUFFERED FROM POST-POLIO SYNDROME |
| | | 64 | 1. Yes |
| | | 490 | 2. No |
| | | 4 | 8. Not ascertained |
| | | 8 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| 656 | 53 | | DO YOU THINK YOU HAVE POST-POLIO SYNDROME |
| | | 133 | 1. Yes |
| | | 355 | 2. No |
| | | 3 | 8. Not ascertained |
| | | 75 | 9. DK or refused |
| (657-666) | (54a-j) | | STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: |
| 657 | a | | CAN MAKE OF MY LIFE PRETTY MUCH WHAT I WANT TO |
| | | 20 | 0. Proxy respondent |
| | | 28 | 1. Not true |
| | | 114 | 2. Somewhat true |
| | | 394 | 3. Very true |
| | | 8 | 8. Not ascertained |
| | | 2 | 9. DK or refused |
| 658 | b | | ONCE I DECIDE TO DO SOMETHING, I COMPLETE THE JOB |
| | | 20 | 0. Proxy respondent |
| | | 21 | 1. Not true |
| | | 115 | 2. Somewhat true |
| | | 396 | 3. Very true |
| | | 9 | 8. Not ascertained |
| | | 5 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (657-666) | (54a-j) | | STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: - Continued |
| 659 | c | | I DON'T LET PERSONAL FEELINGS INTERFERE WITH GETTING JOB DONE |
| | | 20 | 0. Proxy respondent |
| | | 37 | 1. Not true |
| | | 137 | 2. Somewhat true |
| | | 352 | 3. Very true |
| | | 9 | 8. Not ascertained |
| | | 11 | 9. DK or refused |
| 660 | d | | IMPORTANT TO DO THINGS IN WAY I WANT RATHER THAN WAY OTHER PEOPLE WANT THEM TO BE DONE |
| | | 20 | 0. Proxy respondent |
| | | 62 | 1. Not true |
| | | 169 | 2. Somewhat true |
| | | 292 | 3. Very true |
| | | 10 | 8. Not ascertained |
| | | 13 | 9. DK or refused |
| 661 | e | | SOMETIMES FEEL THAT HAVE TO DO THINGS MYSELF FOR THEM TO BE DONE RIGHT |
| | | 20 | 0. Proxy respondent |
| | | 87 | 1. Not true |
| | | 190 | 2. Somewhat true |
| | | 250 | 3. Very true |
| | | 11 | 8. Not ascertained |
| | | 8 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|----------------|----------|-----------|--|
| (657-666) | (54a-j) | | STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: - Continued |
| 662 | f | | LIKE DOING THINGS THAT OTHERS SAID COULD NOT BE DONE |
| | | 20 | 0. Proxy respondent |
| | | 87 | 1. Not true |
| | | 163 | 2. Somewhat true |
| | | 268 | 3. Very true |
| | | 10 | 8. Not ascertained |
| | | 18 | 9. DK or refused |
| 663 | g | | STAND UP FOR THINGS I BELIEVE IN REGARDLESS OF CONSEQUENCES |
| | | 20 | 0. Proxy respondent |
| | | 31 | 1. Not true |
| | | 132 | 2. Somewhat true |
| | | 361 | 3. Very true |
| | | 11 | 8. Not ascertained |
| | | 11 | 9. DK or refused |
| 664 | k | | HARD WORK IS BEST WAY FOR YOUNG PERSON TO GET AHEAD IN LIFE |
| | | 20 | 0. Proxy respondent |
| | | 18 | 1. Not true |
| | | 113 | 2. Somewhat true |
| | | 396 | 3. Very true |
| | | 10 | 8. Not ascertained |
| | | 9 | 9. DK or refused |
| 665 | i | | PEOPLE HAVE MADE FUN OF ME BECAUSE OF PHYSICAL EFFECTS OF POLIO |
| | | 20 | 0. Proxy respondent |
| | | 364 | 1. Not true |
| | | 80 | 2. Somewhat true |
| | | 84 | 3. Very true |
| | | 11 | 8. Not ascertained |
| | | 7 | 9. DK or refused |

1994-1995 NATIONAL HEALTH INTERVIEW SURVEY

DISABILITY PHASE II POLIO PUBLIC USE FILE

| Tape Locations | Item No. | Frequency | Items and Codes |
|-------------------|----------|-----------|--|
| (657-666) | (54a-j) | | STATEMENTS THAT ARE NOT TRUE, SOMEWHAT TRUE, VERY TRUE, OR DK: - Continued |
| 666 | j | | BEEN DISCRIMINATED AGAINST BECAUSE OF PHYSICAL EFFECTS OF POLIO |
| | | 20 | 0. Proxy respondent |
| | | 440 | 1. Not true |
| | | 38 | 2. Somewhat true |
| | | 42 | 3. Very true |
| | | 12 | 8. Not ascertained |
| | | 14 | 9. DK or refused |
| 667 | 55 | | HOW SATISFIED ARE YOU WITH YOUR LIFE TODAY-GRADED ON A SCALE OF "1"- "7" |
| | | 20 | 0. Proxy respondent |
| | | 165 | 1. Very Satisfied |
| | | 117 | 2. |
| | | 83 | 3. |
| | | 52 | 4. To |
| | | 44 | 5. |
| | | 30 | 6. |
| | | 44 | 7. Very Unsatisfied |
| | | 10 | 8. Not ascertained |
| | | 1 | 9. DK or refused |
| 668-670 | - | - | BLANK |

APPENDIX 1
Variance Estimation for Person Data Using Sudaan and the
National Health Interview Survey (NHIS)
Disability Phase II Polio Public Use Data File, 1994 - 1995

The Disability Phase II Polio Public Use Data File should be considered as a special database whose analytic potential is somewhat more limited than that of other NHIS produced databases. Like the traditional 1994 or 1995 NHIS databases, this file has the capability of producing national level estimates for the polio-survivor population. For a discussion of the weighting and suggested estimation procedures for this database see the basic cover documentation for the Polio file. Please note that the design information provided for variance estimation is structured quite differently from that which appears on the traditional databases. The data user should be aware of two features.

i. Only the 566 polio survivors are represented in the database. Because of the very sparse distribution of the target domain within the original PSUs, the original 1994 and 1995 strata were collapsed within year by stratum characteristics, and then the original PSUs were randomly combined with those belonging to other matched strata. This collapsing and combining was done independently of the sample NHIS. For variance estimation we have 90 collapsed strata, each having 2 combined PSUs. On the average, one should expect the variance estimators to be somewhat conservative. Furthermore, the two years of data were originally combined to improve reliability. Many separate year estimates will not achieve acceptable reliability, and the one-year standard errors will be unstable. Single-year analyses are discouraged.

ii. This database is special in that the weights and several design identifiers are not consistent with other existing 1994 or 1995 databases. This data should not be linked with other databases. The NCHS' policy on disclosure for survey respondents precludes the release of any additional design information for the target population.

Method for computing Variances

1. The following four design variables should be read into your working file.

| Variable Name | Tape Location | Field Label |
|---------------|---------------|-----------------------------|
| YEAR | 3-4 | 'PROCESSING YEAR' |
| STRAT_P | 345-348 | 'POLIO STRATUM' |
| PSU_P | 349 | 'POLIO PSU' |
| WTF | 201-206 | 'FINAL ANNUAL BASIC WEIGHT' |

2. There are two equivalent SUDAAN representations for the design structure.

```
PROC NAME      ....      DESIGN = WR      ;  
  
NEST   YEAR   STRAT_P   PSU_P   /PSULEV=3   ;  
  
WEIGHT      WTF;
```

(the PSULEV = 3 tells SUDAAN that PSU_P is in the third position - usually it expects PSU to be in the second position on the nest statement)

(the data must first be sorted by YEAR STRAT_P PSU_P).

Or

first recode YEAR and STRAT_P to

```
STRAT_PR = 100*YEAR + STRAT_P ;
```

then use

```
PROC NAME      ....      DESIGN = WR      ;  
  
NEST   STRAT_PR   PSU_P ;  
  
WEIGHT      WTF;
```

(the data must first be sorted by STRAT_PR PSU_P)

Note, the latter recoded design has just two levels and can be used with non-SUDAAN software.

APPENDIX B

INDUSTRY RECODES OUTLINE

Revised in 1995

| Recodes | | | |
|-------------------------|-------------------------|--|--|
| No. 1 Chrs. 80-81 | No. 2 Chrs. 82-83 | Industry Title | SIC Code* |
| 01 | 01 | AGRICULTURE | 01-02,071-072,074-076,078 |
| 02 | 01 | FORESTRY AND FISHERIES | 08-09 |
| 10 | 02 | MINING | 10,12-14 |
| 20 | 03 | CONSTRUCTION | 15-17 |
| (30-34, 40-46) | (04) | MANUFACTURING: | |
| (30-34) | | NONDURABLE GOODS | |
| 30 | 04 | Food and kindred products | 201-209 |
| 31 | 04 | Textile mill and finished textile products | 221-229,231-239 |
| 32 | 04 | Printing, publishing and allied industries | 271-279 |
| 33 | 04 | Chemicals and allied products | 281-287,289 |
| 34 | 04 | Other nondurable goods | 21,261-263,265,267,291,295,299,301-306,308,311,313-317,319 |

*Standard Industrial Classification

APPENDIX B

INDUSTRY RECODES OUTLINE

Revised in 1995

| Recodes | | | |
|-------------------------|-------------------------|---|--|
| No. 1 Chrs. 80-81 | No. 2 Chrs. 82-83 | Industry Title | SIC Code* |
| (30-34, 40-46) | (04) | MANUFACTURING: - continued | |
| (40-46) | | DURABLE GOODS | |
| 40 | 04 | Furniture, lumber and wood | 241-245,249,25 |
| 41 | 04 | Primary metal industries | 331-332,334,3331, 3334,3339,3351, 3353-3357,3363- 3366,3369,339 |
| 42 | 04 | Fabricated metal industries, including ordnance | 341-349 |
| 43 | 04 | Machinery, except electrical | 351-359 |
| 44 | 04 | Electrical machinery, equipment and supplies | 361-367,369 |
| 45 | 04 | Transportation equipment | 371-376,379 |
| 46 | 04 | Other and not specified durable goods | 321-329,381-382, 384-387,39 |

*Standard Industrial Classification

APPENDIX B

INDUSTRY RECODES OUTLINE

Revised in 1995

| Recodes | | | |
|-------------------------|-------------------------|--|-----------------|
| No. 1 Chrs. 80-81 | No. 2 Chrs. 82-83 | Industry Title | SIC Code* |
| (50-54) | (05) | TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES | |
| 50 | 05 | Railroads | 40 |
| 51 | 05 | Trucking service and warehousing | 421-423 |
| 52 | 05 | Other transportation | 41,43-47 |
| 53 | 05 | Communications | 481-484,489 |
| 54 | 05 | Utilities and sanitary | 491-497 |
| 60 | 06 | WHOLESALE TRADE | 501-509,511-519 |

*Standard Industrial Classification

APPENDIX B

INDUSTRY RECODES OUTLINE

Revised in 1995

| Recodes | | | |
|-------------------------|-------------------------|---|--|
| No. 1 Chrs. 80-81 | No. 2 Chrs. 82-83 | Industry Title | SIC Code* |
| (61-65) | (07) | RETAIL TRADE | |
| 61 | 07 | General merchandise stores | 531,533,539 |
| 62 | 07 | Food, bakery and dairy stores | 541-546,549 |
| 63 | 07 | Automotive dealers and gasoline stations | 551-557,559 |
| 64 | 07 | Eating and drinking places | 58 |
| 65 | 07 | Other and not specified retail trade | 521,523,525-527,56,571-572,5731,5734-5736,591-594,5961-5963,598,5992-5995,5999 |
| (70-71) | (08) | FINANCE, INSURANCE, AND REAL ESTATE | |
| 70 | 08 | Banking and credit agencies | 60-61 |
| 71 | 08 | Insurance, real estate, and other finance | 62-65,67 |

*Standard Industrial Classification

APPENDIX B

INDUSTRY RECODES OUTLINE

Revised in 1995

| Recodes | | | |
|-------------------------|-------------------------|---|--|
| No. 1 Chrs. 80-81 | No. 2 Chrs. 82-83 | Industry Title | SIC Code* |
| (75-85) | (09-12) | SERVICES: | |
| (75-76) | (09) | BUSINESS AND REPAIR SERVICES | |
| 75 | 09 | Business services | 731-738, 751, 752, 7542 |
| 76 | 09 | Repair services | 753, 7549, 762-764, 7692, 7694, 7699 |
| (77-78) | (10) | PERSONAL SERVICES | |
| 77 | 10 | Private households | 88 |
| 78 | 10 | Other personal services | 701-704, 721-726, 729 |
| 79 | 11 | ENTERTAINMENT AND RECREATION SERVICES | 781-784, 791-794, 799 |
| (80-85) | (12) | PROFESSIONAL AND RELATED SERVICES | |
| 80 | 12 | Hospitals | 806 |
| 81 | 12 | Health services, except hospitals | 801-803, 8041-8043, 8049, 805, 807-809 |
| 82 | 12 | Elementary and secondary schools and colleges | 821-822 |
| 83 | 12 | Other educational services | 823-824, 829 |
| 84 | 12 | Social services, religious and membership organizations | 832-833, 835-836, 839, 84, 861-866, 869 |
| 85 | 12 | Legal, engineering and other professional services | 81, 871-874, 899 |

*Standard Industrial Classification

APPENDIX B

INDUSTRY RECODES OUTLINE

Revised in 1995

| Recodes | | | |
|-------------------------|-------------------------|--|-------------------|
| No. 1 Chrs. 80-81 | No. 2 Chrs. 82-83 | Industry Title | SIC Code* |
| 90 | 13 | PUBLIC ADMINISTRATION | 911-913,919,92-97 |
| 95 | 14 | UNKNOWN INDUSTRY (Includes never worked) | - |
| 96 | 14 | REFUSED, CLASSIFIED, ETC. | |
| 97 | 15 | NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force). | |
| 98 | 16 | ARMED FORCES (excludes Reserves and National Guard) | |

*Standard Industrial Classification

APPENDIX B

INDUSTRY RECODE TITLES

| Code | Titles | Recode No. 1 Inclusions |
|------|--|----------------------------|
| 01 | AGRICULTURE, FORESTRY AND FISHERIES | 01,02 |
| 02 | MINING | 10 |
| 03 | CONSTRUCTION | 20 |
| 04 | MANUFACTURING | 30-34, 40-46 |
| 05 | TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES | 50-54 |
| 06 | WHOLESALE TRADE | 60 |
| 07 | RETAIL TRADE | 61-65 |
| 08 | FINANCE, INSURANCE, AND REAL ESTATE | 70-71 |
| 09 | BUSINESS AND REPAIR SERVICES | 75-76 |
| 10 | PERSONAL SERVICES | 77-78 |
| 11 | ENTERTAINMENT AND RECREATION SERVICES | 79 |
| 12 | PROFESSIONAL AND RELATED SERVICES | 80-85 |
| 13 | PUBLIC ADMINISTRATION | 90 |
| 14 | UNKNOWN (includes never worked, refused, classified, etc.) | 95-96 |
| 15 | NOT IN LABOR FORCE | 97 |
| 16 | ARMED FORCES | 98 |

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|----------------|----------------|--|--|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. 87-88 | Chrs. 89-90 | | |
| (01-03) | (01) | EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS | - |
| 01 | 01 | Officials and administrators, public administration | 111-113 |
| 02 | 01 | Managers and administrators, except public administration | 121-128,131- 1344,1351- 1354,1359, 136-139 |
| 03 | 01 | Management related occupations | 1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472- 1473,149 |

*Standard Occupational Classification

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|---|---|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| (04-11) | (02) | PROFESSIONAL SPECIALTY OCCUPATIONS | - |
| 04 | 02 | Engineers | 1622-1628,1632- 1637,1639 |
| 05 | 02 | Architects and surveyors | 161,164 |
| 06 | 02 | Natural mathematical and computer scientists | 171-172,1732- 1733,1739, 1842-1843, 1845-1847,1849, 1852-1855 |
| 07 | 02 | Health diagnosing occupations | 261-262,27,281, 283,289 |
| 08 | 02 | Health assessment and treating occupations | 29,301-302, 3031-3034,3039, 304 |
| 09 | 02 | Teachers, librarians and Counselors | 2212-2218, 2222-2228, 2231-2238, 2242-2247, 2249,231-233, 235,236,239,24, 251,252 |
| 10 | 02 | Writers, artists, entertainers and athletes | 34,321-329, 331-333,398 |
| 11 | 02 | Other professional specialty occupations | 1912-1916, 1919,192, 2032-2033, 2042,2049, 211-212 |

*Standard Occupational Classification.

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|---|---|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| (12-13) | (03) | TECHNICIANS AND RELATED SUPPORT OCCUPATIONS | - |
| 12 | 03 | Health technologists and technicians | 362-366,369 |
| 13 | 03 | Technologists, technicians except health | 3711-3713,3719, 372-373,382, 3831-3833, 384,389, 392-393,396, 3971-3972, 3974,399, 825 |
| (14-16) | (04) | SALES OCCUPATIONS | - |
| 14 | 04 | Supervisors and proprietors | 40 |
| 15 | 04 | Sales representatives, commodities and finance | 4122-4124, 4152-4153, 421,423-424 |
| 16 | 04 | Other sales | 4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449 |

*Standard Occupational Classification

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|---|---|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| (17-21) | (05) | ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL | - |
| 17 | 05 | Computer equipment operators | 4612-4613 |
| 18 | 05 | Secretaries, stenographers and typists | 4622-4624 |
| 19 | 05 | Financial records processing occupations | 4712-4713, 4715-4716, 4718 |
| 20 | 05 | Mail and message distributing | 4742-4745 |
| 21 | 05 | Other administrative support | 4511-4514,4516, 4519,4521-4529, 463,4642-4645, 4649,4662-4664, 4692,4694,4696, 4699,4722-4723, 4729,4732-4733, 4739,4751-4759, 4782-4784,4786- 4787,4791-4795, 4799 |
| 22 | 06 | Private household occupations | 502-507,509 |

*Standard Occupational Classification.

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|--|--|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| (23-24) | (07) | PROTECTIVE SERVICE OCCUPATIONS | |
| 23 | 07 | Police and firefighters | 5111-5112, 5122-5123, 5132-5134 |
| 24 | 07 | Other protective service occupations | 5113,5142,5144, 5149 |
| (25-28) | (08) | SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD | |
| 25 | 08 | Food service | 5211-5219 |
| 26 | 08 | Health service | 5232-5233,5236 |
| 27 | 08 | Cleaning and building service | 5241-5242, 5244-5246,5249 |
| 28 | 08 | Personal service | 5251-5258,5262- 5264,5269 |
| (29-31) | (09) | FARMING, FORESTRY AND FISHING OCCUPATIONS | |
| 29 | 09 | Farm operators and managers | 5512-5515,5522- 5525 |
| 30 | 09 | Farm workers and other agricultural workers | 5611-5619, 5621-5622, 5624-5625,5627 |
| 31 | 09 | Forestry and fishing occupations | 571-573,579, 583-584,8241(pt.) |

*Standard Occupational Classification.

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|---|---|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| (32-34) | (10) | PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS | |
| 32 | 10 | Mechanics and repairers | 60,6111-6118, 613-614,6151- 6159,616,6171- 6179 |
| 33 | 10 | Construction and extractive trades | 6311-6316,6318, 632,6412- 6414(pt.),6422, 6424,6432-6433, 6442-6444,645, 6462-6468,6472- 6476,6479,652- 654,656 |
| 34 | 10 | Precision production occupations | 67,71, 6811-6814, 6816-6817, 6821-6824, 6829,6831-6832, 6835,6839,6844, 6852-6854,6856, 6859,6861-6862, 6864-6867,6869, 6871-6873,6879, 6881-6882,691- 696,7477(pt.), 7668,7677(pt.), 7752,828 |

*Standard Occupational Classification

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|--|---|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| | | OPERATORS, FABRICATORS AND LABORERS | |
| (35-36) | (11) | MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS | |
| 35 | 11 | Machine operators and tenderers, except precision | 6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329, 7339,7342-7344, 7349,7431-7435, 7439,7443-7444, 7449,7451-7452, 7459,7462-7463, 7467,7472,7474, 7476-7478,7479, 7512-7519,7522, 7529,7539,7542- 7544,7549,7631- 7636,7639,7642- 7644,7649,7651- 7652,7654-7659, 7661-7667,7669, 7671-7676, 7677(pt.), 7678-7679 |
| 36 | 11 | Fabricators, assemblers, inspectors and samplers | 7332-7333,7532- 7533,7714,7717, 72,774,7753- 7759,782-785,787 |

*Standard Occupational Classification

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|---------|-------|---|---|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. | Chrs. | | |
| 87-88 | 89-90 | | |
| (37-39) | (12) | TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS | |
| 37 | 12 | Motor vehicle operators | 8111,8212-8216, 8218-8219,874 |
| 38 | 12 | Other transportation, except motor vehicles | 8113,8232-8233, 8239,8241(pt.), 8242-8245 |
| 39 | 12 | Material moving equipment operators | 812,8312-8319 |
| (40-41) | (13) | HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS | |
| 40 | 13 | Construction laborers | 871 |
| 41 | 13 | Freight, stock and material handlers | 85,861-863, 8641-8646, 8648,865, 8722-8726,873, 875,8761,8769 |

*Standard Occupational Classification

APPENDIX C

OCCUPATION RECODE OUTLINE

Revised in 1995

| Recodes | | | |
|----------------|----------------|--|-----------|
| No. 1 | No. 2 | Occupation Title | SOC Code* |
| Chrs. 87-88 | Chrs. 89-90 | | |
| 95 | 14 | UNKNOWN OCCUPATION (Includes never worked) | |
| 96 | 14 | REFUSED, CLASSIFIED, ETC. | |
| 97 | 15 | NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (Loc. 75). (Under 18 or 18+ and Not in Labor Force) | |
| 98 | 16 | MILITARY | |

*Standard Occupational Classification

APPENDIX C

OCCUPATION RECODE TITLES

| Code | Titles | Recode No. 1 Inclusions |
|------|--|----------------------------|
| | MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS | |
| 01 | EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS | 01-03 |
| 02 | PROFESSIONAL SPECIALTY OCCUPATIONS | 04-11 |
| | TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS | |
| 03 | TECHNICIANS AND RELATED SUPPORT OCCUPATIONS | 12-13 |
| 04 | SALES OCCUPATIONS | 14-16 |
| 05 | ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL | 17-21 |
| | SERVICE OCCUPATIONS | |
| 06 | PRIVATE HOUSEHOLD OCCUPATIONS | 22 |
| 07 | PROTECTIVE SERVICE OCCUPATIONS | 23-24 |
| 08 | SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD | 25-28 |
| 09 | FARMING, FORESTRY AND FISHING OCCUPATIONS | 29-31 |
| 10 | PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS | 32-34 |
| | OPERATORS, FABRICATORS AND LABORERS | |
| 11 | MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS | 35-36 |
| 12 | TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS | 37-39 |
| 13 | HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS | 40-41 |
| 14 | UNKNOWN OCCUPATION (includes never worked, refused, classified, etc.) | 95-96 |
| 15 | NOT IN LABOR FORCE | 97 |
| 16 | MILITARY | 98 |