FIJ - 1 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
RECTYPE Generated		Generated variable
		AGE = All and PPOIS3M = 1 / All poison episodes
		Poison episodes for persons who had at least one poisoning during the past 3 months
1-2		Record Type
	226	80 Poison Episode
Sources: None Recodes: None Keywords: None Notes: None		
SRVY_YR Generated		Generated variable
Generated		AGE = All and PPOIS3M = 1 / All poison episodes
		Poison episodes for persons who had at least one poisoning during the past 3 months
3-6		Survey Year
	226	1997 1997
Sources: None Recodes: None Keywords: survey Notes: None	year	

FIJ - 2 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.		Question Variable Universe Universe Description Variable Label	Date last modified 10/26/99
	Freq.	Value / Value Labels	
HHX Generated		Generated variable	
Generaceu		AGE = All and PPOIS3M	= 1 / All poison episodes
		Poison episodes for p poisoning during the	ersons who had at least one past 3 months
7-12		Household Serial Numb	er

Sources: None Recodes: None

Keywords: household number

Notes: Use this variable to identify individual households.

Generated

Generated

AGE = All and PPOIS3M = 1 / All poison episodes

Poison episodes for persons who had at least one poisoning during the past 3 months

13-14

Family Serial Number

Sources: None Recodes: None

Keywords: family number

Notes: Use this variable in combination with HHX to identify individual

families.

FIJ - 3 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name		Question	Date last modified 10/26/99
Question No.		Variable Universe	
Location		Universe Description Variable Label	
	Freq.	Value / Value Labels	
PX Generated		Generated variable	
		AGE = All and PPOIS3M	= 1 / All poison episodes
		Poison episodes for poisoning during the	ersons who had at least one past 3 months
15-16		Person Number	

Sources: None Recodes: None

Keywords: person number

Notes: Use this variable in combination with HHX and FMX to identify

individual persons.

POIEPNO Generated		Generated variable
		AGE = All and PPOIS3M = 1 / All poison episodes
		Poison episodes for persons who had at least one poisoning during the past 3 months
17		Poison episode number
	209 10 5 2	<pre>1 First poison episode 2 Second poison episode 3 Third poison episode 4 Fourth poison episode</pre>

Sources: None Recodes: None Keywords: injury

Notes: Use this variable in combination with HHX, FMX, and PX to identify poison episodes for individual persons or use this variable in combination with CTRLNUM and PX to identify poison episodes for

individual persons. This variable contains episodes that did not meet

the criteria for poisoning. See the Survey Description for more

details.

FIJ - 4 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
POIDTEM		When did poisoning happen?
FIJ.330		AGE = All and PPOIS3M = 1 / All poison episodes
		Poison episodes for persons who had at least one poisoning during the past 3 months
18-19		Month of poisoning
	9 19 22 22 12 14 34 17 18 22 16 15 0 6	01 January 02 February 03 March 04 April 05 May 06 June 07 July 08 August 09 September 10 October 11 November 12 December 97 Refused 98 Not ascertained 99 Don't know
Sources: None Recodes: None		

Keywords: poison; date Notes: None

FIJ - 5 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
PDAY FIJ Recode		Recode AGE = All and PPOIS3MR = 1
		Persons who had at least one poisoning episode during the past 3 months
20-21	16 23 38 19 18 17 20 0 75 0	Day of week of poisoning 01 Sunday 02 Monday 03 Tuesday 04 Wednesday 05 Thursday 06 Friday 07 Saturday 97 Refused 98 Not ascertained 99 Don't know <blank: in="" not="" universe=""></blank:>

Sources: POIDTEM; POIDTED; POIDTEY

Recodes: None

Keywords: poison; day

Notes: This variable was calculated using the date as reported by the

respondent. In many cases, there appears to be a preference for choosing the 1st and 15th as the day of the month (i.e. heaping). This

variable should be used with caution.

FIJ - 6 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name		Question Date last modified 10/26/99
Question No.		Variable Universe
Quescion No.		Universe Description
Location		Variable Label
Locacion	Freq.	Value / Value Labels
	rreq.	value / value habels
POIDTEY		When did poisoning happen?
FIJ.330		AGE = All and PPOIS3M = $1 / All$ poison episodes
		AGE - AII and FF0185M - I / AII p0180M ep180des
		Poison episodes for persons who had at least one
		poisoning during the past 3 months
22-25		Year of poisoning
22 23		ical of poisoning
	13	1996 1996
	175	1997 1997
	0	1998 1998
	0	9997 Refused
	38	9998 Not ascertained
	0	9999 Don't know
Sources: None		
D 1 . M		

Recodes: None

Keywords: poison; date

Notes: None

RPCKDMP FIJ Recode	Rec	ode
110 1100000	AGE	= All and PPOIS3M = 1 / All poison episodes
		son episodes for persons who had at least one soning during the past 3 months
26-27	Tim	e between interview and poison dates
15	0 00-	91 0-91 days
	1 92	92-99 days
	3 93	Same month as interview
2	1 94	Month before month of interview
2	4 95	2 months before month of interview
2	1 96	3 or 4 months before month of interview
	6 98	Not ascertained

Sources: RPCKDP; RPCKMP

Recodes: None

Keywords: poison; elapsed time

Notes: This variable was calculated by subtracting the date of the poison episode from the closing date of the interview. If the exact date was unknown but month was known, codes 93-96 were assigned as appropriate. For more information about this variable see the Survey Description

document.

FIJ - 7 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.	Freq.	Question Date last modified 10/26/99 Variable Universe Universe Description Variable Label Value / Value Labels
POITPR2 FIJ.340		Did {person}'s poisoning result from: AGE = All and PPOIS3M = 1 / All poison episodes Poison episodes for persons who had at least one poisoning during the past 3 months
28-29	64 49 20 5 33 6 22 25 0 0	Cause of poisoning Ol A drug or med substance used mistakenly/od Ol A harmful or toxic solid or liquid substance Ol Inhaling gases or vapors Ol Eating poisonous plant/substance Ol A venomous animal or plant Ol Something else - poisoning Ol Allergic/adverse reaction to med/otr substance Ol Something else - NOT poisoning Ol Refused Ol Not ascertained Ol Don't know Slank: Not in Universe

Sources: None Recodes: None

Keywords: poison; drug; toxic substance; gas; plant; animal

Notes: See Survey Description for a detailed description of values "07" and

"08."

FIJ - 8 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Ouestion No.		Question Date last modified 10/26/99 Variable Universe
~		Universe Description
Location		Variable Label
	Freq.	Value / Value Labels
POICC		Did you or someone else call a poison control center for advice in treating {person}'s poisoning?
FIJ.360		
		AGE = All and PPOIS3M = 1 / All poison episodes
		Poison episodes for persons who had at least one poisoning during the past 3 months
30		Called poison control center
	84	1 Yes
	129	2 No
	0	7 Refused
	10	8 Not ascertained
	3	9 Don't know

Sources: None Recodes: None

Keywords: poison; poison control center

Notes: None

FIJ - 9 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
PHOSP		{Were/Was} {person} hospitalized for at least one night as a result of this poisoning?
FIJ.370		AGE = All and PPOIS3M = 1 / All poison episodes
		Poison episodes for persons who had at least one poisoning during the past 3 months
31		Hospitalized for poisoning
	35 190 0 1	1 Yes 2 No 7 Refused 8 Not ascertained 9 Don't know

Sources: None Recodes: None

Keywords: poison; hospitalized

Notes: Refer to FHOSPYR FAU.050 for a family level question on a related

topic. The data in PHOSP FIJ.370 and FHOSPYR FAU.050 were not compared

for consistency.

FIJ - 10 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Question Date last modified 10/26/99
Variable Universe
Universe Description
Variable Label
Value / Value Labels
How many nights {were/was} {person} in the hospital?
AGE = All and PPOIS3M = 1 and PHOSP = 1
Poison episodes for persons who had at least one poisoning during the past 3 months that resulted in hospitalization
Number of nights hospitalized
01-94 1-94 nights 95 95+ nights 97 Refused 98 Not ascertained 99 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: poison; hospital

Notes: Refer to HPNITE FAU.110 for a family level question on a related topic. The data in PHNO FIJ.380 and HPNITE FAU.110 were not compared for

consistency.

FIJ - 11 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name		Question Date last modified 10/26/99		
Question No.		Variable Universe		
200000000000000000000000000000000000000		Universe Description		
Location		Variable Label		
	Freq.	Value / Value Labels		
PWKLS		As a result of this poisoning, how much work did {person} miss?		
FIJ.400		AGE > 13 years and PPOIS3M = 1		
		Poison episodes for persons > 13 years who had at least one poisoning during the past 3 months		
34		Days absent from work		
	75 6 24 11 39 0 2 0 69	<pre>0 None 1 Less than 1 day 2 One to five days 3 Six or more days 6 Not employed at the time of poisoning 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:></pre>		

Sources: None Recodes: None

Keywords: poison; work; days absent

Notes: Refer to WKDAYR_1 AHS.040 for a person level question on a related topic. The data in PWKLS FIJ.400 and WKDAYR_1 AHS.040 were not

compared for consistency.

FIJ - 12 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.		Question Date last modified 10/26/99 Variable Universe Universe Description
Location	Freq.	Variable Label Value / Value Labels
PSCLS FIJ.410		As a result of this poisoning, how much school did {person} miss? AGE > 4 years and PPOIS3M = 1
		Poison episodes for persons > 4 years who had at least one poisoning during the past 3 months
35	96 2 7 3 62 0 9 0	Days absent from school 0 None 1 Less than 1 day 2 One to five days 3 Six or more days 6 Not in school at the time of the injury 7 Refused 8 Not ascertained 9 Don't know <blank: in="" not="" universe=""></blank:>

Sources: None Recodes: None

Keywords: poison; school; days absent

Notes: Refer to SCHDAYR CHS.220 for a person level question on a related

topic. The data in PSCLS FIJ.410 and SCHDAYR CHS.220 were not compared

for consistency.

FIJ - 13 1997 NATIONAL HEALTH INTERVIEW SURVEY POISON EPISODE - PUBLIC USE 226 RECORDS

Variable Name Question No.		Question Variable Universe Universe Description	Date last modified 10/26/99
Location	Freq.	Variable Label Value / Value Labels	
WTFA Generated		Generated variable	
		AGE = All and PPOIS3M	= 1 / All poison episodes
		Poison episodes for pe poisoning during the p	ersons who had at least one past 3 months
36-41		Weight - Final Annual	

Sources: None Recodes: None

Keywords: final weight; annual; person weight

Notes: This weight should be used for most analyses at the person level when using a full year of data. All poison questions have a recall period

of 3 months. Annual estimates should be calculated as follows:

(variable)(4)(WTFA) = annual estimate of a variable.