2020 NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

Variable: TYPEABC

Module: Front

Section: FRT : Front
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ? [F1]

* Is this a TYPE A, B or C non-interview?

Description: Type of noninterview

Recode:

Universe: START=2 and (PINTRO=1 or TINTRO=2) and MARK LT 12

Universe Description: Non-interview is selected from the start screen and the interview is conducted

over the phone but the respondent is not driving or the case is ready to be transmitted, and the case has not progressed to the household composition

section

Sources:

Question ID: FRT.0100.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TYPEABC Type of noninterview

Code	Description	Frequency	Percent
1	Type A	25684	99.04
2	Type B	249	0.96
3	Type C	0	0.00

Variable: TYPEA

Module: Front

Section: FRT : Front
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ? [F1]

* Indicate specific TYPE A reason.

Description: Reason for Type A

Recode:

Universe: TYPEABC=1

Universe Description: All Type A Non-interviews

Sources:

Question ID: FRT.0110.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TYPEA Reason for Type A

Code	Description	Frequency	Percent
1	Refused	1106	7 43.09
2	No one home, repeated calls	704	5 27.43
3	Temporarily absent	12	9 0.50
4	Language problem	23	5 0.91
5	Other	720	8 28.06
8	Not Ascertained		0.00

PUBLIC USE

Variable: TYPEBOBS

Module: Front

Section: FRT : Front
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Did you make this non - interview classification by observation only?

Description: Type B by observation

Recode:

Universe: 1<=TYPEB<=10

Universe Description: All Type B Non-interviews

Sources:

Question ID: FRT.0210.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TYPEBOBS Type B by observation

Code	Description	Frequency	Percent
1	Yes	6	2.41
2	No	243	97.59
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: RECTYPE

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata, Adultlong, Adultpart

Data Type: Numeric

Length: 2

Question Text:

Description: Record type

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

RECTYPE Record type

Code	Description	Frequency	Percent
10	Sample Adult	0	0.00
20	Sample Child	0	0.00
30	Sample Adult Income	0	0.00
40	Sample Child Income	0	0.00
50	Paradata	62743	100.00
60	Sample Adult Longitudinal	0	0.00
70	Sample Adult Partial	0	0.00

Variable: SRVY_YR

Module: General

Section: IDN : Identifier

File(s): Adult, Child, Paradata, Adultlong, Adultpart

Data Type: Numeric

Length:

Question Text:

Description: Year of the National Health Interview Survey

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SRVY_YR Year of the National Health Interview Survey

Code	Description	Frequency	Percent
1963-current	Survey year	62743	100.00
year			

Variable: HHX

Module: General

Section: IDN : Identifier

File(s): Adult, Adultinc, Child, Childinc, Paradata

Data Type: Character

Length: 7

Question Text:

Description: Randomly assigned household number unique to a household

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

HHX Randomly assigned household number unique to a household

Code	Description	Frequency	Percent	
	Range of values	62743	100.00	

Variable: OUTCOME1

Module: General

Section: IDN : Identifier

File(s): Paradata
Data Type: Numeric

Length: 3

Question Text:

Description: Outcome code--restricted to 201, 203, Type A, select Type B codes

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

OUTCOME1 Outcome code--restricted to 201, 203, Type A, select Type B codes

Code	Description	Frequency	Percent
201	Completed interview	30819	49.12
203	Sufficient partial interview, no follow-up	2334	3.72
213	Language problem	235	0.37
215	Insufficient partial	3309	5.27
216	No one home, repeated calls	7045	11.23
217	Temporarily absent, no follow-up	129	0.21
218	Refused	11068	17.64
219	Other Type A	7268	11.58
299	Occupied entirely by Armed Forces or persons residing elsewhere	536	0.85

Variable: REGION

Module: General

Section: UCF : Unit Control File
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Household region

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

REGION Household region

Code	Description	Frequency	Percent
1	Northeast	11367	18.12
2	Midwest	14072	22.43
3	South	23066	36.76
4	West	14238	22.69

Variable: PSTRAT

Module: General

Section: UCF : Unit Control File File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

Description: Pseudo-stratum for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PSTRAT Pseudo-stratum for public-use file variance estimation

Code	Description	Frequency	Percent
	Range of values	62743	100.00

Variable: PPSU

Module: General

Section: UCF : Unit Control File File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 3

Question Text:

Description: Pseudo-PSU for public-use file variance estimation

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PPSU Pseudo-PSU for public-use file variance estimation

Code	Description	Frequency	Percent	
	Range of values	62743	100.00	

PUBLIC USE

Variable: TOTCOUNT

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Total count of CHI records for this case

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TOTCOUNT Total count of CHI records for this case

Code	Description	Frequency	Percent
00-99	00-99	62395	100.00

Variable: MODE_P

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of personal visit attempts for this case

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

MODE_P Number of personal visit attempts for this case

Code	Description	Frequency	Percent
00-99	00-99	62395	100.00

Variable: MODE_T

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of telephone attempts for this case

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

MODE_T Number of telephone attempts for this case

Code	Description	Frequency	Percent
00-99	00-99	62395	100.00

PUBLIC USE

Variable: CTSTAT1

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of contacts with sample unit members

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

CTSTAT1 Number of contacts with sample unit members

Code	Description	Frequency	Percent
00-99	00-99	62395	100.00

Variable: CTSTAT2

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of contacts with non-sample unit members

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

CTSTAT2 Number of contacts with non-sample unit members

Code	Description	Frequency	Percent	
00-99	00-99	62395	100.00	

PUBLIC USE

Variable: CTSTAT3

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 2

Question Text:

Description: Number of noncontacts

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

CTSTAT3 Number of noncontacts

Code	Description	Frequency	Percent	
00-99	00-99	62395	100.00	

2020 NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

Variable: UNABLE1R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Eligible person not available" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE1R Number of times "Eligible person not available" was entered

Code	Description	Frequency	Percent
0	None	27766	84.05
1	One or more times	5271	15.95

PUBLIC USE

Variable: UNABLE2R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Inconvenient time" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE2R Number of times "Inconvenient time" was entered

Code	Description	Frequency	Percent
0	None	12829	38.83
1	One or more times	20208	61.17

PUBLIC USE

Variable: UNABLE3R

Module: General

Section: CHI: Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Respondent is reluctant" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE3R Number of times "Respondent is reluctant" was entered

Code	Description	Frequency	Percent
0	None	22915	69.36
1	One or more times	10122	30.64

Variable: UNABLE4R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Language problem--specify" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLEAR Number of times "Language problem--specify" was entered

Code	Description	Frequency	Percent
0	None	31789	96.22
1	One or more times	1248	3.78

PUBLIC USE

Variable: UNABLE5R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Health problem" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABLE5R Number of times "Health problem" was entered

Code	Description	Frequency	Percent
0	None	32095	97.15
1	One or more times	942	2.85

PUBLIC USE

Variable: UNABL99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other--specify" was entered

Recode:

Universe: CTSTAT1 >= 1 and (CTT_SUM2 >= 1 or CTT_SUM3 >= 1)

Universe Description: At least one contact with sample unit member and partial interview/follow-up

required was entered or unable to contact was entered

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

UNABL99R Number of times "Other--specify" was entered

Code	Description	Frequency	Percent
0	None	25296	76.57
1	One or more times	7741	23.43

Variable: LANG1R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Specify language or dialect" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG1R Number of times "Specify language or dialect" was entered

Code	Description	Frequency	Percent
0	None	304	24.36
1	One or more times	944	75.64

Variable: LANG2R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No household member able to translate" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG2R Number of times "No household member able to translate" was entered

Code	Description	Frequency	Percent
0	None	1089	87.26
1	One or more times	159	12.74

Variable: LANG3R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Contact RO about language problem" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG3R Number of times "Contact RO about language problem" was entered

Code	Description	Frequency	Percent
0	None	1115	89.34
1	One or more times	133	10.66

Variable: LANG4R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Unable to find translator" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANG4R Number of times "Unable to find translator" was entered

Code	Description	Frequency	Percent
0	None	1225	98.16
1	One or more times	23	1.84

Variable: LANG5R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No time left to find translator" was entered

Recode:

Universe: UNABLE4R >= 1

Universe Description: Language problem was indicated one or more times

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LANGSR Number of times "No time left to find translator" was entered

	Code	Description	Frequency	Percent
ſ	0	None	1241	99.44
Ī	1	One or more times	7	0.56

Variable: NCTP01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No one home/No eligible person home" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTP01R Number of times "No one home/No eligible person home" was entered

Code	Description	Frequency	Percent
0	None	4796	26.02
1	One or more times	13635	73.98

Variable: NCTPR03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No one home--previous note/letter taken" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR03R Number of times "No one home--previous note/letter taken" was entered

	Code	Description	Frequency	Percent
	0	None	14420	78.24
ſ	1	One or more times	4011	21.76

Variable: NCTPR04R

Module: General

Section: CHI: Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Household does not answer door--someone is home" entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR04R Number of times "Household does not answer door--someone is home" entered

Code	Description	Frequency	Percent
0	None	15473	83.95
1	One or more times	2958	16.05

Variable: NCTP05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Observed HH from vehicle" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTP05R Number of times "Observed HH from vehicle" was entered

Code	Description	Frequency	Percent
0	None	17155	93.08
1	One or more times	1276	6.92

Variable: NCTPR07R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Unable to reach/locked gate/buzzer entry" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR07R Number of times "Unable to reach/locked gate/buzzer entry" was entered

Code	Description	Frequency	Percent
0	None	16907	91.73
1	One or more times	1524	8.27

Variable: NCTPR08R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Address does not exist/unable to locate" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR08R Number of times "Address does not exist/unable to locate" was entered

Code	Description	Frequency	Percent
0	None	18269	99.12
1	One or more times	162	0.88

Variable: NCTPR09R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "On vacation, away from home/at second home" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR09R Number of times "On vacation, away from home/at second home" was entered

Code	Description	Frequency	Percent
0	None	18296	99.27
1	One or more times	135	0.73

Variable: NCTPR10R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Spoke with neighbor" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR10R Number of times "Spoke with neighbor" was entered

Code	Description	Frequency	Percent
0	None	16835	91.34
1	One or more times	1596	8.66

Variable: NCTPR11R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Building management/doorman contact" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR11R Number of times "Building management/doorman contact" was entered

Code	Description	Frequency	Percent
0	None	17573	95.34
1	One or more times	858	4.66

Variable: NCTP12R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Completed case (Type B or C or Vacant interview)" entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_P >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTP12R Number of times "Completed case (Type B or C or Vacant interview)" entered

Code	Description	Frequency	Percent
0	None	18308	99.33
1	One or more times	123	0.67

Variable: NCTPR99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other--specify" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_P \Rightarrow 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more personal visits

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTPR99R Number of times "Other--specify" was entered

Code	Description	Frequency	Percent
0	None	16941	91.92
1	One or more times	1490	8.08

Variable: NCTL01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Got answering machine" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts $% \left(1\right) =\left(1\right) \left(1\right) \left($

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTL01R Number of times "Got answering machine" was entered

Code	Description	Frequency	Percent
0	None	8873	18.10
1	One or more times	40158	81.90

PUBLIC USE

Variable: NCTL02R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Ring, no answer" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTL02R Number of times "Ring, no answer" was entered

Code	Description	Frequency	Percent
0	None	37040	75.54
1	One or more times	11991	24.46

PUBLIC USE

Variable: NCTEL03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Busy signal" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts $% \left(1\right) =\left(1\right) \left(1\right) \left($

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL03R Number of times "Busy signal" was entered

Code	Description	Frequency	Percent
0	None	44999	91.78
1	One or more times	4032	8.22

PUBLIC USE

Variable: NCTEL04R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Disconnected" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources: Question ID: Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL04R Number of times "Disconnected" was entered

Code	Description	Frequency	Percent
0	None	36111	73.65
1	One or more times	12920	26.35

PUBLIC USE

Variable: NCTEL05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Wrong number" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL05R Number of times "Wrong number" was entered

Code	Description	Frequency	Percent
0	None	40856	83.33
1	One or more times	8175	16.67

Variable: NCTL06R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Spoke with ineligible person" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTL06R Number of times "Spoke with ineligible person" was entered

Code	Description	Frequency	Percent
0	None	39569	80.70
1	One or more times	9462	19.30

PUBLIC USE

Variable: NCTL07R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Respondent left message" was entered

Recode:

Universe: (CTSTAT3 >= 1 or CTSTAT2 >= 1) and MODE_T >= 1

Universe Description: At least one noncontact or at least one contact with non-sample unit member

and one or more telephone contact attempts

Sources:
Question ID:
Keywords:

Notes:

Evaluation Report:

Unweighted frequencies:

NCTL07R Number of times "Respondent left message" was entered

Code	Description	Frequency	Percent
0	None	47774	97.44
1	One or more times	1257	2.56

Variable: NCTEL99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other-specify" was entered

Recode:

Universe: (CTSTAT3 \Rightarrow 1 or CTSTAT2 \Rightarrow 1) and MODE_T \Rightarrow 1

Universe Description: Number of times "Other-specify" was entered

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCTEL99R Number of times "Other-specify" was entered

Code	Description	Frequency	Percent
0	None	35592	72.59
1	One or more times	13439	27.41

Variable: RELC01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Not interested" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELCO1R Number of times "Not interested" was entered

Code	Description	Frequency	Percent
0	None	41125	84.76
1	One or more times	7397	15.24

PUBLIC USE

Variable: RELUC02R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Too busy" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC02R Number of times "Too busy" was entered

Code	Description	Frequency	Percent
0	None	37226	76.72
1	One or more times	11296	23.28

Variable: RELUC03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Interview takes too much time" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUCO3R Number of times "Interview takes too much time" was entered

Code	Description	Frequency	Percent
0	None	44085	90.86
1	One or more times	4437	9.14

Variable: RELUC05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Scheduling difficulties" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC05R Number of times "Scheduling difficulties" was entered

Cod	e	Description	Frequency	Percent
0		None	42898	88.41
1		One or more times	5624	11.59

Variable: RELUC06R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Survey is voluntary" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUCOGR Number of times "Survey is voluntary" was entered

Code	Description	Frequency	Percent
0	None	44793	92.31
1	One or more times	3729	7.69

Variable: RELUC07R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Privacy concerns" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUCO7R Number of times "Privacy concerns" was entered

Co	ode	Description	Frequency	Percent
0		None	40830	84.15
1		One or more times	7692	15.85

Variable: RELC08R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Local/State/Fed. Govt. concerns" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELCORR Number of times "Local/State/Fed. Govt. concerns" was entered

Code	Description	Frequency	Percent
0	None	46922	96.70
1	One or more times	1600	3.30

Variable: RELC09R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Asks questions about the survey" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELCOPR Number of times "Asks questions about the survey" was entered

Code	Description	Frequency	Percent
0	None	43137	88.90
1	One or more times	5385	11.10

Variable: RELUC11R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Hang-up/slams door on FR" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC11R Number of times "Hang-up/slams door on FR" was entered

Code	Description	Frequency	Percent
0	None	44317	91.33
1	One or more times	4205	8.67

Variable: RELUC12R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Hostile or threatens FR" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC12R Number of times "Hostile or threatens FR" was entered

Code	Description	Frequency	Percent
0	None	48023	98.97
1	One or more times	499	1.03

Variable: RELC15R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Family Issues (death, illness, etc.)" entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELC15R Number of times "Family Issues (death, illness, etc.)" entered

C	Code	Description	Frequency	Percent
6	9	None	47129	97.13
1	l	One or more times	1393	2.87

Variable: RELUC98R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No concerns" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC98R Number of times "No concerns" was entered

Code	Description	Frequency	Percent
0	None	22222	45.80
1	One or more times	26300	54.20

Variable: RELUC99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other-specify" was entered

Recode:

Universe: CTSTAT1 >= 1

Universe Description: At least one contact with sample unit member

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RELUC99R Number of times "Other-specify" was entered

C	Code	Description	Frequency	Percent
e)	None	42906	88.43
1	L	One or more times	5616	11.57

PUBLIC USE

Variable: STRAT01R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Advance letter given" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT01R Number of times "Advance letter given" was entered

Code	Description	Frequency	Percent
0	None	54281	87.00
1	One or more times	8114	13.00

2020 NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

Codebook for the Paradata file (Document Version: 16 September 2021)
PUBLIC USE

Variable: STRAT02R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Scheduled appointment" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRATO2R Number of times "Scheduled appointment" was entered

Code	Description	Frequency	Percent
0	None	45016	72.15
1	One or more times	17379	27.85

PUBLIC USE

Variable: STRAT03R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Left note/appointment card" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT03R Number of times "Left note/appointment card" was entered

C	Code	Description	Frequency	Percent
e	9	None	47187	75.63
1	l	One or more times	15208	24.37

Variable: STRAT04R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Left promotional packet/informational brochure" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT04R Number of times "Left promotional packet/informational brochure" was entered

Code	Description	Free	quency	Percent
0	None		52443	84.05
1	One or more times		9952	15.95

PUBLIC USE

Variable: STRAT05R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Called household" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT05R Number of times "Called household" was entered

Code	Description	Frequency	Percent
0	None	19996	32.05
1	One or more times	42399	67.95

Variable: STRAT06R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Left message on answering machine" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT06R Number of times "Left message on answering machine" was entered

Code	Description	Frequency	Percent
0	None	25224	40.43
1	One or more times	37171	59.57

PUBLIC USE

Variable: STRT11R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Waited for respondent" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRT11R Number of times "Waited for respondent" was entered

Code	Description	Frequency	Percent
0	None	58899	94.40
1	One or more times	3496	5.60

Variable: STRAT12R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Checked with neighbors" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT12R Number of times "Checked with neighbors" was entered

Code	Description	Frequency	Percent
0	None	60364	96.74
1	One or more times	2031	3.26

Variable: STRAT13R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Contacted other family members" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT13R Number of times "Contacted other family members" was entered

Code	Description	Frequency	Percent
0	None	58679	94.04
1	One or more times	3716	5.96

Variable: STRT14R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Contacted property manager/doorman" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRT14R Number of times "Contacted property manager/doorman" was entered

Code	Description	Frequency	Percent
0	None	58392	93.58
1	One or more times	4003	6.42

PUBLIC USE

Variable: STRAT98R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "No strategies" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT98R Number of times "No strategies" was entered

Code	Description	Frequency	Percent
0	None	37248	59.70
1	One or more times	25147	40.30

PUBLIC USE

Variable: STRAT99R

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Number of times "Other--specify" was entered

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRAT99R Number of times "Other--specify" was entered

Code	Description	Frequency	Percent
0	None	43905	70.37
1	One or more times	18490	29.63

Variable: REASSIGN

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Case reassignment to another interviewer (FR)

Recode:

Universe: All

Universe Description: All cases

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

REASSIGN Case reassignment to another interviewer (FR)

Code	Description	Frequency	Percent
0	Case not reassigned	41702	66.84
1	Case reassigned	20693	33.16

Variable: SA_TOD

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Time of day that the Sample Adult section was started

Recode:

Universe: SATIME > 0

Universe Description: Sample adult section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SA_TOD Time of day that the Sample Adult section was started

Code	Description	Frequency	Percent
1	Morning	6504	18.69
2	Afternoon	15783	45.35
3	Evening	12516	35.96

Variable: SASTRPNT

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Point in the interview period when the Sample Adult section was started

Recode:

Universe: SATIME > 0

Universe Description: Sample adult section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SASTRPNT Point in the interview period when the Sample Adult section was started

Code	Description	Frequency	Percent
1	Early	10572	30.38
2	Middle	9417	27.06
3	Late	14814	42.57

Variable: SC_TOD

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Time of day that the Sample Child section was started

Recode:

Universe: SCTIME > 0

Universe Description: Sample child section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SC_TOD Time of day that the Sample Child section was started

(Code	Description	Frequency	Percent
[1	Morning	1077	16.80
[2	Afternoon	2910	45.38
-	3	Evening	2425	37.82

Variable: SCSTRPNT

Module: General

Section: CHI : Contact History Instrument

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Point in the interview period when the Sample Child section was started

Recode:

Universe: SCTIME > 0

Universe Description: Sample child section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

SCSTRPNT Point in the interview period when the Sample Child section was started

	Code	Description	Frequency	Percent
	1	Early	1573	24.53
Ī	2	Middle	1820	28.38
ſ	3	Late	3019	47.08

Variable: ONEFAM_FLG

Module: General

Section: FLG : Flag

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text: ** Post-Processing Variable **

Description: All people in the household are in the same family

Recode:

Universe: All

Universe Description: All Households

Sources:

Question ID: GEN.0680.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

ONEFAM_FLG All people in the household are in the same family

Code	Description	Frequency	Percent
1	TRUE	33933	54.08
blank	FALSE	28810	45.92

Variable: QUALITY_SA

Module: General
Section: FLG : Flag
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: SA overall flag indicating the record is being removed for a quality reason

Recode: Yes
Universe: All
Universe Description: All

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

QUALITY_SA SA overall flag indicating the record is being removed for a quality reason

Code	Description	Frequency	Percent
0	No	0	0.00
1	Yes	278	100.00

Variable: QUALITY_SC

Module: General
Section: FLG : Flag
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: SC overall flag indicating the record is being removed for a quality reason

Recode: Yes
Universe: All
Universe Description: All

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

QUALITY_SC SC overall flag indicating the record is being removed for a quality reason

Code	Description	Frequency	Percent
0	No	0	0.00
1	Yes	64	100.00

Variable: SARESPSC_FLG

Module: General
Section: FLG : Flag
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ** Instrument Flag **

Description: Sample Adult is Sample Child respondent

Recode:

Universe: All

Universe Description: All Households

Sources:

Question ID: GEN.0700.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

 ${\bf SARESPSC_FLG} \quad {\bf Sample} \ \, {\bf Adult} \ \, {\bf is} \ \, {\bf S\underline{ample}} \ \, {\bf Child} \ \, {\bf respondent}$

Code	Description	Frequency	Percent
1	TRUE	3587	5.72
blank	FALSE	59156	94.28

Variable: INTV_QRT

Module: General

Section: GEN : Miscellaneous

File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 1

Question Text:

Description: Interview quarter

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
1	Quarter 1	14344	22.86
2	Quarter 2	14365	22.89
3	Quarter 3	17260	27.51
4	Quarter 4	16774	26.73

Variable: INTV_MON

Module: General

Section: GEN: Miscellaneous
File(s): Adult, Child, Paradata

Data Type: Numeric

Length: 2

Recode:

Universe: HHX ne .

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
01	January	4859	7.74
02	February	4805	7.66
03	March	4680	7.46
04	April	4899	7.81
05	Мау	4790	7.63
06	June	4676	7.45
07	July	4548	7.25
08	August	6233	9.93
09	September	6479	10.33
10	October	5801	9.25
11	November	5693	9.07
12	December	5280	8.42

Variable: WTIA_PD

Module: General

Section: GEN : Miscellaneous

File(s): Paradata
Data Type: Numeric

Length: 8

Question Text:

Description: Paradata file weight

Recode:

Universe: HHX ne ' '

Universe Description: All households

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

WTIA_PD Paradata file weight

Code	Description	Frequency	Percent
	Range of values		

Variable: FB_FLG

Module: General

Section: GEN : Miscellaneous

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Flag to identify followback sample records

Recode: Yes

Universe:

Universe Description:

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

FB_FLG Flag to identify followback sample records

	Code	Description	Frequency	Percent
	0	Production sample	43802	69.81
Ī	1	Followback sample	18941	30.19

Variable: **ENDPNT** Module: Roster Section: HHC : Household Composition File(s): Paradata Data Type: Numeric Length: 1 Question Text: Description: Point in the interview period when the case was finished Recode: Universe: A11 Universe Description: All cases Sources: Question ID: Keywords: Notes:

Unweighted frequencies:

Evaluation Report:

ENDPNT Point in the interview period when the case was finished

Code	Description	Frequency	Percent
1	Early	10819	17.24
2	Middle	10337	16.48
3	Late	41587	66.28

Variable: STRTPNT

Module: Roster

Section: HHC : Household Composition

File(s): Paradata

Data Type: Numeric

Length: 1

 ${\tt Question\ Text:}$

Description: Point in the interview period when the Household Composition section was

started

Recode:

Universe: HHCTIME > 0

Universe Description: Household Composition section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

STRTPNT Point in the interview period when the Household Composition section was started

Code	Description	Frequency	Percent
1	Early	27012	43.14
2	Middle	9578	15.30
3	Late	26030	41.57

Variable: HHC_TOD

Module: Roster

Section: HHC : Household Composition

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text:

Description: Time of day that the Household Composition section was started

Recode:

Universe: HHCTIME > 0

Universe Description: Household Composition section has been started

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

HHC_TOD Time of day that the Household Composition section was started

	Code	Description	Frequency	Percent
	1	Morning	13615	21.74
ſ	2	Afternoon	27978	44.68
ſ	3	Evening	21027	33.58

Codebook for the Paradata file (Document Version: 16 September 2021)

PUBLIC USE

Variable: TELCURWRK_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata Data Type: Numeric

Length: 1

Question Text: Is there at least one telephone INSIDE ^HOME that is currently working and is

not a cell phone?

Fills: ^HOME your home at ^HNO ^HNOSUF ^STRNAME/your home

> ^HNO {Value of HNO} {Value of HNOSUF} ^HNOSUF ^STRNAME {Value of STRNAME}

Description: House has non-cell phone

Recode:

Universe: HHSTAT_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TEL.0010.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

TELCURWRK_A House has non-cell phone

	_		
Code	Description	Frequency	Percent
1	Yes	12247	35.09
2	No	19669	56.36
7	Refused	36	0.10
8	Not Ascertained	2936	8.41
9	Don't Know	11	0.03

Codebook for the Paradata file (Document Version: 16 September 2021)
PUBLIC USE

Variable: TELCEL_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Do you have a working cell phone?

Description: Cell phone

Recode:

Universe: HHSTAT_A=1

Universe Description: Sample adults 18+

Sources:

Question ID: TEL.0020.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TELCEL_A Cell phone

Code	Description	Frequency	Percent
1	Yes	29619	84.87
2	No	1556	4.46
7	Refused	44	0.13
8	Not Ascertained	3674	10.53
9	Don't Know	6	0.02

Variable: PHONELIVE_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Do you live with anyone ^ATHOME who has a working cell phone?

Fills: ^ATHOME at your home at {Value of HNOS UF}

{Value of STRNAME}

^HNO {Value of HNO}

^HNOSUF {Value of HNOSUF}

^STRNAME {Value of STRNAME}

Description: Cell phone in HH

Recode:

Universe: HHSTAT_A=1 and TELCEL_A IN (2,7,9)

Universe Description: Sample adults 18+ who don't have a working cellphone and live with at least

one other person

Sources:

Question ID: TEL.0030.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

 $\begin{tabular}{ll} \textbf{PHONELIVE_A} & \textbf{Cell phone in HH} \\ \end{tabular}$

Code	Description	Frequency	Percent
1	Yes	364	22.61
2	No	334	20.75
7	Refused	24	1.49
8	Not Ascertained	886	55.03
9	Don't Know	2	0.12

Codebook for the Paradata file (Document Version: 16 September 2021)
PUBLIC USE

Variable: PHONEUSE_A

Module: Adult

Section: TEL : Telephone Use

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Of all the telephone calls that you answer, are all or almost all on your cell

phones, some on your cell phone and some on your home phone, or very few or

none on your cell phones?

Description: Calls answered

Recode:

Universe: HHSTAT_A=1 and TELCEL_A=1 and TELCURWRK_A=1

Universe Description: Sample adults 18+ with working personal cell phone and who said they have a

working land-line in household

Sources:

Question ID: TEL.0040.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

PHONEUSE_A Calls answered

Code	Description	Frequency	Percent
1	All or almost all calls on cell phone	515	47.98
2	Some on cell phone and some on home phone	333	30.84
3	Very few or none on cell phone	225	20.96
7	Refused	3	0.11
8	Not Ascertained		1 0.01
9	Don't Know		0.09

Codebook for the Paradata file (Document Version: 16 September 2021)

PUBLIC USE

	-	
Module:	Adult	
Section:	LNK : Linkage	
File(s):	Paradata	
Data Type:	Numeric	
Length:	1	
Question Text	: ?[F1]	

RLINK A

May we try to link your survey data without a ^SSNMEDNUM?

* Read if necessary: Any data obtained are protected by strict federal laws, including the Public Health Service Act, which is Title 42, U.S.C., Section 242m(d); the Confidential Information Protection and Statistical Efficiency Act of 2018, which is Title III of Public Law No. 115-435; and the Privacy Act of 1974, which is 5 U.S.C. § 552a.

^SSNMEDNUM consent by SSN or Medicare number

Description: Link without SSN/Medicare Numbers

Recode:

Fills:

Variable:

Universe: HHSTAT_A=1 and MCNO4_A IN (99997,99999) or SSN4_A IN (N,99997,99999) or

LAST4C_A IN ('9997', '9999')

Universe Description: Sample adults 18+ who answered refused or don't know at last 4 of Medicare

number/characters or answered no SSN or refused or don't know last 4 digits of

SSN

Sources:

Question ID: LNK.0060.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RLINK_A Link without SSN/Medicare Numbers

Code	Description	Frequency	Percent
1	Yes	4551	69.60
2	No	1759	26.90
7	Refused	200	3.06
8	Not Ascertained	1	0.02
9	Don't Know	28	0.43

Variable: TELCURWRK_C

Module: Child

Section: TEL : Telephone ownership

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text: Is there at least one telephone INSIDE ^SCNAME's home that is currently

working and is not a cell phone?

Fills: ^SCNAME Sample child's name

Description: Landline phone

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: TEL.0010.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

TELCURWRK_C Landline phone

Code	Description	Frequency	Percent
1	Yes	1652	24.85
2	No	4460	67.09
7	Refused	3	0.05
8	Not Ascertained	532	8.00
9	Don't Know	1	0.02

PUBLIC USE

Variable: PHONELIVE_C

Module: Child

Section: TEL : Telephone ownership

File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: Does ^SCNAME live with anyone who has a working cell phone?

Fills: ^SCNAME Sample child's name

Description: Working cell phone

Recode:

Universe: HHSTAT_C=1

Universe Description: Sample children 0-17

Sources:

Question ID: TEL.0020.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

PHONELIVE_C Working cell phone

Code	Description	Frequency	Percent
1	Yes	1701	25.59
2	No	89	1.34
7	Refused	3	0.05
8	Not Ascertained	4855	73.03
9	Don't Know	0	0.00

PUBLIC USE

Variable: RLINK_C

Module: Child

Section: LNK : Linkage

File(s): Paradata

Data Type: Numeric

Length: 1

Question Text: ?[F1]

May we try to link ^SCNAME's survey data without a Social Security Number?

* Read if necessary: Any data obtained are protected by strict federal laws, including the Public Health Service Act, which is Title 42, U.S.C., Section 242m(d); the Confidential Information Protection and Statistical Efficiency Act of 2018, which is Title LLL, Public Law No. 115-435; and the Privacy Act

of 1974, which is 5 U.S.C. § 552a.

Fills: ^SCNAME Sample child's name

Description: Link without SSN

Recode:

Universe: HHSTAT_C=1 and SSN4_C IN (N,99997,99999)

Universe Description: Sample children 0-17 where SSN was refused, don't know or not available

Sources:

Question ID: LNK.0030.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

RLINK_C Link without SSN

Code	Description	Frequency	Percent
1	Yes	8	72.73
2	No	3	27.27
7	Refused	0	0.00
8	Not Ascertained	0	0.00
9	Don't Know	0	0.00

Variable: **INTLANGSA** Module: Back Section: BCK : Back File(s): Paradata Numeric Data Type: Length: 1 Question Text: * In which language was the Sample Adult interview conducted? Description: Language of SA Interview Recode: Universe: OUTCOME IN (201,203) and ASTAT IN (1,5) Universe Description: Sample adult section is completed or partial interview Sources: Question ID: BCK.0070.00.1 Keywords: Notes: **Evaluation Report:**

Unweighted frequencies:

INTLANGSA Language of SA Interview

Code	Description	Frequency	Percent
1	English	31000	95.78
2	Spanish	902	2.79
3	Both English and Spanish	282	0.87
4	Other	181	0.56
8	Not Ascertained	6	0.00

Variable: INTRPTSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Was an interpreter used to conduct the Sample Adult interview?

* An interpreter is anyone -- paid or unpaid, hired or unsolicited -- who translates questions/answers during the interview because the respondent would

have been unable to participate otherwise.

Description: Interpreter used in Adult interview

1

Recode:

Length:

Universe: OUTCOME IN (201,203) and INTLANGSA IN (2,3,4)

Universe Description: Indicated that Spanish only or both English and Spanish or a language other

than English or Spanish was used to conduct the sample adult interview

Sources:

Question ID: BCK.0090.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
1	Yes	283	20.73
2	No	1082	79.27
8	Not Ascertained	0	0.00

Variable: OTHERSSA
Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Not including small children ^SAINTRPT, were other people present during the

Sample Adult interview?

Fills: ^SAINTRPT or the interpreter

Description: Other people present during Sample Adult interview

Recode:

Universe: OUTCOME IN (201,203) and ASTAT IN (1,5)

Universe Description: Sample adult section is completed or partial interview

Sources:

Question ID: BCK.0100.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

OTHERSSA Other people present during Sample Adult interview

Code	Description	Frequency	Percent
1	Someone else present for full interview	5249	16.22
2	Someone else present for part of the interview	2932	9.06
3	No one else present for any of the interview	24184	74.72

Variable: INTLANGSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * In which language was the Sample Child interview conducted?

Description: Language of SC Interview

Recode:

Universe: OUTCOME IN (201,203) and CSTAT IN (1,5)

Universe Description: Sample child section is completed or partial interview

Sources:

Question ID: BCK.0110.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

INTLANGSC Language of SC Interview

Code	Description	Frequency	Percent
1	English	5457	93.22
2	Spanish	295	5.04
3	Both English and Spanish	73	1.25
4	Other	29	0.50
8	Not Ascertained	0	0.00

Variable: OTHERSSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Not including small children ^SCINTRPT, were other people present during the

Sample Child interview?

Fills: ^SCINTRPT or the interpreter

Description: Other people present during Sample Child interview

Recode:

Universe: OUTCOME IN (201,203) and CSTAT IN (1,5)

Universe Description: Sample child section is completed or partial interview

Sources:

Question ID: BCK.0140.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

OTHERSSC Other people present during Sample Child interview

Code	Description	Frequency	Percent
1	Someone else present for full interview	1219	20.82
2	Someone else present for part of the interview	698	11.92
3	No one else present for any of the interview	3937	67.25

Variable: INTMODESA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Was all, some, or none of the Sample Adult interview conducted by telephone?

Description: Sample Adult section primarily conducted by phone

Recode:

Universe: OUTCOME IN (201,203) and ASTAT IN (1,3,4,5)

Universe Description: Sample adult section is completed or sample adult reached or sample adult HIS

section started or sample adult section is a sufficient partial

Sources:

Question ID: BCK.0150.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

Code	Description	Frequency	Percent
1	A11	25936	79.71
2	Some	310	0.95
3	None	6290	19.33
8	Not Ascertained	0	0.00

PUBLIC USE

Variable: INTMODEWHYSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Enter the MAIN reason that some or all of the Sample Adult interview was

conducted by telephone.

Description: Main reason primarily conducted by phone

Recode:

Universe: INTMODESA IN (1,2)

Universe Description: All or some of the sample adult interview was conducted by telephone

Sources:

Question ID: BCK.0160.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

INTMODEWHYSA Main reason primarily conducted by phone

Code	Description	Frequency	Percent
01	Best method for respondent to complete interview	15833	60.81
02	Respondent requested phone interview	1720	6.61
03	Respondent/FR called and respondent wanted to complete interview immediately	1661	6.38
04	Pets or small children or guests in home	9	0.03
05	Respondent or family member is physically or mentally ill	55	0.21
06	Inclement weather	12	0.05
07	Near closeout	33	0.13
08	Distance	235	0.90
09	FR has safety concerns	151	0.58
10	Other	6327	24.30
88	Not Ascertained	0	0.00

Variable: INTMODESC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Was all, some, or none of the Sample Child interview conducted by telephone?

Description: Sample Child section primarily conducted by phone

Recode:

Universe: OUTCOME IN (201,203) and CSTAT IN (1,3,4,5)

Universe Description: Sample child section is completed or sample child respondent reached or sample

child HIS section started or sample child section is sufficient partial

Sources:

Question ID: BCK.0170.00.1

Keywords: Notes:

Evaluation Report:

Unweighted frequencies:

INTMODESC Sample Child section primarily conducted by phone

Code	Description	Frequency	Percent
1	A11	4111	67.89
2	Some	37	0.61
3	None	1907	31.49
8	Not Ascertained	0	0.00

PUBLIC USE

Variable: INTMODEWHYSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Enter the MAIN reason that some or all of the Sample Child interview was

conducted by telephone.

Description: Main reason primarily conducted by phone

Recode:

Universe: INTMODESC IN (1,2)

Universe Description: All or some of the sample child interview was conducted by telephone

Sources:

Question ID: BCK.0180.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

 $\textbf{INTMODEWHYSC} \quad \textbf{Main reason primarily conducted by phone}$

Code	Description	Frequency	Percent
01	Best method for respondent to complete interview	2348	57.07
02	Respondent requested phone interview	424	10.31
03	Respondent/FR called and respondent wanted to complete interview immediately	261	6.34
04	Pets or small children or guests in home	2	0.05
05	Respondent or family member is physically or mentally ill	5	0.12
06	Inclement weather	5	0.12
07	Near closeout	8	0.19
08	Distance	31	0.75
09	FR has safety concerns	26	0.63
10	Other	1004	24.40
88	Not Ascertained	0	0.00

Variable: PARWHY

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Enter the type of partial interview.

Description: Reason interview not complete

Recode:

Universe: OUTCOME IN (203,215)

Universe Description: Sufficient or insufficient partial interview

Sources:

Question ID: BCK.0240.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

PARWHY Reason interview not complete

Code	Description	Frequency	Percent
1	Interview stopped in progress/Break-off	1952	34.59
2	Completion before closeout not possible (Other than Break-off)	3691	65.41
8	Not Ascertained	0	0.00

Variable: BRKREASON

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * What is the MAIN reason that the interview is not complete?

 $\ensuremath{^{*}}$ Select the answer category that best fits the reason the interview ended.

Description: Main reason respondent terminated interview

Recode:

Universe: OUTCOME IN (203,215)

Universe Description: Sufficient or Insufficient partial interview

Sources:

Question ID: BCK.0270.00.1

Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKREASON Main reason respondent terminated interview

Code	Description	Frequency	Percent
01	Respondent does not want to participate	2086	36.97
02	Respondent not interested	247	4.38
03	Respondent too busy	796	14.11
04	Respondent has privacy concerns or anti-government	336	5.95
05	Respondent or family member is physically or mentally ill	164	2.91
06	Unable to reach respondent before closeout	973	17.24
07	Case Duplication/reassignment/stopped by RO direction	30	0.53
08	Respondent temporarily away or moved	68	1.21
09	FR has safety concerns	7	0.12
10	Language problems	59	1.05
11	Technology issue (computer error, battery died, telephone lost signal)	33	0.58
12	Respondent (including Proxy) did not know answers	24	0.43
13	Other	820	14.53

Variable: BRKHHC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=1

Universe Description: Interview stopped in progress/Break-off

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKHHC Break off in household section

Code	Description	Frequency	Percent
1	Breakoff occurred	27871	44.42
blank	No breakoff	34872	55.58

Variable: BRKSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: ** Post-Processing Variable **

Description: Break off in Sample Adult section

Recode:

Universe: PARWHY=1

Universe Description: Interview stopped in progress/Break-off

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKSA Break off in Sample Adult section

Code	Description	Frequency	Percent
1	Breakoff occurred	3490	5.56
blank	No breakoff	59253	94.44

Variable: BRKSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=1

Universe Description: Interview stopped in progress/Break-off

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

BRKSC Break off in Sample Child section

Code	Description	Frequency	Percent
1	Breakoff occurred	597	0.95
blank	No breakoff	62146	99.05

Variable: NCOMHHC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=2

Universe Description: Completion before closeout not possible (Other than Break-off)

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCOMHHC Household section not complete

Code	Description	Frequency	Percent
1	TRUE	1202	1.92
blank	FALSE	61541	98.08

Variable: NCOMSA

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=2

Universe Description: Completion before closeout not possible (Other than Break-off)

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCOMSA Sample Adult section not complete

Code	Description	Frequency	Percent
1	TRUE	3509	5.59
blank	FALSE	59234	94.41

Variable: NCOMSC

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Recode:

Universe: PARWHY=2

Universe Description: Completion before closeout not possible (Other than Break-off)

Sources:
Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

NCOMSC Sample child section not complete

Code	Description	Frequency	Percent
1	TRUE	1383	2.20
blank	FALSE	61360	97.80

Module: Back
Section: BCK: Back
File(s): Paradata
Data Type: Numeric

Length: 1

Variable:

Question Text: * Where was this interview conducted?

LOCATION01

* Enter all that apply, separate with commas.

Description: Location of interview - Inside respondent's home

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LOCATION01 Location of interview - Inside respondent's home

Code	Description	Frequency	Percent
1	Mentioned	4905	13.63
2	Not mentioned	31078	86.37
8	Not Ascertained	0	0.00

Variable: LOCATION02

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Immediately outside respondent's home

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION02 Location of interview - Immediately outside respondent's home

Code	Description	Frequency	Percent
1	Mentioned	2772	7.63
2	Not mentioned	33541	92.37
8	Not Ascertained	0	0.00

Variable: LOCATION03
Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Over the telephone

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION03 Location of interview - Over the telephone

Code	Description	Frequency	Percent
1	Mentioned	28940	79.37
2	Not mentioned	7522	20.63
8	Not Ascertained	0	0.00

Variable: LOCATION04
Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Length: 1

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Inside interviewer's/respondent's car

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Evaluation Report:

Unweighted frequencies:

LOCATION04 Location of interview - Inside interviewer's/respondent's car

Code	Description	Frequency	Percent
1	Mentioned	67	0.18
2	Not mentioned	36384	99.82
8	Not Ascertained	0	0.00

Variable: LOCATION05

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - At respondent's place of work

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION05 Location of interview - At respondent's place of work

Code	Description	Frequency	Percent
1	Mentioned	38	0.10
2	Not mentioned	36407	99.90
8	Not Ascertained	0	0.00

Variable: LOCATION06

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Common area of apartment

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION06 Location of interview - Common area of apartment

Code	Description	Frequency	Percent
1	Mentioned	78	0.21
2	Not mentioned	36380	99.79
8	Not Ascertained	0	0.00

Variable: LOCATION07

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Public area

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION07 Location of interview - Public area

Code	Description	Frequency	Percent
1	Mentioned	44	0.12
2	Not mentioned	36410	99.88
8	Not Ascertained	0	0.00

Variable: LOCATION08 Module: Back Section: BCK : Back File(s): Paradata Data Type: Numeric Length: 1 Question Text: * Where was this interview conducted? $\ensuremath{^{*}}$ Enter all that apply, separate with commas. Location of interview - In a home of a neighbor, friend, or relative Description: Recode: Yes Universe: OUTCOME IN (201,203,215,221) All completed interviews or sufficient partial interviews or insufficient Universe Description: partial interviews or all respondents are ineligible Sources: LOCATION Question ID: Keywords:

Unweighted frequencies:

Evaluation Report:

Notes:

LOCATION08 Location of interview - In a home of a neighbor, friend, or relative

Code	Description	Frequency	Percent
1	Mentioned	2	0.01
2	Not mentioned	36460	99.99
8	Not Ascertained	0	0.00

PUBLIC USE

Variable: LOCATION09

Module: Back

Section: BCK : Back
File(s): Paradata
Data Type: Numeric

Question Text: * Where was this interview conducted?

* Enter all that apply, separate with commas.

Description: Location of interview - Other location

Recode: Yes

Universe: OUTCOME IN (201,203,215,221)

1

Universe Description: All completed interviews or sufficient partial interviews or insufficient

partial interviews or all respondents are ineligible

Sources: LOCATION

Question ID:
Keywords:
Notes:

Length:

Evaluation Report:

Unweighted frequencies:

LOCATION09 Location of interview - Other location

Code	Description	Frequency	Percent
1	Mentioned	268	0.74
2	Not mentioned	36038	99.26
8	Not Ascertained	0	0.00