Sponsor(s):

- . CDC/NCEH National Center for Environmental Health
- . CDC/NIOSH National Insitutue for Occupational Safety and Health
- . NIH/NHLBI National Heart Lung and Blood Institute

Module:Adult, Section: AST: Asthma

Question ID	Variable	Added	Question Text	Universe
AST.0050.00.3	ASHOSP12M_A		During the past 12 months, have you stayed overnight in a hospital because of your asthma?	Sample Adults 18+ who still have asthma or had an asthma attack in the past 12 months
AST.0060.00.3	ASDAYS12M_A		During the past 12 months, how many days were you UNABLE to work or get work done around the house because of your asthma?	Sample Adults 18+ who still have asthma or had an asthma attack in the past 12 months
AST.0070.00.3	ASINHALE3M_A		During the past 3 months, have you used the kind of PRESCRIPTION asthma inhaler that gives QUICK relief from asthma symptoms during an attack? * Read if necessary: Include only medication prescribed by a doctor or health professional.	Sample Adults 18+ who still have asthma or had an asthma attack in the past 12 months
AST.0080.00.3	ASPREVR_A		Are you NOW taking a preventive asthma medication every day, most days, some days, or never?	Sample Adults 18+ who still have asthma or had an asthma attack in the past 12 months
AST.0090.00.3	ASJOB_A		Have you ever been TOLD BY a doctor or other health professional that your asthma was caused by, or your symptoms were made worse by, any job you ever had?	Sample Adults 18+ who still have asthma or had an asthma attack in the past 12 months

Sponsor(s):

- . CDC/NCEH National Center for Environmental Health
- . CDC/NIOSH National Insitutue for Occupational Safety and Health
- . NIH/NHLBI National Heart Lung and Blood Institute

Module:Child, Section: AST: Asthma

Question ID	Variable	Added	Question Text	Universe
AST.0060.00.3	ASHOSP12M_C		During the past 12 months, has ^SCNAME stayed overnight in a hospital because of ^hisher_C asthma?	Sample Children 0- 17 who still have asthma or had an asthma attack in the past 12 months
AST.0070.00.3	ASDAYS12M_C		During the past 12 months, how many days of ^DAYCARESCHOOL did ^SCNAME miss because of hisher_C asthma?	Sample children 0- 17 who still have asthma or had an asthma attack in the past 12 months
AST.0080.00.3	ASINHALE3M_C		During the past 3 months, has ^SCNAME used the kind of PRESCRIPTION asthma inhaler that gives QUICK relief from asthma symptoms during an attack? *Read if necessary: Include only medication prescribed by a doctor or health professional.	Sample children 0- 17 who still have asthma or had an asthma attack in the past 12 months
AST.0090.00.3	ASPREVR_C		Is ^SCNAME NOW taking a preventive asthma medication every day, some days, most days, or never?	Sample children 0- 17 who still have asthma or had an asthma attack in the past 12 months

Sponsor(s):

- . CDC/NCCDPHP National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NIDDK National Institute of Diabetes and Digestive and Kidney Diseases

Module:Adult, Section: DIB: Diabetes

Question ID	Variable	Added	Question Text	Universe
DIB.0070.00.3	DIBINSTIME_A		Thinking back to when you were first diagnosed with diabetes, how long was it before you started taking insulin?	Sample Adults 18+ who have diabetes and currently take insulin
DIB.0080.00.3	DIBINSSTOP_A		Since you started taking insulin, have you ever stopped taking it for more than 6 months?	Sample Adults 18+ who have diabetes and are taking insulin
DIB.0090.00.3	DIBINSSTYR_A		Was this only during the first year after you were diagnosed with diabetes?	Sample Adults 18+ who have diabetes, who started taking insulin less than 1 year from when they were diagnosed with diabetes, and who stopped taking insulin for more than 6 months

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: DIB: Diabetes

Question ID	Variable	Added	Question Text	Universe
DIB.0110.00.3	DIBREL_A		Has your mother, father, brother, or sister EVER been told by a doctor or other health professional that they have diabetes?	Sample Adults 18+
			* Read if necessary: Include only blood relatives. Do not include step-relatives or those unrelated by blood.	
DIB.0120.00.3	DIABLAST_A		When was the last time you had a blood test for high blood sugar or diabetes by a doctor, nurse, or other health professional?	Sample Adult 18+

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: DPV: Diabetes Prevention

Question ID	Variable	Added	Question Text	Universe
DPV.0020.00.3	ADVEAT_A		During the past 12 months, has a doctor or other health professional ADVISED you toReduce the amount of fat or calories in your diet?	Sample Adults 18+
DPV.0030.00.3	ADVWGTPRG_A		* Read if necessary: During the past 12 months, has a doctor or other health professional ADVISED you toParticipate in a weight loss program?	Sample Adults 18+
DPV.0040.00.3	NOWACTIVE_A		Are you NOWIncreasing your physical activity or exercise?	Sample Adults 18+
DPV.0050.00.3	NOWEAT_A		Are you NOW Reducing the amount of fat or calories in your diet?	Sample Adult 18+
DPV.0060.00.3	NOWWGTPRG_A		Read if necessary: Are you NOWParticipating in a weight loss program?	Sample Adults 18+

Sponsor(s):

. ACL - Administration for Community Living

Module:Adult, Section: ADO: Age of Disability Onset

Question ID	Variable	Added	Question Text	Universe
ADO.0010.00.3	DEVDONSET_A		You said that you have difficulty with ^DIFF. Did ^THISDIFF begin before age 22?	Sample Adults age 22+ who said they had a lot of difficulty or could not do the following activities at all: Walking or climbing stairs, communicating, remembering or concentrating, self-care, or doing errands alone

Sponsor(s):

- . $\mbox{CDC/NCCDPHP}$ National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI National Cancer Institute

Module:Adult, Section: CNV: Cancer COVID-19

Question ID	Variable	Added	Question Text	Universe
CNV.0010.00.3	CANCOVTREA_A		The next question refers to treatments for cancer such as surgery, radiation therapy, chemotherapy, bone marrow transplants, stem cell transplants, or hormone therapy. At any time since the start of the coronavirus pandemic, were you in treatment or supposed to receive treatment for your cancer? * Read if necessary: Hormone therapy includes Tamoxifen, Fulvestrant (full-VESS-trant) or Aromatase (uh-ROH-muh-tayz) inhibitors for breast cancer and androgen therapy, such as Eligard or Zoladex for prostate cancer.	Sample Adults 18+ who have ever had cancer
CNV.0020.00.3	CANCOVCHG_A		Were any of your treatments for cancer changed, delayed, or cancelled because of the coronavirus pandemic?	Sample Adults 18+ who had treatment or were supposed to receive treatment for cancer during the coronavirus pandemic
CNV.0030.00.3	CANCOVOTH_A		As a cancer patient or cancer survivor, you may need OTHER medical care related to your cancer such as lab visits, imaging, monitoring visits, rehabilitation, physical therapy, care for side-effects, or visits with medical specialists. At any time since the start of the coronavirus pandemic, did you need any of this OTHER medical care related to your cancer?	Sample Adults 18+ who have ever had cancer

CNV.0040.00.3	CANCOVCARE_A	Was any of this OTHER medical	Sample Adults 18+
		care related to your cancer	who needed other
		changed, delayed, or cancelled	medical care
		because of the coronavirus	related to cancer
		pandemic?	during coronavirus
			pandemic

Sponsor(s):

- . CDC/NCCDPHP National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI National Cancer Institute

Module:Adult, Section: LNG: Lung Cancer Screening¹

Question ID	Variable	Added	Question Text	Universe
LNG.0010.00.3	CTSCANEV_A		The following questions are about CT scans. During this test, you lie down on your back and are moved through an open, donut-shaped x-ray machine. Have you EVER HAD a CT scan?	Sample Adults 40+
LNG.0020.00.3	CTSCANCHST_A		Were any of the CT scans of your chest area?	Sample Adults 40+ who have ever had a CT scan
LNG.0030.00.3	CTLNGCAN_A		The next question is only about CT scans to check or screen for lung cancer, sometimes called low-dose CT scans. Were any of the CT scans of your chest area done mainly to check or screen for lung cancer?	Sample Adults 40+ who had a CT scan of their chest area or don't know
LNG.0040.00.3	CTLNGWHEN_A		When did you have your MOST RECENT CT scan of your chest area done mainly to check or screen for lung cancer?	Sample Adults 40+ who had a CT scan to check for lung cancer

 $^{^1}$ Questions on lung cancer screening were removed at the end of quarter 2 due to recommendations to defer non-urgent care during the COVID-19 pandemic.

Sponsor(s):

- . CDC/NCCDPHP National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI National Cancer Institute

 ${\tt Module:Adult, Section: CIG: Cigarettes \ and \ E-cigarettes \ w/\ Cigarette \ History}$

Question ID	Variable	Added	Question Text	Universe
CIG.0120.00.3	FORNUMCIG_A		When you last smoked FAIRLY REGULARLY, how many cigarettes did you usually smoke per day? * Smoking regularly is respondent defined. If asked about what this means, say that "It is whatever you consider was the last time you were smoking fairly regularly." Enter '94' if 94 or more cigarettes. Enter '95' if varied. Enter '96' if never smoked cigarettes regularly.	Sample Adults 18+ who are former smokers
CIG.0130.00.3	FORVARCIG_A		What is the average number of cigarettes that you smoked daily during the longest period that you smoked? * Read if necessary: 1 pack equals 20 cigarettes. * Enter '95' if 95 or more.	Sample Adults 18+ who answered varied, never, don't know to when they last smoked fairly regularly or said they never smoked regularly and now don't smoke at all

Sponsor(s):

- . CDC/NCCDPHP National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI National Cancer Institute

Module:Adult, Section: ENV: Perceptions of the Walking Environment

Question ID	Variable	Added	Question Text	Universe
ENV.0010.00.3	HOMEWLK_A		How often does the ^TLwalking you reported earlier take place near ^HOME? Would you say almost always, most of the time, some of the time, or never?	Sample Adults 18+ who report walking for transportation or leisure
ENV.0020.00.3	ROADSWLK_A		The next questions are about where you live. By where you live we mean in your neighborhood or near ^HOME. Where you live, are there roads, sidewalks, paths or trails where you can walk?	Sample Adults 18+
ENV.0030.00.3	SHOPSWLK_A		* Read if necessary: Where you live Are there shops, stores, or markets that you can walk to?	Sample Adults 18+
ENV.0040.00.3	TRANSITWLK_A		* Read if necessary: Where you live Are there bus or transit stops that you can walk to?	Sample Adults 18+
ENV.0050.00.3	FUNWLK_A		* Read if necessary: Where you live Are there places like movies, libraries, or places of worship that you can walk to?	Sample Adults 18+
ENV.0060.00.3	RELAXWLK_A		* Read if necessary: Where you live Are there places that you can walk to that help you relax, clear your mind, and reduce stress?	Sample Adults 18+
ENV.0070.00.3	SIDEWLK_A		Where you live, do most streets have sidewalks?	Sample Adults 18+

ENV.0080.00.3	TRAFFICWLK_A	* Read if necessary: Where you	Sample	Adults	18+
		Live			
		Does traffic make it unsafe for you to walk?			
ENV.0090.00.3	CRIMEWLK_A	* Read if necessary: Where you live	Sample	Adults	18+
		Does crime make it unsafe for you to walk?			
ENV.0100.00.3	ANIMALWLK_A	* Read if necessary: Where you live	Sample	Adults	18+
		Do dogs or other animals make it unsafe for you to walk?			
ENV.0110.00.3	WEATHERWLK_A	How often does the weather make you less likely to walk?	Sample	Adults	18+
		Would you say almost always, most of the time, some of the time, or never?			
		* Read if necessary: We mean any kind of bad weather that makes you less likely to walk, such as hot, cold, rainy, snowy, and windy weather.			
ENV.0120.00.3	PEOPLEWLK_A	How often are there people walking within sight of ^HOME?	Sample	Adults	18+
		Would you say every day, every 2 to 3 days, about once a week, or less than once a week?			

Sponsor(s):

- . CDC/NCCDPHP National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI National Cancer Institute

Module:Adult, Section: SUN: Sun Care and Protection

Question ID	Variable	Added	Question Text	Universe
SUN.0020.00.3	SUNSKIN_A		After several months of not being in the sun, if you THEN went out into the sun without sunscreen or protective clothing for one hour, which of these would happen to your skin?	Sample Adults 18+
			Would you get a severe sunburn with blisters, have a moderate sunburn with peeling, burn mildly with some or no darkening or tanning, turn darker without sunburn, or would nothing happen to your skin?	
			* Read if necessary: Even if you did not go out in the sun, what would happen if you did? Use the most recent experience. If not, then think about the past.	
			* Read if necessary: By "sunburn" we mean even a small part of your skin turns red or hurts for 12 hours or more.	
			* Do not read the choice "do not go out in the sun." Select this choice if respondent volunteers.	
SUN.0030.00.3	SUNSHADE_A		When you go outside on a sunny day, for more than one hour, how often do you	Sample Adults 18+
			Stay in the shade?	
			Would you say always, most of the time, sometimes, rarely, or never stay in the shade?	
			* Do not read the choice "don't go outside on a sunny day for more than one hour." Select this choice if respondent volunteers.	

SUN.0040.00.3	SUNHAT_A	When you go outside on a sunny day, for more than one hour, how often do you Wear a hat that shades your face, ears AND neck such as a hat with a wide brim all around? Would you say always, most of the time, sometimes, rarely, or never wear a hat? * Do not read the choice "don't go outside on a sunny day for more than one hour." Select this	Sample Adults 18+
		choice if respondent volunteers.	
SUN.0050.00.3	SUNSHIRT_A	Read if necessary: When you go outside on a sunny day, for more than one hour, how often do you	Sample Adults 18+
		Wear a long-sleeved shirt?	
		* Read if necessary: Would you say always, most of the time, sometimes, rarely, or never wear a long-sleeved shirt?	
		Do not read the choice "don't go outside on a sunny day for more than one hour." Select this choice if respondent volunteers.	
SUN.0060.00.3	SUNSCREEN_A	Read if necessary: When you go outside on a sunny day, for more than one hour, how often do you	Sample Adults 18+
		Use sunscreen?	
		* Read if necessary: Would you say always, most of the time, sometimes, rarely, or never use sunscreen?	
		Do not read the choice "don't go outside on a sunny day for more than one hour." Select this choice if respondent volunteers.	

SUN.0070.00.3	SUNTAN_A	When spending time outdoors, how often do you try to get some sun for the purpose of developing a tan? * Read if necessary: Would you say always, most of the time, sometimes, rarely, or never? Do not read the choice "don't spend time outdoors." Select this choice if respondent volunteers.	Sample Adults 18+
SUN.0080.00.3	ANYSBURN_A	During the past 12 months, did you ever have a sunburn?	Sample Adults 18+
SUN.0090.00.3	NUMSBURNS_A	During the past 12 months, how many times have you had a sunburn?	Sample Adults 18+ who have had a sunburn in the past 12 months
SUN.0130.00.3	SUNBED_A	During the past 12 months, how many times have you used an indoor tanning device such as a sunlamp, sunbed, or tanning booth? Do NOT include times you have gotten a spray tan.	Sample Adults 18+

Sponsor(s):

. CDC/NCIPC - National Center for Injury Prevention and Control $\,$

Module:Adult, Section: OPD: Opioid Use - ALL

Question ID	Variable	Added	Question Text	Universe
OPD.0010.00.3	OPD12M_A		These next questions are about the use of prescription pain relievers called opioids. When answering these questions, please do not include over-the-counter pain relievers such as aspirin, Tylenol, Advil, or Aleve. During the past 12 months, have you taken any opioid pain relievers prescribed by a doctor, dentist, or other health professional? Examples include hydrocodone, Vicodin, Norco, Lortab, oxycodone, OxyContin, Percocet, and Percodan. If you are not sure, please tell me the name of the drug and I can look it up. * Press F1 to pull up list of prescription opioids. * Enter '1' for yes, if any medications provided are on the list. * Enter '2' for no, if no	Sample Adults 18+ who have taken prescribed medication in the past 12 months and OPIODALL_FLG=1
			medications provided are on the list.	
OPD.0020.00.3	OPD3M_A		During the past 3 months, have you taken any opioid pain relievers prescribed by a doctor, dentist, or other health professional?	Sample Adults 18+ who have taken prescribed medication in the past 12 months and also have taken any opioids prescribed by a doctor in the past 12 months

OPD.0030.00.3	OPDACUTE_A	During the past 3 months, did you take a prescription opioid to treat short-term or acute pain, such as pain due to a broken bone or muscle sprain, pain from dental work, or pain following surgery?	Sample Adults 18+ who have taken prescribed medication in the past 12 months and have also taken any opioids prescribed by a doctor in the past 3 months
OPD.0040.00.3	OPDCHRONIC_A	During the past 3 months, did you take a prescription opioid to treat long-term or chronic pain, such as low back pain or neck pain, frequent headaches or migraines, or joint pain or arthritis?	Sample Adults 18+ who have taken prescribed medication in the past 12 months and have also taken any opioids prescribed by a doctor in the past 3 months
OPD.0050.00.3	OPDFREQ_A	During the past 3 months, how often did you take a prescription opioid? Would you say some days, most days, or every day?	Sample Adults 18+ who have taken prescribed medication in the past 12 months and have also taken any opioids prescribed by a doctor in the past 3 months for chronic pain

Sponsor(s):

. CDC/NCIPC - National Center for Injury Prevention and Control

Module:Adult, Section: PAI: Chronic Pain

Question ID	Variable	Added	Question Text	Universe
PAI.0060.00.3	PAIOTCMEDS_A		Over the past three months, did you use any of the following to manage your pain?Over-the-counter medications such as aspirin, Tylenol, Advil, or Aleve?	Sample Adults 18+ who had pain at least some days in the past 3 months and PAINMNG_FLG=1
PAI.0070.00.3	PAIPRSMEDS_A		* Read if necessary: Over the past three months, did you use any of the following to manage your pain? A pain reliever ^opioid prescribed by a doctor, dentist, or other health professional?	Sample Adults 18+ who had pain at least some days in the past 3 months and PAINMNG_FLG=1
PAI.0080.00.3	PAIPHYSTPY_A		* Read if necessary: Over the past three months, did you use any of the following to manage your pain? Physical therapy, rehabilitative therapy, or occupational therapy?	Sample Adults 18+ who had pain at least some days in the past 3 months and PAINMNG_FLG=1
PAI.0090.00.3	PAICHIRO_A		* Read if necessary: Over the past three months, did you use any of the following to manage your pain? Spinal manipulation or other forms of chiropractic care?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1
PAI.0100.00.3	PAITALKTPY_A		* Read if necessary: Over the past three months, did you use any of the following to manage your pain? Talk therapies such as cognitive-behavioral therapy (CBT)?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1

PAI.0110.00.3	PAIYOGA_A	* Read if necessary: Over the past three months, did you use any of the following to manage your pain? Yoga, Tai Chi, or Qi Gong (chee-GONG)?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1
PAI.0120.00.3	PAIEXRCISE_A	* Read if necessary: Over the past three months, did you use any of the following to manage your pain? Other forms of exercise, such as walking, swimming, bike riding, stretching, or strength training?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1
PAI.0130.00.3	PAIMASSAGE_A	* Read if necessary: Over the past three months, did you use any of the following to manage your pain?Massage?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1
PAI.0140.00.3	PAIMEDITAT_A	* Read if necessary: Over the past three months, did you use any of the following to manage your pain? Meditation, guided imagery, or other relaxation techniques?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1
PAI.0150.00.3	PAIMOTHER_A	Over the past three months, did you use any other approaches to manage your pain?	Sample Adults 18+ who have pain at least some days and PAINMNG_FLG=1

Sponsor(s):

. CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: IMS: Immunization

Question ID	Variable	Added	Question Text	Universe
IMS.0010.00.3	PREGFLUYR_A		Were you pregnant any time ^AUGUSTYEAR?	Female sample adults 18-49 years or age is don't know or refused and who are not currently pregnant or don't know if they are currently pregnant or who are currently pregnant and the interview occurred between April-July
IMS.0020.00.3	LIVEBIRTH_A		During the past 12 months, did you have a pregnancy that ended in a live birth?	Female sample adults aged 18-49 of age or age is don't know or refused who did not refuse to answer if they are currently pregnant or if they were pregnant in between August and March
IMS.0050.00.3	FLUPREG_A		Did you get a flu vaccination before or during your current pregnancy?	Female Sample Adults 18-49 (or don't know or refuse their age) who are currently pregnant and received a flu vaccination in the past 12 months and the interview takes place in Jan-March or Aug- Dec

IMS.0060.00.3	FLUPREG2_A	Earlier you said you were pregnant sometime ^AUGUSTYEAR. Did you get a flu vaccination before, during, or after your pregnancy?	Female sample adults 18-49 years of age who reported a pregnancy during August-March and received a flu vaccination in the past 12 months
IMS.0090.00.3	SHTSHINGLE_A	Have you had a vaccine for shingles? * Read if necessary: Shingles is an illness that results in a rash or blisters on the skin, and is usually painful. There are two vaccines now available for shingles. The first is Zostavax®, which requires 1 shot and has been available since 2006. The other is Shingrix®, a new vaccine which requires 2 shots and has been available since 2017.	Sample Adults 50+
IMS.0100.00.3	ZOSTAVAX_A	There are two vaccines now available for shingles. The first is Zostavax®, which requires one shot and has been available since 2006. The other is Shingrix®, a new vaccine which requires 2 shots and has been available since 2017. Have you ever had Zostavax®, the shingles vaccine that requires one shot?	Sample adults age 50 or older who ever had a vaccine for shingles
IMS.0110.00.3	ZOSTAVAXYR_A	What year did you get your most recent Zostavax® shot? * Read if necessary: The Zostavax® vaccine has been available since 2006.	Sample Adults age 50 or older who had Zostavax vaccine
IMS.0120.00.3	ZOSTAWHEN_A	Was it before 2018?	Sample Adults aged 50 and older who don't know or refused the year they had a Zostavax vaccination
IMS.0130.00.3	SHINGRIX_A	Have you ever had Shingrix®, the new shingles vaccine which requires 2 shots and has been available since 2017?	Sample Adults 50+ who had a shingles vaccine

IMS.0140.00.3	SHINGRIXNB_A	How many Shingrix® shots have you ever had?	Sample Adults aged 50 or older who had a Shingrix vaccine
IMS.0150.00.3	SHINGRIXYR_A	What year did you get your most recent Shingrix® shot? * Read if necessary: The Shingrix® vaccine has been available since 2017.	Sample Adults aged 50 or older who had a Shingrix vaccine
IMS.0160.00.3	SHINGWHEN_A	Was it before 2018?	Sample Adults aged 50 and older who had a Shingrix vaccination and don't know or refused the year they had it.
IMS.0170.00.0	TDAPPREG_A	A Tdap vaccination is a tetanus booster shot that also includes pertussis (per-TUH-sis) or whooping cough vaccine. Earlier you said that you had a pregnancy that ended in a live birth during the past 12 months. Did you receive a Tdap vaccine during this pregnancy?	Female Sample Adults less than 49 years old or who don't know or refused their age who had a live birth in the past 12 months
IMS.0180.00.3	WORKHEALTH_A	In your work or volunteer activities, do you provide direct medical care to patients, such as being a doctor, nurse, dentist, therapist, home health care worker, or emergency responder?	Sample Adults 18+
IMS.0190.00.3	WRKHLTHFC_A	Even if you do not provide direct medical care to patients, do you do any kind of work or volunteer activities in a health care facility, such as in a hospital, doctor's office, dentist's office, clinic, nursing home, or residential care home?	Sample Adults 18+ who do not provide medical care to patients or don't know or refused if they do

Sponsor(s):

. $\mbox{FDA/CTP}$ - Center for Tobacco Products

Module:Adult, Section: OTB: Other Tobacco

Question ID	Variable	Added	Question Text	Universe
OTB.0010.00.3	CIGAREV_A	Added	Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar EVEN ONE TIME? * Read if necessary: "Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are Prime Time and	Sample adults 18+
			* Read if necessary: Do not include electronic cigars or e-cigars.	
OTB.0020.00.3	CIGARCUR_A		Do you NOW smoke regular cigars, cigarillos, or little filtered cigars every day, some days, or not at all?	Sample adults 18+ who have ever smoked a regular cigar, cigarillo, or filtered cigar
OTB.0030.00.3	CIGAR30D_A		On how many of the past 30 days have you smoked a regular cigar, cigarillo, or little filtered cigar?	Sample adults 18+ who now smoke a regular cigar, cigarillo, or little filtered cigar some days or not at all

OTB.0040.00.3	PIPEEV_A	Have you EVER smoked a pipe filled with tobacco - either a regular pipe, water pipe, or hookah EVEN ONE TIME? * Read if necessary: A hookah is a type of water pipe. It is sometimes called a "narghile" (NAR-ge-lee) pipe. Do not include electronic hookah or e-hookahs. * Read if necessary: Do not include electronic pipes or e-pipes.	Sample adults 18+
		Read if necessary: Do not include pipes filled with substances other than tobacco.	
OTB.0050.00.3	PIPECUR_A	Do you NOW smoke pipes filled with tobacco - either regular pipes, water pipes, or hookahs, every day, some days, or not at all? * Read if necessary: Do not include pipes filled with substances other than tobacco.	Sample adults 18+ who have ever smoked a regular pipe, water pipe or hookah filled with tobacco
OTB.0060.00.3	SMOKELSEV_A	Smokeless tobacco products are placed in the mouth or nose and can include chewing tobacco, snuff, dip, snus (SNOOSE), or dissolvable tobacco. Have you ever used smokeless tobacco products EVEN ONE TIME? * Read if necessary: Do not include nicotine replacement therapy products such as patch, gum, lozenge, or spray, which are considered smoking cessation treatments.	Sample adults 18+
OTB.0070.00.3	SMOKELSCUR_A	Do you NOW use smokeless tobacco products every day, some days, or not at all?	Sample adults 18+ who have ever used smokeless tobacco products

Sponsor(s):

. CDC/NIOSH - National Institute for Occupational Safety and Health

Module:Adult, Section: SDW: Social distancing at work

Question ID	Variable	Added	Question Text	Universe
SDW.0010.00.3	CURJOBSD_A		Thinking about your MAIN job or business, are there currently social distancing measures in effect to help keep people apart? * If this person is working from home full-time because of COVID-19, answer '1' for yes.	Sample Adults 18+ where the social distancing section is on path and who were working at or were on temporary leave from a paid job or business last week, or who have seasonal/contract work, or who work, but not for pay
SDW.0020.00.3	WRKCLSSD_A		Currently, at your MAIN job or business, how often do you still need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time? * If person works from home full-time and does not know how to answer, ask, "Does your job require you to be face-to-face with any people you don't live with?" * If no, answer '4' for "none of the time." * If yes, ask, "How much of your time at work is spent with people who are closer than 6 feet?"	Sample Adults 18+ who have social distancing measures currently in effect at their main job or business

SDW.0030.00.3	WRKCLSNOSD_A	When social distancing measures were NOT in effect, how often did you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time? * Enter '5' if respondent only worked at main job when social distancing measures were in effect. If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?" If no, answer '4' for "none of the time." If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"	Sample Adults 18+ who have social distancing measures currently in effect at their main job or business
SDW.0040.00.3	WRKCLSOFT_A	Currently, at your MAIN job or business, how often do you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time? If person works from home full-time and does not know how to answer, ask, "Does your job require you to be face-to-face with any people you don't live with?" If no, answer '4' for "none of the time." If yes, ask, "How much of your time at work is spent with people who are closer than 6 feet?"	Sample Adults 18+ who do not have social distancing measures currently in effect at their main job or business or refused or don't know
SDW.0050.00.3	SDMSRS_A	At any time since the start of the coronavirus pandemic, did your MAIN job or business put social distancing measures into effect? * If this person was working from home full-time because of COVID-19, answer '1' for yes. * If person started job while social distancing measures were in effect, answer '1' for yes.	Sample Adults 18+ who do not have social distancing measures currently in effect at their main job or business or refused or don't know

SDW.0060.00.3	SDMSRSOFT_A	When social distancing measures were in effect, how often did you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time? * Enter '5' if respondent did not work at main job when social distancing measures were in effect. If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?" If no, answer '4' for "none of the time." If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"	Sample Adults 18+ whose main job or business put social distancing measures into effect since the start of the coronavirus pandemic
SDW.0070.00.3	RECJOBSD_A	Thinking about the MAIN job you held in the past 12 months, were there ever any social distancing measures in effect while you worked there? That is, were there ever practices in place to help keep people apart? * If this person was working from home full-time because of COVID-19, answer '1' for yes.	

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Adult, Section: FOO: Food Related Programs

Question ID	Variable	Added	Question Text	Universe
F00.0020.00.3	FSNAP30D_A		Did ^YOUFAMLVHERE_A receive ^FSSNAPNM in the LAST 30 days? * Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.	Sample Adults 18+ living in families where someone received food stamps in the last 12 months

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Added	Question Text	Universe
FDS.0010.00.3	FDSINTRO_A		These next questions are about whether 'youyourfamily_A 'waswere always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for 'youyourfamily_A in the last 30 days. * Enter '1' to continue.	Child FDS section has not been completed

		I	
FDS.0020.00.3	FDSRUNOUT_A	The first statement is "'IWe_A worried whether 'myour_A food would run out before 'Iwe_A got money to buy more." Was that often true, sometimes true, or never true for 'youyourfamily_A in the last 30 days?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.
FDS.0030.00.3	FDSLAST_A	"The food that 'Iwe_A bought just didn't last, and 'Iwe_A didn't have money to get more." Was that often true, sometimes true, or never true for 'youyourfamily_A in the last 30 days?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.

and the SA are	FDS.0040.00.3	FDSBALANCE_A	^IWe_A couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are
----------------	---------------	--------------	---	---

FDS.0050.00.3	FDSSKIP_A	o b	In the last 30 days, did Pyouorother_A ever cut the size of your meals or skip meals pecause there wasn't enough noney for food?	are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought

FDS.0060.00.3	FDSSKIPDYS_A	In the last 30 days, how many days did this happen?	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent said that they or other adults in their family cut the size of their meals or skipped meals due to cost.

EDS 0070 00 2	EDCLESS A	In the last 30 days did	The Sample Child
FDS.0070.00.3	FDSLESS_A	In the last 30 days, did ^youorother_A ever eat less than you felt you should because there wasn't enough money for food?	are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and
			that was bought
			meals.

FDS.0080.00.3	FDSHUNGRY_A	In the last 30 days, were	The Sample Child
		^youorother_A ever hungry but	and Sample Adult
		didn't eat because there wasn't	are not in the
		enough money for food?	same family
			OR Sample Child
			and Sample Adult
			are in the same
			family AND Sample
			Child FDS section
			has not been
			completed
			OR the Sample
			Adult and Sample
			Child are in the
			same family and
			every question
			asked in the
			Sample Child FDS
			section was
			answered with
			RF/DK and the
			person answering the SC interview
			and the SA are
			different people
			and respondent
			answered often
			true or sometimes
			true that in the
			last 30 days they
			worried that food
			would run out
			before they got
			money to buy more,
			or that the food
			that was bought
			didn't last and
			they didn't have
			money to get more
			or couldn't afford
			to eat balanced
			meals.

^youor becaus	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced
------------------	---

FDS.0100.00.3 FDSNOTEAT_A	In the last 30 days, did ^youorother_A ever not eat for a whole day because there wasn't enough money for food? The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.

FDS.0110.00.3	FDSNEDAYS_A	In the last 30 days, how mandays did this happen?	ny	The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was asswered with RF/DK and the person answering the SC interview and the SA are different people and respondent didn't eat for a whole day in last 30 days because

2020 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Child, Section: FOO: Food Related Programs

Question ID	Variable	Added	Question Text	Universe
F00.0020.00.3	FSNAP30D_C		Did any family members living here receive ^FSSNAPNM in the LAST 30 days? *Read if necessary: This program puts money on a SNAP EBT card that you can only use to buy food.	Sample Child 0-17 and someone in the family received food stamps in the past 12 months

2020 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Added	Question Text	Universe
FDS.0010.00.3	FDSINTRO_C		These next questions are about whether you were always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for your family in the last 30 days. Enter '1' to continue.	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent

FDS.0020.00.3	FDSRUNOUT_C	The first statement is "We worried whether our food would run out before we got money to buy more." Was that often true, sometimes true, or never true for your family in the last 30 days?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent
FDS.0030.00.3	FDSLAST_C	"The food that we bought just didn't last, and we didn't have money to get more." Was that often true, sometimes true, or never true for your family in the last 30 days?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent

FDS.0040.00.3	FDSBALANCE_C		"We couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for your family in the last 30 days?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent
---------------	--------------	--	---	--

FDS.0050.00.3	FD33KIF_C	In the last 30 days, did ^youorother_C ever cut the size of your meals or skip meals because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.
---------------	-----------	---	--

FDS.0060.00.3	FDSSKIPDYS_C	In the last 30 days, how many days did this happen?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent answered they skipped meals due to cost

FDS.0070.00.3 FDSLESS_C In the last 30 days, did Sample Chil	14 0 17
^youorother_C ever eat less than you felt you should because there wasn't enough money for food? **The tenough money for food?** **Sample Adult sample are not in same family sample Adult Sample Chil in the same and the Sam Adult answerefused or know to all questions is Sample Adult section and Sample Chil in the same and the Sam Adult answerefused or know to all questions is Sample Adult section and Sample Chil respondent the Sample the Sample chil respondent answered of true or som true that it last 30 day worried tha would run obefore they money to bu or that the that was bo didn't last they didn't money to ge or couldn't to eat bala meals.	Adult Child same the lt FDS s not eted OR Adult the y OR the lt and ld are etered don't lin the lt FDS d the ld is not Adult Adult ften metimes in the ys they at food out y got uy more, e food ought t have et more t afford

FDS.0080.00.3	FDSHUNGRY_C	In the last 30 days, were ^youorother_C ever hungry but didn't eat because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult and Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent and respondent and respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.
---------------	-------------	---	---

FDS.0090.00.3		In the last 30 days, did ^youorother_C lose weight because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent and respondent and respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.
---------------	--	---	---

FDS.0100.00.3	FDSNOTEAT_C	In the last 30 days, did ^youorother_C ever not eat for a whole day because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent answered they cut
			the Sample Adult respondent and

	In the last 30 days, how many days did this happen?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Adult FDS section and the Sample Adult FDS section and the Sample Adult respondent is not the Sample Adult respondent is not the Sample Adult respondent is not the Sample Adult respondent and adults in the family have ever not eaten for a whole day because there wasn't enough money for food in the last 30 days
--	---	--