DEPARTMENT OF COMMERCE BUREAU OF THE CENSUS

SAM. L. ROGERS, DIRECTOR

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS

IN THE REGISTRATION AREA OF THE UNITED STATES

1914



WASHINGTON
GOVERNMENT PRINTING OFFICE
1916

CONTENTS.

TEXT.

Introduction	Page 7-12
Classification according to location	7
Proportion of transcripts which contained needed information.	7
Circular letter to physicians	7
Classification as to diagnosis.	8
List showing titles and subdivisions of titles of International List, relating to cancer and other malignant tumors, as used in this	
report, together with inclusions under each title	9
THE REGISTRATION AREA.	12, 13
Growth of the registration area: 1880 to 1914	12
Extent of the registration area in 1914	13
Population of registration states, by age and sex, in 1914.	13
Summary and analysis of the statistics. Color, nativity, parent nativity, age, and sex of decedent.	13-18
Deaths and crude death rates	13
High and low rates for states.	14
High and low rates for cities	14
Crude rates for different localities noncomparable	14
Deaths and death rates in seven titles of International Classification: 1900–1914.	
Deaths, death rates, and per cent distribution, by location of disease: 1914.	15
Crude death rates at all ages and specific death rates for thirteen age groups, by sex, from cancer and other malignant tumors,	15
according to the part of the body affected, for the registration states: 1914	
Death rates in foreign countries: 1900–1914.	16
Description in locality committees. 1900-1014	18
SUMMARY AND RATE TABLES.	
TABLE I.—Population and deaths and death rates per 100,000 population from cancer and other malignant tumors in the registra-	
tion area and its subdivisions: 1914	21
TABLE II.—Death rates per 100,000 population from cancer and other malignant tumors, classified according to the part of the body	
affected, for the registration area and for each registration unit in which there were 50 or more such deaths: 1914	35
GENERAL TABLES.	
TABLE 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the	
registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914	44
TABLE 2.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, with statement	
of diagnosis, by sex and color, for the registration area, registration states, and for each registration unit in which there	
were 50 or more such deaths: 1914	88
TABLE 3.—Deaths from cancer and other malignant tumors in the registration area and the registration states, by age and by sex,	
color, general nativity, and parent nativity of decedent: 1914	182
TABLE 4.—Deaths from cancer and other malignant tumors, classified according to the part of the body affected, in the registration	
states, by age, sex, color, general nativity, and parent nativity of decedent: 1914:	184
TABLE 5.—Deaths from cancer and other malignant tumors, in the registration states, of single, married, widowed, and divorced	
persons, and of those of unknown conjugal condition, by sex, age, color, general nativity, and parent nativity of de-	
cedent: 1914.	210
MAPS AND DIAGRAM.	
Growth of the registration area for deaths: 1880-1914 (maps).	
Percentages which the population and the land area of the registration area formed of the total population and land area of the United	11
States for the years 1880, 1890, and 1900 to 1914, inclusive (diagram).	10
	12

(3)

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,

BUREAU OF THE CENSUS,

Washington, D. C., August 21, 1916.

STR

I transmit herewith a monograph on the mortality from cancer and other malignant tumors in the registration area of the United States. In this monograph the seven titles of the International List of Causes of Death covering the subject of cancer have been subdivided, so that deaths from cancer and other malignant tumors are classified, according to location, under 29 separate headings.

I wish to acknowledge the advice and cooperation of the American Society for the Control of Cancer, and especially of its Statistical Advisory Board: Dr. F. L. Hoffman, chairman; Dr. Cressy L. Wilbur, Dr. William H. Guilfoy, Dr. Louis I. Dublin, and Mr. Curtis E. Lakeman, executive secretary; and also of Prof. Walter F. Willcox, of Cornell University, and Dr. William J. Mayo.

This monograph was prepared under the supervision of Mr. Richard C. Lappin, chief statistician for vital statistics, assisted by Mr. George H. Van Buren, expert chief of division.

Respectfully,

Sam. L. Rogers, Director of the Census.

To Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA OF THE UNITED STATES: 1914.

INTRODUCTION.

This monograph presents, in greater detail than heretofore shown in the annual mortality reports of the Bureau of the Census, statistics of deaths occurring in the registration area of the United States during the calendar year 1914 and reported as due to cancer and other malignant tumors. The preparation of this monograph was authorized by the Director of the Census on October 17, 1914, in compliance with the suggestion of a number of the foremost students of the cancer problem and at the request of the American Society for the Control of Cancer. The request of this society was made in pursuance of the following resotion, adopted at a meeting of the executive committee on February 7, 1914:

Resolved, That the executive committee of the American Society for the Control of Cancer respectfully suggests to the Director of the United States Census that the division of vital statistics be instructed to publish hereafter, in the annual volume on mortality statistics, a more detailed statement of the deaths from cancer and other malignant tumors, as reported for the registration area of the United States, and in accordance with the details as given in the second revision of the Manual of the International List of Causes of Death, pages 63–66, inclusive.

It was deemed advisable, however, to publish this detailed statement in the form of a separate monograph, in order not to cause too great a delay in the publication of the annual report on mortality statistics.

CLASSIFICATION ACCORDING TO LOCATION.

In the preparation of the accompanying tables the bureau has subdivided the seven titles of the International List of Causes of Death, covering the subject of cancer, so that the statistics show the mortality from cancer and other malignant growths,1 classified according to location, under 29 separate headings. It was suggested by a member of the Society for the Control of Cancer that two sets of statistics should be presented, showing (a) growths of which the existence and malignant nature were reasonably certain on the basis of autopsies, surgical operations, microscopical examinations, or accessibility to observation by reason of exposed situations; and (b) those of which identification as malignant tumors was uncertain, that is, internal cancers and other malignant growths, diagnoses of which were based on clinical findings only. This suggestion was adopted.

PROPORTION OF TRANSCRIPTS WHICH CONTAINED NEEDED INFORMATION.

The first step in preparation for the tabulation was to make an estimate of the percentage of the transcripts, as received by the Census Bureau, which contained the desired information. It was estimated that at least 50,000 deaths in the registration area would be reported during the year 1914 as due to cancer. About 2,000 transcripts from several registration states were examined and it was found that in less than 2 per cent of the cases was the fact of autopsy mentioned, that about 9 per cent of the transcripts contained the information that surgical operations had been performed, and that in practically no cases was it stated that the diagnosis was based on clinical findings. For the entire 50,000 cases, there would thus be, on the basis of the data on the 2,000 transcripts of death certificates examined, about 11 per cent, or approximately 5,500, in which surgical operations or autopsies had been performed. Using as a criterion the mortality statistics for 1913, it was estimated that about 8,500 deaths would be reported as due to cancer or malignant tumors of the buccal cavity, skin, and breast, all so situated that no mistake would be probable in diagnosis, and that these, therefore, could be classified as of reasonably certain malignancy. There would thus be a total of approximately 14,000 cases in which the diagnosis could be safely accepted as "reasonably certain," leaving some 36,000 in which it was necessary for the Bureau of the Census to communicate with the attending physicians in order to ascertain whether the diagnoses were based on clinical findings or on autopsies, or whether surgical operations had been performed.

CIRCULAR LETTER TO PHYSICIANS.

The following circular letter was, therefore, prepared and sent to over 35,000 physicians, and it is gratifying to be able to state that replies were received from about 80 per cent of them. In this connection it should be borne in mind that in many cases the deaths occurred nine or ten months prior to their receipt of the letters.

As a result of this investigation, the bureau was able to compile 30,555 deaths, or 58.3 per cent of the total, under the caption "Diagnosis reasonably certain"; 14,404, or 27.5 per cent, under "Diagnosis uncertain"; and 7,461, or 14.2 per cent, under "Diagnosis unknown."

¹The term "cancer," as used throughout this monograph, includes "other malignant tumors."

DEPARTMENT OF COMMERCE, BUREAU OF THE CENSUS,

WASHINGTON

DEAR DOCTOR:

At the request of the American Society for the Control of Cancer the Bureau of the Census has decided to publish two sets of statistics covering the subject of deaths from cancer and other malig-

(a) Statistics of deaths in which the diagnoses were based on

clinical findings.

(b) Statistics of deaths in which the diagnoses were confirmed

by autopsies, or in which surgical operations were performed.

Will you kindly examine the accompanying transcript of a
medical certificate of death, the original of which was made out by you, and note thereon whether the diagnosis was based on clinical findings or autopsy; also whether there was surgical intervention? In either case the seat of the disease should also be stated. Any further data which you care to give may be written on the reverse side of the transcript.

The information will be treated as strictly confidential and used for statistical purposes only. I feel assured that your interest in advancing the scientific study of this subject will prompt you to aid the bureau in this great work, the success of which is entirely

dependent upon the cooperation of American physicians.

Prompt return of the information desired, by means of inclosed penalty envelope, which requires no postage, will be greatly appreciated, as we are now compiling these returns.

Very respectfully,

SAM. L. ROGERS, Director.

The Bureau of the Census takes this occasion to express its sincere appreciation of the interest and courtesy shown by so many thousands of physicians in their replies. It was necessary in many cases to consult records which were months old; in others certificates had been signed by doctors who had answered calls in the absence of the regular medical attendants. but who either referred the bureau to the latter or obtained from them the case histories. Many replies were accompanied by extracts from hospital records. nurses' charts, and even photographs of the growths. Deserving of special thanks are two cases in which widows of deceased physicians sent extracts from case histories as found in their records.

In editing the replies of the physicians a considerable number of cases were noted of which the following is an example: The return was "cancer of the liver." The physician replying to the Census Bureau inquiry as to basis of diagnosis stated that, so far as the liver was concerned, the diagnosis was purely clinical, but that prior to this a cancer of the breast had been excised; or that the decedent had suffered for years from a malignant tumor of the rectum, the uterus, the axilla, the face, or some other "visible or accessible" organ or member. bureau in classifying such a case was therefore confronted with this situation: (a) The existence of cancer was certain or "reasonably certain" in the visible or accessible organ or member; (b) the existence of cancer in the inaccessible organ was confirmed by clinical symptoms only; (c) the executive council of the American Society for the Control of Cancer, in conjunction with representatives of other interested organizations and persons, had recommended "that all diagnoses of inaccessible cancer based on clinical findings alone should be referred to the 'uncertain class' regardless of any strength of assertion by the physician that the diagnosis was correct."

Under these conditions it was decided to classify the death as one caused by cancer of the visible or accessible organ, it being deemed better to establish as nearly as possible the number of deaths in which it was "reasonably certain" that the cause was cancer, than to tabulate under the head of cancer of any given organ deaths which were declared by the society to be uncertain as to cause by reason of the fact that the diagnosis was based on clinical findings only. In former years, however, such a death, classified on the basis of the original unamended statement. would have been charged to cancer of the inaccessible organ; and it may be that the number of changes in this respect will be sufficient to influence the rate for Title 44 (Cancer of the skin) and Title 43 (Cancer of the breast).

CLASSIFICATION AS TO DIAGNOSIS.

Deaths covered by the following classes of cases were compiled under the caption, "Diagnosis reasonably certain":

- (a) All cases of external cancers, including those assignable to Title No. 43 (Cancer of breast); to Title No. 44 (Cancer of skin); and to the majority of the terms under subtitle X of Title No. 45 (Cancer of other organs or of organs not speci-
- (b) All cases of cancers in cavities of the body or in organs that can be seen and examined without operative measures; e. g., be seen and examined without operative measures; e. g., those assignable to Title No. 39 (Cancer of the buccal cavity); to Title No. 41, subtitle C (Cancer of rectum and anus); to Title No. 42, subtitle B (Cancer of the uterus); to Title No. 42, subtitle C (Cancer of vagina and vulva); to Title No. 45, subtitle A (Cancer of larynx); and to a few terms under subtitle X of Title No. 45 (Cancer of other processes or of oregon not recognized. organs or of organs not specified.

(c) All cases in which diagnosis was confirmed by surgical inter-

vention (including exploratory operations)

(d) All cases in which diagnosis was confirmed by microscopic findings.

(e) All cases in which diagnosis was confirmed by post-mortems, autopsies, or necropsies.

The following cases were compiled under "Diagnosis uncertain'':

All cases in which death was ascribed to malignant growths of organs or parts of the body that are inaccessible except through operative measures, and in which no operative measures were employed, no microscopic examinations were made, and no postmortems, autopsies, or necropsies were performed.

Under this heading are included cases where growths were inaccessible, no operative measures were employed, and the diagnoses were based on clinical findings only, even though they were concurred in by consultants, and even though physicians of most eminent professional standing positively asserted that they were sure of their diagnoses. This has been done on the earnest recommendation of the American Society for the Control of Cancer.

Under "Diagnosis unknown" were compiled—

All those cases concerning which correspondence with physicians was necessary to determine whether diagnosis was reasonably certain or was uncertain, and concerning which no replies were received to the communications of the Bureau of the Census.

LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE.


```
41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM,
    -CANCER AND OTHER MALIGNANT TUMORS OF THE BUCCAL
                                                                             INTESTINES, RECTUM—Continued.
        CAVITY.
      39A.—Cancer of the lip:
                                                                           41B.—Cancer of the intestines (except rectum)—Continued.
                                                                                     Cancer of intestinal gland.
                Cancer of lip.
                Smokers' cancer.
                                                                                               intestine?
                                                                                               sigmoid flexure.
      39B.—Cancer of the tongue:
                                                                                     Carcinoma entericum.
                Cancer of tongue.
                                                                                     Malignant stricture of intestine.
                Carcinoma linguae.
                                                                                               ulceration of intestine.
                Lingual cancer.
                                                                           41c.—Cancer of the rectum and anus:
      39c.—Cancer of the mouth (without further qualification):
                                                                                     Cancer of anus.
                Cancer of mouth.
                                                                                               rectum.
      39D.—Cancer of the jaw:
                                                                           41x.—Other cancers of this class:
                Cancer of jaw.
                                                                                     Cancer of abdominal viscera.
                Cancer of maxilla.
                                                                                     Malignant internal stricture.
      39x.—Other cancers of this class:
                Cancer of buccal cavity (without further qualifi-
                                                                    42.—CANCER AND OTHER MALIGNANT TUMORS OF THE FEMALE
                  cation).
                                                                             GENITAL ORGANS.
                Cancer of cheek.
                                                                           42A.—Cancer of the ovary and fallopian tube:
                                                                                     Cancer of fallopian tube.
                Cancer of gum.
                Cancer of palate.
                                                                           42B.—Cancer of the uterus:
                Cancer of soft palate.
                                                                                     Cancer of cervix.
                Cancer of tonsil.
                                                                                               uterus.
40.—CANCER AND OTHER MALIGNANT TUMORS OF THE STOMACH,
                                                                                               womb.
        LIVER.
                                                                                     Cervical cancer.
                                                                                     Neoplasm of uterus.
      40A .- Cancer of the pharynx:
                                                                           42c.—Cancer of the vagina and vulva:
                Cancer of pharynx.
                                                                                     Cancer of vagina.
      40B.—Cancer of the esophagus:
                                                                                               vulva.
                Cancer of esophagus.
                                                                           42x.—Other cancers of this class:
      40c.—Cancer of the stomach:
                                                                                     Cancer of broad ligament.
                Cancer of cardia.
                                                                                               female genital organ (unspecified).
                          cardiac orifice of stomach.
                                                                                               uterine ligament. -
                          pylorus.
                                                                                     Chorioepithelioma.
                          stomach.
                                                                                     Deciduoma malignum.
                Carcinoma ventriculi.
                                                                                     Hydatid mole.
                Gastric tumor.
                                                                                     Hydatidiform mole.
                Gastrocarcinoma.
                                                                                     Syncytioma.
                Tumor of stomach.
      40D.—Cancer of the liver and gall bladder:
                                                                    43.—CANCER AND OTHER MALIGNANT TUMORS OF THE BREAST.
                Cancer of bile duct.
                                                                             Cancer of breast.
                          gall bladder.
                                                                                       mammary gland.
                                                                                       nipple.
                              duct.
                                                                             Cancer en cuirasse.
                          liver.
                                                                              Neoplasm of breast.
                Hepatic cancer.
                Melanosis of liver.
                                                                    44.—CANCER AND OTHER MALIGNANT TUMORS OF THE SKIN.
                                                                              Cancer of auricle (of ear).
41.—CANCER AND OTHER MALIGNANT TUMORS OF THE PERITONEUM,
                                                                                       chin.
        INTESTINES, RECTUM.
                                                                                       connective tissue.
      41A.—Cancer of the mesentery and peritoneum:
                                                                                       ear.
                Cancer of mesentery.
                                                                                       face.
                          omentum.
                                                                                       head.
                          peritoneum.
                                                                                       nose.
                          retroperitoneal gland.
                                                                                       scalp.
                Cancerous peritonitis.
                                                                                       skin.
                Lymphosarcoma of peritoneum.
                                                                                       umbilicus.
                Malignant peritonitis.
                                                                              Cancroid (unqualified).
                Retroperitoneal cancer.
                                                                             Cervicofacial cancer.
      41B.—Cancer of the intestines (except rectum):
                                                                             Columnar epithelioma.
                Cancer of appendix.
                                                                             Epithelial tumor (location not indicated).
                                                                             Epithelioma (location not indicated).
                                                                             Noli me tangere.
                          caput coli.
                                                                             Rodent dermatitis.
                          colon.
                          duodenum.
                                                                                     ulcer.
                                                                        [This title does not include Esthiomene (34) or Lupus (34).]
                          ileum.
```


LIST SHOWING TITLES AND SUBDIVISIONS OF TITLES OF INTERNATIONAL LIST, RELATING TO CANCER AND OTHER MALIGNANT TUMORS, AS USED IN THIS REPORT, TOGETHER WITH INCLUSIONS UNDER EACH TITLE—Continued.


```
45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
45.—CANCER AND OTHER MALIGNANT TUMORS OF OTHER ORGANS
        OR OF ORGANS NOT SPECIFIED.
                                                                              OR OF ORGANS NOT SPECIFIED-Continued.
      45A.—Cancer of the larynx:
                                                                            45x.—Other cancers of this class—Continued.
                Cancer of larynx.
                                                                                      Cancer of iliac region.
      45B.—Cancer of the lung and pleura:
                                                                                                inguinal gland.
                Cancer of anterior mediastinum.
                                                                                                iris.
                          lung.
                          mediastinal gland.
                                                                                                lacrimal apparatus.
                          mediastinum.
                                                                                                leg.
                                                                                                lower extremity.
                          pleura.
                Pulmonary cancer.
                                                                                                lymph gland.
      45c.—Cancer of the pancreas:
                                                                                                       node.
                Cancer of pancreas.
                                                                                                lymphatic gland.
     45D.—Cancer of the kidneys and suprarenals:
                                                                                                           vessel.
                                                                                                membrane of spinal cord.
                Cancer of adrenal.
                           kidney.
                                                                                                meninges.
                           suprarenal.
                                                                                                muscle.
                Renal cancer.
                                                                                                nates.
                Rhabdomyosarcoma of kidney.
                                                                                                neck.
     45E.—Cancer of the prostate:
                                                                                                nerve
                Cancer of prostate.
                                                                                                orbit.
                Malignant prostatitis.
                                                                                                parotid gland.
     45F.—Cancer of the bladder:
                                                                                                pectoral region.
                                                                                                pelvic viscera.
                Cancer of bladder.
     45G.—Cancer of the brain:
                                                                                                pelvis.
                Cancer of brain.
                                                                                                penis.
                          membrane of brain.
                                                                                                pericardium.
     45н.—Cancer of the bones (except jaw):
                                                                                                perineum.
                Cancer of bone.
                                                                                                posterior nares.
                                                                                                prepuce.
                          joint.
                          sacrum.
                                                                                                salivary gland.
                          scapula.
                                                                                                scrotum.
                          spine.
                                                                                                shoulder.
                          sternum.
                                                                                                spinal cord.
                          vertebra.
                                                                                                spleen.
                                                                                                temporal region.
                          zygoma.
                                                                                                thorax.
                Osteosarcoma.
     45k.—Cancer of the testes:
                                                                                                throat.
                Cancer of testicle.
                                                                                                thymus gland.
                Sarcocele.
                                                                                                thyroid gland.
     45x.—Other cancers of this class:
                                                                                                trachea.
                Cancer of abdomen (without further qualification):
                                                                                                upper extremity.
                         accessory sinus.
                                                                                                ureter.
                          antrum.
                                                                                                urethra.
                          arm.
                                                                                                viscera.
                          artery.
                                                                                      Cancerous cachexia.
                          axilla.
                                                                                                 goiter.
                          back.
                                                                                                 humor.
                                                                                                 neuritis.
                          body.
                          bronchi.
                                                                                                 toxemia.
                          cervical gland.
                                                                                      Carcinomatous septicemia.
                          chest.
                                                                                      Chimney sweeps' cancer.
                          choroid.
                                                                                      Disseminated cancer.
                          conjunctiva.
                                                                                      General carcinomatosis.
                          cord.
                                                                                              sarcomatosis.
                                                                                      Intra-abdominal cancer.
                          cornea.
                          extremity.
                                                                                      Lobstein's cancer.
                                                                                      Malignant disease (undefined)
                          eye.
                          fauces.
                                                                                                 fistula.
                          ganglia.
                                                                                      Miliary carcinosis.
                          genital organ (male).
                                                                                      Multiple cancer.
                          gland.
                                                                                                melanosarcomata.
                          glandular system.
                                                                                      Pelvic cancer.
                          groin.
                                                                                      Retropharyngeal cancer.
                          hand.
                                                                                      Sarcomatosis (unqualified).
                          heart.
                                                                                      Sarcomatous phlebitis.
                          hip.
                                                                                      Thyreosarcoma.
```


GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880-1914.

Note.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.









THE REGISTRATION AREA.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1914.

The series of annual mortality reports began with that for the calendar year 1900, following the series of decennial reports, which began with the report of the Seventh Census, for 1850, and terminated with that of the Twelfth Census, for the year ended May 31, 1900. These decennial reports were compiled from data obtained by the population enumerators and related to the United States as a whole; and for the years 1880 and 1890 additional reports, relating only to the registration area and based on returns from registration officials, were also published.

The registration area for deaths was established in 1880, and then comprised the states of Massachusetts and New Jersey, the District of Columbia, and a number of cities in nonregistration states, the population of the entire area being 8,538,366, or 17 per cent of the total population of the United States. Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont, and a number of cities in nonregistration states were added in 1890, nearly doubling the percentage of population included (31.4). In 1900, for the census year ended May 31, two more states, Maine and Michigan, and a number of cities in nonregistration states were brought into the area and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

With the beginning of the annual mortality reports—the first of which, as already stated, related to the calendar year 1900—and the discontinuance of the decennial series, Indiana became a registration state, and the percentage of population included in the registration area was raised to 40.5.

Thereafter there was little or no increase in the area until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota (since discontinued) were admitted, bringing the percentage up to 48.9. The next addition was in 1908, when Washington and Wisconsin became registration states, and at last over one-half of the population of the United States (52.5 per cent, according to the estimates for that year) was included in the area. The proportion continued to increase with the admission of Ohio in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants, in 1910; Kentucky and Missouri in 1911; Virginia in 1913; and Kansas in 1914, in which year the estimated population of the registration area represented 66.8 per cent of the total for the United States.


The following table shows the growth of the registration area in population and land area from 1880 to 1914, inclusive:

	UNITED :	STATES.	REGISTRATION AREA FOR DEATHS.						
YEAR.			Populati	on.	Land a	rea.			
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.			
Calendar year 1914. Calendar year 1913. Calendar year 1912. Calendar year 1912. Calendar year 1911. Calendar year 1910. Calendar year 1909. Calendar year 1909. Calendar year 1908. Calendar year 1906. Calendar year 1906. Calendar year 1904. Calendar year 1904. Calendar year 1904. Calendar year 1900. Calendar year 1900. Calendar year 1900. Calendar year 1900. Census year 1900. Census year 1900. Census year 1809.2	98, 781, 324 97, 163, 330 95, 545, 336 93, 927, 342 92, 309, 348 90, 691, 354 89, 073, 360 87, 455, 366 85, 837, 372 84, 219, 378 82, 601, 384 80, 983, 390 79, 365, 336 77, 747, 402 2, 75, 994, 575 62, 622, 250	1 2, 973, 890 1 2, 973, 890 1 2, 973, 890 2, 974, 159 2, 974, 159	63, 298, 718 60, 427, 247 59, 275, 977 53, 843, 896	65. 1 63. 2 63. 1 58. 3 56. 1 52. 5 49. 2 40. 4 40. 4 40. 4 40. 4 40. 5 37. 9	1, 228, 644 1, 147, 039 1, 106, 734 997, 978 765, 738 725, 117 603, 151 603, 066 212, 744 212, 762 212, 762 212, 762 212, 621 176, 878 90, 695	38.6 37.2 37.2 33.6 25.7 24.4 20.3 7.2 7.2 7.2 7.2 7.2 7.2 7.2 5.9			

Netreduction of 269 square miles as compared with area stated by census of 1900, due to dramage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
Ended May 31.

The percentages which the population and the land area of the registration area formed of the total popu-. lation and land area of the United States for the years 1880, 1890, and 1900 to 1914, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND THE LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1914, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1914.

The registration area in 1914 was composed of 25 states, the District of Columbia, and 32 cities in non-registration states. Included among the registration states, however, is North Carolina, the returns from which relate only to the municipalities having 1,000 population and over in 1910. These states and cities were admitted to the registration area only after it appeared, from such evidence as was available, that their returns were approximately complete; that is to say, that at least 90 per cent of all deaths were properly recorded under state law or municipal ordinance and that transcripts of the records were furnished the Bureau of the Census.

The following states are included in the registration area for 1914:

California. Ohio. Minnesota. Pennsylvania. Rhode Island. Colorado. Missouri. Connecticut. Montana. Indiana. New Hampshire. Utah. New Jersey. Vermont. Kansas. Kentucky. New York. Virginia. Maine. North Carolina (mu-Washington. Maryland. nicipalities of 1,000 Wisconsin. Massachusetts. population and over Michigan. in 1910).

The entire area comprises the preceding states, the District of Columbia, and the following-named registration cities in nonregistration states:

Alabama:	Illinois:	South Carolina:
Birmingham.	Aurora.	Charleston.
· Mobile.	Belleville.	Tennessee:
Montgomery.	Chicago.	Chattanooga.
Delaware:	Decatur.	Jackson.
Wilmington.	Evanston.	Knoxville.
Florida:	Jacksonville.	Memphis.
Jacksonville.	Quincy.	Nashville.
Key West.	Springfield.	Texas:
Pensacola.	Louisiana:	El Paso.
Georgia:	New Orleans.	Galveston.
Atlanta.	Nebraska:	San Antonio.
Augusta.	Lincoln.	West Virginia:
Savannah.	Omaha.	Wheeling.
•	Oregon:	• .
·	Portland.	

, POPULATION OF REGISTRATION STATES, BY AGE AND SEX. IN 1914.

The following table shows the estimated midvear population, in 1914, of the registration states, exclusive of North Carolina, by sex, by single years of age from 0 to 4, and by five-year age periods from 5 to 100. The population at unknown ages has been distributed among the various ages and age groups according to the proportions which the numbers at those ages and in those age groups formed of the total population of known ages. The rates given in the table on page 16 are based on the figures in this table. The exclusion of North Carolina from this table is due to the fact that the deaths for that state were shown only for municipalities which in 1910 had 1,000 inhabitants or more, the population by sex and age for these localities not being available. The states included in the registration area for 1914 are listed on page 13.

AGE.		POPULATION OF TATES, 1 JULY 1,	
	Both sexes.	Male.	Female.
All ages 2	60, 641, 905	31, 186, 024	29, 455, 881
Under 1 year. 1 year. 2 years 3 years 4 years	1,310,794	679, 463 608, 543 664, 205 652, 795 639, 508	. 661,779 593,685 646,589 642,516 622,908
Under 5 years. 5 to 9 years. 10 to 14 years. 15 to 19 years. 20 to 24 years. 20 to 22 years. 30 to 34 years. 33 to 38 years. 40 to 44 years. 55 to 39 years. 55 to 49 years. 55 to 59 years. 50 to 54 years. 55 to 65 years. 70 to 74 years. 70 to 74 years. 80 to 84 years. 85 to 89 years. 80 to 84 years. 95 to 99 years. 90 to 94 years. 95 to 99 years.	6,411,991 5,873,225 5,600,632 5,755,656 5,946,734 5,521,233 4,820,255 4,459,917 3,781,174 3,212,589 2,756,467 1,984,772 1,612,750 1,225,094 825,713 495,855 238,537 90,880 22,946 4,234	3, 244, 514 2, 963, 133 2, 823, 196 2, 880, 666 3, 028, 437 2, 883, 261 2, 534, 500 2, 343, 591 2, 001, 707 1, 699, 274 1, 466, 599 1, 041, 288 828, 184 621, 363 412, 363 242, 626 112, 773 41, 133 9, 826 1, 697	3, 167, 477 2, 910, 192 2, 777, 436 2, 874, 909 2, 918, 297 2, 628, 755 2, 116, 326 2, 126, 326 1, 513, 315 1, 528, 388 943, 484 784, 566 603, 199 413, 520 253, 229 253, 254 49, 747 13, 120 2, 557 13, 120 2, 557 13, 120

SUMMARY AND ANALYSIS OF THE STATISTICS.

COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

Of the 52,420 deaths reported in the registration area in 1914 as caused by cancer and other malignant tumors, 21,282, or 40.6 per cent, were of males, and 31,138, or 59.4 per cent, were females; and 50,515, or

96.4 per cent, were white, and 1,905, or 3.6 per cent, were colored persons. The deaths of colored persons comprised 1,824 Negroes (or 3.5 per cent of the total reported for both white and colored), 40 Chinese, 17 Japanese, and 22 Indians and 2 other colored.

2 "Age unknown," distributed.

1 Exclusive of North Carolina.

Further comparisons of these groups may be made from the table on the following page.

	DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, REGISTRATION AREA: 1914.										
COLOR, NATIVITY, AND PARENT NATIVITY.		Number.		Distribution per 1,000 of aggregate.							
	Total.	Male.	Female.	Total.	Male.	Fe- male.					
Aggregate	52,420	21, 282	31, 138	1,000.0	1,000.0	1,000.0					
White	50, 515	20,717	29,798	963.7	973. 5	957.0					
Native Both parents native One or both parents	31,288 17,648	11,586 6,342	19,702 11,306	596. 9 336 7	544.4 298.0	632. 7 363. 1					
foreign born	8,509 5,131 18,775 452	3,144 2,100 8,871 260	5,365 3.031 9,904 192	162.3 97.9 358.2 8.6	147.7 98.7 416.8 12.2						
Colored	1,905	565	1,340	_ 36.3	26.5	43. 0					
Negro Chinese Japanese Indian Other colored	1,824 40 17 22 2	507 37 12 7 2	1,317 3 5 15	34.8 0.8 0.3 0.4 (1)	23.8 1.7 0.6 0.3 0.1	42.3 0.1 0.2 0.5					

¹ Less than one-tenth of 1 per 1,000.

The general age distribution of the decedents from cancer is shown in the following table:

	DEATHS :			OTHER MA		tumors,			
AGE OF DECEDENT.		Number.		Distribution per 1,000 of number at all ages.					
	Total.	Male.	Female.	Total.	Male.	Female.			
All ages	52,420	21, 282	31,138	1,000.0	1,000.0	1,000.0			
Under 1 year	49 42 61 43 42	21 20 33 27 17	28 22 28 16 25	0.9 0.8 1.2 0.8 0.8	1.0 0.9 1.6 1.3 0.8	0.9 0.7 0.9 0.5 0.8			
Under 5 years 5 to 9 years 10 to 14 years 15 to 19 years 20 to 24 years 20 to 24 years 30 to 34 years 35 to 39 years 40 to 44 years 55 to 59 years 55 to 59 years 60 to 64 years 65 to 69 years 70 to 74 years 70 to 74 years 80 to 84 years 90 to 94 years 90 to 99 years 100 years and over 100 years and over	237 122 92 174 294 5587 1, 064 2, 119 3, 325 4, 682 6, 909 6, 780 5, 883 4, 033 2, 213 828 825 34 8 857	118 70 54 86 147 222 323 323 327 327 1,502 2,323 2,741 3,071 3,134 2,754 1,757 966 352 94 94 422	119 52 38 88 147 365 741 1,553 3,130 3,808 3,922 3,838 3,922 3,838 3,922 1,247 476 1131 25 4 4 4 4 35	4.5 2.3 1.8 3.3 5.6 11.2 20.3 40.4 88.4 117.0 127.1 131.8 129.4 112.4 76.9 42.2 15.8 4.3 0.6 0.2	5.6 3.3 2.5 4.0 6.9 10.4 15.2 28.6 45.4 70.6 109.2 128.8 144.3 129.4 45.4 16.5 4 0.4 0.2 1.0	3.8 8 1.7 1.2 2.8 4.7 23.8 4.9 75.7 100.5 122.3 126.0 123.3 127.1 100.8 73.1 1.1 10.8 73.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1 1.1			

DEATHS AND CRUDE DEATH RATES.

The total number of deaths due to cancer and other malignant tumors returned from the registration area of the United States for the year 1914 was 52,420. The estimated midyear population of this area was 65,989,295, or 66.8 per cent of the total estimated population of the United States. The cancer death rate for the year was therefore 79.4 per 100,000 of population, the highest on record since the establishment of the registration area in 1880.

The death rates given in this monograph, except in the table on page 16, are what are known as "crude" rates per 100,000 population; that is, rates obtained by dividing the total number of deaths by the total (estimated) number of living inhabitants, no account being taken of sex and age distribution or of race, nativity, etc.

The following table shows, for the registration area as constituted in each year, the number of deaths and the death rates per 100,000 of population from cancer, for the census years ended May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1914, inclusive:

YEAR.	MALIGN MORS IN	D OTHER	YEAR.	DEATHS FROM CA CER AND OTHI MALIGNANT T MORS IN THE RE ISTRATION ARE				
	Number.	Rate per 100,000 popula- tion.		Number.	Rate per 100,000 popula- tion.			
1914 1913 1912 1911 1910 1909 1908 1907 1906	52, 420 49, 928 46, 531 44, 024 41, 039 37, 562 33, 465 30, 514 29, 020	79. 4 78. 9 77. 0 74. 3 76. 2 73. 8 71. 5 70. 9 69. 1	1905 1904 1908 1902 1901 1900 1900 1900 1880	24, 330 23, 395 22, 325 20, 847 20, 171 19, 381 17, 296 9, 657 3, 651	71. 4 70. 2 68. 3 65. 1 64. 3 63. 0 60. 0 47. 9 42. 8			

¹ Census year ended May 31.

The death rate from cancer for 1914, 79.4 per 100,000 population, represented a very slight increase over that for the preceding year, 78.9. This very slight increase, which prevailed in each of the main subdivisions of the registration area—that is, in registration states, in the rural territory in the registration states, taken as a whole, in the urban territory in the registration cities outside the registration states, taken as a group, and in all registration cities, taken as a group—was not due to changes in the extent of the area, since the rate for Kansas, the only state added for 1914, was but 61.3, considerably less than that for the area as a whole.

High and low rates for states.—Among the registration states the highest rate (109.9) was that for Vermont, which state also had the maximum rate in 1913. In Maine the rate was 107.6; in Massachusetts, 101.2; in New Hampshire, 100.8; and in California, 97.9. The same five states showed the highest rates in 1913, although not in the same order. The lowest rate among the registration states in 1914 was that for Utah, 45.8; next in order were Kentucky, with 46; Virginia, with 48.9; Montana, with 51.5; and North Carolina, with 57.8. (For the last-named state the figures relate only to municipalities having 1,000 or more inhabitants in 1910.)

High and low rates for cities.—Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1914 were shown for the following: Albany, 146.7; San Francisco, 128.4; Boston, 118.7; New Haven, 113.5; and Worcester, 111.6. The lowest five rates were those for Birmingham, 46.3; Fall River, 55.8; Atlanta, 59.1; Scranton, 60.1; and Milwaukee, 69.4.

Crude rates for different localities noncomparable.—
The bureau wishes to repeat in this report the warning which it has given in its annual mortality reports, with reference to the incomparability of the crude death rates for cancer in different localities, due to the fact that in the computation of these rates no account is taken of the sex, age, and color distribution of the population or of the matter of residence or nonresidence of decedents in the localities in which death occurred. The distribution according to residence or nonresidence is especially important, since a relatively high rate for a given city may be caused largely by deaths of nonresidents who come to the city for hospital treatment. The color distribution also has a material effect on the rate, since colored persons are apparently less suscepti-

ble to cancer than are white persons, for which reason the states and cities in which the colored population is relatively large do not, as a rule, have as high rates as those places in which the population of this class is small or negligible.

Deaths and death rates in seven titles of International Classification: 1900-1914.—The following table presents, for the registration area, for each of the years 1900-1914, the estimated midyear population, the total number of deaths and the total death rate from cancer, and the number of deaths and death rate for each of the seven title headings of the detailed International Classification which relate to cancer and other malignant tumors:

							 .	REGIST	RATION	AREA.				· · · · · · · · · · · · · · · · · · ·				
		Per cent popu-	Deaths	Deaths	from can	cer and o	other ma	lignant t	umors	of the—	Death rate per	Deat	h rate p oth	er 100,00 er maligi	0 popula nant tun	tion fron lors of th	cancer	and
CALENDAR YEAR.	Estimated population, July 1,	lation of area formed of total popula- tion of the United States.	from cancer and other malignant tumors.	Buccal cavity.	Stom- ach, liver.	Perito- neum, intes- tines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.	100,000 population from cancer and other malig- nant tumors.	Buccal cavity.	Stom- ach, liver.	Perito- neum, intes- tines, rectum.	Female genital organs.	Breast.	Skin.	Other organs or of organs not specified.
1914 1913 1912 1911 1910	65, 989, 295 63, 298, 718 60, 427, 247 59, 275, 977 53, 843, 896	66.8 65.1 63.2 63.1 58.3	52,420 49,928 46,531 44,024 41,039	2,270 1,966 1,838 1,727 1,576	19,839 19,767 18,517 17,365 16,475	6,745 6,625 5,923 5,824 5,258	8,152 7,706 7,089 6,707 6,147	5, 423 4, 592 4, 431 4, 264 3, 730	1,957 1,725 1,743 1,619 1,459	7,984 7,547 6,990 6,518 6,394	79.4 78.9 77.0 74.3 76.2	3.4 3.1 3.0 2.9 2.9	30.1 31.2 30.6 29.3 30.6	10.2 10.5 9.8 9.8 9.8	12.4 12.2 11.7 11.3 11.4	8.2 7.3 7.3 7.2 6.9	3.0 2.7 2.9 2.7 2.7	12.1 11.9 11.6 11.0
1909 1908 1907 1906 1905	46, 789, 913	56.1 52.5 49.2 48.9 40.4	37, 562 33, 465 30, 514 29, 020 24, 330	1,427 1,148 968 941 792	14,915 13,044 11,596 10,946 8,939	4,676 3,963 3,570 3,273 2,732	5,714 5,250 4,388 4,090 3,637	3,585 3,023 2,590 2,421 2,010	1,492 1,282 1,121 984 818	5,753 5,755 6,281 6,365 5,402	73.8 71.5 70.9 69.1 71.4	2.8 2.5 2.3 2.2 2.3	29.3 27.9 27.0 26.1 26.3	9.2 8.5 8.3 7.8 8.0	11.2 11.2 10.2 9.7 10.7	7.0 6.5 6.0 5.8 5.9	2.9 2.7 2.6 2.3 2.4	11.3 12.3 14.6 15.2 15.9
1904	33,345,163 32,701,083 32,029,815 31,370,952 30,765,618	40.4 40.4 40.4 40.3 40.5	23,395 22,325 20,847 20,171 19,381	737 661 583 612 495	8,744 8,193 7,483 7,095 6,918	2,399 2,134 2,239 2,157 1,760	3,436 3,289 3,033 2,919 2,696	2,030 1,787 1,750 1,647 1,433	758 752 688 683 602	5,291 5,509 5,071 5,058 5,477	70.2 68.3 65.1 64.3 63.0	2.2 2.0 1.8 2.0 1.6	26. 2 25. 1 23. 4 22. 6 22. 5	7.2 6.5 7.0 6.9 .5.7	10.3 10.1 9.5 9.3 8.8	6.1 5.5 5.5 5.3 4.7	2.3 2.3 2.1 2.2 2.0	15.9 16.8 15.8 16.1 17.8

Of the 52,420 deaths caused by cancer, 19,889, or 37.9 per cent, were assigned to the title heading, "Cancer of the stomach and liver," and 8,152, or 15.6 per cent, to the heading, "Cancer and other malignant tumors of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

Deaths, death rates, and per cent distribution, by location of disease: 1914.—The following table shows, for the registration areas, for 1914, the deaths and death rates per 100,000 population, and the per cent distribution from cancer, classified according to the organ or part of the body affected, as presented in this report:

	DEATHS, I	REGISTRATI 1914.	on area:		DEATHS, REGISTRATION AREA: 1914.				
SEAT OF DISEASE.	Number.	Rate per 100,000 popula- tion.	Per cent.	SEAT OF DISEASE.	Number.	Rate per 100,000 popula- tion.	Per cent.		
Cancer and other malignant tumors (aggregate)	52,420	79.4	100.0	Cancer of the female genital organs (total)	8,152	12.4	15.6		
Cancer of the buccal cavity (total)		3.4	4.3	Cancer of the Ovary and fallopian tube	451	0.7	0.9		
Cancer of the— Lip. Tongue. Mouth.	614	0.6 0.9 0.3	0.7 1.2 0.4	Overy and fallopian tube	7,470 184 , 47	11.3 0.3 0.1	14.3 0.4 0.1		
Jaw Others of this class	851 199	1.3 0.3	1.6 0.4	Cancer of the breast Cancer of the skin	5,423_ 1,957	- 8.2 3.0	10.3 3.7		
Cancer of the stomach, liver (total)	19,889	30.1	37.9	Cancer of other organs or of organs not specified (total)	7,984	12.1	15.2		
Pharynx Esophagus Stomach Liver and gall bladder	605	0.1 0.9 19.3 9.8	0.1 1.2 24.4 12.3	Cancer of the— Larynx. Lung and pleura. Pancreas.	371 686	0.5 0.6 1.0	0.7 0.7 1.3		
Cancer of the peritoneum, intestines, rectum (total)	6,745	10.2	12.9	Kidneys and suprarenals Prostate	538 784	0.8 1.2	1.0 1.5		
Cancer of the— Mesentery and peritoneum. Intestines (except rectum). Rectum and anus. Others of this class.	485 4,055 2,171 34	0.7 6.1 3.3 0.1	, 0.9 7.7 4.1 0.1	Bladder Brain Bones (except jaw). Testes. Others of this class.	1,014	1.5 0.2 0.8 0.2 5.3	1.9 0.3 0.9 0.2 6.7		

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914.

The following table shows, for the registration states exclusive of North Carolina, the death rates, by sex and by age groups, per 100,000 population of the sex and in the age group specified, for the seven titles of the International Classification and for the subdivisions of these titles as presented in this report. The estimates of population on which these rates are based are given

in the table on page 13. The "age unknown" in both the population and the deaths has been distributed among the various groups according to the proportions which the population and the deaths, respectively, in these groups formed of the total population and total deaths at known ages.

North Carolina has not been included in the area covered by this table for the reason that the returns from that state relate only to municipalities having 1,000 population or over in 1910, for which it was not deemed feasible to make estimates of population by sex and age.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1 1914.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

		3	DEATH	RATE PE	r 100,000) POPULA	TION BY	SEX AND	IN THE	AGE GRO	UP SPECI	FIED.		
SEAT OF DISEASE.	All ages.2	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
			-				вотн s	EXES.					i	<u></u>
Cancer and other malignant tumors (aggregate)	79.1	2.8	13.9	42.0	78.6	128.6	199.7	305.9	393.1	516.0	672.3	766.6	889.6	875.6
Cancer of the buccal cavity (total)	3.4	0.1	0.3	0.9	2.3	3.9	7.0	11.9	16.9	25.1	36.2	46.0	65.0	66.3
Cancer of the— Lip Tongue Mouth Jaw Others of this class	0.6 0.9 0.4 1.3 0.3	(3) (3) (3) (3) 0.1 (3)	(3) 0.1 (3) 0.1 0.1	0.1 0.4 (³) 0.4 0.1	0.2 0.6 0.2 1.0 0.2	0.3 1.4 0.3 1.5 0.4	0.9 2.2 0.5 2.8 0.6	1.3 3.8 1.3 4.6 0.9	2.7 4.9 1.9 5.7 1.6	3.9 6.6 2.9 9.9 1.8	5.7 8.6 4.2 13.9 3.8	9.7 10.1 5.2 16.7 4.2	23.9 10.1. 7.5 18.4 5.0	25.2 10.1 6.7 19.3 5.0
Cancer of the stomach, liver (total)	30.2	0.3	3.1	10.9	21.3	41.0	74.8	122.5	171.1	230.4	296.1	329.3	344.6	239.3
Cancer of the— Pharynx Esophagus. Stomach. Liver and gall bladder.	0.1 0.9 19.3 9.8	(8) 0.1 0.2	(³) 2.0 1.1	(8) 0.3 7.2 3.4	0.1 0.6 13.6 7.0	0.1 1.4 25.8 13.6	0.2 2.8 47.7 24.1	0.7 3.8 77.9 40.2	0.3 5.1 110.4 55.3	0.4 6.4 147.8 75.8	0.6 7.6 192.4 95.4	0.8 8.1 214.0 106.5	0.4 8.8 228.1 107.3	0.8 8.4 151.9 78.1
Cancer of the peritoneum, intestines, rectum (total)	10.3	0.4	2.4	4.9	8.9	15.0	22.9	39.2	54.3	70.1	96,8	108.1	104.4	90.7
Cancer of the— Mesentery and peritoneum. Intestines (except rectum). Rectum and anus. Others of this class.	0.7 6.2 3.3 (³)	0.1 0.2 0.1	0.3 1.3 0.8 (8)	0.4 3.0 1.4 0.1	0.7 5.3 2.8	0.8 9.4 4.7 0.1	1.8 13.3 7.7 0.1	3.3 23.2 12.6 0.1	3.4 33.5 17.0 0.3	3.5 43.6 22.6 0.4	5. 2 57. 2 34. 2 0. 2	8.5 67.8 31.5 0.4	5.0 68.3 31.0	4.2 53.7 32.7
Cancer of the female genital organs (total)	12.0	0.2	3.7	12.6	22.6	30.6	39.4	50.4	49.7	50.4	53.5	55.3	56.2	54.6
Cancer of the— Ovary and fallopian tube. Uterus. Vagina and vulva. Others of this class.	0.7 10.9 0.3 0.1	0.1 0.1 (a) (a)	0.3 3.3 0.1 (8)	0.8 11.6 0.1 (3)	1.5 20.7 0.2 0.1	1.4 28.5 0.4 0.2	2.2 36.6 0.5 0.1	2.5 46.7 0.9 0.3	3.3 45.0 1.0 0.4	2.0 46.1 2.0 0.2	1.7 48.6 2.9 0.4	2.0 49.2 3.0 1.0	1.7 49.0 5.4	1.7 43.7 8.4 0.8
Cancer of the breast	8.3 3.0	(3) 0.1	1.4 0.2	6.7 0.3	12. 2 0. 8	20.1 2.2	24.4 4.5	33.2 6.4	34.2 11.1	43.3 18.2	52.7 33.3	62. 7 55. 5	86.8 101.9	102.4 194.8
Cancer of other organs or of organs not specified (total)	11.9	1.7	2.8	5.6	10.6	15.8	26.8	42.2	55.9	78.6	103.7	109.7	120.8	127.6
Cancer of the— Larynx Lung and pleura. Pancreas Kidneys and suprarenals. Prostate. Bladder Brain Bones (except jaw) Testes. Others of this class.	0.5 0.5 1.0 0.8 1.2 1.5 0.2 0.7 0.2 5.3	(3) 0.1 (3) 0.3 0.1 0.3 0.1 0.8	(8) 0.2 0.2 0.2 (8) 0.2 0.2 0.4 0.2 1.2	0.2 0.4 0.6 0.5 0.1 0.5 0.3 0.3 0.3 2.4	0.4 0.6 1.1 0.7 0.3 1.0 0.3 0.3 0.9 0.3 5.1	0.7 1.0 1.6 1.1 0.5 1.6 0.5 0.5 0.4 7.3	1.6 1.6 2.8 1.6 1.0 3.8 0.6 1.7 0.2	2.2 2.5 4.7 2.8 3.7 5.1 0.7 2.1 0.3 18.3	3.4 2.9 6.0 2.4 6.8 8.7 0.3 2.5 0.4 22.5	4.2 2.2 6.9 4.0 12.9 11.3 0.7 3.8 0.6 32.0	3.5 2.9 8.2 4.6 18.0 16.3 0.4 4.8 0.8 44.0	4.2 1.8 8.9 5.6 20.8 19.6	3.4 1.3 3.8 5.0 17.6 18.4 1.3 76.7	5.0 1.7 5.0 4.2 12.4 20.1 2.5

¹ Exclusive of North Carolina.

^{2&}quot;Age unknown," distributed.

³ Less than one-tenth of 1 per 100,000 population.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR THIRTEEN AGE GROUPS, BY SEX, FROM CANCER AND OTHER MALIGNANT TUMORS, ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION STATES: 1914—Continued.

[The rates in this table have not been "adjusted" so as to make the sum of the rates in any group conform in every case exactly to the rate given for the group as a whole. Each rate, however, is correct to the nearest tenth.]

Each rate, however, is correct to the nearest tenth.] DEATH RATE PER 100,000 POPULATION BY SEX AND IN THE AGE GROUP SPECIFIED.														
			DEATH	RATE PI	er 100,00	O POPULA	TION BY	SEX ANI	IN THE	AGE GRO	OUP SPEC	IFIED.		
SEAT OF DISEASE.	All ages.2	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 years and over.
							MAI	æ.		-	·			<u> </u>
Cancer and other malignant tumors (aggregate)	62.4	2.8	8.7	21.5	43.0	78.9	140.9	237.7	339.8	467.0	627.4	684.2	826.4	824.3
Cancer of the buccal cavity (total)	5.5	0.1	0.5	1.5	3.2	6.4	11.3	20.8	27.5	42.8	59.9	70.9	104.6	109.4
Cancer of the—	1.1	(3)	0.1	0.2	0.4	0.6	1.6	2.5	5.2	7.6	10.9	18.1	41.7	45.3
Lip. Tongue. Mouth. Jaw Others of this class.	1.5 0.5 2.0 0.5	(3) (3) (3) 0.1 (3)	0.1 (8) 0.2 0.1	0.6 0.5 0.1	0.8 0.2 1.4 0.3	2.2 0.5 2.2 0.7	3.8 0.9 4.2 0.8	6.9 2.1 7.7 1.6	8.2 3.1 8.6 2,4	11.4 4.7 16.2 2.9	14.8 6.8 21.8 5.6	15.2 7.0 24.7 5.8	15.1 11.5 28.4 8.0	17.0 9.4 32.1 5.7
Cancer of the stomach, liver (total)	29.6	. 0.3	2.7	9.9	20.1	39.5	75.8	122.8	175.9	232.0	295.6	307.9	331.6	216.9
Cancer of the— Pharynx Esophagus Stomach Liver and gall bladder.	0.1 1.3 20.5 7.6	(3) 0.1 0.2	0.1 1.8 0.8	(3) 0,2 6.9 2.8	(3) 0.8 14.1 5.1	0.2 2.1 27.1 10.0	0.4 4.4 53.8 17.3	1.1 6.4 85.5 29.9	0.6 7.8 122.7 44.8	°0.8 9.3 162.1 59.8	0.7 11.4 202.2 81.2	0.4 12.8 214.3 80.4	- 0.9 12.4 227.9 90.4	1.9 13.2 139.6 62.2
Cancer of the peritoneum, intestines, rectum (total)	8.6	0.5	2.1	3.4	7.5	11.8	17.9	32.6	48.4	60.3	81.5	90.7	85.1	84.9
Cancer of the— Mesentery and peritoneum Intestines (except rectum) Rectum and anus Others of this class	0.5 4.9 3.1 (³)	0.1 0.3 0.1	0.3 1.1 0.7	0.5 2.2 0.7 0.1	0.5 4.7 2.3	0.6 7.2 4.0	1.5 9.5 6.9	2.2 17.6 12.8	2.2 27.9 18.1 0.2	1.8 34.9 23.5 0.2	2.7 44.6 33.7 0.5	4.5 54.0 32.1	1.8 49.7 33.7	47.2 37.7
Cancer of the breast	0.3 3.8	0.1	0.1 0.2	0.1 0.4	0.2 0.7	0.4 3.1	0.8 5.7	0.8 9.0	1.4 14.5	2.1 25.9	2.2 44.6	2.5 69.7	1.8 124.1	3.8 235.8
Cancer of other organs or of organs not specified (total)	14.6	1.9	3.3	6.1	11.2	17.7	29.3	51.7	72.0	103.9	143.6	142.6	179.1	173.5
Cancer of the— Larynx. Lung and pleura. Pancras. Kidneys and suprarenals. Prostate.	0.8 0.6 1.0 0.8	(3) 0.1 (3) 0.4	0.1 0.3 0.1 0.2	0.2 0.4 0.6 0.5	0.6 0.6 1.3 0.8	1.1 1.2 1.9 1.1	2.6 1.6 2.5 1.5	3.8 2.7 4.8 3.0	5.3 3.3 7.0 2.3	7.1 2.1 7.2 3.1	6.1 3.2 7.8 4.6	7.8 0.8 7.0 5.8	6.2 1.8 1.8 4.4	5.7 3.8 5.7 3.8
Prostate. Bladder Brain. Bonés (except jaw) Testes. Others of this class.	2.3 2.1 0.2 0.7 0.4	(°) 0.1 0.3 0.1	0.1 0.1 0.2 0.4 0.4	0.3 0.5 0.2 0.4 0.6	0.5 0.9 0.3 0.8 0.6	1.0 1.6 0.6 0.6 0.8	1.8 5.3 0.7 1.5 0.3	7.1 7.2 0.7 2.3 0.5	13.3 12.7 0.2 2.4 0.7	25.4 16.6 0.8 4.5 1.1	36.1 25.2 5.1 1.7	42.5 28.0 2.5 1.6	37.2 26.6 2.7 2.7	30.2 28.3
Others of this class	5.7:	0.8	1.5	2.6	4.6	7.7	11.5	19.6	24.8	36.0	53.8	46.6	95.8	94.3
			•				FEMA	LE.						
Cancer and other malignant tumors (aggregate)	96.8	2.7	19.6	64.7	118.7	184.4	266.5	381.1	449.4	566.6	717.1	845.5	946.2	916.7
Cancer of the buccal cavity (total)	1.2	0.1	0.1	0.4	1.2	1.1	2.1	2.0	5.6	6.8	12.6	22.1	29.4	31.8
Cancer of the— Lip. Tongue. Mouth. Jaw. Others of this class.	0.1 0.3 0.2 0.6 0.1	(3) (3) (3) (3) (3)	(3) (3) (3) (3) (8)	0.1 (³) 0.2	0.4 0.2 0.5 0.1	0.4 0.7	0.5 0.2 1.1 0.4	0.3 0.3 1.3 0.1	0.1 1.4 0.6 2.7 0.8	0.2 1.7 1.0 3.3 0.7	0.5 2.4 1.7 6.0 1.9	1.6 5.1 3.6 9.1 2.8	8.0 5.6 4.0 9.5 2.4	9.1 4.5 4.5 9.1 4.5
Cancer of the stomach, liver (total)	30.7	0.3	3.7	12.0	22.6	42.7	73.7	122, 2	166.0	228.8	296.6	349.9	356.2	257.2
Cancer of the— Pharynx	(3) 0.4 18.1 12.2	(³) 0.1 0.2	(3) 2.2 1.5	0.4 7.6 4.0	0.1 0.4 13.2 9.0	0.7 24.3 17.7	1.0 40.7 31.9	0.2 1.0 69.5 51.5	2.2 97.4 66.4	3.3 133.1	0.5 3.9 182.7	1.2 3.6 213.6	5. 6 228. 2	4.5 161.9
Cancer of the peritoneum, intestines, rectum (total)	12.0	0.3	2.7	6.5	10.4	18.6	28.5	46.5	60.4	92.3 80.2	109.6	131.5	122.5 121.7	90.8 95.3
Cancer of the— Mesentery and peritoneum Intestines (except rectum) Rectum and anus. Others of this class.	0.9 7.6 3.4 0.1	0.1 0.2 0.1	0.2 1.5 1.0 0.1	0.4 3.9 2.2 0.1	1.0 6.0 3.4	1.1 12.0 5.5 0.1	2.2 17.5 8.7 0.2	4.5 29.4 12.5 0.2	4.7 39.5 15.8 0.4	5.3 52.6 21.7 0.7	7. 7 69. 7 34. 6	12.2 81.0 30.8 0.8	8.0 85.1 28.6	7.6 59.0 28.7
Cancer of the female genital organs (total)	24.6	0.4	7.7	26.5	48.0	65.0	84.1	106.0	102.1	102.3	106.9	108.2	106.5	98.3
Cancer of the— Ovary and fallopian tube. Uterus. Vagina and vulva Others of this class.	1.4 22.5 0.6 0.1	0.1 0.2 (²) (³)	0.6 6.9 0.2 0.1	1.7 24.4 0.2 0.1	3.3 44.1 9.5. 0.5.	3.0 60.6 0.9 0.4	4.7 78.1 1.0 0.2	5.3 98.3 1.9 0.5	6.8 92.4 2.0 0.9	4.1 93.7 4.0 0.5	3.4 97.0 5.8 0.7	3.9 96.4 5.9 2.0	3.2 93.0 10.3	3.0 78.7 15.1 1.5
Cancer of the breast	16.9 2.2	0.1 0.1	2.9 0.1	_14_1 0.2	25.7 0.9	42.3 1.1	51.2 3.1	69.0 3.6	68.8 7.5	85.7 10.3	103.1 22.0	120.4 41.9	163.0 81.9	181.5 161.9
Cancer of other organs or of organs not specified (total)	9.1	1.4	2.3	5.1	9.9	13.6	23.9	31.8	39.0	İ	ĺ	1		•
Cancer of the— Larynx Lung and pleura. Pancreas. Kidneys and suprarenals. Bladder. Brain. Bones (except jaw). Others of this class.	0.2 0.5 1.0 0.8 0.9 0.2 0.7 4.8	(3) 0.1 (3) 0.3 (3) 0.1 0.3 0.7	(3) 0.2 0.2 0.3 0.2 0.2 0.2 0.4 0.9	0.2 0.5 0.5 0.4 0.4 0.3 2.3	0.2 0.6 0.8 0.7 1.0 0.2 1.0 5.6	0.3 0.8 1.4 1.1 1.6 0.4 1.2 6.8	0.5 1.6 3.1 1.6 2.1 0.5 1.9	0.3 2.2 4.6 2.5 2.8 0.6 1.8 17.0	1.4 2.5 5.0 2.4 4.5 0.4 2.7 20.1	1.2 2.3 6.6 5.0 6.0 0.7 3.0 27.9	1.0 2.7 8.7 4.6 7.5 0.7 4.6 34.1	78.2 0.8 2.8 10.7 5.5 11.5 4.3 42.6	87.5 0.8 0.8 5.6 5.6 11.1 4.0 59.6	90.8 4.5 4.5 13.6 3.0 60.5

¹ Exclusive of North Carolina.

² "Age unknown" distributed.

³ Less than one-tenth of 1 per 100,000 population.

MORTALITY FROM CANCER.

Of all deaths charged to cancer, 31,138 were those of females, as compared with 21,282 deaths of males. Under four of the seven headings deaths of males predominate; but those of females are so largely in excess among deaths assignable to the headings, "Cancer and other malignant tumors of the peritoneum, intestines,

and rectum" and "Cancer and other malignant tumors of the breast," that, taken with the 8,152 assigned to "Cancer and other malignant tumors of the female genital organs," they bring the total for females far in excess of that for males. This is a condition which prevails year after year.

DEATH RATES IN FOREIGN COUNTRIES: 1900-1914.

The crude death rates per 100,000 population from cancer, for each of the years 1900 to 1914, for the registration area of the United States and for certain foreign countries, are shown in the following table. The rates for foreign countries were computed by the Bureau of the Census and were based on the population and deaths as given in the Annual Report of the Registrar-General of England and Wales, 1914.

			D	EATH RAT	E PER 10	0,000 POPT	JLATION E	ROM CAN	CER AND	OTHER M	ALIGNANT	TUMORS.			
COUNTRY.	1914	1913	1912	1911	1910	1909	1908	1907	1906	1905	1904	1903	1902	1901	1900
United States (registration area)	79.4	78.9	77.0	74.3	76.2	73.8	71.5	70.9	69.1	71.4	70.2	68.3	65.1	64.3	63.0
Australian Commonwealth Austria Belgium Chile France	74. 7 (1) (1) 36. 3 (1)	75.0 (1) (1) (1) 33.1 (1)	76.1 81.4 71.0 32.2	74.0 82.3 68.6 29.8 80.2	73.3 77.9 63.3 31.8 79.2	72.3 78.7 64.2 40.9 77.7	69.6 78.0 63.8 43.5 76.5	71.3 77.4 60.1 38.5 74.6	64.2 77.9 58.5 37.8 69.5	63. 5 76. 2 58. 7 30. 2	60.1 74.9 56.1 38.4	61. 5 73. 7 58. 5 29. 2	64.1 74.2 (1) (1) (1)	63.3 72.9 (1) (1) (1)	62.6 70.9 (1) (1) (1)
German Empire 2	(1) (1) (1) (1) (1) 18.1	(1) 8 82. 7 (1) 66. 7 17. 7	90.1 81.5 47.2 64.7 17.4	88.9 80.6 46.4 66.8 17.9	87. 9 78. 5 45. 6 65. 6 20. 8	84.5 74.8 44.5 64.2 18.3	83.6 73.6 44.1 64.5 16.1	83.1 73.4 42.7 61.7 15.1	82.0 70.4 40.9 62.0 17.0	(1) 69.4 40.8 58.3 18.8	(1) 68.6 40.9 57.1 15.9	(1) 65.2 39.4 54.1 15.7	(1) 61.9 38.2 53.9 14.0	(1) 61.7 35.9 52.8 15.5	(1) 59.6 36.7 52.2 16.5
Japan Netherlands New Zealand Norway 4	(1) 106.8 82.9 (1)	(1) 109.5 80.1 97.3	(1) 109.4 78.2 104.8	65. 5 108. 6 79. 7 96. 7	64. 2 106. 4 74. 7 92. 9	64.8 102.6 73.2 95.2	61.4 102.8 69.5 97.1	58.3 101.8 73.3 100.3	57. 8 100. 7 69. 6 97. 6	55.9 101.2 65.1 98.4	55.0 97.9 67.6 95.9	54.7 98.9 71.0 93.2	53.4 95.0 67.2 87.1	48.7 93.7 66.2 95.1	45.4 92.1 56.3 91.2
Ontario	69.6 (1) ³ 55.7 (1)	67.4 (1) 3 55.0 126.7	68.8 (1) 3 55.7 127.2	63.5 13.5 8 51.4 123.6	70.9 12.8 \$ 51.7 123.5	71.5 13.1 * 51.0 126.7	60.5 12.6 \$ 51.4 128.0	59.9 13.3 47.7 122.5	63.7 10.6 47.6 129.0	55. 4 10. 4 45. 8 129. 5	56.9 10.3 46.6 128.6	52.6 9.1 44.1 129.7	47. 5 9. 6 43. 3 125. 8	50.1 9.1 42.4 127.8	45.4 9.4 39.3 129.9
United Kingdom England and Wales Scotland Ireland	105.7 106.9 113.5 86.9	105. 1 106. 4 110. 2 89. 1	101.6 102.6 109.6 85.2	98. 0 99. 2 104. 1 81. 7	96 0 96.7 102.6 83.5	95.1 96.1 101.5 79.8	92. 1 93. 3 98. 5 75. 6	90.6 91.5 97.9 76.1	*91.5 92.2 97.6 79.2	87. 6 88. 9 90. 0 74. 8	86. 0 88. 2 85. 9 69. 3	85. 1 87. 4 83. 7 69. 0	82. 2 84. 6 82. 3 64. 5	82. 0 84. 3 81. 8 65. 1	80.0 82.9 79.0 60.8

¹ Figures not available.
2 The rates for the years shown relate to the deaths for 24 of the 26 states of the Empire, representing 98 9 per cent of the total population in 1912.
3 Figures are provisional.
4 The figures for deaths from cancer are incomplete; only about 85 per cent were stated in 1901, 88 per cent in 1910, and 84 per cent in 1913.
5 The deaths from cancer include only those which were medically certified; the proportion of such certified deaths was 97 per cent in 1911.

SUMMARY AND RATE TABLES

SUMMARY AND RATE TABLES.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914.

•											
	Estimated popula-	OTHER	S FROM ER AND MALIG- TUMORS,		Estimated popula-	CANCI	IS FROM ER AND MALIG- TUMORS.		Estimated popula-	DEATH CANCE OTHER NANT T	MALIG-
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
* SUMMARY.				REGISTRATION STATES— Continued.				REGISTRATION CITIES-			
The registration area (total) White Colored	65,989,295 62,631,566 3,357,729	52,420 50,515 1,905	79. 4 80. 7 56. 7	Minnesota (total)	2,213,919 2,196,341 17,578	1,701 1,696 5	76.8 77.2 28.4	Continued. ALABAMA 3—continued. Montgomery (total)	41,777 20,597	30 18	71.8
Registration states 1 (total). WhiteColored	61,114,200 58,408,039 2,706,161	48,259 46,739 1,520	79.0 80.0 56.2	Missouri (total)	3,372,886 3,210,657 162,229	2,326 2,233 93	69.0 69.5 57.3	White		12	87. 4 56. 7
Cities in registration states ¹ (total) White Colored	30,287,640 29,029,647 1,257,993	26,795 25,893 902	88.5 89.2 71.7	Montana (total)	432,614 414,814 17,800	223 218 5	51.5 52.6 28.1	Registration cities (total). White Colored.	,	1,754 1,720 34	113. 4 116. 3 50. 0
Rural part of registra- tion states (total) White		21,464 20,846	69.6 71.0	New Hampshire (total) White	1	442 440 2	100.8 100.5 294.6	Alameda Bakersfield Berkeley Eureka Fresno	26,330 15,538 52,105 13,768 29,809	19 20 46 30 28	72. 2 128. 7 88. 3 217. 9 93. 9
Registration states,1 ex- clusive of North Caro-		618	42.7	New Jersey (total)	1 .	2,223 2,163 60	79.0 79.7 59.2	Long Beach. Los Angeles (total) White		39 443 436	159.6 100.9 103.9
lina (total)	60,641,905 58,098,403 2,543,502	47,986 46,549 1,437	79.1 80.1 56.5	New York (total)	1	8,907 8,791 116	90.0 90.3 72.8	Colored Oakland Pasadena	183,002	170 53	36.6 92.9 129.6
Registration cities in other states (total)	4,875,095 4,223,527 651,568	4,161 3,776 385	85.4 89.4 59.1	North Carolina 2 (total) White	ı	273 190 83	57.8 61.4 51.0	Redlands	40,880 12,202 12,856 18,297	10 8	82.0 62.2 82.0
All registration cities 1 (total). White Colored	35,162,735 33,253,174 1,909,561	30,956 29,669	88.0 89.2	Ohio (total)		4,176 4,080 96	83.1 83.1 81.1	Riverside (total)	16, 245 2, 052 62, 717 15, 603	15 65 25	92.3 103.6 160.2
Colored	1,909,561	1,287	67.4	Pennsylvania (total) White Colored	8,245,967 8,033,610	5,997 5,807 190	72.7 72.3 89.5	[48,900 448,502	85 576	173. 8 128. 4
California (total)	2,757,895 2,621,161 136,734	2,701 2,649 52	97.9 101.1 38.0	Rhode Island (total) White Colored	591,215 580,191 11,024	539 530 9	91.2 91.3 81.6	San Diego San Francisco (total) White Colored San Jose	430,324 18,178 37,086	563 13 41	130. 8 71. 5 110. 6
Colorado (total)	909.537	530 517 13	58.3 58.0 73.2	Utah (total) White Colored	414,518 407,004 7,514	190 185 5	45.8 45.5 66.5	Santa Barbara. Santa Cruz. Stockton * Vallejo.	13,818 13,482 25,702 12,777	20 22 28 11	144.7 163.2 108.9 86.1
Connecticut (total) White Colored		1,040 1,022 18	86.5 86.2 105.2	Vermont (total)		397 396 1	109.9 110.1 59.5	COLORADO. Régistrationcities (total). White Colored	341, 257 330, 537	293 281	85. 9 85. 0
Indiana (total)	1	2,199 2,162 37	79.1 79.6 59.0	Virginia (total) White Colored		1,051 767 284	48.9 52.9 40.5	Colored Colorado Springs Denver Pueblo	31,717 245,523	30 222	94. 6 90. 4
Kansas (total)	1,784,897 1,725,156 59,741	1,095 1,064 31	61.3 61.7 51.9	Washington (total) White Colored	1,407,865 1,367,331 40,534	871 865 6	61.9 63.3 14.8	PuebloTrinidad	51, 218 12, 799	37 4	72. 2 31. 3
Kentucky (total)	2,350,731 2,081,819 268,912	1,081 959 122	46.0 46.1 45.4	Wisconsin	2,446,716 2,432,768 13,948	1,985 1,976 9	81.1 81.2 64.5	Registration cities (total). White	825, 290 812, 646 12, 644	717 699 18	86. 9 86. 0 142. 4
Maine (total)	762,787 760,346 2,441	821 819 2	107.6 107.7 81.9	REGISTRATION CITIES.		-		Ansonia Bridgeport Bristol Danbury town Greenwich town	16,204 115,289 15,145	3 97 11 21	18. 5 84. 1 72. 6
Colored	1,341,075 1,100,153 240,922	1,092 947 145	81.4 86.1 60.2	Registration cities (total). White Colored	263,504 152,236 111,268	159 115 44	60. 3 75. 5 39. 5	Greenwich town Hartford Manchester town	25, 219 18, 290 107, 038 14, 935	132 12	83.3 76.5 123.3 80.3
Massachusetts (total) White Colored	3,605,522 3,561,085 44,437	3,649 3,613 36	101.2 101.5 81.0	Birmingham (total)' White Colored	166, 154 100, 642 65, 512	77 56 21	46.3 55.6 32.1	Meriden town	33,501 22,138	35 18	104.5 81.3
Michigan (total)	2,976,030 2,949,633 26,397	2,395 2,379 16	80.5 80.7 60.6	Mobile (total) White Colored	55, 573 30, 997 24, 576	52 41 11	93. 6 132. 3 44. 8	Naugatuck. New Britain. New Haven. New London.	13,651 50,612 144,505 20,557	26 164 21	22. 0 51. 4 113. 5 102. 2

Includes District of Columbia.
 Includes only municipalities having a population of 1,000 or over in 1910.
 Nonregistration state; cities shown below only those with effective local ordinances.

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE OTHER	S FROM IR AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.			
CONNECTICUT—continued.				INDIANA—continued.				KENTUCKY—continued.	995 114	107	70.5
Norwalk Norwich town Orange town Stamford town	26, 033 29, 032 13, 094 33, 095	29 17 7 23	111, 4 58, 6 53, 5 69, 5	Fort Wayne Gary Hammond Huntington	72,423 (2) 24,481 10,479	69 8 12 13	95.3 (²) 49.0 124.1	Louisville (total) White Colored Newport (total) White Colored 3	235,114 192,551 42,563 31,517 30,925 592	187 168 19 17 16	79. 5 87. 2 44. 6 53. 9 51. 7 168. 9
Torrington town. Wallingford town. Waterbury. Windham town.	18,709 12,072 82,517 13,654	8 9 57 10	42.8 74.6 69.1 73.2	Indianapolis (total)	259,820 235,500 24,320 10,260 8,744 1,516	265 250 15 7 4 3	102.0 106.2 61.7 68.2 45.7 197.9	Owensboro (total)	17,212 13,862 3,350 24,170 17,745	11 9 2 10 9	63. 9 64. 9 59. 7 41, 4 50. 7
Wilmington (total) White Colored	92,057 82,471 9,586	81 75 6	88. 0 90. 9 62. 6	Kokomo. Lafayette Laporte. Logansport	19,694 20,896 12,533 20,262	20 • 29 9 22	101. 6 138. 8 71. 8 108. 6	LOUISIANA.1 New Orleans (total)	6,425 361,221 265,692	358 257	99. 1 96. 7
DISTRICT OF COLUMBIA. Washington (total) White Colored	353, 378 252, 039 101, 339	355 271 84	100. 5 107. 5 82. 9	Marion Michigan City Mishawaka Muncie New Albany	19,656 20,710 14,579 24,969	18 18 9 19	91. 6 86. 9 61. 7 76. 1	White Colored MAINE. Registration cities (total)	95, 529 175, 127	101 212	105. 7 121. 0
florida.1				Peru	20,629 $12,201$	20 9	97. 0 73. 8	White Colored	174,404 723	212	121.6
Registration cities (total). White	116, 535 63, 729 52, 806	72 58 14	61. 8 91. 0 26. 5	Richmond. South Bend. Terre Haute. Vincennes	23,932 65,114 63,529 16,759	12 34 52 16	50. 1 52. 2 81. 9 95. 5	Auburn. Augusta * Bangor * Biddeford Lewiston	15,965 13,860 26,061 17,475	23 16 42 12	144. 1 115. 4 161. 2 68. 7
Jacksonville (total) White Colored. Key West (total) White.	70,173 34,453 35,720 21,150 15,280	47 38 9 18 16	67. 0 110. 3 25. 2 85. 1 104. 7	KANSAS. Registration cities (total) White	345, 260 312, 516	282 263	81. 7 84. 2	Lewiston. Portland Waterville.	17,475 27,305 62,161 12,300	42 65 12	153.8 104.6 97.6
Colored Pensacola (total) White	5,870 25,212 13,996	2 7 4	34. 1 27. 8 28. 6	ColoredAtchison (total)	16,635 13,984	19 18 15	58. 0 108. 2 107. 3	Registration cities (total) White Colored	640,317 547,542 92,775	653 567 86	102.0 103.6 92.7
Colored	11,216	3	26.7	Colored	2,651 15,982 14,181 1,801	3 8 8	113. 2 50. 1 56. 4	Baltimore (total)	579, 590 491, 276 88, 314 25, 054	589 510 79 25	101.6 103.8 89.5 99.8
Registration cities (total) White Colored	296,660 179,573 117,087	186 139 47	62.7 77.4 40.1	Fort Scott (total) White Colored	10,522 9,469 1,053	14 13 1	133. 1 137. 3 95. 0	White	23,830 1,224	24 1	100.7 81.7 147.0
Atlanta (total). White Colored. Augusta (total). White Colored.	179, 292 119, 105 60, 187 49, 451 27, 290 22, 161	106 82 24 37 24 13	59. 1 68. 8 39. 9 74. 8 87. 9 58. 7	Hutchinson Independence. Kansas City (total). White Colored.	19,339 13,296 94,271 83,582 10,689	15 6 61 55 6	95. 0 77. 6 45. 1 64. 7 65. 8 56. 1	Frederick (total). White Colored Hagerstown (total). White Colored 3.	10,886 9,349 1,537 24,787 23,087 1,700	16 14 2 4 23 4 19 4 4	149.7 130.1 4 92.8 4 82.3 4 235.3
Savannah (total)	67,917 33,178 34,739	43 33 10	63.3 99.5 28.8	Lawrence (total)	13,018 10,457 2,561	18 16 2	138. 3 153. 0 78. 1	MASSACHUSETTS. Registration cities (total) White	2,776,966	2,749	98.8 99.0
ILLINOIS.1 Registration cities (total) WhiteColored	2,627,143 2,567,385	2,338 2,278	89. 0 88. 7	Leavenworth (total) White Colored Parsons Pittsburg	18,778 16,371 2,407 14,500 16,845	19 17 2 10 11	101. 2 103. 8 83. 1 69. 0 65. 3	Colored Adams town Arlington town Attleborough town	13,830 12,287 18,294	32 7 9 23 31	50.6 73.2 125.7
Aurora. Belleville. Chicago (total). White. Colored.	33,022 21,139 2,397,600	33 16 2,107 2,059 48	99. 9 75. 7 87. 9 87. 7 94. 6	Topeka (total) *	47, 102 42, 198 4, 904 64, 972	52 49 3 50	110. 4 116. 1 61. 2 77. 0	Beverly Boston (total) White Colored Brockton Brookline town	20,679 733,802 717,767 16,035 64,043 31,138	871 854 17 55 45	149. 9 118. 7 119. 0 106. 0 85. 9 144. 5
Decatur Evanston Jacksonville* Quincy	37,525 27,724 15,431 36,730 57,972	38 25 20 37	101. 3 90. 2 129. 6 100. 7	Registration cities (total) White	425,563 351,273 74,290	328 291 37	77.1 82.8 49.8	Cambridge	110,357 31,765 28,057 12,762	111 45 15 11	100. 6 141. 7 53. 5 86. 2
Springfield	901,437 856,953 44,484	62 765 739 26	84.9 86.2 58.4	Covington (total)	55,896 52,840 3,056 10,882 7,917 2,965	38 35 3 6 4 2	68.0 66.2 98.2 55.1 50.5 67.5	Everett. Fall River. Fitchburg. Framingham town. Gardner town. Gloucester.	37,381 125,443 40,507 13,648 16,353 23,666	28 70 38 17 11 32	74.9 55.8 93.8 124.6 67.3 135.2
Anderson. East Chicago. Elkhart. Elwood. Evansville	23,528 25,658 21,028 10,211 71,284	13 10 32 3 46	55.3 39.0 152.2 29.4 64.5	Henderson (total). White	11,953 8,805 3,148 38,819 26,628 12,191	18 17 1 41 33 8	150. 6 193. 1 31. 8 105. 6 123. 9 65. 6	Greenfield town	11,492 47,071 62,852 95,834 19,789	13 42 42 60 19	113.1 89.2 66.8 62.6 96.0

 $^{^1}$ Nonregistration state; cities shown below only those with effective local ordinances. 2 Incorporated in 1906; population not estimated.

Colored population less than 10 per cent of the total in 1910.
 Probably does not include deaths in territory annexed in April, 1914.

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

or over 11 1910.]					1.40						
	Estimated	CANCE	MALIG-		Estimated	CANCI	S FROM ER AND MALIG- UMORS.	-	Estimated popula-	DEATH: CANCE OTHER NANT T	R AND MALIG-
, AREA AND COLOB.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.	4			REGISTRATION CITTES— Continued.		٠	
MASSACHUSETTS—contd.			ļ	MISSOURI.				NEW JERSEY—continued.			1
Lowell Lynn Malden Marlborough Medford	111,004 98,207 48,979 14,991 25,240	98 91 44 18 23	88.3 92.7 89.8 120.1 91.1	Registration cities (total) White Colored Hannibal (total)		1, 171 1, 121 50	95. 0 98. 0 56. 4 72. 4	Irvington Jersey City Kearny Long Branch Millville	14,697 293,921 21,967 14,719 13,246	15 217 10 15 13	102. 1 73. 8 45. 5 101. 9 98. 1
Melrose	16,887 13,123 13,770 111,230 15,147	20 12 12 93 29	118.4 91.4 87.1 83.6 191.5	Hannibal (total)		14 1 9 9	75. 2 47. 9 69. 1 82. 5	Montclair (total) White Colored Morristown New Brunswick	24,782 21,902 2,880 13,033 24,827	21 19 2 23 22	84. 7 86. 8 69. 4 176. 5 88. 6
Newton North Adams Northampton* Peabody town Pittsfield.	42,455 21,090 19,766 17,510 36,531	41 26 26 7 41	96.6 123.3 131.5 40.0 112.2	Joplin. Kansas City (total). White. Colored. Moberly St. Joseph *	26, 904 12, 162	33 254 240 14 10	100. 5 90. 1 94. 1 52. 0 82. 2 117. 3	Newark Orange Passaic Paterson Perth Amboy	389, 106 31, 968 66, 276 134, 305 38, 265	340 40 29 124 19	87. 4 125. 1 43. 8 92. 3 49. 7
Plymouth townQuincyRevere townSalemSomerville	13,227 36,366 21,552 46,994 83,881	13 36 6 44 71	98.3 99.0 27.8 93.6 84.6	St. Joseph * St. Louis (total) White Colored Sedalia (total) White Colored	18, 925 16 938	701 671 30	95. 4 97. 7 63. 0 89. 8 88. 6 100. 7	Perth Amboy Phillipsburg Plainfield Trenton * Union West Hoboken West New York	16,057 22,755 106,831 23,588 40,647	98 10 19	39. 8 118. 7 91. 7 42. 4 46. 7
Southbridge town Springfield Taunton* Wakefield town	13,685 100,490 35,631 12,305	6 92 46 8 35	43.8 91.6 129.1 65.0	Springfield. Webb City MONTANA.	38,685	15 2 29 6.	75. 0 45. 1	West New York	17, 093 12, 722	10 6.	58. 5 47. 2
Waltham. Watertown town. Webster town	29, 688 14, 225 12, 662		117.9 84.4 39.5	Registration cities (total) White Colored	109,011 106,608 2,403	82 81 1	75. 2 76. 0 41. 6	Registration cities (total). White Colored	7, 520, 670 7, 388, 358 132, 312	6,621 6,528 93	88. 0 88. 4 70. 3
Westfield town Weymouth town Winthrop town Woburn Worcester	17,635 13,564 11,866 15,755 157,732	5 22 13 9 11 176	124.8 95.8 75.8 69.8 111.6	Anaconda Billings Butte Great Falls Helena Missoula	10, 424 13, 020 42, 286 13, 531 13, 258	6 8 28 19 6	57. 6 61. 4 66. 2 140. 4 45. 3	Albany. Amsterdam Auburn Batavia Binghamton *	102, 961 35, 223 36, 509 12, 614 52, 191	151 20 36 12 46	146. 7 56. 8 98. 6 95. 1 88. 1
MICHIGAN.					16, 492	15	91.0	Buffalo	454, 112	435	95.8
Registration cities (total) White Colored	1, 157, 410 12, 258	997 988 9	85. 2 85. 4 73. 4	NEBRASKA,2 Registration cities (total) White Colored	178, 917 173, 287 5, 630	187 185 2	104. 5 106. 8 35. 5	Cohoes Corning Cortland Dunkirk	25,049 14,866 12,565 19,607	24 7 11 7	95. 8 47. 1 87. 5 35. 7
Adrian Alpena Ann Arbor Battle Creek Bay City	11,234 13,089 14,948 28,122 47,047	11 4 38 38 29	97. 9 30. 6 254. 2 135. 1 61. 6	Lincoln Omaha NEW HAMPSHIRE.	45,643 133,274	47 140	103. 0 105. 0	Elmira Fulton Geneva Glens Falls Gloversville	37,816 11,448 13,303 16,362 21,618	42 6 11 21 19	111. 1 52. 4 82. 7 128. 3 87. 9
Detroit. Escanaba. Flint Grand Rapids. Holland	537,650 14,747 49,546 123,227 11,639	424 9 25 120 11	78.'9 61. 0 50. 5 97. 4 94. 5	Registration cities (total). White Colored Berlin Concord *	184,187 183,849 338	173 172 1	93. 9 93. 6 295. 9 69. 2	Hornell Hudson Ithaca Jamestown	14,341 12,221 15,510 34,878	18 16 19 48	125. 5 130. 9 122. 5 137. 6
Ironwood. Ishpeming. Jackson Kalamazoo * Lansing	14, 147 12, 106 34, 097 45, 842 37, 512	6 7 35 49 20	42. 4 57. 8 102. 6 106. 9 53. 3	Keene Laconia Manchester	22, 291 13, 264 10, 451 11, 094 75, 635	29 21 6 7 56	130. 1 158. 3 57. 4 63. 1 74. 0	Johnstown Kingston Lackawanna Little Falls	10,582 26,493 19,012 13,077	. 45 . 4 11	113. 4 169. 9 21. 0 84. 1
Manistee Marquette Menominee Muskegon Pontiae*	11,581 12,117 9,522 25,442	9 17 4 33	77.7 140.3 . 42.0 129.7	Nashua Portsmouth NEW JERSEY.	26, 901 11, 538	21 24	78. 1 208. 0	Lockport Middletown * Mount Vernon New Rochelle	19,581 15,650 35,047 34,893	20 27 31 28	102. 1 172. 5 88. 5 80. 2
Pontiac *. Port Huron Saginaw Sault Ste. Marie Traverse City *.	18,738 53,988 13,499	23 15 50 6 14	138. 9 80. 1 92. 6 44. 4	Registration cities (total). White	1,828,462 1,765,930 62,532 12,763	1,426 1,384 42 - 12 11	78. 0 78. 4 67. 2 94. 0	New York (total)	5,333,539 529,198 1,833,696 2,536,716	4,452 516 1,439 2,124 277	83. 5 97. 5 78. 5 83. 7
'	13, 268	14	. 105. 5	White Colored	10,322 2,441 53,952	1	106.6 41.0	Queens Borough Richmond Borough	339, 886 94, 043	277 96	81. 5 102. 1
MINNESOTA. Registration cities (total) White Colored	732, 326 724, 979 7, 347	605 604 1	82. 6 83. 3 13. 6	Atlantic City (total) White Colored Bayonne Bloomfield	42,356 11,596 65,271 17,372	39 36 3 28	72. 3 85. 0 25. 9 42. 9 74. 8	-	5, 224, 202 523, 758 1, 806, 496 2, 465, 456 335, 798	4,369 511 1,410 2,079 276	83. 6 97. 6 78. 1 84. 3 82. 2
Duluth Mankato Minneapolis St. Cloud	89,331 10,268 343,466 11,425	68 11 313 13	76. 1 107. 1 91. 1 113. 8	Bridgeton Camden East Orange Elizabeth	14,335 102,465 39,852 82,411	13 20 74 17 76	139. 5 72. 2 42. 7 92. 2	Richmond Borough Colored Bronx Borough Brooklyn Borough	109.337	93 83 5	100.3 75.9 91.9
St. Paul. Stillwater Virginia Winona	236, 766 9, 296 13, 671 18, 103	166 7 4 23	70. 1 75. 3 29. 3 127. 1	Garfield Hackensack Harrison Hoboken	13,071	6 16 12 49	45. 9 99. 9 74. 3 65. 3	Queens Borough	5, 440 27, 200 71, 260 4, 088 1, 349	29 45 1 3	106. 6 63. 1 24. 5 222. 4

Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
 Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	DEATH: CANCE OTHER NANT T	MALIG-		Estimated popula-	CANCE	S FROM R AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.			
NEW YORK—continued.				OHIO-continued.				PENNSYLVANIA—contd.			
Newburgh Niagara Falls North Tonawanda Ogdensburg * Olean	13, 184 16, 464 16, 018	37 26 9 17	127. 5 74. 0 68. 3 103. 3	East Liverpool	21,877 17,396 13,684 38,814 13,690	13 19 19 31 14	59. 4 109. 2 138. 8 79. 9 102. 3	Johnstown Lancaster Lebanon McKees Rocks McKeesport	64, 642 49, 685 19, 926 18, 258 45, 965	36 55 20 3 26	55.7 110.7 100.4 16.4 56.6
Ossining Oswego. Peekskill. Plattsburg. Port Chester.	12,289	15 30 13 8 11	115. 5 125. 7 75. 0 65. 1 72. 9	Lakewood Lancaster Lima Lorain Mansfield	20, 219 14, 840 33, 904 34, 360 22, 100	11 11 40 20 15	54. 4 74. 1 118. 0 58. 2 67. 9	Mahanoy City Mead ville Monessen Mount Carmel	16, 971 13, 472 18, 752 19, 386	5 19 1 4	29. 5 141. 0 5. 3 20. 6
Poughkeepsie	29, 598 11, 027 245, 077 22, 693	31 13 261 25	104. 7 117. 9 106. 5 110. 2	Mariota Marion Massillon Middletown	14,742 22,032 14,912 14,827	15 22 7 5	101. 8 99. 9 46. 9 33. 7	Nanticoke New Castle Norristown * North Braddock	21, 756 39, 569 30, 265 14, 076	6 25 26 2	27. 8 63. 2 85. 9 14. 2
Saratoga Springs	91,012 149,353 77,560 82,060	18 36 126 136 82	140.5 39.6 84.4 175.3 99.9	Newark Norwood Piqua Portsmouth	13, 906 27, 511	17 16 16 17	60.1 78.7 115.1 61.8	Oil City. Old Forge. Philadelphia (total). White.	1, 566, 158	11 4 1,541 1,455	59. 0 29. 1 93. 0 92. 9
Watertown Watervliet White Plains Yonkers	28, 874 15, 394 19, 379	33 17 19 65	114.3 110.4 98.0 69.6	Sandusky Springfield (total) White Colored Steubenville	50, 127 50, 058 44, 782 5, 276 25, 817	23 37 33 4 19	73. 9 73. 7 75. 8 73. 6	Colored	91, 652 11, 400 564, 878 537, 479	86 8 481 460	93.8 70.2 85.2 85.6
NORTH CAROLINA. Registration cities (total)	176,010	124	70.5	Tiffin	12,278 184,126 12,074	10 184	81.4 99.9 82.8	ColoredPittston	27, 399 17, 847	21 11	76. 6 61. 6
White	20,157	76 48 11 9	69. 3 72. 3 54. 6 62. 5	Warren. Youngstown. Zanesville. OREGON.	100, 593 29, 949	10 66 39	65. 6 130. 2	Plymouth	18, 422 16, 408 21, 684 103, 361 141, 351	9 15 18 86 85	48. 9 91. 4 83. 0 83. 2 60. 1
White	5,760 37,951 24,835	2 30 19 11	34. 7 79. 0 76. 5 83. 9	Portland (total)	260, 601 250, 210 10, 391	229 222 7	87.9 88.7 67.4	Shamokin Sharon Shenandoah South Bethlehem	20, 841 17, 538 28, 097	14 10 6	67. 2 57. 0 21. 4
Durham (total)	14, 253 8, 610 18, 391	14 6 8 15 9	61.2 42.1 92.9 81.6 76.4	PENNSYLVANIA. Registration cities (total) White Colored.	3,957,679 3,800,812 156,867	3,245 3,104 141	82, 0 81, 7 89, 9	Steelton Sunbury Uniontown	15, 458 19, 140	9 7 14 18	39. 4 46. 3 90. 6 94. 0
Colored	6,608 19,833 12,225	6 21 10 11 19	90.8 105.9 81.8 144.6 68.4	Allentown. Altoona Beaver Falls. Bethlehem Braddock.	60, 297 56, 553 13, 100 13, 721 20, 935	59 44 11 8 6	97.8 77.8 84.0 58.3 28.7	Warren. Washington. West Chester (total). White Colored.	14, 045 20, 702 12, 722 10, 691 2, 031	12 12 15 13 2	58. 0 117. 9 121. 6 98. 5
White	14, 703 13, 078 29, 034 17, 408	12 7 14 11 3	81.6 53.5 48.2 63.2 25.8	Bradford Bufter Carbondale Carlisle (total) White Colored	25, 543 18, 532 10, 589 9, 436	9 21 13 10 8 2	60. 7 82. 2 70. 1 94. 4 84. 8 173. 5	Wilkes-Barre Wilkinsburg Williamsport York	73, 660	46 22 50 47	62. 4 101. 4 150. 7 95. 1
OHIO. Registration cities (total) White Colored	2, 335, 493	2,104 2,041 63	87.3 87.4 84.3	Carnegie. Chambersburg. Chester (total). White Colored	11, 150 12, 192 40, 474 35, 419 5, 055	2 16 25 22 3	17. 9 131. 2 61. 8 62. 1 59. 3	RHODE ISLAND. Registration cities (total). White. Colored	479, 487 470, 169 9, 318	426 419 7	88. 8 89. 1 75. 1
Akron	17,718 20,478 13,896	62 15 10 7 9	77. 2 84. 7 48. 8 50. 4 70. 1	Coatesville (total)	13, 369 11, 533 1, 836	5 5 17 15	37. 4 43. 4 153. 8 102. 6	Central Falls. Cranston 4 Cumberland town East Providence town Newport	24, 707 24, 415 10, 608 17, 369 29, 154	11 34 10 23 25	44. 5 139. 3 94. 3 132. 4 85. 8
Canton Chillicothe Cincinnati (total). White Colored.	15,160 402,175	35 15 419 400 19	60.9 98.9 104.2 105.1 87.3	Dubois Dunmore Duquesne Easton Erie	18, 576 29, 882 72, 401	9 6 8 25 55	64. 3 30. 4 43. 1 83. 7 76. 0	Pawtucket Providence Warwick town ⁵ Woonsocket	56, 901 245, 090 28, 893 42, 350	227 31 21	77. 3 92. 6 107. 3 49. 6
Cleveland	190,139 14,428	483 220 208 12 133	75.5 107.5 109.4 83.2 107.4	Farrell Greensburg Harrisburg Hazleton Homestead	(3) 14,687 69,493 27,511 21,256	1 7 57 27 10	(3) 47. 7 82. 0 98. 1 47. 0	SOUTH CAROLINA.1 Charleston (total) White Colored	60, 121 28, 372 31, 749	35 23 12	58. 2 81. 1 37. 8

Nonregistration state; cities shown below only those with effective local ordinances.
 Colored population less than 10 per cent of the total in 1910.
 Population not estimated; name changed from South Sharon (incorporated in 1901) in 1912.
 Includes state institutions.
 Includes West Warwick town, organized Nov. 1, 1913.

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

		CANCI	S FROM ER AND			CANCI	S FROM ER AND		-		S FROM ER AND
AREA AND COLOR.	Estimated popula- tion, July	וי תיער אות [MALIG- TUMORS.	AREA AND COLOR.	Estimated popula- tion, July	OTHER	MALIG- UMORS.	AREA AND COLOR.	Estimated popula-	OTHER	MALIG- UMORS.
	1, 1914.	Num- ber.	Rate per 100,000 popu- lation.		1, 1914.	Num- ber.	Rate per 100,000 popu- lation.		tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
REGISTRATION CITIES— Continued.				REGISTRATION CITIES— Continued.				RURAL PART OF REGISTRATION STATES 2—Con.			
TENNESSEE.1				VIRGINIA—continued.				CALIFORNIA—continued.			
Registration cities (total). White	370, 662 237, 961 132, 701 57, 077	289 209 80 40	78. 0 87. 8 60. 3	Portsmonth (total) White Colored Richmond (total) White Colored	12 164	18 11 7 127 89	47.9 45.1 53.2 94.1 104.1	Glenn County Humboldt County Imperial County Inyo County Kern County	8,033 22,967 16,683 8,082	4 13 5 2 4	49.8 56.6 30.0 24.7
White	34,115 22,962	32 8	93.8		49,419	38	76.9		31, 226 18, 940	12	12.8 63.4
Jackson (total) White Colored Knoxyille (total)	11,170	8 4 4 29	45. 6 35. 8 62. 9 76. 5	Roanoke (total) White Colored Staunton (total)* White Colored	40,574 31,349 9,225 11,316	20 15 5 6	49.3 47.8 54.2 53.0	Kings County Lake County Lassen County Los Angeles County Madera County	5,320 4,925 129,965 9,222	5 4 161 5	94. 0 81. 2 123. 9 54. 2
White Colored Memphis (total) White	29, 952 7, 972 , 143, 231 , 85, 859	19 10 114 86	63.4 125.4 79.6 100.2	WASHINGTON.		5 1	57. 7 37. 8	Marin County Mariposa County Mendocino County* Merced County Modoe County	29, 126 3, 633 25, 405 17, 676	14 1 10	48.1 27.5 39.4
Colored Nashville (total) White Colored	57,372	28 98 68 30	48.8 85.3 88.5 78.9	Registration cities(total) White Colored		499 497 2	74.0 . 75.8 . 10.9 . 54.9	Modoc County Mono County	17,676 6,667 1,992	11 2	62, 2 30, 0
TEXAS. ¹ Registration cities (total).	204, 857	181	88.4	Aberdeen Bellingham Everett North Yakima	! ' }	21 19 20	70.1 59.3 106.7	Mono County Monterey County Napa County * Nevada County Orange County	26, 176 21, 228 13, 748 40, 716	16 32 14 39	61.1 150.7 101.8 95.8
White Colored	181,036 23,821	170 11	93. 9 46. 2	Seattle Spokane Tacoma Walla Walla	313,029 135,657	221 102	70.6 75.2	Placer County	19, 281 5, 516	13 1	67.4 18.1
Fl Paso (total)	49,505 47,371 2,134 40,289	48 48	97. 0 101. 3	WEST VIRGINIA.1		84 22	81.2 94.5	Placer County Plumas County Riverside County Sacramento County San Benito County	23, 557 14, 416 8, 639	1 7 5 9	29.7 34.7 104.2
White Colored 2 Galveston (total) White Colored San Antonio (total) White Colored	31,480 8,809 115,063 102,185	52 45 7 81 77	129.1 142.9 79.5 70.4 75.4	Wheeling (total)	42,817 41,575 1,242	46 45 1	107.4 108.2 80.5	San Bernardino County* San Diego County San Joaquin County San Luis Obispo County San Mateo County	40, 510 26, 789 31, 539 20, 553 32, 759	34 24 32 14 23	83.9 89.6 101.5 68.1 70.2
ColoredUTAH.	102, 185 12, 878	4	31.1	Registration cities (total). White Colored	833, 974 831, 317 2, 657	712 710	85.4 85.4		17,670	5	28.3
Registration cities (total). White	139, 264 136, 968 2, 296	93 88 5	66.8 64.2 217.8	AppletonAshlandBeloit	17,492 10,964	21 10 15	75.3 120.1 91.2 87.6	Santa Barbara County Santa Clara County * Santa Cruz County Shasta County Sierra County	56, 391 14, 628 19, 602 4, 132	78 9 13 2	138.3 61.5 66.3 48.4
OgdenSalt Lake CityVERMONT.		22 71	74. 5 64. 7	Fond du Lac	17,122 18,647 20,367 28,026	15 25 26 36	134.1 127.7 128.5	Siskiyou County	19, 584 16, 238 52, 618 28, 048	8 9 63 19	40.8 55.4 119.7 67.7
Registration cities (total). White Colored	47,370 47,221 149	73 72 1	154.1 152.5 671.1	Green Bay Janesville Kenosha La Crosse Madison	14,195 29,062 31,367 29,469	20 16 36 29	140.9 55.1 114.8 98.4	Sutter County	6, 515 11, 574 2, 842 42, 712	5 10 2	76.7 86.4 70.4
Barre. Burlington Rutland VIRGINIA.	11,706 21,247 14,417	5 35 33	42.7 164.7 228.9	Manitowoc Marinette Milwaukee Oshkosh	13,553 13,937 419,589 35,097	17 11 291 38	125.4 78.9 69.4 108.3	Tuolumne County	9, 474 20, 043 14, 057	23 5 14 12	53.8 52.8 69.8 85.4
Registration cities (total). White Colored	423, 671 277, 249 146, 422	304 216 88	71.8 77.9 60.1	Racine Sheboygan Superior	44,528 27,863 44,344 18,352	44 35 26 16	98.8 125.6 58.6	COLORADO.	10, 648	10	93 . 9
Alexandria (total) White Colored Danville (total)	15,670 11,380 4,290 19,697	16 14 2	102.1 123.0 46.6	Wauseu	18,352	16	87.2	Total. White. Colored.	568, 280 561, 232 7, 048	237 236 1	41.7 42.1 14.2
White Colored	19,697 13,267 6,430 31,830	2 19 14 5	96.5 105.5 77.8	CALIFORNIA. Total	1,211,170 1,142,413	947 929	78.2 81.3	Adams County Arapahoe County Archuleta County Baca County Bent County	10, 652 12, 295 3, 808 3, 266	3 4	28. 2 32. 5
White-Colored	21,609 10,221 20,446 13,089 7,357	20 7 5 4	84.8 92.6 68.5 24.5 30.6 13.6	Alameda County Alpine County Amador County Butte County Calaveras County	34,101 226 8,224 31,641	39 7 23	26. 2 114. 4 85. 1 72. 7	Bent County	5, 894 34, 073 7, 850 5, 044 4, 117	25 6 1	33.9 73.4 76.4 19.8 24.3
Norfolk (total) White Colored Petersburg (total) White Colored	86,540 54,338 32,202 25,112 13,647 11,465	46 33 13 20 11 . 9	53. 2 60. 7 40. 4 79. 6 80. 6	Calaveras County Colusa County Contra Costa County Del Norte County Eldorado County Fresno County	8, 309 7, 889 37, 483 2, 421 6, 857 61, 954	3 18	24.1	Custer County	18, 213 1, 527 17, 182 435 3, 223 2, 978	3 1 4	16.5 65.5 23.3 93.1 33.6

Nonregistration state; cities shown below only those with effective local ordinances.
 Colored population less than 10 per cent of the total in 1910.
 Exclusive of municipalities having a population of 10,000 or over in 1910.
 Includes Alamosa and Costilla Counties; separate estimated populations not available.

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE OTHER	S FROM OR AND MALIG- UMORS.		Estimated	CANCE OTHER	S FROM ER AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES —Con.				RURAL PART OF REGISTRATION STATES —Con.				RUBAL PART OF REGISTRATION STATES 1—Con.			
COLORADO—continued.				INDIANA—continued.			/	INDIANA—continued.			
El Paso County Elbert County Fremont County Garfield County Gilpin County	6, 281 19, 266 11, 980	5 1 7 4 1	30.1 15.9 36.3 33.4 32.9	Clay County Clinton County Crawford County Daviess County Dearborn County	31,790 26,026 11,455 26,825 21,057	24 32 3 17 18	75. 5 123. 0 26. 2 63. 4 85. 5	Union County Vanderburg County* Vermilion County Vigo County	6,054 8,570 20,404 35,435	8 10 15 19	132.1 116.7 73.5 53.6
Grand County	6, 138 (2) 15, 418	2 5	(2) 32.4	Decatur County Dekalb County Delaware County Dubois County Elkhart County	18,486 24,776 27,206 19,624 29,662	18 23 19 · 6 42	97. 4 92. 8 69. 8 22. 1 141. 6	Wabash County Warren County Warrick County Washington County Wayne County*	26,370 10,699 21,734 16,610 21,864	20 4 11 8	75. 8 37. 4 50. 6 48. 2
Jefferson County Kiowa County Kit Carson County La Plata County Lake County	16, 329 3, 834 9, 998 12, 429	7 2 6 4	42.9 20.0 48.3 (2)	Fayette County Floyd County Fountain County Franklin County Fulton County	14,805	19 9 16 10 13	128. 3 92. 4 80. 0 67. 2 87. 3	Wayne County * Wells County. White County Whitley County KANSAS.	21,864 21,980 16,950 16,707	9 16 11	40. 9 94. 4 65. 8
Las Animas County Lincoln County Logon County	25,874 8,043	18 10	58. 0 38. 6	Gibson County	30 151	16 35 16	53. 1 115. 2 39. 6	Colorea		813 801 12	56. 5 56. 7 44. 4
Logan County Mesa County Mineral County Montezuma County Montrose County	953 5,867	14 2 3 5 6	50. 5 209. 9 52. 8 39. 2	Harrison County Hendricks County	19,606 20,649	19 18 15 10	73. 7 94. 9 76. 5 48. 4	Allen County. Anderson County. Atchison County Barber County. Barton County.	31,105 13,784 11,262 11,331 19,619	19 9 2 5 11	61.1 65.3 17.8 44.1 56.0
Montrose County Morgan County Otero County Ouray County	23,899 2,996	11	48. 9 46. 0 33. 4	Henry County	31,747 15,443 18,537 23,915	14 10 11	44.1 64.8 59.3	Bourbon County	13 187	10 10 18	75. 8 47. 9 78. 5
Park County Phillips County Pitkin County Prowers County	2,277 3,857 3,522 11,970	1 1 2 3 7	43. 9 51. 9 85. 2 58. 5	Jackson County Jasper County Jay County Jefferson County * Jennings County	12,514 24,170 19,448 13,542	13 15 18 31 12	54.4 119.9 74.5 159.4 88.6	Brown County Butler County Chase County Chautauqua County Cherokee County	22,932 7,223 11,271 36,232	3 6 18	41. 5 53. 2 49. 7
Pueblo County*	8,580 2,606 7,619 9,222 4,290	13 2 1	151. 5 21. 7 23. 3	Johnson County Knox County Kosejusko County	20,465 25,165 27,437	14 9 25 11	68. 4 35. 8 91. 1 72. 9	Clark County. Clay County. Cloud County.	4,933 5,112 15,005 18,524	2 2 9.	40. 5 39. 1 60. 0 70. 2
San Juan County San Miguel County Sedgwick County Summit County	3,370 4,412 3,950	3 2 1	68. 0 50. 6 59. 3	Lagrange County Lake County Laporte County Lawrence County Madison County	15,709 32,709 29,250	25 13 15 20	71.3 82.8 45.9 68.4	Coffey County Comanche County Cowley County Crawford County Decatur County	14,595 3,989 32,485 39,603 8,868	5 1 25 20 3	34. 3 25. 1 77. 0 50. 5 33. 8
Teller County. Washington County. Weld County. Yuma County.	8,109 7,190 48,709 10,180	8 1 19 5	98. 7 13. 9 39. 0 49. 1	Marion County * Marshall County. Martin County. Miami County	32,150 23,775 12,201 17,576	26 25 4 14	80. 9 105. 2 32. 8 79. 7	Dickinson County	25,446 14,145 11,550 8,461	12 9 7 5	47. 2 63. 6 60. 6 59. 1
CONNECTICUT. Total	372,932	323 323	85. 6 86. 6	Monroe County Montgomery County Morgan County	24,511 29,258 21,488	22 27 11	89.8 92.3 51.2	Ellis County Ellis worth County	9,569 13,681	10 9 7	104. 5 65. 8
Colored	53,443 85,763 54,359	43 76 41 21	80. 5 88. 6 75. 4	Newton County Noble County Ohio County Orange County Owen County	10,524 24,210 4,161 17,334 13,586	12 18 6 11	114.0 74.3 34.6 81.0	Finney County Ford County Franklin County	10,792 8,374 13,906 20,687	1 8 14	64. 9 11. 9 57: 5 67. 7
Middlesex County New Haven County New London County * Tolland County Windham County	25, 150 50, 768 45, 284	21 48 46 19 29	83. 5 94. 5 101. 6 69. 6 82. 0	Parke County Perry County Pike County Porter County Posey County	21,881 17,780	14 8 12 23 5	64. 0 45. 0 62. 0 108. 9 23. 4	Geary County Gove County Graham County Grant County Grant County Gray County	13,507 7,580 10,203 1,370 3,913	9 1 3	66. 6 13. 2 29. 4 25. 6
INDIANA. Total	1,878,030 1,859,826 18,204	1,434 1,423 11	76. 4 76. 5 60. 4	Pulaski County Putnam County Randolph County Ripley County Rush County	13,005 20,112 29,164 19,271 19,009	14 24 23 21 15	107.7 119.3 78.9 109.0 78.9	Greeley County Greenwood County Hamilton County Harper County Harvey County	1,694 16,004 4,184 16,639 19,887	12 1 8 18	75. 0 23. 9 48. 1 90. 5
Adams County Allen County Bartholomew County Benton County Blackford County	27,830 24,905	17 21 25 5 15	78. 4 75. 5 100. 4 40. 0 98. 5	St. Joseph County Scott County Shelby County Spencer County Starke County	15, 455 8, 328 26, 933 19, 939 10, 624	18 12 18 15 12	116.5 144.1 66.8 75.2 113.0	Haskell County. Hodgeman County Jackson County Jefferson County. Jewell County	1,221 3,314 16,754 15,100 17,608	14 12 13	83. 6 79. 5 73. 8
Boone County Brown County Carroll County Cass County* Clark County	23,971 7,230 17,126 16,879 19,331	11 3 12 9 14	45. 9 41. 5 70. 1 53. 3 72. 4	Steuben County. Sullivan County. Switzerland County Tippecanoe County Tipton County	13,874 35,179 9,093 19,765 16,754	14 19 12 21 12	100.9 54.0 132.0 106.2 71.6	Johnson County Kearny County Kingman County Kiowa County Labette County	18, 365 4, 099 14, 546 7, 796 18, 642	17 1 7 1 13	92. 6 24. 4 48. 1 12. 8 69. 7

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Population not estimated, decrease since 1900.
3 Includes Crowley County; separate estimated populations not available.
4 Includes Moffat County; separate estimated populations not available.
5 Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

or over in 1910.]				Name of the state				1	,	·	
·	Estimated			-	Estimated	CANCE	S FROM ER AND MALIG- TUMORS.		Estimated	DEATHS CANCE OTHER NANT T	MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per. 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES ! Con. KANSAScontinued.				RURAL PART OF REGISTRATION STATES —Con. KENTUCKY—continued.				RURAL PART OF REGISTRATION STATES L—Con.			
Lane County Leavenworth County	3,046 22,544	1 16	32.8 71.0	Barren County (total)	26,186 22,442	9	34.4 40.1	KENTUCKY—continued. Cumberland County (total)	10,222	1	9.8
Lincoln County	10,251 13,903	23	19.5 165.4	White Colored Bath County (total)	13,673	<u>4</u>	29.3	White Colored	9, 151 1, 071	î	10.9
Logan County	5,208	2	38.4	White Colored 2	12,358 1,315	4	32.4	Daviess County (total) White Colored 2	24,811 22,824	4	16.1 17.5
Lyon County. McPherson County. Marion County. Marshall County.	23,156	21 18 10 10	84.5 •83.5 43.2 42.2	Bell County (total) . White . Colored.	33,878 30,376 3,502	6 5 1	17.7 16.5 28.6	Edmonson County (total)	1,987 10,634 10,185	2 2	18.8 19.6
Meade County	6,534	2 12	30.6 62.0	Boone County (total) White Colored 2	8,676 8,233 443	5	57.6 60.7	White. Colored 2. Elliott County (total)	9,571 9,566	2 2 2	20. 9 20. 9
Mitchell County Montgomery County	13,853	8 13	57.7 45.0	Bourbon County (total)	17,206	15	87.2	WhiteColored 2	. 5		
Morris County Morton County	28,903 12,578 1,771	3 1	23.9 56.5	White Colored	11,606 5,600	9 6	77.5 107.1	Estill County (total)	12,531 12,422 109	. 2	16.0 16.1
Nemaha County Neosho County	18,516 25,669	7 18	37.8 70.1	Boyd County (total) White Colored 2	25,408 24,496 912	10 10	39.4 40.8	Fayette County (total) White Colored	11,300 7,822	4 4	35.4 51.1
Ness County	6,455 11,736	1 8 13	15.5 68.2	Boyle County (total)	15,031	7	46.6	l i	3,478 15,637		70.3
Osage County	18,306 13,244	13 12	71.0 90.6	White Colored Bracken County (total)	10,744 4,287 9,530	4 3 7	37.2 70.0 73.5	Fleming County (total) White Colored ²	14,630 1,007	11	75.2
Osborne County	10,407	7 6	58.0 57.3	Bracken County (total) White Colored 2	9,215 315	7	76.0	Floyd County (total) White Colored 2	*19, 932 19, 776	2 2	10.0 10.1
Phillips County Pottawatomie County	14,028 17,118	2 9	14.3 52.6	Breathitt County (total)	18,912	1 1	5.3	Franklin County (total)	156 10,372	6	57.8
Pratt County	12,890 6,864	1	7.8 43.7	White Colored 2 Breckinridge County (to-	18,629 283		5.4	White	9, 564 808	5 1	52.3 123.8
Reno County Republic County	22,274 17,106	11 16	49.4 93.5	White	21,246 19,636	11 9 2	51.8 . 45.8	Fulton County (total) White Colored	15,208 11,566 3,642	6 6	39.5 51.9
Rice County Riley County	15,258 16,616	5 12	32.8 72.2	Colored 2 Bullitt County (total)	1,610 9,442	2	124.2	Gallatin County (total)	4,499	2	44.5
Riley County Rooks County Rush County Russell County	12,696 8,546	5 2	39.4 23.4	White Colored 2	8,761 681			White	4,235 264	<u>2</u>	47.2
baime Country	11,785 21,727	10 11	84.9 50.6	Butler County (total) White Colored 2	15,768 15,204 564	7 7	44. 4 46. 0	Garrard County (total) White. Colored.	11,831 9,543 2,288	5 4 1	41.9 43.7
Scott County Sedgwick County Seward County Shawnee County Sheridan County	3,876 20,504	1 5	25.8 24.4	CaldwellCounty (total)	13,875	2	14.4	Grant County (total)	9,449	2 2	21.2
Shawnee County Sharidan County	5,484 18,244 6,430	12 2	65.8 31.1	White Colored Calloway County (total)	11,371 2,504 20,819	1 1 9	8.8 39.9 43.2	White Colored 2 Graves County (total)	9, 186 263 33, 682	11	21.8
Sherman County	5,062	3	59.3	Calloway County (total) White Colored 2	19,691 1,128	9	45.7	Graves County (total) White	30,748 2,934	10 1	32.5 34.1
Smith County Stafford County Stanton County	14,931 13,651 1,333	7 4	46.9 29.3	Campbell County (total) White	30,046 29,867	24 24	79.9 80.4	Grayson County (total) White	19, 992 19, 656	8 8	40.0 40.7
Stevens County	3,232		•••••	Colored 2	179 8,561	·····i		Colored 2 Green County (total)	336 11,708	6	51.2
Sumner CountyThomas County	32,793 6,027	17 1	51.8 16.6	White Colored 2	8,186 375	1	12.2	White Colored	10,373 1,335	5 1	48.2 74.9
Trego County Wabaunsee County Wallace County	6,538 12,683 3,432	9	71.0 87.4	Carroll County (total) White	7,383 6,897	7 6	94: 8 87. 0	Greenup County (total) White	19,771 19,483	9	45.5 46.2
Washington County	19,492	8	41.0	Colored 2 Carter County (total) White	$\frac{486}{22,708}$	1 4	205.8 17.6	White Colored 2 Hancock County (total)	288 8,343 7,784	2	24.0
Wichita County Wilson County	2,351 21,594 9,206	16 4	74. 1 43. 4	Colored 2	22,593 115	4	17.7	White Colored 2	559 559	2	25.7
Woodson County Wyandotte County KENTUCKY.	17,235	16	92.8	Casey County (total) White Colored 2	15,623 15,340	4	25.6 26.1	Hardin County (total) White	22, 595 20, 764	9	39.8 28.9
Total	1,925,168	753	39.1	Colored 2	39,221	26 17	66.3	WhiteColored 2Harlan County (total)	1,831 10,874 10,290	3 2 2	163.8 18.4 19.4
,		668 85	38.6 43.7	Colored	22,993 16,228	17 9	73.9 55.5	WhiteColored ²	584		
Adair County (total) White	17, 190 15, 643	4 4	23.3 25.6	Clark County (total)	18,538 13,900	16 14	86.3 100.7	Harrison County (total) White.	16,151 14,463 1,688	10 9 1	61.9 62.2 59.2
Colored 2 Allen County (total) White	1,547 14,978 14,055	7 6	46.7 42.7	Colored. Clay County (total) White	4,638 18,821 18,294	2 8 7	43.1 42.5 38.3	Colored Hart County (total) White	18,080 16,085	3 3	16.6 18.7
Colored 2	923	1	108.3	Colored 2	527	í	189.8	White Colored.	1,995		•••••
Anderson County (total) White Colored 2	10, 185 9, 443 742	1	9.8 10.6	Clinton County (total) White Colored 2	8,272 8,176 96			Henderson County (total) W hite Colored	15,884 12,542 3,342	9 7 2	56.7 55.8 59.8
Ballard County (total) White	13,512 11,812	$\begin{bmatrix} 2\\2 \end{bmatrix}$	14.8 16.9	Crittenden County (total) White	12,490 11,934	$\begin{array}{c} 2 \\ 2 \end{array}$	16.0 16.8	Henry County (total) White	13,333 11,578	10 7	75.0 60.5
Colored	1,700 /		····· !!	tion of 10 000 or over in 1910	556			tion less than 10 per cent of the	1,755	3	170.9

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

 $^{^{2}}$ Colored population less than 10 per cent of the total in 1910.

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	CANCE OTHER	S FROM ER AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES —Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES —Con.			
KENTUCKY—continued.				KENTUCKY—continued.				RENTUCKY—continued. Rockcastle County (total)	15, 348	5	32.6
Hickman County (total) White Colored	11,750 9,971 1,779	6 5 1	51 1 50.1 56 2	Marion County (total) White Colored	16,347 14,063 2,284	$\frac{14}{12}$	85, 6 85, 3 87, 6	White Colored 2 Rowan County (total)	15, 214 134 9, 931	5 2	32. 9 20. 1
Hopkins County (total) White	35,694 28,802	20 13 7	56.0 45.1 101.6	Marshall County (total) White Colored 2	16,655	2 2	12.0 12.1	White Colored ²	9, 869 62	<u>2</u>	20.3
Jackson County (total) White	10, 806 10, 784	3	27.8 27.8	Martin County (total)	7, 935 7, 931			Russell County (total) White	11,358 11,140 218	4	35. 2 35. 9
Colored 2 Jefferson County (total) *	22 40, 747	11 11	27.0 31.2	White Colored 2 Mason County (total)	17, 829	9	50. 5 53. 1	Colored ² . Scott County (total). White Colored	16, 480 12, 522 3, 958	8 7 1	48. 5 55. 9 25. 3
White			•••••	White Colored	'	1	36.1	Shelby County (total)	17,915	8	44.7
Jessamine County (total) White Colored Johnson County (total)	12, 905 9, 851 3, 054	10 8 2	77.5 81.2 65.5	Meade County (total) White Colored 2 Menifee County (total)	9, 463 8, 824 639	6 6	63. 4 68. 0	White Colored Simpson County (total)	13, 923 3, 992 11, 393	8 5	57.5 43.9
Johnson County (total) White Colored ²	19,080 19,029 51	, 5 5	26.2 26.3	Menifee County (total) White Colored 2	5,871 5,833 38	1	17. 0 17. 1	White Colored	9, 225 2, 168	5	54.2
Kenton County (total)	17,342 17,021	10 10	57. 7 58. 8	Mercer County (total)	13,910 11,747	6 5	43. 1 42. 6	Spencer County (total) White	7,634 6,863 771	4 4	52.4 58.3
Colored ² . Knott County (total) White Colored ² .	321 11,679 11,506 173	2 2	17. 1 17. 4	White. Colored. Metcalfe County (total) White. Colored ² .	2, 163 10, 651 9, 836 815	1 7 5 2	46. 2 65. 7 50. 8 245. 4	Colored Taylor County (total) White Colored	12,338 10,853 1,485	5 5	40.5- 46.1
Knox County (total)	24, 136 22, 965	9 9	37. 3	Monroe County (total)	13,922	4	28. 7	Todd County (total)	16, 113 10, 854	12 8 4	74. 5. 73. 7
White Colored ² Larue County (total) White	1, 171 10, 676 9, 887	6 6	39. 2 56. 2 60. 7	White Colored 2 Montgomery County (total) White Colored	13, 178 744 12, 881 9, 661	4 9 6	30. 4 69. 9 62. 1	White Colored Trigg County (total) White Colored	5, 259 14, 737 11, 346 3, 391	6 6	76. 1 40. 7 52. 9
Colored 2 Laurel County (total)	789 20,843	5	24.0	Morgan County (total)	3, 220 17, 736	3 6	93. 2 33. 8	Trimble County (total) White	6, 189 6, 053		.
White Colored ² Lawrence County (total)	20, 144 699 20, 261	4 1 5	19.9 143.1 24.7	White Colored ² Muhlenberg County (total)	17,699 37 31,944	6 13	33. 9 40. 7	White	136 19, 274 16, 917	9 7	46. 7 41. 4
White Colored 2	20, 095 166		24.9	White	28,668 3,276	11 2	38. 4 61. 1	Colored	2, 357	2	84.9
Lee County (total) White	10, 188 9, 936	1	9.8 10.1	Nelson County (total) White Colored	16,931 13,957	16 13	94. 5 93. 1	Warren County (total) White Colored Washington County (total)	30,837 24,627 6,210	20 18 2	64.9 73.1 32.2
Colored ² Leslie County (total) White Colored ²	252 9,923 9,776 147	1	10. 1 10. 2	Nicholas County (total) White Colored 2	2,974 10,026 9,173 853	3 7 7	100. 9 69. 8 76. 3	Washington County (total) White Colored	13, 839 12, 060 1, 779	5 4 1	36. 1 33. 2 56. 2
Letcher County (total) White	11,241 11,223	1 1	8.9 8.9	Ohio County (total)	27, 794 26, 490	11 11	39.6 41.5	Webster County (total) White Colored	21, 347 18, 638 2, 709	6 6	28. 1 32. 2
Colored 2 Lewis County (total) White Colored 2	18	8 8	48. 6 49. 0	White. Colored ² Oldham County (total). White. Colored.	1,304 7,320 6,223 1,097	2 2	27. 3 32. 1	Wolfe County (total) White Colored ²	10, 331 10, 272 59	1 1	9.7 9.7
Lincoln County (total) White	18, 253 15, 217 3, 036	9 8 1	49. 3 52. 6 32. 9	Owen County (total) White Colored 2	12,841 11,985	6 6	46. 7 50. 1	Woodford County (total) White Colored	12, 331 8, 652 3, 679	6 3 3	48.7 34.7 81.5
Livingston County (total). White Colored 2	10,319 9,663 656	3 3	29. 1 31. 0	Owsley County (total) White Colored ²	856 8,448 8,368 80	3 3	35.5 35.9	MAINE. Total White Colored	587, 660 585, 942	609 607	103.6 103.6
Logan County (total)	24, 544 19, 245	14 11	57. 0 57. 2	Pendleton County (total) White Colored 2	10,722 10,487	6 6	56.0 57.2		1,718	24	126. 8
Colored Lyon County (total) White Colored	5, 299 9, 465 7, 644 1, 821	3 2 1 1	56. 6 21. 1 13. 1 54. 9	Perry County (total)	235 12, 523 12, 283 240	1 1	8. 0 8. 1	Androscoggin County Aroostook County Cumberland County Franklin County	80, 595 54, 679 19, 406	46 60 20	57. 1 109. 7 103. 1
McCracken County (total). White Colored	13,592 11,454 2,138	5 5	36. 8 43. 7	Pike County (total)	35, 510 35, 135	3 3	8. 4 8. 5	Hancock County Kennebec County 4 Knox County	34, 717 38, 298 28, 526	37 55 32	106.6 143.6 112.2
McLean County (total) White Colored 2	13, 578 12, 803 775	2 2	14. 7 15. 6	Powell County (total) White Colored 2	375 6, 194 5, 859 335			Oxford County Penobscot County	17,597 37,968 63,075	40 29 54	227.3 76.4 85,6
Madison County (total) White Colored	27,523 21,657 5,866	13 12	47. 2 55. 4 17. 0	Pulaski County ³ (total) White Colored ²	91,570 88,280	34 33	37. 1 37. 4	Piscataquis County Sagadahoc County	21, 137 17, 827	17 19	80.4 106.6
Magoffin County (total) White Colored ²	14, 356 14, 201 155	$\begin{bmatrix} 1 \\ 2 \\ 2 \end{bmatrix}$	13. 9 14. 1	Robertson County (total) White Colored ²	3, 200 3, 791 3, 727 64	1 1 1	30. 4 26. 4 26. 8	Somerset County Waldo County Washington County York County	37, 345 23, 042 41, 915 52, 602	44 18 54 60	117. 8 78. 1 128. 8 114. 1

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Colored population less than 10 per cent of the total in 1910.
 Includes Wayne, Whitley, and McCreary Counties; separate estimated populations not available.
 Includes National Military Home.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE	S FROM IR AND MALIG- UMORS.		Estimated	CANCE	S FROM R AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES Con.				RURAL PART OF REGISTRATION STATES —Con.				RUBAL PART OF REGISTRATION STATES 1—Con.		'	
MARYLAND.	'			MARYLAND—continued.			.]	MICHIGAN—continued.	-]	
Total	700, 758 552, 611 148, 147	439 380 59	62. 6 68. 8 39. 8	Worcester County (total) White Colored MASSACHUSETTS.	22,257 14,979 7,278	22 15 7	98.8 100.1 96.2	Lenawee County Livingston County Luce County * Mackinac County Macomb County	36, 462 16, 915 4, 438 9, 906 32, 337	39 21 5 2 34	107.0 124.2 112.7 20.2 105.1
Allegany County (total) White Colored 2 Anne Arundel County (total)	41,071 40,681 390 39,527	23 23 34	56. 0 56. 5	Total	791,284 784,119 7,165	868 864 4	109.7 110.2 55.8	Manistee County	14,610	9 8 12	61. 6 32. 2 52. 0
White	39, 527 25, 149 14, 378	29 5	115.3 34.8	Remetable County	97 493	37 42	134. 9 110. 8	Mason County. Mecosta County. Menominee County.	1	25 6	132.0 38.6
Baltimore County (total)*. White	135,813 121,581 14,232 10,368 5,218 5,150	111 104 7 2 1	81.7 85.5 49.2 19.3 19.2	Berkshire County Bristol County Dukes County Essex County*	1	56 9 105	99. 4 200. 8 114. 0	Midland County Missaukee County Monroe County Montcalm County Montmorency County	11, 157	7 7 28 35 2	50.6 62.7 84.9 110.1 50.3
Caroline County (total) White	20,480 15,293	- 1 8 6 2	39.1 39.2 39.2 38.6	Franklin County Hampden County Hampshire County Middlesex County*. Nantucket County	2 046	33 35 33 173	75. 9 72. 6 138. 1	Muskegon County Newaygo County Oakland County Oceana County	19,117	15 9 25 11	90.1 45.3 71.3 57.5
Colored	33,965 31,917 2,048	20 19 1	58. 9 59. 5 48. 8	Norfolk County*. Plymouth County*. Worcester County*. MICHIGAN.	105, 294 80, 000 134, 853	99 99 138	94. 0 123. 8 102. 3	Ogemaw County Ontonagon County Osceola County Oscoda County	9, 392 9, 694 17, 902 2, 263	5 12 2	95.8 51.6 67.0 88.4
Cecil County (total)	23,377 20,044 3,333 15,843 7,419	18 14 4 4 2	77. 0 69. 8 120. 0 25. 2 27. 0	Total	1,806,362 1,792,223 14,139	1,398 1,391 7	77.4 77.6 49.5	Otsego County	2, 263 6, 712 36, 061 12, 283 2, 480	3 22 5 1	44.7 61.0 40.7 40.3
Colored Dorchester County (total)	8,424	2 16	23. 7 55. 2	Alcona County	5, 708 8, 446	1 2	17.5 23.6	Saginaw County St. Clair County St. Joseph County	12, 283 2, 480 38, 740 32, 374 26, 185	21 30 25	54.2 92.7
White	19,292 9,676 42,107	12 4 24 20	62.2 41.3 57.0 52.4	Alcona County Alger County Allegan County Alpena County Antrim County Arenac County		30 9 13	74.5 118.3 84.8	Sanilac County Schoolcraft County Shiawassee County Tuscola County		29 9 32 29	95.5 86.7 99.8 97.0 84.1
Garrett County (total) White Colored 2	21,128 21,015 113	10 10	101.0 47.3 47.6	Arenac County Baraga County Barry County Bay County Benzie County		3 24 14 8	43.5 105.8 59.1 72.4	Van Buren County Washtenaw County Wayne County Wexford County	33, 147 28, 470 71, 842	43 24 63 15	129.7 84,3 87.7 66.8
Harford County (total) White Colored Howard County (total)	22,661 5,176	13 13	46. 7 57. 4	Berrien County Branch County Calhoun County Cass County Charlevoix County	55, 521 24, 667 31, 636 20, 520	58 23 35 29	104.5 93.2 110.6 141.3	MINNESOTA.		1.096	74.0
White Colored	12,074	8 7 1 8	50. 5 58. 0 26. 5	G-7	l	13 10	60.8 53.0	Total White Colored		1,092	74.2 39.1
Kent County (total) White Colored Montgomery County (total)	5,975	8 4 4 11	49. 4 39. 2 66. 9 33. 6	Chippewa County Clare County Clinton County Crawford County	19 202	7 3 18 5	56.9	Aitkin County Anoka County * Becker County Beltrami County Benton County	24,010	7 8 10 9 6	58.7 61.6 49.8 37.5 54.3
White Colored Prince Georges County (total) White Colored	32,786 23,188 9,598 38,809 26,256 12,553	10 1 18 16	43.1 10.4 46.4 60.9	Delta County. Dickinson County Eaton County Emmet County. Genesee County.	18,013 21,647 30,003 19,681 24,705	4 14 25 15 24	22. 2 64. 7 83. 3 76. 2 97. 1	Big Stone County Blue Earth County Brown County Carlton County Carver County	9,637 17,824 20,282 20,773	. 8 17 20 10	83.0 95.4 98.6 48.1
Queen Annes County (to- tal). White	16,191 10,508 5,683	9 8 1 5	15. 9 55. 6 76. 1 17. 6	Gladwin County	9, 201 11, 996 11, 924 28, 366 29, 594	3 2 4 21 21 28	32.6 16.7 33.5 74.0 94.6	Cass County Chippewa County Chisago County Clay County Clay County Clearwater County	17,418 13,258 13,867 13,660 20,365	10 13 15 14 11	98.1 108.2 102.5 54.0
St. Marys County (total) White Colored Somerset County (total)	16,967	5	29. 5 52. 2	Houghton County Huron County Ingham County	97, 488 35, 011 21, 547 33, 220	45 28 31 14 7	46.2 80.0 143.9 42.1	Clearwater County Cook County Cottonwood County Crow Wing County Dakota County* Dodge County		1 8 17	64.1 62.0 94.6
White	16,967 9,714 19,313	26 19 7 17 12	97.4 112.0 72.1 88.0 95.8	Ionia County *. Iosco County Iron County Isabella County Jackson County	9,544 17,794 23,132	7 3 7 25 17	73.3 16.9 30.3	Douglas County	17, 544 19, 053	14 15 23 8	52.6 129.7 131.1 42.0
Washington County (total) White		22 22	73.7 82.3 83.9	Kalamazoo County Kalkaska County	21, 547 21, 453 8, 506	9	116. 0 79. 2 105. 8	Freeborn County	24,590 22,471 31,848	25 28 31	101.7 124.6 97.3
Colored 2 Wicomico County (total) White Colored	28,503 21,686 6,817	10 9 1	35. 1 41. 5 14. 7	Kent County Keweenaw County Lake County Lapeer County Leelanau County	48, 459 8, 834 4, 933 25, 349 10, 629	50 3 1 18 12	103. 2 34. 0 20. 3 71. 0 112. 9	Grant County Hennepin County Houston County Hubbard County Isanti County	9, 190 34, 820 13, 829 11, 216 13, 015	9 20 13 2 13	97.9 57.4 94.0 17.8 99.9

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

-POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued. TABLE I .-

AREA AND COLOR.	Estimated popula-	OTHER	S FROM ER AND MALIG- UMORS.		Estimated popula-	CANCI OTHER	S FROM ER AND MALIG- UMORS.		Estimated	DEATH: CANCE OTHER NANT T	R AND MALIG-
AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES!—Con.				RURAL PART OF REGISTRATION STATES!—Con.				RURAL PART OF REGISTRATION STATES1—Con.		-	
MINNESOTA—continued.				MISSOURI—continued.				missouri—continued.			
Itasca County Jackson County Kanabec County Kandiyohi County Kittson County	14, 365 7, 248	9 10 3 14 8	38. 9 69. 6 41. 4 72. 9 76. 7	Barton County Bates County Benton County Bollinger County Boone County	16, 106 24, 050 14, 168 14, 545 31, 336	5 13 8 3 15	31. 0 54. 1 56. 5 20. 6 47. 9	Morgan County. New Madrid County. Newton County Nodaway County. Oregon County.	13, 155 22, 985 27, 192 27, 085 15, 009	2 4 7 18 8	15. 2 17. 4 25. 7 66. 5 53. 3
Koochiching CountyLac qui Parle CountyLake CountyLe Sueur CountyLincoln County	15, 923 9, 442	4 9 4 8 5	46.3 56.5 42.4 44.6 48.7	Buchanan County Butler County Caldwell County Callaway County* Camden County	2 15, 160 22, 264 13, 732 23, 726 10, 929	8 7 20 10 6	52. 8 31. 4 145. 6 42. 1 54. 9	Osage County Ozark County Pemiscot County Perry County Pettis County	14, 363 11, 833 22, 730 14, 798 15, 615	8 2 2 10 9	55. 7 16. 9 8. 8 67. 6 57. 6
Lyon County. McLeod County. Mahnomen County Marshall County. Martin County	18,308 3,249	14 14 3 13 14	86. 4 76. 5 92. 3 78. 3 78. 8	Cape Girardeau County Carroll County Carter County Cass County Cedar County	29,028 21,666 4,993 22,690 15,721	10 17 2 9 15	34 4 78 5 40.1 39.7 95.4	Phelps County Pike County Platte County Polk County Polk County	16,478 21,199 13,679 20,841 11,881	$^{6}_{12}_{6}_{11}$	36. 4 56. 6 43. 9 52. 8 50. 5
Meeker County. Mille Lacs County. Morrison County. Mower County. Murray County.	11,829 24,547	18 8 19 6 10	107. 7 67. 6 77. 4 26. 4 85. 5	Chariton County Christian County Clark County Clay County Clinton County	22,088 15,360 11,716 20,897 14,417	11 6 11 16 12	49. 8 39. 1 93. 9 76. 6 83. 2	Putnam County Ralls County Randolph County Ray County Reynolds County	13, 294 13, 178 14, 761 20, 024 10, 202	3 3 13 11 1	22. 6 22. 8 88. 1 54. 9 9. 8
Nicollet County *	22, 232 46, 318	20 6 10 99 43	144. 4 39. 1 74. 4 445. 3 92. 8	Cole County Cooper County Crawford County Dade County Dallas County		9 20 7 10	94. 6 103. 3 50. 6 68. 8 23. 3	Ripley County St. Charles County St. Clair County St. Francois County *. St. Louis County Ste. Genevieve County	13,063 24,788 15,776 40,717 96,212	20 8 15	80. 7 50. 7 36. 8 50. 9
Pennington County. Pine County. Pipestone County. Polk County. Pope County.	17,722 9,675 36,245	6 9 6 24 4	58. 2 50. 8 62. 0 66. 2 31. 2	Daviess County. Dekalb County. Dent County. Douglas County. Dunglas County.	16 022	14 10 2 6 8	87. 4 85. 3 15. 0 36. 1 23. 5	Schuyler County	10,712 27,635 8,304 11,288 26,325	3 22 8 6 6	28. 0 79. 6 96. 3 53. 2 22. 8
Ramsey County Red Lake County Redwood County Renville County Rice County	7, 221 18, 920 22, 882	6 1 5 14 28	62. 9 13. 8 26. 4 42. 6 108. 4	Franklin County	29, 510 13, 079 15, 229 29, 883	22 3 8 14	74. 6 22. 9 52. 5 46. 8	Scott County Shannon County Shelby County' Stoddard County Stone County Sullivan County Taney County	11, 525 14, 308 29, 143 12, 268 17, 882	10 11 11 17	8.7 69.9 37.7 8.2 95.1
Rock County Roseau County St. Louis County Scott County Sherburne County	13, 189 94, 510 14, 779	11 4 32 8 7	105. 2 30. 3 33. 9 55. 3 93. 1	Grundy County Harrison County Henry County Hickory County Holt County Howard County	16, 281 18, 791 26, 897 8, 211 13, 457	6 12 12 5 12	36. 9 63. 9 44. 6 60. 9 89. 2	Taney County Texas County Vernon County * Warren County Washington County	8,713 21,147 27,639 8,786 13,003	6 25 3 12	45.9 28.4 90.5 34.1 92.3
Sibley County. Stearns County. Steele County. Stevens County.	39,973 15,986 8,112	12 17 10 5	80. 1 42. 5 62. 6 61. 6	Howard County Howell County Iron County Jackson County Jasper County Jefferson County	14,510 20,738 8,500 39,251 45,933	15 9 7 24 15	103.4 43.4 82.4 61.1 32.7	Wayne County Webster County Worth County Wright County	15, 126 17, 689 7, 230 18, 652	9 9 4 4	59. 5 50. 9 55. 3 21. 4
Swift County	8, 251 18, 398	6 8 1 25	47. 2 33. 5 12. 1 135. 9	Johnson County	25,640 11,944	27 8 4	38. 2 105. 3 67. 0	MONTANA. TotalWhite	323,603 308,206	141 137	43.6 44.5
Wadena County	8,963 12,915 15,953 11,336	8 11 8 6	89. 3 85. 2 50. 1 52. 9	Laclede County Lafayette County Lawrence County Lewis County	17,721 29,506 24,420	4 34 11	22. 6 115. 2 45. 0 38. 9	Colored Beaverhead County Broadwater County Cascade County	15,397 6,801 3,854 16,603	2 3 9	26.0 29.4 77.8 54.2
Wilkin County Winona County Wright County Yellow Medicine County	9,480 14,322 27,625 15,747	3 15 28 10	31.6 104.7 101.4 63.5	Lincoln County Lincoln County Linn County Livingston County McDonald County	15,000 16,473 25,148 18,241 13,526	10 12 17 3	60. 7 47. 7 93. 2 22. 2	Chouteau County 3 Custer County 4 Deer Lodge County *	31, 291 34, 557 3, 004	17 23 1 17	54.3 66.6 33.3
missouri.				Macon County	29,954	22	73.4	Fergus County 5 Flathead County Gallatin County	74,505 23,443 16,007	17 14 4	22. 8 59. 7 25. 0
Total White Colored	2,140,145 2,066,497 73,648	1, 155 1, 112 43	54.0 53.8 58.4	Maries County Marion County Mercer County	11, 824 10, 288 11, 667 11, 325	4 8 12 6	33 8 77. 8 102 9 53. 0	Granite County Jefferson County Lewis and Clark County Lincoln County	2,354 5,716 9,737 4,541	1 3 1	42. 5 30. 8 22. 0
Adair County Andrew County Atchison County Audrain County Barry County	23, 112 14, 410 12, 370 21, 909 23, 161	13 17 2 21 8	56. 2 118. 0 16. 2 95. 9 34. 5	Miller County. Mississippi County. Moniteau County. Monroe County. Montgomery County.	17,368 15,714 13,714 17,702 15,193	. 5 3 8 14 17	28. 8 19. 1 58. 3 79. 1 111. 9	Madison County	7,032 12,018 12,176 6,104	2 4 8 4	28. 4 33. 3 65. 7 65. 5

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
2 Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
3 Includes Blaine, Hill, Teton, and Toole Counties, the last named formed from parts of Teton and Hill Counties, May 7, 1914; separate estimated populations not avail-

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

or over in 1910.]	~~~~			n annual and a second				•	·		
	Estimated	CANCI	S FROM ER AND MALIG- TUMORS.		Estimated	OTHER	S FROM ER AND MALIG- TUMORS.		Estimated	CANCE	MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.			/	RURAL PART OF REGISTRATION STATES 1—Con.				RUBAL PART OF REGISTRATION STATES 1—Con.			
MONTANA—continued.				NEW YORK—continued.				. OHIO—continued.			
Ravalli County	4,486 18,488	9 1 13 5	67. 6 22. 3 70. 3 28. 4	Herkimer County Jefferson County Lewis County Livingston County Madison County	23,752 38,455 38,755	43 42 22 32 48	94. 4 79. 2 92. 6 83. 2 123. 9	Fulton County Gallia County Geauga County Greene County Guernsey County	24, 386 24, 819 14, 640 28, 933 33, 403	25 14 8 22 25	102.5 56.4 54.6 76.0 74.8
Total White Colored	254, 134 341	269 268 1	105.7 105.5 293.3	Monroe County. Montgomery County. Nassau County Niagara County Oneida County.	65,987 26,638 96,068 31,421 58,506	50 27 78 30 74	75. 8 101. 4 81. 2 95. 5 126. 5	Hamilton County Hancock County Hardin County Harrison County Henry County	60.078	54 16 27 18 15	89.9 71.4 89.8 97.4 62.0
Belknap County Carroll County Cheshire County Coos County Grafton County	41, 996	14 24 23 19 43	127. 6 149. 3 115. 4 103. 9 102. 4	Onondaga County Ontario County Orange County Orleans County Oswego County	64,396	62 56 55 31 39	96.3 139.6 71.9 94.6 106.3	Highland County. Hocking County Holmes County Huron County. Jackson County	97 744	25 14 9 34 30	90.1 60.0 52.2 97.1 102.3
Hillsborough County Merrimack County Rockingham County Strafford County Sullivan County	29,260 31,429 41,105 25,523 19,901	26 30 51 19 20	88.9 95.5 124.1 74.4 100.5	Otsego County	46, 484 15, 039 33, 934	49 11 25 51 50	105. 4 73. 1 73. 7 100. 9 69. 0	Jefferson County Knox County Lake County Lawrence County Licking County	48, 582 31, 208 23, 457 25, 780	31 25 28 14 19	63. 8 80. 1 119. 4 54. 3 61. 4
NEW JERSEY.				Saratoga County	49,546	39	78.9	Logan County	29, 941 33, 306	29 31 15	96. 9 93. 1
Total		.797 779 18	80.7 82.1 46.4	Schenectady County Schoharie County Schuyler County Seneca County *	14 956	10 34 21 33	67.3 150.6 158.7 124.6	Logan County. Lorain County. Lucas County. Madison County. Mahoning County.		- 16 24	59. 3 81. 6 68. 2
Atlantic County. Bergen County. Burlington County Camden County Cape May County.	134,303	21 101 60 33 20	72. 9 75. 2 85. 6 60. 9 88. 8	Steuben County * Suffolk County * Sullivan County Tioga County	54,383 104,045 34,448 24,634	69 92 26 28	126.9 88.4 75.5 113.7	Marion County Medina County Meigs County Mercer County Miami County	24,306 27,330 31,967	11 24 19 14 26	77. 5 98. 8 78. 2 51. 2 81. 3
Cumberland County Essex CountyGloucester County Hudson County	29, 261 47, 945 39, 696 48, 018	34 36 38 36	116. 2 75. 1 95. 7 75. 0	Tompkins County Ulster County Warren County Washington County	18,061 66,702 16,832 48,695	21 45 19 35	116.3 67.5 112.9 71.9	Monroe County Montgomery County Morgan County Morrow County Muskingum County	23, 057 54, 294 15, 327 16, 363 29, 371	16 45 11 20 30	69. 4 82. 9 71. 8 122. 2 102. 1
Hunterdon County		37 17 38 86	111.5 53.6 57.5 118.4	Wayne County Westchester County Wyoming County Yates County NORTH CAROLINA. ²	50, 825 97, 047 32, 503 17, 930	59 106 37 22	116. 1 109. 2 113. 8 122. 7	Noble County Ottawa County Paulding County Perry County Pickaway County		11 16 15 19	60.3 71.4 72.5 51.5
Morris County *		50 14 21 31	76. 1 63. 7 51. 0 112. 2	Total	296, 285 200, 032 96, 253	149 114 35	50.3 57.0 36.4	Pike County Portage County Preble County Putnam County Richland County	25, 793 14, 679 30, 757 23, 885 28, 886 27, 006	7 36 25 16	50. 4 47. 7 117. 0 104. 7 55. 4
Somerset County Sussex County Union County Warren County	41,321 27,910 52,438 30,433	37 16 48 23	89. 5 57. 3 91. 5 75. 6	оно. Total White Colored.	2,616,691 2,573,066 43,625	2,072 2,039 33	79.2 79.2			32 19 29 15	118.5 77.4 81.6 62.1
NEW YORK. Total. WhiteColored	2,379,091 2,351,974	2, 286 2, 263 23	96. 1 96. 2	Adams County Allen County Ashland County Ashtabula County Athens County*	24,087 26,343 23,738 42,521	6 13 26 39	24.9 49.3 109.5	Seneca County Shelby County Stark County* Summit County Trumbull County	30, 678 24, 678 44, 964 43, 533	22 25 38 36	71. 7 101. 3 84. 5 82. 7
Albany County Allegany County Broome County Cattaraugus County Cayuga County	33,711 41,375 30,735 50,020	28 42 34 53 38	84.8 83.1 101.5 110.6	'Auglaize County	42,521 51;662 31,268 69,770 23,383	39 32 26 48 19	91. 7 61. 9 83. 2 68. 8 81. 3	Tuscarawas County Union County Van Wert County	43, 322 58, 432 21, 673 28, 576	30 56 12	69. 2 95. 8 55. 4 70. 0
	30,968	1	106. 0 122. 7	Brown County Butler County Carroll County	22,342 15,316	18 14	80.6 91.4	Vinton County Warren County Washington County	12, 145 24, 034 29, 478	18 17	16.5 74.9 57.7
Chautauqua County	57,805 17,100 35,155 36,283 31,627	58 23 24 17 23	100.3 134.5 68.3 46.9 72.7	Champaign County Clark County Clermont County Clinton County Columbiana County	26, 230 19, 572 28, 677 23, 459 58, 163	21 16 30 29 46	80. 1 81. 7 104. 6 123. 6 79. 1	Wayne County Williams County Wood County Wyandot County	38, 138 25, 301 44, 104 20, 604	33 29 33 14	86.5 114.6 74.8 67.9
Cortland County Delaware County Dutchess County * Erie County * Essex County	17,396 45,220 60,615 96,473 34,629	18 60 63 71 39	103. 5 132. 7 103. 9 73. 6 112. 6	Coshocton County Crawford County Cuyahoga County Darke County Defiance County	30, 454 34, 087 62, 283 43, 101 23, 694	23 31 49 45 14	75.5 90.9 78.7 104.4 59.1	PENNSYLVANIA. Total	4, 288, 288 4, 232, 798 55, 490	2,752 2,703 49	64. 2 63. 9 88. 3
Franklin County Fulton County Genesee County Greene County Hamilton County	46,938 13,055 26,302 29,676 4,130	49 14 32 27 2	104.4 107.2 121.7	Delaware County. Erie County. Fairfield County. Fayette County. Franklin County.	27, 514 18, 486 26, 465 21, 751 41, 337	20 23 9 17 36		Adams County Allegheny County Armstrong County Beaver County Bedford County	34, 245 385, 396 74, 412 74, 595 38, 632	36 223 38 45 21	105. 1 57. 9 51. 1 60. 3 54. 4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.
² Includes Sheridan County; separate estimated populations not available.
³ Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.
⁴ Includes National Military Home.

Table I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

	Estimated	CANCE	S FROM ER AND MALIG- UMORS,		Estimated	CANCE OTHER	S FROM ER AND MALIG- UMORS.		Estimated	DEATH: CANCE OTHER NANT T	MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES —Con.				RURAL PART OF REGISTRATION STATES 1—Con.			
PENNSYLVANIA—contd.				UTAH.				VIRGINIA—continued.			
Berks County * Blair County Bradford County Bucks County Butler County	52, 449 78, 805	66 44 68 76 33	73. 4 70. 5 129. 6 96. 4 61. 3	Total	275,254 270,036 5,218 5,187 15,549	97 97 3 5	35. 2 35. 9 57. 8 32. 2	Appomattox County(total) White Colored Augusta County (total) White Colored	5, 579 3, 004 33, 178	3 3 17 16	35. 0 53. 8 51. 2 56. 1
Cambria County	7,898 56,399 43,648	46 4 38 31	36. 0 50. 6 67. 4 71. 0	Cache County Carbon County Davis County Emery County	25, 159	10 6 4	39. 7 59. 0 36. 0	Colored	6, 939	1 4 4	21. 4 57. 6 70. 4
Chester County	37, 641 85, 368 32, 545	65 24 50 40	83. 9 63. 8 58. 6 122. 9	Grand County Grand County Iron County Juab County	3,770 1,785 4,098 10,966	1		Colored	20,779 8,429 5.011	11 7 4	37. 7 33. 7 47. 5 20. 0
Columbia County Crawford County Cumberland County Dauphin County * Delaware County	47,210 45,651	30 48 33 39 74	57.6 101.7 72.3 64.2 84.8	Kane County Millard County Morgan County Piute County Rich County	1,586 6,304 2,646 1,642 1,859	1 4		White Colored ² Botetourt County (total) White Colored	4, 881 130 17, 968 14, 395 3, 573	1 6 5 1	20. 5 33. 4 34. 7 28. 0
Elk County Erie County Favette County	37,135 50,381 158,002	21 67 67	56. 6 133. 0 42. 4	Salt Lake County San Juan County Sanpete County Sevier County	11 570	22 5 5	49. 4 29. 6 48. 4	Bristol (city) (total)	5, 684 1, 274 19, 683	5 3 2 11	71. 9 52. 8 157. 0 55. 9
Forest County. Franklin County Fulton County Greene County Huntingdon County	8,754 49,659 9,611 29,138 39,862	7 31 7 18	80. 0 62. 4 72. 8 61. 8	Summit County Tooele County Uinta County Utah County*	7,675 8,165 7,304 40,279	1 4 19	13.0 54.8 47.2	White Colored Buchanan County (total) White	7, 958 11, 725 13, 459 13, 455	4 7	50.3 59.7
Indiana County Indiana County Jefferson County Juniata County Lackawanna County	76,290 64,784	31 51 5 33	75. 3 40. 6 78. 7 34. 3 35. 0	Wasatch County Washington County Wayne County Weber County	10,701 5,339 1,682 9,885	$\frac{1}{2}$	9.3 37.5 40.5	White Colored 2 Buckingham County(total) White Colored	7,623	5 2 3	32 9 26 5 39. 4
Lancaster County	109,605 35,997 42,084 64,260 220,666	90 21 15 45 99	82.1 58.3 35.6 70.0 44.9	VERMONT. Total White Colored	313,835 312,302 1,533	324 324	103. 2 103. 7	Buena Vista (city) (total) White Colored. Campbell County (total) White Colored.	3,609 3,146 463 25,135 15,232	5 5	
Lycoming County McKean County Mercer County Mifflin County Monroe County	49,825	35 19 47 15 20	70. 2 60. 2 80. 4 50. 4 84. 4	Addison County. Bennington County Caledonia County. Chittenden County Essex County	19, 201 21, 239 26, 734 22, 412 7, 098	19 18 25 22 5	99. 0 84. 7 93. 5 98. 2 70. 4	Caroline County (total) White Colored Carroll County (total)	8, 801 21, 887	6 2 4 6	36.3 25.8 45.4 27.4
Montgomery County Montour County* Northampton County. Northumberland County. Perry County.	135, 954 14, 590 78, 047 64, 474	95 17 54 35 17	69. 9 116. 5 69. 2 54. 3 73. 2	Franklin County Grand Isle County Lamoille County Orange County Orleans County	29, 727 3, 462 12, 711 18, 444	32 1 17 32 33	107. 6 28. 9 133. 7 173. 5 138. 1	White Colored ² Charles City County (total) White Colored	21,602 285 5,343 1,365 3,978	6 1 1	27. 8 18. 7 73. 3
Pike County Potter County Schuylkill County Snyder County	7,722 29,350 156,044 16,585	5 20 89 16	64.8 68.1 57.0 96.5	Rutland County Washington County * Windham County Windsor County	23,897 35,396 32,168 27,046 34,300	26 33 25 36	73. 5 102. 6 92. 4 105. 0	Charlotte County (total) White Colored Charlottesville (city)(total)	15, 973 7, 467 8, 506 6, 900	5 2 3 5	31. 3 26. 8 35. 3 72. 5
Somerset County Sullivan County Susquehanna County Tioga County	75, 495 10, 935 36, 770 40, 165	32 7 23 39	42. 4 64. 0 62. 6 97. 1	VIRGINIA. Total. White Colored.	1,726,338 1,172,152 554,186	747 551 196	43.3 47.0 35.4	White Colored Chesterfield County (total) White Colored	4,321 2,579 22,361 14,390 7,971	5 12 12	115. 7 53. 7 83. 4
Union County Venango County Warren County* Washington County Wayne County	15,677 40,572 25,793 144,924 28,839	17 34 19 75	108. 4 83. 8 73. 7 51. 8 79. 8	Accomac County (total) White Colored Albemarle County (total)	38,389 24,366 14,023 30,466	22 13 9 19 13 6	57. 3 53. 4 64. 2 62. 4	Clarke County (total)	7, 275 5, 408 1, 867 6, 670 5, 401	6 3 1 1	82. 5 55. 5 160. 7 15. 0 18. 5
Wayne County. Westmoreland County. Wyoming County York County	228, 177 14, 810	23 110 15 64	48. 2 101. 3 67. 0	White	20, 515 9, 951 11, 852 8, 762	13 6 6	63. 4 60. 3 50. 6 68. 5	White Colored Craig County (total) White Colored 2	1, 269 4, 889 4, 672	2 2	40. 9 42. 8
RHODE ISLAND. Total White Colored	111,728 110,022 1,706	113 111 2	101. 1 100. 9 117. 2	Colored. Alleghany County (total). White Colored.	3,090 14,780 11,681 3,099	9 8 1	60. 9 68. 5 32. 3	White	217 13, 196 7, 998 5, 198	, 10 , 7 3	75. 8 87. 5 57. 7
Bristol County Kent County Newport County Providence County Washington County	19,501 10,213 13,052 43,684	26 12 8 30 37	133. 3 117. 5 61. 3 68. 7 146. 4	Amelia County (total) White Colored Amherst County (total) White Colored	8,586 3,134 5,452 19,388 11,670 7,718	7 4 3 4 1 3	81. 5 127. 6 55. 0 20. 6 8. 6 38. 9	Cumberland County (total) White Colored Dickenson County (total) White Colored 2	9,280 3,119 6,161 9,819 9,812	2 1 1 1 1	21. 6 32. 1 16. 2 10. 2 10. 2

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Colored population less than 10 per cent of the total in 1910.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

or over in 1910.]					-				·		
	Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	CANCI	S FROM ER AND MALIG- UMORS.	·	Estimated	OTHER	S FROM R AND MALIG- UMORS.
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES —Con.	}			RURAL PART OF REGISTRATION STATES —Con.				RURAL PART OF REGISTRATION STATES COn.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
VIRGINIA—continued				VIRGINIA—continued.				VIRGINIA—continued.			
Dinwiddie County (total)*. White Colored Elizabeth City County 2	15, 470 6, 004 9, 466	. 4 3 1	25. 9 50. 0 10. 6	King and Queen County (total). White Colored	9,708 4,214 5,494	5 3 2	51.5 71.2 36.4	Patrick County (total) White	17,957 16,253 1,704	. 1	5.6 6.2
(total)	21, 976 13, 624 8, 352	24 20 4	109. 2 146. 8 47. 9	King George County (total) White	l .	3 1 2	48.8 '30.1 70.6	Pittsylvania County (total) White Colored Powhatan County (total)	52,721 31,571 21,150	13 6 7 1	24.7 19.0 33.1 17.3
Essex County (total) White	8,853 3,641 5,212	1 1	11.3	King William County (total) White Colored	8,619 3,498	3	34.8	Colored	5, 792 2, 312 3, 480	1	28,7
Fairfax County (total) White Colored.	21,370 16,264 5,106	. 7	42.1 43.0 39.2	Lancaster County (total) White	5,121 10,094 4,729	3 · 2 2	58.6 19.8 42.3	Prince Edward County (total) White Colored	13, 936 5, 603 8, 333	4 1 3	28.7 17.8 36.0
Fauguier County (total) White Colored. Floyd County (total) White.	22, 166 14, 734 7, 432 13, 542 12, 731	13 8 . 5 . 9	58.6 54.3 67.3 66.5 70.7	Colored. Lee County (total) White Colored 3	5,365 25,536 24,439 1,097	6 6	23.5 24.6	Prince George County (total). White Colored	7,887 3,274 4,613	3 1 2	38.0 30.5 43.4
White. Colored 3. Fluvanna County (total)	811 8,016 4,738	7 6	87. 3 126. 6	Loudoun County (total) White Colored Louisa County (total)	20,835 15,652 5,183 16,603	14 9 5 13	67.2 57.5 96.5 78.3	Prince William County (total) White Colored	12,413 9,471 2,942	12 10 2	96.7 105.6 68.0
Colored	3,278 26,704 21,176 5,528	12 10 10	30. 5 44. 9 47. 2 36. 2	Louisa County (total) White Colored Lunenburg County (total).	8,640 7,963 13,237	. 4 7	104. 2 50. 2 52. 9	Princess Anne County 4 (total) White Colored	11,667 5,727 5,940	5 5	42.9 84.2
Frederick County (total). White Colored 3. Fredericksburg (city)	12,597 11,907 690	6 6	47. 6 50. 4	White Colored Madison County (total) White	6,121 7,116 9,988 6,718	6 1 12 10	98.0 14.1 120.1 148.9	Pulaski County (total) White Colored Radford (city) (total)	18,370 15,222 3,148 4,567	3 3	16.3 19.7
(total)	6,215 4,646 1,569	4 4	64.4 86.1	Colored	3,270 9,212 6,595	2 6 6	61. 2 , 65. 1 91. 0	White Colored County	3,843 724	3	65.7 78.1
Giles County (total)	11,978 11,193 785 12,326 6,440 5,886	8 7 1 3 1 2	66. 8 62. 5 127. 4 24. 3 15. 5 34. 0	Colored Mecklenburg County (total) White Colored Middlesex County (total)	2,617 29,979 12,860 17,119 9,121	14 6 8	46.7 46.7 46.7 54.8	(fotal) White Colored Richmond County (total) White Colored	7,704 5,629 2,075 7,554 4,398 3,156	4 2 2 2 1 1	51.9 35.5 96.4 26.5 22.7 31.7
Goochland County (total). White Colored. Grayson County (total) White Colored 3	9,120 3,912 5,208 21,136 20,127	5 2 3 8 8	54. 8 51. 1 57. 6 37. 9 39. 7	White Colored Montgomery County (total) White Colored	4,303 4,818 17,870 15,445 2,425	2 3 7 7	46.5 62.3 39.2 45.3	Roanoke County (total) White Colored Rockbridge County (total). White Colored	21, 235 17, 386 3, 849 20, 906 17, 391 3, 515	10 7 3 13 13	47.1 40.3 77.9 62.2 74.8
Greene County (total) White Colored. Greensville County (total). White.	1,009 7,245 5,835 1,410 12,799 4,773	1 1	13.8 17.1 7.8	Nansemond County (total) White Colored Nelson County (total) White Colored	28,507 11,892 16,615 17,137 11,729 5,408	11 7 4 7 5	38.6 58.9 24.1 40.8 42.6 37.0	Rockingham County (total)	35, 488 33, 093 2, 395 25, 793 24, 656	34 31 3 6 6	95.8 93.7 125.3 23.3 24.3
Colored	8,026 41,257 20,461 20,796 17,024	23 10 13 6	12.5 55.7 48.9 62.5 35.2	New Kent County (total). White. Colored. Norfolk County (total). White Colored.	4,606 1,726 2,880 45,706 17,885 27,821	3 1 2 10 6	65. 1 57. 9 69. 4 21. 9 33. 5	Colored 3 Scott County (total) White Colored 3 Shenandoah County (total)	1,137 24,290 23,773 517 21,234	8 8 10	32.9 33.7 47.1
White Colored	9,996 7,028 27,331 19,290 8,041	1 5 11 9 2	10.0 71.1 40.2 46.7 24.9	Northampton County (total) White Colored	27,821 17,908 7,815 10,093	4 8 7 1	14.4 44.7 89.6 9.9	White	20, 729 505 21, 690 20, 634 1, 056	10 9 8 1	48. 2 41. 5 38. 8 94. 7
Colored	18,119 10,731 7,388	2 9 7 2	49, 7 65. 2 27. 1	Northumberland County (total)	11, 173 6, 711 4, 462	9	80. 6 134. 1	Southampton County (total) White Colored	27,773 10,635 17,138	5 1 4	18. 0 9. 4 23. 3
Highland County (total) White Colored 3 Isle of Wight County (total) White Colored	5,179 4,924 255 15,709 7,735 7,974	2 2 2 2	38. 6 40. 6 12. 7 25. 9	Nottoway County (total) White	13, 929 6, 262 7, 667 13, 873 8, 138	8 5 3 7 2	57. 4 79. 8 39. 1 50. 5 24. 6	Spotsylvania County (total) White Colored Stafford County (total)	10,230 6,498 3,732 8,059 6,326	5 4	62.0 63.2
James City County (total)* White Colored	7,974 6,596 3,408 3,188	4 4	60.6 117.4	Colored	5,735 14,296 13,108 1,188	5 7 7	87. 2 49. 0 53. 4	White	1,733 10,245 3,858 6,387	1 3 3	57. 7 29. 3 77. 8

 $^{^1}$ Exclusive of municipalities having a population of 10,000 or over in 1910. 2 Includes National Military Home.

35030°--16---3

Colored population less than 10 per cent of the total in 1910.
 Includes Norfolk City Almshouse.

TABLE I.—POPULATION AND DEATHS AND DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA AND ITS SUBDIVISIONS: 1914—Continued.

,	Estimated	CANCE	S FROM OR AND MALIG- UMORS.		Estimated	CANCE	S FROM ER AND MALIG- UMORS.		Estimated	DEATHS CANCE OTHER NANT TO	MALIG-
AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.	AREA AND COLOR.	popula- tion, July 1, 1914.	Num- ber.	Rate per 100,000 popu- lation.
RURAL PART OF REGISTRATION STATES I—Con.				RURAL PART OF REGISTRATION STATES 1—Con.				RURAL PART OF REGISTRATION STATES —Con.			
VIRGINIA—continued.				WASHINGTON-continued.				wisconsin—continued.	•		
Sussex County (total) White Colored	4,853	2 2	13.9 41.2	Jefferson County King County Kitsap County Kittitas County	9, 455 46, 009 22, 283 22, 336	2 27 17 10	21. 2 58. 7 76. 3 44. 8	Green County	21, 183 15, 362 22, 237	28 24 16	132, 2 156, 2 72, 0
Tazewell County (total) White	99,801	6 5 1 4	23. 4 22. 0 34. 2 47. 1	Lewis County	13,078 39,358 19,914	17 17 8	53. 5 43. 2 40. 2	Iron County	9,027 16,912 34,101 19,120	13 46 24	44. 3 76. 9 134. 9 125. 5
Warren County (total) White Colored	l '	4	54.4	Lincoln County	5, 729 16, 381 15, 323	2 2 10	34. 9 12. 2 65. 3	Kenosha County	8,649 16,604	7 21	80. 9 126. 5
Warwick County (total) White Colored. Washington County (total) White	1,805 4,726 34,463	1 1 14	30. 6 55. 4 21. 2 40. 6	Pierce County * San Juan County Skagii County Skamania County	45, 221 3, 890 35, 620	30 2 32	66.3 51.4 89.8	La Crosse County. Lafayette County. Langlade County. Lincoln County.	13,055 19,701 18,982 20,256	14 10 13 15	107. 2 50. 8 68. 5 74. 1
Colored 2	2,457	12 2	37.5 81.4	Snohomish County*	3, 397 42, 186 38, 633	1 20 29	29. 4 47. 4 75. 1	Manitowoc County Marathon County Marinette County	21,148	17 30 8	37.8
Westmoreland County (total) White Colored Winchester (city) (total)	9,342 4,619 4,723 6,163	3 2 1 5	32. 1 43. 3 21. 2 81. 1	Stevens County ² . Thurston County. Wahkiakum County.	31, 585 20, 843 3, 484	10 12	31. 7 57. 6	Marquette County Milwaukee County Monroe County	10, 838 57, 563 29, 211	6 59 21	55. 4 102. 5 71. 9
Colored	1,091	5 5 13	98. 6	Walla Walla County Whatcom County Whitman County Yakima County	14, 303 30, 395 36, 656 34, 844	6 19 14 12	41. 9 62. 5 38. 2 34. 4	Oconto County Oneida County Outagamie County Ozaukee County	27, 694 12, 523 32, 826 17, 446	22 5 20 14	79. 4 39. 9 60. 9 80. 2
Wise County (total)	ľ	11 2 10 7 3	29. 8 58. 7 49. 1 38. 6 136. 1	wisconsin. Total White Colored.		1, 273 1, 266 7	78. 9 79. 1 62. 0	Pepin County Pierce County Polk County Portage County Price County	7, 438 21, 286 22, 886 31, 568 15, 792	6 13 16 21 11	80. 7 61. 1 69. 9 66. 8
York County (total)	4,020	3 2 1	38. 1 49. 8 26. 0	Adams County Ashland County Barron County Bayfield County Brown County	11, 764	10 2 22 6	119. 4 17. 0 70. 0 36. 0	Racine County Richland County Rock County Rusk County	26,068	19 15 18 6	106. 1 81. 0 69. 1 48. 8
TotalWhiteColored	733, 544 711, 435 22, 109	372 368 4	50. 7 51. 7 18. 1	Buffalo County	15,684 9,685	11 12 5 11	37. 5 76. 5 51. 6 66. 5	Rusk County. St. Croix County. Sauk County. Sawyer County.	32, 811 7, 349	16 28 4	62. 3 85. 3 54. 4
Adams County Asotin County Benton County	6,881	3 5 4	22. 2 72. 7 39. 2	Calumet County Chippewa County Clark County	31,875	25 24	70. 7 75. 3	Shawano County	28,961	20 21 11	59. 5 72. 5
Chelan County	26, 092 19, 866 7, 245	13 7 3	49. 8 35. 2 41. 4	Columbia County Crawford County Dane County * Dodge County Door County	31,132 15,864 51,376 47,778	33 13 42 45	106. 0 81. 9 81. 8 94. 2	Taylor County Trempealeau County Vernon County Vilas County	28,017	15 10 1	65.6
Clarke County Columbia County Cowlitz County Douglas County	31,526 7,007	17 6 6 2	53. 9 85. 6 41. 2 16. 6	Door County Douglas County Dunn County Eau Claire County	7, 802	9 5 18 10	46. 9 64. 1 71. 0 68. 9	Walworth County Washburn County Washington County Waukesha County	9,334 23,866	35 8 17 34	85. 7 71. 5
Ferry County. Franklin County Garfield County Grant County. Island County	4,318 11,386	3 1 3 5 5	61. 2 14. 0 69. 5 43. 9 84. 6	Florence County Fond du Lac County Forest County Grant County	3, 458 32, 957 9, 077 39, 060	4 32	57. 8 133. 5 44. 1 81. 9	Waupaca County Waushara County Winnebago County* Wood County	33, 279	36 10 30 30	104.0

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Colored population less than 10 per cent of the total in 1910.
 Includes Pend Oreille County; separate estimated populations not available.
 Includes National Military Home.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

	p. 88. M	Death	s contain								-			2.020		 -
•	· 	rate per 100,000	DEA?	TH RATI	PER 1	UO,000 P	PULATI	ON FRO	M CANO	ER AND	OTHER	MALIGN	ANT TU	MORS	OF THE-	_
AREA AND COLOR.	Estimated population, July 1, 1914.	population from cancer and other malignant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
SUMMARY. The registration area (total) White Colored	65, 989, 295 62, 631, 566 3, 357, 729	79. 4 80. 7 56. 7	0.9 1.0 0.4	1.3 1.3 0.9	0.9 0.9 0.5	19.3 19.7 11.9	9.8 10.0 5.4	6.1 6.3 2.7	3.3 3.4 1.8	11.3 11.0 17.4	8. 2 8. 3 6. 0	3.0 3.1 1.0	1.0 1.1 0.8	1.2 1.2 0.6	1.5 1.6 0.6	11.5 11.7 6.9
Registration states 1 (total)	61, 114, 200 58, 408, 039 2, 706, 161	79. 0 80. 0 56. 2	0.9 0.9 0.4	1.3. 1.3 0.8	0.9 0.9 0.6	19. 3 19. 6 12. 2	9.8 10.0 5.6	6. 2 6. 3 2. 8	3.3 3.3 1.7	11.0 10.7 16.5	8.3 8.4 6.0	3.0 3.1 0.8	1.0 1.0 0.7	1.2 1.2 0.6	1.5 1.5 0.7	11.3 11.5 6.9
Cities in registration states ¹ (total). White	30, 287, 640 29, 029, 647 1, 257, 993	88.5 89.2 71.7	1.2 1.2 0.7	1.3 1.3 0.9	1.3 1.3 1.1	20.4 20.6 15.7	10.3 10.5 6.6	7.6 7.8 3.5	3.9 3.9 2.3	13.3 12.9 21.5	9.3 9.4 7.2	2.2 2.3 1.0	1.3 1.3 1.1	1.4 1.4 0.9	2.0 2.0 0.8	13.0 13.2 8.4
Rural part of registration states (total)	30,826,560 29,378,392 1,448,168	69. 6 71. 0 42. 7	0.6 0.6 0.1	1.3 1.3 0.8	0.5 0.5 0.1	¹ 18. 2 18. 6 9. 2	9.3 9.5 4.7	4.8 4.9 2.1	2.7 2.8 1.1	8.7 8.5 12.2	7.3 7.4 4.9	3.8 4.0 0.8	0.7 0.7 0.3	1.0 1.0 0.3	1.0 1.1 0.6	9.7 9.9 5.6
Registration states,¹ exclusive of North Carolina (total). White. Colored.	60,641,905 58,098,403 2,543,502	79.1 80.1 56.5	0.9 0.9 0.4	1.3 1.3 0.9	0.9 0.9 0.6	19.3 19.7 12.4	9.8 10.0 5.7	6.2 6.4 2.9	3.3 3.4 1.7	10.9 10.7 16.1	8.3 8.4 6.1	3.0 3.1 0.9	1.0 1.0 0.7	1.2 1.2 0.6	1.5 1.5 0.7	11.4 11:6 6.8
Registration cities in other states (total). White Colored	4,875,095 4,223,527 651,568	85.4 89.4 59.1	1.4 1.5 0.3	1.3 1.4 0.9	1.4 1.6 0.2	20. 2 21. 7 10. 9	9.3 10.1 4.5	5.6 6.1 2.5	3.5 3.6 2.5	15.6 14.8 20.9	7.1 7.3 5.8	2.2 2.3 1.4	1.4 1.4 1.2	1.4 1.5 0.8	1.9 2.2 0.3	12.9 13.9 7.1
All registration cities ¹ (total)	35, 162, 735 33, 253, 174 1, 909, 561	88.0 89.2 67.4	1.2 1.3 0.6	1.3 1.3 0.9	1.3 1.4 0.8	20.4 20.7 14.0	10.2 10.5 5.9	7.3 7.6 3.1	3.8 3.9 2.4	13.6 13.2 21.3	9.0 9.2 6.8	2.2 2.3 1.1	1.3 1.4 1.2	1.4 1.4 0.8	2.0 2.0 0.6	13.0 13.3 8.0
REGISTRATION STATES. California (total)	2,757,895 2,621,161 136,734	97.9 101.1 38.0	1.5 1.6	2.0 2.1 0.7	1.3 1.3 1.5	25.3 26.0 11.7	11.1 11.3 8.0	7.1 7.4 1.5	4.6 4.8	12.1 12.5 4.4	10.8 11.3 2.9	3.6 3.8	1.5 1.5 0.7	1.6 1.7	1.6 1.7	13.7 14.1 6.6
Colorado. Connecticut Indiana Kansas	909, 537 1, 202, 688 2, 779, 467 1, 784, 897	58. 3 86. 5 79. 1 61. 3	0.5 1.4 0.6 0.4	1.3 1.5 1.4 1.1	0.4 0.7 0.4 0.3	18.0 17.8 18.5 15.4	8. 2 9. 1 12. 2 9. 1	3.2 9.3 5.0 4.6	2.7 3.2 2.6 1.4	8.1 12.1 11.9 7.2	5.8 10.1 8.2 6.2	1.5 2.7 5.0 2.6	0.5 1.3 1.4 0.8	0.7 1.9 0.7 1.1	0.3 2.7 1.5 0.8	6.7 12.7 9.8 10.5
Kentucky (total)	2,350,731 2,081,819 268,912	46.0 46.1 45.4	0.5 0.5 0.4	0.5 0.5 0.4	(2) (2)	8.9 9.0 7.8	6.6 6.7 6.3	2.7 2.8 2.2	1.4 1.5 0.7	8.3 7.5 14.9	4.9 5.1 3.7	2.5 2.6 1.5	0.5 0.5	0.3 0.3 0.4	0.6 0.6	8.2 8.3 7.1
Maine Maryland (total). White Colored.	762,787 1,341,075 1,100,153 240,922	107.6 81.4 86.1 60.2	0.9 1.1 1.2 0.8	1.4 1.0 1.1 0.8	0.7 0.7 0.6 1.2	23.6 16.8 18.2 10.4	14.9 11.4 12.3 7.5	11.3 5.7 6.3 3.3	4.9 3.2 3.8 0.4	18.1 12.8 11.3 19.5	12.2 9.8 10.3 7.9	3.7 2.6 3.0 0.8	1.0 1.3 1.3 1.2	0.8 0.9 1.1	1.7 1.9 2.3 0.4	12.5 12.1 13.5 5.8
Massachusetts Michigan Minnesota	3,605,522 2,976,030 2,213,919	101. 2 80. 5 76. 8	1.4 0.7 0.6	1.3 1.7 1.4	1.4 0.6 0.9	20. 0 21. 4 27. 6	10.4 10.6 7.8	12.8 5.5 5.7	4.8 2.7 3.3	14.4 11.5 7.9	12.1 7.2 5.4	2.6 3.8 2.6	1.0 1.1 0.8	1.9 1.3 1.1	1.9 1.2 1.3	15.3 11.0 10.4
Missouri (total)	3,372,886 3,210,657 162,229 432,614	69.0 69.5 57.3 51.5	0.9 1.0 0.7	1.1 1.1 1.2 1.6	0.8 0.8 0.6 0.7	16.6 16.9 11.7 15.0	8.6 8.8 4.3 5.8	3.8 3.8 3.7 3.7	2.5 2.5 1.2 2.1	10.3 10.0 17.3 6.0	6.6 6.6 6.2 4.2	4.6 4.8 1.2 1.6	0.7 0.8 1.4	0.9 1.0 0.6 0.9	1.3 1.3 1.2 0.2	10.1 10.2 8.0 7.6
New Hampshire. New Jersey (total). White. Colored.	438, 662 2, 815, 663 2, 714, 371 101, 292	100.8 79.0 79.7 59.2	0.9 1.1 1.1	1.6 0.8 0.8	0.2 0.7 0.7	15.3 19.5 19.8 11.8	14.6 9.8 10.1 3.9	14.4 7.1 7.2 4.9	4.8 3.8 3.8 4.9	18.0 10.3 9.9 18.8	12.3 8.2 8.4 4.9	3.9 2.3 2.4	1.1 0.8 0.8	1.4 1.2 1.3	2.1 1.5 1.5 2.0	10.3 11.7 11.9 7.9
New York (total)	9,899,761 9,740,332 159,429	90. 0 90. 3 72. 8	1.3 1.3 0.6	1.1 1.1 1.3	1.6 1.6 1.3	20.7 20.8 15.7	10.3 10.4 6.3	7.7 7.8 6.3	4.3 4.3 2.5	11.3 11.2 18.2	10.5 10.5 10.0	2.5 2.5	1.1 1.1 0.6	1.3 1.3 1.3	2.3 2.3 1.3	14.1 14.2 7.5
North Carolina 3 (total)	472, 295 309, 636 162, 659	57.8 61.4 51.0	0.2 0.3	0.4 0.6	0.4 0.6	10.2 11.0 8.6	7.4 9.0 4.3	3.0 4.5	1.9 2.3 1.2	17.2 13.9 23.4	4.9 5.2 4.3	2.5 3.6 0.6		0.2 0.3	0.8 1.0 0.6	8.7 9.0 8.0
Ohio (total)	5,026,898 4,908,559 118,339	83. 1 83. 1 81. 1	0.8 0.8	1.5 1.5 0.8	0.9 0.9 0. 8	19.9 19.8 20.3	11.7 11.8 7.6	5.3 5.4 1.7	3.6 3.6 2.5	11.6 11.3 24.5	8.6 8.6 8.5	• 4.0 4.1	1.1 1.1 0.8	1.3 1.3 0.8	1.4 1.4	11.5 11.5 12.7
Pennsylvania (total)	8, 245, 967 8, 033, 610 212, 357	72.7 72.3 89.5	0.7 0.7 0.9	1.5 1.5 1.9	0.7 0.7 1.4	17.8 17.7 22.6	9.8 9.9 8.0	5.0 5.0 5.2	2.8 2.8 4.2	10.7 10.4 21.7	7.9 7.8 10.4	2.7 2.7 0.9	1.0 1.0 0.5	1.0 1.0 1.4	1.3 1.3 2.4	9.7 9.8 8.0
Rhode Island	591, 215 414, 518 361, 205	91. 2 45. 8 109. 9	0.8 0.2 0.8	1.9 0.5 0.6	0.7 0.5 0.3	17.9 19.5 24.4	8.6 4.3 11.6	9.5 1.7 8.0	4.4 1.4 7.2	14.7 6.0 17.4	12. 2 3. 1 8. 3	2.5 1.2 4.4	1.5 0.7 2.5	1.4 0.7 2.8	2.0 0.2 1.4	13.0 5.5 20.2
Virginia (total) White Colored Washington Wisconsin Understand Columbia	2,150,009 1,449,401 700,608 1,407,865 2,446,716	48. 9 52. 9 40. 5 61. 9 81. 1		0.8 1.0 0.6 0.6 1.4	0.2 0.3 0.4 1.3	10.0 10.8 8.3 20.8 27.7	5.0 6.3 2.4 6.3 10.7	2.3 2.5 1.9 4.3 6.0	1.3 1.7 0.4 2.3 3.1	11.1 9.0 15.4 7.1 7.6	4.9 5.2 4.1 5.2 6.6	3.0 3.9 1.1 1.9 2.9	0.7 0.8 0.7 0.9 0.7	0.7 0.9 0.3 1.3 1.4	0.9 1.0 0.7 1.3 1.1	7.5 9.0 4.6 8.9 9.7

¹ Including District of Columbia.

² Less than one-tenth of 1 per 100,000 population.

 $^{^{\}rm 3}$ Includes only municipalities having a population of 1,000 or over in 1910.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATES: 1914—Continued.

REGISTRATION CITIES. ALABAMA.¹ Registration cities. Birmingham Mobile. Montgomery ² CALIFORNIA. Registration cities. Los Angeles. Oakland. Pasadena. Sacramento. San Diego. San Francisco. Other cities. COLORADO. Registration cities.	Estimated population, July 1, 1914.	rate per 100,000 population from cancer and other malignant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad-	Intestines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organ or of
ALABAMA.1 Registration cities. Birmingham Mobile. Montgomery 2. CALIFORNIA. Registration cities. Los Angeles. Oakland. Pasadena. Sacramento. San Diego. San Francisco. Other cities. COLORADO. Registration cities. Denver. Other cities.							der.									organ not speci fied.
Registration cities Birmingham Mobile Montgomery 2 CALIFORNIA Registration cities Dakland Pasadena Sacramento San Diego San Francisco Other cities COLORADO Registration cities Denver Other cities CONNECTICUT.																
Birmingham Mobile Montgomery 2 CALIFORNIA. Registration cities Los Angeles Oakland. Pasadena Sacramento. San Diego San Francisco Other cities COLORADO. Registration cities. Denver Other cities CONNECTICUT.						1										ļ
Registration cities Los Angeles Oakland Pasadena Sacramento San Diego San Francisco Other cities COLORADO Registration cities Denver Other cities CONNECTICUT.		60.3	0.8		0.4	9.1	4.2	4.6	1.5	18.6	3.4	3.8	1.9	0.8	0.8	10.
Registration cities Los Angeles Oakland Pasadena Sacramento San Diego San Francisco Other cities COLORADO Registration cities Denver Other cities CONNECTICUT.	166,154 55,573 41,777	46.3 93.6 71.8	0.6 1.8		0.6	7. 2 16 2 7. 2	3. 6 3. 6 7. 2	3.0 10 8 2.4	1.8 1.8	16. 2 25. 2 19. 1	1.8 3.6 9.6	1.2 3.6 14.4	0.6 1.8 7.2	0.6 1.8	0.6 1.8	8. 21. 4.
San Francisco Other cities COLORADO. Registration cities Denver Other cities CONNECTICUT.	1, 546, 725	113.4	2.0	1.7	1.7	27.3	13.6	8.2	5.5	14.7	12.9	3.3	1.9	1.9	2.0	16.
Registration cities Denver Other cities CONNECTICUT.	438, 914 183, 002 40, 880 62, 717	100. 9 92 9 129 6 103. 6	1 4 0.5 1.6	2 5 1.6 2 4 1 6	1.1 0.5 2.4 1.6	21.4 23.0 41.6 31.9	12.5 11.5 4.9 11.2	8. 2 7. 1 9 8 3. 2	4.1 4.9 7.3 4 8	14 1 11.5 12.2 19.1	12 1 13 1 17.1 8.0	1.8 6.0 7.3 1.6	1 8 0.5	1.4 1.1 7.3 1.6	0.9 0.5 2.4 1.6	17. 10. 14. 15.
Registration cities Denver Other cities CONNECTICUT.	48, 900 448, 502 323, 810	173 8 128 4 111.8	6 1 3.6 1.2	1.3 1.5	2.0 2.9 1.2	40 9 30 5 28.4	18.4 13.2 17.6	10 2 8 2 9.3	10.2 6.9 4.9	10. 2 16. 1 15 4	30.7 13.6 10.8	6 1 2.9 3.7	2 0 3 3 1.2	4.1 1.6 2.5	2.0 2.7 3.4	30. 21. 10.
CONNECTICUT.	341, 257	85.9	1.2	2.9	1.2	24.0	8.8	4.7	4.1	13.8	10.0	2.3	0.6	0.6	0.9	10.
	245, 523 95, 734	90. 4 74. 2	1.6	3.7 1.0	0.8 2.1	27. 3 15. 7	7.7 11.5	4.9 4.2	3.7 5.2	13 8 13.6	11. 4 6. 3	2 4 2 1	0.8	0.4 1.0	1.2	10. 11.
	825, 290	86 9	1.3	1.1	0.7	18.5	8.8	9.1	3.4	13.2	8.8	2. 5	1.6	1.9	2.9	12.
Bridgeport Hartford New Haven Waterbury Other cities.	115, 289 107, 038 144, 505 82, 517 375, 941	84 1 123.3 113 5 69.1 71.0	1.7 2.8 2.1	1.7 2.8 0.7 1.2 0.5	2.6 0.9 0.7	15 6 28 0 24. 2 13. 3 15. 7	8 7 7.5 12 5 9.7 7.7	13.9 13.1 6.2 12.1 6.9	1.7 4.7 3.5 2 4 3.7	6 9 20.6 18.0 15.8 10.6	6 9 7.5 13.1 2.4 9.6	2.6 3.7 4.2 2.1	1.7 1.9 2.1 1.2 1.3	0.9 2.8 5.5 2.4 0.5	3.5 1.9 4.8 1.2 2.7	15. 25. 15. 7. 8.
DELAWARE.1]					l							
Wilmington	92,057	88.0	1.1	2.2	1.1	20.6	9.8	9.8	5.4	17.4	7.6	3.3			3.3	6.
Washington (total)	353,378 252,039 101,339	100. 5 107 5 82. 9	1.7 2 4	2.0 1.2 3.9	0.8	17.8 17.1 19.7	13.0 13.1 12.8	8.5 10.7 3.0	3.7 3.2 4.9	14.7 12.7 19.7	10. 2 11. 5 6. 9	2.5 3.6	2.3 2.8 1.0	3.4 3.6 3.0	3.7 5.2	16, 19, 7,
FLORIDA. ³ Registration cities	116, 535	61.8	1.7	0.9		9.4	3 4	1.7	1.7	17.2	10.3	1.7	1.7	ļ	2.6	9.
Registration cities	296, 660	62.7	1.0	1.0	0.3	8.4	6 4	4.0	2.0	16.5	5.1	2.7	1.0	1.0	1.0	12.
Atlanta Other cities 4	179, 292 117, 368	59. 1 68. 2	1.1 0.9	2.6	0.9	8.9 7.7	5. 6 7. 7	5.0 2.6	1.1 3.4	17.3 15.3	6.1	2 8 2.6	0.6	0.9		8. 17.
White	2,627,143 2,567,385 59,758	89.0 88.7 100 4	1.6 1.6 1.7	1.3 1.4	2.2 2.3	25. 0 24. 9 30. 1	10.1 10.2 6.7	5. 7 5. 8 5. 0	3.6 3.6 5.0	12. 7 12. 4 26. 8	7.3 7.3 8.4	1.8	1.1 1.1	1.5 1.5		12. 12. 15.
Chicago. Springfield. Other cities 6.	2,397,600 57,972 171,571	87. 9 106. 9 98. 5	0.6	1.2 3.4 2.3	0.6	25.0 29.3 22.7	9.9 12.1 11.7	5. 4 8. 6 9. 3	3.6 5.2 3.5	12.2 19.0 18.1	7 2 6 9 9.3		[1.5 1.7 0.6	1.7	13.
Registration citiés	901, 437	84.9	0.9	1.0	0.8	18.0	11.2	6.5	3.0	15 6	9.3	2.9	2.4	1.0	1.7	-
Fort Wayne Indianapolis Terre Haute Other cities	72, 423 259, 820 63, 529 505, 665	95.3 102.0 81.9 75.0	1.4 0.4 1.2	1.9	0.8 1.6 0.8	22. I 18. I 26. 8 16. 2	11.0 11.5 4.7 11.9	4.7	8.3 1.2 1.6 3.4	11.0 20.4 17.3 13.6	4.1 12.3 14.2 7.9		3.5	1.6	2.7	- 7.
KANSAS. Registration cities	345, 260	81.7	0.6	0.9	0.3	17.7	12. 2	7.5	2.6	12.5	7.2	2.9	2.6	2.0	0.9	11
Kansas City	94, 271 47, 102	64. 7 110. 4	1.1			19 1	8.5 8.5	4.2	4.2	7.4	3.2			2.1		. 9
RENTUCKY. Registration cities	64,972 138,915	77.0	2.1	2. 2		23 4 13.9 16.6	10.8 16.6		2.1 1.5 2.2	23. 4 13. 9 11. 5	8.5 6.2 10.1	4.6	1.5	4.6	3.1	10

Nonregistration state; cities shown below only those with effective local ordinances.
 The only other registration unit; less than 50 deaths from cancer were reported.
 Nonregistration state; the registration cities are Jacksonville, Key West, and Pensacola.

⁴ Includes Augusta and Savannah. 6 Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

-	p. 00; 10	,			to man	o asylum	is are ut	signate	u by as	erisks (*	7-1					<u> </u>
		Death rate per	DEA	TH RAT	E PER 1	.00,000 P	OPULAT	ION FRO	OM CAN	CER AND	OTHER	MALIGN	ANT TU	MORS	OF THE-	-
AREA AND COLOR.	Estimated population, July 1, 1914	100,000 popu- lation from	Tongue	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
LOUISIANA. ¹	}															
New Orleans (total). White Colored	361, 221 265, 692 95, 529	99.1 96.7 105.7	2.5 3.0 1.0	1.9 2.3 1.0	1.1 1.1 1.0	18.0 17.7 18.8	11.4 10.5 13.6	5.8 6.8 3.1	3.3 3.4 3.1	21.0 15.8 35.6	8.0 7.9 8.4	3.3 4.1 1.0	2.5 2.3 3.1	2.5 2.3 3.1	1.7 1.9 1.0	16.1 17.7 11.5
Registration cities	175, 127	121.1	0.6	1.7	1.1	26.3	15.4	11.4	6.3	26.8	14.3	2.3	1.1	0.6	1.7	11.4
Portland Other cities	62, 161 112, 966	104.6 130.1	1.6	2.7	1.6 0.9	14.5 32.8	12.9 16.8	8.0 13.3	8.0 5.3	22.5 29.2	22.5 9.7	1.6 2.7	1.6	0.9	1.6	8.0 13.3
MARYLAND.	•	j i														
Registration cities (total) White Colored	640,317 547,542 92,775	102.0 103.6 92.7	1.7 1.8 1.1	0.6 0.5 1.1	1.4 1.1 3.2	20.8 21.4 17.2	14.8 15.9 8.6	6.9 6.9 6.5	4.2 ·4.7 1.1	16.4 14.2 29.1	11.2 11.1 11.9	1.7 1.6 2.2	2.3 2.2 3.2	1.4 1.6	3.3 3.7 1.1	15. 1 16. 6 6. 5
Baltimore (total). White. Colored. Other cities.	579,590 491,276 88,314 60,727	101.6 103.8 89.5 105.4	1.6 1.8 3.3	0.3 0.4 3.3	1.6 1.2 3.4	20.9 21.4 18.1 19.8	14.1 15.1 9.1 21.4	7.4 7.5 6.8 1.6	4.5 5.3 1.6	15. 9 13. 4 29. 4 21. 4	11.2 11.2 11.3 11.5	1.7 1.6 2.3 1.6	2.6 2.4 3.4	1.6 1.8	3.5 3.9 1.1 1.6	14.8 16.7 4.5 18.1
MASSACHUSETTS.															•	
Registration cities	2,814,238	98.8	1.3	1.5	1.4	19.0	10.1	12.9	4.6	14.2	11.7	2.1	1.2		1.8	15.0
Boston Brockton Cambridge Fall River	733, 802 64, 043 110, 357 125, 443	118.7 85.9 100.6 55.8	0.9	2.7	2.0 1.6 1.8	20.3 20.3 22.7 8.0	12.3 7.8 6.3 4.8	16.4 9.4 9.2 8.0	5.7 9.4 4.5 3.2	17.3 4.7 9.1 8.0	14.7 12.5 17.2 5.6	1.9 3.6 0.8	1.6 1.6 0.9 1.6	2.6 3.1 1.8	2.0 3.1 0.9 3.2	18.8 12.5 .19.0 12.8
Lawrence	95,834 111,004 98,207 111,230	62.6 88.3 92.7 83.6	2.1 0.9 1.8	2.1 2.0 1.8	2.1 1.8 2.0	17.7 20.7 20.4 17.1	8.3 16.2 7.1 9.0	7.3 5.4 9.2 13.5	4.2 4.5 1.0 1.8	9.4 9.9 18.3 12.6	4.2 11.7 9.2 9.9	3.6 2.0 2.7	1.0	0.9 1.0 0.9	0.9 2.0 0.9	5. 2 11. 7 17. 3 11. 7
Somerville Springfield W orcester Other cities	83,881 100,490 157,732 1,022,215	84.6 91.6 111.6 97.1	2.0 1.9 1.5	1.2 1.0 1.9 1.5	1.0 0.6 1.3	21.5 18.9 26.0 17.8	3.6 12.9 8.9 10.0	13.1 16.9 13.9 12.8	4.8 2.0 5.1 4.5	9.5 7.0 14.6 15.8	10.7 6.0 12.7 11.2	1.0 2.5 2.6	2.0 1.9 1.3	1.2 4.4 2.3	2.4 2.0 2.5 1.6	16.7 18.9 14.6 13.2
michigan.	j				:						,					
Registration cities	1,169,668	85.2	0.9	1.4	1.0	21.6	11.5	7.1	2.7	13.7	7.2	2.6	1.5	1.6	1.0	11.3
Detroit. Grand Rapids. Saginaw. Other cities.	537, 650 123, 227 53, 988 454, 803	78. 9 97. 4 92. 6 88. 6	1.5 0.8.	0.9 0.8 5.6 1.5	1.1 0.8 1.9 0.9	21. 6 28. 4 20. 4 20. 0	10.6 14.6 16.7 11.2	6.1 8.1 9.3 7.7	3.0 4.1 2.4	13.9 12.2 14.8 13.6	5.6 11.4 3.7 8.4	1.1 4.1 3.7 3.7	0.7 0.8 1.9 2.6	1.5 0.8 3.7 1.8	0.9 1.9 1.3	10.2 10.5 9.3 13.0
MINNESOTA. Registration cities	732,326	82.6	1.2	2.0	1.1	24.4	8.6	6.1	3.6	11.2	7.2	2.0	1.4	1.2	1.6	10.8
Duluth. Minneapolis. St. Paul Other cities. MISSOURI.	89,331 343,466 236,766 62,763	76.1 91.1 70.1 92.4	1. 2 2. 1	2.2 2.0 1.3 4.8	0.9 2.1	30. 2 25. 6 21. 5 20. 7	12.3 7.3 8.0 12.7	4.5 8.7 3.0 6.4	3.4 3.5 4.3 1.6	6.7 13.1 10.1 11.2	4.5 9.0 4.2 12.7	3.4 1.7 2.1 1.6	1.5 1.7 1.6	1.5 1.3 1.6	2. 2 2. 6 0. 4	6. 7 12. 5 8. 0 17. 5
Registration cities (total)	1,232,741 1,144,160 88,581	95.0 98.0 56.4	2.0 2.2	1.5 1.5 1.1	1.7 1.7 1.1	21.4 21.9 14.7	9.2 9.9 1.1	5.4 5.5 4.5	4.4 4.7	17.8 17.5 21.4	8.8 9.3 3.4	3.7 3.9	1.4 1.5	1.2 1.2 1.1	2.5 2.7	14.0 14.4 7.9
Kansas City St. Joseph * St. Louis Other cities	281, 911 ² 82, 712 734, 667 133, 451	90.1 117.3 95.4 89.2	3.2 1.2 1.9 0.7	1.1 1.2 1.6 1.5	0.7 2.5 0.7	18.1 27.8 22.9 16.5	6.7 10.9 9.9 9.7	5.7 8.5 5.4 3.0	5.0 6.0 4.5 1.5	17.0 23.0 16.3 24.0	10.3 19.3 7.4 7.5	6.0 2.4 3.1 2.2	0.7 1.2 1.9	1.2 1.6 1.5	2.1 2.4 2.7 2.2	13.5 12.1 13.6 18.0
MONTANA. Registration cities NEBRASK1	109,011	75.2	2.8	1.8	0.9	22.9	5. 5	4.6	2.8	11.0	4.6	0.9	2.8	0.9	0.9	12.8
Registration cities	178,917	104.5	0.6	0.6		24.6	12.3	8.9	2.2	19:0	10.1	2.8	1.1	0.6	2.8	19.0
OmahaLincoln ⁸ NEW HAMPSHIRE	133,274 45,643	105.0 103.0	2.2	2.2		24.0 26.3	10.5 17.5	5.3 19.7	3.0	21.8 11.0	9.8 11.0	3.8	1.5	0.8	3.0 2.2	21.8 11.0
Registration cities	184, 187	93.9		1.1	0.5	15.7	9.8	14.7	6.0	17.4	14.1	2.7	0.5	1.6	1.1	8.7
WinchesterOther cities	75,635 108,552 Vonregistret			2.6	0.9	13.2 17.5	2.6 14.7	13.2 15.7	4.0 7.4	17.2 17.5	10.6 16.6	4.0 1.8	0.9	2.8	1.8	6.6 10.1

Nonregistration state; cities shown below only those with effective local ordinances.
 Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
 The only other registration unit; less than 50 deaths from cancer were reported.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	p. 88. Ma		- CONTRACTOR	mg stat	V 1113611	asylum	s are de	этепате	u by asi	terisks (*	<i>7</i> -1					
		Death rate per	DEAT	PH RATI	e per 1	00,000 P	OPULAT	ON FRO	M CAN	CER AND	OTHER	MALIGN	ANT TU	mors o	OF THE-	
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued.																
NEW JERSEY.																
Registration cities		78.0	1.1	0.8	0.8	19.3	9.6	7.0	3.8	10.8	7.4	1.7	1.0	0.9	1.5	12.3
Camden Elizabeth Jersey City Newark	82,411	72. 2 92. 2 73. 8 87. 4	2. 4 0. 7 1. 5	1. 2 0. 7 1. 0	1.0 1.2 0.3 2.1	19. 5 25. 5 21. 4 21. 8	4.9 13.3 11.2 10.3	2.9 4.9 6.5 7.5	7.8 2.4 2.0 5.1	11.7 8.5 8.5 11.8	4.9 6.1 6.1 8.0	4.9 1.2 1.7 2.3	1.0 1.2 0.7 1.0	2.0 0.7	3.9 2.4 0.7 1.8	7.8 21.8 12.6 13.1
Paterson Trenton * Other cities	134,305 106,831 719,423	92.3 91.7 69.1	2.8 1.1	0.7 2.8 0.4	0.7 0.9 0.1	28.3 18.7 14.7	8.2 13.1 8.6	11.9 7.5 6.8	1.5 4.7 3.8	14.9 8.4 10.8	8.9 10.3 7.5	1.9 1.3	1.5 1.9 0.8	1.5 1.9 1.3	2.2	11.9 16.8 10.6
Registration cities (total) White Colored.	7,520,670 7,388,358 132,312	88. 0 88. 4 70. 3	1.3 1.3 0.8	1. 1 1. 1	1.8 1.9 1.5	20. 4 20. 5 11. 3	9.7 9.7 7.6	8. 2 8. 2 4. 5	4.2 4.2 3.0	11.3 11.2 20.4	9. 6 9. 6 10. 6	1.6 1.6	1.1 1.2 0.8	1.2 1.2 1.5	2.4 2.5 0.8	14.0 14.1 7.6
Albany. Buffalo. New York (total). White Colored.	102,961 454,112 5,333,539 5,224,202 109,337	146. 7 95. 8 83. 5 83. 6 75. 9	1.9 1.1 1.3 1.3 0.9	1.8 1.0 1.0	1 0 2 0 2.2 2.2 2.9	31. 1 23. 3 20. 6 20. 8 10. 1	10.7 10.3 9.5 9.5 9.5	11.7 7.0 7.8 7.8 4.6	3.9 4.0 4.1 4.2 3.7	26.2 12.3 9.7 9.4 23.8	19.4 10.1 8.4 8.3 11.9	1.9 1.8 1.3 1.3	1.1 1.0 1.0 0.9	6.8 3.5 0.8 0.7 1.8	5.8 2.6 2.3 2.4 0.9	26.2 14.8 13.4 13.6 7.3
Bronx Borough. Brooklyn Borough. Manhattan Borough Queens Borough. Richmond Borough.	529, 198 1,833,696 2,536,716 339,886 94,043	97. 5 78. 5 83. 7 81. 5 102. 1	1.7 1.3 1.3 0.9	0.4 1.0 0.9 1.2 3.2	1.9 1.6 2.6 2.6 2.1	23. 4 19. 9 20. 5 20. 3 25. 5	9.8 9.4 9.2 9.4 16.0	11.9 7.4 7.5 5.6 6.4	6. 0 3. 7 4. 0 5. 3 2. 1	10.8 9.7 9.5 8.5 13.8	10.4 8.4 8.0 9.4 5.3	1.5 1.6 1.0 1.2	0.8 0.8 1.3 0.6 2.1	1.5 0.4 0.9 0.3 1.1	2.6 2.0 2.3 3.5 3.2	14.7 11.2 14.6 12.7 21.3
Rochester Syracuse Troy Utica * Yonkers. Other cities	245,077 149,353 77,560 82,060 93,383 982,625	106. 5 84. 4 175. 3 99. 9 69. 6 92. 9	2.0 3.9 2.1 1.0	0.8 1.3 3.9	1. 2 0. 7 1. 3	18.0 11.4 34.8 24.4 18.2 17.2	13. 1 9. 4 15. 5 12. 2 8. 6 9. 2	11.4 4.0 11.6 9.7 8.6 9.8	6. 1 3. 3 7. 7 11. 0 2. 1 3. 9	14.7 15.4 27.1 15.8 6.4 15.5	12.2 13.4 28.4 13.4 12.9 11.7	2.4 2.7 3.9 3	1.2 2.7 2.6 1.2 1.1 1.5	2.4 2.7 2.6	2.9 2.7 7.7 1.2 1.1 2.2	18.0 14.7 24.5 11.0 8.6 14.0
NORTH CAROLINA. Registration cities.	176,010	70.5	0.6	•	0.6	10.8	9.7	2.3	1.7	21.0	5.7	4.0		0.6	0.6	13. 1
OHIO. Registration cities (total) White Colored	2,410,207 2,335,493 74,714	87.3 87.4 84.3	0.8 0.9	1.5 1.5	1.4 1.4 1.3	19.8 19.9 18.7	11.9 12.0 9.4	5. 9 6. 0 1. 3	4. 0 4. 1 2. 7	14.4 14.0 26.8	8. 5 8 6 8. 0	2.7 2.8	1.1 1.1 1.3	1.2 1.2 1.3	1.5 1.6	12. 5 12. 5 13. 4
Akron Cincinnati Cieveland Columbus	80,291 402,175 639,431 204,567	77.2 104.2 75.5 107.5	1. 2 0. 6 1. 0	1.5 1.3 2.0	1.7 1.9 1.0	18.7 22.6 21.7 18.6	11. 2 16. 7 8. 8 15. 6	6. 2 3. 5 5. 8 6. 4	2.5 5.0 3.8 2.4	12 5 17.9 9 4 26.4	12. 5 9. 0 6. 6 11. 7	1.2 3.7 1.6 3.9	1.0 0.5 1.5	1.2 2.2 0.8 1.5	2.5 2.5 0.6 1.0	8.7 15.7 12.4 14.7
Dayton Toledo Youngstown Othercities	123,794 184,126 100,593 675,230	107.4 99.9 65.6 79.5	1.6 0.5 0.9	0.8 2.7 1.0 1.5	2.4 2.7 1 0 0.6	18.6 28.2 11.9 16.0	13.7 10.3 9.9 11.4	6.5 5.4 5.0 7.3	7.3 4.9 4.0 3.6	24.2 13.6 8.9 12.9	11.3 8.1 4.0 9.0	5.7 4.3 3.0 2.1	3.2 1.6 1.0 1.2	2.4 2.2 0.6	2.4 2.2 1.0 1.6	7.3 13.0 14.9 11.0
OREGON.¹ Portland PENNSYLVANIA.	260,601	87.9	1.2	1.9	0.8	21.5	10.0	7.7	6.5	11.9	6.5	1.5	1.9	1.2	2.3	13.0
Registration cities (total) White Colored.	3,957,679 3,800,812 156,867	82.0 81.7 89.9	1.0 0.9 1.3	1.6 1.7 1.3	1.1 1.1 1.9	19.4 19.2 24.2	9.9 10.0 7.0	5.8 5.8 5.7	3.2 3.1 3.8	13.3 13.0 21.0	9.3 9.4 8.3	2.0 2.1 1.3	1.4 1.5 0.6	1.2 1.2 1.3	1.8 1.8 2.5	10.9 11.0 9.6
Allentown. Erie. Harrisburg. Lancaster.	60, 297 72, 401 69, 493 49, 685	97. 8 76. 0 82. 0 110. 7	1.4	1. 4 2. 9 4. 0	1.7	18. 2 19. 3 7 2 24. 2	3 3 8.3 10.1 14.1	11.6 5.5 11.5 4.0	1 7 2 8 2.9 10.1	21.6 8.3 18.7 10.1	18. 2 9. 7 11. 5 16. 1	5. 0 2 8 5. 8 2. 0	6.0	3.3 1.4 1.4 2.0	2.8 1.4 4.0	13.3 12.4 8.6 12.1
Philadelphia (total)	1,657,810 1,566,158 91,652 564,878	93. 0 92. 9 93. 8 85. 2	1.5 1.5 1.1 1.1	1.8 1.9 1.1 1.6	1.5 1.4 3.3 1.1	21.1 20.8 26.2 22.8	10.3 10.5 6.5 11.0	6.3 6.4 5.5 4.4	3.0 2.9 4.4 3.5	14.9 14.5 21.8 14.5	11.2 11.4 8.7 7.3	2.0 2.1 1.6	2. 2 2. 3 1. 1 1. 4	1. 2 1. 3	2.4 2.4 3.3 1.8	13.6 13.7 10.9 12.0
Reading Scranton Williamsport Other cities .	103, 361 141, 351 33, 181 1, 205, 222	83. 2 60. 1 150. 7 64. 4	1.9	1.0 1.4	2.9	15 5 16.3 54 2 15.8	10.6 3.5 18.1 9.5	6.8 9.9 9.0 4.6	3.9 0.7 18.1 2.9	12.6 8.5 15.1 10.9	9.7 9.2 12.1 6.7	1.0 0.7 3.0 2.1	1.0	1.0 1.4 3.0 1.0	1.4 3.0 1.2	15.5 7.1 15.1 6.6
RHODE ISLAND. Registration cities	479, 487	88.8	1.0	1.7	0.6	16.7	8.8	9.2	3.8	15. 2	11.3	2.5	1.0	1.7	2.1	13.3
Providence. Other cities.	245,090 234,397	92.6 84.9	0. 4 1. 7	0.8 2.6	1.2	16.3 17.1	9.8 7.7	11.4	3.7 3.8	14.3 16.2	10.6 11.9	2 0 3. 0	0.8 1.3	2.9	3.3	15.1 11.5

¹ Nonregistration state; cities shown below only those with effective local ordinances.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	p. 88. M	inor area	s contain	ing stat	te insan	e asylum	s are de	signate	d by as	terisks (*	.]	-			•	·
		Death rate per	DEA	TH RAT	E PER]	.00,000 P	OPULAT	ON FRO	M CAN	CER AND	OTHER	MALIG	NANT T	UMORS	OF THE	
AÈEA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malignant tumors.	Tongue.	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- dér.	Other organs or of organs not specified.
REGISTRATION CITIES—Continued. SOUTH CAROLINA. ¹		***														
Charleston TENNESSEE.2	60, 121	58.2				5.0	5.0		3.3	20.0	13.3	1.7		3.3		6.7
Registration cities (total)	370, 662 237, 961 132, 701	78.0 87.8- 60.3	0.3 0.4	1.3 1.3 1.5		12.9 14.7 9.8	7.6 10.1 3.0	4.0 5.5 1.5	3.5 2.9 4.5	25. 4 24. 8 26. 4	5.7 5.0 6.8	2.7 3.4 1.5	2.7 2.8 0.8	0.5 0.8		11.3 15.1 4.5
Memphis. Nashville. Other cities ⁸ .	143, 231 114, 899 112, 532	79.6 85.3 68.4	0.9	2.8 0.9		16.1 10.4 11.6	9.1 7.8 5.3	4.2 6.1 1.8	3.5 3.5 3.6	25.1 22.6 28.4	5.6 7.0 4.4	1.4 5.2 1.8	2.1 2.6 3.6	0.9 0.9		9.8 18.3 6.2
TEXAS. ² Registration cities	204, 857	88.4	0.5	2.0	0.5	14.2	10.7	4.4	4.4	18.1	6.3	2.9	2.0	2.0	2.0	18. 5
GalvestonSan AntonioEl Paso	40, 289 115, 063 49, 505	129.1 70.4 97.0	2.0	2.5 2.6	2.5	12.4 13.9 16.2	22.3 6.1 12.1	3.5 10.1	7.4 3.5 4.0	14.9 14.8 28.3	12.4 4.3 6.1	7.4 1.7 2.0	2.5 2.6	5.0 0.9 2.0	2.5 1.7 2.0	37. 2 14. 8 12. 1
UTAH.																*
Registration cities		66.8		1.4	0.7	28.0	3.6	2.9	2.9	10.1	3.6	3.6	0.7		0.7	8.6
Salt Lake CityOgden 6	109,736 29,528	64. 7 74. 5		1.8	3.4	23.7 44.0	4.6	3.6	2.7 3.4	10.9 6.8	3.6 3.4	3.6 3.4	3.4		0.9	9.1 6.8
Registration cities	47,370	154.1	ļ	•••••		48.6	10.6	12.7	12.7	16.9	14.8	2.1	4.2	2.1	2.1	27.4
VIRGINIA. Registration cities (total)	423, 671 277, 249	71.8	0.5	0.5	0.5	11.1	6.8	5.0	1.9	20.3	6.6	2.1	1.9	1.7	1.4	11.6
Registration cities (total)		77.9 60.1	0.7	0.7	0.7	12.6 8.2	8.7 3.4	6.1 2.7	2.5 0.7	15.9 28.7	7.2 5.5	2.2	1.8 2.0	0.7	1.4	15.1 4.8
Richmond. Other cities (total). White. Colored.	134,917 288,754 191,751 97,003	94.1 61.3 66.2 51.5	0.7 0.3 0.5	0.7 0.3 0.5	0.7 1.0	16.3 8.7 9.9 6.2	9.6 5.5 7.3 2.1	6.7 4.2 5.7 1.0	3.0 1.4 1.6 1.0	18.5 21.1 17.7 27.8	10.4 4.8 4.2 6.2	3.7 1.4 1.6 1.0	2.2 1.7 2.1 1.0	3.7 0.7 1.0	1.5 1.4 1.6 1.0	17.0 9.0 11.5 4.1
Washington.																
Registration cities	674,321	74.0	0.6	0.7	0.7	24.0	6.7	5.8	3.0	8.7	6.2	1.6	0.9	1.5	2.1	11.4
Seattle. Spokane. Tacoma. Other cities.	313,029 135,657 103,418 122,217	70.6 75.2 81.2 75.3	1.3	1.3 0.7	0.6 1.5 0.8	21.4 24.3 30.0 25.4	6.7 6.6 5.8 7.4	4.8 5.2 9.7 5.7	3.2 1.5 3.9 3.3	8.3 11.8 2.9 11.5	6.7 6.6 7.7 3.3	1.3 1.5 1.0 3.3	1.3 0.7 1.0	0.6 3.7 1.9 0.8	2.6 2.9	10.5 8.1 17.4 12.3
WEST VIRGINIA.					. :										- :	
Wheelingwisconsin.	42,817	107.4		2.3	2.3	16.3	11.7	14.0	2.3	18.7	16.3	2.3	2.3	4.7		14.0
Registration cities	833,974	85.4	1.1	1.3	1.4	24. 7	12.4	7.3	3.4	10.0	7.2	1.8	0.7	1.3	1.9	10.9
MilwaukeeOther cities	419, 589 414, 385	69. 4 101. 6	1.2 1.0	0.7 1.9	1.2 1.7	19. 1 30. 4	12.2 12.5	5.0 9.7	3.3 3.4	6.9 13.0	7.1 7.2	1.0 2.7	0.5 1.0	0.7 1.9	1.9 1.9	8.6 13.3
RURAL PART OF REGISTRATION STATES. ⁶ CALIFORNIA.	·															
Total	1,211,170	78.2	0.9	2.4	0.7	22.8	8.0	5.6	3.5	8.8	8.2	4.0	0.9	1.3	1.1	.9.9
Los Angeles County * Santa Clara County * Sonoma County Other rural districts	129, 965 56, 391 52, 618 972, 196	123.9 138.3 119.7 66.3	1.5 3.5 0.7	5. 4 5. 3 1. 9 1. 9	2.3 5.3 0.3	31.5 30.1 39.9 20.3	18. 5 16. 0 13. 3 5. 9	9.2 12.4 9.5 4.6	4.6 3.5 1.9 3.4	14.6 16.0 17.1 7.1	13.8 12.4 22.8 6.4	3.1 1.8 1.9 4.4	3.5 0.9	3.8 3.5 0.9	2.3 1.8 0.9	13. 1 23. 1 11. 4 8. 6
Total	568,280	41.7	0.2	0.4		14.4	7.9	2.3	1.9	4.8	3.3	1,1	0.5	0.7		4.2
CONNECTICUT. Total	377,398	85.6	1.6	2.4	0.5	16.2	9.5	9.8	2.9	9.5	12.7	3. 2	0.8	1.9	2.1	12.5
Hartford CountyOther rural districts	85,763 291,635	88. 6 84. 7	1.2 1.7	4.7 1.7	1.2	16.3 16.1	12.8 8.6	10.5 9.6	2.3 3.1	5.8 10.6	15. 2 12. 0	4.7 2.7	1.2 0.7	1, 2 2, 1	1. 2 2. 4	10. 5 13. 0
Total	1,878,030	76.4	0.4	1.7	0.2	18.7	12, 6	4.2	2.4	10.1	7.7	6.0	0.9	0.6	~1.4	9, 5

Nonregistration state; the only registration unit is shown, and less than 50 deaths from cancer were reported.
 Nonregistration state; cities shown below only those with effective local ordinances.
 Includes, Chattanooga, Jackson, and Knoxville.
 The only other registration unit; less than 50 deaths from cancer were reported.
 The only other city of 10,000 inhabitants or over in 1910; less than 50 deaths from cancer were reported.
 Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE II.—DEATH RATE PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

		Death	DEA	CH RAT	e per 1	00,000 P	OPULATI	on fro	M CAN	CER AND	OTHER	MALIGN	ANT TU	mors o	F THE-	
AREA AND COLOB.	Estimated population, July 1, 1914.	rate per 100,000 population from cancer and other malignant tumors.	Tongue	Jaw.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec- tum.	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
RURAL PART OF REGISTRATION STATES —Continued.									į							
KANSAS.	1,439,637	56. 5	0.3	1.1	0.3	14.9	8.3	3.9	1.1	6.0	5.9	2.5	0.3	0.8	0.8	10. 1
KENTUCKY.	_,,					_						!				
Total White Colored	1,925,168 1,730,546 194,622	39. 1 38. 6 43. 7	0.3 0.3	0.5 0.5		7.9 8.0 6.7	4.9 4.7 6.7	2. 2 2. 1 3. 1	1.3 1.3 1.0	6.7 5.9 13.9	4.3 4.4 3.1	2.4 2.5 1.0	0.4 0.4	0.3 0.3 0.5	0.4 0.4	7. 6 7. 6 7. 7
MAINE.	587,660	103.6	1.0	1.4	0.5	22.8	14.8	11.2	4. 4	15.5	11.6	4.1	1.0	0.9	1.7	12.8
Cumberland County	54, 679 38, 298	109.7 143.6		5. 5 2. 6	1.8 2.6	25. 6 13. 1	12.8 18.3	7.3 18.3	3. 7 7. 8	14.6 15.7	14. 6 7. 8	5. 5 15. 7	1.8	1.8 5.2	5. 5	9. 1 36. 6
Kennebec County 2 Penobscot County Washington County York County Other rural districts	38, 298 63, 075 41, 915 52, 602 337, 091	85.6 128.8 114.1 96.7	4.8 1.9 0.9	1. 2	0.3	17. 4 33. 4 26. 6 22. 5	19. 0 21. 5 11. 4 13. 6	7.9 7.2 13.3 11.9	4.8 4.8 7.6 3.6	12.7 31.0 7.6 15.4	12.7 7.2 28.5 9.2	1.6 4.8 1.9 3.3	3.8 0.9	0.6	1.6 2.4 1.5	7.9 11.9 11.4 11.9
MARYLAND.	700,758	62. 6	0,6	1.4	0.1	13. 1	8.3	4.7	2.3	9.4	8.6	3.4	0.3	0.4	0.7	9.3
Total. White Colored	552, 611 148, 147	68. 8 39. 8	0.5 0.7	1.6 0.7	0.2	15.0 6.1	8.7 6.8	5.6 1.4	2.9	8. 3 13. 5	9. 4 5. 4	4.3	0.4	0.5	0.9	10.3 5.4
Baltimore County *. Other rural districts (total). White. Colored.	431,030	81.7 58.1 64.0 38.8	0.7 0.5 0.5 0.7	2. 2 1. 2 1. 4 0. 7	0.7	13.3 13.1 15.3 6.0	11.8 7.4 7.4 7.5	7. 4 4. 1 5. 1 0. 7	2.9 2.1 2.8	11.0 9.0 7.9 12.7	15.5 6.9 7.7 4.5	2.9 .3.5 4.6	1.5	0.5 0.7	0.7 0.7 0.9	11.0 8.9 9.9 6.0
MASSACHUSETTS.																
TotalBristol County		109.7	2.0	0.9	1.4	23.5	11.6	12.1	5.4	14.8	13.6	4.3	0.1	1.4	2.3	16.2
Essex County * Middlesex County * Norfolk County *	09 102	99. 4 114. 0 138. 1 94. 0	1. 1 6. 4 1. 9	2. 4 0. 9	2. 2 3. 2 1. 9	23. 1 29. 3 32. 7 20. 9	12. 4 11. 9 12. 8 10. 4	8.9 15.2 9.6 18.0	8.9 7.6 4.0 3.8	14. 2 13. 0 23. 2 10. 4	10.7 8.7 15.2 9.5	1.8 2.2 4.8 1.9	1.1	2.2 3.2 1.9	5. 4 1. 9	19. 5 14. 1 20. 8 10. 4
Plymouth County * Worcester County * Other rural districts	80,000 134,853 197,455	123, 8 102, 3 100, 3	1.3 0.7 1.5	1.3 0.7 0.5	2. 5 0. 7	25. 0 19. 3 18. 7	15.0 9.6 11.1	8.8 14.1 10.1	6.3 3.0 6.6	10. 0 12. 6 16. 2	21.3 15.6 13.7	6.3 4.4 6.1		1.3 0.7 0.5	2.5 3.0 2.5	22. 5 17. 8 12. 7
MICHIGAN. Total	1,806,362	77.4	0.6	1.9	0.4	21.3	10.0	4.5	2.7	10.0	7. 2	4.7	0.9	1.1	1.3	10.8
Berrien County. Kent County Wayne County Other rural districts	l	104. 5 103. 2 87. 7	1.8	4. 1 2. 8	1, 4	28. 8 20. 6 22. 3	19.8 12.4 11.1	5. 4 6. 2 7. 0	5. 4 2. 1 2. 8	18. 0 20. 6 12. 5	9. 0 6. 2 8. 4	9. 0 14. 4 8. 4	2.1	1.8	3.6	1.8 14.4 7.0
Other rural districts	1,630,540	75.3	0.6	1.9	0.4	21.0	9.6	4.4	2.6	9.3	7.1	4.0	0.9	1.1	1.2	11.2
Total	<u> </u>	74.0	0.3	1.1	0.8	29. 2	7. 4	5. 5	3.2	6, 2	4.5	2.8	0.5	1.1	1.1	10.2
Olmsted County * Other rural districts	22, 232 1, 459, 361	445.3 68.3	0.3	1.1	4. 5 0. 8	152. 9 27. 3	22. 5 7. 2	72. 0 4. 5	36. 0 2. 7	18. 0 6. 0	4.5 4.5	18. 0 2. 6	18. 0 0. 3	9. 0 1. 0	27. 0 0. 8	63. 0 9. 4
Total	2, 140, 145	54.0	0.3	0.9	0.3	13.9	8.3	2.9	1.4	6.0	5. 2	5. 2	0.4	0.8	0.6	7.9
MONTANA. Total NEW HAMPSHIRE.	323, 603	43. 6		1.5	0.6	12. 4	5.9	3.4	1.9	4.3	4.0	1.9	0.9	0.9		5, 9
Total		105. 7	1.6	2. 0		14.9	18.1	14.1	3.9	18. 5	11.0	4.7	1.6	1.2	2.8	11.4
Rockingham County Other rural districts	41, 105 213, 370	124. 1 102. 2	2. 4 1. 4	2.4 1.9		29. 2 12. 2	14. 6 18. 7	14. 6 14. 1	4. 9 3. 7	26. 8 16. 9	12. 2 10. 8	2. 4 5. 2	4. 9 0. 9	2. 4 0. 9	2. 4 2. 8	4. 9 12. 7
NEW JERSEY.		80. 7	1.0	0.9	0. 5	19. 9	10. 2	7.4	3.8	9.3	9.7	3.5	0.4	1.7	1. 5	10.7
Bergen County Burlington County Monmouth County Morris County* Other rural districts	70, 114 72, 654 65, 739	75. 2 85. 6 119. 4 76. 1 77. 6	3. 0 1. 2	2. 2 1. 4 1. 5 0. 6	1. 5 0. 6	17. 9 20. 0 34. 4 19. 8 18. 6	11. 2 5. 7 12. 4 12. 2 10. 1	6.0 5.7 9.6 6.1 7.8	5. 2 4. 3 5. 5 1. 5 3. 6	8. 2 11. 4 15. 1 6. 1 9. 0	10. 4 12. 8 13. 8 3. 0 9. 5	1.5 4.3 6.9 7.6 3.1	1. 4 1. 4 1. 5 0. 2	1.5 4.3 1.4 1.5 1.6	1.5 4.3 2.8 1.5 1.1	9. 7 10. 0 15. 1 9. 1 10. 7
Total		96.1	1.1	1.4	0.8	21. 8	12. 2	6.3	4.4	11.3	13.0	5. 2	0.8	1.3	1.6	14. 5
Cattaraugus County Chautauqua County Delaware County Dutchess County * Erie County *	57, 805 45, 220 60, 615	106. 0 100. 3 132. 7 103. 9 73. 6	2. 0 3. 5 2. 2 3. 3 1. 0		2. 2 1. 6	14. 0 15. 6 31. 0 14. 8 16. 6	14. 0 15. 6 24. 3 18. 1 14. 5	6. 0 12. 1 11. 1 8. 2 6. 2	6. 0 3. 5 4. 4 1. 6 4. 1	20. 0 10. 4 17. 7 11. 5 3. 1	8. 0 15. 6 22. 1 14. 8 9. 3	10. 0 1. 7 2. 2 6. 6 4. 1			4. 0 1. 7 4. 4	20. 0 15. 6 11. 1 23. 1 7. 3

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

² Includes National Military Home.

TABLE II.—DEATH RATES PER 100,000 POPULATION FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFID ACCORDING TO THE PART OF THE BODY AFFECTED, FOR THE REGISTRATION AREA AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[The population on which the rates are computed is shown in the table; for number of deaths classified in full detail according to the part of the body affected, see Table 2, p. 88. Minor areas containing state insane asylums are designated by asterisks (*).]

		Death rate per	DEA	TH RAT	e per 1	.00,000 P	OPULAT	ON FRO	M CAN	CER AND	OTHER	MALIGN	ANT TU	MORS (OF THE-	
AREA AND COLOR.	Estimated population, July 1, 1914.	100,000 population from cancer and other malig- nant tumors.	Tongue.	Jaw.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Intestines.	Rec-	Uterus.	Breast.	Skin.	Pan- creas.	Prostate.	Blad- der.	Other organs or of organs not specified.
RURAL PART OF REGISTRATION STATES 1—Continued.	-															
NEW YORK—continued.																
Monroe County	65, 987 96, 068 58, 506 64, 396 40, 125	75. 8 81. 2 126. 5 96. 3 139. 6	3.4 1.6	1.5 2.1 1.7	1.7 3.1	7.6 21.9 23.9 29.5 44.9	12.1 13.5 18.8 7.8 10.0	1.5 9.4 6.8 1.6 10.0	4.5 5.2 6.8 1.6 10.0	9. 1 5. 2 22. 2 6. 2 7. 5	10.6 8.3 17.1 20.2 24.9	3. 0 3. 1 6. 8 4. 7 10. 0	3. 0 3. 1 1. 7 1. 6 5. 0	3. 0 1. 0 1. 7 1. 6 5. 0	1.5 1.0 1.7	18. 2 7. 3 12. 0 17. 1 12. 5
Orange County	76, 501 50, 526 72, 508 54, 383	71. 9 100. 9 69. 0 126. 9	2.0	2.8 1.8	1.8	18.3 25.7 16.5 27.6	9. 2 9. 9 8. 3 20. 2	5. 2 4. 0 2. 8 7. 4	2.6 5.9 6.9 3.7	7.8 11.9 6.9 20.2	5.2 7.9 6.9 1.8	2.6 4.0 2.8 16.5		1.3 2.0 1.4	3.9 7.9 1.8	15.7 19.8 13.8 22.1
Suffolk County*. Wayne County. Westchester County. Other rural districts.	104,045 50,825 97,047 1,238,041	88. 4 116. 1 109. 2 95. 2	1.0 4.1 0.8	1.0 2.0 5.2 1.2	1.0 2.0 1.0	25.0 27.5 18.5 22.2	7.7 15.7 10.3 11.6	11.5 7.9 4.1 6.0	3.8 5.9 7.2 4.0	11.5 19.7 11.3 11.6	12.5 11.8 10.3 14.4	1.0 2.0 11.3 5.3	0.7	1.0 1.0 1.5	1. 0 2. 0 3. 1 1. 2	10.6 19.7 22.7 13.9
NORTH CAROLINA.2 Total	296, 285	50.3		0.7	0.3	9.8	6.1	3.4	2.0	14.9	4.4	1.7			1.0	6.1
OHIO.	0 618 601	70.0	0.7	, ,	0.5	70.0	11 5			0.1		2 1	17		1.3	10.7
Total Hamilton County Tuscarawas County	60, 078 58, 432	79. 2 89. 9 95. 8	1.7	1.5	0.5	19. 9 26. 6 29. 1	11. 5 10. 0 15. 4	6.7 8.6	5.0 6.8	9. 1 10. 0 10. 3	10.0 5.1	5.1 5.0 6.8	1.1	3.3	3.3 3.4	8.3 10.3
Other rural districts	2, 498, 181	78. 5	0.7	1.6	0.5	19.5	11.4	4.7	3.0	9.0	8.6	5.0	1.2	1.3	1.2	10.7
PENNSYLVANIA. Total	4, 288, 288	. 64.2	0.4	1.4	0.4	16. 4	9.8	4.2	2.5	8.3	6.5	3.3	0.6	0.8	0.9	8.6
	385, 396	57.9		1.0	0.8	16.3	9.9	3.6	1.6	9.6	6.2	2.9			1.0	4.0
Allegheny County Berks County * Bradford County Bucks County Chester County	1 52,449	73. 4 129. 6 96. 4 83. 9	1.1	3.3 3.8 1.3 3.9	1.1 1.3 1.3	17. 8 15. 3 16. 5 20. 6	8. 9 15. 3 19. 0 9. 0	4.4 13.3 8.9 1.3	1.1 5.7 1.3 1.3	7.8 26.7 14.0 9.0	10.0 13.3 12.7 7.7	4. 4 11. 4 5. 1 2. 6	1.1 1.9	3.3 1.9 1.3 1.3	3.3 5.7 2.5 3.9	5.6 15.3 11.4 14.2
Clearfield County. Delaware County. Erie County Fayette County Jefferson County.	85,368 87,294 50,381 158,002 64,784	58.6 84.8 133.0 42.4 78.7	0.6	1.2 1.1 4.0 0.6 4.6	1.2	17. 6 21. 8 21. 8 12. 7 23. 2	10. 5 14. 9 11. 9 6. 3 12. 3	7.0 1.1 2.0 3.2 3.1	1.2 4.6 7.9 1.3 1.5	8.2 10.3 15.9 5.1 6.2	1.2 18.3 23.8 2.5 3.1	3.5 2.3 6.0 1.9 3.1	1.1 4.0 0.6 3.1	2. 0 0. 6 3. 1	1.2 2.0 1.5	5.9 9.2 31.8 7.0 13.9
Lancaster County Luzerne County Montgomery County Northampton County Schuylkill County	109, 605 220, 666 135, 954 78, 047 156, 044	82.1 44.9 69.9 69.2 57.0	0.5 0.7	2.7 0.9 0.7 2.6 1.9	0.7	21. 0 16. 3 16. 2 20. 5 14. 1	12: 8 5. 9 11. 0 14. 1 9. 0	7.3 3.6 3.7 2.6	2.7 1.8 5.9	8.2 2.3 5.1 9.0 6.4	10.9 4.1 8.1 5.1 5.1	4.6 3.2 5.1 1.3 3.2	0.5 0.7 1.3	2. 9 3. 8	2.7 0.7 2.6 0.6	9.1 5.9 8.1 9.0 9.6
Washington County Westmoreland County York County Other rural districts	144, 924 228, 177 95, 493 1, 989, 495	51.8 48.2 67.0 63.8	1.3	1.3 3.1 1.2	0.7 0.4 0.3	20. 0 9. 2 9. 4 16. 5	8.3 10.1 11.5 9.3	1.4 3.1 4.2 4.4	,2.2 /3.1 2.8	5.5 7.9 10.5 8.4	4.1 3.9 10.5 6.0	2.1 0.9 2.1 3.5	1. 0 0. 8	1. 4 0. 4 0. 7	0.7	7.6 7.5 11.5 8.7
RHODE ISLAND. Total	111,728	101.1		. 2.7	0.9	23.3	8.1	10.7	7. 2	12.5	16.1	2.7	3.6	ļ	1.8	11.6
UTAH. Total	275, 254	35. 2	0.4		0.4	15.3	4.7	1.1	0.7	4.0	2.9	••••	0.7	1.1		- 4.0
, VERMONT.	313, 835	103. 2	1.0	0.6	0.3	20.7	11.8	7.3	6. 4	17.5	7.3	4.8	2. 2	2.9	, 1.3	19.1
VIRGINIA. Total	1,726,338 1,172,152	43.3 47.0	0.4 0.6	0.9 1.0	0.1 0.2	9.7 10.3	4.6 5.7 2.2	1.6 1.6	1.1 1.5	8.9 7.4	4.5 4.8 3.8	3. 2 4. 4 0. 9	0.5 0.5 0.4	0.5 0.6 0.2	0.8 0.9	6.5 7.5 4.5
WASHINGTON.	554, 186	35. 4		0.7		8.3		1.6	0.4	11.9-					0.5	İ
Total	733,544	50.7	0.5	0.5		17.9	5.9	3.0	1.8	5.6	4.2	2.2	1.0	1.1	0.5	6.5
wisconsin. Total	1,612,742	78.9	0.6	1.5	1.3	29.3	9.8	5.3	3.0	6.3	6.3	3.5	0.7	1.5	0.7	9.1
Milwaukee County 3Other rural districts	57, 563 1, 555, 179	102. 5 78. 1	0.6	3.5 1.4	3. 5 1. 2	33. 0 29. 1	15.6 9.6	3. 5 5. 4	5. 2 2. 9	6. 9 6. 3	6.6	3. 5 3. 5	0.8	3.5 1.4	0.7	24.3 8.6

Exclusive of municipalities having a population of 10,000 or over in 1910.
 Includes only municipalities having a population of 1,000 or over but less than 10,000 in 1910.

³ Includes National Military Home.

GENERAL TABLES

GENERAL TABLES.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and counties in registration states are shown in Table I, p. 21.]

					I	EATHS I	ROM CA	NCER (A	LL FORM	s) at ac	E OF-					at un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	1 5
SUMMARY.																
The registration area	52,420	919	1,651	2,119	3,325	4,632	6,131	6,663	6,909	6,780	5,893	4,033	2,213	828	267	57
MalesFemales	21,282 31,138	475 444	545 1,106	566 1,553	967 2,358	1,502 3,130	2,323 3,808	$2,741 \\ 3,922$	3,071 3,838	3,134 3,646	2,754 3,139	1,757 2,276	966 1,247	352 476	107 160	22 38
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	10,749 19,806	312 306	372 880	351 1,241	567 1,876	891 2,373	1,282 2,735	1,426 2,618	1,476 2,249	1,416 1,913	1,157 1,524	734 1,050	471 634	207 282	74 107	1:
Diagnosis uncertain $\left\{ egin{matrix} M \\ F \\ M \end{array} \right\}$	6,966 7,438	90 67	65 114 108	116 155 99	217 265 183	353 411 258	647 645 394	849 811 466	1,045 1,082 550	1,177 1,174 541	1,136 1,181 461	762 884 261	368 448 127	117 150 28	19 38 14	1
Diagnosis unknown $\left\{ egin{matrix} H & \\ F & \end{matrix} \right\}$	3,567 3,894	73 71	112	157	217	346	428	493	507	559	434	342	165	44	15	:
White		868	1,517	1,935	3,129	4,373	5,838	6,454	6,708	6,629	5,788	3,964	2,185	816	259	55
Males Females	20,717 29,798	458 410	515 1,002	528 1,407	919 2,210	1,441 2,932	2,232 3,606	2,666 3,788	2,995 3,713	3,077 3,552	2,714 3,074	1,736 2,228	960 1,225	351 465	105 154	3
Diagnosis reasonably certain. ${M \choose F}$	10,511 18,831	302 285	355 797	335 1,123	545 1,749	858 2,226 333	1,248 2,579	1,394 2,520	1,449 2,174	1,396 1,853	1,140 1,484	729 1,024	467 622	$\frac{207}{274}$	74 104	12 17 17
Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$	6,774 7,235 3,432	· 84 63	62 105	104 148	203 255 171	333 388 250	619 617 365	824 787 448	1,015 1,047 531	1,157 1,153 524	1,120 1,164 454	748 870 259	367 441 126	116 149 28	18 37 13	1.
Diagnosis unknown $\left\{egin{matrix} M_{-1} \\ F_{-1} \end{array}\right\}$	3,732	72 62	98 100	89 136	206	318	410	481	492	546	426	334	162	42	13	
Colored		17	134 30	184	196	259	293 91	209 75	201 76	151 57	105	69	28	12	8	
Males Females	1,340	34	104	146	148	198	202	134	125	94	65	48	22	11	2 6	1
Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	238 975	10 21	17 83	16 118	22 127	33 147	34 156	32 98	27 75	20 60	17 40	5 26	12	8	3 1 1	
Diagnosis uncertain $\begin{cases} M \\ F \\ \end{cases}$	192 203 135	6 4 1	3 9 10	12 7 10	14 10 12	20 23 8	28 28 29	25 24 18	30 35 19	20 21 17	16 17 7	14 14 2	7	1	1 1	
Diagnosis unknown(F	162	9	12	21	11	28	18	12	15	13	8	8	3	2	2	
Registration states 1		829 427	1,449 476	1,885	2,996	4,159 1,343	2,074	6,094	6,376	6,343	2 585	3,807 1,663	2, 128	790 336	258 102	19
Males Females	28,713	402	973	1,379	2,132	2,816	3,466	2,483 3,611	2,824 3,552	2,911 3,432	2,585 2,969	2,144	1,195	454	156	35
Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	9,845 18,155	281 281	329 773	321 1,099	512 1,691	795 2,134 321	1,134 2,476 592	1,294 2,405 790	1,358 2,079 976	1,308 1,797 1,122	1,084 1,445 1,083	693 978 728	457 607 357	197 269 113	72 105 18	10
Diagnosis uncertain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	6,538 7,038 3,163	83 59 63	59 102 88	101 146 84	190 244 162	380 227	607 348	757 399	1,022 490	1, 123 481	1,129	843 242	432 119	143 26	38 12 13	13
Diagnosis unknown $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	3,520	62	98	134	197	302	383	449	451	512	395	323	156	42	}	1
White		791 413	1,352 460	1,743 476	2,849	3,960 1,298	$\frac{5,317}{2,007}$	5,928 2,426	6,202	6,208 2,860	5,465 2,549	3,743	2, 103 928	779 335	252 100	47
Females.	27, 639	378	892	1,267	2,019	2,662	3,310	3,502	3,445	3,348	2,916	2,099	1,175	444	152	30
Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	9,677 17,396	272 267 78 56 63	320 707	309 1,010	1,594	775 2,023 303	1,114 2,358 571	1,271 2,327 770	1,336 2,018	1,292 1,745	1,069 1,414	689 955	454 597	197 262 112	72 103 17 37	10
Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$	6,373 6,861 3,050	78 56 63	56 96 84	91 140 76	180 238 152	360 220	584 322	737 385	950 989 471	1,103 1,104 465	1,067 1,113 413	715 829 240	356 425 118	142	37 11	1
Diagnosis unknown	3,382	55	89	117	187	279	368	438	438	499	389	315	153	40	12	;
Colored <u>M</u> ales	1,520	38	97	30	147 34	199 45	223 67	166 57	67	135	89	19	25 5	11	6	4
Females	1,074	24	81	112	113	154	156	109	107	84	53	45	20	10	2 4	2
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \\ \end{array} \right\}$	168 759	9 14	66 3	12 89	14 97	20 111	20 118	23 78 20	22 61 26	16 52 19	15 31 16	23 13	10	7	2	
Diagnosis uncertain M .	165 177 113	5 3	6 4	10 6 8	10 6 10	18 20 7	21 23 26	20 20 14	33 19	19 19 16	16 5	14	1 7 1	1	2 1 1 1 1	
Diagnosis unknown{F	138	7	9	17	10	23	15	11	13	13	6	8	3	2	1	
Cities in registration states 1		488 262	971	1, 251	1,931	2,741	3,463	3,632 1,494	3, 541 1, 575	3,293 1,465	2,582 1,125	1,671	829 326	308	86 35	
Males Females	1 1	226	318 653	906	1,359	1,847	2, 152	2,138	1,966	1,828	1,457	1,009	503	190	51	
Diagnosis reasonably certain $\begin{Bmatrix} M \\ F \end{Bmatrix}$	5,566 10,652	182 168	218 528 40	234 730 53	351 1,077 112	528 1,407 207	743 1,546 333	815 1,425 432	1,155 497	1,000 532	484 772 443	290 450 275 396	143 237 133	58 120 52	24 33 7 15	4
Diagnosis uncertain. $\begin{cases} M \\ F \end{cases}$	1,781	41 28 39	58 60	94 58	154 109	240 159	357 235	435 247	543 274	549 243	504 198	97	187	52 56 8	15 4	
Diagnosis unknown $\left\{egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	2,022	30	67	82	128	200	249	278	268	279	181	163	50 79	14	3	
White	1	467	909 311	1,148	1,832	2, 594 861	3,323	3,533 1,456	3, 452 1, 538	3,227	2,552 1,110	1,646	816 324	302	85 35	
Females	10, 247 15, 646	254 213	598	822 826	547 1,285	1,733	2,051	2,077	1,914	1,784	1,442	991	492	185	50	1
Diagnosis reasonably certain. ${M \choose \Gamma}$	5,461 10,196	176 159	215 485	223 666	341 1,017	513 1,325	733 1,470	799 1,379	790 1,129	683 975	476 763	288 441	141 234	58 117	24 32	:

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					at head			NCER (AL	L FORMS) AT AG	E OF					ė,
ALEA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
SUMMARY—Continued.							•									
Cities in registration states 1—Continued. White—Continued. Diagnosis uncertain M .	3,074 3,513	39 27	38 53 58	47 91	106 148	193 224	320 341	420 426	486 526	523 537	439 499	271 389	133 182	51 55	7 15	1
Diagnosis unknown $\left\{ egin{array}{l} M_{-} \\ F_{-} \end{array} \right\}$	1,712 1,937 902	27 39 27 21	58 60 62	52 69 103	100 120 99	- 155 184 147	219 240 140	237 272 99	262 259 89	237 272 · 66	195 180	96 161 25	50 76	13	4 3 · 1	i
MalesFemales	258 644	8 13	7 55	23 80	25 74	33 114	39 101	38 61	37 52	22 44	15 15	7 18	2 11	1 5	<u>i</u> -	1
Diagnosis reasonably certain. ${M \choose F}$	105 456	6 9	3 43	11 64	10 60	15 82 14	10 76	16	14 26	7	8 9	2 9	2 3	3	_i .	1
Diagnosis uncertain $\left\{egin{array}{c} M \\ F \end{array}\right.$	84 103	2	2 5 2 7	64 6 3 6	6	16	13 16	46 12 9	11 17	25 9 12	4 5	4 7	5	ĭ		
Diagnosis unknown $\left\{ egin{aligned} rac{M}{F} \ \end{aligned} ight.$	69 85	3	1	13	8	4 16	16 9	10 6	12 9	6 7	3	1 2	3	i		
Rural part of registration states	21,464	341	478	634	1,065 292	1,418	2,077	2,462	2,835	3,050	2,972	2,136	1,299	482	172	43
Males Females Diagnosis reasonably certain. [M IF	9,041 12,423 4,279 7,503 3,380	165 176 99 113 42	158 320 111 245 19	473 87 369 48 52	773 161 614 78	449 969 267 727 114	763 1,314 391 930 259	989 1,473 479 980 358	1,249 1,586 554 924 479	1,446 1,604 618 797 590	1,460 1,512 600 673 640	1,001 1,135 403 528 453 447	607 692 314 370 224	218 264 139 149 61	67 105 48 72 11 23 8	16 27 8 12 4 13
Diagnosis uncertain $egin{cases} M & M & M \\ M & M & M \\ M & M & M \\ M & M &$	3,422 1,382 1,498	31 24 32	28 31	52 26 52	90 53 69	140 68 102	250 113 134	358 322 152 171	479 216 183	574 238 233	625 220 214	447 145 160	245 69 77	61 87 18 28	23 8 10	13 4 2
White	20,846	324	443	595	1,017	1,366	1,994	2,395	2,750	2,981	2,913	2,097	1,287	477	167	40
MalesFemales	8,853 11,993	159 165	149 294	154 441	283 734	437 929	735 1,259	970 1,425	1,219 1,531	1,417 1,564	1,439 1,474	989 1,108	604 683	218 259	65 102	15 25
Diagnosis reasonably certain $egin{cases} M & \\ F & \\ M & \\ F & \\ F & \\ \end{cases}$	4,216 7,200 3,299 3,348	96 108 39 29	105 222 18 43	86 344 44 49	157 577 74 90	262 698 110 136	381 888 251 243	472 948 350 311	546 889 464 463	609 770 580 567	593 651 628 614	401 514 444 440	313 363 223 243	139 145 61 87 18	48 71 10 22 7	8 12 3 11 4 2
Diagnosis unknown ${M \choose F}$	1,338 1,445	24 28	26 29	24 48	52 67	65 95	103 128	148 166	209 179	228 227	218 209	144 154	68 77	18 27	7 9	4 2
Colored	618	17	35	39	48	52	83	67	85	69	59	39	12	5	- 5	3
MalesFemales	188 430	6 11	9 26	7 32.	9 39	12 40	28 55	19 48	30 55	29 40	21 38	12 27	3 9	5	2 3	.12
Diagnosis reasonably certain. ${M \choose F}$. Diagnosis uncertain ${M \choose F}$.	63 303 81 74	3 5 3 2	6 23 1 1	1 25 4 3	37 4	5 29 4 - 4	10 42 8 7	7 32 8 11	8 35 15 16	9 27 10 7	7 22 12 11	2 14 9 7	1 7 1 2	4,	1 1 1 1	 1 2
Diagnosis unknown $\{\stackrel{M}{F}$.	44 53	4	2 2	2 4	$\frac{1}{2}$	3 7	10 6	4 5	7 4	10 6	5	1 6	ī	1	î 1	
Registration states, exclusive of North Carolina	47,986	821	1,435	1,872	2,969	4, 128	5,500	6,064	6,330	6,310	5, 545	3,797	2, 121	786	257	51
Males Females	19,474 28,512	424 397	472 963	503 1,369	860 2,109	1,340 2,788	$2,066 \\ 3,434$	2,473 3,591	2,809 3,521	2,898 3,412	2,583 2,962	1,659 2,138	931 1,190	335 451	102 155	19 32
Diagnosis reasonably certain ${M \choose F}$. Diagnosis uncertain ${M \choose F}$.	9,810 18,010 6,517 7,006	279 278 82 59 63 60	326 764 59 101 87 98	319 1,089 100 146	510 1,671 190 241	795 2,116 320 375 225 297	1,131 2,449 589 604	1,287 2,387 788 755 398	1,351 2,064 972 1,014	1,305 1,785 1,115 1,120 478 507	1,084 1,440 1,081 1,129 418	690 975 728 840	455 605 357 429 119 156	196 267 113 142 26 42	72 104 18 38 12 13	10 16 5 13 4 3
Diagnosis unknown $\left\{ egin{array}{l} \mathbb{M} \\ \mathbb{F} \end{array} \right.$	3,147 3,496	63 60	87 98	84 134	160 197	225 297	346 381	398 449	486 443	478 507	418 393	241 323	119 156	26 42	12 13	4 3
White	46,549	785	1,343	1,738	2,832	3,945	5, 295	5,905	6, 162	6,180	5,459	3,735	2,097	775	251.	47
Males Females		410 375	457 886	475 1,263	827 2,005	1,296 2,649	2,004 3,291	2,418 3,487	2,746 3,416	2,848 3,332	2,548 2,911	1,641 2,094	926 1,171	334 441	100 151	17 30
Diagnosis reasonably certain. $egin{cases} M & & & \\ F & & & & \\ & & & & \\ & & & & \\ & & & &$	9,652 17,306 6,357 6,834	270 266 77 56	318 701 56 96 83 89	308 1,006 91 140	497 1,583 179 235 151 187	775 2,017 303 357 218 275	1,113 2,343 570 581	1,265 2,314 768 735	1,332 2,004 947 982	1,289 1,735 1,097 1,101	1,069 1,411 1,065 1,113	687 953 715 826 239 315	452 595 356 423 118 153	196 260 112 141	72 102 17 37	9 16 4 11
Diagnosis unknown $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	3,038 3,362	63 53	83 89	76 117	151 187	218 275	321 367	735 385 438	467 430	462 496	414 387	239 315	118 153	26 40	11 12	3
Colored.	<u>-</u>	36	92	134	137	183	205	159	168	130'	86	62	24	11	6	4
Males Females	427 1,010	14 22	15 77	28 106	33 104	.44 139	62 143	55 104	63 105	50 80	35 51	18 44	5 19	. 1 10	2 4	2 2
Diagnosis reasonably certain. $\begin{bmatrix} M \\ F \end{bmatrix}$ Diagnosis uncertain. $\begin{bmatrix} M \\ F \end{bmatrix}$ Diagnosis unknown. $\begin{bmatrix} M \\ M \end{bmatrix}$	158 704 160 172 109 134	9 12 5 3	8 63 3 5 4 9	11 83 9 6 8	13 88 11 6 9	20 99 17 18 7 22	18 106 19 23 25 14	22 73 20 20 13 11	19 60 25 32 19 13	16 50 18 19 16	15 29 16 16 4	3 22 13 14 2 8	3 10 1 6 1 3	7 1 1	2 1 1 1	1 1 2

¹ Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			·		at nead			NCER (A)	L FORM	S) AT AG	E OF—					i d
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	35 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at mage
SUMMARY—Continued.																
Registration cities in other states	4,161	90	202	234	329	473	591	569	533	437	339	226	85	38	9	6
Males Females	1,736 2,425	48 42	69 133	60 174	103 226	159 314	249 342	258 311	247 286	223 214	169 170	94 132	33 52	16 22	5 4	3
Diagnosis reasonably certain. $\left\{ egin{matrix} M \ldots \\ F \ldots \end{array} \right.$	904 1,651	31 25 7	43 107	30 142	55 185	96 239	148 259	132 213	118 170	108 116	73 79	41 72	14 27	10 13	$\frac{2}{2}$	3 2
Diagnosis uncertain $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	428 400 404	7 8 10	6 12 20	15 9 15	27 21 21	32 31 31	55 38 46	59 54 67	69 60 60	55 51 60	53 52 43	34 41 19	11 16 8	4 7 2	$\frac{1}{2}$	
Diagnosis unknown	374	9	14	3	20	44	45	44	56	47	39	19	9	2	2	1
White	3,776	45	165 55	192	280	413	521 225	526 240	506 238	421 217	323	92	82	37		3
MalesFemales	1,617 2,159	32	110	140	191	270	296	286	268	204	158	129	50	21	2	2
Diagnosis reasonably certain. $\binom{M}{F}$.	834 1,435 401	30 18	35 90 6	26 113	47 155 23	83 203 30	134 221 48	123 193 54	113 156 65	104 108 54	71 70 53	40 69 33	13 25 11	10 12 4	$\frac{2}{1}$	3 1
Diagnosis uncertain	374 382	6 7 9	9 14	13 8 13	17 19	28 30	33 43	50 63	58 60	49 59	51 41	41 19	16 8	4 7 2 2	2 1	
Colored	350 385	7 13	11 37	19 42	19 49	39 60	42 70	43 43	54 27	47 16	37 16	19 5	9	1	2	1 1
MalesFemales	119	3	14 23	8	14 35	16 44	24 46	18 25	9 18	6	4 12	2 3	1 2	1	<u>2</u>	i
Diagnosis reasonably certain. ${M \choose F}$	266 70	10	8	34	8	13	14	9	5	4	2	1	1	 		
Diagnosis uncertain F .	216 27 26	7 1 1	17 3	29 2 1	30 4 4	36 2 3	38 7 5	20 5 4	14 4 2	8 1 2	9	3	2	1	1	1
Diagnosis unknown ${M \choose F}$	$\frac{20}{22}$	1 2	6 3	2 4	2 1	1 5	3 3	4 1	2	í	2 2				<u>1</u>	
All registration cities 1	30, 956	578	1,173	1,485	2, 260	3, 214	4,054	4, 201	4,074	3, 730	2, 921	1,897	914	346	95	14
Males Females	12, 241 18, 715	310 268	387 786	405 1,080	675 1,585	1,053 2,161	1,560 2,494	1,752 2,449	1,822 2,252	1,688 2,042	1, 294 1, 627	756 1,141	359 555	134 212	40 55	6 8
Diagnosis reasonably certain. $\{^{M}_{F}$	6,470 12,303	213 193	261 635	264 872	406 1,262	624 1,646	891 1,805	947 1,638	922 1,325	798 1,116	557 851	331 522	157 264	68 133	26 35	5 6 1
Diagnosis uncertain $\left\{ egin{array}{c} M \\ F \end{array} \right]$	3,586 4,016	48 36	46 70	68 103	139 175	239 271	388 395	491 489	566 603	587 600	496 556	309 437	264 144 203	133 56 63 10	8 15 6	1
Diagnosis unknown $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	2, 185 2, 396	49 39	80 81	73 105	130 148	190 244	281 294	314 322	334 324	303 326	241 220	116 182	58 88	16	5	2
White	29,669	544	1,074	1,340	2,112	3,007	3,844	4,059	3,958	3,648	2,875	1,867	898	339	92	12
MalesFemales	11,864 17,805	299 245	366 708	374 966	636 1,476	$\frac{1,004}{2,003}$	1,497 2,347	1,696 2,363	1,776 2,182	1,660 1,988	1,275 1,600	747 1,120	356 542	133 206	52	5 7
Diagnosis reasonably certain. $\{ \stackrel{M}{F} : \mathcal{F} : \mathcal{F} : \mathcal{F} \}$	6, 295 11, 631	206 177	250 575	249 779	388 1,172	596 1,528	867 1,691	922 1,572	903 1, 285 551	787 1,083	547 833	328 510	154 259	68 129	26 33 8	5 1
Diagnosis uncertain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	3,475 3,887 2,094	45 34 48	44 62 72	60 99 65 88	129 165 119	223 252 185	368 374 262	474 476 300	584 322	577 586 296	492 550 236	304 430 115	144 198 58	55 62 10	15 6	
Diagnosis unknown{M F	2, 287	34	72 71		139	223	282	315	313	319	217	180 30	85 16	15 7	4	2
Colored	1, 287	34	99	145 31	148	207	63	142 56	116	28	19	9	3	1		1
Females	910	23	78	114	109	158 28	147 24	86	70 19	54 11	27 10	3	13	6	3	1
Diagnosis reasonably certain. $\left\{ \begin{array}{l} M \\ F \end{array} \right\}$ Diagnosis uncertain	175 672 111	16 3	11 60 2 8	15 93 8 4	18 90 10	118 16	114 20	25 66 17	40 15	33 10	18	12 5 7	5	4 1	2	î
Diagnosis unknown $\left\{ \begin{matrix} \mathbf{F} \\ \mathbf{F} \end{matrix} \right\}$	129 91 109	2 1	8 8 10	4 8 17	10 11 9	19 5 21	21 19 12	13 14 7	19 12 11	14 7 7	6 5 3	$\begin{bmatrix} & 7 \\ 1 \\ 2 \end{bmatrix}$	5	1 1	1	
REGISTRATION STATES.	109	====		= 1/		21		' <u>-</u>		<u>'</u>			-	<u> </u>	<u>-</u> -	
California	2,701	30	92	117	180	238	319	331	361	345	326	208	103	37	13	1
MalesFemales	1,278 1,423	14 16	46 46	35 82	63 117	85 153	140 179	153 178	196 165	174 171	172 154	110 98	64 39	20 17	6 7	i
Diagnosis reasonably certain $\left\{egin{matrix}M \dots \\ F \dots \end{smallmatrix} ight\}$	731 1,004	7 13	38 40	24 67	41 96	58 123	84 136	87 143	119 114	94 103	79 83	52 52	34 18	11 13	3	
White	2,649	29	88	113	175	236	306	328	350	340	323	208	103	37	12	1
MalesFemales(M	1,244 1,405 715	13 16 7	45 43 37	34 79 23	60 115 39	84 152 57	131 175 82	150 178 86	187 163 114	171 169 93	170 153 77 83	110 98 52 52	64 39 34	20 17 11	5 7 3	i
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	991	13	38	65	94	122	133	143	113	101	1	52	18	13	3	
Colored	34	<u>1</u>	$\begin{vmatrix} 4 \\ 1 \end{vmatrix}$	4	5	$\frac{2}{1}$	13	3	9	3	3				1	
Females	18 16		3	1 3 1	2 2	1 1	4 2	·····i	2 5	3 2 1	1 2					
Pragress reasonably certain. (F.	13		2	2	2	1	3	l	1	2		1	1	J		-

¹ Includes District of Columbia.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			L	See note	at head	or this ta	101e, p. 4	4.j								
			•		I	EATHS I	ROM CAL	NCER (AI	L FORM	S) AT AG	E OF-					-in-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	84	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	'90 years and over.	Deaths at u known age.
REGISTRATION STATES—Contd.											-					
COLORADO	530	6	20	23	51	51	73	70	63	60	. 53	33	20	5	.2	
MalesFemales	232 298	2 4	3 17	8 15	20 31	16 35 12	25 48	32 38	. 40 23	30 30	28 25	12 21	13 7 5	- ² / ₃	1 1	
Diagnosis reasonably certain $\{ egin{matrix} M & \cdots & \cdots \\ F & \cdots & \cdots \end{pmatrix}$	133 199	2 2	3 9	8	12 25	12 27	12 34	23 27	13 14	17 18	16 17	21 7 9	5 2.	2 2	î	
White	517	6	20	22	49	49	72	69	60	58	53	32	20	5	2	
MalesFemales	230 287	2 4	3 17	8 14	20 29	16 33	24 . 48	32 37	39 21	30	28 25	12 20	13 7	2 3	1 1	
Diagnosis reasonably certain $\{rac{M}{F}$.	133 194	2 2	3 9	8 12	12 24	12 26	12 34	23 26	13 14	28 17 17	16 17	7 9	5 2	2 2	î	
Colored	13	 		1	2	2	1	1	3	2		1	 		ļ	
MalesFemales	2 11			1	2	2	1	1	1 2	2		1				
Diagnosis reasonably certain $\{^{ m M}_{ m F}$.	5			·····i	<u>ī</u>	<u>i</u> -		<u>î</u> .		<u>-</u> -						
CONNECTICUT	1,040	13	29	27	56	95	111	150	141	124	127	98	40	19	7	3
MalesFemales	394 646	6 7	. 12 17	12	14	39	31 80	55	56	53 71	56	30 68	19 21	10	1 6	3
Diagnosis reasonably certain. $\left\{\frac{M}{F}\right\}$	199 412	3 6	8	15 8 15	42 9 32	56 23 43	20 58	95 27 62	85 25 50	29 37	- 71 21 32	18 43	\$ 3 10	9 4 7	1 4	_i
White	1,022	12	28	26	53	93	108	149	138	124	127	96	40	18	7	3
Males	390	6	12	11	13	39	31	55	54	53	56	30	19	10	1	;
Females	632 198 400	6 3 5	16 8 11	15 8 15	40 9 30	54 23 41	77 20 55	55 94 27 61	84 24 49	53 71 29 37	71 21 32	66 18 42	21 3 10	8 4 7	6 1 4	3 ;
Colored	18	1	1	1	3	2	3	1	3	 		2		1		
Males	4			1	1				2							
Females	14 1 12	1 1	1		2 2	$\frac{2}{2}$	3 3	1 1	1 1 1			2	•••••	1		
Indiana	2,199	29	64	79	118	180	219	282	268	313	275	202	116	44	8	2
Males	821 1,378	9	19	16	35	46	75	97	106	131	131	75	57	20	3	1
Females	1,378 433, 847	20 5 18	45 12 38	16 63 12 51	83 20 71	134 30 106	144 40 98	185 54 131	162 52 89	182 64 78	144 54 60	127 41 60	59 33 28	24 12 14	5 3 4	1 1 1
White	2,162	29	62	75	118	175	212	277	265	309	271	201	115	44	7	2
Males	812	9	18	16	35	45	73	95 182	105	131	130	75	56	20	3	
Females'Diagnosis reasonably certain. $\left\{rac{\mathbf{M}}{\mathbf{F}} ight.$	·1,350 429 830	20 5 18	11 38	59 12 48	83 20 71	130 30 103	139 40 95	182 53 130	160 52 · 87	178 64 76	141 53 59	126 41 59	59 32 28	24 12 14	4 3 3	1 1 1
Colored	37		2	4		5	7	5	3	4	4	1	1	11	1	
Males	9		1			1	2 5	2 3	1		1		1			
FemalesDiagnosis reasonably certain. $\left\{ egin{array}{l} M_{-} \end{array} ight.$	28 4 17		1	4		4		1	2 	4	3 1	1	1		1	
Kansas.	1,095	22	27	30	52	3 73	101	1 132	2 161	2 170	1 146	93	65	17	6	
Males	504	10	9	11	15	26	28 73	58 74	68	94	92	53 40	97	9	4	
Females	591 257 364	12 8 8	18 5 11	19 7 17	37 7 31	47 13	19	32	93 27	76 45 35	54 40	26	38 18 20	8 6	4	
White	1,064	22	22	28	50	32 71	55 101	49 127	54 157	168	21 142	24 90	63	5 17	6	
Males	496	10	8	10	14	. 25	28 73	57	68	93	90	53	27	9	4	
Females	568 254 349	12 8	14 5 8	18	36 6	46 13	73 19 55	70 31	89 27	75 45	52 39 21	37 26	36 18	8 6	2 4	
Colored	349	8	5	16	30	32		47 5	51 4	34	. 4	21 3	19 2	5	2	
Males	8		1	1	1	1		1		1	2					
Females Diagnosis reasonably certain. ${M \choose F}$	23 3		4	1	1	1		4 1 - 2	4	1	2	3	2			•••••
Kentucky	1,081	26	3 43	1 59	1 79	85	105	· 2	3 146	1 146	107	3 79	1 54	14	3	17
. Males		10	7	11	18			40		66		30		10		$-\frac{1}{7}$
Females	388 693 162	16 6	36 5 24	48 4	61 8 45	21 64 10	38 67 17	78 20	55 91 14	80 24	51 56 23 28	49 9	23 31 12	4 6	. 2	10 3 6
\- ••	446 959	7 22		33 44	45 67	51 72	43	60	50 129	46 138	28 101	26 71	22 52	3	2	
White	356	8	35 7	8	17	19	91	36	50	62		28	22	14 10	3 1	16 7
Females	603 155 382	14	28 5 16	36 4 22	50 8 36	53 8 43	32 59 15 37	68 19 53	79 14 43	76 24 42	49 52 22 27	43 9 24	30 12 21	6 3	2 1 2	9

MORTALITY FROM CANCER.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEATHS :	FROM CA	NCER (A	LL FORM	S) AT A	ge of—					ig e
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un
REGISTRATION STATES—Contd.																-
Kentucky—Continued. Colored	122	4	8	15	12	13	14	14	17	8	6	8	2			
Males	32	$\frac{1}{2}$		3	1	2	6	4	5	4	2	2	1			
Females Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	90	2 1	8	12	11	11 2	8 2 6	10 1	12	4	4	6	î			
,	64		8	11	9	8		7	7	4	1	2	1			
Maine	821	9	$\frac{12}{1}$	31	39	63	73 19	87 26	103	125	105	90	50	25	7	
Females	528	5 2	11	26 1	33	47	54	61 9	43 60 21	46 79 19	45 60 13	44 46 14	24 26 10	12 13 10	1 6 1	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	308	3	9	19	27	8 32	41	38	38	38	25	14	15	6	3	
White	819	9	12	31	39	63	73	87	103	124	104	90	50	25	7	:
Males. Females	292 527	4 5	1 11	26 26	6 33	16 47	19 54	26 61	43 60	45 79	45 59	44 46	24 - 26	12 13	1 6	
Diagnosis reasonably certain. ${ m T} { m C} { m T}$	122 308	3	1 9	1 19	3 27	8 32	9 41	9 38	21 38	19 38	13 25	14 14	10 15	10 6	3	
Colored	2									1	1					ļ
Males Females	1									1	i					
Diagnosis reasonably certain $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{array} ight.$																
Maryland	1,092	17	30	51	69	105	137	138	167	139	103	74	40	14	7	
Males	401	6	13	12	22	30	38	54	80	51	46	28	9	8	4	
Females. Diagnosis reasonably certain. ${ m M} = { m Constant}$	691 215 457	11 5 7	17 10 16	39 10 29	47 13 40	75 20 58	99 18 68	84 33 64	87 42 49	88 18 49	57 22 34	46 13 23	31 2 14	6 5 4	3 4 2	
White	947	15	23	39	52	88	108	126	149	126	94	70	37	13	6	
MalesFemales	365 582	6 9	12 11	12 27	18 34	28 60	32 76	48 78	73 76	46 80	42 52	27 43	9 28	8 5	4 2	
Diagnosis reasonably certain $\left\{egin{matrix}M \dots \\ F \dots \end{array}\right.$	199 378	5 6	9 10	10 19	12 29	19 46	16 52	29 58	39 44	16 44	52 20 31	13 21	2 13	5 5 3	4 2	
Colored	145	2	7	12	17	17	29	12	18	13	9	4	3	1	1	
MalesFemales.	36 109	2	1	12	4	2	6	6	7	5	4	1			;-	
Diagnosis reasonably certain ${M \choose F}$	16 79	1	1 6	10	13 1 11	15 1 12	23 2 16	6 4 6	11 3 5	8 2 5	5 2 3	3 2	3 1	1 1	1	
MASSACHUSETTS	3,649	52	90	121	222	317	420	457	483	491	424	295	175	71	31	••••
Males	1,324	29	30	27	63	86	140	169	196	190	183	111	67	20	13	
FemalesDiagnosis reasonably certain. $\left\{egin{mmatrix} M\dots \\ F & \end{array} ight.$	2,325 683	23 23	60 22	94 19	159 36	231 57	280 76	288 ,94	287 102	301 88	241 88	184 33	108 30	51 9	18 6	
White	1, 475 3, 613	17 52	51	68	125	182	204	187	175	165	129	81	47	29	15	••••
Males	1,310	29	29	117 26	220 61	312 83	139	168	479 195	487 187	183	295	174 67	69 19	31 13	
Females	2,303 678	23 23	59 21	91 19	159 36	229 55	278 76	282	284 102	300 87	239 88	184 33	107 30	50	18	
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	1,457	17	50	65	125	181	203	181	172	164	128	81	47	28	15	
Colored	36		2	4	2	5	3	7	4	4	2		1	2		
Males Females	14 22		1 1	1 3	2	3 2	$\frac{1}{2}$	1 6	1 3	3 1	2		····i	1 1		
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	5 18		1 1	3		1	····i	1 6	3	1	i			ı		
MICHIGAN	2,395	34	77	72	137	196	271	301	330	334	308	190	99	28	15	3
MalesFemales	1,015 1,380	21 13	27 50	20 52	44 93	58 138	108 163	116 185	146 184	165 169	151 157	84 106	49 50	18 10	7 8	1 2
Diagnosis reasonably certain. ${M \choose F}$	498 854	11 10	20 38	13 40	26 75	37 95	53 112	62 125	69 112	64 77	67 74	28 51	30 31	13	5 6	
White	2,379	32	76	70	135	193	270	300	329	331	308	190	99	28	15	3
Males	1,010	19	27	20	44	57	108	116	146	163	151	84	49	18	7	1
Females. Diagnosis reasonably certain $inom{M}{\mathrm{F}}$.	1,369 495 850	13 10 10	49 20 37	50 13 40	91 26 74	136 36 94	162 53 112	184 62 124	183 69 112	168 63 77	157 67 74	106 28 51	50 30 31	10 13 8	8 5 6	
Colored	16	2	1	2	2	3	1	1	1	3						
Males Females	5 11	2	1	2	2	1 2	1	1	1	2				······		
Diagnosis reasonably certain $\{^{ m M}_{ m F}$.	3 4	1	-		····- <u>î</u> -	1].				î]						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			. I	See note	at head	of this t	able, p. 4	14.]								
,						DEATHS	FROM CA	ANCER (A	LL FOR	(S) AT A	GE OF—					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	日報日
REGISTRATION STATES—Contd.															-	-
MINNESOTA,	1,701	35	52	59	96	133	202	187	226	222	199	162	90	28	10	
MalesFemales	829 872	19 16	17 35	17 42	32 64	69 64	88 114	95 92	109 117	119 103	100 99 42	100 62	44 46	13 15	7	
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	406 519	9 11	14 29	14 31	19 52	40 49	50 79	64	60 65	52 53	42 37	32 22	19 17	6 8	5 2	
White	1,696	34	52	58	96	133	202	- 187	224	222	199	161	- 90	28	10	
MalesFemales	828 868	19. 15	17 35	17 41	32 64	69 64	88 114	95 92	108 116	119 103	100 99 42	100 61	44 46	. 13	7 3	
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	406 519	9 11	14 29	14 31	19 52	40 49	· 50 79	44 64	60 65	52 53	. 37	32 22	19 17	6 8	5 2	
Colored.	. 5	1		1	<u></u>				2			1	ļ <u></u>			<u></u>
MalesFemales	1 4	i		····i					1			i				
Diagnosis reasonably certain $\{^{M}_{\mathrm{F}}\}$																
Missouri	2,326	50	85	82	153	180	282	290	296	302	270	182	114	24	13	3
Females	978 1,348 534	20 30 12	29 56 24	22 60 14	37 116 23	65 115 50	118 · 164 68	126 164 80	125 171 64	- 159 143 70	122 148 48	88 94 46	50 64	11 13	5 8	1 2
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	870	19	40	49	94	95	131	103	, 111	83	62	38	27 32	6	4 5	2
White	2,233	17	74	75	149	168 61	271 114	279	284	297	262	177	111	24	`13	3
Females Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} & \mathbf{K} \end{array} ight.$	1,288 518	29	25 49 22	21 54 13 44	37 112 23 90	107 50	157 - 68	123 156 78	119 165 60	157 140 69	118 144 46	86 91 45	50 61 27	11 13 4	5 8 4	1 2
Colored	827	19	34	44	90	88	126	99	108	81	60	36	29	6	5	2
Males	93	4 3	11 4	1		12	11	11 3	6	. 5	8	5	3			
Females	· 60	3 1 3	7 2	6 1	4	. 8	7	8 2	6	3	4 2	2 3 1	3			
MONTANA	43 223	6	6 9	5 13~	4 16	7 25	5 26	4 27	3 37	2 16	2 20	2 15	3		·····	
Males	107	. 3	4	5	5	10	11		19		10	8			1	
Females Diagnosis reasonably certain $\{rac{M}{F}\}$	116 - 67 74	3 3 1	5 4 5	8	11 2 7	15 5	15 6	16 11 10	18 10	11 5 6	10 6	7 7	4 5 4	2 1	1	
White	218	6	9	13	16	~ 14 25	13 25	5 26	8 36	1 15	5 20	2 14	2 9	. 3	1	
Males	106	3	4	5	5	10	11		18	11	10	-8	4 5	\ 1		
Females Diagnosis reasonably certain ${ m M}_{ m F}$	112 , 66 , 72	3 3 1	5 4 5	8 3 8	11 2 7	15 5 14	14 6 12	16 10 10 4	18 9 8	4 6 1	10 6 5	6 7 2	5 4 2	2 1 2	1	
Colored	. 5			·····			1	1	. 1	1		1				
MalesFemales	1 4		•••••		•••••		1		1							
Diagnosis reasonably certain ${f M}$	1 2			• • • • • • • • • • • • • • • • • • • •			1	1	1	1		1				
New Hampshire	442	3	7	16	18	38	54	47	55	47	59	52	28	12	4	2
Males. Females	142 300	1 2	7	5 11	6 12	9 29	11 43	19 28	20 35	13 34	22 37	21 31	10 18	3 9	1 2	1 1
Diagnosis reasonably certain $\left\{egin{array}{c} M \\ F \end{array} ight.$	64 187	\ 1 2	····-5	1 10	. 2	29 6 22	43 5 33	28 9 19	9 22	9 18	6 19	8 11	4 8	26	1 3 1 2	1
White	440	3	7	16	18	. 38	54	47	55	47	59	52	27	12	_ 4	1
Males. Females.	141 299 63	1 2	7	5 11	6 12	9 29	11 43 5	19 28 9	20 35	13 34	22 37	21 31	10 17	3 9	1 3	i
Diagnosis reasonably certain $\left\{egin{matrix}M\dots\\F\dots\end{array} ight\}$	187	1 2	5	10	9	6 22	33 33	9 19	, 9 22	9 18	6 19	31 8 11	8	6	1 2	<u>i</u> ·
ColoredMales	2												1			11
Females	1												1			<u>i</u>
New Jersey	2,223	37	52	. 83	139	210	275	287	. 323	294	251	139	93	30	10	······ ,
Males. Females	859	23 14	14	20	41	57	94	116		135	105		39	11	5	
Diagnosis reasonably certain. $\{^{M}_{\mathbf{F}}\}$	·1,364 370 · 808	14 12 7	38 7 31	63 11 49	98 21 68	153 29 -117	181 47 121	171 52 102	140 183 63 87	159 44 82	146 44	59 80 19 42	54 14	19.	5	·····
White	2,163	37	49	77	137	199	267	280	315	287	71 245	138	19 92	30	2 10	
MalesFemales	845 1,318	23	14 35	19 58	40 97	56 143	91 176	113 167	139 176	132 155 43	104	59 79	39	11.	5	
Diagnosis reasonably certain $\{ {f M} \cdot {f J} \}$	366 774	23 14 12 7	35 7 28	58 11 44	21 67	28 109	47 117	51 99	63 83	43 80	- 141 43 69	19 41	53 14 18	19 6 10	5 1 2	•••••
35030°—16——4																

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					at nead			NCER (A)	LL FORM	S) AT AG	E OF-					· E
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION STATES—Contd.											,					
New Jersey—Continued. Colored.	60		3	6	2	11	8	7	8	7	6	1	1			
Males	14 46			1 5	1 1	1 10	3	3	1	3	1					
Females Diagnosis reasonably certain ${M \choose F}$	40 4 34		3 3	5	1	1 8	5 4	1 3	7 4	1 1 2	5 1 2	1 1	1 1			
New York.	8,907	168	299	385	580	873	1,090	1,187	1,170	1,108	946	622.	323	113	38	5
Males Females	3, 568 5, 339	90 78	115 184	100 285	172 408	289 584	429 661	509 678	501 669	492 616	419 527	264 358	125 198	49 64	13 25	1 4
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	1,863 3,359	65 52	73 156	64 234	116 318	168 437	260 458	255 423	246 370	231 323	173 266	119 153	52 108	28 39	13 19	3
White	8,791	166	287	370	572	864	1,073	1,173	1,162	1,095	941	612	321	113	38	4
Males Females	3, 536 5, 255	90 76	112 175	99 271	171 401	285 579	425 648	501 672	499 663	489 606	418 523	260 352	125 196	49 64	13 25	4
Diagnosis reasonably certain $\{F: \}$	1,853 3,208	65 51	72 148	63 222	116 311	167 433	260 448	251 419	246 367	228 318	173 262	119 151	52 107	28 39	13 19	3
Colored	116	2	12	15	8	9	17	14	8	13	5	10	2			1
Males Females	32 84 10	2	3 9	1 14	1 7	5	4 13	8	2 6	3 10	1 4	6	2	-		1
Diagnosis reasonably certain $\left\{egin{array}{c} M. \\ F. \end{array} ight\}$	61	i	1 8	$\frac{1}{12}$	7	1 4	10	4	3	3 5	4	2	i			•••••
NORTH CAROLINA 1	273	8	14		27	31	40	30	46	33	9	10	7	4	1	·····
MalesFemales	72 201 35	3 5 2	10 3	$\begin{smallmatrix} 3\\10\\2\end{smallmatrix}$	• 23 2	3 28	8 32 3	10 20 7	15 31 7	13 20 3	2 7	6 3	2 5 2	1 3 1	1	· · · · · ·
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array}\right\}$	145	3	9	10	20	18	27	18	15	12	5	3	2	2	1	· · · · · ·
White	190 53	6	3	$\frac{5}{1}$	16	15	22	23	11	12	7	3	6	1		 .
Females. Diagnosis reasonably certain $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{array}\right.$	137 25	3 3 2	6 2	4 1	14 1	13	19 1	15 6	29 4	16 3	5	5 2	4 2 2	3	1	
Colored	90 83	1 2	6 5	4 8	11 11	6 16	15 18	13	14 6	10 5	3 2	2 2	$egin{array}{cccc} 2 & & & & & & & & & & & & & & & & & & $	2	1	···· :
Males	19		1	2		10	5	2	4	$\frac{3}{1}$						
Females	64 10 55	2	1	6	9 1 9	15	13 2	5 1	2 3	4	2 	1	1			
Oerro.	4,176	63	3 113	6 167	267	12 314	12 454	5 516	1 536	2 564	523	335	204	95	25	
Males	1,660	40	37	40	74	101	164	194	236	261	242	136	84	42	9	
Females	2,516 813 1,603	23 25 15	76 19 59	127 24 99	193 39 153	213 53 172	290 94 210	322 102 224	300 112 179	303 119 160	281 95 141	199 60 90	120 42 67	53 26 25	16 3 9	····
White	4,080	62	110	155	256	302	441	510	523	553	517	330	203	94	24	
Males	1,632 2,448	40 22	37 73	36 119	71 185	99 203	162 279	194 316	233 290	254 299	239 - 278	133 197	83 120	42 52	9 15	
Diagnosis reasonably certain $\left\{ egin{array}{c} M \\ F \end{array} \right]$	806 1,555	25 15	19 56	23 93	39 146	51 165	94 199	102 218	112 175	117 158	95 139	58 90	42 67	26 25	3 9	
Colored	96	1	3	12	11	12	13	6	13	11	6	5	1	1	1 ·	
MalesFemales	28 68	i	3	4 8	3 8	2 10	2 11	6	3 10	7	3 3	3 2	1	i	i	
Diagnosis reasonably certain $\{_{ m F}^{ m M}$.	7 48		3	1 6	7	2 7	 11	6	4	2 2	2	2				
PENNSYLVANIA	5,997	111	194	266	399	546	683	760	786	781	656	463	218	98	31	5
Males Females	2,304 3,693	58 53	50 144	70 196	102 297	189 357	263 420	291 469	335 451	352 429	284 372	184 279	82 136	29 69	13 18	2
Diagnosis reasonably certain $\{\stackrel{M}{F}$.	1, 131 2, 325	41 39	34 114	$\frac{40}{154}$	60 232	106 252	125 299	156 308	157 269	150 225	116 182	66 126	51 68	18 45	10 10	1 2
White	5,807	103	189	251	380	505	657	740	771	766	645	456	214	96	29	5
Males Females. Diagnosis reasonably certain. {M F	2,241 3,566 1,108 2,233	56 47 40 34	49 140 34 111	66 185 37 147	95 285 57 222	176 329 101 233	256 401 123 285	282 458 152 299	329 442 156 262	348 418 149 217	278 367 114 178	182 274 66 123	81 133 50 68	29 67 18 43	12 17 10 9	2 3 1 2
Colored	190	8	5	15	19	41	26	20	15	15	11	7	4	2	2	
$egin{array}{ll} egin{array}{ll} egi$	127	2 6 1 5	1 4 3	· 11 3 7	7 12 3 10	13 28 5 19	7 19 2 14	9 11 4 9	6 9 1 7	4 11 1 8	6 5 2 4	2 5 3	1 3 1	2 2	1 1	

¹ Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	 ,		L	266 11016	at nead	or this is	p. 4	4.]								_
					I	EATHS E	ROM CAL	NCER (AI	L FORM	S) AT AG	E OF— .					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	35 to 39 years.	40 to 44 years.	45 to . [49] years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to • 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 year. and over.	Deaths at un- known age.
REGISTRATION STATES—Contd.	,					•										Ī.
RHODE ISLAND	539	10	11	19.	33	50	72	73	74	71	54	. 45	19	7	1	
MalesFemales	196 343	2 8	4 7	3 16	11 22	20 30	28 44	28 45	. 27 . 47	31 40	23 31	12 33	4 15	. 2	1	
Diagnosis reasonably certain $\{^{ m M}_{ m F}$.	102 220	1 7	2 5	3 15	8 20	• 11 • 22	12 29	45 17 32	9 25	19 19	11 18	33 5 13	2 11:	2 4		
White	530	9	10	19	32	48	· 71	72	73	70	54	45	19	7	1	
Males: Females	194 336	1 8	4 6	3 16	10 22	20 28	28 43	28 44	27 46	31 39	23 31	12 33	4 15	2 5	1	
Diagnosis reasonably certain ${M \choose F}$	101 218	7	4 6 2 5	3 15	20	28 11 21	12 28	17 32	9 25	19 19	11 18	33 5 13	2 11	2 4		
Colored	. 9	1	1		1	2	1	1	1	1		 				;
MalesFemales	2 7	1	<u>i</u>		1	2	i	₁	1	1						
Diagnosis reasonably certain $\{^{ m M}_{ m F}$	i	i				<u>~</u>	<u>i</u> -					[]				
UTAH	190	`7	. 4	9	11	20	27	• 29	- 26	21	18	11	7			
MalesFemales	94 96	5 2	1 3	3	3 8		13 14	12 17	18	9 12	13 5	. 5 . 6	4 3			
Diagnosis reasonably certain $\{_{\mathbf{F}}^{\mathbf{M}}$	41 61	3 - 2	1 3	6 3 5	8 2 6	4 7	8	5 12	18 8 4 5	4	- 4 3	2	3			
.White	185	7	. 4	9	11	16	27	, 28	26	21	18	11	. 7			
Males	91 94	5 2	1	3	3 8	5 11	13	12 16	18 8	9	13	5 6	4 3			
Females	40 61	. 3	3 1 3	6 3 5	2	3 7	14 8 9	5 12	4 5	12	5 4 3	2	3			
Colored	5					4		1								
Males	3					3										
Females	2 1					1		1								
VERMONT	397	9	8	10	11	12	28	53	41	51	67	45	38	18	4	2
Males		4			3 8	3		24	15	24	31	18.	17	 7		<u>_</u>
Females	159 238 88	. 5 3 5	1 7 1 4	3 7 1	2	9 2 7	22 2	29 10	26 6	27 16	36 20	27	21 12	11 3	2 2 2	1
White	145 396	9	8	6 10	7	12	17 28	19 53	16 41	16 51	16 66	15 45	11 38	4 18	4	2
Males	158	4			3	3	6	24	15	24	30	18	17	7	2	
Females	238 87	5 3 5	7 1	3 7 1	8 2	9 2 7	22 2	29 10	26 6	27 16	36 19	27	21 12	11 3	2 2	1
(· ·	145	5	4	6	7	. 7	. 17	19	16 	16	16 1	15	11	4	2	
Colored	1										1					
. Females	<u>î</u>										<u>-</u>					
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots & M \\ F & \dots & M \end{array} \right.$																
VIRGINIA	1,051	24 12	36	50 16	17	81	108	121 46	137	126 46	128 66	. 84	18	12	- 8 3	1
$egin{array}{ll} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} & ext{M} & ext{F} & ext{.} \ \end{array}$	661 189	-12 7 7	30 5 23	34	60	16 65 7	71	75 1 13	58 79 28 53	80 19 50	62	37 47 20	18 25 10 18	15	5 2	i
****	440	lł .	1	28	, 49	43	24 53	49			22 30	20 22	1	11 10	5	
White	767	15	16	26	42	- 49	70	87	101	102	110	_ 76	41	24		
Males	324 443 165	9 6 5	5 11 4	10 16 5	. 12 30 10	12 37 5	28 42 19	37 50 12	47 54 25 37	38 64 17	59 51 21	35 41 20	17 24 9	12 12 11	3 5 2	
Diagnosis reasonably certain $\{ F : $	286	3	9	14	23	23	32	33	37	41	22	19	17	8	5	
Colored	284	9	20	24	35	32	38	34	36	24	18	8	, 2	3		1
Males Females	66 218	3 6	19	18	30	28 2	9 29	· 9	11 25 3	16 16	11	6	1	3		<u>`i</u>
Diagnoşis reasonably certain $\left\{egin{aligned} \mathbf{M} \cdot \mathbf{R} \cdot R$	24 154	2 4	14	2 14	26 26	20	5 21	1 16	. 16	9	1 8	3	.1	2		
Washington	^ 871	18	25	36	- 51	82	119	120	120	104	84	59	42	7	1	3
MalesFemales	446 425	12 6	10 15 9	17 19	18 33	26 . 56 . 14	57 62 34	59 61	72 48 39 33	66 38 31	42 42 17	32 27 15	· 27 15 14 7	6	····i	2
Diagnosis reasonably certain. $\{^{ m M}_{ m F}$:	242 300	- 8 - 6	13	13 17	30 30	· 14	34 47	35 43	39 33	31 21	17 24	15 12	14 7	2 1		2
White	865	18	25	36	50	82	117	119	120	104	84	58	41	7	. 1	3
MalesFemales	442 423	12 6	10 15	17 19	17 33	26 56	56 61	59 60	72 48 39 33	. 66 38	42 42 17	31 27 15 12	26 15 13 7	6	<u>1</u>	2
Diagnosis reasonably certain. $\left\{egin{smallmatrix} M \\ F \end{array} ight.$	240 298	! 8	9	13 17	- 9	14 46	33 46	35	39 33	31 21	17 24	15 12	13 7	1 2 1	····	2

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	EATHS F	ROM CAI	NCER (AI	L FORM	S) AT AG	E OF-					at un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to • 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	eaths
REGISTRATION STATES—Contd.																
Washington—Continued.	6				1		2	1				1	1			
MalesFemales	4 2				1		1 1	i				1	1			
Diagnosis reasonably certain. $\{^{ m M}_{ m F}$	2 2						1	1					1			
Wisconsin	1,985	35	37	52	86	130	209	263	247	301	259	187	117	49	12]
MalesFemales	948 1,037	20 15	12 25	19 33	30 56	47 83	91 118	124 139	132 115	150 151	130 129	105 82	66 51	19 30	2 10	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	394 596	14 12	6 20	11 24	13 43	28 70	41 83	51 83	52 66	59 67	48 52	38 32	22 22	9 16	2 6	
White	1,976	35	37	51	86	130	209	262	245	299	259	186	116	48	12	-
$egin{array}{ll} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M}. & ext{F}. & ext{The second of the second $	1,029 394 590	20 15 14 12	12 25 6 20	19 32 11 24	30 56 13 43	47 83 28 70	91 118 41 83	124 138 51 83	131 114 52 65	150 149 59 65	130 129 48 52	105 81 38 31	66 50 22 21	19 29 9 15	10 2 6	
Colored	9			1				1	2	2		1	1	1		
MalesFemales	1 8			1				i	1	2		1	i	·····i		
Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{array} ight]$	6								1	2		1	1	1		
REGISTRATION CITIES. ALABAMA.1																
Registration cities	159	6	16	11	14	20	20	15	15	16	6	13	4	2		. 1
Males	53	1	5	2	2	8	10	4	7	6	3	3		1		. 1
Females Diagnosis reasonably certain. ${ m M}_{ m F}$	106 41 81	5 3	11 4 9	9 2 7	12	12 7 9	10 6 9	11 4 6	8 6 7	10 6 9	3 2. 3	10 2 6	4	1 1		j
White	115	3	11	6	10	10	15	12	12	14	4	12	3	2		. 1
$egin{array}{c} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} & ext{M}. & ext{F}. & ext{F}. & ext{F}. & ext{T}. & ext{F}. & ext{T}. & $	44 71 34 55	1 2 2	3 8 2 8	1 5 1 4	9 8	5 5 4 5	9 6 6 5	4 8 4 4	6 6 5 5	6 8 6 7	3 1 2 1	3 9 2 5	3	1 1 1		,
Colored	44	3	5	5	4	10	5	3	3	2	2	1	1			
Males Females	9 35	3	2 3	1 4	1 3	3 7	1 4	3	1 2	2	2	i	1			
Diagnosis reasonably certain. $\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \}$	7 26	·····i	2	1 3	3	3 4	4	2	1 2	2	2	1	1		•••••	
Birmingham	77	2	9	5	9	9	12	8	9	5	2	3	2	1		1
$egin{array}{c} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} & ext{F} & ext{.} \end{array}$	26 51 19 40	1 1 1	1 8 1 7	5	1 8 8	5 4 5 3	6 6 3 5	1 7 1 4	4 5 3 5	3 2 3 2	1	1 2 1 1	2	1		
White	56	2	6	2	6	4	10	7	7	4	2	2	2	1		
$rac{ ext{Males.}}{ ext{Fomales}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	20 36 14 28	1 1 1	6 6	2	6	2 2 2 2	6 4 3 3	1 6 1 3	3 4 2 4	3 1 3 1	2 1	1 1 1	2			1
Colored	21		3	3	3	5	2	1	2	<u> </u>		1				
MalesFemalesDiagnosis reasonably certain. M - F	6 15 5 12		1 2 1 1	3	$\frac{1}{2}$	3 2 3 1	2	1	1 1 1 1	1		1				
Mobile	52	3	- 5	5	2	6	5	2	4	9	3	7	1			
Males Females Diagnosis reasonably certain. $\{M, \}$	21 31 18 23	3	2 3 2 2	2 3 2 3	1 1	3 3 2 2	. 3 2 3 2	1 1 1	3 1 3 1	3 6 3 5	1 2 1 2	2 5 1 4	i			
White	41	1	4	3	2	5	4	2	3	8	1	7	1			
$egin{array}{ccc} ext{Males}. & ext{Females}. & ext{M.} \ ext{Diagnosis reasonably certain.} iggl\{ rac{M}{F}. & ext{T.} \end{matrix}$	20 21 17 17	1	2 2 2 2 2	1 2 1 2	1 1	3 2 2 2 2	3 1 3 1	1 1 1	3	3 5 3 4	1	2 5 1 4	i			
Colored	11	2	1	2		1	1		1	1	2					
$egin{array}{ll} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} & ext{F} \ \end{array}$	1 10 1 6	2	1	1 1 1		1	1		1	1	2					

 $^{^{\}mbox{\scriptsize 1}}$ Nonregistration state; cities shown below only those with effective local ordinances.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

`					1	DEATHS I	PROM CAI	NCER (A	LL FORM	S) AT AG	E OF—				-	ф. 36-ш
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to - 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	표표
REGISTRATION CITIES—Contd.										-			*~			
ALABAMA 1—continued.								,						'	1	
Montgomery 2	⁄30	1	. 2	1	3	5	3	5	2	2	1	3	1	1		
Males	6 24	i	2	_i -	3	5	1 2	2 3	2	2	_i .	3	_i .	1		
Diagnosisreasonably certain $\left\{ \begin{array}{l} M \\ F \end{array} \right\}$	· 18	<u>i</u> -	1	i	2	4	2	2 2	1	2	<u>.</u>	i	1	1		
White	18	ļ	1	1	2	1	1	3	2	2	1	3		1		
MalesFemales	4 14		1	<u>î</u>	2	i	·····i	2	2	<u>-</u> 2		3		1		
Diagnosis reasonably certain. ${rac{M}{F}}$	3			<u>î</u> -	<u>.</u>	<u>i</u>	1	. 1	<u>-</u> -	2	···=	i		1		
Colored	12	1	1	} 	1	4	2	2					1			
Males	2		1		i	4	1	2								
Females. Diagnosis reasonably certain. ${M \choose F}$	10 1 8	1 1	i		<u>-</u>	3	1						i			
CALIFORNIA.	٥				-	.	-	-		,		,	*]		
Registration cities	1,754	18	69	81	119	179	232	220	227	222	193	121	52	15	6	
Males Females	782 972	8 10	31 38	24 57	46 73 30	65 114	97 135	- 95 125	125 102	108 114	87 106	58° 63	29 23 15	7 8	2 4	
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	464 684	3 9	38 25 33	19 43	30 59	41 94	61 104	. 58 96	. 75 68	62 69	41 56	30 35	15 10	3 6	1 2	
White	1,720	17	66	77	115	178	222	219	219	220	193	121	52	15	6	
Males Females	761 959	7 10	31 35	23 54 18	43 72	65 113	91 131	9 1 125	118 101	106 114	87 106	58 • 63	29 23	7 8	2 4	
Diagnosis reasonably certain ${M \choose F}$	456 674	3 9	25 31	18 41	28 58	41 93	61 101	58 96	70 67	62 69	41 56	30 35	15 10	3 6	1 2	
Colored	34	1	3	4	4	1	10	1	8	2	 					
Males	21	1		1	3		6	1	7	2				.,		
Females Diagnosis reasonably certain ${M \choose F}$.	- 13 - 8		3	3 1 2	1 2 1	1 1	4		.1 5 1							
Los Angeles.	10 443	4	21	20	33	38	69	61	48	65	51	21	7	4	1	===
Males	172	l	10	4	10	11	25	·	\ <u></u>	26	18	- 9	5	 	1	
Females	271 109	3 1	11 8	16 3	23	27	44 19	26 35 16	22 26 10	39 18	33	12	2 3	2 2		
Diagnosis reasonably certain. $\left\{egin{matrix} M & \cdot \\ F & \cdot \end{array} ight\}$	180	1	8	10	19	23	33	25	13	23	19	4	1	1		
White	436	3	20	20	32	38	67	61	46	65	51	21	7	4	1	
MalesFemales	167 269	$\begin{vmatrix} 2\\1 \end{vmatrix}$	10	16	23 6	11 27 8	24 43 19	26 35 16	20 26 8	26 39 18	18 33 11	12 6	5 2 3	2 2	1	
Diagnosis reasonably certain ${ m M}$.	106 178	i	8 7	3 10	19	23	32	25	13	23	19	4	ı	i		
Colored	7	1	1	<u></u>	1		2		2					<u></u>		
Males Females	5 2	1	_i -		1		1		2							
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	3 2		_i .		1		i		2							
Oakland	170	2	4	8	11	15	19	21	21	17	23	18	9	í	1	
Males.	61	1	2 2	2	2 9	3 12	3 16	10 11	7	10	9	. 8	4 5	i		,
Females	109 39 75	1	1 2	6 2 6	1 6	1 9	10 2	8 8	14 3 11	8 6	14 5 7	6	1 3			
Pasadena	53	1		1	3	2	. 4	- 7	5	9	. 8	5	4	2	2	
Males. –						1			1	3	5	3	1	2	1	
Females	36 10	1		1	.3	1	4	7	1	- 6 2	3	2		2	1	
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{F} & \cdot \\ \mathbf{F} & \cdot \\ \cdot & \cdot \\ $	24	1		1	2	1 7	2	6	3	4	3		1			
Sacramento	65		5		3 2	7	6	8 4	13	5	6	7	2			
<u> -</u>	32		3		1 1	. 6	2 2	4 4	7	1 3	4		2 1			
Males Females	33		1 1	l							1					1-7
. Males	33 20 23		1 3		ĩ	5	1	4	4	1	2	2			.	
Males Females	33 20 23 85			1	5	6	11	8	13	15	9	6	8			
Males Females Diagnosis reasonably certain.	33 20 23		3	1	1	-	ĺ	l		l	1	6 2 4	4			

¹ Nonregistration state; cities shown below only those with effective local ordinances.

 $^{^{2}}$ The only other registration unit; shown in order to complete the state.

MORTALITY FROM CANCER.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					D	EATHS F	ROM CAN	VCER (AL	L FORMS	S) AT AG	e of—		· · · · · · · · · · · · · · · · · · ·			i .
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
REGISTRATION CITIES-Contd.																
CALIFORNIA—continued.																
San Francisco	576	8	24	38	53	78	79	. 59	77	56	54	35	9	4	2	
MalesFemales	292 284	4 4	11 13	16 22	24 29	37 41	38 41	29 30	51 26	33 23	26 28	17 18	5 4	1 3	2	
Diagnosis reasonably certain $\left\{egin{matrix}M & \cdot \\ \mathbf{F} & \cdot \end{matrix} ight.$,186 208	2 4	11 11	14 17	16 23	22 31	26 34	19 25	37 16	16 13	13 15	7 13	3 2	3	1	
White	563	8	23	34	52	77	76	59	74	56	54	35	9	4	-2	
MalesFemales	286 277	4 4	11 12	15 19	24 28	37 40	3ს 40	2.J 30	48 26	33 23	26 28	17 18	5 4	1 3	2	
Diagnosis reasonably certain. $\left\{egin{matrix} ext{M}\ ext{F}\end{array} ight.$	183 203	2 4	11 11	13 15	16 22	22 30	26 33	19 25	35 16	16 13	13 15	7 13	3 2	3	<u>i</u> -	
Colored	13		1	4	1	1	3		3		ļ 				 	
Males	6 7			1 3	i	i	2 1		3							
Females	3 5		1	1 2	1	i	1		·····2							
Other cities	362	3	12	13	11	33	44	56	50	54	42	29	11	4		
Males	169		6	2	5	11	24	~23 33	28 22	ļ		15		2 2		
Females	193 83	3	6 4	11	6 2	$\frac{22}{7}$	$\frac{20}{12}$	11	14	25 29 13	20 22 7	14 7	5	1		
•	139	3	6	8	6	20	17	24	18	15	10	9	1	2		
COLORADO.	000	5	15	13	28	25	43	38	38	36	25	11	11	3	,	
Registration cities	293	2	15	6	10	9	15	16		18	10	5	7		$\frac{2}{1}$	
Males	170 76	3 2	14	7 6	18	16 6	28	22 12	22 16 8	18 10	. 15	6 5	3	1 2 1	1 1	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} ight.$	121	1	8	7	15	12	20	17	10	11	13	5	1	1		
White	281	5	15	12	26	23	42	37	35	35	25	10	11	3	2	
MalesFemales	121 160	2 3 2	1 14	6	10 16	9 14	14 28	16 21	21 14	18 17	10 15	5 5	7 4	1 2 1	1	
Diagnosis reasonably certain. $\{rac{M}{F}$:	76 117	1	. 1	6	9 14	6 11	6 20	12 16	8 10	10 11	6 13	5 5	3 1	i	1	
Colored	12			1	2	2	1	1	3	1		1		<u>-</u>		
Males Females	. 10			i	2	2	1	i	1 2	i		i				····
Diagnosis reasonably certain. $\left\{egin{matrix} M \\ F \end{array} ight.$	4			i	i	i		i								
Denver	222	4	8	9	22	17	37	29	28	29	19	7	9	3	1	
MalesFemales	94 128	2 2	8	5 4	7 15	7	13 24	11 18	18 10	11 18	8	3 4	7 2	1 2	1	
Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	55 92	2	4	5 4	6 12	5 8	5 17	8	7	5 11	10	3 4	3		i	
Other cities.	71	1	7	4	6	8	6	9	10	7	6	4	2	ļ	1	
Males	. 29	ļ	1 6	1 3	3	2	2 4	5	4	7	2	2'				
Females Diagnosis reasonably certain. ${ m M} \cdot { m F}$	42 21 29	1	1	3 1 3	3 3 3	2 6 1 4	1 3	4 4 3	6	5	2 4 2 3	2 2 1	2		1	
CONNECTICUT.	29	1	4	•	3	. 4	3		4		·	1				
Registration cities	717	12	25	20	43	74	83	103	105	78	76	58	24	14	2	
Males	271	5	8 17	9	11		23 60	ļ	43	34	32	16	12 12	6		
Females	446 136	7 2	17 4 12	11 5	32	32 42 18 33	16	40 63 19	62 20 36	44 20 25	12 22	42 10	12 2 3	8	2	
`	290	6		11	25	i	45	41				23	ł	6	2	
White	699	11	24	19	40	72	80	102	102	78	76	56	24`	13	2	
Males	. 267 . 432 . 135	5 6 2	8 16 4	11 5	10 30 7	32 40 18	- 23 57 16	40 62 19	41 61 19	34 44 20	32 44 12	16 40 10	12 12 2	7	2	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	278	5	11	11	23	31	42	40	35	25	22	22	3	6	- 2	
Colored	. 18	1	1	1	3	2	3	1	3			2		1		
Males Females	. 4	i	i	1	1 2	2	3	i	2 1			<u>2</u>		·····i		
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	1 12	····i	1		2	2	3	····i	1 1			1				
Bridgeport	97	3	6	5	6	11	11	13	19	11	6	4		1	1	
Males	40 57	1 2	4 2	3 2	4 2	5 6	2 9	5 8 3	5 14	6 5 3	4 2	1 3		<u>ı</u>	····i	
Diagnosis reasonalby certain. $\left\{ egin{matrix} M \\ F \end{array} ight.$	19 27		. 2	3 2	2	1 3	1	3	3 6	3 2	ĩ			<u>-</u> -	\	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

•					D	EATHS F	ROM CAN	CER (AL	L FORMS	AT AG	E OF—				~	Ė
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to . 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	证
REGISTRATION CITIES—Contd.												,	_			
connecticut—continued.									, ~		-				,	
artford	132			4	11	15	21	18	17	12	11	12	4	. 1		<u>-</u>
MalesFemales	56 76	$-\frac{2}{1}$	3	1 3	5 6	8 7	7 14	8 10	7 10	5 7	. 4	5 7	· 3	1		-
Diagnosis reasonably certain ${M \choose F}$	37 57	2 1	3	3 1 3	5 5	6 5	5 10	5 6	4 7	2 6	3 5	3 6	• 1			: -
ew Haven	164	2	4	4	11	22	15	24	23	17	. ,23	10	4	· 5		- -
Males	57 107	1	2 2	1	1	7 15.	3	6	13	9	- 8	2	2	2 3		- -
FemalesDiagnosis reasonably certain. ${ m M}_{ m F}$.	107 30 73	1	1	3	10	4	12	18 3	10- 8	8 6	- 15 2	8 1	2 1	1		- -
•		1	2	3	9	13	10	12 12	8	5 3	5	3		2		1
aterbury	57	1	3	3	2	6	7	7	8 5		2	4	5	1		- -
Males Females	22 35 8		2	2 1 1	2	1 5 1	6	5 2	3	3	1	4	4			- -
Diagnosis reasonably certain $\{F_{i}^{M}\}$	21		2	i	2	4	5	. 3	2 1	1	ļ					- -
ther cities	267	3	9	4	13	20	29	36	38	35	⁻ 34	28	11	6	i	-
MalesFemales	96 171	3	1 8	2 2	1 12	11 9	10 19	14 22	13 25	14 21	14 20	8 20	6 5	2 4	₁	- -
Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	42 112	3	1 5	2	9	6 8	6	6 17	3 14	9	5 12	6	2	3	···· 1	- -
DELAWARE.				_						١.	,					
ilmington	. 81			4	3	9	13	10	12	7	12	9		2		<u>:</u>
MalesFemales	33 48			2 2	2	5 2	9	3 7	10	3 4	8 4	5		1		: :
Diagnosis reasonably certain. $\{^{ m M}_{ m F}$	8 38			·····i	····i	5	8	1 4	8	4	2 3	1 4		1		: :
White	75			4	2	8	11	10	11	7	11	9		2		-
Males	. 31			2	1	3	4 7	3	2	3	- 8	4		1		-
Females	44 7			2	1	5 1	1 7	7	9	4	2	5		1		-
(. 36			1	1 1	5 1	2	4	8	4	1	. 4				1
Colored. Males.	6				1	1					-					╬
Females	4				ļ	·····i	2		i		1					- -
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	2						i				1					-[
DISTRICT OF COLUMBIA. Vashington	355	7	19	15	29	31	42	38	33	55	37	34	14	1		. .
Males.	144		5	6	9	8 23	14	14	16		19	13	5	1		- -
Females	211 73 137	4 3 3 2	14	9 4 8	20 5	4	28 - 7	24 7	17 8	30 25 14	18 9	21 7	9 2			: :
V	1		9	ł	16	14	18	15	10	17	11	12	5			- ·
White	271	7	12	7	19	22	25	25	27	46	35	31	14	1		4
Males Females	112 159 61	3 3	8	5	8 11	16	18	17	11 16	26 20 13	18 17	12 19	9	1		1
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	104	2	3 5	5	10	3 10	3 12	. 6	7 10	13	8 10	17	2 5			: :
Colored	. 84		7	8	10	9	17	13	6	9	2.	3			:	-
MalesFemales	. 32		1 6	4 4	1 9	7 1	7 10	'6 7	5	4 5 1	. 1	1 2				-
Diagnosis reasonably certain ${M \choose F}$	32 52 12 33		4	2 3	1 6	i	4 6	- i	î	1 4	· · i		<i></i>			- -
FLORIDA. ²						_	ľ	. ~		_		-				T
egistration cities	. 72	2	11	5	7	15	9	8	8	- 4	8	3	2			- -
MalesFemales	26 46 16 38	2	_i	2 3	5 1	4 11	1 8 -1	5 3	4 4	1 3	2 6	\ \bar{2}{1}	1			:
Diagnosis reasonably certain. ${M \choose F}$	16 38		····i	3	· 1	11 11	1 6	. 2	3 4	2	2 3	2	1			
White	58		1	3	4	14	8	8	6	4	5	3	2			
Malés				2 - 1	<u> </u>	4		5	4	1	2 3	2	1			1
_ Females	23 35 16 29		1	- 1 1 1	1 3 -1 3	10 4 10	1 7 1 5	3 2 2	2 3	3] 2	1 2	1			: :
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} ight\}$	1		· 1	1		1		2	2	2	2		. 1		- -	· ·
Colored	. 14	2		2	3	1	1		2		3					- -
Males Females	3 11	2		2	2	i	i		2		3					: :
Diagnosis reasonably certain. $\{^{ m M}_{ m F}$		11	1	1	1	i	i	1	Ī	1	I	1	1 '	ı		٦.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

,					at head			NCER (A	LL FORM	S) AT A	GE OF—				<u></u>	at un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at known ag
REGISTRATION CITIES—Contd.																
GEORGIA.1																
Registration cities	186	6	15	15	13	21	23	25	17	25	13	8	4		1	<u></u>
Males	66 120 41	2 4 1	6 9 3	1 14	13	6 15	8 15	13 12	7 10	12 13	6 7	3 5	2 2		1	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	85	4	8	13	9	5 10	6 9	8 9	3 8	8 7	3 4	3 3	1			
White	139	3	7	8	9	14	15	19	16	25	12	7	4	<u></u>		
Males Females	52 87	2	2 5	8	9	5 9	6 9	9 10	7 9	12 13	5 7	2 5	2 2			
Diagnosis reasonably certain $\left\{ egin{aligned} M \\ F \end{array} \right\}$	31 58	1	5	7	6	7	5 3	7	3 7	8 7	3 4	3	1 1			
Colored	47	3	8	7	4	7	8	6	1		. 1	1			1	
Males Females	14 33	3	4	1 6	4	1 6	2 6	4 2	i		1	1	-	.	_i .	
Diagnosis reasonably certain. $\left\{egin{matrix}M_{-}\\F_{-}\end{array} ight]$	10 27	3	3 3	6	3	1 3	1 6	4 2	i			1				
Atlanta	106	4	11	9	7	11	12	15	10	12	9	3	3			
MalesFemales	36 70	2 2	· 5	9	7	3 8	5 7	6 9	2 8	6 6	5 4	1 2	1 2			
Diagnosis reasonably certain. $\left\{egin{matrix} M & - \\ F & - \end{smallmatrix} ight.$	22 54	1 2	3 6	8	5	2 4	4 5	47	1 7	3 4	3 3	1 1	1			
White	82	2	5	6	5	7	7	13	10	12	9	3	3			
MalesFemales.	29 53	2	1 4	6		3	3	5	2	6	5	1	1			
Diagnosis reasonably certain ${M \choose F}$	17 40	1	4	5	5 4	4 2 2	4 3 2	8 3 6	8 1 7	6 3 4	3 3	2 1 2	$egin{array}{c} 2 \ \dots \ 1 \end{array}$			
Colored	24	2	6	3	. 2	4	5	2								
Males	7		4				2	1								
Females. Diagnosis reasonably certain ${M \choose F}$	17 5 14	$\begin{bmatrix} 2 \\ \dots \\ 2 \end{bmatrix}$	2 3 2	3 3	2	4	3 1 3	1						-		• • • • • • • • • • • • • • • • • • •
Other cities 2	80	2	4	6	1 6	2 10	11	1 10	7	13	4	5	1		1	
Males	30			1 5		3	3	7	- 5	- 6	1	2	- 1			
Females Diagnosis reasonably certain. ${M \choose F}$.	50 19	2	3		6	7 3	8 2	3 4	2 2	7 5	3	3 2	_i .	.	1	- -
White	31 57	1	2 2	5 2	4	6 7	4 8	2	1	3	1	1		-	••••	••••
Males	23				4	2	3	6 4	<u>6</u> 5	13	3	1	<u>1</u>			
Females. Diagnosis reasonably certain ${M \choose F}$	34 14	1	Ĩ	2	4	5 2	5 2	2 1	$\frac{1}{2}$	7 5	3	3	i			
(18	1	1	2	2	5	1	1	•••••	3	1	1				
Colored		1	2	<u>4</u>	2	3	3		1		1	1				
Females	16 5	1	2	3	2	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	3	3 1 3	1		1	1 1			1	
Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \end{aligned} ight.$	13	1	1	3	2	î	3	ĭ	1							
ILINOIS.1	0 000	40			700										_	
Registration cities	2,338	42 25	90	101 28	182 69	270 97	334 147	327	322	257	207	127	49	23	- 6	
Females	1,305	17 16	59 21	73 14	113 38	173 54	187 87	155 172 69	159 163 68	138 119 62	103 104 38	50 77 19	15 34 4	10 13 4	5 1 2	<u>1</u>
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbb{F} \ . \end{aligned} ight.$	826	7	45	59	84	125	138	114	90	61	42	36	18	7		
White	2,278	41	89	98	174	260	320	317	317	250	207	127	49	22	6	1
Females	1, 009 1, 269 479	25 16	31 58 21	28 70 14	65 109 34	93 167	141 179	150 167	156 161	136 114	103 104	50 77	15 34	10 12	5	;
Diagnosis reasonably certain. $\{F\}$	799	16 7	44	57	81	50 120	81 133	68 110	67 88	60 57	38 42	19 36	18	4 6	2	1
Colored	60	1	1	3	8	10	14	10	5	7				1		
Males	24 36	····i	····i	3	4	6	6	5 5	3 2	2 5				····i		
Diagnosis reasonably certain. $\left\{egin{matrix}M & \cdot \\ F & \cdot \end{bmatrix} ight.$	18 27		1	2	3	5	6 5	$\begin{bmatrix} 1 \\ 4 \end{bmatrix}$	$\begin{array}{c c} 1\\2 \end{array}$	2 4				····i		· · · · · ·
Chicago	2, 107	41	82	90	167	250	305	292	292	231	178	107	47	19	6	
Males Females.	948 1,159	24 17	27 55	26 64	66 101	93 157	135 170	142 150	147 145	127 104	91 87	43 64	15 32	7 12	5	
Diagnosis reasonably certain. $\left\{egin{matrix} ext{M.} \cdot ext{.} ext{.} ext{.} \end{aligned} ight.$	452 724	15	19 42	12 50	36 76	51 114	80 124	64 95	60 79	56 53	34 33	16 29	4 16	3 6	2	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Augusta and Savannah.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH-REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					r	EATHS F	ROM CAN	4.] NCER (AI	L FORMS) AT AG	E OF—					a .
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49. years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at m known age.
REGISTRATION CITIES—Contd.																
illinois ¹ —continued.											~-					
Chicago—Continued	2,059	40	81	87	161	240	294	284	288	227	178	107	47	19	6	
MalesFemales	926 1,133	24 16	27 54	26 61	62 99	89 151	129 165 74	138 146	144 144	126 101	91 87 34 33	43 64	15 32	7 12	5 1	
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	435 704	15 7	19 41	12 48	32 74	47 109	74 122	63 91	59 78	55 50	34 33	16 29	4 16	3 6	2	
Colored	48	1	1	3	6	10	11	8	4	4		<u></u>				
Males	22 26	i	1	3	4 2	4 6	6 5	4 4	3 1	1 3						
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array}\right\}$	17 20		i	<u>.</u>	4 2	4 5	6 2	1 4	1	1 3						
Springfield	62	1	5	4	2	5	、 4	10	11	10	4	4	1	, 1		
MalesFemales	20 42	1	3 2	1 3	2	5	· 2	3 7	3	5 5	<u>4</u>	3	1	1		
· Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array} \right\}$	10 26	1	2 1 1	1 3	i	4	1	1 6	2 6	3	2	2	1			
Other cities ²	169		3	7	13	15	25	25	19	16	25	16	1	3		1
MalesFemales	65 104		1 2	1 6	· 3	4 11	10 15	10 15	9 10	6 1 0	12 13	- 6 10	1	2		1
Diagnosis reasonably certain. $\left\{egin{matrix} ext{M}&\cdot ext{F}&\cdot ext{I} \end{aligned} ight.$	35 76		1 2	1 6	, 7	3 7	6 14	4. 13	10 6 5	3 8	. 4 7	3 5	1,	1	•••••	1
indiana.					, ,		İ		-							
Registration cities	765	13	28	39	40	. 74	102	101	96	104	66		29	11	1	1
MalesFemales	243 - 522	2 11	7 21 5	· 30	12 28 7	20 54	32 70	33 68 19	38 58	34 70	26 40	15 45	13. 16	2 9	<u>i</u>	····í
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{F} & \mathbf{F} \end{array}\right\}$	130 330	9	5 16	· 22	7 24	15 43	16 47	19 48	21 26	14 34	11 23	7 21	6 9	. 7		
White	739	13	27	36	40	72	97	96	94	100	64	59	28	11	- 1	1
MalesFemales	238 501	2 11	7 20	9 27	- 12 28 7	20 52	31 66	31 65 18	37 57	34 66	26 38	15 44	12 16	2 9	_i .	<u>i</u>
Diagnosis reasonably certain. $\{_{\mathbf{F}}^{\mathbf{M}}$	128 319	1 9	5 16	7 20	7 24	15 42	16 45	18 · 47	21 25	14 32	11 22	7 20	5 9	1 7		<u>i</u>
Colored	26	ļ	1	3		2	5	5	2	4	2	1	1		<u></u>	
MalesFemales	5 21		<u>i</u>	3		2	1 4	2 3	1	4	2	1	1			
Diagnosis reasonably certain $\{ F : \}$	11			2		i	<u>2</u>	1	, i	<u>2</u>	<u>i</u>	i	1			
Fort Wayne	69	3	2	2	6	6	.7	· 13	8	11	7	2		2		
Males Females.	25 44	3	2	2	1 5	1 5	4 3	7 6	1 7	6 5	3 4	2		2		
Diagnosis reasonably certain. ${\mathbb{F}}$	16 21	72	2	<u>î</u> .	1 4	1 2	1 2	3	3	5	2 2			<u>2</u>		
Indianapolis	265	3	• 9	17	15	24	40	33	36	37	17	20	10	. 3	1	
MalesFemales	· 181	1 2	. 2	3 14	6 9	9 15	9 31	10	19 17	7 30	9	4 16	5 5	3	₁	
Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned}\right\}$	53 120	2	1 6	3 10	9	7 12	6 21	7 16	12 6	30 2 16	5 5	3	5 3 5	2		
White	250	3	9	16	15	23	37	30	36	34	15	19	9	3	1	
MalesFemales	81 169	1 2	2 7	3 13	6 9	9 14	9 28	8 22	19 17	7 27	9	4 15	4 5 2	3	1	٠٠٠
Diagnosis reasonably certain. $\left\{egin{matrix}M\\F\end{matrix} ight]$	51 114	2	1 6	3 9	4 9	7 12	6 20	22 6 16	12 6	27 2 14	6 5 . 4	3 9	2 5	. 2		
Colored	15			. 1		1	3	3		3	2	. 1	1			
MalesFemales	. 3							2		3	2	₁	1		,	
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array} ight]$	12 2 6			1 1		1	, 3 1	1 1		2	, 2 1	1	Ţ			
Terre Haute	. 52	1	3	1	5	7	8	6	9	4	2	5		1		
MalesFemales	14		. 2		1	2	2 6	1 5	,2 7	1 3	1 1	1 4		1		
Diagnosis reasonably certain. ${ m S}_{ m F}^{ m M}$	38 5 25	1 ;	, 1 1 1	1	4 1 4	5 2 5	3	5	1 4		1	1				
Other cities	379	6	14	19	14	37	47	49	43	52	40	33	19	5		` 1
MalesFemales	120 259	1	1 12	6	4	8	17 30	15 34	16 27	20 32 7	13 27	10 23	8 11	1 4		i
T DIMINIES	∠59 [5 1	13 1 9	13 4	10 1 7	29 5	30	34 8	8	34	4	23 4	3	1		1 1

¹ Nonregistration state; cities shown below only those with effective local ordinances.

 $^{{}^{2}}$ Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						· · · ·	ROM CA	NCER (A	LL FORM	S) AT AC	E OF-					ij,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	aths at known age
REGISTRATION CITIES—Contd.																
Kansas.																
Registration cities	282	4	15	8	22	24	23	43	40	39	23	19	15	4	3	
Males	111	2	4	2	4	7	4	20 23	12	20	14	13	5	2	2	
Females	171 62 116	2 2 2	11 2 6	6 2 6	18 3 15	17 5 14	19 2 14	11 15	28 4 20	19 13	9 5 4	6 7 3	10 3 4	1 1 2	1 2	
White	263	4	13	7	20	22	23	39	37	10 38	21	18	14	4	3	
Males	108	2	4	2	3	6	4	20	12	20	13	13	5	2	2	
Females	155 61	2 2	9 2	5 2	17	16 5	19	19 11	25 4	18 13	8 5	. 5	9	2	$\frac{1}{2}$	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	107	2	5	5	14	14	14	13	18	9	4	2	4	2	1	
Colored.	19		2	1	2	2		4	3	1	2	1	1			
MalesFemales	3 16		$\frac{1}{2}$	i	1 1	1		4	3	····i	1 1	i	i			:
Diagnosis reasonably certain. ${ m f M}$	$\begin{vmatrix} 1 \\ 9 \end{vmatrix}$		1	````i	1 1			2	2	i		1				
Kansas City	61	1	4	1	5	3	9	14	7	6	1	5	3	1	1	
Males	28	1			1	2	2 7	8	3	5	1	3		1	1	
Females	33 17	1	4	1	4	1	1	6 5	1	1 4		3	3		····i	
White	21	,	2	1	4	1	4	5	3			1				
Males.	26	1	3	1	4	2	9	13	7	6		4	3	1	1	
Famales	29		3	i	1 3	1 1	2 7	8 5	3 4 1	5 1		3 1 3	3	1	<u>1</u>	
Diagnosis reasonably certain. $\{^{M}_{F}$.	17 17	1	1	1	3	1	1 4	5 4	3	4				1		
Colored	6		1		1	1		1			1	1				
Males Females	2 4		₁		1	1		1			1	<u>i</u>				
Diagnosis reasonably certain. ${M \choose F}$	4		1		i			<u>1</u>				<u>i</u> .				
Topeka	52	1	3	2	1	9	4	4	7	7	4	5	4		1	
Males	21	1	2			3	1	2		4	3	2	2			
Females	31 12	1	ĩ	2	1	6 2	3	2 1	6	3 3	1 2	3 2	2		1	
Diagnosis reasonably certain. $\left\{egin{align*}{c} \mathbf{M'} \cdot \mathbf{F} \cdot$	24		1	2		6	2	-î	6	2	ĩ	ĩ	î		1	
White	49	1	3	1	1	9	4	3	7	7	4	5	3		1	
Males Females	21 28	1	2 1	í	i	3 6	1 3	$\frac{2}{1}$	1 6	4 3	3 1	2 3	2		1	
Diagnosis reasonably certain. ${K \choose F}$.	12 23	1	1	<u>-</u> -		2 6	2	1 1	6	3 2	2 1	2 1	1 1		<u>-</u> -	
Colored	3			1				1					1			
Males																
Females	3			1				1					1			
	1			1												
Wichita	50	1	3	1	6	3	2		7	9	6	2		2		
MalesFemales	25 25	· · · · · i	1 2	1 j-	1 5	3	1	3	3 4	6 3	5	2		2	:1	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	16 21	i	1 1	1	1 3	3	1	1 3	2 4	2	2 1	2		2	1	
Other cities.	119	1	5	4	10	9	8	18	19	17	12	7	8	1		
Males	~ 37		1	1	2	2		6	5	5	5 7	6	3	1		
Females	82 17	1	4 1	3	8 2	7 2	8 7	12 4 6	14 1	12	1	1 ;-	5 2	i		
KENTUCKY.	50	1	2	3	8	4	7	^б	7	6	2	1	3		• • • • • •	
Registration cities	328	2	13	27	32	25	40	40	42	20	ا م	or or	10	,		,
Males.	109		3	$\frac{2i}{7}$	7	35	40 18	16	17	36 15	24 7	25 7	10	1 1		1
Females	219 39	2	10	20 3	25 2	26 5	22 9	24 10	, 25 4	21 1	17 1	18 1	9	i		
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned}\right\}$	152	2	7	14	19	23	16	20	15	12	7	12	.5			
White	291	2	13	16	28	27	37	35	39	34	24	24	10	1		1
MalesFemales	96 195	2	3 10	12	7 21	7 20	16 21	14 21	14 25	14 20	7 17	7	1 9	1		1
Diagnosis reasonably certain $\left\{ egin{matrix} m{M} & \dots \ m{F} & \dots \end{matrix} \right\}$	36 133		2 7	3 7	$\begin{bmatrix} 21 \\ 2 \\ 17 \end{bmatrix}$	3 18	9	9	25 4 15	1 11	1 7	1 12		i		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				See note			ble, p. 4			*					-	
					-	EATHS F	ROM CAI	NCER (AI	L FORM	S) AT AG	E OF—	-		<u> </u>		at un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES—Contd.							-									
KENTUCKY—continued.	-													-		
Registration cities—Continued.	37	<u> </u>		11	4	8	3	5	3	2		.1				
Males	13			3			2		3							
Females	24			8	4	6 2	1	3		ī		1				
Diagnosis reasonably certain $\{F_{\mathbf{F}}^{\mathbf{M}}\}$				7	2	5	1	3		1						
Louisville	187	2	5	18	19	23	26	23	24	20	11	. 12	4			
Males Females	64 123	2	5	6 12	5 14	5 18 2	13 13	9 14	10 14 2	10 10	2 9	8	4		- <u></u>	
Diagnosis reasonably certain $\{rac{M}{F}$	19 83	2	4	3 7	1 11	16	6 9	5 11	8	6	2	5	2			
White	168	2	5	12	16	18	26	21	22	20	11	11	4			
Males Females	59 109	2	5	. 4 . 8	5 11	•4 14	13 13	9 12	8 14	10 10	2 9	4 7	<u>4</u>			
Diagnosis reasonably certain ${M \choose F}$	18	2	4	3 4	1 9	13	, 6	5 9	8	6	2	5	2			
Colored	19			6	3	- 5		2	2			. 1				
Males	5			2		1			2							
Females	14			4	3	1		2				1				
Other cities.	10		8	3 9	. 13	3 12	14	2 17	***	10	13	٠٠٠٠٠				
Males	45				2	4	5	7	18	16	5	13	6	1		1 1
Females	96 20		3 5 2	1 8	11	8 3	9 3	10 5	11	1 <u>1</u>	8 1	10	5	1		
Diagnosis reasonably certain. $\{ F_{i} : i \in \mathcal{F}_{i} \}$	69		3	7	1 8	Ť	7	ğ	7	6	5	7	3			
White	123		8	4	12	9	11	14	17	14	13	13	6	1		1
Males Females	37 86		3 5	4	2 10	· 3 6.	3 8	. 5	6 11	4 10	5 8	10	1 5	1		1
Diagnosis reasonably certain $\{rac{M}{F}\}$	18 60	<i>-</i> 	3	3	1 8	2 5	6	4 8	2 7	. 1 5	1 5	7	3	1		
Colored	18			5	1	3	3	3	. 1	2		 				
Males Females	8 10			1 4	i	1 2	2 1	2	1	1 1						
Diagnosis reasonably certain ${ m M} = { m Constant}$. 2			<u>*</u>		1 2	i	Î 1		i						
LOUISIANA.1				-	`	_	-	-		_						
New Orleans	358	- 4	22	' 25	31	32	63	59	. 41	36	25	15	4	1		
Males Females	154 204	2 2	7 15	9 16	10 21	11 21	31	27 32	21 20	16 20	12 13	5- 10	3 1	<u>-</u>		<u>-</u>
Diagnosis reasonably certain ${M \choose F}$	88 145	1	13	5 12	7 18	- 6 14	32 15 28	32 20 21	20 12 15	8 10	13 6 7	7	2	1		
White	257	4	14	15	19	21	4,6	41	31	29	20	13	3	1		
MalesFemales	114 143	2 2	4 10	6 9	4 15	8 13	23 23 12	22 19	17	12	10 10	4 9	2 1	1		
Diagnosis reasonably certain $\{^{ m M}_{ m F}$.	67	2 2 1 1	10	3	· 3	4 7	12 17	18 11	14 10 10	. 17 6 8	5 5	2 6	i	<u>i</u>		
· Colored	101		8	· 10	12	11	17	18	10	7	5	2	1			
Males. Females	· 40 61		3 5	3 7	6 6	3.	8 9	5	4	4 3 2	2 3	1	1			
Diagnosis reasonably certain $\{^{ m M}_{ m F}$	21 49		2 3	2	4	2 7	,3	13 2 10	4 6 2 5	2 2	1 2	1 1	1			
MAINE.] ~					•					-	*				
Registration cities	212	3	6	- 11	16	-20	27	30	25	27	19	16	5	5	1	1
Males Females	65 147	2 1 2	1 5	1 10	3 13	9 11	9 18	.8	9 16	6	7	7	1	1		1
Diagnosis reasonably certain $\{^{ m M}_{ m F}$	26 96	2 1	1 4	7	1 9	4	3 16	.8 22 2 16	6 10_	6 21 3 10	12 1 4	9 1 3	4	4		ï
White	212	3	6	11	16	20	27	30	25	27	19	16	5	1 5	1	1
MalesFemales	65 147	2	- 1 ₅	1 10	3 13	9 11	9 18	8	9	6 21	7	7	1	. 1		1
Diagnosis reasonably certain ${M \choose F}$	26	2 1 2 1	1 4	- 7	1 9	11 4 11	18 3 16	22 2 16	16 6 10	3 10	12 1 4	9 1 3	4	1	1	ï
,					ت		10	10	70			ئ 	4	_ 1		

 $^{^1}$ Nonregistration state; cities shown below only those with effective local ordinances.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

•						DEATHS :	FROM CA	NCER (A	LL FORM	(S) AT AC	GE OF—					ė,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	量
REGISTRATION CITIES—Contd.																
MAINE—continued.															ŀ	
Portland	65	1	1	4	8	6	, 9	5	7	10	7	5	1	1		
Males Females	22 43	1	i	1 3	1 7	3	3 6	3 2	3 4	3 7	2 5	3	<u>i</u>	i	::::::	
Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	9 32	1	1	2	5	3	1 6	$\frac{1}{2}$	2 3	2 4	2	1 3	i			
Other cities	147	2	5	7	8	14	18	25	18	17	12	11	4	4	1	
Males. Females.	43 104	1	1 4	7	2 6	6 8	6 12	5 20	6 12	3 14	5 7	5 6	1 3	1 3	<u>î</u> -	
Diagnosis reasonably certain. $egin{cases} M. \ . \ . \end{cases}$	17 64	1	3	5	1 4	3 8	10	1 14	4 7	1 6	i 2		3	1		
tegistration cities	653	8	25	33	46	77	87	84	111	77	43	35	16	9	2	ĺ
-	241	3	12	8	17	25	27	36	52		19	9	3	4	1	
Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \end{array} \right.$	412 138	5 3	13	25 7	29 10	52 17	60 12	48 23	59 29	25 52 9	24 11	26	13	5 2	1	
•	271	3	13	19	24	43	38	35	37	24	13	5 13	5	3	ī	
White	567	7	21	26	33	64	72	75	99	72	41	33	13	9	2	
MalesFemales	219 348	- 3	12 9	8 18	13 20	23 41	22 50	32 43	48 51	24 48	17 24	9 24	3 10	4 5	1	
Diagnosis reasonably certain ${f M}$.	127 224	3 2	9	7 12	9 17	16 34	10 32	20 30	27 33	9 22	9 13	5 12	4	2 3	$\frac{1}{1}$	
Colored	86	1	4	7	13	13	13	9	12	5	2	2	3			l
Males	22				4	2	5	4	4	1	2					
Females	64 11	1	4	7	9	11 1	10 2	5 3	8 2	4	2	2	3			
Saltimore	589	$\begin{vmatrix} 1 \\ 7 \end{vmatrix}$	4	7	7	9	6	5	102	73	38	30	16			
Males	220		$\frac{24}{12}$	29	38	72	78	71	103	24	15	8	3	. 9	1	
Females	369 126	2 5 2	12	8 21 7	15 23 9	25 47 17	54 11	32 39 20	56	49 9	23 9	22 4	13	4 5 2	1	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathrm{M} \cdot \cdot \\ \mathrm{F} \cdot \cdot \cdot \end{aligned} ight.$	245	3	J2	16	21	39	35	28	26 35	24	13	11	5	3		
White	510	6	20	22	26	59	64	64	93	68	37	28	13	9	1	
MalesFemales	201 309	2	12 8	8 14	11 15	23 36	19 4 5	29 35 18	44 49	23 45	14 23	8 20	3 10	4 5	1	
Diagnosis reasonably certain ${M \choose F}$	118 200	2 2	8 9 8	7 9	8 14	16 30	9 29	18 24	49 25 32	9 22	23 8 13	10	4	2 3	1	
Colored	79	1	4	7	12	13	14	7	10	5	1	2	3			İ
Males	19				4	2	5 9	3 4	3	1	1					
Females	60 8	1	4	7	8 1	11	2	2	7	4	1	2	3	 		
, 1	45	1	4	7	7	9	6	4	3	2		1	1			
Other cities	64	1	1	4	8	5	9	13	8	4	5	5			1	
Temple	21 43 12	1 <u>1</u>	1	4	2_6	5	3 6	9	5 3 3 2	1 3	$\begin{array}{c c} & 4\\ 1\\ 2 \end{array}$				1	
Diagnosis reasonably certain $\{F : F : F \}$	26		i	3	3	4	1 3	3 7	2						1	
White	57	1	1	4	7	- 5	8	11	6	4	4	5			1	
MalesFemales	18 39	1	i	4	2 5	5	• 3 5 1	∡ 3 8 2	4 2	1 3	3 1	1 4			<u>ı</u>	
$\{^{ ext{M}}_{ ext{F}}$.	9 24	1	·····i	3	1 3	4	1 3	2 6	$\frac{\tilde{2}}{1}$		Ī	$\begin{vmatrix} 1\\2 \end{vmatrix}$				
Colored	7	Ì			1		1	2	2		1				<i></i>	
. Males	3							1 1	1		1					
Females Diagnosis reasonably certain. ${ m {M} \over F}$	3				1		1	1	1 1		·····i					
•	2				• • • • • • • • • • • • • • • • • • • •		•••••	1	1							···
Massachusetts. legistration cities	2,781	42	79	100	171	gee	321	254	90.4	367	316	209	110	40	14	ĺ
Males	1,006	45 25		103	171 54	255 72	106	354 137	394	143	136	75	110 42	43 12	14	
Females	1,006 1,775 535	25 20 19	26 53 18	20 83 14	117 34	183 45	215 60	217 82	152 242 79	224 63	180 70	134	68 19	31 4	8 6	
Diagnosis reasonably certain. $\left\{egin{matrix}M\ldots\\F\ldots\end{matrix} ight\}$	1,144	16	45	60	91	145	160	142	150	120	106	22 57	26	20	6	
White	2,749	45	78	99	170	250	318	349	390	363	314	209	109	41	14	
MalesFemales	994 1,755	25 20	26 52	19 80	53 117	69 181	105 213	136 213	151 239	140 223	136 178	75 134 22 57	42 67	11 30	6 8	
Diagnosis reasonably certain $\left\{egin{matrix}M\\F\end{array} ight]$	531 1,128	20 19 16	52 18 44	14 57	34 91	43 144	60 159	81 138	239 79 147	62 119	70 105	22 57	19 26	4 19	6	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

							FROM CA		LL FORM	S) AT AG	E OF—			=		e di
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	S5 to S9 years.	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.											,	-				
MASSACHUSETTS—continued.						ļ			,	,		-		į	ļ	
Registration cities—Continued. Colored	32	ļ	1	4	1	-5	3	5	4	4	. 2		1	2		
Males	12 20		i	1 3	1	3 2	1 2	I 4	1 3	3 1	2		i	1		
Females	20 4 16		<u>i</u> .	3		2	<u>.</u>	1 4	3	Î	<u>î</u>			<u>i</u> -		
Boston	871	16	28	31	54	84	113	122	128	104	90	60	24	9	8	
Males	347	9	13	6	19	27	42	55	56 72	36	42	28	. 9	1	4	
Females	524 196 377	7 5 6	15 9 15	25 4 18	35 15 28	57 · 19 49	71 28 61	67 32 46	31 53	68 15 40	48 21 33	32- 10 13	15 3 7	8 5	4 3	
White	854	16	27	28	54	79	111	120	127	103	90	60	24	- 7	8	
Males	340	9	13	- 6	19		41	54	56	35 68	42		9		4	
Females	514 193	7 5 6	14 9 14	22 , 4 15	35 15 28	24 55 17 48	70 28 60	66 31	71 31 52	68 15 40	48 21 33	28 32 10 13	15 3 7	7	4 4	
Colored	368	∥°	1 1	3	20	5	2	45	1	1	33	. 13	'	2	`3	
Males	7				-	3	1	1		1				1		
Females	10 3 9		1	3		2 2 1	1	1 1	1					1		
•	i	ļ	1 2	3		1 2	1	1	10	8	8			3		
BrocktonMales.	55 15	1	1	1	1	1	5	1	3	2	1	4	5	1		
Females	40	i	1 1	1	1	1 1	2 3 2	3	7	6	7	4	3 1	2		
Diagnosis reasonably certain $\{^{ m M}_{ m F}$.	19	î	1	1		1	2	1	1	2	6	. 1		2		
Cambridge	111		1	7	9	9	16	8	16	18	11	5	8	3		ļ <u>-</u>
MalesFemales	39 72 27		1	5	- 4 4	8	7 9 5	5 3	5 11 2	6 12 4	8 3	5	3 5 1	1 2 1		
Diagnosis reasonably certain $\{^{ m M}_{ m F}$:	46			1 4	4	7	. 7	5 2	4	8	6	2	i	i		
Fall River	70	1	6	2	3	. 8	11	11	5	11	5	4	2	1		
Males Females	19 51	1	1 5	2	3	3 5 2	1 10	.7	1 4	7	3 2	···· 4	1 1	<u>i</u> -		
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbf{H} \\ \mathbf{F} \end{aligned} ight.$	11 36	1	1 3	2	3	3	7	3 5	4	3	2 2	2	····i	i		
Lawrence	60		2	, 6	3	8	7	6	10	. 7	8	3			•••••	
MalesFemales	17		2	6	1 2	1 7	2 5	2	2 8	3 4	4 4	2				
Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M} \\ \mathbf{F} \end{array}\right.$	43 7 24		2	2	i	6	1 4	2 2	1 6	2	1					
Lowell	. 98	2	4	5	7	6	17	8	18	10	10	6	5	ļ		
MalesFemales	34	1 1 1	1 3	5	2 5 1	2 4	7 10	2 6	- 9 9	7 3 3	- 2 8	1 5	5			
Diagnosis reasonably certain. $\{ egin{matrix} M \\ F \end{bmatrix}$. 64 11 34	Î	1 3	3	1 2	3	2 4	3	3 4	3	6	i	4			
Lynn	91	2	1	3	7	7	11	9	16	12	14	. 8		1		
Males	. 28	· 2	1		. 2	3	2	3 6	5 11	2	4	4		1		
Females	28 63 13 40	i	i	3	2 5 1 5	4 2 4	9	1 6	3 3	10 1 4	10 1 7	4 2 3				
New Bedford	93	1	1	4	13	13	9	9	13	11	7	6	4	2		
Males.	26	1	<u> </u>		2	2	!	3	7 6	ļ	ļ		1 3	1		
Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$.! 67	i	i	4	11	. 1	6 2 2	6	5	4 7 2 5	6	6		1 1		
•			ļ <u>.</u>	. 3	8			2	9	1	ł	2	6	1 2		
Somerville	71 21		1	5	1	3	1	7		9	14	10	1	1 1		
Females	50		1	3 2	i	2 1	3	6	2 7	3 6 1	9 2	. 7	5	i		
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	- 27		i	-2		. 2	2	5	6	2	3	2	2			
Springfield	92		·	3	6	, 6	10	13	16	9	15	7	7			
Males. Females.	39 53 24			3	3 3 3 2	4 2 3 2	5 5 2	6 7 4 3	5 11 3 2	5 4 1	6 9 5	. 3 4 2	5 1			
Diagnosis reasonably certain. $\{^{ m M}_{ m F} :$	24	1		.) 3	1 2	2	3] 3	2	3	4		lî.		i	

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						OI this ta	-		L FORM	S) AT AG	E OF-				_	ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	aths at
REGISTRATION CITIES—Contd.																
MASSACHUSETTS—continued.																
Worcester	176	3	6	8	14	13	19	24	24	19	21	18	4	2	1	
MalesFemales	59 117	3	3	2 6	6 8	2 11	4 15	9 15	6 18	6 13	13	3 15	3	1	1	
Diagnosis reasonably certain. $\{ egin{matrix} M & \dots & \dots \\ F & \dots & \dots \end{pmatrix}$	30 76	3	1 2	2 5	3 7	7	10	6 10	4 12	1 6	8 4	1 8	1 1	····i	1	
Other cities	993	18	27	28	53	96	99	133	129	149	113	78	45	20	5	
Males	362	10	4	8	13	25	30	46	51	65	52	31	20	6	1	
Females. Diagnosis reasonably certain. ${ m M} \cdot { m F}$	631 184	8 9	23	20 5	40 6	71 14	69 15	87 26	51 78 26	84 32 47	61 26	47	25 12	14 2	4 1	
	401	5	18	16	31	52	51	57	53	47	30	21	8	9	3	····
MICHIGAN.	997	15	39	47	69	102	1 07	100	100	101	100					,
Registration cities Males.	413	10	15	15	23	29	131	129	132 65	61	109	54.	25	8	- 6	
Females	584 211	5 7	24 10	32 12	46 13	73 18	80 29	53 76 27	67 30	70 24	50 59 22	22 32 7	11 14	4 4 2	4 2 2	
Diagnosis reasonably certain $igl\{ egin{array}{c} M \ F \ \end{array} igr]$	366	4	19	22	36	48	55	49	42	35	34	ıi	8 7	3	î	
White	988	14	38	45	68	100	130	129	132	130	109	54	25	8	6	
Males Females	411 577	9 5	15 23	15 30	23 45	29 71	51 79	53 76	65 67	60 70	50 59	22 32	11 14	4	4 2	
Diagnosis reasonably certain. ${rac{M}{F}}$	209 364	6	10 18	12 22	13 36	18 47	29 55	27 49	30 42	23 35	22 34	7 11	8 7	2 3	$\frac{2}{1}$	
Colored	9	1	1	2	1	2	1			1			·		-	
Males	2 7	1								1						
Females. Diagnosis reasonably certain. ${ m SM}_{ m F}$	2	i	1	2	1	1	1			1						
	2		1			1										
Detroit	424	11	23	25	36	44	58	60	56	52	33	14	8	3	1	
MalesFemales	178 246	8	9 14	8 17	12 24	11 33	20 38	27 33	31 25	25 27	16 17	6 8	3 5	$egin{array}{c} 1 \\ 2 \end{array}$	1	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} \right\}$	91 148	6 2	5 11	7 12	5 18	8 24	11 24	14 17	12 14	$\begin{smallmatrix} 9\\12\end{smallmatrix}$	9	$\begin{bmatrix} 2\\2 \end{bmatrix}$	$\begin{bmatrix} 2\\1 \end{bmatrix}$	·····2	1	
Grand Rapids	120	3	2	5	4	13	22	14	14	15	13	11	2	1	1	
Males Females	43 77	1 2		1	2 2	5 8	. 8	4	2 12	8 7	6 7	3 8		1		
Diagnosis reasonably certain. $\binom{M}{F}$.	19 46	2	····i	4	1 1	3 4	14 4 11	10	7	5 2	3	1 3	2	····i	;.	
Saginaw	50		5		2	3	8	.7	8	6	4	4	1		1	- -
Males	27		1		2	1	7	4	4	4	2	2				
remaies	23 14		4		i	2	1	6 3	3	2 2	2 1	2				
Diagnosis reasonably certain. ${ m}_{ m F}^{ m M}$	17		3			2	3	ő	3	ĩ	î	1			;	••••
Other cities	403	1	9	17	27	42	43	45	54	58	59	25	15	4	4	
Males Females	165 238	1	3 6	6 11	7 20	12 30	16 27	18 27	28 26	24 34	26 33	11 14	8 7	2 2	. 3	
Diagnosis reasonably certain. ${ m {M \over F}}$	87 155	1	3 5	5 7	6 17	7 18	11 19	10 19	15 18	8 21	9 20	5	6 5	1	1	
MINNESOTA.														1		
Registration cities	605	14	22	25	36	53	88	73	100	69	58	41	20	4	2	
Males	262	9	. 8	. 8	7	21	33	35	49	35	19	23	11	2	2	
Females. Diagnosis reasonably certain. ${M \choose F}$	343 150	5 4	14 8 12	17 7	. 29	32 13	55 20	38 18	51 31	34 19	39 8	18 10	9 6	1	····i	• • • • • •
(232	4		14	25	27	43	26	33	25	14	5	3	1		
White	262	9	22	25 8	36	21	88	73	99	69	58	41	20		2	
Females	342 150	5 4	8 14	177	29	32 13	33 55 20	35 38 18	49 50 31	35 34 19	19 39 8	23 18 10	11 9 6	2		• • • • •
Diagnosis reasonably certain. $\left\{egin{matrix} M & \dots \\ F & \dots \end{matrix}\right\}$	232	4	12 12	14	25	27	43	26	33	25	14	5	3	1 1	1	• • • • •
Colored	1								1							••••
MalesFemales	1								1							
Diagnosis reasonably certain. ${M \choose F}$																
Duluth	68		3	5	5	6	12	7	12	7	7	3			1	
Males	31				2	2	7	5	5	4	2	1		}	1	
Females	37 18		3	2 3 2	3	4	5 5	2 2	7 3	3 2	5	2			<u>1</u> -	
Diagnosis reasonably certain. $\left\{ F_{-}^{M} \right\}$	24		3	2	2 1	2	3	2	5	í۱	3	i				

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	,			,		DEATHS I	PROM CA	NCER (A)	L FORM	S) AT AG	E OF-			-		ä
AREA AND BÄSIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	'45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	24÷
REGISTRATION CITIES—Contd.	,	-	,													
MINNESOTA—continued.	1				-					-					ا عر	١.
Minneapolis	313	8	13	12	18	22	40	39	56	36	33	22-	10	3	1	- = .
Malés Females	138 175	5 3	5 8 5	8	17	11 11	15 25	19 20	27 29	19 17	11 22	13 9	6 4	1 2	1	
Diagnosis reasonably certain $\{^{M}_{\mathrm{F}}\}$	76 121	3 2	5 6	4 6	1 17	· 7	25 6 22	9	29 16 17	9	5 7	7 3	. 4	<u>-</u> -		.
St. Paul	166	3	. 5	6	9	18	29	21	26	19	14	11	4	. 1		-
Males	69	3	2 3	1	3	6	8	9	13	. 10	. 3	7	3	1		-
Females	97 46	i	2	5 1	6 2	12 4	21 8	12 5	13 9	9 7	11 3	4	1 2	····i		.]
•	63		3	5	4	10	15	5	10	6	4	î		ļ		.[::
Other cities	58	. 3	1	2	• 4	7	7	6	6	7	,4	5	6			<u> </u>
MalesFemales	24 34	1 2	1	1	1 3	2 5	3 4	2 4	. 4	2 5	3	2 3	2 4			.]
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{K} & \mathbf{K} \\ \mathbf{K} & \mathbf{K} \end{array} \right\}$	10 24	2	î	1	2	1 5	1 3	. 3	3	1 5		ĭ	2			
MISSOURI.																'
Registration cities	1, 171	20	50	51	94	118	161	164	152	145	95	66	41	-9	3	,
Males	489 682	11	16 34	16	25	42	66	76	70	77	34	29	20	5	2	-
Females	295	.10	12	35 11	69 13	76 33	95 40	88 47	82 42	68 39	61 16	37 17	21 11	4 2	1 2	
(491	7	26	• 30	59	65	79	62	55	49	24	19	12	ī	ī	.
White	1,121	17	42	45	92	111	155	159	144	144	92	65	41	9	3	L
MalesFemales	· 472	9 8	14 28 11	15 30	25 67	39 72	64 91	74 85	66 78 39	77 67	33 59 - 15	29 36	20 21	5 4·	,2 1	
Diagnosis reasonably certain ${f {f {f {F}}}}$	286 467	8 7	. 21	10 26	13 57	· 61	40 76	· 46	39 53	-39 48	15 23	17 18	11 12	4. 2 1	$\hat{2}$	
Colored	50	3	8	6-	2	• 7	6	5	8	1	3	1			-	<u> </u>
Males	17	2	2	1		3	2		4		1.					-
- Females	33 9	1 2	6 1	5 1	2	4	4	3 1	3	1	$\frac{2}{1}$	1				
ζ=	24		5	4	2	4	3	1	2	1	1	1				
Cansas City	254	4	8	14	12	. 32	37	31	37	35	24	13	5	1	· ·1	
Males Females	110 144	1 3	4 4	6 8	5 7	14 18	14 23	13 18	17 20	18 17	8 16	6 7	2 3 2	. 1	1	
Diagnosis reasonably certain ${f M}$	78 115	1 2	3 4	4 8	3 6	10 14	11 21	10 15	13 17	9 15	6	4 5	2 2	. 1	1	
White	240	. 3	6	14	10	27	37	29	35	35	24 -	13	5	1	1	
. Males	105	1 2	3	6	5	11	14	13 16	16	18	8	. 6		1	1	-
Females Diagnosis reasonably certain ${M \choose F}$.	135 77	1	3 3	8	5 3	16 10	23 11	10	19 12	17	16 6	7	3 2	i	1	
•	109	2	3	/81	4	12	21	15	16	9 15	6	4 5	. 2	•••••		
Colored	14	1	2		2	5		2	2							
MalesFemales	5 9	i	1		2	3 2		2	1							
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} & \mathbf{H} \end{array}\right\}$	1 6		····i		2	2			1 1							
t. Joseph	97	2	3	5	11	10	9	15	11	12	12	3	3			
Males	37	2	2	1	3			6		9	2	1				_
Females	60 21	2	1	4	8 2	. 2 8 1	3 6 2	9	4 7 2	3 -6	10	. 2	2 1 1			
~	45	• • • • • • •		3	8	7	-5	8	$\tilde{4}$	· 2	6	1				
Louis	701	11	35	28	56	69	97	106	90	81	<i>5</i> 1	43	24	7	2	
MalesFemales	302 399	6	8 27	8_ 20	13 43	26 43	42 55	57 49	43 47	41 40	21 30	20 23	13 11	3	1 1	
Diagnosis reasonably certain ${M \choose F}$.	179 274	5 6 4	6 21	7	8 36	22 37	24 43	34 31	24	20 26	7	13	6 5	3 4 1 1	1 1	
White	671	9	30	23	56	67	92	104	85	80	49	42	24	7	2	
Males	291		7	7		26		55	41	41	- 20					
Females	380 171	4 5 4	23	16	13 43 8	41 22	40 52 24	40	44 22 30	39 20 25	· 29	20 22 13	13 11	3 4 1	1	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right]$	261	4	18	13	36	35	41	33 31	30	25 25	6 10	10	6 5	1	1 1	
Colored	30	2	5	5		2	5	2	5	1	2	1				
MalesFemales	11	2	. 1	1			2	2	2		1					
Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$	19 8 - 13	2	1 3	1		$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	3	····i	$\begin{bmatrix} 3 \\ 2 \\ 1 \end{bmatrix}$	1	1 1	. 1	;	• • • • • •	••••-	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

_					1	EATHS F	ROM CAN	NCER (AL	L FORMS	S) AT AG	E OF-					ġ
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at
REGISTRATION CITIES—Contd.								<u> </u>		,						-
missouri—continued.]					ŀ	ļ
Other cities	119	3	4	4	15	7	18	12	14	17	8	7	9	1		
Males Females	40 79	2	2 2	1 3	4 11	7	7 11	12	6 8	9 8	3 5	2 5	3 6	1		·
Diagnosis reasonably certain $\{F : C \in \mathbb{R}^{n}\}$	79 17 57	1	2	3	9	7	3 10	8	8 3 3	6	2 2	2	2 5			
MONTANA.				_	_	10	,,	10	10	_	_		2	2		
Registration cities	82	4	$\frac{2}{1}$	5 2	7	3	11	12	10	7	4	3	1	1		
Males	39 43 22	2 2 2	1 1	3 2	6	7	8	4 5	5 1	5 2 3	3 1	2	1	1 1		
Diagnosis reasonably certain $\{ \stackrel{M}{F} : $	26	ı	î	3	3	7	3 7	1	i	· · · · · · ·	i			i		
White	81	4	2	5	7	10	10	12	10	7	7	3	2	2		
MalesFemales	39 42	2 2	1	2 3	1 6	3 7	3 7	8	5 5	5 2	3 1	3 2	1	1 1 1		
Diagnosis reasonably certain $\left\{egin{matrix} M & \cdot \\ F & \cdot \end{array} ight\}$	22 25	2 1	1 1	2 3	3	7	3 6	5 1	1	3	1	2	1	1		
Colored	1						1									· · · ·
Males Females	1						1									· · · ·
Diagnosis reasonably certain $. { m {M \over F}}$							1									
NEBRASKA.1	-		-													
Registration cities	187	4	5	13	14	16	25	27	29	20	17	13	1	2	1	
MalesFemales	81 106	2 2	3 2	3 10	5 9	4 12	10 15	12 15	11 18	9 11	11 6	9	1	1 1	<u>î</u>	
Diagnosis reasonably certain $\left\{ {{{_F}}} \right\}$	51 75	2 2	$\frac{1}{2}$	1 9	5 9	2 11	5 11	10 13	6	9 5	4 2	3	1	1	1	
White	185	3	5	13	14	16	24	27	29	20	17	13	1	2	1	ļ
Males	80	2	3 2	3	5	4	9	12	11	9	11	9	1	1		
Females	105 51	2	2 2 2	10 1	9 5	12 2	15 5 11	· 10 · 13	18 6	11 9 5	6 4 2	4 3 3	1	- 1 1	1	
(- 1 - 1	74	1	2	9	9	11	11	13	7	ð	2	٥		•••••		
Colored Males	1						1									
Females	î	1	· · · · · · ·													
Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} ight.$	1	1						-								<u></u>
Omaha	140	4	4	8	11	15	22	19	21	12	10	12	1	1		
MalesFemales	62 78	2 2 2	2 2 1	2 6	4. 7	4 11	9 13	8 11	8 13	7 5 7	6 4 2	8	1	<u>1</u>		
Diagnosis reasonably certain. $\left\{egin{matrix}M & \cdot \\ F & \cdot \end{matrix} ight.$	38 60	$\frac{2}{2}$	1 2	1 6	7	10 2	5 11	6 10	4 5	7 2	2 2	2 3	1	1 		
incoln 2	47		1	5	3	1	3	8	8	8	7	1		1	1	
Males Females	19 28		1	1 4	1 2	₁	1 2	4	3 5	2 6	5 2	1		i	_i .	
Diagnosis reasonably certain. ${M \choose F}$	13 15		i	3	$\frac{1}{2}$	1		3	2 2	3	2	1		-	i	
NEW HAMPSHIRE.	20			, and	_	_									i	
Registration cities	173	2	2	5	10	- 18	24	17	20	23	19	22	6	3	1	
Males	54			1	5 5	5	5	10	8	5	7	5	2			
Females	119 27 82	2	2	4	1	13	19 3	7 7	12 3	18 5	12 2 8	17 2	4	3 2	1	
(ļ	2	2	4	4 10	10 18	14 24	6 17	8 20	12 23	19	6 22	3 6	3	1	
White	172			5	5	5	5	10	8	5	7					-
MalesFemales(M.	53 119 26	2	2	4	5 1	13 3	19 3	7 7	12	18 5	12	5 17 2	4	3	1	
Diagnosis reasonably certain. ${M \cdot \{F \cdot \}}$	82	2	2	4	4 .	10	14	6	8	12	2 8	6	3	2	1	
Colored	1				<u> </u>											<u> </u>
Males Females	1															·
Diagnosis reasonably certain. $\left\{\begin{matrix} M \dots \\ F \dots \end{matrix}\right\}$	1													-		·

 $[\]ensuremath{^{1}}$ Nonregistration state; cities shown below only those with effective local ordinances.

 $^{^{2}}$ The only other registration unit; shown in order to complete the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						EATHS F	ROM CAL	ICER (AI	L FORMS	S) AT AG	E OF—					un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	173
REGISTRATION CITIES—Contd.									,							·
NEW HAMPSHIRE—continued.													-			
Manchester	56	1	2		2	11	11	7	4	5	5	8				<u></u>
Males Females	- 13 - 43	i	2		2	3 8	3 8	3 4	1 3	5	1 4	2 6				
Diagnosis reasonably certain $\{rac{M}{F}$.	7 30	i	2		2	1 6	3 5	$\begin{array}{cc} \cdot & 1 \\ 3 \end{array}$	1 3	4	2	-2				-
Other cities	117	1		5	8	7	13	10	· 16	18	14	14	6	3	1	_
Males Females	41 76	1		1 4	5 3	2 5	. 2 11	7 3	7 9	5 13	6 8	3 11	2 4	3	₁	-
Diagnosis reasonably certain. $\{F_{-}^{M}$	20 52	1		4	1 2	2 4	9	6 3	2 5	5 8	6	1 4·	3	2	1	-
NEW JERSEY.																1
Registration cities	1,426	26	40	64	108	149	192	191	203	179	141	71	43	13	6	
MalesFemales	545 881 243	15 11	11 29	16 48	31 77	41 108	67 125	82 109	82 121	84 95 30	57 84	30 41	20 23	5 8	4 2	
Diagnosis reasonably certain $\{^{M}_{ m F}$.	243 529	9 5	29 5 24	10 36	77 14 55	108 23 83	32 82	39 66	35 55	30 48	24 40	11 20	23 8 9	2 5	1	
White	1,384	26	37	60	106	139	185	186	199	173	140	71	43	13	6	
MalesFemales	537 847	15 11	11	16 44	30 76	40	65 120	80 106	82 117	82	57	30 41	20	5 8	4 2	
Diagnosis reasonably certain. ${M \choose F}$	241 502	9 5	26 5 21	10 32	14 54	99 22 75	32 78	38 63	35 · 53	91 30 46	83 24 40	11 20	23 8 9	2 5	ı 1	
Colored	42		3	4	2	10	7	5	4	6	1					
Males	. 8				1	i		2		2						
Females. Diagnosis reasonably certain ${M \choose F}$	34 2 27		3	4	1 1	9	5 	3	4	· 4	1					
Camden	74	2		2	6	8	4	8	13	17	1	6	2	2	1	
Males	27	. 2			1	4			5	4	1	3	1			
Females	47 17	2		2	5	4 2	1 5	3 5 2	8	13 3	<u>.</u> .	3 2 1	1	1		
Elizabeth	30			2	4	3	4	4	3	8		İ		1		
Males	76 36	- 4 1	_ 1	3		- 8 - 5			10	7 4	8 4	4	2			
Females	40 12	1 3 1	i	3	1 1	3	5 8 1	6	4 2	3 2	4	3 1 1	2		1	
Ç	19	2	1	1	1	3	3	3	,	•••••	1	1	2	•	1	
Fersey City	217	3		10	15	19	24	29	40	24	21	10	9	2		
Males Females M	82 135 37 72	2 1 2	2 9	3 7 3	4 11 1	15	6 18	12 17 5	20 20 9	16	5 16 2	2 8	5 4 4	1		
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	72	ī	7	6	4	3 10	4 8	9	9	3	8	5	ī	1		
Newark	340	9	11	13	26	32	52	44	46	46	35	17	6	1	2	
Males Females	132 208	5	3 8	5 8	5 21 1	13 19	22 30	19 25	14 32	21 25 10	15 20	6 11	3	i	2	
Diagnosis reasonably certain $\{\stackrel{M}{F}$.	54 129	1	1 7	4 7	17	6 14	9 22	25 8 17	6 12	10 13	· 12	1 6	1		1	
Paterson	124	1	2	4	7	16	21	19	18	16	9	7	4			
Males Females	50 74	1	1 1 1	2 2 2 2	2 5 1	2 14	20 11	9 10	7 11	8 8	3 6	3 4	2 2			
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	18 45	•••••	1	2 2	1 3	1 11	5 8	4 6	6	1 3	1 3	1 2	1			
Frenton	. 98	2	4	4	10	9	14	20	10	12	5	3	1	4		ļ
Males Females	42 56	1 1	1 3 1	4	3 7	4 5	7	8 12	5 5	5 7	4	2	i	2 2		
Diagnosis reasonably certain. ${rac{M}{F}}$	56 26 34	î	1 2	3	2 4	4 5	, 4	5 5	33	2 3	2	2 1 1	i	1 2		
Other cities	497	5	11	28	42	57	62	58	66	57	62	24	19	4	2	
Males	176	4 1	4 7	6	15	.9	16	24	25 41	26 31	25	11	9	1	<u> </u>	
Females	321 79 200	1 2 1	7 2 6	22 1 15	27 9 22	48 5 37	46 9	24 34 12 22	41 12 22	8	25 37 12 16	13	10 2	3	1	
NEW YORK.	200	1		19	22	31	32	22	22	18	10	4	4	1	•••••	
Registration cities	6, 621	141	252	332	498	738	. 884	938	859	790	601	346	174	55	13	
Males	2,685	82	99	90	151	250	371	415	379 480	348 442	264	150	62	20	4	<u> </u>
Females	3,936	59	153	242	347	488	513	523 210	490	440	337	196 71 82	112	35	9	1

35030°—16——5

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						PEATHS F			L FORMS) AT AG	E OF—					ġ,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.																
NEW YORK—continued.																
Registration cities—Continued. White	6,528	139	241	317	491	729	870	929	852	781	599	340	172	55	13	
Males	2,663	82	97	89	150	246	369	409	377	346	264	148	62	20	4	
Females	3,865 1,417	57 59	144 65	228 55	341 103	483 142	501 220	520 207	475 193	435 162	335 104	192 71	110 21	35 11	9	
\	2,435 93	40	122 11	190 15	262	350 9	336 14	317 9	254 7	224	169	80 6	62	22	7	
Colored	22		2	13	1	4	2	6				2				
Females	71 8	2	9 1	14 1	6	5 1	12	3	5	$\begin{array}{c}2\\7\\2\end{array}$	2	4	2			
Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{matrix} \right\}$	54	1	8	12	6	4	10	3	2	3	2	2	1			
Albany	151		1	4	7	12	18	31	18	23	17	11	6	1		
Males Females	103 23	2	i	4	7	3 9 1	$^{3}_{15}$	24 3	5 13 1	8 15 6	10 7 4	8 3 3	5 1	1		
Diagnosis reasonably certain. $\{ egin{matrix} M \dots \\ F \dots \end{pmatrix}$	64		i	2	4	6	13	13	7	10	4	2	2	1		
Buffalo	435	10_	18	21	36	48	61	66	50	42	35	29	14	5		
MalesFemales	192 243	7 3	6 12	9 12	10 26	16 32	28 33	28 38	26 24	23 19	19 16	11 18	8	3 2		
Diagnosis reasonably certain. $\{ egin{matrix} M & \dots \\ F & \dots \end{bmatrix}$	94 153	6 3	3 8	4 9	7 20	7 24	19 2 1	11 20	7 11	11 11	12 8	12	2 4	$\frac{1}{2}$		
New York	4,452	106	187	230	350	530	607	636	584	508	379	207	93	29	6	
MalesFemales	1,908 2,544	61 45	78 109	66 164	118 232	194 336	270 337	309 327	282 302	226 282	169 210	86 121	37 56	11 18	1 5	
Diagnosis reasonably cer- $\{M_{\cdot}\}$	1,004 1,558	42 30	54 93	43 139	82 173	110 234	152 226	162 191	150 145	99 144	58 99	36 41	11 28	11	1 4	
White	4,369	104	177	217	343	522	595	627	578	501	377	202	91	29	6	
Males	1,889	61	76	65	117	191	269	303 324	280 298	224 277	169 208	85	37	11	1	
Females Diagnosis reasonably cer-{M tain. }F	2,480 996 1,508	43 42 29	101 53 86	152 42 129	226 82 167	331 109 230	326 152 216	159 188	150 143	97 142	58 97	117 36 39	54 11 27	18 4 11	5 1 4	
Colored	83	29	10	13	7	230	12	9	6	7	2	5	2	11		
Males	19		2	1		3 5	1	6	2	2 5		1				
Females Diagnosis reasonably cer-{M.	64 8	2	8	12	6	1	11	3	4	2	2	4	2			
tain. \\F	50	1	7	10	6	4	10	3	2	2	2	2	1	<u></u>		
Bronx Borough	209	11 6	34	20	37	58	66	85	78	17	19	15 7	10	4		
MalesFemales	307 110	5 2	20 11	15 2 12	26 9	38 12	32 34 20	51 15	39 19	33	29 6	8 4	5	4		;
Diagnosis reasonably certain $\left\{egin{matrix}M \dots \\ F \dots \end{smallmatrix} ight\}$	193	4	17	12	21	26	24	29	16	21	15	2	3	3		
White	511	11	34	20	36	58	65	84	77	49	48	15	10	4		
MalesFemales	207 304	6 5 2	14 20 11	5 15 2	11 25	20 38 12	31 34 20	33 51	39 38	17 32	19 29	8	5	4	 	
Diagnosis reasonably certain $\{rac{M}{F}$.	110 190	4	17	12	9 20	26	20 24	15 29	19 15	9 20	6 15	. 2	3	3		
Colored	5				1		1	1	1	1						
Males Females	2 3				i		1	1	i	<u>i</u>						
Diagnosis reasonably certain ${M \choose F}$	3				1				1	1						
Brooklyn Borough	1,439	31	52	74	107	155	186	214	186	161	140	83	40	8	2	
Males	583 856	16	18	17 57	35 72	57	71	101	87	72	63 77	29	13	3	1	
Females	. 304	15 15	18 34 12 28	12 50	23 54	98 32 77	115 42 80	113 54 62	99 40 56	89 31 40	25 37	54 12 20	27 4 14	3 5 1 2	1	
White	530	9 30	49	73	103	153	179	211	182	160	140	81	39	8	2	
Males	578		18	17		56	71	99	<u> </u>	72	·		-		1	<u> </u>
Females	832 302	16 14 15	31 12	56 12	35 68 23 50	97 32 77	108	112 52	85 97 40	88 31	63 77 25	29 52 12	26 4	3 5 1	1	
(- 1-	514	9	26	49	i	1	74	61	55	40	37	19	14	2	1	
Colored	29	1	3	1	4	2	7	3	2	1		. 2	1			
MalesFemales	$\begin{array}{c}5\\24\\2\end{array}$	i	3	i	4	1	7	1 1 2	2 2			2	1			
Diagnosis reasonably certain $\{_{ m F}^{ m M}$	16		2	1	4		6	1	i			1		1	1	1

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

				,	, D	EATHS F	ROM CAN	CER (AL	L FORMS	AT AGI	E OF—				•	ij,
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 (years-	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.																
NEW YORK-continued.														'	1	1
Manhattan Borough	2,124	55	94	117	183	261	307	294	262	258	154	86	36	13	4	ļ
MalesFemales	955 1,169	33 22	42 52	37 80	68 115	102 159	151 156	152 142	124 138	117 141	68 86	41 45	15 21	5 8	4	
Diagnosis reasonably certain $\{^{M}_{\mathbf{F}}$	506 722	22 20 15	52 27 46	80 22 66	46 86	56 105	84 106	83 - 88	138 69 59	52 76	68 86 23 40	- 18 15	5 11	1 6	3	
. White	2,079	54	87	106	181	256	303	289	261	253	152	85	35	13	4	
Males	944	33 21	40 . 47	36 70	67 114	100 156	151 152	149 140	124 137	, 115	68 84	41 44	15 20	5 8`	4	
FemalesDiagnosis reasonably certain ${ m S}_{ m F}^{ m M}$	500 693	20 14	26 41	21 57	46 85	55 102	84 102	82 86	69 59	138 50 75	23 38	18 15	5 10	1 6	3	
Colored	45	1	. 7	11	2	5	4	5	1	5	2	1	1			
Males	11	<u> </u>	2 5	1	1			3								
Females Diagnosis reasonably certain. ${M \choose F}$	34	1	1	10 1	1	3 1	4	1	1	2 3 2 1	2	1	1			.}
(4.7-	29	1	5	9	1	3	4	2	40	i	2		1			
Queens Borough	277	7	5	15	19	12	37	32	43	25 12	29	13	6	1		1
Females	162	4 3 3	1 1 4	9	. 16	32 7	23	18	21 22 16	13	15	6 2	3 3 1	1		
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	89	2		ğ	1Ŏ	22	12	1Ŏ	îĭ	2 6	3 5	. 2				
White	276	7	5	15	19	44	37	32	43	25	. 29	12	6	2		
MalesFemales	115 161	4 3	4	6 9	3 16	12 32 7	14 23	14 18	21 22	12 13	14 15	7 5	3	1		
Diagnosis reasonably certain $\{rac{M}{F}\}$	60 88	3 2	4	6 9	3 10	7 22	12	8 10	16 11	2 6	3 5	2	1	1		
Colored	1						ļ				ļ	1				ļ
Males	1											i				
Females Diagnosis reasonably certain. ${M \over F}$	1											<u>-</u>				
Richmond Borough	96	2	2	4	4	12	11	11	15	14	. 8	. 10	1	2		
Males	46 50	2		1	1 3	3 9	2	8	11	8 6	5	2	1	2		
FemalesDiagnosis reasonably certain. ${ m M}_{ m F}$	50 24 24	2	2	3	1	3	9 2	3 2	4 6	5	3	8 ₁		1		
V	ļ.	2	2 2	3	2 4	4	11	2	3 15	1 14	8	9	1	2		
White	93	2		1	l		2	8	11		5	1	1	2		
Females	45 48 24 23	2	2	2 1	1 3 1	3 8 3 3	9 2	3 2	4 6	8 6 5	3	8				
Diagnosis reasonably certain $\left\{ egin{matrix} ext{M} & ext{.} \ ext{F} & ext{.} \ ext{.} $	23		2	2	2	3	4	2	š	5 1	2	2				
Colored	3	<u></u>		1		1						1	<u></u>			<u> </u>
MalesFemales	1 2			i		i						1				
Diagnosis reasonably certain $\left\{egin{matrix} M - F - F - F - F - F - F - F - F - F -$	i					·····i										
Rochester	261	7	. 5	8	15	34	31	29	33	40	32	15	7	3	_ 2	
MalesFemales	95 166 70	5 2 4	2 3 2	3 5	4 11	8	11 20	5 24	12 21 10	25 15	13 19	5 10	2 5	3	2	
Diagnosis reasonably certain. ${M \choose F}$	70	4 1	2 3	3 4	3	8 26 5 21	20 8 16	4 18	10 16	16 6	9	10 5 5	1 3	2	<u>-</u> -	
Syracuse	126	1	2	9	6	9	20	14	19	21	12	9	3	1		
Males		1	2	1		4 5	5	7 7	4	8	4	2				
Females	38 88 20 64	1	i	8	6	5 3 5	15 2	4	15 1	13 4	8 3	7	3	1		
(4 ·	1			8	6	Ι.	10	17	12	5	5	5	3	1		
Troy	136		$\frac{5}{1}$	7	8	13	20 8	9	19	10	15	4 2	7	1		-
Females	52 84 25 59		4	6	1 7 1	6 7 3	12 8 7	8 2	15 1	10	8 7 2	2 1	5 1	1		
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	59		.4	5	5	3 7	7	7	10	6 6	6	- <i></i>	2		ļ	
Utica	. 82	2	4	4	4	5	12	14	12	9	5	3	5	3	<u> </u>	
											1 4		,			1
MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	25 57 11	1 1 1	2 2	4	1 3	2 3 2 3	3 9 1 6	12 1	4 8 1	5 4 1	. 1	2 1 1	1 4 1 3	1 2 1		

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

1					1	DEATHS 1	FROM CA	NCER (AI	L FORM	S) AT AG	e of—					un-
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	그품모
REGISTRATION CITIES—Contd.																
NEW YORK-continued.																
Yonkers	65	1	5	2	7	6	11	9	4	6	6	4	4			
MalesFemales	29 36	_i .	1 4	2	2 5	3	4 7	4 5	1 3	4 2	. 5	2 2	3			
Diagnosis reasonably certain $\{ egin{array}{c} M \ \ \end{array}$	9 20	····i	2	i	1 5	2 3	2 2	2 3			1 1	1	····i			
Other cities	913	12	25	47	65	81	104	122	120	121	100	64	35	12	5	:
Males	298	5 7	7 18	10	15 50	14 67	39 65	44 78	41 79	39 82	35 65	32 32	10 25	4 8	3 2	
Females	615 169	4 5	5 17	37 5 30	9 42	10 51	26 45	21 58	22 49	21 45	15 34	20 16	17	4 5	3 2	
NORTH CARGUNA.	416	3	1 1	30	12	31	10	00	10	10		100		Ĭ	-	
Registration cities	124	3	8	8	14	19	17	9	17	16	2	6	3	2		
Males	34	1		1 7			4	2 7	8	6		3	1	1		
Females	90 16	2	3 5 2 4	1	12 1	17	13 2	1	9	10 1 7	2	3	2 1 1	1 1		
•	69	2		7	11	11	10	6	6	1	2	5	3	1 2		1
White	76	2	3	2	9	6	7	6	16 7	13				1		
MalesFemales	26 50	1	2	2	8	1 5	2 5 1	4	9 2	7	2	2 3 2	1 2 1	. 1		
Diagnosis reasonably certain. $\{rac{M}{F}$	10 36	1	1 1	2	7	2	3	3	.6	6	2	ĩ	i	î		
Colored	48	1	5	6	5	13	10	3	1	3		1				
MalesFemales	8 40	1	1 4	1 5	1 4	1 12	2 8	3	1	3		1				-
Diagnosis reasonably certain. ${ m M}_{ m F}$	6 33		1 3	1 5	1 1	9	1 7	3	1	·····i		1				-
оню.		1			_											
Registration cities	2,104	39	73	102	165	202	275	294	267	258	213	114	68	29	5	
Males	789	22	20	26	44	67	105	102	126	110	90	42	22	11	2	
FemalesDiagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	1,315	17 13	53 10	76 17	121 24	135 31	170 63	192 56	141 63	148 50	123 33	72 17	46 10	18 6 9	3	
(- - ·	882	13	42	61	98	109	126	136 291	87 260	80 251	66 210	31 113	23 68	28	5	
White	2,041	38	70	93	156	190	268 105	102	123	106	88	41	22	11		-
MalesFemales	772 1,269 389	22 16 13	20 50 10	23 70 17 57	114 24	125 29	163 63	189 56	137 63	145 49	122 33	72 16	46 10	17	3	
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} ight.$	849	13	39	57	92	102	119	133	86	79	65	31	23	9	1	
Colored	. 63	1	3	9	9	12	7	3	7	7	3	1		T		<u>- </u>
Males Females	. 17 . 46	₁	3	. 3	2 7			3	3 4	3	2 1	1		1		
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} ight.$	33		3	4	6	2 7	7	3	i	1	i	1				
Akron	62	1	2	1	3	10	10	12	9	5	7	2				
Males	20	1	1			4 6	4 6	<u>د</u> 8	4 5	5	7	2				
Females	42 7 28		1 1	1	3	. 1			1 5	2	4	1				
Cincinnati	419	6	18		32	34	52	61	51	55	44	25	13	4	3	
Males		5	5	6	10	9	24	17	20	26 29	16	7	5	2	1	
Females	. 266	1 5	13	15 4	22	25 2	28 14	44 9	31 11	10	28 6	18	8	2 2	2	
Diagnosis reasonably certain- $\left\{ egin{matrix} M. \\ F. \end{array} ight.$	1		. 9				22		15	15	14	8			1	
White	400	5	-	18	29		50		49	53	44	25	13	$\frac{4}{2}$	3	-
Males Females	. 250	5	. 12	13	20	20	24 26	17 44 9	20 29 11	25 28 10	16 28 6	7 18 3	5 8 1		1 2	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	- 76 - 159	5	. 8				14 20		14	15	14	8		2	. i	
Colored	_ 19	1	1	3	3	5	2		. 2	2						-
MalesFemales	3 16	_i	i	. 1	1 2	5	2		2	1 1						
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$			i	.					₁							
Cleveland	483	12					57	73	60	62	38	17	17	6		
Males	ļ	6	6	8	16	24	28		36	28	19 19	7	8	2	ļ	-
Feigales	. 269	. 6		13	22	39	29	47 13 34	24 19 17	34	19 6	10	9	4		

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					3	DEATHS	FROM CA	NCER (A	LL FORM	S) AT A	GE OF—					e th
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	급동
REGISTRATION CITIES—Contd.																
Columbus	220	1	4	17	22	17	36	30	36	21	20	7	7	2		
Males	78 142		2 2	3	3 19	6	15 21	10	18 18	9	7	2	1	2		
Females	44 110	1 1	1 2	14 2 13	2 16	11 5 11	11 20	20 6 14	18 9 12	12 4 6	13 3 10	5	6	1		
White	208	1	4	15	21	14	35	29	35	20	18	7	7	2		
Males	74		2	2	3	5	- 15	10	17	9	6	2 5	1	2		-
Females	134	1	$\begin{array}{c}2\\1\\2\end{array}$	13 2 12	18	9	20 11	19 6	18 9	11 4	12 3		6	i		
Colored	103	1	2	12 2	15	9	19 1	13 1	12 1	6	9	3	2			
Males	4			1		- 1			1		2		•			
Females	8 1			î	1	2	, 1	1		1	î					
Diagnosis reasonably certain. $\{F_{\bullet}^{\bullet}\}$. 7			1	1	2	1	, 1			1					
Dayton	133		5	5	12	9	15	16	16	19	16	9	9	1	1	
Males. Females.	43 90 17		1 4 1	1 4	3 9 1	1 8	3 12	6 10	5 11	8 11	9 7	3 6	2 7	<u>i</u> -	1	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} ight.$	62		' 4	2	8	8	2 7	5 8	3 6	3 9	1 4	1 4	2			
Toledo	184	3	2	7	, 12	21	33	19	20	23	19	18	7			
MalesFemales	77 107	1 2	2	7	4 8	10 11	13 20	8 11	10 10	9	9 10	11 7 5	2 5			
Diagnosis reasonably certain $\{rac{M}{F}\}$	40 67	····· <u>2</u>	2	6	6	4 10	. 14	4 6	10 6 6	· 14 7 5	3 6	5 1	2 3			
Youngstown	66	3	2	6	5	4	10	10	4	8	8	2	1	3		
MalesFemales.	24 42	2	<u>-</u>	2 4	2 3	1 3	2	3	3 1	4				2		
Diagnosis reasonably certain $\{^{M}_{F}\}$	10 27	1 1 1	₁	1 3	3 1 3	3 1 1	8 2 4	3 7 1 4	1 2 1	4	5	2	1	1		
Other cities	537	13	21	24	41	44	62	73	71	65	3 61	2 34	1 14	13	1	-
Males	180	7	5	6	6	12	16		30	26	27		4	3		
Females	357 94	6 3	16 2	18 4	35 3	32 5	. 46 11	28 45 17	41 12	39 13	34 14	10 24 5 9	10	10 2	. 1	
•	236	4	13	13	30	21	36	31	25	22	17	9	3 9	6		
Portland	229	10	13	12	14	20	32	28	27	26	19	14	8	5		. :
MalesFemales	107 122	5 5	6 7	3 9	4 10	8	18 14	10 18	8 19	16 10	13 6	9 5	6 2	1 4		
Diagnosis reasonably certain. ${rac{M}{F}}$	63 87	3	5 3	Ž 7	10	7 10	12 12	3 17	6 12	6	8	4 3	3 1	1 3	. >	
White	222	10	13	11	14	19	30	26	27	26	18	14	8	5		1
Males	101	5	6	2	4	7	17	8	8	16	12	. 9	6	1		
FemalesDiagnosis reasonably certain $\{rac{M}{F}\}$	121 58 86	5 4 3	7 5 3	. 7	10	12 6	13 11	18 2 17	19	10 6	6 7	5	2 3 1	4]
Colored 2	7	3	°	. '	10	10	11 2	2	12	4	1	3	1	3		3
Males				1		1		2			1					
Females	1 5			$\cdots \hat{i}$		····i	1 1									
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	Ĭ						ī									
PENNSYLVANIA. Registration cities	3,245	64	127	167	252	341	412	439	389	377	310	218	89	45	13	2
Males	1,204 2,041	33 31	30		70	113	154	162	163	176	140	77	28	13	3	
Females	610	31 25 22	97 20 79	42 125 25 105	182 43	228 64	258 76	- 277 - 84	226 81	201 80	170 60	141 29	61 15	32 6	10 2	2
•	1,343	j	- 1	- {	142	160	188	184	144	111	94	61	22	23	7	1
White Males	3,104 1,158	31	123	158 39	63	104	392	154	383	366	302	213	85	43	12	2
Females	1,946 592	31 25 24	29 94 20	119	63 174 40	204	149 243 76 177	154 270 81	162 221 81	174 192 79	135 167 58	75 138 29	27 58 14	13 30 6	3 9 2	2
Diagnosis reasonably certain $\{F\}$	1,278	17	· 77	22 101	136	143	177	179	141	105	92	60	22	21	6	ĭ
Colored	141	8	4	9	15	33	20	15	6	11	8	5	4	2	1	
Males. Females.	46 95	6	3	3 6	8	9 24	5 15	8 7	1 5	2 9	5	2 3	1 3	2	<u>i</u> -	
Diagnosis reasonably certain ${M \choose F}$	18 65	1 -	2	3 4	3 6	17	11	3 5	3	1 6	2 2	<u>1</u>	1	2	1	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Colored population less than 10 per cent of the total in 1910.

MORTALITY FROM CANCER.

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						EATHS F	ble, p. 4-		L FORMS	S) AT AG	E OF-				······································	-in
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at vn 996
REGISTRATION CITIES—Contd.																
PENNSYLVANIA—continued.																
Allentown	59		1	7	1	5	12	5	5	3	5	6	5	3	1	<u> </u>
Males Females	13 46		_i .	2 5	i	1 4	4 8	5	1 4	1 2	3 2	6	1 4	3	i	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} ight\}$	8 32			1 4	i	1 4	3 6	4	4	1 2	' 1 1	3	1	2	····i	· · ·
Erie	55		1	3	5	4	6	11	6	6	5	4	2	1	1	
MalesFemales	22 33		i	$\frac{1}{2}$	5	3 1	2 4	5 6	1 5	1 5	4	3	1	<u>i</u>	1	
Diagnosis reasonably certain ${M \choose F}$	11 21		<u>i</u> .	2	4	$\frac{2}{1}$	1 3	2 2	1 3	1 2	1 1	3		<u>-</u> -		
Harrisburg	. 57	1	1	6	3	4	6	9	7	6	7	4	1	2		
Males Females	16	1		2 4	3		<u>1</u>		2	3 3	4	1		2		
Diagnosis reasonably certain. ${M \choose F}$	41 7 32	i	1	1 4	3	4 3	5 2	9 8	5 4	1 2	3 2 2	3	1 	2		
Lancaster	55	3		4	2	6	6	6	9	5	4	8	1	1		
Males	23	1				1	4	4	3	4	3	3				
Females	32 10	1		4	2	5 1 3	2 2	2	6 3	1	1	5 1	1	1		
Philadelphia	20 1,541	28	62	1 74	128	176	204	208	182	177	1 146	96	1 36	19	5	
Males	591	16	15	19	42	59	75	81	78	93	62	34	9	4	1	
Females	950 323	12 13 7	47 11	55 13	86 29	117 42	129 37	124 50	104 35	84 46	84 27	62 12	27 5 11	15 2	4 1	
•	631		39	42	68	81	91	86	63	51	52	26		11	3	
White	1,455	24	59	67	36	158	191	198	176	170	144	94	33	18	4	
Females	564 891 311	15 9 13	14 45 11	17 50 11	83 27	54 104 40	73 118 37	78 120 47	77 99 35	92 78 45	61 83 26	34 60 12	8 25 4	$\begin{array}{c}4\\14\\2\end{array}$	1 3 1	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{H} \\ \mathbf{F} \end{array}\right\}$	591	4	37	39	65	71	84	83	60	47	52	26	11	10	2	
Colored	86	4	3	7	9	18	13	10	6	7	2	2	3	1	1	
Males Females	27 59	1 3	$\frac{1}{2}$	2 5	6 3	5 13	2 11	6	1 5	1 6	1	2	1 2	1	1	
Diagnosis reasonably certain $\left\{egin{matrix}M\\F\end{array}\right\}$	12 40	3	2	2 3	2 3	10 10	7	3	3	1 4	1		1	1	i	
Pittsburgh	481	12	25	25	37	51	59	79	61	. 50	43	18	13	5	3	
Males Females	177 304	7 5	10 15	7 18	11 26 7	10 41	27 32	27 52	27 34	21 29	19 24	5 13	2 11	3 2	$\frac{1}{2}$	
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	95 194	7	6 13	3 15	7 23	5 29	$\frac{14}{24}$	$\frac{14}{32}$	16 20	9 15	9 9	2 2	2 5	2	1 1	
White	460	9	5	24	35	44	58	76	61	48	43	18	12	4	3	- -
Males Females	173 287	6 3	10 15	7	10 25	10 34	27 31	26 50	27 34	20	19 24	5 13	2 10	3	1 2	
Diagnosis reasonably certain ${M \choose F}$	93 183	6 3	13	17 3 14	6 22	5 25	14 23	14 31	16 20	28 9 14	9 9	2 2	. 5	1	1 1	
Colored	21	3		1	2	7	1	3		2		~	1	1		
Males	4	1			1			1								
Females	17 2	2		1	1 1	7	1	2		1			1	1	• • • • • •	
Reading	11 86	1	2	1 5	1 9	6	1 5	$\frac{1}{12}$	12	1 15	6	8	4	1		
Males	36					3	2	4	9	9	4	1	2			
Females	50 11	1	2	5	2 7 1	3	$\frac{1}{3}$	8	3	6 1	2 3	$\tilde{7}$	$\frac{1}{2}$	1		
(- · ·	33	1	1	5	5	2	1	6	1	3		6	1	1	•••••	
Scranton Males.	85 35	2	5	3	6	10	15	10		8	8	4				
Females	50 15	2	5	$\begin{array}{c c} 2\\ 1\\ 1\end{array}$	4	5 5 1	8 7 5	5 5 2	4 6 2	1 7	5 3 2	$\begin{array}{c} 2 \\ 2 \\ 1 \end{array}$	1 3 1			
Diagnosis reasonably certain $\left\{ egin{array}{l} H_{-1} \\ F_{-1} \end{array} \right\}$	34	2	4	1	3	4	6	2 2	4	3	3	1	1			
Williamsport	50	1	1	3	4	6	2	9	3	5	7	6	3			
Males Females	19 31 7	1	i	$\frac{1}{2}$	4	2 4	2	3 6	$\begin{array}{c c} 1 \\ 2 \end{array}$	3 2 1	4 3	3	$\frac{2}{1}$			••••
Diagnosis reasonably certain. F	$ \frac{7}{19} $		····i	1 2	<u>.</u> .	3	<u>2</u>	i	i	1 1	1	2	1			

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914.—Continued.

•		!			at head			NCER (AI	LL FORM	S) AT AG	E OF—					ij,
area and basis of diagnosis.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un- known age.
REGISTRATION CITIES—Contd.												\				-
PENNSYLVANIA—continued.																٠.
Other cities	776	16	29	37	57	73	97	90	94	102	79	64	20	13	3	· 2
Males Females	272 504	8 8 3	5 24	8 29 5 26	13 44	29 44	31 66	30 60	37 57	40 62	32 47 14	25 39 8	10 10	4 9	3	2
Diagnosis reasonably certain. $\{ egin{matrix} M & \dots \\ F & \dots \end{bmatrix}$	504 123 327	3 6	3 19	5 26	6 31	44 12 30	13 51	14 37	20 40	19	14	8 20	4 2	2 6	2	<u>i</u>
RHODE ISLAND.																
Registration cities	426	9	9	16	25	45	53	60	59	51	41	40	12	5	1	
Males Females	155 271	27.	2 7	2 14	9 16	18 27	21 .32	23 37	21 38	25 26	16 25	11 29	3 9	1 4	1	
Diagnosis reasonably certain. $\{^{ m M}_{ m F}$	86 175	1 6	2 7 2 5	2 13	6 15	11 19	10 22	16 27	7 20	16 13	9 15	4 10	1 7	1 3		
White	419	8	8	16	24	43	52	59	59	51	41	40	12	5	1	
Males	153	1 7	2 6	2	8	18	21	23 36	21	25	16	11	3	1	1	
Females	266 85 173	6	5 5	14 2 13	16 6 15	18 25 11 18	21 31 10 21	36 16 27	38 7	26 16	25 9	29 4	9	4		
Colored	7	1	1	10	1	2	1	1	20	13	15	10	7	3		
Males	2	1			1											
Females. Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \mathbf{M} & \mathbf{M} \end{array} \right.$	5	i	1			2	1	1								
<u>~</u>	2					1	1									
Providence Males	227 82	7	<u>8</u>	6.	14 6	12	17 5	32 10	39	28	26	17	6	2	1	
. Females	145 46	1 6 1	6 2	1 5 1	. 5	. 12	12 2	22 8 18	13 26 4	16 12 9	11 15 7	14	1 5	2	1	
Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	94	1 5	4	1 5	8	8	9	18	12	ő	8	2 7	3	1		
Other cities	199	2	1	10	11	21	36	28	20	23	15	23	6	3		<u>:</u>
Males	73 126	1	····i	1 9	, 3	6 15	16 20	13 15	8 12	9 14	5 10	8 15	2 4	$\frac{1}{2}$:::::::	• • • • •
Diagnosis reasonably certain $\{F_{i}^{M}\}$	40 81	i	1	1 8	1 7	6 11	8 13	8 9	12 3 8	7 7	7	2 • 3	1 4	$\frac{1}{2}$		• • • • • • • • • • • • • • • • • • •
SOUTH CAROLINA.1 Charleston 2						_										
Charleston 2 Males Males	35	1	$\frac{3}{2}$	2	3	7	6	2	4	1	3	2				
Females	10 25 7	1 1	1	. 2	2	1 6	1 5 1	1	4	1 1	3	2				••••
Diagnosis reasonably certain $\{ F_{-}^{M} \}$	19	ī	î	2	2	1 5	4		3		1	2				•••••
White	23	1	2	1		4	5	2	3	1	2	2				
Males Females	7 16	1	· 1	<u>i</u>		4	1 4	1	3	1	2	2				
Diagnosis reasonably certain $\{F_{-}^{M}\}$	6 10	1	1 1	i		3	1 3		2	1		2				
Colored	12	1	1	1	3	3	1		1		1					
MalesFemales	3 9	_i	1	1	1 2	1 2	1		i		i					
Diagnosis reasonably certain ${M \choose F}$	i 9	·i		····i	2	1 2	·····i		;-		1			•••••		•
TENNESSEE.1				•		-			, 1		•					••••
Registration cities	289	5	22	26	26	35	. 38	41	33	24	14	12	8	1	1	3
MalesFemales	85 204	2 3 2 2	6 16	1 25	3 23	5 30	11 27	17 24	15 18	12 12	4 10	4 8	3 5	1	<u>1</u>	1 2
Diagnosis reasonably certain $\{ \stackrel{ ext{M}}{\text{F}} : $	37 160	2 2	2 15	20	22	1 25	8 23	6 15	5 11	4 8	3 7	2	2 4	i	i	1 1
White	209	5	9	14	16	20	21	37	30	24	12	11	7	1		2
MalesFemales	72 137	2	3 6	14	3	3	6	15 22 5	15	12	4	4	3 4	1		1
Diagnosis reasonably certain. ${M \choose F}$	32 102	2 3 2 2	1 6	14	13	17 1 12	15 5 14	22 5 13	15 5 10	12 4 8	. 8	7 2 5	2 3	1		1
Colored	80	-	13	12	10	15	17	4	70	٥	2	. 1			1	1
Males	13		3	1		2	5 12									
Females. Diagnosis reasonably certain. $\{rac{M}{F}$	67		10 1	11	10	13	3	2 2 1	3		2	1	1		1	i
γ	58	<u></u>	9	9	9	13	9	2	1		2	1	1		1	i

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only registration unit in the state.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

			<u> </u>			EATHS F	ROM CAI	NCER (AI	L FORM	S) AT AG	E OF—					ė.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at u known age.
REGISTRATION CITIES—Contd.							<u> </u>									
TENNESSEE 1—continued.																
Memphis	114	1	10	7	13	12	13	18	16	7	1	8	5	1		2
Males Fernales	37 77	·····i	1 9	7	3 10	1 11	4 9	8 10	8 8	4 3	1	4 4	2 3	1	ļ	₂
Diagnosis reasonably certain $\left\{egin{matrix}M & \cdot \\ F & \cdot \end{aligned} ight.$	10 60		9	4	10	9	3 8	5	7	2		3	1 2	1		_i
White	86	1	2	4	9	6	9	17	16	7	1	8	4	1		1
Males Females	34 52	i		4	3 6	1 5	3 6	7 10	8 8	4 3	1	4 4	2 2	1		<u>i</u>
Diagnosis reasonably certain ${M \choose F}$	9 37	 	2	2	6	3	3 6	1 1 5	1 7	2		2 3	î	i		
Colored	28	 	8	3	4	6	4	1				ļ	1			1
Males.	3 25		1 7				1	1								
Females	25 1 23		₇	32	4 4	66	3 2	1					1			1 ;
Nashville	98	4	4	7	9	15	12	12	10	12	7	2	3		1	1
Males	30 68		3	1		1	4	4	5	6	3		1			
Females. Diagnosis reasonably certain ${M \choose F}$	18	2 2	1 1	6	9	14	8 3	8 2	5 3	6 3	3	2	$\frac{2}{1}$		1	
(55	2	1	5	8	12	8	7	2	3	3	1	2	·	1	
White	68	4		2	4	8	4	10	10	12	7	2	3			
Females	46 14	2 2 2	1	2	. 4	8	4	4 6 2	5 5 3	6 6 3	3 4 3	2	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$			
Diagnosis reasonably certain $\left\{ egin{matrix} M \ F \end{array} ight.$	34	2	1	1	4	6	4	5	2	3	3	1	2			
Colored	30		2	5	5	7	8	2							1	
Males. Females.	8 22		2	1 4	5	1 6	4	2							····i	
Diagnosis reasonably certain $\left\{egin{matrix} \mathbf{M} & \cdots & \mathbf{K} \\ \mathbf{F} & \cdots & \mathbf{K} \end{array} ight.$	4 21		1	4	4	6	3 4	2							····i	
Other cities 2	77		8	12	4	8	13	11	7	5	6	2				1
MalesFemales	18 59		2 6	12	4	3 5	3 10	5 6	2 5	2 3	6	2				1
Diagnosis reasonably certain $\left\{egin{array}{l} M \\ F \end{array}\right\}$	9 45		1 5		4	1 4	7	ž 3	$\frac{1}{2}$	1 3	4	2				i
White	55		5	8	3	6	8	10	4	5	4	1				1
Males	16		2			2	3	4	2 2	2						1
Females	39 9 31		3 1 3	8 8	3 3	4 1 3	5	6 2 3	1	3 1	4	1		-		····i
Colored	22		3	4	1	2	4 5	1	1	3	2 2	1				
Males	2					1		1								
Females. Diagnosis reasonably certain $\{rac{M}{F}\}$	20		3	4	1	1	5		3		2	1				
\-	14		2	3	1	1	3		1		2	1	•••••			•••••
TEXAS. ¹ Registration cities	181	8	10	18	17	0.4	01	00	10	-,,			_	•	}	
Males.	74	5	3	9	4	10	21 7	9	19	7	11 5	7	5			
Females	107 46	3	10	9	13 1	14	14 5	13	8 8	7	6	6	2 3 1	î		
Diagnosis reasonably certain. $\{F: F: F: F = F\}$	74	2	8	7	11	11	8	9	4	4	4	4	1	î		
White	170	6	12	17		23		22	18	14	11	7	5	2		
Males. Females	70 100	4 2	10 10	8	9	10 13	7 13	9 13	10 8 7	7 7	5 6	1 6	2 3 1	1		
Diagnosis reasonably certain. $\{F : F : F : F : F : F : F : F : F : F :$	44 68	2 1	1 8	5 7	1 7	6 10	5 8	8 9	7 4	3 4	4	4	1	1 1		
Colored	11	2	1	1	4	1	1		1							
MalesFemales	7	1	1	1	4	i	1		1							
. Diagnosis reasonably certain $\left\{egin{matrix}M \\ F\end{array}\right\}$	2 6	1 1			4	i			1						<u>-</u>	
Galveston	52	5	4	4	4	7	4	5	5	6	4	2	1	1		
MalesFemales	28 24	4 1	3 1	2 2	4	5 2	1 3	2 3	4	3 3	3	2	;-	1		
Diagnosis reasonably certain. ${M \choose F}$	17 17	3	i i	1	*.	2 2 2	1 3	2 2	4	$\frac{3}{1}$	$\begin{bmatrix} & 1 \\ 2 \\ 1 \end{bmatrix}$		1	····i		
1 Nonregistration etate, sities			- 1	1,	0 1		ا ن	اند			, ,	, I,				

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² Includes Chattanooga, Jackson, and Knoxville.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	EATHS F	ROM CAN	NCER (AI	L FORM	S) AT AG	E OF—				,	Ė,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	34	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
REGISTRATION CITIES—Contd.																
TEXAS 1—continued. Galveston—Continued. White	45	3	3	3	2	7	4	5	4	6	4	2	1	1		
MalesFemalesDiagnosis reasonably certain ${M \over F}$	24 21 15 14	3	2 1 1 1	1 2	2	5 2 2 2	1 3 1 3	2 3 2 2	3 1 3	3 3 1 2	3 1 2 1	2	1	1		
Colored	7	2	1	1	2				1							
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $rac{ ext{M}}{ ext{F}}$	4 3 2 3	1 1 1 1	1.	1	2				1							
San Antonio	81	2	4	7	8	11	12	12	. 11	4	4	2	4			
$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M.} \\ \text{F.} \end{array}$	29 52 19 36	1 1	4	3 4 2 4	3 5 1 5	3 8 3 6	4 8 2 4	5 7 4 4	5 6 3 3	2 2 2 1	1 3 1 2	2	2 2 1 1			
White	77	2	4	7	6	10	11	12	11	4	4	2	4	<u></u>		
Males. Females Diagnosis reasonably certain. $\{\stackrel{M}{F}.$	29 48 19 33	1 1 i	4 3	3 4 2 4	3 3 1 3	3 7 3 5	4 7 2 4	5 7 4 4	5 6 3 3	2 2 2 1	1 3 1 2	2 2 2	2 2 1 1			
Colored	4				2	1	1						<u></u>			
MalesFemalesDiagnosis reasonably certain $\{\stackrel{M}{F}\}$	1 4				2	1 1	1									
El Paso ²	48	1	5	7	5	6	5	5	3	4	3	3		1		
$egin{array}{c} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} iggl\{ rac{M}{F} . ext{.} \end{matrix}$	17 31 10 21	i	5 4	3 3 2	1 4 3	2 4 1 3	2 3 2 1	2 3 2 3	2 1 1 1	2 2 1	1 2 1 1	1 2 1		1 1		
UTAH. Registration cities	93	3	1	5	8	13	13	13	12	. 8	10	3	4			
Males Females Diagnosis reasonably certain. [M [F	45 48 29 32	3	1 1	1 4 1 3	2 6 2 4	6 7 3 4	5 8 4 5	6 7 4 5	7 5 3 3	6 2 4 1	6 4 4 3	1 2	2 2 1 2			
White	88	3	1	5	8	9	13	12	12	8	10	3	4			
$\begin{array}{c} \text{Males.} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \left\{\begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix}\right] \\ \text{Colored.} \end{array}$	42 46 28 32 5	3	1 1	1 4 1 3	2 6 2 4	3 6 2 4	5 8 4 5	6 6 4 5	7 5 3 3	6 2 4 1	6 4 4 3	1 2	2 2 1 2			
Males Females	3 2 1					3 1 1		1								
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$																<u> </u>
Salt Lake City	71	2	1	4	6	, 5	11	11		6	9 5	1	2		•••••	
Females $ \begin{array}{c} \overline{\text{Females}} \\ \overline{\text{Diagnosis reasonably certain.}} \overline{\text{M}} \\ \overline{\text{C}} \\ \overline{\text{Ogden }}^3. \end{array} $	32 39 21 27 22	2	1 1	1 3 1 2	1 5 1 4 2	6 3 4 2	4 7 3 5	4 7 3 5	5 2 2 1 5	2 2 1 2	4 4 3 1	1 2	1 1 1 2			
Males Females Diagnosis reasonably certain.∫M.	13 9 8	1		1	1 1 1	1 1	1 1 1	. 2	2 3 1	2 2	1	1 1	1 1 1			
VERMONT.	5			1					2	,,,	*^	1	1	. 2		
Registration cities	73	3 2	3 1 2	3	5 2	1	3	9	8 1 7	7 2 5	10	3 6	3			
$egin{array}{c} ext{Females} & ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} & ext{.} \ ext{F} & ext{.} \ ext{White} & ext{.} \ ext{.} \ ext{Vhite} & ext{.} \ ext{.} \ ext{Vision of the properties} \ ext{.} \ ext{Vision of the properties} \ ext{Vision of the properti$	29 44 19 25 72	1 1 1 3	2 1 2 3	3 2 3	2 3 2 2 5	1 1 1 2	3 1 3 6	3 5 1 12	7 1 2 8	5 2 4 7	6 3 4 9	6 1 1 9	1 1 3	$egin{array}{c} 2 \\ 1 \\ 2 \end{array}$		
Males Females Diagnosis reasonably certain ${M \choose F}$	28 44 18 25	2	1 2 1 2	3	2 3 2 2		3	9 3 5	1 7 1 2	2 5 2 4	3 6 2 4	3 6 1 1	1 2 1 1	2		

¹ Nonregistration state; cities shown below only those with effective local ordinances. ² The only other registration unit; shown in order to complete the state.

 $^{^{3}}$ The only other city of 10,000 inhabitants or over in 1919.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEATHS	FROM CA	NCER (A	LL FORM	IS) AT A	GE OF-					-tin
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	84	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	ig t
REGISTRATION CITIES—Contd. VERMONT—continued.																
Registration cities—Continued. Colored	1										1					
MalesFemales	1										1					
Diagnosis reasonably certain. $\left\{egin{smallmatrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{bmatrix} ight.$	1										1					
VIRGINIA.																
Registration cities	304	5			33	31	51	42	44	24	27	6	5	6	1	<u></u>
MalesFemales	101 203	3 2	10 10	6 11	8 25	26 26	17 34	15 27	16 28	6 18	15 12	1 5	2 3	5 1	1	
Diagnosis reasonably certain. $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array} ight]$	62 143	3	2 7	3 8	7 21	3 16	14 27	7 21	10 17	3 13	5 9	2	1 1	4	1]
White	216	4	5	6	16	20	35	29	33	24	26	6	5	6	1	
Males Females	86 130	2 2	2 3	2 4	8	5 15	14 21	11 18	14 19	6 18	14 12	1	2 3	5 1	i	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	53 90	2	2 2	1 3	8 7 6	3 9	11 17	6 14	9	3 13	12 4 9	<u>5</u>	.1	4	<u>i</u> .	
Colored	88	1	7	11	17	11	16	13	11	13	1		1			
Males.	15	1		4			3	4	2		1					
Females. Diagnosis reasonably certain. ${M \choose F}$	73 9	i	7	$_{2}^{7}$	17	11	13	9	9 1		i					
,	53		5	5	15	7	10	7	4							
lichmond			5	8	18	12	22	16	20	9	10	2	3	2		
Males Females	48 79		5	4	6 12	3 9	9 13	10	8 12	7	7 3	2	1 2	2		
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	31 55		3	$\frac{1}{3}$	5 11	2 3	$^{6}_{12}$	5 6	5 8	1 5	3	,1	1	2		
White	89		2	3	9	8	17	12	13	9	9	2	3	2		
Males Females	40 49		2	2 1	6 3	3 5	7	4 8	7	2 7	6		1	2		
Diagnosis reasonably certain. ${ m M \over F}$	27 37		_i -	1 1	5 3	2 1	10 4 10	4	6 5 6	1 5	3 2 3	2	2 1	2	· · · · · · ·	
Colored	38		3	5	9	4	10 5	4	7	a	1	1				
Males	8			2			2	2	1		1					
Females. Diagnosis reasonably certain $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right\}$	30 4		3	3	9	4	3 2	$\frac{\bar{2}}{1}$	Ĝ		<u>î</u> .					
,	18		2	2	8	2	2		2							
Other cities	177	5	7	9	15	19	29	26	24	15	17	4	2	4	1	
Males	53 124	3 2 3	. 5 2	2 7	2 13	2 17	8 21	9 17	8 16	4 11	8 9	1 3	1	3 1	i	
Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	31 88		4	2 5	2 10	1 13	8 15	$\begin{array}{c}2\\15\end{array}$	5 9	2 8	2 6	·····i	····i	2	····i	
White	127	4	3	3	7	12	18	17	20	15	17	4	2	4	1	
Males Females	46 81	2 2	2	3	2 5	2 10	7 11	7 10	7 13	4 11	8	1 3	1	3	;-	
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	26 53	$\tilde{2}$	$\begin{bmatrix} 1 \\ 2 \\ 1 \end{bmatrix}$	2	2 3	1 8	7 7	2 8	4	2 8	9 2 6		1	2	1 ₁	
Colored	50	1	4	6	8	7	11	9	4			-	1		- 1	
Males	7	1		2			1		1							
Females	43 5	····i	4	4 2 3	8	7	10	2 7	$\frac{\bar{3}}{1}$							
WASHINGTON.	35		3	3	7	5	8	7	2							
egistration cities	499	9	17	27	29	48	64	72	67	62	49	31	20	3	1	
MalesFemales	251 248	6	7	14	10	14	32	31	39	40	30	16'	9	3		
Diagnosis reasonably certain ${M \choose F}$	148 183	3 3 3	10 7 8	13 11	19 5	34	32 19	41 21	28 22	22 24	19 12	15 8	11 6	····i	1	
White	497	9	17	12 27	16	28	26	31	23	14	12	6	4			
Males.	249	6	7	14	28	14	32	72	67 39	62	49	31	19	3	1	
Females	248 147	3	10	13 11	19 5	34 9	32 32 19	31 41 21	28 22	40 22 24	30 19 12	16 15 8	11 .		i	
Diagnosis reasonably certain. F	147	3	8	12	16	28	26	31	23	14	12	6	$\begin{bmatrix} 5 \\ 4 \end{bmatrix}$	1		
Colored	2	· · · · · · · · · · · · · · · · · · ·	<u></u>	• • • • • • •	1								1 .			
Moles	2				1								1 .			
Males Females Diagnosis reasonably certain. ${M \choose F}$																

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT, IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

•				1		DEATHS 1	FROM CA	NCER (A	LL FORM	S) AT A	GE OF-					Ė,
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	THE
REGISTRATION CITIES—Continued.											·		-			┢
Washington—continued.	İ								-							
Seattle	221	6	4	13	11	18	27	39	31	26	21	11	10	3	1	
Males Females	115	3 3	4	8 5	4 7	6 12	14 13	18 21	19 12	16 10	15 6	4 7	5 5	3	;	
\cdot Diagnosis reasonably certain $\left\{ egin{matrix} M & & \\ F & & \end{array} \right.$	74 78	2 3	2	6 5	3 6	6 11	9 11	11 18	13 13	10	7 3	2 2	4 2	1	1	
Spokane	102	2	3	4	5	8	21	13	15	12	6	9	4			
Males	43	2				2	6	7		9	2	4	1			
Females. Diagnosis reasonably certain ${M \choose F}$	59		3	1 3 1	2 3 1	6	15 4	6	7 8 3 7	3 5	4	5 2	3			<u> </u>
•	49		3	3	3	6	1,3	5	}	3	3	2	1		- 	
Tacoma	84		5	2	9	10	6	8	9	14	12	5	3			
Males Females	45 39	1	5 <u>:</u> -	2	3 6	2 8	5 1	1 7	5 4	7	8 4	5	1 2			
Diagnosis reasonably certain $\{^{ m M}_{ m F}$:	23	1	5 ; -	2	. 1	5	$\frac{1}{2}$	4	3 2	4 5	2	3	1			
Other cities	92		5	8	4	12	10	12	12	10	10	6	3			
MalesFemales	48		2 3 2	3 5	1 3	. 8	7	5 7	8	8 2 5	5 5	3 3	2			
Diagnosis reasonably certain $\{^{ m M}_{ m F}$	48 44 27 33		2 3	$\begin{bmatrix} & 3\\2\\4 \end{bmatrix}$	3	. 2	3 5 1	4	4 3 4	5 1	2 5	1 2	i			
WEST VIRGINIA,1				_		١	_] [*] .	*		J	-				
Wheeling 2	46	1	2	2	5	4	7	5	6	7	4	3		<u>:</u>		
MalesFemales	14 32	1			1 4	1 3	1	2	2	2	2	2				,
Diagnosis reasonably certain $\{^{ m M}_{ m F}$	9 23	1	$\frac{2}{2}$	2 2	1 3	3 3	6 1	3 1 3	4 1 1	. 5 1 2	$egin{array}{c} 2 \\ 1 \\ 2 \end{array}$	1 1				
White	45	1	2	2	5 5	4	5 6	5	6	7	4	3				
Males		1			1		1	2	2		2	- 2				
Females	14 31 9		2	2	4	1 3 1	5 1	3	4	2 5 1	2	1				
· ·	22		2	2	3	1 3	4	3	ī	2	. 2					
Colored 3	1		<u></u> ;				1									
MalesFemales	·····i						·1									
Diagnosis reasonably certain $\{^{M}_{\mathbf{F}}$.	1						1									
wisconsin.																1
Registration cities	712	14	20	27	32	58	81	116	91	105	68	53	28	16	3	
MalesFemales	315 397	8	5 15	13 14	92	21 37 13	29 52 15	50 66	50	46	32 36 14	28	13 15	10	1	
Diagnosis reasonably certain. $\{ \stackrel{M}{\mathbf{F}} $	151 244	6 5 6	13	· 9	23 5 21	13 33	15 35	25 39	50 41 25 21	- 59 17 29	14 16	28 25 13 10	13 2 7	6 5 2	2 1 1	
White	710	14	20	26	32	58	, 81	116	91	105	68	53	27	16	3	
Males	315	8		13	9					46				10		
Females	395 151	6 5	5 15 2 13	13 9 11	23 5 21	21 37 13 33	29 52 15 35	50 66 25 39	50 41 25 21	59 17	32 36 14	28 25 13 10	13 14 2	6 5 2	$\tilde{2}$	
V	243	6	13		21	33	35	39	21	29	16	10	2 6	2	1	
Colored	2			1		<u></u>					<i>:</i>		1			
MalesFemales	2			····i									i			
Diagnosis reasonably certain $\{\stackrel{M}{F}$:	1												1			
Milwaukee	291	7	6	13	14	25	30	46	42	* 36	35	20	9	7	1	
MalesFemales	133 158	4 3	1 5	7	4 10	9 16	13	21	21 21	18 18	14 21	12 8 6	5 4	4 3		
Diagnosis reasonably certain ${M \choose F}$	55 96	3 4 3	1 5 1 5	7 .6 5 4	3 9	3 13	17 3 11	21 25 9 13	8 11	6 11	5 9	8 6 3	3	2	<u>1</u>	
Other cities	421	7	14	14	, 18	. 33	51	70	49	69	33	33	19	9	2	
Males		4	4			12	16	20			<u> </u>					
Females	182 239 96	3	10	6 8 4 7	5 13 2 12	21 10	35 12 24	29 41 16	29 20 17 10	28 41 11	18 15 9	16 17 7 7	8 11 2	6 3 3 2	1	
Diagnosis reasonably certain $\{ \stackrel{M}{F} : $	148	3	1 8	7	12	20 l	24	16 26	10	18	9 7	1 7	2 4	2		

Nonregistration state; cities shown below only those with effective local ordinances.
 The only registration unit in the state.
 Colored population less than 10 per cent of the total in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					I	DEATHS I	ROM CAI	NCER (AI	L FORM	S) AT AG	E OF					ġ
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	84	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at
RURAL PART OF REGISTRATION STATES.																
CALIFORNIA.																
Total	947	12	23	36	61	59	87	111	134	123	133	87	51	22	7	
Males Females	- 496 - 451	6 6	15 8	11 25 5	17 44	20 39 17	43 44	58 53	71 63	66 57	85 48	52 35	35 16 19	13 9	4 3	
Diagnosis reasonably certain $\left\{egin{matrix}M\\F\end{array} ight\}$	267 320	4 4	13 7	5 24	11 37	17 29	23 32	29 47	44 46	32 34	48 38 27	22 17	19 8	8 7	ž 1	
White	929	12	22	36	60	58	84	109	131	120	130	87	51	22	6	
MalesFemales	483 446	6	14 8	11 25	17 43	19 39	40 44	56 53	69 62	· 65 55	83 47	52 35	35 16 19	13 9	3 3	
Diagnosis reasonably certain $\left\{egin{matrix}M\\ F\end{array} ight\}$	259 317	4	12 7	25 5 24	J1 36	16 29	21 32	28 47	44 46	31 32	36 27	22 17	19	8 7	$\begin{array}{c c} & 0 \\ 2 \\ 1 \end{array}$	
Colored	- 18		1		1	1	3	2	3	3	3		ļ		1	
MalesFemales	13 5		1		i	1	3	2	2	1 2	2 1				1	
Diagnosis reasonably certain $\left\{egin{smallmatrix} ext{M}\ ext{F}\end{array} ight.$	8		i		<u>i</u> .	1	2	1		1 2	2					
Los Angeles County		1	3	1	19	4	14	20	16	21	26	22	9	4	1	
MalesFemales			3		2	1	4	8	10	7	14	11	7	2		
Diagnosis reasonably certain $\begin{Bmatrix} M \\ F \end{Bmatrix}$	92 32 60	1	2	1 i	17 2 15	3 1	10 2 6	12 4 11	6 5 5	14 2 6	12 6 7	11 4 6	2 4	$\frac{\bar{2}}{2}$	1	
Santa Clara County	78		2	1	5	4	8	12	11	13	9	6	5	1	1	
Males	. 39		1	1	3		4	5	6	- 8	3	5	3			
Females	39	-	1		2 2	4	2	7	5 4	5 5	6	$\frac{1}{2}$	2 2	1	1	
Sonoma County	1 20	2	1	7	2 7	3	3	6 5	5	3			1	1	1	
Males		2		1	2	4 2	3	3	5 1	5	10	6 2	4			
Females Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	34 12	2	i	6	5	$\frac{2}{2}$	4	ã	4	4 1 1	4 3	4	i			
ν	1 -1			6	4	2	2	3	2	1	2	2				
Other rural districts	645	9	17	27	30	47	58	74	102	84	88	53	33	17	5	
Females	359 - 286 - 204	5	11 6 10	9 18 4	10 20 7	17 30 14	32 26 18	43 31 24	54 48 35	47 37	62 26 29 18	34 19	21 12	11 6 8	1	
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	210	3	6	17	16	24	21	27	34	24 24	18	15 9	1 <u>2</u>	4	2	
COLORADO.				,												
Total Males Males	237	1	5	10	23	26	30	32	25	24	28	22	9	2		
Females	109 128 57 78	i	3	2 8 2	10 13	7 19	10 20 6	16 16 11	18 7 5	12 12 7 7	18 10	7 15 2	6 3 2	1		
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	78	i	2 1	6	3 10	6 15	14	10	4	7	10 4	4	í	1		
White	236	1	5	10	23	26	30	32	25	23	28	22	9	2		
Males Females	109 127	1	2 3	8	10 13	7 19	10 20	16 16	18	12 11	18 10	7 15	6 3	1		
Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	57 77	i	2 1	2 6	3 10	6 15	6 14	11 10	5 4	7 6	10 4	2 4	2 1	1		
Colored	1									1						
MalesFemales	1					 		 		i						
Diagnosis reasonably certain. $\left\{egin{matrix}M & \cdot \\ \mathbf{F} & \cdot \end{aligned} ight.$	ii									·····i						
CONNECTICUT.	}	! 											i i			
Total	323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	
Males Females	123 200	1	4	3 4	3 10	7 14	8 20	15 32	13 23 5	19 27	24 27	14 26	7 9	4	1 4	
Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	63	1	4	3 4	$\frac{2}{7}$	10	13	8 21	14	9 12	10	8 20	7	3 1	1 2	
White	323	1	4	7	13	21	28	47	36	46	51	40	16	5	5	
Males Females	123 200 63	1	4	3 4 3	3 10	7 14	8 20	15 32	13 23	19 27	21 27	14 26	7 9	4 1 3	1 4	
Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	122	1	4	3 4	2 7	10	13	8 21	5 14	9 12	10	20	7	3 1	1 2	
Hartford County	. 76		2	2	5	3	4	13	8	8	14	11	5	1		
MalesFemales	27		2	2	5	2 1 1	3 1	3 10	4	1 7	6 8 2 4	3 8 2 7	2 3	1		
Diagnosis reasonably certain. $^{ m M}_{ m F}$	16 31		2	2	3	$\begin{bmatrix} 1 \\ 1 \end{bmatrix}$	3	10 3 8	$\frac{1}{2}$	i	2	2 7	1 3	1		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					D	EATHS F	ROM CAN	CER (AI	L FORMS	B) AT AG	E OF—					m.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90. years and over.	Deaths at un- known age.
RURAL PART OF REGISTRATION STATES—Continued.															,	
CONNECTICUT—continued. Other rural districts	247	1	2	5	8	18	24.	34	28	38	37	29	11	4	5	3
Males Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} \right.$ INDIANA.	96 151 47 91	1	2	3 2 3 2	3 5 2 4	5 13 4 9	5 19 1 13	· 12 22 5 13	9 19 4 12	18 20 9 11	18 19 7 6	11 18 6 13	5 6 4	3 1 2 1	1 4 1 2	3 1
Total	1,434	16	36	40	78	106	117	181	172	209	209	142	87	33	7	1
$egin{array}{ll} ext{Males} & ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} & ext{F} \ ext{.} \end{array}$	578 856 303 517	7 9 4 9	12 24 7 22	7 33 5 29	23 55 13 47	26 80 15 63	43 74 24 51	64 117 35 83	68 104 31 63	97 112 50 44	105 104 43 37	60 82 34 39	44 43 27 19	18 15 11 7	3 4 3 4	1 1
White	1,423	16 7	35	39 7	78	103	115	181	171	209	207	142	87	33 18	6	1
$egin{array}{ll} ext{Males}. & ext{Formales}. & ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M}. & ext{F}. & ext{T}. & ext{$	574 849 301 511	9 4 9	11 24 6 22	32 5 28	23 55 13 47	25 78 15 61	42 73 24 50	64 117 35 83	68 103 31 62	112 50 44	103 42 37	60 82 34 39	44 43 27 19	15 11 7	3 3 3 3	i
Colored	11		1	1		3	1		1		1	•••••			1	
$\sum_{\text{Females.}}^{\text{Materials}}$ Diagnosis reasonably certain. $\left\{ \sum_{\text{Females.}}^{\text{Materials}} \right\}$	7 2 6		1i	1		2	î 1		1		1 1				1 1	
Total	813	18	12	22	30	49	78	89	121	131	123	74	50	13	3	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	393 420 195 248	8 10 6 6	5 7 3 5	9 13 5 11	11 19 4 16	19 30 8 18	24 54 17 41	38 51 21 34	56 65 23 34	74 57 32 25	78 45 35 17	40 34 19 21	22 28 15 16	7 6 5 3	2 1 2 1	
White	801	18	9	21	30	49	78	88	120	130	121	72	49	13	3	
$rac{ ext{Males}.}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}}. ight.$	388 413 193 242	8 10 6 6	5 3 3	8 13 5 11	11 19 4 16	19 30 8 18	24 54 17 41	37 51 20 34	56 64 23 33	73 57 32 25	77 44 34 17	40 32 19 19	22 27 15 15	7 6 5 3	2 1 2 1	
Colored	12		3	1				1	1	1	2	2	1			
$egin{array}{c} ext{Males}. & ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M}. & ext{F}. \end{array}$	5 7 · 2 6		1 2 2	1				1 1	1 1	1	1 1 1	2	1			
KENTUCKY. Total	753	24	30	32	47	50	65	78	104	110-	83	54	44	13	3	16
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	279 474 123 294	10 14 6 5	26 3 17	28 1 19	11 36 6 26	12 38 5 28	20 45 8 27	24 54 10 40	38 66 10 35	51 59 23 34	44 39 22 21	23 31 8 14	22 22 12 17	9 4 5 3	1 2 1 2	6 10 3 6
White	668	20	22	28	39	45	54	69	90	104	77	47	42	13	3	15
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	260 408 119 249	. 8 12 5 5	18 3 9	24 1 15	10 29 6 19	12 33 5 25	16 38 6 22	22 47 10 36	36 54 10 28	48 56 23 31	42 35 21 20	21 26 8 12	21 21 12 16	9 4 5 3	1 2 1 2	6 9 3 6
Colored	85	4	8	4	8	5	11	9	14	6	6	7	2			1
Males	19 66 4 45	2 2 1	8	4	1 7	5	4 7 2 5	7 4	12 7	3 3	2 4 1 1	2 5 2	1 1			i
MAINE. Total	609	6	6	20	23	43	- 46	. 57	78	98	86	74	45	.20	6	1
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	228 381 96 212	2 4 2	6	16 1 12	3 20 2 18	7 36 4 21	10 36 6 25	18 39 7 22	34 44 15 28	40 58 16 28	38 48 12 21	37 37 13 11	23 22 10 11	11 9 9 5	1 5 1 3	i
White	607	6	6	20	23	43	46	' 57	78	97	85	74	45	20	6	1
$rac{ ext{Males}}{ ext{Females}}$ Disgnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	227 380 96 212	2 4 2	6	16 11 12	20 20 18	7 36 4 21	10 36 6 25	18 39 7 22	34 44 15 28	39 58 16 28	38 47 12 21	37 37 13 11	23 22 10 11	11 9 9 5	1 5 1 3	i

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	l				I	DEATHS F	ROM CAR	NCER (Al	LL FORM	S) AT AG	E OF-					Ė
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	1 to 1
RURAL PART OF REGISTRATION STATES—Continued.																
MAINE—continued.																
Total—Continued.	2															
Males	1									1	1				•••••	
Females	1										1					: ::::
Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{matrix}\right\}$										1						
Cumberland County	60		1		2	3	3	5	12	12	8	10	3	1		
Males Females	25 35		<u>.</u>		2	3	2	3 2	4 8	9	3 5	4 6	3	_i -		
Diagnosis reasonably certain. $\{F_{\bullet}^{\bullet}\}$	11 20		····i		2	······ <u>2</u>	1	1 1	1 5	5	1 3	2 2	2	1		
Kennebec County 1	55		1	1	3	2	1	3	10	6	10	10	4	4		
Males	29					1			5	3	6	6	4	4		.
FemalesDiagnosis reasonably certain. ${M \choose F}$	26 17 14		1	1	3	1	1	3	5 3	3 1	2	5	1	4		
Penobscot County	54		1 2	1 2	3	2	1 8	2	3 6	1 9	7	1 7				
Males	17							1	3		- 1	7	3	3	1	
Females	37 6		2	2		2	1 7 1	3	3	2 7 2	6		3	1 2	i	
Diagnosis reasonably certain. $\left\{egin{matrix}M \ldots \\ F \ldots \end{matrix} ight\}$	23		1	1		1	6	1	2	4	4		2	ĩ	- 	
Washington County	54	1		3	2	7	5	4	1	12	6	4	5	4		
Males Females	19 35	₁		3	2	3 4	2 3	2 2	i	4 8	2 4	2 2	2 3	2 2		
Diagnosis reasonably certain. ${M \choose F}$	7 23	i		2	2	1 2	1 3	<u>.</u>	<u>-</u> -	1 6	1 2	1	2	1 1		
York County	60			2	3	4	6	7	6	10	11	8	3			
Males	21			1		1	1	2	3	3	4	3	3			
Females Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	39 10			1	3	3	5	5 1	3 1	$\frac{7}{3}$	7 2	5 1	i			
()	22			1	3	1	3	4	2	3	4	1				
Other rural districts	326	5	2		13	25	23	34	43	49	44	35	27	- 8	5	
MalesFemales	117 209 45	2 3	2	3 9	3 10 2	23 1	19 19	10 24	19 24 9	19 30	22 22	15 20	14 13	3 5 2	1	
Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	110	i	2	1 7	8	15	3 11	5 13	15	4 14	6 7	5 6	6 6	2	1 3	
MARYLAND. Total	439	9	5	18	23	28	50	54	56	62	60	39	24	5	_	:
Males	160	3	1	4	5	5	11	18	28	26	27	19	6	4	5 3	
Females	279 77	6 2	4 1	14 3	18 3	23 3	39 6	36 10	28 13	36	33 11	20 8	18 2	1 3	2	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{K} \\ \mathbf{F} \end{array}\right\}$	186	4	3	10	16	15	30	29	12	25	$\tilde{21}$	10	9	ĭ	ĭ	
White	380	8	2	13	19	24	36	51	50	54	53	37	24 	4	4	
MalesFemales	146 234	3 5 2	2	9	5 14	5 19	10 26	16 35	25 25 12	22 32	25 28	18 19	6 18	4	3 1	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	72 154	4	i	3 7	3 12	3 12	6 20	9 28	12 11	7 22	11 18	8 9	2 9	3	3	
Colored	59	1	3	5	4	4	14	3	6	8	7	2		1	1	
MalesFemales	14 45	····i	1 2		4	4	1 13	2	3 3	4	2	1				
Diagnosis reasonably certain. ${M \choose F}$	5 32		1 2	5	4	3	10	1 1	1 1	4 2 3	5	1		1	1	
Baltimore County	111	2	1	6	7	8	11	20	16	15	10	9	5	1		===
. Males	38				1	1	3	8			5	4	$-\frac{3}{1}$		 1	
Females. Diagnosis reasonably certain $\left\{ egin{matrix} M & - \\ F & - \end{array} \right\}$	73 22	2	Í	5 1	6	7	8	12 6	9 7 6	11	5 1	5 3	4		<u>î</u> .	
(53	2		4	6	2	7	11	4	9	3	3	2			
White	104	2	1	4	6	8	9	19	16	14	10	9	5		1	<u></u>
MalesFemales	37 67	2	i	1 3	1 5	1 7	3 6	7 12	9	4 10	5 5	4 5 3 3	1 4		1	
Diagnosis reasonably certain $\left\{egin{matrix} M & \cdot \\ F & \cdot \end{array} ight\}$	22 47	2		1 2	$\frac{1}{5}$	$\frac{1}{2}$	1 5	6 11	6 4	. 1 8	1 3	3	2		1	
Colored	7			2	1		2	1		1						
Males.	1							1								
Females	6			2	1		2			1						

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

1	<u> </u>	1					ible, p. 4									<u> </u>
						DEATHS	FROM CA	NCER (A	LL FORM	S) AT AC	E OF—					age.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 84 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70·to 74 years.	75 to	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths a known
RURAL PART OF REGISTRATION STATES—Continued.			,													
MARYLAND—continued.	,															
Other rural districts	328	7	4	12	16	20	39	34	40	.47	50	30	19	5	4	1
Males. Females Diagnosis reasonably certain. $\{\stackrel{ ext{M}}{F}\}$	122 206 55 133	3 4 2 2	1 3 1 3	3 9 2 6	12 2 10	16 2 13	8 31 5 23	10 24 4 18	19 21 7 8	22 25 8 16	22 28 10 18	15 15 5 7	5 14 2 7	4 1 3 1	· 2 2 2 1	i
White	276	6	_ 1	9	13	16	27	32	34	40	43	28	19	4	3	1
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain $\left\{ egin{matrix} M & & & \\ F & & & \end{array} ight.$	109 167 50 107	3 3 2 2	1 1	3 6 2 5	4 9 2 7	12 2 10	7 20 5 15	9 23 3 17	16 18 6 7	18 22 6 14	20 23 10 15	14 14 5 6	5 14 2 7	3	2 1 2 1	i
Colored	52	1	3	3	3	4	12	2	6	7	. 7	2		1	. 1	
$rac{ ext{Males}}{ ext{Fermales}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} M. \ F. \end{matrix} ight.$	13 39 5 26	1	1 2 1 2	3	3 3	4 3	1 11 8	1 1 1 .1	3 3 1 1	4 3 2 2	2 ·5	1 1 1		1	1	
Massachusetts.	868	7	11	18	51	62	99	103	89	124	108	86	65	28	17	
Males Females	318 550 148	4 3	4 7 4	7 11 5	9 42 2	14 48 12	34 65 16	32 71 12	44 45 23	47 77	47 61 18	36 50 11	25 40 11	8 20 5	7 10	
Diagnosis reasonably certain $\left\{egin{array}{l} \mathbf{F} \ $	331	1	6	8	34	37	44	45	25	25 45	23	24	21	. 9	9	
White	864 316	7	10	18	50	62	99	101	89	124	108	86	65	28	7	
$rac{ ext{Males}}{ ext{Fermales}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	548 147 329	4 3 4 1	3 7 3 6	7 11 5 8	8 42 2 34	14 48 12 37	34 65 16 44	32 69 12 43	44 45 23 25	47 77 25 45	47 61 18 23	36 50 11 24	25 40 11 21	8 20 5 9	10	
Colored	4		1		1			2	•••••							
MalesFemales	2 2		1		1			2								
Diagnosis reasonably certain $\left\{egin{matrix}M\\ \mathbf{F}\end{array} ight.$	1 2		1					2								
Bristol County	56		1	1	3	3	6	7	7	11	9	6		1	1	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $rac{ ext{M}}{ ext{F}}$.	21 35 11 20		i i	i . 1	3	1 2 1 2	3 3 2 2	2 5 2	4 3 3 2	5 6 3 3	5 4 2 1	1 5		1	1	
Essex County	105	1		3	8	6	10	6	12	17	15	11	9,	4	3	
$ \begin{array}{c} \text{Males.} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \boxed{\frac{M}{F}} \end{array} $	41 64 10	1		3	1 7	1 5	4 6	2 4 1	9 3 5 2	5 12 1 5	6 9 1	7 4 1 1	3 6 1	1 3	2 1	
ζ	35	1		2	. 6	3	4	3			4		2	2 '3	1	••••
Middlesex County	173	1	$\frac{2}{2}$	3	10	17	21 10	25	18	24 10	21	12	14.			
Females	68 105 32 68	i	2	1 2 2	3 7 2 5	13 4 10	11 4 9	11 14 •3 9	10 8 3 •4	14 6 9	6 15 3 8	3 9 1 4	8 2 6	1 2 1 1	2	
Norfolk County	99	1	2	2	4	15	11	10	9	14	14	7	9	1		
Males. Females. Diagnosis reasonably certain. $\{\stackrel{M}{F}$.	35 64 18 32	1	2	1 1 1	3	3 12 3 8	4 7 3 2	1 9 1 5	6 3 5 1	5 9 3 4	10 4 1 2	. 2 5 1 1	2 7 3	1		
Plymouth County	99		1	3	8	3	9	10	9	12	11	14	11	3	5	
$egin{array}{c} ext{Males}. \ ext{Females}. \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M}. \ ext{F}. \end{array}$	44 55 20 37		1 1	3 2	.8	2 1 2 1	3 6 1 6	5. 5 1 3	4 5 3	8 4 3 4	4 7 2 2	6 8 1 4	5 6 . 4 3	1 2 1	2 3 3	
Worcester County	138	3	3	2	8	4	15	16	17	22	18	19	3	6	2	
MalesFemales	53 85 25 55	2 1 2	3	1 1 1 1	3 5 5	4	.3 12 1 7	12 12 2 7	7 10 3 6	8 14 6 9	12 6 6 2	9 10 4 9	1 2	1 5 2	2	
Other rural districts	198	1	2	4	10	14	27	29	17	24	20	17	19	10	4	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$	56 142 32 84	1	1 1 1 1	1 3 . 1	1 9 5	3 11 2 9	7 20 5 14	7 22 4 16	13 1 7	6 18 3 11	· 16 3 4	8 9 3 4	8 11 4 7	4 6 4 2	1 3 3	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

					at 116au				LL FORM	S) AT AC	E OF-					ë.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	I ₩ ĕ
RURAL PART OF REGISTRATION STATES—Continued.								,								
michigan. Total	1,398	19	38	25	68	94	140	172	198	203	199	136	74	20	9	3
$rac{ ext{Males}.}{ ext{Females}.}$ Diagnosis reasonably certain. $\left\{egin{matrix} ext{M}. \ ext{F}. \end{matrix} ight.$	602 796 287 488	11 8 4 6	12 26 10 19	5 20 1 18	21 47 13 39	29 65 19 47	57 83 24 57	63 109 35 76	81 117 39 70	104 99 40 42	101 98 45 40	62 74 21 40	38 36 22 24	14 6 11 5	3 6 3 5	1 2
White	1,391	18	38	25	67	93	140	171	197	201	199	136	74	20	9	3
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{egin{matrix}M.\ F$	599 792 286 486	10 8 4 6	12 26 10 19	5 20 1 18	21 46 13 38	28 65 18 47	57 83 24 57	63 108 35 75	81 116 39 70	103 98 40 42	101 98 45 40	62 74 21 40	38 36 22 24	14 6 11 5	3 6 3 5	1 2
Colored	7	1	<u></u>		1	1		1	1	2		<u></u>				
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} M & & & \\ F & & & \end{matrix} ight.$	3 4 1 2	1			1	1		1	1	1 1						
Berrien County	58	1			4	5	3	4	13	14	7	6	1		•••••	
$egin{array}{ll} ext{Males}. & ext{Fernales}. & ext{M}. \ ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M}. & ext{F}. & ext{.} \end{array}$	22 36 10 20	1 1			3 3	2 3 2 2	$\begin{array}{c} 1\\2\\1\\2\end{array}$	1 3 1	6 7 3 3	3 11 1 3	3 4 1 4	3 3 1 2	1		• • • • • • • • • • • • • • • • • • •	
Kent County	50	1	1,	2	2	2	3	7	4	10	5	7	5	1		
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	26 24 18 17	1 1	1 1	2 2	1 1 1	2 2	3	2 5 2 4	3 1 3 1	7 3 4 1	3 2 3 1	4 3 1 2	4 1 3	1		
Wayne County	63		3	2	6	7	3	10	10	7	8	2	4	1	•••••	
Males. Females. Diagnosis reasonably certain ${M \over F}$.	25 38 11 25		1 2 1 2	1 1	2 4 1 3	2 5 1 4	2 1 1	4 6 3 2	3 7 1 5	3 4 1 4	4 4 1	1 1 1	1 3 1 2	1		
Other rural districts	1,227	17	34	21	56	80	131	151	1 71	172	179	121	64	18	9	3
$egin{array}{c} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain } iggl\{ rac{M}{F}. \ \end{array}$	529 698 248 426	10 7 3 5	10 24 8 17	17 1 15	17 39 12 32	25 55 16 39	54 77 23 52	56 95 30 69	69 102 32 61	91 81 34 34	91 88 41 34	54 67 18 36	32 32 18 22	12 6 9 5	3 6 3 5	1 2
MINNESOTA. Total	1,096	21	30	34	60	80	114	114	126	153	141	121	70	24	8	
$rac{ ext{Males}.}{ ext{Females}}$ Diagnosis reasonably certain $\{rac{ ext{M}.}{ ext{F}}.$	567 529 256 287	10 11 5 7	9 21 6 17	9 25 7 17	25 35 15 27	48 32 27 22	55 59 30 36	60 54 26 38	60 66 29 32	84 69 33 28	81 60 34 23	77 44 22 17	33 37 13 14	11 13 5 7	5 3 4 2	
White	1,092	20	30	33	60	80	114	114	125	153	141	120	70	24	8	
$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain. $\left\{egin{matrix} ext{M} & \cdot & \cdot \\ ext{F} & \cdot & \cdot & \cdot \end{aligned} ight.$	566 526 256 287	10 10 5 7	9 21 6 17	9 24 7 17	25 35 15 27	48 32 27 22	55 59 30 36	60 54 26 3 8	59 66 29 32	84 69 33 28	81 60 34 23	77 43 22 17	33 37 13 14	11 13 5 7	5 3 4 2	
Colored	4	1		1					1			1				
Males Females Diagnosis reasonably certain $\{\stackrel{M}{F}$.	1 3	1		i					1			1				
Olmsted County	99	1	6	4	8	4	10	16	12	21	5	7	4	1		
$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain } \left\{ \begin{matrix} M \\ F \end{matrix} \right. \end{array}$	62 37 52 28	1	1 5 1 5	$\begin{array}{c}1\\3\\1\\3\end{array}$	7	3	6 4 6 2	$egin{array}{c} 12 \\ 4 \\ 12 \\ 4 \end{array}$	7 5 7 4	13 8 10 6	3 2 1	4 3 2 2	2 2 2 1	1		
Other rural districts	997	20	24	30	52	76	104	98	114	132	136	114	66	23	8	·
$\begin{array}{c} \text{Males}\\ \text{Females}.\\ \text{Diagnosis reasonably certain } {M \choose F}. \end{array}$	505 492 204 259	10 10 5 6	8 16 5 12	$^{8}_{22}$ $^{6}_{14}$	17 35 8 27	44 32 21 22	49 55 21 34	48 50 14 31	53 61 22 28	71 61 23 22	78 58 33 23	73 41 20 15	31 35 11 13	10 13 5 7	5 3 4 2	
MISSOURI. Total.	1,155	30	35	31	59	62	121	126	144	157	175	116	. 73	15	10	1
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{matrix} ight.$	489 666 239 379	9 21 2 12	13 22 12 14	6 25 3 19	12 47 10 35	23 39 17 30	52 69 28 52	50 76 33 41	55 89 22 56	82 75 31 34	88 87 32 38	59 57 29 19	30 43 16 20	6 9 2 5	3 7 2 4	1

Table 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	1 1				at 116au			NCER (A		S) 4m 40				•		ė.
•			<u> </u>	i	<u>,</u>	LATHS	ROM CA	NCER (A	LL FORM	S) AT A	ie or—	1	1		<u> </u>	age.
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 144 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un knowu age.
RURAL PART OF REGISTRATION STATES—Continued. MISSOURI—continued.										,				,	٧	
Total—Continued. White	1,112	29	32	30	57	57	116	120	140	153	170	112	70	15	10	1
MalesFemales		8 21	Í	6 24	12		50	49 71	53 87		85	57	30	6	3	1
Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$		1 12	11 21 11 13	3 18	45 10 33	22 35 17 27 5	66 28 50	32 38 6	87 21 55 4	80 73 30 33	85 31 37 5	55 28 18	. 16 . 17	9 2 5	7 2 4	
Males	16	1	2			1	2 5	1	2		3					
Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} M. \\ F. \end{array} ight.$	27 7 19	1	1 1	2 1	4 2	3	5 . 2	2 1 3	2 1 1	2 2 1 1	1 1 1	2 1 1	3			
Total	141	2	7	8	9	15	15	15	27	9	13	12	7	1	1	
Males. Females Diagnosis reasonably certain. $rac{M}{F}$	68 73 45 48	1 1 1	3 4 3 4	, 3 5 1 5	4 5 2 4	7 8 5 7	8 7 3 6	8 7 5 4	14 13 9 7	6 3 3 1	6 7 5 4	5 7 5 2	3 4 3 2	1 1	1 i	
White	137	2	7	8	9	/15	15	14	26	8	13	11	7	1	1	
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	67 70 44 47	1 1 1	3 4 3 4	3 5 1 5	4 5 2 4	7 8 5 7	8 7 3 6	· 8653	13 13 8 7	6 2 3 1	6 7 5 4	5 6 5 2	3 4 3 2	1 1	1 1	
Colored	4							1	1	1		1				
Males	1 3 1 1							1	1	1		1				
NEW HAMPSHIRE.																
Total	269	1	5		8	20	30	30	35 12	24	40	30	22	9	3	1
Females	181 37 105	1	5 3	7 1 6	7 1 5	. 16 3 12	6 24 2 19	9 21 2 13	23 6 14	8 16 4 6	15 25 4 11	16 14 6 5	8 14 4 5	3 6 2 4	1 2 1 1	i i
White	268	1	5	11	8	20	30	30	35	24	40	30	21	9	3	1
Females	88 180 37 105	1	5 3	4 7 1 6	1 7 1 5	16 3 12	24 2 19	9 21 2 13	12 23 6 14	8 16 4 6	15 25 4 11	16 14 6 5	8 13 4 5	3 6 2 4	1 2 1 1	i ····i
ColoredMales	1												1		<u></u>	
Females	, 1												1			
Rockingham County	51			. 2	2	3	5	5	6	3	8	· 12	2	1	2	
Males : Females Diagnosis reasonably certain .{M F :	10 41 4 23			2 2	<u>2</u>	3 1	5 4	5 3	1 5 3	3	4 4 2 2	5 7 2 3	2 1	1	2 1	
Other rural districts	218	1	5	9	6	17	25	25	29	21	. 32	18	20	- 8	1	1
Males	78 140 33 82	1 1	5 3	4 5 1 4	1 5 1 3	4 13 3 11	6 19 2 15	9 16 2 10	11 18 6 11	8 13 4 5	11 21 2 9	11. 7 4 2	8 12 4 -4	3 5 2 4	1 L	i i
NEW JERSEY.	797	11	12	19	31	61	83	96	120	115	110	68	50	17	4	·
$egin{array}{ccc} ext{Males} & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & $	314 483 127 279	8 3 3 2	3 9 2 7	15 1 13	10 21 7	16 45 6	27 56 15	34 62 13	58 62 28 32	51 64 14	48 62 20	29 39 8	19 31 6	6 11 4 5	1 3	
White	779	11	12	17	13 31	34 60	39 82	36 94	32 116	34 114	31 105	22	10 49	5 17	1	
$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \hline 35030^{\circ} - 1.6 6 \end{array}$	308 471 125 272	8 3 3	3 9 2 7	3 14 1 12	10 21 7 13	16 44 6 34	26 56 15 39	33 61 13 36	57 59 28 30	50 64 13 34	47 58 19 29	29 38 8 21	19 30 6	6 11 4 5	1 3	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

						DEATHS	FROM C	ANCER (ALL FOR	MS) AT A	AGE OF-					E EE
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	173 8
RURAL PART OF REGISTRATION STATES—Continued.																
NEW JERSEY—continued.																
Total—Continued. Colored.	18			. 2		1	1	2	4	1	5	1	1	-		
MalesFemales	6 12			1 1		1	1	1 I	1 3	1	1 4	······	····i			
Diagnosis reasonably certain ${M \choose F}$	$\frac{12}{2}$			<u>î</u> .					2	1	1 2	i	1			
Bergen County	101		2		1	12	13	14	14	13	16	8	1	2	1	
Males	39				1	4	3	3	7	8	6	5	1	1		
Females. Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	39 62 16 36	$\frac{2}{1}$	2	$\frac{2}{2}$		8 3 7	10 2 6	11 1 6	7 5 3	5 2 2	10 1	$\frac{3}{1}$		1 1	1 ;	
Burlington County	i		$\begin{vmatrix} 1 \\ 2 \end{vmatrix}$	5	4	4	4	2	7	7	5 11	8	4	2	1	
Males	23 37		1	1	1		3	1		1	5	2	2			
Females	37 11 23		<u>1</u>	4 4	3 1 3	1 1	1 3	1	4 3 2 1	6 5	6 3 4	6 1	1 1	2 2		
Monmouth County	. 86		2	2	4	6	6	6	14	13	16	10	4	2	1	
Males	30 56		2	2	1 3	1	1	3	.3	6 7	7 9	6	2			
Diagnosis reasonably certain ${M \choose F}$.	11 31		2	2		5	5 4	3 1 1	11 2 6	3 2	9 2 6	$\begin{smallmatrix} &&4\\&2\\1&\end{smallmatrix}$	$\begin{array}{c}2\\1\\1\end{array}$	2 i	1	
Morris County	50	1		1	3	2	7	7	8	8	4	4	1	3	1	
Males	22	1		1	1		3	4	5	3 5		1		2	1	
Females	. 28		·····		$\frac{2}{1}$	2	4 2	3 1	$\frac{3}{2}$		4	3	1	$egin{array}{c} 1 \\ 2 \end{array}$		
Other rural districts	12				•••••	1	3	2	1	1	2	2				
Males	200	<u>8</u>	6	9		37	53	23	77 39	33	63	38	40 14	8		
Females Diagnosis reasonably certain $egin{cases} M \ F \ \end{array}$.	300 81 177	1 3 1	4 2 3	7 1 5	13 5 9	28 2 21	36 8 26	44 10 27	38 17 21	41 9 24	33 14 14	23 5 16	26 4 8	. 5 1 2	1	
NEW YORK.																
Cotal	2,286	27	47	53	82	135	206	249	311	318	345	276	149	58	25	_
MalesFemales	. 883 1,403	8 19	16 31	10 43	21 61	39 96	58 148	94 155	122 189	144 174	155 190	114 162	63 86	29 29	$^{9}_{16}$	
Diagnosis reasonably certain. $\{ egin{matrix} M & \dots \\ F & \dots \end{bmatrix}$	438 870	6 11	7 26	$\begin{array}{c} 8 \\ 32 \end{array}$	13 50	25 83	40 112	45 103	53 114	67 96	69 95	48 71	31 45	17 17	$^{9}_{12}$	
White	2,263	27	46	53	81	135	203	244	310	314	342	272	149	58	25	
Males Females	873 1,390	8 19	15	10 43	21 60	39 96	56 147	92 152	122 188	143 171	154 188	112 160	63 86	29 29	9	
Diagnosis reasonably certain ${M \choose F}$	436	6	31 7 26	8 32	13 49	25 83	40 112	44 102	53 113	66 94	69 93	48 71	31 45	17 17	12	
Colored	23		1		1		3	5	1	4	3	4				
Males	10		1				2	2		1	1	2				
Females	13 2 7						1	3	<u>1</u>	3 1	2	2				
Cattaraugus County	53		1	1	1	3	8	3	3	9	9	7	6	3		
Males	15					1	2	3				<u> </u>	2	2		
Females	38		1	1		2 1	6 2	2	3	2 7	3 6 1	7	4 1	1 2		
•	. 23		1			2	4		3	2	3	4	3	1		
Chautauqua County	58	1	1	2	1		4	6	12	10	9 5	$\frac{7}{2}$	$\frac{4}{2}$		1	
Females	. 40	1	1	2	i		4	4 2	3 9 1	3 7	4 2	5 1	2 1		<u>i</u>	
Diagnosis reasonably certain $\left\{ egin{aligned} \mathbf{F}_{\bullet} \end{aligned} ight.$	21		1				2	3	6	3	3		-		_	
Delaware County	60		3	1	1	6	5	7	9	6	12	6	3	1		
Males Females	19		3	1	<u>1</u>	6	3	3	3 6	2 4	8	1 5	2 1		· · · · · ·	
Diagnosis reasonably certain $\{ F_{-}^{M} \}$	8 23		3	1	i	5	3	1	3	2	2 4		1 1	1		
Dutchess County	63	<u></u>	2	3	3	3	6	5	9	7	7	9	3	6		
Males Females	. 37		2	3	3	3	1 5	1 4	4 5	5 2	4 3	5 4	1 2	3		
Diagnosis reasonably certain ${ m S}_{{f F}_{f r}}^{{f M}_{f r}}$. 12		i	3	· • • • • • • •	3	- -		2 3	2	3 3	3 3	<u>.</u>	1 3		

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	1	i												===		_
		 			,	DEATHS 1	FROM CA	NCER (A	LL FORM	S) AT AC	E OF-					un- ge
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age.
RURAL PART OF REGISTRATION STATES—Continued.																
NEW YORK—continued. Erie County	71	 	1	3		3	5	11	15	9	9	 4	6	4	1	1
Males	32	-	1	1		1	4		8 7	6	2	1	3		-	
Females Diagnosis reasonably certain ${M \choose F}$	- 39 15 22			. 2 1 2		2 1 2	1 2	3 8 1 6	7 2 4	3 3 2	7 2 3	3	3 2 2	2 2 1	1	
Monroe County	50		1	3	4	1	4	. 5	6	8	6	5	4	2	. 1	
Males	14 36 7 26		1	1 2 1 2	4 4	1 i	4	3 2 3 1	1 5 4	3 5	. 1 5 1 3	2 3 1 2	1 3	2 1	1	
Nassau County	78	2		3	3	7	4	10	13	13	10	i0	1	1	1	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$	39 39 15 20	1 1		1 2 1 2	3	5 2 3 1	1 3 1 2	5 2	6 7 1 4	10 3 3	4 6 1	3 7 1	1	1	1 1	
Oneida County	74	1	1	2	2	5	7	3 7	7	2 8	3 10	14	9		1	
Males	25 49 10 32	1	1	2	2	1 4	1 6 1 5	2 5	4 3 1	3 5 1	1 9 1	7 7 2	5 4 3 1		1	
Onondaga County	62	1	.1	2	2	2		3 6	2	3	6 11	4				•••••
Males		1		. 2	1		4	4	10	9	6	8		1		
Females	26 36 13 22	i		2	1 1		4 2	2 4 1	6 1 4	<u>6</u>	5 2 4	2 6 1 3	3 2	1		
Ontario County	56	1			5	3	3	· 4	9	8	14	1	5	1	2	
Males Females Diagnosis reasonably certain. [M-	29 27 13 16	1			3 2 3 1	$\begin{bmatrix} 1\\2\\ \cdots\\2 \end{bmatrix}$	2 1 1 1	1 3 3	3 6 2	6 2 3 1	10 4 6 2	1	2 3 2	1	<u>2</u>	
Orange County	55	5			6	5	5	. 7	5	2	7	9	2	1		1
Males Females Diagnosis reasonably certain.[M [F]	22 33 9 17	1 4 1 3			2 4 1 3	3 2 2 1	1 4 3	. 4 3 1	1 4	1 1	5 2 3 2	2 7 1 3	1	i		1
Rockland County	51	1	1		3	5	6	5	5	12	4	4	5			
Males. Females	28 23 19	1	1		2 1 2	2 3 2	2 4 2	1 4 1	4 1 3	7 5 4	3 1 1	3 1 1	· 4 1 3			
Diagnosis reasonably certain. ${\mathbf{F}}$	16		1		1	3.	3	3	1	2	1		1			
St. Lawrence County	50		1		2	2	9	3	4	7	12	1	1	- 2	- 2	
Females Diagnosis reasonably certain ${ m A} \cdot { m F}$	29 11 17		1 1		1 1 1 1	î	2 7 1 6	1 3	2 2 1	2 5 1 2	5 3 2	3 1	i	1 1	2 2	
Steuben County	69			2	1	3	3	11	7	14	12	9	4	1	2	
$rac{ ext{Males.}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	36 33 20 20			2	1 1	3	1 2	8 3 5 3	2 5 2 2	9 5 7 3	6 6 1 2	6 3 3. 2	2 2 1 2	1	1 1 1	
Suffolk County	92	1	4	1	6	6	11	10	16	10	11	9	4	2		1
Males Females Diagnosis reasonably certain. [M	26 66 8	1	2 2	1	2 4	.6	1 10 1	3 7 1	12 3 6	3 7 2	6 5	. 4 5	1 3 1	2		···i
Wayne County	42 59	1	2	1 2	3	6	8 5	6	6 11	5	2 9	2 7	1 2	1 2	1	1
Males Females	13 46		2	2	3	4	5	2 4	5 6	1 4	3 6	2 5	2	2	1	
Diagnosis reasonably certain $\left\{ egin{align*}{c} \mathbf{K} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	8 27		i	2	2	4	4	3	3	1 4	3 1		2	;	····i	
Westchester County Males	106 49	2	6	- 5 · 2	2	12	9	12 7	17 7	14	12	7 5	5	1	<u>1</u>	
Females. Diagnosis reasonably certain $inom{M}{F}$	57 32 43	2	2 3 2	3 2 2	2	8 3 8	3 5 3	7 5 4 5	10 4 5	4 7 2	·10 1 7	2 1 2	5	1 1	1	•••••

Table 1.—Deaths from cancer and other malignant tumors, with statement of diagnosis, at specified ages, by sex and color, for the registration area, registration states, and for each registration unit in which there were 50 or more such deaths: 1914—Continued.

							PROM CA		LL FORM	S) AT AG	E OF—					un-
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at 1 known age.
RURAL PART OF REGISTRATION STATES—Continued																
NEW YORK—continued. Other rural districts	1,179	12	23	23	38	67	108	130	153	167	181	156	77	29	12	3
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	445 734 221 460	5 7 4 3	7 16 3 13	5 18 3 11	10 28 5 24	20 47 13 40	32 76 22 59	38 92 15 63	61 92 27 61	68 99 33 58	83 98 36 47	67 89 33 43	30 37 14 23	15 14 9 9	4 8 4 4	3 2
Total	149	5	6	5	13	12	23	21	29	17	7	4	4	2	1	
$ \begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{pmatrix} M \\ F \end{pmatrix} \\ \end{array} $	38 111 19 76	2 3 2 1	1 5 1 5	2 3 1 3	2 11 1 9	11 11 7	19 1 17	8 13 6 12	7 22 4 9	7 10 2 5	2 5 3	$\frac{1}{3}$	1 3 1 1	2 1 2	1 1 1	
White	27	4 2	6	3	7	9	15	17	4	15	2	1	1			
Females	87 15 54 35	2 2	5 1 5	2 1 2 2	6 1 4 6	8 4 3	14 12 8	11 5 10	20 2 8	9 2 4 2	3 1 2	1 1	2 1 1	1	1	
Males	11 24 4	1		1 1	1 5	3	3 5 1	2 2 1	3 2 2	1 1	2	1	1			
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	22	1		1	5	3	5	2	1	1	2	1	100			
Total	2,072 871	18	17	65	30	34	179 59	92	269 110	306	310 152	94	136	31	7	
Females Diagnosis reasonably certain. ${ m SM} \cdot \cdot \cdot \cdot { m CF}$	1, 201 420 721	6 12 2	23 9 17	51 7 38	72 15 55	78 22 63	120 31 84	130 46 88	159 49 92	155 69 80	158 62 75	127 43 59	74 32 44	35 20 16	13 3 8	
White	2,039	18	17	62	100	34	173	92	263	302 148	307	92	135	66	19	
Females. Diagnosis reasonably certain- $\left\{ egin{matrix} M \\ F \end{array} \right.$	1,179 417 706	6 12 2	23 9 17	49 6 36	71 15 54	78 22 63	116 31 80	127 46 85	153 49 89	154 68 79	156 62 74	125 42 59	74 32 44	35 20 16	12 3 8	
Colored	33			3	1		6	3	6	3	3	4 2	1		1	
Females. Diagnosis reasonably certain. $egin{cases} M & & & & \\ F & & & & & \\ & & & & & \\ & & & &$	22 3 15			1 2 2	<u>1</u>		4	3	6	1 1 1	1	2 1			1	
Hamilton County	54	1	4		4	3	5	8	4	1	10	4	- 5 2	2		
$ \begin{array}{c} \text{Males} \dots \\ \text{Females} \\ \text{Diagnosis reasonably certain} \\ \left\{ \begin{array}{c} M \\ F \end{array} \right. \end{array} $ $ \text{Tuscarawas County} \dots$	23 31 13 18 56	1	3 1 1	1	2 2 1 2 6	2 1 1 1 1 4	5 7	4 4 3 5	1 3 1 1 3	3 2 11	3	3 1 5	3 2 2 2	2 1 1	1	
$egin{array}{c} ext{Males} & . & . & . & . & . & . & . & . & . & $	26 30 10 16	1		1	2 4 1 4	1 3 3	4 3 2 2	1	1 2 1	5 6 3 1	4 5 1 2	3 2	2	1	1	
Other rural districts	1,962	22	36	64	92	105	167 55	209 86	262 108	291 145	291	90	129	63	19	
$egin{array}{ll} ext{Males} & & & & & & & & & & & & & & & & & & &$	1,140 397 687	16 6 11 2	22 8 17	14 50 7 37	66 13 49	74 21 59	112 29 77		154 48 90	146 66 77	149 58 73	122 43 58	71 30 42	33 19 15	12 3 7	
PENNSYLVANIA. Total	2,752	47 25	20	99	147 32	205 76	271 109	321 129	397	176	346 144	107	129 54	53 16	18	- 2
$egin{array}{ll} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M}. & ext{F}. & ext{.} & ext{The substitute of the states $	1,652 521 982	22 16 17	47 14 35	71 15 49	115 17 90	129 42 92	162 49 111	192 72 124	225 76 125	228 70 114	202 56 88	138 37 65	75 36 46	37 12 22	8 8 3	1 1 1
White	2,703	47 25	66 20	93	143 32	197 72	265 107	128	388	174	143	107	129 54	53 16	9	
Males. Females. Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} - \mathbf{K} \\ \mathbf{F} \end{array}\right.$	1,620 516 955	22 16 17	46 14 34	66 15	111 17 86	125 41 90	158 47 108	188 71 120	221 75 121	226 70 112	200 56 86	136 37 63	75 36 46	37 12 22	8 8 3	1 1 1
Colored	49		1	-	4	8	6 2	-	5	4 2	$\frac{3}{1}$	2			1	
MalesFemalesDiagnosis reasonably certain. $egin{dcases} M & \\ F & \\ \end{bmatrix}$	32 5 27		1	1 5 3	4	1 1 2	4 2 3	4	4 1 4	2	2					

 $^{^{\}rm 1}$ Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES; BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

	i	1		266 11016			able, p. 4									_
						EATHS I	FROM CAI	NCER, (A)	L FORM	S) AT AG	E OF—					.g.
AREA AND BASIS OF DIAGNOSIS.	Allages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to '54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un known age,
RURAL PART OF REGISTRATION STATES—Continued.				į.				-		-						
PENNSYLVANIA—continued. Allegheny County	223		6	12	17	23	29	30	30	31	22	17	4	2		<u></u>
Males. Females. Diagnosis reasonably certain. {M	80 143 32 94		3 3 3	3 9 3 7	15 2 11	7 16 2 9	12 17 2 13	10 20 6 17	11 19 4 8	15 . 16 6 9	6 16 2 10	9 8	1 3 1 2	1 1 1		
Berks County	66	1	1	2	2	5	7	9	10	7	9	9	. 2	2		
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $\left\{rac{ ext{M}}{ ext{F}} ight.$	29 37 14 19	1	1	1 1	2	1 4 1 3	2 5 2	, 3 6 3 2	6 4 3 2	3 4 2	5 4 4 1	5 4 2 3	1	1 1		
Bradford County	68			3	3	5	4	10	8	. 13	9	5	4	4		···
Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M - \\ F - \end{matrix} \right\}$	29 39 19 30			$\frac{1}{2}$	3	1 4 1 4	4	4 6 3 4	3 5 2 3	6 7 4 6	4 5 2 3	4 1 1 1	2 2 2	4		
Bucks County	76	1	4	2	4	3	3	7	11	21	10	7	2		1	····· ,
$egin{array}{ll} ext{Males.} & ext{Females.} & ext{Females.} & ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M} & ext{F}. & ext{The second constant of the second co$	26 50 10 29	1	,1 3 3	2	1 3 3	$\begin{array}{c} 1 \\ 2 \\ 1 \\ 2 \end{array}$	3 1	3 4 1 1	5 6 2 4	8 13 4 6	5 2 1	1 6 5	2 1		1	
Chester County	65		1	3	3	5	6	5	10	7	9	10	3	3		
Females	46 11 21		1	3 2	3 , 1	5 4	3 3 2	2 3 1 2	2 8 1 1	3 4 3 3	. 6 1	5 5 1 1	3	3		
Clearfield County	50			1	4	4	8	6	4	· 5	13	4		1		
Males	20 30 10 16			1 1	1	3 1	4 4 3 3	2 4 2 4	1 3 2	2 3 2 1	6 7 1 2	2 2 2		1		
Delaware County	74	4	4	1	3	4	6	3	11	15	7	9	6	. 1		
$rac{ ext{Males}}{ ext{Fernales}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$.	27 47 12 31	2 2 2 2	<u>4</u>	1	3	2 2 1 2	3 3 3	$egin{array}{c} 2 \\ \cdot 1 \\ 1 \\ 1 \\ 1 \end{array}$	4 7 1 4	8 7 3 4	1 6 1 3	1 8 1 3	3 2 2	1 · 1		
Erie County	67	1		1	3	2	14	9	6	8	11	10	2			
MalesFemalesDiagnosis reasonably certain. $rac{M}{F}$	24 43 16 30	1 1		1 1	3	2	3 11 2 10	4 5 4 1	3 3 1	3 5 3	6 5 3 2	3 7 3 6	2 1			
Fayette County	67	1	1	6	5	3	5	14	9	8	6	4	2	3		
Males. Females Diagnosis reasonably certain $\{M = 1\}$	31. 36 10 18	1	1	3 3 2 1	2 3 1 1	2 1	4 1 1	5 9 2 5	6 3 3 3	2 6 1	4 2	1 3 2	1 1	3		
Jefferson County	51	3	2		2	`3	8	3	7	. 7	8	5		3		
Males Females Diagnosis reasonably certain- ${M- \brace F}$	30 21 16 9	3 2	2		1 1 1	. 1	7 1 5	2 1 1	5 2 1 2	2 5 3	3 5 1 2	4 1		2 1 2		
Lancaster County	90			6	3	3	12	9	10	10	15	10	7	2	2	1
Males. $_{ m Females}$ Diagnosis reasonably certain. $_{ m F}^{ m M}$ -	37 53 17 29			2 4 1	1 2 1 2	$\begin{bmatrix}1\\2\\1\\2\end{bmatrix}$	5 7 2 3	3 6 3 3	5 5 3	5 5 1 3	5 10 3 5	5 2 3	2 5 1 3	2	2	1
Luzerne County	99	2	6	2	7	8	9	15	12	16	11	4	4	2		1
$egin{array}{ll} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} & ext{M} & ext{F} & ext{The section}. & $	45 54 16 29	2	6	2	4 3 2 3	4 4 3 4	3 6 2 3	7 8 2 6	6 6 4	8 8 4	5 6 2 1	2 2 1	3 1 1	2 2		1
Montgomery County	95			1	3	7	10	10	26	10	10	7	5	3.	1 .	
MalesFemales Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right.$	48 47 27 28	1 1		i	2 1 1	2 5 2 3	4 6 2 4	5 5 5 3	15 11 7 6	.3 .5 3	5 5 4 2	5 2 1	1 4 3	1 2 2	1	

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

RURAL PART OF REGISTRATION Section						at neau			NCER (A	LL FORM	IS) AT A	GE OF—					e in-
STATE SESS-Continued. PERMISTRY NAME - continued. Northampion County. 54 1 1 2 0 0 0 3 4 5 0 0 6 0 2 3 0 Medice. 2 1 1 3 Diagnosis restantify certain. 1 2 1 1 2 2 4 5 6 8 0 2 1 1 3 Schnylkill County. 50 50 3 8 0 0 2 6 14 10 10 10 5 8 8 5 4 1 1 Make. 2 1 1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	AREA AND BASIS OF DIAGNOSIS.	All ages.	25	84	39	44	49	54	59	64	69	74	79	84	89	years and	Deaths at un- known age,
Northampton Country																	
Male	PENNSYLVANIA—continued.																
Females 30	Northampton County	54	1	1		ļ	6	3	4	5	9	6	6	2	3		
Scharge Scha	Females	. 30	1	1	2	4			2			3	2	i 1			-,
## Semiles	Diagnosis reasonably certain $\left\{ egin{array}{c} M \\ F \end{array} \right\}$			····i			4	 	$\frac{1}{2}$	3	2		1		1		
Females 64	Schuylkill County	89	5	8	5	2	8	14	10	10	9	8	5	4	1		
Diagnosis reasonably certain.	MalesFemales	54		3 5	1 4		4		3 7		4 5		5	2	_i		
Maises	Diagnosis reasonably certain $f_{\mathrm{F}}^{\mathrm{M}}$.	22		3	1	i	3	4	1			2		2			
Pennales	Washington County	75	2	1	5	1	4	6	15	16	8	9	4	1	2	1	
Diagnosis reasonably certain					2 3	1		4 2	8 7						2	1	
Westmoraland County		17			1		1	2 2	5	3 5	1		î	1			
Females	Westmoreland County	•	1	ļ	5	9	13			1	19	12	5	4	1	1	
Surgicional Societion Property Street St		45		1	2	3			3	6		3	1	2		1	
York County Get Get First Get		28		1	1	2 5	4	4	2	5	5	1	1	1	• • • • • • •	1	
Males	•													1			
Females Female	Males	22					2	2	4		2	5	2				
Other rural districts	Females	12	2					1	3 2	I	2	3	!. <i></i>		1		
Males	•				1												
Total														·			
Total Rhode Island.	Females	774 228	9 7	16 6	31 7	55 6	22	73 16	86	108 32	111 32	94 22	67 18	45 24	14 4	7 5	1
Total	•	462	7	13	21	45	36	50	57	70	54	44	28	26	8	2	1
Females. 72 1	Total	113	1	2	3	8	5	19	, 13	15	20	13	5	7	2		
Diagnosis reasonably certain. \begin{array}{c c c c c c c c c c c c c c c c c c c			·····i		1 2				5 8	6				1 6			
White. 1111 1 2 3 8 5 19 13 14 19 13 5 7 2 Males		16			1	2			1 5	2 5	3	2	1		1		
Females	White	111	1		3	8	5			i	19	13	5	1	2	 	
Diagnosis reasonably certain { M					1									1			
Colored		16			1			2	1 5	2 5	3	2	1	1 4	1		
Diagnosis reasonably certain \{ \begin{array}{c c c c c c c c c c c c c c c c c c c	•	1 1									ļ						
Diagnosis reasonably certain { M	Males																
Total		2									1						
Total 97 4 3 4 3 7 14 16 14 13 8 8 3	·																
Females	Total	97	i——	3		3			16	14			8				
White	Females	48		2	2		5	6	10	3				1			
Males	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{K} \\ \mathbf{F} \end{array}\right\}$		2	$\frac{1}{2}$	2 2	2			7		3						
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	White	97	4	3	4	3	7	14	16	14	13	8	8	3			
Total VERMONT. 324 6 5 7 6 10 22 41 33 44 57 36 35 16 4 2 Males 194 4 5 4 5 8 19 26 19 22 30 21 19 9 2 1	Females	48		$\frac{1}{2}$	2		5	6	10	3				1 1			
Total	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	12	2	$\frac{1}{2}$	2 2	2	1	4		1	3			2			
Males. 130 2 3 1 2 3 15 14 22 27 15 16 7 2 1 Females 194 4 5 4 5 8 19 26 19 22 30 21 19 9 2 1	VERMONT.	294	a	g.	7	а	10	99	.41	22	44	57	96	25	16	л	9
Females									15		22	27		16			
Diagnosis reasonably certain. $\{\vec{F}_1, \vec{F}_2, \vec{F}_3, \vec{F}_4, \vec{F}_4, \vec{F}_4, \vec{F}_5, \vec{F}_4, \vec{F}_5, \vec{F}_6, \vec{F}_4, \vec{F}_5, \vec{F}_6, \vec{F}_$		194 69	4 2		4 1	5	8 1	19 1	26 5	19 5 14	22 14	30 17	21 6	19 11	9	2	1

TABLE 1.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, WITH STATEMENT OF DIAGNOSIS, AT SPECIFIED AGES, BY SEX AND COLOR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN WHICH THERE WERE 50 OR MORE SUCH DEATES: 1914—Continued.

,	.		-			DEATHS 1	FROM CA	NCER (A	LL FORM	s) at ac	E OF—			-		-un
AREA AND BASIS OF DIAGNOSIS.	All ages.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at
RURAL PART OF REGISTRATION STATES—Continued.																-
VERMONT—continued.																
otal—Continued. White	324	6	5	7	6	10	22	41	33	44	57	36	35	16	4	
Males	130	2		3	1	2	3		14	;	i	15		7		_
Females Diagnosis reasonably certain $\left\{ egin{array}{l} rac{M}{F} \end{array} ight.$	194 69 120	. 4 2 4	₂ .	4 1 4	5 5	8 1 6	19 1 14	15 26 5 18	19 . 5 14	22 22 14 12	27 30 17 12	21 6 14	16 19 11 10	9 3 3	2 2 2 2	
otal	747	19	24	33	44	50	57	79	93	102	101	78	38	21	7	·
MalesFemales	289 458	9 10	4 20	. 10 23	9 35 7	11 39	20 37	31 48 6	42 51	40 62	51 50	36 42	16 22	· 7	3 4	
Diagnosis reasonably certain. $\{ egin{matrix} M \dots \\ F \dots \end{pmatrix}$	127 297	4 7	3 16	4 20	7 28	27	. 10 26	6 28	18 36	40 62 16 37	17 21	20 20	9 17	7 10	2 4	
White	551	11	11	20	26	29	35	58	68	78	84	70	36	18	7	
MalesFemales	238 313	7 4	3 8	8 12	4 22	7 22	14 21	· 26	·33 35	32 46	45 39	34 36	· 15	7 11	3 4	
Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	112 196	3	8 2 7	11	3 17	2 14	8 15	6 19	16 24	14 28	17 13	20 17	8 16	8	4	
Colored	196	8	13	13	18	21	22	21	25	24	17	8	2	3		-
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $rac{ ext{M}}{ ext{F}}$.	51 145 15 101	2 6 1 4	1 12 1 9	11 9	5 13 4 11	17 2 13	6 16 2 11	5 16 9	9 16 2 12	. 16 2 9	6 11 8	2 6 3	1 1 1	3		
Washington.	372	9	8	9	22	34	55	48	53	42	35	28	22	4		
Males	195	6	3 5	3 6	8	12	25	28	33		. 12	16	18	3		늘
Females	177 94 · 117	3 5 3	5 2 5	6 2 5	14 4 14	22 5 18	30 15 21	20 14 12	20 17 10	26 16 7 7	23 5 12	12 7 6	4 8 3	1 1	 	<u>.</u>
White	368	9	.8	9	22	34	53	47	53	42	35	. 27	22	_ 4		-
MalesFemales	193 175	6 3	3 5	3 6	8 14	12 22	24 29	28 19	33 20	26 16	12 23 5	15 12 7	18 4	3 1		
Diagnosis reasonably certain $\{rac{M}{F}$.	93 115	5 3	2 5	2 5	14	18	14 20	14 11	17 10	7 7	. 12	7 6	8 3	1		:
Colored	4		<u></u>				2	1				1				<u>- </u>
MalesFemales	2 2						1	i				1				: ::
Diagnosis reasonably certain $\{ egin{array}{c} \mathbf{H} \ $	1 2						1	i								
Potal	1,273	21	17	25	54	72	. i28	147	156	196	191	134	89	33	9	
MalesFemales	633 640	12	.7 10	6 19	21 33	26 46	62 66	. 74 73	82 74	104 92	98 93	77 57	53 36	9 24	1 8	
Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} & \mathbf{F} \\ \mathbf{F} & \mathbf{I} \end{array}\right\}$	243 352	9 6	4 7	13	8 22	15 37	26 48	26 44	27 45	42 38	34 36	25 22	20 15	14	.5	
White	1,266	21	17	25	54	72	128	146	154	194	191	133	89	32	9	
MalesFemales	632 634 243	12 9	7 10	6 19 2	21 33 8	26 46 15 37	62 66	74 72 26 44	81 73	104 90	98 93 34	77 56	53 36	9 23	1 8	
Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbf{H} \\ \mathbf{F} \end{array} ight.$. 243 347	9 6	4 7	13	8 22	15 37	66 26 48	26 [,] 44	73 27 44	90 42 36	34 36	56 25 21	20 15	4 13	1 5	
Colored	7							1	2	2		1		1		
Males Females	1 6						 	1	1	2		i		i		:::
Diagnosis reasonably certain $\{ F : $	5								1	2		i		1		:
Milwaukee County1	59	1			4	5	7	9	2	11	7	6	5	2		: =
Males Females	41 18 *26	1			2 2	1	3 4	6 3	2	9 2	6 1	4 2 2	4	2		
Diagnosis reasonably certain $\left\{ egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	11	1			2 2	2 1	2 2	1 3	1	8	5 	2	2 1	ı.		-
Other rural districts	1,214	20	17	25	. 50	67	121	138	154	185	184	128	84	31	9	
$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $rac{ ext{M}}{ ext{F}}$	592 622 217 341	11 9 8 6	7 10 4 7	6 19 2 13	19 31 6 20	. 13 . 36	59 62 24 46	68 70 25 41	80 74 26 45	95 90 34 37	92 92 - 29 36	73 55 23 22	49 35 18 14	9 22 4 13	1 8 1	

¹ Includes National Military Home.

 $\begin{array}{c} \textbf{Table 2.--DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF \\ \textbf{REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT} \end{array}.$

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision counties in registration states

=	·		1	<u></u>		DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR:				on states
		Aggre-			Buccal						ach and				neum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach,	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	SUMMARY.													,		
1	The registration area	52,420	2,270	376	614	230	851	199	19,889	58	605	12,768	6, 458	6,745	485	4,055
2 3	MalesFemales	21,282 31,138	1,878 392	347 29	· 526	184 46	670 181	151 48	10,122 9,767	46 12	475 130	7,015 5,753	$2,586 \ 3,872$	2,903 3,842	184 301	1,645 2,410
4	. Diagnosis reasonably certain $\{ {}^{M}_{F} $.	10,749 19,806	1,878 391	347 29	526 88	184 46	670 180	151 48	$2,524 \\ 1,763$	19 5	164 35	1,795 913	546 810	1,787 2,090	96 132	638 851
5	Diagnosis uncertain $\left\{ egin{aligned} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{aligned} \right.$	6,966 7,438							5,212 5,485	15 3	214 71	3,598 3,375	1,385 2,036	709 1,109	55 104	639 993
6	Diagnosis unknown ${ m M.} { m .} { m .} { m .} { m .}$	3,567 3,894	1				1		2,386 2,519	12 4	97 24	1,622 1,465	655 1,026	407 643	33 65	368 566
7	White	50,515	2,218	373	602	228	822	193	19,288	54	589	12,367	6,278	6,584	478	3,964
8 9	MalesFemales	20,717 29,798	1,842 376	345 28	518 84	183 45	648 174	148 45	9,818 9,470	42 12	465 124	6,812 5,555	2,499 3,779	2,851 3,733	181 297	1,618 2,346
10 11	Diagnosis reasonably certain $\{ \stackrel{M}{F} : :$	10,511 18,831	1,842 375	345 28	518 84	183 45	648 173	148 45	2,462 1,727	18 5	163 33	1,755 892	526 797	1,759 2,033	96 130 54	630 835 626
12	Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$	6,774 7,235 3,432					•••••		5,068 5,331 2,288	14 3 10	207 68 95	3,498 3,271 1,559	1,349 1,989 624	695 1,078 397	54 103 31	626 965 362
10	Diagnosis unknown $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array} \right\}$	3,732	1				i		2,412	4	23	1,392	993	622	64	546
13 14	Colored	1,905	36	$\frac{3}{2}$	12	2	29	3	304	4	16	- 401 203	180 87	161 52	7	91
15 16	Males. Females.	l i i	16	1	4	1	7	3	297		6	198	93	109	4	64
17	Diagnosis reasonably certain. ${M \cdot \atop F}$	238 975 192	36 16	2 1	8 4	1 1	$^{22}_{7}$	3	62 36 144	1 1	1 2 7	40 21 100	20 13	28 57	2 1 1	8 16
18	Diagnosis uncertain	203 135					 		154 98	2	3 2	104 63	36 47 31	14 31 10	1 2	16 13 28 6
19	Registration states 1	162 48,259	2,090	355	548	216	787	184	107 18,370	50	1 536	73	33	21	1	20
20	MalesFemales	19 546	1,726	329	466	171	618	142	9,273	41	414	$\frac{11,781}{6,425}$	6,003	6,261 2,698	451 169	3,782 1,536
21 22		28,713 9,845	364 1,726	26 329	82 466	45 171	169 618	42	9,097 2,256	9	122	5,356	3,610	3,563	282	2,246
23	Diagnosis reasonably certain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$. Diagnosis uncertain $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{F} \end{matrix} \right\}$	18, 155 6, 538	363	26	82	45	. 168	142 42	1,620 4,904	17 4 13	142 34 194	1,604 838 3,384	493 744 1,313	1,658 1,920 667	84 121 54	596 783 603
24	Diagnosis unknown F . Diagnosis unknown F .	7,038 3,163 3,520							5, 192 2, 113	13 2 11	65 78	3,200 1,437	1,925 587	1,068 373	100 31	958 337
25	White	46,739	2,048	352	538	215	1 764	179	2,285 17,870	3 46	23 521	1,318 11,451	941 5,852	575 6,133	61 445	505 3,707
26 27	Males Females	19,100 27,639	1,697	327	459	171	601	139	9,028	37	405	6,252	2,324	2,656	166	1 515
28	Diagnosis reasonably certain. $\left\{egin{matrix}M\dots\\F\dots\end{array} ight.$		351 1,697	25 327	79 459	44 171	163 601	40 139	8,842 2,218	9	116 141	5, 189 1, 580	3,528 481	3,477 1,637	279 84	2, 192 591
29	Diagnosis reasonably certain $\{F\}$ Diagnosis uncertain $\{F\}$	6,373	350	25	79	44	162	40	1,590 4,780	4 12	32 188 62	822 3,297	732 1, 283	1,879 655	120 53	770
30	Diagnosis unknown $\left\{ egin{array}{c} \mathbf{F} & \mathbf{F} \\ \mathbf{F} & \mathbf{F} \end{array} \right]$	6,861 3,050 3,382	······i				<u>1</u>		5,056 2,030 2,196	2 9 3	62 76 22	3,107 1,385 1,260	1,885 560 911	1,042 364 556	99 29 60	592 935 332 487
31	Colored	1,520	42	3	10	1	23	5	500	4	15	330	151	128	6	75
32 33	MalesFemales	446 1,074	29 13	2	7 3	<u>1</u>	17	3 2	245 255	4	9	163 167	69 82	42 86	3 3	21 54
34	Diagnosis reasonably certain ${rac{M}{F}}$	168 759	29 13	2	7		17	3	38	1	1	24	12	21		5
35	Diagnosis uncertain $\left\{ egin{array}{c} M \dots \\ F \dots \end{array} \right\}$	165 177	13	1	3	1	6	2	30 124 136	1	2 6 3	16 87 93	12 30 40	41 12 26	1 1 1	13 11 23 5
36	Diagnosis unknown $\left\{ egin{array}{l} \mathbf{M} \dots \\ \mathbf{F} \dots \end{array} \right\}$	113 138				· • • • • • • • • • • • • • • • • • • •			83 89	2	2 1	52 58	27 30	9 19	2 1	18
37	Cities in registration states 1	26,795	1,060	118	361	99	391	91	9, 739	40	395	6,171	3,133	3,775	280	2,302
38 39	Males Females	10, 505 16, 290	894 166	110 8	317 44	82 17	312 79	73 18	4,879 4,860	35 5	316 79	3,276 2,895	1,252 1,881	1,579 2,196	101 179	921 1,381
40	Diagnosis reasonably certain $\left\{egin{smallmatrix} M \\ F \end{array}\right\}$	5, 566 10, 652	894 165	110 8	317 44	82 17	312 78	73 18	1,410 1,010	15 2	122 24	976 535	297 449	1,024 1,258	54 81	424
41 42	Diagnosis uncertain $\left\{ egin{array}{c} M \\ F \end{array} \right\}$	3,158 3,616					· · · · · · · · · · · · · · · · · · ·		2,315 2,584	10	132 41	1,531 1,620	642 923	325 576	27 61	555 292 506
	Diagnosis unknown $\left\{egin{array}{c} M \ldots \\ F \ldots \end{array}\right.$	1,781 2,022	1				·····i		1,154 1,266	10 3	62 14	769 740	313 509	230 362	20 37	506 205 320
43	White	25, 893	1,038	118	352	99	380	89	9,441	36	381	5,974	3,050	3,694	274	2,258
44 45	MalesFemales	10, 247 15, 646	877 161	110 8	311 41 Include	82	302 78	72 17	4,738 4,703	31 5	308 73	3,185 2,789	1,214 1,836	1,552 2,142	98 176	910 1,348

¹ Includes District of Columbia.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. All cities and are shown in Table I, p. 21.]

210 5110		abie i, p.	21.1						<u> </u>					•					
						DEA!	res from	1 CANCEI	R AND OTE	ER MALI	GNANT	TUMORS	OF						•
ntesti	neum, nes, and n—Con.		Female	genital o	rgans.					,		Other	organs or	of organ	ıs not spe	ecified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva	otthis	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
2, 171	34	8,152	451	7,470	184	47	5,423	1,957	7,984	341	371	686	538	. 784	1,014	141	497	121	3,491
1,064 1,107	-	8, 152	451	7,470	184	47	88 5,335	1,242 715	5,049 2,935	279 62	209 162	368 318	281 257	784	718 296	76 65	259 238	121	1,954 1,537
1,052 1,098 7	1 1	7,988	310	7,460	184	34	88 5,332	1,242 715	3;230 1,527	279 61			145 118	311	352 107	34	109	121	1,580 952
7	5	72	56	_ 8	.	8	1		1,045 771 774	1	83 38 86 71 40	216 132 97 122 55	83 88 53	314 159	197 108 169	25 18 21 24	94 79 77 71		171 283 203
5 2 2,110	1	92 7,544	85 438	6,887	173	5 46	5,223	1,925	637 7,733	330	53 365	64 660	51	. 764	993	19	67 479	121	302 3,364
1,042 1,068		7,544	438	6,887	173	46	87 5,136	1,229	4,890 2,843	272 58	206 159	352 308	270 251	764	700 293	71 65	247 232	121	1,887 1,477
1,032 1,060 7	1	7,385	301	6,877	173	34	87 5, 133	1,229 696	3,132	272 57	· 82	. 206	138 116	302	340		107 93	121	
7 6 3 2	4	71	55	8		8	1		1,482 1,011 754 747	1	86 71	95 121 51	81 86 51	307 155	. 105 193 108 167 80	33 25 16 21 22 19	73 73 67		1,531 921 160 273 196
2 61	10	88 608	82 13	583	11	1	200	32	607	11	38 50 6	60 26	49	20	80 21	19 5	66 18		283 127
22 39	2	608	13	583	11	i	199	13 19	159 92	7 4	3 3	16 10	11 6	20	18	- 5	12		67 60
20 38	<u>i</u>	603	9	583			199	13 19		7 4	1	• 10	7 2	9	12 2	1	2		49 31 11
1 2	1	1	i						98 45 34 17 27 30		2	5 2 1 4	2 2 2	7 4	4 2	2	6 4 4		11 10 7
2,001	27	7,334	3 409	6,710	172	1 43	5,075	1,850	30 7,279	318	2 3 334	4 617	$\frac{\bar{2}}{472}$	717	1 919	125	1 451	111	19 3,215
986 1,015	7 20	7,334	409	6,710	172	43	82 4,993	1,183 667	4,584 2,695	261 57	187 147	325 292	242 230	717	650 269	68 57	231 220	111	1,792 1,423
977 1,008	1 8	7,184	280	6,701	172	31	82 4,990	1,183 667	2,940 1,411	261 56	75 33 79	193 122 85	123 - 108	276		31 22 16	96 88	111	1,457 883 157
5 5 4	5 5 1 7	68	53	7		8	1		967 709 677	1	64	85 115 47	73 78 46	298 143	317 99 188 98 145	16 21 21	71 72 64		260
2 1,956	25	82 6,869	76 400	6,263	163	43	2 4,913	1,827	575 7,079	308	33 50 329	55 _, 599	44 457	702	72 900	14 122	60 436	111	178 280 3,115
968 988	7 18	6,869	400	6, 26,3	163	43	81 4,832	1,175 652	4, 463 2, 616	255 53	185 144	314 285	233 224	702	634 266	65 57	222 214	111	1,742 1,373
961 982	1 7	6,722	274	6,254	163	31	81 4,829	1,175 652	2,869 1,374	255 52	75 33	186 119	117 106	271	307 97	31 22	94 87	111	1,422 858
5 4 2 2	. 4 1 7	68	53	7		8	1		938 694 656	1	79 64 31 47	85 114 43 52	72 76 44 42	291 140	184 98 143 71	14 21 20 14	66 68 62		147 252 173 263
2 45	2	79 465	73 9	2 447	9	4	162	23	548 200	10	47 5	52 18	42 15	 15	71 19	14 3	59 15		263 100
18 27	2	465	9	447	9		1 161	8 15	121 79	6 4	2 3	1 <u>1</u>	9	15	16 3	3	9		50 50
16 26	i	462	6	447	9		1 161	8 15	71 37	6 4		7 3	6 2	5	10 2		2 1		
1 2	1								. 29 15 21		2	1 4	1 2 2	7	4	2 1	5 4 2		35 25 10 8 5 17
 1,175	18	3 4,428	3 290	4,026	94	18	2,830	666	27 4,297	226	3 231	4 3 403	2 297	415	2 1 597	80	1 269	61	17 1,718
552 623	5 13	4,428	290-	4,026	94	18	46 2,784	401 265	2,706 1,591	193	125 106	207 196	150 147	415	419 178	41 39	133 136	61	962 756
545 616 3 5	1 6	4,332	201	4,022	94	15	46 2,782	401 265	1,791 840	193 32	53 24	132 83	88 76	183	220 70	18	56 54	61	
4	3 4 1	42	38	3		1	1		518 413 397	1	50 44 22	46 69 29	33 43 29	150 82	104 59 95	18 9 13 14	39 45		787 483 87 139 88 134
2 1,146	. 3 16	54 4,143	51 283	3,755	87	2 18	1 2,739	654	338 4,184	221	38 226	389	28 289	404	49 587	8 80	38 37 262	61	134 1,665
539 607	5 11	4,143	283	3,755	87	18		397 257	2,638 1,546		123 103	198 191	146 143	404	412 175	41 39	128 134	61	935 730

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=					see note a				ER AND O	THER M	ALIGNAN	IT TUMOR	s of—			
		Aggre-			Buccalc						ach and		-	Peritor a	neum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	SUMMARY—Continued. Cities in registration states —Contd. White—Continued.				,											
1 2	Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \\ \end{array} \right\}$	5, 461 10, 196 3, 074 3, 513 1, 712	877 160	110 8	311 41		302 77	72 17	1,385 989 2,248 2,504 1,105	14 2 9	122 22 126 38 60	961 524 1,487 1,559	288 441 626 907	1,010 1,230 319 561	54 80 26 60	421 544 287 494
3 4	Diagnosis unknown $\left\{egin{array}{l} M \\ F \end{array} ight.$	1,937	1 22		9			2	1,210	8 3 4	13	737 706 197	300 488 83	223 351 81	18 36 6	202 310 44
5 6	Males. Females	258 644	17 5		6 3		10 1	1	141 157	4	8 6	91 106	38 45	27 54	3 3	11 33
7 8	Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \\ M \\ F \\ M \\ $	105 456 84 103 69	17 5		6 3		10	1	25 21 67 80 49	1 1 2	2 6 3 2	15 11 44 61 32	9 8 16 16 13.	14 28 6 15	1 1 1 2	3 11 5 12 3
9	Diagnosis unknown $\left\{egin{array}{l} M & \\ F & \end{array}\right\}$ Rural part of registration states	85 21, 464	1,030	237	187	117	396	93	56 8,631	10	1 141	34 5, 610	21 2,870	2,486	171	10 1,480
11 12	MalesFemales	9, 041 12, 423	832 198	219 18	149 38	89 28	306 90	69 24	4,394 4,237	6 4	98 43	3, 149 2, 461	1,141 1,729	1,119 1,367	68 103	615 865
13 14	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} \right.$	4,279 7,503 3,380 3,422 1,382	832 198	219 18	149 38		306 90		846 610 2,589 2,608	2 2 3 2 1	20 10 62 24	628 303 1,853 1,580	196 295 671 1,002	634 662 342 492	30 40 27 39	172 228 311 452 132
15 16	Diagnosis unknown $\left\{egin{array}{ll} M\dots \\ F\dots \end{array} ight.$	1, 498 20, 846	1,010	234	186	116	384	90	959 1,019 8,429	10	16 9 140	668 578 5,477	274 432 2,802	143 213 2, 439	11 24 171	132 185 1,449
17 18	Males Females	8, 853 11, 993	820 190	217	148 38	89 27	299 85	67 23	4, 290 4, 139	6 4	97	3, 077 2, 400	1,110 1,692	1,104 1,335	68	605 844
19 20	Diagnosis reasonably certain. $\left\{egin{array}{c} M \\ F \end{array}\right.$	4,216 7,200 3,299 3,348	820 190	217 17	148 38	89 27	299 85	67 23	833 601 2, 532	2 2 3 2 1	19 10 62 24	619 298 1,810	193 291 657	627 649 336	30 40 27 39 11	170 226 305
21	Diagnosis unknown $\left\{egin{matrix}M\\F\end{matrix} ight]$	1,338 1,445							2, 552 925 986	1	16 9	1,548 648 554	978 260 423	481 141 205	11 24	441 130 177
22	Colored	188	12	3	1	1	7	3 2	104		1	133 72	68	47 15		10
24 25	Diagnosis reasonably certain $\{F, \dots\}$	430 63 303	8 12 8	1 2 1	1	1	5 7 5	1 2 1	98 13 9			61 9 5	37 3 4	32 7 13		21 2 2 6 11
26 27	Diagnosis uncertain. $egin{cases} M_{-} & M_{-} & F_{-} & F_{-} & M_$	81 74 44 53							57 56 34 33			43 32 20 24	14 24 14 9	6 11 2 8		6 11 2 8
28 29	Registration states, exclusive of North Carolina. Males	47,986 19,474 28,512	2,086	354	547 465	216	785 618	184	9, 236	50	534	11,733 6,405	5,968	6, 234 2, 690	168	3,768 1,533
30 31 32	Females Diagnosis reasonably certain $\left\{ egin{array}{l} M_{F} \\ F \end{array} \right.$ Diagnosis uncertain $\left\{ egin{array}{l} M_{F} \\ F \end{array} \right.$	28, 512 9, 810 18, 010 6, 517 7, 006	362 1,724 361	26 328 26	82 465 82	45 171 45	167 618 166	42 142 42	9,049 2,246 1,608 4,887 5,169	9 17 4	121 142 34 193 64	5,328 1,597 833 3,376	2,377 3,591 490 737 1,305 1,918	3,544 1,652 1,912 666 1,061	279 83 120 54 99	2, 235 595 781 602 952 336
33 34	Diagnosis unknown $\left\{ egin{array}{ll} M_{-} \\ F_{-} \end{array} \right\}$	3,147 3,496 46,549	1 2,045	352	537	215	1,762	179	2, 103 2, 272 17, 806	2 11 3 46	78 23 519	3,185 1,432 1,310 11,417	582 936 5, 824	372 571 6,108	31 60 441	336 502 3,693
35 36 37	Males	19,047 27,502 9,652	1,696 349 1,696	327 25 327	458 79 458	171 44 171	601 161 601	139 40 139	9,004 8,802 2,212	37 9 16	404 115 141	6, 249 5, 168 1, 576	2,314 3,510 479	2,649 3,459 1,632	165 276 83	1,512 2,181
38 39	Diagnosis reasonably certain. F . Diagnosis uncertain. F . Diagnosis uncertain. F .	17,306 6,357 6,834 3,038	348	25	79	44	160	40	1,580 4,768 5,037 2,024	10 4 12 2 9	32 187 61 76	3, 292 3, 096 1, 381	725 1,277 1,878 - 558	1,872 654 1,035 363	119 53 98 29 59	590 768 591 929 331 484
40	Diagnosis unknown $\left\{ egin{array}{l} M \\ F \end{array} \right\}$	3,362 1,437	1 41	2	10	1	1 23	5	2,185 479	3	22 15	1, 253 316	907	552 126	59 6	484 75
41 42	MalesFemales	427 1,010	28 13	1 1	7 3	1	17 6	3 2	232 247	4	9 6	156 160	63 81	41 85	3 3	21 54
43 44	Diagnosis reasonably certain. $\{M, \dots, M, $	158 704 160 172 109	28 13	1	7 3	1	17 6	3 2	34 28 119 132 79	1 1 2	1 2 6 3	21 14 84 89 51 57	11 12 28 40	20 40 12 26 9	1 1 1 2 1	5 13 11 23 5 18
45	Diagnosis unknown $\left\{ egin{array}{c} \mathbb{F} & \dots \\ \mathbb{F} & \dots \end{array} \right]$	134 .			I Include			lumbia	87 .		2	57	24 29	19	1	18

· 						DEAT			AND OTH	-			OF—					*	`	Ī
Peritor intestin rectum	es.and		Female ;	genital or	gans.						•	Other or	gans or o	of organs	not spec	ified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung · and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
534 601 3 4 2 2	153313	4,049 42 52	196 38	3,751	87	15 1 2	45 2,692 1	397 257	1,747 819 507 405 384 322	190 30 1	53 24 50 44 20 35	126 81 46 68 26 42	85 75 33 42 28 26	178 147 79	215 68 103 59 94 48	18 18 9 13 14 8	55 53 36 45 37 36	61	766 470 83 133 86 127	} 1 } 2 } 3
29 13 16	2	285 285	7	271	7		91 1 90	12 4 8	113 68 45	. 3	2 3	, 14 9 5	4 4	11	7 3		5 2		27 26	5
11 15	1	283	5	271	7		1 90	4 8	44 21 11 8	3 2		6 2	3 1 1	5 3	5 2 1		1 1 3		21 13 4 6	} 7 } 8
1 2 826	1	2,906	2 119	2,684	78	25	2,245	1,184	13 16 2,982	92	2 3 103	1 3 2 214	1° 2 175	302	1 1 322	45	1 1 182	50	2 7 1,497	10
434 392	2 7	2,906	119	2,684	78	25	36 2,209	782 402	1,878 1,104	68 24	62 41	118 96	92 83	302	231 91	27 18	98 84	50	830 667	11 12
432 392 2	2 2 2 1	2,852 26	79 15	2,679 4	78	16 7	2, 208	782 402	1,149 571 449 296 280 237	68 24	22 9 29 20 11 12	61 39 39 46 18	35 32 40 35 17	93 148 61	97 29 84 39 50	13 4 7 8 7 6	40 34 32 27 26	50	670 400 70 121 90 146	}13 }14 }15
810	9	28 2,726	25 117	2,508	76	2 25	2,174	1,173	2,895	87	103	210	16 168	298	23 313	42	174	50	1,450	16
429 381 427	2 7	2,726	117	2,508	76	25	2,138 36	778 395 778	1,825 1,070 1,122	65 22 65	62 41 22	116 94 60	87 81 32	298	222 91 92	24 18 13	94 80 39	50 50	807 643 656	12
381	2 2 1	2,673 26 27	78 -15 24	2,503 4 1	76	16 7 2	2,137	395	1, 122 555 431 289 272 226	22	22 9 29 20 11 12	38 39 46 17 10	31 39 34 16 16	144	92 29 81 39 49 23	5 8 6 6	34 30 23 25 23		656 388 64 119 87 136	}20 }21
16 5		180	2	176	2		71	11 4 7	53 34	5 3 2		2 2	5 2	4	9	3	8 4 4		23 24	22
11 5 11		179	1	176	2		71	4 7	27 16 18 7 8	3 2		1 1. 1.	3 1 1 1 1	4	5 3	2	1 2 4 1		14 12 6 2 3	1.
1,992	27	7,247	406	6,629	170	42	5, 052	1,838	7,244	318	333	617	467	716	915	123	448	111	3,196	l
982 1,010 973 1,003 5 5 4 2	1 8 5 5 1 7	7,247 7,097 68 82	406 277 53 76	6,629 6,620 7	170	30 8 4	81 4,971 81 4,968		4,566 2,678 2,930 1,403 964 707 672 568	261 57 261 56	187 146 75 33 79 63 33 50	325 292 193 122 85 115 47 55	239 228 121 107 72 78 46 43	716 276 297 143	648 267 316 98 188 98 144 71	66 57 29 22 16 21 21 14	229 219 95 87 71 72 63 60	111	1,784 1,412 1,453 878 156 259 175 275 3,104	}31 }32 }33
1,949 965 984 958 978 5 4 2 2	7 18 1 7 5 4 1	79	399 399 273 53 73 7	6, 220 6, 211 7 2 409	163	30 8	4,897 81 4,816 4,813 1 2 155	1,169 647	7,053 4,448 2,605 2,862 1,369 935 693 693 651 543 191	308 255 53 255 52 1	328 185 143 75 33 79 63 31 47 5	599 314 285 186 119 85 114 43 52 18	230 222 115 105 71 76 44 41 15	701 701 271 290 140	897 633 264 307 96 184 98 142 70	63 57 29 22 14 21 20 14	220 213 93 86 66 68 61 59	111	1,736 1,368 1,420 856 146 252 170 260 92	3: 3: 3: 3: 3: 3: 3: 3:
17 26 15 25	2	423	7	409	7		155	. 8 14 . 8	118 73 68	. '		11 7 7 . 3	9 6 6 2 1	15 5	15 3 9 . 2 4	3	9 6 2 1 5 4		48 44	_

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines, and rectum. Buccal cavity. Stomach and liver. Aggre-gate. AREA AND BASIS OF DIAGNOSIS. Perito-Liver neum Others Phar-Esoph-Stom-Intes. Total. Lip. Tongue Mouth Jaw. ofthis Total. Total. agus. tines. mesenterv. SUMMARY-Continued. Registration cities in other states.... 4.161 1,519 1,736 2,425 6 670 164 Males.... 3 1 $\frac{52}{12}$ 3 8 $\frac{205}{279}$ 19 Females..... 1,651 428 400 3 1 Diagnosis reasonably certain. $\{{}^{M}_{F}$ 68 36 35 308 293 $\frac{75}{214}$ 20^{-1} Diagnosis uncertain..... ${M \choose F}$ $\frac{72}{111}$ 41 19 61 Diagnosis unknown..... 1,418 3,776 5 Males.....Females..... 1,617 2,159 154 íi 1,435 401 374 382 350 5 Diagnosis reasonably certain. $\{{}^{M}_{F}\}$ 70 $\frac{122}{154}$ 19 1 4 2 4 34 30 30 59 164 Diagnosis uncertain..... 19 Diagnosis unknown..... ${M \choose F}$ 216 82 Males. Females 1 42 11 10 $\frac{119}{266}$ 15 31 ï Diagnosis reasonably certain. $\{M_{rr}$ 20 18 15 18 i Diagnosis uncertain..... i Diagnosis unknown..... $\left\{ \begin{array}{l} F \\ \end{array} \right\}$ All registration cities 1..... 30,956 11,258 7, 158 3,588 4, 259 2,575 5, 728 5, 530 Males.... 12, 241 1,046 194 18 3,866 3,292 1.445 1, 030 1, 545 Females.... 6,470 12,303 3,586 4,016 1,046 50 18 Diagnosis reasonably certain. ${M \choose F}$ $\frac{82}{24}$ 1,167 1,153 1,428 92 28 65 22 1, 153 2, 623 2, 877 1, 427 12 714 Diagnosis uncertain \mathbb{R}^{F} . 47 81 1, 745 1, 795 954 541 236 381 1, 034 11 Diagnosis unknown $\{M, \dots, M\}$ i 2,396 1,500 29,6691,208 10,859 6,890 3,476 4,145 2, 515 Males.....Females..... 46 1,013 1,502 18 22 27 1,747 2,398 5, 528 5, 331 3, 735 3, 155 1,389 2,087 6, 295 11, 631 3, 475 3, 887 2, 094 2, 287 1,629 1,126 2,536 2,779 609 321 524 Diagnosis reasonably certain. $\{^M_{\mathcal{D}}$ 18 $\frac{81}{22}$ $\frac{333}{506}$ 90 27 64 20 40 11 145 44 79 14 Diagnosis uncertain $\begin{cases} M \\ F \end{cases}$ 1,688 1,723 1,011 838 570 Diagnosis unknown ----1,287 Colored Males.....Females..... $\frac{15}{2}$ $\frac{1}{2}$ 6 4 43 33 Diagnosis reasonably certain, ${M \choose r}$ $^{15}_{2}$ $\overline{44}$ Diagnosis uncertain...... Diagnosis unknown..... $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$ 109 13 12 REGISTRATION STATES. 2,701 CALIFORNIA 1,042 253 150 53 1,278 1,423 3 12 3 105 39 6 175 $\frac{10}{2}$ Diagnosis reasonably certain. $\{F_{i}\}$ $\frac{52}{44}$ 47 1,004 2,649 1,013 1, 244 1, 405 715 991 104 40 46 158 47 174 114 11 5 7 43 Females 10 $\frac{249}{147}$ Diagnosis reasonably certain. ${M \choose F}$

¹ Includes District of Columbia.

	<u> </u>			-	,	DEAT	HS FROM	CANCER	AND OTH	ER MALIC	NANT 1	UMORS	OF			-		=		Ī
Peritor intestin	es, and		Female ;	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			. F Vienn	-
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast,	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
170	7	818	42	760	12	4	348	107	705	23	*37	69	66	67	95	16	46	10	276	1
78 92	3 4	818	42	760	12	4	6 342	59 ' 48	465 240	18 5	22 15	43 26	39 27	67	68 27	8 8	28 18	10	162 114	2 3
75 90 2 2 1	1 3	804 4	30	759 1	12	3	6 342	59 48	290 116 78 62 97	18 5	8 5 7 7	23 10 12 7 8	22 10 10 10 7	35 16	35 8 9 10 24	3 3 2	13 6 8 5	10	123 69 14 23 25 22	} 4 } 5
154	. 3	. 10 675	9 38	624	10	1	310	98	62 654	22	3 36	9 61	7 64	62	93	5 14	7 43	10	22 249	6
74 80	3 4	675	38	624	10	3	6 304	54 44	427 227	17 5	21 15	38 23	37 27	62	66 27	6 8	25 18	10	145 104	8 9
71 78 2 2 1	1 3	663	27	623	10	3	6 304	54 44	263 108 73 60 91	17 5	7 5 7 7	20 8 10 7 8	21 10 9 10 7	· 31	33 8 9 10 24	2 3 2 2 5	13 6 7 5 5	10	109 63 13 21 23 20	}10 }11 }12
16	. 3	9 143	9, 4	136	2	1	38	9	59 51	1	3 1	8	7 2	5	9 2 _.	5 2	7 3		20 27	13
4 12		143	4	136	2	i	38	5 4	38 13	1	1	5 3	2	5	2	2	3		17 10	14 15
12		141 1	3 1	136	2		38	5 4	27 8 5 2	1	1	3 2 2	1	4	2	1	1	·····	14 6 1 2 2 2	}16 }17
		1			100	1			6 3		000	1		1		1	2			}18
1,345 630 715	25 8 17	5, 246	332	4,786	106	22	3,178	773 460	5,002 3,171 1,831	249 211 38	268 147 121	472 250 222	363 189 174	482	692 487 205	96 49 47	315 161 154	71	1, 994 1, 124 870	19 20 21
620 706 5 7	1 7 6 4 1	5, 246 5, 136 46	231	4,786 4,781 4	106	18	3,126 52 3,124	313 460 313	2, 081 956 596 475 494	211 · 37 1	61 29 57 51 29 41	155 93 58 76 37 53	110 86 43 53 36	218 166 98	255 78 113 69 119	21 21 11 13 17	69 60 47 50 45	71	910 552 101 162 113 156	21 }22 }23 }24
1,300	23	4,818	60 321	4,379	97	3 21	3,049	752	400	243	262	450	35 353	466	58 680	94	44 305	71	1,914	25
613 687	8 15	4,818	321	4,379	97	21	51 2,998	451 301	3,065 1,773	207 36	144 118	236 214	183 170	466	478 202	47 47	153 152	71	1,080 834	26 27
605 679 5 6 3	8	4,712 45 61	223 40 58	4,374 4	97	18 1	2,996 1	451 301	2,010 927 580 465 475 381	207 35	60 29 57 51 27 38	146 89 56 75 34 50	106 85 42 52 35 33	209 163 94	248 76 - 112 69 118 57	20 21 11 13 16 13	68 59 43 50 42 43	71	875 533 96 154 109 147	}28 }29 }30
45		428	11	407	9	1	129	21	164	- 6	6	22	10	16	12	2	10		80	31
17 28	2	428	ii	407	9	i	128	9 12	106 58	4 2	3 3	14	6 4	16	9	2	8 2		44 36	32 33
15 27	1	424	8	407	9		1 128	9 12	71 29 16	4 2	1	9 4 2	4 1 1	9	7 2 1	1	1 1 4		35 19 5 8 4 9	}34 }35
2	i	3	2			1			10 19 19		2 3	4 2 1 3 3	1 1 2	4	1 1	1	3 1		8 4 9	}35 }36
127	1	366	22	333	7	4	299	100	418	19	. 23	40	25	45	44	15	17	11	179	37
69 58 69 58	1	366 358	22 15	333	7		5 294 5 294	74 26 74 26	289 129 209 97	14 5 14 5	13 10 8 3	26 14 20 14	13 12 . 8 10	45 21	33 11 17 5	9 6 3 4	9 8 6 3	11	116 63 101 53	38 39 }40
127	1	360	22	327	7	<u> </u>	295	100	412	• 17	23	39	25	45	44	15	16	11,	177	
69 58 69 58	1	360 352	22 15	327 327	7		290 5 290	74 26 74 26	284 128 205 96	'13 4 13 4	13 10 8 3	25 14 19 14	13 12 8 10	45 21	33 11 17 5	9 6 3 4	8 8 5 3	11 11	114 63 100 53	42 43 44

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-						DEA	THS FR	OM CANO	EER AND (THER M	1ALIGNA)	NT TUMOR	s of—			, ,
		Aggre-			Buccal	avity.				Stom	ach and	liver.			eum, int nd rectun	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION STATES—Con. CALIFORNIA—Continued.	F0							90			10	,	4		
1 2 3 4	Colored	52 34 18 16	3 3				1 1 1	2 22	29 23 6 9		2 2	16 12 4 3	9 2 5	3 1	2	1 1
5	Colorado	530 232	22	3	5	2 2	12		245 138	2 2	4	164	75 31	58	4 2	29
6 7 8	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M. & . \\ F. & . \end{array} \right.$	298 133 199	22	3	5	2	12		107 52 31		1 1	63 41 13	44 10 18	34 17 23	2	10 19 5 9
9 10	White Males	230	22	3	5	2	12		239	1	4	160 101	74 31	58 24	2	10
11 12	Females Diagnosis reasonably certain $\left\{ egin{matrix} M & . \\ F & . \end{array} \right.$	287 133 194	22	3	5	2	12		102 52 31		1	59 41 13	43 10 18	34 17 23	2	19 5 9
13 14 15	Colored	13 2 11							6 1 5	1		4	1			
16 17	Diagnosis reasonably certain. $egin{cases} M & \dots \\ F & \dots \\ \end{bmatrix}$	1,040	48	5	17	5	18	3	331		8	214	109	158	7	112
18 19 20	MalesFemales	394 646 199	40 8 40	3 2 3 2	14 3 14	5 5	15 3 15	3	164 167 46		5 3 3	118 96 35	41 68 8	64 94 31	3 4 1	43 69 12
21	White	1,022	48	5	17	5	3 18	3	37 326		8	19 209	18	40 155	7	18
22 23 24	$egin{array}{ccc} ext{Males} & & & & & & & & & & & & & & & & & & &$	390 632 198 400	40 8 40 8	3 2 3 2	14 3 14 3	5 5	15 3 15 3	3	160 166 45 37		5 3 3	114 95 34 19	41 68 8 18	64 91 31 38	3 4 1 1	43 68 12 18
25 26	Colored	18							5			5		3		1
27 28	Females. Diagnosis reasonably certain ${M \choose F}$	14 1 12							i 1			1 1		3		1
29 30	Indiana	2,199	98 79	22	16 13	15 9	40 33	5 4	382	2	11 9	513 249	338	226 97	15	138 50
31 32	Females Diagnosis reasonably certain. ${M \choose F}$	1,378 433 847	19 79 19	$\begin{array}{c} 2 \\ 20 \\ 2 \end{array}$	13 3	6 9 6	33 7	1 4 1	482 80 82	1 1	2 1 1	264 49 42	216 29 39	129 73 59	. 4	88 26 25
33 34	White	2, 162 812	78	22 20	15	15 9	33 7	5 4	854 382	$\frac{2}{2}$	9	249	122	97	14	138 50
35 36 37	Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	1,350 429 830	19 78 19	2 20 2	3 12 3	9 6 9 6	7 33 7	1 4 1	472 80 82	1	1 1	258 49 42	212 29 39	125 73 56	10 4 4	88 26 25
38 39	Colored	9 28 4	1 1		1 1				10			6	4	4	1	
40 41	Diagnosis reasonably certain. ${M \choose F}$.	17 1,095	59	26		1	19	6	442		5	275	162	3 117	10	82
42 43 44	Males	504 591 257 364	53 6 53 6	25 1 25 1	6 1 6 1	1	17 2 17 2	4 2 4 2	241 201 67 45		4 1 2	167 108 48 18	70 92 17 27	59 58 30 29	6 4 5 4	40 42 12 13
,4 5	White	1,064	58	26	7	1	18	6	431		5	268	158	115	10	81
46 47 48	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \Big\{ \begin{matrix} M \\ F \end{matrix} \\ \end{array}.$	496 568 254 349	52 6 52 6	25 1 25 1	6 1 6 1	1	16 2 16 2	4 2 4 2	236 195 66 44		1 2	163 105 47 17	69 89 17 27	59 56 30 28	6 4 5 4	40 41 12 13
49 50	Colored	31	1		<u></u>		1		11			7	4	2		1
51 52	Males Females Diagnosis reasonably certain. $\left\{ egin{array}{c} M & \cdot \\ F & \cdot \end{array} \right\}$	23 3 15	1				1		5 6 1 1			3 1 1	1 3	2		1

							DEA			R AND OT				OF—				1			Ť
Column C	Perito intestir rectum	neum, nes, and n—Con.		Female	genital o	rgans.							Other o	rgans or	of organ	s not spe	cified.				-
	Rec- tum.	ofthis	Total.	fallo- pian	Uterus.	Vagina and vulva	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	Pan-creas.	neys. and supra-	tate.	Blad- der.	Brain	Bones (except jaw).	Tes- tes	Others of this class.	-
			6		6			4		6	2		. 1					1		. 2]
S										1 4	1 1 1		.					1		2	- 2
22				4		3		53	14	57		6	5	` 74	6	3	2		1	:	.]
22	12 13 12 12			11	l			51 2 51	10	36 21 30		4	1	2 5 1		1 2 1	1 1 1	1		9	7 7 } 8
	25			lt .		Į		50	13	55	II———	6	· 	6	·—·	3	. 2		[23	
	13 12							48 2 48	3 10	35 20 30 10		4 1		2 4 1 2	ı	1 2 1 1	1 1 1	1		14.	10 11 }12
38			1		1			3			<u> </u>			1							13
15										î				1							15 }16
37		:	158	7	145	5	1			1	ļ				<u> </u>		2	I			17
150	21 18		<i>-</i>	11			1	120	14 19 14	85 62 38	* 383	1 2	11 5	3 1		11 9 3		8 1 2		43 31 23	19 }20
2 6 6 6 3 1 <t< td=""><td></td><td></td><td></td><td> </td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td></td><td>4</td><td></td><td>21</td><td>2</td><td>3</td><td></td><td></td><td>21 22</td></t<>				 				1						4		21	2	3			21 22
2 6 6 6 3 1	18 19		149		139		1	117		85 62 38	3 8 3	1 2	5	3		11 9	1 1	8		43 31 23	23 }24
22																					25 26
43	2		6		6			3	····i)28
29 1 350 11 331 6 2 226 44 67 2 2 9 6 4 2 42 42 42								3						8		25	1	8			
43 1 346 1.5 322 6 3 223 43 1120 2 4 20 16 1 6 4 70 35 43 122 2 4 20 16 1 6 4 70 35 44 101 6 2 2 4 20 16 1 6 4 70 35 44 57 35 4 57 35 42 4 57 35 42 4 57 35 4 57 36 4 57 36 4 57 36 4 42 4 57 36 3 11 1 1 1 1 1 2 4 57 36 4 42 4 57 36 3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	43 29	ī	350	ii	331	6	2	226	94 44	67	1		9	. 6		7		3	4	58	}32
26 1 341 11 322 6 2 223 43 66 2 2 8 6 4 2 3 9 9 9 3 1								3						7		24	1	6			
3 9 9 3 1 1 1 1 1 1 1 2 3 38/39 3 9 9 3 1 </td <td>26</td> <td> </td> <td>341</td> <td></td> <td>322</td> <td></td> <td></td> <td>223</td> <td></td> <td>66</td> <td>6 2</td> <td>2 2</td> <td>8</td> <td>6</td> <td></td> <td>7 4</td> <td></td> <td>2</td> <td>- 1</td> <td>- 1</td> <td>36</td>	26		341		322			223		66	6 2	2 2	8	6		7 4		2	- 1	- 1	36
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$!					2			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	3		9	10	9			3	1	1			1		70			•••••		1	}40
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				<u> </u>		`		2 103			1	1			19	11			. 3		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1		1	1 .	1			108	- 11	18			İ	İ	•••••	2	- 1				j
1 9 9 9 3 1 4 1 3 49 3 1 2 1 2 55 55 51 2 1								2 105	36 9	111	1	1	7 6		19	11 4		1	3		46 47
1 9 9 3 1 2 1 2 50 51			i	7	- 1	3			- 1				1	2	٥		1	2.			ſ
					9			3	i	2 2 1										2	50 51 52

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

-		-				DEA	TIIS FR	OM CAN	CER AND	OTHER 1	MALIGNA	NT TUMOI	rs of—			
		Aggre-			Buccalo	avity.				Stom	ach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Peritoneum and mesentery.	Intestines.
	REGISTRATION STATES—Con.															
1	KENTUCKY	1,081	58	10	11	21	12	4	366		1	209	156	101	3	64
2 3 4	Males. Females. Diagnosis reasonably certain. ${M \choose F}$	693 162	46 12 46	9 1 9	8 3 8	15 6 15	10 2 10	4	183 183 26		1	105 104 12	77 79 14	42 59 18 27	3	24 40 1
5	White	446 959	12 55	10	3 10	6 20	11	4	23 328		1	10 188	13 139	27 93	3	10 58
6	Males	356	45	9	8 2	15	9	4	165		1	94	70	40		22
8	Females	603 155 382	10 45 10	1 9 1	8 2	5 15 5	2 9 2	4	163 25 21			94 11 10	69 14 11	53 18 25	3 1	36 1 10
9	Colored	122	3		1	1	1		38			21	17	8		6
10 11	Males Females	32 90 7	1 2 1		i	····i			18 20			11 10	7 10	2 6		2 4
12	Diagnosis reasonably certain. $\{F, \dots \}$	64	2		1	1	1		$\frac{1}{2}$			1	2	2		
13 14	Maine	821 293	25	11	6	3	11 6	$\begin{vmatrix} 1 \\ -1 \end{vmatrix}$	300	1	5 4	180 79	114	129	6	86
15 16	Females	528 122	8 25	₁₁	1 6	1 2 1 2	5 6	i	168 20		1 1	101 14	66 5	72 24	4	49
17	White	308 819	33	11	7	3	5 11	1	16 299	1	1 5	179	9 114	30 128	1 6	10 85
18 19	Males	292 527	25	11	6	$\frac{1}{2}$	6 5	1	131 168	1	4 1	78	48	57	2	37
20	Diagnosis reasonably cortain. ${M \choose F}$.	122 308	25 8	11	6	1 2	6 5	i	20 16		1 1	101 14 6	66 5 9	71 24 30	4 1	48 6 10
21	Colored	2							1			1		1		1
22 23	MalesFemales	1							1			1		1		·····i
24	Diagnosis reasonably certain $\{F: F: F : F : F : F : F : F : F : F : F$															
25 26	Maryland	1,092	35	$\frac{7}{7}$	15	3	14 9	3	389 185	$\frac{1}{1}$	10	225 125	153 51	129	9	77 29
27 28	Females	691 215	9 35	7	1 14	2 1 2 1	5 9	2 3	204 51	i	2 3	100 35	102 12	74 33	5 2 3	48 11
29	White	457 947	40	7	1 13	3	5 12	5	39 342		1 7	14 200	24 135	120	9	19 69
30 31	Males Females	365 582	31 9	7	12 1	2	7	3 2	163 179		6	111	46 89	53 67	4 5	28 41
32	Diagnosis reasonably certain $\{_F^M$.	199 378	31 9	7	12 1	2 1 2 1	5 7 5	3 2	47 34		3 1	89 33 12	11 21	32 41	2 3	11 17
33 34	Colored	145	4		2		2		47	1	3	25	18	9		8
35	Males Females	36 109 16	4		2 2		2 2		22 25	1	2 1	14 11	5 13	2 7	 	7
36	Diagnosis reasonably certain $\{F: C$	79							4 5	1		2 2	3	1 2		2
37 38	Massachusetts	3,649 1,324	150	24	52 46	15	37	11	1, 151	3	33	722 365	375	240	32	160
39 40	Females Diagnosis reasonably certain ${M \choose F}$.	2,325 683	$\begin{vmatrix} 23 \\ 127 \end{vmatrix}$	22 2 22	6 46	4 11	$\frac{11}{37}$	11	609 136	1 2	17 17	357 91	234 26	426 139	24 3	300 64
41	White	1,475 3,613	23 148	24	6 50	4 15	11 48	11	106 1,138	1 4	4 49	52 714	49 371	213 663	6 32	107 458
42 43	Males	1,310 2,303	126 22	22	45 5	11 4	37 11	11	533 605	3 1	32 17	358 356	140 231	239 424	8 24	159 299
44	Diagnosis reasonably certain $\{_{\mathrm{F}}^{\mathrm{M}}$.	678 1,457	126 22	2 22 2	45 5	11 4	37 11	11	134 105	2	17 4	89 52	26 48	138 211	3 6	63 106
45	Colored	36	2		2		<u></u>		13		1	8	4	3		2
46	Males	14 22 5	1 1 1		1 1				9		1	7 1	1 3	1 2		1
48	Diagnosis reasonably certain. ${f M}$	18	1		1				2			2	1	1 2		1
49 50	Michigan	2,395 1,015	118	23	22 15	10	51 35	$\frac{12}{9}$	974 509	1	19 15	638	316 125	128	27	165 71
51 52	Females Diagnosis reasonably certain. ${M \choose F}$	1,380 498 854	29 89	22 1 22 1	7 15 7	2 8 2	16 35 16	3 9 3	465 128 83	1	3	269 91 43	191 34 39	144 79 69	16 6	94 27 25

	•					DEAT	HS FROM	CANCER	AND OTE	ER MALI	JNANT	TUMORS	of—	*	,		17.74v			T
Perito intestin	neum, les, and l—Con.		Female	genital or	gans.						•	Other o	rgans or	of organ	s not spe	cified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).,	Tes- tes.	Others of this class.	
34		216	10	196	9	1	116	58	166	3	4	11	15	8	13	3	7	4	98	1
18 16 17 16	,	216	10	196	9	1	2 114 2 114	33 25 33 25	82 81 . 37 32	2 1 2 1	1 3	4 7 1 3	5 10 5	8	8 5 2	3	1 6	4	49 49 26 20	2 3 } 4
32		174	9	156	8	1	106	54	149	1	3	11	13	7	13	3	6	4	88	5
18 14 17 14		174	9	156 156	8	1	2 101 2 101	31 23 31 23	73 76 34 28	1 1	3	4 7 1 3	9	7	8 5 2	3	1 5	4	44 44 24 18	6 7 8
. 2		42	1	40	1		10	4	17	2	1		2	- 1			1		10	9
2		42	1 1	40	1 1		10	2 2 2 2 2	9 8 3 4	1 1 1	1		1 1	1			1		5 5 2 2	10 11 }12
37		142	_ 1	138	. 3		93	28	96	2	4	8	2	6	13	2	3	. 2	54	13
18 19 18 19		142 142	1	138	3		93 93	21 7 21 7	58 38 32 12	1 1 1 - 1	1 3	6 2 3	1	6	10 3 2	2	2 1	2	27 27 22 10	14 15 }16
37 18		142	1	138	3		93	28	96	2	4,	8	2	6.	13	2	3	2	. 54	17
18 19 18 19		142 142	1	138 138	3		93 93	21 7 21 7	58 38 32 12	1 1 1	1 3 1	6 2 3	1	6	10 3 2	2	2 1		27 27 22 10	18 19 }20
																				21 22
																			• • • • • • • • • • • • • • • • • • • •	22 23 24
43		186	11	171	3	1	132	35	177	11	6	17	10	12	26	- 5	13	1	76	25
22 21 20		186	11	171	3	····i	131 1	19 16 19 16	106 71 76 38	8 3 8 3	2 4 1	7 10	5	12 7	21 5	3 2	8 5 4	1	39 37 33 20	26 27
21 42		181 137	6	171 124	3 2	1	13Î 113		38 162	3 9		7 7	3		11 [.]		2	1		}28 29
21 21 19		137	10	124	2	1	113 112 1	33 18 15 18 15	99 63 70 34	7 2 7 2	6 2 4 1	14 5 9 5	9 5 4 4	$ \begin{array}{r} 12\\ \hline 12\\ \hline 7 \end{array} $	25 21 4 11	3 2	12 8 4 4	1	35 34 30 19	30 31
21 1		133 49	6 1	124 47	2 1	1	112 19	15	34 15	2		6 3	3 1		1		2 1		19 7	}32 33
1		49	1	47	1		19	1 1	7 8	 										34 35
1		48	<u>-</u> -	47	1		19	1	6 4	1 1 1 1		2 1 2 1	1		1		1		4 3 3 1	}36
172 72	2	576	39	518	16	3	436	94	576 356	30	33	36	30	68 68	68	. 5	44	9	253	37 38
72 100 72 98	2	576 562	39 25	518 518	16 16	3	432 4 432	55 39 55 39	356 220 222 100	26 4 26 4	13 20 5 4	16 20 12 - 10	5	. 26	52 16 21 5	4 1 2	19 25 5 9	9	137 116 108 63	38 39 }40
72	2	569	39	.513	14	3	430	94 55	571 353	30	33	36	30 12	67 67	68 52	5 4	19	9	249	41 42
72 99 72 97	2	569 555	39 25	513 513	14	3	426 4 426	55 39 55 39	353 218 221 99	26 4 26 4	13 20 5 ,4	16 20 12 10	12 18 8 5	26	52 16 21 5	1 2	19 25 5 9	9	1	42 43 44
1		7		5	2		6 .		5 3					1					2	45 46
1 1		7		5	2		6 .		3 2 1 1											46 47 }48
80		360	14	341	3	2	214	114	343	9	10	34	13	38	36	5	24	4	170	49
46 34 46 34		360 356	14	341	3	2	210 4 210	75 39 75 39	210 133 123 68	5 4 5 4	7 3 3	16 18 8 8	9 4 2 3	38 18	26 10 12 4	3 2 1	12 12 4 6	4	90 80 66 43	50 51 }52

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

						DEAT	HS FRO	M CANC	er and o	THER M	ALIGNAN	т тумок	s of—			
		Aggre-			Buccale	avity.				Stom	ach and	liver.		Periton ar	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION STATES—Con.															
1	Michigan—Continued. White	2,379	118	23	22	10	51	12	968	1	19	634	314	269	27	162
2	MalesFemales	1,010 1,369	89 29	22	15 7	8 2	35 16	9 3	507 461		15 4	368 266	124 190	128 141	11 16	71 91
4	Diagnosis reasonably certain. ${M \choose F}$.	495 850	89 29	22 1	15 7	. 2	35 16	9	127 82	····i	3	90 42	34 39	79 69	6 10	27 25
5	Colored	16							6			4	2	3		3
6 7	MalesFemales	5 11							2 4			1 3	1	3		3
. 8	Diagnosis reasonably certain. $\{F,\}$	3 4							1			1				
9	MINNESOTA	1,701	70	16	14	3	31	6	804		20	611	173	213	13	127
10 11 12	Males	829 872 406	59 11 59	14 2 14	12 2 12	3	26 5 26	4 2 4	452 352 125		17 3 6	376 235 108	59 114 11	107 106 70	7 6 4	62 65 28 32
13	Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{H} \\ \mathbf{F} \end{array} \right\}$	519	70	2	2	3	5	2 6	71		20	44	27	69 213	13	32 127
14	White	1,696 828	59	16	14	3	31 26	4	801 452		17	610 376	171	107	7	62
15 16	Females	868 406 519	11 59 11	2 14 2	12 2	- 3	5 26 5	2 4 2	349 125 71		3 6	234 108	112 11 27	106 70 69	6 4 2	65 28 32
17	Colored	515							3			44 1	2			
18 19	Males	1 4							3				2			
20	Diagnosis reasonably certain. $\{\stackrel{M}{F}:$						 			******						
21	Missouri	2,326	120	25	32	16	37	10	882	3	27	561	291	228	15	129
22 23 24	Males Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M \\ F \end{array} ight.$	978 1,348 534 870	104 16 104 16	25 25	27 5 27 5	13 3 13 3	32 5 32 5	7 3 7 3	438 444 101 75	3 1	19 8 5	301 260 68 42	115 176 27 33	102 126 69 73	11 4 4 4	48 81 22 30
2 5	White	2, 233	116	24	32	16	35	9	855	3	26	542	284	219	. 14	123
26 27 28	MalesFemales	945 1, 288 518 827	101 15 101 15	24 24	27 5 27 5	13 3 13 3	30 5 30 - 5	7 2 7 2	421 434 98 74	3	19 7 5	288 254 66 41	111 173 26 33	99 120 67 72	10 4 4 4	47 76 21 30
2 9	Colored	93	4	1			2	1	27		1	19	7	9	1	6
30 31 32	Males. Females. Diagnosis reasonably certain $\{M, F\}$	33 60 16 43	3 1 3 1	1			2	i	17 10 3 1		1	13 6 2 1	4 3 1	3 6 2 1	1	1 5 1
33	MONTANA	223	14	3	3		7	1	93		3	65	25	28	3	16
34 35	Males Females	107 116	13	3	3		6 1	1	52 41		1 2	41 24	.10 15	17 11	2	10 6
36	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{H} \\ \mathbf{F} \end{array}\right\}$	67 74	13	3 :	3		6 1	1	19 6		1	15 3	4 2	16 8	1	3
37	White	218	14	3	3		7	1	91		3	64	24	26	3	16
38 39 40	MalesFemalesDiagnosis reasonably certain. $\left\{egin{array}{l} M \ F \end{array} ight.$	106 112 66 72	13 1 13 1	3	3	· · • • · · · · · · · · · · · · · · · ·	6 1 6 1	1	52 39 19 6		1 2	41 23 15 3	10 14 4 2	16 10 15 7	2 1 2 1	10 6 9 3
41	Colored	5			<i></i>				2			1	1	2		
42 43 44	Males. Females. Diagnosis reasonably certain. ${M \choose F}$	1 4 1 2							2			1	i	1 1 1 1		
45	NEW HAMPSHIRE	442	13	2	4		7		132		1	67	64	86	2	63
46 47 48	Males Females Diagnosis reasonably certain ${M \choose F}$	142 300 64 187	12 1 12 1	2 2	4		6 1 6 1		60 72 11 6		1	32 35 6 3	27 37 5 3	29 57 11 27	1 1 1	21 42 4 12
49	White	440	13	2	4		7		130		1	66	63	86	2	63
50 51 52	MalesFemales	141 299 63	12 1 12	2	4		6		59 71 10		1	32 34 6	26 37 4 3	29 57 11	1 1 1	21 42 4
-	}F	187	1 1				1	· · • · · · · ·	6	· • • • • • •	•••••	3	3	27	j 1 j	12 }

				· · · · ·		DEAT	ins from	1 CANCEI	R AND OTH	TER MALI	GNANT	TUMORS	OF—			-			
Perito intestin	neum, es, and —Con.	-	Female :	genital or	gans.							Other or	gans or	of organs	s not spe	cified.	•		
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
													-					·	
80 46		358	14	339	3	2	213	114	339	9 - 5	10 7	34	13	38	36	5	24	4	166
34 46 34		358 354	14 10	339 339	3	2	209 4 209	75 39 75 39	207 132 121 68	- 3 4 5 4	3 3	· 16 18 8 8	. 9 . 4 . 2 3	18	26 10 12 4	3 2 1	12 12 4 6	4	87 79 64 43
		. 2		2			1		4	<u></u>									4
• • • • • • • • • • • • • • • • • • •		2 2		2			1 1		3 1 2										3 1 2
73		193	16	174	3		119	57	245	9	15	18	23	25	29	6	22	5	93
38 35 38 35		193	16	174	3		115 4 115	43 14 43 14	164 81 105 48	8 1 8 1	8 7 3 1	11 7 8 3	15 8 8	25 8	. 23 6 16	3 3 2	16 6 9 2	5 5	50 43 38 34
73		193	14 16	174 174	3		119	57	243	9	15	18	23	24	3 29	6	22.	5	92
38 35 38 35		193	16	174	3		115 4	43 14 43	163 80 105	8 1 8	8 7 3	11 7 8 3	15 - 8 8	24	23 6 16	.3 .3 2	- 16 6 9	5	50 42 38 34
		191	14	174	3		115	14	48	1	1	3	4	1	3		. 2		. 1
									1					1					
 									1										1
83	1	378	18	348	9	3	221	156	341	10	8	25	31	32	43	12	15.	4	161
43 40 43 39	1	378 372	18	348	9	3	11 210 11 210	101 55 101 55	222 119 148 69	8 2 8 2	6 2 3 1	20 5 11 3	15 16 9 8	32 14	35 8 18	6 6 3 2	7 8 3	4	89 72 75 - 45
81	1	350	18	320	9	3	211	154	328	10	8	25	30	31	41	12	14	4	153
42 39 42 38	1	350 344	18	320	9	3	11 200 11 200	100 54 100 54	213 115 141 68	8 2 8 2	6 2 3 1	20 5 11 3	14 16 8 8	31	33 8 17	6 6 3 2	7 7 3	4	84 69 71 44
2		28		28			10	2	13				1	1	4 2		1		8
1 1 1		28		28			10	1 1 1 1	9 4 7				1 1	1	2		1		5 3 4
9		28 31	2	28 26	2	1	10	1 7	32		1	6	1	4	1	1	2	4	1 12
5 4 5		31	2	26	2	1	1 17 1	4 3 4	20 12 14		1	3 3 1	i	4	1	!	1 1 1	4	7 5
4 7		30 31	2 2	26 26	2 2	1	17 18	3 7	31		1	6	1	4	1	1	1 2	- 4	5 11
. 3 4 3		31	2	26	2	i	1 17 1	4 3 4	20 11 14		1	3 3 1	1	4	1	{ -	1	4	· 7
3 2		30	2	26	2		17	3	8			2	1	- - 			i		1
1 1									i										
1 1 21		83	1	79	1	2	54	17	57	2									1
7 14 7		83	<u>i</u>	79	<u>i</u>	2	1 53 1	13	27 30	2	2	3 2	2	6	· 9		1	1	29 8 21 8 12
14		82		79	1	2	53	13 4	16 14	2	1	3 1	1		:		1	1	- 1
$\frac{21}{7}$	 	83	1	79	1	2	54	17	57 27	2	2	5	2	6	9	::	1	1	29
14 7	:	83	i	79	1	2	53 1	13 4 13	30 16	2	2 1	3 2 3	2	6	4 5		1 1	1 1	8 21 8 12

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=								able, p.								· ·
						DEA	THS FR	OM CANO	CER AND	OTHER I	MALIGNA	NT TUMOE	rs of—			
	ADEA AND DAGTE OF DIAGNOSTS	Aggre-			Buccal	avity.				Ston	ach and	liver.			eum, int id rectur	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION STATES—Con.															
. 1	NEW HAMPSHIRE—Continued. Colored	2					. <i></i>		2			1	1			
2 3	MalesFemales	1							1 1			1	1			
4	Diagnosis reasonably certain $\{ F : $	1							1				1			
5 6	New Jersey	2, 223	80 65	12	31	12	23 16	2 2	849 405	3	19	549 283	103	335 134	26 5	201 80
7 8	Females. Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{H} \\ \mathbf{F} \end{array} \right.$	1,364 370 808	15 65 15	11 11 1	4 27 4	3 9 3	7 16 7	2	444 73 67	i	3 3 1	266 53 42	174 17 17 24	201 69 102	21 3 9	121 17 34
9	White	2, 163	80	12	31	12	23	2	832	3	19	537	273	325	26	196
10 11 12	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M \ldots \\ F \ldots \end{array} \right.$	1,318 366 774	65 15 65 15	11 1 11 1	27 4 27 4	9 3 9 3	16 7 16 7	2	398 434 73 66	1 1	16 3 3 1	278 259 53 41	102 171 17 24	132 193 68 97	5 21 3 9	79 117 17 33
13	Colored	60							17	1		12	4	10		5
14 15 16	Males	14 46 4 34							7 10 1	1		5 7	1 3	2 8 1 5		1 4 1
17	NEW YORK	8, 907	339	37	124	34	113	31	3, 250	19	159	2, 051	1,021	1,319	115	765
18 19 20	Males. Females. Diagnosis reasonably certain. $\left\{egin{matrix}M_{f r}\end{array} ight.$	3, 568 5, 339 1, 863 3, 359	283 56 283 56	33 4 33 4	109 15 109 15	31 3 31 3	85 28 85 28	25 6 25 6	1,618 1,632 414 268	17 2 8 1	117 42 51 11	1,077 974 275 138	407 614 80 118	572 747 386 421	39 76 22 27	321 444 157 176
21	White	8, 791	336	37	123	34	111	31	3, 212	18	157	2, 026	1,011	1,305	115	755
22 23 24	Males. Females. Diagnosis reasonably certain. $\left\{ egin{array}{c} m{M} & \bullet \\ m{F} & \bullet \end{array} \right.$	3, 536 5, 255 1, 853 3, 298	281 55 281 55	33 4 33 4	109 14 109 14	31 3 31 3	83 28 83 28	25 6 25 6	1,602 1,610 413 265	16 2 8 1	115 42 51 11	1, 067 959 274 136	404 607 80 117	567 738 384 415	39 76 22 27	317 438 156 172
25	Colored	116	3		1		2		38	1	2	25	10	14		10
26 27 -28	Males	32 84 10 61	2 1 2 1		1		2		16 22 1 3	1	2	10 15 1 2	3 7 1	5 9 2 6		4 6 1 4
29	North Carolina ¹	273	4	1	1		2		85		2	48	35	27	4	14
30 31 32	Males. Females. Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M}_{-} & \mathbf{F}_{-} \end{matrix}\right.$	72 201 35 145	2 2 2 2	1	1 1		2		37 48 10 12		1 1	20 • 28 7 5	16 19 3 7	8 19 6 8	1 3 1 1	3 11 1 2
33	White	190	3		1		2		64		2	34	28	25	4	14
34 35 36	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdot \\ F & \cdot \end{array} \right\}$	53 137 25 90	1 2 1 2		1 1		<u>2</u>		24 40 6		1 1	13 21 4 3	10 18 2 7	7 18 5 7	1 3 1 1	3 11 1 2
37	Colored	83	1	1					21			14	7	2		
38 39 40	Males	19 64 10 55	1 1	1					13 8 4 2			7 7 3 2	6 1 1	1 1 1 1		
41	Ощо	4,176	174	26	38	22	75	13	1,635	3	46	998	588	487	-86	268
42 43 44	Males Females Diagnosis reasonably certain. {M	1,660 2,516 813 1,603	143 31 143 31	24 2 24 2	30 8 30 8	17 5 17 5	62 13 62 13	10 3 10 3	800 835 185 173	3	39 7 16 3	530 468 124 90	228 360 44 80	207 280 122 156	16 20 6 4	112 156 39 50
45	White	4,080	172	26	38	22	74	12	1,601	3	45	974	579	481	36	266
46 47 48	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{matrix} ight.$	1,632 2,448 806 1,555	142 30 142 30	24 2 24 2	30 8 30 8	17 5 17 5	61 13 61 13	10 2 10 2	783 818 183 170	3	39 6 16 2	519 455 122 89	222 357 44 79	205 276 121 154	16 20 6 4	111 155 39 50
49	Colored	96	2				1	1	34		1	24	9	6		2
50 51 52	Males. Females Diagnosis reasonably certain $\left\{egin{matrix}M & & \\ F & & \end{array} ight.$	28 68 7 48	1 1 1				1 1	1	17 17 2 3		i 1	11 13 2 1	6 3 1	$\begin{bmatrix} 2\\4\\1\\2 \end{bmatrix}$		1

 $^1\mathrm{Includes}$ only municipalities having a population of 1,000 or over in 1910.

			***************************************			DEAT	es from	CANCER	AND OTE	ER MALI	GNANT	TUMORS	OF-			,	• .	==		T
Perito intestir rectum	ies, and		Female	genital or	gans.							Other o	rgans or	of organs	s not spe	cified.				-
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skiņ.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
									i						-					
																				: }
108		317	20	289	7	1	232	66	344	15	21	22	27	34	42	. 7	26	4	. 146	-
49 59 49 59		317 305	20	289 287	7	1 i	3 229 3 229	46 20 46 20	205 138 114 70	12 3 12 3	10 11 3 1	13 9 4 4	12 15 3 6	34 9	27 15 14 6	3 4 1 2	12 14 3 6	4	79 67 61 42	\
103		297	20	270	6	1	227	66	336	15	21	22	27	34	40	6	26	4	_ 141	
48 55 48 55		297	20	270 268	6	i	3 224 3 224	46 20 46 20	201 135 111 67	12 3 12 3	10 11 3 1	13 9 4 4	12 15 3 6	34	26 14 13 5	2 4 1 2	12 14 3	4	76 65 59 40]]]]]
5		20		19	1	·····	5		-8						2	1	6		5	
1 4 1		20		19	<u>î</u>		5		5 3 3						1	1			3 2 2 2	1:
4		20		19	1		5		3						1				2	1
423 207	16 5	1,262	92	1,120	42	8	1,035	245	1,457	83	96	106	89	125	223	12	89	24	610	-
216 206 214	11 1 4	1,262 1,225	92 62	1,120 1,115	42	8 6	18 1,017 18 1,015	157 88 157 88	920 537 605 286	73 10 73 10	61 35 27 10	52 54 22 20	51 38 26 20	125 49	150 73 83 27	5 7 3 4	39 50 20 17	24 24	340 270 278 178	1 1
419	16	·1,229	89	1,091	41	8	1,019	245	1,445	83	96	105	87	123	221	11	89	24	606	2:
206 213 205 212	5 11 1 4	1,229	89 59	1,091 1,086	41	8	18 1,001 18 999	157 88 157 88	911 534 600 284	73 10 73 10	61 35 •27 10	51 54 22 20	50 37 25 19	123 48	- 148 - 73 82 27	4 7 3 4	39 50 20 17	24	338 268 276 177	2:
4		33	3	29	1		16		12			1	2	2	2	1			4	2
1 3 1 2		33	3	29	1		16		9 3 5			1	1 1 1	2	2	1			2 2 2 1	2 2 }2
2 9		33 87	3	29 81	1 2	1	16	12	2											29
4 5									35		1		5	1	4	2 2	3		19	-
4 5		87 87	3	81	2 2	1	1 22 1 22	6 6 6	18 17 10 8		1		3 2 2 1		2 2 1 1	2	2 1 1 1		8 11 4 5	30 33 }35
- 7 3		45	1	· 43		1	16	11	26				5	1	3	2	3		11	-!
4 3 4		45 45	1 1	43 43		1	16 16	· 6 5 6 5	15 11 7 5		1		3 2 2 1	1	1 2 1	2	2 1 1 1		6 5 2 2	3:
2		42	2	38	2		7	1	9						1				8	37
1 1 1 1		42	2	38	2		1 6 1 . 6	1	3 6 3 3						1 1				2 6 2 3	38 39 }40
180	3	633	35	585	8	5	430	199	618	32	36	55	43	63	71	11	45	9	253	41
78 102 77 102	1 2	633	35 24	585 585	8	5	5 425 5 425	105 94 105 94	· •400 218 253 105	26 6 26 6	25 11 5 , 2	30 25 19	23 20 15	63 24	47 24 17 5	8 3 3 2	22 23 8 8	9	147 106	
177	2	603	34	556	8	5	425	199	604	31	, 2 35	4 54	7 42	62	71	11	42	9	71 247	45
77 100 76 100	1 1	603	34	556 556	8	5	5 415 5 415	105 94 105	392 212 250 102	26 5 26 5	24 11 5 2	29 25 18	23 19 15 7	62	47 24 17	8332	20 22 8 8	9	144 103	
3	1	30	1	29	ه	<u>.</u>	. 415	, 94	102	1	1	1	, 7	1		2 	3		69 6	49
1 2 1 2	i	30	1	29			10 10		8 6 3 3	1 1	1	1 1	1	1			2 1		3 3 2	50 5. }5:

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

_					ee note a	t nead o	oi this t	abie, p.	88.]							
						DEA	THS FR	OM CAN	CER AND	OTHER	MALIGNA	NT TUMO	rs of—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	avity.				Ston	ach and	liver.			eum, int ad rectur	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines
	REGISTRATION STATES—Con.															
1	Pennsylvania		294	36	57	31	127	43	2,345	6	59	1,470	810	723	75	411
2 3 4	Males. $_{ m Females}$ Diagnosis reasonably certain. ${ m M}_{ m F}$	2,304 3,693 1,131 2,325	237 57 237 56	34 2 34 2	46 11 46 11	28 3 28 3	99 28 99 27	30 13 30 13	1,087 1,258 221 214	4 2 1	45 14 12 5	735 735 164 115	303 507 44 94	294 429 160 249	26 49 8 26	160 251 46 95
5	White	5,807	287	36	55	31	123	42	2,277	6	56	1,422	793	701	74	400
6 7 8	Males. Females Diagnosis reasonably certain ${M \choose F}$	2, 241 3, 566 1, 108 2, 233	231 56 231 55	34 2 34 2	44 11 44 11	28 3 28 3	96 27 96 26	29 13 29 13	1,054 1,223 219 208	4 2 1	44 12 12 4	712 710 162 111	294 499 44 93	285 416 153 240	26 48 8 25	157 243 45 91
9	Colored	190	7		2		4	1	68	<u></u> .	3	48	17	22	1	11
10 11 12	Males. Females	63 127 23 92	6 1 6 1		2		3 1 3 1	1 1	33 35 2 6		$\frac{1}{2}$	23 25 2 4	9 8	9 13 7 9	1	3 8 1 4
13	RHODE ISLAND	539	28	4	5	4	• 11	4	161		4	106	51	86	4	56
14 15 16	Males: Females Diagnosis reasonably certain {M F	196 343 102 220	24 4 24 4	4	5 5	4	9 2 9 2	2 2 2 2	73 88 15 11		3 1 2	54 52 11 5	16 35 2 6	39 47 23 21	3 1 1	23 33 9 8
17	White	530	28	4	5	4	11	4	156		3	102	51	85	4	55
18 19 20	Males Females Diagnosis reasonably certain.{M	194 336 101 218	24 4 24 4	4	5 5	4	9 2 9	2 2 2 2	73 83 15		3	54 48 11 5	16 35 2 6	38 47 23 21	3 1 1	22 33 9 8
21	Colored	9							5		1	4		1		1
22 23	MalesFemales	2 7							5		i	4		1		1
24	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right.$	1 2								}						
25	Utah	190	3		1		2		102	1	2	81	18	13		7
26 27	MalesFemales	94 96 41	3		1 1		2		63 39 16	₁	2	51 30 14	10 8 2	9		3 4
28	Diagnosis reasonably certain. ${\mathbf{F}}$.	61			••••••				8	i		6	1	6		1
29 30	White	185	3		1		2		97	1	1	49	18	13 4		7 3
31 32	Females. Diagnosis reasonably certain ${M \choose F}$	94 40 61	3		1		·····2		37 15 8	1		28 13 6	8 2 1	9 1 6		1
33	Colored	5							5		1	4				
34 35	MalesFemales	3 2 1							$\begin{bmatrix} 3\\2\\1 \end{bmatrix}$		1	$\begin{array}{c} 2 \\ 2 \\ 1 \end{array}$				
36	Diagnosis reasonably certain $egin{cases} M \dots \\ F \dots \end{bmatrix}$	397	17		3	5	₂	2	121		1	88	42	57	2	90
37 38	Males	159	14	5 4	3	3	2	2	131		1	40	17	31		29
39 40	Females	238 88 145	3 14 3	1 4 1	3	2 3 2	2	2	73 14 8			48 11 4	25 3 4	26 22 11	2	14 15 5 2
41	White	396	17	5	3	5	$\frac{2}{2}$	2	131		1	88	42	57	. 2	29
42 43 44	Females Diagnosis reasonably certain $\left\{egin{array}{l} M & \cdots \\ F & \cdots \end{array}\right.$	158 238 87 145	14 3 14 3	4 1 4 1	3	3 2 3 2	2	2	58 73 14 8			40 48 11 4	17 25 3 4	31 26 22 11	2	14 15 5 2
45	Colored	1		<u></u>									<u></u>	<u></u>		
46 47	Males	1 1														
48	Diagnosis reasonably certain $\{F,, F\}$								000							
49 50	Virginia Males	390	27	5	7	3	18 9	3	326 166		1	112	108 53	78 36	$\frac{2}{1}$	21
51 52	Females Diagnosis reasonably certain ${M \choose F}$.	661 189 440	13 27 13	5 1 5 1	7 2 7 2	3 1 3 1	9 9	3	160 21 11		<u>3</u>	102 15 3	55 6 7	42 24 16	î	21 28 10 3

		•				DEATI			AND OTH		NANT T	· · · · · · · · · · · · · · · · · · ·)F—	10 - 4	•		***************************************			T
Perito intestin rectum	neum, nes, and		Female	genital or	gans.	-				•			gans or	of organs	not spec	aified.	•		•	-
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	,
234	.3	943	44	881	15	3	649	222	821	38	28	84	52	81	. 110	18	55	9	346	1
107 127 106 127	1 2 1	943	44.	881 881	15 15	3	11 • 638 11 638	144 78 144 78	531 290 358 165	33 5 33 . 5	12 16 6 4	37 47 21 16	25 27 14 11	81 24	85 25 48 13	9 9 6 3	31 24 14 13	9	209 137 183 100	_1
225	2	897	44	835	15	3	627	220	798	. 38	27	83	51	78	105	18	52	. 9	337	5
101 124 100 124	1	897 879	44 27	835 835	15 .15	3	11 - 616 - 11 - 616	144 76 144 76	516 282 350 159	33 5 33 5	12 15 6 4	36 47 20 16	25 26 14 11	78 23	80 25 45 13	9 9 6 3	29 23 14 12	9	205 132 180 95	6 7 } 8
9	1	46		46			22	2	23 15		1	1	1	3	5 5	·····	3 2		9.	-l ~
6 3 6 3	1	46 46		46 46			22 22	2	8 8 6		1	1	1	1	3		1 1		4 5 · 3 · 5	1
26 13		95-	5	87	3		72	15 9	82 51	5	1	9	3	8	12	2	. 3		39	13
13 13 13 13		95 95	5 5	87 87	3		72 72	6 9 6	51 31 31 11	1 4	1	7 2 3 1	î	3	8 4 3 1	2 1	ĩ		20 19 17 8	1
26 13		94	5	86	3		71	15	81 50	+ 5	1	9	3 2	8	12	2	3 2		38	_
13 13 13 13		94 94	5 5	86 86	3		71 71	9 6 9 6	50 31 30 11	1 4	1	7 2 3 1	1 1	3	8 4 3 1	2 1	ĩ		19 19 16 8	20
		1		1			1		1										1	21
		1 1		1 1			1 1		1										1 1	23 24
6 1 .5		27		25	1	1	13	3	27 21			3 2	1	3	1	1	2	1	13 10	25 26 27
. 5		27		25 25	1 1	1	13	3 2 3 2	6 18 5			2 1 2 1	1	1	i		2 2 1	i	10 3 10 3	
6 1 5		27		25	1	1	13	5 3	27			3 2	1	3	1	1	2	1	13 10 - 3	30 31
5 1 5		27		25 25	1 1	1 1	13	3 2 3 2	18 5			2 1 2 1	1	1	1		2 2 1	i 		32
																		·····		33 34 35
																				36
26 17		70	2	63	5 		30	16	76	3	$\frac{4}{2}$	9	1	10	5		3	- 1 ·1		37
9 17 9		70 69	2 1	63 63	5 5		30 30	9 7 9 7	47 29 29 17	1 2 1 2	2 2 1 1	3 6 1 2	3	2	2		2 1 · 1	1	22 15 20 9	1
26 17		70	2	63	5		30	9	75 46	3	<u>4</u>	8 2	1	10	5 5		. 2	1	22	
9 17 9		70 69	1	63 63	5 5		30	9 7 9 7	46 29 28 17	1 2 1 2	2 2 1 1	2 6 2	3	2	2		1 1	i	22 15 20 9	1
						<u></u>			$\frac{1}{1}$			1								45
••••••									1			i								47 }48
27		249	5	239	4	1	105	65	188	7	5	16	11	15	20	3	· 6	2	103	49
14 13 14 13		249 246	5	;239 238	4	1 1	105	41 24 41 24	120 68 76 25	5 2 5 2	3 2	9 7 4	7 4 4 1	15 6	14 6 4 1	3 1	2 4 1	2 2	60 43 50 19	50 51 }52

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s of—			
		A ggre-			Buccal e	avity.				Stom	ach and	liver.		Periton	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION STATES—Con.															
1	Virginia—Continued, White	767	35	5	9	4	14	3	251		4	156	91	62	2	36
2 3 4	MalesFemalesDiagnosis reasonably certain $\left\{egin{matrix}M&K&K&K&K&K&K&K$	324 443 165 286	26 9 26 9	5	7 2 7 2	3 1 3 1	8 6 8	3	133 118 20 10		1 3	86 70 15 3	46 45 5 6	31 31 22 14	1	17 19 9 3
5	Colored	284	5	1			4		75			58	17	16		13
6 7 8	Males Females Diagnosis reasonably certain $egin{cases} M \\ F \end{cases}$	66 218 24 154	1 4 1 4	1			1 3 1 3		33 42 1 1			26 32	7 10 1 1	5 11 2 2		4 9 1
9	Washington	871	33	10	8	5	9	1	386		5	293	88	100	6	61
10 11 12	Males	446 425 242 300	26 7 26 7	9 1 9 1	7 1 7 1	2 3 2 3	8 1 8 1	1	251 135 91 43		1 2 1	200 93 73 27	47 41 16 15	51 49 39 34	2 4 2 3	31 30 19 6
13	White	865	32	10	7	5	9	1	384		5	291	88	100	6	61
14 15 16	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{array}{l} M \ldots \\ F \ldots \end{array} ight.$	442 423 240 298	25 7 25 7	9 1 9 1	6 1 6 1	2 3 2 3	8 1 8 1	1 1	249 135 90 43		4 1 2 1	198 93 72 27	47 41 16 15	51 49 39 34	2 4 2 3	31 30 19 16
17	Colored	6	1		1	<u></u>		<u></u>	2	<u></u>		2		•••••	ļ	
18 19 20	Males Females Diagnosis reasonably certain. $\{M,\}$	4 2 2 2 2	1		1				1			1				
21	Wisconsin	1,985	80	20	18	3	35	4	973	1	33	678	261	234	11	147
22 23 24	Males. Females. Diagnosis reasonably certain. ${M \choose F}$.	948 1,037 394 596	69 11 69 11	18 2 18 2	17 1 17 1	2 1 2 1	28 7 28 7	4	550 423 104 81	1	28 5 3 2	420 258 86 37	102 159 15 42	119 - 115 - 76 - 55	6 5 4 1	65 82 24 26
25	White	1,976	79	20	18	3	34	4	971	1	33	678	259	234	11	147
26 27 28	Males Females Diagnosis reasonably certain. ${M \choose F}$.	947 1,029 394 590	69 10 69 10	18 2 18 2	17 1 17 1	2 1 2 1	28 6 28 6	4	549 422 104 81	1 	28 5 3 2	420 258 86 37	101 158 15 42	119 115 76 55	6 5 4 1	65 82 24 26
29	Colored	9	1			<u> </u>	1	l	2		ļ		2			<u></u>
30 31	Males	1 8	1			¦	i		1				1			
32	Diagnosis reasonably certain. ${M \choose F}$ REGISTRATION CITIES. ALABAMA. 1	6	1				1									
33	Registration cities	159	4	2	2				36		1	24	11	16		12
34 35 36	MalesFemalesDiagnosis reasonably certain. ${M \choose F}$	53 106 41 81	3 1 3	1 1 1	2				13 23 7 7		1	8 16 4 3	4 7 2 4	10 6 9 2		6 6 5 2
37	White	115] 1 4	1 2	2				28		1	18	9	12		8
38 39	MalesFemales	44 71	3 1	3 1	2				11 17		1	7 11	3 6	8 4		4 4 3 2
40 41	Diagnosis reasonably certain ${M - {F - 1 \over F}}$	34 55 44	3 1	1	2				6 6			3 2 6	2 4 2	7 2 4		3 2 4
42 43	Males Females	9 35							2 6			1 5	1 1	2 2		2 2
44	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	7 26							1			1 1		2		2
45 46	Birmingham Males.	77	3	$-\frac{2}{1}$	1				19		1	12	6	8		3
47 48	Females	51 19 40	1 2 1	1 1 1	1				11 4 4 4		1	5 7 2 1	1	2 5		3 2 2 1

¹ Nonreg istration state; cities shown below only those with effective local ordinances.

					N	DEAT	ens from	CANCER	AND OTI	ER MALI	GNANT	TUMORS	of—	· · · · · · · · · · · · · · · · · · ·					
Perito intesti rectum	nes, and		Female	genital o	rgans.					· '		Other or	rgans or	of organs	not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blád- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
٠.		100		107			, aè							-				_	
24 13 11		139	4	131	3	1	76 76	37	97	3	3	7	3	13	15 10	2 2	1	2	53
13 11		137	3	130	3	1 1	76	37 20 37 20	97 50 60 20	3 2 3 2	1	7 4 3 1	3 4 1 1	5	5 1 1	1	3 1	2	53 31 44 14
3		110	1	108	1		29	8	41	2 2	1	5	4	2 2	. 4	1	2		19
1 2 1 · 2		110	1	108	1		29 29	4 4 4 4	23 18 16 5	2	1	2 3 1	3	1	1 3		i		12 6 5
33		111	11	100	<u> </u>		73	27	141	6	5	13	`11	18	18	2	9	1	58
18 15 18 15		111	11	100			1 72 1 72	20 7 20 7	97 44 65 27	4 2 4 2	5 2	10 3 10	8 3 1 2	18 9	11 7 6	1 1 1 1	4 5 2 2	1 1	35 23 29 14
15 33		110 109	10 11	100 98			72 73	7 27	27 140	6	5	1 13	2 11	 18	. 5 18	1 2	2 8	1	14 58
18 15 18		109	11	98			1 72 1 72	20 7	96 44 65 27	4 2 4 2	5	10	8 3 1 2	18	11 7 '6	1 1 1	3 5 2 2	1	35 23 29 14
15		108 2	10	98 2			72	20 7		2	2	10 1	2	9	5	1 1	i l	1	29 14
		2		2					1								1		
		2		2															
76		219		185	12	2	162	72	245	6	10 7	18	13	35 35	27	3	15	6	101
48 28 48 - 28		219 212	20 14	185 185	12 12	1	161 1 160	32 40 32	169 76 104 45	6	3 1	12 6 · 7 3	11 . 7 . 5	14	7 10 4	1 2	3 4 2	6	57 44 49 31
76-		217	20	183	12	2	159	72	244	6	9	18	24	35	27	3	1,5	6	101
48 28 48 28		217	20	183	12	2	1 158 1 157	40 32 40	169 75 104	6	7 2 1	12 6 7	13 11 7	35 14	20 7 10	$\frac{1}{2}$	12 3 4	6	57 44 49 31
28		210 2	14	183	12	1	157 3	32	45 1		1	3	7 5		4		2		31
		2		·			3		i		i								
		2		2			3												
<u>4</u>	<u></u>	53	. 3	49	1		9	10	31 21			5 3	2	2 2	2 2				16
4		53 53	3	49 49	1 1		9	6 4	10 16 5			2 2 1	2 2 1	2			2 1		10 6 9 3
4		34	3	30	1		5	8	24			2	. 4	2	2		2		12
4		34	3	30`	i		5	5 3 5	17 7 13			1 1 1	2 2 2	2	2		2		8 4 7 3
		34 19	3	30 19	1		5 4	3. 2	7			3	î 						3 4
		19		19			4	1 1	4 3			2							2
		19		19			4	1	3 1			1 1							2
3		30	2	27	1		3	$\frac{2}{2}$	12			1	3 2	1	1 1				6 3
3		30	2 2	27 27	1		3	2	4 6 1			·····i	2 1 2	î					3 3 2 1

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī						DEAT	HS FRO	M CANC	ER AND C	THER M	IALIGNAI	NT TUMOI	RS OF—			
ļ	ADDA AND BASIS OF DAAGNOSIS	Aggre-			Buccal c	avity.				Stom	ach and	liver.		Peritor a	eum, int ad rectur	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con. ALABAMA 1—continued. Birmingham—Continued.						- 									
1 2 3 4	White Males. Females Diagnosis reasonably certain. {M.	20 36 14 28	3 2 1 2 1	1 1 1 1	1				7 9 4 4		1 1	5 5 2 1	5 1 4 1 3	6 4 2 3 1		3 1 2
5 6 7	Colored	21 6 15							3 1 2			2	1	2		2 2
8 9 10	Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} ight.$ Mobile	5 12 52 21	1		1				11			9	2	7		6
11 12 13	Females Diagnosis reasonably certain. ${M \choose F}$ White	31 18 23 41	1		1				7 3 2 8			6 2 1 6	1 1 1 2	3 4 1 6		3 3 1 5
14 15 16	Males	20 21 17 17	1		1				3 5 2 2			2 4 1 1	1 1 1 1	4 2 4 1		3 2 3 1
17 18 19 20	Colored	11 1 10 1							3 1 2 1	 		3 1 2 1		1	 	1
21 22 23	Montgomery 2	30						<u></u> -	6	ļ <u></u>		3	3	1	<u></u>	1
23 24 25	Females	24 4 18							5 1 4			3 1 2	2	1		1
26 27 28	Males Females Diagnosis reasonably certain $\left\{ egin{matrix} M & \\ F & \end{matrix} \right\}$	4 14 3 10							1 3			2	1 1			
29 30 31	Colored	12 2 10							2			1 1	1	1 i		1 i
32	Diagnosis reasonably certain. $egin{cases} M \dots \\ F \dots \end{cases}$ California. Registration cities	1 8 1,754	77	11	31	1	27	7	660	2	26	1 422	210	226	14	127
34 35 36	Males Females Diagnosis reasonably certain. $\{M, \dots \}$	782 972 464 684	67 10 67 10	10 1 10 10 1	27 4 27 4	1	23 4 23 4	6 1 6 1	384 276 148 63	2	25 1 7 1	260 162 103 34	97 113 36 28	99 127 70 82	5 9 2 5	53 74 27 33
37 38 39 40	White Males Females Diagnosis reasonably certain. {M	1,720 761 959 456	. 75 65 10 65	10 10 10	31 27 4 27	1 1 1	26 22 4 22	5 1 5 1	371 273 144	2 2 2	25 24 1 7	254 160 102	203 91 112 33 28	96 126 70	3 9 2 5	125 52 73 27 32
41 42 43	Colored	674 34 21	10 2 2	1	4		1	1 1	16 13 3		1	34 8 6 2	28 7 6 1	81 4 3 1	5 2 2	32 2 1 1
44	Diagnosis reasonably certain. ${ m M \over F}$.	13 8 10 443	20	3	6		1 11	1	154		5	94	3 55	1 58	4	36
46 47 48	$\begin{array}{c} \text{Males.} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} {M \choose F} \end{array}$	172 271 109 180	18 2 18 2	3	5 1 5 1	•	10 1 10 1		77 77 32 16		5 3	53 41 25 6	19 36 4 10	22 36 15 20	1 3 2	14 22 8 7

 $^{^{\}rm 1}$ Nonregistration state; cities shown below only those with effective local ordinances.

		<u> </u>				DEAT	HS FROM	CANCER	AND OTH	ER MALIC	TNANT !	rumors	of—						
Periton testin ectum	neum, es, and —Con.		Female ;	genital or	gans.							Other or	gans or o	f organs	not spec	eified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
																	,		
3		19	2	16	1		2	1	9				3 2	1	1				<u>4</u>
3		19	2	16	1		2	i	6 3 4				1 2	<u>-</u> -					2 2 1 1
· • • • • • •		. 19 11	2	16 11	1		1	1	3			1							2
								1	2			1							1 1
		11 11		11			1 1	1	1 2			1							î
1		14		14			2	2	15			1	1	1	1		2		9
1		14		14			2	1 1 1	11 4 9 3			1	·····i	1	1		2		6
1		14		14			2	Į .	3			1	1	1			1		6 2
1		9		9		<u></u>	11	2	14			1	1	1 1	1		2 2		8 6
1 1		9		9			1	1 1 1	11 3 9 3			<u>1</u>	1	i			_i .		2 6
		9		9			1	1	3				1						1
		5		5															
		5		5			1		1										
		5 9	1	5 8			1 4	6	4			3							1
		9	<u>1</u>				4	3 3	2 2 1			1 2							1
 		9	<u>1</u>	8 8			4	3 3	1 1			<u>-</u>							, 1
		6	. 1	5			2	5	1			1					·····		
		6	i	5			2	3 2	1			i							
		6	1	5			2	3 2										2	
••••		3		3			2	1	3			2							1
		3		3			2	i	2 1 1			1							1 i
		3		3			2	1	· 1			1		 					ļ <u>.</u>
85		252	18	227	4	3	200	51	288	13	20	29	18	29	31	13	14	9	112
	-1	252	18	227	4			1	II.			20 9 15		29			7 7	9	· 69 43 59 36
41 44 41 44		245	12	227	4	2	198 2 198	33 18 33 18	197 91 144 68	9 4 9 4	10 10 7 3	15 9	11 7 8 · 6	15	24 7 14 4	9 4 3 3	7 7 5 . 3	9	59 36
85	1	246	18	221	4	1	198	51	284	12	20	29	18	29	31		13	9	110
41 44 41 44		246	18	221	4	3	196 2 196	33 18 33 18	194 90 142 67	9 3 9	10 10 7	20 9 15 9	11 7 8 6	29 15	24 7 14	9 4 3 3	6 7 4 3	9	67 43 58 36
41 44		239	12	221	4	2	lí .	18	H	3	3	9	6	19	4	3			ſ
	<u> </u>	6		6		·	2		4	1						-	1 i		2
		6		6			2		3 1 2	1							1	-	1
		6		6		-	2		1	1			9		1	1			
18		70	7			. 1	53	8 7		1				6		-			
7 11 7 11		70 67	7	- 62		1	53 53	7 1 7 1	48 32 37 21	1 3 .1 3	4 4 2	, 5 3 3 3	1 1 1	4	$\begin{array}{c c} & \bar{2} \\ 1 \\ 1 \end{array}$		5 - 4 4 2	3	

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s or—		•	
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton al	eum, intend	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.	•														
	CALIFORNIA—continued.															Ì
1	Los Angeles—Continued. White	436	19	3	6		10		152	 	5	93	54	57	3	36
2 3 4	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M} \\ \text{F} \end{array} \end{array}$	167 269 106 178	17 2 17 2	3	5 1 5 1		9 1 9 1		75 77 31 16		5 3	52 41 25 6	18 36 3 10	21 36 15 20	3	14 22 8 7
5	Colored	7	1	<u></u>			1		2	<u></u>		1	1	1	1	
6 7	MalesFemales	5 2	1				1		2			1	1	1	1	
8	Diagnosis reasonably certain. $\{F_{ij}^{M}\}$	3 2	1				1		1				1			
9	Oakland	170	5	1	1		3		64		1	42	21	24	2	13
10 11 12	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	61 109 39 75	4 1 4 1	1 1	1 1		2 1 2 1		25 39 9 10		1 1	19 23 .7 .9	5 16 1 1	12 12 9 7	1 1 1	5 8 3 3
13	Pasadena	53	1			<u> </u>	1		20		1	17	2	7		4
14 15 16	$rac{ ext{Males.}}{ ext{Females.}}$ Diagnosis reasonably certain. $\left\{ egin{matrix} ext{M.} & ext{F.} \ ext{F.} \ ext{.} \end{array} ight.$	17 36 10 24	1				1		8 12 3 2		1	6 11 2 1	1 1 1 1	2 5 1 5		3
17	Sacramento	65	4	1	1		1	1	28		1	20	7	6	1	2
18 19 20	MalesFemalesDiagnosis reasonably certain $\{\stackrel{M}{F}$	32 33 20 23	4	1	1		1	1	17 11 10 1		1	12 8 6 1	4 3 3	3 3 1 3	1	1
21	San Diego	85	3		3				30		1	20	9	13	3	5
22 23 24	Males. Females Diagnosis reasonably certain ${M \choose F}$	39 46 17 35	3		3				20 10 5 2		1	13 7 4 1	6 3 1 1	4 9 2 6	3	3 2 1 1
25	San Francisco	576	33	5	16	1	6	5	211	. 2	13	137	59	72	4	3,7
26 27 28	MalesFemalesDiagnosis reasonably certain. ${M \over F}$.	292 284 186 208	28 5 28 5	4 1 4 1	13 3 13 3	1	6	4 1 4 1	139 72 56 17	2	13	90 47 39 8	34 25 14 9	39 33 34 19	2 2 2 1	15 22 10 9
29	White	563	32	5	16	, 1	6	4	206	2	12	136	56	72	4	37
30 31 32	MalesFemalesDiagnosis reasonably certain. ${M \choose F}$.	286 277 183 203	27 5 27 5	4 1 4 1	" 13 3 13 3	1	6	3 1 3 1	136 70 55 17	2	12	90 46 39 8	32 24 13 9	39 33 34 19	2 2 2 1	15 22 10 9
33	Colored	13	1					1	5		1	1	3		<u></u>	<u></u>
34 35 36	MalesFemalesDiagnosis reasonably certain. ${M - \brace F}$	6 7 3 5	1					1	3 2 1		1	i	2 1 1			
37	Other cities	362	11	1	4		5	1	153		4	92	57	46		30
38 39 40	Males. Females Diagnosis reasonably certain ${M \choose F}$.	169 193 83 139	9 2 9 2	1	4		3 2 3 2	1	98 55 33 15		3 1 1 1	67 25 20 8	28 29 12 6	17 29 8 22		13 17 4 10
	COLORADO.															
41	Registration cities	293	17	1	4	2	10		118	2	4	82	30	32	2	16
42 43 44	Males Females Diagnosis reasonably certain. $\{ egin{matrix} M & \cdot \ + \ \end{bmatrix}$	123 170 76 121	17	1	4	2	10		66 52 26 17	2	1	50 32 21 7	10 20 4 10	12 20 9 14	2	5 11 2 6
45	White	281	17	1	4	2	10	<u></u>	112	1	4	78	29	32	2	16
.46 .47 48	Males Females Diagnosis reasonably certain. $egin{cases} M \dots \ F \dots \end{cases}$	121 160 76 117	17 17	1 1	4	2	10		65 47 26 17	1	1	50 28 21 7	10 19 4 10	12 20 9 14	2	5 11 2 6

						DEAT	is from	CANCER	AND OTH	ER MALIG	NANT T	UMORS ()F '							Ī
Peritor intestin rectum	ies, and l		Female	genital or	gans.							Other or	rgans or	of organs	not spec	eified.		.,		
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Testes.	Others of this class.	
18		69	7	61		1	53	8	78	3	8	8	,· 3	6	4	1	8	. 3	- 34	
7 11 7 11		69	7	61		1 1	53 53	7 1 7 1	47 31 36 20	1. 2 1 2	4 4 2	5 3 3 3	1 2 1 1	6 4	2 2 1 1	1	4 4 3 2	3	20 14 18 11	} 4
		1 1 1		1 1					1 1 1 1	1 1							1 1			}
9 6 3 6		22		21	1 1		24 1 23 1 23	11 6 5 6	20 13 7 10		1 1	1 1 1	2 2 1	2 2 1	1 1			1 1 	12 6 6 5	10
3 3 1 2		22 - 8	2	21 5	1 11		7	3 2 1 2	7 7 4 3		1 11		1	3	1				6 1 1	1 1 1 1
1 2 3		. 8	2	5 12	i		7 5	1 1	9				<u>î</u>	1 · 1	1 1				7	}1º
3 3 5		12 12 6	1	12 12 5			5 5 15	1 1 3	8 1 5 1			1	1	1 2	1				6 1 4 1	1: 1: 2: 2:
1 4 1 4		6	1	5			15 15	2 1 2 1	10 5 5 5			1	1	2	1				5 5 3 5	2 2 2 2
22 9 22 9		78 78 76	6 4	72 72 72			61 1 60 1 60	13 7 6 7 6	78 30 60 25	7 7	7 4 3 3 2	15 12 3 10 3	5 2 5 2	7 7 3	12 8 . 4 . 4 3	8 4 3 3	5 2 3 1 1	2 2	· 23 11 22 11	2 2 2 2
22 9 22		73	6	67 67			61 1 60 1	13 7 6 7	106 76 30 59	7	7 4 3 3	15 12 3 10	· 7 5 2 5	7	12 8 4	12 8 4 3	5 2 3 1	2 22	32 21	33
9		71 · 5	4	67 5			60	6	59 25 2 2		3 2	3	5 2		3	3 3		2	21 11 2 2	3
16	·	56	. 2	5 50	2	2	35	12	49	2	3	4	4	8	11			3	14	3
4 12 4 12		56 54	1	50 50	2	2 1	35 35	9393	36 13 24 8	1 1 1 1	2 1 2	1 3 3	2 2 1 2	4	10 1 6			3	9 5 7 2	38 39 }41
7 7 7 7		51 51 50	4	47			34 1 33 1 33	8 6 2 6	33 . 21 12 17	2 2 2	2 2 2 1	2 2 1	6 2 4 1	2 2	3 1 2 1 1	1 1 1			12 9 3 9 2	4444
7 7 7 7	·	50 50 50	3 4 4	47 , 46			31	8 6 2	5, 31	2	2 2 2 1	1	1 5 2 3	2	3	1 2 1 1 1			12	4
7 6		49	$\begin{vmatrix} \frac{4}{3} \end{vmatrix}$				30 1 30	6 2 6 2	20 11 17 5	2		1	1 1	1	1 2 1 1	1 1 1			9 3 9 2	}

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī			1		96 11016 8				ER AND C	THER M	ALIGNAN	T TUMOR	s of—			
		Aggre-			Buccal c	avity.	-			Stor	iach and	liver.		Peritor a	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue.	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	COLORADO—continued.															[
1	Registration cities—Continued. Colored	12		<u></u>					6	1		4	1			
2 3	MalesFemales	10							1 5	1		4	i			
4	Diagnosis reasonably certain. $\left\{egin{smallmatrix} \mathbf{M} \dots \\ \mathbf{F} \dots \end{matrix} ight.$	4									·····					
5	Denver		16	1	4	2	9		90	2	2	67	19	22	1	12
6 7	MalesFemales	94 128 55	16 16	1	4	$ \begin{array}{c} 2 \\ \dots \\ 2 \end{array} $	9		51 39 18			26 14	13 4	14 6	1	8 2
8	Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}\dots\\\mathbf{F}\dots\end{aligned} ight.$	92							13		2	6	7	10	1	5
9	Other cities	71 29	1				<u>1</u>		28		2	15 9	11	10	1	1
10 11	Females Diagnosis reasonably certain ${M \choose F}$	42 21	i				1		13 8		i	6 7	7	6 3 4	1 1	3 1
12	CONNECTICUT.	29							4			1	3	4	1	1
13	Registration cities	717	31	4	11	4	9	3	232	ļ 	6	153	73	107	4	75
14	Males	271 446	28	3	10	4	8	3	120 112		5	85 68	30 43	42 65	2 2	29 46
15 16	Females	136 290	28 3	3 1	10 1	4	8 1	3	38 32		3	68 28 18	43 7 14	21 28	<u>ī</u>	46 9 11
17	White	699	31	4	11	4	9	3	227		6	148	73	104	4	74
18	MalesFemales	267 432	28	3 1	10	4	8 1	3	116 111		5 1	81 67 27	30 43 7	42 62	2 2	29 45 9
19 20	Diagnosis reasonably certain $\{_F^M$	135 278	28 3	3 1	10 1	4	- 1	3	37 32		3	27 18	7 14	21 26	1	· 9
21	Colored	18							5			5		3		1
22 23	MalesFemales.	4 14							4			4		3		i
24	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	1 12							1	<u></u>		1		2		
25	Bridgeport	97	4		2		2		31		3	18	10	19	1	16
26 27	MalesFemales	40 57	4		2		$\frac{2}{2}$		15 16		2 1	10 8 2	3 7 1	8 11 2	1	7 9 1
28	Diagnosis reasonably certain $\{F_{i}^{M}\}$	19 27	4		2				3			2	1	2		1
29	Hartford	132	9	1	3	1	3	1	39		1	30	8	19		14
30 31	MalesFemales	56 76 37	9	1 1	3	1 1	3	1 1	22 17 12		1 i	18 12 10	3 5 1	. 4 11 . 4		6 8 2
32	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	57					• • • • • • •		12			10	2	6		3
33	New Haven	164	.7	2	$\frac{3}{2}$		1	1	54 29		1	35	18	17 4	3	9
34 35	MalesFemales	57 107 30	5 2 5	1 1 1	1 2		·····i	1	25 12		<u>î</u> .	15 8 3	10 3	13	1 1	8 1
3 6	Diagnosis reasonably certain $\{F_{ij}^{M}\}$	73	2	1	1				9			3	6 8	5 12		1 10
37	Waterbury Males	57	$-\frac{2}{1}$			1	1		19			6	3	6		4
38 39	Females. Diagnosis reasonably certain ${M \choose F}$	22 35 8	1			·····i	1		10 1			5 1	5	6 4		6 2 1
40	Other cities	21 267	9	1	3	2	1 2	1	1 89		1	59	1 29	40		26
41 42	Males	96	9	1	3	2	2	1	45		1	31	13	16		11
43 44	Females. Diagnosis reasonably certain $inom{M}{F}$.	171 42	9	1	3	2	2	·····i	44 10 7		1	28 7 3	16 2 4	24 8 14		15 3 5
	DELAWARE.	112	 				•••••		'				-	**		
45	Wilmington	81	4	1	1		2		29		1	19	9	14		9
46 47	MalesFemales	33 48	4	1	· 1		2		16 13		1	12 7	3 6	8 6		5 4
48	Diagnosis reasonably certain ${M \choose F}$	8 38	4	1	1		2		7		 :::::	3		1 4		3

						DEATE	IS FROM	CANCER	AND OTH	ER MALIG	NANT Î	UMORS ()F—							Ī
Periton intestin	ies, and	F	'emale ge	nital orga	ıns.						0	ther orga	ns or of	organs n	ot specif	ied.		,		
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others' of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
											-									
		1		1			3		2			1	1	<u></u>			·			
	 	1		i			3		1 1			1	i							
 		1		1			3	<u></u>												}
9		37	3	34			28	6	23	2	3	2	3	1	3	1			8	
4 5		37	3	34			28	4 2	15 8	2	2 1	2	1 2	1	1 2	1			. 5	
. 4		36	2	34			28	4 2 4 2	11 3	2	ĩ	1			1	1			3 5 2	}
5		14	1	13			6	2	10		1		3	1		1			4	ĺ
3							1 5	2	6				1	1					4	1
2 3 2		14 14	1 1	13			5 1 5	2	6 2		1		2 1 1	1		1			4	$)_{1}^{1}$
2		. 14	. 1	13	•••••		"				*		-			1			•	٠,
28		117	5	109	3		73	21	136	8	3	13	5	16	24	2	10	1	54	1:
11							1 72	9	71	6	1	4	. 3	16	17		2	1	21 33	1
17 11		117	5	109	3		72 1 72	12 9	65	2 6 2	2	9	2 1	3	7	2	8	····i	33 16 • 17	1 1 }1
17		115	3	109	3	• • • • • • •		12	28		2	3			1	1	2			ľ
26		111	5	103	3		70	20	136	8	3	· 13	5	16	24	2	10	1	54	1
11 15		111	5	103	3		69	9 11 9	71 65	6 2 6	1 2	9	3 2 1	16	17	2	8	1	21 33 16	1:
11 15	,	109	3	103	3		69	11	39 28	2	1 2	4 3		3	7	1	2	1	17	2
2		6		6			3	1			• • • • • • •									2
····· ₂		6		6			3	₁												2 2
·····2		6		6			3	1												}2
2		9		8	1		8	3	23	2	1	2	1	1	4		3		9	2
1							1 7	1	11	1	;-	1	· 1	1	3				.4	2 2
1		9		8	<u>1</u>		1 7	2 1 2	12 8 4	1 1 1	<u>1</u> 1	1			1 2		3 1		. 4	\\2
,1 5		22		Ž2			8	. 4	31	3	1	2	2	3	2		1		18	ا 2
2								1	16	3	1	1	1	3	1					-1
3 2		22		22			8	3 1	15 11	3	i	1	1		1				6 12 4 6	33
3		22		22	······	 	8	3	6											1
5		29	2	26	1		19	6	32		1	- 3	1	8	7	2	1		8	3
1 4 1		29	2	26	1		19	3 3 3	16 16 7		1	3	1	8	. 4 3 2	2			.3 5 2 3	3
4		29	2	26	1		19	3	6		1	1		ļ	ļ	1			3	i i
2		13		13			2		9			1		2	1		1		4	_
2	i	13		13			·····2		6 3			1		2	1	ļ	1		2 2 2 2	3 3 }4
2		13		13			2		2 3			<u>i</u> -							2 2	}4
. 14		44	3	40	1		36	8	41	3		- 5	1	2	10		4	1		
5 9								4	22	2		. 2	1	2	8			1	6	4
5 9		44	3 1	40 40	1		36 36	4 4 4	19 11 9	1 2 1		2			2 2 1		4 1	1	. 9 . 4 5	4: 4: 4:
-		32	1	1	*		30	•	,	1		*			*		•		٠	Ì
5		17		16	1		7	3	7					ļ	3				4	
3	 							1	4						1					
2 1		17		16 16	1		7	2	3 2						2				1 2	44 44 }4

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=					ee note a				ER AND (ንተዘፑኮ ነ	(ALIGNA)	NT TIMOR	s of—			
		A ====			Buccal		LAIS ERC	JA CANC	LA ARD		ach and			Periton	eum, into	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
į	REGISTRATION CITIES—Con.			-												
1	Wilmington—Continued. White	75	4	1	1	 	2		27		1	17	9	13		8
2 3 4	$egin{array}{cccc} ext{Males} & ext{Females}. & ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} & ext{.} & ext{F} & ext{.} \end{array}$	31 44 7 36	4	1	1		2		15 12 7		1	11 6	3 6 4	8 5 1 4		5 3
5	Colored	6							2			2		1		1
6 7 8	$ \begin{array}{c} \text{Males}. \\ \text{Females}. \\ \text{Diagnosis reasonably certain } \left\{ \stackrel{M}{F} \right. \end{array} $	2 4 1 2							1			1		1		i
9	DISTRICT OF COLUMBIA. Washington	355	18	2	ı ı	1	7	2	112		3	63	46	48	5	30
10 11 12	$\begin{array}{c} \text{Males} \\ \text{Females} \\ \text{Diagnosis reasonably certain } {M \choose F}. \end{array}$	144 211 73	14 4 14	22	4 2 4 2	1	6 1 6 1	1 1 1 1 1	60 52 16 5		3	30 33 8 4	27 19 7	14 34 6 19	1 4 1 3	7 23 2 10
13	White	137 1 271	4 14	2	6	1	3	2	79		3	43	33	39	4	27
14 15 16	Males Females. M Diagnosis reasonably certain M	112 159 61 104	11 3 11 3	2	4 2 4 2	1	3	1 1 1 1	43 36 13 3		3	20 23 7 3	20 13 5	9 30 4 18	1 3 1 3	6 21 2 10
17	Colored	84	4	,			4		33			20	13	9	1	3
18 19 20	MalesFemalesDiagnosis reasonably certain ${M \choose F}$	32 52 12 33	3 1 3 1				3 1 3 1		17 16 3 2			10 10 1 1	7 6 2 1	· 5 4 2 1	1	1 2
	FLORIDA.2											.,				2
21 22	Registration cities	72	3		2 2		1	1	15 8			11 6	2	4		1
23 24	FemalesDiagnosis reasonably certain. ${M \choose F}$	46 16 38	1 3 1		2		i	1	7 3			5 3 8	2	2 1 2 3		1 1
25 26 27	White	23 35 16	3 1 3		2 2		1 11	1	7 5 3			5 3 3	2 2	1 2 1		1
28	Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$	29	1					1		 		2		2		1
29 30 31	Colored	3 11							1 2			1 2		1		1
32	Diagnosis reasonably certain ${ m M \choose F}$ GEORGIA. ¹	9														
33	Registration cities	186	9	2	- -		3	 	45		1	25	19	18		12
34 35 36	Males . Females . Diagnosis reasonably certain $egin{cases} M & M & M & M & M \\ & & & & & & & & & &$	66 120 41 85	8 1 8 1	1 1 1 1	3	ļ	3		21 24 6 1		1	12 13 2	11 3 1	11 4 8		6 6 3 3
37	White	139	7	2	3	1	1		37		1	19	17	13	1	11
38 39 40	Males. Females. Diagnosis reasonably certain $egin{cases} M & -K & K & K & K & K & K & K & K & K & $	52 87 31 58	6 1 6 1	1 1 1	3	1 1	1		17 20 4 1		1	9 10 J	10 2 1	7 3 5		6 5 3 3
41	Colored	47	2				2		8			6 3	1	5		1
42 43 44	Males. Females. Diagnosis reasonably certain ${M \choose \Gamma}$.	14 33 10 27	2						4 4 2			3	1	1 3		
45 46 47	Atlanta	106 36 70 22	3 1 3	1 1 1	2				26 15 11 4			16 11 5 2	10 4 6 2	5 6 4		9 4 5 3 2
48	Piagnosis reasonably certain ${M \choose F}$	54	1			.	1					l	. 1	3	II	2

 $^{^{\}rm 1}$ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

		·····		_	•	DEAT			AND OTE				of—	-			· · · · · · · · · · · · · · · · · · ·	···	
Peritor intestin rectum	neum, es, and —Con.		Female	genital or	gans.							Other o	rgans or	of organ	s not spe	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast,	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
5		16		15	'1		7	2	6						. 3				3
3 2 1 1		16 16		15 15	1 1		7	1 1 1	3 3 ·1 1						1 2				2 1 1 1
		1		1				1	1 1										1 1
				1				1											•••••••••
13 6 7		54 54	2	52			36 1 35 1 35	9 6 3	78 49 29 30 17	5	2	3 5 3 2	6 4 2 2	12	13 9 4 5 2	1	6 3 3		25 10 15 8 10
3 6 8		54 34	2 2	52 32			35 29	6 3 9	30 17 67	5 4	1 2	3 2 7	2 2 5	9	5 2 13	1 1	1 1 6		10 20
2 6 1 5		34 34	2	32 32			1 28 1 28	6 3 6 3	42 25 26 15	4	2 1	3 4 3 1	3 2 2 - 2	9	9 4 5 2	1 1	3 3 1 1		8 12 6 9
5		20		20			7		11 7	1		1	1	3					5
1 2 1		20 20		20 20			7		4 4 2	1		1 1		1					2 3 2 1
1 1		21		20	1		12	2	14			2 2			3		2		7
1 1 1 2		21		20	1		12	1 1 1 1	. 12 2 8 1			2			1				5 2 5 1
1 1 1		15		14	1		9	1 1 1 1	13 11 2 8			. 2			3		1		5 2 5 1
1	·····	15 6		6	1		3	1	1								1		1
		6		6			3		1								1		
6		53	3	49	1		15	8	38		1	, 3	.6	3	3		4		18
1		53 51	3	49 49			15 15	7 1 7 1	23 15 16 8		1,	2 1 1 1	. 1	3	2 1 2		3 1		9 9 8 6
		36	1 i	35			10	.7 6 1	29 17 12		1	3 2 1	3	2	3		3 2		12´
2		36 35 17	2'	35 35 14	1		10 10 5	1 6 1	12 12 5		1	1 1 1	.3 1 1	2 1	1 2				8
1 3 1		17	2	14	1		5	1	6 3 4				1 1	1			1		6 3 3 2 3
2		33	1	31			5 11	5	• 16		1	1	2	2	1		1	=====	8
1 1 1		33	1	31	1		11 11	4 1 4 1	9 7 7 5		1	1 1	2 1	· · · · · 2	1 1		1		3 5 3 4

² Nonregistration state; includes Jacksonville, Key West, and Pensacola.

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration. States, and for each registration unit in [See note at head of this table, p. 88.]

l						DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN	T TUMOR	s of—			
		Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx,	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	GEORGIA 1continued.			:												
1	Atlanta—Continued. White	82	4	2	2				20			12	8	8	ļ	8
2 3 4	Males. Females. Diagnosis reasonably certain $inom{M}{F}$.	29 53 17 40	3 1 3 1	1 1 1 1	2 2				11 9 2 1			8 4 1	3 5 1 1	4 4 3 2		4 4 3 2
5	Colored	24							6			4	2	3		1
6 7	MalesFemales	7 17							4 2 2			3 1 1	1 1 1	1 2 1		·····i
8	Diagnosis reasonably certain. $\left\{egin{matrix}M_{-}\ F_{-}\end{array} ight.$	5 14												1		
9	Other cities 2	30	5		1	1	3		19		1	9	9	7		3
10 11 12	MalesFemalesDiagnosis reasonably certain. $\{M,\}$	50 19 31	5		1	i	3 		13 2		1	\$ 	5 1	5 5 5		2 1
13	White	57	3		1	1	1		17	<u></u>	1	7	9	5		3
14 15 16	Males. Females. Diagnosis reasonably certain. $\left\{egin{array}{l} M & \dots \\ F & \dots \end{array} ight.$	23 34 14 18	3		1	1 1	1 1		6 11 2		1	1 6	5 1	2 3 3		2 1
17	Colored	23	2		·		2		2	 		2		2		
18 19	MalesFemales	7 16	2				2		2			2		2		
20	Diagnosis reasonably certain $\left\{ egin{matrix} M \ F \end{array} ight.$	5 13	2				2					• • • • • • • • • • • • • • • • • • • •		2		
	ILLINOIS. ¹															
21	Registration cities	2,338	101	8	43	4	35	11	985	6	58	656	265	271	18	151
22 23 24	MalesFemalesDiagnosis reasonably certain. $\{M,\}$	1,033 1,305 497 826	12 89 12	8	39 4 39 4	3 1 3 1	31 4 31 4	8 3 8 3	549 436 167 93	5 1 2	50 8 18 1	388 268 . 119 . 54	106 159 28 38	116 155 73 96	7 11 5 5	61 90 23 40
25	White	2,278	100	8	42	4	35	11	963	6	58	638	261	265	18	148
26 27 28	Males. Females. Diagnosis reasonably certain $egin{cases} M & \cdots & M_{F} & \cdots $	1,009 1,260 479 799	\$8 12 \$8 12	8 8	38 4 38 4	3 1 3 1	31 4 31 4	8 3 8 3	536 427 160 90	5 1 2	50 8 18 1	377 261 114 52	104 157 26 37	114 151 71 93	7 11 5 5	60 88 22 39
29	Colored	60	1		1				22			18	4	6		3
30 31 32	Males Females Diagnosis reasonably certain $egin{cases} M_{-} & \\ F_{-} & \\ \end{array}$	24 36 18 27	1		1				13 9 7 3			11 7 5 2	2 2 2 1	2 4 2 3		1 2 1 1
33	Chicago	2, 107	93	8	42	4	29	10	901	6	57	600	238	239	17	130
34 35 36	$egin{array}{ll} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M} & ext{.} & e$	948 1,159 452 724	82 11 82 11	8	38 4 38 4	3 1 3 1	26 3 26 3	7 3 7 3	506 395 154 79	. 1 2	49 8 18 1	356 244 108 47	96 142 26 31	104 135 64 83	7 10 5 5	55 75 20 31
37	White	2,059	92	8	41	4	29	10	881	6	57	584	234	235	17	128
38 39 40	MalesFemalesDiagnosis reasonably certain. $\left\{egin{matrix}M&R\end{array} ight.$	926 1,133 435 704	81 11 81 11	8	37 4 37 4	3 1 3 1	26 3 26 3	7 3 7 3	494 387 147 76	5 1 2	49 8 18 1	346 238 103 45	94 140 24 30	103 132 63 81	7 10 5 5	54 71 19 31
41	Colored	48	1		1	<u> </u>			20	 		16	4	4		2
42 43 44	M ales. Females Diagnosis reasonably certain ${M \choose F}$	22 26 17 20	1		1				12 8 7 3			10 6 5 2	· 2 2 2 1	1 3 1 2		. 1
45	Springfield	62	2				2		24			17	7	8		5
46 47 48	Males Females Diagnosis reasonably certain.{M	20 42 10 26	2				2 2		11 13 2 3			7 10 2 2	4 3	3 5 3 4		5

¹ Nonregistration state; cities shown below only those with effective local ordinances.

 -						DEAT			AND OTB	ER MALIC			OF—							_
Perito: intestin rectum	ies, and		Female	genital or	gans.						,	Other o	rgans or o	of organs	not spec	cified.				-
Rec-	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
•		26	1	25			7	5	12		1	1	1	2	1		1		5	:
		26	í	25			. 7	4 1 4 1	7 5 5		i	i	1	2	1		1		2 3 2 2	֓֞֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓֓
2		· 25		25 6	1		7	1	3			1	1						3	}
1 1		7		6	1		4		2 2				1				÷		$\frac{1}{2}$	
1		7		6	i		4		2				1					•••••	1 2	} {
4		20	2	18			4	3	22			2	4	1	1		<u>· 3</u>		10	10
4 4		20	2 1	18 18			4	3	8 9 3			i	2 2 1 1	1	1 1		1		6 4 5 2	11
2		10		10			3	2	17			2	. 4		2		.2	<u></u> .	7	1
. 2		10		10			3	2 2	10 7 7			2 1	2 2 1		1 1 1		1 1		4 3 4 1	1.
2 2		10 10	2	10 8			3	1	5				1	1			1		i 3	}1:
₂		10	<u>2</u>	8			i	1	4 1					1			1			1:
2		9	1	8			1	1	2					1					1 1	}2
95	7	362	23	334	2	3	192	45	382	16	25	28	38	39	63	6	26	7	134	2:
. 45 50 45 50	3 4	362	23	334	2	3	189 3	22 23 22 23	254 128 143	14 2 14	13 12 3 5	20 8 10	22 16 10	39 15	44 19 22 7	3 3 1 1	15 11	7	77 57 52 30	2:
50 92	1	356 346	18 23	333 318	2	3	189 187	23 45	57 372	2	5 24	3 28	5 38	39	22 7 €2	1 6	9 4			}2
	3 4	346	23	318	2	3	3 184	22 23 22	246 126			20 8	22 16 10	39			26 15 11	7	127 72	20
44 48 44 48	1	340	18	317	2	3	3 184	22 23	135 57	13 2 13 2	12 12 2 5	10 3	10 5	15	43 19 21 7	3 3 1 1	9 4	7	72 55 47 30	2
3		16	<u> </u>	16			5		10	1					1			<u>:</u>	7	2
$egin{array}{c} 1 \\ 2 \\ 1 \\ 2 \end{array}$		16 16		16 16			5		8 2 8	1 1	<u>1</u>				. 1 1				5 2 5	3 3 3
86	6	318	21	292	2	3	172	37	347	16	24	25	36	37	58	6	22	6	117	3
39 47 39	3 3	318	21	292	2	3	3 169 3	19 18 19	234 113 130	14 2 14	13 11 3 5	18 7 9	21 15	37 15	41 17 21 7	3 3 1 1	12 10	6	69 48 46 26	34 35
47	e	312	16	291	2	3	169	18	52	2		3	5	•••••	l		6 3	6		}36
. 84 39 45 39	6 3 3	306	. 21	280	2	3.	169 3	37 19	339 226	13	23 12	25 18	36 21 15	37	57 40	3	12	6	112 64	
39 45	•	306 300	21 16	280 279	2	3	166 3 166	19 18 19 18	113 122 52	13 2 13 2	12 11 2 5	18 7 9 3	15 9 5	15	40 17 20 7	3 1 1	10 6 3	6	64 48 41 26	39 }40
2		12	<u></u>	12			3		8	1	1	<u></u>			1				5	4:
2		12		12			3		8 8	1 1	1 1				1 1				5 5	4:
3		11		12	<u> </u>		3 4	3	10				1	1	1		2		5	45
3		11		ii			4	3	4 6				· · · · · · · · · · · · · · · · · · ·	1.	1		2		1 4	4:
3		_{ii} -	<u> </u>	·····ii	<u> </u>		4	3	3				····				2		1 1	4

² Includes Augusta and Savannah.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=				Į.o.	e note a	t Head o	I LILIS C	ше, р.	88.j 							
						DEAT	HS FRO	M CANO	ER AND O	THER M	(ALIGNA	NT TUMOI	RS OF-			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Stom	ach and	liver.		Peritor a	eum, int id rectur	estines,
		gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
_	ILLINOIS 1—continued.														}	
1 2	Other cities ²	169	5		<u>i</u>		3	1	32		1	39	20	9	1	16
2 3 4	Females	104 35 76	1 5 1		i		1 3 1	1	28 11 11			25 14 9 5	6 14 2 6	15 6 9	1	6 10 3 5
	INDIANA.															
5 6	Registration cities	765 243	19	3	8	4	9 8		270		7	162	101	94	8	59
6 7 8	Females. Diagnosis reasonably certain. ${ m M \atop F}$	522 130 330	5 19 5	3	6 2 6 2	2 2 2 2 2	1 8 1		158 30 25		6 1 1	77 85 21 12	29 72 8 13	34 60 24 29	$\begin{array}{c} 1\\7\\1\\2\end{array}$	21 38 11 12
9	White	739	23	3	7	4	9		261		7	157	97	92	7	59
10 11 12	Males	238 501 128 319	18 5 18 5	3	5 2 5 2	2 2 2 2	8 1 8 1		112 149 30 25		6 1 1	77 80 21 12	29 68 8 13	34 58 24 28	1 6 1 2	21 38 11 12
13	_ Colored	26	1		1				9			5	4	2	. 1	
14 15	Males Females	5 21	1		1				9				4	2	i	
16	Diagnosis reasonably certain. ${M \choose F}$	2 11	1		1									·····i	·····	
17	Fort Wayne	69	1		1				24			16	8	13	1	6
18 19 20	Males	25 44 16 21	1 1		1				12 12 4 1			7 9 3 1	5 3 1	5 8 5 3	1 1	1 5 1
21	Indianapolis	265	8	1	ı	1	5		79		2	47	30	32	4	25
22 23 24	$egin{array}{ccc} ext{Males} & & & & & & & & & & & & & & & & & & &$	84 181 53 120	6 2 6 2	1	1	1	4 1 4 1		31 48 11 9		1 1	22 25 8	8 22 3	12 20 8 8	4	10 15 6
25	White	250	7	1		1	5		73		2	5 45	4 26	31	2 4	5 25
26 27 28	Males	81 169 51	5 2 5	1		i	4 1 4		31 42 11		1 1	22 23 8	8 18 3	12 19 8	. 4	10 15 6
29	Colored	114	1	 	1	1i	1		9 6			5 2	4	7 1	2	5
30 31	Males. Females	3 12	1		1				6			2	4	1		
32	Diagnosis reasonably certain $\left\{egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned}\right\}$	6	1		1					i				1		
33	Terre Haute	52	<u> </u>		<u></u>				21	<u></u>	1	17	3	6	2	3
34 35 36	Malès Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdot \\ F & \cdot \end{array} \right.$	14 38 5 25			• • • • • • • • • • • • • • • • • • • •				10 11 3 2		1	8 9 2 2	1 2 1	3 3 2	2	2 1 1
37	Other cities	379	15	2	6	3	4		146		4	82	60	43	1	25
38 39	Males Females	120 259	12 3 12	2	4 2	2 1 2 1	4		59 87		4	40 42 8	15 45	14 29	1	8 17 3 7
40	Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{H} \\ \mathbf{F} \end{array}\right\}$	56 164	12 3	2	4 2	1	4		12 13		1	8 4	3 9	9 18		3 7
41	KANSAS. Registration cities.	200														
42	Males	282	9	2	2		3	1	104		1	61	17	14	3	8
43 44	Females	171 62 116	1 8 1	2	2		3	1 1 1	53 16 21		1	27 10 10	25 6 11	25 8 15	3 1 3 1	8 18 2 8
45 46	White	263	8	2	2		2	2	98	<u></u>	1	58	39	37	4	25
47 48	$_{ m Diagnosis}$ reasonably certain. $_{ m F}^{ m M}$	108 155 61 107	7 1 7 1	2	2		2	1 1 1	50 48 16 20		i	33 25 10 9	17 22 6 11	14 23 8 14	3 1 3 1	8 17 2 8

¹ Nonregistration state; cities shown below only those with effective ordinances.

[See note at head of this table, p. 88.]

 -			<u></u>	<u></u>		DEAT			AND OTH	ER MALIG)F		•					Ī
Perito intestin	neum, les, and		Female ;	genital org	gans.									f organs:	not spec	ified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
									0.5			9	1	1	4		. 2	1	12	1
· 6 3 3 3	1	33	2 2 2	31 31			16	3 2 3 2	25 16 9 10 4		1	3 2 1 1	1	1	3 1 1		1 1 1 1	1	7 5 5 3	2 3 4
27	1	150	5	141	3	1	84	26	117	2	2	22	10	9	15		· 10	3	. 44	5
12 15 12 15		150 148	5	141 141	3	1	1 83 1 83	13 13 13 13	64 53 43 27	2	1 1 1	10 12 7 6	10	6	11 4 3 1		5 5 2 2	3	23 21 20 13	} 8
26 12 14 12		144	5	135	3	i	81 80 1 80	25 13 12 13 12	113 60 53 42 27	2 2	1 1 1 1	9 12 7	10	9 9	14 10 4 3		9 4 5 2	33	22 21 19 13	10
14		6	3	135	3	1	3	1	27 4 4		1	1	4		1 1		1		1 1	13 14 15
1 1 6		6 9	1	6 8			3 3	1 2	17		1	1	3	3			2		7	}16
3 3 3 3		9	1	8			3	1 1 1 1	6 11 5 5		1 1	1 1	3	3		-	2		2 5 1 1	}2
3 2 1 2 1		54	i	53			32	5 5 5 5 5	30 20 23	2 2		3 6 2 4	4	1	5 2 3		5 1 2	2 2	19 12 7 11 5	2 2 2 2
2		54 51 51	1 1	53 50			32 31 31	9 5	10 48 28 20	2		9 3 6	4	1	7 5 2		. 5 4 1	2	18 11 7	2 2 2
1	-	51	i	50			31	. 5 4 1	20 22 10 2	2		2 4	1	1	3	-	1	2	. 10 5	$\left.\begin{array}{c}2\\2\end{array}\right.$
i	-	3		3			1)	i	1								1		1	- 3
1 1		12	i	11			9		1 3	<u> </u>		1 1	1	1					-	- - 3 3
6 11		75 75	2	69		1	40 1 39	14 7 7	46		1	11 6 5	2		8		. 2	1	17	3333
11		75	2	69		i	39					1			'	2	1	1		}4
366		47		43	i		25	7 3	31 17 23	1		5 4		. 7	Ī	1	1		16 9 11	
3553		42	3	38	1		II .	9 7	45	1 1		. 8			3	3 2	1		. 23	4 4 4

 ${\bf ^2}$ Includes Aurora, Belleville, Decatur, Evanston, Jacksonville, and Quincy.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=						DEA	THS FR	OM CAN	CER AND	OTHER 1	MALIGNA	NT TUMOR	s of—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.			Buccal	eavity.				Ston	nach and	l liver.		Perito	neum, int nd rectu	estines, n.
		gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con. KANSAS—continued. Registration cities—Continued, Colored														,	
1 2 3	Colored Males Females Females Females Male	19 3 16	1				1		6			3	3	2		1
4	Diagnosis reasonably certain $\{\stackrel{M}{F}$	9	1				1		5 1			1	3	2 1		1
5 6	Kansas City	28	1		1				26 15			18	8	9	1	4
7 8	Females	33 17 21	1		1				11 8 5			9 4 5	2 4	3 6 2 4	1 1	1 3
9	White	55	1		1				24	<u></u>		16	8	8	1	4
10 11 12	Males	26 29 17 17	1 1		1				14 10 8 4			8 8 4 4	6 2 4	3 5 2 3	1 1	1 3
13 14	Colored	6							2	<u></u>		2		1		
15 16	Females Diagnosis reasonably certain $\{ F : G \}$	4							î			i 1		1		
17	Topeka	52	2		1			1	15	<u></u>		11	4	7	1	5
18 19 20	Males. Females. Diagnosis reasonably certain. $\left\{egin{array}{l} M & \cdots \\ F & \cdots \end{array}\right.$	21 31 12 24	1 1 1		1 1			1 1	9 6 2 2			7 4 1 2	2 2 1	2 5 2 4	- 1 1	1 4 1 3
21	White	49	2		1			1	14	<u></u>		11	3	7	1	5
22 23 24	Males	21 28 12 23	1 1 1		1			1	9 5 2 2			7 4 1 2	2 1 1	2 5 2 4	1	1 4 1 3
25	Colored	3							1				1			
26 27 28	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain. $\left\{rac{ ext{M}}{ ext{F}} ight.$	3							1				····i			
29	Wichita	1 50				· · · · · · · ·			16			9	7	7	2	. 4
30 31 32	Males. Females. Diagnosis reasonably certain $\left\{egin{matrix}M & & & \\ F & & & \end{array}\right.$	25 25 16							9 7 2			7 2 2	2 5	5 2 4	2	2 2 1
33	Other cities	21 119	6	2		•••••	3	1	5 47		1	23	23	2 16		13
34 35 36	MalesFemalesDiagnosis reasonably certain. ${M \over F}$	37 82 17 50	6	2			3	1	18 29 4 9		1	11 12 3	7 16 1	12 12		4 9
	KENTUCKY.			•••••					9	•••••		2	7	5		2
37 38	Registration cities	328 109	13		6	2	3	<u> </u>	119		1	57 32	32	10	1	7
39 40	Females. Diagnosis reasonably certain $\left\{egin{array}{l} M & . \\ F & . \end{array} ight.$	219 39 152	4 9 4	·····	4 2 4 2	2 2 2	3		54 13 11			32 25 6 4	29 7 7	21 4 13	1 1	14 1 6
41 42	White	291 96	11 8		5 4	2	2		107 58		1	49 28	57 29	31	1	21
43	Females. Diagnosis reasonably certain. ${M \choose F}$.	195 36 133	8 3		1 4 1	2 2 2	2		49 13 11			28 21 6 4	29 28 7 7	10 21 4 13	1	7 14 1 6
45 46	Colored	37			1		1					8	4			
47 48	Females. Diagnosis reasonably certain.	13 24 3 19	1 1 1		1		1		5			4 4	3 1			

				umres .	•	DEATI			AND OTH				OFC—	·	•					T
Peritor intestin rectum	neum, les, and —Con.		Female (genital org	gans.							Other or	gans or	of organs	not spec	ified.		•		
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
																			•	
1		5		5			1	1	3			. 1							2	1
i		5		5			1	1	1 2			1							1 1	.h ~
1		5		5		<u></u>	1	1										<u></u>		} 4
4		7		7			3	1	14 8			. 4		2		1			7	- 5
2 2 2 2		7		7			3	·····i	6 5 2			2 2 2		2		1			. 3 1 1	6 7 } 8
.3		5		5			3	1	13			4		2		1			6	9
2 1								1	7			2		2					3	10 11
$\frac{1}{2}$		5 5		5 5			3	1	6 5 . 2			2 2 2		2		1			. 1 1	11 }12
1		2		2					. 1				`						1	13
				2					· 1										1	14
1		2		2																15
1		12	1	11			4	2	10		ļ	1		1					8	17
i		i2	i	11			4	1 7	8 2					1					7	18 19
i		12	i	ii			4	1 1 1	6										1 6	20
1		12	_ 1	11			4	1	9			1		1			 		. 4	21
i		12	i	ii			4	1	8			·····i		1					7	22 23
i		12	i	ii			4	1	6										6	24
						ļ <u>.</u>		1	1						ļ	ļ		 	1	25
								1	i										1	26 27
								i	-											28
1		10	1	9			4	3	10	1		1		.3	2		1		. 2	29
1		10	₁	9			4	3	8 2	1		1		3	2		• 1		2	30 31
1		9		9			4	3	2 7 1	1		1		3	<u>î</u> .				2	32
3		18	1	16	1	ļ	14	4	14			3		1	1	1		 .	8	33
3		18	<u>i</u>	16	1		14	2 2 2	7 7			1 2		1	1	1			3 5	34
3	.	17	II				14	2 2	5 3			1			1	. 1		•••••	2 2	34 35 36
9		73	5	67	1		34	12	46	. 1	3	4	3	2	6		2	2	23	37
3 6		73	5	27			. 34	3 9	22			;-	·	2	3			2		38 39
3 6			5	67 67			34	3 9	24 10 8	1		$\frac{4}{2}$	3 2	1	3 1			2	· 5	39 }40
9	i		5	54	1		30	10	42	il		4	3	2	6		2	2	21	יי
3 6			5	54			30	2 8	18 24		2	4	3	2	3 3		1 1	2		
3 6		. . <i></i> <u>-</u> -	5				30	2 8 2 8	9 8			2		1	, î			2	5 4	42 43 }44
		13	l.	13	1		4		#	H		ļ	ļ						2	ľ
	-	13		13			4	1	4	1	1								2	46 47
		13		13			4	1	1	1										
			-		-	-	<u>-</u> ــــــاا]		<u> </u>	-	J		J				,

MORTALITY FROM CANCER.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=		[1		ee note a											
					Buccal		THS FR	OM CAN	CER AND		MALIGNA nach and	Iliver.	RS OF—	Peritor	neum, int	testines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.		II.	Ī	1				1	1	1		a	nd rectur	n.
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.		Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
1	KENTUCKY—continued. Louisville	187	7		3	1	3		73			00				
2	Males.	64	6		2	1	3		41			38	35	$\frac{21}{7}$	1	7
3 4	Females. Diagnosis reasonably certain ${M \choose F}$	123 19	1 6		1 2	i	3		32 8			14	18	14 1	i	10 1
5	White	83 168	1 5		1 2				6			. 2	4	9	1	5
6	Males.	59	5		2	1	2		38			32	34	, 21	1	17
7 8	Females	109 18 73	5		2	1	2		28 8 6			22 10 6 2	16 18 2 4	7 14 1 9	1 i	7 10 1 5
9	Colored	19	2		1		1		7			6	1			
10 11	MalesFemales	5 14	1 1		1		1		3 4			2	1			
12	Diagnosis reasonably certain $\left\{ egin{array}{l} M_{} \\ F_{} \end{array} \right\}$	10	Î 1		<u>î</u>		i					4				
13	Other cities	141	6		3	3			46		1	19	26	10		4
14	MalesFemales	45	3		2	1			24		1	8	15	3		
15 16	Diagnosis reasonably certain ${M \choose F}$	96 20 69	3 3 3		1 2 1	1 2			22 5 5			11	11 5	7 3		4
17	White	123	6		3	3	• • • • • • • • • • • • • • • • • • • •		41		1	2 17	3 23	4 10	•••••	1 4
18	Males	37	3		2	1			20			6	13	3		*
19 20	Females	86 18	3		1 2	1 .			21 5			11	10 5	7 3		4
21	Colored	60 18	3		1	2			5		• • • • • • • • • • • • • • • • • • • •	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	3	4		1
22 23	Males	8							4			2	2			
23	Females	10 2							1				ī			
	LOUISIANA. ¹	9				••••					• • • • • •			•••••		
25	New Orleans	358	24	1	9	5	7	2	112	2	4	65	41	37	4	21
26 27	Males Females.	154 204	19 5	1	8	5	5		68		4	42	22	11	3	5
28	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	88 145	19	i	1 8 1	5	2 5 2	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	44 23 4	$\begin{bmatrix} 2 \\ 1 \end{bmatrix}$	····i	23 18 1	19 4 2	26 7 15	1 3 1	16
29	White	257	20	1	8	4	6	1	80	2	3	47	28	31	4	18
30	Males	114	17	1	8	4	4		45		3	28	14	10	3	
31 32	Diagnosis reasonably certain ${M \choose F}$	143 67 96	17 3	1	8	4	2 4 2	1	35 15 4	2	····i	19 12	14 2 2	21	1 3	13 1 5
33	Colored	101	4		1	1	1	1	32		1	1 18	13	12	1	3
34 35	MalesFemales	40 61	2 2			1	1 .		23 9		1	14	8	1		
36	Diagnosis reasonably certain $\left\{ {rac{M}{F}} \right\}$	21 49	2 2 2		1 1	1	1	1	8			6	5 2	5		3
	MAINE.	70	_		.			1						3	•••••	1
37	Registration cities	212	4		1 .		3 .		75		2	46	27	33	2	20
38 39	Males Females	65 147	1 3		1 .		3		33 42		1 1	25 21	7 20	14 19	2	8 12
40	Diagnosis reasonably certain $\left\{egin{array}{c} M \\ F \end{array}\right\}$	26 96	1 3		1		3		8		1	5 3	3 4	7 8		1 2
41	White	212	4		1 .		3 .		75		2	46	27	33	2	20
42 43	Males Females	65 147	1 3		1 .		3		33 42		1 1	25 21	7 20	14 19	2	8 12
44	Diagnosis reasonably certain $\{_F^M,\}$	26 96	1 3		1		3		8 8			21 5 3	3	7 8	i	1 2 2
1	` =].			

¹ Nonregistration state; cities shown below only those with effective local ordinances.

THE BODY AFFECTED, WITH STATEMENT OF DIAGNOSIS, BY SEX AND COLOR. FOR THE REGISTRATION AREA, WHICH THERE WERE 50 OR MORE SUCH DEATHS: 1914—Continued.

[See note at head of this table, p. 88.]

						DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT '	rumors	OF-				·			Ī
Peritor intestin	es, and		Female (genital or	gans.		_					Oth	er organs	or of org	ans not					1
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
									20									•	10	
3		42	4	37	1		14	4	26		2	3	3	2	3		1		12	1
3		42	4	37 37	1 1		14 14	4	16 4 7		2	3	3	í	ĩ				5 7 3 4	$\left.\begin{array}{c} 2\\3\\4 \end{array}\right\}$
3		35	4	30	1		13	3	25		2	3	3	2	3		1		11	5
3		35 35	4	30	i		13	3	9 16 4 7		2	3	3	2 1	2 1		1		4 7 3 4	- 6 7 } 8
		. 7	*	7			1	1	1										ì	9
		7		7			i	i	1										1	10 11
		7		7			<u>í</u>	i												}12
6		31	1	30			20	8	20	1	1	1			3		1	2	11	13
3 3 3 3		31	1	30			20	3 5 3	12 8 6	1	1	i i			1 2 1		1	<u>2</u>	7 4 2	14 15 }16
6	,	31 25	1 1	30 24			20 17	5	1 17			1			3		1	2	10	17
3 3 3	-	25	i	24			17	2 5 2 5	9 8 5						1 2 1		1	2	6 4 2	18 19
3		25	1	24			17	5	1			i								20
	<u></u>	6		6		·	3	1	3	$\frac{1}{1}$	1								1	21 22
		6		6			3	1 i	3 1	<u>i</u>	1									23
		6		6			3	ļī.) ²⁴
12	-	79	2	76		. 1	29	12	65	4	1	9	5	9	6	3	4	1	23	25
3 9 3 8		79	2			i	1 28 1 28	7 5 7 5	48 17 31 11	2 2 2 2	1	6 3 3	1 2	9 	5 1 2	2 1 1	3 1 1 1	1	15 8 12 7	26 27 }28
9		43	1	1	i		21	11	51	4	1	6	4	6	5	2	3	1	19	29
2 7 2 6	1		i		.		1 20 1	6 5 6 5	35 16 22 10	2 2 2		3 3 1 1		6	4 1 1	1 1	2 1 1	1	12 7 10 6	1 31
3	1 .	42 36	ii .	42		. 1	20	5	li .	2		3	1	3	1	1	1 1		4	1
$\frac{1}{2}$			1				-	. 1	13			3	1	3	1	1		!	3 1	
2			11				8		9			2		3	1	1			2 1	}36
11		49	1	47	1		25	4	22	1	2	2	1	i	·	-i		1	10	37
6 5		. 49			i			3 1	14 8 7	1 i		2	. 1	1	3	1		1	4 6 3 2	38
5			i	47	i i	-	. 25	3 1	7 2	ļ	-	2	· -					1	į.	
		1	-	-	1		25	-1	·II	-	-!		·}		3	-	-	1	10	41
6		49	. II <i></i>				. 25		14 8 7 2	i		2	. 1	1	3	1		1	6 3 2	42 43 }44

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

						DEAT	rns fro	M CANC	ER AND C	THER M	IALIGNA	NT TUMOR	s of—			
		Aggre-			Buccal c	avity.				Ston	nach and	liver.		Peritor a	neum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.						l				i				-	
	MAINE—continued.															
1	Portland	65	1		1		<u></u>		18		1	9	8	11	1	5
2 3	MalesFemales	22 43	1		1	.			8 10		i	6 3	6	7 4	i	3 2
4	Diagnosis reasonably certain $\{F : $	9 32	1		1				3		1		······2	4 1		
5	Other cities	147	3				3		57		1	37	19	22	1	15
6	Males Females	43 104	3				3		25 32		1	19 18	5 14	7 15	····-i	5 10
8	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	17 64	3				3		8 5			5 3	3 2	3 7	i	1 2
	MARYLAND.															
9	Registration cities	653	23	5	11	1	4	2	238	1	9	133	95	78	7	44
10 11	Males Females	241 412	22	5	10 1	1	4	2	109 129	1	7 2	75 58	26 69	34 44	3 4	17 27
12	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	138 271	22 1	5	10 1	1	4	2	38 26	1	2 2 1	25 8	10 17	20 29	1 2	7 14
13	White	567	21	5	10	1	3	2	210		6	117	87	71	7	38
14 15	Males	219	20	5	9	1	3	2	94		5	65	24	33 38	3	17
16	Females Diagnosis reasonably certain {M	318 127 224	1 20 1	5	1 9	<u>i</u>	3	2	116 34 22		1 2 1	52 23 6	63 9 15	38 19 28	$\begin{bmatrix} & 4\\ 1\\ 2 \end{bmatrix}$	21 7 13
17	Colored	86	2		1		1		28	1	3	16	8	7		6
18	Males	22			1		1		15	1	2	10	2	1		
19 20	Females	64 11	2		î		<u>-</u> -		13	i	1	6 2	6	6		6
	(- · ·)	47							4	<u></u>		2	2	1		1
21 22	Baltimore	589	17	3	9	1	2	2	213	1	9	121	82	76	7	43
23	MalesFemales	220 369	17	3	9	1	2	2	99 114	1	7 2 2	69 52	22 60	32 44	3 4	16 27
24	Diagnosis reasonably certain. $\left\{egin{matrix} M & . \\ F & . \end{matrix} ight.$	126 245	17	3	9	1	2	2	35 24	1	1	22 8	10 15	19 29	1 2	7 14
25	White	510	17	3	9	1	2	2	185		6	105	74	70	7	37
26 27	MalesFemales	201 309	17	3	9	1	2	2	84 101		5 1	59 46	20 54	32 38	3 4	16 - 21
28	Diagnosis reasonably certain $\left\{ egin{matrix} M & . \\ F & . \end{array} \right.$	118 200	17	3	9	. 1	2	2	31 20		2 1	20 6	9 13	19 28	1 2	7 13
29	Colored	79	!						28	1	3	16	8	6		6
30 31	Males	19							15	1	2 1	10	2			
32	Females	60 8 45							13 4 4\	·····i		6 2 2	6 1 2	6		
33	Other cities	64	6	2	2		2		25			12	13	2		1
34 35	Males	21	5	2	1				10			6	4	2		1
36	Females	43 12	5	·····2	l î l		2		15			6 3	9	i		
37	White	26 57	1		1				2			10	2			
38	Males	'	3	$-\frac{2}{2}$	1		$-\frac{1}{1}$		25			12	13	1	<u></u>	
39 40	Females	18 39 9	1 3	2	1		i		15 3			6 3	9			
	Diagnosis reasonably certain $\{F,, F\}$	24	1		_				ž			<u>-</u>	2			
41.	Colored	7	2	<u></u>			1			<u> </u>				1		
43	Males	3 4	2				;.							1		
44	Diagnosis reasonably certain $\left\{egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{matrix}\right\}$	3 2	2		1		1				• • • • • • • • • • • • • • • • • • •			1		
	MASSACHUSETTS.				İ											
45	Registration cities	2,781	116	19	36	12	41	8	862	4	39	536	283	518	24	364
46 4 7	Males Females	1,006 1,775	94 22	17 2	31 5	8	30 11	8	400 462	3 1 2 1	26 13	264 272	107 176	198 320	6 18	134 230
48	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{K} \\ \mathbf{F} \end{array}\right\}$	535 1, 144	94	2 7 2	31 5	8 4	30 11	8	110 90	2 1	14 2	75 4 3	19 44	117 164	18 3 5	56 89

				,		DEAT			at head of				of—		**		,		
Perito intestir rectum	ies, and		Female	genital or	gans.						0	ther orga	ans or of	organs n	ot specifi	ied.	-		
Rec-	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
					•										-		-		
5	<u></u>	14		14	<u></u>		14	1	6		1	1			. 1	1			2
4 1 4		14		14			14	1	5 1 3		ŀ	1			1	1			2 2
1 6		14 35	1	33	1		14	3	16	1	1	i 1	1	1	. 2			1	8
2 4 2		35	1	33	i		ii	2 1 2 1	9 7	1	1	1	i	1	2			1	2 6, 1 2
2 4		35	i	33	1		11	1	. 4	1.		1						1 	$\frac{1}{2}$
27		117	10	105	1	1	72	11	114	10	4	15	6	9	`21	3	7		39
14 13 12 13		117	10	105	<u>i</u>	i	72	6 5	70 44 52 25	8 2 8 2	1 3 1	7 8 7	4 2 4 2	9	16	2	5 2		18 21 14 11
13 26		113 88	6 9	105 78	i	1 1	72 61	6 5 9	25 107	2 9	4	6 12	6	9	5 8 3		1 7		
13 13		88	9	78		1	61		67	$\frac{3}{7}$	 			9	16	2 1	5 2		37 18
11 13		85	6	78		i	61	5 4 5 4	40 49 23	7 2	1 3 1	5 7 5 5	4 2 4 2	. 6	8 2		4 1		18 19 14 11
1		29	1	27	1		11	2	7	1		3 2			1				* 2
<u>i</u>		29	1	27 27	1		11 11	1 1 1	3 4 3 2	i		1 2 1			i				2
26		104	10	92	1	1	65	10	104	10	4	15	6	9	20	3	7		30
13 13 11		104	10	92	····i	<u>i</u>	65	6 4 6	66 38 49 23	8 2 8 2	1 3 1	7 8 7 6	4 2	9	15 5 8	2	5 2		15 15 11 9
13 26		100	6	92	1	1	65	4			· · · · · · · ·		2	6	3		. 1		
13 13		76	9	66			55	5	99 63	7	1 3	12 5 7	6 4 2	9	19	3	. 5		30 15
11 13		76 73	6	66 66		1	55 55	5 3 5 3	63 36 46 21	7 2 7 2	1	5 5	4 2	6	8 2	1	4 1		15 15 11 9
<u></u>		. 28	1	26	1		10	2	5	1		3	<u> </u>		1				
		28	1	26			10	1 1 1	3 2 3 2	1		2 1 2			1				
				26 13	ļ į		7	1		 		1			1			}	9
		13		13			7	i	4 6						1				3 6
•••••		13				- 11	7	,i	3 2										3 2
								1	4						1				3
• • • • • • •							6	1 1	4 3 2			· · · · · · · · · · · · · · · · · · ·			 				3 2
1		1		1			1		2										2
									2										2
•	••••	1		1			1				•••••			•••••			• • • • • • • •		•••••
129 58	1	450	33	401	14	2	328	60	447 273	23	21	35	24 10	57	50	5	37	7	188
58 71 58 69	i	- 1	33 22	401 401	14	2	325 3 325	38 22 38 22	174 173 173 82	20 3 20 3	7 14 3 2	15 20 11 10	14	57 22	36 14 15 4	. 4 1 2	17 20 3 9	···· 7	100 88 83 50

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

1 2 3 4 5 6 7 8	AREA AND BASIS OF DIAGNOSIS. REGISTRATION CITIES—Con.	Aggregate.			Buccal	ozzitzz		i i	1					11		 }
2 3 4 5 6 7		gate.				avioy.		i		Ston	ach and	liver.			neum, int nd rectun	
2 3 4 5 6 7	REGISTRATION CITIES—Con.		Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
2 3 4 5 6 7																
2 3 4 5 6 7	MASSACHUSETTS—continued.															Ī
3 4 5 6 7	Registration cities—Continued. White	2,749	114	19	34	12	41	8	850	4	38	529	279	515	24	362
4 5 6 7	MalesFemales	994 1,755	93 21	17 2	30 4	8	30 11	8	392 458	3 1 2	25 13	258 271	106 173	197 318	6 18	133 229
6	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	531 1,128	93 21	17 2	30 4	8 4	30 11	8	108	2 1	14 2	73 43	19 43	116 162	3 5	55 88
7	Colored	32	2	<u> </u>	2				12		1	7	4	3		2
	MalesFemales	12 20	1 1		1 1				8 4		1	6	1 3	$\frac{1}{2}$		1
	Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	4 16	1 1	<u></u>	1				2 1			2	i	1 2	<u></u>	1 1
9	Boston	871	33	3	10	3	12	5	255	1	15	149	90	169	7	120
10 11	Males. Females.	347 524	30 3	2	10	3	10 2	5	136 119	1	11 4	84 65	40 50	71 98	1 6	53 67
12	Diagnosis reasonably certain. $\{F_{-}^{M}\}$	196 377	30 3	2	10	- 3 	$^{10}_{\ 2}$	5	48 32	1	9 1	27 15	11 16	38 61	3	21 35
13	White	854	33	3	10	3	12	5	250	1	14	145	90	167	7	118
14 15	MalesFemales	340 514	30 3 30	2 1 2	10	3	10 2 10	5	131 119	1	10 4 9	80 65	40 50 11	70 97 37	1 6	52 66
16	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \dots \\ \mathbf{F} & \dots \end{aligned} ight.$	193 368	3	í	10	3	2	5	46 32	1	1	25 15	16	60	3	20 34
17	Colored	17		<u></u>					5		1	4			<u></u>	2
18 19	MalesFemales	7 10 3					· • • • • • • • • • • • • • • • • • • •		5 2		1	4		1 1 1		1 1 1
20	Diagnosis reasonably certain $\{F_{\cdot}^{\cdot}\}$	9												1		1
21	Brockton	55 15	1			1 1			19		1	13	- 5 1	12 5		6
22 23	Males	40 9				1			15 1		i	10 1	4	7 5		4 2
24	Diagnosis reasonably certain $\{ egin{aligned} \mathrm{M} \\ \mathrm{F} \end{aligned}$	19	••••						2			1	1	3		
25 26	Cambridge	39	3		1		3		34		$\frac{2}{1}$	25 13	7		1	10
27 28	Males Females (M.	72 27	1 3		i		$\begin{smallmatrix}2\\1\\2\end{smallmatrix}$		18 7		1	12 5	2 5 1	12 3	1	6 2
	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	46	1				1		1			1		7		2
29 30	Fall River Males	70	1			1		$-\frac{1}{1}$	16			10	6	15	1	10
31 32	Females. Diagnosis reasonably certain ${M \choose F}$	51 11	1 1			1		i	11			8	3	12 2	1	9
33	Lawrence	36 60	6	1	2	1	2	1	2 27		2	2 17	8	8 12	1	6
34	Males	17	4 2	1	2			1	11			10	1 7	2		1
35 36	Females	43 7 24	2 4 2	·····i	2		$\frac{2}{2}$	····i	16 2 4		2	$\begin{smallmatrix} 7\\2\\2\\2\end{smallmatrix}$	$\frac{7}{2}$	10 1 4	1	6
37	Lowell	98	2	1	1				43		2	23	18	12	1	1 6
38	Males	34	2	1	1				19			11	7	5	1	2
39 40	Females. Diagnosis reasonably certain ${M \choose F}$	64 11 34	2	1	I	• • • • • • • • • • • • • • • • • • • •		•••••	24 1 1		1	12 1	11 1	7 3 4	i	1
41	Lynn	91	7	2		2	2	1	29		2	20	7	10		9
42 43	Males	28 63 13	5 2	2			2	1	13		2	10 10	1 6	2 8		2 7
44	Females. Diagnosis reasonably certain $\{ egin{matrix} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{bmatrix}$	13 40	5 2	2		$\frac{2}{2}$	2	i	16 4 1		1	3 1	0	1 2		7 1 1
45	New Bedford	93	4		2		2		29			19	10	20	3	15
46 47	Males Females	26 67	3		1 1		2		9 20			5 14	4 6	8 12	2	6 9
48	Diagnosis reasonably certain ${M \choose F}$	15 40	3 1		1 1		2		4			3	1	6 5	1 1 1	5 2
49	Somerville	71	1				1		21			18	3	17	2	11
50 51	Males	21 50	1				1		5 16			5 13	3	5 12	2	3 8
52	Diagnosis reasonably certain ${M \choose F}$	8 27	1				1		2			2		2 5		·····3

									at head o				 .							T
Perito	neum,	1				DEAT	HS FROM	CANCER	AND OTE	ER MALI		<u> </u>		· · · · · · · · · · · · · · · · · · ·	·					-
intestin rectum	es, and		Female	genital or	gans.					·		Other or	gans or	of organs	not spec	ified.			-	
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
								•												
128 58	1	443	33	396	12	2	324	60	443 271	23	21	35	24	56 56	50	5-	37	7	185	-
58 70 58 68	1	443 432 7	33	396 396 5	12 12 2	2	3 321 3 321 4	38 22 38 22	172 173 81 4	20 3 20 3	7 14 3 2	15 20 11 10	10 14 7 4	22	36 14 15 4	4 1 2	17 20 3 9	7	99 86 83 49	}
i		7		5			4		2 2					1					1 2	-
1		7		5	2		4		1										i	}
42		144	14	127	3		108	14	148	12	9	12	8	19	15	2	7		64	-
17 25 17 23		144	14 11	127 127	3		108	10 4 10 4	100 48 70 28	11 11 11	4 5 1 . 1	6 6 4	5 3 3 1	19 8	12 3 6 1	1	3 4 1 1		. 38 26 33 19	}
42 17		139	14	123	2		106	14	145	12	9	12 6	8, 5	18	15	2	7 3		62	- 1
17 25 17 23		139 136 5	14	123 123 4	2 2 1		106 106 2	10 4	46 70 27	11 11 11 1	4 5 1 1	6 6 4	3 3 1	8	12 3 6 1	1	4 1- 1		38 24 33 18	}1
		5		4					1 2					1					2]
		5		; 4	1 1		2		1								•••••		2 1	}2
6		4		3	1		8.		· 11			1		2	2		2	1,	3	2
3 3 3 3		4		3	1 1		8		5 6 2 2			1 ,		2	1 1		2 1	1 1	1 2 1 1	}2 }2
5	1	13	2	10		1	19	4	20	<u></u>	1	1	1	2	1		1		13	2
1 4 1 4	1 1	13	2 2	10 10		1 1	19 19	3 1 3 1	12 8 11 4		1 1	1	1	2	1		1 1		9 4 8 2)2 }2
· 2		12	1	10	1		7	1	17	1	1	1	$\frac{2}{2}$		<u>4</u>				7	3
2 2 2		12	1	10 10	1		7	1	. 8 7 6	1	1	1	2		2 1 1				5 2 5	3 }3
1							·		2								1			3 3
3		9	2	9			4		1				1				i		 	}3
2							13	1	7					1					5 1 4	
3		13 12 19	2 1 1	11		:	13 13 9	3 1 3 2	4 1 15	1		1		1					1	}4
									8					1			2		<u>8</u>	4 4
1		19 19 17	1 1 2				9 9 11	2 2 3	7 3 5 9				3	1	1				7 1 5	}4
2		17	2	14	i		11	2 1 2 1	4 5 4	1			3	1	1		i		1	
- 1		10	1	8	J				13		ł		1	1	2		2		4	ľ
2		10	1 1	8			9		. 10 3 5	·····i'.	2		1	1	2				. 3 1 1 1	5 5 }5

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=						DEAT	ris fro	M CANC	ER AND O	THER M	(ALIGNAN	T TUMOR	s of—			
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton	eum, int nd rectun	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	MASSACHUSETTS—continued.									}						,
1 2	Springfield	92	3		2		1		33		1	19	13	20	1	17
3 4	Males . Females . Diagnosis reasonably certain ${M \choose F}$	53 24 24	3		2		1		18 6 3			10 5	8 1 3	11 5 2	1	10 - 3 1
5	Worcester	176	8		3	2	3		57	1	1	41	14	32	2	22
6 7 8	Males	59 117 30 76	6 2 6 2		3	1 1 1 1	$\begin{smallmatrix}2\\1\\2\\1\end{smallmatrix}$		26 31 5 8	1	1	21 20 4 3	3 11 5	7 25 5 12	2 1	18 2 6
9	Other cities	993	45	12	15	3	15		299	2	13	182	102	182	5	131
10 11 12	Males . Females . Diagnosis reasonably certain $egin{cases} M & \cdots & \\ F & \cdots & \\ \end{bmatrix}$	362 631 184 401	35 10 35 10	11 1 11 1	11 4 11 4	3	10 5 10 5		141 158 36 30	1 1 1	9 4 3 1	91 91 27 13	40 62 6 15	76 106 46 51	1 4	49 82 20 31
	michigan.															
13	Registration cities	997	41	7	11	2	16	5	400		12	253	135	129	14	83
14 15 16	Males	413 584 211 366	33 8 33 8	7	9 2 9 2	2	11 5 11 5	4 1 4 1	205 195 58 37		10 2 2	145 108 42 17	50 85 14 20	66 63 42 30	10 2 6	40 43 18 14
17	White	988	41	7	11	2	16	5	397		12	250	135	127	14	81
18 19 20	Males . Females . Diagnosis reasonably certain $egin{cases} M & \cdots \\ F & \cdots \end{cases}$	411 577 209 364	33 8 33 8	7	9 2 9 2	2 2	11 5 11 5	4 1 4 1	205 192 58 36		10 2 2	145 105 42 16	50 85 14 20	66 61 42 30	4 10 2 6	40 41 18 14
21	Colored	9					-		3			3		2		2
22 23 24	Males	2 7 2 2							3			3		2		2
25	Detroit	424	20	5	8		5	2	179		6	116	57	54	5	33
26 27 28	MalesFemalesDiagnosis reasonably certain $\{M, \dots, M\}$	178 246 91 148	19 1 19 19	5	8		4 1 4 1	2	96 83 27 14		5 1 1	69 47 20 6	22 35 6 8	25 29 18 14	1 4 1 3	14 19 7 5
29	Grand Rapids	120	2		1		1		54		1	35	18	18	3	10
30 31 32	Males	43 77 19 46	1 1 1 1		1		1		22 32 7 7		1	16 19 6 3	5 13 1 4	7 11 4 5	3	4 6 1
33	Saginaw	50	3				3		21		1	11	9	7	2	5
34 35 36	Males. Females. Diagnosis reasonably certain $\{ egin{matrix} M & . \\ F & . \end{bmatrix}$	27 23 14 17	3				3		14 7 5		1	7 4 3 1	6 3 1	3 4	1 1	2 3
37	Other cities	403	16	2	2	2	7	3	146		4	91	51	50	4	35
38 39 40	Males	165 238 87	10 6 10	2 ₂	2	2	4 3 4	2 1 2 1	73 73 19		3 1	53 38 13	17 34 6	31 19 20	2 2 1	20 15 10
	MINNESOTA.	155	6		2		3	1	15			7	8	7		5
41	Registration cities	605	32	4	9	2	15	2	250		8	179	63	79	8	45
42 43 44	Males	262 343 150 232	28 4 28 4	4	8 1 8 1	2	12 3 12 3	2	136 114 48 35		7 1 5	109 70 39 22	20 43 4	30 49 25 30	3 5 2 2	17 28 13 12
45	White	CO4	32	4	9	2	15	2	249		8	178	13 63	30 79	8	45
46 47 48	Males Females. Diagnosis reasonably certain. { M	262 342	28 4 28 4	4	8 1 8 1	2	12 3 12 3	2	136 113 48 35		7 1 5	109 69 39 22	20	30 49 25	3 5 2	17 28 13 12

			9.99.00		•	DEAT	HS FROM	CANCE	AND OTE	HER MAL		TUMORS	OF	<u> </u>			×	· · · · · · · · · · · · · · · · · · ·	
Perito intestir rectum	ies, and		Female	genital o	rgans.							Other o	rgans or	of organs	not spec	cified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	arone	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.
2		11	3	7															
1 1		ii	3		1		6	1	18 11 7	1		. 2	1 i		2		1 1		5 5
1 1 8		10 27	2 2	7 23	1 2		6 20	1 4	9 3 28	3	1	3	1	7	1 4	1	1	2'	5 5 2 }
3 5 3 5		27	2	23	2		20	2 2 2 2 2	18 10 12 7	1 2 1 2	1	. 1	1	7	3 1 2 1	1		2	3 3 3
46		25 171	5	23 161	4	1	20 114	27	155	3	1 7	13	6	23	16	2	15	4	66
26 20 26 20		171 167	5	161 161	4	1	3 111 3 111	18 9 18 9	89 66 46 23	3	1 6	9 2 3	2 4 1 1	23 6	10 6 . 3 1	1 1	5 10 4	4	36 30 27 14
32		166	5	160	1		84	30	147	4	4	· 18	6	19	12	4	10	2	. 68
22 10 22 10		166 166	5 5	160 160	1 1		84 84	19 11 19 11	90 57 59 30	3 1 3 1	2 2.	8 10 4 5	4 2 1 2	19 12	6 6 2 2	3 1 1	3 7 2 3	2	. 28 . 28 . 32 . 17
32 22 10	:	165	5	159	1		84	30 19 11	144 88	3	2	18	6	19	12 6	3	10		65 38 1
10 22 10		165 165	5	159 159	1		84 84	11 19 11	88 56 57 30	3 1 3 1	2	. 10 4 5	4 2 1 2	12	6 6 2 2	1	3 7 2 3	2	38 27 30 17 30
		1		i					2 1 2										$\begin{bmatrix} 3 & 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2 & 2 &$
16		78	• 2	75	1		30	6	57	1	2	4		8	5	1	5	1	30 2
10 6 10 6		78 78	2	75 75	1		30 30	4 2 4 2	34 23 23 9	1	1 1	2 2 2		8	1 4	i	1 4 1 2	1	19 2 11 2 14 6
5 3		15		15			14	- 5 3	12		1	1	2	1		2 .			5 2 3 3
2 3 2		15 15		15 15			14 14	2 3 2	2 4 2		1	i		i					$\begin{bmatrix} 3 \\ 2 \\ 2 \\ 2 \end{bmatrix} $ 3
		8		8			2	2	7 5 2	1		1		2	1				$\begin{array}{c c} 2 & 3 \\ \hline & 1 & 3 \\ 1 & 3 \end{array}$
		8					2	2	4 2	1		1 - 1		2					1 3
11 9		65	3	62			38	17 10 7	71	1	1	12 5	. 4	8	6	1	5 2	1	31 3
2 9 2		65 65	3	62			38 38	7 10 7	41 30 28 17	1 1 1 1	1	5 7 1 4	2 2 1 2	5	-4 2 2 1	i	2 3 1 1	1	17 14 15 8 8
		89	6	82	1 .		53	15	87	3	3	10	8	9	12	2	7	1	32 43
i		89 88	6 5	82 82	1		52 1 52	10 5 10 5	57 30 38 18	2 1 2 1	3	- 6 4 4 1	5 3 1	3		1		1	$ \begin{array}{c c} $
26 10 16		89	6	82			53	15 10 5	87 57	3 2	3	10	8	9	12 9 [¢]	1 1	7	1	32 48 17 46
16 10 16		89 88	6 5	82	' .		52 1 52	5 10 5	57 30 38:	2 1 2 1	2	6 4 4 1	5 3 1	3	9 [†] 3 [†] 7	1	3 2 1	1	17 46 15 47 14 }48

MORTALITY FROM CANCER.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

_						DEA	THS FRO	M CANO	ER AND	OTHER 1	MALIGNA	NT TUMOF	rs of—	•		
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	avity.				Ston	ach and	liver.		Peritor as	neum, int ad rectur	estines, n.
	AND DEBUT OF PROPERTY.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.									-						
	MINNESOTA—continued.						•									
1	Registration cities—Continued. Colored	1							1			1				
2 3	MalesFemales	·····i		<u> </u>			 		i			1				
4	Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right\}$			<u></u>					• • • • • • • • • • • • • • • • • • • •							
5	Duluth	68	2				2		38			27	11	9	2	4
6 7	MalesFemales	31 37	1 1				1 1		22 16			16 11	6 5	3 6	1 1	1 3
8	Diagnosis reasonably certain. ${M \choose F}$.	18 24	1 1				1		10 5		· · · · · · · · · · ·	7 3	3 2	3 5	1 1	1 2
9	Minneapolis	313	15		4	2	7	2	116		3	88	25	48	6	30
10 11	MalesFemales(M	138 175 76	13 2 13		3 1 3	$\frac{2}{2}$	6 1 6	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$	68 48 22		2 1 2	58 30 19	8 17	18 30	2 4	12 18 8
12	Diagnosis reasonably certain F .	121	2		1		1		15			8	7	13 18	1	9
13	St. Paul	166	10	2	- 5		3	<u></u>	75		5	51	19	17		7
14 15	Males	69 97 46	9 1 9	$\begin{bmatrix} 2 \\ \dots \\ 2 \end{bmatrix}$	5 5		2 1 • 2		33 42 15		5 3	25 26 12	3 16	7 10 7		3 4 3
16	Diagnosis reasonably certain. ${ m M}_{ m F}$	63	1				ĩ		14			10	4	6		
17 18	Other cities	58 24	5				3		21			13	8	5		4
19	MalesFemales	34 10	5 5	2 2			3 3		13 8 1			10 3 1	3 5	2 3 2		$\begin{bmatrix} 1\\3\\1 \end{bmatrix}$
20	Diagnosis reasonably certain $inom{M}{F}$.	21							1			1		í		. 1
21	Registration cities.	1,171	62	8	25	6	18	5	402	3	21	264	114	132	10	67
22	Males	489	56	8	22	6	16	4	217	3	17	151	46	60	7	27
23 24	Females	682 295 491	6 56 6	8	3 22 3	6	16 2	1 4 1	185 74	i	4 5	113 53	68 15	72 44	3 2 3	40 16 21
25	White	1, 121	60	8	25	6	17	4	39 387	3	20	23 251	16 113	51 127	9	63
26 27	Males	472	55	8	22	6	15	4	208	3	17	142	46	58	6	26
28	Females. Diagnosis reasonably certain ${M \choose F}$	649 286 467	55	8	22 3	6	2 15 2	4	179 72 39	1	3 5	109 51 23	67 15 16	69 43 51	3 2 3	37 15 21
29	Colored	50	2				1	1	15		1	13	10	5	1	4
30 31	MalesFemales	17 33	1 1				1		9 6			9		2 3	1	1
32	Diagnosis reasonably certain. ${M \choose F}$	9 24	1 1				1	1	2		1	2	1	1		3 1
33	Kansas City	254	20	5	9	3	3		72		2	51	19	31	1	16
34 35	MalesFemales	110 144	19	5	9	3	2		42 30		2	31 20	9 10	14 17	1	12 12
36	Diagnosis reasonably certain ${M \choose F}$	78 115	19	5	9	3	2		15 10			13 6	2 4	14 10	1	4 5
37	White	240	20	5	9	3			65		2	45	18	30	1	15
38 39	MalesFemales	105 135	19	5	9	3	2		38 27		2	27 18	9	13 17	1	3 12 3
40	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	77 109	19 1	5	9	3	2 1		15 10			13 6	2 4	13	1	3 5
41	Colored	14							7			6	1	1	·	1
42 43	Males Females	5 9							4 3			4 2	i	1		1
44	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	1 6												1		i
45	St. Joseph	97	3		1	1	1		32			23	9	13	1	7
46 47	MalesFemales	37 60	3		1	1	1		19 13			15 8	4 5	6 7	<u>i</u>	3 4
48	Diagnosis reasonably certain. $\left\{ \begin{matrix} \mathbf{M} \\ \mathbf{r}^{\mathbf{h}} \\ \vdots \end{matrix} \right\}$	21 45	3		1	1	1		4 2			4 2		5	····i	4 2 2

						DEAT	HS FROM	CANCER	AND OTE	ŒR MALI	GNANT	TUMORS	of—		<u>.</u>				
Periton ntestin rectum	neum, es, and —Con.		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.		-	
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
,							,		,						. '				
					<u> </u>														
														ļ	- 				
			===																
. 3		. 7	1.	6			4	3	5	<u></u>			1		2				2
$\begin{array}{c} 1 \\ 2 \\ 1 \\ 2 \end{array}$			····· ₁	6			4	2 1	3 2				·····i	- -	2				1 1
1		7	<u>ī</u>	6			4	2 1	$\cdot \stackrel{\tilde{2}}{_{1}}$						2				
		1 i		ł			lt .	1	1										1
12		47	2	45			31	6	50		2	5	, 5	5	9	2	4	1	17
, <u>4</u> , 8		47	2	45			1 30	4 2	34 16		2	3	3	5	7	1	2 2	1	' 10 7
4 8		47	<u>-</u> -	45			30 1 30	2 4	16 23 7		1	3 2 2 1	3 2 3 1	, 1	5		í	1	9
		1 1	ŀ	ļ			1	.2				1	1	#	1				4
10		25	1	24			10	5	24	2	1	4	1	3	1		2		10
4 6		25	·····i	24			10	4	16	1 1 1	1	3 1	1	3	<u>i</u>		2		5 5
4 6		24		24			10	4 1 4 1	8 11 7	į	1	2		2			1		4 5
				1				l. I	i	1	•••••				1				
		10	2	7	1		8	1	8	1		1	1	1			1		3
1		10	2	7	·····i		8	·i	4	1			1	1					1 2
1				1				l l	4 2 3	1		1					1		1 2
• • • • • • •		10	2	7	1		8	* 1	3								1		2
=1	,		14	, 010	ا ـ ا		100												
54	1	238	14	219	5.		109	45	183	7	4	17	19	15	31	11/	4	4	71
26 28 26 27	·····i	238	14	219	5		6 103 6	30 15 30 15	120 63 85 44	7	3	13	10 9	15	25 6	5 6	2 2	4	36 35 32 25
26		233	9	219	5		103	30	85	7	1 3	4 8 3.	6	9	13	3 2		4	32 32
		1 1	i				ł I		I		1		7		4		2	-:	
54	1	219	14	200	5		106	. 45	177	7	4	17	18	14	31	11	4	4	67
26 28 26 27	<u>-</u> -	219	14	200	5		100	30 15 30	115 62 80 43	7	3 1	13 4	9	14	25 6	. 5 6	2 2	4	33 34 29 24
26		214	9				6	30	80	7	3	8	9 5 7	8	13	3		4	29
21		[9	200	5	•••••	100	15	1		1	3			4	2	2		24
		19		19		<u></u>	3		6				1	1				<u></u>	4
· · · · · · ·		19		19					5				1	1					3
				19			3		5				'n	1					3 1 3 1
		19			,		3		1										
		51	2	48	1		29	· 17	34	3		2	4		6	2		2	15
9		51	2				1	12 5	22	3		1	1 3		6	1		2	8 7
9 5 9 5		li		48			28 1	12	22 12 17	3		1			4	1		2	. 8
		51	2	48	1		28	. 5	10			1	3		•••••				6
14		46	2	43	1		28	17	34	3		2	4		6	2		. 2	15
· 9		46	2	43	····i		27 1 27 27	12 5	22 12	3		1	1 3		6	1		2	8 7
9							, 1	· 12	17	3					4	1		···· <u>2</u>	8
5.	•	46	2	43			(5	10		• • • • • • • • • • • • • • • • • • • •	1	. 3		•••••				6
		5		5	<u></u>		1								······			<u></u>	
		5																	
		5 5		5\			1								•••••			:	• • • • • • • • • • • • • • • • • • •
		l li		5	l i		1												•••••
5		20	1	19			16	2	11		2	1		1	2	1			4
3							1	2			2	1		1	1	1	.,		
2 3		20 19	1	19			15 1	·····2	5 6		2	i		····i	. 1	i			4
2		19 1		19	I		l 15 l		1 <u>4</u>					-	ī	-			3

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=	1		<u> </u>					able, p.								
					_	DEA!	THS FRO	OM CAN	CER AND	OTHER	MALIGNA	NT TUMO	RS OF-			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	eavity.				Stom	ach and	liver.		Periton aı	eum, int ad rectur	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
1	MISSOURI—continued.	701	22	1	**		10	,	000							
2	St. Louis	302	28	1	14	$\frac{2}{2}$	12	3 1	262	3	18	168 95	. 29	80 37	6 5	19
3 4	Females	399 179 274	5 28 5	1	3 11 3	2	1 11 1	1 3 1	121 53 25	1	5	95 73 35 13	12 12 12	43 24 32	1 1 1	19 21 10 12
5	White	671	31	1	14	2	11_	3	255	3	17	162	73	76	5	37
6 7 8	Males . Females . Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{array} \right.$	291 380 171 261	27 4 27 4	1	11 3 11 3	2	10 1 10 1	3	137 118 51 25	3	14 3 5	91 71 33 13	29 44 12 12	36 40 24 32	4 1 1	19 18 10 12
9	Colored	30	2		<u> </u>		1	1	7		1	6		4	1	3
10 11 12	Males. Females Diagnosis reasonably certain $egin{cases} M & \cdots & \\ F & \cdots & \end{array}$	11 19 8 13	1 1 1 1				1 1	1 1	4 3 2		i	4 2 2		1 3	1	3
13	Other cities	119	6	2	1		2	1	36	<u></u>	1	22	13	8	2	4
14 15 16	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	40 79 17 57	6	2	1		2 2	1	15 21 2 2		1	10 12 1 2	4 9 1	3 5 1 4	1 1 1	$\begin{bmatrix} 1\\3\\ 2\end{bmatrix}$
17	MONTANA. Registration cities	82	5		3		2		32		1	25	6	11	3	5
18	Males	39	5		3		2		17			15	2	7	2	
19 20	Females	43 22 26	5		3		2		15 5 1		1	10 5 1	4	4 6 4	1 2 1	3 2 2 2
21	White	81	5		3		2		32	<u></u>	1	25	6	11	3	5
22 23 24	Males. Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} M & \cdots \\ F & \cdots \end{array} \right.$	39 42 22 25	5		3		2		17 15 5 1		1 1	15 10 5 1	2 4	7 4 6 4	2 1 2 1	3 2 2 2
25	Colored	1														
26 27	Males Females	1														
28	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{aligned} ight.$	1										••••				
29	NEBRASKA. ¹ Registration cities	187	3	1	1		1		66			44	22	23	3	16
30 31	Males	81 106	3	1	1		1		38 28			29 15	9	13 10	3	7 9
32	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	51 75	3	1	i		1		18 8			15 3	35	8	3	2 4
33	White	185	3	1	1		1		66			44	22	22	3	15
34 35 36	Males	80 105 51 74	3	i	1 1		1 1		38 28 18 8			29 15 15 3	9 13 3 5	12 10 8 5	3	6 9 2 4
37	Colored	2												1		1
38 39	Males	1 1												1		1
40	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{H} & \cdot \\ \mathbf{F} & \cdot \end{array} ight]$	1														
41 42	Omaha	140	1	1					46			32	14	14	3	7
43 44	Females. Diagnosis reasonably certain. $\left\{ egin{array}{ll} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array} \right\}$	62 78 38 60	1	1					30 16 12 4			23 9 10 1	7 7 2 3	8 6 7 5	3	2 5 1 4
45	Lincoln 2.	47	2		1		1		20			12	8	9		9
46 47 48	$egin{array}{c} ext{Males} & ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} & ext{.} \ ext{F} & ext{.} \ ext{.$	19 28 13 15	2		1		1		8 12 6 4			6 6 5 2	2 6 1 2	5 4 1		5 4 1

 $^{^{\}rm 1}$ Nonregistration state; eities shown below only those with effective local ordinances.

1

[See note at head of this table, p. 88.]

						DEATE			at head of				of—			****			
Peritor intestin rectum	es, and		Female	genital or	gans.	•						Other or	gans or o	of organs	not spec	eified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
, 33	1	130	7	120	3		54	23	119	4	2	14	13	12	20	8	3	. 2	41
13 20 13 19	1	130 128	7 5、	120 120	3		50 4 50	15 8 15 8	77 42 55 26	. 4	1 1 1	11 3 7 2	7 6 5 4	12 8	15 5 7 3	. 5 2 2	2	22	21 20 19 12
33 -	1	120	7	110	3		53	23	113	4	2	14	12	11	20	s	3	2	37
13 20 13 19	1	120	7	110	3		4 49 4 49	15 8 15 8	72 41 50 25	4	1 1 1	11 3 7 `2	6 6 4 4	11 7	15 5 7 3	3 5 2 2	1 22	2	18 19 16 11
		10		10			1		6				1	1					4
		10		10			i		· 5				1	1					3
		10		10			i		5 1				. 1	1					3 1
2	<u> </u>	37	4	32	1		10	3	i9				2	2	3		1	<u> </u>	11
1		37	4	32	1		10	1 2 1 2	15. 4 7				2	2	3		1		7 4 5
1		35	2	32	i		1,0	2	4				1		1				5 4
3		13	<u></u>	12		1	5	1	15		1	3		1	1		2	1	. 6
$\begin{smallmatrix}2\\1\\2\end{smallmatrix}$		13		12		i	5	1	9 6		_i -	1 2		1	1		1	1	· 2 2 2
$\frac{2}{1}$		12		12			5	1	5 4			1		1			1	1	2 2
3		13		12		1	5	1	14		: 1	3		1	1	<u> </u>	2	1	5
2 1 2 1		13		12		i	5	1	9 5		i	1 2		1	1		1 1 1	1	4 1
2 1		12		12			5	1	5 3			1		1			i	1	2 1
		<u></u>	<u> </u>						1		<u></u>					<u> </u>			1
									i										i
•									1										i
4		38	3	34	1		18	5	. 34		4	2	1	1	5	2		1	18
3 1		38	3	34	····i		18	5	22 12 17		3 1 1	1 1	1	1	4 1	<u>2</u>		1	11 7 10 5
3 1		37	2	34	i	ļ	18	5	17 7		1	1 1 1	1	1	2	i		1	10 5
4		38	3	34	1		18	5	33		4	2	1	1	5	2		1	17
3 1 3 1		38	3	34	i		18	5	22 11 17		3 1	1 1 1	1	1	4 1	2		1	11 6 10 4
3 1		37	2	34	i		18	5	17		1	1 1	1	1	2	<u>i</u> -		1	10 4
• • • • • • •	<u> </u>			<u> </u>	<u> </u>	<u></u>	<u></u>		1	<u></u>						<u></u>			1
	 								1							ļ			i
· · · · · · ·									1	:									i
4		33	3	29	1		13	5	28		4	2	1	1	4	1		<u> </u>	15
3		33	3	29	i		13	5	18 10 13	 	3 1	1 1	1	1	3	i	······		9
1 3 1		32	2	29	1		13	5	6		1	1	1	1	1	1			8 4
		5		5		<u></u>	5		6	<u></u>					1	1		1	3
		5		5		-	5		4 2						1	i		1	2 1 2 1
	<u> </u>	5	ļ	5			5		4 1		,				1		·····	1	2 1

²The only other registration unit; shown in order to complete the state.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

Ī	`					DEAT	ens fro	M CANC	ER AND O	THER M	IALIGNAN	T TUMOR	s of—			Ì
		Aggre-			Buccal	avity.				Ston	ach and	liver.		Periton	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
ĺ	REGISTRATION CITIES—Con.															
	NEW HAMPSHIRE.	173	2				2		48		1	29	18	38		27
2	Registration cities	54	2				2		27		1	17	9	13		
4	Females	119 27 82	2				2		21 8 2			12 5	9 3 2	25 8 14		8 19 3 8
5	White	172	2				2		47		1	29	17	38		27
6 7 8	Males	53 119 26 82	2				2 2		26 21 7 2		1	17 12 5	8 9 2 2	13 25 8 14		8 19 3 8
9	Colored	1	<u></u>						1				1			
10 11	MalesFemales	1							1 1				1 1			
12	Diagnosis reasonably certain $\{F$							=====								
13	Manchester	56	2 2				2		12			10		13		10
14 15 16	$egin{array}{ll} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} & ext{M} & ext{-} & ext{F} & ext{-} &$	13 43 7 30	2				2		8 1			3 7	1 1 1	9 1 7		3 7 5
17	Other cities	117							36		1	19	16	25		17
18 19	MalesFemales	41 76							23 13		1	14 5	8 8 2 2	9 16		5 12
20	Diagnosis reasonably certain. $\left\{egin{smallmatrix}\mathrm{M} \ldots \\\mathrm{F} \ldots \end{smallmatrix} ight.$	20 52							7 2			. 5	2 2	77		3
	NEW JERSEY.						١									
21	Registration cities	1,426	42	7	19	8	14	1	547 255	3	13	353 177	176	218 85	20	128
22 23 24	Females Diagnosis reasonably certain ${M \choose F}$	881 243 529	10 42 10	1 7 1	19 2 2	5 3 5 3	10 4	i	255 292 53 51	i	1 3 1	176 39 31	114 11 19	133 45 74	16 2 8	50 78 12 27
25	White	1,384	52	8	21	8	14	1	534	3	14	342	175	212	20	126
26 27 28	Males. Females Diagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} ight.$	537 847 241 502	42 10 42 10	7 1 7 1	19 2 19 2	5 3 5 3	10 4 10 4	1	249 285 53 50	2 1	13 1 3 1	172 170 39 30	62 113 11 19	128 44 70	4 16 2 8	50 76 12 26
29	Colored	42			ļ		 		13	1		11	1	6		2
30 31 32	MalesFemales M_F Diagnosis reasonably certain.	8 34 2							6 7	1		5 6	1	1 5 1		2
33	Camden	$\frac{27}{74}$	<u></u>			1			26		1	20	5	12	1	3
34	Males	27	-						11		1	9	1 4	4	1	
35 36	Females	47 17 30	1 1			<u>1</u>			15 4 2			11 3 1	$\begin{vmatrix} & 4\\ & 1\\ & 1 \end{vmatrix}$	8 4 6	1	3
37	Elizabeth	76	4		2	1	1		33		1	21	11	8	2	4
38 39 40	Males	36 40 12 19	3 1 3 1		1 1 1	1	1		15 18 1 2		1	10 11 1 1	4 7i	5 3 2 1	1	2 2 1
41	Jersey City	217	7	2	2	1	2		97		1	63	33	28	3	19
42 43 44	Males	82 135 37 72	5 2 5 2	1 1 1 1	2	1	1 1 1 1		43 54 8 5		1	33 30 7 2	9 24 1 3	12 16 6 9	3 2	10 9 4 3
45	Newark	340	12	2	6		4		135	2	8	85	40	54	5	29
46 47 48	Males	132 208 54 129	10 2 10 2	2	6		2 2 2 2		68 67 15 16	1	8	45 40 10 10	14 26 2 6	25 29 13 18	1 4 4	13 16 2 5

	<u></u>				·	DEAT	HS FROM	CANCER	AND OTH	ER MALIC	GNANT 1	rumors	or 						
Peritor intestin	ies, and		Female	genital or	gans.							Other or	rgans or	of organs	not spec	eified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
	į									,					,				
11 5		33		32		1	26	3	21 8 13	1		1	2	3	2			1	11
6 5 6		33		32		1 1	25 1 25	3 2 3 2	13 5 6	1		1	1		2			1	2 9 2 5
11		33		32		1	26	5	21	1		1	2	3	2			1	11
5 6 5 6		33		32 32		1	1 25 1 25	3 2 3 2	8 13 5 6	1 1		1	2	3	2			1	· 9 2 5
																			•••••
3		13		13			8	3	5	1									4
1 2 1		13		13			8	2 1 2 1	1 4 1	1 1									4
2 8		13 20		13 19'		1	. 8 18	1 2	1 16			1	2	3	2			1	1 7
4 4		20		19		i	1 17	1 1	7 9			1	2	. 3				1	
4		20		19		1	17	1	5			1	1					1	2 5 2 4
70		214	12	197	5		136	31	228	14	17	18	17	17	27	3	. 17	2	96
31 39 31 39		214 207	12 6	197 196	5 5		134 2 134	21 10 21 10	140 88 80 43	12 2 12 2	9 8 2 1	11 7 4 3	6 11 1 4	17 6	17 10 7 5	1 2	8 9 2 3	2	57 39 44 25
66		199	12	183	4		131	31	225	14	17	18	17	17	26	3	17	2	94
30 36 30 36		199	12	183 182	4		129 2 .129	21 10 21 10	139 86 79 41	12 2 12 2	9 8 2 1	11 7 4 3	6 11 1 4	17 6	17 9 7 4	1 2	8 9 2 3	2	56 . 38 43 24
4		15		14	1		5		3						1			<u> </u>	2
1.				14			l		1 2 1						1				1 1 1
= <u>3</u>				14	1		5	5	13	1		1	1	2	4				1
3		1		12			5	4 1 4 1	8 5 5	i		.1	i	2	3 1 1				3 1 3
5		12		12 7			5 5	1	3 18	1 2	1	1	2		1 2				8
		I		. 7			5	1	13 5	2		1			2		1		7
		7		7			5	1	6 2			1							1
2		28	2	25			18	5 2	34	1	2	1	1	2	2				23 14 9
4 2 4		28 28	2	25 25			18 18	2 3 2 3	14 16 7	1	2	1	1		i		1		9 14 7
		54	7	46	1		31	9	1 1	3	6	4			7	3			14
11 9 11		54 49	7	46 45			31 31	7 2 7 2	22 23 9 11	3 3	1	3 1 2 1			. 4 1	1 2			5 9 3 5

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī						DEAT	HS FRO	M CANC	ER AND (THER M	ialignaņ	TUMOR	s of—			
		Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton an	eum, inte d rectum	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW JERSEY—continued.														,	
1	Paterson	124	2	1			1		51	1	1	38	11	19	1	16
3	MalesFemales	50 74 18	$\begin{vmatrix} 2 \\ \cdots \\ 2 \end{vmatrix}$	1 1			1 1		30 21 5	1	1	25 13 5	4 7	14 2	·i	$^{4}_{12}$
4	Diagnosis reasonably certain $\left\{egin{matrix} \mathbf{M} & . \\ \mathbf{F} & . \end{array}\right\}$	45					ļ		2		1	ĭ		8		6
5	Trenton	98	9	2	3	1	3		35		1	20	14	15	2	8
6	MalesFemales	42 56	7	2	2	1	2		17 18		1	10 10	6 8	5 10	·····ż	3 5
8	Diagnosis reasonably certain $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	26 34	7 2	2	2	1	2 1		4 5		\	3	2	4 5		2 2
9	Other cities	497	17	1	8	4	3	1	170	1	1	106	62	82	6	49
10 11	MalesFemales	176 321	15 2	1	8	2 2	3	1	71 99	1	1	45 61	24 38	29 53	6	18 31
12	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$	79 200	15 2	1	8	2 2	3	1	16 19			9 13	6	14 27	······2	3 9
-	NEW YORK.		ļ													
13	Registration cities	6,621	243	18	97	24	80	24	2,418	17	139	1,532	730	1,032	87	614
14	MalesFemales	2,685 3,936	204 39	17	86 11	22 2	60 20	19 5	1, 223 1, 195	15 2	111 28	801 731	296 434	448 584	34 53	256 358
15 16	Diagnosis reasonably certain. $\{ \mathbf{r} \}$	1,425 2,489	204 39	17 1	86 11	$\frac{22}{2}$	60 20	19 5	348 219	7 1	50	224 119	67 92	316 335	53 21 20	142 148
17	White	6,528	242	18	96	24	80	24	2,390	16	137	1,517	720	1,022	87	608
18	Males	2,663	204	17	86	22	60	19	1,211	14	109	795	293	445	34	254
19 20	Females	3,865 1,417	38 204	17	10 86	2 22	20 60	5 19 5	1,179 347 217	7 1	28 50 7	722 223 118	427 67 91	577 314 330	53 21 20	354 141 145
	<u></u>	2,435 93	38	1	10	2	20	3	217	1	2	15	10	10	20	6
21	Colored	22	1						12	1	2	6	3	3		2
$\frac{22}{23}$	Females	71 8	1		1				16		. .	9	7	7 2		4
24	Diagnosis reasonably certain. $\left\{egin{matrix}M\dots\\F\dots\end{array}\right.$	54	1		1							1	1	5		3
25	Albany	151	3	1					46	2		32	11	19	2	12
26 27	Males Females	48 103	3	1					16 30 3	1		11 21 2	3 8 1	5 14 3	1 1	10
28	Diagnosis reasonably certain $\{ egin{matrix} M \dots \ F \dots \end{bmatrix}$	23 64	3	1	2	.			6			3	3	4		2
29	Buffalo	435	16	2	5		. 8	1	162	j	9	106	47	56	6	32
30 31	MalesFemales	192 243	16	2	5		. 8	1	81 81		8	56 50	17 30	28 28 15	2 4 1	16 16
32	Diagnosis reasonably certain $\{rac{M}{F}\}$	94 153	16	2			8	. 1	19 13		. 4	11 8	5	15 19	$\frac{1}{2}$	9
33	New York	4,452	166	7	70	18	51	20	1,735	12	117	1,100	506	705	62	415
34	Males	1,908	142 24	7	. 63	18	. 38	16	908 827	11	95	594 506		318 387	24 38	181 234
35 36	Females Diagnosis reasonably cer-{M. tain\F.	2,544 1,004 1,558	142 24		7 63	18	38	16		6	44	170 86	41	231 221	14 15	106 94
37	White	4,369	165	7					1,713	12	1	1,089		696	62	410
38	Males	1,889	142	7	63	18	38		899		94	589	205	315	24	179
39 40	Females	2,480 996	142	7		18	40	16	814 260	6	44		41	381 229 217	24 38 14 15	179 231 105 92
	tain(F		23		. 6		. 13	4	151 22	,	7	85		9	15	5
41 42	Colored		- ¹				-		9	-	. 1	5	3	3		2
42 43 44	Females Diagnosis reasonably cer-{M. tain. {F.	64	1		;				13 1 2		- -	6 1 1	7	. 6		3 1 2
45	Bronx Borough	516	19	1	9	3	2	4	187	1	10	124	52	104	8	63
46	Males	209	17 2	1			2	. 3	92 95	1	. 1	62	20 32	42 62	1 3	24 39
47	Females	307 110		i	1 8		2	3 1	22	1		18	1	11 33	5	15 17

•						DEAT	HS FROM	CANCER	AND OTH	ER MALIC	NANT 7	UMORS (of—			•				_
Peritor intestin rectum	es, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			•	
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
	-																			
2	<u> </u>	21	1	20			12		19	1	1	2 2	3	2 2	3 2		1		6	1
<u>2</u>		21	1	20			12		6 9	<u>.</u>	1	<u>-</u> -	1 2 1	2	1				4 2 3	2 3 } 4
2 5		20 9		20 9			12 11	2	3 17	2	2	2	1	2	1		3		6	1 5
2 3 2 3		9		9	/		1 10 1	2	10 7 8	2	1 1 1	1 1 1		<u>2</u>			. 1 2 1		3 3 · 2 2	6 7 } 8
ა 27		9 83	2	9 78	3		10 54	9	82	4	5	6	5	9	9		1 7	2	35	ا. 9
11 16 11 16		83	2 1	78 78	3		1 53 1 53	6 3 6 3	54 28 27 14	3 1 3 1	3 2 1	4 2	3 2 1	9	5 4 3 1		4 3 1 2	2	21 14 15 9	10 11 }12
. 318	13	961	82	851	25	3	725	121	1, 121	65	84	86	75	93	184	9	70	16	439	13
153 165 152 163	5 8 1 4	961	82 56	851 848	25 25	3	15 710 15 708	75 46 75 46	· 720 401 467 210	58 7 58 7	53 31 23 9	40 46 15 17	45 30 24 18	93 39	123 61 68 22	3 6 2 4	34 36 16 10	16 16	255 184 206 123	14 15 }16
314	13	930	79	824	24	3	711	121	1,112	65	84	85	73	91	183	9	70	16	436	17
152 162 151 161	5 8 1 4	930	79 53	824 821	24 24	3	15 696 15 694	75 46 75 46	713 399 462 209	58 7 58 7	53 31 23 9	39 46 15 17	44 29 23 17	91 38	122 61 67 22	、 3 6 2 4	34 36 16 10	16 16	253 183 204 123	18 19 }20
4		31	3	27	1		14		9	<u></u>		1	2	2	1				3	21
1 3 1 2		31	3	27 27	1 1		14 14		7 2 5 1	- !		1	1 1 1 1	1	1				2 1 2	22 23 }24
4	1	31	3	27		1	20	2	30		2		1	7	ő		2		12	25
2 2 2 2	1	31	3	27 26		1 1	20	2	22 8 12 4		2		1	2	5 1 3 1		1 1		8 4 7 2	26 27 }28
18		64	6	56	2		46	8	62	4	- 6 3	5	2 2	16	12 6		<u>3</u>	2	24	29 30
8 10 8		64 61	6	56 56	2		45 1 44	4 4 4	21 39 12	4	3 1 1	3 2 2 1	1	8	6 3 3		1	2	9 18 7	31 }32
221	7	587	49	517	20	1	449	68	742	47	71 47	55 26	53 34	41	125 86	8	50 26	10	282	33
111 110 110 109	2 5 1 3	587 572	49 36	517 515	20 20	1 1	10 439 10 439	27 41 27	489 253 319 122	43 4 43 4	47 24 20 8	26 29 9 9	34 19 19 11	14	86 39 47 10	3 5 2 4	26 24 13 6	10	173 109 142 70	34 35 }36
217	7	558	46	- 491	20	1	436	68	733	47	71	54 25	51	39	. 124	8	50 26	10	· 279	37
110 107 109 107	2 5 1 3	558 543	46 33	491 489	20 20	1	10 426 10 426	41 27 41 27	482 251 314 121	43 4 43 4	47 24 20 8	25 29 9 9	33 18 18 10	13	85 39 46 10	3 5 2 4	24 24 13 6	10 10		38 39 }40
4		29	3	26			13	<u></u>	9 7			1	2	2 2	1				3 2	41
1 3 1 2		29	3	26 26			13 13		2 5 1				1 1	1	1				1 2	42 43 44
32	1	64	4	57	3		55	8	79	1	7	4	3	8	14		8	1	33 21	
13 19 13 19	1	64 61	4	57 56			53 2 53	3 5 3 5	53 26 33 11	, i	3 1	1 3	2 1	3	9 5 7 1		6 2 3	1 1	21 12 18 9	47 }48

Table 2.—Deaths from cancer and other malignant tumors, classified according to the part of registration states, and for each registration unit in

=						DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN	T TUMOR	s of—			
		Aggre			Buccal c	avity.				Stom	ach and	liver.		Peritor a	neum, in nd rectu	testines, m.
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW YORK—continued.					-										
1	Bronx Borough—Continued. White	511	19	1	9	3	2	4	186	1	10	123	52	104	8	63
2 3	Males	207 304	17	1	8 1	3	2	3 1	91 95	1	9	61 62	20 32	42 62	5 3	24 39
4	Females	110 190	17 2	1	8	3	2	3	22 24		3	18 16	32 1 7	33 37	5	39 15 17
5	Colored	5		ļ					1			1				
6 7	MalesFemales	2 3							1			1				
8	Diagnosis reasonably certain. ${f M}$	3														
9	Brooklyn Borough	1,439	53	2	24	6	19	2	570	4	29	364	173	223	16	136
10 11	Males Females	583 856	42 11	2	22 2	6	10 9	2	290 280	4	24 5	186 178 53 27	76 97	100 123	6 10	55 81 31
12	Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} & \cdot \\ \mathbf{F} & \cdot \end{matrix}\right.$	304 530	42 11	2	22 2	6	10 9	2	85 49	2	14 1	53 27	16 21	72 69	3	31 34
13	White	1,410	53	2	24	6	19	2	561	4	29	360	168	218	16	131
14 15	Males Females	578 832	42 11	2	22 2	6	10 9	2	288 273 85	4	24 5	185 175 53	75 93 16	98 120 71	10 3	53 78 30
16	Diagnosis reasonably certain $\left\{egin{matrix}M\dots\\F\dots\end{aligned} ight.$	302 514	42 11	2	22 2	6	10 9	2	48	2	14 1	27	20	67	3	32
17	Colored	29	<u></u>	<u></u>					9			4	5	5		5
18 19	Males	5 24 2							7			1 3	1 4	$\begin{array}{c} 2\\ 3\\ 1 \end{array}$		2 3 1
20	Diagnosis reasonably certain. $\{F\}$	16							1				1	2		2
21	Manhattan Borough	2,124	77	4	34	7	23	9	826	. 6	67	519	234	328	12	191
22 23	MalesFemales(M.	955 1,169 506	68 9 68	4	30 4 30	7 7	20 3 20	7 2 7	455 371 139	5 1 4	53 14 24	297 222 88	100 134 23	148 180 104	22 6	103
24	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	722	9		4		3	2	73	1	5	41	26	101	9	38 191
25 26	White Males	2,079	76 68	4	33	7	23	7	815 449	5	52	513 294	230 98	324	12	88
27 28	Females. Diagnosis reasonably certain. ${M \choose F}$	1,135 500	68	4	3 30	·····7	20 3 20	7	366 138	5 1 4	14 24	219 87	132 23	177 103	22	103 50
29	Colored	693 45	8 1		3		3	2	72	1	5	40	26 4	99	9	38
30	Males	11							6		1	3	2	1		
31 32	Females. Diagnosis reasonably certain. $\{ egin{matrix} M \dots \\ F \dots \end{bmatrix}$	34 6 29	1		1				5			3	2	3 1 2		
33	Queens Borough	29	1 12		3	2	4	3	1 111	1	9	69	32	41	3	19
34	Males	115	11		3	2	4	2	51	1	7	35	8	23 18		
35 36	Females. Diagnosis reasonably certain. ${M \over F}$	162 60 89	1 11 1		3	2	4	$egin{array}{c} 1 \ 2 \ 1 \end{array}$	60 10 6		2 2	34 8 2	24 4	18 18 12	3	11 8 7 4
37	White	276	12		3	. 2	4	3	111	1	9	69	32	41	3,	19
38	Males	115 161	11 1		3	2	4	2	51 60	1	7 2	35 34	8 24	23 18	3	11 8
39 40	Diagnosis reasonably certain. ${M \choose F}$	60 88	11 1		3	2	4	2 1	10		2	8 2	4	18 12	2	7 4
41	Colored	1														
42 43	Males Females	1														
44	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right.$	i														
45	Richmond Borough	96	5				3	2	41		2	24	15	9	1	6
46 47	Males	46 50	4				2	2	20 21		2	14 10	4 11	5 4	1	3 3 3
48	Diagnosis reasonably certain. $\{ egin{matrix} M \dots \\ F \dots \end{bmatrix}$	24 24	4 1				2 1	2	21 5 1		1	3	1	4 2		3
49	White	93	5				3	2	40		2	24	14	9	1	6
50 51	MalesFemales	45 48	4				2	2	20 20		2	14 10	10 10	5 4	1	3 3 3 1
52	Diagnosis reasonably certain. $\{\stackrel{M}{F}$.	$\begin{vmatrix} 24 \\ 23 \end{vmatrix}$	1	J		l::::::	2	2	5 1		1	3	1 1	2		3 1

		-							t head of							 -				
Desites		1				DEAT	HS FROM	CANCER	AND OTE	ER MALI	GNANT '	TUMORS	OF-							
Peritor intestin rectum	es, and —Con.		Female	genital or	gans.						• 4	Other or	gans or o	f organs	not speci	ified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
		•		,		ě														
32	1	61	4	54	3		55	8	78	1	7	3	3	8	14	ļ	8	1	33	_
13 19 13 19	1	61 58	2	54 53	3		2 53 2 53	3 5 3 5	52 26 33 11	1	4 3 1	3	2 1	3	9 5 7 1		6 2 3	1	21 12 18 9	1
		3		3					1			1								6 7
		3		3																8
68	3	197	11	177	9		154	30	212	13	16	14	11	8	37	2	12	2	97	9
38 30 38 30	2	197	11 9	177 177	9		154 154	20 10 20 10	· 131 81 85 42	13	11 5 5 2	6 8 1 3	8 3 3 2	8 3 	22 15 8 4	1	5 7 2 2	2	54 43 47 29	10 11 }12
68 38	$\begin{array}{c c} 3 \\ \hline 1 \\ 2 \end{array}$	190	9	172	9		148	30 20	210 130	13	16 , 11	14	8	7	37 22	2	12 5	2	96 54	13 14 15
38 30 38 30	. 2	190 188 7	9 7 2	172 172 5	9		148 148 6	20 10 20 10	130 80 84 42 2	13	, 11 5 5 2	6 8 1 3	3 2	1	22 15 8 4	1	5 7 2 2	2	54 42 47 29	15 }16 17
		7	2)5			6		1					1					i	18
		7	2	5			6		î					1						20
101	2	281	33	241	6	1	203	26	383	27	·41	, 33	37	23	59 45	6	26 13	6	125	21
47 54 47 53	1 1 1	281	33 25	241 240	6	1	195 8 195	15 11 15 11	261 122 172 61	24 3 24 3	27 14 11 5	16 8 6	15 14 9	7	45 14 28 4	1 5 1 4	13 7 4	6	83 · 42 66 26	22 23 }24
97 46 51	1	263	32	224	6	1	197	26 15	378 257	27	27	33	35 21	23	58 44	6	26 13	6	123	25 26
51 46 51	1 1 1 1	263 254 18	32 24 1	224 223 17	. 6	1	189 8 189	15 11 15 11	257 121 168 60	24 3 24 3	27 14 11 5	17 16 8 6	14 13 8	7	44 14 27 4	1 5 1 4	13 7 4	6	81 42 64 26	26 27 }28
1 3		18	i	17			6		5 4 1				1		1				2	29 30
1 2		18	i	17			6		1 4 1				1 1		1				2	30 31 32
18	1		1	29	2		- 32	4	45	4	7	2	2	1	12		1		16	-1
11 6	1	32 31	i	29 29	2		32	3 1 3 1	27 18 18 6	3 1 3 1	5 2 4	1	2	1	. 3 . 3		1		7 9 5 5	34 35 36
18	1		1	29	2		31	4	45	·4	· 7	2	2	1		<u> </u>	1			37
6 11 6	i	32 31	i	29 29			31	3 1 3 1	27 18 18 6	3 1 3 1	5 2 4	1	2	1	8 4 3		1		7 9 5 5	38 39 }40
							1		ļ <u>:</u>	<u></u>										.j
							1 1													42 43 44
1				13					23	2		2 1 1		1	3		2	1		45
1 1		13		13 13				/	6 11 2	2		1			1 1 1		1 1	i	8 3 6 1	46 47 }48
2				12			i i		22			2			3		3	1	11	49
1 1 1 1 1	•	12		12			5		16 6 11 2	2		. 1 1			2 1 1 1		2 1 1	1	8 3 6 1	50 51 }52

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī						DEAT	HS FRO	M CANC	ER AND C	THER M	ALIGNAN	T TUMOR	s of—			
		Aggre-			Buccal o	avity.				Ston	ach and	liver.			eum, int	
,	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	NEW YORK—continued. Richmond Borough—Continued.															
1	Colored	3							1				1			
2 3 4	MalesFemales	2							1				1			
5	Rochester	1 261	10		5	2	2	1	79		3	44	32	51	8	28
6	Males	95 166	8 2		5	2		1	30 49		1 2	19 25	10 22	23 28	5 3	10 18
8	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	70 118	8 2		5	2	2	1	15 16			11 6	4 10	28 18 20	4 1	6 12
9	Syracuse	38	3	1					.33	1	1	7	14 8	11		6
10 11 12	Females. Diagnosis reasonably certain.	88 20	1 2 1 2	1	 				16 7 2	i		10 3 2	6 3	8 1 5		4
13	Troy	64 136	9	2	3	1	3		41	1	1	27	12	16		9
14 15	MalesFemales	52 84	8 1 8	2	3	1	3		24 17	1	1	13 14	9	6		4 5
16	Diagnosis reasonably certain. $\{F\}$	84 25 59	1	2	3	1	3		5 3			3	2	3 5		2
17 18	Utica	82 25		1					30			20	10 5	17		8
19 20	Females. Diagnosis reasonably certain. ${ m M}_{ m F}$	57 11 37	1 1 1	1 1					16 3 2			11 1 2	5 2	11 4 8		6
21	Yonkers	65	2		2				26	1		17	8	11	1	8
$\frac{22}{23}$	MalesFemales	29 36	2		2				15 11			10 7	4 4	7 4	1	6 2
24	Diagnosis reasonably certain. $\{F : F : F = F\}$	9 20	2						1 1			1	1	3 1		2
25 26	Other cities	913	32	$\frac{3}{3}$	10	$\frac{3}{2}$	14	$\frac{2}{1}$	266 118		7	169	90	146 52	8	96
27 28	Females. Diagnosis reasonably certain. ${ m M}_{ m F}$.	615 169 416	9 23 9	3	4 6 4	1 2 1	3 11 3	1 1 1	148 34 23		3 2	87 22 9	58 10 14	94 38 52	$\begin{array}{c} 6 \\ 1 \\ 2 \end{array}$	63 22 26
	NORTH CAROLINA.							,								
29 30	Registration cities	124 34	1		1				37		1	19	17	9	2	4
31 32	Females. Diagnosis reasonably certain. ${M \choose F}$	90 16 69	1						21 4 6		1	10 3 1	10 1 5	2 7 1 4	2	3
33	White	76	1		1		,		27		1	12	14	8	2	4
34 35	MalesFemales	26 50	1		1						1	6	5 9	2 6	2	1 3
36	Diagnosis reasonably certain. ${ m M}_{ m F}$	10 36	1						6			1	ž	3	1	1
37 38	Colored <u>M</u> ales	48							10 5			3	2	1		
39 40	Females. Diagnosis reasonably certain. $\{M,, K\}$	40 6 33		,					5 3			4 2	1	1 1		
	оню.						/									
41	Registration cities	2,104	76 65	3	.20	10	35	8 7	802 386	3 3	34	478	287	260 106	20	141
42 43 44	Males Females. Diagnosis reasonably certain. ${M \choose F}$	789 1,315 393 882	11 65 11	3	18 2 18 2	7 3 7 3	30 5 30 5	1 7 1	386 416 107 104	i	5 14 3	240 238 69 56	114 173 23 45	154 62 97	12 3 3	60 81 22 35
45	White	2,041	76	3	1	10	35	8	780	3	33	464	280	256	20	140
46 47	Males Females	7722 1,269	65 11	3	18 2	7 3 7 3	30 5	7 1 7	376 404	3	29 4	235 229	109 171	104 152	8 12	59 81 22 35
48	Diagnosis reasonably certain. $\{\stackrel{M}{F}:$	389 849	65 11	3	18 2	7 3	30 5	$\begin{vmatrix} 7 \\ 1 \end{vmatrix}$	106 101	1	14 2	68 55	23 44	61 96	3	22 35

						DEATE	•		AND OTHE	R MALIG			F—		<u> </u>				<u> </u>	Ī
Peritor intestin rectum	neum, es, and —Con.		Female s	genital org	gans.					-		Other or	gans or o	f organs	not spec	ified.	•			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der-	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
													-							
		. 1		1					1					1		<u> </u>				1
		i		i					1					1						3
		i		1													-,			4
15		38	1	36		1	30	6	47	3		3	10	6	7	<u></u>	2	1	15	5
8 7 8		38	i	36		1	2 28 2 28	4 2 4 2	28 19 23 13	33		1 2	6 2	6 6	4 3 3		1 1 1	i	8 7 7 5	6 7 } 8
7 5		37 27	4	· 36		1	28	4	28	1		1 4	2	4	4		1 2		11	9
									15	1			2	4	2 2					10 11
1 4 1		27	4	23			20	. 2 2 2 2	13.9	····i		4	1	3	. 1	·····	2		6 5 3 5	112
4 6	1	25	2	23 21	1		20	3	23			2	2	2	6				11	13
	<u>-</u>								12					2	, 5				5	14 15
1 5 1		22		21	1		22	2 1 2 1	117			2	2	1	3				5 6 3 3	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
4		22		21	1		22	1	5			1	1		1	:	1	•••••	5	17
9		14	1	13			11		8						1					18 19
5 4		14	1	13			11		4 3			1					1		3 2 3 1	19 }20
ŝ		14	1	13			11		ī											7
2		6		6			12		8	<u> </u>	2	1			1				4	21
1 1 1		6		6			11		4		2	1			1				2 2 2 1	22 23
1		6		6			1 11		4 2 1										1	}24
38	4	172	18	152	2		115	30	152	10	3	15	5	17	22	1	10	3	66	25
15 23 15 23	2 2 1	172 165	18	152 152	2		1 114 1 113	20 10 20 10	84 68 53 44	7 3 7 3	3 2	9 6 4 3	2 3 1 2	17 5	13 9 8 5	i	4 6 2 2	3	26 40 21 29	26 27 }28
3		43	3	37	2	1	10	7	17				4	1	´1		2		9	29
1 2		43	3	37	2	1	1 9	5 2	9				3 1	1	i		1		4 5 2 3	30 31 }32
$\begin{array}{c} 1\\2\\1\\2\end{array}$		43	3		2	1		5 2 5 2	4 5	 			2		i		i		3	32
2	1	15	1			. 1	7	7	I l		ļ		. 4	1	1		. 2	 	3	33
1	-		1			1	7	5	7	 			3 1	1	i		1 1		2	
1 1 1		15 15	i			1i	7		4 2 3				2		<u>i</u>		<u>i</u> .		i	36
1	1	28	2	1	2	1	3	2	6						<u> </u>		ļ ¹	[6	1
		l 	2				1		2	1								·		-1
1	.	28 28	2		2		2 1 2		. 2 2								·		2 4 2 2	38 39 }40
97		375	23	347	2	3	206	66	319	21	28	26	26	29	. 37	5	18	2	127	_
38 59 37 59	2	375 367	23 16	347 347	2		2 204 2 204	30 36 30 36	200 119 127 63	16 5 16 5	17 11 4 2	16 10 12 2	13 13 10 5	29 11		3 2	7 11 2 5	2	72 55 61 40	42 43 }44
95	1	354	22	327	2	ļ	204	66	. 309	20	27	25		28	37	5	17	2	123	1
				·	1	·					1	1	1	1	26		6			
37 58 36 58	i	354 347	22 16	327 327	2			30 36 30 36	195 114 125 60	16 4 16 4	16 11 4 2	15 10 11 2	13 12 10 5	11	11 9 2	2 3 2	11 2 5	2	52 60	46 47 }48

MORTALITY FROM CANCER.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.5]

=			1					able, p.								
					Buccal		THS FRO	M CANC	ER AND C		ach and		s of—	Peritor	neum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.			1	1	1				1		Liver	a)	Parito	n.
			Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.			-												
	оню—continued. Registration cities—Continued.											٠				
1 2	Colored	63							22		1	14	7 5	4		1
3 4	Female. Diagnosis reasonably certain. ${ m M. \atop F}$	46 4 33							12 1 3		1 1	9 1 1	i	2 1 1		
5	Akron	62							25	1		15	9	7		5
6 7	MalesFemales	20 42							10 15	1		4 11	5 4	3 4		3 2
8	Diagnosis reasonably certain. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	28							3 5			3	3 2	2		
9	Cincinnati	153	16	2	5 4	2	6	1	73	1		91	67 27	36	2	14
11 12	Females	266 76 169	1 15 1	2	1 4 1	2	6	1	93 18 21	i	2 2 2	51 12 10	40 3 9	26 7	2	9 2 1
13	White	400	16	2	5	2	6	1	159	1	6	87	65	16 36	2	14
14 15	MalesFemales	150 250	15 1	2	4	2	6	1	72 87	1	5 1	40 47	26 39	10 26	2	5 9
16	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathrm{M} \ldots \\ \mathrm{F} \ldots \end{aligned} ight.$	76 159	15 1	2	4 1	2	6	1	18 19	1	2 1	12 10	3 8	7 16		2 1
17 18	Colored	19							7		1	4	2			
19 20	Females Diagnosis reasonably certain ${M \choose F}$	16							1 6		1	4	1 1			
21	Cleveland	10 483	16	1	4	1	8	2	2 207		1 12	139	1 56	66	5	37
22 23	MalesFemales	214 269	15 1	1	4	1	8	1 1	120 87		11 1	87 52	22 34	31 35	3 2	17 20
24	Diagnosis reasonably certain. ${ m T}^{M}$	105 183	15 1	1	4	1	8	î 1	39 26		6	27 14	6 12	18 26	1 1	6 12
25	Columbus	220	6		2		4		73	1	2	38	32	20	2	13
26 27	Males	78 142 44	6·		$\frac{2}{2}$		4		37 36 15	1	2 1	22 16 12	12 20 2	11 9 5	2 1	7 6
28 29	Diagnosis reasonably certain $egin{cases} M & \dots \\ F & \dots \end{cases}$	110 208	6		2		4		13	1	2	. 5 34	8	18	2	2 3 12
30	Males	74	6		$\frac{2}{2}$		4		34	1	$\frac{2}{2}$	19	12	10	2	6
31 32	Females	134 43 103	6		2		4		35 14 13		1	15 11 5	20 2 8	8 5 5	1	6 2 3
33	Colored	12							4			4		2		1
34 35	MalesFemales	8							3			3 1		1 1		1
36	Diagnosis reasonably certain. $\{F^{M}_{\cdot}\}$	7							1			1		1		
37	Dayton	133	<u>5</u>		$\frac{2}{2}$		1	2	23		3	23		18	1	8
39 40	Females. Diagnosis reasonably certain. ${M \choose F}$	90 17 62	1 4 1				i	2	20 4		·····i	8 3 2	12	12 5 7	1	1 7 3
41	Toledo	184	6		1		5		76		5	52	19	20	1	10
42 43	MalesFemales	77 107	5		1		4 1		33 43		4	25 27	4 15	12 8	i	8 2 2
44	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array} \right\}$	40 67	5 1		1				9		2	5 6	3	6 7	i	2 1
45 46	Youngstown	66	1			1	1		23		1	12	10	12		5
47 48	Females	42 10	1 1			i i	1		11 2		1	7	4	11	2	4
49	Other cities	27 537	1 25		6	6	10	3	189		4	1 108	77	6 81	7	49
50 51	MalesFemales	180 357	19 6			4 2	7 3	3	78 111		3 1	42 66	33 44	32 49	3 4	18 31
52	Diagnosis reasonably certain. ${M \choose F}$	94 236	19 6		5 1 5 1	4 2	7 3	3	17 26		1	9	7 10	21 27	1 1	10 13

*****				 =====		DEAT			AND OTH				or—	<u> </u>						T
Peritor intestin rectum	neum, es, and —Con.		Female	genital or	gans.							Other or	rgans or	of organs	not spec	ified.	<u></u>			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
2	1	21	1	20			6		10	1	1	1	1	1			1		4	
1 1 1 1	1	21	1	20			6		5 5 2 3	i	1	1	1	1			1		1 3 1 2	۱ ,
2		10	· · · · · ·	10			10	1	9				2	1	2				4	 -
		10		10			10	1	6 3 3 1				1 1 1	1	1 1				3 1 2	3
20		80	7	72	1		36	15	70	4	4	4	7	9	10		. 7	1	24	Ϊ,
5 15 5 15		80	7	72	1		36	6 9 6 9	49 21 30 9	4	4	3 1 3	3 4 1 1	9	. 9 1 3		* -4 3 1 1	1 i	16 8 14 7	-1
20		73	6	66	1		35	15	66	4	4	4	7	8	10		6 :	1	22	13
5 15 5 15		73 71	6	66 66	i 1		35 35	6 9 6 9	47 19 30 8	4	4	3 1 3	3 4 1 1	8	. 1 3		3 3 1 1	1	16 6 14 6	14 15 }16
		7	1	6		<u> </u>	1		. 4					1			1		2	17
		7	i	6			i		2					1			1		2	18
		6		6			. 1		1										1	20
24 11		67	6	60		1	42	10	75 42	6	10	2 1	3	5 5	3	1	4		35 16	21 22 23
11 13 11 13		65	6	60		1 1	1 41 1 41	5 5 5 5	42 33 27 19	. 6	7 3 1 1	2	4 2 2	3	3 1 1	1	3		16 19 12 13	24
5 2		56	1	54		1	24	8 5	33 19	3	4	3 2	3 2	3	2	1		1	13 6	25
2 3 2 3 4		56 55 54	1 1 1	54 54 52		1	24 24 21	5 3 5 3 8	19 14 13 9	1 2 1 2	2 2 2 1	2 1 2	1 2 1			1		i	6 7 5 4	26 27 }28
2 2						1		5	32 19 13	3 1 2	2 2	3 2 1	. 3	3	2	1		1	12 6	30
2 2 2		54 53 2	1 1	52 52 2		1	21	3 5 3	13 8	2 1 2	2 2 1	1 2	. 2			1		ī	6 5 , 3	30
							3		1										1	34 34 35
i		2		2 2			3		1 1										<u>1</u> 1	38 38
9		31	. 1	30			14	7	15			4	3	3	3				. 2	i
5 4 5 4		31	1	30			14	1 6 1 6	9 6 3 1			3 1 1	1 2 1 1	3 1	2 1				2	38 39 }40
9		27	1	25	 	1	15	8	32	1	2	3	1	4	· 4	1	2		14	41
4 5 4 5		27	1 1	25 25		i	15 15	6 2 6 2	21 11 14 6	i	2	2 1 2	1	3	3 1 2	1	2		8 6 6 5	42 43 }44
4	1	11	2	9			4	3	11		2	1	1		1				. 6	45
. 4	1	ii	2	9			4	3	10 1 7 1		2	1	1		1				5 1 5 1	47
24	1	93	5	87	1		61	3 14	74	7	6	8	2	4	11	2	5.		29	49
11 13 10 13	i	93	5	87 87	i i		60 1 60	6 8 . 6 8	44 30 30 17	5 2 5 2	4 2	3522	1 1. 1.	4 1	5 6 3 1	1 1 i	3 2 1 1		18 11 17 10	50 5:

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

						DEAT	rus fro	M CANC	ER AND C	THER M	IALIGNAN	T TUMOR	s or—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Stor	nach and	liver.		Periton a	neum, int nd rectur	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
1	Portland	229	12	3	3		5	1	84		2	56	26	39	2	20
2 3 4	Males. Females Diagnosis reasonably certain. $^{M}_{\mathrm{F}}$.	107 122 63 87	9 3 9 3	3	2 1 2 1		3 2 3 2	1	56 28 23 9		2	43 13 17 4	11 15 6 5	14 25 10 15	2	5 15 2 6
5	White	222	11	3	3		4	1	79		2	53	24	39	2	20
6 7 8	Males. Females Diagnosis reasonably certain $egin{cases} M & \cdots & \\ F & \cdots & \end{array}$	101 121 58 86	8 3 8 3	3	2 1 2 1		2 2 2 2 2	1	51 28 19 9		2	40 13 15 4	9 15 4 5	14 25 10 15	2	5 15 2 6
9	Colored.2	7	1				1		5			3	2			
10 11 12	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots & \dots &$	6 1 5 1	1				1 1		5 4			3 2	2			
1 3	PENNSYLVANIA. Registration cities	3,245	139	8	38	10	0.5	15	1 004		40	707				
14	Males	1,204	113	- 8	34	13	65 49	15 10	1,204	3	43	362	390 159	392	35	231
15 16	Females Diagnosis reasonably certain $\left\{egin{matrix}M & . \\ F & . \end{matrix} ight.$	2,041 610 1,343	26 113 25	8	4 34 4	1 12 1	16 49 15	5 10 5	646 125 134	1	9 9 5	405 87 75	231 28 54	227 97 137	22 5 12	137 34 57
17	White	3,104	135	8	36	13	63	15	1,152	4	40	729	379	375	34	222
18 19 20	Males	1,158 1,946 592 1,278	109 26 109 25	8	32 4 32 4	12 1 12 1	47 16 47 15	10 5 10 5	536 616 124 129	3 1 1	33 7 9 4	347 382 86 72	153 226 28 53	158 217 92 130	13 21 5 11	92 130 34 53
21	Colored	141	4		2		2		52		3	38	11	17	1	9
22 23 24	MalesFemalesDiagnosis reasonably certain. $\left\{ egin{matrix} M\dots \\ F\dots \end{array} \right.$	46 95 18 65	4		2 2		2 2		22 30 1 5		$\begin{bmatrix} 1\\2\\ \cdots\\1 \end{bmatrix}$	15 23 1 3	6 5	7 10 5 7	1	2 7
25	Allentown	59							14		1	11	2	9	1	7
26 27 28	Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots & \cdots \\ F & \cdots & \cdots \end{array} \right\}$	13 46 8 32							6 8 3		1	5 6 2 1	1 1 1	2 7 1	1	2 5
29	Erie	55	3		1		1	1	20			14	6	8	2	4
30 31 32	Males	22 33 11 21	3		1 1		1 1	1	11 9 1 2			9 5 1	2 4 2	2 6 2 3	2	1 3 1 1
33	Harrisburg	57	2				2		12			5	7	11	1 1	8
34 35 36	$egin{array}{c} ext{Males.} & ext{Females.} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M.} & ext{F.} \ ext{The substitute of the state of t$	16 41 7	2						4 8			2 3	2 5	4 7 2	1	3 5 2
37	Lancaster	32 55	2				2		2 20		1	12	7	5 7		3 2
38	Males	23	2				2		12		1	9		3		
39 40	Females	32 10 20	2				2		8 2 2			3 1 2	5 1	4 3 3		1
41 42	Philadelphia	1,541 591	76 62	$\frac{2}{2}$	25	11	30	8	547	3	25	349	170	170	15	105
43	Females	950 323 631	14 62 14	2	3 22 3	11	23 7 23 7	4 4 4	256 291 64 62	2 1 1	22 3 6 1	163 186 47 33	69 101 10 28	71 99 48 56	5 10 5 6	42 63 19 24
45	White	1,455	74	2	. 24	11	29	8	514	3	22	325	164	159	14	100
46 47 48	MalesFemalesDiagnosis reasonably certain. $\left\{egin{array}{c} M & . \\ F & . \end{array} ight.$	564 891 311 591	60 14 60 14	2	21 3 21 3	11	22 7 22 7	4 4 4 4 4	243 271 63 59	$\begin{bmatrix} 2\\1\\1\\1 \end{bmatrix}$	21 1 6	154 171 46 32	66 98 10 27	68 91 45 50	5 9 5 5	42 58 19 21

¹ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

						TOTE A TO			at head of											Ŧ
Perito:	es. and		Female;	genital or	gans.	DEAT	LIS FRUM	VANCER	OTS	LAN MALI		 -	gans or o	of organs	not spec	ified.				-
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin-	Total.	Larynx	Lung and pleura.	Pan- ereas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	1
		,																		
9		35 35	3	31	1		17	3	25 13		3	5 3	3	3	6	2	. 3		7	2 3
8 8 8		34	3 2	31 31	1 1		17	3 1 3 1	18 18 8		3	3 2 1 1	· 1 1	1	4 2 3 1	2 2 1 1	2 1 1		4 6 3	} 4
, 17		34	3	30	1		17	3	38		3	5	3	3	6	4 2	3		11	- :
9 8 8 8		34	3	30	1 1		17 17	3 1 3 1	25 13 18 8		3	3 2 1 1	2 1 2 1	i	2 3 1	2 2 1 1	1 1		7 4 6 3	8
		1		• 1																10
		1		1 1																11 }12
125	1	572	32	527	12	1	369	80	489	26	20	57	34	47	73	14	33	4	181	13
58 67 58 67	1 1	572 561	32 21	527 527	12	1	8 361 8 361	-47 33 47 33	313 176 220 92	24 2 24 2	7 13 3 3	24 33 14 10	14 20 11 10	47 20	58 15 41 8	7 7 4 2	21 12 9 7	4	107 74 90 50	14 15 }16
119		539	32	494	12	1	356	78	469	26	19	56	33	45	69	14	30	4	173	17
53 66 53 66		539 528	32 21	494 494	12 12	1	8 348 8 348	47 31 47 31	300 169 212 87	24 2 24 2	7 12 3 3	23 33 13 10	14 19 11 10	45 19	54 15 38 8	7 7 4 2	19 11 9 6	4	103 70 87 46	18 19 }20
6	1	33		33			13	2	20		1	1	1	2	4		3		8	21
5 1 5 1	1 1	33		33			13 13	2 2	13 7 8 5		1	1	i	1	3		2 1 1		4 4 3 4	22 23 }24
1		13		13			11	3	9		1		2	2					4	25
1		13 13		13 13			11 11	3	5 3		1		2	2					3 1 3 1	26 27 }28
$\frac{2}{1}$		6		6			7	1	9				2	1	2				<u>4</u>	29 30
1 1		6		6			6 1 6	1 1	533				1		2				2 2 1	31 }32
2		14	<u>1</u>	13			8	2	6					1	1		2		2	33 34 35
2		14	i	13			8 8	2 2 2 2	2 1 1								i		i	35 36
5		6	1	. 5			8	1	11			3		1	2		<u>i</u>			37
2 3 2 3		6 5	1	5 5			8	1	5 6 2 2			3		1	1 1 1				3 2 1 1	38 39 }40
49	1	268	13	247	7	1	186	33	261 177	13	12	37	17	20	40	9	17	2	94	41
24 25 24 25	1 1	264	13 9	247 247	7	1	5 181 5 181	20 13 20 13	84 124 41	12 1 12 1	. 3 . 1	. 17 11 8	9 8 8 3	8	31 9 22 3	6 3 3	12 5 5 2	2		
45 21		248	13	227	7	1	178	33 20	249 168	13	12	36	17	20	, 37	9	15	2		45
24 21 24		248 244	13	227 227	7				168 81 118 28	12 1 12 1	5 7 3 1	19 17 10 8	9 8 8 3	8	28 9 19 3	6 3 3	10 - 5 5 2	2	57 31 48 20	47 }48

² Colored population less than 10 per cent of the total in 1910.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

-				<u></u>	·	DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMORS	s or—			
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton ar	eum, int	estines, n.
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con.															
	PENNSYLVANIA—continued.															
1	Philadelphia—Continued, Colored	86	2						33		3	24	6	11	1	5
2 3 4	$egin{array}{c} ext{Males} & ext{Females} & ext{Diagnosis reasonably certain.} & ext{M} & ext{.} \ ext{F} & ext{.} \ ext{T} & ext{.} \ $	27 59 12 40	2		1 1		1		13 20 1 3		1 2	9 15 1 1	3 3 1	3 8 3 6	i 1	
5	Pittsburgh	481	20	2	6		9	3	198	-1	6	129	62	51	6	^ 25
6 7 8	MalesFemalesDiagnosis reasonably certain $egin{cases} M \ F \end{cases}$	177 304 95 194	18 2 18 2	2	5 1 5 1		8 1 8 1	3	81 117 21 26	1	4 2 1 2	53 76 16 17	23 39 4 7	26 25 13 18	2 4 3	15 10 4 4
9	White	460	19	2	6		8	3	190	1	6	122	61	51	6	25
10 11 12	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $\left\{ egin{matrix} ext{M} & \cdot \ ext{F} & \cdot \ ext{J} ight\}$	173 287 93 183	17 2 17 2	2	5 1 5 1		7 1 7 1	3 3	79 111 21 25	1	1 1 2	51 71 16 16	23 38 4 7	26 25 13 18	2 4 3	15 10 4 4
13	Colored	21	1				1		8			7	1			
14 15	MalesFemales	4 17	1						2 6			5	1			
16	Diagnosis reasonably certain $\left\{ egin{matrix} M \dots \\ F \dots \end{matrix} \right\}$	2 11	1				1		1			1				
17	Reading	86	3		$\frac{2}{2}$	1	1		30		3	16	9	14	3	$\frac{7}{3}$
18 19 20	Females . Diagnosis reasonably certain ${M \choose F}$.	50 11 3 3	1 3 1		2	1	1		10 1 1			8	2 1 1	7 4 4	<u>2</u>	4 1 1
21	Scranton	85	5	1			2	2	28			23	5	16	1	14
22 23 24	Males Females Diagnosis reasonably certain $egin{cases} M \dots \\ F \dots \end{cases}$	35 50 15 34	4 1 4 1	1			1 1 1	2	15 13 2 2			11 12 2 2	4 1	9 7 3 4	i	8 6 2 4
25	Williamsport	50							24			18	6	9		3
26 27 28	MalesFemalesDiagnosis reasonably certain ${M \choose F}$	19 31 7 19							12 12 4			9 9 3	3 3 1	3 6 3 5		3
29	Other cities	776	27	3	4	1	18	1	311		7	190	114	97	6	56
30 31 32	MalesFemalesDiagnosis reasonably certain $egin{cases} M & \cdots & \\ F & \cdots & \\ \end{array}$	272 504 123 327	19 8 19 7	3	4	1	11 7 11 6	1	141 170 31 32		3 2 2	93 97 18 17	44 70 11 13	38 59 1,9 38	4 2	19 37 4 18
	RHODE ISLAND.															
33	Registration cities	426	23	4	5	3	- 8 7	3	125		3 2	80 40	13	65 30	3 2	20
34 35 36	MalesFemalesDiagnosis reasonably certain. $egin{cases} M & \cdots & M \\ F & \cdots & M \\ \end{cases}$	155 271 86 175	3 20 3	4	5	3	1 7 1	1 2 1 2	70 13 7		1 2	40 10 2	29 1 5	35 18 17	1 1	24 9 7
37	White	419	23	4	5	3	8	3	122		2	78	42	64	3	43
38 39 40	Males. Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M & \cdots \\ F & \cdots \end{array} \right.$	153 266 85 173	20 3 20 3	4	5 5	3	7 1 7 1	1 2 1 2	55 67 13 7		2	40 38 10 2	13 29 1 5	29 35 18 17	1 1	19 24 9 7
41	Colored	7							3	<u></u>	1	2		1	<u></u>	1
42 43 44	Males	2 5 1 2							3		1	2		1		1
45	Providence	227	8	4	1	1	2		67		3	40	24	39	2	28
46 47 48	$egin{array}{ll} ext{Males} & . & . & . & . \\ ext{Females} & . & . & . & . \\ ext{Diagnosis reasonably certain.} & & . & . & . \\ ext{F} & . & . & . & . \\ ext{F} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . & . & . \\ ext{T} & . \\ ext{T} & . \\ ext{$	82 145 46 94	8 8	4	1	1	2		28 39 9 5		2 1 2	16 24 6 2	10 14 1 3	18 21 8 13	1	15 13 6 6

•					,	DEA'			at head of AND OTH				OF-	•		, , , , , , , , , , , , , , , , , , ,		, ,	· · · · · · · · · · · · · · · · · · ·	T
Perito: intestin	ies, and		Female	genital or	rgans.			·					<u></u>	of organs	not spec	cified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.	
,									,								•			
4	1	20		20			. 8		12			1			3		2		, 6	-
3 1 3 1	<u>1</u>	· 20		20			8 8		9 3 6 3			1 1			3 3		2		3 3 2 3	} 4
20		92	9	82	1		41	9	70	10		8	4	6	10	2	6		. 24	j ,
9 11 9 11		92 89	9	82 82	1		41	5 4 5 4	47 23 38 14	9 1 9 1	-,	1 7 1 2	1 3 1 · 2	6 4	10 7	1 1 1 1	2 2 2		15 9 13 6	h.
20 9		86	9	76	1		39	- 8 5	67	10		8	3	5 5	10	1	5 4		24	-
11 9 11		· 86	9	76 76	1		39 39	5 3 5 3	21 37 13	1 9 1		1 7 1 2	2 1 2	3	7	1 1	4 1 2 1		13 6	! 13
		6		6			2	1	1				1	1			1			13
		6		6			2	1	2 1 1				1	1			1 1,		 	15
3		14		13	1		10	1	13		1	1	2	1		1	2	.:	5 1	17
1 3 1		14 14		13 13	1		10 10	1	5 8 2 3		1	1	1 1 1			1	1		1 2	18 19 }20
1		13	1	12			13	1	9	1				2	2 2	1		<u></u>	3	21
1		13	1	12			1 12 1 12	1 1	3 5 2	i				i	2	1			. 1 2	22 23 24
6 3		7	2	5		····	4	1	5 3				1	1	1				2	25 26
1 3 3		7	$\frac{2}{1}$	5 5			4	1	2 3				1	<u>1</u>	1				1 1 1	26 27 28
35 15		139	5	131	3		81	25 16	96	2	6	8	6	12	15	1	. 6	2	38	29
15 20 15 20		139 138	5 4	131 131	3		80 1 80	16 16 9	39 37 23	2	1	5 2	4 1 3	-12 -4	12 3 8 2	1	3 1 2	2	. 19 . 19 . 17 . 14	30 31 32
18		80	4	73	. 3		54	12	67	5	1	5	1	8	10	2	3		32	33
8 10 8 10		. 80 80	4	73 73	3		54 54	8 4 8 4	42 25 27 10	4 1 4	1	4 1 3	1 1	8	7 3 3	2	2 1		16 16 13 7	34 35 36
18		79	4	72	3		53	12	-66	5	1	1 5	1	8	1 10	1 2	3		31	37
10 8 10		79 · 79	4	72 72	3		53 53	8 4 8 4	41 25 26 10	4 1 4	1	4 1 3 1	1	8	7 3 3 1	2	. 2		15 16 12 7	38 39 }40
		1		1			1		1								·····		1	41
 		1 1		1 1			1		1				:	,					1 1	42 43 }44
9		39	4				26	5	43	3		2		7	8	1	1		21	45
2 7 2		39	4	35			26	2 3 2 3	26 17 19 8	3		1 1 1 1		7	6 2 3 1	1	1		9 12 9 5	46 47
7	 35030°-	—16——	<u>4</u> - -10	35			26-	3 l	*š li	الـــّـــــــــــــــــــــــــــــــــ		i l		اِ.ا	il	1			5	}48

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī				-		DEA	THS FR	OM CAN	CER AND	OTHER:	MALIGNA	NT TUMO	rs of—			•
		Aggra		•	Buccal c	avity.				Stom	ach and	liver.		Periton ar	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggregate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.						-								•	
1	RHODE ISLAND—continued. Other cities	. 199	15	.	4	2	6	3	58			40	18	26	1	16
2	Males	73*	12		4	2	5	1 2	27 31			24 16	3 15	12 14	1	5 11
3 4	Females	126 40 81	12 3		4	2	1 5 1	1 2	31 4 2			4	2	10 4	1	3 1
	SOUTH CAROLINA.1															
5	Charleston ²	35	<u> </u>	<u></u>					6			3	3	2		
6 7	Maies	10 25 7							4			$\frac{1}{2}$	1 2	2 2		
8	Diagnosis reasonably certain. ${ m M}_{ m F}$	19														
9	White							<u> </u>	5			<u>3</u>	2	2		
10 11	Males Females (M.	16 6							4			2	2	2		
12	Diagnosis reasonably certain ${R \choose F}$	10														
13	Colored	12				<u></u>			1				1			
14 15	Females Diagnosis reasonably certain. ${M \choose F}$	9														
16	•	9				-	-	•••••								
17	TENNESSEE.1 Registration cities	289	11	3	1	2	5		76			48	28	30	2	15
18 19	Males	85	7	2	1	2			44			29	15	10		8
19 20	Females	204 37 160	4 7 4	$\begin{array}{c c} & 1 \\ & 2 \\ & 1 \end{array}$	·····i	2	3 2 3		32 10 8			19 8 5	13 2 3	20 4 14	2	7 2 2
21	White	209	9	3	1	2	3		59			35	24	21	1	13
22	Males	72	6	2	1	2	1		36			23 12	13 11	8 13	i	7 6
23 24	Females	137 32 102	3 6 3	1 2 1	1	2	2 1 2		23 8 7			7 4	1 3	3 7		2
25	Colored	80	2	•			2		17			13	4	9	1	2
26 27	Males Females	13 67	1 1				1.		8 9			6 7	2 2	2 7	i	1 1
28	Diagnosis reasonably certain $\{rac{M}{F}$.	5 58	î				1 1		2			i 1	ĩ	i 7	<u>.</u> .	1
29	Memphis	114	6	1		1	4		36			23	13	12	1	6
30 31	Males Females	37 77	3 3	1		1	1 3		24 12			14 9	10	3 9	····· ₁	3 3
32	Diagnosis reasonably certain. ${M \choose F}$:	10 60	3	1		1	1 3		3 4			3 4		1 6		1 1
33	White	86	4	1		1	2		32			19	13	10	1	6
34 35	Males Females	34 52	2 2	1		1	2	.	22 10			12 7	10 3	3 7	····i	3
36	Diagnosis reasonably certain $inom{M}{F}$	9 37	2 2	1		1	2		3			3		1 4		1
37	Colored	28	2				2		4	<u></u>		4		2	<u></u>	
38 39	Males Females GM	3 25	1 1				1 1		2 2			2 2		2		
4 0	Diagnosis reasonably certain. $^{M}_{\mathrm{F}}$	1 23	1				1		1			1		2		
41	Nashville	98	2	1	1		<u> </u>		21			12	9	11		7
42 43	Males Females	30 68 18	2	1 1					12 9 4			9 3 2	3 6 2	4 7 2		3 4 1
44	Diagnosis reasonably certain. ${ m SF}$.	55			11				3			2 1	2	4		1
45 46	White	68	2	1	1				15			7	8	7		6 3
47	Females	46	2	1 1	1 1				7 8 2			5 2 1	2 6 1	3 4 1		3 1
48	Diagnosis reasonably certain. $\{\stackrel{M}{F}$	34	II	l	l		I	l	1 3	J	J	1 1	1 2	l î	1	

 $^{^{\}rm 1}$ Nonregistration state; cities shown below only those with effective local ordinances.

		 -				DEA			at head of R AND OT				OF-			·			
Periton intestin	es, and		Female :	genital or	gans.					·			gans or o	of organs	not spec	ified.			
Rec-	Others' of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
																			
9		41		38	3		28	7	24	2	1	3	1	1	2	1	2		11
6 3 6 3		41		38	3		28 28	6 1 6 1	16 8 8 2	1 1 1	i ,	3 2	1	1	1	i	2		7 4 4 2
2		12		12			8	1	6				2	2			<u> </u>		2
2		12		12			1 7 1 7	1 1	4 2 3				1 1 1	2					1 1
 2		12 7		12 7			4		5				2	2					.1
2		7		7			1 3 1 3		3 2 3				1 1 1	2					i
		5		7 5			4	1	1										1
		5		5			4	1 1	1										1
10		98															,		0.1
13 2 11		98	2	94	2		21	10 4 6	20 23 12	1	1 1	10 4 6	1	2		1	5 2 3		9 12
11 11		98 61	2	94	2		21	6	9	1		· 2	····i	1			1		, 8
7 1 6		61	1	59 59	1		12	8 4 4 4	39 18 21 11	1	1 1	9 4 5	1 1	2			5 2 3		. 19 8 11
1 6		61	i	59	i		12	4	8	i		2	i	1			ĭ		6 7
6 1 5		37	1	35	1		9	2	$\frac{4}{2}$			1 1		,		1			$\begin{bmatrix} 2\\ 1\\ 1 \end{bmatrix}$
1 5		37	i	35	1		9	2	1										1 1
5		36		36			8	2	<u>-</u>	1	1	1					1		7 3 4
5 5		36 36		36			8	2] 3	1		2					1		2 1
3		21		21			5	1	13	1	1	2					1		7
3		21 21		21			5	1	6 3	i		1					1		3 4 2 1
2		15		. 15			3	1	1			1							
2		15 15		15 15			3	1	1			1							
1			2		2		8	6 3	·		1	3 2	1	1		1 1	2		11 4
3 1 3		30 30	2	.l. 	2		8	3 3 3	11 7 7		1	1	1	1			. 1		4 7 4 6
1		19	1				3	3			1	3 2	1	1			1		9 3 6
 		19 19	1 1	1	1		3		10 6 6		1	1	1				1 7		3 6 3 5

 $[\]ensuremath{^2}$ The only registration unit in the state.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES. AND FOR EACH REGISTRATION UNIT IN

"				-	ee note a			_	CER AND C	THER 1	IALIGNAI	NT TUMOE	Rs of—			==
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal o	avity.				Ston	ach and	liver.		Peritor	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES—Con.															
	TENNESSEE 1—continued. Nashville—Continued.													li 		
1 2	Colored Males	30				 			5			5	$\frac{1}{1}$	4		1
3 4	Females	22 4 21							1 2			1 1	1	3 1 3		1
5	Other cities 2	77	3	1		1	1		19			13	6	7	1	2
6 7	MalesFemales	18 59	2 1	i		1	1		8 11			6 7	2 4	3 4	i	2
8	Diagnosis reasonably certain $\left\{ egin{array}{c} K_{\mathrm{F}} \end{array} ight.$	9 45	2 1	1		1	1		3			3	1	1 4	1	
9	White	55 16	3	1		1	1		12			9	3	2		1
11 12	Females	39 9	$\frac{1}{2}$	1		i	<u>i</u> -		5 3			3	2	2 1		1
13	Colored	31 22	1	1					7			4	3	2 3	1	1
14 15	Males	2 20							1 6			4	1 2	1 2		1
16	Females Diagnosis reasonably certain ${M \choose F}$.	14												2	1 1	
	TEXAS,1	') 	<u>'</u>								İ				
17	Registration cities	181	7		1	2	4		52	<u></u>	1	29	22	22	4	9
18 19	MalesFemales	74 107 46	6 1 6		1 1	2 ₂	3 1 3		29 23 9		. 1	16 13 4	12 10 5	9 13 7 7	2 2 1	3 6 2
20	Diagnosis reasonably certain $\left\{ egin{array}{l} M_{-} \\ F_{-} \end{array} \right\}$	74	1				1	•••••	3			1	2		2	
21 22	White	70	7		<u>1</u>	2 2	3		28		1	16	21	22	4	9
22 23 24	Females	100 44	1 6		i	2	1 3 1		21 9 2			11 4	10 5	13 7 7	1 2	3 6 2
25	Colored	68 11	1						3			2	2 1			
26 27	MalesFemales	4 7							$\frac{1}{2}$			2	1			
28	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	2 6							<u>î</u>			1				
29	Galveston	52	3			2	1		15		1	5	9	4	1	
30 31	Males Females	28 24 17	3		••••••	2	1		8 7 2		1	3 2	4 5	2 2	1	
32	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right\}$	17			••••••				2				2 2	$\begin{bmatrix} 1\\2 \end{bmatrix}$		
33 34	WhiteMales	21	3			2	1		7		1		8	2	1	
35 36	Females	21 15	3			2			7 2			2	5 2] 2 1		
37	Colored	14 7							. 2 . 1				2 1	2		
3 8 3 9	Males	4 3							1				1			
40	Females	3 2 3										••••••				
41	San Antonio	81	3				3		23			16	7	11	3	4
42 43	Males Females	29 52	2				2		12 11			8	4 3	4 7	1 2 1	1 3
44	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{F} \ . \ . \end{matrix} ight.$	19 36	2 1				2 1		3 1			1 1	2	4 4	1 2	1
45	White	77	3				3		21			14	7	11	3	4
46 47 48	$rac{ ext{Males}}{ ext{Females}}$ Diagnosis reasonably certain $\left\{rac{ ext{M}}{ ext{F}} ight.$	29 48 19	2 1 2				$\frac{1}{2}$	· · · · · · · · · · · · · · · · · · ·	12 9 3			8 6 1	4 3 2	4 7 4	1 2 1	1 3 1
48	Diagnosis reasonanty certain.	33	i î				ĩ		ال			l	اا	4	2	

¹ Nonregistration state; cities shown below only those with effective local ordinances.

[See note at head of this table, p. 88.]

						DEATE	is from	CANCER	AND OTH	ER MALIG	NANT 1	rumors (of—				_==			Ī
Peritor intestin	neum, les, and —Con.		Female	genital or	gans.			ı				Other o	rgans or o	of organs	not spec	eified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
						ı														
3		11	1	9'	1		5	1	3							1			2	
$\begin{smallmatrix}1\\2\\1\\2\end{smallmatrix}$		ii	1 1	9	1		5	1	2 1 1 1							1			1 1 1	}
4		32		32			5		9			1		1			1	<u></u>	3	
1 3 1 3		32 32		32 32			5 5	1 1 1	5 2 1			. 3					1		2 1 1 1	}.
3 · 1		21		21			4	1	9 4 . 5			1		1			1		3 2 1	1
· 1 2 1 2 2 1 1		21 21 11		21 21 11			4 1	1 1 1	. 5 2 1			3 1					1		1 1 1)1)1 1
				11																1.
<u>1</u>		11 11		<u>ii</u> -			1												••••	}10
9		41	2	37	2		13	6	40	2	1	4	6	4	4			1	18	1
4 5 4 5		41 39	2	37 37	2 2		13 13	2 4 2 4	28 12 22 7	1 1 1	1 1	1 3 1 2	3 3 2 1	2	3 1 3			1 1	14 4 11 3	15 15 20
9	<u>`</u>	37	2	33	2		13	5	37	2	1	3	6	. 3	4			1	17	2
4 5 4 5		37 35	2	33	2 2		13	1 4 1 4	26 11 21 6	1 1 1	1 1	1 2 1 1	3 3 2 1	3	3 1 3			1	13 4 10 3	2:
		4		4				1	3 2			1		1					1	2
		4		4				1	1 1 1			1 1							1	20 21 22 22
3		8	1	6	1		5	3	14	. 1		1	2	2 2	1			1	6	29
1 2 1 2			1	l	1		5	2 1 2 1	l .	1		i			1			i	4	ľ
1		5		3	1		I——	1	12	11		1	1	1	- · · · · · · · · · · · · · · · · · · ·			1		33
		5		3				1	1 8			1	1		i			i		}3(
		· · · · · · · · · · · · · · · · · · ·		3				1	2					1						38
		3		3				1	1										1	}41
		19		17			5	2	11 7			3	3 1 2 1 1	1					7 2	4:
		1 1	1	17 16	J		5	2 2	1		1	2	1 3	1 1	2 2				_ ~	}4 4.
				16	i		5	2	11 6 10			2	1 2 1	1	2 2				7 2 6 2	

² Includes Chattanooga, Jackson, and Knoxville.

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

				******	ee note a				ER AND C	THER M	IALIGNA	NT TUMOR	s of—			
	APPA AND PAGE OF DVACAGOE	Aggre-			Buccal c	avity.	- 11			Ston	ach and	liver.		Periton aı	eum, int ad rectur	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	REGISTRATION CITIES-Con.															,
	TEXAS 1—continued.															
1	San Antonio—Continued. Colored.	4		,					2			2				
2	Males															
3	Females	4							2			2				
-	Diagnosis reasonably certain. $\left\{ egin{aligned} \mathbf{H} \\ \mathbf{F} \end{aligned} ight.$	3							1			1				
5	El Paso 2	48	1		1		<u></u>		14			8	6	7		5
6 7	Males	17 31	1		1				9 5			5	4 2	3 4		3
8	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	10 21	1		1				4			3 	1	1		1
	UTAH.															
9	Registration cities	93	2				2		45		1	39	5	8		4
10 11	MalesFemales.	45 48	2				2		26 19		1	21 18	1	3 5		2 2
12	Diagnosis reasonably certain. ${M \choose F}$	29 32	2				2		12 5			10	$\frac{1}{2}$	1 4		1
13	White	88	2				2		40			35	5	8		4
14	Males	42					2		23			19	4	3		2
15 16	Females	46 28	2				2		17 11			16 9	1 2	5 1		2
- 1	,	32							5			5		4		1
17	Colored	5							5		1	.4			•••••	
18 19	Males	3 2			• • • • • • • • • • • • • • • • • • •				3 2		1	2 2				
20	Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{array}\right\}$	1							1			1				
21	Salt Lake City	71	2				2		31			26	5	7		4
22 23	Males Females.	32 39	2				2		17 14			13 13	4	2 5		2 2
24	Diagnosis reasonably certain. $\left\{egin{matrix}M \dots \\ F\end{array} ight.$	21 27	2				2		8			6 4	2			i
25	Ogden 3	22							14		1	13		1		
26	Males	13							9		1	8				
27 28	Females	9 8							5 4			5 4		i		
20	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{F} & \dots \\ \mathbf{F} & \dots \\ \end{array} ight.$	5							1			1				
	VERMONT.								00	 	}	00	_	10		
30	Registration cities	73	3	$\frac{2}{1}$		1						23	5	12		5
31	Males Females(M	29 44 19	1 2	1 1		1 1			17 4			114	3	8 4 6		1 3
32	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right.$	25	1	1					1			i		3		
33	White	72	3	2		1			28			23	5	12		6
34 35	Males	28 44	2 1	1 1		1			11 17			9 14	2 3	8 4		5 1
36	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array} \right.$	13 25	2 1	1 1		1			4			1		6		3
37	Colored	1													 	
38	Males	1														
39 40	Females	······						 								
	V	 														
47	VIRGINIA. Registration cities	304	7	2	2		2	1	78		2	47	29	29		21
41 42	Males	101	4				$-\frac{2}{1}$	1	42		1	24	17	11		
43	Females	203 62	3 4	2	2		1 1	i	35 12		1	23	12	18 10		13 7 3
44	Diagnosis reasonably certain. $\left\{egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned}\right.$	143	3	l	2		l i	اأ	1 4	li		3	li	8		3

¹ Nonregistration state; cities shown below only those with effective local ordinances.

² The only other registration unit; shown in order to complete the state.

						DEATE			AND OTHE				or—							T
intestii	neum, nes, and n—Con.		Female	genital or	gans.							Other o	organs or	of organ	s not spe	scified.		,		
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	3
4,,,,,,															-					-
		i		- 1					1			1								-
· · · · · · · ·		1		i					1			i								-
	:	i		1					1			i								: }
2		14		14			3	, ₁	8	1	1		. 1	1	1	ļ	 	ļ	3	
1 1 1 1		14 14		14			3	1	4 4 3 2	1	1 1		1	1	1				1 2 1 1	}
4		15		14	1		. 5	5	13			1	. 1		1		3	1	6	ľ
1		,							11			1	1		1			1		-1
3 1		15 15		14	1		5	3 2 3 2	11			i	ī		1		2 1 2	····i	5 1 5 1	}1
3 4		15		14	1		5	5	13			1	,		. 1				i	1
1	-		-						11			1	1		1		3	1	6	-1
3 1		15		14	1		5	3 2 3 2	11			1	i		<u>i</u>		1 2	<u>1</u>	5 1 5 1	1
3		15		14	. 1		5	2	1										ĺ	}1
											<u>;</u>									- 1
																				- 1
																				- }2
3		13		12	1		4	4	10				1		1		2	1	5	2
3		13		12	····i		4	2 2 2 2	9 1				1		, 1		1 1	1	5	- 2
3		13		12	····i		4	2 2	9				1		1		1	1	5	}2
1	<u></u>	2		2		 	· 1	i	3	 		1	ļ		ļ	;	1		1	2
1		2		2				1	2 1			1					1			2 2
1		2		2			1 1	1	2 1			1					1		1	}2
				~			-		1						******					ľ
6		10		8	2		. 7	1	12	1.	1	2		1	. 1	`			6	2
3 3		. 10							8	1	1	1		1	1					-t
3 3 3		10		8 8	2		7	1 1	4 7 2	·····i	1	1			ĭ	 			3 3 2	3
6		10		8	2		7	1	11	1	1	1		1	1			•••••	6	ľ
			<u> </u>		 		ļ <u></u>		7	1	1			1	1					3
3 3 3		10		8			7	i	4 6	i	i	1			<u>.</u> .				3 3 3 2	33
3		10	 	8	l i		7	ī	2						•••••				2	ľ
	1								1			1				<u></u>				3
· · · · · · · · · · · · · · · · · · ·									1			1							•••••	3
• • • • • • • •									<u>-</u> -			1		•••••						}4
8		91	3	86	1	1	28	9	62	4	1	8	4	7	6		1	1	30	
3 5		91	3	86	···-i	i	28	7 2 7 2	37 25 29 8	2 2 2 2 2	_i -	5 3 3	1 3 1 1	7	3 3 1		·····i	1	18 12 17 5	4:
3 5	J	90	₂ -	86				7 2	29 8	2 2		3	1	4	1			1	17 5	}4

³ The only other city of 10,000 inhabitants or over in 1910.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=						DEAT	HS FRO	M CANO	ER AND C	THER M	LALI GNAI	NT TUMOR	s of—			
	· AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Ston	ach and	liver.		Peritor a	neum, int nd rectur	estines, n.
	Maria into batto de batta dos	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	REGISTRATION CITIES—Con. VIRGINIA—continued.															
1	Registration cities—Continued. White	216	7	2	2		2	1	61		2	35	24	24		17
2 3 4	$ \begin{array}{c} \text{Males} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \begin{array}{c} \text{M.} \\ \text{F.} \end{array} $	86 130 53 90	4 3 4 3	2	2		1 1 1 1	1	36 25 11 3		1 1	20 -15 -7 -3	15 9 4	10 14 10 7		7 10 7 3
5 6	Colored	88 15							17			12	5	5		4
7 8	Females. Diagnosis reasonably certain. ${ m M.}$	73 9 53					•••••• •••••		11 1 1			8	3 1 1	1		1 3
9	Richmond	127	3		1		1	1	35			22	13	13		9
10 11 12	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & & & \\ F & & & \end{array} \right.$	48 79 31 55	1 2 1 2		1 1		1 i	1 1	19 16 4 3			13 9 3 2	6 7 1 1	6 7 5 4		5 4 4 1
13 14	White	89 40	3		1		1	1				16	10	10		6
15 16	Females	49 27 37	1 2 2				1 1	1 1	10 4 2			5 3 2	5 1	5 5 4		2 4 1
17	Colored	38							9			6	3	3		3
18 19 20	$egin{array}{ll} ext{Males}. & ext{Females}. & ext{Diagnosis reasonably certain.} iggl\{ egin{array}{ll} ext{M}. & ext{F}. & ext{F}. \ \end{array}$	30 4 18							3 6			2 4	1 2 1	1 2		$\begin{bmatrix} 1\\2 \end{bmatrix}$
21	Other cities	177	4	2	1		1		43		2	25	16	16		12
22 23 24	MalesFemalesDiagnosis reasonably certain. ${M \choose F}$.	53 124 31 88	3 1 3 1	2	i		1 1		23 20 8 1		1	11 14 4 1	11 5 4	5 11 5 4		3 9 3 2
25	White	127	4	2	1		1		35		2	19	14	14		11
26 27 28	$egin{array}{ll} ext{Males.} & ext{Females.} & ext{Diagnosis reasonably certain.} & ext{M.} & ext{F.} & ext{F.} & ext{F.} & ext{T.} &$	46 81 26 53	3 1 3 1	2 2	1		1		20 15 7 1		1 1	9 10 4 1	10 4 3	5 9 5 3		3 8 3 2
29	Colored	50	ļ <u></u>						8	<u></u>		6	2	2		1
30 31 32	Females	43 5 35							3 5 1			2 4	1 1 1	1		i
33	Washington. Registration cities	499	13	4	4		5		212	- • • · · · ·	5	162	45	65	6	39
34 35 36	Males Females Diagnosis reasonably certain. ${M \choose F}$	251 248 148 183	13	4	4		5		140 72 59		4 1 2 1	108 54 47	28 17 10	31 34 26	2 4 2	18 21 13 13
37	White	497	12	4	3		5		28 211		1 5	20 161	7 45	25 65	3 6	13 39
38 89 40	MalesFemalesDiagnosis reasonably certain. $\left\{egin{matrix}M&K&K&K&K&K&K&K$	249 248 147 183	12	4	3		5		139 72 59 28		4 1 2 1	107 54 47 20	28 17 10	31 34 26 25	2 4 2 3	18 21 13 13
41	' Colored	2	1		1				1			1				
42 43 44	Males	1	1		1				1			1				
45	Seattle	221	10	2			4		90		2	67	21	28	3	15
46 47 48	$\begin{array}{c} \text{Males}\\ \text{Females}\\ \text{Diagnosis reasonably certain.} \left(\begin{matrix} \textbf{M} \\ \textbf{F} \end{matrix} \right) \end{array}$	115 106 74 78	10	2			4		63 27 31 8		2 1	48 19 25 5	13 8 5 3	16 12 15 9	2 1 2 1	7 8 6 5

	•				=	DEAT	HS FROM	CANCER	AND OTH	ER MALIG	NANT T	UMORS (•		 _		T
Peritor intestin rectum	es, and		Female	genital or	gans.					•••		Other or	gans or o	f organs	not spec	ified.				1
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
		49		44	. 1	1	20		49	4									91	
7 3 4 3* 4		49	3 3	44	1 1	1	20	5 1 5 1	31 18 23 8	2 2 2 2 2 2		5 4 1 2	3	. 6 6 3	2 2			1 1	26 16 10 15 5	2
1		42		42			8	3 2	13		1	3	1	1	2		1	******	4	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
1		42		42			8	1 2 1	6		1	2 1	i	1	1		1		2 2	} 8
1 3 1		28	3	25 25			14	5 5 5	29 17 12 16	3 2 1 2 1	1	3 1 2 1		5 5 4	1 1 1			1 1	7 7 7	10
3 4 1		13	3	25 10			12	3	22 15	3		1		4	1			1	12 7	18
3 1 3		13 12	3 2	10 10		,	12	3	7 14 5	2 1 2 1		i		3	1			1	5 7 4	14 15 }16
		15 15		15			2	2 2 2	7 2 5 2		1	2		1 1 1	1 1				2	18 19
4		1,5 63		61	1	1	14	4	33	1		5	4	2	4		1		16	21
2 2 2 2		63 63		61 61	1	1	14	2 2 2 2	20 13 13 . 3	1 1		4 1 2	1 3 1 1		2 2		1		11 5 10 1	22 23 }24
3 2 1 2		36		34	1	1	8	3 2 1 2	27 16 11 9	1		3 1 1	3	2	3 2 1				9 5 8	25 26 27 28
1		36 27		. 27		1	6	1	6 4	1		1	1 1		1		1		1 2 2	29
1 1		27		27 27			6 6	1 1	2 4			1	i		1		1			31
		68	9	59			42	11 8	88 59	5	1	6 5	9	10	8	1	3		36	1
11 9 11 9		68 67 68	9 8 9	59 59 59		•••••	42 42 42	8 3 8 3	59 29 42 18	1 4 1	1	1 5 6	3 1 2 9	6 10	6 5 5	1 1	3 2 1		22 14 19 8	1
11 9 11 9		68	9	59			42	- 8 3 8 3		4 1 4 1		5 1 5	6 3 1 2	10	8 6 5	1 1	3 3 2		22 14 19 8	.ł
y		67	8	59			42		18				2		5		1		8	41
10		30	4	26			21	4	38	3		4	4	2	8				15	\\ \}44
7 3 7 3		30	4	26			21	2 2				3 1 3	3 1	2	5 3 2 2		1		8 7 .7 5	

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS OF-Peritoneum, intestines, and rectum. Stomach and liver. Buccal cavity. AREA AND BASIS OF DIAGNOSIS. Liver Peritoneum and mesen-Others of this class. Phar-Esoph Stom-Intesgall blad-der. Total. Total. Lip. Tongue Mouth tines ynx. agus. REGISTRATION CITIES-Con. WASHINGTON-continued. Spokane.... 15 4 2 2 59 24 49 10 Diagnosis reasonably certain. $\{\frac{M}{F}\}$ 14 5 3 3 Males..... 4 1 ·6 5 4 Females..... ï Diagnosis reasonably certain. ${M \choose F}$ $\bar{23}$ C ther cities Males....Females.... 11 Diagnosis reasonably certain & WEST VIRGINIA. 1 Wheeling 2..... 4 2 1 15 Diagnosis reasonably certain. ${M \choose F}$ • ī _____i $\frac{2}{4}$ $\frac{18}{19}$ Females..... Diagnosis reasonably certain ${M\choose \mathbb{R}}$ $\frac{9}{22}$ 23 Males Females Diagnosis reasonably certain $\{ F \}$ WISCONSIN. Registration cities..... 38 12 15 156 27 30 16 Females.... $\frac{2}{25}$ ï 1ô Diagnosis reasonably certain. ${M \choose F}$ $\frac{6}{21}$ White..... $\frac{41}{62}$ 31 Males.....Females..... 4 1 2 q 37 39 Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right\}$ Colored..... 35 Males....Females.... Diagnosis reasonably certain. ${M \choose F}$ 31 10 3 39 Males ï 3 5 15 9 5 5 Diagnosis reasonably certain. $\{{f M}_{f F}\}$ i Other cities..... 95 23 30 59 20 13 29 43 16 15 96 | 17 148 | Diagnosis reasonably certain $\left\{ \begin{matrix} M \\ F \end{matrix} \right\}$ -44 $_{16}^{3}$

 $^{^{\}rm 1}$ Nonregistration state; cities shown below only those with effective local ordinances.

² The only registration unit in the state.

						DEAT	s from	CANCER	AND OTHE	er malig	NANT T	UMORS (OF—						
Periton intestin rectum	neum, es, and —Con.		Female	genital or	gans.					•	****	Other or	rgans or o	of organs	not spec	eified.	•		
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
	•				-														
2		18	2	16	<u> </u>		9	2	19			1	1	5	4		3		5
1 1 1		18	2	16			9	1 1 1	13 6 9			1 1	1	5 4	1 3 1		1 2		1
ī		18	2	16			9	1	4						3		1		3
4		3		. 3			8	1	17	1	1	1	3	2					9
3 1 3		3		3			8	1 i	13 4 10	1 i	1	1	2 1 1	2 <u>1</u>				 	· 63
1		3		3			8		' 2										2
4		17	3	14			4	4	9	1			1	1	2	1	1		7
4		17	3	14			4	<u>4</u>	.5	1 1			1	1	2 2	i	1 1		4 3 3 1
4		17	3	14			4		3	- -			1		- <u>-</u>	1			ĭ
1		9	1	8			7	1	7			1		2					
1		<u> </u>					1 6		4			1		2					<u>4</u> 1
i		9	1	8			6 1 6	1	3 2 2					i					1 3 1 2
1		9	1	8 7			7	1	7			1		2				-,	2 4
1			l				1 6		4			1		2					
_i .		8	.1	7			6 1 6	1	3 2 2					<u>;</u> 1					3 1 2
		8	1	7			Ь	1	2			····			······		• • • • • • • • • • • • • • • • • • • •		2
		1		1 											:				
••••••		1		1								•••••					••••••		•••••
28		100	11	83	6		60	15	99	4	5	6	. 12	11	16		6	3	36
19 9		100		83	6		59 1	10 5	71 28 47 18	4	3 2 1	4 2	7 5 3	11	13 3		4 2	3	22 14
19 9		97	8	83	6		59	10 5	47 18	4	1	4 2 3 1	3 4	6	7		3 2	3	22 14 17 10
28		99	11	82	6		60	15	98	4	4	- 6	12	11	16		6	3	36
19 9 19		99	11	82	6		59 1 59	10 5 10 5	71 27 47 18	4	3 1 1	4 2 3 1	7 5 3	11	13 3		4 2	3	22 14 17 10
19 9		96	8	82	6		1 59	10 5	47 18	4	1	3 1	3 4	6	7 1		4 2 3 2	3	17 10
		1		1					1		1		<u></u>						
		1		1					1		_i								
		1		1															
14		38	8	29	1		30	4	38	1	3	2	3	3	8		2	2	14
10 4 10		38	8	29	1		30	3	25 13 15 9	1	2 1 1	1	2	3	5 3		2	2	7
10 4		36	6	29	1		30	3 1 3 1	15 9	1		<u>1</u>	2 1 1 1	1	$\begin{bmatrix} 3 \\ 2 \\ 1 \end{bmatrix}$		1	2	6
14		62	3	54	5		30	11	61	3	2	4	9	8	8		4	1	22
9 5		62	3	54	5		1 29	· 7	46 15 32 9	3	1 1	3 1 3	5 4	8	8		2	1	15
9		61	2	54	5		1 29 1 29	7	32	3		3	2 3	5	5		2 2 2 2	i	15 7 11 4

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

; =									ER AND O	THER M	ALIGNAN	r tumors	of—			
		Aggre-			Buccal	avity.			 	Stom	ıach and	liver.		Periton aı	eum, int	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES.1															
, 1	CALIFORNIA. Total	947	56	8	11		29	8	382		9	276	97	117	5	69
3 4	$egin{array}{c} ext{Males} \ ext{Females} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M} \ ext{.} \end{array}$	496 451 267 320	48 8 48 8	8	9 2 9 2		25 4 25 4	6 2 6 2	243 139 66 36		8 1 3 1	185 91 47 19	50 47 16 16	69 48 44 30	3 2 3 2	38 31 13 14
5	White	929	55	8	11		29	7			8	268	93	117	5	69
6 7 8	Males	483 446 259 317	47 8 47 8	8	9 2 9 2		25 4 25 4	5 2 5 2	233 136 61 35		7 1 2 1	179 89 45 19	47 46 14 15	69 48 44 30	3 2 3 2	38 31 13 14
9 10	Colored		1	<u></u>				1	13		1	8	3		<u></u>	
11 12	Females Diagnosis reasonably certain. ${M \choose F}$	5 8 3	1					i	3 5 1		1	2 2	1 2 1			
13 14	Los Angeles County	161	8		2 1		- 5	$\left \frac{2}{2} \right $	68		3	21	24	20	1	12
15 16	Females Diagnosis reasonably certain $\left\{egin{matrix}M & . \\ F & . \end{matrix} ight.$	92 32 60	8 3 8 3		1 1 1		2 5 2	2	31 7 7		1 1 1	20 4 3	10 2 3	11 7 6	i	6 4 2
17 18	Santa Clara County	78	7	1	$\frac{2}{2}$		$\frac{3}{3}$	1	29 18		3	17	9	11 6	2	7 -4
19 20	Females	39 19 26	1 6 1	1	2		3	1 1	11 5 1			5 4	6	5 3 4	2	$\begin{bmatrix} 3\\1\\2 \end{bmatrix}$
21	Sonoma County	63	1				1		28			21	7	6		5
22 23 24	Males. Females Diagnosis reasonably certain $\left\{egin{matrix} M & \cdots & \mathbf{M} \\ \mathbf{F} & \cdots & \mathbf{M} \end{array}\right.$	29 34 12 24	1 1				1 1		18 10 3 1			14 7 1	4 3 2	6 4		3
25	Other rural districts	645	37	7	7		18	5	257		3	197	57	80	2	45
26 27 28	MalesFemalesDiagnosis reasonably certain. ${M \choose F}$	359 286 204 210	33 4 33 4	7	6 1 6 1		16 2 16 2	4 1 4 1	170 87 51 27		1	138 59 38 15	29 28 12 12	48 32 30 20	2	23 22 5 10
29	COLORADO. Total	237	5	2	1		2		127			82	45	26	2	13
30 31 32	MalesFemalesDiagnosis reasonably certain $\left\{egin{matrix}M_{-}\\F_{-}\end{array} ight.$	109 128 57 78	5	22	1 1		2		72 55 26 14			51 31 20 6	21 24 6 8	12 14 8 9	2	5 8 3 3
33	White	236	5	2	1		2		127			82	45	26	2	13
34 35 36	Males. Females. Diagnosis reasonably certain. $\left\{egin{array}{l} M & \cdots \\ F & \cdots \end{array} ight.$	109 127 57 77	5	2	1		2 2		72 55 26 14			51 31 20 6	21 24 6 8	12 14 8 9	2	5 8 3 3
37	Colored	1	<u></u>								· · · · · · · ·			<u></u>	<u></u>	
38 39 40	$egin{array}{c} ext{Males} & . & . & . \\ ext{Females} & . & . & . \\ ext{Diagnosis reasonably certain.} igg\{ egin{array}{c} ext{M} & . \\ ext{F} & . & . \\ \end{array}$	1														
41	CONNECTICUT. Total	323	17	1	6	1	9		99		2	61	36	51	3	37
42 43 44	Males Females Diagnosis reasonably certain. {M F	123 200 63 122	12 5 12 5	1 1	4 2 4 2	1 1	7 2 7 7 2		44 55 8 5		2	33 28 7 1	11 25 1 4	22 29 10 12	1 2 1	14 23 3 7
45	White	323	17	1	6	1	9		99		2	61	36	51	3	37
46 47 48	Males Females Diagnosis reasonably certain- ${M \choose F}$.	123 200 63 122	12 5 12 5	1	4 2 4 2	1	7 2 7 2		44 55 • 8 5		2	33 28 7 1	11 25 1 4	22 29 10 12	1 2	14 23 3 7

 $^{^{\}mbox{\tiny 1}}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

							DEAT			at head of)F— ·	· · · · · · · · · · · · · · · · · · ·	<u> </u>		· .	•		T
Company Comp	intestin	es.and		Female	genital or	gans.	1								of organs	not spec	ified.				-
24 1 114 4 100 8 1 0 6 8 28 1 3 6 3 10 9 2 1 1 1 2 2 2 1 1 1 2 2 2 1 1 1 1 2 2 2 1 1 1 2 2 2 2 1 1 1 2 2 2 2<	Rec-	Others of this	Total.	fallo-	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	and	Orner	neys and supra-	Prostate.	Blad- der.	Brain.	(except	Tes- tes.	Others of this class.	3
24 1 1 114 4 000 8 1 1 00 48																				•	
42 1 114 4 205 3 1 97 49 128 5 3 10 7 16 13 2 8 2 26 23 1 133 2 3 4 3 5 2 16 3 3 2 2 2 2 2 2 1 1 1 3 1 13 2 2 2 1		1	114	4	106	3	1	\ <u></u>	!	II	·II	-			ļ		2	·		67	_1
42	14 28 14							96 3 96	8 · 41	38 65	1 5 1		5 5 5			3 1	1	1 1		20 42 17	}
288 1 114 4 136 5 1 03 4 88 88 4 1.1 5 3 1 1.2 23 1 1 2 1.2 2.2 1 1 1 0 3 1 1 2 2 1 1 1 0		1	i!	4	106	3	1	97	. 49	128	5	3	10	7	16	13	2	3	2	67	
	28 14 28 14		114	H				Q4`	8 41	38 63	4	1	5 5 4 5			9 4 3	li	, 2 1 1	ľ	47 20 42	}
Color Colo]		l i]]										-
								<u>2</u>													- - - -
2								2		2	1		1				<u></u>]}1
4 20 19 1 17 1 6 2 1 1 1 3 3 3 4 2 10 9 1 1 10 7 1 13 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 3 3 3 3 1 </td <td></td> <td>1</td> <td>20</td> <td></td> <td>19</td> <td>1</td> <td>ļ</td> <td></td> <td></td> <td>ļ</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>1</td> <td></td> <td></td> <td>8</td> <td>_ </td>		1	20		19	1	ļ			ļ							1			8	_
'2 10 9 1 7 1 13 2 1 2 1 2 1 4 2 10 9 1 6 1 5 1	4 2 4							17 1 1 17	3 1 3 1	9 6				2		1 1 1	1	•		5	}1 }1
1	` 2		10		9		1		1	13	2	. 1	2	1	2						1
1 9 9 12 1 6 0								1 6 1		8 5 4	1	1		1	2	1				3 1 3] 1]2
1 9 9 12 11 4/2 0 0 0 12 11 4/2 0 0 0 12 11 4/2 0 0 0 12 11 4/2 0 0 0 12 1 4/2 0 0 0 12 1 4/2 0 0 0 12 1 4/2 0 0 0 1 3 2 4 0 0 1 3 2 4 0 0 1 3 2 4 0 0 1 3 2 4 1 1 9 7 1 1 2 2 3 1 </td <td>1</td> <td></td> <td>l</td> <td></td> <td></td> <td></td> <td>1</td> <td>l i</td> <td></td> <td></td> <td>1</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2</td>	1		l				1	l i			1		1								2
1	1									4										4	2 2
33	1							l		4										4	}2
11 30 27 3 19 6 24 1 2 3 1 4 1 1 11 5			75	4	• 69	2		62	43		4	2	9	3	9	9	1	3	2		2
6 30 27 3 18 2 13 1 2 3 1 4 1 1 5 6 30 27 3 18 2 13 1 2 1 4 1 1 1 5 6 11 30 27 3 19 5 24 1 2 3 1 4 1 1 11 1 5 3 1 4 1	23 10 23 10							1 61 1 61	38 5 38 5	69 22 51 19		4	5 4 5 4			7 2 2		1		37 12 32 12	20 21 22 22
6 30 5 27 3 18 2 13 1 2 1 4 1 1 3 11 30 27 3 19 5 24 1 2 3 1 4 1 1 11 5 30 27 3 18 1 9 1 2 3 1 4 1 1 1 1 6 30 27 3 18 1 9 1 2 1 4 1 1 1 5 6 30 27 3 18 1 9 1 2 1 4 1 1 5 3 1 4 1 1 1 5 3 1 4 1 1 1 5 3 1 4 1 <td< td=""><td>11</td><td></td><td>.30</td><td></td><td>27</td><td>3</td><td></td><td>19</td><td>6</td><td>24</td><td>1</td><td>2</td><td>. 3</td><td>1</td><td>4</td><td></td><td></td><td>1</td><td>1</td><td>11</td><td>2</td></td<>	11		.30		27	3		19	6	24	1	2	. 3	1	4			1	1	11	2
11 30 27 3 19 5 24 1 2 3 1 4 1 <td>6 5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td> </td> <td>1 18 1</td> <td>4 2 4</td> <td> 13 </td> <td> </td> <td></td> <td></td> <td> </td> <td>4</td> <td></td> <td></td> <td>1</td> <td> </td> <td>5 6 5</td> <td>3 3 }3:</td>	6 5							1 18 1	4 2 4	13					4			1		5 6 5	3 3 }3:
5 30 27 3 18 1 2 1 4 1 1 5 6 30 27 3 18 1 1 2 1 4 1 1 5 6 30 27 3 18 1 1 1 2 1 4 1 1 5 6 3 1 1 1 2 1 4 1 1 5 3 2 1 4 1 1 5 6 3 1 1 1 5 3 2 3 2 7 8 1 29 9 9 1 4 1 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td> </td><td></td><td>1</td><td>1</td><td>1</td><td>r _ :</td><td>3</td><td></td><td>4</td><td></td><td></td><td>1</td><td>1</td><td></td><td>1</td></td<>									1	1	1	r _ :	3		4			1	1		1
	6 5		1			3		i		15 9	1		3	1	4				1		.1
11	6		30		27	3				5		1								3	3
11 41 2 36 2 1 48 12 55 3 2 3 2 7 8 1 29 7 4 41 2 36 2 1 48 2 20 1 2 1 10 10 4 4 40 2 36 2 1 48 2 20 1 2 2 1 10 10 4 4 4 2 36 2 1 48 2 7 1 1 2 2 1 1 15 11 4 1 2 36 2 1 48 12 55 3 2 3 2 7 8 1 29																				· · · · · · · · · · · · · · · · · · ·	3
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$																				· · · · · · · · · · · · · · · · · · ·	3: }4:
<u>11 41 2 36 2 1 48 12 55 3 2 3 2 7 8 1 29</u>			41	2	36	2	1	48			1	2							•••••		4:
<u>11 41 2 36 2 1 48 12 55 3 2 3 2 7 8 1 29</u>	4 7			1					10 2 10 2	35 20 23	2 1 2		1 2 1	1		4 2				19 10 15	4: 4: }4:
$egin{array}{cccccccccccccccccccccccccccccccccccc$							1	!		1 1	3	2	3		7			1			4
$egin{array}{c c c c c c c c c c c c c c c c c c c $	7						1		10 2 10 2	35 20 23 10	4		11			2				19 10 15 6	4 4 }4

MORTALITY FROM CANCER.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

-						DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN	T TUMORS	s or—			,
		Aggre-			Buccal	avity.				Ston	nach and	liver.			neum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES Continued.															
1	CONNECTICUT—continued. Hartford County	76	5		1		4		26		1	14	11	11		9
	Males	$\frac{70}{27}$			1		3	<u></u> }	11			6	5	3		2
2 3 4	Females	49 16	1 4		i		1 3		15 3		1	8 2	6	8 2 5		7 1
-	Ç	31	1				1		3				3	l		4
5 6	Other rural districts	247 96	12 8	1	3	1	- 5 4		73		1	47 27	25	19	3	28 12
8	Females	151 47 91	8 4	1	3 2	1	1 4 1		40 5 2		1	20 5 1	19	21 8 7	1	16 2 3
9	INDIANA. Total	1,434	74	19	8	11	31	5	594	2	4	351	237	132	7	79
10	Males	578	60	17	7	7	25	4	270		3	172	93	63	3	29
11 12	Females. Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	856 303 517	14 60 14	17 2	1 7 1	7 4	6 25 6	1 4	324 50 57	····i	1 1	179 28 30	144 21 26	69 49 30	4 3 2	50 15 13
13	White	1,423	74	19	8	11	31	5	593	2	4	350	237	130	7	79
14 15 16	MalesFemales. Diagnosis reasonably certain. ${ m M \choose F}$.	574 849 301 511	60 14 60 14	17 2 17 2	7 1 7 1	7 4 7 4	25 6 25 6	4 1 4 1	270 323 50 57	1	3 1 1	172 178 28 30	93 144 21 26	63 67 49 28	3 4 3 2	29 50 15 13
17	Colored	11		 				·	1			1		2		
18 19 20	MalesFemalesDiagnosis reasonably certain $\left\{ egin{matrix} M & & & \\ F & & & \end{array} ight.$	4 7 2 6							1			1		2		
	KANSAS.	v														
21	Total	813	50	24	5	1	16	4	338	<u></u>	4	214	120	78	в	56
22 23 24	MalesFemalesDiagnosis reasonably certain ${M \choose F}$	393 420 195 248	45 5 45 5	23 1 23 1	4 1 4 1	1 1	14 2 14 2	3 1 3 1	190 148 51 24		2	133 81 38 8	53 67 11 16	45 33 22 14	3 3 2 3	32 24 10 5
25	White	801	50	24	5	1	16	4	333		4	210	119	78	6	56
26 27 28	Males. Females Diagnosis reasonably certain $\left\{ egin{array}{l} M & \cdots \\ F & \cdots \end{array} ight.$	388 413 193 242	45 5 45 5	23 1 23 1	1 1 4 1	1	14 2 14 2	3 1 3 1	186 147 50 24		2	130 80 37 8	52 67 11 16	45 33 22 14	3 3 2 3	32 24 10 5
29	Colored	12				. 			5			4	1	·	 	- -
30 31	MalesFemales	5 7							4			3	1			
32	Diagnosis reasonably certain ${M - {F \choose F}}$	2 6							Ĩ			Ĩ				
	KENTUCKY.						_									
33	Total	753	37	$\frac{10}{9}$	5	17	9	4	118			152	95	70	2	43
35	Fernales	474 123	8 37	1 9	1 1 4	13	7 2 7	4	129 13			73 79 6	45 50 7	32 38 14	2	17 26
36	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{aligned} ight.$	294	8	1	1	4	2		12		i	6	6	14	¦	4
37	White	668	44	10	5	16	9	4	221	<u></u>		139	82	62	2	37
38 39 40	$egin{array}{c} ext{Males.} \ ext{.} ext{Females.} \ ext{Diagnosis reasonably certain.} egin{array}{c} ext{M.} ext{.} \ ext{F.} \ ext{.$	260 408 119 249	37 7 37 7	9 1 9 1	4 1 4 1	13 3 13 3	7 2 7 2	4	107 114 12 10		' 	66 73 5 6	41 41 7 4	30 32 14 12	2	15 22 4
41	Colored	85	1	· · · · · · · · · · · · · · · · · · ·	l	1	ļ	ļ	26	ļ	·	13	13	8	ļ	6
42 43 44	MalesFemalesDiagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array} ight.$	19 66 4 45	1						11 15 1 2			7 6 1	4 9	2 6		2 4

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

					1 270 Mar	DEAT	is from	CANCER	AND OTH	R MALIG	NANT T	UMORS O						••	2	Ī
Perito intestin rectum	neum, les, and —Con.		Female	genital or	gans.					÷		Other or	gans or o	f organs	not spec	ified.	. //	•		
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes-	Others of this class.	
																	-			
2		6		5	1		13	4.	11		. 2	1		. 1	1				6	1
1 1 1 1 1 1		6		5	1		13	3 1 3 1	6 5 4 2		<u>ż</u>	1		1	1				5 1 4	$\left.\begin{array}{c}2\\3\\4\end{array}\right\}$
9		35	2	31	1	1	35	8	44	3		2	2	6	7		1		23	5
6 3 6 3		35 34	2 2	31	1 1	1	35 35	7 1 7 1	29 15 19 8	2 1 2 1		1 1 1	1	6 2	4 3 2 1		1 1		14 9 11 6	8
45	1	205	10	190	3	2	145	112	172	6	5	17	14	11	26	2	4	1	86	9
31 14 31 14	1	205	10 8	190	3	<u>2</u>	143 2 143	81 31 81 31	102 70 61 40	4 2 4 2	2 3 2 1	8 9 2 3	8 6 4 2	11 5	14 12 4 3	1	3 1 1	1	50 36 38 29	10 11 }12
43	1	202	10	187	3	2	145	112	167	6	5	16	13	11	26	2.	3	1	84	13
31 12 31 12	1	202	10	187	3	·····2 ·····1	2 143 2 143	81 31 81 31	98 69 59 39	4 2 4 2	2 3 2 1	8 8 2 2	7 6 3 2	11 5	14 12 4 3	1	2 1	1 1	48 36 38 - 29	14 15 }16
2		3		3		<u></u>			5			1	1				1		2	17 18
2		3		3		.,			1 2 1			1	1				1			20 20
16		95	7	86	2		85	36	131	<u></u>	1	5	6	12	12	1	12	3	79	21
10 6 10 6		95 93	7	86 85	2		2 83 2 83	29 7 29 7	82 49 46 22		1	3 2 2 2 2	3 3 2 2	12 3	10 2 6 1	1	9 3 2	3	40 39 26 15	22 23 }24
16	-	91	7	82	2		. 83	36	130 81	ļ <u></u>	1	5	6	12	12	1	12	3	78	25
6 10 6		91 89	7	82 81	2		2 81 2 81	29 7 29 7	49 45 22		1	3 2 2 2	3 3 2 2	3	2 6 1	1,	3 3 2	3	39 39 25 15	26 27 }28
		4		4			2		1	<u></u>									1	29
		4		4			2		i										1	30 31 32
		143	5	129	8	1	'	46	120	2		7	12	6	7		5	2		33
		143	5	129 129	8		80 80	30 16 30 16	60 60 27 24	1 1 1 1	1		5 7 3	6 1	, 5 2 1	3	5	2	ľ	
	ļ	114	4	102	7		76	44	107	1	ļ	7	10	5 5	7		. 4	2		37
		114 111	2	102	7		74	29 15 29 15	55 52 25 20	i	1		4 6 2	i		3	4 3	2	ì	1
2		29	1	27	1		6	2	13				2	1	<u> </u>		1		8	
2		29 29	1 1		1		6	1 1 1	8 2 4	1			1 1 1				1		5 2 2	42 43 }44

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

Ī						DEAT	HS FRO	M CANCI	ER AND O	THER M	ALIGNAN'	r TUMORS	or-			
		Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton ar	eum, inte id rectum	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES:—Continued.															
1	Total	609	29	11	6	3	8	1	225	1	3	134	87	96	4	66
2 3	Males Females	228 381	24 5	11	5 1	1 2	6 2	1	99 126	1	3	54 80 9	41 46 2	43 53 17	2 2	29 37 5
4	Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} ight.$	96 212	24 5	11	5 1	1 2	6 2	1	12 8		1	3	5	22		8
5	White	607	29	11	6	3	8	1	224	1	3	133	87	95	4	65
6 7	MalesFemales	227 380	24 5	11	5 1	1 2	6 2 6	1	98 126 12	1	3	53 80 9	41 46 2	43 52 17	2 2	29 36
8	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \ldots \\ \mathbf{F} \ldots \end{array}\right.$	96 212	24 5	11	5 1	$\frac{1}{2}$	2	1	8			3	5	22		5 8
9	Colored	2							1			1		1		1
10 11	Males Females	1 1							1			1		i		i
12	Cumberland County	60	4			1	:		22		1	14	7	7	1	4
13 14	MalesFemales	25 35	3 1			1	2		10 12		1	5 9	3	3 4	1	$\begin{bmatrix} 2\\2\\1 \end{bmatrix}$
15	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array}\right\}$	11 20	3 1			1	2 1		2		1	1	1	2 1		
16	Kennebec County	55	5	3			1	1	14	1	1	5	7	11	1	7
17	Males Females	29 26	5	3			1	1	10 4	1	1	3 2	5 2	3 8 2	1	1 6
18 19	Diagnosis reasonably certain ${ m M \over F}$.	17 14	5	3			1	1						3		2
20	Penobscot County	54	3	1		2			23			11	12	8		5
$\frac{21}{22}$	MalesFemales	17 37	$\frac{1}{2}$	1		······à			10 13			5 6	5 7	4		3 2
23	Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}\\\mathbf{F}\end{matrix}\right\}$	6 23	$\frac{1}{2}$	1		2			3			2	1	1 2		
24	Washington County	54	4	2	2				23			14	9	5	<u></u>	3
$\frac{25}{26}$	Males. Females	19 35	3 1	2	. 1				12 11			6 8	6 3	1 4		$egin{array}{c} 1 \ 2 \end{array}$
27	Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	7 23	3 1	2	. 1				2			2		4		2
28	York County	60	3	2	1				20			14	6	11		7
29 30	MalesFemales	21 39	3	2	1				7 13			5 9	2 4	6 5		3
31	Diagnosis reasonably certain. $\left\{egin{array}{c} \mathbf{H} \\ \mathbf{F} \end{array}\right\}$	10 22	3	2	1				1			1		3 2		
32	Other rural districts	326	10	3	3		4		123		1	76	46	54	2	40
33 34	Males Females	117 209	9	3			3		50 73		1	30 46	19 27	26 28	2	18 22 3 4
35	Diagnosis reasonably certain. $\{ \stackrel{M}{F} : :$	45 110	9	3	3		3		5 5			5	4	9 10		4
	maryland.									ŀ						
36	Total	439	21	2	4	-	10		151		1	92	58	51	2	33
37 3 8	Males Females	160 279	13 8	2	4	. 1	5 5 5		76 75 13		1	50 42 10	25 33 2	21 30 13	1 1 1	12 21 4
39	Diagnosis reasonably certain $\left\{ egin{matrix} M & \ldots \\ F & \ldots \end{array} \right.$	77 186	13	ļ		. 1	5	2	13		·	6	7	14	1	5
40	White	380	19	2			9	-1	132		1	83	48	49	2	31
$\frac{41}{42}$	MalesFemales	146 234 72	11 8 11	2		1	5 4	2	69 63 13		1	46 37 10	22 26 2	20 29 13	1 1	11 20 4
43	Diagnosis reasonably certain. $\left\{egin{matrix}M \dots \\ F \dots \end{smallmatrix} ight.$	154	8	2		- i	5	2	12		ļ <u>.</u> .	6	6	13	1	4
44	Colored	59	2		. 1		. 1		19			9	10	2		1
$\frac{45}{46}$	MalesFemales	14 45	$\begin{bmatrix} 2 \\ 2 \end{bmatrix}$		1 i		. 1 . 1		7 12			4 5	3 7	1		i
47	Diagnosis reasonably certain. $\left\{egin{matrix}M.\ F. \end{array} ight.$	32 	2			1	., .		1	<u> </u>			1			1
48	Baltimore County	111	5					-	35		1	18	16	14		10
49 5 0	MalesFemales	38 73 22	. 1				. 1		22 13 7		1 1	12 6 4	9 7 2	' 3		9
51	Diagnosis reasonably certain. $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	53	1 1	••		.	. 1]	of 10,000		.	.	. 3	6	ļ!	. 4

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

[See note at head of this table, p. 88.]

۲.

						DEAT			AND OTH				of—				 		
Periton intestin rectum	neum, es, and —Con,		Female	genital or	gans.							Other or	gans or o	f organs	not spec	ified.			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
22		00		0.1				94					· 						
26 12 14		93		91	2		68	24 18 6	74 44 30 25 10	1	2	6 4 2	1	5 5	10	1	3 2 1	1	23 21 19
12 14 26		93 93		91 91	2		68 68	18 6 24	25 10 74	1 1	1 2	6	1	2 5	10	1	3	1	19 8 44
12 14 12 12 14		93		91	. 2		68	18 6 18 6	44 30 25 10	1	2	4 2 1	1	5	7 3 2	1	2 1	1	23 21 19 8
2		8		8			8	3	8			1		1	3				3
1 1 1 1		8		8			8	2 1 2 1	7 1 2			1		1	2 1 1				3 1
3 2 1 2		6		6			3	5 1 5	10 6 4 -5					2 2 2					8 4 4 3
3		6 9		8	1		8	1 1	1 2					·	1				1
1 2 1 2		9 13		8 8 13	1	,	8 8 3	1 2	1 4	1			1		1				1 1 1
2		13		13			3	2	1 3	1	-1		1		1			·	i
4		4		4			15	1	6			2							4
2 2 2 2		4		4			15 15	1	2 3			. 1							2 2 2
6 6 6 6 6		53 53 53		52 52 52	1 1		31 31	7 4 7 4	25 19 15 6		2 2 1	3 1 2		2	5 4 1 1	1	3 2 1	1 1 1	27 14 13 13 5
16		69	1	66	2		60	24	63	1	2	2	4	3	5	2	6 -	1	37
8 8 8		69 68	i	66	2		59 1 59	13 11 13 11	36 27 24 13	1 1	1	2 1	1 3	3	5 3	1	3 3 1	1 1	21 16 19 9
16 8 8		49	1	46	2		52 1 51 1	24 13 11 13 11	32 23 21 11		1 1	2	3 1 2		5 5	1 1	5 3 2	1 1 1	. 17 15 16 8
8 8		48 20		46 20	2		51 8	11	8	1		1	1	1	3		1	1	5
		20		20			8		4 4 3 2	1 . 1			i						1 3 1
2 2 2 2 2		16 16	1	15 15			21 20 1 20 1 20	1 3 1 3	!!		1	2			11				5 6 5 4

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

## ARIAL AND BASES OF PAROSCORM. ## ARIAL AND BASES OF PAROSCORM. ## ARIAL AND BASES OF PAROSCORM. ## ARIAL AND BASES OF PAROSCORM. ## ARIAL AND BASES OF PAROSCORM. ## ARIAL AND BASES OF PAROSCORM. ## Total. Lip. Tougus Month Jaw. College Colleg	T				[~	ee note a				ER AND O	THER M	ALIGNAN	T TUMOR	s of—			
AAA AND AND AND AND AND AND AND AND AND			A pore.			Buccal c	avity.				Stom	ach and	liver.		Periton ar	eum, into	estines,
MANYLANDcontinued. 104 3		AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	of this	Total.				and gall blad-	Total.	neum and mesen-	
Male	-																
Wides																	
Females	1	White		ļ													
Diagnosis reasonably certain.		Females	67	1				1		13	1000000		6	7	10		8
National Content of the Content of	4	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right.$	47					í							5		3
Females	5														1		1
9 Other rural districts.		Females	1 6							1		ļ	1	 	1		1
Name	8	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{F} & \mathbf{C} \\ \mathbf{F} & \mathbf{C} \\ \mathbf{F} & \mathbf{C} \end{array} \right\}$	6														
Temples	9	Other rural districts					1									11	Ii
Males	10 11	Females	206	7			1	4	2	62			36		19	1	12
Males	12	Diagnosis reasonably certain. $\left\{ \stackrel{M}{F} \right\}$	133				i	4	2	10	11		6	ĺ	8	1] }
Temales	13	White					1						ļ		I		
Diagnosis reasonably certain. F		Females	167	7 7			1	4	2	50	1100000		31		19	1	12
Males	16	Diagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{aligned} \right.$	107	7	2	,.2	1	4						3			ĭ
Diagnosis reasonably certain. M	17	Colored			<u></u>								ļ	1	l		
Diagnosis reasonably certain	18 19	Females	39										. 5	3 7	1		1
Total.		Diagnosis reasonably certain. $\left\{egin{matrix}M & \dots \\ F & \dots \end{smallmatrix} ight.$	5 26	2		1		1		1	110000			1			
Males		MASSACHUSETTS.															
Diagnosis reasonably certain. F	21				l	·	·	i			l						
Diagnosis reasonably certain. F	22 23	Females	550	1		. 1				147		. 4	85	58	106	6	70 70
Males	24	Diagnosis reasonably certain. $\{F_{i}^{M}$										2		5	49	i	18
Second Second	25	White	864		ļ	16		<u> </u>		l	<u></u>			l		.	
Diagnosis reasonably certain {F 329 1 1 1 1 1 1 1 1 1	26 27	Females	548	1		. 1				147		4	100 85	34 58	106	6	26 70
Males		Diagnosis reasonably certain $\left\{egin{array}{c} M \\ F \end{array} ight.$			5		3	7	3		11	2		5	49	i	18
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	29	Colored	4							1			. 1				
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	30 31	Females	2							1			1,				
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	- 1	Diagnosis reasonably certain $\{ \stackrel{M}{\mathbb{F}} : :$															
Middlesex County	33	Bristol County	56							20			. 13	7	11		
Diagnosis reasonably certain \(\frac{M}{F} \) 20	34 35	MalesFemales								10			. 4	1 6	7		
Males		Diagnosis reasonably certain $\left\{egin{array}{c} \mathbf{M} & \mathbf{F} \end{array}\right\}$	11							3			3				
Middlesex County	37	Essex County	105	2		. 1	1			40		. 2	27	11	21	ļ.,	14
Diagnosis reasonably certain. M 10 2 1 1 1 2 1 1 1 3 3 1 5 4 8 3 61 4 41 16 20 3 12 42 Males	38	MalesFemales		H		. 1	1			19			16 11	7	15		10
Males		Diagnosis reasonably certain $\{_F^M$.	10	2		. 1	1			2		i i	. 1	1	3	11	. 1
Temales Tema	41	Middlesex County	173	15	4	8		. 3		61		. 4	41	16	20	3	12
Diagnosis reasonably certain \(\begin{array}{c c c c c c c c c c c c c c c c c c c	42		68	15	4	8		3					23 18			3	
45 Norfolk County 99 4 2 1 1 35 2 22 11 24 1 19 46 Males 564 1 1 1 1 17 2 11 4 7 5 Females 64 1 1 1 1 1 5 2 2 1 1 7 17 1 14 7			32 68	15	4	8		3		.∐ 3			. 5	1	1 2		3
47 Females	45`	Norfolk County	1	4		. 2		. 1	1	35	<u></u>	_ 2	22	11	24	1	19
M. 18 3 1 1 1 5 2 2 1 4 2	46							. 1	1			. 2		4 7		1	. 5 14
		Diagnosis reasonably certain. ${M \choose F}$	18	3		.] 1		1	1	5	J	. 2	2	1	4		$\frac{1}{2}$

 $^{^{\}mbox{\scriptsize 1}}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT			AND OTH	ER MALIC			or		*	<u> </u>		===		ī
Perito intestin rectum	neum, nes, and —Con.		Female	genital or	gans.							Other or	rgans or	of organs	not spec	eified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	:
													·							-
4		13	1	12			19	-4	16		. 1	2			1		1		11] :
2 2 2 2		13 12 3	i	12 12 3.			1 18 1 18 2	1 3 1 3	7 9 6 5		1	1			1		1		5 6 5 4	}
		3		3			2													}
12 6 6		53		51 51	2		39 39	20 12 8	47 29	1	1		1 3	3	4	1 1	5 3 2	1	26 16	_
6 6 12		53 36		51 34	2 2		39 33	12 8 12 8	29 18 18 8 39	1	1		1 3	3	2	2	1 4	1	16 10 14 5	}1:
6 6 6 6		36 36		34 34	2		33	12 8 12 8	25 14 15 6		1		1 2	3	2	1	3 1	1	12 9 11 4	14 13 }16
		17		17			6		8 · 4 4	1			, 1 1				1 1		5 4 1	12
		17		.17			6		3 2	1							•••••		1 3 1	}20
14 29 14 29	1	126	6	117	2	1	108 107	34 17 17 17 17	129 83 46 49 18	6 1 6	12 6 6	1	6 2 4 1 1	. 11	18 16 2		7 2 5 2	2	65 37 28	21 22 23
14 29 43	1 1	123 126	3 6	117 117	2 2	1	107 106	17 17 34	49 18 128	6 1 7	2 2 12	1 1	1 6	11	6 1 18	•••••	7	2	37 28 25 13 64	}24 25
14 29 14 29	1	126 123	6	117	2	1	1 105 1 105	17 17 17 17	82 46 48 18	6 1 6 1	6 6 2 2	1	2 4 1 1	11 4	16 2 6 1		2 5 2	2	36 28 24 13	26 27 }28
							2		1 1										1	33
5	1	8		8			6	1	10	2	.1		1				1		5	33
2 3 2 3	1	8		. 8			6	1	7 3 6 1	2	1		1				1			ال
7 2 5 2 5		13	1	12			8	1 1 1	19 11 8 2 1		1	1	1	2 2 1	5 4 1		2		7 4 3	37 38 39 40
, 5		31	1	29	1		19	6	21	1	4 2		2	4	1				10	41
2 3 2 3		31 30	í	29 29	1		1 18 . 1 18	2 4 2	12 9 7 4	1	2 1		. 1		,				5553	42 43 44
2 2 2 2 2		12 12 12		11 11 11	1		10	2 2 2	12 8 4 6 1		1 . 1		1	2	2 2		1 i		5 2 3 2	46 47 48

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

≒					ee note a	- Ileac	01 0113 1	шие, р.	00.]							
ļ						DEA	THS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s of—	,		
***************************************	,	Aggre-			Buccal c	avity.				Stom	ach and	liver.		Periton ar	eum, int id rectun	estines,
	AREA AND BASIS OF DIAGNOSIS.	galo.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- aer.	Total.	Perito- neum and mesen- tery.	Intes- tines.
	RURAL PART OF REGISTRA- TION STATES —Continued.															
	MASSACHUSETTS—continued.	99	2		1	<u>.</u>	1		34		2	20	12	14	2	7
1 2	Plymouth County	44	2		1		1		21			13	8	3	1	
3 4	Females	55 20	2		1		i		13 4		2	7 4	4	11 2	1	1 6 1 2
5	Worcester County	37 138	4		1	ι	1	1	1 40		1	26	13	6 25	2	19
6	Males	53 85	4		1		1	1	24		1	16	7.	9	1	7
7 8	Females	25	4		i	٠٠٠٠٠،	i	····i	16 5 1			10 3	6 2 1	16 4 6	1	12 3 3
9	Other rural districts	55 198	7	1	3	1	1	1	59			37	22	33		20
10	Males	56	7	1	3	1	1	1	19			13	6	7		3 17
11 12	Females. Diagnosis reasonably certain. ${M \choose F}$	142 32 84	7	1	3	1	i	1	40 4 2			24 2 1	16 2 1	26 5 13		17 1 4
	MICHIGAN.	04			•••••											
13	Total	1,398	77	16	11	8	35	7	574	1		385	181	143	13	82
14 15	MalesFemales	602 796 287	56 21 56	15 1 15	6 5 6	6 2 6	24 11 24	5 2 5	304 270 70	1	$\begin{array}{c} 5 \\ 2 \\ 1 \end{array}$	161 49	75 106 20	62 81 37	6 4	31 51 9
16	Diagnosis reasonably certain. $\left\{egin{matrix}M \dots \\ F \dots \end{smallmatrix} ight.$	488	21	1	5	6 2	11	2	46	1		26	19	39	4	11
17	White	1,391	77	16	11	8	35	7	571	1	7	384	179	142	13	81
18 19	MalesFemales	599 792 286	56 21 56	15 1 15	6 5 6	6	$\frac{24}{11}$ $\frac{24}{24}$	5 2 5	302 269 69	1	5 2 1	223 161 48	74 105 20	62 80 37	6 4	31 50 9
20	Diagnosis reasonably certain. $\left\{ egin{matrix} ext{M.} \ ext{.} \ ext{.} \end{aligned} ight.$	486	21	i	5	6 2	11	2	46	1		26	19	39	4	11
21	Colored	7							3			1 1	1	1		1
22 23	MalesFemales(M	3 4 1	,						1 1			<u>1</u>	1	1		1
24	Diagnosis reasonably certain. $\{ F : \}$	2						<u> </u>			<u>-</u>					
25	Berrien County	<u>58</u>	1		$\frac{1}{1}$				12			7	<u>11</u> 5	6		3
26 27	MalesFemales	36 10	1		i				15 2			9	6	4 2		3
28	Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	20							3			2	1	1		3
29	Kent County Males	50	2				$-\frac{2}{2}$		16			10	6	3		2
30 31	Females. Diagnosis reasonably certain ${M \choose F}$	26 24 18	2				2		6 5			4 2	4 2 3	1 1		1
32		17 63	2				2		1 25		1	1 16	8	7		5
33 34	Wayne County	25							13		1	10	2 6			1 4
35 36	Females	38 11	2		 		2		12 1			6	(1)	5 1 2	 	
37	Other rural districts	25 1,227	72	16	1.0	8	31	7	506	1	6	343	3 156	126	13	1 71
38	Males Females	529	53	15 1		6 2	22	I	269 237		4	201		55	7 6	28 43
39 40	Females	698 248 426	19 53 19	1 15 1	5 5 5 5	6 2	9 22 9	5 2 5 2	237 62 38	1	1	142 46 22	64 92 15 15	71 33 36	4	43 9 10
=	MINNESOTA.															
41	Total	1,096	38	12	5	1	16	4	554	<u> </u>	12	432	110	134	5	82
42 43	MalesFemales	567 529 256	31 7 31	10 2 10	1 1 4	11	14 2 14	2 2 2 2	316 238 77		10 2 1	267 165 69	39 71 7	77 57 45	1 1 2	45 37 15 20
44	Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} ight.$	287	7	2	1		2		36			22	14	39		1
45	White	1,092	38	12	5	1	16	4			12	432	108	134	5	82
46 47	MalesFemales	526	31 7 31	10 2 10	4 1 4	1 i	14 2 14	2 2 2	236 77		10 2 1	165	69 7	77 57 45	1 1 2	45 37 15 20
48	Diagnosis reasonably certain. $\{^{M}_{F}\}$	287	1 31		1	1	2	2	36	11	······	69 22	14	39	l	1 20

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

			<u></u>			DEAT	es from	CANCER	AND OTH	ER MALIG	NANT T	UMORS C)F—							Ī
Peritor intestin rectum	neum, les. and —Con.		Female s	genital or	gans.			j				Other or	gans or o	of organs	not spec	ified.				
Rec-	Others of this class.	Total.	Ovary and fallo- pian fube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	.Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
												,		_						
5		8		8			17	5	19	2	3			1	2				11]
1 4 1 4		8					17	3 2 3 2	15 4 9 3	2	3			1	2				7 4 6 3	}
1		20	3	17			21	6 2 4	14	$\frac{2}{2}$	1		1	1	3				13 8	
3 1 3		20 19 34	3 2 1	17 17 32		1	21 21 27	4 2 4 12	8 10 4 26	2	1 1 1		1	1	1 1 5		3	2	8 5 6 3 14	} {
13 4 9		34		32		i	27	7 5	16 10		<u>i</u>			1	5		1 2	2	7 7	1
. , 9 9 . ,		33		, 32		<u>i</u>	27	5 5	. 4		<u>i</u>				3		ĩ	2	3	}12
48		194	9	181	2	2	130	· 84	196	5	6 5	16 8	- 7 - 5	19 19	24	1	9	2	102 50	13
24 24 24 24		194 190	9 5	181 181	2	2	126 4 126	28 56 28	120 76 64 38	2 3 2 3	5 1 3	8 8 4 3	1 1	6	10 2	1	5 2 3	2	50 52 34 26	1.]1.
48		193	9	180	2	2	129	- 84 56	195	5	5	16	7 5	19 19	24	1	14 9	. 2	101 49	1:
24 24 24 24		193 189	9 5	180 180	2	2	125 4 125	56 28 56 28	119 76. 64 38	2 3 2 3	5 1 3	8 8 4 3	. 2	6	10 2	1	5 2 3	2	49 52 34 26	18 19 20
		1		1			1		1										1	2: 2: 2: 2:
		1 1		1			1 1													$}_{2}^{2}$
3		10		10			. 5	5	4					1	2				1	2
2 1 2 1		10		10			5	4 1 4 1	3 1 1					1	1				1	2 2 }2
1		10		10			3	7	8	1		1					1		5	3
1		10 10		10 10			3	7	4 4 3 3	1 1		1					1 i		. 3 2 3 1	33
2	ļ	10	1	9			6	6	7	<u> </u>		1			2		1		3	3
1 1 1		10 10	i i	1			6	5 1 5	5 2 4			1			2		i		1 1	33
1 42		164	8		2	2	6 116	66	177	4	6	14	7	18	20	1	12	2	93	 3
20 22 20 22		164 160	8	1	2	1	112 4 112	40 26 40 26	108 69 56 35	2 2 2 2 2	5 1 3	6 8 4 3	5 2 1 1	18	· ,17 3 8 2	i	8 4 1 2	2	45 48 29 25	3 3 }4
47	<u></u>	104	10	92	2		66	42	158	6	12	8	15	16	17		15	4	61	-1
28 19 28 19		104	10	92 92	2		. 3 63 3 63	33 9 33 9	107 51 67 30	6	5 7 1 1	5 3 4 2	10 5 5 3	16 5	14 3 9	2 2 2	12 3 7 1,	4	33 28 24 22	4 4 }4
47		104	10	1	2	1	66	42	156	6	12	. 8	- 15	15	17	4	15	1	60	4
28 19 28 19		104	10		2		3 63 3 63	33 9 33 9	106 50 67 30	6	5 7 1	5 3 4 2	10 5 5 3	15 5	14 3 9 1	2 2 2	, 12 3 7 1	4	33 27 24 22	}

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=				•	•	DEA	THS FR	OM CAN	CER AND	OTHER 1	MALIGNA	NT TUMOI	s of			
		A ggra-			Buccal c	avity.	· · · · · · · · · · · · · · · · · · ·			Stom	ach and	liver.		Periton ar	eum, inte	estines,
	AREA AND BASIS OF DIAGNOSIS.	Aggre- gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES'—Continued.															
1	Total—Continued. Colored	4			.				2				2			
2	Males	1														
3 4	Females	3							2				2			
5	Olmsted County	99	1	1					40		1	34		24		16
6	Males	62	1	1					27			23 11	3 2	15		· 8
8	Females	37 52 28	1	1					13 20 6		1	17 5	$\begin{bmatrix} 2\\1 \end{bmatrix}$	13		6 7
9	Other rural districts	997	37	11	5	1	16	4	514		11	398	105	110	5	66
10 11	MalesFemales	505 492	30	9 2	4	1	14 2	2 2	289 225			244 154	36 69	62 48	4	37 29
12	Diagnosis reasonably certain. $\left\{ egin{matrix} M \ldots \\ F \ldots \end{array} \right.$	204 259	30 7	9 2	1	1	14 2	2 2	57 30				5 13	32 31	2	9 13
13	MISSOURI. Total	1, 155	58	17	7	10	19	5	480		6	297	177	96	5	62
14	Males	489	48	17	- 5	7 3	16	3	221		·2	150	69	42	4	21
15 16	Females	666 239 379	10 48 , 10	17	5 2	7 3	3 16 3	2 3 2	259 27 36		4	147 15 19	108 12 17	54 25 22	1 2 1	41 6 9
17	White	1,112	56	16	7	10	18	5	468			291	171	92	5	60
18 19	Males	473 639	46 10	16	5	7 3	15	3 2	213 255			146 145	65 106	41 51	4	21 39
20	Females	232 360	46 10	16	2 5 2	7 3	3 15 3	3 2	26 35				11 17	24 21	$\frac{1}{2}$	6 9
21	Colored	43	2	1			1		12			6	6	4	ļ 	2
22 23	MalesFemales	16 27	2	1			1		8 4			4 2	4 2	1 3		2
24	Diagnosis reasonably certain $. {M \choose F}$	7 19	2	1			1		1			1	1	1		
25	MONTANA. Total	141	9	3			5	1	61		2	40	19	17		11
26	Males. Females.	68	8	3			4		35		1	26	8	10		7
27 28	Females	73 45 48	1 8 1	3			1 4 1	····i	26 14 5			14 10 2	11 4 2	7 10 4		4 7 1
29	White	137	9	3	i		5	1			2	39	18	15		11
30 31	Males	67 70	8	3			4 1	1	35 24		1 1	26 13	8 10	9		7 4
32	FemalesDiagnosis reasonably certain. $\{rac{M}{F}$	44 47	8	3			4	i	14 5		1	10 2	4 2	9 3		7 1
33	Colored	4	 						2			1	1	2		
34 35	MalesFemales	1 3							2			1		1 1		
36	Diagnosisreasonably certain. $\left\{egin{matrix}M&\cdot&F&\cdot&F&\cdot&1\end{smallmatrix} ight\}$	1 1				-								1 1		
	NEW HAMPSHIRE.															
37	Total	269 88	11 10	$\frac{2}{2}$	4		5 4		33			38	18	16	1	36
38 39 40	Females Diagnosis reasonably certain.	181 37	1 10	2	4		1 4		51 3			23	28 2	32 3	1	13 23 1
41	White	105 268	1 11	2	4		1 5		4 83			3 37	1 46	13 48	1 2	4 36
42	Males	88	10	2	4		4		33			15	18	16	1	l
43 44	Females	180 37	1 10	2	4		1 4		50 3			22 1 3	28 2 1	32 3 13	1	13 23 1 4
45	Colored	105	1				1		4			1	1	19		4
46	Males															
47 48	Females	1							1			1				
i	. (*)		II 			·	<u> </u>		10.000 or						I	

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT			AND OTH				OF—						<u>'</u>	T
Perito intesti	neum, nes, and n—Con.		Female	genital or	gans.							<u>·</u>	•	of organs	not spec	cified.			, ,	
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
	·						•				_									
									2				•	, 1					1	1
									1					1					i	2 3
		8		4		<u> </u>			01											} 4
8		<u> </u>	4	4			1	3	21 16	2	1	3	1	2 2	6		1 1		3	5
7 1 7 1		8	4	4			1	3 1 3 1	5 15 4	2	1	3 1 3 1	i	2	6		1 1		$\begin{array}{c} 1\\2\\1\\2\end{array}$	6 7 } 8
39		96	6	88	2		65	38	137	4	11	4	14	14	11	4	13	4.	58	9
21 18 21 18		96 95	6 5	88 88	2		3 62 3 62	30 8 30 8	, 91 46 52 26	4	5 6 1 1	2 2 1 1	9 5 4 3	14 3	8 3 3 1	2 2 2	11 2 7	4	32 26 23 20	10 11 12
29		140	4	- 129	4	3	112	111	158	3	4	8	12	17	12	1	11		90	13
17 12 17 12		140 139	4 3	129 129	4	3	5 107 5 107	71 40 71 40	102 56 63 25	1 2 1 2	3 1	7 1 3	5 7 3 1	17 5	10 2 5	1	5 6 3 2		53 37 43 20	14 15 }16
27		131	4	120	4	3	105	109	151	3	4	8	12	17	10	1	10		86	17
16 11 16 11		131	3	120 120	4	3	5 100 5 100	70 39 70 39	98 53 61 25	1 2 1 2	3 1	7 1 3	5 7 3 1	17 5	8 2 4	1	. 5 5 3 2		51 35 42 20	18 19 20
2		9		9	<u></u>		7	2	7						2		1		4	21
1 1 1		9		9 9			7	1 1 1	4 3 2						1		1		2 2 1	22 23 24
6		18	. 2	i 14	2		13	. 6	17			3	1	3		1		3	6	25
3333		18	2	14	2		1 12 1 1 12	33333	11 6 9 5			2 1 1 1	1	3		1	••••••	3	3 3 2 3	26 27 28
4		18	2	14	2		13	6	17			3	1	3		1		3	6	29
2 2 2 2		18	2	14 14	2		1 12 1 1 12	3 3 3 3	11 6 9 5			2 1 1 1	1 1	3		1		3	3 3 2 3	30 31 32
2	<u></u>	<u></u>																		33
1 1 1 1																				34 35 }36
'n		50	1	47	1		28	12	36	1	2	4		. 3	7		1		18	37
2 8 2 8		50	1	4,7 47	i	1 1	28	10 2 10 2	19 17 11 8	1		2 2 2 1		3	4 3		1		6 12	38 39 }40
10		50	1	47	1	1	28	12	36	1	2	4		3	7		1		7 18	41
2 8 2 8		50	1	47 47	1 1	1 1	28	10 2 10 2	19 17 11 8	1	2 1	2 2 2 1		3	4 3		1			42 43 44
																				45
																				46 47
																				}48

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=					ee note a	t head o	of this t	able, p.	88.]							
						DEAT	HS FRO	M CANC	ER AND C	THER M	ialignal	NT TUMOR	s of—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal o	eavity.				Ston	ach and	liver.		Peritor a	neum, int nd rectur	estines,
	ALLE AND SING OF PARKINGS	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES —Continued.															
	NEW HAMPSHIRE—continued.															
1	Rockingham County	51	2		1		1		18			12	6	8		6
2 3	Males Females	10 41	2		1		1		5 13			4 8	1 5	1 7		1 5
4	Diagnosis reasonably certain. $\{ egin{matrix} M \ \Gamma \end{bmatrix}$	23	2		1		1		1 2			1 2		3		·····i
5	Other rural districts	218	9	2	3		4		66			26	40	40	2	30
6 7	MalesFemales	78 140	8	2	3		3		28 38			11 15	17 23 2	15 25	1	12 18
8	Diagnosis reasonably certain- ${M \choose F}$	33 82	8	2	3		3 1		2			i	1	3 10	·····i	1 3
9	NEW JERSEY.	797	28	,	10											
10	Males	314	23	4	10	4	<u>9</u>	1	302 150		3	196	101	117	6	73
11 12	Females	483 127 279	5 23 5	4	8 2	4	3 6 3	1	152 20 16		2	90 14 11	60 6 5	68 24 28	1 5 1 1	43 5 7
13	White	779	28	4	10	4	9	1	298		5	195	98	113	6	70
14	Males	308	23	4	8	4	6	1	149		3	106	40	48		29
15 16	Females	471 125	23 23	4	2 8	4	3 6	·····i	149 20		2	89 14	58 6	65 24	1 5 1	41 5 7
	(272	5		2	•••••	3	• • • • • • •	16			11	5	27	1	1
17 18	Colored	18							4			1	3	4		3
19	Females	12 2							3			·····i	1 2	3		1 2
20	Diagnosis reasonably certain. $\{ F : F : F : F : F : F : F : F : F : F $	7												1		
21	Bergen County	101	3				3		3,9			24	15	17	2	8
22 23	MalesFemales	39 62	1		· · · · · · · · ·		$\frac{2}{1}$		22 17			14 10	8 7	8 9	<u>-</u> -	3 5
24	Diagnosis reasonably certain. $\{\stackrel{M}{F}$.	16 36	2 1		•••••		$\frac{2}{1}$		6			3	3	5 4	····i	····i
25	Burlington County	60	2	1			1		18			14	4	7		4
26 27	MalesFemales	23 37	2	1			1		9			7 7	2 2	2 5		1 3
28	Diagnosis reasonably certain ${M \over F}$	11 23	2	1			1		2 2			1 2	1	1 2		
29	Monmouth County	86							34			25	9	12	1	7
30	Males	30							16			14	2	6		
31 32	Females	56 11 31					· · · · · · · ·		18 2			$\begin{bmatrix} 11 \\ 2 \end{bmatrix}$	7	6	1	3 4 1 1
33	Morris County	50	3	•••••	2	•••••	1		22		1	13	8	2 5 -	• • • • • • • • • • • • • • • • • • • •	
34	Males		2		2				12		1		4	1		4
35 36	Females	22 28 8	1 2		2		1		10		1	8 5 1	4	4		1 3 1
	()	12	1			• • • • • •	1	• • • • • •						1		
37	Other rural districts	200	20	3	8	4	4		189		4	120	65	76	3	50
39	Males Females	300	17 3 17	3	6 2 6	4	3	1	91 98		3 1	63 57	25 40	32 44	$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	22 28 3
40	Diagnosis reasonably certain. $\{ F : F : F : F : F : F : F : F : F : F $	81 177	3	3	2	4	3 1	1	9			7 9	2 5	. 13 19	1	5
41	NEW YORK.	2,286	96	19	27	10	33	7	832	2	20	519	291	287	28	151
42	Males	883	79	16	23	9	25	6	395	2	6	276	111	124	5	65
43 44	Females	1,403 438 870	17 79 17	3 16 3	23 4	1 9 1	8 25 8	1 6 1	437 66 49	i	14 1 4	243 51 19	180 13 26	163 70 86	23 1 · 7	86 15 28
45	White	2, 263	94	19	27	10	31	7	822	2	20	509	291	283	28	147
46	Males	873	77	16	23	9	23 8	6 1	391	2	6	272	111	122		63 84
48	Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & . \\ F & . \end{array} \right\}$	1,390 436 863	17 77 17	$\frac{3}{16}$	23 4	$\begin{vmatrix} 1 \\ 9 \\ 1 \end{vmatrix}$	23	6	431 66	1	14 1	237 51	180 13 26	161 70	5 23 1 7	84 15 27
	· (F		li 11 A evrient				8 1	1 "	48 / 10 000 on 4	ا ا	4 1	18	26 '	85	7 '	27

 $^{^{1}}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

		,		<u> </u>		DEAT	HS FROM	CANCER	AND OTH	ER MALIG	NANT 1	UMORS (OF			<u>-</u>			4. 70-	Ī
Periton intestin rectum	es.and (Female :	genital or	gans.							Other or	gans or o	of organs	not spec	ified.			<u>,</u>	
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
						•		•				,								
2	·	12		11	1		5	1	5			2	 	1	1				1	, 1
2		12		11	1		5	1 1	1 4			2		1	1				1	1 8
2		12		11	1		5		1			1								}
<u>8</u>		38	1	36		1	23	11	31	1	$\frac{2}{2}$	$\frac{2}{2}$		2	6		1		17 6	}
6 2 6		38 37	1	36 36		1 1	23 23	9 2 9 2	18 13 11 7	·i	i	2			2		1		11 6 7	} {
38		103	8	92	2	1	96	35	116	1	4	. 4	10	17	15	4	9	2	50	,
18 20 18		103	8	92	2	1	95 1 95	25 10 25 10	66 50 34 27	i	1 3 1	2 2	6 4 2 2	17 3	10 5 7 1	2 2 1 2	4 5 1	₂	22 28 17 17	112
20 37		98 98	4 8	91 87	2 2	1	95 96	10 35	27	1	4	1 4	10	17	1 14	3	3	2	17 47	13
18 19		98	8	87	2	<u>1</u>	1 95			<u>i</u>	1 3	2 2	6	17	9 5 6		4 5 1	2		14 18
18 19		93	4	86	2	····i	95	25 10 25 10	62 49 32 26	i	1	i	4 2 2	3	6	1 2 1 2	3	2	20 27 16 16	}16
1		. 5	<u></u>	5					5						1	1			3	17
i		5		5					4 1 2						1	1			2 1 1 1	18
1		5		5					1					<u> </u>						20
7 5		12		11		1	14	1	14				2	$\frac{2}{2}$	2	1	1		6	21
5 2 5 2		12		11		1	14	1 1	8 2						1	1	1		1 5 1 2	22 23 24
3		12 9	1	11 8		1	14 9	1 3	4 12		1	1		3	3	1			4	2
. 1		9		8			9	3	7 5		<u>i</u>	i		3	2				2 2	26 27
1 2		9	<u>i</u>	8			9	3	3 1					1	2				<u>ī</u> .	22
4	<u></u>	13	. 1	11	1		10	5	12			1	1	1	2	1			6	2
3		13	i	11	_i .		10	3 2 3 2	5 7			1	1	1	1 1	_i -			2 4	30
3 1		13	1	11	i		10	2	2 4							1			4 2 3	ſ
1		5	1	4	<u></u>		2	5	8			1	1	1	1		1		3	.1
1	7	5	1	4			2	4 1 4	3 5			1	1	1	1		1		3	34
i		4 64	5	4 58			2	1 20	3 70	1	3	1	6	10	7	2	7	2	2 31	37
23					1		61	20 14		 		1		10	6	2		2		
9 14 9 14		64 60	5 2	58 57	1		60 1 60	6 14 6	45 25 27 15	i 1	$\frac{2}{1}$		3 3 2 2	2	1 4	1	3 4 1 3	2	17 14 14 9	39 }40
105	3	301	10	269	17	5	310	124	336	18	12	20	14	32	39	3	19	8	171 ,	
54 51 54 51	3	301	10 6	269 267	17 17	5 3	307 307 307	82 42 82 42	200 136 138 76	15 3 15 3	8 4 4 1	12 8 7 3	6 8 2 2	32 10	27 12 15 5	2 1 1	5 14 4 7	8 8	85 86 72 55	42 43 }4
105	3	299	10	267	17	5	308	124	333	18	12	20	14	32	38	2	19	8	170	4
54 51 54 51	3	299 291	10	267 265	17	5		82 42 82 42	198 135 138 75	15 3 15 3	8 4 4 1	12 8 7 3	6 8 2 2	32 10	26 12 15 5	1 1 1	5 14 4 7	 8	85 85 72 54	4

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=				Te	Bee note a	ar Head	or curs	аон, р.	00-]							
						DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMOR	s of—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Stom	iach and	liver.		Periton	eum, int nd rectur	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
1	RURAL PART OF REGISTRA- TION STATES —Continued. NEW YORK—continued. Total—Continued. Colored.	23	2				2		10			10		4		. 4
2 3 4	Males Females Diagnosis reasonably certain $\left\{ egin{matrix} M \\ F \end{array} \right.$	10 13 2 7	2				2 2		4 6			4 6		2 2		2 2
5	Cattaraugus County	53	4	1	1	2			14			7	7	6		3
6 7 8	Males. Females Diagnosis reasonably certain ${M \choose F}$	15 38 9 23	4	1 1	1 i	2	• • • • • • • • • • • • • • • • • • •		5 9			3	1 6	2 4 1 2		1 2
9 10	Chautauqua County	58 18	7	1	2	1	3		18	 		9	9	11 2		7
11 12	Females. Diagnosis reasonably certain $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right.$	40 8 21	6	i	2	1 1			11			4	7	9 3		5 1
13 14	Delaware County	60	1		1	[———			26 11		1	14 7 7	11 4 7	7		5 3
15 16	Females	$\begin{bmatrix} 41 \\ 8 \\ 23 \end{bmatrix}$	i		1				15 3 2			7 2	7 1 2	3 1 1		2
17 18	Dutchess County	26	3	1	2				21 11		1	9 8 1	11 2 9	8 4 4	$\frac{2}{1}$	5 3 2
19 20	Females	37 12 23	3	1	2				10 2 1			2	·····i	2		ī
21 22 23	Erie County	71 32 39	3	1	1		1		30 14 16			16 10 6	14 4 10	10 5 5		$\frac{6}{4}$
24	Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M}&\cdot&\cdot\\\mathbf{F}&\cdot&\cdot\end{matrix} ight\}$	15 22 50	3	11	1		1		3 2 13			5	1 2 8	3 4 4		2 1 1
25 26 27	MalesFemales	14 36 7	2	<u>i</u>			i		6 7			2 3	4 4	1 3 1		i
28 29	Diagnosis reasonably certain. $\left\{ egin{array}{l} M \ldots \\ F \ldots \end{array} \right.$	26 78	3	ii		1	1 2		1 34			1 21	13	16	2	9
30 31 32	$egin{array}{cccc} ext{Males}. & ext{M.} \ ext{Diagnosis reasonably certain.} \left\{ egin{array}{c} ext{M.} \ ext{F} \end{array} ight.$	39 39 15	2 1 2 1			1 1	1 1 1 1		18 16 2			11 10 2	7 6	11 5 6 2	1	6 3 2 1
33	Oneida County	20 74	3		2		1		26		1	14	1 11	8		4
34 35 36	Males. Females Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	25 49 10 32	3		2		1 1		13 13 1		1	8 6 1	7	3 5 2 3		2 2 1
37 38	Onondaga County	62	2	1	1				26 14			19	5	3	1	1
39 40	Females	36 13 22	2	i					12 4		1	8 4	3	$\begin{bmatrix} 2\\1\\1 \end{bmatrix}$	1	1
41 42	Ontario County	56 29	1					1	22 15 7			13	2 2	5 3		$-\frac{4}{2}$
43 44	Females Diagnosis reasonably certain $\left\{egin{matrix}M & . \\ F & . \end{array}\right\}$	27 13 16	i					1	1			5 1		3		
45 46 47	Orange County	55 22 33	1			1			10 11			14 6 8	7 4 3	6 4 2		$\frac{4}{2}$
48	Diagnosis reasonably certain. $\left\{egin{matrix}\mathbf{M} \ldots \\ \mathbf{F} \ldots \end{matrix} ight.$	9 17 51	2		1			1	18			13	5	2 1 5		i
49 50 51	Rockland County	28 23 19	2		1			1	13 5			10	3 2	3 2		
52	Diagnosis reasonably certain. $\left\{egin{smallmatrix} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	19 16	2		1		• • • • • • • • • • • • • • • • • • •	1	$\frac{6}{2}$			6 1	<u>i</u> -	3 1		i

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

						DEAT			AND OTE	THIS TAD		 	of—	<u> </u>	 -			MI.		T
Perito intestin rectum	neum, les, and —Con.		Female	genital or	rgans.					· · · · · ·		Other o	rgans or	of organ	s not spe	cified.	•			
Rec-	Others of this class.		Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Laryn	Lung and pleura.	27000	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
		2		2			2	ļ I	3 2					<u> </u>	. 1	-J			1	- ∤
		2		2			2		i i						-				i	- -}
3		10		10			4	5	10			1			. 2		1		6	- ′
1 2 1 2		10		10			4	2 3 2 3	2 8 2 4			1			2		1		1 5 1 3	}
2	2	7		6	1		9	1	. 2		ļ				. 1		·····		4	-(
, 2	2	7		6	1		9	1	3 1 1						1				2 2 1 1	ľ
1		8		8			10	1	3						2				3	1 1 1
1 1 1 1 1 1 1		8 8 8	1	8 8 7			10 10 9	1 1 4	3 1				4		2		1-		3 2 3 1	}1
		8	i	7				3 1	10 5	1	2		1				2		3	1 1 1
1 1 4		7		7	1		9 9	3 1 4	5 4 3- 11	1 1	1.		1				2	`,	3 3	}2
1 3		4		3	i		9		8	1	1	1 i	1	2	3 2				2	2 2 2
1 3		4		3	1		9	. 2	3 4 1	1			i		1				2	$}_{2}$
1 2		9	1 i	6	2		7	1	13 6 7			2		2	1		1		7 1 6	2 2
1 2		9	1	6	2		7	1 1 1	5 4			2		1	ī		1		6 1 4	}2!
- 5 4		6	 	5	1		8	2	- 8 5			- 3	 	1	1		1		1	30
1. 4 1		6		5 5	1 1		1 7 1 7	1 2 1	3			1 1					1		1	3: }3:
		13		13			10	4				1	1					1	5	33
1		13 13		13			10	2 2 2 2	4 6 2 4	·····i		1 1	i	1	1				1 4 1 3	34 35 }36
1		5	1	4			13	3				1	1	!			······································		5	1
		5	1 1	4			13	2 1 2 1	7 3 4 2		1	1	1				1			39 39 }40
3		3		3		·····	10	<u>4</u>				2	1							4:
1 3 1		3		3			10	2 2 2 2	6 2 6			1	1 1						2 1 2	42 42 }44
2 .		7		6	`1		4	2	7				•••••	1					8	4
2		7 6		5	i		4	2	5 4					1	1 1 1	1				41 42 }45
3 .		7					4	2	13 8 5	2 2			1	1						4º 50
3		7	i 1	6			4 4	2	5 6 2	2			ī		12		1		2 1 2 1	5 }5

MORTALITY FROM CANCER.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN [See note at head of this table, p. 88.]

=						DEAT	HS FRO	M CANC	ER AND C	THER M	ALIGNAN	TUMOR	s or—			
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal c	avity.				Stom	ach and	liver.	,		neum, int	
		gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Phar- ynx.	Esophagus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES 1—Continued. NEW YORK—continued.															
1	St. Lawrence County	50	2				2		18	<u></u>		12	6	7		2
2 3 4	$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain $\left\{rac{ ext{M}}{ ext{F}} ight.$	21 29 11 17	2				2 2		11 7 2			7 5 1	4 2 1	1 6 1 5		₂
5	Steuben County	69	4	2	1		1		27		1	15	11	7	1	4
6 7 8	$rac{ ext{Males}}{ ext{Females}}.$ Diagnosis reasonably certain $\left\{rac{ ext{M}}{ ext{F}} ight.$	36 33 20 20	3 1 3 1	2	1 1		i i		14 13 1 2		i	11 4 1	3 8	5 2 3 2	1 1	3 1 1 1
9	Suffolk County	92	2		1		1		35		1	26	8	17	1	12
10 11 12	Males. Females. Diagnosis reasonably certain $egin{cases} M_{F} \end{cases}$	26 66 8 42	<u>2</u>		i		i		15 20 3 1		1	13 13 3 1	1 7	8 9 3 5	1 1	6 6 1 2
13	Wayne County	59	1			<u></u>	1		23		1	14	8	10	2	4
14 15 16	Males Females Diagnosis reasonably certain. $\left\{ egin{matrix} M \dots \\ F \dots \end{array} ight.$	13 46 8 27	1 1				1 i		6 17 1 4		1 1	3 11 1 2	3 5	3 7 3 3	1 1 1	1 3 1 1
17	West Chester County	106	10		4		5	1	28		· · · · · · ·	18	10	12	1	4
18 19 20	$egin{array}{ll} ext{Males} & ext{Females} & ext{F.} \ ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M.} & ext{F.} \ ext{.} \ $	49 57 32 43	9 1 9 1		4		4 1 4 1	1	16 12 2 3			12 6 1	4 6 1 2	3 9 3 6	1	1 3 1 1
21	Other rural districts	1, 179	45	11	10	5_	15	4	432	2	12	275	143	142	18	74
22 23 24	Males Females Diagnosis reasonably certain $egin{cases} M & \\ F & \\ \end{bmatrix}$	445 734 221 460	36 9 36 9	9 2 9 2	7 3 7 3	5 5	12 3 12 3	3 1 3 1	196 236 34 30	2 1	2 10 1 3	135 140 23 13	57 86 9 14	59 83 34 42	2 16 5	28 46 5 16
25	NORTH CAROLIN 1.2 Total	149	3	1			2		48		1	29	18	18	2	10
26 27 28	Males . Females . Diagnosis reasonably certain $\{ egin{matrix} \mathbf{M} & \cdots & \mathbf{M} \\ \mathbf{F} & \cdots & \mathbf{M} \end{array} $	38 111 19 76	1 2 1 2	1					21 27 6 6		1	11 18 4 4	9 9 2 2	6 12 5 4	1 1 1	2 8 1 1
29	White	114	2				2	· · · · · · ·	37		1	22	14	17	2	10
30 31 32	Males	27 87 15 54	2 2				2		13 24 5 4		1	7 15 3 2	5 9 2 2	5 12 4 4	1 1 1	2 8 1 1
33	Colored	35	1	1					11			7	4	1		
34 35 36	Males. Females. Diagnosis reasonably certain. $\left\{egin{array}{l} \mathbf{M} & \cdots \\ \mathbf{F} & \cdots \end{array}\right.$	11 24 4 22	1	1 1					8 3 1 2			4 3 1 2	4	1		
37	оню. Total	2,072	98	23	18	12	40	5	833		12	520	301	227	16	127
38 39	Males	871			12	10		3	414		10	290	114	101		
40	Females. \bigoplus_{F} Diagnosis reasonably certain ${M \choose F}$.	1,201 420 721 2,039	78 20 78 20 96	21 2 21 2 2 23	6 12 6	10 2 12	32 8 32 8	2 3 2	419 78 69		2 2 12	230 55 34 510	187 21 35 299	126 60 59 225	8 8 3 1	52 75 17 15
42	Males	860	77	21	18	10		$\frac{4}{3}$	821 407		10	284	113	101		126 52
43 44	Females	1,179 417 706	19 77 19	2 21 2	6 12 6	10 2	31 8 31 8	1 3 1	414 77 69		2	226 54 34	186 21 35	124 60 58	8 8 3 1	52 74 17 15
45 46	Colored	33	1				1		$\frac{12}{7}$			10	$\frac{2}{1}$	2		
47 48	Females. Diagnosis reasonably certain. ${M \choose F}$.	11 22 3 15	1 1 1				1	1	5 1			6 4 1	1	2		1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

		i				7777.00			e at head											-
Perito	neum,					DEAT.	HS FROM	CANCER	AND OTH	EK MALI	ANANT :							<u>.</u>		-
intestir rectum	es, and —Con.		Female	genital or	gans.							Other	organs or	of organ	s not spe	cified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	T 2112	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
•																				
5 1		5		5			5	2	11 5	1			. 1	1	ļ			1	7	-
4 1 4		5 5		. 5 . 5			5 5	2	6 4 2	1			1	1				1	3 4 2 1	}
2		11	<u> </u>	11			1	9	10	<u> </u>			1		1		1	1	6	
2		11 11		11 11			1 1	8 1 8 1	4 5 2						i		1	1	2 4 2 2	} 8
		16	2	12	1	1	13	1	8					1	1				. 6	10
2 2 2 2		16 16	2	12 12	1 1	1 1	13 13	1 1	3 5 2 4						i				1 5 1 4	11 11 }12
3	1	10		10			6	1	8						1		1		6	13
1 2 1 2	1	10 10		10 10			6 6	1 1	5 3 3						1		1		2 4 2 3	14 15 }16
7		13		11	2		10	11 6	22	2 2			1	1	3	1	1	1	12	17
2 5 2 5		13 13		11 11	2		10	5 6 5	15 7 12 5	2			1		2 1 1	1	1	1	8 4 7 3	18 19 }20
50 29		159	4	143	8	4	. 178	65 47	158	10	<u>7</u>	9 5	4	18	15 13		9	5 5	81	21
29 21 29 21		159 153	4 1	143 142	8 8	2	176 2 176	18 47 18	53 68 32	8 2 8 2	3 3 1	4 2 2	. 1 1 1	4	6 1		2 7 1 4	5	47 34 38 21	22 23 }24
6		44		44			13	5	18		1		1		3	2	1		10	25
3 3 3 3		44		44			13	1 4 1 4	9 9 6 3		1		i		2 1 1	2	1		4 6 2 2	26 27 }28
5		30		30			9	4	15		1		1		2	2	1		8	29
2 3 2 3		30 30		30			9	1 3 1 3	8 7 5 2		1		1 1		1 1	2	1 1		4 4 2 1	30 31 32
1		14	<u></u>	14			4	1	3	<u></u>					1					33
1		14		14			4	1	1 2 1						1 1				2	34 35
	•••••	14		• 14	•••••		4	1	1						•••••	•••••			-	}36
83	1	258	12	238	6	2	224	133 75	299 200	11	8		17	34	34 21	6	27 15	7	126	
40 43 40 43		258 252	12 8	238 238	6 6	2	. 221 . 3 . 221	75 58 75 58	99 126 42	10 10 1	i	15 7 2	10 7 5 2	13	13 8 3	3	15 12 6 3	7	66 31	38 39 }40
82 40	1	249	.12	229	6	2	220	133 75	295 197	11	8	29	17	34	34	6	25	7		
42 40 42		249 243	12	229 229	6	2	217 3 217	75 58 75 58	98 125 42	10 10 10 1	····i	15 7 2	10 7 5 2	13	21 13 8 3	8 3	11 6	7	73 51 65 31	42 43 }44
1		9		9			4		3											45
		9		9			4	·····	1										2 1	46 47
1		9		9			4			<u></u>	<u> </u>									∫±3

² Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

MORTALITY FROM CANCER.

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

RURAL PART OF REGISTRATION STATES — Continued. OHIO—continued.						M CANC	ER AND (OTHER 1	IALIGNAL	T TUMOR	s of—			
RURAL PART OF REGISTRA- TION STATES — Continued. OHIO—continued.			Buccal	avity.				Stom	ach and	liver.		Peritor	neum, int nd rectun	estines, n.
OHIO—continued. 1 Hamilton County. 54 2 Males 22 3 Females 31 4 Diagnosis reasonably certain. { M. 16	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery,	Intes- tines.
1 Hamilton County 54 2 Males 2: 3 Females 3: 4 Diagnosis reasonably certain. M. 16 16 5 Tuscarawas County 56 6 Males 20: 7 Females 3: 8 Diagnosis reasonably certain. M. 16 1: 9 Other rural districts 1,96 10 Males 82: 11 Females 1,140 12 Diagnosis reasonably certain. M. 39: 68: PENNSYLVANIA. 2,752 14 Males 1,100 14 Males 1,100 15 Females 1,665														
2	. 2		,				00					_		
3	_		1			1	10			16	6	7		2
5 Tuscarawas County 56 6 Males 26 7 Females 36 8 Diagnosis reasonably certain. 9 Other rural districts 1,965 10 Males 825 11 Females 1,14 12 Diagnosis reasonably certain. 9 Femnsylvania. 13 Total 2,755 14 Males 1,1065 15 Females 1,665	1		1			i	12			7	5	4 2		$\begin{bmatrix} & \tilde{2} \\ 1 \end{bmatrix}$
6 Males	11			ļ		1	1				1	2		
Females 30 10 10 10 10 10 10 10	_	<u> </u>		1			26			17	9	12	3	5
9 Other rural districts	1			i			13 13			11 6	7	7 5 4	2 1 1	3 2 1
10 Males 822 1, 144 15 Females 1, 106 1, 107 1, 1				i			2			1	1	2		
11 Females 1, 144 397 687 144 Males 1, 106 168 1, 106 168 1, 107 144 Males 1, 106 1, 665 1, 106	-	23	17	11	40	4	785	<u> </u>	12	487	286	208	13	118
PENNSYLVANIA. 13 Total 2,752 14 Males 1,100 15 Females 1,652	18 77	21 2 21 2	11 6 11 6	10 1 10 1	32 8 32 8	3 1 3 1	391 394 74 66		10 2 2	270 217 51 33	111 175 21 33	91 117 54 55	6 7 2 1	47 71 15 15
14 Males 1,100 15 Females 1,652		_	ľ	1			00			- 33	55	00		,10
15 Females	_	28	19	18	62	28	1, 141	2	16	703	420	331	40	180
	31 124	26 2 26 2	12 7 12 7	16 2 16 2	50 12 50 12	20 8 20 8	529 612 96 80	1 1	11 5 3	373 330 77 40	144 276 16 40	129 202 63 112	13 27 3 14	66 114 12 38
17 White	11	28	19	18	60	27	1,125	2	16	693	414	326	- 40	178
18 Males 1,083 19 Females 1,620 20 Diagnosis reasonably certain. {F 955	30 122	26 2 26	12 7 12	16 2 16	49 11 49	19 8 19	518 607 95	1 1	11 5 3	365 328 76	141 273 16	127 199 61	13 27 3	65 113 11
(-1)	II .	2	7	2	11	8	79			39	40	110	14	38
21 Colored. 49 22 Males 17	-				$\frac{2}{1}$	$-\frac{1}{1}$	16			10 8	6	5		1
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	$\frac{1}{2}$				1 1 1	1	11 5 1 1			$\frac{2}{1}$	3	3 2 2		1 1
25 Allegheny County 223		1		1	4	1	105	1	3	63	38	23	3	14
26 Males	-	1			4		51	1	3	35	12	6		2
$ \begin{array}{c cccc} \textbf{27} & \textbf{Females.} & \textbf{143} \\ \textbf{28} & \textbf{Diagnosis reasonably certain.} \\ \begin{cases} \textbf{M} & \textbf{32} \\ \textbf{F} & \textbf{94} \\ \end{cases} $	6	1		1 1	4	1	54 9 11		1	28 7 6	26 1 5	17 2 11	1	12 7
29 Berks County	4		1		3	· · · · · ·	25	<u></u>	1	16	8	6	1	4
30 Males 29 37 37 32 Diagnosis reasonably certain. 14 19 19 19 19 19 19 19	4		1 1		3 3		10 15 2 1		1	$\begin{smallmatrix}5\\11\\2\end{smallmatrix}$	4 4	2 4	1	1 3
33 Bradford County 68	11			1	2					8	8	10		` 7
34 Males 29	-1			1	2	<u>1</u>				5		5		4
35 Females 39 36 Diagnosis reasonably certain. $\left\{ {{{\bf{M}} \over {{\bf{F}}}}} \right\}$ 30	4			i	2	····i	11 2 3			3 2	8	5 2 4		3 1 2
37 Bucks County	4	1	1	1	1		29		1	13	15	9	1	、7
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 3	1	1	1	1 1		12 17 1		1	7 6 1	5 10	3 6	1	3 4
			1				1				1 7	4	1	2
41 Chester County 65 42 Males 19	5	1			$\frac{3}{2}$	1	24 6		1		7	10	1	7
42 mates 19 46 44 Biagnosis reasonably certain ${M \choose F}$ 21						1				อ			1 1	
45 Clearfield County 50	1 5	1		1 1	1 2 1	1	18 2 2		1	11 2 2	6	9 2	1	7 1
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1 5				1 2		18 2		1	11 2		9	1	

 $^{^{\}rm I}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

		***************************************				DEAT			AND OTH				08-	*						T
Perito	neum,		77			DDKI	IIS FROM	CANCER	AND OID	DR MALI	MANI									
rectum	nes, and n—Con.		T.emaie	genital or	gans.	,	ı					Other o	rgans or	of organs	s not spe	cified.	1			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
												,								
3	<u> </u>	8	1	в	1		6	3	6		1		1	2						. 1
1 2 1		8	1	6	1		6	3	6		1		1	2				ļ		. 2
2		8	i	6	1		6		·					2	1			• • • • • • • • • • • • • • • • • • • •		4، { :
4		6		6			3	4	4					,	2				2	-
2 2 2 2		6		6			3	3 1 3 1	3 1 3						1 1				2 2	- 7
2 76	1	244	11	8			3		1	-,					1		 i.		•••••	. } 8
	1	244		226	5	2	215	126	· 289	11	$\frac{7}{7}$	29	16	32	30	6	27	7	124	- 10
37 39 37 39		244	11 7	226 226	5 5	2	212 3 212	69 57 69 57	98 120 41	1 10 1	i	14 15 7 2	9 7 5 2	11	18 12 6 2	3	15 12 6 3	7	73 51 64 31	110 111 }12
109	2	371	12	354	3	2	280	142	332	12	. 8	27	18	34	37	4	22	5	165	13
49 60 48 60	1	37 1 364	12 6	354 354	3	2	277 3 277	97 45 97 45	218 114 138 73	9 3 9 3	5 3 3	13 14 7 6	11 7 3 1	34 4	27 10 7 5	2 2 2 1	10 12 . 5 . 6	5 5	102 .63 93 50	14 15 }16
106	2	358	12	341	3	2	271	· 142	329	12	8	27	18	33	36	4	22	5	164	17
48 58 47 58	1	358 351	12	341	3	-2 1	3 268 3 268	97 45 97 45	216 113 138 72	9 3 9	5 3 3	13 14 7 6	11 7 3 1	33	26 10 7 5	2 2 2 1	10 12 5 6	5 5	102 62 93 49	18 19 20
3		13		13			9		3					1	1				1	21
1 2		13		13			9		2 1					1	1					22 23
1 2		13		13			9		1										1 1	23
6		37		37			24	11	16				1		4		1	1	9	25
2		37		37			24	7 4	10				1		3		1	1	4 5	26 27
, 4		37		37			24	4 7 4	10 6 8 6						1 2 1		1	1	4 5	}28
1		7		7			9	4	11	1		1		3	3				3	29
1		7		7			9	4	9 2 4	1		1		3	2 1.				2 1	30 31 32
		7		7			9	•••••	2	1					1				2 1	
- 3 1		14		14			7	6	11			1	2	1	3				4	33
2 1		14		14			7	6	9 2 5			1	2 1	1	2 1				4 4	35
2		14		14			7	•••••••	2			1	•••••	•••••						36
1						1	10	4	8				1	1						37
1		12		11		1	9 1	4	3 5 1				i	1	i		1		2 1	38 39
1		11 8		11 7	7		9	2	3 9				•	1	1	- 1				}40
								1	6					1						41 42
1 		8 8		7				1 1 1	3 3						1		1		Ĭ 3	42 43 }44
1		8	1	7			6	3	1 4	1	1				1		1			Ī
		8								1	· 1				1				i	
			. 1 1	$\begin{bmatrix} 7 \\ - \cdots \\ 7 \end{bmatrix}$			<u>1</u>	2 1 2 1	3	·····i	1				i				1 1	47 }48

TABLE 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

			<u> </u>			DEAT	HS FRO	M CANC	ER AND O	THER M	ALIGNAN	T TUMORS	or			
	ADDA AND DAGG OF DAAGNOSIS	Aggre-			Buccal	avity.				Stom	ach and	liver.		Periton ar	eum, int id rectur	estines,
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES!—Continued.								•							
	PENNSYLVANIA—continued.			_			_									
1 2	Delaware County Males	74	1	1			1		32			19	13 5	5		1
2 3 4	Females. Diagnosis reasonably certain. ${f M}_{{f F}}$	47 12 31	1 1 1	i			1 1		16 3 2			8 1	8 2 2	1 3 1		
5	Erie County	67	7	1		3	2	1	17			11	6	5		1
6 7 8	Males	24 43 16 30	7	1		3	2 2	1 1	8 9 3			$\begin{matrix} 6\\5\\2\end{matrix}$	$\begin{array}{c}2\\4\\1\end{array}$	2 3 2 2		1
9	Fayette County	67	3		1		1	1	30			20	10	8	1	5
10 11 12	MalesFemalesDiagnosis reasonably certain $\left\{ egin{matrix} \mathbf{M}_{-} \\ \mathbf{F}_{-} \end{array} ight.$	31 36 10 18	1 2 1 2		1		1 1	1	15 15 1 1			13 7 1	2 8	4 4 1 1	1	3 2
13	Jefferson County	51	6			2	3	1	23			15	8	3		2
14 15 16	MalesFemalesDiagnosis reasonably certain. $\left\{egin{matrix}M.\F.\end{array} ight.$	30 21 16	6			2	3	1 1	14 9 3			12 3 3	2 6	3		2
17	Lancaster County	9 90	6			2	3	1	37			23	14	2 11		8
18 19	MalesFemales	37	4 2			2			20			12	8	4 7		
20	Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array} \right\}$	53 17 29	4 2			2	2 1	1 1	17 2 3			$\begin{array}{c} 11 \\ 2 \\ 2 \end{array}$	6 1	2 2		6
21	Luzerne County	99	6	2	1		2	1	49	<u></u>		36	13	14	1	8
22 23 24	Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{M} \end{array} ight.$	45 54 16 29	4 2 4 2	1 1 1 1	1 1		2 2	1	25 24 2 3			22 14 2	10	6 8 2	1	3 5
25	Montgomery County	95	5	1	1		1	1 2	38		1	1 22	2 15	6 15	2	5
26 27 28	MalesFemalesDiagnosis reasonably certain $\left\{ egin{array}{l} M \\ F \end{array} ight.$	48 47 27 28	4 1 4	1	1 1		1 i	1 1 1	20 18 5		11	12 10 4	7 8	9 6 6	1 1 1	4 1 1
29	Northampton County	54	$\begin{bmatrix} & 1 \\ & 3 \end{bmatrix}$				2	1	27			16	11	5 3	3	
30 31	MalesFemales	24 30	3				2	1	12 15			8	4 7	1 2	1 2	
32	Diagnosis reasonably certain. $\{\stackrel{M}{F}$.	4 17	3				2	1	3			1	2	1	·····i	
33	Schuylkill County	89	6	2			3	1	37	<u></u>	1	22	14	10		4
34 35 36	Males. Females. Diagnosis reasonably certain. $\left\{ egin{array}{l} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	35 54 22 33	5 1 5 1	2			2 1 2 1	1	16 21 6 3		1	9 13 5 2	6 8 1 1	4 6 3 4		1 3
37	Washington County	75	2	2					42		1	29	12	3	1	2
38 39	Males Females	34 41	2	2					20 22		1	15 14	4 8	3	·····i	2
40	Diagnosis reasonably certain. $\{F_{\cdot,\cdot}^{M}\}$	17 21	2	2					7 5			7 · 3	2	1	1	
41 42	Westmoreland County	45	8 7	1	3	1	3		45 23		1	12	23	14	2	7
43 44	Females. Diagnosis reasonably certain ${M \choose F}$.	65 28 37	1 7 1	1	1 2 1	1	3		22 8			9 6	10 13 2	9 4 4	2	5 1
45 46	York County	22	5			1	3	1	20			9	11	9	2	4
47 48	Females. Diagnosis reasonably certain ${M \choose F}$	42 12	1 4			<u>1</u>	$\begin{smallmatrix}2\\1\\2\end{smallmatrix}$	1 1	9 11 3			5 4 2	4 7 1	4 5 1	2	3 1
49	Other rural districts	29 1, 269	1 70	15	11	5	1 24	15	1 520	1	5	329	1 185	4 165	1 20	1 88
50 51 52	MalesFemalesDiagnosis reasonably certain. ${M \over F}$	495 774 228 462	54 16 54 16	14 1 14	6 5 6	4 1 4	19 5 19	11 4 11	236 284 34	1	2 3	172 157 26 22	62 123 8 18		7 13	33 55 7 17
	, (F	462 L		11	5	1	5	4	40		ا ا	22	18 J	55	1 6 l	17 l

 $^{^{\}rm 1}$ Exclusive of municipalities having a population of 10,000 or over in 1910.

[See note at head of this table, p. 88.]

						DEATI	HS FROM	CANCER	AND OTHE	ER MALIG	NANT T	UMORS O	F—						
Peritor testine	es. and		Female g	enital org	gans.						•	Other or	gans or o	of organs	not spec	eified.			
Rec-	Others of this class.	Total.	Ovary and fallo- pian tube,	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Ski n ,	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blad- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
										•									
4		9	<u></u>	9			16	2	8	1	1	1	.1				1		3-
3 1 3 1		9		9			16	1 1 1	5 3 4 1	1	i	1	1				i		$\begin{bmatrix} 2\\1\\2\\1\end{bmatrix}$
4		8		8			12	3	15			2	1	1	1	<u></u>	2		8
2 2 2 2		 8 8		8			12	2 1 2 1	5 10 2 7			<u>2</u>	1	1	1		1 1		2 6 2 5
2		8		8			4	3	11		1	1	2	1			1	1	4
1 1 1 1		8		8			4	2 1 2 1	9 2 5 1		1	1	1 1	1			1	1 1	3 1 3 1
1		5	1	4			2	2	10		1	2		2	1				4
i		5 4	1	4			2	2	8 2 5 1		1	1 1 1		1	, 1				3 1 2 1
3		10		9	1		12	5	9						3	2	1		3
2 1 2 1		10 10		9	1		1 11 1 11	1 4 1	4 5 4						1 2 1	1 1 1	1		1 2 1
4	1	6	1	5		<u></u>	9	7	8	1	<u> </u>	1	2						4
2 2 2 2	i	6	i	5	-		9	6 1 6 1	4 4 2 2	i		1	1 1 1						3 1 2
8		7	<u></u>	7			11	7	12	2		1	<u></u>	4	1				4
4 4 4 4		7		7			ii	5 2 5 2	10 2 7 2	2		1 i		1	1				3 1 3 1
		7	<u> </u>	. 7	<u> </u>		4	1	9	<u> </u>		1	1	3	2		1		1
		7		7	.		4	i 1	8 1 1 1			1	1	3	2		1		i 1
6		10		10		· · · · · ·	.8	5	13	<u> </u>	<u></u>				1				9
3 3 3		10 10	11	10				5	11 0								1 2		8 1 8 1
		8		. 8			6	3	11	1	<u> </u>		1	2	1		1	1	4
		8		.]			6	3	2 5	i			1	2			1	1	3 1 3 1
5		19	1	18		<u> </u>	, 9	2	13	11		<u> </u>		. 1		 	·		8
3 2 3 2		18	1	18			11	1 1	8 4	i						1	2		7 1 7 1
3 1 1			1	 				1	4 3			1	1						2 2 2 2
2 56	1	177	7	1	1	1		1	2 147	4	3	1 15	5	14	11	1		2	1 85
24 32	1	,177 174	7		1		1 119 1	24	93 54 60	2 2 2 2 2	1 2 1	8 7 5	3 2	14	8 3 1		3 4	2	51 34 44 27

35030°—16——12

Table 2.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN

=					e note a				CER AND	OTHER I	MALIGNA	NT TUMOI	RS OF—		•	===
	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	avity.				Stom	ach and	liver.		Peritor as	eum, int	estines,
	Auga And Basis of Platenosis.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx,	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES1—Continued.															
1	RHODE ISLAND. Total	113	5			1	3	1	36		1	26	9	21	1	12
2	Males	41	4			1	2	1	18		1	14	3	9	1	3
3 4	Females	72 16 45	1 4 1			1	$\begin{array}{c} 1 \\ 2 \\ 1 \end{array}$	1	18 2 4			12 1 3	6 1 1	12 5 4		9
5	White	111	5			1	3	1	34		1	24	9	21	1	12
6	MalesFemales	41 70	4			1	2 1	1	18 16		1	14 10	3 6	9 12	1	3 9
8	Diagnosis reasonably certain. $\{^{ ext{M}}_{ ext{F}}$.	16 45	4 1			1	2 1	1	2 4			1 3	1 1	5 4		1
9	Colored	2							2			2			ļ	
10	Males	2							2							
11 12	Females															
	UTAH.															
13	Total	97	1		1				57	1	1	42	13	5		3
14 15	MalesFemales	49 48	1		1				37 20	i	1	30 12	6	1 4		1 2
16	Diagnosis reasonably certain ${M \choose F}$.	12 29	1		1				4 3	····i		4	·····i	2		
17	White	97	1		1				57	1	1	42	13	5		3
18	Males	49	1		1				37		1	30	6	1		1
19 20	FemalesDiagnosis reasonably certain. ${M \choose F}$	48 12 29	1		1				20 4 3	1 1		12 4 1	7	4 2		2
	VERMONT.	23			*******					1	••••	1	1			
21	Total	324	14	3	3	4	2	2	103		1	65	37	45	2	23
22 23	MalesFemales	130 194	12 2	3	3	2 2	2	2	47 56		1	31 34	15	23	2	9 14
24 24	Diagnosis reasonably certain $\binom{M}{F}$.	69 120	12 2	3	3	2 2	2	2	10 7			7 3	22 3 4	22 16 8	2	2 2
25	White	324	14	3	3	4	2	2	103		1	65	37	45	2	23
26 27	Males	130	12	3	3	2	2	2	47		1	31	15	23		9
27 28	Females	194 69	12 12 2	3	3	2 2 2 2	2	2	56 10			34 7 7 3	22 3 4	22 16	2	14 2 2
	VIRGINIA.	120	2			2			7			3	*	8		2
29	Total	747	33	4	7	4	16	2	248		2	167	79	49	2	28
30	Males Females	289 458	23 10	3	7	3	8	2	124 124		2	88 79	36 43	25 24	1 1	13 15
31 32	Diagnosis reasonably certain ${M \choose F}$.	127 297	23 10	3 1	7	3	8	2	9 7	 	1	8	1 6	14 8		3
33.	White	551	28	3	7	4	12	2	190		2	121	67	38	2	19
34	Males	238	22	3	7	3	7	2	97		2	66	31	21	1	10 9
35 36	Females	313 112 196	6 22 6	3	7	1 3 1	5 7 5	2	93 9 7		$\frac{2}{1}$	55 8	36 1 6	17 12 7	1	9 2
37	Colored	196	5	1			4		58			46	12	11		9
38 39	Males	51 145	1				1 3		27 31			22 24	5 7	4 7		3 6
40	Females. Diagnosis reasonably certain $\{ egin{matrix} M & \ldots \\ F & \ldots \end{matrix} \}$	145 15 101	4 1 4				1		31			24		2 1		1

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

			,			DEAT	es from	CANCER	AND OTH	R MALIG	NANT T	UMORS ()F						-	Ī
Perito intestin rectum	ies, and		Female	genital or	gans.							Other or	gans or o	of organs	not spec	ified.				
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Prostate.	Blàd- der.	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.	
8		15	1	14			. 18	3	15			4	2		. 2				7	
5 3		15	i	14			18	$\begin{array}{c c} & 3 \\ \hline & 1 \\ 2 \\ 1 \end{array}$	9 6			3 1	1		· 1				4 3	-1
3		15	i	14.			18	$\begin{bmatrix} & \frac{1}{2} \\ & 2 \end{bmatrix}$	1										4 1	} 4
8		15	1	14		<u>;</u>	18	3	15 9			3	2		1	<u></u>			7	}
5 3 5 3		15 15	1 1	14			18 18	1 2 1 . 2	6 4 1			î	1		i				3 4 1	} 8
	-				,			<u> </u>												10
																				11 }12
2		12		. 11		D	, 8		14			. 2		3		, 1	1		7	13
2		12		11		<u>1</u>	8		10 4 7 4			1 1 1 1		3 1		1	1 i		5 2 5 2	14 15]16
2	1	12		. 11		1	8		14			2		3		1	1		7	17
2		12 12		11		1 1	8		10 4 7 4			1 1 1 1		3 1		1	1 . 1		5 2 5 2	18 19 20
20		60	2	55	3		23	. 15	64	2	3	7	4	9	4		3	1	, 31	21
. 14		60	2	55	3		23	9 6 9	39 25 22 15	2	1 2	2 5	1 3	, 9 2	4		2 1 1	1	19 ·12 17 7	22 23
20		59 60	1	55 55	3		23 23	6 15	15 64	2 2	1 3	2 7	3 4	9	4		3	1	7 31	25
14	·	. 60	2	55	3		23	9		2	1 2	2 5	1 3	9	4		2	. 1		26 27
6 14 6		59	<u>1</u>	55	3		23	6 9 6	· 39 25 22 15	2	1	<u>-</u> 2 	3	2	i		· i	1	19 12 17 7	28
. 19		158	2	153	3		77	56	126	3	4	8	7	8	. 14	3	5	1	73	29
11 8 11 8		158 156	2 1		3		77	34 22 34 22	83 43 47 17	3	3 1 	4 4 1 1	6 1 3	, 8 2	11 3 3 1	3	2 3 1	1	42 31 33 14	30 31 }32
17		90	1	87	2		56	51	98	• 1	4	6	4	7	11	2	4	1	58	
10 7 10 7		90 89	1 1		2		56 56	32 19 32 19	66 32 37 12	1	3	3 3 1 1	3 1 1	7	8 3 1 1	1	1 3 1	1	37 21 29 9	34 35 }36
2		68	1	66	1	<u></u>	21	5	28	2		2	3	1	3	1	1		15	37
1 1 1 1		68 67	1	66	1		21 21	2 3 2 3	17 11 10 5	2		1	2	1	3 2	1	1		5 10 4 5	38 39 39 39

 $\begin{array}{c} \textbf{T_{ABLE 2.--DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF \\ \textbf{REGISTRATION STATES, AND FOR EACH REGISTRATION UNIT IN} \end{array} . \\ \\ \end{array}$

=						DEAT	HS FRO	M CANC	ER AND C	THER M	IALIGNAN	T TUMOR	s of—			====
1	AREA AND BASIS OF DIAGNOSIS.	Aggre-			Buccal	eavity.				Ston	nach and	liver.			eum, int	
	AREA AND BASIS OF DIAGNOSIS.	gate.	Total.	Lip.	Tongue	Mouth	Jaw.	Others of this class.	Total.	Pharynx.	Esoph- agus.	Stom- ach.	Liver and gall blad- der.	Total.	Perito- neum and mesen- tery.	Intestines.
	RURAL PART OF REGISTRA- TION STATES Continued.												,			
1	WASHINGTON. Total	372	20	6	4	5	4	1	174			131	43	35		22
2 3 4	Males. Females Diagnosis reasonably certain $inom{M}{F}$.	195 177 94 117	13 7 13 7	5 1 5 1	3 1 3 1	2 3 2 3	3 1 3 1	1 1	111 63 32 15			92 39 26 7	19 24 6 8	20 15 13 9		13 9 6 3
5	White	368	20	6	4	5	4	1	173		 <u></u>	130	43	35	<u></u>	22
6 7 8	$egin{array}{ll} ext{Males} & . & . & . & . \\ ext{Females} & . & . & . & . \\ ext{Diagnosis reasonably certain.} egin{array}{ll} ext{M} & . & . \\ ext{F} & . & . & . \\ ext{F} & . & . & . \\ ext{T} & . & . \\ ext{T} & . \\ ext{T} & . \\ e$	193 175 93 115	13 7 13 7	5 1 5 1	3 1 3 1	2 3 2 3	3 1 3 1	i	110 63 31 15			91 39 25 7	19 24 6 8	20 15 13 9		13 9 6 · 3
9	Colored	4							1			1			<u></u>	
10 11 12	Males. Females. Diagnosis reasonably certain ${M \choose F}$.	$\begin{bmatrix} 2\\2\\1\\2 \end{bmatrix}$							1			1				
	. Wisconsin.														}	
13	Total	1, 273	53	17	9	2	24	1	652	Q 1	21	472	158	144	10	86
14 15 16	Males Females Diagnosis reasonably certain. $\left\{ egin{array}{l} M & \dots \\ F & \dots \end{array} \right.$	633 640 243 352	44 9 44 9	16 1 16 1	. 1 . 8 1	1 1 1	18 6 18 6	1	385 267 67 42	1	20 1 2	304 168 56 21	61 97 9 21	76 68 45 31	5 4 1	42 44 12 11
17	White	1,266	52	17	9 '	2	23	1	650	1	21	472	156	144	10	84
18 19 20	Males. Females Diagnosis reasonably certain $\left\{ egin{array}{l} \mathbf{H} & \mathbf{H} \\ \mathbf{F} & \mathbf{H} \end{array} ight.$	632 634 243 347	44 8 44 8	16 1 16 1	8 1 8 1	1 1 1	18 5 18 5	1	384 266 67 42	i	20 1 2	304 168 56 21	60 96 9 21	76 68 45 31	5 5 4 1	42 44 12 11
21	Colored	7	1				1		2				2			
22 23 24	Males. Females. Diagnosis reasonably certain. $\left\{ egin{matrix} M & \cdots \\ F & \cdots \end{array} \right.$	1 6	i				1		1 1				1			
25	Milwaukee County 2	5 59		1			$\frac{1}{2}$		30		====		9	5		2
26 27	Males Females	41 18	3	1			2		21 9		2	14 5	5 4	4		1 1
28	Diagnosis reasonably certain $\{ egin{matrix} M & . \\ F & . \end{bmatrix}$	20 11	3	1		•••••	2		8 3		1	4	3 2	3		
29	Other rural districts	1,214	50	16	9	2	22	1	622	1	19	453	149	139	10	82
30 31 32	$\begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Diagnosis reasonably certain.} \\ \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array}$	592 622 217 341	41 9 41 9	15 1 15 1	8 1 8 1	1 1 1 1	16 6 16 6	1	364 258 59 39	i	18 1 1	290 163 52 20	56 93 6 19	72 67 42 30	5 5 4 1	4 40 16 13

¹ Exclusive of municipalities having a population of 10,000 or over in 1910.

	. , ,		· ·			DEAT	HS FROM	CANCER	AND OTH	ER MALI	GNANT	TUMORS	OF-	· · · · · · · · · · · · · · · · · · ·				•	
Peritor intestin rectum-	es, and		Female ;	genital or	gans.							Other or	gans or o	of organs	not spec	ified,			
Rec- tum.	Others of this class.	Total.	Ovary and fallo- pian tube.	Uterus.	Vagina and vulva.	Others of this class.	Breast.	Skin.	Total.	Larynx	Lung and pleura.	Pan- creas.	Kid- neys and supra- renals.	Pros- tate.	Blad- der-	Brain.	Bones (except jaw).	Tes- tes.	Others of this class.
	,			.													,	_	
13		43	2	41			31	16	53	1	4	7	· 2	8	4	1	3	1	22
7 6 7 6		43 43 43	2 2	41			30 1 30	12 4 12 4	38 15 23 9	1 1	4 2	5 2 5 1	2	8	3 1 1	1 1	1 2 1	1	13 9 10 6
13		41	2	39			31	16	52	1	4	7	2	8	4	1	2	1	22
• 7 6 7 6		41	2	39 3 9			30 1 30	12 4 12 4	37 15 23 9	i 1	4 2	5 2 5 1	2	8	3 1 1	1	2	1	13 9 10 6
		2		2					1								1		
		2		2					1								1		
48		119	9	102	6	2	102	57	146	2	5	12	12	24	11	3.	-9	3	65
29 19 29 19		119	9	102	6	2	102	30 27 30 27	98 48 57 27	. 2	4 1	8 4 4 2	6 . 6 4 1	24 8	7 4 3 3	1 2	8 1 1	3	35 30 32 21
48		11.8	9	101	6	2	99	57	146	2	5	12	12	24	11	3	9	3	65
29 19 29 19		118 114	9	101 101	6	2	99 98	30 27 30 27	98 48 57 27	2	1	8 4 4 2	6 6 4 1	24 8	7 4 3 3	1 2	8 1 1	3	35 30 32 21
		1		1			3				<u></u>	ļ.:							
		1		1			3												
3		1 6	1	1 4	1		3	2	13				1	. 2					10
3		6	i	4	1 1			2	11 2 10 1				1	2					9 1 9 1
45	<u> </u>	113	8	98	5	2	102	55	133	2	5	12	11	22	11	3	9	3	55
26 19 26 19		113	. 8	98	5		102	28 27 28 27	87 46 47 26	2	4 1	8 4 4 2	6 5 4 1	7	7 4 3 3	1 2	8 1 1	3	26 29 23 20

² Includes National Military Home.

MORTALITY FROM CANCER.

TABLE 3.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS IN THE REGISTRATION AREA NATIVITY OF

				DEATI	HS FROM	CANCER A	ND OTHER	& MALIGNA	NT TUMO	RS AT AG	E OF—	•
	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
,	REGISTRATION AREA.	52, 420	49	42	61	43	42	237	122	92	174	294
1	Total Males	21, 282	21	20	33	27	17	118	70		86	147
3	Females.	31, 138	28	22	28	16	25	119	52	38	88	147
4	White	50, 515	47	41	60	42	40	230	118	84	167	269
5 6	MalesFemales	20, 717 29, 798	21 26	19 22	32 28	27 15	16 24	115 115	69 49	48 36	86 81	140 129
7	Native	31,288	46	39	60	42	39	226	113	76	141	213
8 9	Males Females	11,586 19,702	21 25	18 21	32 28	27 15	16 23	114 112	66 47	44 32	72 69	111 102
10	Both parents native $\begin{cases} M \\ F \end{cases}$	6,342 11,306	8 13	10 16	19 14	19 7	7 16	63 66	35 29	28 19	38 40	61 54
11	One or both parents foreign F	3, 144 5, 365	• 13	8	12 14	8 8	8 7	49 44 2	27 17	16 12	33 29	45 40
12	Parentage unknown $\left\{ egin{align*} m{M} \dots \\ m{F} \dots \end{array} \right\}$	2, 100 3, 031	1	i	1		1	2 2	4	·····i	1	, 5 8
13	Foreign	18, 775	1	2			. 1	4	3	8	25	55
14 15	Males	8, 871 9, 904	1	1 1			1	1 3	1 2	4 4	14 11	29 26
16	Unknown	452			ļ				2		1	1
17	Males	260							2		1	i
18 19	Females	192 1, 905	2	1	1	1	2	7	4	8	7	25
20	Males	565	·	1	1		. 1	3	1	6 2		7
21	Females	1,340	2			1		4	3		7	18
22	Negro. $\left\{egin{array}{c} M_{-} \\ F_{-} \end{array}\right.$	507 1,317	2	1	1	. i	1	3 4	1 2	4 2 1	7	7 18
23	Indian (M. Chinasa	7 15 37							1			
24	Chinese	3 12										
25 26	Other colored (M.	5 2								·····i		
20	(r											
27	REGISTRATION STATES. ¹ Total	47, 986	45	39	56	36	40	216	110	87	165	243
28	Males	19,474 28,512	18 27	19	30	22	16	105 111	62	52 35	81	124 119
29 30	Females	46,549	43	38	26 55	35	38	209	106	79	160	231
31	Males.	19,047	18	18	29		-	102	61	46	81	120
32	Females	27,502	25	20	26	13	23	107	45	33	79	111
33	Native	29, 192	42	36	55		37	205	101	73	135	184
34 35	Males Females.	10, 842 18, 350	18 24	17 19	29 26	13	15 22	101 104	58 43	42 31	68 67	96 88
36	Both parents native. $egin{cases} m{M} & & \\ \mathbf{F} & & \\ \end{bmatrix}$	6,020 10,649	7 12	10 14	18 13 10	17	7 15	59 61	31 27	27 19	36 38	54 48 38 34
37	One or both parents foreign $\left\{ egin{array}{ll} \mathbb{M} & \mathbb{K} \\ \mathbb{F} & \mathbb{K} \end{array} \right.$	2,883 4,953	11	7	13	6	7	40 41	23 15	15 11	31 29 1	38 34
3 8	Parentage unknown $\left\{egin{align*} M_{} \\ F_{} \end{array}\right.$	1, 939 2, 748	1	1	1		. 1	2 2	1	1		4 6
39	Foreign	16, 936	1	2		-	. 1	4	3	6	24	46
40 41	MalesFemales	7, 967 8, 969	1	. 1			. i	1 3	1 2	4 2	13 11	24 22
42	Unknown	421	<u></u>					<u> </u>	2	<u></u>	. 1	1
43 44	Males Fernales.	238 183				.		 	2		1	i
45	Colored	1,437	2	1	1	1	2	7	4	8	5	12
46 47	Males Females	427 1, 010		. 1	1	i	. 1	3 4	1 3	6 2	5	. 4
48	Negro. $\left\{ egin{matrix} M \\ F \end{array} \right\}$	381		1	1		. 1	3	1 2	4 2	5	4 8
49	Indian	989 6 14				. 1	1	*	1	1		
50	Chinese F.	29										
51	Japanese $\left\{egin{array}{l} M \\ F \end{array}\right.$	9 5										
	Other colored	2	10	1	1	1	1	В	I	. 1	1	b

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

AND THE REGISTRATION STATES, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT DECEDENT: 1914. $\dot{}$

														•		1	〒
ļ			,	DEAT	HS FROM (CANCER AN	D OTHER	MALIGNAN'	r TUMORS	AT AGE OF	<u>-</u>	,		,		Deaths	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 , years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	* 100 years and over.	at un- known age.	
587	1,064	2,119	3,325	4,632	6, 131	6,663	6,909	6,780	5,893	4,033	2,213	828	225	34	8	57	1
222 365	323 741	566 1,553	967 2,358	1,502 3,130	2,323 3,808	2,741 3,922	3,071 3,838	3, 134 3, 646	2,754 3,139	1,757 2,276	966 1,247	352 476	94 131	9 25	4 4	22 35	3
541	976	1,935	3,129	4,373	5,838	6,454	6, 708	6,629	5, 788	3,964	2, 185	816	221	31	7	52	4
211 330	304 672	528 1,407	919 2,210	1,441 2,932	2,232 3,606	2,666 3,788	2,995 3,713	3,077 3,552	2,714 3,074	1,736 2,228	960 1,225	351 _. 465	92 129	9 22	4 3	20 32	ŧ
385	687	1,325	2,070	2,686	3,573	4,053	4,010	3,844	3,415	2,378	1,368	521	152	15	, 5	32	7
137 248	201 486	305 1,020	515 1,555	707 1,979	1,164 2,409	1,498 2,555	1,631 2,379	1,656 2,188	1,519 1,896	975 1,403	571 797	224 297	59 93	5 10	2 3	10 22	, 8
77 143	108 275	153 540	245 803	321 1,025	558 1,190	698 1,364	883 1,377	997 1,394	927 1,252	613 940	348 523	139 190	43 59	4 5	2	3 16	}10
143 50 79 10 26	108 275 85 175 8	121 371 31 109	803 220 591	298 714 88	458 904 148	582 841	450 605 298	306 377 353	207 280 385	116 167 246	60 78 163	17 29	2 7	2	, 1 2	16 2 2 5	11
1		i	50 161	240	315	218 350	397	417	364	296	196	68 78	14 27	3		4	}12
153 73	281	594 214	1,034	1,660 715	2,214	2,349	2,634	2,712	2,328	1,545 741	796 375	286	65	16	2	11	13
80	184	380	639	. 945	1,180	1,209	1,326 1,308	1,378 1,334	1,161	804	421	124 162	33 32	12		7	1
3	8	16	25	27 19	51 34	52 28	64	73 43	45	20	21	9	4			9	$\begin{vmatrix} 16 \\ 17 \end{vmatrix}$
1 2 46	2 88	7	16 196	8 259	17 293	28 24	38 26	30	28 17	21	14 7	6	4			3	18
. 11	19	184	48	61	91	209 75	201 76	151	105	69	28	12	2	3	1	5 2	19 20
35	. 69	146 34	148 44	198 55	77	134	125 63	94 54	65 38	48 21	22	11	2 2	3	1	3	21
35	67	143	148	196	199 2	131	123	90	64 64	47	22	10	1 2 1	3	1	2 3	}22 } ₂₃
	1	1 2 1	2	3	1 8 2	2 5	12	4 2	$\frac{1}{2}$	1		1					24
	1	2	1	3 2	4	1 1		1									25
			1													••••••	26
508	927	1,872	2,969	4,128	5,500	6,064	6,330	6,310	5,545	3,797	2,121	. 786	217	33	7	51	27
194 314	278 649	503 1,369	860 2,109	1,340 2,788	2,066 3,434	2,473 3,591	2,809 3,521	2,898 3,412	2,583 2,962	1,659 2,138	931 1,190	335 451	90 127	8 25	4 3	19 32	28 29
479	864	1,738	2,833	3,945	5,295	5,905	6, 162	6, 180	5,458	3,735	2,097	775	214	30	$\frac{3}{7}$	47	30
190 289	267 597	475 1,263	828 2,005	1,296 2,649	2,004 3,291	2,418 3,487	2,746 3,416	2,848 3,332	2,547 2,911	1,641 2,094	926 1,171	334 441	88 126	. 8 . 22	4 3	17 30	31 32
344	609	1,191	1,884	2,471	3,278	. 3,756	3,742	3,643	3,281	2,272	1,323	501	149	15	5	30	33
127 217	177 432	278 913	468 1,416	656 1,815	1,057 2,221	1,382 2,374	1,525 2,217	1,566 2,077,	1,461 1,820	933 1,339	557 766	215 286	58 91	5 10	2 3	10 20	34 35
72 131	94 249	144 487	231 740 196	302 957	519 1,107		840 1,294 412				340 506 60	137	42 57	4 5	<u>.</u>		}36
72 131 46 68 9	94 249 76 154	487 104 330	541	279 649	411 833 127	646 1,280 544 777 192 317	567	953 1,331 286 358 327	893 1,208 196 270 372	593 904 107 160 233 275	75	183 15 29 63	2 7	2 1	i	3 15 2 2 5	37
18	7 29	30 96	41 135	75 209	127 281	192 317	273 356	327 388	344	233 275	157 185	63 74	14 27	3	2	. 3	}38
133	248	533	924	1,451	1,967	2,101	2,363	2,472	2,133	1,422	754	265	61	15	2	.9	39
63 70	85 163	190 343	351 573	623 828	913 1,054	1,011 1,090	1,187 1,176	1,245 1,227	1,059 1,074	688 734	356 398	116 149	30 31	3 12.	2	2 7	40 41
2	. 7	14	25	23	50	48	57	65	44	41	20	9	4			8	42
2	5 2	7	16	6	34 16	25 23	34 23	37 28	27 17	20 21	13 7	3 6.	4			5 3	43 44
29	63	134	136	183	205 62	159 55	168 63	130 50	87 36	62	24	11	3	3	<u></u>	4	45
25	52	28 106	104	139	143	104	105	80	51	18 44	5 19	1 10	2 1	3		2 2	46 47
25 25	11 50	25 103	30 104	39 137	51 142 1	50 101 1	51 103	47 76	35 50	18 43	5 19	9	1	3		2 2	}48
	1	$\frac{1}{2}$		3	6	1 2 4	1 2 11	· 4 2	1 1	1		1	1			••••••••	}49 }50
	······································	1 1 1	1	2 2	4	1		i	• • • • • • • • • • • • • • • • • • • •							•••••	}51
			1														52
																	1

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY

							DEATH	S AT AGE ()F			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY.											•
1	Total	2,086	1	1		1	4	7	6	8	9	3
2 3	Males. Females.	1,724 362	·····i	<u>1</u>		1	2 2	3 4	4 2	6 2	5 4	3
4	White	2,045	1	1		1	4	7	4	6	9	3
5 6	MalesFemales	1,696 349	i	1		1	2 2	3 4	3 1	5 1	5 4	3
7	Native	1,246	1	1		1	4	7	4	6	6	2
8 9	Males Females	1,003 243	1	·····i		1	2 2	3 4	3	5	3	2
10	Both parents native $\begin{cases} M \\ F \end{cases}$	535 136				1	- 2	3	$\frac{1}{2}$	1 3 1	3 2 2	2
11	One or both parents foreign $\binom{H}{H}$	247 65							1	2	1 1	
12	Parentage unknown $\begin{cases} M \\ F \end{cases}$	221 42							î			
13	Foreign	765									3	1
14	Males	660			<u> </u>						2	1
15	Females	105		- -							1	
16	Unknown	34										
17 18	Males Females	33 1										
19	Colored	41							2	2		
20 21	MalesFemales	28 13							1	1		
22	Negro $\begin{cases} M \\ F \end{cases}$	25 11							1	1		
23 24	Indian F Chinese M	2 3										
	Cancer of the lip.				=							
25	Total	354							2			
26 27	MalesFemales	328 26							1			
28.	White	352		=====					1			
29	Males	327							1			
30	Females	25										
31	Native	218							1			
32 33	Males. Females.	206 12							1			
34	Both parents native $\begin{cases} M \\ F \end{cases}$.	111							1			
35	One or both parents foreign $\left\{ egin{array}{ll} rac{M}{F} & \cdots & \cdots \end{array} \right.$	39 1										
36	Parentage unknown $\left\{egin{array}{ll} M \dots & \\ F \dots & \\ \end{array}\right.$	56 3										
37	Foreign	128							,			
38 39	MalesFemales	115 13										
40	Unknown	6										
41	Colored	- 2							. 1			
42	Magra (M.,	1										
	(r	1							1			
43	Cancer of the tongue. Total	547	1					ì			2	
44	Males	465									1	
45	Females	82	1					1			1	
46	White	537	1					1		<u></u>	2	
47 48	Males Females	458 79	i					1			1 1	
49	Native	295	1					1			2	
50 51	Males	235									1	
51 52	Females M . Both parents native. M .	60 113	1					1			1 1	
53	One or both parents foreign M .	35 76									1	
54	Parentage unknown M .	14 46 11	1	.				1				

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND OF DECEDENT: 1914.

							DEATHS A	T AGE OF	_			-		-		Death:	' s
30	to 34 ears.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over	at un-	.
	20	42	86	125	192	236	272	307	299	228	155	58	20	1			
	14 6	34 8	65 21	108 17	165 27	217 19	228 44	266 41	247 52	172 56		43 15	14 6	1			-
	19	40	83	121	187	230	267	301	297	226	154	58	20	1			=
	1 <u>4</u> 5	33 7	62 21	105 16	.161 26	212 18	226 41	261 40	246 51	171 55	117 37	43 15	14 6	1			
	11	27	60	60	117	141	150	189	168	141	98	37	13	1			-
	8 3 3	21 6 9	44 16 26 7	49 11 18 3 27 7 4 1	101 16 47 7	125 16	126 24 68	159 30 97	130 38	101 40	78 20 38 10 8	28 9	8 5	1			
	1 5	2 9	7 14 8	3 27	36 7	59 9 46	11 31	19 31 6	38 68 24 20 8	61 26 13 6	10 8	19 7 3	, 4 1	1			-
	2	2 3 2	8 4 1	7	7 18 2	5 20 2	6 27 7	6 31 5	42	27	32 32	6	1 5				-
	7	13	23	57	67	82	113	110	123	83	53	19	7				
	5 2	12 1	18 5	52 5	· 58	80 2	96 17	100 10	110	68 15	36 17	13 6	6				-
	1	 		4	3	7	4	2	6	2	3	2			•••••		-
	1			4	2	7	4	2	6	2		2			`		
	1	2	3	. 4	5	6	5	6	2	2	1						
ļ	····i	1 1	3	3 1	4 1	5	2 3	5 1	1	1 1	1						-
ļ	1	1 1	3	2	4	5 1		5	1 1 - 1	. 1	i						
	•••••			i			2 2										-
	٠	4			04	00		40		40		~~~					=
-	2	4	8	11	24	26 26	43	48	47	48	57 47	18	<u>7</u>	1		•••••	
-	1						1	1	45 2	4	10	4	2				_
	3	4	8	11	24	26 26	44	47	47	48	57 47	18	5	1			
	1		•	• • • • • • • • • • • • • • • • • • • •			1	1	2	4	10	4	2	•••••			
	3	1	6	8	15	21	28	· 30	22	30	32	13	5	1			
	1	<u>i</u>	5	3	5	8	17	29 1 16	21 1 12 1 3	28 2 17	28 4 14	1 8	2	1			
	1			4	5	. 8	5	1 6	3	1 4	1 2 1	1	2		••••••		: {
			1	1	5	5	6	7	6	7 1	$\frac{12}{2}$	3	3			••••••	: }
		3	2	2	9	. 5	15	17	22	18	24	9	2				
		3	2	2	9	5	14 1	17	21 1	16 2	18 6	6 3	2				
				1	:		1		3		1						. .
				·				1									. .
						••••••	• • • • • • • • • • • • • • • • • • • •	1		· · · · · · · · · · · · · · · · · · ·		·				••••••	: }
	4	17	24	44	61	ر 75. کر	79	81	71	50	24	, 8	4				
	3 1	15 2	7	38 6	55 6	72	68 11	71 10	61 10	37 13	17 7	6 2	3 1			•••••	
	4	17	22	42	. 61	74	78	79	69	50	24	8	4				
	3 1	15 2	15 7	37 5	55 6	71 3	68 10	69 10	60 9	37 13	17	6 2	3 1				<u>-</u>
	. 2	15	18	15	37	37	38	41	39	23	17	6	3				
	2	13 2 6			33	3 <u>4</u> 3		3 <u>4</u>	31		11	4	2				1
			13 5 7 3	12 3 4 2 8 1	13	14 3	15	20	17 4	13 10 8 8 2	5	2 2 2 2	1				}
	2	6 1 1 1	4 2 2	8 1	13 1 16 3 4	14	31 7 15 4 10 2 6	20 5 5 1 9	8 17 4 5 1 9	2 	6 5 1 2 5	2	1				}
	1	i i	ا ئ		*		ĭ	il	3	3 2	3		1	·····		· · · · · · · · · · · · · · · · · · ·	Ŋ

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							S AT AGE (-			
SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
CANCER OF THE BUCCAL CAVITY—continued.											
Cancer of the tongue—Continued.		•							ļ		
hite—Continued.											
Foreign	238										•••••
Males Females	219 19	-	-								
Unknown M.	4	 -	 	.							
lored	10	 	 					 			
Males	7										
Females M .	3 7										
Negro F. Indian F	2 1										
Cancer of the mouth.											
Total	216	.	l 	 -		2	2		1		,
Males	171					1	1		1		
Females.	45		 			1	1				
hite	215					2	2		1]
MalesFemales	171 44					1 1	1 1		1]
Native	136					2	2		1		1
Males	105					1	1		1		
Females M . Both parents native M .	31 71					1 1	1 1		<u>1</u>		
One or both perents foreign	20 15					1	1				
Gr	4 19										
Parentage unknown $\{F\}$	7										
Foreign	71				l						
Males Females	58 13										
Unknown M	8										
	i									•••••	

Total	785		1	 	1	2	4	4	7	5]
Males	618				1	1	2	3	5	3	
									2		
		·	1				<u> </u>		!		
MalesFemales	601 161		i		1	1	2 2	.1	4	3 2	1
	482		1		1	2	4	3	5	2	
	367				1	1	2		4	1	
Females.	115 188		1		1	1	2	1 1	1 2	1	
- Ir	56					1	2		1 2	1	
Parenta a sulla serie (M.	40 84							1		1	
Farentage unknown	19										
Foreign	265									3]
Males Females.	220 45									2]
		 								1	
Females.	14	 ,									
lored	23							1	2		
Males	17							1	1		
PROBLES											
Negro. $\begin{cases} M \\ F \end{cases}$	16										
	Cancer of the jaw. Cancer of the jaw. Total. Males. Females. Thite. Males. Females. Native. Males. Females Both parents native. Minimizer of the jaw. Minimizer of the jaw. Minimizer of the jaw. Males. Females Unknown Males. Females. Unknown Males. Females. Males. Females. Dolored. Males. Females.	Cancer of the jaw. Total. 785	Cancer of the jaw. Total	Cancer of the jaw. Total.	Cancer of the jaw. Total. 785 1	Cancer of the jaw. Total. 785 1	Cancer of the jaw. Total	Cancer of the jaw.	Cancer of the jaw. Total	Cancer of the jaw. Total.	Cancer of the jaw.

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a populaton of 1,000 or over in 1910 are included in the registration area.

							DEATES A	AT AGE OF-	_	v*						Deaths at un-
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
*															, -	
1	1	2	4	27	23	36	39	38	30	27	7	2	1			
i	i	2	2 2	25 2	21 2	36	36 3	35 3	29 1	24 3	6 1	2	1			
;	1				1	1	1							· 		
			2 2	$\frac{2}{1}$		1	1	. 2	2							
		*	<u>2</u>	1		1 ;-	ī	2	1 1							
		,		i		1			1							
			•••••				1					•••••		•		
1		1	8	9	15	25	31	35	35	26	18	6	. 2			
1		i	5 3	9	13	22 3	26 5	29 6	28 7	17 9	13 5	3 3	2			
1		= <u></u>	8	9	15	25	30	35	35	26	18	6	2			
1			5	9	13 2	22 3	26	29 6	28 7	17		3	2			
		,1	3		I :		4	1 1		9	13 5	3				
1		1	6	. 5	8	16	15	24	22	19	11	3	1		•	
1		ı	2	5 <u>-</u> -	7	13 3 7 1	12 3	20 4	16 6 11 5 1	12 7 8 5 1 2 3	9 2	2 1	1			
1		. 1	2 1 2	3	4	í	10 1	17 3 1	11 5	8 5	4 2·	2	1			
			$\begin{bmatrix} & 2 \\ 1 & 1 \end{bmatrix}$	3	2	4			1	1 2	1					
				1	1	2 1	. 2	2 1	4 1	3	4	1				
			2	4	7	7	13	10	- 12	6	- 6	. 3	1			
			1 1	4	6	7	12 1	8 2	11 1	4 2	3 3	1	1			
						2	2	1	1	1	1	2				
				 			1									
•	c	10	,	40	70		00	701					, .			
6	8 6 . 2	17 12 5	29 9	. 38 11	76 62	92 80 12	92 -71 21	121 101 20	90 25	60 23	32 12	20 15 5	2 1			
6	. 2	5 15	9 37	48	73	12 87	90	118	115	23	12 43	20	3			
6	6	11	28 9	37 11	59 14	76 11	70 20	. 99*	90 25	59 22	31 12	15 5				
3	2 5	4 8	25	26	50	55	20 58	19 80	64	50	12 29	5 13	1 2	•••••		
3												9				
2	$\begin{array}{c} 3 \\ 2 \\ 1 \end{array}$	5 3 1 2 1 2 1	17 8 10 3 •6 4 1	18 8 7 1	41 9 23 4 11 4 7	46 9 25 5 15 6	46 12 20 6 14 12 2	64 16 39 8 15 5	47 17 21 9 8 6 18	36 14 18 . 7 6 2 12	22 7 9 5 4 1	4 7	î			
	<i></i>	Î	3	i	11	5	6	8	2 9	. 7	5	3	1			
	2 2	1	4	6	4	3	4	10 5	6	2	.1					
1		1	1	6 2 1	í	1	2	3	2 2	12 5	1	2 1	1			••••••••
3	3	7	12	19	21	29	32	37	49	. 30	13	5	1			
3	3	6 1	11 1	16 3	17 4	27 2	24 8	34 3	41 8	22 8	8 5	4	1			
				3.	2	. 3		1	2	1	1	2				
				3	1	3		1	2	1	1	2				
		2	1	1	1 3	5	2	3		·····2	1		••••••		•••••	• • • • • • • • • • • • • • • • • • • •
			1	1	3			2			1					
		. 1 . 1 1				· 4	1 1	1		1. 1 1 1						
		i	1	1	3	4 1		2 1		1	1					
	• • • • • • • • • • • • • • • • • • • •						1			• • • • • • • • • • • • •						· · · · · · · · · ·

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

==							DEATH	S AT AGE ()F—	- 1		
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 yearst	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE BUCCAL CAVITY—continued.											
	Others of this class.										ļ	
1	Total	184									2	1
$\frac{2}{3}$	MalesFemales	142 42									1	1
4	White	179		==-							2	
5	Males	139									1	
6	Females	40									1	
7	Native	115									2	1
8 9	Males. Females.	90 25									1 1]
10	Both parents native $\left\{ egin{array}{ll} M \\ F \end{array} \right.$	52 17									1 1	1
11	One or both parents foreign $\left\{ egin{array}{ll} M & \cdots & \left\{ egin{array}{ll} F & \cdots & \cdots & \left\{ egin{array}{ll} F & \cdots & \cdots & \cdots & \cdots \\ F & \cdots & \cdots & \cdots & \cdots & \cdots \\ \end{array} \right. \right.$				j:::::::							
12	Parentage unknown $\left\{egin{array}{ll} M \\ F \end{array}\right.$	16 2										
13	Foreign	63										
14 15	Males Females.	48 15										
16	Unknown M											
17	Colored	5		• • • • • • • • • • • • • • • • • • •								
18	Males	3										
19	Females	2 1										
20 21	Negro. $\begin{cases} M & \\ F & \end{cases}$ Chinese. M	$\frac{1}{2}$										
• •	CANCER OF THE STOMACH AND LIVER.											
22	Total.	18, 285	7	6	5		,	26			177	20
23	Males	9,236		$-\frac{6}{2}$. 3	<u>4</u>	10	9	6	6	13
24	Females	9,049	5	4	.2	1	3	16	2	2	11	19
25	White	17,806	7	6	5	4	4	26	9	6	17	28
26 27	Males Females.	9,004 8,802	2 5	2 4	2 3	3 1	1 3	10 16	7 2	4 2	6 11	12 16
28	Native	9,773	7	5	5	4	4	25	8	6	13	23
29 30	Males Females:	4,584 5,189	2 5	2 3	2	3 1	1 3	10 15	6 2	4	5 8	9
31	Both parents native. $\left\{ egin{array}{ll} rac{M}{F} & \end{array} \right.$	2, 483 2, 994	1 4	$\frac{2}{1}$	3 2 1	3 1	1	9 7	3 1	2 2 1	1 5	14 7 7
32	One or both parents foreign K_{F} .	1,257 1,337	i	2	2		3	1 17	$\frac{1}{2}$	$\frac{1}{2}$	4	1 5
33	Parentage unknown $\begin{cases} M \\ F \end{cases}$	844 858	······i					<u>i</u> -	î			1 2
34	Foreign	7,859		1				1			4	5
35	Males	4,308										
36	Females.	3,551		i				i			1 3	3 2
37	Unknown.	174		<u></u>					1			
38 39	Males Females	112 62							1			
40	Colored.	479]					4
41	Males	232										
42 43	Females. M . Negro. M .	247 201										3 1
14	$\begin{array}{ccc} & & & & & \\ \mathbb{F}. & & & \\ \mathbb{M}. & & & \\ \mathbb{F}. & & \\ \mathbb{F}. & & \\ \end{array}$	238										3
45	Chinese	6 20										
16	Japanese	7 3										
47	Other colored											
47									1		2	
		50				• • • • • • • • •			1		2	
48 49	Total Males	50							1		,	
48 49 50	Total	50 41 9							1		1 1	
48 49 50 51 52	Total Males	41							1			

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

			,				DEATHS A	T AGE OF-	-					•	/	Deaths	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known	
																	1
1	5	3	8	12	16	18	26	22	31	21	12	2	4				
1	3 2	3	6 2	12	11 5	17 1	20 6	18 4	23 8	14 7	9 3	1 1	2 2	ļ			- :
1	4	3	8	11	14	18	25	22	31	21	12	2	4				=
1	3 1	3	6 2	11	10	17 1	19 6	18	23 8	14 7	9 3	i 1	2				-
1	1	2	5	6	7	12	11	14	21	19	9	2	2 2				- 1
1	• 1	2	4 1	6	5	11 1	9 2	12	15	12	8	1	1				- ;
1	i	1	2	3	5 2 2 2 2	5	6	2 5 2 4	6 7 5 3 1 5	10	1 6 1	, _i .	. 1				}10
		1	2 1	3		5 1 1	2		3 1	2			1				- }1:
					1		1 2	3		<u>2</u>	2	1					: }12
	3	1	3	5	7	5	14	8	10	2	3,	<u></u>	2				- 13
	2 1	1	2 1	5	5 2	5	10 4	6 2	8 2	2	1 2		1 1				- 14 - 15
						. 1									ļ		- 16
	1			1	1		1										17
	1				. î												15
	1		-;	i	1		i										}20 21
113	212	487	804	1,316	2,060	2,429	2,755	2,819	2,441	1,631	822	226	52	6	1	21	22
52 61	92 -120	233 254	402 402	671 645	1,112 948	1,278 1,151	1,455 1,300	1,441 1,378	1, 217 1, 224	747 884	374 448	94 132	20 32	6	1	7 14	23 24
108	200	455	777	1,256	1,987	2,372	2,677	2,762	2,410	1,607	812	224	49	5	1	18	25
51 57	88 112	219 236	384 393	646 610	1,071 916	1,249 1,123	1,412 1,265	1,411 1,351	1,204 1,206	739 868	372 440	94 130	18 31	5	1	6 12	26 27
72	119	258	423	649	1,041	1,324	1,468	1,475	1,339	893	458	133	34	1	1	10	28
• 36 36	51 68	107 151	184 239	291 358	506 535	645 679	735 733 402	714 761	639 700	384 509	192 266	52 81	10 24	1	1	3 7	29 30
• 36 36 18 25 14 9	51 68 31 41 18 21 2 6	151 46 79 49 58 12	239 89 114	358 130 185 123 132 38	506 535 247 262 199 207	645 679 284 348 267 253 94 78	402 396 196	761 436 490	639 700 380 465 96 102 163	384 509 239 339 51 69	192 266 119 174 31 24 42 68	52 81 30 41 2 15 20 25	10 10			4	}31
9 4 2	21 2	58 12	76 102 19 23	132	60	253 94	201 137	124 124 154	102 163	94	24 42	15 20	1	ī	1	$\begin{array}{c} 1\\1\\2\\2\\2\end{array}$	32
35	6 79	14	346	41 597	66 914	l	136	147	133	101			13				}33
15 20	36 43	107 85	196 150	346 251	541 373	1,031 592 439	1,187 662 525	1,255 677 578	1,055 557 498	701 349	345 176	88 41 47	15 8	4		5	34
20	43 2	85 5	150 8	251 10	373 32	439 17	i	578 32		349 352	176 169		7	. 4		1 4	35 36
	1 1	5	4	9	24	12	22 15		16	13 6	9	3				3 2	37
1			4	1	8	, 5	7	20 12	8	7.	5	2				2 1	38 39
5		32	27	60	73	57	78	57	31	24	10	2	3	1		3	40
1 1	4 8 4 7	14 18 13 16	18 9 16	25 35 21 34	41 32 31 32 1	29 28 25 27 1	43 35 36 35	30 27 28 25	13 18 13 17	8 16 8 15	2 8 2	2	1 1	1		1 2 1 2	41 42 43
4	7 1			34	32	27 1	- -		17 1		8	2	1 1	1		2	}44 }44
		1	1	2 2	6 3	3	7	2 1 1	т	1	••••••						45
		1	<u>î</u>	1		1											}46 47
									•				====		•		
		1	2	4	6	13	5	5 5	3	1	1	1					48
			1 1			2			2	3							49 50
		1	2	3	6	13	4	4	4	4	1	1					51
1		1	1	3	6	. 2	4	4	2 2	1 3	1	1	<u> </u>				52 53

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

=							DEATH	S AT AGE	OF—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years,	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE STOMACH AND LIVER—could.											
	Cancer of the pharynx—Continued.										ĺ	
1	White—Continued. Native.	27							1		1	
2 3	Males.	20		-					1			
3 4	Females M . Both parents native M .	7 6									1	
5	One on both moments foreign	11							i			
6	Parentage unknown M.	3									1	
7	Foreign.	19									1	
8 9	MalesFemales	17 2									1	
10	Colored—Negro M	4										
	Cancer of the esophagus.											
11	Total	534			•		·····					
12 13	Males	413 121			• • • • • • • • • • • • • • • • • • • •							
14	Females White	519			====							
15	Males.	404										
16	Females.	115										
17	Native	176										•••••
18 19	Males Females	122 54						••••••••••••••••••••••••••••••••••••••				
20	Both parents native $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	52 36			• • • • • • • • • • • • • • • • • • • •							
21	One or both parents foreign $\dots \qquad \begin{pmatrix} M \\ F \end{pmatrix}$	49 13	•••••	•	••••••	••••••	•					• • • • • • • • • • • • • • • • • • • •
22	Parentage unknown $\left\{egin{array}{cccc} rac{M}{F} & \end{array}\right.$	21 5	•	• • • • • • • • • • • • • • • • • • • •	••••••••••••••••••••••••••••••••••••••		••••••••••••••••••••••••••••••••••••••					
23	Foreign	337				• • • • • • • • • • • • • • • • • • • •						
24 25	Males Females	277 60										
26	Unknown	6								•		
27	Males	5										
28	Females	1		•	•	•	••••			• • • • • • • • • • • • • • • • • • • •		
29	Colored	15										
30 31	Males	9 6 6			• • • • • • • • • • • • • • • • • • • •							
32 33	Negro	6										
	Cancer of the stomach.											
34	Total	11, 733		3		1	1	5	2		6	20
35	Males	6, 405		1		1	1	3	1		3	5
36 37	Females	5,328		2				2	1		3	15
38	Males	6, 249		3		1	1	3	1		3	16
39	Females	5, 168		2				2	î		3	12
40	Native	6,027		2		1	1	4	2		5	. 14
41 42	MalesFemales	3, 112 2, 915		1		1	1	3 1	1 1	.,	3 2	3 11
43	Both parents native $\{M, F, \dots\}$	1,662 1,648		1		1	1	3				3 6
44	One or both parents foreign \dots F .	871 772		·····i	••••••			1	1	· · · · · · · · · · · · · · · ·	$\begin{vmatrix} 3 \\ 2 \end{vmatrix}$	4
45	Parentage unknown $\left\{egin{array}{c} \mathbf{M} & \mathbf{K} \\ \mathbf{F} & \mathbf{K} \end{array}\right\}$	579 495	•					:::::	1	•••••		·····i
46	Foreign	5, 271		1			<u> </u>	1	<u></u>	·····	1	2
47 48	MalesFemales.	3,059 2,212		1				i			i	1 1
49	Unknown	119										
50	Males	78										
51 l	Females	41										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

	. 4						DEATH	S AT AGE ()F—	·						Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years:	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
					•							-				
<u>.</u>		1	. 2	1	6	7	3		3	1		1				
		1	1 1	1	6	5 2	3		1 2	i		1	-			
			1	1	2	2	1		, <u>.</u>	· · · · · · · · · · · · · · · · · · ·						
		1	ī		3	3	2		<u>î</u>			•••••				
					ī				ī			1				
				2		6	1	4	1	3	1		• • • • • • • • • • • • • • • • • • • •			
				2		6	1	4	1	1	1					
······	•••••			1			1	1	1	2						
		10	24		77	76	80	70	40	40	0.7		_			
2	1 1	, 13 4 9	17 7	36 10	77 64	67	82 65	78 58 20	63	31 31	21 14	9	1			
2	2	12	22	42	13 72	76	79	78	63	9	21	9	1			
2	1	4 8	15 7	33	60 12	67 9	65 14	58 20	47 16	31 9	14	6 3	1			
2	2	4	. 11	. 18	22	27	20	. 24	16	16	7	· 6	1	********		
2	1	4	6 5	13 5	18 4	19 8	15 5	18 6	9 7	11 5	5 2	4 2	' 1			
2	·····i	<u>1</u>	1 4	3 4	7	9	4	9 4	4 6	6	$\frac{\tilde{4}}{2}$	2 2	1			•••••
	î	3	5	8	9	8	7	7	2	2						••••••
	*********			2	2 1	2	4	$\begin{bmatrix} \frac{1}{2} \\ 1 \end{bmatrix}$	3	3	·····i	2			•	•••••••
		8	11	23	49	48	1 58	53	47	1 23	14	3				•••••
		4 4	9 2	19	41 8	47	49	40 13	38	19	9	2				<u>: ·</u> _
				· 1	1	1	1	13	. 9	1	5	1	•		**********	•••••
				1	1	,1	1			1						
	• • • • • • • • • • • • • • • • • • • •		•••••		•			1				*********				•••••
		1	2	4	. 5		3			· · · · · · · · · · · · · · · · · · ·						•••••
		i	2	3	4		3									
		i	2	3 1 2 1	2											• • • • • • • • • • • • • • • • • • •
			•••••	i	2		3									······
72	134	323	516	829	1,313	1,544	1,778	1,809	1,587	1,060	544	141	37	3		. 10
35 37	65 69	162 161	282 234	461 368	789 524	889 655	1,015 763	1,007 802	833 754	520 540	257 287	60 81	14 23	3		4 6
69	127	306	499	787	1,263	1,509	1,727	1,772	1,565	1,044	536	139	34	3		8
34 35	62 65	156 150	271 228	444 343	760 503	870 639	986 7 41	986 786	823 742	515 529	255 281	60 79	12 22	3		4 4
45	76	162	246	384	647	804	912	912	840	561	306	• 78	24			5
24	38	92	125	193	289	364	409	419	402	306	134 172	32 46	6 18 6			2 3
18	19	50 50	61	94	183	181	208	270	252 253	196	113	19 23	7			······2
21 24 7 18 12 6 2	38 38 25 19 12 18 1	70 92 25 50 35 36 10 6	121 125 53 61 52 55 16 9	191 193 81 94 85 73 25 26	358 289 183 147 133 114 42 28	440 364 196 181 178 134 66 49	503 409 272 208 141 120 90 81	493 419 297 270 93 72 103 77	438 402 252 253 75 65 111 84	255 306 160 196 27 44 68 68	134 172 80 113 23 19 31 40	32 46 19 23 2 7 11	i			
2	1	6	9	25 26	42 28	66 49	90 81	103 77	111 84	68 66	31 40	11 16	10			2 1
23	49	140	247	398	596	693	800	837	716	474	221	59	10	3		1
13 10	23 26	82 58	146 101	248 150	. 385 211	422 271	473 327	478 359	381 335	255 219	117 104	28 31	6; 4	3		1
1	2	4	6	5	20	12	15	23	9	9	9	2				2
····i	1 .	4	4 2	5	17 3	8 4	10 5	15 8	4 5	5 4	4 5	·····2				1

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

						DEATH	S AT AGE C)F—			
SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 2 years
CANCER OF THE STOMACH AND LIVER—contd.				-							
Cancer of the stomach—Continued.					}						
Colored	. 316										
<u>Males</u>											
Females. M . Negro M .	160										
Negro F. M. M. F. F.											
Chinese M.	. 9										
Japanese	. 3										
Cancer of the liver and gall bladder.											
Total	5,968	7	3	5	3	3	21	6	6	9	
Males.		2	1	2	2		7	5	4	2	
Females		5	2	3	1	3	14	1	2	7	<u> </u>
White	5,824	7	3	5	3	3	21	6	6	9	
MalesFomales		2 5	1 2	2 3	2 1	3	7 14	5 1	4 2	2 7	
Native	3,543	7	3	5	3	3	21	5	6	7	
<u>Males</u>	1,330	2	1	2	2		7	4	4	2	
Females. M_{E} . Both parents native. M_{E} .		5 1	2 1	3 2	1 2	3	14 6	1 3	2 2	5	
One or both parents foreign		1	1	1	1		7	4 1	1 2	5 1	
Parentage unknown F .	. 241		1	2		3	6		1		
· ·	- 358	1					1				
Foreign										2	
MalesFemales	. 955 . 1,277		 		 					2	
Unknown	. 49							1		[ļ
<u>M</u> ales								1			
Females	. 20										
Colored	144										
MalesFemales	. 81										
Negro $\left\{egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array}\right.$. 77										
Indian F. Chinese M											
Other colored	- 1										
CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM.	Ì										
"Total	<u> </u>	4	5	4	1	5	19	17	10	20	<u> </u>
MalesFemales	. 2,690 3,544	1 3	3 2	3	1	2 3	8 11	10 7	9	15 5	
White	6,108	4	5	4	1	4	18	17	9	20	
MalesFemales	2,649	1	3	1	1	1	7	10	8	15	
	1 '	3	2	3		3	11	7	1	5	
Native		4	5	4	1	3	17	16	8	18	
MalesFemales	2,266	1 3	3 2	1 3	1	1 2	7	10	7	13	
Both parents native $\left\{ egin{aligned} \mathbf{M} \\ \mathbf{F} \end{aligned} \right.$		2	1	1		1	2 3	6 4	5	6 2	
One or both parents foreign $\left\{ egin{array}{l} M \\ F \end{array} \right\}$		1 1	2 1	3	1	1 1	5 6	2	2	7 3	
Parentage unknown $\left\{egin{array}{l} M \\ F \end{array}\right\}$	234 320		1				i				
Foreign	2,236					1	1	1	1	2	
Males	1,056								1	2	
Females	, , , , ,					1	1	1			
Unknown											
Malaa	. 17										
Males. Females.		11	I	I		1	1		1		
MalesFemales	. 126						ll	11			
Females	. 41					1	1		1		
Females	41 85 36						1		1		

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

THE BODY AFFECTED, IN THE REGISTRATION STATES, BY AGE, SEX, COLOR, GENERAL NATIVITY, AND DECEDENT: 1914—Continued.

			r			,	DEATHS A	AT AGE OF	-							Death at un-
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	7
3	7	. 17	17	42	50	35	51	37	22	16		2				
	3	6	11	17					10	5	8 2		3			
1 2 1 2	4 3 4	11 6 10	6 10 6	25 14 24	29 21 23 21 1	19 16 18 15 1	29 22 26 22	21 16 20 15	12 10 11	1 <u>1</u> 5 11	6 2 6	2	1 1 1			2
· · · · · · · · · · · · · · · · · · ·	••••••		1	· 2	4 1		3	1 1	1							
•••••	••••••	1		. 1		1										
39	76	150	262	437	664	796	890	927	786	527	. 256	75	14	3	1	11
15 24	26 50	66 84	102 160	170 267	253 411	311 485	370 520	371 556	334 452	195 332	102 154	27 48	5 9	3	1	3 8
37	71	136	254	424	646	774	867	908	778	519	254	75	14	2	1	10
15 22	25 46	58 78	97 157	166 258	245 401	301 473	357 510	363 545	332 446	192 327	102 152	27 48	5 9	2	1	2 8
25	12	91	164 56	246	366	486	533	539	480	315	145	48	9	1	1	5
13 12 9 7 2 3 2	12 29 6 21 5 3	36 55 21 28 13 19	108 35 48 18 46	86 160 45 87 30 59	124 242 55 114 54 91 15	181 305 77 162 78 114 26 29	214 319 125 185	203 336 130	191 289 124	118 197 73 138 22 25 23 34	53 92 35 59 8	15 33 9	3 6 3	1	1	1 4
7 2 3	21 5 3	28 13 19	48 18 46	87 30 59	114 54 91	162 78 114	185 46 80	216 24 51	289 124 205 19 35 48	138 22	59 §	16	3			2 1
2	1 5	2 8	13 1 14	11 14	15 37	26 29	46 80 43 54	49 69	48 49	23 34	10 28	8 6 9	3	1	1	1 i
12	- 30	44	88	174	269	284	328	361	291	201	109	. 26	5	1		4
10 2	13 17	21 23	41 47	77 97	115 154	117 167	139 189	155 206	137 154	74 127	49 60	11 15	2 3	i		4
		1	2	4	11	4	6	8	7	3		1				1
		1	2	3 1	6 5	3 1	4 2	5 3	4 3	3	•••••	1				1
2	5	14	8	13	18	22	. 23	19	8	8	2			1		1
2	. 1	· 8 6. 7	5 3 4	` 4 9 4	, 10 6	10 12 7	13 10 9	8 11 7	2 6	3 5 3	2	••••••		i		1
2	3 1	1	3	9	10	12	10	10 1	2 6	. 4	2			. 1		1
		1	1	•••••	2	3	4	1								
96	151	218	336	483	631	777	873	858	799	536	249	83	23	2		4
48 48	- 65 - 86	80 138	151 185	201 282	263 368	339 438	400 473	375 483	336 463	220 316	96 153	37 46	8 · 15			1
94	144	201	327	472	619	762	858	847	788	529	246	82	23	1		3 4
47 47	63 81	76 125	148 179	196 276	260 359	332 430	397 461	372 475	332 456	217 312	95 151	37 45	8 15	1		1 3
61	101	136	222	309	386	484	524	490	466	331	166	51	16	_		3
29 32 17 20 12 10	44 57	43 93 25 45 12 40 6	87 135 45 53 34 71 8	114 195	147 239	211 273	219 305	207 283	202 264	124 207 79	63 103 42 71 3 9	23 28	4 12	1		·1 2
20 12	57 26 34 18 20	45 12	53 34	114 195 52 104 53 76	122 59	153 79	114 179 67	128 161 39	202 264 131 176 24 45 47	79 134	42 71	23 28 15 26 2	9	····i		·····i
10	20	40 6 8	71 8 11	76 9	239 77 122 59 86 11 31	273 115 153 79 88 . 17	305 114 179 67 83 38 43	207 283 128 161 39 65 40 57	45 47	134 14 28 31 45	18	6	1 2			1 1
32	42	64	102	15 161	233	274	328	352	43 320	45 195	23 79	31	2 6			 1
18 14	19 23	. 32	59 43	80 81	113 120	121 153	175 153	161 191	128 192	. 91	31	14	4			
1	1	1	. 3	2		4	6	5	2	104	48 1	17	2			1
1	· · · · i .	1	2 1	2		4	3 3	4 1	2	2	1		1			
2	7	17	9	11	12	15	15	11	11	7	3	1		1 .		· · · · · · · · · · · · · · · · · · ·
1 1 1	2 5 2 4	4 13	3 6 3 6	5 6 5	3 9	· 7	3 12	3 8	4 7	3 4	1 2	1		i		
1	4	13 3 13	3 6	5	9	8 7 7	12 2 12	2 8	7	3 4	1 2			i		· • • • • • • • • • • • • • • • • • • •
	05000	: 16				····i' .	1					· ·				

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

_							DEATHS	AT AGE OF	r—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.											
1	Colored—Continued. Chinese	1				,					}	
2	Japanese	$\frac{1}{2}$										
3	Other coloredM.	î								1		
	Cancer of the mesentery and peritoneum.											
4	Total	447	2	2	2	1		7	5	3	8	9
5 6	Males Females	168 279	2	1	2	1		2 5	3 2	3	7 1	6
7	White	441	2	2	2	1		7	5	2	8	8
8	Males	165		1		1		2	3	2	7	6
9	Females	276	2	i	2			5	2		i	2
10	Native	282	2	2	2	1		7	4	2	6	7
11 12	Males Females	107 175	2	1	2	1		2 5	3	2	5 1	5
13	Both parents native. $\begin{cases} M \\ F \end{cases}$	55 109	2	ļ					2	2	1	2 2 1
14	One or both parents foreign $\left\{ \begin{array}{ll} H \\ F \end{array} \right\}$	39 47	1	1		i		2 3	1		4	2
15	Parentage unknown $\begin{cases} \mathbf{F} \\ \mathbf{F} \end{cases}$	13			2				1			1
	•	19		1				1				. 1
16	Foreign	158							1		2	1
17 18	Males Females	58 100	- · • · · · · · · · · · · · · · · · · ·						1		2	1
19	UnknownF	1										
20	Colored	6								1		. 1
21	Males	3								1		
22 23	Females	3 1										1
24	Japanese M.	3 1										1
25	Other colored	1				•••••				1		
	Cancer of the intestines (except rectum).											
26	Total	3,768	1	2	2	•••••	4	9	12	5	10	26
27 28	Males Females	1,533 2,235	i	2	1 1		2 2	5 4	7 5	5	6 4	16 10
29	White	3,693	1		2		3	8	12	5	10	26
30	Males	1,512		2	1		1	4	7	5	6	16
31	Females	2, 181	1		1		2	4	5		4	10
32	Native	2, 292	1	2	2		2	7	12	5	10	17
33 34	MalesFemales	883 1, 409	<u>1</u>	2	1 1		1 1	4 3	7 5	5	6 4	10 7
35	Both parents native. $\{ egin{array}{ll} M \ \\ F \ \end{array} \}$	511 817	1	1	1		1	2 2	4 4	3	4 2	5 3
36	One or both parents foreign $\dots M_{F}$.	239 390		1	i		1	2 1	3 1	2	2 2 2	5 4
37	Parentage unknown $\left\{ egin{array}{ll} M_{} \\ F_{} \end{array} \right.$	133 202										
38	Foreign	1,380					1	1				9
19	Males	617										6
Ō	Females	763					1	1				š
1	Unknown	21										:
12 13	Males Females	12 9										
	Colored	75				•••••	1	,				
14	Males .							1	1			
45 46	Females	21 54		•••••			1	1				
	Morro M	20					1 1	1 1	· · · · · · · · · · · · · · · · · · ·			
17 18	Negro	53							[

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

				•	*	•	DEATHS A	T AGE OF-	_		:		-			Deaths	Ī
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
		<u>1</u>			i			1									, 1
	1																} 2 3
																	-
. 13	13	19	28	27	50	64	55	43	43	42	12	5				1	4
9	8 5	11 8	10 18	11 16	22 28	23 41	18 37	11 32	11 32	11 31	2 10	5				i	5
13	13	18	27	27	49	' 63	55	43	43	. 42	12	5				1	7
9		1 <u>1</u>	10 17	11 16	21 28	· 22	18 37	11 32	11 32	11 31	2 10	5				1	8 9
8	.5	12	17	15	30	40	39	22	28	31	7	2					10
				6	14			6	8	7	1						11 12
5 3 2 2 3	4 1 3	6 6 5 3	8 9 5 5 2 2 1	9 2	16	12 28 8	13 26 7	16 4	20 5 16	24	6	2					12 }13
3	1	1 3	2	4 3 4	9 8 5	18 4 9	14 4 9	8 1 6	16 1 3	21 2	4	2					14
i			1 2	1	1 2		2 3	·1	2 1	3 3	1 1						15
5	8	6	10	12	19	22	16	21	15	11	5	3				1	16
4 1	4	5	.2	. 5	7	10	5	.5	3	4	1						17
1	4	1	8	. 7	. 12	12 1	11	16	12	.7	4	3				1	18 19
		1	1		1.	1											20
					1	1											21
		1	1			i										• • • • • • • • • • • • • • • • • • • •	22 \23
		1	1		1												24 25
	••••												********				20
54	79	133	201	303	366	460	540	533	472	336	163	49	15			2	26
27 27	32 47	51 82	95 106	122 181	140 226	183 277	231 309	217 316	184 288	131 205	56 107	20 29	5 10			2	27 28
52	76	123	196	298	355	452	530	527	464	331	163	48	15			=======================================	29
26 26	32 44	49 74	93	120 178	138 217	180 272	230 300	215	181	129	56 107	20 28	5				30 31
30	44 53	74 81	103 128	178	217	272	300 329	312 297	283 274	202 208	1107	28 32	10 10			2 2	31
			ļ		72	111	130	118	114	73	<u> </u>	12					33
14 16 10	22 31 14	28 53 15 27	47 81 24	70 127 35	145 41	162 52	199 61	179 76	160 75	135 54	37 73 26 53	20 8	3 7 2 5			2	34 35
10 4 6	17 8 12	27	31 18	71 29 47	72 26	94 49	117 43	98 18	108 13	84	53 2 6	18	5			1	36
b	2	8 23 5 3	18 44 5 6	6 9	26 50 5 23	49 49 10 19	43 56 26 26	18 39 24 42	13 25 26 27	23 13 28	9 14	3 2	į				37
21	22	41	65	100	138	177	197	226	190	121	. 52	16	4				38
12 9	10 12	20 21	44 21	49 51	66 72	69 108	98	94	67	54 67	18 34	8 8	2 2				39 40
1	l	1		1	72	1	99	132	123		ł	8					l
1	1	1	. 3	1		2	4 2	4		2 2	1		1				41 42
1	1	- -	2 1	ļ		2	2 2	3 1					1				43
2	3	10	. 5	5	11	8	10	, 6	8	5		1					44
1 1	3	8 2 8	3	2 3 2	9	3 5	1 9	2 4	3 5	2 3 2		i					45 46
1	2	8	3	3	9	3 5	9	1 4	3 5	2 3		1					}47
	<u>i</u> -	J	l		J.::::::::			1		:::::::::	1:::::::				l		48 49

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE (OF—			
	SEX, COLOR, AND NATIVITY.	All deaths	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE PERITONEUM, INTESTINES, AND RECTUM—continued.											
	Cancer of the rectum and anus.											
1	Total	1,992	1	1			1	3		2	2	14
2 3	Males Females	982 1,010	1	i			1	1 2		1 1	2	6 8
4	White	1,949	1	1			1	3		2	2	13
5 6	Males Females	965 984	1	1			1	1 2		1	2	6
7	Native	1,252	1	1			1	3		1	2	10
8	Males	582	<u></u>					1			2	12
9	Females	670 328		1			1	2		1	<u>.</u>	6
10	Both parents native	372 166						1		1	<u>.</u> .	3
11	One or both parents foreign $\begin{cases} M \\ F \end{cases}$	199 88		1			1	2				2
12	Parentage unknown \mathbb{F}	99										. 1
1 3	Foreign	690					<u></u>		<u></u>	1		1
14 15	Males	378 312								1		i
1 6	Unknown.	7										
17	Males	5 2							-			
18	Females	2										
19	Colored	43										1
$\frac{20}{21}$.	MalesFemales	17 26										·i
22	Negro $\left\{egin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array}\right.$	15 25										·····
23	Indian	1										
24	Japanese	1										
25	Others of this class. Total	27										
26 27	Males Females	7 20										
28	White	25										
29	Males	7										
30	Females	18										
31	Native	16										
32 33	Males Females	4 12										
34	Both parents native	3 8										
35	One or both parents foreign $\cdots egin{array}{c} M \\ F \end{array}$	1 4										·
36,	Foreign	8		• • • • • • • • •								
37	Males	3										
38 20	Females	5		• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •		·				
39 10	Unknown F Colored—Negro F	1					••••••				•••••	· · · · · · · · · · · ·
10	CANCER OF THE FEMALE GENITAL ORGANS.	2	••••	•••••				 				• • • • • • • • • • • • • • • • • • • •
11	Total F	7 047						_		إ		
12	White. F	7, 247	1					3	2	5	6	36
£2 £3	Native F	6,824 4,906	1			1	1	3	2	, 2	6	34 26
14	Both parents nativeF	2,823	1			1	1	3	2	2	3 · 1	26 16
15 16	One or both parents foreign F. Parentage unknown F.	1,351 732						•••••		2	2	9
17	Foreign F Unknown F	1,871 47								1	3	7
9	Colored F	423					•••••					1 ₂
50	Negro F	419										2
2	Indian F Chinese F	1 2										
3	Japanese F.	ĩi										

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

			-		,			DEATHS .	AT AGE OF						;		Deaths	T
Second Column	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.		55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known	1
12	l l										,							
27	27	58	62	107	151	213	251	273	277	282	156	74	29	8	2		1	
27	12 15	25 33	16 46		68 83	101 112	133 118	149 124	146 131		78 78	38 36	17 12	3 . 5	2		1	
22 42 41 77 96 128 169 164 169 160 99 49 37 6 1 1 112 132 83 36 36 67 88 79 88 78 46 356 11 1																	1	=
22 42 41 77 96 128 169 164 169 160 99 49 37 6 1 1 112 132 83 36 36 67 88 79 88 78 46 356 11 1	12 15	· 23	14 42	45 59	65 81	101 112	130 115	147 122	145 127	138 141	77 77	37 34	17 12	3 5	·····i		1	
5 10 16 16 16 16 30 55 45 48 48 22 11 7 1 1 1 1 1 1 3 25 38 35	!		<u> </u>	ł	Į.	1	ļ	}	ļ	!	{	ļ	Į.	1	1		1	
5 10 16 16 16 16 30 55 45 48 48 22 11 7 1 1 1 1 1 1 3 25 38 35	10 12	18 24	8 33	32 45	38 58	61 77	88 81	75 79	83 86	78 84	44 46	25 24	6	1 5	1		1	
5 12 15 27 49 75 75 114 102 115 63 22 12 2 <td< td=""><td>5 7</td><td>9 16</td><td>5 15</td><td>16 17</td><td>15 29</td><td>31 40</td><td>55 39</td><td>45 47</td><td>48 54</td><td>49 52</td><td>23 27</td><td>16 14</td><td>6</td><td>4</td><td>i</td><td></td><td></td><td>: }</td></td<>	5 7	9 16	5 15	16 17	15 29	31 40	55 39	45 47	48 54	49 52	23 27	16 14	6	4	i			: }
5 12 15 27 49 75 75 114 102 115 63 22 12 2 <td< td=""><td>4</td><td></td><td>13</td><td>25 2</td><td>24 24 2</td><td>31 5</td><td>30</td><td>. 18 10</td><td>19 15</td><td>17 17 19</td><td>5 15</td><td>2</td><td></td><td>1</td><td></td><td></td><td></td><td>. {</td></td<>	4		13	25 2	24 24 2	31 5	30	. 18 10	19 15	17 17 19	5 15	2		1				. {
3 5 6 12 23 63 43 74 64 57 30 10 6 2	i i		1	ì	ì	1	1	}	1	}	1	1		1		 	- 	-
			ļ	13		40							- 6	<u> </u>				
	3	7	9	14	1	35	1		1	•	1 .	10	6					- 3
1											1							:] : ;
1																		- 1
1			 	 											1			- 3
2 1 4 2 2 2 2 2 5 5 5 2 2 3 3 4 2 2 3 3 4 3 2 3 3 4 3 3 3 3 3		2 2	1	1	3		3 3	2 1	1	2 1	. 1	1 2						
2 1 4 2 2 2 5 5 5 2 2 2 3 1 2 2 2 2 3 1 2 2 1 2 2 3 1 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2 2 2 1 2		2	4	2	2				4	2	1	2			1			$\left\{ \left\{ \left\{ \right\} \right\} \right\} $
2 1 4			i															2
2 1 2 2 2 2 3 4 2 3 4 2 3 4 3 2 3 4 3 2 2 3 4 3 2 2 3 4 3 2 2 3 4 3 2 2 3 4 3 2 2 3 3 4 3 2 2 3 3 4 3 2 2 3 3 3 3 3 3 3 3 3 4 3 2 2 3 3 3 3 3 3 3 4 3 2 2 3 3 3 3 3 4 3 2 2 3 4 3 3 3 4 3 3 3	2		4		2	2	. 2	5	5	2	2				 			2
2 1 4 1 2 2 4 5 2 2 1 2 2 1 2 2 1 1 2 2 1 1 2 2 1 1 2 2 2 1 1 2	2	.1			·····2	2		2 3			2							2
2 1 2 1 2 2 2 4 2	2	1	4		1	2	2	4	5	2	2							2
1 1 2 1 1 2 2 2 2 2	2	i	2 2		1	2	2	2 2	1 4	2	2							2 3
1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 3 1	1	1	2		1	1	2	2	2	2	2						· · · · · · · · · · · · · · · · · · ·	3
1 1	;1	i	1 1		·····i	·····i	2	1	<u>2</u>		2							33
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	• • • • • • • • • • • • • • • • • • •	••••••			1	2	1	1	2	2			••••••	-	•••••	• • • • • • • • • • • • • • • • • • •	}3
1 1 1 1 1 1 2 3 3 3 3 3 3 4 1 1 3 4 1 1 1 1 3 4 1 1 1 1 3 4 1 1 3 4 4 1 1 3 4	•••••	1	1		. 1			••••••	1		••••••				•••••			}3
1 1 1 2 1 2 1 3 3 3 3 3 3 7 4 4 2 134 47 15 3 7 4 99 237 508 787 917 1,019 956 762 596 428 261 133 46 15 3 7 4 78 183 374 563 660 731 703 559 418 283 169 97 36 8 6 6 4 43 103 205 314 353 365 388 340 273 194 111 70 28 6 6 6 4 26 194 128 67 41 22 9 1 2 4 4 9 13 49 66 93 100 121 91 78 48 36 18 7 2 1 4 4 4 1 1 4 4 1 1 4	1		2			1												3
1	1	••••••	1			1		•••••	2	••••••								3
114 265 560 .853 982 1,084 939 800 616 442 274 134 47 15 3 7 4 99 237 508 787 917 1,019 956 762 596 428 261 133 46 15 3 7 4 78 183 374 563 660 731 703 559 418 283 169 97 36 8 64 43 103 205 314 353 365 388 340 273 194 111 70 28 6 6 6 6 4 26 67 120 183 214 266 194 128 67 41 22 9 1 4 9 13 49 66 93 100 121 91 78 48 36 18 7 2 14 21 54 128 215 256 283 248 200 171 142 88 35 9 7 3 4 15 28 52 66 65 65		••••••		·····	1		•••••	~				-				••••••	••••••	3
99 237 508 787 917 1,019 956 762 596 428 261 133 46 15 3 74 78 183 374 563 660 731 703 559 418 283 169 97 36 8 6 6 4 4 4 2 38 20 14 13 1 1					1			1	•••••	********	••••••	•••••	•••••	•••••	•••••		••••••	4
78 183 374 563 660 731 703 559 418 283 169 97 36 8 64 43 103 205 314 353 365 388 340 273 194 111 70 28 6 6 6 6 4 26 194 128 67 41 22 9 1 6 6 4 4 21 29 1 6 4 4 21 29 1 6 4 4 21 29 1 6 4 4 4 21 29 1 6 4 4 2 4 4 2 9 1 6 4 4 2 1 6 4 4 2 1 4 4 4 2 8 36 18 7 2 4 4 2 4 4 1 1 1	114	265	560	.853	982	1,084	933	800	616	442	274	134	47	15	3		7	4
43 103 205 314 353 365 388 340 273 194 111 70 28 6 6 6 6 9 13 49 66 93 100 121 91 78 48 36 18 7 2 3 4 21 54 128 215 256 283 248 200 171 142 88 35 9 7 3 7 3 4 1 1 1 1 15 28 52 66 65 65 43 38 20 14 13 1 1 4 15 28 51 66 64 64 42 38 20 14 13 1 1 1	I	İ	i		i .								ı		3			4:
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$																		4
21 54 128 215 256 283 248 200 171 142 88 35 9 7 3	26	67	120	183	214	266	194	128	67	41	22 36	9	28 1 7				ნ ••••••	4 4
15 28 52 66 65 65 43 38 20 14 13 1 1 4 15 28 51 66 64 64 42 38 20 14 13 1 1 5	1		128	215	256]	248	']	1	142	88	1	9	Ĩ	3		••••••	4
15 28 51 66 64 64 42 38 20 14 13 1 1	15	28						1		j	1	ļ	ł				1	4
	——						42											5
			i			1	1	•••••					••••••••••••••••••••••••••••••••••••••					5 5 5

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATH	S AT AGE O	·F—			
	SEX, COLOR, AND NATIVITY.	All deaths	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE FEMALE GENITAL ORGANS—COULD.			,								
	Cancer of the ovary and fallopian tube.											
1	TotalF	406					1	1		3	3	10
2.	WhiteF	399					1	1		3	3	10
3	NativeF	293					1	1		2	2	7
4 5 6	Both parents native. F. One or both parts foreign F. Parentage unknown F.	151 111 31					1	1		2	2.	3 4
7 8	Foreign F. Unknown F.	105 1								1	1	3
9	Colored—NegroF	7										
10	Cancer of the uterus. TotalF	6,629		·	ļ. ·	1		1	2	2	3	25
11	WhiteF.	6,220						1	2	2	3	23
12	NativeF	4, 463			ļ	1		1	2	2	1	18
13	Both parents nativeF	2,579				1		1	2	2	1	13
14 15	One of both parents foreignF Parentage unknownF	1,202 682							::-:::		•••••	.1
16 17	Foreign F. Unknown F.	1,713 44									2	4
18	ColoredF	409										2
19 20	Negro F. Indian F.	405 1										2
21 22	Chinese F. Japanese F.	2 1										
	Cancer of the vagina and vulva.						İ					
23	TotalF.	170	<u> </u>									1
24	WhiteF.	163										1
25	NativeF.	117								• • • • • • • • • • • • • • • • • • • •		1
26 27 28	Both parents native. F. One or both parents foreign. F. Parentage unknown. F.	72 30 15										1
29	ForeignF.	44										-
30	Unknown F.	7										
31	Colored—NegroF Others of this class.	,										
32	TotalF	42	1	 	.			1				
:33	WhiteF.	42	1					1				
:34	NativeF.	33	1		.			1				
35 36 37	Both parents native	21 8 4	1					1				
38	ForeignF.	9						<u> </u>				
	CANCER OF THE BREAST.										4	6
39	Total	5,052			-	- 						
40 41	MalesFemales	4,971									4	6
42	White	4,897									4	6
$\begin{array}{c} 43 \\ 44 \end{array}$	MalesFemales	. 81 4,816					·					
45	Native								II———	ļ	4	4
46 47	MalesFemales	3,556							II		4	4
48	Both parents native. $\{M, F\}$	2,086									. 1	1
49	One or both parents foreign $\left\{ \begin{matrix} M. \\ F. \end{matrix} \right\}$	_ 996					-				3	2
50	Parentage unknown $\left\{ egin{array}{l} \mathbf{M} \\ \mathbf{F} \end{array} \right.$	9 474										
51	Foreign	1,260		.		<u> </u>						. 2
52 53	Males	29 1,231					-					2

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

					•	- 1	DEATHS A	T AGE OF-	_							Deaths
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.
16	13	. 37	58	46	61	50	53	25	14	10	4	. 2		<u> </u>		<u> </u>
16	13	35	56	45	60	50	52	25	14	10	4	2				
13	8	29	44	32	44	36	36	21	9	5	3	. 1				.
. 6 5 2	4	17 10 2	20 20 4	12 15 5	22 19 3	16 13 7	, 11 3	15 4 2	, ⁸	2 1 2	3	1				
3	5	5 1	12	13	16	14	16	. 4	5	5	1	1				
•••••		2	2	1	1		1									
97	242	516	783	916	1,007	926	724	564	401	244	117	38	11	3		7
82	216	467	720	852	945	883	688	544	387	231	116	37	11	3	ļ <u>,</u>	7
64	167	342	513	612 334	678 340	650 363	301	377	255 176	153	85 60	28	5			6
36 21 7	94 60 13	187 108 47	290 162 61	192 86	241 97	175 . 112	116 87	246 58 73	36 43	19 33	9	1 6				⁰
18	49	121 4	198 9	239	262 5	228 5	181	161 6	129 3	74 4	30 1	8 1	6	3		1
15	26	49	63	64	62	43	36	. 20	14	13	1	1				, 1
15	26	48	63	63	61	42	36	20	14	13	1	1				
· · · · · · · · · · · · · · · · · · ·		. 1		1	i	1										
	8	5	9	14	13	18	16	24	24	15	13	7	3			
	6	4	8	14	11	18	15	24	24	15	13	7	3			
	6	2	5	11	6	12	· 14	18	16	8	9	7	2			
	3 3	· , · · · 2	4	3 6 2	3 3	7 4 1	12 1 1	10 5 3	10 3 3	. 5 2 1	7	7	1			
· · · · · · · · · · · · · · · · · · ·		,1 1	3	3	5	6	1	5	8	7	4		1			
	2	1	1		2		1	1								
1	2	. 2	3	6	3	5	.7	3	3	5			1			
1	2	2	3	6	3	5	7	3	3	, 5			1			
1	2	1	1	5	3	5	5	2	3	3			1			
1	2	1	1	1	3	2 2 1	5	2	 1 2	3						
	,	1	2			1	2	.1	2	2			1			
44	101	301		646	671	658	551	529	435	311	, 207	00	000			
· 1 43	2 99	3 298	460 4 456	7 639	12 659	8 650	12 539	13 516	9 426	6 305	207 2 205	. 93 1 92	23 1 22	6		6
40	94	284	447	624	644	640	541	509	429	307	204	90	23	5		6
1 39	2 92	3 281	4 443	7 617	12 632	8 632	12 529	13 496	9 420	6 301	202	1 89	1 22	5		6
34	74	218	337	453	485	488	382	346	323	213	. 158	63	19	3		4
1 33	2 72	216 216	4 333	4 449	8 477 3	6 482	6 376	7 339	6 317	3 210	· 1 157	1 62	. 18 . 1 16	3		4
1 33 1 21	l .	1 114 1 86	333 3 189	236 3	240	482 2 262 3	234	5 227	211	148	102	40	16	2		4
10	37 2 30	86	1 121	168	182 1	170 1	6 376 1 234 3 85 2 57	52 2 60	44 2	1 17	18	7	i			
2	5	16	23	45	55	50	į	ł	62	45	37	15	i	i		
6	20	65	108	, 169	158	148	153	159	104	91	46	26	2	2		. 1
6	20	1 64	108	166	154	2 146	6 147	6 153	3 101	3 88	1 45	26	2	······2		·····i
	l	1	2	2	1	4	6	_{, 4}	· 2	3	l	1	2	l	l	1

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

-]							DEATH	S AT AGE ()F—	•		
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF THE FEMALE GENITAL OBGANS—contd.											
	CANCER OF THE BREAST—continued.									1		
1	Colored	155				-		l				
2	Negro. F. Indian F.	152										
1	CANCER OF THE SKIN.	J										
	Total	1,838	5	1	3	2	5	16	3	4	2	İ
5	Males	1,177	1	1	1	1	2	6		3	2	<u> </u>
3	Females	661	4		2	1	3	10	3	1		
	White	1,816	4	1	3	2	5	15	3	3	2	
3	Males Females	1,169 647	1 3	1	$\frac{1}{2}$	1	2 3	6 9	3	2 1	2	
1	Native	1, 269	3	1	3	2	5	14	3	3	2	
:	Males	847 422	1 2	1	1 2	1	2 3	6 8		2	2	
:	Females $\frac{M}{F}$ $\frac{F}{F}$	517 252	1	1	1 2	1	$\begin{vmatrix} & 3 \\ 1 \\ 2 \end{vmatrix}$	5 4	$\begin{bmatrix} 3 \\ 2 \end{bmatrix}$	2		
	One or both parents foreign $\left\{egin{array}{c} \left(\mathbf{F}_{+}\right), \\ \mathbf{F}_{-} \end{array}\right\}$	137 77	2			1		4			2	
;	Parentage unknown M .	193 93					î	i				
,	Foreign	512	1					. 1				
	Males	298										
	Females	214	1					1				
	Unknown	35										
	Males	24 11										
	Colored	22	1					1		1		
	Negro	8								1		
	CANCER OF OTHER ORGANS OR OF ORGANS NOT	14	1				••••	1				
	SPECIFIED. Total	7, 244	27	26	44	27	21	145	73	54	107	11
	Males	4,566	14	13	26	16	9	78	41	30	53	
	Females.	2,678	13	13	18	11	1Ž	67	32	24	54	
	White	7,053	26	25	43	26	20	140	71	50	102	16
	Males Females	4,448 2,605	14 12	12 13	25 18	16 10	9	76 64	41 30	27 23	53 49	
	Native	4,548	26	24	43	26	20	139	68	46	89	
	Males	2,780	14		25	16	9	75	39	24	45	
2	Females	1,768 1,563	12 5	13 6	18 14	10 12	11 3	64 40	29 20	22 15	44 27	
	One or both perents foreign	1,052 779	5 9	$\frac{12}{5}$	10 10	5 4	9 6	41 34 23	18 17	13 9	27 17	
	Parentage unknown F .	487 438	7	1	8 1	5	2	23 1	10 2	8	17 1	
	· ·	229							1	1		
;	Foreign Males	2,433		<u>l</u>				1	1	3	12	
	Females	1,616 817		1					1	1	8 4]]
	Unknown	72						<u> </u>	1		1	
1	MalesFemales	52 20							1		1	
	Colored	191	1	1	1	1	1	5	2	4	5	
.	Males	118		1	1			2		3	<u>'</u>	
	Females	73 111	1	1	i	1	1	3 2	2	1 2	5	
	$\begin{array}{ccc} \text{Negro} & & & \text{F} \dots \\ \text{Indian} & & & \text{M} \dots \\ \text{F} \dots & & \text{F} \dots \end{array}$	72 2	1			1	1	3	1	1	5	
	Chinese	1 5					<u> </u>		1			
	Cancer of the larynx.											
- 1	Total	318	1	1	1	 	l	3	1	l	1	
١,								I	,			

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

							DEATHS A	T AGE OF-	-		-			•		Deaths	Ī
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
													`				
4	7	17	13	22	27	18	10	20	6	4	3	3		1			
4	7	17	13	22	27	18	10	18	6	4	3	2 1		1			-
						,		2	 			1					
5	11	14	30	70	124	127	178	222	274	. 273	242	158	59	. 10	5	7	
4 1	. 6 5	10 4	14 16	53 17	84 40	93 34	119 59	160 62	183 91	168 105	139 103	88 70	31 28	6	2 3	6 1	
5	11	13	28	69	121	125	176	221	272	272	238	157	59	10	5	7	
4 1	6 5	10 3	13 15	53 16	82 39	91 34	119 57	160 61	182 90	167 105	139 99	88 69	31 28	4 6	2 3	6 1	
4	6	11	20	52	84	94	130	148	191	181	158	110	41	6	4	3	
3	3	8	. 12	41 11	59 25 29 11 19 8	70 24 37 16 23 4 10	91 39	108 40 62 30 18 5 28	131 60	114 67	100 58 67 36	68 42	25 16 19 7	2 4	1 3	3	- 1
2	3 2-	4 2 4	4 4	41 11 27 5 12	11 10	37 16 23	91 39 57 22 18 13	62 30 18	131 60 81 40 14 9 36	114 67 69 42 11 8 34 17	67 36	68 42 46 23 5	19 7	1 2	2	1	·K
î			4 6	4 2 2	8		13 16	5 28	9 36	8 34	4 5 29 17	17	1 3 5	1 1	1 1	2	}
1	1 5	1 2	2 7	17	37	29	38	5 69	11 76	17 82	17 78	15 46	6	4	1	2	. [ʃ·
	3	2	4 3	12	23 14	20 9	23 15	49 20	. 46 30	47	38 40	20	6	2	1	1	
	2		3	5	14	9 2	15 8	20	30 5	35 9	40	26 1	11	2		1 2	
			1			1 1	5 3	3	5	6 3	1 1		, ,			2	-
		1	2		3	1 2	3 2	1	2	3 1	ł	1	1				1
				1	2	2			1	1	4	1					h.
••••••		1	1	1	1		. 2	1	1		4	1					}2
124	167	250	400	506	738	838	901	959	855	544	312	121	25	5	1	6	2
78 46	99 68	143 107	224 176	300 206	430 308	538 300	595 306	643 316	591 264	346 198	202 110	72 49	16 9	3 2	1	5 1	1
121	159	237	384	486	718	820	881	944	834	533	310	118	25	5	1	5	:
76 45	94 65	134 103	217 167	289 197	418 300	526 294	580 301	631 313	574 260	341 192	201 109	71 47	16 9	3 2	1	4 1	1
87	115	167	259	288	434	522	529	577	511	344	188	71	18	3		4	
50 37	69 46	97 70	141 118	157 131	236 198	325 197	348 181	371 206 225	353 158	207 137	123 65	43 28 27	10	2		3 1 2	200
27	31	59 40	64	74	. 116	149	198	225 131	229	143	73	27 18	8 8 5	<u>2</u>		<u>2</u>	}:
19 12 4 3	31 33 14 5	29 • 24 9 6	59 67 50 10	71 61 48 22 12	100 94 77 26 21	104 126 63 50 30	112 97 51 53 18	131 74 39 72 36	98 42 21 82 39	104 17 10 47 23	43 14 6 36	18 3 2 13	2		••••••		} {
				l							36 16	13	3	1		1	}{
34	41	69	123	194	275	289	344	356	313 215	182	118	46	7	1	1		3
26 8	22 19	36 33	74 49	130 64	101	196 93	225 119	252 104	98	130 52	74 44	28 18	· 6	i			3
	3	<u>1</u>	2	4	. 9	- 9 5	8	11 8	10	<u>7</u>	4	1				1	3
	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		2 2	1	5 4	7 1	3	4	3		1				•••••	4
3	8	13	16 7	20	20	18	20	15		11 5	2 1	3 · 1				1	4
$\begin{bmatrix} 2\\1\\2 \end{bmatrix}$	5 3 5 3	9 4 8	- ⁹	11 9 11	12 8 12 8	12 6 11	15 5 13	12 3 12	4 16	6 5	1 1	2					4 4 }4
ī	3		9	9	8	6	5	3	4	6	1	2 1					؟ بر
		i	•••••			. 1	2		1								1
	ا						, .			آ	_			_	·		ŀ.
3	1		17	19	45 38	' 43 40	. 55	51 44	29	21 19	<u>8</u>	2	1 '1	1			4
	1	5 5	13 4	19 5	38 7	40 3	11	44 7	4	19 2	7	2 2		1			5

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

		,					DEATHS	AT AGE O	F			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT											
	specified—continued.											
1	Cancer of the larynx—Continued. White	308	1	1	1	 		3	1		1	
2	Males	255							1			
3	Females	53	1	1	1			3			1	
4	Native	150	1	1	1			3	1		1	
5 6	Males Females	121 29	·····i	i	i			3	1		₁	
7	Both parents native. $\left\{egin{array}{c} \mathbf{M} \\ \mathbf{F} \end{array}\right\}$	55 20		i	·····i			2			·····i	
8	One or both parents foreign $\left\{ \begin{array}{ll} \mathbf{M} \\ \mathbf{F} \end{array} \right\}$	43	i					i				
9	Parentage unknown $\left\{ egin{array}{ll} rac{M}{F} \end{array} \right.$	23 5							1			
10	Foreign	153										
11	Males	129			-							
12	Females.	24										
13	UnknownM	5										
14	Colored	10	<u></u>			<u></u>					<u></u>	
15	Negro M.	6										
	(1	4		••••••								
16	Cancer of the lung and pleura. Total	333					1	1	2	4	6	17
							1	1	I 			ļ
17 18	Males Females	187 146					1		1	3 1	4 2	11 6
19	White	328					1	1	2	4	6	17
20	Males	185					1	1	1	3	4	11
21	Females	143							1	1	2	6
22	Native	174					1	1	1	3	4	10
23 24	Males Females	91 83					1	1	i	2	2 2	6 4
$\frac{24}{25}$	Both parents native $\begin{cases} M \\ \mathbb{R} \end{cases}$	47 50								.1	2	3 1
2 6	One or both parents foreign $\begin{pmatrix} M \\ F \end{pmatrix}$	30 24					i	1			2	3
27	Parentage unknown	14 9										.
00	(-11	_							,	1	2	
28	Foreign	154							1	1	·	7
29 30	Males Females	94 60							1	1	2	5 2
31	Colored	5				 	 					
32	Negro											
-04	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	3										
33	Cancer of the pancreas.	617							1	1		2
34	Males	325								1		1
35	Females	292							1			1
36	White	599							1	1		2
37	Males Females	314							·	1		1
-38 -20		285				í			1	4		1
39	Native	384			<u> </u>				1	1		2
40 41	Males	188 196							1	1		
42	Both parents native $\left\{ egin{array}{ll} M. \\ F. \end{array} \right.$	106 116	:					[
43	One or both parents foreign $\left\{egin{array}{cccccccccccccccccccccccccccccccccccc$	48 47										
44	Parentage unknown	34 33						'				
45	Foreign	210										
46	Males	121				<u> </u>	ļ				ļ	
47	Females	89										
4 8	UnknownM	5				 					 	ļ
49	Colored	18				ļ				<u> </u>		
50	Males	11										
51 52	Females M . Negro M .	10			ļ::::::			' · · · · · · · · · · · · · · · · · · ·				
	Negro(F	7	1		1	1	ı	1			1	

[.] Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

\

1			***************************************				DEATHS A	T AGE OF	_	•						Deaths	=
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
,				•										-		,	İ
			,									_			İ		ĺ
3	1	10	14	23	38	43	53 42	51 44	27	19	8	3 2	1	1			1
	i	5 5	12 2	18 5	6	3	11	. 4	23 4	,2	1	1		1			3
1		6	9	7	16	. 22	28	27	13	8	4	2	1	1			4
1		3 3 2	8 1 3	6 1	14 2 5	21 1 7	21 7 10	23 4 13	11 2 7	.7 1 3	3 1 2	1 1 1	1 i	1			6
1		1 1	1 5	1 1 5	7	10	6	3 4	2	I 1	<u>-</u>	ĩ	-				} 7 } 8
		2			2	1 4	3	6 1	4	3						•••••) } 9
2	1	4	5	16	27	21	1 24	24	12	12	1 4	1		1) 10
		2 2	4	12	23	19	20	21	10 2	11	4	1				:	11
•••••	1	. 2	1	4	1	2	1	3	2 2	1							12
			3	1	1		2		2			1					13 14
			1	1			2		2		-						}15
•••••			2		1		•••••					1				•••••	ويدا
14	11	19	22	33	43	49	47	27	24	9	3	1	1	 	ļ		16
8 6	7 4	9 10	12 10	21 12	23 20	28 21	27 20	13 14	13 11	2 7	2 1	1	1				17 18
13	11	18	21	32	42	49	47	27	. 24	9	3	. 1	1				19
8 5	. 7	9	11 10	21 11	22 20	28 21	27 20	13 14	13 11	2 7	2	1	1				20
7	7	9 12	13	15	20	20	20	16	13	7							21 22
3 4	<u> </u>	7 5	6	6			15 7		8	1	2						23
	3 2	5	7	9 3 5	10 11 5	10 10 3 7	7 8 6	8 8 6	. 5	6	. 1						24 }25
3 2 1	· 1	1	3 5 3	2 4	7 3 4	3 1	5 1	2 2 2	3	6 1	1						26
î	î	, 1 1	Ĭ	î	2	.4	2		i								27
6	4	. 6	8	17	21	29	25	11	11	2	1	1	. 1				28
5 1	3 1	2 4	5 3	15 2	12 9	18 11	12 13	5 6	5 6	1 1	1	1	1				29 30
1		1	1	1	1												31
			1		. 1												32
1		1		1													,
5	11	25	40	53	. 77	93	97	85	68	44	9	6					33
1	3 8	14 11	26 14	32 21	37 40	50 43	•58 39	45 40	32 36	17 27	2 7	3 3					34 35
5	9	24	38	50		91	95	84	66	43	-\	6					36
4 1	3 6	13 11	25 13	30 20	36 39	. 48 . 43	57 38	44 40	30 36	17 26	2 7	3 3					37 38
. 4	6	17	27	28		62	62	45	45	29	j	3	<u></u>				39
3 1	, <u>1</u>	8 9	18	14 14	20 26	31 31	36 26	22 23	23 22	9 20	6	$\frac{1}{2}$					40 41
2		47	10 5 5	14 14 6 9 4 2 4	20 26 10 14 6	31 31 17 16 10 10 4 5	36 26 21 15 9 7 6 4	22 23 14 .11 .5 7 3 5	23 22 13 15 2 1 8 6	9 20 7 12 1 1 1 7	4	$\begin{bmatrix} \tilde{1} \\ 2 \end{bmatrix}$					42
1	1 1	. 3 2 1	5 4 3	4 2	11	10	9 7	5 7	1 1	1	i						43
i						1	1		6	7	1						44
1	3	7	.	22	-	28	32	38	21	14		3					45
1	2	5 2	. 6	16	15 13	16 12	· 20	21 17	7 14	8 6	2 1	2					46 47
		 	. 1	1	. 1	1	1	1									48
	2	1	2	:	·	2	2	1	2	1							49
	2	1	1 1 1	2 1 2 1	1 1	2	1 1 1 1	1 1	2	1							50 51
	2	1	i	1 1	1	2	1	1	1	i							}52 53

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

							DEATHS	AT AGE O	F—-			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											
	Cancer of the kidneys and suprarenals.		1					}			_	_
١	Total	467	7	- 8	20	9	6	50	22	4	8	7
2	MalesFemales	239 228	3 4	5 3	13 7	5 4	3 3	29 21	· 15	3	4	3
1	White	452	6	8	20	9	6	49	21	4	8	6
5	Males Females	230 222	3 3	5 3	13 7	5 4	3 3	29 20	15 6	1 3	4 4	3
,	Native	324	6	7	20	9	6	48	21	4	5	4
3	Males	156	3	4	13	5	3 3	28 20	15 6	1 3	2.	3
	$egin{array}{cccc} ext{Females} & & & & & & & & & & & & & & & & & & &$	168 86	3	3 3 3	7 7 3	$\begin{vmatrix} 4\\3\\2 \end{vmatrix}$	3	13 14	7 3	1 2	1 1	2
1	One or both parents foreign $\binom{\mathbf{F}}{\mathbf{F}}$.	96 55 50	3	ĭ	6	2 2	3	15 6	7 3	<u>ī</u> .	1 2	1
2	Parentage unknown $\begin{cases} \mathbf{M} \\ \mathbf{F} \end{cases}$	15 22							ĭ			
3	Foreign	126		1				1			3	2
1	Males	72		1				1			2	
5	Females	54]]								1	2
6	Unknown	2										1
7	Colored	15	1						1			
3	Negro $\{egin{array}{cccc} m{M} & & \\ m{F} & & \\ \end{array}$	9	i					i	1			
	Cancer of the prostate.		[1	l	Į.	1
9	TotalM.	716		,								
.	White	701				· · · · · · · · · · · · · · · · · · ·	-	 				
2	Native	458 287					-			-		
3	Both parents native. M. One or both parents foreign M. Parentage unknown M.	86 85										
5	Foreign M.	237										
6	Unknown	6					-					
7	Colored M.	15			-							
8	Negro	14					-					
	Cancer of the bladder.		ll .				_				. 2	
0	Total	915	1	ļ	- 1	-	1	3			2	
2	MalesFemales	648	1		. 1		i	2 1				
3	White	897	1		. 1		. 1	3			. 2	
4	Males Females	633 264			. 1		i	2			. 2	
6	Native	561	1		. 1		. 1	3			. 2	
37	Males	386	-1	-	·	_	i	1			. 2	
18 19	Females	. 175 213				.,	-{	.			i	
10	One or both parents foreign \mathbb{F} .	. 103	1					$\frac{1}{2}$				
11	Parentage unknown M.	. 70										
2	Foreign	1		-				.				
3	Males.		-	-			-					
4	Females	. 87				-		·		-		-
15	Unknown			-	<u> </u>			-11			_	
16 17	MalesFemales	- 4 - 2	<u> </u>					-				
18	Colored	. 18	·							<u>. </u>		<u> </u>
49	Males			<u> </u>			'	-				
50 51	Females							:	. :	./		
52	Chinese M. I Includes District of Columbia, but excludes North	.' 1			'			: ^{[[}	. " 			J

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

						,	DEATHS A	AT AGE OF-		`						Deaths at un-
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	known age.
,											,			-		
								40			10	_				
9	14	21 11	28 16	36	· 43	55 31	38 19	19	38	28 14	12	5				
4 5	5 9	10	12	19 17	21	24	19	30	19	14	5 7	3				
8	13	18	27	35	• 42	54	37	49	37	27	12	5	· · · · · · · · · · · · · · · · · · ·			
3 5	4 9	10 8	15 12	18 17	21 21	30 24	18 19	19 30	19 18	14 13	5 7	2 3				
6	9	12	18	19	21	38	27	31	. 28	21	8	4				
2 4	3 6	6· 6	10 8	10 9	9 12	17 21	14 13	10 21	12 16	9 12	3 5	2 2				
1 2	2 3	3	8 7 4 3	9 4 3 4 4 2 2	5 6	6 11	9 9 3	21 9 14	6 7 4 3	7 10	5 3 3	1				
2	1 2	3 3 3	, 3	4	2 4 2 2	8 7 3 3	3 4 2	1 2	4 3	2° 1	1					
1	i			. 2	2 2	3	2 	5	2 6	1	1	2 1				
2	4	6	9	16	20	15	10	18	9	6	4	1				
1	1 3	4 2	5′. 4	. 8 8	11 9	12 3	4 6	9	7 2	5 1	2 2	i				
					1	1										
1	1	. 3	1	1	1	1	1		1	1		···				
1	1	1 2	1	1	1	1	1		i	i						
					•••	•••••			*	1		*********				,
	4	6	10	17	27	74	110	157	149	103	42	12	. 3		1	1
	4	6	9	17	26	73	107	156	145	100	. 42	11	3		1	1
	3	5	6	10	7	43	72	107	86	70	32	6				1
	1 2	1 2	3 3	6 3	7 9	18 18 7	43 18 11	65 16 26	63 8	56 4	18 3	5				1
		2		1	1			l 1	15	10	11	1				
	1	1	3	7	9	29 1	35	47 2	57 2	· 1	10	5	3		1	
		•,••••	1		1	1	3	1	4	, 3		1				
			1		1	1	3	1	4	3		1				
4	12	· 21	. 36	51	105	101	139	138	134	97	44	20	4			3
4	8 4	12 9	19 17	27 24	78 27	75 26	104 35	102 36	103 31	68 29	30 14	13 7	2 2			3
4	- 12	20	35	49	101	99	139	136	130	96	44	20	4			2
4	8 4	11 9	19 16	26 23	74 27	74 25	· 104 35	100 36	99 31	67 29	30 14	13 7	2 2			2
4	8	16	25	28	60	25 65	80	. 88	84	56	24	13	3			2
													2			2
4	7 1 1 1 6	10 6 7	13 12 4 8 8 2 1	12 16 7 6 4 8 1 2	42 18 20 8 17 7	47 18 17 10 21 5 9	60 20 32 . 8 19 11 9	58 30 35 18 12 7 11	66 18 44 13 10 1 12 4	38 18 25 14 2 2 11 2	17 7 12 5	8553	1 2			1
3	1 6	4	8	6 4	17	10 21	· 8	18 12	13 10	14 2	5	3	1			
1		2 2 1	1 1	1 2	5	5 9	9	11	12	11	. 5 2	3 2	••••••			1
	4	4	10	21	40	34	57	47	45	39	20	7	1			
		 1 3	6 4	14 7	31 9	27	42 15	41 6	33 12	29 10	13	5 2				
	3	3	4	7		7		1			. 7	2	. 1			
					1		2	1	1	1						
					1		2	1	i	1						
		1	1	2	4	2		2	4	1						1
		1	i	. 1 1 1	4	1 1		2	4	1						1
			1	·	4	ī		2	4	1						1

Table 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

						,	DEATHS	S AT AGE O	·F—			
	SEX, COLOB, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.											•
	Cancer of the brain.	102		,	1			2	3	2	8	5
1	Total	123		1	1			2	2	1	2	3
3	Females	57							<u>1</u>	î		ž
4	White	120		1	1			2	3	2	8	4
5 6	Males Females	63 57		1	1			2	2 1	1 1	2 6	2 2
7	Native	84		1	1			2	3	2	7	4
8	<u>M</u> ales	44		1	1			2	2	1	2	2 2
9 10	Females. M . Both parents native. M .	40 29		i	i			2	1 1	1	5 2 3	1
11	One or both parents foreign M .	21 12							1 1	1	3 2	1
12	M	15 3									<u>-</u> -	
	(*	4									1	
13	Foreign	36										
14 15	MalesFemales	19 17									1	
16	Colored—NegroM	3										1
	Cancer of the bones (except jaw).											
17	Total	448	2	4	2	4	2	14	14	15	27	20
18 19	MalesFemales	229 219	2	1 3	1 1	2 2	2	10	8 6	8 7	15 12	13 7
20	White	433	2	4	2	4		14	14	14	25	19
21	Males	220		1	1	2		4	8	7	15	13
$\frac{21}{22}$	Females.	213	2	3	î	2	2	10	6	7	10	6
23	Native	311	2	4	2	4	2	14	13	13	24	17
24 25	Males Females	160 151	2	1 3	1 1	2 2	2	4 10	7 6	6 7	15 9	11 6
26	Both parents native $\begin{cases} \frac{M}{F} \end{cases}$	92	i	1 2		1	2	2 6	3 5	5 4	8 5	6 4
27	One or both parents foreign $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	49 45	<u>î</u> ·	<u>-</u>	1	1 1		2 4	4	1 2	7 4	4 2
28	Parentage unknown $\begin{cases} \hat{M} \\ \hat{F} \end{cases}$	19 13							·····i	·····i		1
29	Foreign	116								1	1	2
30	Males	56								1	<u> </u>	2
31	Females.	60									1	
32	Unknown	6							1			
33 34	MalesFemales	4 2	-						1			
35	Colored	15								1	2	1
	(M.,	9								1		
36	, , , , , , , , , , , , , , , , , , ,	6									2	1
.~	Cancer of the testes.				1		1	2		3	2	10
37	TotalM.	111			1		1			3	2	10
38	White	111			1		1	2		3	1	9
39	Native	84 52	<u></u>		1			1		2	1	5
40 41	Both parents nativeM One or both parents foreignM	30 2					1	î		ĩ	ļ <u>.</u>	4
42 43	Parentage unknownM	25							1		1	1
44	Foreign	25										
	Others of this class.						1.	70	90	0.5	En	g1
45	Total	3,196	16	12	18	14	10	70	30	25	53	51 36
$\begin{array}{c} 46 \\ 47 \end{array}$	Males Females	1,784 1,412	10 6	6 6	9	5	6	38 32	14 16	13 12	24 29	15
48	White	3, 104	16	11	17	13	9	66	29	22	50	50
49	Males	1,736	10	5 6	8 9	9 4	4	36	14	11	24	35 15

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

					•		DEATHS .	AT AGE OF	-							Deaths
25 to 29 years.	30 to 34 years.	85 to 89 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un-
,																
8	. 10	12	10	17	16	13	5	9	3		·					
3 5	7 3	- 12 - 4 - 8	7	11	. 10	. 7	2	5								
<u>5</u>	3 10	8	3 10	17	6	6	3	4	3		=====					
	7 3			11	16	12	5 2	9 5	3							
. 3 5		3 8	7 3	6	6	6	3 	4	3							
<u>6</u>	7	7 2	9	9	10	10	4	3	1							
3 2 3	5 2 2 2 2	2 5 2 1	7 2 3 1	4 5 3 3	5 4 2 1	5 5 • 4	2 2 2	,2 1 1	1							
3	2 2	<u>1</u>	1 4 1	3 1	2 1 3	· 4 2 1 2	1	·····i								
1	, 1			1 1		<u>-</u>	1	1	1							
2	3	4	1.	8	6	. 2	1	6	2							
2	· 2	1 3	i	7	5 1	1 1	i	3 3	2				•••••			
, – 		1		 		1										
														1		
19	19	15	34	28	47	41	41	45	40	17	8	1	2			1
10 9	10 9	9	17 17	10 18	22 25	24 17	20 21	27 18	21 19	6 11	3 5	1	2		••••••	1
19	17	14	33	28	47	40	39.	45	38	15	8	1	2			1
10 9	9 8	8 6	16 17	- 10 - 18	22 25	23 17	19 20	27 18	19 19	5 10	3 5	1				1
15	13	10	22	15	. 29	27	26	27	28	11	4	1	2		••••••	
8 7 6	. 7 6 3	5 5 5	11 11	5 10	15 14	16 11	13 13	15 · 12	15 13 11	4 7	2` 2	1	2			•••••
5		5 3	6	10 2 5	8 7 6 5	9 6	13 13 8 7 5	12 7 9	11 10	2 7	2	1	1			
2 2	4 3 2 1	2	3 4 7 1	1 5 2	5 1	9 6 4 5 3	3	5 2 3	4	2	· 1				•••••	• • • • • • • • • • • • • • • • • • • •
	• • • • • • • • • • • • • • • • • • • •				1 2	•••••	3	3	3	••••••			1			••••••
4	3	3		12	18 7		13	18	10	4	4					
2 2	1 2	ĭ	6	5 7	ıí	6 5	7	12 6	7 4 6	. 1 3	1 3					
	1		·····;	1		2										1
	1		•••••	1		1	••••••								•••••	1
•••••	2	1	1			1	2		2	2						
	1	' 1	1			1	1		2	1		•••••	•••••		••••••	
10	9	13	12	13	5	5	6	,	. 7	,						
10	. 9	13	12	13	5	5	6	7	7	4	3					
9	9	11	10	12	3	4	3	3	3	1	1					• • • • • • • • • • • • • • • • • • • •
5 4	5 4	6 5	7 3	7 5	2	4	2 1	2 1	2	1	i					
• • • • • • • • • • • • • • • • • • • •		• • • • • • • • • • • • • • • • • • • •			i			•••••	1			••••••			••••••	• • • • • • • • • • • • • • • • • • • •
1	•••••	2	2	1	2	1	3	4	3 1	3	1					• • • • • • • • •
52	76	108	191	234	330	364	363	391*	363	221	183	72	14			1
36 16	46 30	60 48	92 99	131 103	168 162	204 160	205 158	224 167	222 141	113 108	108 75	- 38 34	9 5	3 1		i
51	73	103	185	222	320	354	353	380	357	218	181	71	14			1
35 16	43 30	56 47	91 94	125 97	164 156	199 155	198 155	216 164	219 138	113 105	107 74	38 33	9	3		1

TABLE 4.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, CLASSIFIED ACCORDING TO THE PART OF PARENT NATIVITY OF

=							DEATH	S AT AGE (OF—			
	SEX, COLOR, AND NATIVITY.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.		Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	CANCER OF OTHER ORGANS OR OF ORGANS NOT SPECIFIED—continued.	}		ı			•			i		
	Others of this class—Continued.											
1	White—Continued. Native	2,018	16	11	17	13	9	66	28	20	45	- 43
2 3 4 5	Males Females Foth parents native \$\begin{align*} M. \\ F. \end{align*} One or both parents foreign \$\begin{align*} F. \\ F. \end{align*}	323	10 6 5 1 5	5 6 1 6 4	8 9 5 6 2	9 4 8 2	4 5 3 3	36 30 22 18 13	14 14 9 8 5	10 10 5 5	21 24 12 17 9	30 13 16 8 13
6	Parentage unknown F F F	256 173 117	5		3 1	2	2	12 1	6	5		1
7	Foreign	1,046		<u>.</u>					1	2	4	7
8 9	MalesFemales	620 426							1	1	3 1	5 2
10	Unknown	40									1	<u></u>
11 12	Males Females	24 16	-								i	
13	Colored	92		1	1	1	1	4	1	3	3	1
14 15 16 17 18	Males Females [M. Negro [F. Indian [M. Chinese M.	48 44 44 43 1 1 3		1	1	1	1	2 2 2 2 2	1	2 1 1 1 1	3	1

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

			- 100 - E1		•		DEATHS	AT AGE OF	_	-						Deaths	
25 to 29 years.	30 to 34 years.	85 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	at un- known age.	
					o (,	,	1		.			,	,	-	
35	53	71	120	145	211	′ 231	205	· · 230	210	141	. 107	42	12	. 2		1	1
21 14 11 6 9 6 1	30 23 15 15 13 8 2	40 31 24 17 12 10 4 4	52 68 21 34 27 29 4 5	78 67 35 39 33 24 10	101 110 50 55 43 43 8 12	131 100 64 52 51 32 16	112 93 63 60 29 24 20 9	123 107 73 74 27 18 23 15	129 81 76 48 18 15 35	68 73 42 54 6 6 20	63 44 37 29 7 4 19	24 18 14 11 3 2 7 5	7 5 5 3 2 2	2		1	$\left.egin{array}{c} 2 \ 3 \ 4 \ 5 \ 6 \end{array} ight.$
16	_! 18	31	64	74	104	119	144	143	143	73	71	28	2	2			7
; ,14	11 7	\ 15 16	38 26	. 45 . 29	59 45	67 52	\ 83 61	· 89 54	89 54	43 30	41 30	14 14	. 2	'I 1			8 9
-,	2	- 1	· 1	. 3	5	4	. 4	7	4	4	3	1	'				10
	2	, 1	1	2 1	4 1	- 13	3 1	· 4	1 3	2 2	3	i					11 12
1 1	, 3	5	6	12	. 10	10	10	11	6	3	2	, 1					13
1 1	3	4 1 4 1	1 5 1 5	6 6 6	4 6 4 6	5 5 4 5	7 3 5 3	8 3 8 3	. 3 3 3 3	3	1 1 1 1	1 1					14 15 }16
						1	2										18

35030°—16——14

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914.

		DEATHS AT AGE OF—														Deaths
SEX, COLOR, AND NATIVITY.	deaths.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	at un-
SINGLE.																,
Total	5,572	736	361	289	371	544	672	603	603	481	424	285	132	40	24	7
MalesFemales	2,570 3,002	402 334	192 169	125 164	150 221	228 316	290 382	273 330	305 298	227 254	203 221	104 181	51 81	11 29	8 16	1 6
White	5,405	707	338	270	361	531	657	586	584	470	421	232	129	40	· 22	7
Males Females	2, 494 2, 911	389 318	186 152	115 155	145 216	221 310	284 373	270 316	288 296	221 249	202 219	104 178	50 79	11 29	7 15	1 6
Native	3,794	637	241	196	260	366	446	410	392	278	264	176	76	32	16	4
Males. Females. Both parents native M. F. One or both parents M. foreign. Parentage unknown M. F.	1,537 2,257 712 1,263 595 830 230 164	346 291 193 167 142 117 11	125 116 60 61 59 51 6	70 126 29 63 31 58 10	. 84 176 35 79 42 88 7	125 241 38 116 73 109 14 16	162 284 58 143 72 126 32 15	160 250 60 118 77 115 23	165 227 78 134 49 78 38 15	110 168 59 114 26 29 25 25	104 160 47 116 19 28 38 16	-49 127 31 88 3 19 15 20	26 50 16 34 2 7 8	7 25 5 17 3 2 5	12 3 10 1 1 1	3 1
Foreign	1,505	67	92	68	97	160	197	166	178	177	147	98	48	4	5	1
MalesFemales	890 615	41 26	58 34	40 28	58 39	92 68	112 85	102 64	114 64	103 74	93 54	50 48	21 27	3	3 2	i
Unknown	106	3	5	6	4	5	14	10	14	15	10	8	5	4	1	2
Males	67 39	2	3 2	5 1	3	4	10 4	8 2	9 5	 8 7	5 5	5 3	3 2	1 3	1	1 1
Colored	167	29	23	19	10	13	15	17	19	11	3	3	3		2	
Males	76	13	6	10	5	7	6	3	17	6	1		1		1	
Females M .	91 60	16 11	17 6	9	5 4	6	9	14 1	12 12	5 6	2	3	2		1	
Indian	89 3 2	15 1	17	9	5	6	9	14 1	2	4	2	, 3	2 		1	
Chinese $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right\}$	9					1	1	1	5	1	1					
Japanese $\left\{ egin{array}{ll} \mathbf{M} & \mathbf{M} \\ \mathbf{F} & \mathbf{M} \end{array} \right.$	2			1			·····i									
Other colored $\left\{ \begin{array}{ll} M \\ F \end{array} \right\}$	2	1			1											
MARRIED.																,
Total	27,711	78	1,010	1,424	2,284	3,017	3,824	4,031	3,839	3,490	2,568	1,373	561	152	29	31
MalesFemales	12,770 14,941	20 58	266 744	$\frac{352}{1,072}$	643 1,641	1,001 2,016	1,548 2,276	1,842 2,189	2,018 1,821	1,995 1,495	1,586 982	921 452	416 145	129 23	22 7	11 20
White	26,917	71	952	1,329	2,186	2,895	3,706	3,938	3,764	3,425	2,535	1,350	557	151	29	29
Males	12,503	19	258	339	620	970	1.501	1,798	1,988	1,959 1,466	1,567	909	413	129	22	11
Females	14,414	52	694	990	1,566	1,925	2,205	2,140	1,776		968	441	144	22	7 21	, ¹⁸
Native	7,058	56	171	901	347	1,798	789	1,028	1,102	2,068 1,106	930	809 522	350 253	97 85		9
Females. Both parents native. ${M \choose F}$ One or both parents ${K \choose F}$ foreign. Parentage unknown ${K \choose F}$.	9,774 4,050 5,618 1,862 2,781 1,146 1,375	39 12 24 5 12	503 101 299 60 165 10	704 110 380 71 237 16 87	1,087 180 580 138 401 29 106	1,313 242 720 189 435 54 158	1,472 414 758 299 515 76 199	1,471 506 823 389 445 133 203	1, 187 634 725 287 273 181 189	962 705 632 197 153 204 177	624 574 409 127 99 229 116	287 347 184 62 37 113 66	97 155 70 29 5 69 22	12 56 5 6 2 23 5	12 1 1 1 1 1 4 2	12 2 8 2 1 5 3
Foreign	9,956	14	276	422	737	1,086	1,429	1,419	1,459	1,342	969	535	202	52	8′	6
Males Females	5,386 4,570	12	87 189	140 282	271 466	479 607	704 7 2 5	762 657	875 584	847 495	630 339	383 152	156 46	43 9	5 3	2 4
Unknown	129	1	2	6	15	11	16	20	16	15	12	6	5	2		2
MalesFemales	59 70	1	2	2 4	2 13	6 5	8	8 12	11 5	6 9	7 5	2	1	1		······ż
Colored	794	7	58	95	98	122	118	93	75	65	33	23	4	1		2
$egin{array}{c} ext{Males.} & & & & \\ ext{Females.} & & & & \\ ext{Negro.} & & & & & \\ ext{F.} & & & & & \\ ext{F.} & & & & & \\ ext{The substitution of the states o$	267 527 241 514	1 6 1	8 50 8 48	13 82 11 79	23 75 22 75	31 91 27 89	47 71 38 70	44 49 41 47	30 45 25 44	36 29 34 28	19 14 19 13	12 11 12 11	3 1 3 1	i		<u>2</u>
Indian $\left\{egin{matrix}M_{\bullet,\bullet}\\F_{\bullet,\bullet}\end{array}\right.$	2 6		*0	19		09	1	2	1 1	1	13 1					
Chinese $\left\{ egin{matrix} M & \dots \\ F & \dots \end{array} \right\}$	17		i	2 1		2	5 1	3	4	î						
Japanese $\left\{egin{array}{l} M_{-} \\ F_{-} \end{array}\right.$	7		,î.	î	1	2 2	3			1		4				
Other colored		!:::::J														

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

TABLE 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION. BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

1	1	DEATHS AT AGE OF—														
SEX, COLOR, AND NATIVITY.	All deaths.	Under 25- years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.		55 to 59 years.	1	1	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un- known age.
· WIDOWED.	10.000	, ,	20	100	.258	488	896	1 205	1 775	9 949	2,469	2,081	1,398	585	202	
Ťotal	3,698 10,195	1	38	123	44	\ 85	172	303	1,775	2,242	738	598	448 950	189	71	
FemalesWhite	10, 195	5	29	109	214	, , 403 444	724 827	1,022	1,362	1,627 2,191	2,422	1,483 2,047	1,381	396 575	131 198	
MalesFemales	3, 630 9, 822	` 1 4	4 25	12 96	42 193	79 365	164 663	296 982	399 1,306	609	725 1,697	592 1,455	447 934	188 387	70 128	
Native	8,066	3	23	69	155	256	503.	- 782	992	1,239	1,415	1,251	877	366	131	·
Males. Females. Both parents native. [M. One or both parents [M. foreign. Parentage unknown. [M. F.	2,026 6,040 1,139 3,609 396 1,269 491 1,162	1 2 1 1	,13 3 4	6 63 4 33 1 27 1 3	28 127 11 62 15 48 2	34 -222 14 99 14 93 6 30	79 424 37 188 31 173 11 63	165 617 65 321 74 204 26 92	220 772 109 415 -73 212 38 145	319 920 170 573 60 172 89 175	397 1,018 254 671 48 140 95 207	342 909 206 622 39 102 97 185	269 608 164 394 28 62 77 152	119 247 72 161 9 23 38 63	43 88 31 53 1 8 11 27	
Foreign	5,266	2	5	38	78	- 185	314	485	696	928	992	774	496	206	65	
Males. Females	1,549 3,717	2	5	6 32	13 65	42 143	78 236.	126 - 359	174 522	277 651	320 672	244 530	174 -322	68 138	27 38	
Unknown Males	-120 55		1	1	2	3	7	11 5	17 5	24	15	22 6	8	3	2	
Females	55 65		9	1	1 - 2	44	69	6 47	12 70	, 13 11 51	8 7 47-	16 34	4 4 17	1 2	2	
Males	68 373 - 66		9	15 -2 13 2	23 2 21 21 2	6 38 6	8 61 8	7 40 7	14 56 13	6 45 6	13 34 13 33	6 28 6	1 16 1	1 9	1 3 1	,
Tndian F. Chinese F.	366 1 6 1		9	13	21	38	61	39	55 1 1	43	33	27 1	16	8 1 1	3	
$egin{array}{lll} { m Japanese} & & & & & & \\ { m M}_{F} & & & & \\ { m Other\ colored} & & & & \\ { m M}_{F} & & & \\ { m F}_{F} & & & \\ \end{array}$	1							1,								
DIVORCED.		,	-									;		٠.	-	
Total	172	1	11	23	32 8	51	30 32	62 24 38	58 35	21 22	31 19 12	19	3	2 - 2	1	4
Females	231 392	1	10	19	30	40	32 61	38 62	23 58	22	12	19	7	2	1	
MalesFemales	168 224	i	1 9	2 18	7 23	11 38	30 31	24 38	35 23	21 22	18	13 6	3 4	2	1	
Native	299.	1	9	19	28	.38	.44	45	43	33	18	_ 15	3	2	1	
Males	113 186 59 114 22 46 32 26	i	1 8 1 5	2 17 1 10 1 6	6 22 4 15 1 4 1 3	7 31 5 17 2 9	17 27 9 16 5 10 3	15 30 8 14 11 3 5	23 20 9 15 3 1 11 4	16 17 9 0 10 3 2 4 5	11 7 6 6 1 1 4	11 4 5 3 1 5	1 2 1	2	1	
Foreign	- 85		1	1_	2	11	14	17	12	9	_ 11	3	4			
Males Females	. 49 . 36		1	1	, 1	4 7	10 4	9 8	10 2	5 4	7 4	1 2	2 2			
Unknown	8					<u>`</u>	3		3 2	1		1				
Females	6 2								í	, 1	2					
	11 4 7 4 7		i 1	3 2 1 2 1	1 1 1 1	2	1 1				1 1 1 1		-			
$\begin{array}{cccc} M & M \\ F & F \\ \hline Chinese & M \\ \hline F & F \\ \end{array}$																
Japanėse $\left\{egin{array}{ll} rac{M}{F} & \cdots & rac{M}{F} \ \end{array} ight.$ Other colored $\left\{egin{array}{ll} rac{M}{F} & \cdots & rac{M}{F} \ \end{array} ight.$													er in 191			

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the regis tration area.

Table 5.—DEATHS FROM CANCER AND OTHER MALIGNANT TUMORS, IN THE REGISTRATION STATES, OF SINGLE, MARRIED, WIDOWED, AND DIVORCED PERSONS, AND OF THOSE OF UNKNOWN CONJUGAL CONDITION, BY SEX, AGE, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1914—Continued.

,			<u> </u>	······································	DEATES AT AGE OF											<u> </u>
SEX, COLOR, AND NATIVITY.	All deaths.	Under 25 years.	25 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 years and over.	Deaths at un- known age.
UNKNOWN.																
Total	407	1	15	13 -	24	28	46	43	55	54	53	39	23	7	1	5
MalesFemales	264 143	1	9 6	8 5	15 9	15 13	26 20	31 12	38 17	40 14	37 16	23 16	13 10	4 3	1	4
White	383	1	14	11	21	26	44	41	51	51	51	37	23	7	1	4
MalesFemales	252 131	1	8 6	7	14 . 7	15 11	25 19	30 11	36 15	38 13	35 16	23 14	13 10	4 3	i	3
Native	201	1	6	6	7	. 13	24	20	26	25	30′	• 21	17	4		1
$ \begin{array}{c} \text{Males.} \\ \text{Females.} \\ \text{Both parents native.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{One or both parents} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \text{foreign.} \\ \text{Parentage unknown.} \left\{ \begin{matrix} M \\ F \end{matrix} \right. \\ \end{array} $	108 93 60 45 8 27 40 21	1	4 2 4 2	3 3 1 2 3	3 4 1 4	5 8 3 5 1 3	10 14 1 2 4 9 5	14 6 7 4 2 7	15 11 10 5 3 5	15 10 10 2 2 5 6	19 11 12 6 1 2 6 3	9 12 · 4 · 7 · 2 · 2 · 3 · 3	8 9 5 6	2 2 2 2		1
Foreign	124		7	4	10	9	13	14	18	16	14	12	4	3		
Males Females	93 31		3 4	4	8 2	6 3	9	12 2	14 4	13	9 ' 5	10 2	3 1	2		
Unknown	58		1	1	4	4	7	7	7	10	7	4	2		1	3
Males Females	51 7		1	1	3	4	6 1	4 3	7	10	7	4	2		i	3
Colored	24		1	2	3	2	2	2	4	3	2	2				1
Males Females M M F. M M M M M M M M M	12 12 10 12		1 1	1 1 1 1	1 2 1 2	2	1 1 1	1 1 1 1	2 2' 1 2	2 1 1 1	2	2				1 1
$\begin{array}{cccc} \text{Thursh} & & & \\ \text{F} & & & \\ \text{Chinese} & & & \\ \text{F} & & & \\ \end{array}$	2			,					1							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$																

¹ Includes District of Columbia, but excludes North Carolina, in which only the municipalities that had a population of 1,000 or over in 1910 are included in the registration area.

0