DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY STATISTICS

1916

SEVENTEENTH ANNUAL REPORT

WASHINGTON
GOVERNMENT PRINTING OFFICE
1918

CONTENTS.

TEXT.

	Page.
DEATHS AND CRUDE DEATH RATES	9–18
Growth of the registration area: 1880 to 1916	9
Extent of the registration area in 1916	10
Deaths, by color, nativity, parent nativity, age, and sex of decedent	10
Death rates of the registration area	12
Death rates of the registration states	12
Death rates of large cities	13
Death rates of cities with considerable colored populations	14
Deaths of nonresidents	16
Death rates of foreign countries	17
CAUSES OF DEATH	18–56
Detailed and abridged International Lists	19
Changes in the detailed International List	19
Death rates from certain important causes of death in the registration area and in the original registration states for each of the years 1900 to 1916	20
Typhoid fever	22
Malaria	25
Smallpox	27
Measles	28
Scarlet fever	31
Whooping cough	33
Diphtheria and croup	36
Influenza	38
Other epidemic diseases	40
Glanders	40
Anthrax	41
Rabies	41
Pellagra	41
Tuberculosis (all forms)	41
Tuberculosis of the lungs	44
Cancer	45
Organic diseases of the heart	47
Pneumonia (all forms)	48
Diarrhea and enteritis (under 2 years)	50
Acute nephritis and Bright's disease	53
Suicide	54
Violent deaths (excluding suicide)	55
DEATHS OF CHILDREN UNDER 1 YEAR OF AGE	56
ACCURACY OF STATISTICS OF CAUSES OF DEATH	57–59

SUMMARY AND RATE TABLES.

TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, in the registration area, its main subdivisions, each registration state (by cities and rural districts), and each group of registration cities in nonregistration states: 1916	62
TABLE IB.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in each registration city and each rural registration unit: 1916	65
TABLE II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area: 1913 to 1916	78
TABLE III.—Death rates per 100,000 population in the registration area and its subdivisions, by color of decedent and cause of death: 1916	82
TABLE IV.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1916	108

GENERAL TABLES.

Page.

TABLE 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by month of death: 1916 131

TABLE 2.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color, general nativity, and parent nativity of decedent: 1916 140

TABLE 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1916 150

TABLE 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and each registration state, by age and by sex, color, general nativity, and parent nativity of decedent: 1916 176

TABLE 5.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1916 208

TABLE 6.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1916 234

TABLE 7.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1916 256

TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1916 268

TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1916 280

TABLE 8.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1916 292

TABLE 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List), and by age of decedent: 1916 406

TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1916 450

TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1916 483

MAPS.

Growth of the registration area for deaths: 1880 to 1916 8

DIAGRAMS.

Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1916, inclusive 10

Per cent of deaths in the registration area by color, by nativity of white persons, and by parent nativity of the native white: 1916 .. 11

Number of deaths in the registration area at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1916 11

Per cent of deaths in the registration area under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1916 11

General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1915 18

Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1916 22

SUPPLEMENT.

HAWAII 529

PORTO RICO 534

INDEX 538

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., March 19, 1918.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1916, which is the seventeenth annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts received from the registration area for deaths, which in 1916 had an estimated population of 71,621,632, or 70.2 per cent of the total estimated population of the United States. The total number of deaths returned from the registration area for the calendar year 1916 was 1,001,921, corresponding to a death rate of 14 per 1,000 population. This rate is slightly higher than the 1915 rate (13.5), the lowest rate for any year since the establishment of the registration area in 1880.

Two new states were added to the registration area in 1916, North Carolina (the returns for which formerly related only to places having 1,000 inhabitants or more) and South Carolina.

This report was prepared under the direction of Dr. William H. Davis, chief statistician for vital statistics, assisted by Mr. Richard C. Lappin, expert chief of division.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS
1916

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880–1916.

NOTE.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.









MORTALITY STATISTICS: 1916.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States and tabulated for the calendar year 1916 was 1,001,921. The death rate was 14 per 1,000 population, based on an estimated midyear population for the area of 71,621,632, or 70.2 per cent of the total estimated population of the United States. This rate exceeds the rates for 1914 (13.6) and 1915 (13.5), but is slightly lower than that for 1913 (14.1).

The following table shows the number of deaths and death rates per 1,000 population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1916:

CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.		CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
1916	1,001,921	14.0	1906	658,105	15.7
1915	909,155	13.5	1905	545,533	16.0
1914	898,059	13.6	1904	551,354	16.5
1913	890,348	14.1	1903	524,415	16.0
1912	838,251	13.9	1902	508,640	15.9
1911	839,284	14.2	1901	518,207	16.5
1910	805,412	15.0	1900	539,939	17.6
1909	732,538	14.4	1900[2]	512,669	17.8
1908	691,574	14.8	1890[2]	386,212	19.6
1907	687,034	16.0	1880[2]	169,453	19.8

[1] Exclusive of stillbirths. [2] Census year ending May 31.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1916.

The first mortality statistics published by the Federal Government related to 1850 and were based on data collected at the decennial census of that year and covered the entire United States. The decennial collection of vital statistics by census enumerators was continued through 1900, but for the census year 1880 there was established a registration area from which transcripts of deaths were received in addition to enumerators' returns. So also for the census years 1890 and 1900 transcripts of deaths were received from the states and cities included in the registration area.

The annual collection of mortality statistics for that part only of the United States known as the "registration area" began with the calendar year 1900.

The registration area in 1880 included only two states—Massachusetts and New Jersey—the District of Columbia, and certain cities in nonregistration states. Its population represented 17 per cent of the total for the United States, and its land area only 0.6 per cent. In 1890, Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont were added, increasing the percentage of population to 31.4 and the percentage of land area to 3. At the census of 1900 (year ending May 31), Maine and Michigan were added, and Delaware was dropped, the percentage of population included being increased to 37.9, and the percentage of land area increased to 5.9.

The following table shows the growth of the registration area in both population and land area from 1880 to 1916, inclusive:

CALENDAR YEAR.	POPULATION AND LAND AREA OF THE UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
			Population.		Land area.	
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
1916	102,017,312	[1] 2,973,890	71,621,632	70.2	1,307,819	44.0
1915	100,399,318	[1] 2,973,890	67,336,992	67.1	1,228,704	41.3
1914	98,781,324	[1] 2,973,890	65,989,295	66.8	1,228,644	41.3
1913	97,163,330	[1] 2,973,890	63,298,718	65.1	1,147,039	38.6
1912	95,545,336	[1] 2,973,890	60,427,247	63.2	1,106,777	37.2
1911	93,927,342	[1] 2,973,890	59,275,977	63.1	1,106,734	37.2
1910	92,309,348	[1] 2,973,890	53,943,896	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
1900[2]			28,807,269	37.9	176,878	5.9
1890[2]	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
1880[2]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[2] Census year ending May 31.

For the calendar year 1900 (first annual compilation) Indiana was added to the registration area, increasing the population to 40.5 per cent of the total for the United States, and the land area to 7.1 per cent. No other states were added until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota were taken into the area, with the result that the percentage of population was raised to 48.9, and that of the land area to 20.3. The next change was made in 1908, when Washington and Wisconsin became registration states, and for the first time more than one-half (52.5 per cent) of the estimated population of the United States was included, but only 24.4 per cent of its land area. From that time the growth of the registration area continued steadily. Ohio was added in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities

(1,000 or more inhabitants in 1900) were added, and South Dakota was dropped in 1910; Kentucky and Missouri were added in 1911; Virginia in 1913; Kansas in 1914; South Carolina and the remainder of North Carolina in 1916; and, with the cities in nonregistration states which were added from time to time, make the per cent of population represented 70.2 for 1916, and the land area 44 per cent.

The percentages which the population and land area of the registration area formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1916, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1916, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1916.

The registration area in 1916 was composed of 26 states, the District of Columbia, and 35 cities in nonregistration states. These states and cities were admitted to the area on the basis of approximately complete registration of deaths (at least 90 per cent of all deaths) and when the data at hand showed that the deaths were recorded properly under state law, or for cities, under municipal ordinances.

The following states were included in the registration area for deaths for 1916:

California.
Colorado.
Connecticut.
Indiana.
Kansas.
Kentucky.
Maine.
Maryland.
Massachusetts.
Michigan.
Minnesota.
Missouri.
Montana.
New Hampshire.
New Jersey.
New York.
North Carolina.
Ohio.
Pennsylvania.
Rhode Island.
South Carolina.
Utah.
Vermont.
Virginia.
Washington.
Wisconsin.

The entire registration area comprises not only the states named but also the District of Columbia and the following cities in nonregistration states:

Alabama:
- Birmingham.
- Mobile.
- Montgomery.

Delaware:
- Wilmington.

Florida:
- Jacksonville.
- Key West.
- Pensacola.
- Tampa.

Georgia:
- Atlanta.
- Augusta.
- Savannah.

Illinois:
- Aurora.
- Belleville.
- Chicago.
- Decatur.
- Evanston.
- Jacksonville.
- Quincy.
- Springfield.

Louisiana:
- New Orleans.

Mississippi:
- Hattiesburg.
- Jackson.
- Meridian.
- Natchez.
- Vicksburg.

Nebraska:
- Lincoln.
- Omaha.

North Dakota:
- Fargo.

Oregon:
- Portland.

Texas:
- Beaumont.
- Dallas.
- El Paso.
- Galveston.
- San Antonio.

West Virginia:
- Wheeling.

DEATHS, BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following table shows, for the registration area as a whole, the deaths in 1916, classified according to sex, color, nativity, and parent nativity of decedent:

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA: 1916.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	1,001,921	547,809	454,112	1,000.0	1,000.0	1,000.0
White	905,213	496,743	408,470	903.5	906.8	899.5
Native	668,224	358,967	309,257	666.9	655.3	681.0
Both parents native	368,173	192,862	175,311	367.5	352.1	386.1
One or both parents foreign born	219,119	120,345	98,774	218.7	219.7	217.5
Parentage unknown	80,932	45,760	35,172	80.8	83.5	77.5
Foreign born	224,405	127,899	96,506	224.0	233.5	212.5
Unknown	12,584	9,877	2,707	12.6	18.0	6.0
Colored	96,708	51,066	45,642	96.5	93.2	100.5
Negro	92,899	48,492	44,407	92.7	88.5	97.8
Chinese	1,102	1,020	82	1.1	1.9	0.2
Japanese	1,037	700	337	1.0	1.3	0.7
Indian	1,633	821	812	1.6	1.5	1.8
Other colored [2]	37	33	4	(3)	0.1	(3)

[1] Exclusive of stillbirths.
[2] Includes 13 Filipinos, 10 Hindus, 4 Hawaiians, 3 Koreans, 2 East Indians, 2 Malays, 1 Mongolian, 1 Siamese, and 1 Turk.
[3] Less than one-tenth of 1 per 1,000.

The 1,001,921 deaths in the registration area in 1916 were distributed between the sexes and between the two groups as follows: Males, 54.7 per cent; females, 45.3 per cent; white persons, 90.3 per cent; colored persons, 9.7 per cent. Of the colored, the great majority, 96.1 per cent (equivalent to 9.3 per cent of the total for all races), were Negroes.

The percentages of deaths in the registration area by color, by nativity of white persons, and by parent nativity of the native white, for 1916, are shown in the following diagram:

PER CENT OF DEATHS IN THE REGISTRATION AREA BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1916.



The age distribution of decedents is shown in the following table:

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA: 1916.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages	1,001,921	547,809	454,112	1,000.0	1,000.0	1,000.0
Under 1 year	164,660	93,122	71,538	164.3	170.0	157.5
1 year	36,218	19,354	16,864	36.1	35.3	37.1
2 years	16,304	8,676	7,628	16.3	15.8	16.8
3 years	9,913	5,283	4,630	9.9	9.6	10.2
4 years	6,986	3,627	3,359	7.0	6.6	7.4
Under 5 years	234,081	130,062	104,019	233.6	237.4	229.1
5 to 9 years	20,635	11,132	9,503	20.6	20.3	20.9
10 to 14 years	14,008	7,503	6,505	14.0	13.7	14.3
15 to 19 years	23,342	11,894	11,448	23.3	21.7	25.2
20 to 24 years	35,357	18,375	16,982	35.3	33.5	37.4
25 to 29 years	38,148	20,573	17,575	38.1	37.6	38.7
30 to 34 years	39,257	22,036	17,221	39.2	40.2	37.9
35 to 39 years	44,171	25,553	18,618	44.1	46.6	41.0
40 to 44 years	45,121	26,349	18,772	45.0	48.1	41.3
45 to 49 years	48,848	28,954	19,894	48.8	52.9	43.8
50 to 54 years	53,448	31,519	21,929	53.3	57.5	48.3
55 to 59 years	58,629	34,126	24,503	58.5	62.3	54.0
60 to 64 years	62,779	35,483	27,296	62.7	64.8	60.1
65 to 69 years	68,141	37,179	30,962	68.0	67.9	68.2
70 to 74 years	70,306	37,012	33,294	70.2	67.6	73.3
75 to 79 years	62,597	31,675	30,922	62.5	57.8	68.1
80 to 84 years	45,769	21,709	24,060	45.7	39.6	53.0
85 to 89 years	24,488	11,056	13,432	24.4	20.2	29.6
90 to 94 years	8,637	3,592	5,045	8.6	6.6	11.1
95 to 99 years	2,205	894	1,311	2.2	1.6	2.9
100 years and over	649	253	396	0.6	0.5	0.9
Unknown	1,305	880	425	1.3	1.6	0.9

[1] Exclusive of stillbirths.

As in earlier years, large proportions of the deaths reported in 1916 are of infants under 1 year of age (16.4 per cent) and of children under 5 years (23.4 per cent).

The following table and diagrams show, for each of the years 1900 to 1916, inclusive, the number of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 form of the total.

CALENDAR YEAR.	DEATHS [1] IN THE REGISTRATION AREA.				
	All ages.	Under 1 year.		Under 5 years.	
		Number.	Per cent of total.	Number.	Per cent of total.
1916	1,001,921	164,660	16.4	234,081	23.4
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

[1] Exclusive of stillbirths.

NUMBER OF DEATHS IN THE REGISTRATION AREA AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1916.



PER CENT OF DEATHS IN THE REGISTRATION AREA UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1916.



In 1900 the deaths under 1 year of age formed 20.7 per cent and those under 5 years 30.4 per cent of the total deaths at all ages, but for 1916 the corresponding percentages were 16.4 and 23.4, respectively.

DEATH RATES OF THE REGISTRATION AREA.

The following table shows the death rates from all causes in the registration area and its main subdivisions for the years 1913 to 1916 and the annual averages for the five-year periods 1901 to 1905 and 1906 to 1910.

AREA.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
The registration area	14.0	13.5	13.6	14.1	15.1	16.2
Registration states [2]	13.9	13.3	13.4	13.9	15.0	15.9
Cities in registration states [2]	15.0	14.2	14.5	15.0	16.3	17.4
Rural part of registration states	12.9	12.3	12.3	12.7	13.4	14.1
Registration cities in nonregistration states	15.3	16.3	16.0	16.3	15.9	16.6
All registration cities [2]	15.0	14.5	14.7	15.2	16.2	17.0

[1] Exclusive of stillbirths. [2] Including District of Columbia.

There was an increase in the rates of 1916 over those of 1915 for the area as a whole and for each subdivision, except registration cities in nonregistration states. It should be noted that the decrease in the rate for cities in nonregistration states is more apparent than real, for the same cities do not constitute this subdivision for both years. In fact, the group of cities which appear in this subdivision—registration cities in nonregistration states—in both 1915 and 1916 show a rate of 15.4 in 1916 against 15.7 in 1915.

In view of the frequent changes which have taken place in the extent of the registration area since 1900, a more satisfactory comparison can be made from the following table, in which rates are presented for the same years and periods as in the preceding table for the group of registration states as constituted in 1900.

AREA.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states,[2] 1900	14.9	14.3	14.4	14.7	15.5	15.9
Cities [2]	15.1	14.4	14.7	15.1	16.4	17.4
Rural districts	14.6	14.0	14.0	14.1	14.2	14.1

[1] Exclusive of stillbirths. [2] Including District of Columbia.

This group of states, which included Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and the District of Columbia, was that covered by the bureau's first annual mortality report (calendar year 1900) and is commonly referred to as "the original registration states." The total population of these states approximated 20,000,000 in 1900 and 26,000,000 in 1916, and during this period has maintained about the same proportion of the total population of the United States, namely, 26 per cent.

The increase in the rates of 1916 over those of 1915 is very similar for the states of the registration area as a whole and for the original registration states, both as to cities and rural districts. The rate for the cities, however, still remains higher than that for the rural districts.

DEATH RATES OF THE REGISTRATION STATES.

Death rates of registration states for 1916, the preceding three years, and the two five-year periods 1901 to 1905 and 1906 to 1910 are shown in the following table, separate rates for white and colored being given for states in which the colored formed 10 per cent or more of the total population.

STATE.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states [2]	13.9	13.3	13.4	13.9	15.0	15.9
California	13.5	13.7	13.6	14.5	13.9	([3])
Colorado	10.3	11.3	11.2	11.5	14.3	([3])
Connecticut	16.3	14.9	15.1	15.0	15.6	15.7
Indiana	13.6	12.7	12.9	13.3	13.0	13.2
Kansas	10.9	10.1	9.8	([3])	([3])	([3])
Kentucky (total)	12.6	12.3	12.9	13.1	([3])	([3])
White	11.6	11.1	11.8	12.1	([3])	([3])
Colored	21.3	22.0	21.2	21.0	([3])	([3])
Maine	15.7	15.6	15.6	15.3	16.2	15.9
Maryland (total)	16.5	15.8	15.9	16.2	16.0	([3])
White	14.7	14.1	14.3	14.4	14.4	([3])
Colored	25.7	24.1	23.1	24.0	22.9	([3])
Massachusetts	15.2	14.5	14.7	15.0	16.1	16.6
Michigan	15.1	13.4	13.4	13.9	13.6	13.3
Minnesota	10.7	10.1	10.6	10.4	([4])	([3])
Missouri	12.9	12.0	12.3	12.4	([3])	([3])
Montana	12.6	11.4	11.2	12.0	([4])	([3])
New Hampshire	16.1	16.1	16.3	17.1	17.2	16.6
New Jersey	15.0	13.8	14.2	14.3	15.4	16.1
New York	14.8	14.6	14.7	15.0	16.4	17.1
North Carolina (total)	13.1	[5] 17.3	[5] 19.0	[6] 16.8	([4])	([3])
White	11.4	13.5	15.4	13.8	([4])	([3])
Colored	16.8	24.9	25.8	22.5	([4])	([3])
Ohio	14.4	13.0	13.0	13.8	([4])	([3])
Pennsylvania	14.6	13.8	13.9	14.6	15.5	([3])
Rhode Island	15.5	14.8	14.7	15.0	16.7	17.8
South Carolina (total)	13.8	([3])	([3])	([3])	([3])	([3])
White	10.9	([3])	([3])	([3])	([3])	([3])
Colored	16.4	([3])	([3])	([3])	([3])	([3])
Utah	10.4	9.9	10.1	11.0	([4])	([3])
Vermont	15.6	14.7	15.0	15.8	16.1	16.2
Virginia (total)	14.7	14.2	14.0	13.9	([3])	([3])
White	12.2	11.6	11.7	11.8	([3])	([3])
Colored	20.3	19.8	18.8	18.2	([3])	([3])
Washington	7.7	8.1	8.1	8.5	([4])	([3])
Wisconsin	11.8	10.8	11.1	11.5	([4])	([3])

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1916 is far away from the last census year, the estimates are probably too high in some cases and too low in others.

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Figures relate only to municipalities having a population of 1,000 or over in 1910.
[6] Figures relate only to municipalities having a population of 1,000 or over in 1900.

The rate for the registration states as a whole was much higher in 1916 (13.9) than in 1915 (13.3). Only 3 states (California, Colorado, and Washington) of the 24 which are comparable for the two years show decreases in 1916. The states having highest rates in 1916 are Maryland (16.5), Connecticut (16.3), New Hampshire (16.1), Maine (15.7), and Vermont (15.6). Those having the lowest rates are Washington (7.7), Colorado (10.3), Utah (10.4), Minnesota (10.7), and Kansas (10.9). As explained in the note of the table the populations have been estimated by the arithmetical method, and it is probable that the estimates are too high in some cases and too low in others. Moreover, it should be remembered that the rates given are "crude" rates and that no allowance is made for differences in sex, age, and race distribution of the population, so that inferences as to the relative healthfulness of the various states should not be drawn from these figures alone.

DEATH RATES OF LARGE CITIES.

The following table shows for the years 1913 to 1916, inclusive, and for the two five-year periods 1901 to 1905 and 1906 to 1910, the death rates for cities which in 1910 had 100,000 or more inhabitants. The rates for the cities with colored populations of 10 per cent or more are shown for the white and colored races separately.

CITY.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Birmingham, Ala. (total)	14.1	15.6	17.5	17.4	(2)	(3)
White	10.0	11.3	13.1	12.3	(2)	(3)
Colored	20.9	22.7	24.2	25.2	(2)	(3)
Los Angeles, Cal	12.3	12.3	12.9	15.0	14.8	16.4
Oakland, Cal	10.5	11.4	11.6	12.5	15.4	13.3
San Francisco, Cal	15.4	15.9	15.5	15.9	16.1	20.3
Denver, Colo	11.5	13.3	13.2	13.7	17.5	17.2
Bridgeport, Conn	19.4	15.4	15.0	14.9	15.5	16.0
New Haven, Conn	17.0	15.7	16.1	15.9	17.3	17.3
Washington, D. C. (total)	17.8	18.1	16.6	17.3	19.6	20.5
White	15.0	15.1	13.8	14.4	15.9	16.5
Colored	25.4	26.2	23.3	24.4	28.7	29.5
Atlanta, Ga. (total)	15.3	15.1	16.5	17.4	19.4	21.1
White	11.4	11.4	13.2	13.5	15.6	16.1
Colored	23.9	23.3	23.0	25.2	26.8	29.6
Chicago, Ill	14.5	14.3	14.2	15.1	14.9	14.5
Indianapolis, Ind	15.6	14.7	15.9	15.7	15.2	15.4
Louisville, Ky. (total)	15.0	15.0	16.5	16.2	17.4	19.0
White	13.1	13.0	14.8	14.3	15.1	16.9
Colored	23.9	24.2	23.8	24.8	27.7	28.1
New Orleans, La. (total)	18.4	21.2	20.5	19.9	21.7	22.4
White	14.3	16.4	16.5	15.6	18.0	19.2
Colored	30.0	34.6	31.6	31.9	32.1	31.0
Baltimore, Md. (total)	18.1	17.1	18.1	18.5	19.5	20.0
White	15.9	15.2	16.0	16.2	17.3	17.8
Colored	30.7	28.1	29.5	31.0	31.5	32.0
Boston, Mass	16.9	16.1	16.1	16.4	17.9	18.8
Cambridge, Mass	13.5	13.1	13.2	13.5	15.1	15.1
Fall River, Mass	17.0	15.9	17.3	17.2	19.7	20.3
Lowell, Mass	17.3	16.2	15.9	15.9	19.4	20.2
Worcester, Mass	17.8	15.4	15.7	16.4	17.1	16.8
Detroit, Mich	19.0	15.7	15.6	17.3	14.8	15.1
Grand Rapids, Mich	12.2	12.5	12.9	13.3	13.3	13.5
Minneapolis, Minn	12.4	11.5	12.0	11.6	11.0	10.2
St. Paul, Minn	11.3	10.7	11.4	11.0	11.0	10.0
Kansas City, Mo	14.5	14.7	14.0	14.8	14.6	15.9
St. Louis, Mo	14.9	13.8	15.0	14.9	15.6	17.9
Omaha, Nebr	14.4	12.2	13.8	13.9	13.8	11.5
Jersey City, N. J	14.6	14.5	13.8	14.6	17.7	19.3
Newark, N. J	15.0	13.1	14.5	14.4	17.2	18.7
Paterson, N. J	14.5	13.2	13.5	13.5	15.7	16.9
Albany, N. Y	19.3	20.0	19.4	19.8	18.6	18.4
Buffalo, N. Y	16.1	14.9	15.5	15.8	16.0	15.5
New York, N. Y	13.9	13.9	14.1	14.3	16.9	19.0
Bronx Borough [4]	13.4	13.7	13.5	13.9	17.4	20.9
Brooklyn Borough [4]	14.0	13.9	13.8	13.9	16.3	18.2
Manhattan Borough [4]	13.6	14.0	14.3	14.6	17.4	19.5
Queens Borough [4]	15.4	13.9	14.4	13.8	14.9	16.1
Richmond Borough [4]	17.5	15.8	16.2	16.9	18.6	19.0
Rochester, N. Y	14.4	13.9	14.3	14.6	14.7	14.6
Syracuse, N. Y	15.2	13.2	14.8	15.7	15.2	14.5
Cincinnati, Ohio	16.4	15.6	16.0	16.9	18.1	19.1
Cleveland, Ohio	14.8	13.4	12.8	14.2	14.1	14.9
Columbus, Ohio	15.5	14.0	14.8	15.3	15.1	15.4
Dayton, Ohio	15.2	13.6	13.8	16.0	15.5	15.1
Toledo, Ohio	18.1	15.4	15.5	16.2	14.9	14.3
Portland, Oreg	8.0	8.4	9.1	9.5	10.3	10.2
Philadelphia, Pa	16.2	15.6	16.1	15.7	17.7	18.1
Pittsburgh, Pa	17.4	15.3	15.7	17.1	[5] 18.0	[5] 19.9
Scranton, Pa	14.4	14.7	15.8	14.8	16.3	16.2
Providence, R. I	15.8	14.6	15.2	15.2	17.6	18.8
Memphis, Tenn. (total)	(6)	19.8	20.7	20.8	20.6	19.4
White	(6)	13.9	14.8	15.9	16.1	16.5
Colored	(6)	29.9	29.5	28.2	27.0	22.9
Nashville, Tenn. (total)	(6)	17.2	18.4	17.8	19.3	21.5
White	(6)	14.0	14.6	14.7	15.2	17.0
Colored	(6)	24.4	26.1	24.0	27.2	29.6
Richmond, Va. (total)	19.7	18.9	19.7	20.4	[7] 22.5	23.4
White	16.2	15.9	15.2	16.7	[8] 17.4	18.5
Colored	26.1	24.3	27.5	26.8	[8] 29.9	31.7
Seattle, Wash	7.0	7.4	8.1	8.4	9.8	9.3
Spokane, Wash	7.0	8.1	8.6	8.9	12.8	11.3
Milwaukee, Wis	12.7	11.4	11.8	12.7	13.7	13.2

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1916 is far away from the last census year, the estimates are probably too high in some cases and too low in others.

[1] Exclusive of stillbirths.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to registration area until a later date.
[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence, were distributed to the boroughs of residence.
[5] Includes Allegheny.
[6] Transcripts for deaths not received.
[7] Includes Manchester for 1908 and 1909.
[8] Excludes Manchester for 1908 and 1909.

It is necessary to repeat for the cities the caution that was given for the states in respect to inferences as to the relative healthfulness of different places. In fact, this caution is applicable to the cities even more than to the states, because deaths in cities are affected not only, as are those in the states, by migration from one part of the country to another to secure the benefit of better climatic conditions, but also by migration from one city to another within the same state, or from country to city, for the purpose of obtaining hospital treatment. Of the 48 cities for which comparison can be made 32 showed increases in 1916 over 1915.

DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATIONS.

The following table gives comparative death rates of white and colored persons for each city in the registration area in 1916 in which the colored population constituted at least 10 per cent of the total in 1910. The rates for two Kentucky cities, two Maryland cities, and El Paso, Tex., in which less than 10 per cent of the population is colored, are shown in order that the table may cover all southern registration cities having 10,000 or more inhabitants.

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
		1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	17.6	18.3	18.4	18.3	19.9	21.1
White	74.2	14.8	15.0	15.5	15.3	16.6	17.7
Colored	25.8	25.9	27.5	26.7	26.8	29.1	29.8
Birmingham, Ala. (total)	100.0	14.1	15.6	17.5	17.4	(2)	(2)
White	60.6	10.0	11.3	13.1	12.3	(2)	(2)
Colored	39.4	20.9	22.7	24.2	25.2	(2)	(2)
Mobile, Ala. (total)	100.0	18.8	19.5	21.8	20.8	23.6	24.8
White	55.8	14.4	15.9	18.0	16.9	18.7	19.7
Colored	44.2	24.5	24.1	26.4	25.7	29.7	31.2
Montgomery, Ala. (total)	100.0	16.4	21.0	21.4	21.7	(2)	(2)
White	49.3	12.4	15.6	16.2	15.6	(2)	(2)
Colored	50.7	20.7	26.7	26.4	27.6	(2)	(2)
Riverside, Cal. (total)	100.0	14.6	11.5	11.8	13.2	(4)	(3)
White	88.8	15.0	12.2	12.5	13.5	(4)	(3)
Colored	11.2	11.7	6.1	6.3	10.7	(4)	(3)
Wilmington, Del. (total)	100.0	19.1	16.4	15.9	15.5	17.0	17.0
White	89.6	18.0	15.6	14.7	14.2	15.9	15.7
Colored	10.4	30.6	24.0	25.7	26.7	26.5	27.2
Washington, D. C. (total)	100.0	17.8	18.1	16.6	17.3	19.6	20.5
White	71.3	15.0	15.1	13.8	14.4	15.9	16.5
Colored	28.7	25.4	26.2	23.3	24.4	28.7	29.5
Jacksonville, Fla. (total)	100.0	15.7	18.5	18.6	19.2	22.1	27.5
White	49.1	12.5	14.5	15.1	15.7	17.9	23.3
Colored	50.9	19.0	22.7	21.9	22.6	25.8	30.5
Key West, Fla. (total)	100.0	10.6	13.0	16.0	14.9	22.6	21.7
White	72.2	10.5	11.9	15.5	14.0	20.1	20.4
Colored	27.8	11.1	16.0	17.4	17.1	26.3	24.4
Pensacola, Fla. (total)	100.0	15.6	16.2	17.3	16.2	(3)	(3)
White	55.5	12.9	12.1	13.6	11.7	(3)	(3)
Colored	44.5	19.3	21.7	22.0	21.8	(3)	(3)
Tampa, Fla. (total)	100.0	12.2	14.4	(3)	(3)	(3)	(3)
White	76.2	11.4	12.4	(3)	(3)	(3)	(3)
Colored	23.8	14.8	21.5	(3)	(3)	(3)	(3)
Atlanta, Ga. (total)	100.0	15.3	15.1	16.5	17.4	19.4	21.1
White	66.4	11.4	11.4	13.2	13.5	15.6	16.1
Colored	33.6	23.9	23.3	23.0	25.2	26.8	29.6
Augusta, Ga. (total)	100.0	18.4	22.6	21.5	19.7	(3)	(3)
White	55.2	14.6	17.5	17.6	16.7	(3)	(3)
Colored	44.8	23.1	28.7	26.2	23.4	(3)	(3)
Savannah, Ga. (total)	100.0	22.7	24.6	25.4	25.0	24.8	27.1
White	48.9	13.8	14.5	17.5	17.3	17.9	19.2
Colored	51.1	31.4	34.4	33.0	32.2	31.3	34.5
Jeffersonville, Ind. (total)	100.0	13.6	12.5	15.2	13.5	17.1	19.9
White	85.2	13.1	11.0	13.3	12.4	16.3	18.1
Colored	14.8	16.9	20.8	26.4	19.7	21.8	29.4
Atchison, Kans. (total)	100.0	12.4	11.7	11.8	12.0	(3)	(3)
White	84.1	12.5	11.5	11.2	11.2	(3)	(3)
Colored	15.9	11.6	12.8	15.1	16.3	(3)	(3)
Coffeyville, Kans. (total)	100.0	11.0	9.5	12.1	10.3	(3)	(3)
White	88.7	10.0	8.7	11.6	9.7	(3)	(3)
Colored	11.3	19.3	17.1	16.7	15.2	(3)	(3)
Fort Scott, Kans. (total)	100.0	16.6	16.2	17.1	12.9	(3)	(3)
White	90.0	15.0	15.5	16.6	12.7	(3)	(3)
Colored	10.0	32.7	23.9	21.8	15.2	(3)	(3)
Kansas City, Kans. (total)	100.0	13.7	13.9	13.1	15.3	(2)	(3)
White	88.7	12.3	12.6	11.7	13.9	(2)	(3)
Colored	11.3	25.6	24.6	23.9	25.9	(2)	(3)
Lawrence, Kans. (total)	100.0	12.9	15.3	14.4	14.5	(3)	(3)
White	80.3	13.4	14.4	14.4	13.1	(3)	(3)
Colored	19.7	10.8	18.5	14.4	20.2	(3)	(3)
Leavenworth, Kans. (total)	100.0	17.0	14.4	17.0	18.0	15.7	14.8
White	87.2	15.9	13.4	16.2	17.7	14.5	13.4
Colored	12.8	24.6	21.0	22.9	20.2	23.9	22.5
Topeka,* Kans. (total)	100.0	14.2	14.1	17.4	19.4	(3)	(3)
White	89.6	13.4	13.1	16.9	18.4	(3)	(3)
Colored	10.4	22.5	23.8	21.6	27.6	(3)	(3)
Covington, Ky. (total)	100.0	15.7	15.3	15.0	16.1	15.5	18.1
White	94.5	14.9	14.1	13.7	15.3	14.9	17.4
Colored [5]	5.5	30.1	35.6	37.0	30.5	25.3	29.0
Frankfort, Ky. (total)	100.0	17.9	16.8	17.2	18.1	(3)	(3)
White	72.8	16.4	14.0	15.9	14.4	(3)	(3)
Colored	27.2	22.7	25.7	20.6	27.9	(3)	(3)
Henderson, Ky. (total)	100.0	17.3	18.1	20.1	19.7	(3)	(3)
White	73.7	13.3	14.0	17.4	17.7	(3)	(3)
Colored	26.3	33.6	33.9	27.6	25.3	(3)	(3)
Lexington,* Ky. (total)	100.0	21.7	24.6	26.0	23.5	(3)	(3)
White	68.6	17.5	21.2	22.8	20.4	(3)	(3)
Colored	31.4	32.1	33.1	33.1	30.2	(3)	(3)
Louisville, Ky. (total)	100.0	15.0	15.0	16.5	16.2	17.4	19.0
White	81.9	13.1	13.0	14.8	14.3	15.1	16.9
Colored	18.1	23.9	24.2	23.8	24.8	27.7	28.1
Newport, Ky. (total)	100.0	12.2	11.9	11.6	11.6	15.6	16.0
White	98.1	11.9	11.3	11.5	11.5	15.5	16.0
Colored [5]	1.9	22.5	38.3	16.9	17.0	21.0	20.1
Owensboro, Ky. (total)	100.0	17.3	16.6	19.4	18.6	(3)	(3)
White	80.5	16.0	15.0	17.6	17.5	(3)	(3)
Colored	19.5	23.5	23.8	26.9	22.8	(3)	(3)
Paducah, Ky. (total)	100.0	19.3	17.6	20.0	20.0	17.5	22.2
White	73.4	15.9	13.9	17.0	15.5	13.5	19.3
Colored	26.6	29.7	28.9	28.2	32.4	28.4	29.2
New Orleans, La. (total)	100.0	18.4	21.2	20.5	19.9	21.7	22.4
White	73.6	14.3	16.4	16.5	15.6	18.0	19.2
Colored	26.4	30.0	34.6	31.6	31.9	32.1	31.0
Baltimore, Md. (total)	100.0	18.1	17.1	18.1	18.5	19.5	20.0
White	84.8	15.9	15.2	16.0	16.2	17.3	17.8
Colored	15.2	30.7	28.1	29.5	31.0	31.5	32.0
Cumberland, Md. (total)	100.0	17.1	16.2	17.1	19.3	18.7	(3)
White	95.1	16.7	15.6	16.6	18.7	17.9	(3)
Colored [5]	4.9	27.2	29.8	27.8	31.5	33.2	(3)
Frederick, Md. (total)	100.0	16.7	16.5	16.4	18.9	20.1	22.0
White	85.9	15.4	15.4	17.2	17.9	17.8	18.4
Colored	14.1	25.9	23.7	11.7	25.0	34.0	41.1
Hagerstown, Md. (total)	100.0	15.1	[6] 14.7	[6] 14.5	19.0	17.5	(3)
White	93.1	14.0	[6] 14.1	[6] 14.1	18.5	16.7	(3)
Colored [5]	6.9	32.2	[6] 25.0	[6] 19.4	25.9	28.6	(3)
Hattiesburg, Miss. (total)	100.0	[illegible]	15.7	(3)	(3)	(3)	(3)
White	62.8	9.[illegible]	10.6	(3)	(3)	(3)	(3)
Colored	37.2	18.9	24.5	(3)	(3)	(2)	(3)
Jackson,* Miss. (total)	100.0	26.5	29.8	(3)	(3)	(3)	(3)
White	50.3	18.0	20.0	(3)	(3)	(3)	(3)
Colored	49.7	36.4	40.9	(3)	(3)	(3)	(3)
Meridian, Miss. (total)	100.0	19.8	25.7	(3)	(3)	(3)	(3)
White	59.9	14.8	19.7	(3)	(3)	(3)	(3)
Colored	40.1	27.7	34.9	(3)	(3)	(3)	(3)
Natchez, Miss. (total)	100.0	21.2	20.1	(3)	(3)	(3)	(3)
White	43.1	13.8	11.0	(3)	(3)	(3)	(3)
Colored	56.9	26.8	27.0	(3)	(3)	(3)	(3)
Vicksburg, Miss. (total)	100.0	29.5	32.3	(3)	(3)	(3)	(3)
White	42.1	17.3	21.4	(3)	(3)	(3)	(3)
Colored	57.9	37.8	39.8	(3)	(3)	(3)	(3)
Hannibal, Mo. (total)	100.0	13.4	12.6	12.4	13.4	(3)	(3)
White	89.9	12.7	11.0	11.1	12.1	(3)	(3)
Colored	10.1	20.5	29.7	24.4	24.6	(3)	(3)
Jefferson City, Mo. (total)	100.0	15.3	14.9	13.0	14.6	(3)	(3)
White	83.8	13.4	13.3	12.9	12.5	(3)	(3)
Colored	16.2	26.1	23.7	13.7	25.0	(3)	(3)
Sedalia, Mo. (total)	100.0	16.3	15.2	15.0	14.4	(3)	(3)
White	89.5	15.5	13.9	13.2	13.5	(3)	(3)
Colored	10.5	23.4	26.2	29.7	22.5	(3)	(3)
Asbury Park, N. J. (total)	100.0	12.6	11.7	13.9	13.8	(4)	(7)
White	80.9	12.5	10.7	12.3	12.7	(4)	(7)
Colored	19.1	12.8	15.3	20.5	18.1	(4)	(7)

(See footnotes at end of table.)

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
		1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Atlantic City, N. J. (total)	100.0	13.7	15.2	15.4	15.9	16.5	16.2
White	78.5	13.3	14.8	15.3	16.2	16.6	16.8
Colored	21.5	15.2	16.5	15.7	14.9	16.1	14.3
Montclair, N. J. (total)	100.0	8.9	10.0	14.0	14.1	14.1	17.6
White	88.4	8.9	10.4	13.9	13.7	13.7	17.1
Colored	11.6	9.0	7.1	14.9	17.6	17.4	21.7
Asheville, N. C. (total)	100.0	22.4	22.2	24.3	21.1	(2)	(3)
White	71.4	21.7	20.3	22.7	20.0	(2)	(3)
Colored	28.6	24.3	27.2	28.1	23.8	(2)	(3)
Charlotte, N. C. (total)	100.0	19.2	18.7	21.7	16.0	(2)	(3)
White	65.4	14.0	13.8	16.2	13.9	(2)	(3)
Colored	34.6	30.3	28.8	32.2	20.2	(2)	(3)
Durham, N. C. (total)	100.0	13.4	15.4	15.5	14.1	(2)	(3)
White	62.3	10.2	11.0	10.7	10.0	(2)	(3)
Colored	37.7	18.4	22.4	23.3	20.7	(2)	(3)
Greensboro, N. C. (total)	100.0	14.1	15.2	19.6	17.5	(2)	(3)
White	64.1	11.6	10.9	12.9	15.1	(2)	(3)
Colored	35.9	19.0	23.3	31.6	21.7	(2)	(3)
Raleigh,* N. C. (total)	100.0	28.0	27.5	30.4	24.9	26.8	25.0
White	61.6	21.9	23.6	24.7	22.0	22.7	21.2
Colored	38.4	38.7	34.1	39.6	29.7	33.3	30.5
Wilmington, N. C. (total)	100.0	17.1	20.3	23.5	22.5	22.7	25.6
White	52.9	12.9	15.2	16.8	16.7	17.4	19.9
Colored	47.1	22.0	26.3	31.0	29.1	28.7	31.6
Winston-Salem, N. C. (total)	100.0	20.2	19.6	22.1	20.8	(2)	(3)
White	60.0	15.0	13.6	16.5	13.4	(2)	(3)
Colored	40.0	28.0	28.5	30.5	32.0	(2)	(3)
Springfield, Ohio (total)	100.0	15.5	13.6	13.4	14.1	(2)	(3)
White	89.5	15.2	13.0	12.5	13.4	(2)	(3)
Colored	10.5	18.3	18.9	21.6	20.4	(2)	(3)
Carlisle, Pa. (total)	100.0	17.1	14.3	14.4	14.9	15.7	16.3
White	89.1	16.0	13.1	12.9	13.7	14.5	15.3
Colored	10.9	26.3	24.4	26.9	25.3	25.0	23.7
Chester, Pa. (total)	100.0	21.1	16.1	17.1	18.4	16.1	(3)
White	87.5	19.9	14.7	16.0	17.3	14.4	(3)
Colored	12.5	29.5	25.7	25.1	26.4	27.5	(3)
Coatesville, Pa. (total)	100.0	13.5	9.4	9.8	11.1	(4)	(3)
White	86.3	13.5	9.5	10.2	11.6	(4)	(3)
Colored	13.7	13.6	9.1	7.1	8.5	(4)	(3)
West Chester, Pa. (total)	100.0	23.1	20.9	22.2	17.1	19.9	(3)
White	84.0	20.7	18.6	19.8	16.9	17.9	(3)
Colored	16.0	36.6	34.2	35.0	18.5	30.3	(3)
Charleston, S. C. (total)	100.0	25.3	29.3	27.8	27.0	27.5	29.7
White	47.2	13.6	16.5	17.6	15.7	17.2	19.3
Colored	52.8	36.7	41.6	37.0	37.2	36.5	38.2
Columbia,* S. C. (total)	100.0	32.7	41.0	(3)	(3)	(3)	(3)
White	56.1	25.1	29.4	(3)	(3)	(3)	(3)
Colored	43.9	43.1	56.5	(3)	(3)	(3)	(3)
Greenville, S. C. (total)	100.0	18.6	20.8	(3)	(3)	(3)	(3)
White	59.9	14.3	12.9	(3)	(3)	(3)	(3)
Colored	40.1	25.6	33.5	(3)	(3)	(3)	(3)
Spartanburg, S. C. (total)	100.0	15.1	16.1	(3)	(3)	(3)	(3)
White	60.7	12.1	13.8	(3)	(3)	(3)	(3)
Colored	39.3	19.7	19.5	(3)	(3)	(3)	(3)
Chattanooga, Tenn. (total)	100.0	(8)	17.7	18.4	(3)	(3)	(3)
White	59.8	(8)	14.3	16.5	(3)	(3)	(3)
Colored	40.2	(8)	23.0	21.3	(3)	(3)	(3)
Jackson, Tenn. (total)	100.0	(8)	16.1	18.7	(3)	(3)	(3)
White	63.7	(8)	11.9	15.2	(3)	(3)	(3)
Colored	36.3	(8)	24.6	24.8	(3)	(3)	(3)
Knoxville, Tenn. (total)	100.0	(8)	16.7	19.9	(8)	(2)	(3)
White	79.0	(8)	14.6	17.5	(8)	(2)	(3)
Colored	21.0	(8)	24.9	29.0	(8)	(2)	(3)
Memphis, Tenn. (total)	100.0	(8)	19.8	20.7	20.8	20.6	19.4
White	59.9	(8)	13.9	14.8	15.9	16.1	16.5
Colored	40.1	(8)	29.9	29.5	28.2	27.0	22.9
Nashville, Tenn. (total)	100.0	(8)	17.2	18.4	17.8	19.3	21.5
White	66.9	(8)	14.0	14.6	14.7	15.2	17.0
Colored	33.1	(8)	24.4	26.1	24.0	27.2	29.6
Beaumont, Tex. (total)	100.0	15.4	(3)	(3)	(3)	(3)	(3)
White	66.5	13.7	(3)	(3)	(3)	(3)	(3)
Colored	33.5	18.9	(3)	(3)	(3)	(3)	(3)
Dallas, Tex. (total)	100.0	12.6	(3)	(3)	(3)	(3)	(3)
White	80.4	11.6	(3)	(3)	(3)	(3)	(3)
Colored	19.6	17.0	(3)	(3)	(3)	(3)	(3)
El Paso, Tex. (total)	100.0	31.5	34.3	30.4	34.2	(3)	(3)
White	95.7	31.4	34.4	30.7	(9)	(3)	(3)
Colored[5]	4.3	33.6	28.4	24.4	(9)	(3)	(3)
Galveston, Tex. (total)	100.0	17.4	21.8	19.5	18.8	(10)	(3)
White	78.1	14.8	18.3	17.0	16.7	(10)	(3)
Colored	21.9	26.8	34.3	28.2	26.4	(10)	(3)
San Antonio, Tex. (total)	100.0	19.4	21.5	21.4	20.7	20.7	21.4
White	88.8	19.6	21.4	21.5	20.5	20.8	21.5
Colored	11.2	17.7	23.0	20.7	21.7	19.9	20.7
Alexandria, Va. (total)	100.0	16.6	16.7	19.5	17.4	21.4	21.9
White	72.6	14.4	13.0	15.8	13.6	17.4	18.4
Colored	27.4	23.0	27.2	29.1	27.6	31.6	30.0
Danville, Va. (total)	100.0	17.4	18.3	19.6	19.2	(2)	(3)
White	67.4	14.5	14.6	17.0	16.6	(2)	(3)
Colored	32.6	24.6	27.4	25.0	24.5	(2)	(3)
Lynchburg, Va. (total)	100.0	16.5	18.9	18.8	19.0	17.5	20.3
White	67.9	12.6	14.3	15.0	14.5	13.2	15.3
Colored	32.1	27.8	31.5	26.9	28.5	25.9	28.1
Newport News, Va. (total)	100.0	18.9	17.0	15.6	16.4	(3)	(3)
White	64.0	12.9	12.2	10.6	12.1	(3)	(3)
Colored	36.0	29.3	25.2	24.3	24.1	(3)	(3)
Norfolk, Va. (total)	100.0	18.6	18.7	19.6	19.6	23.2	19.2
White	62.8	12.5	13.2	13.2	13.4	16.9	14.4
Colored	37.2	28.9	27.7	30.3	29.9	33.4	26.3
Petersburg, Va. (total)	100.0	30.0	24.5	24.1	24.0	27.0	25.5
White	54.3	22.1	19.4	16.5	16.9	19.7	19.9
Colored	45.7	40.2	31.0	33.1	32.4	35.5	31.6
Portsmouth, Va. (total)	100.0	13.5	11.6	13.3	13.7	(3)	(3)
White	65.0	9.5	8.5	9.4	9.4	(3)	(3)
Colored	35.0	20.6	17.1	20.5	21.6	(3)	(3)
Richmond, Va. (total)	100.0	19.7	18.9	19.7	20.4	[11] 22.5	23.4
White	63.4	16.2	15.9	15.2	16.7	[12] 17.4	18.5
Colored	36.6	26.1	24.3	27.5	26.8	[12] 29.9	31.7
Roanoke, Va. (total)	100.0	15.3	14.6	15.2	15.4	(3)	(3)
White	77.3	13.3	12.2	12.6	13.3	(3)	(3)
Colored	22.7	22.7	23.4	23.8	22.5	(3)	(3)
Staunton,* Va. (total)	100.0	23.0	21.1	20.1	22.6	(3)	(3)
White	76.6	25.2	20.9	21.5	25.4	(3)	(3)
Colored	23.4	15.3	21.6	15.5	13.4	(3)	(3)

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1916 is far away from the last census year, the estimates are probably too high in some cases and too low in others.

* Areas designated by asterisks contain state insane asylums.

[1] Exclusive of stillbirths.

[2] Figures for deaths not available for the entire period.

[3] Not admitted to the registration area until a later date.

[4] Figures for deaths not available for the entire period; included in rural until 1910.

[5] Colored population less than 10 per cent of the total in 1910.

[6] Probably does not include deaths in territory annexed in April, 1914.

[7] Included in rural.

[8] Transcripts for deaths not received.

[9] Deaths not shown by color prior to 1914.

[10] Population not estimated.

[11] Including Manchester for the years 1908 and 1909.

[12] Excluding Manchester for the years 1908 and 1909.

For the cities listed above which show rates for 1916, the rate of the colored for that year was 25.9 per 1,000 population against a rate of 14.8 for the white population. Both of these rates are lower than the rates shown for 1915, but it should be noted that the cities which furnish data for these totals are not the same ones year after year.

In comparing the rates in 1916 with those for the preceding three years, very noticeable decreases are shown for the total and also for white and colored for Montgomery, Ala., Key West, Fla., Augusta and Savannah, Ga., New Orleans, La., Wilmington, N. C., Charleston, S. C., and San Antonio, Tex., and

marked increases appear for Riverside, Cal., Wilmington, Del., Chester, Coatesville, and West Chester, Pa., and Petersburg, Va.

In addition to the cities in which 10 per cent or more of the inhabitants are colored, there are a number in which the colored populations, although representing less than 10 per cent of the totals, are still so numerous that separate mortality statistics for the two races are significant. The following table shows for the two five-year periods, 1901 to 1905 and 1906 to 1910, and for the years 1913 to 1916, the death rates for white and colored persons in cities in which the colored, although less than 10 per cent of the total population in 1910, was more than 10,000:

CITY AND COLOR.	Per cent of total population, Apr. 15, 1910.	DEATH RATE FROM ALL CAUSES[1] PER 1,000 POPULATION.					
		1916	1915	1914	1913	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	14.5	14.3	14.7	15.1	16.5	17.8
White	96.5	14.2	14.0	14.3	14.8	16.2	17.4
Colored	3.5	24.3	23.6	24.1	24.0	25.5	28.7
Los Angeles, Cal. (total)	100.0	12.3	12.3	12.9	15.0	14.8	16.4
White	95.7	12.0	12.0	12.7	14.8	14.6	16.2
Colored[2]	4.3	19.9	19.4	17.1	20.3	19.8	19.6
San Francisco, Cal. (total)	100.0	15.4	15.9	15.5	15.9	16.1	20.3
White	96.0	15.1	15.6	15.3	15.8	16.1	19.8
Colored[3]	4.0	24.8	24.9	20.5	18.9	15.9	30.1
Chicago, Ill. (total)	100.0	14.5	14.3	14.2	15.1	14.9	14.5
White	97.9	14.3	14.0	14.0	14.9	14.7	14.3
Colored	2.1	24.0	23.9	23.7	24.6	23.1	24.5
Indianapolis, Ind. (total)	100.0	15.6	14.7	15.9	15.7	15.2	15.4
White	90.6	14.6	13.9	15.2	14.8	14.2	14.6
Colored	9.4	25.7	22.5	23.6	24.5	24.0	23.1
Boston, Mass. (total)	100.0	16.9	16.1	16.1	16.4	17.9	18.8
White	97.8	16.6	16.0	15.9	16.2	17.7	18.6
Colored	2.2	28.4	23.0	25.3	24.5	24.3	26.0
Kansas City, Mo. (total)	100.0	14.5	14.7	14.0	14.8	14.6	15.9
White	90.5	13.3	13.5	13.0	13.8	13.5	14.6
Colored	9.5	26.5	26.7	23.6	23.9	24.9	27.1
St. Louis, Mo. (total)	100.0	14.9	13.8	15.0	14.9	15.6	17.9
White	93.5	14.1	13.0	14.2	14.1	14.8	17.1
Colored	6.5	26.4	24.5	26.6	26.7	26.7	30.3
New York, N. Y. (total)	100.0	13.9	13.9	14.1	14.3	16.9	19.0
White	98.0	13.7	13.7	13.9	14.1	16.7	18.8
Colored	2.0	23.1	23.7	24.1	22.9	26.5	30.0
Bronx Borough[4] (total)	100.0	13.4	13.7	13.5	13.9	17.4	20.9
White	99.0	13.3	13.6	13.4	13.8	17.0	20.5
Colored	1.0	19.7	23.6	17.1	19.3	42.0	46.5
New York, N. Y.—Con. Brooklyn Borough[4] (total)	100.0	14.0	13.9	13.8	13.9	16.3	18.2
White	98.5	13.9	13.7	13.6	13.8	16.2	18.1
Colored	1.5	25.4	26.8	24.0	21.9	23.0	24.5
Manhattan Borough[4] (total)	100.0	13.6	14.0	14.3	14.6	17.4	19.5
White	97.2	13.4	13.7	14.0	14.4	17.2	19.2
Colored	2.8	22.1	22.4	24.6	23.6	26.9	32.2
Queens Borough[4] (total)	100.0	15.4	13.9	14.4	13.8	14.9	16.1
White	98.8	15.2	13.7	14.3	13.7	14.8	15.9
Colored	1.2	31.5	30.9	26.4	21.2	25.1	23.5
Richmond Borough[4] (total)	100.0	17.5	15.8	16.2	16.9	18.6	19.0
White	98.6	17.3	15.8	16.1	16.8	18.5	18.9
Colored	1.4	28.8	19.3	24.5	22.8	24.3	25.9
Cincinnati, Ohio (total)	100.0	16.4	15.6	16.0	16.9	18.1	19.1
White	94.6	15.5	14.8	15.2	16.1	17.3	18.3
Colored	5.4	32.0	29.9	29.6	30.9	31.4	34.8
Columbus, Ohio (total)	100.0	15.5	14.0	14.8	15.3	15.1	15.4
White	92.9	15.0	13.6	14.2	14.8	14.5	14.8
Colored	7.1	22.2	19.7	22.0	21.3	23.1	24.0
Philadelphia, Pa. (total)	100.0	16.2	15.6	16.1	15.7	17.7	18.1
White	94.5	15.7	15.1	15.6	15.2	17.2	17.5
Colored	5.5	24.0	23.4	24.9	24.5	27.8	30.1
Pittsburgh, Pa. (total)	100.0	17.4	15.3	15.7	17.1	[6] 18.0	[5] 19.9
White	95.1	17.0	15.1	15.4	16.9	17.5	19.5
Colored	4.9	24.8	19.1	21.6	21.9	24.9	31.0

[1] Exclusive of stillbirths.
[2] About 40 per cent of the deaths of colored persons were those of Chinese and Japanese.
[3] Chiefly Chinese and Japanese.
[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence were distributed to the boroughs of residence.
[5] Includes Allegheny.

Nearly all of the cities listed in the preceding table are in the North and for that reason the death rates among the colored populations afford interesting comparisons with those for the cities given in the table on pages 14 and 15. The death rates in 1916 in this group of cities were lower for both white and colored persons than in the cities covered by the preceding table, but these rates were higher than the corresponding rates for 1915.

DEATHS OF NONRESIDENTS.

Deaths of nonresidents are not shown separately in this report, but probably will be in the report for 1918. Extracts from a letter recently sent out to state registrars and others are given below, and it is hoped that the data relating to the residence of decedents will be sufficiently complete in 1918 to warrant tabulation.

"The Director of the Census realizes that the crude death rates of many cities and towns are in excess of the true death rates of these places owing to the inclusion of deaths of nonresidents in the computation of their rates. He wishes, therefore, to secure complete data regarding the residence, i. e., 'usual place of abode' of each decedent in order that, beside the crude rate of each locality, another rate corrected for deaths of nonresidents may be given.

"To obtain such complete data it is absolutely necessary that *every death certificate of a nonresident* shall show the *'usual place of abode'* of the decedent. The Director of the Census desires to determine the question of residence exactly as it was done by the census enumerators in taking the census population in 1910.

"*Residence* refers to 'usual place of abode.' As a rule the 'usual place of abode' is the place where a person *regularly* sleeps."

DEATH RATES OF FOREIGN COUNTRIES.

The following table from the report of the Registrar-General of England and Wales, 1915, presents the death rates per 1,000 population for the principal European countries and for certain other countries for each of the six five-year periods from 1881 to 1910, and for 1914 and 1915, together with the rates for the registration area of the United States for the two five-year periods 1901 to 1905 and 1906 to 1910 and the calendar years 1914 and 1915:

COUNTRY.	ANNUAL CRUDE DEATH RATE [1] PER 1,000 PERSONS LIVING.								Decrease per cent between 1881 to 1885 and 1906 to 1910
	1915	1914	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
United States (registration area)	13.5	13.6	15.1	16.2	(2)	(2)	(2)	(2)	(2)
Australian Commonwealth	10.7	10.5	10.7	11.7	12.7	13.3	14.8	15.7	31.8
Austria	(2)	(2)	22.3	24.2	25.6	27.9	28.9	30.1	25.9
Belgium	(2)	(2)	15.9	17.0	18.1	20.1	20.2	20.6	22.8
Bulgaria	(2)	(2)	23.8	22.5	23.9	27.8	18.9	17.7	[3] 34.5
Ceylon	25.2	32.2	30.8	26.7	27.0	28.3	25.1	(2)	(2)
Chile	(2)	27.8	31.3	30.2	28.8	32.6	35.2	26.9	[3] 16.4
Denmark	12.8	12.6	13.7	14.8	16.4	18.6	18.7	18.4	25.5
England and Wales	[4] 15.7	14.0	14.7	16.0	17.7	18.7	18.9	19.4	24.2
Finland	(2)	15.6	17.4	18.6	19.0	20.5	20.0	22.2	21.6
France	(2)	[5] 19.6	19.2	19.6	20.7	22.3	22.0	22.2	13.5
German Empire	(2)	(2)	17.5	19.9	21.2	23.3	24.4	25.3	30.8
Hungary	(2)	(2)	25.0	26.4	27.9	31.8	32.1	33.1	24.5
Ireland	17.6	16.3	17.3	17.6	18.1	18.5	17.9	18.0	3.9
Italy	(2)	17.9	21.0	21.9	22.9	25.5	27.2	27.3	23.1
Jamaica	21.6	21.4	24.4	22.6	22.1	22.0	23.5	(2)	(2)
Japan	(2)	(2)	21.0	20.9	20.7	21.1	20.6	(2)	(2)
Netherlands	12.4	12.4	14.3	16.0	17.2	19.6	20.5	21.4	33.2
New Zealand	9.1	9.3	9.7	9.9	9.6	10.1	9.9	10.9	11.0
Norway	[6] 13.3	13.5	13.8	14.5	15.6	16.8	17.0	17.2	19.8
Ontario, Province of	12.0	11.8	14.0	13.0	11.6	10.6	11.0	11.4	[3] 22.8
Prussia	(2)	(2)	17.3	19.6	21.0	22.8	24.0	25.4	31.9
Roumania	(2)	23.8	26.0	25.5	27.4	31.0	28.7	26.2	0.8
Russia (European)	(2)	(2)	(2)	30.9	31.9	35.8	33.2	35.4	(2)
Scotland	17.1	15.5	16.1	17.0	18.0	19.0	18.8	19.6	17.9
Serbia	(2)	(2)	24.3	22.4	24.8	28.9	25.9	24.5	0.8
Spain	(2)	[6] 22.1	24.3	26.0	28.8	30.1	30.9	32.6	25.5
Sweden	[6] 14.6	[6] 13.8	14.3	15.5	16.1	16.6	16.4	17.5	18.3
Switzerland	[6] 13.3	13.8	16.0	17.5	18.1	19.8	20.4	21.3	24.9

[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Increase.
[4] Civil population only.
[5] Provisional figures relating to 77 "*departements.*"
[6] The figures are provisional.

The following table, also from the 1915 report of the Registrar-General of England and Wales, presents the crude death rates per 1,000 population for the registration area of the United States and for certain countries for each year from 1900 to 1915. These rates are shown in the diagram following the table.

COUNTRY.	DEATH RATE [1] PER 1,000 POPULATION.															
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6	13.5
Australia	11.8	12.2	12.5	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.8	10.5	10.7
Austria	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.	22.9	21.2	21.9	20.5	(2)	(2)	(2)
Chile	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8	(2)
England and Wales	18.2	16.9	16.3	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0	[3] 15.7
France	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	[4] 19.6	(2)
German Empire	22.1	20.7	19.4	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	15.0	(2)	(2)
Hungary	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	25.1	23.3	(2)	(2)	(2)
Ireland	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3	17.6
Italy	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9	(2)
Japan	20.4	20.4	20.9	20.0	21.2	21.9	20.0	21.0	20.9	21.9	21.1	20.4	20.0	19.5	(2)	(2)
New Zealand	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9	9.5	9.3	9.1
Russia (European)	31.1	32.1	31.5	30.0	29.9	31.1	29.8	28.1	28.0	28.9	(2)	(2)	(2)	(2)	(2)	(2)
Spain	28.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	[5] 23.8	[5] 24.0	[5] 23.3	[5] 23.2	[5] 21.8	[5] 22.1	[5] 22.1	(2)
Sweden	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	13.3	[5] 13.8	[5] 14.6

[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Civil population only.
[4] Provisional figures relating to 77 "*departements.*"
[5] The figures are provisional.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1915.



* Registration area only.

CAUSES OF DEATH.

Summary and Rate Tables II to IV and General Tables 5 to 11 present statistics on causes of death, as follows:

Table II shows the deaths and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area, for each of the years 1913 to 1916, together with the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910.

Table III gives, for 1916, by color and important causes, the death rates per 100,000 population for the registration area and its subdivisions.

Table IV presents, for 1916, the death rates per 100,000 population in the urban and rural portions of each registration state, from each cause and class of causes. (In this table, as in all others in which figures for rural localities are given, all places which at the census of 1910 had fewer than 10,000 inhabitants are treated as rural.)

Table 5 shows, for the registration area and its subdivisions, the number of deaths in 1916 by color of decedent and important cause of death.

Table 6 gives, for 1916, the number of deaths in the registration area, in its main subdivisions, and in the urban and rural portions of each registration state, from each cause and class of causes.

Table 7 presents the total number of deaths in the registration area from each cause and class of causes, by sex and age of decedent, for 1916.

Table 7A shows, for the registration area, the number of deaths of white persons from each cause and class of causes during 1916, according to sex and age of decedent.

Table 7B gives, for the registration area, the number of deaths of colored persons from each cause and class of causes during 1916, according to sex and age of decedent.

Table 8 shows, for the registration area, for the registration states taken as a group, and for each registration state separately, the number of deaths in 1916 from each cause and class of causes, by age of decedent.

Table 9 presents, by age of decedent and by cause of death according to the abridged International List, the number of deaths which occurred during 1916 in each city having 100,000 or more inhabitants in 1910.

Table 10 gives, for the registration area, for each registration state, and for each city having 100,000 or more inhabitants in 1910, the number of deaths in 1916, by months, from important causes.

Table 11 shows for the first year of life, by days, weeks, and months, the deaths from important causes, which occurred during 1916, in the registration area, the registration states, and the cities of 100,000 or over in 1910.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the presentation of deaths from disease and by violence in a very specific way, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used for tables which show separately causes of death which it is not necessary nor practicable to show in similar detail in other tables.

As mentioned in the text of former reports the distinction between these lists should always be borne in mind in connection with the use of the tables. In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense, "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when the same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No. 28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list, but also title No. 29, "Acute miliary tuberculosis."

In the following table are shown, for the year 1916, the number of deaths in the registration area caused by disease and violence, grouped under the headings of the abridged International List, the corresponding death rates per 100,000 population, and the per cent distribution. In parentheses, after the name of each abridged title, appear the number or numbers corresponding to the title or titles of the detailed International List which it includes.

Abridged Int. List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA: 1916. Number.	Rate per 100,000 population.	Per cent.
	All causes[2]	1,001,921	1,398.9	100.0
1	Typhoid fever (1)	9,510	13.3	0.9
2	Typhus fever (2)	35	[3]	[4]
3	Malaria (4)	2,175	3.0	0.2
4	Smallpox (5)	114	0.2	[4]
5	Measles (6)	7,947	11.1	0.8
6	Scarlet fever (7)	2,355	3.3	0.2
7	Whooping cough (8)	7,284	10.2	0.7
8	Diphtheria and croup (9)	10,367	14.5	1.0
9	Influenza (10)	18,886	26.4	1.9
10	Asiatic cholera (12)			
11	Cholera nostras (13)	291	0.4	[4]
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	6,461	9.0	0.6
13	Tuberculosis of the lungs (28, 29)	88,666	123.8	8.8
14	Tuberculous meningitis (30)	5,706	8.0	0.6
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	7,024	9.8	0.7
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	58,600	81.8	5.8
17	Simple meningitis (61)	5,091	7.1	0.5
18	Cerebral hemorrhage and softening (64, 65)	59,154	82.6	5.9
19	Organic diseases of the heart (79)	107,475	150.1	10.7
20	Acute bronchitis (89)	6,700	9.4	0.7
21	Chronic bronchitis (90)	4,887	6.8	0.5
22	Pneumonia (92)	63,229	88.3	6.3
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	43,619	60.9	4.4
24	Diseases of the stomach (cancer excepted) (102, 103)	10,330	14.5	1.0
25	Diarrhea and enteritis (under 2 years) (104)	46,956	65.6	4.7
26	Appendicitis and typhlitis (108)	9,157	12.8	0.9
27	Hernia, intestinal obstruction (109)	8,074	11.3	0.8
28	Cirrhosis of the liver (113)	8,799	12.3	0.9
29	Acute nephritis and Bright's disease (119, 120)	75,316	105.2	7.5
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	4,143	5.8	0.4
31	Puerperal septicemia (puerperal fever, peritonitis) (137)	4,786	6.7	0.5
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	6,856	9.6	0.7
33	Congenital debility and malformations (150, 151)	55,502	77.5	5.5
34	Senility (154)	12,165	17.0	1.2
35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	65,121	90.9	6.0
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	10,162	14.2	1.5
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	158,126	220.8	1518
38	Unknown or ill-defined diseases (187, 188, 189)	10,852	15.2	1..

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Less than one-tenth of 1 per cent.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

In the following table the first column shows the title numbers of the second revision of the International List, in force beginning with the year 1910; the second and third columns show the title numbers of the second and first revision, respectively, under which the term would have been compiled according to the rules followed during the period 1900 to 1909. In many instances the title numbers of the second revi-

sion differ from those of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included in an entirely separate class, "Diseases of the nervous system," instead of in "General diseases," as at present.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1919	1900 to 1909	Title of first revision under which formerly included.
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] I	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] I	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura haemorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over)	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta praevia	135	136	136
Childbirth, parturition, etc. (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135	.....	.....
Other accidents of labor	[4] 136	.....	.....
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139	.....	.....
Following childbirth (not otherwise defined)	[4] 140	.....	.....
"Inanition" (from disease, under 1 year)	[5] 151	.....	.....
(under 3 months); 1900 to 1904	.....	153	153
(under 3 months); 1905 to 1909	.....	151	151
(3 months and over); 1900 to 1909	.....	189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[6] 154	189	179
"Asthenia" / *"Atrophy"* / *"Debility"* / *"Exhaustion"* / *"Inanition"* / *"Malnutrition"* / *"Marasmus"* / *"Weakness"* (under 1 year)	[5] 151	.....	.....
"Asthenia" / *"Debility"* / *"Exhaustion"* / *"Malnutrition"* / *"Marasmus"* / *"Weakness"* (3 months and over)	.....	151	151
"Asthenia" / *"Debility"* / *"Exhaustion"* / *"Malnutrition"* / *"Marasmus"* / *"Weakness"* (1 to 69 years)	189	189	179
"Asthenia" / *"Atrophy"* / *"Debility"* / *"Exhaustion"* / *"Inanition"* / *"Malnutrition"* / *"Marasmus"* / *"Weakness"* (70 years and over)	[6] 154	189	179
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	[6]	176
Poisoning by food (new title)	164	165	175
Conflagration (new title; separately compiled by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	[7]	166
Traumatism by fall (new title)	172	[7]	166
Traumatism by other crushing (new title)	175	[7]	166
Injuries by animals (new title)	176	[7]	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	[6]	176
Homicide by cutting or piercing instruments (new title)	183	[6]	176
Homicide by other means (new title)	184	[6]	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.
[2] Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.
[3] Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.
[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with earlier years.
[5] Changes not effective until 1911.
[6] Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."
[7] Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA AND IN THE ORIGINAL REGISTRATION STATES FOR EACH OF THE YEARS 1900 TO 1916.

Twelve series of important death rates in the registration area of the United States are shown in the following table:

Detailed Int. List No. 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE REGISTRATION AREA. 1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916
	All causes[1]	1,755.0	1,651.9	1,588.0	1,603.7	1,653.5	1,602.0	1,567.5	1,597.1	1,478.0	1,440.0	1,495.8	1,415.9	1,387.2	1,407.4	1,360.9	1,350.2	1,398.9
1	Typhoid fever	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	21.0	16.5	17.9	15.4	12.4	13.3
6	Measles	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	10.0	7.0	12.8	6.8	5.4	11.1
7	Scarlet fever	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	8.8	6.7	8.7	6.6	3.6	3.3
8	Whooping cough	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	11.3	9.3	10.0	10.3	8.1	10.2
9	Diphtheria and croup	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	18.9	18.2	18.8	17.9	15.7	14.5
28–35	Tuberculosis (all forms)*	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	158.9	149.5	147.6	146.8	145.8	141.6
39–45	Cancer	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	74.3	77.0	78.9	79.4	81.1	81.8
64	Cerebral hemorrhage, apoplexy	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	74.7	75.7	74.6	77.7	79.3	81.3
78, 79	Acute endocarditis and organic diseases of the heart	123.1	123.9	128.8	134.3	145.0	143.8	140.2	151.4	141.1	143.3	150.4	148.5	151.2	147.1	150.8	156.2	159.4
91, 92	Pneumonia (all forms)	180.5	161.4	155.7	155.1	171.4	148.8	145.5	156.5	130.9	137.6	147.7	133.7	132.3	132.4	127.0	132.7	137.3
104	Diarrhea and enteritis (infants under 2 years)	108.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.8	100.8	77.4	70.3	75.2	66.0	59.5	65.6
119, 120	Acute nephritis and Bright's disease	89.0	89.3	90.9	97.3	103.1	103.4	97.5	102.4	93.7	95.2	99.0	97.5	103.0	102.9	102.4	104.7	105.2

* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910 scrofula was included with "tuberculosis of other organs," and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.
[1] Exclusive of stillbirths.

In the table below are presented for the original registration states data corresponding to those shown in the preceding table for the registration area.

Detailed Int. List No. 1910.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION IN THE ORIGINAL REGISTRATION STATES.[1]																
		1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915	1916
	All causes[2]	1,719.5	1,635.9	1,543.1	1,559.2	1,640.0	1,593.9	1,592.8	1,615.2	1,514.8	1,494.1	1,561.4	1,494.6	1,456.9	1,469.7	1,440.5	1,426.4	1,494.3
1	Typhoid fever	31.3	27.5	26.3	24.6	23.9	22.4	22.0	20.5	19.6	17.2	18.0	15.2	13.2	12.5	10.8	9.2	8.8
6	Measles	13.4	7.4	9.3	8.8	11.3	7.4	11.8	8.9	10.2	11.0	12.6	9.3	9.0	11.5	7.3	6.5	10.6
7	Scarlet fever	9.6	13.5	11.9	12.3	11.6	6.8	7.3	9.8	12.9	10.8	12.2	8.9	6.2	8.3	6.6	4.0	2.9
8	Whooping cough	12.3	8.7	12.4	14.3	5.8	9.0	14.5	9.5	9.4	9.9	10.7	10.6	8.0	9.0	8.8	8.8	9.1
9	Diphtheria and croup	40.4	33.4	29.7	31.0	29.3	23.6	25.8	24.0	21.6	21.1	22.5	18.5	16.8	19.2	18.4	15.8	15.1
28–35	Tuberculosis (all forms) *	195.2	189.8	174.1	177.1	188.5	180.9	177.8	175.6	169.4	163.3	164.6	158.4	149.6	148.6	148.4	146.5	143.5
39–45	Cancer	63.5	66.2	66.1	69.8	71.5	73.7	73.9	76.3	77.2	79.6	82.9	83.6	85.9	88.7	89.1	91.8	93.7
64	Cerebral hemorrhage, apoplexy	72.5	74.3	74.7	75.9	80.1	80.4	79.4	84.3	80.6	82.8	86.1	88.5	87.9	87.4	92.4	91.6	95.7
78, 79	Acute endocarditis and organic diseases of the heart	128.1	130.6	135.8	142.2	154.9	153.7	155.9	169.2	159.0	160.7	171.6	171.8	170.7	171.3	179.4	183.1	194.7
91, 92	Pneumonia (all forms)	175.5	160.2	150.4	149.7	170.3	149.3	152.6	163.3	136.4	149.5	158.8	148.5	146.3	146.7	140.6	148.3	155.1
104	Diarrhea and enteritis (infants under 2 years)	115.9	94.3	83.7	80.3	91.2	98.7	101.5	97.6	99.1	89.7	103.1	80.9	74.1	75.5	68.3	64.6	63.8
119, 120	Acute nephritis and Bright's disease	88.7	89.6	90.3	96.0	102.4	101.6	103.0	107.3	99.2	103.2	107.3	109.4	113.8	113.0	114.3	112.9	117.5

* Tuberculosis (all forms) did not include "scrofula" from 1900 to 1909; in the second revision of Causes of Death in 1910 scrofula was included with "tuberculosis of other organs" and in the rates shown for tuberculosis (all forms) scrofula is included for all the years in order that the rates may be comparable.
[1] Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and the District of Columbia.
[2] Exclusive of stillbirths.

The original registration states are Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont, and the District of Columbia, and in 1916 they represented about one-third of the entire population of the registration area.

In the registration area only 3 of the 12 titles used in the above tables, scarlet fever, diphtheria and croup, and tuberculosis (all forms), show lower rates in 1916 than in 1915, but the rates for these 3 causes are the lowest shown throughout the series of years 1900 to 1916. In the original registration states the same three causes show record low rates in 1916, as do also typhoid fever and diarrhea and enteritis (under 2 years).

On the other hand, record high rates appear in 1916 for cancer, cerebral hemorrhage, acute endocarditis and organic heart disease in both tables, and for acute nephritis and Bright's disease in the original registration states. In these tables the highest rates in 1916, as in 1900, are for acute endocarditis and organic heart disease, tuberculosis (all forms), and pneumonia (all forms).

When comparisons of the rates for the earlier years of the series are made with those of recent years in both tables, marked decreases are shown for typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), pneumonia (all forms), and diarrhea and enteritis (under 2 years). The declines shown for typhoid fever, scarlet fever, and diphtheria and croup are especially noteworthy, the rate for each of these causes in 1916 being only about one-third of that for 1900. On the other hand, the rates in 1916 for cancer and for acute endocarditis and organic diseases of the heart are from one-third to one-half higher than the rates for 1900, and the rates in 1916 for acute nephritis and Bright's disease and for cerebral hemorrhage and apoplexy are nearly one-fifth higher than those for 1900 in the registration area, and still more than this in the original registration states. Only for typhoid fever are the rates for each year lower in the original registration states than in the registration area as a whole.

For cancer, cerebral hemorrhage and apoplexy, and acute endocarditis and organic diseases of the heart, the death rates were higher in each year for the original registration states than for the registration area. Further comparison of the original registration states with the registration area shows that for the former the death rates for tuberculosis (all forms) were lower in each year from 1900 to 1907, and higher in each year, with one exception (1911), from 1908 to 1916. For pneumonia (all forms) the rates were lower from 1900 to 1904, inclusive, and higher from 1905 to 1916, inclusive. For diarrhea and enteritis (under 2 years) the rates were higher in all of the years except 1902, 1903, and 1916, and for acute nephritis and Bright's disease the rates were higher for the original registration states in 12 of the 17 years, from 1900 to 1916, inclusive. The death rates for measles, scarlet fever, whooping cough, and diphtheria and croup show decreases from 1900 to 1916 for both areas, but the most pronounced decrease was shown for diphtheria and croup, 66.5 per cent for the registration area, and 62.6 per cent for the original registration states. The first three causes, measles, scarlet fever, and whooping cough, show generally lower death rates throughout the series of years for the original registration states than for the registration area as a whole.

The diagram on the following page presents the fluctuations from year to year, 1900 to 1916, in the death rates for the several diseases included in the preceding table for the registration area.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1916.



TYPHOID FEVER.

There were 9,510 deaths from typhoid fever in the registration area in 1916, corresponding to a death rate of 13.3 per 100,000 population. During the period of 17 years, from 1900 to 1916, inclusive, this rate was second only to the record low rate of 12.4 in 1915. The increase in the rate for 1916 was due almost entirely to the addition to the registration area for this year of parts of both North Carolina and South Carolina.

In the table on the next page, which shows the rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods, 1901 to 1905 and 1906 to 1910, rates of 40 and higher are printed in boldfaced type.

In 1916 the rates for cities in registration states and for registration cities in nonregistration states (10.7 and 13.9, respectively) are lower than the corresponding rates for 1915 (10.8 and 15.7), but the rate for the rural part of registration states in 1916 (15.6) is much higher than that for 1915 (13.4). About two-thirds of this increase is accounted for by the inclusion in the registration area in 1916 of rural portions of North and South Carolina in which the rates for the colored populations were particularly high. The rates for the rural parts of these two states (28.5 and 33.5, respectively) are much higher than those for any of the states in the

area except Kentucky (33.9). Moreover, it should be noted that the death rate of the colored population from this disease is almost invariably much higher than that for the white. However, it is certainly very encouraging that these high rates from typhoid fever among the colored are for the most part rapidly decreasing, Virginia being the only state shown in the table which did not have a lower rate among the colored in 1916 than in 1915.

AREA. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
SUMMARY.								
The registration area	13.3	12.4	15.4	17.9	16.5	21.0	25.6	32.0
Registration states [1]	13.2	12.1	15.1	17.8	16.2	20.4	24.6	24.9
Cities in registration states [1]	10.7	10.8	13.3	16.1	15.5	18.6	25.3	24.5
Rural part of registration states	15.6	13.4	16.9	19.6	17.0	22.2	23.8	25.4
Registration cities in nonregistration states	13.9	15.7	19.2	18.7	19.6	27.7	31.0	44.7
All registration cities [1]	11.1	11.5	14.1	16.4	16.1	20.0	26.8	34.6
REGISTRATION STATES.								
California	7.1	9.7	13.4	15.9	17.2	17.3	23.8	(2)
Colorado	12.2	12.7	17.0	17.0	15.4	30.3	43.3	(2)
Connecticut	7.5	12.4	9.2	11.3	10.9	13.5	17.5	22.1
Indiana	21.5	14.9	21.2	25.1	23.5	26.7	34.7	43.5
Kansas	14.2	10.2	18.9	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	31.0	30.4	41.7	42.7	34.1	46.3	(2)	(2)
White	29.0	27.8	38.9	40.2	31.5	43.7	(2)	(2)
Colored	47.7	52.4	63.6	62.5	54.2	66.8	(2)	(2)
Maine	11.1	13.4	16.0	12.0	13.7	18.0	18.2	29.2
Maryland (total)	19.4	23.7	23.9	33.3	27.8	37.5	39.1	(2)
White	16.4	18.5	21.5	26.7	24.5	33.6	35.4	(2)
Colored	34.2	48.9	34.9	63.6	43.0	55.5	55.6	(2)
Massachusetts	4.7	6.7	7.6	7.9	7.7	9.0	13.7	18.2
Michigan	14.1	11.7	13.3	18.4	18.6	19.1	24.4	24.8
Minnesota	5.4	6.8	10.1	10.8	10.6	13.5	(3)	(2)
Missouri	19.2	15.4	23.9	24.4	23.1	31.9	(2)	(2)
Montana	11.5	12.8	15.3	22.7	14.0	20.4	(3)	(2)
New Hampshire	5.0	7.7	8.7	11.9	8.7	14.6	15.3	19.3
New Jersey	7.0	6.7	8.2	9.6	11.5	12.0	14.9	19.1
New York	5.9	7.6	8.9	10.3	11.6	14.1	17.0	22.3
North Carolina (total)	29.2	[4]40.8	[4]56.5	[5]57.4	[5]40.2	[5]70.0	(3)	(3)
White	22.6	31.0	44.6	50.6	34.4	67.2	(3)	(2)
Colored	43.8	60.1	79.3	70.1	50.8	75.1	(3)	(2)
Ohio	14.9	14.1	18.1	24.0	18.2	22.7	(3)	(2)
Pennsylvania	13.6	12.3	13.0	18.1	16.4	21.9	36.4	(2)
Rhode Island	6.8	10.1	8.1	8.3	7.7	9.5	13.1	18.6
South Carolina (total)	34.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	28.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	39.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	10.4	9.4	15.9	22.2	14.4	19.2	(3)	(2)
Vermont	6.3	13.0	11.6	7.8	11.2	12.3	15.7	25.4
Virginia (total)	25.1	23.7	27.3	33.3	(2)	(2)	(2)	(2)
White	20.9	19.5	23.3	29.3	(2)	(2)	(2)	(2)
Colored	34.5	32.9	35.5	41.5	(2)	(2)	(2)	(2)
Washington	5.1	8.1	10.7	10.3	12.4	18.3	(3)	(2)
Wisconsin	8.0	4.8	6.5	9.0	12.9	13.2	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	43.5	36.2	39.7	36.0	37.3	45.5	(3)	(2)
White	34.2	27.6	35.8	28.2	36.3	42.4	(3)	(2)
Colored	59.0	50.4	45.8	48.1	38.8	50.3	(3)	(2)
Los Angeles, Cal	2.6	5.7	7.7	12.1	15.0	11.6	18.7	31.9
Oakland, Cal	4.0	6.8	6.6	12.0	13.7	14.0	24.0	23.0
San Francisco, Cal	3.5	9.0	12.7	16.1	13.6	15.3	27.0	26.2
Denver, Colo	7.3	6.3	9.0	13.5	15.2	18.0	40.0	41.8
Bridgeport, Conn	9.0	5.1	3.5	6.2	8.3	3.8	10.8	18.1
New Haven, Conn	8.7	19.7	15.2	12.7	24.4	24.9	30.4	47.1
Washington, D. C. (total)	12.9	12.0	11.9	16.4	23.0	22.2	36.4	56.3
White	9.5	8.5	6.3	14.1	20.0	19.5	31.2	(6)
Colored	22.0	21.2	25.7	22.0	30.5	28.9	49.2	(6)
Atlanta, Ga. (total)	22.0	15.7	46.3	21.9	41.9	66.1	62.1	63.8
White	20.5	17.3	46.2	18.2	34.2	58.2	60.5	(6)
Colored	25.4	12.1	46.5	29.2	57.1	81.8	65.1	(6)
Chicago, Ill	5.2	5.3	6.6	10.4	7.4	10.9	15.7	28.8
Indianapolis, Ind	26.1	14.3	25.8	24.4	17.8	25.8	29.8	46.2
Louisville, Ky. (total)	13.4	13.9	25.9	23.2	21.8	23.7	52.9	56.7
White	11.2	12.3	23.9	19.4	16.5	17.7	44.4	(6)
Colored	23.9	21.5	35.2	40.3	45.8	51.0	90.8	(6)
New Orleans, La. (total)	23.1	20.5	21.9	16.9	14.0	31.0	35.1	40.4
White	20.4	19.6	18.8	14.5	11.6	23.2	32.5	(6)
Colored	31.0	23.0	30.4	23.4	20.5	52.6	42.3	(6)
Baltimore, Md. (total)	18.1	20.7	22.6	23.8	24.6	27.6	35.4	36.3
White	18.0	16.9	22.2	19.1	23.6	25.9	33.6	(6)
Colored	19.2	42.1	24.9	50.3	30.0	37.2	45.2	(6)
Boston, Mass	3.4	5.2	9.0	8.2	8.0	8.7	16.2	22.1
Cambridge, Mass	1.8	1.8	1.8	9.2	3.7	2.8	9.8	11.6
Fall River, Mass	10.9	15.0	9.6	8.9	18.0	14.7	14.7	18.0
Lowell, Mass	11.5	16.1	10.8	10.0	10.1	7.3	14.9	21.9
Worcester, Mass	3.7	5.6	3.8	5.8	3.3	6.0	11.9	15.6
Detroit, Mich	14.7	13.5	14.1	29.4	17.5	15.8	21.9	20.3
Grand Rapids, Mich	16.4	27.8	27.6	18.2	33.9	26.7	29.0	47.5
Minneapolis, Minn	5.5	7.6	12.5	12.0	11.7	11.9	31.9	37.8
St. Paul, Minn	5.7	7.0	11.0	9.1	10.6	10.5	18.0	12.3
Kansas City, Mo	11.4	9.7	16.3	21.9	12.0	29.9	36.4	49.8
St. Louis, Mo	9.4	6.8	12.0	16.9	10.7	16.1	16.3	37.3
Omaha, Nebr	3.0	6.1	4.5	7.6	14.0	18.1	41.1	20.7
Jersey City, N. J	7.2	5.7	7.5	10.8	7.8	7.2	12.6	18.0
Newark, N. J	6.1	2.8	7.5	8.7	8.1	10.5	15.1	18.6
Paterson, N. J	4.3	4.4	4.5	8.3	5.4	7.0	8.3	20.2
Albany, N. Y	7.5	12.6	17.5	27.4	17.7	18.8	17.3	22.0
Buffalo, N. Y	10.9	10.0	16.3	15.4	11.8	25.0	23.1	28.8
New York, N. Y	3.9	6.0	6.3	7.0	9.6	10.9	13.5	18.1
Bronx Borough	4.0	4.7	5.3	6.1	5.4	7.9	12.4	14.6
Brooklyn Borough	4.0	7.7	6.9	6.8	12.9	12.9	14.3	21.9
Manhattan Borough	3.3	5.0	6.1	7.2	7.4	10.3	13.1	16.0
Queens Borough	5.7	5.4	6.2	7.3	16.3	8.8	14.0	18.5
Richmond Borough	9.2	8.3	6.4	7.6	5.5	10.1	12.6	19.3
Rochester, N. Y	5.0	6.0	10.2	8.9	11.7	10.6	13.3	13.7
Syracuse, N. Y	12.2	5.9	10.0	13.0	16.7	16.2	16.0	16.0
Cincinnati, Ohio	3.2	7.4	6.2	6.8	7.7	11.4	30.9	55.6
Cleveland, Ohio	5.3	7.9	8.1	14.1	6.9	14.2	15.9	47.8
Columbus, Ohio	13.0	13.4	13.2	19.1	19.6	13.9	41.6	69.6
Dayton, Ohio	19.7	17.5	11.3	18.0	19.1	18.6	25.4	31.1
Toledo, Ohio	22.2	22.9	36.9	41.6	31.7	23.1	41.0	36.7
Portland, Oreg	4.7	5.1	6.9	6.5	16.6	19.1	23.5	24.6
Philadelphia, Pa	7.6	6.8	7.6	15.7	12.8	14.6	41.4	52.0
Pittsburgh, Pa	9.0	10.3	15.0	19.5	13.1	25.6	66.8	126.1
Scranton, Pa	6.1	12.5	9.2	9.4	10.3	14.3	35.5	19.7
Providence, R. I	5.1	8.0	11.0	11.2	10.2	12.1	14.6	20.2
Memphis, Tenn. (total)	(7)	26.7	42.6	34.2	58.9	65.4	41.6	44.8
White	(7)	23.8	36.1	33.3	41.3	53.9	35.1	(6)
Colored	(7)	31.6	52.3	35.6	85.4	82.6	50.8	(6)
Nashville, Tenn. (total)	(7)	37.1	51.3	36.9	32.8	53.9	61.8	57.3
White	(7)	25.0	44.2	39.4	22.5	51.0	55.8	(6)
Colored	(7)	63.7	65.7	31.8	53.6	59.7	73.7	(6)
Richmond, Va. (total)	23.6	12.3	14.1	20.3	16.7	17.8	35.4	57.1
White	16.9	6.1	9.4	21.3	19.2	19.5	38.3	(6)
Colored	35.7	23.4	22.3	18.4	12.5	14.8	30.3	(6)
Seattle, Wash	3.2	2.4	7.0	4.7	7.6	10.3	24.8	27.2
Spokane, Wash	2.0	9.8	12.5	7.0	17.4	35.6	50.0	53.5
Milwaukee, Wis	15.3	5.1	8.1	11.3	25.7	19.0	27.8	18.1

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

Kentucky is the only state which shows a rate as high as 40 in any year of the series 1911 to 1916, although all of the Southern states show high rates. In 1916 no state shows a rate as high as 40. South Carolina shows the highest rate (34.1), followed by Kentucky (31), North Carolina (29.2), Virginia (25.1), and Indiana (21.5). The states showing the lowest rates are Massachusetts (4.7), New Hampshire (5), Washington (5.1), Minnesota (5.4), and New York (5.9).

Among the cities of 100,000 population or over in 1910, the following show very high rates for typhoid fever in 1916: Birmingham (43.5), Indianapolis (26.1), Richmond (23.6), New Orleans (23.1), and Toledo (22.2); those showing very low rates are Cambridge (1.8), Spokane (2), Los Angeles (2.6), Omaha (3), and Cincinnati and Seattle (each 3.2). Only five of the large cities show rates of 40 or higher for any year presented, four of these being cities with large colored populations, and six of the seven cities shown by color have a higher rate for the colored in 1916 than in 1915.

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 40 or more per 100,000 population, such rates being printed in boldfaced type.

Of these 161 cities, 2 show rates above 100 in 1916 (Webb City, Mo., 137.5 and Hammond, Ind., 122.3); followed by Gary, Ind. (83.3); Harrisburg, Pa. (77.8); and Coatesville, Pa. (76.1). Nineteen cities show rates below 10, the 5 with the lowest rates being Newburgh, N. Y. (3.4); Danville, Va. (5); Atchison, Kans. (6); Mishawaka, Ind. (6.1); and Trenton, N. J. (6.3).

CITY. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Mobile, Ala	30.9	33.6	32.4	51.3	39.1	184.1
Montgomery, Ala	30.0	44.7	40.7	36.6	30.2	33.8
Bakersfield, Cal	47.4	12.3	32.2	74.0	70.4	67.7
Fresno, Cal	14.3	6.0	16.8	24.4	43.7	42.3
Riverside, Cal	10.1	21.0	27.3	22.8	29.7	62.1
Sacramento, Cal	7.5	29.3	36.7	52.8	44.4	40.8
San Bernardino, Cal	17.7	6.1	57.7	33.5	21.0	80.9
Stockton, Cal	17.0	14.5	46.7	19.9	16.3	20.9
Middletown town, Conn	21.9	4.5	13.6	13.8	18.6	42.6
New London, Conn	14.3	53.0	29.2	24.6	19.9	10.0
Torrington town, Conn	.....	5.2	.....	.....	11.2	92.1
Windham town, Conn	14.1	14.4	.....	22.4	22.8	46.5
Jacksonville, Fla	11.8	20.5	41.3	35.7	31.1	67.9
Key West, Fla	23.0	42.0	33.1	14.4	53.5	65.6
Augusta, Ga	35.8	44.1	48.5	24.5	(1)	(1)
Savannah, Ga	29.1	26.3	33.9	43.0	28.3	42.7
Belleville, Ill	18.9	9.5	37.8	47.3	56.8	28.4
Jacksonville, Ill	38.8	6.5	45.4	6.5	45.5	26.0
Quincy, Ill	8.2	27.2	35.4	65.4	21.8	30.0
Springfield, Ill	13.1	28.5	29.3	30.1	41.8	28.2
East Chicago, Ind	38.3	11.0	11.7	45.5	39.8	28.5
Elwood, Ind	9.1	18.1	19.6	38.4	18.9	46.4
Evansville, Ind	31.5	23.5	12.6	44.0	34.5	21.2
Gary, Ind	83.3	6.0	(2)	(2)	(2)	23.8
Hammond, Ind	122.3	35.5	49.0	63.5	70.2	36.5
Huntington, Ind	18.4	9.5	47.7	38.4	9.6	19.4
Kokomo, Ind	33.4	19.7	40.6	36.7	54.5	28.2
Laporte, Ind	22.7	.....	8.0	16.4	60.6	9.1
Logansport, Ind	33.3	33.7	177.7	65.1	81.3	5.2
Michigan City, Ind	32.5	18.9	19.3	14.8	70.3	20.5
Mishawaka, Ind	6.1	13.1	34.3	28.7	60.2	79.0
Peru, Ind	8.1	24.4	32.8	26.9	27.0	172.0
Atchison, Kans	6.0	18.0	54.1	30.1	12.1	(1)
Fort Scott, Kans	19.0	28.5	57.0	47.6	57.2	(1)
Hutchinson, Kans	33.7	20.0	31.0	48.3	27.9	(1)
Kansas City, Kans	14.1	15.5	22.3	29.4	25.8	59.5
Pittsburg, Kans	22.4	23.0	35.6	24.4	56.6	(1)
Frankfort, Ky	72.2	.....	36.8	37.1	46.3	85.0
Henderson, Ky	57.4	58.0	83.7	42.3	59.8	86.2
Lexington, Ky	17.0	30.2	41.2	60.6	40.5	52.5
Owensboro, Ky	45.0	45.7	98.8	41.4	84.1	93.7
Paducah, Ky	16.1	44.9	57.9	42.0	59.6	60.4
Bangor, Me	18.8	41.7	46.0	43.9	27.5	83.5
Cumberland, Md	34.5	35.2	63.9	158.3	83.0	102.6
Frederick, Md	54.0	.....	27.6	65.0	37.5	47.4
Hagerstown, Md	23.4	43.6	16.1	22.9	40.8	23.7
North Adams, Mass	27.2	13.6	47.4	23.5	13.9	18.2
Alpena, Mich	7.5	68.3	68.8	92.3	54.2	94.0
Ann Arbor, Mich	53.3	13.4	13.4	.....	13.4	20.2
Battle Creek, Mich	6.8	17.4	10.7	43.7	22.4	15.4
Bay City, Mich	45.9	21.1	34.0	15.0	69.3	41.2
Escanaba, Mich	45.2	26.5	6.8	62.6	35.7	44.0
Flint, Mich	47.5	9.6	26.2	14.9	24.8	18.4
Manistee, Mich	16.2	32.3	8.6	42.5	.....	8.1
Marquette, Mich	40.3	32.6	16.5	33.4	103.9	94.2
Menominee, Mich	28.6	19.0	31.5	10.3	20.0	67.4
Pontiac, Mich	11.4	11.7	6.0	12.4	51.3	46.1
Port Huron, Mich	31.8	21.2	.....	26.6	196.8	48.3
Sault Ste. Marie, Mich	7.2	7.3	29.6	22.6	22.9	54.5
Stillwater, Minn	.....	29.4	.....	42.1	20.6	31.1
Virginia, Minn	26.3	34.6	29.3	62.0	8.2	17.3
Hatticsburg, Miss	54.6	19.1	(1)	(1)	(1)	(1)
Jackson, Miss	63.9	74.0	(1)	(1)	(1)	(1)
Meridian, Miss	68.8	64.2	(1)	(1)	(1)	(1)
Vicksburg, Miss	39.4	44.5	(1)	(1)	(1)	(1)
Jefferson City, Mo	37.1	22.6	38.4	8.0	32.4	66.0
Joplin, Mo	63.2	21.2	30.4	36.7	30.8	37.2
Moberly, Mo	15.7	16.1	.....	8.4	51.8	35.5
Sedalia, Mo	72.0	62.5	52.8	69.7	21.7	82.7
Springfield, Mo	22.3	40.5	38.8	66.0	64.8	109.1
Webb City, Mo	137.5	14.7	45.1	53.7	31.3	24.0
Anaconda, Mont	56.8	.....	.....	.....	.....	.....
Billings, Mont	13.9	21.9	30.7	56.8	17.2	73.6
Great Falls, Mont	50.2	14.3	66.5	132.1	21.8	36.2
Missoula, Mont	16.5	23.1	12.1	.....	40.6	28.8
Lincoln, Nebr	17.2	21.7	11.0	8.8	40.1	22.5
Berlin, N. H	7.4	15.0	.....	15.7	16.1	49.4
Long Branch, N. J	26.0	53.1	20.4	55.6	99.7	66.3
Morristown, N. J	15.1	15.2	61.4	15.5	31.3	31.8
Trenton, N. J	6.3	13.7	17.8	21.1	39.2	44.0
Cohoes, N. Y	11.9	15.9	20.0	36.0	48.2	112.6
Corning, N. Y	32.5	6.6	33.6	20.6	48.9	21.7
Cortland, N. Y	7.7	7.8	8.0	16.2	24.9	43.2
Dunkirk, N. Y	9.6	14.9	40.8	63.0	16.2	16.9
Fulton, N. Y	16.8	25.7	.....	44.6	18.2	36.7
Hudson, N. Y	15.7	24.0	32.7	58.2	25.3	.....
Lockport, N. Y	25.2	5.1	10.2	66.9	15.6	22.1
Middletown, N. Y	12.7	12.7	6.4	38.5	25.8	59.1
Newburgh, N. Y	3.4	20.5	24.1	24.4	42.2	42.6
Niagara Falls, N. Y	16.1	.....	14.2	29.4	66.9	194.0
North Tonawanda, N. Y	36.3	29.7	60.7	15.5	15.9	96.7
Plattsburg, N. Y	15.6	23.9	8.1	41.6	25.6	.....
Saratoga Springs, N. Y	21.7	21.7	31.2	39.1	15.7	47.6
Watervliet, N. Y	32.2	38.8	32.5	71.8	32.8	72.3
Charlotte, N. C	60.3	28.3	60.6	62.1	33.3	46.1
Durham, N. C	20.0	41.7	61.2	45.9	48.4	51.1
Greensboro, N. C	40.9	47.4	48.9	56.2	23.2	60.2
Raleigh, N. C	59.6	45.0	60.5	66.0	30.7	56.9
Wilmington, N. C	16.7	23.8	46.8	80.6	63.4	125.3
Winston-Salem,[3] N. C	44.9	53.2	51.7	100.1	57.4	79.8
Akron, Ohio	24.3	30.1	31.1	20.6	26.7	42.9
Bellaire, Ohio	13.9	42.5	36.0	36.6	74.6	22.7
Cambridge, Ohio	37.1	22.8	38.9	48.7	16.6	25.6
Chillicothe, Ohio	19.4	6.5	33.0	46.7	33.7	40.8
East Liverpool, Ohio	62.0	72.0	82.3	106.9	66.1	96.1
Findlay, Ohio	20.2	40.4	21.9	28.6	21.1	55.1
Ironton, Ohio	64.5	36.2	87.7	66.4	134.0	97.7
Lorain, Ohio	13.5	22.4	29.1	12.1	44.1	36.1
Marietta, Ohio	27.3	20.4	27.1	47.3	31.2	46.6
Portsmouth, Ohio	34.8	28.4	127.2	122.7	68.5	74.0
Sandusky, Ohio	9.9	9.9	39.7	14.9	24.9	69.9
Steubenville, Ohio	32.8	78.9	93.0	100.0	66.1	38.5
Warren, Ohio	61.3	39.0	41.4	50.7	.....	26.4
Youngstown, Ohio	35.1	31.6	39.8	47.8	31.2	44.6
Zanesville, Ohio	25.9	29.6	36.7	74.6	82.7	157.5
Allentown, Pa	26.8	35.5	33.2	22.1	29.8	46.6
Altoona, Pa	44.3	33.0	30.1	59.5	22.0	28.2
Beaver Falls, Pa	44.3	45.1	22.9	7.8	47.4	72.3
Bethlehem, Pa	14.1	14.4	14.6	7.4	30.1	84.0
Chambersburg, Pa	40.4	24.4	41.0	41.3	41.6	25.2
Chester, Pa	33.8	19.5	14.8	42.5	10.1	17.9
Coatesville, Pa	76.1	14.4	15.0	15.6	179.1	.....
Connellsville, Pa	12.9	20.0	13.7	14.1	43.6	52.4
Dubois, Pa	20.5	7.0	14.3	21.9	22.5	46.1
Erie, Pa	6.6	6.8	15.2	16.9	11.5	190.6
Greensburg, Pa	51.7	59.7	34.0	35.0	57.7	90.7
Harrisburg, Pa	77.8	15.5	17.3	16.1	13.4	16.8
Meadville, Pa	.....	.....	29.7	52.6	7.6	54.0
New Castle, Pa	21.9	19.8	17.7	36.1	68.4	48.4
Norristown, Pa	25.5	22.7	33.0	33.7	51.5	38.5

(See footnotes at end of table.)

CITY. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TYPHOID FEVER PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Phoenixville, Pa	25.6	17.3	35.1	26.7	45.1	36.6
Pottsville, Pa	49.2	36.3	36.9	14.1	28.6	19.2
Reading, Pa	19.1	18.6	31.9	59.0	28.0	23.4
Sharon, Pa	16.1	38.7	22.8	47.1	36.9	19.0
Uniontown, Pa	52.9	40.1	52.2	76.4	115.0	120.6
Washington, Pa	18.5	37.8	38.6	64.2	35.4	67.8
West Chester, Pa	37.9	23.2	102.2	32.0	32.6	49.8
Wilkinsburg, Pa	17.2	35.8	4.6	33.3	4.9	40.7
Williamsport, Pa	17.7	17.9	18.1	63.9	39.9	46.5
Charleston, S. C	39.5	44.7	68.2	51.8	53.8	40.5
Columbia, S. C	66.5	73.4	(1)	(1)	(1)	(1)
Jackson, Tenn	(4)	50.9	57.0	(1)	(1)	(1)
Knoxville, Tenn	(4)	26.1	52.7	(4)	21.5	46.2
El Paso, Tex	44.0	45.2	52.5	40.4	49.3	42.9
Galveston, Tex	31.1	46.3	22.3	25.3	10.3	18.5
San Antonio, Tex	17.8	21.8	23.5	20.8	41.4	53.0
Barre, Vt	16.4	75.4	25.6	.....	.....	45.4
Alexandria, Va	39.2	33.8	57.4	44.9	19.3	19.4
Danville, Va	5.0	25.2	55.8	66.5	31.0	57.3
Lynchburg, Va	33.4	21.6	40.8	19.2	29.3	40.0
Newport News, Va	29.2	19.5	19.6	49.0	(1)	(1)
Norfolk, Va	31.2	27.2	35.8	30.6	22.8	53.9
Petersburg, Va	46.9	19.7	31.9	40.2	32.5	53.3
Roanoke, Va	15.6	9.5	14.8	20.4	31.7	57.5
Staunton, Va	25.7	.....	53.0	9.0	(1)	(1)
North Yakima, Wash	9.5	40.3	10.7	17.0	18.2	58.4
Walla Walla, Wash	11.9	12.4	21.5	22.4	51.4	39.2
Wheeling, W. Va	27.7	51.0	72.4	63.5	63.9	35.7
Ashland, Wis	25.9	34.5	54.7	81.0	79.9	82.8
Kenosha, Wis	15.8	6.6	3.4	35.9	33.9	48.7
Marinette, Wis	6.8	.....	7.2	21.3	42.1	69.3

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Transcripts for deaths not received.

MALARIA.

Malaria in 1916 caused 2,175 deaths, corresponding to a rate of 3 per 100,000 population. The death rate for the cause was 7.9 in 1900, but after that year there was a continued decrease until 1910, for which year the rate was 2.2. Since that time the rate has ranged between 2.2 and 3.1, the latter in 1912.

In the following table, which shows the rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods, 1901 to 1905 and 1906 to 1910, rates of 10 and higher are printed in boldfaced type.

Mortality from malaria is very much higher among colored populations than among the white. This is brought out clearly in the table, where, for example, South Carolina shows a rate in 1916 for the colored more than three times the rate for the white population. In fact, the increase in the death rate for malaria in 1916 in the registration area is entirely due to the addition to the area in that year of large colored populations belonging principally to South Carolina and North Carolina.

More than half of the deaths from this cause returned from the registration states were in the rural districts of the Southern states, and in comparing the rates of the subdivisions of the registration area for 1915 and 1916, it will be noted that the only increases over the 1915 rates are for the registration states (1.7 to 2.8) and for rural part of registration states (2.8 to 4.8).

AREA. [Rates of 10 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	3.0	2.3	2.2	2.5	3.1	3.0	2.6	4.8
Registration states [1]	2.8	1.7	1.9	2.1	2.6	2.4	1.6	3.5
Cities in registration states [1]	0.7	0.7	0.8	1.0	1.1	1.2	1.3	3.1
Rural part of registration states	4.8	2.8	2.9	3.2	4.1	3.7	1.9	4.0
Registration cities in nonregistration states	5.5	8.8	6.6	7.1	8.5	9.8	7.7	7.2
All registration cities [1]	1.4	1.9	1.6	1.9	2.2	2.5	3.0	5.1
REGISTRATION STATES.								
California	1.4	1.8	1.9	2.1	3.1	4.0	3.5	(2)
Colorado	0.5	0.2	.....	.....	0.1	0.4	0.6	(2)
Connecticut	0.6	1.4	1.0	1.4	2.1	1.9	3.4	7.4
Indiana	1.4	2.1	2.5	2.6	2.8	4.0	4.5	6.8
Kansas	2.0	1.5	2.2	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	6.4	6.4	7.0	8.1	9.6	10.3	(2)	(2)
White	5.4	5.5	5.7	6.6	8.1	8.9	(2)	(2)
Colored	14.9	13.6	17.1	20.2	21.1	20.9	(2)	(2)
Maine	0.1	0.1	0.9	0.7	0.4	0.4	0.9	1.9
Maryland (total)	1.2	1.1	1.0	1.7	1.8	1.1	2.5	(2)
White	0.7	0.6	0.7	1.3	1.4	0.6	2.1	(2)
Colored	3.9	3.5	2.5	3.8	3.8	3.4	4.5	(2)
Massachusetts	0.2	0.2	0.2	0.4	0.2	0.4	0.8	2.2
Michigan	0.2	0.4	0.7	0.6	0.8	1.0	1.3	3.2
Minnesota	(3)	.....	0.1	(3)	0.1	0.1	(4)	(2)
Missouri	11.0	11.4	10.8	12.7	19.1	15.3	(2)	(2)
Montana	0.2	.....	.....	0.2	.....	.....	(4)	(2)
New Hampshire	0.2	0.5	0.9	.....	0.2	.....	1.1	1.6
New Jersey	0.3	0.5	0.3	0.5	1.2	1.0	1.4	3.1
New York	0.3	0.4	0.5	0.4	0.5	0.7	1.3	2.6
North Carolina (total)	14.0	[5]14.0	[5]21.8	[6]18.9	[6]34.5	[6]23.2	(4)	(2)
White	9.2	7.4	12.6	11.3	24.4	16.1	(4)	(2)
Colored	24.6	26.7	39.3	32.9	53.0	36.4	(4)	(2)
Ohio	0.4	0.5	0.6	0.9	0.7	0.9	(4)	(2)
Pennsylvania	0.2	0.4	0.2	0.4	0.5	0.5	0.8	(2)
Rhode Island	0.7	0.2	0.8	0.7	0.4	1.1	1.7	5.4
South Carolina (total)	39.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	16.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	58.7	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	0.2	.....	0.2	1.0	.....	.....	(4)	(2)
Vermont	.....	0.8	0.3	0.6	0.3	1.4	1.0	1.5
Virginia (total)	6.6	7.0	7.9	7.1	(2)	(2)	(2)	(2)
White	3.7	2.8	3.7	4.3	(2)	(2)	(2)	(2)
Colored	13.1	16.4	16.4	13.0	(2)	(2)	(2)	(2)
Washington	0.1	0.3	0.1	0.1	0.1	0.2	(4)	(2)
Wisconsin	(3)	(3)	0.1	0.3	0.4	0.2	(4)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	9.9	15.5	9.6	17.7	33.3	23.5	(4)	(2)
White	4.4	2.8	2.0	5.2	18.7	10.9	(4)	(2)
Colored	19.2	36.7	21.4	36.9	55.7	42.8	(4)	(2)
Los Angeles, Cal	0.2	0.2	0.2	0.2	1.3	1.2	0.8	1.1
Oakland, Cal	.....	0.5	1.1	0.6	.....	1.3	1.4	2.9
San Francisco, Cal	0.9	0.4	0.9	1.1	2.1	1.2	1.4	2.1
Denver, Colo	0.4	.....	.....	.....	0.4	0.5	0.7	0.7
Bridgeport, Conn	.....	1.7	1.7	0.9	0.9	0.9	1.9	4.5
New Haven, Conn	1.3	3.4	1.4	0.7	3.6	2.9	6.0	9.1
Washington, D. C. (total)	1.4	0.6	1.4	2.3	1.8	1.2	3.7	8.1
White	1.5	.....	1.6	2.0	1.6	.....	2.5	(7)
Colored	1.0	2.0	1.0	3.0	2.0	4.1	6.4	(7)
Atlanta, Ga. (total)	2.1	3.2	5.6	6.9	6.6	5.6	7.3	8.3
White	1.5	2.4	4.2	6.1	3.6	1.9	4.6	(7)
Colored	3.4	5.2	8.3	8.6	12.5	13.0	12.3	(7)
Chicago, Ill	0.2	0.4	0.4	0.3	0.2	0.4	0.5	0.9
Indianapolis, Ind	1.1	.....	1.2	1.6	1.6	2.9	2.7	4.0
Louisville, Ky. (total)	1.3	3.0	3.8	3.4	4.4	5.3	4.2	5.5
White	.....	1.0	.....	.....	1.6	2.7	1.5	(7)
Colored	7.2	12.0	21.1	18.9	16.9	17.0	15.9	(7)
New Orleans, La. (total)	7.0	9.8	8.9	6.7	8.0	10.7	12.9	26.8
White	4.0	5.9	6.0	3.8	4.7	6.7	9.4	(7)
Colored	15.5	20.9	16.7	14.9	17.3	21.9	22.4	(7)
Baltimore, Md. (total)	0.3	0.2	0.7	1.6	1.6	0.5	2.6	5.3
White	0.2	0.2	0.6	1.0	1.4	0.6	2.3	(7)
Colored	1.1	.....	1.1	4.6	2.3	.....	4.3	(7)
Boston, Mass	0.1	.....	.....	.....	0.1	0.4	0.4	0.8
Cambridge, Mass	.....	.....	.....	.....	0.9	0.9	0.4	1.5
Fall River, Mass	1.6	0.8	.....	.....	.....	.....	0.2	1.1

(See footnotes at end of table.)

AREA. [Rates of 10 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Lowell, Mass	.....	.....	.....	0.9	.....	.....	1.2	1.7
Worcester, Mass	.....	.....	.....	0.6	0.7	.....	1.3	5.6
Detroit, Mich	0.2	0.4	0.2	0.4	0.4	0.6	1.0	2.2
Grand Rapids, Mich	.....	0.8	1.6	0.8	0.8	1.7	1.7	2.3
Minneapolis, Minn	.....	.....	.....	.....	0.3	0.3	0.1	0.3
St. Paul, Minn	.....	.....	.....	.....	0.4	.....	.....	0.1
Kansas City, Mo	1.7	2.1	2.8	1.1	1.1	1.6	2.7	6.6
St. Louis, Mo	1.6	2.5	3.0	4.0	5.5	5.4	8.3	10.3
Omaha, Nebr	.....	1.8	.....	.....	0.8	.....	1.0	1.6
Jersey City, N. J	0.7	0.3	.....	0.3	0.4	1.1	1.0	2.8
Newark, N. J	.....	0.3	.....	0.3	0.3	0.6	1.2	3.3
Paterson, N. J	0.7	0.7	.....	.....	.....	0.8	1.0	3.1
Albany, N. Y	.....	1.0	1.9	.....	.....	.....	0.8	1.5
Buffalo, N. Y	.....	0.2	0.7	0.2	.....	0.2	0.5	0.5
New York, N. Y	0.3	0.3	0.3	0.3	0.5	0.7	1.1	2.9
Bronx Borough	0.2	0.4	.....	0.6	.....	0.4	1.1	8.8
Brooklyn Borough	0.4	0.4	0.5	0.3	0.8	0.9	1.6	3.4
Manhattan Borough	0.1	0.1	0.2	0.2	0.2	0.5	0.6	1.5
Queens Borough	0.8	0.8	0.3	0.9	1.6	1.0	2.7	5.4
Richmond Borough	1.0	.....	2.1	.....	.....	.....	2.0	4.5
Rochester, N. Y	.....	.....	0.4	.....	.....	.....	0.2	0.8
Syracuse, N. Y	.....	.....	.....	.....	0.7	.....	0.6	0.5
Cincinnati, Ohio	0.5	0.2	0.7	0.8	0.3	0.5	1.0	2.2
Cleveland, Ohio	.....	.....	0.2	0.2	0.2	0.5	0.4	1.1
Columbus, Ohio	0.5	.....	.....	.....	0.5	1.1	0.2	1.9
Dayton, Ohio	0.8	2.4	.....	0.8	0.8	.....	1.8	3.3
Toledo, Ohio	.....	1.1	0.5	1.7	.....	0.6	2.0	4.3
Portland, Oreg	0.3	1.8	.....	0.4	.....	.....	0.8	0.6
Philadelphia, Pa	0.2	0.2	0.5	0.4	0.4	0.7	0.6	1.2
Pittsburgh, Pa	0.3	0.5	.....	0.4	0.4	.....	0.3	1.2
Scranton, Pa	.....	.....	.....	.....	0.7	.....	0.6	2.2
Providence, R. I	0.4	.....	1.2	1.2	.....	0.4	1.8	5.9
Memphis, Tenn. (total)	(8)	73.9	55.2	77.7	81.5	84.2	104.7	132.0
White	(8)	36.9	23.3	33.3	47.3	32.6	55.6	(7)
Colored	(8)	137.4	102.8	144.1	132.6	161.4	174.1	(7)
Nashville, Tenn. (total)	(8)	6.0	11.3	12.3	13.3	13.5	17.7	32.3
White	(8)	2.5	7.8	3.9	1.3	6.7	10.9	(7)
Colored	(8)	13.8	18.4	29.2	37.5	27.1	31.2	(7)
Richmond, Va. (total)	0.6	.....	0.7	.....	2.3	1.5	12.0	20.8
White	1.0	.....	.....	.....	3.6	1.2	5.6	(7)
Colored	.....	.....	2.0	.....	.....	2.1	23.1	(7)
Seattle, Wash	.....	.....	0.3	0.3	.....	0.4	.....	0.5
Spokane, Wash	.....	.....	.....	.....	.....	.....	0.9	0.4
Milwaukee, Wis	.....	.....	.....	0.5	0.2	.....	0.1	0.3

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Deaths not shown by color prior to 1906.
[8] Transcripts for deaths not received.

States having rates above 10 per 100,000 in 1916 are South Carolina (39), North Carolina (14), and Missouri (11). Other states with rates well above the rate for the registration area as a whole (3 per 100,000) are Virginia (6.6) and Kentucky (6.4). Two states show the low rate of 0.1 per 100,000 and six show a rate of 0.2.

Not one of the cities of 100,000 population or over in 1910 reaches the limit of 10 per 100,000 in 1916. Those having the highest rates are Birmingham (9.9) and New Orleans (7), and in the cities, as in the states, the highest rates are shown for the colored.

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 10 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 10 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MALARIA PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Mobile, Ala	24.0	26.5	48.6	53.1	67.1	77.3
Montgomery, Ala	30.0	14.1	19.1	7.3	30.2	78.0
Bakersfield, Cal	5.9	12.3	6.4	.....	.....	7.5
Fresno, Cal	2.9	.....	3.4	.....	.....	11.5
Long Beach, Cal	.....	.....	.....	4.4	.....	10.1
Sacramento, Cal	6.0	.....	3.2	14.8	13.7	2.1
Greenwich town, Conn	.....	.....	5.5	.....	11.5	.....
Jacksonville, Fla	3.9	6.8	5.7	8.9	31.1	60.0
Pensacola, Fla	15.2	23.3	39.7	40.5	(1)	(1)
Tampa, Fla	5.6	11.6	(1)	(1)	(1)	(1)
Augusta, Ga	31.8	58.2	48.5	38.7	(1)	(1)
Savannah, Ga	42.1	62.9	51.5	77.1	92.4	83.9
Elwood, Ind	.....	18.1	.....	.....	.....	9.3
Evansville, Ind	6.6	12.4	5.6	9.9	4.3	8.5
Kokomo, Ind	.....	.....	.....	5.2	5.4	11.3
New Albany, Ind	.....	4.2	4.8	.....	4.8	14.5
Vincennes, Ind	5.7	11.6	6.0	13.4	13.9	6.5
Coffeyville, Kans	5.7	6.0	.....	.....	13.9	(1)
Fort Scott, Kans	.....	.....	9.5	9.5	19.1	(1)
Independence, Kans	20.7	7.2	30.1	.....	8.3	(1)
Leavenworth, Kans	5.2	10.3	.....	5.3	.....	13.1
Parsons, Kans	.....	6.7	6.9	.....	14.8	(1)
Pittsburg, Kans	.....	.....	5.9	.....	12.6	(1)
Topeka, Kans	.....	4.2	2.1	10.8	.....	(1)
Frankfort, Ky	.....	.....	.....	27.8	9.4	.....
Henderson, Ky	.....	8.3	25.1	.....	17.1	43.1
Owensboro, Ky	16.9	17.1	5.8	5.9	.....	12.2
Paducah, Ky	52.3	65.3	37.2	79.7	102.1	77.7
Hattiesburg, Miss	66.7	19.1	(1)	(1)	(1)	(1)
Jackson, Miss	107.6	91.6	(1)	(1)	(1)	(1)
Meridian, Miss	27.5	59.6	(1)	(1)	(1)	(1)
Natchez, Miss	42.4	25.4	(1)	(1)	(1)	(1)
Vicksburg, Miss	127.1	138.1	(1)	(1)	(1)	(1)
Hannibal, Mo	4.6	4.7	.....	5.0	10.2	.....
Sedalia, Mo	25.7	5.2	10.6	10.7	16.3	16.5
Webb City, Mo	.....	.....	.....	7.7	15.7	.....
Kearny, N. J	.....	.....	.....	4.7	.....	15.1
Morristown, N. J	.....	.....	.....	15.5	.....	7.9
Lockport, N. Y	.....	10.1	.....	.....	.....	.....
Peekskill, N. Y	5.4	5.5	11.5	.....	.....	.....
Charlotte, N. C	27.6	23.1	18.4	21.6	19.4	11.5
Durham, N. C	4.0	4.2	4.4	13.8	19.4	20.4
Greensboro, N. C	.....	5.3	16.3	5.6	5.8	6.0
Raleigh, N. C	9.9	.....	10.1	25.4	46.1	41.3
Wilmington, N. C	3.3	13.6	25.2	11.0	55.9	57.6
Winston-Salem,[2] N. C	9.6	3.3	13.8	.....	.....	.....
Cambridge, Ohio	.....	.....	.....	.....	.....	17.1
Findlay, Ohio	13.5	.....	7.3	7.2	.....	6.9
West Chester, Pa	.....	.....	.....	16.0	.....	.....
Charleston, S. C	21.4	38.1	26.6	21.7	43.7	32.1
Columbia, S. C	34.7	8.8	(1)	(1)	(1)	(1)
Chattanooga, Tenn	(3)	3.4	17.5	(1)	(1)	(1)
Jackson, Tenn	(3)	73.6	17.1	(1)	(1)	(1)
Beaumont, Tex	36.1	(1)	(1)	(1)	(1)	(1)
Dallas, Tex	12.0	(1)	(1)	(1)	(1)	(1)
El Paso, Tex	1.6	1.7	2.0	4.2	13.4	11.9
Galveston, Tex	2.4	19.5	9.9	2.5	5.2	21.1
San Antonio, Tex	21.8	15.9	14.8	9.9	9.4	17.7
Alexandria, Va	5.6	5.6	.....	6.4	19.3	6.5
Danville, Va	10.0	5.0	10.2	5.1	5.2	26.0
Newport News, Va	9.7	24.4	19.6	14.7	(1)	(1)
Norfolk, Va	13.4	11.4	16.2	23.5	18.0	28.2
Petersburg, Va	27.4	7.9	19.9	16.1	24.3	24.6
Portsmouth, Va	35.3	7.8	24.0	24.7	(1)	(1)

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Salem consolidated with Winston, May, 1913.
[3] Transcripts for deaths not received.

Among these minor cities, six had rates of 10 or more per 100,000 for the series of years 1911 to 1916: Mobile, Ala.; Savannah, Ga.; Paducah, Ky.; Charlotte, N. C.; Charleston, S. C.; and Norfolk, Va. The five cities which have the highest rates in 1916 are Vicksburg, Miss. (127.1); Jackson, Miss. (107.6); Hattiesburg, Miss. (66.7); Paducah, Ky. (52.3); and Natchez, Miss. (42.4). The five cities with the lowest rates are El Paso, Tex. (1.6); Galveston, Tex. (2.4); Fresno, Cal. (2.9); Wilmington, N. C. (3.3); and Jacksonville, Fla. (3.9).

SMALLPOX.

It has been many years since smallpox was the cause of high mortality, and data are now presented only to show how few deaths have been due to this disease in recent years.

Since 1900, the year for which the first annual report was published, smallpox has never reached a rate as high as 7 per 100,000 population in the registration area. The highest rate for this cause in any year from 1900 to 1916 was 6.6 in 1902; while in 1903 it was 4.2; in 1901, 3.5; 2.1 in 1904, and 1.9 in 1900. With the exception of these five years the rate in the registration area has never reached 1 per 100,000 population.

The rate for registration cities in nonregistration states has equaled or exceeded the rate for every other subdivision of the area in every year since and including 1900, except in 1901, 1902, 1910, and 1913.

In the following table, which shows the rates per 100,000 population for 1911 to 1916, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 10 and higher are printed in boldfaced type:

AREA. [Rates of 10 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	0.2	0.3	0.3	0.2	0.3	0.2	0.2	3.4
Registration states [1]	0.1	0.1	0.2	0.2	0.2	0.2	0.2	2.6
Cities in registration states [1]	(2)	0.1	0.1	0.1	0.3	0.2	0.2	3.4
Rural part of registration states	0.2	0.2	0.3	0.3	0.2	0.2	0.2	1.5
Registration cities in nonregistration states	0.9	1.6	1.5	0.2	0.7	0.7	0.3	4.9
All registration cities [1]	0.1	0.3	0.3	0.1	0.3	0.3	0.2	4.2
REGISTRATION STATES.								
California	0.4	0.1	(2)	0.6	0.6	0.4	0.5	(3)
Colorado	0.2	.....	0.1	.....	0.1	.....	0.4	(3)
Connecticut	.....	.....	.....	0.1	.....	.....	.....	0.4
Indiana	(2)	0.4	0.3	0.4	0.4	0.1	0.2	3.3
Kansas	0.2	0.6	0.5	(3)	(3)	(3)	(3)	(3)
Kentucky (total)	0.2	(2)	0.8	0.2	0.1	0.2	(3)	(3)
White	0.2	(2)	0.7	0.2	0.1	0.2	(3)	(3)
Colored	.....	.....	1.5	.....	.....	.....	(3)	(3)
Maine	.....	.....	0.3	0.3	0.5	.....	.....	0.6
Maryland (total)	.....	.....	0.6	0.2	0.1	.....	.....	(3)
White	.....	.....	0.1	0.1	0.1	.....	.....	(3)
Colored	.....	.....	2.9	0.4	.....	.....	.....	(3)
Massachusetts	.....	0.3	(2)	.....	0.1	0.1	0.1	2.8
Michigan	0.1	0.2	(2)	0.1	0.1	0.2	1.1	1.6
Minnesota	(2)	0.3	0.3	0.6	0.2	0.3	(4)	(3)
Missouri	0.3	0.4	0.5	0.3	0.4	0.9	(3)	(3)
Montana	0.4	0.2	1.2	0.7	0.5	.....	(4)	(3)
New Hampshire	0.2	.....	.....	0.5	0.5	.....	.....	0.7
New Jersey	.....	(2)	(2)	.....	0.1	(2)	(2)	6.0
New York	(2)	.....	(2)	(2)	0.1	0.1	0.1	2.4
North Carolina (total)	0.5	[5] 1.2	[5] 2.1	[6] 2.5	[6] 1.0	[6] 1.1	(4)	(3)
White	0.3	1.2	1.0	3.1	0.8	1.2	(4)	(3)
Colored	1.1	1.2	4.3	1.4	1.5	0.8	(4)	(3)
Ohio	0.1	0.1	0.3	0.1	(2)	0.1	(4)	(3)
Pennsylvania	.....	.....	(2)	0.1	0.5	0.1	(2)	(3)
Rhode Island	0.2	.....	.....	.....	.....	.....	.....	2.0
South Carolina (total)	0.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	.....	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	0.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	.....	.....	0.5	1.5	1.8	2.3	(4)	(3)
Vermont	0.3	0.3	.....	.....	0.3	.....	0.1	0.3
Virginia (total)	(2)	0.2	0.8	0.4	(3)	(3)	(3)	(3)
White	0.1	0.1	0.4	0.1	(3)	(3)	(3)	(3)
Colored	.....	0.4	1.7	1.0	(3)	(3)	(3)	(3)
Washington	0.1	0.1	0.2	0.1	0.1	0.2	(4)	(3)
Wisconsin	0.1	0.2	0.2	0.1	0.2	0.1	(4)	(3)

AREA. [Rates of 10 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	.....	0.6	0.6	.....	.....	0.7	(4)	(3)
White	.....	0.9	.....	.....	.....	1.2	(4)	(3)
Colored	.....	.....	1.5	.....	.....	.....	(4)	(3)
Los Angeles, Cal	0.4	.....	.....	.....	2.6	1.7	0.1	.....
Oakland, Cal	.....	.....	.....	.....	.....	.....	.....	.....
San Francisco, Cal	.....	.....	.....	.....	0.2	.....	1.3	0.2
Denver, Colo	.....	.....	.....	.....	.....	.....	.....	0.2
Bridgeport, Conn	.....	.....	.....	.....	.....	.....	.....	.....
New Haven, Conn	.....	.....	.....	.....	.....	.....	.....	.....
Washington, D. C. (total)	.....	.....	.....	.....	.....	.....	0.2	0.9
White	.....	.....	.....	.....	.....	.....	0.2	(7)
Colored	.....	.....	.....	.....	.....	.....	0.4	(7)
Atlanta, Ga. (total)	.....	.....	0.6	0.6	.....	.....	0.3	3.7
White	.....	.....	.....	.....	.....	.....	.....	(7)
Colored	.....	.....	1.7	1.7	.....	.....	0.9	(7)
Chicago, Ill	.....	.....	(2)	.....	0.3	0.1	(2)	1.6
Indianapolis, Ind	.....	.....	.....	.....	.....	.....	0.5	12.7
Louisville, Ky. (total)	.....	.....	.....	.....	.....	.....	.....	2.8
White	.....	.....	.....	.....	.....	.....	.....	(7)
Colored	.....	.....	.....	.....	.....	.....	.....	(7)
New Orleans, La. (total)	1.1	1.4	.....	0.6	.....	0.6	1.8	4.4
White	0.4	0.7	.....	0.8	.....	.....	0.3	(7)
Colored	3.1	3.1	.....	.....	.....	2.2	5.7	(7)
Baltimore, Md. (total)	.....	.....	0.5	.....	0.2	.....	.....	0.5
White	.....	.....	.....	.....	0.2	.....	.....	(7)
Colored	.....	.....	3.4	.....	.....	.....	.....	(7)
Boston, Mass	.....	.....	.....	.....	.....	0.1	(2)	9.6
Cambridge, Mass	.....	.....	.....	.....	.....	.....	.....	7.4
Fall River, Mass	.....	.....	.....	.....	.....	.....	0.9	0.8
Lowell, Mass	.....	.....	.....	.....	.....	.....	.....	1.1
Worcester, Mass	.....	.....	.....	.....	.....	.....	.....	0.8
Detroit, Mich	0.2	0.2	0.2	0.2	.....	.....	(2)	1.3
Grand Rapids, Mich	.....	.....	.....	.....	.....	.....	0.2	7.5
Minneapolis, Minn	.....	0.3	.....	.....	.....	0.3	0.3	2.4
St. Paul, Minn	.....	0.4	.....	.....	0.4	0.9	0.8	2.2
Kansas City, Mo	.....	0.3	1.8	0.4	0.4	3.1	0.7	5.6
St. Louis, Mo	.....	.....	.....	.....	.....	.....	0.1	4.4
Omaha, Nebr	.....	.....	0.8	.....	.....	.....	1.0	1.3
Jersey City, N. J	.....	.....	.....	.....	.....	.....	0.1	1.4
Newark, N. J	.....	.....	.....	.....	.....	.....	0.1	19.6
Paterson, N. J	.....	.....	.....	.....	.....	.....	.....	1.1
Albany, N. Y	.....	.....	.....	1.0	.....	.....	.....	2.5
Buffalo, N. Y	.....	.....	.....	.....	.....	.....	0.1	0.5
New York, N. Y	.....	.....	.....	.....	0.1	0.1	0.1	3.8
Bronx Borough	.....	.....	.....	.....	.....	0.2	.....	42.6
Brooklyn Borough	.....	.....	.....	.....	0.1	0.1	0.2	2.4
Manhattan Borough	.....	.....	.....	.....	.....	0.1	0.1	0.5
Queens Borough	.....	.....	.....	.....	.....	0.3	.....	0.2
Richmond Borough	.....	.....	.....	.....	2.2	.....	.....	0.3
Rochester, N. Y	.....	.....	.....	.....	.....	.....	.....	11.6
Syracuse, N. Y	.....	.....	.....	.....	.....	.....	.....	.....
Cincinnati, Ohio	.....	.....	0.5	.....	.....	0.3	0.3	2.1
Cleveland, Ohio	.....	.....	.....	.....	0.2	.....	0.1	13.0
Columbus, Ohio	.....	.....	.....	.....	.....	.....	.....	7.6
Dayton, Ohio	.....	.....	.....	.....	.....	.....	0.2	6.4
Toledo, Ohio	.....	.....	.....	.....	.....	.....	.....	2.1
Portland, Oreg	.....	0.4	.....	0.8	0.4	.....	0.1	0.5
Philadelphia, Pa	.....	.....	.....	.....	0.1	0.1	0.1	13.1
Pittsburgh, Pa	.....	.....	0.2	.....	6.2	.....	0.2	26.0
Scranton, Pa	.....	.....	.....	.....	.....	.....	.....	0.5
Providence, R. I	.....	.....	.....	.....	.....	.....	.....	1.1
Memphis, Tenn. (total)	(8)	.....	.....	.....	.....	0.8	0.5	5.0
White	(8)	.....	.....	.....	.....	.....	0.6	(7)
Colored	(8)	.....	.....	.....	.....	1.9	0.4	(7)
Nashville, Tenn. (total)	(8)	.....	.....	.....	.....	.....	0.2	.....
White	(8)	.....	.....	.....	.....	.....	.....	(7)
Colored	(8)	.....	.....	.....	.....	.....	0.6	(7)
Richmond, Va. (total)	.....	.....	.....	.....	.....	.....	.....	0.4
White	.....	.....	.....	.....	.....	.....	.....	(7)
Colored	.....	.....	.....	.....	.....	.....	.....	(7)
Seattle, Wash	.....	.....	0.3	.....	.....	0.4	.....	1.0
Spokane, Wash	.....	.....	.....	.....	.....	0.9	1.1	5.0
Milwaukee, Wis	.....	.....	.....	.....	.....	.....	0.1	0.4

NOTE.—Populations upon which these rates are based will be found in Table IB, p. 65.

[1] Including District of Columbia.
[2] Less than one-tenth of 1 per 100,000 population.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Deaths not shown by color prior to 1906.
[8] Transcripts for deaths not received.

During the six years presented in the table the only areas among the summaries and states which reached a rate of one or more per 100,000 population were registration cities in nonregistration states in 1914 and 1915, Montana in 1914, North Carolina municipalities (of 1,000 population or more in 1910) from 1911 to 1915, and Utah from 1911 to 1913. In 1916 the entire state of North Carolina had the highest rate (0.5) of any of the states.

Among the cities which in 1910 had 100,000 population or more only three reported deaths from smallpox in 1916—New Orleans (1.1), Los Angeles (0.4), and Detroit (0.2).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 10 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 10 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SMALLPOX PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Battle Creek, Mich	.....	.....	.....	.....	.....	11.6
St. Cloud, Minn	.....	17.2	.....	.....	.....	.....
Webb City, Mo	21.7	14.7	.....	.....	.....	.....
Raleigh, N. C	.....	5.0	5.0	.....	.....	10.3
Winston-Salem,[1] N. C	.....	6.6	3.4	21.4	.....	.....
Chester, Pa	.....	.....	.....	15.0	2.5	.....
Chattanooga, Tenn	(2)	49.5	19.3	(3)	(3)	(3)
Beaumont, Tex	14.4	(3)	(3)	(3)	(3)	(3)
El Paso, Tex	28.3	51.9	101.0	6.4	49.3	57.3
San Antonio, Tex	13.7	10.0	.....	.....	3.8	1.0

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Salem consolidated with Winston, May, 1913.
[2] Transcripts for deaths not received.
[3] Not admitted to registration area until a later date.

Of the 10 minor cities shown in the preceding table, which had a death rate of 10 or more per 100,000 population for smallpox in any year from 1911 to 1916, almost every one had large colored populations, but only one (El Paso, Tex.) had rates of 10 or higher in more than two of the six years. This city, however, had very high rates in five of the six years, ranging from 28.3 in 1916 to 101 in 1914.

MEASLES.

The number of deaths from measles in the registration area in 1916 was 7,947, or 11.1 per 100,000 population. This rate is in striking contrast with that for 1915 (5.4), the lowest recorded in the annual mortality reports, the first of which was published in 1900. Excepting only the rates 12.5, 12.1, 12.3, and 12.8 for the years 1900, 1906, 1910, and 1913, respectively, the year 1916 had the highest rate for measles on record.

In the following table, which shows the rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 20 and higher are printed in boldfaced type.

AREA. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	11.1	5.4	6.8	12.8	7.0	10.0	10.8	9.0
Registration states[1]	11.5	5.2	6.9	13.0	7.3	9.9	11.1	8.8
Cities in registration states[1]	12.8	7.1	7.7	13.5	9.5	10.1	13.1	10.5
Rural part of registration states	10.3	3.4	6.1	12.4	5.0	9.7	8.9	6.7
Registration cities in nonregistration states	5.7	7.6	5.4	11.1	4.3	10.8	8.9	9.4
All registration cities[1]	11.8	7.2	7.3	13.2	8.7	10.2	12.0	9.9
REGISTRATION STATES.								
California	2.3	5.4	6.1	5.8	5.5	3.2	6.6	(2)
Colorado	3.8	2.2	9.3	4.0	1.9	15.0	11.0	(2)
Connecticut	12.1	5.0	12.0	8.5	10.1	8.2	9.9	9.7
Indiana	7.3	2.5	5.4	16.1	2.5	9.6	8.2	7.
Kansas	8.6	4.0	4.3	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	7.9	3.6	11.5	17.0	2.3	19.7	(2)	(2)
White	8.4	3.8	12.2	18.4	2.4	19.9	(2)	(2)
Colored	4.0	1.6	5.9	6.0	1.1	18.6	(2)	(2)
Maine	1.9	2.3	5.6	8.2	7.7	4.1	8.1	4.4
Maryland (total)	7.9	2.5	1.8	15.1	2.7	9.9	7.4	(2)
White	8.0	2.2	1.4	14.2	3.0	10.0	6.9	(2)
Colored	7.4	3.9	3.7	19.2	1.3	9.8	9.7	(2)
Massachusetts	12.7	7.4	5.5	14.1	11.3	8.9	10.7	9.2
Michigan	11.4	3.4	5.9	8.6	3.9	6.9	8.4	6.2
Minnesota	12.6	3.9	3.6	9.5	1.0	5.3	(3)	(3)
Missouri	15.6	4.5	12.2	13.1	1.7	18.7	(2)	(2)
Montana	7.8	1.6	6.2	12.9	1.5	12.5	(3)	(2)
New Hampshire	10.6	2.0	8.4	12.4	4.4	9.2	5.9	6.6
New Jersey	13.1	7.8	8.1	7.8	11.0	10.7	8.8	6.5
New York	9.9	8.8	8.6	11.5	10.8	10.6	13.7	11.1
North Carolina (total)	7.1	[4]0.6	[4]10.8	[5]27.0	[5]10.9	[5]15.5	(3)	(2)
White	6.9	0.9	12.9	32.3	11.6	14.4	(3)	(2)
Colored	7.6	.....	6.8	17.2	9.6	17.4	(3)	(2)
Ohio	15.8	4.3	4.8	13.7	8.2	6.4	(3)	(2)
Pennsylvania	18.1	6.7	6.7	19.5	10.6	10.3	15.3	(2)
Rhode Island	23.4	10.0	9.6	12.2	20.6	4.1	18.2	10.0
South Carolina (total)	4.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	4.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	4.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	8.5	0.9	2.9	31.6	3.8	10.9	(3)	(2)
Vermont	6.6	0.8	1.1	20.3	7.2	10.6	8.4	7.1
Virginia (total)	18.6	2.7	5.4	17.1	(2)	(2)	(2)	(2)
White	16.5	2.5	6.0	17.6	(2)	(2)	(2)	(2)
Colored	23.3	3.0	4.1	15.9	(2)	(2)	(2)	(2)
Washington	5.5	1.2	3.6	8.0	1.2	5.6	(3)	(2)
Wisconsin	11.8	2.1	6.0	7.6	5.2	10.7	(3)	(3)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	.....	6.3	9.0	7.0	11.3	22.0	(3)	(2)
White	.....	5.5	11.9	7.3	13.2	24.2	(3)	(2)
Colored	.....	7.6	4.6	6.4	8.4	18.6	(3)	(2)
Los Angeles, Cal	2.0	4.0	1.4	13.3	0.3	2.3	3.5	3.0
Oakland, Cal	.....	2.6	15.3	.....	3.0	11.5	7.7	4.3
San Francisco, Cal	1.3	4.8	10.5	1.8	11.3	7.7	9.0	8.4
Denver, Colo	1.9	1.2	4.1	4.2	0.4	21.2	8.6	7.7
Bridgeport, Conn	15.6	6.8	28.6	13.4	6.4	17.9	13.3	9.9
New Haven, Conn	5.3	12.2	21.5	1.4	18.7	2.2	13.3	11.7
Washington, D. C. (total)	2.2	2.0	0.3	7.8	2.0	6.5	4.9	5.6
White	1.9	2.3	.....	7.7	1.6	6.6	4.7	(6)
Colored	3.0	1.0	1.0	8.0	3.1	6.2	5.3	(6)
Atlanta, Ga. (total)	1.6	1.1	13.9	5.2	7.2	25.0	13.3	14.8
White	0.8	1.6	10.1	6.1	9.9	25.4	14.5	(6)
Colored	3.4	.....	21.6	3.4	1.8	24.2	11.0	(6)
Chicago, Ill	5.4	10.8	3.2	11.9	5.3	5.8	8.8	10.0
Indianapolis, Ind	9.8	.....	8.1	6.3	6.5	1.2	9.6	3.8
Louisville, Ky. (total)	2.1	.....	8.5	6.0	0.4	25.5	2.8	2.1
White	2.5	.....	8.3	5.8	0.5	18.8	2.8	(6)
Colored	.....	.....	9.4	7.1	.....	55.9	3.0	(6)
New Orleans, La. (total)	3.5	0.8	2.2	9.8	0.6	11.3	9.2	2.4
White	3.3	1.1	3.0	10.3	0.8	13.8	10.2	(6)
Colored	4.1	.....	.....	8.5	.....	4.4	6.2	(6)
Baltimore, Md. (total)	5.4	3.4	1.0	20.0	1.2	14.3	6.8	8.6
White	5.4	3.2	1.2	18.5	1.4	14.0	6.4	(6)
Colored	5.7	4.5	.....	28.6	.....	16.3	9.3	(6)
Boston, Mass	14.5	5.5	8.2	10.7	15.9	10.3	16.5	16.0
Cambridge, Mass	7.1	5.4	10.9	9.2	8.4	9.4	5.7	6.7
Fall River, Mass	30.4	14.2	2.4	58.9	1.6	37.5	17.3	14.8
Lowell, Mass	25.6	0.9	10.8	19.1	53.3	11.9	15.3	12.4
Worcester, Mass	34.3	1.2	11.4	10.3	9.9	3.3	10.3	7.9

(See footnotes at end of table.)

AREA. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Detroit, Mich.	18.0	9.0	7.6	20.4	10.1	9.3	10.3	9.0
Grand Rapids, Mich.	2.3	.....	4.1	9.1	.....	15.5	3.5	3.6
Minneapolis, Minn.	20.4	3.7	2.6	6.0	3.4	1.3	8.4	3.4
St. Paul, Minn.	7.3	5.0	1.3	7.8	0.4	.....	5.9	4.5
Kansas City, Mo.	14.1	2.1	1.1	22.3	0.4	3.1	11.6	5.1
St. Louis, Mo.	8.8	7.4	9.5	15.8	2.5	16.3	10.2	8.1
Omaha, Nebr.	1.8	8.0	1.5	0.8	0.8	3.9	10.3	5.9
Jersey City, N. J.	5.9	17.7	4.4	10.4	5.3	15.2	7.8	6.4
Newark, N. J.	25.7	5.0	18.2	4.7	14.6	6.9	10.6	9.2
Paterson, N. J.	18.1	0.7	9.7	0.8	20.7	1.5	8.5	7.0
Albany, N. Y.	24.5	1.9	1.9	6.8	5.9	.....	10.3	5.0
Buffalo, N. Y.	15.8	10.8	2.2	15.9	15.2	1.8	15.4	12.3
New York, N. Y.	9.9	12.1	10.8	13.9	13.9	13.2	13.6	14.4
Bronx Borough	6.3	7.6	7.0	13.8	8.9	11.5	29.6	29.4
Brooklyn Borough	5.1	6.9	6.8	7.9	11.2	7.6	22.5	15.7
Manhattan Borough	15.4	17.3	15.3	18.6	16.9	18.3	15.7	12.3
Queens Borough	4.1	6.2	6.8	8.9	13.7	3.6	8.2	5.3
Richmond Borough	2.0	21.9	4.3	18.5	14.4	28.0	9.6	6.8
Rochester, N. Y.	8.1	3.2	5.3	3.4	11.3	5.7	8.0	8.3
Syracuse, N. Y.	.....	6.6	2.7	15.7	4.2	11.3	5.9	6.0
Cincinnati, Ohio	15.3	3.7	.....	18.1	8.8	3.4	14.7	14.1
Cleveland, Ohio	8.9	11.0	4.5	16.4	5.7	6.9	12.5	5.0
Columbus, Ohio	15.8	6.7	11.7	4.5	11.9	11.2	8.7	7.0
Dayton, Ohio	1.6	2.4	5.7	4.1	12.5	0.8	5.7	8.9
Toledo, Ohio	33.8	4.8	3.8	7.8	14.1	.....	8.8	6.0
Portland, Oreg.	2.7	1.5	8.1	2.4	0.4	8.6	3.5	2.3
Philadelphia, Pa.	6.6	11.3	4.4	12.5	3.3	18.3	15.5	12.3
Pittsburgh, Pa.	23.7	12.9	9.4	27.4	26.9	9.4	25.8	31.1
Scranton, Pa.	3.4	5.6	7.1	2.9	15.5	2.3	11.7	8.3
Providence, R. I.	25.1	9.2	15.1	15.8	33.6	4.3	24.4	12.4
Memphis, Tenn. (total)	(7)	2.7	5.6	11.4	2.9	27.8	4.8	5.2
White	(7)	3.3	4.7	10.7	3.6	28.8	4.6	(6)
Colored	(7)	1.9	7.0	12.5	1.8	26.3	4.9	(6)
Nashville, Tenn. (total)	(7)	0.9	7.0	22.0	0.9	53.0	10.9	13.8
White	(7)	1.3	6.5	27.6	.....	57.7	12.1	(6)
Colored	(7)	.....	7.9	10.6	2.7	43.4	8.5	(6)
Richmond, Va. (total)	26.2	.....	0.7	19.5	0.8	8.5	13.3	6.9
White	15.9	.....	1.2	19.0	1.2	8.5	13.1	(6)
Colored	44.6	.....	.....	20.5	.....	8.4	13.4	(6)
Seattle, Wash.	3.4	.....	0.3	11.2	0.4	5.1	2.7	5.4
Spokane, Wash.	10.6	.....	6.6	0.8	5.8	5.3	4.6	4.3
Milwaukee, Wis.	27.7	4.2	9.1	6.4	11.2	7.1	14.5	6.1

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

The rate in 1916 for each subdivision of the registration area shows a marked increase over that in 1915, with the exception of the rate for registration cities in nonregistration states, which shows a decrease (5.7 and 7.6, respectively). Comparing the registration states for 1916 and 1915, two only, California and Maine, show decreases in 1916, while seven, Montana, New Hampshire, Utah, Vermont, Virginia, Washington, and Wisconsin, show rates in 1916 more than four times those for 1915. Notwithstanding the marked increase in the 1916 rate over 1915 only two (Virginia, 18.6 and Wisconsin, 11.8) of the seven states cited have rates above the rate (11.1) for the registration area as a whole. Rhode Island is the only state in 1916 which had a higher rate than 20, namely, 23.4.

Among the cities which in 1910 had 100,000 population or more, rates above 20 are shown for 11 in 1916. The 5 cities in this group showing the highest rates are Worcester (34.3), Toledo (33.8), Fall River (30.4), Milwaukee (27.7), and Richmond (26.2). The 5 showing the lowest rates are San Francisco (1.3), Atlanta and Dayton (each 1.6), Omaha (1.8), Denver (1.9), and Los Angeles (2).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 20 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Mobile, Ala.	.....	.....	30.6	.....	1.9	11.4
Montgomery, Ala.	.....	.....	9.6	2.4	.....	49.4
Bakersfield, Cal.	41.5	.....	.....	20.2	7.0	.....
Eureka, Cal.	.....	21.1	29.1	.....	.....	.....
Riverside, Cal.	30.4	10.5	5.5	.....	.....	.....
San Bernardino, Cal.	.....	6.1	25.6	.....	.....	.....
San Jose, Cal.	.....	13.2	5.4	.....	22.7	.....
Trinidad, Colo.	.....	.....	23.4	.....	.....	18.5
Ansonia, Conn.	6.0	6.1	12.3	6.3	63.7	.....
Bristol, Conn.	.....	.....	.....	47.4	13.9	.....
Danbury town, Conn.	11.5	3.9	.....	.....	41.0	.....
Hartford, Conn.	37.0	1.8	4.7	20.9	9.7	3.0
Manchester town, Conn.	.....	.....	.....	.....	.....	21.4
Middletown town, Conn.	26.3	.....	13.6	4.6	14.0	.....
Naugatuck, Conn.	28.4	.....	.....	.....	.....	15.4
New Britain, Conn.	22.3	.....	11.9	4.1	12.7	.....
New London, Conn.	.....	9.6	4.9	29.5	.....	.....
Norwalk, Conn.	.....	.....	3.8	.....	31.8	.....
Stamford town, Conn.	2.8	2.9	93.7	15.6	6.4	23.3
Torrington town, Conn.	30.6	.....	26.7	5.5	.....	17.3
Wallingford town, Conn.	.....	.....	8.3	8.4	37.2	43.8
Windham town, Conn.	14.1	.....	29.3	14.9	.....	77.5
Wilmington, Del.	27.6	3.2	16.2	15.4	2.2	13.5
Jacksonville, Fla.	.....	.....	1.4	4.5	3.1	23.7
Belleville, Ill.	4.7	.....	4.7	37.9	.....	4.7
Decatur, Ill.	32.8	2.6	.....	2.7	.....	.....
Evanston, Ill.	3.5	10.7	.....	7.4	3.8	23.4
Quincy, Ill.	29.9	.....	.....	.....	.....	24.6
Springfield, Ill.	9.8	36.9	.....	31.9	5.5	.....
East Chicago, Ind.	20.9	29.4	3.9	62.0	4.4	23.8
Elwood, Ind.	18.1	.....	.....	38.4	.....	.....
Evansville, Ind.	1.3	4.1	11.2	4.3	.....	32.4
Hammond, Ind.	11.5	7.9	.....	33.8	4.4	.....
Huntington, Ind.	.....	.....	.....	47.9	.....	.....
Kokomo, Ind.	.....	.....	.....	41.9	5.4	.....
Laporte, Ind.	22.7	.....	.....	16.4	.....	.....
Marion, Ind.	5.0	.....	5.1	20.4	.....	5.1
Michigan City, Ind.	.....	4.7	4.8	73.9	.....	.....
Mishawaka, Ind.	12.2	6.6	6.9	.....	.....	23.7
Terre Haute, Ind.	6.1	9.3	4.7	40.2	.....	.....
Vincennes, Ind.	11.3	.....	29.8	18.4	6.3	26.0
Coffeyville, Kans.	11.4	6.0	25.0	19.7	.....	(1)
Fort Scott, Kans.	19.0	.....	.....	.....	38.1	(1)
Independence, Kans.	.....	.....	37.6	.....	8.3	(1)
Parsons, Kans.	.....	6.7	.....	.....	36.9	(1)
Pittsburg, Kans.	11.2	11.5	.....	.....	25.2	(1)
Topeka, Kans.	8.2	.....	4.2	23.8	.....	(1)
Frankfort, Ky.	.....	.....	.....	46.4	.....	.....
Henderson, Ky.	.....	24.9	.....	.....	8.5	.....
Owensboro, Ky.	45.0	5.7	5.8	.....	.....	207.9
Paducah, Ky.	4.0	.....	53.8	.....	.....	13.0
Auburn, Me.	.....	.....	.....	.....	32.2	13.1
Biddeford, Me.	.....	.....	11.4	.....	23.1	11.6
Lewiston, Me.	.....	7.3	11.0	7.4	26.1	3.8
Portland, Me.	6.3	3.2	.....	26.1	8.3	10.1
Waterville, Me.	.....	16.0	16.3	.....	50.4	34.2
Cumberland, Md.	23.0	.....	.....	21.4	17.5	.....
Frederick, Md.	9.0	.....	.....	65.0	.....	.....
Hagerstown, Md.	15.6	.....	.....	.....	40.8	23.7
Adams town, Mass.	21.1	.....	57.8	7.3	.....	22.8
Attleboro, Mass.	15.6	.....	.....	22.5	.....	5.9
Brockton, Mass.	40.0	.....	3.1	3.2	18.1	.....
Chicopee, Mass.	10.2	13.9	.....	18.2	43.5	.....
Clinton town, Mass.	.....	.....	.....	46.6	.....	.....
Fitchburg, Mass.	.....	.....	4.9	47.7	2.5	.....
Gardner town, Mass.	17.5	.....	.....	25.1	12.8	.....
Gloucester, Mass.	12.3	.....	.....	.....	20.8	12.5
Greenfield town, Mass.	.....	.....	.....	8.9	.....	37.3
Holyoke, Mass.	1.5	9.4	.....	11.4	24.8	11.7
Lawrence, Mass.	20.9	30.6	6.3	37.4	18.7	26.7

(See footnotes at end of table.)

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Leominster town, Mass.	4.8	.....	.....	26.0	53.4	.....
Methuen town, Mass.	7.2	.....	.....	23.6	.....	.....
Milford town, Mass.	.....	7.2	21.8	.....	.....	.....
New Bedford, Mass.	14.4	35.7	3.6	33.4	5.8	11.8
Northampton, Mass.	25.1	.....	10.1	.....	15.3	.....
Pittsfield, Mass.	.....	18.6	.....	11.3	.....	29.5
Plymouth town, Mass.	21.8	14.8	.....	.....	47.2	.....
Taunton, Mass.	13.8	19.5	.....	8.5	34.3	.....
Wakefield town, Mass.	.....	24.0	.....	.....	.....	.....
Waltham, Mass.	3.3	16.6	.....	.....	24.3	17.7
Watertown town, Mass.	26.9	.....	28.1	7.2	.....	.....
Webster town, Mass.	30.3	.....	.....	.....	16.5	8.4
Westfield town, Mass.	5.4	.....	22.7	29.0	5.9	6.0
Adrian, Mich.	26.2	.....	.....	.....	.....	9.3
Bay City, Mich.	33.4	2.1	.....	17.2	2.2	2.2
Escanaba, Mich.	19.4	.....	.....	27.8	.....	.....
Flint, Mich.	23.7	1.9	8.1	.....	4.5	.....
Ironwood, Mich.	20.3	.....	7.1	14.5	22.2	.....
Ishpeming, Mich.	16.1	.....	.....	24.6	.....	.....
Manistee, Mich.	24.2	.....	.....	8.5	.....	.....
Marquette, Mich.	16.1	.....	16.5	.....	25.4	.....
Menominee, Mich.	19.0	.....	.....	.....	20.0	.....
Pontiac, Mich.	28.5	.....	.....	31.1	.....	.....
Traverse City, Mich.	.....	.....	15.1	.....	.....	32.5
Duluth, Minn.	22.2	.....	2.2	12.7	.....	1.2
Virginia, Minn.	13.2	.....	.....	54.2	.....	.....
Hannibal, Mo.	32.1	.....	.....	24.8	5.1	5.3
Joplin, Mo.	75.3	6.1	76.1	9.2	.....	3.1
Moberly, Mo.	.....	.....	32.9	8.4	.....	.....
St. Joseph, Mo.	21.1	1.2	2.4	22.1	.....	1.3
Sedalia, Mo.	46.3	.....	.....	32.1	.....	.....
Springfield, Mo.	19.8	.....	75.0	7.9	.....	38.2
Webb City, Mo.	188.1	.....	15.0	46.0	.....	16.0
Billings, Mont.	20.8	.....	23.0	16.2	.....	.....
Butte, Mont.	16.1	.....	2.4	24.3	.....	2.5
Great Falls, Mont.	.....	.....	44.3	14.7	.....	14.5
Helena, Mont.	7.3	7.4	.....	.....	.....	39.3
Lincoln, Nebr.	.....	2.2	.....	19.9	13.4	27.0
Berlin, N. H.	44.1	7.5	.....	39.3	.....	8.2
Concord, N. H.	.....	.....	.....	9.0	22.8	.....
Dover, N. H.	7.5	.....	.....	15.1	.....	30.2
Keene, N. H.	.....	.....	.....	.....	29.2	9.8
Manchester, N. H.	34.5	3.9	33.1	6.7	4.1	2.8
Portsmouth, N. H.	.....	.....	.....	.....	8.8	26.4
Bayonne, N. J.	5.7	8.9	13.8	6.4	23.1	17.0
Bridgeton, N. J.	.....	.....	14.0	41.9	.....	7.0
Camden, N. J.	.....	20.1	5.9	18.9	.....	13.4
Garfield, N. J.	55.4	43.6	23.0	8.1	51.2	.....
Hackensack, N. J.	70.8	12.1	.....	.....	6.6	31.2
Harrison, N. J.	23.6	6.0	6.2	.....	6.5	13.4
Hoboken, N. J.	20.7	3.9	6.7	13.5	4.1	39.1
Morristown, N. J.	7.5	.....	.....	7.7	31.3	.....
New Brunswick, N. J.	.....	19.9	16.1	.....	37.3	.....
Orange, N. J.	42.3	.....	.....	.....	.....	3.3
Passaic, N. J.	26.5	23.2	10.6	14.2	29.6	20.3
Perth Amboy, N. J.	7.3	12.6	28.7	5.4	59.4	5.9
Phillipsburg, N. J.	6.4	.....	6.6	6.8	.....	71.2
Plainfield, N. J.	33.6	8.6	.....	.....	23.0	.....
Trenton, N. J.	17.0	18.3	2.8	13.4	9.8	31.0
Auburn, N. Y.	10.7	.....	8.2	25.0	2.8	5.7
Binghamton, N. Y.	24.1	.....	30.7	31.2	6.0	10.0
Dunkirk, N. Y.	19.3	.....	20.4	5.3	.....	.....
Geneva, N. Y.	36.5	7.4	.....	.....	38.8	8.0
Glens Falls, N. Y.	.....	18.0	.....	.....	6.3	32.5
Hornell, N. Y.	13.6	.....	13.9	21.2	.....	.....
Hudson, N. Y.	7.9	.....	.....	.....	42.2	.....
Ithaca, N. Y.	18.9	.....	.....	.....	.....	20.2
Jamestown, N. Y.	2.7	.....	5.7	35.3	.....	.....
Johnstown, N. Y.	9.4	.....	.....	28.4	.....	.....
Kingston, N. Y.	.....	3.8	26.4	.....	.....	19.2
Lackawanna, N. Y.	31.3	57.1	.....	172.7	82.9	19.5
Lockport, N. Y.	35.2	.....	.....	10.3	10.4	.....
Middletown, N. Y.	.....	.....	31.9	.....	.....	6.6
Mount Vernon, N. Y.	2.7	30.5	8.6	2.9	21.2	6.2
Niagara Falls, N. Y.	72.3	2.8	2.8	52.9	9.1	22.3
North Tonawanda, N. Y.	58.1	7.4	15.2	23.3	.....	.....
Ogdensburg, N. Y.	.....	.....	24.3	36.7	.....	.....
Peekskill, N. Y.	.....	16.6	34.6	5.9	18.4	6.3
Plattsburg, N. Y.	38.9	.....	8.1	.....	.....	.....
Port Chester, N. Y.	.....	44.8	19.9	27.5	.....	30.3
Poughkeepsie, N. Y.	.....	.....	43.9	.....	3.5	17.5
Rome, N. Y.	37.9	.....	4.4	.....	.....	61.1
Utica, N. Y.	27.5	.....	26.8	13.7	12.8	36.3
Watertown, N. Y.	33.5	.....	.....	21.2	.....	.....
White Plains, N. Y.	31.2	.....	.....	16.2	.....	.....
Asheville, N. C.	9.6	.....	34.7	.....	56.4	10.5
Charlotte, N. C.	22.6	2.6	5.3	27.0	2.8	.....
Durham, N. C.	.....	.....	.....	73.5	.....	.....
Greensboro, N. C.	10.2	.....	.....	33.7	.....	6.0
Raleigh, N. C.	9.9	.....	.....	35.6	10.2	31.0

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Wilmington, N. C.	.....	.....	28.8	3.7	.....	41.8
Winston-Salem,[2] N. C.	48.1	.....	.....	25.0	9.6	.....
Fargo, N. Dak.	40.3	(1)	(1)	(1)	(1)	(1)
Akron, Ohio	47.4	2.4	10.0	5.2	9.3	1.4
Alliance, Ohio	10.5	5.5	.....	46.8	.....	12.6
Ashtabula, Ohio	23.3	.....	.....	20.0	5.1	.....
Bellaire, Ohio	83.6	42.5	.....	7.3	67.2	.....
Cambridge, Ohio	22.3	.....	.....	8.1	.....	.....
Chillicothe, Ohio	12.9	.....	6.6	.....	33.7	13.6
East Liverpool, Ohio	79.7	4.5	.....	55.8	.....	14.4
Findlay, Ohio	13.5	6.7	.....	21.5	.....	13.8
Hamilton, Ohio	12.3	.....	5.2	21.1	10.8	.....
Ironton, Ohio	14.3	50.7	.....	22.1	.....	7.5
Lakewood, Ohio	26.5	.....	9.9	36.8	.....	18.0
Lima, Ohio	22.6	.....	.....	24.1	.....	.....
Lorain, Ohio	27.1	.....	2.9	36.3	12.6	6.6
Mansfield, Ohio	.....	.....	.....	41.3	.....	.....
Marietta, Ohio	6.8	6.8	.....	.....	31.2	.....
Marion, Ohio	4.3	17.6	.....	32.8	5.1	.....
Middletown, Ohio	89.6	6.6	.....	110.9	14.3	14.7
Piqua, Ohio	14.1	.....	7.2	.....	.....	22.2
Portsmouth, Ohio	24.4	.....	36.3	48.3	3.8	31.2
Sandusky, Ohio	14.9	.....	.....	.....	24.9	.....
Springfield, Ohio	17.5	.....	20.0	4.1	6.2	.....
Steubenville, Ohio	120.2	.....	.....	112.0	28.9	.....
Youngstown, Ohio	40.6	1.9	12.9	48.9	24.3	7.2
Zanesville, Ohio	51.8	.....	3.3	10.2	.....	21.0
Allentown, Pa.	18.9	8.1	31.5	1.7	.....	.....
Altoona, Pa.	10.2	1.7	35.4	.....	20.2	5.6
Beaver Falls, Pa.	81.3	60.1	7.6	54.3	15.8	48.2
Braddock, Pa.	23.1	51.6	9.6	29.2	29.7	75.7
Bradford, Pa.	.....	.....	13.5	6.7	20.8	.....
Butler, Pa.	54.3	.....	.....	4.1	.....	.....
Carbondale, Pa.	10.4	.....	.....	22.0	.....	.....
Carnegie, Pa.	51.3	17.5	.....	9.2	66.0	.....
Chambersburg, Pa.	.....	.....	.....	41.3	.....	.....
Chester, Pa.	50.7	4.9	.....	40.0	7.6	2.6
Coatesville, Pa.	27.7	.....	7.5	54.6	.....	.....
Connellsville, Pa.	25.9	.....	.....	21.1	.....	.....
Dunmore, Pa.	4.8	64.1	30.4	.....	16.0	32.9
Duquesne, Pa.	85.2	.....	.....	167.6	5.8	6.0
Easton, Pa.	9.8	6.6	3.3	13.5	.....	34.6
Erie, Pa.	31.9	1.4	4.1	9.9	8.6	.....
Farrell,[3] Pa.	163.6	9.6	.....	(4)	(4)	.....
Greensburg, Pa.	19.4	.....	.....	77.0	.....	.....
Harrisburg, Pa.	27.8	2.8	.....	1.5	14.9	1.5
Hazleton, Pa.	10.5	7.1	7.3	29.6	15.1	3.9
Homestead, Pa.	62.3	13.7	4.7	67.3	15.0	46.3
Johnstown, Pa.	27.7	6.0	9.3	31.9	3.3	10.4
Lancaster, Pa.	11.8	2.0	.....	4.1	22.7	2.1
Lebanon, Pa.	9.6	4.9	.....	25.3	.....	20.6
McKees Rocks, Pa.	90.2	5.2	5.5	63.2	36.2	.....
McKeesport, Pa.	48.4	.....	6.5	31.0	13.5	6.9
Mahanoy City, Pa.	22.9	11.6	17.7	6.0	.....	49.3
Meadville, Pa.	36.2	.....	.....	7.5	.....	.....
Monessen, Pa.	13.9	54.5	.....	40.4	7.0	46.3
Mount Carmel, Pa.	9.9	20.2	.....	10.6	21.6	.....
Nanticoke, Pa.	.....	22.3	4.6	9.5	10.6	5.1
New Castle, Pa.	41.3	.....	.....	54.1	.....	2.7
Morristown, Pa.	6.4	3.2	16.5	.....	34.3	7.0
North Braddock, Pa.	13.2	27.4	14.2	7.4	7.7	32.1
Oil City, Pa.	20.7	5.3	.....	27.3	.....	.....
Old Forge, Pa.	.....	14.0	29.1	7.6	7.9	8.3
Pittston, Pa.	10.8	5.5	67.2	11.4	5.8	17.9
Pottstown, Pa.	35.7	6.0	.....	12.3	.....	.....
Pottsville, Pa.	8.9	13.6	.....	9.4	23.8	.....
Reading, Pa.	22.8	6.5	.....	17.7	6.0	14.3
Shamokin, Pa.	14.2	.....	.....	14.5	4.9	34.9
Sharon, Pa.	32.2	.....	.....	52.9	.....	.....
Shenandoah, Pa.	8.4	.....	10.7	18.2	22.2	.....
South Bethlehem, Pa.	53.7	21.3	13.1	31.6	37.2	9.6
Steelton, Pa.	70.7	.....	6.6	6.7	27.2	.....
Sunbury, Pa.	43.1	.....	6.5	.....	54.6	7.0
Uniontown, Pa.	4.8	.....	5.2	21.8	11.5	18.1
Washington, Pa.	4.6	.....	29.0	19.8	15.2	.....
Wilkes-Barre, Pa.	2.6	8.0	33.9	2.8	39.7	4.3
Wilkinsburg, Pa.	34.4	.....	.....	4.8	9.8	.....
York, Pa.	42.6	.....	.....	8.3	4.2	.....
Cranston,[5] R. I.	26.9	19.8	.....	8.5	8.8	.....
Cumberland town, R. I.	36.9	.....	.....	19.1	.....	.....
East Providence town, R. I.	5.5	16.9	17.3	.....	30.1	.....
Pawtucket, R. I.	8.4	12.0	.....	16.2	20.2	.....
Warwick town,[6] R. I.	53.4	3.4	3.5	17.6	.....	3.7
Woonsocket, R. I.	36.1	13.8	21.3	2.4	24.8	2.5
Chattanooga, Tenn.	(7)	1.7	26.3	(1)	(1)	(1)
Jackson, Tenn.	(7)	.....	39.9	(1)	(1)	(1)
Knoxville, Tenn.	(7)	2.6	5.3	(7)	2.7	21.7
El Paso, Tex.	44.0	66.9	20.2	127.5	.....	11.9
Ogden, Utah	15.9	3.3	.....	21.0	3.6	3.7
Salt Lake City, Utah	11.1	.....	4.6	12.3	4.0	28.8

(See footnotes at end of table.)

CITY. [Rates of 20-or more per 100,000 in boldfaced type.]	DEATH RATE FROM MEASLES PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Burlington, Vt.	41.6	.....	.....	19.0	14.4	9.7
Rutland, Vt.	27.0	.....	.....	42.2	.....	.....
Danville, Va.	40.0	.....	5.1	25.6	5.2	5.2
Lynchburg, Va.	15.2	.....	.....	25.6	13.0	.....
Newport News, Va.	4.9	.....	.....	24.5	(1)	(1)
Petersburg, Va.	101.6	.....	.....	4.0	.....	4.1
North Yakima, Wash.	.....	.....	.....	.....	.....	32.4
Walla Walla, Wash.	.....	.....	4.3	31.3	.....	.....
Wheeling, W. Va.	23.1	.....	9.3	4.7	.....	16.7
Appleton, Wis.	.....	.....	22.9	5.8	.....	6.0
Ashland, Wis.	.....	8.6	.....	27.0	.....	.....
Eau Claire, Wis.	26.6	.....	.....	37.7	.....	5.5
Green Bay, Wis.	.....	.....	50.0	.....	3.7	27.1
Janesville, Wis.	.....	7.0	.....	.....	.....	43.1
Kenosha, Wis.	19.0	.....	.....	27.9	16.9	.....
Madison, Wis.	6.5	13.3	6.8	10.4	.....	23.2
Marinette, Wis.	20.5	.....	.....	.....	7.0	.....
Oshkosh, Wis.	2.8	.....	19.9	5.8	.....	50.5
Superior, Wis.	21.6	.....	2.3	30.0	2.4	2.4
Wausau, Wis.	10.4	21.3	.....	.....	.....	35.1

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Salem consolidated with Winston, May, 1913.
[3] Name changed from South Sharon (incorporated in 1901) in 1912.
[4] Population not estimated.
[5] Includes state institutions.
[6] Includes West Warwick town, organized November, 1913.
[7] Transcripts for deaths not received.

Among these minor cities, the five showing the highest rates are Webb City, Mo. (188.1); Farrell, Pa. (163.6); Steubenville, Ohio (120.2); Petersburg, Va. (101.6); and McKees Rocks, Pa. (90.2). The excessively high rates for these cities in 1916 are in marked contrast to the rates for 1915. In three of them there were no deaths reported for that year and for the other two the rates were below 10 per 100,000. The five cities showing the lowest rates in 1916 are Evansville, Ind. (1.3); Holyoke, Mass. (1.5); Wilkes-Barre, Pa. (2.6); Jamestown and Mount Vernon, N. Y. (each 2.7); and Stamford town, Conn. and Oshkosh, Wis. (each 2.8).

Great variations in the death rates from measles in the states and cities are to be expected in view of the epidemic character of this disease.

SCARLET FEVER.

Scarlet fever caused 2,355 deaths in 1916, corresponding to a rate of 3.3 per 100,000 population, the lowest rate recorded for this disease since the publication of the first annual mortality report in 1900 and representing a decrease from the rate in that year of 67.6 per cent. For the years 1914, 1915, and 1916 the rates (6.6, 3.6, and 3.3, respectively, per 100,000) were not only the lowest since 1900 but were also lower for each succeeding year.

In the following table, which shows the rates per 100,000 population for 1911 to 1916 and the annual averages for the two five-year periods from 1901 to 1905 and 1906 to 1910, rates of 20 and higher are printed in boldfaced type.

All the main subdivisions of the registration area had lower rates in 1916 than in 1915, except registration cities in nonregistration states. Only 12 of the 24 states for which comparisons can be made had lower rates in 1916.

AREA. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	3.3	3.6	6.6	8.7	6.7	8.8	10.6	11.0
Registration states[1]	3.1	3.6	6.6	7.7	6.0	8.5	10.5	11.2
Cities in registration states[1]	3.5	4.0	8.3	9.7	7.5	11.0	13.3	14.8
Rural part of registration states	2.8	3.1	4.9	5.7	4.5	6.0	7.2	6.5
Registration cities in nonregistration states	5.1	3.7	6.5	20.6	13.8	12.2	11.6	10.8
All registration cities[1]	3.7	4.0	8.0	11.3	8.4	11.2	12.9	12.8
REGISTRATION STATES.								
California	1.5	2.3	3.4	3.3	1.6	3.6	3.4	(2)
Colorado	3.8	6.2	10.4	17.2	10.0	9.9	21.0	(2)
Connecticut	2.7	3.1	6.8	9.7	7.3	9.0	8.0	10.9
Indiana	3.7	3.6	4.1	7.3	4.1	6.6	5.0	6.7
Kansas	3.4	1.8	1.8	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	2.4	2.3	2.6	2.4	2.8	3.7	(2)	(2)
White	2.5	2.5	2.8	2.7	3.1	4.1	(2)	(2)
Colored	0.8	1.2	1.5	.....	1.1	0.8	(2)	(2)
Maine	0.5	1.7	2.2	2.2	2.1	2.1	3.0	1.9
Maryland (total)	3.8	5.3	5.7	5.2	2.7	5.0	5.0	(2)
White	4.2	5.8	6.2	6.0	3.0	5.9	5.8	(2)
Colored	1.7	2.6	3.3	1.3	0.8	1.3	1.1	(2)
Massachusetts	3.5	5.5	7.0	8.8	3.8	5.7	8.7	10.3
Michigan	5.8	3.6	6.0	9.6	6.3	7.1	8.7	8.8
Minnesota	5.3	6.5	15.0	8.5	4.8	9.0	(3)	(2)
Missouri	5.3	2.2	6.3	4.3	4.3	9.7	(2)	(2)
Montana	4.1	3.6	7.6	28.4	6.4	9.4	(3)	(2)
New Hampshire	1.4	1.6	5.7	3.0	2.3	3.7	2.6	3.8
New Jersey	2.5	3.5	8.6	8.4	5.4	8.4	13.3	13.2
New York	2.0	4.3	7.3	9.2	8.5	12.6	14.9	15.2
North Carolina (total)	2.6	[4]1.6	[4]0.6	[5]2.8	[5]2.6	[5]2.1	(3)	(2)
White	3.5	2.5	0.6	3.5	3.2	2.9	(3)	(2)
Colored	0.5	.....	0.6	1.4	1.5	0.8	(3)	(2)
Ohio	4.1	4.4	4.7	6.5	8.0	10.3	(3)	(2)
Pennsylvania	2.8	3.6	10.4	11.3	6.9	9.6	12.8	(2)
Rhode Island	5.0	4.5	7.8	3.6	7.4	10.4	12.0	9.2
South Carolina (total)	2.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	4.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	1.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	5.8	2.8	3.4	3.7	4.6	14.5	(3)	(2)
Vermont	3.6	1.1	3.3	5.0	2.5	1.4	2.7	5.4
Virginia (total)	1.3	1.1	1.8	2.6	(2)	(2)	(2)	(2)
White	1.8	1.4	2.6	3.6	(2)	(2)	(2)	(2)
Colored	0.3	0.4	.....	0.4	(2)	(2)	(2)	(2)
Washington	0.8	0.5	1.8	2.3	1.6	4.6	(3)	(2)
Wisconsin	5.0	3.6	8.8	8.1	11.9	9.4	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	1.1	12.6	4.2	0.6	1.3	1.5	(3)	(2)
White	1.8	20.2	6.0	1.0	2.2	2.4	(3)	(2)
Colored	.....	.....	1.5	.....	.....	.....	(3)	(2)
Los Angeles, Cal.	1.4	2.1	1.1	3.2	2.1	2.6	3.8	6.2
Oakland, Cal.	.....	0.5	2.7	1.1	.....	1.3	2.4	3.4
San Francisco, Cal.	1.7	2.0	1.1	4.1	0.7	3.5	3.4	3.1
Denver, Colo.	1.2	3.6	10.6	22.3	7.4	5.0	23.3	20.3
Bridgeport, Conn.	3.3	7.6	16.5	26.8	17.4	2.8	13.7	16.6
New Haven Conn.	6.7	3.4	4.8	8.5	5.7	10.2	6.0	7.2
Washington, D. C. (total)	1.6	2.5	0.3	4.0	1.2	1.2	3.9	2.8
White	1.9	3.1	0.4	5.2	1.6	1.7	4.4	(6)
Colored	1.0	1.0	.....	1.0	.....	.....	2.6	(6)
Atlanta, Ga. (total)	1.6	0.5	1.1	.....	1.2	4.4	3.0	7.9
White	1.5	0.8	0.8	.....	1.8	5.6	4.4	(6)
Colored	1.7	.....	1.7	.....	.....	1.9	0.4	(6)
Chicago, Ill.	6.4	3.4	10.1	39.2	27.2	21.9	22.9	13.1
Indianapolis, Ind.	4.7	3.0	6.5	5.1	4.0	3.7	5.7	3.9
Louisville, Ky. (total)	0.4	0.8	5.1	3.4	3.9	3.5	5.8	3.6
White	0.5	0.5	5.7	4.2	4.3	4.3	6.2	(6)
Colored	.....	2.4	2.3	.....	2.4	.....	4.0	(6)
New Orleans, La. (total)	0.3	0.5	0.6	0.6	2.6	1.2	8.1	6.2
White	0.4	0.7	0.8	0.4	3.5	1.6	10.0	(6)
Colored	.....	.....	.....	1.1	.....	.....	2.7	(6)
Baltimore, Md. (total)	5.3	5.6	5.5	7.7	3.9	7.8	7.5	12.1
White	6.2	6.0	5.1	8.6	4.3	8.6	8.6	(6)
Colored	.....	3.4	7.9	2.3	1.2	3.5	1.9	(6)
Boston, Mass.	5.2	11.1	9.0	10.5	4.5	11.2	11.7	16.8
Cambridge, Mass.	1.8	3.6	1.8	.....	1.9	2.8	5.5	6.1
Fall River, Mass.	1.6	4.7	9.6	21.8	7.3	1.6	10.3	11.8

(See footnotes at end of table.)

AREA. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Lowell, Mass	5.3	.....	1.8	3.6	5.5	4.6	12.9	4.4
Worcester, Mass	1.8	1.9	4.4	7.7	7.2	8.6	11.6	6.9
Detroit, Mich	9.2	4.7	9.7	21.3	11.7	13.0	20.2	13.8
Grand Rapids, Mich	1.6	0.8	17.9	18.2	0.8	5.2	11.9	6.0
Minneapolis, Minn	4.4	3.1	26.2	18.9	4.6	6.1	8.6	9.8
St. Paul, Minn	3.2	12.4	19.4	7.8	4.0	16.0	17.5	9.4
Kansas City, Mo	27.5	1.4	1.4	2.2	5.3	5.4	10.1	8.7
St. Louis, Mo	6.3	2.9	19.1	6.1	6.5	27.7	11.1	12.0
Omaha, Nebr	33.8	14.1	12.8	10.7	3.9	6.3	8.2	10.2
Jersey City, N. J	3.9	5.0	7.5	14.3	9.2	11.6	26.3	18.5
Newark, N. J	1.2	0.5	6.9	5.5	1.9	6.6	18.1	23.3
Paterson, N. J	2.2	.....	0.7	3.0	6.9	10.1	9.3	8.6
Albany, N. Y	.....	2.9	7.8	2.0	.....	1.0	13.1	8.1
Buffalo, N. Y	6.2	5.4	5.7	3.4	5.5	17.9	27.5	6.2
New York, N. Y	2.2	5.7	9.1	11.0	12.4	15.1	20.0	22.7
Bronx Borough	1.4	4.5	7.6	9.3	12.6	12.5	20.8	57.8
Brooklyn Borough	1.6	6.0	6.5	11.1	12.8	17.1	23.6	23.6
Manhattan Borough	2.6	5.5	11.2	10.8	12.9	14.8	18.4	19.2
Queens Borough	3.6	7.6	12.1	13.5	7.0	10.5	14.5	10.5
Richmond Borough	2.0	3.1	3.2	14.1	11.1	12.3	11.1	15.9
Rochester, N. Y	0.8	2.8	11.0	8.9	12.2	22.0	11.8	10.2
Syracuse, N. Y	0.6	.....	8.0	13.0	7.0	26.0	9.7	14.8
Cincinnati, Ohio	0.5	1.0	4.7	5.3	10.6	20.9	4.7	13.1
Cleveland, Ohio	6.1	11.1	8.0	19.4	17.4	33.0	13.2	7.1
Columbus, Ohio	2.3	1.4	1.5	4.5	3.1	4.3	2.3	8.8
Dayton, Ohio	11.0	7.2	7.3	4.1	1.7	0.8	4.7	3.8
Toledo, Ohio	4.0	4.3	1.1	6.7	9.6	5.2	6.7	4.2
Portland, Oreg	0.7	0.4	1.9	4.1	3.0	5.9	5.4	3.7
Philadelphia, Pa	2.5	1.6	8.1	10.5	7.7	12.3	9.3	12.4
Pittsburgh, Pa	3.6	9.6	33.3	26.4	10.7	10.7	16.1	27.3
Scranton, Pa	2.0	2.8	2.8	10.1	6.6	6.8	33.3	6.7
Providence, R. I	6.3	7.6	8.2	5.4	11.9	13.4	21.0	10.9
Memphis, Tenn. (total)	(7)	4.8	2.1	8.5	0.7	2.3	6.1	8.2
White	(7)	6.5	3.5	11.9	1.2	3.8	9.0	(6)
Colored	(7)	1.9	.....	3.6	.....	.....	2.0	(6)
Nashville, Tenn. (total)	(7)	1.7	.....	.....	.....	3.6	3.4	10.9
White	(7)	2.5	.....	.....	.....	4.0	4.6	(6)
Colored	(7)	.....	.....	.....	.....	2.7	1.1	(6)
Richmond, Va. (total)	1.9	0.6	1.5	3.8	0.8	2.3	0.9	2.2
White	3.0	1.0	2.3	4.7	.....	2.4	1.4	(6)
Colored	.....	.....	.....	2.0	2.1	2.1	.....	(6)
Seattle, Wash	.....	0.3	1.0	2.0	0.7	2.8	5.5	7.3
Spokane, Wash	0.7	2.1	1.5	6.2	1.7	6.2	17.2	9.3
Milwaukee, Wis	11.0	7.0	22.6	15.7	16.2	15.7	19.3	6.5

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

The states showing the highest death rates from scarlet fever in 1916 are Michigan and Utah (each 5.8), Minnesota and Missouri (each 5.3), Rhode Island and Wisconsin (each 5), and Montana and Ohio (each 4.1). The states showing lowest rates are Maine (0.5), Washington (0.8), Virginia (1.3), New Hampshire (1.4), and California (1.5).

Among the cities of 100,000 population or more the highest rates are shown for Omaha (33.8), Kansas City, Mo. (27.5), Dayton, and Milwaukee (each 11), Detroit (9.2), and New Haven (6.7). The lowest rates shown are for New Orleans (0.3), Louisville (0.4), Cincinnati (0.5), Syracuse (0.6), and Portland, Oreg. and Spokane (each 0.7).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 20 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Bakersfield, Cal	5.9	.....	12.9	53.8	7.0	.....
Fresno, Cal	2.9	.....	40.3	10.5	.....	.....
Redlands, Cal	.....	.....	7.8	.....	.....	26.9
Trinidad, Colo	.....	.....	.....	.....	106.3	.....
Hartford, Conn	1.8	0.9	4.7	13.3	30.0	22.7
Manchester town, Conn	.....	.....	33.5	.....	7.0	7.1
Naugatuck, Conn	.....	.....	14.7	22.3	7.6	15.4
Norwich town, Conn	10.2	6.8	10.3	27.7	.....	14.1
Torrington town, Conn	5.1	5.2	48.1	16.4	.....	.....
Waterbury, Conn	.....	.....	17.0	3.7	7.7	22.4
Windham town, Conn	7.1	.....	.....	67.1	.....	7.7
Belleville, Ill	.....	9.5	61.5	.....	.....	9.5
Decatur, Ill	2.5	20.8	2.7	2.7	2.8	12.3
Evanston, Ill	34.8	.....	7.2	18.4	19.0	7.8
East Chicago, Ind	.....	18.4	3.9	82.7	17.7	28.5
Elwood, Ind	27.2	9.1	9.8	.....	.....	18.6
Hammond, Ind	.....	11.8	4.1	25.4	8.8	9.1
Laporte, Ind	.....	15.6	.....	.....	34.6	9.1
Michigan City, Ind	.....	9.5	14.5	4.9	.....	46.2
Mishawaka, Ind	.....	6.6	.....	7.2	7.5	31.6
Richmond, Ind	.....	.....	12.5	34.0	21.6	4.4
South Bend, Ind	5.8	3.0	.....	25.3	1.6	13.5
Hutchinson, Kans	.....	.....	25.9	10.7	.....	(1)
Leavenworth, Kans	5.2	5.2	10.7	42.3	57.7	.....
Pittsburg, Kans	.....	.....	5.9	36.7	12.6	(1)
Biddeford, Me	.....	.....	5.7	.....	.....	23.3
Cumberland, Md	.....	15.6	35.9	4.3	8.7	.....
Adams town, Mass	.....	.....	.....	110.0	.....	.....
Attleboro, Mass	.....	.....	21.9	16.9	.....	5.9
Chicopee, Mass	10.2	7.0	10.7	21.9	22.4	3.7
Fitchburg, Mass	.....	21.9	12.3	5.0	2.5	2.6
Haverhill, Mass	4.1	10.5	4.2	2.2	4.4	21.9
Holyoke, Mass	1.5	7.8	9.5	42.2	3.3	6.7
New Bedford, Mass	1.7	7.8	27.0	2.8	.....	1.0
Peabody town, Mass	38.1	5.6	17.1	11.7	.....	.....
Pittsfield, Mass	2.6	.....	5.5	42.3	5.8	.....
Plymouth town, Mass	7.3	.....	37.8	7.7	15.7	8.1
Quincy, Mass	10.5	2.7	8.2	.....	.....	20.7
Taunton, Mass	5.5	11.1	19.6	31.2	5.7	.....
Escanaba, Mich	32.3	.....	.....	7.0	14.3	14.7
Ironwood, Mich	6.8	.....	42.4	7.2	.....	7.5
Manistee, Mich	.....	.....	.....	34.0	16.7	40.6
Marquette, Mich	.....	.....	16.5	16.7	.....	34.3
Muskegon, Mich	42.1	11.6	.....	4.0	.....	.....
Duluth, Minn	3.2	2.2	20.1	8.1	1.2	7.3
Mankato, Minn	9.6	38.6	.....	.....	.....	9.8
Stillwater, Minn	9.8	.....	21.5	.....	.....	.....
Virginia, Minn	.....	.....	.....	31.0	.....	.....
Winona, Minn	5.4	5.4	55.2	22.0	.....	38.6
Jefferson City, Mo	.....	7.5	23.0	8.0	.....	.....
Webb City, Mo	.....	.....	.....	23.0	15.7	8.0
Butte, Mont	4.6	2.3	4.7	55.9	9.9	17.6
Great Falls, Mont	7.2	.....	51.7	146.7	7.3	21.7
Helena, Mont	.....	7.4	.....	22.9	.....	31.4
Manchester, N. H	1.3	.....	23.8	8.1	1.4	4.2
Bayonne, N. J	.....	1.5	4.6	22.2	13.2	18.7
Bridgeton, N. J	.....	.....	20.9	7.0	.....	7.0
Garfield, N. J	.....	29.1	7.7	.....	.....	89.7
Morristown, N. J	30.1	.....	.....	.....	.....	23.8
New Brunswick, N. J	.....	4.0	80.6	.....	.....	12.8
Perth Amboy, N. J	4.9	.....	23.5	21.7	2.8	17.8
Phillipsburg, N. J	.....	13.0	46.5	6.8	6.9	.....
Plainfield, N. J	4.2	.....	.....	45.0	.....	4.7
Trenton, N. J	2.7	3.7	28.2	26.8	2.0	7.0
West New York, N. J	.....	11.2	5.9	24.6	13.0	13.2
Amsterdam, N. Y	5.4	.....	8.5	52.5	9.0	27.2
Auburn, N. Y	2.7	2.7	5.5	33.3	.....	5.7
Dunkirk, N. Y	4.8	5.0	10.2	5.3	5.4	62.1
Geneva, N. Y	.....	.....	45.1	7.6	7.8	.....
Glens Falls, N. Y	.....	.....	.....	49.7	.....	6.5
Hudson, N. Y	.....	.....	57.3	8.3	8.4	.....
Little Falls, N. Y	.....	7.5	22.9	.....	7.9	8.0
Niagara Falls, N. Y	5.4	5.5	2.8	44.1	18.2	9.5
Port Chester, N. Y	.....	.....	19.9	.....	21.4	15.1
Poughkeepsie, N. Y	.....	33.3	6.8	6.8	6.9	10.5
Rome, N. Y	.....	.....	.....	31.6	.....	9.4
Schenectady, N. Y	2.0	1.0	15.4	91.5	.....	3.9
Troy, N. Y	2.6	2.6	6.4	.....	2.6	29.9
Yonkers, N. Y	6.0	2.1	4.3	4.4	5.8	21.3
Winston-Salem,[2] N. C	22.5	.....	3.4	3.6	4.8	.....

(See footnotes at end of table.)

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM SCARLET FEVER PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Akron, Ohio	4.4	9.6	8.7	10.3	26.7	37.3
Ironton, Ohio	7.2	.....	.....	7.4	22.3	7.5
Lakewood, Ohio	4.4	9.3	54.4	10.5	5.6	24.1
Marietta, Ohio	.....	.....	.....	.....	7.8	46.6
Youngstown, Ohio	6.5	4.8	4.0	11.1	39.3	4.8
Beaver Falls, Pa	.....	22.5	15.3	7.8	7.9	.....
Braddock, Pa	.....	.....	33.4	38.9	9.9	5.0
Bradford, Pa	.....	.....	.....	26.9	.....	.....
Carbondale, Pa	15.6	.....	.....	5.5	11.2	22.9
Carnegie, Pa	8.6	.....	9.0	55.2	.....	19.3
Duquesne, Pa	5.0	.....	26.9	11.2	11.6	.....
Easton, Pa	.....	.....	26.8	3.4	.....	3.5
Erie, Pa	1.3	.....	1.4	33.8	67.5	2.9
Farrell,[3] Pa.	38.5	19.2	.....	(4)	(4)	9.8
Hazleton, Pa	3.5	25.0	21.8	.....	7.5	.....
Homestead, Pa	8.9	.....	23.5	4.8	.....	.....
Johnstown, Pa	.....	.....	6.2	9.6	6.6	22.5
McKees Rocks, Pa	.....	.....	21.9	5.7	.....	.....
Mahanoy City, Pa	.....	5.8	5.9	12.0	12.1	49.3
Mount Carmel, Pa	.....	.....	5.2	5.3	.....	22.1
North Braddock, Pa	.....	20.5	23.4	14.8	.....	16.0
Old Forge, Pa	.....	.....	7.3	7.6	.....	25.0
Pittston, Pa	5.4	.....	5.6	28.6	11.7	6.0
Plymouth, Pa	5.2	16.0	38.0	5.5	.....	.....
Pottsville, Pa	.....	.....	4.6	.....	28.6	33.7
Shamokin, Pa	4.7	.....	38.4	48.3	14.6	.....
Sharon, Pa	5.4	16.6	.....	.....	.....	38.0
Shenandoah, Pa	3.4	3.5	14.2	101.7	177.8	219.4
South Bethlehem, Pa	.....	.....	17.5	22.6	.....	4.8
Wilkinsburg, Pa	.....	4.5	50.7	19.0	4.9	5.1
El Paso, Tex	3.1	16.7	10.1	10.6	29.1	19.1
Ogden, Utah	6.4	.....	13.5	10.5	3.6	59.9
Rutland, Vt	6.7	.....	6.9	63.3	.....	7.2
Lynchburg, Va	3.0	.....	9.4	6.4	13.0	33.3
Aberdeen, Wash	.....	.....	.....	.....	.....	33.6
Beloit, Wis	.....	.....	46.7	.....	.....	.....
Green Bay, Wis	3.4	17.4	21.4	18.3	18.7	11.6
Kenosha, Wis	6.3	.....	.....	16.0	203.1	22.1
Manitowoc, Wis	.....	7.3	.....	52.1	15.0	.....
Racine, Wis	21.5	6.6	29.2	4.6	7.0	9.5
Superior, Wis	2.2	.....	31.6	4.6	.....	4.8
Wausau, Wis	.....	.....	10.9	5.6	11.4	46.8

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Salem consolidated with Winston, May, 1913.
[3] Name changed from South Sharon (incorporated in 1901) in 1912.
[4] Population not estimated.

Among these minor cities the highest rates in 1916 are for Muskegon, Mich. (42.1), Farrell, Pa. (38.5), Peabodytown, Mass. (38.1), Evanston, Ill. (34.8), and Escanaba, Mich. (32.3). The lowest rates are for Manchester, N. H. and Erie, Pa. (each 1.3), Holyoke, Mass. (1.5), New Bedford, Mass. (1.7), Hartford, Conn. (1.8), and Schenectady, N. Y. (2).

WHOOPING COUGH.

A total of 7,284 deaths from whooping cough, with a death rate of 10.2 per 100,000 population, was reported from the registration area for 1916. This rate was higher than the rate for 1915 (8.1), and, in fact, an increase in 1916 was shown for each of the subdivisions of the area except registration cities in nonregistration states.

In the following table, which shows the rates per 100,000 population for 1911 to 1916 and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 20 and higher are printed in boldfaced type.

Of the 24 states for which rates are shown for 1916 and 1915, 17 have higher rates in the later year. The only state which shows in 1916 a rate in excess of 20 per 100,000 is Virginia (20.1), and the only city of 100,000 population or more in 1910 which shows a rate above 20 in 1916 is Richmond (30).

AREA. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
SUMMARY.								
The registration area	10.2	8.1	10.3	10.0	9.3	11.3	11.5	10.9
Registration states[1]	10.6	8.3	10.3	10.3	9.3	11.2	11.8	10.0
Cities in registration states[1]	9.7	7.9	9.2	9.3	8.1	10.7	11.7	11.1
Rural part of registration states	11.4	8.6	11.4	11.3	10.4	11.8	11.9	8.7
Registration cities in nonregistration states	4.4	5.7	10.8	6.4	9.7	11.9	10.0	12.6
All registration cities[1]	9.0	7.6	9.4	8.9	8.4	10.9	11.2	11.8
REGISTRATION STATES.								
California	7.2	4.7	10.6	4.4	6.9	6.4	7.7	(2)
Colorado	4.7	9.4	8.6	7.5	11.7	6.7	12.2	(2)
Connecticut	12.5	11.7	11.5	7.6	10.0	14.0	12.8	13.0
Indiana	9.3	5.9	10.1	11.7	8.5	10.0	12.3	9.4
Kansas	5.0	10.0	8.5	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	13.4	8.4	14.8	23.3	15.0	19.0	(2)	(2)
White	12.1	7.6	13.6	21.7	13.5	17.2	(2)	(2)
Colored	24.2	15.6	24.2	35.2	26.4	32.6	(2)	(2)
Maine	16.2	10.4	12.5	5.1	7.2	9.8	10.8	8.0
Maryland (total)	12.7	6.8	14.5	15.4	11.0	14.7	18.5	(2)
White	7.7	4.7	9.3	10.1	7.3	10.1	11.6	(2)
Colored	37.2	16.9	38.6	39.8	27.8	35.8	49.2	(2)
Massachusetts	10.7	12.8	8.4	8.6	9.7	14.6	13.2	11.8
Michigan	7.5	7.8	9.7	9.4	8.5	8.5	10.9	8.5
Minnesota	9.7	7.3	8.7	6.6	9.8	8.2	(3)	(3)
Missouri	11.0	8.1	12.7	9.2	12.4	12.9	(2)	(2)
Montana	17.2	8.1	4.2	11.0	13.8	6.9	(3)	(2)
New Hampshire	12.0	10.9	11.9	9.4	9.7	12.2	13.3	8.8
New Jersey	9.3	8.6	9.5	12.9	7.2	12.6	12.8	10.7
New York	7.8	7.7	7.1	7.9	6.6	8.4	8.3	9.1
North Carolina (total)	16.7	[4]14.4	[4]16.5	[5]23.7	[5]24.6	[5]46.2	(3)	(2)
White	10.7	9.9	12.3	23.3	17.6	21.9	(3)	(2)
Colored	29.9	23.1	24.6	38.6	37.6	91.0	(3)	(2)
Ohio	13.3	7.0	7.5	13.7	8.9	11.4	(3)	(2)
Pennsylvania	12.2	6.8	11.4	11.1	10.2	12.7	16.5	(2)
Rhode Island	7.7	18.7	13.9	6.9	9.5	21.7	12.2	13.5
South Carolina (total)	17.2	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	9.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	23.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	7.4	20.3	11.8	9.9	17.7	6.8	(3)	(2)
Vermont	12.4	6.3	10.0	11.1	6.7	7.6	10.6	8.6
Virginia (total)	20.1	14.6	31.6	13.2	(2)	(2)	(2)	(2)
White	13.7	9.4	18.7	12.5	(2)	(2)	(2)	(2)
Colored	34.3	26.3	58.4	14.7	(2)	(2)	(2)	(2)
Washington	5.0	2.9	4.0	7.7	5.5	5.7	(3)	(2)
Wisconsin	7.0	7.7	5.8	7.4	8.3	8.7	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	3.9	7.5	25.9	15.2	26.0	20.5	(3)	(2)
White	1.8	0.9	19.9	16.7	9.9	24.2	(3)	(2)
Colored	7.4	18.3	35.1	12.8	50.6	14.9	(3)	(2)
Los Angeles, Cal	9.7	2.5	2.5	6.8	10.1	5.5	5.2	6.5
Oakland, Cal	2.5	10.0	15.3	1.1	9.6	3.8	10.8	8.9
San Francisco, Cal	3.9	4.6	12.3	3.6	5.1	6.8	8.0	14.1
Denver, Colo	1.2	6.3	3.7	5.5	11.3	5.4	7.6	10.9
Bridgeport, Conn	12.3	19.4	18.2	7.1	9.2	7.6	14.7	17.8
New Haven, Conn	12.7	6.8	4.8	7.8	12.9	13.2	15.2	18.1
Washington, D. C. (total)	10.2	5.3	5.4	4.9	18.4	7.4	11.3	24.8
White	4.9	3.1	2.4	1.2	8.6	5.4	6.0	(6)
Colored	24.0	11.1	12.8	14.0	42.7	12.4	24.2	(6)
Atlanta, Ga. (total)	2.6	17.3	17.8	17.8	13.8	24.3	18.0	21.7
White	2.3	8.7	8.4	10.4	4.5	16.9	12.7	(6)
Colored	3.4	36.2	36.6	32.6	32.1	39.0	28.2	(6)
Chicago, Ill	4.0	2.7	9.3	4.0	6.0	2.3	8.2	13.2
Indianapolis, Ind	9.1	6.4	6.2	14.2	1.2	7.5	13.2	6.0
Louisville, Ky. (total)	10.9	4.6	7.2	17.2	12.2	7.5	11.4	7.6
White	8.6	4.1	7.3	9.9	12.8	4.8	7.7	(6)
Colored	21.5	7.2	7.0	49.7	9.6	19.4	23.3	(6)
New Orleans, La. (total)	3.8	4.9	5.3	3.1	2.0	28.1	7.5	7.0
White	3.3	3.3	4.9	1.9	0.8	28.7	6.4	(6)
Colored	5.2	9.4	6.3	6.4	5.4	26.3	10.3	(6)

(See footnotes at end of table.)

AREA. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Baltimore, Md. (total)	10.2	3.6	14.3	6.8	7.5	8.1	15.4	12.1
White	7.4	2.6	8.3	4.9	5.0	5.9	9.5	(6)
Colored	26.0	9.1	47.6	17.1	21.9	20.9	47.8	(6)
Boston, Mass	9.7	14.9	6.4	13.4	10.7	14.8	14.9	15.7
Cambridge, Mass	9.7	11.6	9.1	9.2	6.5	22.5	20.0	10.5
Fall River, Mass	13.2	21.3	17.5	11.3	4.9	17.9	15.7	12.3
Lowell, Mass	9.7	16.9	8.1	4.6	12.9	15.6	10.0	12.4
Worcester, Mass	5.5	13.1	8.2	5.8	10.5	7.3	13.8	15.5
Detroit, Mich	11.1	13.3	15.6	19.2	15.9	5.5	16.4	10.6
Grand Rapids, Mich	4.7	1.6	4.9	0.8	1.7	5.2	4.8	6.8
Minneapolis, Minn	7.4	4.8	12.8	4.5	2.8	15.4	7.0	6.7
St. Paul, Minn	6.9	5.4	3.8	5.6	5.3	10.0	6.4	7.1
Kansas City, Mo	2.7	3.8	11.7	8.8	4.5	10.1	6.0	6.6
St. Louis, Mo	9.8	3.4	12.0	3.7	9.0	4.0	7.2	9.5
Omaha, Nebr	1.8	10.4	7.5	2.3	14.0	0.8	12.8	12.4
Jersey City, N. J	5.2	13.0	4.1	12.9	12.8	11.2	10.9	12.2
Newark, N. J	6.4	8.8	5.9	11.3	5.1	12.1	14.7	13.8
Paterson, N. J	2.2	6.6	5.2	8.3	2.3	12.4	11.8	8.6
Albany, N. Y	12.3	14.5	4.9	9.8	16.7	.....	10.5	9.1
Buffalo, N. Y	8.8	4.6	16.5	6.0	5.5	9.0	10.7	11.9
New York, N. Y	6.9	7.2	4.9	7.7	5.3	7.5	6.8	9.0
Bronx Borough	6.8	7.2	3.2	8.9	3.1	7.9	7.3	9.4
Brooklyn Borough	4.8	4.5	4.1	7.2	4.8	5.0	6.5	9.9
Manhattan Borough	8.3	9.0	5.8	7.3	6.0	8.5	6.8	8.3
Queens Borough	7.1	9.1	5.0	10.7	6.7	8.2	7.7	10.3
Richmond Borough	9.2	6.3	6.4	10.9	3.3	22.4	9.1	10.5
Rochester, N. Y	9.3	9.6	2.4	11.9	4.8	8.8	6.5	4.9
Syracuse, N. Y	14.8	5.9	12.7	4.8	11.1	12.0	10.3	8.6
Cincinnati, Ohio	10.5	3.7	10.9	11.3	8.8	5.0	6.3	7.6
Cleveland, Ohio	6.4	11.4	6.9	10.0	5.4	14.7	8.4	6.7
Columbus, Ohio	13.5	4.8	6.8	12.5	2.1	11.7	7.0	8.8
Dayton, Ohio	5.5	7.2	12.1	2.5	13.3	9.3	14.8	10.2
Toledo, Ohio	6.1	12.8	7.1	4.4	14.7	15.0	7.2	5.7
Portland, Oreg	2.7	1.1	1.2	4.1	8.1	2.7	4.7	1.3
Philadelphia, Pa	7.5	2.6	14.8	6.4	5.9	6.9	17.0	16.5
Pittsburgh, Pa	18.8	7.9	9.0	15.4	10.4	18.8	17.3	30.5
Scranton, Pa	3.4	3.5	14.9	7.9	8.8	4.5	10.2	9.4
Providence, R. I	4.7	16.0	9.8	6.7	9.8	19.5	13.7	13.0
Memphis, Tenn. (total)	(7)	0.7	9.1	9.3	3.6	15.8	17.8	17.9
White	(7)	.....	4.7	7.1	3.6	12.5	10.1	(6)
Colored	(7)	1.9	15.7	12.5	3.6	20.6	28.7	(6)
Nashville, Tenn. (total)	(7)	2.6	20.9	8.8	33.7	33.2	18.1	25.0
White	(7)	3.8	14.3	7.9	21.2	28.2	10.9	(6)
Colored	(7)	.....	34.2	10.6	58.9	43.4	32.3	(6)
Richmond, Va. (total)	30.0	6.5	51.1	11.3	3.8	31.7	26.5	31.1
White	13.9	.....	21.1	8.3	2.4	19.5	17.3	(6)
Colored	58.9	18.0	103.2	16.4	6.2	52.8	42.3	(6)
Seattle, Wash	5.2	1.5	3.2	8.1	2.2	7.5	5.7	4.6
Spokane, Wash	3.3	10.5	.....	7.0	5.0	7.1	11.2	3.2
Milwaukee, Wis	8.7	12.4	3.3	3.4	18.5	2.3	11.0	9.2

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

The states with the highest rates in 1916 are Virginia (20.1), Montana and South Carolina (each 17.2), North Carolina (16.7), Maine (16.2), and Kentucky (13.4). The high rates for the southern states here mentioned are due chiefly to their large colored populations, among which the mortality from this disease was more than twice as high as among the white population. In fact, rates among the white populations of Kentucky, North Carolina, and South Carolina were lower than the rates of the white populations in several of the northern states in the registration area. Very low rates are shown for Colorado (4.7), Kansas and Washington (each 5), Wisconsin (7), California (7.2), and Utah (7.4).

Of the 48 cities for which rates are shown for the last two years, 20 show an increase in 1916 over 1915; those in which the increase is most pronounced are Washington (from 5.3 to 10.2), Louisville (from 4.6 to 10.9), Baltimore (from 3.6 to 10.2), St. Louis (from 3.4 to 9.8), Syracuse (from 5.9 to 14.8), Cincinnati (from 3.7 to 10.5), Columbus (from 4.8 to 13.5), Pittsburgh (from 7.9 to 18.8), and Richmond (from 6.5 to 30). In most of these cities the colored populations are large. The large cities which show very low rates in 1916 are Denver (1.2), Omaha (1.8), Paterson (2.2), Oakland (2.5), and Atlanta (2.6).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 20 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Mobile, Ala	5.2	1.8	16.2	12.8	3.7	20.9
Bakersfield, Cal	11.9	.....	57.9	.....	35.2	.....
Eureka, Cal	.....	.....	21.8	.....	.....	.....
Pomona, Cal	7.6	.....	32.8	8.5	.....	.....
San Bernardino, Cal	.....	30.7	.....	6.7	7.0	.....
Pueblo, Colo	5.5	1.9	9.8	16.1	2.1	23.7
Ansonia, Conn	18.0	48.6	6.2	6.3	44.6	.....
Bristol, Conn	12.6	12.9	6.6	6.8	20.9	35.8
Danbury town, Conn	3.8	31.2	4.0	.....	8.2	8.3
Greenwich town, Conn	.....	.....	10.9	.....	5.7	23.5
Manchester town, Conn	.....	39.4	.....	.....	24.9	14.3
Meriden town, Conn	8.8	3.0	41.8	.....	6.1	21.6
Middletown town, Conn	4.4	.....	27.1	32.1	18.6	9.5
Naugatuck, Conn	35.5	7.2	7.3	.....	.....	7.7
New Britain, Conn	20.4	11.5	11.9	10.2	4.2	45.8
Norwalk, Conn	37.2	18.9	15.4	11.7	4.0	24.3
Norwich town, Conn	3.4	24.0	3.4	.....	.....	24.6
Stamford town, Conn	8.5	8.8	21.2	6.2	16.1	6.7
Torrington town, Conn	20.4	.....	32.1	5.5	11.2	5.8
Wallingford town, Conn	8.0	.....	24.9	.....	8.6	.....
Key West, Fla	.....	.....	18.9	.....	.....	116.1
Pensacola, Fla	.....	7.8	15.9	32.4	(1)	(1)
Augusta, Ga	.....	10.0	34.4	4.1	(1)	(1)
Savannah, Ga	5.8	8.8	39.8	3.0	16.7	58.0
Aurora, Ill	2.9	.....	3.0	21.6	15.7	.....
Decatur, Ill	15.1	20.8	10.7	11.0	5.6	12.3
Quincy, Ill	2.7	24.5	5.4	.....	32.7	2.7
Springfield, Ill	16.4	1.7	6.9	24.8	14.6	11.3
Anderson, Ind	33.3	12.6	.....	4.3	.....	22.0
East Chicago, Ind	.....	11.0	7.8	.....	31.0	4.8
Elwood, Ind	9.1	36.3	.....	38.4	.....	.....
Evansville, Ind	7.9	.....	21.0	7.1	7.2	16.9
Gary, Ind	11.9	17.9	(2)	(2)	(2)	23.8
Hammond, Ind	11.5	11.8	8.2	36.1	4.4	4.6
Huntington, Ind	18.4	.....	.....	28.8	28.9	9.7
Jeffersonville, Ind	.....	.....	9.7	.....	.....	38.6
Kokomo, Ind	14.3	4.9	.....	26.2	.....	5.6
Laporte, Ind	7.6	23.4	8.0	8.2	8.7	27.4
Logansport, Ind	9.5	4.8	19.7	20.0	5.1	5.2
Marion, Ind	10.1	20.3	10.2	10.2	.....	30.8
Mishawaka, Ind	.....	.....	.....	14.3	30.1	.....
Muncie, Ind	7.9	7.9	4.0	32.3	8.2	41.2
New Albany, Ind	12.7	.....	.....	33.9	19.4	14.5
South Bend, Ind	2.9	7.5	3.1	31.6	9.8	1.7
Vincennes, Ind	11.3	5.8	11.9	49.0	.....	.....
Independence, Kans	6.9	28.8	.....	7.9	33.1	(1)
Leavenworth, Kans	25.8	.....	26.6	5.3	26.2	9.0
Parsons, Kans	12.9	6.7	.....	7.1	29.6	(1)
Pittsburg, Kans	.....	5.8	11.9	.....	31.5	(1)
Frankfort, Ky	18.1	.....	.....	46.4	9.4	.....
Henderson, Ky	.....	16.6	41.8	50.7	8.5	8.6
Lexington, Ky	2.4	30.2	2.6	10.5	10.8	2.8
Paducah, Ky	20.1	8.2	12.4	25.2	29.8	4.3
Auburn, Me	36.6	.....	6.3	12.7	.....	6.5
Augusta, Me	21.2	.....	7.2	7.3	.....	.....
Biddeford, Me	.....	51.2	.....	.....	17.4	29.1
Lewiston, Me	71.9	3.6	3.7	14.8	11.2	15.1
Portland, Me	23.5	6.3	19.3	1.6	.....	11.7
Cumberland, Md	19.2	.....	4.0	25.7	8.7	8.9
Frederick, Md	36.0	9.1	.....	.....	18.8	19.0

(See footnotes at end of table.)

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Hagerstown, Md	3.9	7.9	.....	57.3	.....	23.7
Adams town, Mass	.....	21.4	7.2	14.7	7.4	30.4
Chicopee, Mass	51.2	24.4	14.3	.....	18.7	26.2
Everett, Mass	10.2	15.7	2.7	30.2	22.5	11.6
Fitchburg, Mass	19.1	19.4	2.5	2.5	10.2	41.0
Framingham town, Mass	7.2	14.5	.....	.....	15.0	22.6
Gardner town, Mass	5.8	17.9	24.5	.....	.....	26.1
Gloucester, Mass	61.5	.....	.....	12.6	12.5	16.7
Greenfield town, Mass	25.0	8.5	.....	44.5	.....	.....
Haverhill, Mass	12.4	2.1	6.4	15.1	21.9	4.4
Lawrence, Mass	12.9	33.6	5.2	20.3	5.5	15.6
Lynn, Mass	6.8	4.0	9.2	11.4	14.9	20.6
Melrose, Mass	22.9	.....	.....	6.0	6.1	.....
Methuen town, Mass	14.4	22.2	7.6	7.9	16.2	8.2
Milford town, Mass	.....	14.3	.....	.....	37.2	37.6
New Bedford, Mass	14.4	17.4	20.7	6.5	7.7	32.3
Newburyport, Mass	6.6	.....	13.2	.....	.....	40.0
Newton, Mass	2.3	20.9	.....	.....	2.4	7.4
Northampton, Mass	10.0	15.1	.....	.....	30.6	5.2
Peabody town, Mass	5.4	5.6	11.4	23.4	.....	30.6
Plymouth town, Mass	.....	.....	166.3	.....	7.9	56.5
Quincy, Mass	2.6	10.7	11.0	25.4	5.8	5.9
Salem, Mass	6.2	6.3	.....	13.0	6.6	24.3
Southbridge town, Mass	14.1	7.2	7.3	.....	22.8	15.4
Taunton, Mass	11.0	25.0	19.6	2.8	25.7	25.7
Wakefield town, Mass	.....	55.9	.....	8.3	.....	34.2
Watertown town, Mass	.....	.....	35.1	.....	.....	.....
Webster town, Mass	7.6	15.5	.....	24.2	33.0	.....
Westfield town, Mass	10.9	11.1	5.7	.....	41.5	.....
Alpena, Mich	15.1	.....	7.6	.....	.....	23.5
Ann Arbor, Mich	.....	.....	20.1	6.7	.....	6.7
Escanaba, Mich	25.8	.....	20.3	7.0	.....	14.7
Ironwood, Mich	20.3	6.9	.....	7.2	.....	14.9
Jackson, Mich	2.8	23.0	.....	9.0	3.0	3.1
Lansing, Mich	4.8	23.1	8.0	8.3	2.9	11.9
Manistee, Mich	8.1	.....	.....	8.5	8.4	32.5
Marquette, Mich	24.2	.....	.....	.....	42.3	68.5
Muskegon, Mich	42.1	.....	.....	.....	.....	48.6
Sault Ste. Marie, Mich	.....	7.3	.....	22.6	.....	.....
Traverse City, Mich	7.2	22.2	.....	.....	7.9	24.4
St. Cloud, Minn	16.9	.....	35.0	17.8	.....	.....
Stillwater, Minn	.....	.....	.....	.....	10.3	20.7
Virginia, Minn	.....	34.6	.....	.....	16.5	17.3
Winona, Minn	5.4	.....	27.6	.....	.....	27.5
Hannibal, Mo	4.6	9.4	38.6	5.0	5.1	10.5
Jefferson City, Mo	.....	7.5	.....	55.7	.....	.....
Joplin, Mo	12.0	12.1	3.0	9.2	21.6	24.8
Moberly, Mo	7.8	8.0	49.3	.....	.....	17.7
Sedalia, Mo	.....	26.1	.....	.....	10.9	5.5
Springfield, Mo	5.0	5.1	10.3	21.1	.....	16.4
Webb City, Mo	57.9	22.1	7.5	15.3	23.5	24.0
Anaconda, Mont	75.7	.....	9.6	29.0	.....	48.9
Butte, Mont	66.8	.....	4.7	29.2	2.5	10.0
Great Falls, Mont	7.2	7.2	7.4	7.3	36.4	7.2
Helena, Mont	22.0	.....	.....	30.6	.....	7.9
Missoula, Mont	5.5	.....	.....	6.4	13.5	21.6
Berlin, N. H	29.4	7.5	7.7	23.6	16.1	33.0
Keene, N. H	18.8	28.5	9.6	.....	.....	9.8
Laconia, N. H	.....	.....	18.0	27.6	.....	19.1
Manchester, N. H	10.2	31.2	35.7	8.1	2.7	22.3
Nashua, N. H	11.0	3.7	3.7	11.2	22.7	7.6
Portsmouth, N. H	68.6	.....	17.3	8.7	8.8	8.8
Asbury Park, N. J	50.0	.....	.....	.....	17.4	.....
Bayonne, N. J	10.0	14.8	4.6	1.6	34.6	13.6
Bridgeton, N. J	.....	.....	20.9	21.0	.....	7.0
Camden, N. J	16.9	6.7	19.5	25.8	4.1	14.4
Garfield, N. J	6.9	36.4	.....	32.3	.....	.....
Hackensack, N. J	47.2	.....	12.5	70.8	.....	.....
Harrison, N. J	17.7	24.2	.....	12.7	13.0	53.6
Kearny, N. J	8.5	17.6	4.6	4.7	.....	35.2
Millville, N. J	29.4	.....	22.6	30.6	69.9	.....
Montclair, N. J	.....	.....	.....	4.2	4.3	30.7
Morristown, N. J	7.5	7.6	15.3	7.7	15.6	39.7
New Brunswick, N. J	27.4	23.8	.....	16.3	16.6	34.1
Perth Amboy, N. J	29.1	7.6	20.9	40.8	2.8	23.8
Phillipsburg, N. J	6.4	13.0	19.9	20.3	.....	35.6
Trenton, N. J	11.6	2.7	21.5	7.7	2.9	21.0
Union, N. J	4.0	.....	.....	21.7	.....	18.2
West Hoboken, N. J	4.6	7.2	4.9	15.2	.....	24.3
Amsterdam, N. Y	24.3	11.1	.....	2.9	18.0	12.1
Batavia, N. Y	15.0	15.3	7.9	24.2	.....	58.5
Binghamton, N. Y	7.4	20.7	7.7	1.9	17.9	14.1
Cohoes, N. Y	15.9	23.9	24.0	.....	4.0	36.2
Corning, N. Y	6.5	.....	.....	.....	14.0	43.5
Cortland, N. Y	7.7	.....	.....	.....	8.3	25.9
Dunkirk, N. Y	.....	5.0	45.9	31.5	5.4	33.9
Elmira, N. Y	.....	23.7	2.6	5.3	8.0	5.3
Fulton, N. Y	8.4	34.3	26.2	17.8	.....	36.7
Geneva, N. Y	43.8	.....	7.5	.....	.....	8.0
Hornell, N. Y	6.8	.....	13.9	.....	.....	36.4

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Hudson, N. Y	7.9	55.9	.....	33.3	8.4	.....
Ithaca, N. Y	.....	44.6	.....	.....	6.6	6.7
Kingston, N. Y	11.2	11.3	.....	7.6	22.9	.....
Lackawanna, N. Y	50.0	63.5	78.9	50.1	47.4	19.5
Little Falls, N. Y	.....	15.1	.....	46.6	7.9	.....
Lockport, N. Y	20.1	.....	10.2	.....	25.9	27.6
Middletown, N. Y	.....	.....	25.6	.....	12.9	.....
Newburgh, N. Y	6.8	20.5	.....	.....	3.5	10.6
Niagara Falls, N. Y	37.5	2.8	17.1	35.3	6.1	35.0
North Tonawanda,[2] N. Y	7.3	7.4	30.3	31.0	7.9	24.2
Ogdensburg, N. Y	17.9	.....	30.4	.....	30.8	.....
Ossining, N. Y	7.3	.....	.....	31.7	.....	16.3
Oswego, N. Y	29.0	.....	50.3	12.6	12.7	.....
Peekskill, N. Y	.....	.....	28.9	5.9	.....	31.7
Plattsburg, N. Y	.....	8.0	.....	.....	34.1	.....
Poughkeepsie, N. Y	32.9	16.7	3.4	10.3	3.5	14.0
Rensselaer, N. Y	8.9	.....	36.3	36.5	9.2	9.3
Rome, N. Y	50.6	21.5	.....	.....	18.5	.....
Saratoga Springs, N. Y	28.9	50.7	.....	.....	.....	.....
Troy, N. Y	1.3	1.3	14.2	.....	3.9	22.1
Watertown, N. Y	13.4	.....	3.5	38.8	7.2	3.7
Watervliet, N. Y	.....	19.4	39.0	.....	.....	26.3
White Plains, N. Y	13.4	9.9	20.6	.....	11.3	41.1
Asheville, N. C	4.8	4.9	9.9	30.3	30.8	.....
Charlotte, N. C	22.6	.....	15.8	24.3	11.1	25.9
Durham, N. C	.....	16.7	13.1	9.2	9.7	20.4
Greensboro, N. C	5.1	36.9	38.1	33.7	11.6	.....
Raleigh, N. C	24.8	10.0	10.1	20.3	15.4	77.5
Wilmington, N. C	.....	10.2	14.4	22.0	3.7	239.3
Winston-Salem,[3] N. C	6.4	19.9	17.2	46.5	14.3	29.9
Akron, Ohio	48.6	2.4	3.7	25.8	12.0	20.7
Alliance, Ohio	5.3	.....	5.6	29.2	.....	6.3
Ashtabula, Ohio	18.6	.....	19.5	40.1	.....	10.6
Bellaire, Ohio	20.9	14.2	7.2	29.3	7.5	15.2
Cambridge, Ohio	7.4	15.2	.....	32.4	8.3	8.5
Chillicothe, Ohio	12.9	.....	6.6	33.3	.....	.....
East Liverpool, Ohio	53.1	9.0	9.1	55.8	14.2	14.4
Elyria, Ohio	.....	27.8	5.7	23.8	18.5	.....
Hamilton, Ohio	7.4	15.1	20.6	18.4	2.7	35.5
Ironton, Ohio	14.3	.....	7.3	14.7	44.7	30.1
Lakewood, Ohio	8.8	9.3	4.9	.....	5.6	36.1
Lancaster, Ohio	6.4	.....	.....	20.8	28.6	.....
Lima, Ohio	28.3	17.3	2.9	6.0	3.1	19.2
Lorain, Ohio	27.1	5.6	2.9	6.0	15.7	13.1
Marietta, Ohio	27.3	6.8	.....	6.8	.....	31.1
Marion, Ohio	.....	.....	18.2	4.7	20.4	5.3
Middletown, Ohio	38.4	6.6	6.7	27.7	7.1	44.0
Newark, Ohio	.....	6.9	3.5	32.6	11.1	7.6
Norwood, Ohio	35.9	4.7	.....	.....	.....	11.5
Portsmouth, Ohio	13.9	.....	14.5	26.0	15.2	39.0
Sandusky, Ohio	.....	.....	19.9	10.0	5.0	20.0
Springfield, Ohio	25.2	.....	2.0	18.3	26.8	4.2
Steubenville, Ohio	61.9	3.8	15.5	12.0	33.1	.....
Warren, Ohio	.....	.....	.....	50.7	.....	17.6
Youngstown, Ohio	31.4	2.9	3.0	23.3	4.6	19.3
Zanesville, Ohio	3.2	23.0	10.0	.....	17.2	.....
Altoona, Pa	11.9	10.4	15.9	32.4	1.8	7.5
Beaver Falls, Pa	29.6	.....	.....	15.5	31.4	24.1
Braddock, Pa	4.6	28.2	9.6	34.0	29.7	5.0
Bradford, Pa	6.9	6.9	20.2	6.7	20.8	.....
Butler, Pa	10.9	3.8	15.7	12.2	34.1	13.6
Carbondale, Pa	15.6	.....	21.6	.....	.....	.....
Carlisle, Pa	.....	.....	47.2	19.0	.....	.....
Chambersburg, Pa	8.1	16.3	41.0	16.5	.....	8.4
Chester, Pa	31.4	7.3	2.5	.....	30.3	2.6
Coatesville, Pa	6.9	.....	29.9	7.8	8.1	.....
Columbia, Pa	.....	.....	27.1	.....	.....	.....
Connellsville, Pa	12.9	20.0	.....	.....	7.3	7.5
Dubois, Pa	27.3	.....	.....	.....	30.0	.....
Dunmore, Pa	.....	9.9	5.1	36.4	5.3	.....
Duquesne, Pa	35.1	15.6	.....	22.3	17.4	36.3
Easton, Pa	29.5	.....	3.3	30.4	3.4	6.9
Erie, Pa	42.6	1.4	18.0	7.0	21.5	7.3
Farrell,[4] Pa	57.7	.....	(5)	(5)	(5)	9.8
Greensburg, Pa	12.9	.....	47.7	14.0	14.4	7.6
Homestead, Pa	13.4	9.1	32.9	33.9	10.0	30.9
Johnstown, Pa	33.6	3.0	10.8	9.6	3.3	29.4
McKees Rocks, Pa	35.1	.....	16.4	17.2	.....	12.7
Mahanoy City, Pa	28.6	11.6	5.9	.....	.....	49.3
Meadville, Pa	.....	.....	22.3	22.5	.....	23.1
Mount Carmel, Pa	34.5	10.1	20.6	15.8	27.0	27.7
New Castle, Pa	2.4	7.4	25.3	.....	21.0	40.3
North Braddock, Pa	6.6	54.7	7.1	36.9	15.4	8.0
Oil City, Pa	46.6	.....	5.4	5.5	5.6	34.0
Old Forge, Pa	.....	7.0	7.3	45.6	15.9	.....
Phoenixville, Pa	.....	17.3	26.3	.....	27.1	9.1
Pittston, Pa	.....	27.4	11.1	.....	23.4	.....
Sharon, Pa	21.5	.....	17.1	23.5	.....	12.7
South Bethlehem, Pa	12.4	17.0	.....	22.6	23.3	4.8
Steelton, Pa	38.6	.....	.....	26.8	.....	13.8

(See footnotes at end of table.)

CITY. [Rates of 20 or more per 100,000 in boldfaced type.]	DEATH RATE FROM WHOOPING COUGH PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Warren, Pa.	6.8	.....	.....	23.6	.....	.....
Washington, Pa.	9.3	.....	33.8	4.9	5.1	41.7
West Chester, Pa.	22.8	.....	.....	16.0	8.2	16.6
Central Falls, R. I.	7.8	35.8	12.1	4.1	12.6	21.2
Cumberland town, R. I.	9.2	.....	9.4	9.5	9.6	29.2
East Providence town, R. I.	11.0	62.0	11.5	11.8	6.0	36.8
Newport, R. I.	16.6	6.7	20.6	10.5	3.5	7.2
Pawtucket, R. I.	.....	15.5	12.3	.....	.....	24.2
Warwick town,[6] R. I.	3.3	23.8	24.2	7.1	7.2	25.8
Woonsocket, R. I.	9.0	25.4	9.4	10.9	17.4	32.8
Charleston, S. C.	67.5	19.9	26.6	15.0	67.2	16.9
Columbia, S. C.	11.6	20.6	(1)	(1)	(1)	(1)
Greenville, S. C.	16.5	56.2	(1)	(1)	(1)	(1)
Jackson, Tenn.	(7)	.....	51.3	(1)	(1)	(1)
Beaumont, Tex.	21.7	(1)	(1)	(1)	(1)	(1)
El Paso, Tex.	7.8	23.4	16.2	6.4	6.7	4.8
San Antonio, Tex.	6.5	20.9	6.1	2.7	19.3	2.9
Ogden, Utah	.....	29.5	3.4	10.5	7.2	11.2
Burlington, Vt.	60.1	14.0	23.5	19.0	4.8	.....
Rutland, Vt.	27.0	13.7	6.9	28.1	7.1	14.5
Danville, Va.	15.0	5.0	50.8	10.2	20.6	104.2
Lynchburg, Va.	9.1	6.2	9.4	25.6	29.3	20.0
Newport News, Va.	.....	4.9	39.1	.....	(1)	(1)
Norfolk, Va.	19.0	9.1	41.6	10.6	8.4	52.6
Petersburg, Va.	101.6	.....	75.7	8.0	32.5	77.8
Roanoke, Va.	17.8	2.4	22.2	25.5	5.3	16.4
Staunton, Va.	.....	43.5	.....	.....	(1)	(1)
Aberdeen, Wash.	.....	.....	27.4	.....	.....	26.9
North Yakima, Wash.	14.3	.....	.....	.....	.....	25.9
Wheeling, W. Va.	13.8	2.3	7.0	25.9	16.6	16.7
Eau Claire, Wis.	26.6	5.3	10.7	.....	5.4	.....
Fond du Lac, Wis.	14.2	.....	.....	20.0	10.2	.....
Janesville, Wis.	.....	.....	.....	.....	.....	28.7
Kenosha, Wis.	3.2	.....	17.2	4.0	8.5	22.1
La Crosse, Wis.	.....	3.2	3.2	3.2	3.3	26.0
Manitowoc, Wis.	.....	.....	36.9	.....	.....	7.6
Marinette, Wis.	.....	6.8	.....	.....	.....	41.6
Oshkosh, Wis.	2.8	.....	2.8	23.1	5.9	8.9
Sheboygan, Wis.	21.0	28.4	7.2	50.9	.....	33.4
Wausau, Wis.	.....	10.7	5.4	16.7	28.6	.....

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes West Warwick town, organized Nov., 1913.
[7] Transcripts for deaths not received.

In the preceding table are shown 280 minor cities which for whooping cough had rates of 20 or more per 100,000 for at least one of the years 1911 to 1916. Very high rates in 1916 are shown for Petersburg, Va. (101.6), Anaconda, Mont. (75.7), Lewiston, Me. (71.9), Portsmouth, N. H. (68.6), and Charleston, S. C. (67.5). Very low rates are shown for Troy, N. Y. (1.3), Newton, Mass. (2.3), Lexington, Ky., and New Castle, Pa. (each 2.4), Quincy, Mass. (2.6), and Quincy, Ill. (2.7).

DIPHTHERIA AND CROUP.

The expression "diphtheria and croup" is used as a title in the International List, but as deaths from "croup" are really deaths from diphtheria, the term croup is now seldom seen upon death certificates.

The total number of deaths from diphtheria and croup in the registration area in 1916 was 10,367, corresponding to a rate of 14.5 per 100,000 population and constituting 1 per cent of the deaths from all causes. In 1900 about 2.5 per cent of all deaths were due to this cause, which in round numbers shows a saving of 15,000 lives in 1916 to be credited to the advances made in the treatment and prevention of this disease.

In the following table, which shows the rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods from 1901 to 1905 and 1906 to 1910, rates of 40 and higher are printed in boldfaced type.

AREA. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	14.5	15.7	17.9	18.8	18.2	18.9	22.4	29.6
Registration states[1]	14.0	15.2	17.3	18.2	17.6	18.3	22.4	29.3
Cities in registration states[1]	16.5	17.5	20.9	21.6	19.6	21.4	27.3	38.4
Rural part of registration states	11.7	12.9	13.8	14.7	15.5	15.1	16.8	17.8
Registration cities in nonregistration states	20.8	21.1	25.1	26.4	25.2	24.9	22.1	30.0
All registration cities[1]	17.1	18.0	21.5	22.3	20.4	21.9	26.0	34.2
REGISTRATION STATES.								
California	9.9	11.0	9.5	6.8	5.9	6.5	13.1	(2)
Colorado	4.3	5.6	7.1	7.5	6.5	11.8	18.2	(2)
Connecticut	15.3	16.0	19.6	19.1	17.1	21.9	22.6	26.2
Indiana	13.9	10.9	14.0	18.6	19.1	14.1	13.7	16.1
Kansas	10.6	13.2	9.4	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	17.1	24.4	21.9	24.6	31.9	24.8	(2)	(2)
White	17.7	25.7	23.3	26.4	34.9	26.8	(2)	(2)
Colored	12.5	12.8	11.2	10.9	8.3	9.1	(2)	(2)
Maine	7.5	11.1	11.3	11.6	13.1	10.0	15.0	17.6
Maryland (total)	12.5	13.5	13.2	15.3	15.3	12.8	16.2	(2)
White	13.8	14.8	14.5	15.9	17.0	13.0	16.7	(2)
Colored	6.1	7.4	7.1	12.1	7.6	11.9	14.1	(2)
Massachusetts	16.8	20.0	18.2	17.6	14.2	16.8	23.0	29.7
Michigan	16.3	12.0	17.2	23.0	16.1	16.5	15.6	21.1
Minnesota	7.5	8.5	16.2	10.0	7.8	15.0	(2)	(2)
Missouri	15.7	20.2	20.5	17.5	18.0	20.4	(2)	(2)
Montana	8.3	4.7	8.3	5.5	3.2	7.6	(2)	(2)
New Hampshire	10.8	7.3	10.3	12.8	19.8	15.7	21.0	23.9
New Jersey	15.7	17.6	21.8	21.3	18.6	21.7	27.4	38.1
New York	14.9	17.4	20.6	19.5	17.3	20.9	28.4	36.3
North Carolina (total)	17.1	[4]11.7	[4]18.0	[5]12.8	[5]14.0	[5]10.4	(3)	(2)
White	20.0	15.2	20.3	12.1	15.2	10.7	(3)	(2)
Colored	10.6	4.9	13.5	14.3	11.8	9.9	(3)	(2)
Ohio	12.1	13.2	15.6	21.3	22.4	15.0	(3)	(2)
Pennsylvania	19.4	19.5	23.3	25.9	25.6	27.0	29.1	(2)
Rhode Island	23.1	16.4	18.3	24.3	24.1	25.6	24.6	36.3
South Carolina (total)	8.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	11.8	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	5.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	14.5	11.5	9.4	8.2	5.8	22.1	(3)	(2)
Vermont	6.6	11.0	10.5	9.7	5.9	6.7	11.8	15.0
Virginia (total)	14.4	17.2	15.8	14.2	(2)	(2)	(2)	(2)
White	16.9	19.1	18.3	16.7	(2)	(2)	(2)	(2)
Colored	8.8	13.0	10.7	8.9	(2)	(2)	(2)	(2)
Washington	2.4	2.7	3.3	3.1	5.5	8.5	(3)	(2)
Wisconsin	9.2	8.6	13.2	12.4	12.5	13.6	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	5.0	10.3	9.0	1.9	10.0	9.5	(3)	(2)
White	3.5	9.2	9.9	2.1	12.1	10.9	(3)	(2)
Colored	7.4	12.2	7.6	1.6	6.8	7.4	(3)	(2)
Los Angeles, Cal.	3.8	8.2	6.8	9.9	6.2	6.4	14.0	23.1
Oakland, Cal.	12.6	9.4	13.1	13.7	9.0	7.0	17.7	29.7
San Francisco, Cal.	28.3	25.2	19.4	6.6	6.7	5.2	13.9	33.3
Denver, Colo.	1.5	3.2	4.1	8.0	5.6	16.7	23.7	29.5
Bridgeport, Conn.	18.9	26.2	38.2	20.5	14.7	14.2	28.2	31.7
New Haven, Conn.	16.0	23.1	19.4	16.2	12.2	19.0	23.3	15.2
Washington, D. C. (total)	9.6	7.5	8.2	7.8	4.4	5.6	10.9	19.0
White	10.2	7.7	9.1	9.3	6.1	6.6	11.6	(6)
Colored	8.0	7.1	5.9	4.0	.....	3.1	9.4	(6)
Atlanta, Ga. (total)	15.2	8.1	10.6	13.2	15.6	15.0	18.1	29.4
White	19.0	10.2	7.6	15.6	19.8	16.0	16.6	(6)
Colored	6.8	3.4	16.6	8.6	7.1	13.0	21.1	(6)
Chicago, Ill.	31.5	27.5	32.2	41.2	41.2	38.2	30.2	28.1
Indianapolis, Ind.	19.9	7.9	11.2	18.9	14.6	17.1	13.1	14.6

(See footnotes at end of table.)

AREA. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Louisville, Ky. (total)	6.7	5.9	7.2	15.0	11.3	11.9	14.2	31.7
White	7.6	6.7	8.3	16.8	13.3	13.4	15.5	(6)
Colored	2.4	2.4	2.3	7.1	2.4	4.9	7.9	(6)
New Orleans, La. (total)	10.0	30.8	31.0	31.7	16.5	7.2	11.8	13.9
White	10.2	29.5	28.2	31.3	19.0	6.7	13.9	(6)
Colored	9.3	34.5	38.7	32.9	9.7	8.8	5.9	(6)
Baltimore, Md. (total)	10.3	13.2	14.8	15.0	15.8	12.0	14.5	25.1
White	11.0	15.1	15.9	16.6	17.4	13.2	15.6	(6)
Colored	6.8	2.3	9.1	5.7	6.9	5.8	8.3	(6)
Boston, Mass	24.6	29.3	22.9	22.1	15.3	19.7	27.9	39.5
Cambridge, Mass	14.2	25.1	15.4	12.8	24.1	39.4	23.7	36.5
Fall River, Mass	15.6	26.0	20.7	27.4	26.1	22.0	20.3	33.2
Lowell, Mass	38.9	23.2	23.4	31.9	15.6	15.6	33.4	58.6
Worcester, Mass	14.7	13.7	12.0	23.2	21.7	23.9	38.3	9.8
Detroit, Mich	44.4	20.6	29.2	57.6	37.1	33.9	23.5	42.7
Grand Rapids, Mich	7.0	11.9	26.8	43.9	12.7	10.3	21.8	20.7
Minneapolis, Minn	19.0	17.8	42.2	16.8	13.9	23.8	30.2	36.7
St. Paul, Minn	8.9	12.4	29.1	18.6	10.6	32.9	37.2	27.0
Kansas City, Mo	28.5	24.5	24.1	12.8	10.2	12.4	20.3	18.9
St. Louis, Mo	20.9	26.3	34.7	29.2	21.2	17.6	19.3	32.3
Omaha, Nebr	21.2	22.7	42.8	16.0	8.5	15.0	18.6	12.8
Jersey City, N. J	14.0	19.7	31.0	25.7	15.3	21.0	33.2	53.8
Newark, N. J	9.3	5.5	11.1	18.2	14.1	15.7	29.5	43.3
Paterson, N. J	13.7	13.9	15.6	9.8	20.7	16.3	24.1	39.6
Albany, N. Y	11.3	17.4	12.6	22.5	28.5	24.8	30.0	22.4
Buffalo, N. Y	14.7	16.7	14.8	9.6	14.6	25.0	24.4	31.2
New York, N. Y	18.5	23.2	28.3	26.1	22.3	25.6	38.7	51.0
Bronx Borough	18.2	25.7	34.2	28.5	19.5	25.5	43.9	59.1
Brooklyn Borough	19.1	22.8	25.2	25.8	22.7	23.0	39.4	55.2
Manhattan Borough	18.3	23.4	30.3	26.3	23.1	28.2	38.1	48.2
Queens Borough	18.3	21.8	25.3	26.0	19.1	21.3	35.6	45.9
Richmond Borough	16.3	19.8	9.6	14.1	20.0	23.5	28.1	36.8
Rochester, N. Y	9.3	7.2	11.8	17.4	27.3	41.0	26.7	39.1
Syracuse, N. Y	13.5	10.5	10.7	14.3	17.4	25.3	19.6	18.1
Cincinnati, Ohio	15.3	11.8	18.2	13.1	15.7	12.2	14.9	19.8
Cleveland, Ohio	18.8	24.8	25.5	36.3	27.3	22.3	20.3	38.7
Columbus, Ohio	8.8	11.0	8.8	10.5	20.6	12.8	9.5	12.4
Dayton, Ohio	16.5	15.1	17.8	35.2	41.5	9.3	17.5	16.7
Toledo, Ohio	17.2	16.5	17.9	23.3	33.4	24.9	23.5	45.1
Portland, Oreg	2.4	6.2	10.0	5.3	6.0	12.3	16.8	18.8
Philadelphia, Pa	22.8	19.0	19.4	21.5	23.7	31.1	33.8	40.7
Pittsburgh, Pa	21.8	26.9	28.0	36.6	31.2	23.4	23.7	45.1
Scranton, Pa	17.0	27.8	22.6	31.7	25.0	12.8	36.5	25.1
Providence, R. I	29.8	22.0	24.1	29.6	32.7	24.7	28.3	42.6
Memphis, Tenn. (total)	(7)	13.0	15.4	10.0	10.2	16.5	19.2	11.7
White	(7)	16.3	12.8	8.3	7.3	16.3	20.3	(6)
Colored	(7)	7.4	19.2	12.5	14.5	16.9	17.6	(6)
Nashville, Tenn. (total)	(7)	8.6	9.6	7.0	7.1	8.1	10.1	11.9
White	(7)	8.8	11.7	9.2	9.3	10.7	13.8	(6)
Colored	(7)	8.3	5.3	2.7	2.7	2.7	2.8	(6)
Richmond, Va. (total)	3.2	3.9	3.0	6.0	6.1	10.1	9.4	25.8
White	5.0	5.0	3.5	9.5	7.2	14.6	12.0	(6)
Colored	.....	1.8	2.0	.....	4.2	2.1	4.8	(6)
Seattle, Wash	2.0	0.6	2.2	4.4	4.3	8.7	14.3	13.9
Spokane, Wash	0.7	5.6	3.7	0.8	5.0	8.0	27.5	23.2
Milwaukee, Wis	17.9	23.1	33.4	35.5	24.7	20.2	27.0	21.9

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

There was a general decline in the death rate for diphtheria in 1916 as compared with 1915. Lower rates appear for all the subdivisions of the registration area as well as for 17 of the 24 states which have comparable rates for these two years.

The highest rates among the states are for Rhode Island (23.1), Pennsylvania (19.4), Kentucky and North Carolina (each 17.1), Massachusetts (16.8), and Michigan (16.3). Only two of these states, Michigan and Rhode Island, show increased rates over those for 1915 (12 and 16.4, respectively). Very low rates are shown for Washington (2.4), Colorado (4.3), Vermont (6.6), Maine and Minnesota (each 7.5), and Montana (8.3).

Among the cities which in 1910 had 100,000 population or more the highest rates in 1916 are for Detroit (44.4), Lowell (38.9), Chicago (31.5), Providence (29.8), and Kansas City, Mo. (28.5). Of these cities Chicago is the only one that appeared in 1915 among the five showing the highest rates. The lowest rates for 1916 are for Spokane (0.7), Denver (1.5), Seattle (2), Portland, Oreg. (2.4), and Richmond (3.2).

The following table shows the death rates for diphtheria and croup for each of the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had a rate of 40 or more per 100,000 population.

CITY. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Bakersfield, Cal	11.9	43.2	32.2	20.2	14.1	7.5
Fresno, Cal	5.7	6.0	13.4	17.5	10.9	42.3
Ansonia, Conn	18.0	12.2	49.4	68.9	19.1	12.9
Greenwich town, Conn	.....	5.3	21.9	56.0	5.7	11.8
Hartford, Conn	20.7	18.4	16.8	28.5	40.7	42.5
Manchester town, Conn	.....	6.6	.....	27.3	14.0	42.8
Middletown town, Conn	.....	4.5	36.1	18.3	18.6	42.6
Naugatuck, Conn	7.1	36.0	14.7	89.4	.....	.....
New Britain, Conn	14.9	17.2	11.9	18.4	29.5	43.6
Windham town, Conn	7.1	7.2	22.0	22.4	136.8	15.5
Jacksonville, Ill	19.4	6.5	45.4	13.0	19.5	6.5
Springfield, Ill	29.5	21.8	17.2	24.8	41.8	22.5
Anderson, Ind	12.5	12.6	51.0	38.8	47.9	13.2
Elkhart, Ind	9.1	18.7	42.8	9.7	5.0	5.1
Elwood, Ind	.....	9.1	39.2	38.4	18.9	46.4
Gary, Ind	59.5	.....	(1)	(1)	(1)	71.4
Jeffersonville, Ind	9.6	57.6	9.7	29.1	29.0	19.3
Laporte, Ind	.....	.....	23.9	41.1	17.3	18.3
Marion, Ind	5.0	25.3	35.6	35.8	56.3	25.7
Vincennes, Ind	17.0	23.3	11.9	67.4	107.1	32.5
Pittsburg, Kans	.....	23.0	11.9	48.9	6.3	(2)
Covington, Ky	7.0	5.3	16.1	41.6	40.3	14.9
Frankfort, Ky	18.1	54.6	9.2	9.3	28.1	18.9
Henderson, Ky	8.2	8.3	8.4	8.5	51.2	8.6
Auburn, Me	.....	.....	12.5	44.4	25.7	26.1
Biddeford, Me	5.7	22.8	40.1	17.3	46.3	23.3
Waterville, Me	7.9	.....	8.1	16.5	42.0	.....
Hagerstown, Md	19.5	23.8	40.3	34.4	52.5	17.8
Chicopee, Mass	37.5	34.9	35.5	21.9	14.9	18.7
Fitchburg, Mass	50.3	68.1	24.7	17.6	12.7	41.0
Gardner town, Mass	35.0	17.9	42.3	18.8	25.7	13.0
Holyoke, Mass	16.8	23.4	31.8	42.2	21.5	18.5
Leominster town, Mass	33.6	49.2	50.5	83.1	5.3	.....
Malden, Mass	21.5	41.9	38.8	35.5	10.7	19.6
Newburyport, Mass	.....	6.6	46.2	19.9	.....	13.3
North Adams, Mass	4.5	22.7	19.0	42.2	41.8	13.6
Southbridge town, Mass	28.2	50.2	.....	7.4	.....	15.4
Webster town, Mass	.....	.....	.....	40.4	33.0	33.7
Westfield town, Mass	27.2	.....	17.0	11.6	17.8	42.1
Adrian, Mich	.....	.....	.....	18.0	9.1	46.4
Ishpeming, Mich	24.1	24.1	8.3	16.4	8.2	47.6
Jackson, Mich	19.8	17.3	8.8	9.0	51.8	15.3
Manistee, Mich	.....	8.1	69.1	8.5	.....	16.2
Pontiac, Mich	17.1	64.5	30.2	12.4	12.8	19.8
Sault Ste. Marie, Mich	28.7	7.3	51.9	22.6	30.6	31.1
Joplin, Mo	15.1	30.3	67.0	21.4	33.9	24.8
Sedalia, Mo	10.3	31.3	52.8	21.4	43.5	27.6
Springfield, Mo	9.9	7.6	31.0	15.8	16.2	60.0
Webb City, Mo	7.2	59.0	60.2	30.7	31.3	40.0
Berlin, N. H	36.8	15.0	38.4	39.3	193.1	90.7
Portsmouth, N. H	25.7	8.6	26.0	17.4	8.8	44.1
Camden, N. J	27.3	28.7	23.4	39.8	50.7	38.0
Garfield, N. J	55.4	7.3	45.9	16.1	17.1	26.1
Hoboken, N. J	28.5	55.2	61.3	35.2	24.7	35.0
Millville, N. J	14.7	7.4	.....	.....	15.5	71.5
Morristown, N. J	30.1	30.4	7.7	7.7	15.6	55.6
Perth Amboy, N. J	17.0	40.3	60.1	34.2	45.3	59.4
Union, N. J	8.1	20.7	12.7	21.7	13.4	50.0
Batavia, N. Y	.....	.....	.....	48.5	98.8	83.6
Binghamton, N. Y	70.4	45.2	19.2	23.4	2.0	16.1

(See footnotes at end of table.)

CITY. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIPHTHERIA AND CROUP PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Cohoes, N. Y.	23.8	39.8	24.0	**40.1**	12.1	16.1
Hornell, N. Y.	20.4	13.8	.....	.....	.....	**51.0**
Lackawanna, N. Y.	**68.8**	19.0	10.5	27.9	5.9	**65.2**
Middletown, N. Y.	**56.9**	.....	.....	6.4	.....	13.1
Ogdensburg, N. Y.	23.9	54.2	30.4	6.1	.....	**74.0**
Peekskill, N. Y.	.....	5.5	**40.4**	.....	12.2	6.3
Rensselaer, N. Y.	.....	9.0	36.3	**54.8**	55.2	37.3
Rome, N. Y.	4.2	12.9	8.8	.....	4.6	**75.2**
White Plains, N. Y.	8.9	29.7	10.3	5.4	11.3	**47.0**
Akron, Ohio	30.9	15.7	10.0	34.8	50.7	**44.3**
Bellaire, Ohio	**41.8**	7.1	**64.8**	29.3	37.3	**45.5**
East Liverpool, Ohio	.....	9.0	32.0	**41.8**	28.3	28.8
Hamilton, Ohio	4.9	7.6	15.5	**108.0**	35.0	10.9
Lancaster, Ohio	25.5	19.7	**53.9**	13.9	14.3	7.4
Lorain, Ohio	.....	.....	14.6	57.5	25.2	23.0
Middletown, Ohio	6.4	**46.0**	20.2	20.8	49.9	7.3
Portsmouth, Ohio	13.9	10.7	7.3	37.2	72.3	**42.9**
Springfield, Ohio	7.8	23.6	22.0	16.2	49.4	23.0
Steubenville, Ohio	25.5	15.0	27.1	**44.0**	37.2	29.9
Tiffin, Ohio	7.8	31.3	**40.7**	8.2	16.5	.....
Youngstown, Ohio	5.5	7.7	19.9	**47.8**	58.9	**48.2**
Allentown, Pa.	14.2	11.3	**46.4**	32.4	**49.0**	**46.6**
Beaver Falls, Pa.	**51.7**	15.0	22.9	15.5	23.7	**40.2**
Braddock, Pa.	13.8	23.5	19.1	**58.4**	59.5	**45.4**
Carnegie, Pa.	17.1	17.5	9.0	**46.0**	18.9	9.7
Dubois, Pa.	**40.9**	20.9	.....	29.2	7.5	15.4
Dunmore, Pa.	24.1	**44.4**	25.3	**52.0**	**58.7**	**43.9**
Farrell,[3] Pa.	**28.9**	**48.1**	(4)	(4)	(4)	19.6
Hazleton, Pa.	17.5	**57.1**	25.4	22.2	15.1	27.1
Homestead, Pa.	8.9	18.3	**56.5**	**58.1**	**109.7**	**97.8**
Johnstown, Pa.	**11.7**	25.5	**74.3**	**97.3**	**79.0**	**22.5**
Lancaster, Pa.	**15.7**	**13.9**	**18.1**	**36.7**	**24.7**	**54.2**
Lebanon, Pa.	4.8	14.6	**35.1**	**35.4**	**56.1**	**87.5**
McKees Rocks, Pa.	.....	**10.5**	**16.4**	**109.1**	**30.2**	**12.7**
McKeesport, Pa.	**33.7**	**30.0**	**17.4**	**57.5**	**31.5**	**11.5**
Mahanoy City, Pa.	**51.5**	**98.7**	**29.5**	**35.9**	**42.5**	**73.9**
Monessen, Pa.	**9.2**	**49.5**	**16.0**	**23.1**	**56.1**	**54.1**
Mount Carmel, Pa.	**123.3**	**15.1**	**36.1**	**21.1**	**59.4**	**16.6**
Nanticoke, Pa.	**13.0**	.....	**32.4**	**42.7**	**24.5**	**40.6**
New Castle, Pa.	4.9	29.7	**15.2**	**33.5**	**55.3**	**64.5**
North Braddock, Pa.	**6.6**	**6.8**	**14.2**	**51.7**	**46.1**	**40.1**
Old Forge, Pa.	**13.4**	**20.9**	**21.8**	**15.2**	**71.5**	**66.6**
Phoenixville, Pa.	**8.5**	**60.6**	**87.7**	**97.8**	**18.0**	**45.7**
Pittston, Pa.	**10.8**	**27.4**	**22.4**	**17.2**	**23.4**	**83.7**
Plymouth, Pa.	**10.5**	**10.7**	**48.9**	**27.7**	**28.2**	**57.5**
Pottstown, Pa.	**17.9**	**30.1**	**42.7**	**6.2**	**6.2**	**12.6**
Pottsville, Pa.	**35.8**	**18.2**	**32.3**	**18.7**	**14.3**	**91.4**
Reading, Pa.	**10.0**	**9.3**	**31.0**	**38.4**	**42.0**	**38.7**
Shamokin, Pa.	**18.9**	**42.9**	**43.0**	**19.3**	**29.3**	**44.9**
Sharon, Pa.	**16.1**	**27.7**	**34.2**	**41.2**	**61.6**	**19.0**
Shenandoah, Pa.	**89.0**	**45.4**	**74.7**	**54.5**	**88.9**	**109.7**
South Bethlehem, Pa.	**41.3**	**12.8**	**17.5**	**40.6**	**41.9**	**38.5**
Steelton, Pa.	**19.3**	**19.6**	.....	**26.8**	**61.2**	**165.6**
Sunbury, Pa.	**6.2**	**63.1**	**38.8**	**6.6**	**6.8**	**21.0**
Wilkes-Barre, Pa.	**10.4**	**14.6**	**44.8**	**27.7**	**12.8**	**20.3**
Woonsocket, R. I.	**27.1**	**13.8**	**14.2**	**7.3**	**7.4**	**63.1**
El Paso, Tex.	**33.0**	**78.6**	**82.8**	**29.7**	**11.2**	**16.7**
Roanoke, Va.	**17.8**	**35.8**	**41.9**	**15.3**	**5.3**	**35.6**
Wheeling, W. Va.	**13.8**	**16.2**	**23.4**	**21.2**	**47.3**	**28.6**
Fond du Lac, Wis.	.....	.....	.....	.....	**10.2**	**46.9**
Superior, Wis.	**6.5**	**8.8**	**11.3**	.....	**14.1**	**41.1**
Wausau, Wis.	.....	**5.3**	**5.4**	**5.6**	**28.6**	**58.5**

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Incorporated in 1906; population not estimated.
[2] Not admitted to registration area until a later date.
[3] Name changed from South Sharon (incorporated in 1901) in 1912.
[4] Population not estimated.

Of these minor cities, 122 had rates of 40 or more per 100,000 population in one or more of the years 1911 to 1916. Thirteen have rates of more than 40 in 1916, and one of them, Shenandoah, Pa., exceeded that rate for each of the years 1911 to 1916. The highest rates in 1916 are shown for Mount Carmel, Pa. (123.3), Shenandoah, Pa. (89), Binghamton, N. Y. (70.4), Lackawanna, N. Y. (68.8), and Gary, Ind. (59.5). The cities with the lowest rates are Rome, N. Y. (4.2), North Adams, Mass. (4.5), Lebanon, Pa. (4.8), Hamilton, Ohio, and New Castle, Pa. (each 4.9), and Marion, Ind. (5).

INFLUENZA.

Influenza developed in epidemic form in 1916 and caused 18,886 deaths, which is equivalent to a rate of 26.4 per 100,000 population. This is an increase of 65 per cent over the rate for 1915 (16), which was 75 per cent higher than that for 1914 (9.1). With the exception of the rate in 1901 (32.2) the rate for this cause in 1916 was the highest shown in the annual mortality reports, the first of which was published in 1900.

In the following table, which shows the rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 40 and higher are printed in boldfaced type.

AREA. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	26.4	16.0	9.1	12.2	10.3	15.7	16.4	19.9
Registration states[1]	27.1	15.8	9.0	12.4	10.1	15.8	16.5	21.6
Cities in registration states[1]	19.1	11.7	6.8	8.5	7.1	10.4	12.3	15.5
Rural part of registration states	34.6	19.9	11.1	16.3	13.1	21.3	21.2	29.3
Registration cities in non-registration states	16.0	18.3	10.8	10.2	12.9	14.3	15.7	16.9
All registration cities[1]	18.7	12.7	7.3	8.8	8.0	11.0	13.2	16.2
REGISTRATION STATES.								
California	13.8	8.3	5.0	10.3	8.3	8.4	9.7	(2)
Colorado	13.1	13.9	5.3	5.4	7.0	12.3	13.7	(2)
Connecticut	38.7	18.5	13.9	16.7	14.6	23.5	26.0	33.1
Indiana	34.4	17.0	9.4	14.3	14.6	18.3	20.3	22.9
Kansas	39.3	25.6	9.5	(3)	(3)	(3)	(3)	(3)
Kentucky (total)	41.4	19.7	14.7	16.9	16.7	17.8	(3)	(3)
White	40.1	18.1	12.8	14.8	15.8	16.0	(3)	(3)
Colored	53.3	32.8	29.7	32.9	23.7	31.5	(3)	(3)
Maine	48.9	25.3	12.1	22.8	11.4	25.3	24.3	29.1
Maryland (total)	25.8	15.1	11.0	14.6	12.2	16.6	20.5	(3)
White	23.1	13.7	10.0	12.9	10.3	14.0	18.3	(3)
Colored	39.0	21.6	15.8	22.2	20.7	23.6	30.4	(3)
Massachusetts	13.3	8.5	5.9	9.2	6.9	10.0	15.9	18.1
Michigan	30.7	17.5	10.1	11.5	10.5	18.3	17.5	24.1
Minnesota	18.2	10.5	4.8	8.5	3.4	8.5	(3)	(3)
Missouri	35.0	21.2	10.3	17.0	15.2	25.9	(3)	(3)
Montana	12.6	9.2	5.1	7.2	4.2	3.8	(3)	(3)
New Hampshire	35.0	28.8	17.1	16.5	13.8	26.6	27.1	30.6
New Jersey	23.2	11.0	7.3	8.9	7.2	11.2	9.7	11.6
New York	19.2	12.9	7.9	10.9	8.0	14.4	15.1	19.9
North Carolina (total)	26.4	[4]19.1	[4]18.6	[5]18.4	[5]20.7	[5]24.3	(3)	(3)
White	23.8	17.7	15.2	15.9	14.4	21.9	(3)	(3)
Colored	32.0	21.9	25.2	22.9	32.4	28.8	(3)	(3)
Ohio	31.7	19.3	10.3	14.2	11.6	21.8	(3)	(3)
Pennsylvania	30.2	17.4	9.2	12.3	10.1	14.7	17.9	(3)
Rhode Island	26.5	12.6	8.3	12.9	7.9	9.5	19.1	28.1
South Carolina (total)	26.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	23.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	29.4	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	15.2	12.7	6.3	11.1	7.1	6.5	(3)	(3)
Vermont	78.7	31.7	19.7	35.3	23.7	43.9	39.2	39.1
Virginia (total)	33.3	18.9	12.1	13.4	(2)	(2)	(2)	(2)
White	30.1	17.3	11.2	12.6	(2)	(2)	(2)	(2)
Colored	40.5	22.6	14.0	15.1	(2)	(2)	(2)	(2)
Washington	14.3	9.9	3.8	6.5	4.7	9.0	(3)	(3)
Wisconsin	29.9	15.8	7.1	11.2	8.6	12.9	(3)	(3)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	13.2	20.1	10.8	8.2	20.6	8.8	(3)	(3)
White	12.3	16.6	5.0	2.1	15.4	4.8	(3)	(3)
Colored	14.7	26.0	19.8	17.6	28.7	14.9	(3)	(3)
Los Angeles, Cal.	9.3	4.4	3.4	9.5	7.3	6.4	9.1	13.9
Oakland, Cal.	8.6	2.6	2.7	5.1	1.8	3.8	5.0	9.6
San Francisco, Cal.	4.1	2.2	2.5	4.8	2.5	2.8	4.8	10.7

(See footnotes at end of table.)

AREA. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Denver, Colo.	10.4	10.7	2.9	2.5	6.9	7.2	12.1	9.4
Bridgeport, Conn.	20.6	11.8	6.1	7.1	7.3	12.3	10.8	15.1
New Haven, Conn.	37.4	12.2	6.2	11.3	7.2	21.2	20.0	23.8
Washington, D. C. (total)	24.2	28.7	17.8	12.9	17.8	20.1	25.3	33.8
White	22.0	25.4	13.9	10.5	10.2	17.4	18.9	(6)
Colored	30.1	37.4	27.6	19.0	36.6	26.9	40.8	(6)
Atlanta, Ga. (total)	14.7	19.5	17.3	19.6	18.6	11.9	30.4	40.6
White	4.6	15.0	4.2	12.1	8.1	3.8	15.6	(6)
Colored	37.2	29.3	43.2	34.3	39.2	27.9	58.5	(6)
Chicago, Ill.	11.7	9.4	3.9	4.3	6.4	8.0	9.8	11.9
Indianapolis, Ind.	17.4	9.0	5.8	9.5	6.9	9.6	16.7	17.0
Louisville, Ky. (total)	33.1	15.6	20.0	14.6	15.3	13.2	15.1	16.3
White	29.4	13.8	12.5	7.9	9.1	9.1	10.5	(6)
Colored	50.1	23.9	54.0	45.0	43.4	31.6	35.2	(6)
New Orleans, La. (total)	26.9	51.6	31.6	19.7	26.8	26.6	32.3	30.8
White	21.1	46.2	29.7	14.9	20.5	23.6	26.4	(6)
Colored	43.3	66.8	36.6	32.9	44.2	35.0	48.7	(6)
Baltimore, Md. (total)	21.5	12.3	8.8	10.1	11.8	12.9	16.6	24.8
White	20.2	11.3	6.9	7.8	8.5	10.2	15.4	(6)
Colored	29.4	18.2	19.2	22.8	30.0	27.9	23.3	(6)
Boston, Mass.	11.2	4.3	3.3	5.3	3.9	4.6	9.5	12.8
Cambridge, Mass.	9.7	5.4	5.4	10.1	4.6	7.5	11.6	11.8
Fall River, Mass.	24.1	1.6	4.0	7.3	2.4	1.6	10.8	11.8
Lowell, Mass.	14.1	3.6	2.7	3.6	5.5	3.7	11.3	14.3
Worcester, Mass.	15.3	6.9	2.5	4.5	5.9	6.0	7.9	10.6
Detroit, Mich.	10.4	8.7	3.7	3.6	3.0	4.1	5.9	12.4
Grand Rapids, Mich.	9.4	4.0	5.7	3.3	2.5	4.3	8.6	18.3
Minneapolis, Minn.	8.8	6.5	4.1	5.1	2.2	2.2	4.4	5.8
St. Paul, Minn.	9.3	8.3	4.6	4.8	4.0	5.5	3.7	7.4
Kansas City, Mo.	15.8	19.3	7.1	9.9	7.5	22.5	12.6	16.7
St. Louis, Mo.	22.8	11.9	9.4	12.4	14.6	16.1	15.4	19.0
Omaha, Nebr.	18.7	14.1	8.3	5.3	6.2	7.9	14.1	15.9
Jersey City, N. J.	13.7	6.3	3.7	4.2	2.5	5.8	6.6	8.1
Newark, N. J.	17.4	6.0	5.7	6.9	9.2	9.1	8.5	10.4
Paterson, N. J.	18.8	5.9	3.7	9.1	4.6	10.1	5.5	5.5
Albany, N. Y.	35.8	24.1	13.6	19.5	15.7	25.8	22.5	30.3
Buffalo, N. Y.	10.2	6.5	2.4	4.7	3.9	5.5	10.4	9.2
New York, N. Y.	9.8	7.2	4.2	5.4	4.0	6.9	7.9	11.7
Bronx Borough	10.1	6.5	6.0	6.9	4.4	6.8	6.3	9.1
Brooklyn Borough	12.4	9.0	4.7	6.9	5.1	9.0	9.9	12.8
Manhattan Borough	7.5	5.8	3.5	4.0	3.3	5.3	6.8	11.1
Queens Borough	11.7	9.6	4.7	4.9	2.6	5.9	6.4	11.7
Richmond, Borough	11.2	6.3	2.1	6.5	3.3	14.6	10.6	16.2
Rochester, N. Y.	8.9	6.0	6.1	3.4	4.8	5.7	8.8	12.9
Syracuse, N. Y.	10.9	3.9	4.7	4.8	4.9	4.2	9.6	12.5
Cincinnati, Ohio	26.8	18.4	15.9	13.6	13.2	14.5	24.0	28.5
Cleveland, Ohio	16.3	11.1	4.1	4.0	4.9	10.7	9.2	7.5
Columbus, Ohio	33.5	11.0	7.8	8.5	6.2	14.4	9.3	14.4
Dayton, Ohio	18.9	14.3	3.2	9.0	3.3	14.4	12.2	15.1
Toledo, Ohio	19.7	17.0	4.3	10.5	6.8	14.5	16.2	17.3
Portland, Oreg.	11.2	5.1	5.0	6.1	3.0	8.6	8.9	9.4
Philadelphia, Pa.	24.0	20.6	9.7	9.1	7.9	11.6	14.4	13.1
Pittsburgh, Pa.	26.6	10.5	6.2	8.4	10.0	11.8	18.4	17.2
Scranton, Pa.	17.7	9.0	5.0	7.9	5.2	11.3	18.7	19.4
Providence, R. I.	25.9	10.4	6.5	8.7	5.5	7.4	16.3	26.4
Memphis, Tenn. (total)	(7)	37.0	18.2	23.5	29.1	26.3	33.6	37.9
White	(7)	19.5	8.2	7.1	12.1	3.8	18.0	(6)
Colored	(7)	66.8	33.1	48.0	54.5	60.1	55.7	(6)
Nashville, Tenn. (total)	(7)	25.0	21.8	17.6	39.0	35.9	41.2	49.2
White	(7)	18.8	11.7	9.2	29.2	26.8	27.0	(6)
Colored	(7)	38.8	42.1	34.5	58.9	54.2	69.1	(6)
Richmond, Va. (total)	20.4	16.8	18.5	16.5	19.0	17.8	29.0	37.4
White	10.9	15.1	17.5	15.4	15.6	13.4	19.3	(6)
Colored	37.5	19.8	20.2	18.4	24.9	25.3	45.6	(6)
Seattle, Wash.	10.3	6.3	1.6	4.7	2.9	6.7	4.1	4.6
Spokane, Wash.	12.0	12.6	2.9	5.5	5.0	8.9	8.6	8.9
Milwaukee, Wis.	15.8	16.4	3.6	6.1	4.7	3.3	8.3	15.0

NOTE.—Populations upon which these rates are based will be found in Table 1B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

This decided increase in 1916 in the rate for influenza appears in the registration area and in each of its subdivisions except registration cities in nonregistration states (16 for 1916 as against 18.3 for 1915), and presents a striking contrast to the corresponding rates (34.6 and 19.9) for rural part of registration states.

Of the 24 states which are comparable for 1915 and 1916 all but Colorado show an increase in rates for 1916. Seven states show an increase of more than 100 per cent in 1916 over 1915, namely, Vermont, Massachusetts, New Jersey, Rhode Island, Kentucky, Connecticut, and Indiana. The states which have low rates are Montana (12.6), Colorado (13.1), California (13.8), Washington (14.3), and Utah (15.2).

A similar general increase for 1916 appears for the cities which in 1910 had populations of 100,000 or more. Of the 48 cities which show rates for 1915 and 1916, 40 show an increase in 1916. The highest rates in that year are for New Haven (37.4), Albany (35.8), Columbus (33.5), Louisville (33.1), and New Orleans (26.9). The lowest rates are for San Francisco (4.1), Oakland (8.6), Minneapolis (8.8), Rochester (8.9), and Los Angeles and St. Paul (each 9.3).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 40 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Mobile, Ala.	37.8	42.5	48.6	31.1	18.6	20.9
Pomona, Cal.	53.2	23.7	.....	.....	44.4	27.8
Manchester town, Conn.	51.4	13.1	6.7	20.5	14.0	14.3
Meriden town, Conn.	96.5	73.9	26.9	21.1	42.7	43.1
New London, Conn.	47.7	14.4	14.6	9.8	19.9	25.1
Norwalk, Conn.	66.9	37.8	30.7	31.3	23.8	52.6
Norwich town, Conn.	91.8	47.9	13.8	34.7	14.0	63.3
Orange town, Conn.	28.6	.....	7.6	15.8	40.9	17.0
Torrington town, Conn.	56.1	10.4	10.7	21.9	16.8	23.0
Quincy, Ill.	35.3	59.8	10.9	24.5	8.2	19.1
Jeffersonville, Ind.	67.2	9.6	9.7	.....	9.7	28.9
Logansport, Ind.	52.3	48.2	19.7	20.0	15.2	20.6
Marion, Ind.	50.4	15.2	10.2	25.6	10.2	20.6
New Albany, Ind.	67.7	16.9	33.9	43.6	43.6	19.4
Richmond, Ind.	40.5	16.5	8.4	21.2	12.9	22.0
Atchison, Kans.	59.8	24.0	12.0	18.1	6.0	(1)
Fort Scott, Kans.	19.0	19.0	19.0	.....	47.6	(1)
Independence, Kans.	27.6	50.4	.....	7.9	.....	(1)
Kansas City, Kans.	42.2	34.1	13.8	10.9	18.0	18.7
Lawrence, Kans.	82.6	68.3	46.1	38.9	15.7	(1)
Leavenworth, Kans.	72.3	77.5	32.0	47.6	21.0	40.7
Frankfort, Ky.	63.2	18.2	18.4	18.5	65.5	28.3
Henderson, Ky.	24.6	41.4	.....	16.9	42.7	17.2
Owensboro, Ky.	140.6	28.6	93.0	70.9	42.1	97.8
Paducah, Ky.	44.3	24.5	4.1	12.6	51.1	21.6
Auburn, Me.	42.7	37.1	.....	19.0	6.4	32.6
Bangor, Me.	45.0	26.6	11.5	13.2	.....	7.9
Framingham town, Mass.	50.1	7.2	7.3	14.8	22.5	7.5
Newburyport, Mass.	45.9	.....	.....	19.9	6.6	20.0
North Adams, Mass.	40.9	9.1	.....	18.8	4.6	22.7
Northampton, Mass.	50.2	15.1	15.2	5.1	20.4	15.5
Adrian, Mich.	96.0	44.1	62.3	53.9	63.6	46.4
Battle Creek, Mich.	44.1	20.8	10.7	36.4	3.7	7.7
Bay City, Mich.	37.5	46.3	10.6	19.3	2.2	21.7
Jackson, Mich.	48.1	14.4	8.8	14.9	3.0	21.4
Lansing, Mich.	55.2	20.5	2.7	19.4	14.5	17.9
Traverse City, Mich.	50.7	.....	.....	7.7	7.9	.....
Mankato, Minn.	38.6	48.2	9.7	9.7	.....	9.8
Stillwater, Minn.	49.0	29.4	.....	21.0	.....	10.4
Winona, Minn.	53.8	21.5	.....	5.5	.....	11.0
Hattiesburg, Miss.	30.3	50.9	(1)	(1)	(1)	(1)
Jackson, Miss.	43.7	28.2	(1)	(1)	(1)	(1)
Meridian, Miss.	9.2	50.4	(1)	(1)	(1)	(1)
Hannibal, Mo.	50.4	14.1	29.0	44.7	30.6	31.5
Sedalia, Mo.	25.7	46.9	15.9	10.7	5.4	33.1

(See footnotes at end of table.)

CITY. [Rates of 40 or more per 100,000 in boldfaced type.]	DEATH RATE FROM INFLUENZA PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Webb City, Mo.	43.4	36.9	.....	15.3	39.1	16.0
Keene, N. H.	65.8	9.5	.....	9.7	.....	39.3
Laconia, N. H.	52.0	17.7	.....	18.4	.....	9.6
Nashua, N. H.	40.3	18.4	3.7	11.2	18.9	7.6
Asbury Park, N. J.	42.8	7.5	15.7	8.2	8.7	.....
Garfield, N. J.	34.7	43.6	7.7	8.1	.....	.....
Harrison, N. J.	53.1	.....	6.2	12.7	6.5	20.1
Irvington, N. J.	49.9	6.5	6.8	14.3	.....	.....
Long Branch, N. J.	13.0	26.6	13.6	.....	49.9	7.4
Millville, N. J.	66.1	14.9	22.6	23.0	15.5	.....
Phillipsburg, N. J.	44.9	45.7	13.3	20.3	27.6	42.7
West New York, N. J.	42.6	5.6	.....	6.2	.....	.....
Batavia, N. Y.	89.9	61.0	47.6	96.9	41.2	41.8
Cortland, N. Y.	45.9	.....	15.9	48.7	16.6	8.6
Dunkirk, N. Y.	53.0	19.8	10.2	5.3	.....	22.6
Fulton, N. Y.	16.8	51.4	17.5	26.7	.....	.....
Glens Falls, N. Y.	23.7	42.1	12.2	12.4	25.3	19.5
Hudson, N. Y.	47.2	24.0	16.4	8.3	8.4	.....
Ithaca, N. Y.	50.5	44.6	6.4	45.6	.....	40.3
Kingston, N. Y.	26.1	30.0	22.6	11.4	15.3	46.1
Lackawanna, N. Y.	62.6	88.9	5.3	11.1	.....	6.5
Little Falls, N. Y.	66.9	7.5	15.3	.....	7.9	31.8
Lockport, N. Y.	45.3	25.3	25.5	20.6	5.2	44.2
Ogdensburg, N. Y.	35.9	12.1	42.5	6.1	.....	37.0
Plattsburg, N. Y.	46.7	.....	8.1	8.3	8.5	17.6
Rensselaer, N. Y.	44.7	27.0	27.2	18.3	.....	18.7
Saratoga Springs, N. Y.	28.9	36.2	31.2	7.8	23.5	47.6
Watervliet, N. Y.	45.0	19.4	.....	13.1	6.6	46.0
Asheville, N. C.	52.8	53.7	29.8	65.6	35.9	57.5
Charlotte, N. C.	37.7	25.7	34.3	32.4	41.6	63.3
Greensboro, N. C.	10.2	21.1	43.5	22.5	23.2	18.1
Cambridge, Ohio	44.5	.....	7.8	16.2	8.3	17.1
Chillicothe, Ohio	58.2	19.6	6.6	6.7	20.2	6.8
Mansfield, Ohio	39.6	44.6	4.5	23.0	23.3	14.2
Marietta, Ohio	20.5	20.4	40.7	13.5	7.8	77.7
Newark, Ohio	50.6	31.1	24.8	14.5	22.3	45.8
Tiffin, Ohio	23.3	31.3	.....	24.6	49.6	56.6
Beaver Falls, Pa.	59.1	15.0	30.5	15.5	7.9	.....
Bradford, Pa.	41.3	27.5	.....	13.4	.....	.....
Carbondale, Pa.	72.8	42.4	48.6	33.0	22.4	40.1
Carlisle, Pa.	46.6	46.9	18.9	9.5	.....	28.9
Columbia, Pa.	87.3	43.7	27.1	26.9	.....	.....
Dunmore, Pa.	43.3	29.6	30.4	5.2	5.3	11.0
Greensburg, Pa.	51.7	19.9	.....	7.0	.....	7.6
Lebanon, Pa.	67.4	24.3	15.1	15.2	5.1	15.4
Mahanoy City, Pa.	40.1	5.8	11.8	35.9	18.2	12.3
Meadville, Pa.	65.2	36.7	.....	22.5	7.6	15.4
Norristown, Pa.	60.5	32.4	6.6	16.8	13.7	42.0
Phoenixville, Pa.	76.8	34.6	.....	35.6	9.0	.....
Plymouth, Pa.	41.9	.....	.....	16.6	11.3	11.5
Pottsville, Pa.	76.0	18.2	13.8	14.1	9.5	4.8
Sharon, Pa.	48.3	22.1	5.7	5.9	18.5	12.7
West Chester, Pa.	83.5	23.2	15.7	16.0	8.2	16.6
Cumberland town, R. I.	46.1	9.3	9.4	19.1	19.3	9.7
Columbia, S. C.	46.2	35.2	(1)	(1)	(1)	(1)
El Paso, Tex.	26.7	51.9	18.2	23.4	11.2	19.1
San Antonio, Tex.	34.7	29.3	23.5	38.9	50.8	49.1
Burlington, Vt.	41.6	23.3	.....	19.0	14.4	33.8
Rutland, Vt.	87.7	6.8	6.9	14.1	7.1	21.7
Alexandria, Va.	28.0	45.1	12.8	19.2	6.4	32.4
Newport News, Va.	53.5	14.6	9.8	19.6	(1)	(1)
Petersburg, Va.	70.4	55.2	47.8	36.2	56.8	49.2
Staunton, Va.	42.9	17.4	53.0	9.0	(1)	(1)
Appleton, Wis.	50.5	28.3	11.4	5.8	11.7	12.0
Beloit, Wis.	33.2	5.7	.....	42.0	12.4	12.7
Manitowoc, Wis.	43.5	7.3	.....	29.8	15.0	.....
Sheboygan, Wis.	52.5	10.6	10.8	7.3	11.0	3.7

NOTE.—Populations upon which these rates are based will be found in Table 1 B, p. 65.

[1] Not admitted to registration area until a later date.

Of these minor cities 112 had death rates of 40 and higher in certain years of the series 1911 to 1916. In 1916 all but 27 of these cities show rates in excess of 40, and two cities (Adrian, Mich., and Batavia, N. Y.) had rates higher than 40 for each year of the series. The highest rates are shown for Owensboro, Ky. (140.6); Meriden town, Conn. (96.5); Adrian, Mich. (96); Norwich town, Conn. (91.8); and Batavia, N. Y. (89.9). The cities with the lowest rates are Meridian, Miss. (9.2); Greensboro, N. C. (10.2); Long Branch, N. J. (13); Fulton, N. Y. (16.8); and Fort Scott, Kans. (19).

OTHER EPIDEMIC DISEASES.

In the International List of Causes of Death, titles 1 to 19 are assigned to the epidemic diseases, of which eight have been discussed. No deaths are reported in 1916 for three of these titles, namely, miliary fever, Asiatic cholera, and plague, and only one death each was reported for relapsing fever (Jacksonville, Fla.) and for yellow fever (Aroostook County, Me.).

Because of the extreme rarity of these and several other epidemic diseases, every effort has been made by the Bureau to authenticate the returns before tabulating them under the designated titles; each case has been made the subject of a special inquiry, and either the existence of the disease has been verified or no reply has been received; in the latter case there is no alternative but to classify the death as reported.

In 1916 typhus fever caused 35 deaths, which is the greatest number returned for any year from 1900 to 1916, inclusive. In fact, the total number for the 17 years is only 84. The distribution of the 35 deaths from typhus fever in 1916 was as follows: Los Angeles, Cal., 1; Otero County, Colo., 4; Clay and Dallas Counties, Mo., each 1; Bronx Borough, N. Y., 1; McDowell County, N. C., 1; El Paso, Tex., 25; and Galveston, Tex., 1.

Eleven deaths are reported from leprosy in 1916: Key West, Fla., 1; Dukes County, Mass., 4; Polk County, Minn., 1; Brooklyn and Manhattan Boroughs, N. Y., each 2; and Georgetown County, S. C., 1.

Dysentery caused 3,550 deaths in 1916, corresponding to a rate of 5 per 100,000 population; 2,680 deaths resulted from erysipelas, with a rate of 3.7 per 100,000 population; and cholera nostras caused 291 deaths, with a rate of 0.4 per 100,000 population.

Under the title "Other epidemic diseases" are included a miscellaneous collection of diseases, and in 1916 the number of deaths charged to these is 218, distributed as follows: Chicken pox, 94; mumps, 75; German measles, 14; dengue fever, 14; Rocky Mountain spotted fever, 7; glandular fever, 6; milk sickness, 5; roseola, 2; and filiariasis, 1. The 14 deaths from dengue fever occurred at the following places: Savannah, Ga., 1; San Antonio, Tex., 13. The Rocky Mountain spotted fever occurred in Chaffee and Moffat Counties, Colo., each 1; Carbon and Dawson Counties, Mont., each 1; and Ravalli County, Mont., 3.

GLANDERS.

In 1916, as in 1915, there were but 4 deaths in the registration area reported as due to glanders: Brooklyn Borough, N. Y., 1; Manhattan Borough, N. Y., 2; and Philadelphia, Pa., 1

ANTHRAX.

Anthrax caused 28 deaths in the registration area in 1916, as compared with 35 in 1915. The 28 deaths were distributed as follows: New Haven, 1; Chicago, 1; Larue and Union Counties, Ky., each 1; Boston, 4; North Adams, Mass., 1; Detroit city and Berrien County, Mich., each 1; Phelps County, Mo., 1; Brooklyn Borough, 2; Manhattan Borough, 1; and Fulton County, N. Y., 1; Ashe and Wayne Counties, N. C., each 1; Philadelphia, 5; and Jefferson and Lycoming Counties, Pa., each 1; Beaumont and San Antonio, Tex., each 1; and Columbia County, Wash., 1.

RABIES.

In 1916 there were 36 deaths in the registration area from rabies, which is the lowest number recorded since 1900 (33). The deaths from this cause in 1916 are distributed as follows: California, Colorado, and Kansas, each 1; Kentucky, Maryland, and Michigan, each 2; Minnesota, 1; Missouri, 3; New Jersey, 1; New York, 2; North Carolina, 1; Ohio, Pennsylvania, and South Carolina, each 4; Virginia and Washington each, 2; and three in cities in nonregistration states—Mobile, Ala.; Jacksonville, Fla.; and New Orleans, La., each 1.

PELLAGRA.

The number of deaths caused by pellagra in the registration area in 1916 was 2,390, corresponding to a death rate of 3.3 per 100,000 population, as against 4.2 in 1915. Among the areas for which comparisons can be made for these two years a decrease in 1916 is shown in a large majority of states and in every registration city, except three, in nonregistration states.

Deaths from pellagra in 1916 were distributed throughout the registration states as follows: South Carolina, 729; North Carolina, 485; Virginia, 248; Kentucky, 124; Missouri, 41; Massachusetts, 40; New York, 28; California, 25; Maine, 15; New Hampshire, 11; Kansas, 10; Rhode Island, 8; Michigan and Ohio, each 5; Indiana, New Jersey, and Pennsylvania, each 4; Colorado and Maryland, each 3; Minnesota and Vermont, each 2; Connecticut and Wisconsin, each 1; and the District of Columbia, 9.

The registration cities in nonregistration states which reported deaths from pellagra in 1916 follow, with the number of deaths in each: Jackson, Miss., 90; Atlanta, Ga., 80; Birmingham, Ala., 50; New Orleans, La., 46; Mobile, Ala., 45; Montgomery, Ala., 37; Augusta, Ga., 36; Dallas, Tex., 30; Savannah, Ga., 28; Jacksonville, Fla., 22; Meridian, Miss., 19; Natchez, Miss., 17; San Antonio, Tex., 16; Hattiesburg and Vicksburg, Miss., each 14; Pensacola, Fla., 9; Galveston, Tex., 8; Chicago, Ill., 6; Beaumont, Tex., 5; Tampa, Fla., and Jacksonville, Ill., each 4; Springfield, Ill., Lincoln, Nebr., and El Paso, Tex., each 1.

TUBERCULOSIS (ALL FORMS)

Tuberculosis (all forms) includes eight titles of the International List of Causes of Death. The number of deaths reported in 1916 from this cause was 101,396, corresponding to a rate of 141.6 per 100,000 population, and constituting 10.1 per cent of total deaths from all causes. The death rate for 1916 was considerably lower than that for 1915 (145.8). In fact, a noticeable decrease is shown for all of the subdivisions of the registration area as well as in a majority of the registration states.

In discussions of tuberculosis in previous years attention has been directed to the fact that there are many localities to which persons afflicted with this disease are attracted because of climatic conditions favorable to the treatment of this disease. For this reason states and cities which show exceptionally high rates are not always those in which conditions are most favorable to the development of tuberculous diseases, but in many instances are those to which patients resort in search of cure. Another fact which must be borne in mind is that among the colored the mortality from tuberculosis is far in excess of that among the white population.

Of the 22 registration states for which rates appear in the table on page 42 for all the years, three—California, Maryland, and Kentucky—had rates higher than 175 for each year from 1911 to 1916. In fact these 3 states have had rates above 175 each year since they were admitted to the registration area—California and Maryland in 1906 and Kentucky in 1911.

The states which show the highest rates in 1916 for tuberculosis (all forms) are Maryland (200), Kentucky (194.4), California (180.9), Virginia (177.1), and Rhode Island (166.7). The states with the lowest rates are Utah (49.3), Kansas (54.4), Washington (81.3), Wisconsin (93.1), and Michigan (101.9).

Of the cities which in 1910 had populations of 100,000 or more, 15 had rates higher than 175 for each year from 1911 to 1916, and 8 of these had rates of more than 200 during the same period. The highest rates in 1916 were as follows: New Orleans (291.2), Albany (238.7), Cincinnati (227.6), Baltimore (224.1), Richmond (223.4), Denver (217.1), Washington, D. C. (206.6), Birmingham (202), Toledo (194.4), Los Angeles (193.9), San Francisco (193.6), Philadelphia (193.4), Indianapolis (189.7), Fall River (187.8), Cambridge (184.1), and Louisville (182.1). With the exception of Birmingham (which was admitted to the registration area in 1908), and Toledo, all these cities have shown rates at least as high as 175 per 100,000 population since and including 1900. The lowest rates among the large cities in 1916 appear for Spokane (55.3), Seattle (75.5), Portland, Oreg. (80.9), Grand Rapids (81.9), and Scranton (87.8).

In the table on the next page, which shows the rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods, 1901 to 1905 and 1906 to 1910, rates of 175 or more are printed in boldfaced type.

AREA. [Rates of 175 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS)[1] PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	141.6	145.8	146.8	147.6	149.5	158.9	168.7	192.5
Registration states[2]	139.3	141.5	143.3	144.6	145.9	155.6	163.5	182.0
Cities in registration states[2]	154.6	156.9	160.7	162.6	164.4	174.8	191.7	211.5
Rural part of registration states	125.1	126.2	126.1	126.6	126.8	136.0	131.7	144.4
Registration cities in nonregistration states	173.3	197.2	192.5	181.9	187.6	195.8	196.5	211.5
All registration cities[2]	157.1	162.6	165.1	165.5	168.1	177.9	192.9	211.5
REGISTRATION STATES.								
California	180.9	196.1	195.0	203.2	200.0	206.8	210.4	(3)
Colorado	163.3	168.0	181.7	185.9	203.6	218.0	244.2	(3)
Connecticut	147.2	143.3	148.1	140.5	142.9	149.5	154.2	167.7
Indiana	136.0	143.8	147.6	149.7	147.9	155.0	171.2	180.8
Kansas	54.4	54.7	56.8	(3)	(3)	(3)	(3)	(3)
Kentucky (total)	194.4	201.0	207.8	201.5	208.7	229.3	(3)	(3)
White	163.2	167.8	175.6	172.7	178.9	196.7	(3)	(3)
Colored	463.4	482.2	456.7	424.7	439.8	483.1	(3)	(3)
Maine	116.1	124.5	120.7	126.9	133.5	142.0	154.5	165.9
Maryland (total)	200.0	191.2	202.1	194.5	192.6	203.3	203.3	(3)
White	151.4	144.9	157.5	148.6	150.8	152.1	159.1	(3)
Colored	438.4	416.1	405.6	404.2	383.1	437.7	400.6	(3)
Massachusetts	147.4	140.2	141.9	144.2	147.5	153.2	169.9	193.8
Michigan	101.9	98.3	93.3	91.7	94.2	96.0	99.7	103.5
Minnesota	104.6	101.4	107.6	107.4	108.5	120.2	(4)	(3)
Missouri	141.2	145.0	148.7	143.5	148.6	154.0	(3)	(3)
Montana	113.4	118.8	109.2	108.8	115.4	107.1	(4)	(3)
New Hampshire	113.4	121.4	123.3	120.2	112.5	121.5	137.3	156.7
New Jersey	150.3	153.2	154.5	153.3	155.2	174.1	184.3	192.9
New York	155.1	163.9	168.1	167.1	167.7	177.7	189.3	200.3
North Carolina (total)	148.9	[5] 231.1	[5]245.8	[6]229.8	[6]238.5	[6]256.8	(4)	(3)
White	103.5	150.6	181.5	171.1	168.4	183.5	(4)	(3)
Colored	248.5	388.6	368.2	337.7	367.4	391.4	(4)	(3)
Ohio	132.5	130.6	130.2	132.2	137.8	147.9	(4)	(3)
Pennsylvania	130.1	126.9	123.9	120.9	123.9	135.4	141.0	(3)
Rhode Island	166.7	157.0	158.3	162.7	160.5	170.9	192.3	216.6
South Carolina (total)	145.9	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	68.2	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	213.4	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	49.3	44.5	50.4	48.9	40.3	46.8	(4)	(3)
Vermont	107.8	91.1	101.9	107.4	100.4	118.7	127.4	140.0
Virginia (total)	177.1	184.4	182.0	168.7	(3)	(3)	(3)	(3)
White	120.1	118.2	125.8	119.6	(3)	(3)	(3)	(3)
Colored	304.2	330.4	298.5	270.3	(3)	(3)	(3)	(3)
Washington	81.3	86.7	88.5	92.4	91.7	106.7	(4)	(3)
Wisconsin	93.1	96.4	100.2	97.9	99.6	103.8	(4)	(3)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	202.0	206.9	241.9	231.4	208.4	231.9	(4)	(3)
White	79.0	86.5	107.3	100.2	122.0	113.8	(4)	(3)
Colored	408.4	406.6	448.8	432.8	341.0	413.2	(4)	(3)
Los Angeles, Cal	193.9	214.0	226.5	258.7	255.7	277.5	283.1	344.6
Oakland, Cal	120.4	137.8	123.5	129.5	140.3	132.8	189.3	178.0
San Francisco, Cal	193.6	210.9	213.9	200.5	198.3	190.0	208.9	319.2
Denver, Colo	217.1	247.6	261.5	269.0	299.6	292.7	379.1	409.7
Bridgeport, Conn	144.7	135.9	127.4	103.4	107.3	123.7	189.8	211.4
New Haven, Conn	129.0	123.1	143.2	139.5	135.7	153.6	188.0	197.9
Washington, D. C. (total)	206.6	218.3	208.6	236.2	246.2	245.3	268.6	308.6
White	121.2	126.7	122.5	151.0	140.3	158.2	163.2	(7)
Colored	432.7	458.5	422.4	447.8	509.8	461.8	525.6	(7)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Atlanta, Ga. (total)	145.3	131.4	132.2	151.5	145.5	193.4	200.6	259.5
White	91.2	83.4	94.9	101.5	96.4	125.8	145.8	(7)
Colored	265.8	236.3	206.0	250.3	242.5	327.1	305.3	(7)
Chicago, Ill	150.2	173.4	164.9	166.1	163.3	166.8	186.8	180.0
Indianapolis, Ind	189.7	204.9	218.3	222.3	185.5	188.6	228.7	207.9
Louisville, Ky. (total)	182.1	185.7	212.3	185.3	208.9	236.1	228.0	239.5
White	132.9	137.8	171.8	147.1	164.0	198.1	182.9	(7)
Colored	412.7	409.2	394.7	357.6	411.9	408.1	429.9	(7)
New Orleans, La. (total)	291.2	302.9	293.7	253.7	265.8	260.5	291.8	349.6
White	172.9	176.6	196.1	159.3	182.2	173.2	206.3	(7)
Colored	627.3	660.1	565.3	516.3	498.1	503.8	528.1	(7)
Baltimore, Md. (total)	224.1	220.2	227.7	234.6	244.8	246.9	264.2	271.0
White	162.1	160.7	173.5	174.4	188.4	183.6	206.4	(7)
Colored	575.4	556.1	529.9	570.0	557.7	598.8	584.4	(7)
Boston, Mass	174.3	163.8	171.5	173.6	179.0	182.4	210.7	250.9
Cambridge, Mass	184.1	198.0	188.4	199.9	186.6	194.1	262.3	221.2
Fall River, Mass	187.8	141.1	168.3	145.2	140.4	150.9	159.4	191.1
Lowell, Mass	137.7	127.6	124.3	119.2	147.1	153.2	161.3	175.1
Worcester, Mass	171.5	147.7	145.1	134.3	128.8	140.4	162.1	203.8
Detroit, Mich	163.9	135.6	121.8	116.0	116.0	114.0	112.3	128.7
Grand Rapids, Mich	81.9	96.2	78.8	72.9	97.3	110.3	110.8	127.8
Minneapolis, Minn	139.9	144.0	136.2	135.6	139.5	154.3	131.7	133.5
St. Paul, Minn	123.7	128.5	137.2	138.2	130.8	134.6	133.4	132.8
Kansas City, Mo	159.1	173.9	151.8	155.6	169.5	168.1	163.4	198.3
St. Louis, Mo	144.9	144.3	164.2	157.9	158.6	158.0	198.1	225.9
Omaha, Nebr	120.9	102.3	123.1	106.1	103.2	116.7	127.1	119.1
Jersey City, N. J	168.4	164.9	161.2	155.1	160.6	189.5	226.5	248.1
Newark, N. J	168.0	186.3	177.6	174.2	170.8	207.0	258.2	268.4
Paterson, N. J	139.5	134.1	123.6	148.2	129.9	182.9	186.0	205.3
Albany, N. Y	238.7	289.6	277.8	248.2	229.0	269.4	228.1	244.5
Buffalo, N. Y	162.2	157.0	165.8	156.0	144.3	141.8	148.6	150.1
New York, N. Y	173.7	188.7	194.2	194.1	197.6	207.1	226.3	248.3
Bronx Borough	178.4	193.7	193.5	200.4	189.6	192.7	445.3	561.3
Brooklyn Borough	151.6	169.2	171.0	172.5	175.1	183.4	187.9	223.2
Manhattan Borough	187.1	205.1	214.6	213.9	221.6	233.3	225.7	234.9
Queens Borough	177.7	169.9	169.8	151.5	158.0	159.8	140.4	164.9
Richmond Borough	211.4	173.0	182.9	191.0	165.1	194.0	225.9	215.7
Rochester, N. Y	112.3	118.5	113.0	118.6	112.4	131.7	157.5	154.2
Syracuse, N. Y	110.5	99.6	131.9	120.9	108.0	113.3	133.9	153.5
Cincinnati, Ohio	227.6	222.8	243.9	254.0	252.6	265.3	280.6	271.3
Cleveland, Ohio	152.7	132.6	136.3	131.7	134.1	147.4	137.1	133.2
Columbus, Ohio	153.6	158.8	166.2	160.4	170.2	190.0	209.7	221.7
Dayton, Ohio	138.3	175.3	134.9	167.0	154.5	170.7	209.0	222.9
Toledo, Ohio	194.4	193.7	178.2	188.5	178.8	186.7	170.5	153.4
Portland, Oreg	80.9	85.4	86.7	84.7	100.6	106.8	110.8	120.1
Philadelphia, Pa	193.4	186.0	190.6	188.6	190.8	219.1	234.6	239.9
Pittsburgh, Pa	136.4	133.0	133.8	127.9	124.6	130.9	141.9	167.2
Scranton, Pa	87.8	93.0	96.2	86.6	94.9	112.7	97.4	98.2
Providence, R. I	165.1	157.6	150.5	162.0	150.5	153.9	190.7	246.6
Memphis, Tenn. (total)	(8)	290.9	299.6	266.5	253.9	241.2	244.7	252.3
White	(8)	135.4	124.6	158.1	161.5	146.7	157.7	(7)
Colored	(8)	557.0	561.2	428.7	392.2	382.9	367.8	(7)
Nashville, Tenn. (total)	(8)	238.9	235.0	216.1	241.3	241.5	278.4	354.2
White	(8)	136.5	140.5	145.7	161.8	165.0	188.7	(7)
Colored	(8)	465.1	425.9	358.3	401.9	396.0	455.0	(7)
Richmond, Va. (total)	223.4	211.4	219.4	205.0	245.7	250.6	259.5	284.9
White	145.0	139.1	135.6	130.3	178.9	162.3	189.1	(7)
Colored	364.3	340.4	364.2	334.1	361.3	403.3	380.4	(7)
Seattle, Wash	75.5	64.4	88.8	96.5	101.7	121.1	110.3	112.2
Spokane, Wash	55.3	62.3	71.5	88.9	69.4	109.4	119.6	128.1
Milwaukee, Wis	96.0	96.2	105.4	104.2	97.6	106.5	130.1	149.5

NOTE.—Populations upon which these rates are based will be found in Table I B p. 65.

[1] Includes scrofula.
[2] Including District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Deaths not shown by color prior to 1906.
[8] Transcripts for deaths not received.

The next table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 175 or more per 100,000 population, such rates being printed in boldfaced type.

Rates for tuberculosis (all forms) are shown in the following table for 178 minor cities which had rates of 175 or higher per 100,000 population in any of the years 1911 to 1916. For the series of years 47 cities had such high rates, and 11 of these had rates of 300 or more, namely: San Bernardino, Cal., Colorado Springs, Colo., Meriden town, Conn., Frankfort, Ky., Westfield town, Mass., Rome, N. Y., Asheville, N. C., Cranston and Warwick town, R. I., and El Paso and San Antonio, Tex. The highest rate recorded for any single year was 686.7 in 1916 for Asheville, N. C. The 5 cities which had the lowest rates in 1916 are Hackensack, N. J. (53.1), Wausau, Wis. (67.6), Pomona, Cal. (68.4), Santa Cruz, Cal. (75.5), and Johnstown, N. Y. (75.2).

CITY. [Rates of 175 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) [1] PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Mobile, Ala.	247.3	286.5	302.3	304.0	307.5	324.6
Montgomery, Ala.	159.4	150.5	129.3	158.5	201.1	215.7
Bakersfield, Cal.	284.4	357.8	296.0	356.5	359.1	383.6
Eureka, Cal.	197.4	140.6	109.0	187.8	241.2	258.1
Fresno, Cal.	134.4	196.4	144.3	146.7	131.1	207.6
Long Beach, Cal.	123.1	96.1	110.5	131.2	140.9	177.6
Pasadena, Cal.	127.0	155.0	163.9	172.0	290.0	281.4
Pomona, Cal.	68.4	118.4	155.7	179.1	168.9	176.4
Redlands, Cal.	235.6	253.1	256.7	350.0	503.7	448.8
Riverside, Cal.	268.2	162.9	213.2	244.9	297.1	378.9
Sacramento, Cal.	212.3	228.3	247.1	268.8	223.8	244.8
San Bernardino, Cal.	537.0	571.5	596.1	602.8	462.8	522.5
San Diego, Cal.	279.1	295.4	265.9	372.7	357.6	307.7
San Jose, Cal.	120.9	131.5	134.9	163.1	164.4	180.9
Santa Barbara, Cal.	154.9	195.3	224.4	202.9	304.9	268.7
Santa Cruz, Cal.	75.5	106.8	89.1	193.4	89.0	152.4
Stockton, Cal.	263.1	260.8	291.9	298.6	387.2	363.1
Colorado Springs, Colo.	435.3	445.3	498.1	524.3	574.4	589.9
Pueblo, Colo.	113.8	100.3	126.9	151.2	143.8	211.6
Trinidad, Colo.	187.4	127.5	148.4	220.7	159.5	166.8
Meriden town, Conn.	362.8	384.2	414.9	392.0	396.1	428.0
Middletown town, Conn.	267.5	227.0	293.7	238.4	246.8	203.4
New London, Conn.	123.9	129.9	131.4	122.9	198.7	185.9
Norwich town, Conn.	265.1	328.5	223.9	246.2	174.6	130.0
Windham town, Conn.	127.2	107.9	29.3	111.9	98.8	240.2
Wilmington, Del.	163.4	170.7	170.5	149.5	183.7	156.6
Jacksonville, Fla.	226.0	221.5	229.4	254.4	230.4	260.5
Key West, Fla.	165.7	182.0	283.8	244.5	296.5	282.7
Pensacola, Fla.	178.9	202.0	222.1	170.2	(2)	(2)
Tampa, Fla.	135.5	180.5	(2)	(2)	(2)	(2)
Augusta, Ga.	250.8	280.9	200.2	181.4	(2)	(2)
Savannah, Ga.	295.1	355.5	300.3	275.7	290.7	242.6
Jacksonville, Ill.	239.0	271.7	278.7	220.7	227.5	253.9
Quincy, Ill.	201.1	165.9	171.5	147.1	174.6	180.2
Springfield, Ill.	119.4	157.6	177.6	161.2	136.4	185.8
Anderson, Ind.	162.6	151.5	153.1	172.3	130.5	197.8
Elwood, Ind.	127.0	108.8	166.5	211.4	160.4	102.1
Evansville, Ind.	187.9	182.6	147.3	176.0	176.8	196.0
Gary, Ind.	178.6	166.6	(3)	(3)	(3)	65.5
Jeffersonville, Ind.	144.1	201.7	243.6	174.8	232.3	308.6
Kokomo, Ind.	181.5	133.0	203.1	194.0	190.6	169.5
Lafayette, Ind.	155.0	180.1	191.4	154.6	209.7	201.8
Marion, Ind.	181.5	187.4	167.9	209.5	133.0	138.8
New Albany, Ind.	169.3	194.7	242.3	252.0	252.0	218.1
Terre Haute, Ind.	130.2	186.7	190.5	151.0	164.0	187.1
Vincennes, Ind.	198.3	133.7	173.0	128.7	176.4	272.6
Kansas City, Kans.	130.7	142.5	146.4	182.1	171.9	208.9
Covington, Ky.	204.7	221.1	237.9	220.7	270.8	235.3
Frankfort, Ky.	316.0	409.8	450.3	408.0	402.5	387.3
Henderson, Ky.	237.8	273.4	292.8	295.9	409.7	344.9
Lexington, Ky.	287.2	355.1	399.2	311.0	307.7	320.7
Newport, Ky.	166.0	192.3	215.7	166.1	173.9	206.2
Owensboro, Ky.	219.3	291.4	273.0	271.7	264.4	293.4
Paducah, Ky.	314.0	330.5	351.7	310.5	234.1	298.0
Augusta, Me.	204.6	178.4	137.1	218.9	191.8	246.4
Bangor, Me.	165.1	197.3	180.3	197.8	196.4	186.8
Biddeford, Me.	152.8	187.9	125.8	207.1	190.9	226.8
Lewiston, Me.	129.5	145.1	161.1	188.6	190.3	165.7
Waterville, Me.	196.8	112.0	97.5	140.5	126.0	171.0
Cumberland, Md.	126.6	148.6	183.6	167.0	157.3	120.4
Frederick, Md.	153.0	81.9	64.3	148.6	187.6	227.6
Hagerstown, Md.	124.6	114.9	92.7	160.5	169.0	195.7
Arlington town, Mass.	156.1	71.8	89.5	182.9	119.0	129.8
Chicopee, Mass.	163.7	188.3	149.7	142.2	149.3	112.4
Clinton town, Mass.	107.0	152.9	117.5	147.5	123.7	183.7
Marlborough, Mass.	105.4	99.5	100.1	201.4	121.6	156.4
New Bedford, Mass.	182.0	154.4	164.6	151.2	144.8	166.5
Northampton, Mass.	195.7	181.4	116.3	183.0	249.9	170.6
Taunton, Mass.	245.3	200.2	238.6	175.6	200.1	176.8
Wakefield town, Mass.	125.6	79.9	73.2	132.2	84.2	179.7
Waltham, Mass.	130.9	199.1	124.6	123.2	100.6	148.8
Westfield town, Mass.	331.7	355.4	334.5	370.9	527.3	516.9
Ann Arbor, Mich.	226.6	207.0	167.2	167.6	141.1	181.7
Pontiac, Mich.	91.3	164.3	108.6	167.9	179.5	131.8
Traverse City, Mich.	275.1	317.6	256.3	284.8	212.3	235.8
Mankato, Minn.	96.5	125.4	107.1	126.4	203.6	117.5
Stillwater, Minn.	88.2	88.2	161.4	147.2	72.0	207.4
Winona, Minn.	156.0	123.8	220.9	164.7	125.6	132.2
Jackson, Miss.	242.1	253.8	(2)	(2)	(2)	(2)
Meridian, Miss.	270.4	266.0	(2)	(2)	(2)	(2)
Natchez, Miss.	305.4	288.4	(2)	(2)	(2)	(2)
Vicksburg, Miss.	333.1	209.3	(2)	(2)	(2)	(2)
Hannibal, Mo.	142.0	169.2	168.9	178.6	137.8	178.6
Jefferson City, Mo.	237.3	331.9	330.0	318.5	235.0	214.6
Joplin, Mo.	304.0	296.8	264.8	254.1	224.8	235.6
Moberly, Mo.	141.1	232.8	238.4	227.5	216.0	212.8
Sedalia, Mo.	159.4	104.2	169.2	155.4	195.6	193.0
Springfield, Mo.	161.2	177.2	183.5	137.3	180.9	188.2
Webb City, Mo.	506.5	383.5	330.9	467.8	234.3	247.8
Butte, Mont.	225.6	201.0	262.6	269.7	227.5	238.3

CITY. [Rates of 175 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) [1] PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Great Falls, Mont.	143.4	164.9	207.0	154.1	145.6	94.0
Helena, Mont.	110.2	119.1	75.4	45.8	201.4	165.0
Concord, N. H.	145.6	177.9	143.6	104.0	91.3	142.7
Dover, N. H.	90.4	143.2	150.8	150.8	113.1	218.8
Bridgeton, N. J.	173.6	132.3	153.5	146.8	105.1	257.8
Camden, N. J.	145.8	119.7	185.4	168.0	157.0	200.4
Hackensack, N. J.	53.1	85.0	137.4	173.7	132.6	175.9
Harrison, N. J.	106.2	120.8	86.6	120.5	149.6	228.0
Hoboken, N. J.	187.9	197.1	193.3	181.4	224.0	248.9
Irvington, N. J.	131.0	175.7	183.7	192.5	164.7	214.7
Long Branch, N. J.	110.5	139.4	135.9	104.3	185.1	176.9
Morristown, N. J.	113.0	98.8	145.7	170.4	211.2	246.1
New Brunswick, N. J.	184.2	202.7	209.5	183.8	207.1	179.1
Orange, N. J.	163.2	166.0	153.3	159.2	178.2	232.7
Trenton, N. J.	151.4	175.8	175.9	194.3	224.4	224.0
West New York, N. J.	165.2	200.8	175.6	123.1	149.3	145.3
Binghamton, N. Y.	161.2	143.2	153.3	189.1	137.0	132.6
Cohoes, N. Y.	170.6	207.0	143.7	156.2	180.8	197.1
Glens Falls, N. Y.	82.8	150.3	158.9	136.7	120.0	182.0
Hudson, N. Y.	157.5	119.9	180.1	124.7	135.1	197.0
Johnstown, N. Y.	75.2	84.8	47.3	113.8	152.1	216.6
Kingston, N. Y.	205.5	240.3	218.9	204.9	225.0	280.5
Little Falls, N. Y.	133.7	150.7	114.7	116.5	86.7	182.9
Middletown, N. Y.	316.3	324.3	281.2	250.5	277.6	308.7
Newburgh, N. Y.	256.8	259.3	234.3	233.2	210.9	166.8
Ogdensburg, N. Y.	185.4	174.8	255.1	189.7	271.4	320.8
Peekskill, N. Y.	80.9	149.8	121.3	95.1	67.2	228.5
Plattsburg, N. Y.	85.7	143.4	113.9	166.4	110.7	201.9
Rome, N. Y.	476.1	482.4	431.8	324.7	341.8	338.3
Saratoga Springs, N. Y.	209.9	130.4	132.7	219.1	196.0	301.2
Troy, N. Y.	231.1	241.8	238.6	242.9	221.5	248.2
Watervliet, N. Y.	122.2	135.8	175.4	156.7	164.0	164.3
Yonkers, N. Y.	125.2	111.8	139.2	176.3	139.2	139.9
Asheville, N. C.	686.7	634.5	615.1	605.3	631.0	658.5
Charlotte, N. C.	178.3	177.4	208.2	183.7	99.9	161.2
Durham, N. C.	215.5	254.5	258.0	188.4	246.7	337.3
Greensboro, N. C.	209.4	184.3	212.1	174.2	250.0	276.9
Raleigh, N. C.	298.1	245.3	312.6	203.2	301.9	294.6
Wilmington, N. C.	180.7	200.8	169.2	241.7	272.3	243.1
Winston-Salem,[4] N. C.	317.8	372.2	375.4	303.8	263.1	324.4
Chillicothe, Ohio.	84.1	124.0	164.9	186.6	188.6	258.6
East Liverpool, Ohio.	150.6	112.5	233.1	204.4	184.2	197.0
Findlay, Ohio.	154.7	215.4	138.8	157.6	140.4	172.2
Ironton, Ohio.	150.5	159.2	204.5	223.5	186.1	210.5
Lima, Ohio.	124.4	109.8	117.9	123.6	138.8	185.3
Middletown, Ohio.	166.4	157.6	222.6	159.3	199.6	132.1
Portsmouth, Ohio.	208.8	142.2	210.8	178.4	216.8	237.7
Steubenville, Ohio.	83.8	108.9	135.6	104.0	202.6	119.9
Zanesville, Ohio.	123.1	154.6	123.5	166.2	189.4	178.5
Beaver Falls, Pa.	155.2	97.6	160.3	163.0	213.2	104.4
Bethlehem, Pa.	190.9	114.9	80.2	74.0	150.3	99.3
Carlisle, Pa.	158.5	84.5	198.3	161.6	191.4	183.0
Carnegie, Pa.	85.6	122.6	53.8	147.1	207.4	77.4
Chambersburg, Pa.	145.4	179.0	73.8	140.5	208.2	193.4
Chester, Pa.	207.7	237.0	229.8	282.4	194.7	230.2
Coatesville, Pa.	83.0	143.8	89.8	109.2	146.5	178.9
Columbia, Pa.	174.6	130.9	199.0	116.6	124.5	150.0
Farrell,[5] Pa.	202.1	163.6	(5)	(5)	(5)	88.3
Norristown, Pa.	226.2	256.2	208.1	232.4	233.4	220.6
Steelton, Pa.	128.7	110.8	105.8	160.9	183.6	131.1
Washington, Pa.	171.2	193.8	149.7	123.5	176.9	130.3
West Chester, Pa.	151.9	223.9	141.5	216.1	179.4	132.9
York, Pa.	129.7	178.0	175.9	146.9	122.9	149.7
Cranston,[7] R. I.	507.9	428.5	368.7	389.4	437.7	432.1
Warwick town,[8] R. I.	370.3	431.6	425.7	416.2	402.7	409.8
Charleston, S. C.	266.7	258.2	226.2	230.7	258.7	321.0
Columbia, S. C.	303.4	325.9	(2)	(2)	(2)	(2)
Greenville, S. C.	187.0	208.0	(2)	(2)	(2)	(2)
Spartanburg, S. C.	252.7	188.9	(2)	(2)	(2)	(2)
Chattanooga, Tenn.	(9)	225.3	243.5	(2)	(2)	(2)
Jackson, Tenn.	(9)	226.3	239.6	(2)	(2)	(2)
Knoxville, Tenn.	(9)	245.4	261.1	(9)	279.8	250.1
Beaumont, Tex.	205.7	(2)	(2)	(2)	(2)	(2)
El Paso, Tex.	612.2	652.5	618.1	681.9	595.8	651.2
Galveston, Tex.	167.2	155.8	178.8	210.1	232.5	160.8
San Antonio, Tex.	325.5	390.9	407.6	383.9	415.8	409.2
Barre, Vt.	312.2	251.4	307.5	244.0	257.9	336.0
Alexandria, Va.	173.7	174.6	236.0	154.0	238.5	291.7
Danville, Va.	139.9	191.3	243.7	225.2	309.7	208.3
Lynchburg, Va.	188.3	240.8	216.8	230.3	211.6	260.1
Newport News, Va.	209.2	195.1	234.8	250.1	(2)	(2)
Norfolk, Va.	212.0	219.1	223.0	244.7	267.2	260.7
Petersburg, Va.	230.6	280.1	302.6	253.2	316.4	295.0
Roanoke, Va.	153.9	155.0	184.9	173.4	208.6	208.2
Staunton, Va.	240.3	278.6	167.9	278.1	(2)	(2)
Ashland, Wis.	163.9	241.5	200.7	144.0	204.2	248.4
Eau Claire, Wis.	345.5	229.6	160.9	97.0	135.2	164.8
Wausau, Wis.	67.6	101.1	103.4	133.9	194.2	105.4

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Includes scofula.
[2] Not admitted to registration area until a later date.
[3] Incorporated in 1906; population not estimated.
[4] Salem consolidated with Winston, May, 1913.
[5] Name changed from South Sharon (incorporated in 1901) in 1912.
[6] Population not estimated.
[7] Includes state institutions.
[8] Includes West Warwick town, organized November, 1913.
[9] Transcripts for deaths not received.

TUBERCULOSIS OF THE LUNGS.

Tuberculosis of the lungs, including acute miliary tuberculosis, caused 88,666 deaths in the registration area of the United States in 1916. The death rate (123.8 per 100,000 population) is somewhat lower than the rate for 1915 (127.7), and a decrease is evident in all the subdivisions of the registration area, but is greatest in the registration cities in nonregistration states (from 173.8 to 152.1).

Tuberculosis of the lungs, including acute miliary tuberculosis, represents 87.4 per cent of all forms of tuberculosis in 1916, and while this is slightly lower than the corresponding per cent (87.6) for 1915, it is higher than the per cents for the previous four years, during which period it ranged from 87.1 to 86.5.

In the following table, which shows the rates per 100,000 population for 1911 to 1916, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 150 or higher are printed in boldfaced type.

AREA. [Rates of 150 or more per 100,000 in boldfaced type.]	DEATH RATE FROM TUBERCULOSIS OF THE LUNGS[1] PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	123.8	127.7	127.8	127.7	129.9	138.0	146.8	170.6
Registration states[2]	121.7	123.8	124.4	124.8	126.4	134.7	141.7	160.2
Cities in registration states[2]	133.1	135.9	138.4	139.1	141.4	150.3	165.7	185.3
Rural part of registration states	111.2	111.8	110.6	110.4	110.9	118.7	114.5	128.2
Registration cities in nonregistration states	152.1	173.8	171.6	161.2	166.5	175.0	174.3	189.4
All registration cities[2]	135.7	141.3	143.0	142.4	145.3	154.0	167.9	187.3
REGISTRATION STATES.								
California	160.1	172.2	170.3	175.8	174.0	180.8	184.3	(8)
Colorado	151.9	158.2	167.8	170.6	187.0	202.7	225.9	(8)
Connecticut	125.3	122.8	126.0	121.0	121.5	127.7	134.6	148.2
Indiana	115.5	122.9	125.0	125.0	124.4	131.4	144.9	161.2
Kansas	47.4	47.9	49.3	(3)	(3)	(3)	(3)	(3)
Kentucky (total)	170.5	178.6	182.2	176.2	183.4	200.4	(3)	(3)
White	141.5	147.5	152.8	150.3	155.8	170.6	(3)	(3)
Colored	420.9	442.2	409.4	376.8	397.2	432.2	(3)	(3)
Maine	95.9	100.4	94.3	96.2	106.4	116.5	124.7	139.9
Maryland (total)	181.0	171.3	181.0	174.6	169.9	178.8	182.3	(3)
White	138.1	128.8	141.2	132.5	131.2	132.4	141.8	(3)
Colored	391.6	377.6	362.8	366.6	346.8	391.2	363.4	(3)
Massachusetts	123.6	118.1	118.8	120.8	125.6	129.3	144.6	169.2
Michigan	86.5	84.8	79.4	77.4	80.2	81.2	84.9	88.4
Minnesota	87.7	84.3	89.9	88.0	90.2	100.4	(4)	(3)
Missouri	126.9	131.0	132.3	126.7	129.9	137.2	(3)	(3)
Montana	99.0	104.9	92.5	93.3	102.8	91.3	(4)	(3)
New Hampshire	96.9	101.2	99.8	98.9	94.8	104.6	118.2	139.4
New Jersey	132.9	136.2	137.2	134.2	136.8	151.4	160.9	172.7
New York	137.2	144.3	148.3	145.9	146.9	154.9	165.3	177.1
North Carolina (total)	134.9	[5]207.9	[6]221.7	[6]203.8	[6]211.8	[6]229.5	(4)	(3)
White	92.0	133.3	160.2	149.7	147.2	163.3	(4)	(3)
Colored	228.9	354.0	338.7	303.3	330.6	351.2	(4)	(3)
Ohio	114.5	113.5	112.8	113.1	118.3	127.4	(4)	(3)
Pennsylvania	112.3	110.6	107.2	104.5	108.3	117.9	122.4	(3)
Rhode Island	142.9	132.7	134.6	133.4	132.4	145.1	161.5	182.8
South Carolina (total)	136.5	(3)	(3)	(3)	(3)	(3)	(3)	(3)
White	62.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Colored	201.1	(3)	(3)	(3)	(3)	(3)	(3)	(3)
Utah	40.1	36.1	40.8	41.5	33.4	37.9	(4)	(3)
Vermont	90.5	74.8	80.6	88.3	80.6	97.1	104.7	121.8
Virginia (total)	156.8	166.2	161.8	149.6	(3)	(3)	(3)	(3)
White	104.2	103.4	108.7	103.5	(3)	(3)	(3)	(3)
Colored	274.0	304.6	271.6	244.9	(3)	(3)	(3)	(3)
Washington	66.5	74.6	69.9	74.9	73.7	84.3	(4)	(3)
Wisconsin	79.7	83.0	85.0	84.3	85.9	88.0	(4)	(3)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	173.9	178.1	211.2	195.3	184.4	224.6	(4)	(3)
White	66.7	75.5	93.4	77.2	104.4	107.8	(4)	(3)
Colored	353.8	348.5	392.3	376.7	307.2	403.9	(4)	(3)
Los Angeles, Cal	176.7	190.0	201.0	233.5	225.1	248.1	253.1	316.5
Oakland, Cal	94.2	112.7	101.1	106.7	115.3	104.7	159.3	148.6
San Francisco, Cal	169.4	179.8	180.2	162.8	161.9	158.5	177.3	276.9
Denver, Colo	199.0	235.4	241.5	244.7	271.4	270.2	347.3	383.7
Bridgeport, Conn	118.4	120.7	98.0	83.8	86.2	108.6	162.0	186.1
New Haven, Conn	95.5	89.1	110.7	112.7	101.9	123.6	163.6	171.9
Washington, D. C. (total)	187.4	199.6	181.7	206.9	219.1	218.1	237.7	273.4
White	107.9	114.8	106.3	134.5	126.4	135.4	142.1	(7)
Colored	397.7	422.1	369.1	386.7	449.7	423.6	470.9	(7)
Atlanta, Ga. (total)	117.0	111.4	116.0	135.9	130.5	172.8	183.5	241.8
White	73.0	72.4	82.3	91.9	89.2	109.9	131.6	(7)
Colored	215.0	196.6	182.8	222.9	212.2	297.4	282.9	(7)
Chicago, Ill	132.8	152.6	146.1	146.3	145.0	147.3	163.2	159.3
Indianapolis, Ind	159.6	174.0	175.5	182.1	153.5	154.1	187.8	186.3
Louisville, Ky. (total)	159.9	165.8	185.0	160.8	183.6	210.6	207.3	219.7
White	113.7	122.4	142.8	128.8	143.8	175.0	164.0	(7)
Colored	376.9	368.5	375.9	305.5	363.7	371.6	400.6	(7)
New Orleans, La. (total)	259.0	265.0	270.5	234.3	244.4	241.7	266.8	321.8
White	160.5	159.6	182.2	145.1	168.2	159.0	188.4	(7)
Colored	538.6	563.0	516.1	482.3	456.1	472.0	483.3	(7)
Baltimore, Md. (total)	200.5	195.9	203.2	207.8	214.6	212.2	235.5	239.1
White	146.5	141.5	154.1	152.4	163.6	156.5	183.4	(7)
Colored	506.4	502.7	476.7	516.3	497.8	522.0	523.8	(7)
Boston, Mass	145.0	137.8	140.2	145.5	152.4	152.6	176.0	214.4
Cambridge, Mass	172.6	182.7	167.6	184.3	176.4	166.9	239.2	194.5
Fall River, Mass	161.3	113.5	146.7	128.2	125.7	136.2	141.1	175.7
Lowell, Mass	103.3	101.7	95.5	90.1	117.7	114.7	133.4	155.3
Worcester, Mass	133.5	114.6	119.2	104.6	107.8	115.1	134.9	175.3
Detroit, Mich	141.3	118.6	103.6	98.5	99.3	98.8	97.1	111.9
Grand Rapids, Mich	64.7	85.1	68.2	54.7	77.0	87.0	88.6	102.0
Minneapolis, Minn	117.8	124.2	113.5	116.1	117.2	133.7	112.2	109.3
St. Paul, Minn	99.1	106.2	113.6	116.2	104.3	111.8	107.0	108.2
Kansas City, Mo	140.7	157.0	136.6	134.0	146.6	149.9	146.1	187.2
St. Louis, Mo	129.0	128.8	145.0	138.5	136.7	136.3	177.9	206.3
Omaha, Nebr	101.5	93.1	101.3	90.0	90.0	97.8	108.3	104.3
Jersey City, N. J	143.6	144.6	139.5	133.5	142.5	166.4	205.2	227.1
Newark, N. J	145.5	161.2	157.3	150.0	148.9	179.7	220.0	240.3
Paterson, N. J	131.5	121.7	113.9	133.1	116.0	168.9	163.4	185.3
Albany, N. Y	208.5	261.6	245.7	226.7	206.4	239.7	203.1	217.8
Buffalo, N. Y	142.8	138.1	142.9	134.3	123.3	121.8	126.5	127.7
New York, N. Y	154.9	167.2	172.6	170.1	173.4	180.9	198.0	217.6
Bronx Borough	161.0	175.0	174.8	179.9	165.8	168.5	419.8	531.1
Brooklyn Borough	135.3	149.7	150.8	149.8	153.8	159.9	164.2	195.0
Manhattan Borough	165.6	181.1	191.5	188.3	193.8	203.5	192.4	201.4
Queens Borough	161.1	150.1	147.7	130.7	141.7	143.1	124.4	146.0
Richmond Borough	195.1	154.2	163.8	157.4	148.5	172.7	202.3	188.5
Rochester, N. Y	91.9	100.5	91.0	97.5	95.5	111.4	135.6	136.6
Syracuse, N. Y	88.0	85.9	107.8	100.4	89.8	95.7	113.4	135.4
Cincinnati, Ohio	208.3	200.4	219.8	229.4	224.2	237.0	250.1	242.6
Cleveland, Ohio	132.2	114.7	116.4	114.2	115.4	129.7	121.0	122.2
Columbus, Ohio	125.2	132.1	137.4	137.4	145.5	159.1	179.4	202.3
Dayton, Ohio	121.8	152.2	121.2	147.4	132.9	143.7	187.3	194.3
Toledo, Ohio	168.1	171.4	159.7	160.7	153.9	165.3	149.9	138.9
Portland, Oreg	58.2	67.1	61.4	64.5	71.2	85.0	86.2	103.1
Philadelphia, Pa	170.6	164.3	167.7	165.0	170.2	193.5	207.6	214.4
Pittsburgh, Pa	110.7	108.4	109.2	106.5	100.4	106.0	114.0	140.8
Scranton, Pa	74.2	72.2	76.4	76.5	75.8	99.9	82.5	94.4
Providence, R. I	134.1	125.6	121.6	129.1	115.2	131.8	153.7	201.0
Memphis, Tenn (total)	(8)	262.1	273.0	243.0	224.8	220.2	228.1	232.9
White	(8)	113.8	114.1	136.7	139.6	129.2	140.8	(7)
Colored	(8)	516.1	510.7	402.0	352.3	356.6	351.4	(7)
Nashville, Tenn. (total)	(8)	201.8	201.9	174.0	193.4	202.9	228.0	302.6
White	(8)	111.4	119.7	118.2	126.0	135.5	153.9	(7)
Colored	(8)	401.4	368.1	286.6	329.6	339.0	374.0	(7)
Richmond, Va. (total)	187.0	175.2	188.3	169.7	212.2	210.4	227.7	252.2
White	116.2	109.9	99.4	92.4	145.3	130.6	162.2	(7)
Colored	314.3	291.8	342.0	303.4	328.1	348.4	340.0	(7)
Seattle, Wash	55.1	49.0	66.8	72.1	77.9	92.2	83.2	91.1
Spokane, Wash	40.6	51.1	53.8	67.8	56.2	85.4	93.6	112.0
Milwaukee, Wis	78.8	83.6	93.2	90.0	85.4	97.1	114.8	130.0

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including acute miliary tuberculosis and tuberculosis of the larynx.
[2] Including District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Includes only municipalities having a population of 1,000 or more in 1910.
[6] Includes only municipalities having a population of 1,000 or more in 1900.
[7] Deaths not shown by color prior to 1906.
[8] Transcripts for deaths not received.

For tuberculosis of the lungs in 1916, as for tuberculosis (all forms), the same states appear in the same order for both high and low rates, except that for tuberculosis of the lungs Colorado takes the place of Rhode Island among the highest five, and all of these states, except Maryland, Michigan, and Utah, have lower rates in 1916 than in 1915. Only four states, California, Colorado, Kentucky, and Maryland, show rates of 150 or higher for every one of the past six years.

Similarly in 1916, of the cities which in 1910 had populations of 100,000 or more, the five cities having the highest and the five having the lowest rates for tuberculosis (all forms) appear in the preceding table in the same order of highest and lowest rates, with the exception that Richmond is fifth among the highest rates for tuberculosis (all forms), but in the above table has surrendered this position to Denver.

Furthermore, the rates for the cities which in 1910 had 100,000 population or more, when considered for the series of years 1911 to 1916, show 15 which exceeded 175 per 100,000 population for tuberculosis (all forms), and also exceeded 150 per 100,000 population for tuberculosis of the lungs. New York also should be added to the group showing rates of 150 or higher for tuberculosis of the lungs for every year of the series.

The same caution which was given for tuberculosis (all forms) should be exercised in making comparisons for pulmonary tuberculosis. The mortality from this cause among negroes and among certain other races is markedly high, for which reason the composition of a given population in respect to color and race should be carefully considered.

CANCER.

Cancer and other malignant tumors caused 58,600 deaths in the registration area in 1916, corresponding to a rate of 81.8 per 100,000 population. This rate shows an increase of 30 per cent over the rate for 1900 (63), and the increase has been continuous during this period if the years 1906 and 1911 are excepted.

In comparing the rates for the subdivisions of the registration area for the six years shown in the table, it will be seen that there was an increase in each area from year to year with two exceptions, a decrease for registration cities in nonregistration states for 1915 compared with 1914 and for rural part of registration states in 1916 compared with 1915.

Comparing the states for 1916 and 1915, each state shows in 1916 an increase in the cancer rate except New York, which has the same rate (92) for both years, and Maryland, which shows a decline from 89.7 to 87.7. The states which have the highest rates in 1916 are Vermont (114.9), Maine (113.1), New Hampshire (111.4), Massachusetts (109.2), and California (99.5). These states also had the highest rates for the preceding four years, although not in the same order. The lowest rates are shown for South Carolina (34.6), North Carolina (45.1), Kentucky (51), Montana (53.8), and Utah (56.7). In 1916 rates of 80 or more are shown for 15 states; 7 of these have had rates higher than 80 for the years 1911 to 1916, while 5 have had similar high rates for each year from and including 1907.

In the following table, which shows the rates per 100,000 population for 1911 to 1916, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 80 and higher are printed in boldfaced type.

AREA. [Rates of 80 or more per 100,000 in boldfaced type.]	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
SUMMARY.								
The registration area	81.8	81.1	79.4	78.9	77.0	74.3	72.6	67.9
Registration states [1]	81.5	80.9	79.0	78.6	76.9	74.0	72.7	69.5
Cities in registration states [1]	92.8	89.7	88.5	87.8	84.9	81.9	78.7	71.9
Rural part of registration states	71.1	72.1	69.6	69.4	68.5	65.9	65.8	66.5
Registration cities in nonregistration states	86.1	83.1	85.4	82.1	78.6	77.6	72.0	65.1
All registration cities [1]	91.9	88.7	88.0	87.0	83.9	81.3	77.0	68.5
REGISTRATION STATES.								
California	99.5	98.1	97.9	97.6	90.7	82.6	80.3	(2)
Colorado	59.8	53.4	58.3	50.7	58.0	55.3	51.9	(2)
Connecticut	93.5	92.6	86.5	85.1	81.4	78.5	77.9	70.8
Indiana	85.2	82.8	79.1	81.1	74.0	71.3	64.3	50.2
Kansas	68.9	63.4	61.3	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	51.0	49.7	46.0	48.0	44.9	42.7	(2)	(2)
White	51.1	49.2	46.1	48.0	45.5	42.0	(2)	(2)
Colored	50.5	54.4	45.4	48.3	40.7	48.2	(2)	(2)
Maine	113.1	106.6	107.6	107.5	110.1	98.6	95.9	86.1
Maryland (total)	87.7	89.7	81.4	82.8	79.0	73.0	64.5	(2)
White	93.6	96.5	86.1	86.9	83.5	78.0	68.9	(2)
Colored	58.9	57.1	60.2	64.4	58.2	49.9	44.7	(2)
Massachusetts	109.2	104.0	101.2	101.4	97.6	94.4	90.8	82.6
Michigan	88.4	84.7	80.5	81.5	78.6	74.5	69.6	63.7
Minnesota	86.1	79.2	76.8	75.1	69.7	67.8	(3)	(2)
Missouri	73.9	67.7	69.0	67.1	64.2	59.4	(2)	(2)
Montana	53.8	50.0	51.5	49.4	40.4	40.0	(3)	(2)
New Hampshire	111.4	109.4	100.8	104.4	107.4	96.8	94.3	83.0
New Jersey	82.2	81.1	79.0	78.4	76.5	74.6	67.3	58.2
New York	92.0	92.0	90.0	87.8	86.2	86.3	79.4	72.1
North Carolina (total)	45.1	[4] 59.5	[4] 57.8	[5] 47.9	[5] 56.8	[5] 54.8	(3)	(2)
White	48.1	62.6	61.4	46.7	62.8	59.4	(3)	(2)
Colored	38.5	53.4	51.0	50.1	45.7	46.3	(3)	(2)
Ohio	91.2	85.0	83.1	81.8	80.3	76.4	(3)	(2)
Pennsylvania	76.6	74.0	72.7	72.2	68.1	66.4	62.3	(2)
Rhode Island	92.6	92.1	91.2	93.3	89.8	88.0	84.9	80.0
South Carolina (total)	34.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	41.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	28.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	56.7	48.3	45.8	52.1	47.6	51.9	(3)	(3)
Vermont	114.9	104.0	109.9	111.7	110.4	101.0	96.7	80.8
Virginia (total)	57.0	53.7	48.9	48.4	(2)	(2)	(2)	(2)
White	63.1	58.4	52.9	52.4	(2)	(2)	(2)	(2)
Colored	43.3	43.3	40.5	40.2	(2)	(2)	(2)	(2)
Washington	62.1	57.2	61.9	53.5	53.0	46.1	(3)	(2)
Wisconsin	84.3	81.1	81.1	78.5	76.9	74.7	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	56.1	53.4	46.3	58.8	37.9	68.3	(2)	(2)
White	62.3	58.9	55.6	77.2	42.9	69.1	(3)	(2)
Colored	45.7	44.3	32.1	30.5	30.4	67.0	(3)	(2)
Los Angeles, Cal	105.6	97.4	100.9	103.0	107.0	95.4	95.8	80.8
Oakland, Cal	89.6	104.8	92.9	115.3	100.4	105.3	100.1	83.0
San Francisco, Cal	133.1	129.8	128.4	131.1	116.7	110.6	108.9	122.3

(See footnotes at end of table.)

AREA. [Rates of 80 or more per 100,000 in boldfaced type.]	DEATH RATE FROM CANCER AND OTHER MALIGNANT TUMORS PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Denver, Colo	90.1	79.8	90.4	82.8	87.7	77.0	81.5	64.0
Bridgeport, Conn	103.6	74.3	84.1	74.9	91.7	68.0	67.8	65.2
New Haven, Conn	116.2	101.3	113.5	95.8	101.9	91.4	94.6	82.1
Washington, D. C. (total)	107.7	111.2	100.5	104.0	95.7	86.8	87.0	74.2
White	112.4	117.1	107.5	115.2	102.7	91.4	94.4	(5)
Colored	95.2	95.9	82.9	76.1	78.3	75.4	69.1	(5)
Atlanta, Ga. (total)	63.5	62.2	59.1	67.4	59.3	61.2	59.5	47.1
White	70.0	66.1	68.8	77.1	68.5	68.6	69.5	(5)
Colored	49.1	53.5	39.9	48.0	41.0	46.5	40.5	(5)
Chicago, Ill	91.3	86.0	87.9	86.0	78.4	80.0	76.2	65.3
Indianapolis, Ind	99.4	94.1	102.0	91.5	88.7	82.5	75.8	56.4
Louisville, Ky. (total)	83.7	77.2	79.5	78.5	71.5	76.1	59.4	59.4
White	87.3	78.4	87.2	82.7	76.7	77.3	63.0	(5)
Colored	66.8	71.8	44.6	59.2	48.2	70.4	43.2	(5)
New Orleans, La. (total)	93.1	103.1	99.1	92.1	92.7	79.3	82.9	77.3
White	95.7	95.3	96.7	92.4	93.8	81.9	86.0	(5)
Colored	85.6	125.3	105.7	91.4	89.5	72.3	74.2	(5)
Baltimore, Md. (total)	106.7	107.8	101.6	104.6	97.4	93.9	87.4	80.1
White	108.9	114.0	103.8	104.7	101.7	98.8	90.2	(5)
Colored	93.8	72.8	89.5	103.9	73.7	66.3	71.8	(5)
Boston, Mass	115.8	115.0	113.7	116.7	111.2	111.2	101.7	94.2
Cambridge, Mass	112.4	109.3	100.6	81.6	83.5	104.1	81.4	95.2
Fall River, Mass	91.9	78.8	55.8	75.0	69.4	74.2	67.5	63.9
Lowell, Mass	85.7	79.4	88.3	74.6	88.3	75.2	80.8	71.4
Worcester, Mass	129.2	110.3	111.6	111.7	92.7	79.2	92.4	76.1
Detroit, Mich	77.7	76.1	78.9	71.8	74.7	65.1	64.8	69.2
Grand Rapids, Mich	88.1	114.5	97.4	114.3	93.9	85.3	76.9	75.6
Minneapolis, Minn	96.0	81.2	91.1	84.6	81.3	77.8	66.5	59.8
St. Paul, Minn	87.0	79.3	70.1	79.9	73.8	75.3	71.7	55.3
Kansas City, Mo	95.0	99.0	90.1	86.5	83.8	91.6	71.9	54.9
St. Louis, Mo	95.3	94.5	95.4	98.2	91.3	84.5	80.2	65.7
Omaha, Nebr	90.0	82.1	105.0	98.4	88.4	88.4	85.4	59.5
Jersey City, N. J	73.4	76.0	73.8	68.8	68.6	65.5	61.5	55.3
Newark, N. J	85.6	91.7	87.4	82.0	82.0	78.2	78.2	70.2
Paterson, N. J	80.2	92.4	92.3	79.4	89.1	87.5	71.1	65.9
Albany, N. Y	120.8	141.9	146.7	134.8	138.6	122.8	122.2	96.9
Buffalo, N. Y	100.7	94.9	95.8	102.5	91.7	95.6	82.1	75.2
New York, N. Y	84.5	85.0	83.5	81.7	80.4	79.2	75.1	69.8
Bronx Borough	95.2	92.5	97.5	89.4	78.3	78.4	76.5	64.1
Brooklyn Borough	80.4	81.1	78.5	77.1	77.1	75.8	70.0	64.4
Manhattan Borough	83.4	86.4	83.7	84.0	82.7	82.1	79.4	75.7
Queens Borough	94.0	84.1	81.5	73.5	74.0	71.1	61.7	47.8
Richmond Borough	96.0	85.5	102.1	98.8	116.4	100.9	88.2	79.6
Rochester, N. Y	114.7	95.3	106.5	95.4	95.0	92.5	90.0	87.0
Syracuse, N. Y	110.5	91.1	84.4	96.9	98.9	82.3	85.5	75.9
Cincinnati, Ohio	116.2	99.1	104.2	100.9	94.4	97.9	91.4	77.8
Cleveland, Ohio	86.3	77.1	75.5	80.6	80.7	73.4	66.7	57.8
Columbus, Ohio	100.5	111.1	107.5	90.8	96.0	87.0	81.7	63.9
Dayton, Ohio	114.8	98.8	107.4	89.3	93.1	93.8	94.1	78.9
Toledo, Ohio	97.9	92.6	99.9	76.5	92.8	88.4	73.4	61.6
Portland, Oreg	82.6	79.5	87.9	76.7	76.7	75.9	66.9	69.7
Philadelphia, Pa	101.1	92.0	93.0	95.8	89.2	87.3	83.1	71.2
Pittsburgh, Pa	89.8	86.2	85.2	77.5	66.8	68.4	65.0	51.1
Scranton, Pa	77.0	90.9	60.1	69.3	57.4	70.6	55.8	41.2
Providence, R. I	100.0	92.4	92.6	106.2	105.9	95.4	98.6	89.1
Memphiis, Tenn. (total)	(7)	86.2	79.6	54.9	64.7	51.9	56.7	36.9
White	(7)	91.1	100.2	55.9	68.0	52.7	68.7	(5)
Colored	(7)	78.0	48.8	53.4	59.9	50.7	39.7	(5)
Nashville, Tenn. (total)	(7)	77.6	85.3	76.4	66.5	75.4	69.1	54.7
White	(7)	81.4	88.5	97.2	72.9	85.9	76.5	(5)
Colored	(7)	69.2	78.9	34.5	53.6	54.2	54.4	(5)
Richmond, Va. (total)	97.0	82.1	94.1	86.3	92.0	87.4	79.4	62.9
White	119.2	101.9	104.1	97.2	106.3	97.6	91.7	(5)
Colored	57.1	46.8	76.9	67.6	66.5	69.7	58.1	(5)
Seattle, Wash	70.3	61.4	70.6	68.4	57.3	57.4	52.4	45.0
Spokane, Wash	74.5	62.9	75.2	69.4	73.6	67.6	56.8	48.9
Milwaukee, Wis	92.8	82.7	69.4	75.9	77.2	74.3	69.0	67.6

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

Rates of 80 and more appear for the years 1911 to 1916 for 23 of the cities which in 1910 had 100,000 population or more, of which 14 had such rates for each year since and including 1907. These cities in order of rates in 1916 are: San Francisco (133.1), Albany (120.8), New Haven and Cincinnati (each 116.2), Boston (115.8), Dayton (114.8), Rochester (114.7), Washington, D. C. (107.7), Baltimore (106.7), Los Angeles (105.6), Philadelphia (101.1), Providence (100), Omaha (90), and Oakland (89.6). Worcester which has the second highest rate in 1916 (129.2) has not had such a long record of high rates. The cities showing low rates in 1916 are Birmingham (56.1), Atlanta (63.5), Seattle (70.3), Jersey City (73.4), and Spokane (74.5). There was an increase in the rates for 1916 over those for 1915 in 35 of the 48 large cities for which data were received for the two years.

The crude rates for cancer in different localities should not be compared without consideration of the age, sex, and race distribution of the population, and allowance should be made for the fact that relatively high mortality for a given city may be caused by deaths of nonresidents who come to the city for hospital treatment.

The classification, by seat of disease, of the deaths from cancer in the registration area in 1916, with the rate per 100,000 population, is shown in the following table:

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: 1916.		
	Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate)	58,600	81.8	100.0
Cancer of buccal cavity (total)	2,091	2.9	3.6
Cancer of the—			
Lip	370	0.5	0.6
Tongue	534	0.7	0.9
Mouth	214	0.3	0.4
Jaw	796	1.1	1.4
Others of this class	177	0.2	0.3
Cancer of the stomach, liver (total)	22,480	31.4	38.4
Cancer of the—			
Pharynx	108	0.2	0.2
Esophagus	728	1.0	1.2
Stomach	14,449	20.2	24.7
Liver and gall bladder	7,195	10.0	12.3
Cancer of the peritoneum, intestines, rectum (total)	7,716	10.8	13.2
Cancer of the—			
Mesentery and peritoneum	548	0.8	0.9
Intestines (except rectum)	4,902	6.8	8.4
Rectum and anus	2,227	3.1	3.8
Others of this class	39	0.1	0.1
Cancer of the female genital organs (total)	8,898	12.4	15.2
Cancer of the—			
Ovary and fallopian tube	544	0.8	0.9
Uterus	8,085	11.3	13.8
Vagina and vulva	218	0.3	0.4
Others of this class	51	0.1	0.1
Cancer of the breast	5,558	7.8	9.5
Cancer of the skin	2,042	2.9	3.5
Cancer of other organs or of organs not specified (total)	9,815	13.7	16.7
Cancer of the—			
Larynx	413	0.6	0.7
Lung and pleura	650	0.9	1.1
Pancreas	884	1.2	1.5
Kidneys and suprarenals	620	0.9	1.1
Prostate	919	1.3	1.6
Bladder	1,359	1.9	2.3
Brain	262	0.4	0.4
Bones (except jaw)	562	0.8	1.0
Testes	96	0.1	0.2
Others of this class	4,050	5.7	6.9

Cancer and other malignant tumors include seven titles of the International List of Causes of Death, to three of which are charged two-thirds of all deaths from this cause in the registration area in 1916. The total number of deaths was 58,600, and 22,480 of these, or 38.4 per cent, are due to cancer of the stomach and liver; 7,716, or 13.2 per cent, to cancer of the peritoneum, intestines, rectum; and 8,898, or 15.2 per cent, to cancer of the female genital organs. In 1916 cancer of the stomach and liver caused 38.4 per cent of all deaths from cancer, as against 40.1 per cent in 1910.

Of the total deaths from cancer, 34,576, or 59 per cent, are of females and 24,024, or 41 per cent, are of males. Year after year the statistics show that more than half of those who die of cancer are females, although the male population of the registration area exceeds the female. The causes which show an excess of male deaths are cancer of the buccal cavity (1,730 males and 361 females); cancer of the skin (1,274 males and 768 females); and cancer of other organs or of organs not specified (6,156 males and 3,659 females). Cancer of the stomach and liver caused nearly half of all the deaths of males, but only about one-third of the deaths of females are assigned to this cause. Cancer of the breast and cancer of the female genital organs caused 41.5 per cent of all cancer deaths among females in 1916.

ORGANIC DISEASES OF THE HEART.

The number of deaths in the registration area from organic diseases of the heart in 1916 was 107,475, corresponding to a rate of 150.1 per 100,000 population, and constituting 10.7 per cent of the deaths from all causes in 1916. This disease caused more deaths than any other in both 1916 and 1915, having supplanted tuberculosis (all forms), which previously held first place.

In making comparisons it must not be forgotten that nearly all persons who die from heart diseases have passed middle life, and therefore the crude death rates should be used with caution and considered only in connection with the age distribution of the population.

Comparing the rates for 1916 with those for 1915, increases are shown in the later year for the registration area and for three of its subdivisions, the greatest increases being for cities in registration states (from 154.7 to 164). All but five of the states show higher rates in 1916 than in 1915.

The greatest increases among the states in the seven-year period 1910 to 1916 are for California (from 160.5 to 188.4); Maryland (from 131.6 to 162.8); Minnesota (from 81.6 to 105.9); Montana (from 67.8 to 102.1); New Jersey (from 137.2 to 166.7); and New York (from 164.7 to 192.7).

In the following table, which shows the rates per 100,000 population for 1910 to 1916, rates of 150 and higher are printed in boldfaced type.

AREA. [Rates of 150 or more per 100,000 in boldfaced type.]	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION.						
	1916	1915	1914	1913	1912	1911	1910
SUMMARY.							
The registration area	**150.1**	147.1	141.8	138.6	142.6	140.9	141.5
Registration states [1]	**150.2**	146.6	141.7	138.3	141.6	140.5	141.8
Cities in registration states [1]	**164.0**	**154.7**	**150.3**	148.2	**150.6**	148.3	145.4
Rural part of registration states	137.5	138.7	133.2	128.3	132.2	132.5	137.8
Registration cities in nonregistration states	147.9	**152.5**	143.2	142.5	**153.8**	145.4	139.1
All registration cities [1]	**161.8**	**154.3**	**149.3**	147.4	**151.1**	147.9	144.2
REGISTRATION STATES.							
California	**188.4**	**181.0**	**168.0**	**178.4**	**185.4**	**178.7**	**160.5**
Colorado	79.9	94.4	79.4	86.2	93.5	89.4	86.0
Connecticut	**175.3**	**153.7**	**155.8**	**154.7**	**151.1**	**159.6**	**160.7**
Indiana	**152.5**	147.8	139.1	138.5	**151.4**	143.2	137.2
Kansas	**110.3**	104.8	96.7	(2)	(2)	(2)	(2)
Kentucky (total)	93.2	94.8	85.5	87.4	92.6	86.5	(2)
White	83.1	83.3	73.3	78.3	80.4	74.5	(2)
Colored	**180.6**	**192.5**	**180.7**	**157.2**	**187.1**	**179.5**	(2)
Maine	**191.5**	**185.4**	**181.7**	**175.3**	**177.4**	**179.8**	**184.3**
Maryland (total)	**162.8**	**156.4**	**152.8**	**140.4**	**148.6**	**142.8**	**131.6**
White	**147.9**	**144.4**	**140.2**	**127.2**	**135.5**	**127.5**	**120.0**
Colored	**235.6**	**215.0**	**210.4**	**260.9**	**208.4**	**212.9**	**184.8**
Massachusetts	**195.4**	**180.8**	**185.3**	**183.1**	**186.9**	**183.5**	**177.5**
Michigan	**171.5**	**161.0**	**156.2**	**152.2**	**151.3**	**147.0**	**152.6**
Minnesota	**105.9**	**101.4**	**101.9**	**92.8**	**89.0**	**90.1**	**81.6**
Missouri	**108.2**	**103.5**	**95.1**	**95.9**	**104.0**	**102.4**	(2)
Montana	**102.1**	**91.2**	**89.5**	**90.9**	**75.2**	**80.8**	**67.8**
New Hampshire	**205.2**	**213.8**	**208.1**	**187.1**	**192.7**	**197.0**	**200.7**
New Jersey	**166.7**	**146.1**	**149.5**	**144.9**	**143.9**	**143.3**	**137.2**
New York	**192.7**	**184.5**	**175.6**	**160.9**	**154.2**	**165.7**	**164.7**
North Carolina (total)	**92.1**	[3] **128.2**	[3] **133.0**	[4] **126.5**	[4] **133.0**	[4] **136.0**	[4] **120.2**
White	84.3	98.9	93.7	97.2	100.8	96.1	92.5
Colored	**109.1**	**185.8**	**207.8**	**180.3**	**192.2**	**209.4**	**171.3**
Ohio	**162.5**	**149.9**	**146.6**	**150.8**	**154.1**	**145.9**	**141.4**
Pennsylvania	**145.0**	**141.3**	**137.7**	**125.5**	**133.2**	**129.0**	**128.7**
Rhode Island	**169.1**	**160.1**	**162.9**	**159.1**	**168.8**	**158.0**	**160.8**
South Carolina (total)	84.5	(2)	(2)	(2)	(2)	(2)	(2)
White	75.8	(2)	(2)	(2)	(2)	(2)	(2)
Colored	92.0	(2)	(2)	(2)	(2)	(2)	(2)
Utah	97.0	98.0	95.1	99.6	100.0	82.8	80.2
Vermont	**219.4**	**200.0**	**194.6**	**213.4**	**209.6**	**211.8**	**221.8**
Virginia (total)	**137.0**	**131.1**	**123.3**	**114.3**	(2)	(2)	(2)
White	**115.0**	**110.1**	**105.1**	**99.1**	(2)	(2)	(2)
Colored	**186.0**	**177.5**	**161.0**	**145.7**	(2)	(2)	(2)
Washington	80.6	82.0	79.4	86.0	78.6	82.8	74.3
Wisconsin	**118.9**	**114.4**	**112.2**	**108.1**	**113.0**	**110.6**	**98.8**
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.							
Birmingham, Ala. (total)	84.7	**101.1**	**119.8**	**128.3**	**105.2**	**132.1**	**126.0**
White	65.8	63.5	88.4	81.4	70.3	84.8	**89.1**
Colored	**116.5**	**163.5**	**167.9**	**200.4**	**158.7**	**204.8**	**182.8**
Los Angeles, Cal	**161.0**	**153.8**	**141.0**	**164.4**	**173.6**	**183.2**	**137.3**
Oakland, Cal	**189.3**	**184.0**	**173.8**	**188.9**	**195.9**	**194.0**	**201.6**
San Francisco, Cal	**250.7**	**234.9**	**221.2**	**237.2**	**240.6**	**227.9**	**214.8**
Denver, Colo	**101.6**	**118.9**	**102.2**	**111.8**	**123.3**	**121.6**	**128.0**
Bridgeport, Conn	**143.9**	**125.0**	**95.4**	**125.7**	**145.0**	**120.9**	**114.9**
New Haven, Conn	**175.0**	**182.9**	**156.4**	**175.5**	**160.8**	**164.6**	**178.2**
Washington, D. C. (total)	**230.5**	**224.2**	**203.7**	**219.5**	**234.0**	**214.5**	**212.2**
White	**223.0**	**214.1**	**194.4**	**198.6**	**202.5**	**180.7**	**183.1**
Colored	**250.5**	**250.4**	**227.0**	**271.5**	**312.3**	**298.6**	**285.0**
Atlanta, Ga. (total)	**110.2**	**130.3**	**109.3**	**104.8**	**107.2**	**101.7**	**107.8**
White	76.8	84.3	77.2	82.3	85.6	80.8	87.8
Colored	**184.5**	**231.1**	**172.8**	**149.2**	**149.8**	**143.1**	**147.6**
Chicago, Ill	**159.9**	**153.9**	**140.9**	**142.4**	**152.1**	**140.3**	**134.0**
Indianapolis, Ind	**175.6**	**187.1**	**169.3**	**154.9**	**184.3**	**175.8**	**159.7**
Louisville, Ky. (total)	**145.7**	**156.1**	**158.6**	**143.2**	**159.6**	**150.8**	**157.8**
White	**116.8**	**128.6**	**131.9**	**121.5**	**133.1**	**115.4**	**123.5**
Colored	**231.4**	**284.7**	**279.6**	**241.6**	**279.4**	**310.9**	**313.1**
New Orleans, La. (total)	**207.4**	**231.7**	**215.4**	**222.2**	**231.3**	**202.6**	**207.0**
White	**156.3**	**185.0**	**187.4**	**169.6**	**179.5**	**164.9**	**170.2**
Colored	**324.0**	**363.5**	**293.1**	**368.6**	**375.2**	**307.7**	**309.3**
Baltimore, Md. (total)	**193.2**	**173.5**	**181.7**	**169.5**	**173.8**	**167.7**	**173.7**
White	**168.6**	**153.4**	**156.1**	**145.0**	**152.2**	**142.3**	**147.6**
Colored	**332.3**	**286.6**	**323.8**	**306.1**	**293.8**	**309.2**	**319.2**
Boston, Mass	**220.4**	**194.1**	**218.7**	**211.4**	**205.0**	**189.9**	**201.1**
Cambridge, Mass	**191.2**	**157.6**	**159.5**	**160.5**	**152.2**	**172.5**	**153.1**
Fall River, Mass	**158.9**	**154.4**	**154.7**	**145.2**	**155.9**	**137.9**	**126.8**

(See footnotes at end of table.)

AREA. [Rates of 150 or more per 100,000 in boldfaced type.	DEATH RATE FROM ORGANIC DISEASES OF THE HEART PER 100,000 POPULATION.						
	1916	1915	1914	1913	1912	1911	1910
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.							
Lowell, Mass.	161.6	140.9	149.5	132.0	157.2	181.7	172.3
Worcester, Mass.	251.7	224.3	218.1	202.7	197.8	228.8	196.3
Detroit, Mich.	164.8	130.7	138.2	133.7	118.4	113.4	109.5
Grand Rapids, Mich.	134.8	133.6	128.2	125.1	139.6	122.4	168.8
Minneapolis, Minn.	120.0	114.6	107.4	106.8	99.9	95.1	95.7
St. Paul, Minn.	122.6	107.4	106.9	82.9	92.4	101.3	93.3
Kansas City, Mo.	138.3	147.6	132.3	136.2	136.5	134.0	137.6
St. Louis, Mo.	144.6	133.4	128.6	123.0	141.6	146.6	131.3
Omaha, Nebr.	93.7	81.5	108.8	112.1	122.6	146.0	121.2
Jersey City, N. J.	165.8	121.6	125.9	131.7	125.4	145.8	134.4
Newark, N. J.	153.6	133.1	129.0	137.4	138.6	131.8	134.5
Paterson, N. J.	195.0	156.9	179.4	166.4	185.9	192.9	168.8
Albany, N. Y.	235.8	224.9	227.3	217.9	226.1	237.7	235.2
Buffalo, N. Y.	170.1	155.9	161.0	170.3	158.1	169.8	160.0
New York, N. Y.	168.7	160.4	145.8	144.5	143.2	140.1	137.4
Bronx Borough	157.7	139.7	138.7	143.7	142.0	137.9	126.8
Brooklyn Borough	197.4	199.5	162.3	159.5	162.0	161.5	161.2
Manhattan Borough	146.9	134.5	133.5	132.7	129.5	127.6	123.9
Queens Borough	176.2	166.5	162.1	150.0	136.3	128.0	127.9
Richmond Borough	214.5	187.6	136.1	159.6	180.7	120.0	136.4
Rochester, N. Y.	192.3	195.0	198.3	159.8	145.4	170.0	157.5
Syracuse, N. Y.	201.1	163.2	183.5	185.0	141.4	167.5	207.1
Cincinnati, Ohio	202.7	199.9	191.7	207.8	210.6	185.7	182.6
Cleveland, Ohio	119.6	108.3	101.8	118.0	129.7	118.3	102.7
Columbus, Ohio	156.4	139.2	137.4	150.9	159.4	146.3	165.5
Dayton, Ohio	180.8	166.5	158.3	172.0	183.6	168.2	162.6
Toledo, Ohio	192.8	162.4	149.4	153.0	129.0	125.4	150.1
Portland, Oreg.	102.2	88.7	105.5	121.3	109.1	118.2	106.0
Philadelphia, Pa.	197.4	200.9	195.6	170.4	182.1	181.1	173.1
Pittsburgh, Pa.	144.7	118.5	118.8	126.2	126.8	118.2	125.9
Scranton, Pa.	119.2	128.4	147.2	112.5	117.0	93.9	86.6
Providence, R. I.	167.5	143.2	167.7	157.8	174.7	155.2	179.2
Memphis, Tenn. (total)	(5)	145.1	134.0	123.3	144.0	126.3	133.9
White	(5)	111.7	104.8	80.3	91.0	99.1	97.5
Colored	(5)	202.4	177.8	186.3	223.4	167.0	188.7
Nashville, Tenn. (total)	(5)	211.2	215.0	208.2	205.8	220.8	181.8
White	(5)	146.5	134.0	141.8	128.6	134.2	124.3
Colored	(5)	354.4	373.6	342.4	361.7	396.0	298.5
Richmond, Va. (total)	189.5	189.4	180.9	206.5	212.2	170.9	175.9
White	175.8	173.5	145.0	190.8	189.7	153.8	166.5
Colored	214.3	217.9	242.8	233.7	251.3	200.6	192.2
Seattle, Wash.	85.8	87.7	88.8	87.7	85.8	96.9	84.7
Spokane, Wash.	69.2	80.4	73.0	93.5	76.9	99.6	77.6
Milwaukee, Wis.	102.9	98.1	92.5	96.4	98.7	95.6	97.3

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Includes only municipalities having a population of 1,000 or more in 1910.
[4] Includes only municipalities having a population of 1,000 or more in 1900.
[5] Transcripts for deaths not received.

Eight states have rates above 150 per 100,000 population for the series of years 1910 to 1916. The rates for these eight states in 1916 are Vermont (219.4); New Hampshire (205.2); Massachusetts (195.4); New York (192.7); Maine (191.5); California (188.4); Connecticut (175.3); and Rhode Island (169.1). The states which show the lowest rates in 1916 are Colorado (79.9); Washington (80.6); South Carolina (84.5); North Carolina (92.1); and Kentucky (93.2).

Rates of 150 or higher per 100,000 population are shown throughout the series of years 1910 to 1916 for 17 of the cities which in 1910 had 100,000 population or more. The cities which had the highest rates in 1916 are Worcester (251.7); San Francisco (250.7); Albany (235.8); Washington, D. C. (230.5); and Boston (220.4). The lowest rates in 1916 are for Spokane (69.2); Birmingham (84.7); Seattle (85.8); Omaha (93.7); and Denver (101.6).

PNEUMONIA (ALL FORMS).

In 1916 pneumonia (all forms) caused 98,334 deaths in the registration area. Of these 54,699 were due to lobar pneumonia, 35,105 to bronchopneumonia, and 8,530 to pneumonia (unqualified). The death rate for pneumonia (all forms) in 1916 was 137.3, which, although the highest rate in the last six years, nevertheless was 24 per cent lower than the 1900 rate, 180.5.

In the following table, which shows the death rates per 100,000 population for the years 1911 to 1916 and annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 200 or more are printed in boldfaced type.

AREA. [Rates of 200 or more per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	137.3	132.7	127.0	132.4	132.3	133.7	143.4	158.4
Registration states [1]	137.0	130.8	124.4	129.0	128.3	129.6	140.8	155.9
Cities in registration states [1]	165.1	155.8	149.5	156.2	152.5	153.7	170.0	188.8
Rural part of registration states	111.3	105.9	99.6	101.6	103.3	105.0	107.9	114.1
Registration cities in non-registration states	140.9	154.1	159.8	171.8	174.0	178.9	157.4	162.8
All registration cities [1]	161.8	155.6	151.0	158.4	155.9	157.5	166.7	175.8
REGISTRATION STATES.								
California	103.0	97.4	93.5	108.3	111.2	101.5	101.1	(2)
Colorado	99.8	145.4	113.5	119.4	119.4	136.0	146.9	(2)
Connecticut	197.8	155.4	154.3	151.4	145.5	153.5	139.4	129.4
Indiana	114.3	110.3	105.0	97.4	104.7	99.6	97.6	102.3
Kansas	82.7	86.3	67.1	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	110.7	98.0	108.4	99.0	100.6	98.9	(2)	(2)
White	101.9	85.4	99.9	89.9	90.8	85.5	(2)	(2)
Colored	137.0	204.9	174.8	169.9	175.8	202.6	(2)	(2)
Maine	137.5	138.2	146.7	145.3	142.2	141.7	146.8	140.1
Maryland (total)	181.0	159.2	158.2	146.9	132.0	146.8	137.6	(2)
White	147.7	128.8	131.9	120.0	106.1	119.6	112.4	(2)
Colored	343.9	306.3	278.5	269.9	250.2	271.4	249.9	(2)
Massachusetts	173.0	160.6	155.6	154.8	152.0	153.8	155.2	154.0
Michigan	116.2	103.9	92.4	98.5	93.6	90.4	90.8	103.8
Minnesota	85.8	89.6	97.3	81.1	71.9	96.1	(3)	(2)
Missouri	130.6	121.3	108.9	114.0	115.6	119.7	(2)	(2)
Montana	116.7	114.6	107.3	121.2	95.4	90.2	(3)	(2)
New Hampshire	140.6	123.2	127.9	146.8	131.5	145.5	134.2	143.8
New Jersey	179.1	151.7	153.7	150.8	145.0	151.4	164.1	162.9
New York	161.9	166.9	155.6	171.4	173.5	177.8	184.8	193.4
North Carolina (total)	104.8	[4]129.5	[4]150.1	[5]119.7	[5]131.2	[5]150.7	(3)	(2)
White	84.1	83.4	106.6	73.1	83.6	84.5	(3)	(2)
Colored	149.9	219.8	233.0	205.3	218.7	272.3	(3)	(2)
Ohio	138.1	121.5	108.1	111.5	111.8	101.8	(3)	(2)
Pennsylvania	167.7	148.3	146.0	152.8	145.5	140.0	149.5	(2)
Rhode Island	159.0	164.9	143.1	146.8	157.7	152.1	172.8	173.9
South Carolina (total)	105.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	82.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	124.3	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	109.9	103.9	112.7	103.8	101.8	110.6	(3)	(2)
Vermont	122.6	114.8	112.7	140.0	139.1	129.0	149.0	155.0
Virginia (total)	126.1	113.6	106.0	90.4	(2)	(2)	(2)	(2)
White	89.3	86.0	79.7	69.5	(2)	(2)	(2)	(2)
Colored	208.3	174.5	160.3	133.8	(2)	(2)	(2)	(2)
Washington	53.4	57.1	50.6	59.0	50.3	64.8	(3)	(2)
Wisconsin	109.3	104.9	95.5	88.9	84.1	85.7	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	137.5	123.5	172.1	149.8	184.4	160.7	(3)	(2)
White	72.8	84.7	116.3	60.5	115.4	101.8	(3)	(2)
Colored	246.2	188.0	258.0	287.0	290.3	251.3	(3)	(2)
Los Angeles, Cal.	78.0	81.2	75.9	108.6	109.8	98.0	93.8	126.9
Oakland, Cal.	75.5	93.3	86.3	119.3	116.5	107.2	121.0	112.2
San Francisco, Cal.	129.0	130.9	120.2	134.7	123.4	132.9	143.8	176.3
Denver, Colo.	122.3	162.0	136.9	109.3	123.8	151.8	165.0	171.4
Bridgeport, Conn.	357.8	204.3	191.7	184.6	163.3	143.6	165.5	152.9
New Haven, Conn.	225.1	198.5	193.1	188.1	225.4	212.1	194.0	150.5
Washington, D. C. (total)	164.3	176.8	131.0	129.9	141.2	164.5	165.3	174.3
White	110.2	117.1	90.9	74.9	90.8	105.1	101.5	(6)
Colored	307.6	333.2	230.9	266.5	266.5	312.0	320.7	(6)
Atlanta, Ga. (total)	141.2	141.6	143.3	160.0	203.5	227.8	198.6	261.1
White	68.4	80.3	89.8	76.3	111.7	135.3	106.0	(6)
Colored	303.1	275.9	249.2	325.8	385.2	410.8	375.7	(6)
Chicago, Ill.	158.1	164.5	178.5	206.1	210.9	200.7	210.0	184.0
Indianapolis, Ind.	141.8	142.3	140.9	120.6	132.0	110.0	124.6	130.6

(See footnotes at end of table.)

AREA. [Rates of 200 or more per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Louisville, Ky. (total)	146.9	137.1	149.3	146.6	128.2	125.3	162.8	178.7
White	113.7	94.8	120.0	112.0	96.4	89.1	114.7	(6)
Colored	302.9	335.0	281.9	303.2	272.2	289.0	378.2	(6)
New Orleans, La. (total)	117.3	193.2	186.9	164.9	142.9	161.8	171.0	166.7
White	66.9	117.8	118.6	100.8	91.9	102.3	113.8	(6)
Colored	260.0	406.3	376.8	343.1	284.7	327.4	329.2	(6)
Baltimore, Md. (total)	235.7	200.1	212.4	204.2	178.2	198.4	188.6	194.7
White	186.8	160.7	172.8	160.2	138.2	154.6	145.8	(6)
Colored	513.2	423.1	432.5	448.9	401.0	441.8	425.8	(6)
Boston, Mass	210.8	202.9	190.7	196.1	203.1	207.1	192.4	196.0
Cambridge, Mass	159.3	146.0	160.4	170.6	150.4	152.8	151.3	163.6
Fall River, Mass	243.8	200.2	233.6	260.5	201.6	193.3	207.9	195.8
Lowell, Mass	178.4	183.7	150.4	142.9	150.8	147.7	214.5	196.2
Worcester, Mass	230.2	186.3	171.8	180.1	189.3	164.3	170.9	177.5
Detroit, Mich	235.0	186.8	170.7	208.8	181.5	140.8	147.6	139.4
Grand Rapids, Mich	70.2	95.4	75.5	66.3	49.9	117.2	82.3	104.2
Minneapolis, Minn	111.4	111.8	121.7	102.6	91.5	113.4	108.7	91.4
St. Paul, Minn	80.5	110.7	112.8	81.2	77.3	92.6	85.7	84.9
Kansas City, Mo	122.5	156.3	117.8	115.4	110.5	148.7	142.3	195.3
St. Louis, Mo	173.5	142.1	152.9	138.4	151.1	148.3	133.5	169.8
Omaha, Nebr	173.4	143.4	129.1	119.8	146.6	172.0	125.5	98.5
Jersey City, N. J	184.4	193.6	167.7	191.2	173.4	198.9	216.9	222.1
Newark, N. J	161.2	134.8	185.3	140.6	153.5	155.5	187.2	186.7
Paterson, N. J	197.2	147.4	148.9	158.8	172.1	137.1	193.1	194.7
Albany, N. Y	161.3	168.0	130.1	135.8	189.7	141.6	137.7	147.6
Buffalo, N. Y	166.3	164.7	146.7	149.0	153.1	147.5	150.2	138.8
New York, N. Y	179.9	195.5	180.1	194.3	194.7	209.6	233.6	264.0
Bronx Borough	150.0	188.0	154.0	169.6	162.1	157.9	173.7	205.1
Brooklyn Borough	198.1	196.3	178.0	195.9	196.2	205.6	230.7	237.1
Manhattan Borough	172.4	200.7	190.6	201.6	203.9	230.0	251.8	296.5
Queens Borough	180.3	166.8	161.5	169.0	162.4	154.5	189.5	201.1
Richmond Borough	198.2	189.7	151.0	193.2	202.9	199.6	200.3	196.4
Rochester, N. Y	121.6	117.6	138.7	155.1	148.9	116.2	116.6	115.1
Syracuse, N. Y	134.3	119.3	139.3	185.0	141.4	119.6	116.0	111.4
Cincinnati, Ohio	145.4	140.2	133.5	151.3	153.3	125.9	156.0	172.2
Cleveland, Ohio	182.2	151.5	113.1	127.8	109.7	96.0	122.4	151.6
Columbus, Ohio	155.9	126.8	114.4	113.8	119.2	121.2	126.5	134.1
Dayton, Ohio	146.2	140.2	105.8	127.8	124.6	121.7	127.1	103.8
Toledo, Ohio	156.5	121.4	111.3	89.8	111.5	113.9	108.3	95.5
Portland, Oreg	52.5	54.2	60.2	75.4	58.0	76.8	67.8	78.4
Philadelphia, Pa	172.2	170.0	167.7	145.4	133.3	159.0	155.3	177.3
Pittsburgh, Pa	331.0	245.5	240.4	283.8	261.1	207.2	263.2	257.1
Scranton, Pa	190.0	199.2	234.9	208.5	200.2	200.6	175.2	184.7
Providence, R. I	174.1	166.8	161.6	159.5	167.9	166.0	193.3	187.3
Memphis, Tenn. (total)	(7)	136.9	155.7	165.3	178.9	197.7	171.9	173.4
White	(7)	86.7	83.9	105.8	122.6	127.9	110.1	(6)
Colored	(7)	222.8	263.2	254.4	263.3	302.1	259.3	(6)
Nashville, Tenn. (total)	(7)	152.6	173.2	151.1	173.0	222.6	192.1	224.5
White	(7)	108.9	117.1	106.4	92.8	128.8	114.2	(6)
Colored	(7)	249.2	286.6	241.5	334.9	412.2	345.6	(6)
Richmond, Va. (total)	194.0	199.8	181.6	162.2	170.4	158.6	184.0	198.2
White	110.2	126.1	90.1	91.2	102.0	90.3	101.5	(6)
Colored	344.7	331.4	339.9	284.9	288.7	276.6	325.6	(6)
Seattle, Wash	40.2	56.8	54.0	64.4	51.5	53.0	64.3	68.0
Spokane, Wash	49.9	54.5	61.2	70.9	59.5	123.6	120.0	85.6
Milwaukee, Wis	154.2	140.9	118.0	122.6	128.2	94.3	123.7	120.9

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

In comparing the subdivisions of the registration area for 1915 and 1916, it will be seen that in the later year the rates were higher in all but registration cities in nonregistration states, which showed a very pronounced decrease (from 154.1 to 140.9 per 100,000 population). For each of the years 1910 to 1914, inclusive, this subdivision had a higher rate than the cities in registration states, but the reverse was true for 1915 and 1916.

Among the states the highest death rates in 1916 for pneumonia (all forms) were for Connecticut (197.8), Maryland (181), New Jersey (179.1), Massachusetts (173), and Pennsylvania (167.7), while the lowest were for Washington (53.4), Kansas (82.7), Minnesota (85.8), Colorado (99.8), and California (103).

Among the cities which in 1910 had 100,000 population or more the five which had the highest rates were Bridgeport (357.8), Pittsburgh (331), Fall River (243.8), Baltimore (235.7), and Detroit (235). Pittsburgh was the only one of these large cities which had a rate of 200 or more per 100,000 population for the series of years 1911 to 1916, inclusive. The cities which had the lowest rates were Seattle (40.2), Spokane (49.9), Portland, Oreg. (52.5), Grand Rapids (70.2), and Oakland (75.5).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 200 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 200 or more per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Bakersfield, Cal	130.4	135.8	193.1	195.0	204.2	248.2
Stockton, Cal	212.1	205.7	202.3	135.4	216.0	129.4
Trinidad, Colo	158.6	232.4	320.3	271.6	232.3	111.1
Hartford, Conn	300.3	217.5	205.5	226.4	176.4	240.0
Middletown town, Conn	333.3	302.7	185.2	224.7	251.4	203.3
New London, Conn	214.4	149.2	141.1	132.7	114.3	150.6
Stamford town, Conn	187.9	143.7	190.4	159.0	199.5	226.2
Windham town, Conn	162.5	158.2	227.0	194.0	159.6	193.7
Wilmington, Del	241.9	210.4	179.2	167.1	169.2	217.5
Augusta, Ga	157.2	234.7	198.2	179.4	(1)	(1)
Savannah, Ga	138.1	163.8	153.1	200.1	202.9	300.4
Jacksonville, Ill	303.6	226.4	200.9	175.3	130.0	149.8
East Chicago, Ind	229.6	268.4	187.1	372.0	269.9	247.4
Gary, Ind	380.9	363.1	(2)	(2)	(2)	154.7
Hammond, Ind	244.5	169.8	192.0	126.9	105.3	91.3
Laporte, Ind	128.8	70.1	63.8	115.1	207.8	164.5
Kansas City, Kans	113.6	202.4	131.5	166.9	140.4	158.7
Henderson, Ky	114.8	157.4	133.9	270.4	239.0	163.9
Lexington, Ky	182.5	186.4	206.1	197.7	202.4	171.4
Augusta, Me	465.8	356.8	382.4	306.5	250.9	201.5
Bangor, Me	240.1	159.3	299.3	298.7	278.8	166.9
Biddeford, Me	130.2	278.9	234.6	235.9	202.5	250.1
Lewiston, Me	136.6	181.4	219.7	255.1	197.8	188.3
Waterville, Me	118.1	192.0	227.6	140.5	277.3	196.6
Chelsea, Mass	149.4	120.5	188.9	187.9	215.0	185.4
Clinton town, Mass	191.2	214.1	172.4	124.2	85.0	114.8
Framingham town, Mass	171.6	144.8	183.2	200.3	97.6	165.6
Greenfield town, Mass	208.4	127.7	113.1	97.9	118.3	111.8
Haverhill, Mass	255.8	173.7	131.7	157.4	155.5	162.1
Holyoke, Mass	249.7	206.0	213.2	212.5	200.3	191.3
Lawrence, Mass	166.1	210.8	179.5	147.6	202.0	197.2
Milford town, Mass	170.1	114.8	246.9	161.8	208.5	255.9
New Bedford, Mass	191.3	184.0	178.9	206.0	164.9	180.2
Northampton, Mass	205.8	141.1	141.7	127.0	122.4	113.8
Pittsfield, Mass	126.8	133.0	142.3	219.8	139.4	118.1
Southbridge town, Mass	133.8	215.1	131.5	216.0	121.5	92.5
Taunton, Mass	281.1	314.3	291.9	232.3	251.6	253.8
Westfield town, Mass	119.6	183.2	221.2	202.8	171.8	126.2
Escanaba, Mich	187.3	185.2	108.5	243.4	157.0	88.1
Muskegon, Mich	222.2	170.7	82.5	83.6	92.8	129.5
Virginia, Minn	197.5	138.6	131.7	209.1	164.6	121.0
Vicksburg, Miss	170.9	204.9	(1)	(1)	(1)	(1)
Joplin, Mo	180.6	245.2	118.7	128.6	110.8	120.9
Webb City, Mo	274.9	162.2	67.7	122.7	78.3	87.9
Butte, Mont	232.6	250.0	177.4	243.0	178.0	148.1
Great Falls, Mont	200.7	243.8	347.4	198.1	123.8	130.2
Berlin, N. H	250.0	180.4	199.8	306.6	233.4	197.8
Keene, N. H	94.0	104.3	105.3	202.7	77.9	127.7
Camden, N. J	235.3	231.9	242.0	198.8	169.2	191.1
Garfield, N. J	228.7	225.5	267.8	298.6	196.4	165.5
Hoboken, N. J	195.6	184.0	172.0	228.7	162.1	264.2
Long Branch, N. J	207.9	152.8	101.9	118.2	135.3	176.8
Morristown, N. J	173.1	129.2	145.8	232.4	148.6	262.0
New Brunswick, N. J	282.2	198.7	153.1	261.4	211.2	196.2
Orange, N. J	311.4	215.2	200.2	178.3	210.6	222.9

(See footnotes at end of table.)

CITY. [Rates of 200 or more per 100,000 in boldfaced type.]	DEATH RATE FROM PNEUMONIA (ALL FORMS) PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Passaic, N. J.	273.2	176.8	261.0	295.9	253.3	228.9
Phillipsburg, N. J.	275.6	117.4	166.0	81.2	89.6	192.3
Trenton, N. J.	302.0	210.6	220.0	219.2	182.2	217.0
West New York, N. J.	245.0	245.4	134.6	196.9	188.2	152.0
Batavia, N. Y.	104.9	129.7	150.6	274.6	140.0	125.4
Cohoes, N. Y.	190.4	195.0	175.7	164.2	229.0	245.3
Cortland, N. Y.	122.4	117.0	127.3	138.1	223.9	129.5
Geneva, N. Y.	204.2	96.2	127.8	221.4	201.6	183.8
Lackawanna, N. Y.	300.2	323.7	320.8	256.3	449.9	156.4
Little Falls, N. Y.	215.6	165.8	160.6	209.5	165.4	167.0
Middletown, N. Y.	164.5	222.5	172.5	218.4	348.6	269.3
Newburgh, N. Y.	114.9	126.2	89.6	163.6	154.7	213.0
Niagara Falls, N. Y.	214.2	193.2	133.8	249.9	200.6	162.2
North Tonawanda, N. Y.	79.9	126.2	98.6	201.7	111.1	145.1
Ogdensburg, N. Y.	287.1	253.1	230.8	422.4	475.0	314.6
Ossining, N. Y.	73.0	119.9	146.3	134.6	203.7	195.9
Poughkeepsie, N. Y.	263.2	183.4	168.9	143.8	180.5	241.0
Rensselaer, N. Y.	178.9	99.1	217.6	164.4	165.5	140.0
Saratoga Springs, N. Y.	267.7	268.1	109.3	195.6	235.2	285.3
Troy, N. Y.	192.5	217.4	215.3	190.0	264.2	236.5
Utica, N. Y.	222.0	165.7	225.4	198.1	247.4	206.2
Watervliet, N. Y.	231.6	303.8	201.4	195.8	275.6	295.7
White Plains, N. Y.	151.3	208.0	134.2	231.6	163.4	164.6
Asheville, N. C.	148.9	161.1	233.2	141.2	148.8	146.3
Charlotte, N. C.	178.3	169.7	202.3	124.3	119.2	132.4
Wilmington, N. C.	150.5	149.7	226.8	183.2	208.8	269.6
Winston-Salem,[3] N. C.	298.5	152.9	189.4	200.2	186.5	239.5
Akron, Ohio	220.7	166.3	118.3	149.4	140.1	123.1
Bellaire, Ohio	181.2	155.8	194.3	248.7	313.4	151.6
East Liverpool, Ohio	243.5	81.0	155.4	185.8	207.9	134.6
Ironton, Ohio	143.4	144.7	138.8	125.4	186.1	255.6
Lakewood, Ohio	119.4	168.1	202.8	84.1	39.3	78.2
Steubenville, Ohio	233.2	255.3	182.1	184.0	210.8	188.2
Warren, Ohio	191.4	179.5	182.2	211.2	120.8	158.5
Youngstown, Ohio	303.5	226.8	217.7	273.5	229.9	229.0
Beaver Falls, Pa.	251.3	112.6	190.8	124.2	142.1	104.4
Braddock, Pa.	373.5	328.5	277.0	549.6	391.4	383.6
Carbondale, Pa.	265.0	206.5	232.0	291.6	241.3	280.5
Carnegie, Pa.	342.1	131.3	251.1	229.8	254.5	96.7
Chester, Pa.	273.0	175.9	170.5	222.4	209.8	184.2
Dunmore, Pa.	163.7	261.5	132.2	202.6	245.5	257.8
Duquesne, Pa.	200.4	197.1	150.7	229.1	185.8	181.3
Easton, Pa.	317.7	119.2	150.6	121.8	123.1	152.2
Farrell,[4] Pa.	394.6	259.9	(5)	(5)	(5)	117.8
Greensburg, Pa.	200.2	99.4	149.8	175.0	151.4	151.1
Hazleton, Pa.	150.9	192.9	90.9	151.7	207.3	112.3
Homestead, Pa.	213.7	183.0	244.6	237.3	154.6	133.9
Johnstown, Pa.	237.9	192.2	165.5	185.0	215.6	187.0
Lebanon, Pa.	255.1	150.4	185.7	141.7	96.9	92.6
McKees Rocks, Pa.	175.4	256.5	208.1	356.1	163.0	171.7
McKeesport, Pa.	237.8	136.1	171.9	234.6	200.4	194.9
Mahanoy City, Pa.	171.8	133.6	64.8	173.4	151.7	221.8
Nanticoke, Pa.	194.6	160.4	254.9	223.0	264.9	233.5
Norristown, Pa.	232.5	155.7	211.5	225.6	171.7	259.1
North Braddock, Pa.	244.3	219.0	198.9	132.9	184.5	208.5
Old Forge, Pa.	181.2	160.6	349.1	205.0	317.6	216.3
Pittston, Pa.	306.5	236.0	274.2	240.4	310.0	251.2
Pottstown, Pa.	297.7	84.3	91.4	129.5	99.9	176.9
Shenandoah, Pa.	260.3	185.0	170.8	268.7	296.4	166.4
South Bethlehem, Pa.	252.0	119.0	144.5	135.4	163.0	91.4
West Chester, Pa.	159.4	146.7	212.2	96.0	89.7	132.9
Wilkinsburg, Pa.	275.5	156.5	258.1	237.6	225.7	132.3
Central Falls, R. I.	85.8	143.0	133.6	247.5	201.9	144.2
Cranston,[6] R. I.	169.3	277.8	237.6	139.7	140.1	163.8
East Providence town, R. I.	209.8	152.2	86.4	170.6	150.4	104.2
Woonsocket, R. I.	218.7	200.7	137.0	116.1	143.8	161.6
Charleston, S. C.	159.7	254.9	219.6	247.4	255.4	207.8
Columbia, S. C.	208.0	199.7	(1)	(1)	(1)	(1)
El Paso, Tex.	281.0	329.6	208.1	403.6	306.9	336.4
Alexandria, Va.	173.7	208.4	217.0	102.6	161.2	149.1
Newport News, Va.	223.7	185.3	88.0	54.0	(1)	(1)
Norfolk, Va.	218.7	187.3	182.6	167.0	164.1	156.7
Petersburg, Va.	387.0	197.3	227.0	176.9	150.1	172.1
Staunton, Va.	283.2	252.5	176.7	188.4	(1)	(1)
Wheeling, W. Va.	235.1	167.1	112.1	169.3	198.8	200.1
Ashland, Wis.	284.6	232.9	173.3	224.9	97.7	147.2
Green Bay, Wis.	173.7	156.9	142.7	127.9	179.8	243.9

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes state institutions.

For the series of years 132 minor cities, about one-fourth of the whole number, had rates of 200 or more per 100,000 population in one or more years of the series. Eight of these minor cities had such rates for the whole series, namely, Augusta, Me., Braddock, Pa., Pittston, Pa., Youngstown, Ohio, Ogdensburg, N. Y., Taunton, Mass., El Paso, Tex., and Carbondale, Pa.

Among these minor cities the five having the highest rates in 1916 are Augusta, Me. (465.8); Farrell, Pa. (394.6); Petersburg, Va. (387); Gary, Ind. (380.9); and Braddock, Pa. (373.5). The minor cities showing the lowest rates in 1916 are Ossining, N. Y. (73); North Tonawanda, N. Y. (79.9); Central Falls, R. I. (85.8); Keene, N. H. (94); and Batavia, N. Y. (104.9).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

The deaths of children under 2 years of age from the causes included under this title numbered 46,956, corresponding to a rate of 65.6 per 100,000 population of all ages, in the registration area in 1916. The rate for 1916 is the lowest reported for any year with the exception of that for 1915 (59.5), since and including 1900, and represents a great decrease as compared with the rate for 1900 (108.8). Because of the great importance of the diseases classified under this head—including cholera infantum, colitis, diarrhea, enteritis, enterocolitis, gastroenteritis, ileocolitis, intestinal indigestion, and many others—as factors in the mortality of children under 2 years of age, this decrease is of especial interest.

In the following table, which shows the death rates per 100,000 population for the years 1911 to 1916, and the annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 100 or more are printed in boldfaced type:

AREA. [Rates of 100 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	65.6	59.5	66.0	75.2	70.3	77.4	96.2	89.0
Registration states [1]	62.2	56.5	62.6	72.2	66.6	73.6	95.8	89.7
Cities in registration states [1]	71.5	68.3	75.3	84.6	83.3	91.0	115.8	116.0
Rural part of registration states	53.7	44.7	50.2	59.7	49.4	55.8	73.3	56.2
Registration cities in nonregistration states	109.8	95.7	107.6	110.6	109.5	119.6	98.4	87.7
All registration cities [1]	76.7	72.3	79.8	88.4	87.4	95.3	111.3	101.9
REGISTRATION STATES.								
California	28.7	27.8	30.6	45.7	38.6	36.4	39.2	(2)
Colorado	39.5	26.1	39.0	43.2	37.8	56.6	70.6	(2)
Connecticut	85.7	94.6	87.1	83.0	87.3	79.1	105.7	96.7
Indiana	62.6	41.5	57.9	67.4	58.6	61.5	66.8	57.4
Kansas	36.9	23.3	31.4	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	49.9	37.3	47.7	55.6	40.6	50.1	(2)	(2)
White	49.6	36.6	46.6	55.5	40.0	49.3	(2)	(2)
Colored	52.9	43.6	56.2	56.1	44.8	56.5	(2)	(2)
Maine	60.3	50.7	51.9	61.4	43.0	63.2	79.6	64.1
Maryland (total)	95.1	84.8	92.7	101.1	87.2	98.4	102.0	(2)
White	81.7	77.1	86.8	92.2	79.5	91.0	94.9	(2)
Colored	160.7	122.0	119.5	141.9	122.8	132.7	133.8	(2)
Massachusetts	67.3	73.8	81.7	86.7	94.5	103.2	110.0	102.1
Michigan	68.5	41.4	56.2	59.3	48.3	57.0	76.1	66.7

(See footno tes at end of table.)

AREA. [Rates of 100 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
REGISTRATION STATES—con.								
Minnesota	27.9	26.3	33.9	41.3	29.2	40.1	(3)	(2)
Missouri	48.4	36.4	54.3	57.7	52.0	60.8	(2)	(2)
Montana	39.6	23.3	38.6	38.6	21.7	36.2	(3)	(2)
New Hampshire	60.6	66.5	61.3	96.2	53.8	88.7	92.0	85.1
New Jersey	73.5	83.2	85.6	89.9	95.0	99.7	108.2	98.0
New York	57.3	67.3	65.5	74.6	76.5	81.8	107.7	100.6
North Carolina (total)	77.9	[4]118.2	[4]134.0	[5]114.4	[5]136.9	[5]150.1	(3)	(2)
White	74.5	88.9	111.7	97.6	121.6	130.7	(3)	(2)
Colored	85.2	175.5	176.4	145.2	164.9	185.8	(3)	(2)
Ohio	62.4	46.0	55.9	72.4	61.7	59.8	(3)	(2)
Pennsylvania	101.7	90.7	95.4	106.3	93.7	104.1	127.4	(2)
Rhode Island	69.7	76.3	73.6	83.7	81.3	88.3	131.8	137.9
South Carolina (total)	71.9	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	70.6	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	73.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	26.0	22.4	30.9	43.0	27.9	37.4	(3)	(2)
Vermont	41.0	44.1	53.4	49.2	40.4	61.8	67.3	49.1
Virginia (total)	66.1	55.4	58.5	69.0	(2)	(2)	(2)	(2)
White	55.8	43.9	49.5	66.2	(2)	(2)	(2)	(2)
Colored	89.3	80.9	77.1	74.8	(2)	(2)	(2)	(2)
Washington	11.1	12.5	15.7	21.6	16.5	25.4	(3)	(2)
Wisconsin	38.8	29.8	36.4	45.7	46.2	51.3	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	71.0	65.5	74.0	88.5	73.9	135.8	(3)	(2)
White	72.8	62.6	73.5	82.4	78.0	132.1	(3)	(2)
Colored	67.8	70.3	74.8	97.8	67.5	141.5	(3)	(2)
Los Angeles, Cal	29.1	27.1	30.8	42.7	29.3	34.3	35.9	34.6
Oakland, Cal	11.1	21.5	19.1	34.8	32.3	35.1	50.3	31.3
San Francisco, Cal	18.1	20.0	22.5	31.7	42.2	38.0	47.1	57.7
Denver, Colo	13.0	14.6	25.7	27.3	23.0	41.4	55.1	47.4
Bridgeport, Conn	130.0	109.8	107.6	131.1	108.3	123.8	130.1	133.8
New Haven, Conn	68.8	65.9	69.2	57.1	78.2	70.2	91.7	110.0
Washington, D. C. (total)	50.0	47.1	42.7	62.1	55.1	80.9	99.0	118.8
White	30.7	28.9	20.6	37.5	32.7	56.9	60.3	(6)
Colored	101.2	94.9	97.7	123.2	110.9	140.5	193.1	(6)
Atlanta, Ga. (total)	54.1	47.0	73.6	73.7	80.8	101.7	102.9	121.1
White	54.0	40.9	58.8	61.5	61.3	84.5	95.7	(6)
Colored	54.2	60.4	103.0	97.7	119.5	135.7	116.6	(6)
Chicago, Ill	141.4	112.7	131.1	142.0	139.1	132.6	138.0	104.4
Indianapolis, Ind	56.6	30.9	60.4	48.9	49.8	56.6	68.4	48.1
Louisville, Ky. (total)	44.8	31.6	43.8	36.0	27.5	37.4	37.9	50.2
White	40.6	28.2	43.1	31.4	25.0	34.4	37.1	(6)
Colored	64.4	47.9	47.0	56.8	38.5	51.0	41.7	(6)
New Orleans, La. (total)	70.7	104.2	88.3	103.1	89.0	136.9	130.3	113.8
White	61.1	85.7	73.0	91.3	79.9	128.7	122.1	(6)
Colored	98.0	156.7	130.9	136.0	114.3	159.9	153.0	(6)
Baltimore, Md. (total)	99.4	83.0	101.5	101.5	91.5	104.2	118.0	129.4
White	87.0	81.7	97.3	96.3	83.7	98.0	108.1	(6)
Colored	169.6	89.9	124.6	130.2	134.8	138.3	172.6	(6)
Boston, Mass	49.4	62.9	64.6	72.9	84.8	106.4	99.2	107.4
Cambridge, Mass	56.6	50.1	61.6	85.3	75.2	86.3	88.1	87.8
Fall River, Mass	213.5	226.2	295.8	224.2	247.3	318.9	355.1	297.3
Lowell, Mass	173.1	155.2	140.5	165.6	176.5	201.8	230.5	226.3
Worcester, Mass	77.8	71.6	72.3	98.1	141.3	79.8	115.0	93.2
Detroit, Mich	129.3	97.0	122.2	106.0	99.1	98.6	102.8	99.6
Grand Rapids, Mich	54.6	26.2	42.2	67.1	49.1	62.0	81.9	66.7
Minneapolis, Minn	30.0	26.6	41.1	34.8	34.3	44.0	55.8	41.9
St. Paul, Minn	26.3	24.8	41.8	45.8	46.4	43.8	58.0	43.7
Kansas City, Mo	47.0	42.8	53.2	82.1	67.7	55.9	45.7	46.1
St. Louis, Mo	49.9	45.0	61.3	72.6	69.1	87.2	73.7	62.8
Omaha, Nebr	41.7	22.1	39.8	43.5	38.0	48.1	61.4	39.3
Jersey City, N. J	80.0	109.0	85.7	87.6	89.9	109.6	142.7	125.9
Newark, N. J	71.9	76.4	104.3	91.5	102.6	117.8	112.9	106.5
Paterson, N. J	42.6	42.5	61.1	76.4	79.9	70.5	107.9	112.1
Albany, N. Y	61.3	69.5	44.7	59.6	54.1	51.5	57.2	49.4
Buffalo, N. Y	113.1	104.5	117.6	142.3	130.6	108.7	139.7	112.0
New York, N. Y	58.1	72.2	67.1	73.5	82.4	92.6	133.8	145.0
Bronx Borough	38.5	51.8	50.1	56.9	63.8	74.8	97.6	110.1
Brooklyn Borough	55.4	75.3	69.8	74.2	90.5	98.9	141.3	150.2
Manhattan Borough	65.1	73.3	66.5	74.2	77.4	90.7	131.5	143.0
Queens Borough	52.4	77.9	83.9	85.1	97.3	97.9	149.0	155.5
Richmond Borough	60.3	80.2	67.0	89.0	107.5	98.7	173.4	201.2
Rochester, N. Y	76.8	65.0	72.2	80.9	89.8	92.9	82.6	51.6
Syracuse, N. Y	76.5	61.6	93.7	79.9	80.8	79.5	110.3	64.9
Cincinnati, Ohio	49.2	43.0	60.2	64.5	67.9	64.3	86.2	77.7
Cleveland, Ohio	109.9	103.5	108.1	133.0	140.4	133.6	132.4	104.0
Columbus, Ohio	26.5	22.4	45.5	41.1	30.4	37.4	48.0	44.8
Dayton, Ohio	67.6	24.7	55.7	81.1	64.0	55.8	69.7	58.7
Toledo, Ohio	105.5	57.0	84.7	93.1	72.4	68.2	73.2	76.8
Portland, Oreg	7.4	5.9	9.2	11.8	18.3	28.2	36.2	31.6
Philadelphia, Pa	88.3	90.0	107.4	100.6	93.4	118.0	133.5	95.8
Pittsburgh, Pa	117.8	97.6	103.7	134.8	113.5	130.3	169.1	170.2
Scranton, Pa	141.7	136.7	162.7	138.5	153.8	173.5	191.9	112.9
Providence, R. I	58.0	59.2	71.8	75.4	71.0	77.6	120.2	134.7

AREA. [Rates of 100 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Memphis, Tenn. (total)	(7)	36.3	60.0	50.6	66.2	90.2	79.6	87.6
White	(7)	32.5	51.2	44.0	65.5	110.3	75.9	(6)
Colored	(7)	42.7	73.2	60.5	67.2	60.1	84.8	(6)
Nashville, Tenn. (total)	(7)	60.4	67.9	47.4	36.0	123.9	100.9	117.3
White	(7)	56.4	69.0	47.3	76.9	115.4	87.2	(6)
Colored	(7)	69.2	65.7	47.8	104.5	141.0	128.1	(6)
Richmond, Va. (total)	72.8	67.2	74.9	86.3	103.5	158.6	129.4	127.2
White	53.6	54.5	59.7	72.3	75.6	115.9	94.8	(6)
Colored	107.1	90.1	101.2	110.7	151.6	232.3	188.8	(6)
Seattle, Wash	5.2	7.6	11.2	15.2	17.7	23.7	36.8	33.3
Spokane, Wash	10.0	13.3	20.6	24.9	18.2	40.9	60.3	58.5
Milwaukee, Wis	72.8	57.5	68.9	86.6	114.7	98.8	119.0	95.9

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

The increase in the rate for 1916 as compared with that for 1915 prevailed in each of the principal subdivisions of the registration area, but was most pronounced in the registration cities in nonregistration states (from 95.7 to 109.8). For the six years 1911 to 1916 the rate for registration cities in nonregistration states exceeded the rate for cities in registration states, but the reverse is true for 1900 to 1910.

Pennsylvania is the only state which has a rate of more than 100 in 1916 (101.7), the five states next in order being Maryland (95.1), Connecticut (85.7), North Carolina (77.9), and New Jersey (73.5). The states showing low rates are Washington (11.1), Utah (26), Minnesota (27.9), California (28.7), and Kansas (36.9).

Among the cities which in 1910 had 100,000 population or more, the highest rates in 1916 are for Fall River (213.5), Lowell (173.1), Scranton (141.7), Chicago (141.4), and Bridgeport (130), and the lowest rates are for Seattle (5.2), Portland, Oreg. (7.4), Spokane (10), Oakland (11.1), and Denver (13).

The cities named as having the highest rates, together with Buffalo and Cleveland, were the only cities which had rates above 100 for each of the years 1911 to 1916 and for the two five-year periods 1901 to 1905 and 1906 to 1910.

Very large increases in the rates of 1916 over those of 1915 are shown for Chicago (from 112.7 to 141.4), Detroit (from 97 to 129.3), Grand Rapids (from 26.2 to 54.6), Dayton (from 24.7 to 67.6), and Toledo (from 57 to 105.5). Marked decreases are shown for Oakland (from 21.5 to 11.1), New Orleans (from 104.2 to 70.7), and Jersey City (from 109 to 80).

The following table shows the death rates per 100,000 population for the years 1911 to 1916 for the

minor cities (those which in 1910 had 10,000 to 100,000 inhabitants) which in any of these years had rates of 100 or more per 100,000 population, such rates being printed in boldfaced type.

CITY. [Rates of 100 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
Montgomery, Ala	43.9	84.6	76.6	85.3	57.8	111.8
Bakersfield, Cal	47.4	37.0	38.6	94.1	91.5	142.9
Fresno, Cal	60.1	56.5	107.4	139.7	123.8	88.4
San Bernardino, Cal	76.7	104.5	83.3	154.0	70.1	80.9
Pueblo, Colo	45.9	34.1	43.0	62.5	54.2	116.6
Trinidad, Colo	72.1	45.0	109.4	67.9	168.3	185.2
Ansonia, Conn	191.6	200.6	253.0	231.9	127.4	252.4
Bristol, Conn	94.2	96.5	79.2	54.2	97.5	114.5
Hartford, Conn	107.3	123.0	88.8	67.6	107.6	68.2
Meriden town, Conn	76.1	103.4	92.5	39.2	73.1	67.7
Middletown town, Conn	52.6	80.1	72.3	105.5	102.4	66.2
Naugatuck, Conn	85.1	151.4	51.3	148.9	128.7	123.2
New Britain, Conn	113.4	126.4	132.4	136.7	147.6	106.9
New London, Conn	90.5	86.7	131.3	118.0	69.5	95.4
Norwich town, Conn	74.8	78.7	65.4	86.7	146.6	87.9
Torrington town, Conn	91.9	94.0	96.2	54.7	134.7	28.8
Wallingford town, Conn	40.0	81.4	74.6	33.7	146.1	78.8
Waterbury, Conn	152.9	153.4	133.3	180.6	134.5	121.3
Windham town, Conn	98.9	93.5	161.1	59.7	83.6	116.2
Wilmington, Del	124.1	92.3	103.2	88.0	92.4	73.2
Jacksonville, Fla	53.9	49.2	67.0	56.5	74.7	116.8
Key West, Fla	69.0	130.6	165.5	254.0	233.3	484.7
Tampa, Fla	126.2	95.1	(1)	(1)	(1)	(1)
Augusta, Ga	65.7	86.3	115.3	87.7	(1)	(1)
Savannah, Ga	127.9	120.0	167.9	133.4	119.6	131.2
East Chicago, Ind	514.9	400.7	389.7	562.1	349.5	404.5
Evansville, Ind	44.7	47.0	68.7	66.7	64.7	114.3
Gary, Ind	809.4	410.7	(2)	(2)	(2)	380.9
Hammond, Ind	236.9	173.7	171.6	203.1	153.6	127.9
Jeffersonville, Ind	57.6	19.2	78.0	48.6	67.8	154.3
Laporte, Ind	68.2	23.4	79.8	74.0	173.2	91.4
Michigan City, Ind	93.0	90.0	86.9	128.0	95.4	107.7
Mishawaka, Ind	73.2	111.7	48.0	114.8	52.6	55.3
South Bend, Ind	105.9	67.1	81.4	87.0	83.2	128.3
Terre Haute, Ind	84.7	47.8	80.3	102.8	86.9	64.1
Vincennes, Ind	136.0	69.8	59.7	159.4	81.9	51.9
Coffeyville, Kans	119.7	23.9	118.9	52.6	55.5	(1)
Fort Scott, Kans	104.3	.....	28.5	28.5	47.6	(1)
Kansas City, Kans	54.3	46.5	42.4	66.5	57.3	101.5
Owensboro, Ky	135.0	45.7	122.0	88.6	72.1	146.7
Augusta, Me	127.0	85.6	93.8	131.3	88.6	104.5
Biddeford, Me	135.9	62.6	120.2	166.8	121.5	116.3
Lewiston, Me	147.4	98.0	142.8	129.4	160.4	169.5
Waterville, Me	86.6	24.0	97.6	33.1	109.2	111.1
Cumberland, Md	92.0	97.8	91.8	145.5	126.7	107.1
Hagerstown, Md	93.5	75.3	72.6	120.3	110.7	71.2
Adams town, Mass	91.5	149.8	151.8	95.3	133.8	228.0
Chelsea, Mass	90.9	63.7	119.6	109.6	93.5	121.5
Chicopee, Mass	208.1	264.9	245.9	222.4	283.6	258.7
Fitchburg, Mass	47.9	97.2	86.4	105.3	158.0	71.8
Framingham town, Mass	107.3	94.1	58.6	66.8	75.1	7.5
Gardner town, Mass	58.3	59.7	165.1	100.3	109.2	84.7
Greenfield town, Mass	50.0	8.5	78.3	44.5	36.4	111.8
Holyoke, Mass	154.7	185.7	168.6	209.3	195.3	184.6
Lawrence, Mass	136.2	157.8	167.0	165.8	196.5	215.0
Methuen town, Mass	93.4	66.6	91.4	110.0	81.1	57.7
New Bedford, Mass	169.3	177.9	223.0	212.5	243.5	257.8
North Adams, Mass	50.0	45.4	109.1	61.0	74.3	72.8
Pittsfield, Mass	36.2	55.9	79.4	70.5	95.8	106.3
Plymouth town, Mass	43.7	66.7	105.8	77.1	62.9	129.1
Salem, Mass	63.8	56.5	68.1	127.7	90.3	128.4
Southbridge town, Mass	63.4	43.0	109.6	104.3	129.1	100.2
Taunton, Mass	151.6	153.0	103.8	169.9	154.4	196.8
Webster town, Mass	90.8	92.8	39.5	104.9	148.6	126.4
Westfield town, Mass	97.9	133.2	90.7	139.1	154.0	150.3
Alpena, Mich	97.9	53.1	61.1	92.3	46.5	117.5
Escanaba, Mich	58.1	19.8	81.4	33.5	35.7	102.8
Flint, Mich	157.0	65.2	32.3	25.6	40.6	34.5
Marquette, Mich	48.4	24.5	82.5	66.8	59.2	111.4
Sault Ste. Marie, Mich	64.7	14.6	59.3	120.4	53.5	54.5
Virginia, Minn	65.8	103.9	131.7	232.4	82.3	164.3
Meridian, Miss	148.7	137.5	(1)	(1)	(1)	(1)
Joplin, Mo	168.6	69.6	82.2	94.9	77.0	105.4
Webb City, Mo	151.9	44.2	90.2	76.7	86.1	135.9
Anaconda, Mont	104.1	28.6	28.8	19.3	38.9	29.4
Berlin, N. H	191.2	172.9	238.2	94.3	128.8	288.4
Dover, N. H	37.7	75.4	98.0	60.3	67.9	166.0
Manchester, N. H	140.5	166.3	133.5	231.5	141.1	213.5
Nashua, N. H	95.1	136.5	59.5	183.6	75.5	99.0
Bayonne, N. J	110.2	122.8	119.5	117.5	151.7	181.9
Camden, N. J	113.9	102.5	125.9	116.3	91.2	101.7
Elizabeth, N. J	100.4	126.6	128.6	173.2	181.7	146.3
Garfield, N. J	194.1	240.0	168.3	242.1	204.9	217.8
Hackensack, N. J	88.5	121.4	62.5	115.8	112.7	115.0
Harrison, N. J	118.0	120.8	160.9	158.6	247.2	140.8
Long Branch, N. J	45.5	79.7	67.9	55.6	99.7	103.1
Millville, N. J	73.4	59.5	60.4	76.6	124.3	71.5
Montclair, N. J	41.8	43.1	104.9	20.8	111.8	61.3
Morristown, N. J	15.1	53.2	53.7	116.2	148.6	87.3
New Brunswick, N. J	176.4	174.8	173.2	236.9	194.7	319.8
Orange, N. J	36.3	55.3	28.2	50.9	94.0	137.7
Passaic, N. J	117.1	143.5	137.3	154.2	205.6	222.1
Perth Amboy, N. J	165.1	229.1	222.1	230.9	240.5	240.6
Phillipsburg, N. J	96.1	19.6	66.4	81.2	103.4	99.7
Plainfield, N. J	96.6	120.3	70.3	81.0	106.0	66.5
Trenton, N. J	104.8	118.1	97.3	151.3	121.5	131.0
West New York, N. J	85.2	50.2	122.9	80.0	77.9	66.1
Amsterdam, N. Y	72.8	96.8	102.2	137.1	221.9	126.8
Auburn, N. Y	77.6	100.1	93.1	91.5	103.8	176.1
Binghamton, N. Y	142.7	122.5	84.3	154.0	69.4	74.3
Cohoes, N. Y	111.1	99.5	159.7	132.2	96.4	209.1
Fulton, N. Y	67.2	128.4	148.5	133.7	100.1	119.4
Hudson, N. Y	125.9	119.9	81.8	99.8	84.5	137.0
Lackawanna, N. Y	625.5	672.8	462.9	568.2	651.2	723.2
Little Falls, N. Y	163.6	165.8	168.2	194.0	118.2	127.2
Niagara Falls, N. Y	182.0	190.4	185.0	126.4	167.2	229.0
North Tonawanda, N. Y	116.2	81.6	136.5	186.2	111.1	104.8
Port Chester, N. Y	30.9	102.3	66.2	116.8	228.4	181.7
Poughkeepsie, N. Y	65.8	60.0	67.6	109.6	62.5	101.3
Rome, N. Y	118.0	120.6	48.5	94.7	152.4	94.0
Schenectady, N. Y	41.2	58.8	68.1	90.4	104.7	90.3
Utica, N. Y	81.2	90.6	104.8	152.0	139.0	97.3
White Plains, N. Y	17.8	44.6	41.3	75.4	112.7	141.1
Yonkers, N. Y	78.1	112.8	101.7	156.4	130.0	179.0
Charlotte, N. C	148.2	108.0	97.5	81.0	72.1	86.4
Durham, N. C	87.8	91.8	105.0	36.8	77.4	102.2
Greensboro, N. C	35.8	73.7	135.9	112.4	139.5	96.3
Raleigh, N. C	99.4	110.1	161.3	111.8	168.9	227.4
Wilmington, N. C	140.5	153.1	219.6	201.5	268.5	292.4
Winston-Salem,[3] N. C	186.2	176.1	199.8	168.0	105.2	154.7
Akron, Ohio	149.0	74.7	118.3	146.9	125.4	81.6
Bellaire, Ohio	139.4	120.4	158.3	109.7	104.5	68.2
Chillicothe, Ohio	51.7	39.2	46.2	106.6	47.1	34.0
East Liverpool, Ohio	101.8	90.0	114.3	92.9	99.2	81.7
Lorain, Ohio	132.6	95.3	93.1	163.3	198.4	141.2
Middletown, Ohio	179.2	78.8	74.2	180.2	92.7	124.7
Portsmouth, Ohio	146.1	46.2	98.1	111.5	57.1	89.6
Steubenville, Ohio	149.4	206.5	151.1	156.0	103.4	98.4
Warren, Ohio	176.1	39.0	66.3	92.9	60.4	35.2
Youngstown, Ohio	143.9	113.9	135.2	196.8	206.8	121.7
Allentown, Pa	111.8	108.2	71.3	131.2	119.1	111.8
Beaver Falls, Pa	96.1	82.6	68.7	131.9	71.0	88.3
Braddock, Pa	267.5	323.8	229.3	257.8	247.7	307.9
Butler, Pa	126.7	60.2	82.2	57.1	64.0	90.7
Carbondale, Pa	72.8	68.8	97.1	60.5	117.8	103.1
Carnegie, Pa	188.2	43.8	80.7	147.1	141.4	174.1
Chester, Pa	190.8	131.9	155.7	125.0	131.5	120.2
Coatesville, Pa	207.5	93.4	82.3	140.3	138.4	93.7
Dubois, Pa	81.8	48.8	71.4	117.0	82.4	61.4
Dunmore, Pa	235.8	182.6	207.5	166.3	266.8	246.8
Duquesne, Pa	335.6	186.7	193.8	240.2	156.8	175.3
Erie, Pa	123.7	96.2	116.0	140.8	87.6	126.1
Farrell,[4] Pa	346.5	173.2	(5)	(5)	(5)	176.6
Hazleton, Pa	140.4	139.3	141.8	140.6	139.4	92.9
Homestead, Pa	235.9	233.3	178.8	198.5	264.4	226.5
Johnstown, Pa	132.8	88.6	99.0	116.4	108.6	135.0
McKees Rocks, Pa	215.5	183.2	153.4	402.0	289.7	203.5
McKeesport, Pa	168.3	113.4	154.5	110.6	137.3	133.0
Mahanoy City, Pa	131.7	168.4	106.1	197.3	242.7	197.1
Monessen, Pa	166.4	128.8	240.0	132.8	238.3	254.9
Mount Carmel, Pa	153.0	100.9	190.9	132.0	189.1	149.5
Nanticoke, Pa	138.4	213.9	208.6	156.9	230.5	197.9
New Castle, Pa	102.1	84.3	83.4	74.8	68.4	48.4
North Braddock, Pa	151.8	171.1	113.7	192.0	100.0	152.4
Old Forge, Pa	167.8	223.4	276.4	387.2	309.6	141.4
Phoenixville, Pa	136.6	112.5	96.5	97.8	117.2	128.1
Pittston, Pa	182.8	153.7	207.1	114.5	204.7	113.6
Plymouth, Pa	146.6	80.0	152.0	127.2	202.9	298.8
Pottsville, Pa	98.3	77.2	60.0	84.3	95.3	134.7
Shenandoah, Pa	267.1	335.1	391.5	403.0	359.4	295.0

(See footnotes at end of table.)

CITY. [Rates of 100 or more per 100,000 in boldfaced type.]	DEATH RATE FROM DIARRHEA AND ENTERITIS (UNDER 2 YEARS) PER 100,000 POPULATION.					
	1916	1915	1914	1913	1912	1911
South Bethlehem, Pa	289.2	204.1	192.6	297.9	228.2	302.9
Steelton, Pa	216.7	84.8	132.2	147.5	81.6	213.8
Washington, Pa	101.8	70.9	24.2	74.1	35.4	52.1
West Chester, Pa	91.1	100.4	102.2	56.0	81.5	33.2
Wilkes-Barre, Pa	93.8	146.2	91.0	88.8	93.6	131.9
Central Falls, R. I	136.5	139.0	137.6	231.0	164.0	140.0
Cumberland, town, R. I	110.6	121.2	94.3	57.2	38.6	48.6
Warwick town,[6] R. I	76.7	115.5	93.4	130.5	97.1	147.7
Woonsocket, R. I	117.2	143.0	134.6	116.1	163.6	154.1
Charleston, S. C	144.9	135.3	149.7	165.5	191.6	153.7
Columbia, S. C	161.8	214.3	(1)	(1)	(1)	(1)
El Paso, Tex	494.5	496.9	341.4	492.8	398.7	305.4
San Antonio, Tex	268.9	280.5	258.1	205.1	308.6	219.8
Burlington, Vt	78.6	56.0	174.1	156.7	138.9	299.6
Alexandria, Va	39.2	90.1	76.6	134.7	103.2	103.7
Danville, Va	94.9	100.7	76.2	66.5	123.9	125.0
Lynchburg, Va	57.7	101.9	157.1	179.1	110.7	110.0
Newport News, Va	87.5	102.4	122.3	63.8	(1)	(1)
Norfolk, Va	90.4	84.0	98.2	97.6	101.8	135.9
Petersburg, Va	222.8	149.9	195.1	213.0	170.4	204.8
Roanoke, Va	75.8	40.5	115.8	160.6	76.6	153.4
Green Bay, Wis	122.6	69.7	67.8	113.3	67.4	170.4
Kenosha, Wis	79.2	39.6	37.9	83.8	156.6	150.4

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Not admitted to registration area until a later date.
[2] Incorporated in 1906; population not estimated.
[3] Salem consolidated with Winston, May, 1913.
[4] Name changed from South Sharon (incorporated in 1901) in 1912.
[5] Population not estimated.
[6] Includes West Warwick town, organized November, 1913.

The highest rates in 1916 are for Gary, Ind. (809.4); Lackawanna, N. Y. (625.5); East Chicago, Ind. (514.9); El Paso, Tex. (494.5); and Farrell, Pa. (346.5). The lowest rates are for Morristown, N. J. (15.1); White Plains, N. Y. (17.8); Port Chester, N. Y. (30.9); Greensboro, N. C. (35.8); and Pittsfield, Mass. (36.2).

In comparing these rates the age distribution of the population should be given due consideration.

ACUTE NEPHRITIS AND BRIGHT'S DISEASE.

In the registration area in 1916 the number of deaths from acute nephritis and Bright's disease was 75,316, corresponding to a rate per 100,000 population of 105.2, which is 18.2 per cent higher than the rate for 1900 (89). Of the deaths in 1916 compiled under this heading 5,921 were due to acute nephritis and 69,395 to Bright's disease, which includes chronic nephritis and nephritis unqualified.

Among the subdivisions of the registration area, the rates for 1916 are higher than those for 1915 in the registration states as a whole, in the cities in registration states, and in all registration cities. The cities in registration states have rates much higher than those for the rural part of the registration states, not only for the six years shown in the table, but for every year since and including 1900.

In the following table, which shows the death rates per 100,000 population for the years 1911 to 1916, and annual averages for the two five-year periods 1901 to 1905 and 1906 to 1910, rates of 150 or more are printed in boldfaced type:

AREA. [Rates of 150 or more per 100,000 in boldfaced type.]	DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.							
	1916	1915	1914	1913	1912	1911	Annual average. 1906 to 1910	Annual average. 1901 to 1905
SUMMARY.								
The registration area	105.2	104.7	102.4	102.9	103.0	97.5	97.5	97.0
Registration states[1]	103.7	102.1	99.9	100.1	99.7	94.1	94.7	96.1
Cities in registration states[1]	121.3	116.4	117.7	118.8	116.9	112.7	114.0	114.7
Rural part of registration states	87.6	87.3	82.5	81.3	81.8	75.0	72.9	72.5
Registration cities in nonregistration states	124.4	135.4	132.9	134.7	139.1	135.8	112.5	98.5
All registration cities[1]	121.7	119.2	119.8	121.1	120.3	116.2	113.6	106.6
REGISTRATION STATES.								
California	109.1	107.2	100.5	98.7	95.3	92.1	82.3	(2)
Colorado	67.5	77.4	75.4	75.5	83.0	79.9	73.6	(2)
Connecticut	122.9	114.5	116.5	112.0	106.3	117.5	103.1	93.6
Indiana	105.8	101.7	97.1	92.7	92.9	84.6	73.8	55.7
Kansas	75.6	69.6	65.4	(2)	(2)	(2)	(2)	(2)
Kentucky (total)	82.8	83.7	79.7	80.3	75.4	65.9	(2)	(2)
White	73.6	74.2	70.8	71.4	68.4	61.3	(2)	(2)
Colored	162.0	163.7	148.7	149.3	129.9	102.1	(2)	(2)
Maine	119.0	119.2	120.0	102.9	101.4	114.1	98.3	85.6
Maryland (total)	152.9	150.2	141.4	140.1	139.4	128.0	121.4	(2)
White	142.9	136.5	133.7	129.2	125.3	116.7	112.2	(2)
Colored	201.8	216.7	176.4	189.6	203.8	179.6	162.5	(2)
Massachusetts	97.0	93.8	94.4	90.9	90.3	86.7	85.5	80.8
Michigan	82.1	81.5	74.7	74.9	75.4	67.2	63.5	55.2
Minnesota	76.3	78.0	74.3	72.5	70.6	63.3	(3)	(2)
Missouri	111.2	109.1	99.7	95.2	98.4	85.2	(3)	(2)
Montana	78.1	76.0	57.6	58.9	60.6	52.0	(3)	(2)
New Hampshire	114.6	113.9	117.6	118.8	121.7	110.9	103.5	88.2
New Jersey	131.1	124.7	126.2	121.8	117.1	116.5	108.7	100.2
New York	131.5	124.9	131.6	134.7	138.5	132.0	129.4	74.5
North Carolina (total)	72.6[4]	114.5[4]	121.1[5]	105.1[5]	106.0[5]	91.9[5]	(3)	(2)
White	69.2	94.2	99.5	87.5	94.8	74.6	(3)	(2)
Colored	80.0	154.2	162.3	137.4	126.6	123.6	(3)	(2)
Ohio	96.5	92.2	87.8	87.6	90.1	77.5	(3)	(2)
Pennsylvania	107.2	103.7	100.3	103.0	94.4	91.9	88.4	(2)
Rhode Island	130.6	120.8	124.8	123.9	123.6	124.2	125.2	130.7
South Carolina (total)	96.5	(2)	(2)	(2)	(2)	(2)	(2)	(2)
White	82.1	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Colored	109.0	(2)	(2)	(2)	(2)	(2)	(2)	(2)
Utah	70.5	68.6	65.4	64.7	69.6	59.7	(3)	(2)
Vermont	114.7	122.5	110.7	115.6	115.7	105.7	101.4	85.1
Virginia (total)	109.6	109.4	98.1	93.9	(2)	(2)	(2)	(2)
White	94.0	94.3	87.7	81.7	(2)	(2)	(2)	(2)
Colored	144.3	142.6	119.8	119.2	(2)	(2)	(2)	(2)
Washington	49.3	53.5	54.3	55.6	49.9	55.0	(3)	(2)
Wisconsin	69.7	64.4	62.5	63.4	67.2	64.2	(3)	(2)
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.								
Birmingham, Ala. (total)	85.8	96.5	119.2	110.6	110.5	103.5	(3)	(2)
White	68.5	83.7	99.4	86.6	108.8	93.3	(3)	(2)
Colored	115.0	117.7	149.6	147.5	113.1	119.1	(3)	(2)
Los Angeles, Cal	111.3	102.7	105.0	108.4	103.1	93.4	97.0	96.7
Oakland, Cal	89.1	92.2	95.6	95.9	75.3	82.3	110.7	71.6
San Francisco, Cal	135.3	137.7	126.0	120.6	117.9	122.8	108.8	112.4
Denver, Colo	95.5	112.6	102.6	117.3	110.7	122.1	110.0	95.7
Bridgeport, Conn	162.9	157.9	151.8	159.6	122.9	137.9	129.2	125.4
New Haven, Conn	122.3	135.3	145.3	129.0	125.6	134.6	121.4	100.3
Washington, D. C. (total)	168.1	181.5	172.3	141.6	155.8	157.3	146.0	135.2
White	144.6	150.6	143.6	118.0	131.3	138.8	125.3	(6)
Colored	230.4	262.5	248.7	200.4	216.7	203.6	196.5	(6)
Atlanta, Ga. (total)	158.5	160.0	172.9	175.6	210.7	197.8	155.7	129.6
White	135.4	124.4	159.5	149.0	189.2	180.4	143.1	(6)
Colored	209.9	238.0	199.4	228.1	253.2	232.4	179.9	(6)
Chicago, Ill	107.2	111.5	104.3	115.1	111.6	109.4	112.6	95.3
Indianapolis, Ind	115.0	106.9	101.6	110.4	106.5	92.1	90.0	64.7
Louisville, Ky. (total)	154.0	160.3	160.8	151.4	140.8	122.2	115.6	103.8
White	132.0	151.6	141.3	134.0	129.4	119.2	107.9	(6)
Colored	257.6	201.0	249.0	229.8	192.7	136.0	149.9	(6)
New Orleans, La. (total)	231.1	239.0	267.4	270.3	267.3	243.2	216.1	187.5
White	173.9	199.5	213.0	221.5	208.6	190.5	177.9	(6)
Colored	393.2	350.9	418.7	405.8	432.4	389.8	321.6	(6)
Baltimore, Md. (total)	174.3	171.6	168.9	180.1	178.7	162.1	171.6	145.9
White	163.0	154.0	156.7	164.5	160.1	147.3	157.3	(6)
Colored	238.5	270.7	236.7	267.3	282.3	244.1	251.1	(6)
Boston, Mass	102.6	97.6	99.5	91.9	93.0	98.9	87.6	82.3
Cambridge, Mass	70.8	80.6	84.3	62.4	81.7	88.1	70.9	61.1
Fall River, Mass	105.9	102.4	102.8	91.9	106.9	93.8	99.1	89.9

(See footnotes at end of table.)

AREA. [Rates of 150 or more per 100,000 in boldfaced type.]	DEATH RATE FROM ACUTE NEPHRITIS AND BRIGHT'S DISEASE PER 100,000 POPULATION.							
							Annual average.	
	1916	1915	1914	1913	1912	1911	1906 to 1910	1901 to 1905
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—continued.								
Lowell, Mass.	89.2	97.2	89.2	112.8	91.9	82.6	100.5	88.7
Worcester, Mass.	105.3	72.9	79.9	76.8	73.6	72.5	76.4	71.1
Detroit, Mich.	85.1	81.7	72.2	80.9	69.7	65.1	66.2	68.4
Grand Rapids, Mich.	88.9	90.6	84.4	82.9	88.9	78.4	68.7	43.5
Minneapolis, Minn.	101.8	104.4	87.9	97.8	89.0	76.8	74.4	60.4
St. Paul, Minn.	92.6	77.3	80.7	93.7	84.0	62.1	65.3	53.2
Kansas City, Mo.	130.9	136.3	117.8	110.6	102.6	101.4	91.2	81.5
St. Louis, Mo.	**176.8**	**169.0**	**171.8**	**167.6**	**171.6**	147.1	135.0	116.1
Omaha, Nebr.	91.3	76.0	104.3	87.0	92.3	93.1	71.9	53.1
Jersey City, N. J.	132.5	126.6	134.0	126.5	134.6	129.8	120.4	117.6
Newark, N. J.	140.9	124.3	140.6	142.1	119.4	135.4	130.2	136.0
Paterson, N. J.	138.0	**156.9**	122.9	132.3	120.6	131.7	122.7	87.5
Albany, N. Y.	**197.2**	**189.2**	**178.7**	**209.1**	**216.3**	**194.1**	**186.6**	**171.9**
Buffalo, N. Y.	127.0	120.7	125.7	115.5	115.8	94.9	93.0	86.8
New York, N. Y.	131.4	122.2	139.0	138.1	140.3	142.8	**151.0**	**161.8**
Bronx Borough	138.4	123.8	129.4	140.6	123.9	122.2	141.4	139.9
Brooklyn Borough	121.4	104.7	140.0	138.9	137.9	137.2	142.7	149.6
Manhattan Borough	130.4	129.8	133.5	135.8	144.1	148.4	**159.3**	**175.3**
Queens Borough	149.1	129.7	147.4	124.3	121.3	139.5	129.3	122.8
Richmond Borough	**246.2**	**225.1**	**289.2**	**220.4**	**237.2**	**220.9**	**188.7**	**172.0**
Rochester, N. Y.	136.7	136.8	128.1	139.8	134.1	117.6	112.1	90.7
Syracuse, N. Y.	112.5	106.2	101.8	105.1	128.1	97.1	100.5	90.3
Cincinnati, Ohio	**158.8**	**166.2**	**145.0**	**160.1**	**164.1**	144.9	135.0	122.5
Cleveland, Ohio	90.9	91.7	84.5	96.8	104.2	93.6	86.4	71.9
Columbus, Ohio	90.3	91.5	83.6	94.3	79.5	78.0	82.3	61.9
Dayton, Ohio	119.5	102.8	108.2	104.0	114.7	71.0	86.2	83.1
Toledo, Ohio	89.3	84.1	98.3	87.6	101.3	89.0	69.6	61.3
Portland, Oreg.	55.5	60.5	66.4	56.8	58.4	60.0	52.9	49.4
Philadelphia, Pa.	**177.7**	**167.0**	**174.4**	**177.5**	**159.5**	**164.5**	**166.8**	**149.6**
Pittsburgh, Pa.	92.0	92.0	88.7	82.3	79.7	73.7	71.4	57.8
Scranton, Pa.	85.8	102.7	85.6	94.5	108.2	74.4	79.3	70.9
Providence, R. I.	142.4	128.4	133.4	124.5	127.5	137.4	135.9	140.3
Memphis, Tenn. (total)	(7)	**171.1**	**178.0**	**179.5**	**195.0**	**157.1**	134.2	111.7
White	(7)	130.1	142.1	**164.0**	**177.2**	140.4	135.3	(8)
Colored	(7)	**241.4**	**231.8**	**202.8**	**221.6**	**182.0**	132.7	(8)
Nashville, Tenn. (total)	(7)	132.8	126.2	102.8	115.3	80.8	83.0	65.4
White	(7)	110.2	97.6	90.6	98.1	68.4	71.1	(6)
Colored	(7)	**182.7**	**184.0**	127.4	**150.0**	105.8	106.5	(6)
Richmond, Va. (total)	**204.9**	**204.3**	**170.5**	**204.2**	**213.0**	**193.4**	**155.0**	121.2
White	**196.6**	**198.7**	149.7	**188.4**	**200.5**	**173.3**	142.4	(6)
Colored	**219.7**	**217.9**	**206.4**	**231.6**	**234.7**	**228.0**	**176.7**	(6)
Seattle, Wash.	45.0	56.5	62.0	61.6	54.4	63.3	60.0	46.1
Spokane, Wash.	65.2	74.1	77.4	74.0	64.5	80.9	68.9	54.9
Milwaukee, Wis.	79.9	70.6	69.8	74.1	73.7	66.2	63.0	54.9

NOTE.—Populations upon which these rates are based will be found in Table I B, p. 65.

[1] Including District of Columbia.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Includes only municipalities having a population of 1,000 or more in 1910.
[5] Includes only municipalities having a population of 1,000 or more in 1900.
[6] Deaths not shown by color prior to 1906.
[7] Transcripts for deaths not received.

The five states which had the highest death rates in 1916 were Maryland (152.9), New York (131.5), New Jersey (131.1), Rhode Island (130.6), and Connecticut (122.9). The states which had the lowest rates were Washington (49.3), Colorado (67.5), Wisconsin (69.7), Utah (70.5), and North Carolina (72.6). In a comparison of the rates for 1915 and 1916 very marked decreases are shown in the later year for Colorado (from 77.4 to 67.5) and for Vermont (from 122.5 to 114.7). Notable increases are shown for Connecticut (from 114.5 to 122.9) and for Rhode Island (from 120.8 to 130.6).

The only state with a death rate as high as 150 for acute nephritis and Bright's disease is Maryland, and this state for only the years 1915 and 1916. In fact, Maryland is the only state which has shown a rate as high as 150 in the annual mortality reports, the first of which was published in 1900.

There were 11 cities of 100,000 population or more in 1910 which had rates of 150 or higher per 100,000 in 1916. Six of these cities had such rates for the series of years 1911 to 1916, and four of the six, Baltimore, New Orleans, Albany, and Philadelphia, for the preceding four years. The five cities which showed the highest rates in 1916 were New Orleans (231.1), Richmond (204.9), Albany (197.2), Philadelphia (177.7), and St. Louis (176.8). The five cities which showed the lowest rates were Seattle (45), Portland, Oreg. (55.5), Spokane (65.2), Cambridge (70.8), and Milwaukee (79.9).

In making a comparison of crude rates for acute nephritis and Bright's disease it should be borne in mind that 80 per cent of the deaths from this cause occur among persons past 40 years of age.

SUICIDE.

The death rate for suicide in the registration area in 1916 was the lowest (14.2 per 100,000 population) recorded for the ten years 1907 to 1916. All the subdivisions of the registration area show a lower rate than in 1915, and likewise all the states, except Indiana, Montana, Utah, Vermont, and Wisconsin. The five states which show the highest rates in 1916 are California (31.7), Montana (24.6), Indiana (17.1), Vermont (16.8), and Missouri (16.6). California has had the highest rate of any of the registration states since it was added to the registration area in 1906. The five states which have the lowest rates in 1916 are North Carolina (3.4), South Carolina (3.9), Kentucky (7.6), Virginia (8.2), and Kansas (9.6).

Under the title "Suicide" are included nine headings, to four of which more than 80 per cent of all deaths from this cause are charged in 1916. The greatest number of deaths in this class resulted from firearms (3,386, with a rate of 4.7 per 100,000 population), followed by poison (2,016, with a rate of 2.8); hanging or strangulation (1,509, with a rate of 2.1); and asphyxia (1,458, with a rate of 2). Each of these four means of suicide shows a decrease from 1914 and 1915, but the most marked is shown for suicide by poison (from 4.5 in 1914 to 3.7 in 1915, and to 2.8 in 1916).

Among the cities of 100,000 or more population in 1910, the five which show the highest rates for suicide in 1916 are San Francisco (51.6), Bridgeport (34.5), Omaha (29.6), Los Angeles (28.3), and Indianapolis (27.9). Those cities which had the lowest rates are Scranton (7.5), Lowell (7.9), Birmingham and Richmond (each 8.3), Cambridge (8.9), and Buffalo (9). The most pronounced decreases in the rates for suicide in 1916 when compared with 1915 are shown for Denver (14.6 against 26.5), Louisville (14.6 against 24), St. Louis (27.3 against 36.5), Omaha (29.6 against 41.7), and Scranton (7.5 against 16.7). On the other hand, a very notable increase in 1916 is shown for Indianapolis (27.9 against 16.9).

VIOLENT DEATHS (EXCLUDING SUICIDE).

In the registration area in 1916 all forms of violence (excluding suicide) caused 65,121 deaths, which correspond to a rate of 90.9 per 100,000 population, as against a rate of 83.3 in 1915. Under this heading are included deaths from accidental or undefined causes, and those from homicide, the former numbering 60,071, with a rate of 83.9 per 100,000, and the latter (5,050) with a rate of 7.1, the rate for each of these causes exceeding the rate for 1915.

The greatest number of deaths under this title are due to traumatism by fall (10,775, with a rate of 15 per 100,000); next in order are deaths due to railroad accidents and injuries (8,127, with a rate of 11.3); accidental drowning (6,185, with a rate of 8.6); burns (conflagration excepted) (5,726, with a rate of 8); automobile accidents (5,193, with a rate of 7.3); homicide (5,050, with a rate of 7.1); and absorption of deleterious gases (conflagration excepted) (2,927, with a rate of 4.1). All of these causes of death show higher rates in 1916 than in 1915, except accidental drowning, which declines from 9.7 to 8.6 per 100,000. The first four of these causes maintain the same order in 1916 as in 1915, but in 1916 automobile accidents pass homicides and become the fifth most important cause of violent deaths.

The death-rate in 1916 (2.5) from street-car accidents is slightly higher than the rate in 1915 (2.3), and the rate for deaths from injuries by other vehicles is slightly lower in 1916 (3.3, as compared with 3.5). The rate for deaths from the effects of heat (2.9) is the highest rate shown since 1911, when it was 5.3 per 100,000.

Among the registration states those showing the highest death rates in 1916 for violent deaths (excluding suicide) are Montana (170), California (112.9), Ohio (108.3), Pennsylvania (107.8), and Connecticut (102.9). Those showing the lowest rates are North Carolina (65.3), New Hampshire (69.2), South Carolina and Wisconsin (each 69.7), Washington (69.9), and Kentucky (71.3).

The five cities showing highest rates in 1916 for cities which in 1910 had 100,000 or more inhabitants are Detroit (151.3), Toledo (143.3), Bridgeport (142.3), Scranton (138.3), and Pittsburgh (134.2). The five cities showing the lowest rates in 1916 are Spokane (41.9), Denver (42.9), Fall River (47.5), Portland, Oreg. (49.4), and Seattle (51.9). All of these cities show lower rates in 1916 than in 1915.

As might be expected, in view of the enormous increase in the number of automobiles used, the death rate for automobile accidents has advanced continuously since 1906—the first year for which they were reported separately—when it stood at 0.4 per 100,000 population. This rate, which in 1916 is 7.3, bids fair soon to rival the death rate for railroad accidents and injuries. Were it certain that such a high rate is only the necessary price for this new invention there would be less reason for calling special attention to this rapid increase, but it is believed that better traffic laws, better enforcement of such laws, and more exacting examinations for automobile drivers would prevent hundreds of deaths annually.

One phase which is particularly distressing is the large number of deaths from this cause among children. In 1916, 27.9 per cent of the total number of deaths from automobile accidents were of children under 15 years of age, as contrasted with 5.3 per cent below that age for railroad accidents.

In the following table are given for 1916 deaths from railroad accidents and injuries and from automobile accidents and injuries with death rates from these causes for cities which had 100,000 inhabitants or more in 1910. The death rate in this group of cities for automobile accidents and injuries is 9.6 per 100,000, compared with 7.6 for railroad accidents and injuries.

CITY.	RAILROAD ACCIDENTS AND INJURIES.		AUTOMOBILE ACCIDENTS AND INJURIES.	
	Deaths.	Death rate per 100,000 population.	Deaths.	Death rate per 100,000 population.
Total	1,766	7.6	2,252	9.6
Birmingham, Ala.	15	8.3	14	7.7
Los Angeles, Cal.	43	8.5	91	18.0
Oakland, Cal.	16	8.1	18	9.1
San Francisco, Cal.	16	3.5	62	13.4
Denver, Colo.	11	4.2	21	8.1
Bridgeport, Conn.	16	13.2	26	21.4
New Haven, Conn.	18	12.0	23	15.4
Washington, D. C.	9	2.5	37	10.2
Atlanta, Ga.	15	7.9	27	14.2
Chicago, Ill.	248	9.9	243	9.7
Indianapolis, Ind.	27	9.8	19	6.9
Louisville, Ky.	17	7.1	9	3.8
New Orleans, La.	27	7.3	20	5.4
Baltimore, Md.	17	2.9	36	6.1
Boston, Mass.	63	8.3	71	9.4
Cambridge, Mass.	3	2.7	12	10.6
Fall River, Mass.	4	3.1	6	4.7
Lowell, Mass.	5	4.4	6	5.3
Worcester, Mass.	16	9.8	20	12.2
Detroit, Mich.	88	15.3	127	22.0
Grand Rapids, Mich.	12	9.4	9	7.0
Minneapolis, Minn.	35	9.6	33	9.1
St. Paul, Minn.	29	11.7	31	12.5
Kansas City, Mo.	48	16.1	38	12.8
St. Louis, Mo.	59	7.8	67	8.8
Omaha, Nebr.	16	9.7	14	8.5
Jersey City, N. J.	57	18.6	19	6.2
Newark, N. J.	18	4.4	53	13.0
Paterson, N. J.	15	10.8	14	10.1
Albany, N. Y.	21	19.8	11	10.4
Buffalo, N. Y.	65	13.9	56	12.0
New York, N. Y.	89	1.6	432	7.7
Rochester, N. Y.	25	9.7	29	11.2
Syracuse, N. Y.	25	16.1	12	7.7
Cincinnati, Ohio.	65	15.8	56	13.6
Cleveland, Ohio.	111	16.5	98	14.5
Columbus, Ohio.	29	13.5	26	12.1
Dayton, Ohio.	20	15.7	8	6.3
Toledo, Ohio.	41	20.7	19	9.6
Portland, Oreg.	12	4.1	14	4.7
Philadelphia, Pa.	99	5.8	153	8.9
Pittsburgh, Pa.	105	18.1	64	11.1
Scranton, Pa.	35	23.8	16	10.9
Providence, R. I.	9	3.5	25	9.8
Richmond, Va.	10	6.4	10	6.4
Seattle, Wash.	9	2.6	27	7.7
Spokane, Wash.	3	2.0	5	3.3
Milwaukee, Wis.	30	6.9	25	5.7

NOTE.—Transcripts of deaths were not received from Memphis and Nashville for 1916.

The relatively low rate in New York city for automobile accidents and injuries compared with the rates for this cause in some other cities is extremely gratifying and raises the question whether this is due to better laws and better enforcement of the same in the metropolis.

Underestimates of population undoubtedly explain, partially at least, some of the very high rates, just as overestimates of population undoubtedly account in part for some of the very low rates. The five cities showing the highest rates for automobile accidents and injuries are Detroit (22), Bridgeport (21.4), Los Angeles (18), New Haven (15.4), and Cleveland (14.5).

The five cities showing the lowest rates for automobile accidents and injuries are Spokane (3.3), Louisville (3.8), Fall River, Mass. and Portland, Oreg. (each 4.7), and Lowell, Mass. (5.3).

DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

Deaths of children under 1 year of age are usually considered in connection with the number of births, and the number of deaths under 1 year of age per 1,000 births is commonly spoken of as the infant mortality rate.

As the number of births is not known in many units of the death registration area, no consideration of infant mortality in the usual way of the entire death registration area is possible. But as we now have a birth registration area and an annual report on Birth Statistics, it has been thought best to show in that report those infant mortality tables which relate exclusively to the birth registration area and to retain in the Mortality Statistics other tables which relate to the death registration area.

The following tables indicate that infant deaths are every year forming a smaller and smaller part of total deaths, but that the decreases have occurred principally after the second week of life. Diarrhea and enteritis is becoming a less important factor, but premature birth and injuries at birth form considerably larger per cents of the total in 1916 than in 1910.

PER CENT OF TOTAL DEATHS UNDER 1 YEAR OF AGE TO TOTAL DEATHS, AND IN EACH OF THE 12 SUBDIVISIONS OF THE FIRST YEAR OF LIFE TO DEATHS UNDER 1 YEAR OF AGE IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1916.

AGE.	1916	1915	1914	1913	1912	1911	1910
Deaths under 1 year of age to total deaths	16.1	16.6	17.3	17.9	17.7	17.9	19.4
Total deaths under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Less than 1 day	15.6	16.0	14.6	13.3	12.7	11.8	9.8
1 day	5.0	5.0	5.1	4.9	5.2	5.3	4.9
2 days	3.8	3.7	3.8	3.4	3.5	3.3	2.9
3 to 6 days	7.2	7.1	7.3	6.7	6.9	6.8	6.1
1 week	6.0	6.2	6.3	6.2	6.2	6.1	5.7
2 weeks	4.4	4.7	4.8	4.7	4.8	4.8	4.6
3 weeks but less than 1 month	3.5	3.7	3.7	3.7	3.9	3.7	3.8
1 month	8.8	9.0	9.2	9.5	9.6	9.8	9.9
2 months	7.0	7.3	7.6	7.7	8.0	7.9	8.4
3 to 5 months	16.2	16.3	16.7	17.5	17.3	17.7	19.3
6 to 8 months	12.4	11.9	12.0	12.5	12.4	12.8	14.1
9 to 11 months	10.1	9.1	9.1	9.9	9.6	9.9	10.7

PER CENT OF TOTAL DEATHS UNDER 1 YEAR OF AGE FROM CERTAIN IMPORTANT CAUSES IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1916.

Abridged Int. List No.	CAUSE OF DEATH.	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age	100.0	100.0	100.0	100.0	100.0	100.0	100.0
5	Measles	1.4	0.7	0.7	1.3	0.8	0.9	1.0
6	Scarlet fever	0.1	0.1	0.1	0.2	0.1	0.2	0.2
7	Whooping cough	2.4	2.1	2.3	2.1	2.1	2.4	2.2
8	Diphtheria and croup	0.5	0.5	0.5	0.5	0.5	0.5	0.6
9	Influenza	0.9	0.6	0.3	0.4	0.3	0.4	0.3
(12)	Dysentery	0.2	0.2	0.3	0.3	0.3	0.3	0.5
(12)	Erysipelas	0.5	0.5	0.5	0.5	0.5	0.5	0.5
(37)	Tetanus	0.1	0.1	0.1	0.1	0.1	0.1	0.2
13	Tuberculosis of the lungs	0.5	0.5	0.5	0.5	0.6	0.6	0.6
14	Tuberculous meningitis	0.8	0.8	0.8	0.8	0.8	0.8	0.7
15	Other forms of tuberculosis	0.3	0.3	0.3	0.3	0.3	0.3	0.3
(37)	Syphilis	1.3	1.3	1.2	1.2	1.1	1.2	1.0
17	Meningitis	0.8	0.9	1.0	1.0	1.1	1.4	1.5
(37)	Convulsions	1.2	1.6	2.0	2.1	2.4	2.6	2.7
19	Organic diseases of the heart	0.3	0.4	0.4	0.5	0.6	0.6	0.6
20	Acute bronchitis	2.3	2.4	2.4	2.5	2.7	2.6	2.8
22	Pneumonia	4.0	4.4	4.5	4.5	5.0	4.8	5.3
(23)	Bronchopneumonia	9.1	9.8	9.1	8.5	8.3	7.4	6.8
24	Diseases of the stomach	1.4	1.5	1.7	1.9	2.0	2.0	2.0
25	Diarrhea and enteritis	22.9	21.9	22.8	24.2	23.3	25.0	28.6
(33)	Malformations	7.1	6.6	6.7	5.9	5.8	5.5	5.0
(33)	Premature birth	20.1	19.6	18.5	17.2	17.0	15.8	13.3
(33, 37)	Congenital debility	9.8	11.5	12.3	13.3	13.4	12.6	10.0
(37)	Injuries at birth	4.2	4.2	3.9	3.4	3.3	3.2	2.4
35	External causes	1.2	1.1	1.1	1.1	1.1	1.3	1.0
38	Diseases ill-defined or unknown	1.0	0.9	0.9	0.9	0.9	1.0	4.4
	All other causes	5.7	5.4	5.2	4.9	5.4	5.8	5.5

In default of infant-mortality rates based upon births, some idea of the improving conditions which surround our children under 1 year of age may be obtained by a glance at the following table, which gives for a series of years rates per 1,000 estimated midyear population under 1 year of age in the registration states as of 1910 (exclusive of North Carolina).

The rate for all causes under 1 year of age has declined from 131.7 in 1910 to 105.4 in 1916, and the rate for diarrhea and enteritis has declined from 37.7 to 24.1. On the other hand, a few increases appear which should serve as food for thought. What has occasioned the increase in the rate for premature birth from 17.5 in 1910 to 21.2 in 1916? What has occasioned the increase in the rate for injuries at birth from 3.2 in 1910 to 4.4 in 1916?

DEATH RATE PER 1,000 ESTIMATED MIDYEAR POPULATION UNDER 1 YEAR OF AGE FROM CERTAIN IMPORTANT CAUSES IN THE REGISTRATION STATES AS OF 1910 (EXCLUSIVE OF NORTH CAROLINA): 1910 TO 1916.

Abridged Int. List No.	CAUSE OF DEATH.	1916	1915	1914	1913	1912	1911	1910
	All causes under 1 year of age	105.4	103.4	108.7	116.0	112.2	116.0	131.7
5	Measles	1.4	0.7	0.7	1.5	0.9	1.0	1.3
6	Scarlet fever	0.1	0.1	0.1	0.2	0.2	0.2	0.3
7	Whooping cough	2.5	2.1	2.4	2.5	2.3	2.8	3.0
8	Diphtheria and croup	0.5	0.5	0.6	0.5	0.5	0.6	0.8
9	Influenza	1.0	0.7	0.3	0.4	0.3	0.5	0.4
(12)	Dysentery	0.2	0.3	0.3	0.3	0.3	0.4	0.6
(12)	Erysipelas	0.6	0.5	0.5	0.6	0.6	0.6	0.6
(37)	Tetanus	0.1	0.1	0.1	0.1	0.2	0.2	0.2
13	Tuberculosis of the lungs	0.6	0.5	0.6	0.6	0.6	0.7	0.8
14	Tuberculous meningitis	0.8	0.9	0.8	0.9	0.9	1.0	0.9
15	Other forms of tuberculosis	0.3	0.3	0.3	0.3	0.3	0.3	0.4
(37)	Syphilis	1.4	1.3	1.3	1.3	1.3	1.3	1.3
17	Meningitis	0.8	1.0	1.1	1.2	1.3	1.6	2.0
(37)	Convulsions	1.3	1.7	2.2	2.5	2.7	3.0	3.6
19	Organic diseases of the heart	0.4	0.4	0.4	0.6	0.6	0.7	0.8
20	Acute bronchitis	2.4	2.5	2.6	2.9	3.1	3.0	3.7
22	Pneumonia	4.2	4.5	4.8	5.3	5.7	5.6	6.9
(23)	Bronchopneumonia	9.6	10.1	9.9	9.9	9.3	8.6	8.9
24	Diseases of the stomach	1.5	1.6	1.8	2.2	2.3	2.3	2.6
25	Diarrhea and enteritis	24.1	22.6	24.7	28.1	26.2	29.0	37.7
(33)	Malformations	7.5	6.9	7.3	6.8	6.5	6.4	6.6
(33)	Premature birth	21.2	20.3	20.1	20.0	19.1	18.4	17.5
(33, 37)	Congenital debility	10.3	11.9	13.4	15.5	15.0	14.6	13.2
(37)	Injuries at birth	4.4	4.3	4.2	3.9	3.7	3.7	3.2
35	External causes	1.2	1.1	1.2	1.3	1.2	1.5	1.3
38	Diseases ill-defined or unknown	1.0	0.9	1.0	1.0	1.1	1.1	5.8
	All other causes	6.0	5.5	5.6	5.7	6.0	6.7	7.2

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

In the compilation of mortality statistics it is necessary to depend upon physicians for the statements of causes of death which are used as the bases of all tables showing deaths by cause, and the accuracy of the statistics can be no greater than the accuracy of the material upon which they are based, namely, these returns received from the physicians.

The obstacles which the compiler must overcome before he is able to present statistics showing with reasonable accuracy the mortality resulting from each of the diseases and forms of violence represented by the 189 titles of the International List of Causes of Death are numerous and some of them are serious. In the first place, it is not practicable to attempt the tabulation of each individual cause of death that may be reported on a death certificate. To do so would necessitate the tabulation of thousands, instead of hundreds, of causes of death and their presentation in alphabetical order. Such a method would obviously be altogether impracticable for areas in which hundreds of thousands of deaths occur annually. Furthermore, even if such a compilation were published, it would be necessary for each user carefully to select the various synonymous expressions covering the same or closely related morbid conditions in order to obtain information as to the mortality chargeable to any disease or class of diseases. One of the principal difficulties which confront the bureau in classifying deaths according to the International List is the fact that each year it receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. All systems of classification in present use for areas in which large numbers of deaths occur annually are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with no indication as to which was the chief or primary cause, one of them must be selected as the cause under which the death shall be classified. Unfortunately no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings not only by physicians but by registration officers.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

For years the Census Bureau has endeavored to obtain a greater degree of accuracy in the basic data from which its statistics of cause of death are compiled. In view of the conditions under which the bureau is obliged to work, it is absolutely necessary, if a reasonable degree of accuracy is to be maintained in its mortality reports, that it receive the hearty cooperation of the state and municipal registration authorities; and it is gratifying to be able to say that these officials have aided the bureau by obtaining information which in thousands of cases, although not given on the original certificates of death, was a determining factor in classifying the causes. To these registra-

tion officials who have thus cordially cooperated with the bureau is due much of the credit for the great improvement in the quality of the cause-of-death data during the past few years.

In general, in its efforts to obtain accurate statements of specific causes of death the Bureau of the Census has followed the plan of directing the attention of the registration officials to statements which were unsatisfactory by reason of errors of either omission or commission. The registration officials in turn communicate with physicians and coroners for the purpose of obtaining as many additional data as possible, which they forward to the bureau. This work has necessarily been educational in its effect, with the result that certain of the ill-defined returns once most commonly encountered have become far less frequent of late.

The tendency to state causes of death inaccurately and indefinitely, however, is one that is deeply rooted, and it will take considerable time to bring about a substantially complete reform. So many unsatisfactory returns have been received that it has been entirely impracticable to undertake the correction of more than a comparatively small percentage, since to attempt to correct all would result in great delay in the publication of the annual mortality reports. For years, therefore, the plan followed has been that of returning only those statements which were both frequently encountered and easily corrected. For example, reports of deaths from "cancer," "carcinoma," or "malignant tumor" were returned for statements as to the seat of the disease; those of deaths resulting from "operation," "surgical shock," "hysterectomy," etc., were returned for information as to the cause for the relief of which the operation was performed; and returns of deaths due to "gunshot wound," "drowning," etc., were sent back for information as to whether the deaths were accidental, suicidal, or homicidal.

The continual decrease from year to year in the number of reports containing incomplete or ill-defined statements of cause of death received by the bureau can be attributed in part to the fact that those who formerly made them are coming to understand that they will not be accepted, and are therefore more precise in their statements, and in part to the fact that when such reports are received by state and municipal registration authorities these officials often procure from the local registrars the additional data before sending transcripts of the certificates to the Census Bureau.

In its effort to improve the basic cause-of-death data, the Bureau of the Census has sent to every physician in the country two pamphlets bearing upon this subject, namely, "Relation of Physicians to Mortality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." These pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of cause of death depends so largely upon the lucidity and completeness with which the information is supplied by the medical profession, which is the source of the basic or fundamental data from which these statistics are compiled. With these ends in view, the titles of the International List have been included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

In 1912 the bureau decided to make a test inquiry for the purpose of ascertaining, by communicating directly with physicians who had made use of indefinite or inaccurate terms in reporting causes of death, whether it would be possible thus to secure sufficient corrective data to justify the use of this method. Registration officials throughout the registration area were consulted, and nearly all of them agreed that the inquiry would be of value, not merely as a means of supplementing their efforts to obtain specific statements of cause of death, but also in an educational way.

Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and, in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification and with each was inclosed a copy of the Physicians' Pocket Reference to the International List of Causes of Death, the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), is given a discussion of the results of this test. It is sufficient here to say that approximately 2,000 replies were received and that the additional information thus obtained from the physicians enabled the bureau to improve the classification in 57 per cent of the cases covered by the replies.

In 1914 and 1915, and again in 1916, the bureau conducted further and broader inquiries along these lines; and the following table presents for 1916, for each of the principal unsatisfactory terms covered, the number of replies received, the number and percentage of changes in classification made on the basis of the information thus obtained, and the numbers of the international titles chiefly affected.

UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Per cent changed.	International titles and subtitles (detailed list) principally affected.
Septicemia-sepsis	327	211	64.5	99, 137, 144, 146, 186.
Cerebral abscess	161	107	66.5	30, 37, 76, 146, 172.
Meningitis, cerebral	1,175	826	70.2	10, 30, 37, 61[3], 76, 152.
Meningitis, spinal meningitis				
Cerebrospinal meningitis (undefined)	751	612	81.5	30, 61[3].
Cerebral softening	248	109	44.0	64, 81, 82, 186.
Paralysis, hemiplegia	2,183	1,658	76.0	37, 63[2], 64, 67, 172.
Convulsions (5 years and over)	44	34	77.3	138.
Convulsions (under 5 years)	1,105	512	46.3	61[1], 91, 104, 151[1], 152.
Cerebral tumor	670	251	37.5	30, 37, 45, 186.
Acute cardiac dilatation	1,639	404	24.6	10, 56, 78, 81, 92[1], 120.
Bronchopneumonia	10,151	2,113	20.8	6, 8, 10, 28, 37, 92, 104, 178.
Pneumonia (unqualified)	6,841	6,310	92.2	6, 8, 10, 28, 91, 92[1].
Pleurisy	155	83	53.5	28, 47, 92, 172.
Pulmonary congestion	810	579	71.5	79, 81, 91, 92, 120, 152.
Pulmonary abscess and hemorrhage	321	204	63.6	28, 92[1].
Gastritis, indigestion	2,084	988	47.4	56, 79, 102, 104, 105, 164.
Acute indigestion, etc.				
Peritonitis	490	350	71.4	31, 38, 108, 130, 132, 137.
Bright's disease, acute	2,789	862	30.9	7, 10, 37, 56, 79, 120, 138, 178.
Nephritis, acute				
Uremia	509	148	29.1	56, 119, 126, 138.
Salpingitis, pyosalpinx	453	316	69.8	38, 137.
Dropsy, anasarca, ascites	198	160	80.8	79, 120.
Debility, inanition (under 1 year)	3,972	1,994	50.2	28, 36, 37, 103, 104, 151[1], 152, 153.
Marasmus (1 to 69 years)	374	197	52.7	28, 37, 104.
Heart failure	352	239	67.9	56, 64, 79, 120.
Total	37,802	19,267	51.0	6, 8, 10, 37, 38, 61[3], 104, 137, 138, 153, and others.

In regard to bronchopneumonia in 1916 the bureau sent out a special form letter to physicians inquiring if the disease occurred as a complication or sequela of some other disease or abnormal condition with the request that if this were the fact the physician should state clearly the nature of the primary cause. To this letter 10,151 replies were received, on the basis of which the classification was changed in 2,113 cases. On the other hand, 1,946 additions to the deaths originally charged to bronchopneumonia were made as a result of inquiries sent out in regard to deaths reported due to other causes. The net change, therefore, brings about a reduction in the number of deaths reported as due to bronchopneumonia. In similar tests for 1914 and 1915 the net change for each year brought about an increase in the number of deaths assigned to bronchopneumonia. Taking the three years together the net result of these queries was to change the assignment of 3,317 deaths originally stated to be due to bronchopneumonia, and to add to the deaths from this cause 3,838 which, before inquiry, appeared to be due to other causes. It appears, therefore, that bronchopneumonia is one of the causes for which the number of deaths is usually understated.

Although the indefinite terms given in the table do not represent all the unsatisfactory statements found on certificates of death, the inquiry was more extensive in 1916 than heretofore. In fact, a considerable proportion of all the transcripts of death certificates were examined and the cases selected were taken from a large number of registration units in all parts of the area to make them representative of average conditions throughout the area.

The effect of these queries upon the totals for certain causes is shown in the following table. Nearly one-fourth of all deaths finally assigned to gonococcus infection and to cerebrospinal fever would have been assigned to other causes had no queries been made. Although no other totals were affected to so great an extent, still several were changed very appreciably by these queries.

Detailed Int. List No.	CAUSE OF DEATH.	Total deaths.	Per cent of total deaths assigned to each cause after inquiry.	Number of deaths assigned to each cause after inquiry.	PER CENT OF DEATHS ASSIGNED TO EACH CAUSE AFTER INQUIRY, REPORTED AS DUE TO—	
					Bronchopneumonia.	Pneumonia (unqualified).
6	Measles	7,947	7.7	608	87.7	7.9
8	Whooping cough	7,284	5.8	422	90.0	6.2
10	Influenza	18,886	3.7	695	59.6	17.4
30	Tuberculous meningitis	5,706	2.7	153	1.3	3.3
37	Syphilis	6,902	5.0	346	10.1	1.4
38	Gonococcus infection	539	23.6	127	.....	0.8
61c	Cerebrospinal fever	1,535	24.5	376	.....	.....
64	Cerebral hemorrhage, apoplexy	58,233	0.9	547	0.2	1.3
76	Diseases of the ears	1,393	2.9	40	10.0	2.5
102	Ulcer of the stomach	3,265	1.0	32	.....	.....
104	Diarrhea and enteritis (under 2 years)	46,956	3.4	1,595	18.5	1.2
108	Appendicitis and typhlitis	9,157	0.7	66	4.5	6.1
137	Puerperal septicemia	4,786	1.4	66	.....	7.6
138	Puerperal albuminuria and convulsions	3,087	3.4	106	.....	.....
146	Diseases of the bones (tuberculosis excepted)	1,721	1.9	32	3.1	.....
151A	Premature birth	33,123	1.1	376	.....	.....
153	Lack of care	275	17.5	48	6.3	2.1
172	Traumatism by fall	10,775	0.5	57	3.5	7.0
178	Excessive cold	371	6.2	23	13.0	4.3

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1916.

All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. The term "cities" indicates municipalities of 10,000 or more inhabitants in 1910, smaller places being included in the "rural part of registration states."]

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1916 is far away from the last census year, the estimates are probably too high in some cases and too low in others.

AREA.	POPULATION.		Number of deaths, 1916.	Death rate per 1,000 population, 1916.
	Census of April 15, 1910.	Estimated as of July 1, 1916.		
SUMMARY.				
The registration area (total)	64,558,039	71,621,632	1,001,921	14.0
White	60,106,591	66,904,675	905,213	13.5
Colored	4,451,448	4,716,957	96,708	20.5
Registration states [1] (total)	60,308,181	66,597,440	924,971	13.9
White	56,365,697	62,468,454	842,597	13.5
Colored	3,942,484	4,128,986	82,374	20.0
Cities in registration states [1] (total)	27,411,545	31,872,121	477,821	15.0
White	26,213,016	30,519,496	443,413	14.5
Colored	1,198,529	1,352,625	34,408	25.4
Rural part of registration states (total)	32,896,636	34,725,319	447,150	12.9
White	30,152,681	31,948,958	399,184	12.5
Colored	2,743,955	2,776,361	47,966	17.3
Registration cities in nonregistration states (total)	4,249,858	5,024,192	76,950	15.3
White	3,740,894	4,436,221	62,616	14.1
Colored	508,964	587,971	14,334	24.4
All registration cities [1] (total)	31,661,403	36,896,313	554,771	15.0
White	29,953,910	34,955,717	506,029	14.5
Colored	1,707,493	1,940,596	48,742	25.1
ALABAMA.				
Registration cities [2] (total)	222,342	283,268	4,365	15.4
White	127,908	168,831	1,883	11.2
Colored	94,434	114,437	2,482	21.7
CALIFORNIA.				
Total	2,377,549	2,938,654	39,806	13.5
White	2,259,672	2,798,427	37,506	13.4
Colored	117,877	140,227	2,300	16.4
Cities (total)	1,266,930	1,694,953	22,943	13.5
White	1,211,397	1,621,034	21,547	13.3
Colored	55,533	73,919	1,396	18.9
Rural (total)	1,110,619	1,243,701	16,863	13.6
White	1,048,275	1,177,393	15,959	13.6
Colored	62,344	66,308	904	13.6
COLORADO.				
Total	799,024	962,060	9,920	10.3
White	783,415	943,334	9,614	10.2
Colored	15,609	18,726	306	16.3
Cities (total)	297,058	362,108	4,259	11.8
White	287,704	351,103	4,048	11.5
Colored	9,354	11,005	211	19.2
Rural (total)	501,966	599,952	5,661	9.4
White	495,711	592,231	5,566	9.4
Colored	6,255	7,721	95	12.3
CONNECTICUT.				
Total	1,114,756	1,244,479	20,242	16.3
White	1,098,897	1,228,705	19,795	16.1
Colored	15,859	15,774	447	28.3
Cities (total)	752,224	860,023	14,352	16.7
White	740,623	847,906	14,001	16.5
Colored	11,601	12,117	351	29.0
Rural (total)	362,532	384,456	5,890	15.3
White	358,274	380,799	5,794	15.2
Colored	4,258	3,657	96	26.3
FLORIDA.				
Registration cities [3] (total)	138,408	177,983	2,495	14.0
White	84,286	111,401	1,322	11.9
Colored	54,122	66,582	1,173	17.6
GEORGIA.				
Registration cities [4] (total)	260,943	309,608	5,397	17.4
White	157,293	192,963	2,368	12.3
Colored	103,650	116,645	3,029	26.0
ILLINOIS.				
Registration cities [5] (total)	2,395,921	2,734,826	40,097	14.7
White	2,341,357	2,670,174	38,552	14.4
Colored	54,564	64,652	1,545	23.9
SUMMARY—Continued.				
INDIANA.				
Total	2,700,876	2,816,817	38,230	13.6
White	2,639,961	2,754,042	36,582	13.3
Colored	60,915	62,775	1,648	26.3
Cities (total)	819,067	949,439	14,284	15.0
White	777,968	904,470	13,096	14.5
Colored	41,099	44,969	1,188	26.4
Rural (total)	1,881,809	1,867,378	23,946	12.8
White	1,861,993	1,849,572	23,486	12.7
Colored	19,816	17,806	460	25.8
KANSAS.				
Total	1,690,949	1,829,545	19,963	10.9
White	1,634,352	1,771,427	18,714	10.6
Colored	56,597	58,118	1,249	21.5
Cities (total)	303,843	364,101	4,811	13.2
White	274,369	331,688	4,118	12.4
Colored	29,474	32,413	693	21.4
Rural (total)	1,387,106	1,465,444	15,152	10.3
White	1,359,983	1,439,739	14,596	10.1
Colored	27,123	25,705	556	21.6
KENTUCKY.				
Total	2,289,905	2,379,639	30,073	12.6
White	2,027,951	2,132,089	24,801	11.6
Colored	261,954	247,550	5,272	21.3
Cities (total)	403,294	434,976	6,956	16.0
White	333,219	363,370	5,078	14.0
Colored	70,075	71,606	1,878	26.2
Rural (total)	1,886,611	1,944,663	23,117	11.9
White	1,694,732	1,768,719	19,723	11.2
Colored	191,879	175,944	3,394	19.3
MAINE.				
Total	742,371	772,489	12,147	15.7
White	739,995	770,026	12,099	15.7
Colored	2,376	2,463	48	19.5
Cities (total)	166,433	179,265	3,238	18.1
White	165,747	178,549	3,220	18.0
Colored	686	716	18	25.1
Rural (total)	575,938	593,224	8,909	15.0
White	574,248	591,477	8,879	15.0
Colored	1,690	1,747	30	17.2
MARYLAND.				
Total	1,295,346	1,362,807	22,512	16.5
White	1,062,639	1,131,931	16,590	14.7
Colored	232,707	230,876	5,922	25.7
Cities (total)	607,242	652,486	11,688	17.9
White	518,475	559,998	8,861	15.8
Colored	88,767	92,488	2,827	30.6
Rural (total)	688,104	710,321	10,824	15.2
White	544,164	571,933	7,729	13.5
Colored	143,940	138,388	3,095	22.4
MASSACHUSETTS.				
Total	3,366,416	3,719,156	56,362	15.2
White	3,324,926	3,673,952	55,321	15.1
Colored	41,490	45,204	1,041	23.0
Cities (total)	2,606,380	2,913,100	43,898	15.1
White	2,571,927	2,875,636	43,022	15.0
Colored	34,453	37,464	876	23.4
Rural (total)	760,036	806,056	12,464	15.5
White	752,999	798,316	12,299	15.4
Colored	7,037	7,740	165	21.3
MICHIGAN.				
Total	2,810,173	3,054,854	46,013	15.1
White	2,785,247	3,028,353	45,261	14.9
Colored	24,926	26,501	752	28.4

[1] Includes District of Columbia.
[2] Includes Birmingham, Mobile, and Montgomery.
[3] Includes Jacksonville, Key West, Pensacola, and Tampa.
[4] Includes Atlanta, Augusta, and Savannah.
[5] Includes Aurora, Belleville, Chicago, Decatur, Evanston, Jacksonville, Quincy, and Springfield.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1916—Continued.

[See notes at head of this table.

AREA.	POPULATION.		Number of deaths, 1916.	Death rate per 1,000 population, 1916.
	Census of April 15, 1910.	Estimated as of July 1, 1916.		
SUMMARY—Continued.				
MICHIGAN—continued.				
Cities (total)	1,043,746	1,235,829	21,162	17.1
White	1,032,893	1,223,522	20,775	17.0
Colored	10,853	12,307	387	31.4
Rural (total)	1,766,427	1,819,025	24,851	13.7
White	1,752,354	1,804,831	24,486	13.6
Colored	14,073	14,194	365	25.7
MINNESOTA.				
Total	2,075,708	2,279,603	24,297	10.7
White	2,059,227	2,261,786	23,920	10.6
Colored	16,481	17,817	377	21.2
Cities (total)	654,837	769,151	9,279	12.1
White	648,272	761,251	9,132	12.0
Colored	6,565	7,900	147	18.6
Rural (total)	1,420,871	1,510,452	15,018	9.9
White	1,410,955	1,500,535	14,788	9.9
Colored	9,916	9,917	230	23.2
MISSISSIPPI.				
Registration cities[1] (total)	88,885	102,644	2,362	23.0
White	45,874	53,967	815	15.1
Colored	43,011	48,677	1,547	31.8
MISSOURI.				
Total	3,293,335	3,410,692	44,110	12.9
White	3,134,932	3,254,439	40,332	12.4
Colored	158,403	156,253	3,778	24.2
Cities (total)	1,150,840	1,271,378	19,630	15.4
White	1,068,828	1,181,645	17,247	14.6
Colored	82,012	89,733	2,383	26.6
Rural (total)	2,142,495	2,139,314	24,480	11.4
White	2,066,104	2,072,794	23,085	11.1
Colored	76,391	66,520	1,395	21.0
MONTANA.				
Total	376,053	459,494	5,791	12.6
White	360,580	445,011	5,413	12.2
Colored	15,473	14,483	378	26.1
Cities (total)	98,662	113,568	1,943	17.1
White	96,499	111,283	1,891	17.0
Colored	2,163	2,285	52	22.8
Rural (total)	277,391	345,926	3,848	11.1
White	264,081	333,728	3,522	10.6
Colored	13,310	12,198	326	26.7
NEBRASKA.				
Registration cities[2] (total)	168,069	211,985	3,053	14.4
White	162,802	205,041	2,894	14.1
Colored	5,267	6,944	159	22.9
NEW HAMPSHIRE.				
Total	430,572	442,596	7,146	16.1
White	429,906	441,923	7,132	16.1
Colored	666	583	14	24.0
Cities (total)	174,112	188,977	3,083	16.3
White	173,787	188,677	3,079	16.3
Colored	325	300	4	13.3
Rural (total)	256,460	253,529	4,063	16.0
White	256,119	253,246	4,053	16.0
Colored	341	283	10	35.3
NEW JERSEY.				
Total	2,537,167	2,948,017	44,172	15.0
White	2,445,894	2,844,219	41,840	14.7
Colored	91,273	103,798	2,332	22.5
Cities (total)	1,635,863	1,919,983	28,311	14.7
White	1,580,229	1,854,382	26,829	14.5
Colored	55,634	65,601	1,482	22.6
Rural (total)	901,304	1,028,034	15,861	15.4
White	865,665	989,837	15,011	15.2
Colored	35,639	38,197	850	22.3
SUMMARY—Continued.				
NEW YORK.				
Total	9,113,614	10,273,375	151,704	14.8
White	8,966,845	10,104,754	147,865	14.6
Colored	146,769	168,621	3,839	22.8
Cities (total)	6,771,142	7,879,196	114,130	14.5
White	6,652,569	7,738,946	110,886	14.3
Colored	118,573	140,250	3,244	23.1
Rural (total)	2,342,472	2,394,179	37,574	15.7
White	2,314,276	2,365,808	36,979	15.6
Colored	28,196	28,371	595	21.0
NORTH CAROLINA.				
Total	2,206,287	2,402,738	31,389	13.1
White	1,500,511	1,649,452	18,756	11.4
Colored	705,776	753,286	12,633	16.8
Cities (total)	154,578	186,458	3,549	19.0
White	96,299	118,132	1,784	15.1
Colored	58,279	68,326	1,765	25.8
Rural (total)	2,051,709	2,216,280	27,840	12.6
White	1,404,212	1,531,320	16,972	11.1
Colored	647,497	684,960	10,868	15.9
OHIO.				
Total	4,767,121	5,150,356	74,282	14.4
White	4,654,897	5,028,776	71,181	14.2
Colored	112,224	121,580	3,101	25.5
Cities (total)	2,145,194	2,530,343	39,267	15.5
White	2,078,001	2,452,946	37,152	15.1
Colored	67,193	77,397	2,115	27.3
Rural (total)	2,621,927	2,620,013	35,015	13.4
White	2,576,896	2,575,830	34,029	13.2
Colored	45,031	44,183	986	22.3
PENNSYLVANIA.				
Total	7,665,111	8,522,017	124,577	14.6
White	7,467,713	8,301,389	119,364	14.4
Colored	197,398	220,628	5,213	23.6
Cities (total)	3,653,461	4,100,429	65,366	15.9
White	3,507,631	3,935,482	61,335	15.6
Colored	145,830	164,947	4,031	24.4
Rural (total)	4,011,650	4,421,588	59,211	13.4
White	3,960,082	4,365,907	58,029	13.3
Colored	51,568	55,681	1,182	21.2
RHODE ISLAND.				
Total	542,610	614,315	9,501	15.5
White	532,492	603,812	9,196	15.2
Colored	10,118	10,503	305	29.0
Cities (total)	437,627	499,392	7,914	15.8
White	429,088	490,362	7,631	15.6
Colored	8,539	9,030	283	31.3
Rural (total)	104,983	114,923	1,587	13.8
White	103,404	113,450	1,565	13.8
Colored	1,579	1,473	22	14.9
SOUTH CAROLINA.				
Total	1,515,400	1,625,475	22,502	13.8
White	679,161	755,456	8,247	10.9
Colored	836,239	870,019	14,255	16.4
Cities (total)	118,410	134,891	3,332	24.7
White	62,599	74,003	1,224	16.5
Colored	55,811	60,888	2,108	34.6
Rural (total)	1,396,990	1,490,584	19,170	12.9
White	616,562	681,453	7,023	10.3
Colored	780,428	809,131	12,147	15.0
TEXAS.				
Registration cities[3] (total)	285,618	381,637	7,128	18.7
White	240,056	324,414	6,010	18.5
Colored	45,562	57,223	1,118	19.5

[1] Includes Hattiesburg, Jackson, Meridian, Natchez, and Vicksburg.
[2] Includes Lincoln and Omaha.
[3] Includes Beaumont, Dallas, El Paso, Galveston, and San Antonio.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1916—Continued.

[See notes at head of this table.]

AREA.	POPULATION.		Number of deaths, 1916.	Death rate per 1,000 population, 1916.
	Census of April 15, 1910.	Estimated as of July 1, 1916.		
SUMMARY—Continued.				
UTAH.				
Total	373,351	434,083	4,511	10.4
White	366,583	425,755	4,414	10.4
Colored	6,768	8,328	97	11.6
Cities (total)	118,357	148,803	1,685	11.3
White	116,400	146,033	1,649	11.3
Colored	1,957	2,770	36	13.0
Rural (total)	254,994	285,280	2,826	9.9
White	250,183	279,722	2,765	9.9
Colored	4,811	5,558	61	11.0
VERMONT.				
Total	355,956	363,699	5,687	15.6
White	354,298	361,544	5,678	15.7
Colored	1,658	2,155	9	4.2
Cities (total)	44,748	48,617	846	17.4
White	44,605	48,497	845	17.4
Colored	143	120	1	8.3
Rural (total)	311,208	315,082	4,841	15.4
White	309,693	313,047	4,833	15.4
Colored	1,515	2,035	8	3.9
VIRGINIA.				
Total	2,061,612	2,192,019	32,144	14.7
White	1,389,809	1,513,632	18,404	12.2
Colored	671,803	678,387	13,740	20.3
Cities (total)	381,923	459,387	8,591	18.7
White	249,872	306,406	4,470	14.6
Colored	132,051	152,981	4,121	26.9
SUMMARY—Continued.				
VIRGINIA—continued.				
Rural (total)	1,679,689	1,732,632	23,553	13.6
White	1,139,937	1,207,226	13,934	11.5
Colored	539,752	525,406	9,619	18.3
WASHINGTON.				
Total	1,141,990	1,534,221	11,805	7.7
White	1,109,111	1,494,376	11,203	7.5
Colored	32,879	39,845	602	15.1
Cities (total)	521,557	746,624	5,385	7.2
White	507,388	728,091	5,166	7.1
Colored	14,169	18,533	219	11.8
Rural (total)	620,433	787,597	6,420	8.2
White	601,723	766,285	6,037	7.9
Colored	18,710	21,312	383	18.0
WISCONSIN.				
Total	2,333,860	2,500,350	29,591	11.8
White	2,320,555	2,485,678	29,414	11.8
Colored	13,305	14,672	177	12.1
Cities (total)	752,948	864,664	11,425	13.2
White	750,499	861,918	11,372	13.2
Colored	2,449	2,746	53	19.3
Rural (total)	1,580,912	1,635,686	18,166	11.1
White	1,570,056	1,623,760	18,042	11.1
Colored	10,856	11,926	124	10.4

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916.

[Minor areas containing state insane asylums are designated by asterisks (*). Figures for white and colored are shown separately for areas (except as indicated in the footnotes) only when the colored population of the area formed at least 10 per cent of the total, or numbered 10,000 or over, in 1910. The term "cities" indicates municipalities of 10,000 or more inhabitants in 1910.]

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1916 is far away from the last census year, the estimates are probably too high in some cases and too low in others.

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
REGISTRATION CITIES.			
ALABAMA.[1]			
Birmingham (total)	181,762	2,557	14.1
White	113,933	1,138	10.0
Colored	67,829	1,419	20.9
Mobile (total)	58,221	1,097	18.8
White	32,511	467	14.4
Colored	25,710	630	24.5
Montgomery (total)	43,285	711	16.4
White	22,387	278	12.4
Colored	20,898	433	20.7
CALIFORNIA.			
Alameda	27,732	262	9.4
Bakersfield	16,874	344	20.4
Berkeley	57,653	456	7.9
Eureka	14,684	217	14.8
Fresno	34,958	396	11.3
Long Beach	27,587	463	16.8
Los Angeles (total)	504,878	6,212	12.3
White	483,055	5,777	12.0
Colored	21,823	435	19.9
Oakland	198,604	2,090	10.5
Pasadena	46,450	510	11.0
Pomona	13,150	154	11.7
Redlands	14,000	141	10.1
Riverside (total)	19,763	289	14.6
White	17,368	261	15.0
Colored	2,395	28	11.7
Sacramento	66,895	1,019	15.2
San Bernardino	16,945	326	19.2
San Diego	54,103	1,060	19.6
San Francisco (total)	463,516	7,154	15.4
White	446,937	6,743	15.1
Colored	16,579	411	24.8
San Jose	38,902	532	13.7
Santa Barbara	14,846	270	18.2
Santa Cruz	14,594	178	12.2
Stockton *	35,358	733	20.7
Vallejo	13,461	137	10.2
COLORADO.			
Colorado Springs	32,971	507	15.4
Denver	260,800	3,012	11.5
Pueblo	54,462	559	10.3
Trinidad	13,875	181	13.0
CONNECTICUT.			
Ansonia	16,704	202	12.1
Bridgeport	121,579	2,354	19.4
Bristol	15,927	166	10.4
Danbury town	26,035	348	13.4
Greenwich town	19,159	273	14.2
Hartford	110,900	2,262	20.4
Manchester town	15,551	156	10.0
Meriden town	34,183	525	15.4
Middletown town *	22,799	568	24.9
Naugatuck	14,093	136	9.7
New Britain	53,794	671	12.5
New Haven	149,685	2,544	17.0
New London	20,985	460	21.9
Norwalk	26,899	422	15.7
Norwich town	29,419	532	18.1
Orange town	13,960	200	14.3
Stamford town	35,119	570	16.2
Torrington town	19,597	256	13.1
Wallingford town	12,508	133	10.6
Waterbury	86,973	1,339	15.4
Windham town	14,154	235	16.6
DELAWARE.[1]			
Wilmington (total)	94,265	1,804	19.1
White	85,583	1,538	18.0
Colored	8,682	266	30.6
DISTRICT OF COLUMBIA.			
Washington (total)	363,980	6,494	17.8
White	264,166	3,955	15.0
Colored	99,814	2,539	25.4
REGISTRATION CITIES—Continued.			
FLORIDA.[1]			
Jacksonville (total)	76,101	1,197	15.7
White	38,493	483	12.5
Colored	37,608	714	19.0
Key West (total)	21,724	231	10.6
White	16,222	170	10.5
Colored	5,502	61	11.1
Pensacola (total)	26,272	410	15.6
White	15,005	193	12.9
Colored	11,267	217	19.3
Tampa (total)	53,886	657	12.2
White	41,681	476	11.4
Colored	12,205	181	14.8
GEORGIA.[1]			
Atlanta (total)	190,558	2,908	15.3
White	131,495	1,499	11.4
Colored	59,063	1,409	23.9
Augusta (total)	50,245	926	18.4
White	27,584	403	14.6
Colored	22,661	523	23.1
Savannah (total)	68,805	1,563	22.7
White	33,884	466	13.8
Colored	34,921	1,097	31.4
ILLINOIS.[1]			
Aurora	34,204	471	13.8
Belleville	21,149	312	14.8
Chicago (total)	2,497,722	36,305	14.5
White	2,442,049	34,967	14.3
Colored	55,673	1,338	24.0
Decatur	39,631	509	12.8
Evanston	28,721	369	12.8
Jacksonville *	15,481	545	35.2
Quincy	36,798	610	16.6
Springfield	61,120	976	16.0
INDIANA.			
Anderson	23,996	362	15.1
East Chicago	28,743	454	15.8
Elkhart	21,858	276	12.6
Elwood	[2] 11,028	134	12.2
Evansville	76,078	1,106	14.5
Fort Wayne	76,183	939	12.3
Gary	[3] 16,882	600	35.7
Hammond	26,171	516	19.7
Huntington	10,880	163	15.0
Indianapolis (total)	275,692	4,308	15.6
White	250,037	3,648	14.6
Colored	25,655	660	25.7
Jeffersonville (total)	[2] 10,412	142	13.6
White	[2] 8,874	116	13.1
Colored	[2] 1,538	26	16.9
Kokomo	20,930	312	14.9
Lafayette	21,286	400	18.8
Laporte	13,202	193	14.6
Logansport	21,046	317	15.1
Marion	19,834	341	17.2
Michigan City	21,512	292	13.6
Mishawaka	16,385	173	10.6
Muncie	25,424	336	13.2
New Albany	23,629	337	14.3
Peru	12,410	155	12.5
Richmond	24,697	328	13.3
South Bend	68,946	873	12.7
Terre Haute	66,083	967	14.6
Vincennes	17,645	260	14.7
KANSAS.			
Atchison (total)	16,735	207	12.4
White	14,069	176	12.5
Colored	2,666	31	11.6
Coffeyville (total)	17,548	193	11.0
White	15,736	158	10.0
Colored	1,812	35	19.3
Fort Scott (total)	10,550	175	16.6
White	9,602	144	15.0
Colored	948	31	32.7
Hutchinson	20,753	259	12.5
Independence	14,506	140	9.7
REGISTRATION CITIES—Continued.			
KANSAS—continued.			
Kansas City (total)	99,437	1,365	13.7
White	88,562	1,087	12.3
Colored	10,875	278	25.6
Lawrence (total)	13,324	172	12.9
White	10,637	143	13.4
Colored	2,687	29	10.8
Leavenworth (total)	[2] 19,363	330	17.0
White	[2] 16,881	269	15.9
Colored	[2] 2,482	61	24.6
Parsons	15,468	200	12.9
Pittsburg	17,832	260	14.6
Topeka * (total)	48,726	693	14.2
White	44,549	599	13.4
Colored	4,177	94	22.5
Wichita	70,722	817	11.6
KENTUCKY.			
Covington (total)	57,144	895	15.7
White	54,150	805	14.9
Colored [4]	2,994	90	30.1
Frankfort (total)	11,080	198	17.9
White	8,521	140	16.4
Colored	2,559	58	22.7
Henderson (total)	12,192	211	17.3
White	9,814	131	13.3
Colored	2,378	80	33.6
Lexington * (total)	41,097	890	21.7
White	29,357	513	17.5
Colored	11,740	377	32.1
Louisville (total)	238,910	3,586	15.0
White	196,984	2,586	13.1
Colored	41,926	1,000	23.9
Newport (total)	31,927	388	12.2
White	31,260	373	11.9
Colored [4]	667	15	22.5
Owensboro (total)	17,784	308	17.3
White	14,633	234	16.0
Colored	3,151	74	23.5
Paducah (total)	24,842	480	19.3
White	18,651	296	15.9
Colored	6,191	184	29.7
LOUISIANA.[1]			
New Orleans (total)	371,747	6,847	18.4
White	274,838	3,938	14.3
Colored	96,909	2,909	30.0
MAINE.			
Auburn	16,393	194	11.8
Augusta *	14,170	348	24.6
Bangor *	26,659	589	22.1
Biddeford	17,665	240	13.6
Lewiston	27,809	503	18.1
Portland	63,867	1,168	18.3
Waterville	12,702	196	15.4
MARYLAND.			
Baltimore (total)	589,621	10,668	18.1
White	501,155	7,956	15.9
Colored	88,466	2,712	30.7
Cumberland (total)	26,074	447	17.1
White	24,972	417	16.7
Colored [4]	1,102	30	27.2
Frederick (total)	11,112	186	16.7
White	9,682	149	15.4
Colored	1,430	37	25.9
Hagerstown (total)	25,679	387	15.1
White	24,189	339	14.0
Colored [4]	1,490	48	32.2
MASSACHUSETTS.			
Adams town	14,214	152	10.7
Arlington town	12,811	177	13.8
Attleboro	19,282	253	13.1
Beverly	21,645	287	13.3
Boston (total)	756,476	12,763	16.9
White	740,191	12,300	16.6
Colored	16,285	463	28.4
Brockton	67,449	784	11.6
Brookline town	32,730	351	10.7

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
MASSACHUSETTS—continued.			
Cambridge	112,981	1,526	13.5
Chelsea	[5] 46,192	671	14.5
Chicopee	29,319	442	15.1
Clinton town	[2] 13,075	185	14.1
Everett	39,233	395	10.1
Fall River	128,366	2,178	17.0
Fitchburg	41,781	539	12.9
Framingham town	13,982	274	19.6
Gardner town	17,140	220	12.8
Gloucester	[2] 24,398	379	15.5
Greenfield town	11,998	170	14.2
Haverhill	48,477	722	14.9
Holyoke	65,286	1,031	16.6
Lawrence	100,560	1,336	13.3
Leominster town	20,839	232	11.1
Lowell	113,245	1,955	17.3
Lynn	102,425	1,258	12.3
Malden	51,155	583	11.4
Marlborough	15,187	207	13.6
Medford	26,234	354	13.5
Melrose	17,445	224	12.8
Methuen town	13,921	212	15.2
Milford town	14,110	190	13.5
New Bedford	118,158	1,813	15.3
Newburyport	15,243	237	15.5
Newton	43,715	470	10.8
North Adams	[2] 22,019	310	14.1
Northampton *	19,926	433	21.7
Peabody town	18,360	245	13.3
Pittsfield	38,629	552	14.3
Plymouth town	13,743	179	13.0
Quincy	38,136	448	11.7
Revere	23,136	189	8.2
Salem	48,562	588	12.1
Somerville	87,039	1,080	12.4
Southbridge town	14,205	155	10.9
Springfield	105,942	1,741	16.4
Taunton *	36,283	789	21.7
Wakefield town	12,733	148	11.6
Waltham	30,570	355	11.6
Watertown town	14,867	190	12.8
Webster town	13,210	149	11.3
Westfield town	18,391	293	15.9
Weymouth town	13,882	190	13.7
Winthrop town	12,692	130	10.2
Woburn	15,969	215	13.5
Worcester	163,314	2,899	17.8
MICHIGAN.			
Adrian	11,458	185	16.1
Alpena	13,273	161	12.1
Ann Arbor	15,010	490	32.6
Battle Creek	29,480	459	15.6
Bay City	47,942	721	15.0
Detroit	576,922	10,985	19.0
Escanaba	15,485	217	14.0
Flint	54,772	800	14.6
Grand Rapids	128,291	1,565	12.2
Holland	12,185	106	8.7
Ironwood	14,779	180	12.2
Ishpeming	[2] 12,448	164	13.2
Jackson	35,363	635	18.0
Kalamazoo *	48,886	807	16.5
Lansing	41,698	572	13.7
Manistee	[2] 12,381	137	11.1
Marquette	12,409	207	16.7
Menominee	[2] 10,507	135	12.8
Muskegon	26,100	483	18.5
Pontiac *	17,524	432	24.7
Port Huron	[2] 18,863	367	19.5
Saginaw	55,642	824	14.8
Sault Ste. Marie	13,919	183	13.1
Traverse City *	13,816	347	25.1
REGISTRATION CITIES—Continued.			
MINNESOTA.			
Duluth	94,495	1,056	11.2
Mankato	[2] 10,365	216	20.8
Minneapolis	363,454	4,512	12.4
St. Cloud	11,817	161	13.6
St. Paul	247,232	2,785	11.3
Stillwater	[2] 10,198	98	9.6
Virginia	15,193	145	9.5
Winona	[2] 18,583	306	16.5
MISSISSIPPI.[1]			
Hattiesburg (total)	16,482	217	13.2
White	10,446	103	9.9
Colored	6,036	114	18.9
Jackson * (total)	29,737	789	26.5
White	15,928	286	18.0
Colored	13,809	503	36.4
Meridian (total)	21,818	433	19.8
White	13,252	196	14.8
Colored	8,566	237	27.7
Natchez (total)	[2] 11,791	250	21.2
White	[2] 5,087	70	13.8
Colored	[2] 6,704	180	26.8
Vicksburg (total)	22,816	673	29.5
White	9,254	160	17.3
Colored	13,562	513	37.8
MISSOURI.			
Hannibal (total)	21,836	292	13.4
White	19,981	254	12.7
Colored	1,855	38	20.5
Jefferson City (total)	13,484	206	15.3
White	11,494	154	13.4
Colored	1,990	52	26.1
Joplin	33,216	719	21.6
Kansas City (total)	297,347	4,319	14.5
White	270,493	3,595	13.3
Colored	27,354	724	26.5
Moberly	12,752	197	15.4
St. Joseph *	[6] 85,236	1,252	14.7
St. Louis (total)	757,309	11,263	14.9
White	707,307	9,945	14.1
Colored	50,002	1,318	26.4
Sedalia (total)	19,449	317	16.3
White	17,487	271	15.5
Colored	1,962	46	23.4
Springfield	40,341	682	16.9
Webb City	13,821	383	27.7
MONTANA.			
Anaconda	10,562	205	19.4
Billings	14,422	184	12.8
Butte	43,425	903	20.8
Great Falls	[2] 13,948	273	19.6
Helena	13,612	183	13.4
Missoula	18,214	195	10.7
NEBRASKA.[1]			
Lincoln	46,515	668	14.4
Omaha	165,470	2,385	14.4
NEW HAMPSHIRE.			
Berlin	13,599	202	14.9
Concord *	22,669	454	20.0
Dover	13,272	238	17.9
Keene	10,633	170	16.0
Laconia	[9] 11,528	170	14.7
Manchester	78,283	1,207	15.4
Nashua	27,327	410	15.0
Portsmouth	11,666	232	19.9
NEW JERSEY.			
Asbury Park (total)	14,007	176	12.6
White	10,728	134	12.5
Colored	3,279	42	12.8
Atlantic City (total)	57,660	789	13.7
White	45,637	606	13.3
Colored	12,023	183	15.2
REGISTRATION CITIES—Continued.			
NEW JERSEY—continued.			
Bayonne	69,893	887	12.7
Bloomfield	18,466	175	9.5
Bridgeton	14,395	236	16.4
Camden	106,233	1,755	16.5
East Orange	42,458	389	9.2
Elizabeth	86,690	1,268	14.6
Garfield	14,429	176	12.2
Hackensack	16,945	292	17.2
Harrison	16,950	232	13.7
Hoboken	77,214	1,248	16.2
Irvington	16,039	251	15.6
Jersey City	306,345	4,480	14.6
Kearny	23,539	349	14.8
Long Branch	15,395	295	19.2
Millville	13,624	204	15.0
Montclair (total)	26,318	235	8.9
White	23,099	206	8.9
Colored	3,219	29	9.0
Morristown	13,284	248	18.7
New Brunswick	25,512	596	23.4
Newark	408,894	6,147	15.0
Orange	33,080	638	19.3
Passaic	71,744	961	13.4
Paterson	138,443	2,003	14.5
Perth Amboy	41,185	580	14.1
Phillipsburg	15,605	252	16.1
Plainfield	23,805	435	18.3
Trenton *	111,593	1,965	17.6
Union	24,776	219	8.8
West Hoboken	43,139	395	9.2
West New York	18,773	296	15.8
West Orange	13,550	139	10.3
NEW YORK.			
Albany	106,003	2,041	19.3
Amsterdam	37,103	498	13.4
Auburn	37,385	561	15.0
Batavia	13,350	246	18.4
Binghamton *	53,973	1,172	21.7
Buffalo	468,558	7,526	16.1
Cohoes	25,211	382	15.2
Corning	15,406	255	16.6
Cortland	13,069	223	17.1
Dunkirk	20,743	270	13.0
Elmira	38,120	669	17.5
Fulton	11,908	176	14.8
Geneva	13,711	218	15.9
Glens Falls	16,894	281	16.6
Gloversville	22,082	365	16.5
Hornell	14,685	234	15.9
Hudson	12,705	226	17.8
Ithaca	15,848	293	18.5
Jamestown	36,580	468	12.8
Johnstown	10,646	111	10.4
Kingston	26,771	451	16.8
Lackawanna	[5] 15,987	396	24.8
Little Falls	13,451	255	19.0
Lockport	19,879	301	15.1
Middletown *	15,810	429	27.1
Mount Vernon	37,009	449	12.1
New Rochelle	37,759	386	10.2
New York (total)	5,602,841	77,960	13.9
Bronx Borough	575,876	7,703	13.4
Brooklyn Borough	1,928,734	27,037	14.0
Manhattan Borough	2,634,224	35,879	13.6
Queens Borough	366,126	5,632	15.4
Richmond Borough	97,881	1,709	17.5
White	5,485,999	75,261	13.7
Bronx Borough	570,447	7,596	13.3
Brooklyn Borough	1,902,232	26,365	13.9
Manhattan Borough	2,554,278	34,112	13.4
Queens Borough	362,409	5,515	15.2
Richmond Borough	96,633	1,673	17.3
Colored	116,842	2,699	23.1
Bronx Borough	5,429	107	19.7
Brooklyn Borough	26,502	672	25.4
Manhattan Borough	79,946	1,767	22.1
Queens Borough	3,717	117	31.5
Richmond Borough	1,248	36	28.8

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
NEW YORK—continued.			
Newburgh	29,603	528	17.8
Niagara Falls	37,353	676	18.1
North Tonawanda	13,768	178	12.9
Ogdensburg*	16,718	442	26.4
Olean	16,624	231	13.9
Ossining	13,705	169	12.3
Oswego	24,101	383	15.9
Peekskill	18,530	219	11.8
Plattsburg	12,837	212	16.5
Port Chester	16,183	206	12.7
Poughkeepsie	30,390	670	22.0
Rensselaer	11,177	126	11.3
Rochester	258,959	3,721	14.4
Rome	23,737	592	24.9
Saratoga Springs	13,821	297	21.5
Schenectady	99,519	958	9.6
Syracuse	155,624	2,361	15.2
Troy	77,916	1,513	19.4
Utica*	87,401	1,633	18.7
Watertown	29,894	503	16.8
Watervliet	15,546	184	11.8
White Plains	22,465	260	11.6
Yonkers	99,838	1,226	12.3
NORTH CAROLINA.			
Asheville (total)	20,823	466	22.4
White	15,229	330	21.7
Colored	5,594	136	24.3
Charlotte (total)	39,823	766	19.2
White	27,064	379	14.0
Colored	12,759	387	30.3
Durham (total)	25,061	336	13.4
White	15,347	157	10.2
Colored	9,714	179	18.4
Greensboro (total)	19,577	277	14.1
White	12,847	149	11.6
Colored	6,730	128	19.0
Raleigh* (total)	20,127	564	28.0
White	12,815	281	21.9
Colored	7,312	283	38.7
Wilmington (total)	29,892	511	17.1
White	16,169	209	12.9
Colored	13,723	302	22.0
Winston-Salem (total)	31,155	629	20.2
White	18,661	279	15.0
Colored	12,494	350	28.0
NORTH DAKOTA.[1]			
Fargo (total)	17,389	252	14.5
White	17,248	251	14.6
Colored [4]	141	1	7.1
OHIO.			
Akron	90,625	1,693	18.7
Alliance	18,960	236	12.4
Ashtabula	21,498	302	14.0
Bellaire	14,348	220	15.3
Cambridge	13,483	169	12.5
Canton	60,852	863	14.2
Chillicothe	15,470	222	14.4
Cincinnati (total)	410,476	6,741	16.4
White	388,267	6,031	15.5
Colored	22,209	710	32.0
Cleveland	674,073	9,986	14.8
Columbus (total)	214,878	3,339	15.5
White	199,161	2,990	15.0
Colored	15,717	349	22.2
Dayton	127,224	1,937	15.2
East Liverpool	22,586	387	17.1
Elyria	18,618	281	15.1
Findlay	[2] 14,858	252	17.0
Hamilton	40,496	508	12.5
Ironton	13,949	233	16.7
Lakewood	22,615	256	11.3
Lancaster	15,670	145	9.3
Lima	35,384	488	13.8
Lorain	36,964	442	12.0
Mansfield	22,734	303	13.3
Marietta	14,656	229	15.6
Marion	23,430	293	12.5
Massillon	15,310	196	12.8
Middletown	15,625	271	17.3
Newark	29,635	431	14.5
Norwood	22,286	180	8.1
Piqua	14,152	211	14.9
Portsmouth	28,741	440	15.3
Sandusky	20,193	291	14.4
Springfield (total)	51,550	800	15.5
White	46,200	702	15.2
Colored	5,350	98	18.3
Steubenville	27,445	514	18.7
Tiffin	12,867	209	16.2
Toledo	198,117	3,587	18.1
Warren	13,059	255	19.5
Youngstown	108,385	1,903	17.6
Zanesville	30,363	454	14.7
OREGON.[1]			
Portland (total)	295,463	2,367	8.0
White	289,678	2,287	7.9
Colored [4]	5,785	80	13.8
PENNSYLVANIA.			
Allentown	63,505	1,015	16.0
Altoona	58,659	813	13.9
Beaver Falls	13,532	231	17.1
Bethlehem	14,142	217	15.3
Braddock	21,685	395	18.2
Bradford	[2] 14,544	234	16.1
Butler	27,632	348	12.6
Carbondale	19,242	307	16.0
Carlisle (total)	10,726	183	17.1
White	9,622	154	16.0
Colored	1,104	29	26.3
Carnegie	11,692	152	13.0
Chambersburg	12,380	197	15.9
Chester (total)	41,396	873	21.1
White	36,343	724	19.9
Colored	5,053	149	29.5
Coatesville (total)	14,455	195	13.5
White	12,248	165	13.5
Colored	2,207	30	13.6
Columbia	[2] 11,454	181	15.8
Connellsville	15,455	191	12.4
Dubois	14,665	164	11.2
Dunmore	20,776	307	14.8
Duquesne	19,964	243	12.2
Easton	30,530	617	20.2
Erie	75,195	1,234	16.4
Farrell	[7] 10,390	217	20.9
Greensburg	15,483	266	17.2
Harrisburg	72,015	1,134	15.7
Hazleton	28,491	478	16.8
Homestead	22,466	254	11.3
Johnstown	68,529	1,084	15.8
Lancaster	50,853	832	16.4
Lebanon	20,779	396	19.1
McKees Rocks	19,949	211	10.6
McKeesport	47,521	754	15.9
Mahanoy City	17,463	257	14.7
Meadville	13,802	216	15.6
Monessen	21,630	178	8.2
Mount Carmel	20,268	241	11.9
Nanticoke	23,126	293	12.9
New Castle	41,133	555	13.5
Norristown*	31,401	739	23.5
North Braddock	15,148	152	10.0
Oil City	19,297	279	14.5
Old Forge	14,902	157	10.5
Philadelphia (total)	1,709,518	27,703	16.2
White	1,610,294	25,324	15.7
Colored	99,224	2,379	24.0
Phoenixville	11,714	190	16.2
Pittsburgh (total)	579,090	10,077	17.4
White	551,001	9,380	17.0
Colored	28,089	697	24.8
Pittston	18,599	331	17.8
Plymouth	19,100	200	10.5
Pottstown	16,794	259	15.4
Pottsville	22,372	455	20.3
Reading	109,811	1,633	14.9
Scranton	146,811	2,116	14.4
Shamokin	21,129	280	13.3
Sharon	18,616	248	13.3
Shenandoah	29,201	441	15.1
South Bethlehem	24,204	408	16.9
Steelton	15,548	232	14.9
Sunbury	16,260	210	12.9
Uniontown	20,780	274	13.2
Warren	14,737	188	12.8
Washington	21,618	301	13.9
West Chester (total)	13,176	304	23.1
White	11,238	233	20.7
Colored	1,938	71	36.6
Wilkes-Barre	76,776	1,111	14.5
Wilkinsburg	23,228	363	15.6
Williamsport	33,809	614	18.2
York	51,656	633	12.3
RHODE ISLAND.			
Central Falls	25,636	299	11.7
Cranston [8]	25,987	746	28.7
Cumberland town	10,848	167	15.4
East Providence town	18,113	251	13.9
Newport	30,108	422	14.0
Pawtucket	59,411	894	15.0
Providence	254,960	4,027	15.8
Warwick town [9]	29,969	493	16.5
Woonsocket	44,360	615	13.9
SOUTH CAROLINA.			
Charleston (total)	60,734	1,538	25.3
White	29,980	409	13.6
Colored	30,754	1,129	36.7
Columbia* (total)	34,611	1,133	32.7
White	19,878	498	25.1
Colored	14,733	635	43.1
Greenville (total)	18,181	338	18.6
White	11,294	162	14.3
Colored	6,887	176	25.6
Spartanburg (total)	21,365	323	15.1
White	12,851	155	12.1
Colored	8,514	168	19.7
TEXAS.[1]			
Beaumont (total)	27,711	428	15.4
White	18,301	250	13.7
Colored	9,410	178	18.9
Dallas (total)	124,527	1,569	12.6
White	100,516	1,162	11.6
Colored	24,011	407	17.0
El Paso (total)	63,705	2,004	31.5
White	61,890	1,943	31.4
Colored [4]	1,815	61	33.6
Galveston (total)	41,863	728	17.4
White	32,710	483	14.8
Colored	9,153	245	26.8
San Antonio (total)	123,831	2,399	19.4
White	110,997	2,172	19.6
Colored	12,834	227	17.7

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
UTAH.			
Ogden	31,404	340	10.8
Salt Lake City	117,399	1,345	11.5
VERMONT.			
Barre	12,169	161	13.2
Burlington	21,617	451	20.9
Rutland	14,831	234	15.8
VIRGINIA.			
Alexandria (total)	17,846	296	16.6
White	13,326	192	14.4
Colored	4,520	104	23.0
Danville (total)	20,021	348	17.4
White	14,240	206	14.5
Colored	5,781	142	24.6
Lynchburg (total)	32,940	545	16.5
White	24,464	309	12.6
Colored	8,476	236	27.8
Newport News (total)	20,562	389	18.9
White	13,026	168	12.9
Colored	7,536	221	29.3
Norfolk (total)	89,612	1,666	18.6
White	56,382	706	12.5
Colored	33,230	960	28.9
Petersburg (total)	25,582	768	30.0
White	14,403	319	22.1
Colored	11,179	449	40.2
Portsmouth (total)	39,651	535	13.5
White	25,248	239	9.5
Colored	14,403	296	20.6
Richmond (total)	156,687	3,092	19.7
White	100,689	1,629	16.2
Colored	55,998	1,463	26.1
Roanoke (total)	44,832	684	15.3
White	35,589	474	13.3
Colored	9,243	210	22.7
Staunton* (total)	11,654	268	23.0
White	9,039	228	25.2
Colored	2,615	40	15.3
WASHINGTON.			
Aberdeen	20,334	103	5.1
Bellingham	32,985	245	7.4
Everett	35,486	272	7.7
North Yakima	20,951	210	10.0
Seattle	348,639	2,442	7.0
Spokane	150,323	1,051	7.0
Tacoma	112,770	897	8.0
Walla Walla	25,136	165	6.6
WEST VIRGINIA.[1]			
Wheeling (total)	43,377	783	18.1
White	42,083	758	18.0
Colored [4]	1,294	25	19.3
WISCONSIN.			
Appleton	17,334	265	14.9
Ashland	[2] 11,594	226	19.5
Beloit	18,072	191	10.6
Eau Claire	18,807	367	19.5
Fond du Lac	21,113	349	16.5
Green Bay	29,353	552	18.8
Janesville	14,339	215	15.0
Kenosha	31,576	366	11.6
La Crosse	31,677	505	15.9
Madison	30,699	435	14.2
Manitowoc	13,805	190	13.8
Marinette	[2] 14,610	152	10.4
Milwaukee	436,535	5,649	12.7
Oshkosh	36,065	432	12.0
Racine	46,486	580	12.5
Sheboygan	28,559	406	14.2
Superior	46,226	439	9.5
Wausau	19,239	206	10.7
RURAL PART OF REGISTRATION STATES.[10]			
CALIFORNIA.			
Alameda County	35,029	758	21.6
Alpine County (total)	[2] 309	1	3.2
White	[2] 213	1	4.7
Colored	[2] 96	.....	.....
Amador County	[2] 9,086	149	16.4
Butte County	33,703	344	10.2
Calaveras County	[2] 9,171	78	8.5
Colusa County	7,963	91	11.4
Contra Costa County	40,243	434	10.8
Del Norte County (total)	2,423	35	14.4
White	2,041	33	16.2
Colored	382	2	5.2
Eldorado County	[2] 7,492	152	20.3
Fresno County	64,459	719	11.2
Glenn County	8,443	76	9.0
Humboldt County	23,419	203	8.7
Inyo County (total)	8,608	43	5.0
White	7,696	40	5.2
Colored	912	3	3.3
Kern County	34,190	210	6.1
Kings County	20,228	204	10.1
Lake County	[2] 5,526	75	13.6
Lassen County	4,984	68	13.6
Los Angeles County	121,945	2,689	22.1
Madera County	9,628	115	11.9
Marin County	31,032	267	8.6
Mariposa County	[2] 3,956	41	10.4
Mendocino County*	26,107	359	13.8
Merced County	18,878	199	10.5
Modoc County	6,893	44	6.4
Mono County (total)	[2] 2,042	9	4.4
White	[2] 1,621	8	4.9
Colored	[2] 421	1	2.4
Monterey County	27,142	326	12.0
Napa County*	21,906	530	24.2
Nevada County	[2] 14,955	204	13.6
Orange County	43,702	584	13.4
Placer County	19,777	238	12.0
Plumas County (total)	5,638	64	11.4
White	5,013	61	12.2
Colored	625	3	4.8
Riverside County	25,493	263	10.3
Sacramento County (total)	14,672	180	12.3
White	12,576	144	11.5
Colored	2,096	36	17.2
San Benito County	8,925	92	10.3
San Bernardino County*	43,852	691	15.8
San Diego County [11]	46,403	698	15.0
San Joaquin County (total)	24,977	442	17.7
White	22,068	394	17.9
Colored	2,909	48	16.5
San Luis Obispo County	21,109	230	10.9
San Mateo County	35,694	360	10.1
Santa Barbara County	18,426	157	8.5
Santa Clara County*	59,299	1,033	17.4
Santa Cruz County	14,454	216	14.9
Shasta County	19,926	227	11.4
Sierra County	4,148	34	8.2
Siskiyou County	19,956	228	11.4
Solano County (total)	16,246	185	11.4
White	14,549	170	11.7
Colored	1,697	15	8.8
Sonoma County	54,626	688	12.6
Stanislaus County	30,676	378	12.3
Sutter County	6,605	86	13.0
Tehama County	11,656	142	12.2
Trinity County (total)	[2] 3,301	38	11.5
White	[2] 2,903	36	12.4
Colored	[2] 398	2	5.0
Tulare County	46,168	445	9.6
Tuolumne County	[2] 9,979	121	12.1
RURAL PART OF REGISTRATION STATES[10]—Con.			
CALIFORNIA—continued.			
Ventura County	20,849	282	13.5
Yolo County	14,119	181	12.8
Yuba County (total)	10,936	157	14.4
White	9,699	129	13.3
Colored	1,237	28	22.6
COLORADO.			
Arapahoe County [12]	24,746	220	8.9
Archuleta County	4,048	26	6.4
Baca County	3,622	16	4.4
Bent County	6,298	108	17.1
Boulder County	35,853	416	11.6
Chaffee County	7,958	143	18.0
Cheyenne County	5,690	20	3.5
Clear Creek County	[2] 5,001	43	8.6
Conejos County [13]	18,893	91	4.8
Custer County	[2] 1,947	26	13.4
Delta County	18,843	131	7.0
Dolores County	[2] 642	4	6.2
Douglas County	3,237	13	4.0
Eagle County	[2] 2,985	8	2.7
El Paso County	17,717	212	12.0
Elbert County	6,733	29	4.3
Fremont County	19,782	227	11.5
Garfield County	12,852	74	5.8
Gilpin County	[2] 4,131	39	9.4
Grand County	2,566	9	3.5
Gunnison County	6,252	57	9.1
Hinsdale County	[2] 646	7	10.8
Huerfano County	16,416	154	9.4
Jefferson County	17,327	218	12.6
Kiowa County	4,280	2	0.5
Kit Carson County	11,194	57	5.1
La Plata County	13,197	130	9.9
Lake County	[2] 10,600	179	16.9
Larimer County [14]	35,156	282	8.0
Las Animas County	27,188	268	9.9
Lincoln County	9,053	42	4.6
Logan County	13,482	124	9.2
Mesa County	30,325	149	4.9
Mineral County	[2] 1,239	12	9.7
Montezuma County	6,267	28	4.5
Montrose County	13,908	94	6.8
Morgan County	13,543	119	8.8
Otero County [15]	25,657	296	11.5
Ouray County	[2] 3,514	32	9.1
Park County	[2] 2,492	16	6.4
Phillips County	4,181	26	6.2
Pitkin County	[2] 4,566	45	9.9
Prowers County	13,136	117	8.9
Pueblo County*	8,936	349	39.1
Rio Blanco County	2,736	11	4.0
Rio Grande County	8,121	21	2.6
Routt County [16]	10,012	83	8.3
Saguache County	4,352	46	10.6
San Juan County	3,516	34	9.7
San Miguel County	[2] 4,700	64	13.6
Sedgwick County	4,374	23	5.3
Summit County	[2] 2,003	21	10.5
Teller County	[2] 14,351	155	10.8
Washington County	7,754	38	4.9
Weld County	53,239	429	8.1
Yuma County	10,979	78	7.1
CONNECTICUT.			
Fairfield County	54,958	905	16.5
Hartford County	88,399	1,339	15.1
Litchfield County	54,805	827	15.1
Middlesex County	25,275	345	13.6
New Haven County	52,002	836	16.1
New London County*	46,189	733	15.9
Tolland County	27,677	362	13.1
Windham County	35,151	543	15.4

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
INDIANA.			
Adams County	[2] 21,840	203	9.3
Allen County	27,334	308	11.3
Bartholomew County	24,949	285	11.4
Benton County	[2] 12,688	132	10.4
Blackford County	[2] 15,820	179	11.3
Boone County	[2] 24,673	307	12.4
Brown County	[2] 7,975	89	11.2
Carroll County	[2] 17,970	209	11.6
Cass County *	16,465	282	17.1
Clark County	[2] 19,848	246	12.4
Clay County	[2] 32,535	363	11.2
Clinton County	[2] 26,674	362	13.6
Crawford County	[2] 12,057	159	13.2
Daviess County	[2] 27,747	337	12.1
Dearborn County	[2] 21,396	289	13.5
Decatur County	[2] 18,793	257	13.7
Dekalb County	[2] 25,054	311	12.4
Delaware County	27,113	344	12.7
Dubois County	[2] 19,843	222	11.2
Elkhart County	29,634	390	13.2
Fayette County	14,991	231	15.4
Floyd County	6,773	78	11.5
Fountain County	[2] 20,439	269	13.2
Franklin County	[2] 15,335	204	13.3
Fulton County	[2] 16,879	227	13.4
Gibson County	30,160	345	11.4
Grant County [17]	[18] 31,592	574	18.2
Greene County	42,118	408	9.7
Hamilton County	[2] 27,026	304	11.2
Hancock County	[2] 19,030	239	12.6
Harrison County	[2] 20,232	223	11.0
Hendricks County	[2] 20,840	260	12.5
Henry County	32,694	447	13.7
Howard County	15,140	197	13.0
Huntington County	18,152	202	11.1
Jackson County	[2] 24,727	344	13.9
Jasper County	[2] 13,044	154	11.8
Jay County	[2] 24,961	303	12.1
Jefferson County *	[2] 20,483	375	18.3
Jennings County	[2] 14,203	161	11.3
Johnson County	20,500	248	12.1
Knox County	25,584	342	13.4
Kosciusko County	[2] 27,936	358	12.8
Lagrange County	[2] 15,148	218	14.4
Lake County	39,421	427	10.8
Laporte County	15,740	206	13.1
Lawrence County	33,702	343	10.2
Madison County	[2] 31,720	328	10.3
Marion County *	29,733	478	16.1
Marshall County	[2] 24,175	295	12.2
Martin County	[2] 12,950	153	11.8
Miami County	17,572	232	13.2
Monroe County	25,029	290	11.6
Montgomery County	[2] 29,296	396	13.5
Morgan County	21,635	272	12.6
Newton County	10,537	104	9.9
Noble County	24,307	332	13.7
Ohio County	[2] 4,329	59	13.6
Orange County	17,403	234	13.4
Owen County	[2] 14,053	172	12.2
Parke County	[2] 22,214	299	13.5
Perry County	[2] 18,078	187	10.3
Pike County	[2] 19,684	219	11.1
Porter County	21,397	251	11.7
Posey County	[2] 21,670	232	10.7
Pulaski County	[2] 13,312	143	10.7
Putnam County	[2] 20,520	235	11.5
Randolph County	29,238	367	12.6
Ripley County	[2] 19,452	261	13.4
Rush County	[2] 19,349	239	12.4
St. Joseph County	4,968	239	16.0
Scott County	8,332	93	11.2
Shelby County	26,995	337	12.5
Spencer County	20,676	272	13.2
Starke County	10,652	134	12.6
Steuben County	[2] 14,274	210	14.7
Sullivan County	36,483	332	9.1
Switzerland County	[2] 9,914	126	12.7
Tippecanoe County	19,659	302	15.4
Tipton County	[2] 17,459	216	12.4
Union County	[2] 6,260	79	12.6
Vanderburg County *	4,924	240	48.7
Vermilion County	21,136	356	16.8
Vigo County	38,125	427	11.2
Wabash County	[2] 26,926	297	11.0
Warren County	[2] 10,899	116	10.6
Warrick County	[2] 21,911	216	9.9
Washington County	[2] 17,445	197	11.3
Wayne County *	22,069	415	18.8
Wells County	[2] 22,418	208	9.3
White County	[2] 17,602	218	12.4
Whitley County	[2] 16,892	177	10.5
KANSAS.			
Allen County	32,753	317	9.7
Anderson County	[2] 13,829	147	10.6
Atchison County	[2] 11,678	86	7.4
Barber County	12,003	91	7.6
Barton County	20,447	180	8.8
Bourbon County	[2] 13,544	131	9.7
Brown County	[2] 21,314	200	9.4
Butler County	[2] 23,059	278	12.1
Chase County	[2] 7,527	54	7.2
Chautauqua County	[2] 11,429	134	11.7
Cherokee County	[2] 38,162	501	13.1
Cheyenne County	5,259	49	9.3
Clark County	5,596	37	6.6
Clay County	[2] 15,251	178	11.7
Cloud County	18,588	219	11.8
Coffey County	[2] 15,205	138	9.1
Comanche County	4,325	32	7.4
Cowley County	32,816	379	11.5
Crawford County	41,122	479	11.6
Decatur County	[2] 8,976	84	9.4
Dickinson County	25,962	238	9.2
Doniphan County	[2] 14,422	165	11.4
Douglas County	[2] 12,350	111	9.0
Edwards County	9,139	70	7.7
Elk County	[2] 10,128	113	11.2
Ellis County	14,399	155	10.8
Ellsworth County	10,958	116	10.6
Finney County	9,070	95	10.5
Ford County	15,100	186	12.3
Franklin County	[2] 20,884	264	12.6
Geary County	13,899	122	8.8
Gove County	8,310	35	4.2
Graham County	10,917	78	7.1
Grant County	1,504	4	2.7
Gray County	4,289	45	10.5
Greeley County	1,864	8	4.3
Greenwood County	[2] 16,060	150	9.3
Hamilton County	4,576	42	9.2
Harper County	17,537	115	6.6
Harvey County	20,213	211	10.4
Haskell County	1,329	5	3.8
Hodgeman County	3,496	30	8.6
Jackson County	[2] 16,861	155	9.2
Jefferson County	[2] 15,826	171	10.8
Jewell County	[2] 18,148	193	10.6
Johnson County	18,403	207	11.2
Kearny County	4,524	26	5.7
Kingman County	15,098	103	6.8
Kiowa County	8,568	58	6.8
Labette County	18,492	243	13.1
Lane County	3,256	27	8.3
Leavenworth County [17]	22,876	461	20.2
Lincoln County	10,303	96	9.3
Linn County	14,735	161	10.9
Logan County	5,671	42	7.4
Lyon County	[2] 24,927	280	11.2
McPherson County	21,583	218	10.1
Marion County	23,508	199	8.5
Marshall County	[2] 23,880	215	9.0
Meade County	7,238	63	8.7
Miami County	[2] 20,030	364	18.2
Mitchell County	[2] 14,089	176	12.5
Montgomery County	30,265	303	10.0
Morris County	12,666	132	10.4
Morton County	1,979	20	10.1
Nemaha County	[2] 19,072	209	11.0
Neosho County	26,581	296	11.1
Ness County	6,729	69	10.3
Norton County	11,794	115	9.8
Osage County	[2] 19,905	207	10.4
Osborne County	13,444	111	8.3
Ottawa County	12,205	101	8.3
Pawnee County	11,231	94	8.4
Phillips County	[2] 14,150	103	7.3
Pottawatomie County	[2] 17,522	170	9.7
Pratt County	13,714	103	7.5
Rawlins County	7,094	71	10.0
Reno County	22,648	161	7.1
Republic County	[2] 17,447	160	9.2
Rice County	15,332	157	10.2
Riley County	17,012	194	11.4
Rooks County	13,368	84	6.3
Rush County	8,888	50	5.6
Russell County	12,253	108	8.8
Saline County	22,387	268	12.0
Scott County	4,270	31	7.3
Sedgwick County	20,640	188	9.1
Seward Count	6,146	58	9.4
Shawnee Count	18,270	374	20.5
Sheridan County	6,801	48	7.1
Sherman County	5,306	47	8.9
Smith County	[2] 15,365	167	10.9
Stafford County	14,193	104	7.3
Stanton County	1,477	8	5.4
Stevens County	3,604	16	4.4
Sumner County	33,811	283	8.4
Thomas County	6,299	54	8.6
Trego County	7,080	54	7.6
Wabaunsee County	[2] 12,721	116	9.1
Wallace County	3,752	11	2.9
Washington County	[2] 20,229	177	8.7
Wichita County	2,515	13	5.2
Wilson County	22,442	221	9.8
Woodson County	[2] 9,450	96	10.2
Wyandotte County (total)	17,505	270	15.4
White	15,717	218	13.9
Colored	1,788	52	29.1
KENTUCKY.			
Adair County	17,518	187	10.7
Allen County	15,024	227	15.1
Anderson County	10,205	140	13.7
Ballard County (total)	13,902	154	11.1
White	12,266	129	10.5
Colored	1,636	25	15.3
Barren County (total)	26,610	349	13.1
White	23,144	290	12.5
Colored	3,466	59	17.0
Bath County	[2] 13,988	187	13.4
Bell County (total)	36,460	361	9.9
White	32,806	320	9.8
Colored	3,654	41	11.2
Boone County	[2] 9,420	112	11.9
Bourbon County (total)	[2] 17,462	266	15.2
White	11,819	178	15.1
Colored	[2] 5,643	88	15.6
Boyd County	26,342	340	12.9

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
KENTUCKY—continued.			
Boyle County (total)	15,203	210	13.8
White	11,445	133	11.6
Colored	3,758	77	20.5
Bracken County	[2] 10,308	132	12.8
Breathitt County	19,564	122	6.2
Breckinridge County	21,348	258	12.1
Bullitt County	[2] 9,487	142	15.0
Butler County	[2] 15,805	178	11.3
Caldwell County (total)	[2] 14,063	159	11.3
White	[2] 11,543	125	10.8
Colored	[2] 2,520	34	13.5
Calloway County	21,271	200	9.4
Campbell County	30,678	410	13.4
Carlisle County	[2] 9,048	108	11.9
Carroll County	[2] 8,110	118	14.5
Carter County	23,060	270	11.7
Casey County	15,691	172	11.0
Christian County* (total)	39,399	683	17.3
White	23,849	364	15.3
Colored	15,550	319	20.5
Clark County (total)	18,800	256	13.6
White	14,777	178	12.0
Colored	4,023	78	19.4
Clay County	19,312	130	6.7
Clinton County	8,330	17	2.0
Crittenden County	[2] 13,296	128	9.6
Cumberland County (total)	10,401	94	9.0
White	9,313	78	8.4
Colored	1,088	16	14.7
Daviess County	24,715	332	13.4
Edmonson County	10,711	105	9.8
Elliott County	[2] 9,814	107	10.9
Estill County	12,652	120	9.5
Fayette County (total)	10,165	152	15.0
White	7,342	79	10.8
Colored	2,823	73	25.9
Fleming County	[2] 16,066	196	12.2
Floyd County	20,554	95	4.6
Franklin County	10,232	106	10.4
Fulton County (total)	15,728	241	15.3
White	12,048	181	15.0
Colored	3,680	60	16.3
Gallatin County	[2] 4,697	56	11.9
Garrard County (total)	[2] 11,894	136	11.4
White	9,610	94	9.8
Colored	[2] 2,284	42	18.4
Grant County	[2] 10,581	136	12.9
Graves County	33,750	398	11.8
Grayson County	20,008	246	12.3
Green County (total)	[2] 11,871	116	9.8
White	10,528	101	9.6
Colored	[2] 1,343	15	11.2
Greenup County	20,387	237	11.6
Hancock County	[2] 8,512	93	10.9
Hardin County	[2] 22,696	246	10.8
Harlan County	11,022	237	21.5
Harrison County (total)	[2] 16,873	244	14.5
White	[2] 15,122	205	13.6
Colored	[2] 1,751	39	22.3
Hart County (total)	[2] 18,173	210	11.6
White	16,182	185	11.4
Colored	[2] 1,991	25	12.6
Henderson County (total)	[2] 17,900	208	11.6
White	[2] 14,098	151	10.7
Colored	[2] 3,802	57	15.0
Henry County (total)	[2] 13,716	172	12.5
White	[2] 11,924	143	12.0
Colored	[2] 1,792	29	16.2
Hickman County (total)	11,751	142	12.1
White	10,210	118	11.6
Colored	1,541	24	15.6
Hopkins County (total)	36,362	418	11.5
White	28,877	310	10.7
Colored	7,485	108	14.4
Jackson County	10,841	68	6.3
Jefferson County* (total)	43,103	761	17.7
White	38,047	610	16.0
Colored	5,056	151	29.9
Jessamine County (total)	13,045	168	12.9
White	10,325	111	10.8
Colored	2,720	57	21.0
Johnson County	19,840	198	10.0
Kenton County	17,464	184	10.5
Knott County	12,101	102	8.4
Knox County	25,096	267	10.6
Larue County	[2] 10,701	146	13.6
Laurel County	21,305	206	9.7
Lawrence County	20,353	196	9.6
Lee County	10,500	76	7.2
Leslie County	10,373	79	7.6
Letcher County	11,535	220	19.1
Lewis County	[2] 16,887	210	12.4
Lincoln County (total)	18,423	249	13.5
White	15,818	187	11.8
Colored	2,605	62	23.8
Livingston County	[2] 10,627	117	11.0
Logan County (total)	[2] 24,977	305	12.2
White	19,623	219	11.2
Colored	[2] 5,354	86	16.1
Lyon County (total)	9,487	89	9.4
White	7,771	68	8.8
Colored	1,716	21	12.2
McCracken County (total)	14,202	158	11.1
White	12,055	131	10.9
Colored	2,147	27	12.6
McLean County	13,738	138	10.0
Madison County (total)	27,795	317	11.4
White	22,715	238	10.5
Colored	5,080	79	15.6
Magoffin County	14,690	119	8.1
Marion County (total)	16,355	217	13.3
White	14,430	168	11.6
Colored	1,925	49	25.5
Marshall County	17,076	177	10.4
Martin County	8,241	63	7.6
Mason County (total)	[2] 18,611	299	16.1
White	[2] 15,741	249	15.8
Colored	[2] 2,870	50	17.4
Meade County	[2] 9,783	128	13.1
Menifee County	[2] 6,153	66	10.7
Mercer County (total)	[2] 14,063	205	14.6
White	[2] 11,892	155	13.0
Colored	[2] 2,171	50	23.0
Metcalfe County	10,745	96	8.9
Monroe County	14,046	180	12.8
Montgomery County (total)	12,888	168	13.0
White	9,879	111	11.2
Colored	3,009	57	18.9
Morgan County	18,438	181	9.8
Muhlenberg County (total)	33,536	405	12.1
White	30,152	356	11.8
Colored	3,384	49	14.5
Nelson County (total)	16,981	221	13.0
White	14,368	166	11.6
Colored	2,613	55	21.0
Nicholas County	[2] 10,601	120	11.3
Ohio County	27,866	323	11.6
Oldham County (total)	7,354	111	15.1
White	6,617	86	13.0
Colored	737	25	33.9
Owen County	[2] 14,248	157	11.0
Owsley County	8,672	64	7.4
Pendleton County	[2] 11,985	159	13.3
Perry County	13,127	151	11.5
Pike County	37,332	409	11.0
Powell County	[2] 6,268	66	10.5
Pulaski County [10]	94,463	876	9.3
Robertson County	[2] 4,121	49	11.9
Rockcastle County	15,764	127	8.1
Rowan County	10,167	121	11.9
Russell County	11,594	98	8.5
Scott County (total)	[2] 16,956	198	11.7
White	[2] 12,912	139	10.8
Colored	[2] 4,044	59	14.6
Shelby County (total)	[2] 18,041	230	12.7
White	14,050	151	10.7
Colored	[2] 3,991	79	19.9
Simpson County (total)	[2] 11,460	176	15.4
White	9,295	136	14.6
Colored	[2] 2,165	40	18.5
Spencer County (total)	7,666	74	9.7
White	7,219	63	8.7
Colored	447	11	24.6
Taylor County (total)	12,518	94	7.5
White	11,221	77	6.9
Colored	1,297	17	13.1
Todd County (total)	[2] 16,488	212	12.9
White	[2] 11,145	129	11.6
Colored	[2] 5,343	83	15.5
Trigg County (total)	14,331	212	14.3
White	11,621	148	12.7
Colored	3,210	64	19.9
Trimble County	[2] 6,512	64	9.8
Union County (total)	[2] 19,886	232	11.7
White	[2] 17,472	199	11.4
Colored	[2] 2,414	33	13.7
Warren County (total)	30,961	461	14.9
White	25,402	333	13.1
Colored	5,559	128	23.0
Washington County (total)	[2] 13,940	159	11.4
White	[2] 12,161	137	11.3
Colored	[2] 1,779	22	12.4
Webster County (total)	21,525	255	11.8
White	18,723	203	10.8
Colored	2,802	52	18.6
Wolfe County	10,553	112	10.6
Woodford County (total)	[2] 12,571	169	13.4
White	8,847	102	11.5
Colored	[2] 3,724	67	18.0
MAINE.			
Androscoggin County	19,129	251	13.1
Aroostook County	83,415	1,065	12.8
Cumberland County	55,267	862	15.6
Franklin County	19,542	261	13.4
Hancock County	[2] 35,575	516	14.5
Kennebec County [17]	38,344	782	20.4
Knox County	[2] 28,981	472	16.3
Lincoln County	[2] 18,216	259	14.2
Oxford County	38,782	523	13.5
Penobscot County	64,307	975	15.2
Piscataquis County	21,732	260	12.0
Sagadahoc County	[2] 18,574	300	16.2
Somerset County	37,841	592	15.6
Waldo County	[2] 23,383	395	16.9
Washington County	[2] 42,905	611	14.2
York County	53,150	785	14.8
MARYLAND.			
Allegany County	41,817	520	12.4
Anne Arundel County (total)	[2] 39,553	798	20.2
White	25,396	383	15.1
Colored	[2] 14,157	415	29.3
Baltimore County * (total)	142,211	2,172	15.3
White	128,978	1,938	15.0
Colored	13,233	234	17.7
Calvert County (total)	10,388	153	14.7
White	5,404	66	12.2
Colored	4,984	87	17.5
Caroline County (total)	21,082	281	13.3
White	15,948	182	11.4
Colored	5,134	99	19.3
Carroll County *	33,978	525	15.5
Cecil County (total)	[2] 23,759	347	14.6
White	[2] 20,425	273	13.4
Colored	[2] 3,334	74	22.2
Charles County (total)	[2] 16,386	297	18.1
White	[2] 7,813	98	12.5
Colored	[2] 8,573	199	23.2

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
MARYLAND—continued.			
Dorchester County (total)	29,112	536	18.4
White	19,732	297	15.1
Colored	9,380	239	25.5
Frederick County	42,033	628	14.9
Garrett County	21,615	246	11.4
Harford County (total)	[2] 27,965	398	14.2
White	22,849	296	13.0
Colored	[2] 5,116	102	19.9
Howard County (total)	[2] 16,106	226	14.0
White	12,332	140	11.4
Colored	[2] 3,774	86	22.8
Kent County (total)	[2] 16,957	280	16.5
White	[2] 10,795	138	12.8
Colored	[2] 6,162	142	23.0
Montgomery County (total)	33,118	425	12.8
White	24,387	282	11.6
Colored	8,731	143	16.4
Prince Georges County (total)	40,075	553	13.8
White	28,877	315	10.9
Colored	11,198	238	21.3
Queen Annes County (total)	[2] 16,839	268	15.9
White	[2] 11,023	147	13.3
Colored	[2] 5,816	121	20.8
St. Marys County (total)	[2] 17,030	273	16.0
White	9,726	135	13.9
Colored	[2] 7,304	138	18.9
Somerset County (total)	26,789	391	14.6
White	17,350	201	11.6
Colored	9,439	190	20.1
Talbot County (total)	[2] 19,620	351	17.9
White	[2] 12,841	194	15.1
Colored	[2] 6,779	157	23.2
Washington County	26,757	391	14.6
Wicomico County (total)	29,305	445	15.2
White	22,692	294	13.0
Colored	6,613	151	22.8
Worcester County (total)	22,455	320	14.3
White	15,330	184	12.0
Colored	7,125	136	19.1
MASSACHUSETTS.			
Barnstable County	[2] 27,542	463	16.8
Berkshire County	37,797	490	13.0
Bristol County	58,319	824	14.1
Dukes County	[2] 4,504	88	19.5
Essex County *	93,914	1,444	15.4
Franklin County	33,105	520	15.7
Hampden County	47,491	691	14.6
Hampshire County	46,233	614	13.3
Middlesex County *	128,272	2,375	18.5
Nantucket County	[2] 2,962	63	21.3
Norfolk County *	108,440	1,426	13.2
Plymouth County *	82,226	1,289	15.7
Worcester County *	135,486	2,177	16.1
MICHIGAN.			
Alcona County	5,710	57	10.0
Alger County	8,812	87	9.9
Allegan County	40,453	546	13.5
Alpena County	7,767	64	8.2
Antrim County	[2] 15,692	181	11.5
Arenac County	[2] 9,640	128	13.3
Baraga County	7,264	56	7.7
Barry County	22,709	296	13.0
Bay County	23,979	247	10.3
Benzie County	11,236	132	11.7
Berrien County	56,423	751	13.3
Branch County	[2] 25,605	367	14.3
Calhoun County	31,762	449	14.1
Cass County	[2] 20,624	318	15.4
Charlevoix County	22,427	211	9.4
Cheboygan County	19,353	213	11.0
Chippewa County	12,522	125	10.0
Clare County	9,794	94	9.6
Clinton County	[2] 23,129	316	13.7
Crawford County	4,556	68	14.9
Delta County	18,537	175	9.4
Dickinson County	22,181	195	8.8
Eaton County	[2] 30,499	442	14.5
Emmet County	20,213	271	13.4
Genesee County	24,087	434	18.0
Gladwin County	9,575	85	8.9
Gogebic County	12,700	177	13.9
Grand Traverse County	12,046	142	11.8
Gratiot County	[2] 28,820	391	13.6
Hillsdale County	[2] 29,673	462	15.6
Houghton County	101,950	989	9.7
Huron County	35,132	399	11.4
Ingham County	20,094	331	16.5
Ionia County*	[2] 33,550	477	14.2
Iosco County	[2] 9,753	99	10.2
Iron County	19,044	203	10.7
Isabella County	23,182	291	12.6
Jackson County	21,335	344	16.1
Kalamazoo County	21,673	256	11.8
Kalkaska County	8,702	93	10.7
Kent County	49,355	799	16.2
Keweenaw County	9,632	75	7.8
Lake County	[2] 4,939	43	8.7
Lapeer County	[2] 26,033	471	18.1
Leelanau County	10,639	122	11.5
Lenawee County	[2] 37,144	522	14.1
Livingston County	[2] 17,736	276	15.6
Luce County*	4,644	141	30.4
Mackinac County (total)	10,220	115	11.3
White	8,779	107	12.2
Colored	1,441	8	5.6
Macomb County	[2] 32,606	526	16.1
Manistee County	[2] 14,307	160	11.2
Marquette County	25,845	253	9.8
Mason County	23,682	214	9.0
Mecosta County	[2] 19,466	246	12.6
Menominee County	[2] 15,141	141	9.3
Midland County	[2] 14,005	180	12.9
Missaukee County	11,419	98	8.6
Monroe County	33,018	439	13.3
Montcalm County	[2] 32,069	404	12.6
Montmorency County	4,082	44	10.8
Muskegon County	16,702	262	15.7
Newaygo County	20,191	221	10.9
Oakland County	35,057	583	16.6
Oceana County	19,469	229	11.8
Ogemaw County	9,624	112	11.6
Ontonagon County	10,190	116	11.4
Osceola County	17,908	182	10.2
Oscoda County	2,377	15	6.3
Ostego County	6,788	90	13.3
Ottawa County	36,656	396	10.8
Presque Isle County	12,775	129	10.1
Roscommon County	2,578	34	13.2
Saginaw County	38,720	453	11.7
St. Clair County	[2] 33,478	457	13.7
St. Joseph County	26,511	324	12.2
Sanilac County	[2] 33,930	359	10.6
Schoolcraft County	9,178	87	9.5
Shiawassee County	[2] 33,246	469	14.1
Tuscola County	[2] 34,913	447	12.8
Van Buren County	[2] 33,185	486	14.6
Washtenaw County	[2] 29,897	480	16.1
Wayne County	69,592	2,431	34.9
Wexford County	23,234	258	11.1
MINNESOTA.			
Aitkin County	12,651	83	6.6
Anoka County*	13,234	185	14.0
Becker County	20,695	200	9.7
Beltrami County[20]	35,550	380	10.7
Benton County	11,336	77	6.8
Big Stone County	9,765	96	9.8
Blue Earth County	[2] 18,972	144	7.6
Brown County	20,352	247	12.1
Carlton County	22,301	170	7.6
Carver County	[2] 17,455	163	9.3
Cass County (total)	14,036	171	12.2
White	12,994	143	11.0
Colored	1,042	28	26.9
Chippewa County	14,061	135	9.6
Chisago County	13,718	142	10.4
Clay County	20,709	165	8.0
Cook County	1,666	10	6.0
Cottonwood County	13,017	115	8.8
Crow Wing County	18,501	260	14.1
Dakota County*	27,333	306	11.2
Dodge County	[2] 12,094	105	8.7
Douglas County	[2] 17,669	186	10.5
Faribault County	[2] 19,949	176	8.8
Fillmore County	[2] 25,680	249	9.7
Freeborn County	22,561	207	9.2
Goodhue County	31,950	382	12.0
Grant County	9 226	71	7.7
Hennepin County	36,126	337	9.3
Houston County	[2] 14,297	116	8.1
Hubbard County	11,374	86	7.2
Isanti County	13,205	149	11.3
Itasca County[21]	35,624	228	6.4
Jackson County	[2] 14,491	142	9.8
Kanabec County	7,622	68	8.9
Kandiyohi County	19,317	220	11.4
Kittson County	10,787	103	9.5
Lac Qui Parle County	16,155	122	7.6
Lake County	10,122	73	7.2
Le Sueur County	[2] 18,609	170	9.1
Lincoln County	10,444	85	8.1
Lyon County	16,431	135	8.2
McLeod County	[2] 18,691	184	9.8
Mahnomen County (total)	[22] 3,249	44	13.5
White	[22] 1,614	23	14.3
Colored	[22] 1,635	21	12.8
Marshall County	16,740	163	9.7
Martin County	17,833	198	11.1
Meeker County	[2] 17,022	178	10.5
Mille Lacs County	12,363	121	9.8
Morrison County	24,783	216	8.7
Mower County	22,830	218	9.5
Murray County	[2] 11,755	94	8.0
Nicollet County*	[2] 14,125	244	17.3
Nobles County	15,384	120	7.8
Norman County	[22] 13,446	120	8.9
Olmsted County*	[2] 22,497	767	34.1
Otter Tail County*	46,452	593	12.8
Pine County	18,600	145	7.8
Pipestone County	9,733	83	8.5
Polk County	36,361	341	9.4
Pope County	12,852	132	10.3
Ramsey County	9,838	90	9.1
Red Lake County[23]	18,293	152	8.3
Redwood County	19,156	141	7.4
Renville County	[2] 23,123	160	6.9
Rice County	[2] 25,911	386	14.9
Rock County	10,570	69	6.5
Roseau County	14,069	101	7.2
St. Louis County	104,096	892	8.6
Scott County	[2] 14,888	153	10.3
Sherburne County	7,615	72	9.5
Sibley County	[2] 15,540	130	8.4
Stearns County	40,376	349	8.6
Steele County	[2] 16,146	167	10.3
Stevens County	[2] 8,293	74	8.9
Swift County	[2] 12,949	95	7.3
Todd County	24,156	189	7.8
Traverse County	8,347	57	6.8
Wabasha County	[2] 18,554	179	9.6
Wadena County	9,111	97	10.6
Waseca County	[2] 13,466	144	10.7
Washington County	[2] 15,815	159	10.1
Watonwan County	[2] 11,382	115	10.1
Wilkin County	9,680	68	7.0
Winona County	[2] 14,815	154	10.4
Wright County	[2] 28,082	277	9.9
Yellow Medicine County	15,909	128	8.0

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
MISSOURI.			
Adair County	23,308	248	10.6
Andrew County	[2] 15,282	149	9.8
Atchison County	[2] 13,604	106	7.8
Audrain County	22,015	211	9.6
Barry County	[2] 23,869	235	9.8
Barton County	[2] 16,747	194	11.6
Bates County	[2] 25,869	317	12.3
Benton County	[2] 14,881	113	7.6
Bollinger County	[2] 14,576	101	6.9
Boone County (total)	31,719	409	12.9
White	27,774	342	12.3
Colored	3,945	67	17.0
Buchanan County	[6] 14,942	162	10.8
Butler County	23,044	363	15.8
Caldwell County	[2] 14,605	162	11.1
Callaway County* (total)	[2] 24,400	357	14.6
White	[2] 20,885	288	13.8
Colored	[2] 3,515	69	19.6
Camden County	[2] 11,582	82	7.1
Cape Girardeau County	29,698	350	11.8
Carroll County	[2] 23,098	264	11.4
Carter County	[2] 5,504	46	8.4
Cass County	[2] 22,973	230	10.0
Cedar County	[2] 16,080	179	11.1
Chariton County	[2] 23,503	221	9.4
Christian County	[2] 15,832	136	8.6
Clark County	[2] 12,811	135	10.5
Clay County	21,181	275	13.0
Clinton County	[2] 15,297	177	11.6
Cole County	9,339	86	9.2
Cooper County (total)	[2] 20,311	233	11.5
White	[2] 17,432	188	10.8
Colored	[2] 2,879	45	15.6
Crawford County	13,962	136	9.7
Dade County	[2] 15,613	165	10.6
Dallas County	[2] 13,181	78	5.9
Daviess County	[2] 17,605	184	10.5
Dekalb County	[2] 12,531	114	9.1
Dent County	13,406	90	6.7
Douglas County	[2] 16,664	122	7.3
Dunklin County	35,748	600	16.8
Franklin County	[2] 29,830	331	11.1
Gasconade County	13,191	141	10.7
Gentry County	[2] 16,820	159	9.5
Greene County	30,479	292	9.6
Grundy County	[2] 16,744	185	11.0
Harrison County	[2] 20,466	220	10.7
Henry County	[2] 27,242	260	9.5
Hickory County	[2] 8,741	75	8.6
Holt County	[2] 14,539	157	10.8
Howard County (total)	[2] 15,653	197	12.6
White	[2] 12,500	140	11.2
Colored	[2] 3,153	57	18.1
Howell County	[2] 21,065	216	10.3
Iron County	[2] 8,563	111	13.0
Jackson County	41,205	500	12.1
Jasper County	46,189	712	15.4
Jefferson County	29,238	357	12.2
Johnson County	[2] 26,297	290	11.0
Knox County	[2] 12,403	116	9.4
Laclede County	17,891	110	6.1
Lafayette County	[2] 30,154	378	12.5
Lawrence County	[2] 26,583	348	13.1
Lewis County	[2] 15,514	150	9.7
Lincoln County	[2] 17,033	213	12.5
Linn County	[2] 25,253	329	13.0
Livingston County	[2] 19,453	257	13.2
McDonald County	[2] 13,539	94	6.9
Macon County	[2] 30,868	328	10.6
Madison County	12,086	148	12.2
Maries County	10,384	100	9.6
Marion County	11,400	140	12.3
Mercer County	[2] 12,335	153	12.4
Miller County	17,678	138	7.8
RURAL PART OF REGISTRATION STATES[10]—Con.			
MISSOURI—continued.			
Mississippi County (total)	16,264	183	11.3
White	14,418	158	11.0
Colored	1,846	25	13.5
Moniteau County	[2] 14,375	183	12.7
Monroe County	[2] 18,304	217	11.9
Montgomery County	[2] 15,604	210	13.5
Morgan County	13,295	134	10.1
New Madrid County (total)	24,647	231	9.4
White	22,508	227	10.1
Colored	2,139	4	1.9
Newton County	27,220	305	11.2
Nodaway County	[2] 28,333	313	10.9
Oregon County	15,166	59	3.9
Osage County	14,401	161	11.2
Ozark County	[2] 11,926	75	6.3
Pemiscot County	24,238	351	14.5
Perry County	[2] 14,898	137	9.2
Pettis County	15,389	129	8.4
Phelps County	16,802	217	12.9
Pike County (total)	[2] 22,556	277	12.3
White	[2] 19,206	217	11.3
Colored	[2] 3,350	60	17.9
Platte County	[2] 14,429	164	11.4
Polk County	[2] 21,561	221	10.2
Pulaski County	12,092	123	10.2
Putnam County	[2] 14,308	130	9.1
Ralls County	13,304	113	8.5
Randolph County	14,523	202	13.9
Ray County	[2] 21,451	230	10.7
Reynolds County	10,492	84	8.0
Ripley County	[2] 13,099	107	8.2
St. Charles County	24,832	278	11.2
St. Clair County	[2] 16,412	146	8.9
St. Francois County*	43,083	500	11.6
St. Louis County	102,770	1,409	13.7
Ste. Genevieve County	10,762	124	11.5
Saline County (total)	[2] 29,448	376	12.8
White	[2] 25,664	311	12.1
Colored	[2] 3,784	65	17.2
Schuyler County	[2] 9,062	72	7.9
Scotland County	[2] 11,869	116	9.8
Scott County	28,205	240	8.5
Shannon County	11,565	78	6.7
Shelby County	[2] 14,864	152	10.2
Stoddard County	29,779	410	13.8
Stone County	12,606	103	8.2
Sullivan County	[2] 18,598	190	10.2
Taney County	[2] 9,134	72	7.9
Texas County	[2] 21,458	178	8.3
Vernon County*	[2] 28,827	422	14.6
Warren County	[2] 9,123	79	8.7
Washington County	[2] 13,378	174	13.0
Wayne County	[2] 15,181	124	8.2
Webster County	17,839	213	11.9
Worth County	[2] 8,007	71	8.9
Wright County	18,814	162	8.6
MONTANA.			
Beaverhead County	6,969	80	11.5
Broadwater County	4,026	23	5.7
Cascade County	16,805	88	5.2
Chouteau County [24]	52,917	779	14.7
Custer County [25]	119,419	1,297	10.9
Deer Lodge County* [26]	9,273	196	21.1
Flathead County [27]	30,625	247	8.1
Gallatin County	16,923	152	9.0
Granite County	[2] 2,942	43	14.6
Jefferson County	5,771	52	9.0
Lewis and Clark County	9,927	80	8.1
Madison County	[2] 7,229	81	11.2
Missoula County [28]	17,484	158	9.0
Park County	12,862	116	9.0
Ravalli County	14,082	117	8.3
Silver Bow County	19,216	339	17.6
RURAL PART OF REGISTRATION STATES[10]—Con.			
NEW HAMPSHIRE.			
Belknap County	10,902	183	16.8
Carroll County	[2] 16,316	255	15.6
Cheshire County	[2] 20,591	270	13.1
Coos County	17,962	280	15.6
Grafton County	42,160	629	14.9
Hillsborough County	28,906	559	19.3
Merrimack County	31,234	528	16.9
Rockingham County	41,193	643	15.6
Strafford County	[2] 25,704	393	15.3
Sullivan County	20,170	323	16.0
NEW JERSEY.			
Atlantic County	30,260	450	14.9
Bergen County	144,073	1,615	11.2
Burlington County	71,800	1,137	15.8
Camden County	57,414	884	15.4
Cape May County	23,858	335	14.0
Cumberland County	29,625	455	15.4
Essex County	50,795	1,101	21.7
Gloucester County	40,802	594	14.6
Hudson County	51,650	1,267	24.5
Hunterdon County	[2] 33,569	548	16.3
Mercer County	33,108	610	18.4
Middlesex County	69,521	987	14.2
Monmouth County	73,302	1,222	16.7
Morris County*	67,422	1,110	16.5
Ocean County	22,306	308	13.8
Passaic County	43,878	566	12.9
Salem County (total)	27,923	481	17.2
White	24,412	421	17.2
Colored	3,511	60	17.1
Somerset County	42,511	647	15.2
Sussex County	28,446	350	12.3
Union County	55,381	783	14.1
Warren County	30,979	411	13.3
NEW YORK.			
Albany County	31,995	463	14.5
Allegany County	[2] 41,412	574	13.9
Broome County	30,909	680	22.0
Cattaraugus County	49,470	697	14.1
Cayuga County	30,268	495	16.4
Chautauqua County	58,371	765	13.1
Chemung County	16,918	285	16.8
Chenango County	[2] 35,575	599	16.8
Clinton County*	35,897	532	14.8
Columbia County	31,233	460	14.7
Cortland County	17,230	261	15.1
Delaware County	[2] 45,575	672	14.7
Dutchess County*	61,037	1,300	21.3
Erie County*	104,353	1,254	12.0
Essex County	35,187	584	16.6
Franklin County	47,518	738	15.5
Fulton County	12,869	236	18.3
Genesee County	26,184	337	12.9
Greene County	[2] 30,214	550	18.2
Hamilton County	[2] 4,373	56	12.8
Herkimer County	46,240	775	16.8
Jefferson County	52,774	830	15.7
Lewis County	[2] 24,849	379	15.3
Livingston County	38,653	644	16.7
Madison County	[2] 39,289	667	17.0
Monroe County	65,342	875	13.4
Montgomery County	26,800	421	15.7
Nassau County	101,836	1,399	13.7
Niagara County	31,771	410	12.9
Oneida County	56,447	924	16.4
Onondaga County	64,517	1,123	17.4
Ontario County	40,259	606	15.1
Orange County	78,220	1,116	14.3
Orleans County	33,155	448	13.5
Oswego County	36,147	647	17.9
Otsego County	[2] 47,216	828	17.5
Putnam County	15,218	188	12.4
Rensselaer County	33,547	474	14.1
Rockland County	52,263	644	12.3
St. Lawrence County	[18] 72,287	1,158	16.0

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
NEW YORK—continued.			
Saratoga County	48,616	699	14.4
Schenectady County	14,731	201	13.6
Schoharie County	[2] 23,855	371	15.6
Schuyler County	[2] 14,004	217	15.5
Seneca County *	[2] 26,972	599	22.2
Steuben County	53,609	1,016	19.0
Suffolk County *	107,803	2,344	21.7
Sullivan County	34,752	722	20.8
Tioga County	[2] 25,624	412	16.1
Tompkins County	[18] 17,799	339	19.0
Ulster County	67,102	849	12.7
Warren County	16,762	241	14.4
Washington County	49,131	694	14.1
Wayne County	51,133	724	14.2
Westchester County	99,679	1,358	13.6
Wyoming County	32,801	425	13.0
Yates County	[2] 18,642	269	14.4
NORTH CAROLINA.			
Alamance County (total)	30,626	327	10.7
White	23,170	224	9.7
Colored	7,456	103	13.8
Alexander County	11,990	149	12.4
Alleghany County	[2] 7,745	92	11.9
Anson County (total)	27,726	267	9.6
White	13,354	96	7.2
Colored	14,372	171	11.9
Ashe County	[2] 19,074	183	9.6
Beaufort County (total)	33,690	530	15.7
White	19,733	256	13.0
Colored	13,957	274	19.6
Bertie County (total)	24,611	368	15.0
White	10,052	116	11.5
Colored	14,559	252	17.3
Bladen County (total)	18,212	233	12.8
White	9,657	114	11.8
Colored	8,555	119	13.9
Brunswick County (total)	15,548	154	9.9
White	9,915	79	8.0
Colored	5,633	75	13.3
Buncombe County	32,440	370	11.4
Burke County * (total)	23,739	306	12.9
White	21,234	263	12.4
Colored	2,505	43	17.2
Cabarrus County (total)	28,619	391	13.7
White	22,528	280	12.4
Colored	6,091	111	18.2
Caldwell County [29] (total)	55,812	585	10.5
White	52,683	528	10.0
Colored	3,129	57	18.2
Camden County (total)	5,745	54	9.4
White	3,516	30	8.5
Colored	2,229	24	10.8
Carteret County (total)	15,012	191	12.7
White	12,614	148	11.7
Colored	2,398	43	17.9
Caswell County (total)	[2] 14,858	188	12.7
White	7,207	79	11.0
Colored	[2] 7,651	109	14.2
Catawba County (total)	31,555	341	10.8
White	27,778	280	10.1
Colored	3,777	61	16.2
Chatham County [30] (total)	53,214	585	11.0
White	35,949	404	11.2
Colored	17,265	181	10.5
Cherokee County	15,566	177	11.4
Chowan County (total)	11,960	216	18.1
White	5,609	83	14.8
Colored	6,351	133	20.9
Clay County	[2] 3,909	48	12.3
Cleveland County (total)	32,270	324	10.0
White	25,889	253	9.8
Colored	6,381	71	11.1
Columbus County (total)	32,261	369	11.4
White	21,891	232	10.6
Colored	10,370	137	13.2
RURAL PART OF REGISTRATION STATES[10]—Con.			
NORTH CAROLINA—continued.			
Craven County (total)	26,495	482	18.2
White	12,327	148	12.0
Colored	14,168	334	23.6
Currituck County (total)	8,425	107	12.7
White	5,310	69	13.0
Colored	3,115	38	12.2
Dare County (total)	4,893	71	14.5
White	4,447	58	13.0
Colored	446	13	29.1
Davidson County (total)	33,177	356	10.7
White	29,073	293	10.1
Colored	4,104	63	15.4
Davie County (total)	14,197	175	12.3
White	12,029	132	11.0
Colored	2,168	43	19.8
Duplin County (total)	27,351	317	11.6
White	17,596	187	10.6
Colored	9,755	130	13.3
Durham County (total)	15,900	282	17.7
White	11,577	200	17.3
Colored	4,323	82	19.0
Edgecombe County (total)	35,417	637	18.0
White	14,160	240	16.9
Colored	21,257	397	18.7
Forsyth County (total)	23,731	352	14.8
White	20,005	273	13.6
Colored	3,726	79	21.2
Franklin County (total)	[2] 24,692	322	13.0
White	13,126	151	11.5
Colored	[2] 11,566	171	14.8
Gaston County (total)	42,821	481	11.2
White	33,529	355	10.6
Colored	9,292	126	13.6
Gates County (total)	10,481	94	9.0
White	5,857	44	7.5
Colored	4,624	50	10.8
Graham County	5,005	43	8.6
Granville County (total)	26,258	244	9.3
White	13,792	128	9.3
Colored	12,466	116	9.3
Greene County (total)	13,740	233	17.0
White	7,444	100	13.4
Colored	6,296	133	21.1
Guilford County (total)	54,387	690	12.7
White	43,049	504	11.7
Colored	11,338	186	16.4
Halifax County (total)	41,956	627	14.9
White	14,737	202	13.7
Colored	27,219	425	15.6
Harnett County (total)	26,062	306	11.7
White	18,702	208	11.1
Colored	7,360	98	13.3
Haywood County	24,037	235	9.8
Henderson County (total)	17,618	224	12.7
White	15,768	191	12.1
Colored	1,850	33	17.8
Hertford County (total)	16,154	263	16.3
White	6,617	96	14.5
Colored	9,537	167	17.5
Hyde County (total)	[2] 8,840	84	9.5
White	[2] 5,139	51	9.9
Colored	[2] 3,701	33	8.9
Iredell County (total)	37,616	431	11.5
White	30,081	288	9.6
Colored	7,535	143	19.0
Jackson County	13,718	131	9.5
Johnston County (total)	47,153	609	12.9
White	35,729	426	11.9
Colored	11,424	183	16.0
Jones County (total)	9,032	125	13.8
White	4,725	59	12.5
Colored	4,307	66	15.3
Lenoir County (total)	25,365	441	17.4
White	13,769	222	16.1
Colored	11,596	219	18.9
Lincoln County (total)	18,158	215	11.8
White	15,465	162	10.5
Colored	2,693	53	19.7
RURAL PART OF REGISTRATION STATES[10]—Con.			
NORTH CAROLINA—continued.			
McDowell County (total)	14,147	207	14.6
White	11,949	154	12.9
Colored	2,198	53	24.1
Macon County	12,246	136	11.1
Madison County	[2] 20,132	213	10.6
Martin County (total)	19,313	271	14.0
White	9,525	128	13.4
Colored	9,788	143	14.6
Mecklenburg County (total)	34,603	372	10.8
White	20,869	203	9.7
Colored	13,734	169	12.3
Montgomery County (total)	15,452	158	10.2
White	11,797	109	9.2
Colored	3,655	49	13.4
Nash County (total)	38,912	392	10.1
White	22,604	211	9.3
Colored	16,308	181	11.1
New Hanover County (total)	6,076	107	17.6
White	3,092	33	10.7
Colored	2,984	74	24.8
Northampton County (total)	23,061	257	11.1
White	9,406	95	10.1
Colored	13,655	162	11.9
Onslow County (total)	15,498	180	11.6
White	10,866	122	11.2
Colored	4,632	58	12.5
Orange County (total)	15,300	217	14.2
White	10,584	127	12.0
Colored	4,716	90	19.1
Pamlico County (total)	11,173	107	9.6
White	6,685	60	9.0
Colored	4,488	47	10.5
Pasquotank County (total)	18,600	263	14.1
White	9,405	98	10.4
Colored	9,195	165	17.9
Pender County (total)	16,785	196	11.7
White	8,718	78	8.9
Colored	8,067	118	14.6
Perquimans County (total)	11,659	183	15.7
White	5,702	67	11.8
Colored	5,957	116	19.5
Person County (total)	17,778	257	14.5
White	10,020	125	12.5
Colored	7,758	132	17.0
Pitt County (total)	39,768	568	14.3
White	20,018	231	11.5
Colored	19,750	337	17.1
Polk County (total)	8,038	82	10.2
White	7,016	65	9.3
Colored	1,022	17	16.6
Randolph County (total)	30,281	315	10.4
White	27,020	266	9.8
Colored	3,261	49	15.0
Richmond County (total)	22,073	290	13.1
White	11,925	161	13.5
Colored	10,148	129	12.7
Robeson County [31] (total)	98,300	1,347	13.7
White	47,915	635	13.3
Colored	50,385	712	14.1
Rockingham County (total)	38,504	479	12.4
White	28,744	300	10.4
Colored	9,760	179	18.3
Rowan County (total)	41,578	467	11.2
White	31,901	293	9.2
Colored	9,677	174	18.0
Rutherford County (total)	30,448	325	10.7
White	26,259	264	10.1
Colored	4,189	61	14.6
Sampson County (total)	32,247	387	12.0
White	21,283	239	11.2
Colored	10,964	148	13.5
Scotland County (total)	17,128	226	13.2
White	7,511	84	11.2
Colored	9,617	142	14.8
Stanly County (total)	22,857	229	10.0
White	20,514	177	8.6
Colored	2,343	52	22.2

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
NORTH CAROLINA—continued.			
Stokes County (total)	20,331	194	9.5
White	18,025	152	8.4
Colored	2,306	42	18.2
Surry County	32,338	367	11.3
Swain County	11,661	111	9.5
Transylvania County	7,550	100	13.2
Tyrrell County (total)	5,369	69	12.9
White	3,614	52	14.4
Colored	1,755	17	9.7
Union County (total)	37,125	363	9.8
White	26,944	246	9.1
Colored	10,181	117	11.5
Vance County (total)	21,148	327	15.5
White	10,987	147	13.4
Colored	10,161	180	17.7
Wake County (total)	48,511	622	12.8
White	29,006	329	11.3
Colored	19,505	293	15.0
Warren County (total)	20,968	318	15.2
White	7,634	62	8.1
Colored	13,334	256	19.2
Washington County (total)	11,349	201	17.7
White	5,754	72	12.5
Colored	5,595	129	23.1
Wayne County* (total)	38,428	738	19.2
White	21,491	332	15.4
Colored	16,937	406	24.0
Wilkes County	32,425	316	9.7
Wilson County (total)	31,207	539	17.3
White	17,318	265	15.3
Colored	13,889	274	19.7
Yadkin County	16,273	170	10.4
Yancey County	12,453	149	12.0
OHIO.			
Adams County	[2] 24,755	303	12.2
Allen County	26,605	378	14.2
Ashland County	24,100	353	14.6
Ashtabula County	43,141	623	14.4
Athens County*	53,498	675	12.6
Auglaize County	31,279	390	12.5
Belmont County	72,554	1,022	14.1
Brown County	[2] 24,832	320	12.9
Butler County	22,576	342	15.1
Carroll County	[2] 15,761	200	12.7
Champaign County	[2] 26,351	388	14.7
Clark County	19,598	280	14.3
Clermont County	[2] 29,551	478	16.2
Clinton County	[2] 23,680	322	13.6
Columbiana County	59,081	735	12.4
Coshocton County	30,613	351	11.5
Crawford County	34,112	436	12.8
Cuyahoga County	65,409	987	15.1
Darke County	43,184	495	11.5
Defiance County	[2] 24,498	331	13.5
Delaware County	27,672	389	14.1
Erie County	18,557	392	21.1
Fairfield County	26,635	276	10.4
Fayette County	21,755	266	12.2
Franklin County	42,592	610	14.3
Fulton County	24,612	292	11.9
Gallia County	[2] 25,745	427	16.6
Geauga County	[2] 14,670	194	13.2
Greene County (total)	[2] 29,733	466	15.7
White	[2] 25,760	378	14.7
Colored	[2] 3,973	88	22.1
Guernsey County	34,444	317	9.2
Hamilton County	60,191	732	12.2
Hancock County	[2] 23,002	240	10.4
Hardin County	[2] 30,407	477	15.7
Harrison County	[2] 19,076	206	10.8
Henry County	[2] 25,119	237	9.4
Highland County	[2] 28,711	397	13.8
Hocking County	[2] 23,650	285	12.1
Holmes County	[2] 17,909	199	11.1
Huron County	35,386	459	13.0
RURAL PART OF REGISTRATION STATES[10]—Con.			
OHIO—continued.			
Jackson County	[2] 30,791	329	10.7
Jefferson County	51,220	534	10.4
Knox County	31,696	395	12.5
Lake County	23,709	338	14.3
Lawrence County	[2] 26,341	287	10.9
Licking County	31,311	376	12.0
Logan County	[2] 30,084	394	13.1
Lorain County	33,770	429	12.7
Lucas County	19,234	261	13.6
Madison County	[2] 19,902	265	13.3
Mahoning County	36,697	600	16.4
Marion County	13,869	198	14.3
Medina County	24,629	346	14.0
Meigs County	[2] 25,594	329	12.9
Mercer County	[2] 27,536	312	11.3
Miami County	32,115	398	12.4
Monroe County	[2] 24,244	213	8.8
Montgomery County[17]	57,672	1,090	18.9
Morgan County	[2] 16,097	219	13.6
Morrow County	[2] 16,815	228	13.6
Muskingum County	29,329	377	12.9
Noble County	[2] 18,601	225	12.1
Ottawa County	22,452	245	10.9
Paulding County	[2] 22,730	194	8.5
Perry County	37,631	346	9.2
Pickaway County	[2] 26,158	303	11.6
Pike County	[2] 15,723	189	12.0
Portage County	30,971	469	15.1
Preble County	23,909	330	13.8
Putnam County	[2] 29,972	334	11.1
Richland County	27,056	325	12.0
Ross County	[2] 25,561	317	12.4
Sandusky County	35,711	466	13.0
Scioto County	24,425	369	15.1
Seneca County	30,343	401	13.2
Shelby County	24,686	312	12.6
Stark County*	45,618	743	16.3
Summit County	40,599	856	21.1
Trumbull County	43,587	637	14.6
Tuscarawas County	59,097	726	12.3
Union County	[2] 21,871	271	12.4
Van Wert County	[2] 29,119	255	8.8
Vinton County	[2] 13,096	165	12.6
Warren County	[2] 24,497	402	16.4
Washington County	[2] 32,499	316	9.7
Wayne County	38,176	523	13.7
Williams County	25,351	319	12.6
Wood County	[2] 46,330	539	11.6
Wyandot County	[2] 20,760	250	12.0
PENNSYLVANIA.			
Adams County	[2] 34,319	399	11.6
Allegheny County	410,746	5,489	13.4
Armstrong County	77,516	910	11.7
Beaver County	78,603	1,159	14.7
Bedford County	[2] 38,879	482	12.4
Berks County*	88,252	1,580	17.9
Blair County	65,137	790	12.1
Bradford County	[2] 54,526	935	17.1
Bucks County	79,887	1,183	14.8
Butler County	54,944	642	11.7
Cambria County	136,138	1,674	12.3
Cameron County	8,018	101	12.6
Carbon County	58,037	841	14.5
Center County	43,756	592	13.5
Chester County	78,368	1,209	15.4
Clarion County	38,117	393	10.3
Clearfield County	87,374	911	10.4
Clinton County	33,021	449	13.6
Columbia County	53,857	619	11.5
Crawford County	[2] 48,785	684	14.0
Cumberland County	46,352	620	13.4
Dauphin County*	62,236	971	15.6
Delaware County	91,060	1,326	14.6
Elk County	37,737	427	11.3
Erie County	51,039	701	13.7
RURAL PART OF REGISTRATION STATES[10]—Con.			
PENNSYLVANIA—continued.			
Fayette County	167,072	2,162	12.9
Forest County	[2] 9,435	85	9.0
Franklin County	50,457	780	15.5
Fulton County	[2] 9,703	147	15.1
Greene County	29,260	345	11.8
Huntingdon County	40,602	631	15.5
Indiana County	81,080	1,018	12.6
Jefferson County	65,590	760	11.6
Juniata County	[2] 15,013	182	12.1
Lackawanna County	99,168	1,428	14.4
Lancaster County	110,205	1,500	13.6
Lawrence County	37,063	447	12.1
Lebanon County	42,393	616	14.5
Lehigh County	65,899	1,116	16.9
Luzerne County	231,201	2,898	12.5
Lycoming County	50,240	541	10.8
McKean County	[2] 33,324	343	10.3
Mercer County	61,463	786	12.8
Mifflin County	30,691	438	14.3
Monroe County	24,059	325	13.5
Montgomery County	140,628	1,791	12.7
Montour County*	[2] 14,868	348	23.4
Northampton County	81,484	1,180	14.5
Northumberland County	66,656	912	13.7
Perry County	[2] 24,136	320	13.3
Pike County	[2] 8,033	117	14.6
Potter County	[2] 29,729	294	9.9
Schuylkill County	160,842	2,602	16.2
Snyder County	[2] 16,800	228	13.6
Somerset County	79,193	922	11.6
Sullivan County	[2] 11,293	113	10.0
Susquehanna County	[2] 37,746	522	13.8
Tioga County	[2] 42,829	540	12.6
Union County	[2] 16,249	188	11.6
Venango County	41,280	521	12.6
Warren County*	25,228	412	16.3
Washington County	154,438	2,005	13.0
Wayne County	[2] 29,236	397	13.6
Westmoreland County	[2] 38,909	2,912	12.2
Wyoming County	[2] 15,509	175	11.3
York County	97,316	1,077	11.1
RHODE ISLAND.			
Bristol County	20,404	356	17.4
Kent County	10,434	138	13.2
Newport County	13,462	159	11.8
Providence County	45,185	543	12.0
Washington County	25,438	391	15.4
SOUTH CAROLINA.			
Abbeville County (total)	35,687	404	11.3
White	12,879	116	9.0
Colored	22,808	288	12.6
Aiken County (total)	43,619	472	10.8
White	20,010	226	11.3
Colored	23,609	246	10.4
Anderson County (total)	78,268	911	11.6
White	50,149	511	10.2
Colored	28,119	400	14.2
Bamberg County (total)	19,327	227	11.7
White	5,677	50	8.8
Colored	13,650	177	13.0
Barnwell County (total)	[2] 34,209	261	7.6
White	[2] 9,561	69	7.2
Colored	[2] 24,648	192	7.8
Beaufort County[32] (total)	56,352	886	15.7
White	13,454	131	9.7
Colored	42,898	755	17.6
Berkeley County (total)	[2] 23,487	416	17.7
White	[2] 5,256	51	9.7
Colored	[2] 18,231	365	20.0
Charleston County (total)	28,228	619	21.9
White	5,650	58	10.3
Colored	22,578	561	24.8

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
SOUTH CAROLINA—continued.			
Cherokee County (total)	29,210	322	11.0
White	20,003	191	9.5
Colored	9,207	131	14.2
Chester County (total)	29,935	428	14.3
White	10,937	110	10.1
Colored	18,998	318	16.7
Chesterfield County (total)	30,009	356	11.9
White	17,926	190	10.6
Colored	12,083	166	13.7
Clarendon County (total)	34,704	585	16.9
White	9,273	118	12.7
Colored	25,431	467	18.4
Colleton County (total)	36,608	401	11.0
White	14,293	137	9.6
Colored	22,315	264	11.8
Darlington County[33] (total)	138,598	1,997	14.4
White	48,567	568	11.7
Colored	90,031	1,429	15.9
Dorchester County (total)	18,896	228	12.1
White	7,351	63	8.6
Colored	11,545	165	14.3
Edgefield County (total)	30,043	267	8.9
White	8,679	64	7.4
Colored	21,364	203	9.5
Fairfield County (total)	29,452	286	9.7
White	7,074	58	8.2
Colored	22,378	228	10.2
Florence County (total)	40,196	732	18.2
White	17,534	274	15.6
Colored	22,662	458	20.2
Georgetown County (total)	[2] 22,270	399	17.9
White	6,158	69	11.2
Colored	[2] 16,112	330	20.5
Greenville County (total)	59,555	714	12.0
White	44,718	485	10.8
Colored	14,837	229	15.4
Greenwood County (total)	37,923	499	13.2
White	15,116	183	12.1
Colored	22,807	316	13.9
Horry County (total)	29,278	389	13.3
White	22,386	231	10.3
Colored	6,892	158	22.9
Lancaster County (total)	28,121	411	14.6
White	14,356	208	14.5
Colored	13,765	203	14.7
Laurens County (total)	44,171	513	11.6
White	21,053	213	10.1
Colored	23,118	300	13.0
Lexington County [34] (total)	115,656	1,524	13.2
White	48,562	429	8.8
Colored	67,094	1,095	16.3
Marion County [35] (total)	48,259	610	12.6
White	22,520	231	10.3
Colored	25,739	379	14.7
Marlboro County (total)	33,420	467	14.0
White	12,908	190	14.7
Colored	20,512	277	13.5
Newberry County (total)	37,355	427	11.4
White	13,924	168	12.1
Colored	23,431	259	11.1
Oconee County (total)	29,666	350	11.8
White	22,347	243	10.9
Colored	7,319	107	14.6
Pickens County (total)	29,223	322	11.0
White	23,396	229	9.8
Colored	5,827	93	16.0
Richland County (total)	26,537	282	10.6
White	10,822	57	5.3
Colored	15,715	225	14.3
Saluda County (total)	22,186	184	8.3
White	10,342	94	9.1
Colored	11,844	90	7.6
Spartanburg County (total)	73,357	794	10.8
White	52,155	492	9.4
Colored	21,202	302	14.2
Union County (total)	32,683	361	11.0
White	16,638	169	10.2
Colored	16,045	192	12.0
Williamsburg County (total)	41,361	483	11.7
White	16,041	105	6.5
Colored	25,320	378	14.9
York County (total)	51,512	643	12.5
White	23,933	242	10.1
Colored	27,579	401	14.5
UTAH.			
Beaver County	5,411	52	9.6
Box Elder County	16,335	160	9.8
Cache County	26,156	240	9.2
Carbon County	10,899	128	11.7
Davis County	11,570	98	8.5
Emery County	8,066	54	6.7
Garfield County	3,822	45	11.8
Grand County	1,875	14	7.5
Iron County	4,176	52	12.5
Juab County	11,092	83	7.5
Kane County	[2] 1,652	16	9.7
Millard County	6,393	85	13.3
Morgan County	2,732	19	7.0
Piute County	[2] 1,734	18	10.4
Rich County	[2] 1,883	14	7.4
Salt Lake County	47,789	554	11.6
San Juan County (total)	3,229	11	3.4
White	1,265	11	8.7
Colored	1,964	------	------
Sanpete County	16,949	154	9.1
Sevier County	10,608	110	10.4
Summit County	[2] 8,200	104	12.7
Tooele County	8,278	71	8.6
Uinta County (total)	7,423	59	7.9
White	6,712	42	6.3
Colored	711	17	23.9
Utah County *	41,390	444	10.7
Wasatch County [36]	11,549	103	8.9
Washington County	5,443	56	10.3
Wayne County	[2] 1,749	5	2.9
Weber County	10,023	77	7.7
VERMONT.			
Addison County	[2] 20,010	288	14.4
Bennington County	[2] 21,378	350	16.4
Caledonia County	27,068	409	15.1
Chittenden County	22,618	326	14.4
Essex County	[2] 7,384	105	14.2
Franklin County	[2] 29,866	502	16.8
Grand Isle County	[2] 3,761	56	14.9
Lamoille County	12,771	168	13.2
Orange County	[2] 18,703	327	17.5
Orleans County	24,163	350	14.5
Rutland County	35,778	481	13.4
Washington County *	32,737	496	15.2
Windham County	27,102	474	17.5
Windsor County	34,595	509	14.7
VIRGINIA.			
Accomac County (total)	39,215	416	10.6
White	25,031	221	8.8
Colored	14,184	195	13.7
Albemarle County (total)	25,748	506	19.7
White	17,746	286	16.1
Colored	8,002	220	27.5
Alexandria County (total)	11,413	143	12.5
White	8,979	93	10.4
Colored	2,434	50	20.5
Alleghany County (total)	15,068	161	10.7
White	12,326	118	9.6
Colored	2,742	43	15.7
Amelia County (total)	[2] 8,720	146	16.7
White	3,230	42	13.0
Colored	[2] 5,490	104	18.9
Amherst County (total)	19,604	292	14.9
White	11,871	192	16.2
Colored	7,733	100	12.9
Appomattox County (total)	[2] 8,904	126	14.2
White	5,815	74	12.7
Colored	[2] 3,089	52	16.8
Augusta County (total)	33,526	412	12.3
White	29,439	326	11.1
Colored	4,087	86	21.0
Bath County (total)	7,130	63	8.8
White	5,847	50	8.6
Colored	1,283	13	10.1
Bedford County (total)	[2] 29,549	388	13.1
White	21,094	247	11.7
Colored	[2] 8,455	141	16.7
Bland County	[2] 5,154	65	12.6
Botetourt County (total)	18,082	200	11.1
White	14,829	142	9.6
Colored	3,253	58	17.8
Bristol (city) (total)	7,296	113	15.5
White	6,078	85	14.0
Colored	1,218	28	23.0
Brunswick County (total)	19,891	280	14.1
White	8,195	90	11.0
Colored	11,696	190	16.2
Buchanan County	13,995	178	12.7
Buckingham County (total)	[2] 15,204	165	10.9
White	7,634	65	8.5
Colored	[2] 7,570	100	13.2
Buena Vista (city) (total)	3,783	44	11.6
White	3,363	39	11.6
Colored	420	5	11.9
Campbell County (total)	26,129	344	13.2
White	15,753	209	13.3
Colored	10,376	135	13.0
Caroline County (total)	[2] 16,596	253	15.2
White	7,846	107	13.6
Colored	[2] 8,750	146	16.7
Carroll County	22,255	211	9.5
Charles City County (total)	5,387	79	14.7
White	1,395	15	10.8
Colored	3,992	64	16.0
Charlotte County (total)	16,063	189	11.8
White	7,861	84	10.7
Colored	8,202	105	12.8
Charlottesville (city) (total)	11,964	155	13.0
White	8,237	89	10.8
Colored	3,727	66	17.7
Chesterfield County (total)	18,156	265	14.6
White	11,739	138	11.8
Colored	6,417	127	19.8
Clarke County (total)	[2] 7,468	97	13.0
White	[2] 5,568	64	11.5
Colored	[2] 1,900	33	17.4
Clifton Forge (city) (total)	7,110	59	8.3
White	5,796	46	7.9
Colored	1,314	13	9.9
Craig County	4,973	42	8.4
Culpeper County (total)	[2] 13,472	157	11.7
White	8,210	94	11.4
Colored	[2] 5,262	63	12.0
Cumberland County (total)	9,320	132	14.2
White	3,361	44	13.1
Colored	5,959	88	14.8
Dickenson County	10,113	102	10.1
Dinwiddie County * (total)	15,486	485	31.3
White	6,199	68	11.0
Colored	9,287	417	44.9
Elizabeth City County [17] (total)	22,334	534	23.9
White	14,780	320	21.7
Colored	7,554	214	28.3
Essex County (total)	[2] 9,105	136	14.9
White	3,790	46	12.1
Colored	[2] 5,315	90	16.9
Fairfax County (total)	20,961	274	13.1
White	16,399	190	11.6
Colored	4,562	84	18.4

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
VIRGINIA—continued.			
Fauquier County (total)	[2] 22,526	275	12.2
White	[2] 15,037	172	11.4
Colored	[2] 7,489	103	13.8
Floyd County	[2] 14,092	136	9.7
Fluvanna County (total)	[2] 8,323	104	12.5
White	[2] 4,949	50	10.1
Colored	[2] 3,374	54	16.0
Franklin County (total)	26,810	258	9.6
White	21,698	201	9.3
Colored	5,112	57	11.2
Frederick County	[2] 12,787	141	11.0
Fredericksburg (city) (total)	6,379	127	19.9
White	4,983	86	17.3
Colored	1,396	41	29.4
Giles County	12,146	131	10.8
Gloucester County (total)	[2] 12,477	144	11.5
White	6,570	60	9.1
Colored	[2] 5,907	84	14.2
Goochland County (total)	[2] 9,237	144	15.6
White	4,007	38	9.5
Colored	[2] 5,230	106	20.3
Grayson County	21,744	206	9.5
Greene County (total)	7,391	95	12.9
White	6,110	75	12.3
Colored	1,281	20	15.6
Greensville County (total)	13,231	182	13.8
White	5,186	52	10.0
Colored	8,045	130	16.2
Halifax County (total)	41,833	542	13.0
White	21,357	216	10.1
Colored	20,476	326	15.9
Hanover County (total)	[2] 17,200	267	15.5
White	10,160	143	14.1
Colored	[2] 7,040	124	17.6
Henrico County (total)	15,585	285	18.3
White	11,039	166	15.0
Colored	4,546	119	26.2
Henry County (total)	[2] 18,459	298	16.1
White	10,997	152	13.8
Colored	[2] 7,462	146	19.6
Highland County	[2] 5,317	63	11.8
Isle of Wight County (total)	16,079	216	13.4
White	7,783	80	10.3
Colored	8,296	136	16.4
James City County *(total)	6,718	172	25.6
White	3,670	119	32.4
Colored	3,048	53	17.4
King and Queen County (total)	9,770	154	15.8
White	4,327	51	11.8
Colored	5,443	103	18.9
King George County (total)	[2] 6,378	102	16.0
White	[2] 3,465	47	13.6
Colored	[2] 2,913	55	18.9
King William County (total)	8,652	130	15.0
White	3,668	39	10.6
Colored	4,984	91	18.3
Lancaster County (total)	10,255	143	13.9
White	4,962	49	9.9
Colored	5,293	94	17.8
Lee County	26,342	306	11.6
Loudoun County (total)	[2] 21,167	271	12.8
White	[2] 15,946	197	12.4
Colored	[2] 5,221	74	14.2
Louisa County (total)	16,615	270	16.3
White	9,198	124	13.5
Colored	7,417	146	19.7
Lunenburg County (total)	13,455	212	15.8
White	6,494	93	14.3
Colored	6,961	119	17.1
Madison County (total)	[2] 10,055	98	9.7
White	6,791	63	9.3
Colored	[2] 3,264	35	10.7
RURAL PART OF REGISTRATION STATES[10]—Con.			
VIRGINIA—continued.			
Mathews County (total)	9,350	109	11.7
White	6,764	72	10.6
Colored	2,586	37	14.3
Mecklenburg County (total)	29,567	417	13.7
White	13,051	126	9.7
Colored	16,516	291	17.6
Middlesex County (total)	9,249	134	14.5
White	4,551	49	10.8
Colored	4,698	85	18.1
Montgomery County (total)	18,157	215	11.8
White	16,213	165	10.2
Colored	1,944	50	25.7
Nansemond County (total)	29,279	430	14.7
White	12,125	142	11.7
Colored	17,154	288	16.8
Nelson County (total)	17,289	199	11.5
White	12,285	118	9.6
Colored	5,004	81	16.2
New Kent County (total)	[2] 4,682	64	13.7
White	1,779	19	10.7
Colored	[2] 2,903	45	15.5
Norfolk County (total)	48,360	716	14.8
White	20,555	196	9.5
Colored	27,805	520	18.7
Northampton County (total)	18,496	223	12.1
White	8,121	61	7.5
Colored	10,375	162	15.6
Northumberland County (total)	11,361	165	14.5
White	7,033	86	12.2
Colored	4,328	79	18.3
Nottoway County (total)	14,151	230	16.3
White	6,836	77	11.3
Colored	7,315	153	20.9
Orange County (total)	14,059	140	10.0
White	8,531	75	8.8
Colored	5,528	65	11.8
Page County	14,368	191	13.3
Patrick County	18,319	172	9.4
Pittsylvania County (total)	53,676	707	13.2
White	33,978	392	11.5
Colored	19,698	315	16.0
Powhatan County (total)	[2] 6,099	101	16.6
White	2,466	37	15.0
Colored	[2] 3,633	64	17.6
Prince Edward County (total)	[2] 14,266	229	16.1
White	5,808	74	12.7
Colored	[2] 8,458	155	18.3
Prince George County (total)	7,907	375	47.4
White	3,555	206	57.9
Colored	4,352	169	38.8
Prince William County (total)	12,598	153	12.1
White	9,803	112	11.4
Colored	2,795	41	14.7
Princess Anne County[37] (total)	11,735	319	27.2
White	5,834	101	17.3
Colored	5,901	218	36.9
Pulaski County (total)	18,904	191	10.1
White	16,167	153	9.5
Colored	2,737	38	13.9
Radford (city) (total)	4,741	50	10.5
White	3,944	39	9.9
Colored	797	11	13.8
Rappahannock County (total)	[2] 8,044	89	11.1
White	[2] 5,896	62	10.5
Colored	[2] 2,148	27	12.6
Richmond County (total)	7,620	130	17.1
White	4,460	67	15.0
Colored	3,160	63	19.9
Roanoke County (total)	20,455	279	13.6
White	17,131	218	12.7
Colored	3,324	61	18.4
Rockbridge County (total)	[2] 21,171	245	11.6
White	[2] 17,642	196	11.1
Colored	[2] 3,529	49	13.9
Rockingham County	35,766	450	12.6
RURAL PART OF REGISTRATION STATES[10]—Con.			
VIRGINIA—continued.			
Russell County	26,895	254	9.4
Scott County	24,516	260	10.6
Shenandoah County	21,374	266	12.4
Smyth County *	22,340	346	15.5
Southampton County (total)	28,473	384	13.5
White	10,866	125	11.5
Colored	17,607	259	14.7
Spotsylvania County (total)	10,374	98	9.4
White	6,963	57	8.2
Colored	3,411	41	12.0
Stafford County (total)	[2] 8,070	75	9.3
White	[2] 6,350	62	9.8
Colored	1,720	13	7.6
Surry County (total)	10,497	139	13.2
White	3,977	43	10.8
Colored	6,520	96	14.7
Sussex County (total)	14,657	212	14.5
White	5,066	53	10.5
Colored	9,591	159	16.6
Tazewell County (total)	25,927	304	11.7
White	23,585	234	9.9
Colored	2,342	70	29.9
Warren County (total)	[2] 8,589	103	12.0
White	7,457	80	10.7
Colored	[2] 1,132	23	20.3
Warwick County (total)	6,765	148	21.9
White	2,049	21	10.2
Colored	4,716	127	26.9
Washington County	35,239	410	11.6
Westmoreland County (total)	9,356	139	14.9
White	4,811	60	12.5
Colored	4,545	79	17.4
Winchester (city) (total)	6,305	125	19.8
White	5,310	104	19.6
Colored	995	21	21.1
Wise County	43,282	548	12.7
Wythe County (total)	[2] 20,372	224	11.0
White	18,183	188	10.3
Colored	[2] 2,189	36	16.4
York County (total)	7,929	111	14.0
White	4,366	41	9.4
Colored	3,563	70	19.6
WASHINGTON.			
Adams County	14,743	70	4.7
Asotin County	7,381	54	7.3
Chelan County	22,129	154	7.0
Clallam County (total)	7,479	131	17.5
White	6,499	100	15.4
Colored	980	31	31.6
Clarke County	34,098	278	8.2
Columbia County	[2] 7,042	63	8.9
Cowlitz County	15,506	91	5.9
Douglas County[38]	26,097	150	5.7
Ferry County (total)	4,951	63	12.7
White	4,075	45	11.0
Colored	876	18	20.5
Franklin County	8,087	52	6.4
Garfield County	4,374	30	6.9
Grays Harbor County	28,123	220	7.8
Island County	6,487	35	5.4
Jefferson County	9,987	95	9.5
King County	45,758	577	12.6
Kitsap County	24,487	247	10.1
Kittitas County	24,130	160	6.6
Lewis County	42,795	311	7.3
Lincoln County	21,042	168	8.0
Mason County	6,001	51	8.5
Okanogan County	18,041	131	7.3
Pacific County	15,649	124	7.4
Pierce County *	49,093	531	10.8
San Juan County	4,026	39	9.7
Skagit County	38,652	371	9.6
Skamania County	3,639	26	7.1

For footnotes see p. 77.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1916—Continued.

[See notes at head of this table.]

AREA.	Population estimated as of July 1, 1916.	DEATHS: 1916. Number.	DEATHS: 1916. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[10]—Con.			
WASHINGTON—continued.			
Snohomish County	45,889	285	6.2
Spokane County *	40,547	398	9.8
Stevens County [39]	34,573	234	6.8
Thurston County	22,393	185	8.3
Wahkiakum County	3,578	28	7.8
Walla Walla County	15,126	130	8.6
Whatcom County	32,491	233	7.2
Whitman County	38,260	272	7.1
Yakima County [40]	63,995	433	6.8
WISCONSIN.			
Adams County	[2] 8,604	115	13.4
Ashland County (total)	12,426	72	5.8
White	11,239	70	6.2
Colored	1,187	2	1.7
Barron County	32,532	298	9.2
Bayfield County	16,989	127	7.5
Brown County	29,610	271	9.2
Buffalo County	[2] 16,006	146	9.1
Burnett County	9,999	92	9.2
Calumet County	[2] 16,701	154	9.2
Chippewa County [41]	49,692	526	10.6
Clark County	32,731	280	8.6
Columbia County	31,134	377	12.1
Crawford County	[2] 16,288	201	12.3
Dane County *	51,766	633	12.2
Dodge County	47,941	541	11.3
Door County	19,420	192	9.9
Douglas County	8,166	56	6.9
Dunn County	25,398	267	10.5
Eau Claire County	14,561	109	7.5
RURAL PART OF REGISTRATION STATES[10]—Con.			
WISCONSIN—continued.			
Florence County	3,496	26	7.4
Fond du Lac County	33,025	365	11.1
Forest County	10,167	65	6.4
Grant County	39,086	414	10.6
Green County	[2] 21,641	261	12.1
Green Lake County	[2] 15,491	174	11.2
Iowa County	[2] 22,497	247	11.0
Iron County	9,369	122	13.0
Jackson County	[2] 17,075	185	10.8
Jefferson County	[2] 34,306	373	10.9
Juneau County	[2] 19,569	224	11.4
Kenosha County	8,407	107	12.7
Kewaunee County	[2] 16,784	182	10.8
La Crosse County	12,946	160	12.4
Lafayette County	[2] 20,075	201	10.0
Langlade County	19,895	177	8.9
Lincoln County	20,821	176	8.5
Manitowoc County	32,880	331	10.1
Marathon County	43,231	405	9.4
Marinette County	22,076	176	8.0
Marquette County	10,885	106	9.7
Milwaukee County [17]	61,513	1,606	26.1
Monroe County	29,369	355	12.1
Oconto County	28,662	233	8.1
Oneida County	13,041	106	8.1
Outagamie County	33,062	345	10.4
Ozaukee County	17,600	156	8.9
Pepin County	[2] 7,577	83	11.0
Pierce County	[2] 22,079	206	9.3
RURAL PART OF REGISTRATION STATES[10]—Con.			
WISCONSIN—continued.			
Polk County	23,608	245	10.4
Portage County	31,864	343	10.8
Price County	16,742	146	8.7
Racine County	18,344	248	13.5
Richland County	[2] 18,809	220	11.7
Rock County	25,352	281	10.9
St. Croix County	[2] 25,910	257	9.9
Sauk County	[2] 32,869	375	11.4
Sawyer County (total)	7,883	71	9.0
White	6,474	59	9.1
Colored	1,409	12	8.5
Shawano County	34,654	350	10.1
Sheboygan County	29,185	315	10.8
Taylor County	15,137	130	8.6
Trempealeau County	[2] 22,928	216	9.4
Vernon County	[2] 28,116	286	10.2
Vilas County	6,702	40	6.0
Walworth County	29,838	377	12.6
Washburn County	9,876	91	9.2
Washington County	23,906	258	10.8
Waukesha County	38,274	501	13.1
Waupaca County	33,515	408	12.2
Waushara County	20,717	186	9.0
Winnebago County *	28,497	422	14.8
Wood County	33,548	376	11.2

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Population Apr. 15, 1910. Decrease since 1900.
[3] Population Apr. 15, 1910. Incorporated since 1900.
[4] Colored population less than 10 per cent of the total in 1910.
[5] Estimate based on Federal census 1910 and state census 1915.
[6] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[7] Population Apr. 15, 1910, plus 200 annexed in 1911.
[8] Includes state institutions.
[9] Includes West Warwick town.
[10] Exclusive of municipalities having a population of 10,000 or over in 1910.
[11] Includes Imperial County; separate estimated populations not available.
[12] Includes Adams County; separate estimated populations not available.
[13] Includes Alamosa and Costilla Counties; separate estimated populations not available.
[14] Includes Jackson County; separate estimated populations not available.
[15] Includes Crowley County; separate estimated populations not available.
[16] Includes Moffat County; separate estimated populations not available.
[17] Includes National Military Home.
[18] Population Apr. 15, 1910, exclusive of estimated population July 1, 1916, of the only city of 10,000 inhabitants or more in 1910. Decrease since 1900.
[19] Includes McCreary, Wayne, and Whitley Counties; separate estimated populations not available.
[20] Includes Clearwater County; separate estimated populations not available.
[21] Includes Koochiching County; separate estimated populations not available.
[22] Population Apr. 15, 1910. Mahnomen County organized from part of Norman County in 1906; estimate for combined counties shows decrease.
[23] Includes Pennington County; separate estimated populations not available.
[24] Includes Blaine, Hill, Phillips, Sheridan, Teton, Toole, and Valley Counties; separate estimated populations not available.
[25] Includes Big Horn, Carbon, Dawson, Fallon, Fergus, Meagher, Musselshell, Prairie, Richland, Rosebud, Stillwater, Sweet Grass, Wibaux, and Yellowstone Counties separate estimated populations not available.
[26] Includes Powell County; separate estimated populations not available.
[27] Includes Lincoln County; separate estimated populations not available.
[28] Includes Mineral and Sanders Counties; separate estimated populations not available.
[29] Includes Avery, Mitchell, and Watauga Counties; separate estimated populations not available.
[30] Includes Lee and Moore Counties; separate estimated populations not available.
[31] Includes Cumberland and Hoke Counties; separate estimated populations not available.
[32] Includes Hampton and Jasper Counties; separate estimated populations not available.
[33] Includes Kershaw, Lee, and Sumter Counties; separate estimated populations not available.
[34] Includes Calhoun and Orangeburg Counties; separate estimated populations not available.
[35] Includes Dillon County; separate estimated populations not available.
[36] Includes Duchesne County; separate estimated populations not available.
[37] Includes Norfolk City Almshouse.
[38] Includes Grant County; separate estimated populations not available.
[39] Includes Pend Oreille County; separate estimated populations not available.
[40] Includes Benton and Klickitat Counties; separate estimated populations not available.
[41] Includes Rusk County; separate estimated populations not available.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1913 TO 1916.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect Jan. 1, 1910. Changes depending upon new titles, or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 20) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes	1,001,921	909,155	893,059	890,848	714,933	529,630	1,398.9	1,350.2	1,360.9	1,407.4	1,511.5	1,619.7
	I.—General diseases *	268,040	240,858	238,094	237,400	191,161	146,137	374.2	357.7	360.8	375.0	404.1	446.9
1	Typhoid fever	9,510	8,332	10,185	11,323	12,120	10,458	13.3	12.4	15.4	17.9	25.6	32.0
2	Typhus fever	35	2	3	8	1	3	(1)	(1)	(1)	(1)	(1)	(1)
3	Relapsing fever	1	.....	4	4	1	2	(1)	.....	(1)	(1)	(1)	(1)
4	Malaria	2,175	1,541	1,477	1,565	1,206	1,568	3.0	2.3	2.2	2.5	2.6	4.8
5	Smallpox	114	169	212	125	108	1,119	0.2	0.3	0.3	0.2	0.2	3.4
6	Measles	7,947	3,649	4,461	8,108	5,092	2,951	11.1	5.4	6.8	12.8	10.8	9.0
7	Scarlet fever	2,355	2,419	4,340	5,498	5,030	3,608	3.3	3.6	6.6	8.7	10.6	11.0
8	Whooping cough	7,284	5,421	6,816	6,332	5,440	3,572	0.2	8.1	10.3	10.0	11.5	10.9
9	Diphtheria and croup	10,367	10,544	11,786	11,920	10,576	9,674	14.5	15.7	17.9	18.8	22.4	29.6
10	Influenza	18,886	10,768	6,014	7,725	7,760	6,506	26.4	16.0	9.1	12.2	16.4	19.9
11	Miliary fever	.....	.....	2	.....	(2)	3	.....	.....	(1)	.....	(1)	(1)
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	291	210	306	399	485	460	0.4	0.3	0.5	0.6	1.0	1.4
14	Dysentery	3,550	2,519	3,026	3,216	3,076	2,810	5.0	3.7	4.6	5.1	6.5	8.6
15	Plague	.....	1	10	2	19	18	.....	(1)	(1)	(1)	(1)	0.1
16	Yellow fever	1	.....	.....	.....	1	92	(1)	.....	.....	.....	(1)	0.3
17	Leprosy	11	13	12	6	8	5	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas	2,680	2,340	2,472	2,525	1,977	1,455	3.7	3.5	3.7	4.0	4.2	4.5
19	Other epidemic diseases *	218	235	293	222	156	76	0.3	0.3	0.4	0.4	0.3	0.2
20	Purulent infection and septicemia	1,407	1,555	1,737	1,766	1,798	1,998	2.0	2.3	2.6	2.8	3.8	6.1
21	Glanders	4	4	10	8	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax	28	35	19	25	21	23	(1)	0.1	(1)	(1)	(1)	0.1
23	Rabies	36	52	65	95	72	42	0.1	0.1	0.1	0.2	0.2	0.1
24	Tetanus *	1,225	1,229	1,354	1,362	1,276	1,150	1.7	1.8	2.1	2.2	2.7	3.5
25	Mycoses	41	42	28	32	29	14	0.1	0.1	(1)	0.1	0.1	(1)
26	Pellagra	2,390	2,843	1,550	1,015	101	1	3.3	4.2	2.3	1.6	0.2	(1)
27	Beriberi *	6	6	5	11	(3)	(4)	(1)	(1)	(1)	(1)	(3)	(4)
	Tuberculosis (total)	101,396	98,194	96,903	93,421	79,792	62,978	141.6	145.8	146.8	147.6	168.7	192.6
28	Tuberculosis of the lungs *	85,538	82,853	81,247	77,735	69,436	55,809	119.4	123.0	123.1	122.8	146.8	170.7
29	Acute miliary tuberculosis *	3,128	3,140	3,119	3,077	(3)	(4)	4.4	4.7	4.7	4.9	(3)	(4)
30	Tuberculous meningitis	5,706	5,445	5,410	5,467	4,289	2,905	8.0	8.1	8.2	8.6	9.1	8.9
31	Abdominal tuberculosis	3,586	3,410	3,648	3,651	2,843	1,946	5.0	5.1	5.5	5.8	6.0	6.0
32	Pott's disease	896	877	914	859	692	492	1.3	1.3	1.4	1.4	1.5	1.5
33	White swellings	496	463	482	435	348	234	0.7	0.7	0.7	0.7	0.7	0.7
34	Tuberculosis of other organs *	1,339	1,330	1,320	1,355	988	666	1.9	2.0	2.0	2.1	2.1	2.0
35	Disseminated tuberculosis	707	676	763	842	1,195	926	1.0	1.0	1.2	1.3	2.5	2.8
36	Rickets *	574	474	530	497	(3)	(4)	0.8	0.7	0.8	0.8	(3)	(4)
37	Syphilis	6,902	5,819	5,195	4,589	2,550	1,335	9.6	8.6	7.9	7.2	5.4	4.1
38	Gonococcus infection	539	340	253	237	121	41	0.8	0.5	0.4	0.4	0.3	0.1
	Cancer and other malignant tumors (total)	58,600	54,584	52,420	49,928	34,320	22,214	81.8	81.1	79.4	78.9	72.6	67.9
39	Of the buccal cavity	2,091	2,123	2,270	1,966	1,212	677	2.9	3.2	3.4	3.1	2.6	2.1
40	Of the stomach, liver	22,480	21,221	19,389	19,767	13,395	8,091	31.4	31.5	30.1	31.2	28.3	24.7
41	Of the peritoneum, intestines, rectum	7,716	7,332	6,745	6,625	4,148	2,332	10.8	10.9	10.2	10.5	8.8	7.1
42	Of the female genital organs	8,898	8,120	8,152	7,706	5,118	3,263	12.4	12.1	12.4	12.2	10.8	10.0
43	Of the breast	5,558	5,163	5,423	4,592	3,070	1,845	7.8	7.7	8.2	7.3	6.5	5.6
44	Of the skin	2,042	1,955	1,957	1,725	1,268	740	2.9	2.9	3.0	2.7	2.7	2.3
45	Of other organs or of organs not specified	9,815	8,670	7,984	7,547	6,110	5,266	13.7	12.9	12.1	11.9	12.9	16.1
46	Other tumors (tumors of the female genital organs excepted)	337	315	336	297	489	488	0.5	0.5	0.5	0.5	1.0	1.5
47	Acute articular rheumatism *	3,258	3,274	3,539	3,656	2,551	1,698	4.5	4.9	5.4	5.8	5.4	5.2
48	Chronic rheumatism and gout *	908	865	811	834	1,039	1,191	1.3	1.3	1.2	1.3	2.2	3.6
49	Scurvy	77	79	92	76	67	48	0.1	0.1	0.1	0.1	0.1	0.1
50	Diabetes	12,199	11,775	10,666	9,660	6,494	3,772	17.0	17.5	16.2	15.3	13.7	11.5
51	Exophthalmic goiter	1,158	1,067	1,006	966	512	218	1.6	1.6	1.5	1.5	1.1	0.7
52	Addison's disease	312	288	311	261	200	149	0.4	0.4	0.5	0.4	0.4	0.5
53	Leukemia	1,424	1,325	1,305	1,112	728	394	2.0	2.0	2.0	1.8	1.5	1.2
54	Anemia, chlorosis	3,785	3,521	3,326	3,186	2,293	1,578	5.3	5.2	5.0	5.0	4.8	4.8
55	Other general diseases *	1,431	1,428	1,455	1,190	476	158	2.0	2.1	2.2	1.9	1.0	0.5
56	Alcoholism (acute or chronic)	4,161	2,945	3,257	3,744	2,734	2,002	5.8	4.4	4.9	5.9	5.8	6.1
57	Chronic lead poisoning	190	155	149	162	101	87	0.3	0.2	0.2	0.3	0.2	0.3
58	Other chronic occupation poisonings	15	10	10	9	5	5	(1)	(1)	(1)	(1)	(1)	(1)
59	Other chronic poisonings	212	471	343	283	233	166	0.3	0.7	0.5	0.4	0.5	0.5
	II.—Diseases of the nervous system and of the organs of special sense *	99,077	88,108	87,614	84,755	72,470	58,890	138.3	130.8	132.8	133.9	153.2	180.1
60	Encephalitis	554	581	711	780	517	630	0.8	0.9	1.1	1.2	1.1	1.9
61	Meningitis (total)	5,091	4,985	5,823	6,599	9,197	10,366	7.1	7.4	8.8	10.4	19.4	31.7
	Simple meningitis	2,573	2,841	3,223	3,648	6,384	7,601	3.6	4.2	4.9	5.8	13.5	23.2
	Cerebrospinal meningitis (undefined)	983	1,181	1,473	1,771	2,813	2,765	1.4	1.8	2.2	2.8	5.9	8.5
	Cerebrospinal fever	1,535	963	1,127	1,180			2.1	1.4	1.7	1.9		

For footnotes see p. 81.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1913 TO 1916—Contd.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	II.—Diseases of the nervous system and of the organs of special sense—Contd.												
62	Locomotor ataxia	1,717	1,757	1,699	1,674	1,249	786	2.4	2.6	2.6	2.6	2.6	2.4
63	Other diseases of the spinal cord (total)	11,036	4,183	4,121	3,996	2,736	1,589	15.4	6.2	6.2	6.3	5.8	4.9
	Acute anterior poliomyelitis	7,130	691	720	864	2,736	1,589	10.0	1.0	1.1	1.4	5.8	4.9
	Other diseases of the spinal cord [5]	3,906	3,492	3,401	3,132			5.5	5.2	5.2	4.9		
64	Cerebral hemorrhage, apoplexy	58,233	53,397	51,272	47,220	33,913	22,756	81.3	79.3	77.7	74.6	71.7	69.6
65	Softening of the brain	921	1,041	1,148	1,158	1,163	1,198	1.3	1.5	1.7	1.8	2.5	3.7
66	Paralysis without specified cause [6]	5,165	6,052	6,382	6,772	7,606	6,583	7.2	9.0	9.7	10.7	16.1	20.1
67	General paralysis of the insane [6]	5,150	5,014	4,690	4,371	2,588	2,234	7.2	7.4	7.1	6.9	5.5	6.8
68	Other forms of mental alienation	1,438	1,464	1,468	1,534	1,719	1,170	2.0	2.2	2.2	2.4	3.6	3.6
69	Epilepsy	2,882	2,582	2,582	2,632	1,981	1,452	4.0	3.8	3.9	4.2	4.2	4.4
70	Convulsions (nonpuerperal)	124	109	118	144	256	364	0.2	0.2	0.2	0.2	0.5	1.1
71	Convulsions of infants	2,437	2,694	3,420	3,697	6,038	7,000	3.4	4.0	5.2	5.8	12.8	21.4
72	Chorea	104	109	124	118	103	87	0.1	0.2	0.2	0.2	0.2	0.3
73	Neuralgia and neuritis *	392	391	411	409	2,599	2,240	0.5	0.6	0.6	0.6	5.5	6.9
74	Other diseases of the nervous system *	2,386	2,435	2,426	2,355			3.3	3.6	3.7	3.7		
75	Diseases of the eyes and their annexa	54	66	59	54	29	22	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears	1,393	1,248	1,160	1,242	776	413	1.9	1.9	1.8	2.0	1.6	1.3
	III.—Diseases of the circulatory system	141,589	130,755	123,901	117,645	84,040	52,696	197.7	194.2	187.8	185.9	177.7	161.2
77	Pericarditis	735	772	803	715	638	677	1.0	1.1	1.2	1.1	1.3	2.1
78	Acute endocarditis *	6,696	6,147	5,946	5,387	5,790	3,665	9.3	9.1	9.0	8.5	12.2	11.2
79	Organic diseases of the heart *	107,475	99,053	93,588	87,755	62,985	40,612	150.1	147.1	141.8	138.6	133.2	124.2
80	Angina pectoris	5,445	5,180	4,751	4,592	3,204	2,143	7.6	7.7	7.2	7.3	6.8	6.6
81	Diseases of the arteries, atheroma, aneurism, etc.	17,115	15,685	15,044	15,924	8,394	3,066	23.9	23.3	22.8	25.2	17.7	9.4
82	Embolism and thrombosis	2,829	2,732	2,672	2,179	1,866	1,367	3.9	4.1	4.0	3.4	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	544	441	448	435	284	187	0.8	0.7	0.7	0.7	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.)	462	452	377	360	144	65	0.6	0.7	0.6	0.6	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system *	288	293	272	298	736	915	0.4	0.4	0.4	0.5	1.6	2.8
	IV.—Diseases of the respiratory system	118,435	109,444	104,086	103,979	88,976	72,091	165.4	162.5	157.7	164.3	188.1	220.5
86	Diseases of the nasal fossae	275	125	127	104	99	71	0.4	0.2	0.2	0.2	0.2	0.2
87	Diseases of the larynx	735	762	814	835	781	756	1.0	1.1	1.2	1.3	1.7	2.3
88	Diseases of the thyroid body	467	447	339	358	183	97	0.7	0.7	0.5	0.6	0.4	0.3
89	Acute bronchitis	6,700	6,505	6,393	6,602	7,206	6,995	9.4	9.7	9.7	10.4	15.2	21.4
90	Chronic bronchitis	4,887	5,177	5,050	4,786	5,239	5,031	6.8	7.7	7.7	7.6	11.1	15.4
91	Bronchopneumonia	35,105	33,501	32,153	31,094	19,130	10,768	49.0	49.8	48.7	49.1	40.4	32.9
92	Pneumonia (total)	63,229	55,825	51,651	52,684	48,713	41,044	88.3	82.9	78.3	83.2	103.0	125.5
	Lobar pneumonia	54,699	44,153	36,911	32,615	48,713	41,044	76.4	65.6	55.9	51.5	103.0	125.5
	Pneumonia (undefined)	8,530	11,672	14,740	20,069			11.9	17.3	22.3	31.7		
93	Pleurisy	2,599	2,323	2,441	2,211	1,955	1,520	3.6	3.4	3.7	3.5	4.1	4.9
94	Pulmonary congestion, pulmonary apoplexy	1,326	1,630	2,011	2,228	2,636	2,802	1.9	2.4	3.0	3.5	5.6	8.6
95	Gangrene of the lung	236	215	194	203	177	166	0.3	0.3	0.3	0.3	0.4	0.5
96	Asthma	1,752	1,664	1,634	1,578	1,386	1,220	2.4	2.5	2.5	2.5	2.9	3.7
97	Pulmonary emphysema	182	185	194	170	169	227	0.3	0.3	0.3	0.3	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted)	942	1,085	1,082	1,126	1,302	1,393	1.3	1.6	1.6	1.8	2.8	4.3
	V.—Diseases of the digestive system	106,027	94,987	99,673	103,276	91,377	63,834	148.0	141.1	151.0	163.2	193.2	195.2
99	Diseases of the mouth and annexa	676	552	522	448	349	242	0.9	0.8	0.8	0.7	0.7	0.7
100	Diseases of the pharynx	1,850	1,569	1,476	1,315	735	473	2.6	2.3	2.2	2.1	1.6	1.4
101	Diseases of the esophagus	145	143	151	164	132	113	0.2	0.2	0.2	0.3	0.3	0.3
102	Ulcer of the stomach	3,265	2,922	2,681	2,536	1,680	964	4.6	4.3	4.1	4.0	3.6	2.9
103	Other diseases of the stomach (cancer excepted)	7,065	7,069	7,856	8,832	7,939	5,786	9.9	10.5	11.9	14.0	16.8	17.7
104	Diarrhea and enteritis (under 2 years)	46,956	40,099	43,532	47,605	45,516	29,094	65.6	59.5	66.0	75.2	96.2	89.0
105	Diarrhea and enteritis (2 years and over)	9,807	8,226	8,875	9,475	7,891	6,610	13.7	12.2	13.4	15.0	16.7	20.2
106	Ankylostomiasis *	22	13	32	39	67	38	(1)	(1)	(1)	0.1	0.1	0.1
107	Intestinal parasites *	128	84	115	98			0.2	0.1	0.2	0.2		
108	Appendicitis and typhlitis	9,157	8,397	8,099	7,648	5,306	3,589	12.8	12.5	12.3	12.1	11.2	11.0
109	Hernia, intestinal obstruction (total)	8,074	7,577	7,706	7,342	6,089	4,256	11.3	11.3	11.7	11.6	12.9	13.0
	Hernia	2,880	2,604	2,646	2,424	1,927	1,364	4.0	3.9	4.0	3.8	4.1	4.2
	Intestinal obstruction	5,194	4,973	5,060	4,918	4,162	2,892	7.3	7.4	7.7	7.8	8.8	8.8
110	Other diseases of the intestines	1,823	1,934	1,899	1,642	1,311	945	2.5	2.9	2.9	2.6	2.8	2.9
111	Acute yellow atrophy of the liver	306	274	310	315	189	131	0.4	0.4	0.5	0.5	0.4	0.4
112	Hydatid tumor of the liver	32	20	24	15	16	11	(1)	(1)	(1)	(1)	(1)	(1)
113	Cirrhosis of the liver	8,799	8,439	8,526	8,497	6,784	4,694	12.3	12.5	12.9	13.4	14.3	14.4
114	Biliary calculi	2,438	2,228	2,149	1,999	1,301	736	3.4	3.3	3.3	3.2	2.8	2.2
115	Other diseases of the liver	3,487	3,276	3,254	3,029	2,865	2,443	4.9	4.9	4.9	4.8	6.1	7.5
116	Diseases of the spleen	132	107	144	127	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal)	1,373	1,527	1,848	1,708	2,899	3,537	1.9	2.3	2.8	2.7	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	492	531	474	442	214	88	0.7	0.8	0.7	0.7	0.5	0.3

For footnotes see p. 81.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1913 TO 1916—Contd.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	86,324	80,808	78,023	75,253	54,171	37,584	120.5	120.0	118.2	118.	114.5	114.9
119	Acute nephritis	5,921	6,020	5,912	6,568	4,773	3,138	8.3	8.9	9.0	10.4	10.1	9.6
120	Bright's disease	69,395	64,480	61,633	58,538	41,339	28,565	96.9	95.8	93.4	92.5	87.4	87.4
121	Chyluria *	3	.....	3	1	1,247	926	(1)	.....	(1)	(1)	2.6	2.8
122	Other diseases of the kidneys and annexa *	1,812	1,609	1,539	1,372			2.5	2.4	2.3	2.2		
123	Calculi of the urinary passages	471	478	442	403	265	155	0.7	0.7	0.7	0.6	0.6	0.5
124	Diseases of the bladder	1,235	1,335	1,451	1,474	1,484	1,415	1.7	2.0	2.2	2.3	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc	285	288	266	264	204	136	0.4	0.4	0.4	0.4	0.4	0.4
126	Diseases of the prostate	2,922	2,612	2,671	2,465	1,628	862	4.1	3.9	4.0	3.9	3.4	2.6
127	Nonvenereal diseases of the male genital organs	86	78	91	104	49	35	0.1	0.1	0.1	0.2	0.1	0.1
128	Uterine hemorrhage (nonpuerperal)	47	49	47	54	79	89	0.1	0.1	0.1	0.1	0.2	0.3
129	Uterine tumor (noncancerous)	1,329	1,253	1,198	1,173	837	581	1.9	1.9	1.8	1.9	1.8	1.8
130	Other diseases of the uterus	806	658	720	721	734	564	1.1	1.0	1.1	1.1	1.6	1.7
131	Cysts and other tumors of the ovary	635	562	592	640	472	430	0.9	0.8	0.9	1.0	1.0	1.3
132	Salpingitis and other diseases of the female genital organs	1,326	1,337	1,414	1,451	1,034	671	1.9	2.0	2.1	2.3	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted)	51	49	44	25	26	17	0.1	0.1	0.1	(1)	0.1	0.1
	VII.—The puerperal state	11,642	10,237	10,518	10,010	7,330	4,643	16.3	15.2	15.9	15.8	15.5	14.2
134	Accidents of pregnancy	985	941	902	861	800	549	1.4	1.4	1.4	1.4	1.7	1.7
135	Puerperal hemorrhage *	1,118	1,000	1,000	988	491	337	1.6	1.5	1.5	1.6	1.0	1.0
136	Other accidents of labor *	1,212	979	926	854	629	295	1.7	1.5	1.4	1.3	1.3	0.9
137	Puerperal septicemia *	4,786	4,214	4,664	4,542	3,224	2,057	6.7	6.3	7.1	7.2	6.8	6.3
138	Puerperal albuminuria and convulsions *	3,087	2,673	2,617	2,397	1,593	911	4.3	4.0	4.0	3.8	3.4	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death *	415	383	378	310	61	4	0.6	0.6	0.6	0.5	0.1	(1)
140	Following childbirth (not otherwise defined) *	34	41	27	56	528	488	(1)	0.1	(1)	0.1	1.1	1.5
141	Puerperal diseases of the breast	5	6	4	2	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	VIII.—Diseases of the skin and of the cellular tissue	3,358	3,071	3,057	3,275	2,869	2,392	4.7	4.6	4.6	5.2	6.1	7.3
142	Gangrene	1,528	1,440	1,442	1,591	1,656	1,457	2.1	2.1	2.2	2.5	3.5	4.5
143	Furuncle	448	421	371	331	221	149	0.6	0.6	0.6	0.5	0.5	0.5
144	Acute abscess	709	571	600	667	512	473	1.0	0.8	0.9	1.1	1.1	1.4
145	Other diseases of the skin and annexa	673	639	644	686	480	312	0.9	0.9	1.0	1.1	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion *	2,039	1,771	1,697	1,616	1,335	932	2.8	2.6	2.6	2.6	2.8	2.9
146	Diseases of the bones (tuberculosis excepted) *	1,721	1,526	1,478	1,399	1,190	795	2.4	2.3	2.2	2.2	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	242	185	152	166	97	75	0.3	0.3	0.2	0.3	0.2	0.2
148	Amputations	1	3	5	3	13	35	(1)	(1)	(1)	(1)	(1)	0.1
149	Other diseases of the organs of locomotion	75	57	62	48	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations	11,412	9,986	10,314	9,401	7,066	3,978	15.9	14.8	15.6	14.9	14.9	12.2
150	Congenital malformations (stillbirths not included) (total)	11,412	9,986	10,314	9,401	7,066	3,978	15.9	14.8	15.6	14.9	14.9	12.2
	Hydrocephalus	995	853	860	820	669	527	1.4	1.3	1.3	1.3	1.4	1.6
	Congenital malformations of the heart	6,718	6,032	6,204	5,745	4,272	2,190	9.4	9.0	9.4	9.1	9.0	6.7
	Other congenital malformations	3,699	3,101	3,250	2,836	2,125	1,261	5.2	4.6	4.9	4.5	4.5	3.9
	XI.—Early infancy *	55,678	51,765	52,535	52,865	35,456	24,167	77.7	76.9	79.6	83.5	75.0	73.9
151	Congenital debility, icterus, and sclerema * (total)	44,090	41,115	42,009	43,198	30,526	17,646	61.6	61.1	63.7	68.2	64.5	54.0
	Premature birth	33,123	29,027	28,270	27,359	16,899	10,062	46.2	43.1	42.8	43.2	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc	10,967	12,088	13,739	15,839	13,627	7,585	15.3	18.0	20.8	25.0	28.8	23.2
152	Other causes peculiar to early infancy * (total)	11,313	10,424	10,280	9,486	4,765	2,499	15.8	15.5	15.6	15.0	10.1	7.6
	Injuries at birth	6,274	5,914	5,716	5,131	3,138	1,634	8.8	8.8	8.7	8.1	6.6	5.0
	Other causes peculiar to early infancy ?	5,039	4,510	4,564	4,355	1,627	864	7.0	6.7	6.9	6.9	3.4	2.6
153	Lack of care *	275	226	246	181	165	4,022	0.4	0.3	0.4	0.3	0.3	12.3
	XII.—Old age *	12,165	12,392	13,033	13,914	13,715	13,400	17.0	18.4	19.8	22.0	29.0	41.0
154	Senility *	12,165	12,392	13,033	13,914	13,715	13,400	17.0	18.4	19.8	22.0	29.0	41.0
	XIII.—External causes *	75,283	67,292	67,550	68,566	51,058	33,251	105.1	99.9	102.4	108.3	107.9	101.7
	Suicide (total)	10,162	11,216	10,933	9,988	7,584	4,548	14.2	16.7	16.6	15.8	16.0	13.9
155	By poison	2,016	2,481	3,000	2,824	2,281	1,549	2.8	3.7	4.5	4.5	4.8	4.7
156	By asphyxia	1,458	1,584	1,419	1,262	785	365	2.0	2.4	2.2	2.0	1.7	1.1
157	By hanging or strangulation	1,509	1,749	1,552	1,380	1,085	684	2.1	2.6	2.4	2.2	2.3	2.1
158	By drowning	623	670	619	568	415	231	0.9	1.0	0.9	0.9	0.9	0.7
159	By firearms	3,386	3,608	3,286	2,930	2,233	1,108	4.7	5.4	5.0	4.6	4.7	3.4
160	By cutting or piercing instruments	671	681	658	673	472	261	0.9	1.0	1.0	1.1	1.0	0.8
161	By jumping from high places	283	259	225	183	128	55	0.4	0.4	0.3	0.3	0.3	0.2
162	By crushing	104	83	89	90	67	20	0.1	0.1	0.1	0.1	0.1	0.1
163	Other suicides	112	101	85	78	118	275	0.2	0.1	0.1	0.1	0.3	0.8

For footnotes see p. 81.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1913 TO 1916—Contd.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1916	1915	1914	1913	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	60,071	51,406	51,770	54,011	40,702	27,753	83.9	76.3	78.5	85.3	86.0	84.9
164	Poisoning by food*	720	639	689	657	1,655	1,412	1.0	0.9	1.0	1.0	3.5	4.3
165	Other acute poisonings*	1,285	1,280	1,538	1,453			1.8	1.9	2.3	2.3		
166	Conflagration*	1,054	971	1,029	949	545	[2]	1.5	1.4	1.6	1.5	1.2	[3]
167	Burns (conflagration excepted)	5,726	4,804	5,021	4,935	3,885	2,715	8.0	7.1	7.6	7.8	8.2	8.3
168	Absorption of deleterious gases (conflagration excepted)*	2,927	2,202	2,598	2,271	1,766	1,519	4.1	3.3	3.9	3.6	3.7	4.6
169	Accidental drowning	6,185	6,514	5,703	6,468	4,551	3,362	8.6	9.7	8.6	10.2	9.6	10.3
170	Traumatism by firearms	1,613	1,501	1,579	1,572	1,012	1,109	2.3	2.2	2.4	2.5	2.1	3.4
171	Traumatism by cutting or piercing instruments*	117	89	123	95	[2]	[4]	0.2	0.1	0.2	0.2	[2]	[4]
172	Traumatism by fall*	10,775	9,979	9,904	9,747	[3]	[4]	15.0	14.8	15.0	15.4	[3]	[4]
173	Traumatism in mines and quarries (total)	2,226	2,110	2,190	2,385	2,010	320	3.1	3.1	3.3	3.8	4.2	1.0
	Traumatism in mines	2,119	2,009	2,062	2,280			3.0	3.0	3.1	3.6		
	Traumatism in quarries	107	101	128	105			0.1	0.1	0.2	0.2		
174	Traumatism by machines	1,624	1,257	1,305	1,526	1,002	285	2.3	1.9	2.0	2.4	2.1	0.9
175	Traumatism by other crushing* (total)	17,991	14,978	14,433	15,680	[3]	[4]	25.1	22.2	21.9	24.8	[3]	[4]
	Railroad accidents and injuries	8,127	6,652	7,062	8,212	7,076	4,977	11.3	9.9	10.7	13.0	15.0	15.2
	Street-car accidents and injuries	1,775	1,555	1,673	1,998	1,747		2.5	2.3	2.5	3.2	3.7	
	Automobile accidents and injuries	5,193	3,978	2,826	2,488	496	848	7.3	5.9	4.3	3.9	1.0	2.6
	Injuries by other vehicles	2,333	2,348	2,418	2,381	1,870		3.3	3.5	3.7	3.8	4.0	
	Landslide, other crushing*	563	445	454	601	[3]	[4]	0.8	0.7	0.7	0.9	[3]	[4]
176	Injuries by animals*	589	563	550	540	[3]	[4]	0.8	0.8	0.8	0.9	[3]	[4]
177	Starvation	47	43	57	34	36	33	0.1	0.1	0.1	0.1	0.1	0.1
178	Excessive cold	371	344	412	230	243	191	0.5	0.5	0.6	0.4	0.5	0.6
179	Effects of heat	2,056	407	757	1,226	763	1,188	2.9	0.6	1.1	1.9	1.6	3.6
180	Lightning	340	221	287	317	154	98	0.5	0.3	0.4	0.5	0.3	0.3
181	Electricity (lightning excepted)*	586	515	553	670	[3]	[4]	0.8	0.8	0.8	1.1	[3]	[4]
185	Fractures (cause not specified)	636	391	418	446	1,351	2,785	0.9	0.6	0.6	0.7	2.9	8.5
186	Other external violence*	3,203	2,598	2,624	2,810	8,554	6,527	4.5	3.9	4.0	4.4	18.1	20.0
	Homicide (total)	5,050	4,670	4,847	4,567	2,771	950	7.1	6.9	7.3	7.2	5.9	2.9
182	By firearms*	3,241	2,885	3,077	2,821			4.5	4.3	4.7	4.5		
183	By cutting or piercing instruments*	700	663	693	674	2,771	950	1.0	1.0	1.1	1.1	5.9	2.9
184	By other means*	1,109	1,122	1,077	1,072			1.5	1.7	1.6	1.7		
	XIV.—Ill-defined diseases*	10,852	7,681	7,964	8,893	13,907	15,633	15.2	11.4	12.1	14.0	29.4	47.8
187	Ill-defined organic disease	572	427	526	583	842	1,311	0.8	0.6	0.8	0.9	1.8	4.0
188	Sudden death	667	486	513	501	233	123	0.9	0.7	0.8	0.8	0.5	0.4
189	Not specified or ill-defined* (total)	9,613	6,768	6,925	7,809	12,833	14,199	13.4	10.1	10.5	12.3	27.1	43.4
	Ill-defined	3,877	2,865	3,067	3,328	11,224	12,580	5.4	4.3	4.6	5.3	23.7	38.5
	Not specified or unknown	5,736	3,903	3,858	4,481	1,609	1,618	8.0	5.8	5.8	7.1	3.4	4.9

[1] Less than one-tenth of 1 per 100,000 population.
[2] Less than 1.
[3] Figures for deaths not available for the entire period.
[4] Figures for deaths not tabulated separately prior to 1910.
[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).
[6] Paresis (unqualified) transferred from List No. 66 to No. 67, beginning with 1911.
[7] Exclusive of injuries at birth.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 death correspond to those of the abridged International List (see p. 19).]

NOTE.—Populations have been estimated by the arithmetical method. Owing to recent unusual migrations of the population and to the fact that 1916 is far away

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	SUMMARY.															
1	The registration area (total)	1,398.9	13.3	3.0	0.2	11.1	3.3	10.2	14.5	26.4	3.7	123.8	8.0	9.8	5.8	81.8
2	White	1,353.0	11.9	1.7	0.1	11.2	3.4	9.2	14.8	25.8	3.9	110.5	7.7	8.9	5.7	83.8
3	Colored	2,050.2	33.5	21.8	0.4	9.8	1.1	23.8	9.2	33.9	1.9	312.7	11.2	23.0	7.7	53.5
4	Registration states[2] (total)	1,388.9	13.2	2.8	0.1	11.5	3.1	10.6	14.0	27.1	3.7	121.7	8.0	9.6	5.8	81.5
5	White	1,348.8	11.9	1.6	0.1	11.6	3.3	9.6	14.3	26.7	3.8	109.6	7.7	8.8	5.7	83.5
6	Colored	1,995.0	33.7	21.2	0.3	10.6	1.2	26.4	9.4	34.6	1.7	304.3	11.4	20.6	7.7	51.7
7	Cities in registration states[2] (total)	1,499.2	10.7	0.7	(3)	12.8	3.5	9.7	16.5	19.1	4.6	133.1	11.2	10.3	5.9	92.8
8	White	1,452.9	10.0	0.4	(3)	12.8	3.6	9.0	16.7	18.5	4.6	121.5	10.7	9.5	5.8	93.4
9	Colored	2,543.8	25.8	7.1	.....	11.3	1.8	26.2	11.1	32.5	3.4	394.7	21.4	28.5	7.8	80.3
10	Rural part of registration states (total)	1,287.7	15.6	4.8	0.2	10.3	2.8	11.4	11.7	34.6	2.9	111.2	5.0	8.9	5.8	71.1
11	White	1,249.4	13.7	2.8	0.2	10.3	3.0	10.1	12.0	34.5	3.1	98.2	4.8	8.2	5.6	74.0
12	Colored	1,727.7	37.6	28.0	0.5	10.2	0.9	26.5	8.5	35.6	0.9	260.2	6.4	16.7	7.6	37.8
13	Registration cities in nonregistration states (total)	1,531.6	13.9	5.5	0.9	5.7	5.1	4.4	20.8	16.0	4.4	152.1	8.1	13.1	5.6	86.1
14	White	1,411.5	11.5	2.8	0.8	5.8	5.7	4.2	22.5	14.3	4.6	123.0	7.8	9.4	5.3	88.8
15	Colored	2,437.9	32.0	25.9	1.2	4.3	0.9	5.8	7.7	29.4	3.1	372.0	10.4	40.5	7.7	66.0
16	All registration cities[2] (total)	1,503.6	11.1	1.4	0.1	11.8	3.7	9.0	17.1	18.7	4.6	135.7	10.8	10.6	5.9	91.9
17	White	1,447.6	10.2	0.7	0.1	12.0	3.9	8.4	17.5	18.0	4.6	121.7	10.4	9.5	5.8	92.8
18	Colored	2,511.7	27.7	12.8	0.4	9.2	1.5	20.0	10.0	31.5	3.3	387.8	18.1	32.2	7.8	76.0
	REGISTRATION STATES.															
19	California (total)	1,354.6	7.1	1.4	0.4	2.3	1.5	7.2	9.9	13.8	2.1	160.1	10.4	10.4	4.3	99.5
20	White	1,340.3	6.9	1.2	0.5	2.3	1.5	7.1	10.0	14.0	2.1	151.9	9.3	9.8	4.4	101.2
21	Colored	1,640.2	12.8	5.0	.....	2.1	0.7	9.3	7.8	10.0	2.1	325.2	34.2	24.2	2.9	67.0
22	Colorado (total)	1,031.1	12.2	0.5	0.2	3.8	3.8	4.7	4.3	13.1	3.8	151.9	4.6	6.8	5.0	59.8
23	White	1,019.2	12.3	0.5	0.2	3.9	3.9	4.7	4.2	13.1	3.9	148.0	4.6	6.6	5.0	59.7
24	Colored	1,634.1	5.3	.....	.....	.....	.....	5.3	5.3	10.7	.....	347.1	5.3	16.0	5.3	64.1
25	Connecticut (total)	1,626.5	7.5	0.6	.....	12.1	2.7	12.5	15.3	38.7	5.9	125.3	12.3	9.6	5.5	93.5
26	White	1,611.0	7.2	0.6	.....	12.0	2.7	12.1	15.4	38.3	5.9	122.3	12.3	9.1	5.4	93.9
27	Colored	2,833.8	31.7	6.3	.....	12.7	.....	44.4	12.7	69.7	6.3	355.0	12.7	50.7	12.7	63.4
28	Indiana (total)	1,357.2	21.5	1.4	(3)	7.3	3.7	9.3	13.9	34.4	2.9	115.5	6.8	13.7	6.0	85.2
29	White	1,328.3	20.6	1.3	(3)	7.3	3.6	9.0	13.9	34.5	2.9	107.4	6.4	12.9	5.9	85.2
30	Colored	2,625.2	58.9	3.2	.....	6.4	4.8	23.9	14.3	28.7	1.6	473.1	25.5	49.4	11.2	86.0
31	Kansas (total)	1,091.1	14.2	2.0	0.2	8.6	3.4	5.0	10.6	39.3	3.1	47.4	1.6	5.4	5.4	68.9
32	White	1,056.4	13.8	1.9	0.2	8.6	3.3	4.7	10.8	38.2	3.2	41.3	1.5	4.9	5.2	68.4
33	Colored	2,149.1	27.5	3.4	.....	8.6	5.2	13.8	3.4	74.0	.....	234.0	3.4	20.6	10.3	84.3
34	Kentucky (total)	1,263.8	31.0	6.4	0.2	7.9	2.4	13.4	17.1	41.4	3.0	170.5	9.5	14.4	6.1	51.0
35	White	1,163.2	29.0	5.4	0.2	8.4	2.5	12.1	17.7	40.1	3.1	141.5	8.6	13.1	5.5	51.1
36	Colored	2,129.7	47.7	14.9	.....	4.0	0.8	24.2	12.5	53.3	1.6	420.9	16.6	25.9	11.7	50.5
37	Maine (total)	1,572.4	11.1	0.1	.....	1.9	0.5	16.2	7.5	48.9	2.7	95.9	7.5	12.7	5.0	113.1
38	White	1,571.2	11.2	0.1	.....	1.9	0.5	16.2	7.5	49.1	2.7	95.8	7.4	12.7	5.1	113.0
39	Colored	1,948.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	121.8	40.6	.....	.....	162.4
40	Maryland (total)	1,651.9	19.4	1.2	.....	7.9	3.8	12.7	12.5	25.8	2.7	181.0	7.1	11.9	5.1	87.7
41	White	1,465.6	16.4	0.7	.....	8.0	4.2	7.7	13.8	23.1	2.8	138.1	5.1	8.2	4.4	93.6
42	Colored	2,565.0	34.2	3.9	.....	7.4	1.7	37.2	6.1	39.0	2.2	391.6	16.9	29.9	8.7	58.9
43	Massachusetts (total)	1,515.5	4.7	0.2	.....	12.7	3.5	10.7	16.8	18.3	5.2	123.6	12.6	11.2	4.5	109.2
44	White	1,505.8	4.5	0.2	.....	12.7	3.4	10.6	16.8	18.3	5.2	120.3	12.4	10.9	4.4	109.2
45	Colored	2,302.9	13.3	.....	.....	15.5	8.8	24.3	15.5	17.7	4.4	396.0	33.2	39.8	8.8	110.6
46	Michigan (total)	1,506.2	14.1	0.2	0.1	11.4	5.8	7.5	16.3	30.7	5.7	86.5	6.4	9.0	6.8	88.4
47	White	1,494.6	14.0	0.2	0.1	11.4	5.8	7.5	16.3	30.2	5.7	83.6	6.3	8.8	6.6	88.1
48	Colored	2,837.6	26.4	3.8	.....	11.3	3.8	11.3	15.1	86.8	7.5	418.9	15.1	26.4	34.0	124.5
49	Minnesota (total)	1,065.8	5.4	(3)	(3)	12.6	5.3	9.7	7.5	18.2	3.4	87.7	7.2	9.7	5.0	86.1
50	White	1,057.6	5.4	(3)	(3)	11.8	5.3	9.6	7.5	18.3	3.4	85.1	6.9	9.5	5.0	86.3
51	Colored	2,116.0	11.2	.....	.....	112.3	5.6	22.5	5.6	11.2	11.2	420.9	44.9	22.5	5.6	67.4
52	Missouri (total)	1,293.3	19.2	11.0	0.3	15.6	5.3	11.0	15.7	35.0	4.2	126.9	5.6	8.7	5.0	73.9
53	White	1,239.3	18.5	10.7	0.3	15.9	5.4	10.5	15.9	34.9	4.2	109.9	5.2	7.7	4.8	73.9
54	Colored	2,417.9	33.3	16.0	0.6	10.9	3.2	22.4	11.5	37.8	2.6	480.0	13.4	30.1	8.3	73.6
55	Montana (total)	1,260.3	11.5	0.2	0.4	7.8	4.1	17.2	8.3	12.6	3.9	99.0	6.3	8.1	7.4	53.8
56	White	1,216.4	11.7	0.2	0.4	7.2	4.3	17.1	8.3	12.6	3.8	78.0	5.8	7.9	7.4	53.7
57	Colored	2,610.0	6.9	.....	.....	27.6	.....	20.7	6.9	13.8	6.9	745.7	20.7	13.8	6.9	55.2
58	New Hampshire (total)	1,614.9	5.0	0.2	0.2	10.6	1.4	12.0	10.8	35.0	5.2	96.9	9.5	7.0	6.1	111.4
59	White	1,613.9	5.0	0.2	0.2	10.6	1.4	12.0	10.6	35.1	5.2	96.8	9.5	7.0	6.1	111.6
60	Colored	2,401.4	.....	.....	.....	.....	.....	.....	171.5	.....	.....	171.5	.....	.....	.....	.....
61	New Jersey (total)	1,498.4	7.0	0.3	.....	13.1	2.5	9.3	15.7	23.2	3.6	132.9	10.1	7.3	7.3	82.2
62	White	1,471.1	6.9	0.4	.....	12.9	2.6	8.8	16.1	22.9	3.7	125.9	9.7	6.6	7.2	82.5
63	Colored	2,246.7	11.6	.....	.....	17.3	1.0	21.2	5.8	31.8	2.9	322.7	21.2	26.0	10.6	74.2

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted. Numbers under causes of

from the last census year, the estimates are probably too high in some cases and too low in others.

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
17.0	7.1	82.6	150.1	16.2	137.3	11.9	65.6	12.8	11.3	12.3	105.2	6.7	9.6	77.5	90.9	14.2	240.9	15.2	1
17.6	7.0	82.5	148.1	15.9	132.0	11.4	64.4	12.8	11.1	12.4	101.9	6.4	9.0	75.6	88.5	14.8	232.2	10.6	2
8.5	8.5	84.5	178.0	20.5	212.0	19.5	82.0	12.0	13.1	10.7	151.6	11.2	17.8	103.8	125.4	5.4	363.1	79.3	3
17.0	7.1	84.0	150.2	16.3	137.0	11.7	62.2	12.1	11.0	11.8	103.7	6.5	9.5	78.3	89.4	13.8	238.7	15.6	4
17.6	7.0	84.1	148.7	16.0	132.2	11.2	60.9	12.3	11.0	12.0	101.3	6.2	8.9	76.4	87.5	14.4	232.0	11.1	5
8.2	8.7	82.2	173.0	21.0	210.7	19.3	82.7	10.1	11.7	8.8	140.2	10.7	17.8	107.3	118.5	5.2	339.8	84.4	6
19.9	7.6	81.2	164.0	18.4	165.1	12.4	71.5	17.0	13.4	15.0	121.3	7.6	9.2	80.8	95.8	16.9	246.5	4.6	7
20.1	7.4	79.6	159.7	17.8	157.5	11.9	70.1	17.0	13.2	15.0	117.1	7.4	9.0	79.4	93.3	17.2	239.5	4.2	8
13.6	11.5	118.8	262.4	32.8	336.5	23.5	102.6	17.4	18.5	15.2	216.1	13.5	14.4	112.4	152.3	9.2	406.0	15.0	9
14.4	6.6	86.6	137.5	14.4	111.3	11.1	53.7	7.7	8.8	8.9	87.6	5.5	9.7	76.0	83.5	11.0	231.5	25.7	10
15.1	6.6	88.5	138.2	14.3	107.9	10.6	52.0	7.8	8.8	9.2	86.2	5.1	8.9	73.5	81.9	11.6	224.9	17.7	11
5.6	7.3	64.4	129.4	15.2	149.4	17.3	73.0	6.6	8.4	5.6	103.2	9.4	19.5	104.9	102.0	3.3	307.5	118.2	12
17.5	7.4	63.8	147.9	14.0	140.9	14.2	109.8	21.4	14.7	18.2	124.4	9.0	10.7	67.0	111.1	19.5	269.7	8.8	13
18.4	7.5	59.0	139.2	13.5	130.3	13.4	114.2	20.9	13.6	17.4	110.2	8.4	9.8	65.4	102.8	21.2	235.7	4.2	14
10.9	6.8	100.2	213.1	17.5	220.9	20.6	76.9	25.0	22.8	24.2	231.8	14.1	17.3	78.7	173.6	7.1	526.4	43.4	15
19.5	7.5	78.9	161.3	17.8	161.8	12.6	76.7	17.6	13.6	15.4	121.7	7.8	9.4	78.9	97.9	17.2	249.7	5.2	16
19.9	7.4	76.9	157.1	17.3	154.0	12.1	75.7	17.5	13.3	15.3	116.2	7.5	9.1	77.6	94.5	17.7	239.0	4.2	17
12.8	10.1	113.2	247.4	28.2	301.5	22.6	94.8	19.7	19.8	17.9	220.9	13.7	15.3	102.2	158.8	8.6	442.5	23.6	18
18.8	5.6	81.9	188.4	11.1	103.0	11.2	28.7	13.9	12.3	16.0	109.1	4.0	7.2	47.9	112.9	31.7	218.4	1.7	19
19.1	5.0	83.7	189.9	11.0	100.6	11.3	26.7	13.9	12.4	15.7	109.1	3.9	7.1	46.2	111.2	31.5	218.5	1.6	20
12.8	17.8	45.6	157.6	13.5	151.2	9.3	68.5	15.0	10.0	22.8	108.4	6.4	10.7	82.7	147.6	37.1	217.5	2.1	21
10.4	7.2	51.1	79.9	9.1	99.8	13.3	39.5	20.8	9.8	6.5	67.5	7.7	7.4	62.7	75.8	12.3	173.5	2.5	22
10.6	7.1	50.9	77.7	9.1	97.7	13.4	39.3	20.9	9.8	6.1	66.6	7.5	7.5	62.0	75.3	12.3	172.2	2.5	23
.....	10.7	64.1	192.2	10.7	202.9	10.7	48.1	16.0	10.7	26.7	112.1	16.0	.....	96.1	101.5	10.7	240.3	.....	24
22.7	13.3	111.1	175.3	20.2	197.8	13.3	85.7	10.8	10.8	12.1	122.9	5.9	8.0	88.8	102.9	15.5	261.2	6.8	25
22.8	13.3	110.4	172.5	20.0	195.1	13.3	85.7	10.7	10.7	11.9	121.6	5.6	7.6	88.7	102.1	15.5	259.2	6.8	26
19.0	6.3	158.5	386.7	31.7	412.1	12.7	88.8	19.0	19.0	25.4	221.9	31.7	38.0	95.1	158.5	12.7	412.1	6.3	27
17.2	5.5	99.0	152.5	13.2	114.3	9.1	62.6	12.5	11.7	13.7	105.8	8.2	8.0	70.5	85.7	17.1	228.2	0.7	28
17.1	5.5	98.7	148.6	12.9	110.8	9.0	62.1	12.3	11.5	13.5	104.0	8.0	8.0	70.1	83.4	17.3	223.8	0.7	29
22.3	6.4	113.1	325.0	27.1	269.2	11.2	81.2	20.7	19.1	25.5	183.2	17.5	8.0	90.8	186.4	9.6	420.5	1.6	30
16.9	5.7	74.3	110.3	11.1	82.7	11.0	36.9	11.3	10.9	8.4	75.6	7.7	8.4	67.4	75.2	9.6	236.5	16.3	31
16.9	5.4	73.3	105.3	11.0	78.8	10.5	35.6	11.3	11.1	8.3	70.9	7.5	8.5	67.8	71.9	9.7	231.1	15.5	32
15.5	13.8	106.7	261.5	13.8	203.0	27.5	77.4	10.3	3.4	10.3	220.2	13.8	3.4	56.8	175.5	5.2	400.9	41.3	33
9.6	12.1	50.8	93.2	14.0	110.7	11.1	49.9	7.9	9.0	7.6	82.8	6.1	7.9	73.8	71.3	7.6	219.4	44.5	34
9.4	12.3	47.5	83.1	11.1	101.9	10.0	49.6	7.5	8.2	6.8	73.6	5.6	7.6	72.8	64.1	8.3	202.4	43.2	35
11.3	10.5	80.0	180.6	38.4	187.0	19.8	52.9	10.9	16.2	13.7	162.0	10.1	10.9	82.8	133.7	1.6	366.0	56.6	36
19.7	8.4	129.2	191.5	22.8	137.5	9.7	69.3	13.1	13.5	8.3	119.0	4.0	12.2	78.7	76.6	14.4	303.6	26.8	37
19.7	8.4	129.1	191.2	22.7	137.0	9.7	60.5	13.1	13.5	8.3	119.2	4.0	12.2	78.6	76.2	14.4	303.1	26.8	38
.....	.....	162.4	284.2	40.6	284.2	.....	.....	.....	.....	.....	40.6	.....	.....	121.8	203.0	.....	446.6	40.6	39
16.1	6.8	102.9	162.8	23.4	181.0	12.6	95.1	9.2	11.5	11.2	152.9	6.8	9.0	97.4	85.9	13.6	252.8	21.9	40
17.4	6.3	99.8	147.9	19.1	147.7	11.8	81.7	9.2	11.0	11.4	142.9	5.7	7.8	84.6	78.4	15.7	229.9	11.1	41
10.0	9.5	118.2	235.6	44.6	343.9	16.5	160.7	9.1	14.3	10.0	201.8	11.7	15.2	159.8	123.0	3.5	365.1	74.9	42
23.0	8.0	101.1	195.4	21.8	173.0	10.4	67.3	11.3	10.7	9.6	97.0	6.1	8.9	79.5	80.6	12.2	259.5	6.9	43
23.0	8.0	101.0	194.8	21.8	171.2	10.3	67.4	11.2	10.6	9.5	96.4	6.0	8.9	79.3	80.2	12.3	258.4	6.8	44
24.3	8.8	115.0	247.8	19.9	316.3	17.7	64.2	22.1	15.5	15.5	148.2	17.7	11.1	97.3	106.2	6.6	347.3	13.3	45
17.5	9.0	96.2	171.5	22.2	116.2	15.5	68.5	17.5	15.2	14.6	82.1	3.8	10.6	102.2	100.9	14.8	323.6	10.3	46
17.6	8.8	96.2	169.6	21.8	114.7	15.3	68.8	17.3	15.2	14.6	81.7	8.7	10.6	102.3	100.0	14.9	321.8	10.1	47
7.5	22.6	105.7	388.7	60.4	279.2	41.5	34.0	34.0	15.1	15.1	132.1	22.6	11.3	90.6	211.3	11.3	535.8	34.0	48
16.4	6.2	57.2	105.9	11.1	85.8	9.1	27.9	19.3	10.8	6.6	76.3	5.2	8.1	71.9	78.5	12.4	188.5	10.8	49
16.4	6.1	57.2	105.8	11.1	84.9	9.0	27.9	19.3	10.8	6.6	76.2	5.3	8.0	72.0	78.2	12.4	187.2	9.2	50
16.8	22.5	50.5	129.1	.....	202.1	16.8	28.1	22.5	11.2	5.6	84.2	.....	22.5	67.4	117.9	11.2	353.6	213.3	51
15.2	7.2	65.2	108.2	16.7	130.6	10.3	48.4	14.2	11.2	12.1	111.2	7.1	8.1	59.5	82.8	16.6	211.3	19.9	52
15.1	7.3	64.0	101.4	16.4	124.0	10.1	47.7	14.2	10.4	11.8	105.8	7.0	8.0	59.2	77.9	17.0	204.6	19.4	53
15.4	5.8	89.6	249.6	24.3	267.5	15.4	62.7	16.0	26.9	16.6	225.3	7.7	9.0	65.3	185.0	9.6	352.0	30.7	54
16.1	7.8	46.4	102.1	8.3	116.7	13.5	39.6	22.9	11.5	11.5	78.1	10.7	12.8	88.8	170.6	24.6	211.5	26.8	55
16.0	7.4	46.7	100.9	8.5	105.8	12.6	38.7	23.4	11.7	11.7	76.9	9.9	12.8	89.9	169.9	24.7	209.7	20.9	56
20.7	20.7	34.5	138.1	.....	448.8	41.4	69.0	6.9	6.9	6.9	117.4	34.5	13.8	55.2	172.6	20.7	269.3	207.1	57
23.5	7.7	138.8	205.2	23.1	140.6	9.9	60.6	10.4	11.1	14.5	114.6	4.7	11.1	100.6	69.2	13.3	337.4	7.5	58
23.5	7.7	138.9	204.8	22.9	140.3	9.7	60.6	10.4	11.1	14.5	114.5	4.8	11.1	100.7	69.0	13.4	337.2	7.5	59
.....	.....	.....	514.6	171.5	343.1	171.5	.....	.....	.....	.....	171.5	.....	.....	.....	171.5	.....	514.6	.....	60
18.7	8.1	96.3	166.7	19.3	179.1	11.5	73.5	10.1	8.9	15.4	131.1	6.3	7.8	76.0	96.6	14.1	241.5	2.8	61
18.7	8.1	95.4	165.0	19.0	173.4	11.3	72.1	10.1	9.0	15.4	128.2	6.3	7.7	75.1	95.4	14.2	237.8	2.7	62
19.3	9.6	121.4	212.9	28.9	337.2	16.4	111.8	10.6	4.8	13.5	211.0	5.8	8.7	101.2	128.1	10.6	343.9	4.8	63

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION STATES—Con.															
1	New York (total)	1,476.7	5.9	0.3	(2)	9.9	2.0	7.8	14.9	19.2	4.1	137.2	10.6	7.3	6.1	92.0
2	White	1,463.3	5.9	0.3	(2)	10.0	2.0	7.6	14.8	19.1	4.2	132.5	10.2	7.1	6.1	92.4
3	Colored	2,276.7	7.1	2.4	.....	7.7	0.6	16.0	20.2	26.1	3.0	419.9	33.2	20.8	6.5	70.6
4	North Carolina (total)	1,306.4	29.2	14.0	0.5	7.1	2.6	16.7	17.1	26.4	1.7	134.9	3.7	10.3	5.9	45.1
5	White	1,137.1	22.6	9.2	0.3	6.9	3.5	10.7	20.0	23.8	2.2	92.0	3.8	7.7	5.4	48.1
6	Colored	1,677.1	43.8	24.6	1.1	7.6	0.5	29.9	10.6	32.0	0.8	228.9	3.5	16.1	6.9	38.5
7	Ohio (total)	1,442.3	14.9	0.4	0.1	15.8	4.1	13.3	12.1	31.7	3.8	114.5	7.0	11.0	5.8	91.2
8	White	1,415.5	14.5	0.4	0.1	15.9	4.2	12.7	12.2	31.4	3.8	107.5	6.9	10.5	5.8	91.3
9	Colored	2,550.6	31.3	.....	.....	14.8	2.5	36.2	10.7	41.9	1.6	405.5	12.3	32.1	6.6	86.4
10	Pennsylvania (total)	1,461.8	13.6	0.2	.....	18.1	2.8	12.2	19.4	30.2	3.9	112.3	7.9	9.9	6.4	76.6
11	White	1,437.9	13.2	0.2	.....	18.2	2.8	11.8	19.5	30.1	3.9	105.0	7.7	9.4	6.4	76.6
12	Colored	2,362.8	22.2	.....	.....	10.9	1.8	26.3	13.1	34.0	4.1	389.3	16.3	25.8	8.6	75.2
13	Rhode Island (total)	1,546.6	6.8	0.7	0.2	23.4	5.0	7.7	23.1	26.5	6.3	142.9	13.5	10.3	4.6	92.6
14	White	1,523.0	6.6	0.7	0.2	23.5	5.1	7.3	23.0	26.2	6.5	136.3	12.9	9.6	4.3	91.8
15	Colored	2,903.9	19.0	.....	.....	19.0	.....	28.6	28.6	47.6	.....	523.7	47.6	47.6	19.0	142.8
16	South Carolina (total)	1,384.3	34.1	39.0	0.2	4.6	2.4	17.2	8.5	26.6	1.4	126.5	2.4	7.0	5.2	34.6
17	White	1,091.7	28.1	16.3	.....	4.9	4.0	9.9	11.8	23.4	2.4	62.1	2.3	3.8	4.0	41.6
18	Colored	1,638.5	39.4	58.7	0.5	4.4	1.0	23.4	5.6	29.4	0.5	201.1	2.5	9.8	6.3	28.5
19	Utah (total)	1,039.2	10.4	0.2	.....	8.5	5.8	7.4	14.5	15.2	5.5	40.1	3.0	6.2	6.9	56.7
20	White	1,036.7	10.3	0.2	.....	8.7	5.9	7.5	14.8	15.3	5.6	37.8	2.6	5.9	7.0	57.3
21	Colored	1,164.7	12.0	.....	.....	.....	.....	.....	.....	12.0	.....	156.1	24.0	24.0	.....	24.0
22	Vermont (total)	1,563.7	6.3	.....	0.3	6.6	3.6	12.4	6.6	76.7	3.3	90.5	7.7	9.6	7.1	114.9
23	White	1,570.5	6.4	.....	0.3	6.6	3.6	12.4	6.6	77.2	3.3	90.4	7.7	9.7	7.2	115.6
24	Colored	417.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	92.8	.....	.....	.....	.....
25	Virginia (total)	1,466.4	25.1	6.6	(2)	18.6	1.3	20.1	14.4	33.3	2.6	156.8	7.2	13.1	6.1	57.0
26	White	1,215.9	20.9	3.7	0.1	16.5	1.8	13.7	16.9	30.1	3.2	104.2	6.3	9.6	5.2	63.1
27	Colored	2,025.4	34.5	13.1	.....	23.3	0.3	34.3	8.8	40.5	1.3	274.0	9.3	20.9	8.3	43.3
28	Washington (total)	769.4	5.1	0.1	0.1	5.5	0.8	5.0	2.4	14.3	1.4	66.5	5.5	9.3	3.4	62.1
29	White	749.7	4.9	0.1	0.1	5.0	0.9	4.8	2.3	14.1	1.3	58.6	5.3	8.8	3.3	62.4
30	Colored	1,510.9	15.1	.....	.....	27.6	.....	10.0	5.0	20.1	5.0	363.9	15.1	25.1	5.0	50.2
31	Wisconsin (total)	1,183.5	8.0	(3)	0.1	11.8	5.0	7.0	9.2	29.9	4.0	79.7	6.1	7.3	7.6	84.3
32	White	1,183.3	8.0	(3)	0.1	11.7	5.1	7.1	9.2	29.9	4.0	78.5	6.0	7.2	7.6	84.7
33	Colored	1,206.4	6.8	.....	.....	13.6	.....	.....	6.8	34.1	.....	279.4	20.4	27.3	.....	20.4
	REGISTRATION CITIES.															
	ALABAMA.[4]															
34	Registration cities (total)	1,540.9	38.8	15.9	.....	.....	0.7	4.2	3.5	19.4	1.1	178.3	5.3	21.2	3.2	65.3
35	White	1,115.3	33.8	8.9	.....	.....	1.2	1.2	2.4	17.8	1.2	72.3	3.6	10.7	3.0	72.9
36	Colored	2,168.9	46.3	26.2	.....	.....	.....	8.7	5.2	21.8	0.9	334.7	7.9	36.7	3.5	54.2
37	Birmingham (total)	1,406.8	43.5	9.9	.....	.....	1.1	3.9	5.0	13.2	.....	173.9	6.6	21.5	4.4	56.1
38	White	998.8	34.2	4.4	.....	.....	1.8	1.8	3.5	12.3	.....	66.7	3.5	8.8	3.5	62.3
39	Colored	2,092.0	59.0	19.2	.....	.....	.....	7.4	7.4	14.7	.....	353.8	11.8	42.8	5.9	45.7
40	Mobile (total)	1,884.2	30.9	24.0	.....	.....	.....	5.2	1.7	37.8	1.7	228.4	1.7	17.2	1.7	101.3
41	White	1,436.4	30.8	18.5	.....	.....	.....	.....	.....	30.8	3.1	95.4	3.1	12.3	3.1	123.0
42	Colored	2,450.3	31.1	31.1	.....	.....	.....	11.7	3.9	46.7	.....	396.7	.....	23.3	.....	73.9
43	Montgomery (total)	1,642.6	30.0	30.0	.....	.....	.....	4.6	.....	20.8	4.6	129.4	4.6	25.4	.....	55.4
44	White	1,241.8	35.7	17.9	.....	.....	.....	.....	.....	26.8	4.5	67.0	4.5	17.9	.....	53.6
45	Colored	2,072.0	23.9	43.1	.....	.....	.....	9.6	.....	14.4	4.8	196.2	4.8	33.5	.....	57.4
	CALIFORNIA.															
46	Registration cities (total)	1,353.6	5.4	0.7	0.1	2.0	1.3	5.9	12.0	9.7	2.5	157.5	12.0	10.1	4.1	113.6
47	White	1,329.2	5.2	0.5	0.1	1.9	1.3	5.6	11.9	9.9	2.4	147.0	10.2	9.3	4.3	114.2
48	Colored	1,888.6	10.8	5.4	.....	4.1	1.4	13.5	13.5	6.8	4.1	386.9	51.4	27.1	.....	98.8
49	Alameda	944.8	.....	.....	.....	.....	.....	3.6	3.6	10.8	.....	50.5	10.8	18.0	.....	82.9
50	Bakersfield	2,038.6	47.4	5.9	.....	41.5	5.9	11.9	11.9	.....	.....	225.2	53.3	5.9	11.9	94.8
51	Berkeley	790.9	6.9	.....	.....	.....	.....	5.2	6.9	10.4	1.7	39.9	3.5	3.5	3.5	91.9
52	Eureka	1,477.8	.....	.....	.....	.....	6.8	.....	.....	6.8	.....	149.8	20.4	27.2	.....	122.6
53	Fresno	1,132.8	14.3	2.9	.....	2.9	2.9	17.2	5.7	11.4	2.9	114.4	8.6	11.4	2.9	83.0
54	Long Beach	1,678.3	10.9	.....	.....	.....	.....	14.5	.....	21.7	.....	108.7	7.2	7.2	3.6	170.4
55	Los Angeles (total)	1,230.4	2.6	0.2	0.4	2.0	1.4	9.7	3.8	9.3	3.2	176.7	9.5	7.7	3.6	105.6
56	White	1,195.9	2.5	0.2	0.4	1.9	1.4	9.3	3.5	9.1	3.3	165.0	7.5	7.2	3.7	105.2
57	Colored	1,993.3	4.6	.....	.....	4.6	.....	18.3	9.2	13.7	.....	435.3	55.0	18.3	.....	114.6
58	Oakland	1,052.3	4.0	.....	.....	.....	.....	2.5	12.6	8.6	2.0	94.2	17.6	8.6	5.5	89.6
59	Pasadena	1,098.0	4.3	.....	.....	.....	.....	4.3	2.2	15.1	.....	111.9	6.5	8.6	2.2	131.3
60	Pomona	1,171.1	22.8	.....	.....	.....	.....	7.6	.....	53.2	.....	45.6	7.6	15.2	.....	114.1
61	Redlands	1,007.1	7.1	.....	.....	.....	.....	.....	.....	28.6	.....	207.1	21.4	7.1	7.1	64.3
62	Riverside (total)	1,462.3	10.1	.....	.....	30.4	.....	.....	5.1	20.2	.....	242.9	15.2	10.1	5.1	50.6
63	White	1,502.8	11.5	.....	.....	28.8	.....	.....	5.8	23.0	.....	253.3	11.5	5.8	5.8	51.8
64	Colored	1,169.1	.....	.....	.....	41.8	.....	.....	.....	.....	.....	167.0	41.8	41.8	.....	41.8
65	Sacramento	1,523.3	7.5	6.0	.....	.....	1.5	.....	6.0	6.0	6.0	185.4	16.4	10.5	4.5	121.1

For footnotes see pp. 106, 107.

AND ITS SUBDIIVSIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
21.7	6.0	86.3	192.7	18.4	161.9	10.1	57.3	12.1	11.9	15.7	131.5	5.1	7.6	73.0	85.2	15.0	245.7	1.7	1
21.8	5.9	86.2	191.4	18.2	159.4	10.1	56.8	12.0	12.0	15.7	130.8	5.1	7.5	72.5	84.5	15.1	244.3	1.7	2
13.6	11.3	88.4	270.4	29.7	310.2	11.9	87.2	17.2	9.5	13.6	179.1	7.1	14.2	102.0	131.7	8.3	332.7	4.7	3
6.7	9.3	61.8	92.1	11.3	104.8	11.4	77.9	7.6	8.1	4.9	72.6	6.3	18.4	84.5	65.3	3.4	233.1	111.4	4
7.7	9.9	61.8	84.3	9.3	84.1	9.0	74.5	8.5	7.6	5.2	69.2	5.0	16.1	88.2	55.0	4.2	204.2	76.9	5
4.4	9.4	61.7	109.1	15.8	149.9	16.6	85.2	5.6	9.0	4.1	80.0	9.0	23.5	76.6	87.7	1.7	296.2	166.8	6
19.6	6.8	105.6	162.5	14.8	138.1	11.1	62.4	13.1	11.2	14.7	96.5	7.6	8.3	73.8	108.3	14.7	237.7	9.6	7
19.7	6.8	105.0	158.7	14.6	133.8	10.9	62.7	13.0	11.1	14.7	94.5	7.5	8.3	73.1	105.0	14.7	235.0	9.2	8
17.3	6.6	133.2	321.6	21.4	318.3	22.2	47.7	18.9	13.2	16.5	177.7	13.2	9.0	102.0	245.1	15.6	347.1	22.2	9
15.5	5.9	84.5	145.0	17.9	167.7	15.4	101.7	10.2	11.6	13.3	107.2	7.6	10.3	88.2	107.8	11.9	220.4	6.7	10
15.7	5.8	84.5	142.5	17.6	162.7	15.3	101.8	10.1	11.5	13.3	104.8	7.5	10.2	88.0	106.1	12.1	216.9	6.7	11
7.7	8.2	86.6	239.3	28.1	357.2	19.0	97.0	11.8	17.7	13.6	196.3	11.3	12.7	96.1	170.0	4.1	352.2	6.3	12
19.4	8.0	101.9	169.1	22.8	159.0	11.1	69.7	12.9	10.3	12.0	130.6	3.4	10.4	87.9	78.6	13.7	255.9	6.3	13
19.5	7.6	100.5	164.6	22.4	157.0	10.9	69.9	13.1	10.3	11.9	130.0	3.3	10.4	86.8	77.8	13.7	253.2	6.0	14
9.5	28.6	180.9	428.4	47.6	276.1	19.0	57.1	.....	9.5	19.0	161.9	9.5	9.5	152.3	123.8	9.5	409.4	28.6	15
4.6	3.8	52.9	84.5	7.0	105.0	13.7	71.9	7.4	7.2	3.1	96.5	8.6	22.1	136.2	69.7	3.9	300.6	66.1	16
7.1	4.9	57.6	75.8	7.4	82.9	9.0	70.6	7.4	7.0	2.8	82.1	5.0	19.2	105.5	52.7	6.2	242.2	31.8	17
2.3	2.9	48.8	92.0	6.6	124.3	17.8	73.0	7.4	7.4	3.3	109.0	11.6	24.7	162.9	84.5	1.8	351.3	95.9	18
15.7	5.5	46.3	97.0	11.7	109.9	6.9	26.0	19.1	8.1	6.9	70.5	4.1	11.1	98.8	93.5	12.9	179.7	35.0	19
15.7	5.2	47.0	97.5	11.7	109.7	6.6	25.6	19.5	8.2	7.0	71.2	3.5	11.0	100.1	91.8	12.9	179.0	34.5	20
12.0	24.0	12.0	72.0	12.0	120.1	24.0	48.0	.....	.....	.....	36.0	36.0	12.0	36.0	180.1	12.0	216.1	60.0	21
26.9	9.9	132.5	219.4	26.4	122.6	9.9	41.0	14.3	15.1	5.5	114.7	1.4	15.4	82.8	75.3	16.8	286.8	1.4	22
27.1	9.7	133.0	220.7	26.6	123.4	10.0	40.9	14.4	15.2	5.5	115.1	1.4	15.2	83.0	75.8	16.9	288.2	1.4	23
.....	46.4	46.4	.....	.....	.....	.....	46.4	.....	.....	.....	46.4	.....	46.4	46.4	.....	.....	46.4	.....	24
9.1	9.6	78.9	137.0	14.5	126.1	16.5	66.1	9.0	9.2	6.2	109.6	7.7	13.6	85.1	84.5	8.2	257.3	55.8	25
9.9	9.5	65.8	115.0	10.2	89.3	11.1	55.8	8.7	7.9	6.1	94.0	6.3	11.6	80.5	72.9	10.8	217.7	37.5	26
7.4	9.7	108.2	186.0	24.0	208.3	28.4	89.3	9.9	11.9	6.3	144.3	10.6	18.3	95.2	110.4	2.2	345.8	96.8	27
12.2	3.5	48.6	80.6	6.3	53.4	6.9	11.1	9.2	8.5	5.7	49.3	4.5	6.9	45.4	69.9	12.0	144.4	9.3	28
12.4	3.1	49.2	80.8	6.2	51.1	6.8	10.4	9.3	8.0	5.8	49.5	4.4	6.6	44.2	68.5	12.2	142.7	6.5	29
2.5	15.1	27.6	70.3	12.5	140.5	12.5	37.6	5.0	27.6	5.0	45.2	7.5	17.6	92.9	123.0	2.5	210.8	112.9	30
17.5	7.0	75.3	118.9	18.8	109.3	10.1	38.8	14.2	9.8	11.5	69.7	5.8	7.8	83.8	69.7	14.0	238.5	3.2	31
17.5	6.9	75.5	119.2	18.9	109.0	10.1	38.9	14.2	9.8	11.5	69.6	5.8	7.8	84.2	69.5	14.1	238.4	3.2	32
13.6	20.4	34.1	68.2	.....	156.8	.....	13.6	.....	.....	13.6	81.8	6.8	6.8	20.4	95.4	.....	265.8	.....	33
8.1	4.9	77.3	102.0	9.2	128.1	12.4	63.9	29.7	16.2	11.6	143.3	7.8	16.2	72.7	110.8	10.6	333.6	25.4	34
10.7	3.6	57.5	79.4	8.9	74.0	10.7	62.8	32.0	9.5	8.9	101.2	5.9	16.0	61.6	74.0	14.8	238.1	14.2	35
4.4	7.0	106.6	135.4	9.6	208.0	14.9	65.5	26.2	26.2	15.7	201.0	10.5	16.6	89.1	165.2	4.4	474.5	41.9	36
7.2	6.6	62.7	84.7	10.5	137.5	13.2	71.0	31.4	13.2	9.4	85.8	8.3	16.0	69.9	113.9	8.3	292.1	26.4	37
8.8	5.3	43.9	65.8	9.7	72.8	9.7	72.8	30.7	6.1	6.1	68.5	5.3	18.4	70.2	73.7	11.4	207.1	9.7	38
4.4	8.8	94.4	116.5	11.8	246.2	19.2	67.8	32.4	25.1	14.7	115.0	13.3	11.8	69.3	181.3	2.9	434.9	54.5	39
5.2	3.4	106.5	173.5	3.4	103.1	6.9	56.7	25.8	22.3	17.2	247.3	8.6	18.9	77.3	92.8	17.2	419.1	27.5	40
9.2	.....	76.9	129.2	6.2	70.7	6.2	49.2	30.8	15.4	12.3	212.2	12.3	12.3	27.7	80.0	24.6	304.5	36.9	41
.....	7.8	143.9	229.5	.....	143.9	7.8	66.1	19.4	31.1	23.3	291.7	3.9	27.2	140.0	108.9	7.8	564.0	15.6	42
16.2	.....	99.3	78.5	11.6	122.4	16.2	43.9	27.7	20.8	13.9	244.9	4.6	13.9	78.5	122.4	11.6	392.7	18.5	43
22.3	.....	98.3	75.9	8.9	84.9	22.3	31.3	40.2	17.9	17.9	129.5	.....	8.9	67.0	67.0	17.9	299.3	4.5	44
9.6	.....	100.5	81.3	14.4	162.7	9.6	57.4	14.4	23.9	9.6	368.5	9.6	19.1	90.9	181.8	4.8	492.9	33.5	45
22.1	5.7	83.0	197.0	11.0	97.8	10.9	24.0	17.3	13.5	16.9	117.3	3.8	6.8	45.3	92.2	35.5	215.9	0.8	46
22.1	4.8	84.1	197.2	11.0	95.2	10.9	22.2	17.5	13.5	16.0	116.0	3.6	6.7	43.7	89.9	35.4	215.0	0.7	47
23.0	27.1	56.8	193.5	10.8	155.6	10.8	62.2	13.5	12.2	36.5	147.5	6.8	10.8	81.2	142.0	37.9	234.0	2.7	48
18.0	7.2	86.5	158.7	3.6	50.5	3.6	7.2	18.0	10.8	10.8	97.4	.....	10.8	28.8	72.1	32.5	147.8	.....	49
11.9	17.8	106.7	124.5	11.9	130.4	17.8	47.4	41.5	23.7	5.9	130.4	.....	5.9	106.7	278.5	53.3	408.9	.....	50
15.6	5.2	74.6	137.0	12.1	50.3	3.5	8.7	10.4	3.5	6.9	76.3	3.5	3.5	22.5	39.9	19.1	124.9	.....	51
27.2	.....	115.8	231.5	13.6	68.1	6.8	6.8	34.1	6.8	6.8	95.3	.....	.....	74.9	156.6	20.4	279.2	.....	52
5.7	11.4	40.0	103.0	.....	103.0	11.4	60.1	25.7	25.7	14.3	88.7	.....	5.7	68.7	114.4	17.2	157.3	.....	53
43.5	7.2	137.7	344.4	21.7	72.5	14.5	10.9	18.1	3.6	14.5	188.5	3.6	7.2	32.6	87.0	14.5	311.7	.....	54
22.0	6.5	67.5	161.0	8.7	78.0	11.1	29.1	14.7	11.3	11.1	111.3	6.1	6.1	40.2	78.2	28.3	203.0	0.4	55
21.7	6.0	67.9	160.6	8.7	74.1	10.6	26.3	14.5	10.8	10.8	108.1	6.0	5.8	38.7	75.4	29.0	200.6	0.2	56
27.5	18.3	59.6	169.5	9.2	165.0	22.9	91.6	18.3	22.9	18.3	183.3	9.2	13.7	73.3	142.1	13.7	256.6	4.6	57
16.6	1.5	79.6	189.3	13.1	75.5	7.0	11.1	11.6	13.6	14.6	89.1	1.5	4.0	51.4	54.4	23.7	149.0	0.5	58
25.8	2.2	94.7	133.5	21.5	43.1	21.5	17.2	15.1	10.8	8.6	135.6	.....	8.6	25.8	45.2	21.5	180.8	.....	59
15.2	.....	38.0	197.7	7.6	83.7	7.6	22.8	7.6	30.4	22.8	91.3	.....	15.2	91.3	114.1	7.6	152.1	.....	60
28.6	.....	50.0	64.3	7.1	57.1	7.1	7.1	.....	.....	14.3	100.0	7.1	7.1	21.4	78.6	14.3	200.0	.....	61
20.2	10.1	96.1	177.1	10.1	35.4	15.2	30.4	20.2	10.1	15.2	111.3	5.1	10.1	45.5	116.4	25.3	308.7	10.1	62
17.3	11.5	103.6	184.2	11.5	40.3	11.5	28.8	23.0	11.5	17.3	120.9	5.8	11.5	40.3	109.4	28.8	322.4	5.8	63
41.8	.....	41.8	125.3	.....	.....	41.8	41.8	.....	.....	.....	41.8	.....	.....	83.5	167.0	.....	208.8	41.8	64
16.4	9.0	91.2	149.5	14.9	139.0	6.0	47.8	26.9	23.9	19.4	134.5	3.0	10.5	61.3	80.7	35.9	282.5	.....	65

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	CALIFORNIA—continued.															
1	San Bernardino	1,923.9	17.7	5.9	.....	.....	.....	.....	.....	17.7	.....	507.5	17.7	11.8	5.9	165.2
2	San Diego	1,959.2	11.1	.....	.....	3.7	3.7	5.5	14.8	27.7	.....	251.4	3.7	24.0	5.5	134.9
3	San Francisco (total)	1,543.4	3.5	0.9	.....	1.3	1.7	3.9	28.3	4.1	2.6	169.4	12.5	11.7	3.2	133.1
4	White	1,508.7	3.1	0.7	.....	1.3	1.6	3.8	28.4	4.3	2.5	156.6	10.5	10.3	3.4	132.5
5	Colored	2,479.0	12.1	6.0	.....	.....	6.0	6.0	24.1	.....	6.0	512.7	66.3	48.3	.....	150.8
6	San Jose	1,367.5	5.1	.....	.....	.....	.....	2.6	10.3	15.4	5.1	105.4	12.9	2.6	5.1	154.2
7	Santa Barbara	1,818.7	33.7	.....	.....	.....	.....	6.7	.....	13.5	13.5	148.2	6.7	.....	20.2	80.8
8	Santa Cruz	1,219.7	.....	.....	.....	.....	6.9	.....	.....	13.7	.....	48.0	20.6	6.9	.....	116.5
9	Stockton*	2,073.1	17.0	.....	.....	2.8	.....	11.3	2.8	8.5	.....	226.3	11.3	25.5	8.5	110.3
10	Vallejo	1,017.8	.....	.....	.....	7.4	.....	.....	.....	37.1	.....	52.0	7.4	7.4	7.4	44.6
	COLORADO.															
11	Registration cities (total)	1,176.2	8.0	0.6	.....	1.4	1.4	2.2	2.5	10.5	3.9	208.5	7.2	9.1	4.1	82.6
12	White	1,152.9	8.3	0.6	.....	1.4	1.4	2.3	2.3	10.5	4.0	201.9	7.1	9.1	4.3	82.6
13	Colored	1,917.3	.....	.....	.....	.....	.....	.....	9.1	9.1	.....	418.0	9.1	9.1	.....	81.8
14	Colorado Springs	1,537.7	15.2	3.0	.....	.....	.....	6.1	.....	9.1	.....	467.1	9.1	9.1	6.1	78.9
15	Denver	1,154.9	7.3	0.4	.....	1.9	1.2	1.2	1.5	10.4	3.5	199.0	8.1	10.0	3.5	90.1
16	Pueblo	1,026.4	3.7	.....	.....	.....	3.7	5.5	7.3	7.3	9.2	108.3	1.8	3.7	3.7	51.4
17	Trinidad	1,304.5	21.6	.....	.....	.....	.....	.....	7.2	28.8	.....	165.8	7.2	14.4	14.4	72.1
	CONNECTICUT.															
18	Registration cities (total)	1,668.8	8.8	0.7	.....	13.6	3.0	12.7	17.0	34.5	6.5	118.7	14.3	10.1	6.0	95.8
19	White	1,651.2	8.5	0.6	.....	13.7	3.1	12.1	17.0	34.1	6.5	116.2	14.4	9.3	6.0	96.4
20	Colored	2,896.8	33.0	8.3	.....	8.3	.....	49.5	16.5	66.0	8.3	297.1	8.3	66.0	8.3	57.8
21	Ansonia	1,209.3	.....	.....	.....	6.0	.....	18.0	18.0	12.0	.....	53.9	6.0	12.0	.....	41.9
22	Bridgeport	1,936.2	9.0	.....	.....	15.6	3.3	12.3	18.9	20.6	6.6	118.4	18.9	7.4	5.8	103.6
23	Bristol	1,042.3	6.3	.....	.....	.....	.....	12.6	6.3	18.8	.....	75.3	6.3	.....	.....	81.6
24	Danbury town	1,336.7	3.8	.....	.....	11.5	11.5	3.8	26.9	30.7	3.8	96.0	7.7	.....	11.5	96.0
25	Greenwich town	1,424.9	.....	.....	.....	5.2	.....	.....	.....	15.7	.....	94.0	5.2	15.7	10.4	57.4
26	Hartford	2,039.7	17.1	.....	.....	37.0	1.8	19.8	20.7	23.4	6.3	103.7	9.0	15.3	5.4	128.0
27	Manchester town	1,003.2	.....	.....	.....	.....	.....	.....	.....	51.4	.....	96.5	6.4	12.9	.....	83.6
28	Meriden town	1,535.9	.....	5.9	.....	.....	.....	8.8	2.9	96.5	5.9	354.0	.....	8.8	5.9	99.5
29	Middletown town*	2,491.3	21.9	.....	.....	26.3	.....	4.4	.....	26.3	3.8	214.9	26.3	26.3	.....	79.0
30	Naugatuck	965.0	7.1	.....	.....	28.4	.....	35.5	7.1	21.3	.....	71.0	7.1	7.1	.....	85.1
31	New Britain	1,247.4	5.6	.....	.....	22.3	.....	20.4	14.9	35.3	3.7	74.4	5.6	7.4	5.6	48.3
32	New Haven	1,699.6	8.7	1.3	.....	5.3	6.7	12.7	16.0	37.4	13.4	95.5	24.1	9.4	6.7	116.2
33	New London	2,192.0	14.3	.....	.....	.....	4.8	9.5	23.8	47.7	9.5	100.1	14.3	9.5	4.8	171.6
34	Norwalk	1,568.8	18.6	.....	.....	.....	.....	37.2	22.3	66.9	3.7	141.3	3.7	11.2	3.7	115.2
35	Norwich town	1,808.4	6.8	.....	.....	3.4	10.2	3.4	10.2	91.8	6.8	227.7	17.0	20.4	3.4	95.2
36	Orange town	1,432.7	.....	.....	.....	.....	7.2	.....	14.3	28.6	7.2	86.0	21.5	7.2	14.3	86.0
37	Stamford town	1,623.1	.....	2.8	.....	2.8	.....	8.5	22.8	28.5	2.8	111.1	5.7	8.5	14.2	91.1
38	Torrington town	1,306.3	.....	.....	.....	30.6	5.1	20.4	25.5	56.1	.....	91.9	.....	5.1	5.1	71.4
39	Wallingford town	1,063.3	.....	8.0	.....	.....	.....	8.0	.....	24.0	.....	79.9	.....	.....	8.0	79.9
40	Waterbury	1,539.6	11.5	.....	.....	13.8	.....	5.7	28.7	21.8	5.7	112.7	26.4	11.5	8.0	52.9
41	Windham town	1,660.3	14.1	.....	.....	14.1	7.1	7.1	7.1	21.2	14.1	120.1	7.1	.....	.....	98.9
	DELAWARE.[4]															
42	Wilmington (total)	1,913.8	29.7	.....	.....	27.6	1.1	9.5	10.6	35.0	.....	139.0	12.7	11.7	9.5	84.9
43	White	1,797.1	28.0	.....	.....	28.0	1.2	8.2	11.7	32.7	.....	121.5	10.5	8.2	9.3	81.8
44	Colored	3,063.8	46.1	.....	.....	23.0	.....	23.0	.....	57.6	.....	311.0	34.6	46.1	11.5	115.2
	DISTRICT OF COLUMBIA.															
45	Washington (total)	1,784.2	12.9	1.4	.....	2.2	1.6	10.2	9.6	24.2	3.0	187.4	8.8	10.4	5.8	107.7
46	White	1,497.2	9.5	1.5	.....	1.9	1.9	4.9	10.2	22.0	1.9	107.9	7.6	5.7	6.1	112.4
47	Colored	2,543.7	22.0	1.0	.....	3.0	1.0	24.0	8.0	30.1	6.0	397.7	12.0	23.0	5.0	95.2
	FLORIDA.[4]															
48	Registration cities (total)	1,401.8	17.4	5.6	.....	.....	1.1	0.6	6.2	14.6	1.7	174.7	3.4	6.2	2.8	61.8
49	White	1,186.7	22.4	4.5	.....	.....	0.9	.....	8.1	13.5	1.8	106.8	3.6	6.3	.....	81.7
50	Colored	1,761.7	9.0	7.5	.....	.....	1.5	1.5	3.0	16.5	1.5	288.4	3.0	6.0	7.5	28.5
51	Jacksonville (total)	1,572.9	11.8	3.9	.....	.....	1.3	1.3	7.9	13.1	3.9	216.8	.....	9.2	2.6	59.1
52	White	1,254.8	13.0	2.6	.....	.....	2.6	.....	10.4	13.0	5.2	119.5	.....	10.4	.....	80.5
53	Colored	1,898.5	10.6	5.3	.....	.....	.....	2.7	5.3	13.3	2.7	316.4	.....	8.0	5.3	37.2
54	Key West (total)	1,063.3	23.0	.....	.....	.....	.....	.....	9.2	.....	.....	156.5	4.6	4.6	.....	73.7
55	White	1,048.0	30.8	.....	.....	.....	.....	.....	12.3	.....	.....	123.3	6.2	6.2	.....	86.3
56	Colored	1,108.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	254.5	.....	.....	.....	36.4
57	Pensacola (total)	1,560.6	30.5	15.2	.....	.....	.....	.....	3.8	38.1	.....	175.1	.....	3.8	7.6	49.5
58	White	1,286.2	53.3	6.7	.....	.....	.....	.....	6.7	40.0	.....	93.3	.....	.....	.....	73.3
59	Colored	1,926.0	.....	26.6	.....	.....	.....	.....	.....	35.5	.....	284.0	.....	8.9	17.8	17.8
60	Tampa (total)	1,219.2	16.7	5.6	.....	.....	1.9	.....	3.7	11.1	.....	122.5	9.3	3.7	1.9	66.8
61	White	1,142.0	16.8	7.2	.....	.....	.....	.....	4.8	9.6	.....	93.6	7.2	4.8	.....	84.0
62	Colored	1,483.0	1.64	.....	.....	.....	8.2	.....	.....	16.4	.....	221.2	16.4	.....	8.2	8.2

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Contnued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
29.5	5.9	70.8	118.0	23.6	118.0	17.7	76.7	29.5	5.9	11.8	153.4	.....	5.9	88.5	153.4	35.4	230.2	.....	1
31.4	9.2	138.6	308.7	9.2	103.5	14.8	25.9	22.2	14.8	14.8	125.7	9.2	14.8	61.0	146.0	70.2	351.2	1.8	2
24.8	4.5	85.4	250.7	11.9	129.0	11.9	18.1	20.3	15.7	26.5	135.3	3.0	6.9	39.0	115.9	51.6	215.7	1.1	3
24.4	3.4	85.2	248.1	11.2	128.4	12.3	17.7	20.6	16.1	25.3	131.6	2.9	6.5	37.4	113.2	50.8	213.7	1.1	4
36.2	36.2	90.5	319.7	30.2	144.8	.....	30.2	12.1	6.0	60.3	235.2	6.0	18.1	84.4	187.0	72.4	271.4	.....	5
28.3	5.1	105.4	185.1	7.7	115.7	5.1	46.3	10.3	7.7	12.9	113.1	5.1	.....	59.1	64.3	41.1	233.9	2.6	6
53.9	20.2	175.1	363.7	6.7	107.8	13.5	20.2	33.7	33.7	26.9	148.2	.....	20.2	74.1	121.2	53.9	222.3	.....	7
6.9	.....	116.5	315.2	.....	82.2	6.9	.....	6.9	6.9	6.9	75.4	.....	20.6	48.0	54.8	34.3	226.1	.....	8
17.0	17.0	121.6	209.3	17.0	212.1	19.8	33.9	25.5	14.1	39.6	149.9	5.7	5.7	76.4	147.1	39.6	494.9	2.8	9
7.4	.....	52.0	104.0	.....	163.4	22.3	22.3	.....	7.4	14.9	59.4	.....	14.9	44.6	96.6	14.9	230.3	.....	10
14.1	6.4	59.4	98.0	7.2	121.2	13.8	21.0	27.3	12.7	9.7	88.6	9.4	6.1	63.5	53.3	14.4	206.8	1.4	11
14.5	6.0	58.7	93.4	6.8	116.5	13.7	20.2	27.9	12.5	8.5	87.7	8.8	6.3	62.7	52.4	14.2	204.8	1.4	12
.....	18.2	81.8	245.3	18.2	272.6	18.2	45.4	9.1	18.2	45.4	118.1	27.3	.....	90.9	81.8	18.2	272.6	.....	13
12.1	3.0	78.9	127.4	12.1	97.1	6.1	21.2	24.3	6.1	6.1	84.9	12.1	.....	78.9	75.8	18.2	269.9	.....	14
14.6	6.1	54.8	101.6	6.5	122.3	16.1	13.0	28.0	13.4	7.7	95.5	9.2	6.5	54.8	42.9	14.6	207.8	1.5	15
16.5	9.2	71.6	73.4	9.2	121.2	7.3	45.9	25.7	12.9	16.5	53.2	5.5	7.3	91.8	71.6	9.2	170.8	1.8	16
.....	7.2	50.5	57.7	.....	158.6	14.4	72.1	23.8	14.4	28.8	108.1	21.6	7.2	79.3	122.5	21.6	180.2	.....	17
22.6	15.5	101.2	160.3	20.2	219.1	15.2	94.5	13.4	12.8	13.8	127.4	7.3	8.6	97.4	107.0	17.1	267.0	6.5	18
22.6	15.6	100.5	157.2	19.9	215.2	15.2	94.8	13.3	12.6	13.6	126.0	7.0	8.0	97.1	106.4	17.1	264.9	6.5	19
16.5	8.3	148.6	379.6	41.3	486.9	16.5	74.3	16.5	24.8	33.0	231.1	33.0	49.5	123.8	148.6	16.5	412.6	8.3	20
12.0	41.9	83.8	107.8	18.0	149.7	23.9	191.6	.....	.....	6.0	71.8	.....	.....	71.8	53.9	23.9	149.7	35.9	21
23.0	18.1	90.5	143.9	16.5	357.8	14.8	130.0	14.0	12.3	16.5	162.9	14.0	6.6	107.7	142.3	34.5	276.4	14.0	22
6.3	12.6	69.1	87.9	.....	131.9	6.3	94.2	.....	.....	12.6	75.3	6.3	.....	119.3	37.7	.....	169.5	6.3	23
26.9	11.5	96.0	149.8	26.9	99.9	23.0	19.2	11.5	23.0	3.8	65.3	3.8	11.5	69.1	92.2	7.7	291.9	.....	24
36.5	26.1	67.9	146.1	62.6	109.6	26.1	62.6	10.4	20.9	15.7	109.6	5.2	5.2	104.4	83.5	31.3	297.5	.....	25
26.1	10.8	131.7	197.5	21.6	300.3	16.2	107.3	21.6	27.1	19.8	147.9	11.7	7.2	119.9	138.9	18.9	326.4	0.9	26
32.2	12.9	25.7	147.9	19.3	128.6	.....	45.0	.....	.....	6.4	51.4	.....	6.4	70.7	45.0	19.3	141.5	.....	27
23.4	2.9	108.2	134.6	11.7	119.9	11.7	76.1	2.9	8.8	5.9	96.5	.....	5.9	38.0	87.8	14.6	193.1	5.9	28
17.5	13.2	188.6	548.3	8.8	333.3	39.5	52.6	26.3	17.5	8.8	232.5	4.4	17.5	61.4	87.7	8.8	386.0	4.4	29
.....	14.2	49.7	113.5	21.3	92.2	7.1	85.1	.....	7.1	.....	71.0	.....	.....	63.9	56.8	7.1	99.3	7.1	30
7.4	20.4	63.2	85.5	11.2	185.9	11.2	113.4	5.6	3.7	13.0	63.2	7.4	13.0	159.9	72.5	5.6	161.7	.....	31
24.1	15.4	98.9	175.0	21.4	225.1	17.4	68.8	14.0	13.4	14.7	122.3	8.0	12.0	95.5	110.2	14.7	291.3	4.0	32
19.1	.....	171.6	290.7	4.8	214.4	9.5	90.5	4.8	19.1	4.8	214.4	14.3	14.3	119.1	157.3	38.1	395.5	.....	33
33.5	18.6	178.4	148.7	26.0	182.2	11.2	52.0	14.9	3.7	11.2	85.5	.....	.....	55.8	78.1	7.4	234.2	3.7	34
34.0	6.8	98.6	203.9	20.4	146.2	17.0	74.8	13.6	6.8	20.4	173.4	.....	17.0	51.0	125.8	10.2	288.9	3.4	35
14.3	7.2	128.9	222.1	14.3	157.6	14.3	50.1	7.2	7.2	7.2	128.9	7.2	.....	57.3	71.6	14.3	236.4	14.3	36
28.5	17.1	142.4	105.4	17.1	187.9	8.5	54.1	25.6	11.4	5.7	148.1	5.7	11.4	68.3	111.1	11.4	361.6	2.8	37
15.3	15.3	91.9	112.3	10.2	153.1	.....	91.9	.....	25.5	10.2	91.9	.....	.....	122.5	81.6	10.2	158.2	5.1	38
32.0	.....	87.9	143.9	.....	111.9	32.0	40.0	16.0	8.0	8.0	72.0	.....	8.0	56.0	32.0	8.0	183.9	16.0	39
19.5	21.8	70.1	96.6	32.2	165.6	13.8	152.9	18.4	6.9	19.5	127.6	8.0	9.2	109.2	106.9	13.8	236.9	11.5	40
28.3	28.3	49.5	106.0	42.4	162.5	14.1	98.9	7.1	7.1	21.2	169.6	.....	7.1	113.0	113.0	14.1	346.2	21.2	41
19.1	27.6	131.5	178.2	14.9	241.9	15.9	124.1	13.8	12.7	12.7	180.3	5.3	9.5	124.1	145.3	17.0	263.1	5.3	42
18.7	28.0	118.0	175.3	14.0	209.2	16.4	125.0	15.2	12.9	12.9	174.1	3.5	7.0	118.0	140.2	17.5	246.5	3.5	43
23.0	23.0	264.9	207.3	23.0	564.4	11.5	115.2	.....	11.5	11.5	241.9	23.0	34.6	184.3	195.8	11.5	426.2	23.0	44
19.8	8.2	135.7	230.5	19.0	164.3	19.8	50.0	11.8	15.4	9.3	168.1	8.0	12.1	76.1	78.0	24.2	346.7	1.9	45
22.7	6.4	124.9	223.0	13.2	110.2	15.9	30.7	11.7	14.0	10.2	144.6	4.9	9.5	62.1	70.0	28.8	300.2	0.8	46
12.0	13.0	164.3	250.5	34.1	307.6	30.1	101.2	12.0	19.0	7.0	230.4	16.0	19.0	113.2	99.2	12.0	469.9	5.0	47
6.2	9.0	68.5	95.5	10.7	68.5	19.1	80.3	13.5	16.3	20.8	118.6	8.4	12.4	62.4	97.8	14.0	315.2	68.5	48
9.0	11.7	61.0	84.4	10.8	45.8	18.0	90.7	14.4	14.4	15.3	102.3	9.0	12.6	66.4	85.3	18.0	236.1	32.3	49
1.5	4.5	81.1	114.1	10.5	106.6	21.0	63.1	12.0	19.5	30.0	145.7	7.5	12.0	55.6	118.7	7.5	447.6	129.2	50
7.9	6.6	86.7	106.4	9.2	99.9	11.8	53.9	17.1	21.0	21.0	134.0	9.2	17.1	63.1	124.8	13.1	353.5	85.4	51
13.0	7.8	67.5	106.5	7.8	52.0	7.8	41.6	23.4	18.2	18.2	124.7	7.8	18.2	75.3	93.5	20.8	275.4	18.2	52
2.7	5.3	106.4	106.4	10.6	148.9	16.0	66.5	10.6	23.9	23.9	143.6	10.6	16.0	50.5	156.9	5.3	433.4	154.2	53
4.6	23.0	96.7	78.3	.....	18.4	9.2	69.0	.....	9.2	4.6	96.7	.....	4.6	36.8	64.4	18.4	253.2	4.6	54
6.2	30.8	98.6	86.3	.....	18.5	12.3	80.1	.....	12.3	.....	98.6	.....	6.2	43.2	74.0	24.7	184.9	6.2	55
.....	.....	90.9	54.5	.....	18.2	.....	36.4	.....	.....	18.2	90.9	.....	.....	18.2	36.4	.....	454.4	.....	56
.....	.....	45.7	156.1	22.8	76.1	45.7	72.3	22.8	15.2	22.8	137.0	7.6	19.0	99.0	57.1	3.8	411.1	22.8	57
.....	.....	66.6	113.3	26.7	73.3	33.3	66.6	13.3	13.3	13.3	73.3	6.7	20.0	100.0	86.6	.....	273.2	33.3	58
.....	.....	17.8	213.0	17.8	79.9	62.1	79.9	35.5	17.8	35.5	221.9	8.9	17.8	97.6	17.8	8.9	594.7	8.9	59
7.4	11.1	42.7	57.5	11.1	40.8	20.4	126.2	9.3	13.0	26.0	96.5	11.1	5.6	53.8	92.8	18.6	239.4	92.8	60
9.6	12.0	38.4	52.8	12.0	40.8	24.0	148.7	12.0	12.0	19.2	93.6	14.4	7.2	55.2	81.6	19.2	208.3	55.2	61
.....	8.2	57.4	73.7	8.2	41.0	8.2	49.2	.....	16.4	49.2	106.2	.....	.....	49.2	131.1	16.4	352.3	221.2	62

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
		•	1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	GEORGIA.[4]															
1	Registration cities (total)	1,743.2	25.8	15.8	.....	1.9	1.0	2.9	10.3	15.2	2.6	164.4	7.4	23.9	3.2	70.7
2	White	1,227.2	20.7	4.1	.....	0.5	1.0	1.6	14.0	5.2	2.1	81.9	5.7	14.0	3.1	80.3
3	Colored	2,596.8	34.3	35.1	.....	4.3	0.9	5.1	4.3	31.7	3.4	300.9	10.3	40.3	3.4	54.9
4	Atlanta (total)	1,526.0	22.0	2.1	.....	1.6	1.6	2.6	15.2	14.7	4.2	117.0	6.3	22.0	1.0	63.5
5	White	1,140.0	20.5	1.5	.....	0.8	1.5	2.3	19.0	4.6	3.0	73.0	3.8	14.4	1.5	70.0
6	Colored	2,385.6	25.4	3.4	.....	3.4	1.7	3.4	6.8	37.2	6.8	215.0	11.9	38.9	.....	49.1
7	Augusta (total)	1,843.0	35.8	31.8	.....	.....	.....	.....	.....	4.0	.....	209.0	8.0	33.8	4.0	69.7
8	White	1,461.0	29.0	14.5	.....	.....	.....	.....	.....	7.3	.....	105.1	14.5	21.8	.....	97.9
9	Colored	2,307.9	44.1	53.0	.....	.....	.....	.....	.....	.....	.....	335.4	.....	48.5	8.8	35.3
10	Savannah (total)	2,271.6	29.1	42.1	.....	4.4	.....	5.8	4.4	24.7	.....	263.1	10.2	21.8	8.7	91.6
11	White	1,375.3	14.8	5.9	.....	.....	.....	.....	5.9	5.9	.....	97.4	5.9	5.9	11.8	106.2
12	Colored	3,141.4	43.0	77.3	.....	8.6	.....	11.5	2.9	43.0	.....	423.8	14.3	37.2	5.7	77.3
	ILLINOIS.[4]															
13	Registration cities (total)	1,466.2	5.9	0.3	.....	6.1	6.5	4.3	30.5	12.2	6.0	131.1	8.5	9.1	6.1	92.3
14	White	1,443.8	5.8	0.3	.....	6.1	6.6	4.3	30.6	11.9	6.1	123.4	8.2	8.3	6.0	92.0
15	Colored	2,389.7	9.3	.....	.....	6.2	1.5	3.1	23.2	23.2	3.1	447.0	20.1	40.2	10.8	103.6
16	Aurora	1,377.0	11.7	2.9	.....	.....	2.9	2.9	2.9	23.4	.....	99.4	17.5	14.6	2.9	84.8
17	Belleville	1,475.2	18.9	.....	.....	4.7	.....	.....	37.8	23.6	.....	127.7	.....	9.5	14.2	99.3
18	Chicago (total)	1,453.5	5.2	0.2	.....	5.4	6.4	4.0	31.5	11.7	6.1	132.8	8.8	8.6	6.0	91.3
19	White	1,431.9	5.1	0.2	.....	5.4	6.5	4.1	31.7	11.4	6.2	125.3	8.6	8.1	6.0	90.9
20	Colored	2,403.3	9.0	.....	.....	3.6	1.8	1.8	23.4	25.1	3.6	458.0	21.6	34.1	7.2	109.6
21	Decatur	1,284.3	10.1	5.0	.....	32.8	2.5	15.1	5.0	5.0	10.1	73.2	5.0	10.1	5.0	80.7
22	Evanston	1,284.8	3.5	.....	.....	3.5	34.8	.....	24.4	3.5	.....	48.7	7.0	7.0	10.4	94.0
23	Jacksonville *	3,520.4	38.8	.....	.....	.....	6.5	.....	19.4	25.8	32.3	213.2	.....	25.8	6.5	180.9
24	Quincy	1,657.7	8.2	.....	.....	29.9	.....	2.7	16.3	35.3	.....	182.1	.....	19.0	8.2	119.6
25	Springfield	1,596.9	13.1	.....	.....	9.8	6.5	16.4	29.5	14.7	4.9	104.7	1.6	13.1	4.9	103.1
	INDIANA.															
26	Registration cities (total)	1,504.5	26.9	1.5	.....	8.0	3.6	8.6	16.3	20.4	2.5	126.8	8.5	17.8	7.4	91.3
27	White	1,447.9	25.7	1.4	.....	8.0	3.4	7.7	16.4	20.1	2.5	110.3	8.0	16.4	7.1	91.2
28	Colored	2,641.8	51.1	2.2	.....	8.9	6.7	26.7	15.6	26.7	2.2	458.1	20.0	46.7	13.3	93.4
29	Anderson	1,508.6	25.0	.....	.....	.....	4.2	33.3	12.5	33.3	.....	120.9	16.7	25.0	8.3	79.2
30	East Chicago	1,579.5	38.3	.....	.....	20.9	.....	.....	10.4	.....	3.5	83.5	3.5	3.5	.....	31.3
31	Elkhart	1,262.7	4.6	.....	.....	4.6	4.6	13.7	9.1	13.7	.....	86.9	4.6	9.1	13.7	59.5
32	Elwood	[5] 1,215.1	9.1	.....	.....	18.1	27.2	9.1	.....	27.2	.....	108.8	9.1	9.1	9.1	90.7
33	Evansville	1,453.8	31.5	6.6	.....	1.3	2.6	7.9	27.6	25.0	2.6	166.9	2.6	18.4	10.5	65.7
34	Fort Wayne	1,232.6	13.1	.....	.....	10.5	1.3	2.6	1.3	15.8	2.6	81.4	7.9	11.8	3.9	111.6
35	Gary	[6] 3,571.0	83.3	6.0	.....	11.9	6.0	11.9	59.5	11.9	.....	136.9	17.9	23.8	17.9	83.3
36	Hammond	1,971.6	122.3	.....	.....	11.5	.....	11.5	7.6	7.6	3.8	103.2	.....	11.5	3.8	80.2
37	Huntington	1,498.2	18.4	.....	.....	.....	.....	18.4	.....	9.2	.....	64.3	9.2	9.2	9.2	128.7
38	Indianapolis (total)	1,562.6	26.1	1.1	.....	9.8	4.7	9.1	19.9	17.4	4.0	159.6	8.0	22.1	2.2	99.4
39	White	1,459.0	23.6	1.2	.....	9.2	4.0	6.0	20.4	18.0	4.0	131.2	6.0	18.4	2.0	99.6
40	Colored	2,572.6	50.7	.....	.....	15.6	11.7	39.0	15.6	11.7	3.9	436.6	27.3	58.5	3.9	97.4
41	Jeffersonville (total)	[6] 1,363.8	9.6	.....	.....	.....	.....	.....	9.6	67.2	.....	124.9	.....	19.2	.....	38.4
42	White	[5] 1,307.2	11.3	.....	.....	.....	.....	.....	11.3	67.6	.....	101.4	.....	22.5	.....	45.1
43	Colored	[6] 1,690.5	.....	.....	.....	.....	.....	.....	.....	65.0	.....	260.1	.....	.....	.....	.....
44	Kokomo	1,490.7	33.4	.....	.....	.....	.....	14.3	38.2	33.4	.....	129.0	19.1	33.4	4.8	76.4
45	Lafayette	1,879.2	9.4	.....	.....	14.1	18.8	4.7	4.7	18.8	.....	131.5	4.7	18.8	14.1	126.8
46	Laporte	1,461.9	22.7	.....	.....	22.7	.....	7.6	.....	22.7	.....	68.2	7.6	7.6	22.7	98.5
47	Logansport	1,506.2	33.3	.....	.....	9.5	.....	9.5	9.5	52.3	9.5	80.8	4.8	14.3	14.3	128.3
48	Marion	1,719.3	15.1	.....	.....	5.0	.....	10.1	5.0	50.4	5.0	131.1	25.2	25.2	10.1	80.7
49	Michigan City	1,357.4	32.5	.....	.....	.....	.....	.....	9.3	9.3	4.6	125.5	18.6	13.9	9.3	83.7
50	Mishawaka	1,055.8	6.1	.....	.....	12.2	.....	.....	12.2	6.1	.....	61.0	6.1	6.1	6.1	67.1
51	Muncie	1,321.6	27.5	.....	.....	19.7	.....	7.9	3.9	15.7	.....	118.0	7.9	43.3	3.9	70.8
52	New Albany	1,426.2	16.9	.....	.....	.....	.....	12.7	4.2	67.7	4.2	143.9	4.2	21.2	.....	122.7
53	Peru	1,249.0	8.1	.....	.....	8.1	.....	8.1	.....	16.1	.....	64.5	8.1	8.1	16.1	104.8
54	Richmond	1,328.1	8.1	.....	.....	.....	.....	.....	12.1	40.5	.....	125.5	8.1	4.0	8.1	105.3
55	South Bend	1,266.2	24.7	.....	.....	4.4	5.8	2.9	34.8	8.7	1.5	107.3	14.5	13.1	10.2	78.3
56	Terre Haute	1,463.3	24.2	6.1	.....	6.1	1.5	16.6	13.6	18.2	.....	110.5	7.6	12.1	15.1	107.4
57	Vincennes	1,473.5	22.7	5.7	.....	11.3	17.0	11.3	17.0	5.7	5.7	153.0	11.3	34.0	28.3	85.0
	KANSAS.															
58	Registration cities (total)	1,321.3	18.4	1.4	.....	5.2	5.8	7.4	13.7	37.6	4.1	75.8	1.9	7.7	3.6	86.2
59	White	1,241.5	17.5	1.2	.....	5.1	5.7	6.3	14.5	34.4	4.5	58.2	1.8	5.7	3.0	88.3
60	Colored	2,138.0	27.8	3.1	.....	6.2	6.2	18.5	6.2	71.0	.....	256.1	3.1	27.8	9.3	64.8
61	Atchison (total)	1,236.9	6.0	.....	.....	12.0	6.0	12.0	.....	59.8	6.0	65.7	.....	.....	6.0	95.6
62	White	1,251.0	7.1	.....	.....	14.2	7.1	7.1	.....	49.8	7.1	64.0	.....	.....	7.1	106.6
63	Colored	1,162.8	.....	.....	.....	.....	.....	37.5	.....	112.5	.....	75.0	.....	.....	.....	37.5
64	Coffeyville (total)	1,099.8	34.2	5.7	.....	11.4	.....	.....	11.4	28.5	.....	57.0	.....	.....	.....	51.3
65	White	1,004.1	31.8	.....	.....	12.7	.....	.....	12.7	25.4	.....	38.1	.....	.....	.....	44.5
66	Colored	1,931.6	55.2	55.2	.....	.....	.....	.....	.....	55.2	.....	220.8	.....	.....	.....	110.4

For footnotes see pp. 105, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
15.2	5.5	102.1	140.2	9.4	143.1	20.0	72.3	27.5	21.6	9.4	184.1	15.5	14.5	86.6	105.9	10.3	388.2	26.5	1
19.7	5.2	74.1	92.2	3.1	75.7	14.5	57.0	24.4	17.6	7.3	147.7	10.4	11.9	78.3	75.7	15.0	248.8	14.5	2
7.7	6.0	148.3	219.5	19.7	254.6	29.1	97.7	32.6	28.3	12.9	244.3	24.0	18.9	100.3	156.0	2.6	619.0	46.3	3
17.3	6.3	87.1	110.2	10.5	141.2	19.9	54.1	28.3	23.6	7.9	158.5	17.3	14.7	78.7	107.6	10.5	335.9	22.6	4
19.8	5.3	66.2	76.8	3.8	68.4	13.7	54.0	21.3	19.0	6.1	135.4	9.9	13.7	73.8	79.1	13.7	229.7	14.4	5
11.9	8.5	133.8	184.5	25.4	303.1	33.9	54.2	44.0	33.9	11.9	209.9	33.9	16.9	89.7	171.0	3.4	572.3	40.6	6
13.9	2.0	129.4	203.0	10.0	157.2	23.9	65.7	31.8	17.9	8.0	214.9	15.9	17.9	79.6	89.6	6.0	346.3	13.9	7
21.8	.....	87.0	105.1	.....	148.6	18.1	65.3	36.3	21.8	10.9	221.1	10.9	18.1	68.9	72.5	7.3	239.3	18.1	8
4.4	4.4	180.9	322.1	22.1	167.7	30.9	66.2	26.5	13.2	4.4	207.4	22.1	17.7	92.7	110.3	4.4	476.6	8.8	9
10.2	5.8	123.5	177.3	5.8	138.1	17.4	127.9	21.8	18.9	14.5	232.5	10.2	11.6	113.4	113.4	13.1	563.9	46.5	10
17.7	8.9	94.4	141.7	3.0	44.3	14.8	62.0	26.6	8.9	8.9	135.8	11.8	.....	103.3	64.9	26.6	330.5	11.8	11
2.9	2.9	151.8	211.9	8.6	229.1	20.0	191.9	17.2	28.6	20.0	326.5	8.6	22.9	123.1	160.4	.....	790.4	80.2	12
21.1	7.3	55.8	159.7	15.2	157.3	12.7	132.7	17.9	11.7	19.6	109.2	7.3	8.7	62.5	111.9	21.9	214.1	0.9	13
20.7	7.2	55.2	156.2	15.1	154.2	12.7	135.0	18.0	11.7	19.6	107.1	7.3	8.5	62.4	109.9	21.9	210.5	0.9	14
35.6	9.3	82.0	304.7	21.7	286.1	15.5	38.7	15.5	13.9	17.0	196.4	6.2	15.5	65.0	193.3	18.6	361.9	1.5	15
20.5	11.7	119.9	131.6	5.8	105.3	23.4	87.7	20.5	17.5	11.7	108.2	8.8	5.8	38.0	116.9	17.5	260.2	.....	16
33.1	4.7	174.9	108.8	28.4	137.1	4.7	33.1	4.7	23.6	33.1	94.6	18.9	4.7	94.6	89.8	9.5	236.4	4.7	17
20.5	7.5	52.1	159.9	14.9	158.1	11.9	141.4	17.7	11.1	19.6	107.2	7.2	8.8	62.2	112.4	22.1	200.5	0.4	18
20.1	7.4	51.4	156.4	14.8	154.7	11.9	143.7	17.6	11.1	19.7	105.0	7.2	8.6	62.3	110.6	22.2	197.1	0.4	19
34.1	10.8	82.6	312.5	18.0	305.4	10.8	41.3	18.0	12.6	14.4	204.8	3.6	16.2	55.7	194.0	19.8	348.5	1.8	20
25.2	2.5	70.7	111.0	15.1	93.4	22.7	47.9	10.1	7.6	12.6	146.4	5.0	5.0	63.1	70.7	27.8	282.6	5.0	21
13.9	.....	80.1	125.3	20.9	135.8	20.9	48.7	13.9	17.4	10.4	97.5	3.5	7.0	48.7	97.5	3.5	302.9	.....	22
51.7	.....	167.9	303.6	19.4	303.6	25.8	.....	64.6	32.3	25.8	193.8	6.5	12.9	84.0	174.4	32.3	1,459.9	12.9	23
46.2	8.2	89.7	241.9	38.0	149.5	19.0	16.3	16.3	10.9	19.0	106.0	2.7	5.4	65.2	65.2	19.0	304.4	13.6	24
21.3	4.9	60.5	147.3	13.1	181.6	26.2	32.7	27.8	24.5	26.2	158.7	13.1	9.8	76.9	140.7	21.3	281.4	6.5	25
16.7	6.2	88.9	157.6	14.1	136.0	9.8	93.3	22.8	15.3	17.9	105.1	11.3	9.5	76.2	110.6	23.1	249.5	1.1	26
16.6	6.1	87.7	148.7	13.8	127.3	9.7	93.8	22.6	14.8	17.8	101.9	10.8	9.6	75.4	106.7	23.7	241.8	1.0	27
20.0	8.9	113.4	335.8	20.0	311.3	11.1	84.5	26.7	24.5	20.0	169.0	20.0	6.7	91.2	189.0	11.1	404.7	2.2	28
16.7	.....	104.2	141.7	4.2	158.4	4.2	95.8	20.8	29.2	16.7	104.2	16.7	8.3	66.7	70.8	25.0	266.7	.....	29
.....	.....	20.9	48.7	13.9	229.6	3.5	514.9	7.0	.....	31.3	31.3	3.5	3.5	135.7	160.0	7.0	174.0	.....	30
9.1	.....	91.5	201.3	18.3	96.1	18.3	45.7	22.9	18.3	4.6	123.5	9.1	13.7	73.2	91.5	13.7	187.6	.....	31
9.1	9.1	117.9	72.5	.....	72.5	27.2	45.3	27.2	18.1	18.1	90.7	27.2	9.1	99.7	63.5	27.2	163.2	.....	32
14.5	6.6	81.5	136.7	23.7	143.3	17.1	44.7	13.1	15.8	18.4	124.9	11.8	9.2	71.0	90.7	13.1	247.1	1.3	33
21.0	1.3	101.1	112.9	15.8	108.9	5.3	30.2	18.4	15.8	19.7	99.8	3.9	7.9	70.9	82.7	15.8	236.3	1.3	34
.....	23.8	83.3	107.1	17.9	380.9	11.9	809.4	41.7	53.6	29.8	89.3	59.5	11.9	285.7	601.1	77.4	398.8	17.9	35
26.7	7.6	45.9	99.3	19.1	244.5	7.6	236.9	49.7	22.9	42.0	91.7	22.9	22.9	107.0	294.2	45.9	221.6	.....	36
18.4	9.2	128.7	275.7	9.2	110.3	18.4	36.8	9.2	36.8	.....	64.3	.....	27.6	101.1	147.1	.....	239.0	.....	37
17.4	5.4	88.5	175.6	14.9	141.8	10.9	56.6	28.3	13.8	19.9	115.0	13.1	10.5	63.5	87.4	27.9	288.7	.....	38
17.2	5.2	87.2	156.4	14.4	126.0	10.4	53.2	26.8	13.2	22.0	110.4	11.2	10.4	60.4	81.6	29.2	280.4	.....	39
19.5	7.8	101.3	362.5	19.5	296.2	15.6	89.7	42.9	19.5	.....	159.8	31.2	11.7	93.5	144.2	15.6	370.3	.....	40
9.6	.....	153.7	105.6	38.4	67.2	9.6	57.6	.....	9.6	.....	297.7	.....	.....	76.8	57.6	38.4	172.9	.....	41
11.3	.....	146.5	67.6	33.8	67.6	11.3	67.6	.....	11.3	.....	293.0	.....	.....	90.2	45.1	45.1	157.8	.....	42
.....	.....	195.1	325.1	65.0	65.0	.....	.....	.....	.....	.....	325.1	.....	.....	.....	130.0	.....	260.1	.....	43
14.3	.....	95.6	167.2	14.3	148.1	4.8	62.1	19.1	4.8	9.6	100.3	9.6	.....	95.6	86.0	23.9	253.2	.....	44
47.0	14.1	150.3	249.0	4.7	131.5	.....	32.9	42.3	.....	18.8	164.4	32.9	9.4	65.8	225.5	56.4	267.8	.....	45
22.7	7.6	121.2	212.1	30.3	128.8	.....	68.2	22.7	15.1	7.6	90.9	7.6	22.7	53.0	53.0	22.7	295.4	.....	46
.....	.....	128.3	114.0	14.3	114.0	4.8	28.5	23.8	14.3	19.0	156.8	9.5	9.5	52.3	137.8	28.5	280.3	4.8	47
40.3	25.2	141.2	191.6	.....	105.9	25.2	60.5	15.1	10.1	35.3	105.9	.....	10.1	80.7	161.3	5.0	342.8	.....	48
27.9	4.6	69.7	185.9	13.9	111.6	.....	93.0	9.3	9.3	18.6	65.1	4.6	13.9	93.0	93.0	18.6	218.5	.....	49
18.3	.....	48.8	79.3	12.2	73.2	.....	73.2	6.1	24.4	.....	103.8	18.3	6.1	61.0	103.8	30.5	213.6	.....	50
11.8	11.8	59.0	153.4	7.9	90.5	15.7	47.2	27.5	19.7	3.9	114.1	7.9	7.9	74.7	74.7	11.8	263.5	.....	51
12.7	4.2	80.4	186.2	12.7	76.2	25.4	63.5	16.9	12.7	16.9	118.5	4.2	4.2	46.6	105.8	4.2	237.0	.....	52
16.1	.....	128.9	249.8	24.2	104.8	16.1	8.1	8.1	16.1	8.1	72.5	8.1	8.1	24.2	88.6	24.2	201.5	.....	53
16.2	12.1	81.0	182.2	4.0	93.1	4.0	76.9	.....	4.0	8.1	141.7	4.0	12.1	56.7	52.6	32.4	234.8	.....	54
14.5	7.3	76.9	129.1	11.6	101.5	5.8	105.9	29.0	14.5	16.0	60.9	7.3	5.8	95.7	81.2	8.7	187.1	1.5	55
16.6	9.1	89.3	183.1	10.6	149.8	9.1	84.7	15.1	19.7	15.1	86.3	9.1	7.6	63.6	109.0	24.2	217.9	4.5	56
5.7	11.3	73.7	209.7	5.7	141.7	.....	136.0	51.0	11.3	17.0	51.0	5.7	5.7	56.7	113.3	22.7	147.4	.....	57
17.6	9.9	82.7	132.7	12.1	103.8	15.7	49.7	19.5	13.7	13.2	103.8	9.1	6.9	62.9	87.1	13.5	287.0	11.8	58
18.1	9.0	81.7	120.0	12.4	91.7	13.6	46.4	20.2	14.8	13.6	92.9	8.4	7.2	64.2	79.9	14.2	276.2	10.9	59
12.3	18.5	92.6	262.2	9.3	228.3	37.0	83.3	12.3	3.1	9.3	216.0	15.4	3.1	49.4	160.4	6.2	398.0	21.6	60
23.9	12.0	137.4	95.6	12.0	41.8	12.0	6.0	12.0	12.0	17.9	89.6	.....	.....	35.9	77.7	17.9	346.6	17.9	61
21.3	14.2	142.2	78.2	14.2	28.4	7.1	7.1	7.1	14.2	21.3	85.3	.....	.....	42.6	71.1	21.3	383.8	21.3	62
37.5	.....	112.5	187.5	.....	112.5	37.5	.....	37.5	.....	.....	112.5	.....	.....	.....	112.5	.....	150.0	.....	63
5.7	11.4	57.0	68.4	.....	79.8	11.4	119.7	5.7	5.7	.....	108.3	.....	11.4	39.9	114.0	5.7	239.3	17.1	64
6.4	12.7	44.5	69.9	.....	89.0	12.7	108.0	6.4	6.4	.....	101.7	.....	12.7	38.1	101.7	6.4	203.4	19.1	65
.....	.....	165.6	55.2	.....	.....	.....	220.8	.....	.....	.....	165.6	.....	.....	55.2	220.8	.....	551.9	.....	66

For footnotes see pp. 10 6, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	KANSAS—continued.															
1	Fort Scott (total)	1,658.8	19.0	.....	.....	19.0	.....	9.5	19.0	19.0	.....	75.8	.....	.....	9.5	151.7
2	White	1,499.7	.....	.....	.....	20.8	.....	10.4	20.8	20.8	.....	72.9	.....	.....	10.4	166.6
3	Colored	3,270.0	211.0	.....	.....	.....	.....	.....	.....	.....	.....	105.5	.....	.....	.....	.....
4	Hutchinson	1,248.0	33.7	.....	.....	.....	.....	.....	.....	24.1	.....	67.5	.....	.....	9.6	91.6
5	Independence	965.1	27.6	20.7	.....	.....	.....	6.9	6.9	27.6	.....	34.5	.....	6.9	.....	62.0
6	Kansas City (total)	1,372.7	14.1	.....	.....	5.0	14.1	5.0	27.2	42.2	1.0	108.6	3.0	19.1	2.0	78.4
7	White	1,227.4	13.5	.....	.....	4.5	13.5	4.5	28.2	35.0	1.1	81.3	3.4	14.7	1.1	83.6
8	Colored	2,556.3	18.4	.....	.....	9.2	18.4	9.2	18.4	101.1	.....	331.0	.....	55.2	9.2	36.8
9	Lawrence (total)	1,290.9	22.5	.....	.....	15.0	.....	7.5	7.5	82.6	7.5	90.1	.....	7.5	7.5	120.1
10	White	1,344.4	28.2	.....	.....	9.4	.....	9.4	9.4	94.0	9.4	65.8	.....	.....	.....	141.0
11	Colored	1,079.3	.....	.....	.....	37.2	.....	.....	.....	37.2	.....	186.1	.....	37.2	37.2	37.2
12	Leavenworth (total)	[6] 1,704.3	5.2	5.2	.....	.....	5.2	25.8	10.3	72.3	.....	113.6	10.3	10.3	10.3	149.8
13	White	[6] 1,593.5	.....	5.9	.....	.....	5.9	29.6	11.8	65.2	.....	100.7	11.8	11.8	11.8	148.1
14	Colored	[6] 2,457.7	40.3	.....	.....	.....	.....	.....	.....	120.9	.....	201.5	.....	.....	.....	161.2
15	Parsons	1,293.0	25.9	.....	.....	.....	.....	12.9	12.9	32.3	6.5	97.0	6.5	.....	.....	51.7
16	Pittsburg	1,458.1	22.4	.....	.....	11.2	.....	.....	.....	39.3	11.2	84.1	.....	.....	5.6	95.3
17	Topeka * (total)	1,422.2	18.5	.....	.....	8.2	6.2	16.4	8.2	30.8	12.3	39.0	2.1	8.2	2.1	75.9
18	White	1,344.6	18.0	.....	.....	9.0	6.7	9.0	9.0	29.2	13.5	22.4	.....	4.5	2.2	80.8
19	Colored	2,250.4	23.9	.....	.....	.....	.....	95.8	.....	47.9	.....	215.5	23.9	47.9	.....	23.9
20	Wichita	1,155.2	17.0	.....	.....	.....	2.8	2.8	12.7	24.0	4.2	52.3	.....	1.4	2.8	84.8
	KENTUCKY.															
21	Registration cities (total)	1,599.2	17.9	4.4	.....	8.0	0.7	10.3	8.0	38.6	3.7	183.0	12.0	12.9	3.7	85.5
22	White	1,397.5	15.4	1.7	.....	8.5	0.8	8.0	8.5	33.3	3.9	134.6	10.7	11.0	6.9	88.1
23	Colored	2,622.7	30.7	18.2	.....	5.6	.....	22.3	5.6	65.6	2.8	428.7	18.2	22.3	18.2	72.6
24	Covington (total)	1,566.2	14.0	.....	.....	17.5	.....	12.2	7.0	29.7	3.5	175.0	14.0	15.7	5.2	112.0
25	White	1,486.6	11.1	.....	.....	16.6	.....	11.1	7.4	24.0	3.7	169.9	14.8	16.6	5.5	114.5
26	Colored [7]	3,006.0	66.8	.....	.....	33.4	.....	33.4	.....	133.6	.....	267.2	.....	.....	.....	66.8
27	Frankfort (total)	1,787.0	72.2	.....	.....	.....	.....	18.1	18.1	63.2	.....	279.8	18.1	18.1	18.1	99.3
28	White	1,643.0	70.4	.....	.....	.....	.....	23.5	23.5	46.9	.....	187.8	23.5	23.5	23.5	129.1
29	Colored	2,266.5	78.2	.....	.....	.....	.....	.....	.....	117.2	.....	586.2	.....	.....	.....	.....
30	Henderson (total)	1,730.6	57.4	.....	.....	.....	8.2	.....	8.2	24.6	.....	188.6	16.4	32.8	16.4	41.0
31	White	1,334.8	50.9	.....	.....	.....	10.2	.....	10.2	20.4	.....	142.7	20.4	.....	.....	40.8
32	Colored	3,364.2	84.1	.....	.....	.....	.....	.....	.....	42.1	.....	378.5	.....	168.2	84.1	42.1
33	Lexington * (total)	2,165.6	17.0	.....	.....	12.2	2.4	2.4	7.3	36.5	9.7	267.7	12.2	7.3	12.2	104.6
34	White	1,747.5	13.6	.....	.....	13.6	3.4	.....	6.8	30.7	10.2	146.5	3.4	.....	10.2	88.6
35	Colored	3,211.2	25.6	.....	.....	8.5	.....	8.5	8.5	51.1	8.5	570.7	34.1	25.6	17.0	144.8
36	Louisville (total)	1,501.0	13.4	1.3	.....	2.1	0.4	10.9	6.7	33.1	3.3	159.9	10.9	11.3	7.5	83.7
37	White	1,312.8	11.2	.....	.....	2.5	0.5	8.6	7.6	29.4	3.6	113.7	9.6	9.6	5.6	87.3
38	Colored	2,385.2	23.9	7.2	.....	.....	.....	21.5	2.4	50.1	2.4	376.9	16.7	19.1	16.7	66.8
39	Newport (total)	1,215.3	12.5	.....	.....	18.8	.....	12.5	3.1	34.5	3.1	137.8	12.5	15.7	12.5	56.4
40	White	1,193.2	12.8	.....	.....	19.2	.....	9.6	3.2	35.2	3.2	131.2	12.8	16.0	12.8	51.2
41	Colored [7]	2,248.9	.....	.....	.....	.....	.....	149.9	.....	.....	.....	449.8	.....	.....	.....	299.9
42	Owensboro (total)	1,731.9	45.0	16.9	.....	45.0	.....	.....	16.9	140.6	5.6	202.4	.....	16.9	5.6	78.7
43	White	1,599.1	41.0	13.7	.....	41.0	.....	.....	20.5	102.5	6.8	164.0	.....	13.7	6.8	82.0
44	Colored	2,348.5	63.5	31.7	.....	63.5	.....	.....	.....	317.4	.....	380.8	.....	31.7	.....	63.5
45	Paducah (total)	1,932.2	16.1	52.3	.....	4.0	.....	20.1	20.1	44.3	.....	281.8	20.1	12.1	12.1	68.4
46	White	1,587.0	16.1	21.4	.....	5.4	.....	5.4	16.1	48.3	.....	187.7	16.1	16.1	5.4	91.1
47	Colored	2,972.1	16.2	145.4	.....	.....	.....	64.6	32.3	32.3	.....	565.3	32.3	.....	32.3	.....
	LOUISIANA.[4]															
48	New Orleans (total)	1,841.8	23.1	7.0	1.1	3.5	0.3	3.8	10.0	26.9	3.8	259.0	4.0	28.2	6.5	93.1
49	White	1,432.8	20.4	4.0	0.4	3.3	0.4	3.3	10.2	21.1	3.3	160.5	4.0	8.4	4.7	95.7
50	Colored	3,001.8	31.0	15.5	3.1	4.1	.....	5.2	9.3	43.3	5.2	538.6	4.1	84.6	11.4	85.6
	MAINE.															
51	Registration cities (total)	1,806.3	12.3	.....	.....	2.2	.....	25.7	8.9	29.0	3.9	116.0	10.0	21.2	4.5	120.5
52	White	1,803.4	12.3	.....	.....	2.2	.....	25.8	9.0	29.1	3.9	115.9	10.1	21.3	4.5	119.9
53	Colored	2,514.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	139.7	.....	.....	.....	279.3
54	Auburn	1,183.4	.....	.....	.....	.....	.....	36.6	.....	42.7	.....	54.9	6.1	6.1	.....	79.3
55	Augusta *	2,455.9	7.1	.....	.....	.....	.....	21.2	14.1	35.3	7.1	176.4	.....	28.2	7.1	120.0
56	Bangor *	2,209.4	18.8	.....	.....	.....	.....	3.8	7.5	45.0	7.5	146.3	11.3	7.5	3.8	142.5
57	Biddeford	1,358.6	11.3	.....	.....	.....	.....	.....	5.7	17.0	5.7	130.2	11.3	11.3	11.3	96.2
58	Lewiston	1,808.8	.....	.....	.....	.....	.....	71.9	10.8	39.6	7.2	100.7	7.2	21.6	3.6	125.9
59	Portland	1,828.8	20.4	.....	.....	6.3	.....	23.5	11.0	17.2	1.6	111.2	4.7	28.2	3.1	126.8
60	Waterville	1,543.1	7.9	.....	.....	.....	.....	7.9	7.9	23.6	.....	102.3	55.1	39.4	7.9	118.1
	MARYLAND.															
61	Registration cities (total)	1,791.3	19.6	0.3	.....	6.6	5.2	10.7	11.0	21.1	3.4	191.9	10.4	12.7	4.8	105.4
62	White	1,582.3	19.6	0.2	.....	6.8	6.1	8.2	11.8	20.0	3.2	141.8	7.7	8.4	3.9	107.7
63	Colored	3,056.6	19.5	1.1	.....	5.4	.....	25.9	6.5	28.1	4.3	495.2	27.0	38.9	9.7	91.9
64	Baltimore (total)	1,809.3	18.1	0.3	.....	5.4	5.3	10.2	10.3	21.5	3.6	200.5	10.5	13.1	4.9	106.7
65	White	1,587.5	18.0	0.2	.....	5.4	6.2	7.4	11.0	20.2	3.4	146.5	7.4	8.2	4.0	108.9
66	Colored	3,065.6	19.2	1.1	.....	5.7	.....	26.0	6.8	29.4	4.5	506.4	28.3	40.7	10.2	93.8
67	Cumberland (total)	1,714.4	34.5	.....	.....	23.0	.....	19.2	23.0	15.3	3.8	103.6	11.5	11.5	3.8	103.6
68	White	1,669.9	36.0	.....	.....	24.0	.....	20.0	24.0	16.0	4.0	100.1	12.0	12.0	4.0	104.1
69	Colored [7]	2,722.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	181.5	.....	.....	.....	90.7

For footnotes see pp. 105, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
28.4	.....	94.8	132.7	9.5	123.2	28.4	104.3	.....	19.0	28.4	104.3	.....	.....	37.9	85.3	19.0	455.0	66.4	1
31.2	.....	93.7	114.6	10.4	93.7	31.2	93.7	.....	20.8	20.8	93.7	.....	.....	31.2	62.5	20.8	406.2	52.1	2
.....	.....	105.5	316.5	.....	421.9	.....	211.0	.....	.....	105.5	211.0	.....	.....	105.5	316.5	.....	949.4	211.0	3
14.5	.....	72.3	77.1	4.8	86.7	19.3	62.6	53.0	4.8	19.3	53.0	.....	19.3	77.1	110.8	9.6	332.5	4.8	4
13.8	20.7	55.1	110.3	6.9	48.3	6.9	55.1	41.4	20.7	13.8	41.4	13.8	6.9	34.5	55.1	.....	220.6	6.9	5
11.1	20.1	58.3	149.8	17.1	113.6	12.1	54.3	13.1	11.1	13.1	127.7	7.0	8.0	75.4	79.4	11.1	262.5	8.0	6
12.4	15.8	55.3	128.7	16.9	97.1	9.0	50.8	13.5	11.3	13.5	107.3	6.8	9.0	75.7	65.5	12.4	236.0	5.6	7
.....	55.2	82.8	321.8	18.4	248.3	36.8	82.8	9.2	9.2	9.2	294.3	9.2	.....	73.6	193.1	.....	478.2	27.6	8
22.5	.....	112.6	157.6	22.5	97.6	15.0	7.5	.....	30.0	.....	45.0	.....	7.5	45.0	60.0	45.0	240.2	15.0	9
28.2	.....	141.0	150.4	28.2	84.6	9.4	9.4	.....	37.6	.....	28.2	.....	9.4	47.0	75.2	47.0	263.2	18.8	10
.....	.....	.....	186.1	.....	148.9	37.2	.....	.....	.....	.....	111.6	.....	.....	37.2	.....	37.2	148.9	.....	11
25.8	5.2	139.4	289.2	20.7	108.5	20.7	46.5	5.2	15.5	41.3	77.5	5.2	5.2	41.3	93.0	20.7	320.2	5.2	12
11.8	5.9	130.3	254.7	17.8	118.5	5.9	29.6	5.9	17.8	41.5	65.2	5.9	5.9	47.4	82.9	17.8	325.8	.....	13
120.9	.....	201.5	523.8	40.3	40.3	120.9	161.2	.....	.....	40.3	161.2	.....	.....	.....	161.2	40.3	282.0	40.3	14
6.5	.....	64.6	109.9	25.9	168.1	12.9	6.5	38.8	.....	6.5	90.5	12.9	6.5	90.5	84.0	19.4	290.9	12.9	15
16.8	5.6	61.7	95.3	5.6	78.5	22.4	95.3	22.4	22.4	22.4	106.6	44.9	5.6	56.1	213.1	11.2	269.2	33.6	16
24.6	6.2	106.7	170.3	10.3	158.0	16.4	67.7	20.5	20.5	2.1	137.5	4.1	8.2	57.5	63.6	8.2	301.7	10.3	17
26.9	6.7	107.7	154.9	11.2	136.9	15.7	62.9	20.2	22.4	2.2	125.7	4.5	6.7	58.4	60.6	9.0	296.3	11.2	18
.....	.....	95.8	335.2	.....	383.1	23.9	119.7	23.9	.....	.....	263.3	.....	23.9	47.9	95.8	.....	359.1	.....	19
22.6	5.7	87.7	93.3	7.1	77.8	18.4	17.0	24.0	12.7	12.7	96.2	15.6	2.8	70.7	80.6	15.6	284.2	5.7	20
19.1	7.6	84.1	149.0	21.8	138.9	19.5	52.6	17.2	18.6	17.9	145.8	7.6	7.8	71.3	100.5	13.3	304.8	7.8	21
19.5	7.4	83.4	121.6	14.6	110.1	17.9	50.4	15.4	17.6	16.2	124.4	7.7	6.9	70.5	89.2	15.7	270.5	7.2	22
16.8	8.4	88.0	287.7	58.7	284.9	27.9	64.2	26.5	23.7	26.5	254.2	7.0	12.6	75.4	157.8	1.4	479.0	11.2	23
24.5	8.7	71.7	189.0	7.0	115.5	14.0	54.2	28.0	15.7	22.7	143.5	8.7	7.0	92.7	122.5	17.5	213.5	3.5	24
25.9	9.2	68.3	171.7	3.7	105.3	11.1	49.9	22.2	16.6	22.2	133.0	9.2	5.5	94.2	109.0	18.5	212.4	3.7	25
.....	.....	133.6	501.0	66.8	300.6	66.8	133.6	133.6	.....	33.4	334.0	.....	33.4	66.8	367.4	.....	233.8	.....	26
36.1	9.0	72.2	162.5	36.1	72.2	27.1	36.1	.....	18.1	18.1	90.3	9.0	18.1	54.2	117.3	9.0	352.0	45.1	27
35.2	.....	58.7	164.3	23.5	35.2	35.2	35.2	.....	11.7	23.5	93.9	11.7	23.5	35.2	129.1	11.7	305.1	58.7	28
39.1	39.1	117.2	156.3	78.2	195.4	.....	39.1	.....	39.1	.....	78.2	.....	.....	117.2	78.2	.....	508.0	.....	29
24.6	8.2	57.4	164.0	16.4	114.8	24.6	90.2	8.2	32.8	16.4	155.8	.....	.....	57.4	172.2	.....	377.3	16.4	30
20.4	10.2	50.9	91.7	10.2	91.7	30.6	91.7	10.2	20.4	10.2	81.5	.....	.....	71.3	122.3	.....	326.1	.....	31
42.1	.....	84.1	462.6	42.1	210.3	.....	84.1	.....	84.1	42.1	462.6	.....	.....	.....	378.5	.....	588.7	84.1	32
17.0	12.2	126.5	177.6	14.6	182.5	26.8	26.8	24.3	31.6	14.6	160.6	7.3	14.6	56.0	150.9	12.2	610.8	7.3	33
13.6	17.0	115.8	119.2	3.4	136.3	17.0	27.3	20.4	30.7	10.2	119.2	10.2	6.8	47.7	143.1	17.0	555.2	10.2	34
25.6	.....	153.3	323.7	42.6	298.1	51.1	25.6	34.1	34.1	25.6	264.1	.....	34.1	76.7	170.4	.....	749.6	.....	35
17.2	4.2	76.6	145.7	25.1	146.9	22.6	44.8	15.1	18.4	17.6	154.0	7.1	5.9	68.6	84.6	14.6	283.8	3.8	36
18.3	4.1	77.2	116.8	18.3	113.7	22.3	40.6	14.2	18.3	16.2	132.0	7.1	5.6	68.5	76.1	17.3	252.8	4.1	37
11.9	4.8	73.9	281.4	57.2	302.9	23.9	64.4	19.1	19.1	23.9	257.6	7.2	7.2	69.2	124.0	2.4	429.3	2.4	38
25.1	3.1	109.6	125.3	18.8	97.1	6.3	59.5	.....	3.1	21.9	128.4	6.3	.....	72.0	40.7	12.5	162.9	3.1	39
25.6	3.2	112.0	115.2	19.2	92.8	6.4	60.8	.....	3.2	22.4	124.8	6.4	.....	73.6	38.4	12.8	166.3	3.2	40
.....	.....	.....	599.7	.....	299.9	.....	.....	.....	.....	.....	299.9	.....	.....	.....	149.9	.....	.....	.....	41
5.6	16.9	90.0	78.7	28.1	118.1	5.6	135.0	16.9	5.6	22.5	135.0	16.9	22.5	73.1	56.2	.....	320.5	11.2	42
6.8	13.7	102.5	61.5	20.5	102.5	6.8	143.5	13.7	6.8	6.8	102.5	13.7	27.3	82.0	61.5	.....	321.2	13.7	43
.....	31.7	31.7	158.7	63.5	190.4	.....	95.2	31.7	.....	95.2	285.6	31.7	.....	31.7	31.7	.....	317.4	.....	44
20.1	28.2	96.6	108.7	32.2	153.0	12.1	88.6	36.2	28.2	8.1	96.6	8.1	16.1	84.5	185.2	12.1	326.1	40.3	45
16.1	26.8	107.2	85.8	10.7	123.3	5.4	85.8	37.5	26.8	5.4	80.4	5.4	16.1	59.0	155.5	16.1	268.1	26.8	46
32.3	32.3	64.6	177.7	96.9	242.3	32.3	96.9	32.3	32.3	16.2	145.4	16.2	16.2	161.5	274.6	.....	500.7	80.8	47
15.6	5.9	82.9	207.4	13.7	117.3	12.1	70.7	21.3	16.1	30.9	231.1	13.7	12.4	56.5	116.2	14.5	333.3	.....	48
18.9	5.1	76.8	166.3	10.9	66.9	11.3	61.1	20.4	15.3	21.8	173.9	12.0	12.0	49.1	90.6	18.2	262.7	.....	49
6.2	8.3	100.1	324.0	21.7	260.0	14.4	98.0	23.7	18.6	56.8	393.2	18.6	13.4	77.4	188.8	4.1	533.5	.....	50
25.1	10.6	118.8	182.4	19.5	181.3	11.2	86.5	30.1	24.5	11.7	146.7	5.0	12.8	79.8	94.3	19.0	353.1	39.6	51
25.2	10.6	118.7	182.0	19.6	178.7	11.2	86.8	30.2	24.6	11.8	146.7	5.0	12.9	80.1	94.7	19.0	351.7	39.8	52
.....	.....	139.7	279.3	.....	838.0	.....	.....	.....	.....	.....	139.7	.....	.....	.....	.....	.....	698.3	.....	53
54.9	6.1	128.1	158.6	36.6	109.8	12.2	6.1	.....	.....	.....	103.7	6.1	6.1	85.4	67.1	12.2	164.7	.....	54
21.2	.....	183.5	254.1	14.1	465.8	7.1	127.0	21.2	14.1	7.1	141.1	7.1	7.1	70.6	84.7	28.2	578.7	7.1	55
30.0	7.5	120.0	240.1	15.0	240.1	7.5	22.5	67.5	22.5	15.0	165.0	3.8	26.3	105.0	101.3	18.8	540.2	67.5	56
11.3	17.0	96.2	107.6	17.0	130.2	11.3	135.9	17.0	34.0	17.0	96.2	11.3	.....	56.6	45.3	.....	226.4	28.3	57
28.8	3.6	68.3	111.5	18.0	136.6	7.2	147.4	61.1	39.6	21.6	136.6	3.6	14.4	75.5	97.1	36.0	363.2	50.3	58
18.8	11.0	119.0	206.7	18.8	158.1	15.7	84.6	15.7	23.5	11.0	183.2	4.7	11.0	78.3	115.9	18.8	330.4	50.1	59
23.6	39.4	173.2	149.6	23.6	118.1	7.9	86.6	23.6	31.5	.....	78.7	.....	23.6	78.7	78.7	7.9	220.4	7.9	60
19.8	7.5	110.7	190.7	22.1	224.1	9.7	97.3	13.5	14.7	13.6	171.0	9.3	9.5	97.8	86.7	16.4	270.0	3.7	61
20.9	7.3	102.9	168.6	17.7	177.7	10.2	85.7	13.8	14.5	13.8	160.0	7.9	8.6	85.4	80.2	18.2	241.3	2.7	62
13.0	8.6	157.9	324.4	48.7	504.9	6.5	167.6	11.9	16.2	13.0	237.9	18.4	15.1	173.0	126.5	5.4	444.4	9.7	63
20.4	7.8	112.6	193.2	22.0	235.7	9.7	99.4	13.4	14.4	14.1	174.3	8.8	10.0	99.0	81.4	15.8	264.2	2.5	64
21.9	7.6	105.4	168.6	17.8	186.8	10.2	87.0	13.6	14.4	14.4	163.0	7.2	9.0	85.8	74.2	17.8	234.7	1.8	65
11.3	9.0	153.7	332.3	46.3	513.2	6.8	169.6	12.4	14.7	12.4	238.5	18.1	15.8	174.1	122.1	4.5	431.8	6.8	66
3.8	3.8	53.7	164.9	19.2	161.1	11.5	92.0	15.3	26.8	11.5	141.9	15.3	7.7	95.9	157.2	30.7	341.3	7.7	67
.....	4.0	48.1	168.2	16.0	156.2	12.0	80.1	16.0	24.0	12.0	140.2	16.0	8.0	96.1	152.2	32.0	328.4	4.0	68
90.7	.....	181.5	90.7	90.7	272.2	.....	363.0	.....	90.7	.....	181.5	.....	.....	90.7	272.2	.....	635.2	90.7	69

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	MARYLAND—continued.															
1	Frederick (total)	1,673.9	54.0	.....	.....	9.0	9.0	36.0	.....	9.0	.....	126.0	18.0	9.0	.....	72.0
2	White	1,538.9	62.0	.....	.....	10.3	10.3	41.3	.....	10.3	.....	113.6	20.7	10.3	.....	72.3
3	Colored	2,587.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	209.8	.....	.....	.....	69.9
4	Hagerstown (total)	1,507.1	23.4	.....	.....	15.6	7.8	3.9	19.5	23.4	.....	112.9	3.9	7.8	3.9	93.5
5	White	1,401.5	20.7	.....	.....	16.5	8.3	.....	20.7	24.8	.....	99.2	4.1	8.3	4.1	99.2
6	Colored [7]	3,221.5	67.1	.....	.....	.....	.....	67.1	.....	.....	.....	335.6	.....	.....	.....	.....
	MASSACHUSETTS.															
7	Registration cities (total)	1,506.9	5.1	0.2	.....	13.8	3.9	10.2	18.7	15.8	5.8	117.2	14.5	11.1	4.3	106.3
8	White	1,496.1	4.9	0.2	.....	13.8	3.8	10.1	18.7	15.8	5.8	114.1	14.2	10.7	4.2	106.1
9	Colored	2,338.2	16.0	.....	.....	16.0	10.7	16.0	18.7	18.7	5.3	357.7	37.4	42.7	8.0	120.1
10	Adams town	1,069.4	.....	.....	.....	21.1	.....	.....	14.1	28.1	.....	56.3	7.0	21.1	7.0	42.2
11	Arlington town	1,381.6	.....	.....	.....	.....	.....	.....	.....	15.6	15.6	140.5	7.8	7.8	7.8	179.5
12	Attleboro	1,312.1	5.2	.....	.....	15.6	.....	5.2	20.7	20.7	.....	83.0	10.4	10.4	.....	140.0
13	Beverly	1,325.9	4.6	.....	.....	4.6	.....	.....	.....	18.5	23.1	50.8	9.2	.....	.....	166.3
14	Boston (total)	1,687.2	3.4	0.1	.....	14.5	5.2	9.7	24.6	11.2	8.9	145.0	17.8	11.5	2.9	115.8
15	White	1,661.7	3.2	0.1	.....	14.7	5.1	9.7	24.3	11.1	8.8	137.0	17.4	10.9	2.8	115.6
16	Colored	2,843.1	12.3	.....	.....	6.1	6.1	6.1	36.8	18.4	12.3	509.7	36.8	36.8	6.1	122.8
17	Brockton	1,162.4	3.0	.....	.....	40.0	.....	7.4	8.9	17.8	3.0	63.8	3.0	11.9	1.5	71.2
18	Brookline town	1,072.4	.....	.....	.....	6.1	3.1	3.1	.....	21.4	9.2	76.4	6.1	3.1	6.1	149.7
19	Cambridge	1,350.7	1.8	.....	.....	7.1	1.8	9.7	14.2	9.7	2.7	172.6	7.1	4.4	1.8	112.4
20	Chelsea	[8] 1,452.6	6.5	2.2	.....	8.7	2.2	15.2	6.5	8.7	8.7	99.6	8.7	6.5	2.2	103.9
21	Chicopee	1,507.6	.....	.....	.....	10.2	10.2	51.2	37.5	17.1	3.4	126.2	27.3	10.2	6.8	58.0
22	Clinton town	[5] 1,414.9	.....	.....	.....	.....	.....	15.3	7.6	15.3	.....	99.4	.....	7.6	.....	107.1
23	Everett	1,006.8	.....	.....	.....	2.5	5.1	10.2	5.1	12.7	.....	94.3	10.2	7.6	5.1	114.7
24	Fall River	1,696.7	10.9	1.6	.....	30.4	1.6	13.2	15.6	24.1	1.6	161.3	16.4	10.1	6.2	91.9
25	Fitchburg	1,290.1	9.6	.....	.....	.....	.....	19.1	50.3	.....	2.4	76.6	21.5	7.2	2.4	102.9
26	Framingham town	1,959.7	7.2	.....	.....	.....	.....	7.2	7.2	50.1	7.2	71.5	7.2	7.2	.....	150.2
27	Gardner town	1,283.5	11.7	.....	.....	17.5	5.8	5.8	35.0	23.3	.....	58.3	11.7	17.5	17.5	116.7
28	Gloucester	[5] 1,553.4	4.1	.....	.....	12.3	.....	61.5	4.1	24.6	.....	73.8	4.1	16.4	4.1	94.3
29	Greenfield town	1,416.9	8.3	8.3	.....	.....	.....	25.0	.....	16.7	.....	50.0	.....	8.3	.....	91.7
30	Haverhill	1,489.4	8.3	.....	.....	.....	4.1	12.4	30.9	20.6	2.1	109.3	10.3	14.4	2.1	117.6
31	Holyoke	1,655.8	7.7	.....	.....	1.5	1.5	13.8	16.8	12.3	3.1	122.5	16.8	21.4	9.2	85.8
32	Lawrence	1,328.6	8.0	.....	.....	20.9	5.0	12.9	23.9	15.9	6.0	126.3	19.9	9.9	1.0	67.6
33	Leominster town	1,113.3	4.8	.....	.....	4.8	.....	4.8	33.6	14.4	.....	57.6	9.6	14.4	4.8	76.8
34	Lowell	1,726.3	11.5	.....	.....	25.6	5.3	9.7	38.9	14.1	2.6	103.3	23.8	10.6	7.9	85.7
35	Lynn	1,228.2	8.8	.....	.....	18.6	5.9	6.8	19.5	14.6	5.9	98.6	5.9	6.8	4.9	99.6
36	Malden	1,139.7	7.8	.....	.....	.....	5.9	9.8	21.5	17.6	3.9	43.0	5.9	7.8	2.0	113.4
37	Marlborough	1,363.0	.....	.....	.....	.....	.....	.....	6.6	26.3	.....	98.8	.....	6.6	.....	111.9
38	Medford	1,349.4	.....	.....	.....	.....	3.8	15.2	3.8	22.9	.....	61.0	19.1	7.6	19.1	175.3
39	Melrose	1,284.0	5.7	.....	.....	.....	5.7	22.9	5.7	17.2	.....	57.3	.....	11.5	5.7	114.6
40	Methuen town	1,522.9	14.4	.....	.....	7.2	.....	14.4	7.2	7.2	14.4	150.9	21.6	.....	.....	150.9
41	Milford town	1,346.6	.....	.....	.....	.....	.....	.....	7.1	28.3	7.1	99.2	14.2	.....	.....	141.7
42	New Bedford	1,534.4	6.8	.....	.....	14.4	1.7	14.4	9.3	10.2	5.1	145.6	19.5	16.9	6.8	78.7
43	Newburyport	1,554.8	.....	.....	.....	.....	.....	6.6	.....	45.9	.....	39.4	13.1	13.1	.....	91.8
44	Newton	1,075.1	2.3	.....	.....	.....	.....	2.3	2.3	18.3	9.2	38.9	9.2	4.6	2.3	114.4
45	North Adams	[5] 1,407.9	27.2	.....	.....	4.5	4.5	.....	4.5	40.9	4.5	77.2	.....	9.1	9.1	104.5
46	Northampton *	2,173.0	10.0	.....	.....	25.1	10.0	10.0	15.1	50.2	5.0	185.7	10.0	.....	.....	115.4
47	Peabody town	1,334.4	5.4	.....	.....	.....	38.1	5.4	10.9	10.9	.....	43.6	5.4	27.2	5.4	98.0
48	Pittsfield	1,429.0	.....	.....	.....	.....	2.6	2.6	23.3	7.8	2.6	88.0	2.6	5.2	5.2	103.5
49	Plymouth town	1,302.5	21.8	.....	.....	21.8	7.3	.....	7.3	36.4	.....	43.7	29.1	14.6	7.3	131.0
50	Quincy	1,174.7	.....	.....	.....	2.6	10.5	2.6	2.6	7.9	2.6	97.0	15.7	15.7	5.2	86.5
51	Revere	816.9	.....	.....	.....	.....	8.6	4.3	.....	.....	4.3	51.9	8.6	4.3	4.3	77.8
52	Salem	1,210.8	6.2	.....	.....	.....	2.1	6.2	4.1	20.6	2.1	94.7	12.4	12.4	6.2	92.7
53	Somerville	1,240.8	1.1	.....	.....	3.4	2.3	11.5	26.4	20.7	5.7	104.6	9.2	13.8	1.1	106.8
54	Southbridge town	1,091.2	.....	.....	.....	7.0	.....	14.1	28.2	7.0	.....	35.2	7.0	.....	.....	91.5
55	Springfield	1,643.4	5.7	.....	.....	15.1	3.8	2.8	17.9	19.8	4.7	68.0	13.2	9.4	12.3	109.5
56	Taunton *	2,174.6	2.8	2.8	.....	13.8	5.5	11.0	22.0	30.3	5.5	204.0	24.8	16.5	5.5	99.2
57	Wakefield town	1,162.3	.....	.....	.....	.....	7.9	.....	.....	15.7	7.9	78.5	31.4	15.7	.....	102.1
58	Waltham	1,161.3	6.5	.....	.....	3.3	6.5	19.6	19.6	16.4	6.5	91.6	26.2	13.1	.....	85.1
59	Watertown town	1,278.0	.....	.....	.....	26.9	.....	.....	6.7	26.9	.....	60.5	6.7	20.2	6.7	100.9
60	Webster town	1,127.9	.....	.....	.....	30.3	.....	7.6	.....	15.1	.....	83.3	22.7	15.1	7.6	68.1
61	Westfield town	1,593.2	16.3	.....	.....	5.4	10.9	10.9	27.2	16.3	.....	315.4	5.4	10.9	.....	65.2
62	Weymouth town	1,368.7	.....	.....	.....	7.2	.....	7.2	7.2	21.6	.....	72.0	.....	7.2	.....	122.5
63	Winthrop town	1,024.3	.....	.....	.....	15.8	.....	7.9	.....	23.6	.....	39.4	.....	.....	.....	133.9
64	Woburn	1,346.4	.....	.....	.....	18.8	.....	18.8	37.6	25.0	12.5	87.7	6.3	6.3	.....	81.4
65	Worcester	1,775.1	3.7	.....	.....	34.3	1.8	5.5	14.7	15.3	13.5	133.5	20.2	17.8	5.5	129.2
	MICHIGAN.															
66	Registration cities (total)	1,712.4	19.3	0.2	0.1	14.6	8.1	9.3	27.2	19.2	8.3	111.2	10.0	9.1	7.7	91.0
67	White	1,698.0	19.1	0.1	0.1	14.7	8.2	9.4	27.2	19.0	8.3	107.5	9.7	9.1	7.5	90.9
68	Colored	3,144.6	32.5	8.1	.....	.....	.....	.....	24.4	32.5	.....	479.4	32.5	16.3	24.4	105.6
69	Adrian	1,614.6	26.2	.....	.....	26.2	.....	.....	.....	96.0	.....	52.4	.....	17.5	8.7	87.3
70	Alpena	1,213.0	7.5	.....	.....	7.5	7.5	15.1	15.1	.....	7.5	67.8	7.5	7.5	7.5	60.3
71	Ann Arbor	3,264.5	53.3	.....	.....	.....	6.7	.....	26.6	20.0	6.7	199.9	6.7	20.0	13.3	353.1
72	Battle Creek	1,557.0	6.8	.....	.....	3.4	.....	6.8	.....	44.1	.....	57.7	10.2	3.4	6.8	132.3
73	Bay City	1,503.9	45.9	.....	.....	33.4	8.3	4.2	14.6	37.5	4.2	108.5	4.2	10.4	6.3	100.1

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
45.0	9.0	135.0	144.0	36.0	45.0	18.0	9.0	36.0	27.0	18.0	162.0	18.0	9.0	63.0	117.0	9.0	423.0	9.0	1
41.3	10.3	123.9	134.3	20.7	31.0	20.7	10.3	41.3	20.7	10.3	165.3	10.3	10.3	41.3	123.9	10.3	361.5	.....	2
69.9	.....	209.8	209.8	139.9	139.9	.....	.....	.....	69.9	69.9	139.9	69.9	.....	209.8	69.9	.....	839.2	69.9	3
11.7	3.9	112.9	179.1	19.5	97.4	3.9	93.5	3.9	3.9	3.9	128.5	11.7	.....	85.7	124.6	19.5	264.8	23.4	4
12.4	4.1	99.2	181.9	16.5	70.3	4.1	95.1	4.1	4.1	4.1	115.8	12.4	.....	82.7	111.6	16.5	239.8	20.7	5
.....	.....	335.6	134.2	67.1	536.9	.....	67.1	.....	.....	.....	335.6	.....	.....	134.2	335.6	67.1	671.1	67.1	6
22.3	8.6	91.4	187.8	21.1	178.4	10.7	73.9	13.0	11.8	10.0	95.3	7.2	9.6	84.4	82.6	12.4	252.7	7.1	7
22.3	8.6	91.1	187.0	21.1	176.3	10.6	73.9	12.8	11.7	9.9	94.6	7.0	9.6	84.2	82.2	12.5	251.4	7.0	8
21.4	10.7	112.1	248.2	21.4	341.7	16.0	69.4	26.7	18.7	18.7	149.5	21.4	13.3	101.4	106.8	5.3	352.3	16.0	9
21.1	.....	56.3	119.6	14.1	91.5	7.0	91.5	7.0	7.0	21.1	63.3	.....	7.0	147.7	56.3	.....	161.8	.....	10
31.2	7.8	109.3	140.5	7.8	109.3	.....	7.8	15.6	7.8	15.6	117.1	7.8	15.6	62.4	54.6	.....	296.6	.....	11
25.9	5.2	77.8	93.4	10.4	129.7	5.2	31.1	.....	20.7	.....	145.2	10.4	10.4	72.6	108.9	15.6	228.2	10.4	12
27.7	.....	124.7	277.2	9.2	78.5	.....	27.7	4.6	18.5	4.6	64.7	4.6	9.2	73.9	78.5	4.6	235.6	4.6	13
25.5	11.9	83.1	220.4	17.8	210.3	15.7	49.4	14.4	15.5	13.1	102.6	9.4	9.0	89.6	108.0	16.3	296.9	7.0	14
25.4	11.6	82.3	218.5	18.0	206.2	15.7	49.6	14.1	15.3	13.0	100.2	8.9	8.9	89.2	106.9	16.5	294.1	6.6	15
30.7	24.6	122.8	307.0	12.3	423.7	18.4	43.0	30.7	24.6	18.4	208.8	30.7	12.3	110.5	159.7	6.1	423.7	24.6	16
20.8	13.3	103.8	130.5	16.3	93.4	14.8	23.7	13.3	5.9	8.9	90.4	3.0	11.9	83.0	65.2	11.9	215.0	5.9	17
21.4	.....	97.8	223.0	9.2	94.7	.....	.....	9.2	9.2	6.1	48.9	.....	.....	21.4	15.3	6.1	226.1	.....	18
16.8	6.2	108.9	191.2	17.7	159.3	9.7	56.6	10.6	8.9	4.4	70.8	4.4	8.0	70.8	54.0	8.9	197.4	0.9	19
26.0	6.5	86.6	188.3	13.0	149.4	4.3	90.9	23.8	15.2	13.0	93.1	4.3	10.8	67.1	82.3	13.0	259.8	26.0	20
6.8	17.1	58.0	146.7	71.6	170.5	.....	208.1	.....	.....	17.1	85.3	.....	6.8	112.6	64.8	3.4	180.8	.....	21
22.9	7.6	114.7	191.2	30.6	191.2	.....	30.6	7.6	15.3	7.6	30.6	22.9	15.3	91.8	76.5	15.3	275.3	15.3	22
17.8	.....	81.6	168.2	7.6	119.8	2.5	33.1	2.5	5.1	5.1	40.8	.....	2.5	51.0	28.0	12.7	160.6	.....	23
24.1	4.7	64.7	158.9	38.2	243.8	10.9	213.5	9.3	6.2	14.8	105.9	5.5	12.5	98.2	47.5	10.9	215.0	27.3	24
33.5	16.8	67.0	150.8	12.0	169.9	7.2	47.9	16.8	4.8	7.2	79.0	7.2	9.6	81.4	71.8	12.0	198.7	4.8	25
35.8	.....	193.1	307.5	7.2	171.6	.....	107.3	28.6	42.9	7.2	171.6	7.2	14.3	100.1	143.0	7.2	300.4	.....	26
11.7	17.5	87.5	140.0	11.7	70.0	.....	58.3	17.5	.....	11.7	145.9	.....	11.7	99.2	64.2	11.7	204.2	.....	27
12.3	.....	143.5	237.7	28.7	168.0	8.2	49.2	16.4	12.3	.....	139.4	8.2	12.3	57.4	143.5	16.4	196.7	4.1	28
50.0	25.0	75.0	133.4	.....	208.4	16.7	50.0	8.3	33.3	16.7	66.7	.....	8.3	50.0	133.4	8.3	275.0	50.0	29
24.8	2.1	88.7	198.0	6.2	255.8	6.2	45.4	10.3	24.8	10.3	70.1	4.1	16.5	90.8	66.0	18.6	202.2	16.5	30
32.2	7.7	67.4	122.5	18.4	249.7	15.3	154.7	15.3	15.3	10.7	130.2	7.7	9.2	154.7	70.5	7.7	254.3	.....	31
12.9	8.9	61.7	118.3	21.9	166.1	7.0	136.2	13.9	7.0	7.0	86.5	6.0	9.9	61.7	83.5	8.0	173.0	21.9	32
4.8	4.8	52.8	196.7	28.8	91.2	.....	33.6	.....	24.0	.....	110.4	4.8	9.6	48.0	43.2	19.2	215.9	.....	33
20.3	15.9	84.8	161.6	65.3	178.4	9.7	173.1	15.0	17.7	15.9	89.2	5.3	6.2	111.3	83.0	7.9	325.8	0.9	34
15.6	7.8	95.7	148.4	13.7	112.3	5.9	25.4	18.6	7.8	3.9	100.6	4.9	10.7	72.2	54.7	10.7	218.7	4.9	35
19.5	3.9	78.2	177.9	17.6	113.4	13.7	27.4	11.7	5.9	3.9	70.4	.....	7.8	54.7	52.8	15.6	224.8	2.0	36
.....	19.8	105.4	223.9	13.2	138.3	.....	26.3	19.8	6.6	6.6	59.3	13.2	19.8	59.3	72.4	13.2	309.5	6.6	37
11.4	.....	114.4	228.7	15.2	144.9	3.8	22.9	7.6	3.8	7.6	106.7	11.4	7.6	57.2	34.3	7.6	236.3	.....	38
17.2	.....	114.6	194.9	17.2	114.6	5.7	34.4	17.2	.....	.....	114.6	28.7	11.5	28.7	74.5	5.7	252.2	5.7	39
50.3	.....	79.0	179.6	28.7	150.9	7.2	93.4	28.7	14.4	.....	93.4	.....	14.4	71.8	57.5	21.6	194.0	50.3	40
35.4	7.1	106.3	63.8	14.2	170.1	14.2	21.3	14.2	.....	21.3	99.2	14.2	7.1	63.8	85.0	7.1	304.7	.....	41
16.9	9.3	66.9	137.1	34.7	191.3	16.1	169.3	7.6	10.2	10.2	69.4	13.5	6.8	86.3	77.9	18.6	241.2	22.0	42
13.1	6.6	118.1	321.5	26.2	183.7	19.7	52.5	19.7	13.1	6.6	72.2	.....	13.1	105.0	52.5	13.1	301.8	6.6	43
13.7	2.3	107.5	151.0	18.3	130.4	6.9	20.6	6.9	9.2	9.2	59.5	2.3	.....	59.5	48.0	4.6	221.9	.....	44
9.1	18.2	86.3	172.6	22.7	90.8	27.2	50.0	18.2	.....	.....	95.4	9.1	22.7	63.6	95.4	13.6	322.4	4.5	45
60.2	10.0	291.1	286.1	5.0	205.8	20.1	50.2	10.0	15.1	15.1	140.5	10.0	20.1	70.3	80.3	15.1	426.6	5.0	46
43.6	10.9	119.8	147.1	27.2	158.0	5.4	54.5	.....	32.7	5.4	65.4	.....	10.9	92.6	98.0	10.9	196.1	5.4	47
23.3	15.5	124.3	155.3	12.9	126.8	12.9	36.2	15.5	12.9	18.1	111.3	7.8	20.7	80.3	119.1	10.4	279.6	2.6	48
29.1	7.3	87.3	189.2	50.9	101.9	7.3	43.7	.....	7.3	.....	72.8	.....	14.6	80.0	80.0	7.3	203.7	.....	49
15.7	.....	81.3	173.1	7.9	133.7	.....	42.0	10.5	2.6	2.6	57.7	5.2	7.9	76.0	104.9	10.5	188.8	5.2	50
8.6	.....	73.5	142.6	8.6	86.4	.....	21.6	.....	.....	13.0	73.5	4.3	.....	47.5	34.6	8.6	129.7	.....	51
10.3	10.3	100.9	187.4	20.6	117.4	8.2	63.8	4.1	12.4	6.2	55.6	12.4	4.1	88.5	57.7	12.4	175.0	4.1	52
9.2	4.6	90.8	199.9	6.9	171.2	6.9	33.3	9.2	3.4	6.9	80.4	4.6	8.0	54.0	55.1	5.7	183.8	.....	53
14.1	14.1	140.8	133.8	28.2	133.8	28.2	63.4	.....	14.1	7.0	49.3	.....	7.0	91.5	63.4	.....	105.6	7.0	54
26.4	5.7	107.6	156.7	13.2	192.6	13.2	85.0	29.3	9.4	16.0	152.9	11.3	17.0	118.0	96.3	14.2	294.5	1.9	55
46.9	11.0	143.3	264.6	38.6	281.1	13.8	151.6	5.5	13.8	11.0	148.8	2.8	11.0	91.0	88.2	5.5	399.6	2.8	56
7.9	.....	133.5	164.9	47.1	86.4	.....	23.6	.....	.....	.....	94.2	.....	7.9	62.8	23.6	.....	251.3	.....	57
16.4	3.3	81.8	157.0	9.8	157.0	6.5	13.1	6.5	9.8	3.3	62.2	3.3	3.3	22.9	72.0	16.4	219.2	3.3	58
20.2	.....	94.2	222.0	13.5	134.5	.....	26.9	20.2	13.5	20.2	74.0	.....	.....	87.4	53.8	6.7	235.4	.....	59
7.6	.....	75.7	106.0	7.6	136.3	7.6	90.8	.....	7.6	.....	37.9	.....	22.7	106.0	106.0	7.6	159.0	.....	60
32.6	10.9	114.2	130.5	10.9	119.6	.....	97.9	21.7	16.3	5.4	135.9	.....	5.4	81.6	119.6	21.7	184.9	.....	61
21.6	7.2	201.7	288.1	.....	129.7	.....	28.8	7.2	.....	7.2	64.8	.....	7.2	64.8	43.2	7.2	237.7	7.2	62
23.6	.....	110.3	157.6	15.8	86.7	.....	.....	.....	.....	15.8	102.4	.....	.....	47.3	15.8	23.6	204.9	.....	63
18.8	6.3	100.2	119.0	18.8	125.2	18.8	31.3	6.3	6.3	.....	106.5	6.3	6.3	75.1	131.5	12.5	263.0	.....	64
26.3	7.3	90.6	251.7	23.9	230.2	9.2	77.8	16.5	16.5	7.3	105.3	12.2	11.0	99.2	107.2	12.9	274.3	0.6	65
18.1	12.7	84.2	164.1	23.3	162.4	19.3	93.9	28.3	19.3	18.0	84.9	13.1	11.0	123.1	122.3	16.8	355.5	6.9	66
18.1	12.4	83.8	161.3	23.0	160.0	19.3	94.5	28.1	19.5	18.1	84.1	12.8	11.0	123.3	121.0	16.8	353.3	6.7	67
16.3	40.6	121.9	438.8	56.9	398.1	24.4	32.5	48.8	8.1	8.1	162.5	40.6	16.3	105.6	251.9	24.4	568.8	24.4	68
26.2	.....	226.9	244.4	17.5	104.7	17.5	43.6	43.6	17.5	8.7	43.6	.....	26.2	69.8	43.6	17.5	340.4	8.7	69
45.2	.....	30.1	82.9	52.7	30.1	22.6	97.9	30.1	22.6	7.5	75.3	.....	.....	128.1	82.9	30.1	263.7	.....	70
40.0	6.7	219.9	326.4	40.0	146.6	46.6	33.3	139.9	46.6	20.0	166.6	13.3	26.6	139.9	139.9	40.0	959.4	6.7	71
23.7	23.7	149.3	281.5	27.1	78.0	3.4	30.5	20.4	33.9	10.2	71.2	6.8	10.2	61.1	105.2	27.1	312.1	10.2	72
10.4	6.3	87.6	148.1	16.7	79.3	27.1	58.4	39.6	27.1	25.0	52.1	12.5	12.5	91.8	104.3	18.8	298.3	10.4	73

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	MICHIGAN—continued.															
1	Detroit	1,904.1	14.7	0.2	0.2	18.0	9.2	11.1	44.4	10.4	12.1	141.3	13.2	9.4	8.8	77.7
2	Escanaba	1,401.4	45.2	.....	.....	19.4	32.3	25.8	.....	19.4	.....	103.3	25.8	12.9	.....	51.7
3	Flint	1,460.6	47.5	.....	.....	23.7	3.7	16.4	21.9	14.6	7.3	56.6	5.5	5.5	1.8	52.9
4	Grand Rapids	1,219.9	16.4	.....	.....	2.3	1.6	4.7	7.0	9.4	4.7	64.7	12.5	4.7	7.8	88.1
5	Holland	869.9	.....	.....	.....	.....	8.2	.....	.....	16.4	.....	82.1	.....	16.4	.....	41.0
6	Ironwood	1,217.9	27.1	.....	.....	20.3	6.8	20.3	13.5	20.3	.....	101.5	.....	13.5	.....	40.6
7	Ishpeming	[5] 1,317.5	16.1	.....	.....	16.1	.....	.....	24.1	8.0	.....	56.2	.....	16.1	.....	96.4
8	Jackson	1,795.7	17.0	.....	.....	11.3	14.1	2.8	19.8	48.1	11.3	84.8	11.3	17.0	8.5	118.8
9	Kalamazoo *	1,650.8	6.1	.....	.....	.....	6.1	2.0	.....	26.6	6.1	108.4	2.0	8.2	14.3	116.6
10	Lansing	1,371.8	24.0	.....	.....	7.2	9.6	4.8	28.8	55.2	2.4	40.8	2.4	2.4	.....	100.7
11	Manistee	[5] 1,106.5	16.2	.....	.....	24.2	.....	8.1	.....	16.2	8.1	129.2	8.1	32.3	8.1	88.8
12	Marquette	1,668.1	40.3	.....	.....	16.1	.....	24.2	8.1	32.2	8.1	145.1	16.1	.....	8.1	169.2
13	Menominee	[5] 1,284.9	28.6	.....	.....	19.0	.....	.....	19.0	19.0	.....	66.6	9.5	.....	.....	104.7
14	Muskegon	1,850.6	.....	3.8	.....	15.3	42.1	42.1	3.8	7.7	7.7	103.4	.....	3.8	3.8	130.3
15	Pontiac *	2,465.2	11.4	.....	.....	28.5	.....	11.4	17.1	34.2	5.7	85.6	5.7	.....	5.7	114.1
16	Port Huron	[5] 1,945.6	31.8	.....	.....	10.6	15.9	.....	5.3	37.1	10.6	95.4	10.6	15.9	21.2	90.1
17	Saginaw	1,480.9	30.6	.....	.....	10.8	7.2	1.8	16.2	28.8	3.6	71.9	.....	14.4	7.2	124.0
18	Sault Ste. Marie	1,314.7	7.2	.....	.....	.....	.....	.....	28.7	28.7	.....	57.5	14.4	7.2	7.2	50.3
19	Traverse City *	2,511.6	14.5	.....	.....	.....	.....	7.2	7.2	50.7	7.2	246.1	14.5	14.5	7.2	108.6
	MINNESOTA.															
20	Registration cities (total)	1,206.4	6.2	.....	.....	15.1	3.9	6.9	13.7	10.8	5.2	107.5	9.6	12.9	5.5	92.0
21	White	1,199.6	6.2	.....	.....	15.2	3.9	6.4	13.8	10.8	5.1	105.4	9.5	12.7	5.5	91.7
22	Colored	1,860.8	12.7	.....	.....	.....	.....	50.6	.....	12.7	12.7	316.5	25.3	25.3	.....	126.6
23	Duluth	1,117.5	8.5	.....	.....	22.2	3.2	4.2	10.6	7.4	2.1	96.3	7.4	13.8	5.3	78.3
24	Mankato	[5] 2,083.9	.....	.....	.....	.....	9.6	19.3	9.6	38.6	.....	96.5	.....	.....	19.3	231.5
25	Minneapolis	1,241.4	5.5	.....	.....	20.4	4.4	7.4	19.0	8.8	5.8	117.8	8.3	13.8	5.8	96.0
26	St. Cloud	1,362.4	8.5	.....	.....	.....	.....	16.9	.....	16.9	.....	110.0	16.9	16.9	.....	67.7
27	St. Paul	1,126.5	5.7	.....	.....	7.3	3.2	6.9	8.9	9.3	6.5	99.1	12.9	11.7	4.0	87.0
28	Stillwater	[5] 961.0	.....	.....	.....	9.8	9.8	.....	.....	49.0	.....	58.8	9.8	19.6	19.6	107.9
29	Virginia	954.4	26.3	.....	.....	13.2	.....	.....	.....	.....	.....	52.7	13.2	.....	.....	32.9
30	Winona	[5] 1,646.7	5.4	.....	.....	.....	5.4	5.4	16.1	53.8	5.4	139.9	.....	16.1	10.8	118.4
	MISSISSIPPI.[4]															
31	Registration cities (total)	2,301.2	52.6	80.9	.....	4.9	1.0	1.0	9.7	26.3	3.9	237.7	3.9	22.4	9.7	82.8
32	White	1,510.2	38.9	64.9	.....	3.7	1.9	.....	13.0	27.8	1.9	76.0	.....	9.3	3.7	83.4
33	Colored	3,178.1	67.8	98.6	.....	6.2	.....	2.1	6.2	24.7	6.2	417.0	8.2	37.0	16.4	82.2
34	Hattiesburg (total)	1,316.6	54.6	66.7	.....	6.1	.....	.....	12.1	30.3	.....	163.8	.....	6.1	.....	36.4
35	White	986.0	38.3	28.7	.....	9.6	.....	.....	19.1	38.3	.....	38.3	.....	.....	.....	47.9
36	Colored	1,888.7	82.8	132.5	.....	.....	.....	.....	.....	16.6	.....	381.0	.....	16.6	.....	16.6
37	Jackson * (total)	2,653.3	63.9	107.6	.....	3.4	.....	.....	16.8	43.7	3.4	208.5	6.7	26.9	6.7	87.4
38	White	1,795.6	43.9	100.5	.....	.....	.....	.....	18.8	56.5	.....	50.2	.....	.....	6.3	106.7
39	Colored	3,642.6	86.9	115.9	.....	7.2	.....	.....	14.5	29.0	7.2	391.0	14.5	57.9	7.2	65.2
40	Meridian (total)	1,984.6	68.8	27.5	.....	13.8	4.6	.....	.....	9.2	.....	252.1	.....	18.3	9.2	59.6
41	White	1,479.0	45.3	30.2	.....	7.5	7.5	.....	.....	15.1	.....	98.1	.....	22.6	7.5	67.9
42	Colored	2,766.8	105.1	23.3	.....	23.3	.....	.....	.....	.....	.....	490.3	.....	11.7	11.7	46.7
43	Natchez (total)	[5] 2,120.3	17.0	42.4	.....	.....	.....	.....	17.0	17.0	.....	271.4	17.0	17.0	.....	152.7
44	White	[5] 1,376.1	.....	19.7	.....	.....	.....	.....	39.3	.....	.....	98.3	.....	19.7	.....	137.6
45	Colored	[5] 2,685.0	29.8	60.0	.....	.....	.....	.....	.....	29.8	.....	402.7	29.8	14.9	.....	164.1
46	Vicksburg (total)	2,949.7	39.4	127.1	.....	.....	.....	4.4	4.4	21.9	13.1	298.0	.....	35.1	26.3	96.4
47	White	1,729.0	43.2	118.9	.....	.....	.....	.....	.....	.....	10.8	118.9	.....	10.8	.....	75.6
48	Colored	3,782.6	36.9	132.7	.....	.....	.....	7.4	7.4	36.9	14.7	420.3	.....	51.6	44.2	110.6
	MISSOURI.															
49	Registration cities (total)	1,544.0	14.8	2.0	0.3	15.9	11.0	8.0	21.3	22.9	5.8	143.4	7.4	9.2	5.3	96.0
50	White	1,459.6	13.9	1.7	0.3	16.5	11.5	7.3	22.1	22.6	6.0	116.5	6.7	8.1	5.1	97.0
51	Colored	2,655.7	26.7	6.7	.....	7.8	4.5	17.8	11.1	26.7	3.3	497.0	16.7	28.4	8.9	83.6
52	Hannibal (total)	1,337.2	9.2	4.6	.....	32.1	.....	4.6	4.6	50.4	.....	128.2	4.6	9.2	4.6	64.1
53	White	1,271.2	10.0	.....	.....	35.0	.....	5.0	5.0	50.0	.....	90.1	5.0	10.0	5.0	70.1
54	Colored	2,048.5	.....	53.9	.....	.....	.....	.....	.....	53.9	.....	539.1	.....	.....	.....	.....
55	Jefferson City (total)	1,527.7	37.1	.....	.....	.....	.....	.....	7.4	7.4	7.4	229.9	7.4	.....	7.4	118.7
56	White	1,339.8	26.1	.....	.....	.....	.....	.....	8.7	8.7	8.7	156.6	8.7	.....	8.7	121.8
57	Colored	2,613.1	100.5	.....	.....	.....	.....	.....	.....	.....	.....	653.3	.....	.....	.....	100.5
58	Joplin	2,164.6	63.2	6.0	3.0	75.3	9.0	12.0	15.1	12.0	3.0	292.0	.....	12.0	6.0	78.3
59	Kansas City (total)	1,450.1	11.4	1.7	.....	14.1	27.5	2.7	28.5	15.8	9.1	140.7	7.7	10.7	5.7	95.0
60	White	1,329.1	10.7	1.8	.....	15.2	29.2	2.2	30.7	13.7	9.6	103.9	8.1	8.5	4.8	96.5
61	Colored	2,646.8	18.3	.....	.....	3.7	11.0	7.3	7.3	36.6	3.7	504.5	3.7	32.9	14.6	80.4
62	Moberly	1,544.9	15.7	.....	.....	.....	7.8	7.8	.....	23.5	.....	125.5	7.8	7.8	7.8	117.6
63	St. Joseph *	[9] 1,468.9	12.9	.....	.....	21.1	5.9	4.7	16.4	32.8	15.3	118.5	3.5	12.9	4.7	92.7
64	St. Louis (total)	1,487.2	9.4	1.6	.....	8.8	6.3	9.8	20.9	22.8	4.1	129.0	7.8	8.1	4.5	95.3
65	White	1,406.0	8.6	1.3	.....	8.9	6.6	8.8	21.2	23.3	4.1	106.7	6.6	6.9	4.5	96.1
66	Colored	2,635.9	20.0	6.0	.....	8.0	2.0	24.0	16.0	16.0	4.0	444.0	24.0	24.0	4.0	84.0
67	Sedalia (total)	1,629.9	72.0	25.7	.....	46.3	.....	.....	10.3	25.7	5.1	144.0	10.3	5.1	15.4	113.1
68	White	1,549.7	51.5	17.2	.....	51.5	.....	.....	11.4	28.6	5.7	97.2	11.4	5.7	11.4	120.1
69	Colored	2,344.5	254.8	101.9	.....	.....	.....	.....	.....	.....	.....	560.7	.....	.....	51.0	51.0
70	Springfield	1,690.6	22.3	2.5	.....	19.8	2.5	5.0	9.9	32.2	.....	153.7	2.5	5.0	9.9	94.2
71	Webb City	2,771.1	137.5	.....	21.7	188.1	.....	57.9	7.2	43.4	.....	463.1	21.7	21.7	7.2	43.4

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
17.3	20.1	64.8	164.8	25.3	235.0	22.5	129.3	28.3	21.1	22.5	85.1	18.2	11.1	148.4	151.3	19.2	341.1	7.8	1
12.9	25.8	109.8	109.8	12.9	187.3	25.8	58.1	19.4	19.4	19.4	71.0	19.4	12.9	77.5	109.8	12.9	155.0	6.5	2
12.8	.....	63.9	89.5	16.4	118.7	18.3	157.0	9.1	20.1	11.0	78.5	7.3	11.0	171.6	109.5	7.3	297.6	3.7	3
17.9	4.7	76.4	134.8	17.9	70.2	17.1	54.6	17.9	17.1	7.0	88.9	7.8	6.2	65.5	73.3	14.0	303.2	1.6	4
16.4	.....	57.4	114.9	32.8	32.8	24.6	49.2	8.2	.....	.....	41.0	.....	16.4	57.4	57.4	8.2	172.3	16.4	5
6.8	6.8	13.5	60.9	67.7	155.6	13.5	54.1	33.8	13.5	6.8	20.3	6.8	.....	101.5	175.9	.....	216.5	.....	6
48.2	.....	56.2	224.9	40.2	136.6	24.1	32.1	24.1	16.1	.....	80.3	16.1	24.1	72.3	96.4	8.0	184.8	.....	7
8.5	2.8	135.7	195.1	31.1	121.6	8.5	90.5	33.9	17.0	14.1	110.3	8.5	2.8	107.5	147.0	19.8	370.4	5.7	8
14.3	8.2	135.0	186.1	8.2	77.7	8.2	32.7	20.5	20.5	10.2	90.0	4.1	4.1	59.3	79.8	10.2	585.0	.....	9
21.6	12.0	100.7	148.7	12.0	86.3	2.4	50.4	19.2	9.6	21.6	76.7	19.2	19.2	110.3	64.8	16.8	297.4	4.8	10
32.3	.....	64.6	121.2	.....	48.5	.....	16.2	16.2	32.3	8.1	80.8	8.1	.....	32.3	80.8	24.2	201.9	.....	11
16.1	24.2	64.5	201.5	56.4	88.6	24.2	48.4	48.4	16.1	24.2	104.8	8.1	16.1	128.9	80.6	.....	241.8	8.1	12
.....	.....	66.6	114.2	38.1	95.2	9.5	85.7	19.0	19.0	28.6	66.6	.....	9.5	104.7	133.2	9.5	218.9	.....	13
11.5	11.5	130.3	149.4	15.3	222.2	19.2	88.1	42.1	3.8	23.0	99.6	7.7	15.3	137.9	153.3	11.5	344.8	.....	14
34.2	.....	142.7	188.3	22.8	182.6	28.5	91.3	5.7	17.1	5.7	108.4	17.1	17.1	182.6	85.6	22.8	987.2	5.7	15
42.4	.....	137.8	243.9	10.6	95.4	10.6	37.1	26.5	10.6	26.5	143.1	15.9	5.3	180.2	111.3	15.9	471.8	15.9	16
19.8	3.6	75.5	195.9	19.8	79.1	19.8	50.3	37.7	9.0	21.6	75.5	7.2	18.0	118.6	93.5	7.2	291.1	21.6	17
7.2	.....	64.7	71.8	35.9	129.3	14.4	64.7	57.5	7.2	7.2	64.7	.....	14.4	129.3	107.8	28.7	308.9	.....	18
14.5	7.2	260.6	246.1	7.2	72.4	14.5	14.5	43.4	14.5	21.7	130.3	.....	7.2	43.4	72.4	7.2	1,042.3	14.5	19
18.3	7.0	54.2	118.6	10.0	105.4	9.0	33.5	26.8	13.0	8.8	94.1	7.8	6.6	79.3	91.3	17.2	214.5	1.6	20
18.1	7.0	54.5	117.6	10.1	105.5	8.7	33.5	26.7	12.9	8.8	93.5	7.9	6.7	79.3	90.6	17.2	213.2	1.6	21
38.0	12.7	25.3	215.2	.....	101.3	38.0	38.0	38.0	25.3	12.7	151.9	.....	.....	75.9	151.9	12.7	341.8	.....	22
11.6	10.6	39.2	79.4	10.6	129.1	7.4	61.4	20.1	21.2	5.3	75.1	5.3	5.3	59.3	102.7	10.6	204.2	.....	23
28.9	19.3	115.8	193.0	.....	183.3	9.6	28.9	154.4	77.2	.....	144.7	.....	28.9	106.1	173.7	19.3	376.3	.....	24
18.4	3.9	51.5	120.0	7.7	111.4	8.3	30.0	29.2	8.5	9.4	101.8	8.5	5.2	95.7	87.5	19.3	212.1	0.3	25
33.8	8.5	84.6	152.3	8.5	84.6	25.4	67.7	42.3	16.9	.....	76.2	.....	.....	101.5	67.7	16.9	304.6	16.9	26
18.6	9.3	55.4	122.6	10.9	80.5	10.5	26.3	21.0	12.9	9.3	92.6	8.9	7.3	61.1	88.2	18.2	209.1	1.2	27
19.6	9.8	58.8	117.7	29.4	68.6	.....	.....	29.4	19.6	19.6	78.4	.....	19.6	9.8	39.2	9.8	147.1	.....	28
6.6	6.6	13.2	65.8	13.2	197.5	6.6	65.8	13.2	.....	6.6	52.7	.....	19.7	98.7	118.5	.....	131.6	.....	29
37.7	10.8	139.9	204.5	32.3	102.2	5.4	26.9	16.1	26.9	16.1	75.3	10.8	5.4	86.1	113.0	10.8	317.5	32.3	30
12.7	2.9	56.5	202.6	12.7	137.4	22.4	73.1	49.7	38.0	20.5	169.5	9.7	16.6	58.5	177.3	9.7	632.3	62.4	31
13.0	3.7	48.2	131.6	7.4	81.5	22.2	57.4	44.5	29.6	22.2	122.3	7.4	11.1	44.5	116.7	13.0	351.7	27.8	32
12.3	2.1	65.7	281.4	18.5	199.3	22.6	90.4	55.5	47.3	18.5	221.9	12.3	22.6	74.0	244.5	6.2	910.1	100.7	33
.....	6.1	36.4	30.3	.....	72.8	24.3	42.5	24.3	24.3	12.1	84.9	18.2	12.1	66.7	133.5	.....	279.1	72.8	34
.....	9.6	47.9	38.3	.....	57.4	19.1	38.3	28.7	19.1	19.1	67.0	9.6	9.6	57.4	86.2	.....	220.2	38.3	35
.....	.....	16.6	16.6	.....	99.4	33.1	49.7	16.6	33.1	.....	116.0	33.1	16.6	82.8	215.4	.....	381.0	132.5	36
23.5	3.4	43.7	205.1	10.1	131.1	13.5	53.8	60.5	47.1	16.8	168.1	6.7	30.3	57.2	208.5	20.2	931.5	47.1	37
12.6	6.3	43.9	150.7	6.3	69.1	18.8	43.9	75.3	43.9	18.8	119.3	12.6	6.3	31.4	150.7	18.8	546.2	37.7	38
36.2	.....	43.4	267.9	14.5	202.8	7.2	65.2	43.4	50.7	14.5	224.5	.....	57.9	86.9	275.2	21.7	1,375.9	57.9	39
9.2	.....	50.4	165.0	13.8	178.8	27.5	146.7	27.5	13.8	4.6	160.4	13.8	13.8	50.4	146.7	4.6	458.3	36.7	40
15.1	.....	45.3	143.4	15.1	105.6	30.2	105.6	22.6	22.6	.....	158.5	7.5	22.6	45.3	75.5	7.5	332.0	22.6	41
.....	.....	58.4	198.5	11.7	291.9	23.3	210.1	35.0	.....	11.7	163.4	23.3	.....	58.4	256.8	.....	653.7	58.4	42
8.5	.....	50.9	195.1	42.4	101.8	33.9	93.3	33.9	25.4	59.4	279.9	.....	8.5	76.3	84.8	17.0	373.2	84.8	43
.....	.....	39.3	117.9	19.7	117.9	39.3	59.0	39.3	59.0	59.0	98.3	.....	.....	78.6	78.6	39.3	216.2	.....	44
14.9	.....	59.7	253.6	59.7	89.5	29.8	119.3	29.8	.....	59.7	417.7	.....	14.9	74.6	89.5	.....	492.2	149.2	45
13.1	4.4	96.4	363.8	8.8	170.9	21.9	39.4	83.3	65.7	26.3	184.1	8.8	8.8	52.6	245.4	4.4	797.7	87.7	46
32.4	.....	64.8	194.5	.....	75.6	10.8	32.4	43.2	10.8	43.2	151.3	.....	10.8	32.4	172.9	10.8	443.1	21.6	47
.....	7.4	118.0	479.3	14.7	236.0	29.5	44.2	110.6	103.2	14.7	206.5	14.7	7.4	66.4	294.9	.....	1,039.7	132.7	48
19.9	7.0	74.3	140.3	20.5	160.5	12.0	53.7	24.1	16.7	20.2	160.8	8.3	6.4	61.1	116.8	27.8	246.3	3.9	49
20.1	6.9	73.5	128.7	19.9	146.9	11.5	53.2	24.5	15.2	20.3	151.6	8.3	6.5	61.4	108.7	29.0	233.7	4.1	50
16.7	7.8	84.7	293.1	27.9	339.9	17.8	60.2	18.9	35.7	18.9	281.9	8.9	4.5	56.8	222.9	12.3	411.2	1.1	51
13.7	4.6	73.3	109.9	4.6	119.1	4.6	41.2	18.3	27.5	4.6	91.6	36.6	4.6	50.4	87.0	9.2	293.1	27.5	52
15.0	5.0	70.1	100.1	5.0	105.1	.....	45.0	15.0	25.0	5.0	85.1	40.0	5.0	55.1	75.1	10.0	295.3	30.0	53
.....	.....	107.8	215.6	.....	269.5	53.9	.....	53.9	53.9	.....	161.7	.....	.....	.....	215.6	.....	269.5	.....	54
14.8	22.2	89.0	74.2	14.8	89.0	14.8	66.7	14.8	51.9	14.8	111.2	7.4	14.8	51.9	96.4	22.2	326.3	7.4	55
17.4	26.1	78.3	60.9	8.7	87.0	17.4	78.3	8.7	34.8	8.7	95.7	.....	17.4	52.2	87.0	17.4	287.1	8.7	56
.....	.....	150.8	150.8	50.3	100.5	.....	.....	50.3	150.8	50.3	201.0	50.3	.....	50.3	150.8	50.3	552.8	.....	57
21.1	9.0	78.3	162.6	6.0	180.6	12.0	168.6	42.1	9.0	15.1	138.5	12.0	6.0	114.4	222.8	45.2	322.1	12.0	58
16.1	7.7	74.9	138.3	12.4	122.5	11.8	47.0	24.5	16.8	11.1	130.9	9.1	5.4	55.1	121.9	25.9	244.4	3.7	59
16.6	8.1	75.0	119.4	10.7	103.5	12.2	44.4	25.1	15.5	10.4	113.1	9.2	4.8	58.4	107.6	25.9	230.0	4.1	60
11.0	3.7	73.1	325.4	29.2	310.7	7.3	73.1	18.3	29.2	18.3	307.1	7.3	11.0	21.9	263.2	25.6	387.5	.....	61
31.4	.....	125.5	109.8	23.5	109.8	7.8	31.4	39.2	7.8	.....	180.4	15.7	15.7	47.1	180.4	15.7	258.8	23.5	62
30.5	4.7	106.8	99.7	8.2	138.4	5.9	36.4	54.0	24.6	14.1	131.4	15.3	1.2	49.3	73.9	18.8	313.2	1.2	63
19.7	6.6	67.3	144.6	26.8	173.5	12.1	49.9	18.8	13.7	26.0	176.8	5.7	5.7	55.2	108.8	27.3	219.6	0.7	64
19.5	6.5	66.4	133.6	26.6	160.0	11.3	49.3	18.8	12.2	26.7	169.1	5.5	5.9	54.3	100.9	29.1	205.6	0.7	65
22.0	8.0	80.0	300.0	30.0	364.0	24.0	58.0	18.0	36.0	16.0	286.0	8.0	2.0	68.0	220.0	2.0	418.0	.....	66
10.3	.....	61.7	108.0	10.3	144.0	5.1	51.4	20.6	30.8	10.3	215.9	5.1	15.4	87.4	87.4	25.7	262.2	5.1	67
11.4	.....	57.2	97.2	5.7	125.8	5.7	57.2	22.9	28.6	.....	223.0	5.7	17.2	97.2	85.8	22.9	268.8	5.7	68
.....	.....	101.9	203.9	51.0	305.8	.....	.....	.....	51.0	101.9	152.9	.....	.....	.....	101.9	51.0	203.9	.....	69
29.7	7.4	66.9	143.8	7.4	163.6	22.3	62.0	34.7	22.3	9.9	101.6	12.4	17.4	126.4	101.6	47.1	342.1	12.4	70
.....	14.5	86.8	79.6	.....	274.9	14.5	151.9	14.5	36.2	7.2	115.8	14.5	28.9	166.4	347.3	57.9	260.5	86.8	71

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	MONTANA.															
1	Registration cities (total)	1,710.9	23.8	0.9	.....	10.6	2.6	37.9	13.2	7.9	5.3	125.9	13.2	8.8	9.7	75.7
2	White	1,699.3	24.3	0.9	.....	10.8	2.7	38.6	13.5	8.1	4.5	116.8	13.5	9.0	9.9	75.5
3	Colored	2,275.7	.....	.....	.....	.....	.....	.....	.....	.....	43.8	568.9	.....	.....	.....	87.5
4	Anaconda	1,940.9	56.8	.....	.....	9.5	.....	75.7	18.9	9.5	.....	94.7	.....	.....	9.5	56.8
5	Billings	1,275.8	13.9	.....	.....	20.8	.....	6.9	.....	.....	.....	55.5	6.9	13.9	13.9	55.5
6	Butte	2,079.4	9.2	.....	.....	16.1	4.6	66.8	29.9	9.2	2.3	195.7	23.0	6.9	9.2	76.0
7	Great Falls	[5] 1,957.3	50.2	.....	.....	.....	7.2	7.2	.....	28.7	21.5	129.1	14.3	.....	14.3	107.5
8	Helena	1,344.4	36.7	7.3	.....	7.3	.....	22.0	.....	.....	7.3	73.5	7.3	29.4	14.7	117.5
9	Missoula	1,070.6	16.5	.....	.....	.....	.....	5.5	.....	.....	5.5	65.9	5.5	5.5	.....	43.9
	NEBRASKA.[4]															
10	Registration cities (total)	1,440.2	6.1	.....	.....	1.4	29.7	4.2	19.3	20.8	6.6	87.3	8.0	12.7	5.7	97.2
11	White	1,411.4	6.3	.....	.....	1.5	30.2	4.4	20.0	21.0	6.3	74.6	7.3	12.2	5.9	95.6
12	Colored	2,289.7	.....	.....	.....	.....	14.4	.....	.....	14.4	14.4	460.8	28.8	28.8	.....	144.0
13	Lincoln	1,436.1	17.2	.....	.....	.....	15.0	12.9	12.9	27.9	.....	36.5	6.4	19.3	10.7	122.5
14	Omaha	1,441.3	3.0	.....	.....	1.8	33.8	1.8	21.2	18.7	8.5	101.5	8.5	10.9	4.2	90.0
	NEW HAMPSHIRE.															
15	Registration cities (total)	1,631.4	5.8	.....	0.5	19.0	0.5	13.8	14.8	25.9	6.3	94.2	16.4	7.4	7.9	103.2
16	White	1,631.9	5.8	.....	0.5	19.1	0.5	13.8	14.3	26.0	6.4	94.3	16.4	7.4	8.0	103.4
17	Colored	1,333.3	.....	.....	.....	.....	.....	.....	333.3	.....	.....	.....	.....	.....	.....	.....
18	Berlin	1,485.4	7.4	.....	.....	44.1	.....	29.4	36.8	22.1	7.4	36.8	29.4	7.4	.....	36.8
19	Concord*	2,002.7	4.4	.....	.....	.....	.....	4.4	17.6	8.8	13.2	141.2	.....	4.4	8.8	114.7
20	Dover	1,793.2	22.6	.....	.....	7.5	.....	.....	.....	22.6	.....	90.4	.....	.....	22.6	128.1
21	Keene	1,598.8	9.4	.....	.....	.....	.....	18.8	.....	65.8	18.8	84.6	.....	.....	.....	131.7
22	Laconia	1,474.7	.....	.....	.....	.....	.....	.....	.....	52.0	8.7	86.7	8.7	.....	8.7	112.8
23	Manchester	1,541.8	3.8	.....	1.3	34.5	1.3	10.2	14.1	19.2	2.6	92.0	29.4	8.9	7.7	83.0
24	Nashua	1,500.3	3.7	.....	.....	7.3	.....	11.0	18.3	40.3	7.3	87.8	7.3	14.6	.....	109.8
25	Portsmouth	1,988.7	8.6	.....	.....	.....	.....	68.6	25.7	17.1	8.6	120.0	8.6	8.6	25.7	214.3
	NEW JERSEY.															
26	Registration cities (total)	1,474.5	7.1	0.3	.....	14.6	2.9	9.1	15.3	19.4	4.2	120.4	12.7	8.4	7.7	80.2
27	White	1,446.8	7.0	0.3	.....	14.4	3.0	9.0	15.6	19.6	4.2	114.8	12.1	7.6	7.5	80.5
28	Colored	2,259.1	10.7	.....	.....	19.8	.....	12.2	4.6	15.2	4.6	279.0	29.0	30.5	10.7	70.1
29	Asbury Park (total)	1,256.5	.....	.....	.....	.....	.....	50.0	7.1	42.8	.....	64.3	.....	7.1	14.3	78.5
30	White	1,249.1	.....	.....	.....	.....	.....	28.0	9.3	46.6	.....	55.9	.....	9.3	18.6	102.5
31	Colored	1,280.9	.....	.....	.....	.....	.....	122.0	.....	30.5	.....	91.5	.....	.....	.....	.....
32	Atlantic City (total)	1,368.4	20.8	.....	.....	1.7	1.7	3.5	6.9	10.4	.....	85.0	8.7	3.5	1.7	116.2
33	White	1,327.9	21.9	.....	.....	2.2	2.2	4.4	6.6	13.1	.....	63.5	6.6	2.2	2.2	127.1
34	Colored	1,522.1	16.6	.....	.....	.....	.....	.....	8.3	.....	.....	166.3	16.6	8.3	.....	74.9
35	Bayonne	1,269.1	7.2	.....	.....	5.7	.....	10.0	14.3	15.7	4.3	85.8	12.9	7.2	10.0	37.2
36	Bloomfield	947.7	.....	.....	.....	.....	.....	.....	5.4	10 8	.....	65.0	5.4	.....	5.4	97.5
37	Bridgeton	1,639.5	6.9	.....	.....	.....	.....	.....	13.9	27.8	.....	166.7	6.9	.....	13.9	132.0
38	Camden	1,652.0	20.7	.....	.....	.....	0.9	16.9	27.3	32.0	2.8	121.4	12.2	12.2	13.2	71.5
39	East Orange	916.2	.....	.....	.....	7.1	.....	.....	9.4	9.4	.....	61.2	2.4	9.4	7.1	84.8
40	Elizabeth	1,462.7	3.5	1.2	.....	12.7	5.8	9.2	35.8	20.8	3.5	71.5	15.0	9.2	11.5	86.5
41	Garfield	1,219.8	.....	.....	.....	55.4	.....	6.9	55.4	34.7	.....	69.3	.....	6.9	6.9	20.8
42	Hackensack	1,723.2	5.9	.....	.....	70.8	.....	47.2	5.9	23.6	5.9	35.4	11.8	5.9	11.8	100.3
43	Harrison	1,368.7	5.9	.....	.....	23.6	5.9	17.7	5.9	53.1	11.8	94.4	11.8	.....	5.9	29.5
44	Hoboken	1,616.3	3.9	.....	.....	20.7	16.8	10.4	28.5	15.5	6.5	168.4	11.7	7.8	6.5	68.6
45	Irvington	1,564.9	.....	.....	.....	12.5	6.2	.....	12.5	49.9	.....	118.5	.....	12.5	18.7	112.2
46	Jersey City	1,462.4	7.2	0.7	.....	5.9	3.9	5.2	14.0	13.7	5.9	143.6	13.4	11.4	6.2	73.4
47	Kearny	1,482.6	4.2	.....	.....	12.7	.....	8.5	8.5	21.2	4.2	85.0	12.7	4.2	8.5	93.5
48	Long Branch	1,916.2	26.0	.....	.....	.....	.....	13.0	13.0	13.0	6.5	58.5	19.5	32.5	6.5	103.9
49	Millville	1,497.4	7.3	.....	.....	.....	.....	29.4	14.7	66.1	7.3	88.1	.....	14.7	.....	66.1
50	Montclair (total)	892.9	.....	.....	.....	.....	3.8	.....	7.6	26.6	.....	68.4	7.6	7.6	.....	68.4
51	White	891.8	.....	.....	.....	.....	4.3	.....	4.3	26.0	.....	60.6	8.7	8.7	.....	77.9
52	Colored	900.9	.....	.....	.....	.....	.....	.....	31.1	31.1	.....	124.3	.....	.....	.....	.....
53	Morristown	1,866.9	15.1	.....	.....	7.5	30.1	7.5	30.1	15.1	.....	67.8	22.6	22.6	15.1	150.6
54	New Brunswick	2,336.2	15.7	.....	.....	.....	.....	27.4	23.5	27.4	.....	148.9	23.5	11.8	3.9	160.7
55	Newark	1,503.3	6.1	.....	.....	25.7	1.2	6.4	9.3	17.4	4.4	145.5	14.9	7.6	6.8	85.6
56	Orange	1,928.7	15.1	.....	.....	42.3	3.0	9.1	12.1	39.3	.....	120.9	27.2	15.1	3.0	148.1
57	Passaic	1,339.5	4.2	.....	.....	26.5	1.4	13.9	16.7	16.7	8.4	112.9	30.7	8.4	5.6	50.2
58	Paterson	1,446.8	4.3	0.7	.....	18.1	2.2	2.2	13.7	13.8	5.1	131.5	5.8	2.2	5.8	80.2
59	Perth Amboy	1,408.3	4.9	.....	.....	7.3	4.9	29.1	17.0	2.4	2.4	75.3	7.3	2.4	12.1	55.8
60	Phillipsburg	1,614.9	.....	.....	.....	6.4	.....	6.4	25.6	44.9	12.8	115.3	.....	6.4	25.6	83.3
61	Plainfield	1,827.3	12.6	.....	.....	33.6	4.2	16.8	.....	12.6	.....	79.8	29.4	12.6	4.2	142.8
62	Trenton*	1,760.9	6.3	.....	.....	17.0	2.7	11.6	17.0	17.9	5.4	131.7	7.2	12.5	10.8	75.3
63	Union	883.9	4.0	.....	.....	.....	.....	4.0	8.1	8.1	.....	76.7	4.0	.....	12.1	52.5
64	West Hoboken	915.6	4.6	.....	.....	2.3	.....	4.6	9.3	27.8	.....	88.1	13.9	.....	4.6	71.9
65	West New York	1,576.7	.....	5.3	.....	5.3	.....	16.0	26.6	42.6	16.0	149.2	16.0	.....	10.7	69.2
66	West Orange	1,025.8	.....	.....	.....	7.4	.....	14.8	14.8	7.4	.....	110.7	7.4	22.1	.....	51.7

For footnotes see pp. 105, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
25.5	14.1	58.1	138.2	14.1	178.7	22.0	54.6	44.0	15.8	22.0	112.7	14.1	8.8	103.0	189.3	32.6	298.5	29.1	1
23.4	14.4	57.5	139.3	14.4	177.9	20.7	55.7	44.9	16.2	21.6	109.6	14.4	9.0	105.1	187.9	33.2	298.3	27.9	2
131.3	.....	87.5	87.5	.....	218.8	87.5	.....	.....	.....	43.8	262.6	.....	.....	.....	262.6	.....	306.3	87.5	3
75.7	37.9	66.3	132.6	28.4	132.6	18.9	104.1	56.8	18.9	28.4	75.7	9.5	9.5	94.7	255.6	75.7	312.4	75.7	4
13.9	20.8	34.7	83.2	.....	152.5	13.9	34.7	13.9	6.9	27.7	90.1	20.8	13.9	124.8	97.1	20.8	291.2	27.7	5
18.4	11.5	69.1	175.0	25.3	232.6	29.9	78.3	50.7	16.1	29.9	133.6	9.2	9.2	117.4	211.9	34.5	347.7	29.9	6
7.2	.....	50.2	172.1	14.3	200.7	35.8	57.4	50.2	28.7	7.2	107.5	35.8	.....	114.7	293.9	21.5	329.8	50.2	7
44.1	7.3	66.1	132.2	.....	117.5	7.3	22.0	44.1	7.3	22.0	110.2	14.7	14.7	95.5	80.8	22.0	205.7	7.3	8
22.0	16.5	43.9	71.4	.....	120.8	11.0	5.5	38.4	16.5	5.5	104.3	5.5	5.5	49.4	164.7	27.5	214.1	.....	9
20.3	5.2	64.2	97.2	10.8	158.0	18.9	39.6	37.7	23.6	17.5	94.8	14.6	10.8	68.4	97.2	27.4	333.0	1.9	10
18.5	5.4	63.4	96.1	10.2	151.2	19.0	38.0	38.5	23.4	17.1	94.1	15.1	10.7	69.7	96.1	26.8	330.7	2.0	11
72.0	.....	86.4	129.6	28.8	360.0	14.4	86 4	14.4	28.8	28.8	115.2	.....	14.4	28.8	129.6	43.2	403.2	.....	12
27.9	6.4	55.9	109.6	8.6	103.2	17.2	32.2	36.5	30.1	17.2	107.5	23.6	12.9	88.1	75.2	19.3	378.4	4.3	13
18.1	4.8	66.5	93.7	11.5	173.4	19.3	41.7	38.1	21.8	17.5	91.3	12.1	10.3	62.9	103.3	29.6	320.3	1.2	14
19.0	10.1	112.7	183.6	23.3	139.2	12.7	100.0	15.9	14.8	18.5	102.7	7.9	11.1	119.1	69.3	12.2	337.1	6.3	15
19.1	10.1	112.9	132.3	23.3	139.4	12.7	100.2	15.9	14.8	18.6	102.8	8.0	11.1	119.3	69.4	12.2	337.6	6.4	16
.....	.....	.....	1,000.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
.....	22.1	110.3	88.2	22.1	250.0	29.4	191.2	22.1	14.7	14.7	29.4	.....	22.1	110.3	58.8	7.4	220.6	14.7	18
26.5	.....	150.0	388.2	22.1	110.3	13.2	13.2	8.8	13.2	22.1	189.7	8.8	4.4	57.3	79.4	22.1	551.4	4.4	19
22.6	7.5	165.8	226.0	.....	195.9	7.5	37.7	30.1	22.6	22.6	158.2	.....	15.1	75.3	105.5	22.6	376.7	7.5	20
18.8	.....	169.3	150.5	18.8	94.0	3.4	65.8	18.8	.....	.....	94.0	18.8	9.4	103.5	94.0	9.4	385.6	9.4	21
26.0	.....	164.8	138.8	8.7	104.1	.....	43.4	17.3	8.7	.....	156.1	.....	.....	130.1	52.0	8.7	312.3	26.0	22
19.2	10.2	74.1	146.9	31.9	131.6	12.8	140.5	14.1	14.1	24.3	67.7	7.7	12.8	146.9	52.4	6.4	319.4	1.3	23
11.0	25.6	95.1	175.7	18.3	120.8	18.3	95.1	14.6	29.3	18.3	113.4	7.3	11.0	124.4	62.2	7.3	237.9	7.3	24
34.3	.....	180.0	188.6	25.7	171.4	.....	60.0	17.1	.....	8.6	120.0	25.7	8.6	102.9	145.7	42.9	342.9	8.6	25
19.4	9.1	83.8	160.6	20.1	187.7	11.4	78.1	13.1	10.1	16.3	129.6	7.7	9.0	79.0	93.0	15.2	227.6	2.0	26
19.4	9.1	82.7	157.9	19.6	180.7	10.9	76.6	12.9	10.2	16.4	126.6	7.6	9.0	78.3	92.0	15.2	224.3	1.9	27
21.3	10.7	114.3	236.3	35.1	385.7	22.9	120.4	16.8	6.1	13.7	213.4	9.1	7.6	97.6	121.9	15.2	320.1	4.6	28
28.6	.....	121.4	128.5	21.4	100.0	14.3	64.3	.....	28.6	7.1	85.7	7.1	.....	21.4	57.1	14.3	285.6	7.1	29
28.0	.....	149.1	121.2	9.3	65.2	9.3	55.9	.....	37.3	9.3	74.6	9.3	.....	9.3	55.9	18.6	316.9	9.3	30
30.5	.....	30.5	152.5	61.0	213.5	30.5	91.5	.....	.....	.....	122.0	.....	.....	61.0	61.0	.....	183.0	.....	31
33.0	6.9	95.4	190.8	12.1	119.7	12.1	20.8	15.6	15.6	19.1	166.5	3.5	12.1	59.0	78.0	31.2	216.8	.....	32
35.1	6.6	85.5	192.8	8.8	87.6	11.0	21.9	15.3	17.5	17.5	173.1	4.4	13.1	59.2	83.3	35.1	208.2	.....	33
25.0	8.3	133.1	183.0	25.0	241.2	16.6	16.6	16.6	8.3	25.0	141.4	.....	8.3	58.2	58.2	16.6	249.5	.....	34
14.3	14.3	38.6	85.8	27.2	183.1	11.4	110.2	4.3	8.6	10.0	110.2	11.4	7.2	97.3	113.0	11.4	200.3	.....	35
21.7	5.4	48.7	184.1	21.7	124.6	.....	43.3	.....	.....	16.2	92.1	.....	.....	48.7	43.3	21.7	86.6	.....	36
27.8	13.9	187.6	236.2	6.9	125.0	27.8	41.7	27.8	13.9	.....	145.9	6.9	20.8	76.4	20.8	20.8	264.0	6.9	37
16.9	7.5	115.8	159.1	8.5	235.3	5.6	113.9	11.3	15.1	24.5	168.5	6.6	16.9	86.6	120.5	9.4	197.7	0.9	38
21.2	7.1	77.7	174.3	9.4	94.2	7.1	16.5	.....	2.4	2.4	103.6	.....	2.4	25.9	25.9	18.8	136.6	.....	39
19.6	4.6	92.3	171.9	20.8	188.0	8.1	100.4	15.0	5.8	13.8	101.5	8.1	2.3	73.8	103.8	16.1	222.6	8.1	40
.....	.....	41.6	76.2	13.9	228.7	.....	194.1	.....	6.9	6.9	34.7	6.9	.....	104.0	90.1	20.8	124.7	13.9	41
29.5	11.8	153.4	230.2	5.9	177.0	5.9	88.5	29.5	23.6	17.7	171.1	11.8	11.8	82.6	106.2	17.7	224.3	.....	42
5.9	.....	94.4	159.3	53.1	129.8	41.3	118.0	5.9	.....	17.7	118.0	5.9	11.8	70.8	88.5	.....	182.9	.....	43
23.3	19.4	93.2	177.4	10.4	195.6	16.8	60.9	20.7	9.1	14.2	141.2	13.0	3.9	42.7	128.2	28.5	252.5	.....	44
62.3	6.2	124.7	230.7	12.5	137.2	6.2	56.1	.....	6.2	12.5	106.0	12.5	6.2	112.2	49.9	37.4	236.9	6.2	45
18.3	13.1	67.6	165.8	29.4	184.4	7.8	80.0	8.2	11.8	21.9	132.5	8.2	7.8	86.2	102.8	11.4	198.8	2.0	46
12.7	.....	114.7	178.4	29.7	140.2	17.0	68.0	8.5	4.2	25.5	102.0	.....	12.7	25.5	93.5	4.2	382.3	.....	47
19.5	6.5	181.9	201.4	26.0	207.9	.....	45.5	39.0	45.5	6.5	201.4	13.0	13.0	65.0	162.4	19.5	363.8	6.5	48
14.7	.....	124.8	212.9	.....	124.8	22.0	73.4	14.7	7.3	.....	102.8	7.3	29.4	139.5	110.1	7.3	205.5	7.3	49
3.8	7.6	60.8	152.0	22.8	102.6	.....	41.8	.....	3.8	22.8	76.0	.....	11.4	49.4	19.0	7.6	121.6	.....	50
4.3	4.3	60.6	155.9	26.0	95.2	.....	39.0	.....	4.3	26.0	77.9	.....	8.7	47.6	17.3	8.7	125.5	.....	51
.....	31.1	62.1	124.3	.....	155.3	.....	62.1	.....	.....	.....	62.1	.....	31.1	62.1	31.1	.....	93.2	.....	52
22.6	15.1	150.6	143.0	15.1	173.1	30.1	15.1	30.1	22.6	15.1	188.2	7.5	15.1	75.3	120.4	15.1	429.1	.....	53
19.6	11.8	117.6	254.8	7.8	282.2	3.9	176.4	11.8	11.8	7.8	148.9	7.8	7.8	148.9	227.3	19.6	419.4	7.8	54
24.0	7.1	71.9	153.6	26.2	161.2	13.7	71.9	17.4	7.8	13.5	140.9	9.3	8.1	74.6	91.0	13.9	265.8	0.7	55
18.1	9.1	111.9	172.3	27.2	311.4	12.1	36.3	42.3	18.1	18.1	181.4	21.2	18.1	114.9	54.4	27.2	299.3	.....	56
8.4	8.4	33.5	136.6	9.8	273.2	9.8	117.1	18.1	7.0	8.4	69.7	5.6	8.4	96.2	33.6	5.6	143.6	1.4	57
18.1	11.6	74.4	195.0	13.7	197.2	13.0	42.6	12.3	11.6	21.7	138.0	8.7	8.7	69.3	80.2	17.3	223.2	.....	58
7.3	17.0	65.6	116.5	34.0	116.5	14.6	165.1	7.3	4.9	31.6	65.6	.....	2.4	145.7	148.1	12.1	223.4	9.7	59
25.6	19.2	179.4	205.1	6.4	275.6	.....	96.1	.....	6.4	19.2	57.7	6.4	12.8	38.4	96.1	12.8	217.9	12.8	60
25.2	4.2	172.2	176.4	21.0	193.2	16.8	96.6	33.6	12.6	.....	184.8	12.6	8.4	113.4	113.4	21.0	273.1	.....	61
20.6	5.4	111.1	151.4	9.9	302.0	17.9	104.8	15.2	13.4	16.1	144.3	6.3	17.9	109.3	94.1	17.0	285.0	3.6	62
.....	4.0	36.3	84.8	8.1	161.4	12.1	44.4	.....	4.0	12.1	84.8	.....	8.1	84.8	24.2	16.1	129.2	.....	63
13.9	4.6	78.8	78.8	13.9	134.4	7.0	39.4	4.6	7.0	9.3	97.4	2.3	2.3	30.1	30.1	11.6	122.9	.....	64
21.3	10.7	85.2	154.5	32.0	245.0	5.3	85.2	5.3	5.3	47.9	138.5	5.3	10.7	69.2	74.6	26.6	197.1	.....	65
.....	7.4	118.1	162.4	7.4	169.7	7.4	14.8	.....	.....	7.4	66.4	.....	7.4	22.1	22.1	22.1	147.6	7.4	66

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	NEW YORK.															
1	Registration cities (total)	1,448.5	5.7	0.3	[3]	10.8	2.3	8.1	17.3	12.8	4.5	144.6	12.2	7.4	5.9	90.0
2	White	1,432.8	5.6	0.2	[3]	10.9	2.3	7.9	17.1	12.7	4.5	139.3	11.8	7.1	5.9	90.2
3	Colored	2,313.0	7.8	0.7	.....	6.4	0.7	17.1	24.2	20.7	3.6	440.6	32.8	21.4	6.4	74.2
4	Albany	1,925.4	7.5	.....	.....	24.5	.....	12.3	11.3	35.8	6.6	208.5	16.0	14.2	4.7	126.8
5	Amsterdam	1,342.2	8.1	.....	.....	18.9	5.4	24.3	8.1	35.0	5.4	132.1	24.3	2.7	2.7	86.2
6	Auburn	1,500.6	13.4	.....	.....	10.7	2.7	13.4	18.7	2.7	.....	117.7	16.0	13.4	2.7	93.6
7	Batavia	1,842.7	30.0	.....	.....	15.0	.....	15.0	.....	89.9	.....	142.3	.....	22.5	.....	164.8
8	Binghamton*	2,171.5	11.1	.....	.....	24.1	.....	7.4	70.4	38.9	5.6	142.7	7.4	11.1	11.1	92.6
9	Buffalo	1,606.2	10.9	.....	.....	15.8	6.2	8.8	14.7	10.2	5.3	142.8	12.4	7.0	5.8	100.7
10	Cohoes	1,515.2	11.9	.....	.....	11.9	.....	15.9	23.8	11.9	.....	162.6	4.0	4.0	11.9	115.0
11	Corning	1,655.2	32.5	.....	.....	6.5	.....	6.5	6.5	13.0	.....	129.8	26.0	6.5	.....	116.8
12	Cortland	1,706.3	7.7	.....	.....	.....	.....	7.7	15.3	45.9	.....	84.2	.....	7.7	.....	122.4
13	Dunkirk	1,301.6	9.6	.....	.....	19.3	4.8	.....	.....	53.0	4.8	96.4	14.5	.....	9.6	57.9
14	Elmira	1,755.0	10.5	.....	.....	5.2	.....	.....	5.2	26.2	5.2	76.1	10.5	13.1	7.9	165.3
15	Fulton	1,478.0	16.8	.....	.....	.....	.....	8.4	8.4	16.8	.....	84.0	8.4	.....	16.8	58.8
16	Geneva	1,590.0	7.3	.....	.....	36.5	.....	43.8	7.3	14.6	.....	58.3	7.3	7.3	7.3	109.4
17	Glens Falls	1,663.3	17.8	.....	.....	.....	.....	.....	35.5	23.7	5.9	71.0	11.8	.....	5.9	130.2
18	Gloversville	1,652.9	4.5	.....	.....	13.6	.....	9.1	13.6	27.2	13.6	40.8	4.5	27.2	.....	117.7
19	Hornell	1,593.5	6.8	.....	.....	13.6	.....	6.8	20.4	20.4	.....	74.9	.....	6.8	13.6	143.0
20	Hudson	1,778.8	15.7	.....	.....	7.9	.....	7.9	15.7	47.2	.....	110.2	39.4	7.9	7.9	141.7
21	Ithaca	1,848.8	6.3	.....	.....	18.9	.....	.....	12.6	50.5	.....	75.7	6.3	6.3	18.9	164.1
22	Jamestown	1,279.4	8.2	.....	.....	2.7	5.5	5.5	.....	24.6	2.7	82.0	5.5	8.2	16.4	98.4
23	Johnstown	1,042.6	.....	.....	.....	9.4	.....	.....	.....	18.8	9.4	65.8	.....	9.4	.....	112.7
24	Kingston	1,684.7	22.4	.....	.....	.....	3.7	11.2	14.9	26.1	7.5	190.5	7.5	7.5	7.5	97.1
25	Lackawanna	[2]2,477.0	6.3	.....	6.3	31.3	12.5	50.0	68.8	62.6	6.3	68.8	12.5	.....	6.3	31.3
26	Little Falls	1,895.8	7.4	.....	.....	7.4	.....	.....	7.4	66.9	.....	96.6	29.7	7.4	7.4	104.1
27	Lockport	1,514.2	25.2	.....	.....	35.2	.....	20.1	5.0	45.3	5.0	65.4	10.1	.....	15.1	95.6
28	Middletown*	2,713.5	12.7	6.3	.....	.....	6.3	.....	56.9	38.0	12.7	272.0	12.7	31.6	12.7	183.4
29	Mount Vernon	1,213.2	5.4	.....	.....	2.7	.....	18.9	2.7	18.9	5.4	59.4	8.1	5.4	.....	89.2
30	New Rochelle	1,022.3	2.6	.....	.....	.....	2.6	10.6	7.9	2.6	5.3	63.6	13.2	.....	5.3	76.8
31	New York (total)	1,391.4	3.9	0.3	.....	9.9	2.2	6.9	18.5	9.8	4.7	154.9	12.3	6.5	5.9	84.5
32	Bronx Borough	1,337.6	4.0	0.2	.....	6.3	1.4	6.8	18.2	10.1	4.9	161.0	11.8	5.6	4.5	95.2
33	Brooklyn Borough	1,401.8	4.0	0.4	.....	5.1	1.6	4.8	19.1	12.4	4.5	135.3	10.0	6.3	7.3	80.4
34	Manhattan Borough	1,362.0	3.3	0.1	.....	15.4	2.6	8.3	18.3	7.5	5.0	165.6	14.7	6.8	4.4	83.4
35	Queens Borough	1,538.3	5.7	0.8	.....	4.1	3.6	7.1	18.3	11.7	2.7	161.1	9.0	7.6	11.2	94.0
36	Richmond Borough	1,746.0	9.2	1.0	.....	2.0	2.0	9.2	16.3	11.2	3.1	195.1	10.2	6.1	9.2	96.0
37	White	1,371.9	3.8	0.3	.....	10.0	2.2	6.7	18.4	9.6	4.7	148.4	11.9	6.2	5.9	84.9
38	Bronx Borough	1,331.6	4.0	0.2	.....	6.3	1.4	6.5	17.7	10.2	4.9	158.8	11.4	5.1	4.6	95.7
39	Brooklyn Borough	1,386.0	3.9	0.4	.....	5.2	1.5	4.8	19.0	11.7	4.6	131.5	9.8	6.1	7.4	80.5
40	Manhattan Borough	1,335.5	3.3	0.1	.....	15.6	2.7	8.1	18.1	7.5	5.0	156.0	14.1	6.2	4.3	83.9
41	Queens Borough	1,521.8	5.8	0.8	.....	4.1	3.6	6.6	18.5	11.9	2.8	156.7	9.1	7.7	11.3	94.4
42	Richmond Borough	1,731.3	9.3	1.0	.....	2.1	2.1	8.3	16.6	11.4	3.1	189.4	9.3	6.2	8.3	96.2
43	Colored	2,310.0	6.0	0.9	.....	6.0	0.9	16.3	26.5	19.7	4.3	459.6	31.7	24.0	6.8	65.9
44	Bronx Borough	1,970.9	.....	.....	.....	.....	.....	36.8	73.7	.....	.....	386.8	55.3	55.3	.....	36.8
45	Brooklyn Borough	2,535.7	11.3	3.8	.....	.....	3.8	7.5	22.6	64.1	.....	411.2	22.6	22.6	.....	67.9
46	Manhattan Borough	2,210.2	5.0	.....	.....	8.8	.....	15.0	26.3	7.5	6.3	471.6	33.8	23.8	8.8	67.5
47	Queens Borough	3,147.7	.....	.....	.....	.....	.....	53.8	.....	.....	.....	591.9	.....	.....	.....	53.8
48	Richmond Borough	2,884.6	.....	.....	.....	.....	.....	80.1	.....	.....	.....	641.0	80.1	.....	80.1	80.1
49	Newburgh	1,783.6	3.4	.....	.....	.....	.....	6.8	20.3	16.9	.....	229.7	20.3	6.8	20.3	84.5
50	Niagara Falls	1,809.8	16.1	.....	.....	72.3	5.4	37.5	29.4	32.1	8.0	107.1	32.1	10.7	2.7	91.0
51	North Tonawanda	1,292.9	36.3	.....	.....	58.1	.....	7.3	14.5	.....	.....	87.2	.....	14.5	.....	94.4
52	Ogdensburg*	2,643.9	.....	.....	.....	.....	.....	17.9	23.9	35.9	.....	149.5	6.0	29.9	12.0	101.7
53	Olean	1,389.6	.....	.....	.....	18.0	6.0	12.0	12.0	18.0	.....	84.2	6.0	6.0	12.0	108.3
54	Ossining	1,233.1	7.3	.....	.....	7.3	.....	7.3	.....	21.9	.....	87.6	7.3	7.3	7.3	102.2
55	Oswego	1,589.1	12.4	.....	.....	.....	.....	29.0	16.6	16.6	12.4	58.1	4.1	.....	8.3	107.9
56	Peekskill	1,181.9	16.2	5.4	.....	.....	.....	.....	.....	21.6	.....	80.9	.....	.....	5.4	64.8
57	Plattsburg	1,651.5	15.6	.....	.....	38.9	.....	.....	7.8	46.7	.....	62.3	7.8	15.6	7.8	77.9
58	Port Chester	1,272.9	.....	.....	.....	.....	.....	.....	24.7	24.7	.....	80.3	6.2	12.4	6.2	68.0
59	Poughkeepsie	2,204.7	6.6	.....	.....	.....	.....	32.9	26.3	26.3	9.9	75.7	9.9	13.2	.....	134.9
60	Rensselaer	1,127.3	17.9	.....	.....	8.9	.....	8.9	.....	44.7	.....	71.6	.....	.....	17.9	71.6
61	Rochester	1,436.9	5.0	.....	.....	8.1	0.8	9.3	9.3	8.9	2.3	91.9	12.7	7.7	2.3	114.7
62	Rome	2,494.0	12.6	.....	.....	37.9	.....	50.6	4.2	33.7	.....	455.9	4.2	16.9	.....	92.7
63	Saratoga Springs	2,148.9	21.7	.....	.....	.....	.....	28.9	14.5	28.9	.....	195.4	.....	14.5	.....	144.7
64	Schenectady	962.6	4.0	.....	.....	3.0	2.0	4.0	8.0	13.1	4.0	50.2	16.1	10.0	2.0	68.3
65	Syracuse	1,517.1	12.2	.....	.....	.....	0.6	14.8	13.5	10.9	3.2	88.0	12.2	10.3	6.4	110.5
66	Troy	1,941.8	18.0	.....	.....	5.1	2.6	1.3	12.8	33.4	2.6	210.5	9.0	11.6	9.0	133.5
67	Utica*	1,868.4	11.4	.....	.....	27.5	1.1	4.6	6.9	16.0	9.2	97.3	18.3	18.3	3.4	106.4
68	Watertown	1,682.6	20.1	.....	.....	33.5	3.3	13.4	6.7	56.9	.....	73.6	10.0	13.4	.....	127.1
69	Watervliet	1,183.6	32.2	.....	.....	.....	.....	.....	.....	45.0	6.4	102.9	12.9	6.4	.....	90.1
70	White Plains	1,157.4	4.5	4.5	.....	31.2	.....	13.4	8.9	13.4	.....	89.0	.....	22.3	4.5	44.5
71	Yonkers	1,228.0	2.0	1.0	.....	8.0	6.0	10.1	15.0	12.0	5.0	107.2	8.0	10.0	10.0	72.1

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
22.1	6.2	69.4	176.8	18.1	172.1	9.8	64.0	13.9	12.1	15.6	132.1	5.7	7.6	74.5	82.0	14.7	228.8	1.1	1
22.3	6.1	69.2	175.0	17.9	169.3	9.7	63.5	13.8	12.1	15.7	131.1	5.7	7.6	74.0	81.2	14.8	227.0	1.0	2
14.3	11.4	83.4	273.1	29.2	329.4	12.1	92.7	19.3	9.3	12.1	184.7	7.8	11.4	103.4	126.2	9.3	325.2	2.1	3
29.2	11.3	109 4	235.8	19.8	161.3	21.7	61.3	25.5	24.5	26.4	197.2	6.6	8.5	71.7	119.8	12.3	317.0	3.8	4
18.9	16.2	88.9	124.0	21.6	110.5	5.4	72.8	13.5	24.3	10.8	62.0	5.4	8.1	83.6	78.2	2.7	234.5	8.1	5
26.7	8.0	123.0	254.1	18.7	155.1	5.3	77.6	13.4	10.7	10.7	112.3	5.3	2.7	64.2	66.9	13.4	222.0	5.3	6
30.0	7.5	187.3	179.8	30.0	104.9	.....	52.4	22.5	30.0	7.5	97.4	7.5	15.0	104.9	97.4	15.0	374.5	.....	7
22.2	22.2	139.0	298.3	31.5	183.4	22.2	142.7	11.1	25.9	11.1	196.4	9.3	5.6	111.2	114.9	13.0	381.7	7.4	8
24.1	5.3	84.3	170.1	17.7	166.3	15.4	113.1	20.7	17.3	22.8	127.0	6.2	9.0	90.5	100.1	9.0	266.3	0.4	9
7.9	4.0	75.4	182.5	7.9	190.4	15.9	111.1	11.9	7.9	43.6	111.1	4.0	4.0	71.4	71.4	7.9	214.2	.....	10
38.9	.....	84.4	207.7	6.5	129.8	6.5	45.4	19.5	19.5	13.0	214,2	6.5	19.5	90 9	129.8	13.0	266.1	.....	11
45.9	7.7	145.4	221.9	23.0	122.4	23.0	45.9	15.3	7.7	7.7	137.7	7.7	.....	61.2	114.8	45.9	359.6	23.0	12
14.5	9.6	48.2	173.6	24.1	53.0	14.5	77.1	14.5	28.9	9.6	67.5	.....	9.6	91.6	77.1	9.6	303.7	4.8	13
31.5	7.9	107.6	267.6	10.5	160.0	7.9	36.7	28.9	15.7	21.0	144.3	5.2	5.2	110.2	131.2	15.7	322.7	.....	14
33.6	.....	109.2	184.8	16.8	117.6	25.2	67.2	16.8	16.8	16.8	84.0	.....	16.8	117.6	84.0	16.8	335.9	.....	15
29.2	14.6	160.5	218.8	7.3	204.2	7.3	7.3	29.2	7.3	7.3	80.2	7.3	14.6	87.5	175.0	7.3	226.1	.....	16
35.5	11.8	124.3	260.4	35.5	88.8	5.9	17.8	47.4	11.8	11.8	165.7	11.8	17.8	59.2	82.9	17.8	349.2	5.9	17
31.7	4.5	126.8	258.1	36.2	181.1	9.1	77.0	22.6	9.1	13.6	113.2	4.5	22.6	99.6	49.8	31.7	289.8	.....	18
13.6	.....	95.3	272.4	13.6	163.4	6.8	20.4	27.2	.....	20.4	74.9	.....	6.8	88.5	122.6	13.6	347.3	.....	19
31.5	.....	94.5	204.6	7.9	181.0	7.9	125.9	7.9	.....	7.9	181.0	7.9	7.9	181.0	86.6	.....	244.0	.....	20
25.2	6.3	126.2	208.2	6.3	145.1	18.9	25.2	31.5	44.2	6.3	227.2	6.3	.....	119.9	94.6	18.9	378.6	.....	21
19.1	5.5	92.9	150.4	24.6	109.3	24.6	30.1	30.1	8.2	10.9	73.8	10.9	16.4	103.9	79.3	10.9	216.0	2.7	22
28.2	.....	122.1	169.1	56.4	75.1	9.4	37.6	.....	.....	9.4	112.7	.....	9.4	9.4	9.4	9.4	159.7	.....	23
37.4	11.2	123.3	242.8	7.5	100.9	18.7	18.7	18.7	26.1	14.9	130.7	3.7	3.7	89.6	108.3	14.9	313.8	3.7	24
6.3	18.8	18.8	68.8	68.8	300.2	12.5	625.5	.....	12.5	6.3	50.0	6.3	6.3	287.7	218.9	.....	406.6	.....	25
22.3	.....	104.1	171.0	.....	215.6	.....	163.6	29.7	29.7	22.3	148.7	22.3	7.4	141.3	245.3	14.9	208.2	14.9	26
25.2	5.0	105.6	266.6	25.2	130.8	5.0	45.3	15.1	15.1	25.2	85.5	.....	.....	70.4	100.6	19.1	256.6	5.0	27
31.6	.....	259.3	398.5	19.0	164.5	31.6	19.0	19.0	19.0	12.7	354.2	6.3	12.7	50.6	126.5	19.0	525.0	.....	28
8.1	8.1	83.8	154.0	10.8	143.2	10.8	40.5	13.5	18.9	21.6	162.1	5.4	5.4	89.2	48.6	5.4	164.8	2.7	29
13.2	5.3	74.2	124.5	15.9	132.4	7.9	18.5	7.9	5.3	10.6	82.1	5.3	2.6	42.4	76.8	13.2	193.3	.....	30
21.6	5.7	55.7	168.7	18.2	179.9	8.5	58.1	12.5	10.5	14.7	131.4	5.6	7.4	70.0	76.0	15.2	211.0	0.7	31
26.6	5.6	58.9	157.7	9.2	150.0	9.0	38.5	11.3	10.9	12.5	138.4	7.6	9.0	78.3	61.6	18.9	203.3	0.3	32
20.4	5.3	56.4	197.4	22.9	198.1	10.4	55.4	13.5	10.6	14.5	121.4	5.8	7.6	64.7	74.3	10.4	221.0	0.6	33
21.7	6.2	50.6	146.9	17.6	172.4	6.9	65.1	11.8	10.1	14.4	130.4	4.9	6.6	69.1	79.5	17.2	194.3	0.6	34
19.9	5.7	76.2	176.2	14.7	180.3	8.5	52.4	15.0	11.2	20.5	149.1	5.2	9.0	85.5	73.2	19.9	276.7	1.9	35
18.4	3.1	84.8	214.5	7.2	198.2	9.2	60.3	7.2	13.3	14.3	246.2	9.2	8.2	89.9	109.3	17.4	263.6	1.0	36
21.8	5.7	55.4	166.2	18.0	176.5	8.4	57.3	12.3	10.5	14.8	130.4	5.6	7.3	69.2	75.0	15.4	208.7	0.6	37
26.6	5.4	59.3	156.7	9.3	148.1	8.9	38.4	11.2	10.9	12.6	137.8	7.7	9.1	78.7	61.2	19.1	203.3	0.4	38
20.6	5.2	55.8	195.6	22.7	195.4	10.1	54.4	13.4	10.6	14.5	120.9	5.8	7.4	63.8	73.3	10.4	219.4	0.5	39
22.0	6.1	50.2	143.4	17.3	168.0	7.0	64.4	11.4	10.2	14.7	128.8	4.8	6.5	68.2	78.4	17.5	191.1	0.6	40
20.1	5.8	75.6	174.4	14.9	177.1	8.6	51.6	15.2	11.0	20.7	148.5	5.2	8.8	83.9	72.8	20.1	272.1	1.9	41
17.6	3.1	85.9	214.2	7.2	195.6	8.3	61.1	7.2	13.5	13.5	245.3	9.3	8.3	90.0	108.7	17.6	260.8	1.0	42
12.8	8.6	71.0	279.0	28.2	338.9	12.0	98.4	21.4	8.6	8.6	179.7	7.7	12.0	107.0	120.7	6.8	318.4	1.7	43
18.4	18.4	18.4	257.9	.....	350.0	18.4	55.3	18.4	18.4	.....	202.6	.....	.....	36.8	110.5	.....	202.6	.....	44
11.3	11.3	98.1	332.1	37.7	388.6	30.2	132.1	18.9	7.5	18.9	154.7	7.5	22.6	128.3	147.2	7.5	339.6	3.8	45
12.5	7.5	63.8	260.2	28.8	314.0	5.0	90.1	23.8	7.5	5.0	182.6	8.8	8.8	98.8	112.6	7.5	297.7	1.3	46
.....	.....	134.5	349.7	.....	484.3	.....	134.5	.....	26.9	.....	215.2	.....	26.9	242.1	107.6	.....	726.4	.....	47
80.1	.....	.....	240.4	.....	400.6	80.1	.....	.....	.....	80.1	320.5	.....	.....	80.1	160.3	.....	480.8	.....	48
33.8	10.1	152.0	182.4	6.8	114.9	3.4	50.7	23.6	20.3	23.6	239.8	6.8	10.1	47.3	141.9	10.1	297.3	.....	49
10.7	2.7	69.6	171.3	16.1	214.2	5.4	182.0	13.4	8.0	21.4	85.7	10.7	13.4	125.8	160.6	10.7	240.9	2.7	50
7.3	7.3	87.2	108.9	43.6	79.9	7.3	116.2	29.1	.....	7.3	72.6	7.3	.....	94.4	108.9	29.1	174.3	.....	51
6.0	6.0	155.5	406.7	35.9	287.1	.....	35.9	6.0	35.9	17.9	245.2	12.0	6.0	113.6	167.5	12.0	717.8	.....	52
18.0	24.1	72.2	216.6	18.0	120.3	12.0	24.1	18.0	30.1	.....	72.2	6.0	24.1	96.2	120.3	12.0	216.6	6.0	53
29.2	14.6	102.2	153.2	7.3	73.0	.....	14.6	7.3	14.6	14.6	87.6	7.3	.....	29.2	189.7	36.5	197.0	.....	54
24.9	4.1	199.2	290.4	20.7	103.7	8.3	49.8	.....	37.3	.....	112.0	20.7	4.1	99.6	87.1	4.1	253.1	4.1	55
21.6	.....	145.7	129.5	32.4	86.3	5.4	32.4	10.8	.....	.....	134.9	5.4	.....	48.6	70.2	10.8	253.6	.....	56
46.7	.....	101.3	194.7	7.8	163.6	23.4	46.7	31.2	62.3	7.8	155.8	7.8	7.8	116.8	116.8	7.8	272.6	.....	57
6.2	6.2	68.0	148.3	6.2	123.6	.....	30.9	24.7	12.4	18.5	111.2	6.2	18.5	92.7	98.9	24.7	263.4	.....	58
42.8	3.3	197.4	253.4	29.6	263.2	19.7	65.8	16.5	19.7	23.0	125.0	3.3	3.3	118.5	95.4	9.9	569.3	9.9	59
17.9	8.9	53.7	161.0	17.9	178.9	8.9	26.8	.....	.....	.....	89.5	.....	.....	62.6	35.8	.....	223.7	.....	60
29.3	5.4	95.8	192.3	17.4	121.6	11.2	76.8	16.2	13.1	20.5	136.7	2.3	8.5	86.1	84.2	21.2	224.4	0.8	61
4.2	4.2	113.7	332.8	25.3	185.4	16.9	118.0	8.4	8.4	29.5	353.9	8.4	12.6	80.0	109.5	29.5	345.5	.....	62
7.2	7.2	202.6	253.2	.....	267.7	14.5	43.4	28.9	28.9	28.9	246.0	7.2	.....	72.4	130.2	21.7	303.9	36.2	63
7.0	3.0	98.5	91.4	11.1	81.4	9.0	41.2	15.1	11.1	10.0	84.4	4.0	6.0	67.3	49.2	9.0	176.9	2.0	64
13.5	7.7	101.5	201.1	15.4	134.3	15.4	76.5	12.2	14.1	10.9	112.5	7.7	6.4	77.1	96.4	21.8	307.8	1.9	65
42.4	12.8	120.6	302.9	25.7	192.5	20.5	25.7	15.4	20.5	38.5	184.8	9.0	6.4	64.2	88.6	11.6	310.6	.....	66
33.2	10.3	137.3	275.7	14.9	222.0	9.2	81.2	14.9	10.3	16.0	155.6	5.7	13.7	103.0	121.3	12.6	310.1	1.1	67
16.7	10.0	130.5	227.5	30.1	143.8	20.1	56.9	40.1	13.4	6.7	66.9	6:7	20.1	120.4	103.7	30.1	281.0	.....	68
32.2	.....	102.9	115.8	.....	231.6	19.3	51.5	.....	12.9	6.4	109.4	.....	.....	38.6	32.2	6.4	128.7	.....	69
22.3	8.9	53.4	97.9	17.8	151.3	17.8	17.8	8.9	13.4	8.9	102.4	4.5	4.5	31.2	80.1	17.8	253.7	8.9	70
15.0	7.0	68.1	130.2	9.0	162.3	5.0	78.1	13.0	10.1	19.0	113.2	7.0	6.0	64.1	63.1	7.0	184.3	.....	71

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	NORTH CAROLINA.															
1	Registration cities (total)	1,903.4	38.1	9.7	.....	16.1	5.9	9.7	10.7	23.6	2.1	247.2	9.7	23.1	5.9	72.4
2	White	1,510.2	29.6	1.7	.....	12.7	7.6	6.8	11.0	20.3	1.7	187.9	6.8	11.9	5.1	73.6
3	Colored	2,583.2	52.7	23.4	.....	22.0	2.9	14.6	10.2	29.3	2.9	349.8	14.6	42.4	7.3	70.3
4	Asheville (total)	2,237.9	14.4	.....	.....	9.6	.....	4.8	9.6	52.8	.....	648.3	9.6	28.8	19.2	115.3
5	White	2,166.9	6.6	.....	.....	6.6	.....	6.6	6.6	26.3	.....	761.7	13.1	32.8	13.1	118.2
6	Colored	2,431.2	35.8	.....	.....	17.9	.....	.....	17.9	125.1	.....	339.6	.....	17.9	35.8	107.3
7	Charlotte (total)	1,923.5	60.3	27.6	.....	22.6	5.0	22.6	12.6	37.7	5.0	153.2	10.0	15.1	.....	40.2
8	White	1,400.4	48.0	3.7	.....	22.2	7.4	7.4	18.5	40.6	.....	55.4	7.4	11.1	.....	36.9
9	Colored	3,033.2	86.2	78.4	.....	23.5	.....	54.9	.....	31.4	15.7	360.5	15.7	23.5	.....	47.0
10	Durham (total)	1,340.7	20.0	4.0	.....	.....	4.0	.....	16.0	20.0	.....	199.5	.....	16.0	4.0	63.8
11	White	1,023.0	13.0	6.5	.....	.....	6.5	.....	6.5	13.0	.....	130.3	.....	.....	6.5	65.2
12	Colored	1,842.7	30.9	.....	.....	.....	.....	.....	30.9	30.9	.....	308.8	.....	41.2	.....	61.8
13	Greensboro (total)	1,414.9	40.9	.....	.....	10.2	5.1	5.1	5.1	10.2	5.1	173.7	15.3	20.4	.....	61.3
14	White	1,159.8	31.1	.....	.....	7.8	.....	.....	7.8	15.6	7.8	109.0	15.6	23.4	.....	70.1
15	Colored	1,901.9	59.4	.....	.....	14.9	14.9	14.9	.....	.....	.....	297.2	14.9	14.9	.....	44.6
16	Raleigh * (total)	2,802.2	59.6	9.9	.....	9.9	.....	24.8	5.0	19.9	.....	268.3	5.0	24.8	9.9	124.2
17	White	2,192.7	23.4	.....	.....	.....	.....	31.2	7.8	7.8	.....	148.3	.....	15.6	7.8	124.9
18	Colored	3,870.3	123.1	27.4	.....	27.4	.....	13.7	.....	41.0	.....	478.7	13.7	41.0	13.7	123.1
19	Wilmington (total)	1,709.5	16.7	3.3	.....	.....	.....	.....	3.3	10.0	3.3	140.5	6.7	33.5	6.7	80.3
20	White	1,292.6	24.7	.....	.....	.....	.....	.....	6.2	18.6	6.2	68.0	.....	.....	12.4	61.8
21	Colored	2,200.7	7.3	7.3	.....	.....	.....	.....	.....	.....	.....	225.9	14.6	72.9	.....	102.0
22	Winston-Salem (total)	2,018.9	44.9	9.6	.....	48.1	22.5	6.4	19.3	12.8	.....	272.8	19.3	25.7	6.4	57.8
23	White	1,495.1	42.9	.....	.....	37.5	32.2	5.4	16.1	5.4	.....	144.7	10.7	5.4	.....	75.0
24	Colored	2,801.3	48.0	24.0	.....	64.0	8.0	8.0	24.0	24.0	.....	464.2	32.0	56.0	16.0	32.0
	NORTH DAKOTA.[4]															
25	Fargo (total)	1,449.2	23.0	.....	.....	40.3	5.8	11.5	11.5	17.3	5.8	46.0	5.8	5.8	11.5	97.8
26	White	1,455.2	23.2	.....	.....	40.6	5.8	11.6	11.6	17.4	5.8	46.4	5.8	5.8	11.6	98.6
27	Colored [7]	709.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.															
28	Registration cities (total)	1,551 8	14.7	0.3	.....	19.4	4.3	13.0	14.9	22.3	4.1	131.8	8.7	12.3	6.1	95.0
29	White	1,514.6	14.2	0.3	.....	19.4	4.4	12.3	15.0	21.8	4.1	121.6	8.6	11.4	6.1	95.2
30	Colored	2,732.7	29.7	.....	.....	16.8	2.6	33.6	12.9	38.8	2.6	453.5	11.6	40.1	5.2	91.7
31	Akron	1,868.1	24 3	.....	.....	47.4	4.4	48.6	30.9	18.8	18.8	85.0	5.5	14.3	9.9	93.8
32	Alliance	1,244.7	21 1	.....	.....	10.5	.....	5.3	.....	15.8	10.5	73.8	15.8	15.8	10.5	73.8
33	Ashtabula	1,404 8	27.9	.....	.....	23 3	9.3	18.6	23.3	27.9	4.7	102.3	.....	9.3	4.7	102.3
34	Bellaire	1,533.3	13.9	.....	.....	33.6	7.0	20.9	41.8	34.8	7.0	76.7	.....	7.0	7.0	104.5
35	Cambridge	1,253.4	37.1	.....	.....	22.3	.....	7.4	37.1	44.5	.....	103.8	.....	37.1	7.4	51.9
36	Canton	1,418.2	16.4	.....	.....	16.4	6.6	16.4	24.6	26.3	.....	70.7	9.9	6.6	6.6	85.5
37	Chillicothe	1,435.0	19.4	.....	.....	12.9	.....	12.9	.....	58.2	6.5	77.6	.....	6.5	6.5	116.4
38	Cincinnati (total)	1,642.2	3.2	0.5	.....	15.3	0.5	10.5	15.3	26.8	2.2	208.3	8.3	11.0	5.4	116.2
39	White	1,553.3	2.6	0.5	.....	14.9	0.5	8.8	14.9	25.8	2.1	184.2	7.5	10.0	4.9	115.1
40	Colored	3,196.9	13.5	.....	.....	22.5	.....	40.5	22.5	45.0	4.5	630.4	22.5	27.0	13.5	135.1
41	Cleveland	1,481.4	5.3	.....	.....	8.9	6.1	6.4	18.8	16.3	4.7	132.2	12.0	8.5	7.7	86.8
42	Columbus (total)	1,553.9	13.0	0.5	.....	15.8	2.3	13.5	8.8	33.5	3.3	125.2	8.4	20.0	1.4	100.5
43	White	1,501.3	12.1	0.5	.....	16.6	2.5	10.5	9.0	32.6	3.5	109.0	8.5	17.1	1.0	103.9
44	Colored	2,220.5	25.5	.....	.....	6.4	.....	50.9	6.4	44.5	.....	330.9	6.4	57.3	6.4	57.3
45	Dayton	1,522.5	19.7	0.8	.....	1.6	11.0	5.5	16.5	18.9	3.9	121.8	7.1	9.4	6.3	114.8
46	East Liverpool	1,713.5	62.0	.....	.....	79.7	4.4	53.1	.....	8.9	.....	137.3	.....	13.3	.....	48.7
47	Elyria	1,509.3	32.2	.....	.....	10.7	.....	.....	5.4	.....	.....	118.2	5.4	.....	10.7	91.3
48	Findlay	[6] 1,696.1	20.2	13.5	.....	13.5	.....	.....	26.9	26.9	.....	121.1	6.7	26.9	6.7	181.7
49	Hamilton	1,254.4	17.3	2.5	.....	12.3	2.5	7.4	4.9	24.7	2.5	76.6	14.8	14.8	7.4	88.9
50	Ironton	1,670.4	64.5	.....	.....	14.3	7.2	14.3	7.2	21.5	7.2	129.0	.....	21.5	7.2	150.5
51	Lakewood	1,132.0	4.4	.....	.....	26.5	4.4	8.8	.....	22.1	8.8	70.7	22.1	17.7	8.8	75.2
52	Lancaster	925.3	6.4	.....	.....	.....	.....	6.4	25.5	6.4	.....	63.8	.....	6.4	6.4	76.6
53	Lima	1,379.2	19.8	.....	.....	22.6	8.5	28.3	5.7	8.5	2.8	93.3	11.3	19.8	2.8	107.4
54	Lorain	1,195.8	13.5	.....	.....	27.1	5.4	27.1	.....	8.1	.....	40.6	2.7	8.1	2.7	62.2
55	Mansfield	1,332.8	.....	.....	.....	.....	.....	4.4	.....	39.6	.....	127.6	.....	4.4	.....	70.4
56	Marietta	1,562.5	27.3	.....	.....	6.8	.....	27.3	27.3	20.5	6.8	102.3	.....	20.5	6.8	88.7
57	Marion	1,250.5	34.1	.....	.....	4.3	4.3	.....	4.3	25.6	.....	89.6	.....	12.8	.....	55.5
58	Massillon	1,280.2	13.1	.....	.....	.....	6.5	.....	32.7	32.7	6.5	71.8	6.5	26.1	13.1	52.3
59	Middletown	1,734.4	.....	.....	.....	89.6	6.4	38.4	6.4	6.4	6.4	121.6	19.2	25.6	6.4	32.0
60	Newark	1,454.4	33.7	.....	.....	6.7	10.1	.....	3.4	50.6	10.1	104.6	.....	16.9	13.5	111.4
61	Norwood	807.7	4.5	.....	.....	4.5	.....	35.9	4.5	17.9	.....	58.3	4.5	9.0	4.5	67.3
62	Piqua	1,491.0	21.2	.....	.....	14.1	.....	7.1	14.1	21.2	.....	63.6	7.1	14.1	.....	148.4
63	Portsmouth	1,530.9	34.8	.....	.....	24.4	3.5	13.9	13.9	31.3	.....	156.6	20.9	31.3	3.5	90.5
64	Sandusky	1,441.1	9.9	.....	.....	14.9	.....	.....	.....	29.7	.....	99.0	5.0	9.9	5.0	108.9
65	Springfield (total)	1,551.9	33.0	.....	.....	17.5	5 8	25.2	7.8	36.9	.....	106.7	3.9	9.7	3.9	79.5
66	White	1,519.5	28.1	.....	.....	13.0	6.5	23.8	8.7	39.0	.....	106.1	4.3	6.5	4.3	82.3
67	Colored	1,831.8	74.8	.....	.....	56.1	.....	37.4	.....	18.7	.....	112.1	.....	37.4	.....	56.1
68	Steubenville	1,872.8	32.8	3.6	.....	120.2	3.6	61.9	25.5	36.4	3.6	72.9	3.6	7.3	.....	87.4
69	Tiffin	1,624.3	.....	.....	.....	.....	.....	.....	7.8	23.3	.....	132.1	7.8	.....	7.8	124.3
70	Toledo	1,810.5	22.2	.....	.....	33.8	4.0	6.1	17.2	19.7	4.5	168.1	8.6	17.7	5.6	97.9
71	Warren	1,952.7	61.3	.....	.....	7.7	.....	.....	15.3	30.6	.....	45.9	15.3	.....	.....	137.8
72	Youngstown	1,755.8	35.1	.....	.....	40.6	6.5	31.4	5.5	9.2	6.5	93.2	7.4	12.9	9.2	67.4
73	Zanesville	1,471.0	25.9	.....	.....	51.8	3.2	3.2	3.2	32.4	.....	106.9	6.5	9.7	9.7	90.7

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11.8	13.4	90.6	125.0	17.7	164.1	20.9	119.1	24.7	19.8	10.7	147.5	10.2	26.8	116.4	99.2	7.5	365.2	38.6	1
12.7	12.7	82.1	88.9	6.8	88.0	15.2	88.9	26.2	20.3	11.9	131.2	5.9	24.5	100.7	80.4	11.0	299.7	26.2	2
10.2	14.6	105.4	187.3	36.6	295.6	30.7	171.2	22.0	19.0	8.8	175.6	17.6	30.7	143.4	131.7	1.5	478.6	60.0	3
19.2	19.2	76.8	124.9	33.6	148.9	19.2	67.2	19.2	14.4	9.6	163.3	19.2	24.0	100.9	86.4	4.8	341.0	33.6	4
19.7	13.1	78.8	118.2	.....	118.2	19.7	72.2	19.7	19.7	13.1	164.2	19.7	19.7	65.7	65.7	6.6	328.3	13.1	5
17.9	35.8	71.5	143.0	125.1	232.4	17.9	53.6	17.9	.....	.....	160.9	17.9	35.8	196.6	143.0	.....	375.4	89.4	6
10.0	10.0	80.4	118.0	20.1	178.3	30.1	148.2	25.1	15.1	7.5	118.0	10.0	20.1	128.1	118.0	10.0	419.4	45.2	7
14.8	11.1	62.8	77.6	3.7	77.6	18.5	110.8	33.3	14.8	7.4	99.8	7.4	22.2	136.7	107.2	14.8	310.4	11.1	8
.....	7.8	117.6	203.8	54.9	391.9	54.9	227.3	7.8	15.7	7.8	156.8	15.7	15.7	109.7	141.1	.....	650.5	117.6	9
.....	16.0	71.8	95.8	8.0	111.7	23.9	87.8	4.0	.....	8.0	71.8	8.0	23.9	67.8	59.9	8.0	263.4	63.8	10
.....	13.0	91.2	78.2	6.5	91.2	19.5	71.7	.....	.....	.....	58.6	.....	13.0	45.6	45.6	13.0	189.0	39.1	11
.....	20.6	41.2	123.5	10.3	144.1	30.9	113.2	10.3	.....	20.6	92.6	20.6	41.2	102.9	82.4	.....	380.9	102.9	12
15.3	25.5	61.3	97.1	5.1	61.3	15.3	35.8	51.1	20.4	10.2	112.4	5.1	30.6	97.1	112.4	10.2	270.7	25.5	13
7.8	31.1	46.7	77.8	.....	46.7	7.8	15.6	46.7	31.1	7.8	77.8	.....	23.4	85.6	124.5	15.6	202.4	23.4	14
29.7	14.9	89.2	133.7	14.9	89.2	29.7	74.3	59.4	.....	14.9	178.3	14.9	44.6	118.9	89.2	.....	401.2	29.7	15
24.8	24.8	124.2	218.6	39.7	129.2	29.8	99.4	54.7	49.7	19.9	238.5	5.0	39.7	168.9	188.8	24.8	740.3	19.9	16
15.6	15.6	132.7	140.5	15.6	62.4	15.6	85.8	46.8	23.4	23.4	238.7	.....	39.0	101.4	124.9	31.2	639.9	23.4	17
41.0	41.0	109.4	355.6	82.1	246.2	54.7	123.1	68.4	95.7	13.7	150.4	13.7	41.0	287.2	300.9	13.7	916.3	13.7	18
10.0	3.3	157.2	93.7	10.0	150.5	13.4	140.5	10.0	30.1	6.7	227.5	16.7	30.1	130.5	90.3	.....	267.6	16.7	19
12.4	6.2	123.7	68.0	6.2	105.1	18.6	92.8	6.2	43.3	6.2	197.9	.....	30.9	117.5	55.7	.....	191.7	12.4	20
7.3	.....	196.7	123.9	14.6	204.0	7.3	196.7	14.6	14.6	7.3	282.3	36.4	29.1	145.7	131.2	.....	357.1	21.9	21
9.6	6.4	61.0	144.4	12.8	298.5	12.8	186.2	22.5	16.0	16.0	122.0	6.4	25.7	115.6	57.8	.....	304.9	54.6	22
16.1	5.4	58.9	80.4	16.1	107.2	5.4	134.0	32.2	16.1	26.8	80.4	10.7	26.8	117.9	42.9	.....	278.7	64.3	23
.....	8.0	64.0	240.1	8.0	584.3	24.0	264.1	8.0	16.0	.....	184.1	.....	24.0	112.1	80.0	.....	344.2	40.0	24
5.8	11.5	51.8	69.0	5.8	97.8	23.0	57.5	30.5	5.8	17.3	92.0	23.0	17.3	161.0	80.5	11.5	322.0	34.5	25
5.8	11.6	52.2	69.6	5.8	98.6	23.2	58.0	31.2	5.8	17.4	92.8	23.2	17.4	162.3	81.2	11.6	318.9	34.8	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	709.2	.....	27
20.5	7.9	92.5	154.5	18.1	163.3	11.2	83.2	19.1	13.9	18.3	98.4	9.4	9.6	86.9	128.4	17.9	242.0	10.0	28
20.5	7.9	91.2	150.3	18.0	156.6	10.8	84.3	19.0	13.8	18.4	95.4	9.2	9.6	86.1	123.6	17.9	238.0	9.6	29
19.4	7.8	133.1	289.4	23.3	377.3	22.0	47.8	22.0	18.1	16.8	193.8	14.2	7.8	112.4	280.4	16.8	368.2	23.3	30
13.2	18.8	78.3	156.7	17.7	220.7	7.7	149.0	22.1	18.8	15.4	79.4	24.3	12.1	166.6	203.0	13.2	248.3	1.1	31
5.3	.....	63.3	79.1	.....	147.7	5.3	73.8	10.5	31.6	26.4	73.8	5.3	15.8	52.7	163.5	.....	221.5	15.8	32
14.0	9.3	111.6	125.6	23.3	125.6	9.3	65.1	23.3	18.6	14.0	55.8	.....	.....	74.4	158.2	14.0	200.0	9.3	33
27.9	27.9	48.8	223.0	13.9	181.2	13.9	139.4	.....	7.0	27.9	13.9	.....	7.0	132.4	146.4	7.6	111.5	.....	34
14.8	7.4	222.5	81.6	.....	89.0	.....	51.9	22.3	7.4	7.4	74.2	7.4	14.8	89.0	66.8	.....	148.3	.....	35
21.4	3.3	136.4	175.8	11.5	175.8	9.9	82.2	19.7	6.6	18.1	50.9	4.9	8.2	78.9	131.5	14.8	175.8	6.6	36
6.5	6.5	135.7	213.3	45.2	109.9	19.4	51.7	12.9	12.9	6.5	38.8	.....	6.5	90.5	129.3	6.5	226.2	.....	37
28.3	4.9	90.1	202.7	20.2	145.4	10.7	49.2	18.5	14.6	24.8	158.8	6.1	8.3	63.6	112.6	16.6	232.9	10.5	38
29.4	4.6	87.8	193.2	18.8	130.8	9.5	47.9	18.8	14.7	25.2	151.7	5.7	8.2	61.0	103.0	17.5	224.3	9.3	39
9.0	9.0	130.6	369.2	45.0	400.7	31.5	72.0	13.5	13.5	18.0	283.7	13.5	9.0	108.1	279.2	.....	382.7	31.5	40
20.2	7.7	68.8	119.6	24.2	182.2	10.5	109.9	18.1	11.3	18.4	90.9	8.6	9.3	85.5	123.1	20.5	218.7	20.2	41
21.9	5.6	107.0	156.4	7.4	155.9	19.5	26.5	30.7	20.0	20.5	90.3	10.7	8.8	88.9	107.0	16.8	308.5	5.1	42
23.1	6.0	103.4	147.1	7.0	147.1	19.6	27.6	31.6	20.1	18.6	84.4	10.0	9.0	87.4	99.4	17.6	310.8	4.5	43
6.4	.....	152.7	273.6	12.7	267.2	19.1	12.7	19.1	19.1	44.5	165.4	19.1	6.4	108.2	203.6	6.4	280.0	12.7	44
12.6	11.8	92.0	180.8	14.1	146.2	10.2	67.6	11.8	11.8	17.3	119.5	9.4	8.6	90.4	125.8	27.5	225.6	2.4	45
8.9	39.8	48.7	146.1	26.6	243.5	8.9	101.8	22.1	26.6	22.1	75.3	22.1	4.4	93.0	110.7	26.6	256.8	22.1	46
10.7	5.4	80.6	161.1	.....	145.0	10.7	85.9	10.7	5.4	21.5	80.6	10.7	16.1	80.6	231.0	16.1	263.2	.....	47
26.9	6.7	127.9	323.1	13.5	101.0	6.7	33.7	33.7	20.2	20.2	60.6	.....	6.7	101.0	40.4	13.5	316.3	.....	48
19.8	4.9	86.4	145.7	12.3	128.4	9.9	42.0	17.3	14.8	14.8	96.3	14.8	12.3	84.0	118.5	12.3	143.2	.....	49
21.5	.....	100.4	121.9	28.7	143.4	14.3	86.0	7.2	.....	21.5	78.9	7.2	7.2	86.0	164.9	.....	301.1	35.8	50
31.0	.....	101.7	92.9	13.3	119.4	4.4	88.4	13.3	13.3	22.1	70.7	4.4	4.4	53.1	61.9	8.8	159.2	.....	51
6.4	19.1	95.7	108.5	12.8	44.7	6.4	6.4	6.4	25.5	12.8	89.3	.....	.....	63.8	31.9	12.8	178.7	6.4	52
45.2	5.7	82.0	121.5	14.1	90.4	8.5	53.7	33.9	25.4	22.6	107.4	14.1	5.7	65.0	101.7	5.7	237.4	8.5	53
2.7	13.5	37.9	83.9	5.4	167.7	5.4	132.6	10.8	18.9	5.4	67.6	10.8	8.1	124.4	129.9	10.8	156.9	5.4	54
22.0	.....	127.6	184.7	13.2	79.2	17.6	48.4	8.8	13.2	.....	96.8	8.8	8.8	88.0	101.2	4.4	263.9	.....	55
20.5	20.5	136.5	163.8	13.6	197.9	6.8	54.6	20.5	.....	.....	61.4	27.3	6.8	81.9	81.9	13.6	307.0	13.6	56
4.3	4.3	102.4	81.1	12.8	136.6	.....	42.7	4.3	17.1	29.9	119.5	8.5	12.8	76.8	128.0	17.1	221.9	.....	57
32.7	.....	156.8	130.6	13.1	124.1	.....	19.6	6.5	13.1	6.5	65.3	6.5	.....	84.9	143.7	13.1	202.5	.....	58
12.8	.....	140.8	179.2	.....	179.2	12.8	179.2	6.4	.....	25.6	102.4	6.4	19.2	166.4	96.0	.....	249.6	.....	59
23.6	3.4	111.4	135.0	13.5	128.2	10.1	57.4	16.9	13.5	13.5	87.7	3.4	3.4	67.5	128.2	20.2	256.5	.....	60
31.4	.....	53.8	121.2	26.9	22.4	9.0	35.9	.....	.....	9.0	62.8	.....	.....	40.4	31.4	4.5	143.6	4.5	61
14.1	.....	162.5	183.7	7.1	84.8	14.1	42.4	42.4	35.3	14.1	98.9	7.1	28.3	70.7	70.7	28.3	275.6	.....	62
13.9	7.0	52.2	132.2	20.9	139.2	7.0	146.1	20.9	10.4	13.9	107.9	20.9	10.4	83.5	100.9	7.0	208.8	3.5	63
34.7	5.0	158.5	128.8	49.5	84.2	5.0	39.6	19.8	14.9	14.9	74.3	.....	9.9	44.6	203.0	39.6	232.8	.....	64
25.2	7.8	162.9	172.6	13.6	137.7	15.5	44.6	23.3	13.6	5.8	89.2	9.7	17.5	85.4	131.9	29.1	230.8	5.8	65
28.1	6.5	162.3	168.8	13.0	114.7	17.3	47.6	21.6	13.0	6.5	86.6	8.7	19.5	86.6	136.4	32.5	225.1	2.2	66
.....	18.7	168.2	205.6	18.7	336.4	.....	18.7	37.4	18.7	.....	112.1	18.7	.....	74.8	93.5	.....	280.4	37.4	67
10.9	25.5	69.2	109.3	36.4	233.2	25.5	149.4	25.5	7.3	10.9	65.6	25.5	3.6	105.7	222.3	10.9	273.3	3.6	68
7.8	.....	209.8	310.9	15.5	85.5	7.8	23.3	.....	7.8	7.8	101.0	7.8	.....	101.0	62.2	23.3	349.7	.....	69
20.7	7.6	129.6	192.8	16.2	156.5	9.6	105.5	20.7	13.1	18.2	89.3	7.1	15.1	98.9	143.3	21.2	346.3	2.5	70
23.0	.....	168.5	183.8	30.6	191.4	23.0	176.1	23.0	15.3	7.7	99.5	23.0	38.3	53.6	191.4	61.3	329.3	.....	71
12.9	13.8	68.3	117.2	16.6	303.5	11.1	143.9	18.5	13.8	17.5	70.1	13.8	6.5	111.6	216.8	16.6	247.3	11.1	72
16.2	3.2	119.9	187.9	9.7	81.0	22.7	38.9	29.2	22.7	16.2	61.6	16.2	13.0	87.5	103.7	13.0	256.0	29.2	73

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	OREGON.[4]															
1	Portland (total)	801.1	4.7	0.3	.....	2.7	0.7	2.7	2.4	11.2	1.4	58.2	9.8	12.9	2.7	82.6
2	White	789.5	4.8	.....	.....	1.7	0.7	2.4	2.4	11.4	1.4	54.2	7.9	12.8	2.4	81.8
3	Colored [7]	1,382.9	.....	17.3	.....	51.9	.....	17.3	.....	.....	.....	259.3	103.7	17.3	17.3	121.0
	PENNSYLVANIA.															
4	Registration cities (total)	1,594.1	13.6	0.2	.....	16.3	2.7	11.7	20.8	25.7	4.8	126.9	11.1	11.6	6.7	88.7
5	White	1,558.5	13.3	0.2	.....	16.5	2.7	11.1	21.0	25.5	4.8	115.9	10.9	11.1	6.6	89.0
6	Colored	2,443.8	21.2	.....	.....	12.1	1.8	24.9	16.4	31.5	4.2	389.2	17.6	23.6	9.1	83.1
7	Allentown	1,593.3	26.8	.....	.....	18.9	1.6	11.0	14.2	20.5	11.0	103.9	15.7	14.2	7.9	91.3
8	Altoona	1,386.0	44.3	.....	.....	10.2	.....	11.9	17.0	17.0	8.5	68.2	10.2	15.3	3.4	64.8
9	Beaver Falls	1,707.1	44.3	.....	.....	31.3	.....	29.6	51.7	59.1	.....	133.0	7.4	14.8	7.4	59.1
10	Bethlehem	1,534.4	14.1	.....	.....	14.1	.....	7.1	21.2	14.1	7.1	134.4	42.4	14.1	.....	84.9
11	Braddock	1,821.5	13.8	.....	.....	23.1	.....	4.6	13.8	18.4	4.6	115.3	9.2	13.8	4.6	50.7
12	Bradford	[5] 1,608.9	6.9	.....	.....	.....	.....	6.9	6.9	41.3	.....	96.3	.....	13.8	13.8	151.3
13	Butler	1,259.4	21.7	.....	.....	54.3	.....	10.9	21.7	29.0	.....	61.5	10.9	3.6	10.9	68.8
14	Carbondale	1,595.5	10.4	.....	.....	10.4	15.6	15.6	31.2	72.8	5.2	36.4	.....	10.4	15.6	26.0
15	Carlisle (total)	1,706.1	28.0	.....	.....	.....	.....	.....	9.3	46.6	.....	149.2	9.3	.....	9.3	149.2
16	White	1,600.5	20.8	.....	.....	.....	.....	.....	10.4	31.2	.....	114.3	10.4	.....	10.4	166.3
17	Colored	2,626.8	90.6	.....	.....	.....	.....	.....	.....	181.2	.....	452.9	.....	.....	.....	.....
18	Carnegie	1,300.0	.....	.....	.....	51.3	8.6	.....	17.1	17.1	.....	77.0	8.6	.....	8.6	34.2
19	Chambersburg	1,591.3	40.4	.....	.....	.....	.....	8.1	32.3	32.3	.....	129.2	.....	16.2	.....	113.1
20	Chester (total)	2,108.9	33.8	.....	.....	50.7	.....	31.4	33.8	33.8	4.8	173.9	12.1	21.7	9.7	84.5
21	White	1,992.1	33.0	.....	.....	55.0	.....	33.0	38.5	35.8	5.5	159.6	13.8	22.0	8.3	90.8
22	Colored	2,948.7	39.6	.....	.....	19.8	.....	19.8	.....	19.8	.....	277.1	.....	19.8	19.8	39.6
23	Coatesville (total)	1,349.0	76.1	.....	.....	27.7	6.9	6.9	13.8	34.6	.....	76.1	6.9	.....	6.9	48.4
24	White	1,347.2	81.6	.....	.....	32.7	.....	8.2	16.3	40.8	.....	73.5	8.2	.....	8.2	32.7
25	Colored	1,359.3	45.3	.....	.....	.....	45.3	.....	.....	.....	.....	90.6	.....	.....	.....	135.9
26	Columbia	[5] 1,580.2	26.2	.....	.....	8.7	.....	.....	.....	87.3	.....	139.7	.....	34.9	17.5	113.5
27	Connellsville	1,235.8	12.9	.....	.....	25.9	.....	12.9	12.9	6.5	.....	84.1	6.5	19.4	.....	38.8
28	Dubois	1,118.3	20.5	.....	.....	.....	6.8	27.3	40.9	20.5	.....	27.3	.....	6.8	.....	88.6
29	Dunmore	1,477.7	.....	.....	.....	4.8	4.8	.....	24.1	43.3	.....	62.6	14.4	38.5	4.8	28.9
30	Duquesne	1,217.2	5.0	.....	.....	85.2	5.0	35.1	20.0	10.0	.....	55.1	15.0	15.0	5.0	15.0
31	Easton	2,021.0	6.6	.....	.....	9.8	.....	29.5	3.3	32.8	3.3	121.2	6.6	6.6	9.8	88.4
32	Erie	1,641.1	6.6	.....	.....	31.9	1.3	42.6	9.3	19.9	2.7	127.7	17.3	16.0	6.6	101.1
33	Farrell	[10] 2,088.5	38.5	.....	.....	163.6	38.5	57.7	28.9	19.2	.....	192.5	.....	9.6	.....	48.1
34	Greensburg	1,718.0	51.7	.....	.....	19.4	.....	12.9	.....	51.7	.....	51.7	6.5	.....	19.4	58.1
35	Harrisburg	1,574.7	77.8	.....	.....	27.8	.....	12.5	16.7	16.7	2.8	120.8	9.7	6.9	11.1	90.3
36	Hazleton	1,677.7	21.1	.....	.....	10.5	3.5	10.5	17.5	21.1	.....	59.7	3.5	10.5	3.5	101.8
37	Homestead	1,130.6	4.5	.....	.....	62.3	8.9	13.4	8.9	17.8	.....	57.9	4.5	13.4	.....	26.7
38	Johnstown	1,581.8	21.9	.....	.....	27.7	.....	33.6	11.7	7.3	.....	67.1	23.3	17.5	11.7	64.2
39	Lancaster	1,636.1	21.6	.....	.....	11.8	.....	.....	15.7	29.5	2.0	125.9	3.9	25.6	9.8	123.9
40	Lebanon	1,905.8	28.9	4.8	.....	9.6	.....	14.4	4.8	67.4	.....	96.3	19.3	14.4	4.8	91.4
41	McKees Rocks	1,057.7	.....	.....	.....	90.2	.....	35.1	.....	15.0	.....	75.2	25.1	.....	5.0	25.1
42	McKeesport	1,586.7	31.6	.....	.....	48.4	2.1	4.2	33.7	14.7	8.4	75.8	6.3	23.1	12.6	77.9
43	Mahanoy City	1,471.7	22.9	.....	.....	22.9	.....	28.6	51.5	40.1	5.7	45.8	.....	5.7	5.7	68.7
44	Meadville	1,565.0	.....	.....	.....	36.2	.....	.....	7.2	65.2	.....	72.5	7.2	14.5	.....	86.9
45	Monessen	822.9	9.2	.....	.....	13.9	9.2	.....	9.2	13.9	4.6	37.0	23.1	9.2	.....	4.6
46	Mount Carmel	1,189.1	9.9	.....	.....	9.9	.....	34.5	123.3	24.7	.....	49.3	.....	.....	.....	69.1
47	Nanticoke	1,288.6	8.6	.....	.....	.....	4.3	4.3	13.0	8.6	.....	60.5	.....	13.0	.....	47.6
48	New Castle	1,349.3	21.9	.....	.....	41.3	2.4	2.4	4.9	29.2	2.4	63.2	2.4	14.6	19.4	41.3
49	Norristown*	2,353.4	25.5	.....	.....	6.4	.....	.....	35.0	60.5	3.2	216.6	.....	9.6	15.9	130.6
50	North Braddock	1,003.4	6.6	.....	.....	13.2	.....	6.6	6.6	19.8	.....	46.2	6.6	.....	6.6	33.0
51	Oil City	1,445.8	10.4	.....	.....	20.7	.....	46.6	20.7	5.2	.....	67.4	.....	31.1	5.2	114.0
52	Old Forge	1,053.5	.....	.....	.....	.....	.....	.....	13.4	.....	.....	20.1	.....	.....	6.7	20.1
53	Philadelphia (total)	1,620.5	7.6	0.2	.....	6.6	2.5	7.5	22.8	24.0	6.0	170.6	11.9	10.9	6.6	101.1
54	White	1,572.6	7.6	0.2	.....	6.5	2.6	7.1	22.9	23.5	6.1	152.6	11.4	10.3	6.5	102.0
55	Colored	2,397.6	7.1	.....	.....	8.1	1.0	13.1	21.2	31.2	5.0	461.6	19.1	21.2	8.1	86.7
56	Phoenixville	1,622.0	25.6	.....	.....	17.1	.....	.....	8.5	76.8	8.5	162.2	.....	8.5	.....	111.0
57	Pittsburgh (total)	1,740.1	9.0	0.3	.....	23.7	3.6	18.8	21.8	26.6	5.9	110.7	15.0	10.7	5.4	89.8
58	White	1,702.4	8.7	0.4	.....	23.4	3.8	16.7	22.5	26.9	6.2	102.5	14.9	10.2	4.9	90.2
59	Colored	2,481.4	14.2	.....	.....	28.5	.....	60.5	7.1	21.4	.....	270.6	17.8	21.4	14.2	81.9
60	Pittston	1,779.7	5.4	.....	.....	10.8	5.4	.....	10.8	37.6	16.1	75.3	.....	.....	10.8	37.6
61	Plymouth	1,047.1	.....	.....	.....	5.2	5.2	.....	10.5	41.9	.....	36.6	.....	15.7	5.2	47.1
62	Pottstown	1,542.2	17.9	.....	.....	35.7	.....	.....	17.9	23.8	.....	113.1	.....	.....	.....	77.4
63	Pottsville	2,033.8	49.2	.....	.....	8.9	.....	4.5	35.8	76.0	.....	147.5	8.9	8.9	4.5	80.5
64	Reading	1,487.1	19.1	.....	.....	22.8	9.1	7.3	10.0	30.1	7.3	80.1	19.1	11.8	11.8	84.7
65	Scranton	1,441.3	6.1	.....	.....	3.4	2.0	3.4	17.0	17.7	4.8	74.2	6.1	7.5	6.8	77.0
66	Shamokin	1,325.2	9.5	4.7	.....	14.2	4.7	18.9	18.9	28.4	.....	118.3	4.7	4.7	.....	61.5
67	Sharon	1,332.2	16.1	.....	.....	32.2	5.4	21.5	16.1	48.3	.....	75.2	5.4	5.4	.....	43.0
68	Shenandoah	1,510.2	20.5	.....	.....	3.4	3.4	6.8	89.0	20.5	3.4	85.6	3.4	3.4	13.7	17.1
69	South Bethlehem	1,685.7	.....	.....	.....	53.7	.....	12.4	41.3	12.4	4.1	123.9	4.1	12.4	4.1	57.8

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
13.9	3.7	46.4	102.2	5.8	52.5	9.5	7.4	11.2	10.2	7.4	55.5	4.1	5.8	41.6	49.4	16.9	164.1	1.4	1
13.8	3.8	46.3	102.9	5.5	53.2	9.7	6.6	11.4	10.0	6.9	53.2	3.8	5.9	42.1	49.0	16.9	163.3	1.4	2
17.3	.....	51.9	69.1	17.3	17.3	.....	51.9	.....	17.3	34.6	172.9	17.3	.....	17.3	69.1	17.3	207.4	.....	3
17.2	6.5	77.5	161.0	20.6	197.6	16.9	105.3	15.2	14.8	15.8	134.0	9.3	11.9	87.3	113.0	13.8	232.4	3.1	4
17.7	6.4	77.2	156.6	20.2	189.9	16.7	105.5	15.3	14.6	16.0	130.7	9.2	11.9	86.9	110.8	14.2	227.3	3.0	5
6.1	8.5	85.5	266.8	32.1	381.9	20.6	101.2	12.7	20.0	10.9	212.8	12.7	12.7	97.0	163.7	4.9	354.7	4.2	6
29.9	4.7	143.3	130.7	15.7	130.7	15.7	111.8	12.6	11.0	15.7	116.5	25.2	11.0	105.5	116.5	23.6	240.9	.....	7
17.0	6.8	64.8	121.0	8.5	127.9	23.9	58.0	15.3	20.5	13.6	139.8	13.6	11.9	114.2	100.6	8.5	248.9	.....	8
14.8	.....	81.3	51.7	29.6	251.3	29.6	96.1	7.4	22.2	7.4	96.1	7.4	29.6	133.0	103.5	7.4	251.3	.....	9
42.4	14.1	183.8	169.7	21.2	134.4	7.1	63.6	.....	.....	7.1	91.9	14.1	.....	49.5	77.8	7.1	297.0	.....	10
13.8	9.2	41.5	115.3	41.5	373.5	13.8	267.5	9.2	4.6	23.1	46.1	4.6	46.1	87.6	207.5	27.7	216.7	.....	11
34.4	.....	151.3	220.0	.....	116.9	.....	68.8	.....	27.5	20.6	130.6	.....	6.9	96.3	89.4	13.8	295.7	.....	12
21.7	7.2	43.4	57.9	7.2	126.7	14.5	126.7	18.1	21.7	7.2	61.5	3.6	7.2	123.0	115.8	21.7	177.3	3.6	13
10.4	.....	103.9	140.3	10.4	265.0	.....	72.8	36.4	5.2	31.2	150.7	5.2	20.8	98.7	150.7	5.2	239.1	.....	14
37.3	.....	121.2	242.4	18.6	111.9	28.0	18.6	.....	18.6	9.3	195.8	.....	37.3	55.9	102.6	28.0	279.7	.....	15
41.6	.....	114.3	228.6	.....	83.1	31.2	20.8	.....	20.8	10.4	197.5	.....	41.6	52.0	93.5	31.2	270.2	.....	16
.....	.....	181.2	362.3	181.2	362.3	.....	.....	.....	.....	.....	181.2	.....	.....	90.6	181.2	.....	362.3	.....	17
8.6	8.6	68.4	68.4	17.1	342.1	8.6	188.2	.....	.....	.....	59.9	.....	8.6	68.4	68.4	.....	162.5	.....	18
.....	.....	137.3	145.4	32.3	96.9	8.1	48.5	40.4	40.4	24.2	193.9	8.1	.....	48.5	88.9	8.1	298.9	.....	19
9.7	4.8	91.8	207.7	31.4	273.0	14.5	190.8	7.2	9.7	4.8	166.7	12.1	9.7	130.4	205.3	12.1	229.5	7.2	20
11.0	5.5	90.8	165.1	27.5	239.4	16.5	187.1	8.3	11.0	5.5	148.6	11.0	11.0	137.6	187.1	13.8	214.6	5.5	21
.....	.....	99.0	514.5	59.4	514.5	.....	217.7	.....	.....	.....	296.9	19.8	.....	79.2	336.4	.....	336.4	19.8	22
20.8	.....	55.3	96.9	6.9	193.7	.....	207.5	6.9	6.9	6.9	41.5	6.9	.....	110.7	55.3	13.8	214.5	.....	23
24.5	.....	57.2	81.6	8.2	196.0	.....	228.6	8.2	8.2	8.2	24.5	8.2	.....	114.3	57.2	16.3	204.1	.....	24
.....	.....	45.3	181.2	.....	181.2	.....	90.6	.....	.....	.....	135.9	.....	.....	90.6	45.3	.....	271.9	.....	25
26.2	17.5	61.1	279.4	17.5	139.7	.....	61.1	17.5	.....	17.5	148.4	8.7	.....	87.3	122.2	8.7	139.7	.....	26
25.9	.....	84.1	97.1	12.9	103.5	25.9	51.8	19.4	12.9	6.5	51.8	.....	.....	103.5	258.8	.....	161.8	.....	27
.....	.....	75.0	95.5	6.8	102.3	6.8	81.8	13.6	34.1	.....	47.7	.....	6.8	95.5	122.7	13.6	150.0	27.3	28
9.6	.....	96.3	96.3	67.4	163.7	4.8	235.8	4.8	.....	9.6	43.3	4.8	14.4	163.7	67.4	14.4	245.5	9.6	29
10.0	5.0	30.1	40.1	10.0	200.4	10.0	335.6	.....	5.0	10.0	10.0	.....	.....	75.1	65.1	10.0	135.2	.....	30
32.8	6.6	137.6	176.9	19.7	317.7	19.7	72.1	19.7	26.2	19.7	176.9	22.9	9.8	91.7	242.4	22.9	288.2	.....	31
16.0	1.3	125.0	156.9	17.3	131.7	16.0	123.7	17.3	23.9	17.3	113.0	1.3	12.0	113.0	127.7	18.6	224.7	1.3	32
.....	9.6	19.2	67.4	.....	394.6	9.6	346.5	9.6	9.6	.....	77.0	19.2	.....	144.4	134.7	19.2	163.6	67.4	33
6.5	12.9	77.5	135.6	6.5	200.2	12.9	64.6	32.3	32.3	6.5	84.0	.....	19.4	116.3	342.3	19.4	251.9	25.8	34
19.4	5.6	88.9	133.3	9.7	130.5	20.8	36.1	18.1	19.4	23.6	140.2	5.6	20.8	84.7	119.4	9.7	291.6	4.2	35
14.0	10.5	84.2	154.4	28.1	150.9	21.1	140.4	52.6	35.1	24.6	101.8	21.1	17.5	115.8	203.6	10.5	224.6	3.5	36
8.9	.....	26.7	84.6	8.9	213.7	4.5	235.9	.....	4.5	4.5	66.8	.....	4.5	62.3	44.5	13.4	120.2	8.9	37
11.7	8.8	45.2	109.4	10.2	237.9	16.1	132.8	30.6	32.1	14.6	84.6	26.3	11.7	135.7	151.8	10.2	226.2	.....	38
17.7	3.9	121.9	237.9	11.8	118.0	3.9	80.6	25.6	13.8	31.5	175.0	11.8	9.8	88.5	66.9	23.6	222.2	2.0	39
24.1	9.6	192.5	158.8	14.4	255.1	38.5	67.4	4.8	28.9	38.5	134.8	9.6	9.6	81.8	115.5	24.1	336.9	4.8	40
5.0	10.0	25.1	60.2	5.0	175.4	20.1	215.5	10.0	5.0	10.0	10.0	10.0	5.0	95.2	35.1	.....	90.2	.....	41
8.4	6.3	58.9	90.5	37.9	237.8	23.1	168.3	14.7	8.4	21.0	92.6	16.8	16.8	98.9	132.6	14.7	197.8	2.1	42
17.2	.....	51.5	91.6	34.4	171.8	40.1	131.7	5.7	5.7	11.5	97.3	34.4	17.2	74.4	74.4	5.7	297.8	11.5	43
14.5	7.2	217.4	181.1	.....	137.7	.....	43.5	21.7	43.5	21.7	115.9	14.5	7.2	94.2	94.2	.....	260.8	.....	44
4.6	.....	13.9	50.9	.....	157.2	4.6	166.4	.....	9.2	.....	27.7	.....	9.2	92.5	41.6	9.2	83.2	18.5	45
9.9	9.9	39.5	93.7	19.7	113.5	24.7	153.0	.....	9.9	24.7	64.1	14.8	4.9	74.0	98.7	9.9	93.7	9.9	46
8.6	4.3	13.0	56.2	17.3	194.6	60.5	138.4	13.0	13.0	8.6	82.2	4.3	25.9	82.2	190.3	8.6	203.2	4.3	47
4.9	12.2	60.8	121.6	19.4	160.5	14.6	102.1	24.3	17.0	4.9	63.2	4.9	4.9	80.2	141.0	17.0	223.7	26.7	48
12.7	6.4	187.9	277.1	22.3	232.5	3.2	47.8	19.1	9.6	12.7	194.3	15.9	12.7	79.6	194.3	9.6	512.7	.....	49
.....	13.2	59.4	72.6	19.8	244.3	13.2	151.8	.....	.....	13.2	26.4	.....	6.6	52.8	59.4	6.6	112.2	6.6	50
20.7	.....	98.5	165.8	10.4	134.7	10.4	46.6	31.1	15.5	.....	77.7	15.5	15.5	93.3	119.2	5.2	259.1	5.2	51
6.7	13.4	26.8	60.4	40.3	181.2	13.4	167.8	.....	.....	6.7	67.1	13.4	20.1	134.2	107.4	.....	134.2	.....	52
18.1	5.7	70.4	197.4	19.8	172.2	15.6	88.3	12.1	13.4	16.6	177.7	7.8	10.0	73.5	91.5	15.6	236.0	0.9	53
18.9	5.6	69.6	194.3	18.6	163.8	15.2	87.2	12.1	12.8	17.1	174.6	7.3	9.9	72.6	88.7	16.1	228.2	0.8	54
6.0	8.1	82.6	247.9	38.3	307.4	22.2	106.8	11.1	23.2	8.1	227.8	15.1	12.1	88.7	137.1	6.0	362.8	3.0	55
17.1	42.7	85.4	136.6	8.5	179.3	17.1	136.6	8.5	25.6	8.5	119.5	.....	8.5	128.1	76.8	.....	204.9	.....	56
14.3	10.7	69.1	144.7	29.0	331.0	22.8	117.8	19.0	15.5	18.1	92.0	11.6	14.5	100.7	134.2	12.8	238.8	2.2	57
14.9	10.9	69.1	137.6	29.8	316.5	22.5	120.0	19.2	15.8	17.8	88.6	11.6	14.3	100.0	130.1	13.1	237.0	2.4	58
3.6	7.1	67.6	284.8	14.2	615.9	28.5	74.8	14.2	10.7	24.9	160.2	10.7	17.8	113.9	213.6	7.1	274.1	.....	59
10.8	16.1	59.1	123.7	53.8	306.5	32.3	182.8	16.1	5.4	10.8	107.5	21.5	21.5	118.3	247.3	5.4	220.4	10.8	60
5.2	5.2	52.4	62.8	20.9	136.1	26.2	146.6	.....	5.2	.....	52.4	.....	5.2	83.8	99.5	10.5	167.5	.....	61
23.8	.....	89.3	172.7	11.9	297.7	17.9	11.9	17.9	11.9	6.0	95.3	.....	11.9	95.3	142.9	.....	244.1	6.0	62
17.9	4.5	129.6	156.4	17.9	178.8	13.4	98.3	26.8	26.8	17.9	263.7	22.3	17.9	107.3	205.6	13.4	286.1	4.5	63
27.3	4.6	93.8	171.2	20.0	160.3	16.4	81.0	13.7	16.4	17.3	123.8	12.7	5.5	106.5	74.7	11.8	213.1	3.6	64
18.4	6.8	81.1	119.2	17.0	190.0	17.0	141.7	22.5	16.3	16.3	85.8	8.9	12.9	86.5	138.3	7.5	228.2	0.7	65
37.9	9.5	85.2	165.6	23.7	175.1	33.1	94.7	.....	14.2	9.5	61.5	9.5	4.7	71.0	71.0	9.5	156.2	4.7	66
16.1	21.5	80.6	75.2	26.9	150.4	21.5	53.7	16.1	5.4	10.7	96.7	5.4	21.5	75.2	134.3	37.6	134.3	80.6	67
13.7	3.4	54.8	51.4	99.3	260.3	13.7	267.1	6.8	3.4	24.0	68.5	6.8	10.3	68.5	106.2	10.3	167.3	3.4	68
4.1	4.1	66.1	70.2	28.9	252.0	12.4	289.2	.....	.....	4.1	70.2	.....	8.3	194.2	152.9	16.5	181.8	4.1	69

For footnotes see pp. 105, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	PENNSYLVANIA—continued.															
1	Steelton	1,492.2	.....	.....	.....	70.7	.....	38.6	19.3	19.3	.....	102.9	12.9	12.9	6.4	45.0
2	Sunbury	1,291.5	18.5	.....	.....	43.1	.....	.....	6.2	30.8	.....	49.2	.....	.....	12.3	86.1
3	Uniontown	1,318.6	52.9	.....	.....	4.8	.....	14.4	4.8	9.6	9.6	101.1	9.6	9.6	.....	62.6
4	Warren	1,275.7	.....	.....	.....	6.8	.....	6.8	6.8	13.6	.....	88.2	.....	6.8	6.8	142.5
5	Washington	1,392.4	18.5	.....	.....	4.6	.....	9.3	23.1	37.0	4.6	143.4	9.3	18.5	.....	60.1
6	West Chester (total)	2,307.2	37.9	.....	.....	7.6	7.6	22.8	7.6	83.5	.....	106.3	30.4	15.2	15.2	159.4
7	White	2,073.3	26.7	.....	.....	8.9	8.9	26.7	8.9	53.4	.....	62.3	17.8	.....	17.8	169.1
8	Colored	3,663.6	103.2	.....	.....	.....	.....	.....	.....	258.0	.....	361.2	103.2	103.2	.....	103.2
9	Wilkes-Barre	1,447.1	15.6	.....	.....	2.6	3.9	11.7	10.4	24.7	2.6	59.9	7.8	13.0	2.6	70.3
10	Wilkinsburg	1,562.8	17.2	.....	.....	34.4	.....	21.5	12.9	30.1	.....	94.7	12.9	8.6	8.6	107.6
11	Williamsport	1,816.1	17.7	.....	.....	3.0	5.9	8.9	29.6	32.5	5.9	73.9	8.9	29.6	5.9	159.7
12	York	1,225.4	15.5	.....	.....	42.6	.....	7.7	5.8	23.2	1.9	104.5	3.9	21.3	3.9	94.9
	RHODE ISLAND.															
13	Registration cities (total)	1,584.7	7.0	0.2	0.2	23.8	5.0	6.2	25.4	24.8	6.6	152.8	15.0	11.0	4.8	91.7
14	White	1,556.2	6.7	0.2	0.2	23.9	5.1	5.7	25.3	24.5	6.7	144.8	14.3	10.4	4.5	90.3
15	Colored	3,134.0	22.1	.....	.....	22.1	.....	33.2	33.2	44.3	.....	586.9	55.4	44.3	22.1	166.1
16	Central Falls	1,166.3	7.8	.....	.....	11.7	7.8	7.8	15.6	19.5	3.9	105.3	15.6	7.8	7.8	42.9
17	Cranston [11]	2,870.7	26.9	.....	.....	26.9	7.7	15.4	7.7	38.5	3.8	469.5	11.5	26.9	11.5	119.3
18	Cumberland town	1,539.5	9.2	.....	.....	36.9	.....	9.2	9.2	46.1	.....	101.4	.....	9.2	.....	156.7
19	East Providence town	1,385.7	5.5	.....	.....	5.5	11.0	11.0	16.6	22.1	.....	60.7	22.1	5.5	16.6	88.3
20	Newport	1,401.6	3.3	.....	.....	10.0	.....	16.6	19.9	10.0	10.0	136.2	6.6	.....	6.6	89.7
21	Pawtucket	1,504.8	3.4	.....	1.7	8.4	1.7	.....	25.2	26.9	6.7	90.9	10.1	3.4	6.7	90.9
22	Providence	1,579.5	5.1	0.4	.....	25.1	6.3	4.7	29.8	25.9	8.2	134.1	17.3	13.7	3.9	100.0
23	Warwick town [12]	1,645.0	16.7	.....	.....	53.4	6.7	3.3	26.7	33.4	6.7	347.0	10.0	13.3	.....	56.7
24	Woonsocket	1,386.4	6.8	.....	.....	36.1	.....	9.0	27.1	11.3	2.3	115.0	20.3	6.8	.....	67.6
	SOUTH CAROLINA.															
25	Registration cities (total)	2,470.1	41.5	19.3	.....	5.2	0.7	37.1	8.2	36.3	3.0	241.7	11.1	10.4	5.2	65.2
26	White	1,654.0	25.7	9.5	.....	5.4	1.4	5.4	13.5	24.3	5.4	102.7	10.8	2.7	5.4	59.5
27	Colored	3,462.1	60.8	31.2	.....	4.9	.....	75.5	1.6	50.9	.....	410.6	11.5	19.7	4.9	72.3
28	Charleston (total)	2,532.4	39.5	21.4	.....	8.2	.....	67.5	8.2	36.2	.....	253.6	8.2	4.9	3.3	64.2
29	White	1,364.2	16.7	16.7	.....	6.7	.....	10.0	16.7	20.0	.....	53.4	10.0	.....	3.3	60.0
30	Colored	3,671.1	61.8	26.0	.....	9.8	.....	123.6	.....	52.0	.....	448.7	6.5	9.8	3.3	68.3
31	Columbia * (total)	3,273.5	66.5	34.7	.....	2.9	2.9	11.6	11.6	46.2	11.6	271.6	20.2	11.6	.....	51.9
32	White	2,505.3	40.2	10.1	.....	5.0	5.0	.....	20.1	40.2	20.1	150.9	15.1	5.0	.....	60.4
33	Colored	4,310.1	101.8	67.9	.....	.....	.....	27.1	.....	54.3	.....	434.4	27.1	20.4	.....	40.7
34	Greenville (total)	1,859.1	11.0	5.5	.....	5.5	.....	16.5	.....	22.0	.....	159.5	11.0	16.5	16.5	71.5
35	White	1,434.4	8.9	.....	.....	8.9	.....	.....	.....	.....	.....	106.3	8.9	8.9	26.6	53.1
36	Colored	2,555.5	14.5	14.5	.....	.....	.....	43.6	.....	58.1	.....	246.8	14.5	29.0	.....	101.6
37	Spartanburg (total)	1,511.8	32.8	.....	.....	.....	.....	9.4	9.4	32.8	.....	229.3	4.7	18.7	9.4	84.2
38	White	1,206.1	38.9	.....	.....	.....	.....	7.8	7.8	31.1	.....	140.1	7.8	.....	.....	62.3
39	Colored	1,973.2	23.5	.....	.....	.....	.....	11.7	11.7	35.2	.....	364.1	.....	47.0	23.5	117.5
	TEXAS.[4]															
40	Registration cities (total)	1,867.7	27.5	14.1	10.2	10.2	0.8	7.9	12.1	24.6	1.6	258.9	13.1	13.6	5.5	68.1
41	White	1,852.6	27.7	12.9	10.8	10.8	0.6	7.4	12.6	21.6	1.5	252.5	13.6	12.6	5.2	72.1
42	Colored	1,953.8	26.2	21.0	7.0	7.0	1.7	10.5	8.7	41.9	1.7	295.3	10.5	19.2	7.0	45.4
43	Beaumont (total)	1,544.5	28.9	36.1	14.4	7.2	.....	21.7	7.2	10.8	.....	202.1	.....	3.6	.....	57.7
44	White	1,366.0	32.8	32.8	5.5	5.5	.....	10.9	5.5	5.5	.....	131.1	.....	5.5	.....	54.6
45	Colored	1,891.6	21.3	42.5	31.9	10.6	.....	42.5	10.6	21.3	.....	340.1	.....	.....	.....	63.8
46	Dallas (total)	1,260.0	27.3	12.0	.....	0.8	0.8	8.0	4.0	18.5	0.8	114.8	10.4	11.2	6.4	63.4
47	White	1,156.0	25.9	9.9	.....	1.0	.....	9.0	4.0	11.9	.....	71.6	9.9	10.9	5.0	69.6
48	Colored	1,695.1	33.3	20.8	.....	.....	4.2	4.2	4.2	45.8	4.2	295.7	12.5	12.5	12.5	37.5
49	El Paso (total)	3,145.7	44.0	1.6	28.3	44.0	3.1	7.8	33.0	26.7	4.7	546.3	39.2	26.7	6.3	62.8
50	White	3,139.4	43.6	1.6	27.5	45.2	3.2	8.1	30.7	25.9	4.8	542.9	38.8	25.9	6.5	64.6
51	Colored [7]	3,360.9	55.1	.....	55.1	.....	.....	.....	110.2	55.1	.....	661.2	55.1	55.1	.....	.....
52	Galveston (total)	1,739.0	31.1	2.4	.....	9.6	.....	2.4	4.8	19.1	.....	140.9	9.6	16.7	.....	112.3
53	White	1,476.6	27.5	3.1	.....	3.1	.....	3.1	6.1	21.4	.....	97.8	9.2	9.2	.....	119.2
54	Colored	2,676.7	43.7	.....	.....	32.8	.....	.....	.....	10.9	.....	295.0	10.9	43.7	.....	87.4
55	San Antonio (total)	1,937.3	17.8	21.8	13.7	3.2	.....	6.5	12.9	34.7	1.6	308.5	6.5	10.5	7.3	63.0
56	White	1,956.8	19.8	21.6	15.3	3.6	.....	6.3	13.5	30.6	1.8	319.8	6.3	9.0	7.2	67.6
57	Colored	1,768.7	.....	23.4	.....	.....	.....	7.8	7.8	70.1	.....	210.4	7.8	23.4	7.8	23.4
	UTAH.															
58	Registration cities (total)	1,132.4	10.8	.....	.....	12.1	6.0	1.3	13.4	14.8	4.7	39.0	5.4	10.1	10.1	78.6
59	White	1,129.2	11.0	.....	.....	12.3	6.2	1.4	13.7	14.4	4.8	37.7	5.5	9.6	10.3	78.7
60	Colored	1,299.6	.....	.....	.....	.....	.....	.....	.....	36.1	.....	108.3	.....	36.1	.....	72.2
61	Ogden	1,082.7	15.9	.....	.....	15.9	6.4	.....	12.7	9.6	3.2	44.6	3.2	6.4	15.9	50.9
62	Salt Lake City	1,145.7	9.4	.....	.....	11.1	6.0	1.7	13.6	16.2	5.1	37.5	6.0	11.1	8.5	86.0
	VERMONT.															
63	Registration cities (total)	1,740.1	8.2	.....	.....	26.7	4.1	37.0	6.2	51.4	2.1	148.1	18.5	6.2	4.1	107.0
64	White	1,742.4	8.2	.....	.....	26.8	4.1	37.1	6.2	51.5	2.1	148.5	18.6	6.2	4.1	107.2
65	Colored	833.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Barre	1,323.0	16.4	.....	.....	.....	8.2	8.2	.....	24.7	8.2	279.4	16.4	16.4	8.2	74.0
67	Burlington	2,086.3	4.6	.....	.....	41.6	.....	60.1	13.9	41.6	.....	120.3	27.8	4.6	.....	129.5
68	Rutland	1,577.8	6.7	.....	.....	27.0	6.7	27.0	.....	87.7	.....	80.9	6.7	.....	6.7	101.1

For footnotes see pp. 106, 107.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
.....	.....	64.3	64.3	19.3	180.1	12.9	218.7	.....	.....	.....	102.9	.....	.....	122.2	180.1	12.9	180.1	6.4	1
18.5	6.2	86.1	209.1	12.3	98.4	12.3	98.4	12.3	24.6	12.3	129.2	.....	12.3	67.7	73.8	.....	172.2	.....	2
4.8	4.8	62.6	101.1	9.6	144.4	9.6	57.7	14.4	24.1	4.8	67.4	14.4	24.1	57.7	235.8	.....	192.5	9.6	3
27.1	13.6	88.2	162.9	20.4	81.4	.....	54.3	20.4	20.4	13.6	95.0	.....	.....	33.9	54.3	27.1	285.0	.....	4
13.9	.....	64.8	111.0	4.6	148.0	4.6	101.8	23.1	9.3	9.3	83.3	13.9	18.5	69.4	129.5	9.3	240.5	9.3	5
60.7	7.6	151.8	280.8	15.2	159.4	.....	91.1	37.9	45.5	.....	265.6	7.6	45.5	121.4	60.7	.....	463.0	.....	6
62.3	8.9	142.4	267.0	17.8	133.5	.....	80.1	35.6	26.7	.....	249.2	.....	35.6	106.8	62.3	.....	444.9	.....	7
51.6	.....	206.4	361.2	.....	309.6	.....	154.8	51.6	154.8	.....	361.2	51.6	103.2	206.4	51.6	.....	567.6	.....	8
22.1	6.5	80.8	121.1	11.7	164.1	32.6	93.8	30.0	14.3	13.0	91.2	13.0	16.9	76.8	181.0	11.7	225.3	15.6	9
30.1	.....	60.3	120.5	4.3	275.5	8.6	43.1	25.8	12.9	12.9	73.2	8.6	38.7	94.7	94.7	12.9	292.8	4.3	10
20.7	3.0	127.2	174.5	17.7	124.2	11.8	53.2	29.6	23.7	26.6	177.5	5.9	20.7	112.4	127.2	23.7	354.9	.....	11
21.3	1.9	118.1	112.3	13.6	83.2	3.9	54.2	15.5	17.4	7.7	139.4	1.9	11.6	54.2	56.1	13.6	174.2	.....	12
19.6	8.6	98.3	174.2	23.8	165.6	11.8	70.3	14.8	10.8	12.0	137.0	3.8	11.2	92.1	77.3	13.6	257.9	7.2	13
19.8	8.2	96.9	168.9	23.2	163.3	11.6	70.6	15.1	10.8	11.8	136.0	3.7	11.2	91.2	76.7	13.7	254.3	6.7	14
11.1	33.2	177.2	465.1	55.4	287.9	22.1	55.4	.....	11.1	22.1	188.3	11.1	11.1	144.0	110.7	11.1	454.0	33.2	15
15.6	7.8	58.5	101.4	50.7	85.8	11.7	136.5	7.8	3.9	.....	78.0	.....	15.6	120.9	39.0	15.6	163.8	.....	16
19.2	11.5	157.8	411.7	38.5	169.3	19.2	53.9	3.8	11.5	23.1	150.1	3.8	11.5	77.0	84.7	19.2	327.3	11.5	17
27.7	9.2	129.1	119.8	101.4	129.1	9.2	110.6	.....	36.9	.....	129.1	.....	.....	64.5	73.7	.....	212.0	9.2	18
27.6	5.5	154.6	149.1	22.1	209.8	.....	71.8	5.5	5.5	11.0	110.4	5.5	11.0	71.8	55.2	11.0	187.7	5.5	19
19.9	3.3	129.5	252.4	3.3	129.5	13.3	33.2	6.6	10.0	16.6	112.9	3.3	3.3	63.1	66.4	13.3	212.6	.....	20
28.6	6.7	94.3	178.4	16.8	144.8	10.1	74.1	11.8	13.5	10.1	178.4	6.7	10.1	117.8	75.7	28.6	217.1	5.0	21
18.8	10.6	95.3	167.5	19.6	174.1	13.3	58.0	22.0	11.8	13.3	142.4	2.4	12.6	85.9	91.4	11.8	245.1	9.0	22
20.0	10.0	113.5	156.8	20.0	143.5	10.0	76.7	3.3	3.3	10.0	110.1	6.7	13.3	63.4	73.4	.....	226.9	10.0	23
9.0	2.3	47.3	92.4	31.6	218.7	6.8	117.2	9.0	6.8	9.0	124.0	9.0	9.0	139.8	36.1	13.5	198.4	4.5	24
11.1	2.2	150.5	175.0	12.6	151.2	11.9	123.1	21.5	17.1	8.2	292.1	11.9	25.9	192.0	109.0	6.7	639.8	23.7	25
14.9	2.7	114.9	127.0	9.5	83.8	9.5	73.0	25.7	14.9	8.1	181.1	1.4	21.6	136.5	79.7	9.5	460.8	8.1	26
6.6	1.6	193.8	233.2	16.4	233.2	14.8	183.9	16.4	19.7	8.2	427.0	24.6	31.2	259.5	144.5	3.3	857.3	42.7	27
13.2	3.3	156.4	214.0	18.1	159.7	6.6	144.9	13.2	18.1	8.2	390.2	8.2	24.7	220.6	79.0	3.3	518.7	16.5	28
13.3	3.3	86.7	143.4	10.0	60.0	6.7	63.4	20.0	20.0	6.7	213.5	.....	13.3	123.4	50.0	6.7	310.2	.....	29
13.0	3.3	224.4	282.9	26.0	256.9	6.5	224.4	6.5	16.3	9.8	562.5	16.3	35.8	315.4	107.3	.....	721.9	32.5	30
11.6	2.9	245.6	164.7	5.8	208.0	11.6	161.8	23.1	14.4	14.4	242.7	23.1	34.7	219.6	147.4	8.7	1,175.9	14.4	31
20.1	5.0	216.3	135.8	10.1	156.0	10.1	120.7	15.1	10.1	15.1	171.0	.....	35.2	206.3	90.6	10.1	895.5	10.1	32
.....	.....	285.1	203.6	.....	278.3	13.6	217.2	33.9	20.4	13.6	339.4	54.3	33.9	237.6	224.0	6.8	1,554.3	20.4	33
11.0	.....	66.0	159.5	16.5	137.5	5.5	66.0	33.0	22.0	5.5	231.0	16.5	22.0	115.5	148.5	5.5	423.5	38.5	34
17.7	.....	70.8	124.0	8.9	53.1	.....	44.3	44.3	26.6	8.9	212.5	8.9	8.9	115.1	124.0	.....	336.5	8.9	35
.....	.....	58.1	217.8	29.0	275.9	14.5	101.6	14.5	14.5	.....	261.4	29.0	43.6	116.2	188.8	14.5	566.3	87.1	36
4.7	.....	51.5	93.6	4.7	46.8	32.8	46.8	32.8	14.0	.....	145.1	.....	18.7	131.1	98.3	14.0	299.6	46.8	37
7.8	.....	62.3	77.8	7.8	54.5	23.3	46.7	38.9	.....	.....	93.4	.....	31.1	77.8	93.4	23.3	249.0	23.3	38
.....	.....	35.2	117.5	.....	35.2	47.0	47.0	23.5	35.2	.....	223.2	.....	.....	211.4	105.7	.....	375.9	82.2	39
11.0	11.8	60.0	106.6	22.3	114.0	17.3	192.9	29.9	18.6	15.2	116.9	13.4	17.8	91.4	137.3	25.7	383.1	14.4	40
11.1	12.3	62.9	102.0	22.2	108.8	14.5	215.2	32.4	20.7	15.1	108.2	13.6	16.3	96.8	126.4	28.7	371.1	12.3	41
10.5	8.7	43.7	132.8	22.7	143.3	33.2	66.4	15.7	7.0	15.7	166.0	12.2	26.2	61.2	199.2	8.7	450.9	26.2	42
7.2	7.2	61.3	43.3	10.8	111.9	10.8	65.0	28.9	10.8	10.8	122.7	14.4	14.4	68.6	180.4	21.7	285.1	79.4	43
.....	5.5	54.6	65.6	10.9	82.0	10.9	32.8	32.8	16.4	5.5	120.2	21.9	10.9	54.6	158.5	21.9	295.1	76.5	44
21.3	10.6	74.4	.....	10.6	170.0	10.6	127.5	21.3	.....	21.3	127.5	.....	21.3	95.6	223.2	21.3	265.7	85.0	45
9.6	12.0	49.8	86.7	8.8	61.0	14.5	39.3	37.7	19.3	8.8	85.9	16.9	17.7	65.0	120.5	27.3	295.5	4.8	46
9.9	11.9	52.7	77.6	8.0	56.7	9.0	39.8	43.8	23.9	7.0	83.6	16.9	15.9	69.6	107.4	31.8	261.6	.....	47
8.3	12.5	37.5	124.9	12.5	79.1	37.5	37.5	12.5	.....	16.7	95.8	16.7	25.0	45.8	174.9	8.3	437.3	25.0	48
11.0	18.8	84.8	147.6	51.8	281.0	22.0	494.5	20.4	17.3	37.7	114.6	18.8	20.4	130.3	208.8	34.5	546.3	11.0	49
11.3	19.4	87.3	147.0	51.7	274.7	22.6	509.0	19.4	17.8	35.5	108.3	19.4	19.4	132.5	198.7	35.5	549.4	11.3	50
.....	.....	.....	165.3	55.1	495.9	.....	.....	55.1	.....	110.2	330.6	.....	55.1	55.1	551.0	.....	440.8	.....	51
11.9	4.8	52.6	157.7	16.7	88.4	11.9	50.2	19.1	19.1	4.8	210.2	4.8	23.9	81.2	167.2	28.7	434.8	2.4	52
12.2	6.1	55.0	113.1	6.1	45.9	3.1	61.1	18.3	21.4	6.1	195.7	6.1	18.3	76.4	146.7	33.6	348.5	3.1	53
10.9	.....	43.7	316.8	54.6	240.4	43.7	10.9	21.9	10.9	.....	262.2	.....	43.7	98.3	240.4	10.9	742.9	.....	54
12.9	11.3	59.8	102.6	25.0	90.4	21.0	268.9	30.7	20.2	14.5	116.3	9.7	15.3	106.6	97.7	19.4	391.7	15.3	55
13.5	11.7	62.2	101.8	25.2	86.5	18.9	285.6	33.3	19.8	15.3	102.7	8.1	15.3	114.4	91.9	21.6	390.1	16.2	56
7.8	7.8	39.0	109.1	23.4	124.7	39.0	124.7	7.8	23.4	7.8	233.8	23.4	15.6	39.0	148.0	.....	405.2	7.8	57
18.8	10.1	55.8	103.5	11.4	115.6	9.4	19.5	26.9	8.1	8.7	93.4	3.4	14.1	75.9	80.6	19.5	201.6	49.7	58
18.5	9.6	56.8	103.4	11.0	114.4	8.2	19.2	27.4	8.2	8.9	93.8	2.7	13.7	77.4	79.4	19.2	202.0	50.0	59
36.1	36.1	.....	108.3	36.1	180.5	72.2	36.1	.....	.....	.....	72.2	36.1	36.1	.....	144.4	36.1	180.5	36.1	60
19.1	15.9	79.6	133.7	6.4	105.1	19.1	6.4	28.7	12.7	15.9	66.9	.....	19.1	70.1	89.2	25.5	181.5	3.2	61
18.7	8.5	49.4	95.4	12.8	118.4	6.8	23.0	26.4	6.8	6.8	100.5	4.3	12.8	77.5	78.4	17.9	207.0	62.2	62
28.8	8.2	94.6	181.0	35.0	135.8	12.3	55.5	24.7	20.6	4.1	127.5	.....	18.5	135.8	117.2	24.7	292.1	4.1	63
28.9	8.2	92.8	181.5	35.1	136.1	12.4	55.7	24.7	20.6	4.1	127.8	.....	18.6	136.1	117.5	24.7	292.8	4.1	64
.....	.....	833.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65
24.7	.....	57.5	82.2	16.4	57.5	.....	41.1	8.2	8.2	8.2	90.4	.....	16.4	74.0	131.5	49.3	197.2	.....	66
27.8	13.9	111.0	235.9	55.5	175.8	18.2	78.6	32.4	32.4	.....	148.0	.....	23.1	198.9	97.1	27.8	356.2	9.3	67
33.7	6.7	101.1	182.1	20.2	141.6	13.5	33.7	27.0	13.5	6.7	128.1	.....	13.5	94.4	134.9	.....	276.4	.....	68

For footnotes see pp. 106, 107.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See notes at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	VIRGINIA.															
1	Registration cities (total)	1,870.1	26.6	8.7	.....	21.6	1.7	23.5	5.2	30.5	2.8	170.9	11.1	17.6	5.2	74.9
2	White	1,458.8	21.9	2.3	.....	18.3	2.3	12.4	7.2	23.2	3.9	107.4	8.5	13.1	4.9	88.4
3	Colored	2,693.8	36.9	20.3	.....	28.1	0.7	45.8	1.3	45.1	0.7	298.1	16.3	26.8	5.9	47.7
4	Alexandria (total)	1,658.6	39.2	5.6	.....	.....	.....	.....	5.6	28.0	5.6	145.7	5.6	22.4	11.2	78.4
5	White	1,440.8	37.5	.....	.....	.....	.....	.....	7.5	30.0	7.5	127.6	7.5	15.0	.....	90.0
6	Colored	2,300.9	44.2	22.1	.....	.....	.....	.....	.....	22.1	.....	199.1	.....	44.2	44.2	44.2
7	Danville (total)	1,738.2	5.0	10.0	.....	40.0	.....	15.0	5.0	35.0	5.0	124.9	5.0	10.0	5.0	74.9
8	White	1,446.6	.....	14.0	.....	42.1	.....	14.0	7.0	21.1	7.0	119.4	7.0	.....	7.0	70.2
9	Colored	2,456.3	17.3	.....	.....	34.6	.....	17.3	.....	69.2	.....	138.4	.....	34.6	.....	86.5
10	Lynchburg (total)	1,654.5	33.4	3.0	.....	15.2	3.0	9.1	3.0	21.3	3.0	151.8	6.1	30.4	15.2	69.8
11	White	1,263.1	32.7	4.1	.....	16.4	4.1	8.2	4.1	20.4	4.1	102.2	4.1	24.5	20.4	57.2
12	Colored	2,784.3	35.4	.....	.....	11.8	.....	11.8	.....	23.6	.....	295.0	11.8	47.2	.....	106.2
13	Newport News (total)	1,891.8	29.2	9.7	.....	4.9	4.9	.....	4.9	53.5	.....	199.4	4.9	4.9	.....	53.5
14	White	1,289.7	15.4	.....	.....	7.7	7.7	.....	7.7	53.7	.....	76.8	.....	7.7	.....	69.1
15	Colored	2,932.6	53.1	26.5	.....	.....	.....	.....	.....	53.1	.....	411.4	13.3	.....	.....	26.5
16	Norfolk (total)	1,859.1	31.2	13.4	.....	12.3	.....	19.0	1.1	34.6	1.1	183.0	7.8	21.2	3.3	73.7
17	White	1,252.2	30.2	7.1	.....	16.0	.....	12.4	1.8	28.4	1.8	86.9	1.8	10.6	.....	94.0
18	Colored	2,889.0	33.1	24.1	.....	6.0	.....	30.1	.....	45.1	.....	346.1	18.1	39.1	9.0	39.1
19	Petersburg (total)	3,002.1	46.9	27.4	.....	101.6	7.8	101.6	7.8	70.4	.....	207.2	11.7	11.7	3.9	62.5
20	White	2,214.8	41.7	.....	.....	104.1	6.9	27.8	13.9	27.8	.....	180.5	6.9	6.9	.....	97.2
21	Colored	4,016.5	53.7	62.6	.....	98.4	8.9	196.8	.....	125.2	.....	241.5	17.9	17.9	8.9	17.9
22	Portsmouth (total)	1,349.3	25.2	35.3	.....	.....	.....	10.1	7.6	25.2	5.0	123.6	7.6	12.6	2.5	25.2
23	White	946.6	19.8	4.0	.....	.....	.....	11.9	7.9	15.8	7.9	83.2	11.9	15.8	4.0	27.7
24	Colored	2,055.1	34.7	90.3	.....	.....	.....	6.9	6.9	41.7	.....	194.4	.....	6.9	.....	20.8
25	Richmond (total)	1,973.4	23.6	0.6	.....	26.2	1.9	30.0	3.2	20.4	1.9	187.0	18.5	17.9	5.1	97.0
26	White	1,617.9	16.9	1.0	.....	15.9	3.0	13.9	5.0	10.9	2.0	116.2	15.9	12.9	5.0	119.2
27	Colored	2,612.6	35.7	.....	.....	44.6	.....	58.9	.....	37.5	1.8	314.3	23.2	26.8	5.4	57.1
28	Roanoke (total)	1,525.7	15.6	.....	.....	11.2	.....	17.8	17.8	31.2	2.2	124.9	8.9	20.1	6.7	62.5
29	White	1,331.9	16.9	.....	.....	11.2	.....	16.9	22.5	39.3	2.8	75.9	5.6	19.7	8.4	70.2
30	Colored	2,272.0	10.8	.....	.....	10.8	.....	21.6	.....	.....	.....	313.8	21.6	21.6	.....	32.5
31	Staunton* (total)	2,299.6	25.7	.....	.....	17.2	8.6	.....	8.6	42.9	25.7	240.3	.....	.....	.....	77.2
32	White	2,522.4	11.1	.....	.....	11.1	11.1	.....	.....	33.2	33.2	221.3	.....	.....	.....	77.4
33	Colored	1,529.6	76.5	.....	.....	38.2	.....	.....	38.2	76.5	.....	305.9	.....	.....	.....	76.5
	WASHINGTON.															
34	Registration cities (total)	721.2	4.0	.....	.....	5.2	0.3	4.8	2.3	12.5	1.7	50.0	7.4	11.0	2.7	73.5
35	White	709.5	3.8	.....	.....	5.4	0.3	4.5	2.2	12.2	1.5	45.7	7.0	10.7	2.6	73.6
36	Colored	1,181.7	10.8	.....	.....	.....	.....	16.2	5.4	21.6	10.8	215.8	21.6	21.6	5.4	70.1
37	Aberdeen	506.5	9.8	.....	.....	.....	.....	.....	.....	9.8	.....	54.1	.....	29.5	4.9	34.4
38	Bellingham	742.8	.....	.....	.....	.....	.....	.....	3.0	33.3	.....	45.5	6.1	12.1	6.1	57.6
39	Everett	766.5	5.6	.....	.....	2.8	2.8	.....	.....	8.5	.....	67.6	5.6	14.1	2.8	87.4
40	North Yakima	1,002.3	9.5	.....	.....	.....	.....	14.3	4.8	9.5	4.8	71.6	14.3	.....	.....	119.3
41	Seattle	700.4	3.2	.....	.....	3.4	.....	5.2	2.0	10.3	1.7	55.1	8.9	11.5	1.7	70.3
42	Spokane	699.2	2.0	.....	.....	10.6	0.7	3.3	0.7	12.0	1.3	40.6	6.7	8.0	2.7	74.5
43	Tacoma	795.4	6.2	.....	.....	8.9	.....	8.9	6.2	12.4	2.7	39.9	4.4	12.4	4.4	86.9
44	Walla Walla	656.4	11.9	.....	.....	.....	.....	.....	.....	27.8	4.0	39.8	8.0	4.0	4.0	47.7
	WEST VIRGINIA.[4]															
45	Wheeling (total)	1,805.1	27.7	.....	.....	23.1	4.6	13.8	13.8	23.1	.....	99.1	9.2	16.1	6.9	119.9
46	White	1,801.2	26.1	.....	.....	23.8	4.8	14.3	14.3	21.4	.....	92.7	9.5	14.3	7.1	123.6
47	Colored [7]	1,932.0	77.3	.....	.....	.....	.....	.....	.....	77.3	.....	309.1	.....	77.3	.....	.....
	WISCONSIN.															
48	Registration cities (total)	1,321.3	12.5	.....	.....	19.4	8.1	7.7	14.2	20.6	4.0	82.1	10.5	8.0	8.1	97.6
49	White	1,319.4	12.5	.....	.....	19.5	8.1	7.8	14.2	20.5	4.1	81.6	10.4	8.0	8.1	97.7
50	Colored	1,930.1	.....	.....	.....	.....	.....	.....	36.4	36.4	.....	254.9	36.4	.....	.....	72.8
51	Appleton	1,485.9	5.6	.....	.....	.....	5.6	.....	11.2	50.5	5.6	56.1	28.0	5.6	16.8	78.5
52	Ashland	[6] 1,949.3	25.9	.....	.....	.....	.....	17.3	8.6	17.3	25.9	155.3	.....	8.6	43.1	120.8
53	Beloit	1,056.9	.....	.....	.....	5.5	.....	5.5	5.5	33.2	11.1	55.3	5.5	5.5	5.5	77.5
54	Eau Claire	1,951.4	10.6	.....	.....	26.6	5.3	26.6	10.6	10.6	5.3	324.3	10.6	10.6	10.6	122.3
55	Fond du Lac	1,653.0	4.7	.....	.....	4.7	.....	14.2	.....	37.9	.....	94.7	.....	9.5	14.2	146.8
56	Green Bay	1,880.6	13.6	.....	.....	.....	3.4	3.4	10.2	30.7	6.8	61.3	34.1	20.4	3.4	136.3
57	Janesville	1,499.4	.....	.....	.....	.....	7.0	.....	.....	20.9	.....	83.7	7.0	.....	7.0	97.6
58	Kenosha	1,159.1	15.8	.....	.....	19.0	6.3	3.2	34.8	22.2	6.3	44.3	12.7	6.3	6.3	98.2
59	La Crosse	1,594.2	.....	.....	.....	12.6	.....	.....	37.9	28.4	3.2	123.1	12.6	12.6	12.6	154.7
60	Madison	1,417.0	.....	.....	.....	6.5	6.5	.....	.....	32.6	6.5	81.4	16.3	9.8	6.5	94.5
61	Manitowoc	1,376.3	7.2	.....	.....	14.5	.....	.....	.....	43.5	14.5	101.4	.....	14.5	.....	86.9
62	Marinette	[5] 1,040.4	6.8	.....	.....	20.5	.....	.....	13.7	13.7	.....	68.4	.....	13.7	.....	95.8
63	Milwaukee	1,271.1	15.3	.....	.....	27.7	11.0	8.7	17.9	15.8	3.0	78.8	11.2	6.0	8.5	92.8
64	Oshkosh	1,197.8	5.5	.....	.....	2.8	2.8	2.8	.....	13.9	2.8	52.7	8.3	16.6	2.8	102.6
65	Racine	1,247.7	17.2	.....	.....	12.9	21.5	10.8	12.9	8.6	4.3	64.5	6.5	4.3	6.5	101.1
66	Sheboygan	1,421.6	14.0	.....	.....	14.0	7.0	21.0	7.0	52.5	3.5	73.5	10.5	3.5	10.5	119.1
67	Superior	949.7	17.3	.....	.....	21.6	2.2	8.7	6.5	10.8	2.2	75.7	2.2	10.8	2.2	49.8
68	Wausau	1,070.7	5.2	.....	.....	10.4	.....	.....	.....	36.4	5.2	52.0	.....	15.6	5.2	67.6

[1] Exclusive of stillbirths.
[2] Includes District of Columbia.
[3] Less than one-tenth of 1 per 100,000 population.
[4] Nonregistration state; cities shown below only those with effective local ordinances.
[5] Rate based on population Apr. 15, 1910. Decrease since 1900.
[6] Rate based on population Apr. 15, 1910. Incorporated since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See notes at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
12.0	8.1	127.6	176.8	23.1	205.3	29.6	34.0	17.8	17.4	13.1	172.0	10.4	16.5	110.4	105.4	13.5	312.6	14.4	1
14.0	6.5	95.6	143.3	8.8	106.4	16.6	53.2	18.3	15.0	13.1	150.8	9.8	15.0	99.9	88.1	19.9	266.0	4.2	2
7.8	11.1	191.5	243.8	51.6	403.3	55.6	145.8	17.0	22.2	13.1	214.4	11.8	19.6	131.4	139.9	0.7	405.9	34.6	3
11.2	5.6	106.5	173.7	61.6	173.7	16.8	39.2	.....	11.2	5.6	224.1	5.6	11.2	78.4	61.6	16.8	291.4	16.8	4
7.5	.....	90.0	187.6	37.5	105.1	.....	22.5	.....	7.5	.....	195.1	7.5	15.0	97.6	60.0	22.5	255.1	7.5	5
22.1	22.1	154.9	132.7	132.7	376.1	66.4	88.5	.....	22.1	22.1	309.7	.....	.....	22.1	66.4	.....	398.2	44.2	6
15.0	10.0	124.9	184.8	45.0	179.8	30.0	94.9	15.0	10.0	.....	89.9	20.0	25.0	84.9	124.9	25.0	314.7	10.0	7
21.1	14.0	84.3	112.4	7.0	84.3	28.1	105.3	14.0	14.0	.....	70.2	21.1	21.1	91.3	133.4	35.1	273.9	7.0	8
.....	.....	224.9	363.3	138.4	415.2	34.6	69.2	17.3	.....	.....	138.4	17.3	34.6	69.2	103.8	.....	415.2	17.3	9
12.1	6.1	133.6	173.0	9.1	142.7	15.2	57.7	6.1	36.4	9.1	133.6	18.2	6.1	91.1	97.1	18.2	315.7	9.1	10
16.4	8.2	85.8	102.2	4.1	94.0	12.3	45.0	4.1	20.4	8.2	61.3	16.4	4.1	102.2	94.0	24.5	253.4	4.1	11
.....	.....	271.4	377.5	23.6	283.2	23.6	94.4	11.8	82.6	11.8	342.1	23.6	11.8	59.0	106.2	.....	495.5	23.6	12
29.2	4.9	126.4	194.5	24.3	223.7	38.9	87.5	9.7	.....	24.3	160.5	9.7	34.0	116.7	155.6	24.3	248.0	9.7	13
38.4	7.7	107.5	99.8	.....	69.1	15.4	23.0	.....	.....	23.0	130.5	.....	46.1	122.8	168.9	38.4	153.5	.....	14
13.3	.....	159.2	358.3	66.3	491.0	79.6	199.0	26.5	.....	26.5	212.3	26.5	13.3	106.2	132.7	.....	411.4	26.5	15
15.6	10.0	126.1	197.5	16.7	218.7	21.2	90.4	22.3	27.9	13.4	130.6	8.9	20.1	99.3	129.4	14.5	292.4	2.2	16
21.3	7.1	78.0	133.0	10.6	78.0	8.9	44.3	19.5	19.5	14.2	104.6	7.1	16.0	74.5	97.5	23.1	204.0	.....	17
6.0	15.0	207.6	307.0	27.1	457.4	42.1	168.5	27.1	42.1	12.0	174.5	12.0	27.1	141.4	183.6	.....	442.4	6.0	18
11.7	15.6	175.9	164.2	19.5	387.0	35.2	222.8	27.4	27.4	35.2	390.9	15.6	43.0	172.0	246.3	19.5	324.4	7.8	19
6.9	6.9	83.3	173.6	6.9	166.6	27.8	138.9	20.8	27.8	20.8	340.2	20.8	27.8	138.9	201.3	34.7	249.9	6.9	20
17.9	26.8	295.2	152.1	35.8	670.9	44.7	331.0	35.8	26.8	53.7	456.2	8.9	62.6	214.7	304.1	.....	420.4	8.9	21
5.0	.....	100.9	98.4	22.7	186.6	30.3	93.3	5.0	7.6	10.1	98.4	5.0	10.1	75.7	73.1	5.0	211.8	30.3	22
7.9	.....	79.2	87.1	15.8	75.3	11.9	43.6	7.9	4.0	11.9	95.1	4.0	7.9	63.4	43.6	7.9	162.4	7.9	23
.....	.....	138.9	118.0	34.7	381.9	62.5	180.5	.....	13.9	6.9	104.1	6.9	13.9	97.2	125.0	.....	298.5	69.4	24
12.1	7.7	144.2	189.5	29.4	194.0	41.5	72.8	18.5	14.0	14.7	204.9	8.9	11.5	122.5	88.7	8.3	338.9	17.9	25
12.9	5.0	119.2	175.8	7.9	110.2	23.8	53.6	20.9	16.9	17.9	196.6	8.9	11.9	110.2	75.5	12.9	297.9	2.0	26
10.7	12.5	189.3	214.3	67.9	344.7	73.2	107.1	14.3	8.9	8.9	219.7	8.9	10.7	144.6	112.5	.....	412.5	46.4	27
4.5	6.7	60.2	140.5	4.5	171.8	17.8	75.8	33.5	15.6	2.2	120.4	13.4	20.1	131.6	69.1	17.8	274.4	26.8	28
5.6	5.6	67.4	106.8	.....	115.2	14.0	59.0	39.3	14.0	2.8	118.0	11.2	19.7	126.4	61.8	19.7	241.6	14.0	29
.....	10.8	32.5	270.5	21.6	389.5	32.5	140.6	10.8	21.6	.....	129.8	21.6	21.6	151.5	97.4	10.8	400.3	75.7	30
.....	25.7	180.2	248.8	8.6	283.2	8.6	.....	17.2	.....	17.2	205.9	8.6	.....	68.6	51.5	17.2	712.2	.....	31
.....	33.2	154.9	254.5	11.1	320.8	11.1	.....	22.1	.....	22.1	243.4	11.1	.....	55.3	55.3	22.1	907.2	.....	32
.....	.....	267.7	229.4	.....	153.0	.....	.....	.....	.....	.....	76.5	.....	.....	114.7	38.2	.....	38.2	.....	33
11.4	2.8	42.6	79.0	4.7	45.7	6.2	8.3	12.5	9.1	6.8	54.5	5.2	6.6	38.6	52.1	14.2	143.8	1.9	34
11.7	2.5	42.4	78.8	4.7	44.6	6.2	8.1	12.5	8.4	6.7	54.1	5.1	6.2	37.2	51.1	14.6	143.5	1.5	35
.....	16.2	48.6	86.3	5.4	86.3	5.4	16.2	10.8	37.8	10.8	70.1	10.8	21.6	91.7	91.7	.....	156.5	16.2	36
4.9	9.8	14.8	34.4	.....	29.5	.....	19.7	24.6	4.9	.....	49.2	4.9	.....	14.8	54.1	9.8	88.5	.....	37
6.1	.....	30.3	91.0	15.2	60.6	9.1	15.2	9.1	15.2	9.1	36.4	6.1	12.1	42.4	45.5	9.1	163.7	3.0	38
14.1	2.8	56.4	67.6	5.6	50.7	.....	8.5	14.1	8.5	2.8	50.7	8.5	2.8	42.3	84.5	19.7	126.8	2.8	39
19.1	.....	57.3	90.7	19.1	43.0	.....	23.9	33.4	9.5	9.5	90.7	19.1	.....	47.7	81.1	9.5	195.7	4.8	40
14.1	4.0	40.4	85.8	2.3	40.2	7.2	5.2	9.8	8.0	6.9	45.0	2.9	5.4	36.7	51.9	15.2	144.8	1.4	41
8.6	2.0	45.9	69.2	7.3	49.9	7.3	10.0	12.6	8.6	5.3	65.2	6.0	9.3	35.3	41.9	11.3	149.4	.....	42
8.0	.....	45.2	78.0	4.4	54.1	6.2	7.1	16.8	9.8	11.5	76.3	8.0	8.9	39.0	59.4	16.0	149.0	4.4	43
8.0	4.0	47.7	75.6	.....	47.7	.....	15.9	4.0	19.9	.....	27.8	4.0	4.0	83.5	19.9	15.9	127.3	4.0	44
16.1	13.8	50.7	219.0	20.7	235.1	32.3	73.8	18.4	27.7	25.4	106.0	13.8	11.5	87.6	147.5	18.4	325.1	4.6	45
16.6	14.3	49.9	199.6	21.4	237.6	33.3	76.0	16.6	28.5	26.1	106.9	14.3	11.9	90.3	152.1	19.0	330.3	4.8	46
.....	.....	77.3	850.1	.....	154.6	.....	.....	77.3	.....	.....	77.3	.....	.....	.....	.....	.....	154.6	.....	47
19.3	8.6	71.5	112.0	23.7	138.4	10.8	59.3	24.4	11.2	15.0	80.4	7.4	8.9	93.7	79.7	15.6	246.8	1.7	48
19.3	8.5	71.6	112.2	23.8	137.8	10.8	59.5	24.5	11.3	15.0	79.8	7.4	8.9	94.0	79.2	15.7	246.0	1.7	49
36.4	36.4	36.4	36.4	.....	327.7	.....	.....	.....	.....	36.4	254.9	.....	.....	.....	218.5	.....	509.8	.....	50
11.2	.....	123.4	173.8	22.4	112.1	11.2	44.9	22.4	22.4	22.4	89.7	11.2	16.8	123.4	100.9	.....	302.8	11.2	51
51.8	34.5	103.5	112.1	.....	284.6	17.3	17.3	51.8	17.3	8.6	163.9	25.9	17.3	69.0	172.5	34.5	345.0	.....	52
16.6	11.1	60.9	77.5	22.1	83.0	16.6	27.7	27.7	27.7	5.5	94.1	16.6	5.5	83.0	49.8	11.1	210.3	.....	53
26.6	16.0	143.6	164.8	21.3	164.8	10.6	21.3	106.3	26.6	10.6	85.1	16.0	5.3	90.4	95.7	5.3	361.6	5.3	54
23.7	9.5	118.4	175.2	9.5	94.7	18.9	56.8	47.4	18.9	14.2	146.8	9.5	18.9	127.9	61.6	14.2	360.0	.....	55
40.9	6.8	81.8	122.6	30.7	173.7	23.8	122.6	92.0	13.6	6.8	112.4	17.0	23.8	177.2	98.8	17.0	395.2	.....	56
13.9	7.0	104.6	195.3	7.0	195.3	7.0	7.0	48.8	.....	34.9	97.6	7.0	7.0	104.6	111.6	34.9	292.9	.....	57
9.5	6.3	34.8	88.7	.....	114.0	3.2	79.2	12.7	15.8	15.8	72.8	6.3	12.7	85.5	88.7	19.0	212.2	6.3	58
25.3	.....	94.7	157.8	12.6	132.6	3.2	18.9	53.7	22.1	22.1	82.1	6.3	6.3	63.1	85.2	12.6	391.5	6.3	59
16.3	3.3	97.7	81.4	13.0	172.6	9.8	42.3	32.6	16.3	16.3	78.2	.....	13.0	110.8	120.5	16.3	316.0	.....	60
14.5	7.2	108.7	159.4	36.2	86.9	14.5	43.5	14.5	21.7	21.7	72.4	7.2	7.2	65.2	86.9	.....	326.0	.....	61
47.9	.....	27.4	123.2	20.5	75.3	.....	34.2	.....	6.8	6.8	27.4	6.8	20.5	150.6	47.9	6.8	198.5	6.8	62
16.5	9.6	61.4	102.9	30.0	154.2	10.5	72.8	13.7	7.3	15.6	79.9	6.0	6.6	92.1	71.7	15.8	207.1	0.7	63
33.3	2.8	80.4	166.4	19.4	99.8	16.6	11.1	27.7	11.1	8.3	58.2	11.1	11.1	86.0	49.9	13.9	271.7	5.5	64
21.5	6.5	75.3	77.4	19.4	133.4	12.9	64.5	19.4	8.6	8.6	75.3	2.2	6.5	73.1	88.2	32.3	249.5	2.2	65
21.0	17.5	94.5	112.0	42.0	91.0	17.5	84.0	14.0	3.5	21.0	70.0	14.0	7.0	91.0	91.0	7.0	287.1	.....	66
8.7	6.5	43.3	86.5	6.5	75.7	2.2	19.5	17.3	10.8	15.1	51.9	6.5	2.2	75.7	106.0	15.1	188.2	2.2	67
15.6	10.4	67.6	93.6	15.6	67.6	5.2	26.0	41.6	31.2	15.6	67.6	5.2	26.0	72.8	41.6	5.2	265.1	.....	68

[7] Colored population less than 10 per cent of the total in 1910.
[8] Rate based on population estimated on Federal census 1910 and state census 1915.
[9] Rate based on population estimated upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.
[10] Rate based on population Apr. 15, 1910, plus 200 annexed in 1911.
[11] Includes state institutions.
[12] Includes West Warwick town; separate estimated populations not available.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes[1]	1,353.6	1,355.9	1,176.2	943.6	1,668.8	1,532.0	1,504.5	1,282.3	1,321.3	1,034.0
	I.—General diseases	399.1	372.5	396.8	265.5	403.1	394.3	402.6	363.7	327.1	248.7
1	Typhoid fever	5.4	9.5	8.0	14.7	8.8	4.4	26.9	18.7	18.4	13.2
2	Typhus fever	0.1			0.7						
3	Relapsing fever										
4	Malaria	0.7	2.3	0.6	0.5	0.7	0.5	1.5	1.3	1.4	2.1
5	Smallpox	0.1	0.9		0.3				0.1		0.2
6	Measles	2.0	2.7	1.4	5.3	13.6	8.6	8.0	6.9	5.2	9.4
7	Scarlet fever	1.3	1.7	1.4	5.3	3.0	1.8	3.6	3.7	5.8	2.8
8	Whooping cough	5.9	8.9	2.2	6.2	12.7	12.2	8.6	9.6	7.4	4.4
9	Diphtheria and croup	12.0	7.1	2.5	5.3	17.0	11.7	16.3	12.6	13.7	9.8
10	Influenza	9.7	19.5	10.5	14.7	34.5	48.1	20.4	41.4	37.6	39.7
11	Miliary fever										
12	Asiatic cholera										
13	Cholera nostras	0.1	0.1	0.3	0.7	0.2	0.3	0.1	0.3	0.5	0.5
14	Dysentery	0.9	3.1	2.2	4.2	2.2	2.3	4.5	6.2	3.8	6.5
15	Plague										
16	Yellow fever										
17	Leprosy										
18	Erysipelas	2.5	1.6	3.9	3.8	6.5	4.7	2.5	3.1	4.1	2.9
19	Other epidemic diseases	0.2	0.3		0.3	0.2	0.8	0.1	0.3	0.3	0.2
20	Purulent infection and septicemia	1.7	2.6	4.1	0.7	3.8	1.8	2.2	2.2	3.8	2.3
21	Glanders										
22	Anthrax					0.1					
23	Rabies		0.1	0.3						0.3	
24	Tetanus	1.9	1.7	1.1	0.5	2.2	1.6	2.4	1.7	1.9	1.9
25	Mycoses		0.1					0.1			
26	Pellagra	0.8	0.9	0.6	0.2	0.1		0.1	0.2	0.8	0.5
27	Beriberi	0.1	0.1								
	Tuberculosis (total)	179.5	183.1	224.8	126.0	143.1	156.3	153.1	127.4	85.4	46.7
28	Tuberculosis of the lungs	153.1	159.8	204.9	115.5	113.3	135.3	120.1	107.3	69.8	39.5
29	Acute miliary tuberculosis	4.4	4.0	3.6	2.2	5.5	4.7	6.7	2.5	6.0	0.9
30	Tuberculous meningitis	12.0	8.4	7.2	3.0	14.3	7.8	8.5	5.9	1.9	1.5
31	Abdominal tuberculosis	5.3	6.4	3.6	2.7	4.7	4.2	10.6	6.9	2.3	2.4
32	Pott's disease	1.2	1.3	1.1	0.8	1.0	1.0	1.6	1.3	0.5	0.4
33	White swellings	0.6	0.5	1.4	0.3	1.3	0.5	1.1	0.4	0.3	
34	Tuberculosis of other organs	2.3	1.8	1.4	0.7	2.1	0.8	2.7	1.9	1.1	1.3
35	Disseminated tuberculosis	0.6	1.0	1.7	0.8	1.0	2.1	1.8	1.1	2.5	0.8
36	Rickets	0.4	0.2	0.6		0.3	0.8	1.1	0.4	0.3	0.5
37	Syphilis	12.9	7.6	12.2	5.0	7.2	3.9	13.7	6.7	5.2	3.3
38	Gonococcus infection	0.9	0.6	1.1		0.3	0.5	1.1	0.3	1.4	0.5
	Cancer and other malignant tumors (total)	113.6	80.4	82.6	46.0	95.8	88.4	91.3	82.1	86.2	64.6
39	Of the buccal cavity	4.4	3.1	2.8	1.0	3.7	2.3	2.4	3.0	3.8	2.5
40	Of the stomach, liver	44.0	32.0	31.2	21.7	36.5	31.0	35.0	35.9	30.2	28.3
41	Of the peritoneum, intestines, rectum	16.0	10.9	10.8	3.5	13.4	16.6	11.3	8.7	12.9	6.6
42	Of the female genital organs	16 9	9.9	12.2	8.3	14.1	12.5	17.3	10.7	13.7	7.0
43	Of the breast	10.6	7.4	9.7	3.0	11.5	9.9	9.0	6.5	6.0	3.7
44	Of the skin	2.1	2.9	1.7	1.8	2.7	3.9	2.9	5.7	4.4	3.8
45	Of other organs or of organs not specified	19.5	14.3	14.4	6.7	14.0	12.2	13.5	11.6	15.1	12.8
46	Other tumors (tumors of the female genital organs excepted)	0.2	0.4	1.1	1.3	0.2	1.0	0.4	0.3	2.2	0.8
47	Acute articular rheumatism	3.0	2.9	2.5	4.0	5.0	3.1	6.2	4.0	2.2	3.9
48	Chronic rheumatism and gout	1.1	1.7	1.7	1.5	1.0	1.0	1.2	1.4	1.4	1.9
49	Scurvy	0.1			0.2	0.1	0.3	0.1			0.1
50	Diabetes	22.1	14.3	14.1	8.2	22.6	23.1	16.7	17.5	17.6	16.7
51	Exophthalmic goiter	1.4	1.4	2.2	1.3	1.0	1.6	2.0	2.6	1.4	1.3
52	Addison's disease	0.5	0.3	1.1	0.2	0.5	0.5	0.2	0.4	0.3	0.6
53	Leukemia	3.0	2.0	2.2	1.5	2.7	0.5	2.1	1.9	1.9	1.8
54	Anemia, chlorosis	7.7	3.9	7.7	2.8	5.5	5.5	6.0	5.0	9.9	5.1
55	Other general diseases	1.1	1.5	0.3	1.2	2.0	1.8	2.1	0.7	2.7	2.3
56	Alcoholism (acute or chronic)	5.7	8.4	3.3	2.5	9.3	6.5	6.8	4.2	3.6	1.7
57	Chronic lead poisoning	0.4	0.2	0.3	0.3	0.1	0.3	0.5	0.1		0.1
58	Other chronic occupation poisonings					0.1					
59	Other chronic poisonings	0.2	0.4	0.3	0.2	0.3	0.3	0.4	0.4	0.3	0.3
	II.—Diseases of the nervous system and of the organs of special sense.	121.8	135.1	91.7	83.3	167.1	200.3	130.7	149.2	131.6	121.3
60	Encephalitis	0.9	0.7	0.6	0.7		0.5	1.2	0.8	1.6	0.9
61	Meningitis (total)	5.7	5.4	6.4	7.7	15.5	8.3	6.2	5.1	9.9	4.6
	Simple meningitis	2.9	2.1	3.9	3.7	7.8	4.7	2.7	2.0	5.2	2.7
	Cerebrospinal meningitis (undefined)	0.8	1.4	0.8	1.3	2.3	1.8	1.3	1.3	1.9	0.8
	Cerebrospinal fever	2.1	1.8	1.7	2.7	5.3	1.8	2.2	1.8	2.7	1.2

[1] Exclusive of stillbirths.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Int. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			
1,599.2	1,188.7	1,397.5	1,115.1	2,622.7	1,929.0	1,806.3	1,501.8	1,791.3	1,523.8	1,582.3	1,351.4	3,056.6	2,236.5	1,506.9	1,546.3	
468.1	418.3	397.4	384.6	826.7	757.1	441.2	362.3	475.3	404.6	404.8	351.6	901.7	623.6	389.1	413.5	
17.9	33.9	15.4	31.8	30.7	54.6	12.3	10.8	19.6	19.3	19.6	13.3	19.5	44.1	5.1	3.1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
4.4	6.9	1.7	6.2	18.2	13.6	.....	0.2	0.3	2.1	0.2	1.2	1.1	5.8	0.2	0.1	4
.....	0.2	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
8.0	7.9	8.5	8.4	5.6	3.4	2.2	1.9	6.6	9.2	6.8	9.3	5.4	8.7	13.8	8.8	6
0.7	2.7	0.8	2.9	.....	1.1	.....	0.7	5.2	2.5	6.1	2.4	.....	2.9	3.9	2.0	7
10.3	14.0	8.0	12.9	22.3	25.0	25.7	13.3	10.7	14.5	8.2	7.2	25.9	44.8	10.2	12.8	8
8.0	19.2	8.5	19.6	5.6	15.3	8.9	7.1	11.0	13.8	11.8	15.7	6.5	5.8	18.7	9.7	9
38.6	42.1	33.3	41.4	65.6	48.3	29.0	55.0	21.1	30.0	20.0	26.1	28.1	46.2	15.8	27.2	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.2	1.3	0.3	1.4	.....	0.6	0.5	1.2	.....	1.1	.....	1.2	.....	0.7	0.1	0.5	13
7.8	13.7	7.7	13.9	8.4	11.9	1.1	1.7	2.0	5.9	1.6	5.9	4.3	5.8	1.9	2.1	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.5	17
3.7	2.3	3.9	3.0	2.8	1.1	3.9	2.4	3.4	2.1	3.2	2.4	4.3	0.7	5.8	3.1	18
0.5	0.2	0.6	0.2	.....	.....	.....	0.2	0.2	0.3	0.2	0.2	.....	0.7	0.4	0.2	19
3.7	2.8	3.9	2.1	2.8	4.5	11.2	0.8	2.1	2.0	2.3	1.9	1.1	2.2	2.3	1.7	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	22
0.2	0.1	0.3	0.1	.....	.....	.....	.....	.....	0.3	.....	0.3	.....	.....	.....	.....	23
3.4	1.9	2.2	1.5	9.8	5.1	2.8	0.3	1.7	2.1	1.6	1.2	2.2	5.8	1.0	0.4	24
.....	.....	.....	.....	.....	.....	.....	0.2	0.2	.....	0.2	.....	.....	.....	.....	.....	25
1.8	6.0	1.9	6.2	1.4	4.0	2.8	1.7	0.3	0.1	0.2	0.2	1.1	.....	0.8	2.1	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	27
207.8	191.4	156.3	164.6	469.2	460.9	147.3	106.7	215.0	186.3	157.9	145.1	561.2	356.2	142.8	164.5	
177.7	164.2	131.3	140.4	413.4	404.1	109.3	87.7	181.5	164.0	135.7	129.6	458.4	306.4	112.8	141.7	28
5.3	3.5	3.3	2.5	15.4	13.6	6.7	2.2	10.4	7.0	6.1	4.9	26.8	15.9	4.4	5.2	29
12.0	8.9	10.7	8.2	18.2	15.9	10.0	6.7	10.4	4.1	7.7	2.6	27.0	10.1	14.5	6.0	30
7.8	8.7	6.6	7.9	14.0	16.5	9.5	4.7	7.4	5.3	4.5	2.6	24.9	16.6	5.9	5.0	31
0.7	1.1	0.6	1.0	1.4	1.7	3.3	1.3	1.7	2.1	1.4	2.3	3.2	1.4	1.3	2.9	32
0.9	0.7	1.1	0.6	.....	1.7	.....	0.7	0.6	0.4	0.5	0.5	1.1	.....	0.9	0.5	33
2.5	2.9	1.9	2.7	5.6	5.1	3.9	1.7	1.7	2.1	1.3	1.7	4.3	3.6	2.0	1.9	34
0.9	1.3	0.8	1.2	1.4	2.3	4.5	1.7	1.4	1.1	0.7	0.9	5.4	2.2	1.1	1.5	35
0.7	0.6	0.6	0.5	1.4	1.1	.....	0.3	1.1	1.0	0.7	0.3	3.2	3.6	1.2	0.6	36
14.9	5.6	9.9	3.1	40.5	30.7	11.7	3.0	24.8	7.9	13.0	3.0	96.2	28.2	6.9	6.5	37
2.3	0.4	0.8	0.2	9.8	2.3	2.8	0.5	1.5	0.3	0.5	0.2	7.6	0.7	0.4	0.1	38
85.5	43.3	88.1	43.5	72.6	41.5	120.5	110.9	105.4	71.4	107.7	79.7	91.9	36.9	106.3	119.7	
2.5	1.5	2.5	1.6	2.8	0.6	2.2	4.7	4.9	3.2	5.2	3.3	3.2	2.9	3.4	4.7	39
29.7	14.9	30.0	15.1	27.9	12.5	43.0	40.0	37.1	29.3	33.9	33.0	25.9	13.7	36.1	40.7	40
9.7	4.4	9.9	4.2	8.4	5.7	22.9	20.2	10.1	6.6	10.5	7.9	7.6	1.4	18.2	18.2	41
18.6	7.5	18.4	7.2	19.6	10.2	19.5	14.8	18.2	9.9	17.0	9.8	25.9	10.1	16.4	16.9	42
8.5	4.7	9.1	4.6	5.6	5.7	12.3	10.6	12.9	8.9	12.5	10.1	15.1	3.6	11.5	14.8	43
1.6	2.8	1.9	3.1	.....	.....	2.8	4.4	2.8	3.2	3.2	4.0	.....	.....	2.1	4.3	44
14.9	7.6	16.2	7.7	8.4	6.8	17.9	16.2	19.5	10.3	20.4	11.5	14.1	5.1	18.5	20.1	45
1.1	0.4	0.8	0.4	2.8	0.6	1.1	1.0	0.8	0.4	0.9	0.5	.....	.....	0.5	0.2	46
7.4	4.1	5.5	3.6	16.8	9.1	3.9	3.0	4.1	4.2	3.2	3.3	9.7	7.9	3.2	4.3	47
1.4	1.5	1.4	1.6	1.4	.....	0.6	2.2	0.6	1.3	0.7	1.6	.....	.....	1.1	0.7	48
.....	.....	.....	.....	.....	.....	.....	0.2	0.2	0.1	0.2	0.2	.....	.....	0.1	0.1	49
19.1	7.5	19.5	7.3	16.8	9.1	25.1	18.0	19.8	12.8	20.9	14.0	13.0	7.9	22.3	25.8	50
1.8	0.4	1.9	0.3	1.4	1.1	0.6	0.5	1.2	0.6	1.3	0.7	1.1	.....	0.8	0.5	51
0.2	0.1	0.3	0.1	.....	.....	1.1	0.5	0.2	0.7	0.2	0.7	.....	0.7	0.5	0.4	52
1.1	1.2	1.4	1.2	.....	0.6	2.8	2.5	3.7	1.8	4.3	1.9	.....	1.4	2.3	1.2	53
7.1	2.1	6.1	2.0	12.6	2.8	10.6	7.1	4.1	3.7	3.9	3.8	5.4	2.9	6.8	6.9	54
2.1	1.6	2.2	1.6	1.4	1.7	4.5	2.2	1.2	1.1	0.9	1.2	3.2	0.7	3.7	2.1	55
6.0	2.3	5.8	1.9	7.0	6.3	7.8	4.2	6.0	5.2	5.4	5.9	9.7	2.2	9.1	4.5	56
.....	0.2	.....	0.2	.....	.....	0.6	1.3	0.6	0.4	0.7	0.5	.....	.....	0.4	0.9	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	58
.....	0.5	.....	0.5	.....	0.6	.....	0.5	0.5	0.1	0.5	0.2	.....	.....	0.3	.....	59
152.7	99.2	144.8	92.9	192.7	162.6	194.7	185.1	165.5	171.0	153.9	166.5	235.7	190.0	147.3	204.8	
1.8	1.3	1.7	1.3	2.8	1.1	1.1	0.3	1.2	0.1	1.3	0.2	1.1	.....	0.7	0.7	60
7.6	13.2	7.4	13.3	8.4	11.4	10.6	7.8	7.5	6.2	7.3	5.2	8.6	10.1	8.6	6.0	61
4.4	6.0	4.4	5.9	4.2	7.4	8.4	4.4	3.5	3.8	3.4	3.0	4.3	7.2	4.9	3.5	
1.4	3.0	1.4	3.0	1.4	2.8	0.6	1.3	1.4	1.5	1.1	1.4	3.2	2.2	1.0	1.0	
1.8	4.2	1.7	4.5	2.8	1.1	1.7	2.0	2.6	0.8	2.9	0.9	1.1	0.7	2.7	1.5	

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Con.										
62	Locomotor ataxia	4.2	3.1	3.0	1.3	1.9	3.9	2.3	2.5	3.6	1.8
63	Other diseases of the spinal cord (total)	7.2	7.7	3.3	2.0	23.1	25.0	6.6	9.5	7.1	9.6
	Acute anterior poliomyelitis	0.8	1.1	1.1	.....	19.3	19.0	1.6	2.1	0.8	1.5
	Other diseases of the spinal cord [1]	6.4	6.6	2.2	2.0	3.8	6.0	5.1	7.4	6.3	8.1
64	Cerebral hemorrhage, apoplexy	81.8	78.8	58.8	46.0	100.6	130.6	87.8	101.6	81.3	70.3
65	Softening of the brain	1.1	1.6	0.6	0.2	0.6	2.6	1.1	2.6	1.4	2.0
66	Paralysis without specified cause	5.0	6.4	3.0	6.3	2.7	4.2	2.7	4.8	8.2	11.9
67	General paralysis of the insane	4.4	19.2	6.6	6.3	6.2	9.4	9.5	8.2	3.8	5.5
68	Other forms of mental alienation	1.3	2.3	0.8	2.0	1.6	1.3	1.9	3.1	2.2	2.9
69	Epilepsy	2.5	4.6	1.9	5.7	4.1	6.5	5.1	5.2	4.1	4.1
70	Convulsions (nonpuerperal)	0.2	.....	.....	0.5	0.5	0.5	.....	.....	.....	0.3
71	Convulsions of infants	0.8	1.0	1.1	1.0	4.3	2.9	1.3	0.5	1.9	2.3
72	Chorea	0.2	0.1	.....	0.2	0.1	0.3	0.3	0.3	.....	0.3
73	Neuralgia and neuritis	0.4	0.5	.....	0.5	0.5	0.3	0.3	0.9	.....	1.0
74	Other diseases of the nervous system	4.1	2.6	3.6	2.2	4.0	3.4	1.4	2.0	4.1	2.9
75	Diseases of the eyes and their annexa	0.1	.....	.....	.....	.....	.....	0.3	0.1	0.3	.....
76	Diseases of the ears	1.9	1.0	1.9	0.8	1.6	0.8	2.7	2.0	1.9	1.2
	III.—Diseases of the circulatory system	252.9	228.6	146.6	96.7	227.3	274.7	207.4	200.5	187.0	138.8
77	Pericarditis	1.6	1.3	1.1	1.0	0.9	1.3	1.3	1.1	1.6	0.8
78	Acute endocarditis	11.0	8.0	12.7	4.7	20.0	6.2	9.6	3.5	13.2	4.0
79	Organic diseases of the heart	197.0	176.6	98.0	69.0	160.3	208.6	157.6	150.0	132.7	104.7
80	Angina pectoris	10.5	8.4	6.6	4.7	10.2	14.3	7.2	12.4	8.5	6.8
81	Diseases of the arteries, atheroma, aneurism, etc.	25.6	27.7	18.2	12.8	27.0	36.9	27.4	28.4	21.1	17.4
82	Embolism and thrombosis	5.5	5.1	8.6	3.7	5.9	5.5	2.7	3.5	7.1	2.7
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	0.8	0.6	0.8	0.2	1.4	0.8	0.7	0.8	0.8	0.7
84	Diseases of the lymphatic system (lymphangitis, etc.).	0.6	0.5	0.3	0.5	1.2	0.5	0.6	0.5	0.5	0.5
85	Hemorrhage; other diseases of the circulatory system.	0.2	0.6	0.3	0.2	0.3	0.5	0.3	0.4	1.4	1.1
	IV.—Diseases of the respiratory system	119.7	133.0	142.2	110.2	254.5	179.5	159.9	124.7	131.6	98.2
86	Diseases of the nasal fossae	.....	0.2	.....	.....	.....	.....	0.1	0.1	0.3	0.3
87	Diseases of the larynx	0.8	0.6	0.8	1.2	1.2	1.6	1.1	1.5	1.4	1.2
88	Diseases of the thyroid body	0.5	0.8	1.1	0.3	0.5	.....	1.3	1.1	1.1	0.3
89	Acute bronchitis	4.2	5.4	3.9	6.8	12.8	11.4	6.3	5.4	4.1	4.1
90	Chronic bronchitis	6.7	5.9	3.3	3.5	7.4	8.6	7.8	7.4	8.0	6.8
91	Bronchopneumonia	37.8	37.5	34.5	25.5	65.6	55.7	51.1	36.0	34.6	21.8
92	Pneumonia (total)	60.1	72.4	86.7	61.3	153.5	94.7	84.9	67.3	69.2	55.6
	Lobar pneumonia	54.8	1.7	76.2	54.5	134.8	73.1	79.3	58.0	51.1	39.0
	Pneumonia (undefined)	5.3	10.8	10.5	6.8	18.7	21.6	5.6	9.3	18.1	16.6
93	Pleurisy	4.7	3.1	3.0	1.3	6.3	2.6	2.6	1.9	5.2	1.9
94	Pulmonary congestion, pulmonary apoplexy	1.4	1.4	2.2	1.0	3.4	2.6	0.7	0.5	1.1	1.4
95	Gangrene of the lung	0.4	0.4	.....	.....	0.5	0.3	0.1	0.2	1.1	0.2
96	Asthma	2.1	2.6	3.3	2.5	2.4	1.3	3.2	2.3	3.8	3.1
97	Pulmonary emphysema	0.1	0.2	.....	0.2	0.3	.....	0.1	0.4	0.5	0.1
98	Other diseases of the respiratory system (tuberculosis excepted).	1.0	2.3	3.3	6.5	0.7	0.8	0.6	0.6	1.1	1.3
	V.—Diseases of the digestive system	109.9	111.4	111.6	109.3	182.7	124.9	209.9	128.0	164.8	111.5
99	Diseases of the mouth and annexa	0.9	0.6	1.1	0.2	0.6	0.3	0.9	0.7	1 1	0.9
100	Diseases of the pharynx	2.5	2.7	3.0	2.0	3.5	3.6	2.8	2.5	2.2	2.7
101	Diseases of the esophagus	0.1	0.3	0.3	.....	0.2	0.5	0.8	0.1	.....	0.2
102	Ulcer of the stomach	6.7	5.5	5.8	3.8	7.4	3.9	4.7	3.4	6.0	3.7
103	Other diseases of the stomach (cancer excepted).	5.4	9.0	3.9	4.5	8.0	13.5	11.6	14.3	12.6	10.8
104	Diarrhea and enteritis (under 2 years)	24.0	35.1	21.0	50.7	94.5	66.1	93.3	46.9	49.7	33.7
105	Diarrhea and enteritis (2 years and over)	9.7	11.3	9.1	10.8	14.8	10.4	16.7	17.1	19.0	16.9
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	0.2	.....	.....	.....	.....	.....	.....	0.2	0.3	.....
108	Appendicitis and typhlitis	17.3	9.2	27.3	16.8	13.4	4.9	22.8	7.3	19.5	9.2
109	Hernia, intestinal obstruction (total)	13.5	10.7	12.7	8.0	12.8	6.5	15.3	9.9	13.7	10.2
	Hernia	4.3	3.3	2.5	1.5	5.5	2.3	4.5	2.6	3.3	2.2
	Intestinal obstruction	9.1	7.4	10.2	6.5	7.3	4.2	10.7	7.2	10.4	8.0
110	Other diseases of the intestines	2.2	2.0	2.5	1.2	2.3	0.8	4.5	2.2	4.1	2.9
111	Acute yellow atrophy of the liver	0.4	0.3	.....	0.2	0.5	0.8	0.4	0.3	0.5	0.3
112	Hydatid tumor of the liver	0.1	.....	.....	.....	.....	.....	.....	0.1	0.3	0.1
113	Cirrhosis of the liver	16.9	14.7	9.7	4.7	13.8	8.1	17.9	11.6	13.2	7.2
114	Biliary calculi	3.0	2.6	6.6	2.5	3.4	1.6	6.1	3.3	5.5	4.1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.															Detailed Int. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.				Total.		White.		Colored.				
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
2.8	1.7	2.8	1.8	2.8	1.1	2.2	5.1	2.0	1.1	2.3	0.9	.....	2.2	2.3	3.3	62
5.1	6.3	4.4	6.2	8.4	8.0	9.5	11.1	14.6	11.7	12.9	12.1	24.9	10.1	19.5	18.2	63
0.5	2.5	0.3	2.5	1.4	2.3	1.1	4.4	11.0	5.5	8.9	6.3	23.8	2.2	13.5	8.8	
4.6	3.9	4.1	3.7	7.0	5.7	8.4	6.7	3.5	6.2	3.9	5.8	1.1	7.9	6.0	9.4	
82.1	41.4	81.5	38.0	85.2	76.2	116.6	131.1	110.2	94.5	102.3	95.5	157.9	90.3	90.8	134.4	64
2.1	2.0	1.9	2.1	2.8	0.6	2.2	1.2	0.5	1.4	0.5	1.4	.....	1.4	0.6	1.9	65
14.0	14.8	10.7	13.7	30.7	25.6	7.8	9.3	7.8	26.7	6.8	25.9	14.1	30.3	3.0	5.8	66
17.9	4.4	15.7	3.6	29.3	12.5	24.5	3.9	5.8	8.3	4.8	8.2	11.9	8.7	6.6	17.0	67
1.1	1.7	0.8	1.6	2.8	2.8	2.8	2.0	0.3	2.4	0.4	2.8	.....	0.7	0.9	1.2	68
6.0	4.5	6.1	4.0	5.6	9.7	4.5	4.9	2.3	5.8	2.3	5.8	2.2	5.8	3.0	8.3	69
.....	0.3	.....	0.3	.....	0.6	.....	0.3	.....	0.6	.....	0.2	.....	2.2	0.1	0.1	70
3.4	3.2	2.5	2.8	8.4	8.0	2.8	3.2	4.4	6.8	3.8	3.8	8.6	18.8	2.5	2.2	71
.....	0.1	.....	0.1	.....	.....	.....	0.5	0.3	0.3	0.4	0.2	.....	0.7	0.1	0.1	72
1.6	0.5	1.7	0.5	1.4	.....	2.2	0.5	.....	0.4	.....	0.5	.....	.....	0.5	0.2	73
4.6	2.5	4.7	2.4	4.2	4.0	4.5	3.2	6.4	2.4	6.4	1.7	6.5	5.1	5.1	3.5	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	75
2.5	1.3	3.0	1.3	.....	1.1	3.3	0.7	2.1	2.4	2.5	2.1	.....	3.6	3.0	1.7	76
214.0	104.9	180.3	98.4	385.4	169.9	267.2	272.7	247.8	172.9	224.6	164.7	388.2	206.7	260.6	328.3	
2.5	1.5	1.1	1.5	9.8	2.3	1.7	1.5	1.5	1.1	1.1	1.2	4.3	0.7	0.6	1.4	77
19.5	2.9	12.7	2.5	54.5	7.4	11.7	4.6	10.4	4.9	9.5	5.2	16.2	3.6	13.3	9.4	78
149.0	80.7	121.6	75.1	287.7	137.0	182.4	194.2	190.7	137.1	168.6	127.6	324.4	176.3	187.8	223.1	79
6.9	4.6	7.2	4.7	5.6	3.4	11.7	16.2	9.7	8.6	10.5	9.1	4.3	6.5	9.9	15.4	80
32.2	12.3	33.8	11.9	23.7	15.9	44.1	50.9	27.9	17.2	26.8	17.5	34.6	15.9	41.0	68.4	81
2.5	1.6	2.5	1.6	2.8	2.3	12.8	3.9	5.1	2.8	5.7	3.0	1.1	2.2	5.0	8.9	82
0.5	0.2	0.6	0.1	.....	0.6	1.1	0.3	0.9	0.6	0.9	0.5	1.1	0.7	1.1	0.7	83
0.5	0.2	0.3	0.2	1.4	.....	0.6	0.2	1.2	0.3	1.1	0.3	2.2	.....	1.7	0.6	84
0.5	0.8	0.6	0.7	.....	1.1	1.1	1.0	0.5	0.3	0.5	0.2	.....	0.7	0.2	0.4	85
180.2	125.8	142.6	119.0	371.5	193.8	212.0	157.3	255.8	181.3	205.5	152.3	560.1	301.3	210.2	186.7	
.....	0.8	.....	0.7	.....	1.1	.....	0.3	.....	0.8	.....	0.5	.....	2.2	0.1	.....	86
1.4	1.0	1.7	1.1	.....	.....	1.1	0.7	1.1	1.3	0.9	1.2	2.2	1.4	0.7	1.0	87
1.6	0.3	1.7	0.3	1.4	0.6	1.1	0.5	0.5	0.1	0.5	0.2	.....	.....	0.6	0.2	88
8.7	5.6	4.7	4.7	29.3	14.2	13.4	13.5	13.9	14.6	9.8	11.0	38.9	29.6	13.8	12.7	89
13.1	6.6	9.9	5.7	29.3	15.9	6.1	10.3	8.1	10.0	7.9	9.4	9.7	12.3	7.4	11.4	90
41.2	32.0	36.1	31.5	67.0	36.9	72.5	41.1	97.8	59.3	74.6	47.7	237.9	106.9	66.9	56.8	91
97.7	72.5	74.0	68.7	217.9	110.3	108.8	83.1	126.3	82.1	103.0	70.6	267.1	129.3	111.5	96.5	92
74.7	51.6	55.3	48.9	173.2	78.4	85.3	64.2	121.5	64.8	98.9	57.5	258.4	94.7	108.8	94.2	
23.0	20.9	18.7	19.8	44.7	31.8	23.4	18.9	4.8	17.3	4.1	13.1	8.6	34.7	7.7	2.4	
3.4	1.5	3.0	1.2	5.6	4.0	3.9	2.4	3.7	3.9	4.1	3.7	1.1	5.1	4.8	3.7	93
5.5	1.3	4.4	1.3	11.2	1.1	2.8	2.5	1.8	3.7	2.0	3.1	1.1	5.8	1.4	1.4	94
0.5	0.2	0.6	0.2	.....	0.6	0.6	0.2	0.2	0.4	0.2	0.3	.....	0.7	0.3	0.2	95
4.6	2.7	3.9	2.3	8.4	6.3	0.6	1.7	1.8	2.5	2.1	2.1	.....	4.3	1.3	1.9	96
0.5	0.1	0.6	0.1	.....	.....	0.6	0.2	0.2	0.6	.....	0.5	1.1	6.7	0.3	0.1	97
2.1	1.3	2.2	1.2	1.4	2.8	0.6	0.8	0.5	2.0	0.4	1.7	1.1	2.9	1.1	0.7	98
173.6	117.0	158.2	114.3	251.4	144.4	205.3	124.7	186.5	163.7	168.4	143.5	296.3	247.1	148.9	95.8	
0.7	0.9	0.6	0.8	1.4	1.7	1.1	0.5	0.9	2.0	0.9	0.5	1.1	7.9	0.5	0.4	99
0.9	2.2	0.8	2.2	1.4	2.3	1.7	2.0	3.1	3.5	2.9	3.5	4.3	3.6	3.7	2.2	100
0.7	0.1	0.8	0.1	.....	.....	.....	.....	0.3	0.3	0.4	0.2	.....	0.7	0.3	0.4	101
6.9	3.0	5.8	2.4	12.6	8.5	2.2	3.2	3.1	2.5	2.9	2.8	4.3	1.4	4.5	3.6	102
16.1	13.0	11.3	12.6	40.5	17.1	9.5	15.2	8.6	15.9	5.9	15.6	24.9	17.3	5.6	6.5	103
52.6	49.3	50.4	49.4	64.2	48.3	86.5	52.4	97.3	93.1	85.7	77.8	167.6	156.1	73.9	43.7	104
20.0	18.0	18.2	17.9	29.3	18.8	11.7	13.5	13.2	12.8	10.2	11.5	31.4	18.1	10.9	10.0	105
.....	0.4	.....	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	0.3	.....	0.3	.....	.....	.....	.....	0.2	0.1	.....	0.2	1.1	.....	0.1	0.1	107
17.2	5.8	15.4	5.9	26.5	4.5	30.1	7.9	13.5	5.2	13.8	4.7	11.9	7.2	13.0	5.3	108
18.6	6.8	17.6	6.2	23.7	13.1	24.5	10.1	14.7	8.6	14.5	7.5	16.2	13.0	11.8	6.6	109
6.7	1.9	6.1	1.4	9.8	6.3	8.4	3.4	7.7	3.0	7.3	2.4	9.7	5.1	5.3	3.2	
12.0	5.0	11.6	4.8	14.0	6.8	16.2	6.7	7.0	5.6	7.1	5.1	6.5	7.9	6.6	3.3	
2.3	2.0	1.9	1.6	4.2	6.3	6.7	2.9	2.6	2.1	2.1	1.7	5.4	3.6	2.7	2.4	110
0.2	0.4	.....	0.4	1.4	.....	.....	0.3	0.5	0.7	0.2	0.7	2.2	0.7	0.2	0.6	111
0.2	.....	.....	.....	1.4	.....	1.1	.....	.....	.....	.....	.....	.....	.....	0.1	0.1	112
17.9	5.2	16.2	4.9	26.5	8.5	11.7	7.2	13.6	8.9	13.8	9.1	13.0	7.9	10.0	8.1	113
3.7	2.6	4.4	2.5	.....	4.0	3.9	3.4	5.2	3.0	5.5	3.3	3.2	1.4	4.3	1.9	114

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Continued.										
115	Other diseases of the liver	4.0	4.7	6.6	2.7	3.6	2.3	8.2	5.2	10.7	5.2
116	Diseases of the spleen	0.1	0.2	.....	0.2	0.1	.....	0.1	0.2	0.3	0.3
117	Simple peritonitis (nonpuerperal)	1.7	1.8	1.1	0.8	2.3	1.3	2.8	2.1	4.9	2.7
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.2	0.5	0.8	0.3	1.4	0.3	0.7	0.5	1.1	0.4
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	138.9	110.1	103.8	64.2	141.9	124.9	130.9	119.4	135.7	83.3
119	Acute nephritis	6.3	5.4	8.6	3.3	13.8	7.3	11.5	6.7	9.1	4.8
120	Bright's disease	111.0	92.5	80.1	51.3	113.6	105.3	93.6	99.4	94.8	63.8
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	4.1	2.2	2.2	1.7	3.4	2.6	3.1	2.3	6.0	2.4
123	Calculi of the urinary passages	1.2	0.3	0.3	0.2	0.3	0.8	1.7	0.8	1.6	0.7
124	Diseases of the bladder	2.0	2.0	2.5	1.7	1.2	2.3	1.4	2.3	4.1	2.9
125	Diseases of the urethra, urinary abscess, etc	0.4	0.3	0.3	0.2	0.2	0.3	0.4	0.1	0.8	0.1
126	Diseases of the prostate	5.4	4.0	2.8	3.3	3.4	2.9	6.3	4.6	7.4	4.7
127	Nonvenereal diseases of the male genital organs	0.1	0.1	.....	.....	0.1	.....	.....	0.1	.....	0.1
128	Uterine hemorrhage (nonpuerperal)	.....	.....	0.3	.....	.....	.....	.....	0.1	.....	0.1
129	Uterine tumor (noncancerous)	2.0	1.0	1.4	0.7	1.5	0.8	4.7	1.0	4.7	0.9
130	Other diseases of the uterus	1.8	0.4	1.1	0.3	1.9	1.6	2.0	0.2	3.6	1.2
131	Cysts and other tumors of the ovary	1.2	0.8	1.7	0.5	1.0	1.0	1.9	1.0	0.5	0.5
132	Salpingitis and other diseases of the female genital organs.	3.4	0.9	2.8	1.0	1.2	.....	4.3	1.0	3.0	1.2
133	Nonpuerperal diseases of the breast (cancer excepted).	0.1	0.2	.....	.....	0.2	.....	.....	.....	.....	0.1
	VII.—The puerperal state	10.6	12.1	15.5	14.8	15.9	9.4	20.7	13.9	15.9	16.1
134	Accidents of pregnancy	1.2	1.1	0.3	1.7	0.9	0.5	1.5	0.7	0.5	1.8
135	Puerperal hemorrhage	0.8	1.6	1.7	1.3	1.5	1.0	1.3	1.1	0.8	1.3
136	Other accidents of labor	1.1	1.4	1.7	1.7	1.0	1.6	1.7	0.9	1.1	1.4
137	Puerperal septicemia	3.8	4.3	9.4	6.7	7.3	2.9	11.3	6.6	9.1	7.4
138	Puerperal albuminuria and convulsions	3.2	3.4	1.7	3.0	4.3	2.6	3.8	4.1	3.6	3.6
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.5	0.1	0.8	0.5	0.5	0.8	1.1	0.5	0.8	0.5
140	Following childbirth (not otherwise defined)	0.1	0.2	.....	.....	0.3	.....	0.2	.....	.....	0.1
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	3.1	3.6	2.5	1.7	4.7	5.7	4.8	4.2	4.9	4.6
142	Gangrene	1.2	2.3	1.4	0.8	2.2	3.9	2.4	2.9	3.3	2.9
143	Furuncle	0.8	0.2	.....	.....	0.5	0.3	0.7	0.6	0.8	0.5
144	Acute abscess	0.4	0.6	1.1	0.5	1.4	0.5	1.1	0.2	0.3	0.4
145	Other diseases of the skin and annexa	0.6	0.6	.....	0.3	0.6	1.0	0.6	0.5	0.5	0.8
	IX.—Diseases of the bones and of the organs of locomotion.	3.5	1.4	3.0	1.2	3.7	1.3	4.1	1.8	4.1	2.0
146	Diseases of the bones (tuberculosis excepted)	3.1	1.0	2.8	0.8	2.9	0.8	3.7	1.6	3.8	1.6
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.4	0.3	0.3	0.3	0.8	.....	0.3	0.2	.....	0.3
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	0.1	0.1	.....	.....	.....	0.5	0.1	0.1	0.3	0.2
	X.—Malformations	11.3	11.6	9.9	10.8	15.3	18.7	20.5	19.1	8.8	13.8
150	Congenital malformations (stillbirths not included) (total).	11.3	11.6	9.9	10.8	15.3	18.7	20.5	19.1	8.8	13.8
	Hydrocephalus	1.3	1.0	0.6	0.5	1.5	1.6	1.6	0.8	0.8	1.8
	Congenital malformations of the heart	7.1	7.1	5.5	7.2	7.7	9.9	15.3	12.5	6.6	7.8
	Other congenital malformations	2.9	3.5	3.9	3.2	6.2	7.3	3.7	5.8	1.4	4.2
	XI.—Early infancy	44.1	50.7	62.1	63.3	113.1	68.4	72.1	60.9	66.5	66.8
151	Congenital debility, icterus, and sclerema (total)	34.0	40.0	53.6	51.3	82.1	50.7	55.6	48.6	54.1	54.8
	Premature birth	28.8	30.9	40.0	42.2	66.5	34.9	48.8	42.5	40.6	38.3
	Congenital debility, "atrophy," "marasmus," etc.	5.2	9.1	13.5	9.2	15.6	15,9	6.8	6.1	13.5	16.5
152	Other causes peculiar to early infancy (total)	9.9	10.1	8.3	11.8	30.6	17.2	16.1	12.2	12.1	11.9
	Injuries at birth	5.8	5.4	2.8	5.0	18.1	9.1	9.2	6.5	5.5	6.1
	Other causes peculiar to early infancy [2]	4.1	4.7	5.5	6.8	12.4	8.1	7.0	5.7	6.6	5.7
153	Lack of care	0.2	0.6	0.3	0.2	0.5	0.5	0.4	0.2	0.3	0.1
	XII.—Old age	10.3	15.0	21.3	19.0	8.8	16.9	6.0	9.1	31.0	30.6
154	Senility	10.3	15.0	21.3	19.0	8.8	16.9	6.0	9.1	31.0	30.6

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

Inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																Detailed Inf. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			
7.8	3.7	8.5	3.5	4.2	5.1	10.6	4.4	6.7	2.4	7.1	2.6	4.3	1.4	3.9	2.6	115
0.5	0.2	0.3	0.2	1.4	.....	.....	.....	.....	0.3	.....	0.2	.....	0.7	0.2	.....	116
5.7	2.9	4.7	2.7	11.2	5.7	2.8	1.2	1.2	2.0	1.3	1.2	1.1	5.1	2.0	0.9	117
1.4	0.4	1.4	0.4	1.4	0.6	1.1	0.3	1.8	0.4	1.4	0.3	4.3	0.7	1.3	0.5	118
169.0	77.9	142.6	71.1	303.0	146.1	180.7	126.3	191.3	143.9	178.6	133.1	268.1	188.6	111.3	115.7	
11.5	5.8	8.5	5.3	26.5	10.2	9.5	6.9	17.6	14.1	13.2	10.3	44.3	29.6	6.5	5.7	119
134.3	62.9	115.9	57.8	227.6	114.2	137.2	103.7	153.4	122.2	146.8	115.9	193.5	148.1	88.8	97.5	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
2.3	1.8	2.5	1.8	1.4	1.7	5.0	2.7	3.5	1.8	3.9	1.4	1.1	3.6	2.8	2.2	122
1.1	0.4	1.4	0.4	.....	.....	1.1	0.3	0.5	0.3	0.4	.....	1.1	1.4	0.8	0.4	123
1.6	1.7	1.4	1.3	2.8	5.7	4.5	3.7	0.9	0.3	1.1	0.3	.....	.....	1.0	2.7	124
0.5	.....	0.3	.....	1.4	.....	1.1	0.2	0.6	0.4	0.7	0.3	.....	0.7	0.4	0.4	125
5.1	2.6	5.5	2.5	2.8	3.4	4.5	4.6	4.8	1.8	4.8	2.1	4.3	0.7	3.7	3.2	126
.....	0.1	.....	0.1	.....	.....	0.6	0.3	.....	.....	.....	.....	.....	.....	0.1	.....	127
.....	0.1	.....	0.1	.....	.....	0.6	.....	.....	.....	.....	.....	.....	.....	0.1	0.2	128
4.1	0.8	2.2	0.3	14.0	5.7	3.9	1.7	4.0	0.7	2.5	0.7	13.0	0.7	2.5	1.4	129
2.8	0.8	1.7	0.7	8.4	1.7	6.1	1.2	2.1	1.1	2.1	1.4	2.2	.....	1.6	0.2	130
1.6	0.3	1.7	0.1	1.4	1.7	.....	0.5	1.2	0.4	1.3	0.3	1.1	0.7	0.9	0.7	131
4.1	0.7	1.7	0.6	16.8	1.7	6.1	0.5	2.6	0.7	1.8	0.2	7.6	2.9	2.0	1.0	132
.....	.....	.....	.....	.....	.....	0.6	.....	.....	.....	.....	.....	.....	.....	0.1	.....	133
15.4	13.7	14.6	12.9	19.6	21.6	17.9	15.7	18.9	13.0	16.4	10.7	33.5	22.4	16.8	8.7	
0.9	2.0	0.8	2.0	1.4	2.3	2.8	0.8	1.8	1.3	2.1	1.2	.....	1.4	1.2	1.5	134
0.9	1.4	1.1	1.5	.....	1.1	2.8	1.2	1.8	2.0	2.0	1.4	1.1	4.3	1.4	1.0	135
1.1	1.2	0.8	0.9	2.8	4.5	1.7	2.4	0.8	1.5	0.7	1.4	1.1	2.2	1.8	1.4	136
7.6	5.8	7.7	5.2	7.0	11.4	5.0	3.7	9.3	4.4	7.9	3.7	18.4	7.2	7.2	2.4	137
4.6	3.0	3.9	3.1	8.4	2.3	5.6	6.4	4.6	3.4	3.4	2.4	11.9	7.2	4.3	1.7	138
0.2	0.3	0.3	0.3	.....	.....	.....	1.2	0.5	0.4	0.4	0.5	1.1	.....	0.9	0.7	139
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
5.3	2.9	5.5	2.7	4.2	5.7	7.3	7.9	7.4	4.1	6.8	3.3	10.8	7.2	5.4	5.8	
2.3	1.5	2.2	1.3	2.8	4.0	3.3	4.9	2.3	2.1	1.6	1.7	6.5	3.6	1.9	2.4	142
0.7	0.4	0.8	0.4	.....	.....	1.7	1.3	1.7	0.4	2.0	0.5	.....	.....	0.9	1.0	143
0.9	0.5	0.8	0.4	1.4	1.7	1.1	0.7	2.5	0.4	2.3	0.3	3.2	0.7	1.2	0.9	144
1.4	0.5	1.7	0.6	.....	.....	1.1	1.0	0.9	1.1	0.9	0.7	1.1	2.9	1.4	1.6	145
2.3	1.5	2.8	1.5	.....	1.1	3.3	2.5	5.2	1.5	5.7	1.4	2.2	2.2	3.5	2.2	
2.1	1.2	2.5	1.2	.....	1.1	2.8	1.9	4.3	1.0	4.8	0.9	1.1	1.4	2.8	1.5	146
0.2	0.2	0.3	0.2	.....	.....	0.6	0.7	0.9	0.3	0.9	0.3	1.1	.....	0.7	0.6	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	0.1	.....	0.1	.....	.....	.....	.....	.....	0.3	.....	0.2	.....	0.7	(1)	0.1	149
8.0	10.2	9.1	10.3	2.8	8.5	15.6	12.3	18.7	14.9	15.0	13.3	41.1	21.7	21.4	18.0	
8.0	10.2	9.1	10.3	2.8	8.5	15.6	12.3	18.7	14.9	15.0	13.3	41.1	21.7	21.4	18.0	150
0.5	1.2	0.3	1.1	1.4	2.3	2.2	1.9	0.9	1.4	1.1	0.5	.....	5.1	1.6	2.0	
5.5	4.6	6.3	4.8	1.4	2.8	7.3	6.6	14.1	9.2	10.5	8.6	35.7	11.6	13.1	11.2	
2.1	4.3	2.5	4.4	.....	3.4	6.1	3.9	3.7	4.4	3.4	4.2	5.4	5.1	6.6	4.8	
70.6	73.9	68.8	72.5	79.6	88.1	83.1	79.7	99.5	95.7	89.6	83.1	158.9	148.1	85.6	61.2	
63.2	64.2	61.4	62.9	72.6	77.3	64.2	66.1	79.1	82.1	70.4	70.6	131.9	129.3	63.0	43.9	151
41.6	48.5	40.7	47.9	46.1	54.6	37.4	42.5	59.3	54.5	52.9	49.8	98.4	73.7	47.6	31.3	
21.6	15.7	20.6	15.0	26.5	22.7	26.8	23.6	19.8	27.6	17.5	20.8	33.5	55.6	15.4	12.7	
7.4	9.6	7.4	9.4	7.0	10.8	18.4	13.1	19.9	13.1	18.9	11.9	25.9	18.1	22.4	17.0	152
4.8	4.3	5.2	4.5	2.8	2.8	8.9	4.9	12.1	6.2	12.3	5.9	10.8	7.2	13.7	9.9	
2.5	5.2	2.2	5.0	4.2	8.0	9.5	8.3	7.8	6.9	6.6	5.9	15.1	10.8	8.7	7.1	
.....	0.1	.....	0.1	.....	.....	0.6	0.5	0.5	0.6	0.4	0.5	1.1	0.7	0.2	0.2	153
18.4	19.6	19.0	18.7	15.4	29.6	25.1	48.0	12.7	22.1	11.8	18.7	18.4	36.1	4.8	14.6	
18.4	19.6	19.0	18.7	15.4	29.6	25.1	48.0	12.7	22.1	11.8	18.7	18.4	36.1	4.8	14.6	154

[1] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes	127.7	167.8	67.7	100.3	124.1	105.6	133.7	87.2	100.5	80.8
	Suicide (total)	35.5	26.6	14.4	11.0	17.1	12.0	23.1	14.1	13.5	8.6
155	By poison	6.1	3.8	3.9	2.3	3.8	1.8	9.9	4.5	5.8	2.6
156	By asphyxia	6.9	0.6	2.2	0.3	3.1	0.3	1.1	0.1	0.8	----
157	By hanging or strangulation	2.2	3.5	0.3	0.8	3.5	3.1	2.0	2.7	1.4	1.6
158	By drowning	1.8	2.3	0.6	0.2	0.8	2.1	1.5	0.9	0.3	0.2
159	By firearms	14.6	12.5	4.7	5.8	3.6	3.4	6.7	4.8	5.2	3.5
160	By cutting or piercing instruments	2.2	2.5	2.8	0.8	1.5	1.0	1.1	0.9	----	0.3
161	By jumping from high places	1.2	0.2	----	----	0.2	0.3	0.3	0.1	----	0.1
162	By crushing	0.4	0.7	----	0.2	0.5	----	0.4	0.2	----	----
163	Other suicides	0.1	0.6	----	0.5	----	----	0.1	0.1	----	0.3
	Accidental or undefined (total)	81.1	127.9	46.4	81.3	103.7	91.3	102.0	69.8	72.8	66.5
164	Poisoning by food	1.1	1.4	0.8	1.2	0.6	1.6	1.3	0.9	0.3	1.7
165	Other acute poisonings	2.2	2.1	0.8	1.7	2.6	1.3	1.7	1.3	1.4	2.5
166	Conflagration	1.5	3.5	0.6	1.2	1.4	2.1	0.8	0.8	2.2	0.5
167	Burns (conflagration excepted)	4.5	5.7	3.0	3.8	12.6	6.8	7.5	3.9	3.3	4.1
168	Absorption of deleterious gases (conflagration excepted).	7.4	2.5	1.7	2.2	6.9	2.6	3.8	1.7	3.0	2.5
169	Accidental drowning	7.0	21.4	1.1	8.3	8.3	17.7	5.6	7.0	4.4	6.3
170	Traumatism by firearms	1.7	6.0	2.5	4.8	1.4	0.5	2.1	2.6	6.3	4.4
171	Traumatism by cutting or piercing instruments.	0.1	0.2	----	0.2	0.2	----	----	0.2	----	0.2
172	Traumatism by fall	14.7	12.8	7.7	6.2	19.8	14.6	19.2	15.2	8.5	8.3
173	Traumatism in mines and quarries (total)	0.4	3.9	2.5	17.0	----	----	1.1	2.6	2.5	4.0
	Traumatism in mines	0.3	3.4	2.5	16.8	----	----	1.1	2.5	2.5	3.9
	Traumatism in quarries	0.1	0.6	----	0.2	----	----	----	0.1	----	0.1
174	Traumatism by machines	2.7	3.1	0.6	1.3	2.8	1.3	3.5	1.0	1.4	1.4
175	Traumatism by other crushing (total)	31.9	47.7	18.2	23.7	37.6	34.6	40.2	23.9	20.9	16.7
	Railroad accidents and injuries	6.6	17.1	6.6	7.7	11.3	20.5	21.8	13.3	9.6	8.3
	Street-car accidents and injuries	5.0	1.3	0.8	0.7	4.3	2.3	5.3	2.4	2.7	0.3
	Automobile accidents and injuries	14.8	18.3	8.0	7.0	15.8	9.1	8.7	4.6	6.9	4.6
	Injuries by other vehicles	4.1	9.0	1.9	4.5	5.3	2.1	4.0	2.7	0.8	3.1
	Landslide, other crushing	1.5	2.0	0.8	3.8	0.8	0.5	0.4	1.0	0.8	0.5
176	Injuries by animals	0.5	1.8	1.4	1.2	1.0	0.3	0.8	1.3	1.1	1.9
177	Starvation	0.2	0.2	----	----	0.1	----	----	----	----	----
178	Excessive cold	0.2	1.4	----	0.7	0.3	1.6	0.3	0.5	0.8	0.3
179	Effects of heat	0.2	2.7	----	0.2	0.6	0.8	5.9	2.4	2.7	1.8
180	Lightning	----	0.2	----	2.7	0.3	----	0.2	1.0	----	1.4
181	Electricity (lightning excepted)	0.6	2.2	0.3	1.7	1.9	1.3	2.2	0.4	0.8	0.5
185	Fractures (cause not specified)	1.0	1.3	2.5	1.0	1.3	0.5	0.1	0.1	6.9	3.2
186	Other external violence	3.1	8.0	2.8	2.5	4.2	3.9	5.7	2.9	6.3	4.8
	Homicide (total)	11.1	13.3	6.9	8.0	3.3	2.3	8.6	3.3	4.3	5.7
182	By firearms	7.1	9.2	5.2	6.8	1.7	1.3	5.3	2.4	9.9	4.2
183	By cutting or piercing instruments	0.9	2.3	0.6	0.3	0.7	0.5	1.6	0.1	1.6	0.7
184	By other means	3.1	1.8	1.1	0.8	0.8	0.5	1.8	0.7	2.7	0.8
	XIV.—Ill-defined diseases	0.8	2.9	1.4	3.2	6.5	7.5	1.1	0.5	11.8	17.4
187	Ill-defined organic disease	----	0.2	----	----	----	0.3	0.1	----	2.2	1.3
188	Sudden death	----	0.1	0.3	0.3	0.6	0.5	----	----	0.3	0.5
189	Not specified or ill-defined (total)	0.8	2.7	1.1	2.8	5.9	6.8	0.9	0.5	9.3	15.6
	Ill-defined	0.5	1.8	1.1	1.7	4.0	2.9	0.5	0.4	4.9	6.4
	Not specified or unknown	0.3	0.8	----	1.2	2.0	3.9	0.4	0.2	4.4	9.2

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														Detailed Int. List No.
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		
Total.		White.		Colored.				Total.		White.		Colored.				
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
113.8	71.1	104.9	65.7	159.2	125.6	113.2	84.3	103.1	96.3	98.4	89.9	131.9	122.8	95.0	84.7	
13.3	6.3	15.7	6.8	1.4	1.7	19.0	13.0	16.4	11.1	18.2	13.3	5.4	2.2	12.4	11.4	
3.9	1.2	4.4	1.3	1.4	.....	2.8	1.2	4.3	1.4	4.6	1.7	2.2	.....	1.4	0.6	155
.....	.....	.....	.....	.....	.....	2.8	0.3	2.3	0.1	2.5	0.2	1.1	.....	3.6	0.9	156
0.9	0.9	1.1	1.0	.....	.....	4.5	2.2	2.6	2.1	3.0	2.6	.....	.....	1.7	2.2	157
1.1	0.5	1.4	0.5	.....	.....	1.1	1.0	0.5	0.7	0.4	0.9	1.1	.....	1.1	2.1	158
6.0	3.2	7.2	3.4	.....	1.1	5.6	6.7	4.4	5.6	5.2	6.5	.....	2.2	3.0	4.1	159
0.9	0.1	1.1	0.1	.....	.....	1.7	1.3	1.1	0.4	1.3	0.5	.....	.....	1.0	0.7	160
.....	0.1	.....	0.1	.....	.....	.....	.....	0.6	.....	0.7	.....	.....	.....	0.4	0.1	161
.....	0.1	.....	.....	.....	0.6	.....	.....	0.2	0.1	0.2	0.2	.....	.....	0.1	0.5	162
0.5	0.3	0.6	0.3	.....	.....	0.6	0.2	0.5	0.6	0.4	0.7	1.1	.....	(1)	0.1	163
83.7	56.4	79.0	53.1	107.5	89.2	92.6	70.3	78.2	79.5	76.1	73.1	90.8	106.2	79.3	70.7	
6.2	0.9	0.3	0.8	.....	1.7	0.6	1.5	.....	0.6	.....	0.5	.....	0.7	0.7	1.0	164
2.8	1.7	3.0	1.6	1.4	2.8	.....	2.0	1.0	2.0	1.1	1.9	.....	2.2	1.3	1.5	165
0.7	0.9	0.6	0.7	1.4	2.3	3.9	2.4	0.5	1.5	0.5	1.4	.....	2.2	0.8	1.4	166
12.2	9.5	9.4	8.6	26.5	18.2	8.4	2.9	10.4	9.6	8.9	6.1	19.5	23.8	8.3	4.1	167
2.8	2.0	2.2	2.0	5.6	1.1	2.2	1.2	2.9	2.5	2.9	1.4	3.2	7.2	7.9	1.6	168
7.4	4.3	5.8	3.8	15.4	9.1	13.9	16.7	9.7	12.5	8.0	10.5	19.5	21.0	6.6	15.4	169
3.4	5.0	2.2	4.5	9.8	9.7	2.8	3.5	1.7	4.5	1.8	3.3	1.1	9.4	0.7	0.6	170
.....	0.2	.....	0.2	.....	.....	.....	0.3	0.2	.....	0.2	.....	.....	.....	(1)	0.2	171
13.6	5.8	14.0	5.8	11.2	5.7	21.8	14.8	20.4	11.3	21.1	12.2	16.2	7.2	20.5	14.6	172
.....	4.5	.....	4.0	.....	9.7	0.6	0.5	0.2	4.6	0.2	5.6	.....	0.7	0.1	.....	173
.....	4.4	.....	4.0	.....	9.1	.....	.....	.....	4.4	.....	5.4	.....	.....	.....	.....	
.....	0.1	.....	.....	.....	0.6	0.6	0.5	0.2	0.3	0.2	0.2	.....	0.7	0.1	.....	
1.4	1.1	1.7	1.2	.....	0.6	3.3	1.5	3.4	1.4	3.2	1.6	4.3	0.7	2.7	1.1	174
22.8	10.7	23.4	9.9	19.6	19.3	22.9	13.7	18.5	20.0	19.3	20.6	14.1	17.3	23.3	22.0	175
11.0	7.2	11.3	6.4	9.8	15.3	10.6	6.9	7.0	9.9	7.5	10.3	4.3	7.9	7.1	10.5	
2.5	0.2	2.5	0.2	2.8	0.6	2.8	0.3	2.5	1.4	2.1	0.9	4.3	3.6	3.9	2.2	
5.3	0.9	5.5	0.9	4.2	1.1	6.1	4.0	6.6	4.6	7.3	5.1	2.2	2.9	8.5	6.9	
2.5	2.1	2.5	2.1	2.8	2.3	3.3	1.9	2.0	3.4	1.8	3.7	3.2	2.2	3.2	2.0	
1.4	0.3	1.7	0.3	.....	.....	.....	0.5	0.5	0.7	0.5	0.7	.....	0.7	0.5	0.2	
0.7	0.9	0.8	1.0	.....	0.6	1.1	0.3	0.9	0.8	0.7	0.9	2.2	0.7	0.2	0.6	176
0.2	0.1	0.3	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	177
.....	0.4	.....	0.2	.....	1.7	1.1	1.2	0.5	0.8	0.5	0.5	.....	2.2	0.4	1.1	178
4.1	0.3	3.6	0.3	7.0	.....	1.1	0.5	2.3	1.5	1.6	1.6	6.5	1.4	0.8	0.5	179
0.7	0.9	0.8	0.9	.....	0.6	.....	0.7	.....	0.7	.....	0.2	.....	2.9	0.2	0.2	180
0.9	0.3	0.8	0.3	1.4	.....	.....	0.2	0.8	0.3	0.9	0.3	.....	.....	0.8	1.4	181
4.4	2.0	5.2	2.0	.....	1.7	4.5	0.8	0.5	0.4	0.5	0.3	.....	0.7	0.6	0.4	185
5.5	5.0	5.0	5.0	8.4	4.5	4.5	5.6	4.6	4.4	4.6	4.0	4.3	5.8	3.1	3.0	186
16.8	8.4	10.2	5.8	50.3	34.7	1.7	1.0	8.6	5.6	4.1	3.5	35.7	14.5	3.3	2.6	
10.6	6.8	6.6	4.6	30.7	29.0	1.1	0.3	4.4	3.4	2.0	1.6	19.5	10.8	1.4	1.1	182
3.7	0.8	1.7	0.6	14.0	2.8	.....	.....	1.8	0.4	0.4	0.2	10.8	1.4	0.4	0.6	183
2.5	0.8	1.9	0.6	5.6	2.8	0.6	0.7	2.3	1.8	1.8	1.7	5.4	2.2	1.4	0.9	184
7.8	52.8	7.2	50.5	11.2	75.0	39.6	22.9	3.7	38.7	2.7	19.4	9.7	118.5	7.1	6.2	
0.2	1.8	.....	1.6	1.4	4.0	.....	0.5	.....	1.3	.....	1.0	.....	2.2	(1)	.....	187
.....	2.5	.....	2.3	.....	4.5	10.6	1.7	0.2	1.5	0.2	1.4	.....	2.2	0.5	0.5	188
7.6	48.5	7.2	46.7	9.8	66.5	29.0	20.7	3.5	35.9	2.5	17.0	9.7	114.2	6.5	5.7	189
4.8	12.6	4.7	12.5	5.6	13.6	17.3	7.4	2.9	13.1	2.1	8.4	7.6	32.5	3.9	5.0	
2.8	35.9	2.5	34.2	4.2	52.9	11.7	13.3	0.6	22.8	0.4	8.6	2.2	81.7	2.6	0.7	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [1]	1,712.4	1,366.2	1,206.4	994.3	1,544.0	1,144.3	1,710.9	1,112.4	1,631.4	1,602.6	1,474.5	1,542.8	1,448.5	1,569.4
	I.—General diseases	411.1	318.7	353.1	284.5	431.4	367.5	441.1	257.6	394.2	375.9	355.9	386.1	382.6	361.1
1	Typhoid fever	19.3	10.6	6.2	5.0	14.8	21.8	23.8	7.5	5.8	4.3	7.1	6.9	5.7	6.8
2	Typhus fever						0.1							(2)	
3	Relapsing fever														
4	Malaria	0.2	0.3		0.1	2.0	16.3	0.9			0.4	0.3	0.5	0.3	0.5
5	Smallpox	0.1	0.1		0.1	0.3	0.3		0.6	0.5				(2)	0.1
6	Measles	14.6	9.3	15.1	11.4	15.9	15.5	10.6	6.9	19.0	4.3	14.6	10.3	10.8	7.0
7	Scarlet fever	8.1	4.2	3.9	6.0	11.0	2.0	2.6	4.6	0.5	2.0	2.9	1.8	2.3	1.2
8	Whooping cough	9.3	6.3	6.9	11.1	8.0	12.8	37.9	10.4	13.8	10.6	9.1	9.6	8.1	6.8
9	Diphtheria and croup	27.2	9.0	13.7	4.3	21.3	12.4	13.2	6.6	14.8	7.9	15.3	16.5	17.3	7.2
10	Influenza	19.2	38.5	10.8	22.0	22.9	42.2	7.9	14.2	25.9	41.8	19.4	30.3	12.8	40.5
11	Miliary fever														
12	Asiatic cholera														
13	Cholera nostras	0.2	0.4	0.3	0.1		0.7		0.6		1.2	0.2	0.4	0.1	0.6
14	Dysentery	2.4	2.6	1.4	1.1	3.1	12.1	2.6	1.2	2.6	2.0	1.2	2.6	1.2	2.2
15	Plague														
16	Yellow fever														
17	Leprosy				0.1									0.1	
18	Erysipelas	3.3	4.0	5.2	2.5	5.8	3.2	5.3	3.5	6.3	4.3	4.2	2.5	4.5	2.8
19	Other epidemic diseases	0.1	0.3	0.5	0.4	0.3	0.1		1.7			0.2	0.1	0.4	0.3
20	Purulent infection and septicemia	3.4	2.6	2.5	1.3	2.3	1.7	1.8	1.4	4.2	0.8	1.6	1.3	1.1	1.5
21	Glanders													(2)	
22	Anthrax	0.1	0.1				(2)							(2)	(2)
23	Rabies	0.2			0.1	0.2	(2)						0.1	(2)	(2)
24	Tetanus	1.0	1.1	1.3	1.5	2.4	1.7		0.3	1.6	0.4	1.7	2.5	0.7	0.9
25	Mycoses	0.2		0.1	0.1	0.2	0.1							0.1	0.1
26	Pellagra	0.2	0.1		0.1	0.9	1.4			4.2	1.2	0.2	0.1	0.3	0.3
27	Beriberi														
	Tuberculosis (total)	130.3	82.6	130.0	91.5	160.0	129.9	147.9	102.0	118.0	110.0	141.4	166.7	164.2	125.3
28	Tuberculosis of the lungs	107.5	68.4	103.4	74.9	139.1	114.1	121.5	87.6	89.4	96.6	115.0	152.0	139.3	108.7
29	Acute miliary tuberculosis	3.7	1.4	4.2	2.6	4.3	2.9	4.4	2.6	4.8	2.4	5.4	4.2	5.3	4.1
30	Tuberculous meningitis	10.0	4.0	9.6	5.9	7.4	4.5	13.2	4.0	16.4	4.3	12.7	5.4	12.2	5.4
31	Abdominal tuberculosis	4.8	3.2	6.1	3.4	4.6	5.2	3.5	4.0	5.3	1.6	4.0	1.8	3.3	2.7
32	Pott's disease	1.1	1.4	2.2	1.5	1.8	1.1		0.6	0.5	0.4	1.0	0.7	1.2	1.2
33	White swellings	0.8	1.2	1.0	0.5	0.5	0.5		0.6		0.4	0.8	0.4	0.8	0.5
34	Tuberculosis of other organs	2.1	1.7	2.2	1.6	2.2	1.3	4.4	1.7	1.1	2.0	1.6	1.3	1.6	1.7
35	Disseminated tuberculosis	0.3	1.4	1.3	1.0	0.1	0.4	0.9	0.9	0.5	2.4	1.0	1.1	0.4	1.0
36	Rickets	0.6	1.3	1.0	0.7	0.6	0.3		0.3		0.8	1.4	0.6	0.8	0.5
37	Syphilis	12.9	6.1	11.1	4.3	19.0	4.8	17.6	7.8	10.1	3.5	9.4	6.6	13.4	5.1
38	Gonococcus infection	0.8	0.7	1.3	0.3	1.9	0.2	2.6	0.6		0.4	1.3	0.3	0.9	0.4
	Cancer and other malignant tumors (total)	91.0	86.7	92.0	83.1	96.0	60.7	75.7	46.5	103.2	117.5	80.2	86.1	90.0	98.8
39	Of the buccal cavity	1.7	4.2	4.2	3.7	4.6	2.6	2.6	1.4	3.7	4.7	2.9	2.6	2.9	3.5
40	Of the stomach, liver	34.7	35.7	38.5	41.4	34.7	25.6	29.1	20.5	28.0	33.1	31.1	28.7	33.5	35.5
41	Of the peritoneum, intestines, rectum	12.5	10.8	11.3	9.4	11.3	6.0	8.8	3.2	14.3	21.7	12.6	13.1	13.9	13.6
42	Of the female genital organs	16.8	11.2	11.3	7.0	15.7	6.9	7.9	3.7	24.3	16.2	13.1	13.3	12.2	13.3
43	Of the breast	6.3	7.4	8.2	4.6	7.9	5.3	9.7	2.3	12.2	13.8	6.7	10.4	9.0	12.2
44	Of the skin	2.8	3.8	1.3	3.0	2.8	4.8	3.5	1.2	4.2	8.7	1.9	4.0	2.0	5.0
45	Of other organs or of organs not specified	16.2	13.5	17.3	14.0	19.0	9.5	14.1	9.3	16.4	19.3	11.9	13.9	16.5	15.7
46	Other tumors (tumors of the female genital organs excepted)	1.6	0.9	0.1	0.1	0.5	0.6		0.3	2.6	1.2	0.4	0.4	0.2	0.8
47	Acute articular rheumatism	6.1	4.1	4.4	3.7	4.6	3.3	7.9	5.5	4.8	3.9	6.9	5.2	5.2	4.8
48	Chronic rheumatism and gout	1.6	2.1	1.0	1.1	0.7	1.4	1.8	1.2	3.2	0.8	0.3	1.6	0.7	2.1
49	Scurvy		0.4	0.1	0.1		(2)					0.1	0.4	0.2	0.1
50	Diabetes	18.1	17.1	18.3	15.4	19.9	12.3	25.5	13.0	19.0	26.8	19.4	17.4	22.1	20.4
51	Exophthalmic goiter	2.4	2.3	2.9	3.2	1.6	1.2	0.9	1.2	1.1	0.8	1.1	0.7	1.3	2.5
52	Addison's disease	0.5	0.5	1.3	0.4	0.6	0.3	0.9	0.6		0.8	0.5	0.3	0.5	0.8
53	Leukemia	2.3	2.3	3.0	2.4	2.6	1.4	4.4	0.9	3.2	1.2	2.3	1.8	2.7	1.8
54	Anemia, chlorosis	12.8	13.9	8.5	7.0	3.4	3.6	5.3	2.9	12.7	14.2	3.9	4.0	3.9	10.4
55	Other general diseases	4.0	3.2	2.1	1.4	1.3	0.8	6.2	2.0	7.4	3.9	1.7	1.5	1.8	2.0
56	Alcoholism (acute or chronic)	12.3	4.7	7.5	2.6	6.1	1.5	37.0	12.7	8.5	7.1	6.8	6.2	8.5	5.8
57	Chronic lead poisoning		0.2	0.1	0.1	0.5	0.2		0.3	1.1	1.6	0.6	0.6	0.2	0.1
58	Other chronic occupation poisonings											0.1		(2)	(2)
59	Other chronic poisonings	0.1	0.3	0.4	0.1	1.0	0.3	0.9	0.3			0.1	0.2	0.3	0.4
	II.—Diseases of the nervous system and of the organs of special sense	160.1	173.0	92.3	101.6	120.3	102.3	110.9	88.5	170.4	214.2	154.9	227.5	138.1	230.8
60	Encephalitis	2.0	0.8	0.8	0.5	0.6	0.6		0.3	0.5	1.2	0.7	0.6	0.4	0.8
61	Meningitis (total)	12.7	6.4	7.0	5.8	7.0	7.3	14.1	5.8	10.1	5.9	9.1	6.3	6.2	5.6
	Simple meningitis	6.7	2.9	3.4	2.6	2.3	2.4	3.5	2.3	4.2	3.2	4.4	2.6	2.5	3.6
	Cerebrospinal meningitis (undefined)	2.5	1.5	2.1	1.4	0.9	1.8	0.9	0.9	2.1	0.8	1.1	1.5	1.4	0.9
	Cerebrospinal fever	3.5	2.0	1.6	1.9	3.9	3.0	9.7	2.6	3.7	2.0	3.5	2.2	2.2	1.2

[1] Exclusive of stillbirths.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																	
NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.					
Total.		White.		Colored.								Total.		White.		Colored.		Defailed Int. List. No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,903.4	1,256.2	1,510.2	1,108.3	2,583.2	1,586.7	1,551.8	1,336.4	1,594.1	1,339.1	1,584.7	1,380.9	2,470.1	1,286.1	1,654.0	1,030.6	3,462.1	1,501.2	
613.0	367.4	471.5	302.2	857.7	513.3	415.5	358.0	396.4	328.0	434.9	364.6	790.3	401.9	473.0	290.3	1,175.9	496.0	
38.1	28.5	29.6	22.0	52.7	42.9	14.7	15.1	13.6	13.5	7.0	6.1	41.5	33.5	25.7	28.3	60.8	37.8	1
.....	(2)	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
9.7	14.4	1.7	9.8	23.4	24.7	0.3	0.5	0.2	0.2	0.2	2.6	19.3	40.8	9.5	17.0	31.2	60.8	4
.....	0.6	.....	0.3	.....	1.2	.....	0.2	.....	.....	0.2	.....	.....	0.3	.....	.....	.....	0.5	5
16.1	6.4	12.7	6.5	22.0	6.1	19.4	12.4	16.3	19.7	23.8	21.8	5.2	4.6	5.4	4.8	4.9	4.3	6
5.9	2.3	7.6	3.2	2.9	0.3	4.3	4.0	2.7	2.8	5.0	5.2	0.7	2.5	1.4	4.3	.....	1.1	7
9.7	17.3	6.8	11.0	14.6	31.4	13.0	13.5	11.7	12.6	6.2	13.9	37.1	15.4	5.4	10.4	75.5	19.5	8
10.7	17.6	11.0	20.7	10.2	10.7	14.9	9.4	20.8	18.0	25.4	13.1	8.2	8.5	13.5	11.6	1.6	5.9	9
23.6	26.6	20.3	24.1	29.3	32.3	22.3	40.7	25.7	34.3	24.8	33.9	36.3	25.8	24.3	23.3	50.9	27.8	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
2.1	1.0	0.8	1.2	4.4	0.7	0.3	0.3	0.6	0.8	0.2	.....	.....	0.8	.....	1.0	.....	0.6	13
18.2	19.1	8.5	17.2	35.1	23.2	2.3	5.5	1.7	3.3	4.6	5.2	23.0	34.9	20.3	32.6	26.3	36.8	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.1	17
2.1	1.7	1.7	2.2	2.9	0.6	4.1	3.5	4.8	3.0	6.6	5.2	3.0	1.2	5.4	2.1	.....	0.5	18
0.5	0.2	.....	0.3	1.5	0.1	(2)	0.2	0.3	0.5	0.8	.....	0.7	0.2	1.4	0.3	.....	0.1	19
2.7	1.8	2.5	1.3	2.9	2.8	3.6	2.0	1.4	1.2	1.6	0.9	1.5	2.8	2.7	2.3	.....	3.1	20
.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	0.1	.....	0.1	.....	0.1	.....	.....	0.1	(2)	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	(2)	.....	0.1	.....	.....	(2)	0.1	0.1	.....	.....	.....	0.7	0.2	1.4	0.1	.....	0.2	23
9.1	2.3	3.4	1.2	19.0	4.8	2.1	1.1	1.9	1.3	0.8	0.9	11.9	2.1	8.1	0.6	16.4	3.5	24
.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
52.0	17.5	37.2	14.3	77.6	24.7	0.2	(2)	(2)	(2)	1.6	.....	190.5	31.7	116.2	27.1	280.3	35.5	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
280.0	137.8	206.5	95.5	406.9	232.6	152.8	113.1	149.6	112.0	178.8	114.0	263.2	135.3	116.2	63.0	441.8	196.3	
234.9	121.4	184.5	82.5	322.0	208.3	127.2	95.3	120.5	95.5	146.8	98.3	212.0	124.0	98.6	56.4	349.3	180.9	28
12.3	4.0	3.4	2.0	27.8	8.5	4.6	2.6	6.3	3.4	6.0	1.7	29.7	3.0	4.1	1.3	60.8	4.4	29
9.7	3.2	6.8	3.5	14.6	2.3	8.7	5.4	11.1	5.0	15.0	7.0	11.1	1.6	10.8	1.3	11.5	1.9	30
16.1	5.5	6.8	4.0	32.2	8.8	5.7	4.7	5.9	4.7	3.8	3.5	8.9	4.1	2.7	2.9	16.4	5.1	31
1.1	1.1	.....	1.0	2.9	1.5	1.5	1.1	1.8	1.1	1.2	0.9	.....	0.4	.....	0.4	.....	0.4	32
0.5	0.6	0.8	0.6	.....	0.7	0.8	0.6	0.9	0.5	1.0	.....	.....	0.3	.....	.....	.....	0.6	33
4.3	1.8	4.2	1.6	4.4	2.0	2.8	2.2	2.1	1.2	2.0	0.9	.....	1.5	.....	0.4	.....	2.5	34
1.1	0.2	.....	0.1	2.9	0.4	1.6	1.0	1.0	0.8	3.0	1.7	1.5	0.3	.....	0.1	3.3	0.5	35
1.1	0.9	0.8	0.5	1.5	1.6	0.9	0.6	0.9	0.7	1.6	1.7	3.7	0.9	.....	0.1	8.2	1.5	36
24.7	8.5	11.9	3.4	46.8	19.9	14.1	4.9	11.4	4.6	8.4	4.4	39.3	11.6	17.6	2.1	65.7	19.7	37
0.5	0.6	.....	0.2	1.5	1.6	1.7	0.7	1.0	0.2	.....	.....	3.0	0.5	1.4	.....	4.9	1.0	38
72.4	42.8	73.6	46.1	70.3	35.3	95.0	87.4	88.7	65.3	91.7	96.6	65.2	31.8	59.5	39.6	72.3	25.2	
0.5	1.6	.....	2.2	1.5	0.1	3.3	3.1	3.4	2.0	3.4	5.2	2.2	0.9	2.7	1.2	1.6	0.6	39
31.6	13.0	35.6	14.6	24.9	9.5	35.0	36.0	32.7	28.6	34.6	33.9	17.1	8.3	14.9	11.3	19.7	5.8	40
4.8	3.1	5.1	3.6	4.4	1.9	13.0	9.2	12.4	7.7	15.0	12.2	4.4	2.4	6.8	3.2	1.6	1.7	41
17.7	10.5	16.9	8.9	19.0	14.0	17.7	11.5	14.1	8.5	13.0	13.9	19.3	10.8	16.2	10.3	23.0	11.2	42
5.9	4.2	3.4	4.3	10.2	4.1	8.1	8.5	8.6	6.8	9.0	10.4	7.4	2.9	8.1	3.2	6.6	2.6	43
4.8	3.2	7.6	4.1	.....	1.3	2.4	4.9	2.2	2.5	2.0	3.5	2.2	2.1	2.7	3.7	1.6	0.7	44
7.0	7.1	5.1	8.3	10.2	4.4	15.5	14.3	15.3	9.3	14.6	17.4	12.6	4.4	8.1	6.8	18.1	2.5	45
.....	0.6	.....	0.6	.....	0.6	0.5	0.2	0.2	0.3	1.0	.....	.....	0.7	.....	0.7	.....	0.7	46
5.4	4.2	5.1	3.3	5.9	6.1	5.1	4.1	5.5	4.8	4.0	2.6	5.2	4.4	5.4	3.4	4.9	5.2	47
0.5	1.7	.....	2.1	1.5	0.7	0.9	1.5	1.2	1.4	0.8	0.9	.....	0.9	.....	0.4	.....	1.2	48
.....	0.1	.....	0.1	.....	0.1	.....	0.1	0.2	(2)	0.4	0.9	.....	0.1	.....	0.1	.....	0.1	49
11.8	6.2	12.7	7.3	10.2	3.8	20.5	18.8	17.2	13.8	19.6	18.3	11.1	4.0	14.9	6.3	6.6	2.0	50
1.1	0.3	1.7	0.3	.....	0.3	3.2	2.9	1.7	0.7	1.0	1.7	2.2	0.3	2.7	0.4	1.6	0.1	51
0.5	0.1	0.8	0.1	.....	.....	0.6	0.6	0.3	0.3	0.4	.....	.....	0.1	.....	0.3	.....	.....	52
2.1	1.1	1.7	1.3	2.9	0.7	1.5	1.3	2.1	1.4	1.0	.....	3.7	0.7	4.1	1.0	3.3	0.4	53
3.2	1.4	2.5	1.8	4.4	0.7	4.9	6.8	4.6	3.7	5.8	4.4	1.5	1.6	1.4	2.1	1.6	1.2	54
5.9	2.0	8.5	2.2	1.5	1.6	2.3	1.6	2.0	2.0	2.0	2.6	5.2	2.5	2.7	3.2	8.2	2.0	55
2.1	1.3	0.8	1.4	4.4	0.9	9.2	4.0	7.0	4.8	8.8	7.0	6.7	0.7	5.4	0.6	8.2	0.9	56
.....	(2)	.....	0.1	.....	.....	0.4	0.4	0.3	0.2	0.4	.....	0.7	0.2	1.4	0.1	.....	0.2	57
.....	.....	.....	.....	.....	.....	0.1	.....	(2)	(2)	.....	.....	.....	.....	.....	.....	.....	.....	58
1.1	0.3	0.8	0.3	1.5	0.1	0.3	0.3	0.3	0.2	0.2	0.9	.....	0.3	.....	0.7	.....	.....	59
160.9	112.1	149.0	110.8	181.5	115.0	139.3	170.4	127.4	144.6	155.6	162.7	226.8	95.6	177.0	93.9	287.4	97.0	
0.5	1.1	.....	1.0	1.5	1.3	0.5	0.4	0.7	0.7	0.8	2.6	0.7	0.7	1.4	0.6	.....	0.7	60
13.4	9.5	12.7	9.7	14.6	8.9	7.9	5.8	6.5	5.3	8.6	5.2	2.2	4.0	2.7	5.1	1.6	3.0	61
7.5	4.8	6.8	5.2	8.8	3.9	4.5	3.3	4.1	3.4	3.2	4.4	1.5	2.5	1.4	3.4	1.6	1.7	
4.8	2.0	5.1	2.0	4.4	2.0	1.7	1.5	0.8	0.9	1.4	.....	.....	0.5	.....	0.6	.....	0.5	
1.1	2.6	0.8	2.5	1.5	2.9	1.7	1.0	1.6	1.1	4.0	0.9	0.7	0.9	1.4	1.2	.....	0.7	

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
62	Locomotor ataxia	1.8	3.5	3.5	1.2	2.4	1.6	3.5	0.9	1.1	3.9	2.2	4.2	2.3	4.0
63	Other diseases of the spinal cord (total)	8.8	13.4	9.0	9.3	5.0	9.2	13.2	9.3	15.9	9.5	39.5	57.8	39.3	35.0
	Acute anterior poliomyelitis	4.7	5.1	4.3	4.8	0.3	2.1	7.0	4.6	7.9	3.9	35.8	50.7	34.9	25.9
	Other diseases of the spinal cord [1]	4.1	8.3	4.7	4.4	4.7	7.2	6.2	4.6	7.9	5.5	3.7	7.1	4.4	9.1
64	Cerebral hemorrhage, apoplexy	82.9	102.4	52.7	58.2	73.5	58.5	55.5	42.5	111.1	155.4	83.1	118.2	69.0	138.5
65	Softening of the brain	1.3	2.0	1.6	0.5	0.8	1.3	2.6	.....	1.6	2.8	0.7	1.6	0.5	3.2
66	Paralysis without specified cause	8.3	16.7	3.3	3.9	4.8	8.8	5.3	3.5	4.2	7.1	3.5	6.4	2.9	8.6
67	General paralysis of the insane	13.0	8.7	2.0	4.3	15.0	3.8	3.5	9.8	11.1	5.9	4.4	13.9	5.8	19.3
68	Other forms of mental alienation	3.5	2.1	0.4	2.7	1.3	1.3	1.8	3.8	3.2	5.9	0.8	4.4	1.2	3.3
69	Epilepsy	5.6	4.9	2.6	5.0	2.9	4.8	0.9	4.6	4.2	5.1	2.2	6.2	2.2	5.5
70	Convulsions (nonpuerperal)	.....	0.1	.....	0.1	.....	(2)	.....	0.6	.....	.....	0.2	0.3	(2)	(2)
71	Convulsions of infants	8.1	5.4	2.1	4.5	1.1	1.7	2.6	3.5	2.1	4.7	2.2	2.5	1.8	1.7
72	Chorea	0.3	0.1	.....	0.2	0.1	0.2	.....	.....	.....	.....	0.1	0.1	0.1	0.2
73	Neuralgia and neuritis	0.4	1.2	0.5	0.3	0.8	0.3	0.9	0.3	1.1	0.4	0.5	0.4	0.7	1.0
74	Other diseases of the nervous system	8.3	3.4	4.4	3.6	2.8	1.7	2.6	1.7	3.2	4.3	3.0	3.5	3.3	3.3
75	Diseases of the eyes and their annexa	0.1	0.2	.....	.....	.....	.....	.....	1.2	.....	.....	0.1	.....	(2)	.....
76	Diseases of the ears	3.1	1.5	2.6	1.5	2.3	1.2	4.4	0.9	1.1	2.0	2.3	1.2	2.6	0.9
	III.—Diseases of the circulatory system.	228.8	227.2	163.7	126.5	201.0	122.1	196.4	114.2	273.6	333.7	204.9	233.2	223.2	321.7
77	Pericarditis	1.3	0.8	1.0	0.5	1.2	1.5	0.9	0.3	1.6	1.2	0.8	1.2	0.7	1.3
78	Acute endocarditis	12.6	4.8	10.9	4.4	8.1	3.0	25.5	4.9	13.2	7.1	14.8	10.8	14.2	7.2
79	Organic diseases of the heart	164.1	176.6	118.6	99.5	140.3	89.1	138.2	90.2	183.6	221.3	160.6	178.0	176.8	245.2
80	Angina pectoris	8.2	10.2	4.6	5.0	5.3	5.8	7.0	5.2	13.2	16.6	7.6	11.4	5.5	12.2
81	Diseases of the arteries, atheroma, aneurism, etc.	33.4	29.7	21.7	12.4	41.5	18.8	16.7	9.3	43.4	75.7	15.4	25.2	20.3	47.2
82	Embolism and thrombosis	5.7	3.5	4.7	2.8	3.5	2.4	5.3	2.9	16.4	9.9	3.8	5.4	3.7	7.0
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	1.1	0.4	1.4	0.9	0.5	0.5	1.8	0.6	0.5	1.2	1.1	0.4	1.1	0.5
84	Diseases of the lymphatic system (lymphangitis, etc.).	1.8	0.4	0.7	0.5	0.3	0.3	0.9	0.6	1.6	0.4	0.7	0.5	0.7	0.7
85	Hemorrhage; other diseases of the circulatory system.	0.6	0.6	0.1	0.4	0.3	0.6	.....	0.3	.....	0.4	0.2	0.3	0.1	0.4
	IV.—Diseases of the respiratory system.	205.0	119.0	124.4	96.6	192.9	136.7	214.8	113.3	175.2	172.4	219.2	192.8	200.0	158.5
86	Diseases of the nasal fossae	.....	0.4	.....	0.5	0.3	0.1	.....	1.4	.....	.....	0.2	0.1	0.2	0.1
87	Diseases of the larynx	1.9	1.2	0.5	0.5	0.8	1.4	3.5	0.6	2.6	1.2	0.8	1.5	0.6	1.0
88	Diseases of the thyroid body	1.5	1.0	1.4	1.5	1.1	0.3	.....	.....	0.5	.....	0.6	0.3	0.4	0.4
89	Acute bronchitis	14.4	11.9	3.8	4.5	10.4	6.9	6.2	3.2	14.3	12.2	13.6	10.2	13.0	9.4
90	Chronic bronchitis	8.9	9.5	6.2	7.1	10.1	7.6	7.9	3.2	9.0	10.6	6.5	7.7	5.1	9.6
91	Bronchopneumonia	69.3	29.7	38.2	27.1	52.0	32.0	49.3	28.6	50.8	45.8	65.6	51.4	64.8	48.4
92	Pneumonia (total)	93.1	55.1	67.2	48.8	108.5	80.8	129.4	67.6	88.4	95.8	122.1	111.8	107.3	79.8
	Lobar pneumonia	76.7	37.7	63.4	43.0	106.4	76.7	122.4	48.3	65.6	71.8	110.1	96.9	100.2	67.8
	Pneumonia (undefined)	16.4	17.4	3.8	5.8	2.1	4.1	7.0	19.4	22.8	24.1	12.1	14.9	7.1	12.0
93	Pleurisy	6.0	2.6	3.0	2.6	5.4	2.0	4.4	1.4	6.9	1.2	5.2	2.4	4.6	3.3
94	Pulmonary congestion, pulmonary apoplexy.	3.6	2.8	1.0	0.9	0.6	1.1	3.5	0.6	0.5	2.4	1.5	3.2	1.2	2.2
95	Gangrene of the lung	0.6	0.4	0.5	0.2	0.1	0.2	.....	0.3	1.1	0.8	0.7	0.4	0.3	0.5
96	Asthma	3.2	2.7	1.6	2.0	2.3	2.5	3.5	3.2	.....	2.4	1.7	1.9	1.5	2.1
97	Pulmonary emphysema	0.4	0.2	0.1	0.5	0.2	0.3	0.9	.....	.....	.....	0.3	0.7	0.3	0.3
98	Other diseases of the respiratory system (tuberculosis excepted).	2.1	1.5	0.8	0.5	1.1	1.3	6.2	3.2	1.1	.....	0.4	1.3	0.7	1.3
	V.—Diseases of the digestive system	226.9	143.8	122.7	89.4	164.8	115.2	200.8	101.8	215.4	108.5	158.9	127.4	138.8	116.6
99	Diseases of the mouth and annexa	1.2	0.8	0.9	1.1	0.6	0.9	.....	0.6	1.6	1.2	0.8	0.8	0.7	1.0
100	Diseases of the pharynx	3.6	3.4	3.5	1.9	2.9	1.7	7.9	3.8	2.1	2.8	2.9	1.4	2.6	2.2
101	Diseases of the esophagus	0.2	0.3	0.3	.....	0.2	(2)	0.9	.....	.....	0.4	0.3	0.3	0.2	0.3
102	Ulcer of the stomach	4.9	4.6	4.3	4.2	6.3	3.2	13.2	5.2	6.9	6.7	4.1	3.9	5.4	4.3
103	Other diseases of the stomach (cancer excepted).	20.5	17.3	3.6	5.3	7.5	10.4	7.9	5.2	17.5	13.4	6.4	8.8	3.5	11.6
104	Diarrhea and enteritis (under 2 years)	93.9	51.3	33.5	25.0	53.7	45.2	54.6	34.7	100.0	31.2	78.1	64.9	64.0	35.0
105	Diarrhea and enteritis (2 years and over)	14.5	14.9	10.5	7.5	12.9	16.9	9.7	9.0	13.2	12.2	13.8	15.0	9.3	15.9
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....
107	Intestinal parasites	0.4	0.2	.....	0.1	.....	(2)	.....	0.3	.....	.....	0.1	.....	0.1	0.1
108	Appendicitis and typhlitis	28.3	10.1	26.8	15.5	24.1	8.4	44.0	15.9	15.9	6.3	13.1	4.6	13.9	6.1
109	Hernia, intestinal obstruction (total)	19.3	12.3	13.0	9.7	16.7	7.9	15.8	10.1	14.8	8.3	10.1	6.7	12.1	11.4
	Hernia	5.1	3.7	5.5	4.1	5.9	1.8	7.0	2.6	5.3	4.3	5.5	2.5	6.3	4.2
	Intestinal obstruction	14.2	8.6	7.5	5.6	10.8	6.2	8.8	7.5	9.5	3.9	4.5	4.2	5.8	7.2
110	Other diseases of the intestines	4.0	2.4	3.0	3.1	3.7	2.6	4.4	1.2	4.2	2.8	3.0	1.8	2.1	2.3
111	Acute yellow atrophy of the liver	0.6	0.3	0.1	0.5	0.5	0.5	0.9	.....	1.1	0.4	0.5	0.3	0.3	0.8
112	Hydatid tumor of the liver	.....	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	0.1	.....	(2)	(2)
113	Cirrhosis of the liver	18.0	12.2	8.8	5.4	20.2	7.2	22.0	8.1	18.5	11.4	16.3	13.6	15.6	15.8
114	Biliary calculi	4.4	2.9	6.8	3.2	5.6	3.2	4.4	1.2	1.6	3.9	3.8	1.8	3.1	2.1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

Inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																	
NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.						Detailed List No.
Total.		White.		Colored.								Total.		White.		Colored.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1.1	0.7	.....	0.9	2.9	0.3	2.7	3.2	2.5	2.4	3.4	0.9	0.7	0.3	.....	0.4	1.6	0.1	62
9.1	5.0	4.2	5.2	17.6	4.4	7.7	9.7	14.7	11.5	10.6	20.0	8.9	5.3	6.8	7.0	11.5	3.8	63
1.6	2.1	1.7	2.2	1.5	1.8	2.7	2.4	9.4	6.4	5.8	12.2	2.2	1.8	1.4	2.1	3.3	1.6	
7.5	2.9	2.5	3.0	16.1	2.6	5.1	7.3	5.3	5.1	4.8	7.8	6.7	3.5	5.4	5.0	8.2	2.2	
86.9	57.6	78.7	58.1	101.0	56.6	91.6	115.7	76.5	89.5	98.1	115.7	149.0	43.5	114.9	50.5	190.5	37.7	64
3.8	1.7	3.4	2.2	4.4	0.7	0.8	2.6	1.0	1.6	0.2	1.7	1.5	0.5	.....	0.9	3.3	0.2	65
16.1	16.6	15.2	15.9	17.6	18.2	2.8	7.6	4.5	6.2	4.2	7.0	18.5	21.3	17.6	18.0	19.7	24.0	66
8.6	1.7	11.0	1.8	4.4	1.5	10.0	7.3	5.7	8.6	11.2	.....	14.8	1.1	8.1	1.3	23.0	1.0	67
4.3	1.9	5.1	1.9	2.9	1.9	2.5	3.4	1.0	1.9	3.0	.....	5.9	0.7	4.1	0.3	8.2	1.0	68
3.8	5.5	3.4	5.1	4.4	6.4	2.7	6.3	2.9	5.3	5.8	1.7	15.6	2.8	12.2	2.3	19.7	3.1	69
0.5	0.6	0.8	0.6	.....	0.6	0.2	.....	0.2	0.1	0.4	.....	0.7	0.9	1.4	.....	.....	1.6	70
2.7	5.9	0.8	3.5	5.9	11.4	2.6	2.3	4.6	6.1	3.4	4.4	2.2	12.3	1.4	5.7	3.3	17.9	71
.....	0.2	.....	0.1	.....	0.3	0.2	0.2	0.1	0.2	.....	0.9	.....	0.1	.....	.....	.....	0.1	72
.....	0.5	.....	0.5	.....	0.4	0.8	0.8	0.5	0.6	0.2	.....	.....	0.3	.....	0.1	.....	0.4	73
4.8	2.5	6.8	3.3	1.5	0.7	3.7	3.5	3.5	3.2	2.8	2.6	3.7	1.2	5.4	0.7	1.6	1.6	74
0.5	0.1	0.8	0.1	.....	0.1	0.2	0.1	0.1	.....	0.2	.....	0.7	0.1	.....	.....	1.6	0.1	75
4.8	1.1	5.9	1.0	2.9	1.2	2.6	1.5	2.3	1.5	2.6	.....	1.5	0.7	1.4	0.7	1.6	0.6	76
161.4	102.7	129.5	96.7	216.6	116.1	207.9	221.6	210.0	169.6	222.1	208.0	288.4	91.6	225.7	87.9	364.6	94.8	
0.5	0.9	0.8	0.6	.....	1.5	1.1	1.2	1.0	0.9	1.2	.....	0.7	1.3	1.4	1.0	.....	1.5	77
5.4	2.3	5.1	2.1	5.9	2.6	12.2	3.5	16.0	6.5	13.8	5.2	14.8	3.6	13.5	3.2	16.4	3.8	78
125.0	89.3	88.9	84.0	187.3	101.3	154.5	170.3	161.0	130.2	174.2	147.1	175.0	76.3	127.0	70.3	233.2	81.3	79
10.2	2.7	16.1	3.5	.....	0.9	7.3	11.0	6.7	7.6	8.0	14.8	9.6	2.5	14.9	4.0	3.3	1.2	80
16.1	5.5	14.4	5.0	19.0	6.7	27.3	30.4	18.9	20.0	27.2	37.4	83.0	4.8	66.2	5.7	103.5	4.1	81
3.8	1.0	3.4	0.9	4.4	1.2	3.2	3.5	4.2	3.1	5.4	2.6	4.4	1.1	1.4	1.5	8.2	0.7	82
.....	0.1	.....	0.1	.....	0.3	1.3	0.9	0.9	0.4	1.8	.....	.....	0.3	.....	0.1	.....	0.5	83
.....	0.3	.....	0.3	.....	0.4	0.6	0.3	1.0	0.5	0.4	0.9	0.7	0.5	1.4	0.9	.....	0.1	84
0.5	0.5	0.8	0.3	.....	1.2	0.4	0.5	0.3	0.4	.....	.....	.....	1.3	.....	1.2	.....	1.5	85
202.7	121.1	110.0	101.8	363.0	164.2	192.7	136.4	235.1	169.3	201.2	156.6	175.7	121.2	102.7	98.9	264.4	139.9	
1.1	2.0	0.8	0.7	1.5	4.8	(2)	0.1	0.2	0.1	0.4	.....	.....	5.0	.....	1.2	.....	8.3	86
2.7	1.2	2.5	1.4	2.9	0.7	0.9	1.0	1.1	1.8	1.4	1.7	0.7	0.5	.....	0.6	1.6	0.5	87
1.6	0.5	0.8	0.5	2.9	0.6	0.9	0.8	1.0	0.4	0.6	.....	0.7	0.2	1.4	0.1	.....	0.2	88
9.7	7.1	1.7	5.9	23.4	9.9	10.9	5.8	12.9	9.5	15.2	11.3	10.4	4.3	5.4	5.0	16.4	3.7	89
8.0	3.7	5.1	3.6	13.2	3.8	7.2	5.7	7.8	5.8	8.6	7.0	2.2	2.1	4.1	2.2	.....	2.1	90
50.9	34.1	33.9	29.9	80.5	43.4	69.4	42.3	76.2	60.7	49.5	56.6	37.8	19.0	17.6	19.7	62.4	18.4	91
113.2	65.7	54.2	53.9	215.1	92.0	102.9	71.6	121.4	79.4	116.1	74.0	113.4	81.8	66.2	63.1	170.8	97.6	92
101.4	50.3	49.1	42.4	191.7	67.9	99.6	66.9	109.8	65.7	90.5	51.3	97.1	32.3	52.7	32.7	151.1	31.9	
11.8	15.4	5.1	11.5	23.4	24.1	3.3	4.7	11.6	13.7	25.6	22.6	16.3	49.6	13.5	30.4	19.7	65.7	
4.8	2.0	2.5	1.8	8.8	2.3	4.4	2.7	6.1	2.8	5.2	3.5	3.7	2.0	2.7	1.8	4.9	2.2	93
3.2	1.5	5.1	1.7	.....	1.0	1.2	2.1	2.8	2.3	2.8	1.7	0.7	1.7	1.4	2.3	.....	1.1	94
.....	0.2	.....	0.2	.....	0.3	0.3	0.5	0.7	0.2	0.2	.....	0.7	.....	.....	.....	1.6	.....	95
3.2	2.0	2.5	1.4	4.4	3.2	2.6	2.6	3.4	3.6	0.6	0.9	1.5	2.5	1.4	1.9	1.6	3.0	96
1.1	0.1	.....	0.1	2.9	0.1	0.2	0.3	0.3	0.3	.....	.....	.....	.....	.....	.....	.....	.....	97
3.2	1.1	0.8	0.7	7.3	2.0	0.7	1.0	1.4	2.5	0.6	.....	3.7	1.9	2.7	1.0	4.9	2.7	98
255.8	143.6	220.9	141.6	316.1	148.0	180.8	117.7	199.8	170.8	152.4	135.7	257.2	136.1	178.4	128.4	353.1	142.6	
0.5	2.7	.....	1.5	1.5	5.4	1.3	1.0	0.8	1.0	0.8	0.9	3.0	3.1	1.4	1.0	4.9	4.8	99
4.8	2.5	4.2	2.2	5.9	3.1	2.1	2.5	2.3	2.0	3.2	2.6	2.2	2.1	1.4	1.6	3.3	2.6	100
1.1	0.1	1.7	0.1	.....	0.1	0.2	0.2	0.1	0.2	.....	.....	0.7	0.1	.....	.....	1.6	0.2	101
3.2	2.0	0.8	2.3	7.3	1.3	6.5	5.0	5.0	2.5	4.6	4.4	2.2	2.1	1.4	1.8	3.3	2.5	102
21.5	14.5	11.9	14.1	38.1	15.3	8.2	12.1	10.8	13.4	9.4	13.9	13.3	22.9	8.1	16.6	19.7	28.2	103
119.1	74.4	88.9	73.4	171.2	76.6	83.2	42.3	105.3	98.3	70.3	67.0	123.1	67.2	73.0	70.3	183.9	64.6	104
28.4	19.0	31.3	19.2	23.4	18.5	11.9	13.7	12.9	15.2	12.4	13.9	34.8	14.6	17.6	15.1	55.8	14.1	105
.....	0.3	.....	0.4	.....	.....	(2)	.....	.....	.....	.....	.....	.....	0.3	.....	0.3	.....	0.2	106
0.5	1.0	.....	0.7	1.5	1.8	0.1	0.2	0.1	0.2	.....	.....	0.7	1.1	.....	0.3	1.6	1.9	107
24.7	6.2	26.2	7.2	22.0	3.9	19.1	7.3	15.2	5.5	14.8	4.4	21.5	6.1	25.7	5.4	16.4	6.7	108
19.8	7.1	20.3	6.7	19.0	8.0	13.9	8.5	14.8	8.7	10.8	7.8	17.1	6.3	14.9	6.2	19.7	6.4	109
3.2	1.7	4.2	1.4	1.5	2.3	4.8	2.9	5.4	2.6	4.4	2.6	5.9	2.0	5.4	1.8	6.6	2.2	
16.6	5.4	16.1	5.3	17.6	5.7	9.1	5.6	9.4	6.1	6.4	5.2	11.1	4.3	9.5	4.4	13.1	4.2	
5.9	2.2	7.6	2.1	2.9	2.3	2.7	2.3	2.5	2.0	2.6	3.5	5.2	1.4	1.4	1.3	9.9	1.5	110
.....	0.5	.....	0.5	.....	0.4	0.4	0.5	0.4	0.5	1.2	.....	0.7	0.3	1.4	0.4	.....	0.1	111
0.5	.....	0.8	.....	.....	.....	.....	.....	(2)	.....	0.4	.....	.....	.....	.....	.....	.....	.....	112
10.7	4.4	11.9	4.7	8.8	3.6	18.3	11.2	15.8	10.9	12.0	12.2	8.2	2.6	8.1	2.2	8.2	3.0	113
4.3	1.4	5.9	1.7	1.5	0.9	4.9	3.7	4.0	2.5	3.0	1.7	4.4	1.0	5.4	1.2	3.3	0.9	114

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Continued.														
115	Other diseases of the liver	7.8	6.7	5.5	5.1	6.4	4.6	7.0	3.2	11.1	3.5	3.6	1.8	3.8	4.7
116	Diseases of the spleen	0.2	0.1	.....	0.1	0.1	0.2	.....	.....	.....	2.0	0.2	0.1	0.1	0.3
117	Simple peritonitis (nonpuerperal)	3.8	3.6	0.9	1.5	2.5	1.8	6.2	2.3	4.2	1.6	0.9	1.2	1.0	2.0
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.1	0.5	1.0	0.1	0.9	0.4	1.8	1.2	2.6	0.4	0.8	0.6	0.9	0.5
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	107.7	93.8	1 17.7	80.2	185.8	93.7	134.7	76.9	120.1	137.3	143.0	142.7	146.5	143.8
119	Acute nephritis	9.4	5.7	5.7	2.7	14.1	7.2	14.1	6.4	14.8	9.9	11.1	9.1	7.7	8.6
120	Bright's disease	75.5	74.5	88.4	64.5	146.7	74.6	98.6	60.4	87.8	113.6	118.4	124.7	124.4	121 2
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(1)	.....
122	Other diseases of the kidneys and annexa	3.7	2.0	3.4	2.7	3.8	1.4	4.4	2.0	3.2	1.2	1.7	1.5	2.6	2.0
123	Calculi of the urinary passages	0.6	0.4	1.0	0.5	1.5	0.5	.....	0.9	1.6	0.4	0.5	0.4	0.9	0.5
124	Diseases of the bladder	2.3	2.3	2.0	1.5	1.2	2.9	0.9	0.9	0.5	4.3	1.6	2.5	0.8	2.7
125	Diseases of the urethra, urinary abscess, etc.	0.3	0.1	0.3	0.1	0.6	(1)	.....	0.3	.....	.....	0.5	0.3	0.6	(1)
126	Diseases of the prostate	6.1	5.3	7.5	4.8	4.9	4.4	2.6	2.9	5.8	4.3	2.6	2.3	3.7	4.7
127	Nonvenereal diseases of the male genital organs.	0.2	0.1	0.5	0.1	0.1	(1)	.....	.....	0.5	.....	0.2	0.2	0.2	0.1
128	Uterine hemorrhage (nonpuerperal)	0.2	.....	.....	0.1	.....	(1)	.....	.....	0.5	.....	0.1	.....	0.1	0.1
129	Uterine tumor (noncancerous)	2.3	1.0	2.9	1.3	3.5	0.7	2.6	0.6	2.6	1.6	2.2	0.6	2.2	1.5
130	Other diseases of the uterus	2.7	1.0	1.2	0.4	2.4	0.7	2.6	0.9	1.6	2.0	0.6	0.2	0.7	0.9
131	Cysts and other tumors of the ovary	1.5	0.8	0.9	0.5	1.3	0.6	1.8	0.6	.....	.....	0.9	0.7	1.0	0.7
132	Salpingitis and other diseases of the female genital organs.	2.8	0.7	3.9	0.9	5.8	0.6	7.0	1.2	1.1	.....	2.3	0.2	1.6	0.6
133	Nonpuerperal diseases of the breast (cancer excepted).	0.1	.....	.....	0.1	.....	(1)	.....	.....	.....	.....	0.2	.....	0.1	(1)
	VII.—The puerperal state	24.1	16.2	14.4	12.7	14.7	15.4	22.9	23.7	19.0	13.4	16.6	9.2	13.4	10.7
134	Accidents of pregnancy	1.9	1.5	0.7	1.3	1.9	2.2	2.6	2.0	.....	0.8	1.3	0.4	1.0	1.2
135	Puerperal hemorrhage	1.9	1.5	1.2	1.3	0.6	1.3	0.9	2.3	1.1	1.6	2.1	0.9	1.5	1.2
136	Other accidents of labor	1.7	2.2	0.3	1.5	0.7	1.1	.....	2.3	1.6	1.6	1.2	0.8	1.4	1.1
137	Puerperal septicemia	13.1	5.9	7.8	3.9	8.3	6.3	14.1	9.5	7.9	2.4	7.7	3.7	5.7	3.1
138	Puerperal albuminuria and convulsions	4.6	4.4	3.8	3.9	2.9	4.1	4.4	5.8	5.8	6.3	3.6	2.9	3.2	3.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.8	0.7	0.7	0.9	0.2	0.4	0.9	1.7	2.6	0.4	0.6	0.6	0.6	0.7
140	Following childbirth (not otherwise defined).	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....	0.4	0.1	.....	(1)	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	(1)	.....
	VIII.—Diseases of the skin and of the cellular tissue.	7.3	7.6	4.6	3.6	3.3	4.2	7.9	2.6	3.7	5.5	4.5	3.5	3.7	5.8
142	Gangrene	2.5	4.6	0.9	1.7	1.2	2.4	3.5	1.7	2.6	3.5	1.5	1.3	0.9	3.6
143	Furuncle	1.1	0.2	0.9	0.6	0.9	0.6	1.8	.....	0.5	0 4	0.5	0.7	0.8	0.2
144	Acute abscess	1.7	1.5	1.4	0.7	1.0	0.6	1.8	0.6	.....	0.4	1.6	0.5	1.3	0.8
145	Other diseases of the skin and annexa	1.9	1.4	1.3	0.7	0.2	0.7	0.9	0.3	0.5	1.2	0.9	1.1	0.7	1.2
	IX.—Diseases of the bones and of the organs of locomotion.	4.9	2.9	3.1	1.8	3.0	1.4	2.6	2.0	5.8	2.4	3.3	2.5	4.0	1.9
146	Diseases of the bones (tuberculosis excepted)	4.5	2.1	2.9	1.5	2.4	1.0	2.6	1.7	4.8	2.0	3 1	1.9	3.6	1.2
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.2	0.5	0.3	0.2	0.4	0.1	.....	0.3	0.5	0.4	0.1	0.4	0.3	0.3
148	Amputations	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion.	0.1	0.2	.....	0.1	0.2	0.2	.....	.....	0.5	.....	0.1	0.2	(1)	0.4
	X.—Malformations	23.5	19.5	17.0	14.5	13.4	11.4	22.0	20.8	13.2	18.5	19.0	17.9	15.3	15.8
150	Congenital malformations (stillbirths not included) (total).	23.5	19.5	17.0	14.5	13.4	11.4	22.0	20.8	13.2	18.5	19.0	17.9	15.3	15.8
	Hydrocephalus	2.0	1.9	1.4	1.7	1.7	0.9	2.6	0.3	0.5	2.8	1.4	1.4	1.6	1.6
	Congenital malformations of the heart	15.1	11.3	8.3	6.8	7.6	6.2	13.2	12.1	6.3	11.8	11.1	11.6	8.2	9.4
	Other congenital malformations	6.4	6.3	7.3	6.0	4.2	4.3	6.2	8.4	6.3	3.9	6.5	5.0	5.5	4.7
	XI.—Early infancy	124.4	85.4	77.0	66.0	60.5	57.1	91.2	78.3	128.6	78.5	79.4	66.6	79.8	67.2
151	Congenital debility, icterus, and sclerema (total).	99.5	68.6	62.3	53.7	47.7	47.2	81.0	63.3	105.8	68.2	60.1	52.4	59.2	52.1
	Premature birth	69.8	49.1	53.3	42.8	41.4	39.3	64.3	46.0	71.4	48.1	47.2	39.0	44.6	40.0
	Congenital debility, "atrophy," "marasmus," etc.	29.7	19.5	9.0	10.9	6.4	7.9	16.7	17.3	34.4	20.1	12.9	13.4	14.6	12.1
152	Other causes peculiar to early infancy (total).	24.5	16.4	14.6	11.9	12.4	9.7	13.2	13.9	22.8	9.9	18.9	13.1	20.4	14.8
	Injuries at birth	13.4	7.3	8.2	7.0	6.2	5.4	8.8	7.2	7.4	3.9	12.0	7.5	12.0	10.0
	Other causes peculiar to early infancy[2]	11.1	9.1	6.4	5.0	6.2	4.3	4.4	6.6	15.3	5.9	6.9	5.6	8.4	4.8
153	Lack of care	0.3	0.4	0.1	0.4	0.3	0.2	.....	1.2	.....	0.4	0.5	1.1	0.2	0.4
	XII.—Old age	42.4	46.7	6.4	19.5	4.4	15.2	11.4	21.1	24.3	50.9	4.7	13.8	5.3	19.7
154	Senility	42.4	46.7	6.4	19.5	4.4	15.2	11.4	21.1	24.3	50.9	4.7	13.8	5.3	19.7

[1] Less than one-tenth of 1 per 100,000 population.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																	
NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.						Detailed Int. List No.
Total.		White.		Colored.								Total.		White.		Colored.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
4.3	3.3	5.1	3.6	2.9	2.8	5.4	4.8	6.0	5.1	4.0	1.7	15.6	2.8	16.2	2.9	14.8	2.6	115
.....	0.1	.....	0.1	.....	0.1	0.1	0.2	0.4	0.3	0.2	.....	.....	0.3	.....	.....	.....	0.6	116
5.4	1.8	3.4	1.0	8.8	3.4	1.9	1.9	2.3	2.1	1.6	1.7	3.7	1.6	1.4	1.6	6.6	1.6	117
1.1	0.2	0.8	0.2	1.5	0.3	0.5	0.3	1.0	0.3	1.0	.....	0.7	0.1	1.4	0.1	.....	0.1	118
171.6	76.6	146.4	73.3	215.1	84.1	117.2	107.5	150.2	91.6	151.2	111.4	323.2	91.4	205.4	78.1	466.4	102.7	
17.7	6.5	5.1	5.8	39.5	8.2	10.2	7.9	11.7	7.1	8.0	6.1	37.8	7.0	17.6	4.3	62.4	9.3	119
129.8	59.8	126.1	58.6	126.1	62.3	88.2	86.7	122.3	75.2	129.0	96.6	254.3	71.8	163.5	67.1	364.6	75.8	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.1	121
2.1	3.0	3.4	2.8	.....	3.5	2.5	1.9	2.1	1.3	1.8	0.9	8.2	5.4	5.4	3.8	11.5	6.7	122
0.5	0.5	0.8	0.3	.....	0.7	1.0	0.5	0.6	0.2	0.4	.....	3.0	0.1	2.7	0.1	3.3	0.1	123
1.6	1.0	1.7	0.8	1.5	1.5	1.4	2.3	1.3	1.8	1.8	0.9	0.7	1.8	.....	0.7	1.6	2.7	124
1.1	0.2	.....	0.1	2.9	0.4	0.5	0.1	0.9	0.2	0.4	.....	1.5	0.3	.....	0.1	3.3	0.5	125
2.1	2.1	1.7	2.1	2.9	2.2	3.1	5.5	3.9	3.1	2.8	4.4	4.4	1.7	2.7	1.2	6.6	2.2	126
0.5	(1)	.....	0.1	1.5	.....	0.2	0.1	0.1	(1)	0.2	.....	.....	.....	.....	.....	.....	.....	127
0.5	0.3	0.8	0.3	.....	0.1	.....	.....	0.1	(1)	0.2	.....	.....	0.2	.....	0.1	.....	0.2	128
4.8	0.7	0.8	0.4	11.7	1.5	2.6	0.8	2.5	0.8	2.2	0.9	3.7	0.5	2.7	.....	4.9	0.9	129
4.3	1.3	2.5	1.1	7.3	1.8	1.1	0.3	1.1	0.5	0.8	.....	5.2	1.5	4.1	0.1	6.6	2.6	130
1.1	0.4	1.7	0.2	.....	0.7	1.9	0.6	1.2	0.6	1.0	1.7	.....	0.3	.....	0.1	.....	0.4	131
5.4	0.6	1.7	0.4	11.7	1.2	4.0	0.8	2.2	0.7	2.6	.....	4.4	0.7	6.8	0.3	1.6	1.1	132
.....	0.1	.....	0.1	.....	.....	0.2	(1)	0.1	0.1	.....	.....	.....	0.1	.....	.....	.....	0.1	133
37.0	23.6	30.5	20.4	48.3	31.0	18.9	13.0	21.2	14.8	15.0	8.7	37.8	30.1	23.0	24.4	55.8	34.9	
4.8	1.8	2.5	1.4	8.8	2.5	1.9	0.8	1.8	0.9	1.2	0.9	3.7	1.9	2.7	1.5	4.9	2.3	134
2.7	2.3	2.5	2.2	2.9	2.6	1.5	1.3	1.9	1.9	2.0	.....	3.7	2.3	4.1	1.9	3.3	2.7	135
4.8	3.9	4.2	2.9	5.9	6.3	1.4	1.4	2.3	1.5	2.0	1.7	3.7	7.6	1.4	4.5	6.6	10.3	136
10.2	6.0	5.9	5.0	17.6	8.2	9.4	6.0	9.3	6.1	3.8	1.7	11.9	8.3	1.4	5.4	24.6	10.6	137
13.4	9.2	13.5	8.6	13.2	10.5	4.1	3.0	5.4	3.8	4.8	4.4	13.3	9.2	10.8	10.1	16.4	8.4	138
1.1	0.5	1.7	0.3	.....	0.7	0.6	0.5	0.5	0.6	1.2	.....	1.5	0.7	2.7	0.9	.....	0.5	139
.....	0.1	.....	0.1	.....	0.1	0.1	(1)	(1)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	140
.....	.....	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
7.0	4.0	5.1	3.1	10.2	6.1	4.2	5.5	5.6	6.1	6.4	6.1	5.2	3.6	4.1	2.8	6.6	4.2	
3.2	1.3	1.7	0.9	5.9	2.0	1.9	3.3	2.1	3.5	1.4	4.4	1.5	1.2	1.4	0.9	1.6	1.5	142
.....	0.5	.....	0.5	.....	0.6	0.7	0.4	1.0	0.6	1.2	0.9	0.7	0.1	1.4	.....	.....	0.2	143
1.6	1.2	1.7	0.8	1.5	1.9	0.8	0.7	1.4	0.9	2.2	0.9	2.2	0.8	1.4	0.3	3.3	1.2	144
2.1	1.0	1.7	0.8	2.9	1.6	0.9	1.1	1.0	1.1	1.6	.....	0.7	1.4	.....	1.6	1.6	1.2	145
7.5	1.2	7.6	1.2	7.3	1.2	3.2	1.4	4.5	1.9	4.6	3.5	1.5	1.5	1.4	1.3	1.6	1.6	
5.9	1.0	6.8	1.1	4.4	0.9	2.9	1.1	3.9	1.6	4.0	1.7	1.5	1.3	1.4	1.2	1.6	1.5	146
1.1	(1)	0.8	.....	1.5	0.1	0.2	0.3	0.5	0.1	0.4	1.7	.....	0.1	.....	.....	.....	0.1	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
0.5	0.1	.....	0.1	1.5	0.1	0.1	.....	0.1	0.1	0.2	.....	.....	0.1	.....	0.1	.....	.....	149
19.8	11.7	19.5	14.5	20.5	5.5	19.6	16.6	20.8	21.4	16.0	11.3	9.6	7.8	10.8	10.3	8.2	5.8	
19.8	11.7	19.5	14.5	20.5	5.5	19.6	16.6	20.8	21.4	16.0	11.3	9.65	7.8	10.8	10.3	8.2	5.8	150
.....	1.1	.....	1.2	.....	0.9	1.3	1.3	1.3	1.1	1.8	1.7	1.	2.1	1.4	0.7	1.6	3.2	
13.9	4.8	12.7	6.3	16.1	1.3	11.3	10.0	13.7	14.9	7.4	6.1	5.9	2.5	6.8	4.5	4.9	0.7	
5.9	5.8	6.8	6.9	4.4	3.4	7.0	5.3	5.7	5.5	6.8	3.5	2.2	3.3	2.7	5.0	1.6	1.9	
114.8	80.9	94.0	83.3	150.7	75.6	87.4	56.6	85.3	83.7	102.3	75.7	209.1	134.0	147.3	103.6	284.1	159.7	
96.5	70.1	81.3	72.7	122	64.4	67.3	44.6	66.6	67.6	76.1	58.3	182.4	123.3	125.7	91.9	251.3	149.8	151
67.0	50.4	59.3	53.9	80.5	42.8	53.7	32.2	51.4	48.8	43.1	32.2	101.6	84.5	100.0	66.5	103.5	99.7	
29.5	19.7	22.0	18.8	42.4	21.6	13.6	12.4	15.2	18.8	33.0	26.1	80.8	38.8	25.7	25.4	147.8	50.1	
17.2	10.1	11.9	10.3	26.3	9.8	19.8	11.9	18.5	15.7	26.0	17.4	26.7	10.3	21.6	11.6	32.8	9.1	152
6.4	4.4	6.8	4.4	5.9	4.4	12.3	7.1	9.6	8.2	19.0	11.3	8.9	4.6	8.1	5.7	9.9	3.7	
10.7	5.7	5.1	5.8	20.5	5.4	7.5	4.7	9.2	7.5	7.0	6.1	17.8	5.6	13.5	5.9	23.0	5.4	
1.1	0.7	0.8	0.4	1.5	1.5	0.2	0.2	0.3	0.4	0.2	.....	.....	0.5	.....	0.1	.....	0.7	153
6.4	28.0	8.5	21.8	2.9	41.9	9.0	22.1	8.0	14.3	14.8	35.7	5.9	31.5	8.1	20.8	3.3	40.5	
6.4	28.0	8.5	21.8	2.9	41.9	9.0	22.1	8.0	14.3	14.8	35.7	5.9	31.5	8.1	20.8	3.3	40.5	154

[1] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes	139.2	99.8	108.4	81.9	144.6	72.6	221.9	185.6	81.5	83.2	108.2	115.3	96.7	111.8
	Suicide (total)	16.8	13.5	17.2	9.9	27.8	10.0	32.6	22.0	12.2	14.2	15.2	12.1	14.7	15.8
155	By poison	7.4	2.5	2.3	1.6	9.8	2.7	11.4	5.8	2.1	2.4	2.7	1.0	2.0	3.4
156	By asphyxia	1.8	0.3	3.6	0.1	2.4	(1)	.....	0.3	2.6	.....	5.7	2.3	5.5	0.6
157	By hanging or strangulation	2.1	4.0	2.2	2.7	1.7	1.5	1.8	2.9	1.1	2.0	1.5	2.0	1.6	4.9
158	By drowning	0.7	1.0	1.2	0.8	0.4	0.6	1.8	1.2	1.1	0.4	0.7	1.8	0.6	1.3
159	By firearms	3.2	4.0	5.5	3.8	11.1	4.3	14.1	9.3	3.2	6.7	3.2	3.6	2.2	3.6
160	By cutting or piercing instruments	1.1	1.0	2.0	0.6	1.4	0.5	3.5	2.3	1.6	2.4	0.7	1.2	1.1	1.3
161	By jumping from high places	0.3	.....	0.3	0.1	0.8	(1)	.....	.....	.....	.....	0.5	0.2	1.6	0.2
162	By crushing	0.1	0.1	0.1	0.1	0.2	0.1	.....	.....	.....	0.4	0.1	.....	0.1	0.2
163	Other suicides	0.1	0.7	.....	0.1	0.2	0.2	.....	0.3	0.5	.....	0.1	.....	0.1	0.3
	Accidental or undefined (total)	115.1	84.3	85.2	70.1	98.6	57.7	155.9	149.7	67.2	68.2	89.2	99.2	77.0	93.8
164	Poisoning by food	1.2	1.2	1.6	1.2	0.8	1.3	7.9	2.3	0.5	0.4	1.0	1.3	0.5	1.0
165	Other acute poisonings	2.3	2.0	2.2	2.1	2.8	1.6	4.4	2.9	2.1	.....	1.8	1.6	1.1	1.8
166	Conflagration	2.2	1.9	1.0	1.7	1.8	1.1	3.5	2.0	0.5	2.0	0.9	2.4	1.3	1.9
167	Burns (conflagration excepted)	9.5	4.2	4.7	3.7	7.9	4.9	7.9	8.1	7.4	2.8	11.7	7.7	8.4	4.7
168	Absorption of deleterious gases (conflagration excepted)	4.8	3.0	8.8	1.5	3.1	1.5	2.6	3.5	4.2	2.0	7.6	5.0	6.7	3.2
169	Accidental drowning	9.8	13.9	7.0	14.6	3.1	6.4	5.3	18.8	10.6	11.4	8.8	16.6	8.6	17.5
170	Traumatism by firearms	2.4	2.5	1.8	3.4	2.1	3.3	7.9	5.2	1.1	3.9	0.6	1.7	0.4	2.5
171	Traumatism by cutting or piercing instruments	0.2	0.1	.....	0.3	0.5	0.2	0.9	0.3	0.5	.....	0.1	0.1	0.2	0.3
172	Traumatism by fall	16.8	12.6	16.5	8.3	20.0	9.9	19.4	10.1	15.3	11.8	19.8	15.5	20.2	17.7
173	Traumatism in mines and quarries (total)	1.1	5.8	0.3	2.4	3.1	1.3	22.0	20.5	.....	.....	0.1	0.9	0.1	0.8
	Traumatism in mines	1.1	5.8	0.3	2.3	3.1	1.2	22.0	20.2	.....	.....	0.1	0.7	.....	0.6
	Traumatism in quarries	.....	.....	.....	0.1	.....	(1)	.....	0.3	.....	.....	.....	0.2	.....	0.1
174	Traumatism by machines	3.1	1.6	2.6	1.9	2.0	1.3	6.2	4.0	1.1	2.0	2.7	2.2	1.8	1.6
175	Traumatism by other crushing (total)	39.6	19.9	29.6	18.7	31.8	13.6	50.2	51.5	13.8	20.1	26.7	33.6	20.9	30.0
	Railroad accidents and injuries	14.5	9.4	12.0	9.7	12.3	7.4	27.2	28.3	7.4	4.7	12.1	19.6	5.1	17.9
	Street-car accidents and injuries	6.5	2.4	3.6	0.2	4.6	0.1	5.3	0.6	.....	0.8	2.7	1.8	3.2	1.4
	Automobile accidents and injuries	14.6	4.1	9.6	4.6	10.1	2.8	7.9	9.5	4.8	8.3	8.4	8.1	8.6	6.6
	Injuries by other vehicles	3.3	3.4	3.8	3.6	4.2	2.9	8.8	11.0	1.1	5.9	2.9	3.8	3.4	3.7
	Landslide, other crushing	0.8	0.6	0.7	0.7	0.6	0.3	0.9	2.0	0.5	0.4	0.6	0.3	0.5	0.5
176	Injuries by animals	0.7	1.5	0.7	2.3	0.7	1.4	1.8	3.5	1.1	1.6	0.3	1.0	0.4	0.7
177	Starvation	0.2	0.1	.....	0.1	0.1	(1)	0.9	.....	.....	.....	0.1	.....	(1)	0.1
178	Excessive cold	0.1	0.9	0.5	1.2	0.9	0.3	0.9	6.6	0.5	.....	0.4	1.1	0.2	0.8
179	Effects of heat	11.9	4.2	2.3	1.9	11.0	1.9	1.8	.....	1.6	0.8	1.8	1.7	1.1	1.4
180	Lightning	0.3	1.4	0.1	0.9	0.3	1.6	.....	2.9	.....	0.8	0.1	0.3	0.1	0.5
181	Electricity (lightning excepted)	1.7	0.8	1.0	0.3	1.1	0.4	1.8	1.2	.....	1.6	0.8	0.9	0.6	1.0
185	Fractures (cause not specified)	2.3	0.8	0.4	0.1	1.7	0.4	.....	0.6	2.6	0.8	0.6	0.1	1.1	1.9
186	Other external violence	4.9	5.8	3.9	3.8	3.7	5.3	10.6	5.8	4.2	6.3	3.6	5.8	3.4	4.6
	Homicide (total)	7.2	2.0	6.1	1.9	18.2	5.0	33.5	13.9	2.1	0.8	3.9	4.0	4.9	2.2
182	By firearms	4.8	1.3	3.8	1.4	12.7	3.2	24.7	11.0	0.5	0.4	1.9	2.2	2.1	1.1
183	By cutting or piercing instruments	1.2	0.1	0.7	0.1	2.3	0.8	1.8	0.6	0.5	.....	0.7	0.4	0.9	0.4
184	By other means	1.2	0.7	1.7	0.4	3.1	0.9	7.0	2.3	1.1	0.4	1.2	1.4	1.9	0.7
	XIV.—Ill-defined diseases	6.9	12.6	1.6	15.6	3.9	29.5	29.1	26.0	6.3	8.3	2.0	4.3	1.1	3.9
187	Ill-defined organic disease	0.6	0.5	.....	0.1	.....	0.3	.....	.....	.....	0.4	.....	0.1	(1)	0.1
188	Sudden death	0.3	0.7	0.3	1.5	0.1	1.9	2.6	2.0	.....	0.4	0.1	0.1	0.1	0.4
189	Not specified or ill-defined (total)	5.9	11.4	1.3	14.0	3.8	27.3	26.4	24.0	6.3	7.5	1.9	4.1	1.0	3.3
	Ill-defined	3.6	4.2	0.8	4.1	0.9	4.9	8.8	8.7	5.3	4.7	1.5	2.6	0.6	2.0
	Not specified or unknown	2.3	7.2	0.5	9.9	2.8	22.4	17.6	15.3	1.1	2.8	0.4	1.5	0.4	1.3

[1] Less than one-tenth of 1 per 100,000 population.

EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																		Detailed Int. List No.
NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		SOUTH CAROLINA.						
Total.		White.		Colored.								Total.		White.		Colored.		
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
106.7	65.5	91.4	56.7	133.2	85.1	146.3	100.6	126.8	113.0	90.9	98.3	115.6	69.8	89.2	55.6	147.8	81.7	
7.5	3.1	11.0	3.7	1.5	1.8	17.9	11.7	13.8	10.1	13.6	13.9	6.7	3.6	9.5	5.9	3.3	1.7	
1.6	0.4	1.7	0.6	1.5	.....	4.3	1.9	2.5	1.2	1.0	.....	0.7	0.9	1.4	1.9	.....	.....	155
.....	.....	.....	.....	.....	.....	0.4	(1)	3.0	0.3	4.8	.....	.....	0.1	.....	0.1	.....	.....	156
0.5	0.3	0.8	0.3	.....	0.3	2.7	3.3	1.9	2.3	2.0	5.2	0.7	0.1	1.4	.....	.....	0.1	157
.....	0.4	.....	0,3	.....	0.4	2.0	1.1	0.7	0.8	1.2	5.2	0.7	0.2	1.4	.....	.....	0.4	158
4.8	1.8	7.6	2.2	.....	1.0	6.7	3.9	4.5	4.5	3.2	3.5	4.4	2.2	5.4	3.7	3.3	1.0	159
0.5	0.1	0.8	0.1	.....	.....	1.2	0.6	0.8	0.7	0.4	.....	.....	0.2	.....	0.1	.....	0.2	160
.....	(1)	.....	0.1	.....	.....	0.2	0.2	0.3	(1)	0.8	.....	.....	.....	.....	.....	.....	.....	161
.....	.....	.....	.....	.....	.....	0.2	0.4	(1)	0.1	0.2	.....	.....	.....	.....	.....	.....	.....	162
.....	(1)	.....	0.1	.....	.....	0.2	0.2	(1)	0.1	.....	.....	.....	.....	.....	.....	.....	.....	163
83.1	54.6	70.3	48.8	105.4	67.6	115.4	85.2	104.9	98.4	74.1	79.2	81.5	54.1	68.9	44.3	96.9	62.4	
3.8	1.5	3.4	1.4	4.4	1.8	1.0	1.0	0.6	1.1	0.8	.....	.....	1.6	.....	2.2	.....	1.1	164
2.1	1.7	0.8	1.6	4.4	1.9	3.4	1.3	2.0	1.9	1.6	1.7	2.2	2.6	.....	1.6	4.9	3.5	165
0.5	1.0	0.8	0.6	.....	2.0	1.9	1.2	1.2	1.3	1.0	.....	.....	1.7	.....	0.6	.....	2.6	166
11.8	12.2	11.0	9.5	13.2	18.1	9.4	5.7	13.9	8.2	9.8	11.3	13.3	15.6	10.8	10.0	16.4	20.4	167
0.5	2.6	.....	2.1	1.5	3.6	4.7	2.3	4.0	2.2	6.4	2.6	6.7	2.8	2.7	2.3	11.5	3.1	168
6.4	6.5	5.1	5.9	8.8	7.6	6.5	7.5	5.6	7.6	8.0	12.2	7.4	5.5	8.1	3.2	6.6	7.4	169
8.6	4.3	7.6	3.0	10.2	7.3	1.2	2.3	0.9	2.1	0.2	0.9	5.9	3.8	4.1	3.2	8.2	4.2	170
.....	.....	.....	.....	.....	.....	0.2	0.2	0.1	0.1	0.2	.....	.....	.....	.....	.....	.....	.....	171
9.1	5.8	10.2	6.8	7.3	3.5	22.2	16.3	22.0	14.5	16.8	9.6	8.9	5.2	13.5	6.6	3.3	4.0	172
.....	0.2	.....	0.3	.....	.....	0.8	3.6	8.6	17.3	.....	.....	.....	.....	.....	.....	.....	.....	173
.....	0.2	.....	0.3	.....	.....	0.7	3.4	8.3	16.6	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	0.1	0.2	0.3	0.7	.....	.....	.....	.....	.....	.....	.....	.....	
2.1	1.6	2.5	1.6	1.5	1.6	4.6	2.2	3.4	2.6	3.0	0.9	3.0	1.5	1.4	1.8	4.9	1.4	174
22.5	8.8	22.0	8.6	23.4	9.1	44.1	31.2	33.3	30.2	20.8	28.7	25.9	7.3	25.7	7.3	26.3	7 3	175
12.3	4.8	10.2	4.6	16.1	5.4	21.1	20.7	15.1	19.7	5.0	9.6	11.9	4.4	8.1	3.4	16.4	5.2	
0.5	.....	.....	.....	1.5	.....	5.3	2.4	3.9	1.9	3.4	3.5	1.5	0.3	1.4	0.4	1.6	0.1	
8.0	1.8	10.2	1.8	4.4	1.8	12.6	4.5	9.7	5.9	8.2	10.4	8.2	1.1	12.2	1.8	3.3	0.5	
1.1	1.6	1.7	1.7	.....	1.3	3.7	3.1	3.9	2.3	3.0	5.2	3.7	1.2	4.1	1.3	3.3	1.1	
0.5	0.6	.....	0.6	1.5	0.6	1.5	0.5	0.7	0.5	1.2	.....	0.7	0.4	.....	0.4	1.6	0.4	
1.1	0.5	0.8	0.6	1.5	0.4	0.5	1.1	0.5	0.9	0.2	1.7	.....	0.4	.....	0.6	.....	0.2	176
.....	0.2	.....	0.3	.....	0.1	0.1	.....	0.1	(1)	.....	.....	0.7	0.1	1.4	0.1	.....	.....	177
1.1	0.3	.....	0.1	2.9	0.7	0.3	0.6	0.4	0.5	0.2	2.6	.....	0.1	.....	0.1	.....	0.1	178
.....	0.2	.....	0.1	.....	0.6	5.5	2.3	2.1	1.7	1.4	0.9	.....	0.3	.....	0.1	.....	0.5	179
.....	0.8	.....	0.8	.....	0.7	0.1	0.6	(1)	0.6	.....	.....	0.7	1.0	.....	0.7	1.6	1.2	180
1.6	0.6	1.7	0.8	1.5	0.1	1.5	1.0	0.7	0.9	1.2	.....	1.5	0.2	1.4	0.3	1.6	0.1	181
.....	0.7	.....	0.8	.....	0.4	1.5	1.0	0.3	0.2	0.2	.....	0.7	0.2	.....	0.4	1.6	.....	185
11.8	5.2	4.2	4.0	24.9	7.9	5.8	3.6	5.1	4.4	2.2	6.1	4.4	4.2	.....	2.9	9.9	5.3	186
16.1	7.8	10.2	4.2	26.3	15.8	13.0	3.7	8.1	4.5	3.2	5.2	27.4	12.0	10.8	5.4	47.6	17.5	
11.3	6.2	5.9	3.4	20.5	12.4	8.0	2.4	4.5	3.1	1.2	5.2	19.3	9.6	9.5	4.0	31.2	14.3	182
0.5	0.7	0.8	0.5	.....	1.2	2.2	0.4	1.5	0.4	.....	.....	2.2	0.5	1.4	0.4	3.3	0.6	183
4.3	0.9	3.4	0.4	5.9	2.2	2.8	0.9	2.1	1.1	2.0	.....	5.9	1.9	.....	1.0	13.1	2.6	184
38.6	117.5	26.2	80.8	60.0	199.4	10.0	9.1	3.1	10.0	7.2	2.6	23.7	69.9	8.1	34.3	42.7	99.9	
0.5	5.3	.....	3.8	1.5	8.8	0.1	0.3	(1)	0.7	.....	.....	.....	11.6	.....	5.0	.....	17.2	187
2.7	8.3	0.8	6.7	5.9	12.0	0.6	1.0	0.1	1.0	1.4	.....	0.7	2.1	1.4	1.8	.....	2.5	188
35.4	103.8	25.4	70.3	52.7	178.7	9.3	7.9	3.0	8.3	5.8	2.6	23.0	56.2	6.8	27.6	42.7	80.2	189
11.3	23.4	7.6	21.6	17.6	27.4	3.4	3.2	2.1	5.4	4.8	2.6	18.5	44.9	5.4	21.3	34.5	64.8	
24.1	80.4	17.8	48.7	35.1	151.2	5.8	4.6	0.9	2.9	1.0	.....	4.4	11.3	1.4	6.3	8.2	15.4	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes[1]	1,132.4	990.6	1,740.1	1,536.4	1,870.1	1,359.4	1,458.8	1,154.2	2,693.8	1,830.8	721.2	815.1	1,321.3	1,110.6
	I.—General diseases	266.8	201.2	477.2	388.8	500.4	410.2	404.7	337.6	692.2	577.1	211.2	216.9	348.5	287.2
1	Typhoid fever	10.8	10.2	8.2	6.0	26.6	24.7	21.9	20.6	36.0	34.1	4.0	6.2	12.5	5.6
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	.....	0.4	.....	.....	8.7	6.1	2.9	3.9	20.3	11.0	.....	0.1	.....	0.1
5	Smallpox	.....	.....	.....	0.3	.....	0.1	.....	0.1	.....	.....	.....	0.1	.....	0.1
6	Measles	12.1	6.7	26.7	3.5	21.6	17.8	18.3	16.0	28.1	21.9	5.2	5.8	19.4	7.7
7	Scarlet fever	6.0	5.6	4.1	3.5	1.7	1.2	2.3	1.7	0.7	0.2	0.3	1.4	8.1	3.4
8	Whooping cough	1.3	10.5	37.0	8.6	23.5	19.2	12.4	14.0	45.8	31.0	4.8	5.1	7.7	6.7
9	Diphtheria and croup	13.4	15.1	6.2	6.7	5.2	16.9	7.2	19.4	1.3	11.0	2.3	2.5	14.2	6.5
10	Influenza	14.8	15.4	51.4	80.6	39.5	34.1	23.2	31.8	45.1	39.2	12.5	16.0	20.6	34.8
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	.....	.....	.....	0.3	0.7	0.8	0.3	0.6	1.3	1.3	.....	0.1	0.3	0.2
14	Dysentery	1.3	1.8	2.1	.....	12.6	15.0	10.4	14.1	17.0	17.1	0.7	1.5	1.7	1.8
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	4.7	6.0	2.1	3.5	2.8	2.6	3.9	3.1	0.7	1.5	1.7	1.1	4.0	4.0
19	Other epidemic diseases	.....	.....	.....	0.6	0.4	0.3	0.3	0.3	0.7	0.2	.....	0.1	0.5	0.2
20	Purulent infection and septicemia	2.0	1.1	2.1	2.2	5.4	1.4	5.2	1.2	5.9	1.9	1.5	1.1	1.7	1.5
21	Glanders	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....
23	Rabies	.....	.....	.....	.....	.....	0.1	.....	0.2	.....	.....	0.3	.....	.....	.....
24	Tetanus	1.3	.....	2.1	0.3	3.5	2.0	1.6	1.3	7.2	3.4	.....	.....	1.3	1.1
25	Mycoses	.....	.....	.....	.....	0.2	.....	0.3	.....	.....	.....	.....	.....	.....	0.3
26	Pellagra	.....	.....	.....	0.6	16.1	10.0	16.3	7.2	15.7	16.6	.....	.....	0.1	.....
27	Beriberi	.....	0.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....
	Tuberculosis (total)	54.4	46.6	172.8	97.8	199.6	171.1	128.9	117.9	341.2	293.5	68.3	93.7	100.6	89.1
28	Tuberculosis of the lungs	37.0	39.3	146.0	80.3	162.0	148.6	102.2	101.1	281.7	257.7	47.1	81.0	79.6	76.1
29	Acute miliary tuberculosis	2.0	1.4	2.1	1.3	3.9	4.4	5.2	2.3	16.3	9.3	2.8	1.3	2.5	2.3
30	Tuberculous meningitis	5.4	1.8	18.5	6.0	11.1	6.2	8.5	5.7	16.3	7.2	7.4	3.8	10.5	3.7
31	Abdominal tuberculosis	4.7	1.8	4.1	4.4	12.0	7.2	7.5	5.1	20.9	11.8	5.2	3.7	3.9	3.2
32	Pott's disease	2.7	2.1	2.1	1.0	1.3	1.2	0.7	0.7	2.6	2.1	2.4	0.5	1.2	0.8
33	White swellings	0.7	.....	.....	0.6	0.7	1.0	0.3	0.7	1.3	1.7	0.9	0.4	0.6	0.7
34	Tuberculosis of other organs	2.0	0.4	.....	1.9	1.5	2.1	2.0	1.8	0.7	2.7	1.7	1.5	1.6	1.4
35	Disseminated tuberculosis	.....	.....	.....	2.2	2.2	0.5	2.6	0.3	1.3	1.0	0.7	1.5	0.7	0.9
36	Rickets	.....	.....	.....	0.6	1.7	0.8	0.3	0.2	4.6	2.1	.....	0.1	2.2	0.6
37	Syphilis	6.0	3.9	6.2	4.8	24.6	10.2	17.6	3.6	38.6	25.3	7.2	3.8	5.0	3.7
38	Gonococcus infection	0.7	.....	.....	0.3	1.7	0.6	1.0	0.3	3.3	1.1	.....	0.1	0.6	0.1
	Cancer and other malignant tumors (total)	78.6	45.2	107.0	116.2	74.9	52.2	88.4	56.7	47.7	42.1	73.5	51.2	97.6	77.3
39	Of the buccal cavity	4.0	1.8	2.1	2.2	3.3	1.7	3.3	2.2	3.3	0.6	3.1	2.9	2.8	2.2
40	Of the stomach, liver	36.3	19.3	32.9	43.5	24.4	18.4	31.0	20.2	11.1	14.1	29.3	22.6	41.5	40.1
41	Of the peritoneum, intestines, rectum	12.8	5.3	18.5	15.6	7.6	4.8	10.4	5.2	2.0	3.8	10.8	6.2	15.2	9.8
42	Of the female genital organs	10.1	3.5	26.7	18.1	18.3	9.7	18.3	8.4	18.3	12.6	10.6	4.7	13.3	6.2
43	Of the breast	2.7	4.9	12.3	12.4	7.8	6.0	9.8	6.4	3.9	5.1	5.0	4.1	8.2	5.3
44	Of the skin	2.0	1.1	.....	4.4	2.0	3.6	2.6	4.8	0.7	0.8	1.3	2.2	1.9	2.4
45	Of other organs or of organs not specified	10.8	9.5	14.4	20.0	11.5	8.1	13.1	9.4	8.5	5.1	13.4	8.5	14.8	11.3
46	Other tumors (tumors of the female genital organs excepted)	0.7	.....	.....	0.6	0.9	0.5	0.3	0.5	2.0	0.4	.....	0.4	0.5	0.4
47	Acute articular rheumatism	8.7	3.9	.....	4.8	4.1	4.4	3.3	3.1	5.9	7.6	2.1	3.2	6.5	5.0
48	Chronic rheumatism and gout	1.3	1.4	4.1	2.9	1.1	1.9	1.6	2.2	.....	1.3	0.5	0.9	1.6	2.3
49	Scurvy	.....	.....	.....	0.3	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1
50	Diabetes	18.8	14.0	28.8	26.7	12.0	8.4	14.0	8.9	7.8	7.2	11.4	13.0	19.3	16.5
51	Exophthalmic goiter	5.4	1.8	4.1	3.8	2.8	0.5	2.9	0.7	2.6	.....	3.2	1.1	3.5	2.1
52	Addison's disease	.....	0.7	2.1	0.3	1.1	0.2	1.3	0.2	0.7	.....	0.5	0.1	0.7	0.6
53	Leukemia	4.0	0.4	.....	1.0	1.7	1.6	2.3	1.8	0.7	1.0	2.0	0.8	3.7	2.4
54	Anemia, chlorosis	7.4	3.5	6.2	7.0	4.4	2.1	4.9	2.2	3.3	1.9	4.4	3.6	6.0	6.2
55	Other general diseases	4.0	2.5	.....	1.6	1.1	2.1	1.3	2.2	0.7	1.9	1.2	1.1	1.9	1.3
56	Alcoholism (acute or chronic)	6.7	4.2	4.1	2.5	7.8	1.4	7.8	1.5	7.8	1.1	3.3	1.4	6.5	5.2
57	Chronic lead poisoning	1.3	.....	.....	0.3	0.2	.....	0.3	.....	.....	.....	0.1	0.5	.....	0.2
58	Other chronic occupation poisonings	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1
59	Other chronic poisonings	0.7	0.4	.....	0.6	1.1	0.3	1.6	0.4	.....	.....	.....	0.3	.....	0.1
	II.—Diseases of the nervous system and of the organs of special sense	86.7	68.4	127.5	195.5	183.9	132.9	143.9	116.4	264.1	170.7	65.1	89.5	115.0	128.4
60	Encephalitis	1.3	.....	.....	2.5	2.0	0.9	1.3	0.8	3.3	1.0	0.8	0.5	0.9	0.8
61	Meningitis (total)	10.1	3.2	8.2	10.2	8.1	10.0	6.5	10.3	11.1	9.3	2.8	4.1	8.6	6.1
	Simple meningitis	4.7	1.4	8.2	6.7	5.4	4.6	4.9	4.7	6.5	4.4	1.3	1.5	4.4	2.7
	Cerebrospinal meningitis (undefined)	0.7	0.4	.....	0.6	1.1	2.7	0.3	2.3	2.6	3.4	0.9	1.0	1.6	1.3
	Cerebrospinal fever	4.7	1.4	.....	2.9	1.5	2.7	1.3	3.2	2.0	1.5	0.5	1.5	2.5	2.1

[1] Exclusive of stillbirths.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
62	Locomotor ataxia	0.7	0.4	2.1	4.1	3.5	1.0	3.6	0.8	3.3	1.5	1.6	0.9	2.5	2.3
63	Other diseases of the spinal cord (total)	4.7	4.9	6.2	11.4	7.8	8.4	9.1	8.9	5.2	7.0	3.8	3.9	7.7	8.9
	Acute anterior poliomyelitis		1.1		3.8	2.8	3.2	3.6	3.8	1.3	1.7	0.7	0.8	2.1	3.0
	Other diseases of the spinal cord [1]	4.7	3.9	6.2	7.6	5.0	5.2	5.5	5.1	3.9	5.3	3.1	3.2	5.7	5.9
64	Cerebral hemorrhage, apoplexy	55.8	41.0	94.6	136.5	123.6	64.1	92.0	56.2	187.0	82.4	42.1	54.1	70.7	75.6
65	Softening of the brain		0.4		1.9	3.9	1.9	3.6	2.1	4.6	1.5	0.5	0.3	0.8	1.7
66	Paralysis without specified cause		2.8	2.1	5.7	11.3	21.5	8.2	18.6	17.6	28.0	3.6	4.8	2.5	6.2
67	General paralysis of the insane	0.7	2.8		4.8	3.5	2.2	4.2	2.1	2.0	2.5	1.3	7.9	2.4	6.7
68	Other forms of mental alienation	1.3	1.8	2.1	4.1	2.4	3.8	2.3	2.9	2.6	5.9	0.5	3.9	1.3	3.4
69	Epilepsy	1.3	3.5		7.9	2.8	6.5	3.6	5.0	1.3	10.1	2.5	4.4	1.9	5.3
70	Convulsions (nonpuerperal)		0.4			0.2	0.9	0.3	0.2		2.5	0.1	0.1	0.1	0.1
71	Convulsions of infants	2.0	2.8	2.1	1.6	5.7	6.9	1.3	3.5	14.4	14.7	1.2	1.4	8.8	6.8
72	Chorea		0.4			0.9	0.1	0.7		1.3	0.2		0.1	0.2	0.2
73	Neuralgia and neuritis			2.1		0.2	0.5		0.5	0.7	0.4	0.5	0.4	0.1	0.3
74	Other diseases of the nervous system	4.7	2.1	4.1	2.9	5.9	3.1	4.9	3.1	7.8	2.9	1.5	1.8	2.9	2.4
75	Diseases of the eyes and their annexa	0.7					0.1		0.1					0.2	0.1
76	Diseases of the ears	3.4	2.1	4.1	1.9	2.2	1.2	2.3	1.2	2.0	1.0	2.1	0.9	3.2	1.5
	III.—Diseases of the circulatory system.	135.7	119.2	259.2	320.9	219.0	148.8	181.5	129.0	294.2	194.5	107.0	108.6	163.3	163.7
77	Pericarditis	0.7	1.8		1.6	0.4	0.7	0.3	0.5	0.7	1.1	0.8	0.4	1.2	1.0
78	Acute endocarditis	10.8	6.0	14.4	7.0	11.3	3.4	4.6	2.4	24.8	5.7	6.6	4.7	14.3	6.3
79	Organic diseases of the heart	103.5	93.6	181.0	225.3	176.8	126.5	143.3	107.9	243.8	169.2	79.0	82.0	112.0	122.6
80	Angina pectoris	9.4	3.9	16.5	23.5	8.3	5.5	8.8	6.2	7.2	3.8	4.3	6.1	8.1	6.4
81	Diseases of the arteries, atheroma, aneurism, etc	6.7	10.5	39.1	56.2	14.1	9.8	15.7	9.2	11.1	11.0	12.5	11.7	20.4	23.1
82	Embolism and thrombosis	3.4	2.5	8.2	6.7	6.1	1.6	5.9	1.7	6.5	1.3	2.3	2.8	5.0	2.9
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	0.7	0.4		0.3	0.9	0.3	1.3	0.3		0.4	1.1	0.4	0.6	0.9
84	Diseases of the lymphatic system (lymphangitis, etc.)				0.3	1.1	0.3	1.6	0.2		0.6	0.4	0.1	1.5	0.5
85	Hemorrhage; other diseases of the circulatory system	0.7	0.7				0.8		0.5		1.3	0.1	0.4	0.3	0.1
	IV.—Diseases of the respiratory system	136.4	124.4	183.1	155.2	258.0	130.4	131.9	105.3	510.5	188.0	56.5	76.3	172.9	119.8
86	Diseases of the nasal fossae			2.1	0.3	0.4	1.8		0.4	1.3	4.9	0.3	0.1	0.1	0.1
87	Diseases of the larynx	1.3	1.1	2.1	1.3	1.7	1.3	2.0	1.3	1.3	1.3	0.1	0.9	0.8	0.9
88	Diseases of the thyroid body	2.0		2.1		0.4	0.5	0.7	0.7		0.2	0.9	0.1	1.2	0.6
89	Acute bronchitis	6.7	6.3	30.9	13.3	13.5	5.7	3.6	4.0	33.3	9.7	2.1	2.7	15.4	7.9
90	Chronic bronchitis	4.7	5.6	4.1	11.7	9.6	6.5	5.2	6.6	18.3	6.3	2.5	5.2	8.3	8.3
91	Bronchopneumonia	43.0	38.9	61.7	40.9	72.1	26.7	35.6	23.5	145.1	33.9	15.4	22.6	48.5	31.2
92	Pneumonia (total)	72.6	68.0	74.0	79.7	133.2	78.5	70.8	61.5	258.2	117.6	30.3	38.2	90.0	62.7
	Lobar pneumonia	69.9	60.3	55.5	62.5	114.5	43.7	56.8	35.8	230.1	61.9	29.5	34.8	74.9	51.2
	Pneumonia (undefined)	2.7	7.7	18.5	17.1	18.7	34.8	14.0	25.7	28.1	55.8	0.8	3.4	15.0	11.5
93	Pleurisy	2.7	0.7	2.1	2.9	5.7	1.8	3.6	1.8	9.8	1.9	1.6	0.9	4.3	2.4
94	Pulmonary congestion, pulmonary apoplexy	0.7	0.4		2.2	11.1	2.5	6.2	2.5	20.9	2.7	0.1	1.1	1.2	2.0
95	Gangrene of the lung				0.3	0.9	0.1	0.3	0.1	2.0		0.3	0.1	0.3	
96	Asthma	1.3	1.8	4.1	2.2	5.7	3.0	2.6	1.7	11.8	5.9	2.0	3.2	1.6	2.6
97	Pulmonary emphysema					0.2	0.2		0.2	0.7	0.2	0.1	0.1	0.2	0.2
98	Other diseases of the respiratory system (tuberculosis excepted)	1.3	1.8		0.3	3.5	1.7	1.3	0.9	7.8	3.4	0.7	1.0	1.0	0.9
	V.—Diseases of the digestive system	116.3	97.1	172.8	115.8	197.7	126.4	147.8	115.8	297.4	150.7	67.0	56.1	155.7	91.9
99	Diseases of the mouth and annexa	1.3	1.1			1.3	1.5	1.6	0.9	0.7	2.9	0.3	0.4	0.7	0.6
100	Diseases of the pharynx	6.0	3.2	4.1	2.5	2.2	1.8	2.0	1.7	2.6	2.1	2.5	2.3	3.4	2.2
101	Diseases of the esophagus	0.7	0.7			0.2	0.1		0.1	0.7		0.3		0.1	0.1
102	Ulcer of the stomach	12.1	6.0	10.3	4.8	5.2	2.5	2.3	2.2	11.1	3.2	5.6	2.7	6.5	4.0
103	Other diseases of the stomach (cancer excepted)	3.4	7.7	6.2	7.0	17.0	14.0	7.2	11.8	36.6	19.2	3.2	3.8	8.1	7.5
104	Diarrhea and enteritis (under 2 years)	19.5	29.4	55.5	38.7	84.0	61.4	53.2	56.4	145.8	72.9	8.3	13.8	59.3	27.9
105	Diarrhea and enteritis (2 years and over)	10.1	11.2	10.3	14.6	20.5	15.8	18.0	15.5	25.5	16.6	4.8	6.2	10.9	11.5
106	Ankylostomiasis						0.1		0.1						
107	Intestinal parasites				0.6		0.9		0.5		1.7			0.1	0.1
108	Appendicitis and typhlitis	26.9	15.1	24.7	12.7	17.8	6.7	18.3	6.2	17.0	7.8	12.5	6.1	24.4	8.7
109	Hernia, intestinal obstruction (total)	8.1	8.1	20.6	14.3	17.4	7.0	15.0	6.1	22.2	8.9	9.1	8.0	11.2	9.0
	Hernia	3.4	1.1	12.3	3.8	3.7	1.9	3.9	1.4	3.3	3.0	2.9	1.8	3.5	2.8
	Intestinal obstruction	4.7	7.0	8.2	10.5	13.7	5.1	11.1	4.7	19.0	5.9	6.2	6.2	7.7	6.2
110	Other diseases of the intestines	3.4	2.1	2.1	1.3	2.6	2.2	2.3	2.3	3.3	1.9	2.9	2.5	1.6	1.7
111	Acute yellow atrophy of the liver	0.7	0.4		0.6	1.7	0.5	1.3	0.6	2.6	0.2	0.8	0.1	0.2	0.5
112	Hydatid tumor of the liver	0.7	0.4												
113	Cirrhosis of the liver	8.7	6.0	4.1	5.7	13.1	4.4	13.1	4.4	13.1	4.4	6.8	4.7	15.0	9.7
114	Biliary calculi	6.7	1.4	22.6	5.1	3.0	2.1	3.3	2.5	2.6	1.1	3.9	2.5	5.2	2.9

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Continued.														
115	Other diseases of the liver	6.0	2.8	6.2	3.8	6.1	3.2	6.2	2.6	5.9	4.6	4.2	2.4	6.8	4.2
116	Diseases of the spleen	.....	.....	.....	.....	.....	0.1	.....	0.1	.....	0.2	0.1	.....	0.3	0.1
117	Simple peritonitis (nonpuerperal)	1.3	0.7	4.1	3.8	3.5	1.9	2.9	1.5	4.6	2.9	0.5	0.4	0.9	0.9
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	0.7	1.1	2.1	0.3	2.0	0.3	1.3	0.4	3.3	0.2	1.1	0.1	0.8	0.6
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	116.3	68.4	158.4	127.6	197.0	103.6	167.4	89.5	256.2	135.9	69.5	50.8	99.3	75.2
119	Acute nephritis	7.4	3.5	8.2	7.6	21.3	7.3	10.1	4.8	43.8	13.1	3.3	3.2	5.4	4.6
120	Bright's disease	86.0	55.0	119.3	105.1	150.6	85.7	140.7	74.8	170.6	110.8	51.2	41.3	74.9	59.4
121	Chyluria	.....	.....	.....	0.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	4.0	1.4	6.2	1.9	3.9	2.7	3.6	2.2	4.6	3.8	2.5	1.1	3.0	1.6
123	Calculi of the urinary passages	1.3	.....	.....	.....	0.4	0.5	0.3	0.7	0.7	0.2	0.3	.....	0.9	0.5
124	Diseases of the bladder	0.7	2.5	2.1	3.5	1.5	2.3	1.0	2.6	2.6	1.7	1.2	0.5	1.9	1.9
125	Diseases of the urethra, urinary abscess, etc.	.....	.....	.....	.....	1.5	0.1	.....	0.1	4.6	.....	0.4	.....	0.2	0.2
126	Diseases of the prostate	8.7	3.2	8.2	4.1	4.1	2.4	4.2	2.3	3.9	2.7	6.0	2.4	5.8	4.9
127	Nonvenereal diseases of the male genital organs	.....	.....	.....	.....	0.2	0.1	.....	0.1	0.7	0.2	.....	.....	0.3	0.1
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	0.2	.....	0.3	.....	.....	.....	.....	.....	0.3	.....
129	Uterine tumor (noncancerous)	2.0	0.7	.....	2.2	3.9	0.7	1.0	0.3	9.8	1.5	1.5	1.0	2.9	0.4
130	Other diseases of the uterus	0.7	1.1	2.1	0.3	3.5	1.0	3.6	1.1	3.3	1.0	0.5	0.5	0.9	0.5
131	Cysts and other tumors of the ovary	1.3	.....	6.2	1.0	1.1	0.2	1.0	0.2	1.3	.....	1.2	0.3	1.4	0.6
132	Salpingitis and other diseases of the female genital organs	4.0	1.1	4.1	1.6	4.6	0.5	1.6	0.3	10.5	1.0	1.2	0.5	1.3	0.4
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	2.1	.....	.....	0.1	.....	0.1	.....	.....	0.1	.....	.....	.....
	VII.—The puerperal state	17.5	14.0	18.5	16 5	27.0	19.8	24.8	16.2	31.4	28.2	11.8	11.0	16.3	12.2
134	Accidents of pregnancy	2.7	1.4	2.1	3.8	1.7	1.8	1.6	1.5	2.0	2.5	1.3	1.8	1.3	0.9
135	Puerperal hemorrhage	5.4	2.1	2.1	2.5	1.1	2.5	1.3	2.2	0.7	3.0	0.8	0.9	0.9	1.4
136	Other accidents of labor	1.3	1.1	4.1	0.6	2.4	2.2	1.3	1.7	4.6	3.4	0.8	1.4	1.4	1.3
137	Puerperal septicemia	3.4	4.6	.....	1.6	10.4	6.9	9.8	5.5	11.8	10.3	5.2	3.8	7.4	4.9
138	Puerperal albuminuria and convulsions	3.4	4.6	10.3	7.6	10.0	5.9	8.8	4.8	12.4	8.6	3.3	2.9	5.0	3.1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1.3	0.4	.....	0.3	1.1	0.3	1.6	0.4	.....	.....	0.3	0.3	0.3	0.6
140	Following childbirth (not otherwise defined)	.....	.....	.....	.....	0.2	0.1	0.3	0.1	.....	0.2	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	0.1	.....	.....	.....	0.2	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	2.7	2.5	8.2	4.4	5.0	4.4	3.3	3.3	8.5	6.9	1.7	2.3	4.7	5.5
142	Gangrene	.....	0.7	4.1	3.5	2.4	2.2	1.6	1.7	3.9	3.2	0.8	1.0	1.3	3.2
143	Furuncle	.....	0.4	2.1	0.3	0.4	0.2	0.3	0.2	0.7	.....	0.3	0.3	1.3	0.4
144	Acute abscess	0.7	0.4	.....	.....	0.9	0.6	0.3	0.3	2.0	1.3	0.3	0.5	1.4	0.6
145	Other diseases of the skin and annexa	2:0	1.1	2.1	0.6	1.3	1.4	1.0	1.0	2.0	2.3	0.4	0.5	0.8	1.3
	IX.—Diseases of the bones and of the organs of locomotion	6.0	2.1	6.2	1.6	3.7	1.6	3.6	1.7	3.9	1.3	4.3	2.2	3.1	1.8
146	Diseases of the bones (tuberculosis excepted)	5.4	1.1	4.1	1.3	3.5	1.3	3.3	1.4	3.9	1.1	3.5	1.9	3.0	1.2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	0.7	.....	2.1	0.3	0.2	0.2	0.3	0.2	.....	0.2	0.8	0.3	0.1	0.5
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	1.1	.....	.....	.....	0.1	.....	0.1	.....	.....	.....	.....	.....	0.1
	X.—Malformations	18.8	23.5	32.9	18.1	14.8	9.8	19.9	11.8	4.6	5.1	9.0	11.0	15.4	14.4
150	Congenital malformations (stillbirths not included) (total)	18.8	23.5	32.9	18.1	14.8	9.8	19.9	11.8	4.6	5.1	9.0	11.0	15.4	14.4
	Hydrocephalus	0.7	2.1	.....	2.5	0.7	1.5	1.0	1.7	.....	1.1	1.3	1.5	1.6	1.2
	Congenital malformations of the heart	11.4	13.3	24.7	7.6	9.1	4.3	12.4	5.4	2.6	1.9	5.8	6.5	7.4	7.8
	Other congenital malformations	6.7	8.1	8.2	7.9	5.0	3.9	6.5	4.7	2 0	2.1	1.9	3.0	6.4	5.4
	XI.—Early infancy	72.6	105 9	125.5	70.1	112.3	79.4	97.6	73.5	141.8	93.1	39.2	53.7	101.3	80.0
151	Congenital debility, icterus, and sclerema (total)	57.1	87.3	102.8	56.5	95.6	68.6	80.0	63.9	126.8	79.6	29.6	40.9	78.3	64.2
	Premature birth	49.1	77.5	63.8	45.1	66.4	43.3	62.7	43 5	73.9	43.0	22.2	32.1	58.1	50.6
	Congenital debility, "atrophy," "marasmus," etc	8.1	9.8	39.1	11.4	29.2	25.3	17.3	20.4	52.9	36.5	7.4	8.8	20.2	13.6
152	Other causes peculiar to early infancy (total)	15.5	17.9	20.6	13.0	16.1	9.8	17.6	9.2	13.1	11.2	9.4	12.7	22.2	15.3
	Injuries at birth	6.7	9.1	10.3	5.1	8.1	5.1	10.4	5.1	3.3	5.1	5.9	6.7	11.7	7.4
	Other causes peculiar to early infancy [1]	8.7	8.8	10.3	7.9	8.1	4.7	7.2	4.1	9.8	6.1	3.5	6.0	10.5	7.9
153	Lack of care	.....	0.7	2.1	0.6	0.7	1.0	.....	0.4	2.0	2.3	0.3	0.1	0.8	0.5
	XII.—Old age	6.7	27.0	24.7	36.5	18.1	39.5	20.2	30.7	13.7	59.8	10.7	23.7	28.8	49.2
154	Senility	6.7	27.0	24.7	36.5	18.1	39.5	20.2	30.7	13.7	59.8	10.7	23.7	28.8	49.2

[1] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		UTAH.		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
						Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes	100.1	109.7	141.9	84.4	118.9	85.8	108.0	77.6	140.5	104.5	66.3	96.7	95.3	77.5
	Suicide (total)	19.5	9.5	24.7	15.6	13.5	6.8	19.9	8.5	0.7	2.7	14.2	9.9	15.6	13.1
155	By poison	5.4	2.1	6.2	2.2	3.7	0.9	5.5	1.2	.....	.....	3.2	1.5	2.9	2.0
156	By asphyxia	.....	.....	.....	1.0	1.1	0.1	1.6	0.2	.....	.....	1.6	0.1	0.7	0.1
157	By hanging or strangulation	0.7	0.7	.....	4.1	0.2	0.8	0.3	0.8	.....	0.6	1.5	1.1	4.4	5.3
158	By drowning	0.7	.....	.....	0.3	.....	0.3	.....	0.3	.....	0.4	0.9	0.9	1.5	0.7
159	By firearms	10.1	4.9	16.5	6.7	7.4	4.0	10.8	5.3	0.7	1.0	5.8	5.3	4.9	3.9
160	By cutting or piercing instruments	.....	1.4	.....	1.0	0.2	0.5	0.3	0.5	.....	0.4	0.5	0.5	0.9	0.9
161	By jumping from high places	2.0	.....	2.1	.....	0.4	0.1	0.7	.....	.....	0.2	0.5	.....	0.3	0.1
162	By crushing	0.7	.....	.....	0.3	0.2	.....	0.3	.....	.....	.....	.....	0.1	.....	0.1
163	Other suicides	.....	0.4	.....	.....	0.2	0.2	0.3	0.2	.....	0.2	0.1	0.3	.....	0.2
	Accidental or undefined (total)	71.2	94.6	113.1	66.6	83.8	69.6	78.3	63.5	94.8	83.6	46.1	83.7	76.9	63.3
164	Poisoning by food	2.0	1.4	.....	1.6	1.1	1.7	1.6	1.4	.....	2.3	1.2	1.4	0.6	0.9
165	Other acute poisonings	1.3	4.2	2.1	1.0	1.5	2.1	2.0	2.0	0.7	2.3	2.0	1.5	0.3	1.5
166	Conflagration	2.7	0.4	2.1	2.2	2.0	4.5	1.0	1.8	3.9	10.7	2.5	2.3	0.6	1.5
167	Burns (conflagration excepted)	2.7	6.3	8.2	3.8	9.8	12.3	8.8	9.1	11.8	19.6	2.8	2.0	4.6	3.8
168	Absorption of deleterious gases (conflagration excepted)	3.4	2.5	10.3	2.9	4.8	2.3	4.9	2.2	4.6	2.7	2.4	1.9	2.7	2.1
169	Accidental drowning	2.7	8.8	10.3	10.5	12.0	7.2	9.1	6.0	17.6	9.7	4.6	16.9	9.5	9.7
170	Traumatism by firearms	1.3	1.4	2.1	1.0	3.3	3.1	3.3	2.3	3.3	4.9	1.2	2.9	0.8	2.1
171	Traumatism by cutting or piercing instruments	0.7	.....	.....	0.3	.....	0.1	.....	0.1	.....	0.2	.....	0.3	0.1	0.4
172	Traumatism by fall	13.4	11.2	24.7	19.0	15.0	7.8	17.0	9.5	11.1	4.0	6.8	8.0	12.7	9.2
173	Traumatism in mines and quarries (total)	4.7	13.0	10.3	3.2	.....	4.2	.....	4.1	.....	4.2	0.5	2.7	.....	1.0
	Traumatism in mines	4.0	12.6	.....	1.0	.....	3.9	.....	4.0	.....	3.6	0.5	2.3	.....	1.0
	Traumatism in quarries	0.7	0.4	10.3	2.2	.....	0.3	.....	0.2	.....	0.6	.....	0.4	.....	0.1
174	Traumatism by machines	2.0	3.2	8.2	0.6	3.0	1.8	3.3	1.9	2.6	1.7	2.0	2.9	3.8	1.5
175	Traumatism by other crushing (total)	28.9	28.7	32.9	14.6	21.6	14.3	21.5	14.8	21.6	12.9	15.0	26.4	23.1	15.5
	Railroad accidents and injuries	9.4	15.1	14.4	5.7	10.9	9.4	9.1	9.0	14.4	10.3	3.8	11.9	10.4	8.3
	Street-car accidents and injuries	4.0	1.1	4.1	0.6	2.4	0.5	2.3	0.5	2.6	0.6	1.6	0.5	2.7	0.7
	Automobile accidents and injuries	8.7	6.3	8.2	3.5	6.3	1.9	8.5	2.6	2.0	0.4	5.6	5.1	6.4	3.1
	Injuries by other vehicles	5.4	4.6	2.1	4.1	1.7	2.1	1.3	2.4	2.6	1.3	2.4	2.7	2.5	2.9
	Landslide, other crushing	1.3	1.8	4.1	0.6	0.2	0.3	0.3	0.3	.....	0.4	1.6	6.2	1.2	0.4
176	Injuries by animals	1.3	2.5	2.1	2.2	1.3	0.6	1.3	0.7	1.3	0.4	0.4	1.4	0.9	1.1
177	Starvation	.....	0.4	.....	.....	.....	0.1	.....	.....	.....	0.2	.....	0.1	.....	.....
178	Excessive cold	.....	2.8	.....	1.0	0.4	0.3	.....	0.2	1.3	0.6	.....	0.8	0.7	0.7
179	Effects of heat	.....	0.4	.....	0.3	0.7	0.3	0.3	0.3	1.3	0.4	.....	.....	12.3	6.5
180	Lightning	.....	0.4	.....	.....	.....	1.3	.....	1.2	.....	1.5	.....	.....	0.1	0.9
181	Electricity (lightning excepted)	.....	1.1	.....	0.6	0.9	0.3	1.0	0.4	0.7	.....	0.4	0.9	0.8	0.8
185	Fractures (cause not specified)	.....	0.4	.....	.....	.....	0.5	.....	0.7	.....	0.2	.....	0.3	0.2	0.3
186	Other external violence	4.0	6.0	.....	1.9	6.5	4.9	3.3	4.8	13.1	5.1	4.2	11.0	3.0	3.9
	Homicide (total)	9.4	5.6	4.1	2.2	21.6	9.4	9.8	5.5	45.1	18.3	6.0	3.2	2.8	1.0
182	By firearms	4.0	3.9	4.1	1.9	13.3	7.2	5.9	4.2	28.1	14.1	4.6	2.9	1.5	0.4
183	By cutting or piercing instruments	.....	1.1	.....	.....	3.9	0.9	1.0	0.5	9.8	1.7	0.3	.....	0.2	0.2
184	By other means	5.4	0.7	.....	0.3	4.4	1.3	2.9	0.8	7.2	2.5	1.2	0.3	1.0	0.4
	XIV.—Ill-defined diseases	49.7	27.3	4.1	1.0	14.4	66.8	4.2	45.9	34.6	115.0	1.9	16.3	1.7	3.9
187	Ill-defined organic disease	.....	2.1	.....	.....	0.4	5.0	.....	2.6	1.3	10.5	.....	0.5	.....	0.5
188	Sudden death	0.7	1.8	.....	.....	0.2	4.4	.....	3.9	0.7	5.7	.....	0.6	0.1	0.4
189	Not specified or ill-defined (total)	49.1	23.5	4.1	1.0	13.7	57.4	4.2	39.4	32.7	98.8	1.9	15.1	1.6	3.0
	Ill-defined	47.7	17.2	2.1	0.3	11.8	19.9	3.6	14.9	28.1	31.4	1.2	5.3	0.9	1.1
	Not specified or unknown	1.3	6.3	2.1	0.6	2.0	37.5	0.7	24.5	4.6	67.4	0.7	9.8	0.7	1.9

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area	1,001,921	104,886	87,006	93,137	83,780	82,100	72,552	80,403	81,741	77,182	75,566	76,108	87,460
Registration states [1]	924,971	97,325	80,434	85,982	77,514	75,717	66,974	73,700	75,484	71,423	69,655	70,139	80,624
Cities in registration states [1]	477,321	49,621	40,778	44,349	40,661	39,554	34,029	38,184	39,360	36,244	35,947	36,669	42,425
Rural part of registration states	447,150	47,704	39,656	41,633	36,853	36,163	32,945	35,516	36,124	35,179	33,708	33,470	38,199
Registration cities in nonregistration states	76,950	7,561	6,572	7,155	6,286	6,383	5,578	6,703	6,257	5,759	5,911	5,969	6,836
All registration cities [1]	554,771	57,182	47,350	51,504	46,927	45,937	39,607	44,887	45,617	42,003	41,858	42,638	49,261
REGISTRATION STATES.													
California	39,806	4,172	3,168	3,344	3,177	3,286	3,075	3,131	2,956	2,858	3,005	3,467	4,167
Colorado	9,920	964	838	843	824	763	685	781	817	841	795	815	954
Connecticut	20,242	2,195	1,775	1,786	1,769	1,667	1,487	1,562	1,691	1,516	1,410	1,544	1,840
Indiana	38,230	4,155	3,355	3,666	3,299	2,992	2,571	3,145	3,095	3,021	3,008	2,787	3,136
Kansas	19,963	2,219	1,694	1,964	1,675	1,567	1,318	1,727	1,657	1,468	1,372	1,487	1,815
Kentucky	30,073	3,475	2,746	2,811	2,411	2,158	2,361	2,561	2,434	2,217	2,210	2,204	2,485
Maine	12,147	1,198	1,247	1,116	1,119	1,028	866	868	936	1,001	953	843	972
Maryland	22,512	2,265	1,931	2,162	1,957	1,704	1,580	1,811	1,991	1,706	1,746	1,775	1,884
Massachusetts	56,362	6,139	5,181	5,341	4,725	4,706	3,954	3,850	4,342	4,377	4,326	4,419	5,002
Michigan	46,013	4,585	3,861	4,357	4,084	3,804	3,254	3,828	3,645	3,694	3,546	3,490	3,865
Minnesota	24,297	2,749	2,091	2,278	2,069	2,248	1,755	1,948	1,702	1,739	1,764	1,780	2,174
Missouri	44,110	5,206	3,649	4,287	3,650	3,411	3,161	3,818	3,276	3,233	3,131	3,295	3,993
Montana	5,791	520	413	500	454	486	453	485	454	485	472	502	567
New Hampshire	7,146	634	701	677	634	610	493	527	608	574	557	522	609
New Jersey	44,172	4,689	3,850	4,193	3,590	3,460	2,954	3,490	4,226	3,421	3,188	3,179	3,932
New York	151,704	15,389	13,427	13,990	12,749	12,780	11,014	12,179	13,005	11,463	11,395	11,396	12,917
North Carolina	31,389	2,753	2,613	2,788	2,449	2,807	3,073	2,765	2,504	2,415	2,404	2,269	2,549
Ohio	74,282	8,038	6,479	6,925	6,296	6,016	5,064	5,967	6,084	5,845	5,588	5,743	6,237
Pennsylvania	124,577	13,640	10,784	11,694	10,391	9,864	8,156	9,146	10,711	10,251	9,507	9,381	11,052
Rhode Island	9,501	951	885	941	836	786	658	742	754	745	729	702	772
South Carolina	22,502	1,879	1,762	1,762	1,677	2,085	2,048	1,959	1,976	1,974	1,896	1,722	1,762
Utah	4,511	401	343	390	346	352	323	327	306	366	380	391	586
Vermont	5,687	618	638	616	489	471	431	364	367	434	409	423	427
Virginia	32,144	3,131	2,892	3,085	2,669	2,504	2,848	2,831	2,574	2,319	2,260	2,377	2,654
Washington	11,805	1,229	992	1,000	992	994	852	891	896	844	914	982	1,219
Wisconsin	29,591	3,486	2,559	2,814	2,604	2,661	2,096	2,451	1,988	2,118	2,205	2,116	2,493
REGISTRATION CITIES.													
ALABAMA.[2]													
Registration cities	4,365	337	359	388	320	375	365	393	363	334	397	337	397
Birmingham	2,557	193	204	237	193	202	224	249	201	196	213	211	234
Mobile	1,097	93	102	91	73	109	89	89	99	86	98	66	102
Montgomery	711	51	53	60	54	64	52	55	63	52	86	60	61
CALIFORNIA.													
Registration cities	22,943	2,447	1,910	1,980	1,869	1,876	1,724	1,712	1,669	1,616	1,686	2,027	2,427
Alameda	262	34	18	23	18	20	22	25	20	16	20	24	22
Bakersfield	344	27	22	28	40	23	23	25	37	21	30	30	38
Berkeley	456	65	40	45	44	40	27	34	28	24	28	38	43
Eureka	217	22	20	13	18	26	12	24	18	10	12	14	28
Fresno	396	34	22	32	37	35	30	41	28	29	27	37	44
Long Beach	463	42	33	34	28	42	41	44	46	32	37	46	38
Los Angeles	6,212	673	562	518	483	523	503	448	434	412	429	547	680
Oakland	2,090	227	176	186	178	161	155	146	144	160	157	177	223
Pasadena	510	52	50	48	44	46	36	38	38	34	27	43	54
Pomona	154	19	12	18	10	16	8	7	16	12	8	14	14
Redlands	141	22	13	15	13	8	7	8	10	6	14	6	19
Riverside	289	29	22	25	18	36	22	16	16	26	27	25	27
Sacramento	1,019	96	81	75	71	82	69	77	76	80	80	113	119
San Bernardino	326	46	21	25	33	27	21	23	22	20	30	29	29
San Diego	1,060	87	88	100	94	90	83	73	83	67	86	100	109
San Francisco	7,154	770	600	639	607	556	535	519	507	513	534	609	765
San Jose	532	56	35	38	38	49	33	46	42	52	46	41	56
Santa Barbara	270	21	15	22	23	10	29	25	21	31	16	26	31
Santa Cruz	178	26	15	22	12	21	15	19	9	11	12	8	8
Stockton	733	82	52	60	51	55	40	62	68	50	55	86	72
Vallejo	137	17	13	14	9	10	13	12	6	10	11	14	8
COLORADO.													
Registration cities	4,259	436	368	360	339	319	305	330	315	355	337	358	437
Colorado Springs	507	66	44	39	31	29	43	38	50	47	38	36	46
Denver	3,012	302	263	253	258	240	222	218	206	245	236	269	300
Pueblo	559	58	43	51	32	35	32	59	38	46	45	45	75
Trinidad	181	10	18	17	18	15	8	15	21	17	18	8	16

[1] Includes District of Columbia.
[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
CONNECTICUT.													
Registration cities	14,352	1,579	1,174	1,255	1,278	1,204	1,014	1,136	1,232	1,058	1,000	1,124	1,298
Ansonia	202	22	13	19	12	21	15	19	18	16	14	14	19
Bridgeport	2,354	263	176	210	218	206	156	213	200	152	149	192	219
Bristol	166	16	12	15	12	14	9	11	16	14	16	16	15
Danbury town	348	42	45	29	20	33	27	25	21	31	27	21	27
Greenwich town	273	28	18	18	23	23	12	27	27	29	22	22	24
Hartford	2,262	261	181	216	202	203	154	167	174	161	148	180	215
Manchester town	156	22	10	9	16	12	11	12	16	10	10	12	16
Meriden town	525	56	44	37	42	52	44	44	39	38	40	40	49
Middletown town	568	57	65	54	55	40	35	34	36	53	44	45	50
Naugatuck	136	10	17	10	11	10	7	11	10	9	12	10	19
New Britain	671	71	63	60	57	61	52	56	53	37	45	44	72
New Haven	2,544	280	207	237	246	201	171	207	237	167	166	195	230
New London	460	41	48	46	51	32	34	33	33	34	29	40	39
Norwalk	422	61	34	33	35	26	29	34	27	24	39	34	46
Norwich town	532	76	39	46	49	38	40	41	50	41	41	33	38
Orange town	200	25	20	14	15	18	17	18	18	10	14	17	14
Stamford town	570	69	37	56	54	35	47	34	59	48	47	39	45
Torrington town	256	22	20	15	27	24	17	14	24	19	23	23	28
Wallingford town	133	14	5	13	7	14	12	11	13	10	16	10	8
Waterbury	1,339	117	106	103	106	120	108	109	132	124	82	123	109
Windham town	235	26	14	15	20	21	17	16	29	31	16	14	16
DELAWARE.[1]													
Wilmington	1,804	167	152	188	161	137	126	151	154	147	145	122	154
DISTRICT OF COLUMBIA.													
Washington	6,494	645	560	652	579	507	444	546	489	498	485	528	561
FLORIDA.[1]													
Registration cities	2,495	224	194	214	208	227	203	176	189	214	215	178	253
Jacksonville	1,197	120	87	93	101	98	85	91	84	103	108	97	130
Key West	231	13	17	24	19	37	20	16	12	16	24	11	22
Pensacola	410	38	41	29	32	34	34	27	40	35	33	26	41
Tampa	657	53	49	68	56	58	64	42	53	60	50	44	60
GEORGIA.[1]													
Registration cities	5,397	441	419	468	431	459	485	438	456	432	451	467	450
Atlanta	2,908	233	219	268	216	248	265	244	231	229	235	265	255
Augusta	926	90	60	65	77	91	91	62	69	93	87	77	64
Savannah	1,563	118	140	135	138	120	129	132	156	110	129	125	131
ILLINOIS.[1]													
Registration cities	40,097	4,266	3,540	3,804	3,292	3,200	2,588	3,772	3,276	3,010	2,919	2,990	3,440
Aurora	471	49	37	39	48	32	34	44	36	38	37	32	45
Belleville	312	29	28	30	29	25	20	31	18	29	24	26	23
Chicago	36,305	3,849	3,206	3,422	2,959	2,915	2,336	3,436	3,010	2,717	2,625	2,725	3,105
Decatur	509	66	44	48	46	26	34	36	40	38	47	43	41
Evanston	369	43	29	37	23	18	32	32	29	32	30	25	39
Jacksonville	545	57	53	65	44	47	36	49	33	46	36	33	46
Quincy	610	57	53	66	59	51	37	57	54	42	43	39	52
Springfield	976	116	90	97	84	86	59	87	56	68	77	67	89
INDIANA.													
Registration cities	14,284	1,416	1,170	1,339	1,266	1,125	961	1,223	1,222	1,169	1,169	1,077	1,147
Anderson	362	35	22	44	31	33	28	13	28	24	41	29	34
East Chicago	454	46	41	48	54	31	25	50	37	26	32	30	34
Elkhart	276	22	19	30	35	22	22	19	17	26	24	21	19
Elwood	134	16	14	11	12	13	5	9	10	11	15	7	11
Evansville	1,106	103	94	103	82	76	73	112	92	79	96	109	87
Fort Wayne	939	98	89	73	96	74	74	61	74	77	91	66	66
Gary	600	36	37	43	52	43	43	80	65	67	48	42	44
Hammond	516	48	52	35	50	48	37	40	39	40	47	42	38
Huntington	163	17	11	14	11	16	16	21	13	16	6	12	10
Indianapolis	4,308	434	340	443	392	351	297	332	376	351	326	304	362
Jeffersonville	142	14	13	20	9	9	9	12	13	9	10	9	15
Kokomo	312	33	28	36	22	17	19	23	29	28	29	22	26
Lafayette	400	37	27	28	46	33	24	40	30	31	32	32	40
Laporte	193	23	18	10	15	18	11	14	19	19	13	16	17
Logansport	317	35	30	33	30	32	21	21	18	29	25	22	21

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
INDIANA—continued.													
Marion	341	38	22	36	29	30	23	30	35	22	26	20	30
Michigan City	292	39	17	28	27	22	11	26	22	21	24	29	26
Mishawaka	173	12	12	18	12	20	11	15	17	16	13	13	14
Muncie	336	22	36	25	24	20	28	28	30	34	28	28	33
New Albany	337	35	18	24	34	23	20	41	42	24	32	20	24
Peru	155	21	15	15	18	11	9	9	9	14	13	7	14
Richmond	328	35	24	35	21	23	19	25	25	26	33	32	30
South Bend	873	97	79	70	69	56	59	80	76	79	66	74	68
Terre Haute	967	97	96	96	75	77	53	95	75	78	77	80	68
Vincennes	260	23	16	21	20	27	24	27	31	22	22	11	16
KANSAS.													
Registration cities	4,811	479	395	476	400	381	319	432	379	353	354	386	457
Atchison	207	22	13	18	16	23	14	14	20	18	10	16	23
Coffeyville	193	18	18	17	6	14	13	28	13	9	22	17	18
Fort Scott	175	20	12	15	25	18	8	15	16	11	9	11	15
Hutchinson	259	19	22	20	20	18	10	33	25	20	19	19	34
Independence	140	9	9	17	9	10	9	12	12	14	10	15	14
Kansas City	1,365	119	106	137	125	105	94	112	107	103	113	109	135
Lawrence	172	25	17	14	17	11	17	14	14	9	10	10	14
Leavenworth	330	40	27	39	26	31	27	31	16	24	16	30	23
Parsons	200	26	20	24	12	8	14	23	10	14	11	17	21
Pittsburg	260	30	22	27	26	12	17	17	25	16	23	22	23
Topeka	693	72	69	54	58	64	44	63	49	63	50	45	62
Wichita	817	79	60	94	60	67	52	70	72	52	61	75	75
KENTUCKY.													
Registration cities	6,956	805	610	645	603	521	495	678	513	478	512	509	587
Covington	895	103	79	81	84	69	74	90	63	55	72	50	75
Frankfort	198	24	12	13	21	12	8	20	19	17	18	21	13
Henderson	211	22	15	25	17	9	16	20	15	18	20	14	20
Lexington	890	107	72	78	87	79	63	76	66	63	64	62	73
Louisville	3,586	408	321	334	290	271	246	359	260	246	254	270	327
Newport	388	48	40	35	33	27	26	37	25	20	28	31	38
Owensboro	308	43	31	29	28	21	16	32	23	20	21	28	16
Paducah	480	50	40	50	43	33	46	44	42	39	35	33	25
LOUISIANA.[1]													
New Orleans	6,847	565	566	609	511	630	556	550	576	492	556	576	660
MAINE.													
Registration cities	3,238	330	293	293	292	272	238	223	261	299	248	222	267
Auburn	194	11	23	24	19	23	16	16	14	11	7	17	13
Augusta	348	47	40	37	31	27	20	29	27	32	22	25	11
Bangor	589	77	48	49	48	51	49	37	44	54	41	38	53
Biddeford	240	18	21	19	19	21	13	16	23	35	20	12	23
Lewiston	503	44	44	34	64	47	36	35	45	48	40	31	35
Portland	1,168	112	97	111	95	87	91	79	95	102	105	84	110
Waterville	196	21	20	19	16	16	13	11	13	17	13	15	22
MARYLAND.													
Registration cities	11,688	1,192	982	1,190	1,089	936	827	933	988	838	894	864	955
Baltimore	10,668	1,083	906	1,102	996	861	751	843	899	752	815	780	880
Cumberland	447	49	29	39	44	32	27	37	44	44	38	31	33
Frederick	186	14	13	13	13	15	27	19	14	15	21	12	10
Hagerstown	387	46	34	36	36	28	22	34	31	27	20	41	32
MASSACHUSETTS.													
Registration cities	43,898	4,814	4,013	4,133	3,663	3,676	3,080	3,062	3,409	3,415	3,342	3,423	3,868
Adams town	152	13	6	9	10	11	12	14	15	19	14	11	18
Arlington town	177	14	16	18	10	19	16	10	13	12	18	13	18
Attleboro	253	36	30	24	19	22	22	18	22	16	10	16	18
Beverly	287	26	25	26	26	21	27	16	17	25	21	21	36
Boston	12,763	1,443	1,129	1,150	1,090	1,144	916	841	1,014	984	992	1,012	1,048
Brockton	784	66	74	98	88	69	42	64	46	55	45	51	86
Brookline town	351	38	27	43	28	23	19	22	15	27	32	38	39
Cambridge	1,526	173	146	155	117	136	112	108	101	111	103	119	145
Chelsea	671	93	57	47	54	46	55	46	66	50	55	48	54
Chicopee	442	36	34	33	33	50	30	38	45	42	37	27	37

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MASSACHUSETTS—continued.													
Clinton town	185	19	25	14	15	17	9	10	12	10	18	17	19
Everett	395	54	40	33	39	28	25	24	22	26	35	32	37
Fall River	2,178	245	229	206	153	174	125	158	219	186	169	151	163
Fitchburg	539	52	43	60	38	38	49	36	36	45	42	46	54
Framingham town	274	35	27	27	23	24	22	14	27	19	19	20	17
Gardner town	220	20	11	24	9	28	16	24	15	14	22	15	22
Gloucester	379	31	35	42	48	34	30	24	32	19	33	26	25
Greenfield town	170	20	16	18	10	14	11	10	8	15	14	11	23
Haverhill	722	72	63	95	58	53	45	54	61	55	51	57	58
Holyoke	1,081	132	76	89	77	87	63	86	81	104	91	85	110
Lawrence	1,336	139	108	138	115	101	89	95	122	112	89	112	116
Leominster town	232	26	23	30	16	19	16	12	13	20	14	16	27
Lowell	1,955	183	185	164	151	143	137	167	167	159	142	166	191
Lynn	1,258	127	124	134	117	96	83	91	80	91	93	108	114
Malden	583	84	55	54	52	45	34	37	33	47	45	47	50
Marlborough	207	27	22	17	16	21	16	10	15	14	21	10	18
Medford	354	44	31	34	28	31	33	21	19	21	30	23	39
Melrose	224	29	17	23	18	16	19	15	16	12	21	18	20
Methuen town	212	25	16	15	21	18	15	20	20	20	10	13	19
Milford town	190	30	11	22	21	16	11	10	12	11	11	20	15
New Bedford	1,813	159	169	167	155	165	135	130	169	153	120	140	151
Newburyport	237	24	28	30	21	14	15	14	14	16	22	18	21
Newton	470	59	59	37	27	33	36	37	34	31	39	37	41
North Adams	310	20	31	20	19	26	21	23	44	27	25	32	22
Northampton	433	51	32	31	40	38	31	18	42	28	31	39	52
Peabody town	245	23	24	19	23	30	20	15	14	17	14	18	28
Pittsfield	552	49	50	35	41	37	36	49	57	67	43	43	45
Plymouth town	179	21	30	13	14	11	21	11	11	10	12	10	15
Quincy	448	48	33	49	49	24	33	33	25	42	42	30	40
Revere	189	24	21	20	13	17	12	11	16	13	16	12	14
Salem	588	53	42	57	57	42	34	44	43	50	49	55	62
Somerville	1,080	129	120	106	97	93	66	49	63	86	89	84	98
Southbridge town	155	17	13	14	15	17	13	12	6	10	10	16	12
Springfield	1,741	183	142	173	136	138	97	128	140	136	141	142	185
Taunton	789	69	79	79	66	61	56	50	70	62	75	63	59
Wakefield town	148	18	6	19	13	11	13	10	5	9	15	15	14
Waltham	355	52	34	35	25	32	26	26	16	26	28	20	35
Watertown town	190	18	21	18	18	21	8	13	12	12	18	18	13
Webster town	149	18	20	17	12	9	11	8	11	11	8	8	16
Westfield town	293	26	20	23	16	31	31	25	24	27	18	23	29
Weymouth town	190	16	26	18	18	16	16	9	15	11	11	16	18
Winthrop town	130	15	12	10	11	17	11	13	12	5	6	10	8
Woburn	215	30	26	17	19	20	15	10	14	11	13	15	25
Worcester	2,899	360	274	284	258	229	224	229	188	214	200	210	229
MICHIGAN.													
Registration cities	21,162	2,032	1,677	1,952	1,911	1,738	1,478	1,796	1,728	1,720	1,628	1,655	1,847
Adrian	185	12	12	17	16	16	10	10	14	22	13	25	18
Alpena	161	16	17	9	15	12	16	11	13	7	14	16	15
Ann Arbor	490	38	44	50	47	44	36	38	34	39	36	37	47
Battle Creek	459	61	23	40	30	38	27	44	33	39	45	45	34
Bay City	721	67	56	71	76	59	50	51	66	46	59	61	59
Detroit	10,985	965	827	1,063	1,037	930	775	979	918	865	826	846	954
Escanaba	217	18	33	20	17	16	15	17	22	13	12	20	14
Flint	800	61	62	69	76	61	50	64	103	73	59	51	71
Grand Rapids	1,565	170	157	142	141	132	97	124	99	127	113	125	138
Holland	106	19	11	6	9	6	6	10	7	10	7	5	10
Ironwood	180	17	18	20	21	16	14	15	7	11	11	15	15
Ishpeming	164	15	21	9	15	11	8	16	11	12	15	15	16
Jackson	635	68	47	57	54	47	43	46	40	68	45	47	73
Kalamazoo	807	87	74	65	64	65	56	85	61	57	77	59	57
Lansing	572	65	37	42	39	49	50	45	45	42	58	48	52
Manistee	137	16	13	13	9	8	12	14	15	8	10	9	10
Marquette	207	21	15	12	15	23	17	17	13	17	17	22	18
Menominee	135	21	15	10	11	7	6	7	8	12	12	8	18
Muskegon	483	51	28	41	39	43	40	49	34	51	40	32	35
Pontiac	432	45	27	38	36	34	25	34	33	55	35	38	32
Port Huron	367	47	28	28	34	21	29	26	33	26	28	26	43
Saginaw	824	85	75	81	67	63	60	58	69	70	53	69	69
Sault Ste. Marie	183	25	13	16	16	19	15	5	17	18	12	13	14
Traverse City	347	42	24	33	27	18	21	31	33	32	28	23	35

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MINNESOTA.													
Registration cities	9,279	915	771	887	817	888	709	741	672	658	708	686	827
Duluth	1,056	94	82	103	89	100	87	79	86	82	85	76	93
Mankato	216	24	27	20	22	20	10	23	13	8	18	12	19
Minneapolis	4,512	454	365	434	404	415	328	356	323	322	359	347	405
St. Cloud	161	17	8	13	7	18	14	14	15	15	13	19	8
St. Paul	2,785	256	242	275	250	287	216	220	199	196	193	198	253
Stillwater	93	10	11	9	10	8	8	11	4	8	9	5	5
Virginia	145	20	11	12	9	12	15	13	4	10	12	10	17
Winona	306	40	25	21	26	28	31	25	28	17	19	19	27
MISSISSIPPI.[1]													
Registration cities	2,362	211	178	215	214	195	191	181	198	177	207	205	190
Hattiesburg	217	20	13	18	21	15	19	13	22	13	20	19	24
Jackson	789	67	65	62	66	66	64	64	67	63	84	66	55
Meridian	433	24	31	48	35	44	31	35	45	41	29	31	39
Natchez	250	30	20	18	21	20	27	14	14	22	23	24	17
Vicksburg	673	70	49	69	71	50	50	55	50	38	51	65	55
MISSOURI.													
Registration cities	19,630	2,109	1,621	1,899	1,586	1,599	1,398	1,727	1,473	1,459	1,510	1,446	1,803
Hannibal	292	23	34	41	29	14	20	22	23	26	17	20	23
Jefferson City	208	13	16	12	12	17	12	19	24	20	15	18	28
Joplin	719	49	73	72	54	46	76	82	55	44	55	39	74
Kansas City	4,319	435	401	446	364	360	320	341	316	295	344	302	395
Moberly	197	17	20	15	11	16	18	14	19	19	13	16	19
St. Joseph	1,252	136	120	104	126	115	89	94	95	84	102	71	116
St. Louis	11,263	1,317	850	1,069	870	922	768	1,023	850	854	862	873	1,005
Sedalia	317	26	27	24	35	21	24	28	26	25	22	28	31
Springfield	682	67	58	58	56	56	40	59	44	63	53	52	76
Webb City	383	26	22	58	29	32	31	45	21	29	27	27	36
MONTANA.													
Registration cities	1,943	169	149	162	159	155	157	137	172	157	165	186	175
Anaconda	205	19	22	17	16	11	13	14	23	23	18	19	10
Billings	184	12	13	14	15	13	17	16	23	12	9	23	17
Butte	903	68	66	74	79	79	81	71	73	73	77	84	78
Great Falls	273	29	19	19	26	15	22	17	23	25	28	20	30
Helena	183	13	12	23	15	17	10	13	19	13	16	13	19
Missoula	195	28	17	15	8	20	14	6	11	11	17	27	21
NEBRASKA.[1]													
Registration cities	3,053	319	273	293	243	256	215	236	262	242	215	213	286
Lincoln	668	71	63	71	58	49	53	45	57	46	45	50	60
Omaha	2,385	248	210	222	185	207	162	191	205	196	170	163	226
NEW HAMPSHIRE.													
Registration cities	3,083	261	274	291	281	273	229	226	288	248	263	201	248
Berlin	202	22	12	12	19	16	16	16	24	21	13	14	17
Concord	454	39	53	42	34	42	36	34	36	31	41	29	37
Dover	238	19	14	30	22	25	14	20	18	17	21	20	18
Keene	170	20	17	7	17	11	9	9	18	17	22	7	16
Laconia	170	15	12	10	20	21	15	5	13	18	12	14	15
Manchester	1,207	99	110	125	110	104	95	87	121	97	93	80	86
Nashua	410	29	33	37	42	37	24	36	37	28	40	29	38
Portsmouth	232	18	23	28	17	17	20	19	21	19	21	8	21
NEW JERSEY.													
Registration cities	28,311	3,051	2,470	2,737	2,355	2,223	1,929	2,218	2,622	2,087	2,005	2,083	2,531
Asbury Park	176	13	8	12	14	11	15	16	28	22	10	11	16
Atlantic City	789	93	71	71	58	63	49	64	82	77	45	51	65
Bayonne	887	96	76	82	68	61	53	82	81	71	68	70	79
Bloomfield	175	20	14	18	14	19	8	16	12	13	9	11	21
Bridgeton	236	27	21	31	13	27	12	6	18	21	18	22	20
Camden	1,755	189	143	147	134	133	109	156	168	145	136	132	172
East Orange	389	47	43	34	46	35	20	23	28	24	29	31	29
Elizabeth	1,268	159	104	104	121	94	108	78	102	107	104	97	90
Garfield	176	21	19	15	14	15	11	9	19	6	12	14	21
Hackensack	292	25	29	34	28	18	33	21	23	18	17	20	26

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
NEW JERSEY—continued.													
Harrison	232	27	22	25	24	19	10	21	16	16	21	13	18
Hoboken	1,248	128	100	139	97	114	79	100	118	108	85	84	96
Irvington	251	37	31	20	26	18	11	17	27	15	11	20	18
Jersey City	4,480	466	382	437	354	362	304	328	411	333	343	346	414
Kearny	349	32	31	32	29	29	26	33	31	25	18	27	36
Long Branch	295	20	22	28	15	25	33	31	30	26	24	17	24
Millville	204	18	22	23	9	17	17	16	21	10	10	15	26
Montclair	235	26	21	22	25	10	20	21	18	11	21	13	27
Morristown	248	24	21	24	23	26	22	21	13	22	12	20	20
New Brunswick	596	61	53	42	46	45	44	47	76	35	45	43	59
Newark	6,147	644	520	596	524	500	409	546	633	388	409	407	571
Orange	638	60	56	70	53	55	36	58	46	40	44	45	75
Passaic	961	102	92	119	84	79	60	70	72	67	63	76	77
Paterson	2,003	233	189	222	178	135	144	135	139	138	146	173	171
Perth Amboy	580	48	47	45	44	46	42	54	70	45	47	45	47
Phillipsburg	252	25	27	27	21	17	13	18	20	18	18	20	28
Plainfield	435	56	45	42	34	27	35	33	44	27	30	33	29
Trenton	1,965	238	168	169	164	146	126	111	173	190	143	158	179
Union	219	30	18	26	18	13	14	19	24	14	14	9	20
West Hoboken	395	45	35	39	27	28	29	39	45	31	27	27	23
West New York	296	35	31	27	33	22	23	23	25	13	17	24	23
West Orange	139	15	9	15	17	14	14	6	9	11	9	9	11
NEW YORK.													
Registration cities	114,130	11,526	9,797	10,437	9,699	9,775	8,325	9,267	9,841	8,419	8,506	8,624	9,914
Albany	2,041	210	201	206	157	181	134	156	158	156	150	162	170
Amsterdam	498	59	39	49	40	52	41	34	33	30	34	41	46
Auburn	561	52	59	50	57	43	38	42	27	56	47	42	48
Batavia	246	28	19	30	17	16	21	10	17	22	19	19	23
Binghamton	1,172	93	96	117	83	104	87	88	86	101	106	104	107
Buffalo	7,526	733	635	671	638	713	536	551	656	584	560	599	650
Cohoes	382	38	36	42	22	30	25	29	44	29	30	29	28
Corning	255	29	16	23	20	20	18	22	21	19	18	27	22
Cortland	223	16	27	21	15	21	17	11	16	18	24	20	17
Dunkirk	270	29	25	10	19	18	24	30	19	30	24	18	24
Elmira	669	68	58	65	59	49	40	43	55	55	47	50	80
Fulton	176	18	15	10	16	12	12	11	16	16	26	12	12
Geneva	218	15	27	31	16	14	16	17	13	25	15	19	10
Glens Falls	281	24	32	36	28	18	23	22	14	19	17	21	27
Gloversville	365	24	30	35	36	36	29	31	26	28	24	28	38
Hornell	234	25	26	19	19	13	20	16	13	26	21	19	17
Hudson	226	21	20	20	20	17	24	19	12	24	17	17	15
Ithaca	293	35	19	27	23	29	22	22	29	21	26	10	30
Jamestown	468	46	36	43	45	44	35	41	32	34	32	42	38
Johnstown	111	13	12	10	4	13	13	5	8	7	8	10	8
Kingston	451	51	46	44	32	44	27	35	40	34	40	29	29
Lackawanna	396	32	29	33	39	22	21	44	62	27	35	31	21
Little Falls	255	27	17	23	26	20	24	21	19	30	18	15	15
Lockport	301	30	29	26	24	25	19	28	26	20	27	24	23
Middletown	429	50	40	33	43	38	24	21	30	39	34	30	47
Mount Vernon	449	52	39	48	25	34	21	22	39	34	31	42	62
New Rochelle	386	45	28	31	34	26	23	28	44	29	26	38	34
New York	77,960	8,013	6,674	7,183	6,750	6,643	5,652	6,511	6,802	5,528	5,665	5,810	6,729
Bronx Borough	7,703	841	645	707	625	676	533	545	659	536	580	618	738
Brooklyn Borough	27,037	2,802	2,322	2,431	2,239	2,288	2,077	2,569	2,337	1,812	1,880	1,976	2,301
Manhattan Borough	35,879	3,611	3,095	3,410	3,289	3,107	2,538	2,731	3,084	2,618	2,671	2,662	3,063
Queens Borough	5,632	585	457	464	449	439	369	509	592	444	391	432	501
Richmond Borough	1,709	174	155	168	148	133	135	157	130	118	143	122	126
Newburgh	528	42	49	48	39	48	34	38	46	46	51	45	42
Niagara Falls	676	57	36	63	61	85	58	55	71	61	44	33	52
North Tonawanda	178	13	16	11	11	13	23	13	13	17	24	9	15
Ogdensburg	442	39	37	36	28	28	30	42	38	38	46	38	42
Olean	231	17	18	23	15	21	21	21	17	18	21	17	22
Ossining	169	14	18	9	16	17	11	23	9	11	13	16	12
Oswego	383	39	34	41	29	31	27	31	36	26	37	20	32
Peekskill	219	29	21	23	15	18	13	17	18	18	19	13	15
Plattsburg	212	14	18	25	17	22	32	12	13	12	12	12	23
Port Chester	206	28	15	17	14	21	12	12	25	12	16	16	18
Poughkeepsie	670	70	46	48	44	53	46	54	88	54	54	47	66
Rensselaer	126	14	16	13	12	12	12	4	7	12	6	11	7
Rochester	3,721	349	275	313	313	296	318	310	297	271	283	325	371
Rome	592	41	60	50	46	54	44	55	47	53	44	50	48
Saratoga Springs	297	26	26	32	21	24	21	23	28	26	20	25	25

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
NEW YORK—continued.													
Schenectady	958	81	84	92	74	88	86	64	75	88	76	67	83
Syracuse	2,361	218	182	209	179	187	176	194	233	226	195	177	185
Troy	1,513	153	162	120	144	129	102	88	118	105	121	128	143
Utica	1,633	152	162	139	129	153	129	132	115	117	130	129	146
Watertown	503	62	37	46	44	40	28	43	46	37	43	35	42
Watervliet	184	26	11	19	18	14	17	9	14	14	21	7	14
White Plains	260	28	23	30	31	31	15	14	16	19	17	13	23
Yonkers	1,226	138	121	94	92	95	84	103	114	97	92	83	113
NORTH CAROLINA													
Registration cities	3,549	329	276	312	298	295	322	339	328	280	257	245	268
Asheville	466	49	34	44	37	36	36	41	42	39	38	34	36
Charlotte	766	64	46	61	57	71	88	70	80	75	57	50	47
Durham	336	25	29	25	38	27	28	34	30	25	23	31	21
Greensboro	277	35	20	38	16	20	21	29	21	20	12	22	23
Raleigh	564	53	62	46	49	49	44	61	49	37	46	35	33
Wilmington	511	46	33	47	41	40	49	49	50	41	34	33	48
Winston-Salem	629	57	52	51	60	52	56	55	56	43	47	40	60
NORTH DAKOTA.[1]													
Fargo	252	21	18	26	22	27	25	17	21	22	15	14	2
OHIO.													
Registration cities	39,267	4,130	3,239	3,522	3,378	3,202	2,723	3,296	3,273	3,022	3,019	3,116	3,347
Akron	1,693	148	123	149	182	162	115	145	156	122	120	125	146
Alliance	236	21	26	23	18	20	20	17	16	22	13	16	24
Ashtabula	302	27	23	23	31	25	26	23	33	17	25	29	20
Bellaire	220	30	16	26	13	23	19	14	13	9	16	21	20
Cambridge	169	12	10	18	11	9	19	15	13	14	17	17	14
Canton	863	92	90	73	56	69	47	58	79	61	70	79	89
Chillicothe	222	24	21	22	21	16	18	27	9	12	16	23	13
Cincinnati	6,741	721	609	613	567	498	476	574	539	472	517	552	603
Cleveland	9,986	1,078	804	876	909	808	659	865	801	786	755	799	846
Columbus	3,339	399	250	274	286	286	212	258	279	266	270	286	273
Dayton	1,937	209	157	181	156	144	139	175	175	151	131	142	177
East Liverpool	387	45	38	29	38	39	24	32	27	18	33	30	34
Elyria	281	35	22	26	17	13	21	24	28	20	26	18	31
Findlay	252	30	20	24	19	15	18	22	17	24	20	19	24
Hamilton	508	49	36	48	42	34	38	38	57	43	39	41	43
Ironton	233	26	23	21	16	19	16	22	15	20	17	15	23
Lakewood	256	31	18	28	25	19	21	19	14	21	25	21	14
Lancaster	145	13	9	14	8	17	11	11	10	12	11	15	14
Lima	488	45	32	44	43	47	33	40	45	33	42	38	46
Lorain	442	31	48	47	38	37	34	33	48	38	34	26	28
Mansfield	303	27	28	31	21	22	20	22	22	24	21	31	34
Marietta	229	26	16	27	12	17	10	19	21	21	22	19	19
Marion	293	25	21	32	24	17	16	27	18	29	34	25	25
Massillon	196	32	21	16	15	8	17	16	12	9	10	14	26
Middletown	271	25	21	33	26	17	18	26	30	22	14	20	19
Newark	431	46	42	36	42	40	20	34	38	32	27	33	41
Norwood	180	16	15	10	15	21	15	11	12	16	16	16	17
Piqua	211	21	23	16	11	17	17	17	17	21	13	18	20
Portsmouth	440	53	32	38	29	37	37	45	35	31	42	30	31
Sandusky	291	26	23	21	27	22	19	24	22	25	18	40	24
Springfield	800	83	66	73	61	75	66	56	69	67	66	64	54
Steubenville	514	45	40	41	56	50	39	44	51	43	29	33	43
Tiffin	209	22	19	15	21	17	22	11	18	16	18	15	15
Toledo	3,587	344	292	332	294	313	257	311	338	309	286	251	260
Warren	255	29	17	13	20	31	22	21	26	23	16	15	22
Youngstown	1,903	191	167	179	165	165	127	169	132	139	155	141	173
Zanesville	454	53	21	50	43	33	35	31	38	34	35	39	42
OREGON.[1]													
Portland	2,367	269	218	207	189	204	170	164	192	155	167	206	226
PENNSYLVANIA.													
Registration cities	65,366	7,083	5,597	6,187	5,386	5,218	4,332	4,963	5,575	5,115	4,899	4,957	6,054
Allentown	1,015	98	84	109	82	82	72	64	88	88	77	78	93
Altoona	813	91	76	77	64	73	49	44	74	81	65	61	58
Beaver Falls	231	36	17	27	17	15	9	19	18	22	22	15	14
Bethlehem	217	23	20	14	17	24	14	16	18	21	14	15	21
Braddock	395	38	32	32	40	27	25	41	39	38	25	27	31

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
PENNSYLVANIA—continued.													
Bradford	234	23	22	26	17	25	15	20	11	13	15	25	22
Butler	348	30	26	22	30	33	36	27	31	32	27	28	26
Carbondale	307	30	22	22	28	30	28	29	24	26	20	19	29
Carlisle	183	26	16	14	13	13	11	10	12	19	19	12	18
Carnegie	152	19	7	14	23	11	14	7	15	12	8	11	11
Chambersburg	197	25	16	19	13	17	19	10	17	13	8	23	17
Chester	873	80	60	63	81	80	63	84	92	73	57	54	86
Coatesville	195	18	13	13	15	13	15	15	27	17	18	12	19
Columbia	181	17	26	25	14	10	9	10	18	8	16	13	15
Connellsville	191	14	19	30	17	12	12	12	21	19	14	5	16
Dubois	164	22	20	12	11	8	9	17	20	12	11	12	10
Dunmore	307	30	37	21	25	27	12	22	41	27	22	24	19
Duquesne	243	16	19	20	14	21	12	32	15	32	23	14	25
Easton	617	73	51	85	53	38	50	36	45	52	41	51	42
Erie	1,234	127	117	114	91	115	95	96	102	110	96	76	95
Farrell	217	16	23	14	14	29	18	20	22	22	11	13	15
Greensburg	266	34	14	33	28	17	18	25	17	14	17	14	35
Harrisburg	1,134	113	78	116	110	85	87	102	90	92	86	82	93
Hazleton	478	62	35	51	41	33	40	29	49	47	27	35	29
Homestead	254	29	18	14	18	25	19	31	31	20	19	13	17
Johnstown	1,084	117	88	105	81	88	77	73	98	90	86	87	94
Lancaster	832	88	92	77	75	74	57	60	62	77	58	46	66
Lebanon	396	40	30	24	36	39	28	29	35	18	29	41	47
McKees Rocks	211	22	24	17	23	17	9	18	23	11	14	15	18
McKeesport	754	55	53	63	56	60	58	76	55	72	74	58	74
Mahanoy City	257	36	24	22	28	17	12	18	30	21	16	15	18
Meadville	216	21	19	31	21	14	17	16	12	15	13	16	21
Monessen	178	27	14	13	9	13	10	16	18	11	12	15	20
Mount Carmel	241	27	30	13	22	10	12	21	22	21	17	25	21
Nanticoke	298	24	32	27	20	20	18	18	41	24	33	17	24
New Castle	555	53	23	45	42	45	44	41	51	61	47	58	45
Norristown	739	97	58	71	48	55	52	53	54	51	50	61	89
North Braddock	152	21	5	19	15	9	11	9	9	12	13	12	17
Oil City	279	22	25	28	29	31	19	13	19	14	31	20	28
Old Forge	157	10	9	18	19	12	17	12	17	12	7	12	12
Philadelphia	27,703	2,954	2,398	2,645	2,233	2,206	1,824	2,027	2,422	2,083	2,073	2,155	2,683
Phoenixville	190	26	17	21	15	13	14	19	15	16	9	8	17
Pittsburgh	10,077	1,248	872	949	818	790	615	776	757	751	752	767	982
Pittston	331	34	23	27	37	32	12	29	30	33	26	21	27
Plymouth	200	24	26	19	16	11	9	13	16	14	19	17	16
Pottstown	259	25	12	24	23	27	16	18	15	15	24	17	43
Pottsville	455	61	47	52	34	25	33	23	34	35	41	33	37
Reading	1,633	185	146	167	137	127	101	121	125	114	128	122	160
Scranton	2,116	206	201	178	192	167	143	178	203	157	157	167	167
Shamokin	280	36	25	31	28	22	20	22	9	22	24	22	19
Sharon	248	34	21	20	21	19	12	11	25	18	14	26	27
Shenandoah	441	45	17	55	29	31	25	43	38	46	35	31	46
South Bethlehem	408	39	45	39	36	31	24	32	50	26	24	33	29
Steelton	232	20	15	20	15	27	16	33	18	23	18	16	11
Sunbury	210	23	13	25	20	11	19	14	10	17	25	11	22
Uniontown	274	21	22	22	26	20	19	30	22	30	16	18	28
Warren	188	10	15	21	16	8	19	15	15	20	15	16	18
Washington	301	24	26	25	21	28	13	30	28	36	24	24	22
West Chester	304	32	28	28	23	27	23	22	31	29	21	18	22
Wilkes-Barre	1,111	106	95	110	98	100	74	86	112	81	85	78	86
Wilkinsburg	363	47	43	25	33	25	23	33	24	21	22	32	35
Williamsport	614	68	43	62	49	47	38	62	50	48	44	53	50
York	633	65	53	62	66	57	48	35	43	60	45	42	57
RHODE ISLAND.													
Registration cities	7,914	782	740	778	691	665	552	616	617	612	614	602	645
Central Falls	299	26	19	38	20	38	28	22	18	22	27	17	24
Cranston (exclusive of)	277	38	17	20	24	27	27	18	25	21	17	23	20
State institutions	469	48	39	50	33	36	44	44	37	31	42	37	28
Cumberland town	167	13	15	22	22	10	11	11	7	20	16	13	7
East Providence town	251	28	27	26	23	21	16	18	23	13	17	16	23
Newport	422	27	58	39	39	32	18	35	30	44	36	33	31
Pawtucket	894	88	82	100	76	76	59	74	59	86	63	58	73
Providence	4,027	421	377	373	363	337	282	314	319	289	305	305	342
Warwick town	250	24	29	23	24	21	18	18	24	12	24	16	17
West Warwick town	243	16	17	22	21	16	16	17	15	26	19	26	32
Woonsocket	615	53	60	65	46	51	33	45	60	48	48	58	48

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1916—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
SOUTH CAROLINA.													
Registration cities	3,332	311	239	276	229	293	304	279	291	285	262	305	258
Charleston	1,538	131	112	135	97	127	134	147	143	141	117	144	110
Columbia	1,133	107	77	97	89	103	106	78	100	91	100	96	89
Greenville	338	38	29	25	27	24	30	25	18	35	22	36	29
Spartanburg	323	35	21	19	16	39	34	29	30	18	23	29	30
TEXAS.[1]													
Registration cities	7,128	641	587	680	605	602	615	569	504	483	567	589	686
Beaumont	428	42	20	45	49	37	38	29	37	25	34	34	38
Dallas	1,569	139	148	159	120	136	132	148	101	96	129	105	156
El Paso	2,004	153	137	230	181	164	185	149	138	140	143	188	196
Galveston	728	85	64	53	72	58	44	64	48	61	51	62	66
San Antonio	2,399	222	218	193	183	207	216	179	180	161	210	200	230
UTAH.													
Registration cities	1,685	136	128	135	135	138	108	123	124	141	137	152	228
Ogden	340	31	30	29	30	26	23	28	25	26	25	34	33
Salt Lake City	1,345	105	98	106	105	112	85	95	99	115	112	118	195
VERMONT.													
Registration cities	846	101	98	87	75	66	80	50	57	62	47	57	66
Barre	161	20	18	15	12	17	14	9	9	7	15	13	12
Burlington	451	59	45	49	38	37	47	30	29	33	17	26	41
Rutland	234	22	35	23	25	12	19	11	19	22	15	18	13
VIRGINIA.													
Registration cities	8,591	818	767	839	752	719	741	768	676	628	615	590	678
Alexandria	296	27	36	21	21	29	20	32	28	21	25	14	22
Danville	348	31	30	24	28	30	42	32	28	27	20	28	28
Lynchburg	545	55	46	43	61	54	41	44	46	50	41	39	25
Newport News	389	35	30	37	36	35	33	43	22	28	29	31	30
Norfolk	1,666	164	146	191	140	138	162	144	129	98	115	102	137
Petersburg	768	87	76	90	70	61	73	73	47	57	41	47	46
Portsmouth	535	50	43	51	49	40	56	41	46	35	40	37	47
Richmond	3,092	279	264	289	269	252	264	277	256	242	225	227	248
Roanoke	684	70	77	73	57	60	34	58	50	51	52	45	57
Staunton	268	20	19	20	21	20	16	24	24	19	27	20	38
WASHINGTON.													
Registration cities	5,385	545	456	446	464	428	402	400	380	391	439	453	581
Aberdeen	103	14	7	6	8	14	4	9	10	6	11	10	4
Bellingham	245	29	21	18	17	17	24	12	15	24	21	21	26
Everett	272	24	23	23	19	32	24	17	23	21	13	22	31
North Yakima	210	25	19	27	16	13	10	15	12	11	16	17	29
Seattle	2,442	246	210	224	228	169	169	183	173	170	201	194	275
Spokane	1,051	108	88	79	81	96	91	77	68	82	95	88	98
Tacoma	397	94	77	60	83	72	69	74	67	61	66	78	96
Walla Walla	165	5	11	9	12	15	11	13	12	16	16	23	22
WEST VIRGINIA.[1]													
Wheeling	783	100	68	63	70	71	39	56	66	51	57	72	70
WISCONSIN.													
Registration cities	11,425	1,180	1,004	1,079	1,067	1,062	833	963	766	881	846	793	951
Appleton	265	46	25	17	23	26	17	22	16	17	17	21	18
Ashland	226	27	12	16	17	29	21	25	2	19	23	17	18
Beloit	191	26	19	26	20	14	16	13	13	12	6	8	18
Eau Claire	367	21	27	37	40	37	28	33	28	26	30	26	34
Fond du Lac	349	43	25	22	30	37	30	23	17	34	27	25	36
Green Bay	552	60	51	38	41	64	44	51	40	53	45	32	33
Janesville	215	22	21	20	20	22	14	21	15	11	17	11	21
Kenosha	366	35	25	26	33	30	32	29	26	37	25	39	29
La Crosse	505	56	49	47	45	47	45	42	36	40	39	23	36
Madison	435	52	36	45	33	37	22	38	29	36	36	31	40
Manitowoc	190	21	21	20	14	16	16	16	15	9	16	12	14
Marinette	152	15	11	16	15	20	16	9	10	12	8	12	8
Milwaukee	5,549	518	524	561	534	509	371	460	373	410	419	399	471
Oshkosh	432	65	32	41	37	30	35	35	31	26	26	33	41
Racine	580	59	36	56	54	48	52	50	43	54	41	42	45
Sheboygan	406	39	33	33	46	43	21	39	30	37	30	19	36
Superior	439	53	42	37	37	37	32	37	28	35	28	32	41
Wausau	206	22	15	21	28	16	21	20	14	13	13	11	12

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Foreign born.	Native.					
SUMMARY.													
The registration area	1,001,921	905,213	668,224	368,173	160,733	51,273	7,113	30,941	49,991	224,405	12,584	92,899	3,809
Registration states [1]	924,971	842,597	626,940	351,297	146,436	47,529	6,519	29,354	45,805	204,186	11,471	78,715	3,659
Cities in registration states [1]	477,821	443,413	301,465	136,575	103,053	28,531	3,716	11,058	18,532	136,284	5,664	33,019	1,389
Rural part of registration states	447,150	399,184	325,475	214,722	43,383	18,998	2,803	18,296	27,273	67,902	5,807	45,696	2,270
Registration cities in nonregistration states	76,950	62,616	41,284	16,876	14,297	3,744	594	1,587	4,186	20,219	1,113	14,184	150
All registration cities [1]	554,771	506,029	342,749	153,451	117,350	32,275	4,310	12,645	22,718	156,503	6,777	47,203	1,539
REGISTRATION STATES.													
California	39,806	37,506	24,426	10,376	4,918	2,154	543	1,698	4,737	12,067	1,013	635	1,665
Colorado	9,920	9,614	7,189	3,872	1,095	506	114	513	1,089	2,080	345	265	41
Connecticut	20,242	19,795	13,412	5,374	5,177	1,039	151	652	1,019	6,080	303	440	7
Indiana	38,230	36,582	32,235	21,990	3,125	1,404	302	2,432	2,982	4,061	286	1,648	----
Kansas	19,963	18,714	15,448	9,251	1,216	876	178	1,312	2,615	2,873	393	1,229	20
Kentucky	30,073	24,801	23,244	18,519	846	406	88	1,609	1,776	1,188	369	5,272	----
Maine	12,147	12,099	10,055	7,104	1,045	892	32	324	658	1,907	137	32	16
Maryland	22,512	16,590	13,960	9,475	1,941	799	156	694	895	2,429	201	5,915	7
Massachusetts	56,362	55,321	36,558	15,580	13,257	3,751	536	1,657	1,777	18,386	377	996	45
Michigan	46,013	45,261	31,377	15,592	8,125	3,765	445	1,384	2,066	12,982	902	547	205
Minnesota	24,297	23,920	13,987	5,772	4,777	2,053	213	458	714	9,633	300	161	216
Missouri	44,110	40,332	33,329	21,285	3,750	1,678	355	2,435	3,826	5,947	1,056	3,765	13
Montana	5,791	5,413	3,513	1,657	771	334	58	208	485	1,556	344	66	312
New Hampshire	7,146	7,132	5,427	2,746	1,016	436	43	389	797	1,516	189	13	1
New Jersey	44,172	41,840	29,131	14,501	10,086	2,492	283	673	1,096	12,367	342	2,318	14
New York	151,704	147,865	98,582	44,393	37,335	9,527	796	2,575	3,956	48,314	969	3,651	188
North Carolina	31,389	18,756	18,440	16,090	64	120	19	1,174	973	132	184	12,491	142
Ohio	74,282	71,181	56,191	32,984	11,227	3,745	644	2,976	4,615	13,691	1,299	3,097	4
Pennsylvania	124,577	119,364	92,550	52,581	24,998	6,638	1,010	3,070	4,253	25,697	1,117	5,168	45
Rhode Island	9,501	9,196	6,078	2,687	2,435	647	48	113	148	3,053	65	298	7
South Carolina	22,502	8,247	7,956	6,688	89	93	14	491	581	150	141	14,246	9
Utah	4,511	4,414	2,975	1,705	585	402	26	84	173	1,350	89	22	75
Vermont	5,687	5,678	4,620	2,859	610	405	40	283	423	1,006	52	9	----
Virginia	32,144	18,404	17,506	14,327	330	246	38	1,094	1,471	628	270	13,725	15
Washington	11,805	11,203	7,725	4,116	1,257	814	134	532	872	3,205	273	107	495
Wisconsin	29,591	29,414	17,805	7,654	5,997	2,095	237	489	1,333	11,238	371	65	112
REGISTRATION CITIES.													
ALABAMA.[2]													
Registration cities	4,365	1,883	1,608	1,053	122	58	10	89	276	197	78	2,479	3
Birmingham	2,557	1,138	988	671	51	27	4	73	162	95	55	1,418	1
Mobile	1,097	467	378	218	68	29	5	10	48	84	5	629	1
Montgomery	711	278	242	164	3	2	1	6	66	18	18	432	1
CALIFORNIA.													
Registration cities	22,943	21,547	13,645	5,715	3,094	1,289	322	893	2,332	7,384	518	457	939
Alameda	262	257	148	65	44	15	4	4	16	107	2	----	5
Bakersfield	344	326	241	97	32	13	8	22	69	66	19	8	10
Berkeley	456	449	301	138	59	41	7	19	37	145	3	3	4
Eureka	217	215	107	28	16	9	----	8	46	97	11	2	----
Fresno	396	342	244	100	55	23	7	20	39	96	2	6	48
Long Beach	463	456	364	188	16	29	9	44	78	84	8	1	6
Los Angeles	6,212	5,777	3,983	1,775	711	317	116	332	732	1,656	138	231	204
Oakland	2,090	1,974	1,233	544	283	132	29	81	164	724	17	44	72
Pasadena	510	498	396	207	32	24	6	37	90	97	5	10	2
Pomona	154	153	129	79	13	8	3	8	18	23	1	1	----
Redlands	141	138	109	69	12	9	1	9	9	25	4	2	1
Riverside	289	261	193	102	33	17	8	19	14	56	12	7	21
Sacramento	1,019	891	606	228	113	49	12	40	164	271	14	22	106
San Bernardino	326	312	199	79	35	11	8	21	45	104	9	9	5
San Diego	1,060	1,020	693	345	117	62	11	52	106	275	52	19	21
San Francisco	7,154	6,743	3,575	1,189	1,326	423	67	121	449	2,998	170	77	334
San Jose	532	502	350	154	87	35	8	18	48	152	----	2	28
Santa Barbara	270	260	184	116	25	23	2	11	7	71	5	2	8
Santa Cruz	178	176	126	71	10	11	2	9	23	50	----	1	1
Stockton	733	666	378	113	57	31	8	14	155	244	44	6	61
Vallejo	137	131	86	28	18	7	6	4	23	43	2	4	2

[1] Includes District of Columbia.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Foreign born.	Native.					
REGISTRATION CITIES—Contd.													
COLORADO.													
Registration cities	4,259	4,048	2,947	1,488	462	218	55	221	503	962	139	194	17
Colorado Springs	507	470	383	238	57	30	3	20	35	81	6	37	.....
Denver	3,012	2,881	2,028	952	304	158	45	163	406	750	103	117	14
Pueblo	559	524	405	217	91	22	6	26	43	97	22	32	3
Trinidad	181	173	131	81	10	8	1	12	19	34	8	8	.....
CONNECTICUT.													
Registration cities	14,352	14,001	9,194	3,299	4,052	761	107	352	623	4,606	201	349	2
Ansonia	202	196	138	30	87	13	2	3	3	58	.....	6	.....
Bridgeport	2,354	2,290	1,454	441	709	134	18	52	100	782	54	64	.....
Bristol	166	166	133	50	51	11	.....	12	9	33	.....	.....	.....
Danbury town	348	347	254	136	58	18	3	16	23	89	4	1	.....
Greenwich town	273	267	181	84	69	17	.....	4	7	75	11	6	.....
Hartford	2,262	2,206	1,479	532	631	109	10	74	123	699	28	56	.....
Manchester town	156	156	95	42	35	6	.....	5	7	60	1	.....	.....
Meriden town	525	516	265	109	126	17	2	3	8	248	3	8	1
Middletown town	568	551	349	135	131	17	5	17	44	201	1	17	.....
Naugatuck	136	136	96	31	56	5	.....	1	3	38	2	.....	.....
New Britain	671	668	451	111	281	39	6	9	5	215	2	3	.....
New Haven	2,544	2,452	1,542	523	684	136	19	52	128	878	32	92	.....
New London	460	446	351	188	80	32	7	17	27	79	16	13	1
Norwalk	422	403	279	151	73	16	5	18	16	117	7	19	.....
Norwich town	532	506	317	141	121	20	5	8	22	185	4	26	.....
Orange town	200	197	135	64	29	10	2	11	19	59	3	3	.....
Stamford town	570	555	374	141	149	38	3	20	23	165	16	15	.....
Torrington town	256	249	167	48	82	17	5	5	10	80	2	7	.....
Wallingford town	133	133	93	42	32	12	1	3	3	40	.....	.....	.....
Waterbury	1,339	1,327	882	246	513	69	8	17	29	434	11	12	.....
Windham town	235	234	159	54	55	25	6	5	14	71	4	1	.....
DELAWARE.[1]													
Wilmington	1,804	1,538	1,233	687	311	84	6	35	110	289	16	266	.....
DISTRICT OF COLUMBIA.													
Washington	6,494	3,955	3,221	2,119	364	212	16	35	475	650	84	2,534	5
FLORIDA.[1]													
Registration cities	2,495	1,322	1,008	518	138	84	7	56	205	281	33	1,170	3
Jacksonville	1,197	483	408	264	31	25	3	25	60	57	18	712	2
Key West	231	170	87	3	.....	.....	.....	.....	84	76	7	61	.....
Pensacola	410	193	166	106	9	10	.....	14	27	24	3	216	1
Tampa	657	476	347	145	98	49	4	17	34	124	5	181	.....
GEORGIA.[1]													
Registration cities	5,397	2,368	2,166	1,526	63	41	2	96	438	177	25	3,029	.....
Atlanta	2,908	1,499	1,415	1,192	46	27	2	86	62	70	14	1,409	.....
Augusta	926	403	372	315	17	14	.....	10	16	24	7	523	.....
Savannah	1,563	466	379	19	.....	.....	.....	.....	360	83	4	1,097	.....
ILLINOIS.[1]													
Registration cities	40,097	38,552	23,018	6,880	10,838	2,417	392	738	1,753	14,971	563	1,490	55
Aurora	471	465	314	146	97	32	4	14	21	144	7	6	.....
Belleville	312	308	205	93	76	19	3	2	12	102	1	4	.....
Chicago	36,305	34,967	20,343	5,562	10,321	2,235	354	561	1,310	14,155	469	1,283	55
Decatur	509	500	438	284	33	21	6	40	54	59	3	9	.....
Evanston	369	342	226	99	72	24	7	10	14	112	4	27	.....
Jacksonville	545	501	373	151	31	19	5	23	144	74	54	44	.....
Quincy	610	571	421	176	70	19	2	17	137	131	19	39	.....
Springfield	976	898	698	369	138	48	11	71	61	194	6	78	.....
INDIANA.													
Registration cities	14,284	13,096	10,702	6,451	1,932	653	119	698	849	2,267	127	1,188	.....
Anderson	362	346	325	249	18	7	5	25	21	19	2	16	.....
East Chicago	454	447	348	40	272	27	3	6	.....	98	1	7	.....
Elkhart	276	276	245	177	9	13	3	17	26	29	2	.....	.....
Elwood	134	134	123	103	8	1	2	4	5	11	.....	.....	.....
Evansville	1,106	954	790	468	127	56	13	42	84	156	8	152	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Foreign born.	Native.					
REGISTRATION CITIES—Contd.													
INDIANA—continued.													
Fort Wayne	939	928	712	416	145	60	5	44	42	203	13	11	.....
Gary	600	557	372	94	233	19	5	6	15	168	17	43	.....
Hammond	516	507	302	116	114	32	3	10	27	193	12	9	.....
Huntington	163	162	142	102	4	6	7	14	9	20	.....	1	.....
Indianapolis	4,308	3,648	3,080	2,027	362	196	33	241	221	535	33	660	.....
Jeffersonville	142	116	107	70	13	2	.....	9	13	8	1	26	.....
Kokomo	312	297	278	202	11	13	.....	22	30	19	.....	15	.....
Lafayette	400	393	306	195	41	14	6	20	30	82	5	7	.....
Laporte	193	190	134	72	35	12	.....	4	11	53	3	3	.....
Logansport	317	312	266	162	34	8	1	15	46	44	2	5	.....
Marion	341	311	297	200	16	5	2	36	38	12	2	30	.....
Michigan City	292	279	184	92	58	26	2	4	2	95	.....	13	.....
Mishawaka	173	173	139	55	40	7	.....	26	11	33	1	.....	.....
Muncie	336	319	296	229	13	20	2	14	18	21	2	17	.....
New Albany	337	294	244	141	29	10	7	23	34	49	1	43	.....
Peru	155	152	125	86	7	5	1	11	15	26	1	3	.....
Richmond	328	298	254	182	39	10	1	10	12	43	1	30	.....
South Bend	873	864	643	306	199	56	8	27	47	216	5	9	.....
Terre Haute	967	888	769	518	84	36	7	53	71	105	14	79	.....
Vincennes	260	251	221	149	21	12	3	15	21	29	1	9	.....
KANSAS.													
Registration cities	4,811	4,118	3,362	1,828	369	180	37	323	625	658	98	693	.....
Atchison	207	176	136	77	18	7	.....	13	21	35	5	31	.....
Coffeyville	193	158	150	106	9	5	3	8	19	4	4	35	.....
Fort Scott	175	144	123	69	7	7	.....	12	28	19	2	31	.....
Hutchinson	259	238	216	128	9	9	2	24	44	17	5	21	.....
Independence	140	128	120	77	4	12	2	11	14	6	2	12	.....
Kansas City	1,365	1,087	853	406	150	46	13	84	154	207	27	278	.....
Lawrence	172	143	120	72	3	10	2	13	20	22	1	29	.....
Leavenworth	330	269	160	63	38	12	1	8	38	98	11	61	.....
Parsons	200	162	141	83	7	7	1	18	25	15	6	38	.....
Pittsburg	260	249	183	107	17	12	.....	16	31	62	4	11	.....
Topeka	693	599	487	259	67	29	6	48	78	104	8	94	.....
Wichita	817	765	673	381	40	24	7	68	153	69	23	52	.....
KENTUCKY.													
Registration cities	6,956	5,078	4,176	2,584	599	213	50	254	476	798	104	1,878	.....
Covington	895	805	647	391	126	44	14	40	32	151	7	90	.....
Frankfort	198	140	127	93	3	2	.....	11	18	9	4	58	.....
Henderson	211	131	120	92	6	3	.....	11	8	8	3	80	.....
Lexington	890	513	466	343	22	13	2	24	62	27	20	377	.....
Louisville	3,586	2,586	2,021	1,144	339	113	32	123	270	504	61	1,000	.....
Newport	388	373	288	155	77	30	2	13	11	84	1	15	.....
Owensboro	308	234	223	174	11	4	.....	17	17	10	1	74	.....
Paducah	480	296	284	192	15	4	.....	15	58	5	7	184	.....
LOUISIANA.[1]													
New Orleans	6,847	3,938	3,070	1,798	774	302	19	29	148	861	7	2,904	5
MAINE.													
Registration cities	3,238	3,220	2,397	1,424	497	246	8	79	143	781	42	16	2
Auburn	194	194	176	132	15	14	.....	8	7	18	.....	.....	.....
Augusta	348	347	266	181	32	27	.....	6	20	77	4	1	.....
Bangor	589	579	447	287	59	48	2	18	33	121	11	8	2
Biddeford	240	240	153	72	54	18	.....	2	7	84	3	.....	.....
Lewiston	503	503	348	145	121	51	2	11	18	147	8	.....	.....
Portland	1,168	1,161	873	540	186	69	4	31	43	272	16	7	.....
Waterville	196	196	134	67	30	19	.....	3	15	62	.....	.....	.....
MARYLAND.													
Registration cities	11,688	8,861	7,018	4,246	1,427	529	100	278	438	1,745	98	2,821	6
Baltimore	10,668	7,956	6,184	3,593	1,366	500	90	234	401	1,681	91	2,706	6
Cumberland	447	417	365	268	42	15	8	14	18	46	6	30	.....
Frederick	186	149	142	123	6	3	1	8	1	7	.....	37	.....
Hagerstown	387	339	327	252	13	11	1	22	18	11	1	48	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Foreign born.	Native.					
REGISTRATION CITIES—Contd.													
MASSACHUSETTS.													
Registration cities	43,898	43,022	27,671	10,506	11,337	2,990	451	1,155	1,232	15,061	290	845	31
Adams town	152	152	78	22	44	3	3	3	3	71	3	----	----
Arlington town	177	177	119	65	24	15	----	10	5	58	----	----	----
Attleboro	253	250	169	85	37	30	3	9	5	80	1	3	----
Beverly	287	287	223	138	42	15	----	9	19	64	----	----	----
Boston	12,763	12,300	7,477	2,525	3,375	856	139	295	287	4,702	121	441	22
Brockton	784	778	570	282	159	59	10	23	37	202	6	6	----
Brookline town	351	349	276	169	51	23	1	13	19	72	1	2	----
Cambridge	1,526	1,434	841	313	365	90	13	29	31	585	8	92	----
Chelsea	671	657	423	156	182	39	7	17	22	229	5	13	1
Chicopee	442	442	306	48	197	41	3	7	10	135	1	----	----
Clinton town	185	184	119	49	49	6	2	8	5	64	1	1	----
Everett	395	379	229	117	71	21	1	8	11	149	1	16	----
Fall River	2,178	2,174	1,308	270	849	152	14	14	9	862	4	4	----
Fitchburg	539	539	347	127	139	46	7	13	15	192	----	----	----
Framingham town	274	273	181	85	50	19	4	12	11	92	----	1	----
Gardner town	220	219	160	69	52	12	4	1	22	57	2	1	----
Gloucester	379	379	260	135	62	35	2	10	16	117	2	----	----
Greenfield town	170	170	132	77	25	12	3	7	8	36	2	----	----
Haverhill	722	715	526	300	118	54	5	26	23	186	3	7	----
Holyoke	1,081	1,078	676	123	328	78	42	83	22	394	8	3	----
Lawrence	1,336	1,333	768	147	511	73	13	12	12	558	7	3	----
Leominster	232	228	171	75	51	21	1	5	18	56	1	4	----
Lowell	1,955	1,955	1,220	349	634	152	20	34	31	719	16	----	----
Lynn	1,258	1,245	868	376	274	103	14	54	47	371	6	13	----
Malden	583	574	352	188	93	35	5	13	18	219	3	9	----
Marlborough	207	207	135	66	48	13	1	4	3	72	----	----	----
Medford	354	352	249	124	58	32	5	17	13	101	2	2	----
Melrose	224	223	167	111	32	10	1	8	5	56	----	1	----
Methuen town	212	212	136	46	46	23	5	10	6	75	1	----	----
Milford town	190	189	129	61	45	7	1	5	10	59	1	1	----
New Bedford	1,813	1,707	1,081	288	574	129	14	35	41	616	10	103	3
Newburyport	237	235	191	115	37	20	1	12	6	44	----	2	----
Newton	470	464	343	218	77	30	3	9	6	120	1	6	----
North Adams	310	309	211	82	59	27	5	16	22	95	3	1	----
Northampton	433	428	264	146	87	13	5	5	8	163	1	5	----
Peabody town	245	245	173	71	78	13	2	8	1	71	1	----	----
Pittsfield	552	542	389	184	136	33	3	14	19	150	3	10	----
Plymouth town	179	176	137	72	35	17	1	5	7	37	2	3	----
Quincy	448	447	296	121	119	33	8	6	9	147	4	1	----
Revere	189	189	103	39	47	7	2	6	2	84	2	----	----
Salem	588	584	412	159	175	50	1	14	13	169	3	3	1
Somerville	1,080	1,078	671	306	210	74	12	33	36	406	1	2	----
Southbridge town	155	155	94	25	48	19	----	----	2	60	1	----	----
Springfield	1,741	1,702	1,203	564	377	103	17	66	76	480	19	39	----
Taunton	789	786	538	249	194	44	12	22	17	240	8	2	1
Wakefield town	148	148	110	68	21	10	----	9	2	37	1	----	----
Waltham	355	355	254	114	71	24	2	16	27	99	2	----	----
Watertown town	190	190	132	58	47	14	1	5	7	58	----	----	----
Webster town	149	148	93	27	46	16	----	2	2	55	----	1	----
Westfield town	293	293	217	82	72	20	2	16	25	75	1	----	----
Weymouth town	190	190	143	85	24	12	2	10	10	47	----	----	----
Winthrop town	130	129	91	45	17	14	2	4	9	38	----	1	----
Woburn	215	206	107	47	38	13	----	4	5	96	3	8	1
Worcester	2,899	2,862	1,803	643	737	180	27	79	137	1,041	18	35	2
MICHIGAN.													
Registration cities	21,162	20,775	13,707	5,786	4,588	1,792	218	560	763	6,569	499	381	6
Adrian	185	184	135	89	13	9	----	14	10	47	2	1	----
Alpena	161	161	99	44	20	28	2	1	4	61	1	----	----
Ann Arbor	490	464	353	189	71	36	3	25	29	98	13	24	2
Battle Creek	459	447	376	228	37	37	4	30	40	65	6	12	----
Bay City	721	718	458	202	132	82	9	10	23	251	9	3	----
Detroit	10,985	10,729	6,804	2,215	3,010	949	106	242	282	3,613	312	255	1
Escanaba	217	217	129	45	44	31	3	1	5	76	12	----	----
Flint	800	789	638	357	129	63	15	39	35	143	8	11	----
Grand Rapids	1,565	1,544	1,012	523	275	107	15	43	49	518	14	21	----
Holland	106	106	68	38	17	7	1	2	3	38	----	----	----

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Foreign born.	Native.					
REGISTRATION CITIES—Contd.													
MICHIGAN—continued.													
Ironwood	180	180	101	11	76	10	1	2	1	75	4	.....	.....
Ishpeming	164	164	74	13	48	12	.....	1	.....	89	1	.....	.....
Jackson	635	623	512	328	83	38	3	21	39	97	14	12	.....
Kalamazoo	807	793	574	337	96	37	5	37	62	189	30	14	.....
Lansing	572	566	463	297	62	33	10	20	41	96	7	6	.....
Manistee	137	136	59	23	27	7	.....	1	1	76	1	.....	1
Marquette	207	205	104	47	25	20	2	3	7	97	4	1	1
Menominee	135	135	78	25	23	17	4	5	4	54	3	.....	.....
Muskegon	483	482	324	147	97	40	6	15	19	148	10	1	.....
Pontiac	432	427	298	177	57	38	3	6	17	118	11	5	.....
Port Huron	367	366	196	77	51	53	3	3	4	167	3	1	.....
Saginaw	824	818	513	230	119	79	18	22	45	293	12	6	.....
Sault Ste. Marie	183	177	103	32	32	31	1	1	6	64	10	6	.....
Traverse City	347	344	236	112	44	28	4	11	37	96	12	2	1
MINNESOTA.													
Registration cities	9,279	9,132	5,557	2,183	2,023	801	81	203	266	3,434	141	144	3
Duluth	1,056	1,051	561	149	277	84	9	13	29	456	34	5	.....
Mankato	216	216	152	70	50	15	3	5	9	62	2	.....	.....
Minneapolis	4,512	4,432	2,844	1,183	959	413	43	119	127	1,537	51	78	2
St. Cloud	161	161	105	50	21	27	1	5	1	55	1	.....	.....
St. Paul	2,785	2,726	1,596	640	579	228	18	56	75	1,090	40	58	1
Stillwater	98	97	38	7	17	7	.....	1	6	56	3	1	.....
Virginia	145	145	77	12	54	11	.....	.....	.....	64	4	.....	.....
Winona	306	304	184	72	66	16	7	4	19	114	6	2	.....
MISSISSIPPI.[1]													
Registration cities	2,362	815	731	515	24	18	8	56	110	50	34	1,542	5
Hattiesburg	217	103	98	80	1	3	.....	11	3	2	3	114	.....
Jackson	789	286	267	178	5	4	2	15	63	9	10	503	.....
Meridian	433	196	180	140	5	6	1	10	18	9	7	237	.....
Natchez	250	70	60	42	6	4	.....	4	4	9	1	180	.....
Vicksburg	673	160	126	75	7	1	5	16	22	21	13	508	5
MISSOURI.													
Registration cities	19,630	17,247	12,713	6,674	2,727	1,006	195	787	1,324	4,075	459	2,373	10
Hannibal	292	254	224	149	13	10	3	24	25	23	7	38	.....
Jefferson City	206	154	122	77	13	9	3	4	16	13	19	52	.....
Joplin	719	698	646	469	17	17	4	57	82	25	27	21	.....
Kansas City	4,319	3,595	2,922	1,681	350	190	43	270	388	535	138	722	2
Moberly	197	164	143	114	7	10	.....	7	5	17	4	33	.....
St. Joseph	1,252	1,152	854	480	85	55	8	65	161	189	109	100	.....
St. Louis	11,263	9,945	6,666	2,893	2,197	687	129	252	508	3,176	103	1,310	8
Sedalia	317	271	216	139	19	6	2	28	22	38	17	46	.....
Springfield	682	633	565	404	20	15	2	55	69	50	18	49	.....
Webb City	383	381	355	268	6	7	1	25	48	9	17	2	.....
MONTANA.													
Registration cities	1,943	1,891	1,139	462	321	125	25	71	135	657	95	36	16
Anaconda	205	197	112	30	36	12	5	9	20	84	1	8	.....
Billings	184	178	139	69	24	19	1	5	21	29	10	3	3
Butte	903	889	509	190	185	58	6	23	47	344	36	9	5
Great Falls	273	267	154	65	43	13	8	13	12	88	25	4	2
Helena	183	175	110	48	16	14	2	9	21	56	9	6	2
Missoula	195	185	115	60	17	9	3	12	14	56	14	6	4
NEBRASKA.[1]													
Registration cities	3,053	2,894	2,033	938	384	174	40	100	397	793	68	152	7
Lincoln	668	654	529	304	69	46	9	24	77	115	10	14	.....
Omaha	2,385	2,240	1,504	634	315	128	31	76	320	678	58	138	7
NEW HAMPSHIRE.													
Registration cities	3,083	3,079	2,152	854	684	210	22	124	258	872	55	3	1
Berlin	202	202	122	22	74	17	2	1	6	65	15	.....	.....
Concord	454	454	340	188	53	22	2	20	55	105	9	.....	.....
Dover	238	237	177	82	27	10	2	13	43	55	5	1	.....
Keene	170	170	144	86	17	11	.....	10	20	22	4	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Foreign born.	Native.				
REGISTRATION CITIES—Contd.												
NEW HAMPSHIRE—continued.												
Laconia	170	170	126	59	24	10	1	10	22	43	1	
Manchester	1,207	1,205	793	206	367	104	5	45	66	409	3	1	1
Nashua	410	410	274	117	95	23	6	12	21	126	10		
Portsmouth	232	231	176	94	27	13	4	13	25	47	8	1	
NEW JERSEY.												
Registration cities	28,311	26,829	17,655	7,289	7,471	1,658	206	372	659	8,971	203	1,470	12
Asbury Park	176	134	114	89	12	6	1	2	4	18	2	42	
Atlantic City	789	606	467	303	85	49	2	14	14	130	9	181	2
Bayonne	887	879	541	162	324	37		12	6	333	5	8	
Bloomfield	175	172	108	49	31	14	4	4	6	64		3	
Bridgeton	236	219	200	162	8	7		16	7	15	4	17	
Camden	1,755	1,567	1,230	697	303	97	13	52	68	324	13	188	
East Orange	389	361	282	206	43	22	1	8	2	78	1	28	
Elizabeth	1,268	1,222	775	261	390	62	11	16	35	437	10	45	1
Garfield	176	176	118	10	94	11	1	1	1	58			
Hackensack	292	272	180	89	67	16	1	4	3	89	3	20	
Harrison	232	232	146	38	91	7	5		5	82	4		
Hoboken	1,248	1,242	654	188	360	79	7	6	14	574	14	6	
Irvington	251	248	164	82	50	20	4	5	3	83	1	3	
Jersey City	4,480	4,349	2,677	924	1,244	231	50	46	132	1,621	51	130	1
Kearny	349	343	236	85	64	21	2	3	61	103	4	6	
Long Branch	295	260	193	110	43	21		8	11	64	3	35	
Millville	204	201	182	143	12	11	2	8	6	19		3	
Montclair	235	206	153	87	39	12	1	8	6	53		29	
Morristown	248	230	173	103	44	19		1	6	57		18	
New Brunswick	596	559	375	152	163	26	6	11	17	177	7	37	
Newark	6,147	5,788	3,756	1,421	1,773	357	38	59	108	1,994	38	353	6
Orange	638	565	353	139	142	56	4	7	5	212		73	
Passaic	961	947	611	111	442	42	8	4	4	333	3	14	
Paterson	2,003	1,953	1,099	420	456	138	18	18	49	838	16	48	2
Perth Amboy	580	573	370	81	244	29	6	1	9	199	4	7	
Phillipsburg	252	247	203	139	47	8	1	3	5	44		5	
Plainfield	435	381	303	184	79	27	5	4	4	77	1	54	
Trenton	1,965	1,852	1,398	663	535	89	11	42	58	447	7	113	
Union	219	219	136	52	62	17		1	4	83			
West Hoboken	395	394	201	55	98	38	4	3	3	192	1	1	
West New York	296	294	174	53	89	28		3	1	119	1	2	
West Orange	139	138	83	31	37	11		2	2	54	1	1	
NEW YORK.												
Registration cities	114,130	110,886	69,051	25,700	32,404	7,332	539	1,197	1,879	41,203	632	3,135	109
Albany	2,041	2,006	1,424	598	534	133	17	46	96	554	28	33	2
Amsterdam	498	490	335	139	144	35	6	5	6	151	4	8	
Auburn	561	551	397	196	140	23	2	15	21	153	1	10	
Batavia	246	246	194	104	64	11	1	10	4	51	1		
Binghamton	1,172	1,149	941	492	279	52	5	42	71	195	13	23	
Buffalo	7,526	7,472	4,723	1,664	2,153	644	55	139	68	2,684	65	48	6
Cohoes	382	382	263	76	128	39	4	5	11	118	1		
Corning	255	253	199	117	38	14	1	8	21	53	1	2	
Cortland	223	223	193	135	24	13	2	10	9	26	4		
Dunkirk	270	270	182	67	77	22	4	5	7	87	1		
Elmira	669	655	525	320	89	41	1	33	41	124	6	14	
Fulton	176	175	146	84	34	12	3	4	9	27	2	1	
Geneva	218	213	149	90	39	10	1	4	5	63	1	5	
Glens Falls	281	281	220	151	37	22		5	5	61			
Gloversville	365	360	295	172	61	19	6	20	17	63	2	5	
Hornell	234	232	197	131	36	12	1	5	12	33	2	2	
Hudson	226	218	176	85	45	12	2	9	23	38	4	8	
Ithaca	293	284	244	183	27	9	2	10	13	38	2	9	
Jamestown	468	463	303	164	97	23		7	12	156	4	5	
Johnstown	111	109	93	56	9	3	3	12	10	16		2	
Kingston	451	437	340	210	88	26	1	6	9	95	2	14	
Lackawanna	396	395	329	111	180	22	4	7	5	61	5	1	
Little Falls	255	254	188	73	78	16		9	12	64	2	1	
Lockport	301	298	195	88	54	33	4	7	9	100	3	3	
Middletown	429	418	316	193	51	25	5	23	19	101	1	11	
Mount Vernon	449	427	286	129	120	33		2	2	139	2	22	
New Rochelle	386	349	209	95	74	37	1	1	1	139	1	37	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Foreign born.	Native.				
REGISTRATION CITIES—Contd.												
NEW YORK—continued.												
New York	77,960	75,261	44,024	14,427	23,396	4,737	274	358	832	30,896	341	2,607	92
Bronx Borough	7,703	7,596	4,171	1,398	2,267	432	18	20	36	3,419	6	106	1
Brooklyn Borough	27,037	26,365	16,301	5,628	8,438	1,900	59	91	185	9,975	89	658	14
Manhattan Borough	35,879	34,112	18,952	5,480	10,680	1,843	177	220	552	14,934	226	1,692	75
Queens Borough	5,032	5,515	3,540	1,420	1,591	458	15	20	36	1,966	9	115	2
Richmond Borough	1,709	1,673	1,060	501	420	104	5	7	23	602	11	36	.....
Newburgh	528	508	392	260	81	27	.....	5	19	108	8	20	.....
Niagara Falls	676	666	430	76	276	59	1	11	7	230	6	7	3
North Tonawanda	178	178	117	33	67	11	1	1	4	59	2	.....	.....
Ogdensburg	442	440	277	125	61	42	6	9	34	157	6	2	.....
Olean	231	227	162	85	37	13	1	12	14	63	2	3	1
Ossining	169	159	116	59	36	12	1	2	6	42	1	9	1
Oswego	383	383	284	124	87	30	10	5	28	98	1	.....	.....
Peekskill	219	211	158	102	32	11	1	6	6	50	3	8	.....
Plattsburg	212	210	174	94	35	23	2	7	13	35	1	2	.....
Port Chester	206	199	142	65	59	14	1	3	.....	57	.....	7	.....
Poughkeepsie	670	651	516	270	135	49	4	25	33	129	6	19	.....
Rensselaer	126	125	93	53	21	9	3	3	4	31	1	1	.....
Rochester	3,721	3,687	2,442	980	968	290	27	65	112	1,212	33	34	.....
Rome	592	585	429	179	164	40	3	18	25	145	11	7	.....
Saratoga Springs	297	280	222	136	42	16	5	10	13	56	2	17	.....
Schenectady	958	946	680	315	226	72	13	22	32	261	5	12	.....
Syracuse	2,361	2,330	1,707	832	558	161	19	85	52	610	13	30	1
Troy	1,513	1,496	993	424	366	118	11	31	43	497	6	17	.....
Utica	1,633	1,626	1,170	470	509	80	15	36	60	438	18	7	.....
Watertown	503	501	382	237	76	48	2	11	8	116	3	1	1
Watervliet	184	184	135	65	45	16	2	3	4	49	.....	.....	.....
White Plains	260	247	171	85	59	23	1	1	2	73	3	13	.....
Yonkers	1,226	1,176	773	281	368	90	5	19	10	401	2	48	2
NORTH CAROLINA.													
Registration cities	3,549	1,784	1,697	1,342	19	34	6	155	141	56	31	1,765	.....
Asheville	466	330	302	238	9	12	3	20	20	19	9	136	.....
Charlotte	766	379	369	307	2	4	1	31	24	9	1	387	.....
Durham	336	157	154	122	1	2	.....	17	12	2	1	179	.....
Greensboro	277	149	138	114	.....	1	1	12	10	5	6	128	.....
Raleigh	564	281	273	182	4	7	.....	29	51	3	5	283	.....
Wilmington	511	209	190	153	3	5	.....	23	6	14	5	302	.....
Winston-Salem	629	279	271	226	.....	3	1	23	18	4	4	350	.....
NORTH DAKOTA.[1]													
Fargo	252	251	165	81	40	20	2	9	13	77	9	1	.....
OHIO.													
Registration cities	39,267	37,152	26,676	13,106	8,057	2,230	348	1,171	1,764	9,689	787	2,112	3
Akron	1,693	1,663	1,267	691	386	82	11	50	47	363	33	30	.....
Alliance	236	230	171	114	36	5	1	10	5	53	6	6	.....
Ashtabula	302	300	217	113	54	23	3	14	10	75	8	2	.....
Bellaire	220	212	174	108	48	9	2	5	2	37	1	8	.....
Cambridge	169	161	151	102	8	14	2	10	15	10	.....	8	.....
Canton	863	850	650	354	155	48	9	34	50	190	10	13	.....
Chillicothe	222	202	170	107	26	10	2	19	6	30	2	20	.....
Cincinnati	6,741	6,031	4,293	2,026	1,413	395	58	147	254	1,673	65	710	.....
Cleveland	9,986	9,682	5,605	1,681	2,889	557	73	145	260	3,775	302	303	1
Columbus	3,339	2,990	2,454	1,488	349	160	27	158	272	446	90	349	.....
Dayton	1,937	1,796	1,463	862	268	100	15	95	123	303	30	141	.....
East Liverpool	387	380	303	222	36	18	.....	19	8	73	4	7	.....
Elyria	281	269	192	89	54	21	1	8	19	66	11	12	.....
Findlay	252	246	220	167	14	14	1	11	13	25	1	6	.....
Hamilton	508	496	391	235	69	27	10	19	31	100	5	12	.....
Ironton	233	218	198	145	13	9	2	14	15	18	2	15	.....
Lakewood	256	255	195	91	69	21	.....	7	7	60	.....	1	.....
Lancaster	145	143	132	100	14	6	1	5	6	11	.....	2	.....
Lima	488	475	419	290	53	26	5	27	18	50	6	12	1
Lorain	442	435	302	99	152	39	4	2	6	126	7	7	.....
Mansfield	303	301	245	155	43	12	7	11	17	55	1	2	.....
Marietta	229	220	190	113	21	7	2	11	36	27	3	9	.....
Marion	293	282	252	181	20	14	6	11	20	29	1	11	.....
Massillon	196	191	133	68	36	12	.....	3	14	55	3	5	.....
Middletown	271	262	231	165	40	8	1	8	9	31	.....	9	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Foreign born.	Native				
REGISTRATION CITIES—Contd.												
OHIO—continued.												
Newark	431	420	368	219	42	30	8	35	34	45	7	11	
Norwood	180	178	125	65	25	20	4	4	7	52	1	2	
Piqua	211	201	180	115	11	10	6	19	19	19	2	10	
Portsmouth	440	408	365	260	22	20	6	29	28	39	4	32	
Sandusky	291	285	180	65	70	24	3	5	13	98	7	6	
Springfield	800	702	602	394	83	31	3	29	62	87	13	98	
Steubenville	514	492	384	183	145	28	6	11	11	95	13	22	
Tiffin	209	208	162	103	25	11	5	13	5	45	1	1	
Toledo	3,587	3,477	2,529	1,147	747	274	36	108	217	863	85	109	1
Warren	255	255	205	134	42	8	4	9	8	47	3		
Youngstown	1,903	1,807	1,169	380	543	112	21	42	71	580	58	96	
Zanesville	454	429	389	275	36	25	3	24	26	38	2	25	
OREGON.[1]												
Portland	2,367	2,287	1,573	750	280	138	43	119	243	667	47	16	64
PENNSYLVANIA.												
Registration cities	65,366	61,335	44,512	22,401	14,289	3,842	556	1,278	2,146	16,228	595	3,993	38
Allentown	1,015	1,011	874	632	179	27	4	15	17	130	7	4	
Altoona	813	797	676	513	103	36	1	15	8	120	1	16	
Beaver Falls	231	226	171	75	62	16	5	4	9	52	3	5	
Bethlehem	217	216	196	159	20	7	1	2	7	19	1	1	
Braddock	395	381	250	71	149	16	3	5	6	129	2	14	
Bradford	234	231	167	97	29	12	5	12	12	61	3	3	
Butler	348	344	295	179	74	26		11	5	46	3	4	
Carbondale	307	307	226	105	73	29	5	8	6	80	1		
Carlisle	183	154	145	126	4	3	1	7	4	7	2	27	2
Carnegie	152	145	117	41	54	16		2	4	28		7	
Chambersburg	197	177	166	134	8	6	4	11	3	10	1	20	
Chester	873	724	555	287	195	44	5	15	9	160	9	149	
Coatesville	195	165	145	90	43	3		9		18	2	30	
Columbia	181	169	158	110	16	11	2	12	7	11		12	
Connellsville	191	169	138	94	28	10		3	3	29	2	22	
Dubois	164	164	123	71	26	20	1	2	3	39	2		
Dunmore	307	306	220	48	89	15		17	51	82	4	1	
Duquesne	243	241	198	46	137	11		1	3	43		2	
Easton	617	608	512	378	84	23	3	17	7	93	3	9	
Erie	1,234	1,226	883	389	309	87	14	18	66	326	17	8	
Farrell	217	203	145	22	103	17		3		56	2	14	
Greensburg	266	255	175	94	37	13	2	9	20	78	2	11	
Harrisburg	1,134	1,009	889	701	74	45	5	36	28	114	6	125	
Hazleton	478	478	336	135	135	54	2	5	5	141	1		
Homestead	254	236	188	42	126	17	1	2		48		18	
Johnstown	1,084	1,063	800	403	301	54	9	16	17	260	3	21	
Lancaster	832	802	708	575	48	29	4	35	17	87	7	30	
Lebanon	396	393	365	318	26	9	1	4	7	27	1	3	
McKees Rocks	211	210	163	41	97	14	4	3	4	46	1	1	
McKeesport	754	729	501	197	239	56	1	3	5	218	10	25	
Mahanoy City	257	257	192	65	98	18	1	5	5	65			
Meadville	216	213	178	107	31	10	10	10	10	35		3	
Monessen	178	172	142	24	105	10	1	2		30		6	
Mount Carmel	241	240	172	57	85	20	4	2	4	68		1	
Nanticoke	298	298	171	42	106	16	3	3	1	124	3		
New Castle	555	528	406	195	120	35	4	22	30	118	4	27	
Norristown	739	702	537	327	117	54	3	11	25	158	7	36	1
North Braddock	152	147	94	36	40	13	1	2	2	53		5	
Oil City	279	275	229	139	49	24	4	7	6	44	2	4	
Old Forge	157	157	104	11	79	13			1	53			
Philadelphia	27,703	25,324	17,460	8,087	5,730	1,601	261	514	1,267	7,546	318	2,354	25
Phoenixville	190	186	140	70	59	8		1	2	46		4	
Pittsburgh	10,077	9,380	6,274	2,478	2,522	735	113	196	230	3,009	97	688	9
Pittston	331	330	228	60	142	23	1		2	102		1	
Plymouth	200	200	128	56	54	17	1			72			
Pottstown	259	255	227	192	19	3	1	9	3	25	3	4	
Pottsville	455	452	369	225	103	19	11	7	4	83		3	
Reading	1,633	1,608	1,412	1,124	190	50	5	32	11	194	2	25	
Scranton	2,116	2,112	1,356	533	636	129	12	24	22	743	13	4	
Shamokin	280	279	227	140	59	21		4	3	52		1	

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.									Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.						Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.			
							Foreign born.	Native.				
REGISTRATION CITIES—Contd.												
PENNSYLVANIA—continued.												
Sharon	248	243	175	93	53	12	1	6	10	66	2	5	.....
Shenandoah	441	441	317	50	206	38	7	2	14	124	.....	.....	.....
South Bethlehem	408	407	308	82	191	13	3	1	18	94	5	1	.....
Steelton	232	204	161	68	83	4	2	2	2	42	1	28	.....
Sunbury	210	210	206	180	5	6	.....	7	8	3	1	.....	.....
Uniontown	274	238	170	101	43	6	2	8	10	59	9	36	.....
Warren	188	186	135	67	33	14	1	11	9	50	1	1	1
Washington	301	264	227	164	32	9	2	12	8	36	1	37	.....
West Chester	304	233	205	161	14	11	2	8	9	23	5	71	.....
Wilkes-Barre	1,111	1,103	711	293	285	95	3	16	19	378	14	8	.....
Wilkinsburg	363	352	276	165	42	34	5	13	17	76	.....	11	.....
Williamsport	614	594	524	382	59	33	6	25	39	64	6	20	.....
York	633	606	566	474	31	22	3	14	22	35	5	27	.....
RHODE ISLAND.													
Registration cities	7,914	7,631	4,920	2,004	2,098	565	42	96	115	2,661	50	276	7
Central Falls	299	299	186	40	124	20	1	.....	1	113	.....	.....	.....
Cranston (exclusive of)	277	274	207	120	67	15	.....	3	2	66	1	3	.....
State institutions	469	445	219	93	75	14	7	10	20	217	9	23	1
Cumberland town	167	167	95	43	38	11	.....	1	2	71	1	.....	.....
East Providence town	251	239	182	109	59	12	1	1	.....	55	2	12	.....
Newport	422	379	260	119	73	20	6	16	26	115	4	42	1
Pawtucket	894	889	528	216	231	70	2	3	6	350	11	5	.....
Providence	4,027	3,836	2,524	1,031	1,076	289	17	59	52	1,291	21	186	5
Warwick town	250	245	160	86	54	17	2	.....	1	85	.....	5	.....
West Warwick town	243	243	169	52	91	25	.....	1	.....	74	.....	.....	.....
Woonsocket	615	615	390	95	210	72	6	2	5	224	1	.....	.....
SOUTH CAROLINA.													
Registration cities	3,332	1,224	1,075	763	57	35	5	53	162	90	59	2,108	.....
Charleston	1,538	499	336	212	47	23	2	19	33	69	4	1,129	.....
Columbia	1,133	498	436	286	7	7	2	18	116	11	51	635	.....
Greenville	338	162	155	134	2	3	.....	8	8	6	1	176	.....
Spartanburg	323	155	148	131	1	2	1	8	5	4	3	168	.....
TEXAS.[1]													
Registration cities	7,128	6,010	4,133	1,857	1,178	367	53	230	448	1,651	226	1,110	8
Beaumont	428	250	176	107	11	10	3	17	28	30	44	178	.....
Dallas	1,569	1,162	1,012	687	64	36	5	81	139	92	58	407	.....
El Paso	2,004	1,943	1,109	300	580	56	11	54	108	742	92	53	8
Galveston	728	483	317	148	67	43	7	15	37	152	14	245	.....
San Antonio	2,399	2,172	1,519	615	456	222	27	63	136	635	18	227	.....
UTAH.													
Registration cities	1,685	1,649	1,094	562	255	161	14	28	74	518	37	16	20
Ogden	340	329	216	117	45	36	2	6	10	98	15	4	7
Salt Lake City	1,345	1,320	878	445	210	125	12	22	64	420	22	12	13
VERMONT.													
Registration cities	846	845	640	339	135	70	12	38	46	200	5	1	.....
Barre	161	161	96	46	30	8	.....	3	9	65	.....	.....	.....
Burlington	451	450	354	180	68	46	7	29	24	91	5	1	.....
Rutland	234	234	190	113	37	16	5	6	13	44	.....	.....	.....
VIRGINIA.													
Registration cities	8,591	4,470	4,068	3,130	178	90	16	239	415	319	83	4,119	2
Alexandria	296	192	169	119	12	6	.....	18	14	19	4	104	.....
Danville	348	206	202	185	1	1	.....	7	8	2	2	142	.....
Lynchburg	545	309	298	256	10	3	1	12	16	8	3	236	.....
Newport News	389	168	136	108	9	5	.....	3	11	27	5	221	.....
Norfolk	1,666	706	620	498	32	16	.....	18	56	72	14	960	.....
Petersburg	768	319	299	247	7	9	.....	12	24	11	9	448	1
Portsmouth	535	239	222	161	10	7	.....	26	18	17	.....	295	1
Richmond	3,092	1,629	1,453	1,083	85	33	14	108	130	143	33	1,463	.....
Roanoke	684	474	449	331	11	6	1	22	78	16	9	210	.....
Staunton	268	228	220	142	1	4	.....	13	60	4	4	40	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1916—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Foreign born.	Native.					
REGISTRATION CITIES—contd.													
WASHINGTON.													
Registration cities	5,385	5,166	3,436	1,837	665	394	55	195	290	1,630	100	76	143
Aberdeen	103	103	56	23	23	2	1	3	4	41	6	----	----
Bellingham	245	240	153	86	31	12	2	10	12	85	2	2	3
Everett	272	264	175	89	28	23	4	11	20	84	5	6	2
North Yakima	210	203	169	93	20	12	2	23	19	32	2	1	6
Seattle	2,442	2,304	1,479	802	322	178	20	70	87	769	56	38	100
Spokane	1,051	1,026	718	425	115	91	9	29	49	292	16	13	12
Tacoma	897	865	559	248	115	63	14	42	77	294	12	15	17
Walla Walla	165	161	127	71	11	13	3	7	22	33	1	1	3
WEST VIRGINIA.[1]													
Wheeling	783	758	546	273	145	41	12	30	45	205	7	25	----
WISCONSIN.													
Registration cities	11,425	11,372	7,040	2,483	2,949	895	111	203	399	4,200	132	36	17
Appleton	265	265	162	83	48	18	2	2	9	103	----	----	----
Ashland	226	220	107	25	56	14	2	1	9	104	9	1	5
Beloit	191	187	152	70	28	10	5	12	27	32	3	4	----
Eau Claire	367	366	224	98	64	30	3	9	20	134	8	----	1
Fond du Lac	349	346	229	99	64	17	13	11	25	112	5	3	----
Green Bay	552	546	380	141	103	27	13	68	28	160	6	2	4
Janesville	215	215	163	100	35	14	----	4	10	52	----	----	----
Kenosha	366	366	226	67	116	28	3	4	8	137	3	----	----
La Crosse	505	504	289	118	108	28	8	10	17	207	8	1	----
Madison	435	432	310	130	122	34	2	4	18	118	4	3	----
Manitowoc	190	190	105	48	36	10	3	3	5	82	3	----	----
Marinette	152	151	95	38	34	14	1	3	5	53	3	----	1
Milwaukee	5,549	5,536	3,416	1,052	1,653	481	36	51	143	2,079	41	13	----
Oshkosh	432	431	257	106	77	39	6	5	24	170	4	1	----
Racine	580	579	356	117	147	58	5	6	23	217	6	1	----
Sheboygan	406	406	204	67	108	24	2	1	2	200	2	----	----
Superior	439	427	239	72	108	29	3	7	20	162	26	6	6
Wausau	206	205	126	52	42	20	4	2	6	78	1	1	----

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area (total)	1,001,921	164,660	36,218	16,304	9,913	6,986	234,081	20,635	14,008	23,342	35,357	38,148
2	White	905,213	147,764	32,043	14,527	8,951	6,306	209,591	18,543	12,057	19,161	29,116	32,243
3	Colored	96,708	16,896	4,175	1,777	962	680	24,490	2,092	1,951	4,181	6,241	5,905
4	Registration states [1] (total)	924,971	152,335	33,426	15,052	9,166	6,435	216,414	19,029	12,941	21,232	31,715	34,096
5	White	842,597	137,086	29,584	13,455	8,294	5,817	194,236	17,154	11,205	17,710	26,641	29,406
6	Colored	82,374	15,249	3,842	1,597	872	618	22,178	1,875	1,736	3,522	5,074	4,690
7	Cities in registration states [1] (total)	477,821	78,784	17,769	7,865	4,995	3,475	112,888	10,062	6,092	10,194	16,711	19,268
8	White	443,413	73,616	16,422	7,297	4,698	3,269	105,302	9,431	5,512	8,972	14,646	16,992
9	Colored	34,408	5,168	1,347	568	297	206	7,586	631	580	1,222	2,065	2,276
10	Rural part of registration states (total)	447,150	73,551	15,657	7,187	4,171	2,960	103,526	8,967	6,849	11,038	15,004	14,828
11	White	399,184	63,470	13,162	6,158	3,596	2,548	88,934	7,723	5,693	8,738	11,995	12,414
12	Colored	47,966	10,081	2,495	1,029	575	412	14,592	1,244	1,156	2,300	3,009	2,414
13	Registration cities in nonregistration states (total)	76,950	12,325	2,792	1,252	747	551	17,667	1,606	1,067	2,110	3,642	4,052
14	White	62,616	10,678	2,459	1,072	657	489	15,355	1,389	852	1,451	2,475	2,837
15	Colored	14,334	1,647	333	180	90	62	2,312	217	215	659	1,167	1,215
16	All registration cities [1] (total)	554,771	91,109	20,561	9,117	5,742	4,026	130,555	11,668	7,159	12,304	20,353	23,320
17	White	506,029	84,294	18,881	8,369	5,355	2,758	120,657	10,820	6,364	10,423	17,121	19,329
18	Colored	48,742	6,815	1,680	748	387	268	9,898	848	795	1,881	3,232	3,491
	REGISTRATION STATES.												
19	California (total)	39,806	3,671	718	365	227	199	5,180	572	451	713	1,289	1,668
20	White	37,506	3,274	641	335	210	185	4,645	548	426	668	1,184	1,557
21	Colored	2,300	397	77	30	17	14	535	24	25	45	105	111
22	Colorado (total)	9,920	1,475	275	128	72	45	1,995	186	151	272	497	580
23	White	9,614	1,435	266	127	71	45	1,944	182	146	263	486	563
24	Colored	306	40	9	1	1	.....	51	4	5	9	11	17
25	Connecticut (total)	20,242	3,580	725	305	213	168	4,991	405	254	393	616	698
26	White	19,795	3,524	712	299	207	167	4,909	395	245	379	595	676
27	Colored	447	56	13	6	6	1	82	10	9	14	21	22
28	Indiana (total)	38,230	5,406	1,072	482	302	232	7,494	707	588	992	1,288	1,357
29	White	36,582	5,225	1,027	465	292	220	7,229	681	554	919	1,187	1,244
30	Colored	1,648	181	45	17	10	12	265	26	34	73	101	113
31	Kansas (total)	19,963	2,835	574	330	182	135	4,056	426	305	446	595	659
32	White	18,714	2,692	544	313	172	125	3,846	410	279	406	525	587
33	Colored	1,249	143	30	17	10	10	210	16	26	40	70	72
34	Kentucky (total)	30,073	5,114	1,340	630	320	237	7,641	696	532	1,052	1,402	1,276
35	White	24,801	4,437	1,156	570	274	205	6,642	578	428	792	1,052	936
36	Colored	5,272	677	184	60	46	32	999	118	104	260	350	340
37	Maine (total)	12,147	1,735	219	111	62	53	2,180	175	140	220	302	291
38	White	12,099	1,731	219	111	61	52	2,174	174	140	217	301	291
39	Colored	48	4	.....	.....	1	1	6	1	.....	3	1	.....
40	Maryland (total)	22,512	4,070	790	334	189	132	5,515	435	332	592	823	828
41	White	16,590	2,745	503	199	126	92	3,665	306	196	337	479	541
42	Colored	5,922	1,325	287	135	63	40	1,850	129	136	255	344	287
43	Massachusetts (total)	56,362	9,370	1,963	840	561	388	13,122	1,153	632	963	1,526	1,730
44	White	55,321	9,206	1,924	825	551	378	12,884	1,129	611	931	1,470	1,687
45	Colored	1,041	164	39	15	10	10	238	24	21	32	56	43
46	Michigan (total)	46,013	8,342	1,414	645	421	287	11,109	903	624	977	1,489	1,743
47	White	45,261	8,252	1,398	632	413	283	10,978	883	605	953	1,450	1,702
48	Colored	752	90	16	13	8	4	131	20	19	24	39	41
49	Minnesota (total)	24,297	3,865	634	345	214	164	5,222	554	423	713	914	1,011
50	White	23,920	3,799	613	334	208	161	5,115	534	409	695	903	996
51	Colored	377	66	21	11	6	3	107	20	14	18	11	15
52	Missouri (total)	44,110	5,927	1,635	752	440	276	9,030	982	686	1,151	1,713	1,775
53	White	40,332	5,530	1,523	702	411	253	8,419	918	621	985	1,457	1,495
54	Colored	3,778	397	112	50	29	23	611	64	65	166	256	280
55	Montana (total)	5,791	970	189	90	72	42	1,363	141	119	118	266	336
56	White	5,413	928	158	79	68	39	1,272	126	102	100	248	323
57	Colored	378	42	31	11	4	3	91	15	17	18	18	13
58	New Hampshire (total)	7,146	1,108	174	79	52	32	1,445	109	66	114	158	166
59	White	7,132	1,108	174	79	52	31	1,444	109	66	114	155	166
60	Colored	14	.....	.....	.....	.....	1	1	.....	.....	.....	3	.....
61	New Jersey (total)	44,172	7,363	1,915	925	620	407	11,230	1,068	583	877	1,403	1,530
62	White	41,840	6,973	1,799	878	595	387	10,632	1,017	544	807	1,301	1,435
63	Colored	2,332	390	116	47	25	20	598	51	39	70	102	95
64	New York (total)	151,704	22,717	5,500	2,611	1,659	1,139	33,626	3,197	1,862	2,883	4,522	5,287
65	White	147,865	22,084	5,332	2,544	1,625	1,109	32,694	3,118	1,804	2,787	4,317	5,029
66	Colored	3,839	633	168	67	34	30	932	79	58	96	205	258
67	North Carolina (total)	31,389	7,112	2,014	818	411	261	10,616	754	577	1,152	1,513	1,342
68	White	18,756	4,223	1,175	507	259	154	6,318	448	282	501	682	637
69	Colored	12,633	2,889	839	311	152	107	4,298	306	295	651	831	705

[1] Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
39,257	44,171	45,121	48,848	53,448	58,629	62,779	68,141	70,306	62,597	45,769	24,488	8,637	2,205	649	1,305	1
33,671	37,708	39,388	43,555	48,045	54,241	58,357	64,263	66,748	60,109	43,840	23,412	8,027	1,903	317	918	2
5,586	6,463	5,733	5,293	5,403	4,388	4,422	3,878	3,558	2,488	1,929	1,076	610	302	332	387	3
35,162	39,439	40,625	44,069	48,526	53,933	58,164	64,011	66,607	59,688	43,747	23,398	8,250	2,114	591	1,220	4
30,651	34,358	36,087	39,849	44,141	50,203	54,391	60,590	63,450	57,434	41,984	22,406	7,688	1,832	295	886	5
4,511	5,081	4,538	4,220	4,385	3,730	3,773	3,421	3,157	2,254	1,763	992	562	282	296	334	6
20,823	23,712	24,966	27,414	29,529	30,799	31,222	31,322	29,610	24,507	16,385	8,399	2,858	690	138	232	7
18,451	20,950	22,411	24,996	27,180	28,900	29,507	30,005	28,502	23,837	16,001	8,169	2,742	637	94	176	8
2,372	2,762	2,555	2,418	2,349	1,899	1,715	1,317	1,108	670	384	230	116	53	44	56	9
14,339	15,727	15,659	16,655	18,997	23,134	26,942	32,689	36,997	35,181	27,362	14,999	5,392	1,424	453	988	10
12,200	13,408	13,676	14,853	16,961	21,303	24,884	30,585	34,948	33,597	25,983	14,237	4,946	1,195	201	710	11
2,139	2,319	1,983	1,802	2,036	1,831	2,058	2,104	2,049	1,584	1,379	762	446	229	252	278	12
4,095	4,732	4,496	4 779	4,922	4,696	4,615	4,130	3.699	2,909	2.022	1,090	387	91	58	85	13
3 020	3,350	3,301	3,706	3,904	4,038	3,966	3,673	3,298	2,675	1,856	1,006	339	71	22	32	14
1,075	1,382	1,195	1,073	1,018	658	649	457	401	234	166	84	48	20	36	53	15
24,918	28,444	29,462	32,193	34,451	35,495	35,837	35,452	33,309	27,416	18,407	9,489	3,245	781	196	317	16
21,471	24,300	25,712	28,702	31,084	32,938	33,473	33,678	31,800	26,512	17,857	9,175	3,081	708	116	208	17
3,447	4,144	3,750	3,491	3,367	2,557	2,364	1,774	1,509	904	550	314	164	73	80	109	18
1,882	2,155	2,211	2,440	2,631	2,782	2,922	3,102	3,184	2,857	2,085	1,188	365	87	24	18	19
1,749	1,981	2,071	2,292	2,470	2,626	2,755	2,954	3,092	2,795	2,061	1,161	349	86	19	17	20
133	174	140	148	161	156	167	148	92	62	24	27	16	1	5	1	21
596	558	522	571	524	580	664	625	558	468	303	166	63	10	2	29	22
574	533	492	544	499	560	645	608	553	460	300	163	62	10	.....	27	23
22	25	30	27	25	20	19	17	5	8	3	3	1	.....	2	2	24
722	781	924	1,018	1,130	1,228	1,303	1,394	1,412	1,280	913	513	181	36	6	44	25
696	757	890	979	1,112	1,197	1,279	1,363	1,397	1,263	901	503	178	35	5	41	26
26	24	34	39	18	31	24	31	15	17	12	10	3	1	1	3	27
1,303	1,431	1,415	1,598	1,843	2,208	2,611	3,049	3,236	3,136	2,268	1,179	400	98	15	14	28
1,202	1,315	1,301	1,483	1,721	2,122	2,531	2,972	3,151	3,070	2,239	1,159	393	88	10	11	29
101	116	114	115	122	86	80	77	85	66	29	20	7	10	5	3	30
654	656	724	725	821	1,127	1,213	1,566	1,868	1,782	1,338	677	211	49	16	49	31
583	596	655	653	748	1,050	1,148	1,490	1,804	1,709	1,295	651	196	40	6	37	32
71	60	69	72	73	77	65	76	64	73	43	26	15	9	10	12	33
1,137	1,274	1,133	1,211	1,259	1,491	1,621	1,840	2,070	1,782	1,332	678	304	79	39	224	34
841	923	836	920	939	1,220	1,361	1,614	1,841	1,608	1,201	604	262	55	10	138	35
296	351	297	291	320	271	260	226	229	174	131	74	42	24	29	86	36
324	358	416	455	516	687	821	998	1.180	1,251	971	556	209	48	12	37	37
321	357	412	454	514	686	818	992	1,176	1,246	969	556	209	47	10	35	38
3	1	4	1	2	1	3	6	4	5	2	.....	.....	1	2	2	39
840	913	1,023	1,152	1,223	1,309	1,400	1,546	1,531	1,369	929	451	157	51	19	74	40
575	614	689	857	906	1,037	1,120	1,332	1,325	1,218	808	395	122	31	6	31	41
265	299	334	295	317	272	280	214	206	151	121	56	35	20	13	43	42
1,954	2,389	2,498	2,761	3,117	3,582	3,892	4,183	4,205	3,698	2,651	1,528	590	131	20	37	43
1,884	2,316	2,431	2,688	3,056	3,522	3,830	4,129	4,163	3,672	2,632	1,519	584	130	17	36	44
70	73	67	73	61	60	62	54	42	26	19	9	6	1	3	1	45
1,599	1,688	1,654	1,875	2,201	2,466	2,678	3,385	3,538	3,419	2,570	1,375	468	116	26	110	46
1,558	1,636	1,599	1,824	2,161	2,426	2,646	3,353	3,502	3,374	2,541	1,364	462	115	22	107	47
41	52	55	51	40	40	32	32	36	45	29	11	6	1	4	3	48
1,028	977	1,015	1,062	1,258	1,508	1,416	1,556	1,610	1,532	1,330	776	292	77	7	16	49
998	959	996	1,042	1,237	1,485	1,404	1,544	1,600	1,523	1,320	773	291	74	7	15	50
30	18	19	20	21	23	12	12	10	9	10	3	1	3	.....	1	51
1,753	1,977	1,973	2,106	2,232	2,617	2,689	3,177	3,237	3,032	2,107	1,186	384	97	35	171	52
1,499	1,663	1,712	1,843	1,987	2,404	2,517	2,996	3,110	2,930	2,055	1,139	351	85	20	126	53
254	314	261	263	245	213	172	181	127	102	52	47	33	12	15	45	54
351	353	312	374	371	369	315	306	240	196	153	72	17	7	1	11	55
330	333	296	354	356	342	296	290	219	184	145	66	15	4	1	11	56
21	20	16	20	15	27	19	16	21	12	8	6	2	3	.....	.....	57
184	220	260	292	343	394	473	599	682	663	514	281	106	28	4	45	58
182	220	260	292	343	392	472	598	681	661	514	281	106	28	4	44	59
2	.....	.....	.....	.....	2	1	1	1	2	.....	.....	.....	.....	.....	1	60
1,631	1,890	2,183	2,420	2,572	2,689	2,761	2,949	2,958	2,427	1,754	858	285	85	14	5	61
1,497	1,735	2,030	2,254	2,425	2,560	2,643	2,843	2,842	2,369	1,703	832	277	79	11	4	62
134	155	153	166	147	129	118	106	116	58	51	26	8	6	3	1	63
5,837	6,970	7,627	8,494	9,263	9,827	10,400	10,657	10,644	9,049	6,546	3,426	1,184	300	42	61	64
5,545	6,631	7,345	8,263	9,026	9,618	10,227	10,508	10,523	8,972	6,499	3,394	1,176	292	41	56	65
292	339	282	231	237	209	173	149	121	77	47	32	8	8	1	5	66
1,257	1,254	1,041	998	1,083	1,284	1,485	1,693	1,673	1,474	1,175	585	235	111	78	9	67
660	653	565	550	596	886	1,003	1,223	1,217	1,104	831	393	137	52	13	5	68
597	601	476	448	487	398	482	470	456	370	344	192	98	59	65	4	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	Ohio (total)	74,282	11,049	2,308	938	619	450	15,364	1,288	918	1,601	2,371	2,551
2	White	71,181	10,692	2,227	901	594	432	14,846	1,246	873	1,491	2,211	2,357
3	Colored	3,101	357	81	37	25	18	518	42	45	110	160	194
4	Pennsylvania (total)	124,577	24,834	5,485	2,220	1,332	900	34,771	2,620	1,639	2,563	4,064	4,316
5	White	119,364	24,028	5,252	2,141	1,294	872	33,587	2,512	1,534	2,360	3,782	4,003
6	Colored	5,213	806	233	79	38	28	1,184	108	105	203	282	313
7	Rhode Island (total)	9,501	1,627	372	160	75	85	2,319	207	118	196	275	315
8	White	9,196	1,582	366	155	71	81	2,255	201	115	184	259	297
9	Colored	305	45	6	5	4	4	64	6	3	12	16	18
10	South Carolina (total)	22,502	5,252	1,395	573	326	216	7,762	609	481	898	1,261	1,095
11	White	8,247	1,800	573	222	109	72	2,776	197	140	205	271	289
12	Colored	14,255	3,452	822	351	217	144	4,986	412	341	693	990	806
13	Utah (total)	4,511	913	128	63	51	37	1,192	139	108	122	168	178
14	White	4,414	890	125	61	48	37	1,161	139	104	119	161	173
15	Colored	97	23	3	2	3	.....	31	.....	4	3	7	5
16	Vermont (total)	5,687	723	83	60	30	28	924	91	65	97	123	140
17	White	5,678	720	83	60	30	28	921	90	65	96	122	139
18	Colored	9	3	.....	.....	.....	.....	3	1	.....	1	1	1
19	Virginia (total)	32,144	5,893	1,365	659	327	250	8,494	745	574	1,063	1,545	1,403
20	White	18,404	3,318	764	393	193	157	4,825	421	262	458	620	668
21	Colored	13,740	2,575	601	266	134	93	3,669	324	312	605	925	735
22	Washington (total)	11,805	1,531	222	136	82	59	2,030	238	207	303	437	552
23	White	11,203	1,408	199	118	67	51	1,843	213	186	274	415	511
24	Colored	602	123	23	18	15	8	187	25	21	29	22	41
25	Wisconsin (total)	29,591	5,090	790	380	273	182	6,715	537	426	616	923	991
26	White	29,414	5,071	782	377	270	179	6,679	529	424	612	906	983
27	Colored	177	19	8	3	3	3	36	8	2	4	17	8
	REGISTRATION CITIES.												
	ALABAMA.[1]												
28	Registration cities (total)	4,365	541	156	71	32	22	822	67	74	186	310	293
29	White	1,883	245	81	35	14	13	388	38	28	66	86	81
30	Colored	2,482	296	75	36	18	9	434	29	46	120	224	212
31	Birmingham (total)	2,557	348	114	49	28	15	554	48	50	123	200	176
32	White	1,138	184	61	24	11	8	288	25	18	41	57	54
33	Colored	1,419	164	53	25	17	7	266	23	32	82	143	122
34	Mobile (total)	1,097	113	27	13	3	6	162	12	14	35	60	66
35	White	467	36	14	5	2	5	62	8	8	14	12	12
36	Colored	630	77	13	8	1	1	100	4	6	21	48	54
37	Montgomery (total)	711	80	15	9	1	1	106	7	10	28	50	51
38	White	278	25	6	6	1	.....	38	5	2	11	17	15
39	Colored	433	55	9	3	.....	1	68	2	8	17	33	36
	CALIFORNIA.												
40	Registration cities (total)	22,943	1,953	407	202	130	109	2,801	323	250	389	740	929
41	White	21,547	1,746	365	186	119	99	2,515	312	234	357	661	860
42	Colored	1,396	207	42	16	11	10	286	11	16	32	79	69
43	Alameda	262	23	2	.....	.....	.....	25	3	3	6	7	5
44	Bakersfield	344	48	12	7	2	4	73	8	3	8	15	20
45	Berkeley	456	32	7	1	3	4	47	11	8	9	7	15
46	Eureka	217	16	2	.....	1	1	20	4	3	2	9	11
47	Fresno	396	69	20	5	4	1	99	9	5	9	16	14
48	Long Beach	463	20	3	2	.....	2	27	4	6	9	7	18
49	Los Angeles (total)	6,212	551	125	55	41	22	794	76	74	114	240	287
50	White	5,777	482	110	51	38	20	701	72	68	102	210	263
51	Colored	435	69	15	4	3	2	93	4	6	12	30	24
52	Oakland	2,090	198	34	25	11	9	277	26	27	33	55	62
53	Pasadena	510	35	7	3	1	.....	46	4	5	4	13	16
54	Pomona	154	24	1	2	5	.....	32	1	.....	2	5	3
55	Redlands	141	9	2	3	.....	.....	14	2	5	4	2	5
56	Riverside (total)	289	26	8	5	.....	3	42	3	3	10	16	17
57	White	261	20	8	3	.....	3	34	3	2	8	14	15
58	Colored	28	6	.....	2	.....	.....	8	.....	1	2	2	2
59	Sacramento	1,019	116	14	6	3	2	141	7	11	13	40	44
60	San Bernardino	326	34	10	3	3	1	51	1	5	14	14	15
61	San Diego	1,060	79	12	3	3	4	101	13	10	21	27	46
62	San Francisco (total)	7,154	511	121	60	43	48	783	127	66	102	223	272
63	White	6,743	463	110	59	39	44	715	123	65	95	197	253
64	Colored	411	48	11	1	4	4	68	4	1	7	26	19
65	San Jose	532	69	11	8	6	3	97	2	7	7	10	18
66	Santa Barbara	270	19	5	2	.....	1	27	7	3	5	8	16
67	Santa Cruz	178	8	.....	.....	.....	.....	8	3	2	8	2	4
68	Stockton	733	52	8	12	4	3	79	10	4	4	15	33
69	Vallejo	137	14	3	.....	.....	1	18	2	.....	5	9	5

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2,729	3,154	3,246	3,442	3,736	4,283	4,759	5,574	6,178	5,673	4,221	2,206	740	173	29	46	1
2,530	2,896	3,004	3,244	3,527	4,121	4,591	5,417	6,034	5,557	4,138	2,159	723	164	20	32	2
199	258	242	198	209	162	168	157	144	116	83	47	17	9	9	14	3
4,679	5,145	5,395	5,821	6,539	6,932	7,654	8,158	8,347	7,284	5,029	2,554	860	168	36	3	4
4,325	4,748	5,012	5,433	6,234	6,659	7,407	7,949	8,172	7,164	4,949	2,509	835	160	27	3	5
354	397	383	388	305	273	247	209	175	120	80	45	25	8	9	.....	6
346	443	407	501	542	608	619	714	657	574	353	193	87	22	1	4	7
332	424	387	483	523	585	598	695	642	566	348	193	84	20	1	4	8
14	19	20	18	19	23	21	19	15	8	5	.....	3	2	.....	.....	9
919	1,118	908	860	887	809	978	975	965	712	576	314	138	50	70	117	10
266	339	305	286	313	385	486	508	503	411	298	166	48	11	10	34	11
653	779	603	574	574	424	492	467	462	301	278	148	90	39	60	83	12
194	199	224	166	204	252	232	246	254	252	201	130	38	11	1	.....	13
185	192	214	163	200	252	228	242	250	251	200	130	38	11	1	.....	14
9	7	10	3	4	.....	4	4	4	1	1	.....	.....	.....	.....	.....	15
129	151	176	240	253	317	368	499	634	616	463	273	88	29	6	.....	16
129	151	176	240	257	317	367	499	634	616	463	273	88	29	6	.....	17
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
1,332	1,429	1,343	1,258	1,461	1,578	1,832	1,956	2,039	1,691	1,269	674	274	97	60	27	19
604	680	647	667	700	936	1,140	1,352	1,469	1,322	925	503	144	48	7	6	20
728	749	696	591	761	642	692	604	570	369	344	171	130	49	53	21	21
527	572	499	613	713	848	826	858	846	723	554	291	99	22	8	39	22
501	543	471	586	684	816	809	840	823	707	544	283	93	19	6	36	23
26	29	28	27	29	32	17	18	23	16	10	8	6	3	2	3	24
967	1,003	1,113	1,241	1,362	1,722	1,774	1,947	2,329	2,287	1,883	1,165	434	110	16	30	25
959	988	1,096	1,234	1,356	1,716	1,765	1,941	2,323	2,280	1,879	1,160	434	106	14	30	26
8	15	17	7	6	6	9	6	6	7	4	5	.....	4	2	.....	27
256	342	291	284	270	238	230	212	176	108	93	49	15	2	15	32	28
78	96	97	90	90	134	141	148	127	80	67	39	5	.....	1	3	29
178	246	194	194	180	104	89	64	49	28	26	10	10	2	14	29	30
155	192	165	145	138	125	111	112	86	51	48	29	9	2	7	31	31
47	60	54	51	51	70	73	85	60	41	33	23	3	.....	1	3	32
108	132	111	94	87	55	38	27	26	10	15	6	6	2	6	28	33
64	92	79	76	84	71	76	63	59	37	28	11	4	.....	3	1	34
22	17	32	24	25	45	47	39	44	25	21	8	2	.....	.....	.....	35
42	75	47	52	59	26	29	24	15	12	7	3	2	.....	3	1	36
37	58	47	63	48	42	43	37	31	20	17	9	2	.....	5	.....	37
9	19	11	15	14	19	21	24	23	14	13	8	.....	.....	.....	.....	38
28	39	36	48	34	23	22	13	8	6	4	1	2	.....	5	.....	39
1,113	1,258	1,357	1,554	1,670	1,704	1,773	1,785	1,770	1,629	1,079	593	179	49	5	2	40
1,028	1,144	1,270	1,453	1,552	1,591	1,670	1,701	1,723	1,593	1,069	584	175	49	5	1	41
85	114	87	101	118	113	103	84	47	27	10	9	4	.....	.....	1	42
8	11	16	22	23	18	21	22	15	23	21	8	4	1	.....	.....	43
26	21	17	25	24	18	26	25	8	15	7	4	.....	1	.....	.....	44
6	19	11	30	25	38	31	42	50	53	32	17	5	.....	.....	.....	45
10	12	12	11	13	21	13	13	29	10	12	9	2	1	.....	.....	46
20	27	21	27	23	19	23	23	24	14	11	10	2	.....	.....	.....	47
11	19	24	21	20	32	48	50	69	57	24	11	5	1	.....	.....	48
341	369	361	394	432	434	501	476	449	414	272	135	42	6	1	.....	49
316	325	334	360	399	406	473	455	440	407	267	131	41	6	1	.....	50
25	44	27	34	33	28	28	21	9	7	5	4	1	.....	.....	.....	51
71	81	101	112	139	151	172	181	169	189	136	91	22	4	.....	.....	52
11	15	23	23	31	41	39	52	56	57	43	20	9	2	.....	.....	53
3	1	7	6	14	5	13	13	18	11	11	5	4	.....	.....	.....	54
6	5	12	10	6	5	7	7	11	17	8	11	3	1	.....	.....	55
13	13	14	17	10	20	22	26	23	15	15	8	1	1	.....	.....	56
13	12	13	15	8	19	21	25	22	13	14	8	1	1	.....	.....	57
.....	1	1	2	2	1	1	1	1	2	1	.....	.....	.....	.....	.....	58
43	67	64	76	84	76	73	73	63	60	46	21	11	6	.....	.....	59
31	22	21	19	20	18	19	19	26	15	10	3	1	1	1	.....	60
43	46	51	67	76	79	95	87	116	84	53	38	3	3	1	.....	61
378	439	515	560	623	597	547	519	501	439	263	148	37	12	1	2	62
349	412	482	523	584	554	513	496	489	435	261	147	36	12	1	1	63
29	27	33	37	39	43	34	23	12	4	2	1	1	.....	.....	1	64
10	21	13	31	20	43	45	42	36	58	47	14	9	1	1	.....	65
8	16	7	20	15	12	21	21	29	25	12	14	3	1	.....	.....	66
10	4	11	9	12	8	12	16	22	16	20	7	3	1	.....	.....	67
49	45	51	69	52	58	41	72	46	42	28	16	10	6	.....	.....	68
15	5	5	5	8	11	4	6	10	15	8	3	3	.....	.....	.....	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	COLORADO.												
1	Registration cities (total)	4,259	468	67	33	22	16	606	84	51	111	225	279
2	White	4,048	448	60	32	21	16	577	81	48	106	219	269
3	Colored	211	20	7	1	1	.....	29	3	3	5	6	10
4	Colorado Springs	507	46	9	2	2	.....	59	4	5	17	39	52
5	Denver	3,012	283	41	22	15	11	372	60	31	68	155	191
6	Pueblo	559	113	13	7	4	3	140	17	14	17	23	22
7	Trinidad	181	26	4	2	1	2	35	3	1	9	8	14
	CONNECTICUT.												
8	Registration cities (total)	14,352	2,719	560	242	161	129	3,811	306	172	276	456	537
9	White	14,001	2,672	549	238	156	129	3,744	298	167	268	439	518
10	Colored	351	47	11	4	5	.....	67	8	5	13	17	19
11	Ansonia	202	81	8	3	3	.....	95	6	3	2	3	6
12	Bridgeport	2,354	486	96	43	19	27	671	48	28	41	89	98
13	Bristol	166	45	8	1	2	1	57	5	.....	3	4	3
14	Danbury town	348	43	5	4	3	7	62	9	4	2	10	13
15	Greenwich town	273	49	6	5	1	4	65	7	1	5	3	11
16	Hartford	2,262	396	101	30	28	15	570	37	27	50	72	91
17	Manchester town	156	34	4	4	1	2	45	1	2	4	6	4
18	Meriden town	525	53	15	2	2	2	74	4	10	12	28	28
19	Middletown town	568	63	10	5	4	.....	82	5	8	12	15	17
20	Naugatuck	136	30	15	3	2	2	52	1	2	4	4	6
21	New Britain	671	221	46	17	5	5	294	13	9	12	16	28
22	New Haven	2,544	447	104	40	33	28	652	68	31	46	72	74
23	New London	460	67	14	11	9	3	104	6	1	6	17	18
24	Norwalk	422	49	7	3	2	4	65	7	6	10	8	15
25	Norwich town	532	60	9	6	7	6	88	10	5	13	23	24
26	Orange town	200	32	2	2	3	1	40	5	3	3	6	8
27	Stamford town	570	83	20	15	7	7	132	14	8	15	21	24
28	Torrington town	256	62	16	6	4	2	90	7	3	2	6	4
29	Wallingford town	133	20	6	2	1	.....	29	2	1	4	4	3
30	Waterbury	1,339	350	60	30	24	11	475	43	18	26	38	55
31	Windham town	235	48	8	10	1	2	69	8	2	4	11	7
	DELAWARE.[1]												
32	Wilmington (total)	1,804	341	81	40	17	23	502	39	21	43	52	67
33	White	1,538	297	73	34	16	20	440	35	15	31	44	55
34	Colored	266	44	8	6	1	3	62	4	6	12	8	12
	DISTRICT OF COLUMBIA.												
35	Washington (total)	6,494	763	127	73	34	31	1,028	92	80	145	232	278
36	White	3,955	411	49	28	23	22	533	50	44	57	102	121
37	Colored	2,539	352	78	45	11	9	495	42	36	88	130	157
	FLORIDA.[1]												
38	Registration cities (total)	2,495	342	80	34	26	19	501	45	28	79	137	148
39	White	1,322	207	48	31	22	15	323	29	17	25	51	56
40	Colored	1,173	135	32	3	4	4	178	16	11	54	86	92
41	Jacksonville (total)	1,197	130	30	7	10	5	182	18	10	52	76	87
42	White	483	56	11	5	8	3	83	9	4	15	19	29
43	Colored	714	74	19	2	2	2	99	9	6	37	57	58
44	Key West (total)	231	31	3	4	5	.....	43	7	4	3	14	9
45	White	170	25	2	4	4	.....	35	6	4	1	10	6
46	Colored	61	6	1	.....	1	.....	8	1	.....	2	4	3
47	Pensacola (total)	410	59	7	4	1	4	75	8	5	10	18	24
48	White	193	28	3	4	1	2	38	6	3	2	5	6
49	Colored	217	31	4	.....	.....	2	37	2	2	8	13	18
50	Tampa (total)	657	122	40	19	10	10	201	12	9	14	29	28
51	White	476	98	32	18	9	10	167	8	6	7	17	15
52	Colored	181	24	8	1	1	.....	34	4	3	7	12	13
	GEORGIA.[1]												
53	Registration cities (total)	5,397	728	146	100	46	28	1,048	94	77	204	341	384
54	White	2,368	319	88	48	23	16	494	42	33	57	84	97
55	Colored	3,029	409	58	52	23	12	554	52	44	147	257	287
56	Atlanta (total)	2,908	381	90	56	23	18	568	57	43	113	171	209
57	White	1,499	213	60	35	16	11	335	30	19	41	59	65
58	Colored	1,409	168	30	21	7	7	233	27	24	72	112	144
59	Augusta (total)	926	86	23	12	11	4	136	14	17	30	67	77
60	White	403	41	16	5	5	3	70	8	10	8	12	18
61	Colored	523	45	7	7	6	1	66	6	7	22	55	59
62	Savannah (total)	1,563	261	33	32	12	6	344	23	17	61	103	98
63	White	466	65	12	8	2	2	89	4	4	8	13	14
64	Colored	1,097	196	21	24	10	4	255	19	13	53	90	84

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
319	267	217	265	261	283	309	306	262	203	112	57	28	6	1	7	1
300	249	199	243	242	269	294	295	258	195	109	56	27	6	.....	6	2
19	18	18	22	19	14	15	11	4	8	3	1	1	.....	1	1	3
38	32	24	30	28	23	36	32	36	31	10	6	3	.....	1	1	4
236	192	153	195	198	213	233	228	190	144	79	45	20	5	.....	4	5
34	32	37	26	26	36	29	34	25	21	17	4	4	.....	.....	1	6
11	11	3	14	9	11	11	12	11	7	6	2	1	1	.....	1	7
550	589	719	789	875	920	926	932	868	725	514	253	99	17	3	15	8
532	568	689	754	861	897	909	911	858	713	505	248	96	16	2	13	9
18	21	30	35	14	23	17	21	10	12	9	5	3	1	1	2	10
7	7	12	2	10	5	6	11	12	6	6	1	2	.....	.....	.....	11
103	112	147	171	173	146	143	123	91	81	59	24	4	1	.....	1	12
3	2	4	6	16	10	6	12	10	11	6	7	1	.....	.....	.....	13
9	12	22	10	22	22	29	26	29	29	24	9	5	.....	.....	.....	14
11	8	16	15	18	15	18	19	23	16	12	6	3	.....	.....	1	15
91	101	129	136	134	152	138	138	136	124	84	34	17	.....	1	.....	16
2	5	3	11	9	13	9	9	16	9	6	.....	2	.....	.....	.....	17
22	24	28	29	40	36	37	51	42	33	13	9	3	.....	1	1	18
20	19	28	19	36	45	52	59	51	39	33	20	8	.....	.....	.....	19
3	6	6	4	10	7	3	8	7	4	5	3	.....	.....	.....	1	20
25	21	23	24	36	25	29	29	28	30	16	9	2	2	.....	.....	21
111	112	108	142	136	204	198	171	147	110	88	47	21	5	1	.....	22
12	11	21	27	26	25	32	39	34	31	32	13	1	.....	.....	4	23
11	16	19	23	26	40	29	32	30	40	30	10	5	.....	.....	.....	24
19	24	23	34	26	28	38	41	42	42	29	11	10	1	.....	1	25
6	7	6	11	11	12	17	16	13	15	12	5	3	.....	.....	1	26
17	22	25	27	43	31	35	43	44	32	13	16	1	4	.....	3	27
5	9	6	9	14	18	12	12	24	18	7	7	1	1	.....	1	28
2	3	3	4	7	6	9	12	11	15	9	6	3	.....	.....	.....	29
62	58	85	75	69	66	73	63	62	29	21	13	5	3	.....	.....	30
9	10	5	10	13	14	13	18	16	11	9	3	2	.....	.....	1	31
77	88	88	92	97	124	126	120	103	63	47	38	10	3	1	3	32
59	67	67	70	79	110	107	107	95	59	45	37	10	3	1	2	33
18	21	21	22	18	14	19	13	8	4	2	1	.....	.....	.....	1	34
288	381	383	375	437	436	458	459	532	461	259	103	41	22	4	.....	35
126	175	195	221	251	283	305	338	404	402	226	77	31	13	1	.....	36
162	206	188	154	186	153	153	121	128	59	33	26	10	9	3	.....	37
155	194	160	174	157	142	141	126	122	81	46	26	8	5	7	13	38
60	74	59	81	73	98	75	83	86	61	38	19	8	2	.....	4	39
95	120	101	93	84	44	66	43	36	20	8	7	.....	3	7	9	40
90	109	89	88	80	56	74	61	62	31	17	10	1	.....	4	.....	41
23	31	26	26	26	38	31	38	43	22	14	5	1	.....	.....	.....	42
67	78	63	62	54	18	43	23	19	9	3	5	.....	.....	4	.....	43
9	6	7	18	9	19	14	19	13	11	12	6	1	1	.....	6	44
7	3	3	16	6	14	9	12	10	9	9	6	1	1	.....	2	45
2	3	4	2	3	5	5	7	3	2	3	.....	.....	.....	.....	4	46
17	34	21	29	26	27	28	21	21	16	13	6	3	3	2	3	47
7	14	10	13	10	12	14	12	13	10	11	4	3	.....	.....	.....	48
10	20	11	16	16	15	14	9	8	6	2	2	.....	3	2	3	49
39	45	43	39	42	40	25	25	26	23	4	4	3	1	1	4	50
23	26	20	26	31	34	21	21	20	20	4	4	3	1	.....	2	51
16	19	23	13	11	6	4	4	6	3	.....	.....	.....	.....	1	2	52
344	426	386	349	349	283	303	260	200	163	95	52	25	4	4	6	53
115	130	126	132	128	156	133	187	146	130	76	39	11	.....	1	1	54
229	296	260	217	221	127	120	73	54	33	19	13	14	4	3	5	55
206	226	201	197	167	158	163	141	99	86	50	32	14	.....	2	5	56
82	88	78	86	74	96	110	107	82	71	46	24	6	.....	.....	.....	57
124	138	123	111	93	62	53	34	17	15	4	8	8	.....	2	5	58
52	83	67	49	58	52	57	57	37	35	18	7	8	3	1	1	59
18	24	21	18	24	23	30	39	27	28	13	6	4	.....	1	1	60
34	59	46	31	34	29	27	18	10	7	5	1	4	3	.....	.....	61
86	117	118	103	124	73	83	62	64	42	27	13	3	1	1	.....	62
15	18	27	28	30	37	43	41	37	31	17	9	1	.....	.....	.....	63
71	99	91	75	94	36	40	21	27	11	10	4	2	1	1	.....	64

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	ILLINOIS.[1]												
1	Registration cities (total)	40,097	7,325	1,600	696	429	328	10,378	945	528	828	1,490	1,818
2	White	38,552	7,183	1,564	681	423	319	10,170	918	511	774	1,409	1,694
3	Colored	1,545	142	36	15	6	9	208	27	17	54	81	124
4	Aurora	471	55	14	4	5	3	81	11	8	13	15	19
5	Belleville	312	39	4	3	1	1	48	7	3	7	5	7
6	Chicago (total)	36,305	6,910	1,522	657	402	304	9,795	852	484	737	1,372	1,667
7	White	34,967	6,789	1,494	645	397	295	9,620	830	469	700	1,300	1,558
8	Colored	1,338	121	28	12	5	9	175	22	15	37	72	109
9	Decatur	509	75	16	4	3	1	99	11	8	10	12	15
10	Evanston	369	44	7	8	4	6	69	10	8	9	19	13
11	Jacksonville	545	26	3	5	2	1	37	7	5	9	14	21
12	Quincy	610	57	13	8	4	3	85	13	3	14	15	26
13	Springfield	976	119	21	7	8	9	164	34	9	29	38	50
	INDIANA.												
14	Registration cities (total)	14,284	2,270	458	184	122	98	3,132	281	221	379	611	634
15	White	13,096	2,144	415	172	114	86	2,931	259	197	329	535	551
16	Colored	1,188	126	43	12	8	12	201	22	24	50	76	83
17	Anderson	362	66	11	5	3	.....	85	4	3	10	17	17
18	East Chicago	454	237	43	17	6	8	311	8	4	3	7	18
19	Elkhart	276	41	3	2	1	4	51	3	3	8	8	3
20	Elwood	134	25	5	.....	1	.....	31	4	3	3	4	5
21	Evansville	1,106	128	30	11	10	11	190	23	21	42	53	58
22	Fort Wayne	939	118	23	10	6	1	158	12	15	23	31	38
23	Gary	600	218	38	12	6	5	279	19	8	8	35	40
24	Hammond	516	120	23	3	4	5	155	8	11	13	28	38
25	Huntington	163	24	3	3	1	.....	31	3	4	2	10	1
26	Indianapolis (total)	4,308	491	128	40	38	28	725	90	62	119	205	212
27	White	3,648	408	104	34	31	22	599	74	51	91	165	159
28	Colored	660	83	24	6	7	6	126	16	11	28	40	53
29	Jeffersonville (total)	142	16	1	.....	.....	1	18	1	5	.....	2	4
30	White	116	16	1	.....	.....	1	18	1	3	.....	.....	4
31	Colored	26	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....
32	Kokomo	312	45	8	9	2	3	67	13	5	12	14	14
33	Lafayette	400	37	2	2	3	3	47	8	7	15	21	15
34	Laporte	193	21	9	2	.....	1	33	3	2	9	6	3
35	Logansport	317	40	3	3	3	2	51	7	6	9	10	12
36	Marion	341	39	13	10	2	2	66	8	4	9	16	10
37	Michigan City	292	54	8	1	1	.....	64	3	4	7	19	21
38	Mishawaka	173	34	7	7	3	3	54	1	5	3	5	5
39	Muncie	336	53	3	5	3	3	67	7	6	11	15	18
40	New Albany	337	32	4	3	2	.....	41	4	5	17	17	9
41	Peru	155	12	4	1	1	.....	18	1	1	2	2	7
42	Richmond	328	39	8	2	3	.....	52	3	6	6	9	10
43	South Bend	873	203	36	20	13	10	282	23	9	20	31	31
44	Terre Haute	967	140	30	13	6	6	195	19	16	20	33	35
45	Vincennes	260	37	15	3	4	2	61	6	6	8	13	10
	KANSAS.												
46	Registration cities (total)	4,811	587	133	70	48	36	874	87	56	121	175	228
47	White	4,118	508	118	56	41	30	753	80	43	101	129	179
48	Colored	693	79	15	14	7	6	121	7	13	20	46	49
49	Atchison (total)	207	16	.....	2	3	.....	21	6	3	4	4	6
50	White	176	13	.....	2	3	.....	18	6	2	3	3	5
51	Colored	31	3	.....	.....	.....	.....	3	.....	1	1	1	1
52	Coffeyville (total)	193	25	14	5	2	1	47	5	5	5	5	8
53	White	158	21	13	5	2	.....	41	4	3	4	5	5
54	Colored	35	4	1	.....	.....	1	6	1	2	1	.....	3
55	Fort Scott (total)	175	17	4	6	1	2	30	1	2	3	5	6
56	White	144	14	3	5	1	2	25	.....	1	1	3	4
57	Colored	31	3	1	1	.....	.....	5	1	1	2	2	2
58	Hutchinson	259	35	10	7	2	1	55	3	3	6	14	10
59	Independence	140	13	3	1	1	1	19	.....	1	6	7	4
60	Kansas City (total)	1,365	197	42	25	18	21	303	27	17	30	55	89
61	White	1,087	163	35	17	16	16	247	24	13	22	36	67
62	Colored	278	34	7	8	2	5	56	3	4	8	19	22
63	Lawrence (total)	172	17	4	.....	1	1	23	2	2	3	7	7
64	White	143	12	3	.....	.....	1	16	2	2	3	6	5
65	Colored	29	5	1	.....	1	.....	7	.....	.....	.....	1	2
66	Leavenworth (total)	330	27	5	1	4	.....	37	8	2	7	7	11
67	White	269	21	5	1	3	.....	30	8	2	6	4	8
68	Colored	61	6	.....	.....	1	.....	7	.....	.....	1	3	3
69	Parsons	200	26	4	4	1	1	36	2	6	7	9	13
70	Pittsburg	260	34	8	4	3	1	50	2	2	7	10	14
71	Topeka (total)	693	92	22	8	6	3	131	12	4	19	21	26
72	White	599	81	19	6	5	3	114	11	4	16	14	19
73	Colored	94	11	3	2	1	.....	17	1	.....	3	7	7
74	Wichita	817	88	17	7	6	4	122	19	9	24	31	34

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,912	2,145	2,171	2,446	2,654	2,578	2,432	2,190	1,999	1,608	1,114	577	213	50	9	12	1
1,792	1,985	2,014	2,313	2,536	2,487	2,349	2,138	1,946	1,582	1,096	566	207	48	8	9	2
120	160	157	133	118	91	83	52	53	26	18	11	6	2	1	3	3
12	12	22	21	29	28	26	34	35	49	30	18	4	3	.....	1	4
15	16	18	23	19	20	23	22	13	31	15	16	1	2	.....	1	5
1,770	1,970	1,991	2,223	2,415	2,350	2,166	1,936	1,733	1,309	870	448	170	39	7	1	6
1,657	1,830	1,848	2,103	2,308	2,270	2,090	1,895	1,690	1,289	859	441	166	37	6	1	7
113	140	143	120	107	80	76	41	43	20	11	7	4	2	1	.....	8
21	25	18	23	25	26	41	30	43	47	34	14	6	1	.....	.....	9
9	22	19	23	27	15	14	22	17	26	31	9	6	1	.....	.....	10
22	31	30	43	40	41	47	35	40	44	38	22	12	.....	1	6	11
25	23	31	25	43	40	55	45	55	41	42	20	6	.....	.....	3	12
38	46	42	65	56	58	60	66	63	61	54	30	8	4	1	.....	13
631	721	682	783	804	898	923	966	894	776	515	314	85	27	3	4	14
554	623	596	686	717	839	861	912	845	747	501	308	81	21	1	2	15
77	98	86	97	87	59	62	54	49	29	14	6	4	6	2	2	16
13	22	11	21	17	18	20	36	25	19	16	6	2	.....	.....	.....	17
20	17	16	10	12	14	5	4	2	1	.....	2	.....	.....	.....	.....	18
16	14	13	16	11	21	22	18	23	18	13	11	4	.....	.....	.....	19
9	2	9	4	7	9	10	5	10	8	9	2	.....	.....	.....	.....	20
49	56	47	58	70	69	80	62	71	78	38	31	5	4	1	.....	21
35	43	38	53	52	69	71	80	72	63	49	30	7	.....	.....	.....	22
50	34	32	29	13	13	12	11	7	4	3	1	1	.....	.....	1	23
34	33	38	29	26	35	23	14	13	10	3	3	1	1	.....	.....	24
5	7	2	7	10	11	10	13	12	18	7	10	.....	.....	.....	.....	25
196	252	237	265	268	303	327	298	259	229	141	82	26	10	2	.....	26
157	201	193	211	222	269	292	266	238	217	133	78	25	6	1	.....	27
39	51	44	54	46	34	35	32	21	12	8	4	1	4	1	.....	28
1	5	5	4	9	13	12	14	19	19	8	1	2	.....	.....	.....	29
.....	4	2	4	7	11	8	14	12	18	7	1	2	.....	.....	.....	30
1	1	3	.....	2	2	4	.....	7	1	1	.....	.....	.....	.....	.....	31
8	17	14	13	7	15	20	22	23	22	17	7	1	1	.....	.....	32
12	17	16	26	29	33	25	35	26	31	21	15	1	.....	.....	.....	33
6	10	5	8	12	9	15	18	14	18	10	7	3	2	.....	.....	34
10	11	18	15	17	19	19	33	28	20	17	12	1	1	.....	1	35
12	14	8	18	27	26	27	25	32	14	15	7	3	.....	.....	.....	36
10	11	15	12	16	16	18	20	19	11	15	7	3	1	.....	.....	37
8	7	6	10	13	7	9	10	11	7	7	3	1	1	.....	.....	38
11	11	23	16	16	21	16	34	24	18	10	7	4	1	.....	.....	39
12	12	12	15	20	20	24	27	34	28	21	13	3	2	.....	1	40
8	4	6	9	9	15	8	16	17	14	13	5	.....	.....	.....	.....	41
7	12	19	20	20	17	27	25	29	33	14	15	3	1	.....	.....	42
29	39	30	43	50	45	38	59	44	50	29	16	5	.....	.....	.....	43
60	52	49	73	58	67	70	67	63	34	29	18	6	2	.....	1	44
10	19	13	9	15	13	15	20	17	9	10	3	3	.....	.....	.....	45
211	191	244	222	268	317	299	380	378	316	262	125	35	12	7	3	46
170	159	201	174	214	278	265	337	343	284	248	118	28	9	3	2	47
41	32	43	48	54	39	34	43	35	32	14	7	7	3	4	1	48
10	5	12	7	13	20	19	15	24	16	14	7	1	.....	.....	.....	49
10	4	10	6	8	18	14	15	20	13	13	7	1	.....	.....	.....	50
.....	1	2	1	5	2	5	.....	4	3	1	.....	.....	.....	.....	.....	51
5	7	7	6	10	10	13	12	15	17	10	4	1	1	.....	.....	52
4	6	4	4	8	8	11	11	14	13	10	3	.....	.....	.....	.....	53
1	1	3	2	2	2	2	1	1	4	.....	1	1	1	.....	.....	54
7	7	12	8	6	7	14	14	25	13	9	3	3	.....	.....	.....	55
6	5	7	8	6	5	11	13	23	12	9	3	2	.....	.....	.....	56
1	2	5	.....	.....	2	3	1	2	1	.....	.....	1	.....	.....	.....	57
7	13	11	16	11	17	15	21	18	18	10	9	2	.....	.....	.....	58
11	4	10	6	7	6	7	17	16	7	8	2	.....	2	.....	.....	59
72	58	77	75	99	88	79	82	66	66	48	22	9	2	1	.....	60
52	44	61	49	74	71	74	66	60	58	42	20	6	1	.....	.....	61
20	14	16	26	25	17	5	16	6	8	6	2	3	1	1	.....	62
3	4	3	6	7	9	10	15	17	22	16	13	2	1	.....	.....	63
2	4	3	4	4	7	9	11	16	18	15	13	2	1	.....	.....	64
1	.....	.....	2	3	2	1	4	1	4	1	.....	.....	.....	.....	.....	65
10	8	16	16	25	26	29	28	29	26	35	12	5	2	.....	.....	66
7	5	13	12	15	19	18	24	23	24	34	12	3	2	.....	.....	67
3	3	3	4	10	7	2	4	6	2	1	.....	2	.....	.....	.....	68
14	4	10	9	10	13	4	11	17	15	13	5	.....	.....	1	1	69
14	16	21	14	16	21	14	18	12	13	11	2	1	1	.....	1	70
18	31	27	23	33	35	46	69	70	57	45	19	5	1	1	.....	71
15	23	22	20	27	32	40	63	64	51	42	15	5	1	1	.....	72
3	8	5	3	6	3	6	6	6	6	3	4	.....	.....	.....	.....	73
40	34	38	36	31	65	58	78	69	46	43	27	6	2	4	1	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	KENTUCKY.												
1	Registration cities (total)	6,956	809	190	89	46	31	1,165	141	93	181	334	322
2	White	5,078	634	132	65	31	27	889	108	70	114	216	193
3	Colored	1,878	175	58	24	15	4	276	33	23	67	118	129
4	Covington (total)	895	124	24	8	6	2	164	26	6	18	51	53
5	White	805	118	20	8	6	2	154	23	4	14	44	41
6	Colored[1]	90	6	4	.....	.....	.....	10	3	2	4	7	12
7	Frankfort (total)	198	9	5	2	1	1	18	4	4	11	12	11
8	White	140	4	4	2	1	1	12	4	4	7	8	5
9	Colored	58	5	1	.....	.....	.....	6	.....	.....	4	4	6
10	Henderson (total)	211	24	7	5	4	.....	40	6	1	8	12	10
11	White	131	20	3	3	2	.....	28	5	1	6	3	5
12	Colored	80	4	4	2	2	.....	12	1	.....	2	9	5
13	Lexington (total)	890	64	17	13	4	5	103	20	15	25	39	43
14	White	513	36	9	6	.....	4	55	13	7	11	18	23
15	Colored	377	28	8	7	4	1	48	7	8	14	21	20
16	Louisville (total)	3,586	418	75	37	15	16	561	66	50	79	158	153
17	White	2,586	324	50	29	11	14	428	48	39	48	101	84
18	Colored	1,000	94	25	8	4	2	133	18	11	31	57	69
19	Newport (total)	388	63	13	6	2	.....	84	6	2	12	14	11
20	White	373	63	12	6	2	.....	83	5	2	11	14	10
21	Colored[1]	15	.....	1	.....	.....	.....	1	1	.....	1	.....	1
22	Owensboro (total)	308	47	17	6	4	3	77	6	5	10	14	12
23	White	234	34	15	5	3	3	60	5	4	7	10	10
24	Colored	74	13	2	1	1	.....	17	1	1	3	4	2
25	Paducah (total)	480	60	32	12	10	4	118	7	10	18	34	29
26	White	296	35	19	6	6	3	69	5	9	10	18	15
27	Colored	184	25	13	6	4	1	49	2	1	8	16	14
	LOUISIANA.[2]												
28	New Orleans (total)	6,847	757	151	72	43	27	1,050	97	87	207	408	422
29	White	3,938	432	85	39	26	19	601	60	44	85	160	177
30	Colored	2,909	325	66	33	17	8	449	37	43	122	248	245
	MAINE.												
31	Registration cities (total)	3,238	506	66	29	25	9	635	50	46	74	82	92
32	White	3,220	506	66	29	24	9	634	50	46	73	81	92
33	Colored	18	.....	.....	.....	1	.....	1	.....	.....	1	1	.....
34	Auburn	194	33	4	1	1	.....	39	1	2	5	1	4
35	Augusta	348	45	8	1	3	.....	57	3	7	5	10	6
36	Bangor	589	62	6	3	3	3	77	7	4	14	16	20
37	Biddeford	240	56	3	3	3	.....	65	.....	1	5	10	8
38	Lewiston	503	114	20	6	6	2	148	14	8	10	17	15
39	Portland	1,168	161	20	13	7	4	205	20	19	28	20	34
40	Waterville	196	35	5	2	2	.....	44	5	5	7	8	5
	MARYLAND.												
41	Registration cities (total)	11,688	1,944	401	174	96	66	2,681	230	132	276	469	480
42	White	8,861	1,428	275	106	69	45	1,923	179	81	185	245	308
43	Colored	2,827	516	126	68	27	21	758	51	51	91	164	172
44	Baltimore (total)	10,668	1,770	372	160	85	60	2,447	199	117	240	379	434
45	White	7,956	1,275	248	93	59	40	1,715	150	70	153	217	269
46	Colored	2,712	495	124	67	26	20	732	49	47	87	162	165
47	Cumberland (total)	447	84	14	6	4	3	111	17	5	13	17	21
48	White	417	73	14	5	3	3	98	16	5	13	16	20
49	Colored[1]	30	11	.....	1	1	.....	13	1	.....	.....	1	1
50	Frederick (total)	186	25	2	3	2	1	33	8	4	10	1	5
51	White	149	18	2	3	2	1	26	7	3	8	.....	4
52	Colored	37	7	.....	.....	.....	.....	7	1	1	2	1	1
53	Hagerstown (total)	387	65	13	5	5	2	90	6	6	13	12	20
54	White	339	62	11	5	5	1	84	6	3	11	12	15
55	Colored[1]	48	3	2	.....	.....	1	6	.....	3	2	.....	5
	MASSACHUSETTS.												
56	Registration cities (total)	43,898	7,920	1,684	711	473	332	11,120	968	513	765	1,201	1,360
57	White	43,022	7,776	1,651	696	464	323	10,910	946	495	740	1,159	1,327
58	Colored	876	144	33	15	9	9	210	22	18	25	42	33
59	Adams town	152	48	3	2	.....	2	55	3	4	1	3	3
60	Arlington town	177	17	2	.....	.....	.....	19	2	1	2	7	7
61	Attleboro	253	41	6	3	1	2	53	4	3	4	4	13
62	Beverly	287	37	6	1	2	3	49	7	2	3	5	6
63	Boston (total)	12,763	2,062	512	220	141	97	3,032	302	144	237	344	437
64	White	12,300	1,992	500	212	137	93	2,934	289	132	221	320	414
65	Colored	463	70	12	8	4	4	98	13	12	16	24	23
66	Brockton	784	135	35	7	8	7	192	14	7	13	29	16
67	Brookline town	351	18	.....	6	1	2	27	5	1	2	10	7

[1] Colored population less than 10 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
359	420	356	438	456	484	493	434	468	368	249	118	48	12	4	13	1
217	240	223	275	313	366	382	364	405	321	220	103	41	10	2	6	2
142	180	133	163	143	118	111	70	63	47	29	15	7	2	2	7	3
37	41	45	44	52	63	67	49	62	50	33	24	8	1	1	.....	4
31	34	42	36	47	56	61	45	59	48	33	23	8	1	1	.....	5
6	7	3	8	5	7	6	4	3	2	.....	1	.....	.....	.....	.....	6
18	11	10	11	5	12	13	11	17	10	11	3	4	.....	.....	2	7
9	6	5	7	3	9	12	9	13	9	10	3	4	.....	.....	1	8
9	5	5	4	2	3	1	2	4	1	1	.....	.....	.....	.....	1	9
7	20	9	9	17	15	9	14	11	13	6	4	.....	.....	.....	.....	10
4	11	3	5	13	7	6	9	7	10	5	3	.....	.....	.....	.....	11
3	9	6	4	4	8	3	5	4	3	1	1	.....	.....	.....	.....	12
61	77	47	60	66	61	71	55	57	36	27	12	7	.....	1	7	13
31	36	23	26	28	41	47	43	45	28	21	10	4	.....	.....	3	14
30	41	24	34	38	20	24	12	12	8	6	2	3	.....	1	4	15
176	212	190	258	249	264	254	228	247	205	136	64	25	8	2	1	16
101	116	109	157	177	196	191	188	218	179	119	56	22	7	1	1	17
75	96	81	101	72	68	63	40	29	26	17	8	3	1	1	.....	18
18	14	21	19	24	26	29	31	30	22	18	5	1	1	.....	.....	19
17	14	18	18	21	25	28	31	30	22	17	5	1	1	.....	.....	20
1	.....	3	1	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	21
19	11	15	13	14	18	20	18	21	18	9	3	2	.....	.....	3	22
15	8	8	9	10	14	15	15	16	15	8	2	2	.....	.....	1	23
4	3	7	4	4	4	5	3	5	3	1	1	.....	.....	.....	2	24
23	34	19	24	29	25	30	28	23	14	9	3	1	2	.....	.....	25
9	15	15	17	14	18	22	24	17	10	7	1	.....	1	.....	.....	26
14	19	4	7	15	7	8	4	6	4	2	2	1	1	.....	.....	27
404	502	479	507	459	441	428	416	366	267	152	105	36	6	6	2	28
203	232	274	296	249	292	283	291	262	200	116	83	25	3	2	.....	29
201	270	205	211	210	149	145	125	104	67	36	22	11	3	4	2	30
123	141	159	164	200	222	211	264	226	255	166	86	27	5	1	9	31
122	140	156	164	198	221	210	260	226	253	166	86	27	5	1	9	32
1	1	3	.....	2	1	1	4	.....	2	.....	.....	.....	.....	.....	.....	33
3	8	4	3	10	17	9	18	13	24	22	10	1	.....	.....	.....	34
10	25	20	24	21	21	21	35	33	28	11	10	1	.....	.....	.....	35
25	30	25	44	50	48	32	55	33	51	34	13	7	1	1	2	36
10	3	13	12	15	15	12	21	13	16	10	8	3	.....	.....	.....	37
24	18	23	23	22	30	37	31	24	21	21	11	1	.....	.....	5	38
42	52	68	51	73	78	79	86	99	105	59	30	14	4	.....	2	39
9	5	6	7	9	13	21	18	11	10	9	4	.....	.....	.....	.....	40
500	542	648	717	752	749	787	780	734	616	368	188	74	18	2	5	41
345	349	422	524	543	599	649	687	657	576	335	176	62	14	1	1	42
155	193	226	193	209	150	138	93	77	40	33	12	12	4	1	4	43
455	509	605	668	707	703	724	701	664	542	317	172	65	15	1	4	44
307	323	383	480	500	557	595	615	592	509	290	161	56	12	1	1	45
148	186	222	188	207	146	129	86	72	33	27	11	9	3	.....	3	46
20	17	22	27	20	17	27	28	33	21	15	10	3	3	.....	.....	47
20	14	21	24	20	17	26	27	32	21	14	9	2	2	.....	.....	48
.....	3	1	3	.....	.....	1	1	1	.....	1	1	1	1	.....	.....	49
8	3	7	2	6	12	15	19	8	23	15	2	4	.....	1	.....	50
6	1	6	2	6	10	12	15	7	17	14	2	3	.....	.....	.....	51
2	2	1	.....	.....	2	3	4	1	6	1	.....	1	.....	1	.....	52
17	13	14	20	19	17	21	32	29	30	21	4	2	.....	.....	1	53
12	11	12	18	17	15	16	30	26	29	17	4	1	.....	.....	.....	54
5	2	2	2	2	2	5	2	3	1	4	.....	1	.....	.....	1	55
1,602	1,945	2,029	2,235	2,505	2,802	2,975	3,081	3,041	2,559	1,756	969	359	78	12	23	56
1,546	1,885	1,973	2,168	2,451	2,752	2,921	3,038	3,004	2,539	1,742	963	355	77	9	22	57
56	60	56	67	54	50	54	43	37	20	14	6	4	1	3	1	58
3	5	2	4	9	7	8	13	13	8	7	1	2	.....	.....	1	59
9	9	7	10	9	15	20	12	17	12	8	8	3	.....	.....	.....	60
13	13	6	6	14	21	21	16	24	16	13	8	1	.....	.....	.....	61
7	7	8	15	17	13	32	26	22	25	22	15	5	1	.....	.....	62
543	695	729	816	857	861	848	851	775	608	385	195	79	19	4	2	63
508	658	704	771	824	834	825	835	758	598	381	192	78	19	3	2	64
35	37	25	45	33	27	23	16	17	10	4	3	1	.....	1	.....	65
21	22	30	45	43	61	56	59	52	50	41	23	7	1	.....	2	66
9	8	19	15	19	26	37	25	35	48	38	16	3	1	.....	.....	67

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MASSACHUSETTS—continued.												
1	Cambridge	1,526	246	52	27	10	8	343	17	11	29	53	41
2	Chelsea	671	116	23	9	4	5	157	14	3	12	16	22
3	Chicopee	442	154	31	13	9	8	215	11	6	7	16	14
4	Clinton town	185	40	2		1		43	1	4	3	6	7
5	Everett	395	60	7	7	2	4	80	10	7	4	10	15
6	Fall River	2,178	639	129	50	19	16	853	42	28	36	46	50
7	Fitchburg	539	102	25	15	9	5	156	23	10	11	13	10
8	Framingham town	274	40	2	5		2	49		3	4	11	4
9	Gardner town	220	38	6	4	1	2	51	9	1	2	6	9
10	Gloucester	379	50	11	6	7	1	75	7	10	7	11	4
11	Greenfield town	170	23	4	1	2		30	2	1		3	5
12	Haverhill	722	110	18	10	9	1	148	14	6	13	20	24
13	Holyoke	1,081	314	57	24	20	7	422	30	11	22	28	30
14	Lawrence	1,336	330	73	21	26	13	463	31	18	19	49	54
15	Leominster town	232	33	9	2	3	2	49	3	2	2	7	9
16	Lowell	1,955	480	112	37	27	15	671	49	22	35	47	47
17	Lynn	1,258	192	29	24	15	12	272	28	19	23	34	45
18	Malden	583	67	17	10	3	7	104	27	7	11	9	14
19	Marlborough	207	23	5	3	2	3	36	4	1	2	8	11
20	Medford	354	40	11	4	3	1	59	5	6	6	7	5
21	Melrose	224	22	6	1	1		30	3	2	1	8	8
22	Methuen town	212	38	5	7	4	1	55	3	4	3	4	1
23	Milford town	190	29	3	2		3	37	3	3	1	2	5
24	New Bedford	1,813	488	105	34	15	14	656	32	22	33	57	61
25	Newburyport	237	40	4	6	2		52	2	6	3	2	4
26	Newton	470	53	15	7	7	1	83	10	4	4	5	11
27	North Adams	310	34	12	6	7	6	65	11	4	6	11	11
28	Northampton	433	35	8	2	2	2	49	3	9	9	13	22
29	Peabody town	245	50	6	4	3	3	66	5	4	5	3	7
30	Pittsfield	552	83	13	9	3	6	114	17	8	11	19	19
31	Plymouth town	179	29	6	3	3	1	42	2	3	4	4	3
32	Quincy	448	77	13	10	6	5	111	13	12	5	19	20
33	Revere	189	25	5	3	5	3	41	5	5	4	6	5
34	Salem	588	115	18	8	2	3	146	13	6	10	16	18
35	Somerville	1,080	133	25	13	10	6	187	29	7	17	20	32
36	Southbridge town	155	37	6	4	4	1	52	3	2	3	3	5
37	Springfield	1,741	311	69	18	25	14	437	35	24	32	50	63
38	Taunton	789	149	23	5	5	8	190	13	4	10	23	22
39	Wakefield town	148	21	3	2	2	2	30		4	5	3	2
40	Waltham	355	25	4	8	4	5	46	18	8	12	7	10
41	Watertown town	190	31	4	2		3	40	5		1	1	7
42	Webster town	149	34	8		2		44	6	1	4	5	6
43	Westfield town	293	44	8	3	5	1	61	10	8	15	14	19
44	Weymouth town	190	19	4	1	2	1	27	2	2	4	5	5
45	Winthrop town	130	16	1			1	18	3	2		1	4
46	Woburn	215	30	6	3	2	3	44	6	1	5	1	4
47	Worcester	2,899	497	117	39	27	14	694	52	20	48	97	77
	MICHIGAN.												
48	Registration cities (total)	21,162	4,344	801	351	224	149	5,869	455	261	442	825	999
49	White	20,775	4,300	792	347	221	149	5,809	449	252	433	801	973
50	Colored	387	44	9	4	3		60	6	9	9	24	26
51	Adrian	185	15	5	1	1	2	24	2	2	2	1	6
52	Alpena	161	45	5	1	1	1	53	4	3	5	5	5
53	Ann Arbor	490	45	4	5	9	3	66	4	8	13	21	21
54	Battle Creek	459	47	11	3	4	2	67	9	5	4	18	8
55	Bay City	721	124	28	11	5	3	171	13	15	21	28	34
56	Detroit	10,985	2,727	533	229	134	98	3,721	264	126	228	477	602
57	Escanaba	217	47	10	1	2	1	61	8	8	3	10	12
58	Flint	800	240	39	20	14	5	318	15	10	14	31	31
59	Grand Rapids	1,565	235	31	20	8	10	304	26	19	30	54	66
60	Holland	106	15	4	1	3		23	3	1	3	3	9
61	Ironwood	180	52	8	5	4	4	73	5	1	5	11	7
62	Ishpeming	164	24	7	2	3	1	37	5	6	4	7	8
63	Jackson	635	95	17	6	7		125	19	6	11	20	32
64	Kalamazoo	807	65	7	1	1	2	76	5	7	14	19	28
65	Lansing	572	106	13	6	7	4	136	16	7	14	16	20
66	Manistee	137	13	4	1			18	1	4	1	8	4
67	Marquette	207	28	3	3		3	37	10	4	10	5	5
68	Menominee	135	22	4				26	3	2	7	5	5
69	Muskegon	483	96	23	8	7	5	139	7	4	12	18	21
70	Pontiac	432	59	10	6	3	1	79	4	2	3	11	16
71	Port Huron	367	50	7	2	1	1	61	9	7	9	9	15
72	Saginaw	824	135	18	10	7	2	172	16	9	15	28	28
73	Sault Ste. Marie	183	42	8	6	2	1	59	5	2	8	9	7
74	Traverse City	347	17	2	3	1		23	2	3	6	11	9

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
56	64	68	84	85	111	122	108	119	89	65	46	14	1			1
16	24	31	34	46	44	44	33	68	55	34	8	7	2	1		2
11	15	12	17	9	19	13	12	17	17	18	10	2			1	3
8	6	11	6	5	12	15	16	14	14	9	4	1				4
14	9	16	19	23	27	36	37	26	29	22	7	3		1		5
68	82	83	78	116	125	125	130	127	83	55	33	8	6	1	3	6
23	21	19	20	24	36	40	33	32	31	21	8	7			1	7
	7	8	15	10	24	20	22	33	26	15	14	8	1			8
5	6	13	9	14	12	10	22	23	12	10	4	2				9
14	19	13	22	16	25	26	26	40	30	22	15	4	1		1	10
5	5	8	7	9	12	10	14	18	21	8	5	6			1	11
29	25	31	26	43	65	56	51	57	43	38	19	11	3			12
34	41	45	44	60	46	63	62	56	44	21	11	11				13
51	67	57	58	77	70	66	79	64	53	32	18	7	2		1	14
5	8	11	6	6	13	25	19	21	18	19	7	2				15
64	81	90	85	116	117	109	127	106	78	57	34	15	2		3	16
48	55	51	62	89	85	85	99	101	68	54	23	14	2		1	17
18	15	29	36	40	43	45	42	46	34	31	21	10	1			18
5	8	13	13	5	10	21	14	17	21	14	2	2				19
10	11	16	10	16	25	33	31	36	23	26	24	4	1			20
7	4	12	12	9	17	17	13	28	26	13	9	5				21
14	9	9	7	10	14	20	13	16	16	9	5					22
7	12	6	14	16	11	12	15	14	17	6	5	3	1			23
68	73	71	76	91	98	96	103	82	76	77	24	10	5	1	1	24
10	7	4	3	5	11	14	18	20	27	21	15	11	2			25
14	8	17	21	21	25	31	42	62	48	34	21	8	1			26
8	19	9	16	21	22	21	25	16	24	14	4	2	1			27
17	23	20	25	18	20	37	45	39	38	30	11	3	2			28
8	1	11	13	11	21	22	23	15	13	8	6	3				29
17	28	29	37	26	39	37	33	46	26	27	11	5	1	2		30
4	8	5	9	3	5	10	13	24	14	12	11	3				31
12	28	14	21	22	24	28	28	30	26	22	10	3				32
6	7	6	7	12	15	12	13	15	18	9	2	1				33
28	27	27	23	26	41	40	39	43	43	18	17	4	1		2	34
36	44	42	41	66	73	97	102	96	94	61	27	8	1			35
4	5	4	5	6	9	11	10	10	12	4	4	2		1		36
68	99	87	70	73	99	121	142	131	90	61	52	5	2			37
16	28	22	40	53	57	57	60	60	60	40	25	7	1		1	38
3	3	6	3	3	6	12	16	21	11	9	7	1	3			39
15	14	19	14	15	24	20	23	38	38	17	12	3	1	1		40
5	7	13	7	9	13	9	18	14	14	13	11	1	2			41
9	4	4	6	9	8	6	8	10	8	5	2	3	1			42
16	12	16	5	8	13	16	13	13	25	14	11	2	2			43
5	1	4	8	4	10	11	19	17	27	14	16	7	2			44
	7	2	8	12	11	6	15	11	13	13	2	1	1			45
5	6	13	11	11	13	19	21	13	18	11	9	3			1	46
111	142	131	171	168	178	207	232	198	181	109	61	17	4		1	47
945	965	924	1,038	1,152	1,155	1,133	1,331	1,183	1,098	774	413	131	41	7	21	48
920	929	883	1,009	1,130	1,132	1,119	1,322	1,160	1,083	763	411	130	40	7	20	49
25	36	41	29	22	23	14	9	23	15	11	2	1	1		1	50
3	5	4	2	9	12	10	16	32	17	18	16	3	1			51
4	9	6	5	9	8	10	11	8	5	6	4	1				52
16	21	27	39	41	39	35	46	27	34	20	7	4			1	53
15	14	14	28	27	31	37	47	46	30	31	18	6	4			54
36	18	25	36	32	37	49	49	60	41	30	18	5	2		1	55
555	556	480	561	543	550	497	550	408	392	262	146	47	14	3	3	56
9	11	15	5	10	14	8	12	7	14	1	5	2	1		1	57
32	28	26	34	39	33	36	27	42	34	30	14	5	1			58
61	62	70	56	88	105	94	113	114	137	96	44	17	7	1	1	59
4	7	2	4	6	2	7	8	5	7	9	2	1				60
21	8	3	5	13	3	2	8	3	6	1	3			1	1	61
7	11	7	8	11	2	7	14	11	13	4	2					62
21	24	28	26	40	40	54	49	49	39	34	12	3	1	1	1	63
31	35	47	56	55	64	68	72	72	71	60	18	7	1		1	64
21	24	19	24	26	25	36	43	50	44	22	21	4	2		2	65
4	8	2	6	11	10	9	17	15	7	7	3	2				66
8	10	11	11	13	8	7	12	11	21	17	6		1			67
8	6	4	9	11	9	7	10	8	7	3	5					68
13	23	18	10	26	28	27	39	28	29	22	11	6	2			69
21	25	24	27	35	23	32	32	38	30	17	8	2			3	70
8	10	21	8	26	24	18	32	34	30	21	17	4	3		1	71
27	24	44	41	45	57	45	72	68	60	40	22	8	1	1	1	72
9	10	6	10	9	12	4	11	7	8	2	3	1			1	73
11	16	21	27	27	19	34	41	40	22	21	8	3			3	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MINNESOTA.												
1	Registration cities (total)	9,279	1,385	239	122	92	55	1,893	202	134	259	389	457
2	White	9,132	1,368	233	122	91	55	1,869	199	134	256	385	451
3	Colored	147	17	6	.....	1	.....	24	3	.....	3	4	6
4	Duluth	1,056	176	39	19	16	11	261	20	13	37	45	57
5	Mankato	216	27	2	1	4	2	36	3	1	10	9	9
6	Minneapolis	4,512	723	122	58	45	22	970	104	64	113	185	230
7	St. Cloud	161	29	6	2	1	2	40	3	3	4	10	8
8	St. Paul	2,785	357	56	34	24	14	485	55	45	80	118	125
9	Stillwater	98	2	1	.....	.....	.....	3	2	1	.....	3	2
10	Virginia	145	38	5	6	1	1	51	4	2	7	8	10
11	Winona	306	33	8	2	1	3	47	11	5	8	11	16
	MISSISSIPPI.[1]												
12	Registration cities (total)	2,362	209	60	36	22	16	343	50	35	117	176	161
13	White	815	65	35	15	11	5	131	16	13	32	42	38
14	Colored	1,547	144	25	21	11	11	212	34	22	85	134	123
15	Hattiesburg (total)	217	31	9	6	3	.....	49	6	6	18	26	20
16	White	103	14	7	3	3	.....	27	3	3	6	7	7
17	Colored	114	17	2	3	.....	.....	22	3	3	12	19	13
18	Jackson (total)	789	55	17	15	10	6	103	21	13	44	51	52
19	White	286	10	8	5	5	1	29	5	5	9	17	11
20	Colored	503	45	9	10	5	5	74	16	8	35	34	41
21	Meridian (total)	433	50	26	9	5	3	93	9	10	18	43	25
22	White	196	27	15	5	1	2	50	4	4	7	11	10
23	Colored	237	23	11	4	4	1	43	5	6	11	32	15
24	Natchez (total)	250	30	3	3	3	3	42	6	1	10	13	14
25	White	70	7	3	1	1	1	13	1	.....	2	2	3
26	Colored	180	23	.....	2	2	2	29	5	1	8	11	11
27	Vicksburg (total)	673	43	5	3	1	4	56	8	5	27	43	50
28	White	160	7	2	1	1	1	12	3	1	8	5	7
29	Colored	513	36	3	2	.....	3	44	5	4	19	38	43
	MISSOURI.												
30	Registration cities (total)	19,630	2,326	574	262	186	98	3,446	437	274	458	795	941
31	White	17,247	2,106	510	235	166	86	3,103	397	236	370	639	753
32	Colored	2,383	220	64	27	20	12	343	40	38	88	156	188
33	Hannibal (total)	292	41	5	4	1	.....	51	5	6	5	14	12
34	White	254	38	4	3	1	.....	46	5	6	4	12	8
35	Colored	38	3	1	1	.....	.....	5	.....	.....	1	2	4
36	Jefferson City (total)	206	25	6	5	1	.....	37	2	6	8	14	10
37	White	154	23	6	5	1	.....	35	1	5	7	10	5
38	Colored	52	2	.....	.....	.....	.....	2	1	1	1	4	5
39	Joplin	719	116	50	19	3	3	191	18	15	13	35	46
40	Kansas City (total)	4,319	519	109	62	53	25	768	120	64	106	217	231
41	White	3,595	453	91	53	48	22	667	110	56	77	166	168
42	Colored	724	66	18	9	5	3	101	10	8	29	51	63
43	Moberly	197	22	4	1	1	.....	28	3	1	9	14	6
44	St. Joseph	1,252	111	36	18	5	5	175	29	22	21	43	57
45	St. Louis (total)	11,263	1,264	314	125	105	59	1,867	224	144	250	400	497
46	White	9,945	1,144	275	109	93	51	1,672	201	120	205	322	400
47	Colored	1,318	120	39	16	12	8	195	23	24	45	78	97
48	Sedalia (total)	317	36	11	4	5	.....	56	7	2	11	9	24
49	White	271	34	11	4	5	.....	54	7	1	9	8	16
50	Colored	46	2	.....	.....	.....	.....	2	.....	1	2	1	8
51	Springfield	682	119	13	9	6	2	149	17	6	21	31	30
52	Webb City	383	73	26	15	6	4	124	12	8	14	18	28
	MONTANA.												
53	Registration cities (total)	1,943	320	52	20	31	15	438	46	34	31	82	119
44	White	1,891	319	51	20	31	15	436	46	34	30	80	119
55	Colored	52	1	1	.....	.....	.....	2	.....	.....	1	2	.....
56	Anaconda	205	28	10	3	3	2	46	2	9	2	9	16
57	Billings	184	44	4	2	5	1	56	6	1	8	8	8
58	Butte	903	158	23	12	13	8	214	24	11	7	36	60
59	Great Falls	273	40	11	1	3	3	58	5	9	4	13	17
60	Helena	183	29	3	2	1	1	36	5	2	5	8	7
61	Missoula	195	21	1	.....	6	.....	28	4	2	5	8	11
	NEBRASKA.[1]												
62	Registration cities (total)	3,053	379	69	48	33	26	555	88	52	88	141	155
63	White	2,894	361	63	48	32	26	530	85	48	85	134	140
64	Colored	159	18	6	.....	1	.....	25	3	4	3	7	15
65	Lincoln	668	94	21	7	10	7	139	25	18	16	38	31
66	Omaha	2,385	285	48	41	23	19	416	63	34	72	103	124
	NEW HAMPSHIRE.												
67	Registration cities (total)	3,083	629	108	48	33	21	839	57	29	60	72	79
68	White	3,079	629	108	48	33	20	838	57	29	60	72	79
69	Colored	4	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effectivel ocal ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
468	456	462	517	586	685	603	608	488	463	342	182	66	13	2	4	1
452	445	447	505	572	670	598	601	483	458	340	182	66	13	2	4	2
16	11	15	12	14	15	5	7	5	5	2	----	----	----	----	----	3
45	66	71	63	74	85	64	55	44	20	18	13	4	1	----	----	4
9	9	11	13	13	13	11	19	11	17	9	11	2	----	----	----	5
245	232	212	246	272	325	275	315	214	224	159	91	27	6	1	2	6
8	5	2	6	3	12	4	16	8	14	8	4	3	----	----	----	7
138	124	151	167	192	214	209	174	172	149	112	48	20	4	1	2	8
6	4	3	7	5	8	11	9	13	11	5	4	1	----	----	----	9
7	8	7	7	10	6	7	5	3	----	2	1	----	----	----	----	10
10	8	5	8	17	22	22	15	23	28	29	10	9	2	----	----	11
158	189	175	159	139	108	133	107	100	89	68	31	11	5	2	6	12
37	51	46	57	52	49	56	55	34	56	26	17	5	----	----	2	13
121	138	129	102	87	59	77	52	66	33	42	14	6	5	2	4	14
8	13	11	12	8	8	7	7	5	8	3	2	----	----	----	----	15
1	5	6	5	6	6	3	3	4	7	2	2	----	----	----	----	16
7	8	5	7	2	2	4	4	1	1	1	----	----	----	----	----	17
72	71	68	42	42	28	49	41	36	26	17	6	3	1	1	2	18
18	26	20	18	16	14	24	26	14	19	8	4	2	----	----	1	19
54	45	48	24	26	14	25	15	22	7	9	2	1	1	1	1	20
29	24	29	28	25	14	16	20	13	18	12	4	1	1	----	1	21
7	6	10	13	14	7	11	15	5	13	6	2	1	----	----	----	22
22	18	19	15	11	7	5	5	8	5	6	2	----	1	----	1	23
11	8	17	24	12	14	14	14	13	14	9	8	4	2	----	----	24
4	3	5	6	2	7	4	5	3	5	2	2	1	----	----	----	25
7	5	12	18	10	7	10	9	10	9	7	6	3	2	----	----	26
38	73	50	53	52	44	47	25	33	23	27	11	3	1	1	3	27
7	11	5	15	14	15	14	6	8	12	8	7	1	----	----	1	28
31	62	45	38	38	29	33	19	25	11	19	4	2	1	1	2	29
1,009	1,129	1,153	1,243	1,287	1,402	1,252	1,359	1,211	1,032	638	378	110	24	11	41	30
816	899	963	1,042	1,108	1,251	1,144	1,260	1,149	984	622	355	102	21	6	27	31
193	230	190	201	179	151	108	99	62	48	16	23	8	3	5	14	32
9	20	10	12	19	22	16	20	23	20	11	14	1	1	----	1	33
9	17	6	9	16	17	15	18	23	16	10	14	1	1	----	1	34
----	3	4	3	3	5	1	2	----	4	1	----	----	----	----	----	35
16	6	6	11	14	13	11	10	14	7	9	3	2	----	1	6	36
7	5	5	4	11	12	8	10	9	6	9	2	2	----	----	1	37
9	1	1	7	3	1	3	----	5	1	----	1	----	----	1	5	38
47	41	38	39	35	35	35	44	28	31	14	10	3	----	1	----	39
267	271	246	272	286	306	253	265	234	204	100	69	31	4	3	2	40
202	186	192	211	225	265	226	239	222	192	96	62	28	4	1	----	41
65	85	54	61	61	41	27	26	12	12	4	7	3	----	2	2	42
6	7	7	10	6	13	12	20	19	14	12	6	1	----	----	3	43
52	83	77	63	77	88	84	88	94	61	69	38	7	3	1	20	44
549	635	707	763	785	853	760	816	726	623	379	209	55	16	4	1	45
448	518	589	648	688	764	691	764	685	596	368	196	52	14	3	1	46
101	117	118	115	97	89	69	52	41	27	11	13	3	2	1	----	47
16	15	14	14	8	21	20	32	21	17	11	8	4	----	1	6	48
12	13	12	13	6	15	19	29	19	16	11	7	3	----	----	1	49
4	2	2	1	2	6	1	3	2	1	----	1	1	----	1	5	50
29	29	24	39	42	40	49	41	39	44	27	20	5	----	----	----	51
18	22	24	20	15	11	12	23	13	11	6	1	1	----	----	2	52
137	143	121	150	144	137	103	90	67	50	31	13	4	1	1	1	53
133	137	117	141	139	129	99	89	63	49	30	13	4	1	1	1	54
4	6	4	9	5	8	4	1	4	1	1	----	----	----	----	----	55
13	12	18	13	14	12	10	10	9	3	4	2	1	----	----	----	56
13	13	6	12	11	12	7	10	4	6	2	1	----	----	----	----	57
71	73	67	83	71	53	46	32	24	14	10	6	1	----	----	----	58
21	20	16	21	15	21	13	16	6	12	5	----	----	----	1	----	59
6	9	7	7	17	21	16	8	11	11	1	2	2	1	----	1	60
13	16	7	14	16	18	11	14	13	4	9	2	----	----	----	----	61
173	176	146	187	199	203	207	157	191	131	120	56	18	6	----	4	62
158	160	131	169	184	198	202	156	190	126	116	55	18	5	----	4	63
15	16	15	18	15	5	5	1	1	5	4	1	----	1	----	----	64
30	20	21	23	35	41	43	35	54	31	39	17	4	1	----	2	65
143	156	125	159	164	162	164	122	137	100	81	39	14	5	----	2	66
95	111	125	143	157	171	203	193	232	209	160	87	37	5	----	19	67
94	111	125	143	157	170	203	193	232	208	160	87	37	5	----	19	68
1	----	----	----	----	1	----	----	----	1	----	----	----	----	----	----	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	to years.	to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW HAMPSHIRE—continued.												
1	Berlin	202	60	14	3	5	3	85	7	3	6	4	4
2	Concord	454	27	8	5	3	1	44	8	2	16	11	11
3	Dover	238	27	4	1		2	34	2		2	8	3
4	Keene	170	21	3	4	5	3	36	2	2	2	4	4
5	Laconia	170	30	2		1	1	34			2	1	4
6	Manchester	1,207	340	56	30	15	6	447	29	19	24	33	34
7	Nashua	410	91	14	4	3	3	115	7	1	7	9	14
8	Portsmouth	232	33	7	1	1	2	44	2	2	1	2	5
	NEW JERSEY.												
9	Registration cities (total)	28,311	5,087	1,390	627	418	269	7,791	674	360	551	885	1,028
10	White	26,829	4,840	1,309	593	404	258	7,404	639	337	502	822	970
11	Colored	1,482	247	81	34	14	11	387	35	23	49	63	58
12	Asbury Park (total)	176	18	7	5	2	4	36	5	1	2	3	5
13	White	134	13	1	2	2	4	22	3		2	2	4
14	Colored	42	5	6	3			14	2	1		1	1
15	Atlantic City (total)	789	72	10	7	4	7	100	8	3	13	14	28
16	White	606	56	4	7	1	6	74	6	3	8	11	20
17	Colored	183	16	6		3	1	26	2		5	3	8
18	Bayonne	887	228	59	24	8	8	327	20	17	20	31	39
19	Bloomfield	175	19	8	2	1		30	5	1	3	3	3
20	Bridgeton	236	31	5	5	1	1	43	3	1	5	4	11
21	Camden	1,755	325	73	33	24	22	477	42	29	37	51	65
22	East Orange	389	35	9	6	4	2	56	7	3	10	7	10
23	Elizabeth	1,268	242	60	28	23	15	368	40	15	18	36	51
24	Garfield	176	70	20	6	2	5	103	6	4	3	2	9
25	Hackensack	292	55	12	5	3	3	78	11	3	5	7	7
26	Harrison	232	52	11	11	5	3	82	8		1	8	9
27	Hoboken	1,248	152	73	34	29	19	307	29	15	28	34	44
28	Irvington	251	34	6	6	4	1	51	12	4	2	7	11
29	Jersey City	4,480	803	185	76	61	29	1,154	100	54	85	151	184
30	Kearny	349	41	13	7	3	2	66	9	9	2	12	13
31	Long Branch	295	39	7	1	1	1	49	11	4	10	18	14
32	Millville	204	44	3	1	2	3	53	3	4	5	7	10
33	Montclair (total)	235	46	8	2	2	1	59		1	3	4	7
34	White	206	38	8	2	1	1	50		1	2	4	5
35	Colored	29	8			1		9			1		2
36	Morristown	248	30	3	2	2	2	39	9	5	6	8	10
37	New Brunswick	596	118	31	17	6	1	173	13	11	16	28	25
38	Newark	6,147	1,023	380	191	99	71	1,764	153	86	142	178	226
39	Orange	638	103	35	13	20	3	174	12	6	7	26	30
40	Passaic	961	298	71	25	22	12	428	23	10	19	41	43
41	Paterson	2,003	314	70	25	15	14	438	49	21	32	79	68
42	Perth Amboy	580	183	38	14	8	8	251	16	10	14	18	14
43	Phillipsburg	252	47	11		1	2	61	11	1	3	4	8
44	Plainfield	435	80	19	11	7	4	121	7	7	7	10	6
45	Trenton	1,965	421	121	41	37	12	632	36	27	33	57	47
46	Union	219	47	7	4	2		60	7	1	5	10	5
47	West Hoboken	395	48	17	10	11	7	93	9	4	9	11	11
48	West New York	296	53	16	11	7	5	92	6	3	6	9	11
49	West Orange	139	16	2	4	2	2	26	4			7	4
	NEW YORK.												
50	Registration cities (total)	114,130	18,817	4,819	2,260	1,424	960	28,230	2,621	1,422	2,256	3,605	4,323
51	White	110,886	18,273	4,674	2,203	1,393	932	27,475	2,552	1,373	2,177	3,431	4,092
52	Colored	3,244	544	145	57	31	28	805	69	49	79	174	231
53	Albany	2,041	221	67	31	23	8	350	32	19	36	44	82
54	Amsterdam	498	106	21	5	5	4	141	14	2	9	18	12
55	Auburn	561	74	23	7	6	4	114	6	5	6	18	17
56	Batavia	246	36	5	3	2	2	48	7	6	6	10	10
57	Binghamton	1,172	205	43	18	12	7	285	16	15	13	31	37
58	Buffalo	7,526	1,491	262	105	55	42	1,955	150	94	168	259	312
59	Cohoes	382	70	19	3	3	3	98	5	3	4	12	15
60	Corning	255	34	4	5	1	2	46	7	4	4	14	3
61	Cortland	223	27	3		1		31	4	3	3	3	4
62	Dunkirk	270	59	12	4	4	1	80	3	7	6	6	8
63	Elmira	669	94	7	7	2	1	111	10	6	12	19	24
64	Fulton	176	38	1	1	2	4	46	5	2	5	5	8
65	Geneva	218	31	10	6		1	48	2	1	6	3	5
66	Glens Falls	281	25	1	2	2	1	31	7	5	4	11	10
67	Gloversville	365	59	13	3	1		76	6	2	6	5	11
68	Hornell	234	25	6	2		4	37	3	3	1	5	6
69	Hudson	226	56	4		2		62	3	6	1	4	4
70	Ithaca	293	30	6	2	2	1	41	6	3	4	5	5
71	Jamestown	468	79	7	5	3	1	95	11	6	6	21	18

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

ormed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
13	5	6	7	6	6	9	6	9	3	10	2	.....	.....	.....	11	1
8	24	35	21	30	21	41	38	45	39	39	12	6	1	.....	2	2
6	5	11	12	12	21	21	20	25	26	17	5	5	1	.....	2	3
3	3	6	12	4	13	10	18	13	9	18	7	3	1	.....	.....	4
4	9	7	4	14	12	14	12	20	12	8	8	3	1	.....	1	5
38	36	34	59	53	60	66	64	73	58	41	28	11	.....	.....	.....	6
10	22	16	21	25	24	25	22	30	30	14	10	6	1	.....	1	7
13	7	10	7	13	14	17	13	17	32	13	15	3	.....	.....	2	8
1,102	1,278	1,513	1,691	1,794	1,756	1,762	1,765	1,607	1,299	855	434	123	35	7	1	9
1,016	1,176	1,400	1,580	1,699	1,674	1,687	1,700	1,542	1,269	835	418	120	33	6	.....	10
86	102	113	111	95	82	75	65	65	30	20	16	3	2	1	1	11
8	4	5	6	11	14	14	12	16	14	14	6	.....	.....	.....	.....	12
5	2	3	5	8	12	13	8	13	14	14	4	.....	.....	.....	.....	13
3	2	2	1	3	2	1	4	3	.....	.....	2	.....	.....	.....	.....	14
37	42	65	66	57	72	72	72	61	41	20	11	3	3	1	.....	15
26	21	41	49	44	54	63	62	55	33	19	10	3	3	1	.....	16
11	21	24	17	13	18	9	10	6	8	1	1	.....	.....	.....	.....	17
36	42	35	57	53	52	41	40	34	14	17	9	3	.....	.....	.....	18
3	4	7	9	7	11	12	19	19	16	14	8	.....	1	.....	.....	19
7	8	10	10	12	12	17	12	32	26	11	7	4	1	.....	.....	20
73	68	83	88	95	112	124	104	117	96	57	27	6	3	.....	1	21
13	9	25	23	25	24	33	36	36	25	28	14	4	1	.....	.....	22
51	34	75	73	74	82	78	83	60	63	39	21	4	2	1	.....	23
5	3	6	6	5	9	6	.....	.....	4	1	1	2	1	.....	.....	24
7	11	11	13	19	14	18	18	26	18	18	5	3	.....	.....	.....	25
7	4	7	18	13	14	21	15	14	8	2	1	.....	.....	.....	.....	26
56	84	82	83	85	91	61	87	67	54	27	12	1	1	.....	.....	27
11	8	12	8	17	12	14	20	22	16	14	7	3	.....	.....	.....	28
189	230	257	327	341	267	289	269	216	174	104	64	20	4	1	.....	29
7	12	12	17	20	14	18	19	39	45	22	10	3	.....	.....	.....	30
7	10	13	22	24	14	20	29	12	17	11	7	3	.....	.....	.....	31
4	7	10	4	13	17	7	11	12	15	14	6	2	.....	.....	.....	32
10	4	10	11	13	10	12	23	29	14	16	8	.....	1	.....	.....	33
8	3	7	9	11	8	10	23	26	14	16	8	.....	1	.....	.....	34
2	1	3	2	2	2	2	.....	3	.....	.....	.....	.....	.....	.....	.....	35
11	9	14	12	12	15	15	23	24	17	16	2	1	.....	.....	.....	36
26	30	30	26	31	33	37	25	33	25	19	9	5	1	.....	.....	37
254	306	352	373	396	398	375	367	281	243	153	72	21	5	2	.....	38
27	27	29	36	39	41	41	42	38	22	23	4	9	4	1	.....	39
33	43	35	48	46	37	47	27	25	27	15	12	2	.....	.....	.....	40
72	92	115	120	128	148	133	158	134	103	65	43	2	2	1	.....	41
21	25	30	36	38	31	23	21	14	11	5	1	1	.....	.....	.....	42
5	11	14	10	12	11	21	18	23	23	10	3	3	.....	.....	.....	43
11	18	24	26	19	22	24	30	41	30	18	8	5	1	.....	.....	44
69	87	90	107	115	120	127	111	107	77	73	38	8	4	.....	.....	45
6	6	14	10	16	12	11	12	20	13	3	7	1	.....	.....	.....	46
17	23	19	23	27	26	20	30	25	28	13	5	2	.....	.....	.....	47
9	10	15	13	20	18	20	24	18	13	5	3	1	.....	.....	.....	48
10	7	7	10	11	3	11	8	12	7	8	3	1	.....	.....	.....	49
4,815	5,740	6,293	6,998	7,484	7,611	7,701	7,259	6,698	5,136	3,488	1,650	575	140	16	19	50
4,556	5,448	6,042	6,800	7,278	7,439	7,563	7,149	6,611	5,079	3,457	1,627	570	135	15	17	51
259	292	251	198	206	172	138	110	87	57	31	23	5	5	1	2	52
87	118	119	124	131	162	167	164	156	118	82	32	11	6	.....	1	53
20	17	18	16	25	32	27	41	36	37	18	9	5	.....	.....	1	54
11	19	26	15	30	44	49	47	51	38	38	19	4	4	.....	.....	55
11	6	8	14	11	19	10	17	21	17	15	6	3	1	.....	.....	56
39	51	46	79	59	68	90	103	85	62	53	27	10	1	2	.....	57
316	362	369	441	482	472	473	497	429	313	243	128	51	10	1	1	58
19	16	17	25	22	27	35	26	26	13	9	6	4	.....	.....	.....	59
16	10	15	12	18	21	16	19	15	11	13	6	5	.....	.....	.....	60
8	4	10	11	15	18	24	16	24	21	12	12	.....	.....	.....	.....	61
13	11	8	9	9	14	23	15	17	11	17	8	5	.....	.....	.....	62
20	22	41	43	36	50	60	46	58	51	31	22	6	.....	.....	1	63
3	7	4	10	5	18	16	8	11	12	6	2	3	.....	.....	.....	64
8	6	5	9	14	12	22	15	16	18	9	8	6	.....	.....	.....	65
9	13	11	19	15	17	20	28	23	30	15	9	4	.....	.....	.....	66
16	15	10	13	28	28	27	28	34	28	20	10	2	.....	.....	.....	67
13	11	11	8	16	23	17	23	18	11	17	6	5	.....	.....	.....	68
4	9	14	10	10	15	18	16	14	14	14	6	.....	1	.....	1	69
6	13	13	22	19	21	21	26	24	29	20	8	5	1	.....	1	70
25	19	21	17	31	20	22	28	34	50	26	15	3	.....	.....	.....	71

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW YORK—continued.												
1	Johnstown	111	7	1	1	1	1	11	2	1	.....	2	3
2	Kingston	451	44	9	4	3	1	61	8	3	12	28	14
3	Lackawanna	396	259	30	11	4	1	305	3	.....	4	14	5
4	Little Falls	255	51	15	2	3	.....	71	3	5	8	13	9
5	Lockport	301	36	7	7	1	2	53	6	3	6	3	1
6	Middletown	429	19	5	4	4	1	33	8	6	8	7	18
7	Mount Vernon	449	79	20	2	6	3	110	10	10	12	9	10
8	New Rochelle	386	51	19	9	6	5	90	12	2	8	11	15
9	New York (total)	77,960	12,860	3,572	1,767	1,091	737	20,027	1,943	1,003	1,580	2,497	3,051
10	Bronx Borough	7,703	1,176	260	158	111	70	1,775	170	104	216	265	319
11	Brooklyn Borough	27,037	4,285	1,330	726	423	287	7,051	729	353	539	840	1,024
12	Manhattan Borough	35,879	6,274	1,696	732	428	285	9,415	796	411	664	1,156	1,449
13	Queens Borough	5,632	894	237	122	111	77	1,441	203	113	121	186	196
14	Richmond Borough	1,709	231	49	29	18	18	345	45	22	40	50	63
15	White	75,261	12,385	3,450	1,717	1,064	712	19,328	1,881	963	1,519	2,340	2,851
16	Bronx Borough	7,596	1,159	256	155	109	70	1,749	167	101	212	263	313
17	Brooklyn Borough	26,365	4,172	1,298	712	417	280	6,879	715	346	530	802	969
18	Manhattan Borough	34,112	5,964	1,615	702	411	270	8,962	751	384	623	1,050	1,318
19	Queens Borough	5,515	863	233	119	110	75	1,400	203	110	115	178	192
20	Richmond Borough	1,673	227	48	29	17	17	338	45	22	39	47	59
21	Colored	2,699	475	122	50	27	25	699	62	40	61	157	200
22	Bronx Borough	107	17	4	3	2	.....	26	3	3	4	2	6
23	Brooklyn Borough	672	113	32	14	6	7	172	14	7	9	38	55
24	Manhattan Borough	1,767	310	81	30	17	15	453	45	27	41	106	131
25	Queens Borough	117	31	4	3	1	2	41	.....	3	6	8	4
26	Richmond Borough	36	4	1	.....	1	1	7	.....	.....	1	3	4
27	Newburgh	528	47	8	7	6	5	73	11	6	10	17	14
28	Niagara Falls	676	190	50	16	8	10	274	13	4	12	21	28
29	North Tonawanda	178	43	14	2	2	2	63	2	2	3	7	5
30	Ogdensburg	442	45	5	4	3	2	59	3	2	2	6	17
31	Olean	231	35	9	3	2	1	50	5	1	8	11	9
32	Ossining	169	17	3	.....	2	.....	22	1	1	2	10	13
33	Oswego	383	64	10	7	8	2	91	8	5	4	5	6
34	Peekskill	219	27	1	1	1	3	33	3	2	5	6	11
35	Plattsburg	212	35	5	2	2	2	46	2	5	1	11	9
36	Port Chester	206	34	13	2	2	3	54	6	4	2	3	8
37	Poughkeepsie	670	87	25	21	12	6	151	34	11	16	18	12
38	Rensselaer	126	22	5	1	1	.....	29	1	.....	2	2	3
39	Rochester	3,721	584	132	39	25	17	797	50	37	59	102	140
40	Rome	592	70	27	8	5	6	116	19	8	21	27	32
41	Saratoga Springs	297	29	9	1	4	1	44	2	1	7	7	6
42	Schenectady	958	168	28	17	11	5	229	23	13	17	27	34
43	Syracuse	2,361	384	81	35	22	14	536	50	27	52	72	75
44	Troy	1,513	128	29	8	15	12	192	24	14	30	54	58
45	Utica	1,633	271	77	27	11	7	393	27	22	23	47	45
46	Watertown	503	87	16	6	4	1	114	10	3	11	22	12
47	Watervliet	184	25	4	2	1	1	33	3	3	3	2	7
48	White Plains	260	34	15	3	2	5	59	3	7	4	5	15
49	Yonkers	1,226	225	61	32	30	18	366	29	19	24	41	47
	NORTH CAROLINA.												
50	Registration cities (total)	3,549	656	151	79	45	18	949	72	68	177	240	245
51	White	1,784	303	63	50	29	6	451	33	20	62	91	93
52	Colored	1,765	353	88	29	16	12	498	39	48	115	149	152
53	Asheville (total)	466	60	16	8	3	1	88	4	5	27	44	44
54	White	330	33	7	6	3	.....	49	2	3	17	32	31
55	Colored	136	27	9	2	.....	1	39	2	2	10	12	13
56	Charlotte (total)	766	167	38	20	16	7	248	23	13	35	37	37
57	White	379	86	10	14	10	1	121	14	3	10	13	12
58	Colored	387	81	28	6	6	6	127	9	10	25	24	25
59	Durham (total)	336	60	11	7	6	.....	84	3	7	20	26	18
60	White	157	27	7	2	4	.....	40	1	1	5	7	4
61	Colored	179	33	4	5	2	.....	44	2	6	15	19	14
62	Greensboro (total)	277	52	13	1	3	4	73	8	2	11	26	20
63	White	149	23	7	1	3	2	36	5	1	5	10	9
64	Colored	128	29	6	.....	.....	2	37	3	1	6	16	11
65	Raleigh (total)	564	73	17	15	5	1	111	8	12	24	38	43
66	White	281	24	10	8	4	1	47	4	4	7	10	10
67	Colored	283	49	7	7	1	.....	64	4	8	17	28	33
68	Wilmington (total)	511	118	15	7	2	2	144	6	12	13	22	31
69	White	209	44	6	4	.....	.....	54	.....	4	3	6	9
70	Colored	302	74	9	3	2	2	90	6	8	10	16	22
71	Winston-Salem (total)	629	126	41	21	10	3	201	20	17	47	47	52
72	White	279	66	16	15	5	2	104	7	4	15	13	18
73	Colored	350	60	25	6	5	1	97	13	13	32	34	34

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	3	2	6	13	10	9	7	10	10	10	3	3				1
21	23	18	26	28	41	31	36	42	20	18	17	2	1		1	2
11	13	10	6	8	4	8	2			2	1					3
4	10	10	12	15	14	19	18	11	14	14	4	1				4
9	11	7	12	16	13	23	34	38	29	22	13	1	1			5
21	23	20	27	37	45	37	29	29	44	21	14	2				6
9	18	18	22	28	28	33	29	39	23	17	15	6	2		1	7
13	15	16	19	24	29	29	27	25	22	13	10	6				8
3,468	4,187	4,595	5,003	5,296	5,232	5,149	4,610	4,150	2,991	1,945	860	275	83	10	5	9
359	413	442	467	521	568	537	435	399	296	239	92	21	14	1		10
1,133	1,284	1,450	1,681	1,724	1,789	1,809	1,677	1,575	1,165	738	333	100	39	3	1	11
1,692	2,130	2,336	2,471	2,593	2,348	2,308	2,028	1,710	1,181	724	325	111	25	5	1	12
214	279	286	309	346	416	375	302	339	236	161	79	24	3	1	2	13
70	81	81	75	112	111	120	118	127	113	83	31	19	2		1	14
3,238	3,944	4,388	4,839	5,132	5,099	5,045	4,526	4,083	2,953	1,922	844	273	79	9	5	15
350	400	436	461	514	563	532	484	395	292	237	91	21	14	1		16
1,033	1,223	1,399	1,647	1,680	1,751	1,735	1,649	1,554	1,154	732	328	100	36	2	1	17
1,526	1,972	2,196	2,355	2,485	2,265	2,240	1,976	1,676	1,165	713	316	109	24	5	1	18
210	273	281	302	342	410	370	300	332	231	158	78	24	3	1	2	19
69	76	76	74	111	110	118	117	126	111	82	31	19	2		1	20
230	243	207	164	164	133	104	84	67	38	23	16	2	4	1		21
9	13	6	6	7	5	5	1	4	4	2	1					22
50	61	51	34	44	38	24	28	21	11	6	5		3	1		23
166	158	140	116	108	83	68	52	34	16	11	9	2	1			24
4	6	5	7	4	6	5	2	7	5	3	1					25
1	5	5	1	1	1	2	1	1	2	1						26
19	30	36	29	34	37	46	37	43	39	28	15	4				27
30	37	32	27	31	32	31	28	32	21	18	4				1	28
8	8	7	5	12	10	11	9	6	10	8	1	1				29
18	32	25	28	18	30	39	37	39	34	30	16	4	3			30
11	4	8	14	13	11	14	17	25	12	9	5	4				31
13	10	8	9	3	17	9	10	18	10	9	2	2				32
14	14	7	14	16	26	25	34	41	37	20	11	4	1			33
4	8	15	14	12	19	13	21	14	17	17	2	2	1			34
3	8	5	10	8	15	17	17	16	14	9	5	2	2		2	35
12	7	17	13	10	11	17	10	11	11	6	2	2				36
12	24	30	33	31	41	47	39	57	43	40	15	13	2		1	37
2	4	3	7	4	9	10	13	19	10	3	4	1				38
119	148	166	199	268	269	280	285	267	233	173	91	32	6			39
26	18	30	27	25	33	38	42	38	45	30	12	4		1		40
11	12	18	20	17	24	19	35	31	18	14	9	1	1			41
25	29	65	62	51	58	63	58	76	61	30	23	11	2		1	42
92	81	113	128	159	145	168	197	160	136	113	38	15	4			43
52	78	79	112	111	120	120	141	123	101	63	30	9	1	1		44
57	64	71	96	88	93	110	132	122	108	75	41	17	2			45
13	15	13	20	27	28	31	41	30	60	28	15	8	1	1		46
4	5	6	9	16	11	21	20	17	10	6	5	2	1			47
9	12	10	16	21	14	14	21	16	12	9	10	1	1		1	48
50	60	67	76	68	61	83	60	61	57	30	18	8	1			49
205	198	180	160	172	161	191	158	142	121	66	25	14	3	3	1	50
95	91	86	81	79	104	121	106	102	92	48	18	7	3		1	51
110	105	94	79	93	57	70	52	40	29	18	7	7		3		52
41	33	27	21	22	22	23	25	20	11	5	3				1	53
33	23	19	16	16	21	16	16	19	10	3	3				1	54
8	10	8	5	6	1	7	9	1	1	2						55
46	41	42	41	30	32	38	30	31	18	15	5	3		1		56
18	14	21	25	12	16	22	24	21	16	12	4	1				57
28	27	21	16	18	16	16	6	10	2	3	1	2		1		58
23	11	14	11	25	15	19	17	17	14	5	3	3	1			59
9	4	7	8	12	9	11	9	12	10	3	2	2	1			60
14	7	7	3	13	6	8	8	5	4	2	1	1				61
17	16	12	12	14	9	20	17	5	9	2	3		1			62
6	11	6	6	6	8	14	14	4	5	1	1		1			63
11	5	6	6	8	1	6	3	1	4	1	2					64
25	34	25	26	32	28	40	22	32	36	19	5	4				65
11	19	10	10	14	19	25	16	24	30	15	3	3				66
14	15	15	16	18	9	15	6	8	6	4	2	1				67
28	30	27	28	21	22	29	28	26	23	13	4	3		1		68
12	13	7	8	6	10	21	19	12	13	9	3					69
16	17	20	20	15	12	8	9	14	10	4	1	3		1		70
25	31	33	21	28	33	22	19	11	10	7	2	1	1	1		71
6	7	16	8	13	21	12	8	10	8	5	2	1	1			72
19	24	17	13	15	12	10	11	1	2	2				1		73

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NORTH DAKOTA.[1]												
1	Fargo (total)	252	52	9	2	5	3	71	4	7	12	20	14
2	White	251	52	9	2	5	3	71	4	7	12	20	14
3	Colored [2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.												
4	Registration cities (total)	39,267	6,613	1,390	533	345	258	9,139	741	468	891	1,442	1,644
5	White	37,152	6,361	1,334	507	326	247	8,775	715	439	828	1,325	1,491
6	Colored	2,115	252	56	26	19	11	364	26	29	68	117	153
7	Akron	1,693	441	90	29	21	16	597	46	15	35	77	72
8	Alliance	236	44	4	3	2	1	54	6	.....	4	14	8
9	Ashtabula	302	45	14	6	2	4	71	10	6	3	9	15
10	Bellaire	220	53	15	3	3	2	81	6	2	4	3	5
11	Cambridge	169	25	7	2	.....	.....	34	5	4	3	7	4
12	Canton	863	170	27	10	10	3	220	15	15	19	28	34
13	Chillicothe	222	30	4	.....	1	3	38	2	1	5	9	5
14	Cincinnati (total)	6,741	736	155	73	40	37	1,041	94	80	127	236	312
15	White	6,031	663	137	66	33	31	930	84	71	106	202	261
16	Colored	710	73	18	7	7	6	111	10	9	21	34	51
17	Cleveland	9,986	2,028	394	147	100	83	2,752	211	101	225	362	433
18	Columbus (total)	3,339	392	72	41	20	17	542	43	51	91	129	121
19	White	2,990	350	61	36	17	17	481	36	47	78	100	95
20	Colored	349	42	11	5	3	.....	61	7	4	13	29	26
21	Dayton	1,937	308	53	21	13	13	408	33	22	45	68	76
22	East Liverpool	387	65	18	7	3	2	95	9	5	15	17	19
23	Elyria	281	48	9	3	2	.....	62	4	5	10	11	9
24	Findlay	252	24	7	6	1	.....	38	7	2	6	2	10
25	Hamilton	508	74	8	6	1	3	92	7	6	17	24	19
26	Ironton	233	38	12	7	2	3	62	11	3	8	9	6
27	Lakewood	256	44	8	4	6	1	63	1	6	7	7	10
28	Lancaster	145	16	1	4	.....	1	22	1	3	4	5	1
29	Lima	488	80	16	4	8	.....	108	9	9	15	19	20
30	Lorain	442	150	27	9	3	4	193	10	4	7	11	22
31	Mansfield	303	47	4	2	2	2	57	5	2	4	8	9
32	Marietta	229	30	3	3	3	1	40	3	2	3	5	8
33	Marion	293	41	13	5	2	2	63	5	2	5	16	12
34	Massillon	196	25	7	2	1	3	38	4	3	3	5	5
35	Middletown	271	82	17	7	7	2	115	4	2	4	9	6
36	Newark	431	57	7	4	5	1	74	5	7	12	10	19
37	Norwood	180	27	8	2	1	1	39	2	1	3	3	8
38	Piqua	211	18	8	.....	4	1	31	2	1	6	7	8
39	Portsmouth	440	88	27	6	2	5	128	11	7	14	15	19
40	Sandusky	291	25	5	2	.....	.....	32	8	4	5	10	10
41	Springfield (total)	800	98	20	8	7	6	139	21	11	24	22	25
42	White	702	87	14	6	5	6	118	21	8	20	19	23
43	Colored	98	11	6	2	2	.....	21	.....	3	4	3	2
44	Steubenville	514	108	45	14	15	7	189	10	10	15	23	29
45	Tiffin	209	18	3	2	.....	.....	23	1	2	4	5	4
46	Toledo	3,587	593	143	48	29	24	837	70	43	74	134	156
47	Warren	255	40	9	1	6	1	57	4	2	7	9	11
48	Youngstown	1,903	439	118	33	21	8	619	47	24	44	103	92
49	Zanesville	454	66	12	4	2	1	85	9	5	14	11	22
	OREGON.[1]												
50	Portland (total)	2,367	228	40	12	15	12	307	46	28	57	74	103
51	White	2,287	216	38	12	13	11	290	46	27	56	71	98
52	Colored [2]	80	12	2	.....	2	1	17	.....	1	1	3	5
	PENNSYLVANIA.												
53	Registration cities (total)	65,366	12,087	2,811	1,148	675	477	17,198	1,395	849	1,363	2,283	2,524
54	White	61,335	11,478	2,632	1,087	645	460	16,302	1,308	767	1,211	2,065	2,275
55	Colored	4,031	609	179	61	30	17	896	87	82	152	218	249
56	Allentown	1,015	208	40	22	12	8	290	19	14	20	32	41
57	Altoona	813	157	21	10	11	5	204	25	11	8	39	36
58	Beaver Falls	231	57	12	9	5	4	87	7	2	6	4	14
59	Bethlehem	217	35	6	4	5	2	52	4	2	2	8	6
60	Braddock	395	103	34	10	6	3	156	12	2	12	21	17
61	Bradford	234	29	6	5	1	.....	41	1	4	4	7	8
62	Butler	348	91	19	11	3	5	129	10	5	3	15	14
63	Carbondale	307	54	13	5	5	4	81	9	5	11	12	12
64	Carlisle (total)	183	10	3	.....	.....	.....	13	9	2	7	3	3
65	White	154	9	1	.....	.....	.....	10	7	1	3	3	3
66	Colored	29	1	2	.....	.....	.....	3	2	1	4	.....	.....
67	Carnegie	152	53	15	5	3	3	79	7	1	.....	7	5
68	Chambersburg	197	17	6	1	2	2	28	2	3	2	7	3
69	Chester (total)	873	214	49	22	11	12	308	17	11	21	34	31
70	White	724	188	41	19	9	11	268	15	7	15	23	26
71	Colored	149	26	8	3	2	1	40	2	4	6	11	5

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
16	10	8	6	11	18	15	15	10	5	3	6	1	----------	----------	----------	1
16	10	7	6	11	18	15	15	10	5	3	6	1	----------	----------	----------	2
----------	----------	1	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	----------	3
1,792	2,058	2,103	2,216	2,286	2,409	2,474	2,549	2,502	2,118	1,420	714	228	49	11	13	4
1,633	1,856	1,922	2,055	2,120	2,298	2,362	2,468	2,431	2,072	1,391	696	218	46	7	9	5
159	202	181	161	166	111	112	81	71	46	29	18	10	3	4	4	6
84	73	94	79	89	86	63	74	85	59	45	19	9	1	----------	----------	7
14	14	9	18	13	10	14	13	14	6	12	11	1	1	----------	----------	8
13	16	13	12	14	19	22	19	20	14	18	7	1	----------	----------	----------	9
8	11	4	10	10	13	8	17	11	7	12	7	1	----------	----------	----------	10
7	10	8	5	4	8	15	8	14	13	14	5	1	----------	----------	----------	11
23	46	45	33	45	59	53	50	60	57	41	16	2	2	----------	----------	12
5	6	7	20	6	11	11	18	28	21	18	6	4	1	----------	----------	13
337	366	381	437	498	495	500	470	490	418	267	135	47	8	2	----------	14
274	301	321	376	434	464	455	444	466	401	260	130	43	7	1	----------	15
63	65	60	61	64	31	45	26	24	17	7	5	4	1	1	----------	16
475	577	576	588	552	586	623	581	506	418	238	122	50	9	----------	1	17
164	189	191	192	212	223	243	260	239	215	139	68	13	2	2	----------	18
142	161	161	169	187	213	222	244	229	210	137	65	11	1	1	----------	19
22	28	30	23	25	20	21	16	10	5	2	3	2	1	1	----------	20
83	106	87	107	116	126	121	146	135	119	79	38	15	3	1	3	21
21	15	18	24	14	20	22	23	29	14	17	6	3	1	----------	----------	22
7	16	13	20	13	15	26	17	20	14	13	4	2	----------	----------	----------	23
7	9	9	8	10	22	23	26	27	26	8	9	3	----------	----------	----------	24
21	18	26	39	31	27	30	32	45	35	26	11	2	----------	----------	----------	25
6	10	9	7	11	16	6	24	18	12	7	6	2	----------	----------	----------	26
10	9	10	10	16	20	17	25	19	13	10	1	1	1	----------	----------	27
5	7	4	9	7	8	12	20	6	17	8	6	----------	----------	----------	----------	28
14	21	19	20	36	38	38	34	27	30	19	8	2	1	1	----------	29
18	17	20	25	19	19	25	12	17	16	4	1	2	----------	----------	----------	30
11	17	17	5	17	21	18	24	28	30	22	6	2	----------	----------	----------	31
11	10	6	15	13	8	22	14	23	17	22	5	2	----------	----------	----------	32
17	9	16	11	12	16	19	23	21	18	14	11	2	----------	----------	1	33
6	15	6	11	11	9	9	17	21	7	13	10	2	1	----------	----------	34
10	6	12	10	12	16	13	14	15	13	7	3	----------	----------	----------	----------	35
14	15	17	26	23	29	27	47	36	32	18	17	2	----------	1	----------	36
6	1	6	6	9	13	12	17	18	13	13	6	3	1	----------	----------	37
6	13	11	6	12	11	19	18	22	14	10	10	2	1	----------	1	38
19	22	19	18	23	17	17	27	25	28	22	5	3	1	----------	----------	39
12	18	17	21	17	15	28	15	27	18	14	14	4	1	----------	1	40
33	50	49	30	47	44	56	53	76	56	38	18	6	2	----------	----------	41
27	39	41	25	38	42	51	48	70	54	33	18	5	2	----------	----------	42
6	11	8	5	9	2	5	5	6	2	5	----------	1	----------	----------	----------	43
20	22	30	21	19	21	13	25	23	19	12	6	2	----------	----------	5	44
8	8	8	10	9	14	14	24	21	30	11	12	----------	1	----------	----------	45
157	172	197	215	220	226	205	242	208	202	135	61	22	8	2	1	46
17	5	19	10	10	10	15	15	20	20	13	10	1	----------	----------	----------	47
107	124	103	113	113	84	77	76	69	50	31	18	7	2	----------	----------	48
16	15	27	25	12	24	38	29	39	27	30	16	7	1	2	----------	49
126	120	110	138	171	163	209	173	157	164	125	66	24	5	----------	1	50
124	115	105	132	159	156	201	169	156	161	125	66	24	5	----------	1	51
2	5	5	6	12	7	8	4	1	3	----------	----------	----------	----------	----------	----------	52
2,795	3,128	3,285	3,600	3,960	4,007	4,237	4,164	3,953	3,204	1,983	991	351	73	22	1	53
2,516	2,794	2,972	3,281	3,724	3,791	4,045	4,026	3,828	3,123	1,927	962	335	68	14	1	54
279	334	313	319	236	216	192	138	125	81	56	29	16	5	8	----------	55
53	38	60	52	51	51	57	58	68	48	41	13	8	1	----------	----------	56
37	41	30	47	40	56	40	52	57	52	25	7	5	1	----------	----------	57
8	7	9	5	17	5	11	10	15	14	7	1	2	----------	----------	----------	58
9	4	4	7	6	19	13	16	14	27	15	7	1	1	----------	----------	59
18	34	20	23	18	18	14	12	8	4	5	1	----------	----------	----------	----------	60
9	7	6	11	12	19	21	29	27	13	8	4	1	2	----------	----------	61
10	11	17	15	16	19	25	21	13	9	9	6	----------	1	----------	----------	62
9	13	18	17	20	15	20	20	16	12	11	3	3	----------	----------	----------	63
4	6	4	6	9	12	12	21	26	20	17	5	3	----------	1	----------	64
4	4	4	3	9	10	10	21	23	19	14	3	3	----------	----------	----------	65
----------	2	----------	3	----------	2	2	----------	3	1	3	2	----------	----------	1	----------	66
2	----------	3	5	5	9	5	4	11	6	2	----------	----------	1	----------	----------	67
7	7	8	6	11	17	24	19	17	18	11	4	3	----------	----------	----------	68
39	53	38	41	43	38	40	44	51	33	16	15	----------	----------	----------	----------	69
27	47	29	31	31	29	34	39	46	30	15	12	----------	----------	----------	----------	70
12	6	9	10	12	9	6	5	5	3	1	3	----------	----------	----------	----------	71

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	PENNSYLVANIA—continued.												
1	Coatesville (total)	195	63	11	2	3	2	81	3	2	6	2	11
2	White	165	59	9	1	2	2	73	3	1	4	2	10
3	Colored	30	4	2	1	1	.....	8	.....	1	2	.....	1
4	Columbia	181	24	1	.....	.....	1	26	3	4	2	5	8
5	Connellsville	191	32	9	7	3	2	53	3	3	13	6	9
6	Dubois	164	42	7	2	2	.....	53	4	6	2	6	5
7	Dunmore	307	131	19	5	4	1	160	3	4	3	5	9
8	Duquesne	243	109	31	9	9	5	163	9	2	2	7	5
9	Easton	617	89	19	10	6	3	127	8	2	12	24	27
10	Erie	1,234	257	56	23	14	5	355	27	7	20	47	31
11	Farrell	217	83	30	7	2	4	126	9	4	3	12	11
12	Greensburg	266	39	5	5	1	2	52	7	5	5	12	22
13	Harrisburg	1,134	153	31	15	10	5	214	22	23	32	56	50
14	Hazleton	478	102	23	14	3	3	145	13	12	17	27	23
15	Homestead	254	85	42	12	3	4	146	4	5	4	5	3
16	Johnstown	1,084	309	64	25	13	8	419	25	22	29	39	47
17	Lancaster	832	127	18	8	7	5	165	14	5	12	21	33
18	Lebanon	396	54	7	7	2	2	72	3	9	10	9	15
19	McKees Rocks	211	80	34	8	5	.....	127	5	2	4	2	5
20	McKeesport	754	178	62	19	10	6	275	22	11	16	28	42
21	Mahanoy City	257	83	13	5	2	3	106	5	5	6	8	6
22	Meadville	216	34	7	7	2	1	51	5	1	3	3	8
23	Monessen	178	79	17	6	5	5	112	10	.....	2	4	8
24	Mount Carmel	241	70	20	8	4	6	108	8	3	8	3	9
25	Nanticoke	298	72	17	5	5	2	101	9	6	9	13	15
26	New Castle	555	118	28	13	3	5	167	16	10	13	20	21
27	Norristown	739	75	10	6	4	7	102	21	7	12	23	22
28	North Braddock	152	44	12	1	4	2	63	4	4	2	2	5
29	Oil City	279	49	15	1	1	3	69	9	8	8	8	13
30	Old Forge	157	68	7	4	2	.....	81	2	3	4	1	10
31	Philadelphia (total)	27,703	4,252	1,022	459	277	199	6,209	552	337	541	919	1,034
32	White	25,324	3,907	917	422	258	190	5,694	498	288	451	785	877
33	Colored	2,379	345	105	37	19	9	515	54	49	90	134	157
34	Phoenixville	190	45	7	2	1	.....	55	5	1	2	3	4
35	Pittsburgh (total)	10,077	1,893	507	175	92	66	2,733	240	125	224	411	458
36	White	9,380	1,786	470	165	89	64	2,574	223	117	202	371	413
37	Colored	697	107	37	10	3	2	159	17	8	22	40	45
38	Pittston	331	100	20	5	5	1	131	9	3	7	10	11
39	Plymouth	200	65	13	4	3	1	86	7	1	2	8	4
40	Pottstown	259	35	8	7	2	4	56	5	6	8	9	8
41	Pottsville	455	75	7	4	6	5	97	9	8	11	20	23
42	Reading	1,633	322	55	27	12	12	428	35	14	39	39	37
43	Scranton	2,116	476	84	22	25	17	624	41	31	41	76	77
44	Shamokin	280	61	23	6	1	2	93	5	1	11	9	11
45	Sharon	248	48	10	6	2	2	68	5	3	2	11	12
46	Shenandoah	441	145	49	17	9	5	225	11	5	10	9	14
47	South Bethlehem	408	175	34	8	4	3	224	1	4	8	13	13
48	Steelton	232	78	15	10	5	1	109	5	3	8	8	11
49	Sunbury	210	34	6	3	2	.....	45	5	3	4	9	6
50	Uniontown	274	39	8	4	6	1	58	3	6	12	16	8
51	Warren	188	27	2	4	.....	1	34	5	5	1	10	5
52	Washington	301	53	12	1	.....	1	67	9	4	10	19	21
53	West Chester (total)	304	41	12	3	4	.....	60	3	6	9	7	13
54	White	233	29	8	3	4	.....	44	3	3	4	5	7
55	Colored	71	12	4	.....	.....	.....	16	.....	3	5	2	6
56	Wilkes-Barre	1,111	221	37	23	12	10	303	28	17	25	36	41
57	Wilkinsburg	363	51	16	6	2	1	76	3	5	7	15	15
58	Williamsport	614	76	10	7	3	4	100	8	14	13	16	22
59	York	633	98	15	7	9	1	130	6	10	13	23	13
	RHODE ISLAND.												
60	Registration cities (total)	7,914	1,371	301	132	61	73	1,938	168	104	171	249	273
61	White	7,631	1,331	296	128	57	69	1,881	162	101	160	234	255
62	Colored	283	40	5	4	4	4	57	6	3	11	15	18
63	Central Falls	299	97	21	2	4	1	125	6	6	4	6	5
64	Cranston (exclusive of)	277	51	12	9	1	2	75	7	2	2	10	5
65	State institutions	469	4	3	2	1	.....	10	.....	.....	2	17	20
66	Cumberland town	167	30	7	5	.....	3	45	4	1	2	2	3
67	East Providence town	251	51	6	.....	2	3	62	9	1	6	6	6
68	Newport	422	47	6	3	1	3	60	11	4	17	27	11
69	Pawtucket	894	179	19	17	6	7	228	10	15	23	22	33
70	Providence	4,027	657	151	73	31	45	957	95	59	91	117	156
71	Warwick town	250	19	5	2	3	.....	29	6	4	12	14	11
72	West Warwick town	243	59	22	8	5	5	99	7	2	2	10	6
73	Woonsocket	615	177	49	11	7	4	248	13	10	10	18	17

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
5	6	11	7	5	8	5	12	13	10	5	3	.....	.....	.....	.....	1
4	4	9	5	3	8	3	9	12	8	4	3	.....	.....	.....	.....	2
1	2	2	2	2	.....	2	3	1	2	1	.....	.....	.....	.....	.....	3
3	7	7	8	12	10	15	21	16	16	7	10	1	.....	.....	.....	4
9	12	12	4	10	10	16	14	9	5	.....	3	.....	.....	.....	.....	5
7	10	6	6	11	10	13	2	7	11	3	.....	2	.....	.....	.....	6
10	11	8	4	8	10	17	15	10	12	11	5	2	.....	.....	.....	7
4	7	10	4	7	3	9	5	1	3	1	1	.....	.....	.....	.....	8
21	36	34	27	41	49	46	48	38	31	26	12	7	1	.....	.....	9
46	40	62	70	66	61	74	72	95	78	50	24	7	2	.....	.....	10
7	8	11	5	5	7	2	1	4	1	.....	1	.....	.....	.....	.....	11
19	23	16	16	13	13	12	11	16	5	12	5	2	.....	.....	.....	12
45	58	51	49	70	83	86	88	70	64	42	26	5	.....	.....	.....	13
22	16	15	33	29	29	23	29	15	12	14	3	.....	.....	1	.....	14
12	7	7	11	7	7	7	10	6	6	4	2	1	.....	.....	.....	15
57	65	43	44	50	47	39	46	44	31	22	6	7	2	.....	.....	16
37	23	25	46	42	61	71	61	81	55	41	27	9	3	.....	.....	17
20	11	9	18	26	24	29	46	39	35	15	3	2	1	.....	.....	18
7	10	6	5	6	2	4	13	4	4	5	.....	.....	.....	.....	.....	19
31	37	30	26	40	53	28	35	28	32	11	3	2	3	1	.....	20
9	10	10	17	13	12	15	14	5	11	3	2	.....	.....	.....	.....	21
6	7	6	6	13	13	11	18	15	22	13	7	6	2	.....	.....	22
7	5	5	3	6	2	2	3	3	2	2	2	.....	.....	.....	.....	23
6	10	4	6	16	10	15	7	14	6	5	1	2	.....	.....	.....	24
16	15	16	18	19	15	17	12	6	5	5	1	.....	.....	.....	.....	25
20	19	28	22	25	44	26	25	41	26	19	9	4	.....	.....	.....	26
26	41	36	39	54	55	53	61	68	59	31	21	6	2	.....	.....	27
4	7	8	4	8	8	7	9	6	7	3	1	.....	.....	.....	.....	28
6	10	8	14	14	13	17	22	21	23	12	2	2	.....	.....	.....	29
6	6	4	6	7	10	4	5	7	1	.....	.....	.....	.....	.....	.....	30
1,187	1,369	1,516	1,673	1,847	1,859	2,042	1,904	1,778	1,427	846	453	164	34	11	1	31
1,021	1,156	1,331	1,474	1,710	1,730	1,939	1,830	1,709	1,381	818	441	154	30	6	1	32
166	213	185	199	137	129	103	74	69	46	28	12	10	4	5	.....	33
12	7	4	12	6	15	11	16	13	14	5	3	2	.....	.....	.....	34
494	557	584	596	636	596	573	572	501	382	247	100	37	6	5	.....	35
450	496	523	531	590	563	535	546	487	377	240	96	36	5	5	.....	36
44	61	61	65	46	33	38	26	14	5	7	4	1	1	.....	.....	37
11	24	11	22	19	11	21	16	12	8	2	2	1	.....	.....	.....	38
4	4	10	10	17	9	11	7	6	7	5	1	1	.....	.....	.....	39
12	7	8	12	17	8	14	17	27	20	11	11	3	.....	.....	.....	40
20	24	22	26	27	28	34	33	33	17	15	6	2	.....	.....	.....	41
67	48	89	87	82	96	127	121	119	88	70	39	7	1	.....	.....	42
83	115	97	122	155	116	129	117	111	90	55	27	8	1	.....	.....	43
5	9	7	16	15	17	14	17	19	13	10	7	1	.....	.....	.....	44
14	9	9	22	21	14	13	13	9	13	9	1	.....	.....	.....	.....	45
10	14	24	24	20	18	17	15	10	8	3	1	3	.....	.....	.....	46
9	20	14	22	13	14	14	16	6	11	4	2	.....	.....	.....	.....	47
6	9	5	4	14	8	8	3	9	12	6	2	1	.....	1	.....	48
5	7	4	12	8	13	16	16	20	19	10	7	1	.....	.....	.....	49
25	18	11	18	15	13	15	11	18	12	10	3	1	1	.....	.....	50
3	7	6	7	17	10	12	15	22	14	6	6	3	.....	.....	.....	51
15	14	12	11	7	16	16	11	20	22	12	10	3	2	.....	.....	52
11	9	10	12	7	17	15	20	25	31	26	18	5	.....	.....	.....	53
6	6	5	9	4	11	12	18	22	29	25	16	4	.....	.....	.....	54
5	3	5	3	3	6	3	2	3	2	1	2	1	.....	.....	.....	55
66	54	69	61	60	82	65	60	52	45	25	11	6	5	.....	.....	56
16	23	19	21	14	19	27	24	32	19	19	7	1	1	.....	.....	57
21	26	23	33	35	40	49	71	49	46	30	14	3	1	.....	.....	58
26	16	26	24	37	41	49	58	57	57	28	14	5	.....	.....	.....	59
305	389	373	455	460	518	508	607	520	418	258	130	50	16	1	3	60
291	371	354	438	443	497	487	590	507	412	253	130	47	14	1	3	61
14	18	19	17	17	21	21	17	13	6	5	.....	3	2	.....	.....	62
12	18	9	11	12	12	15	21	20	7	6	2	1	1	.....	.....	63
10	6	8	11	14	14	23	25	25	22	8	7	2	.....	.....	1	64
21	36	34	31	41	53	48	51	45	29	20	10	1	.....	.....	.....	65
3	7	11	13	5	7	15	15	13	7	7	4	.....	2	.....	1	66
8	3	11	12	10	19	17	24	19	17	12	7	2	.....	.....	.....	67
11	28	18	29	20	24	33	36	21	35	22	8	5	2	.....	.....	68
20	45	37	46	57	55	59	70	69	54	34	8	7	1	.....	1	69
181	197	200	249	256	282	248	302	231	192	117	63	27	6	1	.....	70
15	19	15	14	13	12	14	16	20	21	9	2	1	3	.....	.....	71
7	7	8	5	7	13	14	15	16	10	6	6	3	.....	.....	.....	72
17	23	22	34	25	27	22	32	41	24	17	13	1	1	.....	.....	73

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	SOUTH CAROLINA.												
1	Registration cities (total)	3,332	554	160	58	32	27	831	48	58	135	192	214
2	White	1,224	176	54	18	13	11	272	16	23	30	40	61
3	Colored	2,108	378	106	40	19	16	559	32	35	105	152	153
4	Charleston (total)	1,538	303	76	35	17	11	442	22	23	59	85	101
5	White	409	67	16	7	3	2	95	4	6	4	8	16
6	Colored	1,129	236	60	28	14	9	347	18	17	55	77	85
7	Columbia (total)	1,133	144	56	12	6	7	225	11	19	48	69	77
8	White	498	68	23	4	5	5	105	5	9	15	20	27
9	Colored	635	76	33	8	1	2	120	6	10	33	49	50
10	Greenville (total)	338	53	19	6	7	2	87	4	5	18	21	19
11	White	162	21	10	3	4	.....	38	1	2	7	4	8
12	Colored	176	32	9	3	3	2	49	3	3	11	17	11
13	Spartanburg (total)	323	54	9	5	2	7	77	11	11	10	17	17
14	White	155	20	5	4	1	4	34	6	6	4	8	10
15	Colored	168	34	4	1	1	3	43	5	5	6	9	7
	TEXAS.[1]												
16	Registration cities (total)	7,128	1,318	376	128	72	41	1,935	116	116	274	445	457
17	White	6,010	1,199	352	114	65	36	1,766	101	96	213	328	357
18	Colored	1,118	119	24	14	7	5	169	15	20	61	117	100
19	Beaumont (total)	428	57	13	5	2	5	82	7	4	16	28	27
20	White	250	23	8	.....	.....	4	35	3	3	4	6	19
21	Colored	178	34	5	5	2	1	47	4	1	12	22	8
22	Dallas (total)	1,569	209	37	19	11	6	282	31	33	64	111	118
23	White	1,162	172	30	14	9	4	229	26	21	38	66	78
24	Colored	407	37	7	5	2	2	53	5	12	26	45	40
25	El Paso (total)	2,004	491	164	59	29	15	758	33	26	68	106	122
26	White	1,943	488	163	57	28	15	751	32	25	62	103	116
27	Colored[2]	61	3	1	2	1	.....	7	1	1	6	3	6
28	Galveston (total)	728	66	20	4	2	1	93	8	8	16	47	47
29	White	483	52	15	4	1	1	73	5	5	11	18	22
30	Colored	245	14	5	.....	1	.....	20	3	3	5	29	25
31	San Antonio (total)	2,399	495	142	41	28	14	720	37	45	110	153	143
32	White	2,172	464	136	39	27	12	678	35	42	98	135	122
33	Colored	227	31	6	2	1	2	42	2	3	12	18	21
	UTAH.												
34	Registration cities (total)	1,685	271	33	18	19	18	359	48	36	40	73	69
35	White	1,649	264	32	18	17	18	349	48	35	39	71	68
36	Colored	36	7	1	.....	2	.....	10	.....	1	1	2	1
37	Ogden	340	46	3	.....	4	6	59	14	9	6	16	15
38	Salt Lake City	1,345	225	30	18	15	12	300	34	27	34	57	54
	VERMONT.												
39	Registration cities (total)	846	160	20	18	8	7	213	18	10	15	24	28
40	White	845	160	20	18	8	7	213	18	10	15	24	28
41	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
42	Barre	161	24	3	2	2	2	33	3	4	5	5	5
43	Burlington	451	109	12	10	5	4	140	11	6	8	14	14
44	Rutland	234	27	5	6	1	1	40	4	.....	2	5	9
	VIRGINIA.												
45	Registration cities (total)	8,591	1,439	304	154	74	59	2,030	171	125	245	474	515
46	White	4,470	698	121	71	36	37	963	89	53	104	173	221
47	Colored	4,121	741	183	83	38	22	1,067	82	72	141	301	294
48	Alexandria (total)	296	34	5	1	1	1	42	7	5	4	8	15
49	White	192	23	2	.....	1	1	27	6	2	3	3	5
50	Colored	104	11	3	1	.....	.....	15	1	3	1	5	10
51	Danville (total)	348	56	20	10	5	2	93	7	7	6	21	19
52	White	206	42	11	5	3	2	63	5	2	3	11	10
53	Colored	142	14	9	5	2	.....	30	2	5	3	10	9
54	Lynchburg (total)	545	85	17	10	3	6	121	15	11	14	26	28
55	White	309	53	10	7	3	5	78	11	9	7	7	16
56	Colored	236	32	7	3	.....	1	43	4	2	7	19	12
57	Newport News (total)	389	60	11	7	5	3	86	13	4	11	33	21
58	White	168	29	5	3	3	1	41	5	1	3	9	7
59	Colored	221	31	6	4	2	2	45	8	3	8	24	14
60	Norfolk (total)	1,666	262	43	25	9	7	346	30	25	69	120	131
61	White	706	95	13	11	5	3	127	8	11	22	44	49
62	Colored	960	167	30	14	4	4	219	22	14	47	76	82
63	Petersburg (total)	768	160	42	19	6	8	235	15	15	21	54	56
64	White	319	57	17	4	3	5	86	7	4	8	19	20
65	Colored	449	103	25	15	3	3	149	8	11	13	35	36

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
173	253	195	206	193	157	172	142	144	92	61	30	11	5	3	17	1
50	81	58	58	64	74	89	79	82	64	50	22	6	2	.....	3	2
123	172	137	148	129	83	83	63	62	28	11	8	5	3	3	14	3
73	107	93	108	97	67	70	50	65	35	24	11	4	1	.....	1	4
12	17	20	18	31	22	33	24	41	25	22	8	2	1	.....	.....	5
61	90	73	90	66	45	37	26	24	10	2	3	2	.....	.....	1	6
65	92	64	60	65	61	80	58	57	36	16	13	4	1	1	11	7
22	42	18	24	24	31	42	35	28	25	12	9	3	.....	.....	2	8
43	50	46	36	41	30	38	23	29	11	4	4	1	1	1	9	9
15	30	15	18	19	14	11	22	9	12	11	2	2	1	.....	3	10
9	13	8	7	4	12	7	13	7	9	10	2	1	.....	.....	.....	11
6	17	7	11	15	2	4	9	2	3	1	.....	1	1	.....	3	12
20	24	23	20	12	15	11	12	13	9	10	4	1	2	2	2	13
7	9	12	9	5	9	7	7	6	5	6	3	.....	1	.....	1	14
13	15	11	11	7	6	4	5	7	4	4	1	1	1	2	1	15
431	495	434	387	370	350	353	300	225	197	125	72	21	5	14	6	16
337	386	331	312	299	294	317	273	196	182	115	67	20	5	9	6	17
94	109	103	75	71	56	36	27	29	15	10	5	1	.....	5	.....	18
33	24	31	23	40	21	25	25	19	8	6	2	.....	.....	1	6	19
21	11	17	18	25	13	22	20	15	6	4	2	.....	.....	.....	6	20
12	13	14	5	15	8	3	5	4	2	2	.....	.....	.....	1	.....	21
96	128	101	102	91	84	96	78	54	53	31	12	2	.....	2	.....	22
64	84	62	75	65	64	81	74	45	47	29	12	2	.....	.....	.....	23
32	44	39	27	25	20	15	4	9	6	2	.....	.....	.....	2	.....	24
122	130	107	100	74	77	69	69	47	36	20	22	9	3	6	.....	25
114	127	105	94	71	75	67	65	44	34	20	21	8	3	6	.....	26
8	3	2	6	3	2	2	4	3	2	.....	1	1	.....	.....	.....	27
56	66	67	58	48	54	33	42	35	21	16	12	.....	.....	1	.....	28
30	37	39	33	34	44	27	34	30	19	12	9	.....	.....	1	.....	29
26	29	28	25	14	10	6	8	5	2	4	3	.....	.....	.....	.....	30
124	147	128	104	117	114	130	86	70	79	52	24	10	2	4	.....	31
108	127	108	92	104	98	120	80	62	76	50	23	10	2	2	.....	32
16	20	20	12	13	16	10	6	8	3	2	1	.....	.....	2	.....	33
87	92	114	77	82	118	100	109	96	77	65	26	14	3	.....	.....	34
84	89	108	75	81	118	98	106	95	77	65	26	14	3	.....	.....	35
3	3	6	2	1	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	36
20	20	19	13	13	27	19	30	22	14	15	5	3	1	.....	.....	37
67	72	95	64	69	91	81	79	74	63	50	21	11	2	.....	.....	38
23	27	28	46	50	57	61	57	72	48	35	26	7	1	.....	.....	39
23	27	28	46	50	57	60	57	72	48	35	26	7	1	.....	.....	40
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
6	5	10	16	12	8	8	12	10	10	3	2	4	.....	.....	.....	42
10	13	10	14	24	35	33	28	37	17	21	14	1	1	.....	.....	43
7	9	8	16	14	14	20	17	25	21	11	10	2	.....	.....	.....	44
522	536	514	441	497	492	505	456	407	313	203	114	22	5	2	2	45
198	230	214	208	214	271	315	334	314	271	180	97	16	3	1	1	46
324	306	300	233	283	221	190	122	93	42	23	17	6	2	1	1	47
15	28	18	20	9	26	24	15	18	17	15	7	2	1	.....	.....	48
11	17	8	12	6	16	17	9	15	14	13	6	1	1	.....	.....	49
4	11	10	8	3	10	7	6	3	3	2	1	1	.....	.....	.....	50
22	22	13	16	31	24	24	18	8	12	2	3	.....	.....	.....	.....	51
10	12	6	9	14	11	16	13	6	10	2	3	.....	.....	.....	.....	52
12	10	7	7	17	13	8	5	2	2	.....	.....	.....	.....	.....	.....	53
26	26	27	19	34	37	36	50	27	23	16	8	1	.....	.....	.....	54
11	14	14	8	15	22	20	31	15	15	11	5	.....	.....	.....	.....	55
15	12	13	11	19	15	16	19	12	8	5	3	1	.....	.....	.....	56
29	35	29	25	16	22	19	22	15	6	2	1	.....	.....	.....	.....	57
14	13	3	7	7	9	10	18	14	4	2	1	.....	.....	.....	.....	58
15	22	26	18	9	13	9	4	1	2	.....	.....	.....	.....	.....	.....	59
118	117	131	78	103	95	86	61	60	50	25	15	5	.....	.....	1	60
31	35	43	18	41	56	60	43	43	41	21	10	3	.....	.....	.....	61
87	82	88	60	62	39	26	18	17	9	4	5	2	.....	.....	1	62
42	47	44	33	39	26	38	25	27	27	14	5	4	.....	1	.....	63
13	14	20	20	11	7	18	15	15	22	14	3	3	.....	.....	.....	64
29	33	24	13	28	19	20	10	12	5	.....	2	1	.....	1	.....	65

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	VIRGINIA—continued.												
1	Portsmouth (total)	535	92	17	4	4	5	122	15	5	17	26	33
2	White	239	38	2	2	3	2	47	8	2	6	7	8
3	Colored	296	54	15	2	1	3	75	7	3	11	19	25
4	Richmond (total)	3,092	534	112	62	34	21	763	57	38	76	141	166
5	White	1,629	256	36	27	11	12	342	29	13	34	48	74
6	Colored	1,463	278	76	35	23	9	421	28	25	42	93	92
7	Roanoke (total)	684	142	34	13	4	6	199	9	13	21	39	38
8	White	474	95	23	9	3	6	136	7	8	13	20	25
9	Colored	210	47	11	4	1	.....	63	2	5	8	19	11
10	Staunton (total)	268	14	3	3	3	.....	23	3	2	6	6	10
11	White	228	10	2	3	1	.....	16	3	1	5	5	7
12	Colored	40	4	1	.....	2	.....	7	.....	1	1	1	3
	WASHINGTON.												
13	Registration cities (total)	5,385	611	85	53	38	21	808	107	77	121	206	249
14	White	5,166	566	75	50	34	20	745	103	75	113	202	226
15	Colored	219	45	10	3	4	1	63	4	2	8	4	23
16	Aberdeen	103	12	1	4	3	.....	20	5	3	3	10	3
17	Bellingham	245	28	4	1	1	2	36	5	3	5	5	9
18	Everett	272	31	4	2	2	.....	39	2	5	7	14	11
19	North Yakima	210	26	2	2	2	1	33	4	4	5	6	8
20	Seattle	2,442	276	46	19	13	9	363	38	25	53	95	136
21	Spokane	1,051	114	17	15	9	6	161	27	15	22	39	44
22	Tacoma	897	94	9	9	8	3	123	23	20	21	29	35
23	Walla Walla	165	30	2	1	.....	.....	33	3	2	5	8	3
	WEST VIRGINIA.[1]												
24	Wheeling (total)	783	105	24	13	7	6	155	15	14	15	48	30
25	White	758	103	23	13	7	6	152	15	13	14	46	30
26	Colored [2]	25	2	1	.....	.....	.....	3	.....	1	1	2	.....
	WISCONSIN.												
27	Registration cities (total)	11,425	2,175	438	175	133	93	3,014	240	169	262	410	422
28	White	11,372	2,171	438	174	132	93	3,008	237	169	262	405	419
29	Colored	53	4	.....	1	1	.....	6	3	.....	.....	5	3
30	Appleton	265	39	7	2	.....	1	49	7	4	6	7	12
31	Ashland	226	21	5	4	1	1	32	5	4	11	14	11
32	Beloit	191	27	4	3	1	2	37	3	5	3	6	7
33	Eau Claire	367	36	6	6	4	4	56	10	3	12	20	25
34	Fond du Lac	349	45	11	1	.....	2	59	5	4	8	10	12
35	Green Bay	552	134	18	4	3	2	161	9	8	22	19	21
36	Janesville	215	24	2	.....	3	.....	29	5	1	7	8	5
37	Kenosha	366	81	18	4	6	7	116	9	5	7	11	18
38	La Crosse	505	41	10	3	6	4	64	11	13	10	17	15
39	Madison	435	75	10	5	8	3	101	7	5	8	24	11
40	Manitowoc	190	25	7	3	3	1	39	3	5	5	3	6
41	Marinette	152	28	6	2	2	1	39	6	2	6	7	1
42	Milwaukee	5,549	1,255	278	115	72	52	1,772	124	82	109	188	179
43	Oshkosh	432	61	6	1	2	1	71	2	4	7	15	13
44	Racine	580	109	16	8	10	4	147	15	7	14	20	25
45	Sheboygan	406	74	17	8	6	1	106	5	5	11	9	16
46	Superior	439	62	12	5	3	7	89	10	5	10	24	33
47	Wausau	206	38	5	1	3	.....	47	4	7	6	8	12

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1916—Continued.

formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
34	34	31	43	36	35	35	16	22	10	11	8	1	1	.....	.....	1
12	9	12	20	12	18	17	13	21	9	10	7	1	.....	.....	.....	2
22	25	19	23	24	17	18	3	1	1	1	1	.....	1	.....	.....	3
188	180	173	163	179	161	185	180	165	126	91	49	8	3	.....	.....	4
62	84	74	84	77	80	108	135	126	118	84	48	7	2	.....	.....	5
126	96	99	79	102	81	77	45	39	8	7	1	1	1	.....	.....	6
39	34	27	31	37	38	32	36	39	22	18	12	1	.....	1	.....	7
25	20	15	19	21	28	25	30	36	20	15	8	1	.....	1	.....	8
14	14	12	12	16	10	6	6	3	2	3	4	.....	.....	.....	.....	9
9	13	21	13	13	28	26	33	26	20	9	6	.....	.....	.....	1	10
9	12	19	11	10	24	23	27	23	18	8	6	.....	.....	.....	1	11
.....	1	2	2	3	4	3	6	3	2	1	.....	.....	.....	.....	.....	12
247	307	270	321	374	437	407	402	391	287	223	99	34	6	3	4	13
231	290	257	307	359	421	400	398	384	283	226	99	34	6	3	4	14
16	17	13	14	15	16	7	4	7	4	2	.....	.....	.....	.....	.....	15
7	5	4	6	8	4	9	6	3	1	2	4	.....	.....	.....	.....	16
7	15	10	17	15	11	16	31	19	15	15	7	1	2	.....	.....	17
12	14	15	20	21	24	20	17	19	14	11	7	.....	.....	.....	.....	18
10	12	14	17	11	26	12	6	12	12	14	4	.....	.....	.....	.....	19
112	144	128	144	169	203	176	192	179	131	89	47	15	1	1	1	20
53	56	52	66	76	80	98	72	76	50	43	10	9	2	.....	.....	21
41	51	41	43	66	82	62	70	70	48	41	16	9	1	2	3	22
5	10	6	8	7	7	14	8	13	16	13	4	.....	.....	.....	.....	23
43	45	48	50	46	48	38	54	50	33	34	12	5	.....	.....	.....	24
41	44	44	48	44	46	37	51	50	33	33	12	5	.....	.....	.....	25
2	1	4	2	2	2	1	3	.....	.....	1	.....	.....	.....	.....	.....	26
407	449	519	570	623	711	656	686	724	643	498	281	106	24	7	4	27
403	444	511	565	621	709	651	684	724	642	498	281	106	23	6	4	28
4	5	8	5	2	2	5	2	.....	1	.....	.....	.....	1	1	.....	29
9	9	15	14	7	14	12	28	24	17	19	10	2	.....	.....	.....	30
13	13	17	17	18	13	18	11	14	4	5	3	3	.....	.....	.....	31
7	5	3	7	9	9	10	14	18	16	17	10	4	.....	.....	1	32
15	18	23	20	26	24	21	20	18	27	17	10	2	.....	.....	.....	33
10	13	11	22	26	19	23	31	23	30	23	13	5	2	.....	.....	34
17	26	26	33	20	31	27	31	34	31	20	12	2	2	.....	.....	35
11	11	5	10	9	8	17	17	23	16	14	13	3	3	.....	.....	36
18	19	19	15	15	23	15	24	18	20	8	2	3	1	.....	.....	37
26	18	19	29	36	39	36	34	52	34	26	19	6	1	.....	.....	38
18	14	17	30	24	34	24	21	30	28	23	8	7	1	.....	.....	39
5	7	5	4	6	13	22	7	16	12	15	12	3	2	.....	.....	40
5	6	8	6	7	13	7	7	14	5	6	7	.....	.....	.....	.....	41
165	200	256	260	307	342	303	313	310	272	203	111	43	7	3	.....	42
18	13	17	20	27	31	20	36	37	35	35	20	10	.....	.....	1	43
23	24	29	35	29	35	33	31	35	33	23	14	6	1	1	.....	44
11	20	17	16	12	24	29	28	23	35	23	12	3	1	.....	.....	45
27	25	25	28	34	27	25	21	18	11	12	4	4	2	3	2	46
9	8	7	4	11	12	14	12	17	17	9	1	.....	1	.....	.....	47

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND OF DECE

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	THE REGISTRATION AREA.												
1	Total	1,001,921	164,660	36,218	16,304	9,913	6,986	234,081	20,635	14,008	23,342	35,357	38,148
2	Males	547,809	93,122	19,354	8,676	5,283	3,627	130,062	11,132	7,503	11,894	18,375	20,573
3	Females	454,112	71,538	16,864	7,628	4,630	3,359	104,019	9,503	6,505	11,448	16,982	17,575
4	White	905,213	147,764	32,043	14,527	8,951	6,306	209,591	18,543	12,057	19,161	29,116	32,243
5	Males	496,743	83,709	17,128	7,741	4,787	3,296	116,661	10,106	6,631	10,046	15,410	17,605
6	Females	408,470	64,055	14,915	6,786	4,164	3,010	92,930	8,437	5,426	9,115	13,706	14,638
7	Native	668,224	147,200	31,744	14,314	8,751	6,159	208,168	17,844	11,183	16,757	22,662	22,997
8	Males	358,967	83,389	16,974	7,629	4,676	3,212	115,880	9,717	6,161	8,696	11,444	11,703
9	Females	309,257	63,811	14,770	6,685	4,075	2,947	92,288	8,127	5,022	8,061	11,218	11,294
10	Both parents native {M	192,862	44,418	8,154	4,082	2,543	1,743	60,940	5,669	3,840	5,269	6,419	6,326
	{F	175,311	33,690	7,197	3,600	2,207	1,626	48,320	4,787	3,098	4,880	6,538	6,548
11	One or both parents foreign {M	120,345	36,286	8,484	3,393	2,046	1,402	51,611	3,338	2,144	3,048	4,211	4,350
	{F	98,774	28,034	7,298	2,956	1,814	1,274	41,376	3,199	1,801	2,860	3,962	3,782
12	Parentage unknown {M	45,760	2,685	336	154	87	67	3,329	210	177	379	814	1,027
	{F	35,172	2,087	275	129	54	47	2,592	141	123	321	718	964
13	Foreign	224,405	318	260	188	191	142	1,099	651	837	2,272	6,070	8,667
14	Males	127,899	189	136	98	105	82	610	361	447	1,251	3,664	5,407
15	Females	96,506	129	124	90	86	60	489	290	390	1,021	2,406	3,260
16	Unknown	12,584	246	39	25	9	5	324	48	37	132	384	579
17	Males	9,877	131	18	14	6	2	171	28	23	99	302	495
18	Females	2,707	115	21	11	3	3	153	20	14	33	82	84
19	Colored	96,708	16,896	4,175	1,777	962	680	24,490	2,092	1,951	4,181	6,241	5,905
20	Males	51,066	9,413	2,226	935	496	331	13,401	1,026	872	1,848	2,965	2,968
21	Females	45,642	7,483	1,949	842	466	349	11,089	1,066	1,079	2,333	3,276	2,937
22	Negro {M	48,492	9,009	2,125	889	467	314	12,804	969	835	1,782	2,865	2,847
	{F	44,407	7,157	1,865	810	444	329	10,605	1,025	1,032	2,282	3,199	2,871
23	Indian {M	821	138	60	33	16	11	258	47	32	45	46	34
	{F	812	140	48	22	11	14	235	38	45	40	42	32
24	Chinese {M	1,020	28	6	3	2	1	40	4	2	7	34	31
	{F	82	28	5	3	.....	3	39	1	.....	4	1	6
25	Japanese {M	700	234	35	10	11	5	295	6	3	13	15	50
	{F	337	157	31	7	11	3	209	2	1	7	34	27
26	Other colored {M	33	4	.....	.....	.....	.....	4	.....	.....	1	5	6
	{F	4	1	.....	.....	.....	.....	1	.....	1	.....	.....	1
	REGISTRATION STATES.[1]												
27	Total	924,971	152,335	33,426	15,052	9,166	6,435	216,414	19,029	12,941	21,232	31,715	34,096
28	Males	504,887	86,220	17,843	8,014	4,880	3,362	120,319	10,250	6,936	10,867	16,496	18,370
29	Females	420,084	66,115	15,583	7,038	4,286	3,073	96,095	8,779	6,005	10,365	15,219	15,726
30	White	842,597	137,086	29,584	13,455	8,294	5,817	194,236	17,154	11,205	17,710	26,641	29,406
31	Males	461,432	77,726	15,800	7,168	4,436	3,058	108,188	9,337	6,162	9,305	14,102	16,044
32	Females	381,165	59,360	13,784	6,287	3,858	2,759	86,048	7,817	5,043	8,405	12,539	13,362
33	Native	626,940	136,608	29,349	13,273	8,126	5,694	193,050	16,537	10,450	15,588	20,392	21,119
34	Males	336,285	77,451	15,675	7,072	4,343	2,989	107,530	8,996	5,753	8,101	10,518	10,732
35	Females	290,655	59,157	13,674	6,201	3,783	2,705	85,520	7,541	4,697	7,487	10,374	10,387
36	Both parents native {M	183,839	42,223	7,732	3,860	2,417	1,656	57,888	5,339	3,625	4,977	6,010	5,932
	{F	167,458	31,949	6,815	3,406	2,081	1,526	45,777	4,504	2,938	4,613	6,157	6,135
37	One or both parents foreign {M	110,014	32,823	7,647	3,073	1,849	1,271	46,663	3,471	1,966	2,789	3,773	3,380
	{F	90,470	25,355	6,599	2,679	1,653	1,140	37,426	2,913	1,645	2,579	3,591	3,395
38	Parentage unknown {M	42,432	2,405	296	139	77	62	2,979	186	162	335	735	920
	{F	32,727	1,853	260	116	49	39	2,317	124	114	295	626	857
39	Foreign	204,186	274	202	158	160	118	912	571	721	2,001	5,411	7,760
40	Males	116,152	164	110	82	87	67	510	314	388	1,113	3,314	4,857
41	Females	88,034	110	92	76	73	51	402	257	333	888	2,097	2,903
42	Unknown	11,471	204	33	24	8	5	274	46	34	121	338	527
43	Males	8,995	111	15	14	6	2	148	27	21	91	270	455
44	Females	2,476	93	18	10	2	3	126	19	13	30	68	72
45	Colored	82,374	15,249	3,842	1,597	872	618	22,178	1,875	1,736	3,522	5,074	4,690
46	Males	43,455	8,494	2,043	846	444	304	12,131	913	774	1,562	2,394	2,326
47	Females	38,919	6,755	1,799	751	428	314	10,047	962	962	1,960	2,680	2,364
48	Negro {M	41,002	8,096	1,943	800	416	287	11,542	856	738	1,498	2,299	2,213
	{F	37,713	6,433	1,718	719	407	295	9,577	921	915	1,909	2,607	2,299
49	Indian {M	816	138	60	33	16	11	258	47	32	45	44	34
	{F	805	140	47	22	11	14	234	38	45	40	40	32
50	Chinese {M	922	24	5	3	2	1	35	4	1	5	31	25
	{F	71	24	4	3	.....	2	33	1	.....	4	1	5
51	Japanese {M	684	232	35	10	10	5	292	6	3	13	15	48
	{F	326	152	30	7	10	3	202	2	1	7	32	27
52	Other colored {M	31	4	.....	.....	.....	.....	4	.....	.....	1	5	6
	{F	4	1	.....	.....	.....	.....	1	.....	1	.....	.....	1

[1] Includes District of Columbia.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY
DENT: 1916.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
39,257	44,171	45,121	48,848	53,448	58,629	62,779	68,141	70,306	62,597	45,769	24,488	8,637	2,205	649	1,305	1
22,036	25,553	26,349	28,954	31,519	34,126	35,483	37,179	37,012	31,675	21,709	11,056	3,592	894	253	880	2
17,221	18,618	18,772	19,894	21,929	24,503	27,296	30,962	33,294	30,922	24,060	13,432	5,045	1,311	396	425	3
33,671	37,708	39,388	43,555	48,045	54,241	58,357	64,263	66,748	60,109	43,840	23,412	8,027	1,903	317	918	4
19,141	22,026	23,267	26,045	28,467	31,688	33,063	35,077	35,027	30,322	20,749	10,540	3,320	775	137	640	5
14,530	15,682	16,121	17,510	19,578	22,553	25,294	29,186	31,721	29,787	23,091	12,872	4,707	1,128	180	278	6
22,875	24,531	25,674	27,374	28,932	34,871	36,982	39,736	41,216	37,838	27,586	14,483	4,933	1,112	155	315	7
12,162	13,403	14,250	15,434	16,142	19,672	20,681	21,546	21,375	18,857	12,868	6,382	1,937	431	61	164	8
10,713	11,128	11,424	11,940	12,789	15,199	16,301	18,190	19,841	18,981	14,718	8,101	2,996	681	94	151	9
6,247	6,349	6,335	6,949	7,407	9,527	11,153	12,869	12,860	11,532	7,844	3,857	1,134	241	25	70	10
6,064	6,051	5,830	6,031	6,292	7,900	9,159	11,008	12,333	12,433	9,682	5,321	1,964	440	51	81	
4,644	5,347	6,070	6,213	6,119	6,702	5,407	3,892	2,849	2,029	1,149	511	140	42	7	22	11
3,646	3,826	4,313	4,426	4,795	5,146	4,327	3,657	2,937	2,269	1,479	664	231	52	12	14	
1,271	1,707	1,845	2,272	2,617	3,443	4,121	4,785	5,666	5,296	3,875	2,014	663	148	29	72	12
1,003	1,251	1,281	1,483	1,702	2,153	2,815	3,525	4,071	4,279	3,557	2,116	801	189	31	56	
10,021	12,135	12,643	15,049	17,916	18,408	20,335	23,515	24,684	21,616	15,779	8,680	2,997	759	160	112	13
6,308	7,713	8,083	9,631	11,308	11,200	11,554	12,785	13,073	11,054	7,613	4,019	1,339	329	75	75	14
3,713	4,422	4,560	5,418	6,608	7,208	8,781	10,730	11,611	10,562	8,166	4,661	1,658	430	85	37	15
775	1,042	1,071	1,132	1,197	962	1,040	1,012	848	655	475	249	97	32	2	491	16
671	910	934	980	1,016	816	828	746	579	411	268	139	44	15	1	401	17
104	132	137	152	181	146	212	266	269	244	207	110	53	17	1	90	18
5,586	6,463	5,733	5,293	5,403	4,388	4,422	3,878	3,558	2,488	1,929	1,076	610	302	332	387	19
2,895	3,527	3,082	2,909	3,052	2,438	2,420	2,102	1,985	1,353	960	516	272	119	116	240	20
2,691	2,936	2,651	2,384	2,351	1,950	2,002	1,776	1,573	1,135	969	560	338	183	216	147	21
2,770	3,373	2,914	2,757	2,850	2,245	2,231	1,948	1,888	1,283	930	488	258	111	110	234	
2,634	2,886	2,616	2,343	2,319	1,925	1,972	1,743	1,531	1,103	934	534	326	175	210	142	22
28	26	29	22	35	28	37	25	29	30	20	23	10	8	6	3	
29	27	25	29	27	23	28	31	39	31	35	25	12	8	6	5	23
36	43	64	76	137	148	144	127	67	40	9	5	4	.....	.....	2	
7	3	2	4	5	2	2	1	3	1	.....	1	.....	.....	.....	.....	24
55	82	72	52	28	17	7	2	1	.....	1	.....	.....	.....	.....	1	
20	20	8	8	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
6	3	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
35,162	39,439	40,625	44,069	48,526	53,933	58,164	64,011	66,607	59,688	43,747	23,398	8,250	2,114	591	1,220	27
19,705	22,659	23,698	25,989	28,520	31,253	32,776	34,945	35,070	30,257	20,825	10,609	3,438	858	232	815	28
15,457	16,780	16,927	18,080	20,006	22,680	25,388	29,066	31,537	29,431	22,922	12,789	4,812	1,256	359	405	29
30,651	34,358	36,087	39,849	44,141	50,203	54,391	60,590	63,450	57,434	41,984	22,406	7,688	1,832	295	886	30
17,381	19,923	21,279	23,686	26,016	29,156	30,728	33,074	33,296	29,017	19,935	10,123	3,189	748	128	615	31
13,270	14,435	14,808	16,163	18,125	21,047	23,663	27,516	30,154	28,417	22,049	12,283	4,499	1,084	167	271	32
20,966	22,506	23,720	25,382	27,004	32,803	34,998	38,078	39,855	36,727	26,816	14,084	4,816	1,089	153	307	33
11,112	12,213	13,148	14,238	15,016	18,435	19,523	20,644	20,692	18,336	12,548	6,222	1,886	422	61	159	34
9,854	10,293	10,572	11,144	11,988	14,368	15,475	17,434	19,163	18,391	14,268	7,862	2,930	667	92	148	35
5,819	5,863	5,951	6,510	6,997	9,078	10,671	12,448	12,554	11,257	7,689	3,788	1,112	236	25	70	
5,670	5,693	5,482	5,727	5,991	7,594	8,816	10,634	12,469	12,128	9,443	5,196	1,927	433	50	81	36
4,187	4,355	5,549	5,702	5,680	6,218	5,076	3,704	2,716	1,967	1,119	494	136	41	7	21	
3,295	3,488	3,951	4,092	4,451	4,810	4,055	3,455	2,821	2,160	1,410	631	226	51	12	13	37
1,106	1,495	1,648	2,026	2,339	3,139	3,776	4,492	5,422	5,112	3,740	1,940	638	145	29	68	
889	1,112	1,139	1,325	1,546	1,964	2,604	3,345	3,873	4,103	3,415	2,035	777	183	30	54	38
8,992	10,919	11,408	13,449	16,056	16,519	18,455	21,583	22,803	20,085	14,720	8,084	2,780	711	140	106	39
5,667	6,891	7,294	8,567	10,086	9,976	10,467	11,744	12,063	10,294	7,130	3,769	1,261	311	66	70	40
3,325	4,028	4,114	4,882	5,970	6,543	7,988	9,839	10,740	9,791	7,590	4,315	1,519	400	74	36	41
693	933	959	1,018	1,081	881	938	929	792	622	448	238	92	32	2	473	42
602	819	837	881	914	745	738	686	541	387	257	132	42	15	1	386	43
91	114	122	137	167	136	200	243	251	235	191	106	50	17	1	87	44
4,511	5,081	4,538	4,220	4,385	3,730	3,773	3,421	3,157	2,254	1,763	992	562	282	296	334	45
2,324	2,736	2,419	2,303	2,504	2,097	2,048	1,871	1,774	1,240	890	486	249	110	104	200	46
2,187	2,345	2,119	1,917	1,881	1,633	1,725	1,550	1,383	1,014	873	506	313	172	192	134	47
2,204	2,587	2,265	2,162	2,321	1,920	1,871	1,723	1,682	1,173	860	458	236	102	98	194	
2,132	2,296	2,085	1,879	1,851	1,608	1,695	1,517	1,341	982	838	481	301	164	186	129	48
28	26	29	22	35	28	36	25	28	30	20	23	9	8	6	3	
29	26	25	28	26	23	28	31	39	31	35	24	12	8	6	5	49
34	39	52	68	120	134	133	121	63	37	9	5	4	.....	.....	2	
5	3	2	3	4	2	2	1	3	1	.....	1	.....	.....	.....	.....	50
52	81	70	50	27	15	7	2	1	.....	1	.....	.....	.....	.....	1	
20	20	7	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	51
6	3	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION STATES.[1]												
1	Total	477,821	78,784	17,769	7,865	4,995	3,475	112,888	10,062	6,092	10,194	16,711	19,268
2	Males	261,908	44,567	9,485	4,189	2,695	1,849	62,785	5,478	3,261	5,177	8,774	10,648
3	Females	215,913	34,217	8,284	3,676	2,300	1,626	50,103	4,584	2,831	5,017	7,937	8,620
4	White	443,413	73,616	16,422	7,297	4,698	3,269	105,302	9,431	5,512	8,972	14,646	16,992
5	Males	243,281	41,724	8,806	3,888	2,542	1,749	58,709	5,158	3,002	4,631	7,768	9,411
6	Females	200,132	31,892	7,616	3,409	2,156	1,520	46,593	4,273	2,510	4,341	6,878	7,581
7	Native	301,465	73,308	16,257	7,171	4,576	3,178	104,490	8,994	4,973	7,471	10,734	11,205
8	Males	163,027	41,542	8,718	3,817	2,477	1,698	58,252	4,916	2,711	3,811	5,443	5,843
9	Females	138,438	31,766	7,539	3,354	2,099	1,480	46,238	4,078	2,262	3,660	5,291	5,362
10	Both parents native M.	72,198	17,222	2,903	1,488	1,085	722	23,420	2,336	1,357	1,896	2,605	2,770
	F.	64,377	12,869	2,530	1,329	893	631	18,252	1,922	1,124	1,793	2,559	2,680
11	One or both parents foreign M.	74,279	22,713	5,669	2,272	1,357	951	32,962	2,497	1,294	1,792	2,495	2,649
	F.	61,021	17,617	4,873	1,977	1,197	833	26,497	2,107	1,095	1,736	2,465	2,269
12	Parentage unknown M.	16,550	1,607	146	57	35	25	1,870	83	60	123	343	424
	F.	13,040	1,280	136	48	9	16	1,489	49	43	131	267	413
13	Foreign	136,284	169	143	111	121	89	633	422	525	1,449	3,749	5,512
14	Males	75,719	101	76	62	64	51	354	231	281	778	2,196	3,333
15	Females	60,565	68	67	49	57	38	279	191	244	671	1,553	2,179
16	Unknown	5,664	139	22	15	1	2	179	15	14	52	163	275
17	Males	4,535	81	12	9	1	.....	103	11	10	42	129	235
18	Females	1,129	58	10	6	.....	2	76	4	4	10	34	40
19	Colored	34,408	5,168	1,347	568	297	206	7,586	631	580	1,222	2,065	2,276
20	Males	18,627	2,843	679	301	153	100	4,076	320	259	546	1,006	1,237
21	Females	15,781	2,325	668	267	144	106	3,510	311	321	676	1,059	1,039
22	Negro M.	17,513	2,720	656	292	144	94	3,906	310	256	528	961	1,178
	F.	15,506	2,224	643	261	138	101	3,367	309	318	665	1,036	1,015
23	Indian M.	49	5	1	.....	.....	2	8	3	.....	4	5	4
	F.	35	1	2	1	.....	1	5	.....	3	3	2	2
24	Chinese M.	671	19	5	2	2	1	29	4	1	5	26	21
	F.	57	21	3	2	.....	2	28	1	.....	3	1	5
25	Japanese M.	379	98	17	7	7	3	132	3	2	9	11	31
	F.	182	79	20	3	6	2	110	1	.....	5	20	16
26	Other colored M.	15	1	.....	.....	.....	.....	1	.....	.....	.....	3	3
	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	RURAL PART OF REGISTRATION STATES.[2]												
27	Total	447,150	73,551	15,657	7,187	4,171	2,960	103,526	8,967	6,849	11,038	15,004	14,828
28	Males	242,979	41,653	8,358	3,825	2,185	1,513	57,534	4,772	3,675	5,690	7,722	7,722
29	Females	204,171	31,898	7,299	3,362	1,986	1,447	45,992	4,195	3,174	5,348	7,282	7,106
30	White	399,184	63,470	13,162	6,158	3,596	2,548	88,934	7,723	5,693	8,738	11,995	12,414
31	Males	218,151	36,002	6,994	3,280	1,894	1,309	49,479	4,179	3,160	4,674	6,334	6,633
32	Females	181,033	27,468	6,168	2,878	1,702	1,239	39,455	3,544	2,533	4,064	5,661	5,781
33	Native	325,475	63,300	13,092	6,102	3,550	2,516	88,560	7,543	5,477	8,117	10,158	9,914
34	Males	173,258	35,909	6,957	3,255	1,866	1,291	49,278	4,080	3,042	4,290	5,075	4,889
35	Females	152,217	27,391	6,135	2,847	1,684	1,225	39,282	3,463	2,435	3,827	5,083	5,025
36	Both parents native M.	111,641	25,001	4,829	2,372	1,332	934	34,468	3,003	2,268	3,081	3,405	3,162
	F.	103,081	19,080	4,285	2,077	1,188	895	27,525	2,582	1,814	2,820	3,598	3,455
37	One or both parents foreign M.	35,735	10,110	1,978	801	492	320	13,701	974	672	997	1,278	1,231
	F.	29,449	7,738	1,726	702	456	307	10,929	806	550	843	1,126	1,126
38	Parentage unknown M.	25,882	798	150	82	42	37	1,109	103	102	212	392	496
	F.	19,687	573	124	68	40	23	828	75	71	164	359	444
39	Foreign	67,902	105	59	47	39	29	279	149	196	552	1,662	2,248
40	Males	40,433	63	34	20	23	16	156	83	107	335	1,118	1,524
41	Females	27,469	42	25	27	16	13	123	66	89	217	544	724
42	Unknown	5,807	65	11	9	7	3	95	31	20	69	175	252
43	Males	4,460	30	3	5	5	2	45	16	11	49	141	220
44	Females	1,347	35	8	4	2	1	50	15	9	20	34	32
45	Colored	47,966	10,081	2,495	1,029	575	412	14,592	1,244	1,156	2,300	3,009	2,414
46	Males	24,828	5,651	1,364	545	291	204	8,055	593	515	1,016	1,388	1,089
47	Females	23,138	4,430	1,131	484	284	208	6,537	651	641	1,284	1,621	1,325
48	Negro M.	23,489	5,376	1,287	508	272	193	7,636	546	482	970	1,338	1,035
	F.	22,207	4,214	1,075	458	269	194	6,210	612	597	1,244	1,571	1,284
49	Indian M.	767	133	59	33	16	9	250	44	32	41	39	30
	F.	770	139	45	21	11	13	229	38	42	37	38	30
50	Chinese M.	251	5	.....	1	.....	.....	6	.....	.....	1	5	4
	F.	14	3	1	1	.....	.....	5	.....	.....	1	.....	.....
51	Japanese M.	305	134	18	3	3	2	160	3	1	4	4	17
	F.	144	73	10	4	4	1	92	1	1	2	12	11
52	Other colored M.	16	3	.....	.....	.....	.....	3	.....	.....	1	2	3
	F.	3	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....

[1] Includes District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
20,823	23,712	24,966	27,414	29,529	30,799	31,222	31,322	29,610	24,507	16,385	8,399	2,858	690	138	232	1
12,101	14,118	15,051	16,487	17,658	17,886	17,349	16,632	14,893	11,646	7,113	3,360	1,039	246	43	163	2
8,722	9,594	9,915	10,927	11,871	12,913	13,873	14,690	14,717	12,861	9,272	5,039	1,819	444	95	69	3
18,451	20,950	22,411	24,996	27,180	28,900	29,507	30,005	28,502	23,337	16,001	8,169	2,742	637	94	176	4
10,781	12,514	13,584	15,078	16,262	16,799	16,439	15,924	14,315	11,301	6,950	3,262	998	230	33	132	5
7,670	8,436	8,827	9,918	10,918	12,101	13,068	14,081	14,187	12,536	9,051	4,907	1,744	407	61	44	6
11,573	12,524	13,457	14,243	14,614	16,419	15,845	15,079	14,012	11,924	8,028	4,113	1,401	289	33	44	7
6,462	7,154	7,804	8,222	8,333	9,290	8,839	7,961	6,955	5,520	3,353	1,561	460	96	13	28	8
5,111	5,370	5,653	6,021	6,281	7,129	7,006	7,118	7,057	6,404	4,675	2,552	941	193	20	16	9
2,904	2,881	2,998	3,061	3,146	3,747	4,136	4,315	3,936	3,309	2,033	987	293	56	8	4	10
2,469	2,379	2,344	2,480	2,461	3,018	3,318	3,770	4,269	4,010	3,044	1,712	630	123	11	9	
2,992	3,509	3,969	4,102	3,977	4,095	3,126	2,045	1,339	834	389	150	40	12	1	10	11
2,227	2,443	2,722	2,883	3,068	3,228	2,617	2,069	1,533	1,067	627	246	94	19	6	3	
566	764	837	1,059	1,210	1,448	1,577	1,601	1,620	1,377	931	424	127	28	4	14	12
415	548	587	658	752	883	1,071	1,279	1,255	1,327	1,004	594	217	51	3	4	
6,499	7,877	8,375	10,126	11,908	11,998	13,203	14,521	14,195	11,717	7,834	3,994	1,316	345	60	26	13
3,988	4,878	5,275	6,315	7,375	7,104	7,235	7,664	7,156	5,665	3,520	1,674	528	132	19	18	14
2,511	2,999	3,100	3,811	4,533	4,894	5,968	6,857	7,039	6,052	4,314	2,320	788	213	41	8	15
379	549	579	627	658	483	459	405	295	196	139	62	25	3	1	106	16
331	482	505	541	554	405	365	299	204	116	77	27	10	2	1	86	17
48	67	74	86	104	78	94	106	91	80	62	35	15	1	----	20	18
2,372	2,762	2,555	2,418	2,349	1,899	1,715	1,317	1,108	670	384	230	116	53	44	56	19
1,320	1,604	1,467	1,409	1,396	1,087	910	708	578	345	163	98	41	16	10	31	20
1,052	1,158	1,088	1,009	953	812	805	609	530	325	221	132	75	37	34	25	21
1,254	1,522	1,377	1,312	1,273	969	819	627	544	327	159	97	40	15	9	30	22
1,039	1,142	1,082	997	948	811	800	607	527	323	219	131	75	37	33	25	
2	1	4	4	5	2	----	3	----	1	1	----	----	1	1	----	23
1	2	1	3	2	1	4	----	1	2	2	----	----	----	1	----	
28	30	41	62	99	108	85	76	34	17	2	1	1	----	----	1	24
3	3	2	3	3	----	1	1	2	----	----	1	----	----	----	----	
33	49	43	31	19	8	5	2	----	----	1	----	----	----	----	----	25
9	11	3	6	----	----	----	1	----	----	----	----	----	----	----	----	
3	2	2	----	----	----	1	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
14,339	15,727	15,659	16,655	18,997	23,134	26,942	32,689	36,997	35,181	27,362	14,999	5,392	1,424	453	988	27
7,604	8,541	8,647	9,502	10,862	13,367	15,427	18,313	20,177	18,611	13,712	7,249	2,399	612	189	652	28
6,735	7,186	7,012	7,153	8,135	9,767	11,515	14,376	16,820	16,570	13,650	7,750	2,993	812	264	336	29
12,200	13,408	13,676	14,853	16,961	21,303	24,884	30,585	34,948	33,597	25,983	14,237	4,946	1,195	201	710	30
6,600	7,409	7,695	8,608	9,754	12,357	14,289	17,150	18,981	17,716	12,985	6,861	2,191	518	95	483	31
5,600	5,999	5,981	6,245	7,207	8,946	10,595	13,435	15,967	15,881	12,998	7,376	2,755	677	106	227	32
9,393	9,982	10,263	11,139	12,390	16,384	19,153	22,999	25,843	24,803	18,788	9,971	3,415	800	120	263	33
4,650	5,059	5,344	6,016	6,683	9,145	10,684	12,683	13,737	12,816	9,195	4,661	1,426	326	48	131	34
4,743	4,923	4,919	5,123	5,707	7,239	8,469	10,316	12,106	11,987	9,593	5,310	1,989	474	72	132	35
2,915	2,982	2,953	3,449	3,851	5,331	6,535	8,133	8,618	7,948	5,656	2,801	819	180	17	66	36
3,201	3,314	3,138	3,247	3,530	4,576	5,498	6,864	8,200	8,118	6,399	3,484	1,297	310	39	72	
1,195	1,346	1,580	1,600	1,703	2,123	1,950	1,659	1,377	1,133	730	344	96	29	6	11	37
1,068	1,045	1,229	1,209	1,383	1,582	1,438	1,386	1,288	1,093	783	385	132	32	6	10	
540	731	811	967	1,129	1,691	2,199	2,891	3,742	3,735	2,809	1,516	511	117	25	54	38
474	564	552	667	794	1,081	1,533	2,066	2,618	2,776	2,411	1,441	560	132	27	50	
2,493	3,042	3,033	3,323	4,148	4,521	5,252	7,062	8,608	8,368	6,886	4,090	1,464	366	80	80	39
1,679	2,013	2,019	2,252	2,711	2,872	3,232	4,080	4,907	4,629	3,610	2,095	733	179	47	52	40
814	1,029	1,014	1,071	1,437	1,649	2,020	2,982	3,701	3,739	3,276	1,995	731	187	33	28	41
314	384	380	391	423	398	479	524	497	426	309	176	67	29	1	367	42
271	337	332	340	360	340	373	387	337	271	180	105	32	13	----	300	43
43	47	48	51	63	58	106	137	160	155	129	71	35	16	1	67	44
2,139	2,319	1,983	1,802	2,036	1,831	2,058	2,104	2,049	1,584	1,379	762	446	229	252	278	45
1,004	1,132	952	894	1,108	1,010	1,138	1,163	1,196	895	727	388	208	94	94	169	46
1,135	1,187	1,031	908	928	821	920	941	853	689	652	374	238	135	158	109	47
950	1,065	888	850	1,048	951	1,052	1,096	1,138	846	701	361	196	87	89	164	48
1,093	1,154	1,003	882	903	797	895	910	814	659	619	350	226	127	153	104	
26	25	25	18	30	26	36	22	28	29	19	23	9	7	5	3	49
28	24	24	25	24	22	24	31	38	29	33	24	12	8	5	5	
6	9	11	6	21	26	48	45	29	20	7	4	3	----	----	1	50
2	----	----	----	1	2	1	----	1	1	----	----	----	----	----	----	
19	32	27	19	8	7	2	----	1	----	----	----	----	----	----	1	51
11	9	4	1	----	----	----	----	----	----	----	----	----	----	----	----	
3	1	1	1	1	----	----	----	----	----	----	----	----	----	----	----	52
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

[2] The term "rural" embraces the area outside of municipalities of 10,000 population over in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN NON-REGISTRATION STATES.[1]												
1	Total	76,950	12,325	2,792	1,252	747	551	17,667	1,606	1,067	2,110	3,642	4,052
2	Males	42,922	6,902	1,511	662	403	265	9,743	882	567	1,027	1,879	2,203
3	Females	34,028	5,423	1,281	590	344	286	7,924	724	500	1,083	1,763	1,849
4	White	62,616	10,678	2,459	1,072	657	489	15,355	1,389	852	1,451	2,475	2,837
5	Males	35,311	5,983	1,328	573	351	238	8,473	739	469	741	1,308	1,561
6	Females	27,305	4,695	1,131	499	306	251	6,882	620	383	710	1,167	1,276
7	Native	41,284	10,592	2,395	1,041	625	465	15,118	1,307	733	1,169	1,770	1,878
8	Males	22,682	5,938	1,299	557	333	223	8,350	721	408	595	926	971
9	Females	18,602	4,654	1,096	484	292	242	6,768	586	325	574	844	907
10	Both parents native	M. 9,023	2,195	422	222	126	87	3,052	330	215	292	409	394
		F. 7,853	1,741	382	194	126	100	2,543	283	160	267	381	413
11	One or both parents foreign	M. 10,331	3,463	837	320	197	131	4,948	367	178	259	438	470
		F. 8,304	2,679	699	277	161	134	3,950	286	156	281	371	387
12	Parentage unknown	M. 3,328	280	40	15	10	5	350	24	15	44	79	107
		F. 2,445	234	15	13	5	8	275	17	9	26	92	107
13	Foreign	20,219	44	58	30	31	24	187	80	116	271	659	907
14	Males	11,747	25	26	16	18	15	100	47	59	138	350	550
15	Females	8,472	19	32	14	13	9	87	33	57	133	309	357
16	Unknown	1,113	42	6	1	1	.....	50	2	3	11	46	52
17	Males	882	20	3	.....	.....	.....	23	1	2	8	32	40
18	Females	231	22	3	1	1	.....	27	1	1	3	14	12
19	Colored	14,334	1,647	333	180	90	62	2,312	217	215	659	1,167	1,215
20	Males	7,611	919	183	89	52	27	1,270	113	98	286	571	642
21	Females	6,723	728	150	91	38	35	1,042	104	117	373	596	573
22	Negro	M. 7,490	913	182	89	51	27	1,262	113	97	284	566	634
		F. 6,694	719	147	91	37	34	1,028	104	117	373	592	572
23	Indian	M. 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
		F. 7	.....	1	.....	.....	.....	1	.....	.....	.....	2	.....
24	Chinese	M. 93	4	1	.....	.....	.....	5	.....	1	2	3	6
		F. 11	1	1	.....	.....	1	6	.....	.....	.....	.....	1
25	Japanese	M. 16	2	.....	.....	1	.....	3	.....	.....	.....	.....	2
		F. 11	5	1	.....	1	.....	7	.....	.....	.....	2	.....
26	Other colored	M. 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	ALL REGISTRATION CITIES.[2]												
27	Total	554,771	91,109	20,561	9,117	5,742	4,026	130,555	11,668	7,159	12,304	20,353	23,320
28	Males	304,830	51,469	10,996	4,851	3,098	2,114	72,528	6,360	3,828	6,204	10,653	12,851
29	Females	249,941	39,640	9,565	4,266	2,644	1,912	58,027	5,308	3,331	6,100	9,700	10,469
30	White	506,029	84,294	18,881	8,369	5,355	3,758	120,657	10,820	6,364	10,423	17,121	19,829
31	Males	278,592	47,707	10,134	4,461	2,893	1,987	67,182	5,927	3,471	5,372	9,076	10,972
32	Females	227,437	36,587	8,747	3,908	2,462	1,771	53,475	4,893	2,893	5,051	8,045	8,857
33	Native	342,749	83,900	18,652	8,212	5,201	3,643	119,608	10,301	5,706	8,640	12,504	13,083
34	Males	185,709	47,480	10,017	4,374	2,810	1,921	66,602	5,637	3,119	4,406	6,369	6,814
35	Females	157,040	36,420	8,635	3,838	2,391	1,722	53,006	4,664	2,587	4,234	6,135	6,269
36	Both parents native	M. 81,221	19,417	3,325	1,710	1,211	809	26,472	2,666	1,572	2,188	3,014	3,164
		F. 72,230	14,610	2,912	1,523	1,019	731	20,795	2,205	1,284	2,060	2,940	3,093
37	One or both parents foreign	M. 84,610	26,176	6,506	2,592	1,554	1,082	37,910	2,864	1,472	2,051	2,933	3,119
		F. 69,325	20,296	5,572	2,254	1,358	967	30,447	2,393	1,251	2,017	2,836	2,656
38	Parentage unknown	M. 19,878	1,887	186	72	45	30	2,220	107	75	167	422	531
		F. 15,485	1,514	151	61	14	24	1,764	66	52	157	359	520
39	Foreign	156,503	213	201	141	152	113	820	502	641	1,720	4,408	6,419
40	Males	87,466	126	102	78	82	66	454	278	340	916	2,546	3,883
41	Females	69,037	87	99	63	70	47	366	224	301	804	1,862	2,536
42	Unknown	6,777	181	28	16	2	2	229	17	17	63	209	327
43	Males	5,417	101	15	9	1	.....	126	12	12	50	161	275
44	Females	1,360	80	13	7	1	2	103	5	5	13	48	52
45	Colored	48,742	6,815	1,680	748	387	268	9,898	848	795	1,881	3,232	3,491
46	Males	26,238	3,762	862	390	205	127	5,346	423	357	832	1,577	1,879
47	Females	22,504	3,053	818	358	182	141	4,552	415	438	1,049	1,655	1,612
48	Negro	M. 25,003	3,633	838	381	195	121	5,168	423	353	812	1,527	1,812
		F. 22,200	2,943	790	352	175	135	4,395	413	435	1,038	1,628	1,587
49	Indian	M. 54	5	1	.....	.....	2	8	3	.....	4	7	4
		F. 42	1	3	1	.....	1	6	.....	3	3	4	2
50	Chinese	M. 769	23	6	2	2	1	34	4	2	7	29	27
		F. 68	25	4	2	.....	3	34	1	.....	3	1	6
51	Japanese	M. 395	100	17	7	8	3	135	3	2	9	11	33
		F. 193	84	21	3	7	2	117	1	.....	5	22	16
52	Other colored	M. 17	1	.....	.....	.....	.....	1	.....	.....	.....	3	3
		F. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1

[1] A list of these cities will be found on p. 10.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4,095	4,732	4,496	4,779	4,922	4,696	4,615	4,130	3,699	2,909	2,022	1,090	387	91	58	85	1
2,331	2,894	2,651	2,965	2,999	2,873	2,707	2,234	1,942	1,418	884	447	154	36	21	65	2
1,764	1,838	1,845	1,814	1,923	1,823	1,908	1,896	1,757	1,491	1,138	643	233	55	37	20	3
3,020	3,350	3,301	3,706	3,904	4,038	3,966	3,673	3,298	2,675	1,856	1,006	339	71	22	32	4
1,760	2,103	1,988	2,359	2,451	2,532	2,335	2,003	1,731	1,305	814	417	131	27	9	25	5
1,260	1,247	1,313	1,347	1,453	1,506	1,631	1,670	1,567	1,370	1,042	589	208	44	13	7	6
1,909	2,025	1,954	1,992	1,928	2,068	1,984	1,658	1,361	1,111	770	399	117	23	2	8	7
1,050	1,190	1,102	1,196	1,127	1,237	1,158	902	683	521	320	160	51	9	.....	5	8
859	835	852	796	801	831	826	756	678	590	450	239	66	14	2	3	9
428	486	384	439	410	449	482	421	306	275	155	69	22	5	.....	.....	10
394	358	348	304	301	306	343	374	364	305	239	125	37	7	1	.....	
457	492	521	511	439	484	331	188	133	62	30	17	4	1	.....	1	11
351	338	362	334	344	336	272	202	116	109	69	33	5	1	.....	1	
165	212	197	246	278	304	345	293	244	184	135	74	25	3	.....	4	12
114	139	142	158	156	189	211	180	198	176	142	81	24	6	1	2	
1,029	1,216	1,235	1,600	1,860	1,889	1,880	1,932	1,881	1,531	1,059	596	217	48	20	6	13
641	822	789	1,064	1,222	1,224	1,087	1,041	1,010	760	483	250	78	18	9	5	14
388	394	446	536	638	665	793	891	871	771	576	346	139	30	11	1	15
82	109	112	114	116	81	102	83	56	33	27	11	5	.....	.....	18	16
69	91	97	99	102	71	90	60	38	24	11	7	2	.....	.....	15	17
13	18	15	15	14	10	12	23	18	9	16	4	3	.....	.....	3	18
1,075	1,382	1,195	1,073	1,018	658	649	457	401	234	166	84	48	20	36	53	19
571	791	663	606	548	341	372	231	211	113	70	30	23	9	12	40	20
504	591	532	467	470	317	277	226	190	121	96	54	25	11	24	13	21
566	786	649	595	529	325	360	225	206	110	70	30	22	9	12	40	22
502	590	531	464	468	317	277	226	190	121	96	53	25	11	24	13	
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	23
.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	
2	4	12	8	17	14	11	6	4	3	.....	.....	.....	.....	.....	.....	24
2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	1	2	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
24,918	28,444	29,462	32,193	34,451	35,495	35,837	35,452	33,309	27,416	18,407	9,489	3,245	781	196	317	27
14,432	17,012	17,702	19,452	20,657	20,759	20,056	18,866	16,835	13,064	7,997	3,807	1,193	282	64	228	28
10,486	11,432	11,760	12,741	13,794	14,736	15,781	16,586	16,474	14,352	10,410	5,682	2,052	499	132	89	29
21,471	24,300	25,712	28,702	31,084	32,938	33,473	33,678	31,800	26,512	17,857	9,175	3,081	708	116	208	30
12,541	14,617	15,572	17,437	18,713	19,331	18,774	17,927	16,046	12,606	7,764	3,679	1,129	257	42	157	31
8,930	9,683	10,140	11,265	12,371	13,607	14,699	15,751	15,754	13,906	10,093	5,496	1,952	451	74	51	32
13,482	14,549	15,411	16,235	16,542	18,487	17,829	16,737	15,373	13,035	8,798	4,512	1,518	312	35	52	33
7,512	8,344	8,906	9,418	9,460	10,527	9,997	8,863	7,638	6,041	3,673	1,721	511	105	13	33	34
5,970	6,205	6,505	6,817	7,082	7,960	7,832	7,874	7,735	6,994	5,125	2,791	1,007	207	22	19	35
3,332	3,367	3,382	3,500	3,556	4,196	4,618	4,736	4,242	3,584	2,188	1,056	315	61	8	4	36
2,863	2,737	2,692	2,784	2,762	3,324	3,661	4,144	4,633	4,315	3,283	1,837	667	130	12	9	
3,449	4,001	4,490	4,613	4,416	4,579	3,457	2,233	1,472	896	419	167	44	13	1	11	37
2,578	2,781	3,084	3,217	3,412	3,564	2,889	2,271	1,649	1,176	696	279	99	20	6	4	
731	976	1,034	1,305	1,488	1,752	1,922	1,894	1,924	1,561	1,066	498	152	31	4	18	38
529	687	729	816	908	1,072	1,282	1,459	1,453	1,503	1,146	675	241	57	4	6	
7,528	9,093	9,610	11,726	13,768	13,887	15,083	16,453	16,076	13,248	8,893	4,590	1,533	393	80	32	39
4,629	5,700	6,064	7,379	8,597	8,328	8,322	8,705	8,166	6,425	4,003	1,924	606	150	28	23	40
2,899	3,393	3,546	4,347	5,171	5,559	6,761	7,748	7,910	6,823	4,890	2,666	927	243	52	9	41
461	658	691	741	774	564	561	488	351	229	166	73	30	3	1	124	42
400	573	602	640	656	476	455	359	242	140	88	34	12	2	1	101	43
61	85	89	101	118	88	106	129	109	89	78	39	18	1	.....	23	44
3,447	4,144	3,750	3,491	3,367	2,557	2,364	1,774	1,509	904	550	314	164	73	80	109	45
1,891	2,395	2,130	2,015	1,944	1,428	1,282	939	789	458	233	128	64	25	22	71	46
1,556	1,749	1,620	1,476	1,423	1,129	1,082	835	720	446	317	186	100	48	58	38	47
1,820	2,308	2,026	1,907	1,802	1,294	1,179	852	750	437	229	127	62	24	21	70	48
1,541	1,732	1,613	1,461	1,416	1,128	1,077	833	717	444	315	184	100	48	57	38	
2	1	4	4	5	2	1	3	1	1	1	.....	1	1	1	.....	49
1	3	1	4	3	1	4	.....	1	2	2	1	.....	.....	1	.....	
30	34	53	70	116	22	96	82	38	20	2	1	1	.....	.....	1	50
5	3	2	4	4	.....	1	1	2	.....	.....	1	.....	.....	.....	.....	
36	50	45	33	20	10	5	2	.....	.....	1	.....	.....	.....	.....	.....	51
9	11	4	7	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

[2] Includes District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CALIFORNIA.												
1	Total	39,806	3,671	718	365	227	199	5,180	572	451	713	1,289	1,668
2	Males	24,129	2,056	384	182	108	107	2,837	348	254	386	765	992
3	Females	15,677	1,615	334	183	119	92	2,343	224	197	327	524	676
4	White	37,506	3,274	641	335	210	185	4,645	548	426	668	1,184	1,557
5	Males	22,507	1,831	342	166	100	101	2,540	333	243	361	713	925
6	Females	14,999	1,443	299	169	110	84	2,105	215	183	307	471	632
7	Native	24,426	3,256	629	322	201	171	4,579	522	372	559	865	1,031
8	Males	13,917	1,824	337	160	97	94	2,512	322	214	297	479	546
9	Females	10,509	1,432	292	162	104	77	2,067	200	158	262	386	485
10	Both parents native (M.)	5,687	888	154	72	53	46	1,213	177	122	148	233	223
	Both parents native (F.)	4,689	683	125	82	46	40	976	99	74	143	183	225
11	One or both parents foreign (M.)	4,221	837	172	85	38	43	1,175	134	84	123	163	201
	One or both parents foreign (F.)	3,394	677	156	75	57	35	1,000	90	78	103	152	176
12	Parentage unknown (M.)	4,009	99	11	3	6	5	124	11	8	26	83	122
	Parentage unknown (F.)	2,426	72	11	5	1	2	91	11	6	16	51	84
13	Foreign	12,067	17	12	13	9	13	64	26	51	107	289	479
14	Males	7,707	7	5	6	3	6	27	11	27	62	210	336
15	Females	4,360	10	7	7	6	7	37	15	24	45	79	143
16	Unknown	1,013	1	.....	.....	.....	1	2	.....	3	2	30	47
17	Males	883	.....	.....	.....	.....	1	1	.....	2	2	24	43
18	Females	130	1	.....	.....	.....	.....	1	.....	1	.....	6	4
19	Colored	2,300	397	77	30	17	14	535	24	25	45	105	111
20	Males	1,622	225	42	16	8	6	297	15	11	25	52	67
21	Females	678	172	35	14	9	8	238	9	14	20	53	44
22	Negro (M.)	356	28	5	3	.....	1	37	5	4	7	17	19
	Negro (F.)	279	24	3	4	2	1	34	2	10	7	21	14
23	Indian (M.)	84	4	5	3	.....	.....	12	4	3	4	5	3
	Indian (F.)	86	10	6	1	1	4	22	4	3	6	3	4
24	Chinese (M.)	665	18	5	3	2	1	29	3	1	5	17	15
	Chinese (F.)	61	21	4	2	.....	1	28	1	.....	4	.....	5
25	Japanese (M.)	501	173	27	7	6	4	217	3	3	8	12	28
	Japanese (F.)	248	116	22	7	6	2	153	2	.....	3	29	20
26	Other colored (M.)	[1] 16	2	.....	.....	.....	.....	2	.....	.....	1	1	2
	Other colored (F.)	[2] 4	1	.....	.....	.....	.....	1	.....	1	.....	.....	1
	COLORADO.												
27	Total	9,920	1,475	275	128	72	45	1,995	186	151	272	497	580
28	Males	5,780	836	157	69	34	23	1,119	99	71	143	283	354
29	Females	4,140	639	118	59	38	22	876	87	80	129	214	226
30	White	9,614	1,435	266	127	71	45	1,944	182	146	263	486	563
31	Males	5,578	812	152	68	33	23	1,088	96	71	137	274	341
32	Females	4,036	623	114	59	38	22	856	86	75	126	212	222
33	Native	7,189	1,431	262	126	69	44	1,932	173	138	236	413	427
34	Males	3,970	810	150	68	32	22	1,082	91	69	118	223	247
35	Females	3,219	621	112	58	37	22	850	82	69	118	190	180
36	Both parents native (M.)	2,094	516	101	43	20	16	696	63	41	73	111	118
	Both parents native (F.)	1,778	369	67	42	22	16	516	61	48	80	121	103
37	One or both parents foreign (M.)	935	254	44	24	12	5	339	23	20	30	64	69
	One or both parents foreign (F.)	780	219	41	13	13	6	292	16	17	29	52	40
38	Parentage unknown (M.)	941	40	5	1	.....	1	47	5	8	15	48	60
	Parentage unknown (F.)	661	33	4	3	2	.....	42	5	4	9	17	37
39	Foreign	2,080	2	3	.....	2	1	8	8	8	21	62	117
40	Males	1,343	1	2	.....	1	1	5	4	2	13	42	82
41	Females	737	1	1	.....	1	.....	3	4	6	8	20	35
42	Unknown	345	2	1	1	.....	.....	4	1	.....	6	11	19
43	Males	265	1	.....	.....	.....	.....	1	1	.....	6	9	12
44	Females	80	1	1	1	.....	.....	3	.....	.....	.....	2	7
45	Colored	306	40	9	1	1	.....	51	4	5	9	11	17
46	Males	202	24	5	1	1	.....	31	3	.....	6	9	13
47	Females	104	16	4	.....	.....	.....	20	1	5	3	2	4
48	Negro (M.)	169	15	5	1	1	.....	22	3	.....	5	7	9
	Negro (F.)	96	11	2	.....	.....	.....	13	1	4	3	2	4
49	Indian (M.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
	Indian (F.)	2	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....
50	Chinese (M.)	11	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M.)	16	7	.....	.....	.....	.....	7	.....	.....	1	.....	2
	Japanese (F.)	6	5	1	.....	.....	.....	6	.....	.....	.....	.....	.....
52	Other colored (M.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes 7 Hindus, 2 Koreans, and 7 Filipinos.

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,882	2,155	2,211	2,440	2,631	2,782	2,922	3,102	3,184	2,857	2,085	1,188	365	87	24	18	1
1,209	1,410	1,463	1,601	1,730	1,789	1,902	1,916	1,910	1,617	1,133	612	186	43	12	14	2
673	745	748	839	901	993	1,020	1,186	1,274	1,240	952	576	179	44	12	4	3
1,749	1,981	2,071	2,292	2,470	2,626	2,755	2,954	3,092	[2]2,795	2,061	1,161	349	86	19	17	4
1,118	1,287	1,353	1,489	1,596	1,650	1,757	1,790	1,832	1,567	1,120	593	176	43	8	13	5
631	694	718	803	874	976	998	1,164	1,260	1,228	941	568	173	43	11	4	6
1,101	1,196	1,288	1,435	1,381	1,601	1,596	1,631	1,667	1,568	1,158	636	193	39	7	4	7
626	688	786	884	817	953	941	947	957	873	623	332	97	20	2	1	8
475	505	502	551	564	648	655	684	710	695	535	304	96	19	5	3	9
238	232	278	293	287	337	375	414	372	348	232	117	41	6	.....	1	10
192	211	199	209	209	258	302	290	336	332	244	151	47	7	2	.....	
217	247	287	315	280	308	216	149	128	94	53	32	9	6	.....	.....	11
183	201	182	207	192	226	151	138	113	99	62	29	9	3	.....	.....	
171	209	221	276	250	308	350	384	457	431	338	183	47	8	2	.....	12
100	93	121	135	163	164	202	256	261	264	229	124	40	9	3	3	
573	695	673	733	956	956	1,061	1,247	1,365	1,188	875	517	152	45	12	3	13
422	514	464	493	660	639	729	777	825	665	481	259	77	21	6	2	14
151	181	209	240	296	317	332	470	540	523	394	258	75	24	6	1	15
75	93	110	124	133	69	98	76	60	39	28	8	4	2	.....	10	16
70	85	103	112	119	58	87	66	50	29	16	2	2	2	.....	10	17
5	8	7	12	14	11	11	10	10	10	12	6	2	.....	.....	.....	18
133	174	140	148	161	156	167	148	92	62	24	27	16	1	5	1	19
91	123	110	112	134	139	145	126	78	50	13	19	10	.....	4	1	20
42	51	30	36	27	17	22	22	14	12	11	8	6	1	1	.....	21
27	41	33	33	29	26	21	14	15	11	3	7	4	.....	2	1	22
21	31	20	20	18	16	18	17	8	9	6	5	2	.....	.....	.....	23
4	3	3	4	4	5	3	3	6	5	2	7	2	.....	2	.....	
3	3	3	7	5	.....	2	3	3	2	5	2	4	1	1	.....	24
19	16	20	36	79	96	115	107	56	34	8	5	4	.....	.....	.....	
4	2	1	3	4	1	2	1	3	1	.....	1	.....	.....	.....	.....	25
38	61	52	38	21	12	5	2	1	.....	.....	.....	.....	.....	.....	.....	
13	15	6	6	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	26
3	2	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
596	558	522	571	524	580	664	625	558	468	303	166	63	10	2	29	27
354	344	317	348	312	363	412	382	321	260	150	87	33	4	1	23	28
242	214	205	223	212	217	252	243	237	208	153	79	30	6	1	6	29
574	533	492	544	499	560	645	608	553	460	300	163	62	10	.....	27	30
338	326	300	329	294	349	397	372	317	256	150	84	33	4	.....	22	31
236	207	192	215	205	211	248	236	236	204	150	79	29	6	.....	5	32
408	343	306	352	306	373	402	373	354	289	199	111	41	7	.....	6	33
224	193	168	191	162	216	233	216	198	156	97	56	22	3	.....	5	34
184	150	138	161	144	157	169	157	156	133	102	55	19	4	.....	1	35
114	90	85	92	77	97	100	102	93	58	41	31	11	.....	.....	1	36
109	75	73	81	63	78	76	68	76	63	52	23	9	3	.....	.....	
55	51	36	43	35	46	38	27	21	28	8	2	.....	.....	.....	.....	37
36	33	38	44	36	38	32	26	10	17	13	8	3	.....	.....	.....	
55	52	47	56	50	73	95	87	84	70	48	23	11	3	.....	4	38
39	42	27	36	45	41	61	63	70	53	37	24	7	1	.....	1	
139	167	153	157	161	158	213	205	183	156	92	48	18	3	.....	3	39
94	114	104	112	107	109	138	134	108	91	46	26	8	1	.....	3	40
45	53	49	45	54	49	75	71	75	65	46	22	10	2	.....	.....	41
27	23	33	35	32	29	30	30	16	15	9	4	3	.....	.....	18	42
20	19	28	26	25	24	26	22	11	9	7	2	3	.....	.....	14	43
7	4	5	9	7	5	4	8	5	6	2	2	.....	.....	.....	4	44
22	25	30	27	25	20	19	17	5	8	3	3	1	.....	2	2	45
16	18	17	19	18	14	15	10	4	4	.....	3	.....	.....	1	1	46
6	7	13	8	7	6	4	7	1	4	3	.....	1	.....	1	1	47
15	15	15	17	16	10	13	10	3	4	.....	3	.....	.....	1	1	48
6	7	13	8	7	6	4	7	1	4	3	.....	1	.....	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	49
1	1	.....	1	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

[2] Includes 1 Hawaiian, 1 Korean, 1 Malay, and 1 Filipino.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CONNECTICUT.												
1	Total	20,242	3,580	725	305	213	168	4,991	405	254	393	616	698
2	Males	11,025	1,996	361	159	118	93	2,727	203	137	219	340	401
3	Females	9,217	1,584	364	146	95	75	2,264	202	117	174	276	297
4	White	19,795	3,524	712	299	207	167	4,909	395	245	379	595	676
5	Males	10,767	1,963	352	157	113	92	2,677	199	134	214	325	390
6	Females	9,028	1,561	360	142	94	75	2,232	196	111	165	270	286
7	Native	13,412	3,514	700	291	199	162	4,866	378	220	295	346	360
8	Males	7,125	1,955	348	151	108	89	2,651	191	120	163	187	199
9	Females	6,287	1,559	352	140	91	73	2,215	187	100	132	159	161
10	Both parents native (M)	2,745	522	61	36	32	31	682	56	46	65	68	82
	Both parents native (F)	2,629	407	74	40	27	27	575	60	33	43	62	76
11	One or both parents foreign (M)	3,488	1,389	283	111	75	58	1,916	130	69	93	103	100
	One or both parents foreign (F)	2,879	1,123	273	100	64	46	1,606	126	64	81	92	77
12	Parentage unknown (M)	892	44	4	4	1		53	5	5	5	16	17
	Parentage unknown (F)	779	29	5				34	1	3	8	5	8
13	Foreign	6,080	8	12	8	8	5	41	15	25	82	240	302
14	Males	3,406	7	4	6	5	3	25	7	14	49	129	180
15	Females	2,674	1	8	2	3	2	16	8	11	33	111	122
16	Unknown	303	2					2	2		2	9	14
17	Males	236	1					1	1		2	9	11
18	Females	67	1					1	1				3
19	Colored	447	56	13	6	6	1	82	10	9	14	21	22
20	Males	258	33	9	2	5	1	50	4	3	5	15	11
21	Females	189	23	4	4	1		32	6	6	9	6	11
22	Negro (M)	253	33	9	2	5	1	50	4	3	5	15	11
	Negro (F)	187	22	4	4	1		31	6	6	9	6	11
23	Indian (M)	1											
	Indian (F)	1											
24	Chinese (M)	2											
	Chinese (F)												
25	Japanese (M)	2											
	Japanese (F)	1	1					1					
26	Other colored (M)												
	Other colored (F)												
	INDIANA.												
27	Total	38,230	5,406	1,072	482	302	232	7,494	707	588	992	1,288	1,357
28	Males	20,515	3,084	562	246	158	127	4,177	393	303	503	641	691
29	Females	17,715	2,322	510	236	144	105	3,317	314	285	489	647	666
30	White	36,582	5,225	1,027	465	292	220	7,229	681	554	919	1,187	1,244
31	Males	19,629	2,984	538	239	153	121	4,035	379	286	468	589	619
32	Females	16,953	2,241	489	226	139	99	3,194	302	268	451	598	625
33	Native	32,235	5,222	1,024	464	291	218	7,219	677	546	885	1,088	1,098
34	Males	17,026	2,984	538	238	153	119	4,032	379	280	444	526	500
35	Females	15,209	2,238	486	226	138	99	3,187	298	266	441	562	598
36	Both parents native (M)	11,460	2,391	426	204	130	98	3,249	309	240	376	425	383
	Both parents native (F)	10,530	1,804	388	191	117	76	2,576	266	240	384	454	471
37	One or both parents foreign (M)	2,648	544	105	33	22	19	723	58	31	55	74	69
	One or both parents foreign (F)	2,183	395	92	30	20	21	558	28	23	40	79	67
38	Parentage unknown (M)	2,918	49	7	1	1	2	60	12	9	13	27	48
	Parentage unknown (F)	2,496	39	6	5	1	2	53	4	3	17	29	60
39	Foreign	4,061		2	1	1	2	6	4	8	32	95	135
40	Males	2,392			1		2	3		6	23	59	109
41	Females	1,669		2		1		3	4	2	9	36	26
42	Unknown	286	3	1				4			2	4	11
43	Males	211									1	4	10
44	Females	75	3	1				4			1		1
45	Colored	1,648	181	45	17	10	12	265	26	34	73	101	113
46	Males	886	100	24	7	5	6	142	14	17	35	52	72
47	Females	762	81	21	10	5	6	123	12	17	38	49	41
48	Negro (M)	886	100	24	7	5	6	142	14	17	35	52	72
	Negro (F)	762	81	21	10	5	6	123	12	17	38	49	41
49	Indian (M)												
	Indian (F)												
50	Chinese (M)												
	Chinese (F)												
51	Japanese (M)												
	Japanese (F)												
52	Other colored (M)												
	Other colored (F)												

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
722	781	924	1,018	1,130	1,228	1,303	1,394	1,412	1,280	913	513	181	36	6	44	1
419	479	584	658	688	691	696	753	696	618	404	201	67	16	1	27	2
303	302	340	360	442	537	607	641	716	662	509	312	114	20	5	17	3
696	757	890	979	1,112	1,197	1,279	1,363	1,397	1,263	901	503	178	35	5	41	4
407	460	560	634	676	673	687	732	688	609	396	197	67	16	1	25	5
289	297	330	345	436	524	592	631	709	654	505	306	111	19	4	16	6
367	371	481	512	511	655	675	738	751	744	596	369	134	26	5	12	7
203	211	288	323	283	353	366	405	373	353	250	140	45	12	1	8	8
164	160	193	189	228	302	309	333	378	391	346	229	89	14	4	4	9
71	80	89	113	105	135	177	246	232	208	162	89	28	8	1	2	10
68	52	68	72	87	125	162	189	244	257	228	146	64	11	4	3	
116	108	165	168	128	147	100	64	36	25	15	2	1	----	----	2	11
79	90	100	92	107	121	86	60	40	20	24	11	2	----	----	1	
16	23	34	42	50	71	89	95	105	120	73	49	16	4	----	4	12
17	18	25	25	34	56	61	84	94	114	94	72	23	3	----	----	
315	365	386	437	563	514	575	605	631	507	291	129	40	9	----	8	13
191	231	251	281	358	296	301	313	309	252	139	55	19	4	----	2	14
124	134	135	156	205	218	274	292	322	255	152	74	21	5	----	6	15
14	21	23	30	38	28	29	20	15	12	14	5	4	----	----	21	16
13	18	21	30	35	24	20	14	6	4	7	2	3	----	----	15	17
1	3	2	----	3	4	9	6	9	8	7	3	1	----	----	6	18
26	24	34	39	18	31	24	31	15	17	12	10	3	1	1	3	19
12	19	24	24	12	18	9	21	8	9	8	4	----	----	----	2	20
14	5	10	15	6	13	15	10	7	8	4	6	3	1	1	1	21
12	17	23	23	12	17	9	21	8	9	8	4	----	----	----	2	22
14	5	10	15	6	13	15	10	7	8	4	5	3	1	1	1	
----	----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	23
----	----	----	----	----	----	----	----	----	----	----	1	----	----	----	----	
----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	1	1	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1,303	1,431	1,415	1,598	1,843	2,208	2,611	3,049	3,236	3,136	2,268	1,179	400	98	15	14	27
717	734	730	883	1,013	1,232	1,492	1,693	1,749	1,682	1,096	555	184	34	3	10	28
586	697	685	715	830	976	1,119	1,356	1,487	1,454	1,172	624	216	64	12	4	29
1,202	1,315	1,301	1,483	1,721	2,122	2,531	2,972	3,151	3,070	2,239	1,159	393	88	10	11	30
653	680	672	819	945	1,182	1,454	1,655	1,709	1,648	1,078	546	180	31	2	8	31
549	635	629	664	776	940	1,077	1,317	1,451	1,422	1,161	613	213	57	8	3	32
1,039	1,134	1,106	1,304	1,498	1,883	2,202	2,501	2,600	2,457	1,768	864	295	61	5	5	33
529	548	527	689	792	1,035	1,253	1,374	1,399	1,308	851	407	126	23	2	2	34
510	586	579	615	706	843	949	1,127	1,201	1,149	917	457	169	38	3	3	35
390	371	345	389	473	557	730	868	818	759	484	229	57	7	----	1	36
383	406	390	388	437	536	568	704	713	690	525	266	106	23	3	----	
86	102	95	178	177	243	190	180	158	124	69	25	9	1	1	----	37
74	101	113	125	142	165	149	154	144	104	75	31	10	1	----	----	
53	75	87	122	142	235	333	326	423	425	298	153	60	15	1	1	38
53	79	76	102	127	147	232	269	344	355	317	160	53	14	----	2	
144	164	174	162	207	209	300	439	526	592	459	287	89	23	5	1	39
106	119	128	117	138	124	181	255	282	327	220	137	49	8	----	1	40
38	45	46	45	69	85	119	184	244	265	239	150	40	15	5	----	41
19	17	21	17	16	30	29	32	25	21	12	8	9	4	----	5	42
18	13	17	13	15	23	20	26	19	13	7	2	5	----	----	5	43
1	4	4	4	1	7	9	6	6	8	5	6	4	4	----	----	44
101	116	114	115	122	86	80	77	85	66	29	20	7	10	5	3	45
64	54	58	64	68	50	38	38	49	34	18	9	4	3	1	2	46
37	62	56	51	54	36	42	39	36	32	11	11	3	7	4	1	47
64	54	58	64	68	50	38	38	49	34	18	9	4	3	1	2	48
37	62	56	51	54	36	42	39	36	32	11	11	3	7	4	1	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX; COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	KANSAS.												
1	Total	19,963	2,835	574	330	182	135	4,056	426	305	446	595	659
2	Males	11,130	1,653	316	187	95	61	2,312	231	166	252	313	325
3	Females	8,833	1,182	258	143	87	74	1,744	195	139	194	282	334
4	White	18,714	2,692	544	313	172	125	3,846	410	279	406	525	587
5	Males	10,443	1,582	298	182	90	59	2,211	221	155	228	278	286
6	Females	8,271	1,110	246	131	82	66	1,635	189	124	178	247	301
7	Native	15,448	2,681	539	311	171	124	3,826	402	269	386	470	511
8	Males	8,430	1,577	297	181	90	59	2,204	217	152	213	237	235
9	Females	7,018	1,104	242	130	81	65	1,622	185	117	173	233	276
10	Both parents native M	4,951	1,247	230	145	79	50	1,751	171	129	161	156	153
	Both parents native F	4,300	885	192	108	71	54	1,310	153	93	131	162	175
11	One or both parents foreign M	1,222	250	55	29	11	7	352	38	16	35	52	48
	One or both parents foreign F	1,048	164	38	18	8	9	237	21	15	26	42	51
12	Parentage unknown M	2,257	80	12	7	.....	2	101	8	7	17	29	34
	Parentage unknown F	1,670	55	12	4	2	2	75	11	9	16	29	50
13	Foreign	2,873	9	5	1	1	1	17	4	7	12	38	56
14	Males	1,718	4	1	.....	.....	.....	5	2	3	7	27	35
15	Females	1,155	5	4	1	1	1	12	2	4	5	11	21
16	Unknown	393	2	.....	1	.....	.....	3	4	3	8	17	20
17	Males	295	1	.....	1	.....	.....	2	2	.....	8	14	16
18	Females	98	1	.....	.....	.....	.....	1	2	3	.....	3	4
19	Colored	1,249	143	30	17	10	10	210	16	26	40	70	72
20	Males	687	71	18	5	5	2	101	10	11	24	35	39
21	Females	562	72	12	12	5	8	109	6	15	16	35	33
22	Negro M	674	69	18	4	5	2	98	10	11	20	35	38
	Negro F	555	72	12	12	5	8	109	6	15	16	35	33
23	Indian M	12	1	.....	1	.....	.....	2	.....	.....	4	.....	1
	Indian F	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored M	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	KENTUCKY.												
27	Total	30,073	5,114	1,340	630	320	237	7,641	696	532	1,052	1,402	1,276
28	Males	15,526	2,844	670	335	171	130	4,150	369	293	493	663	594
29	Females	14,547	2,270	670	295	149	107	3,491	327	239	559	739	682
30	White	24,801	4,437	1,156	570	274	205	6,642	578	428	792	1,052	936
31	Males	12,830	2,470	573	308	153	113	3,617	305	242	386	494	430
32	Females	11,971	1,967	583	262	121	92	3,025	273	186	406	558	506
33	Native	23,244	4,420	1,152	567	273	204	6,616	575	426	788	1,022	920
34	Males	12,015	2,458	572	306	152	113	3,601	303	242	383	475	418
35	Females	11,229	1,962	580	261	121	91	3,015	272	184	405	547	502
36	Both parents native M	9,484	2,325	547	297	143	100	3,412	281	224	350	420	352
	Both parents native F	9,035	1,860	562	249	114	87	2,872	262	173	362	481	428
37	One or both parents foreign M	727	45	7	3	2	3	60	6	6	8	14	23
	One or both parents foreign F	613	38	4	1	.....	2	45	6	3	10	22	36
38	Parentage unknown M	1,804	88	18	6	7	10	129	16	12	25	41	43
	Parentage unknown F	1,581	64	14	11	7	2	98	4	8	33	44	38
39	Foreign	1,188	1	1	.....	.....	.....	2	1	1	1	13	6
40	Males	593	.....	.....	.....	.....	.....	.....	1	.....	1	9	4
41	Females	595	1	1	.....	.....	.....	2	.....	1	.....	4	2
42	Unknown	369	16	3	3	1	1	24	2	1	3	17	10
43	Males	222	12	1	2	1	.....	16	1	.....	2	10	8
44	Females	147	4	2	1	.....	1	8	1	1	1	7	2
45	Colored	5,272	677	184	60	46	32	999	118	104	260	350	340
46	Males	2,696	374	97	27	18	17	533	64	51	107	169	164
47	Females	2,576	303	87	33	28	15	466	54	53	153	181	176
48	Negro M	2,696	374	97	27	18	17	533	64	51	107	169	164
	Negro F	2,576	303	87	33	28	15	466	54	53	153	181	176
49	Indian M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
654	656	724	725	821	1,127	1,213	1,566	1,868	1,782	1,338	677	211	49	16	49	1
340	329	397	401	459	649	669	910	1,090	1,006	760	352	99	22	10	38	2
314	327	327	324	362	478	544	656	778	776	578	325	112	27	6	11	3
583	596	655	653	748	1,050	1,148	1,490	1,804	1,709	1,295	651	196	40	6	37	4
298	295	355	362	423	611	630	860	1,057	959	733	337	93	16	5	30	5
285	301	300	291	325	439	518	630	747	750	562	314	103	24	1	7	6
499	501	553	539	588	841	904	1,141	1,312	1,228	894	420	129	25	3	7	7
241	230	286	281	326	481	481	642	745	680	501	205	59	8	3	3	8
258	271	267	258	262	360	423	499	567	548	393	215	70	17	----	4	9
141	141	145	144	157	233	259	305	314	290	201	70	22	4	1	3	10
158	165	160	146	133	177	206	246	303	242	213	85	32	9	----	1	
50	53	71	54	72	72	65	72	58	64	30	16	4	----	----	----	11
57	60	57	49	57	81	53	69	53	66	30	16	7	1	----	----	
50	36	70	83	97	176	157	265	373	326	270	119	33	4	2	----	12
43	46	50	63	72	102	164	184	211	240	150	114	31	7	----	3	
72	75	80	94	127	170	211	311	464	450	379	219	65	15	3	4	13
50	49	52	64	71	97	124	190	291	259	219	128	33	8	2	2	14
22	26	28	30	56	73	87	121	173	191	160	91	32	7	1	2	15
12	20	22	20	33	39	33	38	28	31	22	12	2	----	----	26	16
7	16	17	17	26	33	25	28	21	20	13	4	1	----	----	25	17
5	4	5	3	7	6	8	10	7	11	9	8	1	----	----	1	18
71	60	69	72	73	77	65	76	64	73	43	26	15	9	10	12	19
42	34	42	39	36	38	39	50	33	47	27	15	6	6	5	8	20
29	26	27	33	37	39	26	26	31	26	16	11	9	3	5	4	21
41	34	41	39	36	38	38	50	33	46	26	15	6	6	5	8	22
29	25	27	32	37	39	26	26	29	25	16	11	9	3	5	2	
1	----	1	----	----	----	1	----	----	1	1	----	----	----	----	----	23
----	1	----	1	----	----	----	----	2	1	----	----	----	----	----	2	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
1,137	1,274	1,133	1,211	1,259	1,491	1,621	1,840	2,070	1,782	1,332	678	304	79	39	224	27
538	613	549	663	678	819	896	966	1,059	907	668	318	120	32	13	125	28
599	661	584	548	581	672	725	874	1,011	875	664	360	184	47	26	99	29
841	923	836	920	939	1,220	1,361	1,614	1,841	1,608	1,201	604	262	55	10	138	30
386	426	398	502	500	669	774	858	944	810	597	285	106	23	4	74	31
455	497	438	418	439	551	587	756	897	798	604	319	156	32	6	64	32
817	883	790	870	860	1,122	1,234	1,441	1,599	1,396	1,003	508	230	45	7	92	33
372	397	367	471	448	611	700	770	825	723	506	244	92	20	4	43	34
445	486	423	399	412	511	534	671	774	673	497	264	138	25	3	49	35
298	291	255	323	285	396	456	532	543	501	326	146	50	12	----	31	36
378	379	324	297	273	339	366	474	521	469	333	172	84	14	1	33	
34	54	52	72	80	99	82	46	38	27	10	10	4	1	----	1	37
28	35	39	50	72	74	57	44	38	28	16	8	2	----	----	----	
40	52	60	76	83	116	162	192	244	195	170	88	38	7	4	11	38
39	72	60	52	67	98	111	153	215	176	148	84	52	11	2	16	
11	17	26	32	62	77	105	142	211	184	174	83	26	7	3	4	39
4	13	17	20	39	46	60	71	106	74	78	33	13	1	----	3	40
7	4	9	12	23	31	45	71	105	110	96	50	13	6	3	1	41
13	23	20	18	17	21	22	31	31	28	24	13	6	3	----	42	42
10	16	14	11	13	12	14	17	13	13	13	8	1	2	----	28	43
3	7	6	7	4	9	8	14	18	15	11	5	5	1	----	14	44
296	351	297	291	320	271	260	226	229	174	131	74	42	24	29	86	45
152	187	151	161	178	150	122	108	115	97	71	33	14	9	9	51	46
144	164	146	130	142	121	138	118	114	77	60	41	28	15	20	35	47
152	187	151	161	178	150	122	108	115	97	71	33	14	9	9	51	48
144	164	146	130	142	121	138	118	114	77	60	41	28	15	20	35	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MAINE.												
1	Total	12,147	1,735	219	111	62	53	2,180	175	140	220	302	291
2	Males	6,409	1,000	121	58	36	33	1,248	88	68	111	153	142
3	Females	5,738	735	98	53	26	20	932	87	72	109	149	149
4	White	12,099	1,731	219	111	61	52	2,174	174	140	217	301	291
5	Males	6,382	997	121	58	35	32	1,243	88	68	109	152	142
6	Females	5,717	734	98	53	26	20	931	86	72	108	149	149
7	Native	10,055	1,713	216	106	55	50	2,140	162	132	187	243	231
8	Males	5,276	988	120	55	30	30	1,223	82	65	92	120	110
9	Females	4,779	725	96	51	25	20	917	80	67	95	123	121
10	Both parents native (M.)	3,664	571	70	29	17	16	703	53	38	51	75	79
	Both parents native (F.)	3,440	413	47	22	17	16	515	46	41	49	83	84
11	One or both parents foreign (M.)	1,059	402	48	26	13	13	502	29	24	38	39	23
	One or both parents foreign (F.)	910	299	48	28	8	4	387	32	25	43	36	33
12	Parentage unknown (M.)	553	15	2	.....	.....	1	18	.....	3	3	6	8
	Parentage unknown (F.)	429	13	1	1	.....	.....	15	2	1	3	4	4
13	Foreign	1,907	17	3	4	6	2	32	11	8	28	56	59
14	Males	1,014	8	1	2	5	2	18	5	3	16	31	32
15	Females	893	9	2	2	1	.....	14	6	5	12	25	27
16	Unknown	137	1	.....	1	.....	.....	2	1	.....	2	2	1
17	Males	92	1	.....	1	.....	.....	2	1	.....	1	1	.....
18	Females	45	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1
19	Colored	48	4	.....	.....	1	1	6	1	.....	3	1	.....
20	Males	27	3	.....	.....	1	1	5	.....	.....	2	1	.....
21	Females	21	1	.....	.....	.....	.....	1	1	.....	1	.....	.....
22	Negro (M.)	19	2	.....	.....	1	.....	3	.....	.....	2	1	.....
	Negro (F.)	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Indian (M.)	8	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....
	Indian (F.)	8	1	.....	.....	.....	.....	1	1	.....	1	.....	.....
24	Chinese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MARYLAND.												
27	Total	22,512	4,070	790	334	189	132	5,515	435	332	592	823	828
28	Males	11,856	2,227	403	158	105	72	2,965	230	167	288	412	431
29	Females	10,656	1,843	387	176	84	60	2,550	205	165	304	411	397
30	White	16,590	2,745	503	199	126	92	3,665	306	196	337	479	541
31	Males	8,816	1,499	253	92	74	52	1,970	163	110	177	244	283
32	Females	7,774	1,246	250	107	52	40	1,695	143	86	160	235	258
33	Native	13,960	2,730	497	198	126	91	3,642	300	187	314	445	477
34	Males	7,355	1,490	250	91	74	52	1,957	158	104	162	220	240
35	Females	6,605	1,240	247	107	52	39	1,685	142	83	152	225	237
36	Both parents native (M.)	4,976	1,143	183	76	54	41	1,497	125	85	121	161	183
	Both parents native (F.)	4,499	970	188	78	41	35	1,312	121	68	125	165	155
37	One or both parents foreign (M.)	1,527	284	60	13	20	9	386	26	14	31	45	45
	One or both parents foreign (F.)	1,369	229	51	23	9	4	316	20	14	24	52	57
38	Parentage unknown (M.)	852	63	7	2	.....	2	74	7	5	10	14	12
	Parentage unknown (F.)	737	41	8	6	2	.....	57	1	1	3	8	25
39	Foreign	2,429	.....	2	.....	.....	1	3	6	8	19	30	57
40	Males	1,306	.....	1	.....	.....	.....	1	5	6	11	20	36
41	Females	1,123	.....	1	.....	.....	1	2	1	2	8	10	21
42	Unknown	201	15	4	1	.....	.....	20	.....	1	4	4	7
43	Males	155	9	2	1	.....	.....	12	.....	.....	4	4	7
44	Females	46	6	2	.....	.....	.....	8	.....	1	.....	.....	.....
45	Colored	5,922	1,325	287	135	63	40	1,850	129	136	255	344	287
46	Males	3,040	728	150	66	31	20	995	67	57	111	168	148
47	Females	2,882	597	137	69	32	20	855	62	79	144	176	139
48	Negro (M.)	3,033	728	150	66	31	20	995	67	57	111	168	147
	Negro (F.)	2,882	597	137	69	32	20	855	62	79	144	176	139
49	Indian (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M.)	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
324	358	416	455	516	687	821	998	1,180	1,251	971	556	209	48	12	37	1
144	179	221	241	265	370	437	565	655	661	471	256	77	25	6	26	2
180	179	195	214	251	317	384	433	525	590	500	300	132	23	6	11	3
321	357	412	454	514	686	818	992	1,176	1,246	969	556	209	47	10	35	4
143	179	220	241	265	369	434	560	652	660	470	256	77	24	5	25	5
178	178	192	213	249	317	384	432	524	586	499	300	132	23	5	10	6
225	259	294	342	370	554	647	794	946	1,030	796	465	180	36	10	12	7
93	128	154	186	188	298	245	454	523	533	335	207	62	18	5	5	8
132	131	140	156	182	256	302	340	423	497	411	258	118	18	5	7	9
57	86	100	135	123	208	266	360	380	420	302	159	49	11	4	2	10
81	101	93	116	123	202	243	266	345	402	316	211	98	16	5	4	
31	28	42	33	46	58	40	40	28	25	16	13	3	----	----	1	
45	23	40	27	34	27	30	35	30	25	22	11	2	2	----	1	11
5	14	12	18	19	32	39	54	115	88	67	35	10	4	1	2	
6	7	7	13	25	27	29	39	48	70	73	36	18	----	----	2	12
91	91	112	108	134	127	163	184	210	201	161	87	26	11	----	7	13
45	46	62	52	67	69	84	97	116	120	81	47	13	6	----	4	14
46	45	50	56	67	58	79	87	94	81	80	40	13	5	----	3	15
5	7	6	4	10	5	8	14	20	15	12	4	3	----	----	16	16
5	5	4	3	10	2	5	9	13	7	4	2	2	----	----	16	17
----	2	2	1	----	3	3	5	7	8	8	2	1	----	----	----	18
3	1	4	1	2	1	3	6	4	5	2	----	----	1	2	2	19
1	----	1	----	----	1	3	5	3	1	1	----	----	1	1	1	20
2	1	3	1	2	----	----	1	1	4	1	----	----	----	1	1	21
----	----	----	----	----	1	3	4	2	1	1	----	----	1	----	----	22
2	1	2	----	2	----	----	1	1	3	1	----	----	----	----	----	
1	----	1	----	----	----	----	1	1	----	----	----	----	----	----	----	
----	----	1	1	----	----	----	----	----	1	----	----	----	----	1	1	23
----	----	----	----	----	----	----	----	----	----	----	----	----	----	1	1	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
840	913	1,023	1,152	1,223	1,309	1,400	1,546	1,531	1,369	929	451	157	51	19	74	27
445	505	569	614	683	750	774	812	796	688	410	183	61	22	7	44	28
395	408	454	538	540	559	626	734	735	681	519	268	96	29	12	30	29
575	614	689	857	906	1,037	1,120	1,332	1,325	1,218	808	395	122	31	6	31	30
317	352	403	471	516	594	632	697	682	609	356	160	47	13	2	18	31
258	262	286	386	390	443	488	635	643	609	452	235	75	18	4	13	32
490	512	570	681	706	843	895	1,021	1,005	891	581	287	77	19	5	12	33
266	285	329	359	388	471	491	551	509	457	249	111	32	10	2	4	34
224	227	241	322	318	372	404	470	496	434	332	176	45	9	3	8	35
183	194	192	220	211	274	298	371	315	298	163	61	16	5	----	3	36
163	150	143	201	176	216	222	284	331	292	231	106	29	5	2	2	
63	70	109	105	129	143	118	89	81	45	20	13	4	----	----	----	37
48	60	77	89	98	106	129	87	72	54	37	24	4	1	----	----	
20	21	28	34	57	54	75	91	113	114	66	37	12	5	2	1	38
13	17	21	32	44	50	53	99	93	88	64	46	12	3	1	6	
70	91	112	159	185	178	205	301	307	316	221	102	43	12	1	3	39
39	57	69	97	114	109	128	139	164	143	103	47	14	3	----	1	40
31	34	43	62	71	69	77	162	143	173	118	55	29	9	1	2	41
15	11	7	17	15	16	20	10	13	11	6	6	2	----	----	16	42
12	10	5	15	14	14	13	7	9	9	4	2	1	----	----	13	43
3	1	2	2	1	2	7	3	4	2	2	4	1	----	----	3	44
265	299	334	295	317	272	280	214	206	151	121	56	35	20	13	43	45
128	153	166	143	167	156	142	115	114	79	54	23	14	9	5	26	46
137	146	168	152	150	116	138	99	92	72	67	33	21	11	8	17	47
128	151	165	142	167	154	142	115	114	79	54	23	14	9	5	26	48
137	146	168	152	150	116	138	99	92	72	67	33	21	11	8	17	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	49
----	2	----	1	----	2	----	----	----	----	----	----	----	----	----	----	
----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MASSACHUSETTS.												
1	Total	56,362	9,370	1,963	840	561	388	13,122	1,153	632	963	1,526	1,730
2	Males	29,519	5,333	1,052	452	291	206	7,334	626	342	500	807	924
3	Females	26,843	4,037	911	388	270	182	5,788	527	290	463	719	806
4	White	55,321	9,206	1,924	825	551	378	12,884	1,129	611	931	1,470	1,687
5	Males	28,940	5,240	1,031	445	283	199	7,198	615	334	484	775	892
6	Females	26,381	3,966	893	380	268	179	5,686	514	277	447	695	795
7	Native	36,558	9,159	1,883	810	535	370	12,757	1,074	546	744	936	969
8	Males	19,239	5,213	1,004	437	275	197	7,126	582	300	386	480	511
9	Females	17,319	3,946	879	373	260	173	5,631	492	246	358	456	458
10	Both parents native (M)	7,922	1,404	214	110	78	58	1,864	194	100	115	161	177
	Both parents native (F)	7,658	1,077	162	107	63	56	1,465	141	70	105	157	160
11	One or both parents foreign (M)	9,588	3,582	768	314	194	137	4,995	381	192	257	301	310
	One or both parents foreign (F)	7,956	2,709	704	258	197	116	3,984	348	170	240	282	280
12	Parentage unknown (M)	1,729	227	22	13	3	2	267	7	8	14	18	24
	Parentage unknown (F)	1,705	160	13	8	.....	1	182	3	6	13	17	18
13	Foreign	18,386	31	40	15	14	8	108	54	65	184	527	704
14	Males	9,428	20	26	8	6	2	62	33	34	96	290	370
15	Females	8,958	11	14	7	8	6	46	21	31	88	237	334
16	Unknown	377	16	1	.....	2	.....	19	1	.....	3	7	14
17	Males	273	7	1	.....	2	.....	10	.....	.....	2	5	11
18	Females	104	9	.....	.....	.....	.....	9	1	.....	1	2	3
19	Colored	1,041	164	39	15	10	10	238	24	21	32	56	43
20	Males	579	93	21	7	8	7	136	11	8	16	32	32
21	Females	462	71	18	8	2	3	102	13	13	16	24	11
22	Negro (M)	541	93	21	7	8	7	136	11	8	16	29	28
	Negro (F)	455	69	18	8	2	3	100	13	13	16	23	11
23	Indian (M)	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	Indian (F)	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
24	Chinese (M)	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3
	Chinese (F)	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
25	Japanese (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.												
27	Total	46,013	8,342	1,414	645	421	287	11,109	903	624	977	1,489	1,743
28	Males	25,586	4,756	757	353	213	157	6,236	485	354	514	835	981
29	Females	20,427	3,586	657	292	208	130	4,873	418	270	463	654	762
30	White	45,261	8,252	1,398	632	413	283	10,978	883	605	953	1,450	1,702
31	Males	25,179	4,710	746	348	209	154	6,167	476	344	504	820	960
32	Females	20,082	3,542	652	284	204	129	4,811	407	261	449	630	742
33	Native	31,377	8,209	1,382	619	404	270	10,884	827	570	818	1,094	1,148
34	Males	16,966	4,686	738	339	203	146	6,112	448	317	431	588	604
35	Females	14,411	3,523	644	280	201	124	4,772	379	253	387	506	544
36	Both parents native (M)	8,303	2,256	323	170	113	70	2,932	225	173	217	240	264
	Both parents native (F)	7,289	1,748	275	137	97	55	2,312	182	148	170	211	254
37	One or both parents foreign (M)	6,794	2,312	405	165	86	74	3,042	219	142	204	330	306
	One or both parents foreign (F)	5,541	1,683	361	142	103	68	2,357	193	101	208	271	247
38	Parentage unknown (M)	1,869	118	10	4	4	2	133	4	2	10	18	34
	Parentage unknown (F)	1,581	92	8	1	1	1	103	4	4	9	24	43
39	Foreign	12,982	36	14	11	9	13	83	49	33	126	332	507
40	Males	7,454	21	7	7	6	8	49	25	25	67	210	314
41	Females	5,528	15	7	4	3	5	34	24	8	59	122	193
42	Unknown	902	7	2	2	.....	.....	11	7	2	9	24	47
43	Males	759	3	1	2	.....	.....	6	3	2	6	22	42
44	Females	143	4	1	.....	.....	.....	5	4	.....	3	2	5
45	Colored	752	90	16	13	8	4	131	20	19	24	39	41
46	Males	407	46	11	5	4	3	69	9	10	10	15	21
47	Females	345	44	5	8	4	1	62	11	9	14	24	20
48	Negro (M)	306	29	8	2	2	1	42	6	5	7	11	18
	Negro (F)	241	26	3	5	1	.....	35	4	3	8	16	18
49	Indian (M)	98	16	3	3	2	2	26	3	5	3	4	3
	Indian (F)	104	18	2	3	3	1	27	7	6	6	8	2
50	Chinese (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,954	2,389	2,493	2,761	3,117	3,582	3,892	4,183	4,205	3,698	2,651	1,528	590	131	20	37	1
1,050	1,302	1,426	1,517	1,797	2,017	2,054	2,143	2,068	1,631	1,094	618	185	45	9	30	2
904	1,087	1,072	1,244	1,320	1,565	1,838	2,040	2,137	2,067	1,557	910	405	86	11	7	3
1,884	2,316	2,431	2,688	3,056	3,522	3,830	4,129	4,163	3,672	2,632	1,519	584	130	17	36	4
1,016	1,259	1,387	1,476	1,757	1,983	2,026	2,112	2,044	1,617	1,088	613	183	45	7	29	5
868	1,057	1,044	1,212	1,299	1,539	1,804	2,017	2,119	2,055	1,544	906	401	85	10	7	6
982	1,155	1,243	1,296	1,475	1,834	2,024	2,077	2,187	2,112	1,666	988	394	89	7	3	7
523	630	715	680	842	1,046	1,096	1,098	1,104	899	682	391	115	28	4	1	8
459	525	528	616	633	788	928	979	1,083	1,213	984	597	279	61	3	2	9
174	200	230	259	333	485	592	718	769	663	485	294	87	18	3	1	10
167	199	178	244	250	374	501	609	757	879	708	430	213	48	2	1	
326	393	444	359	410	450	347	186	122	58	37	12	4	3	1	.....	11
268	292	308	315	314	321	291	218	138	85	65	26	9	2	.....	.....	
23	37	41	62	99	111	157	194	213	178	160	85	24	7	.....	.....	12
24	34	42	57	69	93	136	152	188	249	211	141	57	11	1	1	
885	1,128	1,166	1,364	1,546	1,649	1,772	2,020	1,953	1,544	952	523	187	40	10	5	13
477	606	654	773	888	903	902	994	926	709	399	221	68	17	3	3	14
408	522	512	501	658	746	870	1,026	927	835	553	302	119	23	7	2	15
17	33	22	28	35	39	34	32	23	16	14	8	3	1	.....	28	16
16	23	13	23	27	34	28	20	14	9	7	1	.....	.....	.....	25	17
1	10	4	5	8	5	6	12	9	7	7	7	3	1	.....	3	18
70	73	67	78	61	60	62	54	42	26	19	9	6	1	3	1	19
34	43	39	41	40	34	28	31	24	14	6	5	2	.....	2	1	20
36	30	28	32	21	26	34	23	18	12	13	4	4	1	1	.....	21
32	38	36	35	35	31	27	31	23	13	5	5	1	.....	1	.....	22
36	30	28	31	21	26	34	23	17	12	12	4	3	1	1	.....	
.....	1	.....	.....	.....	1	1	.....	.....	.....	1	.....	1	.....	1	.....	
.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	23
2	2	3	6	5	1	.....	.....	1	1	.....	.....	.....	.....	.....	1	24
.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,599	1,688	1,654	1,875	2,201	2,466	2,678	3,385	3,538	3,419	2,570	1,375	468	116	26	110	27
966	955	951	1,121	1,288	1,408	1,530	1,925	1,913	1,814	1,252	690	216	57	14	81	28
633	733	703	754	913	1,058	1,148	1,460	1,625	1,605	1,318	685	252	59	12	29	29
1,558	1,636	1,599	1,824	2,161	2,426	2,646	3,353	3,502	3,374	2,541	1,364	462	115	22	107	30
941	922	920	1,088	1,262	1,383	1,512	1,906	1,896	1,792	1,242	683	214	57	12	78	31
617	714	679	736	899	1,043	1,134	1,447	1,606	1,582	1,299	681	248	58	10	29	32
954	978	977	1,067	1,203	1,424	1,530	1,796	1,951	1,825	1,334	690	227	43	7	30	33
498	504	509	586	658	765	849	992	1,043	941	622	359	105	23	4	19	34
458	474	468	481	545	659	681	804	908	884	712	349	122	20	3	11	35
195	189	209	246	282	357	427	553	612	564	344	202	54	11	1	6	36
201	221	204	226	251	314	346	443	565	516	424	210	70	15	2	4	
257	254	252	275	269	276	259	225	186	151	86	38	11	3	1	8	37
221	217	211	196	223	253	200	207	141	149	94	32	10	4	1	5	
44	61	48	65	107	132	163	214	245	226	192	110	40	9	2	5	38
36	36	53	59	71	92	135	154	202	219	194	98	42	1	.....	2	
539	580	548	680	877	934	1,058	1,478	1,488	1,511	1,176	651	228	70	15	19	39
384	344	341	434	529	559	613	856	808	822	600	316	104	33	8	13	40
155	236	207	246	348	375	445	622	680	689	576	335	124	37	7	6	41
65	78	74	77	81	68	58	79	63	38	31	23	7	2	.....	58	42
61	74	70	68	75	59	50	58	45	29	20	17	5	1	.....	46	43
4	4	4	9	6	9	8	21	18	9	11	6	2	1	.....	12	44
41	52	55	51	40	40	32	32	36	45	29	11	6	1	4	3	45
25	33	31	33	26	25	18	19	17	22	10	7	2	.....	2	3	46
16	19	24	18	14	15	14	13	19	23	19	4	4	1	2	.....	47
21	29	27	30	21	22	12	13	15	16	8	1	.....	.....	1	1	48
14	15	20	16	10	11	12	11	15	15	11	2	4	1	.....	.....	
3	4	3	3	5	3	6	6	2	6	2	6	2	.....	1	2	49
2	4	4	2	4	4	2	2	4	8	8	2	.....	.....	2	.....	
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MINNESOTA.												
1	Total	24,297	3,865	634	345	214	164	5,222	554	423	713	914	1,011
2	Males	14,000	2,188	345	196	127	83	2,939	313	230	372	493	556
3	Females	10,297	1,677	289	149	87	81	2,283	241	193	341	421	455
4	White	23,920	3,799	613	334	208	161	5,115	534	409	695	903	996
5	Males	13,804	2,160	334	188	124	82	2,888	299	225	360	486	545
6	Females	10,116	1,639	279	146	84	79	2,227	235	184	335	417	451
7	Native	13,987	3,790	610	330	202	159	5,091	522	389	628	718	722
8	Males	7,796	2,153	331	186	121	81	2,872	293	213	321	359	353
9	Females	6,191	1,637	279	144	81	78	2,219	229	176	307	359	369
10	Both parents native (M)	3,216	1,178	133	89	65	35	1,500	130	85	106	102	101
	Both parents native (F)	2,556	883	120	77	40	34	1,154	108	60	95	94	94
11	One or both parents foreign (M)	3,885	916	193	93	56	45	1,303	162	123	211	241	234
	One or both parents foreign (F)	3,158	713	154	66	40	44	1,017	120	113	203	252	259
12	Parentage unknown (M)	695	59	5	4	.....	1	69	1	5	4	16	18
	Parentage unknown (F)	477	41	5	1	1	.....	48	1	3	9	13	16
13	Foreign	9,633	5	3	4	6	2	20	11	17	64	178	260
14	Males	5,733	5	3	2	3	1	14	6	9	36	120	178
15	Females	3,900	.....	.....	2	3	1	6	5	8	28	58	82
16	Unknown	300	4	.....	.....	.....	.....	4	1	3	3	7	14
17	Males	275	2	.....	.....	.....	.....	2	.....	3	3	7	14
18	Females	25	2	.....	.....	.....	.....	2	1	.....	.....	.....	.....
19	Colored	377	66	21	11	6	3	107	20	14	18	11	15
20	Males	196	28	11	8	3	1	51	14	5	12	7	11
21	Females	181	38	10	3	3	2	56	6	9	6	4	4
22	Negro (M)	85	10	3	.....	.....	.....	13	3	.....	2	3	5
	Negro (F)	76	10	3	.....	1	.....	14	1	.....	2	1	3
23	Indian (M)	108	18	8	8	3	1	38	11	5	10	4	6
	Indian (F)	104	28	7	3	2	2	42	5	9	4	3	1
24	Chinese (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MISSOURI.												
27	Total	44,110	5,927	1,635	752	440	276	9,030	982	686	1,151	1,713	1,775
28	Males	24,768	3,462	891	387	230	125	5,095	536	344	575	850	979
29	Females	19,342	2,465	744	365	210	151	3,935	446	342	576	863	796
30	White	40,332	5,530	1,523	702	411	253	8,419	918	621	985	1,457	1,495
31	Males	22,677	3,231	833	360	216	117	4,757	507	319	492	721	825
32	Females	17,655	2,299	690	342	195	136	3,662	411	302	493	736	670
33	Native	33,329	5,502	1,513	699	409	250	8,373	905	603	943	1,326	1,328
34	Males	18,374	3,215	824	359	215	116	4,729	501	308	465	637	700
35	Females	14,955	2,287	689	340	194	134	3,644	404	295	478	689	628
36	Both parents native (M)	11,525	2,720	698	315	180	93	4,006	420	260	379	449	445
	Both parents native (F)	9,760	1,867	594	297	171	115	3,044	341	237	381	503	434
37	One or both parents foreign (M)	3,325	321	87	32	26	17	483	64	39	61	119	164
	One or both parents foreign (F)	2,458	285	55	38	17	12	407	48	47	61	93	101
38	Parentage unknown (M)	3,524	174	39	12	9	6	240	17	9	25	69	91
	Parentage unknown (F)	2,737	135	40	5	6	7	193	15	11	36	93	93
39	Foreign	5,947	4	4	1	1	2	12	8	13	32	103	119
40	Males	3,537	3	4	.....	.....	1	8	3	7	22	68	84
41	Females	2,410	1	.....	1	1	1	4	5	6	10	35	35
42	Unknown	1,056	24	6	2	1	1	34	5	5	10	28	48
43	Males	766	13	5	1	1	.....	20	3	4	5	16	41
44	Females	290	11	1	1	.....	1	14	2	1	5	12	7
45	Colored	3,778	397	112	50	29	23	611	64	65	166	256	280
46	Males	2,091	231	58	27	14	8	338	29	25	83	129	154
47	Females	1,687	166	54	23	15	15	273	35	40	83	127	126
48	Negro (M)	2,078	231	58	27	14	8	338	29	25	83	126	154
	Negro (F)	1,687	166	54	23	15	15	273	35	40	83	127	126
49	Indian (M)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M)	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,028	977	1,015	1,062	1,258	1,508	1,416	1,556	1,610	1,532	1,330	776	292	77	7	16	1
599	593	609	620	807	964	919	918	934	844	705	390	140	40	4	11	2
429	384	406	442	451	544	497	638	676	688	625	386	152	37	3	5	3
998	959	996	1,042	1,237	1,485	1,404	1,544	1,600	1,523	1,320	773	291	74	7	15	4
584	585	596	611	799	949	909	913	931	841	701	388	140	39	4	11	5
414	374	400	431	438	536	495	631	669	682	619	385	151	35	3	4	6
625	537	577	508	553	653	531	487	440	413	319	195	56	17	2	4	7
335	298	325	269	344	412	356	275	256	219	166	93	26	8	1	2	8
290	239	252	239	209	241	175	212	184	194	153	102	30	9	1	2	9
93	64	76	73	94	129	122	127	138	119	92	46	15	3	----	1	10
76	53	68	79	62	72	58	102	105	107	91	60	14	4	----	----	
217	204	219	164	207	226	169	76	59	31	17	17	1	2	1	1	11
198	171	152	140	131	140	82	63	39	37	24	11	3	1	----	2	
25	30	30	32	43	57	65	72	59	69	57	30	10	3	----	----	12
16	15	32	20	16	29	35	47	40	50	38	31	13	4	1	----	
342	387	390	502	651	804	852	1,038	1,148	1,101	996	575	233	57	5	2	13
219	254	245	310	425	510	533	623	664	615	531	292	113	31	3	2	14
123	133	145	192	226	294	319	415	484	486	465	283	120	26	2	----	15
31	35	29	32	33	28	21	19	12	9	5	3	2	----	----	9	16
30	33	26	32	30	27	20	15	11	7	4	3	1	----	----	7	17
1	2	3	----	3	1	1	4	1	2	1	----	1	----	----	2	18
30	18	19	20	21	23	12	12	10	9	10	3	1	3	----	1	19
15	8	13	9	8	15	10	5	3	3	4	2	----	1	----	----	20
15	10	6	11	13	8	2	7	7	6	6	1	1	2	----	1	21
11	7	9	5	4	11	4	2	2	3	1	----	----	----	----	----	22
7	6	6	7	9	5	1	5	4	4	1	----	----	----	----	----	
3	1	3	4	3	4	6	3	1	----	3	2	----	1	----	----	23
7	4	----	4	4	3	1	2	3	2	5	1	1	2	----	1	
----	----	1	----	1	----	----	----	----	----	----	----	----	----	----	----	24
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
1,753	1,977	1,973	2,106	2,232	2,617	2,689	3,177	3,237	3,032	2,107	1,186	384	97	35	171	27
996	1,167	1,149	1,267	1,319	1,610	1,621	1,781	1,825	1,628	1,091	579	184	46	16	110	28
757	810	824	839	913	1,007	1,068	1,396	1,412	1,404	1,016	607	200	51	19	61	29
1,499	1,663	1,712	1,843	1,987	2,404	2,517	2,996	3,110	2,930	2,055	1,139	351	85	20	126	30
839	972	1,007	1,101	1,177	1,486	1,527	1,687	1,754	1,577	1,066	560	168	38	12	85	31
660	691	705	742	810	918	990	1,309	1,356	1,353	989	579	183	47	8	41	32
1,311	1,408	1,428	1,514	1,546	1,902	1,887	2,171	2,155	2,021	1,402	741	243	59	16	47	33
707	794	804	872	873	1,131	1,118	1,195	1,202	1,075	724	365	110	26	10	28	34
604	614	624	642	673	771	769	976	953	946	678	376	133	33	6	19	35
421	406	384	397	394	510	574	661	643	551	358	191	52	15	2	7	36
389	333	341	342	313	388	417	526	527	566	363	222	65	16	2	10	
185	248	294	288	277	346	236	179	130	103	66	30	7	2	1	3	37
123	150	179	178	211	220	171	173	128	77	53	24	12	1	1	----	
101	140	126	187	202	275	308	355	429	421	300	144	51	9	7	18	38
92	131	104	122	149	163	181	277	298	303	262	130	56	16	3	9	
136	186	219	250	371	433	536	735	865	816	611	368	101	23	3	7	39
89	122	153	172	252	301	336	428	487	440	314	179	55	10	2	5	40
47	64	66	78	119	132	200	307	378	376	297	189	46	13	1	2	41
52	69	65	79	70	69	94	90	90	93	42	30	7	3	1	72	42
43	56	50	57	52	54	73	64	65	62	28	16	3	2	----	52	43
9	13	15	22	18	15	21	26	25	31	14	14	4	1	1	20	44
254	314	261	263	245	213	172	181	127	102	52	47	33	12	15	45	45
157	195	142	166	142	124	94	94	71	51	25	19	16	8	4	25	46
97	119	119	97	103	89	78	87	56	51	27	28	17	4	11	20	47
157	194	142	163	142	122	94	93	69	50	25	19	16	8	4	25	48
97	119	119	97	103	89	78	87	56	51	27	28	17	4	11	20	
----	----	----	----	----	----	----	----	1	1	----	----	----	----	----	----	49
----	1	----	3	----	2	----	1	1	----	----	----	----	----	----	----	50
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MONTANA.												
1	Total	5,791	970	189	90	72	42	1,363	141	119	118	266	336
2	Males	3,756	578	94	54	37	14	777	77	69	74	157	221
3	Females	2,035	392	95	36	35	28	586	64	50	44	109	115
4	White	5,413	928	158	79	68	39	1,272	126	102	100	248	323
5	Males	3,544	552	74	46	34	12	718	68	63	65	148	214
6	Females	1,869	376	84	33	34	27	554	58	39	35	100	109
7	Native	3,513	924	153	78	65	38	1,258	118	96	84	190	185
8	Males	2,091	552	71	45	33	12	713	64	57	56	106	102
9	Females	1,422	372	82	33	32	26	545	54	39	28	84	83
10	Both parents native	M 959 / F 698	326 / 215	39 / 46	33 / 16	17 / 15	7 / 20	422 / 312	37 / 31	22 / 16	28 / 18	39 / 44	41 / 34
11	One or both parents foreign	M 664 / F 499	198 / 147	28 / 35	12 / 16	14 / 16	5 / 6	257 / 220	24 / 21	30 / 20	24 / 8	43 / 25	40 / 28
12	Parentage unknown	M 468 / F 225	28 / 10	4 / 1	... / 1	2 / 1	... / ...	34 / 13	3 / 2	5 / 3	4 / 2	24 / 15	21 / 21
13	Foreign	1,556	4	5	1	3	1	14	6	6	14	44	107
14	Males	1,133	...	3	1	1	...	5	3	6	7	30	83
15	Females	423	4	2	...	2	1	9	3	...	7	14	24
16	Unknown	344	...	...	...	...	...	...	2	...	2	14	31
17	Males	320	...	...	...	...	...	...	1	...	2	12	29
18	Females	24	...	...	...	...	...	...	1	...	...	2	2
19	Colored	378	42	31	11	4	3	91	15	17	18	18	13
20	Males	212	26	20	8	3	2	59	9	6	9	9	7
21	Females	166	16	11	3	1	1	32	6	11	9	9	6
22	Negro	M 49 / F 17	1 / ...	... / ...	... / ...	... / ...	... / ...	1 / ...	... / ...	... / ...	... / ...	2 / 1	2 / ...
23	Indian	M 142 / F 145	24 / 15	20 / 11	8 / 3	3 / 1	2 / 1	57 / 31	9 / 6	6 / 11	9 / 9	7 / 7	5 / 6
24	Chinese	M 15 / F 1	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...
25	Japanese	M 6 / F 3	1 / 1	... / ...	... / ...	... / ...	... / ...	1 / 1	... / ...	... / ...	... / ...	... / 1	... / ...
26	Other colored	M ... / F ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...
	NEW HAMPSHIRE.												
27	Total	7,146	1,108	174	79	52	32	1,445	109	66	114	158	166
28	Males	3,771	627	92	45	27	16	807	65	32	62	65	89
29	Females	3,375	481	82	34	25	16	638	44	34	52	93	77
30	White	7,132	1,108	174	79	52	31	1,444	109	66	114	155	166
31	Males	3,763	627	92	45	27	16	807	65	32	62	63	89
32	Females	3,369	481	82	34	25	15	637	44	34	52	92	77
33	Native	5,427	1,099	163	75	47	31	1,415	101	56	92	118	107
34	Males	2,837	623	87	42	25	16	793	59	26	50	46	54
35	Females	2,590	476	76	33	22	15	622	42	30	42	72	53
36	Both parents native	M 1,389 / F 1,357	218 / 168	26 / 29	14 / 10	13 / 9	5 / 5	276 / 221	27 / 13	10 / 12	22 / 18	15 / 31	23 / 29
37	One or both parents foreign	M 820 / F 675	374 / 273	57 / 44	27 / 22	11 / 13	11 / 10	480 / 362	32 / 28	13 / 18	26 / 23	29 / 35	25 / 18
38	Parentage unknown	M 628 / F 558	31 / 35	4 / 3	1 / 1	1 / ...	... / ...	37 / 39	... / 1	3 / ...	2 / 1	2 / 6	6 / 6
39	Foreign	1,516	8	9	4	5	...	26	6	8	18	36	53
40	Males	801	4	3	3	2	...	12	5	4	8	17	30
41	Females	715	4	6	1	3	...	14	1	4	10	19	23
42	Unknown	189	1	2	...	...	...	3	2	2	4	1	6
43	Males	125	...	2	...	...	...	2	1	2	4	...	5
44	Females	64	1	...	...	...	...	1	1	...	...	1	1
45	Colored	14	...	...	...	...	1	1	...	...	...	3	...
46	Males	8	...	...	...	...	...	...	...	...	...	2	...
47	Females	6	...	...	...	...	1	1	...	...	...	1	...
48	Negro	M 7 / F 6	... / ...	... / ...	... / ...	... / ...	... / 1	... / 1	... / ...	... / ...	... / ...	2 / 1	... / ...
49	Indian	M ... / F ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...
50	Chinese	M 1 / F ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...
51	Japanese	M ... / F ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...
52	Other colored	M ... / F ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...	... / ...

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
351	353	312	374	371	369	315	306	240	196	153	72	17	7	1	11	1
236	236	224	268	271	262	225	207	159	130	101	42	5	5	1	9	2
115	117	88	106	100	107	90	99	81	66	52	30	12	2	.....	2	3
330	333	296	354	356	342	296	290	219	184	145	66	15	4	1	11	4
226	221	214	255	263	248	211	200	151	123	97	40	5	4	1	9	5
104	112	82	99	93	94	85	90	68	61	48	26	10	.....	.....	2	6
197	165	134	168	144	166	143	139	103	99	82	34	6	1	.....	1	7
110	94	83	107	97	110	98	95	64	57	56	18	2	1	.....	1	8
87	71	51	61	47	56	45	44	39	42	26	16	4	.....	.....	.....	9
42	29	31	34	40	40	40	45	24	28	12	4	.....	1	.....	.....	10
35	30	21	26	12	19	19	19	18	22	13	6	3	.....	.....	.....	
35	31	29	41	24	28	22	17	5	3	11	.....	.....	.....	.....	.....	11
32	27	20	17	21	22	13	11	8	1	2	3	.....	.....	.....	.....	
33	34	23	32	33	42	36	33	35	26	33	14	2	.....	.....	1	12
20	14	10	18	14	15	13	14	13	19	11	7	1	.....	.....	.....	
108	135	126	148	175	152	127	127	98	74	58	27	7	2	.....	1	13
92	97	95	113	132	115	89	81	72	55	36	17	2	2	.....	1	14
16	38	31	35	43	37	38	46	26	19	22	10	5	.....	.....	.....	15
25	33	36	38	37	24	26	24	18	11	5	5	2	1	1	9	16
24	30	36	35	34	23	24	24	15	11	5	5	1	1	1	7	17
1	3	.....	3	3	1	2	.....	3	.....	.....	.....	1	.....	.....	2	18
21	20	16	20	15	27	19	16	21	12	8	6	2	3	.....	.....	19
10	15	10	13	8	14	14	7	8	7	4	2	.....	1	.....	.....	20
11	5	6	7	7	13	5	9	13	5	4	4	2	2	.....	.....	21
3	8	4	7	3	5	5	3	3	2	1	.....	.....	.....	.....	.....	
1	2	.....	2	2	3	1	.....	4	1	.....	.....	.....	.....	.....	.....	22
6	3	4	3	5	5	6	2	4	5	3	2	.....	1	.....	.....	
9	3	6	5	5	9	4	9	9	4	4	4	2	2	.....	.....	23
.....	1	2	2	.....	4	3	2	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
184	220	260	292	343	394	473	599	682	663	514	281	106	28	4	45	27
85	120	137	170	178	214	292	309	355	331	237	142	35	8	1	37	28
99	100	123	122	165	180	181	290	327	332	277	139	71	20	3	8	29
182	220	260	292	343	392	472	598	681	661	514	281	106	28	4	44	30
83	120	137	170	178	214	291	308	354	330	237	142	35	8	1	37	31
99	100	123	122	165	178	181	290	327	331	277	139	71	20	3	7	32
110	114	161	178	229	259	341	444	481	499	390	219	79	23	3	8	33
50	59	84	97	116	136	209	237	252	247	177	109	23	6	.....	7	34
60	55	77	81	113	123	132	207	229	252	213	110	56	17	3	1	35
24	31	38	48	62	81	109	135	151	140	117	60	16	2	.....	2	
27	25	38	51	63	75	87	121	147	156	136	63	32	9	3	.....	36
18	23	31	33	22	21	21	23	11	4	5	2	.....	.....	.....	1	
22	17	25	19	26	22	14	16	14	7	3	3	2	.....	.....	1	37
8	5	15	16	32	34	79	79	90	103	55	47	7	4	.....	4	
11	13	14	11	24	26	31	70	68	89	74	44	22	8	.....	.....	38
68	102	88	104	107	117	120	139	187	147	109	46	22	3	1	9	39
32	57	44	64	59	66	74	65	94	74	52	23	11	1	1	8	40
36	45	44	40	48	51	46	74	93	73	57	23	11	2	.....	1	41
4	4	11	10	7	16	11	15	13	15	15	16	5	2	.....	27	42
1	4	9	9	3	12	8	6	8	9	8	10	1	1	.....	22	43
3	.....	2	1	4	4	3	9	5	6	7	6	4	1	.....	5	44
2	.....	.....	.....	.....	2	1	1	1	2	.....	.....	.....	.....	.....	1	45
2	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	47
1	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	1	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW JERSEY.												
1	Total	44,172	7,363	1,915	925	620	407	11,230	1,068	583	877	1,403	1,530
2	Males	23,923	4,111	1,081	518	348	219	6,277	553	333	440	716	849
3	Females	20,249	3,252	834	407	272	188	4,953	515	250	437	687	681
4	White	41,840	6,973	1,799	878	595	387	10,632	1,017	544	807	1,301	1,435
5	Males	22,669	3,892	1,014	491	331	211	5,939	526	315	407	669	796
6	Females	19,171	3,081	785	387	264	176	4,693	491	229	400	632	639
7	Native	29,131	6,946	1,787	870	585	381	10,569	966	492	661	980	893
8	Males	15,575	3,877	1,007	489	324	206	5,903	494	288	334	450	492
9	Females	13,556	3,069	780	381	261	175	4,666	472	204	327	480	401
10	Both parents native (M)	7,539	1,442	310	176	147	88	2,163	245	154	175	230	238
	Both parents native (F)	6,962	1,144	238	141	106	69	1,698	227	100	148	229	199
11	One or both parents foreign (M)	7,058	2,353	688	306	171	114	3,632	237	130	149	196	239
	One or both parents foreign (F)	5,803	1,855	529	231	153	105	2,873	240	99	170	229	183
12	Parentage unknown (M)	978	82	9	7	6	4	108	12	4	10	24	15
	Parentage unknown (F)	791	70	13	9	2	1	95	5	5	9	22	19
13	Foreign	12,367	12	11	8	10	6	47	50	51	144	362	526
14	Males	6,818	7	6	2	7	5	27	31	27	71	210	291
15	Females	5,549	5	5	6	3	1	20	19	24	73	152	235
16	Unknown	342	15	1	.....	.....	.....	16	1	1	2	9	16
17	Males	276	8	1	.....	.....	.....	9	1	.....	2	9	13
18	Females	66	7	.....	.....	.....	.....	7	.....	1	.....	.....	3
19	Colored	2,332	390	116	47	25	20	598	51	39	70	102	95
20	Males	1,254	219	67	27	17	8	338	27	18	33	47	53
21	Females	1,078	171	49	20	8	12	260	24	21	37	55	42
22	Negro (M)	1,240	219	67	27	17	8	338	27	18	33	47	53
	Negro (F)	1,078	171	49	20	8	12	260	24	21	37	55	42
23	Indian (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	NEW YORK.												
27	Total	151,704	22,717	5,500	2,611	1,659	1,139	33,626	3,197	1,862	2,883	4,522	5,287
28	Males	82,534	12,813	2,960	1,381	917	622	18,693	1,753	982	1,540	2,400	2,912
29	Females	69,170	9,904	2,540	1,230	742	517	14,933	1,444	880	1,343	2,122	2,375
30	White	147,865	22,084	5,332	2,544	1,625	1,109	32,694	3,118	1,804	2,787	4,317	5,029
31	Males	80,436	12,473	2,879	1,352	900	607	18,211	1,714	953	1,487	2,296	2,769
32	Females	67,429	9,611	2,453	1,192	725	502	14,483	1,404	851	1,300	2,021	2,260
33	Native	98,582	22,009	5,293	2,495	1,586	1,078	32,461	2,959	1,595	2,267	2,963	3,107
34	Males	53,572	12,423	2,858	1,327	881	589	18,078	1,627	856	1,203	1,543	1,649
35	Females	45,010	9,586	2,435	1,168	705	489	14,383	1,332	739	1,064	1,420	1,458
36	Both parents native (M)	23,551	4,716	756	438	320	229	6,459	687	419	573	702	740
	Both parents native (F)	20,842	3,505	640	358	256	180	4,939	591	354	487	646	712
37	One or both parents foreign (M)	26,299	7,291	2,074	876	551	352	11,144	930	428	608	787	850
	One or both parents foreign (F)	21,359	5,738	1,763	796	447	306	9,050	732	379	564	738	703
38	Parentage unknown (M)	3,722	416	28	13	10	8	475	10	9	22	54	59
	Parentage unknown (F)	2,809	343	32	14	2	3	394	9	6	13	36	43
39	Foreign	48,314	42	37	42	39	30	190	154	207	508	1,332	1,885
40	Males	26,091	27	20	21	19	18	105	85	97	276	734	1,088
41	Females	22,223	15	17	21	20	12	85	69	110	232	598	797
42	Unknown	969	33	2	7	.....	1	43	5	2	12	22	37
43	Males	773	23	1	4	.....	.....	28	2	.....	8	19	32
44	Females	196	10	1	3	.....	1	15	3	2	4	3	5
45	Colored	3,839	633	168	67	34	30	932	79	58	96	205	258
46	Males	2,098	340	81	29	17	15	482	39	29	53	104	143
47	Females	1,741	293	87	38	17	15	450	40	29	43	101	115
48	Negro (M)	1,950	327	76	28	16	14	461	37	28	53	92	133
	Negro (F)	1,701	284	82	37	17	14	434	39	28	42	97	113
49	Indian (M)	48	11	5	1	1	1	19	1	1	.....	2	3
	Indian (F)	37	8	4	1	.....	.....	13	1	1	1	4	2
50	Chinese (M)	82	1	.....	.....	.....	.....	1	1	.....	.....	7	4
	Chinese (F)	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
51	Japanese (M)	14	1	.....	.....	.....	.....	1	.....	.....	.....	2	2
	Japanese (F)	2	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
52	Other colored (M)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,631	1,890	2,183	2,420	2,572	2,689	2,761	2,949	2,958	2,427	1,754	858	285	85	14	5	1
927	1,125	1,374	1,457	1,559	1,513	1,473	1,523	1,477	1,114	737	339	92	27	4	4	2
704	765	809	963	1,003	1,176	1,288	1,426	1,481	1,313	1,017	519	193	58	10	1	3
1,497	1,735	2,030	2,254	2,425	2,560	2,643	2,843	2,842	2,369	1,703	832	277	79	11	4	4
856	1,035	1,291	1,370	1,484	1,447	1,406	1,471	1,410	1,088	713	324	89	26	3	3	5
641	699	739	884	941	1,113	1,237	1,372	1,432	1,281	990	508	188	53	8	1	6
900	1,017	1,205	1,231	1,257	1,373	1,445	1,442	1,606	1,363	1,040	503	183	47	8	.....	7
500	596	742	712	715	746	769	766	776	605	426	185	59	14	3	.....	8
400	421	463	519	542	627	676	676	830	758	614	318	124	33	5	.....	9
226	228	305	309	337	387	479	509	581	449	317	143	50	12	2	.....	10
185	193	211	238	255	307	402	464	607	608	501	260	99	28	3	.....	
253	330	384	335	301	296	224	152	93	54	37	12	3	1	.....	.....	11
195	196	224	251	243	264	208	144	133	78	44	21	7	.....	1	.....	
21	38	53	68	77	63	66	105	102	102	72	30	6	1	1	.....	12
20	32	28	30	44	56	66	68	90	72	69	37	18	5	1	.....	
582	692	797	990	1,127	1,151	1,164	1,369	1,215	994	652	325	93	32	3	1	13
343	416	522	628	732	668	613	680	622	477	281	137	30	12	.....	.....	14
289	276	275	362	395	483	551	689	593	517	371	188	63	20	3	1	15
15	26	28	33	41	36	34	32	21	12	11	4	1	.....	.....	3	16
13	24	27	30	37	33	24	25	12	6	6	2	.....	.....	.....	3	17
2	2	1	3	4	3	10	7	9	6	5	2	1	.....	.....	.....	18
134	155	153	166	147	129	118	106	116	58	51	26	8	6	3	1	19
71	89	83	87	85	66	67	52	67	26	24	15	3	1	1	1	20
63	66	70	79	62	63	51	54	49	32	27	11	5	5	2	.....	21
70	89	79	86	83	64	65	50	67	26	24	15	3	1	1	1	
63	66	70	79	62	63	51	54	49	32	27	11	5	5	2	.....	22
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	4	.....	1	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
5,837	6,970	7,627	8,494	9,263	9,827	10,400	10,657	10,644	9,049	6,546	3,426	1,184	300	42	61	27
3,417	4,211	4,583	5,165	5,468	5,635	5,597	5,503	5,257	4,367	2,902	1,510	472	106	13	48	28
2,420	2,759	3,044	3,329	3,795	4,192	4,803	5,154	5,387	4,682	3,644	1,916	712	194	29	13	29
5,545	6,631	7,345	8,263	9,026	9,618	10,227	10,508	10,523	8,972	6,499	3,394	1,176	292	41	56	30
3,255	4,005	4,418	5,024	5,319	5,510	5,502	5,437	5,198	4,335	2,876	1,494	471	105	13	44	31
2,290	2,626	2,927	3,239	3,707	4,108	4,725	5,071	5,325	4,637	3,623	1,900	705	187	28	12	32
3,258	3,720	4,163	4,463	4,663	5,356	5,398	5,344	5,438	4,973	3,633	1,946	678	172	16	9	33
1,887	2,238	2,446	2,671	2,657	3,020	2,917	2,794	2,725	2,393	1,665	872	260	62	3	6	34
1,371	1,482	1,717	1,792	2,006	2,336	2,481	2,550	2,713	2,580	1,968	1,074	418	110	13	3	35
835	889	845	937	974	1,277	1,393	1,579	1,720	1,553	1,143	607	178	38	3	.....	
626	660	670	711	754	986	1,224	1,460	1,734	1,739	1,392	783	288	78	7	1	36
973	1,236	1,452	1,577	1,486	1,506	1,220	835	568	382	199	80	27	5	.....	1	
687	748	974	989	1,143	1,214	1,029	807	661	483	287	99	54	14	3	1	37
74	113	149	157	197	237	304	380	437	458	323	185	55	19	.....	5	
58	74	73	92	109	136	228	283	318	358	289	192	76	18	3	1	38
2,223	2,813	3,072	3,689	4,256	4,187	4,760	5,122	5,031	3,965	2,838	1,432	492	119	25	14	39
1,310	1,680	1,874	2,256	2,568	2,427	2,542	2,611	2,439	1,918	1,198	613	209	43	10	8	40
913	1,133	1,198	1,433	1,688	1,760	2,218	2,511	2,592	2,047	1,640	819	283	76	15	6	41
64	98	110	111	107	75	69	42	54	34	28	16	6	1	.....	33	42
53	87	98	97	94	63	43	32	34	24	13	9	2	.....	.....	30	43
6	11	12	14	13	12	26	10	20	10	15	7	4	1	.....	3	44
292	339	282	231	237	209	173	149	121	77	47	32	8	8	1	5	45
162	206	165	141	149	125	95	66	59	32	26	16	1	1	.....	4	46
130	133	117	90	88	84	78	83	62	45	21	16	7	7	1	1	47
148	193	153	134	127	112	90	60	56	32	21	15	1	1	.....	3	
130	133	115	88	88	83	74	81	62	43	20	16	7	6	1	1	48
4	3	2	.....	4	1	1	1	2	.....	3	1	.....	.....	.....	.....	
.....	.....	2	2	.....	1	4	2	.....	2	1	.....	.....	1	.....	.....	49
7	7	9	6	17	12	3	5	1	.....	1	.....	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
1	3	1	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NORTH CAROLINA.												
1	Total	31,389	7,112	2,014	818	411	261	10,616	754	577	1,152	1,513	1,342
2	Males	15,546	3,997	1,077	426	205	140	5,845	384	291	490	617	569
3	Females	15,843	3,115	937	392	206	121	4,771	370	286	662	896	773
4	White	18,756	4,223	1,175	507	259	154	6,318	448	282	501	682	637
5	Males	9,381	2,409	605	252	137	85	3,488	228	164	223	286	258
6	Females	9,375	1,814	570	255	122	69	2,830	220	118	278	396	379
7	Native	18,440	4,219	1,174	504	259	154	6,310	446	280	496	669	623
8	Males	9,189	2,408	604	252	137	85	3,486	227	163	220	276	252
9	Females	9,251	1,811	570	252	122	69	2,824	219	117	276	393	371
10	Both parents native {M	7,981	2,329	588	242	128	80	3,367	220	156	202	255	221
	{F	8,109	1,748	557	240	120	68	2,733	214	111	260	307	330
11	One or both parents foreign {M	114	10	2	.....	3	1	16	4	1	2	2	11
	{F	89	8	3	2	1	.....	14	1	1	1	3	4
12	Parentage unknown {M	1,094	69	14	10	6	4	103	3	6	16	19	20
	{F	1,053	55	10	10	1	1	77	4	5	15	23	37
13	Foreign	132	1	.....	1	.....	.....	2	.....	1	.....	4	6
14	Males	87	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2
15	Females	45	1	.....	1	.....	.....	2	.....	.....	.....	.....	4
16	Unknown	184	3	1	2	.....	.....	6	2	1	5	9	8
17	Males	105	1	1	.....	.....	.....	2	1	.....	3	6	4
18	Females	79	2	.....	2	.....	.....	4	1	1	2	3	4
19	Colored	12,633	2,889	839	311	152	107	4,298	306	295	651	831	705
20	Males	6,165	1,588	472	174	68	55	2,357	156	127	267	331	311
21	Females	6,468	1,301	367	137	84	52	1,041	150	168	384	500	394
22	Negro {M	6,101	1,565	465	174	68	55	2,327	155	127	265	329	310
	{F	6,390	1,279	357	135	84	51	1,906	146	167	384	498	391
23	Indian {M	64	23	7	.....	.....	.....	30	1	.....	2	2	1
	{F	78	22	10	2	.....	1	35	4	1	.....	2	3
24	Chinese {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.												
27	Total	74,282	11,049	2,308	938	619	450	15,364	1,288	918	1,601	2,371	2,551
28	Males	41,003	6,188	1,261	484	310	234	8,477	708	496	833	1,304	1,392
29	Females	33,279	4,861	1,047	454	309	216	6,887	580	422	768	1,067	1,159
30	White	71,181	10,692	2,227	901	594	432	14,846	1,246	873	1,491	2,211	2,357
31	Males	39,162	5,995	1,217	461	299	225	8,197	686	474	776	1,214	1,273
32	Females	32,019	4,697	1,010	440	295	207	6,649	560	399	715	997	1,084
33	Native	56,191	10,666	2,221	894	583	424	14,788	1,205	827	1,336	1,788	1,822
34	Males	30,046	5,980	1,216	458	292	221	8,167	664	444	693	918	903
35	Females	26,145	4,686	1,005	436	291	203	6,621	541	383	643	870	919
36	Both parents native {M	17,203	3,666	672	286	192	143	4,959	463	341	520	616	563
	{F	15,781	2,778	571	292	188	136	3,965	382	294	471	592	611
37	One or both parents foreign {M	8,455	2,174	525	166	99	78	3,042	191	91	148	235	266
	{F	7,161	1,807	426	140	100	64	2,537	153	83	154	229	233
38	Parentage unknown {M	4,388	140	19	6	1	.....	166	10	12	25	67	74
	{F	3,203	101	8	4	3	3	119	6	6	18	49	75
39	Foreign	13,691	13	3	7	10	8	41	41	46	144	385	481
40	Males	8,058	8	1	3	6	4	22	22	30	76	265	319
41	Females	5,633	5	2	4	4	4	19	19	16	68	120	162
42	Unknown	1,299	13	3	.....	1	.....	17	.....	.....	11	38	54
43	Males	1,058	7	.....	.....	1	.....	8	.....	.....	7	31	51
44	Females	241	6	3	.....	.....	.....	9	.....	.....	4	7	3
45	Colored	3,101	357	81	37	25	18	518	42	45	110	160	194
46	Males	1,841	193	44	23	11	9	280	22	22	57	90	119
47	Females	1,260	164	37	14	14	9	238	20	23	53	70	75
48	Negro {M	1,838	193	44	23	11	9	280	22	22	57	90	119
	{F	1,259	164	37	14	14	9	238	20	23	53	70	75
49	Indian {M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese {M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored {M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	{F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,257	1,254	1,041	998	1,083	1,284	1,435	1,693	1,673	1,474	1,175	585	235	111	78	9	1
521	524	436	481	533	674	767	933	828	724	510	238	101	44	33	3	2
736	730	605	517	550	610	718	760	845	750	665	347	134	67	45	6	3
660	653	565	550	596	886	1,003	1,223	1,217	1,104	831	393	137	52	13	5	4
268	264	253	285	304	485	538	670	575	508	348	158	54	18	4	2	5
392	389	312	265	292	401	465	553	642	596	483	235	83	34	9	3	6
648	633	550	534	570	870	971	1,191	1,188	1,075	806	382	132	49	12	5	7
258	250	243	272	286	473	516	652	564	490	336	153	51	16	3	2	8
390	383	307	262	284	397	455	539	624	585	470	229	81	33	9	3	9
222	213	198	229	227	392	400	505	430	366	239	97	30	8	3	1	10
346	344	266	219	241	335	370	442	477	450	354	166	56	22	3	3	
4	5	8	4	6	11	5	10	4	7	12	2	----	----	----	----	11
6	1	4	4	4	5	5	3	6	11	10	5	1	----	----	----	
32	32	37	39	53	70	111	137	130	117	85	54	21	8	----	1	12
38	38	37	39	39	57	80	94	141	124	106	58	24	11	6	----	
6	10	6	11	10	8	12	12	7	11	15	6	3	1	1	----	13
5	7	4	8	8	6	9	9	2	9	8	2	2	----	1	----	14
1	3	2	3	2	2	3	3	5	2	7	4	1	1	----	----	15
6	10	9	5	16	8	20	20	22	18	10	5	2	2	----	----	16
5	7	6	5	10	6	13	9	9	9	4	3	1	2		----	17
1	3	3	----	6	2	7	11	13	9	6	2	1	----	----	----	18
597	601	476	448	487	398	482	470	456	370	344	192	98	59	65	4	19
253	260	183	196	229	189	229	263	253	216	162	80	47	26	29	1	20
344	341	293	252	258	209	253	207	203	154	182	112	51	33	36	3	21
251	256	180	195	227	188	225	262	251	213	161	79	46	24	29	1	22
341	340	290	251	253	209	249	203	200	153	181	107	50	33	36	2	
2	4	3	1	2	1	4	1	2	3	1	1	1	2	----	----	23
3	1	3	1	5	----	4	4	3	1	1	5	1	----	----	1	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	24
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	25
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	26
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
2,729	3,154	3,246	3,442	3,736	4,283	4,759	5,574	6,178	5,673	4,221	2,206	740	173	29	46	27
1,552	1,916	1,997	2,117	2,182	2,507	2,703	3,134	3,283	2,925	2,032	1,007	322	70	14	32	28
1,177	1,238	1,249	1,325	1,554	1,776	2,056	2,440	2,895	2,748	2,189	1,199	418	103	15	14	29
2,530	2,896	3,004	3,244	3,527	4,121	4,591	5,417	6,034	5,557	4,138	2,159	723	164	20	32	30
1,435	1,742	1,845	1,988	2,059	2,405	2,602	3,039	3,190	2,859	1,985	981	314	65	11	22	31
1,095	1,154	1,159	1,256	1,468	1,716	1,989	2,378	2,844	2,698	2,153	1,178	409	99	9	10	32
1,869	2,072	2,212	2,326	2,515	3,084	3,353	3,855	4,266	3,898	2,895	1,454	493	110	14	9	33
987	1,144	1,260	1,312	1,365	1,734	1,850	2,118	2,203	2,020	1,370	638	200	42	6	3	34
882	928	952	1,014	1,150	1,350	1,503	1,737	2,058	1,878	1,525	816	293	68	8	6	35
566	576	600	640	666	814	984	1,196	1,222	1,141	815	374	114	27	4	2	36
579	560	533	540	630	703	854	1,015	1,271	1,129	922	513	173	37	3	4	
305	392	469	476	469	584	497	429	359	279	142	57	22	2	----	----	37
237	264	312	350	379	451	386	384	397	280	195	91	32	10	4	----	
116	176	191	196	230	336	369	493	627	600	413	207	64	13	2	1	38
66	104	107	124	141	196	263	338	390	469	408	212	88	21	1	2	
585	693	654	795	891	939	1,140	1,445	1,668	1,586	1,192	687	220	51	6	1	39
381	476	465	565	592	592	671	829	905	797	583	332	109	22	5	----	40
204	217	189	230	299	347	469	616	763	789	609	355	111	29	1	1	41
76	131	138	123	121	98	98	117	100	73	51	18	10	3	----	22	42
67	122	120	111	102	79	81	92	77	42	32	11	5	1	----	19	43
9	9	18	12	19	19	17	25	23	31	19	7	5	2	----	3	44
199	258	242	198	209	162	168	157	144	116	83	47	17	9	9	14	45
117	174	152	129	123	102	101	95	93	66	47	26	8	5	3	10	46
82	84	90	69	86	60	67	62	51	50	36	21	9	4	6	4	47
117	174	151	129	123	101	101	94	93	66	47	26	8	5	3	10	48
82	83	90	69	86	60	67	62	51	50	36	21	9	4	6	4	
----	----	----	----	----	----	----	1	----	----	----	----	----	----	----	----	49
----	----	1	----	----	1	----	----	----	----	----	----	----	----	----	----	50
----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	51
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	52
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	PENNSYLVANIA.												
1	Total	124,577	24,834	5,485	2,220	1,332	960	34,771	2,620	1,639	2,563	4,064	4,316
2	Males	68,225	14,076	2,910	1,200	707	475	19,368	1,412	923	1,406	2,237	2,480
3	Females	56,352	10,758	2,575	1,020	625	425	15,403	1,208	716	1,157	1,827	1,836
4	White	119,364	24,028	5,252	2,141	1,294	872	33,587	2,512	1,534	2,360	3,782	4,003
5	Males	65,284	13,616	2,788	1,156	686	456	18,702	1,372	866	1,308	2,070	2,307
6	Females	54,080	10,412	2,464	985	608	416	14,885	1,140	668	1,052	1,712	1,696
7	Native	92,550	23,968	5,226	2,117	1,267	857	33,435	2,436	1,449	2,038	2,779	2,631
8	Males	49,123	13,582	2,773	1,144	670	446	18,615	1,325	820	1,117	1,398	1,361
9	Females	43,427	10,386	2,453	973	597	411	14,820	1,111	629	921	1,381	1,270
10	Both parents native (M)	27,237	6,441	1,098	529	326	240	8,634	776	507	707	868	848
	Both parents native (F)	25,344	4,919	989	473	289	211	6,881	647	409	579	851	801
11	One or both parents foreign (M)	17,831	6,884	1,638	591	331	200	9,644	517	299	374	482	441
	One or both parents foreign (F)	14,815	5,232	1,432	489	297	196	7,646	454	209	322	476	398
12	Parentage unknown (M)	4,055	257	37	24	13	6	337	32	14	36	48	72
	Parentage unknown (F)	3,268	235	32	11	11	4	293	10	11	20	54	71
13	Foreign	25,697	42	24	21	25	14	126	73	84	309	960	1,330
14	Males	15,298	27	15	11	15	9	77	44	46	182	635	912
15	Females	10,399	15	9	10	10	5	49	29	38	127	325	418
16	Unknown	1,117	18	2	3	2	1	26	3	1	13	43	42
17	Males	863	7	.....	1	1	1	10	3	.....	9	37	34
18	Females	254	11	2	2	1	.....	16	.....	1	4	6	8
19	Colored	5,213	806	233	79	38	28	1,184	108	105	203	282	313
20	Males	2,941	460	122	44	21	19	666	40	57	98	167	173
21	Females	2,272	346	111	35	17	9	518	68	48	105	115	140
22	Negro (M)	2,898	459	122	43	21	19	664	40	57	95	165	169
	Negro (F)	2,270	345	111	35	17	9	517	68	48	105	115	140
23	Indian (M)	6	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1
	Indian (F)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M)	34	1	.....	.....	.....	.....	1	.....	.....	.....	1	2
	Chinese (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
25	Japanese (M)	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	RHODE ISLAND.												
27	Total	9,501	1,627	372	160	75	85	2,319	207	118	196	275	315
28	Males	5,109	944	186	87	40	38	1,295	112	73	119	154	167
29	Females	4,392	683	186	73	35	47	1,024	95	45	77	121	148
30	White	9,196	1,582	366	155	71	81	2,255	201	115	184	259	297
31	Males	4,942	920	183	84	39	36	1,262	110	72	112	143	153
32	Females	4,254	662	183	71	32	45	993	91	43	72	116	144
33	Native	6,078	1,573	363	151	69	79	2,235	189	95	133	177	169
34	Males	3,315	917	181	82	38	34	1,252	106	60	82	107	85
35	Females	2,763	656	182	69	31	45	983	83	35	51	70	84
36	Both parents native (M)	1,370	233	37	22	14	6	312	39	20	21	30	36
	Both parents native (F)	1,317	182	34	14	17	14	261	27	10	19	26	35
37	One or both parents foreign (M)	1,789	656	141	59	22	28	906	66	39	51	68	48
	One or both parents foreign (F)	1,341	454	145	53	14	30	696	55	25	30	41	48
38	Parentage unknown (M)	156	28	3	1	2	.....	34	1	1	10	9	1
	Parentage unknown (F)	105	20	3	2	.....	1	26	1	.....	2	3	1
39	Foreign	3,053	5	3	4	2	2	16	12	19	51	81	128
40	Males	1,580	2	2	2	1	2	9	4	11	30	36	68
41	Females	1,473	3	1	2	1	.....	7	8	8	21	45	60
42	Unknown	65	4	.....	.....	.....	.....	4	.....	1	.....	1	.....
43	Males	47	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....
44	Females	18	3	.....	.....	.....	.....	3	.....	.....	.....	1	.....
45	Colored	305	45	6	5	4	4	64	6	3	12	16	18
46	Males	167	24	3	3	1	2	33	2	1	7	11	14
47	Females	138	21	3	2	3	2	31	4	2	5	5	4
48	Negro (M)	161	23	3	3	1	2	32	2	1	7	10	14
	Negro (F)	137	20	3	2	3	2	30	4	2	5	5	4
49	Indian (M)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M)	3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
52	Other colored (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
4,679	5,145	5,395	5,821	6,539	6,932	7,654	8,158	8,347	7,284	5,029	2,554	860	168	36	3	1
2,734	3,067	3,273	3,467	3,876	3,959	4,283	4,323	4,215	3,498	2,279	1,036	307	68	12	2	2
1,945	2,078	2,122	2,354	2,663	2,973	3,371	3,835	4,132	3,786	2,750	1,518	553	100	24	1	3
4,325	4,748	5,012	5,433	6,234	6,659	7,407	7,949	8,172	7,164	4,949	2,509	835	160	27	3	4
2,527	2,831	3,020	3,245	3,679	3,807	4,141	4,208	4,122	3,437	2,247	1,014	301	67	11	2	5
1,798	1,917	1,992	2,188	2,555	2,852	3,266	3,741	4,050	3,727	2,702	1,495	534	93	16	1	6
2,823	2,927	3,162	3,391	3,844	4,482	5,003	5,425	5,621	5,076	3,576	1,778	571	97	6	.....	7
1,506	1,580	1,750	1,830	2,095	2,429	2,743	2,822	2,794	2,403	1,595	704	197	39	.....	.....	8
1,317	1,347	1,412	1,561	1,749	2,053	2,260	2,603	2,827	2,673	1,981	1,074	374	58	6	.....	9
896	859	928	937	1,114	1,330	1,658	1,855	1,934	1,648	1,100	492	122	24	.....	.....	10
859	843	833	891	1,012	1,244	1,401	1,739	1,990	1,893	1,412	755	267	35	2	.....	
519	559	639	653	740	764	705	534	379	294	193	70	19	6	.....	.....	11
377	414	474	515	592	595	580	498	441	389	261	125	39	9	1	.....	
91	162	183	240	241	335	380	433	481	461	302	142	56	9	.....	.....	12
81	90	105	155	145	214	279	366	396	391	308	194	68	14	3	.....	
1,431	1,734	1,740	1,937	2,269	2,082	2,305	2,415	2,478	2,043	1,331	709	258	61	21	1	13
962	1,172	1,179	1,325	1,486	1,294	1,317	1,311	1,282	1,010	627	296	103	27	11	.....	14
469	562	561	612	783	788	988	1,104	1,196	1,033	704	413	155	34	10	1	15
71	87	110	105	121	95	99	109	73	45	42	22	6	2	.....	2	16
59	79	91	90	98	84	81	75	46	24	25	14	1	1	.....	2	17
12	8	19	15	23	11	18	34	27	21	17	8	5	1	.....	.....	18
354	397	383	388	305	273	247	209	175	120	80	45	25	8	9	.....	19
207	236	253	222	197	152	142	115	93	61	32	22	6	1	1	.....	20
147	161	130	166	108	121	105	94	82	59	48	23	19	7	8	.....	21
206	231	248	215	189	150	139	115	92	61	32	22	6	1	1	.....	22
147	161	130	166	108	121	105	94	82	58	48	23	19	7	8	.....	
.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	4	5	6	8	2	3	.....	1	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
346	443	407	501	542	608	619	714	657	574	353	193	87	22	1	4	27
202	253	234	291	318	335	333	373	330	268	141	69	28	9	1	4	28
144	190	173	210	224	273	286	341	327	306	212	124	59	13	.....	.....	29
332	424	387	483	523	585	598	695	642	566	348	193	84	20	1	4	30
193	240	222	284	305	326	323	365	319	264	140	69	27	8	1	4	31
139	184	165	199	218	259	275	330	323	302	208	124	57	12	.....	.....	32
182	237	216	245	244	272	292	337	317	312	219	134	59	13	.....	1	33
108	134	126	142	143	158	160	187	161	154	82	46	16	5	.....	1	34
74	103	90	103	101	114	132	150	156	158	137	88	43	8	.....	.....	35
32	33	45	44	66	83	92	142	124	123	68	41	16	3	.....	.....	36
21	34	38	33	43	61	75	111	131	142	126	80	37	7	.....	.....	
73	99	75	91	71	65	61	32	21	18	4	.....	.....	.....	.....	1	
53	63	46	68	56	48	49	33	19	4	4	1	2	.....	.....	.....	37
3	2	6	7	6	10	7	13	16	13	10	5	.....	2	.....	.....	
.....	6	6	2	2	5	8	6	6	12	7	7	4	1	.....	.....	38
149	182	169	231	274	306	298	353	319	249	127	58	23	7	1	.....	39
84	102	94	136	157	162	157	174	157	106	57	23	9	3	1	.....	40
65	80	75	95	117	144	141	179	162	143	70	35	14	4	.....	.....	41
1	5	2	7	5	7	8	5	6	5	2	1	2	.....	.....	3	42
1	4	2	6	5	6	6	4	1	4	1	.....	2	.....	.....	3	43
.....	1	.....	1	.....	1	2	1	5	1	1	1	.....	.....	.....	.....	44
14	19	20	18	19	23	21	19	15	8	5	.....	3	2	.....	.....	45
9	13	12	7	13	9	10	8	11	4	1	.....	1	1	.....	.....	46
5	6	8	11	6	14	11	11	4	4	4	.....	2	1	.....	.....	47
9	13	12	6	11	9	9	8	11	4	1	.....	1	1	.....	.....	48
5	6	8	11	6	14	11	11	4	4	4	.....	2	1	.....	.....	
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SOUTH CAROLINA.												
1	Total	22,502	5,252	1,395	573	326	216	7,762	609	481	898	1,261	1,095
2	Males	11,304	2,954	756	314	189	105	4,318	281	245	387	506	436
3	Females	11,198	2,298	639	259	137	111	3,444	328	236	511	755	659
4	White	8,247	1,800	573	222	109	72	2,776	197	140	205	271	289
5	Males	4,202	1,009	321	127	65	36	1,558	100	75	105	111	119
6	Females	4,045	791	252	95	44	36	1,218	97	65	100	160	170
7	Native	7,956	1,793	571	222	109	72	2,767	197	140	201	263	280
8	Males	4,031	1,006	320	127	65	36	1,554	100	75	102	108	115
9	Females	3,925	787	251	95	44	36	1,213	97	65	99	155	165
10	Both parents native	M 3,377	958	310	120	65	36	1,489	94	69	91	92	96
		F 3,311	743	240	91	43	34	1,151	92	58	92	142	149
11	One or both parents foreign	M 97	10	2	2	.....	.....	14	.....	1	3	2	2
		F 99	13	4	1	.....	.....	18	.....	2	1	2	1
12	Parentage unknown	M 557	38	8	5	.....	.....	51	6	5	8	14	17
		F 515	31	7	3	1	2	44	5	5	6	11	15
13	Foreign	150	.....	1	.....	.....	.....	1	.....	.....	.....	3	4
14	Males	101	.....	1	.....	.....	.....	1	.....	.....	.....	2	2
15	Females	49	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
16	Unknown	141	7	1	.....	.....	.....	8	.....	.....	4	5	5
17	Males	70	3	.....	.....	.....	.....	3	.....	.....	3	1	2
18	Females	71	4	1	.....	.....	.....	5	.....	.....	1	4	3
19	Colored	14,255	3,452	822	351	217	144	4,986	412	341	693	990	806
20	Males	7,102	1,945	435	187	124	69	2,760	181	170	282	395	317
21	Females	7,153	1,507	387	164	93	75	2,226	231	171	411	595	489
22	Negro	M 7,099	1,944	435	187	124	69	2,759	181	170	282	395	317
		F 7,147	1,505	387	164	93	75	2,224	230	171	411	594	489
23	Indian	M 3	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
		F 6	2	.....	.....	.....	.....	2	1	.....	.....	1	.....
24	Chinese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored	M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	UTAH.												
27	Total	4,511	913	128	63	51	37	1,192	139	108	122	168	178
28	Males	2,569	494	72	27	23	16	632	80	58	75	94	107
29	Females	1,942	419	56	36	28	21	560	59	50	47	74	71
30	White	4,414	890	125	61	48	37	1,161	139	104	119	161	173
31	Males	2,504	476	69	26	21	16	608	80	56	73	90	104
32	Females	1,910	414	56	35	27	21	553	59	48	46	71	69
33	Native	2,975	889	124	61	47	37	1,158	135	97	110	131	116
34	Males	1,638	476	68	26	20	16	606	79	53	66	64	56
35	Females	1,337	413	56	35	27	21	552	56	44	44	67	60
36	Both parents native	M 896	341	48	20	10	10	429	53	37	46	29	21
		F 809	304	43	29	21	15	412	44	30	29	34	27
37	One or both parents foreign	M 561	128	20	6	10	6	170	24	15	20	32	26
		F 452	104	13	6	6	5	134	12	14	15	32	27
38	Parentage unknown	M 181	7	.....	.....	.....	.....	7	2	1	.....	3	9
		F 76	5	.....	.....	.....	1	6	.....	.....	.....	1	6
39	Foreign	1,350	1	1	.....	1	.....	3	4	7	8	27	44
40	Males	782	.....	1	.....	1	.....	2	1	3	6	23	36
41	Females	568	1	.....	.....	.....	.....	1	3	4	2	4	8
42	Unknown	89	.....	.....	.....	.....	.....	.....	.....	.....	1	3	13
43	Males	84	.....	.....	.....	.....	.....	.....	.....	.....	1	3	12
44	Females	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
45	Colored	97	23	3	2	3	.....	31	.....	4	3	7	5
46	Males	65	18	3	1	2	.....	24	.....	2	2	4	3
47	Females	32	5	.....	1	1	.....	7	.....	2	1	3	2
48	Negro	M 9	1	.....	.....	.....	.....	1	.....	.....	1	.....	.....
		F 13	1	.....	1	.....	.....	2	.....	1	.....	1	.....
49	Indian	M 17	5	1	1	.....	.....	7	.....	2	.....	1	.....
		F 15	2	.....	.....	.....	.....	2	.....	1	1	2	2
50	Chinese	M 6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese	M 31	12	2	.....	2	.....	16	.....	.....	1	1	3
		F 4	2	.....	.....	1	.....	3	.....	.....	.....	.....	.....
52	Other colored	M 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
		F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—														Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
919	1,118	908	860	887	809	978	975	965	712	576	314	138	50	70	117	1
376	498	411	411	496	450	539	524	512	333	273	149	63	15	24	57	2
543	620	497	449	391	359	439	451	453	379	303	165	75	35	46	60	3
266	339	305	286	313	385	486	508	503	411	298	166	48	11	10	34	4
109	163	142	140	170	228	268	264	257	176	119	65	18	2	2	11	5
157	176	163	146	143	157	218	244	246	235	179	101	30	9	8	23	6
257	321	292	271	298	365	467	479	461	382	269	156	45	10	9	26	7
104	149	131	134	161	212	258	244	233	153	103	59	18	1	2	10	8
153	172	161	137	137	153	209	235	228	224	166	97	27	9	7	16	9
90	126	110	112	117	158	185	179	154	107	59	36	10	.....	.....	3	10
137	137	132	113	113	120	156	172	167	164	114	63	20	5	4	10	
4	4	4	4	9	8	11	8	7	6	5	4	.....	1	.....	.....	11
1	6	4	5	9	8	9	11	5	6	6	4	1	.....	.....	.....	
10	19	17	18	35	46	62	57	72	45	39	19	8	.....	2	7	12
15	29	25	19	15	25	44	52	56	54	46	30	6	4	3	6	
3	7	5	9	6	14	7	17	28	16	21	6	1	1	1	.....	13
3	6	5	4	6	12	5	13	14	11	13	3	.....	1	.....	.....	14
.....	1	.....	5	.....	2	2	4	14	5	8	3	1	.....	1	.....	15
6	11	8	6	9	6	12	12	14	13	8	4	2	.....	.....	8	16
2	8	6	2	3	4	5	7	10	7	3	3	.....	.....	.....	1	17
4	3	2	4	6	2	7	5	4	6	5	1	2	.....	.....	7	18
653	779	603	574	574	424	492	467	462	301	278	148	90	39	60	83	19
267	335	269	271	326	222	271	260	255	157	154	84	45	13	22	46	20
386	444	334	303	248	202	221	207	207	144	124	64	45	26	38	37	21
267	334	269	271	326	222	271	260	255	157	153	84	45	13	22	46	22
386	443	334	303	248	202	221	206	207	144	124	64	45	26	38	37	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	23
.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
194	199	224	166	204	252	232	246	254	252	201	130	38	11	1	.....	27
115	126	161	100	135	150	132	143	142	132	104	60	18	4	1	.....	28
79	73	63	66	69	102	100	103	112	120	97	70	20	7	.....	.....	29
185	192	214	163	200	252	228	242	250	251	200	130	38	11	1	.....	30
109	124	152	97	132	150	130	141	141	131	103	60	18	4	1	.....	31
76	68	62	66	68	102	98	101	109	120	97	70	20	7	.....	.....	32
132	127	141	106	124	146	98	107	78	72	54	36	7	.....	.....	.....	33
70	70	93	58	76	85	59	59	45	41	35	20	3	.....	.....	.....	34
62	57	48	48	48	61	39	48	33	31	19	16	4	.....	.....	.....	35
30	30	25	13	23	25	23	35	21	23	16	14	3	.....	.....	.....	36
25	25	14	12	8	22	22	30	23	25	15	10	2	.....	.....	.....	
27	33	50	30	39	45	15	11	8	9	3	4	.....	.....	.....	.....	37
29	29	33	31	32	29	11	10	4	6	3	.....	1	.....	.....	.....	
13	7	18	15	14	15	21	13	16	9	16	2	.....	.....	.....	.....	38
8	3	1	5	8	10	6	8	6	.....	1	6	1	.....	.....	.....	
40	53	66	52	66	99	126	127	168	178	146	94	30	11	1	.....	39
27	43	52	34	46	58	67	75	92	90	68	40	14	4	1	.....	40
13	10	14	18	20	41	59	52	76	88	78	54	16	7	.....	.....	41
13	12	7	5	10	7	4	8	4	1	.....	.....	1	.....	.....	.....	42
12	11	7	5	10	7	4	7	4	.....	.....	.....	1	.....	.....	.....	43
1	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	44
9	7	10	3	4	.....	4	4	4	1	1	.....	.....	.....	.....	.....	45
6	2	9	3	3	.....	2	2	1	1	1	.....	.....	.....	.....	.....	46
3	5	1	.....	1	.....	2	2	3	.....	.....	.....	.....	.....	.....	.....	47
1	1	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
2	3	.....	.....	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	49
1	1	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	1	.....	2	1	1	.....	1	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	VERMONT.												
1	Total	5,687	723	83	60	30	28	924	91	65	97	123	140
2	Males	2,937	400	45	21	16	13	495	44	35	53	63	74
3	Females	2,750	323	38	39	14	15	429	47	30	44	60	66
4	White	5,678	720	83	60	30	28	921	90	65	96	122	139
5	Males	2,933	399	45	21	16	13	494	43	35	53	62	73
6	Females	2,745	321	38	39	14	15	427	47	30	43	60	66
7	Native	4,620	715	82	56	29	27	909	88	61	82	108	116
8	Males	2,370	395	45	20	16	13	489	43	32	46	56	60
9	Females	2,250	320	37	36	13	14	420	45	29	36	52	56
10	Both parents native (M.)	1,449	250	24	14	12	8	308	31	20	30	33	37
	Both parents native (F.)	1,410	192	22	23	7	9	253	28	18	23	29	37
11	One or both parents foreign (M.)	541	119	20	6	4	4	153	11	11	16	19	15
	One or both parents foreign (F.)	514	114	14	13	6	5	152	16	10	12	21	19
12	Parentage unknown (M.)	380	26	1	.....	.....	1	28	1	1	.....	4	8
	Parentage unknown (F.)	326	14	1	.....	.....	.....	15	1	1	1	2	.....
13	Foreign	1,006	5	1	4	1	1	12	2	4	12	14	23
14	Males	534	4	.....	1	.....	.....	5	.....	3	7	6	13
15	Females	472	1	1	3	1	1	7	2	1	5	8	10
16	Unknown	52	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
17	Males	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Females	23	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
19	Colored	9	3	.....	.....	.....	.....	3	1	.....	1	1	1
20	Males	4	1	.....	.....	.....	.....	1	1	.....	.....	1	1
21	Females	5	2	.....	.....	.....	.....	2	.....	.....	1	.....	.....
22	Negro (M.)	4	1	.....	.....	.....	.....	1	1	.....	.....	1	1
	Negro (F.)	5	2	.....	.....	.....	.....	2	.....	.....	1	.....	.....
23	Indian (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIRGINIA.												
27	Total	32,144	5,893	1,365	659	327	250	8,494	745	574	1,063	1,545	1,403
28	Males	16,783	3,281	698	362	159	122	4,622	365	262	500	792	698
29	Females	15,361	2,612	667	297	168	128	3,872	380	312	563	753	705
30	White	18,404	3,318	764	393	193	157	4,825	421	262	458	620	668
31	Males	9,638	1,826	401	218	97	79	2,621	212	142	223	320	353
32	Females	8,766	1,492	363	175	96	78	2,204	209	120	235	300	315
33	Native	17,506	3,308	762	393	193	157	4,813	418	258	446	592	623
34	Males	9,051	1,819	401	218	97	79	2,614	210	139	213	296	318
35	Females	8,455	1,489	361	175	96	78	2,199	208	119	233	296	305
36	Both parents native (M.)	7,268	1,672	384	207	94	76	2,433	203	128	194	245	266
	Both parents native (F.)	7,059	1,372	340	163	88	74	2,037	197	108	214	259	263
37	One or both parents foreign (M.)	321	64	6	3	.....	1	74	4	3	3	7	3
	One or both parents foreign (F.)	293	62	9	4	3	2	80	6	3	7	4	8
38	Parentage unknown (M.)	1,462	83	11	8	3	2	107	3	8	16	44	49
	Parentage unknown (F.)	1,103	55	12	8	5	2	82	5	8	12	33	34
39	Foreign	628	1	.....	.....	.....	.....	1	.....	2	8	18	26
40	Males	408	1	.....	.....	.....	.....	1	.....	1	6	14	19
41	Females	220	.....	.....	.....	.....	.....	.....	.....	1	2	4	7
42	Unknown	270	9	2	.....	.....	.....	11	3	2	4	10	19
43	Males	179	6	.....	.....	.....	.....	6	2	2	4	10	16
44	Females	91	3	2	.....	.....	.....	5	1	.....	.....	.....	3
45	Colored	13,740	2,575	601	266	134	93	3,669	324	312	605	925	735
46	Males	7,145	1,455	297	144	62	43	2,001	153	120	277	472	345
47	Females	6,595	1,120	304	122	72	50	1,668	171	192	328	453	390
48	Negro (M.)	7,133	1,448	297	144	62	43	1,994	153	120	277	472	345
	Negro (F.)	6,592	1,120	304	122	72	50	1,668	171	192	328	453	390
49	Indian (M.)	7	6	.....	.....	.....	.....	6	.....	.....	.....	.....	.....
	Indian (F.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese (M.)	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M.)	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Japanese (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F.)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
129	151	176	240	258	317	368	499	634	616	463	273	88	29	6	.....	1
64	68	86	122	142	158	210	274	341	314	229	124	32	7	2	.....	2
65	83	90	118	116	159	158	225	293	302	234	149	56	22	4	.....	3
129	151	176	240	257	317	367	499	634	616	463	273	88	29	6	.....	4
64	68	86	122	142	158	210	274	341	314	229	124	32	7	2	.....	5
65	83	90	118	115	159	157	225	293	302	234	149	56	22	4	.....	6
103	119	136	186	190	242	279	380	486	484	358	196	73	21	3	.....	7
51	57	61	83	99	122	165	206	262	244	178	81	29	5	1	.....	8
52	62	75	103	91	120	114	174	224	240	180	115	44	16	2	.....	9
30	32	31	46	65	68	85	132	161	159	111	55	14	1	.....	.....	10
36	38	41	62	56	74	69	107	152	161	123	65	26	11	1	.....	
20	19	14	31	27	37	50	38	40	27	7	5	.....	1	.....	.....	11
11	17	25	35	25	31	29	29	28	25	14	11	2	2	.....	.....	
1	6	16	6	7	17	30	36	61	58	60	21	15	3	1	.....	12
5	7	9	6	10	15	16	38	44	54	43	39	16	3	1	.....	
25	30	37	48	63	71	84	113	142	131	99	72	14	7	3	.....	13
12	10	23	35	40	33	42	66	76	69	48	41	2	2	1	.....	14
13	20	14	13	23	38	42	47	66	62	51	31	12	5	2	.....	15
1	2	3	6	4	4	4	6	6	1	6	5	1	1	.....	.....	16
1	1	2	4	3	3	3	2	3	1	3	2	1	.....	.....	.....	17
.....	1	1	2	1	1	1	4	3	.....	3	3	.....	1	.....	.....	18
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,332	1,429	1,343	1,258	1,461	1,578	1,832	1,956	2,039	1,691	1,269	674	274	97	60	27	27
686	735	669	672	801	875	1,002	1,036	1,085	853	628	303	134	29	18	18	28
646	694	674	586	660	703	830	920	954	838	641	371	140	68	42	9	29
604	680	647	667	700	936	1,140	1,352	1,469	1,322	925	503	144	48	7	6	30
319	347	319	357	383	532	639	726	750	644	439	218	72	13	5	4	31
285	333	328	310	317	404	501	626	719	678	486	285	72	35	2	2	32
550	629	600	611	647	881	1,092	1,264	1,365	1,215	852	463	136	43	6	2	33
276	309	285	316	351	493	609	670	690	583	398	194	69	12	4	2	34
274	320	315	295	296	388	488	594	675	632	454	269	67	31	2	.....	35
234	247	227	238	246	367	471	480	455	386	277	116	45	8	1	1	36
227	267	255	248	238	314	395	455	521	477	334	191	38	20	1	.....	
11	20	19	18	21	23	34	20	21	16	9	11	2	1	1	.....	37
11	2	15	13	14	18	12	34	20	21	12	9	4	.....	.....	.....	
31	42	39	60	84	103	104	170	214	181	112	67	22	3	2	1	38
36	51	45	34	44	56	76	105	134	134	108	69	25	11	1	.....	
35	32	34	33	34	42	34	66	82	80	54	37	6	2	1	1	39
28	24	22	21	21	29	20	42	50	50	32	22	3	1	1	1	40
7	8	12	12	13	13	14	24	32	30	22	15	3	1	.....	.....	41
19	19	13	23	19	13	14	22	22	27	19	3	2	3	.....	3	42
15	14	12	20	11	10	10	14	10	11	9	2	.....	.....	.....	1	43
4	5	1	3	8	3	4	8	12	16	10	1	2	3	.....	2	44
728	749	696	591	761	642	692	604	570	369	344	171	130	49	53	21	45
367	388	350	315	418	343	363	310	335	209	189	85	62	16	13	14	46
361	361	346	276	343	299	329	294	235	160	155	86	68	33	40	7	47
367	386	349	314	418	343	363	310	335	208	189	85	62	16	13	14	48
361	360	346	276	343	299	327	294	235	160	155	86	68	33	40	7	
.....	1	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	49
.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND DECEDENT:

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WASHINGTON.												
1	Total	11,805	1,531	222	136	82	59	2,030	238	207	303	437	552
2	Males	7,043	926	120	70	44	26	1,186	146	122	160	237	303
3	Females	4,762	605	102	66	38	33	844	92	85	143	200	249
4	White	11,203	1,408	199	118	67	51	1,843	213	186	274	415	511
5	Males	6,694	860	109	60	36	21	1,086	127	112	147	225	279
6	Females	4,509	548	90	58	31	30	757	86	74	127	190	232
7	Native	7,725	1,405	197	115	65	49	1,831	206	168	247	335	353
8	Males	4,352	857	108	58	35	20	1,078	121	103	129	174	167
9	Females	3,373	548	89	57	30	29	753	85	65	118	161	186
10	Both parents native (M)	2,252	534	59	34	23	15	665	71	65	75	83	73
	Both parents native (F)	1,864	340	55	30	21	18	464	49	40	55	75	97
11	One or both parents foreign (M)	1,224	301	48	22	12	4	387	46	32	51	78	70
	One or both parents foreign (F)	981	197	33	26	9	11	276	32	24	58	77	68
12	Parentage unknown (M)	876	22	1	2	.....	1	26	4	6	3	13	24
	Parentage unknown (F)	528	11	1	1	.....	.....	13	4	1	5	9	21
13	Foreign	3,205	3	2	3	2	2	12	6	17	25	68	140
14	Males	2,091	3	1	2	1	1	8	5	8	17	41	94
15	Females	1,114	.....	1	1	1	1	4	1	9	8	27	46
16	Unknown	273	.....	.....	.....	.....	.....	.....	1	1	2	12	18
17	Males	251	.....	.....	.....	.....	.....	.....	1	1	1	10	18
18	Females	22	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....
19	Colored	602	123	23	18	15	8	187	25	21	29	22	41
20	Males	349	66	11	10	8	5	100	19	10	13	12	24
21	Females	253	57	12	8	7	3	87	6	11	16	10	17
22	Negro (M)	67	6	.....	1	1	.....	8	1	.....	1	4	5
	Negro (F)	40	6	2	.....	.....	.....	8	.....	.....	2	3	1
23	Indian (M)	142	22	5	7	5	4	43	15	10	9	7	7
	Indian (F)	149	25	4	7	4	2	42	6	10	10	5	9
24	Chinese (M)	35	1	.....	.....	.....	.....	1	.....	.....	.....	1	1
	Chinese (F)	3	1	.....	1	.....	.....	2	.....	.....	.....	.....	.....
25	Japanese (M)	105	37	6	2	2	1	48	3	.....	3	.....	11
	Japanese (F)	61	25	6	.....	3	1	35	.....	1	4	2	7
26	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	WISCONSIN.												
27	Total	29,591	5,090	790	380	273	182	6,715	537	426	616	923	991
28	Males	16,614	2,966	411	201	154	89	3,821	298	240	321	490	547
29	Females	12,977	2,124	379	179	119	93	2,894	239	186	295	433	444
30	White	29,414	5,071	782	377	270	179	6,679	529	424	612	906	983
31	Males	16,512	2,957	405	200	152	89	3,803	294	240	319	480	544
32	Females	12,902	2,114	377	177	118	90	2,876	235	184	293	426	439
33	Native	17,805	5,058	779	372	264	175	6,648	509	399	557	795	768
34	Males	9,853	2,949	403	196	147	87	3,782	282	225	290	400	395
35	Females	7,952	2,109	376	176	117	88	2,866	227	174	267	395	373
36	Both parents native (M)	4,225	1,764	223	125	82	52	2,246	169	113	115	135	129
	Both parents native (F)	3,429	1,248	202	91	66	54	1,661	109	85	112	128	126
37	One or both parents foreign (M)	4,535	1,084	168	68	63	34	1,417	110	109	166	245	245
	One or both parents foreign (F)	3,794	787	165	83	51	31	1,117	112	85	141	246	222
38	Parentage unknown (M)	1,093	101	12	3	2	1	119	3	3	9	20	21
	Parentage unknown (F)	729	74	9	2	.....	3	88	6	4	14	21	25
39	Foreign	11,238	7	3	5	5	4	24	19	24	50	104	193
40	Males	6,335	5	2	4	5	2	18	11	14	24	75	129
41	Females	4,903	2	1	1	.....	2	6	8	10	26	29	64
42	Unknown	371	6	.....	.....	1	.....	7	1	1	5	7	22
43	Males	324	3	.....	.....	.....	.....	3	1	1	5	5	20
44	Females	47	3	.....	.....	1	.....	4	.....	.....	.....	2	2
45	Colored	177	19	8	3	3	3	36	8	2	4	17	8
46	Males	102	9	6	1	2	.....	18	4	.....	2	10	3
47	Females	75	10	2	2	1	3	18	4	2	2	7	5
48	Negro (M)	44	3	.....	.....	.....	.....	3	1	.....	1	2	.....
	Negro (F)	21	2	.....	.....	1	.....	3	1	.....	.....	2	2
49	Indian (M)	57	6	6	1	2	.....	15	3	.....	1	8	3
	Indian (F)	54	8	2	2	.....	3	15	3	2	2	5	3
50	Chinese (M)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored (M)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored (F)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

EACH REGISTRATION STATE, BY AGE AND BY SEX, COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF 1916—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
527	572	499	613	713	848	826	858	846	723	554	291	99	22	8	39	1
301	350	291	367	445	546	551	541	516	418	313	141	48	16	6	39	2
226	222	208	246	268	302	275	317	330	305	241	150	51	6	2	.....	3
501	543	471	586	684	816	809	840	823	707	544	283	93	19	6	36	4
286	333	270	349	421	526	539	530	502	411	311	140	45	14	5	36	5
215	210	201	237	263	290	270	310	321	296	233	143	48	5	1	.....	6
317	337	291	359	399	495	505	486	466	399	309	164	49	7	.....	2	7
162	177	140	190	231	296	331	298	252	227	162	88	20	4	.....	2	8
155	160	151	169	168	199	174	188	214	172	147	76	29	3	.....	.....	9
80	87	66	108	109	144	146	156	111	101	73	31	7	.....	.....	1	10
79	87	80	94	89	93	94	106	129	99	75	43	15	1	.....	.....	
54	46	44	46	65	68	70	62	49	19	19	13	2	3	.....	.....	11
58	47	50	48	51	59	36	30	24	16	15	9	3	.....	.....	.....	
28	44	30	36	57	84	115	80	92	107	70	44	11	1	.....	1	12
18	26	21	27	28	47	44	52	61	57	57	24	11	2	.....	.....	
165	178	164	206	258	301	281	333	347	293	226	114	44	12	6	9	13
107	129	115	140	166	210	187	212	242	172	140	49	25	10	5	9	14
58	49	49	66	92	91	94	121	105	121	86	65	19	2	1	.....	15
19	28	16	21	27	20	23	21	10	15	9	5	.....	.....	.....	25	16
17	27	15	19	24	20	21	20	8	12	9	3	.....	.....	.....	25	17
2	1	1	2	3	.....	2	1	2	3	.....	2	.....	.....	.....	.....	18
26	29	28	27	29	32	17	18	23	16	10	8	6	3	2	3	19
15	17	21	18	24	20	12	11	14	7	2	1	3	2	1	3	20
11	12	7	9	5	12	5	7	9	9	8	7	3	1	1	.....	21
4	4	4	5	10	7	1	4	5	2	.....	.....	.....	.....	.....	2	22
4	3	2	4	3	6	1	1	1	.....	1	.....	.....	.....	.....	.....	
1	1	5	3	5	4	7	5	7	4	2	1	3	2	1	.....	23
1	5	3	4	2	6	4	6	8	9	7	7	3	1	1	.....	
2	2	3	4	6	7	3	2	2	1	.....	.....	.....	.....	.....	.....	24
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
8	10	9	6	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	25
6	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
967	1,003	1,113	1,241	1,362	1,722	1,774	1,947	2,329	2,287	1,883	1,165	434	110	16	30	27
532	593	643	736	817	1,064	1,032	1,122	1,282	1,242	979	560	210	57	5	23	28
435	410	470	505	545	658	742	825	1,047	1,045	904	605	224	53	11	7	29
959	988	1,096	1,234	1,356	1,716	1,765	1,941	2,323	2,280	1,879	1,160	434	106	14	30	30
530	582	632	729	812	1,058	1,028	1,118	1,280	1,235	979	557	210	54	5	23	31
429	406	464	505	544	658	737	823	1,043	1,045	900	603	224	52	9	7	32
693	665	681	711	692	899	842	747	694	632	464	294	84	20	1	10	33
360	365	364	403	390	523	482	438	368	354	240	135	40	13	.....	4	34
333	300	317	308	302	376	360	309	326	278	224	159	44	7	1	6	35
93	89	71	67	64	125	142	158	141	161	111	68	19	8	.....	1	36
92	67	55	53	57	94	107	107	168	151	131	89	30	3	.....	4	
236	234	251	280	275	320	266	171	82	60	39	22	4	1	.....	2	37
213	203	232	215	210	249	215	142	88	55	27	15	4	.....	1	2	
31	42	42	56	51	78	74	109	145	133	90	45	17	4	.....	1	38
28	30	30	40	35	33	38	60	70	72	66	55	10	4	.....	.....	
242	291	384	485	633	787	890	1,175	1,601	1,631	1,397	857	350	85	13	3	39
150	188	237	291	393	505	517	662	887	870	731	416	170	40	5	2	40
92	103	147	194	240	282	373	513	714	761	666	441	180	45	8	1	41
24	32	31	38	31	30	33	19	28	17	18	9	.....	1	.....	17	42
20	29	31	35	29	30	29	18	25	11	8	6	.....	1	.....	17	43
4	3	.....	3	2	.....	4	1	3	6	10	3	.....	.....	.....	.....	44
8	15	17	7	6	6	9	6	6	7	4	5	.....	4	2	.....	45
2	11	11	7	5	6	4	4	2	7	.....	3	.....	3	.....	.....	46
6	4	6	.....	1	.....	5	2	4	.....	4	2	.....	1	2	.....	47
1	8	8	5	1	3	3	2	2	3	.....	.....	.....	1	.....	.....	48
3	2	4	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	1	.....	
1	3	3	2	4	3	1	1	.....	4	.....	3	.....	2	.....	.....	49
3	2	2	.....	1	.....	3	2	4	.....	3	2	.....	1	1	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision under causes of death correspond to those of the abridged International List. (See p. 19.) Minor rural

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	SUMMARY.														
1	The registration area (total)	1,001,921	9,510	2,175	114	7,947	2,355	7,284	10,367	18,886	2,680	88,666	5,706	7,024	4,166
2	White	905,213	7,930	1,149	94	7,486	2,301	6,160	9,935	17,285	2,591	73,915	5,176	5,937	3,803
3	Colored	96,708	1,580	1,026	20	461	54	1,124	432	1,601	89	14,751	530	1,087	363
4	Registration states [1] (total)	924,971	8,813	1,898	71	7,663	2,097	7,065	9,322	18,080	2,458	81,023	5,298	6,367	3,887
5	White	842,597	7,421	1,024	58	7,227	2,048	5,975	8,935	16,652	2,387	68,459	4,829	5,518	3,569
6	Colored	82,374	1,392	874	13	436	49	1,090	387	1,428	71	12,564	469	849	318
7	Cities in registration states [1] (total)	477,821	3,408	225	10	4,074	1,119	3,104	5,250	6,082	1,458	42,415	3,570	3,272	1,889
8	White	443,413	3,059	129	10	3,921	1,095	2,749	5,100	5,643	1,412	37,076	3,280	2,886	1,783
9	Colored	34,408	349	96	.....	153	24	355	150	439	46	5,339	290	386	106
10	Rural part of registration states (total)	447,150	5,405	1,673	61	3,589	978	3,961	4,072	11,998	1,000	38,608	1,728	3,095	1,998
11	White	399,184	4,362	895	48	3,306	953	3,226	3,835	11,009	975	31,383	1,549	2,632	1,786
12	Colored	47,966	1,043	778	13	283	25	735	237	989	25	7,225	179	463	212
13	Registration cities in nonregistration states (total)	76,950	697	277	43	284	258	219	1,045	806	222	7,643	408	657	279
14	White	62,616	509	125	36	259	253	185	1,000	633	204	5,456	347	419	234
15	Colored	14,334	188	152	7	25	5	34	45	173	18	2,187	61	238	45
16	All registration cities [1] (total)	554,771	4,105	502	53	4,358	1,377	3,323	6,295	6,888	1,680	50,058	3,978	3,929	2,168
17	White	506,029	3,568	254	46	4,180	1,348	2,934	6,100	6,276	1,616	42,532	3,627	3,305	2,017
18	Colored	48,742	537	248	7	178	29	389	195	612	64	7,526	351	624	151
	REGISTRATION STATES.														
19	California (total)	39,806	210	41	13	68	43	211	291	407	62	4,706	307	307	126
20	White	37,506	192	34	13	65	42	198	280	393	59	4,250	259	273	122
21	Colored	2,300	18	7	.....	3	1	13	11	14	3	456	48	34	4
22	Colorado (total)	9,920	117	5	2	37	37	45	41	126	37	1,461	44	65	48
23	White	9,614	116	5	2	37	37	44	40	124	37	1,396	43	62	47
24	Colored	306	1	.....	.....	.....	.....	1	1	2	.....	65	1	3	1
25	Connecticut (total)	20,242	93	8	.....	150	33	156	191	482	74	1,559	153	120	68
26	White	19,795	88	7	.....	148	33	149	189	471	73	1,503	151	112	66
27	Colored	447	5	1	.....	2	.....	7	2	11	1	56	2	8	2
28	Indiana (total)	38,230	605	39	1	205	103	262	391	968	82	3,254	192	337	170
29	White	36,582	568	37	1	201	100	247	382	950	81	2,957	176	356	163
30	Colored	1,648	37	2	.....	4	3	15	9	18	1	297	16	31	7
31	Kansas (total)	19,963	260	36	3	157	62	92	194	719	57	868	29	99	98
32	White	18,714	244	34	3	152	59	84	192	676	57	732	27	87	92
33	Colored	1,249	16	2	.....	5	3	8	2	43	.....	136	2	12	6
34	Kentucky (total)	30,073	737	153	4	189	56	318	408	986	71	4,058	225	343	146
35	White	24,801	619	116	4	179	54	258	377	854	67	3,016	184	279	117
36	Colored	5,272	118	37	.....	10	2	60	31	132	4	1,042	41	64	29
37	Maine (total)	12,147	86	1	.....	15	4	125	58	378	21	741	58	98	39
38	White	12,099	86	1	.....	15	4	125	58	378	21	738	57	98	39
39	Colored	48	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....
40	Maryland (total)	22,512	265	17	.....	108	52	173	170	351	37	2,467	97	162	70
41	White	16,590	186	8	.....	91	48	87	156	261	32	1,563	58	93	50
42	Colored	5,922	79	9	.....	17	4	86	14	90	5	904	39	69	20
43	Massachusetts (total)	56,362	173	7	.....	474	129	399	623	680	194	4,598	469	418	166
44	White	55,321	167	7	.....	467	125	388	616	672	192	4,419	454	400	162
45	Colored	1,041	6	.....	.....	7	4	11	7	8	2	179	15	18	4
46	Michigan (total)	46,013	430	7	2	349	176	230	499	937	175	2,643	196	274	209
47	White	45,261	423	6	2	346	175	227	495	914	173	2,532	192	267	200
48	Colored	752	7	1	.....	3	1	3	4	23	2	111	4	7	9
49	Minnesota (total)	24,297	124	1	1	288	121	221	170	415	78	1,999	163	220	114
50	White	23,920	122	1	1	268	120	217	169	413	76	1,924	155	216	113
51	Colored	377	2	.....	.....	20	1	4	1	2	2	75	8	4	1
52	Missouri (total)	44,110	655	374	11	533	182	376	537	1,194	142	4,327	190	297	169
53	White	40,332	603	349	10	516	177	341	519	1,135	138	3,577	169	250	156
54	Colored	3,778	52	25	1	17	5	35	18	59	4	750	21	47	13
55	Montana (total)	5,791	53	1	2	36	19	79	38	58	18	455	29	37	34
56	White	5,413	52	1	2	32	19	76	37	56	17	347	26	35	33
57	Colored	378	1	.....	.....	4	.....	3	1	2	1	108	3	2	1
58	New Hampshire (total)	7,146	22	1	1	47	6	53	48	155	23	429	42	31	27
59	White	7,132	22	1	1	47	6	53	47	155	23	428	42	31	27
60	Colored	14	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
61	New Jersey (total)	44,172	207	10	.....	386	74	273	463	685	107	3,917	298	214	216
62	White	41,840	195	10	.....	368	73	251	457	652	104	3,582	276	187	205
63	Colored	2,332	12	.....	.....	18	1	22	6	33	3	335	22	27	11
64	New York (total)	151,704	611	33	3	1,021	208	799	1,532	1,977	425	14,096	1,091	750	630
65	White	147,865	599	29	3	1,008	207	772	1,498	1,933	420	13,388	1,035	715	619
66	Colored	3,839	12	4	.....	13	1	27	34	44	5	708	56	35	11
67	North Carolina (total)	31,389	702	337	13	171	62	402	410	634	42	3,241	88	248	141
68	White	18,756	372	152	5	114	58	177	330	393	36	1,517	62	127	89
69	Colored	12,633	330	185	8	57	4	225	80	241	6	1,724	26	121	52

[1] Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
58,600	12,199	5,091	59,154	107,475	11,587	98,334	8,514	46,956	9,157	8,074	8,799	75,316	4,786	6,856	55,502	65,121	10,162	172,506	10,852	1
56,076	11,796	4,692	55,169	99,080	10,618	88,335	7,595	43,089	8,591	7,458	8,295	68,166	4,260	6,018	50,607	59,207	9,905	155,381	7,113	2
2,524	403	399	3,985	8,395	969	9,999	919	3,867	566	616	504	7,150	526	838	4,895	5,914	257	17,125	3,739	3
54,272	11,318	4,719	55,948	100,045	10,884	91,255	7,800	41,440	8,082	7,336	7,886	69,066	4,332	6,318	52,138	59,540	9,181	158,957	10,412	4
52,136	10,979	4,360	52,552	92,903	10,018	82,555	7,002	38,025	7,663	6,854	7,524	63,279	3,889	5,582	47,706	54,647	8,966	144,927	6,928	5
2,136	339	359	3,396	7,142	866	8,700	798	3,415	419	482	362	5,787	443	736	4,432	4,893	215	14,030	3,484	6
29,585	6,328	2,412	25,887	52,283	5,878	52,618	3,949	22,792	5,415	4,284	4,781	38,647	2,429	2,945	25,754	30,532	5,378	78,574	1,474	7
28,499	6,144	2,256	24,280	48,734	5,434	48,067	3,631	21,404	5,179	4,034	4,575	35,724	2,246	2,750	24,234	28,472	5,254	73,082	1,271	8
1,086	184	156	1,607	3,549	444	4,551	318	1,388	236	250	206	2,923	183	195	1,520	2,060	124	5,492	203	9
24,687	4,990	2,307	30,061	47,762	5,006	38,637	3,851	18,648	2,667	3,052	3,105	30,419	1,903	3,373	26,384	29,008	3,803	80,383	8,938	10
23,637	4,835	2,104	28,272	44,169	4,584	34,488	3,371	16,621	2,484	2,820	2,949	27,555	1,643	2,832	23,472	26,175	3,712	71,845	5,657	11
1,050	155	203	1,789	3,593	422	4,149	480	2,027	183	232	156	2,864	260	541	2,912	2,833	91	8,538	3,281	12
4,328	881	372	3,206	7,430	703	7,079	714	5,516	1,075	738	913	6,250	454	538	3,364	5,581	981	13,549	440	13
3,940	817	332	2,617	6,177	600	5,780	593	5,064	928	604	771	4,887	371	436	2,901	4,560	939	10,454	185	14
388	64	40	589	1,253	103	1,299	121	452	147	134	142	1,363	83	102	463	1,021	42	3,095	255	15
33,913	7,209	2,784	29,093	59,713	6,581	59,697	4,663	28,308	6,490	5,022	5,694	44,897	2,883	3,483	29,118	36,113	6,359	92,123	1,914	16
32,439	6,961	2,588	26,897	54,911	6,034	53,847	4,224	26,468	6,107	4,638	5,346	40,611	2,617	3,186	27,135	33,032	6,193	83,536	1,456	17
1,474	248	196	2,196	4,802	547	5,850	439	1,840	383	384	348	4,286	266	297	1,983	3,081	166	8,587	458	18
2,925	553	164	2,406	5,535	327	3,026	330	843	409	361	470	3,206	118	213	1,409	3,318	933	6,419	49	19
2,831	535	139	2,342	5,314	308	2,814	317	747	388	347	438	3,054	109	198	1,293	3,111	881	6,114	46	20
94	18	25	64	221	19	212	13	96	21	14	32	152	9	15	116	207	52	305	3	21
575	100	69	492	769	88	960	128	380	200	94	63	649	74	71	603	729	118	1,669	24	22
563	100	67	480	733	86	922	126	371	197	92	58	628	71	71	585	710	116	1,624	24	23
12	.....	2	12	36	2	38	2	9	3	2	5	21	3	.....	18	19	2	45	.....	24
1,164	283	165	1,382	2,181	251	2,462	166	1,067	134	135	150	1,529	74	99	1,105	1,280	193	3,250	85	25
1,154	280	164	1,357	2,120	246	2,397	164	1,053	131	132	146	1,494	69	93	1,090	1,255	191	3,185	84	26
10	3	1	25	61	5	65	2	14	3	3	4	35	5	6	15	25	2	65	1	27
2,400	485	155	2,789	4,297	372	3,220	255	1,762	352	329	387	2,980	231	226	1,987	2,414	483	6,427	20	28
2,346	471	151	2,718	4,093	355	3,051	248	1,711	339	317	371	2,865	220	221	1,930	2,297	477	6,163	19	29
54	14	4	71	204	17	169	7	51	13	12	16	115	11	5	57	117	6	264	1	30
1,260	309	104	1,360	2,018	203	1,513	202	675	206	199	153	1,384	141	153	1,234	1,375	175	4,327	298	31
1,211	300	96	1,298	1,866	195	1,395	186	630	200	197	147	1,256	133	151	1,201	1,273	172	4,094	274	32
49	9	8	62	152	8	118	16	45	6	2	6	128	8	2	33	102	3	233	24	33
1,214	229	289	1,210	2,218	332	2,635	263	1,188	187	214	180	1,970	145	189	1,757	1,697	181	5,221	1,060	34
1,089	201	263	1,012	1,771	237	2,172	214	1,057	160	174	146	1,569	120	162	1,552	1,366	177	4,315	920	35
125	28	26	198	447	95	463	49	131	27	40	34	401	25	27	205	331	4	906	140	36
874	152	65	998	1,479	176	1,062	75	466	101	104	64	919	31	94	608	592	111	2,345	207	37
870	152	65	994	1,472	175	1,055	75	466	101	104	64	918	31	94	605	587	111	2,334	206	38
4	.....	.....	4	7	1	7	.....	.....	.....	.....	.....	1	.....	.....	3	5	.....	11	1	39
1,195	220	93	1,403	2,218	319	2,466	172	1,296	125	157	152	2,084	92	123	1,327	1,171	186	3,445	299	40
1,059	197	71	1,130	1,674	216	1,672	134	925	104	124	129	1,618	65	88	958	887	178	2,602	126	41
136	23	22	273	544	103	794	38	371	21	33	23	466	27	35	369	284	8	843	173	42
4,061	857	298	3,761	7,268	810	6,433	386	2,504	421	397	356	3,607	228	331	2,957	2,996	454	9,650	257	43
4,011	846	294	3,709	7,156	801	6,290	378	2,475	411	390	349	3,540	220	326	2,913	2,948	451	9,493	251	44
50	11	4	52	112	9	143	8	29	10	7	7	67	8	5	44	48	3	157	6	45
2,702	535	274	2,940	5,240	677	3,549	473	2,094	534	463	445	2,508	269	323	3,123	3,083	453	9,887	314	46
2,669	533	268	2,912	5,137	661	3,475	462	2,085	525	459	441	2,473	263	320	3,099	3,027	450	9,745	305	47
33	2	6	28	103	16	74	11	9	9	4	4	35	6	3	24	56	3	142	9	48
1,963	373	142	1,303	2,415	252	1,957	207	636	440	247	150	1,739	119	184	1,640	1,789	282	4,297	247	49
1,951	370	138	1,294	2,392	252	1,921	204	631	436	245	149	1,724	119	180	1,628	1,768	280	4,234	209	50
12	3	4	9	23	.....	36	3	5	4	2	1	15	.....	4	12	21	2	63	38	51
2,520	517	245	2,224	3,691	571	4,454	352	1,650	486	382	411	3,794	241	275	2,030	2,825	567	7,208	680	52
2,405	493	236	2,084	3,301	533	4,036	328	1,552	461	340	385	3,442	229	261	1,928	2,536	552	6,658	632	53
115	24	9	140	390	38	418	24	98	25	42	26	352	12	14	102	289	15	550	48	54
247	74	36	213	469	38	536	62	182	105	53	53	359	49	59	408	781	113	972	123	55
239	71	33	208	449	38	471	56	172	104	52	52	342	44	57	400	756	110	933	93	56
8	3	3	5	20	.....	65	6	10	1	1	1	17	5	2	8	25	3	39	30	57
493	104	34	614	908	102	622	44	268	46	49	64	507	21	49	445	306	59	1,493	33	58
493	104	34	614	905	101	620	43	268	46	49	64	506	21	49	445	305	59	1,490	33	59
.....	.....	.....	.....	3	1	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	3	.....	60
2,424	552	240	2,840	4,913	570	5,281	339	2,167	298	262	453	3,864	185	229	2,240	2,847	416	7,120	82	61
2,347	532	230	2,714	4,692	540	4,931	322	2,051	287	257	439	3,645	179	220	2,135	2,714	405	6,763	77	62
77	20	10	126	221	30	350	17	116	11	5	14	219	6	9	105	133	11	357	5	63
9,453	2,230	620	8,863	19,801	1,886	16,630	1,041	5,885	1,243	1,226	1,610	13,514	526	784	7,498	8,758	1,540	25,243	177	64
9,334	2,207	601	8,714	19,345	1,836	16,107	1,021	5,738	1,214	1,210	1,587	13,212	514	760	7,326	8,536	1,526	24,682	169	65
119	23	19	149	456	50	523	20	147	29	16	23	302	12	24	172	222	14	561	8	66
1,083	160	235	1,484	2,213	272	2,517	273	1,871	183	194	117	1,745	151	442	2,031	1,569	82	5,600	2,676	67
793	127	164	1,019	1,391	153	1,388	148	1,229	141	126	86	1,142	83	265	1,454	908	69	3,369	1,269	68
290	33	71	465	822	119	1,129	125	642	42	68	31	603	68	177	577	661	13	2,231	1,407	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Contd.														
1	Ohio (total)	74,282	766	22	5	816	213	683	624	1,631	195	5,899	362	567	301
2	White	71,181	723	22	5	798	210	639	611	1,580	193	5,406	347	528	293
3	Colored	3,101	38	.....	.....	18	3	44	13	51	2	493	15	39	8
4	Pennsylvania (total)	124,577	1,157	14	.....	1,539	235	1,036	1,650	2,571	330	9,573	675	840	549
5	White	119,364	1,108	14	.....	1,515	231	978	1,621	2,496	321	8,714	639	783	530
6	Colored	5,213	49	.....	.....	24	4	58	29	75	9	859	36	57	19
7	Rhode Island (total)	9,501	42	4	1	144	31	47	142	163	39	878	83	63	28
8	White	9,196	40	4	1	142	31	44	139	158	39	823	78	58	26
9	Colored	305	2	.....	.....	2	.....	3	3	5	.....	55	5	5	2
10	South Carolina (total)	22,502	555	634	4	75	39	279	138	433	22	2,219	39	114	85
11	White	8,247	212	123	.....	37	30	75	89	177	18	469	17	29	30
12	Colored	14,255	343	511	4	38	9	204	49	256	4	1,750	22	85	55
13	Utah (total)	4,511	45	1	.....	37	25	32	63	66	24	174	13	27	30
14	White	4,414	44	1	.....	37	25	32	63	65	24	161	11	25	30
15	Colored	97	1	.....	.....	.....	.....	.....	.....	1	.....	13	2	2	.....
16	Vermont (total)	5,687	23	.....	1	24	13	45	24	279	12	329	28	35	26
17	White	5,678	23	.....	1	24	13	45	24	279	12	327	28	35	26
18	Colored	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
19	Virginia (total)	32,144	550	145	1	407	29	440	316	730	58	3,436	158	288	134
20	White	18,404	316	56	1	249	27	207	256	455	49	1,577	95	146	78
21	Colored	13,740	234	89	.....	158	2	233	60	275	9	1,859	63	142	56
22	Washington (total)	11,805	79	1	1	85	13	76	37	219	22	1,021	85	142	52
23	White	11,203	73	1	1	74	13	72	35	211	20	876	79	132	50
24	Colored	602	6	.....	.....	11	.....	4	2	8	2	145	6	10	2
25	Wisconsin (total)	29,591	199	1	2	294	126	176	229	748	100	1,993	152	183	190
26	White	29,414	198	1	2	292	126	176	228	743	100	1,952	149	179	190
27	Colored	177	1	.....	.....	2	.....	.....	1	5	.....	41	3	4	.....
	REGISTRATION CITIES.														
	ALABAMA [1].														
28	Registration cities (total)	4,365	110	45	.....	.....	2	12	10	55	3	505	15	60	9
29	White	1,883	57	15	.....	.....	2	2	4	30	2	122	6	18	5
30	Colored	2,482	53	30	.....	.....	.....	10	6	25	1	383	9	42	4
31	Birmingham (total)	2,557	79	18	.....	.....	2	7	9	24	.....	316	12	39	8
32	White	1,138	39	5	.....	.....	2	2	4	14	.....	76	4	10	4
33	Colored	1,419	40	13	.....	.....	.....	5	5	10	.....	240	8	29	4
34	Mobile (total)	1,097	18	14	.....	.....	.....	3	1	22	1	133	1	10	1
35	White	467	10	6	.....	.....	.....	.....	.....	10	1	31	1	4	1
36	Colored	630	8	8	.....	.....	.....	3	1	12	.....	102	.....	6	.....
37	Montgomery (total)	711	13	13	.....	.....	.....	2	.....	9	2	56	2	11	.....
38	White	278	8	4	.....	.....	.....	.....	.....	6	1	15	1	4	.....
39	Colored	433	5	9	.....	.....	.....	2	.....	3	1	41	1	7	.....
	CALIFORNIA.														
40	Registration cities (total)	22,943	92	12	2	34	22	100	203	165	42	2,669	203	171	69
41	White	21,547	84	8	2	31	21	90	193	160	39	2,383	165	151	69
42	Colored	1,396	8	4	.....	3	1	10	10	5	3	286	38	20	.....
43	Alameda	262	.....	.....	.....	.....	.....	1	1	3	.....	14	3	5	.....
44	Bakersfield	344	8	1	.....	7	1	2	2	.....	.....	38	9	1	2
45	Berkeley	456	4	.....	.....	.....	.....	3	4	6	1	23	2	2	2
46	Eureka	217	.....	.....	.....	.....	1	.....	.....	1	.....	22	3	4	.....
47	Fresno	396	5	1	.....	1	1	6	2	4	1	40	3	4	1
48	Long Beach	463	3	.....	.....	.....	.....	4	.....	6	.....	30	2	2	1
49	Los Angeles (total)	6,212	13	1	2	10	7	49	19	47	16	892	48	39	18
50	White	5,777	12	1	2	9	7	45	17	44	16	797	36	35	18
51	Colored [2]	435	1	.....	.....	1	.....	4	2	3	.....	95	12	4	.....
52	Oakland	2,090	8	.....	.....	.....	.....	5	25	17	4	187	35	17	11
53	Pasadena	510	2	.....	.....	.....	.....	2	1	7	.....	52	3	4	1
54	Pomona	154	3	.....	.....	.....	.....	1	.....	7	.....	6	1	2	.....
55	Redlands	141	1	.....	.....	.....	.....	.....	.....	4	.....	29	3	1	1
56	Riverside (total)	289	2	.....	.....	6	.....	.....	1	4	.....	48	3	2	1
57	White	261	2	.....	.....	5	.....	.....	1	4	.....	44	2	1	1
58	Colored	28	.....	.....	.....	1	.....	.....	.....	.....	.....	4	1	1	.....
59	Sacramento	1,019	5	4	.....	.....	1	.....	4	4	4	124	11	7	3
60	San Bernardino	326	3	1	.....	.....	.....	.....	.....	3	.....	86	3	2	1
61	San Diego	1,060	6	.....	.....	2	2	3	8	15	.....	136	2	13	3
62	San Francisco (total)	7,154	16	4	.....	6	8	18	131	19	12	785	58	54	15
63	White	6,743	14	3	.....	6	7	17	127	19	11	700	47	46	15
64	Colored [3]	411	2	1	.....	.....	1	1	4	.....	1	85	11	8	.....
65	San Jose	532	2	.....	.....	.....	.....	1	4	6	2	41	5	1	2
66	Santa Barbara	270	5	.....	.....	.....	.....	1	.....	2	2	22	1	.....	3
67	Santa Cruz	178	.....	.....	.....	.....	1	.....	.....	2	.....	7	3	1	.....
68	Stockton	733	6	.....	.....	1	.....	4	1	3	.....	80	4	9	3
69	Vallejo	137	.....	.....	.....	1	.....	.....	.....	5	.....	7	1	1	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Includes 231 Negroes, 3 Indians, 60 Chinese, and 141 Japanese.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4,696	1,011	351	5,441	8,371	761	7,115	573	3,212	675	576	758	4,968	393	427	3,801	5,578	759	12,240	492	1
4,591	990	343	5,279	7,980	735	6,728	546	3,154	652	560	738	4,752	377	416	3,677	5,280	740	11,818	465	2
105	21	8	162	391	26	387	27	58	23	16	20	216	16	11	124	298	19	422	27	3
6,526	1,319	502	7,204	12,359	1,523	14,294	1,311	8,664	367	992	1,130	9,133	651	874	7,517	9,184	1,011	18,780	567	4
6,360	1,302	484	7,013	11,831	1,461	13,506	1,269	8,450	341	953	1,100	8,700	626	846	7,305	8,809	1,002	18,003	553	5
166	17	18	191	528	62	788	42	214	26	39	30	433	25	28	212	375	9	777	14	6
569	119	49	626	1,039	140	977	68	428	79	63	74	802	21	64	540	483	84	1,572	39	7
554	118	46	607	994	135	948	66	422	79	62	72	785	20	63	524	470	83	1,529	36	8
15	1	3	19	45	5	29	2	6	.....	1	2	17	1	1	16	13	1	43	3	9
562	74	62	860	1,373	113	1,707	223	1,168	120	117	50	1,568	139	360	2,214	1,133	63	4,886	1,074	10
314	54	37	435	573	56	626	68	533	56	53	21	620	38	145	797	398	47	1,830	240	11
248	20	25	425	800	57	1,081	155	635	64	64	29	948	101	215	1,417	735	16	3,056	864	12
246	68	24	201	421	51	477	30	113	83	35	30	306	18	48	429	406	56	780	152	13
244	67	22	200	415	50	467	28	109	83	35	30	303	15	47	426	391	55	762	147	14
2	1	2	1	6	1	10	2	4	.....	.....	.....	3	3	1	3	15	1	18	5	15
418	98	36	482	798	96	446	36	149	52	55	20	417	5	56	301	274	61	1,043	5	16
418	98	35	481	793	96	446	36	148	52	55	20	416	5	55	300	274	61	1,042	5	17
.....	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	18
1,249	200	210	1,730	3,003	318	2,765	361	1,450	198	201	136	2,402	168	299	1,865	1,853	179	5,641	1,224	19
955	150	144	996	1,741	155	1,352	168	844	131	120	93	1,423	96	175	1,219	1,104	164	3,295	567	20
294	50	66	734	1,262	163	1,413	193	606	67	81	43	979	72	124	646	749	15	2,346	657	21
952	187	53	746	1,236	97	820	106	171	141	131	88	757	69	106	697	1,073	184	2,216	142	22
932	186	47	735	1,208	92	764	101	158	139	120	86	739	66	99	660	1,024	183	2,132	97	23
20	1	6	11	28	5	56	5	15	2	11	2	18	3	7	37	49	1	84	45	24
2,109	437	174	1,882	2,973	470	2,733	252	969	354	244	288	1,743	144	196	2,095	1,742	350	5,964	79	25
2,106	435	171	1,877	2,963	470	2,710	252	967	354	244	286	1,731	143	195	2,092	1,728	350	5,925	79	26
3	2	3	5	10	.....	23	.....	2	.....	.....	2	12	1	1	3	14	.....	39	.....	27
185	23	14	219	289	26	363	35	181	84	46	33	406	22	46	206	314	30	945	72	28
123	18	6	97	134	15	125	18	106	54	16	15	176	10	27	104	125	25	402	24	29
62	5	8	122	155	11	238	17	75	30	30	18	230	12	19	102	189	5	543	48	30
102	13	12	114	154	19	250	24	129	57	24	17	156	15	29	127	207	15	531	48	31
71	10	6	50	75	11	83	11	83	35	7	7	78	6	21	80	84	13	236	11	32
31	3	6	64	79	8	167	13	46	22	17	10	78	9	8	47	123	2	295	37	33
59	3	2	62	101	2	60	4	33	15	13	10	144	5	11	45	54	10	244	16	34
40	3	.....	25	42	2	23	2	16	10	5	4	69	4	4	9	26	8	99	12	35
19	.....	2	37	59	.....	37	2	17	5	8	6	75	1	7	36	28	2	145	4	36
24	7	.....	43	34	5	53	7	19	12	9	6	106	2	6	34	53	5	170	8	37
12	5	.....	22	17	2	19	5	7	9	4	4	29	.....	2	15	15	4	67	1	38
12	2	.....	21	17	3	34	2	12	3	5	2	77	2	4	19	38	1	103	7	39
1,925	375	97	1,406	3,339	186	1,658	185	406	294	228	287	1,989	64	116	768	1,562	602	3,659	13	40
1,852	358	77	1,364	3,196	178	1,543	177	360	284	219	260	1,880	59	108	708	1,457	574	3,486	11	41
73	17	20	42	143	8	115	8	46	10	9	27	109	5	8	60	105	28	173	2	42
23	5	2	24	44	1	14	1	2	5	3	3	27	.....	3	8	20	9	41	.....	43
16	2	3	18	21	2	22	3	8	7	4	1	22	.....	1	18	47	9	69	.....	44
53	9	3	43	79	7	29	2	5	6	2	4	44	2	2	13	23	11	72	.....	45
18	4	...	17	34	2	10	1	1	5	1	1	14	.....	.....	11	23	3	41	.....	46
29	2	4	14	36	.....	36	4	21	9	9	5	31	.....	2	24	40	6	55	.....	47
47	12	2	38	95	6	20	4	3	5	1	4	52	1	2	9	24	4	86	.....	48
533	111	33	341	813	44	394	56	147	74	57	56	562	31	31	203	395	143	1,025	2	49
508	105	29	328	776	42	358	51	127	70	52	52	522	29	28	187	364	140	969	1	50
25	6	4	13	37	2	36	5	20	4	5	4	40	2	3	16	31	3	56	1	51
178	33	3	158	376	26	350	14	22	23	27	29	177	3	8	102	108	47	296	1	52
61	12	1	44	62	10	20	10	8	7	5	4	63	.....	4	12	21	10	84	.....	53
15	2	.....	5	26	1	11	1	3	1	4	3	12	.....	2	12	15	1	20	.....	54
9	4	.....	7	9	1	8	1	1	.....	.....	2	14	1	1	3	11	2	28	.....	55
10	4	2	19	35	2	7	3	6	4	2	3	22	1	2	9	23	5	61	2	56
9	3	2	18	32	2	7	2	5	4	2	3	21	1	2	7	19	5	56	1	57
1	1	.....	1	3	.....	.....	1	1	.....	.....	.....	1	.....	.....	2	4	.....	5	1	58
81	11	6	61	100	10	93	4	32	18	16	13	90	2	7	41	54	24	189	.....	59
28	5	1	12	20	4	20	3	13	5	1	2	26	.....	1	15	26	6	39	.....	60
73	17	5	75	167	5	56	8	14	12	8	8	68	5	8	33	79	38	190	1	61
617	115	21	396	1,162	55	598	55	84	94	73	123	627	14	32	131	537	239	1,000	5	62
592	109	15	381	1,109	50	574	55	79	92	72	113	588	13	29	167	506	227	955	5	63
25	6	6	15	53	5	24	.....	5	2	1	10	39	1	3	14	31	12	45	.....	64
60	11	2	41	72	3	45	2	18	4	3	5	44	2	.....	23	25	16	91	1	65
12	8	3	26	54	1	16	2	3	5	5	4	22	.....	3	11	18	8	33	.....	66
17	1	.....	17	46	.....	12	1	.....	1	1	1	11	.....	3	7	8	5	33	.....	67
39	6	6	43	74	6	75	7	12	9	5	14	53	2	2	27	52	14	175	1	68
6	1	.....	7	14	.....	22	3	3	.....	1	2	8	.....	2	6	13	2	31	.....	69

[3] Includes 77 Negroes, 2 Indians, 249 Chinese, 82 Japanese, and 1 Filipino.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—												
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	COLORADO.														
1	Registration cities (total)	4,259	29	2	.....	5	5	8	9	38	14	755	26	33	15
2	White	4,048	29	2	.....	5	5	8	8	37	14	709	25	32	15
3	Colored	211	.....	.....	.....	.....	.....	.....	1	1	.....	46	1	1	.....
4	Colorado Springs	507	5	1	.....	.....	.....	2	.....	3	.....	154	3	3	2
5	Denver	3,012	19	1	.....	5	3	3	4	27	9	519	21	26	9
6	Pueblo	559	2	.....	.....	.....	2	3	4	4	5	59	1	2	2
7	Trinidad	181	3	.....	.....	.....	.....	.....	1	4	.....	23	1	2	2
	CONNECTICUT.														
8	Registration cities (total)	14,352	76	6	.....	117	26	109	146	297	56	1,021	123	87	52
9	White	14,001	72	5	.....	116	26	103	144	289	55	985	122	79	51
10	Colored	351	4	1	.....	1	.....	6	2	8	1	36	1	8	1
11	Ansonia	202	.....	.....	.....	1	.....	3	3	2	.....	9	1	2	.....
12	Bridgeport	2,354	11	.....	.....	19	4	15	23	25	8	144	23	9	7
13	Bristol	166	1	.....	.....	.....	.....	2	1	3	.....	12	1	.....	.....
14	Danbury town	348	1	.....	.....	3	3	1	7	8	1	25	2	.....	3
15	Greenwich town	273	.....	.....	.....	1	.....	.....	.....	3	.....	18	1	3	2
16	Hartford	2,262	19	.....	.....	41	2	22	23	26	7	115	10	17	6
17	Manchester town	156	.....	.....	.....	.....	.....	.....	.....	8	.....	15	1	2	.....
18	Meriden town	525	.....	2	.....	.....	.....	3	1	33	2	121	.....	3	2
19	Middletown town	568	5	.....	.....	6	.....	1	.....	6	2	49	6	6	.....
20	Naugatuck	136	1	.....	.....	4	.....	5	1	3	.....	10	1	1	.....
21	New Britain	671	3	.....	.....	12	.....	11	8	19	2	40	3	4	3
22	New Haven	2,544	13	2	.....	8	10	19	24	56	20	143	36	14	10
23	New London	460	3	.....	.....	.....	1	2	5	10	2	21	3	2	1
24	Norwalk	422	5	.....	.....	.....	.....	10	6	18	1	38	1	3	1
25	Norwich town	532	2	.....	.....	1	3	1	3	27	2	67	5	6	1
26	Orange town	200	.....	.....	.....	.....	1	.....	2	4	1	12	3	1	2
27	Stamford town	570	.....	1	.....	1	.....	3	8	10	1	39	2	3	5
28	Torrington town	256	.....	.....	.....	6	1	4	5	11	.....	18	.....	1	1
29	Wallingford town	133	.....	1	.....	.....	.....	1	.....	3	.....	10	.....	.....	1
30	Waterbury	1,339	10	.....	.....	12	.....	5	25	19	5	98	23	10	7
31	Windham town	235	2	.....	.....	2	1	1	1	3	2	17	1	.....	.....
	DELAWARE.[1]														
32	Wilmington (total)	1,804	28	.....	.....	26	1	9	10	33	.....	131	12	11	9
33	White	1,538	24	.....	.....	24	1	7	10	28	.....	104	9	7	8
34	Colored	266	4	.....	.....	2	.....	2	.....	5	.....	27	3	4	1
	DISTRICT OF COLUMBIA.														
35	Washington (total)	6,494	47	5	.....	8	6	37	35	88	11	682	32	38	21
36	White	3,955	25	4	.....	5	5	13	27	58	5	285	20	15	16
37	Colored	2,539	22	1	.....	3	1	24	8	30	6	397	12	23	5
	FLORIDA.[1]														
38	Registration cities (total)	2,495	31	10	.....	.....	2	1	11	26	3	311	6	11	5
39	White	1,322	25	5	.....	.....	1	.....	9	15	2	119	4	7	.....
40	Colored	1,173	6	5	.....	.....	1	1	2	11	1	192	2	4	5
41	Jacksonville (total)	1,197	9	3	.....	.....	1	1	6	10	3	165	.....	7	2
42	White	483	5	1	.....	.....	1	.....	4	5	2	46	.....	4	.....
43	Colored	714	4	2	.....	.....	.....	1	2	5	1	119	.....	3	2
44	Key West (total)	231	5	.....	.....	.....	.....	.....	2	.....	.....	34	1	1	.....
45	White	170	5	.....	.....	.....	.....	.....	2	.....	.....	20	1	1	.....
46	Colored	61	.....	.....	.....	.....	.....	.....	.....	.....	.....	14	.....	.....	.....
47	Pensacola (total)	410	8	4	.....	.....	.....	.....	1	10	.....	46	.....	1	2
48	White	193	8	1	.....	.....	.....	.....	1	6	.....	14	.....	.....	.....
49	Colored	217	.....	3	.....	.....	.....	.....	.....	4	.....	32	.....	1	2
50	Tampa (total)	657	9	3	.....	.....	1	.....	2	6	.....	66	5	2	1
51	White	476	7	3	.....	.....	.....	.....	2	4	.....	39	3	2	.....
52	Colored	181	2	.....	.....	.....	1	.....	.....	2	.....	27	2	.....	1
	GEORGIA.[1]														
53	Registration cities (total)	5,397	80	49	.....	6	3	9	32	47	8	509	23	74	10
54	White	2,368	40	8	.....	1	2	3	27	10	4	158	11	27	6
55	Colored	3,029	40	41	.....	5	1	6	5	37	4	351	12	47	4
56	Atlanta (total)	2,908	42	4	.....	3	3	5	29	28	8	223	12	42	2
57	White	1,499	27	2	.....	1	2	3	25	6	4	96	5	19	2
58	Colored	1,409	15	2	.....	2	1	2	4	22	4	127	7	23	.....
59	Augusta (total)	926	18	16	.....	.....	.....	.....	.....	2	.....	105	4	17	2
60	White	403	8	4	.....	.....	.....	.....	.....	2	.....	29	4	6	.....
61	Colored	523	10	12	.....	.....	.....	.....	.....	.....	.....	76	.....	11	2
62	Savannah (total)	1,563	20	29	.....	3	.....	4	3	17	.....	181	7	15	6
63	White	466	5	2	.....	.....	.....	.....	2	2	.....	33	2	2	4
64	Colored	1,097	15	27	.....	3	.....	4	1	15	.....	148	5	13	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
299	51	23	215	355	26	439	50	76	99	46	35	321	34	22	230	193	52	749	5	1
290	51	21	206	328	24	409	48	71	98	44	30	308	31	22	220	184	50	719	5	2
9	.....	2	9	27	2	30	2	5	1	2	5	13	3	.....	10	9	2	30	.....	3
23	4	1	26	42	4	32	2	7	8	2	2	28	4	.....	26	25	6	89	.....	4
235	38	16	143	265	17	319	42	34	73	35	20	249	24	17	143	112	38	542	4	5
28	9	5	39	40	5	66	4	25	14	7	9	29	3	4	50	39	5	93	1	6
10	.....	1	7	8	.....	22	2	10	4	2	4	15	3	1	11	17	3	25	.....	7
824	194	133	870	1,379	174	1,884	131	813	115	110	119	1,096	63	74	838	920	147	2,296	56	8
817	192	132	852	1,333	169	1,825	129	804	113	107	115	1,068	59	68	823	902	145	2,246	55	9
7	2	1	18	46	5	59	2	9	2	3	4	28	4	6	15	18	2	50	1	10
7	2	7	14	18	3	25	4	32	.....	.....	1	12	.....	.....	12	9	4	25	6	11
126	28	22	110	175	20	435	18	158	17	15	20	198	17	8	131	173	42	336	17	12
13	1	2	11	14	.....	21	1	15	.....	.....	2	12	1	.....	19	6	.....	27	1	13
25	7	3	25	39	7	26	6	5	3	6	1	17	1	3	18	24	2	76	.....	14
11	7	5	13	28	12	21	5	12	2	4	3	21	1	1	20	16	6	57	.....	15
142	29	12	146	219	24	333	18	119	24	30	22	164	13	8	133	154	21	362	1	16
13	5	2	4	23	3	20	.....	7	.....	.....	1	8	.....	1	11	7	3	22	.....	17
34	8	1	37	46	4	41	4	26	1	3	2	33	.....	2	13	30	5	66	2	18
18	4	3	43	125	2	76	9	12	6	4	2	53	1	4	14	20	2	88	1	19
12	.....	2	7	16	3	13	1	12	.....	1	.....	10	.....	.....	9	8	1	14	1	20
26	4	11	34	46	6	100	6	61	3	2	7	34	4	7	36	39	3	37	.....	21
174	36	23	148	262	32	337	26	103	21	20	22	183	12	18	143	165	22	436	6	22
36	4	.....	36	61	1	45	2	19	1	4	1	45	3	3	25	33	8	33	.....	23
31	9	5	48	40	7	49	3	14	4	1	3	23	.....	.....	15	21	2	63	1	24
28	10	2	29	60	6	43	5	22	4	2	6	51	.....	5	15	37	3	85	1	25
12	2	1	18	31	2	22	2	7	1	1	1	18	1	.....	8	10	2	33	2	26
32	10	6	50	37	6	66	3	19	9	4	2	52	2	4	24	39	4	127	1	27
14	3	3	18	22	2	30	.....	18	.....	5	2	18	.....	.....	24	16	2	31	1	28
10	4	.....	11	18	.....	14	4	5	2	1	1	9	.....	1	7	4	1	23	2	29
46	17	19	61	84	28	144	12	133	16	6	17	111	7	8	95	93	12	206	10	30
14	4	4	7	15	6	23	2	14	1	1	3	24	.....	1	16	16	2	49	3	31
80	18	26	124	168	14	228	15	117	13	12	12	170	5	9	117	137	16	248	5	32
70	16	24	101	150	12	179	14	107	13	11	11	149	3	6	101	120	15	211	3	33
10	2	2	23	18	2	49	1	10	.....	1	1	21	2	3	16	17	1	37	2	34
392	72	30	494	839	69	598	72	182	43	56	34	612	29	44	277	284	88	1,262	7	35
297	60	17	330	589	35	291	42	81	31	37	27	382	13	25	164	185	76	793	2	36
95	12	13	164	250	34	307	30	101	12	19	7	230	16	19	113	99	12	469	5	37
110	11	16	122	170	19	122	34	143	24	29	37	211	15	22	111	174	25	561	122	38
91	10	13	68	94	12	51	20	101	16	16	17	114	10	14	74	95	20	263	36	39
19	1	3	54	76	7	71	14	42	8	13	20	97	5	8	37	79	5	298	86	40
45	6	5	66	81	7	76	9	41	13	16	16	102	7	13	48	95	10	269	65	41
31	5	3	26	41	3	20	3	16	9	7	7	48	3	7	29	36	8	106	7	42
14	1	2	40	40	4	56	6	25	4	9	9	54	4	6	19	59	2	163	58	43
16	1	5	21	17	.....	4	2	15	.....	2	1	21	.....	1	8	14	4	55	1	44
14	1	5	16	14	.....	3	2	13	.....	2	.....	16	.....	1	7	12	4	30	1	45
2	.....	.....	5	3	.....	1	.....	2	.....	.....	1	5	.....	.....	1	2	.....	25	.....	46
13	.....	.....	12	41	6	20	12	19	6	4	6	36	2	5	26	15	1	108	6	47
11	.....	.....	10	17	4	11	5	10	2	2	2	11	1	3	15	13	.....	41	5	48
2	.....	.....	2	24	2	9	7	9	4	2	4	25	1	2	11	2	1	67	1	49
36	4	6	23	31	6	22	11	68	5	7	14	52	6	3	29	50	10	129	50	50
35	4	5	16	22	5	17	10	62	5	5	8	39	6	3	23	34	8	86	23	51
1	.....	1	7	9	1	5	1	6	.....	2	6	13	.....	.....	6	16	2	43	27	52
219	47	17	316	434	29	443	62	224	85	67	29	570	48	45	268	328	32	1,202	82	53
155	38	10	143	178	6	146	28	110	47	34	14	285	20	23	151	146	29	480	28	54
64	9	7	173	256	23	297	34	114	38	33	15	285	28	22	117	182	3	722	54	55
121	33	12	166	210	20	269	38	103	54	45	15	302	33	28	150	205	20	640	43	56
92	26	7	87	101	5	90	18	71	28	25	8	178	13	18	97	104	18	302	19	57
29	7	5	79	109	15	179	20	32	26	20	7	124	20	10	53	101	2	338	24	58
35	7	1	65	102	5	79	12	33	16	9	4	108	8	9	40	45	3	174	7	59
27	6	.....	24	29	.....	41	5	18	10	6	3	61	3	5	19	20	2	66	5	60
8	1	1	41	73	5	38	7	15	6	3	1	47	5	4	21	25	1	108	2	61
63	7	4	85	122	4	95	12	88	15	13	10	160	7	8	78	78	9	388	32	62
36	6	3	32	48	1	15	5	21	9	3	3	46	4	.....	35	22	9	112	4	63
27	1	1	53	74	3	80	7	67	6	10	7	114	3	8	43	56	.....	276	28	64

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	ILLINOIS.[1]														
1	Registration cities (total)	40,097	160	9	.....	167	177	118	833	334	165	3,584	232	248	166
2	White	38,552	154	9	.....	163	176	116	818	319	163	3,295	219	222	159
3	Colored	1,545	6	.....	.....	4	1	2	15	15	2	289	13	26	7
4	Aurora	471	4	1	.....	.....	1	1	1	8	.....	34	6	5	1
5	Belleville	312	4	.....	.....	1	.....	.....	8	5	.....	27	.....	2	3
6	Chicago (total)	36,305	130	6	.....	135	160	100	788	292	153	3,316	221	216	150
7	White	34,967	125	6	.....	133	159	99	775	278	151	3,061	209	197	146
8	Colored	1,338	5	.....	.....	2	1	1	13	14	2	255	12	19	4
9	Decatur	509	4	2	.....	13	1	6	2	2	4	29	2	4	2
10	Evanston	369	1	.....	.....	1	10	.....	7	1	.....	14	2	2	3
11	Jacksonville	545	6	.....	.....	.....	1	.....	3	4	5	33	.....	4	1
12	Quincy	616	3	.....	.....	11	.....	1	6	13	.....	67	.....	7	3
13	Springfield	976	8	.....	.....	6	4	10	18	9	3	64	1	8	3
	INDIANA.														
14	Registration cities (total)	14,284	255	14	.....	76	34	82	155	194	24	1,204	81	169	70
15	White	13,096	232	13	.....	72	31	70	148	182	23	998	72	148	64
16	Colored	1,188	23	1	.....	4	3	12	7	12	1	206	9	21	6
17	Anderson	362	6	.....	.....	.....	1	8	3	8	.....	29	4	6	2
18	East Chicago	454	11	.....	.....	6	.....	.....	3	.....	1	24	1	1	.....
19	Elkhart	276	1	.....	.....	1	1	3	2	3	.....	19	1	2	3
20	Elwood	134	1	.....	.....	2	3	1	.....	3	.....	12	1	1	1
21	Evansville	1,106	24	5	.....	1	2	6	21	19	2	127	2	14	8
22	Fort Wayne	939	10	.....	.....	8	1	2	1	12	2	62	6	9	3
23	Gary	600	14	1	.....	2	1	2	10	2	.....	23	3	4	3
24	Hammond	516	32	.....	.....	3	.....	3	2	2	1	27	.....	3	1
25	Huntington	163	2	.....	.....	.....	.....	2	.....	1	.....	7	1	1	1
26	Indianapolis (total)	4,308	72	3	.....	27	13	25	55	48	11	440	22	61	6
27	White	3,648	59	3	.....	23	10	15	51	45	10	328	15	46	5
28	Colored	660	13	.....	.....	4	3	10	4	3	1	112	7	15	1
29	Jeffersonville (total)	142	1	.....	.....	.....	.....	.....	1	7	.....	13	.....	2	.....
30	White	116	1	.....	.....	.....	.....	.....	1	6	.....	9	.....	2	.....
31	Colored	26	.....	.....	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....
32	Kokomo	312	7	.....	.....	.....	.....	3	8	7	.....	27	4	7	1
33	Lafayette	400	2	.....	.....	3	4	1	1	4	.....	28	1	4	3
34	Laporte	193	3	.....	.....	3	.....	1	.....	3	.....	9	1	1	3
35	Logansport	317	7	.....	.....	2	.....	2	2	11	2	17	1	3	3
36	Marion	341	3	.....	.....	1	.....	2	1	10	1	26	5	5	2
37	Michigan City	292	7	.....	.....	.....	.....	.....	2	2	1	27	4	3	2
38	Mishawaka	173	1	.....	.....	2	.....	.....	2	1	.....	10	1	1	1
39	Muncie	336	7	.....	.....	5	.....	2	1	4	.....	30	2	11	1
40	New Albany	337	4	.....	.....	.....	.....	3	1	16	1	34	1	5	.....
41	Peru	155	1	.....	.....	1	.....	1	.....	2	.....	8	1	1	2
42	Richmond	328	2	.....	.....	.....	.....	.....	3	10	.....	31	2	1	2
43	South Bend	873	17	.....	.....	3	4	2	24	6	1	74	10	9	7
44	Terre Haute	967	16	4	.....	4	1	11	9	12	.....	73	5	8	10
45	Vincennes	260	4	1	.....	2	3	2	3	1	1	27	2	6	5
	KANSAS.														
46	Registration cities (total)	4,811	67	5	.....	19	21	27	50	137	15	276	7	28	13
47	White	4,118	58	4	.....	17	19	21	48	114	15	193	6	19	10
48	Colored	693	9	1	.....	2	2	6	2	23	.....	83	1	9	3
49	Atchison (total)	207	1	.....	.....	2	1	2	.....	10	1	11	.....	.....	1
50	White	176	1	.....	.....	2	1	1	.....	7	1	9	.....	.....	1
51	Colored	31	.....	.....	.....	.....	.....	1	.....	3	.....	2	.....	.....	.....
52	Coffeyville (total)	193	6	1	.....	2	.....	.....	2	5	.....	10	.....	.....	.....
53	White	158	5	.....	.....	2	.....	.....	2	4	.....	6	.....	.....	.....
54	Colored	35	1	1	.....	.....	.....	.....	.....	1	.....	4	.....	.....	.....
55	Fort Scott (total)	175	2	.....	.....	2	.....	1	2	2	.....	8	.....	.....	1
56	White	144	.....	.....	.....	2	.....	1	2	2	.....	7	.....	.....	1
57	Colored	31	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
58	Hutchinson	259	7	.....	.....	.....	.....	.....	.....	5	.....	14	.....	.....	2
59	Independence	140	4	3	.....	.....	.....	1	1	4	.....	5	.....	1	.....
60	Kansas City (total)	1,365	14	.....	.....	5	14	5	27	42	1	108	3	19	2
61	White	1,087	12	.....	.....	4	12	4	25	31	1	72	3	13	1
62	Colored	278	2	.....	.....	1	2	1	2	11	.....	36	.....	6	1
63	Lawrence (total)	172	3	.....	.....	2	.....	1	1	11	1	12	.....	1	1
64	White	143	3	.....	.....	1	.....	1	1	10	1	7	.....	.....	.....
65	Colored	29	.....	.....	.....	1	.....	.....	.....	1	.....	5	.....	1	1
66	Leavenworth (total)	330	1	1	.....	.....	1	5	2	14	.....	22	2	2	2
67	White	269	.....	1	.....	.....	1	5	2	11	.....	17	2	2	2
68	Colored	61	1	.....	.....	.....	.....	.....	.....	3	.....	5	.....	.....	.....
69	Parsons	200	4	.....	.....	.....	.....	2	2	5	1	15	1	.....	.....
70	Pittsburg	260	4	.....	.....	2	.....	.....	.....	7	2	15	.....	.....	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
2,524	577	199	1,526	4,368	416	4,302	348	3,629	490	321	535	2,987	199	237	1,709	3,060	598	5,855	24	1
2,457	554	193	1,473	4,171	402	4,117	338	3,604	480	312	524	2,860	195	227	1,667	2,935	586	5,621	23	2
67	23	6	53	197	14	185	10	25	10	9	11	127	4	10	42	125	12	234	1	3
29	7	4	41	45	2	36	8	30	7	6	4	37	3	2	13	40	6	89	.....	4
21	7	1	37	23	6	29	1	7	1	5	7	20	4	1	20	19	2	50	1	5
2,280	511	187	1,301	3,994	371	3,948	297	3,533	441	278	489	2,678	179	220	1,553	2,808	553	5,007	10	6
2,219	492	181	1,255	3,870	361	3,778	291	3,510	431	271	481	2,564	177	211	1,522	2,700	542	4,813	9	7
61	19	6	46	174	10	170	6	23	10	7	8	114	2	9	31	108	11	194	1	8
32	10	1	28	44	6	37	9	19	4	3	5	58	2	2	25	28	11	112	2	9
27	4	.....	23	36	6	39	6	14	4	5	3	28	1	2	14	28	1	87	.....	10
28	8	.....	26	47	3	47	4	.....	10	5	4	30	1	2	13	27	5	226	2	11
44	17	3	33	89	14	55	7	6	6	4	7	39	1	2	24	24	7	112	5	12
63	13	3	37	90	8	111	16	20	17	15	16	97	8	6	47	86	13	172	4	13
867	159	59	844	1,496	134	1,291	93	886	216	145	170	998	107	90	723	1,050	219	2,369	10	14
825	150	55	793	1,345	125	1,151	88	848	204	134	161	922	98	87	682	965	214	2,187	9	15
42	9	4	51	151	9	140	5	38	12	11	9	76	9	3	41	85	5	182	1	16
19	4	.....	25	34	1	38	1	23	5	7	4	25	4	2	16	17	6	64	.....	17
9	.....	.....	6	14	4	66	1	148	2	.....	9	9	1	1	39	46	2	50	.....	18
13	2	.....	20	44	4	21	4	10	5	4	1	27	2	3	16	20	3	41	.....	19
10	1	1	13	8	.....	8	3	5	3	2	2	10	3	1	11	7	3	18	.....	20
50	11	5	62	104	18	109	13	34	10	12	14	95	9	7	54	69	10	188	1	21
85	16	1	77	86	12	83	4	23	14	12	15	76	3	6	54	63	12	180	1	22
14	.....	4	14	18	3	64	2	136	7	9	5	15	10	2	48	101	13	67	3	23
21	7	2	12	26	5	64	2	62	13	6	11	24	6	6	28	77	12	58	.....	24
14	2	1	14	30	1	12	2	4	1	4	.....	7	.....	3	11	16	.....	26	.....	25
274	48	15	244	484	41	391	30	156	78	38	55	317	36	29	175	241	77	796	.....	26
249	43	13	218	391	36	315	26	133	67	33	55	276	28	26	151	204	73	701	.....	27
25	5	2	26	93	5	76	4	23	11	5	.....	41	8	3	24	37	4	95	.....	28
4	1	.....	16	11	4	7	1	6	.....	1	.....	31	.....	.....	8	6	4	18	.....	29
4	1	.....	13	6	3	6	1	6	.....	1	.....	26	.....	.....	8	4	4	14	.....	30
.....	.....	.....	3	5	1	1	.....	.....	.....	.....	.....	5	.....	.....	.....	2	.....	4	.....	31
16	3	.....	20	35	3	31	1	13	4	1	2	21	2	.....	20	18	5	53	.....	32
27	10	3	32	53	1	28	.....	7	9	.....	4	35	7	2	14	48	12	57	.....	33
13	3	1	16	28	4	17	.....	9	3	2	1	12	1	3	7	7	3	39	.....	34
27	.....	.....	27	24	3	24	1	6	5	3	4	33	2	2	11	29	6	59	1	35
16	8	5	28	38	.....	21	5	12	3	2	7	21	.....	2	16	32	1	68	.....	36
18	6	1	15	40	3	24	.....	20	2	2	4	14	1	3	20	20	4	47	.....	37
11	3	.....	8	13	2	12	.....	12	1	4	.....	17	3	1	10	17	5	35	.....	38
18	3	3	15	39	2	23	4	12	7	5	1	29	2	2	19	19	3	67	.....	39
29	3	1	19	44	3	18	6	15	4	3	4	28	1	1	11	25	1	56	.....	40
13	2	.....	16	31	3	13	2	1	1	2	1	9	1	1	3	11	3	25	.....	41
26	4	3	20	45	1	23	1	19	.....	1	2	35	1	3	14	13	8	58	.....	42
54	10	5	53	89	3	70	4	73	20	10	11	42	5	4	66	56	6	129	1	43
71	11	6	59	121	7	99	6	56	10	13	19	57	6	5	42	72	16	144	3	44
15	1	2	13	37	1	25	.....	24	9	2	3	9	1	1	10	20	4	26	.....	45
314	64	36	301	483	44	378	57	181	71	50	48	378	33	25	229	317	49	1,045	43	46
293	60	30	271	398	41	304	45	154	67	49	45	308	28	24	213	265	47	916	36	47
21	4	6	30	85	3	74	12	27	4	1	3	70	5	1	16	52	2	129	7	48
16	4	2	23	16	2	7	2	1	2	2	3	15	.....	.....	6	13	3	58	3	49
15	3	2	20	11	2	4	1	1	1	2	3	12	.....	.....	6	10	3	54	3	50
1	1	.....	3	5	.....	3	1	.....	1	.....	.....	3	.....	.....	.....	3	.....	4	.....	51
9	1	2	10	12	.....	14	2	21	1	1	.....	19	.....	2	7	20	1	42	3	52
7	1	2	7	11	.....	14	2	17	1	1	.....	16	.....	2	6	16	1	32	3	53
2	.....	.....	3	1	.....	.....	.....	4	.....	.....	.....	3	.....	.....	1	4	.....	10	.....	54
16	3	.....	10	14	1	13	3	11	.....	2	3	11	.....	.....	4	9	2	48	7	55
16	3	.....	9	11	1	9	3	9	.....	2	2	9	.....	.....	3	6	2	39	5	56
.....	.....	.....	1	3	.....	4	.....	2	.....	.....	1	2	.....	.....	1	3	.....	9	2	57
19	3	.....	15	16	1	18	4	13	11	1	4	11	.....	4	16	23	2	69	1	58
9	2	3	8	16	1	7	1	8	6	3	2	6	2	1	5	8	.....	32	1	59
78	11	20	58	149	17	113	12	54	13	11	13	127	7	8	75	79	11	261	8	60
74	11	14	49	114	15	86	8	45	12	10	12	95	6	8	67	58	11	209	5	61
4	.....	6	9	35	2	27	4	9	1	1	1	32	1	.....	8	21	.....	52	3	62
16	3	.....	15	21	3	13	2	1	.....	4	.....	6	.....	1	6	8	6	32	2	63
15	3	.....	15	16	3	9	1	1	.....	4	.....	3	.....	1	5	8	5	28	2	64
1	.....	.....	.....	5	.....	4	1	.....	.....	.....	.....	3	.....	.....	1	.....	1	4	.....	65
29	5	1	27	56	4	21	4	9	1	3	8	15	1	1	8	18	4	62	1	66
25	2	1	22	43	3	20	1	5	1	3	7	11	1	1	8	14	3	55	.....	67
4	3	.....	5	13	1	1	3	4	.....	.....	1	4	.....	.....	.....	4	1	7	1	68
8	1	.....	10	17	4	26	2	1	6	.....	1	14	2	1	14	13	3	45	2	69
17	3	1	11	17	1	14	4	17	4	4	4	19	8	1	10	38	2	48	6	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	KANSAS—continued.														
1	Topeka (total)	693	9	.....	.....	4	3	8	4	15	6	19	1	4	1
2	White	599	8	.....	.....	4	3	4	4	13	6	10	.....	2	1
3	Colored	94	1	.....	.....	.....	.....	4	.....	2	.....	9	1	2	.....
4	Wichita	817	12	.....	.....	.....	2	2	9	17	3	37	.....	1	2
	KENTUCKY.														
5	Registration cities (total)	6,956	78	19	.....	35	3	45	35	168	16	796	52	56	38
6	White	5,078	56	6	.....	31	3	29	31	121	14	489	39	40	25
7	Colored	1,878	22	13	.....	4	.....	16	4	47	2	307	13	16	13
8	Covington (total)	895	8	.....	.....	10	.....	7	4	17	2	100	8	9	3
9	White	805	6	.....	.....	9	.....	6	4	13	2	92	8	9	3
10	Colored [1]	90	2	.....	.....	1	.....	1	.....	4	.....	8	.....	.....	.....
11	Frankfort (total)	198	8	.....	.....	.....	.....	2	2	7	.....	31	2	2	2
12	White	140	6	.....	.....	.....	.....	2	2	4	.....	16	2	2	2
13	Colored	58	2	.....	.....	.....	.....	.....	.....	3	.....	15	.....	.....	.....
14	Henderson (total)	211	7	.....	.....	.....	1	.....	1	3	.....	23	2	4	2
15	White	131	5	.....	.....	.....	1	.....	1	2	.....	14	2	.....	.....
16	Colored	80	2	.....	.....	.....	.....	.....	.....	1	.....	9	.....	4	2
17	Lexington (total)	890	7	.....	.....	5	1	1	3	15	4	110	5	3	5
18	White	513	4	.....	.....	4	1	.....	2	9	3	43	1	.....	3
19	Colored	377	3	.....	.....	1	.....	1	1	6	1	67	4	3	2
20	Louisville (total)	3,586	32	3	.....	5	1	26	16	79	8	382	26	27	18
21	White	2,586	22	.....	.....	5	1	17	15	58	7	224	19	19	11
22	Colored	1,000	10	3	.....	.....	.....	9	1	21	1	158	7	8	7
23	Newport (total)	388	4	.....	.....	6	.....	4	1	11	1	44	4	5	4
24	White	373	4	.....	.....	6	.....	3	1	11	1	41	4	5	4
25	Colored [1]	15	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....
26	Owensboro (total)	308	8	3	.....	8	.....	.....	3	25	1	36	.....	3	1
27	White	234	6	2	.....	6	.....	.....	3	15	1	24	.....	2	1
28	Colored	74	2	1	.....	2	.....	.....	.....	10	.....	12	.....	1	.....
29	Paducah (total)	480	4	13	.....	1	.....	5	5	11	.....	70	5	3	3
30	White	296	3	4	.....	1	.....	1	3	9	.....	35	3	3	1
31	Colored	184	1	9	.....	.....	.....	4	2	2	.....	35	2	.....	2
	LOUISIANA.[2]														
32	New Orleans (total)	6,847	86	26	4	13	1	14	37	100	14	963	15	105	24
33	White	3,938	56	11	1	9	1	9	28	58	9	441	11	23	13
34	Colored	2,909	30	15	3	4	.....	5	9	42	5	522	4	82	11
	MAINE.														
35	Registration cities (total)	3,238	22	.....	.....	4	.....	46	16	52	7	208	18	38	8
36	White	3,220	22	.....	.....	4	.....	46	16	52	7	207	18	38	8
37	Colored	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
38	Auburn	194	.....	.....	.....	.....	.....	6	.....	7	.....	9	1	1	.....
39	Augusta	348	1	.....	.....	.....	.....	3	2	5	1	25	.....	4	1
40	Bangor	589	5	.....	.....	.....	.....	1	2	12	2	39	3	2	1
41	Biddeford	240	2	.....	.....	.....	.....	.....	1	3	1	23	2	2	2
42	Lewiston	503	.....	.....	.....	.....	.....	20	3	11	2	28	2	6	1
43	Portland	1,168	13	.....	.....	4	.....	15	7	11	1	71	3	18	2
44	Waterville	196	1	.....	.....	.....	.....	1	1	3	.....	13	7	5	1
	MARYLAND.														
45	Registration cities (total)	11,688	128	2	.....	43	34	70	72	138	22	1,252	68	83	31
46	White	8,861	110	1	.....	38	34	46	66	112	18	794	43	47	22
47	Colored	2,827	18	1	.....	5	.....	24	6	26	4	458	25	36	9
48	Baltimore (total)	10,668	107	2	.....	32	31	60	61	127	21	1,182	62	77	29
49	White	7,956	90	1	.....	27	31	37	55	101	17	734	37	41	20
50	Colored	2,712	17	1	.....	5	.....	23	6	26	4	448	25	36	9
51	Cumberland (total)	447	9	.....	.....	6	.....	5	6	4	1	27	3	3	1
52	White	417	9	.....	.....	6	.....	5	6	4	1	25	3	3	1
53	Colored [1]	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
54	Frederick (total)	186	6	.....	.....	1	1	4	.....	1	.....	14	2	1	.....
55	White	149	6	.....	.....	1	1	4	.....	1	.....	11	2	1	.....
56	Colored	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
57	Hagerstown (total)	387	6	.....	.....	4	2	1	5	6	.....	29	1	2	1
58	White	339	5	.....	.....	4	2	.....	5	6	.....	24	1	2	1
59	Colored [1]	48	1	.....	.....	.....	.....	1	.....	.....	.....	5	.....	.....	.....
	MASSACHUSETTS.														
60	Registration cities (total)	43,898	148	6	.....	403	113	296	545	461	169	3,414	421	324	125
61	White	43,022	142	6	.....	397	109	290	538	454	167	3,280	407	308	122
62	Colored	876	6	.....	.....	6	4	6	7	7	2	134	14	16	3
63	Adams town	152	.....	.....	.....	3	.....	.....	2	4	.....	8	1	3	1
64	Arlington town	177	.....	.....	.....	.....	.....	.....	.....	2	2	18	1	1	1
65	Attleboro	253	1	.....	.....	3	.....	1	4	4	.....	16	2	2	.....
66	Beverly	287	1	.....	.....	1	.....	.....	.....	4	5	11	2	.....	.....

[1] Colored population less than 10 per cent of the total in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
37	12	3	52	83	5	77	8	33	10	10	1	67	2	4	28	31	4	147	5	1
36	12	3	48	69	5	61	7	28	9	10	1	56	2	3	26	27	4	132	5	2
1	.....	.....	4	14	.....	16	1	5	1	.....	.....	11	.....	1	2	4	.....	15	.....	3
60	16	4	62	66	5	55	13	12	17	9	9	68	11	2	50	57	11	201	4	4
372	83	33	366	648	95	604	85	229	75	81	78	634	33	34	310	437	58	1,326	34	5
320	71	27	303	442	53	400	65	183	56	64	59	452	28	25	256	324	57	983	26	6
52	12	6	63	206	42	204	20	46	19	17	19	182	5	9	54	113	1	343	8	7
64	14	5	41	108	4	66	8	31	16	9	13	82	5	4	53	70	10	122	2	8
62	14	5	37	93	2	57	6	27	12	9	12	72	5	3	51	59	10	115	2	9
2	.....	.....	4	15	2	9	2	4	4	.....	1	10	.....	1	2	11	.....	7	.....	10
11	4	1	8	18	4	8	3	4	.....	2	2	10	1	2	6	13	1	39	5	11
11	3	.....	5	14	2	3	3	3	.....	1	2	8	1	2	3	11	1	26	5	12
.....	1	1	3	4	2	5	.....	1	.....	1	.....	2	.....	.....	3	2	.....	13	.....	13
5	3	1	7	20	2	14	3	11	1	4	2	19	.....	.....	7	21	.....	46	2	14
4	2	1	5	9	1	9	3	9	1	2	1	8	.....	.....	7	12	.....	32	.....	15
1	1	.....	2	11	1	5	.....	2	.....	2	1	11	.....	.....	.....	9	.....	14	2	16
43	7	5	52	73	6	75	11	11	10	13	6	66	3	6	23	62	5	251	3	17
26	4	5	34	35	1	40	5	8	6	9	3	35	3	2	14	42	5	163	3	18
17	3	.....	18	38	5	35	6	3	4	4	3	31	.....	4	9	20	.....	88	.....	19
200	41	10	183	348	60	351	54	107	36	44	42	368	17	14	164	202	35	678	9	20
172	36	8	152	230	36	224	44	80	28	36	32	260	14	11	135	150	34	498	8	21
28	5	2	31	118	24	127	10	27	8	8	10	108	3	3	29	52	1	180	1	22
18	8	1	35	40	6	31	2	19	.....	1	7	41	2	.....	23	13	4	52	1	23
16	8	1	35	36	6	29	2	19	.....	1	7	39	2	.....	23	12	4	52	1	24
2	.....	.....	.....	4	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	25
14	1	3	16	14	5	21	1	24	3	1	4	24	3	4	13	10	.....	57	2	26
12	1	2	15	9	3	15	1	21	2	1	1	15	2	4	12	9	.....	47	2	27
2	.....	1	1	5	2	6	.....	3	1	.....	3	9	1	.....	1	1	.....	10	.....	28
17	5	7	24	27	8	38	3	22	9	7	2	24	2	4	21	46	3	81	10	29
17	3	5	20	16	2	23	1	16	7	5	1	15	1	3	11	29	3	50	5	30
.....	2	2	4	11	6	15	2	6	2	2	1	9	1	1	10	17	.....	31	5	31
346	58	22	308	771	51	436	45	263	79	60	115	859	51	46	210	432	54	1,239	.....	32
263	52	14	211	457	30	184	31	168	56	42	60	478	33	33	135	249	50	722	.....	33
83	6	8	97	314	21	252	14	95	23	18	55	381	18	13	75	183	4	517	.....	34
216	45	19	213	327	35	325	20	155	54	44	21	263	9	23	143	169	34	633	71	35
214	45	19	212	325	35	319	20	155	54	44	21	262	9	23	143	169	34	628	71	36
2	.....	.....	1	2	.....	6	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	5	.....	37
13	9	1	21	26	6	18	2	1	.....	.....	.....	17	1	1	14	11	2	27	.....	38
17	3	.....	26	36	2	66	1	18	3	2	1	20	1	1	10	12	4	82	1	39
38	8	2	32	64	4	64	2	6	18	6	4	44	1	7	28	27	5	144	18	40
17	2	3	17	19	3	23	2	24	3	6	3	17	2	.....	10	8	.....	40	5	41
35	8	1	19	31	5	38	2	41	17	11	6	38	1	4	21	27	10	101	14	42
81	12	7	76	132	12	101	10	54	10	15	7	117	3	7	50	74	12	211	32	43
15	3	5	22	19	3	15	1	11	3	4	.....	10	.....	3	10	10	1	28	1	44
688	129	49	722	1,244	144	1,462	63	635	88	96	89	1,116	61	62	638	566	107	1,762	24	45
603	117	41	576	944	99	995	57	480	77	81	77	896	44	48	478	449	102	1,351	15	46
85	12	8	146	300	45	467	6	155	11	15	12	220	17	14	160	117	5	411	9	47
629	120	46	664	1,139	130	1,390	57	586	79	85	83	1,028	52	59	584	480	93	1,558	15	48
546	110	38	528	845	89	936	51	436	68	72	72	817	36	45	430	372	89	1,176	9	49
83	10	8	136	294	41	454	6	150	11	13	11	211	16	14	154	108	4	382	6	50
27	1	1	14	43	5	42	3	24	4	7	3	37	4	2	25	41	8	89	2	51
26	.....	1	12	42	4	39	3	20	4	6	3	35	4	2	24	38	8	82	1	52
1	1	.....	2	1	1	3	.....	4	.....	1	.....	2	.....	.....	1	3	.....	7	1	53
8	5	1	15	16	4	5	2	1	4	3	2	18	2	1	7	13	1	47	1	54
7	4	1	12	13	2	3	2	1	4	2	1	16	1	1	4	12	1	35	.....	55
1	1	.....	3	3	2	2	.....	.....	.....	1	1	2	1	.....	3	1	.....	12	1	56
24	3	1	29	46	5	25	1	24	1	1	1	33	3	.....	22	32	5	68	6	57
24	3	1	24	44	4	17	1	23	1	1	1	28	3	.....	20	27	4	58	5	58
.....	.....	.....	5	2	1	8	.....	1	.....	.....	.....	5	.....	.....	2	5	1	10	1	59
3,096	649	250	2,663	5,470	616	5,197	311	2,152	378	344	291	2,775	209	280	2,458	2,405	362	7,360	207	60
3,051	641	246	2,621	5,377	608	5,069	305	2,126	368	337	284	2,719	201	275	2,420	2,365	360	7,228	201	61
45	8	4	42	93	8	128	6	26	10	7	7	56	8	5	38	40	2	132	6	62
6	3	.....	8	17	2	13	1	13	1	1	3	9	.....	1	21	8	.....	23	.....	63
23	4	1	14	18	1	14	.....	1	2	1	2	15	1	2	8	7	.....	38	.....	64
27	5	1	15	18	2	25	1	6	.....	1	.....	28	2	2	14	21	3	44	2	65
36	6	.....	27	60	2	17	.....	6	1	4	1	14	1	2	16	17	1	51	1	66

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	MASSACHUSETTS—continued.														
1	Boston (total)	12,763	26	1	.....	110	39	73	186	85	67	1,097	135	87	22
2	White	12,300	24	1	.....	109	38	72	180	82	65	1,014	129	81	21
3	Colored	463	2	.....	.....	1	1	1	6	3	2	83	6	6	1
4	Brockton	784	2	.....	.....	27	.....	5	6	12	2	43	2	8	1
5	Brookline town	351	.....	.....	.....	2	1	1	.....	7	3	25	2	1	2
6	Cambridge	1,526	2	.....	.....	8	2	11	16	11	3	195	8	5	2
7	Chelsea	671	3	1	.....	4	1	7	3	4	4	46	4	3	1
8	Chicopee	442	.....	.....	.....	3	3	15	11	5	1	37	8	3	2
9	Clinton town	185	.....	.....	.....	.....	.....	2	1	2	.....	13	.....	1	.....
10	Everett	395	.....	.....	.....	1	2	4	2	5	.....	37	4	3	2
11	Fall River	2,178	14	2	.....	39	2	17	20	31	2	207	21	13	8
12	Fitchburg	539	4	.....	.....	.....	.....	8	21	.....	1	32	9	3	1
13	Framingham town	274	1	.....	.....	.....	.....	1	1	7	1	10	1	1	.....
14	Gardner town	220	2	.....	.....	3	1	1	6	4	.....	10	2	3	3
15	Gloucester	379	1	.....	.....	3	.....	15	1	6	.....	18	1	4	1
16	Greenfield town	170	1	1	.....	.....	.....	3	.....	2	.....	6	.....	1	.....
17	Haverhill	722	4	.....	.....	.....	2	6	15	10	1	53	5	7	1
18	Holyoke	1,081	5	.....	.....	1	1	9	11	8	2	80	11	14	6
19	Lawrence	1,336	8	.....	.....	21	5	13	24	16	6	127	20	10	1
20	Leominster town	232	1	.....	.....	1	.....	1	7	3	.....	12	2	3	1
21	Lowell	1,955	13	.....	.....	29	6	11	44	16	3	117	27	12	9
22	Lynn	1,258	9	.....	.....	19	6	7	20	15	6	101	6	7	5
23	Malden	583	4	.....	.....	.....	3	5	11	9	2	22	3	4	1
24	Marlborough	207	.....	.....	.....	.....	.....	.....	1	4	.....	15	.....	1	.....
25	Medford	354	.....	.....	.....	.....	1	4	1	6	.....	16	5	2	5
26	Melrose	224	1	.....	.....	.....	1	4	1	3	.....	10	.....	2	1
27	Methuen town	212	2	.....	.....	1	.....	2	1	1	2	21	3	.....	.....
28	Milford town	190	.....	.....	.....	.....	.....	.....	1	4	1	14	2	.....	.....
29	New Bedford	313	8	.....	.....	17	2	17	11	12	6	172	23	20	8
30	Newburyport	237	.....	.....	.....	.....	.....	1	.....	7	.....	6	2	2	.....
31	Newton	470	1	.....	.....	.....	.....	1	1	8	4	17	4	2	1
32	North Adams	310	6	.....	.....	1	1	.....	1	9	1	17	.....	2	2
33	Northampton	433	2	.....	.....	5	2	2	3	10	1	37	2	.....	.....
34	Peabody town	245	1	.....	.....	.....	7	1	2	2	.....	8	1	5	1
35	Pittsfield	552	.....	.....	.....	.....	1	1	9	3	1	34	1	2	2
36	Plymouth town	179	3	.....	.....	3	1	.....	1	5	.....	6	4	2	1
37	Quincy	448	.....	.....	.....	1	4	1	1	3	1	37	6	6	2
38	Revere	189	.....	.....	.....	.....	2	1	.....	.....	1	12	2	1	1
39	Salem	588	3	.....	.....	.....	1	3	2	10	1	46	6	6	3
40	Somerville	1,080	1	.....	.....	3	2	10	23	18	5	91	8	12	1
41	Southbridge town	155	.....	.....	.....	1	.....	2	4	1	.....	5	1	.....	.....
42	Springfield	1,741	6	.....	.....	16	4	3	19	21	5	72	14	10	13
43	Taunton	789	1	1	.....	5	2	4	8	11	2	74	9	6	2
44	Wakefield town	148	.....	.....	.....	.....	1	.....	.....	2	1	10	4	2	.....
45	Waltham	355	2	.....	.....	1	2	6	6	5	2	28	8	4	.....
46	Watertown town	190	.....	.....	.....	4	.....	.....	1	4	.....	9	1	3	1
47	Webster town	149	.....	.....	.....	4	.....	1	.....	2	.....	11	3	2	1
48	Westfield town	293	3	.....	.....	1	2	2	5	3	.....	58	1	2	.....
49	Weymouth town	190	.....	.....	.....	1	.....	1	1	3	.....	10	.....	1	.....
50	Winthrop town	130	.....	.....	.....	2	.....	1	.....	3	.....	5	.....	.....	.....
51	Woburn	215	.....	.....	.....	3	.....	3	6	4	2	14	1	1	.....
52	Worcester	2,899	6	.....	.....	56	3	9	24	25	22	218	33	29	9
	MICHIGAN.														
53	Registration cities (total)	21,162	238	2	1	180	100	115	336	237	102	1,374	123	113	95
54	White	20,775	234	1	1	180	100	115	333	233	102	1,315	119	111	92
55	Colored	387	4	1	.....	.....	.....	.....	3	4	.....	59	4	2	3
56	Adrian	185	3	.....	.....	3	.....	.....	.....	11	.....	6	.....	2	1
57	Alpena	161	1	.....	.....	1	1	2	2	.....	1	9	1	1	1
58	Ann Arbor	490	8	.....	.....	.....	1	.....	4	3	1	30	1	3	2
59	Battle Creek	459	2	.....	.....	1	.....	2	.....	13	.....	17	3	1	2
60	Bay City	721	22	.....	.....	16	4	2	7	18	2	52	2	5	3
61	Detroit	10 985	85	1	1	104	53	64	256	60	70	815	76	54	51
62	Escanaba	217	7	.....	.....	3	5	4	.....	3	.....	16	4	2	.....
63	Flint	800	26	.....	.....	13	2	9	12	8	4	31	3	3	1
64	Grand Rapids	1,565	21	.....	.....	3	2	6	9	12	6	83	16	6	10
65	Holland	106	.....	.....	.....	.....	1	.....	.....	2	.....	10	.....	2	.....
66	Ironwood	180	4	.....	.....	3	1	3	2	3	.....	15	.....	2	.....
67	Ishpeming	164	2	.....	.....	2	.....	.....	3	1	.....	7	.....	2	.....
68	Jackson	635	6	.....	.....	4	5	1	7	17	4	30	4	6	3
69	Kalamazoo	807	3	.....	.....	.....	3	1	.....	13	3	53	1	4	7
70	Lansing	572	10	.....	.....	3	4	2	12	23	1	17	1	1	.....
71	Manistee	137	2	.....	.....	3	.....	1	.....	2	1	16	1	4	1
72	Marquette	207	5	.....	.....	2	.....	3	1	4	1	18	2	.....	1
73	Menominee	135	3	.....	.....	2	.....	.....	2	2	.....	7	1	.....	.....
74	Muskegon	483	.....	1	.....	4	11	11	1	2	2	27	.....	1	1

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
876	193	90	629	1,667	135	1,595	119	374	109	117	99	776	71	68	678	817	123	2,246	53	1
856	188	86	609	1,617	133	1,526	116	367	104	113	96	742	66	66	660	791	122	2,177	49	2
20	5	4	20	50	2	69	3	7	5	4	3	34	5	2	18	26	1	69	4	3
48	14	9	70	88	11	63	10	16	9	4	6	61	2	8	56	44	8	145	4	4
49	7	-------	32	73	3	31	-------	-------	3	3	2	16	-------	-------	7	5	2	74	-------	5
127	19	7	123	216	20	180	11	64	12	10	5	80	5	9	80	61	10	223	1	6
48	12	3	40	87	6	69	2	42	11	7	6	43	2	5	31	38	6	120	12	7
17	2	5	17	43	21	50	-------	61	-------	-------	5	25	-------	2	33	19	1	53	-------	8
14	3	1	15	25	4	25	-------	4	1	2	1	4	3	2	12	10	2	36	2	9
45	7	-------	32	66	3	47	1	13	1	2	2	16	-------	1	20	11	5	63	-------	10
118	31	6	83	204	49	313	14	274	12	8	19	136	7	16	126	61	14	276	35	11
43	14	7	28	63	5	71	3	20	7	2	3	33	3	4	34	30	5	83	2	12
21	5	-------	27	43	1	24	-------	15	4	6	1	24	1	2	14	20	1	42	-------	13
20	2	3	15	24	2	12	-------	10	3	-------	2	25	-------	2	17	11	2	35	-------	14
23	3	-------	35	58	7	41	2	12	4	3	-------	34	2	3	14	35	4	48	1	15
11	6	3	9	16	-------	25	2	6	1	4	2	8	-------	1	6	16	1	33	6	16
57	12	1	43	96	3	124	3	22	5	12	5	34	2	8	44	32	9	98	8	17
56	21	5	44	80	12	163	10	101	10	10	7	85	5	6	101	46	5	166	-------	18
68	13	9	62	119	22	167	7	137	14	7	7	87	6	10	62	84	8	174	22	19
16	1	1	11	41	6	19	-------	7	-------	5	-------	23	1	2	10	9	4	45	-------	20
97	23	18	96	183	74	202	11	196	17	20	18	101	6	7	126	94	9	369	1	21
102	16	8	98	152	14	115	6	26	19	8	4	103	5	11	74	56	11	224	5	22
58	10	2	49	91	9	58	7	14	6	3	2	36	-------	4	28	27	8	115	1	23
17	-------	3	16	34	2	21	-------	4	3	1	1	9	2	3	9	11	2	47	1	24
46	3	-------	30	60	4	38	1	6	2	1	2	28	3	2	15	9	2	62	-------	25
20	3	-------	20	34	3	20	1	6	3	-------	-------	20	5	2	5	13	1	44	1	26
21	7	-------	11	25	4	21	1	13	4	2	-------	13	-------	2	10	8	3	27	7	27
20	5	1	15	9	2	24	2	3	2	-------	3	14	2	1	9	12	1	43	-------	28
93	20	11	79	162	41	226	19	200	9	12	12	82	16	8	102	92	22	285	26	29
14	2	1	18	49	4	28	3	8	3	2	1	11	-------	2	16	8	2	46	1	30
50	6	1	47	66	8	57	3	9	3	4	4	26	1	-------	26	21	2	97	-------	31
23	2	4	19	38	5	20	6	11	4	-------	-------	21	2	5	14	21	3	71	1	32
23	12	2	58	57	1	41	4	10	2	3	3	28	2	4	14	16	3	85	1	33
18	8	2	22	27	5	29	1	10	-------	6	1	12	-------	2	17	18	2	36	1	34
40	9	6	48	60	5	49	5	14	6	5	7	43	3	8	31	46	4	108	1	35
18	4	1	12	26	7	14	1	6	-------	1	-------	10	-------	2	11	11	1	28	-------	36
33	6	-------	31	66	3	51	-------	16	4	1	1	22	2	3	29	40	4	72	2	37
18	2	-------	17	33	2	20	-------	5	-------	-------	3	17	1	-------	11	8	2	30	-------	38
45	5	5	49	91	10	57	4	31	2	6	3	27	6	2	43	28	6	85	2	39
93	8	4	79	174	6	149	6	29	8	3	6	70	4	7	47	48	5	160	-------	40
13	2	2	20	19	4	19	4	9	-------	2	1	7	-------	1	13	9	-------	15	1	41
116	28	6	114	166	14	204	14	90	31	10	17	162	12	18	125	102	15	312	2	42
36	17	4	52	96	14	102	5	55	2	5	4	54	1	4	33	32	2	145	1	43
13	1	-------	17	21	6	11	-------	3	-------	-------	-------	12	-------	1	8	3	-------	32	-------	44
26	5	1	25	48	3	48	2	4	2	3	1	19	1	1	7	22	5	67	1	45
15	3	-------	14	33	2	20	-------	4	3	2	3	11	-------	-------	13	8	1	35	-------	46
9	1	-------	10	14	1	18	1	12	-------	1	-------	5	-------	3	14	14	1	21	-------	47
12	6	2	21	24	2	22	-------	18	4	3	1	25	-------	1	15	22	4	34	-------	48
17	3	1	28	40	-------	18	-------	4	1	-------	1	9	-------	1	9	6	1	33	1	49
17	3	-------	14	20	2	11	-------	-------	-------	-------	2	13	-------	-------	6	2	3	26	-------	50
13	3	1	16	19	3	20	3	5	1	1	-------	17	1	1	12	21	2	42	-------	51
211	43	12	148	411	39	376	15	127	27	27	12	172	20	18	162	175	21	448	1	52
1,125	224	157	1,040	2,028	288	2,007	239	1,160	350	239	223	1,049	162	136	1,521	1,512	208	4,393	85	53
1,112	222	152	1,025	1,974	281	1,958	236	1,156	344	238	222	1,029	157	134	1,508	1,481	205	4,323	82	54
13	2	5	15	54	7	49	3	4	6	1	1	20	5	2	13	31	3	70	3	55
10	3	-------	26	28	2	12	2	5	5	2	1	5	-------	3	8	5	2	39	1	56
8	6	-------	4	11	7	4	3	13	4	3	1	10	-------	-------	17	11	4	35	-------	57
53	6	1	33	49	6	22	7	5	21	7	3	25	2	4	21	21	6	144	1	58
39	7	7	44	83	8	23	1	9	6	10	3	21	2	3	18	31	8	92	3	59
48	5	3	42	71	8	38	13	28	19	13	12	25	6	6	44	50	9	143	5	60
448	100	116	374	951	146	1,356	130	746	163	122	130	491	105	64	856	873	111	1,968	45	61
8	2	4	17	17	2	29	4	9	3	3	3	11	3	2	12	17	2	24	1	62
29	7	-------	35	49	9	65	10	86	5	11	6	43	4	6	94	60	4	163	2	63
113	23	6	98	173	23	90	22	70	23	22	9	114	10	8	84	94	18	389	2	64
5	2	-------	7	14	4	4	3	6	1	-------	-------	5	-------	2	7	7	1	21	2	65
6	1	1	2	9	10	23	2	8	5	2	1	3	1	-------	15	26	-------	32	-------	66
12	6	-------	7	28	5	17	3	4	3	2	-------	10	2	3	9	12	1	23	-------	67
42	3	1	48	69	11	43	3	32	12	6	5	39	3	1	38	52	7	131	2	68
57	7	4	66	91	4	38	4	16	10	10	5	44	2	2	29	39	5	286	-------	69
42	9	5	42	62	5	36	1	21	8	4	9	32	8	8	46	27	7	124	2	70
11	4	-------	8	15	-------	6	-------	2	2	4	1	10	1	-------	4	10	3	25	-------	71
21	2	3	8	25	7	11	3	6	6	2	3	13	1	2	16	10	-------	30	1	72
11	-------	-------	7	12	4	10	1	9	2	2	3	7	-------	1	11	14	1	23	-------	73
34	3	3	34	39	4	58	5	23	11	1	6	26	2	4	36	40	3	90	-------	74

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	MICHIGAN—continued.														
1	Pontiac	432	2			5		2	3	6	1	15	1		1
2	Port Huron	367	6			2	3		1	7	2	18	2	3	4
3	Saginaw	824	17			6	4	1	9	16	2	40		8	4
4	Sault Ste. Marie	183	1						4	4		8	2	1	1
5	Traverse City	347	2					1	1	7	1	34	2	2	1
	MINNESOTA.														
6	Registration cities (total)	9,279	48			116	30	53	105	83	40	827	74	99	42
7	White	9,132	47			116	30	49	105	82	39	802	72	97	42
8	Colored	147	1					4		1	1	25	2	2	
9	Duluth	1,056	8			21	3	4	10	7	2	91	7	13	5
10	Mankato	216					1	2	1	4		10			2
11	Minneapolis	4,512	20			74	16	27	69	32	21	428	30	50	21
12	St. Cloud	161	1					2		2		13	2	2	
13	St. Paul	2,785	14			18	8	17	22	23	16	245	32	29	10
14	Stillwater	98				1	1			5		6	1	2	2
15	Virginia	145	4			2						8	2		
16	Winona	306	1				1	1	3	10	1	26		3	2
	MISSISSIPPI.[1]														
17	Registration cities (total)	2,362	54	83		5	1	1	10	27	4	244	4	23	10
18	White	815	21	35		2	1		7	15	1	41		5	2
19	Colored	1,547	33	48		3		1	3	12	3	203	4	18	8
20	Hattiesburg (total)	217	9	11		1			2	5		27		1	
21	White	103	4	3		1			2	4		4			
22	Colored	114	5	8						1		23		1	
23	Jackson (total)	789	19	32		1			5	13	1	62	2	8	2
24	White	286	7	16					3	9		8			1
25	Colored	503	12	16		1			2	4	1	54	2	8	1
26	Meridian (total)	433	15	6		3	1			2		55		4	2
27	White	196	6	4		1	1			2		13		3	1
28	Colored	237	9	2		2						42		1	1
29	Natchez (total)	250	2	5					2	2		32	2	2	
30	White	70		1					2			5		1	
31	Colored	180	2	4						2		27	2	1	
32	Vicksburg (total)	673	9	29				1	1	5	3	68		8	6
33	White	160	4	11							1	11		1	
34	Colored	513	5	18				1	1	5	2	57		7	6
	MISSOURI.														
35	Registration cities (total)	19,630	188	26	4	202	140	102	271	291	74	1,823	94	117	68
36	White	17,247	164	20	4	195	136	86	261	267	71	1,377	79	96	60
37	Colored	2,383	24	6		7	4	16	10	24	3	446	15	21	8
38	Hannibal (total)	292	2	1		7		1	1	11		28	1	2	1
39	White	254	2			7		1	1	10		18	1	2	1
40	Colored	38		1						1		10			
41	Jefferson City (total)	206	5						1	1	1	31	1		1
42	White	154	3						1	1	1	18	1		1
43	Colored	52	2									13			
44	Joplin	719	21	2	1	25	3	4	5	4	1	97		4	2
45	Kansas City (total)	4,319	34	5		42	82	8	85	47	27	419	23	32	17
46	White	3,595	29	5		41	79	6	83	37	26	281	22	23	13
47	Colored	724	5			1	3	2	2	10	1	138	1	9	4
48	Moberly	197	2				1	1		3		16	1	1	1
49	St. Joseph	1,252	11			13	5	4	14	28	13	101	3	11	4
50	St. Louis (total)	11,263	71	12		67	48	74	158	173	31	977	59	61	34
51	White	9,945	61	9		63	47	62	150	165	29	755	47	49	32
52	Colored	1,318	10	3		4	1	12	8	8	2	222	12	12	2
53	Sedalia (total)	317	14	5		9			2	5	1	28	2	1	3
54	White	271	9	3		9			2	5	1	17	2	1	2
55	Colored	46	5	2								11			1
56	Springfield	682	9	1		8	1	2	4	13		62	1	2	4
57	Webb City	383	19		3	26		8	1	6		64	3	3	1
	MONTANA.														
58	Registration cities (total)	1,943	27	1		12	3	43	15	9	6	143	15	10	11
59	White	1,891	27	1		12	3	43	15	9	5	130	15	10	11
60	Colored	52									1	13			
61	Anaconda	205	6			1		8	2	1		10			1
62	Billings	184	2			3		1				8	1	2	2
63	Butte	903	4			7	2	29	13	4	1	85	10	3	4
64	Great Falls	273	7				1	1		4	3	18	2		2
65	Helena	183	5	1		1		3			1	10	1	4	2
66	Missoula	195	3					1			1	12	1	1	

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
20	6	.....	25	33	4	32	5	16	1	3	1	19	3	3	32	15	4	173	1	1
17	8	.....	26	46	2	18	2	7	5	2	5	27	3	1	34	21	3	89	3	2
69	11	2	42	109	11	44	11	28	21	5	12	42	4	10	66	52	4	162	12	3
7	1	.....	9	10	5	18	2	9	8	1	1	9	.....	2	18	15	4	43	.....	4
15	2	1	36	34	1	10	2	2	6	2	3	18	.....	1	6	10	1	144	2	5
708	141	54	417	912	77	811	69	258	206	100	68	724	60	51	610	702	132	1,650	12	6
698	138	53	415	895	77	803	66	255	203	98	67	712	60	51	604	690	131	1,623	12	7
10	3	1	2	17	.....	8	3	3	3	2	1	12	.....	.....	6	12	1	27	.....	8
74	11	10	37	75	10	122	7	58	19	20	5	71	5	5	56	97	10	193	.....	9
24	3	2	12	20	.....	19	1	3	16	8	.....	15	.....	3	11	18	2	39	.....	10
349	67	14	187	436	28	405	30	109	106	31	34	370	31	19	348	318	70	771	1	11
8	4	1	10	18	1	10	3	8	5	2	.....	9	.....	.....	12	8	2	36	2	12
215	46	23	137	303	27	199	26	65	52	32	23	229	22	18	151	218	45	517	3	13
11	2	1	6	12	3	7	.....	.....	3	2	2	8	.....	2	1	4	1	15	.....	14
5	1	1	2	10	2	30	1	10	2	.....	1	8	.....	3	15	18	.....	20	.....	15
22	7	2	26	38	6	19	1	5	3	5	3	14	2	1	16	21	2	59	6	16
85	13	3	58	208	13	141	23	75	51	39	21	174	10	17	60	182	10	649	64	17
45	7	2	26	71	4	44	12	31	24	16	12	66	4	6	24	63	7	206	15	18
40	6	1	32	137	9	97	11	44	27	23	9	108	6	11	36	119	3	443	49	19
6	.....	1	6	5	.....	12	4	7	4	4	2	14	3	2	11	22	.....	46	12	20
5	.....	1	5	4	.....	6	2	4	3	2	2	7	1	1	6	9	.....	23	4	21
1	.....	.....	1	1	.....	6	2	3	1	2	.....	7	2	1	5	13	.....	23	8	22
26	7	1	13	61	3	39	4	16	18	14	5	50	2	9	17	62	6	277	14	23
17	2	1	7	24	1	11	3	7	12	7	3	19	2	1	5	24	3	87	6	24
9	5	.....	6	37	2	28	1	9	6	7	2	31	.....	8	12	38	3	190	8	25
13	2	.....	11	36	3	39	6	32	6	3	1	35	3	3	11	32	1	100	8	26
9	2	.....	6	19	2	14	4	14	3	3	.....	21	1	3	6	10	1	44	3	27
4	.....	.....	5	17	1	25	2	18	3	.....	1	14	2	.....	5	22	.....	56	5	28
18	1	.....	6	23	5	12	4	11	4	3	7	33	.....	1	9	10	2	44	10	29
7	.....	.....	2	6	1	6	2	3	2	3	3	5	.....	.....	4	4	2	11	.....	30
11	1	.....	4	17	4	6	2	8	2	.....	4	28	.....	1	5	6	.....	33	10	31
22	3	1	22	83	2	39	5	9	19	15	6	42	2	2	12	56	1	182	20	32
7	3	.....	6	18	.....	7	1	3	4	1	4	14	.....	1	3	16	1	41	2	33
15	.....	1	16	65	2	32	4	6	15	14	2	28	2	1	9	40	.....	141	18	34
1,221	253	89	945	1,784	260	2,041	152	683	306	212	257	2,044	106	81	777	1,485	354	3,131	49	35
1,146	238	82	869	1,521	235	1,736	136	629	289	180	240	1,791	98	77	726	1,285	343	2,762	48	36
75	15	7	76	263	25	305	16	54	17	32	17	253	8	4	51	200	11	369	1	37
																				38
14	3	1	16	24	1	26	1	9	4	6	1	20	8	1	11	19	2	64	6	39
14	3	1	14	20	1	21	.....	9	3	5	1	17	8	1	11	15	2	59	6	40
.....	.....	.....	2	4	.....	5	1	.....	1	1	.....	3	.....	.....	.....	4	.....	5	.....	41
16	2	3	12	10	2	12	2	9	2	7	2	15	1	2	7	13	3	44	1	42
14	2	3	9	7	1	10	2	9	1	4	1	11	.....	2	6	10	2	33	1	43
2	.....	.....	3	3	1	2	.....	.....	1	3	1	4	1	.....	1	3	1	11	.....	
26	7	3	26	54	2	60	4	56	14	3	5	46	4	2	38	74	15	107	4	44
283	48	23	223	412	37	365	35	140	73	50	33	390	27	16	164	363	77	728	11	45
261	45	22	203	323	29	280	33	120	68	42	28	306	25	13	158	291	70	622	11	46
22	3	1	20	89	8	85	2	20	5	8	5	84	2	3	6	72	7	106	.....	47
15	4	.....	16	14	3	14	1	4	5	1	.....	23	2	2	6	23	2	33	3	48
79	26	4	91	85	7	118	5	31	46	21	12	112	13	1	42	63	16	267	1	49
722	149	50	510	1,095	203	1,314	92	378	142	104	197	1,339	43	43	418	824	207	1,663	5	50
680	138	46	470	945	188	1,132	80	349	133	86	189	1,196	39	42	384	714	206	1,454	5	51
42	11	4	40	150	15	182	12	29	9	18	8	143	4	1	34	110	1	209	.....	52
22	2	.....	12	21	2	28	1	10	4	6	2	42	1	3	17	17	5	51	1	53
21	2	.....	10	17	1	22	1	10	4	5	.....	39	1	3	17	15	4	47	1	54
1	.....	.....	2	4	1	6	.....	.....	.....	1	2	3	.....	.....	.....	2	1	4	.....	55
38	12	3	27	58	3	66	9	25	14	9	4	41	5	7	51	41	19	138	5	56
6	.....	2	12	11	.....	38	2	21	2	5	1	16	2	4	23	48	8	36	12	57
86	29	16	66	157	16	203	25	62	50	18	25	128	16	10	117	215	37	339	33	58
84	26	16	64	155	16	198	23	62	50	18	24	122	16	10	117	209	37	332	31	59
2	3	.....	2	2	.....	5	2	.....	.....	.....	1	6	.....	.....	.....	6	.....	7	2	60
6	8	4	7	14	3	14	2	11	6	2	3	8	1	1	10	27	8	33	8	61
8	2	3	5	12	.....	22	2	5	2	1	4	13	3	2	18	14	3	42	4	62
33	8	5	30	76	11	101	13	34	22	7	13	58	4	4	51	92	15	151	13	63
15	1	.....	7	24	2	28	5	8	7	4	1	15	5	.....	16	41	3	49	7	64
16	6	1	9	18	.....	16	1	3	6	1	3	15	2	2	13	11	3	28	1	65
8	4	3	8	13	.....	22	2	1	7	3	1	19	1	1	9	30	5	39	.....	66

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	ATION CITIES—Contd.														
	NEBRASKA.[1]														
1	Registration cities (total)	3,053	13	.....	.....	3	63	9	41	44	14	185	17	27	12
2	White	2,894	13	.....	.....	3	62	9	41	43	13	153	15	25	12
3	Colored	159	.....	.....	.....	.....	1	.....	.....	1	1	32	2	2	.....
4	Lincoln	663	8	.....	.....	.....	7	6	6	13	.....	17	3	9	5
5	Omaha	2,385	5	.....	.....	3	56	3	35	31	14	168	14	18	7
	NEW HAMPSHIRE.														
6	Registration cities (total)	3,083	11	.....	1	36	1	26	28	49	12	178	31	14	15
7	White	3,079	11	.....	1	36	1	26	27	49	12	178	31	14	15
8	Colored	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Berlin	202	1	.....	.....	6	.....	4	5	3	1	5	4	1	.....
10	Concord	454	1	.....	.....	.....	.....	1	4	2	3	32	.....	1	2
11	Dover	238	3	.....	.....	1	.....	.....	.....	3	.....	12	.....	.....	3
12	Keene	170	1	.....	.....	.....	.....	2	.....	7	2	9	.....	.....	.....
13	Laconia	170	.....	.....	.....	.....	.....	.....	.....	6	1	10	1	.....	1
14	Manchester	1,207	3	.....	1	27	1	8	11	15	2	72	23	7	6
15	Nashua	410	1	.....	.....	2	.....	3	5	11	2	24	2	4	.....
16	Portsmouth	232	1	.....	.....	.....	.....	8	3	2	1	14	1	1	3
	NEW JERSEY.														
17	Registration cities (total)	28,311	136	5	.....	280	55	174	293	373	81	2,311	243	161	147
18	White	26,829	129	5	.....	267	55	166	290	363	78	2,128	224	141	140
19	Colored	1,482	7	.....	.....	13	.....	8	3	10	3	183	19	20	7
20	Asbury Park (total)	176	.....	.....	.....	.....	.....	7	1	6	.....	9	.....	1	2
21	White	134	.....	.....	.....	.....	.....	3	1	5	.....	6	.....	1	2
22	Colored	42	.....	.....	.....	.....	.....	4	.....	1	.....	3	.....	.....	.....
23	Atlantic City (total)	789	12	.....	.....	1	1	2	4	6	.....	49	5	2	1
24	White	606	10	.....	.....	1	1	2	3	6	.....	29	3	1	1
25	Colored	183	2	.....	.....	.....	.....	.....	1	.....	.....	20	2	1	.....
26	Bayonne	887	5	.....	.....	4	.....	7	10	11	3	60	9	5	7
27	Bloomfield	175	.....	.....	.....	.....	.....	.....	1	2	.....	12	1	.....	1
28	Bridgeton	236	1	.....	.....	.....	.....	.....	2	4	.....	24	1	.....	2
29	Camden	1,755	22	.....	.....	.....	1	18	29	34	3	129	13	13	14
30	East Orange	389	.....	.....	.....	3	.....	.....	4	4	.....	26	1	4	3
31	Elizabeth	1,268	3	1	.....	11	5	8	31	18	3	62	13	8	10
32	Garfield	176	.....	.....	.....	8	.....	1	8	5	.....	10	.....	1	1
33	Hackensack	292	1	.....	.....	12	.....	8	1	4	1	6	2	1	2
34	Harrison	232	1	.....	.....	4	1	3	1	9	2	16	2	.....	1
35	Hoboken	1,248	3	.....	.....	16	13	8	22	12	5	130	9	6	5
36	Irvington	251	.....	.....	.....	2	1	.....	2	8	.....	19	.....	2	3
37	Jersey City	4,480	22	2	.....	18	12	16	43	42	18	440	41	35	19
38	Kearny	349	1	.....	.....	3	.....	2	2	5	1	20	3	1	2
39	Long Branch	295	4	.....	.....	.....	.....	2	2	2	1	9	3	5	1
40	Millville	204	1	.....	.....	.....	.....	4	2	9	1	12	.....	2	.....
41	Montclair (total)	235	.....	.....	.....	.....	1	.....	2	7	.....	18	2	2	.....
42	White	206	.....	.....	.....	.....	1	.....	1	6	.....	14	2	2	.....
43	Colored	29	.....	.....	.....	.....	.....	.....	1	1	.....	4	.....	.....	.....
44	Morristown	248	2	.....	.....	1	4	1	4	2	.....	9	3	3	2
45	New Brunswick	596	4	.....	.....	.....	.....	7	6	7	.....	38	6	3	1
46	Newark	6,147	25	.....	.....	105	5	26	38	71	18	595	61	31	28
47	Orange	638	5	.....	.....	14	1	3	4	13	.....	40	9	5	1
48	Passaic	961	3	.....	.....	19	1	10	12	12	6	81	22	6	4
49	Paterson	2,003	6	1	.....	25	3	3	19	26	7	182	8	3	8
50	Perth Amboy	580	2	.....	.....	3	2	12	7	1	1	31	3	1	5
51	Phillipsburg	252	.....	.....	.....	1	.....	1	4	7	2	18	.....	1	4
52	Plainfield	435	3	.....	.....	8	1	4	.....	3	.....	19	7	3	1
53	Trenton	1,965	7	.....	.....	19	3	13	19	20	6	147	8	14	12
54	Union	219	1	.....	.....	.....	.....	1	2	2	.....	19	1	.....	3
55	West Hoboken	395	2	.....	.....	1	.....	2	4	12	.....	38	6	.....	2
56	West New York	296	.....	1	.....	1	.....	3	5	8	3	28	3	.....	2
57	West Orange	139	.....	.....	.....	1	.....	2	2	1	.....	15	1	3	.....
	NEW YORK.														
58	Registration cities (total)	114,130	447	20	1	853	179	635	1,360	1,008	357	11,396	961	581	466
59	White	110,886	436	19	1	844	178	611	1,326	979	352	10,778	915	551	457
60	Colored	3,244	11	1	.....	9	1	24	34	29	5	618	46	30	9
61	Albany	2,041	8	.....	.....	26	.....	13	12	38	7	221	17	15	5
62	Amsterdam	498	3	.....	.....	7	2	9	3	13	2	49	9	1	1
63	Auburn	561	5	.....	.....	4	1	5	7	1	.....	44	6	5	1
64	Batavia	246	4	.....	.....	2	.....	2	.....	12	.....	19	.....	3	.....
65	Binghamton	1,172	6	.....	.....	13	.....	4	38	21	3	77	4	6	6
66	Buffalo	7,526	51	.....	.....	74	29	41	69	48	25	669	58	33	27
67	Cohoes	382	3	.....	.....	3	.....	4	6	3	.....	41	1	1	3
68	Corning	255	5	.....	.....	1	.....	1	1	2	.....	20	4	1	.....
69	Cortland	223	1	.....	.....	.....	.....	1	2	6	.....	11	.....	1	.....
70	Dunkirk	270	2	.....	.....	4	1	.....	.....	11	1	20	3	.....	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17.	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
206	43	11	136	206	23	335	40	84	30	50	37	201	31	23	145	206	58	706	4	1
196	38	11	130	197	21	310	39	78	29	48	35	193	31	22	143	197	55	678	4	2
10	5	.....	6	9	2	25	1	6	1	2	2	8	.....	1	2	9	3	28	.....	3
57	13	3	26	51	4	48	8	15	17	14	8	50	11	6	41	35	9	176	2	4
149	30	8	110	155	19	287	32	69	63	36	29	151	20	17	104	171	49	530	2	5
195	36	19	213	347	44	263	24	189	30	28	35	194	15	21	225	131	23	637	12	6
195	36	19	213	344	44	263	24	189	30	28	35	194	15	21	225	131	23	637	12	7
.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
5	.....	3	15	12	3	34	4	26	3	2	2	4	.....	3	15	8	1	30	2	9
28	6	.....	34	88	5	25	3	3	2	3	5	43	2	1	13	18	5	125	1	10
17	3	1	22	30	.....	26	1	5	4	3	3	21	.....	2	10	14	3	50	1	11
14	2	.....	18	16	2	10	1	7	2	.....	.....	10	2	1	11	10	1	41	1	12
13	3	.....	19	16	1	12	.....	5	2	1	.....	18	.....	.....	15	6	1	36	3	13
65	15	8	58	115	25	103	10	110	11	11	19	53	6	10	115	41	5	250	1	14
30	3	7	26	48	5	33	5	26	4	8	5	31	2	3	34	17	2	65	2	15
25	4	.....	21	22	3	20	.....	7	2	.....	1	14	3	1	12	17	5	40	1	16
1,539	373	175	1,609	3,083	386	3,604	218	1,500	251	193	313	2,488	147	172	1,517	1,786	292	4,368	38	17
1,493	359	168	1,534	2,928	363	3,351	203	1,421	240	189	304	2,348	141	167	1,453	1,706	282	4,158	35	18
46	14	7	75	155	23	253	15	79	11	4	9	140	6	5	64	80	10	210	3	19
11	4	.....	17	18	3	14	2	9	.....	4	1	12	1	.....	3	8	2	40	1	20
11	3	.....	16	13	1	7	1	6	.....	4	1	8	1	.....	1	6	2	34	1	21
.....	1	.....	1	5	2	7	1	3	.....	.....	.....	4	.....	.....	2	2	.....	6	.....	22
67	19	4	55	110	7	69	7	12	9	9	11	96	2	7	34	45	18	125	.....	23
58	16	3	39	88	4	40	5	10	7	8	8	79	2	6	27	38	16	95	.....	24
9	3	1	16	22	3	29	2	2	2	1	3	17	.....	1	7	7	2	30	.....	25
26	10	10	27	60	19	128	8	77	3	6	7	77	8	5	68	79	8	140	.....	26
18	4	1	9	34	4	23	.....	8	.....	.....	3	17	.....	.....	9	8	4	16	.....	27
19	4	2	27	34	1	18	4	6	4	2	.....	21	1	3	11	3	3	38	1	28
76	18	8	123	169	9	250	6	121	12	16	26	179	7	18	92	128	10	210	1	29
36	9	3	33	74	4	40	3	7	.....	1	1	44	.....	1	11	11	8	58	.....	30
75	17	4	80	149	18	163	7	87	13	5	12	88	7	2	64	90	14	193	7	31
3	.....	.....	6	11	2	33	.....	28	.....	1	1	5	1	.....	15	13	3	18	2	32
17	5	2	26	39	1	30	1	15	5	4	3	29	2	2	14	18	3	38	.....	33
5	1	.....	16	27	9	22	7	20	1	.....	3	20	1	2	12	15	.....	31	.....	34
53	18	15	72	137	8	151	13	47	16	7	11	109	10	3	33	99	22	195	.....	35
18	10	1	20	37	2	22	1	9	.....	1	2	17	2	1	18	8	6	38	1	36
225	56	40	207	508	90	565	24	245	25	36	67	406	25	24	264	315	35	609	6	37
22	3	.....	27	42	7	33	4	16	2	1	6	24	.....	3	6	22	1	90	.....	38
16	3	1	28	31	4	32	.....	7	6	7	1	31	2	2	10	25	3	56	1	39
9	2	.....	17	29	.....	17	3	10	2	1	.....	14	1	4	19	15	1	28	1	40
18	1	2	16	40	6	27	.....	11	.....	1	6	20	.....	3	13	5	2	32	.....	41
18	1	1	14	36	6	22	.....	9	.....	1	6	18	.....	2	11	4	2	29	.....	42
.....	.....	1	2	4	.....	5	.....	2	.....	.....	.....	2	.....	1	2	1	.....	3	.....	43
20	3	2	20	19	2	23	4	2	4	3	2	25	1	2	10	16	2	57	.....	44
41	5	3	30	65	2	72	1	45	3	3	2	38	2	2	38	58	5	107	2	45
350	98	29	294	628	107	659	56	294	71	32	55	576	38	33	305	372	57	1,087	3	46
49	6	3	37	57	9	103	4	12	14	6	6	60	7	6	38	18	9	99	.....	47
36	6	6	24	98	7	196	7	84	13	5	6	50	4	6	69	60	4	103	1	48
111	25	16	103	270	19	273	18	59	17	16	30	191	12	12	96	111	24	309	.....	49
23	3	7	27	48	14	48	6	68	3	2	13	27	.....	1	60	61	5	92	4	50
13	4	3	28	32	1	43	.....	15	.....	1	3	9	1	2	6	15	2	34	2	51
34	6	1	41	42	5	46	4	23	8	3	.....	44	3	2	27	27	5	65	.....	52
84	23	6	124	169	11	337	20	117	17	15	18	161	7	20	122	105	19	318	4	53
13	.....	1	9	21	2	40	3	11	.....	1	3	21	.....	2	21	6	4	32	.....	54
31	6	2	34	34	6	58	3	17	2	3	4	42	1	1	13	13	5	53	.....	55
13	4	2	16	29	6	46	1	16	1	1	9	26	1	2	13	14	5	37	.....	56
7	.....	1	16	22	1	23	1	2	.....	.....	1	9	.....	1	3	3	3	20	1	57
7,088	1,742	485	5,471	13,930	1,430	13,561	771	5,046	1,096	953	1,231	10,407	452	601	5,873	6,460	1,161	18,024	84	58
6,984	1,722	469	5,354	13,547	1,389	13,099	754	4,916	1,069	940	1,214	10,148	441	585	5,728	6,283	1,148	17,568	81	59
104	20	16	117	383	41	462	17	130	27	13	17	259	11	16	145	177	13	456	3	60
128	31	12	116	250	21	171	23	65	27	26	28	209	7	9	76	127	13	376	4	61
32	7	6	33	46	8	41	2	27	5	9	4	23	2	3	31	29	1	87	3	62
35	10	3	46	95	7	58	2	29	5	4	4	42	2	1	24	25	5	83	2	63
22	4	1	25	24	4	14	.....	7	3	4	1	13	1	2	14	13	2	50	.....	64
50	12	12	75	161	17	99	12	77	6	14	6	106	5	3	60	62	7	206	4	65
472	113	25	395	797	83	779	72	530	97	81	107	595	29	42	424	469	42	1,248	2	66
29	2	1	19	46	2	48	4	28	3	2	11	28	1	1	18	18	2	54	.....	67
18	6	.....	13	32	1	20	1	7	3	3	2	33	1	3	14	20	2	41	.....	68
16	6	1	19	29	3	16	3	6	2	1	1	18	1	.....	8	15	6	47	3	69
12	3	2	10	36	5	11	3	16	3	6	2	14	.....	2	19	16	2	63	1	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	NEW YORK—continued.														
1	Elmira	669	4			2			2	10	2	29	4	5	3
2	Fulton	176	2					1	1	2		10	1		2
3	Geneva	218	1			5		6	1	2		8	1	1	1
4	Glens Falls	281	3						6	4	1	12	2		1
5	Gloversville	365	1			3		2	3	6	3	9	1	6	
6	Hornell	234	1			2		1	3	3		11		1	2
7	Hudson	226	2			1		1	2	6		14	5	1	1
8	Ithaca	293	1			3			2	8		12	1	1	3
9	Jamestown	468	3			1	2	2		9	1	30	2	3	6
10	Johnstown	111				1				2	1	7		1	
11	Kingston	451	6				1	3	4	7	2	51	2	2	2
12	Lackawanna	396	1		1	5	2	8	11	10	1	11	2		1
13	Little Falls	255	1			1			1	9		13	4	1	1
14	Lockport	301	5			7		4	1	9	1	13	2		3
15	Middletown	429	2	1			1		9	6	2	43	2	5	2
16	Mount Vernon	449	2			1		7	1	7	2	22	3	2	
17	New Rochelle	386	1				1	4	3	1	2	24	5		2
18	New York (total)	77,960	218	16		556	121	386	1,039	548	261	8,680	690	366	333
19	Bronx Borough	7,703	23	1		36	8	39	105	58	28	927	68	32	26
20	Brooklyn Borough	27,037	77	8		98	30	93	368	239	87	2,610	193	122	140
21	Manhattan Borough	35,879	88	3		405	68	219	483	197	133	4,362	386	178	117
22	Queens Borough	5,632	21	3		15	13	26	67	43	10	590	33	28	41
23	Richmond Borough	1,709	9	1		2	2	9	16	11	3	191	10	6	9
24	White	75,261	211	15		549	120	367	1,008	525	256	8,143	653	338	325
25	Bronx Borough	7,596	23	1		36	8	37	101	58	28	906	65	29	26
26	Brooklyn Borough	26,365	74	7		93	29	91	362	222	87	2,501	187	116	140
27	Manhattan Borough	34,112	84	3		398	68	207	462	191	128	3,985	359	159	110
28	Queens Borough	5,515	21	3		15	13	24	67	43	10	568	33	28	41
29	Richmond Borough	1,673	9	1		2	2	8	16	11	3	183	9	6	8
30	Colored	2,699	7	1		7	1	19	31	23	5	537	37	28	8
31	Bronx Borough	107						2	4			21	3	3	
32	Brooklyn Borough	672	3	1			1	2	6	17		109	6	6	
33	Manhattan Borough	1,767	4			7		12	21	6	5	377	27	19	7
34	Queens Borough	117						2				22			
35	Richmond Borough	36						1				8	1		1
36	Newburgh	528	1					2	6	5		68	6	2	6
37	Niagara Falls	676	6			27	2	14	11	12	3	40	12	4	1
38	North Tonawanda	178	5			8		1	2			12		2	
39	Ogdensburg	442						3	4	6		25	1	5	2
40	Olean	231				3	1	2	2	3		14	1	1	2
41	Ossining	169	1			1		1		3		12	1	1	1
42	Oswego	383	3					7	4	4	3	14	1		2
43	Peekskill	219	3	1						4		15			1
44	Plattsburg	212	2			5			1	6		8	1	2	1
45	Port Chester	206							4	4		13	1	2	1
46	Poughkeepsie	670	2					10	8	8	3	23	3	4	
47	Rensselaer	126	2			1		1		5		8			2
48	Rochester	3,721	13			21	2	24	24	23	6	238	33	20	6
49	Rome	592	3			9		12	1	8		108	1	4	
50	Saratoga Springs	297	3					4	2	4		27		2	
51	Schenectady	958	4			3	2	4	8	13	4	50	16	10	2
52	Syracuse	2,361	19				1	23	21	17	5	137	19	16	10
53	Troy	1,513	14			4	2	1	10	26	2	164	7	9	7
54	Utica	1,633	10			24	1	4	6	14	8	85	16	16	3
55	Watertown	503	6			10	1	4	2	17		22	3	4	
56	Watervliet	184	5							7	1	16	2	1	
57	White Plains	260	1	1		7		3	2	3		20		5	1
58	Yonkers	1,226	2	1		8	6	10	15	12	5	107	8	10	10
	NORTH CAROLINA.														
59	Registration cities (total)	3,549	71	18		30	11	18	20	44	4	461	18	43	11
60	White	1,784	35	2		15	9	8	13	24	2	222	8	14	6
61	Colored	1,765	36	16		15	2	10	7	20	2	239	10	29	5
62	Asheville (total)	466	3			2		1	2	11		135	2	6	4
63	White	330	1			1		1	1	4		116	2	5	2
64	Colored	136	2			1			1	7		19		1	2
65	Charlotte (total)	766	24	11		9	2	9	5	15	2	61	4	6	
66	White	379	13	1		6	2	2	5	11		15	2	3	
67	Colored	387	11	10		3		7		4	2	46	2	3	
68	Durham (total)	336	5	1			1		4	5		50		4	1
69	White	157	2	1			1		1	2		20			1
70	Colored	179	3						3	3		30		4	
71	Greensboro (total)	277	8			2	1	1	1	2	1	34	3	4	
72	White	149	4			1			1	2	1	14	2	3	
73	Colored	128	4			1	1	1				20	1	1	

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
63	12	3	41	102	4	61	3	14	11	6	8	55	2	2	42	50	6	123	.....	1
7	4	.....	13	22	2	14	3	8	2	2	2	10	.....	2	14	10	2	40	.....	2
15	4	2	22	30	1	28	1	1	4	1	1	11	1	2	12	24	1	31	.....	3
22	6	2	21	44	6	15	1	3	8	2	2	28	2	3	10	14	3	59	1	4
26	7	1	28	57	8	40	2	17	5	2	3	25	1	5	22	11	7	64	.....	5
21	2	.....	14	40	2	24	1	3	4	.....	3	11	.....	1	13	18	2	51	.....	6
18	4	.....	12	26	1	23	1	16	1	.....	1	23	1	1	23	11	.....	31	.....	7
26	4	1	20	33	1	23	3	4	5	7	1	36	1	.....	19	15	3	60	.....	8
36	7	2	34	55	9	40	9	11	11	3	4	27	4	6	38	29	4	79	1	9
12	3	.....	13	18	6	8	1	4	.....	.....	1	12	.....	1	1	1	1	17	.....	10
26	10	3	33	65	2	27	5	5	5	7	4	35	1	1	24	29	4	84	1	11
5	1	3	3	11	11	48	2	100	.....	2	1	8	1	1	46	35	.....	65	.....	12
14	3	.....	14	23	.....	29	.....	22	4	4	3	20	3	1	19	33	2	28	2	13
19	5	1	21	53	5	26	1	9	3	3	5	17	.....	.....	14	20	2	51	1	14
29	5	.....	41	63	3	26	5	3	3	3	2	56	1	2	8	20	3	33	.....	15
33	3	3	31	57	4	53	4	15	5	7	8	60	2	2	33	18	2	61	1	16
29	5	2	28	47	6	50	3	7	3	2	4	31	2	1	16	29	5	73	.....	17
4,734	1,210	321	3,123	9,441	1,019	10,079	475	3,258	698	588	821	7,361	314	414	3,920	4,257	852	11,824	37	18
548	153	32	339	908	53	864	52	222	65	63	72	797	44	52	451	355	109	1,171	2	19
1,550	394	102	1,088	3,808	441	3,820	200	1,069	260	204	280	2,341	112	147	1,248	1,434	200	4,263	11	20
2,198	572	163	1,334	3,870	464	4,541	183	1,716	311	267	380	3,436	130	174	1,820	2,093	453	5,119	16	21
344	73	21	279	645	54	660	31	192	55	41	75	546	19	33	313	268	73	1,013	7	22
94	18	3	83	210	7	194	9	59	7	13	14	241	9	8	88	107	17	258	1	23
4,657	1,195	311	3,040	9,115	986	9,683	461	3,143	673	578	811	7,151	305	400	3,795	4,116	844	11,452	35	24
546	152	31	338	894	53	845	51	219	64	62	72	786	44	52	449	349	109	1,160	2	25
1,532	391	99	1,062	3,720	431	3,717	192	1,034	255	202	275	2,300	110	141	1,214	1,395	198	4,173	10	26
2,144	562	157	1,283	3,662	441	4,290	179	1,644	292	261	376	3,290	123	167	1,741	2,003	447	4,881	15	27
342	73	21	274	632	54	642	31	187	55	40	75	538	19	32	304	264	73	986	7	28
93	17	3	83	207	7	189	8	59	7	13	13	237	9	8	87	105	17	252	1	29
77	15	10	83	326	33	396	14	115	25	10	10	210	9	14	125	141	8	372	2	30
2	1	1	1	14	.....	19	1	3	1	1	.....	11	.....	.....	2	6	.....	11	.....	31
18	3	3	26	88	10	103	8	35	5	2	5	41	2	6	34	39	2	90	1	32
54	10	6	51	208	23	251	4	72	19	6	4	146	7	7	79	90	6	238	1	33
2	.....	.....	5	13	.....	18	.....	5	.....	1	.....	8	.....	1	9	4	.....	27	.....	34
1	1	.....	.....	3	.....	5	1	.....	.....	.....	1	4	.....	.....	1	2	.....	6	.....	35
25	10	3	45	54	2	34	1	15	7	6	7	71	2	3	14	42	3	88	.....	36
34	4	1	26	64	6	80	2	68	5	3	8	32	4	5	47	60	4	90	1	37
13	1	1	12	15	6	11	1	16	4	.....	1	10	1	.....	13	15	4	24	.....	38
17	1	1	26	68	6	48	.....	6	1	6	3	41	2	1	19	28	2	120	.....	39
18	3	4	12	36	3	20	2	4	3	5	.....	12	1	4	16	20	2	36	1	40
14	4	2	14	21	1	10	.....	2	1	2	2	12	1	.....	4	26	5	27	.....	41
26	6	1	48	70	5	25	2	12	.....	9	.....	27	5	1	24	21	1	61	1	42
12	4	.....	27	24	6	16	1	6	2	.....	.....	25	1	.....	9	13	2	47	.....	43
10	6	.....	13	25	1	21	3	6	4	8	1	20	1	1	15	15	1	35	.....	44
11	1	1	11	24	1	20	.....	5	4	2	3	18	1	3	15	16	4	41	.....	45
41	13	1	60	77	9	80	6	20	5	6	7	38	1	1	36	29	3	173	3	46
8	2	1	6	18	2	20	1	3	.....	.....	.....	10	.....	.....	7	4	.....	25	.....	47
297	76	14	248	498	45	315	29	199	42	34	53	354	6	22	223	218	55	581	2	48
22	1	1	27	79	6	44	4	28	2	2	7	84	2	3	19	26	7	82	.....	49
20	1	1	28	35	.....	37	2	6	4	4	4	34	1	.....	10	18	3	42	5	50
68	7	3	98	91	11	81	9	41	15	11	10	84	4	6	67	49	9	176	2	51
172	21	12	158	313	24	209	24	119	19	22	17	175	12	10	120	150	34	479	3	52
104	33	10	94	236	20	150	16	29	12	16	30	144	7	5	50	69	9	242	.....	53
93	29	9	120	241	13	194	8	71	13	9	14	136	5	12	90	106	11	271	1	54
38	5	3	39	68	9	43	6	17	12	4	2	20	2	6	36	31	9	84	.....	55
14	5	.....	16	18	.....	36	3	8	.....	2	1	17	.....	.....	6	5	1	20	.....	56
10	5	2	12	22	4	34	4	4	2	3	2	23	1	1	7	18	4	57	2	57
72	15	7	68	130	9	162	5	78	13	10	19	113	7	6	64	63	7	184	.....	58
135	22	25	169	233	33	306	39	222	46	37	20	275	19	50	217	185	14	681	72	59
87	15	15	97	105	8	104	18	105	31	24	14	155	7	29	119	95	13	354	31	60
48	7	10	72	128	25	202	21	117	15	13	6	120	12	21	98	90	1	327	41	61
24	4	4	16	26	7	31	4	14	4	3	2	34	4	5	21	18	1	71	7	62
18	3	2	12	18	.....	18	3	11	3	3	2	25	3	3	10	10	1	50	2	63
6	1	2	4	8	7	13	1	3	1	.....	.....	9	1	2	11	8	.....	21	5	64
16	4	4	32	47	8	71	12	59	10	6	3	47	4	8	51	47	4	167	18	65
10	4	3	17	21	1	21	5	30	9	4	2	27	2	6	37	29	4	84	3	66
6	.....	1	15	26	7	50	7	29	1	2	1	20	2	2	14	18	.....	83	15	67
16	.....	4	18	24	2	28	6	22	1	.....	2	18	2	6	17	15	2	66	16	68
10	.....	2	14	12	1	14	3	11	.....	.....	.....	9	.....	2	7	7	2	29	6	69
6	.....	2	4	12	1	14	3	11	1	.....	2	9	2	4	10	8	.....	37	10	70
12	3	5	12	19	1	12	3	7	10	4	2	22	1	6	19	22	2	53	5	71
9	1	4	6	10	.....	6	1	2	6	4	1	10	.....	3	11	16	2	26	3	72
3	2	1	6	9	1	6	2	5	4	.....	1	12	1	3	8	6	.....	27	2	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NORTH CAROLINA—continued.														
1	Raleigh (total)	564	12	2	.....	2	.....	5	1	4	.....	54	1	5	2
2	White	281	3	.....	.....	.....	.....	4	1	1	.....	19	.....	2	1
3	Colored	283	9	2	.....	2	.....	1	.....	3	.....	35	1	3	1
4	Wilmington (total)	511	5	1	.....	.....	.....	.....	1	3	1	42	2	10	2
5	White	209	4	.....	.....	.....	.....	.....	1	3	1	11	.....	.....	2
6	Colored	302	1	1	.....	.....	.....	.....	.....	.....	.....	31	2	10	.....
7	Winston-Salem (total)	629	14	3	.....	15	7	2	6	4	.....	85	6	8	2
8	White	279	8	.....	.....	7	6	1	3	1	.....	27	2	1	.....
9	Colored	350	6	3	.....	8	1	1	3	3	.....	58	4	7	2
	NORTH DAKOTA.[1]														
10	Fargo (total)	252	4	.....	.....	7	1	2	2	3	1	8	1	1	2
11	White	251	4	.....	.....	7	1	2	2	3	1	8	1	1	2
12	Colored [2]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	OHIO.														
13	Registration cities (total)	39,267	371	8	.....	490	109	328	377	565	103	3,335	220	311	154
14	White	37,152	348	8	.....	477	107	302	367	535	101	2,984	211	280	150
15	Colored	2,115	23	.....	.....	13	2	26	10	30	2	351	9	31	4
16	Akron	1,693	22	.....	.....	43	4	44	28	17	17	77	5	13	9
17	Alliance	236	4	.....	.....	2	.....	1	.....	3	2	14	3	3	2
18	Ashtabula	302	6	.....	.....	5	2	4	5	6	1	22	.....	2	1
19	Bellaire	220	2	.....	.....	12	1	3	6	5	1	11	.....	1	1
20	Cambridge	169	5	.....	.....	3	.....	1	5	6	.....	14	.....	5	1
21	Canton	863	10	.....	.....	10	4	10	15	16	.....	43	6	4	4
22	Chillicothe	222	3	.....	.....	2	.....	2	.....	9	1	12	.....	1	1
23	Cincinnati (total)	6,741	13	2	.....	63	2	43	63	110	9	855	34	45	22
24	White	6,031	10	2	.....	58	2	34	58	100	8	715	29	39	19
25	Colored	710	3	.....	.....	5	.....	9	5	10	1	140	5	6	3
26	Cleveland	9,986	36	.....	.....	60	41	43	127	110	32	891	81	57	52
27	Columbus (total)	3,339	28	1	.....	34	5	29	19	72	7	269	18	43	3
28	White	2,990	24	1	.....	33	5	21	18	65	7	217	17	34	2
29	Colored	349	4	.....	.....	1	.....	8	1	7	.....	52	1	9	1
30	Dayton	1,937	25	1	.....	2	14	7	21	24	5	155	9	12	8
31	East Liverpool	387	14	.....	.....	18	1	12	.....	2	.....	31	.....	3	.....
32	Elyria	281	6	.....	.....	2	.....	.....	1	.....	.....	22	1	.....	2
33	Findlay	252	3	2	.....	2	.....	.....	4	4	.....	18	1	4	1
34	Hamilton	508	7	1	.....	5	1	3	2	10	1	31	6	6	3
35	Ironton	233	9	.....	.....	2	1	2	1	3	1	18	.....	3	1
36	Lakewood	256	1	.....	.....	6	1	2	.....	5	2	16	5	4	2
37	Lancaster	145	1	.....	.....	.....	.....	1	4	1	.....	10	.....	1	1
38	Lima	488	7	.....	.....	8	3	10	2	3	1	33	4	7	1
39	Lorain	442	5	.....	.....	10	2	10	.....	3	.....	15	1	3	1
40	Mansfield	303	.....	.....	.....	.....	.....	1	.....	9	.....	29	.....	1	.....
41	Marietta	229	4	.....	.....	1	.....	4	4	3	1	15	.....	3	1
42	Marion	293	8	.....	.....	1	1	.....	1	6	.....	21	.....	3	.....
43	Massillon	196	2	.....	.....	.....	1	.....	5	5	1	11	1	4	2
44	Middletown	271	.....	.....	.....	14	1	6	1	1	1	19	3	4	1
45	Newark	431	10	.....	.....	2	3	.....	1	15	3	31	.....	5	4
46	Norwood	180	1	.....	.....	1	.....	8	1	4	.....	13	1	2	1
47	Piqua	211	3	.....	.....	2	.....	1	2	3	.....	9	1	2	.....
48	Portsmouth	440	10	.....	.....	7	1	4	4	9	.....	45	6	9	1
49	Sandusky	291	2	.....	.....	3	.....	.....	.....	6	.....	20	1	2	1
50	Springfield (total)	800	17	.....	.....	9	3	13	4	19	.....	55	2	5	2
51	White	702	13	.....	.....	6	3	11	4	18	.....	49	2	3	2
52	Colored	98	4	.....	.....	3	.....	2	.....	1	.....	6	.....	2	.....
53	Steubenville	514	9	1	.....	33	1	17	7	10	1	20	1	2	.....
54	Tiffin	209	.....	.....	.....	.....	.....	.....	1	3	.....	17	1	.....	1
55	Toledo	3,587	44	.....	.....	67	8	12	34	39	9	333	17	35	11
56	Warren	255	8	.....	.....	1	.....	.....	2	4	.....	6	2	.....	.....
57	Youngstown	1,903	38	.....	.....	44	7	34	6	10	7	101	8	14	10
58	Zanesville	454	8	.....	.....	16	1	1	1	10	.....	33	2	3	3
	OREGON.[1]														
59	Portland (total)	2,367	14	1	.....	8	2	8	7	33	4	172	29	38	8
60	White	2,287	14	.....	.....	5	2	7	7	33	4	157	23	37	7
61	Colored [3]	80	.....	1	.....	3	.....	1	.....	.....	.....	15	6	1	1
	PENNSYLVANIA.														
62	Registration cities (total)	65,366	558	7	.....	668	110	478	854	1,054	197	5,203	456	477	276
63	White	61,335	523	7	.....	648	107	437	827	1,002	190	4,561	427	438	261
64	Colored	4,031	35	.....	.....	20	3	41	27	52	7	642	29	39	15

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Colored population less than 10 per cent of the total in 1910.

ITS SUBDIVIS ONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis, and Bright's disease 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
25	5	5	25	44	8	26	6	20	11	10	4	48	1	8	34	38	5	149	4	1
16	2	2	17	18	2	8	2	11	6	3	3	37	.....	5	13	16	4	82	3	2
9	3	3	8	26	6	18	4	9	5	7	1	11	1	3	21	22	1	67	1	3
24	3	1	47	28	3	45	4	42	3	9	2	68	5	9	39	27	.....	80	5	4
10	2	1	20	11	1	17	3	15	1	7	1	32	.....	5	19	9	.....	31	2	5
14	1	.....	27	17	2	28	1	27	2	2	1	36	5	4	20	18	.....	49	3	6
18	3	2	19	45	4	93	4	58	7	5	5	38	2	8	36	18	.....	95	17	7
14	3	1	11	15	3	20	1	25	6	3	5	15	2	5	22	8	.....	52	12	8
4	.....	1	8	30	1	73	3	33	1	2	.....	23	.....	3	14	10	.....	43	5	9
17	1	2	9	12	1	17	4	10	14	1	3	16	4	3	28	14	2	56	6	10
17	1	2	9	12	1	17	4	10	14	1	3	16	4	3	28	14	2	55	6	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	12
2,405	518	199	2,340	3,910	459	4,133	283	2,104	484	352	464	2,489	237	242	2,199	3,249	452	6,124	253	13
2,334	503	193	2,237	3,686	441	3,841	266	2,067	467	338	451	2,339	226	236	2,112	3,032	439	5,839	235	14
71	15	6	103	224	18	292	17	37	17	14	13	150	11	6	87	217	13	285	18	15
85	12	17	71	142	16	200	7	135	20	17	14	72	22	11	151	184	12	225	1	16
14	1	.....	12	15	.....	28	1	14	2	6	5	14	1	3	10	31	.....	42	3	17
22	3	2	24	27	5	27	2	14	5	4	3	12	.....	.....	16	34	3	43	2	18
15	4	4	7	32	2	26	2	20	.....	1	4	2	.....	1	19	21	1	16	.....	19
7	2	1	30	11	.....	12	.....	7	3	1	1	10	1	2	12	9	.....	20	.....	20
52	13	2	83	107	7	107	6	50	12	4	11	31	3	5	48	80	9	107	4	21
18	1	1	21	33	7	17	3	8	2	2	1	6	.....	1	14	20	1	35	.....	22
477	116	20	370	832	83	597	44	202	76	60	102	652	25	34	261	462	68	956	43	23
447	114	18	341	750	73	508	37	186	73	57	98	589	22	32	237	400	68	871	36	24
30	2	2	29	82	10	89	7	16	3	3	4	63	3	2	24	62	.....	85	7	25
585	136	52	464	806	163	1,228	71	741	122	76	124	613	58	63	576	830	138	1,474	136	26
216	47	12	230	336	16	335	42	57	66	43	44	194	23	19	191	230	36	663	11	27
207	46	12	206	293	14	293	39	55	63	40	37	168	20	18	174	198	35	619	9	28
9	1	.....	24	43	2	42	3	2	3	3	7	26	3	1	17	32	1	44	2	29
146	16	15	117	230	18	186	13	86	15	15	22	152	12	11	115	160	35	287	3	30
11	2	9	11	33	6	55	2	28	5	6	5	17	5	1	21	25	6	58	5	31
17	2	1	15	30	.....	27	2	16	2	1	4	15	2	3	15	43	3	49	.....	32
27	4	1	19	48	2	15	1	5	5	3	3	9	.....	1	15	6	2	47	.....	33
36	8	2	35	59	5	52	4	17	7	6	6	39	6	5	34	48	5	58	.....	34
21	3	.....	14	17	4	20	2	12	1	.....	3	11	1	1	12	23	.....	42	5	35
17	7	.....	23	21	3	27	1	20	3	3	5	16	1	1	12	14	2	36	.....	36
12	1	3	15	17	2	7	1	1	1	4	2	14	.....	.....	10	5	2	28	1	37
38	16	2	29	43	5	32	3	19	12	9	8	38	5	2	23	36	2	84	3	38
23	1	5	14	31	2	62	2	49	4	7	2	25	4	3	46	43	4	58	2	39
16	5	.....	29	42	3	18	4	11	2	3	.....	22	2	2	20	23	1	60	.....	40
13	3	3	20	24	2	29	1	8	3	.....	.....	9	4	1	12	12	2	45	2	41
13	1	1	24	19	3	32	.....	10	1	4	7	28	2	3	18	30	4	52	.....	42
8	5	.....	24	20	2	19	.....	3	1	2	1	10	1	.....	13	22	2	31	.....	43
5	2	.....	22	28	.....	28	2	28	1	.....	4	16	1	3	26	15	.....	39	.....	44
33	7	1	33	40	4	38	3	17	5	4	4	26	1	1	20	38	6	76	.....	45
15	7	.....	12	27	6	5	2	8	.....	.....	2	14	.....	.....	9	7	1	32	1	46
21	2	.....	23	26	1	12	2	6	6	5	2	14	1	4	10	10	4	39	.....	47
26	4	2	15	38	6	40	2	42	6	3	4	31	6	3	24	29	2	60	1	48
22	7	1	32	26	10	17	1	8	4	3	3	15	.....	2	9	41	8	47	.....	49
41	13	4	84	89	7	71	8	23	12	7	3	46	5	9	44	68	15	119	3	50
38	13	3	75	78	6	53	8	22	10	6	3	40	4	9	40	63	15	104	1	51
3	.....	1	9	11	1	18	.....	1	2	1	.....	6	1	.....	4	5	.....	15	2	52
24	3	7	19	30	10	64	7	41	7	2	3	18	7	1	29	61	3	75	1	53
16	1	.....	27	40	2	11	1	3	.....	1	1	13	1	.....	13	8	3	45	.....	54
194	41	15	239	382	32	310	19	209	41	26	36	177	14	30	196	284	42	686	5	55
18	3	.....	22	24	4	25	3	23	3	2	1	13	3	5	7	25	8	43	.....	56
73	14	15	74	127	18	329	12	156	20	15	19	76	15	7	121	235	18	268	12	57
28	5	1	37	58	3	25	7	12	9	7	5	19	5	4	27	32	4	79	9	58
244	41	11	137	302	17	155	28	22	33	30	22	164	12	17	123	146	50	485	4	59
237	40	11	134	298	16	154	28	19	33	29	20	154	11	17	122	142	49	473	4	60
7	1	.....	3	4	1	1	.....	3	.....	1	2	10	1	.....	1	4	1	12	.....	61
3,638	707	267	3,178	6,601	846	8,103	692	4,319	622	608	646	5,496	382	488	3,581	4,632	566	9,529	127	62
3,501	697	253	3,037	6,161	793	7,473	658	4,152	601	575	628	5,145	361	467	3,421	4,362	558	8,944	120	63
137	10	14	141	440	53	630	34	167	21	33	18	351	21	21	160	270	8	585	7	64

[3] Colored population less than 10 per cent of the total in 1910. The deaths include those of 16 Negroes, 42 Chinese, and 22 Japanese.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	PENNSYLVANIA—continued.														
1	Allentown	1,015	17			12	1	7	9	13	7	66	10	9	5
2	Altoona	813	26			6		7	10	10	5	40	6	9	2
3	Beaver Falls	231	6			11		4	7	8		18	1	2	1
4	Bethlehem	217	2			2		1	3	2	1	19	6	2	
5	Braddock	395	3			5		1	3	4	1	25	2	3	1
6	Bradford	234	1					1	1	6		14		2	2
7	Butler	348	6			15		3	6	8		17	3	1	3
8	Carbondale	307	2			2	3	3	6	14	1	7		2	3
9	Carlisle (total)	183	3						1	5		16	1		1
10	White	154	2						1	3		11	1		1
11	Colored	29	1							2		5			
12	Carnegie	152				6	1		2	2		9	1		1
13	Chambersburg	197	5					1	4	4		16		2	
14	Chester (total)	873	14			21		13	14	14	2	72	5	9	4
15	White	724	12			20		12	14	13	2	58	5	8	3
16	Colored	149	2			1		1		1		14		1	1
17	Coatesville (total)	195	11			4	1	1	2	5		11	1		1
18	White	165	10			4		1	2	5		9	1		1
19	Colored	30	1				1					2			
20	Columbia	181	3			1				10		16		4	2
21	Connellsville	191	2			4		2	2	1		13	1	3	
22	Dubois	164	3				1	4	6	3		4		1	
23	Dunmore	307				1	1		5	9		13	3	8	1
24	Duquesne	243	1			17	1	7	4	2		11	3	3	1
25	Easton	617	2			3		9	1	10	1	37	2	2	3
26	Erie	1,234	5			24	1	32	7	15	2	96	13	12	5
27	Farrell	217	4			17	4	6	3	2		20		1	
28	Greensburg	266	8			3		2		8		8	1		3
29	Harrisburg	1,134	56			20		9	12	12	2	87	7	5	8
30	Hazleton	478	6			3	1	3	5	6		17	1	3	1
31	Homestead	254	1			14	2	3	2	4		13	1	3	
32	Johnstown	1,084	15			19		23	8	5		46	16	12	8
33	Lancaster	832	11			6			8	15	1	64	2	13	5
34	Lebanon	396	6	1		2		3	1	14		20	4	3	1
35	McKees Rocks	211				18		7		3		15	5		1
36	McKeesport	754	15			23	1	2	16	7	4	36	3	11	6
37	Mahanoy City	257	4			4		5	9	7	1	8		1	1
38	Meadville	216				5			1	9		10	1	2	
39	Monessen	178	2			3	2		2	3	1	8	5	2	
40	Mount Carmel	241	2			2		7	25	5		10			
41	Nanticoke	298	2				1	1	3	2		14		3	
42	New Castle	555	9			17	1	1	2	12	1	26	1	6	8
43	Norristown	739	8			2			11	19	1	68		3	5
44	North Braddock	152	1			2		1	1	3		7	1		1
45	Oil City	279	2			4		9	4	1		13		6	1
46	Old Forge	157							2			3			1
47	Philadelphia (total)	27,703	130	3		112	43	128	389	410	103	2,916	203	187	113
48	White	25,324	123	3		104	42	115	368	379	98	2,458	184	166	105
49	Colored	2,379	7			8	1	13	21	31	5	458	19	21	8
50	Phoenixville	190	3			2			1	9	1	19		1	
51	Pittsburgh (total)	10,077	52	2		137	21	109	126	154	34	641	87	62	31
52	White	9,389	48	2		129	21	92	124	148	34	565	82	56	27
53	Colored	697	4			8		17	2	6		76	5	6	4
54	Pittston	331	1			2	1		2	7	3	14			2
55	Plymouth	200				1	1		2	8		7		3	1
56	Pottstown	259	3			6			3	4		19			
57	Pottsville	455	11			2		1	8	17		33	2	2	1
58	Reading	1,633	21			25	10	8	11	33	8	88	21	13	13
59	Scranton	2,116	9			5	3	5	25	26	7	109	9	11	10
60	Shamokin	280	2	1		3	1	4	4	6		25	1	1	
61	Sharon	248	3			6	1	4	3	9		14	1	1	
62	Shenandoah	441	6			1	1	2	26	6	1	25	1	1	4
63	South Bethlehem	408				13		3	10	3	1	30	1	3	1
64	Steelton	232				11		6	3	3		16	2	2	1
65	Sunbury	210	3			7			1	5		8			2
66	Uniontown	274	11			1		3	1	2	2	21	2	2	
67	Warren	188				1		1	1	2		13		1	1
68	Washington	301	4			1		2	5	8	1	31	2	4	
69	West Chester (total)	304	5			1	1	3	1	11		14	4	2	2
70	White	233	3			1	1	3	1	6		7	2		2
71	Colored	71	2							5		7	2	2	
72	Wilkes-Barre	1,111	12			2	3	9	8	19	2	46	6	10	2
73	Wilkinsburg	363	4			8		5	3	7		22	3	2	2
74	Williamsport	614	6			1	2	3	10	11	2	25	3	10	2
75	York	633	8			22		4	3	12	1	54	2	11	2

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Acute nephritis and Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
58	19	3	91	83	10	83	10	71	8	7	10	74	16	7	67	74	15	153	.....	1
38	10	4	38	71	5	75	14	34	9	12	8	82	8	7	67	59	5	146	.....	2
9	2	.....	11	7	4	34	4	13	1	3	1	13	1	4	18	14	1	34	.....	3
12	6	2	26	24	3	19	1	9	.....	.....	1	13	2	.....	7	11	1	42	.....	4
11	3	2	9	25	9	81	3	58	2	1	5	10	1	10	19	45	6	47	.....	5
22	5	.....	22	32	.....	17	.....	10	.....	4	3	19	.....	1	14	13	2	43	.....	6
19	6	2	12	16	2	35	4	35	5	6	2	17	1	2	34	32	6	49	1	7
5	2	.....	20	27	2	51	.....	14	7	1	6	29	1	4	19	29	1	46	.....	8
16	4	.....	13	26	2	12	3	2	.....	2	1	21	.....	4	6	11	3	30	.....	9
16	4	.....	11	22	.....	8	3	2	.....	2	1	19	.....	4	5	9	3	26	.....	10
.....	.....	.....	2	4	2	4	.....	.....	.....	.....	.....	2	.....	.....	1	2	.....	4	.....	11
4	1	1	8	8	2	40	1	22	.....	.....	.....	7	.....	1	8	8	.....	19	.....	12
14	.....	.....	17	18	4	12	1	6	5	5	3	24	1	.....	6	11	1	37	.....	13
35	4	2	38	86	13	113	6	79	3	4	2	69	5	4	54	85	5	95	3	14
33	4	2	33	60	10	87	6	68	3	4	2	54	4	4	50	68	5	78	2	15
2	.....	.....	5	26	3	26	.....	11	.....	.....	.....	15	1	.....	4	17	.....	17	1	16
7	3	.....	8	14	1	28	.....	30	1	1	1	6	1	.....	16	8	2	31	.....	17
4	3	.....	7	10	1	24	.....	28	1	1	1	3	1	.....	14	7	2	25	.....	18
3	.....	.....	1	4	.....	4	.....	2	.....	.....	.....	3	.....	.....	2	1	.....	6	.....	19
13	3	2	7	32	2	16	.....	7	2	.....	2	17	1	.....	10	14	1	16	.....	20
6	4	.....	13	15	2	16	4	8	3	2	1	8	.....	.....	16	40	.....	25	.....	21
13	.....	.....	11	14	1	15	1	12	2	5	.....	7	.....	1	14	18	2	22	4	22
6	2	.....	20	20	14	34	1	49	1	.....	2	9	1	3	34	14	3	51	2	23
3	2	1	6	8	2	40	2	67	.....	1	2	2	.....	.....	15	13	2	27	.....	24
27	10	2	42	54	6	97	6	22	6	8	6	54	7	3	28	74	7	88	.....	25
76	12	1	94	118	13	99	12	93	13	18	13	85	1	9	85	96	14	169	1	26
5	.....	1	2	7	.....	41	1	36	1	1	.....	8	2	.....	15	14	2	17	7	27
9	1	2	12	21	1	31	2	10	5	5	1	13	.....	3	18	53	3	39	4	28
65	14	4	64	96	7	94	15	26	13	14	17	101	4	15	61	86	7	210	3	29
29	4	3	24	44	8	43	6	40	15	10	7	29	6	5	33	58	3	64	1	30
6	2	.....	6	19	2	48	1	53	.....	1	1	15	.....	1	14	10	3	27	2	31
44	8	6	31	75	7	163	11	91	21	22	10	58	18	8	93	104	7	155	.....	32
63	9	2	62	121	6	60	2	41	13	7	16	89	6	5	45	34	12	113	1	33
19	5	2	40	33	3	53	8	14	1	6	8	28	2	2	17	24	5	70	1	34
5	1	2	5	12	1	35	4	43	2	1	2	2	2	1	19	7	.....	18	.....	35
37	4	3	28	43	18	113	11	80	7	4	10	44	8	8	47	63	7	94	1	36
12	3	.....	9	16	6	30	7	23	1	1	2	17	6	3	13	13	1	52	2	37
12	2	1	30	25	.....	19	.....	6	3	6	3	16	2	1	13	13	.....	36	.....	38
1	1	.....	3	11	.....	34	1	36	.....	2	.....	6	.....	2	20	9	2	18	4	39
14	2	2	8	19	4	23	5	31	.....	2	5	13	3	1	15	20	2	19	2	40
11	2	1	3	13	4	45	14	32	3	3	2	19	1	6	19	44	2	47	1	41
17	2	5	25	50	8	66	6	42	10	7	2	26	2	2	33	58	7	92	11	42
41	4	2	59	87	7	73	1	15	6	3	4	61	5	4	25	61	3	161	.....	43
5	.....	2	9	11	3	37	2	23	.....	.....	2	4	.....	1	8	9	1	17	1	44
22	4	.....	19	32	2	26	2	9	6	3	.....	15	3	3	18	23	1	50	1	45
3	1	2	4	9	6	27	2	25	.....	.....	1	10	2	3	20	16	.....	20	.....	46
1,728	310	98	1,203	3,374	338,	2,943	266	1,510	206	229	283	3,037	133	171	1,257	1,564	266	4,034	16	47
1,642	304	90	1,121	3,128	300	2,638	244	1,404	195	206	275	2,811	118	159	1,169	1,428	260	3,674	13	48
86	6	8	82	246	38	305	22	106	11	23	8	226	15	12	88	136	6	360	3	49
13	2	5	10	16	1	21	2	16	1	3	1	14	.....	1	15	9	.....	24	.....	50
520	83	62	400	838	168	1,917	132	682	110	90	105	533	67	84	583	777	74	1,383	13	51
497	82	60	381	758	164	1,744	124	661	106	87	98	488	64	79	551	717	72	1,306	13	52
23	1	2	19	80	4	173	8	21	4	3	7	45	3	5	32	60	2	77	.....	53
7	2	3	11	23	10	57	6	34	3	1	2	20	4	4	22	46	1	41	2	54
9	1	1	10	12	4	26	5	28	.....	1	.....	10	.....	1	16	19	2	32	.....	55
13	4	.....	15	29	2	50	3	2	3	2	1	16	.....	2	16	24	.....	41	1	56
18	4	1	29	35	4	40	3	22	6	6	4	59	5	4	24	46	3	64	1	57
93	30	5	103	188	22	176	18	89	15	18	19	136	14	6	117	82	13	234	4	58
113	27	10	119	175	25	279	25	208	33	24	24	126	13	19	127	203	11	335	1	59
13	8	2	18	35	5	37	7	20	.....	3	2	13	2	1	15	15	2	33	1	60
8	3	4	15	14	5	28	4	10	3	1	2	18	1	4	14	25	7	25	15	61
5	4	1	16	15	29	76	4	78	2	1	7	20	2	3	20	31	3	49	1	62
14	1	1	16	17	7	61	3	70	.....	.....	1	17	.....	2	47	37	4	44	1	63
7	.....	.....	10	10	3	28	2	34	.....	.....	.....	16	.....	.....	19	28	2	28	1	64
14	3	1	14	34	2	16	2	16	2	4	2	21	.....	2	11	12	.....	28	.....	65
13	1	1	13	21	2	30	2	12	3	5	1	14	3	5	12	49	.....	40	2	66
21	4	2	13	24	3	12	.....	8	3	3	2	14	.....	.....	5	8	4	42	.....	67
13	3	.....	14	24	1	32	1	22	5	2	2	18	3	4	15	28	2	52	2	68
21	8	1	20	37	2	21	.....	12	5	6	.....	35	1	6	16	8	.....	61	.....	69
19	7	1	16	30	2	15	.....	9	4	3	.....	28	.....	4	12	7	.....	59	.....	70
2	1	.....	4	7	.....	6	.....	3	1	3	.....	7	1	2	4	1	.....	11	.....	71
54	17	5	62	93	9	126	25	72	23	11	10	70	10	13	59	139	9	173	12	72
25	7	.....	14	28	1	64	2	10	6	3	3	17	2	9	22	22	3	68	1	73
54	7	1	43	59	6	42	4	18	10	8	9	60	2	7	38	43	8	120	.....	74
49	11	1	61	58	7	43	2	28	8	9	4	72	1	6	28	29	7	90	.....	75

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	RHODE ISLAND.														
1	Registration cities (total)	7,914	35	1	1	119	25	31	127	124	33	763	75	55	24
2	White	7,631	33	1	1	117	25	28	124	120	33	710	70	51	22
3	Colored	283	2	.....	.....	2	.....	3	3	4	.....	53	5	4	2
4	Central Falls	299	2	.....	.....	3	2	2	4	5	1	27	4	2	2
5	Cranston (exclusive of)	277	2	.....	.....	6	1	2	2	7	.....	15	2	2	1
6	State institutions	469	5	.....	.....	1	1	2	.....	3	1	107	1	5	2
7	Cumberland town	167	1	.....	.....	4	.....	1	1	5	.....	11	.....	1	.....
8	East Providence town	251	1	.....	.....	1	2	2	3	4	.....	11	4	1	3
9	Newport	422	1	.....	.....	3	.....	5	6	3	3	41	2	.....	2
10	Pawtucket	894	2	.....	1	5	1	.....	15	16	4	54	6	2	4
11	Providence	4,027	13	1	.....	64	16	12	76	66	21	342	44	35	19
12	Warwick town	250	1	.....	.....	4	2	1	.....	7	2	86	2	.....	.....
13	West Warwick town	243	4	.....	.....	12	.....	.....	8	3	.....	18	1	4	.....
14	Woonsocket	615	3	.....	.....	16	.....	4	12	5	1	51	9	3	.....
	SOUTH CAROLINA.														
15	Registration cities (total)	3,332	56	26	.....	7	1	50	11	49	4	326	15	14	7
16	White	1,224	19	7	.....	4	1	4	10	18	4	76	8	2	4
17	Colored	2,108	37	19	.....	3	.....	46	1	31	.....	250	7	12	3
18	Charleston (total)	1,538	24	13	.....	5	.....	41	5	22	.....	154	5	3	2
19	White	409	5	5	.....	2	.....	3	5	6	.....	16	3	.....	1
20	Colored	1,129	19	8	.....	3	.....	38	.....	16	.....	138	2	3	1
21	Columbia (total)	1,133	23	12	.....	1	1	4	4	16	4	94	7	4	.....
22	White	498	8	2	.....	1	1	.....	4	8	4	30	3	1	.....
23	Colored	635	15	10	.....	.....	.....	4	.....	8	.....	64	4	3	.....
24	Greenville (total)	338	2	1	.....	1	.....	3	.....	4	.....	29	2	3	3
25	White	162	1	.....	.....	1	.....	.....	.....	.....	.....	12	1	1	3
26	Colored	176	1	1	.....	.....	.....	3	.....	4	.....	17	1	2	.....
27	Spartanburg (total)	323	7	.....	.....	.....	.....	2	2	7	.....	49	1	4	2
28	White	155	5	.....	.....	.....	.....	1	1	4	.....	18	1	.....	.....
29	Colored	168	2	.....	.....	.....	.....	1	1	3	.....	31	.....	4	2
	TEXAS.[1]														
30	Registration cities (total)	7,128	105	54	39	39	3	30	46	94	6	988	50	52	21
31	White	6,010	90	42	35	35	2	24	41	70	5	819	44	41	17
32	Colored	1,118	15	12	4	4	1	6	5	24	1	169	6	11	4
33	Beaumont (total)	428	8	10	4	2	.....	6	2	3	.....	56	.....	1	.....
34	White	250	6	6	1	1	.....	2	1	1	.....	24	.....	1	.....
35	Colored	178	2	4	3	1	.....	4	1	2	.....	32	.....	.....	.....
36	Dallas (total)	1,569	34	15	.....	1	1	10	5	23	1	143	13	14	8
37	White	1,162	26	10	.....	1	.....	9	4	12	.....	72	10	11	5
38	Colored	407	8	5	.....	.....	1	1	1	11	1	71	3	3	3
39	El Paso (total)	2,004	28	1	18	28	2	5	21	17	3	348	25	17	4
40	White	1,943	27	1	17	28	2	5	19	16	3	336	24	16	4
41	Colored.[2]	61	1	.....	1	.....	.....	.....	2	1	.....	12	1	1	.....
42	Galveston (total)	728	13	1	.....	4	.....	1	2	8	.....	59	4	7	.....
43	White	483	9	1	.....	1	.....	1	2	7	.....	32	3	3	.....
44	Colored	245	4	.....	.....	3	.....	.....	.....	1	.....	27	1	4	.....
45	San Antonio (total)	2,399	22	27	17	4	.....	8	16	43	2	382	8	13	9
46	White	2,172	22	24	17	4	.....	7	15	34	2	355	7	10	8
47	Colored	227	.....	3	.....	.....	.....	1	1	9	.....	27	1	3	1
	UTAH.														
48	Registration cities (total)	1,685	16	.....	.....	18	9	2	20	22	7	58	8	15	15
49	White	1,649	16	.....	.....	18	9	2	20	21	7	55	8	14	15
50	Colored	36	.....	.....	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....
51	Ogden	340	5	.....	.....	5	2	.....	4	3	1	14	1	2	5
52	Salt Lake City	1,345	11	.....	.....	13	7	2	16	19	6	44	7	13	10
	VERMONT.														
53	Registration cities (total)	846	4	.....	.....	13	2	18	3	25	1	72	9	3	2
54	White	845	4	.....	.....	13	2	18	3	25	1	72	9	3	2
55	Colored	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Barre	161	2	.....	.....	.....	1	1	.....	3	1	34	2	2	1
57	Burlington	451	1	.....	.....	9	.....	13	3	9	.....	26	6	1	.....
58	Rutland	234	1	.....	.....	4	1	4	.....	13	.....	12	1	.....	1
	VIRGINIA.														
59	Registration cities (total)	8,591	122	40	.....	99	8	108	24	140	13	785	51	81	24
60	White	4,470	67	9	.....	56	7	38	22	71	12	329	26	40	15
61	Colored	4,121	55	31	.....	43	1	70	2	69	1	456	25	41	9

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
458	98	43	491	870	119	827	59	351	74	54	60	684	19	56	460	386	68	1,288	36	1
443	97	40	475	828	114	801	57	346	74	53	58	667	18	55	447	376	67	1,247	33	2
15	1	3	16	42	5	26	2	5	.....	1	2	17	1	1	13	10	1	41	3	3
11	4	2	15	26	13	22	3	35	2	1	.....	20	.....	4	31	10	4	42	.....	4
12	4	1	22	35	5	28	1	14	1	2	3	22	1	3	19	14	5	42	3	5
19	1	2	19	72	5	16	4	.....	.....	1	3	17	.....	.....	1	8	.....	173	.....	6
17	3	1	14	13	11	14	1	12	.....	4	.....	14	.....	.....	7	8	.....	23	1	7
16	5	1	28	27	4	38	.....	13	1	1	2	20	1	2	13	10	2	34	1	8
27	6	1	39	76	1	39	4	10	2	3	5	34	1	1	19	20	4	64	.....	9
54	17	4	56	106	10	86	6	44	7	8	6	106	4	6	70	45	17	129	3	10
255	48	27	243	427	50	444	34	148	56	30	34	363	6	32	219	233	30	625	23	11
7	2	.....	18	29	1	9	1	3	1	1	2	20	.....	1	6	13	.....	29	2	12
10	4	3	16	18	5	34	2	20	.....	.....	1	13	2	3	13	9	.....	39	1	13
30	4	1	21	41	14	97	3	52	4	3	4	55	4	4	62	16	6	88	2	14
88	15	3	203	236	17	204	16	166	29	23	11	394	16	35	259	147	9	863	32	15
44	11	2	85	94	7	62	7	54	19	11	6	134	1	16	101	59	7	341	6	16
44	4	1	118	142	10	142	9	112	10	12	5	260	15	19	158	88	2	522	26	17
39	8	2	95	130	11	97	4	88	8	11	5	237	5	15	134	48	2	315	10	18
18	4	1	26	43	3	18	2	19	6	6	2	64	.....	4	37	15	2	93	.....	19
21	4	1	69	87	8	79	2	69	2	5	3	173	5	11	97	33	.....	222	10	20
18	4	1	35	57	2	72	4	56	8	5	5	84	8	12	76	51	3	407	5	21
12	4	1	43	27	2	31	2	24	3	2	3	34	.....	7	41	18	2	178	2	22
6	.....	.....	42	30	.....	41	2	32	5	3	2	50	8	5	35	33	1	229	3	23
13	2	.....	12	29	3	25	1	12	6	4	1	42	3	4	21	27	1	77	7	24
6	2	.....	8	14	1	6	.....	5	5	3	1	24	1	1	13	14	.....	38	1	25
7	.....	.....	4	15	2	19	1	7	1	1	.....	18	2	3	8	13	1	39	6	26
18	1	.....	11	20	1	10	7	10	7	3	.....	31	.....	4	28	21	3	64	10	27
8	1	.....	8	10	1	7	3	6	5	.....	.....	12	.....	4	10	12	3	32	3	28
10	.....	.....	3	10	.....	3	4	4	2	3	.....	19	.....	.....	18	9	.....	32	7	29
260	42	45	229	407	85	435	66	736	114	71	58	446	51	68	349	524	98	1,462	55	30
234	36	40	204	331	72	353	47	698	105	67	49	351	44	53	314	410	93	1,204	40	31
26	6	5	25	76	13	82	19	38	9	4	9	95	7	15	35	114	5	258	15	32
16	2	2	17	12	3	31	3	18	8	3	3	34	4	4	19	50	6	79	22	33
10	.....	1	10	12	2	15	2	6	6	3	1	22	4	2	10	29	4	54	14	34
6	2	1	7	.....	1	16	1	12	2	.....	2	12	.....	2	9	21	2	25	8	35
79	12	15	62	108	11	76	18	49	47	24	11	107	21	22	81	150	34	368	6	36
70	10	12	53	78	8	57	9	40	44	24	7	84	17	16	70	108	32	263	.....	37
9	2	3	9	30	3	19	9	9	3	.....	4	23	4	6	11	42	2	105	6	38
40	7	12	54	94	33	179	14	315	13	11	24	73	12	13	83	133	22	348	7	39
40	7	12	54	91	32	170	14	315	12	11	22	67	12	12	82	123	22	340	7	40
.....	.....	.....	.....	3	1	9	.....	.....	1	.....	2	6	.....	1	1	10	.....	8	.....	41
47	5	2	22	66	7	37	5	21	8	8	2	88	2	10	34	70	12	182	1	42
39	4	2	18	37	2	15	1	20	6	7	2	64	2	6	25	48	11	114	1	43
8	1	.....	4	29	5	22	4	1	2	1	.....	24	.....	4	9	22	1	68	.....	44
78	16	14	74	127	31	112	26	333	38	25	18	144	12	19	132	121	24	485	19	45
75	15	13	69	113	28	96	21	317	37	22	17	114	9	17	127	102	24	433	18	46
3	1	1	5	14	3	16	5	16	1	3	1	30	3	2	5	19	.....	52	1	47
117	28	15	83	154	17	172	14	29	40	12	13	139	5	21	113	120	29	300	74	48
115	27	14	83	151	16	167	12	28	40	12	13	137	4	20	113	116	28	295	73	49
2	1	1	.....	3	1	5	2	1	.....	.....	.....	2	1	1	.....	4	1	5	1	50
16	6	5	25	42	2	33	6	2	9	4	5	21	.....	6	22	28	8	57	1	51
101	22	10	58	112	15	139	8	27	31	8	8	118	5	15	91	92	21	243	73	52
52	14	4	46	88	17	66	6	27	12	10	2	62	.....	9	66	57	12	142	2	53
52	14	4	45	88	17	66	6	27	12	10	2	62	.....	9	66	57	12	142	2	54
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
9	3	.....	7	10	2	7	.....	5	1	1	1	11	.....	2	9	16	6	24	.....	56
28	6	3	24	51	12	38	4	17	7	7	.....	32	.....	5	43	21	6	77	2	57
15	5	1	15	27	3	21	2	5	4	2	1	19	.....	2	14	20	.....	41	.....	58
344	55	37	586	812	106	943	136	386	82	80	60	790	48	76	507	484	62	1,436	66	59
271	43	20	293	439	27	326	51	163	56	46	40	462	30	46	306	270	61	815	13	60
73	12	17	293	373	79	617	85	223	26	34	20	328	18	30	201	214	1	621	53	61

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(87)
	REGISTRATION CITIES—Contd.														
	VIRGINIA—continued.														
1	Alexandria (total)	296	7	1					1	5	1	26	1	4	2
2	White	192	5						1	4	1	17	1	2	
3	Colored	104	2	1						1		9		2	2
4	Danville (total)	348	1	2		8		3	1	7	1	25	1	2	1
5	White	206		2		6		2	1	3	1	17	1		1
6	Colored	142	1			2		1		4		8		2	
7	Lynchburg (total)	545	11	1		5	1	3	1	7	1	50	2	10	5
8	White	309	8	1		4	1	2	1	5	1	25	1	6	5
9	Colored	236	3			1		1		2		25	1	4	
10	Newport News (total)	389	6	2		1	1		1	11		41	1	1	
11	White	168	2			1	1		1	7		10		1	
12	Colored	221	4	2						4		31	1		
13	Norfolk (total)	1,666	28	12		11		17	1	31	1	164	7	19	3
14	White	706	17	4		9		7	1	16	1	49	1	6	
15	Colored	960	11	8		2		10		15		115	6	13	3
16	Petersburg (total)	768	12	7		26	2	26	2	18		53	3	3	1
17	White	319	6			15	1	4	2	4		26	1	1	
18	Colored	449	6	7		11	1	22		14		27	2	2	1
19	Portsmouth (total)	535	10	14				4	3	10	2	49	3	5	1
20	White	239	5	1				3	2	4	2	21	3	4	1
21	Colored	296	5	13				1	1	6		28		1	
22	Richmond (total)	3,092	37	1		41	3	47	5	32	3	293	29	28	8
23	White	1,629	17	1		16	3	14	5	11	2	117	16	13	5
24	Colored	1,463	20			25		33		21	1	176	13	15	3
25	Roanoke (total)	684	7			5		8	8	14	1	56	4	9	3
26	White	474	6			4		6	8	14	1	27	2	7	3
27	Colored	210	1			1		2				29	2	2	
28	Staunton (total)	268	3			2	1		1	5	3	28			
29	White	228	1			1	1			3	3	20			
30	Colored	40	2			1			1	2		8			
	WASHINGTON.														
31	Registration cities (total)	5,385	30			39	2	36	17	93	13	373	55	82	20
32	White	5,166	28			39	2	33	16	89	11	333	51	78	19
33	Colored	219	2					3	1	4	2	40	4	4	1
34	Aberdeen	103	2							2		11		6	1
35	Bellingham	245							1	11		15	2	4	2
36	Everett	272	2			1	1			3		24	2	5	1
37	North Yakima	210	2					3	1	2	1	15	3		
38	Seattle	2,442	11			12		18	7	36	6	192	31	40	6
39	Spokane	1,051	3			16	1	5	1	18	2	61	10	12	4
40	Tacoma	897	7			10		10	7	14	3	45	5	14	5
41	Walla Walla	165	3							7	1	10	2	1	1
	WEST VIRGINIA.[1]														
42	Wheeling (total)	783	12			10	2	6	6	10		43	4	7	3
43	White	758	11			10	2	6	6	9		39	4	6	3
44	Colored[2]	25	1							1		4		1	
	WISCONSIN.														
45	Registration cities (total)	11,425	108			168	70	67	123	178	35	710	91	69	70
46	White	11,372	108			168	70	67	122	177	35	703	90	69	70
47	Colored	53							1	1		7	1		
48	Appleton	265	1				1		2	9	1	10	5	1	3
49	Ashland	226	3					2	1	2	3	18		1	5
50	Beloit	191				1		1	1	6	2	10	1	1	1
51	Eau Claire	367	2			5	1	5	2	2	1	61	2	2	2
52	Fond du Lac	349	1			1		3		8		20		2	3
53	Green Bay	552	4				1	1	3	9	2	18	10	6	1
54	Janesville	215					1			3		12	1		1
55	Kenosha	366	5			6	2	1	11	7	2	14	4	2	2
56	La Crosse	505				4			12	9	1	39	4	4	4
57	Madison	435				2	2			10	2	25	5	3	2
58	Manitowoc	190	1			2				6	2	14		2	
59	Marinette	152	1			3			2	2		10		2	
60	Milwaukee	5,549	67			121	48	38	78	69	13	344	49	26	37
61	Oshkosh	432	2			1	1	1		5	1	19	3	6	1
62	Racine	580	8			6	10	5	6	4	2	30	3	2	3
63	Sheboygan	406	4			4	2	6	2	15	1	21	3	1	3
64	Superior	439	8			10	1	4	3	5	1	35	1	5	1
65	Wausau	206	1			2				7	1	10		3	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1916—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Acute nephritis and Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
14	2	1	19	31	11	31	3	7	.....	2	1	40	1	2	14	11	3	52	3	1
12	1	.....	12	25	5	14	.....	3	.....	1	.....	26	1	2	13	8	3	34	1	2
2	1	1	7	6	6	17	3	4	.....	1	1	14	.....	.....	1	3	.....	18	2	3
15	3	2	25	37	9	36	6	19	3	2	.....	18	4	5	17	25	5	63	2	4
10	3	2	12	16	1	12	4	15	2	2	.....	10	3	3	13	19	5	39	1	5
5	.....	.....	13	21	8	24	2	4	1	.....	.....	8	1	2	4	6	.....	24	1	6
23	4	2	44	57	3	47	5	19	2	12	3	44	6	2	30	32	6	104	3	7
14	4	2	21	25	1	23	3	11	1	5	2	15	4	1	25	23	6	62	1	8
9	.....	.....	23	32	2	24	2	8	1	7	1	29	2	1	5	9	.....	42	2	9
11	6	1	26	40	5	46	8	18	2	.....	5	33	2	7	24	32	5	51	2	10
9	5	1	14	13	.....	9	2	3	.....	.....	3	17	.....	6	16	22	5	20	.....	11
2	1	.....	12	27	5	37	6	15	2	.....	2	16	2	1	8	10	.....	31	2	12
66	14	9	113	177	15	196	19	81	20	25	12	117	8	18	89	116	13	262	2	13
53	12	4	44	75	6	44	5	25	11	11	8	59	4	9	42	55	13	115	.....	14
13	2	5	69	102	9	152	14	56	9	14	4	58	4	9	47	61	.....	147	2	15
16	3	4	45	42	5	99	9	57	7	7	9	100	4	11	44	63	5	83	2	16
14	1	1	12	25	1	24	4	20	3	4	3	49	3	4	20	29	5	36	1	17
2	2	3	33	17	4	75	5	37	4	3	6	51	1	7	24	34	.....	47	1	18
10	2	.....	40	39	9	74	12	37	2	3	4	39	2	4	30	29	2	84	12	19
7	2	.....	20	22	4	19	3	11	2	1	3	24	1	2	16	11	2	41	2	20
3	.....	.....	20	17	5	55	9	26	.....	2	1	15	1	2	14	18	.....	43	10	21
152	19	12	226	297	46	304	65	114	29	22	23	321	14	18	192	139	13	531	28	22
120	13	5	120	177	8	111	24	54	21	17	18	198	9	12	111	76	13	300	2	23
32	6	7	106	120	38	193	41	60	8	5	5	123	5	6	81	63	.....	231	26	24
28	2	3	27	63	2	77	8	34	15	7	1	54	6	9	59	31	8	123	12	25
25	2	2	24	38	.....	41	5	21	14	5	1	42	4	7	45	22	7	86	5	26
3	.....	1	3	25	2	36	3	13	1	2	.....	12	2	2	14	9	1	37	7	27
9	.....	3	21	29	1	33	1	.....	2	.....	2	24	1	.....	8	6	2	33	.....	28
7	.....	3	14	23	1	29	1	.....	2	.....	2	22	1	.....	5	5	2	32	.....	29
2	.....	.....	7	6	.....	4	.....	.....	.....	.....	.....	2	.....	.....	3	1	.....	1	.....	30
549	85	21	318	590	35	341	46	62	93	68	51	407	39	49	288	389	106	1,074	14	31
536	85	18	309	574	34	325	45	59	91	61	49	394	37	45	271	372	106	1,045	11	32
13	.....	3	9	16	1	16	1	3	2	7	2	13	2	4	17	17	.....	29	3	33
7	1	2	3	7	.....	6	.....	4	5	1	.....	10	1	.....	3	11	2	18	.....	34
19	2	.....	10	30	5	20	3	5	3	5	3	12	2	4	14	15	3	54	1	35
31	5	1	20	24	2	18	.....	3	5	3	1	18	3	1	15	30	7	45	1	36
25	4	.....	12	19	4	9	.....	5	7	2	2	19	4	.....	10	17	2	41	1	37
245	49	14	141	299	8	140	25	18	34	28	24	157	10	19	128	181	53	505	5	38
112	13	3	69	104	11	75	11	15	19	13	8	98	9	14	53	63	17	211	.....	39
98	9	.....	51	88	5	61	7	8	19	11	13	86	9	10	44	67	18	168	5	40
12	2	1	12	19	.....	12	.....	4	1	5	.....	7	1	1	21	5	4	32	1	41
52	7	6	22	95	9	102	14	32	8	12	11	46	6	5	38	64	8	141	2	42
52	7	6	21	84	9	100	14	32	7	12	11	45	6	5	38	64	8	139	2	43
.....	.....	.....	1	11	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	2	.....	44
844	167	74	618	968	205	1,197	93	513	211	97	130	695	64	77	810	689	135	2,134	15	45
842	166	73	617	967	205	1,188	93	513	211	97	129	688	64	77	810	683	135	2,120	15	46
2	1	1	1	1	.....	9	.....	.....	.....	.....	1	7	.....	.....	.....	6	.....	14	.....	47
14	2	.....	22	31	4	20	2	8	4	4	4	16	2	3	22	18	.....	54	2	48
14	6	4	12	13	.....	33	2	2	6	2	1	19	3	2	8	20	4	40	.....	49
14	3	2	11	14	4	15	3	5	5	5	1	17	3	1	15	9	2	38	.....	50
23	5	3	27	31	4	31	2	4	20	5	2	16	3	1	17	18	1	68	1	51
31	5	2	25	37	2	20	4	12	10	4	3	31	2	4	27	13	3	76	.....	52
40	12	2	24	36	9	51	7	36	27	4	2	33	5	7	52	29	5	116	.....	53
14	2	1	15	28	1	28	1	1	7	.....	5	14	1	1	15	16	5	42	.....	54
31	3	2	11	28	.....	36	1	25	4	5	5	23	2	4	27	28	6	67	2	55
49	8	.....	30	50	4	42	1	6	17	7	7	26	2	2	20	27	4	124	2	56
29	5	1	30	25	4	53	3	13	10	5	5	24	.....	4	34	37	5	97	.....	57
12	2	1	15	22	5	12	2	6	2	3	3	10	1	1	9	12	.....	45	.....	58
14	7	.....	4	18	3	11	.....	5	.....	1	1	4	1	3	22	7	1	29	1	59
405	72	42	268	449	131	673	46	318	60	32	68	349	26	29	402	313	69	904	3	60
37	12	1	29	60	7	36	6	4	10	4	3	21	4	4	31	18	5	98	2	61
47	10	3	35	36	9	62	6	30	9	4	4	35	1	3	34	41	15	116	1	62
34	6	5	27	32	12	26	5	24	4	1	6	20	4	2	26	26	2	82	.....	63
23	4	3	20	40	3	35	1	9	8	5	7	24	3	1	35	49	7	87	1	64
13	3	2	13	18	3	13	1	5	8	6	3	13	1	5	14	8	1	51	.....	65

[2] Colored population less than 10 per cent of the total in 1910.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in nonregistration states.	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	1,001,921	924,971	477,821	447,150	76,950	554,771	22,943	16,863	4,259	5,661	14,352	5,890
	I. General diseases	268,040	246,632	125,805	120,827	21,408	147,213	6,765	4,633	1,437	1,593	3,467	1,516
1	Typhoid fever	9,510	8,813	3,408	5,405	697	4,105	92	118	29	88	76	17
2	Typhus fever	35	9	2	7	26	28	1	.....	.....	4	.....	.....
3	Relapsing fever	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
4	Malaria	2,175	1,898	225	1,673	277	502	12	29	2	3	6	2
5	Smallpox	114	71	10	61	43	53	2	11	.....	2	.....	.....
6	Measles	7,947	7,663	4,074	3,589	284	4,358	34	34	5	32	117	33
7	Scarlet fever	2,355	2,097	1,119	978	258	1,377	22	21	5	32	26	7
8	Whooping cough	7,284	7,065	3,104	3,961	219	3,323	100	111	8	37	109	47
9	Diphtheria and croup	10,367	9,322	5,250	4,072	1,045	6,295	203	88	9	32	146	45
10	Influenza	18,886	18,080	6,082	11,998	806	6,888	165	242	38	88	297	185
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	291	279	70	209	12	82	1	1	1	4	2	1
14	Dysentery	3,550	3,286	710	2,576	264	974	16	39	8	25	19	9
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	11	10	4	6	1	5	.....	.....	.....	.....	.....	.....
18	Erysipelas	2,680	2,458	1,458	1,000	222	1,680	42	20	14	23	56	18
19	Other epidemic diseases	218	193	92	101	25	117	3	4	.....	2	2	3
20	Purulent infection and septicemia	1,407	1,288	676	612	119	795	28	32	15	4	33	7
21	Glanders	4	4	4	.....	.....	4	.....	.....	.....	.....	.....	.....
22	Anthrax	28	25	15	10	3	18	.....	.....	.....	.....	1	.....
23	Rabies	36	33	16	17	3	19	.....	1	1	.....	.....	.....
24	Tetanus	1,225	998	498	500	227	725	32	21	4	3	19	6
25	Mycoses	41	34	21	13	7	28	.....	1	.....	.....	.....	.....
26	Pellagra	2,390	1,807	558	1,249	583	1,141	14	11	2	1	1	.....
27	Beriberi	6	6	3	3	.....	3	2	1	.....	.....	.....	.....
	Tuberculosis (total)	101,396	92,688	49,257	43,431	8,708	57,965	3,043	2,277	814	756	1,231	601
28	Tuberculosis of the lungs	85,538	78,198	40,672	37,526	7,340	48,012	2,595	1,987	742	693	974	520
29	Acute miliary tuberculosis	3,128	2,825	1,743	1,082	303	2,046	74	50	13	13	47	18
30	Tuberculous meningitis	5,706	5,298	3,570	1,728	408	3,978	203	104	26	18	123	39
31	Abdominal tuberculosis	3,586	3,261	1,648	1,613	325	1,973	90	79	13	16	40	16
32	Pott's disease	896	833	445	388	63	508	20	16	4	5	9	4
33	White swellings	496	445	252	193	51	303	11	6	5	2	11	2
34	Tuberculosis of other organs	1,339	1,210	630	580	129	759	39	22	5	4	18	3
35	Disseminated tuberculosis	707	618	297	321	89	386	11	13	6	5	9	8
36	Rickets	574	510	297	213	64	361	7	3	2	.....	3	3
37	Syphilis	6,902	5,978	3,935	2,043	924	4,859	219	95	44	30	62	15
38	Gonococcus infection	539	464	326	138	75	401	16	7	4	.....	3	2
	Cancer and other malignant tumors (total)	58,600	54,272	29,585	24,687	4,328	33,913	1,925	1,000	299	276	824	340
39	Of the buccal cavity	2,091	1,939	1,035	904	152	1,187	74	38	10	6	32	9
40	Of the stomach, liver	22,480	20,905	10,983	9,922	1,575	12,558	746	398	113	130	314	119
41	Of the peritoneum, intestines, rectum	7,716	7,195	4,269	2,926	521	4,790	272	135	39	21	115	64
42	Of the female genital organs	8,898	8,076	4,670	3,406	822	5,492	287	123	44	50	121	48
43	Of the breast	5,553	5,193	2,827	2,366	365	3,192	179	92	35	18	99	38
44	Of the skin	2,042	1,949	702	1,247	93	795	36	36	6	11	23	15
45	Of other organs or of organs not specified	9,815	9,015	5,099	3,916	800	5,899	331	178	52	40	120	47
46	Other tumors (tumors of the female genital organs excepted)	337	314	144	170	23	167	3	5	4	8	2	4
47	Acute articular rheumatism	3,258	3,020	1,565	1,455	238	1,803	51	36	9	24	43	12
48	Chronic rheumatism and gout	908	867	324	543	41	365	18	21	6	9	9	4
49	Scurvy	77	71	39	32	6	45	1	.....	.....	1	1	1
50	Diabetes	12,199	11,318	6,328	4,990	881	7,209	375	178	51	49	194	89
51	Exophthalmic goiter	1,158	1,044	550	494	114	664	24	17	8	8	9	6
52	Addison's disease	312	292	158	134	20	178	8	4	4	1	4	2
53	Leukemia	1,424	1,307	764	543	117	881	51	25	8	9	23	2
54	Anemia, chlorosis	3,785	3,533	1,740	1,793	252	1,992	131	49	28	17	47	21
55	Other general diseases	1,431	1,318	698	620	113	811	18	19	1	7	17	7
56	Alcoholism (acute or chronic)	4,161	3,814	2,497	1,317	347	2,844	96	104	12	15	80	25
57	Chronic lead poisoning	190	177	94	83	13	107	6	3	1	2	1	1
58	Other chronic occupation poisonings	15	14	11	3	1	12	.....	.....	.....	.....	1	.....
59	Other chronic poisonings	212	191	94	97	21	115	4	5	1	1	3	1
	II.—Diseases of the nervous system and of the organs of special sense	99,077	93,703	43,839	49,864	5,374	49,213	2,064	1,680	332	500	1,437	770
60	Encephalitis	554	488	231	257	66	297	15	9	2	4	.....	2
61	Meningitis (total)	5,091	4,719	2,412	2,307	372	2,784	97	67	23	46	133	32
	Simple meningitis	2,573	2,387	1,228	1,159	186	1,414	49	26	14	22	67	18
	Cerebrospinal meningitis (undefined)	983	909	417	492	74	491	13	18	3	8	20	7
	Cerebrospinal fever	1,535	1,423	767	656	112	879	35	23	6	16	46	7
62	Locomotor ataxia	1,717	1,574	789	785	143	932	71	38	11	8	16	15
63	Other diseases of the spinal cord (total)	11,036	10,675	6,318	4,357	361	6,679	122	96	12	12	199	96
	Acute anterior poliomyelitis	7,130	7,021	4,755	2,266	109	4,864	13	14	4	.....	166	73
	Other diseases of the spinal cord [2]	3,906	3,654	1,563	2,091	252	1,815	109	82	8	12	33	23
64	Cerebral hemorrhage, apoplexy	58,233	55,073	25,617	29,456	3,160	28,777	1,387	980	213	276	865	502
65	Softening of the brain	921	875	270	605	46	316	19	20	2	1	5	10
66	Paralysis without specified cause	5,165	4,868	1,335	3,533	297	1,632	84	80	11	38	23	16
67	General paralysis of the insane	5,150	4,910	2,239	2,671	240	2,479	75	239	24	38	53	36
68	Other forms of mental alienation	1,438	1,327	459	868	111	570	22	29	3	12	14	5
69	Epilepsy	2,882	2,764	943	1,821	118	1,061	42	57	7	34	35	25
70	Convulsions (nonpuerperal)	124	119	33	86	5	38	3	.....	.....	3	4	2
71	Convulsions of infants	2,437	2,344	924	1,420	93	1,017	13	13	4	6	37	11
72	Chorea	104	98	41	57	6	47	3	1	.....	1	1	1
73	Neuralgia and neuritis	392	375	176	199	17	193	7	6	.....	3	4	1
74	Other diseases of the nervous system	2,386	2,190	1,221	969	196	1,417	70	32	13	13	34	13
75	Diseases of the eyes and their annexa	54	46	31	15	8	39	2	.....	.....	.....	.....	.....
76	Diseases of the ears	1,393	1,258	800	458	135	935	32	13	7	5	14	3

[1] Includes District of Columbia.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in nonregistration states.	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	141,589	131,798	69,367	62,431	9,791	79,158	4,287	2,843	531	580	1,955	1,056
77	Pericarditis	735	684	312	372	51	363	27	16	4	6	8	5
78	Acute endocarditis	6,696	6,072	4,341	1,731	624	4,965	186	99	46	28	172	24
79	Organic diseases of the heart	107,475	100,045	52,283	47,762	7,430	59,713	3,339	2,196	355	414	1,379	802
80	Angina pectoris	5,445	5,143	2,330	2,813	302	2,632	178	104	24	28	88	55
81	Diseases of the arteries, atheroma, aneurism, etc.	17,115	16,081	8,006	8,075	1,034	9,040	434	345	66	77	232	142
82	Embolism and thrombosis	2,829	2,578	1,410	1,168	251	1,661	94	63	31	22	51	21
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	544	504	328	176	40	368	14	7	3	1	12	3
84	Diseases of the lymphatic system (lymphangitis, etc.)	462	418	272	146	44	316	11	6	1	3	10	2
85	Hemorrhage; other diseases of the circulatory system	288	273	85	188	15	100	4	7	1	1	3	2
	IV.—Diseases of the respiratory system	118,435	109,939	62,445	47,494	8,496	70,941	2,029	1,654	515	661	2,189	690
86	Diseases of the nasal fossæ	275	263	44	219	12	56	.....	3	.....	.....	.....	.....
87	Diseases of the larynx	735	690	286	404	45	331	13	8	3	7	10	6
88	Diseases of the thyroid body	467	426	243	183	41	284	8	10	4	2	4	.....
89	Acute bronchitis	6,700	6,305	3,676	2,629	395	4,071	72	67	14	41	110	44
90	Chronic bronchitis	4,887	4,579	2,202	2,377	308	2,510	114	74	12	21	64	33
91	Bronchopneumonia	35,105	32,777	19,387	13,390	2,328	21,715	640	467	125	153	564	214
92	Pneumonia (total)	63,229	58,478	33,231	25,247	4,751	37,982	1,018	901	314	368	1,320	364
	Lobar pneumonia	54,699	50,451	30,323	20,128	4,248	34,571	928	767	276	327	1,159	281
	Pneumonia (undefined)	8,530	8,027	2,908	5,119	503	3,411	90	134	38	41	161	83
93	Pleurisy	2,599	2,346	1,519	827	253	1,772	79	39	11	8	54	10
94	Pulmonary congestion, pulmonary apoplexy	1,326	1,235	599	636	91	690	24	17	8	6	29	10
95	Gangrene of the lung	236	214	129	85	22	151	7	5	.....	.....	4	1
96	Asthma	1,752	1,598	699	899	154	853	35	32	12	15	21	5
97	Pulmonary emphysema	182	167	86	81	15	101	2	3	.....	1	3	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	942	861	344	517	81	425	17	28	12	39	6	3
	V.—Diseases of the digestive system	106,027	94,903	51,467	43,436	11,124	62,591	1,862	1,385	404	656	1,571	480
99	Diseases of the mouth and annexa	676	642	263	379	34	297	15	8	4	1	5	1
100	Diseases of the pharynx	1,850	1,692	889	803	158	1,047	42	33	11	12	30	14
101	Diseases of the esophagus	145	135	74	61	10	84	2	4	1	.....	2	2
102	Ulcer of the stomach	3,265	2,964	1,737	1,227	301	2,038	114	69	21	23	64	15
103	Other diseases of the stomach (cancer excepted)	7,065	6,626	2,435	4,191	439	2,874	91	112	14	27	69	52
104	Diarrhea and enteritis (under 2 years)	46,956	41,440	22,792	18,648	5,516	28,308	406	437	76	304	813	254
105	Diarrhea and enteritis (2 years and over)	9,807	8,856	3,820	5,036	951	4,771	165	140	33	65	127	40
106	Ankylostomiasis	22	20	2	18	2	4	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	128	120	29	91	8	37	3	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	9,157	8,082	5,415	2,667	1,075	6,490	294	115	99	101	115	19
109	Hernia, intestinal obstruction (total)	8,074	7,336	4,284	3,052	738	5,022	228	133	46	48	110	25
	Hernia	2,880	2,634	1,707	927	246	1,953	73	41	9	9	47	9
	Intestinal obstruction	5,194	4,702	2,577	2,125	492	3,069	155	92	37	39	63	16
110	Other diseases of the intestines	1,823	1,625	867	758	198	1,065	37	25	9	7	20	3
111	Acute yellow atrophy of the liver	306	284	134	150	22	156	7	4	.....	1	4	3
112	Hydatid tumor of the liver	32	25	20	5	7	27	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	8,799	7,886	4,781	3,105	913	5,694	287	183	35	28	119	31
114	Biliary calculi	2,438	2,221	1,308	913	217	1,525	51	32	24	15	29	6
115	Other diseases of the liver	3,487	3,122	1,651	1,471	365	2,016	68	59	24	16	31	9
116	Diseases of the spleen	132	116	50	66	16	66	1	3	.....	1	1	.....
117	Simple peritonitis (nonpuerperal)	1,373	1,253	592	661	120	712	28	22	4	5	20	5
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	492	458	324	134	34	358	21	6	3	2	12	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	86,324	78,798	44,371	34,427	7,526	51,897	2,354	1,369	376	385	1,220	480
119	Acute nephritis	5,921	5,382	3,086	2,296	539	3,625	107	67	31	20	119	28
120	Bright's disease	69,395	63,684	35,561	28,123	5,711	41,272	1,882	1,150	290	308	977	405
121	Chyluria	3	3	1	2	.....	1	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,812	1,646	911	735	166	1,077	69	27	8	10	29	10
123	Calculi of the urinary passages	471	420	275	145	51	326	20	4	1	1	3	3
124	Diseases of the bladder	1,235	1,149	426	723	86	512	34	25	9	10	10	9
125	Diseases of the urethra, urinary abscess, etc	285	227	179	48	58	237	6	4	1	1	2	1
126	Diseases of the prostate	2,922	2,657	1,358	1,299	265	1,623	92	50	10	20	29	11
127	Nonvenereal diseases of the male genital organs	86	77	53	24	9	62	1	1	.....	.....	1	.....
128	Uterine hemorrhage (nonpuerperal)	47	42	23	19	5	28	.....	.....	1	.....	.....	.....
129	Uterine tumor (noncancerous)	1,329	1,128	821	307	201	1,022	34	13	5	4	13	3
130	Other diseases of the uterus	806	691	437	254	115	552	30	5	4	2	16	6
131	Cysts and other tumors of the ovary	635	571	377	194	64	441	21	10	6	3	9	4
132	Salpingitis and other diseases of the female genital organs	1,326	1,077	833	244	249	1,082	57	11	10	6	10	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	51	44	30	14	7	37	1	2	.....	.....	2	.....
	VII.—The puerperal state	11,642	10,650	5,374	5,276	992	6,366	180	151	56	89	137	36
134	Accidents of pregnancy	985	909	440	469	76	516	21	14	1	10	8	2
135	Puerperal hemorrhage	1,118	1,024	483	541	94	577	14	20	6	8	13	4
136	Other accidents of labor	1,212	1,121	478	643	91	569	18	17	6	10	9	6
137	Puerperal septicemia	4,786	4,332	2,429	1,903	454	2,883	64	54	34	40	63	11
138	Puerperal albuminuria and convulsions	3,087	2,839	1,326	1,513	248	1,574	54	42	6	18	37	10
139	Puerperal phlegmasia alba dolens, embolus, sudden death	415	389	199	190	26	225	8	1	3	3	4	3
140	Following childbirth (not otherwise defined)	34	31	16	15	3	19	1	3	.....	.....	3	.....
141	Puerperal diseases of the breast	5	5	3	2	.....	3	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES.			Registration cities in nonregistration states.	All registration cities.[1]	CALIFORNIA.		COLORADO.		CONNECTICUT.	
			Total.[1]	Cities.[1]	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	3,358	3,122	1,473	1,649	236	1,709	52	45	9	10	40	22
142	Gangrene	1,528	1,438	522	916	90	612	21	28	5	5	19	15
143	Furuncle	448	411	260	151	37	297	14	3	.....	.....	4	1
144	Acute abscess	709	639	395	244	70	465	7	7	4	3	12	2
145	Other diseases of the skin and annexa	673	634	296	338	39	335	10	7	.....	2	5	4
	IX.—Diseases of the bones and of the organs of locomotion	2,039	1,848	1,229	619	191	1,420	59	18	11	7	32	5
146	Diseases of the bones (tuberculosis excepted)	1,721	1,566	1,085	481	155	1,240	52	13	10	5	25	3
147	Diseases of the joints (tuberculosis and rheumatism excepted)	242	212	122	90	30	152	6	4	1	2	7	.....
148	Amputations	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	75	69	21	48	6	27	1	1	.....	.....	.....	2
	X.—Malformations	11,412	10,677	5,432	5,245	735	6,167	192	144	36	65	132	72
150	Congenital malformations (stillbirths not included) (total)	11,412	10,677	5,432	5,245	735	6,167	192	144	36	65	132	72
	Hydrocephalus	995	931	455	476	64	519	22	13	2	3	13	6
	Congenital malformations of the heart	6,718	6,288	3,245	3,043	430	3,675	121	88	20	43	66	38
	Other congenital malformations	3,699	3,458	1,732	1,726	241	1,973	49	43	14	19	53	28
	XI.—Early infancy	55,678	52,123	26,415	25,708	3,555	29,970	748	631	225	380	973	263
151	Congenital debility, icterus, and sclerema (total)	44,090	41,461	20,322	21,139	2,629	22,951	576	497	194	308	706	195
	Premature birth	33,123	31,052	15,463	15,589	2,071	17,534	488	384	145	253	572	134
	Congenital debility, "atrophy," "marasmus," etc	10,967	10,409	4,859	5,550	558	5,417	88	113	49	55	134	61
152	Other causes peculiar to early infancy (total)	11,313	10,421	5,999	4,422	892	6,891	168	126	30	71	263	66
	Injuries at birth	6,274	5,756	3,437	2,319	518	3,955	98	67	10	30	156	35
	Other causes peculiar to early infancy[2]	5,039	4,665	2,562	2,103	374	2,936	70	59	20	41	107	31
153	Lack of care	275	241	94	147	34	128	4	8	1	1	4	2
	XII.—Old age	12,165	11,645	3,220	8,425	520	3,740	174	187	77	114	76	65
154	Senility	12,165	11,645	3,220	8,425	520	3,740	174	187	77	114	76	65
	XIII.—External causes	75,283	68,721	35,910	32,811	6,562	42,472	2,164	2,087	245	602	1,067	406
	Suicide (total)	10,162	9,181	5,378	3,803	981	6,359	602	331	52	66	147	46
155	By poison	2,016	1,814	1,136	678	202	1,338	103	47	14	14	33	7
156	By asphyxia	1,458	1,208	1,116	92	250	1,366	117	7	8	2	27	1
157	By hanging or strangulation	1,509	1,434	612	822	75	687	38	44	1	5	30	12
158	By drowning	623	592	295	297	31	326	31	28	2	1	7	8
159	By firearms	3,386	3,066	1,566	1,500	320	1,886	247	155	17	35	31	13
160	By cutting or piercing instruments	671	606	347	259	65	412	37	31	10	5	13	4
161	By jumping from high places	283	256	231	25	27	258	21	2	.....	.....	2	1
162	By crushing	104	99	47	52	5	52	6	9	.....	1	4	.....
163	Other suicides	112	106	28	78	6	34	2	8	.....	3	.....	.....
	Accidental or undefined (total)	60,071	55,303	28,091	27,212	4,768	32,859	1,374	1,591	168	488	892	351
164	Poisoning by food	720	676	255	421	44	299	19	17	3	7	5	6
165	Other acute poisonings	1,285	1,197	567	630	88	655	37	26	3	10	22	5
166	Conflagration	1,054	983	415	568	71	486	25	43	2	7	12	8
167	Burns (conflagration excepted)	5,726	5,220	2,853	2,367	506	3,359	77	71	11	23	108	26
168	Absorption of deleterious gases (conflagration excepted)	2,927	2,592	1,778	814	335	2,113	126	31	6	13	59	10
169	Accidental drowning	6,185	5,863	2,325	3,538	322	2,647	119	266	4	50	71	68
170	Traumatism by firearms	1,613	1,474	402	1,072	139	541	29	75	9	29	12	2
171	Traumatism by cutting or piercing instruments	117	104	46	58	13	59	2	3	.....	1	2	.....
172	Traumatism by fall	10,775	10,003	6,008	3,995	772	6,780	250	159	28	37	170	56
173	Traumatism in mines and quarries (total)	2,226	2,186	518	1,668	40	558	6	49	9	102	.....	.....
	Traumatism in mines	2,119	2,080	490	1,590	39	529	5	42	9	101	.....	.....
	Traumatism in quarries	107	106	28	78	1	29	1	7	.....	1	.....	.....
174	Traumatism by machines	1,624	1,488	856	632	136	992	45	38	2	8	24	5
175	Traumatism by other crushing (total)	17,991	16,606	8,884	7,722	1,385	10,269	541	593	66	142	323	133
	Railroad accidents and injuries	8,127	7,629	3,316	4,313	498	3,814	112	213	24	46	97	79
	Street-car accidents and injuries	1,775	1,581	1,184	397	194	1,378	84	16	3	4	37	9
	Automobile accidents and injuries	5,193	4,737	3,053	1,684	456	3,509	251	227	29	42	136	35
	Injuries by other vehicles	2,333	2,155	1,088	1,067	178	1,266	69	112	7	27	46	8
	Landslide, other crushing	563	504	243	261	59	302	25	25	3	23	7	2
176	Injuries by animals	589	565	176	389	24	200	9	23	5	7	9	1
177	Starvation	47	43	20	23	4	24	3	3	.....	.....	1	.....
178	Excessive cold	371	358	111	247	13	124	4	17	.....	4	3	6
179	Effects of heat	2,056	1,501	912	589	555	1,467	3	33	.....	1	5	3
180	Lightning	340	337	36	301	3	39	.....	2	.....	16	3	.....
181	Electricity (lightning excepted)	586	546	288	258	40	328	10	27	1	10	16	5
185	Fractures (cause not specified)	636	589	323	266	47	370	17	16	9	6	11	2
186	Other external violence	3,203	2,972	1,318	1,654	231	1,549	52	99	10	15	36	15
	Homicide (total)	5,050	4,237	2,441	1,796	813	3,254	188	165	25	48	28	9
182	By firearms	3,241	2,708	1,416	1,292	533	1,949	121	114	19	41	15	5
183	By cutting or piercing instruments	700	546	369	177	154	523	15	29	2	2	6	2
184	By other means	1,109	983	656	327	126	782	52	22	4	5	7	2
	XIV.—Ill-defined diseases	10,852	10,412	1,474	8,938	440	1,914	13	36	5	19	56	29
187	Ill-defined organic disease	572	550	27	523	22	49	.....	2	.....	.....	.....	1
188	Sudden death	667	655	96	559	12	108	.....	1	1	2	5	2
189	Not specified or ill-defined (total)	9,613	9,207	1,351	7,856	406	1,757	13	33	4	17	51	26
	Ill-defined	3,877	3,702	805	2,897	175	980	8	23	4	10	34	11
	Not specified or unknown	5,736	5,505	546	4,959	231	777	5	10	.....	7	17	15

[1] Includes District of Columbia.

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.					
									Cities.			Rural districts.		
		Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.
	All causes	6,494	3,955	2,539	14,284	23,946	4,811	15,152	6,956	5,078	1,878	23,117	19,723	3,394
	I.—General diseases	1,685	961	724	3,822	6,791	1,191	3,644	2,036	1,444	592	8,134	6,802	1,332
1	Typhoid fever	47	25	22	255	350	67	193	78	56	22	659	563	96
2	Typhus fever													
3	Relapsing fever													
4	Malaria	5	4	1	14	25	5	31	19	6	13	134	110	24
5	Smallpox					1		3				4	4	
6	Measles	8	5	3	76	129	19	138	35	31	4	154	148	6
7	Scarlet fever	6	5	1	34	69	21	41	3	3		53	51	2
8	Whooping cough	37	13	24	82	180	27	65	45	29	16	273	229	44
9	Diphtheria and croup	35	27	8	155	236	50	144	35	31	4	373	346	27
10	Influenza	88	58	30	194	774	137	582	168	121	47	818	733	85
11	Miliary fever													
12	Asiatic cholera													
13	Cholera nostras	1	1		1	6	2	8	1	1		26	25	1
14	Dysentery	7	3	4	43	116	14	95	34	28	6	267	246	21
15	Plague													
16	Yellow fever													
17	Leprosy													
18	Erysipelas	11	5	6	24	58	15	42	16	14	2	55	53	2
19	Other epidemic diseases	2	2		1	5	1	3	2	2		4	4	
20	Purulent infecton and septicemia	11	9	2	21	41	14	33	16	14	2	45	37	8
21	Glanders													
22	Anthrax													
23	Rabies						1		1	1		2	2	
24	Tetanus	8	3	5	23	31	7	28	15	8	7	36	27	9
25	Mycoses				1									
26	Pellagra	9	8	1	1	3	3	7	8	7	1	116	109	7
27	Beriberi													
	Tuberculosis (total)	752	320	432	1,454	2,379	311	685	904	568	336	3,722	2,911	811
28	Tuberculosis of the lungs	617	271	346	1,140	2,004	254	579	773	477	296	3,194	2,483	711
29	Acute miliary tuberculosis	65	14	51	64	46	22	13	23	12	11	68	44	24
30	Tuberculous meningitis	32	20	12	81	111	7	22	52	39	13	173	145	28
31	Abdominal tuberculosis	20	7	13	101	128	12	35	34	24	10	169	140	29
32	Pott's disease	6	2	4	15	25	2	6	3	2	1	21	18	3
33	White swellings	1		1	10	8	1		4	4		14	11	3
34	Tuberculosis of other organs	9	5	4	26	36	4	19	11	7	4	57	48	9
35	Disseminated tuberculosis	2	1	1	17	21	9	11	4	3	1	26	22	4
36	Rickets	10	1	9	10	7	1	7	3	2	1	11	9	2
37	Syphilis	69	31	38	130	126	19	48	65	36	29	108	54	54
38	Gonococcus infection	5	1	4	10	6	5	7	10	3	7	8	4	4
	Cancer and other malignant tumors (total)	392	297	95	867	1,533	314	946	372	320	52	842	769	73
39	Of the buccal cavity	17	12	5	23	56	14	36	11	9	2	29	28	1
40	Of the stomach, liver	137	105	32	332	671	110	415	129	109	20	289	267	22
41	Of the peritoneum, intestines, rectum	44	32	12	107	162	47	97	42	36	6	85	75	10
42	Of the female genital organs	74	53	21	164	199	50	102	81	67	14	146	128	18
43	Of the breast	42	31	11	85	122	22	54	37	33	4	91	81	10
44	Of the skin	5	5		28	106	16	55	7	7		54	54	
45	Of other organs or of organs not specified	73	59	14	128	217	55	187	65	59	6	148	136	12
46	Other tumors (tumors of the female genital organs excepted)	1		1	4	5	8	12	5	3	2	8	7	1
47	Acute articular rheumatism	16	12	4	59	74	8	57	32	20	12	79	63	16
48	Chronic rheumatism and gout	5	4	1	11	26	5	28	6	5	1	29	29	
49	Scurvy	2		2	1			1						
50	Diabetes	72	60	12	159	326	64	245	83	71	12	146	130	16
51	Exophthalmic goiter	8	6	2	19	48	5	19	8	7	1	8	6	2
52	Addison's disease	1	1		2	7	1	9	1	1		1	1	
53	Leukemia	6	6		20	35	7	27	5	5		23	22	1
54	Anemia, chlorosis	20	18	2	57	94	36	75	31	22	9	41	36	5
55	Other general diseases	17	10	7	20	13	10	33	9	8	1	32	29	3
56	Alcoholism (acute or chronic)	31	23	8	65	79	13	25	26	21	5	44	33	11
57	Chronic lead poisoning	1	1		5	1		2				3	3	
58	Other chronic occupation poisonings													
59	Other chronic poisonings	2	2		4	8	1	5				9	8	1
	II.—Diseases of the nervous system and of the organs of special sense	730	497	233	1,241	2,786	479	1,778	664	526	138	1,929	1,643	286
60	Encephalitis	2	1	1	11	15	6	13	8	6	2	25	23	2
61	Meningitis (total)	30	17	13	59	96	36	68	33	27	6	256	236	20
	Simple meningitis	19	12	7	26	37	19	40	19	16	3	117	104	13
	Cerebrospinal meningitis (undefined)	6	2	4	12	25	7	11	6	5	1	58	53	5
	Cerebrospinal fever	5	3	2	21	34	10	17	8	6	2	81	79	2
62	Locomotor ataxia	10	10		22	47	13	26	12	10	2	33	31	2
63	Other diseases of the spinal cord (total)	33	28	5	63	178	26	140	22	16	6	123	109	14
	Acute anterior poliomyelitis	6	5	1	15	39	3	22	2	1	1	48	44	4
	Other diseases of the spinal cord [1]	27	23	4	48	139	23	118	20	15	5	75	65	10
64	Cerebral hemorrhage, apoplexy	492	328	164	834	1,897	296	1,030	357	296	61	806	672	134
65	Softening of the brain	2	2		10	48	5	29	9	7	2	38	37	1
66	Paralysis without specified cause	18	12	6	26	89	30	174	61	39	22	288	243	45
67	General paralysis of the insane	66	43	23	90	153	14	80	78	57	21	86	64	22
68	Other forms of mental alienation	6	4	2	18	57	8	43	5	3	2	33	28	5
69	Epilepsy	17	11	6	48	98	15	60	26	22	4	87	70	17
70	Convulsions (nonpuerperal)							4				6	5	1
71	Convulsions of infants	15	9	6	12	10	7	33	15	9	6	63	49	14
72	Chorea				3	5		4				2	2	
73	Neuralgia and neuritis	5	3	2	3	16		14	7	6	1	9	9	
74	Other diseases of the nervous system	22	19	3	13	38	15	43	20	17	3	49	42	7
75	Diseases of the eyes and their annexa	2	2		3	1	1							
76	Diseases of the ears	10	8	2	26	38	7	17	11	11		25	23	2

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.					
									Cities.			Rural districts.		
		Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.
	III.—Diseases of the circulatory system	1,157	770	387	1,969	3,745	681	2,034	931	655	276	2,039	1,740	299
77	Pericarditis	6	2	4	12	21	6	12	11	4	7	30	26	4
78	Acute endocarditis	120	51	69	91	65	48	58	85	46	39	57	44	13
79	Organic diseases of the heart	839	589	250	1,496	2,801	483	1,535	648	442	206	1,570	1,329	241
80	Angina pectoris	30	25	5	68	231	31	100	30	26	4	89	83	6
81	Diseases of the arteries, atheroma, aneurism, etc.	127	84	43	260	530	77	255	140	123	17	239	211	28
82	Embolism and thrombosis	27	15	12	26	65	26	40	11	9	2	32	28	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5	2	3	7	15	3	10	2	2	.....	3	2	1
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	.....	1	6	10	2	8	2	1	1	4	4	.....
85	Hemorrhage; other diseases of the circulatory system	2	2	.....	3	7	5	16	2	2	.....	15	13	2
	IV.—Diseases of the respiratory system	739	368	371	1,518	2,329	479	1,439	784	518	266	2,446	2,105	341
86	Diseases of the nasal fossae	.....	.....	.....	1	2	1	5	.....	.....	.....	15	13	2
87	Diseases of the larynx	3	3	.....	10	28	5	17	6	6	.....	20	20	.....
88	Diseases of the thyroid body	3	3	.....	12	21	4	5	7	6	1	6	5	1
89	Acute bronchitis	42	13	29	60	100	15	60	38	17	21	108	83	25
90	Chronic bronchitis	27	22	5	74	138	29	99	57	36	21	129	101	28
91	Bronchopneumonia	215	94	121	485	672	126	320	179	131	48	622	557	65
92	Pneumonia (total)	383	197	186	806	1,257	252	815	425	269	156	1,409	1,215	194
	Lobar pneumonia	350	173	177	753	1,083	186	572	325	201	124	1,003	865	138
	Pneumonia (undefined)	33	24	9	53	174	66	243	100	68	32	406	350	56
93	Pleurisy	17	6	11	25	35	19	28	15	11	4	29	22	7
94	Pulmonary congestion, pulmonary apoplexy	23	19	4	7	10	4	21	24	16	8	25	23	2
95	Gangrene of the lung	4	2	2	1	4	4	3	2	2	.....	4	3	1
96	Asthma	7	3	4	30	43	14	45	20	14	6	52	41	11
97	Pulmonary emphysema	2	2	.....	1	8	2	2	2	2	.....	1	1	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	13	4	9	6	11	4	19	9	8	1	26	21	5
	V.—Diseases of the digestive system	531	319	212	1,993	2,390	600	1,634	755	575	180	2,276	2,022	254
99	Diseases of the mouth and annexa	2	2	.....	9	14	4	13	3	2	1	17	14	3
100	Diseases of the pharynx	11	9	2	27	47	8	40	4	3	1	43	39	4
101	Diseases of the esophagus	2	1	1	8	2	.....	3	3	3	.....	2	2	.....
102	Ulcer of the stomach	31	22	9	45	63	22	54	30	21	9	58	43	15
103	Other diseases of the stomach (cancer excepted)	46	26	20	110	267	46	159	70	41	29	252	222	30
104	Diarrhea and enteritis (under 2 years)	182	81	101	886	876	181	494	229	183	46	959	874	85
105	Diarrhea and enteritis (2 years and over)	57	30	27	159	320	69	248	87	66	21	350	317	33
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	7	.....
107	Intestinal parasites	.....	.....	.....	3	1	.....	.....	.....	.....	.....	5	5	.....
108	Appendicitis and typhlitis	43	31	12	216	136	71	135	75	56	19	112	104	8
109	Hernia, intestinal obstruction (total)	56	37	19	145	184	50	149	81	64	17	133	110	23
	Hernia	17	12	5	43	49	12	32	29	22	7	36	25	11
	Intestinal obstruction	39	25	14	102	135	38	117	52	42	10	97	85	12
110	Other diseases of the intestines	13	9	4	43	42	15	43	10	7	3	39	28	11
111	Acute yellow atrophy of the liver	1	.....	1	4	5	2	5	1	.....	1	7	7	.....
112	Hydatid tumor of the liver	.....	.....	.....	1	1	1	1	1	.....	1	.....	.....	.....
113	Cirrhosis of the liver	34	27	7	170	217	48	105	78	59	19	102	87	15
114	Biliary calculi	15	13	2	58	62	20	60	16	16	.....	51	44	7
115	Other diseases of the liver	26	22	4	78	98	39	76	34	31	3	71	62	9
116	Diseases of the spleen	.....	.....	.....	1	4	1	4	2	1	1	3	3	.....
117	Simple peritonitis (nonpuerperal)	6	4	2	27	39	18	39	25	17	8	57	47	10
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6	5	1	7	10	4	6	6	5	1	8	7	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	705	437	268	1,243	2,230	494	1,221	735	518	217	1,514	1,257	257
119	Acute nephritis	68	25	43	109	126	33	71	50	31	19	112	94	18
120	Bright's disease	544	357	187	889	1,856	345	935	584	421	163	1,224	1,023	201
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	19	16	3	29	43	22	35	10	9	1	35	32	3
123	Calculi of the urinary passages	3	2	1	16	15	6	10	5	5	.....	7	7	.....
124	Diseases of the bladder	6	3	3	13	43	15	43	7	5	2	33	23	10
125	Diseases of the urethra, urinary abscess, etc	5	1	4	4	1	3	1	2	1	1	.....	.....	.....
126	Diseases of the prostate	25	20	5	60	86	27	69	22	20	2	51	45	6
127	Nonvenereal diseases of the male genital organs	3	1	2	.....	2	.....	1	.....	.....	.....	1	1	.....
128	Uterine hemorrhage (nonpuerperal)	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	.....
129	Uterine tumor (noncancerous)	13	5	8	45	18	17	13	18	8	10	15	5	10
130	Other diseases of the uterus	5	2	3	19	3	13	17	12	6	6	16	13	3
131	Cysts and other tumors of the ovary	3	.....	3	18	18	2	7	7	6	1	5	2	3
132	Salpingitis and other diseases of the female genital organs	11	5	6	41	18	11	17	18	6	12	14	11	3
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	73	38	35	197	260	58	236	67	53	14	267	229	38
134	Accidents of pregnancy	5	3	2	14	13	2	27	4	3	1	39	35	4
135	Puerperal hemorrhage	5	2	3	12	21	3	19	4	4	.....	28	26	2
136	Other accidents of labor	6	4	2	16	16	4	20	5	3	2	24	16	8
137	Puerperal septicemia	29	13	16	107	124	33	108	33	28	5	112	92	20
138	Puerperal albuminuria and convulsions	24	14	10	36	76	13	53	20	14	6	58	54	4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4	2	2	10	10	3	7	1	1	.....	6	6	.....
140	Following childbirth (not otherwise defined)	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.					
									Cities.			Rural districts.		
		Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.
	VIII.—Diseases of the skin and of the cellular tissue	33	18	15	46	78	18	67	23	20	3	57	47	10
142	Gangrene	11	3	8	23	55	12	43	10	8	2	30	23	7
143	Furuncle	2	2		7	11	3	7	3	3		7	7	
144	Acute abscess	12	10	2	10	3	1	6	4	3	1	10	7	3
145	Other diseases of the skin and annexa	8	3	5	6	9	2	11	6	6		10	10	
	IX.—Diseases of the bones and of the organs of locomotion	16	10	6	39	34	15	30	10	10		29	27	2
146	Diseases of the bones (tuberculosis excepted)	15	9	6	35	30	14	23	9	9		24	22	2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1		3	3		4	1	1		3	3	
148	Amputations													
149	Other diseases of the organs of locomotion				1	1	1	3				2	2	
	X.—Malformations	35	27	8	195	357	32	202	35	33	2	198	183	15
150	Congenital malformations (stillbirths not included) (total)	35	27	8	195	357	32	202	35	33	2	198	183	15
	Hydrocephalus	2	1	1	15	15	3	27	2	1	1	24	20	4
	Congenital malformations of the heart	25	20	5	145	234	24	114	24	23	1	90	85	5
	Other congenital malformations	8	6	2	35	108	5	61	9	9		84	78	6
	XI.—Early infancy	315	189	126	685	1,138	242	979	307	250	57	1,437	1,282	155
151	Congenital debility, icterus, and sclerema (total)	242	137	105	528	907	197	803	275	223	52	1,249	1,113	136
	Premature birth	174	95	79	463	794	148	561	181	148	33	943	847	96
	Congenital debility, "atrophy," "marasmus," etc	68	42	26	65	113	49	242	94	75	19	306	266	40
152	Other causes peculiar to early infancy (total)	72	52	20	153	228	44	174	32	27	5	186	167	19
	Injuries at birth	39	32	7	87	121	20	90	21	19	2	84	79	5
	Other causes peculiar to early infancy [1]	33	20	13	66	107	24	84	11	8	3	102	88	14
153	Lack of care	1		1	4	3	1	2				2	2	
	XII.—Old age	96	58	38	57	170	113	449	80	69	11	382	330	52
154	Senility	96	58	38	57	170	113	449	80	69	11	382	330	52
	XIII.—External causes	372	261	111	1,269	1,628	366	1,184	495	381	114	1,383	1,162	221
	Suicide (total)	88	76	12	219	264	49	126	58	57	1	123	120	3
155	By poison	22	18	4	94	84	21	38	17	16	1	23	23	
156	By asphyxia	20	20		10	1	3							
157	By hanging or strangulation	9	7	2	19	50	5	23	4	4		18	18	
158	By drowning	2	1	1	14	16	1	3	5	5		9	9	
159	By firearms	27	23	4	64	90	19	51	26	26		63	61	2
160	By cutting or piercing instruments	5	4	1	10	16		5	4	4		2	2	
161	By jumping from high places	3	3		3	1		2				1	1	
162	By crushing				4	4						1		1
163	Other suicides				1	2		4	2	2		6	6	
	Accidental or undefined (total)	248	173	75	968	1,303	265	975	364	287	77	1,096	939	157
164	Poisoning by food	4	3	1	12	17	1	25	1	1		18	15	3
165	Other acute poisonings	1	1		16	25	5	37	12	11	1	34	29	5
166	Conflagration	3	2	1	8	15	8	8	3	2	1	17	13	4
167	Burns (conflagration excepted)	25	12	13	71	72	12	60	53	34	19	184	152	32
168	Absorption of deleterious gases (conflagration excepted)	26	20	6	36	32	11	36	12	8	4	38	36	2
169	Accidental drowning	26	14	12	53	130	16	92	32	21	11	83	67	16
170	Traumatism by firearms	6	5	1	20	49	23	65	15	8	7	97	80	17
171	Traumatism by cutting or piercing instruments					3		3				4	4	
172	Traumatism by fall	69	60	9	182	283	31	121	59	51	8	112	102	10
173	Traumatism in mines and quarries (total)	1	1		10	49	9	58				87	70	17
	Traumatism in mines	1	1		10	47	9	57				86	70	16
	Traumatism in quarries					2		1				1		1
174	Traumatism by machines	4	4		33	19	5	21	6	6		22	21	1
175	Traumatism by other crushing (total)	63	42	21	382	447	76	245	99	85	14	209	175	34
	Railroad accidents and injuries	9	6	3	207	248	35	121	48	41	7	140	113	27
	Street-car accidents and injuries	9	5	4	50	44	10	4	11	9	2	4	3	1
	Automobile accidents and injuries	37	27	10	83	86	25	67	23	20	3	18	16	2
	Injuries by other vehicles	7	4	3	38	51	3	46	11	9	2	41	37	4
	Landslide, other crushing	1		1	4	18	3	7	6	6		6	6	
176	Injuries by animals	4	2	2	8	24	4	28	3	3		18	17	1
177	Starvation								1	1		2	2	
178	Excessive cold	1		1	3	10	3	4				7	4	3
179	Effects of heat	5	2	3	56	45	10	27	18	13	5	5	5	
180	Lightning				2	19		20	3	3		17	16	1
181	Electricity (lightning excepted)				21	8	3	7	4	3	1	6	6	
185	Fractures (cause not specified)				1	1	25	47	19	19		39	36	3
186	Other external violence	10	5	5	54	55	23	71	24	18	6	97	89	8
	Homicide (total)	36	12	24	82	61	52	83	73	37	36	164	103	61
182	By firearms	17	7	10	50	45	36	62	46	24	22	133	82	51
183	By cutting or piercing instruments	7	1	6	15	2	6	10	16	6	10	15	10	5
184	By other means	12	4	8	17	14	10	11	11	7	4	16	11	5
	XIV.—Ill-defined diseases	7	2	5	10	10	43	255	34	26	8	1,026	894	132
187	Ill-defined organic disease				1		8	19	1		1	35	28	7
188	Sudden death						1	7				48	40	8
189	Not specified or ill-defined (total)	7	2	5	9	10	34	229	33	26	7	943	826	117
	Ill-defined	6	1	5	5	7	18	94	21	17	4	245	221	24
	Not specified or unknown	1	1		4	3	16	135	12	9	3	698	605	93

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No. Int.	CAUSE OF DEATH.	MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	All causes	3,238	8,909	11,688	8,861	2,827	10,824	7,729	3,095	43,898	12,464	21,162	24,851
	I.—General diseases	791	2,149	3,101	2,267	834	2,874	2,011	863	11,335	3,333	5,081	5,797
1	Typhoid fever	22	64	128	110	18	137	76	61	148	25	238	192
2	Typhus fever												
3	Relapsing fever												
4	Malaria		1	2	1	1	15	7	8	6	1	2	5
5	Smallpox											1	1
6	Measles	4	11	43	38	5	65	53	12	403	71	180	169
7	Scarlet fever		4	34	34		18	14	4	113	16	100	76
8	Whooping cough	46	79	70	46	24	103	41	62	296	103	115	115
9	Diphtheria and croup	16	42	72	66	6	98	90	8	545	78	336	163
10	Influenza	52	326	138	112	26	213	149	64	461	219	237	700
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	1	7				8	7	1	3	4	2	7
14	Dysentery	2	10	13	9	4	42	34	8	54	17	30	47
15	Plague												
16	Yellow fever		1										
17	Leprosy										4		
18	Erysipelas	7	14	22	18	4	15	14	1	169	25	102	73
19	Other epidemic diseases		1	1	1		2	1	1	11	2	1	6
20	Purulent infection and septicemia	20	5	14	13	1	14	11	3	67	14	42	48
21	Glanders												
22	Anthrax									5		1	1
23	Rabies						2	2				2	
24	Tetanus	5	2	11	9	2	15	7	8	30	3	12	20
25	Mycoses		1	1	1							2	
26	Pellagra	5	10	2	1	1	1	1		23	17	3	2
27	Beriberi									1			
	Tuberculosis (total)	264	633	1,403	884	519	1,323	830	493	4,159	1,326	1,610	1,503
28	Tuberculosis of the lungs	196	520	1,184	760	424	1,165	741	424	3,286	1,142	1,328	1,244
29	Acute miliary tuberculosis	12	13	68	34	34	50	28	22	128	42	46	25
30	Tuberculous meningitis	18	40	68	43	25	29	15	14	421	48	123	73
31	Abdominal tuberculosis	17	28	48	25	23	38	15	23	171	40	59	58
32	Pott's disease	6	8	11	8	3	15	13	2	38	23	14	25
33	White swellings		4	4	3	1	3	3		25	4	10	22
34	Tuberculosis of other organs	7	10	11	7	4	15	10	5	58	15	26	31
35	Disseminated tuberculosis	8	10	9	4	5	8	5	3	32	12	4	25
36	Rickets		2	7	4	3	7	2	5	36	5	8	23
37	Syphilis	21	18	162	73	89	56	17	39	200	52	159	111
38	Gonococcus infection	5	3	10	3	7	2	1	1	13	1	10	12
	Cancer and other malignant tumors (total)	216	658	688	603	85	507	456	51	3,096	965	1,125	1,577
39	Of the buccal cavity	4	28	32	29	3	23	19	4	99	38	21	76
40	Of the stomach, liver	77	237	242	218	24	208	189	19	1,052	328	429	650
41	Of the peritoneum, intestines, rectum	41	120	66	59	7	47	45	2	531	147	155	197
42	Of the female genital organs	35	88	119	95	24	70	56	14	478	136	208	204
43	Of the breast	22	63	84	70	14	63	58	5	336	119	78	135
44	Of the skin	5	26	18	18		23	23		61	35	34	70
45	Of other organs or of organs not specified	32	96	127	114	13	73	66	7	539	162	200	245
46	Other tumors (tumors of the female genital organs excepted)	2	6	5	5		3	3		16	2	20	16
47	Acute articular rheumatism	7	18	27	18	9	30	19	11	92	35	75	75
48	Chronic rheumatism and gout	1	13	4	4		9	9		33	6	20	39
49	Scurvy		1	1	1		1	1		3	1		7
50	Diabetes	45	107	129	117	12	91	80	11	649	208	224	311
51	Exophthalmic goiter	1	3	8	7	1	4	4		24	4	30	41
52	Addison's disease	2	3	1	1		5	4	1	16	3	6	9
53	Leukemia	5	15	24	24		13	11	2	66	10	28	42
54	Anemia, chlorosis	19	42	27	22	5	26	22	4	198	56	158	253
55	Other general diseases	8	13	8	5	3	8	7	1	108	17	49	59
56	Alcoholism (acute or chronic)	14	25	39	30	9	37	34	3	266	36	152	85
57	Chronic lead poisoning	1	8	4	4		3	3		13	7		3
58	Other chronic occupation poisonings									4			
59	Other chronic poisonings		3	3	3		1	1		8		1	6
	II.—Diseases of the nervous system and of the organs of special sense	349	1,098	1,080	862	218	1,215	952	263	4,290	1,651	1,979	3,147
60	Encephalitis	2	2	8	7	1	1	1		20	6	25	14
61	Meningitis (total)	19	46	49	41	8	44	30	14	250	48	157	117
	Simple meningitis	15	26	23	19	4	27	17	10	143	28	83	53
	Cerebrospinal meningitis (undefined)	1	8	9	6	3	11	8	3	28	8	31	27
	Cerebrospinal fever	3	12	17	16	1	6	5	1	79	12	43	37
62	Locomotor ataxia	4	30	13	13		8	5	3	68	27	22	64
63	Other diseases of the spinal cord (total)	17	66	95	72	23	83	69	14	569	147	109	244
	Acute anterior poliomyelitis	2	26	72	50	22	39	36	3	393	71	58	93
	Other diseases of the spinal cord[1]	15	40	23	22	1	44	33	11	176	76	51	151
64	Cerebral hemorrhage, apoplexy	209	778	719	573	146	671	546	125	2,646	1,083	1,024	1,863
65	Softening of the brain	4	7	3	3		10	8	2	17	15	16	37
66	Paralysis without specified cause	14	55	51	38	13	190	148	42	87	47	102	304
67	General paralysis of the insane	44	23	38	27	11	59	47	12	193	137	161	159
68	Other forms of mental alienation	5	12	2	2		17	16	1	27	10	43	38
69	Epilepsy	8	29	15	13	2	41	33	8	87	67	69	90
70	Convulsions (nonpuerperal)		2				4	1	3	2	1		2
71	Convulsions of infants	5	19	29	21	8	48	22	26	72	18	100	99
72	Chorea		3	2	2		2	1	1	2	1	4	1
73	Neuralgia and neuritis	4	3				3	3		14	2	5	22
74	Other diseases of the nervous system	8	19	42	36	6	17	10	7	148	28	103	62
75	Diseases of the eyes and their annexa											1	3
76	Diseases of the ears	6	4	14	14		17	12	5	88	14	38	28

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system.	479	1,618	1,617	1,258	359	1,228	942	286	7,591	2,646	2,828	4,132
77	Pericarditis	3	9	10	6	4	8	7	1	18	11	16	15
78	Acute endocarditis	21	27	68	53	15	35	30	5	337	76	156	88
79	Organic diseases of the heart	327	1,152	1,244	944	300	974	730	244	5,470	1,798	2,028	3,212
80	Angina pectoris	21	96	63	59	4	61	52	9	288	124	101	186
81	Diseases of the arteries, atheroma, aneurism, etc.	79	302	182	150	32	122	100	22	1,195	551	413	541
82	Embolism and thrombosis	23	23	33	32	1	20	17	3	146	72	71	64
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	2	6	5	1	4	3	1	32	6	14	8
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1	8	6	2	2	2	.....	49	5	22	7
85	Hemorrhage; other diseases of the circulatory system	2	6	3	3	.....	2	1	1	6	3	7	11
	IV.—Diseases of the respiratory system	380	933	1,669	1,151	518	1,288	871	417	6,124	1,505	2,534	2,165
86	Diseases of the nasal fossae	.....	2	.....	.....	.....	6	3	3	3	.....	.....	7
87	Diseases of the larynx	2	4	7	5	2	9	7	2	21	8	23	22
88	Diseases of the thyroid body	2	3	3	3	.....	1	1	.....	17	2	18	19
89	Acute bronchitis	24	80	91	55	36	104	63	41	401	102	178	217
90	Chronic bronchitis	11	61	53	44	9	71	54	17	215	92	110	172
91	Bronchopneumonia	130	244	638	418	220	421	273	148	1,950	458	856	540
92	Pneumonia (total)	195	493	824	577	247	583	404	179	3,247	778	1,151	1,002
	Lobar pneumonia	153	381	793	554	239	460	329	131	3,023	759	948	686
	Pneumonia (undefined)	42	112	31	23	8	123	75	48	224	19	203	316
93	Pleurisy	7	14	24	23	1	28	21	7	140	30	74	47
94	Pulmonary congestion, pulmonary apoplexy	5	15	12	11	1	26	18	8	42	11	45	51
95	Gangrene of the lung	1	1	1	1	.....	3	2	1	8	2	8	7
96	Asthma	1	10	12	12	.....	18	12	6	39	15	40	50
97	Pulmonary emphysema	1	1	1	.....	1	4	3	1	10	1	5	3
98	Other diseases of the respiratory system (tuberculosis excepted)	1	5	3	2	1	14	10	4	31	6	26	28
	V.—Diseases of the digestive system	368	740	1,217	943	274	1,163	821	342	4,339	772	2,804	2,616
99	Diseases of the mouth and annexa	2	3	6	5	1	14	3	11	15	3	15	14
100	Diseases of the pharynx	3	12	20	16	4	25	20	5	109	18	45	61
101	Diseases of the esophagus	.....	.....	2	2	.....	2	1	1	8	3	3	6
102	Ulcer of the stomach	4	19	20	16	4	18	16	2	132	29	61	84
103	Other diseases of the stomach (cancer excepted)	17	91	56	33	23	113	89	24	163	52	253	315
104	Diarrhea and enteritis (under 2 years)	155	311	635	480	155	661	445	216	2,152	352	1,160	934
105	Diarrhea and enteritis (2 years and over)	21	80	86	57	29	91	66	25	318	81	179	271
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	.....	1	.....	1	1	1	.....	3	1	5	4
108	Appendicitis and typhlitis	54	47	88	77	11	37	27	10	378	43	350	184
109	Hernia, intestinal obstruction (total)	44	60	96	81	15	61	43	18	344	53	239	224
	Hernia	15	20	50	41	9	21	14	7	153	26	63	68
	Intestinal obstruction	29	40	46	40	6	40	29	11	191	27	176	156
110	Other diseases of the intestines	12	17	17	12	5	15	10	5	78	19	50	44
111	Acute yellow atrophy of the liver	.....	2	3	1	2	5	4	1	6	5	8	5
112	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....
113	Cirrhosis of the liver	21	43	89	77	12	63	52	11	291	65	223	222
114	Biliary calculi	7	20	34	31	3	21	19	2	126	15	54	52
115	Other diseases of the liver	19	26	44	40	4	17	15	2	113	21	96	121
116	Diseases of the spleen	.....	.....	.....	.....	.....	2	1	1	6	.....	2	1
117	Simple peritonitis (nonpuerperal)	5	7	8	7	1	14	7	7	58	7	47	65
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	2	12	8	4	3	2	1	37	4	14	9
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	324	749	1,248	1,000	248	1,022	761	261	3,243	933	1,331	1,706
119	Acute nephritis	17	41	115	74	41	100	59	41	189	46	116	103
120	Bright's disease	246	615	1,001	822	179	868	663	205	2,586	786	933	1,356
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	9	16	23	22	1	13	8	5	81	18	46	37
123	Calculi of the urinary passages	2	2	3	2	1	2	.....	2	24	3	8	7
124	Diseases of the bladder	8	22	6	6	.....	2	2	.....	30	22	28	41
125	Diseases of the urethra, urinary abscess, etc	2	1	4	4	.....	3	2	1	11	3	4	1
126	Diseases of the prostate	8	27	31	27	4	13	12	1	108	26	75	97
127	Nonvenereal diseases of the male genital organs	1	2	.....	.....	.....	.....	.....	.....	4	.....	3	1
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	2	2	2	.....
129	Uterine tumor (noncancerous)	7	10	26	14	12	5	4	1	74	11	29	18
130	Other diseases of the uterus	11	7	14	12	2	8	8	.....	46	2	33	18
131	Cysts and other tumors of the ovary	.....	3	8	7	1	3	2	1	27	6	18	14
132	Salpingitis and other diseases of the female genital organs	11	3	17	10	7	5	1	4	59	8	35	13
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....
	VII.—The puerperal state	32	93	123	92	31	92	61	31	489	70	298	294
134	Accidents of pregnancy	5	5	12	12	.....	9	7	2	35	12	23	27
135	Puerperal hemorrhage	5	7	12	11	1	14	8	6	42	8	24	27
136	Other accidents of labor	3	14	5	4	1	11	8	3	53	11	21	40
137	Puerperal septicemia	9	22	61	44	17	31	21	10	209	19	162	107
138	Puerperal albuminuria and convulsions	10	38	30	19	11	24	14	10	124	14	57	80
139	Puerperal phlegmasia alba dolens, embolus, sudden death	.....	7	3	2	1	3	3	.....	26	6	10	12
140	Following childbirth (not otherwise defined)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	13	47	48	38	10	29	19	10	158	47	90	139
142	Gangrene	6	29	15	9	6	15	10	5	55	19	31	83
143	Furuncle	3	8	11	11		3	3		26	8	14	4
144	Acute abscess	2	4	16	13	3	3	2	1	35	7	21	27
145	Other diseases of the skin and annexa	2	6	6	5	1	8	4	4	42	13	24	25
	IX.—Diseases of the bones and of the organs of locomotion	6	15	34	32	2	11	8	3	101	18	60	52
146	Diseases of the bones (tuberculosis excepted)	5	11	28	27	1	7	5	2	81	12	56	38
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	4	6	5	1	2	2		19	5	3	10
148	Amputations												
149	Other diseases of the organs of locomotion						2	1	1	1	1	1	4
	X.—Malformations	28	73	122	84	38	106	76	30	622	145	291	354
150	Congenital malformations (stillbirths not included) (total)	28	73	122	84	38	106	76	30	622	145	291	354
	Hydrocephalus	4	11	6	6		10	3	7	48	16	25	34
	Congenital malformations of the heart	13	39	92	59	33	65	49	16	383	90	187	205
	Other congenital malformations	11	23	24	19	5	31	24	7	191	39	79	115
	XI.—Early infancy	149	473	649	502	147	680	475	205	2,493	493	1,537	1,554
151	Congenital debility, icterus, and sclerema (total)	115	392	516	394	122	583	404	179	1,836	354	1,230	1,248
	Premature birth	67	252	387	296	91	387	285	102	1,388	252	863	894
	Congenital debility, "atrophy," "marasmus," etc.	48	140	129	98	31	196	119	77	448	102	367	354
152	Other causes peculiar to early infancy (total)	33	78	130	106	24	93	68	25	652	137	303	299
	Injuries at birth	16	29	79	69	10	44	34	10	399	80	166	133
	Other causes peculiar to early infancy[1]	17	49	51	37	14	49	34	15	253	57	137	166
153	Lack of care	1	3	3	2	1	4	3	1	5	2	4	7
	XII.—Old age	45	285	83	66	17	157	107	50	139	118	524	850
154	Senility	45	285	83	66	17	157	107	50	139	118	524	850
	XIII.—External causes	203	500	673	551	122	684	514	170	2,767	683	1,720	1,816
	Suicide (total)	34	77	107	102	5	79	76	3	362	92	208	245
155	By poison	5	7	28	26	2	10	10		42	5	92	46
156	By asphyxia	5	2	15	14	1	1	1		105	7	22	5
157	By hanging or strangulation	8	13	17	17		15	15		50	18	26	72
158	By drowning	2	6	3	2	1	5	5		33	17	9	18
159	By firearms	10	40	29	29		40	37	3	86	33	40	72
160	By cutting or piercing instruments	3	8	7	7		3	3		28	6	13	18
161	By jumping from high places			4	4					13	1	4	
162	By crushing			1	1		1	1		4	4	1	2
163	Other suicides	1	1	3	2	1	4	4		1	1	1	12
	Accidental or undefined (total)	166	417	510	426	84	565	418	147	2,309	570	1,423	1,534
164	Poisoning by food	1	9				4	3	1	20	8	15	22
165	Other acute poisonings		12	6	6		14	11	3	39	12	28	36
166	Conflagration	7	14	3	3		11	8	3	22	11	27	35
167	Burns (conflagration excepted)	15	17	68	50	18	68	35	33	243	33	117	77
168	Absorption of deleterious gases (conflagration excepted)	4	7	19	16	3	18	8	10	231	13	59	54
169	Accidental drowning	25	99	63	45	18	89	60	29	192	124	121	253
170	Traumatism by firearms	5	21	11	10	1	32	19	13	21	5	30	45
171	Traumatism by cutting or piercing instruments		2	1	1					1	2	2	1
172	Traumatism by fall	39	88	133	118	15	80	70	10	598	118	208	230
173	Traumatism in mines and quarries (total)	1	3	1	1		33	32	1	2		14	106
	Traumatism in mines						31	31				14	106
	Traumatism in quarries	1	3	1	1		2	1	1	2			
174	Traumatism by machines	6	9	22	18	4	10	9	1	79	9	38	29
175	Traumatism by other crushing (total)	41	81	121	108	13	142	118	24	679	177	490	362
	Railroad accidents and injuries	19	41	46	42	4	70	59	11	207	85	179	171
	Street-car accidents and injuries	5	2	16	12	4	10	5	5	115	18	80	43
	Automobile accidents and injuries	11	24	43	41	2	33	29	4	248	56	180	75
	Injuries by other vehicles	6	11	13	10	3	24	21	3	93	16	41	62
	Landslide, other crushing		3	3	3		5	4	1	16	2	10	11
176	Injuries by animals	2	2	6	4	2	6	5	1	6	5	9	28
177	Starvation									2		2	2
178	Excessive cold	2	7	3	3		6	3	3	13	9	1	17
179	Effects of heat	2	3	15	9	6	11	9	2	24	4	147	77
180	Lightning		4				5	1	4	5	2	4	26
181	Electricity (lightning excepted)		1	5	5		2	2		24	11	21	15
185	Fractures (cause not specified)	8	5	3	3		3	2	1	17	3	29	14
186	Other external violence	8	33	30	26	4	31	23	8	91	24	61	105
	Homicide (total)	3	6	56	23	33	40	20	20	96	21	89	37
182	By firearms	2	2	29	11	18	24	9	15	41	9	59	23
183	By cutting or piercing instruments			12	2	10	3	1	2	13	5	15	2
184	By other means	1	4	15	10	5	13	10	3	42	7	15	12
	XIV.—Ill-defined diseases	71	136	24	15	9	275	111	164	207	50	85	229
187	Ill-defined organic disease		3				9	6	3	1		8	9
188	Sudden death	19	10	1	1		11	8	3	16	4	4	12
189	Not specified or ill-defined (total)	52	123	23	14	9	255	97	158	190	46	73	208
	Ill-defined	31	44	19	12	7	93	48	45	115	40	44	77
	Not specified or unknown	21	79	4	2	2	162	49	113	75	6	29	131

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	9,279	15,018	19,630	24,480	1,943	3,848	3,083	4,063	28,311	15,861	114,130	37,574
	I.—General diseases	2,716	4,297	5,485	7,862	501	891	745	953	6,833	3,969	30,146	8,645
1	Typhoid fever	48	76	188	467	27	26	11	11	136	71	447	164
2	Typhus fever				2							1	
3	Relapsing fever												
4	Malaria		1	26	348	1			1	5	5	20	13
5	Smallpox		1	4	7		2	1				1	2
6	Measles	116	172	202	331	12	24	36	11	280	106	853	168
7	Scarlet fever	30	91	140	42	3	16	1	5	55	19	179	29
8	Whooping cough	53	168	102	274	43	36	26	27	174	99	635	164
9	Diphtheria and croup	105	65	271	266	15	23	28	20	293	170	1,360	172
10	Influenza	83	332	291	903	9	49	49	106	373	312	1,008	969
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	2	2		14		2		3	3	4	6	15
14	Dysentery	11	16	39	258	3	4	5	5	23	27	92	53
15	Plague												
16	Yellow fever												
17	Leprosy		1									4	
18	Erysipelas	40	38	74	68	6	12	12	11	81	26	357	68
19	Other epidemic diseases	4	6	4	3		6			4	1	29	6
20	Purulent infection and septicemia	19	19	29	37	2	5	8	2	31	13	88	37
21	Glanders											3	
22	Anthrax				1							3	1
23	Rabies		1	2	1						1	1	1
24	Tetanus	10	22	31	36		1	3	1	32	26	59	22
25	Mycoses	1	2	2	2							11	2
26	Pellagra		2	11	30			8	3	3	1	22	6
27	Beriberi												
	Tuberculosis (total)	1,000	1,382	2,034	2,780	168	353	223	279	2,715	1,714	12,938	2,999
28	Tuberculosis of the lungs	795	1,132	1,768	2,441	138	303	169	245	2,208	1,563	10,976	2,603
29	Acute miliary tuberculosis	32	40	55	63	5	9	9	6	103	43	420	97
30	Tuberculous meningitis	74	89	94	96	15	14	31	11	243	55	961	130
31	Abdominal tuberculosis	47	51	59	111	4	14	10	4	76	18	263	64
32	Pott's disease	17	23	23	23		2	1	1	20	7	98	29
33	White swellings	8	8	6	10		2		1	15	4	62	13
34	Tuberculosis of other organs	17	24	28	28	5	6	2	5	31	13	123	40
35	Disseminated tuberculosis	10	15	1	8	1	3	1	6	19	11	35	23
36	Rickets	8	11	7	7		1		2	27	6	65	12
37	Syphilis	85	65	241	103	20	27	19	9	180	68	1,054	121
38	Gonococcus infection	10	5	24	5	3	2		1	25	3	70	10
	Cancer and other malignant tumors (total)	708	1,255	1,221	1,299	86	161	195	298	1,539	885	7,088	2,365
39	Of the buccal cavity	32	56	59	56	3	5	7	12	56	27	228	83
40	Of the stomach, liver	296	625	441	547	33	71	53	84	598	295	2,639	851
41	Of the peritoneum, intestines, rectum	87	142	144	128	10	11	27	55	241	135	1,097	326
42	Of the female genital organs	87	106	200	148	9	30	46	41	252	137	959	318
43	Of the breast	63	69	101	114	11	8	23	35	128	107	707	291
44	Of the skin	10	45	35	103	4	4	8	22	36	41	157	120
45	Of other organs or of organs not specified	133	212	241	203	16	32	31	49	228	143	1,301	376
46	Other tumors (tumors of the female genital organs excepted)	1	2	6	13		1	5	3	8	4	19	18
47	Acute articular rheumatism	34	56	59	71	9	19	9	10	132	53	407	114
48	Chronic rheumatism and gout	8	16	9	30	2	4	6	2	15	16	59	50
49	Scurvy	1	1		1					2	4	16	2
50	Diabetes	141	232	253	264	29	45	36	68	373	179	1,742	488
51	Exophthalmic goiter	22	48	20	26	1	4	2	2	21	7	104	60
52	Addison's disease	10	6	7	7	1	2		2	9	3	37	20
53	Leukemia	23	36	33	30	5	3	6	3	44	18	211	43
54	Anemia, chlorosis	65	105	43	76	6	10	24	36	74	41	308	250
55	Other general diseases	16	21	16	17	7	7	14	10	32	15	143	49
56	Alcoholism (acute or chronic)	58	39	77	32	42	44	16	18	130	64	672	139
57	Chronic lead poisoning	1	1	6	5		1	2	4	11	6	12	2
58	Other chronic occupation poisonings									1		2	1
59	Other chronic poisonings	3	1	13	6	1	1			2	2	20	10
	II.—Diseases of the nervous system and of the organs of special sense	710	1,535	1,530	2,189	126	306	322	543	2,974	2,339	10,884	5,526
60	Encephalitis	6	8	7	13		1	1	3	14	6	31	18
61	Meningitis (total)	54	88	89	156	16	20	19	15	175	65	485	135
	Simple meningitis	26	39	29	52	4	8	8	8	85	27	200	85
	Cerebrospinal meningitis (undefined)	16	21	11	39	1	3	4	2	22	15	110	21
	Cerebrospinal fever	12	28	49	65	11	9	7	5	68	23	175	29
62	Locomotor ataxia	27	18	30	34	4	3	2	10	43	43	178	95
63	Other diseases of the spinal cord (total)	69	140	64	197	15	32	30	24	759	594	3,094	838
	Acute anterior poliomyelitis	33	73	4	44	8	16	15	10	688	521	2,749	620
	Other diseases of the spinal cord [1]	36	67	60	153	7	16	15	14	71	73	345	218
64	Cerebral hemorrhage, apoplexy	405	879	935	1,252	63	147	210	394	1,596	1,215	5,434	3,315
65	Softening of the brain	12	7	10	27	3		3	7	13	16	37	77
66	Paralysis without specified cause	25	59	61	188	6	12	8	18	68	66	228	205
67	General paralysis of the insane	15	65	191	81	4	34	21	15	85	143	460	463
68	Other forms of mental alienation	3	41	16	28	2	13	6	15	15	45	98	78
69	Epilepsy	20	75	37	102	1	16	8	13	43	64	171	131
70	Convulsions (nonpuerperal)		2		1		2			3	3	1	1
71	Convulsions of infants	16	68	14	37	3	12	4	12	43	26	141	41
72	Chorea		3	1	4					2	1	7	4
73	Neuralgia and neuritis	4	4	10	7	1	1	2	1	10	4	54	24
74	Other diseases of the nervous system	34	55	36	37	3	6	6	11	58	36	261	79
75	Diseases of the eyes and their annexa						4			2		3	
76	Diseases of the ears	20	23	29	25	5	3	2	5	45	12	201	2

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	III.—Diseases of the circulatory system	1,259	1,910	2,555	2,612	223	395	517	846	3,935	2,397	17,586	7,701
77	Pericarditis	8	7	15	32	1	1	3	3	16	12	53	32
78	Acute endocarditis	84	67	103	64	29	17	25	18	285	111	1,121	173
79	Organic diseases of the heart	912	1,503	1,784	1,907	157	312	347	561	3,083	1,830	13,930	5,871
80	Angina pectoris	35	75	68	125	8	18	25	42	145	117	434	291
81	Diseases of the arteries, atheroma, aneurism, etc	167	188	527	403	19	32	82	192	296	259	1,602	1,130
82	Embolism and thrombosis	36	43	44	51	6	10	31	25	72	56	290	167
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	11	14	6	10	2	2	1	3	22	4	90	11
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	7	4	7	1	2	3	1	13	5	55	16
85	Hemorrhage; other diseases of the circulatory system	1	6	4	13	.....	1	.....	1	3	3	11	10
	IV.—Diseases of the respiratory system	957	1,459	2,453	2,924	244	392	331	437	4,208	1,982	15,762	3,795
86	Diseases of the nasal fossae	.....	7	4	3	.....	5	.....	.....	4	1	13	2
87	Diseases of the larynx	4	7	10	31	4	2	5	3	15	15	45	24
88	Diseases of the thyroid body	11	23	14	7	.....	.....	1	.....	12	3	31	9
89	Acute bronchitis	29	68	132	148	7	11	27	31	262	105	1,026	226
90	Chronic bronchitis	48	107	128	163	9	11	17	27	124	79	404	230
91	Bronchopneumonia	294	409	661	685	56	99	96	116	1,259	528	5,106	1,159
92	Pneumonia (total)	517	737	1,380	1,728	147	234	167	243	2,345	1,149	8,455	1,910
	Lobar pneumonia	488	650	1,353	1,641	139	167	124	182	2,113	996	7,893	1,623
	Pneumonia (undefined)	29	87	27	87	8	67	43	61	232	153	562	287
93	Pleurisy	23	39	69	43	5	5	13	3	99	25	365	80
94	Pulmonary congestion, pulmonary apoplexy	8	14	8	24	4	2	1	6	28	33	98	52
95	Gangrene of the lung	4	3	1	5	.....	1	2	2	13	4	23	13
96	Asthma	12	30	29	54	4	11	.....	6	33	20	117	51
97	Pulmonary emphysema	1	7	3	6	1	.....	.....	.....	6	7	23	7
98	Other diseases of the respiratory system (tuberculosis excepted)	6	8	14	27	7	11	2	.....	8	13	56	32
	V.—Diseases of the digestive system	944	1,350	2,095	2,465	228	352	407	275	3,051	1,310	10,937	2,792
99	Diseases of the mouth and annexa	7	17	8	19	.....	2	3	3	16	8	58	25
100	Diseases of the pharynx	27	29	37	37	9	13	4	7	56	14	202	52
101	Diseases of the esophagus	2	.....	2	1	1	.....	.....	1	5	3	15	8
102	Ulcer of the stomach	33	64	80	68	15	18	13	17	79	40	425	104
103	Other diseases of the stomach (cancer excepted)	28	80	95	223	9	18	33	34	123	90	276	278
104	Diarrhea and enteritis (under 2 years)	258	378	683	967	62	120	189	79	1,500	667	5,046	839
105	Diarrhea and enteritis (2 years and over)	81	114	164	362	11	31	25	31	265	154	735	381
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
107	Intestinal parasites	.....	1	.....	1	.....	1	.....	.....	1	.....	7	3
108	Appendicitis and typhlitis	206	234	306	180	50	55	30	16	251	47	1,096	147
109	Hernia, intestinal obstruction (total)	100	147	212	170	18	35	28	21	193	69	953	273
	Hernia	42	62	75	38	8	9	10	11	106	26	494	100
	Intestinal obstruction	58	85	137	132	10	26	18	10	87	43	459	173
110	Other diseases of the intestines	23	47	47	56	5	4	8	7	58	19	168	56
111	Acute yellow atrophy of the liver	1	7	6	10	1	.....	2	1	9	3	26	18
112	Hydatid tumor of the liver	1	.....	1	.....	.....	.....	.....	.....	2	.....	2	1
113	Cirrhosis of the liver	68	82	257	154	25	28	35	29	313	140	1,231	379
114	Biliary calculi	52	48	71	68	5	4	3	10	73	18	245	50
115	Other diseases of the liver	42	77	81	98	8	11	21	9	70	19	297	112
116	Diseases of the spleen	.....	1	1	4	.....	.....	.....	5	4	1	9	7
117	Simple peritonitis (nonpuerperal)	7	22	32	39	7	8	8	4	18	12	77	47
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8	2	12	8	2	4	5	1	15	6	68	12
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	905	1,211	2,362	2,005	153	266	227	348	2,745	1,467	11,540	3,443
119	Acute nephritis	44	41	179	153	16	22	28	25	214	94	605	206
120	Bright's disease	680	974	1,865	1,595	112	209	166	288	2,274	1,282	9,802	2,901
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
122	Other diseases of the kidneys and annexa	26	41	48	31	5	7	6	3	33	15	201	49
123	Calculi of the urinary passages	8	7	19	10	.....	3	3	1	10	4	74	13
124	Diseases of the bladder	15	23	15	61	1	3	1	11	30	26	63	65
125	Diseases of the urethra, urinary abscess, etc	2	2	8	1	.....	1	.....	.....	10	3	49	1
126	Diseases of the prostate	58	73	62	94	3	10	11	11	49	24	291	112
127	Nonvenereal diseases of the male genital organs	4	2	1	1	.....	.....	1	.....	4	2	13	3
128	Uterine hemorrhage (nonpuerperal)	.....	1	.....	1	.....	.....	1	.....	1	.....	5	2
129	Uterine tumor (noncancerous)	22	19	45	14	3	2	5	4	42	6	171	37
130	Other diseases of the uterus	9	6	30	16	3	3	3	5	11	2	55	22
131	Cysts and other tumors of the ovary	7	8	16	13	2	2	.....	.....	18	7	80	16
132	Salpingitis and other diseases of the female genital organs	30	13	74	12	8	4	2	.....	45	2	123	15
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	1	.....	1	.....	.....	.....	.....	4	.....	7	1
	VII.—The puerperal state	111	192	187	329	26	82	36	34	319	95	1,053	257
134	Accidents of pregnancy	5	19	24	46	3	7	.....	2	25	4	77	28
135	Puerperal hemorrhage	9	19	8	28	1	8	2	4	40	9	117	28
136	Other accidents of labor	2	22	9	24	.....	8	3	4	23	8	109	27
137	Puerperal septicemia	60	59	106	135	16	33	15	6	147	38	452	74
138	Puerperal albuminuria and convulsions	29	59	37	88	5	20	11	16	70	30	249	84
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	14	3	8	1	6	5	1	12	6	46	16
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VIII.—Diseases of the skin and of the cellular tissue	35	55	42	89	9	9	7	14	86	36	291	140
142	Gangrene	7	25	15	51	4	6	5	9	29	13	73	87
143	Furuncle	7	9	11	12	2	.....	1	1	9	7	61	5
144	Acute abscess	11	11	13	12	2	2	.....	1	31	5	101	20
145	Other diseases of the skin and annexa	10	10	3	14	1	1	1	3	17	11	56	28
	IX.—Diseases of the bones and of the organs of locomotion	24	27	38	30	3	7	11	6	64	26	314	45
146	Diseases of the bones (tuberculosis excepted)	22	23	30	22	3	6	9	5	60	20	286	28
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	3	5	3	.....	1	1	1	2	4	25	8
148	Amputations	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	1	2	5	.....	.....	1	.....	2	2	3	9
	X.—Malformations	131	219	170	243	25	72	25	47	364	184	1,209	378
150	Congenital malformations (stillbirths not included) (total)	131	219	170	243	25	72	25	47	364	184	1,209	378
	Hydrocephalus	11	25	21	20	3	1	1	7	26	14	124	39
	Congenital malformations of the heart	64	103	96	132	15	42	12	30	213	119	649	226
	Other congenital malformations	56	91	53	91	7	29	12	10	125	51	436	113
	XI.—Early infancy	592	997	769	1,222	107	271	243	199	1,525	685	6,285	1,611
151	Congenital debility, icterus, and sclerema (total)	479	811	607	1,010	92	219	200	173	1,153	539	4,664	1,247
	Premature birth	410	646	526	840	73	159	135	122	906	401	3,516	958
	Congenital debility, "atrophy," "marasmus," etc.	69	165	81	170	19	60	65	51	247	138	1,148	289
152	Other causes peculiar to early infancy (total)	112	180	158	207	15	48	43	25	362	135	1,604	354
	Injuries at birth	63	105	79	115	10	25	14	10	230	77	944	239
	Other causes peculiar to early infancy [1]	49	75	79	92	5	23	29	15	132	58	660	115
153	Lack of care	1	6	4	5	.....	4	.....	1	10	11	17	10
	XII.—Old age	49	294	56	326	13	73	46	129	91	142	418	471
154	Senility	49	294	56	326	13	73	46	129	91	142	418	471
	XIII.—External causes	834	1,237	1,839	1,553	252	642	154	211	2,078	1,185	7,621	2,677
	Suicide (total)	132	150	354	213	37	76	23	36	292	124	1,161	379
155	By poison	18	24	125	58	13	20	4	6	51	10	157	81
156	By asphyxia	28	1	30	1	.....	1	5	.....	109	24	433	15
157	By hanging or strangulation	17	41	21	32	2	10	2	5	29	21	126	118
158	By drowning	9	12	5	12	2	4	2	1	13	18	47	31
159	By firearms	42	58	141	91	16	32	6	17	62	37	176	87
160	By cutting or piercing instruments	15	9	18	11	4	8	3	6	14	12	84	31
161	By jumping from high places	2	1	10	1	.....	.....	.....	.....	10	2	123	4
162	By crushing	1	2	2	2	.....	.....	.....	1	2	.....	11	5
163	Other suicides	.....	2	2	5	.....	1	1	.....	2	.....	4	7
	Accidental or undefined (total)	655	1,059	1,254	1,234	177	518	127	173	1,712	1,020	6,070	2,245
164	Poisoning by food	12	18	10	28	9	8	1	1	19	13	39	24
165	Other acute poisonings	17	31	36	35	5	10	4	.....	35	16	90	43
166	Conflagration	8	25	23	24	4	7	1	5	17	25	100	46
167	Burns (conflagration excepted)	36	56	101	104	9	28	14	7	224	79	661	112
168	Absorption of deleterious gases (conflagration excepted)	68	22	39	32	3	12	8	5	146	51	528	76
169	Accidental drowning	54	220	40	136	6	65	20	29	168	171	678	419
170	Traumatism by firearms	14	51	27	70	9	18	2	10	11	17	34	59
171	Traumatism by cutting or piercing instruments	.....	4	6	5	1	1	1	.....	2	1	14	6
172	Traumatism by fall	127	126	254	212	22	35	29	30	380	159	1,589	424
173	Traumatism in mines and quarries (total)	2	37	40	27	25	71	.....	.....	2	9	6	18
	Traumatism in mines	2	35	40	26	25	70	.....	.....	2	7	3	15
	Traumatism in quarries	.....	2	.....	1	.....	1	.....	.....	.....	2	3	3
174	Traumatism by machines	20	28	25	28	7	14	2	5	51	23	138	38
175	Traumatism by other crushing (total)	228	282	404	291	57	178	26	51	513	345	1,643	718
	Railroad accidents and injuries	92	146	157	159	31	98	14	12	233	202	402	429
	Street-car accidents and injuries	28	3	58	3	6	2	.....	2	51	18	252	33
	Automobile accidents and injuries	74	69	128	59	9	33	9	21	162	83	679	157
	Injuries by other vehicles	29	54	54	63	10	38	2	15	56	39	269	88
	Landslide, other crushing	5	10	7	7	1	7	1	1	11	3	41	11
176	Injuries by animals	5	34	9	29	2	12	2	4	6	10	33	17
177	Starvation	.....	1	1	1	1	.....	.....	.....	1	.....	2	3
178	Excessive cold	4	18	12	6	1	23	1	.....	7	11	18	18
179	Effects of heat	18	29	140	41	2	.....	3	2	34	17	87	33
180	Lightning	1	14	4	34	.....	10	.....	2	1	3	6	13
181	Electricity (lightning excepted)	8	4	14	9	2	4	.....	4	15	9	50	23
185	Fractures (cause not specified)	3	2	22	9	.....	2	5	2	11	1	89	45
186	Other external violence	30	57	47	113	12	20	8	16	69	60	265	110
	Homicide (total)	47	28	231	106	38	48	4	2	74	41	390	53
182	By firearms	29	21	162	68	28	38	1	1	37	23	168	27
183	By cutting or piercing instruments	5	1	29	18	2	2	1	.....	14	4	69	9
184	By other means	13	6	40	20	8	8	2	1	23	14	153	17
	XIV.—Ill-defined diseases	12	235	49	631	33	90	12	21	38	44	84	93
187	Ill-defined organic disease	.....	2	.....	6	.....	.....	.....	1	.....	1	1	3
188	Sudden death	2	22	1	40	3	7	.....	1	1	1	7	10
189	Not specified or ill-defined (total)	10	211	48	585	30	83	12	19	37	42	76	80
	Ill-defined	6	62	12	105	10	30	10	12	29	27	46	48
	Not specified or unknown	4	149	36	480	20	53	2	7	8	15	30	32

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	All causes	3,549	1,784	1,765	27,840	16,972	10,868	39,267	35,015	65,366	59,211	7,914	1,587
	I.—General diseases	1,143	557	586	8,143	4,627	3,516	10,513	9,379	16,256	14,502	2,172	419
1	Typhoid fever	71	35	36	631	337	294	371	395	558	599	35	7
2	Typhus fever				1	1							
3	Relapsing fever												
4	Malaria	18	2	16	319	150	169	8	14	7	7	1	3
5	Smallpox				13	5	8		5			1	
6	Measles	30	15	15	141	99	42	490	326	668	871	119	25
7	Scarlet fever	11	9	2	51	49	2	109	104	110	125	25	6
8	Whooping cough	18	8	10	384	169	215	328	355	478	558	31	16
9	Diphtheria and croup	20	13	7	390	317	73	377	247	854	796	127	15
10	Influenza	44	24	20	590	369	221	565	1,066	1,054	1,517	124	39
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	4	1	3	23	18	5	8	8	25	35	1	
14	Dysentery	34	10	24	423	264	159	59	144	69	147	23	6
15	Plague												
16	Yellow fever												
17	Leprosy												
18	Erysipelas	4	2	2	38	34	4	103	92	197	133	33	6
19	Other epidemic diseases	1		1	5	4	1	1	6	14	21	4	
20	Purulent infection and septicemia	5	3	2	39	20	19	91	52	57	55	8	1
21	Glanders									1			
22	Anthrax				2	1	1			5	2		
23	Rabies				1	1		1	3	4			
24	Tetanus	17	4	13	52	19	33	52	30	78	59	4	1
25	Mycoses							2					
26	Pellagra	97	44	53	388	219	169	4	1	2	2	8	
27	Beriberi												
	Tuberculosis (total)	522	244	278	3,055	1,462	1,593	3,866	2,962	6,136	4,952	893	131
28	Tuberculosis of the lungs	438	218	220	2,691	1,264	1,427	3,219	2,496	4,943	4,221	733	113
29	Acute miliary tuberculosis	23	4	19	89	31	58	116	68	260	149	30	2
30	Tuberculous meningitis	18	8	10	70	54	16	220	142	456	219	75	8
31	Abdominal tuberculosis	30	8	22	122	62	60	144	124	242	209	19	4
32	Pott's disease	2		2	25	15	10	37	30	74	47	6	1
33	White swellings	1	1		14	9	5	20	17	37	20	5	
34	Tuberculosis of other organs	8	5	3	39	25	14	70	58	85	53	10	1
35	Disseminated tuberculosis	2		2	5	2	3	40	27	39	34	15	2
36	Rickets	2	1	1	19	8	11	23	16	38	31	8	2
37	Syphilis	46	14	32	188	52	136	356	129	467	203	42	5
38	Gonococcus infection	1		1	14	3	11	42	19	42	10		
	Cancer and other malignant tumors (total)	135	87	48	948	706	242	2,405	2,291	3,638	2,888	458	111
39	Of the buccal cavity	1		1	35	34	1	83	81	140	90	17	6
40	Of the stomach, liver	59	42	17	289	224	65	886	943	1,341	1,265	173	39
41	Of the peritoneum, intestines, rectum	9	6	3	68	55	13	330	241	509	339	75	14
42	Of the female genital organs	33	20	13	233	137	96	448	301	578	376	65	16
43	Of the breast	11	4	7	94	66	28	204	223	351	299	45	12
44	Of the skin	9	9		72	63	9	61	128	92	110	10	4
45	Of other organs or of organs not specified	13	6	7	157	127	30	393	374	627	409	73	20
46	Other tumors (tumors of the female genital organs excepted)				13	9	4	12	5	9	12	5	
47	Acute articular rheumatism	10	6	4	93	51	42	130	108	225	213	20	3
48	Chronic rheumatism and gout	1		1	37	32	5	24	39	51	60	4	1
49	Scurvy				2	1	1		2	8	2	2	1
50	Diabetes	22	15	7	138	112	26	518	493	707	612	98	21
51	Exophthalmic goiter	2	2		7	5	2	80	75	69	33	5	2
52	Addison's disease	1	1		2	2		15	15	14	14	2	
53	Leukemia	4	2	2	25	20	5	38	35	86	62	5	
54	Anemia, chlorosis	6	3	3	32	27	5	124	178	188	165	29	5
55	Other general diseases	11	10	1	44	33	11	58	42	83	87	10	3
56	Alcoholism (acute or chronic)	4	1	3	28	22	6	234	105	288	214	44	8
57	Chronic lead poisoning				1	1		9	10	14	9	2	
58	Other chronic occupation poisonings							2		1	1		
59	Other chronic poisonings	2	1	1	6	5	1	8	7	11	7	1	1
	II.—Diseases of the nervous system and of the organs of special sense	300	176	124	2,485	1,697	788	3,526	4,465	5,223	6,392	777	187
60	Encephalitis	1		1	25	16	9	12	10	30	29	4	3
61	Meningitis (total)	25	15	10	210	149	61	199	152	267	235	43	6
	Simple meningitis	14	8	6	107	80	27	113	86	170	150	16	5
	Cerebrospinal meningitis (undefined)	9	6	3	45	31	14	43	40	31	38	7	
	Cerebrospinal fever	2	1	1	58	38	20	43	26	66	47	20	1
62	Locomotor ataxia	2		2	16	14	2	69	83	102	105	17	1
63	Other diseases of the spinal cord (total)	17	5	12	110	80	30	196	253	601	510	53	23
	Acute anterior poliomyelitis	3	2	1	46	34	12	68	62	385	283	29	14
	Other diseases of the spinal cord [1]	14	3	11	64	46	18	128	191	216	227	24	9
64	Cerebral hemorrhage, apoplexy	162	93	69	1,277	889	388	2,319	3,032	3,138	3,957	490	133
65	Softening of the brain	7	4	3	38	33	5	21	69	40	69	1	2
66	Paralysis without specified cause	30	18	12	368	243	125	70	200	184	273	21	8
67	General paralysis of the insane	16	13	3	37	27	10	253	192	234	382	56	
68	Other forms of mental alienation	8	6	2	42	29	13	64	88	42	82	15	
69	Epilepsy	7	4	3	122	78	44	68	165	119	233	29	2
70	Convulsions (nonpuerperal)	1	1		13	9	4	4	1	9	6	2	
71	Convulsions of infants	5	1	4	131	53	78	65	60	189	269	17	5
72	Chorea				4	2	2	4	5	6	7		1
73	Neuralgia and neuritis				11	8	3	19	21	19	27	1	
74	Other diseases of the nervous system	9	8	1	55	50	5	93	92	142	142	14	3
75	Diseases of the eyes and their annexa	1	1		2	1	1	5	2	6		1	
76	Diseases of the ears	9	7	2	24	16	8	65	40	95	66	13	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	III.—Diseases of the circulatory system	301	153	148	2,276	1,481	795	5,260	5,805	8,612	7,501	1,159	239
77	Pericarditis	1	1	.....	19	9	10	29	32	39	41	6	.....
78	Acute endocarditis	10	6	4	50	32	18	309	91	658	286	69	6
79	Organic diseases of the heart	233	105	128	1,980	1,286	694	3,910	4,461	6,601	5,758	870	169
80	Angina pectoris	19	19	.....	60	54	6	185	287	274	338	40	17
81	Diseases of the arteries, atheroma, aneurism, etc.	30	17	13	123	77	46	690	797	777	886	136	43
82	Embolism and thrombosis	7	4	3	22	14	8	82	91	173	137	27	3
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	.....	.....	.....	3	1	2	32	23	37	17	9	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	.....	.....	.....	7	4	3	14	9	40	20	2	1
85	Hemorrhage; other diseases of the circulatory system	1	1	.....	12	4	8	9	14	13	18	.....	.....
	IV.—Diseases of the respiratory system	378	130	248	2,684	1,559	1,125	4,875	3,574	9,641	7,487	1,005	180
86	Diseases of the nasal fossae	2	1	1	44	11	33	1	2	7	5	2	.....
87	Diseases of the larynx	5	3	2	26	21	5	22	26	46	79	7	2
88	Diseases of the thyroid body	3	1	2	11	7	4	23	20	39	18	3	.....
89	Acute bronchitis	18	2	16	158	90	68	276	153	528	419	76	13
90	Chronic bronchitis	15	6	9	81	55	26	183	149	318	258	43	8
91	Bronchopneumonia	95	40	55	755	458	297	1,529	1,107	3,126	2,682	247	65
92	Pneumonia (total)	211	64	147	1,456	826	630	2,604	1,875	4,977	3,509	580	85
	Lobar pneumonia	189	58	131	1,115	650	465	2,521	1,753	4,501	2,905	452	59
	Pneumonia (undefined)	22	6	16	341	176	165	83	122	476	604	128	26
93	Pleurisy	9	3	6	44	28	16	111	70	249	126	26	4
94	Pulmonary congestion, pulmonary apoplexy	6	6	.....	33	26	7	30	56	115	103	14	2
95	Gangrene of the lung	.....	.....	.....	5	3	2	7	12	28	7	1	.....
96	Asthma	6	3	3	44	22	22	65	69	138	160	3	1
97	Pulmonary emphysema	2	.....	2	2	1	1	6	8	11	12	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	6	1	5	25	11	14	18	27	59	109	3	.....
	V.—Diseases of the digestive system	477	261	216	3,183	2,169	1,014	4,574	3,083	8,191	7,552	761	156
99	Diseases of the mouth and annexa	1	.....	1	60	23	37	34	25	32	44	4	1
100	Diseases of the pharynx	9	5	4	55	34	21	54	65	93	89	16	3
101	Diseases of the esophagus	2	2	.....	3	2	1	4	5	6	10	.....	.....
102	Ulcer of the stomach	6	1	5	44	35	9	165	131	206	110	23	5
103	Other diseases of the stomach (cancer excepted)	40	14	26	321	216	105	207	317	444	593	47	16
104	Diarrhea and enteritis (under 2 years)	222	105	117	1,649	1,124	525	2,104	1,108	4,319	4,345	351	77
105	Diarrhea and enteritis (2 years and over)	53	37	16	421	294	127	301	360	531	674	62	16
106	Ankylostomiasis	.....	.....	.....	6	6	.....	1	.....	.....	.....	.....	.....
107	Intestinal parasites	1	.....	1	22	10	12	2	5	3	9	.....	.....
108	Appendicitis and typhlitis	46	31	15	137	110	27	484	191	622	245	74	5
109	Hernia, intestinal obstruction (total)	37	24	13	157	102	55	352	224	608	384	54	9
	Hernia	6	5	1	37	21	16	122	76	223	116	22	3
	Intestinal obstruction	31	19	12	120	81	39	230	148	385	268	32	6
110	Other diseases of the intestines	11	9	2	48	32	16	68	59	101	88	13	4
111	Acute yellow atrophy of the liver	.....	.....	.....	10	7	3	11	13	18	22	6	.....
112	Hydatid tumor of the liver	1	1	.....	.....	.....	.....	.....	.....	2	.....	2	.....
113	Cirrhosis of the liver	20	14	6	97	72	25	464	294	646	484	60	14
114	Biliary calculi	8	7	1	32	26	6	125	98	162	110	15	2
115	Other diseases of the liver	8	6	2	74	55	19	136	127	245	225	20	2
116	Diseases of the spleen	.....	.....	.....	3	2	1	2	4	15	14	1	.....
117	Simple peritonitis (nonpuerperal)	10	4	6	39	16	23	47	49	95	91	8	2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	1	1	5	3	2	13	8	43	15	5	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	320	173	147	1,698	1,122	576	2,965	2,816	6,157	4,051	755	128
119	Acute nephritis	33	6	27	145	89	56	257	208	480	313	40	7
120	Bright's disease	242	149	93	1,325	898	427	2,232	2,271	5,016	3,324	644	111
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	4	4	.....	67	43	24	63	50	88	56	9	1
123	Calculi of the urinary passages	1	1	.....	10	5	5	25	13	24	11	2	.....
124	Diseases of the bladder	3	2	1	23	13	10	36	60	52	80	9	1
125	Diseases of the urethra, urinary abscess, etc	2	.....	2	5	2	3	12	2	36	7	2	.....
126	Diseases of the prostate	4	2	2	47	32	15	83	145	159	139	14	5
127	Nonvenereal diseases of the male genital organs	1	.....	1	1	1	.....	5	2	6	2	1	.....
128	Uterine hemorrhage (nonpuerperal)	1	1	.....	6	5	1	.....	.....	4	1	1	.....
129	Uterine tumor (noncancerous)	9	1	8	16	6	10	67	20	103	35	11	1
130	Other diseases of the uterus	8	3	5	29	17	12	29	9	45	22	4	.....
131	Cysts and other tumors of the ovary	2	2	.....	8	3	5	49	15	48	28	5	2
132	Salpingitis and other diseases of the female genital organs	10	2	8	14	6	8	101	20	92	30	13	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	2	2	.....	6	1	4	3	.....	.....
	VII.—The puerperal state	69	36	33	524	312	212	479	341	870	655	75	10
134	Accidents of pregnancy	9	3	6	39	22	17	48	21	74	40	6	1
135	Puerperal hemorrhage	5	3	2	51	33	18	39	33	79	83	10	.....
136	Other accidents of labor	9	5	4	87	44	43	35	37	94	66	10	2
137	Puerperal septicemia	19	7	12	132	76	56	237	156	382	269	19	2
138	Puerperal albuminuria and convulsions	25	16	9	203	131	72	103	78	220	166	24	5
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	2	.....	10	5	5	14	14	19	28	6	.....
140	Following childbirth (not otherwise defined)	.....	.....	.....	2	1	1	3	1	2	3	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	NORTH CAROLINA.						OHIO.		PENNSYLVANIA.		RHODE ISLAND.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.						
	VIII.—Diseases of the skin and of the cellular tissue	13	6	7	89	47	42	107	143	229	268	32	7
142	Gangrene	6	2	4	28	14	14	48	87	88	153	7	5
143	Furuncle	.....	.....	.....	12	8	4	18	10	41	26	6	1
144	Acute abscess	3	2	1	26	13	13	19	18	58	39	11	1
145	Other diseases of the skin and annexa	4	2	2	23	12	11	22	28	42	50	8	.....
	IX.—Diseases of the bones and of the organs of locomotion	14	9	5	27	19	8	81	37	184	84	23	4
146	Diseases of the bones (tuberculosis excepted)	11	8	3	23	17	6	73	29	161	72	20	2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1	1	1	.....	1	5	8	20	6	2	2
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	1	3	2	1	3	.....	3	6	1	.....
	X.—Malformations	37	23	14	260	222	38	495	434	851	947	80	13
150	Congenital malformations (stillbirths not included) (total)	37	23	14	260	222	38	495	434	851	947	80	13
	Hydrocephalus	.....	.....	.....	25	19	6	33	33	55	48	9	2
	Congenital malformations of the heart	26	15	11	106	97	9	285	262	562	658	37	7
	Other congenital malformations	11	8	3	129	106	23	177	139	234	241	34	4
	XI.—Early infancy	214	111	103	1,794	1,276	518	2,211	1,484	3,499	3,701	511	87
151	Congenital debility, icterus, and sclerema (total)	180	96	84	1,554	1,113	441	1,704	1,168	2,730	2,989	380	67
	Premature birth	125	70	55	1,118	825	293	1,359	843	2,108	2,156	215	37
	Congenital debility, "atrophy," "marasmus," etc	55	26	29	436	288	148	345	325	622	833	165	30
152	Other causes peculiar to early infancy (total)	32	14	18	224	157	67	501	311	757	694	130	20
	Injuries at birth	12	8	4	98	68	30	310	187	380	364	95	13
	Other causes peculiar to early infancy [1]	20	6	14	126	89	37	191	124	377	330	35	7
153	Lack of care	2	1	1	16	6	10	6	5	12	18	1	.....
	XII.—Old age	12	10	2	621	334	287	227	579	328	634	74	41
154	Senility	12	10	2	621	334	287	227	579	328	634	74	41
	XIII.—External causes	199	108	91	1,452	869	583	3,701	2,636	5,198	4,997	454	113
	Suicide (total)	14	13	1	68	56	12	452	307	566	445	68	16
155	By poison	3	2	1	9	9	.....	109	51	102	53	5	.....
156	By asphyxia	.....	.....	.....	.....	.....	.....	9	1	123	15	24	.....
157	By hanging or strangulation	1	1	.....	7	5	2	69	87	76	101	10	6
158	By drowning	.....	.....	.....	8	5	3	50	29	30	37	6	6
159	By firearms	9	9	.....	40	33	7	169	102	185	197	16	4
160	By cutting or piercing instruments	1	1	.....	2	2	.....	31	17	32	29	2	.....
161	By jumping from high places	.....	.....	.....	1	1	.....	5	4	14	1	4	.....
162	By crushing	.....	.....	.....	.....	.....	.....	6	11	2	6	1	.....
163	Other suicides	.....	.....	.....	1	1	.....	4	5	2	6	.....	.....
	Accidental or undefined (total)	155	83	72	1,211	748	463	2,919	2,231	4,300	4,352	370	91
164	Poisoning by food	7	4	3	33	21	12	25	27	26	49	4	.....
165	Other acute poisonings	4	1	3	37	24	13	85	34	83	85	8	2
166	Conflagration	1	1	.....	23	9	14	48	32	50	59	5	.....
167	Burns (conflagration excepted)	22	13	9	270	146	124	237	149	568	364	49	13
168	Absorption of deleterious gases (conflagration excepted)	1	.....	1	57	32	25	119	60	163	98	32	3
169	Accidental drowning	12	6	6	143	91	52	165	197	230	334	40	14
170	Traumatism by firearms	16	9	7	96	46	50	30	61	35	94	1	1
171	Traumatism by cutting or piercing instruments	.....	.....	.....	.....	.....	.....	6	6	5	4	1	.....
172	Traumatism by fall	17	12	5	128	104	24	561	426	904	642	84	11
173	Traumatism in mines and quarries (total)	.....	.....	.....	5	5	.....	21	94	353	763	.....	.....
	Traumatism in mines	.....	.....	.....	5	5	.....	18	89	342	733	.....	.....
	Traumatism in quarries	.....	.....	.....	.....	.....	.....	3	5	11	30	.....	.....
174	Traumatism by machines	4	3	1	36	25	11	117	58	140	117	15	1
175	Traumatism by other crushing (total)	42	26	16	194	132	62	1,117	817	1,364	1,337	104	33
	Railroad accidents and injuries	23	12	11	107	70	37	533	543	618	873	25	11
	Street-car accidents and injuries	1	.....	1	.....	.....	.....	134	62	161	82	17	4
	Automobile accidents and injuries	15	12	3	39	27	12	319	119	397	261	41	12
	Injuries by other vehicles	2	2	.....	35	26	9	94	81	161	101	15	6
	Landslide, other crushing	1	.....	1	13	9	4	37	12	27	20	6	.....
176	Injuries by animals	2	1	1	12	9	3	12	29	19	39	1	2
177	Starvation	.....	.....	.....	5	4	1	2	.....	3	2	.....	.....
178	Excessive cold	2	.....	2	6	1	5	7	17	17	22	1	3
179	Effects of heat	.....	.....	.....	5	1	4	139	59	88	73	7	1
180	Lightning	.....	.....	.....	17	12	5	3	17	2	28	.....	.....
181	Electricity (lightning excepted)	3	2	1	13	12	1	39	27	30	40	6	.....
185	Fractures (cause not specified)	.....	.....	.....	15	12	3	38	26	12	8	1	.....
186	Other external violence	22	5	17	116	62	54	148	95	208	194	11	7
	Homicide (total)	30	12	18	173	65	108	330	98	332	200	16	6
182	By firearms	21	7	14	137	52	85	203	64	184	135	6	6
183	By cutting or piercing instruments	1	1	.....	15	7	8	55	10	61	18	.....	.....
184	By other means	8	4	4	21	6	15	72	24	87	47	10	.....
	XIV.—Ill-defined diseases	72	31	41	2,604	1,238	1,366	253	239	127	440	36	3
187	Ill-defined organic disease	1	.....	1	118	58	60	2	8	2	29	.....	.....
188	Sudden death	5	1	4	185	103	82	16	25	3	45	7	.....
189	Not specified or ill-defined (total)	66	30	36	2,301	1,077	1,224	235	206	122	366	29	3
	Ill-defined	21	9	12	519	331	188	87	85	87	238	24	3
	Not specified or unknown	45	21	24	1,782	746	1,036	148	121	35	128	5	.....

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	SOUTH CAROLINA.						UTAH.		VERMONT.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored				
	All causes	3,332	1,224	2,108	19,170	7,023	12,147	1,685	2,826	846	4,841
	I.—General diseases	1,066	350	716	5,991	1,978	4,013	397	574	232	1,225
1	Typhoid fever	56	19	37	499	193	306	16	29	4	19
2	Typhus fever										
3	Relapsing fever										
4	Malaria	26	7	19	608	116	492		1		
5	Smallpox				4		4				1
6	Measles	7	4	3	68	33	35	18	19	13	11
7	Scarlet fever	1	1		38	29	9	9	16	2	11
8	Whooping cough	50	4	46	229	71	158	2	30	18	27
9	Diphtheria and croup	11	10	1	127	79	48	20	43	3	21
10	Influenza	49	18	31	384	159	225	22	44	25	254
11	Miliary fever										
12	Asiatic cholera										
13	Cholera nostras				12	7	5				1
14	Dysentery	31	15	16	520	222	298	2	5	1	
15	Plague										
16	Yellow fever										
17	Leprosy				1		1				
18	Erysipelas	4	4		18	14	4	7	17	1	11
19	Other epidemic diseases	1	1		3	2	1				2
20	Purulent infection and septicemia	2	2		41	16	25	3	3	1	7
21	Glanders										
22	Anthrax										
23	Rabies	1	1		3	1	2				
24	Tetanus	16	6	10	32	4	28	2		1	1
25	Mycoses										
26	Pellagra	257	86	171	472	185	287				2
27	Beriberi								1		
	Tuberculosis (total)	355	86	269	2,017	429	1,588	81	133	84	308
28	Tuberculosis of the lungs	286	73	213	1,848	384	1,464	55	112	71	253
29	Acute miliary tuberculosis	40	3	37	45	9	36	3	4	1	4
30	Tuberculous meningitis	15	8	7	24	9	15	8	5	9	19
31	Abdominal tuberculosis	12	2	10	61	20	41	7	5	2	14
32	Pott's disease				6	3	3	4	6	1	3
33	White swellings				5		5	1			2
34	Tuberculosis of other organs				23	3	20	3	1		6
35	Disseminated tuberculosis	2		2	5	1	4				7
36	Rickets	5		5	13	1	12				2
37	Syphilis	53	13	40	173	14	159	9	11	3	15
38	Gonococcus infection	4	1	3	8		8	1			1
	Cancer and other malignant tumors (total)	88	44	44	474	270	204	117	129	52	366
39	Of the buccal cavity	3	2	1	13	8	5	6	5	1	7
40	Of the stomach, liver	23	11	12	124	77	47	54	55	16	137
41	Of the peritoneum, intestines, rectum	6	5	1	36	22	14	19	15	9	49
42	Of the female genital organs	26	12	14	161	70	91	15	10	13	57
43	Of the breast	10	6	4	43	22	21	4	14	6	39
44	Of the skin	3	2	1	31	25	6	3	3		14
45	Of other organs or of organs not specified	17	6	11	66	46	20	16	27	7	63
46	Other tumors (tumors of the female genital organs excepted)				11	5	6	1			2
47	Acute articular rheumatism	7	4	3	65	23	42	13	11		15
48	Chronic rheumatism and gout				13	3	10	2	4	2	9
49	Scurvy				2	1	1				1
50	Diabetes	15	11	4	59	43	16	28	40	14	84
51	Exophthalmic goiter	3	2	1	4	3	1	8	5	2	12
52	Addison's disease				2	2			2	1	15
53	Leukemia	5	3	2	10	7	3	6	1		3
54	Anemia, chlorosis	2	1	1	24	14	10	11	10	3	2
55	Other general diseases	7	2	5	38	22	16	6	7		2
56	Alcoholism (acute or chronic)	9	4	5	11	4	7	10	12	2	8
57	Chronic lead poisoning	1	1		3	1	2	2			1
58	Other chronic occupation poisonings										
59	Other chronic poisonings				5	5		1	1		2
	II.—Diseases of the nervous system and of the organs of special sense	306	131	175	1,425	640	785	129	195	62	616
60	Encephalitis	1	1		10	4	6	2			8
61	Meningitis (total)	3	2	1	59	35	24	15	9	4	32
	Simple meningitis	2	1	1	37	23	14	7	4	4	21
	Cerebrospinal meningitis (undefined)				8	4	4	1	1		2
	Cerebrospinal fever	1	1		14	8	6	7	4		9
62	Locomotor ataxia	1		1	4	3	1	1	1	1	13
63	Other diseases of the spinal cord (total)	12	5	7	79	48	31	7	14	3	36
	Acute anterior poliomyelitis	3	1	2	27	14	13		3		12
	Other diseases of the spinal cord [1]	9	4	5	52	34	18	7	11	3	24
64	Cerebral hemorrhage, apoplexy	201	85	116	649	344	305	83	117	46	430
65	Softening of the brain	2		2	8	6	2		1		6
66	Paralysis without specified cause	25	13	12	317	123	194		8	1	18
67	General paralysis of the insane	20	6	14	17	9	8	1	8		15
68	Other forms of mental alienation	8	3	5	10	2	8	2	5	1	13
69	Epilepsy	21	9	12	41	16	25	2	10		25
70	Convulsions (nonpuerperal)	1	1		13		13		1		
71	Convulsions of infants	3	1	2	184	39	145	3	8	1	5
72	Chorea				1		1		1		
73	Neuralgia and neuritis				4	1	3			1	
74	Other diseases of the nervous system	5	4	1	18	5	13	7	6	2	9
75	Diseases of the eyes and their annexa	1		1	1		1	1			
76	Diseases of the ears	2	1	1	10	5	5	5	6	2	6

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	SOUTH CAROLINA.						UTAH.		VERMONT.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.				
	III.—Diseases of the circulatory system	389	167	222	1,366	599	767	202	340	126	1,011
77	Pericarditis	1	1		19	7	12	1	5		5
78	Acute endocarditis	20	10	10	53	22	31	16	17	7	22
79	Organic diseases of the heart	236	94	142	1,137	479	658	154	267	88	710
80	Angina pectoris	13	11	2	37	27	10	14	11	8	74
81	Diseases of the arteries, atheroma, aneurism, etc.	112	49	63	72	39	33	10	30	19	177
82	Embolism and thrombosis	6	1	5	16	10	6	5	7	4	21
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)				5	1	4	1	1		1
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1		7	6	1				1
85	Hemorrhage; other diseases of the circulatory system				20	8	12	1	2		
	IV.—Diseases of the respiratory system	237	76	161	1,806	674	1,132	203	355	89	489
86	Diseases of the nasal fossae				75	8	67			1	1
87	Diseases of the larynx	1		1	8	4	4	2	3	1	4
88	Diseases of the thyroid body	1	1		3	1	2	3		1	
89	Acute bronchitis	14	4	10	64	34	30	10	18	15	42
90	Chronic bronchitis	3	3		32	15	17	7	16	2	37
91	Bronchopneumonia	51	13	38	283	134	149	64	111	30	129
92	Pneumonia (total)	153	49	104	1,220	430	790	108	194	36	251
	Lobar pneumonia	131	39	92	481	223	258	104	172	27	197
	Pneumonia (undefined)	22	10	12	739	207	532	4	22	9	54
93	Pleurisy	5	2	3	30	12	18	4	2	1	9
94	Pulmonary congestion, pulmonary apoplexy	1	1		25	16	9	1	1		7
95	Gangrene of the lung	1		1							1
96	Asthma	2	1	1	37	13	24	2	5	2	7
97	Pulmonary emphysema										
98	Other diseases of the respiratory system (tuberculosis excepted)	5	2	3	29	7	22	2	5		1
	V.—Diseases of the digestive system	347	132	215	2,029	875	1,154	173	277	84	365
99	Diseases of the mouth and annexa	4	1	3	46	7	39	2	3		
100	Diseases of the pharynx	3	1	2	32	11	21	9	9	2	8
101	Diseases of the esophagus	1		1	2		2	1	2		
102	Ulcer of the stomach	3	1	2	32	12	20	18	17	5	15
103	Other diseases of the stomach (cancer excepted)	18	6	12	341	113	228	5	22	3	22
104	Diarrhea and enteritis (under 2 years)	166	54	112	1,002	479	523	29	84	27	122
105	Diarrhea and enteritis (2 years and over)	47	13	34	217	103	114	15	32	5	46
106	Ankylostomiasis				4	2	2				
107	Intestinal parasites	1		1	17	2	15				2
108	Appendicitis and typhlitis	29	19	10	91	37	54	40	43	12	40
109	Hernia, intestinal obstruction (total)	23	11	12	94	42	52	12	23	10	45
	Hernia	8	4	4	30	12	18	5	3	6	12
	Intestinal obstruction	15	7	8	64	30	34	7	20	4	33
110	Other diseases of the intestines	7	1	6	21	9	12	5	6	1	4
111	Acute yellow atrophy of the liver	1	1		4	3	1	1	1		2
112	Hydatid tumor of the liver							1	1		
113	Cirrhosis of the liver	11	6	5	39	15	24	13	17	2	18
114	Biliary calculi	6	4	2	15	8	7	10	4	11	16
115	Other diseases of the liver	21	12	9	41	20	21	9	8	3	12
116	Diseases of the spleen				5		5				
117	Simple peritonitis (nonpuerperal)	5	1	4	24	11	13	2	2	2	12
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1	1		2	1	1	1	3	1	1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	436	152	284	1,363	532	831	173	195	77	402
119	Acute nephritis	51	13	38	104	29	75	11	10	4	24
120	Bright's disease	343	121	222	1,070	457	613	128	157	58	331
121	Chyluria				1		1				1
122	Other diseases of the kidneys and annexa	11	4	7	80	26	54	6	4	3	6
123	Calculi of the urinary passages	4	2	2	2	1	1	2			
124	Diseases of the bladder	1		1	27	5	22	1	7	1	11
125	Diseases of the urethra, urinary abscess, etc	2		2	5	1	4				
126	Diseases of the prostate	6	2	4	26	8	18	13	9	4	13
127	Nonvenereal diseases of the male genital organs										
128	Uterine hemorrhage (nonpuerperal)				3	1	2				
129	Uterine tumor (noncancerous)	5	2	3	7		7	3	2		7
130	Other diseases of the uterus	7	3	4	22	1	21	1	3	1	1
131	Cysts and other tumors of the ovary				4	1	3	2		3	3
132	Salpingitis and other diseases of the female genital organs	6	5	1	11	2	9	6	3	2	5
133	Nonpuerperal diseases of the breast (cancer excepted)				1		1			1	
	VII.—The puerperal state	51	17	34	448	166	282	26	40	9	52
134	Accidents of pregnancy	5	2	3	29	10	19	4	4	1	12
135	Puerperal hemorrhage	5	3	2	35	13	22	8	6	1	8
136	Other accidents of labor	5	1	4	114	31	83	2	3	2	2
137	Puerperal septicemia	16	1	15	123	37	86	5	13		5
138	Puerperal albuminuria and convulsions	18	8	10	137	69	68	5	13	5	24
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2	2		10	6	4	2	1		1
140	Following childbirth (not otherwise defined)										
141	Puerperal diseases of the breast										

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	SOUTH CAROLINA.						UTAH.		VERMONT.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.				
	VIII.—Diseases of the skin and of the cellular tissue	7	3	4	53	19	34	4	7	4	14
142	Gangrene	2	1	1	18	6	12		2	2	11
143	Furuncle	1	1		2		2		1	1	1
144	Acute abscess	3	1	2	12	2	10	1	1		
145	Other diseases of the skin and annexa	1		1	21	11	10	3	3	1	2
	IX.—Diseases of the bones and of the organs of locomotion	2	1	1	22	9	13	9	6	3	5
146	Diseases of the bones (tuberculosis excepted)	2	1	1	20	8	12	8	3	2	4
147	Diseases of the joints (tuberculosis and rheumatism excepted)				1		1	1		1	1
148	Amputations										
149	Other diseases of the organs of locomotion				1	1			3		
	X.—Malformations	13	8	5	117	70	47	28	67	16	57
150	Congenital malformations (stillbirths not included) (total)	13	8	5	117	70	47	28	67	16	57
	Hydrocephalus	2	1	1	31	5	26	1	6		8
	Congenital malformations of the heart	8	5	3	37	31	6	17	38	12	24
	Other congenital malformations	3	2	1	49	34	15	10	23	4	25
	XI.—Early infancy	282	109	173	1,998	706	1,292	108	302	61	221
151	Congenital debility, icterus, and sclerema (total)	246	93	153	1,838	626	1,212	85	249	50	178
	Premature birth	137	74	63	1,260	453	807	73	221	31	142
	Congenital debility, "atrophy," "marasmus," etc	109	19	90	578	173	405	12	28	19	36
152	Other causes peculiar to early infancy (total)	36	16	20	153	79	74	23	51	10	41
	Injuries at birth	12	6	6	69	39	30	10	26	5	16
	Other causes peculiar to early infancy [1]	24	10	14	84	40	44	13	25	5	25
153	Lack of care				7	1	6		2	1	2
	XII.—Old age	8	6	2	470	142	328	10	77	12	115
154	Senility	8	6	2	470	142	328	10	77	12	115
	XIII.—External causes	156	66	90	1,040	379	661	149	313	69	266
	Suicide (total)	9	7	2	54	40	14	29	27	12	49
155	By poison	1	1		13	13		8	6	3	7
156	By asphyxia				1	1					3
157	By hanging or strangulation	1	1		1		1	1	2		13
158	By drowning	1	1		3		3	1			1
159	By firearms	6	4	2	33	25	8	15	14	8	21
160	By cutting or piercing instruments				3	1	2		4		3
161	By jumping from high places							3		1	
162	By crushing							1			1
163	Other suicides								1		
	Accidental or undefined (total)	110	51	59	807	302	505	106	270	55	210
164	Poisoning by food				24	15	9	3	4		5
165	Other acute poisonings	3		3	39	11	28	2	12	1	3
166	Conflagration				25	4	21	4	1	1	7
167	Burns (conflagration excepted)	18	8	10	233	68	165	4	18	4	12
168	Absorption of deleterious gases (conflagration excepted)	9	2	7	41	16	25	5	7	5	9
169	Accidental drowning	10	6	4	82	22	60	4	25	5	33
170	Traumatism by firearms	8	3	5	56	22	34	2	4	1	3
171	Traumatism by cutting or piercing instruments							1			1
172	Traumatism by fall	12	10	2	77	45	32	20	32	12	60
173	Traumatism in mines and quarries (total)							7	37	5	10
	Traumatism in mines							6	36		3
	Traumatism in quarries							1	1	5	7
174	Traumatism by machines	4	1	3	23	12	11	3	9	4	2
175	Traumatism by other crushing (total)	35	19	16	109	50	59	43	82	16	46
	Railroad accidents and injuries	16	6	10	65	23	42	14	43	7	18
	Street-car accidents and injuries	2	1	1	4	3	1	6	3	2	2
	Automobile accidents and injuries	11	9	2	16	12	4	13	18	4	11
	Injuries by other vehicles	5	3	2	18	9	9	8	13	1	13
	Landslide, other crushing	1		1	6	3	3	2	5	2	2
176	Injuries by animals				6	4	2	2	7	1	7
177	Starvation	1	1		1	1			1		
178	Excessive cold				2	1	1		8		3
179	Effects of heat				5	1	4		1		1
180	Lightning	1		1	15	5	10		1		
181	Electricity (lightning excepted)	2	1	1	3	2	1		3		2
185	Fractures (cause not specified)	1		1	3	3			1		
186	Other external violence	6		6	63	20	43	6	17		6
	Homicide (total)	37	8	29	179	37	142	14	16	2	7
182	By firearms	26	7	19	143	27	116	6	11	2	6
183	By cutting or piercing instruments	3	1	2	8	3	5		3		
184	By other means	8		8	28	7	21	8	2		1
	XIV.—Ill-defined diseases	32	6	26	1,042	234	808	74	78	2	3
187	Ill-defined organic disease				173	34	139		6		
188	Sudden death	1	1		32	12	20	1	5		
189	Not specified or ill-defined (total)	31	5	26	837	188	649	73	67	2	3
	Ill-defined	25	4	21	669	145	524	71	49	1	1
	Not specified or unknown	6	1	5	168	43	125	2	18	1	2

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.				
	All causes	8,591	4,470	4,121	23,553	13,934	9,619	5,385	6,420	11,125	18,166
	I.—General diseases	2,299	1,240	1,059	7,107	4,075	3,032	1,577	1,708	3,013	4,698
1	Typhoid fever	122	67	55	428	249	179	30	49	108	91
2	Typhus fever										
3	Relapsing fever										
4	Malaria	40	9	31	105	47	58		1		1
5	Smallpox				1	1			1		2
6	Measles	99	56	43	308	193	115	39	46	168	126
7	Scarlet fever	8	7	1	21	20	1	2	11	70	56
8	Whooping cough	108	38	70	332	169	163	36	40	67	109
9	Diphtheria and croup	24	22	2	292	234	58	17	20	123	106
10	Influenza	140	71	69	590	384	206	93	126	178	570
11	Miliary fever										
12	Asiatic cholera										
13	Cholera nostras	3	1	2	14	7	7		1	3	3
14	Dysentery	58	32	26	260	170	90	5	12	15	29
15	Plague										
16	Yellow fever										
17	Leprosy										
18	Erysipelas	13	12	1	45	37	8	13	9	35	65
19	Other epidemic diseases	2	1	1	5	4	1		1	4	4
20	Purulent infection and septicemia	25	16	9	24	14	10	11	9	15	25
21	Glanders										
22	Anthrax								1		
23	Rabies				2	2		2			
24	Tetanus	16	5	11	34	16	18			11	18
25	Mycoses	1	1								5
26	Pellagra	74	50	24	174	87	87			1	
27	Beriberi								1		
	Tuberculosis (total)	917	395	522	2,965	1,423	1,542	510	738	870	1,458
28	Tuberculosis of the lungs	744	313	431	2,574	1,220	1,354	352	638	688	1,245
29	Acute miliary tuberculosis	41	16	25	77	28	49	21	10	22	28
30	Tuberculous meningitis	51	26	25	107	69	38	55	30	91	61
31	Abdominal tuberculosis	55	23	32	124	62	62	39	29	34	52
32	Pott's disease	6	2	4	20	9	11	18	4	10	13
33	White swellings	3	1	2	18	9	9	7	3	5	11
34	Tuberculosis of other organs	7	6	1	36	22	14	13	12	14	23
35	Disseminated tuberculosis	10	8	2	9	4	5	5	12	6	15
36	Rickets	8	1	7	13	2	11		1	19	9
37	Syphilis	113	54	59	176	43	133	54	30	43	61
38	Gonococcus infection	8	3	5	10	4	6		1	5	1
	Cancer and other malignant tumors (total)	344	271	73	905	684	221	549	403	844	1,265
39	Of the buccal cavity	15	10	5	30	27	3	23	23	24	36
40	Of the stomach, liver	112	95	17	318	244	74	219	178	359	656
41	Of the peritoneum, intestines, rectum	35	32	3	83	63	20	81	49	131	160
42	Of the female genital organs	84	56	28	168	102	66	79	37	115	101
43	Of the breast	36	30	6	104	77	27	37	32	71	87
44	Of the skin	9	8	1	62	58	4	10	17	16	40
45	Of other organs or of organs not specified	53	40	13	140	113	27	100	67	128	185
46	Other tumors (tumors of the female genital organs excepted)	4	1	3	8	6	2		3	4	6
47	Acute articular rheumatism	19	10	9	77	37	40	16	25	56	82
48	Chronic rheumatism and gout	5	5		33	26	7	4	7	14	38
49	Scurvy									1	1
50	Diabetes	55	43	12	145	107	38	85	102	167	270
51	Exophthalmic goiter	13	9	4	8	8		24	9	30	34
52	Addison's disease	5	4	1	3	3		4	1	6	10
53	Leukemia	8	7	1	27	22	5	15	6	32	40
54	Anemia, chlorosis	20	15	5	36	26	10	33	28	52	101
55	Other general diseases	5	4	1	37	27	10	9	9	16	21
56	Alcoholism (acute or chronic)	36	24	12	24	18	6	25	11	56	85
57	Chronic lead poisoning	1	1					1	4		3
58	Other chronic occupation poisonings										1
59	Other chronic poisonings	5	5		5	5			2		2
	II.—Diseases of the nervous system and of the organs of special sense	845	441	404	2,302	1,405	897	486	705	994	2,100
60	Encephalitis	9	4	5	15	10	5	6	4	8	13
61	Meningitis (total)	37	20	17	173	124	49	21	32	74	100
	Simple meningitis	25	15	10	80	57	23	10	12	38	44
	Cerebrospinal meningitis (undefined)	5	1	4	46	28	18	7	8	14	22
	Cerebrospinal fever	7	4	3	47	39	8	4	12	22	34
62	Locomotor ataxia	16	11	5	18	10	8	12	7	22	38
63	Other diseases of the spinal cord (total)	36	28	8	145	108	37	28	31	67	146
	Acute anterior poliomyelitis	13	11	2	55	46	9	5	6	18	49
	Other diseases of the spinal cord [1]	23	17	6	90	62	28	23	25	49	97
64	Cerebral hemorrhage, apoplexy	568	282	286	1,111	678	433	314	426	611	1,236
65	Softening of the brain	18	11	7	33	25	8	4	2	7	28
66	Paralysis without specified cause	52	25	27	372	225	147	27	38	22	102
67	General paralysis of the insane	16	13	3	38	25	13	10	62	21	109
68	Other forms of mental alienation	11	7	4	66	35	31	4	31	11	55
69	Epilepsy	13	11	2	113	60	53	19	35	16	86
70	Convulsions (nonpuerperal)	1	1		16	3	13	1	1	1	2
71	Convulsions of infants	26	4	22	119	42	77	9	11	76	112
72	Chorea	4	2	2	1		1		1	2	3
73	Neuralgia and neuritis	1		1	8	6	2	4	3	1	5
74	Other diseases of the nervous system	27	15	12	53	38	15	11	14	25	39
75	Diseases of the eyes and their annexa				1	1				2	1
76	Diseases of the ears	10	7	3	20	15	5	16	7	28	25

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.				
	III.—Diseases of the circulatory system	1,006	556	450	2,579	1,557	1,022	799	855	1,412	2,677
77	Pericarditis	2	1	1	12	6	6	6	3	10	16
78	Acute endocarditis	52	14	38	59	29	30	49	37	124	103
79	Organic diseases of the heart	812	439	373	2,191	1,302	889	590	646	968	2,005
80	Angina pectoris	38	27	11	95	75	20	32	48	70	104
81	Diseases of the arteries, atheroma, aneurism, etc.	65	48	17	169	111	58	93	92	176	378
82	Embolism and thrombosis	28	18	10	28	21	7	17	22	43	47
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4	4		6	4	2	8	3	5	14
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	5		6	3	3	3	1	13	8
85	Hemorrhage; other diseases of the circulatory system				13	6	7	1	3	3	2
	IV.—Diseases of the respiratory system	1,185	404	781	2,259	1,271	988	422	601	1,495	1,960
86	Diseases of the nasal fossae	2		2	31	5	26	2	1	1	2
87	Diseases of the larynx	8	6	2	23	16	7	1	7	7	15
88	Diseases of the thyroid body	2	2		9	8	1	7	1	10	10
89	Acute bronchitis	62	11	51	99	48	51	16	21	133	130
90	Chronic bronchitis	44	16	28	113	80	33	19	41	72	135
91	Bronchopneumonia	331	109	222	462	284	178	115	178	419	511
92	Pneumonia (total)	612	217	395	1,360	742	618	226	301	778	1,025
	Lobar pneumonia	526	174	352	757	432	325	220	274	648	837
	Pneumonia (undefined)	86	43	43	603	310	293	6	27	130	188
93	Pleurisy	26	11	15	32	22	10	12	7	37	40
94	Pulmonary congestion, pulmonary apoplexy	51	19	32	44	30	14	1	9	10	33
95	Gangrene of the lung	4	1	3	1	1		2	1	3	
96	Asthma	26	8	18	52	21	31	15	25	14	42
97	Pulmonary emphysema	1		1	4	3	1	1	1	2	3
98	Other diseases of the respiratory system (tuberculosis excepted)	16	4	12	29	11	18	5	8	9	14
	V.—Diseases of the digestive system	908	453	455	2,190	1,398	792	500	442	1,346	1,503
99	Diseases of the mouth and annexa	6	5	1	26	11	15	2	3	6	9
100	Diseases of the pharynx	10	6	4	31	20	11	19	18	29	36
101	Diseases of the esophagus	1		1	1	1		2		1	1
102	Ulcer of the stomach	24	7	17	44	27	17	42	21	56	65
103	Other diseases of the stomach (cancer excepted)	78	22	56	243	142	101	24	30	70	123
104	Diarrhea and enteritis (under 2 years)	386	163	223	1,064	681	383	62	109	513	456
105	Diarrhea and enteritis (2 years and over)	94	55	39	274	187	87	36	49	94	188
106	Ankylostomiasis				1	1					
107	Intestinal parasites				15	6	9			1	1
108	Appendicitis and typhlitis	82	56	26	116	75	41	93	48	211	143
109	Hernia, intestinal obstruction (total)	80	46	34	121	74	47	68	63	97	147
	Hernia	17	12	5	33	17	16	22	14	30	46
	Intestinal obstruction	63	34	29	88	57	31	46	49	67	101
110	Other diseases of the intestines	12	7	5	38	28	10	22	20	14	27
111	Acute yellow atrophy of the liver	8	4	4	8	7	1	6	1	2	8
112	Hydatid tumor of the liver										
113	Cirrhosis of the liver	60	40	20	76	53	23	51	37	130	158
114	Biliary calculi	14	10	4	36	30	6	29	20	45	48
115	Other diseases of the liver	28	19	9	55	31	24	31	19	59	68
116	Diseases of the spleen				2	1	1	1		3	2
117	Simple peritonitis (nonpuerperal)	16	9	7	33	18	15	4	3	8	14
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	4	5	6	5	1	8	1	7	9
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	905	513	392	1,795	1,081	714	519	400	859	1,230
119	Acute nephritis	98	31	67	127	58	69	25	25	47	76
120	Bright's disease	692	431	261	1,485	903	582	382	325	648	972
121	Chyluria										
122	Other diseases of the kidneys and annexa	18	11	7	46	26	20	19	9	26	26
123	Calculi of the urinary passages	2	1	1	9	8	1	2		8	8
124	Diseases of the bladder	7	3	4	40	31	9	9	4	16	31
125	Diseases of the urethra, urinary abscess, etc	7		7	1	1		3		2	4
126	Diseases of the prostate	19	13	6	42	28	14	45	19	50	80
127	Nonvenereal diseases of the male genital organs	1		1	2	1	1			3	1
128	Uterine hemorrhage (nonpuerperal)	1	1							3	
129	Uterine tumor (noncancerous)	18	3	15	12	4	8	11	8	25	7
130	Other diseases of the uterus	16	11	5	18	13	5	4	4	8	8
131	Cysts and other tumors of the ovary	5	3	2	3	3		9	2	12	10
132	Salpingitis and other diseases of the female genital organs	21	5	16	9	4	5	9	4	11	7
133	Nonpuerperal diseases of the breast (cancer excepted)				1	1		1			
	VII.—The puerperal state	124	76	48	343	195	148	88	87	141	199
134	Accidents of pregnancy	8	5	3	31	18	13	10	14	11	14
135	Puerperal hemorrhage	5	4	1	43	27	16	6	7	8	23
136	Other accidents of labor	11	4	7	38	20	18	6	11	12	21
137	Puerperal septicemia	48	30	18	120	66	54	39	30	64	80
138	Puerperal albuminuria and convulsions	46	27	19	103	58	45	25	23	43	51
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	5		5	5		2	2	3	10
140	Following childbirth (not otherwise defined)	1	1		2	1	1				
141	Puerperal diseases of the breast				1		1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1916—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
		Total.	White.	Colored.	Total.	White.	Colored.				
	VIII.—Diseases of the skin and of the cellular tissue	23	10	13	76	40	36	13	18	41	90
142	Gangrene	11	5	6	38	21	17	6	8	11	53
143	Furuncle	2	1	1	3	3		2	2	11	7
144	Acute abscess	4	1	3	11	4	7	2	4	12	9
145	Other diseases of the skin and annexa	6	3	3	24	12	12	3	4	7	21
	IX.—Diseases of the bones and of the organs of locomotion	17	11	6	28	21	7	32	17	27	29
146	Diseases of the bones (tuberculosis excepted)	16	10	6	23	17	6	26	15	26	20
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1		4	3	1	6	2	1	8
148	Amputations										
149	Other diseases of the organs of locomotion				1	1					1
	X.—Malformations	68	61	7	169	142	27	67	87	133	235
150	Congenital malformations (stillbirths not included) (total)	68	61	7	169	142	27	67	87	133	235
	Hydrocephalus	3	3		26	20	6	10	12	14	20
	Congenital malformations of the heart	42	38	4	75	65	10	43	51	64	127
	Other congenital malformations	23	20	3	68	57	11	14	24	55	88
	XI.—Early infancy	516	299	217	1,376	887	489	293	423	876	1,309
151	Congenital debility, icterus, and sclerema (total)	439	245	194	1,189	771	418	221	322	677	1,050
	Premature birth	305	192	113	751	525	226	166	253	502	828
	Congenital debility, "atrophy," "marasmus," etc	134	53	81	438	246	192	55	69	175	222
152	Other causes peculiar to early infancy (total)	74	54	20	170	111	59	70	100	192	251
	Injuries at birth	37	32	5	88	61	27	44	53	101	121
	Other causes peculiar to early infancy [1]	37	22	15	82	50	32	26	47	91	130
153	Lack of care	3		3	17	5	12	2	1	7	8
	XII.—Old age	83	62	21	685	371	314	80	187	249	804
154	Senility	83	62	21	685	371	314	80	187	249	804
	XIII.—External causes	546	331	215	1,486	937	549	495	762	824	1,268
	Suicide (total)	62	61	1	117	103	14	106	78	135	215
155	By poison	17	17		15	15		24	12	25	32
156	By asphyxia	5	5		2	2		12	1	6	1
157	By hanging or strangulation	1	1		13	10	3	11	9	38	86
158	By drowning				6	4	2	7	7	13	11
159	By firearms	34	33	1	69	64	5	43	42	42	64
160	By cutting or piercing instruments	1	1		8	6	2	4	4	8	14
161	By jumping from high places	2	2		1		1	4		3	2
162	By crushing	1	1						1		1
163	Other suicides	1	1		3	2	1	1	2		4
	Accidental or undefined (total)	385	240	145	1,206	767	439	344	659	665	1,036
164	Poisoning by food	5	5		29	17	12	9	11	5	14
165	Other acute poisonings	7	6	1	36	24	12	15	12	3	24
166	Conflagration	9	3	6	78	22	56	19	18	5	24
167	Burns (conflagration excepted)	45	27	18	213	110	103	21	16	40	62
168	Absorption of deleterious gases (conflagration excepted)	22	15	7	40	26	14	18	15	23	34
169	Accidental drowning	55	28	27	124	73	51	34	133	82	159
170	Traumatism by firearms	15	10	5	54	28	26	9	23	7	35
171	Traumatism by cutting or piercing instruments				2	1	1		2	1	7
172	Traumatism by fall	69	52	17	136	115	21	51	63	110	150
173	Traumatism in mines and quarries (total)				72	50	22	4	21		17
	Traumatism in mines				67	48	19	4	18		16
	Traumatism in quarries				5	2	3		3		1
174	Traumatism by machines	14	10	4	32	23	9	15	23	33	25
175	Traumatism by other crushing (total)	99	66	33	247	179	68	112	208	200	253
	Railroad accidents and injuries	50	28	22	163	109	54	28	94	90	136
	Street-car accidents and injuries	11	7	4	9	6	3	12	4	23	12
	Automobile accidents and injuries	29	26	3	33	31	2	42	40	55	50
	Injuries by other vehicles	8	4	4	36	29	7	18	21	22	48
	Landslide, other crushing	1	1		6	4	2	12	49	10	7
176	Injuries by animals	6	4	2	10	8	2	3	11	8	18
177	Starvation				1		1		1		
178	Excessive cold	2		2	5	2	3		6	6	12
179	Effects of heat	3	1	2	6	4	2			106	107
180	Lightning				22	14	8			1	14
181	Electricity (lightning excepted)	4	3	1	5	5		3	7	7	13
185	Fractures (cause not specified)				9	8	1		2	2	5
186	Other external violence	30	10	20	85	58	27	31	87	26	63
	Homicide (total)	99	30	69	163	67	96	45	25	24	17
182	By firearms	61	18	43	125	51	74	34	23	13	6
183	By cutting or piercing instruments	18	3	15	15	6	9	2		2	4
184	By other means	20	9	11	23	10	13	9	2	9	7
	XIV.—Ill-defined diseases	66	13	53	1,158	554	604	14	128	15	64
187	Ill-defined organic disease	2		2	86	31	55		4		8
188	Sudden death	1		1	77	47	30		5	1	7
189	Not specified or ill-defined (total)	63	13	50	995	476	519	14	119	14	49
	Ill-defined	54	11	43	345	180	165	9	42	8	18
	Not specified or unknown	9	2	7	650	296	354	5	77	6	31

[1] Exclusive of injuries at birth.

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	1,001,921	164,660	36,218	16,304	9,913	6,986	234,081	20,635	14,008	23,342	35,357
	Males	547,809	93,122	19,354	8,676	5,283	3,627	130,062	11,132	7,503	11,894	18,375
	Females	454,112	71,538	16,864	7,628	4,630	3,359	104,019	9,503	6,505	11,448	16,982
	I.—General diseases	268,040	17,437	10,530	5,791	3,827	2,848	40,433	8,458	5,402	10,712	16,828
	Males	137,140	9,435	5,474	2,941	1,986	1,448	21,284	4,247	2,347	4,632	8,145
	Females	130,900	8,002	5,056	2,850	1,841	1,400	19,149	4,211	3,055	6,080	8,683
1	Typhoid fever	M 5,596	34	48	69	46	72	269	326	382	722	887
		F 3,914	22	46	71	59	61	259	331	435	618	592
2	Typhus fever	M 27		1				1	1		2	2
		F 8									1	1
3	Relapsing fever	M 1										1
		F										
4	Malaria	M 1,078	160	85	56	42	30	373	86	41	43	54
		F 1,097	113	71	55	40	26	305	98	59	62	72
5	Smallpox	M 66	6	4	6	2	1	19	3	2	3	4
		F 48	11	2	5			18	5	1	1	5
6	Measles	M 4,097	1,126	1,380	522	260	132	3,420	332	72	69	59
		F 3,850	901	1,208	506	233	138	2,986	348	96	95	56
7	Scarlet fever	M 1,206	79	120	168	149	122	638	324	108	49	36
		F 1,149	47	131	125	125	116	544	294	103	62	56
8	Whooping cough	M 3,314	1,917	800	272	123	71	3,183	99	15	2	
		F 3,970	2,092	1,048	376	180	76	3,772	146	19	11	4
9	Diphtheria and croup	M 5,230	506	908	804	664	556	3,438	1,257	258	70	50
		F 5,137	402	788	729	634	541	3,094	1,348	333	100	54
10	Influenza	M 8,714	896	286	150	97	52	1,481	145	86	132	153
		F 10,172	710	249	133	74	44	1,210	151	116	144	161
11	Miliary fever	M										
		F										
12	Asiatic cholera	M										
		F										
13	Cholera nostras	M 158	33	20	7	1	1	62	7	1	4	4
		F 133	36	4	12	2	2	56	1	1	2	2
14	Dysentery	M 1,790	447	333	127	51	33	991	59	19	15	12
		F 1,760	359	256	104	51	25	795	54	15	18	15
15	Plague	M										
		F										
16	Yellow fever	M 1										1
		F										
17	Leprosy	M 6										
		F 5									1	1
18	Erysipelas	M 1,512	426	21	8	5		460	9	10	21	21
		F 1,168	368	37	11	6	3	425	5	14	18	25
19	Other epidemic diseases	M 112	39	12	7	6	1	65	14	2	5	3
		F 106	26	14	9	6	4	59	11	6	2	4
20	Purulent infection and septicemia	M 852	88	12	11	8	8	127	34	43	37	31
		F 555	59	13	9	8	8	97	24	24	28	37
21	Glanders	M 4										1
		F										
22	Anthrax	M 25									2	
		F 3										
23	Rabies	M 26	1	1		3	1	6	2	3	2	4
		F 10				1	1	2	2	1	1	1
24	Tetanus	M 862	196	7	6	7	16	232	104	90	57	48
		F 363	136	3	4	10	4	157	53	22	13	14
25	Mycoses	M 28							1			2
		F 13								1	1	2
26	Pellagra	M 767	2	7	1	2	1	13	13	13	16	29
		F 1,623	6	8	5	1	3	23	18	9	52	144
27	Beriberi	M 6	2					2		1		
		F										
	Tuberculosis (total)	M 57,474	1,425	1,052	553	375	238	3,643	930	730	2,813	6,014
		F 43,922	1,129	883	534	293	232	3,071	877	1,341	4,281	6,678
28	Tuberculosis of the lungs	M 48,894	440	289	139	82	61	1,011	289	380	2,314	5,365
		F 36,644	351	238	124	78	59	850	364	953	3,710	5,980
29	Acute miliary tuberculosis	M 1,715	74	50	30	20	12	186	40	27	150	212
		F 1,413	57	57	30	10	11	165	51	84	213	251
30	Tuberculous meningitis	M 3,106	652	559	288	205	116	1,820	392	158	123	132
		F 2,600	547	475	297	168	118	1,605	313	158	135	98
31	Abdominal tuberculosis	M 1,686	125	81	51	28	21	306	85	67	82	140
		F 1,900	71	65	45	23	16	220	73	75	117	227
32	Pott's disease	M 531	11	13	13	15	14	66	54	44	34	47
		F 365	8	8	9	7	17	49	29	30	31	23
33	White swellings	M 339	12	14	5	9	3	43	31	16	29	26
		F 157	9	2	7	3	3	24	15	14	12	18
34	Tuberculosis of other organs	M 811	58	28	21	11	8	126	34	29	56	54
		F 528	36	18	13	3	7	77	25	14	42	51
35	Disseminated tuberculosis	M 392	53	18	6	5	3	85	5	9	25	38
		F 315	50	20	9	1	1	81	7	13	21	30
36	Rickets	M 328	203	74	23	12	3	315	6	1	1	1
		F 246	124	72	12	7	5	220	8	2	3	
37	Syphilis	M 4,498	1,247	106	30	21	11	1,415	25	21	38	140
		F 2,404	946	70	35	19	15	1,085	25	15	53	86
38	Gonococcus infection	M 102	22	1				23			5	7
		F 437	48	3	1	1		53	2		32	80

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
38,148	39,257	44,171	45,121	48,848	53,448	58,629	62,779	68,141	70,306	62,597	45,769	24,488	8,637	2,205	649	1,305	
20,573	22,036	25,553	26,349	28,954	31,519	34,126	35,483	37,179	37,012	31,675	21,709	11,056	3,592	894	253	880	
17,575	17,221	18,618	18,772	19,894	21,929	24,503	27,296	30,962	33,294	30,922	24,060	13,432	5,045	1,311	396	425	
17,354	16,654	17,271	16,671	16,759	17,003	17,351	16,553	15,730	13,705	10,367	6,270	2,995	933	212	46	333	
9,075	9,240	9,729	9,214	9,140	9,086	9,026	8,449	7,792	6,405	4,738	2,684	1,251	372	84	15	185	
8,279	7,414	7,542	7,457	7,619	7,917	8,325	8,104	7,938	7,300	5,629	3,586	1,744	561	128	31	148	
714	557	416	371	276	210	186	105	94	34	24	8	.....	.....	1	.....	14	1
401	282	238	168	153	115	101	75	66	37	16	8	7	1	1	.....	10	
3	4	3	5	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2
2	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
41	36	51	45	46	45	41	44	37	31	25	24	10	1	2	1	1	4
57	44	44	53	39	49	35	34	42	35	21	25	9	4	2	3	5	
2	3	4	2	5	5	4	.....	3	.....	2	2	1	.....	1	.....	1	5
.....	3	2	3	1	1	.....	.....	2	4	1	.....	1	.....	.....	.....	.....	
29	19	10	13	13	20	13	3	7	5	5	2	.....	.....	.....	.....	6	6
31	41	43	34	33	17	14	11	17	11	5	2	4	1	1	.....	4	
17	11	12	7	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	7
38	21	15	8	4	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	
.....	1	1	2	.....	3	2	.....	1	1	.....	1	1	.....	.....	.....	2	8
2	2	2	2	.....	1	.....	4	1	2	.....	1	.....	.....	.....	.....	1	
28	25	25	13	22	10	11	2	7	6	3	1	.....	.....	.....	.....	4	9
50	36	20	30	19	14	14	6	3	5	4	1	1	.....	.....	.....	5	
137	153	207	208	299	319	422	478	678	912	1,135	930	570	207	50	7	5	10
175	193	191	260	259	320	487	563	847	1,260	1,396	1,223	796	325	69	16	10	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
1	3	2	2	1	6	10	10	12	11	11	8	1	2	.....	.....	.....	13
3	1	2	5	2	3	2	4	9	11	8	11	5	4	1	.....	.....	
12	26	13	26	31	40	38	65	82	108	107	84	39	13	4	1	5	14
19	21	13	17	33	29	55	75	110	124	153	134	55	18	3	1	3	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	17
1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
43	52	71	85	106	121	116	96	83	87	59	41	19	9	.....	1	2	18
30	44	34	48	68	52	64	64	46	67	68	58	27	9	1	1	.....	
8	.....	.....	3	.....	1	3	1	2	1	1	1	2	.....	.....	.....	.....	19
6	2	3	1	1	.....	1	3	2	1	2	1	.....	1	.....	.....	.....	
36	29	36	48	66	71	58	77	50	47	33	12	10	3	1	.....	3	20
35	37	37	23	27	35	30	26	35	25	14	14	4	.....	.....	1	2	
.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	3	1	6	8	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	22
2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	3	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
59	43	38	38	34	28	39	19	15	6	4	2	3	.....	.....	.....	3	24
12	25	18	5	10	8	9	6	5	4	1	.....	.....	.....	.....	.....	1	
.....	2	4	3	5	2	2	3	3	1	.....	.....	.....	.....	.....	.....	.....	25
1	.....	1	1	1	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	
35	40	56	54	66	60	85	81	88	61	23	20	11	1	.....	.....	2	26
189	185	195	161	137	126	85	107	79	58	28	14	3	2	.....	.....	8	
.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6,800	6,724	6,677	5,581	4,766	3,781	3,114	2,293	1,758	997	511	191	56	14	2	1	78	
6,175	4,879	4,156	3,102	2,179	1,660	1,408	1,242	1,075	840	558	227	96	15	5	1	56	
6,160	6,104	6,124	5,142	4,378	3,484	2,834	2,094	1,590	875	456	163	48	13	2	1	67	
5,577	4,422	3,778	2,791	1,960	1,459	1,224	1,078	930	725	494	201	80	12	5	1	50	28
223	209	193	144	118	91	54	33	19	8	2	3	1	.....	.....	.....	2	29
200	135	98	66	36	35	24	22	15	9	5	1	2	1	.....	.....	.....	
113	105	81	61	38	30	24	10	10	3	3	3	.....	.....	.....	.....	.....	30
86	56	44	31	24	10	13	14	6	2	2	.....	3	.....	.....	.....	.....	
123	139	122	109	112	80	90	69	69	51	24	13	1	1	.....	.....	3	31
209	175	147	143	82	89	92	70	74	57	26	17	4	.....	.....	.....	3	
60	33	40	31	32	19	22	16	15	11	6	1	.....	.....	.....	.....	.....	32
27	22	23	20	18	20	18	11	8	20	9	3	3	.....	.....	.....	1	
29	21	23	15	14	20	25	13	11	14	6	1	2	.....	.....	.....	.....	33
7	4	4	9	7	9	6	3	11	8	3	1	.....	2	.....	.....	.....	
55	79	60	59	50	37	49	39	31	26	12	6	3	.....	.....	.....	6	34
44	36	37	31	29	23	21	31	26	16	16	4	4	.....	.....	.....	1	
37	34	34	20	24	20	16	19	13	9	2	1	1	.....	.....	.....	.....	35
25	29	25	11	23	15	10	13	5	3	3	.....	.....	.....	.....	.....	1	
.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
1	.....	3	1	1	1	2	.....	.....	1	1	1	1	.....	.....	.....	.....	
206	288	424	414	405	355	297	219	124	57	42	14	7	.....	.....	.....	7	37
128	160	175	169	152	122	69	64	51	27	13	5	3	1	1	.....	2	
13	5	7	8	8	4	5	8	3	2	1	1	.....	1	.....	.....	1	38
77	57	63	40	20	4	3	2	.....	2	1	.....	1	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	24,024	22	32	26	32	25	137	68	54	118	182
		F.	34,576	22	30	30	28	19	129	60	51	95	161
39	Of the buccal cavity	M.	1,730	.....	.....	.....	3	.....	3	4	1	2	6
		F.	361	.....	1	3	.....	1	5	1	.....	3	4
40	Of the stomach, liver	M.	11,431	7	8	4	2	2	23	11	5	14	34
		F.	10,999	5	3	5	2	2	17	10	1	12	29
41	Of the peritoneum, intestines, rectum	M.	3,286	1	3	5	4	2	15	5	14	21	32
		F.	4,430	.....	2	2	2	3	9	6	2	12	29
42	Of the female genital organs	F.	8,898	1	2	.....	1	1	5	1	4	21	45
43	Of the breast	M.	97	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	5,461	.....	.....	.....	.....	2	2	1	1	6	9
44	Of the skin	M.	1,274	1	.....	.....	1	1	3	3	2	2	3
		F.	768	.....	1	3	2	1	7	2	1	4	3
45	Of other organs or of organs not specified	M.	6,156	13	21	17	22	20	93	45	32	79	107
		F.	3,659	16	21	17	21	9	84	39	42	37	42
46	Other tumors (tumors of the female genital organs excepted).	M.	107	4	2	.....	1	1	8	5	2	1	2
		F.	230	4	3	.....	1	1	9	3	3	1	3
47	Acute articular rheumatism	M.	1,615	18	16	14	19	24	91	202	196	156	71
		F.	1,643	17	8	13	24	26	88	169	189	131	87
48	Chronic rheumatism and gout	M.	312	.....	.....	.....	.....	.....	.....	1	1	3	10
		F.	596	.....	.....	1	.....	.....	1	2	3	4	3
49	Scurvy	M.	50	28	7	.....	1	1	37	.....	.....	2	.....
		F.	27	17	3	.....	.....	.....	20	4	1	1	.....
50	Diabetes	M.	5,552	8	26	13	20	21	88	89	117	145	152
		F.	6,647	8	8	17	17	19	69	95	126	120	128
51	Exophthalmic goiter	M.	132	1	.....	.....	.....	.....	1	1	3	3	7
		F.	1,026	2	.....	.....	.....	.....	2	1	3	43	73
52	Addison's disease	M.	148	.....	.....	.....	.....	.....	.....	1	2	3	3
		F.	164	1	1	.....	1	.....	3	1	.....	2	8
53	Leukemia	M.	876	25	22	11	15	14	87	51	38	39	44
		F.	548	16	20	11	7	10	64	25	25	19	47
54	Anemia, chlorosis	M.	1,684	92	34	14	9	4	153	18	19	20	29
		F.	2,101	79	24	14	6	8	131	21	20	45	46
55	Other general diseases	M.	763	382	56	43	14	9	504	34	16	21	11
		F.	668	301	53	28	7	13	402	29	21	15	17
56	Alcoholism (acute or chronic)	M.	3,717	.....	.....	.....	.....	.....	.....	.....	.....	6	62
		F.	444	.....	.....	.....	.....	.....	.....	.....	.....	3	9
57	Chronic lead poisoning	M.	175	.....	1	.....	1	.....	2	.....	1	2	2
		F.	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	M.	15	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	M.	90	.....	.....	.....	.....	.....	.....	.....	.....	4	5
		F.	122	.....	.....	.....	.....	.....	.....	.....	.....	2	11
	II.—Diseases of the nervous system and of the organs of special sense		99,077	5,443	2,672	1,808	1,236	913	12,072	2,290	1,124	1,152	1,173
	Males		52,962	3,107	1,474	1,014	699	501	6,795	1,253	611	654	654
	Females		46,115	2,336	1,198	794	537	412	5,277	1,037	513	498	519
60	Encephalitis	M.	298	55	22	6	8	2	93	10	9	16	16
		F.	256	43	18	8	6	6	81	13	11	19	16
61	Meningitis (total)	M.	2,917	806	367	231	127	107	1,638	291	163	144	98
		F.	2,174	565	322	193	118	94	1,292	240	115	77	75
	Simple meningitis	M.	1,440	413	171	114	56	49	803	124	63	65	49
		F.	1,133	303	152	102	49	41	647	106	50	33	42
	Cerebrospinal meningitis (undefined)	M.	580	160	79	45	26	29	339	69	36	24	11
		F.	403	106	64	33	27	24	254	53	22	13	10
	Cerebrospinal fever	M.	897	233	117	72	45	29	496	98	64	55	38
		F.	638	156	106	58	42	29	391	81	43	31	23
62	Locomotor ataxia	M.	1,325	.....	.....	.....	.....	.....	.....	.....	1	.....	2
		F.	392	.....	.....	.....	1	.....	1	.....	1	.....	3
63	Other diseases of the spinal cord (total)	M.	6,175	625	773	645	492	338	2,873	719	216	162	126
		F.	4,861	506	590	473	344	252	2,165	575	175	108	70
	Acute anterior poliomyelitis	M.	4,103	596	764	633	487	333	2,813	703	192	130	92
		F.	3,027	478	580	456	337	248	2,099	553	154	81	43
	Other diseases of the spinal cord [1]	M.	2,072	29	9	12	5	5	60	16	24	32	34
		F.	1,834	28	10	17	7	4	66	22	21	27	27
64	Cerebral hemorrhage, apoplexy	M.	29,496	81	25	12	7	6	131	14	21	52	92
		F.	28,737	71	26	9	7	5	118	25	29	47	78
65	Softening of the brain	M.	468	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
		F.	453	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Paralysis without specified cause	M.	2,475	16	7	10	2	3	38	9	7	9	11
		F.	2,690	12	7	3	3	3	28	8	11	7	20
67	General paralysis of the insane	M.	3,796	.....	.....	.....	.....	.....	.....	.....	1	6	18
		F.	1,354	.....	.....	.....	.....	.....	.....	.....	3	4	9
68	Other forms of mental alienation	M.	636	.....	.....	.....	.....	.....	.....	.....	1	14	32
		F.	802	.....	.....	.....	.....	.....	.....	.....	2	24	42
69	Epilepsy	M.	1,655	62	21	14	11	13	121	54	89	164	162
		F.	1,227	44	14	9	11	12	90	44	60	112	114
70	Convulsions (nonpuerperal)	M.	47	.....	.....	.....	.....	.....	.....	18	7	2	2
		F.	77	.....	.....	.....	.....	.....	.....	16	2	13	14
71	Convulsions of infants	M.	1,355	1,173	140	25	9	8	1,355	.....	.....	.....	.....
		F.	1,082	888	124	41	19	10	1,082	.....	.....	.....	.....
72	Chorea	M.	38	4	1	.....	1	.....	6	5	7	4	1
		F.	66	4	.....	.....	1	.....	5	3	19	9	7
73	Neuralgia and neuritis	M.	165	1	.....	.....	1	.....	2	.....	1	1	1
		F.	227	2	.....	.....	1	.....	3	1	.....	4	5

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Detailed List No. Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
269	364	636	1,110	1,749	2,544	3,049	3,539	3,455	3,042	2,094	1,074	413	93	16	4	14	
368	871	1,608	2,569	3,487	4,036	4,432	4,294	4,077	3,534	2,547	1,461	588	137	35	6	30	
11	12	36	89	111	181	224	238	234	229	186	92	51	15	2	.....	3	39
2	6	10	17	16	20	39	44	44	40	46	38	17	9	.....	.....	.....	
67	150	267	549	886	1,320	1,589	1,876	1,765	1,416	913	435	127	24	4	.....	6	40
64	142	277	531	796	1,139	1,396	1,604	1,648	1,460	1,081	557	184	33	7	3	8	
64	71	118	165	239	368	410	468	458	426	266	107	31	5	1	.....	2	41
46	104	162	249	361	475	547	589	549	561	419	205	81	15	6	1	2	
159	377	666	1,000	1,263	1,248	1,222	978	786	558	339	139	59	15	3	1	9	42
4	.....	2	5	11	7	14	11	11	17	6	7	2	.....	.....	.....	.....	43
33	115	305	527	661	743	730	582	576	475	339	237	93	16	5	1	4	
7	10	12	32	46	66	105	142	165	213	199	147	79	27	6	4	1	44
8	13	8	14	26	31	43	68	68	115	111	119	87	35	5	.....	.....	
116	121	201	270	456	602	707	804	822	741	524	286	123	22	3	.....	2	45
56	114	180	231	364	480	455	429	406	325	212	166	67	14	9	.....	7	
1	4	3	6	6	15	5	13	5	14	11	3	2	.....	1	.....	.....	46
8	8	12	27	19	18	17	12	20	20	15	21	9	4	1	.....	.....	
74	67	64	71	86	92	74	79	99	70	55	40	17	8	2	.....	1	47
84	72	86	66	79	89	80	83	87	97	59	51	32	10	1	.....	3	
15	9	12	12	18	20	25	27	38	47	42	19	7	4	2	.....	.....	48
7	10	16	17	20	50	48	57	84	98	82	64	16	10	1	2	1	
1	2	1	.....	.....	1	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	49
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
165	173	209	267	320	544	680	715	716	560	384	146	66	10	1	.....	5	50
150	128	187	232	393	653	890	983	960	780	481	192	61	11	4	.....	4	
8	17	17	14	17	12	15	3	6	5	3	.....	.....	.....	.....	.....	.....	51
82	85	105	114	122	111	107	65	58	33	13	6	3	.....	.....	.....	.....	
12	16	10	17	20	11	14	13	13	7	2	.....	3	.....	1	.....	.....	52
14	14	14	19	21	23	17	12	10	4	1	1	.....	.....	.....	.....	.....	
53	51	57	48	75	81	74	63	54	39	15	4	.....	.....	.....	.....	3	53
25	31	36	41	38	56	53	33	17	20	12	6	.....	.....	.....	.....	.....	
39	51	81	96	129	173	239	213	177	134	74	28	6	4	.....	.....	1	54
46	76	113	142	211	245	250	230	198	163	98	41	17	6	1	.....	1	
14	10	22	8	20	11	20	13	13	12	15	11	5	2	.....	.....	1	55
17	19	8	16	13	16	11	17	20	15	15	11	2	2	1	.....	1	
219	428	520	603	516	459	348	234	148	90	45	13	2	.....	.....	.....	24	56
40	51	86	74	68	44	28	25	5	8	3	.....	.....	.....	.....	.....	.....	
10	10	15	23	21	20	30	16	13	10	.....	.....	.....	.....	.....	.....	.....	57
.....	3	.....	1	1	2	4	1	2	.....	1	.....	.....	.....	.....	.....	.....	
3	2	3	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	13	11	4	2	7	6	11	5	2	9	2	.....	.....	.....	.....	2	59
5	11	14	7	8	12	7	4	10	13	10	6	2	.....	.....	.....	.....	
1,426	1,870	2,684	3,505	4,699	6,150	7,468	8,976	10,537	11,495	10,503	7,168	3,439	990	202	48	106	
833	1,157	1,695	2,026	2,691	3,355	4,200	4,967	5,631	5,984	5,121	3,237	1,506	412	89	20	71	
593	713	989	1,479	2,008	2,795	3,268	4,009	4,906	5,511	5,382	3,931	1,933	578	113	28	35	
21	21	14	15	10	15	15	16	7	10	5	2	1	1	.....	.....	1	60
21	10	8	12	15	19	10	4	5	3	7	2	.....	.....	.....	.....	.....	
108	73	96	74	62	61	39	31	11	10	10	3	3	2	.....	.....	.....	61
67	39	46	48	45	30	26	13	22	14	11	9	4	.....	1	.....	.....	
53	42	45	38	38	44	23	23	9	6	7	3	3	2	.....	.....	.....	
39	23	26	34	33	24	14	9	20	13	8	7	4	.....	1	.....	.....	
29	9	22	15	7	5	4	5	.....	3	2	.....	.....	.....	.....	.....	.....	
10	7	5	5	6	3	9	1	2	1	1	1	.....	.....	.....	.....	.....	
26	22	29	21	17	12	12	3	2	1	1	.....	.....	.....	.....	.....	.....	
18	9	15	9	6	3	3	3	.....	.....	2	1	.....	.....	.....	.....	.....	
9	20	55	103	158	179	206	223	165	110	68	20	3	2	1	.....	.....	62
4	8	25	23	47	51	60	52	43	40	23	8	2	.....	.....	.....	1	
102	82	81	91	118	140	207	270	299	299	218	113	40	13	.....	1	5	63
70	43	55	74	98	157	170	220	234	243	212	128	45	15	1	2	1	
66	27	28	11	4	7	7	6	6	7	1	1	.....	.....	.....	.....	2	
35	19	14	6	4	4	6	2	.....	4	2	.....	1	.....	.....	.....	.....	
36	55	53	80	114	133	200	264	293	292	217	112	40	13	.....	1	3	
35	24	41	68	94	153	164	218	234	239	210	128	44	15	1	2	1	
164	273	499	792	1,358	2,102	2,913	3,601	4,383	4,762	4,061	2,605	1,218	326	75	14	40	64
134	244	404	783	1,233	1,984	2,456	3,145	3,947	4,424	4,357	3,185	1,562	462	87	15	18	
3	2	9	4	7	15	27	44	56	82	100	73	33	7	1	1	2	65
.....	3	2	5	14	21	20	29	58	71	84	81	50	10	4	1	.....	
19	31	30	46	73	123	180	286	350	407	407	260	131	38	10	4	6	66
11	17	32	68	108	133	194	248	326	412	426	353	193	64	18	8	5	
80	298	567	577	592	458	355	263	173	151	120	70	45	12	1	.....	9	67
35	86	128	140	136	135	122	89	89	131	115	84	34	9	.....	1	4	
52	50	64	53	44	67	61	53	43	37	30	23	7	1	.....	.....	4	68
49	56	65	89	98	79	57	71	41	38	44	22	16	6	.....	1	2	
159	170	153	126	102	74	72	64	56	33	31	18	4	1	.....	.....	2	69
111	115	103	104	74	57	47	50	42	50	29	18	3	1	1	.....	2	
3	2	3	2	2	.....	.....	1	.....	1	.....	1	2	.....	.....	.....	1	70
8	4	3	4	4	1	.....	3	1	2	.....	.....	1	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	1	2	1	2	3	1	3	.....	.....	.....	.....	.....	.....	72
1	2	.....	2	3	2	1	3	2	2	2	1	2	.....	.....	.....	.....	
11	16	6	7	21	11	22	14	16	17	9	8	2	.....	.....	.....	.....	73
11	13	17	26	15	19	16	16	17	26	20	11	5	2	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system	M. 1,286	116	40	39	26	11	232	60	45	38	52
		F. 1,100	84	35	29	15	12	175	51	38	40	38
75	Diseases of the eyes and their annexa	M. 30	5	1	1	1	.....	8	2	2	1	1
		F. 24	3	3	3	2	.....	11	1	.....	1	1
76	Diseases of the ears	M. 800	163	77	31	14	13	298	71	39	41	40
		F. 593	114	59	26	9	18	226	60	47	33	27
	III.—Diseases of the circulatory system	141,589	1,188	235	179	170	190	1,962	1,265	1,530	1,595	1,946
	Males	75,877	671	133	98	93	97	1,092	595	720	745	921
	Females	65,712	517	102	81	77	93	870	670	810	850	1,025
77	Pericarditis	M. 432	7	3	5	2	3	20	19	8	13	10
		F. 303	9	3	2	4	5	23	12	10	2	10
78	Acute endocarditis	M. 3,509	137	32	23	34	18	244	118	124	117	151
		F. 3,187	122	27	20	25	29	223	136	141	154	162
79	Organic diseases of the heart	M. 56,374	321	59	57	40	68	545	424	559	583	701
		F. 51,101	244	45	45	37	56	427	500	642	658	784
80	Angina pectoris	M. 3,498	1	.....	1	1	.....	3	6	2	2	6
		F. 1,947	2	.....	.....	.....	.....	2	1	2	5	10
81	Diseases of the arteries, atheroma, aneurism, etc.	M. 2,968	1	.....	.....	1	.....	2	2	3	4	15
		F. 7,147	1	2	.....	1	.....	4	3	1	5	11
82	Embolism and thrombosis	M. 1,437	25	6	3	2	2	38	11	13	16	32
		F. 1,392	17	3	1	1	1	23	8	8	17	38
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M. 234	5	1	.....	.....	.....	6	.....	1	4	2
		F. 310	2	1	.....	.....	.....	3	1	.....	.....	7
84	Diseases of the lymphatic system (lymphangitis, etc.).	M. 267	145	30	9	11	6	201	12	6	4	.....
		F. 195	103	18	13	7	2	143	7	3	6	2
85	Hemorrhage; other diseases of the circulatory system.	M. 158	29	2	.....	2	.....	33	3	4	2	4
		F. 130	17	3	.....	2	.....	22	2	3	3	1
	IV.—Diseases of the respiratory system	118,435	24,660	8,755	3,391	1,638	962	39,406	2,118	1,122	1,945	2,719
	Males	65,400	13,956	4,764	1,818	889	509	21,966	1,121	555	1,143	1,629
	Females	53,035	10,674	3,991	1,573	749	453	17,440	997	567	802	1,090
86	Diseases of the nasal fossae	M. 149	86	12	7	.....	1	106	7	1	2	2
		F. 126	81	4	2	.....	1	88	6	2	2	1
87	Diseases of the larynx	M. 428	80	57	49	38	21	245	42	6	2	7
		F. 307	64	46	29	28	10	177	30	12	6	7
88	Diseases of the thyroid body	M. 80	3	1	1	1	.....	6	1	2	4	9
		F. 387	6	2	1	2	1	12	.....	1	16	23
89	Acute bronchitis	M. 3,378	1,948	376	147	57	29	2,557	30	14	6	6
		F. 3,322	1,521	344	104	45	30	2,044	29	13	19	21
90	Chronic bronchitis	M. 2,231	40	21	4	3	2	70	18	9	8	19
		F. 2,656	39	23	6	1	1	70	18	14	23	23
91	Bronchopneumonia	M. 18,326	7,737	2,574	846	373	201	11,731	329	112	108	144
		F. 16,779	5,905	2,161	814	327	182	9,389	309	112	81	112
92	Pneumonia (total)	M. 36,697	3,785	1,566	683	368	225	6,627	611	372	933	1,337
		F. 26,532	2,820	1,305	562	305	209	5,201	546	382	585	812
	Lobar pneumonia	M. 32,047	2,874	1,282	547	287	178	5,168	501	304	808	1,184
		F. 22,652	2,074	1,051	441	248	171	3,985	450	313	500	696
	Pneumonia (undefined)	M. 4,650	911	284	136	81	47	1,459	110	68	127	153
		F. 3,880	746	254	121	57	38	1,216	96	69	85	116
93	Pleurisy	M. 1,528	86	120	59	37	22	324	51	26	57	59
		F. 1,071	69	83	41	31	13	237	40	20	46	56
94	Pulmonary congestion, pulmonary apoplexy	M. 677	161	17	6	5	3	192	13	4	4	6
		F. 649	120	12	7	3	2	144	6	3	4	4
95	Gangrene of the lung	M. 178	.....	2	.....	2	.....	4	3	2	4	14
		F. 58	2	2	.....	.....	.....	4	1	1	4	4
96	Asthma	M. 963	18	10	6	1	2	37	6	3	4	6
		F. 789	11	5	4	6	4	30	3	.....	3	9
97	Pulmonary emphysema	M. 115	9	.....	2	1	.....	12	.....	.....	1	1
		F. 67	6	1	.....	.....	.....	7	.....	1	1	2
98	Other diseases of the respiratory system (tuberculosis excepted).	M. 650	33	8	8	3	3	55	10	4	10	19
		F. 292	30	3	3	1	.....	37	9	6	12	16
	V.—Diseases of the digestive system	106,027	41,313	10,894	3,077	1,363	789	57,436	2,081	1,507	1,700	2,114
	Males	57,817	23,168	5,787	1,634	718	394	31,701	1,126	843	956	1,121
	Females	48,210	18,145	5,107	1,443	645	395	25,735	955	664	744	993
99	Diseases of the mouth and annexa	M. 341	143	18	4	2	3	170	17	8	7	12
		F. 335	123	20	2	3	5	153	16	3	7	11
100	Diseases of the pharynx	M. 1,037	99	64	67	47	26	303	140	56	70	71
		F. 813	79	42	36	48	43	248	127	62	39	57
101	Diseases of the esophagus	M. 86	7	2	6	1	2	18	.....	1	.....	.....
		F. 59	4	3	3	5	3	18	1	2	2	.....
102	Ulcer of the stomach	M. 2,017	11	1	1	.....	2	15	4	8	28	71
		F. 1,248	12	3	1	1	2	19	5	8	31	58
103	Other diseases of the stomach (cancer excepted)	M. 3,652	1,365	200	67	23	22	1,677	51	19	26	40
		F. 3,413	963	157	61	38	29	1,248	42	20	31	48
104	Diarrhea and enteritis (under 2 years)	M. 25,866	20,601	5,265	.....	.....	.....	25,866	.....	.....	.....	.....
		F. 21,090	16,375	4,715	.....	.....	.....	21,090	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M. 4,943	.....	.....	1,294	484	218	1,996	296	72	52	75
		F. 4,864	.....	.....	1,198	424	185	1,807	267	69	54	89
106	Ankylostomiasis	M. 15	.....	.....	2	2	1	5	1	4	2	2
		F. 7	.....	.....	.....	.....	1	1	3	1	1	1

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
64	77	83	91	95	78	77	82	56	53	47	35	14	6	.....	.....	1	74
52	51	81	83	97	84	61	49	67	37	45	26	14	9	1	.....	1	
.....	1	1	2	1	.....	1	1	2	3	1	1	2	.....	.....	.....	.....	75
.....	1	1	.....	.....	2	2	1	1	1	.....	1	.....	.....	.....	.....	.....	
37	41	33	43	47	30	24	16	11	8	11	5	1	3	1	.....	.....	76
19	21	19	18	21	21	26	16	11	17	7	2	2	.....	.....	.....	.....	
2,540	3,241	4,361	5,427	6,966	8,808	11,211	13,887	17,002	19,155	17,792	13,079	6,871	2,110	505	104	142	
1,260	1,684	2,314	2,952	3,899	5,201	6,541	7,998	9,394	10,346	9,331	6,459	3,228	863	205	43	86	
1,280	1,557	2,047	2,475	3,067	3,697	4,670	5,889	7,608	8,809	8,461	6,620	3,643	1,247	300	61	56	
23	20	21	28	25	29	38	36	42	36	27	17	15	5	.....	.....	.....	77
12	13	13	11	24	19	21	29	23	22	15	26	9	6	1	.....	2	
194	219	257	313	375	495	606	55	84	62	40	31	17	4	.....	2	1	78
187	182	240	278	345	362	434	68	72	83	57	33	20	9	1	.....	.....	
928	1,293	1,778	2,244	2,972	3,911	4,780	6,358	7,341	7,913	6,796	4,423	2,092	523	113	25	72	79
966	1,238	1,606	1,980	2,412	2,937	3,688	4,964	6,280	7,082	6,616	4,841	2,518	763	180	28	41	
18	35	72	117	187	296	452	541	565	531	401	167	73	15	1	2	6	80
19	22	48	65	77	115	174	242	339	332	265	150	63	13	2	.....	1	
33	58	121	160	219	333	499	814	1,151	1,593	1,872	1,700	980	300	88	14	7	81
17	24	37	54	84	140	245	427	710	1,096	1,305	1,432	960	437	113	33	9	
41	41	44	60	88	96	120	148	170	187	165	107	44	14	2	.....	.....	82
64	54	68	62	84	83	117	122	142	148	164	109	60	17	2	.....	2	
10	11	9	18	26	28	27	31	23	12	17	7	2	.....	.....	.....	.....	83
11	20	26	17	34	31	31	22	29	35	21	15	6	.....	.....	.....	1	
10	4	5	6	2	2	1	2	3	5	2	1	1	.....	.....	.....	.....	84
2	1	2	1	2	2	3	1	5	5	2	6	1	1	.....	.....	.....	
3	3	7	6	5	11	18	13	15	7	11	6	4	2	1	.....	.....	85
2	3	7	7	5	8	7	14	8	6	16	8	6	1	1	.....	.....	
3,021	3,415	4,360	4,606	5,072	5,534	6,022	6,441	7,301	7,651	7,208	5,639	3,173	1,208	290	84	100	
1,810	2,155	2,821	3,045	3,377	3,595	3,683	3,531	3,757	3,655	3,238	2,384	1,278	455	113	32	57	
1,211	1,260	1,539	1,561	1,695	1,939	2,339	2,910	3,544	3,996	3,970	3,255	1,895	753	177	52	43	
4	2	3	2	3	1	2	5	2	3	.....	2	2	.....	.....	.....	.....	86
2	1	1	1	3	.....	.....	.....	3	3	3	4	5	1	.....	.....	.....	
8	13	8	10	8	14	10	11	9	11	10	10	3	.....	1	.....	.....	87
6	6	6	8	5	5	3	6	8	2	7	7	3	3	.....	.....	.....	
4	5	4	8	7	5	6	3	7	5	.....	3	1	.....	.....	.....	.....	88
17	21	41	35	49	35	32	42	24	13	12	9	3	2	.....	.....	.....	
10	14	17	16	18	41	45	36	61	93	124	132	95	43	12	8	.....	89
17	17	15	27	15	22	37	64	101	163	229	228	168	71	18	3	1	
20	26	43	46	67	102	126	162	215	323	365	327	173	88	15	5	4	90
27	20	28	42	45	59	108	161	232	414	458	475	261	138	28	11	1	
150	169	225	281	312	378	448	529	672	760	800	646	363	119	39	4	7	91
147	125	173	164	217	311	374	523	785	969	1,093	969	632	223	51	12	8	
1,463	1,760	2,328	2,451	2,669	2,743	2,722	2,482	2,507	2,157	1,663	1,072	548	164	37	10	41	92
911	958	1,146	1,182	1,226	1,370	1,642	1,919	2,157	2,175	1,920	1,334	702	253	63	22	26	
1,325	1,603	2,141	2,255	2,434	2,471	2,459	2,239	2,230	1,919	1,455	914	442	128	28	6	35	
801	837	1,007	1,060	1,113	1,227	1,463	1,725	1,935	1,902	1,635	1,122	580	213	52	20	16	
138	157	187	196	235	272	263	243	277	238	208	158	106	36	9	4	6	
110	121	139	122	113	143	179	194	222	273	285	212	122	40	11	2	10	
78	86	89	93	115	121	104	97	65	73	52	26	9	2	.....	.....	1	93
39	43	60	48	60	65	52	64	64	62	51	37	17	8	1	.....	1	
10	16	10	20	23	19	25	17	30	47	78	77	55	22	5	4	.....	94
7	16	11	10	12	14	16	30	36	50	71	90	64	47	9	4	1	
14	11	14	15	24	13	19	9	10	13	5	1	.....	.....	1	.....	2	95
4	7	4	.....	3	5	6	2	3	5	3	2	.....	.....	.....	.....	.....	
16	17	34	52	57	87	93	105	114	121	109	68	17	13	2	1	1	96
15	31	29	34	47	38	49	78	97	106	100	76	32	4	5	.....	3	
2	4	1	4	2	4	10	18	12	15	10	10	7	1	1	.....	.....	97
1	1	4	1	1	3	5	3	12	7	4	10	2	2	.....	.....	.....	
31	32	45	47	72	67	73	57	53	34	22	10	5	3	.....	.....	1	98
18	14	21	9	12	12	15	18	22	27	19	14	6	1	2	.....	2	
2,352	2,571	3,134	3,446	3,681	3,908	4,062	3,988	3,804	3,688	2,916	2,077	1,040	338	94	24	66	
1,220	1,335	1,721	1,942	2,155	2,245	2,281	2,233	2,044	1,937	1,403	913	423	135	34	11	38	
1,132	1,236	1,413	1,504	1,526	1,663	1,781	1,755	1,760	1,751	1,513	1,164	617	203	60	13	28	
13	8	5	14	15	13	15	8	16	6	9	4	.....	1	.....	.....	.....	99
15	10	7	18	18	18	17	8	8	9	10	4	1	2	.....	.....	.....	
49	38	55	41	48	32	18	24	20	27	18	15	7	3	1	1	.....	100
47	35	36	29	18	27	15	13	12	17	11	12	7	.....	1	.....	.....	
1	3	4	1	5	6	9	7	9	6	7	6	2	.....	.....	.....	.....	101
1	1	1	1	3	4	2	8	5	4	1	2	3	.....	.....	.....	.....	
106	126	188	225	197	23	219	184	140	122	72	46	23	5	1	.....	3	102
71	72	102	120	110	123	97	105	103	84	71	42	23	2	1	.....	1	
44	58	89	109	131	142	137	186	194	237	225	164	72	37	6	1	7	103
61	83	112	104	110	117	141	151	195	245	257	197	149	76	17	4	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	104
110	108	156	175	162	170	182	199	238	278	265	201	133	43	17	5	10	105
95	99	108	122	119	139	168	198	238	308	353	328	202	74	15	5	7	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.											
107	Intestinal parasites	M. 76	5	10	18	5	6	44	11	1	2	4
		F. 52	7	12	10	5	4	38	5	2	1	.....
108	Appendicitis and typhlitis	M. 5,477	25	31	49	75	57	237	386	529	607	563
		F. 3,680	10	15	47	53	72	197	302	398	389	383
109	Hernia, intestinal obstruction (total)	M. 4,205	687	122	80	44	32	965	129	75	82	109
		F. 3,869	393	85	40	36	26	580	75	36	58	114
	Hernia	M. 1,583	135	15	11	2	2	165	12	13	15	35
		F. 1,297	42	2	1	.....	.....	45	3	.....	5	5
	Intestinal obstruction	M. 2,622	552	107	69	42	30	800	117	62	67	74
		F. 2,572	351	83	39	36	26	535	72	36	53	109
110	Other diseases of the intestines	M. 879	104	27	13	8	8	160	19	12	16	26
		F. 944	64	17	17	8	4	110	22	15	19	44
111	Acute yellow atrophy of the liver	M. 124	8	2	2	1	1	14	2	4	1	8
		F. 182	7	1	3	.....	.....	11	2	2	10	25
112	Hydatid tumor of the liver	M. 23	.....	.....	1	.....	.....	1	.....	.....	1	.....
		F. 9	.....	.....	.....	.....	.....	.....	.....	1	.....	1
113	Cirrhosis of the liver	M. 5,996	6	9	.....	2	1	18	9	9	9	38
		F. 2,803	11	4	5	2	6	28	9	10	9	22
114	Biliary calculi	M. 653	2	.....	.....	.....	.....	2	1	1	2	7
		F. 1,785	.....	.....	.....	1	.....	1	.....	2	2	14
115	Other diseases of the liver	M. 1,523	56	20	11	9	7	103	13	15	24	51
		F. 1,964	52	14	9	4	5	84	14	13	20	45
116	Diseases of the spleen	M. 75	3	.....	2	2	.....	7	5	2	3	5
		F. 57	2	2	1	.....	.....	5	.....	1	3	5
117	Simple peritonitis (nonpuerperal)	M. 545	44	14	16	12	8	94	41	21	16	28
		F. 828	40	15	9	16	10	90	63	19	61	63
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	M. 284	2	2	1	1	.....	6	1	6	8	11
		F. 208	3	2	1	1	.....	7	2	.....	7	13
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	86,324	836	278	222	190	140	1,666	547	458	832	1,596
	Males	47,864	494	138	126	116	77	951	284	204	331	586
	Females	38,460	342	140	96	74	63	715	263	254	501	1,010
119	Acute nephritis	M. 3,247	222	62	64	69	43	460	134	71	87	151
		F. 2,674	159	59	53	45	32	348	105	77	113	167
120	Bright's disease	M. 38,919	120	63	50	44	27	304	130	120	218	385
		F. 30,476	81	60	35	24	26	226	145	162	235	491
121	Chyluria	M. 2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
122	Other diseases of the kidneys and annexa	M. 1,055	89	11	10	2	6	118	11	10	21	26
		F. 757	80	19	7	5	4	115	9	4	17	34
123	Calculi of the urinary passages	M. 329	1	.....	1	1	.....	3	2	2	3	7
		F. 142	.....	.....	.....	.....	.....	.....	1	.....	1	6
124	Diseases of the bladder	M. 1,028	16	.....	.....	.....	1	17	7	1	2	7
		F. 207	8	.....	.....	.....	1	9	.....	1	3	.....
125	Diseases of the urethra, urinary abscess, etc.	M. 268	1	.....	.....	.....	.....	1	.....	.....	.....	5
		F. 17	.....	.....	.....	.....	.....	.....	.....	.....	2	1
126	Diseases of the prostate	M. 2,922	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
127	Nonvenereal diseases of the male genital organs	M. 86	41	1	1	.....	.....	43	.....	.....	.....	2
128	Uterine hemorrhage (nonpuerperal)	F. 47	.....	.....	.....	.....	.....	.....	.....	1	5	4
129	Uterine tumor (noncancerous)	F. 1,329	.....	.....	.....	.....	.....	.....	.....	.....	3	11
130	Other diseases of the uterus	F. 806	.....	.....	.....	.....	.....	.....	.....	6	41	79
131	Cysts and other tumors of the ovary	F. 635	.....	1	.....	.....	.....	1	.....	.....	14	29
132	Salpingitis and other diseases of the female genital organs	F. 1,326	1	1	1	.....	.....	3	2	3	66	187
133	Nonpuerperal diseases of the breast (cancer excepted).	M. 8	4	1	.....	.....	.....	5	.....	.....	.....	1
		F. 43	13	.....	.....	.....	.....	13	.....	.....	1	1
	VII.—The puerperal state	11,642	.....	.....	.....	.....	.....	.....	.....	32	1,051	2,484
134	Accidents of pregnancy	F. 985	.....	.....	.....	.....	.....	.....	.....	.....	56	176
135	Puerperal hemorrhage	F. 1,118	.....	.....	.....	.....	.....	.....	.....	1	35	157
136	Other accidents of labor	F. 1,212	.....	.....	.....	.....	.....	.....	.....	2	73	219
137	Puerperal septicemia	F. 4,786	.....	.....	.....	.....	.....	.....	.....	12	444	1,136
138	Puerperal albuminuria and convulsions	F. 3,087	.....	.....	.....	.....	.....	.....	.....	17	428	708
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F. 415	.....	.....	.....	.....	.....	.....	.....	.....	10	77
140	Following childbirth (not otherwise defined)	F. 34	.....	.....	.....	.....	.....	.....	.....	.....	4	10
141	Puerperal diseases of the breast	F. 5	.....	.....	.....	.....	.....	.....	.....	.....	1	1
	VIII.—Diseases of the skin and of the cellular tissue	3,358	623	76	25	21	12	757	44	29	46	68
	Males	1,879	331	40	12	13	7	403	19	18	30	48
	Females	1,479	292	36	13	8	5	354	25	11	16	20
142	Gangrene	M. 818	17	8	4	3	2	34	8	2	7	11
		F. 710	17	3	6	2	2	30	14	5	2	6
143	Furuncle	M. 282	40	3	2	1	.....	46	2	3	12	13
		F. 166	51	9	1	.....	.....	61	2	.....	2	1
144	Acute abscess	M. 437	103	20	6	8	4	141	7	10	8	17
		F. 272	97	14	4	6	2	123	6	3	11	10
145	Other diseases of the skin and annexa	M. 342	171	9	.....	1	1	182	2	3	3	7
		F. 331	127	10	2	.....	1	140	3	3	1	3

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
2	2	2	3	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	107
527	443	427	400	379	285	250	155	128	88	49	13	7	.....	.....	.....	4	
380	321	274	243	179	177	147	92	81	44	34	27	8	2	1	.....	1	108
117	123	168	177	231	239	250	348	313	324	257	195	69	24	3	4	3	
124	160	194	219	235	263	311	317	319	322	227	199	81	22	8	1	4	109
26	48	68	94	112	114	117	144	159	161	138	107	38	11	3	2	1	
12	20	54	64	108	124	185	173	161	150	82	71	26	8	1	.....	.....	
91	75	100	83	119	125	133	204	154	163	119	88	31	13	.....	2	2	
112	140	140	155	127	139	126	144	158	172	145	128	55	14	7	1	4	
24	45	55	53	56	67	67	57	43	66	41	41	18	7	.....	.....	6	
48	60	67	72	53	59	57	63	51	49	60	53	27	4	10	.....	1	110
5	4	8	8	12	9	8	7	8	12	8	4	2	.....	.....	.....	.....	
25	20	10	8	3	10	15	6	12	7	11	3	1	1	.....	.....	.....	111
4	4	2	2	4	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	112
91	225	342	598	669	785	828	769	666	523	311	136	48	8	3	.....	1	
47	130	157	234	279	268	303	346	293	261	223	125	46	7	1	1	4	113
17	12	32	41	49	68	79	95	82	78	49	22	11	2	.....	.....	3	
56	67	122	127	196	201	238	196	190	182	103	57	24	2	1	1	3	114
55	74	114	114	127	126	162	131	130	133	69	52	24	4	1	.....	1	
57	89	130	133	135	196	199	207	201	176	124	92	35	9	2	1	2	115
5	9	7	5	6	4	5	3	3	3	2	1	.....	.....	.....	.....	.....	
7	3	3	4	2	2	3	5	6	3	2	1	2	.....	.....	.....	.....	116
32	28	39	40	28	32	22	32	37	17	19	11	7	1	.....	.....	.....	
87	66	71	54	41	41	36	24	29	33	20	18	8	2	2	.....	.....	117
17	24	28	26	34	31	30	25	14	17	2	2	.....	.....	2	.....	.....	
8	20	15	16	25	16	30	16	15	7	6	4	.....	.....	1	.....	.....	118
2,124	2,741	3,730	4,734	5,921	6,631	7,900	8,705	9,831	10,331	8,892	5,839	2,763	800	166	33	84	
809	1,161	1,587	2,223	3,011	3,716	4,723	5,173	5,855	6,208	5,367	3,482	1,594	447	87	17	48	
1,315	1,580	2,143	2,511	2,910	2,915	3,177	3,532	3,976	4,123	3,525	2,357	1,169	353	79	16	36	
155	216	218	240	278	211	241	194	166	159	134	78	40	10	2	.....	2	
170	170	178	175	191	170	184	151	138	125	104	56	34	12	4	.....	2	119
576	859	1,252	1,857	2,559	3,265	4,163	4,482	4,980	5,125	4,293	2,710	1,204	327	56	14	40	
636	838	1,273	1,657	2,101	2,356	2,739	3,157	3,643	3,846	3,275	2,194	1,070	312	74	16	30	120
.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	121
37	44	50	48	61	71	80	88	86	103	92	67	29	11	2	.....	.....	
49	27	61	53	46	43	52	51	49	49	39	29	21	9	.....	.....	.....	122
11	15	15	22	24	29	36	33	31	41	28	18	4	5	.....	.....	.....	
9	9	10	18	19	17	8	7	10	9	8	6	3	.....	.....	.....	1	123
8	5	10	13	23	31	49	65	111	170	199	171	97	32	7	1	2	
4	4	5	6	8	6	17	16	27	11	30	25	24	11	.....	.....	.....	124
17	16	30	26	36	36	25	31	20	8	6	8	2	.....	.....	.....	1	
.....	1	2	5	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	125
3	5	9	11	28	71	127	277	453	597	608	427	217	62	20	2	3	126
2	1	2	6	2	1	2	3	6	5	7	3	1	.....	.....	.....	.....	127
9	4	6	8	8	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	128
37	113	197	275	271	163	72	63	33	29	30	15	11	5	.....	.....	1	129
98	110	112	95	92	67	27	26	16	12	13	8	3	.....	.....	.....	1	130
47	59	62	60	60	56	62	49	50	37	24	20	3	2	.....	.....	.....	131
251	244	236	157	106	30	11	9	9	4	1	3	.....	2	1	.....	1	132
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	1	1	2	6	3	3	3	1	1	1	1	.....	.....	.....	.....	.....	133
2,651	2,459	1,926	863	148	12	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	13	
222	244	183	79	20	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	134
237	252	275	135	23	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	135
265	295	221	110	22	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	136
1,178	1,013	684	270	39	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	137
642	551	473	225	39	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	138
98	98	85	42	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	139
7	5	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	140
2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
55	83	89	119	134	132	164	181	192	270	320	337	213	89	22	7	7	
29	50	54	67	81	79	105	103	112	142	179	181	121	40	12	2	4	
26	33	35	52	53	53	59	78	80	128	141	156	92	49	10	5	3	
2	4	13	17	21	24	39	46	60	102	133	143	107	32	9	2	2	
8	7	14	17	18	21	27	42	45	91	110	127	76	41	5	3	1	142
9	14	13	12	24	25	26	19	21	13	14	12	2	.....	2	.....	.....	
3	8	5	12	15	11	12	6	6	13	4	3	2	.....	.....	.....	.....	143
15	26	24	31	26	14	26	26	16	15	15	12	2	4	.....	.....	2	
10	11	11	12	9	7	13	12	9	5	6	4	4	2	2	1	1	144
3	6	4	7	10	16	14	12	15	12	17	14	10	4	1	.....	.....	
5	7	5	11	11	14	7	18	20	19	21	22	10	6	3	1	1	145

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	2,039	181	70	56	48	37	392	192	158	148	106
	Males	1,203	103	42	28	26	23	222	108	102	109	67
	Females	836	78	28	28	22	14	170	84	56	39	39
146	Diseases of the bones (tuberculosis excepted)	M. 1,045	94	40	24	25	22	205	103	92	97	62
		F. 676	68	26	27	20	13	154	76	49	36	34
147	Diseases of the joints (tuberculosis and rheumatism excepted)	M. 122	9	2	3	1	1	16	5	8	10	4
		F. 120	7	2	1	2	1	13	8	6	3	3
148	Amputations	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	M. 35	.....	.....	1	.....	.....	1	.....	2	2	1
		F. 40	3	.....	.....	.....	.....	3	.....	1	.....	2
	X.—Malformations	11,412	10,638	319	118	65	35	11,175	122	53	29	15
	Males	6,436	6,001	171	77	41	17	6,307	63	33	18	7
	Females	4,976	4,637	148	41	24	18	4,868	59	20	11	8
150	Congenital malformations (stillbirths not included) (total)	M. 6,436	6,001	171	77	41	17	6,307	63	33	18	7
		F. 4,976	4,637	148	41	24	18	4,868	59	20	11	8
	Hydrocephalus	M. 526	385	48	31	13	7	484	27	8	5	.....
		F. 469	364	51	14	11	7	447	11	4	3	.....
	Congenital malformations of the heart	M. 3,918	3,726	66	33	19	5	3,849	25	21	12	5
		F. 2,800	2,657	56	14	9	7	2,743	29	12	7	7
	Other congenital malformations	M. 1,992	1,890	57	13	9	5	1,974	11	4	1	2
		F. 1,707	1,616	41	13	4	4	1,678	19	4	1	1
	XI.—Early infancy	55,678	55,678	.....	.....	.....	.....	55,678	.....	.....	.....	.....
	Males	32,154	32,154	.....	.....	.....	.....	32,154	.....	.....	.....	.....
	Females	23,524	23,524	.....	.....	.....	.....	23,524	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	M. 25,208	25,208	.....	.....	.....	.....	25,208	.....	.....	.....	.....
		F. 18,882	18,882	.....	.....	.....	.....	18,882	.....	.....	.....	.....
	Premature birth	M. 18,844	18,844	.....	.....	.....	.....	18,844	.....	.....	.....	.....
		F. 14,279	14,279	.....	.....	.....	.....	14,279	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	M. 6,364	6,364	.....	.....	.....	.....	6,364	.....	.....	.....	.....
		F. 4,603	4,603	.....	.....	.....	.....	4,603	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	M. 6,789	6,789	.....	.....	.....	.....	6,789	.....	.....	.....	.....
		F. 4,524	4,524	.....	.....	.....	.....	4,524	.....	.....	.....	.....
	Injuries at birth	M. 3,881	3,881	.....	.....	.....	.....	3,881	.....	.....	.....	.....
		F. 2,393	2,393	.....	.....	.....	.....	2,393	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	M. 2,908	2,908	.....	.....	.....	.....	2,908	.....	.....	.....	.....
		F. 2,131	2,131	.....	.....	.....	.....	2,131	.....	.....	.....	.....
153	Lack of care	M. 157	157	.....	.....	.....	.....	157	.....	.....	.....	.....
		F. 118	118	.....	.....	.....	.....	118	.....	.....	.....	.....
	XII.—Old age	12,165	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	5,285	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	6,880	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
154	Senility	M. 5,285	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 6,880	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIII.—External causes	75,283	2,121	1,641	1,440	1,245	1,004	7,451	3,320	2,487	3,987	6,112
	Males	57,784	1,142	952	827	641	530	4,092	2,218	2,016	3,216	5,110
	Females	17,499	979	689	613	604	474	3,359	1,102	471	771	1,002
	Suicide (total)	M. 7,792	.....	.....	.....	.....	.....	.....	1	20	185	507
		F. 2,370	.....	.....	.....	.....	.....	.....	.....	11	193	290
155	By poison	M. 1,200	.....	.....	.....	.....	.....	.....	.....	5	30	92
		F. 816	.....	.....	.....	.....	.....	.....	.....	5	102	151
156	By asphyxia	M. 960	.....	.....	.....	.....	.....	.....	1	3	19	47
		F. 498	.....	.....	.....	.....	.....	.....	.....	.....	24	44
157	By hanging or strangulation	M. 1,237	.....	.....	.....	.....	.....	.....	.....	3	19	46
		F. 272	.....	.....	.....	.....	.....	.....	.....	1	7	10
158	By drowning	M. 384	.....	.....	.....	.....	.....	.....	.....	1	6	19
		F. 239	.....	.....	.....	.....	.....	.....	.....	1	17	23
159	By firearms	M. 3,077	.....	.....	.....	.....	.....	.....	.....	6	102	267
		F. 309	.....	.....	.....	.....	.....	.....	.....	3	32	41
160	By cutting or piercing instruments	M. 597	.....	.....	.....	.....	.....	.....	.....	.....	2	13
		F. 74	.....	.....	.....	.....	.....	.....	.....	.....	2	4
161	By jumping from high places	M. 174	.....	.....	.....	.....	.....	.....	.....	.....	3	12
		F. 109	.....	.....	.....	.....	.....	.....	.....	1	4	13
162	By crushing	M. 90	.....	.....	.....	.....	.....	.....	.....	1	3	6
		F. 14	.....	.....	.....	.....	.....	.....	.....	.....	1	3
163	Other suicides	M. 73	.....	.....	.....	.....	.....	.....	.....	1	1	5
		F. 39	.....	.....	.....	.....	.....	.....	.....	.....	4	1

[1] Exclusive of injuries at birth.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
109	96	92	94	116	95	77	105	81	68	55	27	20	5	.....	1	2	
63	56	45	67	65	58	54	54	48	38	29	7	7	2	.....	.....	2	
46	40	47	27	51	37	23	51	33	30	26	20	13	3	.....	1	.....	
55	50	35	56	56	50	44	46	37	26	20	3	4	2	.....	.....	2	146
39	32	40	24	41	34	16	33	22	14	11	12	7	2	.....	.....	.....	
7	3	9	8	8	6	7	6	7	7	7	2	2	.....	.....	.....	.....	147
7	8	6	2	9	2	7	14	7	9	11	3	1	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
1	3	1	3	1	2	3	1	4	5	2	2	1	.....	.....	.....	.....	149
.....	.....	1	1	1	1	.....	4	4	7	4	5	5	.....	.....	1	.....	
12	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
7	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	1	11	22	155	316	1,111	2,052	3,293	2,733	1,612	573	266	20	
.....	.....	.....	.....	.....	5	8	72	158	515	936	1,462	1,149	660	217	98	5	
.....	.....	.....	.....	1	6	14	83	158	596	1,116	1,831	1,584	952	356	168	15	
.....	.....	.....	.....	.....	5	8	72	158	515	936	1,462	1,149	660	217	98	5	154
.....	.....	.....	.....	1	6	14	83	158	596	1,116	1,831	1,584	952	356	168	15	
6,305	5,925	6,242	5,383	5,098	4,699	3,971	3,301	2,851	2,343	2,078	1,732	1,062	451	112	20	353	
5,361	5,084	5,423	4,644	4,391	3,951	3,273	2,587	2,079	1,496	1,126	755	430	162	39	6	325	
944	841	819	739	707	748	698	714	772	847	952	977	632	289	73	14	28	
632	763	817	779	817	787	786	599	454	306	177	88	27	12	1	.....	34	
293	266	237	214	212	201	156	118	80	53	31	9	4	1	.....	.....	1	
115	137	119	138	127	108	111	92	63	25	19	8	4	1	.....	.....	6	155
146	91	77	50	57	47	40	19	12	9	7	2	.....	.....	.....	.....	1	
80	72	96	89	105	135	104	84	56	38	14	9	4	1	.....	.....	3	156
40	47	61	55	54	48	39	44	22	10	6	2	2	.....	.....	.....	.....	
67	93	102	105	133	107	172	117	108	82	43	23	9	2	1	.....	5	157
21	21	19	31	42	27	21	22	22	17	9	1	1	.....	.....	.....	.....	
30	35	41	36	41	33	35	30	23	21	17	5	5	1	.....	.....	5	158
15	28	21	18	19	30	21	16	12	11	6	1	.....	.....	.....	.....	.....	
282	329	319	296	301	314	281	207	160	102	59	31	4	6	.....	.....	11	159
49	49	28	28	22	23	22	8	3	.....	.....	1	.....	.....	.....	.....	.....	
30	60	94	77	66	64	59	43	27	27	20	10	1	1	.....	.....	3	160
7	10	5	11	7	12	6	4	2	2	1	1	.....	.....	.....	.....	.....	
14	18	22	21	24	14	13	11	10	8	2	2	.....	.....	.....	.....	.....	161
11	11	18	15	7	9	3	4	6	3	1	1	1	1	.....	.....	.....	
13	10	14	10	12	4	4	5	6	2	.....	.....	.....	.....	.....	.....	.....	162
.....	4	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	9	10	7	8	8	7	10	1	1	3	.....	.....	.....	.....	.....	1	163
4	5	7	5	3	3	3	1	1	1	1	.....	.....	.....	.....	.....	.....	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M.	45,919	1,070	941	820	636	527	3,994	2,183	1,955	2,826	3,996
		F.	14,152	917	680	611	598	470	3,276	1,081	441	483	525
164	Poisoning by food	M.	393	54	31	30	18	10	143	34	18	13	16
		F.	327	39	26	18	15	13	111	30	10	12	20
165	Other acute poisonings	M.	754	57	112	69	29	18	285	31	13	11	53
		F.	531	45	95	48	31	19	238	22	2	22	46
166	Conflagration	M.	641	22	20	28	32	25	127	36	11	16	44
		F.	413	23	31	28	20	18	120	35	17	14	19
167	Burns (conflagration excepted)	M.	2,579	133	379	355	277	173	1,317	162	40	60	127
		F.	3,147	110	281	301	327	270	1,289	452	94	100	100
168	Absorption of deleterious gases (conflagration excepted)	M.	2,010	438	22	5	4	4	473	20	37	58	123
		F.	917	372	14	3	11	5	405	13	8	27	37
169	Accidental drowning	M.	5,519	22	98	77	56	59	312	478	581	741	659
		F.	666	20	75	40	20	15	170	57	81	84	60
170	Traumatism by firearms	M.	1,401	5	8	6	17	18	54	120	240	281	172
		F.	212	4	4	9	13	18	48	46	28	20	15
171	Traumatism by cutting or piercing instruments	M.	98			3	1		4	9	6	7	8
		F.	19	1		1	1	2	5	4	1		
172	Traumatism by fall	M.	6,654	82	108	96	59	44	389	179	153	163	253
		F.	4,121	68	59	57	36	21	241	79	33	32	30
173	Traumatism in mines and quarries (total)	M.	2,223							4	8	153	293
		F.	3									1	1
	Traumatism in mines	M.	2,117							2	8	150	278
		F.	2									1	1
	Traumatism in quarries	M.	106							2		3	15
		F.	1										
174	Traumatism by machines	M.	1,584		2	1	2		5	18	34	132	221
		F.	40		2	1		3	6	3	2	5	3
175	Traumatism by other crushing (total)	M.	15,627	32	63	81	101	142	419	914	640	877	1,549
		F.	2,364	23	32	61	91	58	265	270	119	137	169
	Railroad accidents and injuries	M.	7,509	6	22	15	5	12	60	111	164	468	867
		F.	618	3	9	11	6	9	38	32	25	42	54
	Street-car accidents and injuries	M.	1,436	1	8	16	9	11	45	55	40	52	106
		F.	339	1	3	5	16	3	28	33	6	16	20
	Automobile accidents and injuries	M.	4,114	8	18	34	59	83	202	560	331	227	346
		F.	1,079	9	6	16	51	37	119	164	71	65	77
	Injuries by other vehicles	M.	2,025	16	14	14	27	30	101	179	96	97	155
		F.	308	7	14	29	17	9	76	34	16	14	16
	Landslide, other crushing	M.	543	1	1	2	1	6	11	9	9	33	75
		F.	20	3			1		4	7	1		2
176	Injuries by animals	M.	537	3	4	16	8	12	43	40	23	29	34
		F.	52	1	1	6	3	5	16	11	2		1
177	Starvation	M.	24	5	1	1			7				
		F.	23	5	2	2			9	1	2	1	
178	Excessive cold	M.	322	6		1			7	1	3	5	6
		F.	49	3				1	4		2	1	
179	Effects of heat	M.	1,584	84	15	4	4	4	111	8	8	20	44
		F.	472	85	12	2	7	3	109	6	3	7	1
180	Lightning	M.	280			3			3	8	32	33	33
		F.	60	2		2		1	5	13	8	6	7
181	Electricity (lightning excepted)	M.	575	1				1	2	13	25	55	102
		F.	11							2	3		1
185	Fractures (cause not specified)	M.	438	3	2	2	1	2	10	5	5	11	24
		F.	198	2		1	3		6	2	1		1
186	Other external violence	M.	2,676	123	76	42	27	15	283	103	83	161	235
		F.	527	114	46	31	20	18	229	35	25	14	14
	Homicide (total)	M.	4,073	72	11	7	5	3	98	34	41	205	607
		F.	977	62	9	2	6	4	83	21	19	95	187
182	By firearms	M.	2,704	2	3	1	1	2	9	16	24	147	446
		F.	537		6		1	2	9	8	10	61	113
183	By cutting or piercing instruments	M.	577	2	1	1	1		5	2	7	28	107
		F.	123	3			1		4	1	1	8	25
184	By other means	M.	792	68	7	5	3	1	84	16	10	30	54
		F.	317	59	3	2	4	2	70	12	8	26	49
	XIV.—Ill-defined diseases		10,852	4,542	748	197	110	56	5,653	198	106	145	196
	Males		6,008	2,530	379	101	61	24	3,095	98	54	60	87
	Females		4,844	2,012	369	96	49	32	2,558	100	52	85	109
187	Ill-defined organic disease	M.	275	9	7	3	4	1	24	3	2	1	6
		F.	297	1	4	3	1	6	15	9		9	13
188	Sudden death	M.	397	91	5	3	1	1	101	7	2	2	4
		F.	270	57	4		3	1	65	2	1	5	7
189	Not specified or ill-defined (total)	M.	5,336	2,430	367	95	56	22	2,970	88	50	57	77
		F.	4,277	1,954	361	93	45	25	2,478	89	51	71	89
	Ill-defined	M.	2,181	527	265	57	31	7	887	41	26	22	36
		F.	1,696	427	259	55	24	12	777	49	21	23	33
	Not specified or unknown	M.	3,155	1,903	102	38	25	15	2,083	47	24	35	41
		F.	2,581	1,527	102	38	21	13	1,701	40	30	48	56

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
4,013	3,711	4,008	3,489	3,275	2,978	2,382	1,921	1,578	1,174	932	663	400	150	38	6	247	
496	456	489	453	455	508	525	586	685	787	921	965	628	288	73	14	17	
16	8	12	19	22	21	10	17	13	21	6	7	.....	1	.....	.....	1	164
14	20	20	14	7	9	11	11	16	15	4	3	.....	.....	.....	.....	.....	
47	46	56	46	28	32	36	22	18	14	8	3	3	.....	.....	.....	2	165
29	50	22	23	19	21	7	11	6	10	2	1	.....	.....	.....	.....	.....	
40	37	57	40	42	26	37	32	20	16	22	14	7	4	2	.....	11	166
22	13	20	13	16	17	13	21	14	21	19	13	4	2	.....	.....	.....	
111	114	107	83	88	76	51	62	43	44	49	25	11	3	1	1	4	167
128	89	102	68	66	87	100	90	88	84	89	69	31	13	3	3	2	
125	147	159	146	144	149	120	99	83	50	46	14	12	1	.....	1	3	168
34	29	52	34	35	33	48	39	38	25	30	21	5	3	.....	1	.....	
513	394	386	357	293	238	177	111	82	69	31	16	4	4	.....	1	72	169
40	31	33	30	22	12	10	9	11	3	6	1	1	.....	.....	.....	4	
124	87	83	61	55	37	26	25	13	12	3	2	2	.....	.....	.....	4	170
15½	8	5	7	11	3	1	2	2	.....	.....	.....	1	.....	.....	.....	.....	
4	7	6	6	9	6	9	4	6	2	3	.....	2	.....	.....	.....	.....	171
1	.....	2	1	.....	1	1	1	.....	.....	.....	1	1	.....	.....	.....	.....	
344	404	496	503	518	511	459	400	386	379	344	372	258	108	23	3	9	172
31	54	54	92	79	111	144	203	335	438	617	730	504	243	64	5	2	
358	325	325	249	209	134	81	36	30	9	2	.....	.....	.....	.....	.....	7	173
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
345	314	311	232	200	125	74	33	27	9	2	.....	.....	.....	.....	.....	7	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
13	11	14	17	9	9	7	3	3	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
215	203	174	148	127	112	87	48	39	7	6	2	1	.....	.....	.....	5	174
2	3	.....	3	1	3	1	2	1	2	2	.....	1	.....	.....	.....	.....	
1,616	1,348	1,481	1,298	1,185	1,125	894	771	583	361	275	122	53	8	6	.....	102	175
140	117	125	124	150	156	147	147	103	92	51	33	10	1	.....	.....	8	
936	824	870	713	630	548	398	306	220	119	107	53	20	6	2	.....	87	
45	49	27	41	55	43	51	36	26	26	12	9	2	1	.....	.....	4	
111	110	126	152	120	129	108	100	66	46	44	19	1	1	1	.....	4	
12	17	23	21	21	26	25	33	22	16	13	5	2	.....	.....	.....	.....	
356	259	288	256	242	235	216	212	163	96	73	23	20	.....	1	.....	8	
71	42	62	52	59	66	54	59	42	36	19	14	4	.....	.....	.....	3	
138	121	131	119	134	178	146	128	117	95	49	25	11	1	2	.....	2	
10	8	11	10	15	21	17	19	12	14	7	5	2	.....	.....	.....	1	
75	34	66	58	59	35	26	25	17	5	2	2	1	.....	.....	.....	1	
2	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
29	39	26	31	40	41	41	38	30	27	15	7	4	.....	.....	.....	.....	176
2	.....	2	2	1	2	4	1	5	1	1	.....	1	.....	.....	.....	.....	
.....	3	2	2	2	.....	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	177
.....	.....	.....	1	1	1	1	.....	2	2	.....	2	.....	.....	.....	.....	.....	
14	23	32	29	33	40	35	23	25	18	15	4	2	2	1	.....	4	178
1	2	1	3	1	5	1	4	2	3	5	5	5	2	1	1	.....	
76	130	197	160	183	138	109	100	82	51	56	33	18	8	.....	.....	2	179
16	9	20	15	20	23	15	23	34	43	50	35	26	12	2	2	1	
25	24	28	24	21	16	13	6	5	5	1	1	.....	.....	.....	.....	2	180
2	9	2	3	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
108	81	72	42	39	18	8	5	3	1	.....	.....	.....	.....	.....	.....	1	181
1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
32	32	48	37	46	30	26	19	27	24	21	16	12	6	4	.....	3	185
3	4	3	4	4	5	3	10	13	20	35	38	34	9	3	.....	.....	
216	259	261	208	191	178	160	99	89	64	29	25	11	5	1	.....	15	186
15	17	24	15	19	17	18	11	15	28	10	13	4	3	.....	1	.....	
716	610	598	376	299	186	105	67	47	16	17	4	3	.....	.....	.....	44	
155	119½	93	72	40	39	17	10	7	7	.....	3	.....	.....	.....	.....	10	
532	433½	391	250	182	112	59	36	27	6	3	3	2	.....	.....	.....	26	
94	65	63	47	24	22	5	6	3	2	.....	1	.....	.....	.....	.....	4	182
95	87	100	65	43	17	7	2	2	3	1	.....	.....	.....	.....	.....	6	
23	21	11	8	8	6	2	2	1	2	.....	.....	.....	.....	.....	.....	.....	183
89	90	107	61	74	57	39	29	18	7	13	1	1	.....	.....	.....	12	
38	33	19	17	8	11	10	2	3	3	.....	2	.....	.....	.....	.....	6	184
199	199	281	273	252	375	378	487	496	489	414	308	179	101	29	16	78	
108	111	164	169	144	228	232	316	309	286	207	145	69	44	14	9	59	
91	88	117	104	108	147	146	171	187	203	207	163	110	57	15	7	19	
3	4	13	5	9	12	16	32	31	37	29	31	7	7	.....	2	1	187
10	5	12	10	8	20	14	24	27	35	38	24	16	6	1	.....	1	
5	11	21	18	15	28	30	35	40	22	19	13	11	8	1	.....	4	188
9	7	7	8	19	23	15	14	17	23	20	16	9	2	.....	.....	1	
100	96	130	146	120	188	186	249	238	227	159	101	51	29	13	7	54	189
72	76	98	86	81	104	117	133	143	145	149	123	85	49	14	7	17	
45	43	65	90	73	111	116	157	154	139	79	45	27	10	5	.....	10	
38	36	52	51	43	64	75	77	100	75	67	54	30	23	3	2	3	
55	53	65	56	47	77	70	92	84	88	80	56	24	19	8	7	44	
34	40	46	35	38	40	42	56	43	70	82	69	55	26	11	5	14	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes		905,213	147,764	32,043	14,527	8,951	6,306	209,591	18,543	12,057	19,161	29,116
	Males		496,743	83,709	17,128	7,741	4,787	3,296	116,661	10,106	6,631	10,046	15,410
	Females		408,470	64,055	14,915	6,786	4,164	3,010	92,930	8,437	5,426	9,115	13,706
	I.—General diseases		236,926	14,795	9,276	5,173	3,453	2,569	35,266	7,439	4,316	8,297	13,393
	Males		121,851	7,999	4,827	2,628	1,806	1,306	18,566	3,746	1,943	3,649	6,634
	Females		115,075	6,796	4,449	2,545	1,647	1,263	16,700	3,693	2,373	4,648	6,759
1	Typhoid fever	M.	4,761	30	37	53	38	60	218	252	302	579	739
		F.	3,169	16	39	58	44	54	211	256	318	483	459
2	Typhus fever	M.	27	.....	1	.....	.....	.....	1	1	.....	2	2
		F.	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1
3	Relapsing fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	M.	607	72	46	28	16	17	179	43	19	18	35
		F.	542	54	35	28	13	10	140	44	33	25	28
5	Smallpox	M.	51	6	4	5	2	1	18	3	2	2	3
		F.	43	10	2	5	.....	.....	17	5	1	1	5
6	Measles	M.	3,860	1,053	1,317	490	249	127	3,236	306	67	61	52
		F.	3,626	850	1,144	482	222	127	2,825	326	88	82	50
7	Scarlet fever	M.	1,183	76	116	165	148	118	623	320	108	47	36
		F.	1,118	45	126	119	124	114	528	290	99	59	56
8	Whooping cough	M.	2,802	1,657	656	227	104	57	2,701	75	10	2	.....
		F.	3,358	1,791	887	314	141	64	3,197	120	13	8	3
9	Diphtheria and croup	M.	5,023	453	882	780	638	532	3,285	1,221	250	69	46
		F.	4,912	347	748	702	617	524	2,938	1,307	321	99	49
10	Influenza	M.	7,949	761	239	127	88	46	1,261	138	75	107	131
		F.	9,336	602	215	119	64	39	1,039	137	98	115	120
11	Miliary fever	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	M.	141	29	18	4	1	1	53	6	.....	3	4
		F.	120	32	4	12	2	2	52	1	1	2	2
14	Dysentery	M.	1,358	285	243	103	45	25	701	45	14	11	7
		F.	1,399	255	186	90	45	18	594	42	11	11	8
15	Plague	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1
18	Erysipelas	M.	1,456	409	21	8	5	.....	443	8	10	21	19
		F.	1,135	360	35	11	6	3	415	4	14	17	25
19	Other epidemic diseases	M.	103	34	11	7	6	1	59	14	2	4	3
		F.	101	25	14	9	5	4	57	10	5	2	4
20	Purulent infection and septicemia	M.	798	81	10	11	7	8	117	32	42	35	27
		F.	481	55	11	9	6	8	89	22	23	21	23
21	Glanders	M.	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	M.	24	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
		F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
23	Rabies	M.	23	1	1	.....	2	1	5	2	3	1	4
		F.	9	.....	.....	.....	1	1	2	1	1	1	1
24	Tetanus	M.	665	110	6	5	7	12	140	93	80	48	35
		F.	279	83	2	4	9	3	101	48	18	11	12
25	Mycoses	M.	28	.....	.....	.....	.....	.....	.....	1	.....	.....	2
		F.	13	.....	.....	.....	.....	.....	.....	.....	1	1	2
26	Pellagra	M.	437	2	3	1	2	.....	8	3	4	6	12
		F.	757	4	5	2	1	1	13	2	4	18	40
27	Beriberi	M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	M.	49,093	1,256	896	464	320	199	3,135	709	508	2,108	4,856
		F.	35,935	953	753	437	242	186	2,571	661	890	3,192	5,207
28	Tuberculosis of the lungs	M.	41,701	358	197	104	50	38	747	164	224	1,732	4,328
		F.	29,796	276	167	81	55	32	611	226	599	2,733	4,675
29	Acute miliary tuberculosis	M.	1,366	64	46	24	17	9	160	27	20	102	161
		F.	1,052	48	47	21	4	7	127	38	57	165	181
30	Tuberculous meningitis	M.	2,830	610	521	264	193	110	1,698	348	133	107	119
		F.	2,346	491	438	270	156	110	1,465	279	135	121	85
31	Abdominal tuberculosis	M.	1,386	119	70	40	23	18	270	63	48	48	111
		F.	1,547	63	60	38	15	13	189	51	41	86	161
32	Pott's disease	M.	476	11	13	11	14	12	61	49	37	27	42
		F.	329	8	8	8	7	13	44	23	23	28	18
33	White swellings	M.	297	11	13	5	9	3	41	28	13	23	21
		F.	140	9	2	4	3	3	21	14	12	10	15
34	Tuberculosis of other organs	M.	720	52	24	13	10	7	106	27	25	46	45
		F.	461	31	13	10	2	7	63	23	11	33	45
35	Disseminated tuberculosis	M.	317	31	12	3	4	2	52	3	8	23	29
		F.	264	27	18	5	.....	1	51	7	12	16	27
36	Rickets	M.	263	166	64	16	7	.....	253	3	1	1	1
		F.	188	94	56	11	3	4	168	3	2	3	.....
37	Syphilis	M.	3,362	973	67	19	13	7	1,079	19	14	23	75
		F.	1,757	745	42	23	16	10	836	18	10	25	54
38	Gonococcus infection	M.	75	22	1	.....	.....	.....	23	.....	.....	3	6
		F.	334	42	3	.....	.....	.....	45	2	.....	23	61

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
32,243	33,671	37,708	39,388	43,555	48,045	54,241	58,357	64,263	66,748	60,109	43,840	23,412	8,027	1,903	317	918	
17,605	19,141	22,026	23,267	26,045	28,467	31,688	33,063	35,077	35,027	30,322	20,749	10,540	3,320	775	137	640	
14,638	14,530	15,682	16,121	17,510	19,578	22,553	25,294	29,186	31,721	29,787	23,091	12,872	4,707	1,128	180	278	
14,339	14,116	14,664	14,617	15,039	15,494	16,237	15,590	14,911	13,094	9,975	6,006	2,836	877	178	25	217	
7,679	8,005	8,382	8,149	8,214	8,252	8,423	7,931	7,374	6,076	4,528	2,569	1,183	352	69	8	119	
6,660	6,111	6,282	6,468	6,825	7,242	7,814	7,659	7,537	7,018	5,447	3,437	1,653	525	109	17	98	
633	485	367	328	248	186	172	96	87	31	23	7	.....	.....	.....	.....	8	1
322	249	207	148	134	98	89	63	60	35	13	7	6	1	.....	.....	10	
3	4	3	5	3	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2
2	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
22	20	33	28	29	32	34	27	25	22	15	16	8	1	.....	.....	1	4
22	20	21	26	19	19	20	23	26	28	15	20	6	2	1	1	3	
2	1	3	1	3	4	2	.....	2	.....	1	2	.....	.....	1	.....	1	5
.....	2	2	3	1	1	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	
26	19	9	13	13	18	13	3	7	5	5	2	.....	.....	.....	.....	5	6
30	36	42	33	30	17	14	11	17	9	5	2	4	1	1	.....	3	
17	10	12	6	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	7
36	21	15	8	3	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	
.....	1	1	2	.....	3	2	.....	1	1	.....	1	1	.....	.....	.....	1	8
2	1	2	2	.....	1	.....	4	1	2	.....	1	.....	.....	.....	.....	1	
28	25	24	11	21	10	11	2	7	5	3	1	.....	.....	.....	.....	4	9
48	33	19	29	19	12	14	6	3	4	4	1	1	.....	.....	.....	5	
112	132	174	181	259	273	382	450	641	860	1,090	895	541	195	45	4	3	10
144	156	170	227	225	274	443	524	798	1,202	1,342	1,179	766	306	58	8	5	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
1	2	2	2	1	5	10	9	12	10	10	8	1	2	.....	.....	.....	13
3	.....	2	2	2	3	2	4	6	10	7	11	5	4	1	.....	.....	
8	20	9	16	23	29	28	53	69	94	100	78	36	11	3	.....	3	14
13	16	7	9	25	20	45	60	94	114	137	125	48	16	2	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	1	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	17
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
38	48	67	82	104	119	113	92	81	86	57	38	19	9	.....	.....	2	18
30	39	33	47	66	52	62	61	43	65	68	57	27	9	1	.....	.....	
6	.....	.....	3	.....	1	3	1	2	1	1	1	2	.....	.....	.....	.....	19
6	2	3	1	1	.....	1	3	2	1	2	.....	.....	1	.....	.....	.....	
34	26	32	42	64	69	57	69	48	45	31	11	10	3	1	.....	3	20
29	31	34	18	25	34	27	24	32	17	13	13	4	.....	.....	1	1	
.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	1	3	1	6	7	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	22
2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	2	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
48	34	32	32	28	21	31	16	13	5	3	1	3	.....	.....	.....	2	24
11	23	15	5	8	6	8	4	5	3	1	.....	.....	.....	.....	.....	.....	
.....	2	4	3	5	2	2	3	3	1	.....	.....	.....	.....	.....	.....	.....	25
1	.....	1	1	1	2	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	
17	19	22	26	31	28	62	58	65	41	18	10	6	.....	.....	.....	1	26
56	68	89	87	70	65	53	64	54	35	25	6	.....	1	.....	.....	7	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
5,691	5,800	5,697	4,884	4,220	3,363	2,834	2,076	1,588	888	461	173	47	12	2	.....	41	
5,008	4,000	3,389	2,612	1,871	1,438	1,276	1,150	1,001	795	529	207	87	14	3	.....	34	
5,158	5,271	5,241	4,505	3,900	3,098	2,586	1,889	1,436	779	410	146	39	11	2	.....	35	28
4,522	3,634	3,087	2,357	1,677	1,257	1,104	1,001	864	684	467	182	72	11	3	.....	30	
177	174	145	123	96	76	43	31	17	7	2	3	1	.....	.....	.....	1	29
145	103	70	47	29	22	22	16	13	9	4	1	2	1	.....	.....	.....	
97	89	74	54	34	28	21	10	10	3	3	2	.....	.....	.....	.....	.....	30
78	50	37	26	22	10	11	14	6	2	2	.....	3	.....	.....	.....	.....	
96	120	99	88	83	70	79	66	60	48	21	13	1	1	.....	.....	1	31
170	130	115	119	75	84	87	65	71	55	26	16	4	.....	.....	.....	2	
55	25	36	29	30	19	21	15	14	10	5	1	.....	.....	.....	.....	.....	32
26	21	21	19	18	20	16	11	6	19	9	3	3	.....	.....	.....	1	
25	19	17	13	13	19	23	11	11	11	6	1	2	.....	.....	.....	.....	33
7	4	4	7	5	9	6	3	10	7	3	1	.....	2	.....	.....	.....	
50	73	55	54	44	36	45	36	29	24	12	6	3	.....	.....	.....	4	34
37	30	31	27	26	23	20	27	26	16	15	4	3	.....	.....	.....	1	
33	29	30	18	20	17	16	18	11	6	2	1	1	.....	.....	.....	.....	35
23	28	24	10	19	13	10	13	5	3	3	.....	.....	.....	.....	.....	.....	
.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
1	.....	3	1	1	1	2	.....	.....	1	1	.....	1	.....	.....	.....	.....	
138	209	306	319	304	273	240	170	101	44	29	10	7	.....	.....	.....	2	37
67	110	128	124	107	97	55	50	41	20	10	3	1	1	.....	.....	.....	
11	2	5	5	6	3	3	3	2	1	.....	1	.....	1	.....	.....	.....	38
62	45	45	28	16	3	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	23,232	22	31	24	32	24	133	65	50	110	164
		F.	32,844	22	30	29	25	16	122	55	50	84	146
39	Of the buccal cavity	M.	1,686	.....	.....	.....	3	.....	3	4	1	2	4
		F.	335	.....	1	3	.....	.....	4	.....	.....	3	4
40	Of the stomach, liver	M.	11,049	7	7	3	2	2	21	10	5	13	29
		F.	10,661	5	3	5	2	1	16	9	1	7	27
41	Of the peritoneum, intestines, rectum	M.	3,206	1	3	5	4	2	15	5	13	18	30
		F.	4,289	.....	2	2	2	3	9	6	2	10	26
42	Of the female genital organs	F.	8,102	1	2	.....	1	1	5	1	4	20	37
43	Of the breast	M.	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	5,183	.....	.....	.....	.....	1	1	1	1	6	9
44	Of the skin	M.	1,258	1	.....	.....	1	1	3	3	1	2	3
		F.	746	.....	1	3	2	1	7	1	1	3	2
45	Of other organs or of organs not specified	M.	5,940	13	21	16	22	19	91	43	30	75	98
		F.	3,528	16	21	16	18	9	80	37	41	35	41
46	Other tumors (tumors of the female genital organs excepted).	M.	101	4	2	.....	1	1	8	3	2	1	2
		F.	203	4	2	.....	1	1	8	2	3	1	3
47	Acute articular rheumatism	M.	1,455	13	15	14	18	22	82	194	190	149	65
		F.	1,491	16	7	13	24	26	86	164	178	124	80
48	Chronic rheumatism and gout	M.	292	.....	.....	.....	.....	.....	.....	1	1	3	10
		F.	565	.....	.....	.....	.....	.....	.....	2	2	4	3
49	Scurvy	M.	47	27	6	.....	1	1	35	.....	.....	2	.....
		F.	25	16	2	.....	.....	.....	18	4	1	1	.....
50	Diabetes	M.	5,360	8	26	13	20	21	88	88	115	136	144
		F.	6,436	8	6	17	16	18	65	94	122	114	123
51	Exophthalmic goiter	M.	127	1	.....	.....	.....	.....	1	1	3	3	6
		F.	986	2	.....	.....	.....	.....	2	1	3	42	71
52	Addison's disease	M.	145	.....	.....	.....	.....	.....	.....	1	2	3	3
		F.	162	1	1	.....	1	.....	3	1	.....	2	8
53	Leukemia	M.	852	24	22	11	15	14	86	49	34	38	42
		F.	533	15	20	11	7	10	63	23	25	18	46
54	Anemia, chlorosis	M.	1,643	81	33	13	9	3	139	18	19	20	29
		F.	2,043	66	24	13	5	8	116	20	18	41	41
55	Other general diseases	M.	694	343	52	40	11	8	454	32	15	20	11
		F.	632	283	50	27	7	12	379	28	20	13	15
56	Alcoholism (acute or chronic)	M.	3,535	.....	.....	.....	.....	.....	.....	.....	.....	5	53
		F.	400	.....	.....	.....	.....	.....	.....	.....	.....	1	4
57	Chronic lead poisoning	M.	172	.....	1	.....	1	.....	2	.....	1	2	2
		F.	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	M.	15	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	M.	83	.....	.....	.....	.....	.....	.....	.....	.....	3	5
		F.	113	.....	.....	.....	.....	.....	.....	.....	.....	2	8
	II.—Diseases of the nervous system and of the organs of special sense		91,753	4,831	2,480	1,709	1,180	878	11,078	2,177	1,048	1,044	1,046
	Males		49,303	2,782	1,381	961	665	484	6,273	1,200	566	601	595
	Females		42,450	2,049	1,099	748	515	394	4,805	977	482	443	451
60	Encephalitis	M.	284	52	21	5	8	2	88	10	8	16	16
		F.	227	40	14	7	5	5	71	11	10	14	15
61	Meningitis (total)	M.	2,687	759	338	212	111	99	1,519	272	148	135	88
		F.	2,005	517	292	183	114	87	1,193	226	107	69	68
	Simple meningitis	M.	1,325	391	154	104	48	47	744	114	56	59	42
		F.	1,048	277	139	96	48	38	598	99	44	31	40
	Cerebrospinal meningitis (undefined)	M.	527	150	73	40	22	26	311	64	34	22	11
		F.	364	96	58	31	26	22	233	49	21	10	8
	Cerebrospinal fever	M.	835	218	111	68	41	26	464	94	58	54	35
		F.	593	144	95	56	40	27	362	78	42	28	20
62	Locomotor ataxia	M.	1,274	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
		F.	370	.....	.....	.....	1	.....	1	.....	1	.....	2
63	Other diseases of the spinal cord (total)	M.	5,950	602	756	628	479	332	2,797	703	211	154	121
		F.	4,675	490	565	458	338	245	2,096	553	170	100	68
	Acute anterior poliomyelitis	M.	4,002	574	748	616	475	327	2,740	689	189	128	90
		F.	2,935	462	558	442	332	242	2,036	533	150	78	42
	Other diseases of the spinal cord [1]	M.	1,948	28	8	12	4	5	57	14	22	26	31
		F.	1,740	28	7	16	6	3	60	20	20	22	26
64	Cerebral hemorrhage, apoplexy	M.	27,659	72	21	11	6	5	115	12	18	43	76
		F.	26,648	64	23	9	4	5	105	20	22	41	63
65	Softening of the brain	M.	441	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
		F.	421	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
66	Paralysis without specified cause	M.	2,105	14	6	7	2	2	31	7	7	8	6
		F.	2,226	10	6	3	2	3	24	6	10	5	13
67	General paralysis of the insane	M.	3,503	.....	.....	.....	.....	.....	.....	.....	1	3	16
		F.	1,237	.....	.....	.....	.....	.....	.....	.....	3	4	9
68	Others forms of mental alienation	M.	570	.....	.....	.....	.....	.....	.....	.....	1	11	30
		F.	727	.....	.....	.....	.....	.....	.....	.....	1	18	33
69	Epilepsy	M.	1,490	52	17	13	11	12	105	49	76	148	148
		F.	1,109	32	13	8	11	11	75	38	56	101	105
70	Convulsions (nonpuerperal)	M.	31	.....	.....	.....	.....	.....	.....	14	4	1	1
		F.	57	.....	.....	.....	.....	.....	.....	10	2	9	11
71	Convulsions of infants	M.	1,104	959	111	18	8	8	1,104	.....	.....	.....	.....
		F.	840	697	94	25	16	8	840	.....	.....	.....	.....
72	Chorea	M.	37	4	1	.....	1	.....	6	5	7	4	1
		F.	58	3	.....	.....	.....	.....	3	3	18	9	3
73	Neuralgia and neuritis	M.	155	1	.....	.....	1	.....	2	.....	1	1	1
		F.	220	2	.....	.....	1	.....	3	1	.....	4	5

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Detailed List No. Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
252	340	598	1,050	1,675	2,427	2,950	3,438	3,373	2,983	2,048	1,056	402	91	13	4	10	
324	779	1,426	2,355	3,266	3,833	4,241	4,121	3,920	3,457	2,494	1,423	559	130	34	5	20	
9	11	34	85	110	173	218	232	231	224	183	91	51	15	2	.....	3	39
1	6	9	15	15	18	39	39	41	35	45	37	16	8	.....	.....	.....	
61	142	249	517	839	1,250	1,528	1,819	1,714	1,385	889	429	120	23	3	.....	3	40
63	135	249	494	770	1,091	1,347	1,558	1,621	1,442	1,064	544	177	33	7	2	4	
61	66	109	160	234	359	402	459	452	421	259	104	31	5	1	.....	2	41
44	93	151	231	342	456	533	575	541	555	411	202	79	15	6	1	1	
125	321	566	886	1,147	1,161	1,139	904	721	535	323	134	52	12	2	1	6	42
4	.....	2	4	10	7	13	10	11	17	6	7	2	.....	.....	.....	.....	43
30	108	276	492	619	712	700	563	540	460	329	227	86	14	5	1	3	
7	8	12	31	45	65	104	140	164	211	198	145	79	26	6	4	1	44
6	13	6	14	24	28	42	66	63	113	111	119	87	35	5	.....	.....	
110	113	192	253	437	573	685	778	801	725	513	280	119	22	1	.....	1	45
55	103	169	223	349	367	441	416	393	317	211	160	62	13	9	.....	6	
1	4	3	5	6	14	5	12	5	13	11	3	2	.....	1	.....	.....	46
5	7	9	23	15	15	16	12	18	17	14	21	9	4	1	.....	.....	
69	60	53	62	76	71	68	70	82	59	50	35	13	7	.....	.....	.....	47
72	67	71	56	68	73	71	78	78	86	55	43	30	9	.....	.....	2	
14	8	10	12	16	18	24	26	36	43	41	19	5	4	1	.....	.....	48
6	9	14	15	19	45	45	54	84	93	80	64	15	9	1	1	.....	
1	1	1	.....	.....	1	.....	.....	1	1	3	1	.....	.....	.....	.....	.....	49
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
159	165	203	250	307	519	649	698	700	546	371	143	64	10	1	.....	4	50
144	121	177	216	370	632	859	959	938	767	476	184	59	9	4	.....	3	
8	16	16	12	17	12	15	3	6	5	3	.....	.....	.....	.....	.....	.....	51
79	79	98	107	116	109	105	64	56	32	13	6	3	.....	.....	.....	.....	
12	16	10	17	20	11	12	13	12	7	2	.....	3	.....	1	.....	.....	52
14	14	14	19	20	23	16	12	10	4	1	1	.....	.....	.....	.....	.....	
51	50	57	45	73	79	71	63	54	38	15	4	.....	.....	.....	.....	3	53
25	31	35	40	36	54	52	32	16	19	12	6	.....	.....	.....	.....	.....	
37	49	78	93	124	167	236	213	177	132	73	28	6	4	.....	.....	1	54
41	74	110	137	206	241	249	229	198	161	98	39	16	6	1	.....	1	
12	5	22	8	16	9	18	13	13	12	15	11	5	2	.....	.....	1	55
17	18	7	14	12	16	10	17	19	15	15	11	2	2	1	.....	1	
208	406	494	575	492	445	339	221	141	81	41	11	2	.....	.....	.....	21	56
35	46	79	66	64	42	24	23	5	8	3	.....	.....	.....	.....	.....	.....	
10	10	15	22	19	20	30	16	13	10	.....	.....	.....	.....	.....	.....	.....	57
.....	3	.....	1	1	2	4	1	2	.....	1	.....	.....	.....	.....	.....	.....	
3	2	3	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	12	10	4	2	6	6	11	5	1	8	2	.....	.....	.....	.....	2	59
3	9	13	7	8	12	7	4	9	13	10	6	2	.....	.....	.....	.....	
1,243	1,632	2,314	3,031	4,144	5,448	6,821	8,322	9,957	10,945	10,116	6,909	3,289	932	173	19	65	
729	1,020	1,467	1,798	2,416	3,018	3,870	4,663	5,360	5,705	4,935	3,125	1,441	386	76	13	46	
514	612	847	1,233	1,728	2,430	2,951	3,659	4,597	5,240	5,181	3,784	1,848	546	97	6	19	
20	20	12	15	9	15	14	15	7	10	5	1	1	1	.....	.....	1	60
19	9	7	11	14	17	8	4	5	3	7	2	.....	.....	.....	.....	.....	
94	67	83	65	57	56	39	27	10	10	9	3	3	2	.....	.....	.....	61
58	34	39	46	40	27	26	12	22	13	11	9	4	.....	1	.....	.....	
48	39	41	35	34	40	23	21	8	6	7	3	3	2	.....	.....	.....	
36	20	24	33	28	21	14	8	20	12	8	7	4	.....	1	.....	.....	
24	8	15	13	7	5	4	5	.....	3	1	.....	.....	.....	.....	.....	.....	
6	6	2	5	6	3	9	1	2	1	1	1	.....	.....	.....	.....	.....	
22	20	27	17	16	11	12	1	2	1	1	.....	.....	.....	.....	.....	.....	
16	8	13	8	6	3	3	3	.....	.....	2	1	.....	.....	.....	.....	.....	
8	19	51	100	154	177	194	211	161	107	65	20	3	2	.....	.....	.....	62
4	7	23	21	44	49	56	50	42	39	22	7	2	.....	.....	.....	.....	
92	75	75	84	103	129	198	262	288	286	209	109	38	10	.....	1	5	63
66	40	52	71	88	148	163	210	227	234	207	124	43	14	.....	.....	1	
63	27	27	11	4	6	7	5	6	6	1	1	.....	.....	.....	.....	2	
35	18	14	6	4	4	6	2	.....	4	2	.....	1	.....	.....	.....	.....	
29	48	48	73	99	123	191	257	282	280	208	108	38	10	.....	1	3	
31	22	38	65	84	144	157	208	227	230	205	124	42	14	.....	.....	1	
125	213	403	674	1,180	1,888	2,691	3,398	4,192	4,575	3,941	2,530	1,172	311	66	10	26	64
103	186	327	618	1,036	1,717	2,213	2,880	3,716	4,241	4,225	3,088	1,509	443	79	6	10	
2	1	9	2	6	12	24	38	55	80	99	70	33	6	1	.....	2	65
.....	2	1	5	11	18	18	27	54	69	78	79	45	10	4	.....	.....	
17	18	18	28	55	91	143	248	303	354	371	234	120	32	8	2	4	66
5	14	22	39	79	90	153	197	280	353	381	315	172	54	11	.....	3	
71	276	523	528	557	409	328	252	163	139	111	68	42	11	.....	.....	5	67
34	83	114	120	120	119	115	80	82	123	109	82	32	7	.....	.....	1	
47	45	49	51	42	60	55	43	40	36	28	23	7	1	.....	.....	1	68
42	44	60	81	92	75	54	68	38	38	41	20	15	6	.....	.....	1	
144	156	131	113	96	67	63	58	56	29	28	17	4	1	.....	.....	1	69
97	109	88	93	71	50	42	49	39	47	26	18	2	1	1	.....	1	
1	2	2	1	2	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	70
7	2	2	4	4	.....	.....	2	.....	2	.....	.....	1	.....	.....	.....	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	1	2	1	2	2	1	3	.....	.....	.....	.....	.....	.....	72
1	2	.....	1	3	2	1	3	2	2	2	1	2	.....	.....	.....	.....	
10	13	5	7	19	11	21	14	15	17	8	8	2	.....	.....	.....	.....	73
11	12	17	26	15	18	16	14	14	26	20	11	5	2	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system	M. 1,219	109	36	37	25	11	218	57	43	37	49
		F. 1,054	81	34	29	15	12	171	49	36	37	29
75	Diseases of the eyes and their annexa	M. 29	5	1	1	.....	.....	7	2	2	1	1
		F. 17	1	3	2	2	.....	8	1	.....	.....	1
76	Diseases of the ears	M. 765	153	73	29	13	13	281	69	38	39	39
		F. 559	112	55	24	6	18	215	59	46	32	26
	III.—Diseases of the circulatory system	131,163	1,120	220	164	164	178	1,846	1,206	1,445	1,460	1,689
	Males	70,306	630	121	89	88	88	1,016	566	678	693	806
	Females	60,857	490	99	75	76	90	830	640	767	767	883
77	Pericarditis	M. 383	5	3	3	2	3	16	18	8	11	4
		F. 268	9	3	2	4	5	23	10	9	2	9
78	Acute endocarditis	M. 3,193	130	30	22	33	16	231	113	118	110	136
		F. 2,875	120	27	20	25	28	220	133	137	140	138
79	Organic diseases of the heart	M. 51,942	299	53	51	36	61	500	404	526	543	615
		F. 47,138	229	43	40	36	54	402	480	605	592	676
80	Angina pectoris	M. 3,407	1	.....	1	1	.....	3	4	2	2	5
		F. 1,873	1	.....	.....	.....	.....	1	.....	1	5	8
81	Diseases of the arteries, atheroma, aneurism, etc.	M. 9,402	1	.....	.....	1	.....	2	2	3	4	10
		F. 6,791	1	2	.....	1	.....	4	3	1	4	8
82	Embolism and thrombosis	M. 1,378	25	6	3	2	2	38	11	11	15	30
		F. 1,323	16	3	1	1	1	22	8	8	16	36
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M. 219	5	1	.....	.....	.....	6	.....	1	4	2
		F. 295	2	1	.....	.....	.....	3	1	.....	.....	5
84	Diseases of the lymphatic system (lymphangitis, etc.).	M. 249	137	28	9	11	6	191	11	5	3	.....
		F. 182	98	18	12	7	2	137	5	3	6	2
85	Hemorrhage; other diseases of the circulatory system.	M. 133	27	.....	.....	2	.....	29	3	4	1	4
		F. 112	14	2	.....	2	.....	18	.....	3	2	1
	IV.—Diseases of the respiratory system	106,548	21,986	7,718	2,953	1,432	852	34,941	1,854	934	1,546	2,039
	Males	58,609	12,499	4,195	1,600	771	448	19,513	994	476	922	1,219
	Females	47,939	9,487	3,523	1,353	661	404	15,428	860	458	624	820
86	Diseases of the nasal fossae	M. 71	30	4	4	.....	.....	38	6	1	2	1
		F. 59	29	3	.....	.....	.....	32	3	.....	2	1
87	Diseases of the larynx	M. 400	75	54	47	37	19	232	39	6	2	5
		F. 293	62	45	28	28	10	173	29	10	4	6
88	Diseases of the thyroid body	M. 76	3	1	1	1	.....	6	1	2	4	9
		F. 365	6	2	1	2	1	12	.....	1	15	23
89	Acute bronchitis	M. 3,059	1,771	326	126	45	24	2,292	29	12	5	3
		F. 3,006	1,379	290	74	39	25	1,807	24	8	14	10
90	Chronic bronchitis	M. 2,085	34	19	1	2	2	58	16	8	7	10
		F. 2,468	32	18	4	1	1	56	13	9	11	9
91	Bronchopneumonia	M. 16,652	7,013	2,266	740	322	182	10,523	286	100	90	104
		F. 15,378	5,337	1,918	710	289	168	8,422	267	89	65	84
92	Pneumonia (total)	M. 32,535	3,292	1,377	606	320	194	5,789	542	309	747	1,001
		F. 23,770	2,429	1,151	488	265	180	4,513	468	316	457	616
	Lobar pneumonia	M. 28,746	2,605	1,163	492	260	158	4,678	454	256	658	904
		F. 20,616	1,887	951	399	222	153	3,612	402	265	400	540
	Pneumonia (undefined)	M. 3,789	687	214	114	60	36	1,111	88	53	89	97
		F. 3,154	542	200	89	43	27	901	66	51	57	76
93	Pleurisy	M. 1,429	84	117	58	36	20	315	48	26	48	51
		F. 990	66	78	38	30	13	225	38	17	41	48
94	Pulmonary congestion, pulmonary apoplexy	M. 615	146	14	5	4	3	172	12	4	4	5
		F. 585	109	11	6	3	2	131	6	1	2	1
95	Gangrene of the lung	M. 168	.....	2	.....	2	.....	4	3	2	2	13
		F. 50	2	2	.....	.....	.....	4	1	1	4	4
96	Asthma	M. 853	15	7	2	.....	1	25	5	2	4	4
		F. 679	8	3	3	3	4	21	2	.....	.....	7
97	Pulmonary emphysema	M. 107	9	.....	2	.....	.....	11	.....	.....	1	1
		F. 61	5	1	.....	.....	.....	6	.....	1	.....	1
98	Other diseases of the respiratory system (tuberculosis excepted).	M. 559	27	8	8	2	3	48	7	4	6	12
		F. 235	23	1	1	1	.....	26	9	5	9	10
	V.—Diseases of the digestive system	97,225	37,948	9,795	2,770	1,252	719	52,484	1,893	1,369	1,518	1,847
	Males	53,147	21,307	5,202	1,460	663	368	29,000	1,025	772	872	988
	Females	44,078	16,641	4,593	1,310	589	351	23,484	868	597	646	859
99	Diseases of the mouth and annexa	M. 281	98	16	2	2	3	121	16	8	5	11
		F. 269	79	15	2	3	5	104	13	3	6	8
100	Diseases of the pharynx	M. 964	89	57	64	45	26	281	132	51	66	69
		F. 743	72	38	35	45	43	233	120	59	35	48
101	Diseases of the esophagus	M. 78	6	2	5	1	1	15	.....	.....	.....	.....
		F. 56	4	3	3	5	2	17	1	2	1	.....
102	Ulcer of the stomach	M. 1,892	10	.....	1	.....	2	13	4	8	27	59
		F. 1,136	12	3	1	1	2	19	5	6	29	49
103	Other diseases of the stomach (cancer excepted)	M. 3,177	1,232	161	54	17	21	1,485	42	16	15	28
		F. 2,873	858	128	48	32	23	1,089	36	14	24	31
104	Diarrhea and enteritis (under 2 years)	M. 23,760	19,013	4,747	.....	.....	.....	23,760	.....	.....	.....	.....
		F. 19,329	15,074	4,255	.....	.....	.....	19,329	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M. 4,490	.....	.....	1,160	447	207	1,814	261	60	46	64
		F. 4,378	.....	.....	1,086	383	163	1,632	238	52	39	71
106	Ankylostomiasis	M. 14	.....	.....	1	2	1	4	1	4	2	2
		F. 6	.....	.....	.....	.....	1	1	2	1	1	1

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Inf. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	
61	74	73	87	89	72	75	78	55	50	46	35	13	6	----	----	1	
49	48	76	81	95	83	61	46	64	33	45	26	14	9	1	----	1	74
----	1	1	2	1	----	1	1	2	3	1	1	2	----	----	----	----	
----	1	1	----	----	----	2	1	1	1	----	----	----	----	----	----	----	75
36	40	31	41	45	29	23	15	11	7	11	5	1	3	1	----	----	
18	19	18	16	16	17	23	16	11	16	7	2	2	----	----	----	----	76
2,149	2,654	3,579	4,519	6,064	7,822	10,274	12,883	16,119	18,291	17,234	12,677	6,656	1,986	449	61	100	
1,045	1,353	1,899	2,472	3,435	4,603	6,024	7,447	8,926	9,861	9,028	6,251	3,116	812	183	26	66	
1,104	1,301	1,680	2,047	2,629	3,219	4,250	5,436	7,193	8,430	8,206	6,426	3,540	1,174	266	35	34	
19	17	18	23	23	25	34	34	39	34	26	17	14	3	----	----	----	
11	12	8	7	20	16	18	23	22	20	15	26	9	5	1	----	2	77
161	191	226	263	337	456	570	50	82	58	38	30	16	4	----	2	1	78
160	160	208	236	295	319	405	56	69	82	57	33	18	9	----	----	----	
775	1,035	1,452	1,883	2,612	3,423	4,373	5,878	6,941	7,504	6,546	4,266	2,012	490	100	10	54	79
834	1,025	1,296	1,628	2,068	2,543	3,290	4,573	5,924	6,777	6,402	4,684	2,434	714	156	11	24	
15	27	62	103	177	289	441	532	561	526	399	166	70	15	1	1	6	80
17	19	47	57	69	106	164	236	330	325	262	148	63	12	2	----	1	
21	33	85	116	175	286	450	767	1,100	1,532	1,828	1,652	953	285	80	13	5	81
10	16	24	41	64	119	225	393	677	1,039	1,269	1,400	945	415	104	24	6	
35	37	39	58	80	86	115	144	166	185	161	107	44	14	2	----	----	
58	47	63	54	75	79	110	119	133	145	164	107	59	17	2	----	1	82
8	10	7	16	26	25	26	30	22	11	17	6	2	----	----	----	----	
11	19	25	17	32	29	30	22	28	33	20	14	6	----	----	----	----	83
8	2	5	5	2	2	1	2	3	5	2	1	1	----	----	----	----	
1	1	2	----	2	2	2	1	4	4	2	6	1	1	----	----	----	84
3	1	5	5	3	11	14	10	12	6	11	6	4	1	----	----	----	
2	2	7	7	4	6	6	13	6	5	15	8	5	1	1	----	----	85
2,416	2,854	3,689	4,023	4,511	4,989	5,539	5,981	6,883	7,293	6,968	5,454	3,085	1,147	270	59	73	
1,448	1,798	2,369	2,671	3,025	3,241	3,406	3,286	3,528	3,468	3,116	2,292	1,238	429	106	23	41	
968	1,056	1,320	1,352	1,486	1,748	2,133	2,695	3,355	3,825	3,852	3,162	1,847	718	164	36	32	
4	1	1	2	3	1	2	4	1	2	----	----	2	----	----	----	----	
1	1	1	1	1	----	----	----	1	3	3	3	5	1	----	----	----	86
6	10	7	10	7	12	10	11	9	11	9	10	3	----	1	----	----	
5	5	6	6	5	5	3	6	8	2	7	7	3	3	----	----	----	87
4	5	4	8	6	3	6	3	7	4	----	3	1	----	----	----	----	
16	19	39	34	47	32	29	40	21	12	12	9	3	1	----	----	----	88
8	6	14	13	16	39	39	30	59	90	121	132	93	40	12	6	----	
10	12	13	23	13	19	33	61	99	155	221	227	167	70	17	2	1	89
16	12	30	42	57	94	117	154	205	317	355	320	165	84	12	4	2	
17	12	23	34	39	51	96	143	219	397	446	469	255	134	26	8	1	90
129	144	198	246	280	341	422	497	638	731	777	627	357	116	38	2	6	
130	106	155	146	193	288	336	498	755	938	1,060	949	621	212	49	8	7	91
1,160	1,483	1,956	2,156	2,392	2,460	2,510	2,305	2,341	2,028	1,595	1,014	528	149	36	6	28	
727	814	978	1,019	1,078	1,237	1,511	1,770	2,043	2,074	1,862	1,284	675	236	58	14	20	92
1,064	1,362	1,808	1,990	2,189	2,226	2,279	2,097	2,095	1,814	1,401	872	427	118	27	4	23	
646	731	870	925	982	1,110	1,352	1,594	1,845	1,826	1,593	1,081	563	201	50	14	14	
96	121	148	166	203	234	231	208	246	214	194	142	101	31	9	2	5	
81	83	108	94	96	127	159	176	198	248	269	203	112	35	8	----	6	
68	77	82	80	109	114	98	93	63	73	47	25	9	2	----	----	1	
32	39	53	45	56	59	47	59	60	61	51	34	17	8	----	----	----	93
6	12	9	14	6	18	22	15	26	45	77	77	53	22	4	4	----	
4	12	8	6	6	10	13	26	33	49	69	85	63	47	9	4	----	94
14	11	11	14	22	13	18	9	10	13	5	1	----	----	1	----	2	
2	5	4	----	2	3	5	2	3	5	3	2	----	----	----	----	----	95
11	11	23	40	56	80	82	96	108	108	102	65	16	12	1	1	1	
8	21	20	31	37	32	43	69	83	100	97	70	30	3	3	----	2	96
2	3	1	3	1	3	10	17	12	15	9	9	7	1	1	----	----	
1	1	3	1	----	3	5	3	11	7	4	10	2	2	----	----	----	97
20	23	33	43	62	63	70	52	49	31	19	9	4	3	----	----	1	
15	9	17	6	9	9	12	18	19	22	17	13	6	1	2	----	1	98
2,068	2,283	2,729	3,091	3,359	3,597	3,849	3,744	3,600	3,517	2,808	1,991	1,008	323	84	14	49	
1,084	1,208	1,509	1,761	1,976	2,079	2,172	2,097	1,933	1,849	1,345	872	410	130	31	5	29	
984	1,075	1,220	1,330	1,383	1,518	1,677	1,647	1,667	1,668	1,463	1,119	598	193	53	9	20	
13	6	5	14	13	12	15	8	15	5	9	4	----	1	----	----	----	
14	10	5	17	16	16	17	6	8	9	10	4	1	2	----	----	----	99
40	36	50	36	45	31	18	23	17	25	17	15	7	3	1	1	----	
43	30	31	25	16	24	15	9	10	16	11	11	7	----	----	----	----	100
1	3	4	1	4	6	7	7	9	6	7	6	2	----	----	----	----	
1	1	1	1	2	4	2	8	5	4	1	2	3	----	----	----	----	101
99	114	175	204	184	220	211	176	134	119	70	45	22	5	1	----	2	
60	65	87	107	94	111	89	98	97	81	70	42	23	2	1	----	1	102
27	40	58	82	106	109	124	163	177	220	214	156	70	33	5	----	7	
38	47	65	78	73	82	116	122	178	222	242	184	140	72	15	2	3	103
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	104
97	104	128	158	145	150	168	182	218	264	246	191	126	42	15	2	9	
76	81	90	96	104	120	153	176	220	289	340	314	197	69	12	4	5	105
1	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	106

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.												
107	Intestinal parasites	M.	51	2	9	10	3	2	26	6	1	2	4
		F.	34	6	5	8	3	1	23	2	2	1	
108	Appendicitis and typhlitis	M.	5,162	24	29	45	72	53	223	363	501	576	526
		F.	3,429	9	15	46	53	69	192	286	372	361	356
109	Hernia, intestinal obstruction (total)	M.	3,837	631	114	77	43	30	895	117	62	69	81
		F.	3,621	370	79	38	36	24	547	66	33	47	104
	Hernia	M.	1,424	114	12	11	2	2	141	10	10	12	30
		F.	1,244	37	1	1			39	3		3	5
	Intestinal obstruction	M.	2,413	517	102	66	41	28	754	107	52	57	51
		F.	2,377	333	78	37	36	24	508	63	33	44	99
110	Other diseases of the intestines	M.	798	91	24	12	6	8	141	18	11	14	23
		F.	858	54	16	17	7	4	98	20	12	16	39
111	Acute yellow atrophy of the liver	M.	110	7	2	1	1	1	12	2	3		8
		F.	171	5	1	3			9	1	2	9	25
112	Hydatid tumor of the liver	M.	23			1			1			1	
		F.	8								1		
113	Cirrhosis of the liver	M.	5,668	5	8		1	1	15	9	9	6	30
		F.	2,627	9	4	4	2	4	23	7	8	6	17
114	Biliary calculi	M.	626	2					2		1	1	6
		F.	1,738				1		1		2	2	12
115	Other diseases of the liver	M.	1,395	52	17	9	8	4	90	11	11	19	41
		F.	1,856	51	13	8	3	3	78	13	10	17	35
116	Diseases of the spleen	M.	65	3		2	2		7	5	2	1	5
		F.	51	2	1	1			4		1	3	3
117	Simple peritonitis (nonpuerperal)	M.	490	40	14	16	12	8	90	37	19	15	21
		F.	700	34	15	9	14	7	79	56	17	42	51
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	M.	266	2	2		1		5	1	5	7	10
		F.	195	2	2	1	1		6	2		7	9
	VI.—Nonvenereal diseases of the genito-urinary system and annexa		77,891	758	219	178	173	120	1,448	492	412	687	1,308
	Males		43,479	440	101	96	104	64	805	257	186	290	503
	Females		34,412	318	118	82	69	56	643	235	226	397	805
119	Acute nephritis	M.	2,771	198	36	49	63	37	383	124	66	77	129
		F.	2,258	149	49	44	44	27	313	89	69	90	127
120	Bright's disease	M.	35,473	105	54	37	38	22	256	116	110	191	337
		F.	27,664	72	51	30	20	25	198	134	146	193	394
121	Chyluria	M.	1										
		F.	1							1			
122	Other diseases of the kidneys and annexa	M.	942	77	9	8	2	4	100	10	8	19	22
		F.	685	77	16	7	5	3	108	8	4	12	31
123	Calculi of the urinary passages	M.	314	1		1	1		3	2	2	2	6
		F.	135							1		1	5
124	Diseases of the bladder	M.	950	14				1	15	5		1	3
		F.	183	7				1	8		1	3	
125	Diseases of the urethra, urinary abscess, etc	M.	195	1					1				3
		F.	16									2	1
126	Diseases of the prostate	M.	2,749										2
127	Nonvenereal diseases of the male genital organs	M.	77	40	1	1			42				1
128	Uterine hemorrhage (nonpuerperal)	F.	42								1	4	4
129	Uterine tumor (noncancerous)	F.	1,045									2	5
130	Other diseases of the uterus	F.	682								3	24	62
131	Cysts and other tumors of the ovary	F.	579		1				1			14	26
132	Salpingitis and other diseases of the female genital organs	F.	1,081	1	1	1			3	2	2	51	149
133	Nonpuerperal diseases of the breast (cancer excepted).	M.	7	4	1				5				
		F.	41	12					12			1	1
	VII.—The puerperal state		10,278								8	822	2,166
134	Accidents of pregnancy	F.	869									45	150
135	Puerperal hemorrhage	F.	1,015									27	136
136	Other accidents of labor	F.	992									44	165
137	Puerperal septicemia	F.	4,260								3	353	1,010
138	Puerperal albuminuria and convulsions	F.	2,711								5	340	622
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F.	397									10	72
140	Following childbirth (not otherwise defined)	F.	31									3	10
141	Puerperal diseases of the breast	F.	3										1
	VIII.—Diseases of the skin and of the cellular tissue		3,067	590	69	25	20	12	716	42	26	38	64
	Males		1,725	311	34	12	12	7	376	18	17	26	44
	Females		1,342	279	35	13	8	5	340	24	9	12	20
142	Gangrene	M.	750	15	8	4	3	2	32	7	2	4	9
		F.	647	16	3	6	2	2	29	14	5	1	6
143	Furuncle	M.	277	40	3	2	1		46	2	3	12	13
		F.	158	50	8	1			59	2		2	1
144	Acute abscess	M.	391	95	17	6	7	4	129	7	9	8	15
		F.	242	92	14	4	6	2	118	6	3	8	10
145	Other diseases of the skin and annexa	M.	307	161	6		1	1	169	2	3	2	7
		F.	295	121	10	2		1	134	2	1	1	3

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2	2	2	2	2			2										107
2		3						1									
488	422	394	378	350	273	244	146	124	84	49	13	7				1	108
347	292	245	220	170	168	143	88	77	44	33	25	7	2	1			
102	105	141	158	207	225	233	324	290	304	245	181	67	24	3	2	2	109
104	139	172	196	217	245	293	307	309	314	220	193	81	22	8	1	3	
24	36	60	82	101	107	104	131	147	150	130	98	36	11	3	1		
11	19	52	60	105	117	176	170	156	147	78	68	26	8	1			
78	69	81	76	106	118	129	193	143	154	115	83	31	13		1	2	
93	120	120	136	112	128	117	137	153	167	142	125	55	14	7	1	3	
18	41	49	44	48	61	62	57	41	60	41	40	18	7			4	110
44	51	57	62	50	54	52	59	49	48	56	50	27	4	9		1	
3	3	5	7	10	8	8	7	8	12	8	4	2					111
22	19	9	8	3	10	15	6	11	6	11	3	1	1				
4	4	2	2	4	2		1	2									112
1		1			2	2		1									
80	197	301	474	630	749	799	726	641	510	303	131	47	8	3			113
43	115	142	214	260	250	287	335	277	249	219	122	44	6	1		2	
14	11	26	40	47	63	77	93	80	78	49	22	11	2			3	114
54	66	118	121	188	199	234	192	180	178	103	57	24	2	1	1	3	
49	64	102	98	115	114	155	124	126	129	66	51	24	4	1		1	115
57	79	118	123	128	182	193	201	195	169	121	89	34	9	2	1	2	
3	9	6	3	6	2	4	3	3	3	2	1						116
7	2	3	3	2	2	3	4	6	3	2	1	2					
27	25	36	35	26	25	18	31	34	16	17	10	7	1				117
64	59	61	44	35	33	33	22	28	29	18	18	7	2	2			
16	22	25	25	34	29	29	24	14	14	2	2			2			118
7	19	12	15	25	16	30	14	15	7	6	4			1			
1,737	2,272	3,064	3,997	5,113	5,788	7,179	7,943	9,134	9,721	8,471	5,560	2,606	733	153	16	57	
665	989	1,325	1,902	2,605	3,242	4,300	4,731	5,418	5,820	5,096	3,313	1,496	410	80	12	34	
1,072	1,283	1,739	2,095	2,508	2,546	2,879	3,212	3,716	3,901	3,375	2,247	1,110	323	73	4	23	
125	182	172	193	230	174	206	170	142	148	124	76	39	8	2		1	119
141	137	138	140	159	137	158	122	122	110	101	55	33	12	3		2	
481	739	1,059	1,605	2,230	2,862	3,812	4,114	4,623	4,793	4,070	2,570	1,119	298	51	9	28	120
518	704	1,067	1,393	1,803	2,062	2,488	2,890	3,408	3,647	3,137	2,093	1,013	283	69	4	20	
								1									121
34	35	44	41	53	66	71	79	80	97	84	61	28	9	1			122
41	23	52	45	43	36	47	49	47	44	33	27	21	9				
11	14	15	20	24	29	32	33	30	39	27	17	4	4				123
9	8	10	18	19	15	7	7	10	9	8	5	3					
5	4	6	12	18	26	46	55	100	159	193	166	96	31	7	1	1	124
2	2	3	3	6	4	15	13	26	11	27	25	23	11				
5	11	20	17	26	25	21	27	18	7	5	7	1				1	125
		2	5	2	2	2											
2	4	6	9	23	58	110	252	419	573	586	413	208	60	19	2	3	126
2		2	5	1	1	2	1	5	4	7	3	1					127
9	3	4	8	7	2												128
23	68	135	208	235	139	65	50	31	28	29	12	11	4				129
82	92	89	86	83	64	24	25	15	11	11	7	3				1	130
39	51	52	55	52	54	60	46	47	36	22	19	3	2				131
203	194	186	132	93	28	10	8	9	4	1	3		2	1			132
		1			1												
5	1	1	2	6	3	3	2	1	1	1	1						133
2,391	2,227	1,718	798	128	10	2										8	
194	223	162	74	18	2											1	134
215	235	255	124	20	2											1	135
228	258	177	100	17	1											2	136
1,066	917	624	246	33	4	2										2	137
585	497	413	212	35												2	138
95	92	83	40	5													139
6	5	4	2		1												140
2																	141
45	73	77	98	121	103	148	157	177	252	296	319	203	84	19	4	5	
27	44	50	56	73	67	96	89	105	135	166	170	115	37	10	1	3	
18	29	27	42	48	36	52	68	72	117	130	149	88	47	9	3	2	
2	3	12	12	19	21	33	38	57	98	126	134	101	29	8	1	2	142
6	6	11	14	15	13	25	36	42	84	101	122	72	40	4	1		
9	14	13	11	24	23	26	18	21	13	14	12	2		1			143
3	8	4	10	15	9	12	6	5	13	4	3	2					
13	22	21	27	20	12	23	23	16	14	14	11	2	4			1	144
6	8	9	9	9	5	9	12	8	4	4	4	4	2	2	1	1	
3	5	4	6	10	11	14	10	11	10	12	13	10	4	1			145
3	7	3	9	9	9	6	14	17	16	21	20	10	5	3	1	1	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	1,926	168	68	55	48	36	375	183	150	140	98
	Males	1,135	95	41	27	26	22	211	105	95	105	64
	Females	791	73	27	28	22	14	164	78	55	35	34
146	Diseases of the bones (tuberculosis excepted)	M 985	87	39	23	25	21	195	100	85	94	59
		F 638	64	25	27	20	13	149	70	48	32	31
147	Diseases of the joints (tuberculosis and rheumatism excepted)	M 116	8	2	3	1	1	15	5	8	9	4
		F 116	6	2	1	2	1	12	8	6	3	2
148	Amputations	M 1										
		F										
149	Other diseases of the organs of locomotion	M 33			1			1		2	2	1
		F 37	3					3		1		1
	X.—Malformations	10,982	10,255	301	107	61	34	10,758	115	48	29	15
	Males	6,190	5,781	163	70	38	17	6,069	59	29	18	7
	Females	4,792	4,474	138	37	23	17	4,689	56	19	11	8
150	Congenital malformations (stillbirths not included) (total)	M 6,190	5,781	163	70	38	17	6,069	59	29	18	7
		F 4,792	4,474	138	37	23	17	4,689	56	19	11	8
	Hydrocephalus	M 483	354	43	28	12	7	444	24	8	5	
		F 436	344	44	11	10	6	415	11	4	3	
	Congenital malformations of the heart	M 3,787	3,603	65	29	18	5	3,720	25	19	12	5
		F 2,702	2,560	55	14	9	7	2,645	29	12	7	7
	Other congenital malformations	M 1,920	1,824	55	13	8	5	1,905	10	2	1	2
		F 1,654	1,570	39	12	4	4	1,629	16	3	1	1
	XI.—Early infancy	50,510	50,510					50,510				
	Males	29,231	29,231					29,231				
	Females	21,279	21,279					21,279				
151	Congenital debility, icterus, and sclerema (total)	M 22,731	22,731					22,731				
		F 16,894	16,894					16,894				
	Premature birth	M 17,158	17,158					17,158				
		F 12,981	12,981					12,981				
	Congenital debility, "atrophy," "marasmus," etc.	M 5,573	5,573					5,573				
		F 3,913	3,913					3,913				
152	Other causes peculiar to early infancy (total)	M 6,376	6,376					6,376				
		F 4,286	4,286					4,286				
	Injuries at birth	M 3,703	3,703					3,703				
		F 2,303	2,303					2,303				
	Other causes peculiar to early infancy[1]	M 2,673	2,673					2,673				
		F 1,983	1,983					1,983				
153	Lack of care	M 124	124					124				
		F 99	99					99				
	XII.—Old age	10,719										
	Males	4,638										
	Females	6,081										
154	Senility	M 4,638										
		F 6,081										
	XIII.—External causes	69,112	1,826	1,470	1,289	1,109	889	6,583	3,028	2,252	3,511	5,364
	Males	53,079	980	844	745	583	482	3,634	2,076	1,841	2,837	4,499
	Females	16,033	846	626	544	526	407	2,949	952	411	674	865
	Suicide (total)	M 7,592							1	20	181	485
		F 2,313								10	186	277
155	By poison	M 1,183								5	30	90
		F 787								5	99	143
156	By asphyxia	M 950							1	3	19	45
		F 494									23	43
157	By hanging or strangulation	M 1,207								3	19	44
		F 272								1	7	10
158	By drowning	M 360								1	6	15
		F 232								1	17	21
159	By firearms	M 2,988								6	99	257
		F 299								2	32	40
160	By cutting or piercing instruments	M 578									2	12
		F 73									1	4
161	By jumping from high places	M 169									3	11
		F 106								1	4	13
162	By crushing	M 86								1	2	6
		F 13									1	2
163	Other suicides	M 71								1	1	5
		F 37									2	1

[1] Exclusive of injuries at birth.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
103	88	83	87	108	84	74	102	77	67	55	25	20	5	.....	1	1	
59	52	41	61	62	51	51	51	45	37	29	6	7	2	.....	.....	1	
44	36	42	26	46	33	23	51	32	30	26	19	13	3	.....	1	.....	
51	46	32	51	53	44	41	43	36	25	20	3	4	2	.....	.....	1	146
38	28	36	23	38	30	16	33	21	14	11	11	7	2	.....	.....	.....	
7	3	8	7	8	5	7	6	6	7	7	2	2	.....	.....	.....	.....	147
6	8	6	2	8	2	7	14	7	9	11	3	1	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
1	3	1	3	1	2	3	1	3	5	2	1	1	.....	.....	.....	.....	149
.....	.....	.....	1	.....	1	.....	4	4	7	4	5	5	.....	.....	1	.....	
12	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	150
7	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	151
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	152
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153
.....	.....	.....	.....	1	7	17	116	271	948	1,846	2,974	2,543	1,433	452	105	6	
.....	.....	.....	.....	.....	3	7	55	140	433	823	1,318	1,065	572	176	45	1	
.....	.....	.....	.....	1	4	10	61	131	515	1,023	1,656	1,478	861	276	60	5	
.....	.....	.....	.....	.....	3	7	55	140	433	823	1,318	1,065	572	176	45	1	154
.....	.....	.....	.....	1	4	10	61	131	515	1,023	1,656	1,478	861	276	60	5	
5,631	5,355	5,619	4,950	4,795	4,457	3,817	3,156	2,752	2,257	2,018	1,686	1,037	440	108	10	286	
4,796	4,599	4,881	4,278	4,131	3,750	3,153	2,472	2,006	1,430	1,091	729	420	157	36	2	261	
835	756	738	672	664	707	664	684	746	827	927	957	617	283	72	8	25	
599	732	787	756	797	778	778	592	448	303	177	86	27	11	1	.....	33	
284	259	231	210	209	196	155	118	80	52	31	9	4	1	.....	.....	1	
109	135	119	137	124	106	111	92	62	25	19	8	4	1	.....	.....	6	155
139	88	74	48	56	46	40	19	12	8	7	2	.....	.....	.....	.....	1	
78	71	94	88	105	135	104	83	56	37	14	9	4	1	.....	.....	3	156
40	47	60	55	54	47	39	44	22	10	6	2	2	.....	.....	.....	.....	
62	90	100	100	129	105	169	115	108	81	43	22	9	2	1	.....	5	157
21	21	19	31	42	27	21	22	22	17	9	1	1	.....	.....	.....	.....	
28	31	37	32	40	31	34	30	23	20	17	4	5	1	.....	.....	5	158
15	26	21	18	18	29	20	16	12	11	6	1	.....	.....	.....	.....	.....	
267	314	304	286	292	312	278	205	156	102	59	31	4	6	.....	.....	10	159
47	48	27	27	21	21	22	8	3	.....	.....	1	.....	.....	.....	.....	.....	
29	56	87	77	65	64	58	41	26	27	20	10	1	.....	.....	.....	3	160
7	10	5	11	7	12	6	4	2	2	1	1	.....	.....	.....	.....	.....	
13	17	22	21	22	14	13	11	10	8	2	2	.....	.....	.....	.....	.....	161
11	10	17	14	7	9	3	4	6	3	1	1	1	1	.....	.....	.....	
12	10	14	8	12	4	4	5	6	2	.....	.....	.....	.....	.....	.....	.....	162
.....	4	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	8	10	7	8	7	7	10	1	1	3	.....	.....	.....	.....	.....	1	163
4	5	7	5	3	3	3	1	1	1	1	.....	.....	.....	.....	.....	.....	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M.	42,671	919	835	739	578	479	3,550	2,049	1,793	2,543	3,660
		F.	13,014	797	617	542	520	404	2,880	935	387	416	469
164	Poisoning by food	M.	356	51	29	28	18	10	136	30	10	10	13
		F.	292	35	23	17	15	12	102	27	8	10	15
165	Other acute poisonings	M.	668	50	92	54	25	16	237	27	12	10	50
		F.	489	42	86	41	25	18	212	19	2	20	43
166	Conflagration	M.	562	16	17	25	26	16	100	25	7	14	40
		F.	332	19	23	20	19	15	96	24	11	10	16
167	Burns (conflagration excepted)	M.	2,265	110	328	316	243	153	1,150	141	35	53	111
		F.	2,657	94	255	262	270	215	1,096	358	71	70	84
168	Absorption of deleterious gases (conflagration excepted).	M.	1,875	380	18	5	4	4	411	20	37	52	114
		F.	841	319	12	3	10	5	349	13	8	26	33
169	Accidental drowning	M.	5,002	19	91	72	54	58	294	455	523	644	599
		F.	607	14	68	37	17	15	151	52	79	76	57
170	Traumatism by firearms	M.	1,197	4	7	4	14	13	42	101	211	245	133
		F.	177	3	4	8	10	16	41	37	22	19	10
171	Traumatism by cutting or piercing instruments	M.	93			2	1		3	9	6	7	8
		F.	19	1		1	1	2	5	4	1		
172	Traumatism by fall	M.	6,373	63	101	92	54	42	352	170	144	152	239
		F.	4,009	60	56	52	36	21	225	72	31	29	25
173	Traumatism in mines and quarries (total)	M.	2,159							4	7	149	285
		F.	3									1	1
	Traumatism in mines	M.	2,061							2	7	147	271
		F.	2									1	1
	Traumatism in quarries	M.	98							2		2	14
		F.	1										
174	Traumatism by machines	M.	1,473		2	1	1		4	17	33	124	200
		F.	38		2	1		3	6	3	2	4	3
175	Traumatism by other crushing (total)	M.	14,691	32	57	80	100	135	404	884	605	804	1,433
		F.	2,265	23	32	60	87	56	258	260	113	124	161
	Railroad accidents and injuries	M.	6,966	6	20	15	5	12	58	111	154	420	782
		F.	579	3	9	10	6	7	35	28	24	34	50
	Street-car accidents and injuries	M.	1,363	1	6	16	9	10	42	54	39	48	104
		F.	317	1	3	5	16	3	28	32	6	15	19
	Automobile accidents and injuries	M.	3,965	8	18	33	59	78	196	542	317	217	336
		F.	1,049	9	6	16	48	37	116	159	67	62	74
	Injuries by other vehicles	M.	1,906	16	12	14	26	30	98	169	87	92	147
		F.	302	7	14	20	16	9	75	34	16	13	16
	Landslide, other crushing	M.	491	1	1	2	1	5	10	8	8	27	64
		F.	18	3			1		4	7			2
176	Injuries by animals	M.	512	2	4	15	8	11	40	38	22	27	32
		F.	50	1	1	6	3	5	16	10	2		1
177	Starvation	M.	21	3	1	1			5				
		F.	22	4	2	2			8	1	2	1	
178	Excessive cold	M.	284	4		1			5	1	3	4	5
		F.	42	3				1	4		1	1	
179	Effects of heat	M.	1,515	80	15	4	4	4	107	8	8	18	42
		F.	443	79	12	2	7	3	103	6	2	6	
180	Lightning	M.	257			2			2	7	29	30	31
		F.	50	2		2			4	11	7	5	6
181	Electricity (lightning excepted)	M.	559	1				1	2	12	25	54	100
		F.	10							2	3		1
185	Fractures (cause not specified)	M.	414	3	2	2	1	2	10	5	4	10	23
		F.	196	2		1	2		5	1	1		1
186	Other external violence	M.	2,395	101	71	35	25	14	246	95	72	136	202
		F.	472	96	41	27	18	17	199	35	21	14	12
	Homicide (total)	M.	2,816	61	9	6	5	3	84	26	28	113	354
		F.	706	49	9	2	6	3	69	17	14	72	119
182	By firearms	M.	1,793		3	1	1	2	7	12	16	75	254
		F.	382		6		1	2	9	5	7	47	70
183	By cutting or piercing instruments	M.	379	2	1	1	1		5	2	4	17	64
		F.	62	2			1		3	1		4	7
184	By other means	M.	644	59	5	4	3	1	72	12	8	21	36
		F.	262	47	3	2	4	1	57	11	7	21	42
	XIV.—Ill-defined diseases		7,113	2,977	427	104	59	19	3,586	114	49	69	87
	Males		4,050	1,654	219	53	31	10	1,967	60	28	33	51
	Females		3,063	1,323	208	51	28	9	1,619	54	21	36	36
187	Ill-defined organic disease	M.	122	2	2	2	1		7	1	1		
		F.	161		2	1	1		4	3		1	3
188	Sudden death	M.	306	71	4	1		1	77	5	1	2	3
		F.	197	44	4			1	49	2	1	3	4
189	Not specified or ill-defined (total)	M.	3,622	1,581	213	50	30	9	1,883	54	26	31	48
		F.	2,705	1,279	202	50	27	8	1,566	49	20	32	29
	Ill-defined	M.	1,546	335	168	26	18	3	550	26	15	9	27
		F.	1,141	298	154	31	14	4	501	25	9	10	15
	Not specified or unknown	M.	2,076	1,246	45	24	12	6	1,333	28	11	22	21
		F.	1,564	981	48	19	13	4	1,065	24	11	22	14

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No. Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3,721	3,433	3,691	3,247	3,103	2,818	2,283	1,830	1,517	1,115	899	641	391	146	35	2	204	
446	417	444	409	424	479	494	556	659	768	896	946	613	282	72	8	14	
13	6	10	18	20	20	8	17	13	17	6	7		1			1	
14	18	19	10	6	8	9	10	15	15	3	3						164
41	45	51	39	26	29	36	21	15	13	8	3	3				2	
28	49	20	21	17	21	7	11	6	10	2	1						165
39	35	51	35	41	22	36	30	20	14	21	11	6	4	1		10	
20	11	15	12	12	14	13	15	14	19	15	12	2	1				166
101	102	94	72	86	69	49	54	37	36	42	20	8	2			3	
113	76	89	55	59	78	87	80	80	78	80	64	26	10	2		1	167
121	138	145	135	138	142	116	97	82	50	46	14	12	1		1	3	
30	27	48	34	34	32	45	39	38	25	30	21	5	3		1		168
460	343	330	327	271	225	164	106	80	66	29	15	4	4			63	
35	28	28	28	21	12	10	8	9	3	6		1				3	169
106	72	69	48	53	33	26	24	13	12	3	2	1				3	
13	7	3	6	11	3	1	2	1				1					170
4	7	6	5	9	6	8	3	6	2	2		2					
1		2	1		1	1	1				1	1					171
320	386	467	481	495	491	449	381	374	368	337	368	258	108	23	1	9	
25	49	48	88	72	107	141	197	329	437	611	720	498	241	64	4	1	172
350	319	313	242	204	132	77	33	27	9	2						6	
				1													173
338	310	300	226	195	123	71	30	24	9	2						6	
12	9	13	16	9	9	6	3	3									
				1													
203	188	157	140	117	103	84	46	37	7	6	2	1				4	
2	3		2	1	3	1	2	1	2	2		1					174
1,501	1,244	1,384	1,213	1,113	1,067	861	743	561	345	266	118	51	8	6		80	
130	110	123	116	146	149	142	145	100	87	50	33	9	1			8	175
354	750	809	666	589	520	382	291	214	116	101	50	19	6	2		72	
42	45	27	38	54	41	48	36	26	24	11	9	2	1			4	
103	102	116	145	113	119	104	99	64	44	44	18	1	1	1		2	
10	16	22	17	19	23	23	32	21	15	13	5	1					
340	250	274	244	236	228	209	207	157	92	72	23	19		1		5	
67	40	61	52	58	65	54	58	41	35	19	14	4				3	
132	113	125	108	120	166	141	122	111	89	47	25	11	1	2			
9	8	11	9	15	20	17	19	12	13	7	5	2				1	
72	29	60	50	55	34	25	24	15	4	2	2	1				1	
2	1	2															
27	37	26	28	37	39	40	36	30	27	15	7	4					
2		2	2	1	2	4	1	4	1	1		1					176
	2	2	2	2		3	4	1									
			1	1	1	1		2	2		2						177
12	20	27	28	31	37	31	20	24	15	13	3	2				3	
1	2	1	2	1	4	1	3	2	2	4	5	5	2	1			178
72	124	188	153	178	179	103	94	80	49	55	31	16	8			2	
15	8	18	14	16	22	14	22	32	41	48	34	25	12	2	2	1	179
23	23	26	20	20	15	13	5	5	4	1	1					2	
	8	2	3	2	1		1										180
107	75	70	41	38	18	7	5	3	1							1	
1	1	1	1														181
30	30	46	34	42	29	26	18	25	23	21	16	12	5	4		1	
3	4	3	4	4	5	3	10	13	20	35	38	34	9	3			185
191	237	229	186	182	162	146	93	84	57	26	23	11	5	1		11	
13	16	22	14	19	16	14	9	13	26	9	12	4	3		1		186
476	434	403	275	231	154	92	50	41	12	15	2	2				24	
105	80	63	53	31	32	15	10	7	7		2					10	
345	303	245	178	138	97	51	26	24	5	2	2	1				12	
65	44	41	37	19	17	5	6	3	2		1					4	182
59	61	68	48	24	13	5	2	2	1	1						3	
11	8	7	4	5	5	2	2	1	2								183
72	70	90	49	69	44	36	22	15	6	12		1				9	
29	28	15	12	7	10	8	2	3	3		1					6	184
109	114	171	177	171	246	284	363	382	363	322	239	129	67	17	3	51	
68	70	103	119	108	161	186	241	242	213	165	104	49	33	8	2	39	
41	44	68	58	63	85	98	122	140	150	157	135	80	34	9	1	12	
1		2	1	5	6	9	17	13	18	17	15	3	5		1		
	1	4	4	5	8	9	18	15	20	28	21	11	6				187
4	4	14	18	11	18	23	29	34	19	16	12	8	5	1		2	
3	3	6	4	13	14	9	11	15	20	16	14	8	2				188
63	66	87	100	92	137	154	195	195	176	132	77	38	23	7	1	37	
38	40	58	50	45	63	80	93	110	110	113	100	61	26	9	1	12	189
31	27	37	60	58	86	99	125	134	117	69	39	20	8	3		6	
21	18	31	37	27	46	56	64	78	58	54	50	21	16	3	1		
32	39	50	40	34	51	55	70	61	59	63	38	18	15	4	1	31	
17	22	27	13	18	17	24	29	32	52	59	50	40	10	6		12	

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	All causes	96,708	16,896	4,175	1,777	962	680	24,490	2,092	1,951	4,181	6,241
	Males	51,066	9,413	2,226	935	496	331	13,401	1,026	872	1,848	2,965
	Females	45,642	7,483	1,949	842	466	349	11,089	1,066	1,079	2,333	3,276
	I.—General diseases	31,114	2,642	1,254	618	374	279	5,167	1,019	1,086	2,415	3,435
	Males	15,289	1,436	647	313	180	142	2,718	501	404	983	1,511
	Females	15,825	1,206	607	305	194	137	2,449	518	682	1,432	1,924
1	Typhoid fever	M 835	4	11	16	8	12	51	74	80	143	148
		F 745	6	7	13	15	7	48	75	117	135	133
2	Typhus fever	M										
		F										
3	Relapsing fever	M 1										1
		F										
4	Malaria	M 471	88	39	28	26	13	194	43	22	25	19
		F 555	59	36	27	27	16	165	54	26	37	44
5	Smallpox	M 15			1			1			1	1
		F 5	1					1				
6	Measles	M 237	73	63	32	11	5	184	26	5	8	7
		F 224	51	64	24	11	11	161	22	8	13	6
7	Scarlet fever	M 28	3	4	3	1	4	15	4		2	
		F 31	2	5	6	1	2	16	4	4	3	
8	Whooping cough	M 512	260	144	45	19	14	482	24	5		1
		F 612	301	161	62	39	12	575	26	6	3	4
9	Diphtheria and croup	M 207	53	26	24	26	24	153	36	8	1	5
		F 225	55	40	27	17	17	156	41	12	1	22
10	Influenza	M 765	135	47	23	9	6	220	7	11	25	41
		F 836	108	34	14	10	5	171	14	18	29	
11	Miliary fever	M										
		F										
12	Asiatic cholera	M										
		F										
13	Cholera nostras	M 17	4	2	3			9	1	1	1	
		F 13	4					4				
14	Dysentery	M 432	162	90	24	6	8	290	14	5	4	5
		F 361	104	70	14	6	7	201	12	4	7	7
15	Plague	M										
		F										
16	Yellow fever	M										
		F										
17	Leprosy	M 3										
		F 1										
18	Erysipelas	M 56	17					17	1			2
		F 33	8	2				10	1		1	
19	Other epidemic diseases	M 9	5	1				6			1	
		F 5	1			1		2	1	1		
20	Purulent infection and septicemia	M 54	7	2		1		10	2	1	2	4
		F 74	4	2		2		8	2	1	7	14
21	Glanders	M										
		F										
22	Anthrax	M 1										
		F										
23	Rabies	M 3				1		1			1	
		F 1							1			
24	Tetanus	M 197	86	1	1		4	92	11	10	9	13
		F 84	53	1		1	1	56	5	4	2	2
25	Mycoses	M										
		F										
26	Pellagra	M 330		4			1	5	10	9	10	17
		F 866	2	3	3		2	10	16	5	34	104
27	Beriberi	M 5	2					2		1		
		F										
	Tuberculosis (total)	M 8,381	169	156	89	55	39	508	221	222	705	1,158
		F 7,987	176	130	97	51	46	500	216	451	1,089	1,471
28	Tuberculosis of the lungs	M 7,193	82	92	35	32	23	264	125	156	582	1,037
		F 6,848	75	71	43	23	27	239	138	354	977	1,305
29	Acute miliary tuberculosis	M 349	10	4	6	3	3	26	13	7	48	51
		F 361	9	10	9	6	4	38	13	27	48	70
30	Tuberculous meningitis	M 276	42	38	24	12	6	122	44	25	16	13
		F 254	56	37	27	12	8	140	34	23	14	13
31	Abdominal tuberculosis	M 300	6	11	11	5	3	36	22	19	34	29
		F 353	8	5	7	8	3	31	22	34	31	66
32	Pott's disease	M 55			2	1	2	5	5	7	7	5
		F 36			1		4	5	6	7	3	5
33	White swellings	M 42	1	1				2	3	3	6	5
		F 17			3			3	1	2	2	3
34	Tuberculosis of other organs	M 91	6	4	8	1	1	20	7	4	10	9
		F 67	5	5	3	1		14	2	3	9	6
35	Disseminated tuberculosis	M 75	22	6	3	1	1	33	2	1	2	9
		F 51	23	2	4	1		30		1	5	3
36	Rickets	M 65	37	10	7	5	3	62	3			
		F 58	30	16	1	4	1	52	5			
37	Syphilis	M 1,136	274	39	11	8	4	336	6	7	15	65
		F 647	201	28	12	3	5	249	7	5	28	32
38	Gonococcus infection	M 27									2	1
		F 103	6		1	1		8			9	19

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
5,905	5,586	6,463	5,733	5,293	5,403	4,388	4,422	3,878	3,558	2,488	1,929	1,076	610	302	332	387	
2,968	2,895	3,527	3,082	2,909	3,052	2,438	2,420	2,102	1,985	1,353	960	516	272	119	116	240	
2,937	2,691	2,936	2,651	2,384	2,351	1,950	2,002	1,776	1,573	1,135	969	560	338	183	216	147	
3,015	2,538	2,607	2,054	1,720	1,509	1,114	963	819	611	392	264	159	56	34	21	116	
1,396	1,235	1,347	1,065	926	834	603	518	418	329	210	115	68	20	15	7	66	
1,619	1,303	1,260	989	794	675	511	445	401	282	182	149	91	36	19	14	50	
81	72	49	43	28	24	14	9	7	3	1	1			1		6	1
79	33	31	20	19	17	12	12	6	2	3	1	1		1			
																	2
																	3
19	16	18	17	17	13	7	17	12	9	10	8	2	2	1			4
35	24	23	27	20	30	15	11	16	7	6	5	3	1	2		2	
	2	1	1	2	1	2		1		1		1					5
	1							1	1			1					
3		1			2											1	6
1	5	1	1	3					2							1	
	1		1														7
2				1	1											1	8
	1																
		1	2	1					1								9
2	3	1	1		2				1								
25	21	33	27	40	46	40	28	37	52	45	35	29	12	5	3	2	10
31	37	21	33	34	46	44	39	49	58	54	44	30	19	11	8	5	
																	11
																	12
	1				1		1		1	1							13
	1		3					3	1	1							
4	6	4	10	8	11	10	12	13	14	7	6	3	2	1	1	2	14
6	5	6	8	8	9	10	15	16	10	16	9	7	2	1		2	
																	15
																	16
1																	
		3															17
1																	
5	4	4	3	2	2	3	4	2	1	2	3				1		18
	5	1	1	2		2	3	3	2		1				1		
2																	19
											1						
2	3	4	6	2	2	1	8	2	2	2	1						20
6	6	3	5	2	1	3	2	3	8	1	1					1	
																	21
																	22
					1												
			1														23
11	9	6	6	6	7	8	3	2	1	1	1					1	24
1	2	3		2	2	1	2		1							1	
																	25
18	21	34	28	35	32	23	23	23	20	5	10	5	1			1	26
133	117	106	74	67	61	32	43	25	23	3	8	3	1			1	
		1	1														27
1,109	924	980	697	546	418	280	217	170	109	50	18	9	2		1	37	
1,167	879	767	490	308	222	132	92	74	45	29	20	9	1	2	1	22	
1,002	833	883	637	478	386	248	205	154	96	46	17	9	2		1	32	
1,055	788	691	434	283	202	120	77	66	41	27	19	8	1	2	1	20	28
46	35	48	21	22	15	11	2	2	1							1	29
55	32	28	19	7	13	2	6	2		1							
16	16	7	7	4	2	3					1						30
8	6	7	5	2		2											
27	19	23	21	29	10	11	3	9	3	3						2	31
39	45	32	24	7	5	5	5	3	2		1					1	
5	8	4	2	2		1	1	1	1	1							32
1	1	2	1			2		2	1								
4	2	6	2	1	1	2	2		3								33
			2	2				1	1								
5	6	5	5	6	1	4	3	2	2							2	34
7	6	6	4	3		1	4			1		1					
4	5	4	2	4	3		1	2	3								35
2	1	1	1	4	2											1	
																	36
											1						
68	79	118	95	101	82	57	49	23	13	13	4					5	37
59	50	47	45	45	25	14	14	10	7	3	2	2		1		2	
2	3	2	3	2	1	2	5	1	1	1						1	38
15	12	18	12	4	1	1	2		1	1							

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	792		1	2		1	4	3	4	8	18
		F.	1,732			1	3	3	7	5	1	11	15
39	Of the buccal cavity	M.	44										2
		F.	26					1	1	1			
40	Of the stomach, liver	M.	432		1	1			2	1		1	5
		F.	338					1	1	1		5	2
41	Of the peritoneum, intestines, rectum	M.	80								1	3	2
		F.	141									2	3
42	Of the female genital organs	F.	796									1	8
43	Of the breast	M.	4										
		F.	278					1	1				
44	Of the skin	M.	16								1		
		F.	22							1		1	1
45	Of other organs or of organs not specified	M.	216			1		1	2	2	2	4	9
		F.	131			1	3		4	2	1	2	1
46	Other tumors (tumors of the female genital organs excepted).	M.	6							2			
		F.	27		1				1	1			
47	Acute articular rheumatism	M.	160	5	1		1	2	9	8	6	7	6
		F.	152	1	1				2	5	11	7	7
48	Chronic rheumatism and gout	M.	20										
		F.	31			1			1		1		
49	Scurvy	M.	3	1	1				2				
		F.	2	1	1				2				
50	Diabetes	M.	192							1	2	9	8
		F.	211		2		1	1	4	1	4	6	5
51	Exophthalmic goiter	M.	5										1
		F.	40									1	2
52	Addison's disease	M.	3										
		F.	2										
53	Leukemia	M.	24	1					1	2	4	1	2
		F.	15	1					1	2		1	1
54	Anemia, chlorosis	M.	41	11	1	1		1	14				
		F.	58	13		1	1		15	1	2	4	5
55	Other general diseases	M.	69	39	4	3	3	1	50	2	1	1	
		F.	36	18	3	1		1	23	1	1	2	2
56	Alcoholism (acute or chronic)	M.	182									1	9
		F.	44									2	5
57	Chronic lead poisoning	M.	3										
		F.											
58	Other chronic occupation poisonings	M.											
		F.											
59	Other chronic poisonings	M.	7									1	
		F.	9										3
	II.—Diseases of the nervous system and of the organs of special sense		7,324	612	192	99	56	35	994	113	76	108	127
	Males		3,659	325	93	53	34	17	522	53	45	53	59
	Females		3,665	287	99	46	22	18	472	60	31	55	68
60	Encephalitis	M.	14	3	1	1			5		1		
		F.	29	3	4	1	1	1	10	2	1	5	1
61	Meningitis (total)	M.	230	47	29	19	16	8	119	19	15	9	10
		F.	169	48	30	10	4	7	99	14	8	8	7
	Simple meningitis	M.	115	22	17	10	8	2	59	10	7	6	7
		F.	85	26	13	6	1	3	49	7	6	2	2
	Cerebrospinal meningitis (undefined)	M.	53	10	6	5	4	3	28	5	2	2	
		F.	39	10	6	2	1	2	21	4	1	3	2
	Cerebrospinal fever	M.	62	15	6	4	4	3	32	4	6	1	3
		F.	45	12	11	2	2	2	29	3	1	3	3
62	Locomotor ataxia	M.	51								1		
		F.	22										1
63	Other diseases of the spinal cord (total)	M.	225	23	17	17	13	6	76	16	5	8	5
		F.	186	16	25	15	6	7	69	22	5	8	2
	Acute anterior poliomyelitis	M.	101	22	16	17	12	6	73	14	3	2	2
		F.	92	16	22	14	5	6	63	20	4	3	1
	Other diseases of the spinal cord [1]	M.	124	1	1		1		3	2	2	6	3
		F.	94		3	1	1	1	6	2	1	5	1
64	Cerebral hemorrhage, apoplexy	M.	1,837	9	4	1	1	1	16	2	3	9	16
		F.	2,089	7	3		3		13	5	7	6	15
65	Softening of the brain	M.	27								1		
		F.	32										
66	Paralysis without specified cause	M.	370	2	1	3		1	7	2		1	5
		F.	464	2	1		1		4	2	1	2	7
67	General paralysis of the insane	M.	293									3	2
		F.	117										
68	Other forms of mental alienation	M.	66									3	2
		F.	75								1	6	9
69	Epilepsy	M.	165	10	4	1		1	16	5	13	16	14
		F.	118	12	1	1		1	15	6	4	11	9
70	Convulsions (nonpuerperal)	M.	16							4	3	1	1
		F.	20							6		4	3
71	Convulsions of infants	M.	251	214	29	7	1		251				
		F.	242	191	30	16	3	2	242				
72	Chorea	M.	1										
		F.	8	1			1		2		1		4
73	Neuralgia and neuritis	M.	10										
		F.	7										

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis.)

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed In List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
17	24	38	60	74	117	99	101	82	59	46	18	11	2	3	.....	4	
44	92	182	214	221	203	191	173	157	77	53	38	29	7	1	1	10	
2	1	2	4	1	8	6	6	3	5	3	1	.....	.....	.....	.....	.....	39
1	.....	1	2	1	2	.....	5	3	5	1	1	1	1	.....	.....	.....	
6	8	18	32	47	70	61	57	51	31	24	6	7	1	1	.....	3	40
1	7	28	37	26	48	49	46	27	18	17	13	7	.....	.....	1	4	
3	5	9	5	5	9	8	9	6	5	7	3	.....	.....	.....	.....	.....	41
2	11	11	18	19	19	14	14	8	6	8	3	2	.....	.....	.....	1	
34	56	100	114	116	87	83	74	65	23	16	5	7	3	1	.....	3	42
.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
3	7	29	35	42	31	30	19	36	15	10	10	7	2	.....	.....	1	
.....	2	.....	1	1	1	1	2	1	2	1	2	.....	1	.....	.....	.....	44
2	.....	2	.....	2	3	1	2	5	2	.....	.....	.....	.....	.....	.....	.....	
6	8	9	17	19	29	22	26	21	16	11	6	4	.....	2	.....	1	45
1	11	11	8	15	13	14	13	13	8	1	6	5	1	.....	.....	1	
.....	.....	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	46
3	1	3	4	4	3	1	.....	2	3	1	.....	.....	.....	.....	.....	.....	
5	7	11	9	10	21	6	9	17	11	5	5	4	1	2	.....	1	47
12	5	15	10	11	16	9	5	9	11	4	8	2	1	1	.....	1	
1	1	2	.....	2	2	1	1	2	4	1	.....	2	.....	1	.....	.....	48
1	1	2	2	1	5	3	3	.....	5	2	.....	1	1	.....	1	1	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	8	6	17	13	25	31	17	16	14	13	3	2	.....	.....	.....	1	50
6	7	10	16	23	21	31	24	22	13	5	8	2	2	.....	.....	1	
.....	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
3	6	7	7	6	2	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	.....	3	2	2	3	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	53
.....	.....	1	1	2	2	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	
2	2	3	3	5	6	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	54
5	2	3	5	5	4	1	1	.....	2	.....	2	1	.....	.....	.....	.....	
2	5	.....	.....	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	55
.....	1	1	2	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
11	22	26	28	24	14	9	13	7	9	4	2	.....	.....	.....	.....	3	56
5	5	7	8	4	2	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	59
2	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
183	238	370	474	555	702	647	654	580	550	387	259	150	58	29	29	41	
104	137	228	228	275	337	330	304	271	279	186	112	65	26	13	7	25	
79	101	142	246	280	365	317	350	309	271	201	147	85	32	16	22	16	
1	1	2	.....	1	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	60
2	1	1	1	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
14	6	13	9	5	5	.....	4	1	.....	1	.....	.....	.....	.....	.....	.....	61
9	5	7	2	5	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
5	3	4	3	4	4	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	
3	3	2	1	5	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
5	1	7	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	
4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	2	2	4	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	4	3	4	2	12	12	4	3	3	.....	.....	.....	1	.....	.....	62
.....	1	2	2	3	2	4	2	1	1	1	1	.....	.....	.....	.....	1	
10	7	6	7	15	11	9	8	11	13	9	4	2	3	.....	.....	.....	63
4	3	3	3	10	9	7	10	7	9	5	4	2	1	1	2	.....	
3	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	7	5	7	15	10	9	7	11	12	9	4	2	3	.....	.....	.....	
4	2	3	3	10	9	7	10	7	9	5	4	2	1	1	2	.....	
39	60	96	118	178	214	222	203	191	187	120	75	46	15	9	4	14	64
31	58	77	165	197	267	243	265	231	183	132	97	53	19	8	9	8	
1	1	.....	2	1	3	3	6	1	2	1	3	.....	1	.....	1	.....	65
.....	1	1	.....	3	3	2	2	4	2	6	2	5	.....	.....	1	.....	
2	13	12	18	18	32	37	38	47	53	36	26	11	6	2	2	2	66
6	3	10	29	29	43	41	51	46	59	45	38	21	10	7	8	2	
9	22	44	49	35	49	27	11	10	12	9	2	3	1	1	.....	4	67
1	3	14	20	16	16	7	9	7	8	6	2	2	2	.....	1	3	
5	5	15	2	2	7	6	10	3	1	2	.....	.....	.....	.....	.....	3	68
7	12	5	8	6	4	3	3	3	.....	3	2	1	.....	.....	1	1	
15	14	22	13	6	7	9	6	.....	4	3	1	.....	.....	.....	.....	1	69
14	6	15	11	3	7	5	1	3	3	3	.....	1	.....	.....	.....	1	
2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	70
1	2	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	72
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	3	1	.....	2	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	73
.....	1	.....	.....	.....	1	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	Other diseases of the nervous system	M 67	7	4	2	1	.....	14	3	2	1	3
		F 46	3	1	.....	.....	.....	4	2	2	3	9
75	Diseases of the eyes and their annexa	M 1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
		F 7	2	.....	1	.....	.....	3	.....	.....	1	.....
76	Diseases of the ears	M 35	10	4	2	1	.....	17	2	1	2	1
		F 34	2	4	2	3	.....	11	1	1	1	1
	III.—Diseases of the circulatory system	10,426	68	15	15	6	12	116	59	85	135	257
	Males	5,571	41	12	9	5	9	76	29	42	52	115
	Females	4,855	27	3	6	1	3	40	30	43	83	142
77	Pericarditis	M 49	2	.....	2	.....	.....	4	1	.....	2	6
		F 35	.....	.....	.....	.....	.....	.....	2	1	.....	1
78	Acute endocarditis	M 316	7	2	1	1	2	13	5	6	7	15
		F 312	2	.....	.....	.....	1	3	3	4	14	24
79	Organic diseases of the heart	M 4,432	22	6	6	4	7	45	20	33	40	86
		F 3,963	15	2	1	1	2	25	20	37	66	108
80	Angina pectoris	M 91	.....	.....	.....	.....	.....	.....	2	.....	.....	1
		F 74	1	.....	.....	.....	.....	1	1	1	.....	2
81	Diseases of the arteries, atheroma, aneurism, etc.	M 566	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
		F 356	.....	.....	.....	.....	.....	.....	.....	.....	1	3
82	Embolism and thrombosis	M 59	.....	.....	.....	.....	.....	.....	.....	2	1	2
		F 69	1	.....	.....	.....	.....	1	.....	.....	1	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F 15	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
84	Diseases of the lymphatic system (lymphangitis, etc.).	M 18	8	2	.....	.....	.....	10	1	1	1	.....
		F 13	5	.....	1	.....	.....	6	2	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system.	M 25	2	2	.....	.....	.....	4	.....	.....	1	.....
		F 18	3	1	.....	.....	.....	4	2	.....	1	.....
	IV.—Diseases of the respiratory system	11,887	2,674	1,037	438	206	110	4,465	264	188	399	680
	Males	6,791	1,487	569	218	118	61	2,453	127	79	221	410
	Females	5,096	1,187	468	220	88	49	2,012	137	109	178	270
86	Diseases of the nasal fossae	M 78	56	8	3	.....	1	68	1	.....	.....	1
		F 67	52	1	2	.....	1	56	3	2	.....	.....
87	Diseases of the larynx	M 28	5	3	2	1	2	13	3	.....	.....	2
		F 14	2	1	1	.....	.....	4	1	2	2	1
88	Diseases of the thyroid body	M 4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F 22	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
89	Acute bronchitis	M 319	177	50	21	12	5	265	1	2	1	3
		F 316	142	54	30	6	5	237	5	5	5	11
90	Chronic bronchitis	M 146	6	2	3	1	.....	12	2	1	1	9
		F 188	7	5	2	.....	.....	14	5	5	12	14
91	Bronchopneumonia	M 1,674	724	308	106	51	19	1,208	43	12	18	40
		F 1,401	568	243	104	38	14	967	42	23	16	28
92	Pneumonia (total)	M 4,162	493	189	77	48	31	838	69	63	186	336
		F 2,762	391	154	74	40	29	688	78	66	128	196
	Lobar pneumonia	M 3,301	269	119	55	27	20	490	47	48	148	280
		F 2,036	187	100	42	26	18	373	48	48	100	156
	Pneumonia (undefined)	M 861	224	70	22	21	11	348	22	15	38	56
		F 726	204	54	32	14	11	315	30	18	28	40
93	Pleurisy	M 99	2	3	1	1	2	9	3	.....	9	8
		F 81	3	5	3	1	.....	12	2	3	5	8
94	Pulmonary congestion, pulmonary apoplexy	M 62	15	3	1	1	.....	20	1	.....	.....	1
		F 64	11	1	1	.....	.....	13	.....	2	2	3
95	Gangrene of the lung	M 10	.....	.....	.....	.....	.....	.....	.....	.....	2	1
		F 8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
96	Asthma	M 110	3	3	4	1	1	12	1	1	.....	2
		F 110	3	2	1	3	.....	9	1	.....	3	2
97	Pulmonary emphysema	M 8	.....	.....	.....	1	.....	1	.....	.....	.....	.....
		F 6	1	.....	.....	.....	.....	1	.....	.....	1	1
98	Other diseases of the respiratory system (tuberculosis excepted).	M 91	6	.....	.....	1	.....	7	3	.....	4	7
		F 57	7	2	2	.....	.....	11	.....	1	3	6
	V.—Diseases of the digestive system	8,802	3,365	1,099	307	111	70	4,952	188	138	182	267
	Males	4,670	1,861	585	174	55	26	2,701	101	71	84	133
	Females	4,132	1,504	514	133	56	44	2,251	87	67	98	134
99	Diseases of the mouth and annexa	M 60	45	2	2	.....	.....	49	1	.....	2	1
		F 66	44	5	.....	.....	.....	49	3	.....	1	3
100	Diseases of the pharynx	M 73	10	7	3	2	.....	22	8	5	4	2
		F 70	7	4	1	3	.....	15	7	3	4	9
101	Diseases of the esophagus	M 8	1	.....	1	.....	1	3	.....	1	.....	.....
		F 3	.....	.....	.....	.....	1	1	.....	.....	1	.....
102	Ulcer of the stomach	M 125	1	1	.....	.....	.....	2	.....	.....	1	12
		F 112	.....	.....	.....	.....	.....	.....	.....	2	2	9
103	Other diseases of the stomach (cancer excepted)	M 475	133	39	13	6	1	192	9	3	11	12
		F 540	105	29	13	6	6	159	6	6	7	17
104	Diarrhea and enteritis (under 2 years)	M 2,106	1,588	518	.....	.....	.....	2,106	.....	.....	.....	.....
		F 1,761	1,301	460	.....	.....	.....	1,761	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M 453	.....	.....	134	37	11	182	35	12	6	11
		F 486	.....	.....	112	41	22	175	29	17	15	18
106	Ankylostomiasis	M 1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
		F 1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3	3	10	4	6	6	2	4	1	3	1		1					74
3	3	5	2	2	1		3	3	4								
																	75
					2						1						
1	1	2	2	2	1	1	1		1								76
1	2	1	2	5	4	3			1								
391	587	782	908	902	1,076	937	1,004	883	864	558	402	215	124	56	43	42	
215	331	415	480	464	598	517	551	468	485	303	208	112	51	22	17	20	
176	256	367	428	438	478	420	453	415	379	255	194	103	73	34	26	22	
4	3	3	5	2	4	4	2	3	2	1		1	2				77
1	1	5	4	4	3	3	6	1	2				1				
33	28	31	50	38	39	36	5	2	4	2	1	1					78
27	22	32	42	50	43	29	12	3	1			2		1			
153	258	326	361	360	488	407	480	400	409	250	157	80	33	13	15	18	79
132	213	310	352	344	394	348	391	356	305	214	157	84	49	24	17	17	
3	8	10	14	10	7	11	9	4	5	2	1	3			1		80
2	3	1	8	8	9	10	6	9	7	3	2		1				
12	25	36	44	44	47	49	47	51	61	44	48	27	15	8	1	2	81
7	8	13	13	20	21	20	34	33	57	36	32	15	22	9	9	3	
6	4	5	2	8	10	5	4	4	2	4							82
6	7	5	8	9	4	7	3	9	3		2	1				1	
2	1	2	2		3	1	1	1	1		1						83
	1	1		2	2	1		1	2	1	1					1	
2	2		1														84
1			1			1		1	1								
	2	2	1	2		4	3	3	1				1	1			85
	1			1	2	1	1	2	1	1		1					
605	561	671	583	561	545	483	460	418	358	240	185	88	61	20	25	27	
362	357	452	374	352	354	277	245	229	187	122	92	40	26	7	9	16	
243	204	219	209	209	191	206	215	189	171	118	93	48	35	13	16	11	
	1	2					1	1	1		2						86
1				2				2			1						
2	3	1		1	2					1							87
1	1		2														
				1	2				1								88
1	2	2	1	2	3	3	2	3	1				1				
2	3	3	3	2	2	6	6	2	3	3		2	3		2		89
7	5	2	4	2	3	4	3	2	8	8	1	1	1	1	1		
4	14	13	4	10	8	9	8	10	6	10	7	8	4	3	1	2	90
10		5	8	6	8	12	18	13	17	12	6	6	4	2	3		
21	25	27	35	32	37	26	32	34	29	23	19	6	3	1	2	1	91
17	19	18	18	24	23	38	25	30	31	33	20	11	11	2	4	1	
303	277	372	295	277	283	212	177	166	129	68	58	20	15	1	4	13	92
184	144	168	163	148	133	131	149	114	101	58	50	27	17	5	8	6	
261	241	333	265	245	245	180	142	135	105	54	42	15	10	1	2	12	
155	106	137	135	131	117	111	131	90	76	42	41	17	12	2	6	2	
42	36	39	30	32	38	32	35	31	24	14	16	5	5		2	1	
29	38	31	28	17	16	20	18	24	25	16	9	10	5	3	2	4	
10	9	7	13	6	7	6	4	2		5	1						93
7	4	7	3	4	6	5	5	4	1		3			1		1	
4	4	1	6	9	1	3	2	4	2	1		2		1			94
3	4	3	4	6	4	3	4	3	1	2	5	1				1	
		3	1	2		1											
2	2			1	2	1											95
5	6	11	12	1	7	11	9	6	13	7	3	1	1	1			96
7	10	9	3	10	6	6	9	14	6	3	6	2	1	2		1	
	1		1	1	1		1			1	1						97
		1		1				1									
11	9	12	4	10	4	3	5	4	3	3	1	1					98
3	5	4	3	3	3	3		3	5	2	1					1	
284	288	405	355	322	311	213	244	204	171	108	86	32	15	10	10	17	
136	127	212	181	179	166	109	136	111	88	58	41	13	5	3	6	9	
148	161	193	174	143	145	104	108	93	83	50	45	19	10	7	4	8	
	2			2	1			1	1								99
1		2	1	2	2		2										
9	2	5	5	3	1		1	3	2	1							100
4	5	5	4	2	3		4	2	1		1			1			
	1			1		2											101
				1													
7	12	13	21	13	14	8	8	6	3	2	1	1				1	102
11	7	15	13	16	12	8	7	6	3	1							
17	18	31	27	25	33	13	23	17	17	11	8	2	4	1	1		103
23	36	47	26	37	35	25	29	17	23	15	13	9	4	2	2	2	
																	104
13	4	28	17	17	20	14	17	20	14	19	10	7	1	2	3	1	105
19	18	18	26	15	19	15	22	18	19	13	14	5	5	3	1	2	
																	106

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—									
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	V.—Diseases of the digestive system—Continued.											
107	Intestinal parasites	M. 25	3	1	8	2	4	18	5	.....	.....	.....
		F. 18	1	7	2	2	3	15	3	.....	.....	.....
108	Appendicitis and typhlitis	M. 315	1	2	4	3	4	14	23	28	31	37
		F. 251	1	.....	1	.....	3	5	16	26	28	27
109	Hernia, intestinal obstruction (total)	M. 368	56	8	3	1	2	70	12	13	13	28
		F. 248	23	6	2	.....	2	33	9	3	11	10
	Hernia	M. 159	21	3	.....	.....	.....	24	2	3	3	5
		F. 53	5	1	.....	.....	.....	6	.....	.....	2	.....
	Intestinal obstruction	M. 209	35	5	3	1	2	46	10	10	10	23
		F. 195	18	5	2	.....	2	27	9	3	9	10
110	Other diseases of the intestines	M. 81	13	3	1	2	.....	19	1	1	2	3
		F. 86	10	1	.....	1	.....	12	2	3	3	5
111	Acute yellow atrophy of the liver	M. 14	1	.....	1	.....	.....	2	.....	1	1	.....
		F. 11	2	.....	.....	.....	.....	2	1	.....	1	.....
112	Hydatid tumor of the liver	M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
113	Cirrhosis of the liver	M. 328	1	1	.....	1	.....	3	.....	.....	3	8
		F. 176	2	.....	1	.....	2	5	2	2	3	5
114	Biliary calculi	M. 27	.....	.....	.....	.....	.....	.....	1	.....	1	1
		F. 47	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
115	Other diseases of the liver	M. 128	4	3	2	1	3	13	2	4	5	10
		F. 108	1	1	1	1	2	6	1	3	3	10
116	Diseases of the spleen	M. 10	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
		F. 6	.....	1	.....	.....	.....	1	.....	.....	.....	2
117	Simple peritonitis (nonpuerperal)	M. 55	4	.....	.....	.....	.....	4	4	2	1	7
		F. 128	6	.....	.....	2	3	11	7	2	19	12
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	M. 18	.....	.....	1	.....	.....	1	.....	1	1	1
		F. 13	1	.....	.....	.....	.....	1	.....	.....	.....	4
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	8,433	78	59	44	17	20	218	55	46	145	288
	Males	4,385	54	37	30	12	13	146	27	18	41	83
	Females	4,048	24	22	14	5	7	72	28	28	104	205
119	Acute nephritis	M. 476	24	26	15	6	6	77	10	5	10	22
		F. 416	10	10	9	1	5	35	16	8	23	40
120	Bright's disease	M. 3,446	15	9	13	6	5	48	14	10	27	48
		F. 2,812	9	9	5	4	1	28	11	16	42	97
121	Chyluria	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	M. 113	12	2	2	.....	2	18	1	2	2	4
		F. 72	3	3	.....	.....	1	7	1	.....	5	3
123	Calculi of the urinary passages	M. 15	.....	.....	.....	.....	.....	.....	.....	.....	1	1
		F. 7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
124	Diseases of the bladder	M. 78	2	.....	.....	.....	.....	2	2	1	1	4
		F. 24	1	.....	.....	.....	.....	1	.....	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	M. 73	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
		F. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	M. 173	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	M. 9	1	.....	.....	.....	.....	1	.....	.....	.....	1
128	Uterine hemorrhage (nonpuerperal)	F. 5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
129	Uterine tumor (noncancerous)	F. 284	.....	.....	.....	.....	.....	.....	.....	.....	1	6
130	Other diseases of the uterus	F. 124	.....	.....	.....	.....	.....	.....	.....	3	17	17
131	Cysts and other tumors of the ovary	F. 56	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
132	Salpingitis and other diseases of the female genital organs	F. 245	.....	.....	.....	.....	.....	.....	.....	1	15	38
133	Nonpuerperal diseases of the breast (cancer excepted).	M. 1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
		F. 2	1	.....	.....	.....	.....	1	.....	.....	.....	.....
	VII.—The puerperal state	1,364	.....	.....	.....	.....	.....	.....	.....	24	229	318
134	Accidents of pregnancy	F. 116	.....	.....	.....	.....	.....	.....	.....	.....	11	26
135	Puerperal hemorrhage	F. 103	.....	.....	.....	.....	.....	.....	.....	1	8	21
136	Other accidents of labor	F. 220	.....	.....	.....	.....	.....	.....	.....	2	29	54
137	Puerperal septicemia	F. 526	.....	.....	.....	.....	.....	.....	.....	9	91	126
138	Puerperal albuminuria and convulsions	F. 376	.....	.....	.....	.....	.....	.....	.....	12	88	86
139	Puerperal phlegmasia alba dolens, embolus, sudden death	F. 18	.....	.....	.....	.....	.....	.....	.....	.....	.....	5
140	Following childbirth (not otherwise defined)	F. 3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
141	Puerperal diseases of the breast	F. 2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	VIII.—Diseases of the skin and of the cellular tissue	291	33	7	.....	1	.....	41	2	3	8	4
	Males	154	20	6	.....	1	.....	27	1	1	4	4
	Females	137	13	1	.....	.....	.....	14	1	2	4	.....
142	Gangrene	M. 68	2	.....	.....	.....	.....	2	1	.....	3	2
		F. 63	1	.....	.....	.....	.....	1	.....	.....	1	.....
143	Furuncle	M. 5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
		F. 8	1	1	.....	.....	.....	2	.....	.....	.....	.....
144	Acute abscess	M. 46	8	3	.....	1	.....	12	.....	1	.....	2
		F. 30	5	.....	.....	.....	.....	5	.....	.....	3	.....
145	Other diseases of the skin and annexa	M. 35	10	3	.....	.....	.....	13	.....	.....	1	.....
		F. 36	6	.....	.....	.....	.....	6	1	2	.....	.....

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
			1					1									107
39	21	33	22	29	12	6	9	4	4							3	108
33	29	29	23	9	9	4	4	4		1	2	1				1	
15	18	27	19	24	14	17	24	23	20	12	14	2			2	1	
20	21	22	23	18	18	18	10	10	8	7	6					1	109
2	12	8	12	11	7	13	13	12	11	8	9	2			1	1	
1	1	2	4	3	7	9	3	5	3	4	3						
13	6	19	7	13	7	4	11	11	9	4	5				1		
19	20	20	19	15	11	9	7	5	5	3	3					1	
6	4	6	9	8	6	5		2	6		1					2	
4	9	10	10	3	5	5	4	2	1	4	3			1			110
2	1	3	1	2	1												
3	1	1						1	1								111
																	112
11	28	41	34	39	36	29	43	25	13	8	5	1				1	
4	15	15	20	19	18	16	11	16	12	4	3	2	1		1	2	113
3	1	6	1	2	5	2	2	2									
2	1	4	6	8	2	4	4	10	4								114
6	10	12	16	12	12	7	7	4	4	3	1						
	10	12	10	7	14	6	6	6	7	3	3	1					115
2		1	2		2	1											
	1		1				1										116
5	3	3	5	2	7	4	1	3	1	2	1						
23	7	10	10	6	8	3	2	1	4	2		1					117
1	2	3	1		2	1	1		3								
1	1	3	1				2										118
387	469	666	737	808	843	721	762	697	610	421	279	157	67	13	17	27	
144	172	262	321	406	474	423	442	437	388	271	169	98	37	7	5	14	
243	297	404	416	402	369	298	320	260	222	150	110	59	30	6	12	13	
30	34	46	47	48	37	35	24	24	11	10	2	1	2			1	
29	33	40	35	32	33	26	29	16	15	3	1	1		1			119
95	120	193	252	329	403	351	368	357	332	223	140	85	29	5	5	12	
118	134	206	264	298	294	251	267	235	199	138	101	57	29	5	12	10	120
								1									121
3	9	6	7	8	5	9	9	6	6	8	6	1	2	1			
8	4	9	8	3	7	5	2	2	5	1	2						122
	1		2			4		1	2	1	1		1				
	1				2	1					1					1	123
3	1	4	1	5	5	3	10	11	11	6	5	1	1			1	
2	2	2	3	2	2	2	3	1		3		1					124
12	5	10	9	10	11	4	4	2	1	1	1	1					
	1																125
1	1	3	2	5	13	17	25	34	24	22	14	9	2	1			126
	1		1	1			2	1	1								127
	1	2		1													128
14	45	62	67	36	24	7	13	2	1	1	3		1			1	129
16	18	23	9	9	3	3	1	1	1	2	1						130
8	8	10	5	8	2	2	3	3	1	2	1						131
48	50	50	25	13	2	1	1									1	132
							1										133
260	232	208	65	20	2	1										5	
28	21	21	5	2	1	1											134
22	17	20	11	3													135
37	37	44	10	5	1											1	136
112	98	60	24	6												2	137
57	54	60	13	4												2	138
3	6	2	2														139
1		1															140
	1																141
10	10	12	21	13	29	16	24	15	18	24	18	10	5	3	3	2	
2	6	4	11	8	12	9	14	7	7	13	11	6	3	2	1	1	
8	4	8	10	5	17	7	10	8	11	11	7	4	2	1	2	1	
	1	1	5	2	3	6	8	3	4	7	9	6	3	1	1		
2	1	3	3	3	8	2	6	3	7	9	5	4	1	1	2	1	142
			1		2		1							1			
		1	2		2			1									143
2	4	3	4	6	2	3	3		1	1	1					1	
4	3	2	3		2	4		1	1	2							144
	1		1		5		2	4	2	5	1						
2		2	2	2	5	1	4	3	3		2		1				145

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—. Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	IX.—Diseases of the bones and of the organs of locomotion	113	13	2	1	.....	1	17	9	8	8	8
	Males	68	8	1	1	.....	1	11	3	7	4	3
	Females	45	5	1	.....	.....	.....	6	6	1	4	5
146	Diseases of the bones (tuberculosis excepted) M.	60	7	1	1	.....	1	10	3	7	3	3
	F.	38	4	1	.....	.....	.....	5	6	1	4	3
147	Diseases of the joints (tuberculosis and rheumatism excepted). M.	6	1	.....	.....	.....	.....	1	.....	.....	1	.....
	F.	4	1	.....	.....	.....	.....	1	.....	.....	.....	1
148	Amputations M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	X.—Malformations	430	383	18	11	4	1	417	7	5	.....	.....
	Males	246	220	8	7	3	.....	238	4	4	.....	.....
	Females	184	163	10	4	1	1	179	3	1	.....	.....
150	Congenital malformations (stillbirths not included) (total). M.	246	220	8	7	3	.....	238	4	4	.....	.....
	F.	184	163	10	4	1	1	179	3	1	.....	.....
	Hydrocephalus M.	43	31	5	3	1	.....	40	3	.....	.....	.....
	F.	33	20	7	3	1	1	32	.....	.....	.....	.....
	Congenital malformations of the heart M.	131	123	1	4	1	.....	129	.....	2	.....	.....
	F.	98	97	1	.....	.....	.....	98	.....	.....	.....	.....
	Other congenital malformations M.	72	66	2	.....	1	.....	69	1	2	.....	.....
	F.	53	46	2	1	.....	.....	49	3	1	.....	.....
	XI.—Early infancy	5,168	5,168	.....	.....	.....	.....	5,168	.....	.....	.....	.....
	Males	2,923	2,923	.....	.....	.....	.....	2,923	.....	.....	.....	.....
	Females	2,245	2,245	.....	.....	.....	.....	2,245	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total) M.	2,477	2,477	.....	.....	.....	.....	2,477	.....	.....	.....	.....
	F.	1,988	1,988	.....	.....	.....	.....	1,988	.....	.....	.....	.....
	Premature birth M.	1,686	1,686	.....	.....	.....	.....	1,686	.....	.....	.....	.....
	F.	1,298	1,298	.....	.....	.....	.....	1,298	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc. M.	791	791	.....	.....	.....	.....	791	.....	.....	.....	.....
	F.	690	690	.....	.....	.....	.....	690	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total) M.	413	413	.....	.....	.....	.....	413	.....	.....	.....	.....
	F.	238	238	.....	.....	.....	.....	238	.....	.....	.....	.....
	Injuries at birth M.	178	178	.....	.....	.....	.....	178	.....	.....	.....	.....
	F.	90	90	.....	.....	.....	.....	90	.....	.....	.....	.....
	Other causes peculiar to early infancy [1] M.	235	235	.....	.....	.....	.....	235	.....	.....	.....	.....
	F.	148	148	.....	.....	.....	.....	148	.....	.....	.....	.....
153	Lack of care M.	33	33	.....	.....	.....	.....	33	.....	.....	.....	.....
	F.	19	19	.....	.....	.....	.....	19	.....	.....	.....	.....
	XII.—Old age	1,446	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Males	647	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Females	799	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
154	Senility M.	647	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	799	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XIII.—External causes	6,171	295	171	151	136	115	868	292	235	476	748
	Males	4,705	162	108	82	58	48	458	142	175	379	611
	Females	1,466	133	63	69	78	67	410	150	60	97	137
	Suicide (total) M.	200	.....	.....	.....	.....	.....	.....	.....	.....	4	22
	F.	57	.....	.....	.....	.....	.....	.....	.....	1	7	13
155	By poison M.	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	F.	29	.....	.....	.....	.....	.....	.....	.....	.....	3	8
156	By asphyxia M.	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	F.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1
157	By hanging or strangulation M.	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
	F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
158	By drowning M.	24	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
	F.	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
159	By firearms M.	89	.....	.....	.....	.....	.....	.....	.....	.....	3	10
	F.	10	.....	.....	.....	.....	.....	.....	.....	1	.....	1
160	By cutting or piercing instruments M.	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
161	By jumping from high places M.	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	F.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	By crushing M.	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
163	Other suicides M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	F.	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....

[1] Exclusive of injuries at birth.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
6	8	9	7	8	11	3	3	4	1		2					1	
4	4	4	6	3	7	3	3	3	1		1					1	
2	4	5	1	5	4			1			1						
4	4	3	5	3	6	3	3	1	1							1	146
1	4	4	1	3	4			1			1						
		1	1		1			1									147
1				1													
																	148
								1			1						149
		1		1													
																1	
																1	
																	150
																1	
																1	
																	151
																	152
																	153
					4	5	39	45	163	206	319	190	179	121	161	14	
					2	1	17	18	82	113	144	84	88	41	53	4	
					2	4	22	27	81	93	175	106	91	80	108	10	
					2	1	17	18	82	113	144	84	88	41	53	4	154
					2	4	22	27	81	93	175	106	91	80	108	10	
674	570	623	433	303	242	154	145	99	86	60	46	25	11	4	10	67	
565	485	542	366	260	201	120	115	73	66	35	26	10	5	3	4	64	
109	85	81	67	43	41	34	30	26	20	25	20	15	6	1	6	3	
33	31	30	23	20	9	8	7	6	3		2		1			1	
9	7	6	4	3	5	1			1								
6	2		1	3	2			1									155
7	3	3	2	1	1				1								
2	1	2	1				1		1								156
		1			1												
5	3	2	5	4	2	3	2		1		1						157
2	4	4	4	1	2	1			1		1						158
	2			1	1	1											
15	15	15	10	9	2	3	2	4								1	159
2	1	1	1	1	2												
1	4	7		1		1	2	1					1				160
1	1			2													161
1	1	1	1														
			2														162
	1				1												163

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF—									
				Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	M.	3,248	151	106	81	58	48	444	134	162	283	336
		F.	1,138	120	63	69	78	66	396	146	54	67	56
164	Poisoning by food	M.	37	3	2	2			7	4	3	3	3
		F.	35	4	3	1		1	9	3	2	2	5
165	Other acute poisonings	M.	86	7	20	15	4	2	48	4	1	1	3
		F.	42	3	9	7	6	1	26	3		2	3
166	Conflagration	M.	79	6	3	3	6	9	27	11	4	2	4
		F.	81	4	8	8	1	3	24	11	6	4	3
167	Burns (conflagration excepted)	M.	314	23	51	39	34	20	167	21	5	7	16
		F.	490	16	26	39	57	55	193	94	23	30	16
168	Absorption of deleterious gases (conflagration excepted).	M.	135	58	4				62			6	9
		F.	76	53	2		1		56			1	4
169	Accidental drowning	M.	517	3	7	5	2	1	18	23	58	97	60
		F.	59	6	7	3	3		19	5	2	8	3
170	Traumatism by firearms	M.	204	1	1	2	3	5	12	19	29	36	39
		F.	35	1		1	3	2	7	9	6	1	5
171	Traumatism by cutting or piercing instruments	M.	5			1			1				
		F.											
172	Traumatism by fall	M.	281	19	7	4	5	2	37	9	9	11	14
		F.	112	8	3	5			16	7	2	3	5
173	Traumatism in mines and quarries (total)	M.	64								1	4	8
		F.											
	Traumatism in mines	M.	56								1	3	7
		F.											
	Traumatism in quarries	M.	8									1	1
		F.											
174	Traumatism by machines	M.	111				1		1	1	1	8	21
		F.	2									1	
175	Traumatism by other crushing (total)	M.	936		6	1	1	7	15	30	35	73	116
		F.	99			1	4	2	7	10	6	13	8
	Railroad accidents and injuries	M.	543		2				2		10	48	85
		F.	39			1		2	3	4	1	8	4
	Street-car accidents and injuries	M.	73		2			1	3	1	1	4	2
		F.	22							1		1	1
	Automobile accidents and injuries	M.	149			1		5	6	18	14	10	10
		F.	30				3		3	5	4	3	3
	Injuries by other vehicles	M.	119		2		1		3	10	9	5	8
		F.	6				1		1			1	
	Landslide, other crushing	M.	52					1	1	1	1	6	11
		F.	2								1		
176	Injuries by animals	M.	25	1		1		1	3	2	1	2	2
		F.	2							1			
177	Starvation	M.	3	2					2				
		F.	1	1					1				
178	Excessive cold	M.	38	2					2			1	1
		F.	7								1		
179	Effects of heat	M.	69	4					4			2	2
		F.	29	6					6		1	1	1
180	Lightning	M.	23			1			1	1	3	3	2
		F.	10					1	1	2	1	1	1
181	Electricity (lightning excepted)	M.	16							1		1	2
		F.	1										
185	Fractures (cause not specified)	M.	24								1	1	1
		F.	2				1		1	1			
186	Other external violence	M.	281	22	5	7	2	1	37	8	11	25	33
		F.	55	18	5	4	2	1	30		4		2
	Homicide (total)	M.	1,257	11	2	1			14	8	13	92	253
		F.	271	13				1	14	4	5	23	68
182	By firearms	M.	911	2					2	4	8	72	192
		F.	155							3	3	14	43
183	By cutting or piercing instruments	M.	198								3	11	43
		F.	61	1					1		1	4	18
184	By other means	M.	148	9	2	1			12	4	2	9	18
		F.	55	12				1	13	1	1	5	7
	XIV.—Ill-defined diseases		3,739	1,565	321	93	51	37	2,067	84	57	76	109
	Males		1,958	876	160	48	30	14	1,128	38	26	27	36
	Females		1,781	689	161	45	21	23	939	46	31	49	73
187	Ill-defined organic disease	M.	153	7	5	1	3	1	17	2	1	1	6
		F.	136	1	2	2		6	11	6		8	10
188	Sudden death	M.	91	20	1	2	1		24	2	1		1
		F.	73	13			3		16			2	3
189	Not specified or ill-defined (total)	M.	1,714	849	154	45	26	13	1,087	34	24	26	29
		F.	1,572	675	159	43	18	17	912	40	31	39	60
	Ill-defined	M.	635	192	97	31	13	4	337	15	11	13	9
		F.	555	129	105	24	10	8	276	24	12	13	18
	Not specified or unknown	M.	1,079	657	57	14	13	9	750	19	13	13	20
		F.	1,017	546	54	19	8	9	636	16	19	26	42

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1916—Continued.

DEATHS AT AGE OF—																Detailed List No. Int.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
292	278	317	242	172	160	99	91	61	59	33	22	9	4	3	4	43	
50	39	45	44	31	29	31	30	26	19	25	19	15	6	1	6	3	
3	2	2	1	2	1	2			4								
	2	1	4	1	1	2	1	1		1							164
6	1	5	7	2	3		1	3	1								
1	1	2	2	2													165
1	2	6	5	1	4	1	2		2	1	3	1		1		1	
2	2	5	1	4	3		6		2	4	1	2	1				166
10	12	13	11	2	7	2	8	6	8	7	5	3	1	1	1	1	
15	13	13	13	7	9	13	10	8	6	9	5	5	3	1	3	1	167
4	9	14	11	6	7	4	2	1									
4	2	4		1	1	3											168
53	51	56	30	22	13	13	5	2	3	2	1				1	9	
5	3	5	2	1			1	2			1				1	1	169
18	15	14	13	2	4		1					1				1	
2	1	2	1					1									170
			1			1	1			1							
																	171
24	18	29	22	23	20	10	19	12	11	7	4				2		
6	5	6	9	7	4	3	6	6	1	6	10	6	2		1	1	172
8	6	12	7	5	2	4	3	3								1	173
7	4	11	6	5	2	3	3	3								1	
1	2	1	1			1											
12	15	17	8	10	9	3	2	2								1	
			1														174
115	104	97	85	72	58	33	28	22	16	9	4	2				22	175
10	7	2	8	4	7	5	2	3	5	1		1					
82	74	61	47	41	28	16	15	6	3	6	3	1				15	
3	4		3	1	2	3			2	1							
8	8	10	7	7	10	4	1	2	2		1					2	
2	1	1	4	2	3	2	1	1	1			1					
16	9	14	12	6	7	7	5	6	4	1		1				3	
4	2	1		1	1		1	1	1								
6	8	6	11	14	12	5	6	6	6	2						2	
1			1		1				1								
3	5	6	8	4	1	1	1	2	1								
								1									
2	2		3	3	2	1	2										176
	1							1									
																	177
2	3	5	1	2	3	4	3	1	3	2	1		2	1		1	
			1		1		1		1	1					1		178
4	6	9	7	5	9	6	6	2	2	1	2	2					
1	1	2	1	4	1	1	1	2	2	2	1	1					179
2	1	2	4	1	1		1		1								
2	1			1													180
1	6	2	1	1		1											181
		1															
2	2	2	3	4	1		1	2	1				1			2	185
25	22	32	22	9	16	14	6	5	7	3	2					4	
2	1	2	1		1	4	2	2	2	1	1						186
240	176	195	101	68	32	13	17	6	4	2	2	1				20	
50	39	30	19	9	7	2					1						
187	130	146	72	44	15	8	10	3	1	1	1	1				14	
29	21	22	10	5	5												182
36	26	32	17	19	4	2			2							3	
12	13	4	4	3	1												183
17	20	17	12	5	13	3	7	3	1	1	1					3	
9	5	4	5	1	1	2					1						184
90	85	110	96	81	129	94	124	114	126	92	69	50	34	12	13	27	
40	41	61	50	36	67	46	75	67	73	42	41	20	11	6	7	20	
50	44	49	46	45	62	48	49	47	53	50	28	30	23	6	6	7	
2	4	11	4	4	6	7	15	18	19	12	16	4	2		1	1	
10	4	8	6	3	12	5	6	12	15	10	3	5		1		1	187
1	7	7		4	10	7	6	6	3	3	1	3	3			2	
6	4	1	4	6	9	6	3	2	3	4	2	1				1	188
37	30	43	46	28	51	32	54	43	51	27	24	13	6	6	6	17	
34	36	40	36	36	41	37	40	33	35	36	23	24	23	5	6	5	189
14	16	28	30	15	25	17	32	20	22	10	6	7	2	2		4	
17	18	21	14	16	18	19	13	22	17	13	4	9	7		1	3	
23	14	15	16	13	26	15	22	23	29	17	18	6	4	4	6	13	
17	18	19	22	20	23	18	27	11	18	23	19	15	16	5	5	2	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA.																		
	All causes	1,001,921	164,660	36,218	16,304	9,913	6,986	20,635	37,350	73,505	83,428	93,969	112,077	130,920	132,903	70,257	10,842	649	1,305
	I.—General diseases	268,040	17,437	10,530	5,791	3,827	2,848	8,458	16,114	34,182	33,925	33,430	34,354	32,283	24,072	9,265	1,145	46	333
1	Typhoid fever	9,510	56	94	140	105	133	657	2,157	2,594	1,493	968	612	340	111	23	3	.....	24
2	Typhus fever	35	.....	1	.....	.....	.....	1	3	8	9	8	2	1	2	.....	.....	.....	.....
3	Relapsing fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Malaria	2,175	273	156	111	82	56	184	205	224	175	183	170	157	112	68	9	4	6
5	Smallpox	114	17	6	11	2	1	8	7	11	12	11	10	5	7	4	1	.....	1
6	Measles	7,947	2,027	2,588	1,028	493	270	680	332	175	113	93	64	38	26	8	2	.....	10
7	Scarlet fever	2,355	126	251	293	274	238	618	322	147	59	21	2	1	1	1	.....	.....	1
8	Whooping cough	7,284	4,009	1,848	648	303	147	245	47	6	6	4	6	6	3	3	.....	.....	3
9	Diphtheria and croup	10,367	908	1,696	1,533	1,298	1,097	2,605	761	182	106	84	49	18	18	3	.....	.....	9
10	Influenza	18,886	1,606	535	283	171	96	296	478	626	744	1,026	1,548	2,566	4,703	3,519	651	23	15
13	Cholera nostras	291	69	24	19	3	3	8	8	10	8	10	21	35	41	25	7	.....	.....
14	Dysentery	3,550	806	589	231	102	58	113	67	58	73	107	162	332	492	312	38	2	8
15	Plague	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	11	.....	.....	.....	.....	.....	.....	1	2	5	.....	.....	.....	3	.....	.....	.....	.....
18	Erysipelas	2,680	794	58	19	11	3	14	63	119	201	307	353	289	281	145	19	2	2
19	Other epidemic diseases	218	65	26	16	12	5	25	15	21	5	5	5	8	5	4	1	.....	.....
20	Purulent infection and septicemia	1,407	147	25	20	16	16	58	132	139	139	164	194	188	119	40	4	1	5
21	Glanders	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	28	.....	.....	.....	.....	.....	.....	2	2	4	7	9	3	.....	1	.....	.....	.....
23	Rabies	36	1	1	.....	4	2	4	7	6	1	4	4	2	.....	.....	.....	.....	.....
24	Tetanus	1,225	332	10	10	17	20	157	182	133	124	87	84	45	15	5	.....	.....	4
25	Mycoses	41	.....	.....	.....	.....	.....	1	2	5	7	10	7	6	2	1	.....	.....	.....
26	Pellagra	2,390	8	15	6	3	4	31	90	397	476	418	356	355	170	48	3	.....	10
27	Beriberi	6	2	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	101,396	2,554	1,935	1,087	668	470	1,807	9,165	25,667	22,436	15,628	9,963	6,368	2,906	570	36	2	134
28	Tuberculosis of the lungs	85,538	791	527	263	160	120	653	7,357	23,082	20,428	14,271	9,001	5,692	2,550	492	32	2	117
29	Acute miliary tuberculosis	3,128	131	107	60	30	23	91	474	886	635	364	204	89	24	7	1	.....	2
30	Tuberculous meningitis	5,706	1,199	1,034	585	373	234	705	574	429	286	154	77	40	10	6	.....	.....	.....
31	Abdominal tuberculosis	3,586	196	146	96	51	37	158	341	699	583	446	351	282	158	35	1	.....	6
32	Pott's disease	896	19	21	22	22	31	83	139	157	118	101	79	50	46	7	.....	.....	1
33	White swellings	496	21	16	12	12	6	46	71	80	52	45	60	38	31	4	2	.....	.....
34	Tuberculosis of other organs	1,339	94	46	34	14	15	59	141	204	212	169	130	127	70	17	.....	.....	7
35	Disseminated tuberculosis	707	103	38	15	6	4	12	68	130	122	78	61	50	17	2	.....	.....	1
36	Rickets	574	327	140	35	19	8	14	7	2	5	3	3	1	2	2	.....	.....	.....
37	Syphilis	6,902	2,193	176	65	40	26	50	127	558	1,047	1,140	843	458	139	29	2	.....	9
38	Gonococcus infection	539	70	4	1	1	.....	2	37	177	132	76	16	13	6	2	1	.....	1
	Cancer and other malignant tumors (total)	58,600	44	62	56	60	44	128	318	980	3,479	8,915	14,061	15,365	11,217	3,536	281	10	44
39	Of the buccal cavity	2,091	.....	1	3	3	1	5	6	23	64	233	464	560	501	198	26	.....	3
40	Of the stomach, liver	22,480	12	11	9	4	4	21	32	194	836	2,762	5,444	6,893	4,870	1,303	68	3	14
41	Of the peritoneum, intestines, rectum	7,716	1	5	7	6	5	11	49	171	455	1,014	1,800	2,064	1,672	424	27	1	4
42	Of the female genital organs	8,898	1	2	.....	1	1	1	25	204	1,043	2,263	2,470	1,764	897	198	18	1	9
43	Of the breast	5,558	.....	.....	.....	.....	2	1	7	46	422	1,204	1,494	1,180	837	339	21	1	4
44	Of the skin	2,042	1	1	3	3	2	5	9	21	43	118	245	443	638	432	73	4	1
45	Of other organs or of organs not specified	9,815	29	42	34	43	29	84	190	321	616	1,321	2,144	2,461	1,802	642	48	.....	9
46	Other tumors (tumors of the female genital organs excepted)	337	8	5	.....	2	2	8	7	14	27	58	55	50	60	35	6	.....	.....
47	Acute articular rheumatism	3,258	35	24	27	43	50	371	672	316	289	302	335	348	281	140	21	.....	4
48	Chronic rheumatism and gout	908	.....	.....	1	.....	.....	3	11	35	47	67	143	206	269	106	17	2	1
49	Scurvy	77	45	10	.....	1	1	4	4	1	4	.....	1	1	4	1	.....	.....	.....
50	Diabetes	12,199	16	34	30	37	40	184	508	595	697	1,212	2,767	3,374	2,205	465	26	.....	9
51	Exophthalmic goiter	1,158	3	.....	.....	.....	.....	2	52	170	224	267	245	132	54	9	.....	.....	.....
52	Addison's disease	312	1	1	.....	1	.....	2	7	37	54	77	65	48	14	4	1	.....	.....
53	Leukemia	1,424	41	42	22	22	24	76	121	169	175	202	264	167	86	10	.....	.....	3
54	Anemia, chlorosis	3,785	171	58	28	15	12	39	104	160	321	578	907	818	469	92	11	.....	2
55	Other general diseases	1,431	683	109	71	21	22	63	73	59	59	57	58	63	57	29	5	.....	2
56	Alcoholism (acute or chronic)	4,161	.....	.....	.....	.....	.....	.....	9	330	1,085	1,261	879	412	146	15	.....	.....	24
57	Chronic lead poisoning	190	.....	1	.....	1	.....	.....	3	12	28	46	56	32	11	.....	.....	.....	.....
58	Other chronic occupation poisonings	15	.....	.....	.....	.....	.....	.....	1	4	5	.....	2	2	1	.....	.....	.....	.....
59	Other chronic poisonings	212	.....	.....	.....	.....	.....	.....	6	28	49	21	32	30	34	10	.....	.....	2
	II.—Diseases of the nervous system and of the organs of special sense	99,077	5,443	2,672	1,808	1,236	913	2,290	2,276	2,599	4,554	8,204	13,618	19,513	21,998	10,607	1,192	48	106
60	Encephalitis	554	98	40	14	14	8	23	55	74	53	52	59	32	25	5	1	.....	1
61	Meningitis (total)	5,091	1,371	689	424	245	201	531	499	348	254	229	156	77	45	19	3	.....	.....
	Simple meningitis	2,573	716	323	216	105	90	230	211	183	136	143	105	61	34	17	3	.....	.....
	Cerebrospinal meningitis (undefined)	983	266	143	78	53	53	122	95	60	43	33	21	8	7	1	.....	.....	.....
	Cerebrospinal fever	1,535	389	223	130	87	58	179	193	105	75	53	30	8	4	1	.....	.....	.....
62	Locomotor ataxia	1,717	.....	.....	.....	1	.....	.....	2	18	108	331	496	483	241	33	3	.....	1
63	Other diseases of the spinal cord (total)	11,036	1,131	1,363	1,118	836	590	1,294	661	368	261	381	674	1,023	972	326	29	3	6
	Acute anterior poliomyelitis	7,130	1,074	1,344	1,089	824	581	1,256	557	236	88	25	24	14	14	2	.....	.....	2
	Other diseases of the spinal cord [1]	3,906	57	19	29	12	9	38	104	132	173	356	650	1,009	958	324	29	3	4
64	Cerebral hemorrhage, apoplexy	58,233	152	51	21	14	11	39	149	468	1,420	4,166	9,455	15,076	17,604	8,570	950	29	58
65	Softening of the brain	921	.....	.....	.....	.....	.....	.....	2	3	16	30	83	187	337	237	22	2	2
66	Paralysis without specified cause	5,165	28	14	13	5	6	17	34	61	110	295	630	1,210	1,652	937	130	12	11
67	General paralysis of the insane	5,150	.....	.....	.....	.....	.....	.....	14	142	1,079	1,445	1,070	614	517	233	22	1	13
68	Other forms of mental alienation	1,438	.....	.....	.....	.....	.....	.....	41	175	235	284	264	208	149	68	7	1	6
69	Epilepsy	2,882	106	35	23	22	25	98	425	546	541	406	250	212	143	43	3	.....	4
70	Convulsions (nonpuerperal)	124	.....	.....	.....	.....	.....	34	24	27	12	12	1	5	3	4	.....	.....	2
71	Convulsions of infants	2,437	2,061	264	66	28	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	104	8	1	.....	2	.....	8	39	10	3	6	6	10	8	3	.....	.....	.....
73	Neuralgia and neuritis	392	3	.....	.....	2	.....	1	6	28	52	69	68	63	72	26	2	.....	.....
74	Other diseases of the nervous system	2,386	200	75	68	41	23	111	161	206	292	366	300	254	182	89	16	.....	2
75	Diseases of the eyes and their annexa	54	8	4	4	3	.....	3	4	2	4	3	5	5	5	4	.....	.....	.....
76	Diseases of the ears	1,393	277	136	57	23	31	131	160	123	114	129	101	54	43	10	4	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA—Continued.																	
	III.—Diseases of the circulatory system	141,589	1,188	235	179	170	190	1,265	3,125	4,486	7,602	12,393	20,109	30,889	36,947	19,950	2,615	104	142
77	Pericarditis	735	16	6	7	6	8	31	33	55	67	88	107	130	100	67	12		2
78	Acute endocarditis	6,696	259	59	43	59	47	254	536	694	898	1,311	1,897	279	242	101	14	2	1
79	Organic diseases of the heart	107,475	565	104	102	77	124	924	2,442	3,379	5,915	9,608	15,266	24,943	28,407	13,874	1,579	53	113
80	Angina pectoris	5,445	3		1	1		7	11	53	177	446	1,037	1,687	1,529	453	31	2	7
81	Diseases of the arteries, atheroma, aneurism, etc.	17,115	2	2		2		5	13	76	240	517	1,217	3,102	5,866	5,072	938	47	16
82	Embolism and thrombosis	2,829	42	9	4	3	3	19	54	175	207	294	416	582	664	320	35		2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	544	7	2				1	5	30	66	95	117	105	85	30			1
84	Diseases of the lymphatic system (lymphangitis, etc.)	462	248	48	22	18	8	19	19	14	12	11	8	11	14	9	1		
85	Hemorrhage; other diseases of the circulatory system	288	46	5		4		5	12	10	20	23	44	50	40	24	5		
	IV.—Diseases of the respiratory system	118,435	24,660	8,755	3,391	1,638	962	2,118	3,067	5,740	7,775	9,678	11,556	13,742	14,859	8,812	1,498	84	100
86	Diseases of the nasal fossae	275	167	16	9		2	13	7	9	7	9	3	10	9	13	1		
87	Diseases of the larynx	735	144	103	78	66	31	72	26	28	33	31	32	34	30	23	4		
88	Diseases of the thyroid body	467	9	3	2	3	1	1	23	53	71	99	78	76	30	16	2		
89	Acute bronchitis	6,700	3,469	720	251	102	59	59	52	54	63	76	145	262	609	623	144	11	1
90	Chronic bronchitis	4,887	79	44	10	4	3	36	54	89	117	200	395	770	1,560	1,230	269	16	5
91	Bronchopneumonia	35,105	13,642	4,735	1,660	700	383	638	413	553	692	974	1,511	2,509	3,622	2,610	432	16	15
92	Pneumonia (total)	63,229	6,605	2,871	1,245	673	434	1,157	2,272	4,523	6,192	7,528	8,477	9,065	7,915	3,656	517	32	67
	Lobar pneumonia	54,699	4,948	2,333	988	535	349	951	1,923	4,006	5,588	6,862	7,620	8,129	6,911	3,058	421	26	51
	Pneumonia (undefined)	8,530	1,657	538	257	138	85	206	349	517	604	666	857	936	1,004	598	96	6	16
93	Pleurisy	2,599	155	203	100	68	35	91	149	232	278	316	342	290	238	89	11		2
94	Pulmonary congestion, pulmonary apoplexy	1,326	281	29	13	8	5	19	15	27	53	65	74	113	246	286	83	8	1
95	Gangrene of the lung	236	2	4		2		4	11	36	36	42	43	24	26	3	1		2
96	Asthma	1,752	29	15	10	7	6	9	10	46	111	190	267	394	436	193	24	1	4
97	Pulmonary emphysema	182	15	1	2	1			3	6	10	8	22	45	36	29	4		
98	Other diseases of the respiratory system (tuberculosis excepted)	942	63	11	11	4	3	19	32	84	112	140	167	150	102	35	6		3
	V.—Diseases of the digestive system	106,027	41,313	10,894	3,077	1,363	789	2,081	3,207	4,466	5,705	7,127	7,970	7,792	6,604	3,117	432	24	66
99	Diseases of the mouth and annexa	676	266	38	6	5	8	33	25	51	30	65	63	40	34	9	3		
100	Diseases of the pharynx	1,850	178	103	103	95	69	267	227	224	164	136	92	69	73	41	5	1	
101	Diseases of the esophagus	145	11	5	9	6	5	1	5	2	10	10	21	29	18	13			
102	Ulcer of the stomach	3,265	23	4	2	1	4	9	75	306	488	652	673	532	349	134	9		4
103	Other diseases of the stomach (cancer excepted)	7,065	2,328	357	128	61	51	93	96	193	342	454	537	726	964	582	136	5	12
104	Diarrhea and enteritis (under 2 years)	46,956	36,976	9,980															
105	Diarrhea and enteritis (2 years and over)	9,807			2,492	908	403	563	247	369	471	578	659	873	1,204	864	149	10	17
106	Ankylostomiasis	22			2	2	2	4	3	4									
107	Intestinal parasites	128	12	22	28	10	10	16	6	8	7	5		4					
108	Appendicitis and typhlitis	9,157	35	46	96	128	129	688	1,923	1,853	1,465	1,201	859	456	215	55	3		5
109	Hernia, intestinal obstruction (total)	8,074	1,080	207	120	80	58	204	251	464	645	862	1,063	1,297	1,130	544	57	5	7
	Hernia	2,880	177	17	12	2	2	15	33	78	190	378	540	637	531	242	23	2	1
	Intestinal obstruction	5,194	903	190	108	78	56	189	218	386	455	484	523	660	599	302	34	3	6
110	Other diseases of the intestines	1,823	108	44	30	16	12	41	62	142	227	234	250	214	210	139	21		7
111	Acute yellow atrophy of the liver	305	15	3	5	1	1	4	17	63	42	31	42	33	38	10	1		
112	Hydatid tumor of the liver	32			1				2	6	7	6	6	4					
113	Cirrhosis of the liver	8,799	17	13	5	4	7	18	37	198	854	1,690	2,184	2,074	1,318	355	19	1	5
114	Biliary calculi	2,438	2			1		1	7	94	233	413	586	563	412	114	5	1	6
115	Other diseases of the liver	3,487	108	34	20	13	12	27	72	208	407	509	683	669	502	203	16	1	3
116	Diseases of the spleen	132	5	2	3	2		5	9	22	22	17	14	17	10	4			
117	Simple peritonitis (nonpuerperal)	1,373	84	29	25	28	18	104	117	210	204	163	131	122	89	44	5		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	492	5	4	2	2		3	21	49	87	101	107	70	32	6	3		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	86,324	836	278	222	190	140	547	1,290	3,720	6,471	10,655	14,531	18,536	19,223	8,602	966	33	84
119	Acute nephritis	5,921	381	121	117	114	75	239	348	643	782	884	806	649	522	208	28		4
120	Bright's disease	69,395	201	123	85	68	53	275	735	2,088	4,222	8,174	12,523	16,232	16,539	7,178	769	30	70
121	Chyluria	3						1						2					
122	Other diseases of the kidneys and annexa	1,812	169	30	17	7	10	20	52	146	182	208	246	274	283	146	22		
123	Calculi of the urinary passages	471	1		1	1		3	6	33	49	83	90	81	86	31	5		1
124	Diseases of the bladder	1,235	24				2	7	7	19	24	50	103	219	410	317	50	1	2
125	Diseases of the urethra, urinary abscess, etc.	235	1						2	23	49	69	65	51	14	10			1
126	Diseases of the prostate	2,922								5	14	39	198	730	1,205	644	82	2	3
127	Nonvenereal diseases of the male genital organs	86	41	1	1					4	3	8	3	9	12	4			
128	Uterine hemorrhage (nonpuerperal)	47							6	13	10	16	2						
129	Uterine tumor (noncancerous)	1,329							3	48	310	546	235	96	59	26	5		1
130	Other diseases of the uterus	806							47	177	222	187	94	42	25	11			1
131	Cysts and other tumors of the ovary	635		1					14	76	121	120	118	99	61	23	2		
132	Salpingitis and other diseases of the female genital organs	1,320	1	1	1			2	69	438	480	263	41	18	5	3	3		1
133	Nonpuerperal diseases of the breast (cancer excepted)	51	17	1					1	7	3	8	7	4	2	1			
	VII.—The puerperal state	11,642							1,083	5,135	4,385	1,011	15						13
134	Accidents of pregnancy	985							55	398	427	99	4						1
135	Puerperal hemorrhage	1,118							36	394	527	158	2						1
136	Other accidents of labor	1,212							75	484	516	132	2						3
137	Puerperal septicemia	4,786							456	2,314	1,697	309	6						4
138	Puerperal albuminuria and convulsions	3,087							445	1,350	1,024	264							4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	415							10	175	183	47							
140	Following childbirth (not otherwise defined)	34							4	17	10	2	1						
141	Puerperal diseases of the breast	5							1	3	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	THE REGISTRATION AREA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	3,358	623	76	25	21	12	44	75	123	172	253	296	373	590	550	111	7	7
142	Gangrene	1,528	34	11	10	5	4	22	16	27	38	73	111	193	436	453	87	5	3
143	Furuncle	448	91	12	3	1	.....	4	17	26	40	63	74	52	44	19	2	.....	.....
144	Acute abscess	709	200	34	10	14	6	13	32	52	72	78	60	63	41	22	8	1	3
145	Other diseases of the skin and annexa	673	298	19	2	1	2	5	10	18	22	39	51	65	69	56	14	1	1
	IX.—Diseases of the bones and of the organs of locomotion	2,039	181	70	56	48	37	192	306	215	188	210	172	186	123	47	5	1	2
146	Diseases of the bones (tuberculosis excepted)	1,721	162	66	51	45	35	179	274	190	157	177	144	138	71	26	4	.....	2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	242	16	4	4	3	2	13	27	21	26	27	22	34	34	8	1	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	75	3	.....	1	.....	.....	.....	5	4	5	6	6	13	18	13	.....	1	.....
	X.—Malformations	11,412	10,638	319	118	65	35	122	82	27	4	1	.....	.....	.....	.....	.....	.....	1
150	Congenital malformations (stillbirths not included) (total)	11,412	10,638	319	118	65	35	122	82	27	4	1	.....	.....	.....	.....	.....	.....	1
	Hydrocephalus	995	749	99	45	24	14	38	20	4	1	.....	.....	.....	.....	.....	.....	.....	1
	Congenital malformations of the heart	6,718	6,383	122	47	28	12	54	52	16	3	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	3,699	3,506	98	26	13	9	30	10	7	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	55,678	55,678	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	44,090	44,090	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	33,123	33,123	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	10,967	10,967	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	11,313	11,313	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	6,274	6,274	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	5,039	5,039	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	275	275	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	12,165	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	33	471	3,163	6,026	2,185	266	20
154	Senility	12,165	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	33	471	3,163	6,026	2,185	266	20
	XIII.—External causes	75,283	2,121	1,641	1,440	1,245	1,004	3,320	6,474	12,417	12,167	10,481	8,670	6,152	4,421	2,794	563	20	353
	Suicide (total)	10,162	.....	.....	.....	.....	.....	1	409	1,722	2,083	2,022	1,930	1,251	567	128	14	.....	35
155	By poison	2,016	.....	.....	.....	.....	.....	.....	142	504	424	372	306	186	60	14	1	.....	7
156	By asphyxia	1,458	.....	.....	.....	.....	.....	1	46	211	276	303	326	206	68	17	1	.....	3
157	By hanging or strangulation	1,509	.....	.....	.....	.....	.....	.....	30	144	235	311	327	269	151	34	3	.....	5
158	By drowning	623	.....	.....	.....	.....	.....	.....	25	87	125	114	119	81	55	11	1	.....	5
159	By firearms	3,386	.....	.....	.....	.....	.....	.....	143	639	725	647	640	378	161	36	6	.....	11
160	By cutting or piercing instruments	671	.....	.....	.....	.....	.....	.....	4	54	169	161	141	76	50	12	1	.....	3
161	By jumping from high places	283	.....	.....	.....	.....	.....	.....	8	50	69	67	39	31	14	4	1	.....	.....
162	By crushing	104	.....	.....	.....	.....	.....	.....	5	22	29	24	11	11	2	.....	.....	.....	.....
163	Other suicides	112	.....	.....	.....	.....	.....	.....	6	11	31	23	21	13	6	.....	.....	.....	1
	Accidental or undefined (total)	60,071	1,987	1,621	1,431	1,234	997	3,264	5,705	9,030	8,664	7,672	6,393	4,770	3,814	2,656	549	20	264
164	Poisoning by food	720	93	57	48	33	23	64	48	66	60	62	51	57	46	10	1	.....	1
165	Other acute poisonings	1,285	102	207	117	60	37	53	48	175	174	116	96	57	34	7	.....	.....	2
166	Conflagration	1,054	45	51	56	52	43	71	58	125	127	111	93	87	78	38	8	.....	11
167	Burns (conflagration excepted)	5,726	243	660	656	604	443	614	294	466	412	305	314	283	266	136	20	4	6
168	Absorption of deleterious gases (conflagration excepted)	2,927	810	36	8	15	9	33	130	319	387	359	350	259	151	52	4	2	3
169	Accidental drowning	6,185	42	173	117	76	74	535	1,487	1,272	844	702	437	213	109	22	4	2	76
170	Traumatism by firearms	1,613	9	12	15	30	36	166	569	326	183	134	67	42	15	5	.....	.....	4
171	Traumatism by cutting or piercing instruments	117	1	.....	4	2	2	13	14	13	15	16	17	11	5	4	.....	.....	.....
172	Traumatism by fall	10,775	150	167	153	95	65	258	381	658	1,008	1,192	1,225	1,324	1,778	1,864	438	8	11
173	Traumatism in mines and quarries (total)	2,226	.....	.....	.....	.....	.....	4	162	652	650	459	215	66	11	.....	.....	.....	7
	Traumatism in mines	2,119	.....	.....	.....	.....	.....	2	159	624	625	432	199	60	11	.....	.....	.....	7
	Traumatism in quarries	107	.....	.....	.....	.....	.....	2	3	28	25	27	16	6	.....	.....	.....	.....	.....
174	Traumatism by machines	1,624	.....	4	2	2	3	21	173	441	380	279	203	90	17	4	.....	.....	5
175	Traumatism by other crushing (total)	17,991	55	95	142	192	200	1,184	1,773	3,474	3,071	2,757	2,322	1,604	779	218	15	.....	110
	Railroad accidents and injuries	8,127	9	31	26	11	21	143	699	1,902	1,770	1,439	1,010	588	264	84	9	.....	91
	Street-car accidents and injuries	1,775	2	11	21	25	14	88	114	249	276	314	288	221	119	27	2	.....	4
	Automobile accidents and injuries	5,193	17	24	50	110	120	724	694	850	651	609	571	476	224	61	1	.....	11
	Injuries by other vehicles	2,333	23	28	43	44	39	213	223	319	271	278	362	276	165	43	3	.....	3
	Landslide, other crushing	563	4	1	2	2	6	16	43	154	103	117	61	43	7	3	.....	.....	1
176	Injuries by animals	589	4	5	22	11	17	51	54	66	67	74	88	74	44	12	.....	.....	.....
177	Starvation	47	10	3	3	.....	.....	1	3	.....	5	6	5	7	2	2	.....	.....	.....
178	Excessive cold	371	9	.....	1	.....	1	1	11	21	58	66	81	54	41	16	6	1	4
179	Effects of heat	2,056	169	27	6	11	7	14	38	137	356	378	335	239	200	112	22	2	3
180	Lightning	340	2	.....	5	.....	1	21	79	67	63	50	31	12	6	1	.....	.....	2
181	Electricity (lightning excepted)	586	1	.....	.....	.....	1	15	83	212	156	82	26	8	1	.....	.....	.....	1
185	Fractures (cause not specified)	636	5	2	3	4	2	7	17	60	87	91	64	69	100	100	22	.....	3
186	Other external violence	3,203	237	122	73	47	33	138	283	480	561	433	373	214	131	53	9	1	15
	Homicide (total)	5,050	134	20	9	11	7	55	360	1,665	1,420	787	347	131	40	10	.....	.....	54
182	By firearms	3,241	2	9	1	2	4	24	242	1,185	952	503	198	72	11	6	.....	.....	30
183	By cutting or piercing instruments	700	5	1	1	2	.....	3	44	250	219	124	32	7	6	.....	.....	.....	6
184	By other means	1,109	127	10	7	7	3	28	74	230	249	160	117	52	23	4	.....	.....	18
	XIV.—Ill-defined diseases	10,852	4,542	748	197	110	56	198	251	395	480	525	753	983	903	487	130	16	78
187	Ill-defined organic disease	572	10	11	6	5	7	12	12	32	34	32	62	114	139	78	14	2	2
188	Sudden death	667	148	9	3	4	2	9	10	25	46	60	96	106	84	49	11	.....	5
189	Not specified or ill-defined (total)	9,613	4,384	728	188	101	47	177	229	338	400	433	595	763	680	360	105	14	71
	Ill-defined	3,877	954	52[illegible]	112	55	19	90	92	152	196	257	366	488	360	156	41	2	13
	Not specified or unknown	5,736	3,430	20[illegible]	76	46	28	87	137	186	204	176	229	275	320	204	64	12	58

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES.[1]																	
	All causes	924,971	152,335	33,426	15,052	9,166	6,435	19,029	34,173	65,811	74,601	84,694	102,459	122,175	126,295	67,145	10,364	591	1,220
	I.—General diseases	246,632	16,325	9,880	5,323	3,516	2,620	7,792	14,734	30,681	30,561	30,226	31,520	30,170	22,928	8,908	1,102	41	305
1	Typhoid fever	8,813	54	87	129	98	126	616	2,006	2,336	1,395	902	582	331	107	20	3		21
2	Typhus fever	9								2	1	2	1	1	2				
4	Malaria	1,898	256	149	97	72	49	170	176	183	139	147	139	137	104	64	7	3	6
5	Smallpox	71	14	2	5	2		4	6	4	6	5	8	3	6	4	1		1
6	Measles	7,663	1,954	2,487	982	474	259	661	325	171	111	92	64	37	26	8	2		10
7	Scarlet fever	2,097	114	226	249	248	226	552	288	120	48	21	1	1	1	1			1
8	Whooping cough	7,065	3,908	1,787	624	292	134	238	47	5	5	4	6	6	3	3			3
9	Diphtheria and croup	9,322	848	1,522	1,350	1,161	979	2,345	688	159	99	78	45	18	18	3			9
10	Influenza	18,080	1,537	509	266	160	93	278	450	584	695	952	1,445	2,450	4,568	3,426	632	20	15
13	Cholera nostras	279	65	22	19	3	3	8	8	9	8	10	20	34	39	24	7		
14	Dysentery	3,286	761	559	220	98	54	111	57	45	63	83	124	308	461	294	38	2	8
15	Plague																		
16	Yellow fever	1								1									
17	Leprosy	10							1	1	5				3				
18	Erysipelas	2,458	744	56	18	11	3	14	59	103	184	271	306	263	261	143	18	2	2
19	Other epidemic diseases	193	61	24	16	11	5	22	15	18	3	2	4	5	4	2	1		
20	Purulent infection and septicemia	1,288	132	23	18	15	15	55	117	131	120	143	179	179	114	37	4	1	5
21	Glanders	4								1	1	2							
22	Anthrax	25							2	1	4	5	9	3		1			
23	Rabies	33	1	1		4	1	4	6	6	1	3	4	2					
24	Tetanus	998	253	10	8	12	17	133	151	108	104	66	73	41	13	5			4
25	Mycoses	34						1	2	5	6	8	5	5	1	1			
26	Pellagra	1,807	7	13	6	3	4	24	75	295	344	302	261	287	136	42	1		7
27	Beriberi	6	2						1		1	1	1						
	Tuberculosis (total)	92,688	2,352	1,803	1,008	616	441	1,679	8,373	23,140	20,352	14,228	9,228	5,984	2,777	548	35	1	123
28	Tuberculosis of the lungs	78,198	739	490	242	147	115	603	6,729	20,809	18,559	13,011	8,344	5,354	2,436	479	31	1	109
29	Acute miliary tuberculosis	2,825	123	96	52	26	23	87	430	789	560	332	193	83	22	7	1		1
30	Tuberculous meningitis	5,298	1,120	965	544	348	218	666	531	394	257	134	71	38	10	2			
31	Abdominal tuberculosis	3,261	188	143	95	47	35	146	301	612	522	390	325	264	154	33	1		5
32	Pott's disease	833	19	20	19	19	25	78	128	150	106	98	74	46	43	7			1
33	White swellings	445	21	14	10	12	6	39	64	70	47	41	50	37	28	4	2		
34	Tuberculosis of other organs	1,210	90	43	32	12	15	50	127	190	185	148	116	113	68	15			6
35	Disseminated tuberculosis	618	52	32	14	5	4	10	63	126	116	74	55	49	16	1			1
36	Rickets	510	281	133	31	19	8	13	7	2	5	3	3	1	2	2			
37	Syphilis	5,978	1,943	153	53	31	21	49	110	466	888	956	736	412	124	27	2		7
38	Gonococcus infection	464	56	3	1	1		2	30	153	113	69	15	12	5	2	1		1
	Cancer and other malignant tumors (total)	54,272	39	56	56	55	41	120	278	879	3,104	8,070	12,900	14,320	10,668	3,369	267	10	40
39	Of the buccal cavity	1,939		1	3	3	1	5	6	17	53	214	425	515	479	189	25		3
40	Of the stomach, liver	20,905	11	8	9	3	4	19	30	169	745	2,525	4,986	6,466	4,616	1,234	66	3	11
41	Of the peritoneum, intestines, rectum	7,195		5	7	6	5	10	41	156	405	929	1,666	1,928	1,599	406	27	1	4
42	Of the female genital organs	8,076	1	2		1	1	1	20	183	922	2,011	2,251	1,623	851	183	16	1	9
43	Of the breast	5,193					2	1	7	40	377	1,104	1,400	1,106	806	327	18	1	4
44	Of the skin	1,949	1	1	3	3	1	5	9	18	38	109	228	418	619	422	69	4	1
45	Of other organs or of organs not specified	9,015	26	39	34	39	27	79	165	296	564	1,178	1,944	2,264	1,698	608	46		8
46	Other tumors (tumors of the female genital organs excepted)	314	7	4		1	1	6	6	11	24	56	51	48	59	34	6		
47	Acute articular rheumatism	3,020	32	24	24	39	46	341	622	289	255	277	308	332	271	137	20		3
48	Chronic rheumatism and gout	867			1			3	10	33	44	62	134	199	258	104	16	2	1
49	Scurvy	71	41	10		1	1	3	4	1	3		1	1	4	1			
50	Diabetes	11,318	14	32	30	35	38	174	476	543	628	1,109	2,541	3,156	2,063	445	25		9
51	Exophthalmic goiter	1,044	3					2	44	150	193	238	228	125	52	9			
52	Addison's disease	292		1		1		2	7	37	46	74	61	44	14	4	1		
53	Leukemia	1,307	38	39	21	19	23	68	108	157	161	181	246	153	82	9			2
54	Anemia, chlorosis	3,533	165	54	27	14	12	38	98	150	295	535	834	766	443	90	10		2
55	Other general diseases	1,318	643	91	64	19	20	56	65	57	51	54	54	60	52	25	5		2
56	Alcoholism (acute or chronic)	3,814							7	287	983	1,153	819	388	141	14			22
57	Chronic lead poisoning	177				1			3	10	27	43	53	29	11				
58	Other chronic occupation poisonings	14								4	5		2	2	1				
59	Other chronic poisonings	191							6	24	41	19	29	27	34	10			1
	II.—Diseases of the nervous system and of the organs of special sense	93,703	5,216	2,563	1,744	1,199	881	2,191	2,124	2,404	4,163	7,557	12,647	18,416	21,098	10,210	1,143	45	102
60	Encephalitis	488	88	33	13	12	7	23	45	64	45	48	50	30	23	5	1		1
61	Meningitis (total)	4,719	1,304	641	397	226	183	494	451	314	226	207	139	71	44	19	3		
	Simple meningitis	2,387	686	297	201	97	80	215	191	167	122	131	91	56	33	17	3		
	Cerebrospinal meningitis (undefined)	908	251	136	71	49	49	115	83	53	37	30	20	7	7	1			
	Cerebrospinal fever	1,423	367	208	125	80	54	164	177	94	67	46	28	8	4	1			
62	Locomotor ataxia	1,574				1			2	18	90	295	453	450	231	31	3		
63	Other diseases of the spinal cord (total)	10,675	1,108	1,345	1,098	829	582	1,269	643	351	240	343	619	967	931	313	29	2	6
	Acute anterior poliomyelitis	7,021	1,055	1,327	1,072	819	574	1,234	547	231	86	24	23	12	13	2			2
	Other diseases of the spinal cord [2]	3,654	53	18	26	10	8	35	96	120	154	319	596	955	918	311	29	2	4
64	Cerebral hemorrhage, apoplexy	55,073	142	48	17	13	10	35	141	415	1,275	3,793	8,814	14,246	16,891	8,243	907	27	56
65	Softening of the brain	875							1	3	14	28	71	172	331	229	22	2	2
66	Paralysis without specified cause	4,868	27	14	12	5	6	15	30	57	100	259	562	1,135	1,585	910	128	12	11
67	General paralysis of the insane	4,910							13	136	1,033	1,388	1,018	580	487	222	19	1	13
68	Other forms of mental alienation	1,327							37	161	212	262	248	188	140	66	7	1	5
69	Epilepsy	2,764	103	30	22	22	24	93	409	524	513	394	236	206	140	41	3		4
70	Convulsions (nonpuerperal)	119						33	23	27	10	11	1	5	3	4			2
71	Convulsions of infants	2,344	1,982	254	65	27	16												
72	Chorea	98	8	1		2		8	34	10	2	6	6	10	8	3			
73	Neuralgia and neuritis	375	2			2		1	6	28	46	66	66	62	70	25	1		
74	Other diseases of the nervous system	2,190	188	69	64	37	23	101	144	186	247	341	275	239	172	86	16		2
75	Diseases of the eyes and their annexa	46	7	4	3	3		3	3	2	3	3	4	3	5	3			
76	Diseases of the ears	1,258	257	124	53	20	30	116	142	108	107	113	85	52	37	10	4		

[1] Includes District of Columbia.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES [1]—Continued.																		
	III.—Diseases of the circulatory system	131,798	1,126	213	165	153	171	1,148	2,872	4,006	6,700	11,083	18,413	28,915	35,091	19,038	2,478	89	137
77	Pericarditis	684	15	5	7	5	7	28	32	43	60	79	101	124	95	64	12	.....	2
78	Acute endocarditis	6,072	244	53	37	52	43	228	494	626	804	1,164	1,727	262	227	97	12	1	1
79	Organic diseases of the heart	100,045	540	97	97	72	113	840	2,244	3,018	5,225	8,615	13,931	23,321	26,980	13,255	1,494	45	108
80	Angina pectoris	5,143	3	.....	1	1	.....	7	11	47	161	405	963	1,602	1,469	436	28	2	7
81	Diseases of the arteries, atheroma, aneurism, etc.	16,081	2	1	.....	2	.....	5	11	61	185	434	1,118	2,916	5,566	4,832	891	41	16
82	Embolism and thrombosis	2,578	40	8	3	3	3	18	49	158	176	264	365	533	626	295	35	.....	2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	504	7	2	.....	.....	.....	1	5	26	59	91	108	101	77	26	.....	.....	1
84	Diseases of the lymphatic system (lymphangitis, etc.)	418	231	43	20	14	5	16	14	13	12	10	7	10	13	9	1	.....	.....
85	Hemorrhage; other diseases of the circulatory system	273	44	4	.....	4	.....	5	12	9	18	21	43	46	38	24	5	.....	.....
	IV.—Diseases of the respiratory system	109,939	22,983	8,122	3,134	1,513	861	1,932	2,795	5,123	6,988	8,785	10,666	12,878	14,142	8,416	1,426	81	94
86	Diseases of the nasal fossae	263	160	15	9	.....	2	13	7	9	5	8	3	9	9	13	1	.....	.....
87	Diseases of the larynx	690	133	95	76	63	31	68	24	26	30	28	30	30	29	23	4	.....	.....
88	Diseases of the thyroid body	426	9	3	2	3	.....	1	18	47	65	89	73	69	29	16	2	.....	.....
89	Acute bronchitis	6,305	3,248	666	228	97	53	53	47	47	57	68	134	254	592	608	141	11	1
90	Chronic bronchitis	4,579	75	39	9	4	3	33	46	75	100	176	359	730	1,485	1,173	251	16	5
91	Bronchopneumonia	32,777	12,635	4,362	1,531	643	331	571	381	508	642	922	1,424	2,384	3,477	2,515	420	16	15
92	Pneumonia (total)	58,478	6,215	2,704	1,161	624	398	1,061	2,076	4,038	5,577	6,848	7,797	8,460	7,501	3,471	487	29	61
	Lobar pneumonia	50,451	4,640	2,191	916	493	321	869	1,753	3,571	5,023	6,203	6,997	7,570	6,536	2,904	396	23	45
	Pneumonia (undefined)	8,027	1,575	513	245	131	77	192	323	467	554	615	800	890	965	567	91	6	16
93	Pleurisy	2,346	144	183	88	60	31	85	132	201	233	285	310	265	230	88	9	.....	2
94	Pulmonary congestion, pulmonary apoplexy	1,235	268	29	13	6	4	19	14	25	47	59	70	106	226	260	80	8	1
95	Gangrene of the lung	214	2	3	.....	2	.....	4	11	32	33	36	41	22	22	3	1	.....	2
96	Asthma	1,598	28	13	7	7	5	7	8	42	95	163	243	360	409	185	21	1	4
97	Pulmonary emphysema	167	13	1	2	.....	.....	.....	3	5	9	7	20	43	33	27	4	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	861	53	9	8	4	3	17	28	68	95	126	162	146	100	34	5	.....	3
	V.—Diseases of the digestive system	94,903	36,693	9,708	2,767	1,234	706	1,904	2,865	3,859	4,916	6,289	7,119	7,161	6,234	2,954	414	19	61
99	Diseases of the mouth and annexa	642	259	36	6	5	7	31	23	46	25	63	58	40	33	8	2	.....	.....
100	Diseases of the pharynx	1,692	169	98	94	88	56	245	204	204	149	121	81	66	73	39	4	1	.....
101	Diseases of the esophagus	135	10	3	8	6	5	1	5	2	10	9	18	27	18	13	.....	.....	.....
102	Ulcer of the stomach	2,964	22	3	2	1	4	8	68	271	422	576	615	495	336	129	8	.....	4
103	Other diseases of the stomach (cancer excepted)	6,626	2,243	346	122	57	44	92	85	163	269	404	485	679	932	560	130	3	12
104	Diarrhea and enteritis (under 2 years)	41,440	32,592	8,848	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	8,856	.....	.....	2,225	812	360	508	214	317	420	518	596	796	1,122	802	143	8	15
106	Ankylostomiasis	20	.....	.....	2	2	2	3	8	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	120	10	22	28	9	9	16	5	7	7	4	.....	3	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	8,082	33	45	85	116	116	628	1,735	1,598	1,273	1,034	751	414	197	51	3	.....	3
109	Hernia, intestinal obstruction (total)	7,336	987	189	108	74	56	188	216	391	556	775	955	1,192	1,067	515	56	4	7
	Hernia	2,634	167	15	10	1	2	14	29	70	166	345	481	583	498	227	23	2	1
	Intestinal obstruction	4,702	820	174	98	73	54	174	187	321	390	430	474	609	569	288	33	2	6
110	Other diseases of the intestines	1,625	149	42	28	16	11	38	52	120	191	204	218	193	202	134	20	.....	7
111	Acute yellow atrophy of the liver	284	12	3	5	1	1	3	16	59	38	29	38	32	37	9	1	.....	.....
112	Hydatid tumor of the liver	25	.....	.....	1	.....	.....	.....	2	4	7	4	5	2	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	7,886	13	11	5	4	6	15	34	168	725	1,493	1,935	1,893	1,221	339	18	1	5
114	Biliary calculi	2,221	2	.....	.....	1	.....	1	7	84	205	366	533	512	391	108	5	1	5
115	Other diseases of the liver	3,122	105	30	19	12	11	24	62	174	337	430	603	618	480	197	16	1	3
116	Diseases of the spleen	116	5	2	3	2	.....	4	8	17	19	16	12	16	8	4	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	1,253	78	26	24	26	18	97	103	186	183	145	118	118	86	40	5	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	458	4	4	2	2	.....	2	18	45	80	98	98	65	31	6	3	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	78,798	771	249	206	171	126	505	1,147	3,223	5,577	9,435	13,105	17,075	18,089	8,110	900	29	79
119	Acute nephritis	5,382	356	109	107	103	72	226	323	589	666	786	736	586	496	196	27	.....	4
120	Bright's disease	63,684	186	111	82	61	47	250	651	1,822	3,724	7,289	11,307	15,013	15,578	6,753	718	26	66
121	Chyluria	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,646	157	25	15	6	6	18	44	128	155	184	218	259	269	143	19	.....	.....
123	Calculi of the urinary passages	420	1	.....	1	1	.....	2	6	27	43	69	76	78	83	27	5	.....	1
124	Diseases of the bladder	1,149	18	.....	.....	.....	1	7	7	15	20	45	95	199	391	303	45	1	2
125	Diseases of the urethra, urinary abscess, etc.	227	1	.....	.....	.....	.....	.....	2	9	38	58	52	44	13	9	.....	.....	1
126	Diseases of the prostate	2,657	.....	.....	.....	.....	.....	.....	.....	4	10	31	171	650	1,099	611	76	2	3
127	Nonvenereal diseases of the male genital organs	77	36	1	.....	.....	.....	.....	.....	3	3	6	3	9	12	4	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	42	.....	.....	.....	.....	.....	.....	6	13	6	16	1	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	1,128	.....	.....	.....	.....	.....	.....	1	42	244	453	209	90	57	26	5	.....	1
130	Other diseases of the uterus	691	.....	.....	.....	.....	.....	.....	39	151	181	164	85	35	24	11	.....	.....	1
131	Cysts and other tumors of the ovary	571	.....	1	.....	.....	.....	.....	12	67	101	107	108	90	60	23	2	.....	.....
132	Salpingitis and other diseases of the female genital organs	1,077	1	1	1	.....	.....	1	55	347	384	221	38	17	5	3	3	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	44	15	1	.....	.....	.....	.....	1	6	2	6	7	3	2	1	.....	.....	.....
	VII.—The puerperal state	10,650	.....	.....	.....	.....	.....	.....	991	4,627	4,055	950	14	.....	.....	.....	.....	.....	13
134	Accidents of pregnancy	909	.....	.....	.....	.....	.....	.....	50	363	396	95	4	.....	.....	.....	.....	.....	1
135	Puerperal hemorrhage	1,024	.....	.....	.....	.....	.....	.....	33	355	490	143	2	.....	.....	.....	.....	.....	1
136	Other accidents of labor	1,121	.....	.....	.....	.....	.....	.....	69	444	482	121	2	.....	.....	.....	.....	.....	3
137	Puerperal septicemia	4,332	.....	.....	.....	.....	.....	.....	408	2,069	1,555	291	5	.....	.....	.....	.....	.....	4
138	Puerperal albuminuria and convulsions	2,839	.....	.....	.....	.....	.....	.....	417	1,218	945	255	.....	.....	.....	.....	.....	.....	4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	389	.....	.....	.....	.....	.....	.....	9	159	177	44	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	31	.....	.....	.....	.....	.....	.....	4	16	9	1	1	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	5	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	REGISTRATION STATES [1]—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	3,122	562	71	24	19	11	41	69	111	157	231	267	340	571	527	107	7	7
142	Gangrene	1,438	28	10	10	3	3	22	15	23	34	65	102	175	422	435	83	5	3
143	Furuncle	411	75	10	3	1		4	17	25	39	55	68	50	43	19	2		
144	Acute abscess	639	175	34	9	14	6	10	29	46	63	74	50	58	38	21	8	1	3
145	Other diseases of the skin and annexa	634	284	17	2	1	2	5	8	17	21	37	47	57	68	52	14	1	1
	IX.—Diseases of the bones and of the organs of locomotion	1,848	167	61	52	45	35	171	280	185	169	186	154	173	118	44	5	1	2
146	Diseases of the bones (tuberculosis excepted)	1,566	149	58	48	43	33	161	254	165	139	159	130	129	67	25	4		2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	212	15	3	3	2	2	10	21	17	26	22	19	31	34	6	1		
148	Amputations	1												1					
149	Other diseases of the organs of locomotion	69	3		1				5	3	4	5	5	12	17	13		1	
	X.—Malformations	10,677	9,968	290	106	58	35	113	77	24	4	1							1
150	Congenital malformations (stillbirths not included) (total)	10,677	9,968	290	106	58	35	113	77	24	4	1							1
	Hydrocephalus	931	705	91	42	22	14	33	18	4	1								1
	Congenital malformations of the heart	6,288	5,972	113	46	25	12	52	50	14	3	1							
	Other congenital malformations	3,458	3,291	86	18	11	9	28	9	6									
	XI.—Early infancy	52,123	52,123																
151	Congenital debility, icterus, and sclerema (total)	41,461	41,461																
	Premature birth	31,052	31,052																
	Congenital debility, "atrophy," "marasmus," etc	10,409	10,409																
152	Other causes peculiar to early infancy (total)	10,421	10,421																
	Injuries at birth	5,756	5,756																
	Other causes peculiar to early infancy [2]	4,665	4,665																
153	Lack of care	241	241																
	XII.—Old age	11,645										1	29	428	2,995	5,807	2,119	247	19
154	Senility	11,645										1	29	428	2,995	5,807	2,119	247	19
	XIII.—External causes	68,721	1,976	1,553	1,342	1,152	934	3,039	5,979	11,206	10,875	9,476	7,836	5,672	4,145	2,650	542	16	328
	Suicide (total)	9,181						1	366	1,524	1,853	1,831	1,751	1,162	527	122	11		33
155	By poison	1,814							126	449	374	340	275	172	56	14	1		7
156	By asphyxia	1,208						1	36	168	223	254	274	177	56	15	1		3
157	By hanging or strangulation	1,434							30	130	220	295	317	260	142	33	2		5
158	By drowning	592							22	79	118	108	115	80	54	11	1		4
159	By firearms	3,066							130	570	648	588	576	352	151	35	6		10
160	By cutting or piercing instruments	606							4	49	151	144	128	69	47	11			3
161	By jumping from high places	256							8	47	62	59	35	29	13	3			
162	By crushing	99							5	21	29	22	10	10	2				
163	Other suicides	106							5	11	28	21	21	13	6				1
	Accidental or undefined (total)	55,303	1,854	1,535	1,335	1,144	929	2,995	5,315	8,326	7,827	6,966	5,782	4,397	3,581	2,519	531	16	251
164	Poisoning by food	676	88	53	48	30	21	60	48	61	59	55	47	51	44	9	1		1
165	Other acute poisonings	1,197	98	191	109	57	35	52	46	159	158	107	87	55	34	7			2
166	Conflagration	983	45	50	56	51	43	69	50	110	109	100	89	81	75	37	7		11
167	Burns (conflagration excepted)	5,220	227	622	605	552	409	562	269	406	365	273	278	257	243	126	18	2	6
168	Absorption of deleterious gases (conflagration excepted)	2,592	764	36	7	11	9	31	110	281	330	315	292	220	132	46	4	1	3
169	Accidental drowning	5,863	39	169	113	71	74	505	1,429	1,205	789	658	404	201	106	21	3	2	74
170	Traumatism by firearms	1,474	7	11	13	30	34	154	528	290	168	117	60	40	13	5			4
171	Traumatism by cutting or piercing instruments	104	1		2	2	2	13	13	12	11	13	16	11	4	4			
172	Traumatism by fall	10,003	140	155	143	91	59	245	352	594	890	1,071	1,113	1,238	1,685	1,785	424	8	10
173	Traumatism in mines and quarries (total)	2,186						4	160	640	639	451	212	63	10				7
	Traumatism in mines	2,080						2	157	612	614	425	196	57	10				7
	Traumatism in quarries	106						2	3	28	25	26	16	6					
174	Traumatism by machines	1,488		4	2	2	2	20	163	403	335	257	187	87	17	4			5
175	Traumatism by other crushing (total)	16,606	51	94	133	181	183	1,054	1,615	3,221	2,825	2,552	2,152	1,481	740	206	15		103
	Railroad accidents and injuries	7,629	8	31	24	10	18	134	653	1,786	1,655	1,337	981	557	256	80	9		90
	Street-car accidents and injuries	1,581	2	11	21	25	12	76	104	228	245	281	251	188	109	24	2		2
	Automobile accidents and injuries	4,737	15	23	47	101	115	643	621	780	589	572	523	435	207	57	1		8
	Injuries by other vehicles	2,155	23	28	39	43	34	187	200	291	245	255	341	261	161	42	3		2
	Landslide, other crushing	504	3	1	2	2	4	14	37	136	91	107	56	40	7	3			1
176	Injuries by animals	565	4	5	22	11	15	49	49	63	67	67	84	73	44	12			
177	Starvation	43	8	3	3			1	3		5	6	4	6	2	2			
178	Excessive cold	358	8		1		1	1	11	20	56	63	77	53	40	16	6	1	4
179	Effects of heat	1,501	141	25	4	10	7	12	36	102	222	252	220	135	167	92	22	2	2
180	Lightning	337	2		5		1	21	79	66	61	50	31	12	6	1			2
181	Electricity (lightning excepted)	546	1				1	14	76	197	148	74	25	8	1				1
185	Fractures (cause not specified)	589	5	2	2	3	2	6	17	52	79	81	60	66	95	95	22		2
186	Other external violence	2,972	225	115	67	42	31	122	261	444	511	404	344	209	123	51	9		14
	Homicide (total)	4,237	122	18	7	8	5	43	298	1,356	1,195	679	303	113	37	9			44
182	By firearms	2,708	1	9	1	1	4	18	205	965	801	436	169	58	11	5			24
183	By cutting or piercing instruments	546	5	1	1	2		2	32	187	178	97	25	6	5				5
184	By other means	983	116	8	5	5	1	23	61	204	216	146	109	49	21	4			15
	XIV.—Ill-defined diseases	10,412	4,425	716	189	106	55	193	240	362	436	474	688	947	884	481	128	16	72
187	Ill-defined organic disease	550	10	11	6	3	7	12	12	32	31	28	56	110	137	77	14	2	2
188	Sudden death	655	144	9	3	4	2	9	10	25	45	58	93	104	84	49	11		5
189	Not specified or ill-defined (total)	9,207	4,271	696	180	99	46	172	218	305	360	388	539	733	663	355	103	14	65
	Ill-defined	3,702	929	499	108	54	19	88	88	143	174	234	334	472	350	154	41	2	13
	Not specified or unknown	5,505	3,342	*197	72	45	27	84	130	162	186	154	205	261	313	201	62	12	52

[1] Includes District of Columbia.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA.																	
	All causes	39,806	3,671	718	365	227	199	572	1,164	2,957	4,037	4,651	5,413	6,024	6,041	3,273	452	24	18
	I. General diseases	11,398	431	242	151	103	96	275	524	1,366	1,673	1,764	1,749	1,522	1,081	385	26	5	5
1	Typhoid fever	210	2	2	4	4	2	14	35	53	28	37	18	8	2	1			
2	Typhus fever	1										1							
4	Malaria	41	6	3	2				1	2	6	5	6	4	4	2			
5	Smallpox	13	1	1	2	2			1		2	2	1	1					
6	Measles	68	11	20	12	7	5	5	3	3	1		1						
7	Scarlet fever	43	4		6	1	7	12	9	2	2								
8	Whooping cough	211	131	50	15	5	4	2	1		1		1			1			
9	Diphtheria and croup	291	15	36	30	34	35	99	24	1	6	8	1	2					
10	Influenza	407	31	12	4	5	3	6	11	11	10	19	30	64	99	93	8	1	
13	Cholera nostras	2		1			1												
14	Dysentery	55	8	7	2			3	1		4	4	2	5	13	4	1	1	
18	Erysipelas	62	14	2	1			1	1	3	9	6	7	6	6	6			
19	Other epidemic diseases	7	1	1		1		1		3									
20	Purulent infection and septicemia	60	6	1		1	1	1	4	7	8	8	9	5	6	1		1	1
23	Rabies	1									1								
24	Tetanus	53	7	1				8	8	3	10	5	6	3	1	1			
25	Mycoses	1												1					
26	Pellagra	25									2	2	8	7	4	2			
27	Beriberi	3							1		1	1							
	Tuberculosis (total)	5,320	92	85	66	33	29	94	363	1,127	1,240	954	617	396	184	35	3		2
28	Tuberculosis of the lungs	4,582	18	17	14	10	8	36	286	1,007	1,161	887	569	371	165	29	3		1
29	Acute miliary tuberculosis	124	5	6	4	3	1	5	14	32	22	12	17	1	1	1			
30	Tuberculous meningitis	307	51	52	38	14	14	38	38	30	18	10	2	2					
31	Abdominal tuberculosis	169	13	6	8	4	4	12	11	32	19	25	14	12	7	2			
32	Pott's disease	36		1	1	2	1	2	3	5	7	7	2	1	4				
33	White swellings	17	1		1				2	3	2	2	3	3					
34	Tuberculosis of other organs	61	2	1			1	1	6	14	8	10	7	3	5	2			1
35	Disseminated tuberculosis	24	2	2					3	4	3	1	3	3	2	1			
36	Rickets	10	3	3	1						1				1	1			
37	Syphilis	314	75	6	1	1		5	2	20	48	56	51	34	15				
38	Gonococcus infection	23						1		11	4	4	3						
	Cancer and other malignant tumors (total)	2,925	4	1	2	7	4	5	8	47	167	460	705	745	561	196	11	1	1
39	Of the buccal cavity	112								2	1	18	24	33	29	4	1		
40	Of the stomach, liver	1,144	2							8	44	133	283	352	238	79	5		
41	Of the peritoneum, intestines, rectum	407			1	2		2		9	26	50	88	107	96	25		1	
42	Of the female genital organs	410							1	9	50	110	112	76	39	13			
43	Of the breast	271							1	2	16	79	79	40	40	11	3		
44	Of the skin	72										4	9	19	18	20	2		
45	Of other organs or of organs not specified	509	2	1	1	5	4	3	6	17	30	66	110	118	101	44			1
46	Other tumors (tumors of the female genital organs excepted)	8								1		1	3	1	1	1			
47	Acute articular rheumatism	87	1	1				6	17	16	8	13	7	8	8	2			
48	Chronic rheumatism and gout	39									4	3	6	12	7	6		1	
49	Scurvy	1							1										
50	Diabetes	553		2	1			3	23	23	17	69	133	139	120	21	2		
51	Exophthalmic goiter	41							1	4	11	9	13	2	1				
52	Addison's disease	12								2	2		4	4					
53	Leukemia	76	1	2	2	2	4	5	5	7	13	8	14	5	7	1			
54	Anemia, chlorosis	180	6	3				3	3	9	11	32	47	39	19	8			
55	Other general diseases	37	12	2			1	1	1	1	5	2	5	4	1	1	1		
56	Alcoholism (acute or chronic)	200								8	48	52	46	26	18	1			1
57	Chronic lead poisoning	9								1	2	2	2	1	1				
59	Other chronic poisonings	9								1	1	1	3		2	1			
	II.—Diseases of the nervous system and of the organs of special sense	3,744	88	36	23	15	14	37	49	82	220	398	566	767	932	461	52	4	
60	Encephalitis	24	2	1			1		2	2	2	1	5	4	2	2			
61	Meningitis (total)	164	43	12	10	7	8	23	15	15	6	14	4	4	1	2			
	Simple meningitis	75	21	4	5	1	3	11	4	9	3	7	4	2	1				
	Cerebrospinal meningitis (undefined)	31	4	2	3	4	3	4	3	2	1	2		2		1			
	Cerebrospinal fever	58	18	6	2	2	2	8	8	4	2	5				1			
62	Locomotor ataxia	109								1	11	18	31	30	14	4			
63	Other diseases of the spinal cord (total)	218	5	6	3	5	4	2	4	9	11	17	34	54	40	23	1		
	Acute anterior poliomyelitis	27	4	5	2	4	4	2	3	1			1		1				
	Other diseases of the spinal cord [1]	191	1	1	1	1			1	8	11	17	33	54	39	23	1		
64	Cerebral hemorrhage, apoplexy	2,367	2	1	1	1	1		6	9	59	182	362	564	771	361	43	4	
65	Softening of the brain	39										2	2	12	12	11			
66	Paralysis without specified cause	164	1					1		2	1	10	24	33	53	35	4		
67	General paralysis of the insane	314							1	11	71	102	57	38	21	12	1		
68	Other forms of mental alienation	51							2	5	15	10	9	1	2	6	1		
69	Epilepsy	99	2	1		1		1	7	17	23	18	14	7	7	1			
70	Convulsions (nonpuerperal)	3								2		1							
71	Convulsions of infants	26	23	3															
72	Chorea	4		1				2						1					
73	Neuralgia and neuritis	13								1	2	3	3	1	2	1			
74	Other diseases of the nervous system	102	3	6	4	1		4	8	6	13	13	15	17	7	3	2		
75	Diseases of the eyes and their annexa	2						1			1								
76	Diseases of the ears	45	7	5	5			3	4	2	5	7	6	1					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																		
	III.—Diseases of the circulatory system	7,130	35	10	2	7	4	27	95	183	350	564	1,076	1,611	1,890	1,119	151	5	1
77	Pericarditis	43					1	1	2	3	8	2	9	10	4	3			
78	Acute endocarditis	285	7	3	1	2	2	5	19	31	45	54	87	14	10	4	1		
79	Organic diseases of the heart	5,535	15	4		1	1	19	67	137	257	449	831	1,330	1,475	837	108	3	1
80	Angina pectoris	282								1	9	20	52	87	86	26	1		
81	Diseases of the arteries, atheroma, aneurism, etc	779						1	1	2	13	30	71	128	269	225	37	2	
82	Embolism and thrombosis	157	1	2	1	1		1	4	6	13	5	20	34	42	23	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	21	1						2	1	4	4	3	4	2				
84	Diseases of the lymphatic system (lymphangitis, etc.)	17	9	1		3				1	1				2				
85	Hemorrhage; other diseases of the circulatory system	11	2							1			3	4		1			
	IV.—Diseases of the respiratory system	3,683	535	141	62	30	27	50	83	142	242	354	409	503	621	405	72	5	2
86	Diseases of the nasal fossae	3	1				1					1							
87	Diseases of the larynx	21	2	3	4		2	2	1			2	3		2				
88	Diseases of the thyroid body	18			1				2	1		5	1	3	3	2			
89	Acute bronchitis	139	40	9	7			1	1	4	1	2	4	9	18	35	7	1	
90	Chronic bronchitis	188	2	1			1	2	1	2	6	16	30	60	55	11			1
91	Bronchopneumonia	1,107	319	70	22	18	13	19	18	19	29	55	69	129	173	135	17	2	
92	Pneumonia (total)	1,919	158	52	22	11	10	24	55	100	184	255	266	285	315	152	28	1	1
	Lobar pneumonia	1,695	128	42	15	10	8	20	47	91	171	228	242	259	282	130	21	1	
	Pneumonia (undefined)	224	30	10	7	1	2	4	8	9	13	27	24	26	33	22	7		1
93	Pleurisy	118	4	5	6	1		3	3	14	16	12	24	12	13	5			
94	Pulmonary congestion, pulmonary apoplexy	41	6							1	1	2	3	2	10	10	5	1	
95	Gangrene of the lung	12							1	1	2	2	3	2	1				
96	Asthma	67					1			1	4	8	8	15	19	7	4		
97	Pulmonary emphysema	5												4		1			
98	Other diseases of the respiratory system (tuberculosis excepted)	45	3	1							3	4	12	12	7	3			
	V.—Diseases of the digestive system	3,247	795	186	72	36	19	51	96	188	288	342	371	355	278	151	19		
99	Diseases of the mouth and annexa	23	4	2					1	1	1	7	2	1	4				
100	Diseases of the pharynx	75	3	1	1	4	4	11	7	11	17	7	4		2	3			
101	Diseases of the esophagus	6			1				1		2		1			1			
102	Ulcer of the stomach	183		1		1		2		8	17	45	52	30	19	8			
103	Other diseases of the stomach (cancer excepted)	203	34	3	3				2	4	12	16	19	24	39	40	7		
104	Diarrhea and enteritis (under 2 years)	843	684	159															
105	Diarrhea and enteritis (2 years and over)	305			58	24	7	13	5	20	23	33	31	39	30	18	4		
107	Intestinal parasites	3								2		1							
108	Appendicitis and typhlitis	409	2	1	3	5	3	15	65	81	76	61	42	28	19	8			
109	Hernia, intestinal obstruction (total)	361	53	13	4	1	2	3	5	27	35	47	36	55	49	26	5		
	Hernia	114	6	2						6	9	15	18	23	22	11	2		
	Intestinal obstruction	247	47	11	4	1	2	3	5	21	26	32	18	32	27	15	3		
110	Other diseases of the intestines	62	6	2			1	2	2	4	11	7	5	9	5	7	1		
111	Acute yellow atrophy of the liver	11								2	3	2	2		2				
112	Hydatid tumor of the liver	2										1	1						
113	Cirrhosis of the liver	470	2	1					2	4	62	83	116	109	71	19	1		
114	Biliary calculi	83							1	6	6	11	23	19	14	3			
115	Other diseases of the liver	127	3	1	1		1		2	11	9	14	22	27	20	15	1		
116	Diseases of the spleen	4							1	2	1								
117	Simple peritonitis (nonpuerperal)	50	4	1	1	1	1	5	2	3	8	4	8	6	3	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	27		1						2	5	3	7	8	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,723	31	7	4	2	4	19	45	121	265	435	634	825	866	424	40	1	
119	Acute nephritis	174	15	3	2	1	2	7	12	17	20	25	23	18	19	8	2		
120	Bright's disease	3,032	6	2	2		2	10	25	70	183	342	549	727	732	352	29	1	
122	Other diseases of the kidneys and annexa	96	7	2		1		1	2	3	11	10	6	11	29	12	1		
123	Calculi of the urinary passages	24							1		2	3	6	6	5		1		
124	Diseases of the bladder	59	1					1				2	7	18	16	9	5		
125	Diseases of the urethra, urinary abscess, etc	10									3		3	2	1	1			
126	Diseases of the prostate	142										1	11	36	58	34	2		
127	Nonvenereal diseases of the male genital organs	2	1													1			
129	Uterine tumor (noncancerous)	47								1	10	20	9	3	2	2			
130	Other diseases of the uterus	35								8	9	7	8	1	1	1			
131	Cysts and other tumors of the ovary	31							1	3	3	7	9	3	2	3			
132	Salpingitis and other diseases of the female genital organs	68							4	18	24	18	2		1	1			
133	Nonpuerperal diseases of the breast (cancer excepted)	3	1							1			1						
	VII.—The puerperal state	331							27	140	130	33	1						
134	Accidents of pregnancy	35							1	16	15	3							
135	Puerperal hemorrhage	34							1	12	16	5							
136	Other accidents of labor	35							1	6	20	7	1						
137	Puerperal septicemia	118							11	49	46	12							
138	Puerperal albuminuria and convulsions	96							11	51	29	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9							1	4	3	1							
140	Following childbirth (not otherwise defined)	4							1	2	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CALIFORNIA—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	97	8	2	.....	1	.....	.....	3	4	4	11	12	7	19	23	3	.....	.....
142	Gangrene	49	.....	.....	.....	1	.....	.....	.....	.....	.....	3	5	4	13	21	2	.....	.....
143	Furuncle	17	.....	.....	.....	.....	.....	.....	1	2	2	3	5	2	1	1	.....	.....	.....
144	Acute abscess	14	2	1	.....	.....	.....	.....	2	1	1	3	1	1	1	.....	1	.....	.....
145	Other diseases of the skin and annexa	17	6	1	.....	.....	.....	.....	.....	1	1	2	1	.....	4	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	77	3	1	2	1	1	11	10	10	10	8	4	7	9	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	65	3	1	2	1	1	11	9	8	6	6	4	5	8	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	10	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	2	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	336	303	14	4	1	.....	7	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	336	303	14	4	1	.....	7	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	35	28	2	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	209	192	4	2	.....	.....	4	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	92	83	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,379	1,379	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,073	1,073	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	872	872	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	201	201	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	294	294	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	165	165	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	129	129	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	12	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	361	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	20	91	186	58	4	.....
154	Senility	361	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	20	91	186	58	4	.....
	XIII.—External causes	4,251	54	76	45	31	34	94	226	717	853	731	581	403	249	117	31	.....	9
	Suicide (total)	933	.....	.....	.....	.....	.....	.....	20	139	207	208	187	109	49	9	2	.....	3
155	By poison	150	.....	.....	.....	.....	.....	.....	7	31	31	37	25	13	4	2	.....	.....	.....
156	By asphyxia	124	.....	.....	.....	.....	.....	.....	.....	23	20	25	30	21	3	2	.....	.....	.....
157	By hanging or strangulation	82	.....	.....	.....	.....	.....	.....	.....	5	17	16	25	10	7	2	.....	.....	.....
158	By drowning	59	.....	.....	.....	.....	.....	.....	2	9	15	14	8	7	4	.....	.....	.....	.....
159	By firearms	402	.....	.....	.....	.....	.....	.....	10	65	86	86	82	43	23	3	2	.....	2
160	By cutting or piercing instruments	68	.....	.....	.....	.....	.....	.....	.....	2	24	13	12	11	6	.....	.....	.....	.....
161	By jumping from high places	23	.....	.....	.....	.....	.....	.....	1	2	5	7	5	2	1	.....	.....	.....	.....
162	By crushing	15	.....	.....	.....	.....	.....	.....	.....	1	6	7	.....	1	.....	.....	.....	.....	.....
163	Other suicides	10	.....	.....	.....	.....	.....	.....	.....	1	3	3	.....	1	1	.....	.....	.....	1
	Accidental or undefined (total)	2,965	48	75	45	31	34	93	199	477	528	460	356	284	194	107	29	.....	5
164	Poisoning by food	36	3	3	3	2	1	3	1	2	4	3	4	4	3	.....	.....	.....	.....
165	Other acute poisonings	63	.....	10	7	.....	.....	1	2	8	12	11	6	2	4	.....	.....	.....	.....
166	Conflagration	68	3	3	3	4	2	4	3	9	5	9	9	5	4	.....	1	.....	4
167	Burns (conflagration excepted)	148	1	21	11	8	4	12	10	17	16	20	8	11	7	2	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	157	16	2	.....	2	.....	1	6	25	29	27	21	15	12	1	.....	.....	.....
169	Accidental drowning	385	3	18	13	5	3	15	49	56	80	60	46	25	10	2	.....	.....	.....
170	Traumatism by firearms	104	.....	.....	.....	1	4	9	27	22	14	13	8	4	1	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	5	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....
172	Traumatism by fall	409	4	5	1	.....	4	5	15	27	37	49	46	54	65	70	27	.....	.....
173	Traumatism in mines and quarries (total)	55	.....	.....	.....	.....	.....	.....	.....	19	20	12	1	2	1	.....	.....	.....	.....
	Traumatism in mines	47	.....	.....	.....	.....	.....	.....	.....	15	20	9	.....	2	1	.....	.....	.....	.....
	Traumatism in quarries	8	.....	.....	.....	.....	.....	.....	.....	4	.....	3	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	33	.....	.....	.....	1	.....	.....	6	19	26	13	9	7	2	.....	.....	.....	.....
175	Traumatism by other crushing (total)	1,134	3	6	3	7	11	35	70	223	219	186	161	124	63	22	.....	.....	1
	Railroad accidents and injuries	325	.....	2	.....	.....	3	4	12	61	96	72	33	21	11	10	.....	.....	.....
	Street-car accidents and injuries	100	.....	1	.....	.....	.....	5	6	10	12	11	22	16	13	1	.....	.....	.....
	Automobile accidents and injuries	478	1	2	1	3	3	17	43	103	77	71	70	60	18	8	.....	.....	1
	Injuries by other vehicles	181	2	1	2	4	3	8	9	24	26	22	33	25	20	2	.....	.....	.....
	Landslide, other crushing	50	.....	.....	.....	.....	2	1	.....	25	8	7	3	2	1	1	.....	.....	.....
176	Injuries by animals	32	.....	2	1	1	2	1	1	4	5	3	7	4	1	.....	.....	.....	.....
177	Starvation	6	1	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
178	Excessive cold	21	1	.....	.....	.....	.....	.....	2	3	2	3	3	3	3	1	.....	.....	.....
179	Effects of heat	36	5	1	1	.....	1	.....	.....	1	8	7	3	4	3	2	.....	.....	.....
180	Lightning	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	37	.....	.....	.....	.....	1	.....	1	12	13	7	2	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	33	.....	.....	.....	.....	.....	.....	1	4	3	6	3	4	9	2	1	.....	.....
186	Other external violence	151	8	3	2	.....	1	5	5	25	35	28	17	14	4	4	.....	.....	.....
	Homicide (total)	353	6	1	.....	.....	.....	1	7	101	118	63	38	10	6	1	.....	.....	1
182	By firearms	235	.....	1	.....	.....	.....	.....	7	71	86	41	24	3	.....	1	.....	.....	1
183	By cutting or piercing instruments	44	.....	.....	.....	.....	.....	.....	.....	13	15	10	4	.....	2	.....	.....	.....	.....
184	By other means	74	6	.....	.....	.....	.....	1	.....	17	17	12	10	7	4	.....	.....	.....	.....
	XIV.—Ill-defined diseases	49	9	3	.....	.....	.....	1	2	2	2	10	8	4	5	2	.....	.....	1
187	Ill-defined organic disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
188	Sudden death	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
189	Not specified or ill-defined (total)	46	9	3	.....	.....	.....	1	2	2	2	9	7	4	5	1	.....	.....	1
	Ill-defined	31	4	3	.....	.....	.....	1	1	2	1	6	4	3	5	1	.....	.....	.....
	Not specified or unknown	15	5	.....	.....	.....	.....	.....	1	.....	1	3	3	1	.....	.....	.....	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO.																	
	All causes	9,920	1,475	275	128	72	45	186	423	1,077	1,154	1,093	1,104	1,289	1,026	469	73	2	29
	I.—General diseases	3,030	145	40	31	25	19	54	147	602	602	445	373	307	180	50	2	.....	8
1	Typhoid fever	117	.....	1	.....	2	.....	6	27	28	26	14	5	6	1	.....	.....	.....	1
2	Typhus fever	4	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
4	Malaria	5	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....
5	Smallpox	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	37	10	5	4	2	4	3	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	37	2	1	8	5	5	10	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	45	29	9	2	.....	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	41	2	6	4	4	3	12	6	1	1	1	.....	1	.....	.....	.....	.....	.....
10	Influenza	126	25	2	2	.....	1	2	2	5	3	5	12	28	18	20	1	.....	.....
13	Cholera nostras	5	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....
14	Dysentery	33	6	1	3	3	1	.....	2	.....	3	1	1	2	9	1	.....	.....	.....
18	Erysipelas	37	20	1	.....	.....	.....	.....	.....	1	3	4	3	2	3	.....	.....	.....	.....
19	Other epidemic diseases	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
20	Purulent infection and septicemia	19	.....	1	.....	.....	.....	.....	3	2	.....	4	4	1	3	1	.....	.....	.....
23	Rabies	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	7	.....	.....	.....	.....	.....	.....	1	1	4	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,570	19	9	2	5	2	9	78	508	475	261	122	54	21	.....	.....	.....	5
28	Tuberculosis of the lungs	1,435	6	1	.....	2	.....	6	67	475	448	239	115	52	19	.....	.....	.....	5
29	Acute miliary tuberculosis	26	1	.....	.....	.....	.....	1	3	12	4	5	.....	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	44	8	7	2	3	1	.....	5	4	8	5	.....	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	29	2	1	.....	.....	.....	1	.....	6	6	7	4	1	1	.....	.....	.....	.....
32	Pott's disease	9	.....	.....	.....	.....	1	.....	1	2	2	2	1	.....	.....	.....	.....	.....	.....
33	White swellings	7	.....	.....	.....	.....	.....	1	1	1	2	.....	1	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	9	1	.....	.....	.....	.....	.....	1	2	3	1	1	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	11	1	.....	.....	.....	.....	.....	.....	6	2	2	.....	.....	.....	.....	.....	.....	.....
36	Rickets	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	74	18	1	.....	.....	.....	.....	1	2	17	9	14	6	4	1	.....	.....	1
38	Gonococcus infection	4	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	575	.....	.....	.....	.....	.....	2	3	22	30	100	159	153	83	21	1	.....	1
39	Of the buccal cavity	16	.....	.....	.....	.....	.....	.....	.....	1	.....	4	4	5	1	1	.....	.....	.....
40	Of the stomach, liver	243	.....	.....	.....	.....	.....	1	.....	3	13	28	63	81	45	9	.....	.....	.....
41	Of the peritoneum, intestines, rectum	60	.....	.....	.....	.....	.....	.....	.....	2	2	11	12	20	9	4	.....	.....	.....
42	Of the female genital organs	94	.....	.....	.....	.....	.....	.....	1	7	8	23	31	14	8	2	.....	.....	.....
43	Of the breast	53	.....	.....	.....	.....	.....	.....	.....	2	.....	19	17	10	5	.....	.....	.....	.....
44	Of the skin	17	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	4	4	1	.....	.....
45	Of other organs or of organs not specified	92	.....	.....	.....	.....	.....	1	2	7	6	12	29	22	11	1	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	12	.....	.....	.....	.....	.....	.....	1	1	1	2	4	.....	3	.....	.....	.....	.....
47	Acute articular rheumatism	33	.....	2	1	1	2	2	4	2	5	3	4	6	1	.....	.....	.....	.....
48	Chronic rheumatism and gout	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	4	4	.....	.....	.....	.....
49	Scurvy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
50	Diabetes	100	.....	.....	.....	2	.....	4	7	11	13	9	18	18	15	3	.....	.....	.....
51	Exophthalmic goiter	16	.....	.....	.....	.....	.....	.....	.....	3	2	6	2	3	.....	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....
53	Leukemia	17	.....	.....	2	1	.....	.....	1	1	3	6	.....	2	1	.....	.....	.....	.....
54	Anemia, chlorosis	45	3	1	.....	.....	.....	1	1	2	2	8	12	8	6	1	.....	.....	.....
55	Other general diseases	8	4	.....	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	27	.....	.....	.....	.....	.....	.....	.....	1	6	4	6	7	2	1	.....	.....	.....
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	332	36	18	12	5	1	15	21	21	43	88	127	178	181	74	8	1	3
60	Encephalitis	6	.....	1	.....	.....	.....	.....	.....	1	.....	3	.....	1	.....	.....	.....	.....	.....
61	Meningitis (total)	69	19	9	9	5	1	8	5	2	4	3	1	1	2	.....	.....	.....	.....
	Simple meningitis	36	9	5	4	2	1	3	3	.....	3	3	.....	1	2	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	11	4	2	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	22	6	2	3	3	.....	3	1	2	1	.....	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	7	6	3	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	24	1	1	1	.....	.....	.....	2	2	.....	2	7	3	4	1	.....	.....	.....
	Acute anterior poliomyelitis	4	.....	.....	1	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	20	1	1	.....	.....	.....	.....	1	1	.....	2	6	3	4	1	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	489	3	2	.....	.....	.....	1	3	.....	13	45	81	134	134	64	8	1	.....
65	Softening of the brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
66	Paralysis without specified cause	49	2	.....	.....	.....	.....	.....	1	.....	2	1	4	9	22	7	.....	.....	1
67	General paralysis of the insane	62	.....	.....	.....	.....	.....	.....	.....	1	9	20	15	12	4	1	.....	.....	.....
68	Other forms of mental alienation	15	.....	.....	.....	.....	.....	.....	1	2	3	1	.....	2	4	1	.....	.....	1
69	Epilepsy	41	1	.....	.....	.....	.....	1	4	9	7	4	6	6	3	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	10	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
74	Other diseases of the nervous system	26	1	.....	2	.....	.....	3	2	2	2	5	3	4	1	.....	.....	.....	1
76	Diseases of the ears	12	2	2	.....	.....	.....	1	1	1	2	1	1	.....	1	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																	
	III.—Diseases of the circulatory system	1,111	14	2	2	2	2	31	46	50	87	129	151	284	222	80	6		3
77	Pericarditis	10						1	1	1	2		1	3	1				
78	Acute endocarditis	74	4	1		2		7	10	2	12	16	15	3		1			1
79	Organic diseases of the heart	769	8	1	1		2	22	34	35	59	91	107	213	146	45	3		2
80	Angina pectoris	52									4	5	13	15	12	2	1		
81	Diseases of the arteries, atheroma, aneurism, etc	143								1	1	6	9	36	58	30	2		
82	Embolism and thrombosis	53							1	10	9	11	4	12	5	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4								1			1	2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	2		1			1											
85	Hemorrhage; other diseases of the circulatory system	2											1			1			
	IV.—Diseases of the respiratory system	1,176	232	69	24	16	7	19	25	70	83	111	146	158	129	71	14		2
87	Diseases of the larynx	10	1	3	1	1	1				1			1		1			
88	Diseases of the thyroid body	6				1			1		1	1	1		1				
89	Acute bronchitis	55	33	7	2	3			1	2		1	1	2	2		1		
90	Chronic bronchitis	33	1					1				2	8	5	10	4	2		
91	Bronchopneumonia	278	128	39	12	4		8	4	4	4	6	10	18	26	13	1		1
92	Pneumonia (total)	682	67	19	8	7	5	9	18	57	66	75	107	111	75	49	8		1
	Lobar pneumonia	603	47	17	8	7	4	9	16	55	62	66	95	101	68	40	7		1
	Pneumonia (undefined)	79	20	2			1		2	2	4	9	12	10	7	9	1		
93	Pleurisy	19		1	1			1	1		3	5	4	2	1				
94	Pulmonary congestion, pulmonary apoplexy	14	2							1	1			2	4	3	1		
96	Asthma	27								1	3	4	3	7	7	2			
97	Pulmonary emphysema	1												1					
98	Other diseases of the respiratory system (tuberculosis excepted)	51					1			5	4	17	12	9	3				
	V.—Diseases of the digestive system	1,060	306	117	36	14	9	30	50	72	67	92	87	91	51	29	5		4
99	Diseases of the mouth and annexa	5						3		1					1				
100	Diseases of the pharynx	23	3	1	2	1		1	5	3	2	1	2	1	1				
101	Diseases of the esophagus	1					1												
102	Ulcer of the stomach	44								7	5	8	13	8	2				1
103	Other diseases of the stomach (cancer excepted)	41	12			1		2	1	1	1	1	3	4	9	5	1		
104	Diarrhea and enteritis (under 2 years)	380	268	112															
105	Diarrhea and enteritis (2 years and over)	98			32	7	3	4	1	3	2	4	8	12	8	12	1		1
108	Appendicitis and typhlitis	200		1	2	3	5	15	38	37	31	32	17	13	4		2		
109	Hernia, intestinal obstruction (total)	94	19	3		2		3	3	7	9	14	11	15	3	5			
	Hernia	18	1							2	2	5	5	3					
	Intestinal obstruction	76	18	3		2		3	3	5	7	9	6	12	3	5			
110	Other diseases of the intestines	16	3							1	1		4	2	2	2	1		
111	Acute yellow atrophy of the liver	1												1					
113	Cirrhosis of the liver	63								2	4	15	13	16	10	3			
114	Biliary calculi	39								4	3	6	6	11	6	1			2
115	Other diseases of the liver	40	1						1	4	5	6	10	8	5				
116	Diseases of the spleen	1						1											
117	Simple peritonitis (nonpuerperal)	9						1	1		4	3							
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5								2		2				1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	761	12	2	2	1		2	26	35	59	82	134	183	166	49	6		2
119	Acute nephritis	51	7	1	1	1		1	5	4	8	6	3	9	5				
120	Bright's disease	598	4	1	1			1	19	21	38	62	124	145	132	42	6		2
122	Other diseases of the kidneys and annexa	18									4	3	2	3	5	1			
123	Calculi of the urinary passages	2									2								
124	Diseases of the bladder	19							1				1	5	9	3			
125	Diseases of the urethra, urinary abscess, etc	2										1		1					
126	Diseases of the prostate	30										1	1	12	13	3			
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	9								1		3	2	3					
130	Other diseases of the uterus	6								4		1		1					
131	Cysts and other tumors of the ovary	9										3	1	4	1				
132	Salpingitis and other diseases of the female genital organs	16	1						1	5	7	1			1				
	VII.—The puerperal state	145							17	66	61	1							
134	Accidents of pregnancy	11								5	6								
135	Puerperal hemorrhage	14							1	5	8								
136	Other accidents of labor	16							2	6	7	1							
137	Puerperal septicemia	74							10	36	28								
138	Puerperal albuminuria and convulsions	24							4	10	10								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6								4	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	COLORADO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	19	3							2		1	1	5	3	3	1		
142	Gangrene	10										1	1	2	3	3			
144	Acute abscess	7	2							2				3					
145	Other diseases of the skin and annexa	2	1														1		
	IX.—Diseases of the bones and of the organs of locomotion	18						4	1		4	3	3	1	2				
146	Diseases of the bones (tuberculosis excepted)	15						3			4	3	3	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3						1	1						1				
	X.—Malformations	101	97	2	1			1											
150	Congenital malformations (stillbirths not included) (total)	101	97	2	1			1											
	Hydrocephalus	5	3	1				1											
	Congenital malformations of the heart	63	61	1	1														
	Other congenital malformations	33	33																
	XI.—Early infancy	605	605																
151	Congenital debility, icterus, and sclerema (total)	502	502																
	Premature birth	398	398																
	Congenital debility, "atrophy," "marasmus," etc	104	104																
152	Other causes peculiar to early infancy (total)	101	101																
	Injuries at birth	40	40																
	Other causes peculiar to early infancy[1]	61	61																
153	Lack of care	2	2																
	XII.—Old age	191											1	13	57	90	29	1	
154	Senility	191											1	13	57	90	29	1	
	XIII.—External causes	847	17	23	19	9	7	30	89	156	148	141	81	63	32	23	2		7
	Suicide (total)	118							7	25	28	24	15	13	5				1
155	By poison	28							4	10	3	6	4	1					
156	By asphyxia	10								1	2	1	4	2					
157	By hanging or strangulation	6									3	2			1				
158	By drowning	3									1			2					
159	By firearms	52							2	13	14	9	5	6	3				
160	By cutting or piercing instruments	15							1		4	4	2	2	1				1
162	By crushing	1										1							
163	Other suicides	3								1	1	1							
	Accidental or undefined (total)	656	17	23	19	9	7	30	72	111	106	102	59	46	26	23	2		4
164	Poisoning by food	10	1							2		5		1	1				
165	Other acute poisonings	13		3	2	3		2	1	1	1								
166	Conflagration	9		1	1					2	2	1		2					
167	Burns (conflagration excepted)	34	4	5	4	1	3	2	3	2	2		1	3	2	1	1		
168	Absorption of deleterious gases (conflagration excepted)	19	8					2	1	1	1	1	3	2					
169	Accidental drowning	54	2	8	5	2	1	10	13	4	4	1	1	1	1	1			
170	Traumatism by firearms	38				1	1	2	17	7	3	4	2						1
171	Traumatism by cutting or piercing instruments	1							1										
172	Traumatism by fall	65			1				5	7	5	13	6	3	10	10			
173	Traumatism in mines and quarries (total)	111							6	38	32	21	10	4					
	Traumatism in mines	110							6	38	31	21	10	4					
	Traumatism in quarries	1									1								
174	Traumatism by machines	10								2	4	1	3						
175	Traumatism by other crushing (total)	208	1	2	4	2	1	9	16	37	36	39	26	21	9	2	1		2
	Railroad accidents and injuries	70		1	2			1	2	15	18	14	7	6	2	1			1
	Street-car accidents and injuries	7								1	3		2	1					
	Automobile accidents and injuries	71			1	2		5	4	13	7	16	10	7	5				1
	Injuries by other vehicles	34		1				3	7	3	5	2	5	5	1	1	1		
	Landslide, other crushing	26	1		1		1		3	5	3	7	2	2	1				
176	Injuries by animals	12					1	1		1	3	3	2		1				
178	Excessive cold	4								1	2	1							
179	Effects of heat	1											1						
180	Lightning	16							2	1	5	5	2						1
181	Electricity (lightning excepted)	11							3	4	2	2							
185	Fractures (cause not specified)	15										2	1	2	2	8			
186	Other external violence	25	1	4	2			2	4	1	4	3	1	2		1			
	Homicide (total)	73							10	20	14	15	7	4	1				2
182	By firearms	60							9	14	12	15	5	4	1				
183	By cutting or piercing instruments	4							1	1			1						1
184	By other means	9								5	2		1						1
	XIV.—Ill-defined diseases	24	8	2	1				1	3				6	3				
188	Sudden death	3	1							1				1					
189	Not specified or ill-defined (total)	21	7	2	1				1	2				5	3				
	Ill-defined	14	3	2	1					2				4	2				
	Not specified or unknown	7	4						1					1	1				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT.																		
	All causes	20,242	3,580	725	305	213	168	405	647	1,314	1,503	1,942	2,358	2,697	2,692	1,426	217	6	44
	I.—General diseases	4,983	375	202	105	69	54	124	258	555	588	629	670	624	474	214	30	1	11
1	Typhoid fever	93	1				4	1	17	29	23	12	4	1	1				
4	Malaria	8		2				1		1	1	1		1		1			
6	Measles	150	49	55	19	7	6	9	3			1				1			
7	Scarlet fever	33	1	1	3	7	3	8	3	3	2	1				1			
8	Whooping cough	156	89	42	12	7	2	3											1
9	Diphtheria and croup	191	9	25	28	25	20	51	16	3	4	3	3		2				2
10	Influenza	482	32	9	3	2	3	2	16	10	19	31	43	72	123	93	23	1	
13	Cholera nostras	3	2											1					
14	Dysentery	28	5	4	1						1	4	1	4	3	3	2		
18	Erysipelas	74	33	4						5	4	8	12	4	2	1			1
19	Other epidemic diseases	5	2		1	1		1											
20	Purulent infection and septicemia	40	3		2		1	1	1	1	9	4	6	6	4	2			
22	Anthrax	1											1						
24	Tetanus	25	12					2	1	2	1	5	1	1					
26	Pellagra	1										1							
	Tuberculosis (total)	1,832	75	48	29	18	11	31	167	441	396	300	180	91	34	9	1		1
28	Tuberculosis of the lungs	1,494	12	9	3	6	1	7	133	395	365	272	169	81	32	7	1		1
29	Acute miliary tuberculosis	65	6	2	1		1		11	18	9	11	4	2					
30	Tuberculous meningitis	153	42	31	18	7	8	15	10	10	8	2	1	1					
31	Abdominal tuberculosis	56	8	4	4	2	1	4	5	5	8	4	3	6	1	1			
32	Pott's disease	13				1		1	2	1	1	2	3		1	1			
33	White swellings	13	1		1			3	2	2	1	3							
34	Tuberculosis of other organs	21	4		1			1	2	10	2			1					
35	Disseminated tuberculosis	17	2	2	1	2			2		2	6							
36	Rickets	6	4	1	1														
37	Syphilis	77	36	1	1				1	4	7	11	9	5	2				
38	Gonococcus infection	5	1							1		2		1					
	Cancer and other malignant tumors (total)	1,164	1	2				1	2	21	59	167	283	310	235	76	4		3
39	Of the buccal cavity	41								1	1	7	10	12	6	4			
40	Of the stomach, liver	433							1	1	20	51	109	133	92	24			2
41	Of the peritoneum, intestines, rectum	179								5	7	21	46	43	46	10	1		
42	Of the female genital organs	169								4	13	40	48	40	19	3	1		1
43	Of the breast	137									7	26	36	34	25	9			
44	Of the skin	38								1	1	1	4	8	11	10	2		
45	Of other organs or of organs not specified	167	1	2				1	1	9	10	21	30	40	36	16			
46	Other tumors (tumors of the female genital organs excepted)	6							1	1	1	1	1		1				
47	Acute articular rheumatism	55					2	5	13	5	3	9	5	6	2	5			
48	Chronic rheumatism and gout	13										1	3	3	3	3			
49	Scurvy	2	2																
50	Diabetes	283		2			1	4	12	13	15	23	65	83	47	16			2
51	Exophthalmic goiter	15							1	2	5	1		4	2				
52	Addison's disease	6						1		1		2	1			1			
53	Leukemia	25	1	2	1	2	1	1	1	3	2	3	2	4	2				
54	Anemia, chlorosis	68	4	1	3					3	6	4	19	16	10	2			
55	Other general diseases	24	13	3	1			2	1	1	1	1	1						
56	Alcoholism (acute or chronic)	105							1	5	27	33	28	9	1				1
57	Chronic lead poisoning	2									1		1						
58	Other chronic occupation poisonings	1											1						
59	Other chronic poisonings	4							1		1			2					
	II.—Diseases of the nervous system and of the organs of special sense	2,207	137	74	44	27	33	72	71	63	85	150	283	429	468	243	25	1	2
60	Encephalitis	2	1												1				
61	Meningitis (total)	165	41	30	14	5	10	16	20	12	2	6	5	2	1	1			
	Simple meningitis	85	22	16	7	2	4	6	10	5	1	4	4	2	1	1			
	Cerebrospinal meningitis (undefined)	27	4	6	2	2	3	3	3	2		1	1						
	Cerebrospinal fever	53	15	8	5	1	3	7	7	5	1	1							
62	Locomotor ataxia	31								1	2	6	5	9	8				
63	Other diseases of the spinal cord (total)	295	36	33	22	21	21	48	42	14	12	5	8	17	14	2			
	Acute anterior poliomyelitis	239	36	32	22	21	21	47	39	11	7	2			1				
	Other diseases of the spinal cord [1]	56		1				1	3	3	5	3	8	17	13	2			
64	Cerebral hemorrhage, apoplexy	1,367	5	2				2		10	25	84	222	373	408	210	24	1	1
65	Softening of the brain	15										2	1		7	5			
66	Paralysis without specified cause	39								1	1	2	6	3	12	14			
67	General paralysis of the insane	89								1	20	24	24	9	6	3	1		1
68	Other forms of mental alienation	19								2	4	2	3	5	2	1			
69	Epilepsy	60	4		2		1	3	5	10	12	6	6	5	4	2			
70	Convulsions (nonpuerperal)	6						2	1	2					1				
71	Convulsions of infants	48	40	6	2														
72	Chorea	2												1	1				
73	Neuralgia and neuritis	5								1	1	1		2					
74	Other diseases of the nervous system	47	8	1	4	1		1	2	4	6	9	3	2	2	4			
76	Diseases of the ears	17	2	2			1		1	5		3		1	1	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 year and over.	
	CONNECTICUT—Continued.																		
	III.—Diseases of the circulatory system	3,011	24	5	4	6	7	25	62	77	116	276	459	684	768	436	52	1	9
77	Pericarditis	13		1			3		1	1			2	1	2	2			
78	Acute endocarditis	196	3	2	2	4	3	9	16	19	25	46	59	7	1				
79	Organic diseases of the heart	2,181	10	2	2	1	1	15	44	47	77	199	338	546	574	289	29		7
80	Angina pectoris	143							1	2	4	15	28	42	36	14			1
81	Diseases of the arteries, atheroma, aneurism, etc	374								1	3	5	18	68	129	125	23	1	1
82	Embolism and thrombosis	72				1		1		5	5	8	11	17	18	6			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	15								1	2	1	3	3	5				
84	Diseases of the lymphatic system (lymphangitis, etc.)	12	9									2			1				
85	Hemorrhage; other diseases of the circulatory system	5	2							1					2				
	IV.—Diseases of the respiratory system	2,879	551	210	68	49	19	45	40	129	199	298	305	361	358	199	39	2	7
87	Diseases of the larynx	16	4		1	3	3	1		1	1	1	1						
88	Diseases of the thyroid body	4										2		1		1			
89	Acute bronchitis	154	86	9	2	2	1	2	1		1		4	14	15	14	3		
90	Chronic bronchitis	97						1		1	3	6	6	13	35	25	7		
91	Bronchopneumonia	778	296	118	35	16	4	15	6	11	13	25	27	50	84	62	12		4
92	Pneumonia (total)	1,684	159	78	25	23	8	22	30	105	172	241	252	262	201	87	14	2	3
	Lobar pneumonia	1,440	128	66	14	19	5	18	26	93	153	215	219	232	167	71	10	2	2
	Pneumonia (undefined)	244	31	12	11	4	3	4	4	12	19	26	33	30	34	16	4		1
93	Pleurisy	64	1	5	3	5	2	3	1	8	5	10	8	6	6	1			
94	Pulmonary congestion, pulmonary apoplexy	39	4		2		1		1	1	2	3	4	4	8	7	2		
95	Gangrene of the lung	5								1	1		2		1				
96	Asthma	26	1							1		7	1	7	7	1	1		
97	Pulmonary emphysema	3									1				1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	9						1	1			3		4					
	V.—Diseases of the digestive system	2,051	972	175	52	20	22	49	51	75	90	122	146	115	106	44	11		1
99	Diseases of the mouth and annexa	6	3	1								1			1				
100	Diseases of the pharynx	44	3	2	5	2	4	11	3	4	1	3	3	1	1	1			
101	Diseases of the esophagus	4			1								1		2				
102	Ulcer of the stomach	79							1	9	15	16	22	7	7	2			
103	Other diseases of the stomach (cancer excepted)	121	34	5	2		1	2		4	4	9	11	14	17	12	6		
104	Diarrhea and enteritis (under 2 years)	1,067	908	159															
105	Diarrhea and enteritis (2 years and over)	167			38	15	14	17	4	9	12	10	13	11	12	10	2		
108	Appendicitis and typhlitis	134		1	1		2	11	31	29	18	18	13	4	4	1			1
109	Hernia, intestinal obstruction (total)	135	19	6	2	2		4	6	11	11	9	18	19	19	8	1		
	Hernia	56	5	1	1					5	5	4	10	8	12	4	1		
	Intestinal obstruction	79	14	5	1	2		4	6	6	6	5	8	11	7	4			
110	Other diseases of the intestines	23	3		1	1			2	2	2	3	3	1	5				
111	Acute yellow atrophy of the liver	7			2				1	2				1	1				
113	Cirrhosis of the liver	150								1	15	39	29	38	24	4			
114	Biliary calculi	35									3	4	13	7	5	3			
115	Other diseases of the liver	40						1	1	2	3	4	10	5	9	4	1		
116	Diseases of the spleen	1											1						
117	Simple peritonitis (nonpuerperal)	25	1	1			1	3	1	2	4	5	3	4					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	13	1						1		2	1	5	3					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,700	15	5	3	7	3	11	29	76	141	216	294	348	374	154	23		1
119	Acute nephritis	147	6	3	3	2	1	4	14	14	27	27	19	11	10	6			
120	Bright's disease	1,382	3	2		4	1	6	13	45	91	170	250	316	331	132	17		1
122	Other diseases of the kidneys and annexa	39	4			1		1	1	5	6	2	4	4	5	5	1		
123	Calculi of the urinary passages	6								1		1	1	1	1	1			
124	Diseases of the bladder	19					1					1	5	1	4	3	4		
125	Diseases of the urethra, urinary abscess, etc	3										1		2					
126	Diseases of the prostate	40											5	8	19	7	1		
127	Nonvenereal diseases of the male genital organs	1	1																
129	Uterine tumor (noncancerous)	16									4	6	3	3					
130	Other diseases of the uterus	22							1	6	7	3	3	1	1				
131	Cysts and other tumors of the ovary	13								1	2	4	3		3				
132	Salpingitis and other diseases of the female genital organs	10								3	4	1	1	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1							1									
	VII.—The puerperal state	173							9	77	70	17							
134	Accidents of pregnancy	10							1	4	5								
135	Puerperal hemorrhage	17								6	7	4							
136	Other accidents of labor	15								7	6	2							
137	Puerperal septicemia	74							6	37	26	5							
138	Puerperal albuminuria and convulsions	47							2	22	18	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7									6	1							
140	Following childbirth (not otherwise defined)	3								1	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	CONNECTICUT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	62	18	1						3	1	4	2	8	12	11	2		
142	Gangrene	34	3								1	1	2	6	11	8	2		
143	Furuncle	5	3							1						1			
144	Acute abscess	14	6	1						2		3		2					
145	Other diseases of the skin and annexa	9	6												1	2			
	IX.—Diseases of the bones and of the organs of locomotion	37	4				2	3	7	4	4	5	3	2	3				
146	Diseases of the bones (tuberculosis excepted)	28	4				2	2	7	3	3	4	1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7						1		1	1	1	2	1					
149	Other diseases of the organs of locomotion	2													2				
	X.—Malformations	204	188	7	1		2	2	2	2									
150	Congenital malformations (stillbirths not included) (total)	204	188	7	1		2	2	2	2									
	Hydrocephalus	19	14	2	1			1		1									
	Congenital malformations of the heart	104	98	2			1		2	1									
	Other congenital malformations	81	76	3			1	1											
	XI.—Early infancy	1,236	1,236																
151	Congenital debility, icterus, and sclerema (total)	901	901																
	Premature birth	706	706																
	Congenital debility, "atrophy," "marasmus," etc.	195	195																
152	Other causes peculiar to early infancy (total)	329	329																
	Injuries at birth	191	191																
	Other causes peculiar to early infancy[1]	138	138																
153	Lack of care	6	6																
	XII.—Old age	141												8	34	75	23	1	
154	Senility	141												8	34	75	23	1	
	XIII.—External causes	1,473	32	41	28	35	25	74	117	248	203	214	185	108	91	48	12		12
	Suicide (total)	193							8	30	28	44	41	21	13	5			3
155	By poison	40							4	8	4	10	7	6					1
156	By asphyxia	28								4	4	6	4	4	4	2			
157	By hanging or strangulation	42							1	6	8	11	13	2	1				
158	By drowning	15							2		3	1	3	2	3				1
159	By firearms	44							1	10	7	7	7	5	4	2			1
160	By cutting or piercing instruments	17								1	1	4	7	2	1	1			
161	By jumping from high places	3								1		2							
162	By crushing	4									1	3							
	Accidental or undefined (total)	1,243	32	41	28	35	25	73	109	203	163	167	142	85	77	43	12		8
164	Poisoning by food	11	2	2	1	1		2	1					1	1				
165	Other acute poisonings	27	3	4	2	2	2		1	5	1		4	2	1				
166	Conflagration	20		1	1	3				2	3	6	1	2	1				
167	Burns (conflagration excepted)	134	6	18	17	15	8	18	5	11	11	5	10	5	3	2			
168	Absorption of deleterious gases (conflagration excepted)	69	17	1				2	2	7	11	7	7	9	6				
169	Accidental drowning	139		4	1	1	3	13	29	32	21	17	7	5	2				4
170	Traumatism by firearms	14						3	5	4		2							
171	Traumatism by cutting or piercing instruments	2								2									
172	Traumatism by fall	226	3	3	2	2	3	1	6	18	21	28	34	21	37	35	12		
174	Traumatism by machines	29							1	6	7	12	2		1				
175	Traumatism by other crushing (total)	456		5	3	10	8	30	47	88	73	72	65	32	16	3			4
	Railroad accidents and injuries	176		2	1	1		1	16	39	44	32	21	11	6				2
	Street-car accidents and injuries	46		1		1			1	6	5	9	16	4	2				1
	Automobile accidents and injuries	171				6	8	24	23	30	17	17	22	13	8	2			1
	Injuries by other vehicles	54		2	2	2		4	7	10	6	11	5	4		1			
	Landslide, other crushing	9						1		3	1	3	1						
176	Injuries by animals	10					1	1	2	2		2	1		1				
177	Starvation	1													1				
178	Excessive cold	9									1	4	1	2		1			
179	Effects of heat	8								2	1		2	1	1	1			
180	Lightning	3							1	2									
181	Electricity (lightning excepted)	21							4	12	1	3	1						
185	Fractures (cause not specified)	13							1	2	3	2	1	1	2	1			
186	Other external violence	51	1	3	1	1		3	4	8	9	7	6	4	4				
	Homicide (total)	37						1		15	12	3	2	2	1				1
182	By firearms	20								9	7	2	1		1				
183	By cutting or piercing instruments	8						1		2	3	1		1					
184	By other means	9								4	2		1	1					1
	XIV.—Ill-defined diseases	85	28	5			1		1	5	6	11	11	10	4	2			1
187	Ill-defined organic disease	1														1			
188	Sudden death	7								2	2	1	1	1					
189	Not specified or ill-defined (total)	77	28	5			1		1	3	4	10	10	9	4	1			1
	Ill-defined	45	10	3			1			3	2	9	8	8	1				
	Not specified or unknown	32	18	2					1		2	1	2	1	3	1			1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA.																	
	All causes	38,230	5,406	1,072	482	302	232	707	1,580	2,645	2,734	3,013	4,051	5,660	6,372	3,447	498	15	14
	I.—General diseases	10,613	547	293	173	130	109	351	748	1,285	1,175	1,056	1,333	1,515	1,334	502	59	.....	3
1	Typhoid fever	605	7	10	10	10	12	55	159	129	87	52	34	20	18	2	.....	.....	.....
4	Malaria	39	2	1	2	.....	1	1	2	3	2	3	3	10	4	5	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	205	36	51	25	11	11	23	15	11	9	6	2	3	2	.....	.....	.....	.....
7	Scarlet fever	103	7	11	11	15	6	30	15	4	3	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	262	156	59	24	8	4	9	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	391	20	39	45	44	43	115	62	14	7	.....	.....	2	.....	.....	.....	.....	.....
10	Influenza	968	58	20	12	7	1	10	20	27	33	38	59	137	317	195	33	.....	1
13	Cholera nostras	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....
14	Dysentery	159	31	14	7	4	1	1	1	4	4	2	6	19	33	29	3	.....	.....
18	Erysipelas	82	18	.....	.....	3	.....	1	3	3	3	6	10	11	15	5	4	.....	.....
19	Other epidemic diseases	6	1	1	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	62	6	1	1	.....	1	1	5	3	3	5	14	13	8	1	.....	.....	.....
24	Tetanus	54	10	.....	.....	2	1	11	8	4	7	1	6	3	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	4	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	3,833	94	72	25	21	18	62	372	949	735	446	395	373	218	48	3	.....	2
28	Tuberculosis of the lungs	3,144	36	16	7	3	6	24	298	844	643	382	331	324	183	43	2	.....	2
29	Acute miliary tuberculosis	110	4	5	1	.....	3	2	14	21	26	15	12	2	5	.....	.....	.....	.....
30	Tuberculous meningitis	192	36	41	14	12	5	24	22	15	10	4	4	5	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	229	10	4	2	3	2	4	23	41	34	26	28	26	22	3	1	.....	.....
32	Pott's disease	40	.....	1	.....	1	2	2	4	7	4	6	8	4	.....	1	.....	.....	.....
33	White swellings	18	.....	.....	.....	2	.....	1	3	3	.....	1	2	3	2	1	.....	.....	.....
34	Tuberculosis of other organs	62	5	1	1	.....	.....	4	5	11	13	7	6	5	4	.....	.....	.....	.....
35	Disseminated tuberculosis	38	3	4	.....	.....	.....	1	3	7	5	5	4	4	2	.....	.....	.....	.....
36	Rickets	17	9	5	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
37	Syphilis	256	59	5	3	.....	1	4	4	24	43	43	29	34	6	1	.....	.....	.....
38	Gonococcus infection	16	.....	.....	.....	.....	.....	.....	1	7	3	2	.....	2	.....	1	.....	.....	.....
	Cancer and other malignant tumors (total)	2,400	4	.....	1	2	.....	2	11	36	126	315	556	617	540	180	10	.....	.....
39	Of the buccal cavity	79	.....	.....	.....	.....	.....	.....	.....	2	.....	5	15	19	29	7	2	.....	.....
40	Of the stomach, liver	1,003	1	.....	.....	.....	.....	.....	2	7	33	97	219	300	261	81	2	.....	.....
41	Of the peritoneum, intestines, rectum	269	.....	.....	.....	.....	.....	.....	1	8	17	37	62	63	63	18	.....	.....	.....
42	Of the female genital organs	363	.....	.....	.....	.....	.....	.....	1	7	33	86	121	70	40	4	1	.....	.....
43	Of the breast	207	.....	.....	.....	.....	.....	.....	1	2	18	44	55	38	36	12	1	.....	.....
44	Of the skin	134	.....	.....	.....	.....	.....	.....	.....	.....	3	7	12	34	44	31	3	.....	.....
45	Of other organs or of organs not specified	345	3	.....	1	2	.....	2	6	10	22	39	72	93	67	27	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	9	1	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	2	1	.....	.....	.....
47	Acute articular rheumatism	133	.....	.....	.....	.....	5	12	31	11	10	8	14	16	15	9	2	.....	.....
48	Chronic rheumatism and gout	37	.....	.....	.....	.....	.....	.....	3	.....	1	4	3	7	15	3	1	.....	.....
49	Scurvy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
50	Diabetes	485	1	2	1	2	1	7	17	22	29	40	92	161	94	14	2	.....	.....
51	Exophthalmic goiter	67	.....	.....	.....	.....	.....	.....	3	11	6	19	12	11	5	.....	.....	.....	.....
52	Addison's disease	9	.....	.....	.....	.....	.....	.....	2	2	2	.....	3	.....	.....	.....	.....	.....	.....
53	Leukemia	55	4	1	1	.....	1	6	1	5	7	5	12	9	3	.....	.....	.....	.....
54	Anemia, chlorosis	151	4	1	2	1	2	1	6	6	13	14	45	35	17	4	.....	.....	.....
55	Other general diseases	33	17	.....	2	.....	.....	.....	2	2	1	2	1	5	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	144	.....	.....	.....	.....	.....	.....	1	5	35	37	28	21	16	1	.....	.....	.....
57	Chronic lead poisoning	6	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	12	.....	.....	.....	.....	.....	.....	.....	3	.....	1	3	3	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	4,027	81	48	29	24	20	33	97	94	154	306	539	906	1,075	556	62	2	1
60	Encephalitis	26	5	4	.....	2	1	2	.....	3	2	2	1	3	1	.....	.....	.....	.....
61	Meningitis (total)	155	25	26	16	10	5	13	24	11	5	12	2	2	4	.....	.....	.....	.....
	Simple meningitis	63	9	6	11	3	1	4	7	6	3	7	2	1	3	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	37	9	8	1	3	1	4	5	3	1	1	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	55	7	12	4	4	3	5	12	2	1	4	.....	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	69	.....	.....	.....	.....	.....	.....	.....	2	7	9	21	21	9	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	241	9	8	6	5	6	4	18	11	3	13	21	48	56	32	1	.....	.....
	Acute anterior poliomyelitis	54	8	8	6	5	6	4	11	3	1	1	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	187	1	.....	.....	.....	.....	.....	7	8	2	12	20	48	56	32	1	.....	.....
64	Cerebral hemorrhage, apoplexy	2,731	4	2	.....	.....	1	1	13	25	47	151	386	716	874	453	56	2	.....
65	Softening of the brain	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	16	20	16	1	.....	.....
66	Paralysis without specified cause	115	1	.....	.....	.....	.....	.....	2	.....	2	3	3	23	47	24	.....	.....	.....
67	General paralysis of the insane	243	.....	.....	.....	.....	.....	.....	1	5	42	53	52	40	30	19	1	.....	.....
68	Other forms of mental alienation	75	.....	.....	.....	.....	.....	.....	5	8	10	19	11	10	9	2	1	.....	.....
69	Epilepsy	146	4	1	3	2	.....	3	24	24	26	22	12	12	7	5	.....	.....	1
71	Convulsions of infants	22	20	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	8	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	1	1	2	.....	.....	.....	.....
73	Neuralgia and neuritis	19	.....	.....	.....	.....	.....	.....	1	.....	1	3	6	2	5	1	.....	.....	.....
74	Other diseases of the nervous system	51	4	.....	2	3	.....	2	1	2	4	5	9	9	7	2	1	.....	.....
75	Diseases of the eyes and their annexa	4	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
76	Diseases of the ears	64	9	6	1	1	7	8	4	3	4	6	6	3	3	2	1	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA—Continued.																		
	III.—Diseases of the circulatory system	5,714	51	8	5	5	8	41	107	131	211	408	706	1,264	1,695	933	133	4	4
77	Pericarditis	33	1		1					1	4	3	6	5	5	6	1		
78	Acute endocarditis	156	4	2		2	2	6	15	10	21	20	35	14	16	8	1		
79	Organic diseases of the heart	4,297	27	4	4	2	5	34	88	106	157	339	560	1,001	1,259	631	76	1	3
80	Angina pectoris	299	1							5	6	23	50	99	89	23	3		
81	Diseases of the arteries, atheroma, aneurism, etc	790								3	9	14	38	120	300	252	50	3	1
82	Embolism and thrombosis	91	1						2	5	8	5	12	22	21	13	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	22	2						1	1	5	2	4	3	4				
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	12	2			1	1											
85	Hemorrhage; other diseases of the circulatory system	10	3			1			1		1	2	1		1				
	IV.—Diseases of the respiratory system	3,847	691	196	96	50	30	78	115	149	200	239	294	523	653	454	76	2	1
86	Diseases of the nasal fossae	3	1											2					
87	Diseases of the larynx	38	5	4	2	6	2	4	1	1	3	1	1	1	3	3	1		
88	Diseases of the thyroid body	33	3							4	4	7	5	6	1	3			
89	Acute bronchitis	160	64	15	5	2	4	2		1	1	3	2	11	16	25	8	1	
90	Chronic bronchitis	212				1				3	4	9	9	32	79	67	8		
91	Bronchopneumonia	1,157	399	108	50	18	13	24	14	20	20	29	43	95	168	136	20		
92	Pneumonia (total)	2,063	210	65	37	21	9	48	95	111	154	178	214	335	347	203	34	1	1
	Lobar pneumonia	1,836	168	54	32	14	8	41	83	98	140	164	203	305	311	181	32	1	1
	Pneumonia (undefined)	227	42	11	5	7	1	7	12	13	14	14	11	30	36	22	2		
93	Pleurisy	60	3	2	1	2	2		4	6	7	6	8	9	8	2			
94	Pulmonary congestion, pulmonary apoplexy	17	1	1								1	1	2	5	4	2		
95	Gangrene of the lung	5							1				2		1	1			
96	Asthma	73	2	1	1						4	2	7	29	19	6	2		
97	Pulmonary emphysema	9	3							2	1		1		1		1		
98	Other diseases of the respiratory system (tuberculosis excepted)	17								1	2	3	1	1	5	4			
	V.—Diseases of the digestive system	4,383	1,566	461	133	57	29	85	132	158	205	273	309	382	368	192	30	3	
99	Diseases of the mouth and annexa	23	8	2			1	1	1	1	1	2	2	4					
100	Diseases of the pharynx	74	5	7		2	4	15	14	8	6	4	1	3	3	1	1		
101	Diseases of the esophagus	10	1		2		1		1		1	1		2		1			
102	Ulcer of the stomach	108	2						3	5	21	15	13	24	17	7	1		
103	Other diseases of the stomach (cancer excepted)	377	148	19	2	1	2	1	1	11	9	23	23	29	52	45	11		
104	Diarrhea and enteritis (under 2 years)	1,762	1,346	416															
105	Diarrhea and enteritis (2 years and over)	479			116	39	13	23	10	9	19	22	29	43	73	70	12	1	
107	Intestinal parasites	3		1	1				1										
108	Appendicitis and typhlitis	352	1	3	2	9	3	23	84	69	52	49	34	16	5	2			
109	Hernia, intestinal obstruction (total)	329	35	8	4	3	4	13	6	14	21	29	48	62	54	25	2	1	
	Hernia	92	7		1			1	1	1	1	13	17	18	19	13			
	Intestinal obstruction	237	28	8	3	3	4	12	5	13	20	16	31	44	35	12	2	1	
110	Other diseases of the intestines	85	5		1	3		2	2	7	5	13	6	18	15	6	2		
111	Acute yellow atrophy of the liver	9								2			2	1	4				
112	Hydatid tumor of the liver	1			1														
113	Cirrhosis of the liver	387						1	1	8	29	65	90	100	76	15	1	1	
114	Biliary calculi	120	1							7	10	19	18	31	29	5			
115	Other diseases of the liver	176	8	3	2		1	2	3	9	17	16	35	38	30	12			
116	Diseases of the spleen	5									1	1		1		2			
117	Simple peritonitis (nonpuerperal)	66	6	1	2			4	5	7	11	6	6	9	8	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	17		1						1	2	8	2	1	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,473	23	6	4	3	2	18	37	134	174	311	515	752	959	490	45		
119	Acute nephritis	235	13	3	2	1	2	10	12	21	25	34	29	39	20	23	1		
120	Bright's disease	2,745	4	3	2	2		8	22	73	95	215	424	631	832	397	37		
122	Other diseases of the kidneys and annexa	72	3							7	6	7	15	13	15	4	2		
123	Calculi of the urinary passages	31	1							2	2	3	9	5	7	2			
124	Diseases of the bladder	56	1							1	1	1	3	7	24	17	1		
125	Diseases of the urethra, urinary abscess, etc	5										2	2		1				
126	Diseases of the prostate	146											6	40	53	43	4		
127	Nonvenereal diseases of the male genital organs	2	1												1				
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	63								1	12	25	14	7	2	2			
130	Other diseases of the uterus	22							1	4	4	5	5	1	2				
131	Cysts and other tumors of the ovary	36							1	3	5	11	4	9	3				
132	Salpingitis and other diseases of the female genital organs	59							1	22	23	8	4			1			
	VII.—The puerperal state	457							52	209	161	32	3						
134	Accidents of pregnancy	27							2	14	9	1	1						
135	Puerperal hemorrhage	33							3	8	15	7							
136	Other accidents of labor	32								18	12	2							
137	Puerperal septicemia	231							28	104	86	11	2						
138	Puerperal albuminuria and convulsions	112							18	53	33	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	20							1	11	5	3							
140	Following childbirth (not otherwise defined)	2								1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	INDIANA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	124	13	4	1	2			3	6	9	4	8	8	33	25	8		
142	Gangrene	78	3						1	4	4	1	2	5	28	22	8		
143	Furuncle	18	1	2	1				1	1	2	2	2	2	2	2			
144	Acute abscess	13		2		1			1	1	2	1	3		1	1			
145	Other diseases of the skin and annexa	15	9			1					1		1	1	2				
	IX.—Diseases of the bones and of the organs of locomotion	73	9	3	1		1	7	10	9	4	5	7	8	7	2			
146	Diseases of the bones (tuberculosis excepted)	65	9	3	1		1	7	8	9	3	5	6	7	5	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6							1		1		1	1	2				
149	Other diseases of the organs of locomotion	2							1							1			
	X.—Malformations	552	529	10	2	3	2	3	1	2									
150	Congenital malformations (stillbirths not included) (total)	552	529	10	2	3	2	3	1	2									
	Hydrocephalus	30	25	4	1														
	Congenital malformations of the heart	379	366	5		2	2	1	1	2									
	Other congenital malformations	143	138	1	1	1		2											
	XI.—Early infancy	1,823	1,823																
151	Congenital debility, icterus, and sclerema (total)	1,435	1,435																
	Premature birth	1,257	1,257																
	Congenital debility, "atrophy," "marasmus," etc	178	178																
152	Other causes peculiar to early infancy (total)	381	381																
	Injuries at birth	208	208																
	Other causes peculiar to early infancy [1]	173	173																
153	Lack of care	7	7																
	XII.—Old age	227											2	7	48	120	49	1	
154	Senility	227											2	7	48	120	49	1	
	XIII.—External causes	2,897	67	40	38	27	31	90	278	467	440	378	334	295	196	173	35	3	5
	Suicide (total)	483							27	81	93	90	80	86	19	7			
155	By poison	178							12	41	38	30	25	27	3	2			
156	By asphyxia	11								2	3	2		3		1			
157	By hanging or strangulation	69							3	7	8	16	15	16	3	1			
158	By drowning	30								3	4	7	5	8	3				
159	By firearms	154							12	24	34	29	24	23	5	3			
160	By cutting or piercing instruments	26								2	2	4	9	6	3				
161	By jumping from high places	4									1			2	1				
162	By crushing	8								2	2	1	2	1					
163	Other suicides	3									1	1			1				
	Accidental or undefined (total)	2,271	65	39	38	27	31	86	241	346	310	262	235	206	177	166	35	3	4
164	Poisoning by food	29	4	1	2		1	2	2	2	1	2	2	5	4	1			
165	Other acute poisonings	41	5	3	5	1	3	2	1	9	4	3	3		1	1			
166	Conflagration	23	1	2	2	1			2	1	2	4	3		3	1	1		
167	Burns (conflagration excepted)	143	4	18	13	9	12	12	7	16	14	8	13	10	4	3			
168	Absorption of deleterious gases (conflagration excepted)	68	31		1				3	12	6	1	5	8		1			
169	Accidental drowning	183	3	4	1	3	3	17	64	40	19	11	11	3	1				3
170	Traumatism by firearms	69			1	1	2	6	30	10	8	7	3	1					
171	Traumatism by cutting or piercing instruments	3							1		1	1							
172	Traumatism by fall	465	3	4	1	3		7	15	17	19	39	39	49	111	135	30	2	
173	Traumatism in mines and quarries (total)	59							9	20	8	11	8	3					
	Traumatism in mines	57							9	18	8	11	8	3					
	Traumatism in quarries	2								2									
174	Traumatism by machines	52						1	7	12	16	8	4	2	2				
175	Traumatism by other crushing (total)	829	2	5	7	6	6	31	73	168	155	132	110	83	32	18	1		
	Railroad accidents and injuries	455	1	5		2	2	6	40	105	108	74	46	41	16	8	1		
	Street-car accidents and injuries	94				1		1	7	17	20	14	18	11	3	2			
	Automobile accidents and injuries	169	1		4	3	3	18	21	23	13	29	30	16	6	2			
	Injuries by other vehicles	89			2		1	5	4	18	8	12	14	12	7	6			
	Landslide, other crushing	22			1			1	1	5	6	3	2	3					
176	Injuries by animals	32	1		1		1	5		5	4	3	4	5	2	1			
178	Excessive cold	13									2	5	3	2	1				
179	Effects of heat	101	5				1		4	7	22	11	10	21	11	4	3	1	1
180	Lightning	21							5	6	4	3		1	2				
181	Electricity (lightning excepted)	29							5	5	9	7	1	2					
185	Fractures (cause not specified)	2										2							
186	Other external violence	109	6	2	4	3	2	3	13	16	16	13	16	11	3	1			
	Homicide (total)	143	2	1				4	10	40	37	26	19	3					1
182	By firearms	95		1				2	7	29	27	19	10						
183	By cutting or piercing instruments	17							2	4	5	2	3	1					
184	By other means	31	2					2	1	7	5	5	6	2					1
	XIV.—Ill-defined diseases	20	6	3		1		1		1	1	1	1		4		1		
187	Ill-defined organic disease	1															1		
189	Not specified or ill-defined (total)	19	6	3		1		1		1	1	1	1		4				
	Ill-defined	12	1	3		1				1		1	1		4				
	Not specified or unknown	7	5					1			1								

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KANSAS.																	
	All causes	19,963	2,835	574	330	182	135	426	751	1,254	1,310	1,449	1,948	2,779	3,650	2,015	260	16	49
	1.—General diseases	4,835	224	122	95	66	62	167	289	439	422	459	598	722	731	323	52	2	12
1	Typhoid fever	260	.....	4	3	3	6	8	68	75	41	22	17	10	2	1	.....	.....	.....
4	Malaria	36	1	2	3	.....	1	1	4	3	2	4	3	4	5	2	1	.....	.....
5	Smallpox	3	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	157	26	33	18	9	3	22	16	10	5	4	6	4	1	.....	.....	.....	.....
7	Scarlet fever	62	3	3	8	10	6	15	14	2	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	92	56	18	8	5	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	194	9	17	23	20	26	61	29	5	1	1	1	.....	.....	.....	.....	.....	1
10	Influenza	719	40	14	5	5	3	12	19	18	25	32	50	94	210	153	38	1	.....
13	Cholera nostras	10	2	2	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....
14	Dysentery	109	13	12	15	5	3	4	.....	1	1	2	7	10	24	10	1	.....	1
18	Erysipelas	57	14	1	1	.....	.....	.....	3	1	3	5	9	2	12	6	.....	.....	.....
19	Other epidemic diseases	4	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	47	.....	1	2	.....	.....	1	6	7	3	6	4	7	7	3	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	35	5	.....	1	.....	.....	4	3	3	2	7	8	1	.....	1	.....	.....	.....
26	Pellagra	10	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	3	.....	.....	.....	.....
	Tuberculosis (total)	996	9	9	1	1	3	14	76	299	197	138	112	89	41	5	.....	.....	2
28	Tuberculosis of the lungs	833	4	2	.....	.....	1	6	60	255	175	122	92	73	38	4	.....	.....	1
29	Acute miliary tuberculosis	35	.....	.....	.....	.....	.....	.....	1	16	9	4	3	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	29	3	6	1	1	.....	3	7	4	3	.....	.....	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	47	1	1	.....	.....	1	1	2	11	4	6	11	8	1	.....	.....	.....	.....
32	Pott's disease	8	.....	.....	.....	.....	.....	2	1	2	.....	1	1	1	.....	.....	.....	.....	.....
33	White swellings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	23	1	.....	.....	.....	1	2	2	6	2	1	3	2	1	1	.....	.....	1
35	Disseminated tuberculosis	20	.....	.....	.....	.....	.....	.....	3	5	4	3	2	2	1	.....	.....	.....	.....
36	Rickets	8	6	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	67	19	1	.....	1	.....	1	3	6	9	12	9	3	1	1	.....	.....	1
38	Gonococcus infection	12	.....	.....	.....	.....	.....	.....	2	4	5	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,260	.....	1	.....	2	2	4	5	20	70	140	252	339	312	103	6	1	3
39	Of the buccal cavity	50	.....	.....	.....	.....	.....	.....	.....	.....	2	3	9	12	17	3	4	.....	.....
40	Of the stomach, liver	525	.....	1	.....	.....	.....	1	.....	5	19	51	102	177	138	29	1	.....	1
41	Of the peritoneum, intestines, rectum	144	.....	.....	.....	.....	.....	.....	.....	3	8	11	35	39	40	7	.....	.....	1
42	Of the female genital organs	152	.....	.....	.....	.....	.....	.....	.....	1	19	34	39	32	23	4	.....	.....	.....
43	Of the breast	76	.....	.....	.....	.....	.....	.....	.....	1	5	15	18	12	15	10	.....	.....	.....
44	Of the skin	71	.....	.....	.....	.....	.....	.....	.....	4	1	4	2	12	24	22	1	1	.....
45	Of other organs or of organs not specified	242	.....	.....	.....	2	2	3	5	6	16	22	47	55	55	28	.....	.....	1
46	Other tumors (tumors of the female genital organs excepted)	20	.....	.....	.....	1	.....	.....	.....	1	3	3	3	4	3	2	.....	.....	.....
47	Acute articular rheumatism	65	.....	.....	1	1	1	3	7	2	5	5	10	14	12	4	.....	.....	.....
48	Chronic rheumatism and gout	33	.....	.....	.....	.....	.....	.....	.....	2	1	1	4	8	12	3	2	.....	.....
49	Scurvy	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	309	.....	1	2	2	4	6	18	10	16	29	49	87	62	20	2	.....	1
51	Exophthalmic goiter	24	.....	.....	.....	.....	.....	1	.....	3	5	6	7	2	.....	.....	.....	.....	.....
52	Addison's disease	10	.....	.....	.....	.....	.....	.....	.....	3	1	4	1	1	.....	.....	.....	.....	.....
53	Leukemia	34	1	.....	.....	.....	.....	2	9	1	4	1	5	8	2	1	.....	.....	.....
54	Anemia, chlorosis	111	5	1	.....	1	.....	3	4	4	9	22	22	23	13	4	.....	.....	.....
55	Other general diseases	43	13	2	1	.....	2	1	3	2	3	1	2	5	5	2	1	.....	.....
56	Alcoholism (acute or chronic)	38	.....	.....	.....	.....	.....	.....	.....	4	5	7	13	5	1	1	.....	.....	2
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	1	1	.....	.....	.....	1
	II.—Diseases of the nervous system and of the organs of special sense	2,257	89	37	13	7	12	27	47	43	85	158	305	452	655	307	17	1	2
60	Encephalitis	19	6	4	.....	.....	1	.....	2	2	4	.....	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	104	22	16	9	4	5	13	10	6	8	7	3	1	.....	.....	.....	.....	.....
	Simple meningitis	59	13	8	5	2	3	9	4	3	4	5	2	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	18	3	5	3	1	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	27	6	3	1	1	.....	2	6	3	2	2	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	39	.....	.....	.....	.....	.....	.....	.....	1	2	4	15	9	7	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	166	9	7	2	2	3	2	4	4	3	7	14	40	54	15	.....	.....	.....
	Acute anterior poliomyelitis	25	8	7	2	2	2	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	141	1	.....	.....	.....	1	.....	3	4	3	7	14	39	54	15	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,326	6	2	1	.....	.....	.....	3	9	16	68	186	319	476	224	14	.....	2
65	Softening of the brain	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	13	11	.....	.....	.....
66	Paralysis without specified cause	204	2	1	1	1	.....	.....	.....	1	2	12	20	45	74	41	3	1	.....
67	General paralysis of the insane	94	.....	.....	.....	.....	.....	.....	.....	1	13	29	24	6	12	9	.....	.....	.....
68	Other forms of mental alienation	51	.....	.....	.....	.....	.....	.....	.....	5	8	7	13	10	7	1	.....	.....	.....
69	Epilepsy	75	1	2	.....	.....	1	1	16	9	15	13	8	4	4	1	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....
71	Convulsions of infants	40	38	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	14	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	4	2	2	.....	.....	.....
74	Other diseases of the nervous system	58	4	3	.....	.....	2	6	3	2	8	8	13	3	4	2	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	24	.....	.....	.....	.....	.....	5	5	2	5	2	2	1	2	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KANSAS—Continued.																		
	III.—Diseases of the circulatory system	2,715	32	6	1	3	3	24	46	74	132	182	317	629	833	396	29	3	5
77	Pericarditis	18	1							4	5	1	1	2	3	1			
78	Acute endocarditis	106	7			2	1	7	5	16	17	11	26	11	3				
79	Organic diseases of the heart	2,018	19	2	1	1	2	13	36	46	89	142	235	484	645	279	19	1	4
80	Angina pectoris	131								2	6	8	22	52	34	7			
81	Diseases of the arteries, atheroma, aneurism, etc	332							1	3	7	10	20	60	121	97	10	2	1
82	Embolism and thrombosis	66	2	1				3	3	2	3	5	8	10	18	11			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	13								1	2	2	1	3	4				
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	3	3				1	1		1			1					
85	Hemorrhage; other diseases of the circulatory system	21									2	3	4	6	5	1			
	IV.—Diseases of the respiratory system	1,918	330	97	50	29	15	59	67	78	97	119	169	232	320	224	27	3	2
86	Diseases of the nasal fossae	6	4											1		1			
87	Diseases of the larynx	22	6	2	3	3	1	1	1	1	2			1		1			
88	Diseases of the thyroid body	9				1				2	1	1		2		1	1		
89	Acute bronchitis	75	38	5	1		1	1		1	1	1	1	3	13	7	1	1	
90	Chronic bronchitis	128	1					1	1	2		4	11	15	44	45	4		
91	Bronchopneumonia	446	138	42	21	10	2	13	5	4	11	15	17	47	66	46	8	1	
92	Pneumonia (total)	1,067	137	46	23	13	9	40	53	58	71	82	123	138	161	100	10	1	2
	Lobar pneumonia	758	79	32	15	9	5	31	34	48	54	65	97	94	115	73	5		2
	Pneumonia (undefined)	309	58	14	8	4	4	9	19	10	17	17	26	44	46	27	5	1	
93	Pleurisy	47			1		1	2	6	3	7	4	5	3	9	5	1		
94	Pulmonary congestion, pulmonary apoplexy	25	2	2	1					1		1		1	5	10	2		
95	Gangrene of the lung	7								2	1	1	1	1	1				
96	Asthma	59	1			1	1	1	1	2	2	5	5	16	16	8			
97	Pulmonary emphysema	4											1	2	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	23	3			1				2	1	5	4	3	4				
	V.—Diseases of the digestive system	2,234	542	260	127	49	21	64	75	114	111	120	163	207	251	114	11		5
99	Diseases of the mouth and annexa	17	10					1		1	1		2	2					
100	Diseases of the pharynx	48	2	2	6		2	10	9	6	3	4	2	1	1				
101	Diseases of the esophagus	3											1	2					
102	Ulcer of the stomach	76							2	12	7	6	18	11	13	5			2
103	Other diseases of the stomach (cancer excepted)	205	49	7	2		2	4	3	4	10	9	15	22	49	24	4		1
104	Diarrhea and enteritis (under 2 years)	675	436	239															
105	Diarrhea and enteritis (2 years and over)	317			101	31	11	10	3	10	9	13	12	22	55	38	2		
107	Intestinal parasites	1		1															
108	Appendicitis and typhlitis	206	1		3	6	1	21	44	45	33	18	13	16	5				
109	Hernia, intestinal obstruction (total)	199	30	6	8	7	4	10	8	10	12	19	19	23	27	13	3		
	Hernia	44	6					1		1	3	6	5	9	10	3			
	Intestinal obstruction	155	24	6	8	7	4	9	8	9	9	13	14	14	17	10	3		
110	Other diseases of the intestines	58	4		3	1		4	1	3	5	10	6	7	7	5	1		1
111	Acute yellow atrophy of the liver	7								1			2	2	2				
112	Hydatid tumor of the liver	2											2						
113	Cirrhosis of the liver	153	1	1		1			1	4	4	13	31	35	45	16			1
114	Biliary calculi	80								3	7	13	13	25	16	3			
115	Other diseases of the liver	115	5	2		1		1	1	3	6	8	22	31	27	7	1		
116	Diseases of the spleen	5	1								1	1	1	1					
117	Simple peritonitis (nonpuerperal)	57	3	2	4	2	1	3	3	11	13	5		5	3	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10								1		1	4	2	1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,715	19	3	9	5	3	14	21	57	90	170	206	361	519	212	21	2	3
119	Acute nephritis	104	9	2	7	1	2	5	3	5	10	14	14	7	21	4			
120	Bright's disease	1,280	3	1	2	4	1	7	9	29	52	117	176	297	402	169	13	2	2
122	Other diseases of the kidneys and annexa	57	4					1	4	2	4	3	8	13	12	4	2		
123	Calculi of the urinary passages	16										2	1	5	7	1			
124	Diseases of the bladder	58	2					1				3	2	12	25	11	2		
125	Diseases of the urethra, urinary abscess, etc	4											2		1				1
126	Diseases of the prostate	96											3	23	44	23	3		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	30									6	16	1	3	4				
130	Other diseases of the uterus	30							2	9	8	7	3	1					
131	Cysts and other tumors of the ovary	9								2	3	2			1		1		
132	Salpingitis and other diseases of the female genital organs	28							3	9	7	6	2		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1													1				
	VII.—The puerperal state	294							22	132	113	25	1						1
134	Accidents of pregnancy	29								15	13	1							
135	Puerperal hemorrhage	22							1	10	5	5	1						
136	Other accidents of labor	24							1	8	13	2							
137	Puerperal septicemia	141							11	63	55	11							1
138	Puerperal albuminuria and convulsions	66							7	34	21	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10							2	2	4	2							
140	Following childbirth (not otherwise defined)	7									2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KANSAS—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	85	4	.....	.....	.....	.....	1	1	6	3	6	4	5	23	29	3	.....	.....
142	Gangrene	55	.....	.....	.....	.....	.....	1	1	2	.....	3	.....	2	17	26	3	.....	.....
143	Furuncle	10	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	2	1	2	.....	.....	.....
144	Acute abscess	7	.....	.....	.....	.....	.....	.....	.....	3	2	.....	2	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	13	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	45	4	1	.....	1	.....	3	9	2	3	6	8	2	3	3	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	37	3	1	.....	1	.....	3	9	2	3	5	7	1	2	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....
	X.—Malformations	234	219	8	3	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	234	219	8	3	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	30	22	5	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	138	134	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	66	63	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,221	1,221	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,000	1,000	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	709	709	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	291	291	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	218	218	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	110	110	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	108	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	562	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	20	166	287	80	5	.....
154	Senility	562	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	20	166	287	80	5	.....
	XIII.—External causes	1,550	53	26	30	18	19	62	166	248	241	191	144	114	107	98	17	.....	16
	Suicide (total)	175	.....	.....	.....	.....	.....	.....	10	29	43	34	29	12	11	4	1	.....	2
155	By poison	59	.....	.....	.....	.....	.....	.....	7	12	12	12	10	3	1	1	.....	.....	1
156	By asphyxia	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	28	.....	.....	.....	.....	.....	.....	.....	4	6	2	4	3	5	2	1	.....	1
158	By drowning	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....
159	By firearms	70	.....	.....	.....	.....	.....	.....	3	13	19	17	11	3	3	1	.....	.....	.....
160	By cutting or piercing instruments	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....
161	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,240	52	26	30	18	18	58	153	184	159	131	102	99	93	93	16	.....	8
164	Poisoning by food	26	5	1	2	2	.....	2	1	.....	1	4	2	3	2	1	.....	.....	.....
165	Other acute poisonings	42	4	7	2	1	.....	1	3	11	3	4	5	.....	1	.....	.....	.....	.....
166	Conflagration	16	1	.....	.....	.....	.....	1	2	2	1	1	2	2	1	3	.....	.....	.....
167	Burns (conflagration excepted)	72	2	4	11	5	4	7	3	10	6	1	4	4	7	4	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	47	22	.....	.....	1	.....	2	5	4	6	4	.....	2	.....	1	.....	.....	.....
169	Accidental drowning	108	.....	5	2	.....	3	14	36	15	10	8	6	3	3	2	.....	.....	1
170	Traumatism by firearms	88	1	.....	1	3	3	9	29	10	11	11	1	9	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
172	Traumatism by fall	152	4	2	1	3	.....	5	4	11	10	11	8	15	25	46	7	.....	.....
173	Traumatism in mines and quarries (total)	67	.....	.....	.....	.....	.....	.....	4	13	16	17	12	5	.....	.....	.....	.....	.....
	Traumatism in mines	66	.....	.....	.....	.....	.....	.....	4	13	15	17	12	5	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	26	.....	.....	.....	.....	1	1	1	8	4	6	2	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	321	2	2	6	2	4	7	39	65	56	37	37	31	18	6	3	.....	6
	Railroad accidents and injuries	156	1	.....	1	.....	.....	2	23	36	26	21	19	11	5	3	2	.....	6
	Street-car accidents and injuries	14	.....	.....	.....	.....	1	.....	.....	4	4	.....	1	2	2	.....	.....	.....	.....
	Automobile accidents and injuries	92	1	1	3	.....	1	3	11	17	19	10	13	5	5	2	1	.....	.....
	Injuries by other vehicles	49	.....	1	2	2	2	2	4	7	6	3	3	10	6	1	.....	.....	.....
	Landslide, other crushing	10	.....	.....	.....	.....	.....	.....	1	1	1	3	1	3	.....	.....	.....	.....	.....
176	Injuries by animals	32	.....	.....	2	.....	1	5	4	2	4	6	1	4	3	.....	.....	.....	.....
178	Excessive cold	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	2	1	.....	.....	.....
179	Effects of heat	37	3	.....	.....	1	.....	.....	1	3	2	2	5	4	11	4	1	.....	.....
180	Lightning	20	.....	.....	.....	.....	.....	2	7	6	1	1	2	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	10	.....	.....	.....	.....	.....	.....	1	4	1	2	1	.....	.....	.....	.....	.....	1
185	Fractures (cause not specified)	72	.....	1	.....	.....	.....	.....	5	4	10	7	2	6	13	21	3	.....	.....
186	Other external violence	94	8	4	3	.....	2	1	8	16	17	8	10	4	7	5	1	.....	.....
	Homicide (total)	135	1	.....	.....	.....	1	4	3	35	39	26	13	3	3	1	.....	.....	6
182	By firearms	98	.....	.....	.....	.....	.....	2	.....	31	31	19	9	2	.....	1	.....	.....	3
183	By cutting or piercing instruments	16	.....	.....	.....	.....	.....	.....	.....	3	5	4	.....	1	1	.....	.....	.....	2
184	By other means	21	1	.....	.....	.....	1	2	3	1	3	3	4	.....	2	.....	.....	.....	1
	XIV.—Ill-defined diseases	298	98	14	2	3	.....	4	6	11	13	13	29	35	42	22	3	.....	3
187	Ill-defined organic disease	27	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	4	10	5	.....	.....	.....
188	Sudden death	8	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	.....	.....
189	Not specified or ill-defined (total)	263	95	14	2	3	.....	4	6	11	11	11	24	30	30	16	3	.....	3
	Ill-defined	112	11	10	1	1	.....	3	2	3	6	8	12	21	20	10	3	.....	1
	Not specified or unknown	151	84	4	1	2	.....	1	4	8	5	3	12	9	10	6	.....	.....	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL).																	
	All causes	30,073	5,114	1,340	630	320	237	696	1,584	2,678	2,411	2,344	2,750	3,461	3,852	2,010	383	39	224
	I.—General diseases	10,170	704	400	247	150	118	360	885	1,575	1,204	1,052	991	1,026	936	331	55	2	84
1	Typhoid fever	737	4	8	8	7	16	66	202	174	91	61	53	30	8	1			8
4	Malaria	153	16	10	12	7	4	19	11	14	11	7	9	12	10	7	1	1	2
5	Smallpox	4	1												1	1			1
6	Measles	189	44	43	15	9	4	19	12	12	8	5	6	3	3	1			5
7	Scarlet fever	56	8	5	8	6	8	17	3										1
8	Whooping cough	318	174	76	28	8	12	14	6										
9	Diphtheria and croup	408	65	71	78	66	41	66	14	1	1	1	1						3
10	Influenza	986	68	24	10	6	4	13	27	38	22	58	74	141	290	169	35	1	6
13	Cholera nostras	27	1	6	2	1		1	2	2	1		2	4	4	1			
14	Dysentery	301	57	47	18	6	6	16	15	5	7	4	13	35	45	24	2		1
18	Erysipelas	71	23	2	1				2	4	3	6	8	9	8	5			
19	Other epidemic diseases	6	2	1				1	1	1									
20	Purulent infection and septicemia	61	3	3			2	4	11	8	6	2	5	7	4	4			2
22	Anthrax	2											1			1			
23	Rabies	2						2											
24	Tetanus	51	6			2		7	11	4	3	5	4	3					1
26	Pellagra	124	1	1	2			1	5	17	23	28	15	18	10	1			2
	Tuberculosis (total)	4,626	152	82	53	30	17	91	497	1,200	868	590	391	346	228	43	2		36
28	Tuberculosis of the lungs	3,967	63	35	22	9	9	45	425	1,104	794	531	355	303	199	39	2		32
29	Acute miliary tuberculosis	91	4	2	1			2	21	26	18	9	6	1	1				
30	Tuberculous meningitis	225	65	36	23	19	4	26	22	16	5	6	1	2					
31	Abdominal tuberculosis	203	7	2	5	1	2	8	9	26	33	29	23	32	20	4			2
32	Pott's disease	24	2			1	1	3	4	9	2	2							
33	White swellings	18		1				1	2	6	3	2	2		1				
34	Tuberculosis of other organs	68	9	4	2		1	6	12	8	7	5	3	4	5				2
35	Disseminated tuberculosis	30	2	2					2	5	6	6	1	4	2				
36	Rickets	14	6	6	1				1										
37	Syphilis	173	41	8	1		1	1	5	18	29	30	19	13	2	2			3
38	Gonococcus infection	18	2						1	6	2	5	1						1
	Cancer and other malignant tumors (total)	1,214		3	1	1	1	5	9	33	75	189	269	293	233	89	9		4
39	Of the buccal cavity	40				1		1		1	2	3	12	3	7	9	1		
40	Of the stomach, liver	418		1			1	2	1	12	18	46	104	130	78	24	1		
41	Of the peritoneum, intestines, rectum	127								3	5	28	22	33	28	7	1		
42	Of the female genital organs	227							1	9	24	55	65	36	26	8	1		2
43	Of the breast	128								1	10	23	32	27	27	7			1
44	Of the skin	61							1			2	2	8	28	17	3		
45	Of other organs or of organs not specified	213		2	1			2	6	7	16	32	32	56	39	17	2		1
46	Other tumors (tumors of the female genital organs excepted)	13						2				1	3	1	4	1	1		
47	Acute articular rheumatism	111	2					9	21	3	3	10	15	22	14	7	3		2
48	Chronic rheumatism and gout	35							1		1	3	4	8	13	5			
50	Diabetes	229	1	1	3	1	1	3	12	12	10	21	54	53	42	13	1		1
51	Exophthalmic goiter	16								1	4	3	2	2	3	1			
52	Addison's disease	2											1	1					
53	Leukemia	28	1		1		1	1	3	4	3	6	5	1	1				1
54	Anemia, chlorosis	72	12	1	2				6	3	6	3	16	13	6	3	1		
55	Other general diseases	41	14	2	3			2	6	1	1	1	5	2	2	2			
56	Alcoholism (acute or chronic)	70								14	21	13	11	7					4
57	Chronic lead poisoning	3											2		1				
59	Other chronic poisonings	9							1				2	2	4				
	II.—Diseases of the nervous system and of the organs of special sense	2,593	231	84	35	11	22	53	66	80	134	213	326	485	565	227	36	4	21
60	Encephalitis	33	13	2	2	1		2	3	4	2	1	1	1					1
61	Meningitis (total)	289	101	52	22	3	13	27	24	15	12	10	5	2	2	1			
	Simple meningitis	136	43	21	8	3	5	14	12	10	6	9	3	1		1			
	Cerebrospinal meningitis (undefined)	64	28	9	5		3	7	6	3	3								
	Cerebrospinal fever	89	30	22	9		5	6	6	2	3	1	2	1	2				
62	Locomotor ataxia	45									3	8	13	15	5	1			
63	Other diseases of the spinal cord (total)	145	18	12	7	3	5	4	3	2	3	8	19	20	30	7	3		1
	Acute anterior poliomyelitis	50	12	12	7	3	5	4	1	2	1		2		1				
	Other diseases of the spinal cord[1]	95	6						2		2	8	17	20	29	7	3		1
64	Cerebral hemorrhage, apoplexy	1,163	8	1	1			5	6	14	33	91	183	292	368	126	24	1	10
65	Softening of the brain	47									1	3	5	5	17	13	2		1
66	Paralysis without specified cause	349	1	2	1			2	2	4	6	20	41	95	95	67	5	3	5
67	General paralysis of the insane	164								7	21	30	41	30	25	6	2		2
68	Other forms of mental alienation	38								2	6	11	7	3	6	3			
69	Epilepsy	113	7	2				5	16	26	26	15	4	7	5				
70	Convulsions (nonpuerperal)	6						1	1		2			1					1
71	Convulsions of infants	78	69	6		2	1												
72	Chorea	2							2										
73	Neuralgia and neuritis	16							2	1	4	3	1	3	2				
74	Other diseases of the nervous system	69	6	2	1	2		2	5	2	14	9	4	10	9	3			
76	Diseases of the ears	36	8	5	1		3	5	2	3	1	4	2	1	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	2,970	18	4	2	4	5	23	55	104	179	243	419	633	794	413	47	8	19
77	Pericarditis	41						2	3	2	2	6	6	10	5	4	1		
78	Acute endocarditis	142	1	1	1	1		2	9	17	25	28	40	7	6	4			
79	Organic diseases of the heart	2,218	11	2	1	1	5	17	40	76	132	192	314	511	604	268	22	7	15
80	Angina pectoris	119						1		2	3	9	22	33	40	8			1
81	Diseases of the arteries, atheroma, aneurism, etc	379									9	8	25	63	127	122	23	1	1
82	Embolism and thrombosis	43							1	5	5		7	8	9	5	1		2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5								2				1	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	6	3			1		1			1								
85	Hemorrhage; other diseases of the circulatory system	17	3	1		1			2		2		5		2	1			
	IV.—Diseases of the respiratory system	3,230	639	225	111	47	26	66	110	183	179	204	232	371	495	272	52	3	15
86	Diseases of the nasal fossae	15	8	1	2				1	1				2					
87	Diseases of the larynx	26	5	2	6	3		8			1			1					
88	Diseases of the thyroid body	13			1						1		2	6	1	2			
89	Acute bronchitis	146	77	20	10	4	1		2	3	2	1	6	4	9	6	1		
90	Chronic bronchitis	186	3	1				2	9	6	12	3	15	31	60	36	6	1	1
91	Bronchopneumonia	801	286	99	42	22	15	12	18	18	14	20	20	40	110	69	13	1	2
92	Pneumonia (total)	1,834	241	98	49	14	10	41	75	147	122	157	173	258	277	137	25	1	9
	Lobar pneumonia	1,328	142	55	29	9	8	25	54	109	96	124	136	202	214	102	17	1	5
	Pneumonia (undefined)	506	99	43	20	5	2	16	21	38	26	33	37	56	63	35	8		4
93	Pleurisy	44	2	1		3			3	1	4	12	6	4	3	4	1		
94	Pulmonary congestion, pulmonary apoplexy	49	13	1					1	1	4	3	3	4	8	6	5		
95	Gangrene of the lung	6						1			1	1			3				
96	Asthma	72	3	2		1		1		1	10	4	5	15	20	9			1
97	Pulmonary emphysema	3												1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	35	1		1			1	1	5	8	3	2	5	3	2	1		2
	V.—Diseases of the digestive system	3,031	885	486	152	46	21	55	115	125	142	188	233	239	204	110	16	2	12
99	Diseases of the mouth and annexa	20	8				1			2	1	1	6		1				
100	Diseases of the pharynx	47	4	4	4	5	6	5	4	5	2	4	1	3					
101	Diseases of the esophagus	5	1	1			1						1	1					
102	Ulcer of the stomach	88	1					1	3	7	14	18	21	12	7	4			
103	Other diseases of the stomach (cancer excepted)	322	76	27	8	2	1	2	6	11	21	21	34	33	45	28	5		2
104	Diarrhea and enteritis (under 2 years)	1,188	753	435															
105	Diarrhea and enteritis (2 years and over)	437			130	29	6	17	17	10	14	21	32	46	60	39	10	1	5
106	Ankylostomiasis	7				1			5	1									
107	Intestinal parasites	5		1	3			1											
108	Appendicitis and typhlitis	187	2	2	1			19	50	44	27	17	12	10	3				
109	Hernia, intestinal obstruction (total)	214	25	8	4	5	4	4	9	13	12	27	22	38	27	13			3
	Hernia	65	5						2	2	2	8	9	18	11	7			1
	Intestinal obstruction	149	20	8	4	5	4	4	7	11	10	19	13	20	16	6			2
110	Other diseases of the intestines	49	8	5	2			2	3	4	3	4	6	4	3	3	1		1
111	Acute yellow atrophy of the liver	8					1			2		1		2	1	1			
112	Hydatid tumor of the liver	1								1									
113	Cirrhosis of the liver	180					1			3	18	28	45	50	29	5			1
114	Biliary calculi	67				1			1	4	2	14	15	14	11	4		1	
115	Other diseases of the liver	105	4	3		2		1	3	2	13	21	23	13	14	6			
116	Diseases of the spleen	5	1							3			1						
117	Simple peritonitis (nonpuerperal)	82	2			1		3	11	13	14	8	12	10	2	6			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	14							3		1	3	2	3	1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,249	15	11	6	7	10	17	36	105	160	210	329	479	546	263	39		16
119	Acute nephritis	162	4	5	2	4	5	8	8	19	21	15	26	17	20	7			1
120	Bright's disease	1,308	6	5	4	3	5	7	25	57	98	165	275	423	467	220	34		14
122	Other diseases of the kidneys and annexa	45	4	1				1		2	4	4	6	9	6	8			
123	Calculi of the urinary passages	12								1	2	2	3	1	3				
124	Diseases of the bladder	40	1					1		2	2	1	3	5	18	7			
125	Diseases of the urethra, urinary abscess, etc	2							1			1							
126	Diseases of the prostate	73											4	18	29	19	3		
127	Nonvenereal diseases of the male genital organs	1														1			
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	33							3	8	9	7	2	1	1	1			1
130	Other diseases of the uterus	28						1	4	11	8	2	2						
131	Cysts and other tumors of the ovary	12							2	3	2	1	2	2					
132	Salpingitis and other diseases of the female genital organs	32						1	15	11	2	2				1			
	VII.—The puerperal state	334						47	125	120	41								1
134	Accidents of pregnancy	43						1	18	19	5								
135	Puerperal hemorrhage	32						1	6	16	9								
136	Other accidents of labor	29						3	8	13	5								
137	Puerperal septicemia	145						16	70	47	11								1
138	Puerperal albuminuria and convulsions	78						25	20	24	9								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3						1		1	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	80	10	3	.....	1	.....	3	2	5	4	4	6	7	10	18	4	1	2
142	Gangrene	40	1	.....	.....	.....	.....	2	.....	2	2	1	3	3	5	15	4	1	1
143	Furuncle	10	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	2	1	2	.....	.....	.....
144	Acute abscess	14	1	2	.....	1	.....	1	1	1	1	2	1	.....	2	.....	.....	.....	1
145	Other diseases of the skin and annexa	16	8	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	2	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	39	5	.....	1	1	.....	6	4	3	6	1	6	3	2	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	33	5	.....	1	1	.....	6	4	3	5	1	5	.....	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	X.—Malformations	233	211	9	6	1	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	233	211	9	6	1	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	26	16	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	114	108	.....	1	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	93	87	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,744	1,744	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,524	1,524	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,124	1,124	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	400	400	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	218	218	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	105	105	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	113	113	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	462	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	12	110	207	111	15	5
154	Senility	462	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	12	110	207	111	15	5
	XIII.—External causes	1,878	84	53	57	43	32	87	245	345	251	160	154	127	111	75	14	.....	40
	Suicide (total)	181	.....	.....	.....	.....	.....	.....	11	42	27	32	40	16	12	.....	.....	.....	1
155	By poison	40	.....	.....	.....	.....	.....	.....	2	18	4	4	7	2	3	.....	.....	.....	.....
157	By hanging or strangulation	22	.....	.....	.....	.....	.....	.....	.....	2	3	6	4	4	3	.....	.....	.....	.....
158	By drowning	14	.....	.....	.....	.....	.....	.....	.....	.....	1	1	7	2	2	.....	.....	.....	1
159	By firearms	89	.....	.....	.....	.....	.....	.....	7	18	18	16	20	7	3	.....	.....	.....	.....
160	By cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	8	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	1,460	82	53	57	43	32	87	212	222	159	90	100	107	96	74	14	.....	32
164	Poisoning by food	19	4	3	2	.....	.....	2	4	1	1	1	.....	1	.....	.....	.....	.....	.....
165	Other acute poisonings	46	5	5	4	1	2	6	4	3	3	1	6	4	2	.....	.....	.....	.....
166	Conflagration	20	3	3	1	3	2	1	1	1	.....	1	1	1	1	.....	.....	.....	1
167	Burns (conflagration excepted)	237	10	23	33	29	19	28	20	21	9	3	6	12	12	8	1	.....	3
168	Absorption of deleterious gases (conflagration excepted)	50	32	2	.....	1	.....	.....	2	2	6	3	2	.....	.....	.....	.....	.....	.....
169	Accidental drowning	115	3	4	3	1	2	7	40	21	12	5	4	3	4	2	.....	.....	4
170	Traumatism by firearms	112	.....	1	.....	2	3	11	32	27	20	6	3	4	1	1	.....	.....	1
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	171	5	5	1	3	.....	7	10	14	10	10	14	16	32	34	8	.....	2
173	Traumatism in mines and quarries (total)	87	.....	.....	.....	.....	.....	.....	16	25	23	9	6	3	.....	.....	.....	.....	5
	Traumatism in mines	86	.....	.....	.....	.....	.....	.....	16	25	22	9	6	3	.....	.....	.....	.....	5
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	28	.....	.....	.....	.....	.....	1	6	4	6	7	1	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	308	2	1	2	2	2	14	53	68	40	22	29	36	14	7	1	.....	15
	Railroad accidents and injuries	188	.....	1	1	.....	.....	3	35	55	27	15	15	10	9	2	1	.....	14
	Street-car accidents and injuries	15	.....	.....	1	.....	.....	1	1	2	2	.....	4	4	.....	.....	.....	.....	.....
	Automobile accidents and injuries	41	.....	.....	.....	.....	1	2	6	6	6	2	4	10	3	1	.....	.....	.....
	Injuries by other vehicles	52	2	.....	.....	2	1	5	9	4	4	2	5	11	2	4	.....	.....	1
	Landslide, other crushing	12	.....	.....	.....	.....	.....	3	2	1	1	3	1	1	.....	.....	.....	.....	.....
176	Injuries by animals	21	.....	1	2	.....	.....	3	5	1	2	1	2	2	2	.....	.....	.....	.....
177	Starvation	3	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	7	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	1	.....	.....	.....	1
179	Effects of heat	23	1	.....	.....	.....	.....	.....	1	1	6	5	3	4	1	1	.....	.....	.....
180	Lightning	20	.....	.....	1	.....	.....	3	5	4	2	1	.....	3	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	10	.....	.....	.....	.....	.....	.....	2	7	.....	1	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	58	.....	.....	.....	.....	1	.....	1	2	4	2	9	6	14	16	3	.....	.....
186	Other external violence	121	17	5	7	1	1	3	9	18	11	9	14	9	11	5	1	.....	.....
	Homicide (total)	237	2	.....	.....	.....	.....	.....	22	81	65	38	14	4	3	1	.....	.....	7
182	By firearms	179	.....	.....	.....	.....	.....	.....	17	64	49	26	10	4	3	1	.....	.....	5
183	By cutting or piercing instruments	31	.....	.....	.....	.....	.....	.....	3	11	10	4	2	.....	.....	.....	.....	.....	1
184	By other means	27	2	.....	.....	.....	.....	.....	2	6	6	8	2	.....	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	1,060	568	65	13	9	3	23	16	28	32	28	52	79	79	43	9	4	9
187	Ill-defined organic disease	36	.....	1	1	1	.....	.....	2	2	2	4	4	7	9	1	1	1	.....
188	Sudden death	48	8	.....	1	.....	.....	2	.....	1	3	6	8	4	11	2	1	.....	1
189	Not specified or ill-defined (total)	976	560	64	11	8	3	21	14	25	27	18	40	68	59	40	7	3	8
	Ill-defined	266	97	34	7	2	1	9	4	9	6	16	20	32	18	8	2	.....	1
	Not specified or unknown	710	463	30	4	6	2	12	10	16	21	2	20	36	41	32	5	3	7

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE).																	
	All causes	24,801	4,437	1,156	570	274	205	578	1,220	1,988	1,764	1,756	2,159	2,975	3,449	1,805	317	10	138
	I.—General diseases	8,246	582	335	225	128	103	298	640	1,163	909	820	832	907	856	346	46	1	55
1	Typhoid fever	619	4	6	8	5	13	58	172	144	79	49	43	24	6	1	.....	.....	7
4	Malaria	116	13	8	9	7	4	16	7	9	8	4	5	10	8	6	.....	1	1
5	Smallpox	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	- 1
6	Measles	179	40	41	15	9	4	17	11	11	8	5	6	3	3	1	.....	.....	5
7	Scarlet fever	54	7	4	8	6	8	17	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
8	Whooping cough	258	140	59	26	6	11	11	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	377	55	68	75	59	37	64	12	1	1	1	1	.....	.....	.....	.....	.....	3
10	Influenza	854	58	14	9	6	4	12	21	27	16	48	58	127	267	153	31	.....	3
13	Cholera nostras	26	1	6	2	1	.....	1	2	2	1	.....	2	3	4	1	.....	.....	.....
14	Dysentery	274	46	43	18	6	6	16	15	4	6	4	13	31	40	24	1	.....	1
18	Erysipelas	67	22	2	1	.....	.....	.....	1	4	3	5	8	9	7	5	.....	.....	.....
19	Other epidemic diseases	6	2	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	51	2	3	.....	.....	2	4	8	8	2	2	5	6	3	4	.....	.....	2
22	Anthrax	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	35	6	.....	.....	1	.....	5	7	3	5	4	3	1	.....	.....	.....	.....	.....
26	Pellagra	116	1	1	2	.....	.....	1	5	13	22	26	15	18	10	.....	.....	.....	2
	Tuberculosis (total)	3,479	127	62	41	20	11	52	316	868	642	454	319	307	200	38	2	.....	20
28	Tuberculosis of the lungs	2,980	50	20	17	3	4	20	269	793	590	407	290	270	173	34	2	.....	18
29	Acute miliary tuberculosis	56	4	1	1	.....	.....	.....	12	17	10	5	4	1	1	.....	.....	.....	.....
30	Tuberculous meningitis	184	56	32	16	15	4	20	15	14	4	5	1	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	164	4	2	5	1	1	5	6	20	24	23	19	28	20	4	.....	.....	2
32	Pott's disease	20	2	.....	.....	1	1	2	3	8	1	2	.....	.....	.....	.....	.....	.....	.....
33	White swellings	15	.....	1	.....	.....	.....	.....	2	6	1	2	2	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	55	9	4	2	.....	1	5	8	7	6	4	2	3	4	.....	.....	.....	.....
35	Disseminated tuberculosis	25	2	2	.....	.....	.....	.....	1	3	6	6	1	3	1	.....	.....	.....	.....
36	Rickets	11	5	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	90	30	6	1	.....	1	1	.....	9	9	12	10	8	1	2	.....	.....	.....
38	Gonococcus infection	7	2	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,089	.....	3	1	1	.....	4	5	31	64	156	243	264	224	82	8	.....	3
39	Of the buccal cavity	37	.....	.....	.....	1	.....	1	.....	1	1	3	12	2	7	8	1	.....	.....
40	Of the stomach, liver	376	.....	1	.....	.....	.....	1	.....	11	16	39	93	115	76	23	1	.....	.....
41	Of the peritoneum, intestines, rectum	111	.....	.....	.....	.....	.....	.....	.....	3	5	23	18	29	27	5	1	.....	.....
42	Of the female genital organs	195	.....	.....	.....	.....	.....	.....	1	8	18	44	61	31	24	7	.....	.....	1
43	Of the breast	114	.....	.....	.....	.....	.....	.....	.....	1	9	20	28	25	24	6	.....	.....	1
44	Of the skin	61	.....	.....	.....	.....	.....	.....	1	.....	.....	2	2	8	28	17	3	.....	.....
45	Of other organs or of organs not specified	195	.....	2	1	.....	.....	2	3	7	15	25	29	54	38	16	2	.....	1
46	Other tumors (tumors of the female genital organs excepted)	10	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	1	4	1	1	.....	.....
47	Acute articular rheumatism	83	1	.....	.....	.....	.....	9	20	2	3	5	11	16	9	5	1	.....	1
48	Chronic rheumatism and gout	34	.....	.....	.....	.....	.....	.....	1	.....	1	3	4	8	12	5	.....	.....	.....
50	Diabetes	201	1	1	3	1	1	3	12	10	6	17	46	46	41	12	1	.....	.....
51	Exophthalmic goiter	13	.....	.....	.....	.....	.....	.....	.....	1	2	3	2	1	3	1	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
53	Leukemia	27	1	.....	1	.....	1	1	3	3	3	6	5	1	1	.....	.....	.....	1
54	Anemia, chlorosis	58	4	1	1	.....	.....	.....	6	3	6	3	14	13	5	1	1	.....	.....
55	Other general diseases	37	13	2	3	.....	.....	2	6	.....	1	1	4	1	2	2	.....	.....	.....
56	Alcoholism (acute or chronic)	54	.....	.....	.....	.....	.....	.....	.....	8	19	10	7	6	.....	.....	.....	.....	4
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
59	Other chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	4	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,169	205	72	32	11	20	45	56	66	100	151	249	420	505	196	29	.....	12
60	Encephalitis	29	11	2	2	1	.....	1	3	4	2	.....	1	1	.....	.....	.....	.....	1
61	Meningitis (total)	263	95	47	21	3	11	25	20	14	10	8	5	1	2	1	.....	.....	.....
	Simple meningitis	120	41	17	7	3	4	12	9	9	6	7	3	1	.....	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	58	26	8	5	.....	2	7	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	85	28	22	9	.....	5	6	5	2	3	1	2	.....	2	.....	.....	.....	.....
62	Locomotor ataxia	41	.....	.....	.....	.....	.....	.....	.....	.....	3	7	11	14	5	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	125	17	12	5	3	5	3	2	2	2	7	13	18	26	7	2	.....	1
	Acute anterior poliomyelitis	45	11	12	5	3	5	3	1	2	1	.....	1	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord[1]	80	6	.....	.....	.....	.....	.....	1	.....	1	7	12	18	25	7	2	.....	1
64	Cerebral hemorrhage, apoplexy	968	8	.....	1	.....	.....	3	5	10	22	57	140	251	339	108	18	.....	6
65	Softening of the brain	44	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	4	17	13	2	.....	1
66	Paralysis without specified cause	282	1	2	1	.....	.....	2	2	4	3	13	31	80	80	58	5	.....	2
67	General paralysis of the insane	121	.....	.....	.....	.....	.....	.....	.....	5	15	21	29	27	18	4	2	.....	.....
68	Other forms of mental alienation	31	.....	.....	.....	.....	.....	.....	.....	1	4	11	5	3	4	3	.....	.....	.....
69	Epilepsy	92	6	1	.....	.....	.....	4	13	20	22	12	3	7	4	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	5	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	1
71	Convulsions of infants	58	53	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	15	.....	.....	.....	.....	.....	.....	2	1	3	3	1	3	2	.....	.....	.....	.....
74	Other diseases of the nervous system	59	6	2	1	2	.....	1	4	2	11	7	3	10	7	3	.....	.....	.....
76	Diseases of the ears	34	8	4	1	.....	3	5	2	3	1	3	2	1	1	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE)—Continued.																	
	III.—Diseases of the circulatory system	2,395	14	2	2	4	5	18	42	77	118	154	292	542	708	371	33	2	11
77	Pericarditis	30						1	1	2		4	5	9	3	4	1		
78	Acute endocarditis	90	1		1	1		2	5	11	16	13	26	4	6	4			
79	Organic diseases of the heart	1,771	9	1	1	1	5	14	33	55	88	126	212	431	534	239	12	1	9
80	Angina pectoris	109								2	2	7	19	32	38	8			1
81	Diseases of the arteries, atheroma, aneurism, etc.	334									5	4	18	59	117	111	19	1	
82	Embolism and thrombosis	37							1	5	4		7	6	8	4	1		1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4								2				1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	2			1		1			1								
85	Hemorrhage; other diseases of the circulatory system	15	2	1		1			2		2		5		1	1			
	IV.—Diseases of the respiratory system	2,623	525	177	95	40	22	51	91	128	114	144	169	321	437	251	47		11
86	Diseases of the nasal fossae	13	6	1	2				1	1				2					
87	Diseases of the larynx	26	5	2	6	3		8			1			1					
88	Diseases of the thyroid body	11			1								1	6	1	2			
89	Acute bronchitis	100	58	10	5	3			2	1	1		3	3	7	6	1		
90	Chronic bronchitis	137	1						5		2	1	9	25	53	35	6		
91	Bronchopneumonia	688	238	83	36	20	14	9	15	14	11	14	17	36	105	64	11		1
92	Pneumonia (total)	1,484	202	78	44	11	8	32	63	106	81	115	125	225	237	125	23		9
	Lobar pneumonia	1,066	117	42	28	6	8	20	47	75	63	88	99	175	184	92	17		5
	Pneumonia (undefined)	418	85	36	16	5		12	16	31	18	27	26	50	53	33	6		4
93	Pleurisy	33	1	1		2			3	1	4	9	5	2	2	3			
94	Pulmonary congestion, pulmonary apoplexy	39	10	1					1		2		3	3	8	6	5		
95	Gangrene of the lung	5						1				1			3				
96	Asthma	55	3	1		1					6	2	4	13	17	8			
97	Pulmonary emphysema	3												1	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	29	1		1			1	1	5	6	2	2	4	3	1	1		1
	V.—Diseases of the digestive system	2,597	765	450	143	42	18	49	101	92	107	147	184	200	174	99	15	1	10
99	Diseases of the mouth and annexa	16	7				1			2	1	1	4						
100	Diseases of the pharynx	42	4	3	4	5	6	4	4	5	2	3	1	1					
101	Diseases of the esophagus	5	1	1			1						1	1					
102	Ulcer of the stomach	64	1					1	1	5	10	11	14	10	7	4			
103	Other diseases of the stomach (cancer excepted)	263	64	25	7	1	1	2	5	6	12	17	27	28	37	25	4		2
104	Diarrhea and enteritis (under 2 years)	1,057	653	404															
105	Diarrhea and enteritis (2 years and over)	383			123	26	6	16	14	7	9	14	24	43	49	37	10		5
106	Ankylostomiasis	7				1			5	1									
107	Intestinal parasites	5		1	3			1											
108	Appendicitis and typhlitis	160	2	2				16	46	36	23	14	8	10	3				
109	Hernia, intestinal obstruction (total)	174	22	8	4	5	2	3	8	9	12	23	18	26	22	11			1
	Hernia	47	4						2	2	2	7	5	11	8	6			
	Intestinal obstruction	127	18	8	4	5	2	3	6	7	10	16	13	15	14	5			1
110	Other diseases of the intestines	35	4	4	2			2	2	4	3	1	4	2	3	2	1		1
111	Acute yellow atrophy of the liver	7					1			2				2	1	1			
113	Cirrhosis of the liver	146									13	21	40	41	26	4			1
114	Biliary calculi	60				1			1	3	2	13	13	11	11	4		1	
115	Other diseases of the liver	93	4	2		2		1	3	1	9	20	21	12	13	5			
116	Diseases of the spleen	4	1							3									
117	Simple peritonitis (nonpuerperal)	64	2			1		3	9	8	10	6	8	10	2	5			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12							3		1	3	1	3		1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,775	11	9	3	7	9	15	29	66	100	136	244	388	489	232	28		9
119	Acute nephritis	125	2	3	1	4	5	8	6	11	18	9	18	15	18	6			1
120	Bright's disease	1,444	5	5	2	3	4	7	21	38	61	106	205	339	420	196	24		8
122	Other diseases of the kidneys and annexa	41	3	1						2	3	4	6	9	5	8			
123	Calculi of the urinary passages	12								1	2	2	3	1	3				
124	Diseases of the bladder	28	1										2	4	15	6			
125	Diseases of the urethra, urinary abscess, etc	1							1										
126	Diseases of the prostate	65											4	17	27	14	3		
127	Nonvenereal diseases of the male genital organs	1														1			
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	13								1	2	5	2	1	1	1			
130	Other diseases of the uterus	19							1	2	8	6	1	1					
131	Cysts and other tumors of the ovary	8								2	2	2	1	1					
132	Salpingitis and other diseases of the female genital organs	17								9	4	1	2			1			
	VII.—The puerperal state	282							36	106	103	36							1
134	Accidents of pregnancy	38							1	16	16	5							
135	Puerperal hemorrhage	30							1	5	15	9							
136	Other accidents of labor	19							1	6	8	4							
137	Puerperal septicemia	120							11	58	43	7							1
138	Puerperal albuminuria and convulsions	68							21	18	20	9							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7							1	3	1	2							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	67	10	3	.....	1	.....	3	2	5	3	2	5	7	8	15	3	.....	.....
142	Gangrene	31	1	.....	.....	.....	.....	2	.....	2	2	.....	2	3	4	12	3	.....	.....
143	Furuncle	10	.....	.....	.....	.....	.....	.....	1	1	1	.....	2	2	1	2	.....	.....	.....
144	Acute abscess	10	1	2	.....	1	.....	1	1	1	.....	1	1	.....	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	16	8	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	2	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	37	5	.....	1	1	.....	6	4	3	5	1	5	3	2	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	31	5	.....	1	1	.....	6	4	3	4	1	4	.....	1	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	X.—Malformations	216	197	7	5	1	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	216	197	7	5	1	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	21	14	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	108	102	.....	1	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	87	81	3	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,532	1,532	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,336	1,336	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	995	995	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	341	341	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	194	194	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	98	98	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	96	96	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	399	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	100	186	95	6	.....
154	Senility	399	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	10	100	186	95	6	.....
	XIII.—External causes	1,543	80	45	51	31	25	69	204	262	180	141	134	114	102	71	13	.....	21
	Suicide (total)	177	.....	.....	.....	.....	.....	.....	11	41	25	32	39	16	12	.....	.....	.....	1
155	By poison	39	.....	.....	.....	.....	.....	.....	2	18	3	4	7	2	3	.....	.....	.....	.....
157	By hanging or strangulation	22	.....	.....	.....	.....	.....	.....	.....	2	3	6	4	4	3	.....	.....	.....	.....
158	By drowning	14	.....	.....	.....	.....	.....	.....	.....	.....	1	1	7	2	2	.....	.....	.....	1
159	By firearms	87	.....	.....	.....	.....	.....	.....	7	18	17	16	19	7	3	.....	.....	.....	.....
160	By cutting or piercing instruments	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	8	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	1,226	78	45	51	31	25	69	182	182	121	79	82	94	87	70	13	.....	17
164	Poisoning by food	16	4	2	1	.....	.....	2	3	1	1	1	.....	1	.....	.....	.....	.....	.....
165	Other acute poisonings	40	4	3	4	1	2	5	4	2	3	1	5	4	2	.....	.....	.....	.....
166	Conflagration	15	2	3	1	2	1	1	1	1	.....	1	.....	1	1	.....	.....	.....	.....
167	Burns (conflagration excepted)	186	10	20	31	20	15	19	16	18	6	3	4	8	9	6	.....	.....	1
168	Absorption of deleterious gases (conflagration excepted)	44	31	1	.....	1	.....	.....	1	2	6	1	1	.....	.....	.....	.....	.....	.....
169	Accidental drowning	88	3	4	3	1	2	5	27	18	6	5	4	3	3	1	.....	.....	3
170	Traumatism by firearms	88	.....	1	.....	2	1	8	29	19	14	6	2	4	1	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	153	5	4	1	2	.....	5	10	10	7	9	10	15	31	34	8	.....	2
173	Traumatism in mines and quarries (total)	70	.....	.....	.....	.....	.....	.....	13	20	20	6	5	2	.....	.....	.....	.....	4
	Traumatism in mines	70	.....	.....	.....	.....	.....	.....	13	20	20	6	5	2	.....	.....	.....	.....	4
174	Traumatism by machines	27	.....	.....	.....	.....	.....	1	6	4	5	7	1	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	260	2	1	1	1	2	14	48	54	32	19	26	34	12	6	1	.....	7
	Railroad accidents and injuries	154	.....	1	.....	.....	.....	3	31	45	20	13	14	10	7	2	1	.....	7
	Street-car accidents and injuries	12	.....	.....	1	.....	.....	1	1	1	1	.....	3	4	.....	.....	.....	.....	.....
	Automobile accidents and injuries	36	.....	.....	.....	.....	1	2	6	3	6	2	4	9	3	.....	.....	.....	.....
	Injuries by other vehicles	46	2	.....	.....	1	1	5	8	4	4	1	4	10	2	4	.....	.....	.....
	Landslide, other crushing	12	.....	.....	.....	.....	.....	3*	2	1	1	3	1	1	.....	.....	.....	.....	.....
176	Injuries by animals	20	.....	1	1	.....	.....	3	5	1	2	1	2	2	2	.....	.....	.....	.....
177	Starvation	3	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	4	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	.....	.....
179	Effects of heat	18	1	.....	.....	.....	.....	.....	1	1	4	4	1	4	1	1	.....	.....	.....
180	Lightning	19	.....	.....	1	.....	.....	2	5	4	2	1	.....	3	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	9	.....	.....	.....	.....	.....	.....	2	6	.....	1	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	55	.....	.....	.....	.....	1	.....	1	2	3	2	9	4	14	16	3	.....	.....
186	Other external violence	107	16	5	6	1	1	3	9	17	8	8	12	6	9	5	1	.....	.....
	Homicide (total)	140	2	.....	.....	.....	.....	.....	11	39	34	30	13	4	3	1	.....	.....	* 3
182	By firearms	106	.....	.....	.....	.....	.....	.....	8	31	27	21	9	4	3	1	.....	.....	2
183	By cutting or piercing instruments	16	.....	.....	.....	.....	.....	.....	2	5	3	4	2	.....	.....	.....	.....	.....	.....
184	By other means	18	2	.....	.....	.....	.....	.....	1	3	4	5	2	.....	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	920	511	56	13	8	3	21	12	20	25	24	43	63	68	37	8	.....	8
187	Ill-defined organic disease	28	.....	1	1	1	.....	.....	1	2	.....	4	3	5	9	.....	1	.....	.....
188	Sudden death	40	7	.....	1	.....	.....	2	.....	.....	3	3	8	4	9	2	1	.....	.....
189	Not specified or ill-defined (total)	852	504	55	11	7	3	19	11	18	22	17	32	54	50	35	6	.....	8
	Ill-defined	238	92	29	7	1	1	8	3	7	5	16	19	26	14	7	2	.....	1
	Not specified or unknown	614	412	26	4	6	2	11	8	11	17	1	13	28	36	28	4	.....	7

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED).																		
	All causes	5,272	677	184	60	46	32	118	364	690	647	588	591	486	403	205	66	29	86
	I.—General diseases	1,924	122	65	22	22	15	62	245	412	295	232	159	119	80	35	9	1	29
1	Typhoid fever	113	.....	2	.....	2	3	8	30	30	12	12	10	6	2	.....	.....	.....	1
4	Malaria	37	3	2	3	.....	.....	3	4	5	3	3	4	2	2	1	1	.....	1
6	Measles	10	4	2	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	60	34	17	2	2	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	31	10	3	3	7	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	132	10	10	1	.....	.....	1	6	11	6	10	16	14	23	16	4	1	3
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
14	Dysentery	27	11	4	.....	.....	.....	.....	.....	1	1	.....	.....	4	5	.....	1	.....	.....
18	Erysipelas	4	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	10	1	.....	.....	.....	.....	.....	3	.....	4	.....	.....	1	1	.....	.....	.....	.....
24	Tetanus	16	.....	.....	.....	1	.....	2	4	1	3	1	1	2	.....	.....	.....	.....	1
26	Pellagra	8	.....	.....	.....	.....	.....	.....	.....	4	1	2	.....	.....	.....	1	.....	.....	.....
	Tuberculosis (total)	1,147	25	20	12	10	6	39	181	332	226	136	72	39	28	5	.....	.....	16
28	Tuberculosis of the lungs	1,007	13	15	5	6	5	25	156	311	204	124	65	33	26	5	.....	.....	14
29	Acute miliary tuberculosis	35	.....	1	.....	.....	.....	2	9	9	8	4	2	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	41	9	4	7	4	.....	6	7	2	1	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	39	3	.....	.....	.....	1	3	3	6	9	6	4	4	.....	.....	.....	.....	.....
32	Pott's disease	4	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
33	White swellings	3	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	13	.....	.....	.....	.....	.....	1	4	1	1	1	1	1	1	.....	.....	.....	2
35	Disseminated tuberculosis	5	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	1	.....	.....	.....	.....
36	Rickets	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	33	11	2	.....	.....	.....	.....	5	9	20	18	9	5	1	.....	.....	.....	3
38	Gonococcus infection	11	.....	.....	.....	.....	.....	.....	1	5	.....	3	1	.....	.....	.....	.....	.....	1
	Cancer and other malignant tumors (total)	125	.....	.....	.....	.....	1	1	4	2	11	33	26	29	9	7	1	.....	1
39	Of the buccal cavity	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
40	Of the stomach, liver	42	.....	.....	.....	.....	1	1	1	1	2	7	11	15	2	1	.....	.....	.....
41	Of the peritoneum, intestines, rectum	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	4	1	2	.....	.....	.....
42	Of the female genital organs	32	.....	.....	.....	.....	.....	.....	.....	1	6	11	4	5	2	1	1	.....	1
43	Of the breast	14	.....	.....	.....	.....	.....	.....	.....	.....	1	3	4	2	3	1	.....	.....	.....
45	Of other organs or of organs not specified	18	.....	.....	.....	.....	.....	.....	3	.....	1	7	3	2	1	1	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	28	1	.....	.....	.....	.....	.....	1	1	.....	5	4	6	5	2	2	.....	1
48	Chronic rheumatism and gout	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
50	Diabetes	28	.....	.....	.....	.....	.....	.....	.....	2	4	4	8	7	1	1	.....	.....	1
51	Exophthalmic goiter	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....
53	Leukemia	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	14	8	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	.....	.....	.....
55	Other general diseases	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	16	.....	.....	.....	.....	.....	.....	.....	6	2	3	4	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	424	26	12	3	.....	2	8	10	14	34	62	77	65	60	31	7	4	9
60	Encephalitis	4	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	26	6	5	1	.....	2	2	4	1	2	2	.....	1	.....	.....	.....	.....	.....
	Simple meningitis	16	2	4	1	.....	1	2	3	1	.....	2	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	6	2	1	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	4	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	20	1	.....	2	.....	.....	1	1	.....	1	1	6	2	4	.....	1	.....	.....
	Acute anterior poliomyelitis	5	1	.....	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	15	.....	.....	.....	.....	.....	.....	1	.....	1	1	5	2	4	.....	1	.....	.....
64	Cerebral hemorrhage, apoplexy	195	.....	1	.....	.....	.....	2	1	4	11	34	43	41	29	18	6	1	4
65	Softening of the brain	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....
66	Paralysis without specified cause	67	.....	.....	.....	.....	.....	.....	.....	.....	3	7	10	15	15	11	.....	3	3
67	General paralysis of the insane	43	.....	.....	.....	.....	.....	.....	.....	2	6	9	12	3	7	2	.....	.....	2
68	Other forms of mental alienation	7	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	.....	2	.....	.....	.....	.....
69	Epilepsy	21	1	1	.....	.....	.....	1	3	6	4	3	1	.....	1	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
71	Convulsions of infants	20	16	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	10	.....	.....	.....	.....	.....	1	1	.....	3	2	1	.....	2	.....	.....	.....	.....
76	Diseases of the ears	2	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	575	4	2				5	13	27	61	89	127	91	86	42	14	6	8
77	Pericarditis	11						1	2		2	2	1	1	2				
78	Acute endocarditis	52		1					4	6	9	15	14	3					
79	Organic diseases of the heart	447	2	1				3	7	21	44	66	102	80	70	29	10	6	6
80	Angina pectoris	10						1			1	2	3	1	2				
81	Diseases of the arteries, atheroma, aneurism, etc	45									4	4	7	4	10	11	4		1
82	Embolism and thrombosis	6									1			2	1	1			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1														1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
85	Hemorrhage; other diseases of the circulatory system	2	1												1				
	IV.—Diseases of the respiratory system	607	114	48	16	7	4	15	19	55	65	60	63	50	58	21	5	3	4
86	Diseases of the nasal fossae	2	2																
88	Diseases of the thyroid body	2									1		1						
89	Acute bronchitis	46	19	10	5	1	1			2	1	1	3	1	2				
90	Chronic bronchitis	49	2	1				2	4	6	10	2	6	6	7	1		1	1
91	Bronchopneumonia	113	48	16	6	2	1	3	3	4	3	6	3	4	5	5	2	1	1
92	Pneumonia (total)	350	39	20	5	3	2	9	12	41	41	42	48	33	40	12	2	1	
	Lobar pneumonia	262	25	13	1	3		5	7	34	33	36	37	27	30	10		1	
	Pneumonia (undefined)	88	14	7	4		2	4	5	7	8	6	11	6	10	2	2		
93	Pleurisy	11	1			1						3	1	2	1	1	1		
94	Pulmonary congestion, pulmonary apoplexy	10	3							1	2	3		1					
95	Gangrene of the lung	1									1								
96	Asthma	17		1				1		1	4	2	1	2	3	1			1
98	Other diseases of the respiratory system (tuberculosis excepted)	6									2	1		1		1			1
	V.—Diseases of the digestive system	434	120	36	9	4	3	6	14	33	35	41	49	39	30	11	1	1	2
99	Diseases of the mouth and annexa	4	1										2		1				
100	Diseases of the pharynx	5		1				1				1		2					
102	Ulcer of the stomach	24							2	2	4	7	7	2					
103	Other diseases of the stomach (cancer excepted)	59	12	2	1	1			1	5	9	4	7	5	8	3	1		
104	Diarrhea and enteritis (under 2 years)	131	100	31															
105	Diarrhea and enteritis (2 years and over)	54			7	3		1	3	3	5	7	8	3	11	2		1	
108	Appendicitis and typhlitis	27			1			3	4	8	4	3	4						
109	Hernia, intestinal obstruction (total)	40	3				2	1	1	4		4	4	12	5	2			2
	Hernia	18	1									1	4	7	3	1			1
	Intestinal obstruction	22	2				2	1	1	4		3		5	2	1			1
110	Other diseases of the intestines	14	4	1					1			3	2	2		1			
111	Acute yellow atrophy of the liver	1										1							
112	Hydatid tumor of the liver	1								1									
113	Cirrhosis of the liver	34					1			3	5	7	5	9	3	1			
114	Biliary calculi	7								1		1	2	3					
115	Other diseases of the liver	12		1						1	4	1	2	1	1	1			
116	Diseases of the spleen	1											1						
117	Simple peritonitis (nonpuerperal)	18							2	5	4	2	4			1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2											1		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	474	4	2	3		1	2	7	39	60	74	85	91	57	31	11		7
119	Acute nephritis	37	2	2	1				2	8	3	6	8	2	2	1			
120	Bright's disease	364	1		2		1		4	19	37	59	70	84	47	24	10		6
122	Other diseases of the kidneys and annexa	4	1					1			1				1				
124	Diseases of the bladder	12						1		2	2	1	1	1	3	1			
125	Diseases of the urethra, urinary abscess, etc	1										1							
126	Diseases of the prostate	8													1	2	5		
129	Uterine tumor (noncancerous)	20								2	6	4	5	1			1		1
130	Other diseases of the uterus	9								2	3	2	1	1					
131	Cysts and other tumors of the ovary	4									1			1	2				
132	Salpingitis and other diseases of the female genital organs	15							1	6	7	1							
	VII.—The puerperal state	52							11	19	17	5							
134	Accidents of pregnancy	5								2	3								
135	Puerperal hemorrhage	2								1	1								
136	Other accidents of labor	10							2	2	5	1							
137	Puerperal septicemia	25							5	12	4	4							
138	Puerperal albuminuria and convulsions	10							4	2	4								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	KENTUCKY (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	13									1	2	1		2	3	1	1	2
142	Gangrene	9										1	1		1	3	1	1	1
144	Acute abscess	4									1	1			1				1
	IX.—Diseases of the bones and of the organs of locomotion	2									1		1						
146	Diseases of the bones (tuberculosis excepted)	2									1		1						
	X.—Malformations	17	14	2	1														
150	Congenital malformations (stillbirths not included) (total)	17	14	2	1														
	Hydrocephalus	5	2	2	1														
	Congenital malformations of the heart	6	6																
	Other congenital malformations	6	6																
	XI.—Early infancy	212	212																
151	Congenital debility, icterus, and sclerema (total)	188	188																
	Premature birth	129	129																
	Congenital debility, "atrophy," "marasmus," etc	59	59																
152	Other causes peculiar to early infancy (total)	24	24																
	Injuries at birth	7	7																
	Other causes peculiar to early infancy[1]	17	17																
	XII.—Old age	63												2	10	21	16	9	5
154	Senility	63												2	10	21	16	9	5
	XIII.—External causes	335	4	8	6	12	7	18	41	83	71	19	20	13	9	4	1		19
	Suicide (total)	4								1	2		1						
155	By poison	1									1								
159	By firearms	2									1		1						
162	By crushing	1								1									
	Accidental or undefined (total)	234	4	8	6	12	7	18	30	40	38	11	18	13	9	4	1		15
164	Poisoning by food	3		1	1				1										
165	Other acute poisonings	6	1	2				1		1			1						
166	Conflagration	5	1			1	1						1						1
167	Burns (conflagration excepted)	51		3	2	9	4	9	4	3	3		2	4	3	2	1		2
168	Absorption of deleterious gases (conflagration excepted)	6	1	1					1			2	1						
169	Accidental drowning	27						2	13	3	6				1	1			1
170	Traumatism by firearms	24					2	3	3	8	6		1						1
172	Traumatism by fall	18		1		1		2		4	3	1	4	1	1				
173	Traumatism in mines and quarries (total)	17							3	5	3	3	1	1					1
	Traumatism in mines	16							3	5	2	3	1	1					1
	Traumatism in quarries	1									1								
174	Traumatism by machines	1									1								
175	Traumatism by other crushing (total)	48			1	1			5	14	8	3	3	2	2	1			8
	Railroad accidents and injuries	34			1				4	10	7	2	1		2				7
	Street-car accidents and injuries	3								1	1		1						
	Automobile accidents and injuries	5								3				1		1			
	Injuries by other vehicles	6				1			1			1	1	1					1
176	Injuries by animals	1			1														
178	Excessive cold	3									2								1
179	Effects of heat	5									2	1	2						
180	Lightning	1						1											
181	Electricity (lightning excepted)	1								1									
185	Fractures (cause not specified)	3									1		2						
186	Other external violence	14	1		1					1	3	1	2	3	2				
	Homicide (total)	97							11	42	31	8	1						4
182	By firearms	73							9	33	22	5	1						3
183	By cutting or piercing instruments	15							1	6	7								1
184	By other means	9							1	3	2	3							
	XIV.—Ill-defined diseases	140	57	9		1		2	4	8	7	4	9	16	11	6	1	4	1
187	Ill-defined organic disease	8							1		2		1	2		1		1	
188	Sudden death	8	1							1		3			2				1
189	Not specified or ill-defined (total)	124	56	9		1		2	3	7	5	1	8	14	9	5	1	3	
	Ill-defined	28	5	5		1		1	1	2	1		1	6	4	1			
	Not specified or unknown	96	51	4				1	2	5	4	1	7	8	5	4	1	3	

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE.																		
	All causes	12,147	1,735	219	111	62	53	175	360	593	682	871	1,203	1,819	2,431	1,527	257	12	37
	I.—General diseases	2,940	190	63	42	18	19	61	143	282	279	326	384	455	431	211	24		9
1	Typhoid fever	86			2		1	1	10	25	17	12	9	9					
4	Malaria	1											1						
6	Measles	15	3	5	1	1	1	2			1					1			
7	Scarlet fever	4			2	1				1									
8	Whooping cough	125	89	20	10	2	1	3											
9	Diphtheria and croup	58	7	7	8	6	6	17	3	1	1	2							
10	Influenza	378	37	9	4	1	1	8	7	2	5	12	27	40	109	95	19		2
13	Cholera nostras	8	2	2	1									1	1	1			
14	Dysentery	12	1	1		1	1	2				1		1	2	2			
16	Yellow fever	1								1									
18	Erysipelas	21	5					1			1	3	4	2	3	2			
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	25	1			1		2	2	2		5	2	6	3	1			
24	Tetanus	7	1					2	2	1			1						
25	Mycoses	1												1					
26	Pellagra	15									3	5	1	4	1	1			
	Tuberculosis (total)	897	22	11	9	3	6	15	97	219	170	134	87	78	33	9	1		3
28	Tuberculosis of the lungs	716	6	2	2		2	4	69	191	143	117	71	63	33	9	1		3
29	Acute miliary tuberculosis	25							6	6	4	3	5	1					
30	Tuberculous meningitis	58	11	8	5	3	3	7	12	3	2	4							
31	Abdominal tuberculosis	45	5	1	2			1	3	10	9	5	3	6					
32	Pott's disease	14						2	3	3	5			1					
33	White swellings	4							2				2						
34	Tuberculosis of other organs	17					1	1		3	2	2	5	3					
35	Disseminated tuberculosis	18							2	3	5	3	1	4					
36	Rickets	2	2																
37	Syphilis	39	8	1				1	2	1	7	7	8	4					
38	Gonococcus infection	8	1						2	3	1	1							
	Cancer and other malignant tumors (total)	874	1	1	2			2	1	7	37	101	180	235	219	83	3		2
39	Of the buccal cavity	32			1							4	3	8	9	6	1		
40	Of the stomach, liver	314						1		1	7	24	59	96	93	30	1		2
41	Of the peritoneum, intestines, rectum	161			1					2	4	20	35	41	46	12			
42	Of the female genital organs	123								1	16	30	34	24	14	4			
43	Of the breast	85									2	12	26	22	15	8			
44	Of the skin	31									1	1		11	9	9			
45	Of other organs or of organs not specified	128	1	1				1	1	3	7	10	23	33	33	14	1		
46	Other tumors (tumors of the female genital organs excepted)	8										1	1	3		3			
47	Acute articular rheumatism	25				1	1	2	3	2	3	1	3	6	2	1			
48	Chronic rheumatism and gout	14								1			1	2	5	5			
49	Scurvy	1	1																
50	Diabetes	152	1		1			3	9	8	14	7	30	41	33	4			1
51	Exophthalmic goiter	4								1			1	2					
52	Addison's disease	5								1		2	1		1				
53	Leukemia	20	1					1		4	3	1	3	2	4	1			
54	Anemia, chlorosis	61	2		2		1	2	3	1	3	15	8	12	10	1	1		
55	Other general diseases	21	6	4	1				1		2	1	2	1	2				1
56	Alcoholism (acute or chronic)	39							1	1	11	13	9	2	2				
57	Chronic lead poisoning	9										2	4	2	1				
59	Other chronic poisonings	3											1	1		1			
	II.—Diseases of the nervous system and of the organs of special sense	1,447	58	10	8	5	6	14	23	27	52	88	179	293	421	234	25		4
60	Encephalitis	4	1									1		2					
61	Meningitis (total)	65	20	1	3	3	3	3	7	5	2	5	2	1	3		1		
	Simple meningitis	41	16	1	2	2		1	4	4	1	4	2	1	2		1		
	Cerebrospinal meningitis (undefined)	9	3				1		2	1	1	1							
	Cerebrospinal fever	15	7		1	1	2	2	1						1				
62	Locomotor ataxia	34								1	2	5	9	10	6		1		
63	Other diseases of the spinal cord (total)	83	4	2	3	1	2	8	9	7	4	4	11	9	12	6			1
	Acute anterior poliomyelitis	28	2	2	3	1	2	7	5	5		1							
	Other diseases of the spinal cord [1]	55	2					1	4	2	4	3	11	9	12	6			1
64	Cerebral hemorrhage, apoplexy	987		1					1	5	13	39	121	216	356	213	20		2
65	Softening of the brain	11										2	1	3	2	2	1		
66	Paralysis without specified cause	69	2						1		2	5	7	25	18	9			
67	General paralysis of the insane	67								1	14	17	14	7	10	2	1		1
68	Other forms of mental alienation	17									3	3	4	4	2		1		
69	Epilepsy	37	2	1					2	6	6	4	3	6	4	1			
70	Convulsions (nonpuerperal)	2							1			1							
71	Convulsions of infants	24	17	4	2		1												
72	Chorea	3	2												1				
73	Neuralgia and neuritis	7									1		3	1	2				
74	Other diseases of the nervous system	27	2	1		1				2	5	1	2	7	5	1			
76	Diseases of the ears	10	2					3	2				1		2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																	
	III.—Diseases of the circulatory system	2,097	10	3	1	1	1	12	14	23	51	84	221	449	732	434	54	1	6
77	Pericarditis	12									1		4	3	3	1			
78	Acute endocarditis	48	2					4	4	2	2	10	12	7	3	2			
79	Organic diseases of the heart	1,479	6	3	1	1	1	6	8	19	40	62	166	329	512	287	34		4
80	Angina pectoris	117									2	2	17	31	51	13			1
81	Diseases of the arteries, atheroma, aneurism, etc	381						1			1	5	11	68	149	124	20	1	1
82	Embolism and thrombosis	46							1	2	4	5	8	9	11	6			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4									1		2		1				
84	Diseases of the lymphatic system (lymphangitis, etc)	2	1						1										
85	Hemorrhage; other diseases of the circulatory system	8	1					1					1	2	2	1			
	IV.—Diseases of the respiratory system	1,313	198	62	19	10	9	25	26	43	74	99	112	170	243	186	34	2	1
86	Diseases of the nasal fossae	2		1												1			
87	Diseases of the larynx	6	2		1			1		1	1								
88	Diseases of the thyroid body	5								1	2		2						
89	Acute bronchitis	104	33	8	2	1	2	3	1		1		2	8	19	20	3	1	
90	Chronic bronchitis	72								1	1	2	2	8	26	23	9		
91	Bronchopneumonia	374	94	34	7	5	1	8	4	4	12	14	17	36	70	59	8	1	
92	Pneumonia (total)	688	64	17	9	3	6	12	17	35	55	78	79	111	112	77	12		1
	Lobar pneumonia	534	44	11	3	3	4	8	14	27	43	64	62	95	82	63	10		1
	Pneumonia (undefined)	154	20	6	6		2	4	3	8	12	14	17	16	30	14	2		
93	Pleurisy	21	1	1		1		1	3		1	3	5	2	3				
94	Pulmonary congestion, pulmonary apoplexy	20	4											3	6	5	2		
95	Gangrene of the lung	2							1			1							
96	Asthma	11								1		1	2		6	1			
97	Pulmonary emphysema	2											1		1				
98	Other diseases of the respiratory system (tuberculosis excepted)	6		1							1		2	2					
	V.—Diseases of the digestive system	1,108	465	59	23	14	11	23	37	33	38	63	76	95	100	61	7	1	2
99	Diseases of the mouth and annexa	5	1					1					3						
100	Diseases of the pharynx	15	1	3		1	2	1	2				1	3		1			
102	Ulcer of the stomach	23							1	2	1		1	9	8	1			
103	Other diseases of the stomach (cancer excepted)	108	29	2	2				1	1	2	9	7	14	22	17	1	1	
104	Diarrhea and enteritis (under 2 years)	466	415	51															
105	Diarrhea and enteritis (2 years and over)	101			18	11	4	7	1		4	5	7	10	17	14	3		
108	Appendicitis and typhlitis	101			1	2	4	14	24	13	12	9	10	8	3	1			
109	Hernia, intestinal obstruction (total)	104	14	1	2		1		4	5	3	15	10	19	17	12	1		
	Hernia	35	2	1							1	4	6	9	6	6			
	Intestinal obstruction	69	12		2		1		4	5	2	11	4	10	11	6	1		
110	Other diseases of the intestines	29	1	2					1	3	2	3	4	4	5	4			
111	Acute yellow atrophy of the liver	2											2						
112	Hydatid tumor of the liver	2									1			1					
113	Cirrhosis of the liver	64							1	1	2	9	14	12	18	5	1		1
114	Biliary calculi	27								2	1	4	7	6	4	1	1		1
115	Other diseases of the liver	45	4						1	2	8	4	8	9	4	5			
117	Simple peritonitis (nonpuerperal)	12								3	2	4	1		2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4							1	1		1	1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,073	7			1		2	12	34	53	94	132	251	332	139	15		1
119	Acute nephritis	58	3			1		1	2	10	6	7	5	11	9	2	1		
120	Bright's disease	861	3					1	5	16	30	74	116	218	272	115	10		1
122	Other diseases of the kidneys and annexa	25								3	2	1	2	6	5	6			
123	Calculi of the urinary passages	4											1	3					
124	Diseases of the bladder	30	1							2		1	1	3	15	5	2		
125	Diseases of the urethra, urinary abscess, etc	3									1	1			1				
126	Diseases of the prostate	35										1	1	4	19	8	2		
127	Nonvenereal diseases of the male genital organs	3													2	1			
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	17									3		3	2	8	1			
130	Other diseases of the uterus	18							2	2	5	5	2	1		1			
131	Cysts and other tumors of the ovary	3												2	1				
132	Salpingitis and other diseases of the female genital organs	14							2	1	6	4	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	1												1					
	VII.—The puerperal state	125							14	53	48	10							
134	Accidents of pregnancy	10							3	1	5	1							
135	Puerperal hemorrhage	12								5	5	2							
136	Other accidents of labor	17							1	8	5	3							
137	Puerperal septicemia	31							2	16	12	1							
138	Puerperal albuminuria and convulsions	48							8	21	18	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								2	3	2							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MAINE—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	60	3	1	1				2	1	3	4	1	10	12	18	4		
142	Gangrene	35	1									2		3	10	16	3		
143	Furuncle	11							1	1	2	2	1	2	2				
144	Acute abscess	6	1		1						1			2			1		
145	Other diseases of the skin and annexa	8	1	1					1					3		2			
	IX.—Diseases of the bones and of the organs of locomotion	21		1	1			1	2	1	1	5	3	3	2	1			
146	Diseases of the bones (tuberculosis excepted)	16		1	1			1	1	1	1	3	3	3		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5							1			2			2				
	X.—Malformations	101	92	3		2	1	1	2										
150	Congenital malformations (stillbirths not included) (total)	101	92	3		2	1	1	2										
	Hydrocephalus	15	11	1		1	1		1										
	Congenital malformations of the heart	52	48	1		1		1	1										
	Other congenital malformations	34	33	1															
	XI.—Early infancy	622	622																
151	Congenital debility, icterus, and sclerema (total)	507	507																
	Premature birth	319	319																
	Congenital debility, "atrophy," "marasmus," etc	188	188																
152	Other causes peculiar to early infancy (total)	111	111																
	Injuries at birth	45	45																
	Other causes peculiar to early infancy[1]	66	66																
153	Lack of care	4	4																
	XII.—Old age	330												3	71	174	75	6	1
154	Senility	330												3	71	174	75	6	1
	XIII.—External causes	703	13	12	14	8	6	31	78	91	79	84	79	59	63	57	17	2	10
	Suicide (total)	111							3	16	17	15	33	14	8	5			
155	By poison	12							1	2	5	2	1	1					
156	By asphyxia	7								1		1		2					
157	By hanging or strangulation	21								2	5	1	3	2					
158	By drowning	8										1	11	1					
159	By firearms	50							2	8	6	7	3	1	2	1			
160	By cutting or piercing instruments	11								2	1	3	11	9	3	4			
163	Other suicides	2								1			3		2				
	Accidental or undefined (total)	583	13	12	14	8	6	31	72	74	61	67	46	45	53	52	17	2	10
164	Poisoning by food	10	3		1		1			1	2	1	1						
165	Other acute poisonings	12		3	2					3	2			1	1				
166	Conflagration	21			1	1		1	2	3	2	1	2	2	4	2			
167	Burns (conflagration excepted)	32	1	4	2	2	1	2		2		1	2	2	4	4	2		
168	Absorption of deleterious gases (conflagration excepted)	11	5					1			1			3	1				
169	Accidental drowning	124	1	5	3	1	2	11	31	26	13	17	3	3	4				4
170	Traumatism by firearms	26						4	14	1	3	2			2				
171	Traumatism by cutting or piercing instruments	2												1		1			
172	Traumatism by fall	127	1		1	2		2	2	4	7	9	11	12	24	37	13	2	
173	Traumatism in mines and quarries (total)	4										4							
	Traumatism in quarries	4										4							
174	Traumatism by machines	15						1	3	2	3	4	1						1
175	Traumatism by other crushing (total)	122	1		3		1	5	11	24	19	17	15	11	5	3			4
	Railroad accidents and injuries	60			2			1	4	17	14	12	3	2	1				4
	Street-car accidents and injuries	7								1	3		1	1	1				
	Automobile accidents and injuries	35	1		1		1	3	10	5		4	6	3	1				
	Injuries by other vehicles	17						1		1			5	5	2	3			
	Landslide, other crushing	3									2	1							
176	Injuries by animals	4						2			1			1					
178	Excessive cold	9					1			1	1		1	1		1			1
179	Effects of heat	5										1	2	1					
180	Lightning	4							1	1		1	1	1	2				
181	Electricity (lightning excepted)	1									1								
185	Fractures (cause not specified)	13							1	2			2	1	4	2	1		
186	Other external violence	41	1		1	2		2	4	4	6	5	5	6	2	2	1		
	Homicide (total)	9							3	1	1	2			2				
182	By firearms	4							1	1	1	1							
184	By other means	5							2			1			2				
	XIV.—Ill-defined diseases	207	77	5	2	3		2	7	5	4	14	16	31	24	12	2		3
187	Ill-defined organic disease	3												1	1	1			
188	Sudden death	29	7	1						1	1	4	3	7	4				1
189	Not specified or ill-defined (total)	175	70	4	2	3		2	7	4	3	10	13	23	19	11	2		2
	Ill-defined	75	13	2	1	3			2	2	1	8	9	17	11	5	1		
	Not specified or unknown	100	57	2	1			2	5	2	2	2	4	6	8	6	1		2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL).																		
	All causes	22,512	4,070	790	334	189	132	435	924	1,651	1,753	2,175	2,532	2,946	2,900	1,380	208	19	74
	I.—General diseases	5,975	334	190	104	70	52	176	451	898	781	800	744	690	490	163	15	.....	17
1	Typhoid fever	265	.....	.....	3	4	1	22	58	80	43	32	12	6	2	1	.....	.....	1
4	Malaria	17	2	1	.....	.....	.....	2	3	1	4	2	2	.....	.....	.....	.....	.....	.....
6	Measles	108	26	40	10	6	3	13	6	1	1	1	1	.....	.....	.....	.....	.....	.....
7	Scarlet fever	52	5	2	3	4	6	16	12	1	2	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	173	88	47	18	9	5	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	170	14	24	21	19	18	45	13	6	4	2	2	1	1	.....	.....	.....	.....
10	Influenza	351	21	9	6	3	2	9	9	17	17	20	38	48	85	59	7	.....	1
13	Cholera nostras	8	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	2	1	.....	.....	.....
14	Dysentery	55	7	1	3	2	1	2	.....	.....	1	4	3	11	11	8	1	.....	.....
18	Erysipelas	37	5	1	.....	.....	.....	.....	1	1	4	4	10	3	2	6	.....	.....	.....
19	Other epidemic diseases	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	28	1	.....	2	2	1	1	1	3	5	2	3	2	3	1	1	.....	.....
23	Rabies	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	26	10	.....	.....	1	.....	3	2	1	1	4	3	1	.....	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	3	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,726	40	49	32	12	15	39	308	719	552	417	266	184	62	17	1	.....	13
28	Tuberculosis of the lungs	2,349	13	23	12	3	4	17	246	647	509	375	247	169	54	16	1	.....	13
29	Acute miliary tuberculosis	118	7	4	2	1	3	5	22	26	19	18	8	1	2	.....	.....	.....	.....
30	Tuberculous meningitis	97	17	17	11	6	3	11	14	10	2	4	1	1	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	86	1	3	5	2	1	4	15	20	12	10	4	5	4	.....	.....	.....	.....
32	Pott's disease	26	1	1	2	.....	1	1	4	4	5	1	2	1	2	1	.....	.....	.....
33	White swellings	7	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	4	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	26	1	1	.....	.....	2	.....	3	8	3	4	3	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	17	.....	.....	.....	.....	1	1	4	2	2	5	.....	2	.....	.....	.....	.....	.....
36	Rickets	14	7	3	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	218	87	7	2	1	.....	1	2	19	22	32	13	24	8	.....	.....	.....	.....
38	Gonococcus infection	12	.....	.....	.....	.....	.....	.....	2	4	2	3	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,195	1	1	2	.....	.....	3	3	15	66	204	289	310	244	51	5	.....	1
39	Of the buccal cavity	55	.....	.....	.....	.....	.....	.....	.....	1	1	4	13	17	16	3	.....	.....	.....
40	Of the stomach, liver	450	1	.....	.....	.....	.....	1	.....	4	13	53	116	139	109	13	1	.....	.....
41	Of the peritoneum, intestines, rectum	113	.....	.....	.....	.....	.....	.....	.....	4	5	14	31	23	27	9	.....	.....	.....
42	Of the female genital organs	189	.....	.....	.....	.....	.....	.....	.....	3	20	60	45	35	20	4	1	.....	1
43	Of the breast	147	.....	.....	.....	.....	.....	.....	.....	.....	10	41	38	34	16	8	.....	.....	.....
44	Of the skin	41	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	8	17	7	2	.....	.....
45	Of other organs or of organs not specified	200	.....	1	2	.....	.....	2	3	3	17	30	41	54	39	7	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	8	1	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	.....	1	2	.....	.....	.....
47	Acute articular rheumatism	57	.....	.....	1	1	.....	5	16	3	7	5	6	6	5	2	.....	.....	.....
48	Chronic rheumatism and gout	13	.....	.....	.....	.....	.....	.....	.....	.....	2	2	1	3	3	2	.....	.....	.....
49	Scurvy	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
50	Diabetes	220	.....	1	.....	1	.....	1	9	8	11	19	57	57	45	11	.....	.....	.....
51	Exophthalmic goiter	12	.....	.....	.....	.....	.....	.....	.....	4	3	2	2	.....	1	.....	.....	.....	.....
52	Addison's disease	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	.....	.....	.....	.....	.....
53	Leukemia	37	1	2	.....	.....	.....	2	5	4	3	4	7	6	3	.....	.....	.....	.....
54	Anemia, chlorosis	53	6	.....	1	.....	.....	2	.....	2	5	10	9	10	8	.....	.....	.....	.....
55	Other general diseases	16	9	1	.....	2	.....	2	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	76	.....	.....	.....	.....	.....	.....	.....	6	22	17	17	9	3	1	.....	.....	1
57	Chronic lead poisoning	7	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,295	129	62	35	20	16	33	40	65	96	197	345	480	507	224	35	2	9
60	Encephalitis	9	1	.....	.....	1	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....	.....
61	Meningitis (total)	93	32	19	4	5	2	13	7	6	1	1	2	1	.....	.....	.....	.....	.....
	Simple meningitis	50	17	10	3	3	1	2	5	5	1	1	1	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	20	7	2	.....	2	.....	7	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	23	8	7	1	.....	1	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	21	.....	.....	.....	.....	.....	.....	.....	1	3	2	7	4	3	.....	1	.....	.....
63	Other diseases of the spinal cord (total)	178	17	28	22	12	12	14	9	2	1	7	16	13	22	3	.....	.....	.....
	Acute anterior poliomyelitis	111	17	28	22	12	11	14	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	67	.....	.....	.....	.....	1	.....	3	1	1	7	16	13	22	3	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,390	2	1	.....	.....	.....	.....	2	18	44	126	255	357	377	177	21	2	8
65	Softening of the brain	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	7	4	1	.....	.....
66	Paralysis without specified cause	241	.....	.....	1	.....	1	.....	.....	4	6	7	28	69	78	35	11	.....	1
67	General paralysis of the insane	97	.....	.....	.....	.....	.....	.....	1	2	17	27	27	11	9	3	.....	.....	.....
68	Other forms of mental alienation	19	.....	.....	.....	.....	.....	.....	.....	2	4	3	3	4	2	1	.....	.....	.....
69	Epilepsy	56	5	.....	.....	.....	.....	1	6	13	10	10	1	6	4	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
71	Convulsions of infants	77	62	10	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....
74	Other diseases of the nervous system	59	3	.....	3	1	.....	2	4	12	7	11	5	8	2	.....	1	.....	.....
76	Diseases of the ears	31	7	4	1	1	.....	1	7	3	.....	1	1	4	.....	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																	
	III.—Diseases of the circulatory system	2,845	13	5	8	1	1	21	68	89	161	298	462	629	693	352	36	3	5
77	Pericarditis	18						1		1	2	3	3	6			2		
78	Acute endocarditis	103	1	1	1		1	3	13	11	11	25	29	4	3				
79	Organic diseases of the heart	2,218	7	2	5	1		13	52	70	132	235	366	515	554	242	18	2	4
80	Angina pectoris	124	1					1		2	6	14	23	38	30	8	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	304								2	6	11	30	53	93	95	12	1	1
82	Embolism and thrombosis	53		1				1	3	3	3	8	5	12	9	5	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10									1	2	4		2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	4	1	2			1					1			1			
85	Hemorrhage; other diseases of the circulatory system	5						1					1	1	2				
	IV.—Diseases of the respiratory system	2,957	658	248	97	43	22	65	84	121	178	232	284	315	349	214	37	4	6
86	Diseases of the nasal fossae	6	2	1							1				1	1			
87	Diseases of the larynx	16	2	2	2		1	2	2	1			3	1					
88	Diseases of the thyroid body	4									1	1		1		1			
89	Acute bronchitis	195	94	21	13	2	2	1	3	2	6	2	3	7	16	18	4	1	
90	Chronic bronchitis	124		2			1		1	5	4	7	5	20	36	31	10	2	
91	Bronchopneumonia	1,059	431	157	55	21	10	29	14	12	28	32	44	71	90	54	11		
92	Pneumonia (total)	1,407	115	59	22	19	8	30	53	96	131	174	212	202	184	88	9		5
	Lobar pneumonia	1,253	79	46	20	17	6	24	50	89	123	169	200	185	162	72	7		4
	Pneumonia (undefined)	154	36	13	2	2	2	6	3	7	8	5	12	17	22	16	2		1
93	Pleurisy	52	4	4	3			2	8	3	4	4	10	4	4	2			
94	Pulmonary congestion, pulmonary apoplexy	38	8	1		1						1	2	2	4	15	3	1	
95	Gangrene of the lung	4							1					1	2				
96	Asthma	30	1	1	2				1		3	5	3	4	7	3			
97	Pulmonary emphysema	5										1		1	2	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	17	1					1	1	2		5	2	1	3				1
	V.—Diseases of the digestive system	2,380	1,174	227	48	22	13	40	49	78	98	138	136	144	155	51	5		2
99	Diseases of the mouth and annexa	20	12					1			1	2	1	2		1			
100	Diseases of the pharynx	45	4		3		3	7	8	7	1	5	3	1	2	1			
101	Diseases of the esophagus	4			1						1	2							
102	Ulcer of the stomach	38								2	8	8	8	6	3	3			
103	Other diseases of the stomach (cancer excepted)	169	42	6	2	1		5	3	6	10	18	16	12	36	11	1		
104	Diarrhea and enteritis (under 2 years)	1,296	1,082	214															
105	Diarrhea and enteritis (2 years and over)	177			38	17	8	8	5	5	7	13	12	17	27	16	3		1
107	Intestinal parasites	2					1							1					
108	Appendicitis and typhlitis	125		2	1	1		8	21	32	25	17	11	4	2	1			
109	Hernia, intestinal obstruction (total)	157	25	3	1	1	1	8	5	8	10	22	18	20	28	7			
	Hernia	71	5	1					1	4	5	13	11	12	17	2			
	Intestinal obstruction	86	20	2	1	1	1	8	4	4	5	9	7	8	11	5			
110	Other diseases of the intestines	32	4	1		1		1	2	2	5	3	2	4	4	2	1		
111	Acute yellow atrophy of the liver	8		1						3	2	1			1				
113	Cirrhosis of the liver	152						1		4	13	28	31	38	28	8			1
114	Biliary calculi	55									3	8	10	19	14	1			
115	Other diseases of the liver	61	2		1				1	4	7	5	19	15	7				
116	Diseases of the spleen	2								1	1								
117	Simple peritonitis (nonpuerperal)	22	1			1		1	2	2	3	3	4	3	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	15	2		1				2	2	1	3	1	2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,270	19	3	6	5	3	17	35	92	166	289	372	509	508	208	24	1	18
119	Acute nephritis	215	12		3	2	2	10	9	26	31	36	31	30	17	5			1
120	Bright's disease	1,869	3	1	2	2		7	21	50	103	214	325	454	462	191	22	1	11
122	Other diseases of the kidneys and annexa	36	3	2	1	1	1		1	2	4	4	3	8	6				
123	Calculi of the urinary passages	5									2					2			1
124	Diseases of the bladder	8	1								2		1		2	1	1		
125	Diseases of the urethra, urinary abscess, etc.	7								1	1	2	1	1	1				
126	Diseases of the prostate	44											5	14	16	8	1		
129	Uterine tumor (noncancerous)	31								3	6	17	3		2				
130	Other diseases of the uterus	22							2	5	6	6	1	1	1				
131	Cysts and other tumors of the ovary	11									1	5	2	1	1	1			
132	Salpingitis and other diseases of the female genital organs	22							2	5	10	5							
	VII.—The puerperal state	215							32	76	82	23	1						1
134	Accidents of pregnancy	21							1	7	10	2	1						
135	Puerperal hemorrhage	26							1	6	13	6							
136	Other accidents of labor	16								11	3	1							1
137	Puerperal septicemia	92							16	33	34	9							
138	Puerperal albuminuria and convulsions	54							14	17	19	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6								2	3	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	77	17	1				1	2	3	4	6	13	13	6	7	3	1	
142	Gangrene	30	2						1	3		2	2	8	3	6	2	1	
143	Furuncle	14	3					1				1	5	2	1	1			
144	Acute abscess	19	5						1		4	2	2	3	1		1		
145	Other diseases of the skin and annexa	14	7	1								1	4		1				
	IX.—Diseases of the bones and of the organs of locomotion	45	3	1		2		8	11	2	4	3	4	4	1	2			
146	Diseases of the bones (tuberculosis excepted)	35	2	1		2		8	10	1	1	2	4	3	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8	1						1	1	3	1		1					
149	Other diseases of the organs of locomotion	2														2			
	X.—Malformations	228	212	8	5	1		1	1										
150	Congenital malformations (stillbirths not included) (total)	228	212	8	5	1		1	1										
	Hydrocephalus	16	11	2	1			1	1										
	Congenital malformations of the heart	157	148	5	3	1													
	Other congenital malformations	55	53	1	1														
	XI.—Early infancy	1,329	1,329																
151	Congenital debility, icterus, and sclerema (total)	1,099	1,099																
	Premature birth	774	774																
	Congenital debility, "atrophy," "marasmus," etc	325	325																
152	Other causes peculiar to early infancy (total)	223	223																
	Injuries at birth	123	123																
	Other causes peculiar to early infancy [1]	100	100																
153	Lack of care	7	7																
	XII.—Old age	240												9	80	103	39	8	1
154	Senility	240												9	80	103	39	8	1
	XIII.—External causes	1,357	51	24	27	23	25	71	145	219	178	171	158	119	80	46	7		13
	Suicide (total)	186							11	30	36	30	46	27	6				
155	By poison	38							5	13	9	3	7	1					
156	By asphyxia	16									6	3	4	2	1				
157	By hanging or strangulation	32							1	3	3	10	5	9	1				
158	By drowning	8									1	1	4	2					
159	By firearms	69							3	13	13	9	19	10	2				
160	By cutting or piercing instruments	10									2	2	3	1	2				
161	By jumping from high places	4								1		1	2						
162	By crushing	2									1		1						
163	Other suicides	7							2		1	1	1	2					
	Accidental or undefined (total)	1,075	45	23	27	23	25	68	128	163	113	127	104	92	73	46	7		11
164	Poisoning by food	4	2	1				1											
165	Other acute poisonings	20	3	4		1			1	4	2	2	3						
166	Conflagration	14	1		1		1	1		1	2	2	3		1				1
167	Burns (conflagration excepted)	136	5	10	17	19	15	18	5	9	10	5	6	6	9	2			
168	Absorption of deleterious gases (conflagration excepted)	37	22						5	2	1	3	3	1					
169	Accidental drowning	152		1	1			10	45	37	14	15	11	8	5				5
170	Traumatism by firearms	43					3	4	13	10	4	3	3	3					
171	Traumatism by cutting or piercing instruments	1										1							
172	Traumatism by fall	213	5	4	3		3	2	10	17	18	22	19	30	39	35	6		
173	Traumatism in mines and quarries (total)	34							4	10	5	9	5	1					
	Traumatism in mines	31							3	10	5	7	5	1					
	Traumatism in quarries	3							1			2							
174	Traumatism by machines	32						1	5	7	5	4	7	3					
175	Traumatism by other crushing (total)	263		2	3	2	3	25	35	43	37	43	27	30	8	1			3
	Railroad accidents and injuries	116			2		1	6	11	24	22	21	12	9	4	1			3
	Street-car accidents and injuries	26		1				1	3	2	2	6	5	5	1				
	Automobile accidents and injuries	76				2	1	13	14	11	7	11	7	8	2				
	Injuries by other vehicles	37		1	1	1	1	5	6	6	4	2	2	7	1				
	Landslide, other crushing	8							1		2	3	1	1					
176	Injuries by animals	12						2		3		3	1	1	1	1			
178	Excessive cold	9								1		1	2	2	3				
179	Effects of heat	26	2					1		1	3	2	5	6	3	3			
180	Lightning	5							1		2	2							
181	Electricity (lightning excepted)	7							2	5									
185	Fractures (cause not specified)	6									1		1		2	1	1		
186	Other external violence	61	5	1	2			3	2	13	9	10	8	1	2	3			2
	Homicide (total)	96	6	1				3	6	26	29	14	8		1				2
182	By firearms	53						1	4	20	17	6	4						1
183	By cutting or piercing instruments	15							1	4	5	5							
184	By other means	28	6	1				2	1	2	7	3	4		1				1
	XIV.—Ill-defined diseases	299	131	21	4	2		2	6	8	5	18	13	34	31	10	7		7
187	Ill-defined organic disease	9	1											4	3		1		
188	Sudden death	12	2										4	2	1	1	2		
189	Not specified or ill-defined (total)	278	128	21	4	2		2	6	8	5	18	9	28	27	9	4		7
	Ill-defined	112	24	13	4	1		2	1	5	4	11	5	19	17	2	2		2
	Not specified or unknown	166	104	8		1			5	3	1	7	4	9	10	7	2		5

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE).																	
	All causes	16,590	2,745	503	199	126	92	306	533	1,020	1,189	1,546	1,943	2,452	2,543	1,203	153	6	31
	I.—General diseases	4,278	186	124	62	49	39	123	220	529	546	599	606	599	434	145	9		8
1	Typhoid fever	186			2	3	1	14	30	58	33	25	11	6	1	1			1
4	Malaria	8						1	1		2	2	2						
6	Measles	91	20	36	8	6	3	11	5			1	1						
7	Scarlet fever	48	5	2	3	4	6	16	8	1	2	1							
8	Whooping cough	87	46	27	6	3	3	2											
9	Diphtheria and croup	156	10	23	20	17	17	43	12	4	4	2	2	1	1				
10	Influenza	261	13	7	3	1	2	5	7	8	12	14	23	39	73	51	3		
13	Cholera nostras	7	1							1				3	1	1			
14	Dysentery	43	5	1	2	2	1	1				3	3	9	8	7	1		
18	Erysipelas	32	5						1		2	3	10	3	2	6			
19	Other epidemic diseases	2		1				1											
20	Purulent infection and septicemia	24	1		2	1	1	1		2	5	1	3	2	3	1	1		
23	Rabies	2				2													
24	Tetanus	16	5			1		3	2	1		2	1	1					
25	Mycoses	1										1							
26	Pellagra	2								1		1							
	Tuberculosis (total)	1,714	23	19	12	5	5	13	125	414	379	298	200	151	50	15			5
28	Tuberculosis of the lungs	1,501	8	5	2			3	94	385	350	266	187	139	43	14			5
29	Acute miliary tuberculosis	62	2	2				3	9	11	11	15	7	1	1				
30	Tuberculous meningitis	58	11	10	7	5	1	5	10	3	2	3		1					
31	Abdominal tuberculosis	40		1	2		1	1	4	8	6	7	2	4	4				
32	Pott's disease	21	1	1	1		1	1	3	3	5	1	1		2	1			
33	White swellings	6								1			1	4					
34	Tuberculosis of other organs	17	1				2		3	3	3	3	2						
35	Disseminated tuberculosis	9							2		2	3		2					
36	Rickets	6	4	1				1											
37	Syphilis	90	32	2		1		1		3	12	14	5	14	6				
38	Gonococcus infection	4								3		1							
	Cancer and other malignant tumors (total)	1,059	1	1	2			3	2	13	48	171	257	282	227	47	4		1
39	Of the buccal cavity	48									1	4	12	15	13	3			
40	Of the stomach, liver	407	1					1		4	10	46	102	128	102	12	1		
41	Of the peritoneum, intestines, rectum	104								4	3	11	29	23	25	9			
42	Of the female genital organs	151								2	12	49	37	31	16	3			1
43	Of the breast	128									8	34	35	30	15	6			
44	Of the skin	41										2	5	8	17	7	2		
45	Of other organs or of organs not specified	180		1	2			2	2	3	14	25	37	47	39	7	1		
46	Other tumors (tumors of the female genital organs excepted)	8	1									4			1	2			
47	Acute articular rheumatism	37			1	1		3	14		4	3	2	4	4	1			
48	Chronic rheumatism and gout	13									2	2	1	3	3	2			
49	Scurvy	2	1										1						
50	Diabetes	197		1		1		1	8	7	10	15	51	54	40	9			
51	Exophthalmic goiter	11								3	3	2	2			1			
52	Addison's disease	5								1	1	1		2					
53	Leukemia	35	1	2				1	5	4	3	3	7	6	3				
54	Anemia, chlorosis	44	5		1			1		1	5	7	7	10	7				
55	Other general diseases	12	7	1		1		1				1			1				
56	Alcoholism (acute or chronic)	64								4	18	16	15	7	2	1			1
57	Chronic lead poisoning	7									1	4	1	1					
59	Other chronic poisonings	4										1	1	1	1				
	II.—Diseases of the nervous system and of the organs of special sense	1,814	90	44	25	17	10	26	28	47	64	138	266	395	443	199	19	1	2
60	Encephalitis	8	1			1			1	1	1	2		1					
61	Meningitis (total)	71	26	14	3	3	1	12	5	4		1	1	1					
	Simple meningitis	36	15	8	2	2		1	3	3		1		1					
	Cerebrospinal meningitis (undefined)	14	4			1		7	1				1						
	Cerebrospinal fever	21	7	6	1		1	4	1	1									
62	Locomotor ataxia	18								1	2	2	7	3	3				
63	Other diseases of the spinal cord (total)	141	13	21	17	11	9	11	5	1	1	6	15	11	18	2			
	Acute anterior poliomyelitis	86	13	21	17	11	9	11	4										
	Other diseases of the spinal cord [1]	55							1	1	1	6	15	11	18	2			
64	Cerebral hemorrhage, apoplexy	1,119	2	1					1	10	26	79	199	299	331	158	11	1	1
65	Softening of the brain	11													7	3	1		
66	Paralysis without specified cause	186			1					4	3	3	20	51	66	31	6		1
67	General paralysis of the insane	74							1	1	14	20	17	9	9	3			
68	Other forms of mental alienation	18								2	4	3	2	4	2	1			
69	Epilepsy	46	3					1	4	11	8	10		6	3				
70	Convulsions (nonpuerperal)	1													1				
71	Convulsions of infants	43	36	6	1														
72	Chorea	3						1	1					1					
73	Neuralgia and neuritis	3									1				2				
74	Other diseases of the nervous system	46	3		2	1		1	3	10	4	11	4	5	1		1		
76	Diseases of the ears	26	6	2	1	1			7	2		1	1	4		1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	2,200	9	5	6	1	1	18	55	55	96	184	309	512	606	314	27	1	1
77	Pericarditis	13						1			1	1	3	5			2		
78	Acute endocarditis	83		1	1		1	2	11	8	10	20	23	3	3				
79	Organic diseases of the heart	1,674	5	2	3	1		12	41	44	74	137	239	411	476	216	13		
80	Angina pectoris	111	1					1		1	3	12	21	37	27	7	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	250								1	4	6	14	43	87	85	8	1	1
82	Embolism and thrombosis	49		1				1	3	1	3	7	5	12	9	4	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8									1	1	3		2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	3	1	2			1								1			
85	Hemorrhage; other diseases of the circulatory system	4											1	1	2				
	IV.—Diseases of the respiratory system	2,022	396	134	48	23	12	37	45	54	103	149	212	260	321	192	31	2	3
86	Diseases of the nasal fossae	3	1	1											1				
87	Diseases of the larynx	12	1	2	2			2	1				3	1					
88	Diseases of the thyroid body	4									1	1		1		1			
89	Acute bronchitis	118	51	11	3		1	1	2	1	3	1	2	5	16	17	4		
90	Chronic bronchitis	98		1			1		1	1	4	4	4	13	33	27	8	1	
91	Bronchopneumonia	691	264	84	28	10	4	15	7	4	13	19	36	62	83	53	9		
92	Pneumonia (total)	981	70	30	12	12	6	16	29	46	75	114	153	166	166	76	8		2
	Lobar pneumonia	883	56	24	10	11	4	14	27	42	72	110	142	152	147	64	6		2
	Pneumonia (undefined)	98	14	6	2	1	2	2	2	4	3	4	11	14	19	12	2		
93	Pleurisy	44	4	4	3			2	5	1	4	2	10	3	4	2			
94	Pulmonary congestion, pulmonary apoplexy	29	5			1							1	2	4	13	2	1	
95	Gangrene of the lung	3												1	2				
96	Asthma	24		1							3	4	2	4	7	3			
97	Pulmonary emphysema	3												1	2				
98	Other diseases of the respiratory system (tuberculosis excepted)	12						1		1		4	1	1	3				1
	V.—Diseases of the digestive system	1,764	839	157	33	13	12	26	37	52	68	100	118	124	136	44	5		
99	Diseases of the mouth and annexa	8	2					1			1	1	1	1		1			
100	Diseases of the pharynx	36	4		2		3	5	8	6		2	3	1	1	1			
101	Diseases of the esophagus	3			1						1	1							
102	Ulcer of the stomach	32								2	6	5	7	6	3	3			
103	Other diseases of the stomach (cancer excepted)	122	34	3	1			4	2	1	5	11	10	9	30	11	1		
104	Diarrhea and enteritis (under 2 years)	925	776	149															
105	Diarrhea and enteritis (2 years and over)	123			26	10	7	3	1	2	6	8	8	14	23	12	3		
107	Intestinal parasites	1					1												
108	Appendicitis and typhlitis	104		2	1	1		7	16	27	19	15	11	3	2				
109	Hernia, intestinal obstruction (total)	124	19	2	1	1	1	4	4	4	4	15	18	19	26	6			
	Hernia	55	3						1	1	2	8	11	11	16	2			
	Intestinal obstruction	69	16	2	1	1	1	4	3	3	2	7	7	8	10	4			
110	Other diseases of the intestines	22	1					1	2		5	2	2	4	2	2	1		
111	Acute yellow atrophy of the liver	5		1						1	1	1			1				
113	Cirrhosis of the liver	129						1		3	10	24	28	31	25	7			
114	Biliary calculi	50									1	7	10	17	14	1			
115	Other diseases of the liver	55	2		1				1	3	7	2	17	15	7				
116	Disease of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	14				1			1	1	1	3	2	3	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10	1						2	2		3	1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,761	13	2	3	4	1	13	22	57	105	200	275	417	448	175	21		5
119	Acute nephritis	133	7		1	2	1	9	5	16	14	18	17	22	16	4			1
120	Bright's disease	1,485	2		1	1		4	15	31	74	151	245	373	405	160	19		4
122	Other diseases of the kidneys and annexa	30	3	2	1	1				2	1	4	2	8	6				
123	Calculi of the urinary passages	2									1					1			
124	Diseases of the bladder	8	1								2		1		2	1	1		
125	Diseases of the urethra, urinary abscess, etc.	6								1		2	1	1	1				
126	Diseases of the prostate	39											5	11	14	8	1		
129	Uterine tumor (noncancerous)	18								1	2	12	1		2				
130	Other diseases of the uterus	20							1	5	6	5	1	1	1				
131	Cysts and other tumors of the ovary	9									1	3	2	1	1	1			
132	Salpingitis and other diseases of the female genital organs	11							1	1	4	5							
	VII.—The puerperal state	153							14	58	62	18							1
134	Accidents of pregnancy	19							1	6	10	2							
135	Puerperal hemorrhage	19								4	11	4							
136	Other accidents of labor	12								9	1	1							1
137	Puerperal septicemia	65							6	26	26	7							
138	Puerperal albuminuria and convulsions	33							7	12	11	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5								1	3	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	57	14					1	2	2	3	3	9	9	4	7	3	
142	Gangrene	19	1						1	2		1	1	4	1	6	2	
143	Furuncle	14	3					1				1	5	2	1	1		
144	Acute abscess	15	4						1		3	1	1	3	1		1	
145	Other diseases of the skin and annexa	9	6										2		1			
	IX.—Diseases of the bones and of the organs of locomotion	40	3	1		2		8	8	2	3	3	4	4	1	1		
146	Diseases of the bones (tuberculosis excepted)	32	2	1		2		8	7	1	1	2	4	3	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7	1						1	1	2	1		1				
149	Other diseases of the organs of locomotion	1														1		
	X.—Malformations	160	147	7	3	1		1	1									
150	Congenital malformation (stillbirths not included) (total)	160	147	7	3	1		1	1									
	Hydrocephalus	9	6	1				1	1									
	Congenital malformations of the heart	108	100	5	2	1												
	Other congenital malformations	43	41	1	1													
	XI.—Early infancy	977	977															
151	Congenital debility, icterus, and sclerema (total)	798	798															
	Premature birth	581	581															
	Congenital debility, "atrophy," "marasmus," etc	217	217															
152	Other causes peculiar to early infancy (total)	174	174															
	Injuries at birth	103	103															
	Other causes peculiar to early infancy [1]	71	71															
153	Lack of care	5	5															
	XII.—Old age	173												3	61	80	27	2
154	Senility	173												3	61	80	27	2
	XIII.—External causes	1,065	30	18	19	16	17	51	100	161	138	141	138	109	69	42	7	9
	Suicide (total)	178							10	28	34	29	44	27	6			
155	By poison	36							5	12	8	3	7	1				
156	By asphyxia	15									6	3	3	2	1			
157	By hanging or strangulation	32							1	3	3	10	5	9	1			
158	By drowning	7									1	1	3	2				
159	By firearms	66							3	12	12	8	19	10	2			
160	By cutting or piercing instruments	10								2	2	3	1	2				
161	By jumping from high places	4								1		1	2					
162	By crushing	2									1		1					
163	Other suicides	6							1		1	1	1	2				
	Accidental or undefined (total)	844	26	17	19	16	17	49	90	126	88	108	88	82	62	42	7	7
164	Poisoning by food	3	2	1														
165	Other acute poisonings	17	3	3		1			1	3	1	2	3					
166	Conflagration	11			1		1			1	2	2	2		1			1
167	Burns (conflagration excepted)	85	2	8	11	14	10	8	1	7	5	3	3	5	7	1		
168	Absorption of deleterious gases (conflagration excepted)	24	10						5	2	1	2	3	1				
169	Accidental drowning	105		1	1			7	28	23	8	12	10	6	5			4
170	Traumatism by firearms	29					1	4	7	6	3	2	3	3				
171	Traumatism by cutting or piercing instruments	1										1						
172	Traumatism by fall	188	3	3	1		2	2	9	14	18	19	17	26	36	32	6	
173	Traumatism in mines and quarries (total)	33							3	10	5	9	5	1				
	Traumatism in mines	31							3	10	5	7	5	1				
	Traumatism in quarries	2										2						
174	Traumatism by machines	27						1	3	6	5	4	5	3				
175	Traumatism by other crushing (total)	226		1	3	1	3	22	30	38	30	38	24	28	6	1		1
	Railroad accidents and injuries	101			2		1	6	11	19	18	19	11	9	3	1		1
	Street-car accidents and injuries	17						1	1	2	1	4	4	3	1			
	Automobile accidents and injuries	70				1	1	13	12	11	6	10	7	8	1			
	Injuries by other vehicles	31		1	1		1	2	6	6	3	2	1	7	1			
	Landslide, other crushing	7									2	3	1	1				
176	Injuries by animals	9						1		2		2	1	1	1	1		
178	Excessive cold	6								1			1	2	2			
179	Effects of heat	18	2					1					2	4	5	1	3	
180	Lightning	1									1							
181	Electricity (lightning excepted)	7							2	5								
185	Fractures (cause not specified)	5									1		1		1	1	1	
186	Other external violence	49	4		2			3	1	8	8	10	6	1	2	3		1
	Homicide (total)	43	4	1				2		7	16	4	6		1			2
182	By firearms	20						1		5	9	1	3					1
183	By cutting or piercing instruments	3									2	1						
184	By other means	20	4	1				1		2	5	2	3		1			1
	XIV.—Ill-defined diseases	126	41	11				2	1	3	1	11	6	20	20	4	4	2
187	Ill-defined organic disease	6												3	2		1	
188	Sudden death	9	1										2	2	1	1	2	
189	Not specified or ill-defined (total)	111	40	11				2	1	3	1	11	4	15	17	3	1	2
	Ill-defined	60	10	7				2		2	1	8	3	11	14	2		
	Not specified or unknown	51	30	4					1	1		3	1	4	3	1	1	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED).																		
	All causes	5,922	1,325	287	135	63	40	129	391	631	564	629	589	494	357	177	55	13	43
	I.—General diseases	1,697	148	66	42	21	13	53	231	369	235	201	138	91	56	18	6	.....	9
1	Typhoid fever	79	.....	.....	1	1	.....	8	28	22	10	7	1	.....	1	.....	.....	.....	.....
4	Malaria	9	2	1	.....	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	17	6	4	2	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	4	.....	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	86	42	20	12	6	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	14	4	1	1	2	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	90	8	2	3	2	.....	4	2	9	5	6	15	9	12	8	4	.....	1
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
14	Dysentery	12	2	.....	1	.....	.....	1	.....	.....	1	1	.....	2	3	1	.....	.....	.....
18	Erysipelas	5	.....	1	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
19	Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	4	.....	.....	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	10	5	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,012	17	30	20	7	10	26	183	305	173	119	66	33	12	2	1	.....	8
28	Tuberculosis of the lungs	848	5	18	10	3	4	14	152	262	159	109	60	30	11	2	1	.....	8
29	Acute miliary tuberculosis	56	5	2	2	1	3	2	13	15	8	3	1	.....	1	.....	.....	.....	.....
30	Tuberculous meningitis	39	6	7	4	1	2	6	4	7	.....	1	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	46	1	2	3	2	.....	3	11	12	6	3	2	1	.....	.....	.....	.....	.....
32	Pott's disease	5	.....	.....	1	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
33	White swellings	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	9	.....	1	.....	.....	.....	.....	.....	5	.....	1	1	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	8	.....	.....	.....	.....	1	1	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....
36	Rickets	8	3	2	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	128	55	5	2	.....	.....	.....	2	16	10	18	8	10	2	.....	.....	.....	.....
38	Gonococcus infection	8	.....	.....	.....	.....	.....	.....	2	1	2	2	.....	1	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	136	.....	.....	.....	.....	.....	.....	1	2	18	33	32	28	17	4	1	.....	.....
39	Of the buccal cavity	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	3	.....	.....	.....	.....
40	Of the stomach, liver	43	.....	.....	.....	.....	.....	.....	.....	.....	3	7	14	11	7	1	.....	.....	.....
41	Of the peritoneum, intestines, rectum	9	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	2	.....	.....	.....	.....
42	Of the female genital organs	38	.....	.....	.....	.....	.....	.....	.....	1	8	11	8	4	4	1	1	.....	.....
43	Of the breast	19	.....	.....	.....	.....	.....	.....	.....	.....	2	7	3	4	1	2	.....	.....	.....
45	Of other organs or of organs not specified	20	.....	.....	.....	.....	.....	.....	1	.....	3	5	4	7	.....	.....	.....	.....	.....
47	Acute articular rheumatism	20	.....	.....	.....	.....	.....	2	2	3	3	2	4	2	1	1	.....	.....	.....
50	Diabetes	23	.....	.....	.....	.....	.....	.....	1	1	1	4	6	3	5	2	.....	.....	.....
51	Exophthalmic goiter	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Addison's disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
53	Leukemia	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
54	Anemia, chlorosis	9	1	.....	.....	.....	.....	1	.....	1	.....	3	2	.....	1	.....	.....	.....	.....
55	Other general diseases	4	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	12	.....	.....	.....	.....	.....	.....	.....	2	4	1	2	2	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	481	39	18	10	3	6	7	12	18	32	59	79	85	64	25	16	1	7
60	Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	22	6	5	1	2	1	1	2	2	1	.....	1	.....	.....	.....	.....	.....	.....
	Simple meningitis	14	2	2	1	1	1	1	2	2	1	.....	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	6	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....
63	Other diseases of the spinal cord (total)	37	4	7	5	1	3	3	4	1	.....	1	1	2	4	1	.....	.....	.....
	Acute anterior poliomyelitis	25	4	7	5	1	2	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	12	.....	.....	.....	.....	1	.....	2	.....	.....	1	1	2	4	1	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	271	.....	.....	.....	.....	.....	.....	1	8	18	47	56	58	46	19	10	1	7
65	Softening of the brain	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
66	Paralysis without specified cause	55	.....	.....	.....	.....	1	.....	.....	.....	3	4	8	18	12	4	5	.....	.....
67	General paralysis of the insane	23	.....	.....	.....	.....	.....	.....	.....	1	3	7	10	2	.....	.....	.....	.....	.....
68	Other forms of mental alienation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
69	Epilepsy	10	2	.....	.....	.....	.....	.....	2	2	2	.....	1	.....	1	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	34	26	4	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	13	.....	.....	1	.....	.....	1	1	2	3	.....	1	3	1	.....	.....	.....	.....
76	Diseases of the ears	5	1	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	645	4		2			3	13	34	65	114	153	117	87	38	9	2	4
77	Pericarditis	5								1	1	2		1					
78	Acute endocarditis	20	1					1	2	3	1	5	6	1					
79	Organic diseases of the heart	544	2		2			1	11	26	58	98	127	104	78	26	5	2	4
80	Angina pectoris	13								1	3	2	2	1	3	1			
81	Diseases of the arteries, atheroma, aneurism, etc	54								1	2	5	16	10	6	10	4		
82	Embolism and thrombosis	4								2		1				1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2										1	1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1										1						
85	Hemorrhage; other diseases of the circulatory system	1						1											
	IV.—Diseases of the respiratory system	935	262	114	49	20	10	28	39	67	75	83	72	55	28	22	6	2	3
86	Diseases of the nasal fossae	3	1								1					1			
87	Diseases of the larynx	4	1				1		1	1									
89	Acute bronchitis	77	43	10	10	2	1		1	1	3	1	1	2		1		1	
90	Chronic bronchitis	26		1						4		3	1	7	3	4	2	1	
91	Bronchopneumonia	368	167	73	27	11	6	14	7	8	15	13	8	9	7	1	2		
92	Pneumonia (total)	426	45	29	10	7	2	14	24	50	56	60	59	36	18	12	1		3
	Lobar pneumonia	370	23	22	10	6	2	10	23	47	51	59	58	33	15	8	1		2
	Pneumonia (undefined)	56	22	7		1		4	1	3	5	1	1	3	3	4			1
93	Pleurisy	8							3	2		2		1					
94	Pulmonary congestion, pulmonary apoplexy	9	3	1								1	1			2	1		
95	Gangrene of the lung	1							1										
96	Asthma	6	1		2				1			1	1						
97	Pulmonary emphysema	2										1				1			
98	Other diseases of the respiratory system (tuberculosis excepted)	5	1						1	1		1	1						
	V.—Diseases of the digestive system	616	335	70	15	9	1	14	12	26	30	38	18	20	19	7			2
99	Diseases of the mouth and annexa	12	10									1		1					
100	Diseases of the pharynx	9			1			2		1	1	3			1				
101	Diseases of the esophagus	1										1							
102	Ulcer of the stomach	6									2	3	1						
103	Other diseases of the stomach (cancer excepted)	47	8	3	1	1		1	1	5	5	7	6	3	6				
104	Diarrhea and enteritis (under 2 years)	371	306	65															
105	Diarrhea and enteritis (2 years and over)	54			12	7	1	5	4	3	1	5	4	3	4	4			1
107	Intestinal parasites	1												1					
108	Appendicitis and typhlitis	21						1	5	5	6	2		1		1			
109	Hernia, intestinal obstruction (total)	33	6	1				4	1	4	6	7		1	2	1			
	Hernia	16	2	1						3	3	5		1	1				
	Intestinal obstruction	17	4					4	1	1	3	2			1	1			
110	Other diseases of the intestines	10	3	1		1				2		1			2				
111	Acute yellow atrophy of the liver	3								2	1								
113	Cirrhosis of the liver	23								1	3	4	3	7	3	1			1
114	Biliary calculi	5									2	1		2					
115	Other diseases of the liver	6								1		3	2						
116	Diseases of the spleen	1								1									
117	Simple peritonitis (nonpuerperal)	8	1					1	1	1	2		2						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	1		1						1			1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	509	6	1	3	1	2	4	13	35	61	89	97	92	60	33	3	1	8
119	Acute nephritis	82	5		2		1	1	4	10	17	18	14	8	1	1			
120	Bright's disease	384	1	1	1	1		3	6	19	29	63	80	81	57	31	3	1	7
122	Other diseases of the kidneys and annexa	6					1		1		3		1						
123	Calculi of the urinary passages	3									1					1			1
125	Diseases of the urethra, urinary abscess, etc	1									1								
126	Diseases of the prostate	5												3	2				
129	Uterine tumor (noncancerous)	13								2	4	5	2						
130	Other diseases of the uterus	2							1			1							
131	Cysts and other tumors of the ovary	2										2							
132	Salpingitis and other diseases of the female genital organs	11							1	4	6								
	VII.—The puerperal state	62							18	18	20	5	1						
134	Accidents of pregnancy	2								1			1						
135	Puerperal hemorrhage	7							1	2	2	2							
136	Other accidents of labor	4								2	2								
137	Puerperal septicemia	27							10	7	8	2							
138	Puerperal albuminuria and convulsions	21							7	5	8	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MARYLAND (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	20	3	1						1	1	3	4	4	2			1	
142	Gangrene	11	1							1		1	1	4	2			1	
144	Acute abscess	4	1								1	1	1						
145	Other diseases of the skin and annexa	5	1	1								1	2						
	IX.—Diseases of the bones and of the organs of locomotion	5							3		1					1			
146	Diseases of the bones (tuberculosis excepted)	3							3										
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1									1								
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	68	65	1	2														
150	Congenital malformations (stillbirths not included) (total)	68	65	1	2														
	Hydrocephalus	7	5	1	1														
	Congenital malformations of the heart	49	48		1														
	Other congenital malformations	12	12																
	XI.—Early infancy	352	352																
151	Congenital debility, icterus, and sclerema (total)	301	301																
	Premature birth	193	193																
	Congenital debility, "atrophy," "marasmus," etc	108	108																
152	Other causes peculiar to early infancy (total)	49	49																
	Injuries at birth	20	20																
	Other causes peculiar to early infancy [1]	29	29																
153	Lack of care	2	2																
	XII.—Old age	67												6	19	23	12	6	1
154	Senility	67												6	19	23	12	6	1
	XIII.—External causes	292	21	6	8	7	8	20	45	58	40	30	20	10	11	4			4
	Suicide (total)	8							1	2	2	1	2						
155	By poison	2								1	1								
156	By asphyxia	1											1						
158	By drowning	1											1						
159	By firearms	3								1	1	1							
163	Other suicides	1							1										
	Accidental or undefined (total)	231	19	6	8	7	8	19	38	37	25	19	16	10	11	4			4
164	Poisoning by food	1						1											
165	Other acute poisonings	3		1						1	1								
166	Conflagration	3	1					1					1						
167	Burns (conflagration excepted)	51	3	2	6	5	5	10	4	2	5	2	3	1	2	1			
168	Absorption of deleterious gases (conflagration excepted)	13	12									1							
169	Accidental drowning	47						3	17	14	6	3	1	2					1
170	Traumatism by firearms	14					2		6	4	1	1							
172	Traumatism by fall	25	2	1	2		1		1	3		3	2	4	3	3			
173	Traumatism in mines and quarries (total)	1							1										
	Traumatism in quarries	1							1										
174	Traumatism by machines	5							2	1			2						
175	Traumatism by other crushing (total)	37		1		2		3	5	5	7	5	3	2	2				2
	Railroad accidents and injuries	15								5	4	2	1		1				2
	Street-car accidents and injuries	9		1					2		1	2	1	2					
	Automobile accidents and injuries	6				1			2		1	1			1				
	Injuries by other vehicles	6				1		3			1		1						
	Landslide, other crushing	1							1										
176	Injuries by animals	3						1		1		1							
178	Excessive cold	3										1	1		1				
179	Effects of heat	8								1	3		1	1	2				
180	Lightning	4							1		1	2							
185	Fractures (cause not specified)	1													1				
186	Other external violence	12	1	1					1	5	1		2						1
	Homicide (total)	53	2					1	6	19	13	10	2						
182	By firearms	33							4	15	8	5	1						
183	By cutting or piercing instruments	12							1	4	3	4							
184	By other means	8	2					1	1		2	1	1						
	XIV.—Ill-defined diseases	173	90	10	4	2			5	5	4	7	7	14	11	6	3		5
187	Ill-defined organic disease	3	1											1	1				
188	Sudden death	3	1										2						
189	Not specified or ill-defined (total)	167	88	10	4	2			5	5	4	7	5	13	10	6	3		5
	Ill-defined	52	14	6	4	1			1	3	3	3	2	8	3		2		2
	Not specified or unknown	115	74	4		1			4	2	1	4	3	5	7	6	1		3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS.																		
	All causes	56,362	9,370	1,963	840	561	388	1,153	1,595	3,256	4,343	5,259	6,699	8,075	7,903	4,179	721	20	37
	I.—General diseases	14,668	1,042	671	309	212	166	468	645	1,539	1,823	1,935	2,074	1,876	1,342	502	59	1	4
1	Typhoid fever	173	1	.....	1	.....	2	13	30	44	39	22	16	4	1	.....	.....	.....	.....
4	Malaria	7	1	.....	.....	.....	.....	1	.....	.....	1	1	2	1	.....	.....	.....	.....	.....
6	Measles	474	152	163	69	23	22	29	8	5	.....	1	2	.....	.....	.....	.....	.....	.....
7	Scarlet fever	129	4	20	9	20	14	36	11	9	3	3	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	399	228	102	33	15	8	9	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	623	30	111	90	84	73	180	32	8	3	8	3	1	.....	.....	.....	.....	.....
10	Influenza	680	76	34	15	9	3	12	10	13	30	35	51	84	145	139	23	1	.....
13	Cholera nostras	7	2	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	1	.....	.....
14	Dysentery	71	28	2	6	1	1	5	.....	1	1	2	3	7	7	3	4	.....	.....
17	Leprosy	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	2	.....	.....	.....	.....
18	Erysipelas	194	61	2	.....	.....	.....	.....	3	4	16	17	31	23	26	10	1	.....	.....
19	Other epidemic diseases	13	5	2	1	.....	1	1	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....
20	Purulent infection and septicemia	81	15	1	.....	.....	2	2	5	5	7	13	11	10	6	4	.....	.....	.....
22	Anthrax	5	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....
24	Tetanus	33	7	1	.....	.....	.....	3	7	3	6	3	1	2	.....	.....	.....	.....	.....
26	Pellagra	40	.....	.....	.....	.....	.....	.....	3	1	8	12	8	7	1	.....	.....	.....	.....
27	Beriberi	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	5,485	212	186	68	54	31	109	430	1,277	1,258	875	555	293	107	27	2	.....	1
28	Tuberculosis of the lungs	4,428	46	30	7	5	6	28	339	1,140	1,152	790	510	264	85	23	2	.....	1
29	Acute miliary tuberculosis	170	21	11	4	2	3	3	17	44	27	23	9	5	.....	1	.....	.....	.....
30	Tuberculous meningitis	469	107	119	44	40	17	48	27	28	23	7	6	3	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	211	28	20	9	2	4	16	15	28	30	28	15	6	8	2	.....	.....	.....
32	Pott's disease	61	1	.....	.....	1	1	5	15	12	2	11	4	5	4	.....	.....	.....	.....
33	White swellings	29	.....	3	.....	3	.....	5	5	2	4	2	3	1	1	.....	.....	.....	.....
34	Tuberculosis of other organs	73	7	.....	1	1	.....	3	8	6	14	11	7	7	7	1	.....	.....	.....
35	Disseminated tuberculosis	44	2	3	3	.....	.....	1	4	17	6	3	1	2	2	.....	.....	.....	.....
36	Rickets	41	24	14	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	252	114	6	2	1	1	3	4	16	29	36	16	18	5	1	.....	.....	.....
38	Gonococcus infection	14	2	.....	.....	1	.....	.....	.....	4	5	1	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	4,061	.....	3	2	.....	2	11	17	45	221	614	992	1,067	789	272	24	.....	2
39	Of the buccal cavity	137	.....	.....	.....	.....	.....	.....	.....	.....	6	18	38	35	26	14	.....	.....	.....
40	Of the stomach, liver	1,380	.....	.....	.....	.....	.....	1	1	12	45	181	349	415	274	90	11	.....	1
41	Of the peritoneum, intestines, rectum	678	.....	.....	.....	.....	.....	2	2	8	28	83	162	186	154	48	4	.....	1
42	Of the female genital organs	614	.....	.....	.....	.....	.....	1	2	6	69	142	158	132	79	24	1	.....	.....
43	Of the breast	455	.....	.....	.....	.....	.....	.....	.....	1	33	95	116	99	78	31	2	.....	.....
44	Of the skin	96	.....	.....	1	.....	.....	.....	1	1	1	6	6	17	36	24	3	.....	.....
45	Of other organs or of organs not specified	701	.....	3	1	.....	2	7	11	17	39	89	163	183	142	41	3	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	18	1	.....	.....	.....	.....	.....	1	1	2	3	3	2	3	1	1	.....	.....
47	Acute articular rheumatism	127	1	.....	1	1	.....	30	28	7	10	11	12	14	8	4	.....	.....	.....
48	Chronic rheumatism and gout	39	.....	.....	.....	.....	.....	1	1	2	1	5	6	11	8	3	1	.....	.....
49	Scurvy	4	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	357	1	2	3	.....	1	11	40	35	52	83	187	227	177	36	2	.....	.....
51	Exophthalmic goiter	28	.....	.....	.....	.....	.....	.....	2	6	5	7	2	4	2	.....	.....	.....	.....
52	Addison's disease	19	.....	.....	.....	.....	.....	.....	.....	1	4	4	5	4	1	.....	.....	.....	.....
53	Leukemia	76	.....	2	.....	1	1	5	4	13	10	14	16	8	2	.....	.....	.....	.....
54	Anemia, chlorosis	234	9	3	.....	.....	1	4	1	8	17	54	67	51	38	1	.....	.....	.....
55	Other general diseases	125	65	17	7	1	3	3	5	5	3	8	2	2	3	1	.....	.....	.....
56	Alcoholism (acute or chronic)	302	.....	.....	.....	.....	.....	.....	.....	22	81	91	71	29	7	.....	.....	.....	1
57	Chronic lead poisoning	20	.....	.....	.....	.....	.....	.....	.....	1	1	5	7	4	2	.....	.....	.....	.....
58	Other chronic occupation poisonings	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	8	.....	.....	.....	.....	.....	.....	.....	2	2	1	2	.....	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	5,941	281	158	115	82	56	145	120	138	244	508	797	1,227	1,325	659	85	.....	1
60	Encephalitis	26	8	.....	1	1	1	2	1	4	2	2	4	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	298	89	46	26	13	9	27	27	15	17	15	4	7	.....	3	.....	.....	.....
	Simple meningitis	171	58	21	15	5	3	11	19	7	11	11	1	6	.....	3	.....	.....	.....
	Cerebrospinal meningitis (undefined)	36	14	5	2	1	2	5	2	1	2	.....	2	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	91	17	20	9	7	4	11	6	7	4	4	1	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	95	.....	.....	.....	.....	.....	.....	.....	.....	1	22	31	28	11	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	716	51	85	75	61	41	93	30	32	20	28	44	75	62	17	2	.....	.....
	Acute anterior poliomyelitis	464	49	85	75	60	39	93	25	23	11	3	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	252	2	.....	.....	1	2	.....	5	9	9	25	44	74	62	17	2	.....	.....
64	Cerebral hemorrhage, apoplexy	3,729	10	2	3	1	1	1	8	20	71	260	559	999	1,140	580	74	.....	.....
65	Softening of the brain	32	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	7	11	9	1	.....	.....
66	Paralysis without specified cause	134	1	.....	.....	.....	.....	.....	1	1	4	8	13	39	41	22	4	.....	.....
67	General paralysis of the insane	330	.....	.....	.....	.....	.....	.....	.....	10	74	90	75	39	27	13	2	.....	.....
68	Other forms of mental alienation	37	.....	.....	.....	.....	.....	.....	.....	7	4	8	8	1	5	2	1	.....	1
69	Epilepsy	154	9	.....	3	3	2	9	20	24	20	22	22	8	8	4	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	90	78	10	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	16	.....	.....	.....	.....	.....	.....	.....	.....	3	5	4	2	1	1	.....	.....	.....
74	Other diseases of the nervous system	176	12	3	4	1	1	6	15	20	17	34	21	21	15	5	1	.....	.....
76	Diseases of the ears	102	23	12	2	1	1	6	16	5	9	12	10	1	3	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS—Continued.																		
	III.—Diseases of the circulatory system	10,237	88	22	22	16	12	88	202	227	490	772	1,402	2,286	2,766	1,577	256	8	3
77	Pericarditis	29		1		1		2		3	5	6	4		4	2	1		
78	Acute endocarditis	463	34	3	5	5	5	27	41	33	68	71	136	16	12	7			
79	Organic diseases of the heart	7,268	23	7	10	8	7	57	156	179	381	609	1,024	1,738	1,949	981	136	1	2
80	Angina pectoris	412						1		3	10	27	78	109	123	56	5		
81	Diseases of the arteries, atheroma, aneurism, etc	1,746				1				1	5	26	112	373	608	500	112	7	1
82	Embolism and thrombosis	218	2						2	5	11	19	37	45	65	31	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	38						1	1	1	8	13	7	3	4				
84	Diseases of the lymphatic system (lymphangitis, etc.)	54	28	11	7	1			2	2	2		1						
85	Hemorrhage; other diseases of the circulatory system	9	1									1	3	2	1		1		
	IV.—Diseases of the respiratory system	7,629	1,625	613	185	99	56	111	114	253	441	599	777	1,002	998	618	131	6	1
86	Diseases of the nasal fossae	3						1				1			1				
87	Diseases of the larynx	29	8	3	2	4		2	1	1		1	1	2		4			
88	Diseases of the thyroid body	19								2	6	4	3	4					
89	Acute bronchitis	503	266	62	23	14	2	4	3	2	6	4	8	14	48	36	11		
90	Chronic bronchitis	307	3	6			1	2	1	2	6	13	32	48	98	70	21	4	
91	Bronchopneumonia	2,408	941	300	84	38	18	39	14	32	36	67	112	196	256	224	51		
92	Pneumonia (total)	4,025	378	219	70	35	33	55	86	193	350	471	584	695	553	260	40	2	1
	Lobar pneumonia	3,782	348	200	61	32	31	49	81	182	329	435	559	666	524	244	38	2	1
	Pneumonia (undefined)	243	30	19	9	3	2	6	5	11	21	36	25	29	29	16	2		
93	Pleurisy	170	14	19	6	8	2	5	3	12	19	23	17	22	12	6	2		
94	Pulmonary congestion, pulmonary apoplexy	53	8	1					1	1	4	1	3	5	10	14	5		
95	Gangrene of the lung	10						1	1	2	3		3						
96	Asthma	54	1	1					1	3	5	10	8	10	14	1			
97	Pulmonary emphysema	11	1								1			3	4	1	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	37	5	2				2	3	3	5	4	6	3	2	2			
	V.—Diseases of the digestive system	5,111	2,356	369	105	53	35	106	126	172	277	329	416	375	251	116	23	2	
99	Diseases of the mouth and annexa	18	3	1					1	5	1		3		3	1			
100	Diseases of the pharynx	127	13	4	10	5	2	28	7	13	14	10	9	4	6	2			
101	Diseases of the esophagus	11				1		1		1	3	1	1	2		1			
102	Ulcer of the stomach	161					1	1	6	14	26	35	36	22	17	3			
103	Other diseases of the stomach (cancer excepted)	215	86	18	5	2	4	1	2	3	6	11	16	20	21	12	7	1	
104	Diarrhea and enteritis (under 2 years)	2,504	2,172	332															
105	Diarrhea and enteritis (2 years and over)	399			76	32	17	24	9	18	25	36	39	37	44	35	7		
107	Intestinal parasites	4						1		1		2							
108	Appendicitis and typhlitis	421	3	2	5	8	7	32	79	71	78	50	43	34	6	3			
109	Hernia, intestinal obstruction (total)	397	56	9	4	1	2	12	6	16	26	38	64	85	47	25	5	1	
	Hernia	179	7	2			1	2	1	3	8	22	36	50	27	16	3	1	
	Intestinal obstruction	218	49	7	4	1	1	10	5	13	18	16	28	35	20	9	2		
110	Other diseases of the intestines	97	11	1	3		1	2	1	4	15	14	16	14	11	3	1		
111	Acute yellow atrophy of the liver	11	2						2	1	2	1	2		1				
112	Hydatid tumor of the liver	3							1		2								
113	Cirrhosis of the liver	356	2						1	5	36	73	109	72	47	11			
114	Biliary calculi	141								1	14	21	34	40	21	10			
115	Other diseases of the liver	134	4		1	1			2	10	13	15	32	27	18	9	2		
116	Diseases of the spleen	6						1		1	3			1					
117	Simple peritonitis (nonpuerperal)	65	4	2	1	3	1	3	8	8	9	10	1	8	5	1	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	41							1		4	12	11	9	4				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,176	37	11	10	7	6	18	72	177	337	542	726	939	863	387	43	1	
119	Acute nephritis	235	15	4	4	6	4	9	17	26	37	39	34	25	9	4	2		
120	Bright's disease	3,372	8	5	5	1	1	8	50	103	227	417	621	816	754	322	33	1	
122	Other diseases of the kidneys and annexa	99	11	2	1		1	1	1	9	7	8	17	18	15	7	1		
123	Calculi of the urinary passages	27								2	2	5	5	7	6				
124	Diseases of the bladder	52									1	3	6	6	15	20	1		
125	Diseases of the urethra, urinary abscess, etc	14									1	1	5	6	1				
126	Diseases of the prostate	134									1	2	5	38	56	28	4		
127	Nonvenereal diseases of the male genital organs	4	2											1	1				
128	Uterine hemorrhage (nonpuerperal)	4								1		3							
129	Uterine tumor (noncancerous)	85								2	22	32	13	9	3	2	2		
130	Other diseases of the uterus	48							2	8	8	14	10	3	2	1			
131	Cysts and other tumors of the ovary	33								5	5	4	6	9	1	3			
132	Salpingitis and other diseases of the female genital organs	67							2	21	26	13	4	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1									1							
	VII.—The puerperal state	559							26	260	232	41							
134	Accidents of pregnancy	47							4	17	22	4							
135	Puerperal hemorrhage	50								17	28	5							
136	Other accidents of labor	64							1	32	30	1							
137	Puerperal septicemia	228							13	118	83	14							
138	Puerperal albuminuria and convulsions	138							7	65	53	13							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	32							1	11	16	4							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MASSACHUSETTS—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	205	43	6	2	4	....	3	1	5	11	17	19	26	37	27	4	....	....
142	Gangrene	74	1	1	1	....	....	3	....	1	2	3	6	7	27	18	4	....	....
143	Furuncle	34	8	2	....	....	....	....	....	3	4	4	7	4	1	1	....	....	....
144	Acute abscess	42	13	3	1	4	....	....	1	1	3	4	2	5	4	1	....	....	....
145	Other diseases of the skin and annexa	55	21	....	....	....	....	....	....	....	2	6	4	10	5	7	....	....	....
	IX.—Diseases of the bones and of the organs of locomotion	119	9	3	3	2	4	8	11	12	12	14	16	13	10	2	....	....	....
146	Diseases of the bones (tuberculosis excepted)	93	8	2	3	2	4	7	10	11	9	11	11	8	5	2	....	....	....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	24	1	1	....	....	....	1	1	1	3	3	4	4	5	....	....	....	....
149	Other diseases of the organs of locomotion	2	....	....	....	....	....	....	....	....	....	....	1	1	....	....	....	....	....
	X.—Malformations	767	710	21	11	....	4	11	8	1	1	....	....	....	....	....	....	....	....
150	Congenital malformations (stillbirths not included) (total)	767	710	21	11	....	4	11	8	1	1	....	....	....	....	....	....	....	....
	Hydrocephalus	64	42	6	7	....	3	3	2	....	1	....	....	....	....	....	....	....	....
	Congenital malformations of the heart	473	444	11	4	....	....	....	7	6	1	....	....	....	....	....	....	....	....
	Other congenital malformations	230	224	4	....	....	1	1	....	....	....	....	....	....	....	....	....	....	....
	XI.—Early infancy	2,986	2,986	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
151	Congenital debility, icterus, and sclerema (total)	2,190	2,190	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Premature birth	1,640	1,640	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Congenital debility, "atrophy," "marasmus," etc	550	550	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
152	Other causes peculiar to early infancy (total)	789	789	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Injuries at birth	479	479	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	Other causes peculiar to early infancy[1]	310	310	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
153	Lack of care	7	7	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
	XII.—Old age	257	....	....	....	....	....	....	....	....	....	....	....	8	46	132	69	2	....
154	Senility	257	....	....	....	....	....	....	....	....	....	....	....	8	46	132	69	2	....
	XIII.—External causes	3,450	96	72	78	79	48	192	267	465	465	482	450	297	246	145	46	....	22
	Suicide (total)	454	....	....	....	....	....	....	16	60	94	91	95	54	34	5	1	....	4
155	By poison	47	....	....	....	....	....	....	1	13	10	7	9	5	2	....	....	....	....
156	By asphyxia	112	....	....	....	....	....	....	3	8	19	25	33	10	12	2	....	....	....
157	By hanging or strangulation	68	....	....	....	....	....	....	4	7	17	14	10	9	5	....	....	....	2
158	By drowning	50	....	....	....	....	....	....	3	6	14	6	11	....	7	2	....	....	1
159	By firearms	119	....	....	....	....	....	....	5	19	21	26	24	17	4	1	1	....	1
160	By cutting or piercing instruments	34	....	....	....	....	....	....	....	3	9	7	5	8	2	....	....	....	....
161	By jumping from high places	14	....	....	....	....	....	....	....	3	3	2	1	4	1	....	....	....	....
162	By crushing	8	....	....	....	....	....	....	....	1	1	4	1	1	....	....	....	....	....
163	Other suicides	2	....	....	....	....	....	....	....	....	....	....	1	....	1	....	....	....	....
	Accidental or undefined (total)	2,879	86	69	77	77	48	188	242	372	342	377	348	240	212	140	45	....	16
164	Poisoning by food	28	....	2	1	4	....	7	....	5	3	....	2	1	3	....	....	....	....
165	Other acute poisonings	51	2	9	3	2	1	2	2	5	9	7	1	5	3	....	....	....	....
166	Conflagration	33	....	....	3	....	1	1	1	3	4	4	4	6	5	....	....	....	1
167	Burns (conflagration excepted)	276	6	27	35	38	17	27	6	17	18	18	22	18	19	7	1	....	....
168	Absorption of deleterious gases (conflagration excepted)	244	51	2	2	....	....	4	8	27	26	35	47	25	10	4	2	....	1
169	Accidental drowning	316	1	7	7	5	7	40	76	63	31	34	20	9	4	2	....	....	7
170	Traumatism by firearms	26	....	....	....	....	1	4	15	2	2	....	1	1	....	....	....	....	....
171	Traumatism by cutting or piercing instruments	3	....	....	....	....	....	....	....	....	1	....	2	....	....	....	....	....	....
172	Traumatism by fall	716	9	13	17	7	2	11	16	44	66	96	88	82	115	109	41	....	....
173	Traumatism in mines and quarries (total)	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
	Traumatism in quarries	2	....	....	....	....	....	....	....	1	1	....	....	....	....	....	....	....	....
174	Traumatism by machines	88	....	1	....	....	....	1	13	22	12	18	13	6	2	....	....	....	....
175	Traumatism by other crushing (total)	856	2	5	8	18	14	82	95	159	117	120	114	66	39	10	1	....	6
	Railroad accidents and injuries	292	....	1	....	2	1	4	35	68	52	43	43	23	12	2	....	....	6
	Street-car accidents and injuries	133	....	2	1	....	....	6	8	34	16	29	21	7	8	1	....	....	....
	Automobile accidents and injuries	304	1	1	5	13	12	58	40	44	34	26	27	26	11	6	....	....	....
	Injuries by other vehicles	109	1	1	2	3	1	14	11	9	12	17	20	9	7	1	1	....	....
	Landslide, other crushing	18	....	....	....	....	....	....	1	4	3	5	3	1	1	....	....	....	....
176	Injuries by animals	11	....	....	....	....	1	3	1	....	....	2	2	....	....	2	....	....	....
177	Starvation	2	....	....	....	....	....	....	....	....	....	....	1	....	....	1	....	....	....
178	Excessive cold	22	....	....	....	....	....	....	....	1	....	7	5	1	7	1	....	....	....
179	Effects of heat	28	5	....	....	....	....	....	1	2	7	3	2	5	3	....	....	....	....
180	Lightning	7	....	....	....	....	....	....	....	2	2	1	2	....	....	....	....	....	....
181	Electricity (lightning excepted)	35	....	....	....	....	....	....	4	10	12	7	1	1	....	....	....	....	....
185	Fractures (cause not specified)	20	....	1	....	2	....	....	....	2	4	3	2	3	....	3	....	....	....
186	Other external violence	115	10	2	1	1	4	6	4	7	24	22	19	11	2	1	....	....	1
	Homicide (total)	117	10	3	1	2	....	4	9	33	29	14	7	3	....	....	....	....	2
182	By firearms	50	....	1	....	1	....	1	2	20	16	6	2	1	....	....	....	....	....
183	By cutting or piercing instruments	18	....	....	....	....	....	....	2	7	6	2	1	....	....	....	....	....	....
184	By other means	49	10	2	1	1	....	3	5	6	7	6	4	2	....	....	....	....	2
	XIV.—Ill-defined diseases	257	97	17	....	7	1	3	3	7	10	20	22	26	19	14	5	....	6
187	Ill-defined organic disease	1	1	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....	....
188	Sudden death	20	6	....	....	....	....	....	....	....	1	1	4	5	1	2	....	....	....
189	Not specified or ill-defined (total)	236	90	17	....	7	1	3	3	7	9	19	18	21	18	12	5	....	6
	Ill-defined	155	46	12	....	3	1	2	1	5	5	16	12	20	17	10	4	....	1
	Not specified or unknown	81	44	5	....	4	....	1	2	2	4	3	6	....	1	2	1	....	5

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN.																		
	All causes	46,013	8,342	1,414	645	421	287	903	1,601	3,232	3,287	3,529	4,667	6,063	6,957	3,945	584	26	110
	I.—General diseases	10,878	732	339	234	163	110	396	633	1,333	1,152	1,141	1,406	1,474	1,172	513	55	3	22
1	Typhoid fever	430	2	5	6	2	6	30	73	120	74	45	35	26	4				2
4	Malaria	7	1		1				1	1	1	1			1				
5	Smallpox	2													2				
6	Measles	349	103	95	38	24	12	34	21	6	6	5	1	2	2				
7	Scarlet fever	176	10	20	22	16	14	45	24	19	2	4							
8	Whooping cough	230	139	46	25	8	3	6	2										1
9	Diphtheria and croup	499	25	49	71	64	44	141	57	16	16	6	5	2	1				2
10	Influenza	937	58	19	12	11	2	9	22	25	33	42	66	118	257	225	35	2	1
13	Cholera nostras	9	2		1		1							2	1	2			
14	Dysentery	77	23	4	6	1	1		1	3	1		5	7	12	12	1		
18	Erysipelas	175	61	4	1			2	3	7	9	21	21	19	13	11	3		
19	Other epidemic diseases	7	1		1	1		2	2										
20	Purulent infection and septicemia	90	14	3	1		1	3	6	6	8	15	10	18	4				1
22	Anthrax	2							1					1					
23	Rabies	2		1						1									
24	Tetanus	32	2		1	1		3	7	6	4		5	3					
25	Mycoses	2								1				1					
26	Pellagra	5								1			1	3					
	Tuberculosis (total)	3,113	89	59	33	23	12	80	308	949	661	378	253	179	72	13			4
28	Tuberculosis of the lungs	2,572	31	18	6	9	4	29	238	855	601	334	209	161	62	13			2
29	Acute miliary tuberculosis	71	4	1		1	1	7	14	20	12	5	5	1					
30	Tuberculous meningitis	196	43	37	19	9	6	29	23	15	8	1	5	1					
31	Abdominal tuberculosis	117	6	1	5	2		6	12	22	19	12	22	4	6				
32	Pott's disease	39	1	1			1	4	3	9	4	10	2	4					
33	White swellings	32	1		2	2		1	5	8	5	3	3	1	1				
34	Tuberculosis of other organs	57	3	1	1			3	7	9	8	11	5	4	3				2
35	Disseminated tuberculosis	29						1	6	11	4	2	2	3					
36	Rickets	31	18	7	1	1	1	2			1								
37	Syphilis	270	101	5	4	3	2		5	21	30	41	34	17	4	3			
38	Gonococcus infection	22	2						2	7	4	4	2	1					
	Cancer and other malignant tumors (total)	2,702	1	2	2	1	2	4	15	31	134	346	639	749	568	190	11	1	6
39	Of the buccal cavity	97									1	3	20	24	30	19			
40	Of the stomach, liver	1,079						1	3	6	21	118	266	339	258	64	2		1
41	Of the peritoneum, intestines, rectum	352			1	1			1	1	15	44	77	95	94	18	4		1
42	Of the female genital organs	412								10	52	93	119	85	42	9			2
43	Of the breast	213								1	16	35	61	44	35	20			1
44	Of the skin	104	1				1	1				6	18	27	24	23	2	1	
45	Of other organs or of organs not specified	445		2	1		1	2	11	13	29	47	78	135	85	37	3		1
46	Other tumors (tumors of the female genital organs excepted)	36	1							1	4	9	4	6	6	4	1		
47	Acute articular rheumatism	150	3			1	2	14	31	17	9	14	12	18	18	10	1		
48	Chronic rheumatism and gout	59								4	5	4	14	12	14	6			
49	Scurvy	7	7																
50	Diabetes	535			1	2	4	10	27	33	28	60	106	137	105	21			1
51	Exophthalmic goiter	71	1						3	6	11	18	17	12	3				
52	Addison's disease	15								1	2	3	3	5	1				
53	Leukemia	70	2		1			3	9	10	10	6	17	8	4				
54	Anemia, chlorosis	411	17	10	1	3	2	3	9	14	31	48	96	98	63	13	3		
55	Other general diseases	108	49	10	5	1	1	5	4	7	2	4	8	8	3	1			
56	Alcoholism (acute or chronic)	237								19	65	67	50	20	11	1			4
57	Chronic lead poisoning	3								1	1			1					
59	Other chronic poisonings	7											2	1	3	1			
	II.—Diseases of the nervous system and of the organs of special sense	5,126	311	102	52	43	20	74	120	144	208	368	707	1024	1,313	571	61	3	5
60	Encephalitis	39	6	2	2	4		2	2	5	4	2	6	4					
61	Meningitis (total)	274	76	48	18	15	7	34	26	19	8	6	12	2	2	1			
	Simple meningitis	136	40	24	6	8	1	13	8	13	4	6	9	1	2	1			
	Cerebrospinal meningitis (undefined)	58	17	9	6	1	4	9	8	1			2	1					
	Cerebrospinal fever	80	19	15	6	6	2	12	10	5	4		1						
62	Locomotor ataxia	86								1	5	20	18	27	13	2			
63	Other diseases of the spinal cord (total)	353	26	18	22	15	8	24	35	14	11	14	37	56	49	21	2	1	
	Acute anterior poliomyelitis	151	21	17	20	15	7	23	30	8	6		3	1					
	Other diseases of the spinal cord [1]	202	5	1	2		1	1	5	6	5	14	34	55	49	21	2	1	
64	Cerebral hemorrhage, apoplexy	2,887	8	1	2	1	1		8	22	51	167	445	713	991	428	46	2	1
65	Softening of the brain	53									3	1	8	10	22	8	1		
66	Paralysis without specified cause	406	2	2					1	3	12	15	43	102	147	67	10		2
67	General paralysis of the insane	320							1	11	48	83	58	48	48	20	1		2
68	Other forms of mental alienation	81								17	12	9	13	16	8	5	1		
69	Epilepsy	159	2	1		1	1	6	29	30	32	15	23	10	6	3			
70	Convulsions (nonpuerperal)	2							1			1							
71	Convulsions of infants	199	170	20	4	2	3												
72	Chorea	5						2	2				1						
73	Neuralgia and neuritis	27	1						1	1		3	4	10	6	1			
74	Other diseases of the nervous system	165	8	3	1	3		4	8	10	16	28	33	22	15	14			
75	Diseases of the eyes and their annexa	4								1			1		2				
76	Diseases of the ears	66	12	7	3	2		2	6	10	6	4	5	4	4	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																	
	III.—Diseases of the circulatory system	6,960	68	9	9	8	6	46	113	198	328	525	894	1,557	2,051	1,043	89	1	15
77	Pericarditis	31	3				1	2	2	1	2	4	3	4	4	5			
78	Acute endocarditis	244	7		2	3	4	16	17	35	28	49	65	7	8	3			
79	Organic diseases of the heart	5,240	34	3	7	4	1	27	92	143	256	410	684	1,221	1,567	723	57		11
80	Angina pectoris	287								1	6	17	56	98	84	23			2
81	Diseases of the arteries, atheroma, aneurism, etc	954		1						2	14	25	59	195	350	273	32	1	2
82	Embolism and thrombosis	135	4						1	15	18	14	15	24	32	12			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	22	1								1	3	6	5	5	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	29	12	5		1		1	1	1	1	2	2	1		2			
85	Hemorrhage; other diseases of the circulatory system	18	7								2	1	4	2	1	1			
	IV.—Diseases of the respiratory system	4,699	1,121	392	125	55	43	70	140	248	298	324	412	494	593	324	47	4	9
86	Diseases of the nasal fossae	7	4	1					1				1						
87	Diseases of the larynx	45	12	6	3	3	4	3	1	3		2	4		3	1			
88	Diseases of the thyroid body	37	2			1			3	3	8	8	5	4	3				
89	Acute bronchitis	395	200	43	15	4	4	3	5	3	4	2	9	14	46	34	8	1	
90	Chronic bronchitis	282	4		1			4	3	4	10	7	19	43	93	77	14	2	1
91	Bronchopneumonia	1,396	599	228	54	25	16	16	16	28	36	34	46	97	111	78	11		1
92	Pneumonia (total)	2,153	261	100	46	19	14	37	92	179	214	236	279	284	280	94	11	1	6
	Lobar pneumonia	1,634	184	74	35	15	11	28	69	142	178	193	221	211	203	59	5	1	5
	Pneumonia (undefined)	519	77	26	11	4	3	9	23	37	36	43	58	73	77	35	6		1
93	Pleurisy	121	5	9	5	2	3	3	10	14	15	11	19	10	9	6			
94	Pulmonary congestion, pulmonary apoplexy	96	29	1	1		2	3	2	1	4	4	3	11	17	16	2		
95	Gangrene of the lung	15		1					2	3	1	3	2	1		1			1
96	Asthma	90	1	3				1		2	2	10	12	20	25	13	1		
97	Pulmonary emphysema	8	2						1					2	1	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	54	2			1			4	8	4	7	13	8	5	2			
	V.—Diseases of the digestive system	5,420	2,105	432	132	85	51	120	172	251	306	318	390	481	381	168	23	1	4
99	Diseases of the mouth and annexa	29	11	1				1		5	2	2	1	4	1	1			
100	Diseases of the pharynx	105	11	6	2	6	1	14	17	13	13	6	6	1	7	3			
101	Diseases of the esophagus	9											5	2	2				
102	Ulcer of the stomach	145	2					1	3	12	18	19	29	36	21	4			
103	Other diseases of the stomach (cancer excepted)	568	262	37	8	5	5	1	5	10	14	22	28	55	62	42	10		2
104	Diarrhea and enteritis (under 2 years)	2,094	1,724	370															
105	Diarrhea and enteritis (2 years and over)	450			105	60	26	24	9	20	26	20	24	43	53	33	5		2
107	Intestinal parasites	9	1	1	2	1		3	1										
108	Appendicitis and typhlitis	534	3	4	5	7	5	50	109	113	81	73	41	32	8	3			
109	Hernia, intestinal obstruction (total)	463	73	5	7	4	7	13	9	26	36	46	67	69	65	29	6	1	
	Hernia	131	9	1	2				1	2	12	11	22	30	22	16	3		
	Intestinal obstruction	332	64	4	5	4	7	13	8	24	24	35	45	39	43	13	3	1	
110	Other diseases of the intestines	94	8	2	1		1	1	5	10	18	8	10	16	7	7			
111	Acute yellow atrophy of the liver	13							1	3	2	1	1	4	1				
113	Cirrhosis of the liver	445		1				1		8	32	62	103	129	89	20			
114	Biliary calculi	108							1	2	13	19	24	28	13	5	1		
115	Other diseases of the liver	217	5	1			2		3	13	30	26	36	43	38	19	1		
116	Diseases of the spleen	3									1	1		1					
117	Simple peritonitis (nonpuerperal)	112	5	4	2	2	4	11	9	13	17	9	9	14	11	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	23								3	3	4	6	4	3				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,037	63	13	13	7	3	27	36	148	195	312	426	637	760	353	33	4	7
119	Acute nephritis	219	29	4	4	7		11	16	24	16	24	24	24	26	8	1		1
120	Bright's disease	2,289	23	8	9		3	16	19	82	116	223	337	540	601	282	22	3	5
122	Other diseases of the kidneys and annexa	83	10	1						4	8	14	16	14	12	4			
123	Calculi of the urinary passages	15								1	2	2	3	3	3		1		
124	Diseases of the bladder	69									1	1	5	13	29	18	2		
125	Diseases of the urethra, urinary abscess, etc	5									1	1	2	1					
126	Diseases of the prostate	172									1	1	13	32	80	37	6	1	1
127	Nonvenereal diseases of the male genital organs	4	1								2		1						
128	Uterine hemorrhage (nonpuerperal)	2								2									
129	Uterine tumor (noncancerous)	47									5	17	15	4	3	2	1		
130	Other diseases of the uterus	51								11	17	15	6	1	1				
131	Cysts and other tumors of the ovary	32								5	7	6	4	4	4	2			
132	Salpingitis and other diseases of the female genital organs	48							1	18	19	8		1	1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1								1									
	VII.—The puerperal state	592							42	272	214	62	2						
134	Accidents of pregnancy	50							3	18	24	5							
135	Puerperal hemorrhage	51							3	19	19	9	1						
136	Other accidents of labor	61							4	24	25	8							
137	Puerperal septicemia	269							22	137	88	21	1						
138	Puerperal albuminuria and convulsions	137							9	66	44	18							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	22								7	14	1							
140	Following childbirth (not otherwise defined)	2							1	1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MICHIGAN—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	229	47	3	1	1	.....	2	3	10	4	6	17	26	51	46	9	.....	3
142	Gangrene	114	1	.....	.....	.....	.....	.....	.....	1	1	1	9	14	39	41	7	.....	.....
143	Furuncle	18	3	.....	1	.....	.....	.....	1	3	1	1	3	4	1	.....	.....	.....	.....
144	Acute abscess	48	14	3	.....	1	.....	2	2	5	2	2	3	6	3	2	1	.....	2
145	Other diseases of the skin and annexa	49	29	.....	.....	.....	.....	.....	.....	1	.....	2	2	2	8	3	1	.....	1
	IX.—Diseases of the bones and of the organs of locomotion	112	14	1	3	1	1	10	15	9	12	9	9	8	12	5	3	.....	.....
146	Diseases of the bones (tuberculosis excepted)	94	14	1	3	1	1	10	14	7	11	7	7	2	10	3	3	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	13	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	4	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	.....	2	.....	.....	.....
	X.—Malformations	645	610	13	4	3	2	7	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	645	610	13	4	3	2	7	2	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	59	50	2	.....	3	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	392	373	7	4	.....	1	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	194	187	4	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	3,091	3,091	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,478	2,478	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,757	1,757	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	721	721	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	602	602	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	299	299	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	303	303	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	11	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	1,374	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	31	363	738	227	10	3
154	Senility	1,374	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	31	363	738	227	10	3
	XIII.—External causes	3,536	102	80	65	52	49	137	316	598	542	446	376	298	236	166	33	.....	40
	Suicide (total)	453	.....	.....	.....	.....	.....	.....	24	78	92	91	68	58	28	9	1	.....	4
155	By poison	138	.....	.....	.....	.....	.....	.....	11	30	30	30	18	11	6	1	.....	.....	1
156	By asphyxia	27	.....	.....	.....	.....	.....	.....	2	5	5	4	7	2	1	1	.....	.....	.....
157	By hanging or strangulation	98	.....	.....	.....	.....	.....	.....	2	13	13	15	20	20	10	4	.....	.....	1
158	By drowning	27	.....	.....	.....	.....	.....	.....	2	3	7	4	1	6	4	.....	.....	.....	.....
159	By firearms	112	.....	.....	.....	.....	.....	.....	6	20	20	26	17	14	5	2	1	.....	1
160	By cutting or piercing instruments	31	.....	.....	.....	.....	.....	.....	.....	5	9	7	3	3	2	1	.....	.....	1
161	By jumping from high places	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....
162	By crushing	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	13	.....	.....	.....	.....	.....	.....	1	1	5	5	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,957	100	80	65	52	49	136	286	478	414	330	302	234	206	157	32	.....	36
164	Poisoning by food	37	3	2	5	4	2	3	3	5	2	3	2	2	.....	1	.....	.....	.....
165	Other acute poisonings	64	6	10	5	6	3	2	3	9	4	1	4	6	4	.....	.....	.....	1
166	Conflagration	62	3	3	5	5	3	3	1	4	8	8	6	6	3	2	1	.....	1
167	Burns (conflagration excepted)	194	10	25	23	17	14	10	9	13	18	12	9	12	12	8	1	.....	1
168	Absorption of deleterious gases (conflagration excepted)	113	42	2	.....	1	.....	2	5	10	15	15	8	5	4	3	.....	.....	1
169	Accidental drowning	374	3	11	9	5	2	32	101	86	42	35	16	11	7	.....	.....	.....	14
170	Traumatism by firearms	75	.....	.....	.....	1	.....	9	20	29	9	3	3	.....	.....	.....	.....	.....	1
171	Traumatism by cutting or piercing instruments	3	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	438	6	4	9	3	5	7	11	24	35	34	44	50	81	102	22	.....	1
173	Traumatism in mines and quarries (total)	120	.....	.....	.....	.....	.....	.....	4	41	45	20	9	.....	.....	.....	.....	.....	1
	Traumatism in mines	120	.....	.....	.....	.....	.....	.....	4	41	45	20	9	.....	.....	.....	.....	.....	1
174	Traumatism by machines	67	.....	.....	.....	.....	.....	.....	8	22	12	10	12	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	852	4	8	7	6	15	50	74	172	143	97	108	92	50	16	.....	.....	10
	Railroad accidents and injuries	350	1	3	1	1	2	6	27	86	75	38	50	29	17	6	.....	.....	8
	Street-car accidents and injuries	123	.....	3	.....	1	.....	8	7	21	20	20	12	21	9	1	.....	.....	.....
	Automobile accidents and injuries	255	.....	1	5	2	12	23	35	45	32	29	26	23	16	6	.....	.....	.....
	Injuries by other vehicles	103	3	.....	1	2	1	12	4	15	14	9	14	17	7	3	.....	.....	1
	Landslide, other crushing	21	.....	1	.....	.....	.....	1	1	5	2	1	6	2	1	.....	.....	.....	1
176	Injuries by animals	37	.....	.....	.....	1	2	1	7	2	6	3	6	4	5	.....	.....	.....	.....
177	Starvation	4	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
178	Excessive cold	18	.....	.....	.....	.....	.....	.....	1	.....	4	3	4	4	1	.....	1	.....	.....
179	Effects of heat	224	17	3	.....	2	1	2	4	15	33	40	39	21	20	19	7	.....	1
180	Lightning	30	.....	.....	1	.....	.....	2	11	2	1	8	3	1	.....	1	.....	.....	.....
181	Electricity (lightning excepted)	36	.....	.....	.....	.....	.....	1	5	13	8	6	3	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	43	.....	.....	.....	.....	.....	1	3	9	6	8	8	3	4	1	.....	.....	.....
186	Other external violence	166	6	11	1	1	2	10	15	22	23	23	17	12	15	4	.....	.....	4
	Homicide (total)	126	2	.....	.....	.....	.....	1	6	42	36	25	6	6	2	.....	.....	.....	.....
182	By firearms	82	.....	.....	.....	.....	.....	1	6	31	23	15	2	4	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	17	.....	.....	.....	.....	.....	.....	.....	6	7	3	.....	1	.....	.....	.....	.....	.....
184	By other means	27	2	.....	.....	.....	.....	.....	.....	5	6	7	4	1	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	314	78	30	7	3	2	14	9	17	28	18	26	33	25	18	4	.....	2
187	Ill-defined organic disease	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	4	5	2	.....	.....
188	Sudden death	16	5	.....	.....	.....	.....	.....	2	2	1	.....	2	3	1	.....	.....	.....	.....
189	Not specified or ill-defined (total)	281	73	30	7	3	2	14	7	15	27	18	22	26	20	13	2	.....	2
	Ill-defined	121	10	25	3	1	1	7	4	4	10	5	14	16	8	10	2	.....	1
	Not specified or unknown	160	63	5	4	2	1	7	3	11	17	13	8	10	12	3	.....	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA.																	
	All causes	24,297	3,865	634	345	214	164	554	1,136	1,925	2,005	2,077	2,766	2,972	3,142	2,106	369	7	16
	I.—General diseases	7,013	419	244	140	95	64	243	492	872	814	782	946	900	654	304	40	.....	4
1	Typhoid fever	124	.....	2	1	1	1	7	23	42	20	15	6	3	3	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	288	66	77	32	22	10	36	25	8	6	2	3	.....	.....	.....	.....	.....	1
7	Scarlet fever	121	2	19	15	13	9	29	22	5	5	2	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	221	136	52	16	6	1	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	170	17	19	16	12	11	40	27	10	6	9	1	1	.....	.....	.....	.....	1
10	Influenza	415	34	11	6	4	1	8	18	17	19	7	23	35	103	107	22	.....	.....
13	Cholera nostras	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
14	Dysentery	27	7	4	4	1	2	1	1	1	1	2	1	1	.....	1	.....	.....	.....
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
18	Erysipelas	78	26	2	1	.....	.....	1	2	5	3	6	9	11	7	5	.....	.....	.....
19	Other epidemic diseases	10	6	.....	.....	.....	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	38	3	1	1	1	.....	3	1	7	6	1	2	6	4	2	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	32	6	.....	.....	.....	1	6	5	5	3	2	1	1	.....	1	.....	.....	1
25	Mycoses	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
	Tuberculosis (total)	2,382	43	41	32	21	13	56	271	659	508	314	234	126	50	11	2	.....	1
28	Tuberculosis of the lungs	1,927	12	12	7	3	2	20	191	587	446	273	208	109	45	9	2	.....	1
29	Acute miliary tuberculosis	72	2	2	3	1	.....	2	18	20	10	8	3	2	.....	1	.....	.....	.....
30	Tuberculous meningitis	163	25	18	19	16	8	27	27	6	12	5	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	98	3	3	3	.....	.....	2	19	18	20	14	7	6	2	1	.....	.....	.....
32	Pott's disease	40	.....	3	.....	.....	2	3	5	8	8	6	3	1	1	.....	.....	.....	.....
33	White swellings	16	1	2	.....	.....	.....	1	3	3	2	1	1	.....	2	.....	.....	.....	.....
34	Tuberculosis of other organs	41	.....	.....	.....	1	1	1	6	6	5	7	9	5	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	25	.....	1	.....	.....	.....	.....	2	11	5	.....	3	3	.....	.....	.....	.....	.....
36	Rickets	19	8	6	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	150	38	2	3	1	.....	2	3	13	22	32	19	12	2	1	.....	.....	.....
38	Gonococcus infection	15	2	.....	.....	.....	.....	.....	1	7	3	1	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,963	2	1	6	3	3	11	13	27	117	265	454	530	380	139	12	.....	.....
39	Of the buccal cavity	88	.....	.....	.....	.....	.....	1	.....	.....	4	7	18	26	24	7	1	.....	.....
40	Of the stomach, liver	921	.....	.....	2	.....	1	1	.....	3	25	117	209	270	227	66	.....	.....	.....
41	Of the peritoneum, intestines, rectum	229	.....	.....	1	.....	.....	.....	2	2	11	28	61	71	39	13	1	.....	.....
42	Of the female genital organs	193	.....	.....	.....	.....	.....	.....	1	7	31	41	50	42	15	5	1	.....	.....
43	Of the breast	132	.....	.....	.....	.....	.....	.....	1	.....	12	38	38	20	13	10	.....	.....	.....
44	Of the skin	55	.....	.....	.....	.....	.....	1	.....	.....	1	5	10	9	8	14	7	.....	.....
45	Of other organs or of organs not specified	345	2	1	3	3	2	8	9	15	33	29	68	92	54	24	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
47	Acute articular rheumatism	90	1	1	.....	2	4	17	29	8	6	6	10	4	1	1	.....	.....	.....
48	Chronic rheumatism and gout	24	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	7	6	5	2	.....	.....
49	Scurvy	2	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	373	1	1	1	3	1	10	21	22	21	30	82	94	63	21	2	.....	.....
51	Exophthalmic goiter	70	.....	.....	.....	.....	.....	.....	6	16	15	16	11	4	1	1	.....	.....	.....
52	Addison's disease	16	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	3	2	.....	.....	.....	.....
53	Leukemia	59	2	1	2	.....	3	4	7	5	2	11	12	6	3	1	.....	.....	.....
54	Anemia, chlorosis	170	.....	2	.....	.....	1	1	6	3	17	27	43	42	23	5	.....	.....	.....
55	Other general diseases	37	16	1	2	2	2	2	3	1	3	1	1	.....	2	1	.....	.....	.....
56	Alcoholism (acute or chronic)	97	.....	.....	.....	.....	.....	.....	.....	10	26	28	21	10	1	1	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,245	146	36	30	19	17	56	89	95	109	176	276	378	482	301	34	.....	1
60	Encephalitis	14	2	1	.....	.....	1	.....	3	4	2	.....	.....	.....	1	.....	.....	.....	.....
61	Meningitis (total)	142	36	12	14	9	4	13	16	8	12	12	5	1	.....	.....	.....	.....	.....
	Simple meningitis	65	17	4	5	2	3	7	3	3	9	7	4	1	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	37	8	4	4	4	.....	4	2	5	2	3	1	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	40	11	4	5	3	1	2	11	.....	1	2	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	45	.....	.....	.....	.....	.....	.....	.....	.....	1	10	14	17	1	1	1	.....	.....
63	Other diseases of the spinal cord (total)	209	13	8	7	6	7	27	30	19	14	12	19	20	16	11	.....	.....	.....
	Acute anterior poliomyelitis	106	8	7	5	6	6	26	30	14	2	.....	1	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	103	5	1	2	.....	1	1	.....	5	12	12	18	19	16	11	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,284	1	2	.....	.....	.....	1	5	13	25	69	185	299	403	252	28	.....	.....
65	Softening of the brain	19	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	7	6	4	.....	.....	.....
66	Paralysis without specified cause	84	2	1	.....	.....	.....	.....	1	2	1	5	6	5	33	23	5	.....	.....
67	General paralysis of the insane	80	.....	.....	.....	.....	.....	.....	.....	1	18	24	22	6	7	2	.....	.....	.....
68	Other forms of mental alienation	44	.....	.....	.....	.....	.....	.....	.....	7	8	15	7	5	.....	2	.....	.....	.....
69	Epilepsy	95	2	1	1	1	1	2	26	21	17	7	5	7	3	1	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	84	71	8	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....
73	Neuralgia and neuritis	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	5	1	.....	.....
74	Other diseases of the nervous system	89	9	1	3	1	1	7	5	12	7	18	12	7	4	2	.....	.....	.....
76	Diseases of the ears	43	10	2	3	.....	2	4	2	7	4	3	.....	2	3	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																	
	III.—Diseases of the circulatory system	3,169	26	4	1	5	2	29	74	104	167	222	437	621	801	593	81	2	
77	Pericarditis	15								2	2	2	5	4					
78	Acute endocarditis	151	8		1			9	20	24	18	20	39	6	4	2			
79	Organic diseases of the heart	2,415	8	3	1	4	2	17	51	68	134	171	329	500	637	439	51		
80	Angina pectoris	110							1	1		12	23	38	26	9			
81	Diseases of the arteries, atheroma, aneurism, etc	355						1		2	3	7	26	46	109	131	28	2	
82	Embolism and thrombosis	79	2						2	5	6	6	8	22	19	7	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	25		1						1	2	4	6	4	4	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	12	8					2		1	1								
85	Hemorrhage; other diseases of the circulatory system	7									1		1	1	2	2			
	IV.—Diseases of the respiratory system	2,416	501	131	44	26	16	41	69	106	162	164	229	266	336	264	59	1	1
86	Diseases of the nasal fossae	7	4	1				1							1				
87	Diseases of the larynx	11	3	2		1	1	2				2							
88	Diseases of the thyroid body	34							2	4	3	10	6	5	2	2			
89	Acute bronchitis	97	44	5	3		1		1	1		1	1	7	12	15	6		
90	Chronic bronchitis	155		1				1		2		3	13	18	45	54	18		
91	Bronchopneumonia	703	311	88	27	13	3	13	9	10	11	12	16	32	75	66	16		1
92	Pneumonia (total)	1,254	133	31	12	12	9	20	51	80	133	126	175	179	176	102	14	1	
	Lobar pneumonia	1,138	95	28	10	11	9	18	45	76	127	120	164	172	163	90	9	1	
	Pneumonia (undefined)	116	38	3	2	1		2	6	4	6	6	11	7	13	12	5		
93	Pleurisy	62	3	2			1	1	4	8	9	5	8	12	4	5			
94	Pulmonary congestion, pulmonary apoplexy	22	3								2				4	9	4		
95	Gangrene of the lung	7		1					2	1	1	1			1				
96	Asthma	42			1						1	4	3	11	12	9	1		
97	Pulmonary emphysema	8									1		1	1	3	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	14			1		1	3			1		6	1	1				
	V.—Diseases of the digestive system	2,294	638	130	76	36	33	73	136	153	165	185	212	188	180	76	13		
99	Diseases of the mouth and annexa	24	1	1	1	1		2	2	3	2	4	2	1	3	1			
100	Diseases of the pharynx	56	6	2	1	5	4	8	11	4	4	3	5	2	1				
101	Diseases of the esophagus	2							1			1							
102	Ulcer of the stomach	97							1	4	16	18	24	21	10	2	1		
103	Other diseases of the stomach (cancer excepted)	108	56	4	2		1	2	2		3	6	3	6	15	5	3		
104	Diarrhea and enteritis (under 2 years)	636	528	108															
105	Diarrhea and enteritis (2 years and over)	195			57	22	13	10	6	10	9	11	10	12	20	13	2		
107	Intestinal parasites	1												1					
108	Appendicitis and typhlitis	440	2	5	8	7	13	37	96	88	63	56	39	13	12	1			
109	Hernia, intestinal obstruction (total)	247	37	4	2	1	1	8	7	11	20	15	27	42	44	24	4		
	Hernia	104	5					1		4	8	7	19	24	24	10	2		
	Intestinal obstruction	143	32	4	2	1	1	7	7	7	12	8	8	18	20	14	2		
110	Other diseases of the intestines	70	5	2	3		1	2	1	7	5	13	11	6	6	7	1		
111	Acute yellow atrophy of the liver	8	1							2	1	1	2			1			
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	150		1				1	3	5	9	22	36	37	23	12	1		
114	Biliary calculi	100								4	8	15	27	21	20	5			
115	Other diseases of the liver	119	1						1	7	21	17	18	24	24	5	1		
116	Diseases of the spleen	1								1									
117	Simple peritonitis (nonpuerperal)	29	1	3	2			3	5	6	3	2	2	1	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10								1	1	1	5	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,116	21	4	5	2	3	12	34	94	124	223	371	414	486	280	43		
119	Acute nephritis	85	2		1	2	1	5	8	15	11	12	9	7	5	7			
120	Bright's disease	1,654	4	2	3		2	6	19	48	79	161	318	349	409	217	37		
122	Other diseases of the kidneys and annexa	67	10	1	1			1		7	8	9	11	6	11	2			
123	Calculi of the urinary passages	15									1	2	3	2	4	2	1		
124	Diseases of the bladder	38	1						1		1	2	2	4	8	17	2		
125	Diseases of the urethra, urinary abscess, etc	4								1			2	1					
126	Diseases of the prostate	131											12	39	45	32	3		
127	Nonvenereal diseases of the male genital organs	6	3	1									1		1				
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	41									8	23	7	1		2			
130	Other diseases of the uterus	15								3	5	3	2	1		1			
131	Cysts and other tumors of the ovary	15							1	2	1	3	4	1	3				
132	Salpingitis and other diseases of the female genital organs	43							5	18	10	7		3					
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	303							17	139	107	40							
134	Accidents of pregnancy	24							2	10	9	3							
135	Puerperal hemorrhage	28								9	12	7							
136	Other accidents of labor	24								10	9	5							
137	Puerperal septicemia	119							8	56	42	13							
138	Puerperal albuminuria and convulsions	88							7	44	27	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	19								10	7	2							
140	Following childbirth (not otherwise defined)	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MINNESOTA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	90	24	1	.....	1	.....	1	2	2	4	5	7	10	9	22	2	.....	.....
142	Gangrene	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	6	19	2	.....	.....
143	Furuncle	16	1	1	.....	.....	.....	1	1	.....	.....	2	3	4	1	2	.....	.....	.....
144	Acute abscess	22	8	.....	.....	1	.....	.....	1	2	4	3	.....	2	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	20	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	51	5	1	2	.....	.....	6	12	5	5	5	2	6	1	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	45	4	1	2	.....	.....	6	12	5	3	4	2	6	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	1	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	350	327	9	7	1	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	350	327	9	7	1	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	36	30	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	167	159	2	2	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	147	138	5	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,589	1,589	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,290	1,290	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,056	1,056	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	234	234	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	292	292	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	168	168	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	124	124	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	343	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	67	182	80	4	.....
154	Senility	343	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	9	67	182	80	4	.....
	XIII.—External causes	2,071	46	65	37	27	27	88	205	348	339	266	265	162	106	72	9	.....	9
	Suicide (total)	282	.....	.....	.....	.....	.....	.....	1	52	68	55	53	32	18	2	.....	.....	1
155	By poison	42	.....	.....	.....	.....	.....	.....	.....	12	7	10	6	3	3	1	.....	.....	.....
156	By asphyxia	29	.....	.....	.....	.....	.....	.....	.....	5	5	5	7	5	1	.....	.....	.....	1
157	By hanging or strangulation	58	.....	.....	.....	.....	.....	.....	1	4	12	9	17	10	5	.....	.....	.....	.....
158	By drowning	21	.....	.....	.....	.....	.....	.....	.....	7	4	3	5	2	.....	.....	.....	.....	.....
159	By firearms	100	.....	.....	.....	.....	.....	.....	.....	22	25	21	12	12	7	1	.....	.....	.....
160	By cutting or piercing instruments	24	.....	.....	.....	.....	.....	.....	.....	.....	12	5	5	.....	2	.....	.....	.....	.....
161	By jumping from high places	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
162	By crushing	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,714	40	65	36	27	27	86	200	277	246	202	204	130	88	70	9	.....	7
164	Poisoning by food	30	1	3	1	1	1	3	3	4	1	4	3	2	3	.....	.....	.....	.....
165	Other acute poisonings	48	3	15	3	1	3	2	1	4	3	6	1	2	3	1	.....	.....	.....
166	Conflagration	33	3	3	5	3	3	1	.....	3	2	.....	3	4	2	.....	1	.....	.....
167	Burns (conflagration excepted)	92	2	13	9	10	6	8	4	12	10	3	6	6	3	.....	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	90	17	1	.....	1	.....	1	5	10	15	15	14	8	3	.....	.....	.....	.....
169	Accidental drowning	274	2	14	4	3	2	31	31	60	28	22	11	8	2	.....	.....	.....	6
170	Traumatism by firearms	65	.....	1	1	1	1	3	27	15	9	2	4	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	4	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	253	3	1	1	1	1	6	10	15	30	22	33	31	38	54	7	.....	.....
173	Traumatism in mines and quarries (total)	39	.....	.....	.....	.....	.....	.....	1	13	12	9	4	.....	.....	.....	.....	.....	.....
	Traumatism in mines	37	.....	.....	.....	.....	.....	.....	1	13	12	9	2	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	48	.....	1	.....	.....	1	2	4	11	13	3	10	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	510	.....	1	6	4	7	21	49	98	80	86	81	44	24	7	1	.....	1
	Railroad accidents and injuries	238	.....	.....	1	.....	.....	2	18	49	51	44	38	18	14	2	.....	.....	1
	Street-car accidents and injuries	31	.....	.....	.....	2	1	.....	2	3	4	10	4	2	2	1	.....	.....	.....
	Automobile accidents and injuries	143	.....	1	3	1	4	16	15	31	19	18	19	10	4	2	.....	.....	.....
	Injuries by other vehicles	83	.....	.....	2	1	2	3	13	10	5	10	17	13	4	2	1	.....	.....
	Landslide, other crushing	15	.....	.....	.....	.....	.....	.....	1	5	1	4	3	1	.....	.....	.....	.....	.....
176	Injuries by animals	39	.....	1	2	.....	1	3	3	4	3	3	9	7	2	1	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	22	.....	.....	.....	.....	.....	.....	.....	2	2	7	7	2	.....	2	.....	.....	.....
179	Effects of heat	47	1	.....	.....	.....	1	.....	2	3	12	6	9	6	6	1	.....	.....	.....
180	Lightning	15	.....	.....	1	.....	.....	1	2	3	6	1	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	12	.....	.....	.....	.....	.....	1	1	7	3	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	2	.....	.....	.....
186	Other external violence	87	8	11	3	1	.....	2	5	11	16	12	8	6	2	2	.....	.....	.....
	Homicide (total)	75	6	.....	1	.....	.....	2	4	19	25	9	8	.....	.....	.....	.....	.....	1
182	By firearms	50	.....	.....	.....	.....	.....	1	3	15	15	8	7	.....	.....	.....	.....	.....	1
183	By cutting or piercing instruments	6	1	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
184	By other means	19	5	.....	1	.....	.....	1	.....	3	7	1	1	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	247	123	9	3	2	1	3	4	6	9	9	20	18	20	11	8	.....	1
187	Ill-defined organic disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
188	Sudden death	24	5	1	.....	.....	1	1	.....	2	.....	2	3	5	3	1	.....	.....	.....
189	Not specified or ill-defined (total)	221	118	8	3	2	.....	2	4	4	9	7	15	13	17	10	8	.....	1
	Ill-defined	68	19	4	2	1	.....	.....	2	1	2	2	9	10	8	5	3	.....	.....
	Not specified or unknown	153	99	4	1	1	.....	2	2	3	7	5	6	3	9	5	5	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI.																	
	All causes	44,110	5,927	1,635	752	440	276	982	1,837	3,488	3,730	4,079	4,849	5,866	6,269	3,293	481	35	171
	I.—General diseases	13,347	824	558	331	224	155	504	817	1,682	1,618	1,507	1,532	1,566	1,345	561	73	4	46
1	Typhoid fever	655	4	10	22	11	12	52	145	159	87	61	43	27	13	5	1	.....	3
2	Typhus fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
4	Malaria	374	40	39	21	10	12	31	29	36	30	31	36	29	18	9	1	.....	2
5	Smallpox	11	2	.....	.....	.....	.....	1	1	.....	2	1	2	1	.....	.....	1	.....	.....
6	Measles	533	115	132	57	31	21	57	43	23	20	14	11	4	2	1	.....	.....	2
7	Scarlet fever	182	9	20	20	14	15	53	27	20	4	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	376	201	91	34	21	4	20	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	537	33	78	82	72	44	172	36	13	3	2	.....	.....	2	.....	.....	.....	.....
10	Influenza	1,194	96	29	22	13	8	23	22	30	39	53	90	162	319	245	41	1	1
13	Cholera nostras	14	.....	2	1	.....	.....	.....	.....	.....	.....	.....	1	2	6	2	.....	.....	.....
14	Dysentery	297	54	56	27	5	7	3	3	2	2	2	9	27	54	36	7	1	2
18	Erysipelas	142	27	2	1	1	1	.....	6	9	11	15	17	15	21	13	2	1	.....
19	Other epidemic diseases	7	4	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	66	6	2	.....	1	.....	5	7	4	3	10	13	8	6	1	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
23	Rabies	3	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	67	18	.....	.....	3	.....	4	12	8	8	1	7	3	1	1	.....	.....	1
25	Mycoses	4	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	1	.....	.....	.....
26	Pellagra	41	.....	.....	.....	.....	.....	.....	1	6	9	9	8	4	4	.....	.....	.....	.....
	Tuberculosis (total)	4,814	99	76	29	28	21	48	397	1,186	1,079	752	482	359	190	43	.....	.....	25
28	Tuberculosis of the lungs	4,209	39	30	15	11	9	18	332	1,080	992	696	439	317	169	38	.....	.....	24
29	Acute miliary tuberculosis	118	6	3	.....	1	.....	5	17	35	25	11	6	5	2	1	.....	.....	1
30	Tuberculous meningitis	190	44	31	7	12	9	20	12	24	13	6	5	6	.....	1	.....	.....	.....
31	Abdominal tuberculosis	170	7	11	2	.....	2	2	14	28	31	23	20	18	10	2	.....	.....	.....
32	Pott's disease	46	3	.....	1	2	1	2	10	6	4	7	5	2	3	.....	.....	.....	.....
33	White swellings	16	.....	1	.....	.....	.....	1	4	.....	.....	3	2	3	2	.....	.....	.....	.....
34	Tuberculosis of other organs	56	.....	.....	4	1	.....	.....	7	10	12	6	4	8	3	1	.....	.....	.....
35	Disseminated tuberculosis	9	.....	.....	.....	1	.....	.....	1	3	2	.....	1	.....	1	.....	.....	.....	.....
36	Rickets	14	11	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	344	81	8	3	2	2	2	8	39	60	49	45	30	12	2	.....	.....	1
38	Gonococcus infection	29	3	.....	.....	.....	.....	.....	1	11	7	5	1	.....	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,520	2	5	3	5	2	7	13	52	156	348	566	654	526	161	13	1	6
39	Of the buccal cavity	115	.....	.....	.....	.....	.....	.....	2	.....	2	12	22	35	26	13	1	.....	2
40	Of the stomach, liver	988	.....	.....	1	.....	.....	1	3	11	36	99	226	304	244	59	3	1	.....
41	Of the peritoneum, intestines, rectum	272	.....	2	.....	.....	.....	2	.....	12	26	39	69	55	57	9	.....	.....	1
42	Of the female genital organs	348	1	.....	.....	.....	.....	.....	3	8	38	96	96	76	26	4	.....	.....	.....
43	Of the breast	215	.....	.....	.....	.....	1	.....	.....	5	23	50	44	45	35	11	.....	.....	1
44	Of the skin	138	.....	.....	.....	.....	.....	.....	1	.....	4	6	12	34	46	30	5	.....	.....
45	Of other organs or of organs not specified	444	1	3	2	5	1	4	4	16	27	46	97	105	92	35	4	.....	2
46	Other tumors (tumors of the female genital organs excepted)	19	.....	.....	.....	.....	.....	1	.....	1	1	2	1	2	7	4	.....	.....	.....
47	Acute articular rheumatism	130	4	1	2	3	1	8	25	13	6	13	13	16	19	5	1	.....	.....
48	Chronic rheumatism and gout	39	.....	.....	.....	.....	.....	1	.....	4	3	3	4	7	14	1	2	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	517	2	1	1	1	3	8	26	29	30	46	100	147	100	21	2	.....	.....
51	Exophthalmic goiter	46	.....	.....	.....	.....	.....	.....	1	3	7	11	15	5	3	1	.....	.....	.....
52	Addison's disease	14	.....	.....	.....	1	.....	.....	.....	.....	1	8	1	1	1	.....	1	.....	.....
53	Leukemia	63	1	2	2	.....	.....	2	3	7	10	8	14	10	3	1	.....	.....	.....
54	Anemia, chlorosis	119	4	1	2	.....	.....	2	3	4	8	17	28	29	13	6	.....	.....	2
55	Other general diseases	33	7	1	1	1	.....	4	1	6	1	4	.....	3	2	1	1	.....	.....
56	Alcoholism (acute or chronic)	109	.....	.....	.....	.....	.....	.....	.....	9	25	32	19	17	5	1	.....	.....	1
57	Chronic lead poisoning	11	.....	.....	.....	.....	.....	.....	1	2	1	3	2	2	.....	.....	.....	.....	.....
59	Other chronic poisonings	19	.....	.....	.....	.....	.....	.....	.....	4	5	4	3	2	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,719	149	78	31	17	10	59	73	115	191	326	563	793	850	399	39	2	24
60	Encephalitis	20	3	1	1	1	.....	.....	2	2	1	1	4	2	1	1	.....	.....	.....
61	Meningitis (total)	245	56	42	18	9	5	31	23	21	11	11	11	4	2	1	.....	.....	.....
	Simple meningitis	81	17	13	7	2	3	11	3	8	6	2	5	2	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	50	12	11	2	3	.....	7	5	2	.....	3	3	1	1	.....	.....	.....	.....
	Cerebrospinal fever	114	27	18	9	4	2	13	15	11	5	6	3	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	64	.....	.....	.....	.....	.....	.....	.....	1	3	13	18	19	10	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	261	16	17	5	2	2	6	10	10	5	22	26	54	60	22	3	.....	1
	Acute anterior poliomyelitis	48	9	17	5	2	2	5	4	3	.....	.....	.....	.....	1	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	213	7	.....	.....	.....	.....	1	6	7	5	22	26	54	59	22	3	.....	1
64	Cerebral hemorrhage, apoplexy	2,187	13	2	1	.....	1	3	6	27	57	149	364	596	639	290	25	1	13
65	Softening of the brain	37	.....	.....	.....	.....	.....	.....	.....	.....	2	3	5	4	11	9	1	1	1
66	Paralysis without specified cause	249	1	.....	1	1	1	2	.....	1	5	9	28	59	83	52	6	.....	.....
67	General paralysis of the insane	272	.....	.....	.....	.....	.....	.....	.....	8	59	69	68	29	19	14	2	.....	4
68	Other forms of mental alienation	44	.....	.....	.....	.....	.....	.....	.....	6	8	7	8	1	8	4	.....	.....	2
69	Epilepsy	139	5	1	1	.....	.....	6	18	30	25	21	10	11	7	1	.....	.....	3
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	51	40	7	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	5	.....	.....	.....	.....	.....	1	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	17	.....	.....	.....	.....	.....	.....	.....	2	1	3	5	1	3	2	.....	.....	.....
74	Other diseases of the nervous system	73	3	4	.....	2	.....	2	4	5	10	10	12	13	4	2	2	.....	.....
76	Diseases of the ears	54	12	4	1	1	1	7	8	2	4	8	3	.....	3	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																		
	III.—Diseases of the circulatory system	5,167	42	9	3	5	7	41	125	147	284	467	672	1,081	1,390	759	111	6	18
77	Pericarditis	47	1	1	.....	1	.....	1	1	2	1	5	9	11	11	1	1	.....	1
78	Acute endocarditis	167	9	5	1	1	.....	5	10	14	16	29	21	22	27	6	.....	1	.....
79	Organic diseases of the heart	3,691	22	3	.....	2	7	30	108	115	240	373	533	789	956	439	57	2	15
80	Angina pectoris	193	.....	.....	.....	.....	.....	2	1	1	4	14	25	54	71	20	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	930	.....	.....	.....	.....	.....	.....	1	10	14	31	65	181	294	277	52	3	2
82	Embolism and thrombosis	95	3	.....	.....	.....	.....	2	2	1	6	11	13	19	24	14	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	16	.....	.....	.....	.....	.....	.....	.....	1	1	3	5	1	3	2	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	11	5	.....	2	.....	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	17	2	.....	.....	1	.....	1	1	3	2	.....	1	3	3	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	5,377	799	295	125	72	45	95	178	264	348	408	578	735	856	491	67	4	17
86	Diseases of the nasal fossae	7	2	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	41	12	7	1	5	.....	4	2	.....	3	1	.....	2	3	1	.....	.....	.....
88	Diseases of the thyroid body	21	1	.....	.....	.....	.....	.....	.....	3	2	2	7	4	1	1	.....	.....	.....
89	Acute bronchitis	280	123	20	8	4	4	4	5	2	3	2	4	11	45	40	5	.....	.....
90	Chronic bronchitis	291	8	3	.....	.....	.....	1	3	3	5	9	22	43	108	76	9	1	.....
91	Bronchopneumonia	1,346	430	168	65	33	14	26	30	26	29	37	57	112	177	120	19	.....	3
92	Pneumonia (total)	3,108	204	90	48	28	25	51	129	216	281	330	443	521	470	226	30	3	13
	Lobar pneumonia	2,994	192	86	45	27	25	49	123	209	271	323	428	498	454	220	29	3	12
	Pneumonia (undefined)	114	12	4	3	1	.....	2	6	7	10	7	15	23	16	6	1	.....	1
93	Pleurisy	112	3	6	3	2	2	6	5	8	7	18	21	16	11	2	1	.....	1
94	Pulmonary congestion, pulmonary apoplexy	32	8	1	.....	.....	.....	2	.....	.....	2	.....	3	2	5	7	2	.....	.....
95	Gangrene of the lung	6	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	1	.....	.....	.....	.....
96	Asthma	83	2	.....	.....	.....	.....	.....	2	2	4	4	13	14	25	16	1	.....	.....
97	Pulmonary emphysema	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	41	4	.....	.....	.....	.....	.....	1	3	9	3	7	5	8	1	.....	.....	.....
	V.—Diseases of the digestive system	4,560	1,279	579	173	80	22	137	188	220	239	299	361	402	352	199	21	.....	9
99	Diseases of the mouth and annexa	27	7	1	.....	.....	1	3	1	2	1	5	2	3	.....	1	.....	.....	.....
100	Diseases of the pharynx	74	4	5	5	6	1	17	7	7	3	5	6	3	2	3	.....	.....	.....
101	Diseases of the esophagus	3	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
102	Ulcer of the stomach	148	.....	.....	1	.....	.....	1	7	12	19	17	32	34	15	10	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	318	90	19	8	4	.....	3	7	5	14	21	20	40	50	28	7	.....	2
104	Diarrhea and enteritis (under 2 years)	1,650	1,117	533	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	526	.....	.....	147	54	16	32	17	16	24	22	27	42	66	54	8	.....	1
107	Intestinal parasites	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	486	1	5	3	3	2	48	115	109	64	52	42	23	12	6	1	.....	.....
109	Hernia, intestinal obstruction (total)	382	37	11	4	7	1	18	14	25	28	41	36	69	53	34	3	.....	1
	Hernia	113	2	.....	.....	.....	.....	2	2	3	7	14	15	34	18	14	2	.....	.....
	Intestinal obstruction	269	35	11	4	7	1	16	12	22	21	27	21	35	35	20	1	.....	1
110	Other diseases of the intestines	103	7	2	1	1	.....	2	5	9	13	7	11	17	14	11	1	.....	2
111	Acute yellow atrophy of the liver	16	.....	.....	.....	.....	.....	1	.....	1	.....	1	3	5	5	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	411	.....	.....	.....	1	.....	1	1	11	38	73	98	91	68	27	1	.....	1
114	Biliary calculi	139	.....	.....	.....	.....	.....	.....	1	6	11	18	40	31	23	8	.....	.....	1
115	Other diseases of the liver	179	5	2	1	2	1	3	6	8	14	21	31	37	35	12	.....	.....	1
116	Diseases of the spleen	5	1	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	71	10	.....	2	.....	.....	8	5	6	7	8	9	4	7	5	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	20	.....	.....	.....	.....	.....	.....	2	3	2	6	3	3	1	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,367	35	9	11	3	4	27	61	204	298	490	709	857	1,081	497	62	4	15
119	Acute nephritis	334	18	1	7	1	2	15	22	39	39	44	40	41	48	14	3	.....	.....
120	Bright's disease	3,460	5	5	2	2	2	11	25	95	194	367	615	725	923	425	47	4	13
122	Other diseases of the kidneys and annexa	79	10	3	1	.....	.....	1	3	6	6	10	10	15	11	2	1	.....	.....
123	Calculi of the urinary passages	29	.....	.....	1	.....	.....	.....	.....	3	4	4	1	7	7	1	1	.....	.....
124	Diseases of the bladder	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	19	23	22	5	.....	.....
125	Diseases of the urethra, urinary abscess, etc	9	1	.....	.....	.....	.....	.....	.....	1	.....	3	3	1	.....	.....	.....	.....	.....
126	Diseases of the prostate	156	.....	.....	.....	.....	.....	.....	.....	1	.....	4	10	38	67	32	3	.....	1
127	Nonvenereal diseases of the male genital organs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	59	.....	.....	.....	.....	.....	.....	.....	4	11	25	12	5	1	.....	1	.....	.....
130	Other diseases of the uterus	46	.....	.....	.....	.....	.....	.....	5	15	8	11	4	2	.....	.....	.....	.....	1
131	Cysts and other tumors of the ovary	29	.....	.....	.....	.....	.....	.....	2	6	6	7	5	2	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	86	.....	.....	.....	.....	.....	.....	3	34	30	14	2	2	.....	.....	1	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	516	.....	.....	.....	.....	.....	.....	70	226	174	43	1	.....	.....	.....	.....	.....	2
134	Accidents of pregnancy	70	.....	.....	.....	.....	.....	.....	4	28	27	11	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	36	.....	.....	.....	.....	.....	.....	3	16	13	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	33	.....	.....	.....	.....	.....	.....	3	14	13	3	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	241	.....	.....	.....	.....	.....	.....	26	113	85	16	1	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	125	.....	.....	.....	.....	.....	.....	34	49	31	9	.....	.....	.....	.....	.....	.....	2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11	.....	.....	.....	.....	.....	.....	.....	6	5	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MISSOURI—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	131	11	4	2	.....	.....	4	6	4	12	7	15	16	23	22	4	1	.....
142	Gangrene	66	2	2	2	.....	.....	4	3	.....	5	2	3	7	17	15	3	1	.....
143	Furuncle	23	1	.....	.....	.....	.....	.....	1	1	2	2	10	3	2	1	.....	.....	.....
144	Acute abscess	25	3	2	.....	.....	.....	.....	2	2	4	2	2	3	2	3	.....	.....	.....
145	Other diseases of the skin and annexa	17	5	.....	.....	.....	.....	.....	.....	1	1	1	.....	3	2	3	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	68	7	5	3	1	1	6	10	7	1	7	3	9	7	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	52	5	5	3	1	1	6	8	5	1	7	3	3	3	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	3	2	.....	.....	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	7	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	2	2	.....	.....	.....	.....
	X.—Malformations	413	380	13	9	3	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	413	380	13	9	3	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	41	35	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	228	214	5	6	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	144	131	5	.....	1	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,991	1,991	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,617	1,617	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,366	1,366	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	251	251	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	365	365	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	194	194	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	171	171	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	382	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	98	189	65	13	1
154	Senility	382	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16	98	189	65	13	1
	XIII.—External causes	3,392	92	69	52	30	29	98	290	592	542	498	371	324	206	140	29	1	29
	Suicide (total)	567	.....	.....	.....	.....	.....	.....	24	123	114	110	96	68	24	5	1	.....	2
155	By poison	183	.....	.....	.....	.....	.....	.....	14	47	40	38	20	18	4	2	.....	.....	.....
156	By asphyxia	31	.....	.....	.....	.....	.....	.....	1	6	6	8	5	4	.....	.....	.....	.....	1
157	By hanging or strangulation	53	.....	.....	.....	.....	.....	.....	.....	9	6	11	14	8	4	1	.....	.....	.....
158	By drowning	17	.....	.....	.....	.....	.....	.....	1	2	2	3	3	1	5	.....	.....	.....	.....
159	By firearms	232	.....	.....	.....	.....	.....	.....	7	53	49	38	46	29	8	1	1	.....	.....
160	By cutting or piercing instruments	29	.....	.....	.....	.....	.....	.....	.....	3	6	9	5	2	3	.....	.....	.....	1
161	By jumping from high places	11	.....	.....	.....	.....	.....	.....	1	2	3	2	1	1	.....	1	.....	.....	.....
162	By crushing	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....
163	Other suicides	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	2	2	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,488	87	67	51	29	28	96	248	356	331	331	253	245	182	135	28	1	20
164	Poisoning by food	38	3	3	3	1	2	.....	4	4	5	3	1	4	4	.....	.....	.....	1
165	Other acute poisonings	71	6	13	4	2	.....	1	5	12	7	10	3	4	2	1	.....	.....	1
166	Conflagration	47	3	3	3	1	2	2	1	3	5	4	4	7	6	2	1	.....	.....
167	Burns (conflagration excepted)	205	9	19	22	17	11	17	14	13	21	19	8	17	9	7	2	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	71	30	2	.....	.....	.....	.....	.....	6	11	11	5	3	2	1	.....	.....	.....
169	Accidental drowning	176	.....	7	4	2	3	6	48	48	16	16	9	8	6	.....	.....	.....	3
170	Traumatism by firearms	97	.....	1	2	1	4	7	31	17	11	11	6	3	1	1	.....	.....	1
171	Traumatism by cutting or piercing instruments	11	.....	.....	.....	.....	.....	2	1	.....	3	1	2	.....	.....	2	.....	.....	.....
172	Traumatism by fall	466	7	9	4	.....	2	4	18	19	37	57	43	69	84	92	20	.....	1
173	Traumatism in mines and quarries (total)	67	.....	.....	.....	.....	.....	.....	2	20	16	21	6	2	.....	.....	.....	.....	.....
	Traumatism in mines	66	.....	.....	.....	.....	.....	.....	2	20	16	21	5	2	.....	.....	.....	.....	.....
	Traumatism in quarries	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	53	.....	.....	.....	.....	.....	2	4	15	12	8	6	2	2	1	.....	.....	1
175	Traumatism by other crushing (total)	695	3	2	6	2	2	38	78	138	118	85	84	77	40	13	.....	.....	9
	Railroad accidents and injuries	316	.....	.....	1	.....	.....	8	33	69	70	40	38	29	13	6	.....	.....	9
	Street-car accidents and injuries	61	.....	.....	3	.....	.....	2	3	12	9	5	10	11	5	1	.....	.....	.....
	Automobile accidents and injuries	187	.....	2	1	2	2	24	31	37	24	21	15	17	8	3	.....	.....	.....
	Injuries by other vehicles	117	3	.....	1	.....	.....	4	9	16	12	17	19	20	13	3	.....	.....	.....
	Landslide, other crushing	14	.....	.....	.....	.....	.....	.....	2	4	3	2	2	.....	1	.....	.....	.....	.....
176	Injuries by animals	38	.....	.....	1	1	.....	3	4	5	4	4	5	8	2	1	.....	.....	.....
177	Starvation	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	18	1	.....	.....	.....	.....	.....	.....	1	2	1	5	3	2	1	.....	1	1
179	Effects of heat	181	10	1	.....	.....	1	.....	6	7	27	47	34	22	15	10	1	.....	.....
180	Lightning	38	.....	.....	.....	.....	.....	2	7	12	4	6	6	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	23	.....	.....	.....	.....	.....	1	3	11	5	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	31	.....	.....	.....	.....	.....	.....	1	2	5	7	6	2	2	2	3	.....	1
186	Other external violence	160	14	6	2	2	1	11	21	23	22	18	19	13	5	1	1	.....	1
	Homicide (total)	337	5	2	1	1	1	2	18	113	97	57	22	11	.....	.....	.....	.....	7
182	By firearms	230	.....	.....	.....	.....	1	.....	12	84	66	47	11	5	.....	.....	.....	.....	4
183	By cutting or piercing instruments	47	.....	1	.....	1	.....	.....	5	16	17	5	1	1	.....	.....	.....	.....	.....
184	By other means	60	5	1	1	.....	.....	2	1	13	14	5	10	5	.....	.....	.....	.....	3
	XIV.—Ill-defined diseases	680	318	16	12	5	2	7	16	27	23	27	44	67	61	35	10	.....	10
187	Ill-defined organic disease	6	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	4	.....	.....	.....	.....
188	Sudden death	41	6	1	.....	.....	.....	1	1	1	.....	2	5	9	5	8	2	.....	.....
189	Not specified or ill-defined (total)	633	312	14	12	5	2	6	14	26	23	25	39	58	52	27	8	.....	10
	Ill-defined	117	24	6	3	3	1	.....	1	8	4	6	13	23	19	4	1	.....	1
	Not specified or unknown	516	288	8	9	2	1	6	13	18	19	19	26	35	33	23	7	.....	9

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA.																	
	All causes	5,791	970	189	90	72	42	141	237	602	704	686	740	621	436	225	24	1	11
	I.—General diseases	1,392	111	63	33	16	8	56	83	163	202	204	203	151	69	28	.....	.....	2
1	Typhoid fever	53	2	.....	.....	1	.....	3	7	13	12	6	7	2	.....	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
5	Smallpox	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Measles	36	8	14	7	3	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	19	.....	.....	2	3	1	7	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	79	45	25	4	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	38	2	3	8	1	.....	13	8	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	58	11	3	2	.....	.....	.....	2	5	4	.....	4	12	6	9	.....	.....	.....
13	Cholera nostras	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	7	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
18	Erysipelas	18	8	.....	.....	.....	.....	.....	.....	2	3	2	2	1	.....	.....	.....	.....	.....
19	Other epidemic diseases	6	1	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....
20	Purulent infection and septicemia	7	.....	.....	2	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....
24	Tetanus	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	521	14	11	6	4	2	21	44	99	110	113	65	25	6	1	.....	.....	.....
28	Tuberculosis of the lungs	441	8	5	5	.....	1	10	36	89	100	104	55	23	5	.....	.....	.....	.....
29	Acute miliary tuberculosis	14	1	1	.....	1	.....	1	.....	4	1	4	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	29	3	5	1	2	.....	9	3	3	2	1	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	18	.....	.....	.....	1	.....	.....	3	3	4	1	4	1	.....	1	.....	.....	.....
32	Pott's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
33	White swellings	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	11	2	.....	.....	.....	.....	1	1	.....	2	2	1	1	1	.....	.....	.....	.....
35	Disseminated tuberculosis	4	.....	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
36	Rickets	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	47	10	1	.....	1	.....	.....	2	5	7	6	5	4	6	.....	.....	.....	.....
38	Gonococcus infection	5	1	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	247	.....	.....	.....	1	.....	.....	1	5	18	38	73	66	35	10	.....	.....	.....
39	Of the buccal cavity	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	1	.....	.....	.....
40	Of the stomach, liver	104	.....	.....	.....	.....	.....	.....	1	1	5	16	35	27	15	4	.....	.....	.....
41	Of the peritoneum, intestines, rectum	21	.....	.....	.....	.....	.....	.....	.....	1	2	1	6	4	6	1	.....	.....	.....
42	Of the female genital organs	39	.....	.....	.....	.....	.....	.....	.....	2	4	9	8	12	3	1	.....	.....	.....
43	Of the breast	19	.....	.....	.....	.....	.....	.....	.....	.....	2	3	10	3	1	.....	.....	.....	.....
44	Of the skin	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	1	.....	.....	.....
45	Of other organs or of organs not specified	48	.....	.....	.....	1	.....	.....	1	5	7	14	12	6	2	.....	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
47	Acute articular rheumatism	28	1	.....	.....	.....	1	5	7	4	2	2	2	.....	2	2	.....	.....	.....
48	Chronic rheumatism and gout	6	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	1	1	.....	.....	.....
50	Diabetes	74	.....	1	.....	.....	1	1	3	8	8	9	16	18	6	3	.....	.....	.....
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....
53	Leukemia	8	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	16	1	1	.....	.....	.....	.....	.....	3	.....	1	6	4	.....	.....	.....	.....	.....
55	Other general diseases	14	6	.....	1	.....	.....	1	1	1	1	1	.....	1	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	86	.....	.....	.....	.....	.....	.....	.....	7	24	20	18	11	4	.....	.....	.....	2
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	432	26	8	11	12	2	13	20	14	36	50	65	81	63	27	4	.....	.....
60	Encephalitis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	36	5	1	5	6	.....	4	7	2	3	1	1	1	.....	.....	.....	.....	.....
	Simple meningitis	12	3	.....	1	2	.....	1	1	1	2	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal moningitis (undefined)	4	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	20	2	.....	4	2	.....	2	6	1	1	.....	1	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	47	3	2	3	4	2	8	5	.....	1	.....	3	10	5	1	.....	.....	.....
	Acute anterior poliomyelitis	24	2	1	3	4	2	7	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	23	1	1	.....	.....	.....	1	.....	.....	1	.....	3	10	5	1	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	210	1	.....	1	.....	.....	.....	.....	1	10	28	37	57	49	24	2	.....	.....
65	Softening of the brain	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....
66	Paralysis without specified cause	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	6	2	2	1	.....	.....
67	General paralysis of the insane	38	.....	.....	.....	.....	.....	.....	.....	1	17	8	9	1	2	.....	.....	.....	.....
68	Other forms of mental alienation	15	.....	.....	.....	.....	.....	.....	1	1	3	6	3	1	.....	.....	.....	.....	.....
69	Epilepsy	17	.....	.....	.....	.....	.....	1	4	6	.....	1	.....	1	3	.....	1	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	15	13	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	9	2	1	1	1	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	4	.....	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	8	2	1	.....	.....	.....	.....	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																	
	III.—Diseases of the circulatory system	618	8				1	6	18	38	53	76	128	136	98	51	5		
77	Pericarditis	2									1		1						
78	Acute endocarditis	46	1						2	7	6	8	17	3	1	1			
79	Organic diseases of the heart	469	4				1	5	16	26	39	56	90	113	79	36	4		
80	Angina pectoris	26									2	3	8	8	5				
81	Diseases of the arteries, atheroma, aneurism, etc	51						1				5	9	11	11	14			
82	Embolism and thrombosis	16	1							4	2	3	3	1	2				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4								1	2	1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2														1		
85	Hemorrhage; other diseases of the circulatory system	1									1								
	IV.—Diseases of the respiratory system	636	144	35	9	12	4	18	9	47	61	71	76	60	58	26	6		
86	Diseases of the nasal fossae	5	1							1		1				2			
87	Diseases of the larynx	6	2				1	1		1			1						
89	Acute bronchitis	18	15	2											1				
90	Chronic bronchitis	20										3	4	3	2	7	1		
91	Bronchopneumonia	155	83	14	3	7		4	2	5	2	2	6	4	15	6	2		
92	Pneumonia (total)	381	40	19	6	5	3	11	7	35	56	55	52	47	31	11	3		
	Lobar pneumonia	306	33	13	2	2		9	4	34	51	50	40	36	23	8	1		
	Pneumonia (undefined)	75	7	6	4	3	3	2	3	1	5	5	12	11	8	3	2		
93	Pleurisy	10						1		3	1		3	1	1				
94	Pulmonary congestion, pulmonary apoplexy	6	2					1		1					2				
95	Gangrene of the lung	1											1						
96	Asthma	15	1							1	1	1	3	2	6				
97	Pulmonary emphysema	1											1						
98	Other diseases of the respiratory system (tuberculosis excepted)	18									1	9	5	3					
	V.—Diseases of the digestive system	580	163	48	18	14	17	20	34	45	44	49	60	35	23	10			
99	Diseases of the mouth and annexa	2										2							
100	Diseases of the pharynx	22	2			1	2	1	5	2	1	1	3	1	2	1			
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	33	1							4	4	10	9	3	1	1			
103	Other diseases of the stomach (cancer excepted)	27	11	1			1	2			2	1	2	2	4	1			
104	Diarrhea and enteritis (under 2 years)	182	139	43															
105	Diarrhea and enteritis (2 years and over)	42			15	4	7		1	1	3	1	2	3	3	2			
107	Intestinal parasites	1								1									
108	Appendicitis and typhlitis	105	1		2	5	6	11	21	23	18	11	6	1					
109	Hernia, intestinal obstruction (total)	53	9	3		2	1	2	4	5	1	3	10	4	5	4			
	Hernia	17	4									2	7	1		3			
	Intestinal obstruction	36	5	3		2	1	2	4	5	1	1	3	3	5	1			
110	Other diseases of the intestines	9		1				1			1	4	1			1			
111	Acute yellow atrophy of the liver	1							1										
113	Cirrhosis of the liver	53								2	4	10	18	13	6				
114	Biliary calculi	9								1	3	3	2						
115	Other diseases of the liver	19			1			1		2	2	2	4	6	1				
117	Simple peritonitis (nonpuerperal)	15				2		2	2	3	3	1	1	1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6								1	2		2	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	419	5	4		1	2	1	12	32	43	56	80	81	65	35	2		
119	Acute nephritis	38	1	4		1	1		5	7	6	6	4	2	1				
120	Bright's disease	321	2				1	1	7	11	29	43	66	72	58	29	2		
122	Other diseases of the kidneys and annexa	12	2							3	2	2		3					
123	Calculi of the urinary passages	3											2	1					
124	Diseases of the bladder	4													3	1			
125	Diseases of the urethra, urinary abscess, etc	1											1						
126	Diseases of the prostate	13											3	2	3	5			
129	Uterine tumor (noncancerous)	5								2	1		2						
130	Other diseases of the uterus	6								3		2	1						
131	Cysts and other tumors of the ovary	4								1	2			1					
132	Salpingitis and other diseases of the female genital organs	12								5	3	3	1						
	VII.—The puerperal state	108							5	44	50	8							1
134	Accidents of pregnancy	10								4	5								1
135	Puerperal hemorrhage	9								4	5								
136	Other accidents of labor	8								2	6								
137	Puerperal septicemia	49							5	18	22	4							
138	Puerperal albuminuria and convulsions	25								10	11	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								6	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MONTANA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	18	2					1		2	3	1	1	3	1	3	1		
142	Gangrene	10						1		1			1	2	1	3	1		
143	Furuncle	2									1	1							
144	Acute abscess	4	1							1	1			1					
145	Other diseases of the skin and annexa	2	1								1								
	IX.—Diseases of the bones and of the organs of locomotion	10							1	4		1	1	2	1				
146	Diseases of the bones (tuberculosis excepted)	9								4		1	1	2	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1							1										
	X.—Malformations	97	93	1		1		1			1								
150	Congenital malformations (stillbirths not included) (total)	97	93	1		1		1			1								
	Hydrocephalus	4	1	1		1		1											
	Congenital malformations of the heart	57	56								1								
	Other congenital malformations	36	36																
	XI.—Early infancy	378	378																
151	Congenital debility, icterus, and sclerema (total)	311	311																
	Premature birth	232	232																
	Congenital debility, "atrophy," "marasmus," etc	79	79																
152	Other causes peculiar to early infancy (total)	63	63																
	Injuries at birth	35	35																
	Other causes peculiar to early infancy [1]	28	28																
153	Lack of care	4	4																
	XII.—Old age	86											4	9	31	36	5	1	
154	Senility	86											4	9	31	36	5	1	
	XIII.—External causes	894	7	21	15	15	8	21	49	207	200	157	116	45	21	4	1		7
	Suicide (total)	113							4	22	26	28	21	6	2	1			3
155	By poison	33							2	9	6	5	6	2	1	1			1
156	By asphyxia	1								1									
157	By hanging or strangulation	12							1	3	3	4	1						
158	By drowning	6								1		3	1	1					
159	By firearms	48							1	7	12	12	10	3	1				2
160	By cutting or piercing instruments	12								1	5	4	2						
163	Other suicides	1											1						
	Accidental or undefined (total)	695	7	21	15	15	8	21	40	164	145	113	84	37	18	3	1		3
164	Poisoning by food	17	3	2	1		1		2	2	2	1	3						
165	Other acute poisonings	15		3	1	2			1	2	4	1		1					
166	Conflagration	11			1			2		2	2	1	1	2					
167	Burns (conflagration excepted)	37		3	3	5	4	2		6	2	2	4	2	3	1			
168	Absorption of deleterious gases (conflagration excepted)	15	2	1						1	5	3	3						
169	Accidental drowning	71		7	4	3	1	5	11	17	10	5	4	2	1				1
170	Traumatism by firearms	27						1	6	7	8	2	3						
171	Traumatism by cutting or piercing instruments	2		1						1									
172	Traumatism by fall	57				1	2			10	12	8	7	8	7	1	1		
173	Traumatism in mines and quarries (total)	96							3	32	30	21	9	1					
	Traumatism in mines	95							3	32	30	21	8	1					
	Traumatism in quarries	1											1						
174	Traumatism by machines	21								11	4	2	2	1	1				
175	Traumatism by other crushing (total)	235		3	1	2		9	10	61	53	45	35	11	3	1			1
	Railroad accidents and injuries	129						2	4	45	34	26	14	2	1				1
	Street-car accidents and injuries	8			1			1	1	1	2	1	1						
	Automobile accidents and injuries	42		1		1		2	3	6	10	10	7	2					
	Injuries by other vehicles	48		2	1			4	2	5	5	7	13	6	2	1			
	Landslide, other crushing	8								4	2	1		1					
176	Injuries by animals	14			2	1		1	2	1	1	3		2	1				
177	Starvation	1									1								
178	Excessive cold	24	1		1				2	3	5	3	2	5	1				1
179	Effects of heat	2								1	1								
180	Lightning	10							1	3	1	3	2						
181	Electricity (lightning excepted)	6							1	1		2	2						
185	Fractures (cause not specified)	2										2							
186	Other external violence	32	1	2		1		1	1	3	4	9	7	2	1				
	Homicide (total)	86							5	21	29	16	11	2	1				1
182	By firearms	66							4	17	23	11	8	1	1				1
183	By cutting or piercing instruments	4								2	1	1							
184	By other means	16							1	2	5	4	3	1					
	XIV.—Ill-defined diseases	123	33	9	4	1		4	6	6	11	13	6	18	6	5			1
188	Sudden death	10	2							1	2	1	1	3					
189	Not specified or ill-defined (total)	113	31	9	4	1		4	6	5	9	12	5	15	6	5			1
	Ill-defined	40	5	3	3			2	2	3	2	6	2	9	2	1			
	Not specified or unknown	73	26	6	1	1		2	4	2	7	6	3	6	4	4			1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE.																		
	All causes	7,146	1,108	174	79	52	32	109	180	324	404	552	737	1,072	1,345	795	134	4	45
	I.—General diseases	1,698	113	63	30	19	10	46	60	153	166	211	237	254	229	83	16	1	7
1	Typhoid fever	22					2		5	5	3	4	2	1					
4	Malaria	1						1											
5	Smallpox	1	1																
6	Measles	47	11	17	4	2	1	7	1	2				2					
7	Scarlet fever	6	1		1	1		1		1	1								
8	Whooping cough	53	30	12	6	1	1	2						1					
9	Diphtheria and croup	48	2	7	3	2	5	12	5		1	2		1	1				
10	Influenza	155	13	3	1		1	2	1	4	7	8	14	16	44	31	9	1	
13	Cholera nostras	3			1			1				1							
14	Dysentery	10		1		1								5	2				1
18	Erysipelas	23	7	1							2	3	3	1	2	2	1		1
20	Purulent infection and septicemia	10	2		1			1		1	1		1	1		2			
24	Tetanus	4		1				1			1			1					
26	Pellagra	11								1	3	1	4		1	1			
	Tuberculosis (total)	502	25	14	10	1		9	34	126	100	85	46	30	16	4			2
28	Tuberculosis of the lungs	414	8	1	2			3	26	113	92	77	42	28	16	4			2
29	Acute miliary tuberculosis	15	1		1				4	5	1	2	1						
30	Tuberculous meningitis	42	15	10	6	1		4	2	2		2							
31	Abdominal tuberculosis	14		3					1	3	2	2	3						
32	Pott's disease	2						1			1								
33	White swellings	1						1											
34	Tuberculosis of other organs	7	1						1	1	2	1		1					
35	Disseminated tuberculosis	7			1					2	2	1		1					
36	Rickets	2	1	1															
37	Syphilis	28	5							1	8	7	5	2					
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	493				2			1	4	20	60	119	124	122	35	5		1
39	Of the buccal cavity	19									1	4	2	4	6	2			
40	Of the stomach, liver	137							1		4	10	28	36	44	12	2		
41	Of the peritoneum, intestines, rectum	82				1					3	7	22	23	19	7			
42	Of the female genital organs	87								1	6	24	26	18	9	3			
43	Of the breast	58									3	7	17	10	16	4	1		
44	Of the skin	30											5	6	11	5	2		1
45	Of other organs or of organs not specified	80				1				3	3	8	19	27	17	2			
46	Other tumors (tumors of the female genital organs excepted)	8											4	1	2	1			
47	Acute articular rheumatism	19						3	4	2		2	2	3	3				
48	Chronic rheumatism and gout	8											1	3	2	2			
50	Diabetes	104		1		1		3	4	3	2	10	17	35	22	4	1		1
51	Exophthalmic goiter	4							1		1		1	1					
52	Addison's disease	2									1				1				
53	Leukemia	9							3			1	2	1	2				
54	Anemia, chlorosis	60	4						1	1	6	13	7	19	8	1			
55	Other general diseases	24	12	4	3	1		3				1							
56	Alcoholism (acute or chronic)	34								2	8	12	5	5	1				1
57	Chronic lead poisoning	6										1	4	1					
	II.—Diseases of the nervous system and of the organs of special sense	865	27	13	9	7	5	10	14	16	23	61	106	182	231	141	15	1	4
60	Encephalitis	4						1			1		1		1				
61	Meningitis (total)	34	7	5	2	1	3	3	4	5	1	2			1				
	Simple meningitis	16	4	4		1	2		1		1	2			1				
	Cerebrospinal meningitis (undefined)	6	3		1				1	1									
	Cerebrospinal fever	12		1	1		1	3	2	4									
62	Locomotor ataxia	12								2		2	1	5	1	1			
63	Other diseases of the spinal cord (total)	54	2	5	6	3	1	5	5	1	1	2	4	11	6	2			
	Acute anterior poliomyelitis	25	1	5	6	3	1	4	3	1			1						
	Other diseases of the spinal cord [1]	29	1					1	2		1	2	3	11	6	2			
64	Cerebral hemorrhage, apoplexy	604					1			3	11	37	87	144	184	118	14	1	4
65	Softening of the brain	10										1		3	4	2			
66	Paralysis without specified cause	26											1	7	9	8	1		
67	General paralysis of the insane	36									5	7	5	5	11	3			
68	Other forms of mental alienation	21							2			3	4	1	9	2			
69	Epilepsy	21				3			2	4	2	4	1	2	1	2			
71	Convulsions of infants	16	14	2															
73	Neuralgia and neuritis	3												1	2				
74	Other diseases of the nervous system	17		1	1				1	1	1	3	1	3	2	3			
76	Diseases of the ears	7	4					1			1			1					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																		
	III.—Diseases of the circulatory system	1,363	9	2	1	1	4	2	19	19	40	68	139	307	433	285	26	.....	8
77	Pericarditis	6	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	.....	.....
78	Acute endocarditis	43	1	.....	.....	.....	1	1	5	4	5	7	14	2	1	.....	2	.....	.....
79	Organic diseases of the heart	908	6	.....	.....	1	3	1	11	13	28	50	101	226	291	161	11	.....	5
80	Angina pectoris	67	.....	.....	.....	.....	.....	.....	.....	1	.....	1	9	25	22	6	1	.....	2
81	Diseases of the arteries, atheroma, aneurism, etc.	274	.....	.....	.....	.....	.....	.....	1	.....	3	5	7	42	101	103	11	.....	1
82	Embolism and thrombosis	56	.....	.....	.....	.....	.....	.....	.....	.....	4	5	7	9	17	13	1	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	IV.—Diseases of the respiratory system	768	160	49	19	8	3	10	18	15	39	55	63	91	121	99	12	.....	6
87	Diseases of the larynx	8	2	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	58	38	7	2	.....	.....	1	.....	.....	1	.....	1	2	2	3	.....	.....	1
90	Chronic bronchitis	44	1	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	9	22	1	.....	.....
91	Bronchopneumonia	212	82	23	10	3	3	3	2	4	2	2	8	15	25	25	5	.....	.....
92	Pneumonia (total)	410	36	16	3	5	.....	3	11	10	33	48	46	66	80	44	6	.....	3
	Lobar pneumonia	306	25	12	3	2	.....	3	10	5	29	38	36	59	54	24	4	.....	2
	Pneumonia (undefined)	104	11	4	.....	3	.....	.....	1	5	4	10	10	7	26	20	2	.....	1
93	Pleurisy	16	.....	1	2	.....	.....	1	4	1	1	1	2	1	1	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	7	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	2	.....	.....	1
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	1
96	Asthma	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	2	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
	V.—Diseases of the digestive system	682	261	34	10	8	5	10	16	27	41	43	54	52	81	32	4	.....	4
99	Diseases of the mouth and annexa	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	.....	.....	.....
100	Diseases of the pharynx	11	1	.....	.....	1	.....	1	1	2	2	1	1	.....	.....	1	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	30	.....	.....	.....	.....	.....	.....	.....	2	1	7	3	7	5	4	.....	.....	1
103	Other diseases of the stomach (cancer excepted)	67	18	.....	.....	1	.....	1	.....	.....	3	3	7	7	16	8	2	.....	1
104	Diarrhea and enteritis (under 2 years)	268	237	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	56	.....	.....	10	4	4	5	2	2	5	1	1	2	14	5	1	.....	.....
108	Appendicitis and typhlitis	46	.....	1	.....	2	1	3	9	9	4	6	5	3	2	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	49	5	2	.....	.....	.....	.....	1	6	3	4	5	8	10	3	1	.....	1
	Hernia	21	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	4	8	2	1	.....	.....
	Intestinal obstruction	28	5	2	.....	.....	.....	.....	.....	6	2	3	2	4	2	1	.....	.....	1
110	Other diseases of the intestines	15	.....	.....	.....	.....	.....	.....	.....	.....	6	1	.....	1	4	2	.....	.....	1
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	64	.....	.....	.....	.....	.....	.....	.....	.....	7	11	16	13	15	2	.....	.....	.....
114	Biliary calculi	13	.....	.....	.....	.....	.....	.....	.....	2	1	1	3	2	4	.....	.....	.....	.....
115	Other diseases of the liver	30	.....	.....	.....	.....	.....	.....	.....	2	3	3	7	5	5	5	.....	.....	.....
116	Diseases of the spleen	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	12	.....	.....	.....	.....	.....	.....	3	.....	3	.....	2	2	2	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	575	5	4	1	.....	.....	3	8	17	32	61	93	135	161	49	4	.....	2
119	Acute nephritis	53	5	3	.....	.....	.....	2	5	7	5	11	8	2	5	.....	.....	.....	.....
120	Bright's disease	454	.....	1	1	.....	.....	1	3	6	18	41	78	124	136	41	3	.....	1
122	Other diseases of the kidneys and annexa	9	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	2	2	.....	.....	.....
123	Calculi of the urinary passages	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	12	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	3	.....	.....	.....
126	Diseases of the prostate	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	12	2	1	.....	1
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	9	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	2	.....	1	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	1	4	2	.....	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	70	.....	.....	.....	.....	.....	.....	8	33	25	4	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	6	.....	.....	.....	.....	.....	.....	.....	4	2	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	7	.....	.....	.....	.....	.....	.....	.....	2	4	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	2	14	5	.....	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	27	.....	.....	.....	.....	.....	.....	5	10	9	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW HAMPSHIRE—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	21	4	1							1	1		4	3	4	2		1
142	Gangrene	14												4	3	4	2		1
143	Furuncle	2	1									1							
144	Acute abscess	1	1																
145	Other diseases of the skin and annexa	4	2	1							1								
	IX.—Diseases of the bones and of the organs of locomotion	17	2					1	4		3	3	2		1				1
146	Diseases of the bones (tuberculosis excepted)	14	2					1	3		2	3	2						1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2									1				1				
149	Other diseases of the organs of locomotion	1							1										
	X.—Malformations	72	66	3	1	1		1											
150	Congenital malformations (stillbirths not included) (total)	72	66	3	1	1		1											
	Hydrocephalus	8	4	2	1	1													
	Congenital malformations of the heart	42	40	1				1											
	Other congenital malformations	22	22																
	XI.—Early infancy	442	442																
151	Congenital debility, icterus, and sclerema (total)	373	373																
	Premature birth	257	257																
	Congenital debility, "atrophy," "marasmus," etc	116	116																
152	Other causes peculiar to early infancy (total)	68	68																
	Injuries at birth	24	24																
	Other causes peculiar to early infancy [1]	44	44																
153	Lack of care	1	1																
	XII.—Old age	175												1	47	78	46	2	1
154	Senility	175												1	47	78	46	2	1
	XIII.—External causes	365	8	3	8	8	5	24	32	44	32	44	41	42	33	22	9		10
	Suicide (total)	59							2	7	6	14	7	12	8	2			1
155	By poison	10								1	2	2	1	3	1				
156	By asphyxia	5							1	1		1		1	1				
157	By hanging or strangulation	7							1			3		1		2			
158	By drowning	3								2									1
159	By firearms	23								1	2	5	5	5	5				
160	By cutting or piercing instruments	9								1	1	3	1	2	1				
162	By crushing	1								1									
163	Other suicides	1									1								
	Accidental or undefined (total)	300	8	3	8	8	5	24	30	36	24	29	33	30	25	20	9		8
164	Poisoning by food	2				1	1												
165	Other acute poisonings	4				2			1				1						
166	Conflagration	6				1		1			1		1		1	1			
167	Burns (conflagration excepted)	21	1	2	3	2		2				2	2	4	2		1		
168	Absorption of deleterious gases (conflagration excepted)	13	4							2		2	2		1	1	1		
169	Accidental drowning	49			1			9	16	10	4	2	3	2	1				1
170	Traumatism by firearms	12							4	4		4							
171	Traumatism by cutting or piercing instruments	1					1												
172	Traumatism by fall	59			1		1	1	3	2	1	2	9	8	11	12	7		1
174	Traumatism by machines	7		1						1	2	1		1					1
175	Traumatism by other crushing (total)	77	1			2	1	8	4	10	10	12	10	9	5	1			4
	Railroad accidents and injuries	26						2	2	2	6	5	2	3	2				2
	Street-car accidents and injuries	2										1		1					
	Automobile accidents and injuries	30				1		4	2	5	4	3	4	2	2	1			2
	Injuries by other vehicles	17	1			1	1	2		3		2	4	2	1				
	Landslide, other crushing	2										1		1					
176	Injuries by animals	6			1		1				1		2	1					
178	Excessive cold	1														1			
179	Effects of heat	5										1	1	1	1	1			
180	Lightning	2							1			1							
181	Electricity (lightning excepted)	4								2	1			1					
185	Fractures (cause not specified)	7									1			1	3	2			
186	Other external violence	24	2		2			3	1	5	3	2	2	2		1			1
	Homicide (total)	6								1	2	1	1						1
182	By firearms	2									1	1							
183	By cutting or piercing instruments	1								1									
184	By other means	3									1		1						1
	XIV.—Ill-defined diseases	33	11	2				2	1		2	1	2	4	5	2			1
187	Ill-defined organic disease	1														1			
188	Sudden death	1												1					
189	Not specified or ill-defined (total)	31	11	2				2	1		2	1	2	3	5	1			1
	Ill-defined	22	9	2				1	1		1	1	1	2	3	1			
	Not specified or unknown	9	2					1			1		1	1	2				1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY.																	
	All causes	44,172	7,363	1,915	925	620	407	1,068	1,460	2,933	3,521	4,603	5,261	5,710	5,385	2,612	370	14	5
	I.—General diseases	10,802	735	473	247	163	129	331	556	1,230	1,395	1,564	1,523	1,256	847	316	36	1	
1	Typhoid fever	207			1	1	2	6	39	62	39	26	19	6	4	2			
4	Malaria	10	3	1			1		1		1	1	1			1			
6	Measles	386	111	141	56	26	14	24	8	3		3							
7	Scarlet fever	74	3	8	9	9	10	18	12	2	2	1							
8	Whooping cough	273	155	66	28	12	3	6	2				1						
9	Diphtheria and croup	463	40	91	70	55	53	126	19	3	1	3	1		1				
10	Influenza	685	63	26	19	15	10	7	13	29	29	50	68	103	140	91	21	1	
13	Cholera nostras	7	3	2		1										1			
14	Dysentery	50	10	6	1			1		1	1	1	6	7	11	5			
15	Plague																		
18	Erysipelas	107	42	2	1			2	2	1	10	11	13	12	8	3			
19	Other epidemic diseases	5	2			1			1					1					
20	Purulent infection and septicemia	44	5		1			3	3	6	7	4	10	3	2				
23	Rabies	1							1										
24	Tetanus	58	18		1		2	9	10	2	5	2	5	2	2				
26	Pellagra	4									2	2							
	Tuberculosis (total)	4,429	116	100	46	28	28	88	358	1,001	1,009	867	458	222	90	17	1		
28	Tuberculosis of the lungs	3,771	26	16	7	2	6	23	295	911	941	818	423	203	84	15	1		
29	Acute miliary tuberculosis	146	3	5	2	2	1	7	20	43	27	23	11	2					
30	Tuberculous meningitis	298	67	65	21	20	17	39	21	19	11	9	8	1					
31	Abdominal tuberculosis	94	9	8	8	3	1	8	7	11	16	7	7	5	3	1			
32	Pott's disease	27		2	2		1	3	5	4	2	3	2	1	1	1			
33	White swellings	19			3	1		3	2	4		1	2	2	1				
34	Tuberculosis of other organs	44	5	2	2		1	3	6	5	9	5		5	1				
35	Disseminated tuberculosis	30	6	2	1		1	2	2	4	3	1	5	3					
36	Rickets	33	21	4	1	1	2	1				1	1		1				
37	Syphilis	248	94	10	3	4		1	2	14	47	27	30	15	1				
38	Gonococcus infection	28	6	1				1	1	8	10		1						
	Cancer and other malignant tumors (total)	2,424	4	2	2			2	13	21	128	382	626	643	441	148	12		
39	Of the buccal cavity	83			1				1	2		9	18	28	19	5			
40	Of the stomach, liver	893	1						1	3	25	111	248	261	182	57	4		
41	Of the peritoneum, intestines, rectum	376		2						1	21	47	104	99	73	29			
42	Of the female genital organs	389								6	45	100	112	80	37	7	2		
43	Of the breast	235							1		19	49	62	56	32	14	2		
44	Of the skin	77								2		6	10	22	23	12	2		
45	Of other organs or of organs not specified	371	3		1			2	10	7	18	60	72	97	75	24	2		
46	Other tumors (tumors of the female genital organs excepted)	12						1		1		2	1	3	1	3			
47	Acute articular rheumatism	185	2	5	1	5	3	28	36	18	7	20	23	20	10	6	1		
48	Chronic rheumatism and gout	31									1	5	8	3	9	5			
49	Scurvy	6	3	2							1								
50	Diabetes	552			2	1		2	15	25	28	53	145	158	97	25	1		
51	Exophthalmic goiter	28							1	2	5	9	7	2		2			
52	Addison's disease	12							1	1	2	2	1	2	2	1			
53	Leukemia	62	3	1	1	3		1	6	8	10	12	7	7	3				
54	Anemia, chlorosis	115	4	4	2			1	6	7	8	16	32	19	13	3			
55	Other general diseases	47	27	1	2	1	1	3	6	2	3	1							
56	Alcoholism (acute or chronic)	194								13	34	56	54	27	8	2			
57	Chronic lead poisoning	17									5	7	3	1	1				
58	Other chronic occupation poisonings	1											1						
59	Other chronic poisonings	4											1		2	1			
	II.—Diseases of the nervous system and of the organs of special sense	5,313	331	297	242	181	121	260	125	121	188	395	661	900	994	455	41	1	
60	Encephalitis	20	2		1	1		1	4	3	1	3	1	2	1				
61	Meningitis (total)	240	65	34	27	9	15	33	15	9	14	9	5	1	2	1	1		
	Simple meningitis	112	29	19	14	3	5	12	7	6	4	6	2	1	2	1	1		
	Cerebrospinal meningitis (undefined)	37	9	4	6	2	5	3	3	1	2	1	1						
	Cerebrospinal fever	91	27	11	7	4	5	18	5	2	8	2	2						
62	Locomotor ataxia	86									2	15	31	25	11	2			
63	Other diseases of the spinal cord (total)	1,353	176	247	201	163	100	210	72	35	20	15	27	43	37	5	2		
	Acute anterior poliomyelitis	1,209	176	246	200	163	100	209	68	30	11	2	2	2					
	Other diseases of the spinal cord [1]	144		1	1			1	4	5	9	13	25	41	37	5	2		
64	Cerebral hemorrhage, apoplexy	2,811	7	1		2	1	2	6	20	59	231	495	740	833	384	29	1	
65	Softening of the brain	29										1	3	6	7	12			
66	Paralysis without specified cause	134			1						3	8	16	32	42	27	5		
67	General paralysis of the insane	228								6	46	59	47	27	28	14	1		
68	Other forms of mental alienation	60								7	7	14	13	9	6	4			
69	Epilepsy	107	6	3	2	1	1	4	16	24	16	17	5	5	6	1			
70	Convulsions (nonpuerperal)	6							2	1	1	1			1				
71	Convulsions of infants	69	55	7	4	1	2												
72	Chorea	3	1						1							1			
73	Neuralgia and neuritis	14	1							2	4	2	3		1	1			
74	Other diseases of the nervous system	94	8	3	2	2	1	3	3	10	6	17	10	5	18	3	3		
75	Diseases of the eyes and their annexa	2	1											1					
76	Diseases of the ears	57	9	2	4	2	1	7	6	4	9	3	5	4	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																		
	III.—Diseases of the circulatory system	6,332	84	13	8	12	9	83	175	254	369	677	952	1,286	1,498	804	106	1	1
77	Pericarditis	28	2			1		1	3	3	1	7	2	1	6	1			
78	Acute endocarditis	396	35	6	1	4		20	33	40	45	70	99	15	19	8	1		
79	Organic diseases of the heart	4,913	32	4	7	4	8	60	137	196	287	522	720	1,074	1,187	598	75	1	1
80	Angina pectoris	262								2	17	33	58	69	66	16	1		
81	Diseases of the arteries, atheroma, aneurism, etc	555								1	9	20	43	96	186	172	28		
82	Embolism and thrombosis	128	4	1		1		1	1	10	8	22	19	25	27	9			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	26								1	2	3	10	4	6				
84	Diseases of the lymphatic system (lymphangitis, etc.)	18	9	2		2	1	1		1			1		1				
85	Hemorrhage; other diseases of the circulatory system	6	2						1					2		1			
	IV.—Diseases of the respiratory system	6,190	1,383	582	224	114	61	102	129	267	393	552	620	681	660	349	63	9	1
86	Diseases of the nasal fossae	5	2						1	1					1				
87	Diseases of the larynx	30	6	4	4	4		4	1	2	2	1	1	1					
88	Diseases of the thyroid body	15	1						2	1	1	2	4	2	2				
89	Acute bronchitis	367	213	38	14	3	5	2	1	2	2	6	12	13	28	23	5		
90	Chronic bronchitis	203	7		1	1		3	1	1	2	12	14	37	65	49	9	1	
91	Bronchopneumonia	1,787	695	297	100	47	26	29	19	18	25	57	83	110	151	111	17	2	
92	Pneumonia (total)	3,494	434	231	90	53	26	56	95	231	339	448	471	476	368	145	27	4	
	Lobar pneumonia	3,109	352	205	82	42	24	48	78	216	306	416	428	436	326	123	23	4	
	Pneumonia (undefined)	385	82	26	8	11	2	8	17	15	33	32	43	40	42	22	4		
93	Pleurisy	124	11	11	11	6	3	4	6	7	10	14	17	9	11	4			
94	Pulmonary congestion, pulmonary apoplexy	61	10	1	3		1	1	2		1	1	2	10	14	9	4	2	
95	Gangrene of the lung	17	1							1	3	2	5	1	3		1		
96	Asthma	53	1					1		1	4	7	7	14	11	6			1
97	Pulmonary emphysema	13	1		1								2	3	5	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	21	1					2	1	2	4	2	2	5	1	1			
	V.—Diseases of the digestive system	4,361	1,899	432	116	66	28	84	81	153	218	292	313	319	247	102	11		
99	Diseases of the mouth and annexa	24	6	2	1			3		1		4	4	2	1				
100	Diseases of the pharynx	70	8	2	4	5		12	4	8	10	6	1	5	4	1			
101	Diseases of the esophagus	8	1	1						1		1		1	2	1			
102	Ulcer of the stomach	119	1	1					1	14	22	23	26	18	8	5			
103	Other diseases of the stomach (cancer excepted)	213	64	11	3	3	3	2	3	5	9	13	20	22	39	15	1		
104	Diarrhea and enteritis (under 2 years)	2,167	1,762	405															
105	Diarrhea and enteritis (2 years and over)	419			95	46	22	31	4	16	19	29	23	52	43	33	6		
107	Intestinal parasites	1									1								
108	Appendicitis and typhlitis	298	2	2	5	5	1	25	60	63	57	40	25	8	5				
109	Hernia, intestinal obstruction (total)	262	34	3	6	4		3	5	8	20	21	39	56	51	12			
	Hernia	132	10						1	5	9	16	24	35	27	5			
	Intestinal obstruction	130	24	3	6	4		3	4	3	11	5	15	21	24	7			
110	Other diseases of the intestines	77	9	3		1	1	4		3	8	16	8	9	8	7			
111	Acute yellow atrophy of the liver	12	1							4	2		1	2	2				
112	Hydatid tumor of the liver	2								2									
113	Cirrhosis of the liver	453	1						2	14	40	99	118	108	55	14	2		
114	Biliary calculi	91								4	8	18	25	19	13	4			
115	Other diseases of the liver	89	4	1	1		1		1	5	11	18	16	14	10	6	1		
116	Diseases of the spleen	5		1						1		1			2				
117	Simple peritonitis (nonpuerperal)	30	6		1	2		4	1	4	2		2	1	2	4	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	21									9	3	5	2	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,212	39	13	9	5	6	31	54	176	299	590	763	936	877	370	44		
119	Acute nephritis	308	16	6	6	4	2	14	17	38	34	49	47	33	27	14	1		
120	Bright's disease	3,556	8	3	3	1	4	16	32	108	224	486	680	845	792	316	38		
122	Other diseases of the kidneys and annexa	48	10	3					2	1	6	5	5	3	6	7			
123	Calculi of the urinary passages	14								2	3	2	1	3	1	2			
124	Diseases of the bladder	56						1		2		2	6	15	17	11	2		
125	Diseases of the urethra, urinary abscess, etc	13									1	2	4	4		2			
126	Diseases of the prostate	73										2	6	19	28	15	3		
127	Nonvenereal diseases of the male genital organs	6	3								1	1	1						
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	48								2	9	21	5	7	3	1			
130	Other diseases of the uterus	13								3	2	3	2	2	1				
131	Cysts and other tumors of the ovary	25								6	3	6	2	5	2	1			
132	Salpingitis and other diseases of the female genital organs	47		1					2	14	16	10	3			1			
133	Nonpuerperal diseases of the breast (cancer excepted)	4	2									1	1						
	VII.—The puerperal state	414							28	182	171	33							
134	Accidents of pregnancy	29							2	10	13	4							
135	Puerperal hemorrhage	49							3	13	31	2							
136	Other accidents of labor	31							1	7	18	5							
137	Puerperal septicemia	185							11	92	66	16							
138	Puerperal albuminuria and convulsions	100							10	51	34	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	18							1	8	8	1							
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW JERSEY—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	122	29	2	2	1	.....	2	1	5	6	10	13	16	16	15	4	.....	.....
142	Gangrene	42	1	.....	.....	.....	.....	.....	.....	.....	1	2	2	11	11	12	2	.....	.....
143	Furuncle	16	4	.....	.....	.....	.....	1	.....	.....	1	2	6	1	1	.....	.....	.....	.....
144	Acute abscess	36	14	2	1	1	.....	1	1	1	3	4	3	4	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	28	10	.....	1	.....	.....	.....	.....	4	1	2	2	.....	3	3	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	90	10	5	2	7	2	5	7	9	5	9	7	12	8	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	80	8	5	2	7	2	5	7	9	4	8	7	10	5	1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....
	X.—Malformations	548	520	11	4	2	1	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	548	520	11	4	2	1	7	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	40	31	4	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	332	320	4	2	1	.....	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	176	169	3	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,210	2,210	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,692	1,692	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,307	1,307	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc.	385	385	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	497	497	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	307	307	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	190	190	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	21	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	233	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	71	101	44	2	.....
154	Senility	233	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	71	101	44	2	.....
	XIII.—External causes	3,263	96	72	65	68	49	162	302	533	475	478	405	281	159	95	21	.....	2
	Suicide (total)	416	.....	.....	.....	.....	.....	.....	27	70	72	93	76	49	27	2	.....	.....	.....
155	By poison	61	.....	.....	.....	.....	.....	.....	4	16	12	14	6	5	4	.....	.....	.....	.....
156	By asphyxia	133	.....	.....	.....	.....	.....	.....	7	17	21	40	23	18	6	1	.....	.....	.....
157	By hanging or strangulation	50	.....	.....	.....	.....	.....	.....	5	2	5	9	9	14	6	.....	.....	.....	.....
158	By drowning	31	.....	.....	.....	.....	.....	.....	4	5	5	5	6	1	4	1	.....	.....	.....
159	By firearms	99	.....	.....	.....	.....	.....	.....	5	26	16	18	19	9	6	.....	.....	.....	.....
160	By cutting or piercing instruments	26	.....	.....	.....	.....	.....	.....	1	1	6	6	11	1	.....	.....	.....	.....	.....
161	By jumping from high places	12	.....	.....	.....	.....	.....	.....	1	3	5	1	1	.....	1	.....	.....	.....	.....
162	By crushing	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	2,732	85	71	64	64	49	161	269	429	379	368	320	228	129	93	21	.....	2
164	Poisoning by food	32	3	5	2	1	.....	3	2	5	2	2	3	2	2	.....	.....	.....	.....
165	Other acute poisonings	51	.....	6	2	2	2	1	2	8	9	3	10	4	1	1	.....	.....	.....
166	Conflagration	42	3	.....	1	1	1	3	1	9	9	3	3	6	2	.....	.....	.....	.....
167	Burns (conflagration excepted)	303	9	35	30	38	24	45	16	33	22	18	15	9	4	4	1	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	197	36	2	.....	1	1	3	13	24	25	32	24	19	12	5	.....	.....	.....
169	Accidental drowning	339	2	1	3	2	1	28	77	64	52	51	38	13	6	.....	.....	.....	1
170	Traumatism by firearms	28	1	.....	.....	1	.....	2	13	6	1	1	2	1	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	3	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	539	11	14	13	6	7	14	21	39	49	73	66	71	69	67	19	.....	.....
173	Traumatism in mines and quarries (total)	11	.....	.....	.....	.....	.....	.....	.....	3	3	4	1	.....	.....	.....	.....	.....	.....
	Traumatism in mines	9	.....	.....	.....	.....	.....	.....	.....	3	3	3	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	74	.....	.....	1	.....	.....	.....	3	16	23	11	15	5	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	858	3	2	8	10	13	56	99	176	127	133	117	80	24	8	1	.....	1
	Railroad accidents and injuries	435	.....	1	1	.....	.....	7	39	111	75	79	70	39	8	3	1	.....	1
	Street-car accidents and injuries	69	.....	.....	1	3	2	3	2	4	15	12	11	11	4	1	.....	.....	.....
	Automobile accidents and injuries	245	1	1	3	5	9	39	42	41	21	25	23	25	8	2	.....	.....	.....
	Injuries by other vehicles	95	2	.....	3	2	2	6	15	18	15	12	11	4	4	1	.....	.....	.....
	Landslide, other crushing	14	.....	.....	.....	.....	.....	1	1	2	1	5	2	1	.....	1	.....	.....	.....
176	Injuries by animals	16	.....	.....	.....	.....	.....	.....	4	5	3	1	2	1	.....	.....	.....	.....	.....
177	Starvation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
178	Excessive cold	18	.....	.....	.....	.....	.....	.....	.....	.....	4	1	5	4	3	1	.....	.....	.....
179	Effects of heat	51	11	5	.....	.....	.....	1	2	4	6	10	2	3	2	5	.....	.....	.....
180	Lightning	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	24	.....	.....	.....	.....	.....	.....	3	14	4	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	12	.....	.....	.....	.....	.....	.....	.....	1	1	5	1	2	1	1	.....	.....	.....
186	Other external violence	129	5	1	4	2	.....	5	12	19	39	17	14	7	3	1	.....	.....	.....
	Homicide (total)	115	11	1	1	4	.....	1	6	34	24	17	9	4	3	.....	.....	.....	.....
182	By firearms	60	.....	.....	.....	.....	.....	.....	6	24	11	11	4	4	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	18	.....	.....	1	1	.....	.....	.....	6	7	2	.....	.....	1	.....	.....	.....	.....
184	By other means	37	11	1	.....	3	.....	1	.....	4	6	4	5	.....	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	82	27	15	6	1	1	1	1	1	2	3	4	8	8	3	.....	.....	1
187	Ill-defined organic disease	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
188	Sudden death	2	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	79	26	15	6	1	1	1	1	1	2	2	4	8	8	2	.....	.....	1
	Ill-defined	56	11	15	6	1	1	1	1	1	.....	1	4	6	7	1	.....	.....	.....
	Not specified or unknown	23	15	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	1	1	.....	.....	1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK.																	
	All causes	151,704	22,717	5,500	2,611	1,659	1,139	3,197	4,745	9,809	12,807	16,121	19,090	21,057	19,693	9,972	1,484	42	61
	I.—General diseases	38,791	2,257	1,496	784	516	345	956	1,860	4,550	5,358	5,847	5,688	4,826	3,116	1,052	131	5	4
1	Typhoid fever	611	2	3	3	4	5	22	112	170	127	76	56	23	8				
2	Typhus fever	1										1							
4	Malaria	33	9	1				4	1	3	2	3	2	4	1	2	1		
5	Smallpox	3	1		1			1											
6	Measles	1,021	293	404	136	64	25	54	17	8	4	12	3				1		
7	Scarlet fever	208	9	26	31	31	30	52	14	9	5	1							
8	Whooping cough	799	402	240	63	39	19	27	3	1	1	1		2	1				
9	Diphtheria and croup	1,532	167	338	253	186	143	316	71	19	15	8	8	3	4	1			
10	Influenza	1,977	143	58	39	11	9	33	43	62	83	123	193	291	448	365	73	3	
13	Cholera nostras	21	4	1	1	1	1		1	2	1		2	3	2	2			
14	Dysentery	145	21	12	9	5	4	9	3	4	2	5	8	21	23	18	1		
17	Leprosy	4							1		3								
18	Erysipelas	425	165	14	3		1		7	19	34	58	45	28	35	12	4		
19	Other epidemic diseases	35	9	6	4	4	2	2	1	2	1		2	1		1			
20	Purulent infection and septicemia	125	19	3	1	2	1	1	14	15	11	12	20	14	9	2	1		
21	Glanders	3									1	2							
22	Anthrax	4							1	1			2						
23	Rabies	2								1			1						
24	Tetanus	81	14	1	1	1		7	13	16	5	9	8	3	3				
25	Mycoses	13						1	1	1	3	4	2		1				
26	Pellagra	28							1	4	8	5	5	4	1				
	Tuberculosis (total)	15,937	371	301	194	129	78	285	1,267	3,634	3,754	2,936	1,748	889	302	45	2		2
28	Tuberculosis of the lungs	13,579	72	51	23	27	11	73	1,007	3,314	3,490	2,755	1,626	819	267	40	2		2
29	Acute miliary tuberculosis	517	23	20	15	6	3	20	75	127	104	71	34	16	2	1			
30	Tuberculous meningitis	1,091	228	199	135	83	50	136	111	65	46	20	10	5	2	1			
31	Abdominal tuberculosis	327	20	15	11	9	7	22	27	72	49	41	28	20	6				
32	Pott's disease	127	2	2	4	1	3	17	24	18	20	9	13	7	7				
33	White swellings	75	4	2	1		1	9	7	10	7	10	11	6	6	1			
34	Tuberculosis of other organs	163	14	10	4	2	3	7	12	19	23	23	21	12	11	2			
35	Disseminated tuberculosis	58	8	2	1	1		1	4	9	15	7	5	4	1				
36	Rickets	77	42	26	2	3			1		1	1	1						
37	Syphilis	1,175	413	13	4	4	3	5	15	68	165	239	175	54	15	2			
38	Gonococcus infection	80	11						6	20	31	8		3	1				
	Cancer and other malignant tumors (total)	9,453	5	7	11	7	6	10	52	162	561	1,577	2,388	2,484	1,678	464	39	2	
39	Of the buccal cavity	311						3	1	2	9	31	78	89	73	22	3		
40	Of the stomach, liver	3,490	1	1	3	1		1	1	41	143	496	905	1,063	679	144	10	1	
41	Of the peritoneum, intestines, rectum	1,423					2	1	6	33	84	202	354	403	271	62	5		
42	Of the female genital organs	1,277				1	1		3	26	145	330	345	250	143	31	1	1	
43	Of the breast	998					1			8	75	218	264	214	153	60	5		
44	Of the skin	277						1		2	5	27	32	54	94	52	10		
45	Of other organs or of organs not specified	1,677	4	6	8	5	2	4	41	50	100	273	410	411	265	93	5		
46	Other tumors (tumors of the female genital organs excepted)	37		3					2	1	3	6	3	8	7	3	1		
47	Acute articular rheumatism	521	5	5	6	11	8	83	103	60	45	48	40	47	39	17	3		1
48	Chronic rheumatism and gout	109								4	4	5	22	26	33	13	2		
49	Scurvy	18	10	2		1		2	2					1					
50	Diabetes	2,230	3	6	5	4	4	20	56	81	112	241	569	663	384	82			
51	Exophthalmic goiter	164	1						6	24	28	37	36	24	8				
52	Addison's disease	57							1	8	10	14	14	6	3	1			
53	Leukemia	254	7	10	2	4	3	13	23	32	31	37	53	22	15	2			
54	Anemia, chlorosis	558	18	9	4	3	1	2	13	29	57	90	123	129	64	14	2		
55	Other general diseases	192	113	7	11	1	2	7	7	8	5	7	8	8	5	2	1		
56	Alcoholism (acute or chronic)	811								74	228	278	145	62	21	2			1
57	Chronic lead poisoning	14				1				1	3	2	5	2					
58	Other chronic occupation poisonings	3								1	2								
59	Other chronic poisonings	30							2	6	12	1	1	1	5	2			
	II.—Diseases of the nervous system and of the organs of special sense	16,410	914	795	638	459	331	736	439	389	691	1,298	2,053	2,916	3,017	1,558	171	2	3
60	Encephalitis	49	6	2	2		1	1	3	7	4	10	5	4	4				
61	Meningitis (total)	620	144	72	42	32	30	68	61	45	40	30	31	13	7	5			
	Simple meningitis	285	66	29	20	13	11	29	26	18	19	16	15	12	6	5			
	Cerebrospinal meningitis (undefined)	131	36	16	5	6	11	14	10	9	9	6	7	1	1				
	Cerebrospinal fever	204	42	27	17	13	8	25	25	18	12	8	9						
62	Locomotor ataxia	273								3	14	60	73	68	48	7			
63	Other diseases of the spinal cord (total)	3,932	516	650	560	411	282	613	240	106	53	77	108	147	122	43	3		1
	Acute anterior poliomyelitis	3,369	511	646	550	409	281	605	222	91	34	10	5	1	3				1
	Other diseases of the spinal cord[1]	563	5	4	10	2	1	8	18	15	19	67	103	146	119	43	3		
64	Cerebral hemorrhage, apoplexy	8,749	13	3	1	1		2	17	53	189	616	1,477	2,391	2,517	1,320	147	1	1
65	Softening of the brain	114										2	6	19	49	36	2		
66	Paralysis without specified cause	433	1		1		2		3	7	3	22	47	85	153	95	13	1	
67	General paralysis of the insane	923							3	25	219	303	192	95	58	26	1		1
68	Other forms of mental alienation	176							11	25	30	34	25	27	15	8	1		
69	Epilepsy	302	8	3	2	1	4	9	48	59	57	40	28	27	12	4			
70	Convulsions (nonpuerperal)	2										1				1			
71	Convulsions of infants	182	155	20	5	1	1												
72	Chorea	11	1			1		1	3	1	1	1	1	1					
73	Neuralgia and neuritis	78				1				8	16	22	12	6	9	4			
74	Other diseases of the nervous system	340	22	22	17	8	7	23	25	31	44	57	34	24	15	8	3		
75	Diseases of the eyes and their annexa	3	1						1		1								
76	Diseases of the ears	223	47	23	8	3	4	19	24	19	20	23	14	9	8	1	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK—Continued.																	
	III.—Diseases of the circulatory system	25,287	165	37	35	32	39	285	603	788	1,252	2,222	3,748	5,564	6,464	3,536	497	11	9
77	Pericarditis	85	2	1				8	6	4	7	10	17	12	13	5			
78	Acute endocarditis	1,294	51	10	12	13	12	39	106	132	174	247	403	48	33	13	1		
79	Organic diseases of the heart	19,801	60	19	20	17	24	235	480	605	997	1,768	2,383	4,634	5,187	2,562	296	6	8
80	Angina pectoris	725							1	2	19	62	148	222	198	67	6		
81	Diseases of the arteries, atheroma, aneurism, etc.	2,732	1						1	8	21	78	215	509	888	820	185	5	1
82	Embolism and thrombosis	457	4	1	1		2	3	4	26	17	34	58	108	130	60	9		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	101	1	1					1	7	14	18	18	25	11	5			
84	Diseases of the lymphatic system (lymphangitis, etc.)	71	41	5	2	2	1		4	3	2	2	2	3	3	1			
85	Hemorrhage; other diseases of the circulatory system	21	5							1	1	3	4	3	1	3			
	IV.—Diseases of the respiratory system	19,557	4,161	1,726	638	274	149	327	399	837	1,379	1,761	2,084	2,257	2,137	1,203	212	10	3
86	Diseases of the nasal fossae	15	6					3	1	3	1		1						
87	Diseases of the larynx	69	8	11	3	3	2	5	3	2	5	5	5	6	7	3	1		
88	Diseases of the thyroid body	40							1	7	9	10	6	3	4				
89	Acute bronchitis	1,252	724	132	36	19	4	13	6	7	11	10	29	46	90	102	22	1	
90	Chronic bronchitis	634	11	6	1			2	5	8	9	35	50	137	190	143	35	2	
91	Bronchopneumonia	6,265	2,431	969	345	115	62	110	66	93	128	157	289	451	581	387	78	3	
92	Pneumonia (total)	10,365	909	547	228	121	76	171	295	667	1,140	1,451	1,584	1,495	1,140	485	51	2	3
	Lobar pneumonia	9,516	792	497	210	110	68	152	272	625	1,080	1,363	1,474	1,372	1,046	408	43	2	2
	Pneumonia (undefined)	849	117	50	18	11	8	19	23	42	60	88	110	123	94	77	8		1
93	Pleurisy	445	42	55	25	14	4	17	18	25	43	53	49	51	35	12	2		
94	Pulmonary congestion, pulmonary apoplexy	150	22	5				3	1	6	4	2	4	10	31	43	17	2	
95	Gangrene of the lung	36						1	1	6	7	7	6	6	1	1			
96	Asthma	168	1	1		1	1			3	9	19	38	35	41	16	3		
97	Pulmonary emphysema	30	3								2		5	7	5	6	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	88	4			1		2	2	10	11	12	18	10	12	5	1		
	V.—Diseases of the digestive system	13,729	5,332	1,067	280	161	88	216	390	516	817	1,186	1,267	1,093	873	388	51		4
99	Diseases of the mouth and annexa	83	22		2	1		3	7	10	2	12	10	7	4	2	1		
100	Diseases of the pharynx	254	31	16	11	20	9	25	28	32	23	20	9	8	14	8			
101	Diseases of the esophagus	23			1	2					1	1	5	7	3	3			
102	Ulcer of the stomach	529	6		1		1		13	48	99	128	91	82	47	13			
103	Other diseases of the stomach (cancer excepted)	554	177	25	3	7	2	4	8	11	17	35	48	69	74	56	18		
104	Diarrhea and enteritis (under 2 years)	5,885	4,908	977															
105	Diarrhea and enteritis (2 years and over)	1,116			226	102	44	59	25	50	64	95	105	95	135	102	12		2
106	Ankylostomiasis	1			1														
107	Intestinal parasites	10	1	1		1	1		1		4	1							
108	Appendicitis and typhlitis	1,243	1	7	15	17	19	93	249	214	199	169	147	66	40	7			
109	Hernia, intestinal obstruction (total)	1,226	144	31	13	9	6	17	21	39	93	148	204	212	191	90	8		
	Hernia	594	26	1	3	1		1	5	12	37	88	136	131	109	38	6		
	Intestinal obstruction	632	118	30	10	8	6	16	16	27	56	60	68	81	82	52	2		
110	Other diseases of the intestines	224	14	3	2		2	1	7	18	30	26	40	30	34	15	2		
111	Acute yellow atrophy of the liver	44	1	1					5	11	11	4	4	2	3	2			
112	Hydatid tumor of the liver	3							1		1			1					
113	Cirrhosis of the liver	1,610	5	1		1	2	2	8	28	155	384	408	358	202	50	6		
114	Biliary calculi	295								9	35	51	82	63	44	9	1		1
115	Other diseases of the liver	409	10	2			1	2	5	22	51	67	86	68	68	25	1		1
116	Diseases of the spleen	16	1		1			1	2		2	3	2	1	1	2			
117	Simple peritonitis (nonpuerperal)	124	11	2	4	1	1	8	7	16	12	20	14	14	9	4	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	80		1				1	3	8	18	22	12	10	4		1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	14,983	127	25	23	22	13	67	154	546	1,110	2,101	2,890	3,319	3,105	1,336	142		3
119	Acute nephritis	811	65	11	14	10	6	28	41	100	113	125	131	89	59	16	3		
120	Bright's disease	12,703	26	13	5	10	7	34	89	324	811	1,723	2,589	3,014	2,766	1,164	125		3
121	Chyluria	1						1											
122	Other diseases of the kidneys and annexa	250	23		3	2		3	12	24	29	33	32	34	36	18	1		
123	Calculi of the urinary passages	87							2	7	12	19	19	11	14	3			
124	Diseases of the bladder	128	1						2	3	2	8	8	18	40	43	3		
125	Diseases of the urethra, urinary abscess, etc.	50								1	8	17	13	9	2				
126	Diseases of the prostate	403								2	3	6	28	107	163	84	10		
127	Nonvenereal diseases of the male genital organs	16	9							1		1		2	3				
128	Uterine hemorrhage (nonpuerperal)	7								2	2	3							
129	Uterine tumor (noncancerous)	208							1	9	47	89	37	13	10	2			
130	Other diseases of the uterus	77							2	20	17	22	6	6	2	2			
131	Cysts and other tumors of the ovary	96		1					1	6	21	18	23	12	10	4			
132	Salpingitis and other diseases of the female genital organs	138			1			1	4	46	44	37	2	3					
133	Nonpuerperal diseases of the breast (cancer excepted)	8	3							1	1		2	1					
	VII.—The puerperal state	1,310							91	615	516	88							
134	Accidents of pregnancy	105							3	45	48	9							
135	Puerperal hemorrhage	145							4	56	73	12							
136	Other accidents of labor	136							3	56	62	15							
137	Puerperal septicemia	526							40	275	184	27							
138	Puerperal albuminuria and convulsions	333							41	155	116	21							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	62								26	32	4							
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast	2								1	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	431	90	16	3	.....	1	4	10	18	27	48	32	47	65	56	13	1	.....
142	Gangrene	160	3	2	1	.....	.....	2	3	1	4	9	14	20	46	45	9	1	.....
143	Furuncle	66	12	.....	.....	.....	.....	.....	3	5	10	18	5	4	7	1	1	.....	.....
144	Acute abscess	121	41	11	2	.....	1	2	3	7	10	18	5	13	4	3	1	.....	.....
145	Other diseases of the skin and annexa	84	34	3	.....	.....	.....	.....	1	5	3	3	8	10	8	7	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	359	32	14	15	12	9	27	46	41	42	36	26	31	17	10	.....	1	.....
146	Diseases of the bones (tuberculosis excepted)	314	27	14	15	12	9	24	43	36	36	33	25	26	8	6	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	33	4	.....	.....	.....	.....	3	3	4	6	3	1	2	4	3	.....	.....	.....
149	Other diseases of the organs of locomotion	12	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	3	5	1	.....	1	.....
	X.—Malformations	1,587	1,460	53	14	15	9	22	9	4	1	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	1,587	1,460	53	14	15	9	22	9	4	1	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	163	121	18	5	6	4	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	875	822	21	6	6	3	11	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	549	517	14	3	3	2	5	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	7,896	7,896	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	5,911	5,911	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	4,474	4,474	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	1,437	1,437	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	1,958	1,958	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	1,183	1,183	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	775	775	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	27	27	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	889	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	26	229	441	181	11	.....
154	Senility	889	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	26	229	441	181	11	.....
	XIII.—External causes	10,298	241	230	179	166	155	555	741	1,498	1,604	1,527	1,283	958	659	385	83	1	33
	Suicide (total)	1,540	.....	.....	.....	.....	.....	.....	36	235	309	324	303	219	91	21	2	.....	.....
155	By poison	238	.....	.....	.....	.....	.....	.....	9	56	48	45	48	26	5	1	.....	.....	.....
156	By asphyxia	448	.....	.....	.....	.....	.....	.....	13	63	88	88	103	66	21	6	.....	.....	.....
157	By hanging or strangulation	244	.....	.....	.....	.....	.....	.....	4	19	26	53	45	57	34	5	1	.....	.....
158	By drowning	78	.....	.....	.....	.....	.....	.....	1	15	13	14	14	14	5	2	.....	.....	.....
159	By firearms	263	.....	.....	.....	.....	.....	.....	4	39	60	56	57	29	16	1	1	.....	.....
160	By cutting or piercing instruments	115	.....	.....	.....	.....	.....	.....	.....	8	33	37	16	9	6	6	.....	.....	.....
161	By jumping from high places	127	.....	.....	.....	.....	.....	.....	5	28	33	28	16	13	4	.....	.....	.....	.....
162	By crushing	16	.....	.....	.....	.....	.....	.....	.....	6	4	3	2	1	.....	.....	.....	.....	.....
163	Other suicides	11	.....	.....	.....	.....	.....	.....	.....	1	4	.....	2	4	.....	.....	.....	.....	.....
	Accidental or undefined (total)	8,315	208	229	179	165	154	550	675	1,120	1,181	1,141	947	725	565	364	81	1	30
164	Poisoning by food	63	7	2	5	.....	4	9	3	2	10	3	9	8	1	.....	.....	.....	.....
165	Other acute poisonings	133	9	18	12	4	3	6	6	25	21	11	6	9	2	1	.....	.....	.....
166	Conflagration	146	1	7	4	3	2	9	11	17	21	14	18	11	17	8	1	.....	2
167	Burns (conflagration excepted)	773	30	121	81	64	68	83	28	50	53	47	45	55	34	12	1	.....	1
168	Absorption of deleterious gases (conflagration excepted)	604	94	6	.....	2	3	4	19	69	93	88	82	72	52	18	.....	1	1
169	Accidental drowning	1,097	4	7	7	11	12	83	221	226	181	162	105	37	24	5	2	.....	10
170	Traumatism by firearms	93	.....	.....	2	2	3	7	33	13	11	9	6	4	3	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	20	.....	.....	.....	.....	1	2	3	.....	2	4	6	1	1	.....	.....	.....	.....
172	Traumatism by fall	2,013	17	43	44	32	20	82	74	130	222	261	242	240	277	262	66	.....	1
173	Traumatism in mines and quarries (total)	24	.....	.....	.....	.....	.....	1	.....	8	10	3	1	1	.....	.....	.....	.....	.....
	Traumatism in mines	18	.....	.....	.....	.....	.....	.....	.....	8	7	3	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	6	.....	.....	.....	.....	.....	1	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....
174	Traumatism by machines	176	.....	.....	.....	.....	.....	2	17	55	33	36	18	12	2	1	.....	.....	.....
175	Traumatism by other crushing (total)	2,361	11	12	12	41	34	239	204	423	367	374	307	198	104	20	1	.....	14
	Railroad accidents and injuries	831	1	1	2	1	2	15	55	204	166	159	113	68	28	4	1	.....	11
	Street-car accidents and injuries	285	.....	.....	2	4	1	19	19	43	45	56	45	28	18	4	.....	.....	1
	Automobile accidents and injuries	836	3	4	4	26	22	161	101	123	96	100	89	66	32	7	.....	.....	2
	Injuries by other vehicles	357	7	7	4	10	9	43	25	45	48	45	53	31	25	5	.....	.....	.....
	Landslide, other crushing	52	.....	.....	.....	.....	.....	1	4	8	12	14	7	5	1	.....	.....	.....	.....
176	Injuries by animals	50	.....	.....	1	.....	.....	4	4	8	8	4	11	3	5	2	.....	.....	.....
177	Starvation	5	.....	.....	1	.....	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....
178	Excessive cold	36	.....	.....	.....	.....	.....	.....	1	2	6	6	6	7	3	4	1	.....	.....
179	Effects of heat	120	11	1	3	1	.....	1	2	6	21	18	23	18	7	4	4	.....	.....
180	Lightning	19	1	.....	1	.....	.....	.....	8	3	1	1	2	2	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	73	.....	.....	.....	.....	.....	4	12	21	20	10	5	1	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	134	2	.....	2	1	1	3	2	5	25	19	15	19	15	21	3	.....	1
186	Other external violence	375	21	12	4	4	3	11	27	57	75	69	40	27	18	5	2	.....	.....
	Homicide (total)	443	33	1	.....	1	1	5	30	143	114	62	33	14	3	.....	.....	.....	3
182	By firearms	195	.....	.....	.....	.....	1	1	11	84	53	28	12	3	1	.....	.....	.....	1
183	By cutting or piercing instruments	78	2	.....	.....	.....	.....	.....	5	27	30	9	3	1	.....	.....	.....	.....	1
184	By other means	170	31	1	.....	1	.....	4	14	32	31	25	18	10	2	.....	.....	.....	1
	XIV.—Ill-defined diseases	177	42	41	2	2	.....	2	3	7	10	7	18	20	11	7	3	.....	2
187	Ill-defined organic disease	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
188	Sudden death	17	3	.....	.....	.....	.....	.....	.....	.....	.....	3	4	3	3	1	.....	.....	.....
189	Not specified or ill-defined (total)	156	38	41	2	2	.....	2	3	7	10	4	13	16	8	5	3	.....	2
	Ill-defined	94	6	40	2	2	.....	1	1	3	5	2	9	11	7	3	2	.....	.....
	Not specified or unknown	62	32	1	.....	.....	.....	1	2	4	5	2	4	5	1	2	1	.....	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA (TOTAL).																		
	All causes	31,389	7,112	2,014	818	411	261	754	1,729	2,855	2,511	2,039	2,367	3,178	3,147	1,760	346	78	9
	I.—General diseases	9,286	826	491	275	153	107	361	864	1,583	1,206	842	776	823	644	295	33	5	2
1	Typhoid fever	702	4	13	14	9	11	76	204	196	76	43	31	21	1	2	.....	.....	1
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Malaria	337	55	26	21	14	7	27	38	29	19	21	17	21	25	15	1	1	.....
5	Smallpox	13	3	.....	.....	.....	.....	.....	2	1	1	.....	2	1	1	2	.....	.....	.....
6	Measles	171	32	39	22	9	7	14	18	8	6	4	5	3	3	.....	1	.....	.....
7	Scarlet fever	62	3	9	9	6	5	19	8	1	1	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	402	215	89	40	23	9	24	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	410	87	75	70	52	42	61	14	3	2	1	1	1	1	.....	.....	.....	.....
10	Influenza	634	86	25	16	7	6	11	23	24	31	31	48	70	138	102	14	2	.....
13	Cholera nostras	27	5	1	5	.....	.....	2	.....	.....	.....	.....	2	5	6	1	.....	.....	.....
14	Dysentery	457	115	117	29	13	2	17	11	4	11	4	18	35	48	32	1	.....	.....
18	Erysipelas	42	11	1	.....	1	.....	.....	5	5	2	3	5	3	4	1	.....	1	.....
19	Other epidemic diseases	6	1	2	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	44	5	.....	.....	1	1	5	6	7	1	.....	4	6	6	1	1	.....	.....
22	Anthrax	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	69	42	3	2	.....	3	4	8	3	.....	1	2	1	.....	.....	.....	.....	.....
26	Pellagra	485	2	5	1	2	.....	5	22	79	98	82	60	78	41	10	.....	.....	.....
	Tuberculosis (total)	3,577	62	49	24	9	9	69	433	1,110	772	404	285	203	116	30	.....	1	1
28	Tuberculosis of the lungs	3,129	31	18	10	4	3	35	378	1,010	704	368	268	178	97	23	.....	1	1
29	Acute miliary tuberculosis	112	3	1	2	.....	1	1	22	44	27	6	4	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	88	19	18	4	3	2	14	7	10	5	2	2	1	1	.....	.....	.....	.....
31	Abdominal tuberculosis	152	2	6	4	2	2	7	17	32	23	19	7	15	12	4	.....	.....	.....
32	Pott's disease	27	2	.....	.....	.....	.....	8	3	3	4	2	2	2	1	.....	.....	.....	.....
33	White swellings	15	3	1	.....	.....	1	1	2	2	1	1	2	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	47	2	5	3	.....	.....	3	4	8	5	4	.....	5	5	3	.....	.....	.....
35	Disseminated tuberculosis	7	.....	.....	1	.....	.....	.....	.....	1	3	2	.....	.....	.....	.....	.....	.....	.....
36	Rickets	21	8	7	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	234	61	18	7	3	.....	.....	15	36	29	28	14	15	5	3	.....	.....	.....
38	Gonococcus infection	15	1	.....	.....	.....	.....	.....	2	5	1	3	.....	2	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	1,083	.....	1	5	.....	.....	5	10	23	106	163	218	276	194	72	10	.....	.....
39	Of the buccal cavity	36	.....	.....	1	.....	.....	.....	1	.....	4	4	2	9	9	3	3	.....	.....
40	Of the stomach, liver	348	.....	.....	2	.....	.....	1	2	4	22	51	70	115	66	13	2	.....	.....
41	Of the peritoneum, intestines, rectum	77	.....	.....	.....	.....	.....	.....	3	1	7	7	14	14	24	6	1	.....	.....
42	Of the female genital organs	266	.....	.....	.....	.....	.....	.....	1	6	45	60	70	57	23	4	.....	.....	.....
43	Of the breast	105	.....	.....	.....	.....	.....	.....	.....	2	7	25	19	25	13	14	.....	.....	.....
44	Of the skin	81	.....	.....	1	.....	.....	.....	.....	.....	2	4	19	15	27	12	1	.....	.....
45	Of other organs or of organs not specified	170	.....	1	1	.....	.....	4	3	10	19	12	24	41	32	20	3	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	13	.....	.....	.....	.....	.....	1	.....	.....	2	2	.....	1	5	1	1	.....	.....
47	Acute articular rheumatism	103	1	1	.....	1	.....	5	16	12	8	7	8	19	10	12	3	.....	.....
48	Chronic rheumatism and gout	38	.....	.....	.....	.....	.....	.....	1	2	4	2	2	9	14	4	.....	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	160	.....	1	1	.....	1	9	11	17	13	19	34	30	19	4	1	.....	.....
51	Exophthalmic goiter	9	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	2	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
53	Leukemia	29	1	1	.....	.....	1	2	3	4	2	5	5	4	1	.....	.....	.....	.....
54	Anemia, chlorosis	38	6	3	.....	.....	.....	.....	4	3	5	4	5	5	.....	3	.....	.....	.....
55	Other general diseases	55	19	4	6	3	3	3	4	1	5	1	1	3	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	32	.....	.....	.....	.....	.....	.....	1	3	8	8	5	5	2	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	8	.....	.....	.....	.....	.....	.....	1	2	1	1	1	1	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	2,785	263	81	48	29	11	39	82	100	114	190	399	553	540	280	47	7	2
60	Encephalitis	26	4	3	1	1	.....	1	2	5	3	1	2	.....	2	1	.....	.....	.....
61	Meningitis (total)	235	92	37	21	17	7	16	17	17	3	5	1	1	1	.....	.....	.....	.....
	Simple meningitis	121	47	13	10	9	4	9	10	11	1	4	1	1	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	54	17	15	5	5	2	5	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	60	28	9	6	3	1	2	6	3	1	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	18	.....	.....	.....	.....	.....	.....	.....	1	1	3	3	7	3	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	127	11	13	13	5	1	8	5	5	3	7	11	19	21	2	3	.....	.....
	Acute anterior poliomyelitis	49	9	10	11	3	1	7	3	1	1	.....	1	.....	2	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	78	2	3	2	2	.....	1	2	4	2	7	10	19	19	2	3	.....	.....
64	Cerebral hemorrhage, apoplexy	1,439	5	1	2	2	.....	1	9	18	57	112	296	385	356	174	17	3	1
65	Softening of the brain	45	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	9	19	5	4	1	.....
66	Paralysis without specified cause	398	4	3	1	.....	.....	1	5	6	6	21	53	86	105	84	22	1	.....
67	General paralysis of the insane	53	.....	.....	.....	.....	.....	.....	.....	.....	7	10	7	11	13	4	.....	1	.....
68	Other forms of mental alienation	50	.....	.....	.....	.....	.....	.....	2	8	6	3	7	13	5	5	.....	1	.....
69	Epilepsy	129	8	1	1	.....	2	5	26	25	20	18	4	10	7	2	.....	.....	.....
70	Convulsions (nonpuerperal)	14	.....	.....	.....	.....	.....	5	.....	8	.....	.....	.....	.....	.....	1	.....	.....	.....
71	Convulsions of infants	136	117	13	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	4	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	11	.....	.....	.....	.....	.....	.....	1	1	.....	1	3	3	2	.....	.....	.....	.....
74	Other diseases of the nervous system	64	13	5	2	1	.....	1	8	5	5	6	3	6	6	2	.....	.....	1
75	Diseases of the eyes and their annexa	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	33	6	5	2	2	1	1	6	1	3	1	3	1	.....	.....	1	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	2,577	29	8	6	4	7	16	53	113	165	236	339	604	634	315	43	5	.....
77	Pericarditis	20	.....	.....	.....	.....	.....	.....	.....	1	1	1	5	5	3	2	2	.....	.....
78	Acute endocarditis	60	.....	2	2	1	1	1	5	9	10	10	12	2	4	1	.....	.....	.....
79	Organic diseases of the heart	2,213	21	4	4	2	6	13	43	94	143	198	287	531	560	268	35	4	.....
80	Angina pectoris	79	.....	.....	.....	1	.....	.....	.....	1	3	11	14	23	20	5	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	153	.....	.....	.....	.....	.....	.....	.....	3	6	8	16	34	46	35	4	1	.....
82	Embolism and thrombosis	29	2	.....	.....	.....	.....	.....	2	5	2	7	2	7	1	1	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	4	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	13	2	1	.....	.....	.....	1	2	.....	.....	1	1	2	.....	2	1	.....	.....
	IV.—Diseases of the respiratory system	3,062	832	285	125	75	28	73	170	225	196	168	189	272	270	124	27	3	.....
86	Diseases of the nasal fossae	46	35	3	2	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....
87	Diseases of the larynx	31	5	4	1	8	3	4	1	2	.....	.....	1	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	14	2	.....	.....	.....	.....	.....	.....	1	3	2	2	2	2	.....	.....	.....	.....
89	Acute bronchitis	176	104	30	9	9	1	1	.....	2	3	.....	2	5	3	7	.....	.....	.....
90	Chronic bronchitis	96	3	1	1	.....	.....	2	6	9	4	2	4	12	26	15	10	1	.....
91	Bronchopneumonia	850	395	140	55	30	11	20	12	17	16	14	19	37	53	28	3	.....	.....
92	Pneumonia (total)	1,667	267	99	53	23	12	40	139	176	155	134	142	195	165	52	13	2	.....
	Lobar pneumonia	1,304	131	64	36	15	8	29	120	161	139	122	121	170	141	38	8	1	.....
	Pneumonia (undefined)	363	136	35	17	8	4	11	19	15	16	12	21	25	24	14	5	1	.....
93	Pleurisy	53	3	5	1	1	1	5	5	6	3	2	6	9	2	4	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	39	11	2	.....	2	.....	.....	1	1	2	3	3	3	3	8	.....	.....	.....
95	Gangrene of the lung	5	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....
96	Asthma	50	3	1	1	2	.....	.....	2	4	5	6	6	5	10	4	1	.....	.....
97	Pulmonary emphysema	4	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	31	4	.....	2	.....	.....	1	4	5	4	2	3	1	4	1	.....	.....	.....
	V.—Diseases of the digestive system	3,660	1,290	869	228	47	42	79	110	137	129	129	132	168	199	83	13	3	2
99	Diseases of the mouth and annexa	61	42	4	1	1	1	6	1	1	2	.....	.....	.....	2	.....	.....	.....	.....
100	Diseases of the pharynx	64	13	7	1	2	3	7	10	6	4	4	.....	3	3	.....	.....	1	.....
101	Diseases of the esophagus	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
102	Ulcer of the stomach	50	.....	.....	.....	.....	.....	2	4	9	3	12	4	6	8	2	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	361	119	28	14	7	5	6	3	15	17	19	27	34	39	24	3	.....	1
104	Diarrhea and enteritis (under 2 years)	1,871	1,069	802	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	474	.....	.....	186	26	24	24	9	12	12	22	16	36	63	33	8	2	1
106	Ankylostomiasis	6	.....	.....	.....	1	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	23	4	8	6	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	183	4	1	6	1	3	12	50	41	24	13	16	10	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	194	23	14	9	3	2	8	12	15	20	17	11	21	30	8	1	.....	.....
	Hernia	43	4	2	1	.....	.....	1	3	1	4	2	3	6	11	5	.....	.....	.....
	Intestinal obstruction	151	19	12	8	3	2	7	9	14	16	15	8	15	19	3	1	.....	.....
110	Other diseases of the intestines	59	6	3	1	3	.....	3	2	4	10	7	9	2	6	2	1	.....	.....
111	Acute yellow atrophy of the liver	10	1	.....	.....	.....	.....	.....	.....	2	1	1	2	1	2	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	117	.....	2	1	.....	.....	.....	3	6	13	14	21	34	18	5	.....	.....	.....
114	Biliary calculi	40	.....	.....	.....	.....	.....	.....	.....	4	3	2	11	8	9	3	.....	.....	.....
115	Other diseases of the liver	82	5	.....	2	1	1	3	3	6	16	9	10	10	13	3	.....	.....	.....
116	Diseases of the spleen	3	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	49	1	.....	.....	.....	2	5	9	11	3	6	5	2	3	2	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	.....	.....	.....	.....	.....	1	.....	4	.....	1	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,018	24	31	19	12	11	26	49	106	147	212	310	432	417	200	21	1	.....
119	Acute nephritis	178	8	15	10	9	7	13	14	18	16	18	20	16	12	2	.....	.....	.....
120	Bright's disease	1,567	12	14	7	3	3	10	22	60	100	158	263	382	349	168	15	1	.....
122	Other diseases of the kidneys and annexa	71	3	2	2	.....	1	3	2	7	4	3	5	11	16	11	1	.....	.....
123	Calculi of the urinary passages	11	.....	.....	.....	.....	.....	.....	.....	1	1	1	4	.....	2	2	.....	.....	.....
124	Diseases of the bladder	26	.....	.....	.....	.....	.....	.....	2	.....	.....	2	1	5	12	4	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	7	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	2	.....	.....	.....	.....	.....
126	Diseases of the prostate	51	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	11	18	13	5	.....	.....
127	Nonvenereal diseases of the male genital organs	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	7	.....	.....	.....	.....	.....	.....	2	2	.....	3	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	25	.....	.....	.....	.....	.....	.....	.....	2	3	12	3	3	2	.....	.....	.....	.....
130	Other diseases of the uterus	37	.....	.....	.....	.....	.....	.....	5	8	8	6	5	2	3	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	10	.....	.....	.....	.....	.....	.....	.....	2	3	.....	3	.....	2	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	24	.....	.....	.....	.....	.....	.....	2	5	9	7	1	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	593	.....	.....	.....	.....	.....	.....	95	231	213	54	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	48	.....	.....	.....	.....	.....	.....	6	22	16	4	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	56	.....	.....	.....	.....	.....	.....	2	20	23	11	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	96	.....	.....	.....	.....	.....	.....	11	37	39	9	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	151	.....	.....	.....	.....	.....	.....	21	59	61	10	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	228	.....	.....	.....	.....	.....	.....	53	91	67	17	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12	.....	.....	.....	.....	.....	.....	1	2	7	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	102	19	3	1	.....	1	2	3	2	5	11	9	14	16	8	7	1	.....
142	Gangrene	34	1	1	.....	.....	.....	1	1	1	.....	4	2	5	10	4	3	1	.....
143	Furuncle	12	2	.....	1	.....	.....	.....	1	.....	.....	3	1	2	1	.....	1	.....	.....
144	Acute abscess	29	7	1	.....	.....	1	1	1	1	5	2	3	2	2	2	1	.....	.....
145	Other diseases of the skin and annexa	27	9	1	.....	.....	.....	.....	.....	.....	.....	2	3	5	3	2	2	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	41	8	1	1	1	1	2	9	1	5	6	.....	6	.....	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	34	8	1	1	1	1	2	7	1	3	4	.....	5	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	297	261	17	6	2	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
150	Congenital malformations (stillbirths not included) (total)	297	261	17	6	2	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Hydrocephalus	25	15	2	3	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Congenital malformations of the heart	132	116	8	2	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	140	130	7	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,008	2,008	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,734	1,734	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,243	1,243	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	491	491	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	256	256	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	110	110	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	146	146	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	18	18	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	633	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	35	164	271	113	47	1
154	Senility	633	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	35	164	271	113	47	1
	XIII.—External causes	1,651	134	69	60	61	34	107	231	274	242	115	92	83	76	63	8	1	1
	Suicide (total)	82	.....	.....	.....	.....	.....	.....	5	18	18	11	16	8	5	1	.....	.....	.....
155	By poison	12	.....	.....	.....	.....	.....	.....	1	6	3	1	.....	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	8	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	1	1	1	.....	.....	.....
158	By drowning	8	.....	.....	.....	.....	.....	.....	1	3	1	1	1	1	.....	.....	.....	.....	.....
159	By firearms	49	.....	.....	.....	.....	.....	.....	3	8	10	9	12	4	3	.....	.....	.....	.....
160	By cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,366	131	69	60	61	34	105	195	193	163	81	63	72	69	60	8	1	1
164	Poisoning by food	40	7	3	2	3	.....	2	4	8	3	5	2	.....	.....	1	.....	.....	.....
165	Other acute poisonings	41	5	12	5	.....	1	3	2	2	6	2	1	2	.....	.....	.....	.....	.....
166	Conflagration	24	1	3	1	1	1	2	2	2	2	2	2	2	1	2	.....	.....	.....
167	Burns (conflagration excepted)	292	27	33	35	41	27	36	22	13	15	5	2	7	16	8	4	.....	1
168	Absorption of deleterious gases (conflagration excepted)	58	55	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	155	1	5	6	5	1	15	51	28	22	9	6	2	2	1	.....	1	.....
170	Traumatism by firearms	112	1	2	.....	6	.....	17	44	20	12	7	1	2	.....	.....	.....	.....	.....
172	Traumatism by fall	145	4	4	1	.....	.....	4	10	7	7	9	2	22	32	41	2	.....	.....
173	Traumatism in mines and quarries (total)	5	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....
	Traumatism in mines	5	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....
174	Traumatism by machines	40	.....	.....	.....	.....	.....	.....	6	9	13	5	3	4	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	236	1	.....	2	1	2	10	29	62	52	23	28	16	7	3	.....	.....	.....
	Railroad accidents and injuries	130	.....	.....	1	.....	.....	4	17	38	39	11	9	6	3	2	.....	.....	.....
	Street-car accidents and injuries	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	54	.....	.....	1	.....	1	1	10	14	4	7	10	4	2	.....	.....	.....	.....
	Injuries by other vehicles	37	1	.....	.....	1	1	3	2	6	4	3	9	4	2	1	.....	.....	.....
	Landslide, other crushing	14	.....	.....	.....	.....	.....	2	.....	3	5	2	.....	2	.....	.....	.....	.....	.....
176	Injuries by animals	14	.....	.....	1	.....	.....	4	.....	2	1	1	1	3	1	.....	.....	.....	.....
177	Starvation	5	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	8	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	3	.....	.....	.....	.....
179	Effects of heat	5	1	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....
180	Lightning	17	.....	.....	.....	.....	.....	.....	1	6	8	1	.....	1	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	16	.....	.....	.....	.....	.....	1	2	7	3	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	15	.....	.....	.....	.....	.....	.....	.....	2	3	1	2	.....	2	3	2	.....	.....
186	Other external violence	138	25	7	6	3	2	10	20	21	11	8	10	10	4	1	.....	.....	.....
	Homicide (total)	203	3	.....	.....	.....	.....	2	31	63	61	23	13	3	2	2	.....	.....	.....
182	By firearms	158	.....	.....	.....	.....	.....	2	27	49	52	15	8	3	1	1	.....	.....	.....
183	By cutting or piercing instruments	16	.....	.....	.....	.....	.....	.....	2	7	3	2	2	.....	.....	.....	.....	.....	.....
184	By other means	29	3	.....	.....	.....	.....	.....	2	7	6	6	3	.....	1	1	.....	.....	.....
	XIV.—Ill-defined diseases	2,676	1,418	159	49	27	18	46	57	83	89	76	119	188	187	121	34	5	.....
187	Ill-defined organic disease	119	2	2	2	2	1	3	3	6	9	6	11	27	26	19	.....	.....	.....
188	Sudden death	190	42	3	1	2	1	3	3	6	13	15	25	32	22	20	2	.....	.....
189	Not specified or ill-defined (total)	2,367	1,374	154	46	23	16	40	51	71	67	55	83	129	139	82	32	5	.....
	Ill-defined	540	194	67	18	9	1	10	8	20	27	20	37	58	47	18	6	.....	.....
	Not specified or unknown	1,827	1,180	87	28	14	15	30	43	51	40	35	46	71	92	64	26	5	.....

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (WHITE).																	
	All causes	18,756	4,223	1,175	507	259	154	448	783	1,319	1,313	1,115	1,482	2,226	2,321	1,224	189	13	5
	I.—General diseases	5,184	405	265	176	93	73	212	318	695	637	468	512	598	493	214	25	.....	.....
1	Typhoid fever	372	1	6	9	6	7	39	89	108	46	27	17	16	.....	1	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
4	Malaria	152	26	8	8	3	4	10	12	16	8	12	10	9	15	11	.....	.....	.....
5	Smallpox	5	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
6	Measles	114	17	20	14	7	7	12	11	6	5	3	5	3	3	.....	1	.....	.....
7	Scarlet fever	58	1	9	9	6	5	18	7	1	1	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	177	105	32	17	8	1	13	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	330	64	57	61	43	35	53	10	2	2	1	1	1	.....	.....	.....	.....	.....
10	Influenza	393	29	11	10	3	2	7	11	11	17	19	28	51	105	81	8	.....	.....
13	Cholera nostras	19	1	1	4	.....	.....	2	.....	.....	.....	.....	2	4	4	1	.....	.....	.....
14	Dysentery	274	52	73	18	8	1	10	6	3	5	2	12	20	41	22	1	.....	.....
18	Erysipelas	36	10	1	.....	1	.....	.....	5	5	1	3	4	2	3	1	.....	.....	.....
19	Other epidemic diseases	4	.....	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	23	2	.....	.....	.....	1	4	4	1	.....	.....	3	3	4	.....	1	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
23	Rabies	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	23	10	1	2	.....	1	2	4	2	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	263	2	2	1	2	.....	2	11	24	43	42	37	62	30	5	.....	.....	.....
	Tuberculosis (total)	1,706	40	24	11	4	5	22	105	461	400	213	173	143	87	18	.....	.....	.....
28	Tuberculosis of the lungs	1,482	16	5	4	1	1	6	90	426	372	195	164	120	70	12	.....	.....	.....
29	Acute miliary tuberculosis	35	2	1	1	.....	.....	.....	4	14	9	3	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	62	16	13	3	3	2	8	4	5	3	2	1	1	1	.....	.....	.....	.....
31	Abdominal tuberculosis	70	.....	3	2	.....	1	2	3	10	8	9	4	14	11	3	.....	.....	.....
32	Pott's disease	15	2	.....	.....	.....	.....	3	2	2	1	2	1	2	.....	.....	.....	.....	.....
33	White swellings	10	3	1	.....	.....	1	1	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	30	1	1	1	.....	.....	2	2	4	4	2	.....	5	5	3	.....	.....	.....
35	Disseminated tuberculosis	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
36	Rickets	9	3	4	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	66	22	3	1	.....	.....	.....	3	7	5	9	5	7	3	1	.....	.....	.....
38	Gonococcus infection	3	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	793	.....	1	4	.....	.....	4	7	13	68	101	166	207	157	55	10	.....	.....
39	Of the buccal cavity	34	.....	.....	1	.....	.....	.....	1	.....	3	4	2	9	8	3	3	.....	.....
40	Of the stomach, liver	266	.....	.....	1	.....	.....	1	.....	1	14	40	58	91	53	10	2	.....	.....
41	Of the peritoneum, intestines, rectum	61	.....	.....	.....	.....	.....	.....	2	1	5	2	12	11	21	6	1	.....	.....
42	Of the female genital organs	157	.....	.....	.....	.....	.....	.....	1	1	28	30	49	32	15	1	.....	.....	.....
43	Of the breast	70	.....	.....	.....	.....	.....	.....	.....	2	5	12	13	20	10	8	.....	.....	.....
44	Of the skin	72	.....	.....	1	.....	.....	.....	.....	.....	.....	3	18	13	24	12	1	.....	.....
45	Of other organs or of organs not specified	133	.....	1	1	.....	.....	3	3	8	13	10	19	31	26	15	3	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	4	1	1	.....	.....
47	Acute articular rheumatism	57	.....	1	.....	.....	.....	3	12	6	2	2	4	15	4	6	2	.....	.....
48	Chronic rheumatism and gout	32	.....	.....	.....	.....	.....	.....	1	1	3	1	1	8	13	4	.....	.....	.....
49	Scurvy	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	127	.....	1	1	.....	1	8	5	12	13	15	26	25	16	3	1	.....	.....
51	Exophthalmic goiter	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	2	.....	.....	.....	.....	.....
52	Addison's disease	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
53	Leukemia	22	1	1	.....	.....	1	.....	3	4	2	4	3	3	.....	.....	.....	.....	.....
54	Anemia, chlorosis	30	3	3	.....	.....	.....	.....	3	2	3	3	5	5	.....	3	.....	.....	.....
55	Other general diseases	43	14	3	5	2	2	3	3	1	4	.....	1	3	2	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	23	.....	.....	.....	.....	.....	.....	1	2	5	5	5	4	1	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	6	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	1	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,873	154	55	26	20	8	26	52	60	64	105	254	419	407	192	28	1	2
60	Encephalitis	16	3	1	.....	.....	.....	1	1	4	2	1	1	.....	2	.....	.....	.....	.....
61	Meningitis (total)	164	70	28	13	13	4	12	8	8	2	3	1	1	1	.....	.....	.....	.....
	Simple meningitis	88	37	10	8	7	3	5	5	6	1	3	1	1	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	37	12	11	2	4	1	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	39	21	7	3	2	.....	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	2	7	2	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	85	10	8	6	3	1	6	4	4	1	2	8	14	15	1	2	.....	.....
	Acute anterior poliomyelitis	36	8	7	5	2	1	6	3	1	.....	.....	1	.....	2	.....	.....	.....	.....
	Other diseases of the spinal cord[1]	49	2	1	1	1	.....	.....	1	3	1	2	7	14	13	1	2	.....	.....
64	Cerebral hemorrhage, apoplexy	982	3	1	2	1	.....	.....	6	8	26	58	188	286	268	122	11	1	1
65	Softening of the brain	37	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	9	17	4	3	.....	.....
66	Paralysis without specified cause	261	2	2	.....	.....	.....	.....	3	2	3	11	29	66	75	57	11	.....	.....
67	General paralysis of the insane	40	.....	.....	.....	.....	.....	.....	.....	.....	4	9	5	9	11	2	.....	.....	.....
68	Other forms of mental alienation	35	.....	.....	.....	.....	.....	.....	1	5	4	2	5	11	4	3	.....	.....	.....
69	Epilepsy	82	3	.....	1	.....	2	1	15	18	15	9	4	9	4	1	.....	.....	.....
70	Convulsions (nonpuerperal)	10	.....	.....	.....	.....	.....	4	.....	6	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	54	45	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	8	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	1	2	.....	.....	.....	.....
74	Other diseases of the nervous system	58	12	3	2	1	.....	1	8	4	4	6	3	5	6	2	.....	.....	1
75	Diseases of the eyes and their annexa	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
76	Diseases of the ears	23	4	5	1	1	1	1	4	1	3	.....	1	.....	.....	.....	1	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	1,634	24	6	1	4	3	10	30	56	64	113	189	412	469	227	25	1	.....
77	Pericarditis	10	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	3	2	.....	.....	.....
78	Acute endocarditis	38	2	1	1	.....	.....	.....	4	5	5	7	9	1	3	.....	.....	.....	.....
79	Organic diseases of the heart	1,391	18	4	.....	2	3	10	23	47	53	87	153	359	414	194	23	1	.....
80	Angina pectoris	73	.....	.....	.....	1	.....	.....	.....	1	3	10	13	20	20	4	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	94	.....	.....	.....	.....	.....	.....	.....	1	1	3	11	24	29	24	1	.....	.....
82	Embolism and thrombosis	18	2	.....	.....	.....	.....	.....	1	2	1	4	1	6	.....	1	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	5	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	2	.....	.....	.....
	IV.—Diseases of the respiratory system	1,689	434	139	68	45	12	41	74	88	102	93	107	174	195	102	14	1	.....
86	Diseases of the nasal fossae	12	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....
87	Diseases of the larynx	24	3	4	1	8	2	2	1	.....	.....	.....	1	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	8	2	.....	.....	.....	.....	.....	.....	1	2	1	.....	2	.....	.....	.....	.....	.....
89	Acute bronchitis	92	57	11	6	4	.....	.....	.....	.....	.....	.....	1	4	2	7	.....	.....	.....
90	Chronic bronchitis	61	.....	1	.....	.....	.....	1	2	3	1	1	.....	8	25	12	6	1	.....
91	Bronchopneumonia	498	225	74	28	17	3	12	3	9	11	9	10	31	38	26	2	.....	.....
92	Pneumonia (total)	890	125	46	30	14	6	25	61	68	81	72	85	115	116	40	6	.....	.....
	Lobar pneumonia	708	69	34	19	9	5	17	49	60	73	66	71	100	102	29	5	.....	.....
	Pneumonia (undefined)	182	56	12	11	5	1	8	12	8	8	6	14	15	14	11	1	.....	.....
93	Pleurisy	31	3	2	.....	1	1	1	4	2	3	2	2	5	2	3	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	32	8	1	.....	1	.....	.....	.....	.....	2	3	3	3	3	8	.....	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
96	Asthma	25	1	.....	.....	.....	.....	.....	1	3	2	4	3	4	5	2	.....	.....	.....
97	Pulmonary emphysema	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	12	3	.....	2	.....	.....	.....	2	1	.....	.....	2	.....	2	.....	.....	.....	.....
	V.—Diseases of the digestive system	2,430	803	592	161	40	27	55	74	77	77	80	88	111	168	64	10	1	2
99	Diseases of the mouth and annexa	23	12	2	.....	1	1	5	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
100	Diseases of the pharynx	39	4	4	1	2	3	6	5	2	2	3	.....	3	3	.....	.....	1	.....
101	Diseases of the esophagus	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
102	Ulcer of the stomach	36	.....	.....	.....	.....	.....	2	3	4	3	9	2	5	6	2	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	230	75	15	11	5	4	3	2	8	9	9	14	22	32	18	2	.....	1
104	Diarrhea and enteritis (under 2 years)	1,229	678	551	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	331	.....	.....	132	25	14	17	8	7	2	15	9	21	49	25	6	.....	1
106	Ankylostomiasis	6	.....	.....	.....	1	.....	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	10	2	3	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	141	3	1	4	1	2	10	36	26	22	12	14	8	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	126	16	12	6	3	2	5	7	9	8	8	6	9	27	7	1	.....	.....
	Hernia	26	.....	1	1	.....	.....	1	1	1	2	1	1	3	10	4	.....	.....	.....
	Intestinal obstruction	100	16	11	5	3	2	4	6	8	6	7	5	6	17	3	1	.....	.....
110	Other diseases of the intestines	41	5	3	1	1	.....	1	2	2	7	2	7	2	6	1	1	.....	.....
111	Acute yellow atrophy of the liver	7	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	2	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	86	.....	1	1	.....	.....	.....	1	3	6	8	17	29	17	3	.....	.....	.....
114	Biliary calculi	33	.....	.....	.....	.....	.....	.....	.....	3	3	2	9	4	9	3	.....	.....	.....
115	Other diseases of the liver	61	4	.....	2	1	.....	2	2	5	11	7	8	7	9	3	.....	.....	.....
116	Diseases of the spleen	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	20	.....	.....	.....	.....	1	1	4	4	3	2	1	.....	3	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,295	14	19	9	9	8	18	27	45	73	111	201	302	308	136	15	.....	.....
119	Acute nephritis	95	5	5	7	7	4	8	7	9	6	6	13	8	8	2	.....	.....	.....
120	Bright's disease	1,047	5	13	1	2	3	7	13	22	55	84	174	277	265	114	12	.....	.....
122	Other diseases of the kidneys and annexa	47	3	1	1	.....	1	3	2	5	.....	3	2	9	11	6	.....	.....	.....
123	Calculi of the urinary passages	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	1	.....	.....	.....
124	Diseases of the bladder	15	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	7	4	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
126	Diseases of the prostate	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	6	13	9	3	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	6	.....	.....	.....	.....	.....	.....	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	2	.....	.....	.....	.....
130	Other diseases of the uterus	20	.....	.....	.....	.....	.....	.....	1	3	5	5	4	1	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	5	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	1	1	3	3	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal disease of the breast (cancer excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	348	.....	.....	.....	.....	.....	.....	46	142	127	33	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	25	.....	.....	.....	.....	.....	.....	3	8	11	3	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	36	.....	.....	.....	.....	.....	.....	1	12	16	7	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	49	.....	.....	.....	.....	.....	.....	7	19	19	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	83	.....	.....	.....	.....	.....	.....	7	38	33	5	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	147	.....	.....	.....	.....	.....	.....	27	63	44	13	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7	.....	.....	.....	.....	.....	.....	1	2	4	.....	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	53	15	2	1	.....	1	2	2	1	2	6	2	5	6	6	2	.....	.....
142	Gangrene	16	1	1	.....	.....	.....	1	.....	1	.....	3	.....	3	3	3	.....	.....	.....
143	Furuncle	8	2	.....	1	.....	.....	.....	1	.....	.....	2	1	.....	1	.....	.....	.....	.....
144	Acute abscess	15	4	1	.....	.....	1	1	1	.....	2	.....	1	.....	1	2	1	.....	.....
145	Other diseases of the skin and annexa	14	8	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	28	5	.....	1	1	1	1	7	1	3	3	.....	5	.....	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	25	5	.....	1	1	1	1	6	1	2	3	.....	4	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	245	216	13	4	2	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	245	216	13	4	2	1	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	19	12	1	2	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	112	98	7	1	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	114	106	5	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,387	1,387	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,209	1,209	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	895	895	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	314	314	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	171	171	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	76	76	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	95	95	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	344	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19	100	163	53	8	.....
154	Senility	344	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	19	100	163	53	8	.....
	XIII.—External causes	977	72	38	40	36	16	60	130	134	131	77	70	65	58	45	4	.....	1
	Suicide (total)	69	.....	.....	.....	.....	.....	.....	5	14	13	10	15	7	5	.....	.....	.....	.....
155	By poison	11	.....	.....	.....	.....	.....	.....	1	5	3	1	.....	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	6	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	1	.....	.....	.....	.....
158	By drowning	5	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....
159	By firearms	42	.....	.....	.....	.....	.....	.....	3	7	6	8	11	4	3	.....	.....	.....	.....
160	By cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	831	71	38	40	36	16	58	112	107	93	57	46	56	52	44	4	.....	1
164	Poisoning by food	25	5	1	2	3	.....	.....	2	5	2	3	1	.....	.....	1	.....	.....	.....
165	Other acute poisonings	25	3	4	3	.....	.....	3	2	1	5	1	1	2	.....	.....	.....	.....	.....
166	Conflagration	10	.....	.....	.....	.....	.....	.....	1	2	1	1	2	2	1	.....	.....	.....	.....
167	Burns (conflagration excepted)	159	18	19	23	24	11	19	7	5	11	2	2	4	10	2	1	.....	1
168	Absorption of deleterious gases (conflagration excepted)	32	29	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	97	.....	4	5	2	1	11	33	20	8	7	3	2	1	.....	.....	.....	.....
170	Traumatism by firearms	55	1	2	.....	3	.....	4	24	7	7	5	1	1	.....	.....	.....	.....	.....
172	Traumatism by fall	116	1	4	1	.....	.....	3	6	4	4	3	2	20	30	36	2	.....	.....
173	Traumatism in mines and quarries (total)	5	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....
	Traumatism in mines	5	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	1	.....	.....	.....	.....
174	Traumatism by machines	28	.....	.....	.....	.....	.....	.....	4	4	9	5	2	4	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	158	1	.....	2	1	2	8	16	38	28	21	22	12	5	2	.....	.....	.....
	Railroad accidents and injuries	82	.....	.....	1	.....	.....	3	10	24	20	9	7	4	3	1	.....	.....	.....
	Automobile accidents and injuries	39	.....	.....	1	.....	1	1	4	10	1	7	8	4	2	.....	.....	.....	.....
	Injuries by other vehicles	28	1	.....	.....	1	1	2	2	3	4	3	7	3	.....	1	.....	.....	.....
	Landslide, other crushing	9	.....	.....	.....	.....	.....	2	.....	1	3	2	.....	1	.....	.....	.....	.....	.....
176	Injuries by animals	10	.....	.....	1	.....	.....	2	.....	2	1	.....	1	2	1	.....	.....	.....	.....
177	Starvation	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
179	Effects of heat	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
180	Lightning	12	.....	.....	.....	.....	.....	.....	1	3	7	1	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	14	.....	.....	.....	.....	.....	1	2	6	2	2	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	12	.....	.....	.....	.....	.....	.....	.....	1	3	.....	2	.....	2	3	1	.....	.....
186	Other external violence	67	11	4	2	2	2	6	12	6	4	5	6	6	1	.....	.....	.....	.....
	Homicide (total)	77	1	.....	.....	.....	.....	2	13	13	25	10	9	2	1	1	.....	.....	.....
182	By firearms	59	.....	.....	.....	.....	.....	2	12	9	22	6	6	2	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	8	.....	.....	.....	.....	.....	.....	1	2	2	1	2	.....	.....	.....	.....	.....	.....
184	By other means	10	1	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	1	1	.....	.....	.....
	XIV.—Ill-defined diseases	1,269	694	46	20	9	4	20	17	20	33	26	58	116	117	75	13	1	.....
187	Ill-defined organic disease	58	.....	.....	1	.....	.....	1	.....	.....	3	3	5	16	15	14	.....	.....	.....
188	Sudden death	104	23	2	.....	.....	1	2	3	1	3	9	7	22	16	15	.....	.....	.....
189	Not specified or ill-defined (total)	1,107	671	44	19	9	3	17	14	19	27	14	46	78	86	46	13	1	.....
	Ill-defined	340	132	22	10	7	1	6	4	10	13	6	30	46	37	14	2	.....	.....
	Not specified or unknown	767	539	22	9	2	2	11	10	9	14	8	16	32	49	32	11	1	.....

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (COLORED).																		
	All causes	12,633	2,889	839	311	152	107	306	946	1,536	1,198	924	885	952	826	536	157	65	4
	I.—General diseases	4,102	421	226	99	60	34	149	546	888	569	374	264	225	151	81	8	5	2
1	Typhoid fever	330	3	7	5	3	4	37	115	88	30	16	14	5	1	1	.....	.....	1
4	Malaria	185	29	18	13	11	3	17	26	13	11	9	7	12	10	4	1	1	.....
5	Smallpox	8	1	.....	.....	.....	.....	.....	1	.....	1	.....	2	1	1	1	.....	.....	.....
6	Measles	57	15	19	8	2	.....	2	7	2	1	1	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	4	2	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	225	110	57	23	15	8	11	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	80	23	18	9	9	7	8	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....
10	Influenza	241	57	14	6	4	4	4	12	13	14	12	20	19	33	21	6	2	.....
13	Cholera nostras	8	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
14	Dysentery	183	63	44	11	5	1	7	5	1	6	2	6	15	7	10	.....	.....	.....
18	Erysipelas	6	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	1	.....
19	Other epidemic diseases	2	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	21	3	.....	.....	1	.....	1	2	6	1	.....	1	3	2	1	.....	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
24	Tetanus	46	32	2	.....	.....	2	2	4	1	.....	1	1	1	.....	.....	.....	.....	.....
26	Pellagra	222	.....	3	.....	.....	.....	3	11	55	55	40	23	16	11	5	.....	.....	.....
	Tuberculosis (total)	1,871	22	25	13	5	4	47	328	649	372	191	112	60	29	12	.....	1	1
28	Tuberculosis of the lungs	1,647	15	13	6	3	2	29	288	584	332	173	104	58	27	11	.....	1	1
29	Acute miliary tuberculosis	77	1	.....	1	.....	1	1	18	30	18	3	3	1	.....	.....	.....	.....	.....
30	Tuberculous meningitis	26	3	5	1	.....	.....	6	3	5	2	.....	1	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	82	2	3	2	2	1	5	14	22	15	10	3	1	1	1	.....	.....	.....
32	Pott's disease	12	.....	.....	.....	.....	.....	5	1	1	3	.....	1	.....	1	.....	.....	.....	.....
33	White swellings	5	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	17	1	4	2	.....	.....	1	2	4	1	2	.....	.....	.....	.....	.....	.....	.....
35	Desseminated tuberculosis	5	.....	.....	1	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
36	Rickets	12	5	3	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	168	39	15	6	3	.....	.....	12	29	24	19	9	8	2	2	.....	.....	.....
38	Gonococcus infection	12	1	.....	.....	.....	.....	.....	1	3	1	3	.....	2	1	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	290	.....	.....	1	.....	.....	1	3	10	38	62	52	69	37	17	.....	.....	.....
39	Of the buccal cavity	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
40	Of the stomach, liver	82	.....	.....	1	.....	.....	.....	2	3	8	11	17	24	13	3	.....	.....	.....
41	Of the peritoneum, intestines, rectum	16	.....	.....	.....	.....	.....	.....	1	.....	2	5	2	3	3	.....	.....	.....	.....
42	Of the female genital organs	109	.....	.....	.....	.....	.....	.....	.....	5	17	30	21	25	8	3	.....	.....	.....
43	Of the breast	35	.....	.....	.....	.....	.....	.....	.....	.....	2	13	6	5	3	6	.....	.....	.....
44	Of the skin	9	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	2	3	.....	.....	.....	.....
45	Of other organs or of organs not specified	37	.....	.....	.....	.....	.....	1	.....	2	6	2	5	10	6	5	.....	.....	.....
46	Other tumors (tumors of the female genital organs exceptod)	4	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....
47	Acute articular rheumatism	46	1	.....	.....	1	.....	2	4	6	6	5	4	4	6	6	1	.....	.....
48	Chronic rheumatism and gout	6	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	1	.....	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	33	.....	.....	.....	.....	.....	1	6	5	.....	4	8	5	3	1	.....	.....	.....
51	Exophthalmic goiter	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	7	.....	.....	.....	.....	.....	2	.....	.....	.....	1	2	1	1	.....	.....	.....	.....
54	Anemia, chlorosis	8	3	.....	.....	.....	.....	.....	1	1	2	1	.....	.....	.....	.....	.....	.....	.....
55	Other general diseases	12	5	1	1	1	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	9	.....	.....	.....	.....	.....	.....	.....	1	3	3	.....	1	1	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	912	109	26	22	9	3	13	30	40	50	85	145	134	133	88	19	6	.....
60	Encephalitis	10	1	2	1	1	.....	.....	1	1	1	.....	1	.....	.....	1	.....	.....	.....
61	Meningitis (total)	71	22	9	8	4	3	4	9	9	1	2	.....	.....	.....	.....	.....	.....	.....
	Simple meningitis	33	10	3	2	2	1	4	5	5	.....	1	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	17	5	4	3	1	1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	21	7	2	3	1	1	.....	4	2	.....	1	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	42	1	5	7	2	.....	2	1	1	2	5	3	5	6	1	1	.....	.....
	Acute anterior poliomyelitis	13	1	3	6	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	29	.....	2	1	1	.....	1	1	1	1	5	3	5	6	1	1	.....	.....
64	Cerebral hemorrhage, apoplexy	457	2	.....	.....	1	.....	1	3	10	31	54	108	99	88	52	6	2	.....
65	Softening of the brain	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	2	1	1	1	.....
66	Paralysis without specified cause	137	2	1	1	.....	.....	1	2	4	3	10	24	20	30	27	11	1	.....
67	General paralysis of the insane	13	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	2	2	2	.....	1	.....
68	Other forms of mental alienation	15	.....	.....	.....	.....	.....	.....	1	3	2	1	2	2	1	2	.....	1	.....
69	Epilepsy	47	5	1	.....	.....	.....	4	11	7	5	9	.....	1	3	1	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	1	.....	.....	.....
71	Convulsions of infants	82	72	6	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	6	1	2	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	10	2	.....	1	1	.....	.....	2	.....	.....	1	2	1	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	943	5	2	5	.....	4	6	23	57	101	123	150	192	165	88	18	4	.....
77	Pericarditis	10	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	3	.....	.....	2	.....	.....
78	Acute endocarditis	22	.....	.....	1	.....	1	1	1	4	5	3	3	1	1	1	.....	.....	.....
79	Organic diseases of the heart	822	3	.....	4	.....	3	3	20	47	90	111	134	172	146	74	12	3	.....
80	Angina pectoris	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	.....	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	59	.....	.....	.....	.....	.....	.....	.....	2	5	5	5	10	17	11	3	1	.....
82	Embolism and thrombosis	11	.....	.....	.....	.....	.....	.....	1	3	1	3	1	1	1	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	8	1	1	.....	.....	.....	1	1	.....	.....	.....	1	2	.....	.....	1	.....	.....
	IV.—Diseases of the respiratory system	1,373	398	146	57	30	16	32	96	137	94	75	82	98	75	22	13	2	.....
86	Diseases of the nasal fossae	34	28	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
87	Diseases of the larynx	7	2	.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	6	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	2	.....	.....	.....	.....
89	Acute bronchitis	84	47	19	3	5	1	1	.....	2	3	.....	1	1	1	.....	.....	.....	.....
90	Chronic bronchitis	35	3	.....	1	.....	.....	1	4	6	3	1	4	4	1	3	4	.....	.....
91	Bronchopneumonia	352	170	66	27	13	8	8	9	8	5	5	9	6	15	2	1	.....	.....
92	Pneumonia (total)	777	142	53	23	9	6	15	78	108	74	62	57	80	49	12	7	2	.....
	Lobar pneumonia	596	62	30	17	6	3	12	71	101	66	56	50	70	39	9	3	1	.....
	Pneumonia (undefined)	181	80	23	6	3	3	3	7	7	8	6	7	10	10	3	4	1	.....
93	Pleurisy	22	.....	3	1	.....	.....	4	1	4	.....	.....	4	4	.....	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	7	3	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
95	Gangrene of the lung	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
96	Asthma	25	2	1	1	2	.....	.....	1	1	3	2	3	1	5	2	1	.....	.....
97	Pulmonary emphysema	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	19	1	.....	.....	.....	.....	1	2	4	4	2	1	1	2	1	.....	.....	.....
	V.—Diseases of the digestive system	1,230	487	277	67	7	15	24	36	60	52	49	44	57	31	19	3	2	.....
99	Diseases of the mouth and annexa	38	30	2	1	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	25	9	3	.....	.....	.....	1	5	4	2	1	.....	.....	.....	.....	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	14	.....	.....	.....	.....	.....	.....	1	5	.....	3	2	1	2	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	131	44	13	3	2	1	3	1	7	8	10	13	12	7	6	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	642	391	251	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	143	.....	.....	54	1	10	7	1	5	10	7	7	15	14	8	2	2	.....
107	Intestinal parasites	13	2	5	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	42	1	.....	2	.....	1	2	14	15	2	1	2	2	.....	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	68	7	2	3	.....	.....	3	5	6	12	9	5	12	3	1	.....	.....	.....
	Hernia	17	4	1	.....	.....	.....	.....	2	.....	2	1	2	3	1	1	.....	.....	.....
	Intestinal obstruction	51	3	1	3	.....	.....	3	3	6	10	8	3	9	2	.....	.....	.....	.....
110	Other diseases of the intestines	18	1	.....	.....	2	.....	2	.....	2	3	5	2	.....	.....	1	.....	.....	.....
111	Acute yellow atrophy of the liver	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	31	.....	1	.....	.....	.....	.....	2	3	7	6	4	5	1	2	.....	.....	.....
114	Biliary calculi	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	4	.....	.....	.....	.....	.....
115	Other diseases of the liver	21	1	.....	.....	.....	1	1	1	1	5	2	2	3	4	.....	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	29	1	.....	.....	.....	1	4	5	7	.....	4	4	2	.....	1	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	723	10	12	10	3	3	8	22	61	74	101	109	130	109	64	6	1	.....
119	Acute nephritis	83	3	10	3	2	3	5	7	9	10	12	7	8	4	.....	.....	.....	.....
120	Bright's disease	520	7	1	6	1	.....	3	9	38	45	74	89	105	84	54	3	1	.....
122	Other diseases of the kidneys and annexa	24	.....	1	1	.....	.....	.....	.....	2	4	.....	3	2	5	5	1	.....	.....
123	Calculi of the urinary passages	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....
124	Diseases of the bladder	11	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	4	5	.....	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....
126	Diseases of the prostate	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	5	4	2	.....	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	18	.....	.....	.....	.....	.....	.....	.....	2	3	8	2	3	.....	.....	.....	.....	.....
130	Other diseases of the uterus	17	.....	.....	.....	.....	.....	.....	4	5	3	1	1	1	2	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	5	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	16	.....	.....	.....	.....	.....	.....	1	4	6	4	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	245	.....	.....	.....	.....	.....	.....	49	89	86	21	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	23	.....	.....	.....	.....	.....	.....	3	14	5	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	20	.....	.....	.....	.....	.....	.....	1	8	7	4	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	47	.....	.....	.....	.....	.....	.....	4	18	20	5	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	68	.....	.....	.....	.....	.....	.....	14	21	28	5	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	81	.....	.....	.....	.....	.....	.....	26	28	23	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	.....	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NORTH CAROLINA (COLORED)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	49	4	1					1	1	3	5	7	9	10	2	5	1	
142	Gangrene	18							1			1	2	2	7	1	3	1	
143	Furuncle	4										1		2			1		
144	Acute abscess	14	3							1	3	2	2	2	1				
145	Other diseases of the skin and annexa	13	1	1								1	3	3	2	1	1		
	IX.—Diseases of the bones and of the organs of locomotion	13	3	1				1	2		2	3		1					
146	Diseases of the bones (tuberculosis excepted)	9	3	1				1	1		1	1		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2							1			1							
149	Other diseases of the organs of locomotion	2									1	1							
	X.—Malformations	52	45	4	2														1
150	Congenital malformations (stillbirths not included) (total)	52	45	4	2														1
	Hydrocephalus	6	3	1	1														1
	Congenital malformations of the heart	20	18	1	1														
	Other congenital malformations	26	24	2															
	XI.—Early infancy	621	621																
151	Congenital debility, icterus, and sclerema (total)	525	525																
	Premature birth	348	348																
	Congenital debility, "atrophy," "marasmus," etc.	177	177																
152	Other causes peculiar to early infancy (total)	85	85																
	Injuries at birth	34	34																
	Other causes peculiar to early infancy[1]	51	51																
153	Lack of care	11	11																
	XII.—Old age	289											1	16	64	108	60	39	1
154	Senility	289											1	16	64	108	60	39	1
	XIII.—External causes	674	62	31	20	25	18	47	101	140	111	38	22	18	18	18	4	1	
	Suicide (total)	13								4	5	1	1	1		1			
155	By poison	1								1									
157	By hanging or strangulation	2												1		1			
158	By drowning	3								2	1								
159	By firearms	7								1	4	1	1						
	Accidental of undefined (total)	535	60	31	20	25	18	47	83	86	70	24	17	16	17	16	4	1	
164	Poisoning by food	15	2	2				2	2	3	1	2	1						
165	Other acute poisonings	16	2	8	2		1			1	1	1							
166	Conflagration	14	1	3	1	1	1	2	1		1	1				2			
167	Burns (conflagration excepted)	133	9	14	12	17	16	17	15	8	4	3		3	6	6	3		
168	Absorption of deleterious gases (conflagration excepted)	26	26																
169	Accidental drowning	58	1	1	1	3		4	18	8	14	2	3		1	1		1	
170	Traumatism by firearms	57				3		13	20	13	5	2		1					
172	Traumatism by fall	29	3					1	4	3	3	6		2	2	5			
174	Traumatism by machines	12							2	5	4		1						
175	Traumatism by other crushing (total)	78						2	13	24	24	2	6	4	2	1			
	Railroad accidents and injuries	48						1	7	14	19	2	2	2		1			
	Street-car accidents and injuries	1								1									
	Automobile accidents and injuries	15							6	4	3		2						
	Injuries by other vehicles	9						1		3			2	1	2				
	Landslide, other crushing	5								2	2			1					
176	Injuries by animals	4						2				1		1					
177	Starvation	1	1																
178	Excessive cold	7								1	3				3				
179	Effects of heat	4	1								1		2						
180	Lightning	5								3	1			1					
181	Electricity (lightning excepted)	2								1	1								
185	Fractures (cause not specified)	3								1		1					1		
186	Other external violence	71	14	3	4	1		4	8	15	7	3	4	4	3	1			
	Homicide (total)	126	2						18	50	36	13	4	1	1	1			
182	By firearms	99							15	40	30	9	2	1	1	1			
183	By cutting or piercing instruments	8							1	5	1	1							
184	By other means	19	2						2	5	5	3	2						
	XIV.—Ill-defined diseases	1,407	724	113	29	18	14	26	40	63	56	50	61	72	70	46	21	4	
187	Ill-defined organic disease	61	2	2	1	2	1	2	3	6	6	3	6	11	11	5			
188	Sudden death	86	19	1	1	2		1		5	10	6	18	10	6	5	2		
189	Not specified or ill-defined (total)	1,260	703	110	27	14	13	23	37	52	40	41	37	51	53	36	19	4	
	Ill-defined	200	62	45	8	2		4	4	10	14	14	7	12	10	4	4		
	Not specified or unknown	1,060	641	65	19	12	13	19	33	42	26	27	30	39	43	32	15	4	

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO.																	
	All causes	74,282	11,049	2,308	938	619	450	1,288	2,519	4,922	5,883	6,688	8,019	10,333	11,851	6,427	913	29	46
	I.—General diseases	19,892	1,198	805	390	275	213	611	1,139	2,248	2,319	2,295	2,541	2,663	2,188	888	107	2	10
1	Typhoid fever	766	4	8	13	8	11	48	165	206	116	92	44	32	17	1			1
4	Malaria	22	1						1	2	1	3	2	6	5	1			
5	Smallpox	5	2					1	1				1						
6	Measles	816	176	259	112	57	20	83	36	24	14	12	9	7	4	3			
7	Scarlet fever	213	15	18	31	18	29	52	30	14	1	4	1						
8	Whooping cough	683	347	198	64	32	15	19	5				1			2			
9	Diphtheria and croup	624	36	96	56	84	82	163	72	16	10	4	4	1					
10	Influenza	1,631	108	36	21	9	6	29	30	36	58	89	103	211	480	355	59		1
13	Cholera nostras	16	4									1	5	1	3	1	1		
14	Dysentery	203	25	18	9	6	1	1	3	2	1	2	11	28	53	39	4		
18	Erysipelas	195	46	4	2	1		1	4	8	11	23	29	27	23	16			
19	Other epidemic diseases	7	1	1	1	1			1	2									
20	Purulent infection and septicemia	143	15	1	2	3	1	5	16	12	15	16	20	20	13	4			
23	Rabies	4							1				1	2					
24	Tetanus	82	11			1	3	11	16	13	11	7	5	3	1				
25	Mycoses	2								1				1					
26	Pellagra	5								1		2	2						
	Tuberculosis (total)	6,828	166	123	58	35	27	123	597	1,647	1,512	941	710	557	267	56	7		2
28	Tuberculosis of the lungs	5,715	53	36	15	10	7	42	484	1,464	1,342	853	632	490	230	50	5		2
29	Acute miliary tuberculosis	184	10	10	3			2	23	57	41	20	8	9			1		
30	Tuberculous meningitis	362	62	58	34	18	15	58	36	33	22	14	9	2	1				
31	Abdominal tuberculosis	268	15	8	2	3		8	22	50	61	20	27	32	18	2			
32	Pott's disease	67	2	2	1	1	4	6	10	11	8	7	6	2	6	1			
33	White swellings	37		2		2		2	5	3	7	3	5	2	3	2	1		
34	Tuberculosis of other organs	128	9	2	2	1	1	4	11	21	20	16	17	16	7	1			
35	Disseminated tuberculosis	67	15	5	1			1	6	8	11	8	6	4	2				
36	Rickets	39	22	8	3	2	2	1	1										
37	Syphilis	485	132	14	6	1		6	10	29	77	89	80	30	9	2			
38	Gonococcus infection	61	10	1					4	21	11	11	1		1	1			
	Cancer and other malignant tumors (total)	4,696	1	6	4	4	4	12	19	67	251	651	1,063	1,265	987	331	25	2	4
39	Of the buccal cavity	164		1						1	8	18	36	38	46	16			
40	Of the stomach, liver	1,829				1	1	4	2	7	48	216	366	600	439	137	5	1	2
41	Of the peritoneum, intestines, rectum	571				1		1	5	16	37	73	118	160	130	28	2		
42	Of the female genital organs	749							3	20	74	176	224	156	79	13	4		
43	Of the breast	427						1	1	4	27	72	127	100	68	26			1
44	Of the skin	189				1				1	6	4	22	41	56	49	8	1	
45	Of other organs or of organs not specified	767	1	5	4	1	3	6	8	18	51	92	170	170	169	62	6		1
46	Other tumors (tumors of the female genital organs excepted)	17									2	3	4	3	5				
47	Acute articular rheumatism	238	2	2	2	3	4	26	55	25	22	20	23	28	18	6	2		
48	Chronic rheumatism and gout	63								5	3	3	9	9	23	9	2		
49	Scurvy	2	1							1									
50	Diabetes	1,011	1	2	2	2	3	17	51	40	67	88	203	290	195	46	4		
51	Exophthalmic goiter	155							7	18	25	35	41	19	9	1			
52	Addison's disease	30							1	6	3	10	5	5					
53	Leukemia	73	3	3	1	2	2	4	3	13	8	5	12	9	7	1			
54	Anemia, chlorosis	302	15	1	1	4	1	6	6	5	22	42	66	70	54	7	2		
55	Other general diseases	100	54	6	2	2	2	3	3	5	1	5	4	4	5	3	1		
56	Alcoholism (acute or chronic)	339								25	71	132	74	32	2	1			2
57	Chronic lead poisoning	19							1	1	6	2	6	1	2				
58	Other chronic occupation poisonings	2								1					1				
59	Other chronic poisonings	15								2		3	2	2	4	2			
	II.—Diseases of the nervous system and of the organs of special sense	7,991	289	98	60	34	30	93	135	175	357	680	1,089	1,668	2,134	1,032	112	4	1
60	Encephalitis	22	4	1	1			1	3	3	1	4	2	1			1		
61	Meningitis (total)	351	92	42	31	16	12	36	33	25	24	20	8	7	4		1		
	Simple meningitis	199	46	25	18	7	7	23	17	18	13	10	5	7	2		1		
	Cerebrospinal meningitis (undefined)	83	28	11	8	5	4	7	8	2	4	4	1		1				
	Cerebrospinal fever	69	18	6	5	4	1	6	8	5	7	6	2		1				
62	Locomotor ataxia	152				1			1	1	11	27	44	43	22	2			
63	Other diseases of the spinal cord (total)	449	23	23	14	9	15	24	22	16	12	27	47	39	94	22	1		1
	Acute anterior poliomyelitis	130	22	22	14	8	14	22	15	6	2	1	1	1	2				
	Other diseases of the spinal cord [1]	319	1	1		1	1	2	7	10	10	26	46	98	92	22	1		1
64	Cerebral hemorrhage, apoplexy	5,351	12	5				3	9	34	112	340	766	1,323	1,785	866	94	2	
65	Softening of the brain	90									2	4	9	11	35	26	3		
66	Paralysis without specified cause	270	2	1				2	6	5	5	19	21	53	86	64	4	2	
67	General paralysis of the insane	445							2	15	84	138	85	45	50	23	3		
68	Other forms of mental alienation	152							1	10	25	31	44	20	14	6	1		
69	Epilepsy	233	2	2	1	2	1	10	33	32	46	33	21	27	16	6	1		
70	Convulsions (nonpuerperal)	5							1	2				1	1				
71	Convulsions of infants	125	109	12	1	3													
72	Chorea	9							2	3	1			3					
73	Neuralgia and neuritis	40						1		3	3	2	8	12	7	3	1		
74	Other diseases of the nervous system	185	20	4	7	1	1	6	8	13	24	27	26	16	19	11	2		
75	Diseases of the eyes and their annexa	7	1		1					1		2		1		1			
76	Diseases of the ears	105	24	8	4	2	1	10	14	12	7	6	8	6	2	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO—Continued.																	
	III.—Diseases of the circulatory system	11,065	80	15	6	10	11	70	190	284	450	814	1,398	2,369	3,308	1,822	225	7	6
77	Pericarditis	61	3				1	1	2	5	2	6	5	5	17	13	1		
78	Acute endocarditis	400	15	5	2	3	2	11	30	37	53	85	109	17	19	9	3		
79	Organic diseases of the heart	8,371	41	8	4	7	7	56	152	220	353	636	1,088	1,904	2,497	1,252	137	4	5
80	Angina pectoris	472							1	2	15	27	73	173	149	29	2	1	
81	Diseases of the arteries, atheroma, aneurism, etc.	1,487	1						3	6	15	33	86	220	561	480	79	2	1
82	Embolism and thrombosis	173	3						2	11	6	13	26	29	51	30	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	55								2	4	9	8	18	8	6			
84	Diseases of the lymphatic system (lymphangitis, etc.)	23	12	2			1	2				2		1	1	2			
85	Hemorrhage; other diseases of the circulatory system	23	5							1	2	3	3	2	5	1	1		
	IV.—Diseases of the respiratory system	8,449	1,572	503	173	94	58	124	182	347	498	669	791	1,093	1,335	874	132	4	
86	Diseases of the nasal fossae	3	3																
87	Diseases of the larynx	48	9	4	7	1	2	3	3	2		4	1	5	2	5			
88	Diseases of the thyroid body	43						1	2	6	6	7	8	10	3				
89	Acute bronchitis	429	178	32	7	5	5	3	2	2	6	7	11	26	65	68	11	1	
90	Chronic bronchitis	332	5	3	2		1	1	2	3	2	5	28	48	114	102	16		
91	Bronchopneumonia	2,636	919	291	91	42	26	44	24	34	62	78	110	223	351	287	53	1	
92	Pneumonia (total)	4,479	426	155	65	44	23	64	136	277	392	516	578	716	694	348	43	2	
	Lobar pneumonia	4,274	395	151	60	42	23	60	127	266	374	495	558	689	662	328	42	2	
	Pneumonia (undefined)	205	31	4	5	2		4	9	11	18	21	20	27	32	20	1		
93	Pleurisy	181	6	11		1	1	6	10	12	21	29	21	16	38	7	2		
94	Pulmonary congestion, pulmonary apoplexy	86	22	3	1						1	2	1	7	18	25	6		
95	Gangrene of the lung	19								4	1	3	7	3	1				
96	Asthma	134	1	1		1		2	1	2	3	11	18	25	42	26	1		
97	Pulmonary emphysema	14		1					1		1	1	2	4	2	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	45	3	2					1	5	3	6	6	10	5	4			
	V.—Diseases of the digestive system	7,657	2,863	712	193	100	61	120	222	292	401	548	575	617	621	280	48	2	2
99	Diseases of the mouth and annexa	59	21	4		1	1	1	5	4	2	6	8	3	3				
100	Diseases of the pharynx	119	8	7	11	3	1	16	12	11	15	10	7	4	11	2	1		
101	Diseases of the esophagus	9	1									1	1	2	3	1			
102	Ulcer of the stomach	296	5	1			1		7	21	36	49	62	39	49	25	1		
103	Other diseases of the stomach (cancer excepted)	524	178	20	11	3	5	11	4	6	13	30	20	57	103	50	12	1	
104	Diarrhea and enteritis (under 2 years)	3,212	2,553	659															
105	Diarrhea and enteritis (2 years and over)	661			154	63	28	30	11	25	27	27	38	58	107	72	19	1	1
106	Ankylostomiasis	1					1												
107	Intestinal parasites	7	1	1	1		1	1			1			1					
108	Appendicitis and typhlitis	675	2	3	5	16	11	41	134	131	103	105	56	36	23	9			
109	Hernia, intestinal obstruction (total)	576	74	7	6	6	4	14	20	31	42	66	63	105	86	44	7		1
	Hernia	198	15	3					2	5	10	34	28	53	33	14	1		
	Intestinal obstruction	378	59	4	6	6	4	14	18	26	32	32	35	52	53	30	6		1
110	Other diseases of the intestines	127	8	3	3	3	2	1	3	9	12	18	14	14	18	17	2		
111	Acute yellow atrophy of the liver	24		1	1	1				4	1	7	3	2	4				
113	Cirrhosis of the liver	758					2	1	3	15	84	130	195	170	119	37	2		
114	Biliary calculi	223							2	7	27	39	50	43	45	9	1		
115	Other diseases of the liver	263	7	3	1	2		1	7	7	16	47	47	66	44	12	3		
116	Diseases of the spleen	6								1	1	1		2	1				
117	Simple peritonitis (nonpuerperal)	96	5	3		2	4	3	13	18	15	9	5	13	5	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	21							1	2	6	3	6	2		1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	5,781	56	12	11	19	11	35	79	213	377	597	816	1,234	1,519	727	73		2
119	Acute nephritis	465	27	5	5	14	6	16	19	43	47	64	73	52	54	36	4		
120	Bright's disease	4,503	13	5	5	4	4	15	46	106	224	416	672	1,072	1,291	571	57		2
122	Other diseases of the kidneys and annexa	113	7	2	1	1	1	2	2	7	8	16	15	18	19	13	1		
123	Calculi of the urinary passages	38						1	1	2	4	6	4	7	11	2			
124	Diseases of the bladder	96	4					1	1	1		2	11	12	30	31	3		
125	Diseases of the urethra, urinary abscess, etc.	14									3	6	2	2		1			
126	Diseases of the prostate	228									1	1	6	50	99	64	7		
127	Nonvenereal diseases of the male genital organs	7	4							1		1			1				
129	Uterine tumor (noncancerous)	87								5	21	36	14	3	5	3			
130	Other diseases of the uterus	38							1	3	16	8	3	2	3	2			
131	Cysts and other tumors of the ovary	64							1	6	13	9	11	14	6	3	1		
132	Salpingitis and other diseases of the female genital organs	121							8	38	40	30	3	2					
133	Nonpuerperal diseases of the breast (cancer excepted)	7	1							1		2	2			1			
	VII.—The puerperal state	820							56	344	342	78							
134	Accidents of pregnancy	69								22	36	11							
135	Puerperal hemorrhage	72							1	22	37	12							
136	Other accidents of labor	72							3	27	32	10							
137	Puerperal septicemia	393							30	191	153	19							
138	Puerperal albuminuria and convulsions	181							22	69	69	21							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	28								9	14	5							
140	Following childbirth (not otherwise defined)	4								3	1								
141	Puerperal diseases of the breast	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	OHIO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	250	39	3	1	1	2	3	4	3	10	18	22	24	57	48	13	1	1
142	Gangrene	135	3	1				1		1	4	6	12	18	41	38	9		1
143	Furuncle	28	9	1					1	1	1	5	4	2	3	1			
144	Acute abscess	37	7		1	1	1		2	1	1	4	3	3	7	5	1		
145	Other diseases of the skin and annexa	50	20	1			1	2	1		4	3	3	1	6	4	3	1	
	IX.—Diseases of the bones and of the organs of locomotion	118	5	6	5	2	4	13	15	17	7	15	9	10	7	3			
146	Diseases of the bones (tuberculosis excepted)	102	4	6	4	2	4	13	14	16	7	13	7	8	2	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	13	1		1				1	1		1		2	5	1			
149	Other diseases of the organs of locomotion	3										1	2						
	X.—Malformations	929	881	18	4	3	1	10	9	3									
150	Congenital malformations (stillbirths not included) (total)	929	881	18	4	3	1	10	9	3									
	Hydrocephalus	66	52	7		2		3	2										
	Congenital malformations of the heart	547	525	6	2	1		5	6	2									
	Other congenital malformations	316	304	5	2		1	2	1	1									
	XI.—Early infancy	3,695	3,695																
151	Congenital debility, icterus, and sclerema (total)	2,872	2,872																
	Premature birth	2,202	2,202																
	Congenital debility, "atrophy," "marasmus," etc	670	670																
152	Other causes peculiar to early infancy (total)	812	812																
	Injuries at birth	497	497																
	Other causes peculiar to early infancy[1]	315	315																
153	Lack of care	11	11																
	XII.—Old age	806												36	201	422	139	7	1
154	Senility	806												36	201	422	139	7	1
	XIII.—External causes	6,337	173	106	84	81	57	208	484	985	1,093	946	734	555	443	304	60	1	23
	Suicide (total)	759							37	109	168	137	142	110	44	11	1		
155	By poison	160							14	32	40	22	24	20	6	1	1		
156	By asphyxia	10									5	1	3	1					
157	By hanging or strangulation	156							2	12	23	39	35	31	13	1			
158	By drowning	79							6	10	15	16	13	12	4	3			
159	By firearms	271							12	50	63	44	47	37	14	4			
160	By cutting or piercing instruments	48								1	13	9	13	7	4	1			
161	By jumping from high places	9								2	2	1	3			1			
162	By crushing	17							3	1	6	2	1	2	2				
163	Other suicides	9								1	1	3	3		1				
	Accidental or undefined (total)	5,150	168	104	84	81	56	208	422	746	798	711	570	433	397	291	59	1	21
164	Poisoning by food	52	5	5	4	2		7	1	3	3	4	4	3	7	4			
165	Other acute poisonings	119	13	17	6	5	1	3	4	13	26	16	13	1	1				
166	Conflagration	80	3	5	2	10	3	6	3	5	8	10	6	9	7	3			
167	Burns (conflagration excepted)	386	13	44	43	33	20	29	15	35	31	31	34	17	25	15	1		
168	Absorption of deleterious gases (conflagration excepted)	179	67	1	1	1		3	5	26	26	21	16	10	2				
169	Accidental drowning	362	3	9	6	3	6	36	84	76	50	45	24	15	2	1			2
170	Traumatism by firearms	91		3	1	2	3	5	33	18	11	8	6		1				
171	Traumatism by cutting or piercing instruments	12						1	3	4				3		1			
172	Traumatism by fall	987	13	6	6	4	5	12	30	49	81	82	105	139	193	210	49	1	2
173	Traumatism in mines and quarries (total)	115							12	33	34	17	15	4					
	Traumatism in mines	107							12	32	30	16	14	3					
	Traumatism in quarries	8								1	4	1	1	1					
174	Traumatism by machines	175			1			1	18	44	37	37	23	10	2	1			1
175	Traumatism by other crushing (total)	1,934	3	5	10	15	11	90	166	375	371	339	247	164	96	24	2		16
	Railroad accidents and injuries	1,076	2	3	3		3	12	93	226	248	204	150	73	31	12	1		15
	Street-car accidents and injuries	196			2	3	2	5	14	26	31	41	21	24	22	4	1		
	Automobile accidents and injuries	438		1	3	7	5	60	42	79	62	60	41	45	28	4			1
	Injuries by other vehicles	175		1	2	5	1	12	14	27	21	23	33	18	15	3			
	Landslide, other crushing	49	1					1	3	17	9	11	2	4		1			
176	Injuries by animals	41					2	2	4	2	6	4	2	12	6	1			
177	Starvation	2									1	1							
178	Excessive cold	24									2	7	9	2	2	1	1		
179	Effects of heat	193	30	2		1	1	1	4	11	29	35	27	18	21	16	2		
180	Lightning	20						1	7	1	7	2	2						
181	Electricity (lightning excepted)	66						2	8	22	20	11	2	1					
185	Fractures (cause not specified)	64	1						2	8	7	10	4	7	15	8	2		
186	Other external violence	243	17	7	4	5	4	9	23	21	48	31	28	21	16	7	2		
	Homicide (total)	428	5	2			1		25	130	127	98	22	12	2	2			2
182	By firearms	267		1			1		19	92	83	51	13	5	1				1
183	By cutting or piercing instruments	65	1						1	22	18	21	1		1				
184	By other means	96	4	1					5	16	26	26	8	7		2			1
	XIV.—Ill-defined diseases	492	198	30	11		2	1	4	11	29	28	44	64	38	27	4	1	
187	Ill-defined organic disease	10		1							1		1	3	1	2	1		
188	Sudden death	41	9								7	5	5	7	4	3	1		
189	Not specified or ill-defined (total)	441	189	29	11		2	1	4	11	21	23	38	54	33	22	2	1	
	Ill-defined	172	30	23	4		1		2	6	9	8	27	33	21	7	1		
	Not specified or unknown	269	159	6	7		1	1	2	5	12	15	11	21	12	15	1	1	

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA.																		
	All causes	124,577	24,834	5,485	2,220	1,332	900	2,620	4,202	8,380	9,824	11,216	13,471	15,812	15,631	7,583	1,028	36	3
	I.—General diseases	30,758	2,449	1,673	829	548	408	1,066	1,647	3,557	3,728	3,649	3,840	3,602	2,689	949	122	2	.....
1	Typhoid fever	1,157	6	4	7	12	14	56	242	340	223	137	65	44	5	2	.....	.....	.....
4	Malaria	14	.....	1	.....	1	.....	.....	2	1	2	.....	2	3	1	1	.....	.....	.....
6	Measles	1,539	425	591	210	100	46	115	22	8	7	6	4	3	2	.....	.....	.....	.....
7	Scarlet fever	235	11	32	21	27	33	59	34	11	6	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	1,036	551	281	106	47	18	26	3	.....	1	1	1	.....	1	.....	.....	.....	.....
9	Diphtheria and croup	1,650	136	301	249	211	181	407	108	19	12	11	10	2	2	1	.....	.....	.....
10	Influenza	2,571	242	90	29	27	17	42	66	83	113	153	232	396	612	393	75	1	.....
13	Cholera nostras	60	22	3	3	.....	.....	1	.....	4	2	2	4	5	8	5	1	.....	.....
14	Dysentery	216	61	24	7	6	3	10	4	3	3	12	6	16	35	21	5	.....	.....
18	Erysipelas	330	86	7	.....	3	1	1	8	15	25	40	46	44	39	14	1	.....	.....
19	Other epidemic diseases	35	13	5	4	2	.....	4	1	4	1	.....	.....	.....	.....	1	.....	.....	.....
20	Purulent infection and septicemia	112	13	1	.....	1	1	4	7	10	12	15	18	17	13	.....	.....	.....	.....
21	Glanders	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
22	Anthrax	7	.....	.....	.....	.....	.....	.....	.....	.....	3	1	2	1	.....	.....	.....	.....	.....
23	Rabies	4	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	137	23	2	2	1	4	34	16	15	19	9	5	7	.....	.....	.....	.....	.....
26	Pellagra	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	11,088	390	260	149	77	55	193	926	2,646	2,421	1,708	1,156	710	337	56	4	.....	.....
28	Tuberculosis of the lungs	9,164	153	80	39	12	11	66	727	2,326	2,162	1,555	1,042	644	296	47	4	.....	.....
29	Acute miliary tuberculosis	409	10	10	6	4	4	8	57	123	95	43	27	15	6	1	.....	.....	.....
30	Tuberculous meningitis	675	161	118	74	47	29	73	64	47	33	17	7	2	3	.....	.....	.....	.....
31	Abdominal tuberculosis	451	34	32	16	4	4	24	38	85	74	53	42	23	17	5	.....	.....	.....
32	Pott's disease	121	2	4	7	8	3	10	14	27	14	10	11	6	4	1	.....	.....	.....
33	White swellings	57	6	1	1	1	1	5	7	10	4	5	7	5	4	.....	.....	.....	.....
34	Tuberculosis of other organs	138	17	9	5	1	2	5	12	21	21	15	12	10	6	2	.....	.....	.....
35	Disseminated tuberculosis	73	7	6	1	.....	1	2	7	7	18	10	8	5	1	.....	.....	.....	.....
36	Rickets	69	37	19	7	1	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
37	Syphilis	670	285	15	8	5	5	5	6	45	98	85	64	37	11	1	.....	.....	.....
38	Gonococcus infection	52	9	1	1	.....	.....	.....	1	15	12	9	3	.....	.....	.....	1	.....	.....
	Cancer and other malignant tumors (total)	6,526	6	8	6	10	7	19	34	115	404	995	1,574	1,703	1,241	375	28	1	.....
39	Of the buccal cavity	230	.....	.....	.....	1	1	.....	.....	1	5	33	48	63	50	24	4	.....	.....
40	Of the stomach, liver	2,606	2	2	1	.....	.....	1	4	17	127	313	637	795	554	148	5	.....	.....
41	Of the peritoneum, intestines, rectum	848	.....	1	2	.....	2	2	9	24	51	116	186	218	185	49	3	.....	.....
42	Of the female genital organs	954	.....	1	.....	.....	.....	.....	.....	24	116	233	275	178	110	17	.....	.....	.....
43	Of the breast	650	.....	.....	.....	.....	.....	.....	2	3	43	135	185	140	102	37	3	.....	.....
44	Of the skin	202	.....	.....	.....	2	.....	.....	2	4	3	11	23	46	63	40	7	1	.....
45	Of other organs or of organs not specified	1,036	4	4	3	7	4	16	17	42	59	154	220	263	177	60	6	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	21	2	1	.....	.....	1	.....	.....	.....	.....	5	5	2	2	3	.....	.....	.....
47	Acute articular rheumatism	438	6	4	6	4	7	49	96	32	53	41	50	36	39	14	1	.....	.....
48	Chronic rheumatism and gout	111	.....	.....	.....	.....	.....	.....	1	4	3	7	21	30	33	10	2	.....	.....
49	Scurvy	10	5	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
50	Diabetes	1,319	3	.....	4	6	7	18	36	79	79	134	304	388	220	38	3	.....	.....
51	Exophthalmic goiter	102	.....	.....	.....	.....	.....	.....	2	19	21	24	22	5	8	1	.....	.....	.....
52	Addison's disease	28	.....	.....	.....	.....	.....	.....	1	4	5	10	4	3	.....	1	.....	.....	.....
53	Leukemia	148	5	5	2	3	3	11	10	14	23	19	30	14	9	.....	.....	.....	.....
54	Anemia, chlorosis	353	23	4	4	1	2	2	12	23	26	56	82	72	39	6	1	.....	.....
55	Other general diseases	170	89	12	4	3	2	8	7	8	4	5	6	7	10	5	.....	.....	.....
56	Alcoholism (acute or chronic)	502	.....	.....	.....	.....	.....	.....	1	32	142	149	115	47	16	.....	.....	.....	.....
57	Chronic lead poisoning	23	.....	.....	.....	.....	.....	.....	.....	2	2	7	5	6	1	.....	.....	.....	.....
58	Other chronic occupation poisonings	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	18	.....	.....	.....	.....	.....	.....	.....	2	5	3	2	2	3	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	11,615	802	291	175	125	79	215	235	260	492	849	1,558	2,321	2,806	1,262	145	.....	.....
60	Encephalitis	59	12	6	1	.....	.....	7	1	5	7	7	6	4	3	.....	.....	.....	.....
61	Meningitis (total)	502	147	57	48	23	15	54	48	36	19	21	22	8	3	1	.....	.....	.....
	Simple meningitis	320	102	42	32	10	8	27	22	23	13	14	17	6	3	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	69	15	9	5	3	2	11	10	6	1	5	1	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	113	30	6	11	10	5	16	16	7	5	2	4	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	207	.....	.....	.....	.....	.....	.....	.....	1	12	35	66	59	32	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	1,111	129	139	97	83	50	103	61	33	27	33	90	114	109	39	4	.....	.....
	Acute anterior poliomyelitis	668	125	138	94	82	50	97	48	16	4	4	4	3	1	2	.....	.....	.....
	Other diseases of the spinal cord [1]	443	4	1	3	1	.....	6	13	17	23	29	86	111	108	37	4	.....	.....
64	Cerebral hemorrhage, apoplexy	7,095	21	4	4	1	1	5	10	43	136	413	1,085	1,870	2,329	1,053	120	.....	.....
65	Softening of the brain	109	.....	.....	.....	.....	.....	.....	.....	1	1	1	11	23	39	31	2	.....	.....
66	Paralysis without specified cause	457	1	.....	1	.....	1	2	3	3	12	16	57	111	158	77	15	.....	.....
67	General paralysis of the insane	616	.....	.....	.....	.....	.....	.....	3	18	143	177	112	60	70	31	2	.....	.....
68	Other forms of mental alienation	124	.....	.....	.....	.....	.....	.....	6	15	19	26	24	18	14	2	.....	.....	.....
69	Epilepsy	352	15	6	3	5	3	8	51	69	68	52	32	18	17	4	1	.....	.....
70	Convulsions (nonpuerperal)	15	.....	.....	.....	.....	.....	6	4	2	1	2	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	458	392	53	8	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	13	.....	.....	.....	1	.....	.....	9	1	.....	2	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	46	.....	.....	.....	1	.....	.....	.....	4	5	9	4	8	10	5	.....	.....	.....
74	Other diseases of the nervous system	284	40	6	7	3	4	12	24	18	27	42	40	26	19	15	1	.....	.....
75	Diseases of the eyes and their annexa	6	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
76	Diseases of the ears	161	45	18	6	4	4	16	15	11	15	13	9	2	2	1	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																	
	III.—Diseases of the circulatory system	16,113	196	25	30	15	19	158	452	535	890	1,480	2,312	3,615	4,058	2,062	253	12	1
77	Pericarditis	80	2		2			4	6	8	5	9	12	19	4	8	1		
78	Acute endocarditis	944	38	5	5	4	2	34	75	85	119	216	286	30	29	14	2		
79	Organic diseases of the heart	12,359	109	15	17	6	16	114	354	404	697	1,096	1,706	2,996	3,194	1,478	151	5	1
80	Angina pectoris	612			1				2	11	18	53	121	200	157	45	3	1	
81	Diseases of the arteries, atheroma, aneurism, etc	1,663				1		1	1	8	23	44	119	294	593	482	91	6	
82	Embolism and thrombosis	310	6	1				3	11	16	23	47	51	57	67	23	5		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	54	2							1	3	11	15	12	6	4			
84	Diseases of the lymphatic system (lymphangitis, etc.)	60	35	4	5	3	1	1	1	1	2			2	3	2			
85	Hemorrhage; other diseases of the circulatory system	31	4			1		1	2	1		4	2	5	5	6			
	IV.—Diseases of the respiratory system	17,128	4,082	1,399	533	225	128	309	329	737	1,058	1,425	1,768	2,019	1,956	1,009	147	4	
86	Diseases of the nasal fossae	12	4	1				1	1			2	1		1		1		
87	Diseases of the larynx	125	23	21	22	9	7	13	3	5	5	4	3	5	4	1			
88	Diseases of the thyroid body	57		3					2	5	9	13	13	9	3				
89	Acute bronchitis	947	511	111	33	12	7	4	6	2	4	18	23	43	72	78	21	2	
90	Chronic bronchitis	576	15	10	1	2		6	4	10	11	29	60	102	186	117	22	1	
91	Bronchopneumonia	5,808	2,397	812	283	110	56	86	55	82	113	177	296	427	541	334	38	1	
92	Pneumonia (total)	8,486	1,034	402	175	77	50	172	239	574	846	1,051	1,191	1,231	1,004	389	51		
	Lobar pneumonia	7,406	821	341	139	62	40	145	213	525	766	976	1,062	1,116	848	312	40		
	Pneumonia (undefined)	1,080	213	61	36	15	10	27	26	49	80	75	129	115	156	77	11		
93	Pleurisy	375	28	31	14	12	5	16	14	38	31	52	39	50	31	14			
94	Pulmonary congestion, pulmonary apoplexy	218	58	4	2	1		9	1	1	6	16	18	19	38	35	10		
95	Gangrene of the lung	35	1			2		1		7	6	8	3	3	4				
96	Asthma	298	3	1			2			4	18	29	74	80	56	29	2		
97	Pulmonary emphysema	23	1		1					3	1	3	3	5		6			
98	Other diseases of the respiratory system (tuberculosis excepted)	168	7	3	2		1	1	4	6	8	23	44	45	16	6	2		
	V.—Diseases of the digestive system	15,743	7,729	1,728	369	160	80	239	341	474	598	794	975	988	822	390	55	1	
99	Diseases of the mouth and annexa	76	29	7				2	1	5	3	9	8	5	6		1		
100	Diseases of the pharynx	182	28	12	12	6	5	24	16	27	13	13	5	11	4	5	1		
101	Diseases of the esophagus	16	2			1					1		1	6	2	3			
102	Ulcer of the stomach	316					1		8	27	44	63	64	57	36	14	2		
103	Other diseases of the stomach (cancer excepted)	1,037	395	46	15	9	6	17	10	31	42	61	75	111	125	76	18		
104	Diarrhea and enteritis (under 2 years)	8,664	7,046	1,618															
105	Diarrhea and enteritis (2 years and over)	1,205			295	111	47	81	31	42	50	57	85	108	169	110	19		
107	Intestinal parasites	12	2	2	5	2					1								
108	Appendicitis and typhlitis	867	3	2	6	10	9	64	204	174	143	108	86	36	19	3			
109	Hernia, intestinal obstruction (total)	992	148	20	16	9	7	21	34	56	80	102	142	142	148	64	2	1	
	Hernia	339	20	1	2			3	3	5	24	47	69	61	72	31		1	
	Intestinal obstruction	653	128	19	14	9	7	18	31	51	56	55	73	81	76	33	2		
110	Other diseases of the intestines	189	33	6	5	1	1	3	5	12	17	19	29	18	25	11	4		
111	Acute yellow atrophy of the liver	40	2		1			2	4	3	4	7	6	4	4	3			
112	Hydatid tumor of the liver	2									2								
113	Cirrhosis of the liver	1,130	2	2	4			4	3	28	95	201	291	289	167	42	2		
114	Biliary calculi	272	1							11	20	51	59	67	44	18	1		
115	Other diseases of the liver	470	25	7	4	1	2	5	8	19	44	70	91	107	54	31	2		
116	Diseases of the spleen	29			2	1		1	4	5	2	2	3	5	4				
117	Simple peritonitis (nonpuerperal)	186	12	6	3	7	2	15	10	30	27	22	18	15	9	8	2		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	58	1		1	2			3	4	10	9	12	7	6	2	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	10,208	100	27	26	35	18	76	152	386	710	1,290	1,733	2,315	2,290	956	90	4	
119	Acute nephritis	793	54	14	15	20	13	38	45	81	94	116	113	83	78	25	4		
120	Bright's disease	8,340	25	11	11	14	4	36	93	229	480	1,002	1,498	2,076	1,986	799	73	3	
122	Other diseases of the kidneys and annexa	144	13	1			1	1	3	13	10	21	21	23	20	15	2		
123	Calculi of the urinary passages	35				1		1		2	2	8	6	7	7	1			
124	Diseases of the bladder	132	1								2	9	13	23	43	34	6	1	
125	Diseases of the urethra, urinary abscess, etc	43							1	3	10	13	5	8	3				
126	Diseases of the prostate	298								1	1	4	21	61	130	75	5		
127	Nonvenereal diseases of the male genital organs	8	5									1		1	1				
128	Uterine hemorrhage (nonpuerperal)	5								1	2	2							
129	Uterine tumor (noncancerous)	138								1	34	56	26	11	8	2			
130	Other diseases of the uterus	67							2	11	18	18	10	4	3	1			
131	Cysts and other tumors of the ovary	76							1	10	15	9	15	13	9	4			
132	Salpingitis and other diseases of the female genital organs	122							7	33	42	30	5	4	1				
133	Nonpuerperal diseases of the breast (cancer excepted)	7	2	1						1		1		1	1				
	VII.—The puerperal state	1,525							125	654	600	145	1						
134	Accidents of pregnancy	114							7	40	48	19							
135	Puerperal hemorrhage	162							4	58	79	21							
136	Other accidents of labor	160							7	62	76	15							
137	Puerperal septicemia	651							59	313	237	41	1						
138	Puerperal albuminuria and convulsions	386							48	156	142	40							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	47								20	18	9							
140	Following childbirth (not otherwise defined)	5								5									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PENNSYLVANIA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	497	101	8	5	5	5	8	9	10	25	34	45	58	100	75	8	1	.....
142	Gangrene	241	3	2	4	2	2	5	1	1	6	13	21	31	79	65	6	.....	.....
143	Furuncle	67	19	2	.....	1	.....	1	3	3	4	.....	10	11	11	2	.....	.....	.....
144	Acute abscess	97	32	2	1	2	3	.....	4	5	12	13	9	6	4	2	1	1	.....
145	Other diseases of the skin and annexa	92	47	2	.....	.....	.....	2	1	1	3	8	5	10	6	6	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	268	27	13	8	11	4	28	49	18	20	24	21	24	15	5	1	.....	.....
146	Diseases of the bones (tuberculosis excepted)	233	26	11	6	9	4	24	44	16	19	20	19	21	10	3	1	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	26	.....	2	1	2	.....	4	5	2	1	3	2	3	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	9	1	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	4	2	.....	.....	.....
	X.—Malformations	1,798	1,728	27	8	12	4	11	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	1,798	1,728	27	8	12	4	11	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	103	90	4	2	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	1,220	1,178	15	5	7	2	5	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	475	460	8	1	2	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	7,200	7,200	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	5,719	5,719	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	4,264	4,264	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	1,455	1,455	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	1,451	1,451	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	744	744	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	707	707	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	30	30	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	962	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	45	270	491	140	11	.....
154	Senility	962	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	45	270	491	140	11	.....
	XIII.—External causes	10,195	258	230	230	193	153	503	853	1,739	1,675	1,480	1,152	755	555	358	61	.....	.....
	Suicide (total)	1,011	.....	.....	.....	.....	.....	1	47	176	194	196	203	119	58	16	1	.....	.....
155	By poison	155	.....	.....	.....	.....	.....	.....	12	42	33	32	16	12	8	.....	.....	.....	.....
156	By asphyxia	138	.....	.....	.....	.....	.....	1	9	20	22	23	34	24	4	.....	1	.....	.....
157	By hanging or strangulation	177	.....	.....	.....	.....	.....	.....	3	13	30	34	44	31	17	5	.....	.....	.....
158	By drowning	67	.....	.....	.....	.....	.....	.....	.....	4	20	15	12	9	5	2	.....	.....	.....
159	By firearms	382	.....	.....	.....	.....	.....	.....	21	80	70	72	80	35	16	8	.....	.....	.....
160	By cutting or piercing instruments	61	.....	.....	.....	.....	.....	.....	1	10	13	13	12	5	6	1	.....	.....	.....
161	By jumping from high places	15	.....	.....	.....	.....	.....	.....	.....	4	2	5	1	1	2	.....	.....	.....	.....
162	By crushing	8	.....	.....	.....	.....	.....	.....	1	2	2	1	1	1	.....	.....	.....	.....	.....
163	Other suicides	8	.....	.....	.....	.....	.....	.....	.....	1	2	1	3	1	.....	.....	.....	.....	.....
	Accidental or undefined (total)	8,652	246	228	229	193	153	497	775	1,380	1,332	1,180	924	622	494	341	60	.....	.....
164	Poisoning by food	75	8	5	6	3	3	7	7	6	8	7	4	9	1	.....	1	.....	.....
165	Other acute poisonings	168	19	21	18	14	7	9	2	18	22	17	11	6	3	1	.....	.....	.....
166	Conflagration	109	5	5	8	5	5	8	5	20	10	14	8	6	7	3	.....	.....	.....
167	Burns (conflagration excepted)	932	42	102	123	98	87	106	43	75	67	44	54	35	37	19	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	261	75	9	1	.....	3	2	17	27	29	30	26	18	17	7	.....	.....	.....
169	Accidental drowning	564	5	20	7	6	10	65	138	121	55	68	35	22	9	3	.....	.....	.....
170	Traumatism by firearms	129	1	.....	.....	5	3	21	49	26	12	5	2	2	2	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	9	.....	.....	.....	1	.....	1	1	1	.....	1	1	2	.....	1	.....	.....	.....
172	Traumatism by fall	1,546	25	19	24	13	.....	40	44	79	140	173	200	207	261	269	52	.....	.....
173	Traumatism in mines and quarries (total)	1,116	.....	.....	.....	.....	.....	2	87	306	326	245	111	32	7	.....	.....	.....	.....
	Traumatism in mines	1,075	.....	.....	.....	.....	.....	1	86	294	316	235	106	30	7	.....	.....	.....	.....
	Traumatism in quarries	41	.....	.....	.....	.....	.....	1	1	12	10	10	5	2	.....	.....	.....	.....	.....
174	Traumatism by machines	257	.....	.....	.....	.....	.....	4	37	75	54	41	31	13	1	1	.....	.....	.....
175	Traumatism by other crushing (total)	2,701	10	17	29	34	30	204	288	503	489	434	333	206	101	21	2	.....	.....
	Railroad accidents and injuries	1,491	1	5	4	3	2	32	123	342	341	291	193	100	44	9	1	.....	.....
	Street-car accidents and injuries	243	2	2	7	9	4	21	21	25	35	33	41	28	11	3	1	.....	.....
	Automobile accidents and injuries	658	6	3	7	18	19	119	110	87	81	69	53	50	27	9	.....	.....	.....
	Injuries by other vehicles	262	1	7	11	3	5	32	31	37	24	29	37	26	19	.....	.....	.....	.....
	Landslide, other crushing	47	.....	.....	.....	1	.....	.....	3	12	8	12	9	2	.....	.....	.....	.....	.....
176	Injuries by animals	58	.....	1	2	2	.....	5	4	7	7	7	13	4	6	.....	.....	.....	.....
177	Starvation	5	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....	.....	.....
178	Excessive cold	39	2	.....	.....	.....	.....	.....	1	1	3	6	15	8	3	.....	.....	.....	.....
179	Effects of heat	161	28	10	.....	4	.....	1	1	12	14	14	17	20	25	11	4	.....	.....
180	Lightning	30	1	.....	.....	.....	.....	3	4	5	7	6	2	1	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	70	1	.....	.....	.....	.....	3	12	24	19	7	2	1	1	.....	.....	.....	.....
185	Fractures (cause not specified)	20	1	.....	.....	.....	.....	.....	.....	1	3	3	1	7	2	1	1	.....	.....
186	Other external violence	402	23	19	11	8	5	16	33	73	66	56	57	22	10	3	.....	.....	.....
	Homicide (total)	532	12	2	1	.....	.....	5	33	183	149	104	25	14	3	1	.....	.....	.....
182	By firearms	319	.....	2	.....	.....	.....	2	18	119	93	65	11	7	1	1	.....	.....	.....
183	By cutting or piercing instruments	79	1	.....	.....	.....	.....	1	2	24	27	20	4	.....	.....	.....	.....	.....	.....
184	By other means	134	11	.....	1	.....	.....	2	13	40	29	19	10	7	2	.....	.....	.....	.....
	XIV.—Ill-defined diseases	567	162	64	7	3	2	7	2	10	28	46	61	70	70	26	6	1	2
187	Ill-defined organic disease	31	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	6	12	6	.....	.....	.....
188	Sudden death	48	10	.....	.....	.....	.....	.....	.....	1	3	5	7	11	7	3	1	.....	.....
189	Not specified or ill-defined (total)	488	152	64	7	3	2	7	2	8	25	39	50	53	51	17	5	1	2
	Ill-defined	325	61	61	7	3	1	4	2	7	17	30	40	43	33	12	3	1	.....
	Not specified or unknown	163	91	3	.....	.....	1	3	.....	1	8	9	10	10	18	5	2	.....	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND.																		
	All causes	9,501	1,627	372	160	75	85	207	314	590	789	908	1,150	1,333	1,231	546	109	1	4
	I.—General diseases	2,591	172	156	73	40	40	96	129	268	333	316	348	323	223	62	10		2
1	Typhoid fever	42		2	1	1		5	6	9	8		6	2	2				
4	Malaria	4	1		1								1		1				
5	Smallpox	1	1																
6	Measles	144	36	62	20	6	6	6	1	2	2	2							1
7	Scarlet fever	31	1	2	2	4	2	10	4	4	2								
8	Whooping cough	47	29	14	3			1											
9	Diphtheria and croup	142	6	21	22	15	23	43	8	1		1	1		1				
10	Influenza	163	10	4	1	1	1	2	3	5	8	8	18	31	42	23	6		
13	Cholera nostras	1															1		
14	Dysentery	29	6	4	1	1						2	1	7	7				
18	Erysipelas	39	10						1	1	8	3	6	6	4				
19	Other epidemic diseases	4	1	1	1			1											
20	Purulent infection and septicemia	9				1			3	1	1	1		1	1				
24	Tetanus	5						2	1	2									
26	Pellagra	8								1	3		1	2	1				
	Tuberculosis (total)	1,024	31	38	17	8	6	18	88	219	249	179	102	47	19	2			1
28	Tuberculosis of the lungs	846	9	8	2	2	2	3	72	202	223	171	93	39	17	2			1
29	Acute miliary tuberculosis	32	1	3	1	1		2	2	5	9	3	3	2					
30	Tuberculous meningitis	83	15	22	13	4	3	9	7	3	5	1			1				
31	Abdominal tuberculosis	23	3	3			1	2	2	3	3	2	2	2					
32	Pott's disease	7	1					2			2			2					
33	White swellings	5	1			1				1	1	1							
34	Tuberculosis of other organs	11		1					2	1	3		3		1				
35	Disseminated tuberculosis	17	1	1	1				3	4	3	1	1	2					
36	Rickets	10	3	4		1					2								
37	Syphilis	47	26	3				1		2	4	3	6	2					
	Cancer and other malignant tumors (total)	569			1	1	1	1	1	10	19	83	144	160	115	30	3		
39	Of the buccal cavity	23										1	6	5	6	4	1		
40	Of the stomach, liver	212								2	2	20	69	62	50	7			
41	Of the peritoneum, intestines, rectum	89					1		1	1	5	13	14	26	21	6	1		
42	Of the female genital organs	81								3	7	25	16	18	11	1			
43	Of the breast	57									2	11	14	22	6	2			
44	Of the skin	14										1	2	3	5	3			
45	Of other organs or of organs not specified	93			1	1		1		4	3	12	23	24	16	7	1		
46	Other tumors (tumors of the female genital organs excepted)	5										2	1	2					
47	Acute articular rheumatism	23			1			2	4	3	3	2	2	4	1	1			
48	Chronic rheumatism and gout	5											2	3					
49	Scurvy	3	3																
50	Diabetes	119				1		2	5	3	3	12	25	41	24	3			
51	Exophthalmic goiter	7								2	1	4							
52	Addison's disease	2										1		1					
53	Leukemia	5					1		1		1		1	1					
54	Anemia, chlorosis	34	2		1			1	3		5	3	9	6	3	1			
55	Other general diseases	13	6	1	1			1			1				1	2			
56	Alcoholism (acute or chronic)	52								3	12	9	20	7	1				
57	Chronic lead poisoning	2									1		1						
59	Other chronic poisonings	2										1	1						
	II.—Diseases of the nervous system and of the organs of special sense	964	33	28	12	6	9	19	18	14	50	99	158	221	193	93	11		
60	Encephalitis	7		2				1	1		1			1	1				
61	Meningitis (total)	49	6	8	3	2	2	7	5	6	4	2	3	1					
	Simple meningitis	21	3	5	1	1	1	4	1	1		1	3						
	Cerebrospinal meningitis (undefined)	7	1		2	1		2			1								
	Cerebrospinal fever	21	2	3			1	1	4	5	3	1		1					
62	Locomotor ataxia	18									1	4	4	6	2	1			
63	Other diseases of the spinal cord [1] (total)	76	7	8	6	4	6	8	5		3	1	6	8	10	4			
	Acute anterior poliomyelitis	43	7	8	6	4	6	8	4										
	Other diseases of the spinal cord [1]	33							1		3	1	6	8	10	4			
64	Cerebral hemorrhage, apoplexy	623		1					1	1	16	56	113	176	162	86	11		
65	Softening of the brain	3												2	1				
66	Paralysis without specified cause	29		2							1	3	2	7	12	2			
67	General paralysis of the insane	56									13	15	16	10	2				
68	Other forms of mental alienation	15									3	4	5	3					
69	Epilepsy	31	1					1	3	5	5	9	1	5	1				
70	Convulsions (nonpuerperal)	2							1					1					
71	Convulsions of infants	22	15	6			1												
72	Chorea	1								1									
73	Neuralgia and neuritis	1													1				
74	Other diseases of the nervous system	17	1	1				2			2	3	6	1	1				
75	Diseases of the eyes and their annexa	1											1						
76	Diseases of the ears	13	3		3				2	1	1	2	1						

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND—Continued.																		
	III.—Diseases of the circulatory system	1,398	11	1	1	.....	2	10	37	49	84	129	202	341	339	161	30	1	.....
77	Pericarditis	6	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	3	.....	.....	.....	.....	.....
78	Acute endocarditis	75	1	.....	1	.....	2	4	7	14	9	10	21	4	2	.....	.....	.....	.....
79	Organic diseases of the heart	1,039	6	1	.....	.....	.....	5	26	34	70	98	147	270	264	105	13	.....	.....
80	Angina pectoris	57	.....	.....	.....	.....	.....	1	1	.....	1	6	11	12	16	9	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	179	.....	.....	.....	.....	.....	.....	.....	.....	1	6	13	42	55	46	15	1	.....
82	Embolism and thrombosis	30	1	.....	.....	.....	.....	.....	1	1	1	5	8	9	1	1	2	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9	.....	.....	.....	.....	.....	.....	.....	.....	1	4	2	1	1	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	1,185	263	101	39	13	8	18	30	53	81	85	127	135	147	66	18	.....	1
86	Diseases of the nasal fossae	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	9	2	3	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	89	52	12	6	.....	4	1	1	.....	.....	1	1	.....	5	2	4	.....	.....
90	Chronic bronchitis	51	1	.....	.....	.....	.....	.....	.....	.....	2	1	4	9	15	15	4	.....	.....
91	Bronchopneumonia	312	125	50	18	8	1	5	3	1	3	7	9	21	36	20	5	.....	.....
92	Pneumonia (total)	665	79	32	14	3	3	9	25	45	72	72	106	97	80	23	4	.....	1
	Lobar pneumonia	511	48	13	8	2	2	7	21	36	61	63	83	80	64	19	3	.....	1
	Pneumonia (undefined)	154	31	19	6	1	1	2	4	9	11	9	23	17	16	4	1	.....	.....
93	Pleurisy	30	1	4	.....	1	.....	1	.....	4	2	3	6	3	5	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	16	3	.....	.....	1	.....	.....	.....	1	1	.....	.....	2	4	3	1	.....	.....
95	Gangrene of the lung	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
96	Asthma	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	917	411	60	18	5	5	18	28	37	38	68	80	74	51	22	2	.....	.....
99	Diseases of the mouth and annexa	5	1	.....	.....	.....	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	19	3	1	3	2	.....	4	.....	2	.....	2	.....	.....	2	.....	.....	.....	.....
102	Ulcer of the stomach	28	.....	.....	.....	.....	.....	.....	2	4	5	4	4	.....	6	3	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	63	26	4	1	1	1	.....	3	.....	2	3	8	3	4	2	.....	.....	.....
104	Diarrhea and enteritis (under 2 years)	428	374	54	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	78	.....	.....	12	2	2	7	1	2	2	5	16	8	13	7	1	.....	.....
108	Appendicitis and typhlitis	79	.....	.....	1	.....	1	3	20	18	12	8	8	6	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	63	3	1	1	.....	.....	4	1	.....	3	9	13	15	7	6	.....	.....	.....
	Hernia	25	1	.....	.....	.....	.....	.....	1	.....	.....	5	5	7	4	2	.....	.....	.....
	Intestinal obstruction	38	2	1	1	.....	.....	4	.....	.....	3	4	8	8	3	4	.....	.....	.....
110	Other diseases of the intestines	17	2	.....	.....	.....	.....	.....	1	.....	2	4	2	1	1	3	1	.....	.....
111	Acute yellow atrophy of the liver	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	1	.....	.....	.....	.....
112	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	74	.....	.....	.....	.....	.....	.....	.....	1	7	18	12	26	9	1	.....	.....	.....
114	Biliary calculi	17	.....	.....	.....	.....	.....	.....	.....	1	.....	7	6	1	2	.....	.....	.....	.....
115	Other diseases of the liver	22	1	.....	.....	.....	.....	.....	.....	4	2	1	6	5	3	.....	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	10	1	.....	.....	.....	.....	.....	.....	2	1	3	1	1	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	883	5	2	2	2	2	8	10	46	82	125	155	177	190	68	9	.....	.....
119	Acute nephritis	47	3	1	1	2	2	3	.....	5	8	5	4	3	7	3	.....	.....	.....
120	Bright's disease	755	.....	1	1	.....	.....	5	8	27	63	107	146	163	168	58	8	.....	.....
122	Other diseases of the kidneys and annexa	10	1	.....	.....	.....	.....	.....	.....	2	.....	2	.....	3	1	1	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	10	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	1	3	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	10	2	.....	.....	.....
127	Nonvenereal diseases of the male genital organs	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	12	.....	.....	.....	.....	.....	.....	.....	.....	4	6	2	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	4	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	7	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	2	1	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	.....	7	4	1	1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	85	.....	.....	.....	.....	.....	.....	3	36	36	10	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	7	.....	.....	.....	.....	.....	.....	.....	4	2	1	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	10	.....	.....	.....	.....	.....	.....	.....	4	6	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	12	.....	.....	.....	.....	.....	.....	.....	6	5	1	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	21	.....	.....	.....	.....	.....	.....	1	7	10	3	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	29	.....	.....	.....	.....	.....	.....	2	13	10	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	RHODE ISLAND—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	39	5	2	.....	.....	.....	1	3	2	3	2	2	5	8	5	1	.....	.....
142	Gangrene	12	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	3	4	3	1	.....	.....
143	Furuncle	7	1	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	2	.....	.....	.....	.....
144	Acute abscess	12	3	2	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	8	1	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	27	4	1	1	.....	1	1	5	1	5	1	4	2	.....	1	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	22	4	1	.....	.....	1	1	5	1	4	1	3	1	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	93	88	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	93	88	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	11	9	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformation of the heart	44	42	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	38	37	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	598	598	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	447	447	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	252	252	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	195	195	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	150	150	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	108	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	42	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	38	45	23	.....	.....
154	Senility	115	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	38	45	23	.....	.....
	XIII.—External causes	567	21	12	13	9	18	24	50	84	73	68	70	45	41	23	5	.....	1
	Suicide (total)	84	.....	.....	.....	.....	.....	.....	2	15	13	20	13	11	8	2	.....	.....	.....
155	By poison	5	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....
156	By asphyxia	24	.....	.....	.....	.....	.....	.....	.....	4	3	8	4	4	1	.....	.....	.....	.....
157	By hanging or strangulation	16	.....	.....	.....	.....	.....	.....	.....	.....	3	4	4	1	2	2	.....	.....	.....
158	By drowning	12	.....	.....	.....	.....	.....	.....	.....	1	.....	4	3	3	1	.....	.....	.....	.....
159	By firearms	20	.....	.....	.....	.....	.....	.....	.....	8	5	3	1	1	1	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
161	By jumping from high places	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	461	20	12	12	9	18	34	45	64	52	46	57	32	33	21	5	.....	1
164	Poisoning by food	4	.....	1	.....	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
165	Other acute poisonings	10	2	1	.....	.....	1	.....	.....	3	1	1	.....	1	.....	.....	.....	.....	.....
166	Conflagration	5	1	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	62	4	9	8	3	7	6	4	3	5	2	6	2	2	1	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	35	7	.....	1	.....	.....	1	.....	2	7	2	4	7	2	2	.....	.....	.....
169	Accidental drowning	54	.....	.....	2	.....	2	8	10	8	11	8	3	2	.....	.....	.....	.....	.....
170	Traumatism by firearms	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	95	2	.....	.....	5	.....	2	6	7	5	11	10	11	17	14	5	.....	.....
174	Traumatism by machines	16	.....	.....	.....	.....	.....	1	1	6	3	1	3	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	137	.....	1	1	1	6	13	19	27	13	17	24	6	7	1	.....	.....	1
	Railroad accidents and injuries	36	.....	.....	.....	.....	.....	3	1	10	7	5	6	.....	2	1	.....	.....	1
	Street-car accidents and injuries	21	.....	.....	1	.....	1	.....	1	5	.....	5	6	1	1	.....	.....	.....	.....
	Automobile accidents and injuries	53	.....	.....	.....	1	4	9	10	8	4	3	9	3	2	.....	.....	.....	.....
	Injuries by other vehicles	21	.....	1	.....	.....	1	1	5	2	1	3	3	2	2	.....	.....	.....	.....
	Landslide, other crushing	6	.....	.....	.....	.....	.....	.....	2	2	1	1	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
178	Excessive cold	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	1	.....	.....	.....
179	Effects of heat	8	1	.....	.....	.....	1	.....	.....	.....	.....	2	2	.....	1	1	.....	.....	.....
181	Electricity (lightning excepted)	6	.....	.....	.....	.....	.....	.....	.....	5	1	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
186	Other external violence	18	3	.....	.....	.....	.....	1	3	2	1	1	3	1	2	1	.....	.....	.....
	Homicide (total)	22	1	.....	1	.....	.....	.....	3	5	8	2	.....	2	.....	.....	.....	.....	.....
182	By firearms	12	.....	.....	1	.....	.....	.....	2	2	6	1	.....	.....	.....	.....	.....	.....	.....
184	By other means	10	1	.....	.....	.....	.....	.....	1	3	2	1	.....	2	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	39	16	5	1	.....	.....	2	.....	.....	4	5	4	1	1	.....	.....	.....	.....
188	Sudden death	7	2	1	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	32	14	4	1	.....	.....	2	.....	.....	2	4	3	1	1	.....	.....	.....	.....
	Ill-defined	27	12	4	1	.....	.....	1	.....	.....	2	4	2	1	.....	.....	.....	.....	.....
	Not specified or unknown	5	2	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (TOTAL).																	
	All causes	22,502	5,252	1,395	573	326	216	609	1,379	2,356	2,037	1,768	1,696	1,953	1,677	890	188	70	117
	I.—General diseases	7,057	763	432	209	129	83	301	678	1,245	931	702	550	506	322	140	25	3	38
1	Typhoid fever	555	10	12	17	8	7	60	148	132	63	43	27	17	4	2			4
4	Malaria	634	100	51	33	34	21	69	65	67	41	48	35	32	22	11	2	1	2
5	Smallpox	4			1							1			1	1			
6	Measles	75	18	13	9	7	2	10	6	4	3	1		2					
7	Scarlet fever	39	4	6	8	4	5	10	2										
8	Whooping cough	279	146	74	26	10	5	14	3										
9	Diphtheria and croup	138	37	25	22	17	8	25	3	1									1
10	Influenza	433	88	26	7	7	1	7	20	39	25	33	29	34	58	45	11	1	
13	Cholera nostras	12	2		1			1	1		2		1	1		2	1		2
14	Dysentery	551	172	157	45	19	11	26	8	8	6	15	10	23	29	19			
17	Leprosy	1								1									3
18	Erysipelas	22	5	1	1			1	2	2	1	1	1	3		4			
19	Other epidemic diseases	4	1				1		1								1		
20	Purulent infection and septicemia	43	2	1		1		2	3	12	5	2	3	9	1	1			
23	Rabies	4				1	1	1	1										1
24	Tetanus	48	34				1	3	3	2	4		1						
26	Pellagra	729	4	7	2	1	4	16	35	136	127	104	109	111	47	20	1		5
	Tuberculosis (total)	2,372	32	28	25	14	9	39	345	748	522	298	158	80	53	7			
28	Tuberculosis of the lungs	2,134	22	20	14	10	6	26	308	691	481	273	145	72	49	6			14
29	Acute miliary tuberculosis	85	2		1	1		4	17	25	18	6	7	3		1			11
30	Tuberculous meningitis	39	5	5	5		2	6	5	5	4	2							
31	Abdominal tuberculosis	73	1	1	4	1	1	1	9	15	13	15	5	4	2				
32	Pott's disease	6							1	1	1		1		1				1
33	White swellings	5						1		2		1			1				1
34	Tuberculosis of other organs	23	1	2	1	2		1	5	6	4			1					
35	Disseminated tuberculosis	7	1							3	1	1							
36	Rickets	18	11	2	3	2													1
37	Syphilis	226	70	11	1	2	3	1	8	40	34	29	13	11	2	1			
38	Gonococcus infection	12	1						1	4	2	3	1						
	Cancer and other malignant tumors (total)	562		4	1	1		3	7	23	61	89	120	143	79	22	6		
39	Of the buccal cavity	16								1		1	4	4	4	2			3
40	Of the stomach, liver	147		2				1	3	6	11	16	33	49	19	6			
41	Of the peritoneum, intestines, rectum	42							1	2	4	4	7	15	7	2			1
42	Of the female genital organs	187								7	32	50	38	41	15		2		
43	Of the breast	53								1	7	8	15	7	13	2			2
44	Of the skin	34						1	2	1	2	1	5	6	10	4	2		
45	Of other organs or of organs not specified	83		2	1	1		1	1	5	5	9	18	21	11	6	2		
46	Other tumors (tumors of the female genital organs excepted)	11							1	2	1	2	2	1	2				
47	Acute articular rheumatism	72	2	1			2	4	5	6	11	3	15	11	7	4	1		
48	Chronic rheumatism and gout	13			1					1	1	1		3	3	1		1	1
49	Scurvy	2	1	1															
50	Diabetes	74		1	2	1		5	5	5	6	10	14	15	9				1
51	Exophthalmic goiter	7								1	1	2	2	1					
52	Addison's disease	2		1						1									
53	Leukemia	15						1	1	5		4	2		2				
54	Anemia, chlorosis	26	4	2	1		1	1	2		6	3	3	2		1			
55	Other general diseases	45	19	8	3		1	2	1	2	3		2	1	2				1
56	Alcoholism (acute or chronic)	20							1	3	5	7	2	2					
57	Chronic lead poisoning	4										2		2					
59	Other chronic poisonings	5									1	1		2	1				
	II.—Diseases of the nervous system and of the organs of special sense	1,731	212	43	24	13	6	27	39	62	107	197	263	327	287	104	12		8
60	Encephalitis	11	4					1	2	1			2			1			
61	Meningitis (total)	62	22	8	8	5	1	3	11		2		2						
	Simple meningitis	39	15	5	5	3	1	1	5		2		2						
	Cerebrospinal meningitis (undefined)	8	3		1			2	2										
	Cerebrospinal fever	15	4	3	2	2			4										
62	Locomotor ataxia	5							1	1		1	1	1					
63	Other diseases of the spinal cord (total)	91	6	8	3	3	1	8	1	5	4	4	12	13	20	3			
	Acute anterior poliomyelitis	30	6	7	3	2	1	7		2	1			1					
	Other diseases of the spinal cord [1]	61		1		1		1	1	3	3	4	12	12	20	3			
64	Cerebral hemorrhage, apoplexy	850	11	6		1		2	9	15	60	135	182	205	152	57	8		7
65	Softening of the brain	10									1		1	2	3	2	1		
66	Paralysis without specified cause	342	3		1			2	1	10	13	32	51	87	100	39	3		
67	General paralysis of the insane	37								1	7	10	4	9	6				
68	Other forms of mental alienation	18							1	5	5	1		4	1	1			
69	Epilepsy	62	6	1	1	1	1	3	7	14	11	9	5		3				
70	Convulsions (nonpuerperal)	14						4	3	4	1	1							
71	Convulsions of infants	187	155	20	7	3	2												1
72	Chorea	1								1									
73	Neuralgia and neuritis	4										1		3					
74	Other diseases of the nervous system	23	3				1	2	1	4	3	2	2	3	2				
75	Diseases of the eyes and their annexa	2							1										
76	Diseases of the ears	12	2		4			2	1	1		1	1			1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (TOTAL)—Continued.																		
	III.—Diseases of the circulatory system	1,755	21	5	4	5	6	14	38	112	168	208	277	374	334	143	31	3	12
77	Pericarditis	20			1			1			3	3	1	4	2	2	2		1
78	Acute endocarditis	73	1	1			2	3	4	9	11	15	23	2	1	1			
79	Organic diseases of the heart	1,373	15	2	3	4	4	9	31	91	136	165	213	298	262	107	20	3	10
80	Angina pectoris	50	1							3	4	2	12	16	8	4			
81	Diseases of the arteries, atheroma, aneurism, etc	184								3	6	18	20	44	57	26	9		1
82	Embolism and thrombosis	22						1	1	5	3	4	2	3	2	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5									1		2	1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	3	1		1				1	1					1			
85	Hemorrhage; other diseases of the circulatory system	20	1	1					2		3	1	4	6	1	1			
	IV.—Diseases of the respiratory system	2,043	533	173	100	44	33	64	146	209	161	118	107	127	130	71	13	4	10
86	Diseases of the nasal fossae	75	52	6	3		1	3	2	1	1	2		3	1				
87	Diseases of the larynx	9	2	1	1	1		1	1		1	1							
88	Diseases of the thyroid body	4									1			3					
89	Acute bronchitis	78	49	8	1	3	1		2		2		2	2	4	2	2		
90	Chronic bronchitis	35	2	1				2		2	4	1	1	4	8	9			1
91	Bronchopneumonia	334	151	51	24	10	9	4	10	11	5	10	9	14	12	8	1	3	2
92	Pneumonia (total)	1,373	259	102	65	29	22	50	125	180	132	92	84	86	88	44	8	1	6
	Lobar pneumonia	612	73	37	21	5	9	21	65	97	63	50	40	50	50	24	5		2
	Pneumonia (undefined)	761	186	65	44	24	13	29	60	83	69	42	44	36	38	20	3	1	4
93	Pleurisy	35	2	1	1				5	5	6	3	6	3	2				1
94	Pulmonary congestion, pulmonary apoplexy	26	12	2	3					1		2	1	1	1	3			
95	Gangrene of the lung	1									1								
96	Asthma	39	1	1		1		1		4	2	3	1	8	11	5	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	34	3		2			3	1	5	6	4	3	3	3		1		
	V.—Diseases of the digestive system.	2,376	886	519	136	46	29	61	96	93	111	113	89	89	66	31	2	3	6
99	Diseases of the mouth and annexa	50	36	6	1		1	1	1	2		2							
100	Diseases of the pharynx	35	2	1	2	3		7	4	5	2	3	2	2	2				
101	Diseases of the esophagus	3					2		1										
102	Ulcer of the stomach	35								4	8	11	6	4	2				
103	Other diseases of the stomach (cancer excepted)	359	111	43	17	7	2	12	13	15	23	28	25	28	22	10	1		2
104	Diarrhea and enteritis (under 2 years)	1,168	709	459															
105	Diarrhea and enteritis (2 years and over)	264			102	32	10	16	16	7	15	12	8	17	14	12	1	2	
106	Ankylostomiasis	4			1		1	2											
107	Intestinal parasites	18		3	6		3	6											
108	Appendicitis and typhlitis	120				1	4	6	36	21	18	13	13	5	1				2
109	Hernia, intestinal obstruction (total)	117	23	6	5	1	5	4	12	12	15	10	7	6	8	3			
	Hernia	38	11				1		2	1	5	4	2	5	5	2			
	Intestinal obstruction	79	12	6	5	1	4	4	10	11	10	6	5	1	3	1			
110	Other diseases of the intestines	28	3					3	4	4	4	1	3	2	1	1			2
111	Acute yellow atrophy of the liver	5								2	1			1	1				
113	Cirrhosis of the liver	50				1			2	7	5	9	11	8	6	1			
114	Biliary calculi	21						1	1		2	6	3	6	2				
115	Other diseases of the liver	62	1		2	1	1	1	4	6	9	11	8	7	6	4		1	
116	Diseases of the spleen	5		1							2	1		1					
117	Simple peritonitis (nonpuerperal)	29	1					2	2	7	7	4	3	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3								1		2							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,799	25	29	19	9	8	20	60	140	185	253	259	364	280	119	15	5	9
119	Acute nephritis	155	7	11	10	3	4	5	13	25	18	26	15	10	6		1		1
120	Bright's disease	1,413	10	15	7	6	3	13	33	87	130	206	215	302	250	111	13	5	7
121	Chyluria	1												1					
122	Other diseases of the kidneys and annexa	91	7	3	2		1	1	8	12	9	7	11	19	10	1			
123	Calculi of the urinary passages	6										2	1	2			1		
124	Diseases of the bladder	28						1		1	3	2	3	8	7	2			1
125	Diseases of the urethra, urinary abscess, etc	7								1		1	3	1		1			
126	Diseases of the prostate	32									1		3	18	7	3			
128	Uterine hemorrhage (nonpuerperal)	3							1	1	1								
129	Uterine tumor (noncancerous)	12									4	3	2	2		1			
130	Other diseases of the uterus	29							4	9	11	2	3						
131	Cysts and other tumors of the ovary	4											3	1					
132	Salpingitis and other diseases of the female genital organs	17							1	4	8	4							
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	499							85	207	159	40	1						
134	Accidents of pregnancy	34							3	15	15		1						
135	Puerperal hemorrhage	40							2	13	17	7							1
136	Other accidents of labor	119							20	49	39	9							2
137	Puerperal septicemia	139							23	62	48	4							2
138	Puerperal albuminuria and convulsions	155							37	61	35	20							2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								7	5								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (TOTAL)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	60	15	3	1	.....	1	1	2	4	2	6	9	2	4	9	1	.....	.....
142	Gangrene	20	1	1	1	.....	1	.....	.....	1	1	2	1	1	2	8	.....	.....	.....
143	Furuncle	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
144	Acute abscess	15	2	1	.....	.....	.....	.....	1	2	.....	3	4	1	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	22	11	.....	.....	.....	.....	1	1	1	1	1	3	.....	2	.....	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	24	3	1	.....	.....	.....	3	6	1	2	1	2	3	.....	1	.....	.....	1
146	Diseases of the bones (tuberculosis excepted)	22	2	1	.....	.....	.....	3	6	1	2	1	1	3	.....	1	.....	.....	1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	X.—Malformations	130	111	7	2	4	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	130	111	7	2	4	1	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	• Hydrocephalus	33	23	4	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	45	44	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	52	44	3	1	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	2,280	2,280	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	2,084	2,084	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,397	1,397	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	687	687	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	189	189	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	81	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	108	108	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	7	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	478	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	134	207	72	47	3
154	Senility	478	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15	134	207	72	47	3
	XIII.—External causes	1,196	101	70	48	58	36	79	179	213	150	78	64	51	32	22	3	3	9
	Suicide (total)	63	.....	.....	.....	.....	.....	.....	7	16	13	9	8	9	1	.....	.....	.....	.....
155	By poison	14	.....	.....	.....	.....	.....	.....	1	4	2	2	2	3	.....	.....	.....	.....	.....
156	By asphyxia	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
158	By drowning	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....
159	By firearms	39	.....	.....	.....	.....	.....	.....	5	9	10	6	3	6	.....	.....	.....	.....	.....
160	By cutting or piercing instruments	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	917	100	69	47	58	36	77	145	112	80	50	44	36	30	22	3	3	5
164	Poisoning by food	24	4	2	3	2	.....	1	3	4	2	1	1	.....	1	.....	.....	.....	.....
165	Other acute poisonings	42	6	8	9	4	2	6	2	1	2	.....	2	.....	.....	.....	.....	.....	.....
166	Conflagration	25	2	4	4	3	5	3	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	251	17	30	25	44	25	40	20	13	11	4	3	6	9	1	2	1	.....
168	Absorption of deleterious gases (conflagration excepted)	50	40	2	.....	.....	.....	.....	.....	3	2	2	.....	1	.....	.....	.....	.....	.....
169	Accidental drowning	92	3	7	2	1	.....	3	35	16	8	9	5	2	.....	.....	.....	.....	1
170	Traumatism by firearms	64	2	2	.....	1	2	9	20	16	7	3	1	1	.....	.....	.....	.....	.....
172	Traumatism by fall	89	8	3	2	.....	.....	6	8	6	8	4	6	7	10	18	1	2	.....
174	Traumatism by machines	27	.....	.....	.....	1	.....	1	3	7	8	4	1	2	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	144	1	4	1	.....	1	4	32	28	24	12	17	11	6	1	.....	.....	2
	Railroad accidents and injuries	81	.....	1	.....	.....	.....	1	16	21	15	9	7	6	2	1	.....	.....	2
	Street-car accidents and injuries	6	.....	1	1	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	Automobile accidents and injuries	27	.....	1	.....	.....	1	2	6	2	6	1	4	2	2	.....	.....	.....	.....
	Injuries by other vehicles	23	.....	1	.....	.....	.....	.....	6	3	3	1	5	2	2	.....	.....	.....	.....
	Landslide, other crushing	7	1	.....	.....	.....	.....	1	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....
176	Injuries by animals	6	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	1	.....	.....	.....
177	Starvation	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
179	Effects of heat	5	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	1	.....	.....	.....	.....	.....
180	Lightning	16	.....	.....	.....	.....	.....	2	7	1	1	2	1	.....	2	.....	.....	.....	.....
181	Electricity (lightning excepted)	5	.....	.....	.....	.....	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	4	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1	.....	.....	.....	.....
186	Other external violence	69	15	7	1	2	1	2	12	10	3	4	6	2	1	1	.....	.....	2
	Homicide (total)	216	1	1	1	.....	.....	2	27	85	57	19	12	6	1	.....	.....	.....	4
182	By firearms	169	.....	.....	.....	.....	.....	2	22	66	46	16	10	3	1	.....	.....	.....	3
183	By cutting or piercing instruments	11	.....	.....	.....	.....	.....	.....	3	5	2	1	.....	.....	.....	.....	.....	.....	.....
184	By other means	36	1	1	1	.....	.....	.....	2	14	9	2	2	3	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	1,074	302	113	30	18	13	36	49	70	60	52	75	95	88	43	14	2	14
187	Ill-defined organic disease	173	3	4	1	.....	3	6	3	16	14	8	17	33	36	21	5	1	2
188	Sudden death	33	5	.....	.....	.....	.....	.....	2	3	2	5	6	2	2	3	1	.....	2
189	Not specified or ill-defined (total)	868	294	109	29	18	10	30	44	51	44	39	52	60	50	19	8	1	10
	Ill-defined	694	204	105	26	16	7	29	33	39	38	29	44	54	41	17	6	1	5
	Not specified or unknown	174	90	4	3	2	3	1	11	12	6	10	8	6	9	2	2	.....	5

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (WHITE).																		
	All causes	8,247	1,800	573	222	109	72	197	345	560	605	591	698	994	914	464	59	10	34
	I.—General diseases	2,328	202	168	85	47	31	101	136	283	260	227	229	273	184	77	10	.....	15
1	Typhoid fever	212	7	6	5	3	3	21	42	54	24	21	13	9	1	.....	.....	.....	3
4	Malaria	123	12	8	6	2	2	14	18	12	13	10	8	6	8	3	.....	.....	1
6	Measles	37	10	7	5	2	1	3	2	2	2	1	.....	2	.....	.....	.....	.....	.....
7	Scarlet fever	30	4	2	7	4	4	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	75	41	20	5	2	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	89	16	15	16	15	7	17	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	177	19	9	1	4	.....	2	2	16	10	14	12	23	33	28	3	.....	1
13	Cholera nostras	7	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....
14	Dysentery	237	56	76	28	13	2	10	1	1	1	5	3	12	16	13	.....	.....	.....
18	Erysipelas	18	4	1	1	.....	.....	.....	2	2	1	1	1	3	.....	2	.....	.....	.....
19	Other epidemic diseases	3	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
20	Purulent infection and septicemia	18	1	.....	.....	.....	.....	1	2	2	4	1	3	4	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	10	4	.....	.....	.....	.....	1	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	271	3	4	.....	1	1	1	7	33	37	42	44	59	26	8	1	.....	4
	Tuberculosis (total)	515	6	5	6	1	4	9	43	136	118	71	44	34	30	4	.....	.....	4
28	Tuberculosis of the lungs	457	3	2	3	1	1	5	39	122	110	64	40	32	29	3	.....	.....	3
29	Acute miliary tuberculosis	12	.....	.....	.....	.....	.....	.....	2	5	1	1	1	1	.....	1	.....	.....	.....
30	Tuberculous meningitis	17	3	3	3	.....	2	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	22	.....	.....	.....	.....	1	1	.....	5	4	6	3	1	1	.....	.....	.....	.....
32	Pott's disease	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	1
34	Tuberculosis of other organs	3	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
36	Rickets	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	27	5	2	.....	.....	1	.....	1	2	6	5	5	.....	.....	.....	.....	.....	.....
38	Gonococcus infection	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	314	.....	3	.....	.....	.....	.....	2	9	20	40	72	94	55	15	4	.....	.....
39	Of the buccal cavity	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	2	2	.....	.....	.....
40	Of the stomach, liver	88	.....	1	.....	.....	.....	.....	1	3	4	9	18	38	10	4	.....	.....	.....
41	Of the peritoneum, intestines, rectum	27	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	10	6	2	.....	.....	.....
42	Of the female genital organs	82	.....	.....	.....	.....	.....	.....	.....	.....	7	21	22	22	9	.....	1	.....	.....
43	Of the breast	28	.....	.....	.....	.....	.....	.....	.....	1	3	3	7	4	9	1	.....	.....	.....
44	Of the skin	27	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	4	10	4	1	.....	.....
45	Of other organs or of organs not specified	52	.....	2	.....	.....	.....	.....	1	4	3	3	12	14	9	2	2	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	5	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	27	1	1	.....	.....	1	1	1	2	6	2	4	4	2	2	.....	.....	.....
48	Chronic rheumatism and gout	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....
49	Scurvy	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	54	.....	1	2	.....	.....	5	2	3	5	6	10	11	8	.....	.....	.....	1
51	Exophthalmic goiter	5	.....	.....	.....	.....	.....	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....
52	Addison's disease	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	10	.....	.....	.....	.....	.....	1	.....	4	.....	3	1	.....	1	.....	.....	.....	.....
54	Anemia, chlorosis	15	3	1	1	.....	.....	1	1	.....	3	.....	3	2	.....	.....	.....	.....	.....
55	Other general diseases	24	5	6	2	.....	.....	2	1	1	2	.....	1	1	2	.....	.....	.....	1
56	Alcoholism (acute or chronic)	8	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	2	.....	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
59	Other chronic poisonings	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	771	65	18	8	4	4	10	10	19	34	72	122	181	156	62	4	.....	2
60	Encephalitis	5	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....
61	Meningitis (total)	37	18	4	4	1	1	3	4	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
	Simple meningitis	24	14	2	3	1	1	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	4	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	9	2	2	1	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	53	3	5	1	1	1	2	.....	2	4	4	6	8	14	2	.....	.....	.....
	Acute anterior poliomyelitis	15	3	5	1	1	1	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	38	.....	.....	.....	.....	.....	.....	.....	1	3	4	6	8	14	2	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	429	6	3	.....	1	.....	1	2	4	19	46	87	127	90	39	2	.....	2
65	Softening of the brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	.....
66	Paralysis without specified cause	136	1	.....	.....	.....	.....	.....	.....	2	2	10	21	39	43	17	1	.....	.....
67	General paralysis of the insane	15	.....	.....	.....	.....	.....	.....	.....	.....	3	4	1	3	4	.....	.....	.....	.....
68	Other forms of mental alienation	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	1	.....	.....	.....
69	Epilepsy	25	2	1	.....	1	.....	.....	2	6	5	4	2	.....	2	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	40	33	5	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	9	.....	.....	.....	.....	1	2	.....	1	.....	1	2	1	1	.....	.....	.....	.....
76	Diseases of the ears	6	.....	.....	2	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (WHITE)—Continued.																	
	III.—Diseases of the circulatory system	766	15	1	2	3	3	6	18	21	35	60	113	186	204	85	12		2
77	Pericarditis	8									2			1	2	1	1		1
78	Acute endocarditis	32					2	2	4	2	2	4	14	1	1				
79	Organic diseases of the heart	573	10		2	2	1	3	12	18	25	51	83	144	155	59	7		1
80	Angina pectoris	38	1							1	1		8	15	8	4			
81	Diseases of the arteries, atheroma, aneurism, etc.	88									2	2	4	23	34	19	4		
82	Embolism and thrombosis	11						1	1		1	2	1	2	2	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	3	1		1					1					1			
85	Hemorrhage; other diseases of the circulatory system	8	1						1		1	1	3		1				
	IV.—Diseases of the respiratory system	750	168	67	42	16	8	20	40	41	47	55	41	64	82	49	6	1	3
86	Diseases of the nasal fossae	8	7	1															
87	Diseases of the larynx	4		1		1					1	1							
88	Diseases of the thyroid body	2												2					
89	Acute bronchitis	38	27	5					1					1	2	2			
90	Chronic bronchitis	18	1								1		1	3	5	6			1
91	Bronchopneumonia	147	62	23	12	4	2		2	4	2	7	2	10	8	7		1	1
92	Pneumonia (total)	479	61	35	28	11	6	18	35	33	42	40	34	41	58	31	5		1
	Lobar pneumonia	262	29	15	8	4	3	12	21	20	25	25	15	29	35	17	3		1
	Pneumonia (undefined)	217	32	20	20	7	3	6	14	13	17	15	19	12	23	14	2		
93	Pleurisy	14	1						2	2	1	1	3	2	2				
94	Pulmonary congestion, pulmonary apoplexy	17	3	2	2							1	1	1	1	1			
96	Asthma	14						1				2		3	6	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	9	1					1		2		3		1			1		
	V.—Diseases of the digestive system	1,007	344	261	65	17	10	22	31	28	36	39	44	49	38	19	1	2	1
99	Diseases of the mouth and annexa	8	3	4			1												
100	Diseases of the pharynx	12			2	2		3	1			2			2				
102	Ulcer of the stomach	13								2	3	4	1	2	1				
103	Other diseases of the stomach (cancer excepted)	119	38	11	8	1	1	5	3	4	5	6	9	12	12	4			
104	Diarrhea and enteritis (under 2 years)	533	291	242															
105	Diarrhea and enteritis (2 years and over)	116			47	13	3	4	4	2	7	4	4	8	9	9	1	1	
106	Ankylostomiasis	2					1	1											
107	Intestinal parasites	2		1	1														
108	Appendicitis and typhlitis	56					1	3	14	10	9	7	9	3					
109	Hernia, intestinal obstruction (total)	53	10	3	5	1	3	1	6	3	3	4	5	4	4	1			
	Hernia	16	4				1		1		1	1	1	3	3	1			
	Intestinal obstruction	37	6	3	5	1	2	1	5	3	2	3	4	1	1				
110	Other diseases of the intestines	10						3	1	1			2	1		1			1
111	Acute yellow atrophy of the liver	4								2				1	1				
113	Cirrhosis of the liver	21								2	1	2	8	5	3				
114	Biliary calculi	12							1		1	2	1	5	2				
115	Other diseases of the liver	32	1		2					1	5	6	3	6	3	4		1	
117	Simple peritonitis (nonpuerperal)	12	1					2	1		2	1	2	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								1		1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	684	12	9	6	6	3	5	17	31	54	63	89	169	150	61	3	2	4
119	Acute nephritis	42	3	3	1	1	1	1	3	6	7	7	3	3	3				
120	Bright's disease	578	6	4	4	5	2	4	11	19	40	51	80	148	134	61	3	2	4
122	Other diseases of the kidneys and annexa	30	3	2	1				3		1	2	4	10	4				
123	Calculi of the urinary passages	3										1		2					
124	Diseases of the bladder	5												1	4				
125	Diseases of the urethra, urinary abscess, etc.	1											1						
126	Diseases of the prostate	10												5	5				
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	2									2								
130	Other diseases of the uterus	4								3	1								
131	Cysts and other tumors of the ovary	1											1						
132	Salpingitis and other diseases of the female genital organs	7								2	3	2							
	VII.—The puerperal state	183							24	67	68	21							3
134	Accidents of pregnancy	12								3	9								
135	Puerperal hemorrhage	16								5	7	3							1
136	Other accidents of labor	32							6	9	12	4							1
137	Puerperal septicemia	38							3	18	16	1							
138	Puerperal albuminuria and convulsions	77							15	27	21	13							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8								5	3								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	22	8	1	1		1		1	1			4	1		3	1		
142	Gangrene	7	1	1	1		1									3			
143	Furuncle	1											1						
144	Acute abscess	3								1			1	1					
145	Other diseases of the skin and annexa	11	7						1				2				1		
	IX.—Diseases of the bones and of the organs of locomotion	10		1				2	3		1		2	1					
146	Diseases of the bones (tuberculosis excepted)	9		1				2	3		1		1	1					
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	78	73	2	1	1					1								
150	Congenital malformations (stillbirths not included) (total)	78	73	2	1	1					1								
	Hydrocephalus	6	5	1															
	Congenital malformations of the heart	36	35								1								
	Other congenital malformations	36	33	1	1	1													
	XI.—Early infancy	815	815																
151	Congenital debility, icterus, and sclerema (total)	719	719																
	Premature birth	527	527																
	Congenital debility, "atrophy," "marasmus," etc	192	192																
152	Other causes peculiar to early infancy (total)	95	95																
	Injuries at birth	45	45																
	Other causes peculiar to early infancy[1]	50	50																
153	Lack of care	1	1																
	XII.—Old age	148												6	51	73	15	3	
154	Senility	148												6	51	73	15	3	
	XIII.—External causes	445	35	28	10	14	12	26	56	57	62	35	37	30	20	19	1	1	2
	Suicide (total)	47							5	12	11	7	5	6	1				
155	By poison	14							1	4	2	2	2	3					
156	By asphyxia	1								1									
157	By hanging or strangulation	1										1							
158	By drowning	1								1									
159	By firearms	29							4	6	9	4	3	3					
160	By cutting or piercing instruments	1													1				
	Accidental or undefined (total)	353	35	28	10	14	12	25	48	36	34	23	25	23	18	19	1	1	1
164	Poisoning by food	15	4	2	2	2		1	2	1		1							
165	Other acute poisonings	11	1	4		1		2		1	1		1						
166	Conflagration	4		2						1				1					
167	Burns (conflagration excepted)	76	5	8	6	10	12	13	1	6	3	1	2	4	4	1			
168	Absorption of deleterious gases (conflagration excepted)	18	16							2									
169	Accidental drowning	28	1	3	1	1			9	2	3	4	3	1					
170	Traumatism by firearms	25	1	1				5	10	4	3	1							
172	Traumatism by fall	55		1				1	4	3	6	3	5	5	8	17	1	1	
174	Traumatism by machines	13							2	3	5	2		1					
175	Traumatism by other crushing (total)	69	1	2	1			2	13	11	9	8	9	8	4				1
	Railroad accidents and injuries	29						1	5	6	4	6	3	3					1
	Street-car accidents and injuries	4			1				1			1		1					
	Automobile accidents and injuries	21		1				1	5	2	4	1	3	2	2				
	Injuries by other vehicles	12		1					2	2	1		2	2	2				
	Landslide, other crushing	3	1							1			1						
176	Injuries by animals	4										1	1	1		1			
177	Starvation	2	2																
178	Excessive cold	1										1							
179	Effects of heat	1												1					
180	Lightning	5							1		1	1	1		1				
181	Electricity (lightning excepted)	3							1	1	1								
185	Fractures (cause not specified)	3								1	1				1				
186	Other external violence	20	4	5				1	5		1		3	1					
	Homicide (total)	45						1	3	9	17	5	7	1	1				1
182	By firearms	34						1	3	6	13	3	6		1				1
183	By cutting or piercing instruments	4								2	1	1							
184	By other means	7								1	3	1	1	1					
	XIV.—Ill-defined diseases	240	63	17	2	1		5	9	12	7	19	17	34	29	16	6	1	2
187	Ill-defined organic disease	34		1				1	1			2	3	8	9	6	2	1	
188	Sudden death	13	2									4	2		2	2	1		
189	Not specified or ill-defined (total)	193	61	16	2	1		4	8	12	7	13	12	26	18	8	3		2
	Ill-defined	149	36	16	1	1		4	6	11	7	10	10	24	13	6	3		1
	Not specified or unknown	44	25		1				2	1		3	2	2	5	2			1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (COLORED).																		
	All causes	14,255	3,452	822	351	217	144	412	1,034	1,796	1,432	1,177	998	959	763	426	129	60	83
	I.—General diseases	4,729	561	264	124	82	52	200	542	962	671	475	321	233	138	63	15	3	23
1	Typhoid fever	343	3	6	12	5	4	39	106	78	39	22	14	8	3	1	2	.....	1
4	Malaria	511	88	43	27	32	19	55	47	55	28	38	27	26	14	8	2	1	1
5	Smallpox	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....
6	Measles	38	8	6	4	5	1	7	4	2	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	9	.....	4	1	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	204	105	54	21	8	2	10	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
9	Diphtheria and croup	49	21	10	6	2	1	8	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
10	Influenza	256	69	17	6	3	1	5	18	23	15	19	17	11	25	17	8	1	1
13	Cholera nostras	5	.....	.....	1	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....
14	Dysentery	314	116	81	17	6	9	16	7	7	5	10	7	11	13	6	.....	.....	3
17	Leprosy	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	4	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
19	Other epidemic diseases	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	25	1	1	.....	1	.....	1	1	10	1	1	.....	5	1	1	.....	.....	1
23	Rabies	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	38	30	.....	.....	.....	1	2	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	458	1	3	2	.....	3	15	28	103	90	62	65	52	21	12	.....	.....	1
	Tuberculosis (total)	1,857	26	23	19	13	5	30	302	612	404	227	114	46	23	3	.....	.....	10
28	Tuberculosis of the lungs	1,677	19	18	11	9	5	21	269	569	371	209	105	40	20	3	.....	.....	8
29	Acute miliary tuberculosis	73	2	.....	1	1	.....	4	15	20	17	5	6	2	.....	.....	.....	.....	.....
30	Tuberculous meningitis	22	2	2	2	.....	.....	4	3	4	3	2	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	51	1	1	4	1	.....	.....	9	10	9	9	2	3	1	.....	.....	.....	1
32	Pott's disease	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....
33	White swellings	5	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	20	1	2	1	2	.....	.....	5	5	3	.....	.....	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	6	1	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	1
36	Rickets	17	10	2	3	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	199	65	9	1	2	2	1	7	38	28	24	8	11	2	1	.....	.....	.....
38	Gonococcus infection	11	1	.....	.....	.....	.....	.....	.....	4	2	3	1	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	248	.....	1	1	1	.....	3	5	14	41	49	48	49	24	7	2	.....	3
39	Of the buccal cavity	6	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	2	2	.....	.....	.....	.....
40	Of the stomach, liver	59	.....	1	.....	.....	.....	1	2	3	7	7	15	11	9	2	.....	.....	1
41	Of the peritoneum, intestines, rectum	15	.....	.....	.....	.....	.....	.....	1	1	3	2	2	5	1	.....	.....	.....	.....
42	Of the female genital organs	105	.....	.....	.....	.....	.....	.....	.....	7	25	29	16	19	6	.....	1	.....	2
43	Of the breast	25	.....	.....	.....	.....	.....	.....	.....	.....	4	5	8	3	4	1	.....	.....	.....
44	Of the skin	7	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	2	.....	.....	1	.....	.....
45	Of other organs or of organs not specified	31	.....	.....	1	1	.....	1	.....	1	2	6	6	7	2	4	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	2	.....	.....	.....	.....
47	Acute articular rheumatism	45	1	.....	.....	.....	1	3	4	4	5	1	11	7	5	2	1	.....	.....
48	Chronic rheumatism and gout	10	.....	.....	1	.....	.....	.....	.....	1	1	1	.....	1	2	1	.....	1	1
49	Scurvy	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	20	.....	.....	.....	1	.....	.....	3	2	1	4	4	4	1	.....	.....	.....	.....
51	Exophthalmic goiter	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
53	Leukemia	5	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	1	.....	.....	.....	.....
54	Anemia, chlorosis	11	1	1	.....	.....	1	.....	1	.....	3	3	.....	.....	.....	1	.....	.....	.....
55	Other general diseases	21	14	2	1	.....	1	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	12	.....	.....	.....	.....	.....	.....	1	3	3	5	.....	.....	.....	.....	.....	.....	.....
57	Chronic lead poisoning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	960	147	25	16	9	2	17	29	43	73	125	141	146	131	42	8	.....	6
60	Encephalitis	6	2	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	25	4	4	4	4	.....	.....	7	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Simple meningitis	15	1	3	2	2	.....	.....	5	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	4	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	6	2	1	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	38	3	3	2	2	.....	6	1	3	.....	.....	6	5	6	1	.....	.....	.....
	Acute anterior poliomyelitis	15	3	2	2	1	.....	5	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	23	.....	1	.....	1	.....	1	1	2	.....	.....	6	4	6	1	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	421	5	3	.....	.....	.....	1	7	11	41	89	95	78	62	18	6	.....	5
65	Softening of the brain	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....
66	Paralysis without specified cause	206	2	.....	1	.....	.....	2	1	8	11	22	30	48	57	22	2	.....	.....
67	General paralysis of the insane	22	.....	.....	.....	.....	.....	.....	.....	1	4	6	3	6	2	.....	.....	.....	.....
68	Other forms of mental alienation	13	.....	.....	.....	.....	.....	.....	1	3	4	1	.....	3	1	.....	.....	.....	.....
69	Epilepsy	37	4	.....	1	.....	1	3	5	8	6	5	3	.....	1	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	13	.....	.....	.....	.....	.....	4	3	3	1	1	.....	.....	.....	.....	.....	.....	1
71	Convulsions of infants	147	122	15	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....
74	Other diseases of the nervous system	14	3	.....	.....	.....	.....	.....	1	3	3	1	.....	2	1	.....	.....	.....	.....
75	Diseases of the eyes and their annexa	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
76	Diseases of the ears	6	2	.....	2	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SOUTH CAROLINA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	989	6	4	2	2	3	8	20	91	133	148	164	188	130	58	19	3	10
77	Pericarditis	12			1			1			1	3	1	3		1	1		
78	Acute endocarditis	41	1	1				1		7	9	11	9	1		1			
79	Organic diseases of the heart	800	5	2	1	2	3	6	19	73	111	114	130	154	107	48	13	3	9
80	Angina pectoris	12								2	3	2	4	1					
81	Diseases of the arteries, atheroma, aneurism, etc	96								3	4	16	16	21	23	7	5		1
82	Embolism and thrombosis	11								5	2	2	1	1					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4									1		2	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	1								1									
85	Hemorrhage; other diseases of the circulatory system	12		1					1		2		1	6		1			
	IV.—Diseases of the respiratory system	1,293	365	106	58	28	25	44	106	168	114	63	66	63	48	22	7	3	7
86	Diseases of the nasal fossae	67	45	5	3		1	3	2	1	1	2		3	1				
87	Diseases of the larynx	5	2		1			1	1										
88	Diseases of the thyroid body	2									1			1					
89	Acute bronchitis	40	22	3	1	3	1		1		2		2	1	2		2		
90	Chronic bronchitis	17	1	1				2		2	3	1		1	3	3			
91	Bronchopneumonia	187	89	28	12	6	7	4	8	7	3	3	7	4	4	1	1	2	1
92	Pneumonia (total)	894	198	67	37	18	16	32	90	147	90	52	50	45	30	13	3	1	5
	Lobar pneumonia	350	44	22	13	1	6	9	44	77	38	25	25	21	15	7	2		1
	Pneumonia (undefined)	544	154	45	24	17	10	23	46	70	52	27	25	24	15	6	1	1	4
93	Pleurisy	21	1	1	1				3	3	5	2	3	1					1
94	Pulmonary congestion, pulmonary apoplexy	9	4		1					1		1				2			
95	Gangrene of the lung	1									1								
96	Asthma	25	1	1		1				4	2	1	1	5	5	3	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	25	2		2			2	1	3	6	1	3	2	3				
	V.—Diseases of the digestive system	1,369	542	258	71	29	19	39	65	65	75	74	45	40	28	12	1	1	5
99	Diseases of the mouth and annexa	42	33	2	1			1	1	2		2							
100	Diseases of the pharynx	23	2	1		1		4	3	5	2	1	2	2					
101	Diseases of the esophagus	3					2		1										
102	Ulcer of the stomach	22								2	5	7	5	2	1				
103	Other diseases of the stomach (cancer excepted)	240	73	32	9	6	1	7	10	11	18	22	16	16	10	6	1		2
104	Diarrhea and enteritis (under 2 years)	635	418	217															
105	Diarrhea and enteritis (2 years and over)	148			55	19	7	12	12	5	8	8	4	9	5	3		1	
106	Ankylostomiasis	2			1			1											
107	Intestinal parasites	16		2	5		3	6											
108	Appendicitis and typhlitis	64				1	3	3	22	11	9	6	4	2	1				2
109	Hernia, intestinal obstruction (total)	64	13	3			2	3	6	9	12	6	2	2	4	2			
	Hernia	22	7						1	1	4	3	1	2	2	1			
	Intestinal obstruction	42	6	3			2	3	5	8	8	3	1		2	1			
110	Other diseases of the intestines	18	3						3	3	4	1	1	1	1				1
111	Acute yellow atrophy of the liver	1									1								
113	Cirrhosis of the liver	29				1			2	5	4	7	3	3	3	1			
114	Biliary calculi	9						1			1	4	2	1					
115	Other diseases of the liver	30				1	1	1	4	5	4	5	5	1	3				
116	Diseases of the spleen	5		1							2	1		1					
117	Simple peritonitis (nonpuerperal)	17							1	7	5	3	1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1										1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,115	13	20	13	3	5	15	43	109	131	190	170	195	130	58	12	3	5
119	Acute nephritis	113	4	8	9	2	3	4	10	19	11	19	12	7	3		1		1
120	Bright's disease	835	4	11	3	1	1	9	22	68	90	155	135	154	116	50	10	3	3
121	Chyluria	1												1					
122	Other diseases of the kidneys and annexa	61	4	1	1		1	1	5	12	8	5	7	9	6	1			
123	Calculi of the urinary passages	3										1	1				1		
124	Diseases of the bladder	23						1		1	3	2	3	7	3	2			1
125	Diseases of the urethra, urinary abscess, etc	6								1		1	2	1		1			
126	Diseases of the prostate	22									1		3	13	2	3			
128	Uterine hemorrhage (nonpuerperal)	2							1		1								
129	Uterine tumor (noncancerous)	10									2	3	2	2		1			
130	Other diseases of the uterus	25							4	6	10	2	3						
131	Cysts and other tumors of the ovary	3											2	1					
132	Salpingitis and other diseases of the female genital organs	10							1	2	5	2							
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	316							61	140	91	19	1						4
134	Accidents of pregnancy	22							3	12	6		1						
135	Puerperal hemorrhage	24							2	8	10	4							
136	Other accidents of labor	87							14	40	27	5							1
137	Puerperal septicemia	101							20	44	32	3							2
138	Puerperal albuminuria and convulsions	78							22	34	14	7							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								2	2								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years	90 to 99 years.	100 years and over.	
		SOUTH CAROLINA (COLORED)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	38	7	2	.....	.....	.....	1	1	3	2	6	5	1	4	6	.....	.....	.....
142	Gangrene	13	.....	.....	.....	.....	.....	.....	.....	1	1	2	1	1	2	5	.....	.....	.....
143	Furuncle	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
144	Acute abscess	12	2	1	.....	.....	.....	.....	1	1	.....	3	3	.....	.....	1	.....	.....	.....
145	Other diseases of the skin and annexa	11	4	.....	.....	.....	.....	1	.....	1	1	1	1	.....	2	.....	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	14	3	.....	.....	.....	.....	1	3	1	1	1	.....	2	.....	1	.....	.....	1
146	Diseases of the bones (tuberculosis excepted)	13	2	.....	.....	.....	.....	1	3	1	1	1	.....	2	.....	1	.....	.....	1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	52	38	5	1	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	52	38	5	1	3	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	27	18	3	1	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	9	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	16	11	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,465	1,465	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,365	1,365	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	870	870	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	495	495	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	94	94	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	36	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[1]	58	58	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	330	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	83	134	57	44	3
154	Senility	330	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	83	134	57	44	3
	XIII.—External causes	751	66	42	38	44	24	53	123	156	88	43	27	21	12	3	2	2	7
	Suicide (total)	16	.....	.....	.....	.....	.....	.....	2	4	2	2	3	3	.....	.....	.....	.....	.....
157	By hanging or strangulation	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
158	By drowning	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....
159	By firearms	10	.....	.....	.....	.....	.....	.....	1	3	1	2	.....	3	.....	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	564	65	41	37	44	24	52	97	76	46	27	19	13	12	3	2	2	4
164	Poisoning by food	9	.....	.....	1	.....	.....	.....	1	3	2	.....	1	.....	1	.....	.....	.....	.....
165	Other acute poisonings	31	5	4	9	3	2	4	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....
166	Conflagration	21	2	2	4	3	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	175	12	22	19	34	13	27	19	7	8	3	1	2	5	.....	2	1	.....
168	Absorption of deleterious gases (conflagration excepted)	32	24	2	.....	.....	.....	.....	.....	1	2	2	.....	1	.....	.....	.....	.....	.....
169	Accidental drowning	64	2	4	1	.....	.....	3	26	14	5	5	2	1	.....	.....	.....	.....	1
170	Traumatism by firearms	39	1	1	.....	1	2	4	10	12	4	2	1	1	.....	.....	.....	.....	.....
172	Traumatism by fall	34	8	2	2	.....	.....	5	4	3	2	1	1	2	2	1	.....	1	.....
174	Traumatism by machines	14	.....	.....	.....	1	.....	1	1	4	3	2	1	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	75	.....	2	.....	.....	1	2	19	17	15	4	8	3	2	1	.....	.....	1
	Railroad accidents and injuries	52	.....	1	.....	.....	.....	.....	11	15	11	3	4	3	2	1	.....	.....	1
	Street-car accidents and injuries	2	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	6	.....	.....	.....	.....	1	1	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....
	Injuries by other vehicles	11	.....	.....	.....	.....	.....	.....	4	1	2	1	3	.....	.....	.....	.....	.....	.....
	Landslide, other crushing	4	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
179	Effects of heat	4	.....	.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....
180	Lightning	11	.....	.....	.....	.....	.....	2	6	1	.....	1	.....	.....	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
186	Other external violence	49	11	2	1	2	1	1	7	10	2	4	3	1	1	1	.....	.....	2
	Homicide (total)	171	1	1	1	.....	.....	1	24	76	40	14	5	5	.....	.....	.....	.....	3
182	By firearms	135	.....	.....	.....	.....	.....	1	19	60	33	13	4	3	.....	.....	.....	.....	2
183	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....
184	By other means	29	1	1	1	.....	.....	.....	2	13	6	1	1	2	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	834	239	96	28	17	13	31	40	58	53	33	58	61	59	27	8	1	12
187	Ill-defined organic disease	139	3	3	1	.....	3	5	2	16	14	6	14	25	27	15	3	.....	2
188	Sudden death	20	3	.....	.....	.....	.....	.....	2	3	2	1	4	2	.....	1	.....	.....	2
189	Not specified or ill-defined (total)	675	233	93	27	17	10	26	36	39	37	26	40	34	32	11	5	1	8
	Ill-defined	545	168	89	25	15	7	25	27	28	31	19	34	30	28	11	3	1	4
	Not specified or unknown	130	65	4	2	2	3	1	9	11	6	7	6	4	4	.....	2	.....	4

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH.																		
	All causes	4,511	913	128	63	51	37	139	230	346	393	390	456	478	506	331	49	1	
	I.—General diseases	971	92	22	23	21	18	52	58	82	103	112	139	129	82	35	3		
1	Typhoid fever	45			1		1	4	8	11	5	10	5						
4	Malaria	1									1								
6	Measles	37	7	11	5	3	2	4	2	3									
7	Scarlet fever	25	2	1	3	4	2	8	5										
8	Whooping cough	32	28	1	2									1					
9	Diphtheria and croup	63	2	4	7	7	10	21	9	1	1		1						
10	Influenza	66	17	1	1	1		1	2	2	2	4	4	7	11	12	1		
14	Dysentery	7	3												2	2			
18	Erysipelas	24	10		1	2			2	1			1	2	2	3			
20	Purulent infection and septicemia	6	2								1	1				2			
24	Tetanus	2							2										
27	Beriberi	1	1																
	Tuberculosis (total)	214	5	3	1		2	4	8	42	53	38	26	20	9	2	1		
28	Tuberculosis of the lungs	167						1	3	36	43	35	24	15	8	1	1		
29	Acute miliary tuberculosis	7							1		2	1	1	2					
30	Tuberculous meningitis	13	4	1	1		2	2	2	1									
31	Abdominal tuberculosis	12	1	1						3	4	1	1	1					
32	Pott's disease	10		1					2	2	1	1		1	1	1			
33	White swellings	1									1								
34	Tuberculosis of other organs	4						1			2			1					
37	Syphilis	29	2								2	8	5	3					
38	Gonococcus infection	1	1																
	Cancer and other malignant tumors (total)	246	1		1	2		1	3	5	14	33	67	67	43	8	1		
39	Of the buccal cavity	11									1		4	3	2	1			
40	Of the stomach, liver	109	1							1	3	13	31	34	23	3			
41	Of the peritoneum, intestines, rectum	34								2	3	3	6	11	7	2			
42	Of the female genital organs	25									3	6	11	4	1				
43	Of the breast	18									2	7	5	3	1				
44	Of the skin	6			1								2		2	1			
45	Of other organs or of organs not specified	43				2		1	3	2	2	4	8	12	7	1	1		
46	Other tumors (tumors of the female genital organs excepted)	1												1					
47	Acute articular rheumatism	24					1	5	5	5	3	2		1	2				
48	Chronic rheumatism and gout	6								1			1	1	1	2			
50	Diabetes	68		1	1	2		4	6	3	5	3	16	16	9	2			
51	Exophthalmic goiter	13							3	2		4	2	2					
52	Addison's disease	2								1	1								
53	Leukemia	7	1							3	1	1		1					
54	Anemia, chlorosis	21							3		3	3	6	4	1	1			
55	Other general diseases	13	10								1			1		1			
56	Alcoholism (acute or chronic)	22								1	9	5	4	1	2				
57	Chronic lead poisoning	2								1				1					
59	Other chronic poisonings	2									1		1						
	II.—Diseases of the nervous system and of the organs of special sense	324	28	7	6	1	2	4	8	8	15	32	31	61	75	40	6		
60	Encephalitis	2										1	1						
61	Meningitis (total)	24	8	4	2	1	1	2	1	1	2	1	1						
	Simple meningitis	11	5	1	1	1			1			1	1						
	Cerebrospinal meningitis (undefined)	2	1					1											
	Cerebrospinal fever	11	2	3	1		1	1		1	2								
62	Locomotor ataxia	2									1				1				
63	Other diseases of the spinal cord (total)	21	3		1				1		1	4	2	6	3				
	Acute anterior poliomyelitis	3	1		1				1										
	Other diseases of the spinal cord [1]	18	2								1	4	2	6	3				
64	Cerebral hemorrhage, apoplexy	200	1	1					1		5	15	20	51	64	37	5		
65	Softening of the brain	1												1					
66	Paralysis without specified cause	8					1			1			2	1		2	1		
67	General paralysis of the insane	9								1		2	2	1	3				
68	Other forms of mental alienation	7								2	1	2	1		1				
69	Epilepsy	12		1					1	2	4	1	2			1			
70	Convulsions (nonpuerperal)	1						1											
71	Convulsions of infants	11	9		2														
72	Chorea	1													1				
74	Other diseases of the nervous system	13	2					1	2		1	5		1	1				
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	11	5	1	1				2	1		1							

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH—Continued.																		
	III.—Diseases of the circulatory system	542	4	1	.....	2	3	27	51	37	42	51	64	77	105	68	10	.....	.....
77	Pericarditis	6	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	1	.....	.....	.....	.....
78	Acute endocarditis	33	2	1	.....	1	.....	2	6	2	3	4	7	.....	1	4	.....	.....	.....
79	Organic diseases of the heart	421	1	.....	.....	1	3	25	44	33	37	40	46	63	76	46	6	.....	.....
80	Angina pectoris	25	.....	.....	.....	.....	.....	.....	1	.....	1	3	8	5	6	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	40	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	5	15	13	4	.....	.....
82	Embolism and thrombosis	12	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	5	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
85	Hemorrhage: other diseases of the circulatory system	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....
	IV.—Diseases of the respiratory system	558	136	30	13	8	5	8	20	38	34	39	51	56	69	46	5	.....	.....
87	Diseases of the larynx	5	.....	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....
89	Acute bronchitis	28	12	3	.....	1	.....	.....	.....	.....	1	.....	1	.....	4	6	.....	.....	.....
90	Chronic bronchitis	23	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	5	12	.....	.....	.....
91	Bronchopneumonia	175	84	12	7	3	2	4	2	7	1	3	4	8	22	14	2	.....	.....
92	Pneumonia (total)	302	40	12	6	3	1	3	17	31	27	34	39	41	34	11	3	.....	.....
	Lobar pneumonia	276	28	10	6	3	1	3	16	31	27	31	37	39	32	9	3	.....	.....
	Pneumonia (undefined)	26	12	2	.....	.....	.....	.....	1	.....	.....	3	2	2	2	2	.....	.....	.....
93	Pleurisy	6	.....	1	.....	.....	1	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
96	Asthma	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	7	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	.....	1	.....	.....	.....	.....
	V.—Diseases of the digestive system	450	101	38	14	6	5	21	28	23	41	42	41	30	32	22	6	.....	.....
99	Diseases of the mouth and annexa	5	3	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	18	2	5	.....	.....	.....	3	2	.....	2	3	1	.....	.....	.....	.....	.....	.....
101	Diseases of the esophagus	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
102	Ulcer of the stomach	35	.....	.....	.....	.....	.....	.....	1	4	7	8	7	5	1	.....	2	.....	.....
103	Other diseases of the stomach (cancer excepted)	27	5	.....	.....	.....	.....	1	.....	.....	.....	.....	2	4	8	6	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	113	82	31	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	47	.....	.....	12	3	.....	2	.....	.....	4	3	6	4	3	8	2	.....	.....
108	Appendicitis and typhlitis	83	1	.....	.....	1	3	12	24	12	11	10	4	2	3	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	35	7	2	.....	.....	1	1	.....	.....	4	4	4	3	5	3	1	.....	.....
	Hernia	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	1	2	.....	.....	.....
	Intestinal obstruction	27	6	2	.....	.....	1	1	.....	.....	4	3	2	2	4	1	1	.....	.....
110	Other diseases of the intestines	11	1	.....	.....	.....	1	.....	.....	1	2	3	1	.....	.....	2	.....	.....	.....
111	Acute yellow atrophy of the liver	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	30	.....	.....	.....	.....	.....	.....	.....	.....	5	7	6	6	5	1	.....	.....	.....
114	Biliary calculi	14	.....	.....	.....	.....	.....	.....	.....	1	.....	3	3	4	1	2	.....	.....	.....
115	Other diseases of the liver	17	.....	.....	.....	.....	.....	.....	.....	3	3	.....	5	2	4	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	4	.....	.....	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	368	4	3	.....	1	2	6	6	19	39	34	60	75	78	34	7	.....	.....
119	Acute nephritis	21	1	.....	.....	.....	.....	1	1	3	2	1	6	6	.....	.....	.....	.....	.....
120	Bright's disease	285	1	3	.....	1	2	5	4	10	28	29	45	61	65	26	5	.....	.....
122	Other diseases of the kidneys and annexa	10	1	.....	.....	.....	.....	.....	1	.....	3	1	2	1	.....	1	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
124	Diseases of the bladder	8	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....
126	Diseases of the prostate	22	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3	10	5	1	.....	.....
129	Uterine tumor (noncancerous)	5	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	4	.....	.....	.....	.....	.....	.....
130	Other diseases of the uterus	4	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	.....	.....	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1.	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	9	.....	.....	.....	.....	.....	.....	.....	4	4	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	66	.....	.....	.....	.....	.....	.....	2	37	22	5	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	8	.....	.....	.....	.....	.....	.....	1	6	1	.....	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	14	.....	.....	.....	.....	.....	.....	.....	6	7	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	18	.....	.....	.....	.....	.....	.....	1	9	7	1	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	18	.....	.....	.....	.....	.....	.....	.....	10	5	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	UTAH—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	11	3	1				1	2		1		1		1	1			
142	Gangrene	2							1						1				
143	Furuncle	1									1								
144	Acute abscess	2						1					1						
145	Other diseases of the skin and annexa	6	3	1					1							1			
	IX.—Diseases of the bones and of the organs of locomotion	15	1					1	3	4	3	2			1				
146	Diseases of the bones (tuberculosis excepted)	11						1	3	4	2	1							
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	1																
149	Other diseases of the organs of locomotion	3									1	1			1				
	X.—Malformations	95	88	4	1				1	1									
150	Congenital malformations (stillbirths not included) (total)	95	88	4	1				1	1									
	Hydrocephalus	7	5	1	1														
	Congenital malformations of the heart	55	51	2					1	1									
	Other congenital malformations	33	32	1															
	XI.—Early infancy	410	410																
151	Congenital debility, icterus, and sclerema (total)	334	334																
	Premature birth	294	294																
	Congenital debility, "atrophy," "marasmus," etc.	40	40																
152	Other causes peculiar to early infancy (total)	74	74																
	Injuries at birth	36	36																
	Other causes peculiar to early infancy [1]	38	38																
153	Lack of care	2	2																
	XII.—Old age	87												3	20	54	9	1	
154	Senility	87												3	20	54	9	1	
	XIII.—External causes	462	9	20	6	12	2	17	45	95	86	58	49	27	17	18	1		
	Suicide (total)	56							1	14	18	6	9	5	2	1			
155	By poison	14								4	6	1	2	1					
157	By hanging or strangulation	3								1	2								
158	By drowning	1												1					
159	By firearms	29							1	7	8	4	4	3	2				
160	By cutting or piercing instruments	4									2	1	1						
161	By jumping from high places	3											2			1			
162	By crushing	1								1									
163	Other suicides	1								1									
	Accidental or undefined (total)	376	9	20	6	12	2	15	42	73	56	50	38	21	14	17	1		
164	Poisoning by food	7		1		1					2		1	1	1				
165	Other acute poisonings	14	2	5					2	2	1	1	1						
166	Conflagration	5		1	1	1						2							
167	Burns (conflagration excepted)	22	2	3	2	3	1		1	3		1	1		1	4			
168	Absorption of deleterious gases (conflagration excepted)	12	2		1				2	4	2	1							
169	Accidental drowning	29		7		3		1	6	3	3	1	5						
170	Traumatism by firearms	6						2	3	1									
171	Traumatism by cutting or piercing instruments	1									1								
172	Traumatism by fall	52		1				1	6	1	3	10	5	6	10	9			
173	Traumatism in mines and quarries (total)	44							1	15	19	6	3						
	Traumatism in mines	42							1	14	18	6	3						
	Traumatism in quarries	2								1	1								
174	Traumatism by machines	12							2	6		1	3						
175	Traumatism by other crushing (total)	125		2		3		7	14	32	16	22	15	8	2	4			
	Railroad accidents and injuries	57		1				1	5	17	6	15	7	4		1			
	Street-car accidents and injuries	9							2	2	1	1	1	1		1			
	Automobile accidents and injuries	31		1		2		4	3	6	6	2	4	2	1				
	Injuries by other vehicles	21				1		2	2	4	2	3	3	1	1	2			
	Landslide, other crushing	7							2	3	1	1		1					
176	Injuries by animals	9					1				1	3	2	2					
177	Starvation	1												1					
178	Excessive cold	8						1	2		3		1	1					
179	Effects of heat	1				1													
180	Lightning	1								1									
181	Electricity (lightning excepted)	3								2		1							
185	Fractures (cause not specified)	1						1											
186	Other external violence	23	3		2			2	3	3	5	1	1	2		1			
	Homicide (total)	30						2	2	8	12	2	2	1	1				
182	By firearms	17						2	2	6	4	1	1	1					
183	By cutting or piercing instruments	3								2	1								
184	By other means	10									7	1	1		1				
	XIV.—Ill-defined diseases	152	37	2				2	6	2	7	15	20	20	26	13	2		
187	Ill-defined organic disease	6												1	4	1			
188	Sudden death	6	3								1		1	1					
189	Not specified or ill-defined (total)	140	34	2				2	6	2	6	15	19	18	22	12	2		
	Ill-defined	120	27	2				2	3	1	5	13	17	18	19	11	2		
	Not specified or unknown	20	7						3	1	1	2	2		3	1			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT.																		
	All causes	5,687	723	83	60	30	28	91	162	263	280	416	575	867	1,250	736	117	6	.....
	I.—General diseases	1,457	91	33	17	16	9	37	59	118	97	175	206	235	239	106	17	2	.....
1	Typhoid fever	23	.....	.....	1	.....	.....	1	3	6	4	7	1	.....	.....	.....	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
6	Measles	24	10	6	1	2	.....	1	.....	1	.....	.....	1	.....	2	.....	.....	.....	.....
7	Scarlet fever	13	1	1	1	2	.....	5	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	45	23	10	5	3	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	24	3	.....	1	3	5	8	3	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
10	Influenza	279	23	3	2	4	1	3	8	10	10	12	28	31	70	61	12	1	.....
13	Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	12	2	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	3	1	.....	.....	.....
19	Other epidemic diseases	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	8	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....
24	Tetanus	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Pellagra	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
	Tuberculosis (total)	392	11	8	5	1	1	5	29	83	54	77	62	40	15	1	.....	.....	.....
28	Tuberculosis of the lungs	324	3	1	1	.....	.....	2	20	71	49	75	50	38	13	1	.....	.....	.....
29	Acute miliary tuberculosis	5	1	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
30	Tuberculous meningitis	28	2	0	4	1	1	2	6	1	2	.....	3	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	16	3	1	.....	.....	.....	1	.....	7	1	.....	2	.....	1	.....	.....	.....	.....
32	Pott's disease	4	1	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....
33	White swellings	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
34	Tuberculosis of other organs	6	.....	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	.....	.....
35	Disseminated tuberculosis	7	1	.....	.....	.....	.....	.....	.....	1	.....	1	4	.....	.....	.....	.....	.....	.....
36	Rickets	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	18	10	1	.....	.....	.....	.....	.....	.....	1	3	2	.....	1	.....	.....	.....	.....
38	Gonococcus infection	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	418	.....	2	.....	1	.....	1	5	8	15	53	72	112	109	34	5	1	.....
39	Of the buccal cavity	8	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	4	2	1	.....	.....	.....
40	Of the stomach, liver	153	.....	.....	.....	.....	.....	1	1	2	3	15	21	49	41	19	1	.....	.....
41	Of the peritoneum, intestines, rectum	58	.....	.....	.....	.....	.....	.....	1	2	1	5	12	17	16	3	1	.....	.....
42	Of the female genital organs	70	.....	.....	.....	.....	.....	.....	1	3	7	15	18	16	9	1	.....	.....	.....
43	Of the breast	45	.....	.....	.....	.....	.....	.....	.....	.....	2	8	8	9	12	5	.....	1	.....
44	Of the skin	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	5	3	2	.....	.....
45	Of other organs or of organs not specified	70	.....	2	.....	.....	.....	.....	2	1	2	9	12	15	24	2	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
47	Acute articular rheumatism	15	.....	.....	.....	.....	.....	2	3	2	.....	1	1	3	1	2	.....	.....	.....
48	Chronic rheumatism and gout	11	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	4	2	3	1	.....	.....	.....
49	Scurvy	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
50	Diabetes	98	.....	.....	.....	.....	.....	6	4	2	3	9	16	32	21	5	.....	.....	.....
51	Exophthalmic goiter	14	1	.....	.....	.....	.....	1	1	2	1	1	3	2	2	.....	.....	.....	.....
52	Addison's disease	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
53	Leukemia	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
54	Anemia, chlorosis	25	.....	1	.....	.....	.....	.....	.....	1	3	3	9	2	6	.....	.....	.....	.....
55	Other general diseases	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	10	.....	.....	.....	.....	.....	.....	.....	.....	3	5	.....	.....	2	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	678	25	8	7	.....	3	12	6	17	20	32	84	133	197	123	11	.....	.....
60	Encephalitis	8	1	.....	.....	.....	.....	.....	1	2	.....	.....	2	.....	2	.....	.....	.....	.....
61	Meningitis (total)	36	14	2	4	.....	2	2	2	3	2	1	1	1	1	1	.....	.....	.....
	Simple meningitis	25	8	1	2	.....	2	1	2	3	1	1	1	1	1	1	.....	.....	.....
	Cerebrospinal meningitis (undefined)	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cerebrospinal fever	9	6	1	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	7	2	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	39	.....	2	1	.....	1	7	2	1	1	1	4	6	9	4	.....	.....	.....
	Acute anterior poliomyelitis	12	.....	2	1	.....	1	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	27	.....	.....	.....	.....	.....	1	1	.....	1	1	4	6	9	4	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	476	2	2	.....	.....	.....	.....	.....	2	9	16	67	102	163	103	10	.....	.....
65	Softening of the brain	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....
66	Paralysis without specified cause	19	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	4	6	4	1	.....	.....
67	General paralysis of the insane	15	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	4	4	.....	.....	.....
68	Other forms of mental alienation	14	.....	.....	.....	.....	.....	.....	.....	.....	3	4	3	3	.....	1	.....	.....	.....
69	Epilepsy	25	1	.....	.....	.....	.....	2	1	8	2	1	2	4	3	1	.....	.....	.....
71	Convulsions of infants	6	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
74	Other diseases of the nervous system	11	.....	.....	1	.....	.....	.....	.....	.....	1	2	1	3	3	.....	.....	.....	.....
76	Diseases of the ears	8	2	2	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	III.—Diseases of the circulatory system	1,137	4	1			2	2	14	7	28	65	103	244	411	233	22	1	
77	Pericarditis	5					1							1	3				
78	Acute endocarditis	29		1					3	2	2	6	13	1		1			
79	Organic diseases of the heart	798	3				1	2	10	3	23	47	69	182	302	143	13		
80	Angina pectoris	82									1	8	10	28	24	10	1		
81	Diseases of the arteries, atheroma, aneurism, etc	196								2	1	2	10	25	71	76	8	1	
82	Embolism and thrombosis	25							1		1	2	1	7	10	3			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
	IV.—Diseases of the respiratory system	578	84	21	15	6	5	9	18	21	24	31	43	69	133	80	16	3	
86	Diseases of the nasal fossae	2								1						1			
87	Diseases of the larynx	5	2												2		1		
88	Diseases of the thyroid body	1										1							
89	Acute bronchitis	57	23	4	2	2		1						2	10	9	4		
90	Chronic bronchitis	39	1					1				1	4	5	16	10	1		
91	Bronchopneumonia	159	39	8	7	2	3	3	3	2	4	3	12	14	33	19	7		
92	Pneumonia (total)	287	17	9	4	2	2	4	13	15	19	25	25	43	70	35	3	1	
	Lobar pneumonia	224	7	6	4	2	1	4	13	12	16	23	16	37	58	24	1		
	Pneumonia (undefined)	63	10	3			1			3	3	2	9	6	12	11	2	1	
93	Pleurisy	10	1		2				2	1	1		1	1	1				
94	Pulmonary congestion, pulmonary apoplexy	7	1											1		3		2	
95	Gangrene of the lung	1								1									
96	Asthma	9										1	1	3	1	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	1								1									
	V.—Diseases of the digestive system	449	148	15	7	6	3	11	18	20	28	32	35	47	53	22	4		
100	Diseases of the pharynx	10	1		1			1	3	1	1		1	1					
102	Ulcer of the stomach	20								2	1	5	3	5	4				
103	Other diseases of the stomach (cancer excepted)	25	6	1				1		1	1		3	3	2	6	1		
104	Diarrhea and enteritis (under 2 years)	149	135	14															
105	Diarrhea and enteritis (2 years and over)	51			4	3	1	4	2	2	4	2	5	4	12	5	3		
107	Intestinal parasites	2								2									
108	Appendicitis and typhlitis	52				1	2	4	12	5	10	9	2	5	2				
109	Hernia, intestinal obstruction (total)	55	6		1	2			1	5	2	4	5	14	9	6			
	Hernia	18	1							1			2	5	7	2			
	Intestinal obstruction	37	5		1	2			1	4	2	4	3	9	2	4			
110	Other diseases of the intestines	5									1			2	2				
111	Acute yellow atrophy of the liver	2								1					1				
113	Cirrhosis of the liver	20									1	2	4	4	7	2			
114	Biliary calculi	27									2	5	6	6	8				
115	Other diseases of the liver	15									2	2	4	3	1	3			
117	Simple peritonitis (nonpuerperal)	14			1			1		1	3	2	2		4				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2										1			1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	479	4		2		1	5	6	14	25	36	61	100	143	71	11		
119	Acute nephritis	28	3		1		1	2	2		5	1	5	3	3	1	1		
120	Bright's disease	389						2	3	8	17	33	47	89	125	58	7		
121	Chyluria	1												1					
122	Other diseases of the kidneys and annexa	9	1		1			1		1			2		1	2			
124	Diseases of the bladder	12												1	5	4	2		
126	Diseases of the prostate	17											1	3	7	5	1		
129	Uterine tumor (noncancerous)	7								1	2	1	1	2					
130	Other diseases of the uterus	2											2						
131	Cysts and other tumors of the ovary	6										1	1	1	2	1			
132	Salpingitis and other diseases of the female genital organs	7							1	4	1		1						
133	Nonpuerperal diseases of the breast (cancer excepted)	1											1						
	VII.—The puerperal state	61							4	29	22	6							
134	Accidents of pregnancy	13							1	7	2	3							
135	Puerperal hemorrhage	9								4	4	1							
136	Other accidents of labor	4							1	2	1								
137	Puerperal septicemia	5								2	3								
138	Puerperal albuminuria and convulsions	29							2	14	11	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VERMONT—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	18	1									1	3	1	8	3	1		
142	Gangrene	13										1	3		6	2	1		
143	Furuncle	2												1	1				
145	Other diseases of the skin and annexa	3	1												1	1			
	IX.—Diseases of the bones and of the organs of locomotion	8						1	2	2		1	1	1					
146	Diseases of the bones (tuberculosis excepted)	6						1	2	1		1	1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2								1				1					
	X.—Malformations	73	71	1	1														
150	Congenital malformations (stillbirths not included) (total)	73	71	1	1														
	Hydrocephalus	8	8																
	Congenital malformations of the heart	36	35		1														
	Other congenital malformations	29	28	1															
	XI.—Early infancy	282	282																
151	Congenital debility, icterus, and sclerema (total)	228	228																
	Premature birth	173	173																
	Congenital debility, "atrophy," "marasmus," etc	55	55																
152	Other causes peculiar to early infancy (total)	51	51																
	Injuries at birth	21	21																
	Other causes peculiar to early infancy[1]	30	30																
153	Lack of care	3	3																
	XII.—Old age	127												1	23	75	28		
154	Senility	127												1	23	75	28		
	XIII.—External causes	335	11	3	11	2	5	14	34	35	36	37	38	36	43	23	7		
	Suicide (total)	61							2	6	11	10	13	8	10	1			
155	By poison	10							1			2	4		3				
156	By asphyxia	3								1	1		1						
157	By hanging or strangulation	13									2	3		2	5	1			
158	By drowning	1											1						
159	By firearms	29							1	5	7	5	3	6	2				
160	By cutting or piercing instruments	3											3						
161	By jumping from high places	1											1						
162	By crushing	1									1								
	Accidental or undefined (total)	265	11	3	11	2	4	14	31	26	23	27	23	28	33	22	7		
164	Poisoning by food	5		1								1		1	2				
165	Other acute poisonings	4	2	1									1						
166	Conflagration	8	1				1			2				1	1	2			
167	Burns (conflagration excepted)	16			4	1		3	1	3		2			1	1			
168	Absorption of deleterious gases (conflagration excepted)	14	7						1	1	1	1	2	1					
169	Accidental drowning	38		1	2			5	17	2	6	2	2		1				
170	Traumatism by firearms	4							4										
171	Traumatism by cutting or piercing instruments	1								1									
172	Traumatism by fall	72	1		1		1	1	1	1	2	3	8	9	19	18	7		
173	Traumatism in mines and quarries (total)	15							1	5	2	4	1	2					
	Traumatism in mines	3								3									
	Traumatism in quarries	12							1	2	2	4	1	2					
174	Traumatism by machines	6								3	1	2							
175	Traumatism by other crushing (total)	62		1	1		2	4	5	5	7	11	8	11	7				
	Railroad accidents and injuries	25		1			1			3	4	4	4	5	3				
	Street-car accidents and injuries	4								1	1	1		1					
	Automobile accidents and injuries	15			1		1	1	3	1	1	2	1	3	1				
	Injuries by other vehicles	14						2	2		1	2	3	1	3				
	Landslide, other crushing	4						1				2		1					
176	Injuries by animals	8			2	1			1	1				1	2				
178	Excessive cold	3									1	1	1						
179	Effects of heat	1												1					
181	Electricity (lightning excepted)	2									2								
186	Other external violence	6						1		2	1			1		1			
	Homicide (total)	9					1		1	3	2		2						
182	By firearms	8					1		1	3	2		1						
184	By other means	1											1						
	XIV.—Ill-defined diseases	5	2	1					1				1						
189	Not specified or ill-defined (total)	5	2	1					1				1						
	Ill-defined	2		1									1						
	Not specified or unknown	3	2						1										

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL).																	
	All causes	32,144	5,893	1,365	659	327	250	745	1,637	2,948	2,761	2,601	3,039	3,788	3,730	1,943	371	60	27
	I.—General diseases	9,406	854	430	260	128	114	332	830	1,471	1,130	915	887	972	737	297	41	1	7
1	Typhoid fever	550	5	2	8	4	8	43	157	140	83	40	32	21	7				
4	Malaria	145	17	11	1	5	2	12	16	18	13	13	16	10	4	7			
5	Smallpox	1										1							
6	Measles	407	93	80	49	22	19	45	36	22	13	10	9	3	5				1
7	Scarlet fever	29	1	5	6	2	4	7	1		2				1				
8	Whooping cough	440	242	103	34	20	12	22	6	1									
9	Diphtheria and croup	316	65	45	63	29	32	68	10	2	1		1						
10	Influenza	730	71	18	15	6	2	14	32	35	34	40	67	86	171	112	26	1	
13	Cholera nostras	17	3	1	1			1	1			3		3	2	2			
14	Dysentery	318	89	56	22	11	7	9	4	4	11	11	13	32	31	14	4		
18	Erysipelas	58	16	2	2			1	1	1	4	5	7	8	7	4			
19	Other epidemic diseases	7	1	2				2	1	1									
20	Purulent infection and septicemia	49	4	2	1		1	4	2	9	2	10	3	4	5	2			
23	Rabies	2							1	1									
24	Tetanus	50	22				1	6	7	6	1	2	1	1	2	1			
25	Mycoses	1											1						
26	Pellagra	248			1			2	8	44	49	41	33	43	20	7			
	Tuberculosis (total)	3,882	95	76	48	22	20	77	486	1,076	731	427	292	318	167	41	3		3
28	Tuberculosis of the lungs	3,318	50	42	18	8	8	46	400	971	669	378	254	277	153	39	3		2
29	Acute miliary tuberculosis	118	3	2	1		2	3	22	38	19	16	8	3	1				
30	Tuberculous meningitis	158	31	21	19	8	7	23	21	12	6	6		2	2				
31	Abdominal tuberculosis	179	3	5	3	4	2	2	27	37	25	17	22	22	7	2			1
32	Pott's disease	26	1	1					7	6	2	3	2	2	2				
33	White swellings	21	2	1	1		1	1	3	2	4	1	1	3	1				
34	Tuberculosis of other organs	43	4	3	3	2		2	6	5	2	5	2	8	1				
35	Disseminated tuberculosis	19	1	1	3					5	4	1	3	1					
36	Rickets	21	11	6		2	1	1											
37	Syphilis	289	86	9	2		1	4	9	29	44	37	36	20	7	4			1
38	Gonococcus infection	18	3						2	5	4	1		2	1				
	Cancer and other malignant tumors (total)	1,249	3	2	2	1	2	1	15	33	72	194	272	323	245	78	5		1
39	Of the buccal cavity	45							1	1	1	7	9	11	11	4			
40	Of the stomach, liver	430	1				1		2	7	13	58	89	135	97	25	1		1
41	Of the peritoneum, intestines, rectum	118			1				4	4	6	14	22	31	29	7			
42	Of the female genital organs	252		1						5	28	64	68	57	19	9	1		
43	Of the breast	140								4	13	27	37	26	23	9	1		
44	Of the skin	71		1				1	1	1	3	1	9	12	25	16	1		
45	Of other organs or of organs not specified	193	2		1	1	1		7	11	8	23	38	51	41	8	1		
46	Other tumors (tumors of the female genital organs excepted)	12									3	3	1	1	1	3			
47	Acute articular rheumatism	96	1		1	2		6	13	8	9	10	9	10	14	11	2		
48	Chronic rheumatism and gout	38							1	1	2	3	2	13	12	3	1		
50	Diabetes	200		2			2	3	12	14	15	17	53	51	24	6			1
51	Exophthalmic goiter	21							1	2	3	5	8	1		1			
52	Addison's disease	8									4		3	1					
53	Leukemia	35	1	4		1		1	3	5	3	7	6	4					
54	Anemia, chlorosis	56	6	3		1		2		4	6	12	10	9	3				
55	Other general diseases	42	19	1	4			1	5	2		4	2	1	2	1			
56	Alcoholism (acute or chronic)	60								6	18	17	9	6	4				
57	Chronic lead poisoning	1										1							
59	Other chronic poisonings	10								2	3	1	1	1	2				
	II.—Diseases of the nervous system and of the organs of special sense	3,147	236	79	39	25	23	59	80	103	183	278	452	663	644	252	22	8	1
60	Encephalitis	24	3	2			1		8	4	2	2	2						
61	Meningitis (total)	210	72	32	20	12	7	14	16	10	11	6	3	3	4				
	Simple meningitis	105	41	11	11	5	4	4	7	5	6	4	3	2	2				
	Cerebrospinal meningitis (undefined)	51	13	9	4	2	2	6	3	5	4	1			2				
	Cerebrospinal fever	54	18	12	5	5	1	4	6		1	1		1					
62	Locomotor ataxia	34									3	4	8	11	8				
63	Other diseases of the spinal cord (total)	181	14	19	8	4	7	19	9	7	5	10	14	26	27	9	2	1	
	Acute anterior poliomyelitis	68	11	18	6	4	7	13	5	3					1				
	Other diseases of the spinal cord [1]	113	3	1	2			6	4	4	5	10	14	26	26	9	2	1	
64	Cerebral hemorrhage, apoplexy	1,679	5	2		3	1	2	7	23	84	177	326	470	410	153	11	4	1
65	Softening of the brain	51							1	1		1	1	15	19	12	1		
66	Paralysis without specified cause	424	1	2	2	2		2	2	5	7	27	57	100	141	65	8	3	
67	General paralysis of the insane	54							1	2	11	7	8	10	10	5			
68	Other forms of mental alienation	77							5	9	10	15	12	10	13	3			
69	Epilepsy	126	10	1		1	1	4	21	23	31	14	10	6	4				
70	Convulsions (nonpuerperal)	17						6	2	3	3		1	1		1			
71	Convulsions of infants	145	119	16	9		1												
72	Chorea	5	1					1		2			1						
73	Neuralgia and neuritis	9								1	1	1	1	1	3	1			
74	Other diseases of the nervous system	80	8			1	3	7	5	9	10	14	7	10	3	3			
75	Diseases of the eyes and their annexa	1				1													
76	Diseases of the ears	30	3	5		1	2	4	3	4	5		1		2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																	
	III.—Diseases of the circulatory system	3,585	45	4	7	4	1	22	68	155	264	338	578	807	843	376	64	3	6
77	Pericarditis	14			1	1			1	1	2	2	2	3	1				
78	Acute endocarditis	111	4		1			2	13	22	14	17	29	2	5	2			
79	Organic diseases of the heart	3,003	33	2	4	3	1	17	53	126	223	286	475	702	718	304	49	3	4
80	Angina pectoris	133						1		2	11	10	31	35	34	9			
81	Diseases of the arteries, atheroma, aneurism, etc	234									4	16	21	51	72	55	14		1
82	Embolism and thrombosis	56	2		1			1	1	2	7	3	14	10	9	6			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10									2	3	2	2					1
84	Diseases of the lymphatic system (lymphangitis, etc.)	11	4	1				1		2		1		1	1				
85	Hemorrhage; other diseases of the circulatory system	13	2	1							1		4	1	3		1		
	IV.—Diseases of the respiratory system	3,444	744	235	119	54	32	76	165	300	276	287	277	322	346	176	28	4	3
86	Diseases of the nasal fossae	33	27		2			1			1					2			
87	Diseases of the larynx	31	5	5	4	3		1	2	2	3	1	2	1	1	1			
88	Diseases of the thyroid body	11								1	1	5	2			1	1		
89	Acute bronchitis	161	73	18	14	4	3	4	4	9	1	4	1	2	9	11	4		
90	Chronic bronchitis	157	3	2	2			1	7	10	14	9	10	24	43	26	5		1
91	Bronchopneumonia	793	325	111	51	21	9	19	17	20	18	27	28	43	64	34	6		
92	Pneumonia (total)	1,972	279	94	45	25	20	47	127	229	202	201	205	215	180	87	11	3	2
	Lobar pneumonia	1,283	92	43	28	12	11	32	92	177	153	158	157	143	121	54	7	1	2
	Pneumonia (undefined)	689	187	51	17	13	9	15	35	52	49	43	48	72	59	33	4	2	
93	Pleurisy	58	2	2				3	4	14	7	5	4	5	10	2			
94	Pulmonary congestion, pulmonary apoplexy	95	23	3					2	7	9	15	10	7	11	8			
95	Gangrene of the lung	5									2	2			1				
92	Asthma	78	4		1					4	10	11	10	16	16	4	1	1	
97	Pulmonary emphysema	5							1				1	3					
98	Other diseases of the respiratory system (tuberculosis excepted)	45	3			1			1	4	8	7	4	6	11				
	V.—Diseases of the digestive system	3,098	1,184	454	122	41	22	81	88	161	157	166	172	201	153	83	10	1	2
99	Diseases of the mouth and annexa	32	21	2				1		2	2	1	1	2					
100	Diseases of the pharynx	41	3	4	4	5	1	3	6	5	3	1		1	2	3			
101	Diseases of the esophagus	2	1								1								
102	Ulcer of the stomach	68	1							15	6	11	14	14	5	2			
103	Other diseases of the stomach (cancer excepted)	321	85	14	8	1	2	4	6	15	25	31	32	41	33	19	5		
104	Diarrhea and enteritis (under 2 years)	1,450	1,029	421															
105	Diarrhea and enteritis (2 years and over)	368			102	29	12	31	12	16	18	22	22	33	39	26	4	1	1
106	Ankylostomiasis	1								1									
107	Intestinal parasites	15	1	3	2	3	2	3	1										
108	Appendicitis and typhlitis	198			1	1	2	20	44	47	25	23	16	10	7	2			
109	Hernia, intestinal obstruction (total)	201	29	7	2		2	8	11	20	22	18	20	31	17	12	1		1
	Hernia	50	6						3	1	4	4	5	12	7	7	1		
	Intestinal obstruction	151	23	7	2		2	8	8	19	18	14	15	19	10	5			1
110	Other diseases of the intestines	50	5	1	1			2	3	2	7	6	8	4	7	4			
111	Acute yellow atrophy of the liver	16	3		1					7	3			1	1				
113	Cirrhosis of the liver	136					1	3		4	18	20	28	32	22	8			
114	Biliary calculi	50								1	5	10	12	15	5	2			
115	Other diseases of the liver	83	3	1	1	1			4	8	11	12	14	13	11	4			
116	Diseases of the spleen	2										1		1					
117	Simple peritonitis (nonpuerperal)	49	3			1		6	1	14	5	8	5	1	4	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	15		1						4	6	2		2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,700	30	17	15	7	6	18	44	115	206	314	438	574	612	263	37	3	1
119	Acute nephritis	225	13	9	5	4	4	8	17	23	36	41	22	25	14	1	3		
120	Bright's disease	2,177	9	6	9	3	2	9	19	70	124	236	385	509	543	221	28	3	1
122	Other diseases of the kidneys and annexa	64	4	2	1					1	3	8	6	16	12	8	3		
123	Calculi of the urinary passages	11							1	1		2	2		1	4			
124	Diseases of the bladder	47	2					1		2	1	1	5	5	16	14			
125	Diseases of the urethra, urinary abscess, etc	8									4	2	1			1			
126	Diseases of the prostate	61									1	1	7	14	24	11	3		
127	Nonvenereal diseases of the male genital organs	3	1											2					
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	30								3	8	11	5	1		2			
130	Other diseases of the uterus	34							5	7	7	7	3	2	2	1			
131	Cysts and other tumors of the ovary	8									4	3	1						
132	Salpingitis and other diseases of the female genital organs	30							2	7	18	2	1						
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	467							67	187	171	39	3						
134	Accidents of pregnancy	39							4	14	16	4	1						
135	Puerperal hemorrhage	48							3	18	24	3							
136	Other accidents of labor	49							6	12	28	2	1						
137	Puerperal septicemia	168							19	81	49	19							
138	Puerperal albuminuria and convulsions	149							33	57	49	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10							1	3	5	1							
140	Following childbirth (not otherwise defined)	3								2			1						
141	Puerperal diseases of the breast	1							1										

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	99	20	3	.....	1	1	1	6	4	5	8	10	11	15	14	.....	.....	.....
142	Gangrene	49	2	.....	.....	.....	.....	1	1	2	3	3	6	8	11	12	.....	.....	.....
143	Furuncle	5	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	.....	1	.....	.....	.....	.....
144	Acute abscess	15	5	1	.....	1	.....	.....	2	1	1	3	1	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	30	13	2	.....	.....	1	.....	2	1	.....	.....	3	3	3	2	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	45	2	1	2	1	1	5	8	4	3	8	4	2	4	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	39	2	1	2	1	.....	5	7	4	3	7	4	2	1	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	237	212	11	5	.....	3	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	237	212	11	5	.....	3	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	29	20	4	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	117	106	4	1	.....	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	91	86	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,892	1,892	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,628	1,628	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	1,056	1,056	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	572	572	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	244	244	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	125	125	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	119	119	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	20	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	768	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	41	174	367	147	36	2
154	Senility	768	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	41	174	367	147	36	2
	XIII.—External causes	2,032	107	58	67	51	38	119	246	401	316	196	146	109	102	62	11	1	2
	Suicide (total)	179	.....	.....	.....	.....	.....	.....	12	32	48	39	31	12	5	.....	.....	.....	.....
155	By poison	32	.....	.....	.....	.....	.....	.....	5	9	8	4	6	.....	.....	.....	.....	.....	.....
156	By asphyxia	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	14	.....	.....	.....	.....	.....	.....	.....	1	4	5	1	2	1	.....	.....	.....	.....
158	By drowning	6	.....	.....	.....	.....	.....	.....	.....	2	.....	1	2	1	.....	.....	.....	.....	.....
159	By firearms	103	.....	.....	.....	.....	.....	.....	7	18	28	23	16	8	3	.....	.....	.....	.....
160	By cutting or piercing instruments	9	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	1	1	.....	.....	.....	.....
161	By jumping from high places	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	4	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,591	95	58	67	51	38	116	207	259	202	133	103	91	97	61	11	1	1
164	Poisoning by food	34	10	3	1	.....	.....	.....	7	1	.....	2	3	2	5	.....	.....	.....	.....
165	Other acute poisonings	43	1	5	10	4	1	2	.....	5	3	5	.....	3	4	.....	.....	.....	.....
166	Conflagration	87	7	1	5	1	5	17	14	8	11	5	3	2	4	4	.....	.....	.....
167	Burns (conflagration excepted)	258	13	30	35	36	22	32	20	13	13	6	8	9	11	9	.....	1	.....
168	Absorption of deleterious gases (conflagration excepted)	62	42	.....	.....	.....	.....	.....	3	6	3	3	3	1	1	.....	.....	.....	.....
169	Accidental drowning	179	.....	7	2	2	3	6	49	46	34	11	9	7	3	.....	.....	.....	.....
170	Traumatism by firearms	69	1	1	4	1	.....	13	20	9	5	9	1	3	1	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	205	6	5	5	1	2	14	10	10	12	14	11	19	46	42	8	.....	.....
173	Traumatism in mines and quarries (total)	72	.....	.....	.....	.....	.....	1	7	27	20	7	8	2	.....	.....	.....	.....	.....
	Traumatism in mines	67	.....	.....	.....	.....	.....	1	7	25	19	7	6	2	.....	.....	.....	.....	.....
	Traumatism in quarries	5	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	46	.....	.....	.....	.....	.....	.....	12	10	12	6	3	3	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	346	.....	1	1	3	3	20	36	91	60	53	38	24	13	3	.....	.....	.....
	Railroad accidents and injuries	213	.....	.....	.....	.....	1	5	25	70	44	31	21	11	5	.....	.....	.....	.....
	Street-car accidents and injuries	20	.....	.....	.....	.....	.....	1	1	1	4	9	3	.....	1	.....	.....	.....	.....
	Automobile accidents and injuries	62	.....	.....	1	1	1	9	5	13	8	8	6	4	5	1	.....	.....	.....
	Injuries by other vehicles	44	.....	1	.....	1	1	5	3	5	4	4	8	8	2	2	.....	.....	.....
	Landslide, other crushing	7	.....	.....	.....	1	.....	.....	2	2	.....	1	.....	1	.....	.....	.....	.....	.....
176	Injuries by animals	16	1	.....	1	1	.....	2	1	1	1	3	3	1	.....	1	.....	.....	.....
177	Starvation	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	7	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	2	1	1	.....	.....
179	Effects of heat	9	.....	.....	.....	.....	.....	.....	1	2	1	2	.....	1	2	.....	.....	.....	.....
180	Lightning	22	.....	.....	1	.....	1	3	3	3	6	2	3	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	9	.....	.....	.....	.....	.....	.....	2	2	4	.....	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	9	1	.....	.....	.....	.....	1	.....	1	1	.....	.....	2	1	.....	2	.....	.....
186	Other external violence	115	12	5	2	2	1	4	21	24	16	5	8	10	4	.....	.....	.....	1
	Homicide (total)	262	12	.....	.....	.....	.....	3	27	110	66	24	12	6	.....	1	.....	.....	1
182	By firearms	186	1	.....	.....	.....	.....	1	17	87	51	15	8	5	.....	.....	.....	.....	1
183	By cutting or piercing instruments	33	.....	.....	.....	.....	.....	.....	4	16	7	5	1	.....	.....	.....	.....	.....	.....
184	By other means	43	11	.....	.....	.....	.....	2	6	7	8	4	3	1	.....	1	.....	.....	.....
	XIV.—Ill-defined diseases	1,224	567	73	23	15	9	29	33	46	50	52	71	86	160	53	11	3	3
187	Ill-defined organic disease	88	2	2	2	.....	3	3	3	7	3	6	6	15	24	10	2	.....	.....
188	Sudden death	78	20	.....	1	2	.....	2	2	4	6	5	12	4	16	3	1	.....	.....
189	Not specified or ill-defined (total)	1,058	545	71	20	13	6	24	28	35	41	41	53	67	60	40	8	3	3
	Ill-defined	399	100	51	9	6	3	13	13	15	24	29	34	48	29	23	2	.....	.....
	Not specified or unknown	659	445	20	11	7	3	11	15	20	17	12	19	19	31	17	6	3	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE).																	
	All causes	18,404	3,318	764	393	193	157	421	720	1,288	1,284	1,314	1,636	2,492	2,791	1,428	192	7	6
	I.—General diseases	5,315	436	230	161	73	74	183	334	634	549	514	563	719	586	236	22	.....	1
1	Typhoid fever	316	2	1	3	2	4	16	83	79	49	33	23	15	6	.....	.....	.....	.....
4	Malaria	56	7	4	.....	1	.....	5	4	6	7	5	4	6	4	3	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Measles	249	47	46	32	14	14	28	24	13	9	9	7	3	3	.....	.....	.....	.....
7	Scarlet fever	27	1	5	6	1	3	7	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....
8	Whooping cough	207	118	51	12	7	5	11	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Diphtheria and croup	256	46	34	54	22	29	59	8	2	1	.....	1	.....	.....	.....	.....	.....	.....
10	Influenza	455	33	5	10	2	.....	11	14	15	17	21	37	56	132	87	15	.....	.....
13	Cholera nostras	8	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	2	.....	.....	.....
14	Dysentery	202	44	36	16	10	4	7	4	1	7	5	7	22	25	13	1	.....	.....
18	Erysipelas	49	13	2	2	.....	.....	.....	1	1	2	5	6	6	7	4	.....	.....	.....
19	Other epidemic diseases	5	1	1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	30	3	1	1	.....	1	2	2	4	1	5	3	4	1	2	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Tetanus	21	6	.....	.....	.....	.....	4	6	1	1	1	.....	1	1	.....	.....	.....	.....
25	Mycoses	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
26	Pellagra	137	.....	.....	.....	.....	.....	.....	3	20	18	19	25	32	16	4	.....	.....	.....
	Tuberculosis (total)	1,818	48	31	20	10	10	19	142	429	336	206	171	233	128	34	1	.....	.....
28	Tuberculosis of the lungs	1,533	18	9	6	1	3	6	112	395	305	185	141	204	115	32	1	.....	.....
29	Acute miliary tuberculosis	44	2	2	.....	.....	1	1	9	16	8	4	5	1	1	.....	.....	.....	.....
30	Tuberculous meningitis	95	22	14	12	5	4	11	9	7	3	4	.....	2	2	.....	.....	.....	.....
31	Abdominal tuberculosis	85	2	2	1	2	1	.....	5	10	11	8	18	16	7	2	.....	.....	.....
32	Pott's disease	11	1	1	.....	.....	.....	.....	1	2	1	1	2	.....	2	.....	.....	.....	.....
33	White swellings	10	2	.....	.....	.....	1	.....	2	.....	2	.....	1	2	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	28	1	2	1	2	.....	1	4	2	2	3	2	7	1	.....	.....	.....	.....
35	Disseminated tuberculosis	12	.....	1	.....	.....	.....	.....	.....	3	4	1	2	1	.....	.....	.....	.....	.....
36	Rickets	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	97	38	2	.....	.....	.....	1	2	7	12	12	13	7	2	1	.....	.....	.....
38	Gonococcus infection	7	2	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	955	3	2	1	1	2	1	11	20	42	138	193	255	212	69	4	.....	1
39	Of the buccal cavity	37	.....	.....	.....	.....	.....	.....	1	1	1	6	7	8	9	4	.....	.....	.....
40	Of the stomach, liver	339	1	.....	.....	.....	1	.....	2	5	9	39	63	111	83	23	1	.....	1
41	Of the peritoneum, intestines, rectum	95	.....	.....	1	.....	.....	.....	2	2	3	12	15	26	27	7	.....	.....	.....
42	Of the female genital organs	158	.....	1	.....	.....	.....	.....	.....	.....	13	46	42	35	14	6	1	.....	.....
43	Of the breast	107	.....	.....	.....	.....	.....	.....	.....	3	7	17	30	21	21	8	.....	.....	.....
44	Of the skin	66	.....	1	.....	.....	.....	1	1	1	3	1	7	11	25	14	1	.....	.....
45	Of other organs or of organs not specified	153	2	.....	.....	1	1	.....	5	8	6	17	29	43	33	7	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	7	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	3	.....	.....	.....
47	Acute articular rheumatism	47	.....	.....	1	2	.....	4	7	3	5	5	2	2	9	6	1	.....	.....
48	Chronic rheumatism and gout	31	.....	.....	.....	.....	.....	.....	1	1	.....	3	2	12	10	2	.....	.....	.....
50	Diabetes	150	.....	1	.....	.....	2	3	12	10	12	9	37	42	18	4	.....	.....	.....
51	Exophthalmic goiter	17	.....	.....	.....	.....	.....	.....	.....	2	2	5	6	1	.....	1	.....	.....	.....
52	Addison's disease	7	.....	.....	.....	.....	.....	.....	.....	.....	4	.....	2	1	.....	.....	.....	.....	.....
53	Leukemia	29	.....	4	.....	1	.....	1	2	3	3	7	4	4	.....	.....	.....	.....	.....
54	Anemia, chlorosis	41	2	3	.....	.....	.....	2	.....	2	4	9	7	9	3	.....	.....	.....	.....
55	Other general diseases	31	17	1	3	.....	.....	1	2	.....	.....	1	2	1	2	1	.....	.....	.....
56	Alcoholism (acute or chronic)	42	.....	.....	.....	.....	.....	.....	.....	6	11	12	8	3	2	.....	.....	.....	.....
57	Chronic lead poisoning	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	10	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	1	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,846	127	42	25	18	21	39	44	52	71	123	211	397	482	182	12	.....	.....
60	Encephalitis	14	3	1	.....	.....	1	.....	3	2	.....	2	2	.....	.....	.....	.....	.....	.....
61	Meningitis (total)	144	55	21	14	10	6	4	10	7	5	5	3	2	2	.....	.....	.....	.....
	Simple meningitis	72	31	8	7	4	3	1	3	4	2	4	3	1	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	29	9	5	2	1	2	2	2	3	2	.....	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	43	15	8	5	5	1	1	5	.....	1	1	.....	1	.....	.....	.....	.....	.....
62	Locomotor ataxia	21	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6	5	7	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	136	12	15	8	4	7	16	4	3	1	7	10	22	21	6	.....	.....	.....
	Acute anterior poliomyelitis	57	9	14	6	4	7	11	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	79	3	1	2	.....	.....	5	1	.....	1	7	10	22	21	6	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	960	3	.....	.....	1	.....	1	3	14	23	68	141	276	310	112	8	.....	.....
65	Softening of the brain	36	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	15	10	1	.....	.....
66	Paralysis without specified cause	250	1	1	1	1	.....	2	2	2	3	8	26	56	100	44	3	.....	.....
67	General paralysis of the insane	38	.....	.....	.....	.....	.....	.....	.....	2	7	5	7	7	5	5	.....	.....	.....
68	Other forms of mental alienation	42	.....	.....	.....	.....	.....	.....	2	3	3	6	8	5	13	2	.....	.....	.....
69	Epilepsy	71	3	.....	.....	1	1	3	14	10	17	10	4	5	3	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	4	.....	.....	.....	.....	.....	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	46	41	2	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	2	1	.....	.....	.....
74	Other diseases of the nervous system	53	6	.....	.....	.....	3	5	4	5	7	9	2	8	2	2	.....	.....	.....
75	Diseases of the eyes and their annexa	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	22	3	2	.....	.....	2	4	2	2	4	.....	1	.....	2	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Defailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	2,113	35	4	6	3	1	14	38	58	93	118	267	515	642	287	32		
77	Pericarditis	7			1	1			1				2	1	1				
78	Acute endocarditis	43	2		1			1	6	8	5	3	13		3	1			
79	Organic diseases of the heart	1,741	27	2	3	2	1	11	30	46	75	100	209	441	546	226	22		
80	Angina pectoris	102								2	3	4	23	30	32	8			
81	Diseases of the arteries, atheroma, aneurism, etc	159									3	7	13	31	49	46	10		
82	Embolism and thrombosis	39	2		1			1	1	1	4	1	5	8	9	6			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8									2	3	1	2					
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	4	1				1		1				1					
85	Hemorrhage; other diseases of the circulatory system	6		1							1		1	1	2				
	IV.—Diseases of the respiratory system	1,675	345	111	56	22	21	40	60	86	91	114	121	201	249	132	23	2	1
86	Diseases of the nasal fossae	5	3		1											1			
87	Diseases of the larynx	22	5	4	4	2		1	1	1			2	1		1			
88	Diseases of the thyroid body	10								1	1	5	1			1	1		
89	Acute bronchitis	59	27	4	3		1	2				1		2	6	10	3		
90	Chronic bronchitis	96	2	1	1			1	2	2	4	3	1	14	38	23	4		
91	Bronchopneumonia	393	161	47	16	9	6	8	4	2	4	10	15	29	49	27	6		
92	Pneumonia (total)	959	126	52	31	11	14	25	51	74	74	85	91	137	120	58	8	1	1
	Lobar pneumonia	606	40	22	18	4	7	17	36	61	55	63	69	88	81	39	5		1
	Pneumonia (undefined)	353	86	30	13	7	7	8	15	13	19	22	22	49	39	19	3	1	
93	Pleurisy	33	2	1				3	2	5	2	1	2	5	9	1			
94	Pulmonary congestion, pulmonary apoplexy	49	17	2							1	3	5	3	10	8			
95	Gangrene of the lung	2										1			1				
96	Asthma	29	2								3	3	1	6	10	2	1	1	
97	Pulmonary emphysema	3											1	2					
98	Other diseases of the respiratory system (tuberculosis excepted)	15								1	2	2	2	2	6				
	V.—Diseases of the digestive system	1,351	638	305	81	30	13	52	46	70	75	104	106	132	122	67	7	1	2
99	Diseases of the mouth and annexa	16	9	1					1		2	1		2					
100	Diseases of the pharynx	26		2	4	3	1	2	4	4	1	1			1	3			
101	Diseases of the esophagus	1	1																
102	Ulcer of the stomach	34	1							3	2	7	7	7	5	2			
103	Other diseases of the stomach (cancer excepted)	164	47	7	3	1	1	2		2	5	17	17	20	23	15	4		
104	Diarrhea and enteritis (under 2 years)	844	558	286															
105	Diarrhea and enteritis (2 years and over)	242			72	22	7	21	5	3	9	13	10	22	33	21	2	1	1
106	Ankylostomiasis	1								1									
107	Intestinal parasites	6		2		2		1	1										
108	Appendicitis and typhlitis	131				1	1	12	24	33	17	16	12	8	5	2			
109	Hernia, intestinal obstruction (total)	120	15	5	1		2	5	8	6	9	13	15	20	11	8	1		1
	Hernia	29	2						1		2	4	4	8	3	4	1		
	Intestinal obstruction	91	13	5	1		2	5	7	6	7	9	11	12	8	4			1
110	Other diseases of the intestines	35	4		1			2	2	2	5	2	5	3	6	3			
111	Acute yellow atrophy of the liver	11								6	3			1	1				
113	Cirrhosis of the liver	93					1	2		2	6	11	19	27	19	6			
114	Biliary calculi	40									4	7	11	11	5	2			
115	Other diseases of the liver	50	3	1					2	2	6	7	7	8	10	4			
116	Diseases of the spleen	1												1					
117	Simple peritonitis (nonpuerperal)	27				1		4		5	3	7	3		3	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	9		1						1	3	2		2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,594	17	5	8	5	2	11	25	43	72	148	222	374	450	191	21		
119	Acute nephritis	89	8	1	3	3	2	3	12	6	8	21	6	8	6	1	1		
120	Bright's disease	1,334	4	4	4	2		7	7	29	49	109	201	341	401	160	16		
122	Other diseases of the kidneys and annexa	37	2		1					1		4	3	11	8	5	2		
123	Calculi of the urinary passages	9							1			2	1		1	4			
124	Diseases of the bladder	34	1					1					3	4	13	12			
125	Diseases of the urethra, urinary abscess, etc	1									1								
126	Diseases of the prostate	41									1		2	8	20	8	2		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	7									2	3	2						
130	Other diseases of the uterus	24							3	3	6	6	2	2	1	1			
131	Cysts and other tumors of the ovary	6									2	3	1						
132	Salpingitis and other diseases of the female genital organs	9							2	3	3		1						
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	271							27	107	107	28	2						
134	Accidents of pregnancy	23							2	9	9	2	1						
135	Puerperal hemorrhage	31							2	8	18	3							
136	Other accidents of labor	24							1	3	19	1							
137	Puerperal septicemia	96							6	45	31	14							
138	Puerperal albuminuria and convulsions	85							15	38	25	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	10							1	3	5	1							
140	Following childbirth (not otherwise defined)	2								1			1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (WHITE)—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	50	11	1	.....	.....	1	.....	2	3	3	3	3	6	10	7	.....	.....	.....
142	Gangrene	26	1	.....	.....	.....	.....	.....	.....	2	2	1	1	5	8	6	.....	.....	.....
143	Furuncle	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....
144	Acute abscess	5	2	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	15	8	1	.....	.....	1	.....	.....	1	.....	.....	1	1	1	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	32	1	1	2	1	1	3	6	1	2	5	3	2	4	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	27	1	1	2	1	.....	3	5	1	2	5	3	2	1	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	X.—Malformations	203	181	10	5	.....	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	203	181	10	5	.....	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	23	15	3	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	103	93	4	1	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	77	73	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	1,186	1,186	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	1,016	1,016	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	717	717	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	299	299	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	165	165	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	93	93	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	72	72	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	433	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	107	241	60	4	.....
154	Senility	433	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21	107	241	60	4	.....
	XIII.—External causes	1,268	64	33	41	35	18	66	131	216	204	136	104	74	81	53	10	.....	2
	Suicide (total)	164	.....	.....	.....	.....	.....	.....	11	31	44	33	29	11	5	.....	.....	.....	.....
155	By poison	32	.....	.....	.....	.....	.....	.....	5	9	8	4	6	.....	.....	.....	.....	.....	.....
156	By asphyxia	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	11	.....	.....	.....	.....	.....	.....	.....	1	3	3	1	2	1	.....	.....	.....	.....
158	By drowning	4	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....
159	By firearms	97	.....	.....	.....	.....	.....	.....	6	17	26	21	16	8	3	.....	.....	.....	.....
160	By cutting or piercing instruments	7	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....
161	By jumping from high places	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
162	By crushing	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
163	Other suicides	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	1,007	60	33	41	35	18	65	111	155	128	93	68	60	76	53	10	.....	1
164	Poisoning by food	22	9	2	1	.....	.....	.....	4	.....	.....	1	2	1	2	.....	.....	.....	.....
165	Other acute poisonings	30	1	1	5	1	1	1	.....	5	3	5	.....	3	4	.....	.....	.....	.....
166	Conflagration	25	2	.....	2	1	1	4	2	1	3	2	2	.....	2	3	.....	.....	.....
167	Burns (conflagration excepted)	137	8	16	21	26	8	10	10	6	8	3	7	4	6	4	.....	.....	.....
168	Absorption of deleterious gases (conflagration excepted)	41	26	.....	.....	.....	.....	.....	3	6	2	1	1	1	1	.....	.....	.....	.....
169	Accidental drowning	101	.....	6	2	1	3	3	26	19	20	8	6	5	2	.....	.....	.....	.....
170	Traumatism by firearms	38	1	1	2	.....	.....	8	9	2	4	6	1	3	1	.....	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	167	3	2	5	.....	2	12	6	7	5	11	9	14	42	41	8	.....	.....
173	Traumatism in mines and quarries (total)	50	.....	.....	.....	.....	.....	1	6	20	14	5	4	.....	.....	.....	.....	.....	.....
	Traumatism in mines	48	.....	.....	.....	.....	.....	1	6	19	14	5	3	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	33	.....	.....	.....	.....	.....	.....	10	6	9	5	2	1	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	245	.....	1	1	3	2	16	18	61	41	39	28	20	12	3	.....	.....	.....
	Railroad accidents and injuries	137	.....	.....	.....	.....	.....	5	11	44	28	21	15	8	5	.....	.....	.....	.....
	Street-car accidents and injuries	13	.....	.....	.....	.....	.....	1	1	1	2	6	1	.....	1	.....	.....	.....	.....
	Automobile accidents and injuries	57	.....	.....	1	1	1	7	4	11	8	8	6	4	5	1	.....	.....	.....
	Injuries by other vehicles	33	.....	1	.....	1	1	3	2	3	3	3	6	7	1	2	.....	.....	.....
	Landslide, other crushing	5	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
176	Injuries by animals	12	1	.....	1	1	.....	2	1	.....	.....	3	2	.....	.....	1	.....	.....	.....
178	Excessive cold	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
179	Effects of heat	5	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	2	.....	.....	.....	.....
180	Lightning	14	.....	.....	.....	.....	.....	3	3	2	5	.....	1	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	8	.....	.....	.....	.....	.....	.....	2	2	3	.....	1	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	8	1	.....	.....	.....	.....	.....	.....	1	1	.....	.....	2	1	.....	2	.....	.....
186	Other external violence	68	8	4	1	2	1	4	10	15	10	3	2	6	1	.....	.....	.....	1
	Homicide (total)	97	4	.....	.....	.....	.....	1	9	30	32	10	7	3	.....	.....	.....	.....	1
182	By firearms	69	.....	.....	.....	.....	.....	.....	4	24	28	4	5	3	.....	.....	.....	.....	1
183	By cutting or piercing instruments	9	.....	.....	.....	.....	.....	.....	2	3	1	2	1	.....	.....	.....	.....	.....	.....
184	By other means	19	4	.....	.....	.....	.....	1	3	3	3	4	1	.....	.....	.....	.....	.....	.....
	XIV.—Ill-defined diseases	567	277	22	8	6	2	11	6	17	17	21	34	51	58	32	5	.....	.....
187	Ill-defined organic disease	31	.....	.....	1	.....	.....	2	.....	1	.....	1	4	7	9	4	2	.....	.....
188	Sudden death	47	14	.....	.....	.....	.....	1	1	2	3	2	6	3	13	2	.....	.....	.....
189	Not specified or ill-defined (total)	489	263	22	7	6	2	8	5	14	14	18	24	41	36	26	3	.....	.....
	Ill-defined	191	57	19	3	2	.....	4	.....	8	7	12	15	31	18	14	1	.....	.....
	Not specified or unknown	298	206	3	4	4	2	4	5	6	7	6	9	10	18	12	2	.....	.....

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED).																	
	All causes	13,740	2,575	601	266	134	93	324	917	1,660	1,477	1,287	1,403	1,296	939	515	179	53	21
	I.—General diseases	4,091	418	200	99	55	40	149	496	837	581	401	324	253	151	61	19	1	6
1	Typhoid fever	234	3	1	5	2	4	27	74	61	34	7	9	6	1				
4	Malaria	89	10	7	1	4	2	7	12	12	6	8	12	4		4			
6	Measles	158	46	34	17	8	5	17	12	9	4	1	2		2				1
7	Scarlet fever	2				1	1												
8	Whooping cough	233	124	52	22	13	7	11	4										
9	Diphtheria and croup	60	19	11	9	7	3	9	2										
10	Influenza	275	38	13	5	4	2	3	18	20	17	19	30	30	39	25	11	1	
13	Cholera nostras	9	1	1	1			1	1			2		1	1				
14	Dysentery	116	45	20	6	1	3	2		3	4	6	6	10	6	1	3		
18	Erysipelas	9	3					1			2		1	2					
19	Other epidemic diseases	2		1				1											
20	Purulent infection and septicemia	19	1	1				2		5	1	5			4				
24	Tetanus	29	16				1	2	1	5		1	1		1	1			
26	Pellagra	111			1			2	5	24	31	22	8	11	4	3			
	Tuberculosis (total)	2,064	47	45	28	12	10	58	344	647	395	221	121	85	39	7	2		3
28	Tuberculosis of the lungs	1,785	32	33	12	7	5	40	288	576	364	193	113	73	38	7	2		2
29	Acute miliary tuberculosis	74	1		1		1	2	13	28	11	12	3	2					
30	Tuberculous meningitis	63	9	7	7	3	3	12	12	5	3	2							
31	Abdominal tuberculosis	94	1	3	2	2	1	2	22	27	14	9	4	6					1
32	Pott's disease	15							6	4	1	2		2					
33	White swellings	11		1	1			1	1	2	2	1		1	1				
34	Tuberculosis of other organs	15	3	1	2			1	2	3		2		1					
35	Disseminated tuberculosis	7	1		3					2			1						
36	Rickets	18	8	6		2	1	1											
37	Syphilis	192	48	7	2		1	3	7	22	32	25	23	13	5	3			1
38	Gonococcus infection	11	1						1	1	4	1		2	1				
	Cancer and other malignant tumors (total)	294			1				4	13	30	56	79	68	33	9	1		
39	Of the buccal cavity	8										1	2	3	2				
40	Of the stomach, liver	91								2	4	19	26	24	14	2			
41	Of the peritoneum, intestines, rectum	23							2	2	3	2	7	5	2				
42	Of the female genital organs	94								5	15	18	26	22	5	3			
43	Of the breast	33								1	6	10	7	5	2	1	1		
44	Of the skin	5											2	1		2			
45	Of other organs or of organs not specified	40			1				2	3	2	6	9	8	8	1			
46	Other tumors (tumors of the female genital organs excepted)	5									2	3							
47	Acute articular rheumatism	49	1					2	6	5	4	5	7	8	5	5	1		
48	Chronic rheumatism and gout	7									2			1	2	1	1		
50	Diabetes	50		1						4	3	8	16	9	6	2			1
51	Exophthalmic goiter	4							1		1		2						
52	Addison's disease	1											1						
53	Leukemia	6	1						1	2			2						
54	Anemia, chlorosis	15	4			1				2	2	3	3						
55	Other general diseases	11	2		1				3	2		3							
56	Alcoholism (acute or chronic)	18									7	5	1	3	2				
	II.—Diseases of the nervous system and of the organs of special sense	1,301	109	37	14	7	2	20	36	51	112	155	241	266	162	70	10	8	1
60	Encephalitis	10		1					5	2	2								
61	Meningitis (total)	66	17	11	6	2	1	10	6	3	6	1		1	2				
	Simple meningitis	33	10	3	4	1	1	3	4	1	4			1	1				
	Cerebrospinal meningitis (undefined)	22	4	4	2	1		4	1	2	2	1			1				
	Cerebrospinal fever	11	3	4				3	1										
62	Locomotor ataxia	13									2	2	2	6	1				
63	Other diseases of the spinal cord (total)	45	2	4				3	5	4	4	3	4	4	6	3	2	1	
	Acute anterior poliomyelitis	11	2	4				2	2						1				
	Other diseases of the spinal cord[1]	34						1	3	4	4	3	4	4	5	3	2	1	
64	Cerebral hemorrhage, apoplexy	719	2	2		2	1	1	4	9	61	109	185	194	100	41	3	4	1
65	Softening of the brain	15							1	1		1	1	5	4	2			
66	Paralysis without specified cause	174		1	1	1				3	4	19	31	44	41	21	5	3	
67	General paralysis of the insane	16							1		4	2	1	3	5				
68	Other forms of mental alienation	35							3	6	7	9	4	5		1			
69	Epilepsy	55	7	1				1	7	13	14	4	6	1	1				
70	Convulsions (nonpuerperal)	13						3	2	2	3		1	1		1			
71	Convulsions of infants	99	78	14	7														
72	Chorea	3	1							2									
73	Neuralgia and neuritis	3									1		1		1				
74	Other diseases of the nervous system	27	2			1		2	1	4	3	5	5	2	1	1			
76	Diseases of the ears	8		3		1			1	2	1								

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																	
	III.—Diseases of the circulatory system	1,472	10	.....	1	1	.....	8	30	97	171	220	311	292	201	89	32	3	6
77	Pericarditis	7	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	2	.....	.....	.....	.....	.....
78	Acute endocarditis	68	2	.....	.....	.....	.....	1	7	14	9	14	16	2	2	1	.....	.....	.....
79	Organic diseases of the heart	1,262	6	.....	1	1	.....	6	23	80	148	186	266	261	172	78	27	3	1
80	Angina pectoris	31	.....	.....	.....	.....	.....	1	.....	.....	8	6	8	5	2	1	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	75	.....	.....	.....	.....	.....	.....	.....	.....	1	9	8	20	23	9	4	.....	1
82	Embolism and thrombosis	17	.....	.....	.....	.....	.....	.....	.....	1	3	2	9	2	.....	.....	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	1	.....	1	.....	.....
	IV.—Diseases of the respiratory system	1,769	399	124	63	32	11	36	105	214	185	173	156	121	97	44	5	2	2
86	Diseases of the nasal fossae	28	24	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....
87	Diseases of the larynx	9	.....	1	.....	1	.....	.....	1	1	3	1	.....	.....	1	.....	.....	.....	.....
88	Diseases of the thyroid body	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	102	46	14	11	4	2	2	4	9	1	3	1	.....	3	1	1	.....	.....
90	Chronic bronchitis	61	1	1	1	.....	.....	.....	5	8	10	6	9	10	5	3	1	.....	1
91	Bronchopneumonia	400	164	64	35	12	3	11	13	18	14	17	13	14	15	7	.....	.....	.....
92	Pneumonia (total)	1,013	153	42	14	14	6	22	76	155	128	116	114	78	60	29	3	2	1
	Lobar pneumonia	677	52	21	10	8	4	15	56	116	98	95	83	55	40	15	2	1	1
	Pneumonia (undefined)	336	101	21	4	6	2	7	20	39	30	21	26	23	20	14	1	1	.....
93	Pleurisy	25	.....	1	.....	.....	.....	.....	2	9	5	4	2	.....	1	1	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	46	6	1	.....	.....	.....	.....	2	7	8	12	5	4	1	.....	.....	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
96	Asthma	49	2	.....	1	.....	.....	.....	.....	4	7	8	9	10	6	2	.....	.....	.....
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	30	3	.....	.....	1	.....	.....	1	3	6	5	2	4	5	.....	.....	.....	.....
	V.—Diseases of the digestive system	1,247	546	149	41	11	9	29	42	91	82	62	66	69	31	16	3	.....	.....
99	Diseases of the mouth and annexa	16	12	1	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
100	Diseases of the pharynx	15	3	2	.....	2	.....	1	2	1	2	.....	.....	1	1	.....	.....	.....	.....
101	Diseases of the esophagus	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	34	.....	.....	.....	.....	.....	.....	.....	12	4	4	7	7	.....	.....	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	157	38	7	5	.....	1	2	6	13	20	14	15	21	10	4	1	.....	.....
104	Diarrhea and enteritis (under 2 years)	606	471	135	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	126	.....	.....	30	7	5	10	7	13	9	9	12	11	6	5	2	.....	.....
107	Intestinal parasites	9	1	1	2	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	67	.....	.....	1	.....	1	8	20	14	8	7	4	2	2	.....	.....	.....	.....
109	Hernia, intestinal obstruction (total)	81	14	2	1	.....	.....	3	3	14	13	5	5	11	6	4	.....	.....	.....
	Hernia	21	4	.....	.....	.....	.....	.....	2	1	2	.....	1	4	4	3	.....	.....	.....
	Intestinal obstruction	60	10	2	1	.....	.....	3	1	13	11	5	4	7	2	1	.....	.....	.....
110	Other diseases of the intestines	15	1	1	.....	.....	.....	.....	1	.....	2	4	3	1	1	1	.....	.....	.....
111	Acute yellow atrophy of the liver	5	3	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	43	.....	.....	.....	.....	.....	1	.....	2	12	9	9	5	3	2	.....	.....	.....
114	Biliary calculi	10	.....	.....	.....	.....	.....	.....	.....	1	1	3	1	4	.....	.....	.....	.....	.....
115	Other diseases of the liver	33	.....	.....	1	1	.....	.....	2	6	5	5	7	5	1	.....	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	22	3	.....	.....	.....	.....	2	1	9	2	1	2	1	1	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6	.....	.....	.....	.....	.....	.....	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,106	13	12	7	2	4	7	19	72	134	166	216	200	162	72	16	3	1
119	Acute nephritis	136	5	8	2	1	2	5	5	17	28	20	16	17	8	.....	2	.....	.....
120	Bright's disease	843	5	2	5	1	2	2	12	41	75	127	184	168	142	61	12	3	1
122	Other diseases of the kidneys and annexa	27	2	2	.....	.....	.....	.....	.....	.....	3	4	3	5	4	3	1	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
124	Diseases of the bladder	13	1	.....	.....	.....	.....	.....	.....	2	1	1	2	1	3	2	.....	.....	.....
125	Diseases of the urethra, urinary abscess, etc	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	1	.....	.....	.....
126	Diseases of the prostate	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	6	4	3	1	.....	.....
127	Nonvenereal diseases of the male genital organs	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	23	.....	.....	.....	.....	.....	.....	.....	3	6	8	3	1	.....	2	.....	.....	.....
130	Other diseases of the uterus	10	.....	.....	.....	.....	.....	.....	2	4	1	1	1	.....	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	21	.....	.....	.....	.....	.....	.....	.....	4	15	2	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	196	.....	.....	.....	.....	.....	.....	40	80	64	11	1	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	16	.....	.....	.....	.....	.....	.....	2	5	7	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	17	.....	.....	.....	.....	.....	.....	1	10	6	.....	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	25	.....	.....	.....	.....	.....	.....	5	9	9	1	1	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	72	.....	.....	.....	.....	.....	.....	13	36	18	5	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	64	.....	.....	.....	.....	.....	.....	18	19	24	3	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	VIRGINIA (COLORED)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	49	9	2	.....	1	.....	1	4	1	2	5	7	5	5	7	.....	.....	.....
142	Gangrene	23	1	.....	.....	.....	.....	1	1	.....	1	2	5	3	3	6	.....	.....	.....
143	Furuncle	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
144	Acute abscess	10	3	1	.....	1	.....	.....	1	1	1	2	.....	.....	.....	.....	.....	.....	.....
145	Other diseases of the skin and annexa	15	5	1	.....	.....	.....	.....	2	.....	.....	.....	2	2	2	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	13	1	.....	.....	.....	.....	2	2	3	1	3	1	.....	.....	.....	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	12	1	.....	.....	.....	.....	2	2	3	1	2	1	.....	.....	.....	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	X.—Malformations	34	31	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	34	31	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	6	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	14	13	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	14	13	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	706	706	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	612	612	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	339	339	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	273	273	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	79	79	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	32	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy [1]	47	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	15	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	335	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20	67	126	87	32	2
154	Senility	335	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	20	67	126	87	32	2
	XIII.—External causes	764	43	25	26	16	20	53	115	185	112	60	42	35	21	9	1	1	.....
	Suicide (total)	15	.....	.....	.....	.....	.....	.....	1	1	4	6	2	1	.....	.....	.....	.....	.....
157	By hanging or strangulation	3	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....
158	By drowning	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
159	By firearms	6	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....	.....
160	By cutting or piercing instruments	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
161	By jumping from high places	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Accidental or undefined (total)	584	35	25	26	16	20	51	96	104	74	40	35	31	21	8	1	1	.....
164	Poisoning by food	12	1	1	.....	.....	.....	.....	3	1	.....	1	1	1	3	.....	.....	.....	.....
165	Other acute poisonings	13	.....	4	5	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
166	Conflagration	62	5	1	3	.....	4	13	12	7	8	3	1	2	2	1	.....	.....	.....
167	Burns (conflagration excepted)	121	5	14	14	10	14	22	10	7	5	3	1	5	5	5	.....	1	.....
168	Absorption of deleterious gases (conflagration excepted)	21	16	.....	.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	.....	.....	.....
169	Accidental drowning	78	.....	1	.....	1	.....	3	23	27	14	3	3	2	1	.....	.....	.....	.....
170	Traumatism by firearms	31	.....	.....	2	1	.....	5	11	7	1	3	.....	.....	.....	1	.....	.....	.....
171	Traumatism by cutting or piercing instruments	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
172	Traumatism by fall	38	3	3	.....	1	.....	2	4	3	7	3	2	5	4	1	.....	.....	.....
173	Traumatism in mines and quarries (total)	22	.....	.....	.....	.....	.....	.....	1	7	6	2	4	2	.....	.....	.....	.....	.....
	Traumatism in mines	19	.....	.....	.....	.....	.....	.....	1	6	5	2	3	2	.....	.....	.....	.....	.....
	Traumatism in quarries	3	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	13	.....	.....	.....	.....	.....	.....	2	4	3	1	1	2	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	101	.....	.....	.....	.....	1	4	18	30	19	14	10	4	1	.....	.....	.....	.....
	Railroad accidents and injuries	76	.....	.....	.....	.....	1	.....	14	26	16	10	6	3	.....	.....	.....	.....	.....
	Street-car accidents and injuries	7	.....	.....	.....	.....	.....	.....	.....	.....	2	3	2	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	5	.....	.....	.....	.....	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries by other vehicles	11	.....	.....	.....	.....	.....	2	1	2	1	1	2	1	1	.....	.....	.....	.....
	Landslide, other crushing	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	4	.....	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
177	Starvation	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	.....	1	.....	.....
179	Effects of heat	4	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
180	Lightning	8	.....	.....	1	.....	1	.....	.....	1	1	2	2	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
186	Other external violence	47	4	1	1	.....	.....	.....	11	9	6	2	6	4	3	.....	.....	.....	.....
	Homicide (total)	165	8	.....	.....	.....	.....	8	18	80	34	14	5	3	.....	1	.....	.....	.....
182	By firearms	117	1	.....	.....	.....	.....	1	13	63	23	11	3	2	.....	.....	.....	.....	.....
183	By cutting or piercing instruments	24	.....	.....	.....	.....	.....	.....	2	13	6	3	.....	.....	.....	.....	.....	.....	.....
184	By other means	24	7	.....	.....	.....	.....	1	3	4	5	.....	2	1	.....	1	.....	.....	.....
	XIV.—Ill-defined diseases	657	290	51	15	9	7	18	27	29	33	31	37	35	42	21	6	3	3
187	Ill-defined organic disease	57	2	2	1	.....	3	1	3	6	3	5	2	8	15	6	.....	.....	.....
188	Sudden death	31	6	.....	1	2	.....	1	1	2	3	3	6	1	3	1	1	.....	.....
189	Not specified or ill-defined (total)	569	282	49	13	7	4	16	23	21	27	23	29	26	24	14	5	3	3
	Ill-defined	208	43	32	6	4	3	9	13	7	17	17	19	17	11	9	1	.....	.....
	Not specified or unknown	361	239	17	7	3	1	7	10	14	10	6	10	9	13	5	4	3	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON.																	
	All causes	11,805	1,531	222	136	82	59	238	510	989	1,099	1,112	1,561	1,684	1,569	845	121	8	39
	I.—General diseases	3,285	151	68	42	39	24	94	202	402	431	389	519	474	321	113	13	.....	3
1	Typhoid fever	79	.....	.....	1	4	.....	5	16	15	18	9	9	2	.....	.....	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Measles	85	22	19	15	6	2	13	6	1	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Scarlet fever	13	.....	2	1	3	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
8	Whooping cough	76	43	22	2	4	.....	4	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
9	Diphtheria and croup	37	3	2	3	5	4	10	5	3	1	.....	.....	.....	.....	1	.....	.....	.....
10	Influenza	219	22	4	2	1	2	3	3	9	6	10	23	30	59	41	4	.....	.....
13	Cholera nostras	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
14	Dysentery	17	2	1	1	1	.....	.....	.....	.....	1	.....	.....	3	4	3	1	.....	.....
18	Erysipelas	22	6	2	1	.....	.....	2	1	1	.....	4	1	1	.....	3	.....	.....	.....
19	Other epidemic diseases	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	20	1	.....	.....	.....	.....	3	2	1	2	2	3	4	1	.....	1	.....	.....
22	Anthrax	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
23	Rabies	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....
27	Beriberi	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	1,248	28	13	16	13	10	33	128	328	275	153	122	84	39	4	.....	.....	2
28	Tuberculosis of the lungs	990	1	5	3	6	3	15	88	280	240	133	109	73	29	3	.....	.....	2
29	Acute miliary tuberculosis	31	4	.....	2	1	.....	.....	8	4	6	2	1	2	1	.....	.....	.....	.....
30	Tuberculous meningitis	85	21	7	10	1	4	11	6	18	5	2	.....	.....	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	68	2	.....	1	3	.....	5	11	15	9	9	8	4	1	.....	.....	.....	.....
32	Pott's disease	22	.....	.....	.....	1	1	1	4	4	4	2	2	.....	3	.....	.....	.....	.....
33	White swellings	10	.....	.....	.....	.....	1	1	4	2	1	.....	.....	1	.....	.....	.....	.....	.....
34	Tuberculosis of other organs	25	.....	.....	.....	.....	1	.....	1	4	6	4	2	3	3	1	.....	.....	.....
35	Disseminated tuberculosis	17	.....	1	.....	1	.....	.....	6	1	4	1	.....	1	2	.....	.....	.....	.....
36	Rickets	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	84	10	1	.....	1	.....	2	2	4	18	13	15	10	5	2	1	.....	.....
38	Gonococcus infection	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	952	1	.....	.....	.....	1	4	6	17	64	137	251	259	162	44	6	.....	.....
39	Of the buccal cavity	46	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	17	8	11	3	.....	.....	.....
40	Of the stomach, liver	397	.....	.....	.....	.....	.....	.....	1	1	12	55	104	131	71	18	4	.....	.....
41	Of the peritoneum, intestines, rectum	130	.....	.....	.....	.....	.....	.....	1	3	8	14	27	44	26	6	1	.....	.....
42	Of the female genital organs	116	.....	.....	.....	.....	.....	.....	2	3	18	31	34	18	9	1	.....	.....	.....
43	Of the breast	69	.....	.....	.....	.....	.....	.....	.....	2	4	12	27	12	11	1	.....	.....	.....
44	Of the skin	27	.....	.....	.....	.....	.....	.....	.....	.....	2	1	4	6	9	4	1	.....	.....
45	Of other organs or of organs not specified	167	1	.....	.....	.....	1	4	2	8	20	17	38	40	25	11	.....	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....
47	Acute articular rheumatism	41	.....	.....	.....	1	.....	6	11	2	3	3	5	2	6	2	.....	.....	.....
48	Chronic rheumatism and gout	11	.....	.....	.....	.....	.....	.....	.....	.....	1	1	2	2	2	3	.....	.....	.....
50	Diabetes	187	.....	.....	.....	.....	3	4	13	9	15	17	41	52	27	6	.....	.....	.....
51	Exophthalmic goiter	33	.....	.....	.....	.....	.....	.....	2	4	10	7	7	3	.....	.....	.....	.....	.....
52	Addison's disease	5	.....	.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	.....	.....	.....	.....
53	Leukemia	21	.....	.....	.....	.....	.....	1	1	.....	2	6	5	3	2	.....	.....	.....	1
54	Anemia, chlorosis	61	.....	1	.....	.....	.....	.....	1	4	4	9	18	13	7	4	.....	.....	.....
55	Other general diseases	18	11	.....	.....	.....	.....	.....	1	.....	1	2	2	.....	1	.....	.....	.....	.....
56	Alcoholism (acute or chronic)	36	.....	.....	.....	.....	.....	.....	.....	2	7	11	8	6	2	.....	.....	.....	.....
57	Chronic lead poisoning	5	.....	.....	.....	.....	.....	.....	1	.....	.....	2	1	.....	1	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	1,191	36	14	9	6	4	21	24	33	75	99	198	285	244	127	7	.....	9
60	Encephalitis	10	.....	.....	.....	.....	.....	.....	1	1	2	4	1	.....	1	.....	.....	.....	.....
61	Meningitis (total)	53	12	7	3	2	3	4	8	2	5	3	2	.....	2	.....	.....	.....	.....
	Simple meningitis	22	4	2	2	2	1	1	2	.....	4	1	2	.....	1	.....	.....	.....	.....
	Cerebrospinal meningitis (undefined)	15	5	2	.....	.....	.....	1	4	.....	.....	2	.....	.....	1	.....	.....	.....	.....
	Cerebrospinal fever	16	3	3	1	.....	2	2	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	8	4	3	.....	.....	.....	.....
63	Other diseases of the spinal cord (total)	59	1	.....	5	2	.....	5	3	1	2	7	8	9	8	6	2	.....	.....
	Acute anterior poliomyelitis	11	.....	.....	2	2	.....	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord [1]	48	1	.....	3	.....	.....	2	1	.....	1	7	8	9	8	6	2	.....	.....
64	Cerebral hemorrhage, apoplexy	740	.....	.....	.....	.....	.....	2	2	5	19	39	136	221	202	105	5	.....	4
65	Softening of the brain	6	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	3	2	.....	.....	.....	.....
66	Paralysis without specified cause	65	.....	.....	.....	.....	.....	1	1	1	1	1	10	17	20	11	.....	.....	2
67	General paralysis of the insane	72	.....	.....	.....	.....	.....	.....	.....	2	23	15	18	12	.....	.....	.....	.....	2
68	Other forms of mental alienation	35	.....	.....	.....	.....	.....	.....	.....	7	9	7	2	6	2	1	.....	.....	1
69	Epilepsy	54	1	.....	.....	.....	1	4	5	10	8	12	6	4	2	1	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	20	15	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	7	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	1	.....	2	.....	.....	.....
74	Other diseases of the nervous system	25	4	2	.....	.....	.....	1	2	2	3	1	3	5	1	1	.....	.....	.....
76	Diseases of the ears	23	3	2	1	.....	.....	4	1	1	1	4	3	3	.....	.....	.....	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																		
	III.—Diseases of the circulatory system	1,654	5	5	2	.....	3	12	45	73	79	149	267	399	387	202	22	1	3
77	Pericarditis	9	.....	.....	.....	.....	.....	1	.....	2	1	3	.....	.....	.....	2	.....	.....	.....
78	Acute endocarditis	86	.....	2	.....	.....	.....	1	7	9	14	15	27	5	5	1	.....	.....	.....
79	Organic diseases of the heart	1,236	2	1	2	.....	2	10	35	54	57	111	196	308	298	142	15	.....	3
80	Angina pectoris	80	.....	.....	.....	.....	.....	.....	.....	1	1	3	18	33	16	8	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	185	.....	.....	.....	.....	.....	.....	2	1	2	7	19	43	58	45	7	1	.....
82	Embolism and thrombosis	39	.....	1	.....	.....	1	.....	1	5	3	5	5	7	8	3	.....	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	11	.....	.....	.....	.....	.....	.....	.....	.....	1	5	2	1	2	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
	IV.—Diseases of the respiratory system	1,023	194	51	24	9	4	12	30	56	56	85	101	118	163	98	20	.....	2
86	Diseases of the nasal fossae	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
87	Diseases of the larynx	8	.....	4	2	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
88	Diseases of the thyroid body	8	.....	.....	.....	.....	.....	.....	1	.....	2	3	.....	1	1	.....	.....	.....	.....
89	Acute bronchitis	37	14	2	1	.....	.....	.....	.....	.....	.....	1	3	1	6	6	3	.....	.....
90	Chronic bronchitis	60	1	1	.....	.....	.....	.....	.....	1	2	.....	3	7	21	19	5	.....	.....
91	Bronchopneumonia	293	120	21	15	3	2	6	2	4	6	11	10	12	41	36	4	.....	.....
92	Pneumonia (total)	527	53	23	5	5	2	6	24	47	39	58	66	88	76	28	6	.....	1
	Lobar pneumonia	494	45	21	5	4	1	4	24	43	38	57	63	83	71	28	6	.....	1
	Pneumonia (undefined)	33	8	2	.....	1	1	2	.....	4	1	1	3	5	5	.....	.....	.....	.....
93	Pleurisy	19	.....	.....	1	.....	.....	.....	2	.....	3	5	5	2	1	.....	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	10	4	.....	.....	1	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	.....
95	Gangrene of the lung	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....
96	Asthma	40	.....	.....	.....	.....	.....	.....	.....	3	2	3	7	4	15	5	.....	.....	1
97	Pulmonary emphysema	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	13	1	.....	.....	.....	.....	.....	1	1	2	2	3	3	.....	.....	.....	.....	.....
	V.—Diseases of the digestive system	942	195	42	25	8	7	34	49	64	91	88	130	96	70	38	4	.....	1
99	Diseases of the mouth and annexa	5	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	.....	.....	.....	.....	.....
100	Diseases of the pharynx	37	2	1	3	2	2	4	10	6	2	.....	2	2	.....	1	.....	.....	.....
101	Diseases of the esophagus	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
102	Ulcer of the stomach	63	1	.....	.....	.....	.....	.....	1	7	9	9	19	7	7	2	1	.....	.....
103	Other diseases of the stomach (cancer excepted)	54	20	1	1	1	.....	2	1	1	.....	.....	4	4	13	4	1	.....	1
104	Diarrhea and enteritis (under 2 years)	171	142	29	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	85	.....	.....	19	5	2	8	3	5	6	7	7	9	8	5	1	.....	.....
108	Appendicitis and typhlitis	141	.....	2	1	.....	2	14	26	20	40	16	14	4	1	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	131	24	6	1	.....	1	4	3	6	10	16	24	18	9	9	.....	.....	.....
	Hernia	36	3	.....	.....	.....	.....	.....	.....	.....	3	6	8	7	6	3	.....	.....	.....
	Intestinal obstruction	95	21	6	1	.....	1	4	3	6	7	10	16	11	3	6	.....	.....	.....
110	Other diseases of the intestines	42	.....	3	.....	.....	.....	.....	.....	7	2	8	9	4	5	4	.....	.....	.....
111	Acute yellow atrophy of the liver	7	.....	.....	.....	.....	.....	.....	.....	2	2	.....	2	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	88	.....	.....	.....	.....	.....	.....	2	1	2	13	20	27	15	7	1	.....	.....
114	Biliary calculi	49	.....	.....	.....	.....	.....	.....	.....	2	6	7	16	8	6	4	.....	.....	.....
115	Other diseases of the liver	50	3	.....	.....	.....	.....	2	1	3	8	9	10	8	5	1	.....	.....	.....
116	Diseases of the spleen	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	7	1	.....	.....	.....	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	9	.....	.....	.....	.....	.....	.....	.....	2	3	1	1	2	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	919	16	1	2	2	.....	6	15	45	67	92	168	194	204	96	9	1	1
119	Acute nephritis	50	5	.....	1	2	.....	1	3	3	10	8	8	3	4	2	.....	.....	.....
120	Bright's disease	707	1	1	1	.....	.....	5	9	31	38	67	141	169	165	71	6	1	1
122	Other diseases of the kidneys and annexa	28	9	.....	.....	.....	.....	.....	.....	2	3	2	5	.....	5	2	.....	.....	.....
123	Calculi of the urinary passages	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
124	Diseases of the bladder	13	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	4	3	2	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....
126	Diseases of the prostate	64	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	16	23	16	2	.....	.....
129	Uterine tumor (noncancerous)	19	.....	.....	.....	.....	.....	.....	.....	.....	5	7	5	.....	.....	2	.....	.....	.....
130	Other diseases of the uterus	8	.....	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	11	.....	.....	.....	.....	.....	.....	2	4	1	.....	2	1	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	1	4	5	3	.....	.....	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	175	.....	.....	.....	.....	.....	.....	12	85	63	15	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	24	.....	.....	.....	.....	.....	.....	.....	9	13	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	13	.....	.....	.....	.....	.....	.....	.....	5	7	1	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	17	.....	.....	.....	.....	.....	.....	1	9	3	4	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	69	.....	.....	.....	.....	.....	.....	6	38	21	4	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	48	.....	.....	.....	.....	.....	.....	5	23	16	4	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WASHINGTON—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	31	2	2					1	2	2	2	2	3	7	7	1		
142	Gangrene	14										1		2	5	5	1		
143	Furuncle	4									1	1		1	1				
144	Acute abscess	6							1	2	1		1		1				
145	Other diseases of the skin and annexa	7	2	2									1			2			
	IX.—Diseases of the bones and of the organs of locomotion	49	4	1			1	5	11	7	4	4	2	6	3		1		
146	Diseases of the bones (tuberculosis excepted)	41	4	1				5	9	7	3	4	2	4	2				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	8					1		2		1			2	1		1		
	X.—Malformations	154	136	5	2	1	2	4	4										
150	Congenital malformations (stillbirths not included) (total)	154	136	5	2	1	2	4	4										
	Hydrocephalus	22	14	2	2	1	1	1	1										
	Congenital malformations of the heart	94	86	2			1	3	2										
	Other congenital malformations	38	36	1					1										
	XI.—Early infancy	716	716																
151	Congenital debility, icterus, and sclerema (total)	543	543																
	Premature birth	419	419																
	Congenital debility, "atrophy," "marasmus," etc	124	124																
152	Other causes peculiar to early infancy (total)	170	170																
	Injuries at birth	97	97																
	Other causes peculiar to early infancy[1]	73	73																
153	Lack of care	3	3																
	XII.—Old age	267											1	10	89	130	33	4	
154	Senility	267											1	10	89	130	33	4	
	XIII.—External causes	1,257	32	28	25	14	14	49	111	217	227	184	157	84	63	26	7	2	17
	Suicide (total)	184							5	27	34	33	37	25	15	4			4
155	By poison	36							2	11	6	3	6	5	1				2
156	By asphyxia	13								1	1	4	1	4	1				1
157	By hanging or strangulation	20								2	3	3	6	2	2	1			1
158	By drowning	14									3	3	4	2	2				
159	By firearms	85							3	10	17	16	18	11	7	3			
160	By cutting or piercing instruments	8								1	1	2	2	1	1				
161	By jumping from high places	4								1	2	1							
162	By crushing	1								1									
163	Other suicides	3									1	1			1				
	Accidental or undefined (total)	1,003	31	26	25	14	14	49	103	172	177	139	108	57	46	22	7	2	11
164	Poisoning by food	20	5		2	1	2	2		1	2	2			2	1			
165	Other acute poisonings	27	1	2	3		1	1		3	9	3	2		1	1			
166	Conflagration	37	3	2	2	2	3	2		7	2	3	4	3		2	1		1
167	Burns (conflagration excepted)	37	1	5	2	3	2	4	3	5	4	3	2		2	1			
168	Absorption of deleterious gases (conflagration excepted)	33	15				1		4	1	5	1	4	1		1			
169	Accidental drowning	167	1	7	12	3	4	12	42	27	28	11	8	3	2			1	6
170	Traumatism by firearms	32			1		1	2	17	5	2		3	1					
171	Traumatism by cutting or piercing instruments	2										1			1				
172	Traumatism by fall	114		3	2	1		5	7	12	12	13	12	11	16	12	6	1	1
173	Traumatism in mines and quarries (total)	25							1	4	7	9	1	1	1				1
	Traumatism in mines	22							1	2	7	8	1	1	1				1
	Traumatism in quarries	3								2		1							
174	Traumatism by machines	38								9	11	7	8	3					
175	Traumatism by other crushing (total)	320	1	6		3		18	22	68	54	55	47	27	16	3			
	Railroad accidents and injuries	122	1	2				3	5	27	20	26	23	6	7	2			
	Street-car accidents and injuries	16						1	1	4	1	3	2	3	1				
	Automobile accidents and injuries	82		3		2		9	8	9	10	11	12	12	5	1			
	Injuries by other vehicles	39		1		1		5	4	8	7	4	5	2	2				
	Landslide, other crushing	61							4	20	16	11	5	4	1				
176	Injuries by animals	14						1		3	1	4	2	1	2				
177	Starvation	1												1					
178	Excessive cold	6	1						1		3	1							
181	Electricity (lightning excepted)	10						1		2	6		1						
185	Fractures (cause not specified)	2									1		1						
186	Other external violence	118	3	1	1	1		1	6	25	30	26	13	5	3	1			2
	Homicide (total)	70	1	2					3	18	16	12	12	2	2				2
182	By firearms	57		2					2	16	14	11	8	2					2
183	By cutting or piercing instruments	2								2									
184	By other means	11	1						1		2	1	4		2				
	XIV.—Ill-defined diseases	142	44	5	5	3		1	6	5	4	5	16	15	18	8	4		3
187	Ill-defined organic disease	4											2	1	1				
188	Sudden death	5	3												1				1
189	Not specified or ill-defined (total)	133	41	5	5	3		1	6	5	4	5	14	14	16	8	4		2
	Ill-defined	51	5	4	3	1			4	2	1	2	7	7	8	5	1		1
	Not specified or unknown	82	36	1	2	2		1	2	3	3	3	7	7	8	3	3		1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN.																		
	All causes	29,591	5,090	790	380	273	182	537	1,042	1,914	1,970	2,354	3,084	3,721	4,616	3,048	544	16	30
	I.—General diseases	7,711	452	276	117	112	77	230	431	888	754	866	1,029	1,083	934	401	55	1	5
1	Typhoid fever	199	.....	1	1	2	2	10	33	59	33	21	22	10	4	1	.....	.....	.....
4	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
5	Smallpox	2	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Measles	294	70	110	35	15	12	28	14	4	2	2	.....	1	.....	1	.....	.....	.....
7	Scarlet fever	126	8	14	9	21	8	29	28	8	.....	.....	.....	1	.....	.....	.....	.....	.....
8	Whooping cough	176	116	28	14	5	2	8	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....
9	Diphtheria and croup	229	14	28	20	32	22	67	34	6	.....	5	1	.....	.....	.....	.....	.....	.....
10	Influenza	748	60	19	8	3	5	9	19	21	23	33	42	92	198	180	35	1	.....
13	Cholera nostras	6	2	.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....
14	Dysentery	44	15	6	4	4	1	1	.....	1	.....	2	.....	2	2	6	.....	.....	.....
18	Erysipelas	100	20	1	1	.....	.....	.....	2	3	11	16	5	15	15	9	2	.....	.....
19	Other epidemic diseases	8	2	1	.....	.....	.....	2	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
20	Purulent infection and septicemia	40	5	.....	1	.....	1	2	8	2	2	4	7	3	3	2	.....	.....	.....
24	Tetanus	29	3	1	.....	.....	1	2	5	4	4	2	3	2	1	.....	.....	.....	1
25	Mycoses	5	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	1	.....	.....	.....	.....	.....
26	Pellagra	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	2,328	46	45	18	20	14	48	193	657	462	335	225	157	88	18	1	.....	1
28	Tuberculosis of the lungs	1,933	11	12	6	5	5	14	144	592	424	300	193	138	75	14	.....	.....	.....
29	Acute miliary tuberculosis	60	1	5	.....	1	.....	2	12	15	12	5	4	2	1	.....	.....	.....	.....
30	Tuberculous meningitis	152	28	23	12	13	6	25	19	10	3	4	7	2	.....	.....	.....	.....	.....
31	Abdominal tuberculosis	86	3	3	.....	1	.....	3	7	22	9	13	11	5	5	3	.....	.....	1
32	Pott's disease	23	.....	1	.....	.....	2	2	1	5	2	5	1	2	2	.....	.....	.....	.....
33	White swellings	16	1	.....	.....	.....	1	1	3	3	2	.....	1	2	1	.....	1	.....	.....
34	Tuberculosis of other organs	37	2	1	.....	.....	.....	1	4	4	5	6	4	5	4	1	.....	.....	.....
35	Disseminated tuberculosis	21	.....	.....	.....	.....	.....	.....	3	6	5	2	4	1	.....	.....	.....	.....	.....
36	Rickets	28	19	5	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Syphilis	104	36	3	.....	.....	1	1	1	7	21	9	17	7	1	.....	.....	.....	.....
38	Gonococcus infection	6	.....	.....	.....	.....	.....	.....	1	4	.....	1	.....	.....	.....	.....	.....	.....	.....
	Cancer and other malignant tumors (total)	2,109	1	4	1	4	3	3	9	23	81	285	477	597	464	142	13	.....	2
39	Of the buccal cavity	60	.....	.....	.....	.....	.....	.....	.....	1	4	7	6	14	15	9	3	.....	1
40	Of the stomach, liver	1,015	.....	1	.....	1	.....	.....	.....	4	23	114	214	337	250	66	5	.....	.....
41	Of the peritoneum, intestines, rectum	291	.....	.....	.....	1	.....	.....	3	5	14	31	61	79	78	17	2	.....	.....
42	Of the female genital organs	216	.....	.....	.....	.....	.....	.....	.....	3	13	57	65	39	27	11	.....	.....	1
43	Of the breast	158	.....	.....	.....	.....	.....	.....	.....	1	15	33	43	41	12	13	.....	.....	.....
44	Of the skin	56	.....	.....	.....	.....	.....	.....	1	1	1	4	10	11	17	9	2	.....	.....
45	Of other organs or of organs not specified	313	1	3	1	2	3	3	5	8	11	39	78	76	65	17	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	10	1	.....	.....	.....	.....	1	.....	.....	.....	1	3	2	1	.....	1	.....	.....
47	Acute articular rheumatism	138	.....	1	1	1	2	3	35	17	14	15	14	11	14	10	.....	.....	.....
48	Chronic rheumatism and gout	52	.....	.....	.....	.....	.....	.....	.....	1	6	6	6	8	16	8	1	.....	.....
49	Scurvy	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	437	1	3	.....	2	1	10	32	26	14	43	95	101	88	19	2	.....	.....
51	Exophthalmic goiter	64	.....	.....	.....	.....	.....	.....	3	10	17	6	14	10	4	.....	.....	.....	.....
52	Addison's disease	16	.....	.....	.....	.....	.....	.....	.....	1	1	6	5	1	2	.....	.....	.....	.....
53	Leukemia	72	3	2	2	.....	2	1	6	7	7	8	14	14	5	1	.....	.....	.....
54	Anemia, chlorosis	153	10	1	1	.....	.....	1	4	10	15	21	42	29	18	1	.....	.....	.....
55	Other general diseases	37	18	2	.....	1	.....	2	3	1	4	.....	1	2	1	2	.....	.....	.....
56	Alcoholism (acute or chronic)	141	.....	.....	.....	.....	.....	.....	.....	11	33	44	30	13	8	1	.....	.....	1
57	Chronic lead poisoning	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
59	Other chronic poisonings	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,094	232	48	37	26	25	58	74	91	145	226	395	543	731	409	52	1	1
60	Encephalitis	21	4	1	1	.....	.....	1	3	3	2	1	3	.....	2	.....	.....	.....	.....
61	Meningitis (total)	174	44	16	18	12	11	22	15	16	8	2	3	3	2	2	.....	.....	.....
	Simple meningitis	82	26	4	6	5	4	10	5	8	4	2	2	2	2	2	.....	.....	.....
	Cerebrospinal meningitis (undefined)	36	6	6	2	2	4	5	2	5	3	.....	.....	1	.....	.....	.....	.....	.....
	Cerebrospinal fever	56	12	6	10	5	3	7	8	3	1	.....	1	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	60	.....	.....	.....	.....	.....	.....	.....	.....	4	13	19	16	7	1	.....	.....	.....
63	Other diseases of the spinal cord (total)	213	11	4	5	5	4	18	15	12	15	12	25	38	36	12	.....	.....	1
	Acute anterior poliomyelitis	67	9	4	5	4	4	18	14	6	2	.....	.....	.....	.....	.....	.....	.....	1
	Other diseases of the spinal cord [1]	146	2	.....	.....	1	.....	.....	1	6	13	12	25	38	36	12	.....	.....	.....
64	Cerebral hemorrhage, apoplexy	1,847	.....	2	.....	.....	1	2	8	16	43	100	280	413	597	341	43	1	.....
65	Softening of the brain	35	.....	.....	.....	.....	.....	.....	.....	.....	1	2	1	4	18	8	1	.....	.....
66	Paralysis without specified cause	124	.....	.....	1	1	.....	.....	.....	.....	3	3	10	28	41	31	6	.....	.....
67	General paralysis of the insane	130	.....	.....	.....	.....	.....	.....	.....	2	32	37	24	15	11	8	1	.....	.....
68	Other forms of mental alienation	66	.....	.....	.....	.....	.....	.....	.....	7	6	17	17	9	5	5	.....	.....	.....
69	Epilepsy	102	1	1	2	.....	4	4	16	19	21	23	2	7	2	.....	.....	.....	.....
70	Convulsions (nonpuerperal)	3	.....	.....	.....	.....	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
71	Convulsions of infants	188	163	16	4	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	5	1	.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	3	.....	.....	.....	.....
74	Other diseases of the nervous system	64	2	.....	2	4	2	3	8	9	6	7	7	8	5	1	.....	.....	.....
75	Diseases of the eyes and their annexa	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	53	5	7	3	.....	2	6	7	7	4	6	2	2	1	.....	1	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																	
	III.—Diseases of the circulatory system	4,089	36	8	4	5	6	25	86	108	161	267	502	836	1,228	729	85	.....	3
77	Pericarditis	26	.....	.....	.....	1	.....	1	1	1	1	2	2	10	2	5	.....	.....	.....
78	Acute endocarditis	227	7	2	.....	3	3	9	16	32	25	37	60	13	14	5	1	.....	.....
79	Organic diseases of the heart	2,973	11	4	3	1	3	13	64	64	119	189	348	662	931	511	47	.....	3
80	Angina pectoris	174	.....	.....	.....	.....	.....	.....	2	2	8	15	30	45	53	18	1	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc.	554	.....	.....	.....	.....	.....	.....	.....	.....	1	9	44	82	202	183	33	.....	.....
82	Embolism and thrombosis	90	.....	.....	.....	.....	.....	1	1	8	5	12	16	19	20	5	3	.....	.....
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	19	.....	.....	.....	.....	.....	.....	.....	1	2	2	2	5	5	2	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	21	16	2	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	5	2	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	3,455	716	206	78	44	22	50	78	132	163	223	317	369	550	433	66	4	4
86	Diseases of the nasal fossae	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
87	Diseases of the larynx	22	4	.....	2	4	.....	2	1	1	1	1	1	2	2	1	.....	.....	.....
88	Diseases of the thyroid body	20	.....	.....	.....	.....	.....	.....	2	2	4	4	4	2	1	1	.....	.....	.....
89	Acute bronchitis	263	127	34	8	2	1	2	2	2	.....	2	2	7	28	38	7	1	.....
90	Chronic bronchitis	207	3	1	.....	.....	.....	1	1	1	2	4	14	20	80	57	22	1	.....
91	Bronchopneumonia	930	359	83	37	16	7	12	9	17	13	20	40	66	106	133	10	1	1
92	Pneumonia (total)	1,803	200	81	28	22	11	29	53	105	134	176	227	240	291	181	22	1	2
	Lobar pneumonia	1,485	149	61	22	15	8	25	41	87	118	148	192	203	247	148	19	1	1
	Pneumonia (undefined)	318	51	20	6	7	3	4	12	18	16	28	35	37	44	33	3	.....	1
93	Pleurisy	77	8	5	2	.....	3	4	9	4	2	5	13	9	7	6	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	43	4	1	.....	.....	.....	.....	.....	.....	3	1	6	5	13	7	3	.....	.....
95	Gangrene of the lung	3	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
96	Asthma	56	1	.....	1	.....	.....	.....	.....	.....	1	7	6	13	16	8	2	.....	1
97	Pulmonary emphysema	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	3	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	23	7	.....	.....	.....	.....	.....	1	.....	3	2	3	3	3	1	.....	.....	.....
	V.—Diseases of the digestive system	2,849	977	183	92	49	22	65	126	148	140	209	249	227	222	122	17	.....	1
99	Diseases of the mouth and annexa	15	7	2	.....	.....	.....	.....	1	.....	2	1	1	1	.....	.....	.....	.....	.....
100	Diseases of the pharynx	65	6	5	3	1	.....	6	8	12	4	4	5	5	3	3	.....	.....	.....
101	Diseases of the esophagus	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
102	Ulcer of the stomach	121	2	.....	.....	.....	.....	.....	3	13	9	20	27	22	16	9	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	193	104	5	4	1	.....	4	1	1	5	8	11	9	26	11	3	.....	.....
104	Diarrhea and enteritis (under 2 years)	969	814	155	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	282	.....	.....	70	39	15	19	7	5	11	15	16	25	30	24	6	.....	.....
107	Intestinal parasites	2	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	354	4	.....	8	4	7	23	89	76	41	43	33	19	6	1	.....	.....	.....
109	Hernia intestinal obstruction (total)	244	33	8	5	3	.....	5	7	13	14	24	23	34	47	24	4	.....	.....
	Hernia	76	4	.....	.....	.....	.....	2	.....	6	5	11	10	16	15	7	.....	.....	.....
	Intestinal obstruction	168	29	8	5	3	.....	3	7	7	9	13	13	18	32	17	4	.....	.....
110	Other diseases of the intestines	41	3	1	1	.....	.....	2	1	3	2	6	9	2	3	8	.....	.....	.....
111	Acute yellow atrophy of the liver	10	1	.....	.....	.....	.....	.....	.....	1	1	1	2	1	.....	2	1	.....	.....
113	Cirrhosis of the liver	288	.....	2	.....	.....	.....	.....	1	5	25	55	64	71	41	24	.....	.....	.....
114	Biliary calculi	93	.....	.....	.....	.....	.....	.....	.....	2	9	9	24	12	29	8	.....	.....	.....
115	Other diseases of the liver	127	3	4	.....	.....	.....	1	4	10	12	18	23	23	19	7	2	.....	1
116	Diseases of the spleen	5	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	22	.....	1	.....	1	.....	5	2	3	3	1	3	1	2	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	16	.....	.....	.....	.....	.....	.....	1	2	2	3	6	1	.....	.....	1	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,089	28	6	2	6	5	18	42	72	136	202	306	420	523	282	36	2	3
119	Acute nephritis	123	10	3	1	5	5	8	11	12	15	18	10	7	12	6	.....	.....	.....
120	Bright's disease	1,620	7	3	.....	1	.....	10	25	49	97	145	254	354	428	219	25	1	.....
122	Other diseases of the kidneys and annexa	52	10	.....	1	.....	.....	.....	1	2	3	6	10	6	5	5	3	.....	.....
123	Calculi of the urinary passages	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	4	5	2	2	.....	.....	.....
124	Diseases of the bladder	47	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3	8	17	16	1	.....	1
125	Diseases of the urethra, urinary abscess, etc.	6	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	1	1	.....	.....	.....
126	Diseases of the prostate	130	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	6	29	52	32	6	1	.....
127	Nonvenereal diseases of the male genital organs	4	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	3	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	32	.....	.....	.....	.....	.....	.....	.....	1	7	9	8	4	3	.....	.....	.....	.....
130	Other diseases of the uterus	16	.....	.....	.....	.....	.....	.....	1	1	5	4	3	1	.....	1	.....	.....	.....
131	Cysts and other tumors of the ovary	22	.....	.....	.....	.....	.....	.....	2	1	2	4	6	4	3	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	2	3	5	5	2	.....	.....	.....	1	.....	.....
	VII—The puerperal state	340	.....	.....	.....	.....	.....	.....	24	136	128	52	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	25	.....	.....	.....	.....	.....	.....	1	8	14	2	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	31	.....	.....	.....	.....	.....	.....	.....	7	17	7	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	33	.....	.....	.....	.....	.....	.....	.....	15	9	9	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	144	.....	.....	.....	.....	.....	.....	14	64	48	18	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	94	.....	.....	.....	.....	.....	.....	9	35	36	14	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13	.....	.....	.....	.....	.....	.....	.....	7	4	2	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1916—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	WISCONSIN—Continued.																	
	VIII.—Diseases of the skin and of the cellular tissue	131	28	1	4			2	2	5	7	10	10	8	25	23	6		
142	Gangrene	64			1			1	1	2		3	4	6	19	21	6		
143	Furuncle	18	5	1						2	3	3	1		2	1			
144	Acute abscess	21	7		2			1	1	1	3	3	1		2				
145	Other diseases of the skin and annexa	28	16		1						1	1	4	2	2	1			
	IX.—Diseases of the bones and of the organs of locomotion	56	5	1		2	2	6	9	9	2	3	5	6	2	4			
146	Diseases of the bones (tuberculosis excepted)	46	4	1		2	2	6	9	7	2	3	1	5	1	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1							1			4	1	1	1			
149	Other diseases of the organs of locomotion	1								1									
	X.—Malformations	368	344	11	4	1		4	3	1									
150	Congenital malformations (stillbirths not included) (total)	368	344	11	4	1		4	3	1									
	Hydrocephalus	34	24	5	1	1		2	1										
	Congenital malformations of the heart	191	182	4	2			1	2										
	Other congenital malformations	143	138	2	1			1		1									
	XI.—Early infancy	2,185	2,185																
151	Congenital debility, icterus, and sclerema (total)	1,727	1,727																
	Premature birth	1,330	1,330																
	Congenital debility, "atrophy," "marasmus," etc.	397	397																
152	Other causes peculiar to early infancy (total)	443	443																
	Injuries at birth	222	222																
	Other causes peculiar to early infancy[1]	221	221																
153	Lack of care	15	15																
	XII.—Old age	1,053										1		21	239	570	215	7	
154	Senility	1,053										1		21	239	570	215	7	
	XIII.—External causes	2,092	63	45	38	27	23	79	167	323	328	293	266	193	153	71	11	1	11
	Suicide (total)	350							14	49	60	69	70	53	22	8	1		4
155	By poison	57							4	13	10	12	12	3		2			1
156	By asphyxia	7									4	2	1						
157	By hanging or strangulation	124							2	11	15	22	29	26	14	5			
158	By drowning	24								4	6	3	6	2	2		1		
159	By firearms	106							8	15	23	20	17	15	4	1			3
160	By cutting or piercing instruments	22								5	2	5	3	5	2				
161	By jumping from high places	5										4		1					
162	By crushing	1								1									
163	Other suicides	4										1	2	1					
	Accidental or undefined (total)	1,701	60	44	38	27	23	78	151	263	251	220	194	140	131	63	10	1	7
164	Poisoning by food	19	4	3			1	3		2	4	1			1				
165	Other acute poisonings	27	1	6	4		2	2		3	3	2	3	1					
166	Conflagration	29		3	1	2	3			2	3	5	4	1	4	1			
167	Burns (conflagration excepted)	102	8	17	12	8	6	10	7	9	5	6	7	1	5	1			
168	Absorption of deleterious gases (conflagration excepted)	57	22	2			1	3	3	6	1	1	7	5	4	1	1		
169	Accidental drowning	241	1	3	6	4	3	21	51	67	29	29	11	6	6	2	1		1
170	Traumatism by firearms	42				1		2	17	10	5	5	1		1				
171	Traumatism by cutting or piercing instruments	8			1				1		2	1		3					
172	Traumatism by fall	260	2	5	2	4	1	6	8	21	35	20	36	31	42	40	6		1
173	Traumatism in mines and quarries (total)	17								5	9	2	1						
	Traumatism in mines	16								4	9	2	1						
	Traumatism in quarries	1								1									
174	Traumatism by machines	58		1				1	5	20	13	9	6		2				1
175	Traumatism by other crushing (total)	453		1	9	4	3	18	38	67	79	77	66	54	25	8	1		3
	Railroad accidents and injuries	226		1	1			3	12	41	45	46	36	23	10	4	1		3
	Street-car accidents and injuries	35			2				2	2	8	8	3	3	3	4			
	Automobile accidents and injuries	105			3	3	1	12	18	17	16	12	10	10	3				
	Injuries by other vehicles	70			3	1	1	3	5	4	7	9	12	16	9				
	Landslide, other crushing	17					1		1	3	3	2	5	2					
176	Injuries by animals	26	1		2	2	1		1	2	5	1	5	4	1	1			
178	Excessive cold	18	2							3	5	1	2	2	2		1		
179	Effects of heat	213	9	2				5	7	22	26	41	32	27	32	9		1	
180	Lightning	15						2	4	1	3	1	2	1					1
181	Electricity (lightning excepted)	20							4	4	10	2							
185	Fractures (cause not specified)	7								4			1		2				
186	Other external violence	89	10	1	1	2	2	5	5	15	14	16	10	4	4				
	Homicide (total)	41	3	1				1	2	11	17	4	2						
182	By firearms	19		1					2	5	8	3							
183	By cutting or piercing instruments	6								3	3								
184	By other means	16	3					1		3	6	1	2						
	XIV.—Ill-defined diseases	79	24	5	4	1				1	6	2	5	15	9	4	1		2
187	Ill-defined organic disease	8												3	2	2	1		
188	Sudden death	8	1	2								1	1	2	1				
189	Not specified or ill-defined (total)	63	23	3	4	1				1	5	2	4	10	6	2			2
	Ill-defined	26	2	3	4					1	1	1	2	9	3				
	Not specified or unknown	37	21			1					4	1	2	1	3	2			2

[1] Exclusive of injuries at birth.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (TOTAL).																			
	All causes	2,557	348	114	49	28	15	48	173	376	347	310	263	223	137	77	11	7	31
1	Typhoid fever	79	1	1	2	1	2	5	17	34	6	5	1	2					
2	Typhus fever																		
3	Malaria	18		1	3				3	2	3	4	2						
4	Smallpox																		
5	Measles																		
6	Scarlet fever	2				1		1											
7	Whooping cough	7	3	1		1	1	1											
8	Diphtheria and croup	9	1	2	1	2	3												
9	Influenza	24	3	1	1			1	1			1	4	4	3	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	24	5	1	2		1		3	2		3	3		4				
13	Tuberculosis of the lungs	316	3	3	2	5		3	46	117	72	32	20	5	5				3
14	Tuberculous meningitis	12	3	2	2			1	3			1							
15	Other forms of tuberculosis	39		1	1	1			11	5	7	6	2	3		1			1
16	Cancer and other malignant tumors	102	1					1	1	6	14	15	24	25	11	2			2
17	Meningitis	12	2	1		1			3		5								
18	Cerebral hemorrhage and softening	114								6	7	19	26	32	15	7		1	1
19	Organic diseases of the heart	154		1						12	23	22	25	33	22	13		1	2
20	Acute bronchitis	7	3	1								2				1			
21	Chronic bronchitis	12									2		2	1	2	4	1		
22	Pneumonia	191	6	8	2	2		6	6	39	25	29	21	24	12	5	2		4
23a	Bronchopneumonia	59	30	7	6	1	1	4		2			3	1	2	2			
23b	Other diseases of the respiratory system	24	2	1						2	6	6	3	2		1	1		
24	Diseases of the stomach	34	6		1	2				2	9	3	5	3	3				
25(37)	Diarrhea and enteritis	153	76	53	12	1		2	1		4			1	2	1			
26	Appendicitis and typhlitis	57			1		1	5	14	13	10	9	2		1				1
27	Hernia, intestinal obstruction	24	3						2	3	7	3	4	1	1				
28	Cirrhosis of the liver	17								1	6	4	1	3	2				
29	Acute nephritis and Bright's disease	156		1	1			2	5	10	15	40	25	26	19	11		1	
30	Diseases of the female genital organs	43							4	8	17	12	1						1
31	Puerperal fever	15							3	6	5	1							
32	Other puerperal affections	29							5	16	6	2							
33	Congenital debility and malformations	127	126	1															
34	Senility	29											1	4	6	11	4	3	
35	Violent deaths (excluding suicide)	207	5	8	6	4	4	9	22	43	43	20	10	8	4	9		1	11
36	Suicide	15							1	4	2	5	1	2					
(37)	Other defined diseases	398	48	13	5	6	2	7	21	42	48	64	69	42	22	5	2		2
38	Diseases ill-defined or unknown	48	21	6	1				1	1	5	2	8	1	1				1
BIRMINGHAM, ALA. (WHITE).																			
	All causes	1,138	184	61	24	11	8	25	59	111	107	105	121	158	101	56	3	1	3
1	Typhoid fever	39		1		1	1	3	11	11	5	3	1	1					1
2	Typhus fever																		
3	Malaria	5								2	2		1						
4	Smallpox																		
5	Measles																		
6	Scarlet fever	2				1		1											
7	Whooping cough	2	1	1															
8	Diphtheria and croup	4		1	1	1	1												
9	Influenza	14	1					1					2	4	2	3	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7		1					1			1	2		2				
13	Tuberculosis of the lungs	76		1	2	1		1	6	27	15	9	6	5	3				
14	Tuberculous meningitis	4	2	1								1							
15	Other forms of tuberculosis	10			1				2	2	1		1	2		1			
16	Cancer and other malignant tumors	71	1					1		1	11	9	15	22	9	2			
17	Meningitis	6	2			1			1		2								
18	Cerebral hemorrhage and softening	50								1	2	6	9	16	13	3			
19	Organic diseases of the heart	75								2	5	3	13	25	17	10			
20	Acute bronchitis	4	3													1			
21	Chronic bronchitis	7											1	1	2	3			
22	Pneumonia	63	4	2	1	1		2	1	5	6	6	8	13	10	3	1		
23a	Bronchopneumonia	20	7	3	1		1	1					2	1	2	2			
23b	Other diseases of the respiratory system	11	1	1						2	1	4	1			1			
24	Diseases of the stomach	11	4			1					2	1	1	1	1				
25(37)	Diarrhea and enteritis	97	47	36	9						3			1	1				
26	Appendicitis and typhlitis	35			1			5	11	6	5	4	2		1				
27	Hernia, intestinal obstruction	7	1						1		2		2	1					
28	Cirrhosis of the liver	7								1	1			3	2				
29	Acute nephritis and Bright's disease	78		1	1					3	3	13	11	21	15	10			
30	Diseases of the female genital organs	11							1	1	4	4	1						
31	Puerperal fever	6								4	2								
32	Other puerperal affections	21							3	11	5	2							
33	Congenital debility and malformations	80	79	1															
34	Senility	11												1	2	7	1		
35	Violent deaths (excluding suicide)	84	3	2	2	1	3	5	9	13	14	8	4	6	4	7		1	2
36	Suicide	13							1	3	2	4	1	2					
(37)	Other defined diseases	196	25	7	5	3	2	5	11	16	14	27	32	31	15	3			
38	Diseases ill-defined or unknown	11	3	2									5	1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BIRMINGHAM, ALA. (COLORED).																			
	All causes	1,419	164	53	25	17	7	23	114	265	240	205	142	65	36	21	8	6	28
1	Typhoid fever	40	1		2		1	2	6	23	1	2		1					1
2	Typhus fever																		
3	Malaria	13		1	3				3		1	4	1						
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	5	2			1	1	1											
8	Diphtheria and croup	5	1	1		1	2												
9	Influenza	10	2	1	1				1			1	2		1	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	5		2		1		2	2		2	1		2				
13	Tuberculosis of the lungs	240	3	2		4		2	40	90	57	23	14		2				3
14	Tuberculous meningitis	8	1	1	2			1	3										
15	Other forms of tuberculosis	29		1		1			9	3	6	6	1	1					1
16	Cancer and other malignant tumors	31							1	5	3	6	9	3	2				2
17	Meningitis	6		1					2		3								
18	Cerebral hemorrhage and softening	64								5	5	13	17	16	2	4		1	1
19	Organic diseases of the heart	79		1						10	18	19	12	8	5	3		1	2
20	Acute bronchitis	3		1								2							
21	Chronic bronchitis	5									2		1			1	1		
22	Pneumonia	128	2	6	1	1		4	5	34	19	23	13	11	2	2	1		4
23a	Bronchopneumonia	39	23	4	5	1		3		2			1						
23b	Other diseases of the respiratory system	13	1								5	2	2	2			1		
24	Diseases of the stomach	23	2		1	1				2	7	2	4	2	2				
25(37)	Diarrhea and enteritis	56	29	17	3	1		2	1		1				1	1			
26	Appendicitis and typhlitis	22					1		3	7	5	5							1
27	Hernia, intestinal obstruction	17	2						1	3	5	3	2		1				
28	Cirrhosis of the liver	10									5	4	1						
29	Acute nephritis and Bright's disease	78						2	5	7	12	27	14	5	4	1		1	
30	Diseases of the female genital organs	32							3	7	13	8							1
31	Puerperal fever	9							3	2	3	1							
32	Other puerperal affections	8							2	5	1								
33	Congenital debility and malformations	47	47																
34	Senility	18											1	3	4	4	3	3	
35	Violent deaths (excluding suicide)	123	2	6	4	3	1	4	13	30	29	12	6	2		2			9
36	Suicide	2								1		1							
(37)	Other defined diseases	202	23	6		3		2	10	26	34	37	37	11	7	2	2		2
38	Diseases ill-defined or unknown	37	18	4	1				1	1	5	2	3		1				1
LOS ANGELES, CAL.																			
	All causes	6,212	551	125	55	41	22	76	188	527	710	755	866	977	863	407	48	1	
1	Typhoid fever	13	1			2		2		4	1	1	1	1					
2	Typhus fever	1										1							
3	Malaria	1											1						
4	Smallpox	2									1		1						
5	Measles	10	1	3	1	4				1									
6	Scarlet fever	7	1		1			3	1	1									
7	Whooping cough	49	31	13	3	1	1												
8	Diphtheria and croup	19	4	1	5	4	2	2	1										
9	Influenza	47	3	6	1				1	1	1	3	2	9	11	8	1		
10	Asiatic cholera																		
11	Cholera nostras	1		1															
12	Other epidemic diseases	21	3	2		1			1	1	5	1	3	2		2			
13	Tuberculosis of the lungs	892	3	4	5	3	3	10	55	211	265	152	92	65	20	3	1		
14	Tuberculous meningitis	48	6	11	1	3	1	4	9	5	4	2	1	1					
15	Other forms of tuberculosis	39	1		1		2	1	2	11		7	7	5	2				
16	Cancer and other malignant tumors	533	2					1	2	11	33	104	135	117	108	18	2		
17	Meningitis	33	8	4	2		2	2	5	1	2	3	2	2					
18	Cerebral hemorrhage and softening	341			1					1	7	33	56	80	102	59	2		
19	Organic diseases of the heart	813		1		1		5	14	29	52	74	124	206	207	89	11		
20	Acute bronchitis	13	3	1	2									1	2	3	1		
21	Chronic bronchitis	31	2								1	1	4	4	8	11			
22	Pneumonia	212	12	5	3	2			4	18	16	23	32	35	36	26			
23a	Bronchopneumonia	182	67	18	3	5	4	4	5	1	2	5	7	17	25	17	2		
23b	Other diseases of the respiratory system	56	2	3	2		1	1	2	4	6	3	7	10	10	4	1		
24	Diseases of the stomach	76	1		1				2	6	10	12	18	7	8	10	1		
25(37)	Diarrhea and enteritis	197	117	30	8	4		2		2	6	9	6	7	2	2	2		
26	Appendicitis and typhlitis	74	1	1		1	1	1	15	9	16	12	8	5	4				
27	Hernia, intestinal obstruction	57	9	2	1				1	6	5	12	5	8	5	3			
28	Cirrhosis of the liver	56								2	10	9	13	13	7	2			
29	Acute nephritis and Bright's disease	562	6		1				8	15	45	67	100	149	118	50	3		
30	Diseases of the female genital organs	56								10	15	17	9	2	1	2			
31	Puerperal fever	31							4	14	11	2							
32	Other puerperal affections	31							2	13	15	1							
33	Congenital debility and malformations	203	194	3		1		3	2										
34	Senility	44												4	9	20	11		
35	Violent deaths (excluding suicide)	395	3	7	8	4	4	11	23	64	62	59	49	52	34	11	4		
36	Suicide	143							1	30	27	32	28	18	6	1			
(37)	Other defined diseases	921	70	9	5	5	1	24	28	56	92	109	154	157	138	66	6	1	
38	Diseases ill-defined or unknown	2										1	1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
OAKLAND, CAL.																		
	All causes	2,090	198	34	25	11	9	26	60	117	152	213	290	353	342	227	26		
1	Typhoid fever	8						1	1	2		2	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	5	2	1		1	1												
8	Diphtheria and croup	25		3	3	3	3	9	2		1	1							
9	Influenza	17	2	1					1		1		1	4	4	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	2											2	1				
13	Tuberculosis of the lungs	187	2	2	3				14	41	34	35	31	18	7				
14	Tuberculous meningitis	35	6	5	9		2	4	2	4	1	2							
15	Other forms of tuberculosis	17	1			1	1			5	3	1	1	1	2	1			
16	Cancer and other malignant tumors	178				1		1	1	1	9	25	44	53	31	12			
17	Meningitis	3	1	1					1										
18	Cerebral hemorrhage and softening	158								2	1	8	22	35	57	32	1		
19	Organic diseases of the heart	376	2					1	7	4	15	23	57	100	91	68	8		
20	Acute bronchitis	14	4											1	3	6			
21	Chronic bronchitis	12											1	1	5	5			
22	Pneumonia	89	8	3	1	1		1	2	3	5	11	13	13	17	11			
23a	Bronchopneumonia	61	15	2		1					3	1	3	8	11	12	2		
23b	Other diseases of the respiratory system	14				1			1	1	1	1	5	1	3	1			
24	Diseases of the stomach	18	2							1	2	3		4	5	1			
25(37)	Diarrhea and enteritis	32	18	4	1					1		1	3		1	3			
26	Appendicitis and typhlitis	23					1	1	5	4	5	2	3		1	1			
27	Hernia, intestinal obstruction	27	4		1				2	1	2	5	1	5	3	2	1		
28	Cirrhosis of the liver	29		1							4	9	4	8	2	1			
29	Acute nephritis and Bright's disease	177	2	2	1	1	1	2	1	6	8	20	21	34	51	24	3		
30	Diseases of the female genital organs	14								2	3	4	3	1		1			
31	Puerperal fever	3								3									
32	Other puerperal affections	8							1	3	3	1							
33	Congenital debility and malformations	102	100		1					1									
34	Senility	15													2	9	4		
35	Violent deaths (excluding suicide)	108	1	2	3	1		3	10	15	20	15	16	10	7	5			
36	Suicide	47							1	6	9	11	8	10	2				
(37)	Other defined diseases	282	26	7	2			3	8	11	22	32	52	43	41	29	6		
38	Diseases ill-defined or unknown	1														1			
SAN FRANCISCO, CAL.																			
	All causes	7,154	511	121	60	43	48	127	168	495	817	1,075	1,220	1,066	940	411	49	1	2
1	Typhoid fever	16							5	5	3	1	2						
2	Typhus fever																		
3	Malaria	4		1						1	1	1							
4	Smallpox																		
5	Measles	6	1	2	2				1										
6	Scarlet fever	8	1		2		1	2	1		1								
7	Whooping cough	18	12	4	2														
8	Diphtheria and croup	131	3	20	9	17	16	45	14	1	2	3		1					
9	Influenza	19	1	1			1			1		2	3	2	5	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16	2	1				2		1	2	4	1	1	1	1			
13	Tuberculosis of the lungs	785	2	3	2	3	1	6	34	148	208	180	124	53	19	1	1		
14	Tuberculous meningitis	58	7	10	6	4	5	6	4	8	5	2	1						
15	Other forms of tuberculosis	54	6	4	3	1	1	5	5	8	6	8	5	2					
16	Cancer and other malignant tumors	617		1	2		2	1	1	14	44	119	174	149	80	28	2		
17	Meningitis	21	7	1	3	1	1	2			2	3		1					
18	Cerebral hemorrhage and softening	396	1			1			1	1	13	44	89	94	117	31	4		
19	Organic diseases of the heart	1,162	1					4	8	31	51	129	194	280	297	145	22		
20	Acute bronchitis	25	7	5	1							1	2	1	1	6	1		
21	Chronic bronchitis	30		1								1	5	6	8	6	3		
22	Pneumonia	371	36	11	6	2	3	5	8	19	53	71	59	41	42	13	2		
23a	Bronchopneumonia	227	54	15	2	2	1	4	2	6	16	24	16	30	35	19	1		
23b	Other diseases of the respiratory system	55	3	1	4		1	2		2	4	7	13	7	5	6			
24	Diseases of the stomach	46	2	1						1	5	11	12	6	7	1			
25(37)	Diarrhea and enteritis	125	72	12	5	1	2		1	4	5	7	3	8	3	2			
26	Appendicitis and typhlitis	94			1	3		3	11	23	16	18	8	5	4	2			
27	Hernia, intestinal obstruction	73	7	1				2	2	8	10	12	10	10	9	2			
28	Cirrhosis of the liver	123	1							1	22	29	37	22	11				
29	Acute nephritis and Bright's disease	627	3	1	1			4	4	22	61	93	142	132	111	50	3		
30	Diseases of the female genital organs	39							2	9	12	7	5	2	1	1			
31	Puerperal fever	14							1	5	7	1							
32	Other puerperal affections	32							1	13	14	4							
33	Congenital debility and malformations	181	172	8	1			2											
34	Senility	37												2	7	27	1		
35	Violent deaths (excluding suicide)	537	9	8	3	3	3	17	24	75	100	114	78	52	36	11	4		
36	Suicide	239							6	35	47	54	65	21	7	2			2
(37)	Other defined diseases	963	100	11	5	5	10	14	31	53	106	125	171	133	134	54	5	1	
38	Diseases ill-defined or unknown	5	1					1	1		1		1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DENVER, COLO.																			
	All causes	3,012	283	41	22	15	11	60	99	346	428	348	411	461	334	124	25	.....	4
1	Typhoid fever	19	.....	.....	.....	.....	.....	1	6	5	6	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	1	.....	.....	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	4	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
9	Influenza	27	2	.....	1	.....	.....	.....	1	2	.....	2	4	4	8	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	12	6	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	.....	.....	.....	.....
13	Tuberculosis of the lungs	519	2	.....	.....	.....	.....	1	19	161	190	83	42	12	7	.....	.....	.....	2
14	Tuberculous meningitis	21	1	3	1	1	1	.....	4	2	5	3	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	26	2	1	.....	.....	1	1	2	5	7	5	1	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	235	.....	.....	.....	.....	.....	.....	2	8	18	40	70	58	32	7	.....	.....	.....
17	Meningitis	16	2	3	2	.....	1	2	1	.....	2	1	1	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	143	1	.....	.....	.....	.....	.....	.....	.....	3	12	27	46	37	14	3	.....	.....
19	Organic diseases of the heart	265	1	.....	.....	.....	.....	11	8	14	21	25	42	80	46	15	.....	.....	2
20	Acute bronchitis	9	4	.....	1	1	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....
21	Chronic bronchitis	8	1	.....	.....	.....	.....	.....	.....	.....	.....	1	4	1	1	.....	.....	.....	.....
22	Pneumonia	230	18	5	1	3	1	3	3	19	17	28	34	46	29	19	4	.....	.....
23a	Bronchopneumonia	89	27	12	5	2	.....	3	2	1	1	2	6	9	13	5	1	.....	.....
23b	Other diseases of the respiratory system	42	.....	.....	.....	1	.....	1	2	5	3	7	7	5	6	3	2	.....	.....
24	Diseases of the stomach	26	2	.....	.....	.....	.....	.....	.....	5	3	3	6	3	2	2	.....	.....	.....
25(37)	Diarrhea and enteritis	53	24	10	5	1	.....	.....	.....	1	1	2	.....	6	1	1	1	.....	.....
26	Appendicitis and typhlitis	73	.....	.....	.....	1	1	11	10	15	12	10	8	4	.....	.....	1	.....	.....
27	Hernia, intestinal obstruction	35	5	2	.....	.....	.....	2	1	4	3	6	5	5	1	1	.....	.....	.....
28	Cirrhosis of the liver	20	.....	.....	.....	.....	.....	.....	.....	.....	1	4	6	3	5	1	.....	.....	.....
29	Acute nephritis and Bright's disease	249	2	.....	.....	1	.....	1	7	9	22	27	51	61	48	16	4	.....	.....
30	Diseases of the female genital organs	25	.....	.....	.....	.....	.....	.....	.....	5	5	8	1	5	1	.....	.....	.....	.....
31	Puerperal fever	24	.....	.....	.....	.....	.....	.....	1	13	10	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	1	5	11	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	143	143	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	42	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	14	17	7	.....	.....
35	Violent deaths (excluding suicide)	112	1	.....	.....	1	3	5	12	19	19	16	8	15	6	7	.....	.....	.....
36	Suicide	38	.....	.....	.....	.....	.....	.....	2	7	7	8	6	8	.....	.....	.....	.....	.....
(37)	Other defined diseases	473	36	4	5	.....	2	15	14	38	60	55	80	82	67	13	2	.....	.....
38	Diseases ill-defined or unknown	4	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....
BRIDGEPORT, CONN.																			
	All causes	2,354	486	96	43	19	27	48	69	187	215	318	319	266	172	83	5	.....	1
1	Typhoid fever	11	.....	.....	.....	.....	.....	.....	2	3	4	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	19	5	8	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	4	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	15	10	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	23	3	5	5	1	3	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	25	4	1	.....	.....	.....	.....	2	.....	2	2	4	2	6	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	10	7	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	144	5	.....	.....	1	.....	1	12	25	39	32	19	9	1	.....	.....	.....	.....
14	Tuberculous meningitis	23	7	5	3	.....	1	4	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	9	1	.....	1	.....	.....	1	.....	3	.....	1	.....	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	126	.....	1	.....	.....	.....	.....	.....	2	10	27	38	30	15	3	.....	.....	.....
17	Meningitis	22	5	2	.....	.....	1	5	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	110	1	.....	.....	.....	.....	.....	.....	4	4	14	19	32	24	12	.....	.....	.....
19	Organic diseases of the heart	175	.....	.....	.....	.....	.....	3	5	8	9	27	41	33	34	14	1	.....	.....
20	Acute bronchitis	15	8	1	1	.....	.....	.....	.....	.....	.....	.....	2	2	.....	1	.....	.....	.....
21	Chronic bronchitis	5	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	1	1	.....	.....
22	Pneumonia	338	33	21	4	1	1	2	5	34	41	65	45	49	26	11	.....	.....	.....
23a	Bronchopneumonia	97	43	18	6	4	1	.....	.....	.....	.....	4	2	9	5	3	1	.....	1
23b	Other diseases of the respiratory system	18	1	.....	.....	.....	1	1	.....	1	3	3	5	1	1	1	.....	.....	.....
24	Diseases of the stomach	25	1	.....	.....	.....	.....	.....	1	2	4	4	8	1	2	2	.....	.....	.....
25(37)	Diarrhea and enteritis	176	135	23	5	1	3	.....	.....	.....	4	2	.....	1	1	1	.....	.....	.....
26	Appendicitis and typhlitis	17	.....	.....	1	.....	.....	.....	3	6	2	1	3	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	15	3	.....	1	.....	.....	1	2	1	3	1	1	.....	2	.....	.....	.....	.....
28	Cirrhosis of the liver	20	.....	.....	.....	.....	.....	.....	.....	1	1	8	5	4	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	198	1	1	.....	.....	.....	2	2	9	20	39	53	41	18	11	1	.....	.....
30	Diseases of the female genital organs	5	.....	.....	.....	.....	.....	.....	.....	3	1	.....	.....	1	.....	.....	.....	.....	.....
31	Puerperal fever	17	.....	.....	.....	.....	.....	.....	3	10	4	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	8	.....	.....	.....	.....	.....	.....	.....	4	3	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	131	130	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....
35	Violent deaths (excluding suicide)	173	6	.....	3	5	6	10	9	33	24	34	24	10	6	3	.....	.....	.....
36	Suicide	42	.....	.....	.....	.....	.....	.....	1	8	10	10	7	4	1	1	.....	.....	.....
(37)	Other defined diseases	318	75	5	8	4	7	12	15	22	23	34	40	30	27	16	.....	.....	.....
38	Diseases ill-defined or unknown	17	2	.....	.....	.....	1	.....	.....	2	2	4	3	3	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW HAVEN, CONN.																			
	All causes	2,544	447	104	40	33	28	63	77	146	223	250	340	369	257	135	26	1	
1	Typhoid fever	13						1		6	2	2	2						
2	Typhus fever																		
3	Malaria	2									1	1							
4	Smallpox																		
6	Measles	8		4	2			1	1										
5	Scarlet fever	10			1	1	1	4		1	1	1							
7	Whooping cough	19	10	6		2	1												
8	Diphtheria and croup	24	1	3	5	3	1	10	1										
9	Influenza	56	3	4				1	1	1	4	5	10	8	12	6	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	25	9	2						2	2	5	3			2			
13	Tuberculosis of the lungs	143		2	2				15	27	40	27	16	9	5				
14	Tuberculous meningitis	36	8	7	4	1	2	5		3	3	2	1						
15	Other forms of tuberculosis	14	1	1			1	3		3	1	3	1						
16	Cancer and other malignant tumors	174						1	1	6	12	24	49	48	24	9			
17	Meningitis	23	3	5	2	1	1	2	1	4	1	1	2						
18	Cerebral hemorrhage and softening	148		1						2	1	10	27	53	35	14	5		
19	Organic diseases of the heart	262	3			1		3	6	3	12	17	53	75	57	28	4		
20	Acute bronchitis	24	15	3		1	1						1		2		1		
21	Chronic bronchitis	8										2	2	1		2	1		
22	Pneumonia	255	30	13	5	5	2	3	2	10	27	39	35	42	26	12	3	1	
23a	Bronchopneumonia	82	34	15	2	2	1	1		2	1	3	3	9	4	5			
23b	Other diseases of the respiratory system	26	1	2		2	1	2		2	3	1	2	6	1	2	1		
24	Diseases of the stomach	32	3				1			2	3	6	9	3	3	1	1		
25(37)	Diarrhea and enteritis	124	87	16	4	3		2		3	4	1	1	1		1	1		
26	Appendicitis and typhlitis	21						2	6	3	5	2	3						
27	Hernia, intestinal obstruction	20	1	1				1	1	2	4	1	4	2	1	2			
28	Cirrhosis of the liver	22									6	3	5	5	3				
29	Acute nephritis and Bright's disease	133	1			1			4	9	14	26	37	42	32	15	2		
30	Diseases of the female genital organs	13								3	5	2	1	1	1				
31	Puerperal fever	12							1	4	7								
32	Other puerperal affections	18							1	8	8	1							
33	Congenital debility and malformations	143	139	2			1			1									
34	Senility	7													1	4	2		
35	Violent deaths (excluding suicide)	165	3	10	8	4	2	4	20	19	22	23	12	20	10	8			
36	Suicide	22								3	2	6	5	4	2				
(37)	Other defined diseases	404	91	7	5	6	12	22	15	17	31	35	56	40	38	24	4		
38	Diseases ill-defined or unknown	6	4								1	1							
WASHINGTON, D. C. (TOTAL).																			
	All causes	6,494	763	127	73	34	31	92	225	510	669	758	873	917	993	362	63	4	
1	Typhoid fever	47			1			2	14	14	9	3	4						
2	Typhus fever																		
3	Malaria	5							1	1	1	2							
4	Smallpox																		
5	Measles	8	1	2	1			3	1										
6	Scarlet fever	6				1	2	1	1	1									
7	Whooping cough	37	20	12	2	1		1	1										
8	Diphtheria and croup	35	2	4	7	5	5	6		3	2				1				
9	Influenza	88	4	1	2	2		1	2	7	7	6	9	17	16	13	1		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	20	6			1				1	5	1	1	2	2	1			
13	Tuberculosis of the lungs	682	6	3	4			9	64	181	183	104	77	33	13	4	1		
14	Tuberculous meningitis	32	7	4	4	5	2	7	2		1								
15	Other forms of tuberculosis	38	1		4	1		3	7	10	5	4	2	1					
16	Cancer and other malignant tumors	392	1		1		1	1	2	7	32	81	92	96	63	15			
17	Meningitis	30	8	3			2	5	4	2		2		4					
18	Cerebral hemorrhage and softening	494	2	1					1	9	11	47	98	121	152	44	8		
19	Organic diseases of the heart	839	6	1				5	12	14	62	81	125	181	256	82	12	2	
20	Acute bronchitis	42	17	9	4	1							1	1	6	3			
21	Chronic bronchitis	27									1			7	11	7	1		
22	Pneumonia	383	15	8	3	2	1	7	16	39	58	54	74	43	49	13	1		
23a	Bronchopneumonia	215	58	29	11	3	5		3	5	1	8	23	16	40	11	2		
23b	Other diseases of the respiratory system	72	9	1	1	1		1	2	9	8	3	7	12	10	6	2		
24	Diseases of the stomach	77	6		1		1	2	1	5	5	17	13	13	9	3	1		
25(37)	Diarrhea and enteritis	239	160	22	7	2	4	2	3	2	6	10	2	8	4	6	1		
26	Appendicitis and typhlitis	43		1		1		4	1	13	8	8	3	2	1	1			
27	Hernia, intestinal obstruction	56	2	2	1	1		1	2	2	4	7	9	7	11	6	1		
28	Cirrhosis of the liver	34								1	2	10	8	7	6				
29	Acute nephritis and Bright's disease	612	5	1	2			1	8	11	41	84	117	153	144	39	6		
30	Diseases of the female genital organs	32							3	5	10	11	3						
31	Puerperal fever	29							7	12	9	1							
32	Other puerperal affections	44							4	20	16	4							
33	Congenital debility and malformations	277	273		1			1	2										
34	Senility	96											1	5	34	36	19	1	
35	Violent deaths (excluding suicide)	284	8	5	3	5	5	12	30	41	41	35	26	33	23	13	2		
36	Suicide	88							3	23	16	18	19	6	2	1			
(37)	Other defined diseases	1,083	145	16	10	2	3	15	28	72	124	157	159	148	140	58	5	1	
38	Diseases ill-defined or unknown	7	1	2	3						1								

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WASHINGTON, D. C. (WHITE).																		
	All causes	3,955	411	49	28	23	22	50	101	223	301	416	534	643	806	303	44	1	
1	Typhoid fever	25							5	7	6	3	4						
2	Typhus fever																		
3	Malaria	4								1	1	2							
4	Smallpox																		
5	Measles	5		2	1			1	1										
6	Scarlet fever	5				1	2	1	1										
7	Whooping cough	13	10	2	1														
8	Diphtheria and croup	27		4	6	4	5	5		2	1								
9	Influenza	58	4		1	2		1	1	1	2	5	3	11	15	11	1		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	10	4			1					3		1		1				
13	Tuberculosis of the lungs	285	1	2	1			1	13	65	73	54	46	17	10	2			
14	Tuberculous meningitis	20	5	2	1	5	1	5	1										
15	Other forms of tuberculosis	15	1		1	1			3	3	3	1	1	1					
16	Cancer and other malignant tumors	297	1		1		1	1	2	3	15	55	66	83	57	12			
17	Meningitis	17	5	1			2	2	1	1		2		3					
18	Cerebral hemorrhage and softening	330	2								6	21	58	84	117	35	7		
19	Organic diseases of the heart	589	6	1				2	9	4	20	39	76	128	220	75	8	1	
20	Acute bronchitis	13	2	1	1									1	5	3			
21	Chronic bronchitis	22												5	10	6	1		
22	Pneumonia	197	6	5	1		1	6	6	12	15	21	42	28	43	11			
23a	Bronchopneumonia	94	20	7		1	1		1	1	1	5	7	7	32	9	2		
23b	Other diseases of the respiratory system	42	7	1	1			1	1	4	1	1	2	9	6	6	2		
24	Diseases of the stomach	48	5					2	1	4	4	8	6	9	6	2	1		
25(37)	Diarrhea and enteritis	111	73	8	3	1	3		1	1	4	5		5	3	4			
26	Appendicitis and typhlitis	31		1		1		1	1	11	5	6	2	2		1			
27	Hernia, intestinal obstruction	37	1	1	1	1		1	1		3	3	7	4	8	5	1		
28	Cirrhosis of the liver	27								1	2	9	5	6	4				
29	Acute nephritis and Bright's disease	382	1		1				7	6	16	42	67	89	116	32	5		
30	Diseases of the female genital organs	12							1	2	3	6							
31	Puerperal fever	13							2	5	5	1							
32	Other puerperal affections	25							1	12	9	3							
33	Congenital debility and malformations	164	163						1										
34	Senility	58												2	19	25	12		
35	Violent deaths (excluding suicide)	185	3	3	1	3	4	10	19	21	26	21	14	26	19	13	2		
36	Suicide	76							2	16	15	16	13	6	2	1			
(37)	Other defined diseases	715	91	7	6	2	2	10	19	40	61	87	109	116	113	50	2		
38	Diseases ill-defined or unknown	2		1							1								
WASHINGTON, D. C. (COLORED).																			
	All causes	2,539	352	78	45	11	9	42	124	287	368	342	339	274	187	59	19	3	
1	Typhoid fever	22			1			2	9	7	3								
2	Typhus fever																		
3	Malaria	1							1										
4	Smallpox																		
5	Measles	3	1					2											
6	Scarlet fever	1								1									
7	Whooping cough	24	10	10	1	1		1	1						1				
8	Diphtheria and croup	8	2		1	1		1		1	1								
9	Influenza	30		1	1				1	6	5	1	6	6	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	2							1	2	1		2	1	1			
13	Tuberculosis of the lungs	397	5	1	3			8	51	116	110	50	31	16	3	2	1		
14	Tuberculous meningitis	12	2	2	3		1	2	1		1								
15	Other forms of tuberculosis	23			3			3	4	7	2	3	1						
16	Cancer and other malignant tumors	95								4	17	26	26	13	6	3			
17	Meningitis	13	3	2				3	3	1				1					
18	Cerebral hemorrhage and softening	164		1					1	9	5	26	40	37	35	9	1		
19	Organic diseases of the heart	250						3	3	10	42	42	49	53	36	7	4	1	
20	Acute bronchitis	29	15	8	3	1							1		1				
21	Chronic bronchitis	5									1			2	1	1			
22	Pneumonia	186	9	3	2	2		1	10	27	43	33	32	15	6	2	1		
23a	Bronchopneumonia	121	38	22	11	2	4		2	4		3	16	9	8	2			
23b	Other diseases of the respiratory system	30	2			1			1	5	7	2	5	3	4				
24	Diseases of the stomach	29	1		1		1			1	1	9	7	4	3	1			
25(37)	Diarrhea and enteritis	128	87	14	4	1	1	2	2	1	2	5	2	3	1	2	1		
26	Appendicitis and typhlitis	12						3		2	3	2	1		1				
27	Hernia, intestinal obstruction	19	1	1					1	2	1	4	2	3	3	1			
28	Cirrhosis of the liver	7										1	3	1	2				
29	Acute nephritis and Bright's disease	230	4	1	1			1	1	5	25	42	50	64	28	7	1		
30	Diseases of the female genital organs	20							2	3	7	5	3						
31	Puerperal fever	16							5	7	4								
32	Other puerperal affections	19							3	8	7	1							
33	Congenital debility and malformations	113	110		1			1	1										
34	Senility	38											1	3	15	11	7	1	
35	Violent deaths (excluding suicide)	99	5	2	2	2	1	4	11	20	15	14	12	7	4				
36	Suicide	12							1	7	1	2	1						
(37)	Other defined diseases	368	54	9	4		1	5	9	32	63	70	50	32	27	8	3	1	
38	Diseases ill-defined or unknown	5	1	1	3														

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ATLANTA, GA. (TOTAL).																			
	All causes	2,908	381	90	56	23	18	57	156	380	432	398	325	304	185	82	14	2	5
1	Typhoid fever	42	.....	1	1	.....	1	5	11	10	7	4	1	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	4	.....	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	29	2	3	6	6	.....	8	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	28	3	1	1	.....	.....	1	1	2	3	3	6	6	.....	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	33	5	4	2	.....	.....	.....	.....	4	2	1	4	3	5	3	.....	.....	.....
13	Tuberculosis of the lungs	223	.....	5	.....	.....	.....	2	22	87	53	29	14	8	2	.....	.....	.....	1
14	Tuberculous meningitis	12	2	3	.....	1	.....	1	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	42	.....	.....	1	.....	.....	2	7	10	9	6	4	2	.....	1	.....	.....	.....
16	Cancer and other malignant tumors	121	.....	.....	.....	.....	1	.....	.....	6	14	30	26	28	12	4	.....	.....	.....
17	Meningitis	12	1	4	.....	.....	.....	1	1	2	2	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	166	2	.....	.....	.....	.....	.....	.....	2	19	29	33	52	21	8	.....	.....	.....
19	Organic diseases of the heart	210	.....	.....	.....	1	.....	3	5	16	32	45	42	23	27	10	5	.....	1
20	Acute bronchitis	11	3	.....	.....	.....	.....	.....	1	4	3	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	9	.....	.....	.....	.....	.....	1	2	2	1	1	.....	.....	.....	2	.....	.....	.....
22	Pneumonia	161	12	4	1	1	2	4	12	28	24	34	14	8	10	5	1	.....	1
23a	Bronchopneumonia	108	39	10	10	3	2	4	4	7	5	6	5	2	6	5	.....	.....	.....
23b	Other diseases of the respiratory system	38	5	2	.....	1	.....	.....	2	5	5	8	5	4	.....	.....	1	.....	.....
24	Diseases of the stomach	69	2	1	.....	.....	1	.....	4	8	19	12	11	5	4	2	.....	.....	.....
25(37)	Diarrhea and enteritis	149	69	34	20	1	1	4	4	2	4	2	6	1	.....	.....	1	.....	.....
26	Appendicitis and typhlitis	54	.....	.....	1	.....	.....	.....	12	16	15	2	4	3	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	45	4	2	2	2	.....	1	3	8	7	3	6	3	2	1	.....	1	.....
28	Cirrhosis of the liver	15	.....	.....	.....	.....	.....	.....	2	.....	4	3	1	5	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	302	1	2	.....	.....	.....	1	3	20	45	37	61	66	44	19	3	.....	.....
30	Diseases of the female genital organs	42	.....	.....	.....	.....	.....	.....	1	9	16	14	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	33	.....	.....	.....	.....	.....	.....	8	17	8	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	28	.....	.....	.....	.....	.....	.....	3	11	12	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	150	149	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6	7	2	.....	.....
35	Violent deaths (excluding suicide)	205	9	5	3	4	5	10	18	44	38	31	7	15	9	3	1	1	2
36	Suicide	20	.....	.....	.....	.....	.....	.....	3	1	6	4	.....	5	1	.....	.....	.....	.....
(37)	Other defined diseases	476	53	5	3	1	4	7	19	50	72	89	70	60	32	11	.....	.....	.....
38	Diseases ill-defined or unknown	43	15	3	1	1	.....	.....	2	6	4	3	2	4	2	.....	.....	.....	.....
ATLANTA, GA. (WHITE).																			
	All causes	1,499	213	60	35	16	11	30	60	124	170	164	170	217	153	70	6	.....	.....
1	Typhoid fever	27	.....	1	1	.....	1	3	5	8	4	2	1	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	25	1	3	6	5	.....	7	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	6	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	16	1	1	1	.....	.....	.....	.....	1	.....	.....	3	2	5	2	.....	.....	.....
13	Tuberculosis of the lungs	96	.....	3	.....	.....	.....	1	5	26	26	17	9	7	2	.....	.....	.....	.....
14	Tuberculous meningitis	5	2	1	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	19	.....	.....	.....	.....	.....	1	2	2	4	4	4	1	.....	1	.....	.....	.....
16	Cancer and other malignant tumors	92	.....	.....	.....	.....	1	.....	.....	2	4	23	20	26	12	4	.....	.....	.....
17	Meningitis	7	1	2	.....	.....	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	87	2	.....	.....	.....	.....	.....	.....	.....	3	6	15	34	20	7	.....	.....	.....
19	Organic diseases of the heart	101	.....	.....	.....	1	.....	3	2	7	6	12	19	18	23	8	2	.....	.....
20	Acute bronchitis	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
22	Pneumonia	48	2	1	.....	.....	.....	1	3	4	8	6	8	5	7	3	.....	.....	.....
23a	Bronchopneumonia	42	16	4	5	1	2	1	.....	1	2	2	1	.....	4	3	.....	.....	.....
23b	Other diseases of the respiratory system	18	5	.....	.....	1	.....	.....	.....	1	2	3	2	4	.....	.....	.....	.....	.....
24	Diseases of the stomach	17	1	1	.....	.....	.....	.....	3	2	2	2	2	1	1	2	.....	.....	.....
25(37)	Diarrhea and enteritis	91	40	31	12	1	1	.....	1	.....	1	1	3	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	28	.....	.....	1	.....	.....	.....	8	3	10	.....	3	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	25	2	2	1	2	.....	.....	1	5	5	1	3	2	1	.....	.....	.....	.....
28	Cirrhosis of the liver	8	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	5	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	178	1	2	.....	.....	.....	1	1	9	12	16	37	47	35	16	1	.....	.....
30	Diseases of the female genital organs	14	.....	.....	.....	.....	.....	.....	.....	3	6	5	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	13	.....	.....	.....	.....	.....	.....	2	8	3	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	1	8	7	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	97	96	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	7	2	.....	.....
35	Violent deaths (excluding suicide)	104	4	4	1	3	2	8	8	14	17	18	3	9	9	3	1	.....	.....
36	Suicide	18	.....	.....	.....	.....	.....	.....	3	1	4	4	.....	5	1	.....	.....	.....	.....
(37)	Other defined diseases	253	28	3	2	1	4	2	9	17	37	37	34	43	25	11	.....	.....	.....
38	Diseases ill-defined or unknown	19	5	1	1	.....	.....	.....	1	1	2	1	2	3	2	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	ATLANTA, GA. (COLORED).																		
	All causes	1,409	168	30	21	7	7	27	96	256	262	234	155	87	32	12	8	2	5
1	Typhoid fever	15						2	6	2	3	2							
2	Typhus fever																		
3	Malaria	2			1						1								
4	Smallpox																		
5	Measles	2	1	1															
6	Scarlet fever	1						1											
7	Whooping cough	2					1	1											
8	Diphtheria and croup	4	1		1			1	1										
9	Influenza	22	2	1				1	1	2	2	3	6	4					
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	17	4	3	1					3	2	1	1	1		1			
13	Tuberculosis of the lungs	127		2				1	17	61	27	12	5	1					1
14	Tuberculous meningitis	7		2		1		1		2	1								
15	Other forms of tuberculosis	23			1			1	5	8	5	2		1					
16	Cancer and other malignant tumors	29								4	10	7	6	2					
17	Meningitis	5		2					1	2									
18	Cerebral hemorrhage and softening	79								2	16	23	18	18	1	1			
19	Organic diseases of the heart	109							3	9	26	33	23	5	4	2	3		1
20	Acute bronchitis	9	1						1	4	3								
21	Chronic bronchitis	6							2	2	1	1							
22	Pneumonia	113	10	3	1	1	2	3	9	24	16	28	6	3	3	2	1		1
23a	Bronchopneumonia	66	23	6	5	2		3	4	6	3	4	4	2	2	2			
23b	Other diseases of the respiratory system	20		2					2	4	3	5	3				1		
24	Diseases of the stomach	52	1				1		1	6	17	10	9	4	3				
25(37)	Diarrhea and enteritis	58	29	3	8			4	3	2	3	1	3	1			1		
26	Appendicitis and typhlitis	26							4	13	5	2	1	1					
27	Hernia, intestinal obstruction	20	2		1			1	2	3	2	2	3	1	1	1		1	
28	Cirrhosis of the liver	7							2		3	1	1						
29	Acute nephritis and Bright's disease	124							2	11	33	21	24	19	9	3	2		
30	Diseases of the female genital organs	28							1	6	10	9	2						
31	Puerperal fever	20							6	9	5								
32	Other puerperal affections	10							2	3	5								
33	Congenital debility and malformations	53	53																
34	Senility	2													2				
35	Violent deaths (excluding suicide)	101	5	1	2	1	3	2	10	30	21	13	4	6				1	2
36	Suicide	2									2								
(37)	Other defined diseases	223	25	2	1			5	10	33	35	52	36	17	7				
38	Diseases ill-defined or unknown	24	10	2		1			1	5	2	2		1					
	CHICAGO, ILL. (TOTAL).																		
	All causes	36,305	6,910	1,522	657	402	*304	852	1,221	3,039	3,740	4,214	4,765	4,102	3,042	1,318	209	7	1
1	Typhoid fever	130		1	1		1	3	21	61	24	13	5						
2	Typhus fever																		
3	Malaria	6								1		3	1	1					
4	Smallpox																		
5	Measles	135	44	51	22	8	2	6	1					1					
6	Scarlet fever	160	6	17	30	16	10	43	18	14	6								
7	Whooping cough	100	47	31	9	7	5	1											
8	Diphtheria and croup	788	43	146	141	97	88	190	52	18	6	5	2						
9	Influenza	292	26	9	5	8	1	7	10	15	16	30	33	40	47	35	10		
10	Asiatic cholera																		
11	Cholera nostras	3								1			1			1			
12	Other epidemic diseases	185	48	4	3	2	2	2	2	7	13	28	36	19	17	2			
13	Tuberculosis of the lungs	3,316	38	26	17	6	3	18	250	1,000	857	585	317	156	38	4	1		
14	Tuberculous meningitis	221	34	36	28	15	15	25	24	21	11	8	2			2			
15	Other forms of tuberculosis	216	6	4	3	4	6	17	27	43	38	29	24	7	7	1			
16	Cancer and other malignant tumors	2,280	4	4		3	2	6	20	47	173	440	645	561	296	78	1		
17	Meningitis	187	38	18	18	11	8	23	22	17	8	13	7	4					
18	Cerebral hemorrhage and softening	1,301	2	2				1	2	21	48	123	259	362	303	154	23	1	
19	Organic diseases of the heart	3,994	10	2	4	4	7	61	142	182	331	524	713	859	766	336	52	1	
20	Acute bronchitis	239	141	35	14	2	3	3	2		1	3	8	5	11	10	1		
21	Chronic bronchitis	132	3	4	1				2	3	5	8	23	18	30	26	9		
22	Pneumonia	2,477	177	83	42	22	13	43	75	200	316	420	427	341	219	85	13		1
23a	Bronchopneumonia	1,471	674	277	78	40	33	33	12	13	23	27	52	87	77	37	8		
23b	Other diseases of the respiratory system	297	17	23	13	7	4	5	6	26	38	32	37	45	32	11	1		
24	Diseases of the stomach	183	15	2				1	3	15	36	35	36	23	9	7	1		
25(37)	Diarrhea and enteritis	3,872	2,959	574	111	43	24	25	8	11	12	24	14	17	26	22	1	1	
26	Appendicitis and typhlitis	441		1	4	9	4	27	65	100	80	74	52	14	9	2			
27	Hernia, intestinal obstruction	278	46	7	4	1	2	6	4	18	23	32	49	44	25	11	1		
28	Cirrhosis of the liver	489	1						1	18	67	108	152	88	47	6	1		
29	Acute nephritis and Bright's disease	2,678	18	12	5	10	5	22	46	115	219	394	567	573	456	210	26		
30	Diseases of the female genital organs	226						1	4	50	75	65	23	6	2				
31	Puerperal fever	179							12	97	59	11							
32	Other puerperal affections	220							5	116	83	16							
33	Congenital debility and malformations	1,553	1,523	13	6	3		5	3										
34	Senility	38												4	11	14	8	1	
35	Violent deaths (excluding suicide)	2,808	68	50	53	44	35	149	158	397	544	465	438	221	130	49	6	1	
36	Suicide	553							16	106	130	110	102	56	27	5	1		
(37)	Other defined diseases	4,847	921	88	45	39	31	129	208	305	491	587	740	549	457	210	45	2	
38	Diseases ill-defined or unknown	10	1	2		1				1	2	2		1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CHICAGO, ILL. (WHITE).																		
	All causes	34,967	6,789	1,494	645	397	295	830	1,169	2,858	3,487	3,951	4,578	3,985	2,979	1,300	203	6	1
1	Typhoid fever	125		1	1		1	3	18	59	24	13	5						
2	Typhus fever																		
3	Malaria	6								1		3	1	1					
4	Smallpox																		
5	Measles	133	44	50	21	8	2	6	1					1					
6	Scarlet fever	159	6	16	30	16	10	43	18	14	6								
7	Whooping cough	99	47	31	9	7	4	1											
8	Diphtheria and croup	775	43	143	139	96	87	186	52	17	6	4	2						
9	Influenza	278	26	8	5	8	1	6	8	15	15	25	33	39	44	35	10		
10	Asiatic cholera																		
11	Cholera nostras	3								1			1			1			
12	Other epidemic diseases	180	46	3	3	2	2	2	2	7	12	28	35	19	17	2			
13	Tuberculosis of the lungs	3,061	33	23	17	5	3	16	230	919	791	535	302	144	38	4	1		
14	Tuberculous meningitis	209	33	36	28	15	14	24	21	19	9	6	2			2			
15	Other forms of tuberculosis	197	6	4	2	4	4	17	20	41	34	28	22	7	7	1			
16	Cancer and other malignant tumors	2,219	4	4		3	2	6	20	45	164	421	624	554	293	78	1		
17	Meningitis	181	38	17	18	11	8	22	21	15	7	13	7	4					
18	Cerebral hemorrhage and softening	1,255	2	2				1	2	19	44	110	249	356	295	151	23	1	
19	Organic diseases of the heart	3,820	10	2	3	4	7	59	139	180	300	481	664	840	749	331	51		
20	Acute bronchitis	233	137	35	14	2	3	2	2			3	8	5	11	10	1		
21	Chronic bronchitis	128	3	4					2	3	5	8	22	16	30	26	9		
22	Pneumonia	2,363	169	82	40	21	12	41	75	185	290	402	414	322	213	83	13		1
23a	Bronchopneumonia	1,415	650	267	77	38	32	29	12	12	21	24	49	83	76	37	8		
23b	Other diseases of the respiratory system	291	17	23	13	7	4	5	5	25	36	32	37	43	32	11	1		
24	Diseases of the stomach	177	15	2				1	3	15	32	35	35	23	8	7	1		
25(37)	Diarrhea and enteritis	3,843	2,937	573	109	43	23	24	8	11	12	23	14	16	26	22	1	1	
26	Appendicitis and typhlitis	431		1	4	9	4	26	64	98	76	74	52	12	9	2			
27	Hernia, intestinal obstruction	271	45	7	4	1	2	6	4	18	26	32	47	43	24	11	1		
28	Cirrhosis of the liver	481	1						1	17	67	106	149	87	46	6	1		
29	Acute nephritis and Bright's disease	2,564	18	11	5	10	5	22	44	113	205	366	536	549	448	207	25		
30	Diseases of the female genital organs	207						1	3	47	67	58	23	6	2				
31	Puerperal fever	177							12	95	59	11							
32	Other puerperal affections	211							5	113	78	15							
33	Congenital debility and malformations	1,522	1,492	13	6	3		5	3										
34	Senility	35												4	10	13	7	1	
35	Violent deaths (excluding suicide)	2,700	65	49	53	44	35	148	153	364	517	442	429	217	129	48	6	1	
36	Suicide	542							16	102	129	108	101	55	26	5			
(37)	Other defined diseases	4,667	901	85	44	39	30	128	205	287	453	544	715	538	446	207	43	2	
38	Diseases ill-defined or unknown	9	1	2		1				1	2	1		1					
CHICAGO, ILL. (COLORED).																			
	All causes	1,338	121	28	12	5	9	22	52	181	253	263	187	117	63	18	6	1	
1	Typhoid fever	5							3	2									
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	2		1	1														
6	Scarlet fever	1		1															
7	Whooping cough	1					1												
8	Diphtheria and croup	13		3	2	1	1	4		1		1							
9	Influenza	14		1				1	2		1	5		1	3				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	2	1							1		1						
13	Tuberculosis of the lungs	255	5	3		1		2	20	81	66	50	15	12					
14	Tuberculous meningitis	12	1				1	1	3	2	2	2							
15	Other forms of tuberculosis	19			1		2		7	2	4	1	2						
16	Cancer and other malignant tumors	61								2	9	19	21	7	3				
17	Meningitis	6		1				1	1	2	1								
18	Cerebral hemorrhage and softening	46								2	4	13	10	6	8	3			
19	Organic diseases of the heart	174			1			2	3	2	31	43	49	19	17	5	1	1	
20	Acute bronchitis	6	4					1			1								
21	Chronic bronchitis	4			1								1	2					
22	Pneumonia	114	8	1	2	1	1	2		15	26	18	13	19	6	2			
23a	Bronchopneumonia	56	24	10	1	2	1	4		1	2	3	3	4	1				
23b	Other diseases of the respiratory system	6							1	1	2			2					
24	Diseases of the stomach	6									4		1		1				
25(37)	Diarrhea and enteritis	29	22	1	2		1	1				1		1					
26	Appendicitis and typhlitis	10						1	1	2	4			2					
27	Hernia, intestinal obstruction	7	1								2		2	1	1				
28	Cirrhosis of the liver	8								1		2	3	1	1				
29	Acute nephritis and Bright's disease	114		1					2	2	14	28	31	24	8	3	1		
30	Diseases of the female genital organs	19							1	3	8	7							
31	Puerperal fever	2								2									
32	Other puerperal affections	9								3	5	1							
33	Congenital debility and malformations	31	31																
34	Senility	3													1	1	1		
35	Violent deaths (excluding suicide)	108	3	1				1	5	33	27	23	9	4	1	1			
36	Suicide	11								4	1	2	1	1	1		1		
(37)	Other defined diseases	180	20	3	1		1	1	3	18	38	43	25	11	11	3	2		
38	Diseases ill-defined or unknown	1										1							

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (TOTAL).																			
	All causes	4,308	491	128	40	38	28	90	181	417	448	502	571	625	488	223	36	2	
1	Typhoid fever	72	3	2		1		5	16	16	13	8	2	6					
2	Typhus fever																		
3	Malaria	3								1		2							
4	Smallpox																		
5	Measles	27	4	12	4			4	1		1		1						
6	Scarlet fever	13	2	1		3	1	2	4										
7	Whooping cough	25	17	5	2			1											
8	Diphtheria and croup	55	4	9	6	3	6	16	9	1	1								
9	Influenza	48	2					3		1	2	5	3	10	12	10			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	2	1		2		1	1		1	2		2	3	2	1		
13	Tuberculosis of the lungs	440	2	3	3	1	2	5	45	149	101	57	39	19	12	2			
14	Tuberculous meningitis	22	2	6		2		4	3	3	2								
15	Other forms of tuberculosis	61	1	1		2	2	2	7	12	13	6	6	8	1				
16	Cancer and other malignant tumors	274				1				4	17	49	96	65	31	10	1		
17	Meningitis	15	2	3	1		1	1	3	1	1	1	1						
18	Cerebral hemorrhage and softening	244							2	4	4	28	48	75	52	25	5	1	
19	Organic diseases of the heart	484	2					6	11	24	24	62	97	128	86	41	3		
20	Acute bronchitis	13	1	1			1					1	1	1	5	1	1		
21	Chronic bronchitis	28									4	3	3	4	10	3	1		
22	Pneumonia	234	18	6	4	4	1	6	5	22	33	48	31	27	13	11	4	1	
23a	Bronchopneumonia	157	45	13	8	4	1	1	4	7	4	7	13	15	20	14	1		
23b	Other diseases of the respiratory system	30	5				1		1	4	4	3	2	3	3	3	1		
24	Diseases of the stomach	38	12	1	1				1	3	3	5	4	4	3	1			
25(37)	Diarrhea and enteritis	192	111	45	4	1					3	4	2	9	7	6			
26	Appendicitis and typhlitis	78	1			3	1	3	10	16	20	11	8	4	1				
27	Hernia, intestinal obstruction	38	2				1	2	1	2	2	7	7	8	4	2			
28	Cirrhosis of the liver	55								1	5	10	12	14	13				
29	Acute nephritis and Bright's disease	317	1	1				2	4	18	24	45	62	68	70	20	2		
30	Diseases of the female genital organs	51							1	11	17	10	7	4		1			
31	Puerperal fever	36							5	17	13	1							
32	Other puerperal affections	29							2	18	9								
33	Congenital debility and malformations	175	173	2															
34	Senility	23											1	1	3	13	5		
35	Violent deaths (excluding suicide)	241	3	6	3	6	5	15	16	30	35	32	32	25	21	9	3		
36	Suicide	77							3	19	18	16	6	11	3	1			
(37)	Other defined diseases	695	76	10	4	5	5	11	26	33	74	79	87	114	115	48	8		
38	Diseases ill-defined or unknown																		
INDIANAPOLIS, IND. (WHITE).																			
	All causes	3,648	408	104	34	31	22	74	142	324	358	404	491	558	455	211	31	1	
1	Typhoid fever	59	3	1		1		3	12	12	13	7	2	5					
2	Typhus fever																		
3	Malaria	3								1		2							
4	Smallpox																		
5	Measles	23	4	8	4			4	1		1		1						
6	Scarlet fever	10	1	1		2	1	2	3										
7	Whooping cough	15	8	4	2			1											
8	Diphtheria and croup	51	4	9	5	3	5	15	8	1	1								
9	Influenza	45	2					3		1	2	4	3	9	11	10			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	1	1		2		1	1			2		1	3	1	1		
13	Tuberculosis of the lungs	328		2	1		1		29	111	75	44	33	18	12	2			
14	Tuberculous meningitis	15	1	5		1		2	2	2	2								
15	Other forms of tuberculosis	46	1	1		1	1	1	3	9	11	4	5	8	1				
16	Cancer and other malignant tumors	249				1				3	14	44	87	60	29	10	1		
17	Meningitis	13	2	2	1		1	1	3		1	1	1						
18	Cerebral hemorrhage and softening	218							1	3	4	19	43	70	49	24	5		
19	Organic diseases of the heart	391	1					5	11	17	16	42	81	103	77	36	2		
20	Acute bronchitis	12	1	1			1					1	1	1	4	1	1		
21	Chronic bronchitis	24									3	2	2	4	9	3	1		
22	Pneumonia	184	16	3	2	2		5	3	18	26	34	25	25	11	10	3	1	
23a	Bronchopneumonia	131	33	11	7	3	1	1	2	4	4	4	12	15	19	14	1		
23b	Other diseases of the respiratory system	26	5				1		1	4	3	3	2	2	2	3			
24	Diseases of the stomach	31	10	1	1				1	3	2	3	4	3	2	1			
25(37)	Diarrhea and enteritis	166	93	40	4	1					3	4	2	8	5	6			
26	Appendicitis and typhlitis	67	1			3	1	3	9	14	16	8	8	3	1				
27	Hernia, intestinal obstruction	33	1				1	2	1	1	1	6	7	7	4	2			
28	Cirrhosis of the liver	55								1	5	10	12	14	13				
29	Acute nephritis and Bright's disease	276	1					2	4	16	21	34	50	61	67	18	2		
30	Diseases of the female genital organs	33							1	6	10	8	5	2		1			
31	Puerperal fever	28							2	14	11	1							
32	Other puerperal affections	26							2	17	7								
33	Congenital debility and malformations	151	150	1															
34	Senility	20												1	2	13	4		
35	Violent deaths (excluding suicide)	204	1	6	3	6	4	14	16	23	22	27	27	25	20	7	3		
36	Suicide	73							3	15	18	16	6	11	3	1			
(37)	Other defined diseases	628	68	7	4	5	4	9	23	28	66	74	72	102	111	48	7		
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
INDIANAPOLIS, IND. (COLORED).																		
	All causes	660	83	24	6	7	6	16	39	93	90	98	80	67	33	12	5	1	
1	Typhoid fever	13		1				2	4	4		1		1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	4		4															
6	Scarlet fever	3	1			1			1										
7	Whooping cough	10	9	1															
8	Diphtheria and croup	4			1		1	1	1										
9	Influenza	3										1		1	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1							1				1		1			
13	Tuberculosis of the lungs	112	2	1	2	1	1	5	16	38	26	13	6	1					
14	Tuberculous meningitis	7	1	1		1		2	1	1									
15	Other forms of tuberculosis	15				1	1	1	4	3	2	2	1						
16	Cancer and other malignant tumors	25								1	3	5	9	5	2				
17	Meningitis	2		1						1									
18	Cerebral hemorrhage and softening	26							1	1		9	5	5	3	1		1	
19	Organic diseases of the heart	93	1					1		7	8	20	16	25	9	5	1		
20	Acute bronchitis	1													1				
21	Chronic bronchitis	4									1	1	1		1				
22	Pneumonia	50	2	3	2	2	1	1	2	4	7	14	6	2	2	1	1		
23a	Bronchopneumonia	26	12	2	1	1			2	3		3	1		1				
23b	Other diseases of the respiratory system	4									1			1	1		1		
24	Diseases of the stomach	7	2								1	2		1	1				
25(37)	Diarrhea and enteritis	26	18	5										1	2				
26	Appendicitis and typhlitis	11							1	2	4	3		1					
27	Hernia, intestinal obstruction	5	1							1	1	1		1					
28	Cirrhosis of the liver																		
29	Acute nephritis and Bright's disease	41		1						2	3	11	12	7	3	2			
30	Diseases of the female genital organs	18								5	7	2	2	2					
31	Puerperal fever	8							3	3	2								
32	Other puerperal affections	3								1	2								
33	Congenital debility and malformations	24	23	1															
34	Senility	3											1		1		1		
35	Violent deaths (excluding suicide)	37	2				1	1		7	13	5	5		1	2			
36	Suicide	4								4									
(37)	Other defined diseases	67	8	3			1	2	3	5	8	5	15	12	4		1		
38	Diseases ill-defined or unknown																		
LOUISVILLE, KY. (TOTAL).																			
	All causes	3,586	418	75	37	15	16	66	129	311	388	448	513	482	452	200	33	2	1
1	Typhoid fever	32						3	4	9	8	3	4		1				
2	Typhus fever																		
3	Malaria	3									1		2						
4	Smallpox																		
5	Measles	5	2	1	2														
6	Scarlet fever	1						1											
7	Whooping cough	26	13	7	2		2	2											
8	Diphtheria and croup	16	2	1		4	2	5	2										
9	Influenza	79	2	2	2				3	3	1	10	12	12	19	10	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	21	8	1							1	1	2	1	4	3			
13	Tuberculosis of the lungs	382	4	2	1	1		3	36	105	101	69	37	13	7	2			1
14	Tuberculous meningitis	26	6	4	3	1		5	2	2	2	1							
15	Other forms of tuberculosis	27			1			1	4	5	5	5	1	3	1	1			
16	Cancer and other malignant tumors	200						2	1	3	14	38	59	45	29	9			
17	Meningitis	10			2				1	2	3		2						
18	Cerebral hemorrhage and softening	183	1							3	7	20	33	49	57	11	2		
19	Organic diseases of the heart	348	1	1		1	2	4	5	17	34	38	60	89	69	21	5	1	
20	Acute bronchitis	22	8	2	1	2				1	1		2		3	2			
21	Chronic bronchitis	38						1	1	4	4	1	2	8	8	9			
22	Pneumonia	251	23	9	4		1	5	6	25	29	46	29	35	27	11	1		
23a	Bronchopneumonia	100	24	14	9	2	3	1	1	2	6	6	5	6	14	6	1		
23b	Other diseases of the respiratory system	54	3	1	1			1		2	8	7	7	8	7	6	3		
24	Diseases of the stomach	57	8	1	2				2	5	10	9	8	4	2	5	1		
25(37)	Diarrhea and enteritis	152	92	15	3	1		2	1	1	2	6	7	5	12	5			
26	Appendicitis and typhlitis	36	1					3	9	6	4	6	4	3					
27	Hernia, intestinal obstruction	44	5	1				1		3	4	7	8	6	8	1			
28	Cirrhosis of the liver	42								3	3	7	16	9	3	1			
29	Acute nephritis and Bright's disease	368	1	2			1	3	6	21	36	48	74	72	78	22	4		
30	Diseases of the female genital organs	29								6	9	9	3	2					
31	Puerperal fever	17							3	9	3	2							
32	Other puerperal affections	14							3	4	4	3							
33	Congenital debility and malformations	164	161	1				1	1										
34	Senility	40												1	16	15	7	1	
35	Violent deaths (excluding suicide)	202	4	1	3	2	1	11	22	30	32	25	24	23	16	7	1		
36	Suicide	35							2	7	3	6	15	1	1				
(37)	Other defined diseases	553	49	6	1	1	4	11	14	33	52	75	96	86	69	51	5		
38	Diseases ill-defined or unknown	9		3							1		1	1	1	2			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
LOUISVILLE, KY. (WHITE).																			
	All causes	2,586	324	50	29	11	14	48	87	185	217	266	373	379	397	175	29	1	1
1	Typhoid fever	22						3	4	7	2	3	2		1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5	2	1	2														
6	Scarlet fever	1						1											
7	Whooping cough	17	9	6			1	1											
8	Diphtheria and croup	15	2	1		3	2	5	2										
9	Influenza	58	1	2	1				2	2		4	9	12	15	7	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	6									1	2	1	4	3			
13	Tuberculosis of the lungs	224	2		1				18	63	57	38	27	10	5	2			1
14	Tuberculous meningitis	19	5	4	2			3	1	2	1	1							
15	Other forms of tuberculosis	19			1				2	4	4	4	1	1	1	1			
16	Cancer and other malignant tumors	172						1	1	3	11	28	51	39	29	9			
17	Meningitis	8			2					2	2		2						
18	Cerebral hemorrhage and softening	152	1							3	3	15	28	39	51	10	2		
19	Organic diseases of the heart	230	1			1	2	3	3	13	14	21	36	61	55	17	3		
20	Acute bronchitis	11	4	1		1							1		2	2			
21	Chronic bronchitis	25									1		1	6	8	9			
22	Pneumonia	151	16	3	4		1	4	4	8	14	26	17	25	20	8	1		
23a	Bronchopneumonia	73	15	8	8	2	3	1	1	2	4	3	4	4	13	5			
23b	Other diseases of the respiratory system	44	3	1	1			1		1	6	2	7	6	7	6	3		
24	Diseases of the stomach	32	6	1	1					2	5	5	3	2	2	4	1		
25(37)	Diarrhea and enteritis	112	68	12	2	1		1	1		1	3	4	5	9	5			
26	Appendicitis and typhlitis	28	1					2	6	5	4	5	2	3					
27	Hernia, intestinal obstruction	36	4	1						2	4	6	7	4	8				
28	Cirrhosis of the liver	32									2	5	15	7	2	1			
29	Acute nephritis and Bright's disease	260	1	1			1	3	6	7	18	24	52	56	71	17	3		
30	Diseases of the female genital organs	18								4	1	6	1	1					
31	Puerperal fever	14							3	8	3								
32	Other puerperal affections	11							2	4	2	3							
33	Congenital debility and malformations	135	132	1				1	1										
34	Senility	40												1	16	15	7	1	
35	Violent deaths (excluding suicide)	150	4		3	2		8	17	19	20	17	15	23	14	7	1		
36	Suicide	34							2	7	2	6	15	1	1				
(37)	Other defined diseases	418	41	4	1	1	4	10	11	17	35	40	70	72	62	45	5		
38	Diseases ill-defined or unknown	8		3							1		1		1	2			
LOUISVILLE, KY. (COLORED).																			
	All causes	1,000	94	25	8	4	2	18	42	126	171	182	140	103	55	25	4	1	
1	Typhoid fever	10								2	6		2						
2	Typhus fever																		
3	Malaria	3									1		2						
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	9	4	1	2		1	1											
8	Diphtheria and croup	1				1													
9	Influenza	21	1		1				1	1	1	6	3		4	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	2	1							1								
13	Tuberculosis of the lungs	158	2	2		1		3	18	42	44	31	10	3	2				
14	Tuberculous meningitis	7	1		1	1		2	1		1								
15	Other forms of tuberculosis	8						1	2	1	1	1		2					
16	Cancer and other malignant tumors	28						1			3	10	8	6					
17	Meningitis	2							1		1								
18	Cerebral hemorrhage and softening	31									4	5	5	10	6	1			
19	Organic diseases of the heart	118		1				1	2	4	20	17	24	28	14	4	2	1	
20	Acute bronchitis	11	4	1	1	1				1	1		1		1				
21	Chronic bronchitis	13						1	1	4	3	1	1	2					
22	Pneumonia	100	7	6				1	2	17	15	20	12	10	7	3			
23a	Bronchopneumonia	27	9	6	1						2	3	1	2	1	1	1		
23b	Other diseases of the respiratory system	10								1	2	5		2					
24	Diseases of the stomach	25	2		1				2	3	5	4	5	2		1			
25(37)	Diarrhea and enteritis	40	24	3	1			1		1	1	3	3		3				
26	Appendicitis and typhlitis	8						1	3	1		1	2						
27	Hernia, intestinal obstruction	8	1					1		1		1	1	2		1			
28	Cirrhosis of the liver	10								3	1	2	1	2	1				
29	Acute nephritis and Bright's disease	108		1						14	18	24	22	16	7	5	1		
30	Diseases of the female genital organs	16								2	8	3	2	1					
31	Puerperal fever	3								1		2							
32	Other puerperal affections	3							1		2								
33	Congenital debility and malformations	29	29																
34	Senility																		
35	Violent deaths (excluding suicide)	52		1			1	3	5	11	12	8	9		2				
36	Suicide	1									1								
(37)	Other defined diseases	135	8	2				1	3	16	17	35	26	14	7	6			
38	Diseases ill-defined or unknown	1												1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

NEW ORLEANS, LA. (TOTAL).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	All causes	6,847	757	151	72	43	27	97	294	830	906	986	900	844	633	257	42	6	2
1	Typhoid fever	86			2			3	20	45	10	3	3						
2	Typhus fever																		
3	Malaria	26							6	8	3	5	4						
4	Smallpox	4								1	2	1							
5	Measles	13		9	1		1	1		1									
6	Scarlet fever	1									1								
7	Whooping cough	14	6	4	3		1												
8	Diphtheria and croup	37	2	3	9	5	5	10	1		1		1						
9	Influenza	100	6	2	2	2	1	2	3	9	8	11	12	19	13	7	2	1	
10	Asiatic cholera																		
11	Cholera nostras	1		1															
12	Other epidemic diseases	43	2	1					1	6	5	10	9	3	3	2	1		
13	Tuberculosis of the lungs	963	6	6	5	1		8	60	278	264	183	103	37	12				
14	Tuberculous meningitis	15	7	1				3	1	2		1							
15	Other forms of tuberculosis	105	51	7	2	2		3	3	11	6	7	3	10					
16	Cancer and other malignant tumors	346							4	11	30	73	95	77	44	12			
17	Meningitis	22	2	4	1		1	4	7	3									
18	Cerebral hemorrhage and softening	308	1		1			1		4	15	35	62	88	67	32	2		
19	Organic diseases of the heart	771						2	7	36	68	102	138	185	161	71	8	3	
20	Acute bronchitis	20	12	3	1	1	1				1				1				
21	Chronic bronchitis	31	1	1				1		2	2	4	1	4	11	3	1		
22	Pneumonia	331	43	17	8	5	1	8	21	57	41	34	27	34	23	10	2		
23a	Bronchopneumonia	105	41	14	5	2	1	6	4	4	5	6	4	5	4	4			
23b	Other diseases of the respiratory system	45	3	1	1	1				5	10	9	4	5	3	1	2		
24	Diseases of the stomach	51	4	1	1		1		1	7	8	10	7	7	2	1	1		
25(37)	Diarrhea and enteritis	358	210	53	13	5	1	3	6	7	4	6	12	20	10	7	1		
26	Appendicitis and typhlitis	79					1	3	18	15	12	18	6	2	3	1			
27	Hernia, intestinal obstruction	60	7	2				1	5	11	7	4	4	7	10	2			
28	Cirrhosis of the liver	115					1			5	19	32	23	25	9	1			
29	Acute nephritis and Bright's disease	859	2	1	2	3		3	19	48	107	163	181	158	127	38	7		
30	Diseases of the female genital organs	57							4	11	20	16	2	4					
31	Puerperal fever	51							4	31	11	4	1						
32	Other puerperal affections	46							1	25	14	6							
33	Congenital debility and malformations	210	203	2		2		1		2									
34	Senility	28													15	12	1		
35	Violent deaths (excluding suicide)	432	5	7	8	9	7	18	56	89	75	60	40	23	20	10	3		2
36	Suicide	54							1	16	11	9	9	5	3				
(37)	Other defined diseases	1,060	143	11	7	5	4	16	41	80	146	174	149	126	102	43	11	2	
38	Diseases ill-defined or unknown																		

NEW ORLEANS, LA. (WHITE).

	All causes	3,938	432	85	39	26	19	60	129	337	435	570	541	574	462	199	28	2	
1	Typhoid fever	56			2			3	13	24	9	3	2						
2	Typhus fever																		
3	Malaria	11							2	3	1	2	3						
4	Smallpox	1										1							
5	Measles	9		6	1		1			1									
6	Scarlet fever	1									1								
7	Whooping cough	9	3	3	2		1												
8	Diphtheria and croup	28	2	2	7	3	4	8	1				1						
9	Influenza	58	4	1	1	1		1		4	1	6	8	12	11	6	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	29	1	1						2	5	5	8	2	2	2	1		
13	Tuberculosis of the lungs	441	3	1		1		3	9	83	127	114	67	24	9				
14	Tuberculous meningitis	11	7					3		1									
15	Other forms of tuberculosis	23	6		1	1		1		1		3	2	8					
16	Cancer and other malignant tumors	263							4	5	24	53	60	66	40	11			
17	Meningitis	14	1	2	1			4	4	2									
18	Cerebral hemorrhage and softening	211	1		1			1		2	8	22	37	56	55	26	2		
19	Organic diseases of the heart	457						2	4	15	23	45	69	122	112	57	6	2	
20	Acute bronchitis	10	6		1	1					1				1				
21	Chronic bronchitis	20	1					1			1	1	1	2	9	3	1		
22	Pneumonia	138	24	7	2	3	1	3	5	11	11	14	15	17	17	7	1		
23a	Bronchopneumonia	46	17	7	1	1	1		1		1	4	3	3	3	4			
23b	Other diseases of the respiratory system	31	2	1						2	9	6	3	2	3	1	2		
24	Diseases of the stomach	24	2		1		1			4	1	3	3	6	1	1	1		
25(37)	Diarrhea and enteritis	221	130	38	6	3	1	2	2	3	2	3	7	12	6	5	1		
26	Appendicitis and typhlitis	56					1	2	11	11	6	14	6	1	3	1			
27	Hernia, intestinal obstruction	42	4	2				1	2	8	4	2	4	6	8	1			
28	Cirrhosis of the liver	60								1	9	15	13	16	6				
29	Acute nephritis and Bright's disease	478	1		2	2		2	8	17	47	81	95	106	87	26	4		
30	Diseases of the female genital organs	21							1	3	7	8		2					
31	Puerperal fever	33							1	20	7	4	1						
32	Other puerperal affections	33							1	17	10	5							
33	Congenital debility and malformations	135	129	2		1		1		2									
34	Senility	18													10	8			
35	Violent deaths (excluding suicide)	249	2	3	6	5	5	12	38	39	41	33	27	15	13	8	2		
36	Suicide	50							1	14	10	8	9	5	3				
(37)	Other defined diseases	651	86	9	4	4	3	10	21	42	69	115	97	91	63	32	5		
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW ORLEANS, LA. (COLORED).																			
	All causes	2,909	325	66	33	17	8	37	165	493	471	416	359	270	171	58	14	4	2
1	Typhoid fever	30							7	21	1		1						
2	Typhus fever																		
3	Malaria	15							4	5	2	3	1						
4	Smallpox	3								1	2								
5	Measles	4		3				1											
6	Scarlet fever																		
7	Whooping cough	5	3	1	1														
8	Diphtheria and croup	9		1	2	2	1	2			1								
9	Influenza	42	2	1	1	1	1	1	3	5	7	5	4	7	2	1		1	
10	Asiatic cholera																		
11	Cholera nostras	1		1															
12	Other epidemic diseases	14	1						1	4		5	1	1	1				
13	Tuberculosis of the lungs	522	3	5	5			5	51	195	137	69	36	13	3				
14	Tuberculous meningitis	4		1					1	1		1							
15	Other forms of tuberculosis	82	45	7	1	1		2	3	10	6	4	1	2					
16	Cancer and other malignant tumors	83								6	6	20	35	11	4	1			
17	Meningitis	8	1	2			1		3	1									
18	Cerebral hemorrhage and softening	97								2	7	13	25	32	12	6			
19	Organic diseases of the heart	314							3	21	45	57	69	63	39	14	2	1	
20	Acute bronchitis	10	6	3			1												
21	Chronic bronchitis	11		1						2	1	3		2	2				
22	Pneumonia	193	19	10	6	2		5	16	46	30	20	12	17	6	3	1		
23a	Bronchopneumonia	59	24	7	4	1		6	3	4	4	2	1	2	1				
23b	Other diseases of the respiratory system	14	1		1	1				3	1	3	1	3					
24	Diseases of the stomach	27	2	1					1	3	7	7	4	1	1				
25(37)	Diarrhea and enteritis	137	80	15	7	2		1	4	4	2	3	5	8	4	2			
26	Appendicitis and typhlitis	23						1	7	4	6	4		1					
27	Hernia, intestinal obstruction	18	3						3	3	3	2		1	2	1			
28	Cirrhosis of the liver	55					1			4	10	17	10	9	3	1			
29	Acute nephritis and Bright's disease	381	1	1		1		1	11	31	60	82	86	52	40	12	3		
30	Diseases of the female genital organs	36							3	8	13	8	2	2					
31	Puerperal fever	18							3	11	4								
32	Other puerperal affections	13								8	4	1							
33	Congenital debility and malformations	75	74			1													
34	Senility	10													5	4	1		
35	Violent deaths (excluding suicide)	183	3	4	2	4	2	6	18	50	34	27	13	8	7	2	1		2
36	Suicide	4								2	1	1							
(37)	Other defined diseases	409	57	2	3	1	1	6	20	38	77	59	52	35	39	11	6	2	
38	Diseases ill-defined or unknown																		
BALTIMORE, MD. (TOTAL).																			
	All causes	10,668	1,770	372	160	85	60	199	357	813	964	1,273	1,410	1,425	1,206	489	80	1	4
1	Typhoid fever	107				2		10	12	35	24	14	5	4	1				
2	Typhus fever																		
3	Malaria	2									2								
4	Smallpox																		
5	Measles	32	9	15	4		1	3											
6	Scarlet fever	31	3	1	2	3	4	13	3		2								
7	Whooping cough	60	30	23	4	3													
8	Diphtheria and croup	61	8	9	8	11	7	13	1	2	1		1						
9	Influenza	127	5	2	2		1	3	2	4	7	13	17	20	35	14	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	32	6	2					1		4	4	5	3	3	3	1		
13	Tuberculosis of the lungs	1,182	7	12	8	2	5	10	93	317	255	221	148	79	21	2			2
14	Tuberculous meningitis	62	8	14	9	5		8	8	7		1	1	1					
15	Other forms of tuberculosis	77	1	2	3	1	4	3	15	13	8	8	5	8	5	1			
16	Cancer and other malignant tumors	629	1		1			1	2	9	36	125	173	154	101	25	1		
17	Meningitis	46	15	9	2	2	1	10	5	2									
18	Cerebral hemorrhage and softening	664	2	1					2	12	32	79	129	167	171	60	7		2
19	Organic diseases of the heart	1,139			2			10	29	49	83	152	218	248	242	100	6		
20	Acute bronchitis	80	32	8	6		1		1	1	5	1	3	5	7	9	1		
21	Chronic bronchitis	50		1						1	1	3	3	9	18	10	4		
22	Pneumonia	784	47	22	11	6	4	13	28	59	94	124	130	118	89	34	5		
23a	Bronchopneumonia	606	230	96	39	12	8	12	10	7	20	20	27	39	48	30	8		
23b	Other diseases of the respiratory system	57	6	2	1	1		1	3	1	3	10	10	6	4	9			
24	Diseases of the stomach	65	3	3		1		3	1	5	9	14	5	6	11	4			
25(37)	Diarrhea and enteritis	665	491	95	14	11	5	5	2	1	5	8	6	9	8	3	2		
26	Appendicitis and typhlitis	79		1	1			5	7	22	18	14	8	2	1				
27	Hernia, intestinal obstruction	85	8	2				3	3	6	4	16	13	10	15	5			
28	Cirrhosis of the liver	83						1		1	8	14	20	22	12	5			
29	Acute nephritis and Bright's disease	1,028	5	1	1	1		8	12	43	87	153	207	240	194	65	11		
30	Diseases of the female genital organs	61							2	9	20	23	3	1	2	1			
31	Puerperal fever	52							7	17	22	6							
32	Other puerperal affections	59							6	23	25	5							
33	Congenital debility and malformations	584	576	5	1	1		1											
34	Senility	74												7	27	26	14		
35	Violent deaths (excluding suicide)	430	18	5	8	10	11	33	39	82	54	64	56	45	35	15	5		
36	Suicide	93							7	11	17	18	27	11	2				
(37)	Other defined diseases	1,417	257	38	31	13	8	30	56	73	118	161	188	210	152	68	13	1	
38	Diseases ill-defined or unknown	15	2	3	2					1		2	2	1	2				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	BALTIMORE, MD. (WHITE).																		
	All causes	7,956	1,275	248	93	59	40	150	223	486	630	863	1,057	1,210	1,101	451	68	1	1
1	Typhoid fever	90	.....	.....	.....	2	.....	8	10	30	21	11	4	4	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	27	7	14	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	31	3	1	2	3	4	13	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	37	18	16	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	55	6	9	7	10	7	13	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	101	4	2	1	.....	1	2	2	3	4	8	10	18	32	13	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	24	5	1	.....	.....	.....	.....	1	.....	1	2	5	2	3	3	1	.....	.....
13	Tuberculosis of the lungs	734	4	5	1	.....	.....	3	38	171	167	152	108	66	16	2	.....	.....	1
14	Tuberculous meningitis	37	7	8	5	4	.....	4	6	1	.....	1	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	41	1	1	2	.....	3	1	6	5	5	5	1	5	5	1	.....	.....	.....
16	Cancer and other malignant tumors	546	1	.....	1	.....	.....	1	1	7	24	102	149	138	97	24	1	.....	.....
17	Meningitis	38	13	7	1	2	.....	9	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	528	2	1	.....	.....	.....	.....	1	6	19	48	96	144	153	53	5	.....	.....
19	Organic diseases of the heart	845	.....	.....	2	.....	.....	10	23	29	46	86	136	201	213	95	4	.....	.....
20	Acute bronchitis	46	16	4	.....	.....	.....	.....	1	.....	2	.....	2	4	7	9	1	.....	.....
21	Chronic bronchitis	43	.....	1	.....	.....	.....	.....	.....	.....	1	2	2	7	18	9	3	.....	.....
22	Pneumonia	546	35	14	7	3	3	10	14	30	52	73	90	97	83	30	5	.....	.....
23a	Bronchopneumonia	390	141	53	22	6	3	5	6	3	10	8	20	33	45	29	6	.....	.....
23b	Other diseases of the respiratory system	51	6	2	1	1	.....	1	2	.....	3	6	10	6	4	9	.....	.....	.....
24	Diseases of the stomach	40	3	3	.....	.....	.....	2	1	2	4	7	2	3	9	4	.....	.....	.....
25(37)	Diarrhea and enteritis	486	371	65	8	5	4	1	1	.....	4	3	6	7	7	2	2	.....	.....
26	Appendicitis and typhlitis	68	.....	1	1	.....	.....	5	6	18	14	12	8	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	72	7	1	.....	.....	.....	2	3	3	2	11	13	10	15	5	.....	.....	.....
28	Cirrhosis of the liver	72	.....	.....	.....	.....	.....	1	.....	1	6	12	18	19	11	4	.....	.....	.....
29	Acute nephritis and Bright's disease	817	5	.....	.....	1	.....	6	9	26	55	104	151	211	181	58	10	.....	.....
30	Diseases of the female genital organs	39	.....	.....	.....	.....	.....	.....	1	5	11	16	2	1	2	1	.....	.....	.....
31	Puerperal fever	36	.....	.....	.....	.....	.....	.....	2	13	16	5	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	45	.....	.....	.....	.....	.....	.....	3	17	20	5	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	430	422	5	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	60	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	23	22	13	.....	.....
35	Violent deaths (excluding suicide)	372	14	4	5	9	8	25	25	54	39	51	46	40	34	13	5	.....	.....
36	Suicide	89	.....	.....	.....	.....	.....	.....	6	11	16	18	25	11	2	.....	.....	.....	.....
(37)	Other defined diseases	1,110	183	27	20	11	6	26	47	49	84	113	151	178	138	65	11	1	.....
38	Diseases ill-defined or unknown	9	1	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	2	.....	.....	.....	.....
	BALTIMORE, MD. (COLORED).																		
	All causes	2,712	495	124	67	26	20	49	134	327	334	410	353	215	105	38	12	.....	3
1	Typhoid fever	17	.....	.....	.....	.....	.....	2	2	5	3	3	1	.....	1	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	2	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	23	12	7	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	6	2	.....	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	26	1	.....	1	.....	.....	1	.....	1	3	5	7	2	3	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	1	1	.....	.....	.....	.....	.....	.....	3	2	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	448	3	7	7	2	5	7	55	146	88	69	40	13	5	.....	.....	.....	1
14	Tuberculous meningitis	25	1	6	4	1	.....	4	2	6	.....	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	36	.....	1	1	1	1	2	9	8	3	3	4	3	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	83	.....	.....	.....	.....	.....	.....	1	2	12	23	24	16	4	1	.....	.....	.....
17	Meningitis	8	2	2	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	136	.....	.....	.....	.....	.....	.....	1	6	13	31	33	23	18	7	2	.....	2
19	Organic diseases of the heart	294	.....	.....	.....	.....	.....	.....	6	20	37	66	82	47	29	5	2	.....	.....
20	Acute bronchitis	34	16	4	6	.....	1	.....	.....	1	3	1	1	1	.....	.....	.....	.....	.....
21	Chronic bronchitis	7	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	2	.....	1	1	.....	.....
22	Pneumonia	238	12	8	4	3	1	3	14	29	42	51	40	21	6	4	.....	.....	.....
23a	Bronchopneumonia	216	89	43	17	6	5	7	4	4	10	12	7	6	3	1	2	.....	.....
23b	Other diseases of the respiratory system	6	.....	.....	.....	.....	.....	.....	1	1	.....	4	.....	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	25	.....	.....	.....	1	.....	1	.....	3	5	7	3	3	2	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	179	120	30	6	6	1	4	1	1	1	5	.....	2	1	1	.....	.....	.....
26	Appendicitis and typhlitis	11	.....	.....	.....	.....	.....	.....	1	4	4	2	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	13	1	1	.....	.....	.....	1	.....	3	2	5	.....	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	11	.....	.....	.....	.....	.....	.....	.....	.....	2	2	2	3	1	1	.....	.....	.....
29	Acute nephritis and Bright's disease	211	.....	1	1	.....	.....	2	3	17	32	49	56	29	13	7	1	.....	.....
30	Diseases of the female genital organs	22	.....	.....	.....	.....	.....	.....	1	4	9	7	1	.....	.....	.....	.....	.....	.....
31	Puerperal fever	16	.....	.....	.....	.....	.....	.....	5	4	6	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	14	.....	.....	.....	.....	.....	.....	3	6	5	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	154	154	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	4	4	1	.....	.....
35	Violent deaths (excluding suicide)	108	4	1	3	1	3	8	14	28	15	13	10	5	1	2	.....	.....	.....
36	Suicide	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	307	74	11	11	2	2	4	9	24	34	48	37	32	14	3	2	.....	.....
38	Diseases ill-defined or unknown	6	1	.....	2	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BOSTON, MASS.																		
	All causes	12,763	2,062	512	220	141	97	302	381	781	1,238	1,545	1,718	1,699	1,383	580	98	4	2
1	Typhoid fever	26	.....	.....	1	.....	.....	1	4	5	9	5	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	110	23	50	22	9	1	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	39	1	4	2	7	7	13	2	1	.....	2	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	73	40	19	7	1	4	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
8	Diphtheria and croup	186	15	38	20	21	23	50	9	3	1	4	2	.....	.....	.....	.....	.....	.....
9	Influenza	85	5	2	1	2	.....	.....	.....	2	4	6	10	13	24	13	2	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	80	34	2	1	.....	1	.....	2	1	10	5	10	8	5	1	.....	.....	.....
13	Tuberculosis of the lungs	1,097	28	17	3	3	3	12	87	230	287	220	125	63	17	2	.....	.....	.....
14	Tuberculous meningitis	135	31	29	14	9	4	19	6	9	9	4	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	87	8	6	3	4	.....	4	6	14	17	16	5	2	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	876	.....	3	1	.....	1	3	4	11	55	158	256	212	139	30	3	.....	.....
17	Meningitis	90	27	14	8	3	2	9	7	6	8	4	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	629	.....	1	1	.....	.....	1	3	3	13	60	113	167	172	82	13	.....	.....
19	Organic diseases of the heart	1,667	.....	.....	1	[illegible]	3	14	54	57	102	188	301	383	370	166	26	.....	.....
20	Acute bronchitis	83	45	8	3	[illegible]	1	1	1	.....	1	.....	1	3	9	5	2	.....	.....
21	Chronic bronchitis	52	.....	3	.....	.....	.....	.....	1	.....	.....	3	8	8	16	9	2	2	.....
22	Pneumonia	1,005	93	63	21	10	6	14	19	67	115	166	145	143	97	41	5	.....	.....
23a	Bronchopneumonia	590	254	83	27	5	4	12	1	12	8	22	31	44	45	35	7	.....	.....
23b	Other diseases of the respiratory system	119	16	14	3	4	1	5	5	8	18	15	9	9	8	3	1	.....	.....
24	Diseases of the stomach	71	12	1	.....	.....	1	.....	.....	3	8	22	11	6	6	.....	1	.....	.....
25(37)	Diarrhea and enteritis	431	326	48	8	5	2	2	1	1	6	6	3	9	4	4	1	.....	.....
26	Appendicitis and typhlitis	109	.....	1	2	2	1	2	20	13	33	14	11	7	2	1	.....	.....	.....
27	Hernia, intestinal obstruction	117	17	4	3	.....	1	3	3	4	10	11	16	29	12	3	1	.....	.....
28	Cirrhosis of the liver	99	.....	.....	.....	.....	.....	.....	.....	.....	17	19	40	14	7	2	.....	.....	.....
29	Acute nephritis and Bright's disease	776	5	4	.....	.....	1	2	8	25	54	123	153	197	161	39	4	.....	.....
30	Diseases of the female genital organs	91	.....	.....	.....	.....	.....	.....	2	16	26	23	14	9	1	.....	.....	.....	.....
31	Puerperal fever	71	.....	.....	.....	.....	.....	.....	7	34	25	5	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	68	.....	.....	.....	.....	.....	.....	1	31	30	6	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	678	663	6	3	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	8	3	.....	.....
35	Violent deaths (excluding suicide)	817	25	14	18	11	10	52	53	107	132	131	128	60	51	19	5	.....	1
36	Suicide	123	.....	.....	.....	.....	.....	.....	6	15	37	29	18	13	5	.....	.....	.....	.....
(37)	Other defined diseases	2,212	375	74	47	36	18	74	68	99	200	273	294	288	225	117	22	1	1
38	Diseases ill-defined or unknown	53	19	4	.....	4	.....	1	.....	4	2	5	6	7	1	.....	.....	.....	.....
CAMBRIDGE, MASS.																			
	All causes	1,526	246	52	27	10	8	17	40	94	120	152	196	230	208	111	15	.....	.....
1	Typhoid fever	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	4	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	11	4	3	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	16	3	2	4	2	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	1	.....	.....	.....	.....	1	.....	1	.....	.....	2	3	1	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	4	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	195	3	.....	.....	1	.....	.....	14	53	52	30	24	12	6	.....	.....	.....	.....
14	Tuberculous meningitis	8	2	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	5	.....	.....	2	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	127	.....	.....	.....	.....	.....	.....	1	1	5	25	37	35	18	5	.....	.....	.....
17	Meningitis	7	1	2	1	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	123	2	.....	.....	.....	.....	.....	1	1	2	12	25	23	41	15	1	.....	.....
19	Organic diseases of the heart	216	5	.....	.....	.....	.....	2	5	1	15	19	25	56	58	24	6	.....	.....
20	Acute bronchitis	16	3	4	1	.....	.....	.....	.....	.....	1	.....	.....	1	2	4	.....	.....	.....
21	Chronic bronchitis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	.....	.....
22	Pneumonia	102	12	5	.....	.....	1	2	5	5	7	11	16	20	13	4	1	.....	.....
23a	Bronchopneumonia	78	36	19	2	1	.....	.....	.....	1	1	1	1	4	5	6	1	.....	.....
23b	Other diseases of the respiratory system	11	1	.....	.....	1	.....	.....	.....	1	.....	2	3	2	.....	1	.....	.....	.....
24	Diseases of the stomach	5	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
25(37)	Diarrhea and enteritis	70	54	10	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
26	Appendicitis and typhlitis	12	1	.....	.....	.....	.....	.....	2	2	4	1	1	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	10	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	3	2	2	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	1	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	80	1	.....	.....	.....	.....	.....	2	5	7	7	13	22	16	6	1	.....	.....
30	Diseases of the female genital organs	6	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	1	.....	1	.....	.....
31	Puerperal fever	5	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	9	.....	.....	.....	.....	.....	.....	.....	3	5	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	80	79	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....
35	Violent deaths (excluding suicide)	61	.....	2	2	2	2	5	2	3	7	8	9	10	2	5	2	.....	.....
36	Suicide	10	.....	.....	.....	.....	.....	.....	.....	1	.....	5	1	1	2	.....	.....	.....	.....
(37)	Other defined diseases	224	30	.....	6	.....	1	.....	7	8	12	22	34	33	37	32	2	.....	.....
38	Diseases ill-defined or unknown	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
FALL RIVER, MASS.																			
	All causes	2,178	639	129	50	19	16	42	64	96	150	161	241	255	210	88	14	1	3
1	Typhoid fever	14						1	1	1	6	1	4						
2	Typhus fever																		
3	Malaria	2											1	1					
4	Smallpox																		
5	Measles	39	15	18	5	1													
6	Scarlet fever	2		2															
7	Whooping cough	17	10	2	2	1	1	1											
8	Diphtheria and croup	20	1	6	4	3	3	3											
9	Influenza	31	6	5	1					1		1	2	4	6	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	6					1				1		1	1		1		
13	Tuberculosis of the lungs	207	3	3	1	1			18	41	55	39	28	15	3				
14	Tuberculous meningitis	21	6	3	2	1	2	2	2	2	1								
15	Other forms of tuberculosis	13	1					2	5	1	2		1		1				
16	Cancer and other malignant tumors	118						2		1	13	17	28	33	18	6			
17	Meningitis	6	1		2	1		1	1										
18	Cerebral hemorrhage and softening	83							1		3	6	15	24	24	9	1		
19	Organic diseases of the heart	201	2		1		1	1	6	5	13	11	31	58	57	18			
20	Acute bronchitis	37	25	5	3	1					2				1				
21	Chronic bronchitis	12								1				3	3	3	1	1	
22	Pneumonia	175	21	18	10	3	3	3	2	8	8	16	27	25	22	9			
23a	Bronchopneumonia	138	84	22	8	2	1	3	1	1		1	3	4	4	2	2		
23b	Other diseases of the respiratory system	14	1	1			1	2		1		4	1	1		2			
24	Diseases of the stomach	10	3									1	3	2	1				
25(37)	Diarrhea and enteritis	301	239	35	6	1		2	1		2	2	1	1	6	4	1		
26	Appendicitis and typhlitis	12					2	1	3	2	1		3						
27	Hernia, intestinal obstruction	8	2					2	1			1	2						
28	Cirrhosis of the liver	19									2	3	7	3	3	1			
29	Acute nephritis and Bright's disease	136	1	2					5	6	9	18	30	26	23	14	3		
30	Diseases of the female genital organs	3								1	1	1							
31	Puerperal fever	7							1	3	2	1							
32	Other puerperal affections	16							1	7	8								
33	Congenital debility and malformations	126	125		1														
34	Senility	4													1	2	1		
35	Violent deaths (excluding suicide)	61	5	2	2	4	1	7	6	5	3	10	7	5	2				2
36	Suicide	14								2	1	1	4	3	1	1			1
(37)	Other defined diseases	262	62	3	2		1	8	8	6	16	25	39	44	32	11	3		
38	Diseases ill-defined or unknown	35	20	2					1	1	2	1	4	1	1	2			
LOWELL, MASS.																			
	All causes	1,955	480	112	37	27	15	49	57	94	145	175	233	236	184	91	17		3
1	Typhoid fever	13						1	1	5	2	1	2	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	29	14	9	4	1		1											
6	Scarlet fever	6		1	1	2	2												
7	Whooping cough	11	8	1	1			1											
8	Diphtheria and croup	44	2	11	5	7	5	11	3										
9	Influenza	16	3	3							2	1	1	1	3	2			
10	Asiatic cholera																		
11	Cholera nostras	2										1		1					
12	Other epidemic diseases	6							1		1			2	2				
13	Tuberculosis of the lungs	117	3	2			1	1	13	24	33	24	11	3	2				
14	Tuberculous meningitis	27	9	9	2	3		2		1	1								
15	Other forms of tuberculosis	12	3			1		1	1	1		3	1		1				
16	Cancer and other malignant tumors	97									6	21	22	29	12	7			
17	Meningitis	18	7	2		2		3		2	1	1							
18	Cerebral hemorrhage and softening	96		1					1	2	5	12	23	21	22	5	1		
19	Organic diseases of the heart	183	1		1				7	3	13	25	30	52	33	18			
20	Acute bronchitis	50	34	10	2	1	1					1				1			
21	Chronic bronchitis	24	1	1						1	1	2	3	2	7	4	2		
22	Pneumonia	131	21	6	3	2	2	3	1	9	19	11	15	21	11	6	1		
23a	Bronchopneumonia	71	23	12	2		1	2		3		2	8	6	7	4	1		
23b	Other diseases of the respiratory system	11	2	2		1				1	1		2	1	1				
24	Diseases of the stomach	9	2		1					1	2	1	1			1			
25(37)	Diarrhea and enteritis	219	168	28	8		1	1	1	2	1	1		1	1	2	1		
26	Appendicitis and typhlitis	17				1		2	6	3	3		1		1				
27	Hernia, intestinal obstruction	20	3	2							2	4	3	1	3				
28	Cirrhosis of the liver	18								1	1	4	4	4	4				
29	Acute nephritis and Bright's disease	101	1				1	1	4	8	12	15	31	14	10	4			
30	Diseases of the female genital organs	10								2	2	4	1	1					
31	Puerperal fever	6								3	3								
32	Other puerperal affections	7								1	4	2							
33	Congenital debility and malformations	126	125	1															
34	Senility	7													3	3	1		
35	Violent deaths (excluding suicide)	94	4	3	4	4	1	9	8	8	10	10	12	7	10	1	1		2
36	Suicide	9									2	1	2	3					1
(37)	Other defined diseases	347	46	8	3	2		10	10	13	18	28	57	62	48	34	8		
38	Diseases ill-defined or unknown	1											1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
WORCESTER, MASS.																			
	All causes	2,899	497	117	39	27	14	52	68	174	253	302	346	439	379	170	21	.....	1
1	Typhoid fever	6	.....	.....	.....	.....	.....	1	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	56	23	21	4	3	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	6	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	24	.....	2	2	7	3	6	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....
9	Influenza	25	4	3	.....	.....	.....	.....	.....	.....	.....	3	3	6	3	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	26	6	1	.....	.....	.....	1	.....	.....	1	4	2	4	4	3	.....	.....	.....
13	Tuberculosis of the lungs	218	3	3	1	.....	2	.....	14	51	55	40	29	15	3	2	.....	.....	.....
14	Tuberculous meningitis	33	5	10	6	2	2	1	2	1	3	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	29	6	.....	2	1	1	1	.....	6	5	5	2	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	211	.....	.....	.....	.....	.....	1	1	6	15	32	47	53	43	12	.....	.....	1
17	Meningitis	12	4	2	.....	.....	1	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	148	.....	.....	.....	.....	.....	.....	.....	2	6	13	24	40	35	26	2	.....	.....
19	Organic diseases of the heart	411	.....	1	.....	.....	.....	4	5	10	26	41	62	108	111	35	8	.....	.....
20	Acute bronchitis	24	7	3	1	2	.....	.....	.....	1	1	1	.....	2	4	2	.....	.....	.....
21	Chronic bronchitis	15	.....	.....	.....	.....	.....	.....	.....	.....	1	2	3	1	4	4	.....	.....	.....
22	Pneumonia	247	22	18	8	1	.....	6	6	11	13	26	34	51	32	18	1	.....	.....
23a	Bronchopneumonia	129	38	16	3	5	.....	1	1	1	1	7	7	16	20	10	3	.....	.....
23b	Other diseases of the respiratory system	14	1	1	.....	.....	.....	.....	.....	3	3	2	2	1	.....	1	.....	.....	.....
24	Diseases of the stomach	21	7	.....	1	.....	.....	1	2	1	3	1	3	2	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	149	106	21	5	.....	1	1	1	1	4	3	2	3	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	27	.....	.....	.....	.....	.....	2	2	6	4	6	2	5	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	27	5	.....	.....	.....	.....	.....	.....	1	2	4	10	3	.....	1	1	.....	.....
28	Cirrhosis of the liver	12	.....	.....	.....	.....	.....	.....	.....	.....	1	6	1	2	1	1	.....	.....	.....
29	Acute nephritis and Bright's disease	172	1	.....	.....	1	.....	1	6	8	13	26	36	37	34	8	1	.....	.....
30	Diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	.....	5	3	2	1	1	1	.....	.....	.....	.....
31	Puerperal fever	20	.....	.....	.....	.....	.....	.....	.....	11	8	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	.....	7	10	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	162	161	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	.....	.....
35	Violent deaths (excluding suicide)	175	9	5	1	5	2	10	13	18	26	27	17	19	15	8	.....	.....	.....
36	Suicide	21	.....	.....	.....	.....	.....	.....	.....	2	6	4	6	1	2	.....	.....	.....	.....
(37)	Other defined diseases	436	83	7	4	.....	1	8	11	16	48	41	51	69	61	32	4	.....	.....
38	Diseases ill-defined or unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
DETROIT, MICH.																			
	All causes	10,985	2,727	533	229	134	98	264	354	1,079	1,111	1,041	1,093	1,047	800	408	61	3	3
1	Typhoid fever	85	.....	1	.....	.....	1	8	7	34	14	10	4	6	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
5	Measles	104	39	31	12	6	6	7	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....
6	Scarlet fever	53	2	10	8	8	5	9	2	8	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	64	37	17	7	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	256	13	31	46	33	26	73	17	8	4	3	.....	1	.....	.....	.....	.....	1
9	Influenza	60	8	3	.....	2	.....	.....	2	1	7	10	3	6	8	8	1	1	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
12	Other epidemic diseases	83	40	2	2	.....	.....	1	1	4	5	10	4	9	2	2	1	.....	.....
13	Tuberculosis of the lungs	815	18	9	2	5	3	16	74	283	206	109	56	23	7	4	.....	.....	.....
14	Tuberculous meningitis	76	13	17	9	5	3	11	6	3	5	1	2	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	54	5	2	5	3	.....	2	2	15	8	7	4	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	448	.....	1	2	.....	.....	.....	4	10	42	72	144	109	51	13	.....	.....	.....
17	Meningitis	116	34	19	11	8	4	11	10	9	3	.....	5	1	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	374	2	.....	.....	.....	.....	.....	.....	4	12	55	76	106	87	28	4	.....	.....
19	Organic diseases of the heart	951	7	.....	1	1	.....	14	25	47	96	142	178	206	168	61	5	.....	.....
20	Acute bronchitis	98	63	7	4	2	1	2	2	.....	2	2	.....	2	3	6	2	.....	.....
21	Chronic bronchitis	48	3	.....	.....	.....	.....	1	.....	1	3	2	4	7	18	8	1	.....	.....
22	Pneumonia	719	107	43	18	4	5	12	22	81	89	83	102	85	47	19	1	.....	1
23a	Bronchopneumonia	637	306	133	25	13	5	4	4	13	18	18	18	31	32	17	.....	.....	.....
23b	Other diseases of the respiratory system	130	10	8	3	1	3	1	6	18	17	13	15	11	16	8	.....	.....	.....
24	Diseases of the stomach	181	81	10	3	1	4	.....	1	7	11	13	14	19	11	5	1	.....	.....
25(37)	Diarrhea and enteritis	824	631	115	24	7	4	8	.....	5	7	6	3	4	5	5	.....	.....	.....
26	Appendicitis and typhlitis	163	2	.....	1	.....	.....	6	20	46	37	25	16	7	1	2	.....	.....	.....
27	Hernia, intestinal obstruction	122	26	1	2	1	1	3	.....	8	18	21	16	12	7	6	.....	.....	.....
28	Cirrhosis of the liver	130	.....	1	.....	.....	.....	.....	.....	4	11	30	37	36	8	3	.....	.....	.....
29	Acute nephritis and Bright's disease	491	15	3	3	2	1	9	7	33	37	64	92	107	87	25	5	1	.....
30	Diseases of the female genital organs	47	.....	.....	.....	.....	.....	.....	.....	11	16	11	3	5	.....	1	.....	.....	.....
31	Puerperal fever	105	.....	.....	.....	.....	.....	.....	8	56	37	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	64	.....	.....	.....	.....	.....	.....	6	35	19	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	856	850	3	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	207	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	65	104	30	1	.....
35	Violent deaths (excluding suicide)	873	32	25	23	14	14	33	65	169	179	119	79	61	34	21	4	.....	1
36	Suicide	111	.....	.....	.....	.....	.....	.....	10	25	32	21	10	7	5	1	.....	.....	.....
(37)	Other defined diseases	1,592	378	36	16	14	10	29	50	139	166	183	201	173	135	56	6	.....	.....
38	Diseases ill-defined or unknown	45	5	5	1	1	1	4	1	1	8	3	7	4	.....	4	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
GRAND RAPIDS, MICH.																			
	All causes	1,565	235	31	20	8	10	26	49	120	123	126	193	207	251	140	24	1	1
1	Typhoid fever	21						2	1	10	6		1		1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	3	2					1											
6	Scarlet fever	2			1			1											
7	Whooping cough	6	3		2	1													
8	Diphtheria and croup	9	1				1	4	1			1	1						
9	Influenza	12									2	2	2	1	3	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	2									1	3						
13	Tuberculosis of the lungs	83	1		1				8	32	21	10	6	1	3				
14	Tuberculous meningitis	16	3	5	2	1		3	1	1									
15	Other forms of tuberculosis	6						1			1	1	3						
16	Cancer and other malignant tumors	113	1						1	1	8	15	20	34	29	4			
17	Meningitis	6	2	2						1	1								
18	Cerebral hemorrhage and softening	98							1		3	5	15	25	34	13	2		
19	Organic diseases of the heart	173						2	6	6	12	21	23	43	41	19			
20	Acute bronchitis	16	6	3						1					5	1			
21	Chronic bronchitis	7											1	3	2	1			
22	Pneumonia	63	2		3	1	2	2	4	4	1	3	14	11	14	2			
23a	Bronchopneumonia	27	9	3			1	1	1		1	2	4	2	1	2			
23b	Other diseases of the respiratory system	22	5	2						1	1	4	4	2	3				
24	Diseases of the stomach	29	10							1	2	3	2	6	2	3			
25(37)	Diarrhea and enteritis	88	61	9	6	2	1	2			2	1	1	2	1				
26	Appendicitis and typhlitis	23						1	1	7	7	5	1	1					
27	Hernia, intestinal obstruction	22	7	1		1				2	3	1	1	4	2				
28	Cirrhosis of the liver	9								1	2	1	2	3					
29	Acute nephritis and Bright's disease	114	1							5	6	11	22	23	28	18			
30	Diseases of the female genital organs	10								5	2	1	2						
31	Puerperal fever	10								3	5	2							
32	Other puerperal affections	4								4	4								
33	Congenital debility and malformations	84	82	2															
34	Senility	106												2	33	51	19	1	
35	Violent deaths (excluding suicide)	94	2		4		3	2	8	17	8	15	17	3	9	5			1
36	Suicide	18							2	3	3	3	5	2					
(37)	Other defined diseases	259	34	4	1	2	2	4	14	15	22	18	42	39	40	19	3		
38	Diseases ill-defined or unknown	2	1										1						
MINNEAPOLIS, MINN.																			
	All causes	4,512	723	122	58	45	22	104	177	415	477	458	597	590	438	250	33	1	2
1	Typhoid fever	20					1			6	6	4	1	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	74	20	17	11	12	3	9			1		1						
6	Scarlet fever	16		5	1	1	1	3	3	1	1								
7	Whooping cough	27	16	8	1	1		1											
8	Diphtheria and croup	69	9	8	11	6	2	15	5	4	3	4	1						1
9	Influenza	32	1	3	1				1	2	7	1	1	3	7	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	24	7		1			2		4	2	2	2	3	1				
13	Tuberculosis of the lungs	428	4	2	1	1		2	35	128	120	65	37	27	5	1			
14	Tuberculous meningitis	30	3	5	2		1	7	6	2	2	2							
15	Other forms of tuberculosis	50		3		1	1		12	10	9	4	7	2	1				
16	Cancer and other malignant tumors	349			1			2	3	2	25	56	91	97	58	14			
17	Meningitis	14	2	2	1	1				4		3		1					
18	Cerebral hemorrhage and softening	187							1	2	4	14	37	53	52	23	1		
19	Organic diseases of the heart	436	2			1	1	3	15	19	37	41	74	94	87	58	4		
20	Acute bronchitis	11	3									1	1	3	1		2		
21	Chronic bronchitis	17											2	2	6	7			
22	Pneumonia	245	24	8	3	2	2	1	6	9	28	30	46	43	22	18	2	1	
23a	Bronchopneumonia	160	78	26	4	2			1	2	4	2	6	13	11	7	4		
23b	Other diseases of the respiratory system	30	2	1						3	3	6	1	7		6	1		
24	Diseases of the stomach	28	4							1	5	3	5	4	5	1			
25(37)	Diarrhea and enteritis	146	94	15	10	2	1	1		2	5	4	3	2	5	2			
26	Appendicitis and typhlitis	106		2	1	1	2	6	22	29	13	16	11	2	1				
27	Hernia, intestinal obstruction	31	5					1	3	1	3	1	5	7	3	2			
28	Cirrhosis of the liver	34		1					2	3	4	4	6	8	5	1			
29	Acute nephritis and Bright's disease	370				1	1	6	2	13	20	43	101	82	63	31	7		
30	Diseases of the female genital organs	38							2	9	12	10	4	1					
31	Puerperal fever	31							2	22	7								
32	Other puerperal affections	19							1	8	8	2							
33	Congenital debility and malformations	348	343	2	2	1													
34	Senility	11													3	6	2		
35	Violent deaths (excluding suicide)	318	6	7	7	8	3	22	25	49	54	47	39	27	15	7	2		
36	Suicide	70								14	18	15	13	6	3				1
(37)	Other defined diseases	742	100	7		4	3	23	30	66	75	78	102	101	84	62	7		
38	Diseases ill-defined or unknown	1									1								

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. PAUL, MINN.																			
	All causes	2,785	357	56	34	24	14	55	125	243	262	318	406	383	321	160	24	1	2
1	Typhoid fever	14			1			1	1	7	2	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	18	4	8	2			3	1										
6	Scarlet fever	8		2		1		3	1		1								
7	Whooping cough	17	8	4	3	1		1											
8	Diphtheria and croup	22	1	3		2	3	6	5	1		1							
9	Influenza	23	3	1	1					1	1		2	3	5	4	2		
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	20	9	1					2		1	1	1	2	1	2			
13	Tuberculosis of the lungs	245		2	2				20	72	56	43	33	14	3				
14	Tuberculous meningitis	32	3	4	6	5	1	1	6	2	4								
15	Other forms of tuberculosis	29			1			2	6	8	4	2	2	3	1				
16	Cancer and other malignant tumors	215			1			1	1	3	14	38	60	52	35	10			
17	Meningitis	23	7	1	1	1				3	4	5	1						
18	Cerebral hemorrhage and softening	137							1	1	3	7	24	41	40	20			
19	Organic diseases of the heart	303						1	6	7	24	33	60	72	60	39	1		
20	Acute bronchitis	11	6		1				1	1				2					
21	Chronic bronchitis	16											1	3	4	6	2		
22	Pneumonia	129	4	1		3		1	3	9	9	15	31	33	13	7			
23a	Bronchopneumonia	70	29	7	2		1	3	2		2	1	1	5	8	7	2		
23b	Other diseases of the respiratory system	26	2	2				1	1	3	2	3	6	1	3	2			
24	Diseases of the stomach	18	5	1			1			1	2	3	3		2				
25(37)	Diarrhea and enteritis	89	57	8	3	2	3	1	1	3	2		1	1	3	3	1		
26	Appendicitis and typhlitis	52			3		1	3	7	11	6	10	6	2	3				
27	Hernia, intestinal obstruction	32	7	1				1	1	2	2	1	6	7	3	1			
28	Cirrhosis of the liver	23							1		1	7	7	3	3		1		
29	Acute nephritis and Bright's disease	229		1				1	3	15	16	27	49	52	50	15			
30	Diseases of the female genital organs	23							2	4	5	9	2			1			
31	Puerperal fever	22							3	12	5	2							
32	Other puerperal affections	18							1	8	7	2							
33	Congenital debility and malformations	151	148	2	1														
34	Senility	27												3	6	11	7		
35	Violent deaths (excluding suicide)	218	3	4	2	3	2	12	19	30	39	33	30	17	13	8	1		2
36	Suicide	45							1	8	11	13	3	6	3				
(37)	Other defined diseases	476	60	3	4	6	2	13	29	31	39	61	74	61	62	23	7	1	
38	Diseases ill-defined or unknown	3											2			1			
KANSAS CITY, MO. (TOTAL).																			
	All causes	4,319	519	109	62	53	25	120	170	448	538	518	592	518	438	169	35	3	2
1	Typhoid fever	34						3	2	7	9	8	2	1	1	1			
2	Typhus fever																		
3	Malaria	5								3		1	1						
4	Smallpox																		
5	Measles	42	12	14	1	5		5	2		2	1							
6	Scarlet fever	82	3	7	8	4	6	24	14	13	3								
7	Whooping cough	8	6	1	1														
8	Diphtheria and croup	85	4	11	9	15	6	28	7	1	2	1			1				
9	Influenza	47	5	1	4	2			1	3	4	2	4	4	9	6	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	38	11							1	4	6	3	5	4	2	2		
13	Tuberculosis of the lungs	419	4	5	1	2			35	111	122	65	43	19	9	1			2
14	Tuberculous meningitis	23	4	3	1	2	1	4	1	4	2			1					
15	Other forms of tuberculosis	32	1	1	3			1	6	5	7	3		3	2				
16	Cancer and other malignant tumors	283	1	1			1	1	1	17	28	47	71	59	45	11			
17	Meningitis	23	1	1	1			4	3	4	3	4	1	1					
18	Cerebral hemorrhage and softening	223	1					1		2	13	17	53	57	56	20	3		
19	Organic diseases of the heart	412	2	1				2	12	24	42	64	80	76	71	30	8		
20	Acute bronchitis	18	8	2	1		1	1	2						2	1			
21	Chronic bronchitis	19	1	1								1	2	3	7	3	1		
22	Pneumonia	257	27	6	2	3	4	3	6	16	41	31	46	40	20	10	1	1	
23a	Bronchopneumonia	108	36	13	9	6	1	2	4	3	2	3	5	2	11	9	2		
23b	Other diseases of the respiratory system	35	2		1	2		3	1	4	3	4	7	1	5	2			
24	Diseases of the stomach	37	8	2					1	4	4	6	1	5	2	3	1		
25(37)	Diarrhea and enteritis	168	114	26	3	4	1	5	1	2	1	4	2	2	2	1			
26	Appendicitis and typhlitis	73				1		6	14	17	13	7	8	5	1	1			
27	Hernia, intestinal obstruction	50	3	1	1				2	7	9	4	6	10	3	4			
28	Cirrhosis of the liver	33								2	5	10	7	4	4	1			
29	Acute nephritis and Bright's disease	390	2	1	2			4	3	16	37	58	86	83	74	21	3		
30	Diseases of the female genital organs	50							2	15	10	15	3	4	1				
31	Puerperal fever	27							3	15	8		1						
32	Other puerperal affections	16							3	4	9								
33	Congenital debility and malformations	164	162	1				1											
34	Senility	11													4	4	2	1	
35	Violent deaths (excluding suicide)	363	8	4	9	2	2	9	22	75	72	47	48	33	17	9	6		
36	Suicide	77							4	21	17	15	9	10	1				
(37)	Other defined diseases	656	89	6	5	4	2	13	18	51	64	93	101	90	86	29	4	1	
38	Diseases ill-defined or unknown	11	4			1				1	2	1	2						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
KANSAS CITY, MO. (WHITE).																			
	All causes	3,595	453	91	53	48	22	110	133	334	388	403	490	465	414	158	32	1	.....
1	Typhoid fever	29	.....	.....	.....	.....	.....	2	2	6	8	7	2	.....	1	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	5	.....	.....	.....	.....	.....	.....	.....	3	.....	1	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	41	12	11	1	5	.....	4	2	.....	2	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	79	3	6	8	3	6	24	13	12	3	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	6	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	83	3	11	9	15	6	28	7	1	1	1	.....	.....	1	.....	.....	.....	.....
9	Influenza	37	3	1	4	2	.....	.....	2	4	2	2	4	6	5	2	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	35	11	.....	.....	.....	.....	.....	.....	.....	4	5	3	4	4	2	2	.....	.....
13	Tuberculosis of the lungs	281	4	3	1	.....	.....	.....	17	75	77	46	34	16	7	1	.....	.....	.....
14	Tuberculous meningitis	22	3	3	1	2	1	4	1	4	2	.....	.....	1	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	23	1	.....	1	.....	.....	1	4	5	4	2	.....	3	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	261	1	1	.....	.....	1	1	1	16	23	10	67	55	44	11	.....	.....	.....
17	Meningitis	22	1	1	1	.....	.....	1	3	4	3	3	1	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	203	1	.....	.....	.....	.....	1	.....	2	9	15	45	53	55	19	3	.....	.....
19	Organic diseases of the heart	323	1	.....	.....	.....	.....	2	11	16	26	41	58	68	66	27	7	.....	.....
20	Acute bronchitis	13	4	2	1	.....	1	1	1	.....	.....	.....	.....	.....	2	1	.....	.....	.....
21	Chronic bronchitis	16	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	7	3	1	.....	.....
22	Pneumonia	202	19	4	2	3	2	1	4	11	26	23	38	38	19	10	1	1	.....
23a	Bronchopneumonia	78	29	7	5	4	1	2	3	.....	2	.....	2	2	10	9	2	.....	.....
23b	Other diseases of the respiratory system	33	2	.....	1	2	.....	3	1	4	3	4	6	.....	5	2	.....	.....	.....
24	Diseases of the stomach	26	6	1	.....	.....	.....	.....	1	1	3	4	1	3	2	3	1	.....	.....
25(37)	Diarrhea and enteritis	144	96	24	3	3	1	4	1	2	1	2	2	2	2	1	.....	.....	.....
26	Appendicitis and typhlitis	68	.....	.....	.....	1	.....	6	14	14	11	7	8	5	1	1	.....	.....	.....
27	Hernia, intestinal obstruction	42	2	1	1	.....	.....	.....	1	5	8	3	6	9	2	4	.....	.....	.....
28	Cirrhosis of the liver	28	.....	.....	.....	.....	.....	.....	.....	2	4	6	7	4	4	1	.....	.....	.....
29	Acute nephritis and Bright's disease	306	1	1	.....	.....	.....	3	2	10	27	43	63	65	70	19	2	.....	.....
30	Diseases of the female genital organs	37	.....	.....	.....	.....	.....	.....	2	9	7	11	3	4	1	.....	.....	.....	.....
31	Puerperal fever	25	.....	.....	.....	.....	.....	.....	3	13	8	.....	1	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	13	.....	.....	.....	.....	.....	.....	3	4	6	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	158	157	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	3	2	.....	.....
35	Violent deaths (excluding suicide)	291	6	4	8	2	2	7	17	54	54	41	37	29	17	7	6	.....	.....
36	Suicide	70	.....	.....	.....	.....	.....	.....	3	18	15	14	9	10	1	.....	.....	.....	.....
(37)	Other defined diseases	575	78	6	5	4	1	12	16	40	45	79	91	86	81	28	3	.....	.....
38	Diseases ill-defined or unknown	11	4	.....	.....	1	.....	.....	.....	1	2	1	2	.....	.....	.....	.....	.....	.....
KANSAS CITY, MO. (COLORED).																			
	All causes	724	66	18	9	5	3	10	37	114	150	115	102	53	24	11	3	2	2
1	Typhoid fever	5	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	10	2	.....	.....	.....	.....	.....	1	1	.....	.....	2	.....	3	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	138	.....	2	.....	2	.....	.....	18	36	45	19	9	3	2	.....	.....	.....	2
14	Tuberculous meningitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	9	.....	1	2	.....	.....	.....	2	.....	3	1	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	22	.....	.....	.....	.....	.....	.....	.....	1	5	7	4	4	1	.....	.....	.....	.....
17	Meningitis	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	20	.....	.....	.....	.....	.....	.....	.....	.....	4	2	8	4	1	1	.....	.....	.....
19	Organic diseases of the heart	89	1	1	.....	.....	.....	.....	1	8	16	23	22	8	5	3	1	.....	.....
20	Acute bronchitis	5	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
22	Pneumonia	55	8	2	.....	.....	2	2	2	5	15	8	8	2	1	.....	.....	.....	.....
23a	Bronchopneumonia	30	7	6	4	2	.....	.....	1	3	.....	3	3	.....	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
24	Diseases of the stomach	11	2	1	.....	.....	.....	.....	.....	3	1	2	.....	2	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	24	18	2	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	8	1	.....	.....	.....	.....	.....	1	2	1	1	.....	1	1	.....	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	84	1	.....	2	.....	.....	1	1	6	10	15	23	18	4	2	1	.....	.....
30	Diseases of the female genital organs	13	.....	.....	.....	.....	.....	.....	.....	6	3	4	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	3	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	6	5	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
35	Violent deaths (excluding suicide)	72	2	.....	1	.....	.....	2	5	21	18	6	11	4	.....	2	.....	.....	.....
36	Suicide	7	.....	.....	.....	.....	.....	.....	1	3	2	1	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	81	11	.....	.....	.....	1	1	2	11	19	14	10	4	5	1	1	1	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (TOTAL).																			
	All causes	11,263	1,264	314	125	105	59	224	394	897	1,184	1,470	1,638	1,576	1,349	588	71	4	1
1	Typhoid fever	71				1		3	16	20	16	5	5	4		1			
2	Typhus fever																		
3	Malaria	12	1	1				1	1		1	4	2	1					
4	Smallpox																		
5	Measles	67	15	31	8	6	2	4					1						
6	Scarlet fever	48	3	5	8	5	5	14	4	3	1								
7	Whooping cough	74	34	22	7	9		2											
8	Diphtheria and croup	158	5	23	24	18	12	56	16	3	1								
9	Influenza	173	16	7	2	4	2	2	5	5	8	10	20	27	34	28	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	41	7	1	2		3	1	1	1	6	3	8	4	2	2			
13	Tuberculosis of the lungs	977	4	6	4	5	2	5	79	244	258	192	101	54	19	3			1
14	Tuberculous meningitis	59	9	6	1	3	4	10	7	10	4	2	3						
15	Other forms of tuberculosis	61			1	3		1	6	15	11	7	9	4	4				
16	Cancer and other malignant tumors	722		1	1	3	1		3	12	63	117	206	174	108	30	2	1	
17	Meningitis	50	13	7	5	1	1	8	3	7	2	3							
18	Cerebral hemorrhage and softening	510	1	2	1				1	8	21	50	94	152	131	45	4		
19	Organic diseases of the heart	1,095	4			1	3	14	44	45	87	143	178	246	231	89	10		
20	Acute bronchitis	103	46	6	1	2	2	1	1		2	1	3	5	14	17	2		
21	Chronic bronchitis	100	1						1	1	1	5	9	20	36	23	3		
22	Pneumonia	862	37	21	9	7	7	12	16	68	92	144	169	135	97	38	9	1	
23a	Bronchopneumonia	452	136	64	18	9	1	7	3	9	15	15	22	50	65	34	4		
23b	Other diseases of the respiratory system	92	5	5	1	1		1	3	5	10	17	21	11	9	3			
24	Diseases of the stomach	92	15	1				1	2	7	11	15	13	14	12	1			
25(37)	Diarrhea and enteritis	456	309	69	14	5	1	3	5	6	8	5	4	6	11	8	2		
26	Appendicitis and typhlitis	142		1		2		14	39	34	17	18	10	5	1	1			
27	Hernia, intestinal obstruction	104	9	3	1	1		5	3	7	9	19	17	15	9	6			
28	Cirrhosis of the liver	197							1	3	25	47	46	46	20	8	1		
29	Acute nephritis and Bright's disease	1,339	4	1		1	3	2	10	53	115	209	307	265	261	102	5	1	
30	Diseases of the female genital organs	82							2	21	25	24	7	1			2		
31	Puerperal fever	43							6	16	19	2							
32	Other puerperal affections	43							8	18	12	5							
33	Congenital debility and malformations	418	411	3		2	1	1											
34	Senility	14												2	5	5	2		
35	Violent deaths (excluding suicide)	824	14	14	11	6	7	27	57	140	147	143	106	81	45	22	4		
36	Suicide	207							8	46	45	45	38	18	5	2			
(37)	Other defined diseases	1,570	164	14	6	10	2	29	42	88	152	220	239	235	230	120	18	1	
38	Diseases ill-defined or unknown	5	1						1	2				1					
ST. LOUIS, MO. (WHITE).																			
	All causes	9,945	1,144	275	109	93	51	201	325	722	966	1,237	1,452	1,455	1,281	564	66	3	1
1	Typhoid fever	61				1		1	15	17	15	4	5	3					
2	Typhus fever																		
3	Malaria	9	1	1				1	1		1	3	1						
4	Smallpox																		
5	Measles	63	14	30	7	5	2	4					1						
6	Scarlet fever	47	3	5	8	5	5	13	4	3	1								
7	Whooping cough	62	32	17	4	8		1											
8	Diphtheria and croup	150	5	23	23	18	12	51	15	2	1								
9	Influenza	165	15	6	2	4	2	2	5	4	8	6	19	27	34	28	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	38	6	1	2		3	1	1	1	5	3	8	3	2	2			
13	Tuberculosis of the lungs	755	3	2	3	4		3	53	188	193	157	80	47	18	3			1
14	Tuberculous meningitis	47	7	6	1	2	3	8	6	7	3	2	2						
15	Other forms of tuberculosis	49			1	3			4	13	8	5	8	4	3				
16	Cancer and other malignant tumors	680		1	1	3	1		3	10	56	107	196	167	104	29	1	1	
17	Meningitis	46	12	7	3	1	1	8	2	7	2	3							
18	Cerebral hemorrhage and softening	470	1	2	1				1	3	15	44	83	145	126	45	4		
19	Organic diseases of the heart	945	3			1	3	13	39	35	64	108	148	224	216	83	8		
20	Acute bronchitis	92	40	6	1	1		1			2	1	2	5	14	17	2		
21	Chronic bronchitis	96	1						1		1	4	8	19	36	23	3		
22	Pneumonia	739	34	16	9	7	7	10	12	45	79	113	150	120	91	37	8	1	
23a	Bronchopneumonia	393	118	48	13	5	1	6	1	8	15	12	22	48	62	31	3		
23b	Other diseases of the respiratory system	80	5	5	1	1		1	2	3	8	14	19	9	9	3			
24	Diseases of the stomach	85	15	1				1	2	5	11	12	13	13	11	1			
25(37)	Diarrhea and enteritis	418	283	66	13	4	1	3	3	6	5	5	3	5	11	8	2		
26	Appendicitis and typhlitis	133		1		2		13	37	33	15	15	10	5	1	1			
27	Hernia, intestinal obstruction	86	8	3	1	1		3	1	3	8	18	14	14	6	6			
28	Cirrhosis of the liver	189								3	24	46	45	43	19	8	1		
29	Acute nephritis and Bright's disease	1,196	4			1	3	2	9	43	92	178	270	242	247	99	5	1	
30	Diseases of the female genital organs	64							2	18	19	15	7	1			2		
31	Puerperal fever	39							4	15	18	2							
32	Other puerperal affections	42							8	17	12	5							
33	Congenital debility and malformations	384	378	2		2	1	1											
34	Senility	13												2	4	5	2		
35	Violent deaths (excluding suicide)	714	13	13	9	5	5	26	50	117	120	127	93	71	42	19	4		
36	Suicide	206							8	46	44	45	38	18	5	2			
(37)	Other defined diseases	1,384	142	13	6	9	1	28	35	68	121	183	207	219	220	114	18		
38	Diseases ill-defined or unknown	5	1						1	2				1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
ST. LOUIS, MO. (COLORED).																			
	All causes	1,318	120	39	16	12	8	23	69	175	218	233	186	121	68	24	5	1	.....
1	Typhoid fever	10	.....	.....	.....	.....	.....	2	1	3	1	1	.....	1	.....	1	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	4	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	12	2	5	3	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	8	.....	.....	1	.....	.....	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	8	1	1	.....	.....	.....	.....	.....	1	.....	4	1	.....	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	3	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	222	1	4	1	1	2	2	26	56	65	35	21	7	1	.....	.....	.....	.....
14	Tuberculous meningitis	12	2	.....	.....	1	1	2	1	3	1	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	12	.....	.....	.....	.....	.....	1	2	2	3	2	1	.....	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	42	.....	.....	.....	.....	.....	.....	.....	2	7	10	10	7	4	1	1	.....	.....
17	Meningitis	4	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	40	.....	.....	.....	.....	.....	.....	.....	5	6	6	11	7	5	.....	.....	.....	.....
19	Organic diseases of the heart	150	1	.....	.....	.....	.....	1	5	10	23	35	30	22	15	6	2	.....	.....
20	Acute bronchitis	11	6	.....	.....	1	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	4	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....
22	Pneumonia	123	3	5	.....	.....	.....	2	4	23	13	31	19	15	6	1	1	.....	.....
23*a*	Bronchopneumonia	59	18	16	5	4	.....	1	2	1	.....	3	.....	2	3	3	1	.....	.....
23*b*	Other diseases of the respiratory system	12	.....	.....	.....	.....	.....	.....	1	2	2	3	2	2	.....	.....	.....	.....	.....
24	Diseases of the stomach	7	.....	.....	.....	.....	.....	.....	.....	2	.....	3	.....	1	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	38	26	3	1	1	.....	.....	2	.....	3	.....	1	1	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	9	.....	.....	.....	.....	.....	1	2	1	2	3	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	18	1	.....	.....	.....	.....	2	2	4	1	1	3	1	3	.....	.....	.....	.....
28	Cirrhosis of the liver	8	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	3	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	143	.....	1	.....	.....	.....	.....	1	10	23	31	37	23	14	3	.....	.....	.....
30	Diseases of the female genital organs	18	.....	.....	.....	.....	.....	.....	.....	3	6	9	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	4	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	34	33	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	110	1	1	2	1	2	1	7	23	27	16	13	10	3	3	.....	.....	.....
36	Suicide	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	186	22	1	.....	1	1	1	7	20	31	37	32	16	10	6	.....	1	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
OMAHA, NEBR.																			
	All causes	2,385	285	48	41	23	19	63	106	227	299	284	326	286	237	120	19	.....	2
1	Typhoid fever	5	.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	3	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	56	2	4	10	4	1	8	13	12	1	.....	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	35	1	3	8	4	1	14	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	31	3	1	.....	.....	.....	1	2	1	.....	2	5	4	7	5	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....
12	Other epidemic diseases	22	8	1	.....	.....	.....	.....	.....	1	3	1	4	.....	2	2	.....	.....	.....
13	Tuberculosis of the lungs	168	.....	.....	.....	.....	1	3	10	37	40	35	21	15	5	1	.....	.....	.....
14	Tuberculous meningitis	14	5	2	.....	1	.....	1	2	1	1	.....	1	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	18	.....	.....	.....	.....	.....	.....	1	5	5	3	2	1	.....	.....	.....	.....	1
16	Cancer and other malignant tumors	149	.....	.....	.....	.....	.....	.....	2	1	21	33	39	23	21	8	1	.....	.....
17	Meningitis	8	1	1	.....	.....	1	.....	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	110	.....	.....	.....	.....	.....	.....	.....	.....	2	16	20	31	27	10	4	.....	.....
19	Organic diseases of the heart	155	2	.....	.....	.....	1	2	4	9	12	22	32	27	33	10	1	.....	.....
20	Acute bronchitis	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....
21	Chronic bronchitis	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	4	3	3	1	.....	.....
22	Pneumonia	185	9	2	2	2	1	2	11	18	27	27	33	26	21	3	1	.....	.....
23*a*	Bronchopneumonia	102	39	4	4	2	3	5	1	1	3	.....	4	5	16	14	1	.....	.....
23*b*	Other diseases of the respiratory system	32	3	1	1	2	.....	1	4	2	4	5	1	3	4	1	.....	.....	.....
24	Diseases of the stomach	28	9	.....	.....	.....	.....	.....	.....	5	4	2	3	2	1	1	1	.....	.....
25(37)	Diarrhea and enteritis	95	53	16	7	3	3	4	.....	1	2	.....	2	2	1	1	.....	.....	.....
26	Appendicitis and typhlitis	63	.....	.....	3	1	4	2	10	16	15	6	4	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	36	3	1	1	.....	.....	1	3	4	3	2	6	5	5	2	.....	.....	.....
28	Cirrhosis of the liver	29	.....	.....	.....	.....	.....	.....	.....	.....	4	7	9	5	4	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	151	1	.....	.....	.....	.....	.....	4	7	17	24	31	35	17	14	1	.....	.....
30	Diseases of the female genital organs	34	.....	.....	.....	.....	.....	.....	1	8	5	13	4	3	.....	.....	.....	.....	.....
31	Puerperal fever	20	.....	.....	.....	.....	.....	.....	2	12	6	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	.....	8	9	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	104	100	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	28	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	8	13	5	.....	.....
35	Violent deaths (excluding suicide)	171	8	2	2	2	2	9	12	27	38	25	13	20	7	3	.....	.....	1
36	Suicide	49	.....	.....	.....	.....	.....	.....	2	11	12	12	5	3	3	1	.....	.....	.....
(37)	Other defined diseases	441	33	4	2	2	.....	9	16	38	60	48	81	68	50	28	2	.....	.....
38	Diseases ill-defined or unknown	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
JERSEY CITY, N. J.																			
	All causes	4,480	803	185	76	61	29	100	139	335	419	584	608	558	390	168	24	1	
1	Typhoid fever	22							7	7	2	3	2		1				
2	Typhus fever																		
3	Malaria	2	1									1							
4	Smallpox																		
5	Measles	18	3	7	1	4	1	2											
6	Scarlet fever	12	1	3	1	1		3	3										
7	Whooping cough	16	9	2	5														
8	Diphtheria and croup	43	3	9	8	6	3	13				1							
9	Influenza	42	4	2	1					3	1	6	4	14	5	2			
10	Asiatic cholera																		
11	Cholera nostras	2	1	1															
12	Other epidemic diseases	19	6	2				1			3	1	3	2	1				
13	Tuberculosis of the lungs	440	1	3				3	28	108	116	99	56	21	5				
14	Tuberculous meningitis	41	10	7	4	1	1	7	6	3	1		1						
15	Other forms of tuberculosis	35	10	3	4			1	5	3	5	1	1	2					
16	Cancer and other malignant tumors	225	1							2	15	41	71	59	30	4	2		
17	Meningitis	40	17	4	5	2	1	4	1	1	3	1	1						
18	Cerebral hemorrhage and softening	207				1				3	3	25	39	59	52	22	3		
19	Organic diseases of the heart	508	4				1	6	15	29	50	85	95	97	89	33	4		
20	Acute bronchitis	60	38	6	3						1		2		5	5			
21	Chronic bronchitis	30	1								1	2	3	5	14	4			
22	Pneumonia	368	31	19	11	4	3	13	10	42	41	58	40	45	28	18	5		
23a	Bronchopneumonia	197	80	3	8	9	3	2	3	2	5	5	11	10	10	7	5		
23b	Other diseases of the respiratory system	24	2	3	1	1			1	1		6	4	2	2			1	
24	Diseases of the stomach	30	4	1						1	3	10	1	3	5	1	1		
25(37)	Diarrhea and enteritis	293	190	55	8	7	4	2	1	2	3	4	4	7	3	3			
26	Appendicitis and typhlitis	25			1				9	6	2	4	3						
27	Hernia, intestinal obstruction	36	2		1			2	1	3			8	10	7	2			
28	Cirrhosis of the liver	67								2	6	19	18	13	8	1			
29	Acute nephritis and Bright's disease	406	3				1	2	10	19	46	70	90	87	59	17	2		
30	Diseases of the female genital organs	21							1	5	5	7	1	1		1			
31	Puerperal fever	25							3	14	7	1							
32	Other puerperal affections	24							1	10	10	3							
33	Congenital debility and malformations	264	262	1					1										
34	Senility	21												4	7	10			
35	Violent deaths (excluding suicide)	315	10	8	4	12	6	17	21	42	39	64	40	34	13	3	2		
36	Suicide	35								6	5	11	5	5	2	1			
(37)	Other defined diseases	561	106	12	9	13	5	22	12	21	46	56	104	77	44	34			
38	Diseases ill-defined or unknown	6	3		1								1	1					
NEWARK, N. J.																			
	All causes	6,147	1,023	380	191	99	71	153	228	404	560	725	794	742	524	225	96	2	
1	Typhoid fever	25					1	1	6		6	1	1		1	1			
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	105	27	40	23	4	4	5		2									
6	Scarlet fever	5				2	1	2											
7	Whooping cough	26	15	6	2	2	1												
8	Diphtheria and croup	38	5	9	8	6	2	8											
9	Influenza	71	9	5	4	1	2	1	1	2	4	4	5	11	11	8	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	20	5						2	1	2	4	3	2	1				
13	Tuberculosis of the lungs	595	2	2	3	1	3	3	56	115	142	150	81	27	10				
14	Tuberculous meningitis	61	15	15	2	5	3	8	3	4	2	2	2						
15	Other forms of tuberculosis	31	2	1	3		1	3	1	5	4		3	5	3				
16	Cancer and other malignant tumors	350	1	1	1				1	6	16	70	102	104	35	12	1		
17	Meningitis	29	6	6	2		2	3	3	3	2		2						
18	Cerebral hemorrhage and softening	294	2							1	8	34	57	83	83	26			
19	Organic diseases of the heart	628	5	1	1		3	11	28	32	51	59	93	139	137	61	7		
20	Acute bronchitis	80	53	9	1				1		1	1	1	6	4	3			
21	Chronic bronchitis	27			1			1	1			2		6	9	7			
22	Pneumonia	456	39	33	5	6	2	7	14	32	63	78	77	65	23	11	1		
23a	Bronchopneumonia	203	64	52	23	3	3	4	3	1	3	6	5	7	16	12		1	
23b	Other diseases of the respiratory system	56	5	4	2	3	1	1	1	4	7	6	10	4	6	2			
24	Diseases of the stomach	37	4			2	1			6	4	5	9	2	3	1			
25(37)	Diarrhea and enteritis	331	226	68	9	4	1	2	1	3	4	1	3	4	4	1			
26	Appendicitis and typhlitis	71	1			2		8	17	11	11	8	8	2					
27	Hernia, intestinal obstruction	32	7	1	1				2	1	2	2	7	6	2	1			
28	Cirrhosis of the liver	55								2	2	16	17	10	7				
29	Acute nephritis and Bright's disease	576	6		3	2	1	6	5	20	52	107	122	131	84	34	3		
30	Diseases of the female genital organs	34							1	6	7	12	4	2	2				
31	Puerperal fever	38							2	19	15	2							
32	Other puerperal affections	33							4	10	16	3							
33	Congenital debility and malformations	305	300	1	1		1	1		1									
34	Senility	10												2	2	1	4	1	
35	Violent deaths (excluding suicide)	372	20	12	16	13	4	36	30	47	63	53	34	24	8	9	3		
36	Suicide	57							5	11	11	13	10	7					
(37)	Other defined diseases	1,093	204	112	80	43	34	42	39	52	58	86	138	93	73	35	4		
38	Diseases ill-defined or unknown	3		2					1										

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PATERSON, N. J.																			
	All causes	2,003	314	70	25	15	14	49	53	147	164	235	276	291	237	108	4	1	
1	Typhoid fever	6								2	3	1							
2	Typhus fever																		
3	Malaria	1	1																
4	Smallpox																		
5	Measles	25	9	11	2	1		2											
6	Scarlet fever	3			2			1											
7	Whooping cough	3	1		2														
8	Diphtheria and croup	19	1	6	4		2	6											
9	Influenza	26				1			1	1	2	1	5	7	5	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	2					2				1	1	2		1			
13	Tuberculosis of the lungs	182		1	1				11	47	58	38	18	5	3				
14	Tuberculous meningitis	8	4	1				1	1	1									
15	Other forms of tuberculosis	3	1						1	1									
16	Cancer and other malignant tumors	111									8	23	28	29	14	9			
17	Meningitis	16	4	1			1	1	3	2	1	1		1	1				
18	Cerebral hemorrhage and softening	103					1				2	4	21	33	33	9			
19	Organic diseases of the heart	270	1					7	3	14	12	37	54	68	52	22			
20	Acute bronchitis	11	6	1									1		2	1			
21	Chronic bronchitis	8										1	1		3	3			
22	Pneumonia	185	17	17	5	2	2	1	2	7	15	28	30	27	24	7	1		
23a	Bronchopneumonia	88	42	14	3	1	1	3	1		2	2	6	4	6	3			
23b	Other diseases of the respiratory system	18	3	1		1		2		2		2	1	2	2	2			
24	Diseases of the stomach	31	4	2	1				2	1	4	2	8	5	2				
25(37)	Diarrhea and enteritis	80	53	6	1		2			2		3	2	5	2	4			
26	Appendicitis and typhlitis	17			1		1	1	5	2	3	1	1	1	1				
27	Hernia, intestinal obstruction	16	4	1							1		4	2	3	1			
28	Cirrhosis of the liver	30								1	3	5	8	8	2	3			
29	Acute nephritis and Bright's disease	191		2				2	1	8	8	32	30	45	37	23	3		
30	Diseases of the female genital organs	8								1	1	4	1	1					
31	Puerperal fever	12							2	4	5	1							
32	Other puerperal affections	12							1	5	6								
33	Congenital debility and malformations	96	95	1															
34	Senility	7													4	2		1	
35	Violent deaths (excluding suicide)	111	1	3	1	3	3	11	12	27	12	12	10	6	6	4			
36	Suicide	24							1	7	3	7	4	1	1				
(37)	Other defined diseases	273	65	2	2	6	1	9	6	12	15	29	42	39	34	11			
38	Diseases ill-defined or unknown																		
ALBANY, N. Y.																			
	All causes	2,041	221	67	31	23	8	32	55	126	205	243	293	331	274	114	17		1
1	Typhoid fever	8							2	1	4				1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	26	5	9	5	4		1	1			1							
6	Scarlet fever																		
7	Whooping cough	13	4	4	2	2	1												
8	Diphtheria and croup	12	2	2	1	2	3	1		1									
9	Influenza	38	1	1				2	1	1	2	3	3	8	10	6			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	2	1							1		1		3				
13	Tuberculosis of the lungs	221	2	1	1	1		2	11	36	71	58	27	9	2				
14	Tuberculous meningitis	17	2	2	1	5	1	4		1		1							
15	Other forms of tuberculosis	15	1	1				1	1	4	2	2	2		1				
16	Cancer and other malignant tumors	128		1					1	1	10	24	33	38	16	4			
17	Meningitis	12	2	3		1					2	1	2	1					
18	Cerebral hemorrhage and softening	116									1	5	26	37	27	18	2		
19	Organic diseases of the heart	250			1			4	2	6	11	19	40	74	64	24	5		
20	Acute bronchitis	13	4		1					1			1	1	2	2	1		
21	Chronic bronchitis	8											1	3	2	1	1		
22	Pneumonia	110	8	2	3			3	3	5	11	19	25	15	11	5			
23a	Bronchopneumonia	61	17	9	7	2		1		1	1	2	2	7	10	2			
23b	Other diseases of the respiratory system	23	1					1	1	4	5	1	2	5	2	1			
24	Diseases of the stomach	3								1		1	1						
25(37)	Diarrhea and enteritis	80	44	21	6					1	1	3		1	1	2			
26	Appendicitis and typhlitis	27					2	1	9	2	9		2	1	1				
27	Hernia, intestinal obstruction	26	5	2		1				1	2	3	2	7	2		1		
28	Cirrhosis of the liver	28								1	2	10	8	5	2				
29	Acute nephritis and Bright's disease	209	3						2	7	15	26	45	47	49	12	3		
30	Diseases of the female genital organs	10								1	2	2	1	3	1				
31	Puerperal fever	7							2		4	1							
32	Other puerperal affections	9							1	7	1								
33	Congenital debility and malformations	78	74					2											
34	Senility	5													1	3	1		
35	Violent deaths (excluding suicide)	127	5		1	2	1	7	7	19	18	17	15	18	9	7	1		
36	Suicide	13								2	4	3	2	1	1				
(37)	Other defined diseases	338	38	5	2	3		2	11	22	26	41	52	50	56	27	2		1
38	Diseases ill-defined or unknown	4	1	3															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
BUFFALO, N. Y.																			
	All causes	7,526	1,491	262	105	55	42	150	262	571	678	810	954	970	742	371	61	1	1
1	Typhoid fever	51						1	10	18	11	5	4	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	74	20	22	16	5	2	7	2										
6	Scarlet fever	29	2	7	8	4	3	3			2								
7	Whooping cough	41	20	13	2	2	1	2		1									
8	Diphtheria and croup	69	7	12	9	8	8	21	4										
9	Influenza	48	2					1		4		3	6	7	12	11	2		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	32	8	5				1		1	2	1	5	4	4		1		
13	Tuberculosis of the lungs	669	7	4	3		1	5	63	195	155	130	65	32	9				
14	Tuberculous meningitis	58	8	9	8	3	1	9	9	5	4		1		1				
15	Other forms of tuberculosis	33				1		3	7	7	5	4	4	1	1				
16	Cancer and other malignant tumors	472				1			3	5	27	93	127	112	83	18	3		
17	Meningitis	25	7	1	1		2		5	4	2	1	2						
18	Cerebral hemorrhage and softening	395	1						4	6	18	45	86	105	81	45	4		
19	Organic diseases of the heart	797			1			15	21	27	41	74	103	219	189	96	11		
20	Acute bronchitis	52	37	2	1						1	1	2	1	2	4	1		
21	Chronic bronchitis	31		1				1		2		1	1	12	7	6			
22	Pneumonia	439	56	24	11	3		4	11	35	53	66	62	58	32	18	5	1	
23a	Bronchopneumonia	340	159	39	15	2	5	4	2	5	4	5	19	20	30	23	8		
23b	Other diseases of the respiratory system	72	5	4	4	2		2	2	3	9	6	10	9	9	6	1		
24	Diseases of the stomach	66	17		1	1	1			2	9	12	5	12	5	1			
25(37)	Diarrhea and enteritis	593	447	83	13	10	1	3	2	6	2	7	8	4	2	3	2		
26	Appendicitis and typhlitis	97						6	20	19	21	11	14	3	3				
27	Hernia, intestinal obstruction	81	15	6	1		1	1	1	5	7	10	18	11	4	1			
28	Cirrhosis of the liver	107								2	8	26	31	28	10	2			
29	Acute nephritis and Bright's disease	595	6	4		1	2	5	9	17	40	80	138	146	96	46	5		
30	Diseases of the female genital organs	30							2	6	11	5	5	1					
31	Puerperal fever	29							2	14	11	2							
32	Other puerperal affections	42							6	16	19	1							
33	Congenital debility and malformations	424	420	4															
34	Senility	10													2	5	3		
35	Violent deaths (excluding suicide)	469	7	5	4	4	8	36	42	38	31	70	41	37	29	12	4		1
36	Suicide	42								7	13	7	10	1	2	2			
(37)	Other defined diseases	1,211	239	17	7	8	6	20	35	71	122	144	185	145	129	72	11		
38	Diseases ill-defined or unknown	2	1										1						
NEW YORK, N. Y. (TOTAL).																			
	All causes	77,960	12,860	3,572	1,767	1,091	737	1,943	2,583	5,548	7,655	9,598	10,523	9,759	7,141	2,805	358	10	5
1	Typhoid fever	218	2	1		2	3	11	41	69	40	25	21	2	1				
2	Typhus fever	1										1							
3	Malaria	16	3					3	1	3		3	1	1		1			
4	Smallpox																		
5	Measles	556	168	243	84	30	9	18	2			2							
6	Scarlet fever	121	7	14	18	20	12	37	7	3	2	1							
7	Whooping cough	386	186	113	33	25	7	20	2										
8	Diphtheria and croup	1,039	128	252	187	132	101	185	32	7	6	5	2		2				
9	Influenza	548	49	33	13	8	3	12	18	32	32	44	78	87	79	52	8		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	315	142	19	7	2	3	1	3	14	26	36	24	15	16	6	1		
13	Tuberculosis of the lungs	8,680	64	49	26	21	9	52	646	1,996	2,307	1,869	1,058	468	106	8	1		
14	Tuberculous meningitis	690	157	129	96	53	27	79	70	34	25	11	4	5					
15	Other forms of tuberculosis	366	32	15	11	9	11	35	36	58	56	45	33	15	8	2			
16	Cancer and other malignant tumors	4,734	4	4	9	4	5	9	31	106	345	959	1,322	1,176	621	131	8		
17	Meningitis	321	75	35	22	18	15	41	32	23	22	18	17	2	1				
18	Cerebral hemorrhage and softening	3,123	4	2				1	6	23	107	327	674	903	753	289	33	1	
19	Organic diseases of the heart	9,441	24	6	9	12	17	165	334	402	634	1,106	1,641	2,194	1,998	814	82	2	1
20	Acute bronchitis	761	487	96	28	16	2	9	4	3	4	5	17	25	32	30	3		
21	Chronic bronchitis	258	6	4				1	3	6	4	18	25	63	79	38	10	1	
22	Pneumonia	6,335	584	408	176	83	56	118	191	457	779	985	1,008	804	520	156	12		
23a	Bronchopneumonia	3,744	1,599	696	248	83	42	80	37	51	80	79	161	230	215	117	25	1	
23b	Other diseases of the respiratory system	475	46	48	17	11	6	17	14	29	44	64	62	40	38	29	10		
24	Diseases of the stomach	396	54	5		1	1	1	7	35	60	97	62	38	19	14	2		
25(37)	Diarrhea and enteritis	3,676	2,747	511	115	44	22	27	12	20	27	41	30	28	30	18	4		
26	Appendicitis and typhlitis	698	1	3	10	14	14	53	125	118	119	101	83	39	14	4			
27	Hernia, intestinal obstruction	588	76	9	4	5	2	4	5	22	52	80	110	105	80	32	2		
28	Cirrhosis of the liver	821	2	1		1	2	1	5	18	99	227	218	160	73	13	1		
29	Acute nephritis and Bright's disease	7,361	43	13	8	9	7	35	72	266	622	1,205	1,632	1,673	1,259	466	51		
30	Diseases of the female genital organs	270		1				1	3	44	81	89	37	10	3	1			
31	Puerperal fever	314							25	172	102	15							
32	Other puerperal affections	414							22	199	166	27							
33	Congenital debility and malformations	3,920	3,847	29	9	10	4	11	6	3	1								
34	Senility	246											1	13	74	116	39	3	
35	Violent deaths (excluding suicide)	4,257	121	132	112	106	95	342	328	581	691	616	504	334	202	77	13	1	2
36	Suicide	852							21	141	196	190	170	92	33	9			
(37)	Other defined diseases	11,982	2,200	677	524	372	262	573	442	612	925	1,306	1,535	1,234	883	382	53	1	1
38	Diseases ill-defined or unknown	37	2	24	1			1		1	1	1		3	2				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (WHITE).																			
	All causes	75,261	12,385	3,450	1,717	1,064	712	1,881	2,482	5,191	7,182	9,227	10,231	9,571	7,036	2,766	352	9	5
1	Typhoid fever	211	2	1	.....	2	3	10	40	66	38	25	21	2	-	.....	.....	.....	.....
2	Typhus fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
3	Malaria	15	3	.....	.....	.....	.....	3	1	3	.....	3	.....	1	.....	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	549	168	239	82	30	9	17	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	120	7	14	18	20	11	37	7	3	2	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	367	175	106	33	24	7	20	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	1,008	117	248	183	131	98	179	31	7	6	4	2	.....	2	.....	.....	.....	.....
9	Influenza	525	47	31	13	8	3	12	18	29	27	41	74	85	79	51	7	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	307	138	19	7	2	3	1	3	13	24	36	23	15	16	6	1	.....	.....
13	Tuberculosis of the lungs	8,143	62	44	22	15	6	47	606	1,837	2,147	1,783	1,008	455	104	8	1	.....	.....
14	Tuberculous meningitis	653	147	124	91	50	27	74	65	32	23	11	4	5	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	338	30	15	11	7	11	30	33	55	49	41	33	13	8	2	.....	.....	.....
16	Cancer and other malignant tumors	4,657	4	4	9	4	4	8	31	103	330	942	1,303	1,164	614	129	8	.....	.....
17	Meningitis	311	71	34	22	18	14	41	32	23	20	18	15	2	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	3,040	4	2	.....	.....	.....	1	6	21	104	313	645	887	739	286	31	1	.....
19	Organic diseases of the heart	9,115	24	6	9	12	16	160	325	378	566	1,050	1,586	2,141	1,964	796	80	1	1
20	Acute bronchitis	731	471	89	24	16	2	8	4	3	4	4	16	25	32	30	3	.....	.....
21	Chronic bronchitis	255	6	4	.....	.....	.....	1	3	5	4	18	24	63	78	38	10	1	.....
22	Pneumonia	6,077	563	390	169	79	53	116	180	407	729	948	977	785	514	156	11	.....	.....
23a	Bronchopneumonia	3,606	1,529	663	235	81	42	78	37	50	75	75	160	227	211	117	25	1	.....
23b	Other diseases of the respiratory system	461	44	46	16	11	6	17	14	25	43	63	60	40	37	29	10	.....	.....
24	Diseases of the stomach	386	53	5	.....	1	1	1	7	34	53	97	61	38	19	14	2	.....	.....
25(37)	Diarrhea and enteritis	3,552	2,645	498	113	43	21	26	11	20	26	40	30	27	30	18	4	.....	.....
26	Appendicitis and typhlitis	673	1	3	9	13	14	53	123	114	111	96	81	38	13	4	.....	.....	.....
27	Hernia, intestinal obstruction	578	75	8	4	5	2	4	3	22	50	80	107	105	80	31	2	.....	.....
28	Cirrhosis of the liver	811	2	1	.....	1	2	1	5	18	96	225	215	159	72	13	1	.....	.....
29	Acute nephritis and Bright's disease	7,151	42	12	8	9	6	34	72	254	592	1,146	1,589	1,633	1,244	459	51	.....	.....
30	Diseases of the female genital organs	243	.....	1	.....	.....	.....	1	2	37	68	85	35	10	3	1	.....	.....	.....
31	Puerperal fever	305	.....	.....	.....	.....	.....	.....	25	165	101	14	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	400	.....	.....	.....	.....	.....	.....	21	190	162	27	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	3,795	3,724	29	9	10	4	10	5	3	1	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	245	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	13	73	116	39	3	.....
35	Violent deaths (excluding suicide)	4,116	117	127	109	105	89	327	320	554	660	595	494	327	199	77	13	1	2
36	Suicide	844	.....	.....	.....	.....	.....	.....	21	136	193	190	170	92	33	9	.....	.....	.....
(37)	Other defined diseases	11,637	2,112	664	520	367	258	563	427	583	877	1,252	1,499	1,217	868	375	53	1	1
38	Diseases ill-defined or unknown	35	2	23	1	.....	.....	1	.....	1	1	1	.....	2	2	.....	.....	.....	1
NEW YORK, N. Y. (COLORED).																			
	All causes	2,699	475	122	50	27	25	62	101	357	473	371	297	188	105	39	6	1	.....
1	Typhoid fever	7	.....	.....	.....	.....	.....	1	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	7	.....	4	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	19	11	7	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	31	11	4	4	1	3	6	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	23	2	2	.....	.....	.....	.....	.....	3	5	3	4	2	.....	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	8	4	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	537	2	5	4	6	3	5	40	159	160	86	52	13	2	.....	.....	.....	.....
14	Tuberculous meningitis	37	10	5	5	3	.....	5	5	2	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	28	2	.....	.....	2	.....	5	3	3	7	4	.....	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	77	.....	.....	.....	.....	1	1	.....	3	15	17	19	12	7	2	.....	.....	.....
17	Meningitis	10	4	1	.....	.....	1	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	83	.....	.....	.....	.....	.....	.....	.....	2	3	14	29	16	14	3	2	.....	.....
19	Organic diseases of the heart	326	.....	.....	.....	.....	1	5	9	24	68	56	55	53	34	18	2	1	.....
20	Acute bronchitis	30	16	7	4	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....
22	Pneumonia	258	21	18	7	4	3	2	11	50	50	37	29	19	6	.....	1	.....	.....
23a	Bronchopneumonia	138	70	33	13	2	.....	2	.....	1	5	4	1	3	4	.....	.....	.....	.....
23b	Other diseases of the respiratory system	14	2	2	1	.....	.....	.....	.....	4	1	1	2	.....	1	.....	.....	.....	.....
24	Diseases of the stomach	10	1	.....	.....	.....	.....	.....	.....	1	7	.....	1	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	124	102	13	2	1	1	1	1	.....	1	1	.....	1	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	25	.....	.....	1	1	.....	.....	2	4	8	5	2	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	10	1	1	.....	.....	.....	.....	2	.....	2	.....	3	.....	.....	1	.....	.....	.....
28	Cirrhosis of the liver	10	.....	.....	.....	.....	.....	.....	.....	.....	3	2	3	1	1	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	210	1	1	.....	.....	1	1	.....	12	30	59	43	40	15	7	.....	.....	.....
30	Diseases of the female genital organs	27	.....	.....	.....	.....	.....	.....	1	7	13	4	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	9	.....	.....	.....	.....	.....	.....	.....	7	1	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	14	.....	.....	.....	.....	.....	.....	1	9	4	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	125	123	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	-	.....	.....
35	Violent deaths (excluding suicide)	141	4	5	3	1	6	15	8	27	31	21	10	7	3	.....	.....	.....	.....
36	Suicide	8	.....	.....	.....	.....	.....	.....	.....	5	3	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	345	88	13	4	5	4	10	15	29	48	54	36	17	15	7	.....	.....	.....
38	Diseases ill-defined or unknown	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK, N. Y. (BRONX BOROUGH).																		
	All causes	7,703	1,176	260	158	111	70	170	320	584	772	909	1,089	1,022	695	331	35	1	
1	Typhoid fever	23				1	1		6	10	1	3	1						
2	Typhus fever	1										1							
3	Malaria	1						1											
4	Smallpox																		
5	Measles	36	8	10	9	1	4	4											
6	Scarlet fever	8		2	1	2	1	2											
7	Whooping cough	39	22	10	2	2		3											
8	Diphtheria and croup	105	12	27	24	10	9	16	4	1	1	1							
9	Influenza	58	4	2	2	2	1	1	3	1	3	3	11	11	7	6	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	39	16	4	2	2					2	3	3	3	3		1		
13	Tuberculosis of the lungs	927	4	3			1	1	85	224	253	183	112	49	12				
14	Tuberculous meningitis	68	19	11	7	9	2	4	3	2	3	1	1	1					
15	Other forms of tuberculosis	32	4	2	1			1	6	5	3	4	4	1	1				
16	Cancer and other malignant tumors	548		1	4	1			4	14	34	109	157	151	53	19	1		
17	Meningitis	32	7	2	2	3	1	2	7	3	3	1	1						
18	Cerebral hemorrhage and softening	339	1								13	24	79	106	81	33	2		
19	Organic diseases of the heart	908	2		1		2	19	36	43	69	98	157	195	180	98	8		
20	Acute bronchitis	25	13	3		1					1		1	1	1	4			
21	Chronic bronchitis	28	1							1		2	4	3	12	5			
22	Pneumonia	608	52	41	20	12	6	5	21	49	78	93	95	72	42	22			
23a	Bronchopneumonia	256	129	32	14	3	1	6	2	4	5	4	8	18	22	8			
23b	Other diseases of the respiratory system	52	7	4	4		1	2	1	1	6	10	8	4	1	2	1		
24	Diseases of the stomach	43	3						1	2	8	12	5	6	2	3	1		
25(37)	Diarrhea and enteritis	271	187	35	13	6	2	5	1	3	3	5	1	2	4	2	2		
26	Appendicitis and typhlitis	65				1	5	4	14	11	13	7	5	4		1			
27	Hernia, intestinal obstruction	63	11	1	1	1			1	1	9	2	11	8	10	7			
28	Cirrhosis of the liver	72								1	5	27	18	10	11				
29	Acute nephritis and Bright's disease	797	2	1	1	1	2	6	13	24	60	121	172	203	128	57	6		
30	Diseases of the female genital organs	22							1	4	8	5	2	2					
31	Puerperal fever	44							3	23	16	2							
32	Other puerperal affections	52							4	19	26	3							
33	Congenital debility and malformations	451	444	2		2	1		1	1									
34	Senility	25													7	12	5	1	
35	Violent deaths (excluding suicide)	355	18	16	7	14	7	35	35	53	44	44	41	14	18	8	1		
36	Suicide	109							2	20	20	26	22	15	4				
(37)	Other defined diseases	1,199	210	49	43	37	23	53	61	64	85	115	170	143	96	44	6		
38	Diseases ill-defined or unknown	2		2															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																		
	All causes	27,037	4,285	1,330	726	423	287	729	892	1,864	2,417	3,131	3,513	3,486	2,740	1,071	139	3	1
1	Typhoid fever	77	2	1		1	1	5	11	20	13	12	9	2					
2	Typhus fever																		
3	Malaria	8	2						1	1		1	1	1		1			
4	Smallpox																		
5	Measles	98	28	41	15	7	1	5				1							
6	Scarlet fever	30		2	5	4	5	11	2	1									
7	Whooping cough	93	45	26	10	8	2	2											
8	Diphtheria and croup	368	36	80	72	55	36	66	15	2	3	1	1		1				
9	Influenza	239	11	16	9	4		6	7	13	19	21	28	38	40	23	4		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	102	42	8	2		1		1	2	10	13	10	6	4	3			
13	Tuberculosis of the lungs	2,610	9	10	6	9	4	20	205	640	665	568	303	125	44	2			
14	Tuberculous meningitis	193	44	46	27	8	10	23	20	10	2	3							
15	Other forms of tuberculosis	122	11	5	5	4	6	11	8	16	22	16	10	7	1				
16	Cancer and other malignant tumors	1,550	3	1	2	1	2	5	14	24	91	302	429	379	245	48	4		
17	Meningitis	102	24	13	10	4	8	12	9	3	8	5	5	1					
18	Cerebral hemorrhage and softening	1,088		1				1	1	8	26	103	225	325	284	101	13		
19	Organic diseases of the heart	3,808	15	2	3	7	8	54	131	168	229	443	669	890	810	340	38	1	
20	Acute bronchitis	327	202	42	13	11		4	1	2		3	5	11	16	16	1		
21	Chronic bronchitis	114	2						2	3	3	7	10	33	31	19	3	1	
22	Pneumonia	2,227	190	134	70	25	17	58	78	179	261	322	344	299	189	57	4		
23a	Bronchopneumonia	1,593	633	316	126	43	23	44	18	21	44	30	67	94	90	35	8	1	
23b	Other diseases of the respiratory system	200	17	23	6	4	2	7	6	11	21	29	23	16	19	12	4		
24	Diseases of the stomach	130	20	3		1	1		2	20	17	28	18	11	5	3	1		
25(37)	Diarrhea and enteritis	1,230	880	189	50	16	7	9	5	6	12	18	12	13	9	4			
26	Appendicitis and typhlitis	260		1	1	6	1	26	50	42	39	41	31	13	8	1			
27	Hernia, intestinal obstruction	204	26	3	3			1	1	9	19	29	31	41	28	12	1		
28	Cirrhosis of the liver	280					1		3	6	40	71	53	68	31	7			
29	Acute nephritis and Bright's disease	2,341	16	5	4		1	12	21	94	200	365	502	524	429	152	16		
30	Diseases of the female genital organs	102		1					2	15	29	34	15	5		1			
31	Puerperal fever	112							13	60	35	4							
32	Other puerperal affections	147							6	76	54	11							
33	Congenital debility and malformations	1,248	1,226	9	4	4	1	2	1	1									
34	Senility	75												3	25	36	11		
35	Violent deaths (excluding suicide)	1,434	28	38	39	29	31	90	100	193	240	210	171	133	91	36	5		
36	Suicide	200							5	24	46	52	39	24	7	3			
(37)	Other defined diseases	4,314	772	312	243	172	118	255	153	193	269	387	502	422	331	159	26		
38	Diseases ill-defined or unknown	11	1	2	1					1		1		2	2				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
	All causes	26,365	4,172	1,298	712	417	280	715	876	1,771	2,306	3,046	3,431	3,434	2,708	1,060	136	2	1
1	Typhoid fever	74	2	1	.....	1	1	5	11	18	12	12	9	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	7	2	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	1	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	98	28	41	15	7	1	5	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	29	.....	2	5	4	4	11	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	91	43	26	10	8	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	362	34	79	72	55	36	64	14	2	3	1	1	.....	1	.....	.....	.....	.....
9	Influenza	222	9	14	9	4	.....	6	7	12	15	19	26	36	40	22	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	101	42	8	2	.....	1	.....	1	2	9	13	10	6	4	3	.....	.....	.....
13	Tuberculosis of the lungs	2,501	9	10	5	8	2	19	204	606	629	547	295	122	43	2	.....	.....	.....
14	Tuberculous meningitis	187	42	46	27	8	10	21	18	10	2	3	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	116	11	5	5	4	6	11	8	16	20	13	10	6	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	1,532	3	1	2	1	2	5	14	23	86	300	427	375	241	48	4	.....	.....
17	Meningitis	99	24	13	10	4	8	12	9	3	6	5	4	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,062	.....	1	.....	.....	.....	1	1	7	26	101	216	321	276	100	12	.....	.....
19	Organic diseases of the heart	3,720	15	2	3	7	8	54	129	162	213	428	647	874	804	336	38	.....	.....
20	Acute bronchitis	319	198	39	13	11	.....	4	1	2	.....	3	4	11	16	16	1	.....	.....
21	Chronic bronchitis	112	2	.....	.....	.....	.....	.....	2	3	3	7	9	33	30	19	3	1	.....
22	Pneumonia	2,166	190	129	68	25	16	57	75	162	250	316	335	295	188	57	3	.....	.....
23a	Bronchopneumonia	1,551	617	305	120	42	23	44	18	21	41	29	67	92	88	35	8	1	.....
23b	Other diseases of the respiratory system	192	15	21	6	4	2	7	6	9	20	29	22	16	19	12	4	.....	.....
24	Diseases of the stomach	125	19	3	.....	1	1	.....	2	19	15	28	17	11	5	3	1	.....	.....
25(37)	Diarrhea and enteritis	1,191	850	184	48	15	7	8	5	6	12	18	12	13	9	4	.....	.....	.....
26	Appendicitis and typhlitis	255	.....	1	1	5	1	26	50	40	39	40	31	12	8	1	.....	.....	.....
27	Hernia, intestinal obstruction	202	25	3	3	.....	.....	1	1	9	19	29	30	41	28	12	1	.....	.....
28	Cirrhosis of the liver	275	.....	.....	.....	.....	1	.....	3	6	38	70	52	67	31	7	.....	.....	.....
29	Acute nephritis and Bright's disease	2,300	16	5	4	.....	1	12	21	91	195	356	492	516	426	149	16	.....	.....
30	Diseases of the female genital organs	95	.....	1	.....	.....	.....	.....	1	14	24	34	15	5	.....	1	.....	.....	.....
31	Puerperal fever	110	.....	.....	.....	.....	.....	.....	13	58	35	4	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	141	.....	.....	.....	.....	.....	.....	5	71	54	11	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,214	1,192	9	4	4	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	75	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	25	36	11	.....
35	Violent deaths (excluding suicide)	1,395	28	37	38	29	30	87	97	186	230	203	167	133	89	36	5	.....	.....
36	Suicide	198	.....	.....	.....	.....	.....	.....	5	23	45	52	39	24	7	3	.....	.....	.....
(37)	Other defined diseases	4,238	755	310	241	170	116	251	151	186	265	372	494	417	327	157	26	.....	.....
38	Diseases ill-defined or unknown	10	1	2	1	.....	.....	.....	.....	1	.....	1	.....	1	2	.....	.....	.....	1
NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																			
	All causes	672	113	32	14	6	7	14	16	93	111	85	82	52	32	11	3	1	.....
1	Typhoid fever	3	.....	.....	.....	.....	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	6	2	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	17	2	2	.....	.....	.....	.....	.....	1	4	2	2	2	.....	1	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	109	.....	.....	1	1	2	1	1	34	36	21	8	3	1	.....	.....	.....	.....
14	Tuberculous meningitis	6	2	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	6	.....	.....	.....	.....	.....	.....	.....	.....	2	3	.....	1	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	18	.....	.....	.....	.....	.....	.....	.....	1	5	2	2	4	4	.....	.....	.....	.....
17	Meningitis	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	26	.....	.....	.....	.....	.....	.....	.....	1	.....	2	9	4	8	1	1	.....	.....
19	Organic diseases of the heart	88	.....	.....	.....	.....	.....	.....	2	6	16	15	22	16	6	4	.....	1	.....
20	Acute bronchitis	8	4	3	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
22	Pneumonia	61	.....	5	2	.....	1	1	3	17	11	6	9	4	1	.....	1	.....	.....
23a	Bronchopneumonia	42	16	11	6	1	.....	.....	.....	.....	3	1	.....	2	2	.....	.....	.....	.....
23b	Other diseases of the respiratory system	8	2	2	.....	.....	.....	.....	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....
24	Diseases of the stomach	5	1	.....	.....	.....	.....	.....	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	39	30	5	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	5	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	41	.....	.....	.....	.....	.....	.....	.....	3	5	9	10	8	3	3	.....	.....	.....
30	Diseases of the female genital organs	7	.....	.....	.....	.....	.....	.....	1	1	5	.....	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	6	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	34	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	39	.....	1	1	.....	1	3	3	7	10	7	4	.....	2	.....	.....	.....	.....
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	76	17	2	2	2	2	4	2	7	4	15	8	5	4	2	.....	.....	.....
38	Diseases ill-defined or unknown	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																		
	All causes	35,879	6,274	1,696	732	428	285	796	1,075	2,605	3,822	4,807	4,941	4,336	2,891	1,049	136	5	1
1	Typhoid fever	88					1	6	19	29	15	8	9		1				
2	Typhus fever																		
3	Malaria	3	1							1		1							
4	Smallpox																		
5	Measles	405	127	184	57	22	4	8	2			1							
6	Scarlet fever	68	7	10	10	13	5	15	3	2	2	1							
7	Whooping cough	219	105	65	20	13	4	10	2										
8	Diphtheria and croup	483	77	135	83	54	49	69	5	4	2	3	1		1				
9	Influenza	197	25	15		2	1	4	3	14	9	18	31	32	22	18	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	156	75	5	3		2			12	14	18	10	5	9	3			
13	Tuberculosis of the lungs	4,362	48	33	18	11	4	29	292	945	1,187	952	542	253	42	5	1		
14	Tuberculous meningitis	386	83	66	59	33	14	44	37	20	17	7	3	3					
15	Other forms of tuberculosis	178	14	6	5	5	3	21	16	34	28	19	15	7	4	1			
16	Cancer and other malignant tumors	2,198	1	2	3	2	2	4	12	57	184	472	609	543	252	52	3		
17	Meningitis	163	39	19	9	9	6	19	14	15	9	11	11	1	1				
18	Cerebral hemorrhage and softening	1,334	2	1					3	14	54	174	290	388	288	105	14	1	
19	Organic diseases of the heart	3,870	4	4	5	4	6	74	133	162	292	482	677	915	798	283	30	1	
20	Acute bronchitis	366	249	51	13	3	1	5	1		3	1	9	13	8	8	1		
21	Chronic bronchitis	98	2	4					1	2	1	8	11	23	29	11	6		
22	Pneumonia	2,979	314	216	78	39	28	47	75	198	367	505	472	350	228	56	6		
23a	Bronchopneumonia	1,562	695	289	94	29	15	22	15	20	25	40	71	98	83	53	13		
23b	Other diseases of the respiratory system	133	17	17	6	6	3	6	7	13	13	20	28	18	16	9	4		
24	Diseases of the stomach	165	18	1					1	11	26	44	32	16	8	8			
25(37)	Diarrhea and enteritis	1,872	1,473	243	37	13	10	9	6	10	9	18	14	9	13	7	1		
26	Appendicitis and typhlitis	311	1	1	8	5	7	20	49	51	62	46	40	13	6	2			
27	Hernia, intestinal obstruction	267	29	5		2	1	3	3	9	21	42	60	47	33	11	1		
28	Cirrhosis of the liver	380	1			1	1	1	2	10	45	112	111	64	28	4			
29	Acute nephritis and Bright's disease	3,436	19	6	2	5	4	10	25	123	304	620	789	763	549	201	16		
30	Diseases of the female genital organs	125						1		20	41	42	17	3	1				
31	Puerperal fever	130							7	72	43	8							
32	Other puerperal affections	174							9	83	72	10							
33	Congenital debility and malformations	1,820	1,780	17	4	4	2	7	4	1	1								
34	Senility	106												7	34	49	14	2	
35	Violent deaths (excluding suicide)	2,093	67	67	57	55	45	196	155	282	357	314	239	151	79	23	5		1
36	Suicide	453							12	85	113	89	90	47	13	4			
(37)	Other defined diseases	5,233	1,000	221	161	98	67	166	162	306	505	721	760	566	345	136	18	1	
38	Diseases ill-defined or unknown	16	1	13							1			1					
NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																		
	All causes	34,112	5,964	1,615	702	411	270	751	1,007	2,368	3,498	4,551	4,750	4,216	2,841	1,029	133	5	1
1	Typhoid fever	84					1	5	18	28	14	8	9		1				
2	Typhus fever																		
3	Malaria	3	1							1		1							
4	Smallpox																		
5	Measles	398	127	180	55	22	4	7	2			1							
6	Scarlet fever	68	7	10	10	13	5	15	3	2	2	1							
7	Whooping cough	207	99	60	20	12	4	10	2										
8	Diphtheria and croup	462	70	133	79	53	46	66	5	4	2	2	1		1				
9	Influenza	191	25	15		2	1	4	3	12	8	17	29	32	22	18	8		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	149	71	5	3		2			11	13	18	9	5	9	3			
13	Tuberculosis of the lungs	3,985	46	28	16	6	3	25	259	834	1,074	894	508	244	42	5	1		
14	Tuberculous meningitis	359	75	61	54	31	14	41	36	18	16	7	3	3					
15	Other forms of tuberculosis	159	13	6	5	3	3	16	14	31	24	18	15	6	4	1			
16	Cancer and other malignant tumors	2,144	1	2	3	2	2	3	12	55	174	457	595	535	250	50	3		
17	Meningitis	157	36	18	9	9	5	19	14	15	9	11	10	1	1				
18	Cerebral hemorrhage and softening	1,283	2	1					3	13	51	164	270	378	283	104	13	1	
19	Organic diseases of the heart	3,662	4	4	5	4	5	69	127	144	246	444	647	882	780	272	28	1	
20	Acute bronchitis	344	237	47	9	3	1	4	1		3		9	13	8	8	1		
21	Chronic bronchitis	97	2	4					1	1	1	8	11	23	29	11	6		
22	Pneumonia	2,809	295	204	74	36	27	46	68	172	333	480	453	335	224	56	6		
23a	Bronchopneumonia	1,481	650	269	88	28	15	20	15	19	24	37	71	98	81	53	13		
23b	Other diseases of the respiratory system	179	17	17	6	6	3	6	7	12	13	19	27	18	15	9	4		
24	Diseases of the stomach	160	18	1					1	11	21	44	32	16	8	8			
25(37)	Diarrhea and enteritis	1,796	1,409	235	37	13	9	9	5	10	9	17	14	8	13	7	1		
26	Appendicitis and typhlitis	292	1	1	7	5	7	20	47	49	54	43	38	13	5	2			
27	Hernia, intestinal obstruction	261	29	4		2	1	3	2	9	19	42	58	47	33	11	1		
28	Cirrhosis of the liver	376	1			1	1	1	2	10	45	111	109	64	27	4			
29	Acute nephritis and Bright's disease	3,290	18	5	2	5	3	10	25	114	281	576	759	737	541	198	16		
30	Diseases of the female genital organs	107						1		16	33	38	15	3	1				
31	Puerperal fever	123							7	67	42	7							
32	Other puerperal affections	167							9	80	68	10							
33	Congenital debility and malformations	1,741	1,703	17	4	4	2	6	3	1	1								
34	Senility	105												7	33	49	14	2	
35	Violent deaths (excluding suicide)	2,003	64	63	56	54	41	185	150	264	339	303	233	144	78	23	5		1
36	Suicide	447							12	81	111	89	90	47	13	4			
(37)	Other defined diseases	5,008	942	213	160	97	65	160	154	284	467	684	735	556	339	133	18	1	
38	Diseases ill-defined or unknown	15	1	12							1			1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																		
	All causes	1,767	310	81	30	17	15	45	68	237	324	256	191	120	50	20	3		
1	Typhoid fever	4						1	1	1	1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	7		4	2			1											
6	Scarlet fever																		
7	Whooping cough	12	6	5		1													
8	Diphtheria and croup	21	7	2	4	1	3	3				1							
9	Influenza	6								2	1	1	2						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	4							1	1		1						
13	Tuberculosis of the lungs	377	2	5	2	5	1	4	33	111	113	58	34	9					
14	Tuberculous meningitis	27	8	5	5	2		3	1	2	1								
15	Other forms of tuberculosis	19	1			2		5	2	3	4	1		1					
16	Cancer and other malignant tumors	54						1		2	10	15	14	8	2	2			
17	Meningitis	6	3	1			1						1						
18	Cerebral hemorrhage and softening	51								1	3	10	20	10	5	1	1		
19	Organic diseases of the heart	208					1	5	6	18	46	38	30	33	18	11	2		
20	Acute bronchitis	22	12	4	4			1				1							
21	Chronic bronchitis	1								1									
22	Pneumonia	170	19	12	4	3	1	1	7	26	34	25	19	15	4				
23a	Bronchopneumonia	81	45	20	6	1		2		1	1	3			2				
23b	Other diseases of the respiratory system	4								1		1	1		1				
24	Diseases of the stomach	5									5								
25(37)	Diarrhea and enteritis	76	64	8			1		1			1		1					
26	Appendicitis and typhlitis	19			1				2	2	8	3	2		1				
27	Hernia, intestinal obstruction	6		1					1		2		2						
28	Cirrhosis of the liver	4										1	2		1				
29	Acute nephritis and Bright's disease	146	1	1			1			9	23	44	30	26	8	3			
30	Diseases of the female genital organs	18								4	8	4	2						
31	Puerperal fever	7								5	1	1							
32	Other puerperal affections	7								3	4								
33	Congenital debility and malformations	79	77					1	1										
34	Senility	1													1				
35	Violent deaths (excluding suicide)	90	3	4	1	1	4	11	5	18	18	11	6	7	1				
36	Suicide	6								4	2								
(37)	Other defined diseases	225	58	8	1	1	2	6	8	22	38	37	25	10	6	3			
38	Diseases ill-defined or unknown	1		1															
	NEW YORK, N. Y. (QUEENS BOROUGH).																		
	All causes	5,632	894	237	122	111	77	203	234	382	493	595	762	677	575	240	27	1	2
1	Typhoid fever	21							4	8	6	2	1						
2	Typhus fever																		
3	Malaria	3						2				1							
4	Smallpox																		
5	Measles	15	5	7	3														
6	Scarlet fever	13			1	1	1	9	1										
7	Whooping cough	26	10	9	1	2	1	3											
8	Diphtheria and croup	67	3	9	6	10	5	29	5										
9	Influenza	43	8		2		1	1	5	3	1	1	5	6	6	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	7						2			2	1	1					
13	Tuberculosis of the lungs	590	2	3	1	1		2	51	148	156	124	70	26	5	1			
14	Tuberculous meningitis	33	9	6		2	1	6	5	2	2								
15	Other forms of tuberculosis	28	3	2			2	2	5	2	3	4	3		2				
16	Cancer and other malignant tumors	344					1			6	27	64	100	82	57	7			
17	Meningitis	21	5	1	1	2		6	1	2	2	1							
18	Cerebral hemorrhage and softening	279	1						2	1	12	20	64	64	76	38	1		
19	Organic diseases of the heart	645	1			1	1	15	24	21	36	71	118	151	139	64	2		1
20	Acute bronchitis	39	22		2	1	1		2	1			2		6	1	1		
21	Chronic bronchitis	15	1					1				1		4	6	1	1		
22	Pneumonia	387	20	10	8	4	1	6	13	25	55	50	77	63	43	10	2		
23a	Bronchopneumonia	273	115	51	10	7	2	6		6	6	3	12	18	17	17	3		
23b	Other diseases of the respiratory system	31	3	3	1	1		1		3	3	5	3	2	1	5			
24	Diseases of the stomach	37	9					1	3	1	6	9	4	3	1				
25(37)	Diarrhea and enteritis	235	153	39	14	7	3	3		1	3		2	3	2	4	1		
26	Appendicitis and typhlitis	55		1	1	2	1	2	12	12	5	7	6	6					
27	Hernia, intestinal obstruction	41	7			2				3	2	6	7	6	6	2			
28	Cirrhosis of the liver	75	1	1						1	7	16	28	15	3	2	1		
29	Acute nephritis and Bright's disease	546	6	1	1	3		6	10	18	48	77	120	115	96	37	8		
30	Diseases of the female genital organs	17								3	2	8	3		1				
31	Puerperal fever	19							1	13	4	1							
32	Other puerperal affections	33							3	17	10	3							
33	Congenital debility and malformations	313	310	1	1			1											
34	Senility	23											1	2	6	11	3		
35	Violent deaths (excluding suicide)	268	7	5	7	6	10	14	29	38	32	33	38	28	10	8	1	1	1
36	Suicide	73							2	7	15	22	14	6	6	1			
(37)	Other defined diseases	1,004	186	82	62	59	46	86	54	40	50	64	83	76	86	27	3		
38	Diseases ill-defined or unknown	7		6				1											

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
NEW YORK, N. Y. (RICHMOND BOROUGH).																		
	All causes	1,709	231	49	29	18	18	45	62	113	151	156	223	238	240	114	21	1
1	Typhoid fever	9							1	2	5		1					
2	Typhus fever																	
3	Malaria	1								1								
4	Smallpox																	
5	Measles	2		1				1										
6	Scarlet fever	2			1				1									
7	Whooping cough	9	4	3				2										
8	Diphtheria and croup	16		1	2	3	2	5	3									
9	Influenza	11	1							1		1	3		4	1		
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	5	2	2				1										
13	Tuberculosis of the lungs	191	1		1				13	39	46	42	31	15	3			
14	Tuberculous meningitis	10	2		3	1		2			1			1				
15	Other forms of tuberculosis	6							1	1		2	1			1		
16	Cancer and other malignant tumors	94							1	5	9	12	27	21	14	5		
17	Meningitis	3						2	1									
18	Cerebral hemorrhage and softening	83									2	6	16	20	24	12	3	
19	Organic diseases of the heart	210	2					3	10	8	8	12	20	43	71	29	4	
20	Acute bronchitis	4	1									1			1	1		
21	Chronic bronchitis	3													1	2		
22	Pneumonia	134	8	7		3	4	2	4	6	18	15	18	20	18	11		
23a	Bronchopneumonia	60	27	8	4	1	1	2	2			2	3	2	3	4	1	
23b	Other diseases of the respiratory system	9	2	1				1		1	1				1	1	1	
24	Diseases of the stomach	21	4	1						1	3	4	3	2	3			
25(37)	Diarrhea and enteritis	68	54	5	1	2		1					1	1	2	1		
26	Appendicitis and typhlitis	7						1		2			1	3				
27	Hernia, intestinal obstruction	13	3				1				1	1	1	3	3			
28	Cirrhosis of the liver	14									2	1	8	3				
29	Acute nephritis and Bright's disease	241						1	3	7	10	22	49	68	57	19	5	
30	Diseases of the female genital organs	4								2	1				1			
31	Puerperal fever	9							1	4	4							
32	Other puerperal affections	8								4	4							
33	Congenital debility and malformations	88	87					1										
34	Senility	17												1	2	8	6	
35	Violent deaths (excluding suicide)	107	1	6	2	2	2	7	9	15	18	15	15	8	4	2	1	
36	Suicide	17								5	2	1	5		3	1		
(37)	Other defined diseases	232	32	13	15	6	8	13	12	9	16	19	20	27	25	16		1
38	Diseases ill-defined or unknown	1		1														
ROCHESTER, N. Y.																		
	All causes	3,721	584	132	39	25	17	50	96	242	267	365	537	565	500	264	38	
1	Typhoid fever	13							1	6	3	2	1					
2	Typhus fever																	
3	Malaria																	
4	Smallpox																	
5	Measles	21	2	14	3	2												
6	Scarlet fever	2					1		1									
7	Whooping cough	24	12	10	1	1												
8	Diphtheria and croup	24		8	1	3	1	6	3	1	1							
9	Influenza	23									2	1	3	3	7	6	1	
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	9	2							1		2		1	3			
13	Tuberculosis of the lungs	238	4	2	2	2		1	18	73	51	33	28	19	5			
14	Tuberculous meningitis	33	2	8	2	4	4	5	2	3	1		2					
15	Other forms of tuberculosis	20	1	2	2		1		1	3	1	2	3	2	2			
16	Cancer and other malignant tumors	297		1	1		1		1	1	16	39	85	83	49	18	2	
17	Meningitis	14	7	1			1		1	3		1						
18	Cerebral hemorrhage and softening	248	1								3	10	49	70	73	39	3	
19	Organic diseases of the heart	498	1	2	2			5	5	16	20	37	83	131	125	61	10	
20	Acute bronchitis	27	12	1	1	1				1		1	1		2	6	1	
21	Chronic bronchitis	18		1					1			1	2	4	4	3	2	
22	Pneumonia	185	7	6	2	1	2	3	7	12	14	40	22	30	28	10	1	
23a	Bronchopneumonia	130	52	21	4	2		2	1	1	1	5	7	6	18	10		
23b	Other diseases of the respiratory system	29	3		1			1	1	3	3	4	3	4	4	2		
24	Diseases of the stomach	28	3		1			1	1	2	5	4	2	4	3	2		
25(37)	Diarrhea and enteritis	231	169	30	1	1			1	1	5	1	9	3	5	5		
26	Appendicitis and typhlitis	42		1	1	1			8	10	3	7	7	1	2	1		
27	Hernia, intestinal obstruction	34	4	1	2			1	1	2	6	5	4	2	3	1	2	
28	Cirrhosis of the liver	53								1	4	11	15	13	7	1	1	
29	Acute nephritis and Bright's disease	354	5	2	2		2	4	7	18	25	46	65	68	62	44	4	
30	Diseases of the female genital organs	19								4	3	5	4	1	2			
31	Puerperal fever	6							1	3	2							
32	Other puerperal affections	22							2	9	9	2						
33	Congenital debility and malformations	223	217	4			1			1								
34	Senility	2													1		1	
35	Violent deaths (excluding suicide)	218	6	9	6	5	2	8	12	26	32	22	34	27	16	12	1	
36	Suicide	55							1	8	8	14	14	5	5			
(37)	Other defined diseases	579	74	8	4	2	1	13	18	33	48	70	94	88	74	43	9	
38	Diseases ill-defined or unknown	2							1		1							

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
SYRACUSE, N. Y.																			
	All causes	2,361	384	81	35	22	14	50	79	147	173	241	304	365	296	151	19	.....	.....
1	Typhoid fever	19	.....	.....	.....	.....	.....	.....	4	7	2	4	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	23	12	8	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	21	2	5	3	.....	4	6	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	17	.....	.....	2	.....	.....	.....	1	.....	.....	1	2	5	5	1	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
12	Other epidemic diseases	8	1	.....	1	.....	.....	.....	1	.....	.....	2	2	.....	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	137	2	.....	1	.....	.....	3	16	34	29	23	23	3	2	1	.....	.....	.....
14	Tuberculous meningitis	19	3	2	.....	2	3	4	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	16	.....	1	.....	1	.....	.....	4	4	1	1	.....	2	2	.....	.....	.....	.....
16	Cancer and other malignant tumors	172	.....	.....	.....	.....	.....	.....	.....	1	8	27	47	48	27	14	.....	.....	.....
17	Meningitis	12	5	.....	1	.....	.....	1	1	.....	1	2	1	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	158	1	.....	.....	.....	.....	.....	.....	1	5	14	27	39	45	23	3	.....	.....
19	Organic diseases of the heart	313	.....	.....	1	.....	.....	2	2	10	14	29	34	92	79	44	6	.....	.....
20	Acute bronchitis	18	8	2	.....	.....	.....	1	1	.....	.....	.....	3	.....	1	1	1	.....	.....
21	Chronic bronchitis	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....
22	Pneumonia	128	6	9	4	2	1	.....	4	8	19	21	18	21	10	4	1	.....	.....
23a	Bronchopneumonia	81	39	13	3	3	.....	.....	1	.....	.....	3	2	6	8	3	.....	.....	.....
23b	Other diseases of the respiratory system	24	3	2	1	.....	.....	1	1	1	3	2	3	2	4	1	.....	.....	.....
24	Diseases of the stomach	20	3	.....	.....	.....	.....	.....	.....	2	1	2	8	3	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	147	98	21	8	3	1	.....	1	1	2	5	2	1	2	2	.....	.....	.....
26	Appendicitis and typhlitis	19	.....	.....	.....	.....	.....	.....	2	7	2	5	2	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	22	1	.....	.....	.....	1	.....	3	.....	.....	2	7	3	3	2	.....	.....	.....
28	Cirrhosis of the liver	17	.....	.....	.....	.....	.....	.....	.....	.....	2	2	7	3	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	175	2	1	.....	.....	.....	.....	2	3	8	24	39	49	35	9	3	.....	.....
30	Diseases of the female genital organs	15	.....	.....	.....	.....	.....	.....	.....	4	6	3	2	.....	.....	.....	.....	.....	.....
31	Puerperal fever	12	.....	.....	.....	.....	.....	.....	1	6	4	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	10	.....	.....	.....	.....	.....	.....	3	3	3	1	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	120	119	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	5	10	2	.....
34	Senility	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
35	Violent deaths (excluding suicide)	150	3	3	1	2	.....	5	8	23	25	20	19	19	11	11	.....	.....	.....
36	Suicide	34	.....	.....	.....	.....	.....	.....	1	9	7	6	7	4	.....	.....	.....	.....	.....
(37)	Other defined diseases	424	75	13	7	8	4	27	19	21	28	40	47	59	49	24	3	.....	.....
38	Diseases ill-defined or unknown	3	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
CINCINNATI, OHIO (TOTAL).																			
	All causes	6,741	736	155	73	40	37	94	207	548	703	818	993	970	908	402	55	2	.....
1	Typhoid fever	13	.....	.....	.....	.....	.....	1	4	2	4	.....	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	63	14	25	12	6	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	43	19	12	7	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	63	4	13	5	5	8	20	5	1	1	1	.....	.....	.....	.....	.....	.....	.....
9	Influenza	110	7	2	2	1	.....	1	2	1	7	9	13	15	35	15	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	16	3	1	.....	1	.....	.....	.....	2	1	1	2	1	3	1	.....	.....	.....
13	Tuberculosis of the lungs	855	7	6	3	.....	1	3	54	204	251	160	102	49	13	1	1	.....	.....
14	Tuberculous meningitis	34	4	6	3	2	2	8	1	3	3	2	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	45	1	1	.....	.....	1	3	6	9	6	6	8	1	3	.....	.....	.....	.....
16	Cancer and other malignant tumors	477	.....	.....	.....	.....	1	1	5	6	23	75	129	132	82	22	.....	1	.....
17	Meningitis	20	4	1	2	.....	.....	1	1	3	5	1	2	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	370	1	1	.....	.....	.....	.....	.....	1	6	30	79	95	110	39	8	.....	.....
19	Organic diseases of the heart	832	2	.....	.....	.....	.....	5	22	32	32	91	136	187	216	95	13	1	.....
20	Acute bronchitis	37	12	4	3	1	.....	.....	.....	.....	1	.....	1	4	3	7	1	.....	.....
21	Chronic bronchitis	46	.....	.....	.....	.....	1	.....	2	.....	.....	1	5	5	16	13	3	.....	.....
22	Pneumonia	385	18	7	5	4	2	3	6	31	47	63	62	72	38	26	1	.....	.....
23a	Bronchopneumonia	212	57	27	9	5	4	5	2	4	6	5	8	18	38	21	3	.....	.....
23b	Other diseases of the respiratory system	44	2	1	1	.....	1	.....	1	4	4	7	7	6	7	2	1	.....	.....
24	Diseases of the stomach	51	7	1	.....	.....	.....	1	1	2	3	9	6	11	6	4	.....	.....	.....
25(37)	Diarrhea and enteritis	242	176	26	3	1	1	.....	.....	6	3	4	4	3	10	3	2	.....	.....
26	Appendicitis and typhlitis	76	.....	.....	2	1	.....	3	9	20	15	14	5	4	3	.....	.....	.....	.....
27	Hernia, intestinal obstruction	60	2	.....	1	.....	.....	.....	5	8	5	9	7	12	10	1	.....	.....	.....
28	Cirrhosis of the liver	102	.....	.....	.....	.....	.....	.....	.....	1	16	23	28	21	11	2	.....	.....	.....
29	Acute nephritis and Bright's disease	652	3	1	.....	2	.....	5	7	31	37	98	136	135	123	63	11	.....	.....
30	Diseases of the female genital organs	37	.....	.....	.....	.....	.....	.....	.....	11	7	10	4	3	2	.....	.....	.....	.....
31	Puerperal fever	25	.....	.....	.....	.....	.....	.....	3	11	10	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	34	.....	.....	.....	.....	.....	.....	1	13	18	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	261	259	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....
35	Violent deaths (excluding suicide)	462	13	8	7	6	7	14	39	76	72	60	57	42	35	24	2	.....	.....
36	Suicide	68	.....	.....	.....	.....	.....	.....	3	11	19	12	11	10	2	.....	.....	.....	.....
(37)	Other defined diseases	957	118	11	7	2	5	15	27	52	94	121	167	132	137	60	9	.....	.....
38	Diseases ill-defined or unknown	43	3	.....	.....	.....	.....	.....	.....	2	6	3	12	11	4	2	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CINCINNATI, OHIO (WHITE).																		
	All causes	6,031	663	137	66	33	31	84	177	463	575	697	898	899	867	390	50	1	
1	Typhoid fever	10							3	2	3		1	1					
2	Typhus fever																		
3	Malaria	2									1		1						
4	Smallpox																		
5	Measles	58	13	23	11	6	1	2	1	1									
6	Scarlet fever	2			1			1											
7	Whooping cough	34	15	9	7	2	1												
8	Diphtheria and croup	58	4	12	5	4	7	20	5	1									
9	Influenza	100	6	2	2	1		1	2	1	5	7	13	13	34	13			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	3	1		1				2	1	1	2	1	2	1			
13	Tuberculosis of the lungs	715	5	5	3			1	41	167	209	136	93	41	12	1	1		
14	Tuberculous meningitis	29	3	4	3	1	2	8	1	3	3	1							
15	Other forms of tuberculosis	39	1	1			1	2	6	7	5	6	7		3				
16	Cancer and other malignant tumors	447					1	1	4	6	20	70	117	124	82	22			
17	Meningitis	18	4	1	2			1	1	3	4		2						
18	Cerebral hemorrhage and softening	341	1	1							5	24	70	91	106	37	6		
19	Organic diseases of the heart	750	2					5	21	29	21	69	124	173	202	92	11	1	
20	Acute bronchitis	32	9	3	3	1					1			4	3	7	1		
21	Chronic bronchitis	41					1					1	5	3	16	12	3		
22	Pneumonia	324	17	7	4	4	1	2	5	23	34	48	55	66	34	23	1		
23a	Bronchopneumonia	134	50	22	8	3	3	3	1	2	4	4	8	15	37	21	3		
23b	Other diseases of the respiratory system	37	2	1						4	3	5	6	6	7	2	1		
24	Diseases of the stomach	48	6	1				1	1	2	3	8	6	10	6	4			
25(37)	Diarrhea and enteritis	223	161	25	3		1			5	3	3	4	3	10	3	2		
26	Appendicitis and typhlitis	73			2	1		2	8	20	15	14	4	4	3				
27	Hernia, intestinal obstruction	57	2		1				5	6	5	9	7	12	9	1			
28	Cirrhosis of the liver	98								1	15	21	28	20	11	2			
29	Acute nephritis and Bright's disease	589	3	1		2		5	5	28	30	85	118	124	115	62	11		
30	Diseases of the female genital organs	32								9	4	10	4	3	2				
31	Puerperal fever	22							3	9	9	1							
32	Other puerperal affections	32							1	12	17	2							
33	Congenital debility and malformations	237	235	1			1												
34	Senility	2													1	1			
35	Violent deaths (excluding suicide)	400	12	8	5	5	6	14	36	61	52	53	51	37	34	24	2		
36	Suicide	68							3	11	19	12	11	10	2				
(37)	Other defined diseases	878	107	9	6	2	5	15	24	46	79	105	150	129	133	60	8		
38	Diseases ill-defined or unknown	36	2							2	5	2	11	9	3	2			
CINCINNATI, OHIO (COLORED).																			
	All causes	710	73	18	7	7	6	10	30	85	128	121	95	71	41	12	5	1	
1	Typhoid fever	3						1	1		1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5	1	2	1			1											
6	Scarlet fever																		
7	Whooping cough	9	4	3		1		1											
8	Diphtheria and croup	5		1		1	1				1	1							
9	Influenza	10	1								2	2		2	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1													1				
13	Tuberculosis of the lungs	140	2	1			1	2	13	37	42	24	9	8	1				
14	Tuberculous meningitis	5	1	2		1						1							
15	Other forms of tuberculosis	6						1		2	1		1	1					
16	Cancer and other malignant tumors	30							1		3	5	12	8				1	
17	Meningitis	2									1	1							
18	Cerebral hemorrhage and softening	29								1	1	6	9	4	4	2	2		
19	Organic diseases of the heart	82							1	3	11	22	12	14	14	3	2		
20	Acute bronchitis	5	3	1									1						
21	Chronic bronchitis	5							2					2		1			
22	Pneumonia	61	1		1		1	1	1	8	13	15	7	6	4	3			
23a	Bronchopneumonia	28	7	5	1	2	1	2	1	2	2	1		3	1				
23b	Other diseases of the respiratory system	7			1		1		1		1	2	1						
24	Diseases of the stomach	3	1									1		1					
25(37)	Diarrhea and enteritis	19	15	1		1				1		1							
26	Appendicitis and typhlitis	3						1	1				1						
27	Hernia, intestinal obstruction	3								2					1				
28	Cirrhosis of the liver	4									1	2		1					
29	Acute nephritis and Bright's disease	63							2	3	7	13	18	11	8	1			
30	Diseases of the female genital organs	5								2	3								
31	Puerperal fever	3								2	1								
32	Other puerperal affections	2								1	1								
33	Congenital debility and malformations	24	24																
34	Senility																		
35	Violent deaths (excluding suicide)	62	1		2	1	1		3	15	20	7	6	5	1				
36	Suicide																		
(37)	Other defined diseases	79	11	2	1				3	6	15	16	17	3	4		1		
38	Diseases ill-defined or unknown	7	1								1	1	1	2	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
CLEVELAND, OHIO.																		
	All causes	9,986	2,028	394	147	100	83	211	326	795	1,052	1,164	1,138	1,204	924	360	59	1
1	Typhoid fever	36						1	7	10	11	6	1					
2	Typhus fever																	
3	Malaria																	
4	Smallpox																	
5	Measles	60	16	18	11	3	4	6		1					1			
6	Scarlet fever	41	1	4	8	4	7	8	6	3								
7	Whooping cough	43	18	19	2	2	2											
8	Diphtheria and croup	127	8	21	15	20	17	31	11	3				1				
9	Influenza	110	13	3	4	3		3		4	6	16	8	19	18	13		
10	Asiatic cholera																	
11	Cholera nostras	3	1										1		1			
12	Other epidemic diseases	39	12					1	2	1	1	8	8	3	1	2		
13	Tuberculosis of the lungs	891	7	7	4	4	2	7	71	250	247	138	87	54	13			
14	Tuberculous meningitis	81	14	17	6	3	2	13	7	10	4	2	3					
15	Other forms of tuberculosis	57	4	1	1	1	1	3	5	10	15	3	7	2	3	1		
16	Cancer and other malignant tumors	585	1	2	1	1	2	2	2	15	39	97	152	158	91	21	1	
17	Meningitis	52	8	7	5	1	1	8	5	2	7	6	1	1				
18	Cerebral hemorrhage and softening	464	1	1						4	15	47	91	112	125	58	10	
19	Organic diseases of the heart	806	3			2	3	8	30	33	60	86	122	212	176	64	7	
20	Acute bronchitis	117	62	11	1		1	2		1		1	4	7	14	13		
21	Chronic bronchitis	46	3	1	1					1			3	7	17	10	3	
22	Pneumonia	775	77	36	14	6	7	10	20	58	97	117	108	108	85	27	5	
23a	Bronchopneumonia	453	192	79	18	8	7	5	3	7	14	18	22	30	33	13	4	
23b	Other diseases of the respiratory system	71	2	4	1	1		2	2	3	12	18	6	10	3	7		
24	Diseases of the stomach	87	10	4	1		1	2	3	6	12	12	17	6	12	1		
25(37)	Diarrhea and enteritis	811	626	115	20	9	6	8	2		3	5	6	4	6	1		
26	Appendicitis and typhlitis	122			1	2		10	21	26	20	23	9	7	3			
27	Hernia, intestinal obstruction	76	15	2		1		1	1	2	8	13	9	12	10	2		
28	Cirrhosis of the liver	124					2			4	16	26	39	28	7	1	1	
29	Acute nephritis and Bright's disease	613	6	1	1	3	3	5	9	18	49	74	110	153	133	43	5	
30	Diseases of the female genital organs	50							2	11	13	15	5	1	1	1	1	
31	Puerperal fever	58							1	28	27	2						
32	Other puerperal affections	63							1	29	22	11						
33	Congenital debility and malformations	576	570	1	1	1		2		1								
34	Senility	39												3	16	16	4	
35	Violent deaths (excluding suicide)	830	23	18	15	17	7	38	47	129	167	165	92	61	34	13	3	1
36	Suicide	138							6	22	37	34	20	15	2	2		
(37)	Other defined diseases	1,406	253	18	11	8	7	35	60	101	145	206	201	178	119	49	15	
38	Diseases ill-defined or unknown	136	82	4	5		1		2	2	5	15	6	12		2		
COLUMBUS, OHIO.																		
	All causes	3,339	392	72	41	20	17	43	142	250	353	383	445	503	454	207	15	2
1	Typhoid fever	28							8	9	7	3	1					
2	Typhus fever																	
3	Malaria	1								1								
4	Smallpox																	
5	Measles	34	2	11	5	2		3	5	4	1		1					
6	Scarlet fever	5	1	1	1	1	1											
7	Whooping cough	29	13	10	3	3												
8	Diphtheria and croup	19		2	4	2	2	5	3	1								
9	Influenza	72	4		2			1	5		4	3	6	12	25	10		
10	Asiatic cholera																	
11	Cholera nostras																	
12	Other epidemic diseases	18	1	1					1	1	1		3	3	6	1		
13	Tuberculosis of the lungs	269	2	2	2			3	29	77	55	44	28	19	7	1		
14	Tuberculous meningitis	18	1	3	6	1		3	1	1		2						
15	Other forms of tuberculosis	43	12	2	1		1	2	5	5	8	4	2	1				
16	Cancer and other malignant tumors	216		2		1			1	6	19	34	59	55	32	7		
17	Meningitis	12	1	2	1		1		1	1	2	1	1	1				
18	Cerebral hemorrhage and softening	230								3	10	25	39	72	57	22	1	1
19	Organic diseases of the heart	336	2		1	1			7	12	22	38	63	78	81	28	3	
20	Acute bronchitis	9	1				1							1	1	4	1	
21	Chronic bronchitis	7			1								1	1	3	1		
22	Pneumonia	186	13	2	2	2		2	8	15	21	24	35	32	21	9		
23a	Bronchopneumonia	149	22	9	1		2	1	2	2	6	6	11	26	34	23	4	
23b	Other diseases of the respiratory system	42	4						1	2	5	4	7	7	7	5		
24	Diseases of the stomach	23	1							3	2	2	2	7	3	2	1	
25(37)	Diarrhea and enteritis	79	49	8	4	2	1		1			3	2	3	4	1	1	
26	Appendicitis and typhlitis	66				2	3	3	13	10	16	11	6	2				
27	Hernia, intestinal obstruction	43	3	1			1	3	2	3	6	6	5	7	5	1		
28	Cirrhosis of the liver	44							1	2	6	10	11	7	6	1		
29	Acute nephritis and Bright's disease	194			1			3	3	8	19	26	39	50	35	10		
30	Diseases of the female genital organs	36							1	4	14	11	3	2	1			
31	Puerperal fever	23							3	11	9							
32	Other puerperal affections	19							1	8	7	3						
33	Congenital debility and malformations	191	190	1														
34	Senility	52												1	21	27	3	
35	Violent deaths (excluding suicide)	230	8	4	4	3	3	4	22	35	46	24	23	23	19	11	1	
36	Suicide	36							4	1	9	7	11	3	1			
(37)	Other defined diseases	569	62	4	2		1	10	13	25	57	92	84	90	85	43		1
38	Diseases ill-defined or unknown	11		7					1		1		2					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
DAYTON, OHIO.																			
	All causes	1,937	308	53	21	13	13	33	67	144	189	194	242	267	254	117	18	1	3
1	Typhoid fever	25				1	1		5	8	4	3	2	1					
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	2	1				1												
6	Scarlet fever	14	1	1	2	1	1	2	2	1		2	1						
7	Whooping cough	7	2	4			1												
8	Diphtheria and croup	21	2	5	2	2	1	4		3	1		1						
9	Influenza	24	3					2			2	1	2	3	10		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	2									1	1	1	2				
13	Tuberculosis of the lungs	155	2	2	1			1	14	38	37	22	18	13	6				1
14	Tuberculous meningitis	9	2	1		1	1	2	2										
15	Other forms of tuberculosis	12	1			1		1	1	2	1	2	1	1	1				
16	Cancer and other malignant tumors	146								1	14	28	26	32	34	10	1		
17	Meningitis	15	3	1	1	1	1	2	2	1	2	1							
18	Cerebral hemorrhage and softening	117	1						2	3	4	6	29	28	30	13	1		
19	Organic diseases of the heart	230	3	1	1			1	3	8	12	15	29	50	70	31	6		
20	Acute bronchitis	11	5				1								2	3			
21	Chronic bronchitis	7											2	1	2	2			
22	Pneumonia	111	12	6	3	2		1	1	7	11	14	14	20	10	9	1		
23a	Bronchopneumonia	75	26	9	2	2		1		1	3	6	8	5	9	2	1		
23b	Other diseases of the respiratory system	13		2					1	2		3	2	1	1	1			
24	Diseases of the stomach	24	7	1				1		1		5	4	3	2				
25(37)	Diarrhea and enteritis	96	73	13	1			1		1	1		1	1	2	1		1	
26	Appendicitis and typhlitis	15					1		4	2	2	2	3	1					
27	Hernia, intestinal obstruction	15	1							1	1	1	2	9					
28	Cirrhosis of the liver	22									1	3	5	6	6	1			
29	Acute nephritis and Bright's disease	152	2		1			1	2	8	15	16	27	36	25	19			
30	Diseases of the female genital organs	13									6	2	3	1		1			
31	Puerperal fever	12							1	5	6								
32	Other puerperal affections	11							1	6	3	1							
33	Congenital debility and malformations	115	114					1											
34	Senility	9													1	5	3		
35	Violent deaths (excluding suicide)	160	7	3	6	2	2	8	12	20	28	20	16	14	13	7	1		1
36	Suicide	35							2	5	10	7	3	4	3	1			
(37)	Other defined diseases	253	38	4	1	1	2	5	11	17	24	33	42	35	25	11	3		1
38	Diseases ill-defined or unknown	3							1	1	1								
TOLEDO, OHIO.																			
	All causes	3,587	593	143	48	29	24	70	117	290	329	412	446	447	410	196	30	2	1
1	Typhoid fever	44				2		3	4	15	8	7	4	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	67	18	30	8	4	2	5											
6	Scarlet fever	8	2		2		1	3											
7	Whooping cough	12	7	4	1														
8	Diphtheria and croup	34		9	1	3	3	13	3	1	1								
9	Influenza	39	6	1	2				1	3	1	5	1	3	9	6	1		
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	12	2		2					2	2	4	1	1					
13	Tuberculosis of the lungs	333	6	3	1		1	1	27	86	66	59	43	29	8	3			
14	Tuberculous meningitis	17	3	3	2	1	1	1	3	1	1	1							
15	Other forms of tuberculosis	35	1		1		1	1	6	7	8	2	5	1	1		1		
16	Cancer and other malignant tumors	194							1	6	13	34	52	46	37	5			
17	Meningitis	15	2	5	2				2	2		1	1						
18	Cerebral hemorrhage and softening	239						1		3	7	12	43	67	76	27	3		
19	Organic diseases of the heart	382	1			1		1	7	17	27	46	66	85	77	48	5	1	
20	Acute bronchitis	21	6	2		1					1	1	1	1	4	3	1		
21	Chronic bronchitis	11										1		1	6	2	1		
22	Pneumonia	210	19	8	4	1	4	2	5	11	17	30	25	40	30	10	3	1	
23a	Bronchopneumonia	100	37	9	3	3	2	1	1	2	1	5	2	7	15	9	3		
23b	Other diseases of the respiratory system	19	4					1		2	2	2	2	1	3	2			
24	Diseases of the stomach	48	7	1				2	2	3	5	9	5	7	4	3			
25(37)	Diarrhea and enteritis	247	165	44	11	5		1	1	1	2	1	3	3	6	4			
26	Appendicitis and typhlitis	41			1			2	5	7	7	11	5	2	1				
27	Hernia, intestinal obstruction	26	4						1	1	2	3	6	4	4	1			
28	Cirrhosis of the liver	36									6	6	7	8	8	1			
29	Acute nephritis and Bright's disease	177	3	1		1	2	1	3	6	21	17	33	42	33	14			
30	Diseases of the female genital organs	26								4	11	5	2	3	1				
31	Puerperal fever	14								9	4	1							
32	Other puerperal affections	30							1	12	14	3							
33	Congenital debility and malformations	196	196																
34	Senility	24												4	2	14	4		
35	Violent deaths (excluding suicide)	284	6	6	3	1	2	16	23	51	38	50	43	23	14	7	1		
36	Suicide	42								8	11	11	6	4	2				
(37)	Other defined diseases	598	97	16	4	6	5	15	21	32	52	85	90	63	68	36	7		1
38	Diseases ill-defined or unknown	5	1	1							1			1		1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PORTLAND, OREG.																			
	All causes	2,367	228	40	12	15	12	46	85	177	246	248	334	382	321	191	29	.....	1
1	Typhoid fever	14	.....	.....	.....	.....	.....	.....	3	1	6	2	1	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	4	.....	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	8	6	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	7	.....	.....	.....	.....	.....	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	33	1	.....	.....	.....	.....	1	1	1	2	1	.....	6	11	7	2	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	5	1	1	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	172	1	.....	.....	1	.....	2	15	46	48	24	12	15	8	.....	.....	.....	.....
14	Tuberculous meningitis	29	8	4	2	5	1	2	3	1	2	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	38	1	.....	.....	1	1	.....	2	7	11	4	7	4	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	244	.....	.....	.....	.....	.....	1	1	4	18	40	61	70	34	10	5	.....	.....
17	Meningitis	11	1	2	.....	.....	1	1	1	2	.....	.....	2	.....	1	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	137	.....	.....	.....	.....	.....	.....	1	2	3	13	22	34	39	20	3	.....	.....
19	Organic diseases of the heart	302	.....	3	1	.....	.....	2	6	7	21	26	50	81	70	32	3	.....	.....
20	Acute bronchitis	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
21	Chronic bronchitis	11	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	3	2	1	.....	.....
22	Pneumonia	122	11	3	1	1	.....	3	6	9	9	17	8	21	22	11	.....	.....	.....
23a	Bronchopneumonia	33	11	1	1	.....	.....	1	.....	.....	2	2	2	2	4	6	1	.....	.....
23b	Other diseases of the respiratory system	28	2	1	.....	.....	.....	1	1	2	1	5	.....	5	5	4	1	.....	.....
24	Diseases of the stomach	31	.....	.....	.....	.....	.....	.....	.....	3	5	8	4	4	5	2	.....	.....	.....
25(37)	Diarrhea and enteritis	35	17	5	.....	1	.....	.....	1	1	3	1	2	1	.....	3	.....	.....	.....
26	Appendicitis and typhlitis	33	.....	.....	1	1	2	4	4	5	7	4	5	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	30	2	2	1	.....	.....	.....	1	3	3	3	3	7	5	.....	.....	.....	.....
28	Cirrhosis of the liver	22	.....	1	.....	.....	.....	.....	.....	1	1	3	5	6	3	2	.....	.....	.....
29	Acute nephritis and Bright's disease	164	.....	.....	.....	.....	.....	2	1	4	15	22	47	33	30	9	1	.....	.....
30	Diseases of the female genital organs	19	.....	.....	.....	.....	.....	.....	1	2	7	7	1	1	.....	.....	.....	.....	.....
31	Puerperal fever	12	.....	.....	.....	.....	.....	.....	.....	7	5	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	17	.....	.....	.....	.....	.....	.....	2	7	6	2	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	123	116	5	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	53	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	15	32	4	.....	.....
35	Violent deaths (excluding suicide)	146	5	.....	2	2	2	10	14	25	29	10	16	9	6	13	2	.....	1
36	Suicide	50	.....	.....	.....	.....	.....	.....	4	11	14	4	11	3	1	.....	2	.....	.....
(37)	Other defined diseases	417	36	11	1	3	2	8	14	24	28	49	72	71	59	35	4	.....	.....
38	Diseases ill-defined or unknown	4	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....
PHILADELPHIA, PA. (TOTAL).																			
	All causes	27,703	4,252	1,022	459	277	199	552	878	1,953	2,556	3,189	3,706	3,946	3,205	1,299	198	11	1
1	Typhoid fever	130	.....	.....	.....	1	3	3	21	47	32	14	7	2	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	3	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	112	35	50	15	3	2	6	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	43	1	7	6	8	8	2	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	128	60	35	19	5	3	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	389	34	76	55	44	44	103	23	5	.....	.....	4	1	.....	.....	.....	.....	.....
9	Influenza	410	35	17	7	6	1	4	10	15	22	31	43	71	93	48	7	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	127	29	7	1	1	.....	1	4	8	9	17	19	17	12	1	1	.....	.....
13	Tuberculosis of the lungs	2,916	30	24	10	6	3	18	234	721	741	566	334	171	54	3	1	.....	.....
14	Tuberculous meningitis	203	46	39	23	11	8	18	26	13	11	5	2	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	187	12	9	5	1	4	11	22	33	26	26	19	11	5	3	.....	.....	.....
16	Cancer and other malignant tumors	1,728	3	.....	1	2	3	4	5	35	111	324	459	463	240	70	8	.....	.....
17	Meningitis	98	20	10	8	4	2	12	16	9	4	6	6	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	1,203	8	.....	.....	.....	.....	2	1	6	22	101	221	361	331	132	18	.....	.....
19	Organic diseases of the heart	3,374	26	4	3	2	4	33	85	122	229	363	504	848	805	297	44	4	1
20	Acute bronchitis	198	112	20	6	2	2	.....	2	1	.....	8	5	8	15	13	4	.....	.....
21	Chronic bronchitis	140	2	.....	.....	.....	.....	2	2	4	2	9	21	24	36	31	7	.....	.....
22	Pneumonia	1,726	139	88	35	16	6	25	46	121	212	256	284	260	185	50	3	.....	.....
23a	Bronchopneumonia	1,217	443	175	67	27	15	26	11	23	30	49	82	93	109	57	10	.....	.....
23b	Other diseases of the respiratory system	266	22	14	10	2	2	11	1	15	29	32	47	37	22	21	1	.....	.....
24	Diseases of the stomach	229	43	4	4	.....	1	3	6	16	22	32	36	29	24	8	1	.....	.....
25(37)	Diarrhea and enteritis	1,737	1,251	259	47	25	7	19	6	12	14	11	17	25	31	11	2	.....	.....
26	Appendicitis and typhlitis	206	.....	.....	4	2	1	12	43	40	39	28	25	8	4	.....	.....	.....	.....
27	Hernia, intestinal obstruction	229	26	2	2	.....	1	2	4	17	20	32	42	38	35	8	.....	.....	.....
28	Cirrhosis of the liver	283	.....	1	.....	.....	.....	.....	.....	4	27	71	74	66	32	7	1	.....	.....
29	Acute nephritis and Bright's disease	3,037	17	5	6	5	3	18	37	101	210	419	582	742	633	231	26	2	.....
30	Diseases of the female genital organs	104	.....	.....	.....	.....	.....	.....	4	14	34	28	10	10	3	1	.....	.....	.....
31	Puerperal fever	133	.....	.....	.....	.....	.....	.....	10	61	56	6	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	171	.....	.....	.....	.....	.....	.....	5	74	86	6	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	1,257	1,236	9	1	6	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	147	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12	50	56	27	2	.....
35	Violent deaths (excluding suicide)	1,564	46	37	46	41	39	107	109	197	185	217	204	141	107	75	13	.....	.....
36	Suicide	266	.....	.....	.....	.....	.....	.....	10	41	56	57	53	37	10	1	1	.....	.....
(37)	Other defined diseases	3,725	575	124	78	57	35	94	131	195	323	472	605	468	367	175	23	3	.....
38	Diseases ill-defined or unknown	16	1	6	.....	.....	.....	2	.....	1	1	2	1	1	1	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PHILADELPHIA, PA. (WHITE).																		
	All causes	25,324	3,907	917	422	258	190	498	739	1,662	2,177	2,805	3,440	3,769	3,090	1,259	184	6	1
1	Typhoid fever	123				1	3	2	20	43	31	14	7	2					
2	Typhus fever																		
3	Malaria	3							1		1			1					
4	Smallpox																		
5	Measles	104	34	43	15	3	2	6		1									
6	Scarlet fever	42	1	7	5	8	8	8	2	1	2								
7	Whooping cough	115	53	31	18	5	3	5											
8	Diphtheria and croup	368	32	72	53	43	43	97	20	4			3	1					
9	Influenza	379	34	16	6	5	1	4	9	11	17	28	37	69	89	46	7		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	117	27	5	1	1		1	2	8	8	17	17	17	11	1	1		
13	Tuberculosis of the lungs	2,458	23	15	8	4	3	8	167	603	628	475	311	163	48	2			
14	Tuberculous meningitis	134	43	33	21	10	8	16	22	13	10	5	2		1				
15	Other forms of tuberculosis	166	11	7	5	1	4	8	14	31	24	24	18	11	5	3			
16	Cancer and other malignant tumors	1,642	3		1	2	2	4	4	32	100	303	437	445	233	68	8		
17	Meningitis	90	18	9	8	4	1	11	16	8	4	5	5	1					
18	Cerebral hemorrhage and softening	1,121	7					2	1	6	20	86	196	345	317	125	16		
19	Organic diseases of the heart	3,128	22	4	3	1	4	32	80	109	186	310	472	797	781	285	39	2	1
20	Acute bronchitis	171	96	12	6	2	2		1	1		6	5	8	15	13	4		
21	Chronic bronchitis	129	1					2	1	4	2	6	18	22	35	31	7		
22	Pneumonia	1,542	121	83	30	14	6	19	40	92	169	230	256	251	179	49	3		
23a	Bronchopneumonia	1,096	396	156	58	22	15	24	9	16	29	45	72	85	104	55	10		
23b	Other diseases of the respiratory system	244	19	14	9	2	2	9	1	13	24	28	43	36	22	21	1		
24	Diseases of the stomach	203	40	4	4		1	3	6	10	15	25	34	28	24	8	1		
25(37)	Diarrhea and enteritis	1,612	1,171	233	41	22	6	15	5	11	13	10	17	24	31	11	2		
26	Appendicitis and typhlitis	195			4	2	1	11	41	37	37	26	24	8	4				
27	Hernia, intestinal obstruction	206	25	2	2		1	2	3	13	18	28	34	37	34	7			
28	Cirrhosis of the liver	275		1					3	24	69	73	65	32	7	1			
29	Acute nephritis and Bright's disease	2,811	17	5	6	5	3	16	36	89	178	361	539	702	603	226	25		
30	Diseases of the female genital organs	85							2	10	25	25	10	9	3	1			
31	Puerperal fever	118							7	53	53	5							
32	Other puerperal affections	159							5	68	80	6							
33	Congenital debility and malformations	1,169	1,148	9	1	6	2	2	1										
34	Senility	141												12	45	56	26	2	
35	Violent deaths (excluding suicide)	1,428	43	35	43	39	37	100	91	168	156	194	196	134	105	74	13		
36	Suicide	260							10	39	53	56	53	37	10	1	1		
(37)	Other defined diseases	3,427	521	117	74	56	32	89	122	165	269	416	560	458	358	169	19	2	
38	Diseases ill-defined or unknown	13	1	4				2			1	2	1	1	1				
PHILADELPHIA, PA. (COLORED).																			
	All causes	2,379	345	105	37	19	9	54	139	291	379	384	266	177	115	40	14	5	
1	Typhoid fever	7						1	1	4	1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	8	1	7															
6	Scarlet fever	1			1														
7	Whooping cough	13	7	4	1			1											
8	Diphtheria and croup	21	2	4	2	1	1	6	3	1			1						
9	Influenza	31	1	1	1	1			1	4	5	3	6	2	4	2			
10	Asiatic cholera																		
11	Cholera nostras	1										1							
12	Other epidemic diseases	10	2	2					2		1		2		1				
13	Tuberculosis of the lungs	458	7	9	2	2		10	67	118	113	91	23	8	6	1	1		
14	Tuberculous meningitis	19	3	6	2	1		2	4		1								
15	Other forms of tuberculosis	21	1	2				3	8	2	2	2	1						
16	Cancer and other malignant tumors	86					1		1	3	11	21	22	18	7	2			
17	Meningitis	8	2	1			1	1		1		1	1						
18	Cerebral hemorrhage and softening	82	1								2	15	25	16	14	7	2		
19	Organic diseases of the heart	246	4			1		1	5	13	43	53	32	51	24	12	5	2	
20	Acute bronchitis	27	16	8					1			2							
21	Chronic bronchitis	11	1						1			3	3	2	1				
22	Pneumonia	184	18	5	5	2		6	6	29	43	26	28	9	6	1			
23a	Bronchopneumonia	121	47	19	9	5		2	2	7	1	4	10	8	5	2			
23b	Other diseases of the respiratory system	22	3		1			2		2	5	4	4	1					
24	Diseases of the stomach	26	3							6	7	7	2	1					
25(37)	Diarrhea and enteritis	125	80	26	6	3	1	4	1	1	1	1		1					
26	Appendicitis and typhlitis	11						1	2	3	2	2	1						
27	Hernia, intestinal obstruction	23	1						1	4	2	4	8	1	1	1			
28	Cirrhosis of the liver	8								1	3	2	1	1					
29	Acute nephritis and Bright's disease	226						2	1	12	32	58	43	40	30	5	1	2	
30	Diseases of the female genital organs	19							2	4	9	3		1					
31	Puerperal fever	15							3	8	3	1							
32	Other puerperal affections	12								6	6								
33	Congenital debility and malformations	88	88																
34	Senility	6													5		1		
35	Violent deaths (excluding suicide)	136	3	2	3	2	2	7	18	29	29	23	8	7	2	1			
36	Suicide	6								2	3	1							
(37)	Other defined diseases	298	54	7	4	1	3	5	9	30	54	56	45	10	9	6	4	1	
38	Diseases ill-defined or unknown	3		2						1									

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	PITTSBURGH, PA. (TOTAL).																		
	All causes	10,077	1,893	507	175	92	66	240	349	869	1,051	1,180	1,232	1,145	883	347	43	5	
1	Typhoid fever	52				1		4	8	19	10	9	1						
2	Typhus fever																		
3	Malaria	2											1	1					
4	Smallpox																		
5	Measles	137	40	61	17	2	6	8			2	1							
6	Scarlet fever	21	1	1	3	2	2	5	5	1	1								
7	Whooping cough	109	54	33	12	6	1	2	1										
8	Diphtheria and croup	126	10	31	18	14	12	31	8	1	1								
9	Influenza	154	11	8	2	1	1	6	2	8	12	13	17	30	35	8			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	42	9	1		1	1		1	2	4	6	7	7	1	2			
13	Tuberculosis of the lungs	641	12	8	5		2	10	61	173	147	118	58	36	11				
14	Tuberculous meningitis	87	17	15	9	7	7	9	6	9	4	3	1						
15	Other forms of tuberculosis	62	3	3	2	1	1	2	6	12	17	4	6	2	3				
16	Cancer and other malignant tumors	520		2	2	1	1	2	9	17	41	92	140	127	66	20			
17	Meningitis	62	14	6	7	2		9	6	5	6	2	5						
18	Cerebral hemorrhage and softening	400	1						1	6	10	31	83	104	110	46	8		
19	Organic diseases of the heart	838	3		1		1	9	34	49	77	120	166	172	148	52	6		
20	Acute bronchitis	103	46	11	5			1		1		4	1	8	7	14	4	1	
21	Chronic bronchitis	65				1		1	1	1	4	3	6	13	26	9			
22	Pneumonia	1,312	70	37	9	6	5	22	34	131	196	260	216	184	106	33	3		
23a	Bronchopneumonia	605	174	74	39	11	3	9	3	16	18	27	48	71	66	39	6	1	
23b	Other diseases of the respiratory system	132	4	7	2	1	1	3	2	14	12	14	16	32	19	5			
24	Diseases of the stomach	101	18	5	1	1		1	2	6	10	22	18	8	5	2	2		
25(37)	Diarrhea and enteritis	742	525	157	13	7	2	8		4	2	4	6	4	5	3	2		
26	Appendicitis and typhlitis	110	2	1		1		7	19	32	19	19	5	3	2				
27	Hernia, intestinal obstruction	90	16	2	1	1			5	4	7	13	19	13	6	3			
28	Cirrhosis of the liver	105								2	8	29	30	31	4		1		
29	Acute nephritis and Bright's disease	533	3	2	2	4	3	5	10	27	57	72	101	113	104	27	3		
30	Diseases of the female genital organs	54								7	14	20	9	3	1				
31	Puerperal fever	67							6	33	23	5							
32	Other puerperal affections	84							7	33	34	10							
33	Congenital debility and malformations	583	578	1	2			1	1										
34	Senility	39												2	8	23	4	2	
35	Violent deaths (excluding suicide)	777	18	12	11	12	8	52	67	151	156	105	91	50	29	14	1		
36	Suicide	74							2	29	16	14	5	6	2				
(37)	Other defined diseases	1,234	261	25	12	9	8	33	42	76	143	160	172	124	118	47	3	1	
38	Diseases ill-defined or unknown	13	3	4			1						4		1				
	PITTSBURGH, PA. (WHITE).																		
	All causes	9,380	1,786	470	165	89	64	223	319	784	946	1,054	1,153	1,081	864	336	41	5	
1	Typhoid fever	48				1		4	7	18	10	7	1						
2	Typhus fever																		
3	Malaria	2											1	1					
4	Smallpox																		
5	Measles	129	38	58	16	2	5	7			2	1							
6	Scarlet fever	21	1	1	3	2	2	5	5	1	1								
7	Whooping cough	92	45	28	11	5	1	1	1										
8	Diphtheria and croup	124	10	31	18	14	12	29	8	1	1								
9	Influenza	148	9	8	2	1	1	6	2	8	10	13	16	29	35	8			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	42	9	1		1	1		1	2	4	6	7	7	1	2			
13	Tuberculosis of the lungs	565	12	8	4		2	5	50	156	125	104	56	32	11				
14	Tuberculous meningitis	82	16	15	9	6	7	9	5	7	4	3	1						
15	Other forms of tuberculosis	56	3	3	2	1	1	1	4	10	16	4	6	2	3				
16	Cancer and other malignant tumors	497		2	2	1	1	1	9	16	39	85	133	123	66	19			
17	Meningitis	60	14	6	7	2		9	6	4	5	2	5						
18	Cerebral hemorrhage and softening	381	1						1	5	7	26	78	102	108	45	8		
19	Organic diseases of the heart	758	3		1		1	8	32	46	64	104	148	156	141	49	5		
20	Acute bronchitis	102	45	11	5			1		1		4	1	8	7	14	4	1	
21	Chronic bronchitis	62				1			1	1	3	3	6	13	26	9			
22	Pneumonia	1,193	65	34	9	6	5	20	28	111	177	225	203	171	104	32	3		
23a	Bronchopneumonia	551	160	57	34	11	3	8	3	15	15	24	45	65	65	39	6	1	
23b	Other diseases of the respiratory system	124	4	7	2	1		3	1	14	11	12	15	30	19	5			
24	Diseases of the stomach	90	17	4	1	1		1	2	6	8	17	17	7	5	2	2		
25(37)	Diarrhea and enteritis	720	508	153	13	7	2	8		3	2	4	6	4	5	3	2		
26	Appendicitis and typhlitis	106	1	1		1		7	19	30	19	18	5	3	2				
27	Hernia, intestinal obstruction	87	16	2	1	1			5	3	7	13	18	13	6	2			
28	Cirrhosis of the liver	98								2	6	29	27	29	4		1		
29	Acute nephritis and Bright's disease	488	3	2	2	4	3	5	10	25	48	57	92	107	102	26	2		
30	Diseases of the female genital organs	46								5	10	18	9	3	1				
31	Puerperal fever	64							5	33	21	5							
32	Other puerperal affections	79							7	30	32	10							
33	Congenital debility and malformations	551	546	1	2			1	1										
34	Senility	38												2	8	22	4	2	
35	Violent deaths (excluding suicide)	717	14	10	9	12	8	52	64	132	147	92	87	48	28	13	1		
36	Suicide	72							2	28	15	14	5	6	2				
(37)	Other defined diseases	1,173	243	23	12	9	8	32	40	71	137	154	161	119	114	46	3	1	
38	Diseases ill-defined or unknown	13	3	4			1						4		1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—															Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PITTSBURGH, PA. (COLORED).																		
	All causes	697	107	37	10	3	2	17	30	85	105	126	79	64	19	11	2	.....	.....
1	Typhoid fever	4	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	2	3	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	17	9	5	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	2	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	6	2	.....	.....	.....	.....	.....	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	76	.....	.....	1	.....	.....	5	11	17	22	14	2	4	.....	.....	.....	.....	.....
14	Tuberculous meningitis	5	1	.....	.....	1	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	6	.....	.....	.....	.....	.....	1	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	25	.....	.....	.....	.....	.....	1	.....	1	2	7	7	4	.....	1	.....	.....	.....
17	Meningitis	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	19	.....	.....	.....	.....	.....	.....	.....	1	3	5	5	2	2	1	.....	.....	.....
19	Organic diseases of the heart	80	.....	.....	.....	.....	.....	1	2	3	13	16	18	16	7	3	1	.....	.....
20	Acute bronchitis	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
21	Chronic bronchitis	3	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
22	Pneumonia	119	5	3	.....	.....	.....	2	6	20	19	35	13	13	2	1	.....	.....	.....
23a	Bronchopneumonia	54	14	17	5	.....	.....	1	.....	1	3	3	3	6	1	.....	.....	.....	.....
23b	Other diseases of the respiratory system	8	.....	.....	.....	.....	1	.....	1	.....	1	2	1	2	.....	.....	.....	.....	.....
24	Diseases of the stomach	11	1	1	.....	.....	.....	.....	.....	.....	2	5	1	1	.....	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	22	17	4	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Appendicitis and typhlitis	4	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	1	.....	.....	.....
28	Cirrhosis of the liver	7	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	3	2	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	45	.....	.....	.....	.....	.....	.....	.....	2	9	15	9	6	2	1	1	.....	.....
30	Diseases of the female genital organs	8	.....	.....	.....	.....	.....	.....	.....	2	4	2	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	3	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	5	.....	.....	.....	.....	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	32	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
35	Violent deaths (excluding suicide)	60	4	2	2	.....	.....	.....	3	19	9	13	4	2	1	1	.....	.....	.....
36	Suicide	2	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	61	18	2	.....	.....	.....	1	2	5	6	6	11	5	4	1	.....	.....	.....
38	Diseases ill-defined or unknown	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
SCRANTON, PA.																			
	All causes	2,116	476	84	22	25	17	41	72	153	198	219	271	246	201	82	9	.....	.....
1	Typhoid fever	9	.....	.....	.....	.....	.....	1	.....	3	4	1	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	1	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	5	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	25	3	7	3	7	1	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
9	Influenza	26	3	.....	.....	1	.....	.....	1	2	1	.....	3	3	7	4	1	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	5	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	12	3	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	3	2	.....	.....	.....
13	Tuberculosis of the lungs	109	3	2	1	.....	.....	.....	8	31	29	17	11	6	1	.....	.....	.....	.....
14	Tuberculous meningitis	9	2	3	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	11	2	1	2	1	.....	.....	.....	3	2	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	113	.....	.....	.....	.....	.....	.....	1	1	11	22	26	24	23	5	.....	.....	.....
17	Meningitis	10	1	1	1	.....	.....	1	.....	1	.....	2	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	119	.....	.....	.....	.....	.....	.....	.....	3	3	14	20	32	33	14	.....	.....	.....
19	Organic diseases of the heart	175	.....	.....	.....	.....	.....	3	11	8	18	16	33	45	32	8	1	.....	.....
20	Acute bronchitis	13	8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....
21	Chronic bronchitis	12	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	2	2	3	.....	.....	.....
22	Pneumonia	179	24	2	2	1	1	1	6	11	19	28	36	25	13	7	3	.....	.....
23a	Bronchopneumonia	100	38	14	3	3	4	1	.....	3	1	6	6	7	11	3	.....	.....	.....
23b	Other diseases of the respiratory system	25	4	1	1	1	.....	.....	.....	1	1	7	2	2	4	1	.....	.....	.....
24	Diseases of the stomach	22	5	.....	.....	.....	.....	.....	.....	.....	4	3	3	2	3	2	.....	.....	.....
25(37)	Diarrhea and enteritis	230	173	35	2	.....	.....	4	.....	2	1	1	2	5	3	2	.....	.....	.....
26	Appendicitis and typhlitis	33	.....	.....	.....	1	.....	2	7	8	6	3	3	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	24	4	2	.....	.....	1	.....	.....	1	2	1	6	3	2	2	.....	.....	.....
28	Cirrhosis of the liver	24	.....	.....	.....	.....	.....	.....	1	.....	2	5	9	2	4	1	.....	.....	.....
29	Acute nephritis and Bright's disease	126	2	.....	.....	.....	.....	3	6	2	8	18	26	32	19	7	3	.....	.....
30	Diseases of the female genital organs	14	.....	.....	.....	.....	.....	.....	.....	1	5	2	1	2	3	.....	.....	.....	.....
31	Puerperal fever	13	.....	.....	.....	.....	.....	.....	.....	4	8	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	19	.....	.....	.....	.....	.....	.....	2	8	6	3	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	127	127	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....
35	Violent deaths (excluding suicide)	203	3	7	3	5	8	12	13	41	34	28	25	14	7	2	1	.....	.....
36	Suicide	11	.....	.....	.....	.....	.....	.....	1	3	1	2	3	1	.....	.....	.....	.....	.....
(37)	Other defined diseases	302	64	5	1	2	1	8	12	16	30	36	50	34	26	17	.....	.....	.....
38	Diseases ill-defined or unknown	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Itn. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
PROVIDENCE, R. I.																			
	All causes	4,027	657	151	73	31	45	95	150	273	378	449	538	550	423	180	33	1	.....
1	Typhoid fever	13	.....	1	.....	.....	.....	1	4	5	1	.....	.....	1	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	64	18	26	13	2	2	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	16	1	1	.....	.....	1	7	1	3	2	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	12	6	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	76	3	9	16	6	14	19	5	1	.....	1	1	.....	1	.....	.....	.....	.....
9	Influenza	66	1	3	.....	1	1	2	1	3	2	4	9	12	13	11	3	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
12	Other epidemic diseases	28	6	2	1	.....	.....	1	.....	.....	4	3	6	3	2	.....	.....	.....	.....
13	Tuberculosis of the lungs	342	6	6	3	1	2	2	31	73	90	74	39	10	3	2	.....	.....	.....
14	Tuberculous meningitis	44	9	12	8	3	.....	3	4	2	3	.....	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	35	5	4	.....	1	.....	3	2	5	7	3	3	2	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	255	.....	.....	.....	1	1	1	.....	5	10	44	73	70	35	14	1	.....	.....
17	Meningitis	27	3	2	.....	1	1	4	4	4	3	2	2	1	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	243	.....	1	.....	.....	.....	.....	1	.....	9	24	56	73	56	22	1	.....	.....
19	Organic diseases of the heart	427	.....	.....	.....	.....	.....	2	10	12	34	57	65	109	98	34	6	.....	.....
20	Acute bronchitis	30	16	4	2	.....	.....	1	.....	.....	.....	.....	.....	.....	3	2	2	.....	.....
21	Chronic bronchitis	20	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	2	6	9	.....	.....
22	Pneumonia	309	29	15	6	3	3	4	11	22	41	39	54	42	32	7	1	.....	.....
23a	Bronchopneumonia	135	60	18	8	2	.....	2	3	.....	1	4	4	9	12	9	3	.....	.....
23b	Other diseases of the respiratory system	34	3	4	.....	.....	.....	2	.....	4	2	3	5	4	3	3	1	.....	.....
24	Diseases of the stomach	18	1	.....	.....	1	.....	.....	1	2	3	3	3	1	2	1	.....	.....	.....
25(37)	Diarrhea and enteritis	167	131	17	3	.....	1	3	.....	1	2	.....	5	1	2	1	.....	.....	.....
26	Appendicitis and typhlitis	56	.....	.....	.....	.....	1	3	12	17	9	5	5	4	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	30	1	1	.....	.....	.....	2	.....	.....	2	6	9	6	3	.....	.....	.....	.....
28	Cirrhosis of the liver	34	.....	.....	.....	.....	.....	.....	.....	1	4	9	7	10	3	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	363	1	.....	1	1	1	5	6	19	34	59	62	74	74	21	5	.....	.....
30	Diseases of the female genital organs	28	.....	.....	.....	.....	.....	.....	1	8	8	8	2	.....	1	.....	.....	.....	.....
31	Puerperal fever	6	.....	.....	.....	.....	.....	.....	.....	2	3	1	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	32	.....	.....	.....	.....	.....	.....	2	12	14	4	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	219	217	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	10	3	.....	.....
35	Violent deaths (excluding suicide)	233	7	5	3	2	10	14	23	32	29	27	30	23	18	9	1	.....	.....
36	Suicide	30	.....	.....	.....	.....	.....	.....	1	7	6	6	3	4	3	.....	.....	.....	.....
(37)	Other defined diseases	591	125	13	6	6	7	14	26	33	47	58	91	88	46	25	5	1	.....
38	Diseases ill-defined or unknown	23	8	1	1	.....	.....	.....	.....	.....	4	4	3	1	1	.....	.....	.....	.....
RICHMOND, VA. (TOTAL).																			
	All causes	3,092	534	112	62	34	21	57	114	307	368	336	340	365	291	140	11	.....	.....
1	Typhoid fever	37	.....	.....	.....	1	.....	3	14	10	8	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	41	10	10	8	2	3	6	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	47	21	10	8	3	2	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	5	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	32	2	.....	1	1	.....	.....	2	2	6	4	3	5	3	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	16	1	2	2	1	.....	.....	.....	.....	2	1	2	1	3	1	.....	.....	.....
13	Tuberculosis of the lungs	293	3	3	1	1	4	3	30	96	73	43	17	11	7	1	.....	.....	.....
14	Tuberculous meningitis	29	7	2	7	3	1	4	.....	2	1	1	.....	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	28	.....	2	1	2	.....	1	4	8	5	1	2	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	152	.....	.....	.....	.....	.....	.....	.....	6	12	34	20	44	26	10	.....	.....	.....
17	Meningitis	12	5	1	.....	1	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	226	.....	.....	.....	.....	.....	.....	1	6	16	32	58	59	38	16	.....	.....	.....
19	Organic diseases of the heart	297	1	1	.....	.....	1	3	6	10	28	41	57	67	55	25	2	.....	.....
20	Acute bronchitis	34	14	4	5	.....	1	.....	1	2	1	.....	1	1	4	.....	.....	.....	.....
21	Chronic bronchitis	12	.....	.....	.....	.....	.....	.....	.....	1	.....	3	2	5	1	.....	.....	.....	.....
22	Pneumonia	180	12	10	2	2	1	4	7	21	33	29	24	17	12	6	.....	.....	.....
23a	Bronchopneumonia	124	55	24	13	1	2	3	5	2	4	3	1	4	5	2	.....	.....	.....
23b	Other diseases of the respiratory system	65	5	1	.....	1	.....	.....	.....	10	11	13	8	5	8	3	.....	.....	.....
24	Diseases of the stomach	46	15	5	1	.....	.....	1	.....	5	7	2	4	4	2	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	150	94	20	6	4	1	2	1	1	2	3	1	8	3	4	.....	.....	.....
26	Appendicitis and typhlitis	29	.....	.....	.....	.....	.....	3	2	7	8	5	1	2	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	22	.....	1	.....	.....	.....	1	.....	6	2	3	1	3	4	1	.....	.....	.....
28	Cirrhosis of the liver	23	.....	.....	.....	.....	.....	1	.....	2	1	7	3	3	3	3	.....	.....	.....
29	Acute nephritis and Bright's disease	321	5	1	2	2	.....	.....	1	11	23	44	66	62	68	31	5	.....	.....
30	Diseases of the female genital organs	23	.....	.....	.....	.....	.....	.....	1	1	13	7	.....	1	.....	.....	.....	.....	.....
31	Puerperal fever	14	.....	.....	.....	.....	.....	.....	.....	6	8	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	18	.....	.....	.....	.....	.....	.....	1	9	8	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	192	189	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	21	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	12	1	.....
35	Violent deaths (excluding suicide)	139	10	.....	1	4	1	5	19	33	27	10	8	7	7	7	.....	.....	.....
36	Suicide	13	.....	.....	.....	.....	.....	.....	1	2	5	2	3	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	419	79	7	2	5	2	12	13	44	55	46	53	48	35	15	3	.....	.....
38	Diseases ill-defined or unknown	28	6	4	1	.....	.....	.....	2	3	4	1	4	3	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
RICHMOND, VA. (WHITE).																			
	All causes	1,629	256	36	27	11	12	29	47	122	146	158	157	243	244	132	9	.....	.....
1	Typhoid fever	17	.....	.....	.....	1	.....	.....	8	6	1	.....	1	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	16	2	2	4	1	2	4	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	14	8	1	3	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	5	.....	.....	.....	.....	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	11	1	.....	1	.....	.....	.....	.....	1	.....	1	.....	2	2	3	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	10	.....	1	2	1	.....	.....	.....	.....	.....	1	1	1	2	1	.....	.....	.....
13	Tuberculosis of the lungs	117	2	1	.....	.....	.....	.....	7	32	33	20	7	7	7	1	.....	.....	.....
14	Tuberculous meningitis	16	4	1	5	1	1	.....	.....	2	1	.....	.....	.....	1	.....	.....	.....	.....
15	Other forms of tuberculosis	13	.....	2	1	.....	.....	.....	.....	2	3	1	2	1	1	.....	.....	.....	.....
16	Cancer and other malignant tumors	120	.....	.....	.....	.....	.....	.....	.....	3	7	23	16	37	24	10	.....	.....	.....
17	Meningitis	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	120	.....	.....	.....	.....	.....	.....	.....	5	3	9	25	29	35	14	.....	.....	.....
19	Organic diseases of the heart	177	1	1	.....	.....	1	3	5	2	10	13	22	47	46	24	2	.....	.....
20	Acute bronchitis	4	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
21	Chronic bronchitis	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....
22	Pneumonia	69	2	4	1	.....	.....	2	3	7	7	11	7	12	7	6	.....	.....	.....
23a	Bronchopneumonia	42	22	3	3	1	1	.....	1	.....	1	2	.....	3	3	2	.....	.....	.....
23b	Other diseases of the respiratory system	24	1	1	.....	1	.....	.....	.....	2	1	3	3	2	7	3	.....	.....	.....
24	Diseases of the stomach	11	6	1	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	75	43	11	3	1	1	.....	.....	.....	1	3	.....	6	2	4	.....	.....	.....
26	Appendicitis and typhlitis	21	.....	.....	.....	.....	.....	2	.....	5	7	5	.....	1	1	.....	.....	.....	.....
27	Hernia, intestinal obstruction	17	.....	1	.....	.....	.....	1	.....	3	1	2	1	3	4	1	.....	.....	.....
28	Cirrhosis of the liver	18	.....	.....	.....	.....	.....	.....	.....	2	1	4	2	3	3	3	.....	.....	.....
29	Acute nephritis and Bright's disease	198	2	.....	1	1	.....	.....	.....	3	11	18	33	38	58	28	5	.....	.....
30	Diseases of the female genital organs	11	.....	.....	.....	.....	.....	.....	1	1	4	4	.....	1	.....	.....	.....	.....	.....
31	Puerperal fever	9	.....	.....	.....	.....	.....	.....	.....	5	4	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	12	.....	.....	.....	.....	.....	.....	1	8	3	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	111	108	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	11	1	.....	.....
35	Violent deaths (excluding suicide)	76	4	.....	1	1	1	5	12	9	14	8	4	5	5	7	.....	.....	.....
36	Suicide	13	.....	.....	.....	.....	.....	.....	1	2	5	2	3	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	253	46	1	1	2	2	8	6	20	27	26	28	40	31	14	1	.....	.....
38	Diseases ill-defined or unknown	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
RICHMOND, VA. (COLORED).																			
	All causes	1,463	278	76	35	23	9	28	67	185	222	178	183	122	47	8	2	.....	.....
1	Typhoid fever	20	.....	.....	.....	.....	.....	3	6	4	7	.....	.....	.....	.....	.....	.....	.....	.....
2	Typhus fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
4	Smallpox	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	25	8	8	4	1	1	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	33	13	9	5	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	21	1	.....	.....	1	.....	.....	2	1	6	3	3	3	1	.....	.....	.....	.....
10	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
11	Cholera nostras	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Other epidemic diseases	6	1	1	.....	.....	.....	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....
13	Tuberculosis of the lungs	176	1	2	1	1	4	3	23	64	40	23	10	4	.....	.....	.....	.....	.....
14	Tuberculous meningitis	13	3	1	2	2	.....	4	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
15	Other forms of tuberculosis	15	.....	.....	.....	2	.....	1	4	6	2	.....	.....	.....	.....	.....	.....	.....	.....
16	Cancer and other malignant tumors	32	.....	.....	.....	.....	.....	.....	.....	3	5	11	4	7	2	.....	.....	.....	.....
17	Meningitis	7	1	.....	.....	1	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....	.....	.....
18	Cerebral hemorrhage and softening	106	.....	.....	.....	.....	.....	.....	1	1	13	23	33	30	3	2	.....	.....	.....
19	Organic diseases of the heart	120	.....	.....	.....	.....	.....	.....	1	8	18	28	35	20	9	1	.....	.....	.....
20	Acute bronchitis	30	14	4	5	.....	.....	.....	1	2	1	.....	1	.....	2	.....	.....	.....	.....
21	Chronic bronchitis	8	.....	.....	.....	.....	.....	.....	.....	1	.....	2	2	3	.....	.....	.....	.....	.....
22	Pneumonia	111	10	6	1	2	1	2	4	14	26	18	17	5	5	.....	.....	.....	.....
23a	Bronchopneumonia	82	33	21	10	.....	1	3	4	2	3	1	1	1	2	.....	.....	.....	.....
23b	Other diseases of the respiratory system	41	4	.....	.....	.....	.....	.....	.....	8	10	10	5	3	1	.....	.....	.....	.....
24	Diseases of the stomach	35	9	4	1	.....	.....	1	.....	4	6	2	3	4	1	.....	.....	.....	.....
25(37)	Diarrhea and enteritis	75	51	9	3	3	.....	2	1	1	1	.....	1	2	1	.....	.....	.....	.....
26	Appendicitis and typhlitis	8	.....	.....	.....	.....	.....	1	2	2	1	.....	1	1	.....	.....	.....	.....	.....
27	Hernia, intestinal obstruction	5	.....	.....	.....	.....	.....	.....	.....	3	1	1	.....	.....	.....	.....	.....	.....	.....
28	Cirrhosis of the liver	5	.....	.....	.....	.....	.....	1	.....	.....	.....	3	1	.....	.....	.....	.....	.....	.....
29	Acute nephritis and Bright's disease	123	3	1	1	1	.....	.....	1	8	12	26	33	24	10	3	.....	.....	.....
30	Diseases of the female genital organs	12	.....	.....	.....	.....	.....	.....	.....	.....	9	3	.....	.....	.....	.....	.....	.....	.....
31	Puerperal fever	5	.....	.....	.....	.....	.....	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	.....
32	Other puerperal affections	6	.....	.....	.....	.....	.....	.....	.....	1	5	.....	.....	.....	.....	.....	.....	.....	.....
33	Congenital debility and malformations	81	81	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
34	Senility	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3	1	.....	.....	.....
35	Violent deaths (excluding suicide)	63	6	.....	.....	3	.....	.....	7	24	13	2	4	2	2	.....	.....	.....	.....
36	Suicide	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
(37)	Other defined diseases	166	33	6	1	3	.....	4	7	24	28	20	25	8	4	1	2	.....	.....
38	Diseases ill-defined or unknown	26	6	4	1	.....	.....	.....	2	3	4	1	3	2	.....	.....	.....	.....	.....

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	SEATTLE, WASH.																		
	All causes	2,442	276	46	19	13	9	38	78	231	256	272	372	368	310	136	16	1	1
1	Typhoid fever	11							3	2	4	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	12	2	3	2	2		2	1										
6	Scarlet fever																		
7	Whooping cough	18	9	6	1	1		1											
8	Diphtheria and croup	7		1		2		4											
9	Influenza	36	7	1						1		1	5	6	10	5			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	2					1		1		1	1			1			
13	Tuberculosis of the lungs	192	2	1		2		1	13	53	63	19	20	13	5				
14	Tuberculous meningitis	31	5	4	3	1	1	4		10	3								
15	Other forms of tuberculosis	40	1		1	1	2	2	8	12	3	5	3	1	1				
16	Cancer and other malignant tumors	245						1	1	8	16	32	66	66	42	10	3		
17	Meningitis	14	4	3	1			1	2		1		1		1				
18	Cerebral hemorrhage and softening	141								1	4	9	27	44	39	17			
19	Organic diseases of the heart	299	1						6	19	18	39	42	82	62	26	4		
20	Acute bronchitis	6	3	1									1			1			
21	Chronic bronchitis	2													1	1			
22	Pneumonia	91	6	6	2			1	3	13	13	8	11	10	13	5			
23a	Bronchopneumonia	49	20	5	2						1	4	1	3	7	6			
23b	Other diseases of the respiratory system	25			1				1	2	1	6	5	1	7	1			
24	Diseases of the stomach	35	7			1		1	1	1	3	3	6	4	5	2	1		
25(37)	Diarrhea and enteritis	33	16	2	3			2		1	1	3	2	1	2				
26	Appendicitis and typhlitis	34		1			1	1	7	3	13	3	3	1	1				
27	Hernia, intestinal obstruction	28	6	1						1	2	3	4	7	2	2			
28	Cirrhosis of the liver	24								1	1	4	7	7	4				
29	Acute nephritis and Bright's disease	157	1		1				3	11	11	18	39	30	32	9	1		1
30	Diseases of the female genital organs	14							2	4	5	2	1						
31	Puerperal fever	10							1	7	2								
32	Other puerperal affections	19								12	6	1							
33	Congenital debility and malformations	128	126	1			1												
34	Senility	38													15	18	4	1	
35	Violent deaths (excluding suicide)	181	7	4	1	2	2	9	8	30	34	34	24	12	8	5	1		
36	Suicide	53								8	10	13	7	9	5	1			
(37)	Other defined diseases	457	49	5	1		2	7	18	30	41	63	94	71	48	26	2		
38	Diseases ill-defined or unknown	5	2	1		1							1						
	SPOKANE, WASH.																		
	All causes	1,051	114	17	15	9	6	27	37	83	109	118	156	170	126	53	11		
1	Typhoid fever	3									1	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	16	3	3	3	2		3	1		1								
6	Scarlet fever	1				1													
7	Whooping cough	5	1	3		1													
8	Diphtheria and croup	1				1													
9	Influenza	18	2						1	2		1	1	4	3	3	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3		1								1			1				
13	Tuberculosis of the lungs	61			1				3	18	23	6	7	2	1				
14	Tuberculous meningitis	10	2	1	3		2			1	1								
15	Other forms of tuberculosis	12				1		1	2	1	3	1	2		1				
16	Cancer and other malignant tumors	112					1	1	1	3	12	16	25	34	11	8			
17	Meningitis	3					1				2								
18	Cerebral hemorrhage and softening	69						1				1	16	19	20	10	2		
19	Organic diseases of the heart	104		1			1	2	3	4	10	9	17	22	30	4	1		
20	Acute bronchitis	3	3																
21	Chronic bronchitis	8											2	2	1	3			
22	Pneumonia	53	1		1	1			2	5	5	11	7	9	8	3			
23a	Bronchopneumonia	22	14	1				1		1		1	1		1	2			
23b	Other diseases of the respiratory system	11			1				1		2	2	1	1	2	1			
24	Diseases of the stomach	9								2		2	2	2	1				
25(37)	Diarrhea and enteritis	26	13	2	1	1		1		2	2		1	1	1	1			
26	Appendicitis and typhlitis	19						1	2	3	3	3	7						
27	Hernia, intestinal obstruction	13	3	1				1	1		1	1	3	2					
28	Cirrhosis of the liver	8										1	2	3	1	1			
29	Acute nephritis and Bright's disease	98			1				2	1	3	12	20	31	21	5	2		
30	Diseases of the female genital organs	9							1	2	3	2	1						
31	Puerperal fever	9								6	2	1							
32	Other puerperal affections	14							1	5	4	4							
33	Congenital debility and malformations	53	51			1			1										
34	Senility	7												1	3	2	1		
35	Violent deaths (excluding suicide)	63	2	2	3		1	6	9	7	10	11	6	4	1		1		
36	Suicide	17								2	5	2	4	2	1	1			
(37)	Other defined diseases	191	19	2	1			9	6	18	16	29	30	31	18	9	3		
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST) AND BY AGE OF DECEDENT: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—																Deaths at unknown age.
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	
	MILWAUKEE, WIS.																		
	All causes	5,549	1,255	278	115	72	52	124	191	367	365	516	649	616	582	314	50	3	
1	Typhoid fever	67			1	2	1	1	11	22	12	9	7	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	121	28	54	19	7	4	7	2										
6	Scarlet fever	48	3	5	5	7	3	12	10	2				1					
7	Whooping cough	38	23	7	4	1	1	2											
8	Diphtheria and croup	78	4	14	7	15	9	19	9			1							
9	Influenza	69	6	5	2			2	1	2	2	6	4	9	21	8	1		
10	Asiatic cholera																		
11	Cholera nostras	2						1					1						
12	Other epidemic diseases	20	4	4	1			1	1		2	2	2	3					
13	Tuberculosis of the lungs	344	5	4	1	2	1	3	29	126	69	44	31	22	5	2			
14	Tuberculous meningitis	49	12	10	4	4	3	4	5	2	2	1	2						
15	Other forms of tuberculosis	26	1	1			1	4	1	6	2	5	4		1				
16	Cancer and other malignant tumors	405		1	1		1		3	1	27	74	117	105	52	21	2		
17	Meningitis	42	11	2	5	2	6	5	4	3	1		1	2					
18	Cerebral hemorrhage and softening	268		1			1			1	8	15	55	69	75	39	4		
19	Organic diseases of the heart	449	3		1		1	3	16	12	22	43	67	104	118	54	5		
20	Acute bronchitis	92	53	14	3	1			1			2	1		7	9	1		
21	Chronic bronchitis	39									1	3	4	4	14	8	5		
22	Pneumonia	418	52	38	7	7	6	9	7	29	31	64	50	54	37	23	3	1	
23a	Bronchopneumonia	255	130	31	14	4		2	1	3		7	12	10	17	19	5		
23b	Other diseases of the respiratory system	46	6	2	2			2	2	3	1	6	8	8	2	3	1		
24	Diseases of the stomach	65	31	1	1			2	1	4	2	8	3	4	6	2			
25(37)	Diarrhea and enteritis	362	267	51	16	6	4	4		1		3	2	4	3	1			
26	Appendicitis and typhlitis	60	1		1		1	5	12	11	8	6	10	3	2				
27	Hernia, intestinal obstruction	32	4	3	1	1					3	8	2	3	3	3	1		
28	Cirrhosis of the liver	68							1	1	5	22	14	18	5	2			
29	Acute nephritis and Bright's disease	349	6	2		2	1	4	11	16	31	39	64	75	66	30	2		
30	Diseases of the female genital organs	21							1	3	3	5	5	3	1				
31	Puerperal fever	26							2	13	10	1							
32	Other puerperal affections	29							2	10	11	6							
33	Congenital debility and malformations	402	396	2	2			2											
34	Senility	70												2	20	35	12	1	
35	Violent deaths (excluding suicide)	313	7	6	7	4	5	17	23	36	56	45	47	24	20	14	1	1	
36	Suicide	69							2	11	9	17	18	7	4		1		
(37)	Other defined diseases	804	201	19	10	7	3	13	33	49	47	74	118	80	103	41	6		
38	Diseases ill-defined or unknown	3	1	1										1					

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY.													
	THE REGISTRATION AREA.													
	All causes	1,001,921	104,886	87,006	93,137	83,780	82,100	72,552	80,403	81,741	77,182	75,566	76,108	87,460
1	Typhoid fever	9,510	523	445	515	425	518	626	949	1,313	1,475	1,287	831	603
3	Malaria	2,175	58	45	63	86	106	187	239	369	414	331	174	103
5	Measles	7,947	551	715	1,287	1,586	1,356	817	513	247	137	126	192	420
6	Scarlet fever	2,355	306	266	318	291	224	165	99	63	87	127	179	230
7	Whooping cough	7,284	704	685	763	808	885	702	655	592	478	360	310	342
8	Diphtheria and croup	10,367	1,172	946	882	739	672	588	530	495	769	1,148	1,244	1,182
9	Influenza	18,886	7,680	4,143	2,631	1,230	633	279	189	100	150	226	466	1,159
13	Tuberculosis of the lungs	88,666	8,327	8,152	8,782	8,382	8,144	7,242	6,666	6,532	6,145	6,371	6,526	7,397
14-15	Other forms of tuberculosis	12,730	1,051	1,080	1,210	1,217	1,244	1,179	1,144	1,012	999	833	851	910
17	Meningitis	5,091	439	401	507	486	523	474	480	447	372	306	294	362
20-21	Bronchitis	11,587	1,541	1,278	1,343	1,172	991	670	497	457	599	768	980	1,341
22	Pneumonia	63,229	12,663	7,777	8,085	6,069	4,547	2,483	1,744	1,589	2,008	3,190	5,009	8,065
(23)	Bronchopneumonia	35,105	5,562	4,126	4,335	3,674	2,928	1,661	1,374	1,216	1,471	2,026	2,668	4,064
25	Diarrhea and enteritis (under 2 years)	46,956	1,888	1,738	2,048	2,031	2,579	3,250	7,092	10,284	7,814	4,252	2,222	1,758
(37)	Diarrhea and enteritis (2 years and over)	9,807	495	450	529	497	648	847	1,225	1,695	1,432	887	590	512
(33)	Congenital debility [1]	10,967	810	794	878	878	817	755	933	1,195	1,211	1,022	843	831
35	Violent deaths (excluding suicide)	65,121	4,912	4,259	4,771	4,550	4,937	4,940	8,089	6,675	5,423	5,435	5,463	5,667
36	Suicide	10,162	844	753	840	925	1,026	860	879	817	843	804	831	740
	All other causes	583,976	55,360	48,953	53,350	48,734	49,322	44,827	47,106	46,643	45,355	46,067	46,485	51,774
	REGISTRATION STATES.[2]													
	All causes	924,971	97,325	80,434	85,982	77,514	75,717	66,974	73,700	75,484	71,423	69,655	70,139	80,624
1	Typhoid fever	8,813	482	402	454	394	458	568	834	1,221	1,417	1,225	784	574
3	Malaria	1,898	52	37	53	71	98	162	204	321	369	280	157	94
5	Measles	7,663	536	694	1,238	1,527	1,312	790	501	239	127	119	181	399
6	Scarlet fever	2,097	260	239	274	262	209	148	92	58	82	123	160	190
7	Whooping cough	7,065	693	664	742	787	859	675	640	573	453	350	296	333
8	Diphtheria and croup	9,322	1,085	855	794	686	612	513	470	441	692	1,020	1,111	1,043
9	Influenza	18,080	7,371	3,989	2,528	1,176	604	265	179	99	137	211	439	1,082
13	Tuberculosis of the lungs	81,023	7,614	7,447	8,020	7,723	7,458	6,630	6,059	5,971	5,568	5,801	5,949	6,783
14-15	Other forms of tuberculosis	11,665	964	980	1,112	1,118	1,142	1,090	1,050	941	914	767	768	819
17	Meningitis	4,719	414	373	468	451	483	449	455	411	344	272	268	331
20-21	Bronchitis	10,884	1,447	1,191	1,274	1,102	938	633	461	422	557	716	879	1,264
22	Pneumonia	58,478	11,766	7,251	7,502	5,653	4,222	2,287	1,581	1,449	1,833	2,891	4,628	7,415
(23)	Bronchopneumonia	32,777	5,198	3,862	4,025	3,426	2,746	1,559	1,280	1,131	1,385	1,864	2,488	3,813
25	Diarrhea and enteritis (under 2 years)	41,440	1,568	1,441	1,658	1,677	2,171	2,836	6,378	9,255	7,180	3,840	1,972	1,464
(37)	Diarrhea and enteritis (2 years and over)	8,856	452	387	473	435	574	755	1,116	1,562	1,339	800	520	443
(33)	Congenital debility [1]	10,409	776	757	836	819	765	713	884	1,142	1,161	975	798	783
35	Violent deaths (excluding suicide)	59,540	4,504	3,875	4,345	4,141	4,551	4,566	7,195	6,130	4,995	5,011	5,027	5,200
36	Suicide	9,181	755	679	759	845	919	774	802	738	762	731	754	663
	All other causes	541,061	51,388	45,311	49,427	45,221	45,596	41,561	43,519	43,380	42,108	42,659	42,960	47,931
	CITIES[3] IN REGISTRATION STATES.													
	All causes	477,821	49,621	40,778	44,349	40,661	39,554	34,029	38,184	39,360	36,244	35,947	36,669	42,425
1	Typhoid fever	3,408	199	180	223	170	187	203	291	427	516	481	308	223
3	Malaria	225	10	5	6	7	15	21	33	36	36	33	10	13
5	Measles	4,074	327	397	730	817	692	403	283	136	70	43	42	134
6	Scarlet fever	1,119	135	130	163	155	135	89	56	31	29	41	64	91
7	Whooping cough	3,104	285	296	320	371	415	302	296	271	218	130	85	115
8	Diphtheria and croup	5,250	607	532	508	458	420	360	300	213	312	452	542	546
9	Influenza	6,082	2,677	1,164	722	362	206	108	73	31	47	74	169	449
13	Tuberculosis of the lungs	42,415	3,959	3,859	4,191	4,057	3,896	3,398	3,112	3,058	2,927	3,102	3,220	3,636
14-15	Other forms of tuberculosis	6,842	537	587	667	666	677	644	631	536	532	437	453	475
17	Meningitis	2,412	217	180	250	237	245	247	226	214	159	132	136	169
20-21	Bronchitis	5,878	782	650	657	605	532	351	251	213	284	376	480	697
22	Pneumonia	33,231	6,466	3,716	4,079	3,228	2,613	1,446	997	958	1,126	1,746	2,628	4,228
(23)	Bronchopneumonia	19,387	2,948	2,149	2,278	2,046	1,798	1,041	903	812	858	1,077	1,343	2,134
25	Diarrhea and enteritis (under 2 years)	22,792	915	890	1,008	965	1,076	1,137	3,682	5,382	3,809	2,007	1,087	834
(37)	Diarrhea and enteritis (2 years and over)	3,820	220	195	241	191	241	287	515	689	492	311	230	208
(33)	Congenital debility [1]	4,859	344	320	373	379	381	324	401	567	590	448	376	356
35	Violent deaths (excluding suicide)	30,532	2,355	1,995	2,210	2,166	2,285	2,345	3,462	3,025	2,593	2,683	2,679	2,734
36	Suicide	5,378	477	412	447	481	506	441	441	408	457	434	454	420
	All other causes	277,013	26,161	23,121	25,276	23,300	23,234	20,882	22,231	22,353	21,189	21,940	22,363	24,963
	RURAL PART OF REGISTRATION STATES.													
	All causes	447,150	47,704	39,656	41,633	36,853	36,163	32,945	35,516	36,124	35,179	33,708	33,470	38,199
1	Typhoid fever	5,405	283	222	231	224	271	365	543	794	901	744	476	351
3	Malaria	1,673	42	32	47	64	83	141	171	285	333	247	147	81
5	Measles	3,589	209	297	508	710	620	387	218	103	57	76	139	265
6	Scarlet fever	978	125	109	111	107	74	59	36	27	53	82	96	99
7	Whooping cough	3,961	408	368	422	416	444	373	344	302	235	220	211	218
8	Diphtheria and croup	4,072	478	323	286	228	192	153	170	228	380	568	569	497
9	Influenza	11,998	4,694	2,825	1,806	814	398	157	106	68	90	137	270	633
13	Tuberculosis of the lungs	38,608	3,655	3,588	3,829	3,666	3,562	3,232	2,947	2,913	2,641	2,699	2,729	3,147
14-15	Other forms of tuberculosis	4,823	427	393	445	452	465	446	419	405	382	330	315	344
17	Meningitis	2,307	197	193	218	214	238	202	229	197	185	140	132	162
20-21	Bronchitis	5,006	665	541	617	497	406	282	210	209	273	340	399	567
22	Pneumonia	25,247	5,300	3,535	3,423	2,425	1,609	841	584	491	707	1,145	2,000	3,187
(23)	Bronchopneumonia	13,390	2,250	1,713	1,747	1,380	948	518	377	319	527	787	1,145	1,679
25	Diarrhea and enteritis (under 2 years)	18,648	653	551	650	712	1,095	1,699	2,696	3,873	3,371	1,833	885	630
(37)	Diarrhea and enteritis (2 years and over)	5,036	232	192	232	244	333	468	601	873	847	489	290	235
(33)	Congenital debility [1]	5,550	432	437	463	440	384	389	483	575	571	527	422	427
35	Violent deaths (excluding suicide)	29,008	2,149	1,880	2,135	1,975	2,266	2,221	3,733	3,105	2,402	2,328	2,348	2,466
36	Suicide	3,803	278	267	312	364	413	333	361	330	305	297	300	243
	All other causes	264,048	25,227	22,190	24,151	21,921	22,362	20,679	21,288	21,027	20,919	20,719	20,597	22,968

[1] Excluding premature birth. [2] Includes District of Columbia. [3] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY—Continued.													
	REGISTRATION CITIES[1] IN NON-REGISTRATION STATES.													
	All causes	76,950	7,561	6,572	7,155	6,266	6,383	5,578	6,703	6,257	5,759	5,911	5,969	6,836
1	Typhoid fever	697	41	43	61	31	60	58	115	92	58	62	47	29
3	Malaria	277	6	8	10	15	8	25	35	48	45	51	17	9
5	Measles	284	15	21	49	59	44	27	12	8	10	7	11	21
6	Scarlet fever	258	46	27	44	29	15	17	7	5	5	4	19	40
7	Whooping cough	219	11	21	21	21	26	27	15	19	25	10	14	9
8	Diphtheria and croup	1,045	87	91	88	53	60	75	60	54	77	128	133	139
9	Influenza	806	309	154	103	54	29	14	10	1	13	15	27	77
13	Tuberculosis of the lungs	7,643	713	705	762	659	686	612	607	561	577	570	577	614
14-15	Other forms of tuberculosis	1,065	87	100	98	99	102	89	94	71	85	66	83	91
17	Meningitis	372	25	28	39	35	40	25	25	36	28	34	26	31
20-21	Bronchitis	703	94	87	69	70	53	37	36	35	42	52	51	77
22	Pneumonia	4,751	897	526	583	416	325	196	163	140	175	299	381	650
(23)	Bronchopneumonia	2,328	364	264	310	248	182	102	94	85	86	162	180	251
25	Diarrhea and enteritis (under 2 years)	5,516	320	297	390	354	408	414	714	1,029	634	412	250	294
(37)	Diarrhea and enteritis (2 years and over)	951	43	63	55	62	74	92	109	133	93	87	70	69
(33)	Congenital debility[2]	558	34	37	42	59	52	42	49	53	50	47	45	48
35	Violent deaths (excluding suicide)	5,581	408	384	426	409	386	374	894	545	428	424	436	467
36	Suicide	981	89	74	81	80	107	86	77	79	81	73	77	77
	All other causes	42,915	3,972	3,642	3,923	3,513	3,726	3,266	3,587	3,263	3,247	3,408	3,525	3,843
	ALL REGISTRATION CITIES.[3]													
	All causes	554,771	57,182	47,350	51,504	46,927	45,937	39,607	44,887	45,617	42,003	41,858	42,638	49,261
1	Typhoid fever	4,105	240	223	284	201	247	261	406	519	574	543	355	252
3	Malaria	502	16	13	16	22	23	46	68	84	81	84	27	22
5	Measles	4,358	342	418	779	876	736	430	295	144	80	50	53	155
6	Scarlet fever	1,377	181	157	207	184	150	106	63	36	34	45	83	131
7	Whooping cough	3,323	296	317	341	392	441	329	311	290	243	140	99	124
8	Diphtheria and croup	6,295	694	623	596	511	480	435	360	267	389	580	675	685
9	Influenza	6,888	2,986	1,318	825	416	235	122	83	32	60	89	196	526
13	Tuberculosis of the lungs	50,058	4,672	4,564	4,953	4,716	4,582	4,010	3,719	3,619	3,504	3,672	3,797	4,250
14-15	Other forms of tuberculosis	7,907	624	687	765	765	779	733	725	607	617	503	536	566
17	Meningitis	2,784	242	208	289	272	285	272	251	250	187	166	162	200
20-21	Bronchitis	6,581	876	737	726	675	585	388	287	248	326	428	531	774
22	Pneumonia	37,982	7,363	4,242	4,662	3,644	2,938	1,642	1,160	1,098	1,301	2,045	3,009	4,878
(23)	Bronchopneumonia	21,715	3,312	2,413	2,588	2,294	1,980	1,143	997	897	944	1,239	1,523	2,385
25	Diarrhea and enteritis (under 2 years)	28,308	1,235	1,187	1,398	1,319	1,484	1,551	4,396	6,411	4,443	2,419	1,337	1,128
(37)	Diarrhea and enteritis (2 years and over)	4,771	263	258	297	253	315	379	624	822	585	398	300	277
(33)	Congenital debility[2]	5,417	378	357	415	438	433	366	450	620	640	495	421	404
35	Violent deaths (excluding suicide)	36,113	2,763	2,379	2,636	2,575	2,671	2,719	4,356	3,570	3,021	3,107	3,115	3,201
36	Suicide	6,359	566	486	528	561	613	527	518	487	538	507	531	497
	All other causes	319,928	30,133	26,763	29,199	26,813	26,960	24,148	25,818	25,616	24,436	25,348	25,888	28,806
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes	39,806	4,172	3,168	3,344	3,177	3,286	3,075	3,131	2,956	2,858	3,005	3,467	4,167
1	Typhoid fever	210	13	13	17	13	15	21	22	17	30	17	14	18
3	Malaria	41	1	1	2	2	3	5	7	2	7	6	2	3
5	Measles	68	7	16	4	8	4	6	6	2	3	3	5	4
6	Scarlet fever	43	4	3	6	4	4	3	4	1	1	2	4	7
7	Whooping cough	211	9	11	19	26	31	31	24	24	11	8	5	12
8	Diphtheria and croup	291	23	24	28	28	34	24	28	20	20	20	16	26
9	Influenza	407	120	56	28	21	13	8	5	4	7	19	36	90
13	Tuberculosis of the lungs	4,706	521	442	445	409	397	346	343	328	299	329	371	476
14-15	Other forms of tuberculosis	614	49	56	64	50	61	59	54	40	51	45	41	44
17	Meningitis	164	18	12	15	19	17	13	15	12	14	10	5	14
20-21	Bronchitis	327	48	27	22	25	23	20	17	15	16	24	39	51
22	Pneumonia	1,919	310	160	135	122	139	110	78	98	84	104	228	351
(23)	Bronchopneumonia	1,107	158	108	91	90	69	58	49	40	44	72	118	210
25	Diarrhea and enteritis (under 2 years)	843	50	40	45	44	85	86	114	84	99	74	64	58
(37)	Diarrhea and enteritis (2 years and over)	305	28	18	25	13	25	28	39	31	27	34	19	18
(33)	Congenital debility[2]	201	7	13	11	19	17	20	16	17	17	16	29	19
35	Violent deaths (excluding suicide)	3,318	288	216	245	268	266	295	357	282	278	260	278	285
36	Suicide	933	75	72	80	86	95	72	84	78	79	74	69	69
	All other causes	24,098	2,443	1,880	2,062	1,930	1,988	1,870	1,869	1,861	1,771	1,888	2,124	2,412
	COLORADO.													
	All causes	9,920	964	838	843	824	763	685	781	817	841	795	815	954
1	Typhoid fever	117	3	6	3	7	7	7	7	13	19	20	16	9
3	Malaria	5				2		1		1		1		
5	Measles	37		2	5	8	9	4	2		1	2	2	2
6	Scarlet fever	37	9	5	6	3	3	3	1		1	1	3	2
7	Whooping cough	45	3	4	3	5	6	7	2	3	2	2	4	4
8	Diphtheria and croup	41	7	2	2	8	4	1	3	1	1	4	2	6
9	Influenza	126	29	36	12	10	6	3		3		3	4	20
13	Tuberculosis of the lungs	1,461	143	137	137	132	118	101	107	110	97	123	127	129
14-15	Other forms of tuberculosis	109	11	10	10	8	8	7	6	9	14	11	7	8
17	Meningitis	69	4	4	7	9	6	6	2	6	12	6	1	6
20-21	Bronchitis	88	18	7	6	6	7	7	4	4	4	3	8	14
22	Pneumonia	682	122	83	68	46	52	37	21	17	32	47	65	92
(23)	Bronchopneumonia	278	43	32	23	27	22	11	9	8	15	17	25	46
25	Diarrhea and enteritis (under 2 years)	380	13	18	13	11	12	14	43	84	94	51	21	6
(37)	Diarrhea and enteritis (2 years and over)	98	2	7	2	6	4	4	10	28	20	7	6	2
(33)	Congenital debility[2]	104	9	3	6	5	6	5	8	17	12	15	11	7
35	Violent deaths (excluding suicide)	729	46	37	55	50	58	62	64	78	73	57	67	82
36	Suicide	118	8	6	6	8	12	10	13	12	14	9	10	10
	All other causes	5,396	494	439	479	473	423	395	479	423	430	416	436	509

[1] A list of these cities will be found on p. 10. [2] Excluding premature birth. [3] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	CONNECTICUT.													
	All causes	20,242	2,195	1,775	1,786	1,769	1,667	1,487	1,562	1,691	1,516	1,410	1,544	1,840
1	Typhoid fever	93	4	7	11	6	2	9	10	7	11	9	11	6
3	Malaria	8	------	------	1	1	------	2	2	1	------	1	------	------
5	Measles	150	6	5	32	21	26	19	16	14	3	------	2	6
6	Scarlet fever	33	7	3	6	3	4	1	3	2	2	1	------	1
7	Whooping cough	156	21	22	22	27	18	11	10	4	9	3	6	3
8	Diphtheria and croup	191	22	16	31	13	12	8	5	10	13	19	25	17
9	Influenza	482	224	103	40	29	13	6	1	------	5	3	7	51
13	Tuberculosis of the lungs	1,559	131	135	139	148	139	132	112	120	118	126	125	134
14–15	Other forms of tuberculosis	273	14	22	26	32	27	23	24	26	19	14	22	23
17	Meningitis	165	11	13	16	18	21	12	18	18	8	9	13	8
20–21	Bronchitis	251	31	32	26	23	24	15	13	10	13	12	19	33
22	Pneumonia	1,684	348	178	185	181	149	91	54	47	39	76	122	214
(23)	Bronchopneumonia	778	113	101	80	76	76	63	32	21	24	40	59	93
25	Diarrhea and enteritis (under 2 years)	1,067	28	32	26	41	43	46	217	282	196	81	40	35
(37)	Diarrhea and enteritis (2 years and over)	167	6	5	8	8	17	17	18	34	21	12	14	7
(33)	Congenital debility [1]	195	15	19	16	20	7	13	13	15	27	21	16	13
35	Violent deaths (excluding suicide)	1,280	90	84	79	93	105	104	134	121	95	116	122	137
36	Suicide	193	24	11	6	25	20	16	21	9	16	12	13	20
	All other causes	11,517	1,100	987	1,036	1,004	964	899	859	950	897	855	927	1,039
	INDIANA.													
	All causes	38,230	4,155	3,355	3,666	3,299	2,992	2,571	3,145	3,095	3,021	3,008	2,787	3,136
1	Typhoid fever	605	28	34	36	40	28	17	38	86	122	96	44	36
3	Malaria	39	2	------	1	1	4	3	3	4	11	7	1	2
5	Measles	205	13	22	28	43	40	29	13	1	2	3	5	6
6	Scarlet fever	103	13	14	11	15	7	4	2	3	9	6	7	12
7	Whooping cough	262	30	22	32	25	43	26	21	26	7	13	11	6
8	Diphtheria and croup	391	42	24	19	20	9	10	6	18	37	71	69	66
9	Influenza	968	431	235	126	51	30	17	8	4	7	4	28	27
13	Tuberculosis of the lungs	3,254	296	310	353	320	308	279	238	218	211	245	229	247
14–15	Other forms of tuberculosis	579	36	31	60	53	55	58	54	59	45	46	37	45
17	Meningitis	155	15	9	16	24	7	12	16	15	12	14	7	8
20–21	Bronchitis	372	55	34	46	54	30	10	11	13	22	27	33	37
22	Pneumonia	2,063	452	281	299	216	108	57	42	38	63	113	182	212
(23)	Bronchopneumonia	1,157	229	153	157	137	93	43	23	29	45	45	72	140
25	Diarrhea and enteritis (under 2 years)	1,762	64	60	79	81	81	86	285	351	338	202	81	54
(37)	Diarrhea and enteritis (2 years and over)	479	19	18	25	19	23	29	81	77	96	44	31	17
(33)	Congenital debility [1]	178	19	15	23	16	10	8	12	17	19	14	10	15
35	Violent deaths (excluding suicide)	2,414	165	149	147	149	183	204	346	278	208	193	190	202
36	Suicide	483	42	33	40	49	49	37	42	48	55	39	24	25
	All other causes	22,761	2,204	1,911	2,168	1,986	1,884	1,642	1,904	1,819	1,712	1,826	1,726	1,979
	KANSAS.													
	All causes	19,963	2,219	1,694	1,964	1,675	1,567	1,318	1,727	1,657	1,468	1,372	1,487	1,815
1	Typhoid fever	260	9	5	13	9	9	11	23	48	57	31	31	14
3	Malaria	36	------	1	3	3	3	1	5	8	2	6	2	2
5	Measles	157	4	14	29	45	41	10	8	2	------	1	1	2
6	Scarlet fever	62	3	10	9	18	4	6	3	1	2	1	2	3
7	Whooping cough	92	12	9	14	15	7	8	8	3	3	1	6	6
8	Diphtheria and croup	194	31	10	6	8	13	10	9	15	16	23	30	23
9	Influenza	719	350	119	93	41	25	11	11	1	4	8	18	38
13	Tuberculosis of the lungs	868	87	68	82	77	79	59	65	64	69	54	78	86
14–15	Other forms of tuberculosis	128	6	12	15	11	12	10	17	11	9	5	11	9
17	Meningitis	104	11	11	8	5	9	11	11	12	9	6	6	5
20–21	Bronchitis	203	19	11	25	22	17	17	17	7	11	11	16	30
22	Pneumonia	1,067	243	149	163	120	70	30	12	15	25	28	72	140
(23)	Bronchopneumonia	446	95	49	70	47	30	9	11	8	10	21	35	61
25	Diarrhea and enteritis (under 2 years)	675	25	19	21	27	18	45	163	150	78	57	51	21
(37)	Diarrhea and enteritis (2 years and over)	217	13	6	17	10	14	21	85	65	35	21	11	19
(33)	Congenital debility [1]	291	28	17	27	25	16	30	23	26	24	21	23	31
35	Violent deaths (excluding suicide)	1,375	80	64	127	100	100	105	163	163	112	102	118	141
36	Suicide	175	7	14	18	13	19	16	26	17	15	8	13	9
	All other causes	12,794	1,196	1,106	1,224	1,079	1,081	908	1,067	1,041	987	967	963	1,175
	KENTUCKY (TOTAL).													
	All causes	30,073	3,475	2,746	2,811	2,411	2,158	2,361	2,561	2,434	2,217	2,210	2,204	2,485
1	Typhoid fever	737	39	32	36	32	27	45	89	121	117	91	60	48
3	Malaria	153	4	4	5	12	7	14	16	22	38	18	8	5
5	Measles	189	10	12	21	26	16	19	29	6	6	12	9	32
6	Scarlet fever	56	5	3	4	1	------	2	1	5	8	10	11	6
7	Whooping cough	318	23	40	28	30	29	24	32	19	20	32	23	18
8	Diphtheria and croup	408	51	34	22	14	10	6	6	15	54	82	68	46
9	Influenza	986	425	213	151	57	34	13	6	8	2	7	24	46
13	Tuberculosis of the lungs	4,068	373	418	441	413	369	366	312	299	247	251	266	303
14–15	Other forms of tuberculosis	568	46	53	44	60	40	58	53	54	53	32	31	44
17	Meningitis	289	27	19	19	25	35	24	31	21	28	14	26	20
20–21	Bronchitis	332	55	46	34	29	25	21	14	11	24	22	29	25
22	Pneumonia	1,834	478	230	260	157	89	33	41	39	50	82	158	217
(23)	Bronchopneumonia	801	182	108	94	70	32	21	18	10	30	48	94	94
25	Diarrhea and enteritis (under 2 years)	1,188	31	31	25	27	40	193	272	243	150	86	61	29
(37)	Diarrhea and enteritis (2 years and over)	437	15	24	14	22	22	67	74	74	41	35	28	21
(33)	Congenital debility [1]	490	34	34	31	28	20	26	36	62	47	36	24	22
35	Violent deaths (excluding suicide)	1,697	143	125	155	120	134	120	171	155	114	143	143	174
36	Suicide	181	12	14	16	22	19	15	16	16	12	12	15	12
	All other causes	15,441	1,522	1,309	1,411	1,266	1,210	1,294	1,353	1,254	1,176	1,197	1,126	1,323

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	KENTUCKY (WHITE).												
	All causes	24,801	2,876	2,292	2,350	1,959	1,742	1,922	2,069	2,033	1,845	1,827	1,826	2,060
1	Typhoid fever	619	35	27	30	23	25	37	75	98	103	78	43	45
3	Malaria	116	1	2	1	8	5	12	13	16	34	14	7	3
5	Measles	179	10	11	19	25	14	19	19	4	6	11	9	32
6	Scarlet fever	54	5	3	4	1	.....	2	1	5	7	9	11	6
7	Whooping cough	258	20	34	25	26	23	17	28	16	17	20	19	13
8	Diphtheria and croup	377	45	32	22	14	9	5	5	15	48	79	61	42
9	Influenza	854	374	182	132	48	29	10	5	8	1	6	19	40
13	Tuberculosis of the lungs	3,016	280	322	343	305	259	233	223	220	170	182	204	225
14–15	Other forms of tuberculosis	463	41	40	40	46	31	42	41	45	50	26	25	36
17	Meningitis	263	26	19	18	20	30	22	28	19	24	14	25	18
20–21	Bronchitis	237	40	32	28	20	16	11	9	4	21	15	21	20
22	Pneumonia	1,484	393	182	203	129	79	26	27	31	43	68	125	178
(23)	Bronchopneumonia	688	146	92	81	60	25	17	14	10	27	46	88	82
25	Diarrhea and enteritis (under 2 years)	1,057	26	23	20	19	37	175	237	223	138	79	54	26
(37)	Diarrhea and enteritis (2 years and over)	383	13	21	11	18	18	52	66	67	38	34	26	19
(33)	Congenital debility[1]	341	33	30	28	25	16	22	32	52	40	30	17	16
35	Violent deaths (excluding suicide)	1,366	116	96	129	95	109	95	130	128	92	117	119	140
36	Suicide	177	12	14	16	22	19	14	15	16	11	12	15	11
	All other causes	12,869	1,260	1,130	1,200	1,055	998	1,061	1,101	1,056	975	987	938	1,108
	KENTUCKY (COLORED).													
	All causes	5,272	599	454	461	452	416	439	492	401	372	383	378	425
1	Typhoid fever	118	4	5	6	9	2	8	14	23	14	13	17	3
3	Malaria	37	3	2	4	4	2	2	3	6	4	4	1	2
5	Measles	10	.....	1	2	1	2	.....	1	2	.....	1	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....
7	Whooping cough	60	3	6	3	4	6	7	4	3	3	12	4	5
8	Diphtheria and croup	31	6	2	.....	.....	1	1	1	.....	6	3	7	4
9	Influenza	132	51	31	19	9	5	3	1	.....	1	1	5	6
13	Tuberculosis of the lungs	1,042	93	96	98	108	110	83	89	79	77	69	62	78
14–15	Other forms of tuberculosis	105	5	13	4	14	9	16	12	9	3	6	6	8
17	Meningitis	26	1	.....	1	5	5	2	3	2	4	.....	1	2
20–21	Bronchitis	95	15	11	6	9	9	10	5	7	3	7	8	5
22	Pneumonia	350	85	48	57	28	10	7	14	8	7	14	33	39
(23)	Bronchopneumonia	113	36	16	13	10	7	4	4	.....	3	2	6	12
25	Diarrhea and enteritis (under 2 years)	131	5	8	5	8	3	18	35	20	12	7	7	3
(37)	Diarrhea and enteritis (2 years and over)	54	2	3	3	4	4	15	8	7	3	1	2	2
(33)	Congenital debility[1]	59	1	4	3	3	4	4	4	10	7	6	7	6
35	Violent deaths (excluding suicide)	331	27	29	26	25	25	25	41	27	22	26	24	34
36	Suicide	4	.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	1
	All other causes	2,572	262	179	211	211	212	233	252	198	201	210	188	215
	MAINE.													
	All causes	12,147	1,198	1,247	1,116	1,119	1,028	866	868	936	1,001	953	843	972
1	Typhoid fever	86	5	8	8	4	7	2	7	7	15	9	4	10
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
5	Measles	15	1	1	1	2	3	.....	.....	2	2	.....	3	.....
6	Scarlet fever	4	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	125	7	3	18	16	22	16	5	10	10	11	5	2
8	Diphtheria and croup	58	3	4	4	9	1	4	3	4	6	6	5	9
9	Influenza	378	95	134	62	36	20	6	5	.....	2	4	5	9
13	Tuberculosis of the lungs	741	81	72	70	76	73	56	46	54	49	58	48	58
14–15	Other forms of tuberculosis	156	15	16	11	16	12	14	11	16	10	14	3	18
17	Meningitis	65	4	7	6	9	8	5	5	6	4	7	1	3
20–21	Bronchitis	176	23	20	18	18	24	13	4	5	7	14	17	13
22	Pneumonia	688	111	119	103	78	50	21	13	7	25	39	51	71
(23)	Bronchopneumonia	374	54	63	56	35	16	17	13	7	12	23	41	37
25	Diarrhea and enteritis (under 2 years)	466	8	14	7	22	16	17	33	136	129	53	19	12
(37)	Diarrhea and enteritis (2 years and over)	101	1	3	10	8	7	3	7	12	19	17	5	9
(33)	Congenital debility[1]	188	14	20	11	24	17	13	12	13	23	20	7	14
35	Violent deaths (excluding suicide)	592	35	31	34	48	52	50	84	64	64	52	32	46
36	Suicide	111	7	8	7	12	21	10	8	8	8	6	9	7
	All other causes	7,822	733	724	688	705	679	619	612	585	615	620	588	654
	MARYLAND (TOTAL).													
	All causes	22,512	2,265	1,931	2,162	1,957	1,704	1,580	1,811	1,991	1,706	1,746	1,775	1,884
1	Typhoid fever	265	21	7	10	5	6	15	22	41	49	47	27	15
3	Malaria	17	2	.....	.....	1	1	2	1	3	3	2	.....	2
5	Measles	108	8	7	19	22	12	11	3	2	2	1	11	10
6	Scarlet fever	52	6	15	8	8	8	1	3	1	.....	2	.....	.....
7	Whooping cough	173	16	18	11	20	14	17	24	14	9	15	9	6
8	Diphtheria and croup	170	23	25	16	6	8	5	3	9	16	25	18	16
9	Influenza	351	131	87	51	36	11	2	7	1	1	2	6	16
13	Tuberculosis of the lungs	2,467	220	228	227	216	206	215	180	211	171	180	186	227
14–15	Other forms of tuberculosis	259	14	17	26	23	35	24	20	25	19	18	22	16
17	Meningitis	93	10	7	6	9	7	5	11	9	9	3	8	9
20–21	Bronchitis	319	46	34	36	31	25	16	11	14	19	16	26	45
22	Pneumonia	1,407	272	172	230	180	94	51	30	29	31	60	77	181
(23)	Bronchopneumonia	1,059	153	123	175	143	79	47	30	37	44	52	76	100
25	Diarrhea and enteritis (under 2 years)	1,296	29	31	38	29	29	45	266	387	224	126	61	31
(37)	Diarrhea and enteritis (2 years and over)	177	10	6	11	8	11	17	25	28	26	17	8	10
(33)	Congenital debility[1]	325	13	23	23	24	19	12	29	49	45	44	27	17
35	Violent deaths (excluding suicide)	1,171	84	96	86	78	90	112	128	127	90	89	110	81
36	Suicide	186	15	14	21	18	23	14	15	14	19	9	13	11
	All other causes	12,617	1,192	1,021	1,168	1,100	1,026	969	1,003	990	929	1,038	1,090	1,091

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MARYLAND (WHITE).													
	All causes	16,590	1,713	1,450	1,626	1,399	1,246	1,112	1,275	1,480	1,263	1,290	1,334	1,402
1	Typhoid fever	186	15	5	8	4	5	11	13	23	38	33	18	13
3	Malaria	8					1		1	2	1	2		1
5	Measles	91	7	6	19	18	8	6	2	2	2	1	11	9
6	Scarlet fever	48	5	15	8	5	8	1	3	1		2		
7	Whooping cough	87	5	9	6	11	10	5	14	8	2	7	8	2
8	Diphtheria and croup	156	22	23	15	6	8	5	2	8	15	23	16	13
9	Influenza	261	97	65	39	26	5	1	6		1	2	4	15
13	Tuberculosis of the lungs	1,563	139	153	142	145	130	131	95	133	117	108	120	150
14–15	Other forms of tuberculosis	151	10	8	17	11	16	18	13	17	8	8	16	9
17	Meningitis	71	9	5	6	4	6	4	9	5	8	1	6	8
20–21	Bronchitis	216	38	22	23	19	15	8	6	8	13	13	21	30
22	Pneumonia	981	190	119	176	114	64	33	24	20	25	42	50	124
(23)	Bronchopneumonia	691	101	84	123	91	47	21	19	24	26	37	51	67
25	Diarrhea and enteritis (under 2 years)	925	23	26	36	21	18	31	172	293	156	83	43	23
(37)	Diarrhea and enteritis (2 years and over)	123	8	6	7	5	9	9	18	22	22	9	3	5
(33)	Congenital debility [1]	217	11	14	16	15	9	6	18	39	31	27	18	13
35	Violent deaths (excluding suicide)	887	66	86	57	57	72	83	93	93	73	67	86	54
36	Suicide	178	14	14	20	17	23	12	14	13	19	9	12	11
	All other causes	9,750	953	790	908	830	792	727	753	769	706	816	851	855
	MARYLAND (COLORED)													
	All causes	5,922	552	481	536	558	458	468	536	511	443	456	441	482
1	Typhoid fever	79	6	2	2	1	1	4	9	18	11	14	9	2
3	Malaria	9	2			1		2		1	2			1
5	Measles	17	1	1		4	4	5	1					1
6	Scarlet fever	4	1			3								
7	Whooping cough	86	11	9	5	9	4	12	10	6	7	8	1	4
8	Diphtheria and croup	14	1	2	1				1	1	1	2	2	3
9	Influenza	90	34	22	12	10	6	1	1	1			2	1
13	Tuberculosis of the lungs	904	81	75	85	71	76	84	85	78	54	72	66	77
14–15	Other forms of tuberculosis	108	4	9	9	12	19	6	7	8	11	10	6	7
17	Meningitis	22	1	2		5	1	1	2	4	1	2	2	1
20–21	Bronchitis	103	8	12	13	12	10	8	5	6	6	3	5	15
22	Pneumonia	426	82	53	54	66	30	18	6	9	6	18	27	57
(23)	Bronchopneumonia	368	52	39	52	52	32	26	11	13	18	15	25	33
25	Diarrhea and enteritis (under 2 years)	371	6	5	2	8	11	14	94	94	68	43	18	8
(37)	Diarrhea and enteritis (2 years and over)	54	2		4	3	2	8	7	6	4	8	5	5
(33)	Congenital debility [1]	108	2	9	7	9	10	6	11	10	14	17	9	4
35	Violent deaths (excluding suicide)	284	18	10	29	21	18	29	35	34	17	22	24	27
36	Suicide	8	1		1	1		2	1	1			1	
	All other causes	2,867	239	231	260	270	234	242	250	221	223	222	239	236
	MASSACHUSETTS.													
	All causes	56,362	6,139	5,181	5,341	4,725	4,706	3,954	3,850	4,342	4,377	4,326	4,419	5,002
1	Typhoid fever	173	17	12	12	9	10	10	7	14	34	22	8	18
3	Malaria	7	1				1	2		1		1		1
5	Measles	474	42	39	42	60	77	73	58	27	12	12	9	23
6	Scarlet fever	129	17	21	15	16	22	14	3	2	3	2	5	9
7	Whooping cough	399	71	42	50	48	45	30	24	19	25	18	13	14
8	Diphtheria and croup	623	78	65	62	52	46	36	35	25	38	50	67	69
9	Influenza	680	294	152	80	32	24	15	7	4	5	8	17	42
13	Tuberculosis of the lungs	4,598	433	444	458	430	423	356	348	324	349	318	318	397
14–15	Other forms of tuberculosis	887	75	72	84	80	86	94	74	64	77	72	62	47
17	Meningitis	298	28	33	33	26	30	32	21	17	18	22	16	22
20–21	Bronchitis	810	122	109	115	76	66	44	35	23	31	40	73	76
22	Pneumonia	4,025	337	547	520	396	329	171	108	84	112	165	320	436
(23)	Bronchopneumonia	2,408	399	333	291	247	193	108	78	80	119	141	161	258
25	Diarrhea and enteritis (under 2 years)	2,504	105	79	101	93	102	77	264	637	534	265	144	103
(37)	Diarrhea and enteritis (2 years and over)	399	20	23	26	12	25	29	40	76	49	42	31	25
(33)	Congenital debility [1]	550	52	38	41	40	60	31	43	59	57	47	41	41
35	Violent deaths (excluding suicide)	2,996	246	163	199	202	237	230	305	296	281	278	316	243
36	Suicide	454	42	33	29	30	40	47	33	41	40	40	37	42
	All other causes	33,948	3,260	2,976	3,183	2,876	2,890	2,555	2,367	2,549	2,593	2,783	2,781	3,135
	MICHIGAN.													
	All causes	46,013	4,585	3,861	4,357	4,084	3,804	3,254	3,828	3,645	3,694	3,546	3,490	3,865
1	Typhoid fever	430	23	21	31	26	35	17	32	49	65	50	39	42
3	Malaria	7		2			1	2				1		1
5	Measles	349	18	21	51	79	65	37	25	19	6	8	8	12
6	Scarlet fever	176	20	20	10	16	13	16	10	6	3	10	26	26
7	Whooping cough	230	23	20	13	22	33	21	18	31	17	10	9	13
8	Diphtheria and croup	499	54	28	32	32	48	33	43	37	25	53	61	53
9	Influenza	937	413	203	149	53	25	13	8	3	9	13	19	29
13	Tuberculosis of the lungs	2,643	213	228	281	276	267	204	185	199	153	195	188	254
14–15	Other forms of tuberculosis	470	36	53	49	47	49	43	33	36	39	30	27	28
17	Meningitis	274	18	24	33	30	25	27	28	24	15	15	16	19
20–21	Bronchitis	677	78	85	78	72	61	52	27	24	28	41	61	70
22	Pneumonia	2,153	374	256	290	239	195	109	59	41	66	105	153	266
(23)	Bronchopneumonia	1,396	160	149	186	167	140	74	49	35	62	92	104	178
25	Diarrhea and enteritis (under 2 years)	2,094	86	71	88	97	81	79	286	433	473	224	93	83
(37)	Diarrhea and enteritis (2 years and over)	450	19	21	24	25	23	19	42	83	89	53	27	25
(33)	Congenital debility [1]	721	55	45	58	60	67	44	49	62	91	78	48	64
35	Violent deaths (excluding suicide)	3,083	215	178	187	184	173	198	540	376	267	288	258	219
36	Suicide	453	27	37	39	38	49	38	42	34	40	49	35	25
	All other causes	28,971	2,753	2,399	2,758	2,621	2,454	2,228	2,352	2,153	2,246	2,231	2,318	2,458

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MINNESOTA.													
	All causes	24,297	2,749	2,091	2,278	2,069	2,248	1,755	1,948	1,702	1,739	1,764	1,780	2,174
1	Typhoid fever	124	7	7	12	6	10	6	15	16	9	15	14	7
3	Malaria	1	----	----	----	----	----	----	----	1	----	----	----	----
5	Measles	288	27	29	76	67	44	18	5	----	2	8	3	9
6	Scarlet fever	121	18	11	19	23	8	4	6	6	2	8	7	9
7	Whooping cough	221	26	22	27	25	25	18	24	20	10	8	9	7
8	Diphtheria and croup	170	21	16	18	15	15	13	6	8	7	14	17	20
9	Influenza	415	223	58	46	26	14	4	2	2	3	8	1	28
13	Tuberculosis of the lungs	1,999	191	177	178	175	228	173	160	145	124	141	148	159
14-15	Other forms of tuberculosis	383	41	34	33	32	39	41	38	25	23	29	25	23
17	Meningitis	142	9	12	17	16	16	13	13	9	10	7	13	7
20-21	Bronchitis	252	40	23	28	25	33	12	8	8	16	18	19	22
22	Pneumonia	1,254	255	153	133	120	119	56	33	28	29	58	94	176
(23)	Bronchopneumonia	703	149	81	84	83	63	25	17	14	23	31	51	82
25	Diarrhea and enteritis (under 2 years)	636	52	38	58	45	46	34	48	92	96	69	24	34
(37)	Diarrhea and enteritis (2 years and over)	195	10	9	11	10	5	14	12	32	51	20	12	9
(33)	Congenital debility [1]	234	29	21	24	12	19	14	18	18	15	21	17	26
35	Violent deaths (excluding suicide)	1,789	111	98	129	119	140	125	289	173	167	123	178	137
36	Suicide	282	22	18	24	27	20	22	28	15	35	28	19	24
	All other causes	15,088	1,518	1,284	1,361	1,243	1,404	1,163	1,226	1,090	1,117	1,158	1,129	1,395
	MISSOURI.													
	All causes	44,110	5,206	3,649	4,287	3,650	3,411	3,161	3,818	3,276	3,233	3,131	3,295	3,993
1	Typhoid fever	655	32	24	28	24	31	28	56	95	99	89	89	60
3	Malaria	374	16	13	17	12	23	27	58	59	58	32	38	21
5	Measles	533	13	25	118	155	101	61	17	6	6	----	8	23
6	Scarlet fever	182	17	28	36	37	20	8	5	1	4	4	9	13
7	Whooping cough	376	34	39	31	49	41	31	39	25	20	18	19	30
8	Diphtheria and croup	537	71	40	42	48	25	32	19	9	38	63	86	64
9	Influenza	1,194	601	192	163	76	40	24	10	1	3	6	20	58
13	Tuberculosis of the lungs	4,327	447	380	450	421	385	359	299	290	275	286	350	385
14-15	Other forms of tuberculosis	487	47	37	42	37	51	33	53	40	40	28	44	35
17	Meningitis	245	25	13	18	24	32	24	32	14	17	13	10	23
20-21	Bronchitis	571	74	71	67	55	50	28	23	17	35	34	43	74
22	Pneumonia	3,108	880	368	456	261	159	63	61	51	73	142	227	367
(23)	Bronchopneumonia	1,346	258	129	197	131	102	46	42	29	55	69	99	189
25	Diarrhea and enteritis (under 2 years)	1,650	38	49	55	43	61	158	368	330	246	152	76	74
(37)	Diarrhea and enteritis (2 years and over)	526	28	23	16	19	24	51	98	97	74	44	31	21
(33)	Congenital debility [1]	251	18	20	26	21	18	18	19	32	25	17	22	15
35	Violent deaths (excluding suicide)	2,825	180	179	219	195	210	222	402	293	236	247	212	230
36	Suicide	567	50	52	57	44	53	35	53	36	50	40	53	44
	All other causes	24,356	2,377	1,967	2,249	1,998	1,985	1,913	2,164	1,851	1,879	1,847	1,859	2,267
	MONTANA.													
	All causes	5,791	520	413	500	454	486	453	485	454	485	472	502	567
1	Typhoid fever	53	2	2	1	7	4	4	5	8	8	6	3	3
3	Malaria	1	----	1	----	----	----	----	----	----	----	----	----	----
5	Measles	36	----	1	7	9	4	5	2	4	1	1	2	----
6	Scarlet fever	19	2	3	3	----	----	1	1	2	1	1	----	5
7	Whooping cough	79	4	3	2	6	16	19	9	4	5	3	2	6
8	Diphtheria and croup	38	1	----	4	3	3	2	5	1	3	1	7	8
9	Influenza	58	17	9	5	5	2	2	2	1	----	2	7	6
13	Tuberculosis of the lungs	455	44	22	61	32	38	47	34	28	25	37	38	49
14-15	Other forms of tuberculosis	66	9	4	5	7	1	2	8	8	5	4	8	5
17	Meningitis	36	2	3	6	2	3	4	4	5	2	1	2	2
20-21	Bronchitis	38	2	8	----	4	2	2	3	1	1	2	4	9
22	Pneumonia	381	49	35	35	26	39	22	20	11	16	26	41	61
(23)	Bronchopneumonia	155	19	15	12	16	8	8	5	4	6	9	19	34
25	Diarrhea and enteritis (under 2 years)	182	10	7	11	11	8	11	8	22	56	21	10	7
(37)	Diarrhea and enteritis (2 years and over)	42	----	1	2	1	1	1	2	8	12	9	3	2
(33)	Congenital debility [1]	79	14	2	6	6	4	2	7	5	6	9	5	13
35	Violent deaths (excluding suicide)	781	52	59	47	43	60	70	104	90	62	65	58	71
36	Suicide	113	9	11	12	6	6	12	4	18	9	12	2	12
	All other causes	3,179	284	227	281	270	287	239	262	234	267	263	291	274
	NEW HAMPSHIRE.													
	All causes	7,146	634	701	677	634	610	493	527	608	574	557	522	609
1	Typhoid fever	22	1	1	4	2	----	2	2	2	2	2	3	1
3	Malaria	1	----	----	----	----	----	----	----	1	----	----	----	----
5	Measles	47	7	4	3	7	9	5	----	2	----	1	4	5
6	Scarlet fever	6	1	1	1	1	----	----	----	----	----	----	1	1
7	Whooping cough	53	5	2	4	3	8	4	----	10	5	3	3	6
8	Diphtheria and croup	48	2	5	1	3	6	4	5	2	3	6	7	4
9	Influenza	155	49	32	30	17	9	1	1	----	1	----	3	12
13	Tuberculosis of the lungs	429	31	39	42	40	40	25	31	41	34	35	36	35
14-15	Other forms of tuberculosis	73	6	7	6	8	7	3	4	8	5	3	9	7
17	Meningitis	34	5	2	3	4	3	3	2	1	3	1	1	6
20-21	Bronchitis	102	7	16	14	10	9	6	1	9	3	11	7	9
22	Pneumonia	410	67	56	57	50	29	13	11	5	16	17	39	50
(23)	Bronchopneumonia	212	26	22	42	30	16	12	4	1	10	12	13	24
25	Diarrhea and enteritis (under 2 years)	268	13	14	12	12	14	9	33	58	58	29	3	13
(37)	Diarrhea and enteritis (2 years and over)	56	2	3	2	3	4	4	4	12	11	5	4	2
(33)	Congenital debility [1]	116	11	10	9	15	8	7	6	9	11	11	10	9
35	Violent deaths (excluding suicide)	306	20	20	20	13	22	27	30	51	28	28	19	28
36	Suicide	59	2	4	4	9	10	6	7	3	6	2	4	2
	All other causes	4,749	379	463	423	407	416	362	386	393	378	391	356	395

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	NEW JERSEY.												
	All causes	44,172	4,689	3,850	4,193	3,590	3,460	2,954	3,490	4,226	3,421	3,188	3,179	3,932
1	Typhoid fever	207	15	3	13	7	12	16	17	25	32	33	21	13
3	Malaria	10	.....	.....	.....	.....	.....	1	2	2	3	1	1	.....
5	Measles	386	50	68	73	80	58	26	17	6	3	2	1	2
6	Scarlet fever	74	6	3	18	12	15	8	2	2	1	.....	2	5
7	Whooping cough	273	39	31	37	34	21	18	22	22	23	8	6	12
8	Diphtheria and croup	463	61	41	49	36	41	31	26	29	27	38	37	47
9	Influenza	685	307	129	80	35	19	7	8	4	5	5	12	74
13	Tuberculosis of the lungs	3,917	343	374	393	374	352	303	325	283	279	270	300	321
14–15	Other forms of tuberculosis	512	52	36	50	63	44	46	47	45	27	27	36	39
17	Meningitis	240	21	27	28	24	21	23	17	30	15	9	12	13
20–21	Bronchitis	570	82	61	74	48	45	30	19	25	29	35	44	78
22	Pneumonia	3,494	716	432	441	302	262	127	87	110	107	168	250	492
(23)	Bronchopneumonia	1,787	288	224	233	182	131	69	89	85	84	97	111	194
25	Diarrhea and enteritis (under 2 years)	2,167	75	77	111	72	90	89	371	567	327	220	102	66
(37)	Diarrhea and enteritis (2 years and over)	419	28	23	24	21	18	31	46	108	46	30	24	22
(33)	Congenital debility [1]	385	25	29	34	25	31	31	30	40	54	38	25	23
35	Violent deaths (excluding suicide)	2,847	207	172	213	212	236	189	310	341	256	215	242	254
36	Suicide	416	34	36	36	35	34	33	38	30	27	39	37	37
	All other causes	25,320	2,340	2,084	2,286	2,028	2,030	1,876	2,017	2,474	2,076	1,953	1,916	2,240
	NEW YORK.													
	All causes	151,704	15,389	13,427	13,990	12,749	12,780	11,014	12,179	13,005	11,463	11,395	11,396	12,917
1	Typhoid fever	611	60	39	33	33	33	39	41	61	72	82	67	51
3	Malaria	33	.....	.....	1	1	2	4	4	5	6	6	3	1
5	Measles	1,021	94	104	156	187	160	96	92	46	20	16	12	38
6	Scarlet fever	208	29	19	30	28	24	18	11	5	2	10	14	18
7	Whooping cough	799	71	71	75	82	94	91	86	101	55	26	23	24
8	Diphtheria and croup	1,532	192	172	178	154	158	126	110	60	68	81	109	124
9	Influenza	1,977	687	519	264	126	73	44	28	14	18	31	58	115
13	Tuberculosis of the lungs	14,096	1,288	1,257	1,359	1,385	1,338	1,160	1,018	1,024	980	1,041	1,072	1,174
14–15	Other forms of tuberculosis	1,841	139	136	202	209	213	189	172	121	130	101	96	133
17	Meningitis	620	54	41	66	53	59	70	64	60	42	32	37	42
20–21	Bronchitis	1,886	237	207	210	165	181	120	91	82	90	127	138	238
22	Pneumonia	10,365	1,906	1,298	1,235	945	823	516	389	330	339	566	793	1,245
(23)	Bronchopneumonia	6,265	876	686	682	583	599	409	396	363	309	356	387	619
25	Diarrhea and enteritis (under 2 years)	5,885	268	287	304	285	306	307	699	1,391	960	562	303	213
(37)	Diarrhea and enteritis (2 years and over)	1,116	63	47	72	71	65	73	132	200	169	90	70	64
(33)	Congenital debility [1]	1,437	129	95	125	110	116	95	107	135	151	128	129	117
35	Violent deaths (excluding suicide)	8,758	673	559	614	595	699	665	1,050	905	767	803	706	722
36	Suicide	1,540	139	107	125	145	158	141	106	121	118	121	150	109
	All other causes	91,714	8,484	7,783	8,259	7,592	7,679	6,851	7,603	7,981	7,167	7,216	7,229	7,870
	NORTH CAROLINA (TOTAL).													
	All causes	31,389	2,753	2,613	2,788	2,449	2,807	3,073	2,765	2,504	2,415	2,404	2,269	2,549
1	Typhoid fever	702	23	23	14	8	28	87	129	142	117	71	35	25
3	Malaria	337	8	4	6	12	20	34	33	48	73	55	25	19
5	Measles	171	4	3	4	16	24	31	11	8	7	9	9	45
6	Scarlet fever	62	2	1	1	4	9	1	4	7	9	9	9	6
7	Whooping cough	402	31	36	51	41	47	44	49	27	14	21	22	19
8	Diphtheria and croup	410	42	27	25	16	11	6	7	31	61	90	42	52
9	Influenza	634	133	178	150	76	26	5	9	3	4	8	11	31
13	Tuberculosis of the lungs	3,241	321	291	323	304	325	282	265	220	235	214	213	248
14–15	Other forms of tuberculosis	336	23	35	39	23	35	29	26	29	27	21	30	19
17	Meningitis	235	16	12	21	21	27	35	20	14	23	20	13	13
20–21	Bronchitis	272	33	30	29	25	16	17	9	16	14	21	22	40
22	Pneumonia	1,667	252	253	272	209	117	47	28	35	46	79	115	214
(23)	Bronchopneumonia	850	117	119	112	101	35	37	20	23	46	62	87	91
25	Diarrhea and enteritis (under 2 years)	1,871	44	26	27	56	306	478	321	235	123	117	84	54
(37)	Diarrhea and enteritis (2 years and over)	474	16	14	16	15	74	112	56	47	45	36	32	11
(33)	Congenital debility [1]	491	27	32	23	31	40	48	72	46	58	34	38	42
35	Violent deaths (excluding suicide)	1,569	152	122	123	126	129	98	173	122	105	124	134	161
36	Suicide	82	8	5	7	9	8	8	9	6	5	9	5	3
	All other causes	17,583	1,501	1,402	1,545	1,356	1,530	1,674	1,524	1,445	1,403	1,404	1,343	1,456
	NORTH CAROLINA (WHITE).													
	All causes	18,756	1,635	1,578	1,637	1,407	1,702	1,805	1,587	1,487	1,423	1,467	1,395	1,633
1	Typhoid fever	372	13	14	8	3	10	45	63	79	64	39	18	16
3	Malaria	152	5	1	2	3	10	11	14	15	35	31	11	14
5	Measles	114	2	2	1	12	18	24	6	5	3	6	6	29
6	Scarlet fever	58	2	1	1	4	8	.....	3	7	9	9	9	5
7	Whooping cough	177	13	19	20	14	18	21	14	19	8	9	11	11
8	Diphtheria and croup	330	36	21	19	10	10	3	3	21	47	81	37	42
9	Influenza	393	85	110	97	45	14	.....	3	1	2	6	8	22
13	Tuberculosis of the lungs	1,517	158	141	157	144	151	123	110	92	114	98	105	124
14–15	Other forms of tuberculosis	189	12	20	29	9	20	12	11	22	16	12	17	9
17	Meningitis	164	11	8	15	13	21	27	12	10	15	12	7	13
20–21	Bronchitis	153	17	19	15	9	7	7	5	9	8	12	18	27
22	Pneumonia	890	123	133	144	106	64	22	12	19	24	48	61	134
(23)	Bronchopneumonia	498	72	75	58	55	16	20	10	14	25	40	52	61
25	Diarrhea and enteritis (under 2 years)	1,229	25	14	15	35	208	328	200	148	76	86	56	38
(37)	Diarrhea and enteritis (2 years and over)	331	12	11	8	8	59	80	33	38	27	27	21	7
(33)	Congenital debility [1]	314	15	21	16	22	27	28	45	33	33	20	29	25
35	Violent deaths (excluding suicide)	908	86	62	71	69	78	61	113	71	67	60	72	98
36	Suicide	69	6	4	5	7	6	6	8	6	4	9	5	3
	All other causes	10,898	942	902	956	839	957	987	922	878	846	862	852	955

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.												
	NORTH CAROLINA (COLORED).												
	All causes	12,633	1,118	1,035	1,151	1,042	1,105	1,268	1,178	1,017	992	937	874	916
1	Typhoid fever	330	10	9	6	5	18	42	66	63	53	32	17	9
3	Malaria	185	3	3	4	9	10	23	19	33	38	24	14	5
5	Measles	57	2	1	3	4	6	7	5	3	4	3	3	16
6	Scarlet fever	4					1	1	1					1
7	Whooping cough	225	18	17	31	27	29	23	35	8	6	12	11	8
8	Diphtheria and croup	80	6	6	6	6	1	3	4	10	14	9	5	10
9	Influenza	241	48	68	53	31	12	5	6	2	2	2	3	9
13	Tuberculosis of the lungs	1,724	163	150	166	160	174	159	155	128	121	116	108	124
14–15	Other forms of tuberculosis	147	11	15	10	14	15	17	15	7	11	9	13	10
17	Meningitis	71	5	4	6	8	6	8	8	4	8	8	6	
20–21	Bronchitis	119	16	11	14	16	9	10	4	7	6	9	4	13
22	Pneumonia	777	129	120	128	103	53	25	16	16	22	31	54	80
(23)	Bronchopneumonia	352	45	44	54	46	19	17	10	9	21	22	35	30
25	Diarrhea and enteritis (under 2 years)	642	19	12	12	21	98	150	121	87	47	31	28	16
(37)	Diarrhea and enteritis (2 years and over)	143	4	3	8	7	15	32	23	9	18	9	11	4
(33)	Congenital debility[1]	177	12	11	7	9	13	20	27	13	25	14	9	17
35	Violent deaths (excluding suicide)	661	66	60	52	57	51	37	60	51	38	64	62	63
36	Suicide	13	2	1	2	2	2	2	1		1			
	All other causes	6,685	559	500	589	517	573	687	602	567	557	542	491	501
	OHIO.													
	All causes	74,282	8,038	6,479	6,925	6,296	6,016	5,064	5,967	6,084	5,845	5,588	5,743	6,237
1	Typhoid fever	766	43	33	42	34	48	40	58	87	138	128	72	43
3	Malaria	22			2	1	4		2	4	5	2	1	1
5	Measles	816	46	66	135	221	178	61	36	14	10	6	17	26
6	Scarlet fever	213	30	27	31	21	15	10	9	2	10	16	20	22
7	Whooping cough	683	74	76	86	86	99	55	52	41	33	25	26	30
8	Diphtheria and croup	624	72	56	50	39	21	22	28	26	47	91	109	63
9	Influenza	1,631	668	338	249	111	54	26	20	13	15	24	47	66
13	Tuberculosis of the lungs	5,899	559	543	570	551	539	494	469	467	389	429	424	465
14–15	Other forms of tuberculosis	929	94	88	87	78	74	82	74	84	85	58	62	63
17	Meningitis	351	29	32	38	27	35	31	42	27	24	24	19	23
20–21	Bronchitis	761	112	72	83	86	62	30	28	31	56	67	56	78
22	Pneumonia	4,479	1,043	521	537	422	323	154	130	91	126	236	368	528
(23)	Bronchopneumonia	2,636	458	293	338	285	247	98	85	84	95	160	223	270
25	Diarrhea and enteritis (under 2 years)	3,212	104	98	139	126	106	112	555	796	632	320	138	86
(37)	Diarrhea and enteritis (2 years and over)	661	30	20	30	32	30	33	76	167	124	60	29	30
(33)	Congenital debility[1]	670	42	42	55	61	40	33	54	83	75	70	64	51
35	Violent deaths (excluding suicide)	5,578	387	355	377	344	415	424	711	629	474	479	495	488
36	Suicide	759	51	62	57	63	78	64	72	73	63	60	65	51
	All other causes	43,592	4,196	3,757	4,019	3,708	3,648	3,295	3,466	3,365	3,444	3,333	3,508	3,853
	PENNSYLVANIA.													
	All causes	124,577	13,640	10,784	11,694	10,391	9,864	8,156	9,146	10,711	10,251	9,507	9,381	11,052
1	Typhoid fever	1,157	76	65	58	62	55	62	70	109	164	240	113	83
3	Malaria	14	1	2	1	2		2	1	4				1
5	Measles	1,539	138	172	285	289	262	158	95	47	30	11	15	37
6	Scarlet fever	235	36	28	29	18	27	21	8	1	9	14	24	20
7	Whooping cough	1,036	116	99	106	97	127	90	84	90	94	58	34	41
8	Diphtheria and croup	1,650	189	161	141	113	106	96	86	77	122	162	207	190
9	Influenza	2,571	1,178	557	311	144	68	28	17	8	23	28	52	157
13	Tuberculosis of the lungs	9,573	945	888	941	895	865	734	699	717	673	694	692	830
14–15	Other forms of tuberculosis	1,515	132	139	133	144	157	139	136	118	111	96	99	111
17	Meningitis	502	48	32	51	51	53	36	46	59	45	28	25	28
20–21	Bronchitis	1,523	201	161	198	183	114	87	57	53	72	109	116	172
22	Pneumonia	8,486	1,716	929	1,078	808	575	301	208	219	312	448	706	1,186
(23)	Bronchopneumonia	5,808	928	652	683	660	531	271	199	187	228	339	458	672
25	Diarrhea and enteritis (under 2 years)	8,664	335	249	334	327	333	318	1,242	2,309	1,770	779	378	290
(37)	Diarrhea and enteritis (2 years and over)	1,205	71	59	78	61	65	62	136	229	225	110	54	55
(33)	Congenital debility[1]	1,455	107	108	115	89	92	81	104	199	197	161	112	99
35	Violent deaths (excluding suicide)	9,184	734	671	736	678	679	683	899	919	780	766	771	868
36	Suicide	1,011	84	78	77	108	102	85	87	95	73	72	75	75
	All other causes	67,449	6,605	5,734	6,339	5,662	5,653	4,902	4,972	5,271	5,323	5,392	5,450	6,146
	RHODE ISLAND.													
	All causes	9,501	951	885	941	836	786	658	742	754	745	729	702	772
1	Typhoid fever	42	3	1	4	2	2	3	2	8	3	8	1	5
3	Malaria	4									2	1	1	
5	Measles	144	11	17	25	29	21	11	7	4	1	2	5	11
6	Scarlet fever	31	7	2	7	3	6		1	1	1		3	
7	Whooping cough	47	5	6	7	7	10	3	1	3	1			4
8	Diphtheria and croup	142	19	16	11	9	9	11	6	8	5	13	16	19
9	Influenza	163	83	35	24	12	1	1	1				5	1
13	Tuberculosis of the lungs	878	68	90	82	76	77	78	61	73	69	72	70	62
14–15	Other forms of tuberculosis	146	17	6	13	15	11	10	13	12	15	11	11	12
17	Meningitis	49	3	5	3	3	5	5	5	3	2	4	3	8
20–21	Bronchitis	140	20	17	14	19	10	11	2	3	4	8	15	17
22	Pneumonia	665	121	84	108	70	46	30	21	11	25	22	52	75
(23)	Bronchopneumonia	312	41	45	47	36	29	15	11	10	12	8	26	32
25	Diarrhea and enteritis (under 2 years)	428	12	4	7	20	21	14	68	130	85	41	12	14
(37)	Diarrhea and enteritis (2 years and over)	78	3	6	6	3	5	5	7	13	13	8	5	4
(33)	Congenital debility[1]	195	6	16	11	20	13	11	13	33	25	26	14	7
35	Violent deaths (excluding suicide)	483	38	31	38	37	32	53	62	38	39	44	35	36
36	Suicide	84	11	4	6	4	10	10	8	5	7	9	7	3
	All other causes	5,470	483	500	528	471	478	387	453	399	436	452	421	462

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	SOUTH CAROLINA (TOTAL).													
	All causes	22,502	1,879	1,762	1,762	1,677	2,085	2,048	1,959	1,976	1,974	1,896	1,722	1,762
1	Typhoid fever	555	20	18	20	13	33	65	78	104	91	52	38	23
3	Malaria	634	13	8	10	18	26	53	58	123	125	115	62	23
5	Measles	75	.....	1	1	5	7	5	5	6	3	4	12	26
6	Scarlet fever	39	3	4	.....	1	1	3	1	4	5	11	3	3
7	Whooping cough	279	27	33	32	43	34	34	25	16	7	11	10	7
8	Diphtheria and croup	138	11	17	7	3	3	2	6	13	17	17	21	21
9	Influenza	433	96	106	101	37	19	4	3	6	10	6	13	32
13	Tuberculosis of the lungs	2,219	180	193	192	210	201	225	195	174	156	171	171	151
14–15	Other forms of tuberculosis	153	10	12	7	17	17	16	14	11	12	16	12	9
17	Meningitis	62	4	6	4	6	7	5	8	3	6	1	4	8
20–21	Bronchitis	113	8	10	7	7	7	11	6	6	10	12	13	16
22	Pneumonia	1,373	221	244	172	134	82	38	31	36	56	70	107	182
(23)	Bronchopneumonia	334	50	56	29	28	21	10	8	8	14	21	40	49
25	Diarrhea and enteritis (under 2 years)	1,168	48	34	39	71	181	193	175	146	92	77	62	50
(37)	Diarrhea and enteritis (2 years and over)	264	11	10	8	20	51	36	27	19	21	23	26	12
(33)	Congenital debility [1]	687	32	43	52	57	48	70	74	78	65	65	43	60
35	Violent deaths (excluding suicide)	1,133	97	105	101	83	87	73	100	82	71	99	101	134
36	Suicide	63	3	3	9	2	7	5	5	7	2	6	6	8
	All other causes	12,780	1,045	859	971	922	1,253	1,200	1,140	1,134	1,211	1,119	978	948
	SOUTH CAROLINA (WHITE).													
	All causes	8,247	699	633	672	609	802	776	667	678	691	700	640	680
1	Typhoid fever	212	10	7	6	4	15	29	28	38	32	23	13	7
3	Malaria	123	2	2	.....	1	2	15	10	27	29	19	13	3
5	Measles	37	.....	.....	1	1	1	1	1	4	1	2	10	15
6	Scarlet fever	30	2	3	.....	1	1	2	1	2	5	8	2	3
7	Whooping cough	75	7	16	12	12	8	7	3	1	.....	3	4	2
8	Diphtheria and croup	89	10	10	3	1	.....	1	4	9	15	14	9	13
9	Influenza	177	36	45	43	18	7	1	1	1	3	2	8	12
13	Tuberculosis of the lungs	469	37	51	44	37	44	54	38	34	32	40	26	32
14–15	Other forms of tuberculosis	46	3	5	1	6	3	3	4	2	4	8	5	2
17	Meningitis	37	2	3	3	3	2	3	6	2	5	1	2	5
20–21	Bronchitis	56	6	2	2	3	5	4	2	3	4	9	5	11
22	Pneumonia	479	80	76	66	47	34	11	11	11	16	30	34	63
(23)	Bronchopneumonia	147	19	20	17	15	13	5	1	1	7	9	23	17
25	Diarrhea and enteritis (under 2 years)	533	18	15	15	32	86	108	77	65	38	38	27	14
(37)	Diarrhea and enteritis (2 years and over)	116	2	6	3	6	27	18	12	10	8	10	10	4
(33)	Congenital debility [1]	192	14	6	15	11	10	20	27	24	21	18	11	15
35	Violent deaths (excluding suicide)	398	29	34	33	38	24	28	39	19	24	37	36	57
36	Suicide	47	3	.....	7	1	4	4	3	6	2	6	4	7
	All other causes	4,984	419	332	401	372	516	462	399	419	445	423	398	398
	SOUTH CAROLINA (COLORED).													
	All causes	14,255	1,180	1,129	1,090	1,068	1,283	1,272	1,292	1,298	1,283	1,196	1,082	1,082
1	Typhoid fever	343	10	11	14	9	18	36	50	66	59	29	25	16
3	Malaria	511	11	6	10	17	24	38	48	96	96	96	49	20
5	Measles	38	.....	1	.....	4	6	4	4	2	2	2	2	11
6	Scarlet fever	9	1	1	.....	.....	.....	1	.....	2	.....	3	1	.....
7	Whooping cough	204	20	17	20	31	26	27	22	15	7	8	6	5
8	Diphtheria and croup	49	1	7	4	2	3	1	2	4	2	3	12	8
9	Influenza	256	60	61	58	19	12	3	2	5	7	4	5	20
13	Tuberculosis of the lungs	1,750	143	142	148	173	157	171	157	140	124	131	145	119
14–15	Other forms of tuberculosis	107	7	7	6	11	14	13	10	9	8	8	7	7
17	Meningitis	25	2	3	1	3	5	2	2	1	1	.....	2	3
20–21	Bronchitis	57	2	8	5	4	2	7	4	3	6	3	8	5
22	Pneumonia	894	141	168	106	87	48	27	20	25	40	40	73	119
(23)	Bronchopneumonia	187	31	36	12	13	8	5	7	7	7	12	17	32
25	Diarrhea and enteritis (under 2 years)	635	30	19	24	39	95	85	98	81	54	39	35	36
(37)	Diarrhea and enteritis (2 years and over)	148	9	4	5	14	24	18	15	9	13	13	16	8
(33)	Congenital debility [1]	495	18	37	37	46	38	50	47	54	44	47	32	45
35	Violent deaths (excluding suicide)	735	68	71	68	45	63	45	61	63	47	62	65	77
36	Suicide	16	.....	3	2	1	3	1	2	1	.....	.....	2	1
	All other causes	7,796	626	527	570	550	737	738	741	715	766	696	580	550
	UTAH.													
	All causes	4,511	401	343	390	346	352	323	327	306	366	380	391	586
1	Typhoid fever	45	3	4	.....	1	3	4	2	3	15	5	4	1
3	Malaria	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	37	.....	.....	.....	.....	.....	1	2	.....	.....	2	2	30
6	Scarlet fever	25	4	.....	2	3	2	4	2	1	1	3	1	2
7	Whooping cough	32	1	.....	3	9	7	3	2	2	1	3	.....	1
8	Diphtheria and croup	63	9	5	8	6	2	3	4	5	6	4	2	9
9	Influenza	66	9	15	5	3	6	.....	2	.....	.....	4	5	17
13	Tuberculosis of the lungs	174	11	12	22	13	14	12	17	16	18	14	16	9
14–15	Other forms of tuberculosis	40	8	5	3	1	1	3	4	3	4	5	1	2
17	Meningitis	24	2	2	4	2	1	3	.....	4	2	2	.....	2
20–21	Bronchitis	51	5	3	9	5	2	7	4	.....	2	3	1	10
22	Pneumonia	302	23	34	27	27	16	16	11	4	10	24	45	65
(23)	Bronchopneumonia	175	17	10	16	6	9	8	5	2	13	6	18	65
25	Diarrhea and enteritis (under 2 years)	113	7	7	3	6	3	3	5	12	29	16	12	10
(37)	Diarrhea and enteritis (2 years and over)	47	2	.....	5	1	.....	3	4	7	14	6	1	4
(33)	Congenital debility [1]	40	1	3	2	4	3	3	5	5	3	2	5	4
35	Violent deaths (excluding suicide)	406	36	26	25	28	33	36	41	36	38	39	28	40
36	Suicide	56	6	5	6	5	2	4	5	3	4	4	7	5
	All other causes	2,814	257	212	249	226	248	210	212	208	206	238	243	310

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	VERMONT.													
	All causes	5,687	618	638	616	489	471	431	364	367	434	409	423	427
1	Typhoid fever	23	3	1	.....	3	2	2	2	2	.....	6	2	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	24	.....	1	1	2	3	4	3	1	2	.....	2	5
6	Scarlet fever	13	.....	.....	3	3	1	1	.....	1	1	.....	2	1
7	Whooping cough	45	5	4	8	5	2	3	5	2	5	3	2	1
8	Diphtheria and croup	24	3	2	3	2	1	1	.....	2	3	1	3	3
9	Influenza	279	73	96	46	27	12	2	2	3	4	3	4	7
13	Tuberculosis of the lungs	329	32	29	35	37	39	29	20	20	21	26	23	18
14–15	Other forms of tuberculosis	63	3	7	6	6	5	3	6	3	11	5	3	5
17	Meningitis	36	3	8	6	3	1	3	3	2	3	1	.....	3
20–21	Bronchitis	96	10	11	15	13	6	3	5	3	5	3	10	12
22	Pneumonia	287	49	63	40	31	22	12	6	6	8	10	22	18
(23)	Bronchopneumonia	159	31	26	25	10	16	8	4	2	6	8	9	14
25	Diarrhea and enteritis (under 2 years)	149	9	14	7	11	9	11	16	18	29	13	7	5
(37)	Diarrhea and enteritis (2 years and over)	51	6	3	2	4	3	4	4	4	8	4	5	4
(33)	Congenital debility [1]	55	4	4	6	3	8	4	4	5	5	3	4	5
35	Violent deaths (excluding suicide)	274	18	21	17	16	23	26	32	24	25	29	21	22
36	Suicide	61	7	3	6	2	7	7	6	3	3	4	7	6
	All other causes	3,719	362	345	390	311	311	308	246	266	295	290	297	298
	VIRGINIA (TOTAL).													
	All causes	32,144	3,131	2,892	3,085	2,669	2,504	2,848	2,831	2,574	2,319	2,260	2,377	2,654
1	Typhoid fever	550	14	14	10	14	16	40	82	129	103	63	42	23
3	Malaria	145	4	1	3	3	2	8	12	30	34	25	13	10
5	Measles	407	12	20	49	84	89	63	30	12	2	11	13	22
6	Scarlet fever	29	6	3	.....	2	2	2	1	2	4	4	1	2
7	Whooping cough	440	16	31	42	36	41	37	48	40	37	36	38	38
8	Diphtheria and croup	316	41	38	17	12	6	10	7	11	28	54	50	42
9	Influenza	730	222	186	151	50	23	11	11	6	6	9	17	38
13	Tuberculosis of the lungs	3,436	317	318	366	341	289	297	238	277	263	225	224	281
14–15	Other forms of tuberculosis	446	30	36	38	31	40	50	52	41	43	31	22	32
17	Meningitis	210	13	16	21	22	24	31	21	14	10	7	12	19
20–21	Bronchitis	318	36	38	44	31	20	18	23	18	17	15	29	29
22	Pneumonia	1,972	375	318	322	241	113	65	38	32	49	69	133	217
(23)	Bronchopneumonia	793	104	126	118	90	51	31	23	13	36	55	65	81
25	Diarrhea and enteritis (under 2 years)	1,450	35	30	24	25	85	340	387	208	150	78	53	35
(37)	Diarrhea and enteritis (2 years and over)	368	14	14	10	15	33	82	63	57	26	17	18	19
(33)	Congenital debility [1]	572	42	48	48	39	36	57	71	76	49	38	32	36
35	Violent deaths (excluding suicide)	1,853	172	135	182	161	167	155	163	157	132	141	148	140
36	Suicide	179	22	12	18	18	23	11	18	11	14	14	11	7
	All other causes	17,930	1,656	1,508	1,622	1,454	1,444	1,540	1,543	1,440	1,316	1,368	1,456	1,583
	VIRGINIA (WHITE).													
	All causes	18,404	1,802	1,666	1,752	1,542	1,391	1,565	1,612	1,460	1,336	1,290	1,419	1,569
1	Typhoid fever	316	9	10	5	6	12	20	40	80	54	39	28	13
3	Malaria	56	2	.....	1	2	1	2	2	11	14	9	6	6
5	Measles	249	10	12	33	54	48	28	23	9	1	5	11	15
6	Scarlet fever	27	6	3	.....	2	2	2	1	1	4	3	1	2
7	Whooping cough	207	7	20	28	25	20	16	23	19	14	10	14	11
8	Diphtheria and croup	256	33	28	13	10	4	9	7	8	25	44	44	31
9	Influenza	455	138	122	96	32	6	4	6	5	6	6	11	23
13	Tuberculosis of the lungs	1,577	149	143	182	164	128	140	100	117	107	99	116	132
14–15	Other forms of tuberculosis	241	15	21	20	14	18	25	27	20	27	17	14	23
17	Meningitis	144	8	9	18	15	11	17	18	9	8	6	8	17
20–21	Bronchitis	155	14	20	24	17	5	8	7	11	7	6	17	19
22	Pneumonia	959	190	156	156	104	54	25	19	20	24	36	68	107
(23)	Bronchopneumonia	393	51	67	61	43	18	5	8	6	25	26	34	49
25	Diarrhea and enteritis (under 2 years)	844	19	17	13	21	41	193	223	129	98	40	29	21
(37)	Diarrhea and enteritis (2 years and over)	242	8	8	5	7	23	58	44	43	16	9	12	9
(33)	Congenital debility [1]	299	19	28	25	16	20	27	41	43	26	19	18	17
35	Violent deaths (excluding suicide)	1,104	106	82	102	95	87	89	107	94	85	83	88	86
36	Suicide	164	21	12	15	18	21	9	16	10	12	14	10	6
	All other causes	10,716	997	908	955	897	872	888	900	825	783	819	890	982
	VIRGINIA (COLORED).													
	All causes	13,740	1,329	1,226	1,333	1,127	1,113	1,283	1,219	1,114	983	970	958	1,085
1	Typhoid fever	234	5	4	5	8	4	20	42	49	49	24	14	10
3	Malaria	89	2	1	2	1	1	6	10	19	20	16	7	4
5	Measles	158	2	8	16	30	41	35	7	3	1	6	2	7
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
7	Whooping cough	233	9	11	14	11	21	21	25	21	23	26	24	27
8	Diphtheria and croup	60	8	10	4	2	2	1	.....	3	3	10	6	11
9	Influenza	275	84	64	55	18	17	7	5	1	.....	3	6	15
13	Tuberculosis of the lungs	1,859	168	175	184	177	161	157	138	160	156	126	108	149
14–15	Other forms of tuberculosis	205	15	15	18	17	22	25	25	21	16	14	8	9
17	Meningitis	66	5	7	3	7	13	14	3	5	2	1	4	2
20–21	Bronchitis	163	22	18	20	14	15	10	16	7	10	9	12	10
22	Pneumonia	1,013	185	162	166	137	59	40	19	12	25	33	65	110
(23)	Bronchopneumonia	400	53	59	57	47	33	26	15	7	11	29	31	32
25	Diarrhea and enteritis (under 2 years)	606	16	13	11	4	44	147	164	79	52	38	24	14
(37)	Diarrhea and enteritis (2 years and over)	126	6	6	5	8	10	24	19	14	10	8	6	10
(33)	Congenital debility [1]	273	23	20	23	23	16	30	30	33	23	19	14	19
35	Violent deaths (excluding suicide)	749	66	53	80	66	80	66	56	63	47	58	60	54
36	Suicide	15	1	.....	3	.....	2	2	2	1	2	.....	1	1
	All other causes	7,214	659	600	667	557	572	652	643	615	533	549	566	601

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	WASHINGTON.													
	All causes	11,805	1,229	992	1,000	992	994	852	891	896	844	914	982	1,219
1	Typhoid fever	79	5	5	4	6	9	5	4	9	14	10	5	3
3	Malaria	1								1				
5	Measles	85	2	1	7	12	6	7	11	3	1	1	14	20
6	Scarlet fever	13	5			2		1	2				1	2
7	Whooping cough	76	3	2	2	8	9	15	9	7	3	4	5	9
8	Diphtheria and croup	37	3	2		5	2	6	3	1	3	2	3	7
9	Influenza	219	83	46	20	8	5	3	2	3		3	8	38
13	Tuberculosis of the lungs	1,021	95	96	100	113	99	70	69	95	72	71	60	81
14–15	Other forms of tuberculosis	227	12	24	20	30	22	13	20	21	19	13	16	17
17	Meningitis	53	5	4	7	1	4	5	4	6	3	5	3	6
20–21	Bronchitis	97	11	10	9	6	10	4	8	3	2	8	7	19
22	Pneumonia	527	91	55	32	35	42	27	17	16	25	31	62	94
(23)	Bronchopneumonia	293	46	32	23	12	19	6	10	10	8	27	40	60
25	Diarrhea and enteritis (under 2 years)	171	15	14	18	8	16	14	11	12	16	18	15	14
(37)	Diarrhea and enteritis (2 years and over)	85	9	5	6	8	5	3	3	7	11	11	8	9
(33)	Congenital debility [1]	124	10	11	3	14	14	12	9	9	7	14	10	11
35	Violent deaths (excluding suicide)	1,073	102	75	74	74	82	93	114	112	81	78	94	94
36	Suicide	184	16	10	18	21	13	14	16	9	12	18	20	17
	All other causes	7,440	716	606	657	629	637	554	579	572	567	600	611	718
	WISCONSIN.													
	All causes	29,591	3,486	2,559	2,814	2,604	2,661	2,096	2,451	1,988	2,118	2,205	2,116	2,493
1	Typhoid fever	199	10	15	33	19	23	6	7	10	23	20	18	15
3	Malaria	1												1
5	Measles	294	23	43	66	49	52	28	15	5	1	3	6	3
6	Scarlet fever	126	9	13	15	19	13	15	9	2	3	8	5	15
7	Whooping cough	176	19	17	18	21	27	11	8	8	21	9	5	12
8	Diphtheria and croup	229	12	20	15	26	14	11	11	4	26	26	29	35
9	Influenza	748	400	140	71	48	28	9	2	6	3	2	11	28
13	Tuberculosis of the lungs	1,993	205	184	209	187	181	177	165	121	142	141	120	161
14–15	Other forms of tuberculosis	335	36	24	29	31	35	34	34	29	15	27	19	22
17	Meningitis	174	26	14	14	16	25	7	15	15	7	10	12	13
20–21	Bronchitis	470	67	48	56	56	61	26	21	18	21	29	27	40
22	Pneumonia	1,803	391	191	245	188	158	71	45	37	50	84	116	227
(23)	Bronchopneumonia	930	163	98	135	117	103	44	40	16	26	43	38	107
25	Diarrhea and enteritis (under 2 years)	969	62	96	64	82	72	52	64	92	175	93	56	61
(37)	Diarrhea and enteritis (2 years and over)	282	24	14	19	15	17	5	15	43	63	41	11	15
(33)	Congenital debility [1]	397	32	40	47	43	30	20	40	25	46	18	30	26
35	Violent deaths (excluding suicide)	1,742	104	87	86	107	123	131	392	189	128	132	128	135
36	Suicide	350	21	21	26	34	32	38	34	24	32	31	27	20
	All other causes	18,373	1,882	1,494	1,666	1,546	1,667	1,411	1,534	1,344	1,336	1,488	1,448	1,557
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
	BIRMINGHAM, ALA. (TOTAL).													
	All causes	2,557	193	204	237	193	202	224	249	201	196	213	211	234
1	Typhoid fever	79	2	1	1	1	1	4	41	14	8	4	2	
3	Malaria	18				1		2	1	3	4	4	3	
5	Measles													
6	Scarlet fever	2											2	
7	Whooping cough	7	1			1		1	1		1		1	1
8	Diphtheria and croup	9	2		1						3	1	2	
9	Influenza	24	7	2	3	2	1	2			1	2		4
13	Tuberculosis of the lungs	316	24	27	35	27	25	32	22	27	29	21	24	23
14–15	Other forms of tuberculosis	51	5	6	7	3	8	4	2	3	6	1	2	4
17	Meningitis	12	1	3					1			1	3	3
20–21	Bronchitis	19	2	3	2	1	2	4		1			3	1
22	Pneumonia	191	24	16	35	20	9	4	8	6	2	12	20	35
(23)	Bronchopneumonia	59	4	7	11	8	3	3		3	1	8	4	7
25	Diarrhea and enteritis (under 2 years)	129	3	3	3	1	15	34	24	13	9	12	6	6
(37)	Diarrhea and enteritis (2 years and over)	24		2	3		5	6	2	1	2	1		2
(33)	Congenital debility [1]	15		1		3	2	2	1			3		3
35	Violent deaths (excluding suicide)	207	10	21	18	11	12	17	22	17	16	19	19	25
36	Suicide	15	1	2	3	2		2		1	2	1		1
	All other causes	1,380	107	110	115	112	119	107	124	112	112	123	120	119
	BIRMINGHAM, ALA. (WHITE).													
	All causes	1,138	88	101	105	93	83	99	119	85	77	80	105	103
1	Typhoid fever	39			1	1	1	3	24	5	2	1	1	
3	Malaria	5				1					3	1		
5	Measles													
6	Scarlet fever	2											2	
7	Whooping cough	2						1					1	
8	Diphtheria and croup	4	2		1							1		
9	Influenza	14	7		2		1					2		2
13	Tuberculosis of the lungs	76	6	12	8	9	3	3	6	8	8	2	8	3
14–15	Other forms of tuberculosis	14		3	2	3	3			2			1	
17	Meningitis	6		1					1				2	2
20–21	Bronchitis	11	1	2	2	1	1	2					1	1
22	Pneumonia	63	11	6	9	12	1	2	2	2	1	2	8	7
(23)	Bronchopneumonia	20	1	3	4	5						3	2	2
25	Diarrhea and enteritis (under 2 years)	83	3	2	2	1	11	17	16	7	6	10	3	5
(37)	Diarrhea and enteritis (2 years and over)	14		1	2		2	5	1	1				2
(33)	Congenital debility [1]	7				2	1	1	1			1		1
35	Violent deaths (excluding suicide)	84	4	10	10	2	5	7	9	9	4	5	6	13
36	Suicide	13	1	1	3	1		2		1	2	1		1
	All other causes	681	52	60	59	55	55	55	59	50	51	51	70	64

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BIRMINGHAM, ALA. (COLORED).													
	All causes	1,419	105	103	132	100	119	125	130	116	119	133	106	131
1	Typhoid fever	40	2	1				1	17	9	6	3	1	
3	Malaria	13						2	1	3	1	3	3	
5	Measles													
6	Scarlet fever													
7	Whooping cough	5	1			1			1		1			1
8	Diphtheria and croup	5									3		2	
9	Influenza	10		2	1	2	1	1			1			2
13	Tuberculosis of the lungs	240	18	15	27	18	22	29	16	19	21	19	16	20
14–15	Other forms of tuberculosis	37	5	3	5		5	4	2	1	6	1	1	4
17	Meningitis	6	1	2								1	1	1
20–21	Bronchitis	8	1	1			1	2		1			2	
22	Pneumonia	128	13	10	26	8	8	2	6	4	1	10	12	28
(23)	Bronchopneumonia	39	3	4	7	3	3	3		3	1	5	2	5
25	Diarrhea and enteritis (under 2 years)	46		1	1		4	17	8	6	3	2	3	1
(37)	Diarrhea and enteritis (2 years and over)	10		1	1		3	1	1		2	1		
(33)	Congenital debility [1]	8		1		1	1	1				2		2
35	Violent deaths (excluding suicide)	123	6	11	8	9	7	10	13	8	12	14	13	12
36	Suicide	2		1		1								
	All other causes	699	55	50	56	57	64	52	65	62	61	72	50	55
	LOS ANGELES, CAL.													
	All causes	6,212	673	562	518	483	523	503	448	434	412	429	547	680
1	Typhoid fever	13		2	1		2	2	2				4	
3	Malaria	1	1											
5	Measles	10	1	1	1		1	1	4	1				
6	Scarlet fever	7	1	1	1			1	1	1				1
7	Whooping cough	49	1	2	5	5	9	10	6	10				1
8	Diphtheria and croup	19	3	1	3	1	2		1	1	1	2	3	1
9	Influenza	47	17	8	4	5				2	1	1	2	7
13	Tuberculosis of the lungs	892	106	94	95	77	77	71	57	51	59	48	63	94
14–15	Other forms of tuberculosis	87	8	11	8	4	9	5	6	12	14	3	6	1
17	Meningitis	33	4	3	2	3	4	2	3	1	3	4	2	2
20–21	Bronchitis	44	4	4	2	4	4	3	3	3	4	5	5	3
22	Pneumonia	212	39	22	13	17	14	9	8	14	10	8	21	37
(23)	Bronchopneumonia	182	35	24	16	14	16	10	3	5	4	10	20	25
25	Diarrhea and enteritis (under 2 years)	147	14	8	4	4	25	14	16	7	12	12	16	15
(37)	Diarrhea and enteritis (2 years and over)	50	3	4	6		6	6	7	6	3	3	3	3
(33)	Congenital debility [1]	21	1	1	1	2	2	2	4	2	3		1	2
35	Violent deaths (excluding suicide)	395	39	34	22	34	24	40	38	30	27	33	32	42
36	Suicide	143	14	10	12	11	12	15	12	11	14	9	7	16
	All other causes	3,860	382	332	322	302	316	312	277	277	257	291	362	430
	OAKLAND, CAL.													
	All causes	2,090	227	176	186	178	161	155	146	144	160	157	177	223
1	Typhoid fever	8				1	2	1		2				2
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough	5	1			1	2					1		
8	Diphtheria and croup	25	2	4	2	6	3	2	2		2			2
9	Influenza	17	7	4					1		2			3
13	Tuberculosis of the lungs	187	13	22	15	22	12	9	21	11	15	12	13	22
14–15	Other forms of tuberculosis	52	2	6	5	7	5	6	6	2	2	5	2	4
17	Meningitis	3				1			1		1			
20–21	Bronchitis	26	8	2	1	1	3	2	1	1	1		4	2
22	Pneumonia	89	8	7	3	7	12	3	3	9	7	5	11	14
(23)	Bronchopneumonia	61	10	6	4	5	4	3		1	4	1	4	19
25	Diarrhea and enteritis (under 2 years)	22	1		2	1	1	4	1	2	2	3	2	3
(37)	Diarrhea and enteritis (2 years and over)	10	2		2	1		1	1	1		1		1
(33)	Congenital debility [1]	12				3	1	2			2	2	2	
35	Violent deaths (excluding suicide)	108	13	10	14	6	7	8	6	10	8	8	5	13
36	Suicide	47	4	6	9	3	3	1	1	6	3	6	3	2
	All other causes	1,418	156	109	129	113	106	113	102	99	111	113	131	136
	SAN FRANCISCO, CAL.													
	All causes	7,154	770	600	639	607	556	535	519	507	513	534	609	765
1	Typhoid fever	16		2	2	1		1	1		5	2		2
3	Malaria	4		1			1		2					
5	Measles	6			1				1	1	1	1		1
6	Scarlet fever	8			2	2		1	1			1	1	
7	Whooping cough	18	1	3	5	2		2	1	2		2		
8	Diphtheria and croup	131	12	9	13	17	19	11	9	9	7	7	7	11
9	Influenza	19	8	5							1			5
13	Tuberculosis of the lungs	785	85	82	62	65	69	57	47	63	38	70	60	87
14–15	Other forms of tuberculosis	112	7	16	12	11	14	10	10	6	6	5	8	7
17	Meningitis	21	3	1	3	7		1	1	1	1			3
20–21	Bronchitis	55	9	5	2	4	2	5	2	2	3	3	7	11
22	Pneumonia	371	57	34	35	26	27	25	24	21	18	23	30	51
(23)	Bronchopneumonia	227	31	22	29	29	13	7	11	7	10	12	25	31
25	Diarrhea and enteritis (under 2 years)	84	9	8	8	8	4	4	6	11	11	5	4	6
(37)	Diarrhea and enteritis (2 years and over)	41	4	4	3	1	7	3	5	2	2	2	3	5
(33)	Congenital debility [1]	15			1	1		1		5		2	2	3
35	Violent deaths (excluding suicide)	537	48	43	45	46	34	41	48	31	40	43	57	61
36	Suicide	239	24	19	14	26	25	19	15	14	24	14	27	18
	All other causes	4,465	472	346	402	361	341	347	335	332	346	342	378	463

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	DENVER, COLO.													
	All causes	3,012	302	263	253	258	240	222	218	206	245	236	269	300
1	Typhoid fever	19	1	.....	.....	1	1	1	4	3	.....	4	4	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
5	Measles	5	.....	.....	1	1	1	.....	1	.....	.....	.....	.....	1
6	Scarlet fever	3	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	4	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1
9	Influenza	27	5	12	1	2	.....	.....	.....	.....	.....	1	1	5
13	Tuberculosis of the lungs	519	40	48	54	46	50	42	35	36	31	40	48	49
14–15	Other forms of tuberculosis	47	5	3	5	4	1	2	6	4	4	5	5	3
17	Meningitis	16	.....	.....	1	2	1	4	1	1	5	.....	.....	1
20–21	Bronchitis	17	2	1	1	1	2	2	.....	1	1	.....	2	4
22	Pneumonia	230	47	30	11	14	17	12	3	6	11	18	26	35
(23)	Bronchopneumonia	89	21	9	5	7	9	5	2	1	3	6	7	14
25	Diarrhea and enteritis (under 2 years)	34	3	.....	1	1	.....	1	4	6	9	4	2	3
(37)	Diarrhea and enteritis (2 years and over)	19	.....	4	.....	2	.....	1	1	4	3	2	2	.....
(33)	Congenital debility [1]	31	2	.....	1	2	3	2	2	4	6	2	5	2
35	Violent deaths (excluding suicide)	112	7	11	7	8	11	7	7	13	10	11	9	11
36	Suicide	38	2	3	2	2	2	3	6	3	5	3	5	2
	All other causes	1,798	165	141	162	163	142	137	146	124	157	139	153	169
	BRIDGEPORT, CONN.													
	All causes	2,354	263	176	210	218	206	156	213	200	152	149	192	219
1	Typhoid fever	11	.....	.....	3	1	.....	.....	.....	2	3	.....	1	1
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	19	3	.....	.....	.....	7	1	4	1	1	.....	.....	2
6	Scarlet fever	4	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	1
7	Whooping cough	15	2	2	4	2	2	1	.....	.....	1	.....	1	.....
8	Diphtheria and croup	23	1	4	4	2	5	1	1	.....	1	.....	2	2
9	Influenza	25	17	3	1	2	1	.....	.....	.....	.....	.....	.....	1
13	Tuberculosis of the lungs	144	7	15	16	12	10	13	11	15	9	12	11	13
14–15	Other forms of tuberculosis	32	1	3	2	5	3	4	5	2	1	.....	2	4
17	Meningitis	22	2	2	2	6	4	1	2	1	2	.....	.....	.....
20–21	Bronchitis	20	4	2	1	1	2	.....	1	1	.....	1	5	2
22	Pneumonia	338	59	28	46	41	38	16	10	9	7	18	26	40
(23)	Bronchopneumonia	97	9	5	7	13	14	5	5	5	5	6	5	18
25	Diarrhea and enteritis (under 2 years)	158	5	5	5	5	6	6	52	36	16	13	6	3
(37)	Diarrhea and enteritis (2 years and over)	18	.....	1	.....	2	2	.....	.....	4	5	.....	3	1
(33)	Congenital debility [1]	15	.....	1	.....	4	1	1	1	2	1	2	.....	2
35	Violent deaths (excluding suicide)	173	12	8	8	12	18	16	23	10	15	13	21	17
36	Suicide	42	7	2	.....	8	2	2	8	1	4	.....	4	4
	All other causes	1,198	134	95	110	102	91	89	89	110	81	84	105	108
	NEW HAVEN, CONN.													
	All causes	2,544	280	207	237	246	201	171	207	237	167	166	195	230
1	Typhoid fever	13	1	1	3	.....	.....	2	3	.....	.....	2	1	.....
3	Malaria	2	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....
5	Measles	8	.....	.....	.....	.....	2	1	1	4	.....	.....	.....	.....
6	Scarlet fever	10	2	2	1	2	1	.....	1	.....	1	.....	.....	.....
7	Whooping cough	19	2	2	5	3	1	1	1	.....	1	1	.....	2
8	Diphtheria and croup	24	3	1	4	.....	.....	.....	1	2	.....	7	4	2
9	Influenza	56	28	10	4	6	.....	.....	.....	.....	1	1	.....	6
13	Tuberculosis of the lungs	143	12	8	21	10	16	14	12	14	8	8	10	10
14–15	Other forms of tuberculosis	50	3	3	5	6	2	3	6	6	4	3	6	3
17	Meningitis	23	3	1	3	1	1	3	1	5	.....	2	2	1
20–21	Bronchitis	32	.....	1	7	6	6	2	3	2	1	.....	1	3
22	Pneumonia	255	45	23	37	31	20	13	9	12	6	9	20	30
(23)	Bronchopneumonia	82	9	13	13	5	2	4	8	2	2	2	12	10
25	Diarrhea and enteritis (under 2 years)	103	.....	3	1	1	3	4	23	30	19	9	3	7
(37)	Diarrhea and enteritis (2 years and over)	21	.....	.....	2	1	3	2	4	4	2	1	2	.....
(33)	Congenital debility [1]	30	4	1	.....	2	2	2	3	1	6	5	.....	4
35	Violent deaths (excluding suicide)	165	11	9	7	16	9	18	16	16	17	14	11	21
36	Suicide	22	1	2	.....	2	2	3	1	1	1	2	3	4
	All other causes	1,486	156	127	124	154	131	98	114	137	98	100	120	127
	WASHINGTON, D. C. (TOTAL).													
	All causes	6,494	645	560	652	579	507	444	546	489	498	485	528	561
1	Typhoid fever	47	3	2	1	2	3	5	7	8	8	3	3	2
3	Malaria	5	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	1
5	Measles	8	.....	.....	.....	1	1	2	2	.....	1	.....	1	.....
6	Scarlet fever	6	.....	2	2	.....	1	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	37	2	1	1	1	3	8	9	2	6	1	1	2
8	Diphtheria and croup	35	2	5	3	6	4	.....	.....	.....	2	4	5	4
9	Influenza	88	30	15	20	9	4	.....	1	1	.....	1	1	6
13	Tuberculosis of the lungs	682	39	72	64	72	69	51	58	53	50	55	56	43
14–15	Other forms of tuberculosis	70	3	8	10	6	5	7	3	3	6	5	11	3
17	Meningitis	30	3	5	2	2	2	4	1	5	1	1	3	1
20–21	Bronchitis	69	7	3	11	8	8	6	.....	3	5	4	7	7
22	Pneumonia	383	64	42	59	49	22	19	7	12	19	22	30	38
(23)	Bronchopneumonia	215	41	29	26	17	16	11	10	14	9	10	19	13
25	Diarrhea and enteritis (under 2 years)	182	2	2	2	5	7	5	64	50	21	16	2	6
(37)	Diarrhea and enteritis (2 years and over)	57	2	5	4	5	3	2	10	6	3	4	7	6
(33)	Congenital debility [1]	68	1	6	3	8	6	5	10	7	7	8	2	5
35	Violent deaths (excluding suicide)	284	29	17	30	18	16	16	31	29	24	21	23	30
36	Suicide	88	11	6	9	12	9	4	6	2	4	4	11	10
	All other causes	4,140	406	340	405	358	327	297	327	293	331	326	346	384

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	WASHINGTON, D. C. (WHITE).													
	All causes	3,955	399	352	419	351	312	273	298	266	281	303	341	360
1	Typhoid fever	25	3	2	1	1		3	3	3	5	1	2	1
3	Malaria	4					1	1			1			1
5	Measles	5				1		1	2				1	
6	Scarlet fever	5		1	2		1	1						
7	Whooping cough	13					2	3	3		4			1
8	Diphtheria and croup	27	1	5	2	5	2				1	3	5	3
9	Influenza	58	22	11	14	4	2						1	4
13	Tuberculosis of the lungs	285	17	31	29	31	27	23	23	14	22	22	21	25
14–15	Other forms of tuberculosis	35	1	1	6	4	3	4	2	1	4	1	6	2
17	Meningitis	17	2	5			2		1	3	1	1	1	1
20–21	Bronchitis	35	2	2	3	6	5	2		2	2	3	4	4
22	Pneumonia	197	40	18	33	27	13	8	3	6	8	8	14	19
(23)	Bronchopneumonia	94	19	15	17	8	5	3	4	4	1	3	8	7
25	Diarrhea and enteritis (under 2 years)	81	2	2		4	3	2	24	23	8	10	2	1
(37)	Diarrhea and enteritis (2 years and over)	30	2	3	1	4	1	2	4	5		1	4	3
(33)	Congenital debility [1]	42	1	4	3	6	5	4	2	5	3	4	1	4
35	Violent deaths (excluding suicide)	185	12	14	20	8	14	9	21	19	16	14	20	18
36	Suicide	76	11	6	7	8	8	3	6	1	4	4	10	8
	All other causes	2,741	264	232	281	234	218	204	200	180	201	228	241	258
	WASHINGTON, D. C. (COLORED).													
	All causes	2,539	246	208	233	228	195	171	248	223	217	182	187	201
1	Typhoid fever	22				1	3	2	4	5	3	2	1	1
3	Malaria	1								1				
5	Measles	3					1	1			1			
6	Scarlet fever	1		1										
7	Whooping cough	24	2	1	1	1	1	5	6	2	2	1	1	1
8	Diphtheria and croup	8	1		1	1	2				1	1		1
9	Influenza	30	8	4	6	5	2		1	1		1		2
13	Tuberculosis of the lungs	397	22	41	35	41	42	28	35	39	28	33	35	18
14–15	Other forms of tuberculosis	35	2	7	4	2	2	3	1	2	2	4	5	1
17	Meningitis	13	1		2	2		4		2			2	
20–21	Bronchitis	34	5	1	8	2	3	4		1	3	1	3	3
22	Pneumonia	186	24	24	26	22	9	11	4	6	11	14	16	19
(23)	Bronchopneumonia	121	22	14	9	9	11	8	6	10	8	7	11	6
25	Diarrhea and enteritis (under 2 years)	101			2	1	4	3	40	27	13	6		5
(37)	Diarrhea and enteritis (2 years and over)	27		2	3	1	2		6	1	3	3	3	3
(33)	Congenital debility [1]	26		2		2	1	1	8	2	4	4	1	1
35	Violent deaths (excluding suicide)	99	17	3	10	10	2	7	10	10	8	7	3	12
36	Suicide	12			2	4	1	1		1			1	2
	All other causes	1,399	142	108	124	124	109	93	127	113	130	98	105	126
	ATLANTA, GA. (TOTAL).													
	All causes	2,908	233	219	268	216	248	265	244	231	229	235	265	255
1	Typhoid fever	42		1			1	4	9	12	4	5	4	2
3	Malaria	4			1					3				
5	Measles	3	1	1							1			
6	Scarlet fever	3					1						1	1
7	Whooping cough	5			1			3					1	
8	Diphtheria and croup	29	1	1	2				1	5	6	10	1	2
9	Influenza	28	4	5	6	1	2	1	1		1	1		6
13	Tuberculosis of the lungs	223	19	14	22	21	19	13	19	12	22	19	22	21
14–15	Other forms of tuberculosis	54	4	5	6	5	8	2	5	2	3	3	7	4
17	Meningitis	12	2	1	2	1	1		1		1	1	1	1
20–21	Bronchitis	20	3	3	1	1	3		2		3	3		1
22	Pneumonia	161	26	17	27	18	19	1	7	1	6	9	14	16
(23)	Bronchopneumonia	108	6	7	10	10	6	6	9	2	5	15	15	17
25	Diarrhea and enteritis (under 2 years)	103	5	1	5	6	16	20	15	13	13	4	1	4
(37)	Diarrhea and enteritis (2 years and over)	46	2	3	3	2	3	13	4	5	2	5	2	2
(33)	Congenital debility [1]	24		1		1		7	2	2	5	2	1	3
35	Violent deaths (excluding suicide)	205	26	16	18	11	9	16	13	17	17	21	21	20
36	Suicide	20	1	2	1	2	4	1		5	1		1	2
	All other causes	1,818	133	141	163	137	156	178	156	152	139	137	173	153
	ATLANTA, GA. (WHITE).													
	All causes	1,499	101	118	124	105	129	149	139	126	121	121	136	130
1	Typhoid fever	27		1			1	4	8	6	2	3	1	1
3	Malaria	2								2				
5	Measles	1	1											
6	Scarlet fever	2					1							1
7	Whooping cough	3			1			1					1	
8	Diphtheria and croup	25	1	1	2				1	5	4	9	1	1
9	Influenza	6		2	1		1				1			1
13	Tuberculosis of the lungs	96	7	6	10	9	8	4	9	8	14	3	7	11
14–15	Other forms of tuberculosis	24	2	3	2	3	3		3	1	2	1	3	1
17	Meningitis	7		1	2	1			1		1			1
20–21	Bronchitis	5	2			1	2							
22	Pneumonia	48	5	10	8	4	7				3		6	5
(23)	Bronchopneumonia	42	1	1	5	2	4	3	4	1	1	7	7	6
25	Diarrhea and enteritis (under 2 years)	71	5	1	2	4	7	15	13	7	10	4	1	2
(37)	Diarrhea and enteritis (2 years and over)	20			1		2	9	1	2	1	2	2	
(33)	Congenital debility [1]	14				1		3	1	1	2	2	1	3
35	Violent deaths (excluding suicide)	104	9	7	7	6	6	9	7	9	9	12	13	10
36	Suicide	18		2		2	4	1		5	1		1	2
	All other causes	984	68	83	83	72	83	100	91	79	70	78	92	85

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ATLANTA, GA. (COLORED).													
	All causes	1,409	132	101	144	111	119	116	105	105	108	114	129	125
1	Typhoid fever	15							1	6	2	2	3	1
3	Malaria	2			1					1				
5	Measles	2		1							1			
6	Scarlet fever	1											1	
7	Whooping cough	2						2						
8	Diphtheria and croup	4									2	1		1
9	Influenza	22	4	3	5	1	1	1	1			1		5
13	Tuberculosis of the lungs	127	12	8	12	12	11	9	10	4	8	16	15	10
14–15	Other forms of tuberculosis	30	2	2	4	2	5	2	2	1	1	2	4	3
17	Meningitis	5	2				1					1	1	
20–21	Bronchitis	15	1	3	1		1		2		3	3		1
22	Pneumonia	113	21	7	19	14	12	1	7	1	3	9	8	11
(23)	Bronchopneumonia	66	5	6	5	8	2	3	5	1	4	8	8	11
25	Diarrhea and enteritis (under 2 years)	32			3	2	9	5	2	6	3			2
(37)	Diarrhea and enteritis (2 years and over)	26	2	3	2	2	1	4	3	3	1	3		2
(33)	Congenital debility [1]	10		1				4	1	1	3			
35	Violent deaths (excluding suicide)	101	17	9	11	5	3	7	6	8	8	9	8	10
36	Suicide	2	1		1									
	All other causes	834	65	58	80	65	73	78	65	73	69	59	81	68
	CHICAGO, ILL. (TOTAL).													
	All causes	36,305	3,849	3,206	3,422	2,959	2,915	2,336	3,436	3,010	2,717	2,625	2,725	3,105
1	Typhoid fever	130	18	13	25	9	12	6	7	14	6	6	8	6
3	Malaria	6			1	1	1		1			1		1
5	Measles	135	10	7	15	25	23	17	6	4	5	5	7	11
6	Scarlet fever	160	17	13	26	20	8	14	4	2	4	4	15	33
7	Whooping cough	100	7	10	6	11	11	9	5	12	15	6	6	2
8	Diphtheria and croup	788	61	66	70	34	55	59	52	40	52	88	93	118
9	Influenza	292	152	53	21	19	12	5	3	1	4	4	4	14
13	Tuberculosis of the lungs	3,316	341	322	330	307	311	268	264	246	257	203	234	233
14–15	Other forms of tuberculosis	437	39	42	33	37	43	36	39	27	44	30	29	38
17	Meningitis	187	11	14	23	13	19	13	15	23	15	14	12	15
20–21	Bronchitis	371	55	54	32	32	29	16	19	16	22	32	30	34
22	Pneumonia	2,477	518	278	283	200	169	120	91	67	98	157	196	300
(23)	Bronchopneumonia	1,471	249	186	193	151	122	68	60	56	49	91	110	136
25	Diarrhea and enteritis (under 2 years)	3,533	224	220	290	207	191	144	472	756	436	260	158	175
(37)	Diarrhea and enteritis (2 years and over)	339	12	21	15	22	22	20	36	62	45	31	26	27
(33)	Congenital debility [1]	195	15	10	21	27	23	12	13	20	9	9	15	21
35	Violent deaths (excluding suicide)	2,808	189	156	163	182	170	178	651	293	219	214	199	194
36	Suicide	553	47	39	46	45	67	46	46	37	52	43	44	41
	All other causes	19,007	1,884	1,702	1,829	1,617	1,627	1,305	1,652	1,334	1,385	1,427	1,539	1,706
	CHICAGO, ILL. (WHITE).													
	All causes	34,967	3,721	3,091	3,304	2,856	2,795	2,228	3,316	2,908	2,625	2,520	2,610	2,993
1	Typhoid fever	125	18	13	25	8	12	4	7	14	6	5	8	5
3	Malaria	6			1	1	1		1			1		1
5	Measles	133	10	7	15	25	23	16	6	4	5	4	7	11
6	Scarlet fever	159	17	13	26	20	8	13	4	2	4	4	15	33
7	Whooping cough	99	7	10	6	11	11	9	5	12	15	6	5	2
8	Diphtheria and croup	775	61	66	68	34	55	56	50	38	52	87	93	115
9	Influenza	278	148	52	20	15	12	4	3	1	4	4	3	12
13	Tuberculosis of the lungs	3,061	321	302	306	284	291	247	241	224	236	183	209	217
14–15	Other forms of tuberculosis	406	36	38	29	35	42	33	37	26	39	26	28	37
17	Meningitis	181	11	14	22	12	19	13	15	22	15	11	12	15
20–21	Bronchitis	361	55	54	31	32	27	16	15	16	21	32	28	34
22	Pneumonia	2,363	493	268	272	194	162	115	86	65	94	151	183	280
(23)	Bronchopneumonia	1,415	240	178	186	147	111	67	60	54	45	89	107	131
25	Diarrhea and enteritis (under 2 years)	3,510	224	216	290	206	190	144	470	748	435	258	155	174
(37)	Diarrhea and enteritis (2 years and over)	333	11	21	15	22	20	18	35	62	45	31	26	27
(33)	Congenital debility [1]	190	15	10	21	26	22	12	13	20	9	9	14	19
35	Violent deaths (excluding suicide)	2,700	186	155	158	176	166	169	627	279	204	203	189	188
36	Suicide	542	46	37	46	45	67	44	45	37	51	41	43	40
	All other causes	18,330	1,822	1,637	1,767	1,563	1,556	1,248	1,596	1,284	1,345	1,375	1,485	1,652
	CHICAGO, ILL. (COLORED).													
	All causes	1,338	128	115	118	103	120	108	120	102	92	105	115	112
1	Typhoid fever	5				1		2				1		1
3	Malaria													
5	Measles	2						1				1		
6	Scarlet fever	1						1						
7	Whooping cough	1											1	
8	Diphtheria and croup	13			2			3	2	2		1		3
9	Influenza	14	4	1	1	4		1					1	2
13	Tuberculosis of the lungs	255	20	20	24	23	20	21	23	22	21	20	25	16
14–15	Other forms of tuberculosis	31	3	4	4	2	1	3	2	1	5	4	1	1
17	Meningitis	6			1	1				1		3		
20–21	Bronchitis	10			1		2		4		1		2	
22	Pneumonia	114	25	10	11	6	7	5	5	2	4	6	13	20
(23)	Bronchopneumonia	56	9	8	7	4	11	1		2	4	2	3	5
25	Diarrhea and enteritis (under 2 years)	23		4		1	1		2	3	1	2	3	1
(37)	Diarrhea and enteritis (2 years and over)	6	1				2	2	1					
(33)	Congenital debility [1]	5				1	1						1	2
35	Violent deaths (excluding suicide)	108	3	1	5	6	4	9	24	14	15	11	10	6
36	Suicide	11	1	2				2	1		1	2	1	1
	All other causes	677	62	65	62	54	71	57	56	50	40	52	54	54

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.												
	INDIANAPOLIS, IND. (TOTAL).												
	All causes	4,308	434	340	443	392	351	297	332	376	351	326	304	362
1	Typhoid fever	72	5	4	4	3	2		4	14	19	8	8	1
3	Malaria	3	1					1			1			
5	Measles	27		1	1	7	8	7	3					
6	Scarlet fever	13	1	3	2	3	1	2			1			
7	Whooping cough	25	1	2	2	5	4	1	4	3	1	1		1
8	Diphtheria and croup	55	3	1	2	2				4	7	5	16	15
9	Influenza	48	22	12	5	1	1	2					2	2
13	Tuberculosis of the lungs	440	29	47	39	42	49	41	32	35	35	39	24	28
14–15	Other forms of tuberculosis	83	1	5	8	8	10	8	10	14	10	5	2	2
17	Meningitis	15	1	1	4	2	3				1	3		
20–21	Bronchitis	41	7	4	3	10	5	2	1	2	2	1	2	2
22	Pneumonia	234	47	24	41	18	19	7	4	8	10	12	25	19
(23)	Bronchopneumonia	157	28	10	25	19	16	8	7	4	6	6	12	16
25	Diarrhea and enteritis (under 2 years)	156	3	7	5	10	3	8	28	35	26	14	12	5
(37)	Diarrhea and enteritis (2 years and over)	36	2	1	2	1	1	4	9	7	5	1	1	2
(33)	Congenital debility [1]	18	4		2	4	1	1			1	2		3
35	Violent deaths (excluding suicide)	241	12	15	18	15	13	24	23	26	28	22	17	27
36	Suicide	77	8	7	5	6	7	6	7	7	11	6	2	5
	All other causes	2,567	259	194	275	236	208	175	200	217	187	201	181	234
	INDIANAPOLIS, IND. (WHITE).													
	All causes	3,648	386	274	370	330	294	257	291	306	292	279	261	308
1	Typhoid fever	59	5	4	3	3	2		3	11	13	6	8	1
3	Malaria	3	1					1			1			
5	Measles	23			1	5	8	6	3					
6	Scarlet fever	10	1	2	1	3	1	2						
7	Whooping cough	15		1		4	3	1	3	1		1		1
8	Diphtheria and croup	51	3	1	2	2				4	7	5	15	12
9	Influenza	45	21	12	5	1	1	2					1	2
13	Tuberculosis of the lungs	328	23	38	28	28	38	29	27	23	27	29	17	21
14–15	Other forms of tuberculosis	61	1	3	5	6	6	6	9	10	8	4	1	2
17	Meningitis	13	1	1	4	1	2				1	3		
20–21	Bronchitis	36	7	3	2	8	4	2	1	2	2	1	2	2
22	Pneumonia	184	41	18	33	14	15	6	2	6	9	10	15	15
(23)	Bronchopneumonia	131	25	9	21	16	10	8	4	3	5	6	10	14
25	Diarrhea and enteritis (under 2 years)	133	3	5	3	8	2	8	21	32	23	12	12	4
(37)	Diarrhea and enteritis (2 years and over)	33	2	1	2	1	1	4	9	6	3	1	1	2
(33)	Congenital debility [1]	16	4		1	4	1	1			1	2		2
35	Violent deaths (excluding suicide)	204	10	15	16	14	7	20	20	21	22	20	15	24
36	Suicide	73	8	7	5	6	7	6	6	7	10	5	1	5
	All other causes	2,230	230	154	238	206	186	155	183	180	160	174	163	201
	INDIANAPOLIS, IND. (COLORED).													
	All causes	660	48	66	73	62	57	40	41	70	59	47	43	54
1	Typhoid fever	13			1				1	3	6	2		
3	Malaria													
5	Measles	4		1		2		1						
6	Scarlet fever	3		1	1						1			
7	Whooping cough	10	1	1	2	1	1		1	2	1			
8	Diphtheria and croup	4											1	3
9	Influenza	3	1	1									1	
13	Tuberculosis of the lungs	112	6	9	11	14	11	12	5	12	8	10	7	7
14–15	Other forms of tuberculosis	22		2	3	2	4	2	1	4	2	1	1	
17	Meningitis	2				1	1							
20–21	Bronchitis	5		1	1	2	1							
22	Pneumonia	50	6	6	8	4	4	1	2	2	1	2	10	4
(23)	Bronchopneumonia	26	3	1	4	3	6		3	1	1		2	2
25	Diarrhea and enteritis (under 2 years)	23		2	2	2	1		7	3	3	2		1
(37)	Diarrhea and enteritis (2 years and over)	3								1	2			
(33)	Congenital debility [1]	2			1									1
35	Violent deaths (excluding suicide)	37	2	1	2	1	6	4	3	5	6	2	2	3
36	Suicide	4							1		1	1	1	
	All other causes	337	29	40	37	30	22	20	17	37	27	27	18	33
	LOUISVILLE, KY. (TOTAL).													
	All causes	3,586	408	321	334	290	271	246	359	260	246	254	270	327
1	Typhoid fever	32		1	4	3	1	1	4	4	5	5	4	
3	Malaria	3					1		1					1
5	Measles	5							1				2	2
6	Scarlet fever	1				1								
7	Whooping cough	26	2	5	3	3	3	1	3	2	1	2		1
8	Diphtheria and croup	16	1	2		1	1				1	4	4	2
9	Influenza	79	38	8	8	7	4	4	1		1	2	2	4
13	Tuberculosis of the lungs	382	34	37	36	34	35	31	33	31	33	27	25	26
14–15	Other forms of tuberculosis	53	3	4	4	8	5	3	7	2	3	3	5	6
17	Meningitis	10		2	1	1	3			2			1	
20–21	Bronchitis	60	7	5	8	3	8	5	4	4	3	1	4	8
22	Pneumonia	251	58	36	34	26	13	8	13	5	5	13	18	22
(23)	Bronchopneumonia	100	27	12	8	10	2	3	4	1	2	5	12	14
25	Diarrhea and enteritis (under 2 years)	107	5	3	2	5	2	5	49	14	10	4	4	4
(37)	Diarrhea and enteritis (2 years and over)	45	1	4	4	3	3	4	7	8	3	2	3	3
(33)	Congenital debility [1]	65	3	7	7	3	1	4	8	14	7	6	4	1
35	Violent deaths (excluding suicide)	202	22	20	10	8	16	18	21	23	12	15	18	19
36	Suicide	35	1	4	2	2	7	4	5		5		3	2
	All other causes	2,114	206	171	203	172	166	155	198	150	155	165	161	212

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.												
	LOUISVILLE, KY. (WHITE).												
	All causes	2,586	304	241	236	216	198	162	252	186	168	184	195	244
1	Typhoid fever	22	.....	.....	2	.....	.....	1	3	4	4	5	3	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	5	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	2	2
6	Scarlet fever	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	17	1	2	2	2	2	1	3	1	1	1	.....	1
8	Diphtheria and croup	15	1	1	.....	1	1	.....	.....	.....	1	4	4	2
9	Influenza	58	31	5	6	5	4	2	.....	.....	.....	2	1	2
13	Tuberculosis of the lungs	224	20	24	21	21	18	22	15	20	15	16	18	14
14–15	Other forms of tuberculosis	38	2	4	3	6	2	1	5	1	2	3	4	5
17	Meningitis	8	.....	2	.....	1	2	.....	.....	2	.....	.....	1	.....
20–21	Bronchitis	36	6	4	7	1	5	3	1	1	3	.....	2	3
22	Pneumonia	151	39	24	12	17	9	4	6	1	3	8	11	17
(23)	Bronchopneumonia	73	22	5	4	7	1	3	3	1	1	5	12	9
25	Diarrhea and enteritis (under 2 years)	80	4	1	1	4	2	4	39	8	8	4	3	2
(37)	Diarrhea and enteritis (2 years and over)	32	1	3	3	1	.....	3	5	6	3	2	3	2
(33)	Congenital debility [1]	48	3	6	6	2	.....	2	5	10	6	4	3	1
35	Violent deaths (excluding suicide)	150	17	16	8	7	13	10	14	18	9	10	13	15
36	Suicide	34	1	4	2	2	7	4	5	.....	4	.....	3	2
	All other causes	1,594	156	140	159	138	132	102	147	113	108	120	112	167
	LOUISVILLE, KY. (COLORED).													
	All causes	1,000	104	80	98	74	73	84	107	74	78	70	75	83
1	Typhoid fever	10	.....	1	2	3	1	.....	1	.....	1	.....	1	.....
3	Malaria	3	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	1
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	9	1	3	1	1	1	.....	.....	1	.....	1	.....	.....
8	Diphtheria and croup	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	21	7	3	2	2	.....	2	1	.....	1	.....	1	2
13	Tuberculosis of the lungs	158	14	13	15	13	17	9	18	11	18	11	7	12
14–15	Other forms of tuberculosis	15	1	.....	1	2	3	2	2	1	1	.....	1	1
17	Meningitis	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....
20–21	Bronchitis	24	1	1	1	2	3	2	3	3	.....	1	2	5
22	Pneumonia	100	19	12	22	9	4	4	7	4	2	5	7	5
(23)	Bronchopneumonia	27	5	7	4	3	1	.....	1	.....	1	.....	.....	5
25	Diarrhea and enteritis (under 2 years)	27	1	2	1	1	.....	1	10	6	2	.....	1	2
(37)	Diarrhea and enteritis (2 years and over)	13	.....	1	1	2	3	1	2	2	.....	.....	.....	1
(33)	Congenital debility [1]	17	.....	1	1	1	1	2	3	4	1	2	1	.....
35	Violent deaths (excluding suicide)	52	5	4	2	1	3	8	7	5	3	5	5	4
36	Suicide	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	All other causes	520	50	31	44	34	34	53	51	37	47	45	49	45
	NEW ORLEANS, LA. (TOTAL).													
	All causes	6,847	565	566	609	511	630	556	550	576	492	556	576	660
1	Typhoid fever	86	4	1	2	3	16	6	6	8	7	15	12	6
3	Malaria	26	1	1	3	1	.....	4	2	3	5	2	3	1
5	Measles	13	.....	.....	1	.....	.....	.....	1	1	1	.....	2	7
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
7	Whooping cough	14	.....	2	1	1	2	.....	1	1	2	1	.....	3
8	Diphtheria and croup	37	3	9	3	1	1	1	.....	3	3	5	4	4
9	Influenza	100	26	21	17	10	2	3	.....	.....	2	3	4	12
13	Tuberculosis of the lungs	963	71	86	96	70	86	81	85	83	72	79	73	81
14–15	Other forms of tuberculosis	120	8	9	12	8	13	10	11	13	5	9	11	11
17	Meningitis	22	2	1	4	3	2	2	1	2	2	2	.....	1
20–21	Bronchitis	51	5	5	2	8	3	5	3	2	4	3	5	6
22	Pneumonia	331	44	30	40	26	25	14	13	23	14	13	40	49
(23)	Bronchopneumonia	105	9	5	10	10	7	6	9	12	8	9	5	15
25	Diarrhea and enteritis (under 2 years)	263	24	15	9	23	36	22	22	44	13	18	10	27
(37)	Diarrhea and enteritis (2 years and over)	95	4	3	5	6	8	7	17	7	5	12	11	10
(33)	Congenital debility [1]	26	.....	2	.....	1	2	.....	2	4	1	3	6	5
35	Violent deaths (excluding suicide)	432	46	36	37	41	41	41	30	34	37	24	31	34
36	Suicide	54	6	2	6	7	6	5	5	4	3	2	3	5
	All other causes	4,108	312	338	361	292	380	349	342	331	308	356	356	383
	NEW ORLEANS, LA. (WHITE).													
	All causes	3,938	320	306	350	308	349	318	322	344	273	326	333	389
1	Typhoid fever	56	2	1	1	2	7	4	5	6	5	10	9	4
3	Malaria	11	.....	.....	1	.....	.....	.....	1	2	3	1	2	1
5	Measles	9	.....	.....	1	.....	.....	.....	1	1	1	.....	1	4
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
7	Whooping cough	9	.....	1	1	1	1	.....	1	.....	1	1	.....	2
8	Diphtheria and croup	28	3	8	2	1	1	.....	.....	2	1	4	3	3
9	Influenza	58	18	10	8	7	.....	3	.....	.....	.....	1	3	8
13	Tuberculosis of the lungs	441	38	35	55	31	32	43	27	44	33	37	31	35
14–15	Other forms of tuberculosis	34	3	1	5	2	3	1	7	3	2	1	4	2
17	Meningitis	14	1	1	3	2	1	1	1	1	1	2	.....	.....
20–21	Bronchitis	30	4	3	.....	5	2	2	.....	2	1	3	3	5
22	Pneumonia	138	15	12	14	10	12	5	3	9	6	6	21	25
(23)	Bronchopneumonia	46	6	2	5	1	4	2	3	5	4	5	2	7
25	Diarrhea and enteritis (under 2 years)	168	13	10	7	16	25	13	16	32	10	9	4	13
(37)	Diarrhea and enteritis (2 years and over)	53	3	1	4	5	6	3	9	5	2	6	5	4
(33)	Congenital debility [1]	12	.....	1	.....	.....	1	.....	1	3	.....	1	4	1
35	Violent deaths (excluding suicide)	249	25	21	24	25	27	25	18	19	20	15	10	20
36	Suicide	50	6	2	6	6	6	4	5	3	2	2	3	5
	All other causes	2,531	183	197	213	194	221	212	224	206	181	222	228	250

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW ORLEANS, LA. (COLORED).													
	All causes	2,909	245	260	259	203	281	238	228	232	219	230	243	271
1	Typhoid fever	30	2		1	1	9	2	1	2	2	5	3	2
3	Malaria	15	1	1	2	1		4	1	1	2	1	1	
5	Measles	4											1	3
6	Scarlet fever													
7	Whooping cough	5		1			1			1	1			1
8	Diphtheria and croup	9		1	1			1		1	2	1	1	1
9	Influenza	42	8	11	9	3	2				2	2	1	4
13	Tuberculosis of the lungs	522	33	51	41	39	54	38	58	39	39	42	42	46
14–15	Other forms of tuberculosis	86	5	8	7	6	10	9	4	10	3	8	7	9
17	Meningitis	8	1		1	1	1	1		1	1			1
20–21	Bronchitis	21	1	2	2	3	1	3	3		3		2	1
22	Pneumonia	193	29	18	26	16	13	9	10	14	8	7	19	24
(23)	Bronchopneumonia	59	3	3	5	9	3	4	6	7	4	4	3	8
25	Diarrhea and enteritis (under 2 years)	95	11	5	2	7	11	9	6	12	3	9	6	14
(37)	Diarrhea and enteritis (2 years and over)	42	1	2	1	1	2	4	8	2	3	6	6	6
(33)	Congenital debility[1]	14		1		1	1		1	1	1	2	2	4
35	Violent deaths (excluding suicide)	183	21	15	13	16	14	16	12	15	17	9	21	14
36	Suicide	4				1		1		1	1			
	All other causes	1,577	129	141	148	98	159	137	118	125	127	134	128	133
	BALTIMORE, MD. (TOTAL).													
	All causes	10,668	1,083	906	1,102	996	861	751	843	899	752	815	780	880
1	Typhoid fever	107	8	4	3	3	3	7	15	10	23	20	8	3
3	Malaria	2	1									1		
5	Measles	32	3	7	8	9	3	1	1					
6	Scarlet fever	31	4	6	7	4	6		3			1		
7	Whooping cough	60	4	5	6	10	8	3	9	4	2	7	1	1
8	Diphtheria and croup	61	10	7	9	3	4	2	2	5	4	9	1	5
9	Influenza	127	52	33	17	6	2	2	4	1		2	3	5
13	Tuberculosis of the lungs	1,182	96	101	121	112	100	102	88	95	79	82	95	111
14–15	Other forms of tuberculosis	139	6	11	16	13	18	16	10	11	10	9	10	9
17	Meningitis	46	5	6	3	5	4	2	4	4	4	2	1	6
20–21	Bronchitis	130	14	17	16	15	9	6	4	5	9	7	9	19
22	Pneumonia	784	159	89	122	100	61	30	13	17	16	39	42	96
(23)	Bronchopneumonia	606	86	65	105	86	53	25	24	28	33	24	32	45
25	Diarrhea and enteritis (under 2 years)	586	12	17	21	17	14	20	136	167	93	51	24	14
(37)	Diarrhea and enteritis (2 years and over)	79	6	5	9	5	7	4	12	9	10	5	1	6
(33)	Congenital debility[1]	119	6	6	10	11	13	4	8	22	20	7	5	7
35	Violent deaths (excluding suicide)	480	25	36	35	39	46	48	51	39	28	45	46	42
36	Suicide	93	7	6	11	11	11	5	10	4	12	3	7	6
	All other causes	6,004	579	485	583	547	499	474	449	478	409	501	495	505
	BALTIMORE, MD. (WHITE).													
	All causes	7,956	825	695	833	731	643	535	601	672	546	606	605	664
1	Typhoid fever	90	5	3	3	2	3	7	9	10	20	18	7	3
3	Malaria	1										1		
5	Measles	27	3	6	8	8	2							
6	Scarlet fever	31	4	6	7	4	6		3			1		
7	Whooping cough	37	2	3	3	7	7		7	2		5	1	
8	Diphtheria and croup	55	9	6	8	3	4	2	2	4	4	8	1	4
9	Influenza	101	39	27	16	6	1	1	3			2	2	4
13	Tuberculosis of the lungs	734	56	75	71	74	63	60	39	58	53	50	62	73
14–15	Other forms of tuberculosis	78	4	7	10	6	7	13	7	8	4	2	7	3
17	Meningitis	38	5	5	3	1	4	2	4	3	4		1	6
20–21	Bronchitis	89	14	15	9	6	6	2	3	3	6	5	9	11
22	Pneumonia	546	109	68	95	67	41	16	9	11	16	24	29	66
(23)	Bronchopneumonia	390	53	44	77	52	31	11	16	18	19	18	20	31
25	Diarrhea and enteritis (under 2 years)	436	11	13	20	13	10	15	91	132	65	37	19	10
(37)	Diarrhea and enteritis (2 years and over)	50	4	5	6	4	5	1	8	5	6	2	1	3
(33)	Congenital debility[1]	89	6	4	7	8	7	2	6	21	14	4	4	6
35	Violent deaths (excluding suicide)	372	21	33	24	30	41	36	37	28	20	37	34	31
36	Suicide	89	7	6	11	11	11	4	9	3	12	3	6	6
	All other causes	4,703	473	374	455	429	394	363	348	366	303	389	402	407
	BALTIMORE, MD. (COLORED).													
	All causes	2,712	258	211	269	265	218	216	242	227	206	209	175	216
1	Typhoid fever	17	3	1		1			6		3	2	1	
3	Malaria	1	1											
5	Measles	5		1		1	1	1	1					
6	Scarlet fever													
7	Whooping cough	23	2	2	3	3	1	3	2	2	2	2		1
8	Diphtheria and croup	6	1	1	1					1		1		1
9	Influenza	26	13	6	1		1	1	1	1			1	1
13	Tuberculosis of the lungs	448	40	26	50	38	37	42	49	37	26	32	33	38
14–15	Other forms of tuberculosis	61	2	4	6	7	11	3	3	3	6	7	3	6
17	Meningitis	8		1		4				1		2		
20–21	Bronchitis	41		2	7	9	3	4	1	2	3	2		8
22	Pneumonia	238	50	26	27	33	20	14	4	6		15	13	30
(23)	Bronchopneumonia	216	33	21	28	34	22	14	8	10	14	6	12	14
25	Diarrhea and enteritis (under 2 years)	150	1	4	1	4	4	5	45	35	28	14	5	4
(37)	Diarrhea and enteritis (2 years and over)	29	2		3	1	2	3	4	4	4	3		3
(33)	Congenital debility[1]	30		2	3	3	6	2	2	1	6	3	1	1
35	Violent deaths (excluding suicide)	108	4	3	11	9	5	12	14	11	8	8	12	11
36	Suicide	4						1	1	1			1	
	All other causes	1,301	106	111	128	118	105	111	101	112	106	112	93	98

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BOSTON, MASS.													
	All causes	12,763	1,443	1,129	1,150	1,090	1,144	916	841	1,014	984	992	1,012	1,048
1	Typhoid fever	26	3	.....	2	.....	1	2	1	2	2	7	2	4
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
5	Measles	110	5	8	11	6	19	20	19	10	4	6	2	.....
6	Scarlet fever	39	4	8	5	6	8	4	.....	.....	1	.....	.....	3
7	Whooping cough	73	14	6	7	6	12	4	4	3	9	3	4	1
8	Diphtheria and croup	186	23	27	22	19	18	13	7	5	9	11	16	16
9	Influenza	85	55	14	5	4	2	.....	.....	.....	.....	1	2	2
13	Tuberculosis of the lungs	1,097	99	106	91	114	101	81	76	84	107	71	77	90
14–15	Other forms of tuberculosis	222	16	20	24	21	21	15	20	25	18	7	18	17
17	Meningitis	90	7	14	11	10	6	13	4	8	2	8	4	3
20–21	Bronchitis	135	36	16	6	10	11	8	6	6	5	10	15	6
22	Pneumonia	1,005	207	113	114	104	89	59	33	33	37	40	77	99
(23)	Bronchopneumonia	590	104	65	61	54	44	24	26	30	37	46	39	60
25	Diarrhea and enteritis (under 2 years)	374	11	17	14	15	24	11	28	106	86	33	21	8
(37)	Diarrhea and enteritis (2 years and over)	57	3	2	5	1	6	5	4	9	4	8	6	4
(33)	Congenital debility [1]	134	10	7	7	10	18	6	10	17	13	14	13	9
35	Violent deaths (excluding suicide)	817	72	53	47	65	53	60	63	70	73	67	119	75
36	Suicide	123	15	4	11	9	15	16	7	13	8	8	8	9
	All other causes	7,599	759	649	707	636	696	575	533	593	569	651	589	642
	CAMBRIDGE, MASS.													
	All causes	1,526	173	146	155	117	136	112	108	101	111	103	119	145
1	Typhoid fever	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	1	.....	1	4	1	.....	.....	.....	.....	1	.....	.....
6	Scarlet fever	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1
7	Whooping cough	11	1	2	4	1	.....	2	1	.....	.....	.....	.....	.....
8	Diphtheria and croup	16	2	2	3	.....	.....	1	1	1	1	.....	2	3
9	Influenza	11	7	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	195	22	20	28	12	20	20	19	10	5	11	14	14
14–15	Other forms of tuberculosis	13	.....	1	1	1	2	3	1	.....	3	.....	.....	1
17	Meningitis	7	2	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....
20–21	Bronchitis	20	1	4	4	1	2	.....	.....	.....	2	.....	3	3
22	Pneumonia	102	25	13	12	6	11	2	.....	2	3	5	10	13
(23)	Bronchopneumonia	78	15	10	10	7	7	3	2	4	6	.....	5	9
25	Diarrhea and enteritis (under 2 years)	64	7	.....	1	2	.....	3	3	16	16	12	3	1
(37)	Diarrhea and enteritis (2 years and over)	6	.....	.....	.....	.....	.....	.....	1	1	2	2	.....	.....
(33)	Congenital debility [1]	10	1	.....	3	.....	1	.....	1	.....	2	.....	2	.....
35	Violent deaths (excluding suicide)	61	4	6	7	4	9	5	7	4	3	2	5	5
36	Suicide	10	2	.....	.....	1	.....	2	2	.....	.....	1	2	.....
	All other causes	910	83	84	77	75	82	71	70	63	68	69	73	95
	FALL RIVER, MASS.													
	All causes	2,178	245	229	206	153	174	125	158	219	186	169	151	163
1	Typhoid fever	14	1	2	.....	.....	1	1	.....	3	3	1	1	1
3	Malaria	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1
5	Measles	39	7	4	1	3	6	5	1	2	3	2	1	4
6	Scarlet fever	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	17	.....	4	1	.....	2	3	1	2	2	.....	1	1
8	Diphtheria and croup	20	4	1	1	4	2	3	1	.....	2	.....	1	1
9	Influenza	31	18	2	5	1	1	1	.....	.....	1	1	.....	1
13	Tuberculosis of the lungs	207	23	24	20	15	16	16	17	14	16	17	14	15
14–15	Other forms of tuberculosis	34	3	3	1	.....	2	2	4	5	4	4	3	3
17	Meningitis	6	.....	1	2	.....	.....	.....	1	1	1	.....	.....	.....
20–21	Bronchitis	49	10	6	10	7	2	3	1	2	.....	1	5	2
22	Pneumonia	175	35	35	23	19	15	2	8	5	4	2	12	15
(23)	Bronchopneumonia	138	23	29	24	10	7	12	5	7	6	2	7	6
25	Diarrhea and enteritis (under 2 years)	274	13	7	16	7	7	5	45	74	49	30	12	9
(37)	Diarrhea and enteritis (2 years and over)	27	2	3	1	3	2	2	2	6	2	.....	1	3
(33)	Congenital debility [1]	25	1	.....	2	3	3	2	1	4	5	2	.....	2
35	Violent deaths (excluding suicide)	61	7	6	3	5	3	6	5	2	5	8	2	4
36	Suicide	14	1	.....	1	3	2	.....	2	2	1	1	.....	1
	All other causes	1,043	96	102	95	72	97	62	64	90	82	98	91	94
	LOWELL, MASS.													
	All causes	1,955	183	185	164	151	143	137	167	167	159	142	166	191
1	Typhoid fever	13	.....	1	2	3	1	.....	.....	.....	4	.....	.....	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	29	.....	1	1	.....	.....	6	11	5	1	.....	.....	4
6	Scarlet fever	6	.....	.....	1	.....	.....	1	.....	1	.....	2	.....	1
7	Whooping cough	11	.....	.....	1	3	3	1	.....	3	.....	.....	.....	.....
8	Diphtheria and croup	44	5	4	1	2	4	.....	5	3	2	8	6	4
9	Influenza	16	5	7	1	.....	.....	.....	.....	.....	.....	.....	1	2
13	Tuberculosis of the lungs	117	12	.....	14	14	17	7	8	5	11	8	9	12
14–15	Other forms of tuberculosis	39	5	2	2	4	6	2	2	2	3	7	3	1
17	Meningitis	18	1	3	.....	1	1	1	1	.....	1	3	2	4
20–21	Bronchitis	74	11	17	10	11	4	4	3	3	1	3	3	4
22	Pneumonia	131	24	18	10	16	9	5	4	3	5	7	21	9
(23)	Bronchopneumonia	71	18	10	5	5	2	4	3	2	2	3	4	13
25	Diarrhea and enteritis (under 2 years)	196	4	8	8	7	5	9	38	45	36	21	8	7
(37)	Diarrhea and enteritis (2 years and over)	23	1	1	3	.....	.....	3	3	5	4	1	1	2
(33)	Congenital debility [1]	41	3	3	1	2	4	4	6	7	3	1	5	1
35	Violent deaths (excluding suicide)	94	5	6	6	7	7	10	14	5	11	4	8	11
36	Suicide	9	2	.....	.....	.....	1	.....	.....	1	.....	3	1	1
	All other causes	1,023	87	104	98	76	79	80	69	77	75	71	94	113

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	WORCESTER, MASS.													
	All causes	2,899	360	274	284	258	229	224	229	188	214	200	210	229
1	Typhoid fever	6					1		1	2	1	1		
3	Malaria													
5	Measles	56		1	4	9	10	15	7	2			3	5
6	Scarlet fever	3	1			1		1						
7	Whooping cough	9	2				1	3	1					2
8	Diphtheria and croup	24			2	1	4	4	3	1	2	2	1	4
9	Influenza	25	13	6	3	1	1							1
13	Tuberculosis of the lungs	218	21	21	26	21	19	16	13	13	20	14	11	23
14–15	Other forms of tuberculosis	62	6	3	11	4	5	7	8	6	6	4	2	
17	Meningitis	12	2	3		1	2	1				1	2	
20–21	Bronchitis	39	11	3	4	2	6		3	2		2	4	2
22	Pneumonia	247	59	32	34	27	20	14	5	4	3	15	22	12
(23)	Bronchopneumonia	129	22	22	13	18	12	6	1	1	6	8	5	15
25	Diarrhea and enteritis (under 2 years)	127	8	3	8	1	3	5	25	28	18	11	9	8
(37)	Diarrhea and enteritis (2 years and over)	22	2	3	1			3	3	4	2		4	
(33)	Congenital debility [1]	23	1	3	2	2	3	1	1	1	4	4		1
35	Violent deaths (excluding suicide)	175	17	10	11	15	10	13	21	14	19	17	19	9
36	Suicide	21	2	3	2	2	1	3				1	2	5
	All other causes	1,701	193	161	163	153	131	132	137	110	133	120	126	142
	DETROIT, MICH.													
	All causes	10,985	965	827	1,063	1,037	930	775	979	918	865	826	846	954
1	Typhoid fever	85	4	2	4	5	8	5	9	10	15	7	10	6
3	Malaria	1												1
5	Measles	104	11	12	20	26	19	6	3	4	1	1		1
6	Scarlet fever	53	3	4	3	8	4	5	5	3	1	2	5	10
7	Whooping cough	64	3	7	2	7	12	5	5	9	5	3	1	5
8	Diphtheria and croup	256	23	16	11	17	20	23	23	13	12	26	40	32
9	Influenza	60	23	10	10	2	2	1	1		1	2	2	6
13	Tuberculosis of the lungs	815	62	64	91	82	77	65	61	58	47	68	51	89
14–15	Other forms of tuberculosis	130	7	12	17	17	14	10	15	13	8	8	6	3
17	Meningitis	116	12	6	12	18	9	15	5	14	5	5	8	7
20–21	Bronchitis	146	10	22	15	23	9	16	2	6	3	9	17	14
22	Pneumonia	719	101	73	97	97	73	38	21	16	28	24	47	104
(23)	Bronchopneumonia	637	74	55	88	69	72	39	27	18	28	43	45	79
25	Diarrhea and enteritis (under 2 years)	746	21	19	24	28	34	32	159	175	135	61	26	32
(37)	Diarrhea and enteritis (2 years and over)	78	3	3	2	8	3	5	14	17	9	2	5	7
(33)	Congenital debility [1]	208	19	15	25	26	23	7	22	11	15	18	14	13
35	Violent deaths (excluding suicide)	873	57	53	52	48	51	57	155	99	83	82	80	56
36	Suicide	111	6	13	11	10	10	7	15	8	8	9	6	8
	All other causes	5,783	526	441	579	546	490	439	437	444	461	456	483	481
	GRAND RAPIDS, MICH.													
	All causes	1,565	170	157	142	141	132	97	124	99	127	113	125	138
1	Typhoid fever	21	2	2	2	2	2	1	2	1	4	1	1	1
3	Malaria													
5	Measles	3					2				1			
6	Scarlet fever	2		1									1	
7	Whooping cough	6				1		2		1	1			1
8	Diphtheria and croup	9	2			1	1				1	1	1	2
9	Influenza	12	10	1										1
13	Tuberculosis of the lungs	83	8	12	5	8	15	3	5	7	6	2	9	3
14–15	Other forms of tuberculosis	22		5		4	1	1	2	2	2	1		4
17	Meningitis	6		1	2		1					1		1
20–21	Bronchitis	23	4	4	2	3	2	3				2	3	
22	Pneumonia	63	16	10	4	9	5	8			1		3	7
(23)	Bronchopneumonia	27	6	3	2	3	1	6	1				2	3
25	Diarrhea and enteritis (under 2 years)	70	4	3	8	8	2	2	4	11	13	4	6	5
(37)	Diarrhea and enteritis (2 years and over)	18	1	1		1	1	3	1	1	3	5	1	
(33)	Congenital debility [1]	11				2		1		2	2		3	1
35	Violent deaths (excluding suicide)	94	7	6	6	4	4	4	24	8	9	6	4	12
36	Suicide	18	1	1	3	4	1			2	2	2	2	
	All other causes	1,077	109	107	108	91	94	63	85	64	82	88	89	97
	MINNEAPOLIS, MINN.													
	All causes	4,512	454	365	434	404	415	328	356	323	322	359	347	405
1	Typhoid fever	20		1	3	2	2		2	2	1	5	2	
3	Malaria													
5	Measles	74	7	9	25	22	8	1				1		1
6	Scarlet fever	16	1	2	3	2	1	1		2		1	1	2
7	Whooping cough	27		1	3	5	3	7	2	2	3	1		
8	Diphtheria and croup	69	7	9	10	9	8	6	2	1	5	5	2	5
9	Influenza	32	14	5	4	3	4					1		1
13	Tuberculosis of the lungs	428	44	30	55	38	46	32	31	36	23	30	29	34
14–15	Other forms of tuberculosis	80	9	8	8	13	6	5	7	5	2	2	8	7
17	Meningitis	14	1		1	2		4	2	1	1		2	
20–21	Bronchitis	28	2	2	2	2	6	1	2		2	2	3	4
22	Pneumonia	245	43	28	27	24	24	11	5	7	6	7	22	41
(23)	Bronchopneumonia	160	32	20	14	19	20	7	5	5	6	9	8	15
25	Diarrhea and enteritis (under 2 years)	109	5	3	8	3	9		7	25	25	17	3	4
(37)	Diarrhea and enteritis (2 years and over)	37	1	4	2			4	3	8	6	6	1	2
(33)	Congenital debility [1]	32	3	3		1	2	2	4	4	3	3		7
35	Violent deaths (excluding suicide)	318	23	13	24	18	29	26	47	25	29	27	38	19
36	Suicide	70	6	3	6	10	6	2	8	4	7	11	2	5
	All other causes	2,753	256	224	239	231	241	219	229	196	203	231	226	258

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ST. PAUL, MINN.													
	All causes	2,785	256	242	275	250	287	216	220	199	196	193	198	253
1	Typhoid fever	14	.....	2	1	.....	1	.....	3	2	2	1	1	1
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	18	.....	.....	2	6	9	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	8	1	.....	3	.....	2	1	.....	.....	.....	.....	.....	1
7	Whooping cough	17	.....	1	2	3	4	1	2	3	1	.....	.....	.....
8	Diphtheria and croup	22	5	3	2	1	1	4	1	1	.....	2	1	1
9	Influenza	23	7	4	.....	2	2	2	1	.....	.....	1	.....	4
13	Tuberculosis of the lungs	245	24	22	20	21	32	27	20	10	18	15	18	18
14-15	Other forms of tuberculosis	61	6	10	7	5	4	8	4	3	3	5	2	4
17	Meningitis	23	1	3	6	2	1	1	3	.....	.....	1	2	3
20-21	Bronchitis	27	3	1	3	3	2	4	.....	1	.....	3	2	5
22	Pneumonia	129	14	20	12	14	15	5	2	6	1	8	9	23
(23)	Bronchopneumonia	70	14	5	13	9	9	3	1	1	4	2	2	7
25	Diarrhea and enteritis (under 2 years)	65	4	4	6	7	4	5	5	12	12	4	1	1
(37)	Diarrhea and enteritis (2 years and over)	24	3	1	.....	.....	1	.....	.....	5	6	1	4	3
(33)	Congenital debility [1]	19	2	.....	3	.....	2	4	1	1	2	.....	2	2
35	Violent deaths (excluding suicide)	218	15	21	22	16	23	13	27	18	20	6	17	20
36	Suicide	45	5	4	2	.....	4	1	5	3	7	8	2	4
	All other causes	1,757	152	141	171	161	171	137	144	133	120	136	135	156
	KANSAS CITY, MO. (TOTAL).													
	All causes	4,319	435	401	446	364	360	320	341	316	295	344	302	395
1	Typhoid fever	34	.....	1	1	1	1	2	5	7	4	9	3	.....
3	Malaria	5	1	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
5	Measles	42	.....	1	15	10	10	5	.....	1	.....	.....	.....	.....
6	Scarlet fever	82	5	19	26	15	9	3	3	.....	1	.....	.....	1
7	Whooping cough	8	.....	.....	2	.....	1	.....	2	1	.....	.....	.....	2
8	Diphtheria and croup	85	7	4	12	11	5	8	6	2	10	8	3	9
9	Influenza	47	20	8	8	3	1	2	.....	.....	.....	.....	2	3
13	Tuberculosis of the lungs	419	38	35	41	39	42	40	22	36	23	32	30	41
14-15	Other forms of tuberculosis	55	6	6	1	2	12	4	6	5	2	2	4	5
17	Meningitis	23	1	1	.....	4	6	2	3	2	2	1	.....	1
20-21	Bronchitis	37	4	6	3	7	3	2	3	.....	.....	3	3	3
22	Pneumonia	257	54	44	28	26	14	10	7	7	4	13	22	28
(23)	Bronchopneumonia	108	10	7	18	15	10	4	3	4	11	7	9	10
25	Diarrhea and enteritis (under 2 years)	140	8	6	8	4	3	12	29	22	22	11	5	10
(37)	Diarrhea and enteritis (2 years and over)	28	2	1	.....	.....	.....	4	3	3	5	5	2	3
(33)	Congenital debility [1]	16	1	1	1	3	.....	2	3	1	.....	1	1	2
35	Violent deaths (excluding suicide)	363	35	25	28	23	31	21	46	41	31	26	25	31
36	Suicide	77	9	12	7	8	2	5	6	7	9	3	4	5
	All other causes	2,493	234	224	246	193	210	194	192	177	170	223	189	241
	KANSAS CITY, MO. (WHITE).													
	All causes	3,595	357	337	370	314	288	262	293	270	247	297	244	316
1	Typhoid fever	29	.....	1	1	1	1	1	3	6	3	9	3	.....
3	Malaria	5	1	.....	1	.....	.....	.....	2	.....	1	.....	.....	.....
5	Measles	41	.....	1	15	10	10	4	.....	1	.....	.....	.....	.....
6	Scarlet fever	79	5	19	24	15	9	2	3	.....	1	.....	.....	1
7	Whooping cough	6	.....	.....	2	.....	1	.....	2	1	.....	.....	.....	.....
8	Diphtheria and croup	83	6	3	12	11	5	8	6	2	10	8	3	9
9	Influenza	37	18	7	5	.....	1	2	.....	.....	.....	.....	2	2
13	Tuberculosis of the lungs	281	21	25	30	28	27	28	15	23	14	24	18	28
14-15	Other forms of tuberculosis	45	5	4	.....	2	10	4	6	3	2	2	3	4
17	Meningitis	22	1	1	.....	4	5	2	3	2	2	1	.....	1
20-21	Bronchitis	29	4	5	2	7	2	1	1	.....	.....	3	2	2
22	Pneumonia	202	40	37	19	22	9	6	5	7	3	11	19	24
(23)	Bronchopneumonia	78	9	3	12	12	5	3	3	2	6	7	8	8
25	Diarrhea and enteritis (under 2 years)	120	8	6	7	4	3	9	24	20	19	8	3	9
(37)	Diarrhea and enteritis (2 years and over)	24	2	1	.....	.....	.....	4	2	2	4	5	2	2
(33)	Congenital debility [1]	15	1	1	1	3	.....	2	3	1	.....	1	.....	2
35	Violent deaths (excluding suicide)	291	28	21	21	16	24	17	41	38	24	23	17	21
36	Suicide	70	8	10	6	8	2	4	6	7	8	3	3	5
	All other causes	2,138	200	192	212	171	174	165	168	155	150	192	161	198
	KANSAS CITY, MO. (COLORED).													
	All causes	724	78	64	76	50	72	58	48	46	48	47	58	79
1	Typhoid fever	5	.....	.....	.....	.....	.....	1	2	1	1	.....	.....	.....
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	3	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
8	Diphtheria and croup	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
9	Influenza	10	2	1	3	3	.....	.....	.....	.....	.....	.....	.....	1
13	Tuberculosis of the lungs	138	17	10	11	11	15	12	7	13	9	8	12	13
14-15	Other forms of tuberculosis	10	1	2	1	.....	2	.....	.....	2	.....	.....	1	1
17	Meningitis	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
20-21	Bronchitis	8	.....	1	1	.....	1	1	2	.....	.....	.....	1	1
22	Pneumonia	55	14	7	9	4	5	4	2	.....	1	2	3	4
(23)	Bronchopneumonia	30	1	4	6	3	5	1	.....	2	5	.....	1	2
25	Diarrhea and enteritis (under 2 years)	20	.....	.....	1	.....	.....	3	5	2	3	3	2	1
(37)	Diarrhea and enteritis (2 years and over)	4	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	1
(33)	Congenital debility [1]	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
35	Violent deaths (excluding suicide)	72	7	4	7	7	7	4	5	3	7	3	8	10
36	Suicide	7	1	2	1	.....	.....	1	.....	.....	1	.....	1	.....
	All other causes	355	34	32	34	22	36	29	24	22	20	31	28	43

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ST. LOUIS, MO. (TOTAL).													
	All causes	11,263	1,317	850	1,069	870	922	768	1,023	850	854	862	873	1,005
1	Typhoid fever	71	3	3	6	2	1	4	5	15	12	8	7	5
3	Malaria	12					1		4	1	2	3	1	
5	Measles	67			2	21	21	16	5				1	1
6	Scarlet fever	48	4	6	5	11	8	2	1	1	1	2	4	3
7	Whooping cough	74	1	12	9	11	11	7	10	5	4	2		2
8	Diphtheria and croup	158	21	12	9	14	10	15	6		6	17	23	25
9	Influenza	173	83	34	23	9	5	2	2		1		3	11
13	Tuberculosis of the lungs	977	100	69	104	95	92	88	58	61	66	89	88	67
14–15	Other forms of tuberculosis	120	10	10	8	8	13	8	15	11	12	4	11	10
17	Meningitis	50	3		4	2	12	11	6	2	2	2	1	5
20–21	Bronchitis	203	27	27	22	17	16	8	11	5	12	13	18	27
22	Pneumonia	862	241	68	99	73	53	18	24	22	29	56	74	105
(23)	Bronchopneumonia	452	105	42	62	28	33	13	22	9	24	27	35	52
25	Diarrhea and enteritis (under 2 years)	378	11	14	11	11	18	14	80	86	61	28	15	29
(37)	Diarrhea and enteritis (2 years and over)	78	7	4	3	6	8	5	13	15	5	5	3	4
(33)	Congenital debility[1]	34	3	1	4	1	4	3	3	5	3	4	1	2
35	Violent deaths (excluding suicide)	824	48	41	63	43	46	62	137	96	72	83	63	70
36	Suicide	207	20	16	27	11	14	8	18	16	16	19	22	20
	All other causes	6,475	630	491	608	507	556	484	603	500	526	500	503	567
	ST. LOUIS, MO. (WHITE).													
	All causes	9,945	1,217	752	952	746	810	674	895	741	743	753	773	889
1	Typhoid fever	61	3	2	4	1	1	2	5	14	9	8	7	5
3	Malaria	9							3	1	2	2	1	
5	Measles	63			2	19	20	15	5				1	1
6	Scarlet fever	47	4	6	5	11	8	2	1	1		2	4	3
7	Whooping cough	62	1	10	8	8	9	6	8	4	4	2		2
8	Diphtheria and croup	150	21	10	9	13	9	15	6		5	16	21	25
9	Influenza	165	33	31	21	8	4	2	2		1		2	11
13	Tuberculosis of the lungs	755	84	56	85	70	74	69	43	44	47	66	68	49
14–15	Other forms of tuberculosis	96	8	9	7	8	10	6	11	10	10	3	8	6
17	Meningitis	46	3		4	2	11	10	6	2	2	1	1	4
20–21	Bronchitis	188	26	25	21	15	15	6	10	3	12	13	16	26
22	Pneumonia	739	219	59	81	60	48	14	22	17	23	47	65	84
(23)	Bronchopneumonia	393	95	37	58	25	25	12	18	8	19	25	29	42
25	Diarrhea and enteritis (under 2 years)	349	10	14	11	11	16	14	72	79	54	27	14	27
(37)	Diarrhea and enteritis (2 years and over)	69	7	4	3	4	6	5	13	12	4	4	3	4
(33)	Congenital debility[1]	32	3	1	4	1	4	3	2	5	2	4	1	2
35	Violent deaths (excluding suicide)	714	42	35	51	39	36	57	116	85	65	73	53	62
36	Suicide	206	20	16	27	11	14	8	18	16	16	19	21	20
	All other causes	5,801	588	437	551	440	500	428	534	440	468	441	458	516
	ST. LOUIS, MO. (COLORED).													
	All causes	1,318	100	98	117	124	112	94	128	109	111	109	100	116
1	Typhoid fever	10		1	2	1		2		1	3			
3	Malaria	3					1		1			1		
5	Measles	4				2	1	1						
6	Scarlet fever	1									1			
7	Whooping cough	12		2	1	3	2	1	2	1				
8	Diphtheria and croup	8		2		1	1				1	1	2	
9	Influenza	8		3	2	1	1						1	
13	Tuberculosis of the lungs	222	16	13	19	25	18	19	15	17	19	23	20	18
14–15	Other forms of tuberculosis	24	2	1	1		3	2	4	1	2	1	3	4
17	Meningitis	4					1	1				1		1
20–21	Bronchitis	15	1	2	1	2	1	2	1	2			2	1
22	Pneumonia	123	22	9	18	13	5	4	2	5	6	9	9	21
(23)	Bronchopneumonia	59	10	5	4	3	8	1	4	1	5	2	6	10
25	Diarrhea and enteritis (under 2 years)	29	1				2		8	7	7	1	1	2
(37)	Diarrhea and enteritis (2 years and over)	9				2	2			3	1	1		
(33)	Congenital debility[1]	2							1		1			
35	Violent deaths (excluding suicide)	110	6	6	12	4	10	5	21	11	7	10	10	8
36	Suicide	1											1	
	All other causes	674	42	54	57	67	56	56	69	60	58	59	45	51
	OMAHA, NEBR.													
	All causes	2,385	248	210	222	185	207	162	191	205	196	170	163	226
1	Typhoid fever	5		1				1			1	1	1	
3	Malaria													
5	Measles	3		2				1						
6	Scarlet fever	56	24	10	12	6	1	1	1	1				
7	Whooping cough	3		1			1						1	
8	Diphtheria and croup	35	5	3	1	8	1	4		1	1	5	3	3
9	Influenza	31	8	9	4	2	2		1			1		4
13	Tuberculosis of the lungs	168	10	15	12	13	22	13	10	12	18	13	10	20
14–15	Other forms of tuberculosis	32	2	2	2	3	2	3	4	1	3	2	3	5
17	Meningitis	8			1	1	2	1	1				1	1
20–21	Bronchitis	19	2		2	3	1		1		2	2	1	5
22	Pneumonia	185	31	25	17	21	14	14	7	3	6	6	12	29
(23)	Bronchopneumonia	102	16	14	19	14	13	2	2	2	3	4	5	8
25	Diarrhea and enteritis (under 2 years)	69	1	2	1	2	2	1	5	20	17	11	3	4
(37)	Diarrhea and enteritis (2 years and over)	26	1	1	3	2	2		5	5	5		1	1
(33)	Congenital debility[1]	25	1		5	2	3	1	1	3	5	3	1	
35	Violent deaths (excluding suicide)	171	9	13	9	12	13	9	21	31	11	15	14	14
36	Suicide	49	7	4	4	5	1	3	4	6	7		8	
	All other causes	1,398	131	108	130	91	127	108	128	120	117	107	99	132

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	JERSEY CITY, N. J.													
	All causes	4,480	466	382	437	354	362	304	328	411	333	343	346	414
1	Typhoid fever	22	1	1	1	.....	.....	1	.....	3	3	6	4	2
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
5	Measles	18	.....	2	.....	8	3	3	.....	.....	2	.....	.....	.....
6	Scarlet fever	12	1	.....	2	3	3	1	1	.....	.....	.....	1	.....
7	Whooping cough	16	5	2	.....	1	2	.....	.....	.....	3	1	.....	2
8	Diphtheria and croup	43	3	4	3	3	6	4	4	2	2	3	.....	9
9	Influenza	42	18	9	5	1	.....	.....	1	.....	1	.....	1	6
13	Tuberculosis of the lungs	440	36	53	39	36	38	33	39	31	34	29	32	40
14–15	Other forms of tuberculosis	76	12	5	5	5	2	6	5	13	7	5	5	6
17	Meningitis	40	5	4	7	5	6	3	3	3	.....	.....	2	2
20–21	Bronchitis	90	17	8	4	4	5	9	5	5	4	8	7	14
22	Pneumonia	368	72	44	45	27	27	14	16	12	15	24	29	43
(23)	Bronchopneumonia	197	32	34	20	18	14	9	7	9	17	9	9	19
25	Diarrhea and enteritis (under 2 years)	245	9	14	11	8	12	11	45	71	22	21	15	6
(37)	Diarrhea and enteritis (2 years and over)	48	4	2	.....	2	.....	4	4	10	8	5	4	5
(33)	Congenital debility [1]	47	1	4	2	.....	11	3	3	6	5	5	2	5
35	Violent deaths (excluding suicide)	315	31	17	31	28	29	14	23	32	29	32	26	23
36	Suicide	35	.....	1	3	2	8	4	3	2	3	5	3	1
	All other causes	2,424	219	178	259	203	196	185	169	211	178	189	206	231
	NEWARK, N. J.													
	All causes	6,147	644	520	596	524	500	409	546	633	388	409	407	571
1	Typhoid fever	25	3	.....	2	.....	1	2	2	1	3	7	3	1
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	105	11	9	26	27	18	7	5	1	.....	.....	1	.....
6	Scarlet fever	5	1	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....
7	Whooping cough	26	6	3	.....	2	2	3	1	3	3	1	.....	2
8	Diphtheria and croup	38	4	1	5	1	2	4	5	1	4	3	1	7
9	Influenza	71	32	11	6	4	6	.....	2	.....	1	1	.....	8
13	Tuberculosis of the lungs	595	59	66	70	65	51	43	46	35	32	31	46	51
14–15	Other forms of tuberculosis	92	7	9	10	14	14	8	11	4	3	5	2	5
17	Meningitis	29	5	6	3	3	2	3	1	1	1	1	1	2
20–21	Bronchitis	107	12	17	17	3	14	3	3	4	2	5	6	21
22	Pneumonia	456	102	52	50	35	35	22	8	12	11	18	37	74
(23)	Bronchopneumonia	203	37	22	23	21	11	9	21	20	2	12	10	15
25	Diarrhea and enteritis (under 2 years)	294	13	11	16	11	18	15	73	64	35	20	8	10
(37)	Diarrhea and enteritis (2 years and over)	37	4	2	2	2	4	2	7	9	.....	1	.....	4
(33)	Congenital debility [1]	38	4	6	5	2	2	3	5	1	5	1	2	2
35	Violent deaths (excluding suicide)	372	22	17	25	26	23	27	37	40	40	39	24	52
36	Suicide	57	8	6	6	4	1	3	4	6	2	5	9	3
	All other causes	3,597	314	282	328	304	295	254	315	431	244	259	257	314
	PATERSON, N. J.													
	All causes	2,003	233	189	222	178	135	144	135	130	138	146	173	171
1	Typhoid fever	6	1	.....	1	1	.....	2	.....	.....	.....	.....	1	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
5	Measles	25	4	8	4	6	1	.....	.....	.....	1	.....	.....	1
6	Scarlet fever	3	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	3	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....
8	Diphtheria and croup	19	4	5	4	.....	1	.....	2	1	1	1	.....	.....
9	Influenza	26	12	4	4	2	.....	.....	1	.....	.....	.....	1	2
13	Tuberculosis of the lungs	182	20	16	14	18	15	14	17	14	13	14	13	14
14–15	Other forms of tuberculosis	11	4	.....	2	3	1	.....	.....	.....	.....	.....	.....	1
17	Meningitis	16	.....	4	3	3	1	.....	2	1	1	.....	1	.....
20–21	Bronchitis	19	4	2	2	1	1	2	2	.....	.....	1	1	3
22	Pneumonia	185	34	21	27	17	19	7	4	5	6	11	16	18
(23)	Bronchopneumonia	88	18	12	22	3	4	.....	7	2	3	3	7	7
25	Diarrhea and enteritis (under 2 years)	59	2	2	3	2	1	2	8	14	10	7	6	2
(37)	Diarrhea and enteritis (2 years and over)	21	3	5	1	1	.....	2	3	1	1	1	2	1
(33)	Congenital debility [1]	26	1	2	3	5	.....	3	.....	1	5	4	2	.....
35	Violent deaths (excluding suicide)	111	6	4	16	13	2	6	8	11	7	10	16	12
36	Suicide	24	1	3	2	1	1	2	4	2	2	1	1	4
	All other causes	1,178	119	101	110	101	87	104	77	86	88	93	106	106
	ALBANY, N. Y.													
	All causes	2,041	210	201	206	157	181	134	156	158	156	150	162	170
1	Typhoid fever	8	.....	1	.....	1	.....	1	.....	1	1	.....	1	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	26	.....	2	8	8	4	.....	.....	.....	.....	2	.....	2
6	Scarlet fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	13	3	2	2	4	.....	.....	.....	1	.....	.....	1	.....
8	Diphtheria and croup	12	4	1	2	2	.....	.....	.....	.....	.....	.....	.....	3
9	Influenza	38	18	9	2	3	1	.....	.....	.....	.....	1	.....	4
13	Tuberculosis of the lungs	221	17	19	32	15	17	12	14	21	20	16	20	18
14–15	Other forms of tuberculosis	32	2	3	4	4	4	2	1	1	2	2	5	2
17	Meningitis	12	4	1	.....	1	2	.....	1	1	1	.....	.....	1
20–21	Bronchitis	21	2	3	1	2	3	1	1	1	2	.....	2	3
22	Pneumonia	110	19	23	17	8	4	2	4	1	7	8	7	10
(23)	Bronchopneumonia	61	14	9	5	4	2	4	3	4	2	2	6	6
25	Diarrhea and enteritis (under 2 years)	65	2	.....	2	.....	4	7	10	16	13	5	3	3
(37)	Diarrhea and enteritis (2 years and over)	15	1	.....	1	.....	.....	2	2	5	2	2	.....	.....
(33)	Congenital debility [1]	14	2	1	1	1	2	.....	.....	1	2	2	2	.....
35	Violent deaths (excluding suicide)	127	8	13	12	6	10	6	9	15	9	12	12	15
36	Suicide	13	.....	.....	3	1	1	1	2	1	2	.....	1	1
	All other causes	1,253	114	114	114	97	127	96	109	89	93	98	102	100

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BUFFALO, N. Y.													
	All causes	7,526	733	635	671	638	713	536	551	656	584	560	599	650
1	Typhoid fever	51	3	3	4	2	4	4	2	6	6	8	5	4
3	Malaria													
5	Measles	74	21	14	10	8	12	1		1	3		4	
6	Scarlet fever	29	3		3	6	6	1	5				4	1
7	Whooping cough	41	1	3	2	3	3	3	3	6	7	2	3	5
8	Diphtheria and croup	69	12	10	11	2	2	4	2	2	3	4	8	9
9	Influenza	48	24	10	2	2	2		2		1	1		4
13	Tuberculosis of the lungs	669	54	66	74	64	74	52	50	52	41	47	43	52
14–15	Other forms of tuberculosis	91	9	8	9	9	8	7	4	5	10	10	5	7
17	Meningitis	25	2	5	4	1		2	2	4	2	1		2
20–21	Bronchitis	83	12	8	2	11	13	5	5		6	5	6	10
22	Pneumonia	439	79	36	54	32	43	18	14	19	14	27	42	61
(23)	Bronchopneumonia	340	34	32	51	36	61	20	12	19	13	19	24	19
25	Diarrhea and enteritis (under 2 years)	530	27	23	31	27	29	18	40	131	100	53	27	24
(37)	Diarrhea and enteritis (2 years and over)	63	1	4	5	4	8	5	7	11	7	5	3	3
(33)	Congenital debility [1]	32	6	1	3		4	4	1	4	4	2	2	1
35	Violent deaths (excluding suicide)	469	31	36	32	43	45	28	56	40	34	31	34	59
36	Suicide	42	4	2	4	4	3	5	6	4	2	3	2	3
	All other causes	4,431	410	374	370	384	396	359	340	352	331	342	387	386
	NEW YORK, N. Y. (TOTAL).													
	All causes	77,960	8,013	6,674	7,183	6,750	6,643	5,652	6,511	6,802	5,528	5,665	5,810	6,729
1	Typhoid fever	218	16	15	6	9	11	12	18	25	32	32	25	17
3	Malaria	16						4	1	1	2	4	3	1
5	Measles	556	42	55	95	110	80	52	60	30	9	5	1	17
6	Scarlet fever	121	19	17	23	16	11	12	4	3	1	4	2	9
7	Whooping cough	386	29	30	44	46	51	55	53	39	17	10	9	3
8	Diphtheria and croup	1,039	118	128	130	116	115	101	87	31	37	39	60	77
9	Influenza	548	232	106	63	26	18	14	9	6	1	11	20	42
13	Tuberculosis of the lungs	8,680	816	753	821	866	825	700	611	609	598	640	687	754
14–15	Other forms of tuberculosis	1,056	86	79	118	129	127	121	85	66	64	50	57	74
17	Meningitis	321	28	19	37	27	31	43	32	31	18	17	19	19
20–21	Bronchitis	1,019	129	119	113	92	94	72	49	54	41	59	70	127
22	Pneumonia	6,335	1,163	678	758	598	540	330	252	218	210	346	487	755
(23)	Bronchopneumonia	3,744	520	381	378	347	368	269	280	254	193	197	202	355
25	Diarrhea and enteritis (under 2 years)	3,258	171	178	182	165	189	192	452	755	419	282	164	109
(37)	Diarrhea and enteritis (2 years and over)	418	22	14	27	28	30	39	75	74	36	28	19	26
(33)	Congenital debility [1]	873	74	55	76	70	66	59	67	93	81	68	88	76
35	Violent deaths (excluding suicide)	4,257	351	296	322	311	331	320	450	391	383	390	361	351
36	Suicide	852	89	63	70	76	88	74	50	67	62	69	81	63
	All other causes	44,263	4,108	3,688	3,920	3,718	3,668	3,183	3,876	4,055	3,324	3,414	3,455	3,854
	NEW YORK, N. Y. (WHITE).													
	All causes	75,261	7,757	6,459	6,894	6,512	6,394	5,456	6,294	6,586	5,312	5,485	5,598	6,514
1	Typhoid fever	211	15	14	6	8	11	12	18	25	31	31	23	17
3	Malaria	15						3	1	1	2	4	3	1
5	Measles	549	40	55	94	109	79	51	60	29	9	5	1	17
6	Scarlet fever	120	19	17	23	16	11	12	3	3	1	4	2	9
7	Whooping cough	367	28	30	40	44	48	53	50	37	17	9	8	3
8	Diphtheria and croup	1,008	114	122	126	114	112	97	84	30	37	39	57	76
9	Influenza	525	229	100	57	23	15	14	9	6	1	11	19	41
13	Tuberculosis of the lungs	8,143	775	719	765	815	770	659	568	574	550	601	639	708
14–15	Other forms of tuberculosis	991	82	77	109	119	121	112	78	59	58	49	56	71
17	Meningitis	311	27	19	36	26	31	41	30	30	18	17	19	17
20–21	Bronchitis	986	124	115	112	89	91	70	47	51	40	58	65	124
22	Pneumonia	6,077	1,120	652	722	572	507	315	248	210	203	332	471	725
(23)	Bronchopneumonia	3,606	504	366	361	333	354	263	263	240	189	194	195	344
25	Diarrhea and enteritis (under 2 years)	3,143	165	172	178	151	183	187	440	730	401	275	156	105
(37)	Diarrhea and enteritis (2 years and over)	409	22	14	27	28	30	38	70	72	36	28	18	26
(33)	Congenital debility [1]	844	74	50	72	68	66	55	65	88	77	68	87	74
35	Violent deaths (excluding suicide)	4,116	339	288	308	304	321	312	433	381	369	379	342	340
36	Suicide	844	89	63	69	76	88	73	49	64	62	68	80	63
	All other causes	42,996	3,991	3,586	3,789	3,617	3,556	3,089	3,778	3,956	3,211	3,313	3,357	3,753
	NEW YORK, N. Y. (COLORED).													
	All causes	2,699	256	215	289	238	249	196	217	216	216	180	212	215
1	Typhoid fever	7	1	1		1					1	1	2	
3	Malaria	1						1						
5	Measles	7	2		1	1	1	1		1				
6	Scarlet fever	1							1					
7	Whooping cough	19	1		4	2	3	2	3	2		1	1	
8	Diphtheria and croup	31	4	6	4	2	3	4	3	1			3	1
9	Influenza	23	3	6	6	3	3						1	1
13	Tuberculosis of the lungs	537	41	34	56	51	55	41	43	35	48	39	48	46
14–15	Other forms of tuberculosis	65	4	2	9	10	6	9	7	7	6	1	1	3
17	Meningitis	10	1		1	1		2	2	1				2
20–21	Bronchitis	33	5	4	1	3	3	2	2	3	1	1	5	3
22	Pneumonia	258	43	26	36	26	33	15	4	8	7	14	16	30
(23)	Bronchopneumonia	138	16	15	17	14	14	6	17	14	4	3	7	11
25	Diarrhea and enteritis (under 2 years)	115	6	6	4	14	6	5	12	25	18	7	8	4
(37)	Diarrhea and enteritis (2 years and over)	9						1	5	2			1	
(33)	Congenital debility [1]	29		5	4	2		4	2	5	4		1	2
35	Violent deaths (excluding suicide)	141	12	8	14	7	10	8	17	10	14	11	19	11
36	Suicide	8			1			1	1	3		1	1	
	All other causes	1,267	117	102	131	101	112	94	98	99	113	101	98	101

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (BRONX BOROUGH).													
	All causes	7,703	841	645	707	625	676	533	545	659	536	580	618	738
1	Typhoid fever	23	1	4			1	1	1	4	5	1	4	1
3	Malaria	1										1		
5	Measles	36	2	3	5	6	11	4	2	1	1			1
6	Scarlet fever	8	2	2	2								2	
7	Whooping cough	39	2	1	6	8	7	4	6	4			1	
8	Diphtheria and croup	105	19	14	14	4	12	10	8	1	1	4	6	12
9	Influenza	58	32	9	3	1		2				1	4	6
13	Tuberculosis of the lungs	927	97	77	85	75	101	75	72	73	60	62	60	90
14–15	Other forms of tuberculosis	100	10	4	10	16	10	12	9	8	5	3	4	9
17	Meningitis	32	4	4	4	2	4	1	2	2	1	3	3	2
20–21	Bronchitis	53	4	6	9	8	5	3	5	1	3	3	2	4
22	Pneumonia	608	118	68	69	50	53	26	19	20	26	30	49	80
(23)	Bronchopneumonia	256	45	23	22	26	16	8	15	22	11	17	23	28
25	Diarrhea and enteritis (under 2 years)	222	14	15	14	11	12	7	16	47	30	30	17	9
(37)	Diarrhea and enteritis (2 years and over)	49	4	2	2	3	4	3	4	10	5	5	4	3
(33)	Congenital debility [1]	67	3	5	7	6	3	4	3	6	6	2	13	9
35	Violent deaths (excluding suicide)	355	25	15	26	21	33	34	34	37	39	32	29	30
36	Suicide	109	13	8	9	9	12	13	3	11	11	10	5	5
	All other causes	4,655	446	385	420	379	392	326	346	412	332	376	392	449
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
	All causes	27,037	2,802	2,322	2,434	2,239	2,288	2,077	2,569	2,337	1,812	1,880	1,976	2,301
1	Typhoid fever	77	9	4	1	4	2	6	9	7	10	11	8	6
3	Malaria	8						3			1	2	2	
5	Measles	98	4	11	14	24	13	11	15	4				2
6	Scarlet fever	30	3	5	8	4	2	2	1			1		4
7	Whooping cough	93	6	7	6	10	13	14	13	11	5	4	3	1
8	Diphtheria and croup	368	39	50	44	50	39	35	37	10	11	13	18	22
9	Influenza	239	99	43	31	14	9	6	6	2	1	1	6	21
13	Tuberculosis of the lungs	2,610	230	221	252	239	252	206	191	208	174	183	225	229
14–15	Other forms of tuberculosis	315	27	19	37	32	35	40	24	22	18	20	16	25
17	Meningitis	102	7	1	13	8	3	20	11	11	7	4	7	10
20–21	Bronchitis	441	55	60	48	41	44	37	19	26	15	24	30	42
22	Pneumonia	2,227	392	222	258	190	197	138	107	66	71	140	169	277
(23)	Bronchopneumonia	1,593	209	158	161	138	182	157	140	87	78	75	78	130
25	Diarrhea and enteritis (under 2 years)	1,069	55	51	62	57	58	79	155	215	145	93	59	40
(37)	Diarrhea and enteritis (2 years and over)	161	10	5	8	12	14	20	37	18	15	10	5	7
(33)	Congenital debility [1]	220	19	20	12	19	10	19	19	27	18	18	21	18
35	Violent deaths (excluding suicide)	1,434	124	123	114	94	114	107	163	125	116	119	133	102
36	Suicide	200	26	20	16	24	17	13	11	9	14	16	14	20
	All other causes	15,752	1,488	1,302	1,349	1,279	1,284	1,164	1,611	1,489	1,113	1,146	1,182	1,345
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
	All causes	26,365	2,737	2,270	2,372	2,178	2,217	2,032	2,500	2,281	1,763	1,845	1,924	2,246
1	Typhoid fever	74	8	4	1	3	2	6	9	7	10	10	8	6
3	Malaria	7						2			1	2	2	
5	Measles	98	4	11	14	24	13	11	15	4				2
6	Scarlet fever	29	3	5	8	4	2	2				1		4
7	Whooping cough	91	6	7	6	9	12	14	13	11	5	4	3	1
8	Diphtheria and croup	362	39	48	42	49	39	35	36	10	11	13	18	22
9	Influenza	222	97	41	26	11	6	6	6	2	1	1	5	20
13	Tuberculosis of the lungs	2,501	222	217	239	231	236	199	179	198	167	178	214	221
14–15	Other forms of tuberculosis	303	27	19	37	31	34	39	21	20	15	20	16	24
17	Meningitis	99	7	1	13	8	3	19	10	11	7	4	7	9
20–21	Bronchitis	431	52	59	48	40	44	35	18	26	15	24	29	41
22	Pneumonia	2,166	381	211	256	185	187	136	105	65	70	139	165	266
(23)	Bronchopneumonia	1,551	204	151	160	135	176	154	131	85	78	74	75	128
25	Diarrhea and enteritis (under 2 years)	1,034	55	51	62	51	57	78	150	204	138	91	58	39
(37)	Diarrhea and enteritis (2 years and over)	157	10	5	8	12	14	20	33	18	15	10	5	7
(33)	Congenital debility [1]	212	19	18	11	18	10	16	19	26	18	18	21	18
35	Violent deaths (excluding suicide)	1,395	119	120	111	93	109	106	159	125	113	115	126	99
36	Suicide	198	26	20	16	24	17	13	11	8	14	16	13	20
	All other causes	15,435	1,458	1,282	1,314	1,250	1,256	1,141	1,585	1,461	1,085	1,125	1,159	1,319
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).													
	All causes	672	65	52	62	61	71	45	69	56	49	35	52	55
1	Typhoid fever	3	1			1						1		
3	Malaria	1						1						
5	Measles													
6	Scarlet fever	1							1					
7	Whooping cough	2				1	1							
8	Diphtheria and croup	6		2	2	1			1					
9	Influenza	17	2	2	5	3	3						1	1
13	Tuberculosis of the lungs	109	8	4	13	8	16	7	12	10	7	5	11	8
14–15	Other forms of tuberculosis	12				1	1	1	3	2	3			1
17	Meningitis	3						1	1					1
20–21	Bronchitis	10	3	1		1		2	1				1	1
22	Pneumonia	61	11	11	2	5	10	2	2	1	1	1	4	11
(23)	Bronchopneumonia	42	5	7	1	3	6	3	9	2		1	3	2
25	Diarrhea and enteritis (under 2 years)	35				6	1	1	5	11	7	2	1	1
(37)	Diarrhea and enteritis (2 years and over)	4							4					
(33)	Congenital debility [1]	8		2	1	1		3		1				
35	Violent deaths (excluding suicide)	39	5	3	3	1	5	1	4		3	4	7	3
36	Suicide	2								1			1	
	All other causes	317	30	20	35	29	28	23	26	28	28	21	23	26

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
	All causes	35,879	3,611	3,095	3,410	3,289	3,107	2,538	2,731	3,084	2,618	2,671	2,662	3,063
1	Typhoid fever	88	4	6	3	4	5	4	6	9	15	13	10	9
3	Malaria	3							1			1		1
5	Measles	405	34	37	75	78	53	33	42	25	8	5	1	14
6	Scarlet fever	68	12	8	11	10	8	8	1	2	1	3		4
7	Whooping cough	219	17	18	27	25	29	34	30	16	11	6	5	1
8	Diphtheria and croup	483	46	56	63	58	61	49	35	18	18	18	28	33
9	Influenza	197	75	40	23	8	8	6	3	3		8	10	13
13	Tuberculosis of the lungs	4,362	422	396	415	469	388	347	296	276	311	343	334	365
14–15	Other forms of tuberculosis	564	44	52	62	77	73	60	43	30	37	24	27	35
17	Meningitis	163	17	13	17	16	20	21	16	12	10	8	8	5
20–21	Bronchitis	464	58	47	52	40	39	28	24	25	22	27	32	70
22	Pneumonia	2,979	527	332	369	313	257	151	108	113	90	152	232	335
(23)	Bronchopneumonia	1,562	216	161	165	158	142	83	102	115	87	91	85	157
25	Diarrhea and enteritis (under 2 years)	1,716	87	104	93	91	109	84	232	437	214	135	76	54
(37)	Diarrhea and enteritis (2 years and over)	156	6	7	14	11	12	12	20	35	10	9	9	11
(33)	Congenital debility [1]	499	48	25	53	37	48	31	38	53	46	38	45	37
35	Violent deaths (excluding suicide)	2,093	173	133	158	177	162	149	207	186	197	191	173	187
36	Suicide	453	45	30	40	37	44	38	28	38	31	36	54	32
	All other causes	19,405	1,780	1,630	1,770	1,680	1,649	1,400	1,499	1,691	1,510	1,563	1,533	1,700
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
	All causes	34,112	3,451	2,955	3,209	3,133	2,946	2,405	2,612	2,939	2,472	2,544	2,525	2,921
1	Typhoid fever	84	4	5	3	4	5	4	6	9	14	13	8	9
3	Malaria	3							1			1		1
5	Measles	398	32	37	74	77	52	32	42	24	8	5	1	14
6	Scarlet fever	68	12	8	11	10	8	8	1	2	1	3		4
7	Whooping cough	207	16	18	27	24	27	32	27	15	11	5	4	1
8	Diphtheria and croup	462	43	52	61	57	58	45	35	17	18	18	25	33
9	Influenza	191	74	36	22	8	8	6	3	3		8	10	13
13	Tuberculosis of the lungs	3,985	394	369	377	433	351	318	270	255	272	311	305	330
14–15	Other forms of tuberculosis	518	40	50	54	70	68	53	41	25	35	23	26	33
17	Meningitis	157	16	13	16	15	20	20	15	11	10	8	8	5
20–21	Bronchitis	441	56	44	51	38	36	28	23	22	21	26	28	68
22	Pneumonia	2,809	500	320	340	293	238	138	106	106	87	142	221	318
(23)	Bronchopneumonia	1,481	207	155	151	148	134	81	96	105	83	89	83	149
25	Diarrhea and enteritis (under 2 years)	1,644	81	98	89	83	104	82	227	423	204	132	70	51
(37)	Diarrhea and enteritis (2 years and over)	152	6	7	14	11	12	12	19	33	10	9	8	11
(33)	Congenital debility [1]	480	48	23	50	36	48	30	36	50	42	38	44	35
35	Violent deaths (excluding suicide)	2,003	167	129	147	172	157	143	195	176	188	186	163	180
36	Suicide	447	45	30	39	37	44	37	27	36	31	35	54	32
	All other causes	18,582	1,710	1,561	1,683	1,617	1,576	1,336	1,442	1,627	1,437	1,492	1,467	1,634
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes	1,767	160	140	201	156	161	133	119	145	146	127	137	142
1	Typhoid fever	4		1							1		2	
3	Malaria													
5	Measles	7	2		1	1	1	1		1				
6	Scarlet fever													
7	Whooping cough	12	1			1	2	2	3	1		1	1	
8	Diphtheria and croup	21	3	4	2	1	3	4		1			3	
9	Influenza	6	1	4	1									
13	Tuberculosis of the lungs	377	28	27	38	36	37	29	26	21	39	32	29	35
14–15	Other forms of tuberculosis	46	4	2	8	7	5	7	2	5	2	1	1	2
17	Meningitis	6	1		1	1		1	1	1				
20–21	Bronchitis	23	2	3	1	2	3		1	3	1	1	4	2
22	Pneumonia	170	27	12	29	20	19	13	2	7	3	10	11	17
(23)	Bronchopneumonia	81	9	6	14	10	8	2	6	10	4	2	2	8
25	Diarrhea and enteritis (under 2 years)	72	6	6	4	8	5	2	5	14	10	3	6	3
(37)	Diarrhea and enteritis (2 years and over)	4							1	2			1	
(33)	Congenital debility [1]	19		2	3	1		1	2	3	4		1	2
35	Violent deaths (excluding suicide)	90	6	4	11	5	5	6	12	10	9	5	10	7
36	Suicide	6			1			1	1	2		1		
	All other causes	823	70	69	87	63	73	64	57	64	73	71	66	66
	NEW YORK, N. Y. (QUEENS BOROUGH).													
	All causes	5,632	585	457	464	449	439	369	509	592	444	391	432	501
1	Typhoid fever	21	2		1		3		1	3	2	6	2	1
3	Malaria	3						1		1	1			
5	Measles	15	2	4	1	2	2	4						
6	Scarlet fever	13	2	2	2	2	1	2	1	1				
7	Whooping cough	26	3	4	4	2	1	1	3	6	1			1
8	Diphtheria and croup	67	10	8	7	1	3	6	7	2	6	3	8	6
9	Influenza	43	21	11	4	3				1		1		2
13	Tuberculosis of the lungs	590	50	45	44	64	68	50	41	38	44	35	52	59
14–15	Other forms of tuberculosis	61	3	2	7	3	8	8	8	4	4	2	8	4
17	Meningitis	21		1	3	1	3		2	6		2	1	2
20–21	Bronchitis	54	9	6	4	3	5	3	1	2	1	3	6	11
22	Pneumonia	387	91	42	48	35	25	10	15	15	18	14	28	46
(23)	Bronchopneumonia	273	41	33	19	20	24	18	16	28	17	12	11	34
25	Diarrhea and enteritis (under 2 years)	192	10	7	8	5	8	15	36	43	23	21	11	5
(37)	Diarrhea and enteritis (2 years and over)	43	2		2	1		4	11	10	4	3	1	5
(33)	Congenital debility [1]	72	4	4	4	7	5	4	5	6	9	5	7	12
35	Violent deaths (excluding suicide)	268	24	18	14	15	17	14	28	33	23	39	21	22
36	Suicide	73	5	3	5	5	11	10	6	8	4	5	5	6
	All other causes	3,410	306	267	287	280	255	219	328	385	287	240	271	285

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (RICHMOND BOROUGH).													
	All causes	1,709	174	155	168	148	133	135	157	130	118	143	122	126
1	Typhoid fever	9	.....	1	1	1	.....	1	1	2	.....	1	1	.....
3	Malaria	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
5	Measles	2	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1
7	Whooping cough	9	1	.....	1	1	1	2	1	2	.....	.....	.....	.....
8	Diphtheria and croup	16	4	.....	2	3	.....	1	.....	.....	1	1	.....	1
9	Influenza	11	5	3	2	.....	1	.....	.....	.....	.....	.....	.....	.....
13	Tuberculosis of the lungs	191	17	14	25	19	16	22	11	14	9	17	16	11
14-15	Other forms of tuberculosis	16	2	2	2	1	1	1	1	2	.....	1	2	1
17	Meningitis	3	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....
20-21	Bronchitis	7	3	.....	.....	.....	1	1	.....	.....	.....	2	.....	.....
22	Pneumonia	134	35	14	14	10	8	5	3	4	5	10	9	17
(23)	Bronchopneumonia	60	9	6	11	5	4	3	7	2	.....	2	5	6
25	Diarrhea and enteritis (under 2 years)	59	5	1	5	1	2	7	13	13	7	3	1	1
(37)	Diarrhea and enteritis (2 years and over)	9	.....	.....	1	1	.....	.....	3	1	2	1	.....	.....
(33)	Congenital debility [1]	15	.....	1	.....	1	.....	1	2	1	2	5	2	.....
35	Violent deaths (excluding suicide)	107	5	7	10	4	5	16	18	10	8	9	5	10
36	Suicide	17	.....	2	.....	1	4	.....	2	1	2	2	3	.....
	All other causes	1,041	88	104	94	100	88	74	92	78	82	89	77	75
	ROCHESTER, N. Y.													
	All causes	3,721	349	275	313	313	296	318	310	297	271	283	325	371
1	Typhoid fever	13	3	.....	.....	1	.....	.....	.....	.....	3	.....	3	3
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	21	.....	.....	4	1	5	5	4	1	1	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....
7	Whooping cough	24	.....	1	2	3	5	3	4	4	1	.....	.....	1
8	Diphtheria and croup	24	1	4	1	3	3	2	2	3	1	2	1	1
9	Influenza	23	5	6	3	3	1	1	1	.....	1	.....	1	1
13	Tuberculosis of the lungs	238	17	21	27	32	19	25	14	18	16	10	18	21
14-15	Other forms of tuberculosis	53	4	4	1	4	3	6	7	5	4	5	3	7
17	Meningitis	14	1	.....	2	2	.....	1	3	.....	1	.....	.....	4
20-21	Bronchitis	45	7	4	4	7	5	2	.....	.....	1	5	2	8
22	Pneumonia	185	28	27	17	14	11	10	2	2	4	10	18	42
(23)	Bronchopneumonia	130	10	8	13	12	15	11	15	2	7	9	12	16
25	Diarrhea and enteritis (under 2 years)	199	6	10	6	9	6	14	34	39	37	19	10	9
(37)	Diarrhea and enteritis (2 years and over)	32	3	.....	3	1	1	1	3	8	5	2	1	4
(33)	Congenital debility [1]	11	1	.....	1	.....	.....	3	.....	.....	2	.....	2	2
35	Violent deaths (excluding suicide)	218	12	15	15	10	11	22	18	23	19	28	28	17
36	Suicide	55	4	2	.....	4	7	7	4	2	4	11	4	6
	All other causes	2,434	247	173	214	207	202	205	199	190	164	182	222	229
	SYRACUSE, N. Y.													
	All causes	2,361	218	182	209	179	187	176	194	233	226	195	177	185
1	Typhoid fever	19	1	1	4	1	1	.....	.....	1	2	1	4	3
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
6	Scarlet fever	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
7	Whooping cough	23	.....	1	1	2	2	3	6	3	2	2	1	.....
8	Diphtheria and croup	21	3	3	2	2	1	1	.....	2	4	1	1	1
9	Influenza	17	4	4	2	4	2	.....	.....	.....	.....	.....	.....	1
13	Tuberculosis of the lungs	137	10	11	18	11	13	14	18	13	12	5	7	5
14-15	Other forms of tuberculosis	35	3	1	6	4	2	3	6	4	3	1	.....	2
17	Meningitis	12	.....	2	1	1	1	1	.....	2	1	2	.....	1
20-21	Bronchitis	24	4	.....	2	3	2	1	1	1	1	2	.....	7
22	Pneumonia	128	20	11	16	12	11	13	3	5	5	10	12	10
(23)	Bronchopneumonia	81	18	6	11	7	8	6	1	8	4	1	5	6
25	Diarrhea and enteritis (under 2 years)	119	5	3	4	4	3	3	19	30	22	15	9	2
(37)	Diarrhea and enteritis (2 years and over)	28	2	.....	2	1	1	1	1	11	3	4	1	1
(33)	Congenital debility [1]	23	2	.....	.....	2	2	1	1	3	3	5	3	1
35	Violent deaths (excluding suicide)	150	10	9	12	8	9	11	24	12	14	14	16	11
36	Suicide	34	2	2	.....	7	5	3	3	3	3	2	2	2
	All other causes	1,509	134	128	128	110	124	115	111	135	147	130	116	131
	CINCINNATI, OHIO (TOTAL).													
	All causes	6,741	721	609	613	567	498	476	574	539	472	517	552	603
1	Typhoid fever	13	1	1	1	.....	.....	.....	.....	2	1	3	3	1
3	Malaria	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1
5	Measles	63	3	6	15	17	15	1	4	2	.....	.....	.....	.....
6	Scarlet fever	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
7	Whooping cough	43	4	4	6	8	5	4	2	3	3	2	1	1
8	Diphtheria and croup	63	6	6	4	2	1	3	4	3	7	12	10	5
9	Influenza	110	45	23	15	7	2	3	.....	1	1	1	3	9
13	Tuberculosis of the lungs	855	91	98	85	77	61	59	80	70	54	63	65	52
14-15	Other forms of tuberculosis	79	9	10	12	8	3	4	8	6	5	4	1	9
17	Meningitis	20	2	2	3	2	2	1	4	1	.....	.....	1	2
20-21	Bronchitis	83	11	8	7	10	7	1	5	6	6	8	7	7
22	Pneumonia	385	106	34	38	43	24	15	10	6	16	18	32	43
(23)	Bronchopneumonia	212	27	27	23	25	13	7	13	7	12	12	21	25
25	Diarrhea and enteritis (under 2 years)	202	7	6	8	10	9	9	46	54	22	11	11	9
(37)	Diarrhea and enteritis (2 years and over)	40	5	3	1	3	1	2	6	7	4	5	3	.....
(33)	Congenital debility [1]	14	2	2	1	2	1	.....	.....	.....	.....	2	3	1
35	Violent deaths (excluding suicide)	462	22	31	32	33	33	30	57	65	35	38	42	44
36	Suicide	68	8	5	11	4	6	7	6	3	3	4	5	6
	All other causes	4,025	372	343	351	316	315	330	329	302	303	334	344	386

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	CINCINNATI, OHIO (WHITE).													
	All causes	6,031	643	546	552	499	434	425	519	494	419	463	489	548
1	Typhoid fever	10	1	1	1					1		2	3	1
3	Malaria	2								1				1
5	Measles	58	3	6	15	15	12	1	4	2				
6	Scarlet fever	2												2
7	Whooping cough	34	3	4	4	6	4	3	2	3	3	2		
8	Diphtheria and croup	58	6	6	4	2	1	2	4	3	6	12	7	5
9	Influenza	100	41	22	13	7	2	1		1	1	1	3	8
13	Tuberculosis of the lungs	715	77	78	74	65	54	48	67	62	37	56	53	44
14–15	Other forms of tuberculosis	68	8	9	11	6	2	4	7	6	5	3	1	6
17	Meningitis	18	1	2	3	2	2	1	4				1	2
20–21	Bronchitis	73	11	6	6	9	6		4	5	6	7	6	7
22	Pneumonia	324	94	29	32	36	12	13	8	5	16	14	29	36
(23)	Bronchopneumonia	184	25	24	21	21	8	6	11	7	10	11	18	22
25	Diarrhea and enteritis (under 2 years)	186	6	6	6	9	6	9	43	53	20	10	10	8
(37)	Diarrhea and enteritis (2 years and over)	37	5	3	1	2	1	2	5	7	4	5	2	
(33)	Congenital debility [1]	12	1	2	1	2	1					1	3	1
35	Violent deaths (excluding suicide)	400	18	28	29	29	28	24	51	56	32	31	37	37
36	Suicide	68	8	5	11	4	6	7	6	3	3	4	5	6
	All other causes	3,682	335	315	320	284	289	304	303	279	276	304	311	362
	CINCINNATI, OHIO (COLORED).													
	All causes	710	78	63	61	68	64	51	55	45	53	54	63	55
1	Typhoid fever	3								1	1	1		
3	Malaria													
5	Measles	5				2	3							
6	Scarlet fever													
7	Whooping cough	9	1		2	2	1	1					1	1
8	Diphtheria and croup	5						1			1		3	
9	Influenza	10	4	1	2			2						1
13	Tuberculosis of the lungs	140	14	20	11	12	7	11	13	8	17	7	12	8
14–15	Other forms of tuberculosis	11	1	1	1	2	1		1			1		3
17	Meningitis	2	1							1				
20–21	Bronchitis	10		2	1	1	1	1	1	1		1	1	
22	Pneumonia	61	12	5	6	7	12	2	2	1		4	3	7
(23)	Bronchopneumonia	28	2	3	2	4	5	1	2		2	1	3	3
25	Diarrhea and enteritis (under 2 years)	16	1		2	1	3		3	1	2	1	1	1
(37)	Diarrhea and enteritis (2 years and over)	3				1			1				1	
(33)	Congenital debility [1]	2	1									1		
35	Violent deaths (excluding suicide)	62	4	3	3	4	5	6	6	9	3	7	5	7
36	Suicide													
	All other causes	343	37	28	31	32	26	26	26	23	27	30	33	24
	CLEVELAND, OHIO.													
	All causes	9,986	1,078	804	876	909	808	659	865	801	786	755	799	846
1	Typhoid fever	36	2	2	3	2	4	3	1	2	9	3	3	2
3	Malaria													
5	Measles	60	7	6	6	9	13	13	2	1	1			2
6	Scarlet fever	41	11	7	8	6	3	2	1	1			2	
7	Whooping cough	43	6	5	5	8	5	3	2	1	1	5	1	1
8	Diphtheria and croup	127	13	6	13	8	6	2	6	6	6	23	20	13
9	Influenza	110	57	7	15	9	3	1	1	1	1	2	7	6
13	Tuberculosis of the lungs	891	72	70	73	94	91	85	69	69	66	69	68	65
14–15	Other forms of tuberculosis	138	11	22	10	7	11	13	6	8	11	8	18	13
17	Meningitis	52	6	2	8	6	1	7	7	2	5	3	2	3
20–21	Bronchitis	163	29	10	13	27	18	5	3	6	13	13	8	18
22	Pneumonia	775	174	66	88	81	68	28	21	25	26	57	55	86
(23)	Bronchopneumonia	453	81	39	48	58	50	19	11	21	15	29	35	47
25	Diarrhea and enteritis (under 2 years)	741	30	29	45	47	27	28	139	143	134	70	30	19
(37)	Diarrhea and enteritis (2 years and over)	70	6	4	5	3	4	6	12	11	9	7	1	2
(33)	Congenital debility [1]	71	4	3	4	8	6	5	5	9	9	5	5	8
35	Violent deaths (excluding suicide)	830	56	54	48	53	61	58	118	91	82	64	78	67
36	Suicide	138	10	11	11	8	14	8	17	9	16	9	17	8
	All other causes	5,247	503	461	473	475	423	373	444	395	382	388	449	481
	COLUMBUS, OHIO.													
	All causes	3,339	399	250	274	286	286	212	258	279	266	270	286	273
1	Typhoid fever	28			1	1	2	2	8	4	2	5	2	1
3	Malaria	1										1		
5	Measles	34				12	10	3	2			2	1	4
6	Scarlet fever	5	2											3
7	Whooping cough	29	3		1	3	7	4	5	2	1	1	1	1
8	Diphtheria and croup	19	3		1	1			1		2	4	5	2
9	Influenza	72	39	11	9	1	3		1	1	1	1	3	2
13	Tuberculosis of the lungs	269	21	22	26	28	27	19	20	20	21	14	23	28
14–15	Other forms of tuberculosis	61	7	3	3	8	4	2	2	7	7	9	6	3
17	Meningitis	12	2		1	1		1	2	1		3		1
20–21	Bronchitis	16	4	1	3		1	2		2	1		2	
22	Pneumonia	186	56	12	19	14	7	7	5	5	9	9	18	25
(23)	Bronchopneumonia	149	31	13	15	12	11	8	9	4	6	10	12	13
25	Diarrhea and enteritis (under 2 years)	57		2		1		2	11	13	15	9	4	
(37)	Diarrhea and enteritis (2 years and over)	22	1				1	1	3	9	1	4		2
(33)	Congenital debility [1]	63	4	2	3		2	4		15	11	8	10	4
35	Violent deaths (excluding suicide)	230	24	16	12	14	19	19	30	27	15	20	21	13
36	Suicide	36	1	5	4	5	7	3	2	3	2	3	1	
	All other causes	2,050	201	158	176	185	185	135	157	166	172	167	177	171

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—										
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.												
	DAYTON, OHIO.												
	All causes	1,937	209	157	181	156	144	139	175	175	151	131	142	177
1	Typhoid fever	25	.....	2	2	1	2	2	3	.....	2	3	5	3
3	Malaria	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
5	Measles	2	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....
6	Scarlet fever	14	1	1	6	2	1	2	.....	.....	.....	1	.....	.....
7	Whooping cough	7	2	.....	1	1	1	.....	.....	1	1	.....	.....	.....
8	Diphtheria and croup	21	2	.....	4	2	1	1	.....	2	4	1	4	.....
9	Influenza	24	11	6	1	3	2	.....	.....	.....	.....	.....	.....	1
13	Tuberculosis of the lungs	155	16	19	19	13	14	11	7	10	10	10	12	14
14–15	Other forms of tuberculosis	21	2	.....	1	2	1	3	3	3	2	2	1	1
17	Meningitis	15	1	.....	5	1	2	1	1	.....	2	1	.....	1
20–21	Bronchitis	18	3	1	2	2	1	2	1	.....	4	.....	1	1
22	Pneumonia	111	22	12	12	9	9	5	6	4	3	8	11	10
(23)	Bronchopneumonia	75	13	8	10	10	10	.....	.....	2	2	6	6	8
25	Diarrhea and enteritis (under 2 years)	86	6	3	1	.....	1	2	13	29	20	4	5	2
(37)	Diarrhea and enteritis (2 years and over)	10	.....	.....	3	1	.....	2	1	1	1	.....	1	.....
(33)	Congenital debility [1]	19	1	1	1	1	.....	3	3	3	2	3	.....	1
35	Violent deaths (excluding suicide)	160	14	7	7	7	6	8	27	20	13	17	15	19
36	Suicide	35	2	3	.....	2	3	2	7	5	4	2	1	4
	All other causes	1,138	113	94	106	98	90	94	102	95	81	73	80	112
	TOLEDO, OHIO.													
	All causes	3,587	344	292	332	294	313	257	311	338	309	286	251	260
1	Typhoid fever	44	3	3	3	2	2	3	1	9	7	6	3	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	67	8	4	17	27	8	.....	2	1	.....	.....	.....	.....
6	Scarlet fever	8	.....	1	.....	.....	.....	.....	3	1	1	1	.....	1
7	Whooping cough	12	1	.....	2	1	3	.....	2	1	1	1	.....	.....
8	Diphtheria and croup	34	2	6	4	3	1	6	1	2	2	2	2	3
9	Influenza	39	14	12	7	3	.....	1	.....	.....	.....	.....	2	.....
13	Tuberculosis of the lungs	333	30	31	28	28	36	31	29	31	20	22	24	23
14–15	Other forms of tuberculosis	52	4	4	4	2	8	6	6	7	3	3	1	4
17	Meningitis	15	1	1	1	.....	2	4	.....	5	1	.....	.....	.....
20–21	Bronchitis	32	8	4	5	3	.....	1	2	.....	3	3	2	1
22	Pneumonia	210	38	22	27	19	14	10	4	9	11	11	21	24
(23)	Bronchopneumonia	100	11	10	12	7	19	9	7	4	5	7	4	5
25	Diarrhea and enteritis (under 2 years)	209	7	7	10	12	6	5	32	48	41	32	6	3
(37)	Diarrhea and enteritis (2 years and over)	38	.....	1	2	3	3	2	5	9	5	4	1	3
(33)	Congenital debility [1]	30	.....	3	6	1	2	.....	4	4	3	4	1	2
35	Violent deaths (excluding suicide)	284	20	25	18	15	26	25	41	23	28	23	20	20
36	Suicide	42	2	5	3	2	4	4	4	5	3	2	5	3
	All other causes	2,038	195	153	183	166	179	150	168	179	175	165	159	166
	PORTLAND, OREG.													
	All causes	2,367	269	218	207	189	204	170	164	192	155	167	206	226
1	Typhoid fever	14	1	5	2	2	1	1	.....	.....	.....	1	.....	1
3	Malaria	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	8	1	.....	.....	1	3	.....	1	.....	.....	.....	.....	2
6	Scarlet fever	2	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....
7	Whooping cough	8	.....	2	1	1	1	2	.....	1	.....	.....	.....	.....
8	Diphtheria and croup	7	.....	2	.....	1	.....	1	.....	.....	1	.....	1	1
9	Influenza	33	15	3	3	3	1	.....	2	.....	.....	.....	2	4
13	Tuberculosis of the lungs	172	16	23	20	12	7	13	13	15	12	15	13	13
14–15	Other forms of tuberculosis	67	2	9	4	9	5	6	3	5	4	4	10	6
17	Meningitis	11	.....	.....	.....	2	2	.....	1	1	.....	1	3	1
20–21	Bronchitis	17	3	1	.....	1	1	3	2	1	.....	1	2	2
22	Pneumonia	122	25	13	9	6	6	6	2	6	4	5	14	26
(23)	Bronchopneumonia	33	7	6	3	1	1	2	2	1	.....	2	5	3
25	Diarrhea and enteritis (under 2 years)	22	4	2	2	2	.....	3	1	1	.....	2	2	3
(37)	Diarrhea and enteritis (2 years and over)	13	.....	2	1	.....	4	1	1	1	1	2	.....	.....
(33)	Congenital debility [1]	18	.....	3	1	.....	2	1	3	1	1	1	3	2
35	Violent deaths (excluding suicide)	146	6	12	10	8	20	10	12	20	10	8	11	19
36	Suicide	50	7	5	2	7	4	5	4	4	2	2	5	3
	All other causes	1,623	182	129	149	133	146	115	116	135	120	123	135	140
	PHILADELPHIA, PA. (TOTAL).													
	All causes	27,703	2,954	2,398	2,645	2,233	2,206	1,824	2,027	2,422	2,083	2,073	2,155	2,683
1	Typhoid fever	130	7	9	9	11	18	11	11	14	12	15	3	10
3	Malaria	3	1	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
5	Measles	112	11	11	17	23	17	15	9	3	3	1	1	1
6	Scarlet fever	43	6	7	4	7	9	2	1	1	1	.....	3	2
7	Whooping cough	128	9	11	10	9	12	10	17	22	15	6	4	3
8	Diphtheria and croup	389	45	39	46	40	45	27	30	13	20	15	31	38
9	Influenza	410	211	65	37	21	13	5	1	1	1	3	5	47
13	Tuberculosis of the lungs	2,916	287	258	268	274	254	186	219	242	196	235	249	248
14–15	Other forms of tuberculosis	390	28	35	33	37	39	31	44	32	37	20	25	29
17	Meningitis	98	7	6	10	12	9	3	8	16	11	7	2	7
20–21	Bronchitis	338	44	29	41	36	22	23	16	13	17	22	29	46
22	Pneumonia	1,726	300	175	232	160	117	54	37	47	63	91	149	301
(23)	Bronchopneumonia	1,217	196	147	123	100	105	60	48	67	62	69	86	154
25	Diarrhea and enteritis (under 2 years)	1,510	63	67	53	39	63	64	277	416	206	114	87	61
(37)	Diarrhea and enteritis (2 years and over)	227	14	15	18	17	15	12	34	44	28	14	6	10
(33)	Congenital debility [1]	194	10	11	18	11	9	9	16	26	30	21	17	16
35	Violent deaths (excluding suicide)	1,564	147	101	115	117	127	122	128	137	113	134	143	180
36	Suicide	266	25	21	22	25	25	22	18	23	21	17	26	21
	All other causes	16,042	1,543	1,390	1,589	1,294	1,307	1,168	1,113	1,304	1,247	1,289	1,289	1,509

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PHILADELPHIA, PA. (WHITE).													
	All causes	25,324	2,708	2,181	2,429	2,043	2,024	1,647	1,841	2,237	1,904	1,906	1,962	2,442
1	Typhoid fever	123	7	9	9	10	18	11	11	12	11	13	2	10
3	Malaria	3	1	1						1				
5	Measles	104	10	9	16	22	16	14	9	3	3		1	1
6	Scarlet fever	42	6	7	3	7	9	2	1	1	1		3	2
7	Whooping cough	115	8	10	10	7	11	8	15	20	15	6	2	3
8	Diphtheria and croup	368	41	39	44	37	42	25	29	12	20	15	31	33
9	Influenza	379	202	59	37	18	11	5	1	1	1	2	5	37
13	Tuberculosis of the lungs	2,458	246	212	219	234	219	164	178	202	165	203	202	214
14–15	Other forms of tuberculosis	350	26	33	29	34	35	28	37	29	35	18	21	25
17	Meningitis	90	6	6	8	10	9	3	7	15	11	7	2	6
20–21	Bronchitis	300	37	27	36	32	18	21	11	13	14	19	29	43
22	Pneumonia	1,542	274	156	206	139	107	46	32	44	59	77	136	266
(23)	Bronchopneumonia	1,096	178	133	113	89	92	48	44	63	57	63	78	138
25	Diarrhea and enteritis (under 2 years)	1,404	58	59	49	36	55	59	257	389	195	109	82	56
(37)	Diarrhea and enteritis (2 years and over)	208	11	14	15	17	15	11	31	43	26	13	4	8
(33)	Congenital debility [1]	178	9	11	17	8	8	8	15	25	28	17	16	16
35	Violent deaths (excluding suicide)	1,428	137	92	105	106	117	113	118	124	102	120	128	166
36	Suicide	260	24	20	22	24	25	22	18	23	21	17	25	19
	All other causes	14,876	1,427	1,284	1,491	1,213	1,217	1,059	1,027	1,217	1,140	1,207	1,195	1,399
	PHILADELPHIA, PA. (COLORED).													
	All causes	2,379	246	217	216	190	182	177	186	185	179	167	193	241
1	Typhoid fever	7				1				2	1	2	1	
3	Malaria													
5	Measles	8	1	2	1	1	1	1				1		
6	Scarlet fever	1			1									
7	Whooping cough	13	1	1		2	1	2	2	2			2	
8	Diphtheria and croup	21	4		2	3	3	2	1	1				5
9	Influenza	31	9	6		3	2					1		10
13	Tuberculosis of the lungs	458	41	46	49	40	35	22	41	40	31	32	47	34
14–15	Other forms of tuberculosis	40	2	2	4	3	4	3	7	3	2	2	4	4
17	Meningitis	8	1		2	2			1	1				1
20–21	Bronchitis	38	7	2	5	4	4	2	5		3	3		3
22	Pneumonia	184	26	19	26	21	10	8	5	3	4	14	13	35
(23)	Bronchopneumonia	121	18	14	10	11	13	12	4	4	5	6	8	16
25	Diarrhea and enteritis (under 2 years)	106	5	8	4	3	8	5	20	27	11	5	5	5
(37)	Diarrhea and enteritis (2 years and over)	19	3	1	3			1	3	1	2	1	2	2
(33)	Congenital debility [1]	16	1		1	3	1	1	1	1	2	4	1	
35	Violent deaths (excluding suicide)	136	10	9	10	11	10	9	10	13	11	14	15	14
36	Suicide	6	1	1		1							1	2
	All other causes	1,166	116	106	98	81	90	109	86	87	107	82	94	110
	PITTSBURGH, PA. (TOTAL).													
	All causes	10,077	1,248	872	949	818	790	615	776	757	751	752	767	982
1	Typhoid fever	52	9	9	2		2	3	4	4	5	6	6	2
3	Malaria	2						1		1				
5	Measles	137	15	19	30	11	18	9	10	8	11	1	1	4
6	Scarlet fever	21	3	3		2		1				4	6	2
7	Whooping cough	109	10	7	18	12	7	8	12	9	9	10	2	5
8	Diphtheria and croup	126	19	12	12	9	3	10	4	8	9	16	8	16
9	Influenza	154	92	19	9	9	4	1	1		1	2	7	9
13	Tuberculosis of the lungs	641	59	58	62	41	52	61	48	47	40	55	46	72
14–15	Other forms of tuberculosis	149	10	15	8	12	14	14	16	13	10	12	12	13
17	Meningitis	62	6	4	6	6	5	4	9	3	5	2	7	5
20–21	Bronchitis	168	18	30	23	26	13	5	2	5	4	10	13	19
22	Pneumonia	1,312	305	114	143	113	88	39	32	42	52	77	128	179
(23)	Bronchopneumonia	605	97	59	57	87	59	27	18	17	27	38	48	71
25	Diarrhea and enteritis (under 2 years)	682	39	19	32	29	42	22	136	134	119	65	22	23
(37)	Diarrhea and enteritis (2 years and over)	60	3	7	5	1	4	2	8	9	10	2	4	5
(33)	Congenital debility [1]	96	6	2	3	6	9	6	12	18	11	13	3	7
35	Violent deaths (excluding suicide)	777	66	55	64	55	50	53	79	74	61	72	65	83
36	Suicide	74	2	9	9	9	3	4	5	9	9	3	9	3
	All other causes	4,850	489	431	466	390	417	345	380	356	368	364	380	464
	PITTSBURGH, PA. (WHITE).													
	All causes	9,380	1,173	814	893	759	728	560	719	719	713	701	702	899
1	Typhoid fever	48	9	9	2		1	3	4	2	4	6	6	2
3	Malaria	2						1		1				
5	Measles	129	15	18	27	10	17	9	8	8	11	1	1	4
6	Scarlet fever	21	3	3		2		1				4	6	2
7	Whooping cough	92	8	6	14	10	6	6	11	7	8	10	2	4
8	Diphtheria and croup	124	19	12	12	9	1	10	4	8	9	16	8	16
9	Influenza	148	88	19	9	9	3	1	1		1	1	7	9
13	Tuberculosis of the lungs	565	54	53	53	35	47	49	42	44	32	48	42	66
14–15	Other forms of tuberculosis	138	10	12	8	11	12	13	15	12	10	11	11	13
17	Meningitis	60	6	4	6	6	4	4	8	3	5	2	7	5
20–21	Bronchitis	164	18	30	22	25	13	5	2	5	4	10	12	18
22	Pneumonia	1,193	288	106	129	103	84	34	30	39	46	71	109	154
(23)	Bronchopneumonia	551	90	53	55	79	54	22	16	15	23	37	44	63
25	Diarrhea and enteritis (under 2 years)	661	36	18	32	27	42	22	128	129	119	64	22	22
(37)	Diarrhea and enteritis (2 years and over)	59	3	7	5	1	4	2	8	9	10	2	4	4
(33)	Congenital debility [1]	89	6	2	3	6	9	5	11	15	11	13	2	6
35	Violent deaths (excluding suicide)	717	63	51	62	51	49	45	69	68	57	67	58	77
36	Suicide	72	2	9	9	9	2	3	5	9	9	3	9	3
	All other causes	4,547	455	402	445	366	380	325	357	345	354	335	352	431

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PITTSBURGH, PA. (COLORED).													
	All causes	697	75	58	56	59	62	55	57	38	38	51	65	83
1	Typhoid fever	4					1			2	1			
3	Malaria													
5	Measles	8		1	3	1	1		2					
6	Scarlet fever													
7	Whooping cough	17	2	1	4	2	1	2	1	2	1			1
8	Diphtheria and croup	2					2							
9	Influenza	6	4				1					1		
13	Tuberculosis of the lungs	76	5	5	9	6	5	12	6	3	8	7	4	6
14–15	Other forms of tuberculosis	11		3		1	2	1	1	1		1	1	
17	Meningitis	2					1		1					
20–21	Bronchitis	4			1	1							1	1
22	Pneumonia	119	17	8	14	10	4	5	2	3	6	6	19	25
(23)	Bronchopneumonia	54	7	6	2	8	5	5	2	2	4	1	4	8
25	Diarrhea and enteritis (under 2 years)	21	3	1		2			8	5		1		1
(37)	Diarrhea and enteritis (2 years and over)	1												1
(33)	Congenital debility [1]	7						1	1	3			1	1
35	Violent deaths (excluding suicide)	60	3	4	2	4	1	8	10	6	4	5	7	6
36	Suicide	2					1	1						
	All other causes	303	34	29	21	24	37	20	23	11	14	29	28	33
	SCRANTON, PA.													
	All causes	2,116	206	201	178	192	167	143	178	203	157	157	167	167
1	Typhoid fever	9		1	1				2		2	1	1	1
3	Malaria													
5	Measles	5						1	1					3
6	Scarlet fever	3			1						1			1
7	Whooping cough	5	1	2		1	1							
8	Diphtheria and croup	25	4	6	2					1	2	3	4	3
9	Influenza	26	6	10	5	1	2						1	1
13	Tuberculosis of the lungs	109	14	11	8	12	6	6	10	12	6	7	8	9
14–15	Other forms of tuberculosis	20		1	3	1	3	2	1	3	2	1	1	2
17	Meningitis	10	1	1	1		3		1			1	2	
20–21	Bronchitis	25	3	2	1	5	3	2	2	1		3	1	2
22	Pneumonia	179	34	27	18	15	13	9	6	10	7	12	11	17
(23)	Bronchopneumonia	100	14	7	10	12	13	7	6	2	1	6	13	9
25	Diarrhea and enteritis (under 2 years)	208	7	4	9	10	5	3	28	68	40	19	10	5
(37)	Diarrhea and enteritis (2 years and over)	22	2	4	1		2	1	2	4	4		1	1
(33)	Congenital debility [1]	13	2		2		1	2	2	2	1	1		
35	Violent deaths (excluding suicide)	203	16	12	17	29	15	27	17	16	7	16	16	15
36	Suicide	11	1		1	1	2			3			2	1
	All other causes	1,143	101	113	98	105	98	83	100	81	84	87	96	97
	PROVIDENCE, R. I.													
	All causes	4,027	421	377	373	363	337	282	314	319	289	305	305	342
1	Typhoid fever	13	1	1	2			1	1	3	1	2		1
3	Malaria	1										1		
5	Measles	64		7	15	17	14	7	1	3				
6	Scarlet fever	16	4		4	1	5			1			1	
7	Whooping cough	12			3	2	4	2			1			
8	Diphtheria and croup	76	10	4	7	5	6	8	3	4	3	10	8	8
9	Influenza	66	31	15	13	4							2	1
13	Tuberculosis of the lungs	342	32	29	32	30	24	30	23	29	30	31	23	29
14–15	Other forms of tuberculosis	79	12	1	5	13	2	3	7	8	12	5	6	5
17	Meningitis	27	2	3	1	1	3	4	4	1		2	1	5
20–21	Bronchitis	50	6	5	7	8	4	4	1	2	1	3	4	5
22	Pneumonia	309	66	38	41	40	19	13	8	3	10	13	27	31
(23)	Bronchopneumonia	135	18	20	22	14	12	7	4	7	7	3	9	12
25	Diarrhea and enteritis (under 2 years)	148	3	1	4	7	8	5	24	54	28	8	3	3
(37)	Diarrhea and enteritis (2 years and over)	19		2	2			1	1	2	6	1	2	2
(33)	Congenital debility [1]	72	2	4	4	6	6	4	9	15	9	10	2	1
35	Violent deaths (excluding suicide)	233	18	22	12	22	13	30	24	14	17	21	20	20
36	Suicide	30	6	1	2		2	2	3	2	3	4	4	1
	All other causes	2,335	210	224	197	193	215	161	201	171	161	191	193	218
	RICHMOND, VA. (TOTAL).													
	All causes	3,092	279	264	289	269	252	264	277	256	242	225	227	248
1	Typhoid fever	37	1	2	1			1	7	13	9	2		1
3	Malaria	1												1
5	Measles	41		1	1	14	11	10	1	1				2
6	Scarlet fever	3							1		1	1		
7	Whooping cough	47		3	2	3	5	9	8	5	5	4	2	1
8	Diphtheria and croup	5	2						1			1	1	
9	Influenza	32	4	11	7	2	1		2	1		1		3
13	Tuberculosis of the lungs	293	24	28	27	29	32	27	23	22	25	20	16	20
14–15	Other forms of tuberculosis	57	3	4	6	4	3	9	4	6	8	4	1	5
17	Meningitis	12		1	1	2	2	2	1		1		1	1
20–21	Bronchitis	46	7	3	7	5	4	2	2	1	3	3	5	4
22	Pneumonia	180	41	22	27	26	15	7	7	4	3	7	6	15
(23)	Bronchopneumonia	124	9	14	17	17	12	10	6	4	2	9	10	14
25	Diarrhea and enteritis (under 2 years)	114	3		2	1	4	19	33	22	13	9	5	3
(37)	Diarrhea and enteritis (2 years and over)	36	3	2	1	1	3	5	11	3	2	1	2	2
(33)	Congenital debility [1]	56	1	2	3	2		5	8	15	9	7	1	3
35	Violent deaths (excluding suicide)	139	19	12	10	11	7	9	13	15	12	9	11	11
36	Suicide	13	2		1	2	1	1	1	2	3			
	All other causes	1,856	160	159	176	150	152	148	148	142	146	147	166	162

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	RICHMOND, VA. (WHITE).													
	All causes	1,629	148	148	146	146	123	136	150	129	129	104	132	138
1	Typhoid fever	17	1	1	1			1	3	6	4			
3	Malaria	1												1
5	Measles	16			1	9	2	3	1					
6	Scarlet fever	3							1		1	1		
7	Whooping cough	14			1	1	4	4	2	1		1		
8	Diphtheria and croup	5	2						1			1	1	
9	Influenza	11	2	5	3									1
13	Tuberculosis of the lungs	117	7	10	10	13	11	11	11	10	10	9	7	8
14–15	Other forms of tuberculosis	29	2	2	3	3	1	3	3	2	5	1		4
17	Meningitis	5				1		1	1		1			1
20–21	Bronchitis	8		1		2			2			1	1	1
22	Pneumonia	69	18	10	10	8	6		4	1	2	1	3	6
(23)	Bronchopneumonia	42	4	6	7	10	3	1	1			3	4	3
25	Diarrhea and enteritis (under 2 years)	54	3		1	1	2	8	15	12	4	3	4	1
(37)	Diarrhea and enteritis (2 years and over)	21	3	2	1	1	2	2	5	1	1	1	1	1
(33)	Congenital debility [1]	26		2	2			2	6	6	3	4	1	
35	Violent deaths (excluding suicide)	76	9	7	3	8	4	6	6	8	6	5	7	7
36	Suicide	13	2		1	2	1	1	1	2	3			
	All other causes	1,102	95	102	102	87	87	93	87	80	89	73	103	104
	RICHMOND, VA. (COLORED).													
	All causes	1,463	131	116	143	123	129	128	127	127	113	121	95	110
1	Typhoid fever	20		1					4	7	5	2		1
3	Malaria													
5	Measles	25		1		5	9	7		1				2
6	Scarlet fever													
7	Whooping cough	33		3	1	2	1	5	6	4	5	3	2	1
8	Diphtheria and croup													
9	Influenza	21	2	6	4	2	1		2	1		1		2
13	Tuberculosis of the lungs	176	17	18	17	16	21	16	12	12	15	11	9	12
14–15	Other forms of tuberculosis	28	1	2	3	1	2	6	1	4	3	3	1	1
17	Meningitis	7		1	1	1	2	1					1	
20–21	Bronchitis	38	7	2	7	3	4	2		1	3	2	4	3
22	Pneumonia	111	23	12	17	18	9	7	3	3	1	6	3	9
(23)	Bronchopneumonia	82	5	8	10	7	9	9	5	4	2	6	6	11
25	Diarrhea and enteritis (under 2 years)	60			1		2	11	18	10	9	6	1	2
(37)	Diarrhea and enteritis (2 years and over)	15				1	1	3	6	2	1		1	1
(33)	Congenital debility [1]	30	1		1	2		3	2	9	6	3		3
35	Violent deaths (excluding suicide)	63	10	5	7	3	3	3	7	7	6	4	4	4
36	Suicide													
	All other causes	754	65	57	74	63	65	55	61	62	57	74	63	58
	SEATTLE, WASH.													
	All causes	2,442	246	210	224	228	169	169	183	173	170	201	194	275
1	Typhoid fever	11	1	1					2	2	1	2		2
3	Malaria													
5	Measles	12			1	4	3	1	2	1				
6	Scarlet fever													
7	Whooping cough	18	1	1	1		3	4	2	2	1	1		2
8	Diphtheria and croup	7		1				2	1		1	2		
9	Influenza	36	12	6	3	1		1		1				12
13	Tuberculosis of the lungs	192	21	17	21	22	13	13	16	15	13	17	10	14
14–15	Other forms of tuberculosis	71	4	6	6	10	6	5	7	8	4	5	4	6
17	Meningitis	14	2		4		1	1		1		1	2	2
20–21	Bronchitis	8	2				2	1				1	1	1
22	Pneumonia	91	11	8	5	6	7	6	6	1	5	6	13	17
(23)	Bronchopneumonia	49	6	5	4	2	4	3	2	1	2	5	5	10
25	Diarrhea and enteritis (under 2 years)	18		3	6	1		2	2	1		2	1	
(37)	Diarrhea and enteritis (2 years and over)	15	2	4	1		1	1			1	2	2	1
(33)	Congenital debility [1]	29	2	3		2	2	2	3	4	2	1	4	4
35	Violent deaths (excluding suicide)	181	26	16	12	17	9	12	14	9	12	17	17	20
36	Suicide	53	4	4	5	5	3	4	3	3	5	7	5	5
	All other causes	1,637	152	135	155	158	115	111	123	124	123	132	130	179
	SPOKANE, WASH.													
	All causes	1,051	108	88	79	81	96	91	77	68	82	95	88	98
1	Typhoid fever	3			1		1				1			
3	Malaria													
5	Measles	16	1		3	4		3	2					3
6	Scarlet fever	1	1											
7	Whooping cough	5				3		2						
8	Diphtheria and croup	1					1							
9	Influenza	18	6	3	2		1			1				5
13	Tuberculosis of the lungs	61	6	2	6	7	11	3	5	3	6	6	3	3
14–15	Other forms of tuberculosis	22		6	1	1	5	1		2	2	2	2	
17	Meningitis	3			1			1			1			
20–21	Bronchitis	11	1		1		1	2	1	1			1	3
22	Pneumonia	53	6	3	2	4	6	6	6	3	1	1	6	9
(23)	Bronchopneumonia	22	2	3	3		4	1				2	3	4
25	Diarrhea and enteritis (under 2 years)	15	3	1	1	1	1				4	1	2	1
(37)	Diarrhea and enteritis (2 years and over)	11	1		1	1	2			1	2	1		2
(33)	Congenital debility [1]	11		1	1		3	2				3		1
35	Violent deaths (excluding suicide)	63	4	6	4	1	3	8	7	8	9	4	5	4
36	Suicide	17	1	1	5	2	1	1	1	1	1	1	2	
	All other causes	718	76	62	47	57	56	61	55	43	55	74	64	63

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN—											
			January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MILWAUKEE, WIS.													
	All causes	5,549	518	524	561	534	509	371	460	373	410	419	399	471
1	Typhoid fever	67	2	10	21	7	4	4	3	1	7	3	3	2
3	Malaria	----	----	----	----	----	----	----	----	----	----	----	----	----
5	Measles	121	10	23	39	24	15	7	1	----	----	1	1	----
6	Scarlet fever	48	1	6	6	9	6	4	5	1	2	3	2	3
7	Whooping cough	38	7	4	3	2	6	----	3	2	7	2	1	1
8	Diphtheria and croup	78	6	3	6	9	8	3	5	----	7	11	9	11
9	Influenza	69	34	8	9	2	6	1	1	1	----	1	3	3
13	Tuberculosis of the lungs	344	28	28	39	26	34	36	31	19	24	22	24	33
14-15	Other forms of tuberculosis	75	7	5	9	3	7	10	8	5	4	9	2	6
17	Meningitis	42	9	3	----	6	8	1	2	4	3	1	2	3
20-21	Bronchitis	131	15	13	15	15	22	8	7	5	3	8	7	13
22	Pneumonia	418	55	50	52	52	45	17	12	17	15	22	26	55
(23)	Bronchopneumonia	255	37	26	39	50	32	11	8	7	4	12	7	22
25	Diarrhea and enteritis (under 2 years)	318	18	54	27	20	15	15	18	43	53	19	17	19
(37)	Diarrhea and enteritis (2 years and over)	44	6	5	6	1	1	1	2	4	10	3	2	3
(33)	Congenital debility [1]	115	9	15	12	13	10	5	9	5	19	8	5	5
35	Violent deaths (excluding suicide)	313	25	18	9	18	26	17	88	38	19	17	17	21
36	Suicide	69	5	3	5	7	2	8	9	3	7	7	10	3
	All other causes	3,004	244	250	264	270	262	223	248	218	226	270	261	263

[1] Excluding premature birth.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY.															
	THE REGISTRATION AREA.															
	All causes	164,660	25,908	8,384	6,087	12,039	52,418	10,251	7,158	5,756	75,583	14,372	11,555	26,497	20,063	16,590
5	Measles	2,027	3	7	3	7	20	17	26	34	97	83	72	306	584	885
6	Scarlet fever	126	1	1	.....	2	4	2	4	1	11	3	4	22	33	53
7	Whooping cough	4,009	2	3	3	6	14	17	79	160	270	580	490	932	876	861
8	Diphtheria and croup	903	7	5	3	10	25	34	21	23	193	69	59	161	212	304
9	Influenza	1,606	6	4	4	30	44	70	66	59	239	174	147	397	386	263
(12)	Dysentery	806	4	.....	1	8	13	20	9	14	56	67	55	227	196	205
(12)	Erysipelas	794	2	.....	2	11	15	43	78	86	222	195	79	144	95	59
(37)	Tetanus	332	3	3	5	92	103	170	29	7	309	6	2	2	6	7
13	Tuberculosis of the lungs	922	8	4	3	13	28	6	15	8	57	77	75	221	263	229
14	Tuberculous meningitis	1,199	.....	1	.....	7	8	17	16	7	48	44	53	288	377	389
15	Other forms of tuberculosis	433	.....	1	.....	7	8	9	12	16	45	37	46	116	79	110
(37)	Syphilis	2,193	177	67	54	133	431	190	161	128	910	346	274	413	144	106
17	Meningitis	1,371	7	8	7	46	68	55	31	31	185	132	106	342	332	274
(37)	Convulsions	2,061	83	121	146	337	687	254	139	98	1,178	164	127	292	185	115
19	Organic diseases of the heart	565	11	4	5	51	71	58	50	26	205	72	48	109	79	52
20	Acute bronchitis	3,469	9	17	20	101	147	173	239	214	773	561	399	749	557	430
22	Pneumonia	6,605	30	38	57	192	317	287	290	247	1,141	722	615	1,580	1,331	1,216
(23)	Bronchopneumonia	13,642	45	62	108	367	582	573	612	563	2,330	1,544	1,342	3,154	2,786	2,486
24	Diseases of the stomach	2,351	5	14	24	131	174	157	144	113	588	405	335	560	290	173
25	Diarrhea and enteritis	36,976	33	57	121	579	790	1,011	1,158	1,206	4,165	3,846	4,006	11,040	8,058	5,861
(33)	Malformations	10,638	2,358	1,129	965	1,814	6,266	1,101	555	412	8,334	740	414	615	327	208
(33)	Premature birth	33,123	16,305	4,292	2,367	3,465	26,429	2,847	1,487	898	31,661	885	263	244	49	21
(33,37)	Congenital debility	16,281	2,851	1,139	1,009	2,231	7,230	1,623	1,015	758	10,626	1,743	1,250	1,714	618	330
(37)	Injuries at birth	6,274	2,941	926	695	1,132	5,694	362	94	49	6,199	57	18	.....	.....	.....
35	External causes	2,121	153	67	68	133	421	84	72	70	647	274	202	422	276	300
38	Diseases ill-defined or unknown	4,542	720	290	239	486	1,735	397	263	197	2,592	571	351	579	274	175
	All other causes	9,286	144	124	178	648	1,094	674	493	331	2,592	975	723	1,868	1,650	1,478
	REGISTRATION STATES.[1]															
	All causes	152,335	24,395	7,785	5,682	11,112	48,974	9,460	6,656	5,317	70,407	13,325	10,673	24,314	18,339	15,277
5	Measles	1,954	3	7	3	7	20	17	26	34	97	83	71	301	557	845
6	Scarlet fever	114	1	.....	.....	2	3	2	4	1	10	3	4	19	30	48
7	Whooping cough	3,908	2	3	3	6	14	17	78	157	266	567	478	911	853	833
8	Diphtheria and croup	848	7	5	3	9	24	31	20	23	98	64	56	149	195	286
9	Influenza	1,537	4	4	4	28	40	67	62	58	227	167	141	384	362	256
(12)	Dysentery	761	4	.....	1	8	13	20	7	13	53	61	49	219	184	195
(12)	Erysipelas	744	2	.....	2	10	14	41	73	77	205	185	74	135	89	56
(37)	Tetanus	253	2	1	4	69	76	130	23	6	235	5	2	2	3	6
13	Tuberculosis of the lungs	862	8	4	3	12	27	5	14	7	53	74	68	207	243	217
14	Tuberculous meningitis	1,120	.....	1	.....	7	8	17	15	6	46	41	52	261	353	367
15	Other forms of tuberculosis	370	.....	.....	.....	6	6	6	8	11	31	28	35	101	72	103
(37)	Syphilis	1,943	159	62	49	116	386	162	143	113	804	308	243	365	126	97
17	Meningitis	1,304	7	8	7	45	67	53	31	30	181	123	98	322	317	263
(37)	Convulsions	1,982	80	117	141	316	654	245	134	94	1,127	163	124	279	177	112
19	Organic diseases of the heart	540	10	4	4	46	64	55	48	25	192	71	47	103	76	51
20	Acute bronchitis	3,248	9	15	17	93	134	162	228	199	723	528	378	714	513	392
22	Pneumonia	6,215	29	35	56	180	300	271	277	234	1,082	679	573	1,483	1,200	1,138
(23)	Bronchopneumonia	12,635	41	56	97	317	511	516	572	520	2,119	1,441	1,253	2,935	2,582	2,305
24	Diseases of the stomach	2,265	5	13	22	126	166	151	135	109	561	394	323	540	283	164
25	Diarrhea and enteritis	32,592	27	42	105	498	672	879	1,010	1,063	3,624	3,383	3,549	9,783	7,065	5,188
(33)	Malformations	9,968	2,225	1,063	904	1,688	5,880	1,040	524	381	7,825	690	395	570	298	190
(33)	Premature birth	31,052	15,396	4,000	2,202	3,220	24,818	2,641	1,390	831	29,680	832	243	232	44	21
(33,37)	Congenital debility	15,315	2,667	1,059	954	2,066	6,746	1,520	948	724	9,938	1,663	1,192	1,623	587	312
(37)	Injuries at birth	5,756	2,723	839	631	1,039	5,232	324	88	41	5,685	56	15	.....	.....	.....
35	External causes	1,976	145	58	64	125	392	79	69	62	602	254	192	391	254	283
38	Diseases ill-defined or unknown	4,425	707	281	237	469	1,694	387	259	190	2,530	552	345	558	270	170
	All other causes	8,648	132	108	169	604	1,013	622	470	308	2,413	910	673	1,727	1,546	1,379
	CITIES[2] IN REGISTRATION STATES.															
	All causes	78,784	11,583	3,959	2,881	5,354	23,777	4,427	3,362	2,659	34,225	6,884	5,445	13,113	10,461	8,656
5	Measles	1,138	1	4	.....	2	7	4	7	12	30	40	25	151	351	541
6	Scarlet fever	58	.....	.....	.....	2	2	1	2	.....	5	2	1	7	16	27
7	Whooping cough	1,607	.....	.....	1	1	2	4	18	60	84	183	167	381	401	391
8	Diphtheria and croup	412	1	.....	1	1	3	5	6	9	23	22	23	60	110	174
9	Influenza	505	.....	2	1	7	10	18	15	19	62	64	27	122	130	100
(12)	Dysentery	188	1	.....	.....	3	4	6	2	2	14	16	11	66	46	35
(12)	Erysipelas	468	1	.....	1	8	10	26	49	46	131	102	58	86	56	35
(37)	Tetanus	90	1	.....	3	24	28	43	9	2	82	3	.....	.....	1	4
13	Tuberculosis of the lungs	442	3	1	.....	3	7	2	7	2	18	48	28	108	134	106
14	Tuberculous meningitis	730	.....	.....	.....	3	3	8	6	1	18	17	33	172	244	246
15	Other forms of tuberculosis	225	.....	.....	.....	4	4	2	5	3	14	19	18	56	44	74
(37)	Syphilis	1,386	113	44	34	80	271	126	94	81	572	226	181	263	85	59
17	Meningitis	588	2	5	3	17	27	17	11	10	65	57	38	151	155	122
(37)	Convulsions	763	28	49	52	115	244	62	45	36	387	69	56	115	76	60
19	Organic diseases of the heart	246	5	4	1	17	27	26	21	9	83	30	26	44	38	25
20	Acute bronchitis	1,973	3	6	7	45	61	98	146	127	432	318	237	428	318	240
22	Pneumonia	3,207	15	17	27	92	151	105	139	111	506	334	249	731	706	681
(23)	Bronchopneumonia	7,721	21	37	51	169	278	303	324	290	1,195	822	710	1,823	1,660	1,511
24	Diseases of the stomach	859	2	5	6	39	52	53	56	31	192	165	130	189	113	70
25	Diarrhea and enteritis	18,831	7	19	48	232	306	464	577	627	1,974	2,014	1,997	5,710	4,212	2,924
(33)	Malformations	5,082	1,084	544	468	848	2,944	513	278	178	3,913	395	193	312	165	104
(33)	Premature birth	15,463	7,195	2,098	1,182	1,631	12,106	1,369	756	449	14,680	466	141	138	29	9
(33,37)	Congenital debility	7,515	1,261	521	468	978	3,228	640	443	347	4,658	857	647	873	313	167
(37)	Injuries at birth	3,437	1,632	499	390	613	3,134	183	57	24	3,398	29	10	.....	.....	.....
35	External causes	824	69	21	26	68	179	27	29	21	256	101	73	160	108	126
38	Diseases ill-defined or unknown	443	75	27	21	27	150	28	32	12	222	52	43	74	31	21
	All other causes	4,583	63	56	90	330	539	294	228	150	1,211	433	323	893	919	804

[1] Includes District of Columbia.

[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY—Continued.															
	RURAL PART OF REGISTRATION STATES.															
	All causes	73,551	12,812	3,826	2,801	5,758	25,197	5,033	3,294	2,658	36,182	6,441	5,228	11,201	7,878	6,621
5	Measles	816	2	3	3	5	13	13	19	22	67	43	46	150	206	304
6	Scarlet fever	56	1	.....	.....	.....	1	1	2	1	5	1	3	12	14	21
7	Whooping cough	2,301	2	3	2	5	12	13	60	97	182	384	311	530	452	442
8	Diphtheria and croup	436	6	5	2	8	21	26	14	14	75	42	33	89	85	112
9	Influenza	1,032	4	2	3	21	30	49	47	39	165	103	114	262	232	156
(12)	Dysentery	573	3	.....	1	5	9	14	5	11	39	45	38	153	138	160
(12)	Erysipelas	276	1	.....	1	2	4	15	24	31	74	83	16	49	33	21
(37)	Tetanus	163	1	1	1	45	48	87	14	4	153	2	2	2	2	2
13	Tuberculosis of the lungs	420	5	3	3	9	20	3	7	5	35	26	40	99	109	111
14	Tuberculous meningitis	390	.....	1	.....	4	5	9	9	5	28	24	19	89	109	121
15	Other forms of tuberculosis	145	.....	.....	.....	2	2	4	3	8	17	9	17	45	28	29
(37)	Syphilis	557	46	18	15	36	115	36	49	32	232	82	62	102	41	38
17	Meningitis	716	5	3	4	28	40	36	20	20	116	66	60	171	162	141
(37)	Convulsions	1,219	52	68	89	201	410	183	89	58	740	94	68	164	101	52
19	Organic diseases of the heart	294	5	.....	3	29	37	29	27	16	109	41	21	59	38	26
20	Acute bronchitis	1,275	6	9	10	48	73	64	82	72	291	210	141	286	195	152
22	Pneumonia	3,008	14	18	29	88	149	166	138	123	576	345	324	752	554	457
(23)	Bronchopneumonia	4,914	20	19	46	148	233	213	248	230	924	619	543	1,112	922	794
24	Diseases of the stomach	1,406	3	8	16	87	114	98	79	78	369	229	193	351	170	94
25	Diarrhea and enteritis	13,761	20	23	57	266	366	415	433	436	1,650	1,369	1,552	4,073	2,853	2,264
(33)	Malformations	4,886	1,141	519	436	840	2,936	527	246	203	3,912	295	202	258	133	86
(33)	Premature birth	15,589	8,201	1,902	1,020	1,589	12,712	1,272	634	382	15,000	366	102	94	15	12
(33,37)	Congenital debility	7,800	1,406	538	486	1,088	3,518	880	505	377	5,280	808	545	750	274	145
(37)	Injuries at birth	2,319	1,091	340	241	426	2,098	141	31	17	2,287	27	5	.....	.....	.....
35	External causes	1,152	76	37	38	62	213	52	40	41	346	153	119	231	146	157
38	Diseases ill-defined or unknown	3,982	632	254	216	412	1,544	359	227	178	2,308	500	302	484	239	149
	All other causes	4,065	69	52	79	274	474	328	242	158	1,202	477	350	834	627	575
	REGISTRATION CITIES[1] IN NONREGISTRATION STATES.															
	All causes	12,325	1,513	599	405	927	3,444	791	502	439	5,176	1,047	882	2,183	1,724	1,313
5	Measles	73	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	5	27	40
6	Scarlet fever	12	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	3	3	5
7	Whooping cough	101	.....	.....	.....	.....	.....	.....	1	3	4	13	12	21	23	28
8	Diphtheria and croup	60	.....	.....	.....	1	1	3	1	.....	5	5	3	12	17	18
9	Influenza	69	2	.....	.....	2	4	3	4	1	12	7	6	13	24	7
(12)	Dysentery	45	.....	.....	.....	.....	.....	.....	2	1	3	6	6	8	12	10
(12)	Erysipelas	50	.....	.....	.....	1	1	2	5	9	17	10	5	9	6	3
(37)	Tetanus	79	1	2	1	23	27	40	6	1	74	1	.....	.....	3	1
13	Tuberculosis of the lungs	60	.....	.....	.....	1	1	1	1	1	4	3	7	14	20	12
14	Tuberculous meningitis	79	.....	.....	.....	.....	.....	.....	1	1	2	3	1	27	24	22
15	Other forms of tuberculosis	63	.....	1	.....	1	2	3	4	5	14	9	11	15	7	7
(37)	Syphilis	250	18	5	5	17	45	28	18	15	106	38	31	48	18	9
17	Meningitis	67	.....	.....	.....	1	1	2	.....	1	4	9	8	20	15	11
(37)	Convulsions	79	3	4	5	21	33	9	5	4	51	1	3	13	8	3
19	Organic diseases of the heart	25	1	.....	1	5	7	3	2	1	13	1	1	6	3	1
20	Acute bronchitis	221	.....	2	3	8	13	11	11	15	50	33	21	35	44	38
22	Pneumonia	390	1	3	1	12	17	16	13	13	59	43	42	97	71	78
(23)	Bronchopneumonia	1,007	4	6	11	50	71	57	40	43	211	103	89	219	204	181
24	Diseases of the stomach	86	.....	1	2	5	8	6	9	4	27	11	12	20	7	9
25	Diarrhea and enteritis	4,384	6	15	16	81	118	132	148	143	541	463	457	1,257	993	673
(33)	Malformations	670	133	66	61	126	386	61	31	31	509	50	19	45	29	18
(33)	Premature birth	2,071	909	292	165	245	1,611	206	97	67	1,981	53	20	12	5	.....
(33,37)	Congenital debility	966	184	80	55	165	484	103	67	34	688	80	58	91	31	18
(37)	Injuries at birth	518	218	87	64	93	462	38	6	8	514	1	3	.....	.....	.....
35	External causes	145	8	9	4	8	29	5	3	8	45	20	10	31	22	17
38	Diseases ill-defined or unknown	117	13	9	2	17	41	10	4	7	62	19	6	21	4	5
	All other causes	638	12	16	9	44	81	52	23	23	179	65	50	141	104	99
	ALL REGISTRATION CITIES.[2]															
	All causes	91,109	13,096	4,558	3,286	6,281	27,221	5,218	3,864	3,098	39,401	7,931	6,327	15,296	12,185	9,969
5	Measles	1,211	1	4	.....	2	7	4	7	12	30	40	26	156	378	581
6	Scarlet fever	70	.....	1	.....	2	3	1	2	.....	6	2	1	10	19	32
7	Whooping cough	1,708	.....	.....	1	1	2	4	19	63	88	196	179	402	424	419
8	Diphtheria and croup	472	1	.....	1	2	4	8	7	9	28	27	26	72	127	192
9	Influenza	574	2	2	1	9	14	21	19	20	74	71	33	135	154	107
(12)	Dysentery	233	1	.....	.....	3	4	6	4	3	17	22	17	74	58	45
(12)	Erysipelas	518	1	.....	1	9	11	28	54	55	148	112	63	95	62	38
(37)	Tetanus	169	2	2	4	47	55	83	15	3	156	4	.....	.....	4	5
13	Tuberculosis of the lungs	502	3	1	.....	4	8	3	8	3	22	51	35	122	154	118
14	Tuberculous meningitis	809	.....	.....	.....	3	3	8	7	2	20	20	34	199	268	268
15	Other forms of tuberculosis	288	.....	1	.....	5	6	5	9	8	28	28	29	71	51	81
(37)	Syphilis	1,636	131	49	39	97	316	154	112	96	678	264	212	311	108	68
17	Meningitis	655	2	5	3	18	28	19	11	11	69	66	46	171	170	133
(37)	Convulsions	842	31	53	57	136	277	71	50	40	438	70	59	128	84	63
19	Organic diseases of the heart	271	6	4	2	22	34	29	23	10	96	31	27	50	41	26
20	Acute bronchitis	2,194	3	8	10	53	74	109	157	142	482	351	258	463	362	278
22	Pneumonia	3,597	16	20	28	104	168	121	152	124	565	377	291	828	777	759
(23)	Bronchopneumonia	8,728	25	43	62	219	349	360	364	333	1,406	925	799	2,042	1,864	1,692
24	Diseases of the stomach	945	2	6	8	44	60	59	65	35	219	176	142	209	120	79
25	Diarrhea and enteritis	23,215	13	34	64	313	424	596	725	770	2,515	2,477	2,454	6,967	5,205	3,597
(33)	Malformations	5,752	1,217	610	529	974	3,330	574	309	209	4,422	445	212	357	194	122
(33)	Premature birth	17,534	8,104	2,390	1,347	1,876	13,717	1,575	853	516	16,661	519	161	150	34	9
(33,37)	Congenital debility	8,481	1,445	601	523	1,143	3,712	743	510	381	5,346	937	705	964	344	185
(37)	Injuries at birth	3,955	1,850	586	454	706	3,596	221	63	32	3,912	30	13	.....	.....	.....
35	External causes	969	77	30	30	71	208	32	32	29	301	121	83	191	130	143
38	Diseases ill-defined or unknown	560	88	36	23	44	191	38	36	19	284	71	49	95	35	26
	All other causes	5,221	75	72	99	374	620	346	251	173	1,390	498	373	1,034	1,022	903

[1] A list of these cities will be found on p. 10.

[2] Includes District of Columbia and municipalities of 10,000 inhabitants or more in 1910

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES.															
	CALIFORNIA.															
	All causes	3,671	685	248	148	281	1,362	234	167	130	1,893	307	240	531	373	327
5	Measles	11								1	1	1			2	7
6	Scarlet fever	4													3	1
7	Whooping cough	131							1	8	9	26	17	33	23	23
8	Diphtheria and croup	15											2	2	4	7
9	Influenza	31						1	2		3	4	5	7	8	4
(12)	Dysentery	8						1		1	2	1		2	3	
(12)	Erysipelas	14							3		3	2	3	1	3	2
(37)	Tetanus	7				2	2	5			7					
13	Tuberculosis of the lungs	23										1	4	5	4	9
14	Tuberculous meningitis	51						1			1		2	10	16	22
15	Other forms of tuberculosis	18				1	1				1	1	1	4	5	6
(37)	Syphilis	75	6	4	1	8	19	6	8	1	34	14	5	14	4	4
17	Meningitis	43		1		3	4	2	2		8	3	2	9	11	10
(37)	Convulsions	23	2	3	5	4	14	2	1		17		1	3	2	
19	Organic diseases of the heart	15			1	2	3	1	2	1	7	3			3	2
20	Acute bronchitis	40				1	1	4	3	2	10	3	6	9	8	4
22	Pneumonia	158			1	7	8	11	9	5	33	16	10	45	20	34
(23)	Bronchopneumonia	319		1	7	11	19	15	16	10	60	39	40	76	49	55
24	Diseases of the stomach	34			1	1	2		9	1	12	5	4	7	3	3
25	Diarrhea and enteritis	684	1	1	3	15	20	27	26	28	101	93	84	192	127	87
(33)	Malformations	303	69	33	30	50	182	32	7	10	231	23	11	21	10	7
(33)	Premature birth	872	449	135	50	84	718	57	37	29	841	17	7	6		1
(33,37)	Congenital debility	342	72	39	26	48	185	34	28	19	266	19	20	25	8	4
(37)	Injuries at birth	165	74	27	14	30	145	11	5	2	163	2				
35	External causes	54	4	1	4	4	13	3	2		18	7	4	10	8	7
38	Diseases ill-defined or unknown	9	4	1			5			1	6	1		1	1	
	All other causes	222	4	2	5	10	21	21	6	11	59	26	12	49	48	28
	COLORADO.															
	All causes	1,475	308	84	59	119	570	92	59	51	772	112	133	208	134	116
5	Measles	10							1	2	3		1	3	1	2
6	Scarlet fever	2												1		1
7	Whooping cough	29							1		1	5	9	4	6	4
8	Diphtheria and croup	2											1			1
9	Influenza	25						2	3	2	7		3	6	5	4
(12)	Dysentery	6										1		3		2
(12)	Erysipelas	20				1	1			1	2	9	1	3	4	1
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1	2	1	1	2
14	Tuberculous meningitis	8												2	2	4
15	Other forms of tuberculosis	4										2	1			1
(37)	Syphilis	18	1	1		4	6	4			10	1	3	3		1
17	Meningitis	19				1	1		1	1	3		5	3	2	6
(37)	Convulsions	7			1	2	3	1			4		2	1		
19	Organic diseases of the heart	8				1	1	1			2		1	3	1	1
20	Acute bronchitis	33						3	5	3	11	4	3	6	5	4
22	Pneumonia	67	1		3	3	7	4	5	2	18	13	9	12	7	8
(23)	Bronchopneumonia	128	2		1	2	5	4	4	7	20	12	21	35	23	17
24	Diseases of the stomach	12				3	3			2	5	3	1	1	1	1
25	Diarrhea and enteritis	268	1		2	4	7	6	9	6	28	21	45	75	61	38
(33)	Malformations	97	20	9	8	20	57	13	3	3	76	8	4	5	2	2
(33)	Premature birth	398	221	52	22	38	333	30	14	10	387	9	1	1		
(33,37)	Congenital debility	167	38	13	12	28	91	15	7	6	119	14	11	15	4	4
(37)	Injuries at birth	40	20	5	7	5	37	3			40					
35	External causes	17	2		1	1	4	1			5	1	2	2	3	4
38	Diseases ill-defined or unknown	8	1	2		2	5			2	7	1				
	All other causes	75	1	2	2	4	9	5	6	4	24	7	7	23	6	8
	CONNECTICUT.															
	All causes	3,580	538	224	114	234	1,110	195	165	133	1,603	331	220	576	464	386
5	Measles	49							1	1	2	1	2	8	13	23
6	Scarlet fever	1												1		
7	Whooping cough	89						1		2	3	9	12	24	20	21
8	Diphtheria and croup	9								1	1				3	5
9	Influenza	32							1	2	3	1	3	13	7	5
(12)	Dysentery	5													1	3	1
(12)	Erysipelas	33						2	4	4	10	10	3	3	4	3
(37)	Tetanus	12				4	4	7			11	1				
13	Tuberculosis of the lungs	18											1	3	11	3
14	Tuberculous meningitis	42				1	1		1	1	3	1	1	8	16	13
15	Other forms of tuberculosis	15										2	3	3	3	4
(37)	Syphilis	36	3	3		1	7	2	2	3	14	7	1	10	2	2
17	Meningitis	41						1	1	4	6	4	3	8	10	10
(37)	Convulsions	40	1		1	5	7		2		9	12	1	11	2	5
19	Organic diseases of the heart	10	2	1			3		3	1	7	1		2		
20	Acute bronchitis	86		1	1	1	3	3	5	7	18	20	10	16	13	9
22	Pneumonia	159		1	1	3	5	7	12	7	31	18	6	45	29	30
(23)	Bronchopneumonia	296	1	1		3	5	15	15	9	44	37	21	67	62	65
24	Diseases of the stomach	34				3	3	1	2	2	8	9	8	4	1	4
25	Diarrhea and enteritis	908		2	1	6	9	35	32	42	118	100	94	269	195	132
(33)	Malformations	188	49	23	16	29	117	13	13	4	147	13	5	13	8	2
(33)	Premature birth	706	307	128	55	77	567	56	40	17	680	15	3	7	1	
(33,37)	Congenital debility	339	59	29	21	52	161	28	23	14	226	42	23	24	13	11
(37)	Injuries at birth	191	115	26	9	31	181	9	1		191					
35	External causes	32	1	2	1	2	6	1	1	1	9	4	2	7	5	5
38	Diseases ill-defined or unknown	28		5	2	2	9	2	1	2	14	3	2	5	4	
	All other causes	181		2	6	14	22	12	5	9	48	21	16	24	39	33

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	INDIANA.															
	All causes	5,406	1,015	320	223	424	1,982	388	213	219	2,802	441	341	793	564	465
5	Measles	36						1	1	4	6	1	2	7	8	12
6	Scarlet fever	7				1	1		1		2				1	4
7	Whooping cough	156						1	1	10	12	30	21	49	25	19
8	Diphtheria and croup	20		1		1	2		1	2	5	1	1	1	4	8
9	Influenza	58		1			1	3	2	2	8	7	5	13	14	11
(12)	Dysentery	31						1	2		3	2	4	10	5	7
(12)	Erysipelas	18				1	1	1	1	3	6	6		2	3	1
(37)	Tetanus	10				1	1	4	2	2	9				1	
13	Tuberculosis of the lungs	40	2			1	3		2		5	5	4	10	8	8
14	Tuberculous meningitis	36										3	2	5	11	15
15	Other forms of tuberculosis	18				2	2			2	4	1		7	2	4
(37)	Syphilis	59	1	2	2	4	9	7	4	6	26	9	9	10	2	3
17	Meningitis	25		1			1	2	1	3	7	2	3	4	2	7
(37)	Convulsions	20		4	3	4	11	1		1	13	1	1	1	1	3
19	Organic diseases of the heart	27			1	3	4	4	2	3	13	4	2	2	3	3
20	Acute bronchitis	64	2			6	8	4	5	1	18	16	7	9	7	7
22	Pneumonia	210	2		5	11	18	11	10	8	47	27	26	57	30	23
(23)	Bronchopneumonia	399	4	5	9	22	40	21	23	18	102	50	37	81	69	60
24	Diseases of the stomach	150	1	1	1	8	11	12	6	11	40	31	18	37	16	8
25	Diarrhea and enteritis	1,346	1	4	5	26	36	42	40	57	175	131	146	385	290	219
(33)	Malformations	529	141	77	50	87	355	58	23	16	452	27	11	19	13	7
(33)	Premature birth	1,257	673	156	77	124	1,030	119	44	34	1,227	18	5	7		
(33,37)	Congenital debility	358	36	37	38	47	208	50	23	18	299	22	10	20	6	1
(37)	Injuries at birth	208	93	25	22	47	187	15	3	1	206	2				
35	External causes	67	2	3	1	5	11	6	2	5	24	9	8	11	7	8
38	Diseases ill-defined or unknown	6	3			1	4	1	1		6					
	All other causes	251	4	3	9	22	38	24	13	12	87	36	19	46	36	27
	KANSAS.															
	All causes	2,835	639	192	143	251	1,225	232	121	112	1,690	187	177	339	252	190
5	Measles	26		1			1		5	1	7	1	3	8	3	4
6	Scarlet fever	3													1	2
7	Whooping cough	56							2	2	4	9	10	15	5	13
8	Diphtheria and croup	9												5	3	1
9	Influenza	40				1	1	2	3	1	7	10	6	5	7	5
(12)	Dysentery	13	1			1	2				2		1	1	4	5
(12)	Erysipelas	14							2	3	5	4	1	3	1	
(37)	Tetanus	5				1	1	4			5					
13	Tuberculosis of the lungs	4											1		2	1
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis	2										1	1			
(37)	Syphilis	19	2	2	1		5	1	1		7	1	4	6	1	
17	Meningitis	22			1	1	2	1	2	1	6	2	2	5	4	3
(37)	Convulsions	38	2	3	6	3	14	8	2		24	1	2	6	4	1
19	Organic diseases of the heart	19				1	1	4	2	5	12		2	2	2	1
20	Acute bronchitis	38			1	3	4		4	2	10	12	4	7	4	1
22	Pneumonia	137		1	2	4	7	7	6	7	27	16	22	23	26	23
(23)	Bronchopneumonia	138		1	1	4	6	8	8	13	35	12	18	32	21	20
24	Diseases of the stomach	49			1	7	8	8	3		19	4	8	8	7	3
25	Diarrhea and enteritis	436	1			12	13	20	12	17	62	37	37	132	100	68
(33)	Malformations	219	61	30	23	36	150	10	12	9	181	15	4	9	8	2
(33)	Premature birth	709	405	88	41	62	596	63	20	18	697	8	2	2		
(33,37)	Congenital debility	402	90	37	31	59	217	57	22	22	318	25	21	23	12	3
(37)	Injuries at birth	110	46	17	15	22	100	7	1		108	1	1			
35	External causes	53	3	1	3	2	9	4		1	14	7	10	11	2	9
38	Diseases ill-defined or unknown	98	24	9	12	15	60	11	2	4	77	5	3	7	3	3
	All other causes	173	4	2	5	17	28	17	12	6	63	16	14	29	31	20
	KENTUCKY (TOTAL).															
	All causes	5,114	936	298	162	388	1,784	341	201	170	2,496	469	328	770	569	482
5	Measles	44						1		2	3	2	4	8	16	11
6	Scarlet fever	8						1		1	2		1	1	3	1
7	Whooping cough	174	1	1			2		7	5	14	28	23	25	39	45
8	Diphtheria and croup	65	1	2		3	6	6	3	3	18	14	5	11	8	9
9	Influenza	68				4	4	2	2	3	11	5	5	17	12	18
(12)	Dysentery	57	1		1		2	3		1	6	3	2	18	15	13
(12)	Erysipelas	23								1	1	9	1	5	4	3
(37)	Tetanus	6	1			1	2	3		1	6					
13	Tuberculosis of the lungs	67	1			2	3	1	2	1	7	3	6	16	19	16
14	Tuberculous meningitis	65				2	2	5	2	1	10	6	5	11	16	17
15	Other forms of tuberculosis	20										2	4	6	2	6
(37)	Syphilis	41	2		1	2	5	1	2	1	9	4	5	14	6	3
17	Meningitis	101	1		1	3	5	8	3	4	20	7	6	20	24	24
(37)	Convulsions	69	5	10	4	13	32	10	4	4	50	8	3	3	2	3
19	Organic diseases of the heart	11						2	1		3		2	2	1	3
20	Acute bronchitis	77	1	1	1	3	6	6	4	5	21	14	9	14	7	12
22	Pneumonia	241	1	1	1	7	10	10	14	16	50	27	24	49	53	38
(23)	Bronchopneumonia	286		1	3	5	9	17	10	13	49	43	36	68	51	39
24	Diseases of the stomach	77	1	1		6	8	4	4	3	19	11	7	23	15	2
25	Diarrhea and enteritis	753	6			6	12	16	18	20	66	63	63	261	162	138
(33)	Malformations	211	46	29	22	38	135	18	6	11	170	6	7	12	8	8
(33)	Premature birth	1,124	618	137	59	118	932	101	43	20	1,096	17	4	7		
(33,37)	Congenital debility	515	100	51	20	67	238	53	27	22	340	53	34	51	24	13
(37)	Injuries at birth	105	52	15	9	21	97	5		2	104		1			
35	External causes	84	11		2	1	14	1	4	2	21	16	9	18	11	9
38	Diseases ill-defined or unknown	568	83	45	26	70	224	46	34	23	327	92	39	63	33	14
	All other causes	254	4	4	12	16	36	21	11	5	73	36	23	47	38	37

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	KENTUCKY (WHITE).															
	All causes	4,437	848	266	137	348	1,599	299	177	146	2,221	402	286	641	471	416
5	Measles	40						1		1	2	2	3	7	15	11
6	Scarlet fever	7						1		1	2		1		3	1
7	Whooping cough	140	1	1			2		6	4	12	25	19	18	30	36
8	Diphtheria and croup	55	1	2		2	5	6	3	2	16	13	4	6	7	9
9	Influenza	58				2	2	2	2	3	9	4	5	16	11	13
(12)	Dysentery	46	1		1		2	2		1	5	3	2	14	13	9
(12)	Erysipelas	22								1	1	9	1	5	3	3
(37)	Tetanus	6	1			1	2	3		1	6					
13	Tuberculosis of the lungs	54	1			1	2	1	1	1	5	3	6	15	14	11
14	Tuberculous meningitis	56				2	2	3	2	1	8	6	3	9	13	17
15	Other forms of tuberculosis	17										2	4	6	1	4
(37)	Syphilis	30	2			2	4		1	1	6	3	3	11	5	2
17	Meningitis	95	1		1	3	5	7	3	4	19	7	6	18	23	22
(37)	Convulsions	53	3	10	2	12	27	7	3	3	40	4	3	2	2	2
19	Organic diseases of the heart	9						2	1		3		1	1	1	3
20	Acute bronchitis	58		1	1	3	5	6	4	3	18	11	8	10	4	7
22	Pneumonia	202	1	1	1	7	10	7	11	15	43	26	23	38	38	34
(23)	Bronchopneumonia	238		1	3	5	9	17	9	12	47	35	34	52	38	32
24	Diseases of the stomach	65	1	1		6	8	2	4	3	17	10	7	19	10	2
25	Diarrhea and enteritis	653	6			6	12	15	14	16	57	57	55	218	140	126
(33)	Malformations	197	44	24	19	37	124	17	6	10	157	6	6	12	8	8
(33)	Premature birth	995	556	121	52	100	829	90	38	17	974	12	4	5		
(33,37)	Congenital debility	439	89	46	15	61	211	42	23	20	296	44	26	45	16	12
(37)	Injuries at birth	98	48	14	8	21	91	5		1	97		1			
35	External causes	80	10		2	1	13	1	4	2	20	14	9	18	11	8
38	Diseases ill-defined or unknown	511	78	41	23	64	206	44	31	19	300	79	33	57	30	12
	All other causes	213	4	3	9	12	28	18	11	4	61	27	19	39	35	32
	KENTUCKY (COLORED).															
	All causes	677	88	32	25	40	185	42	24	24	275	67	42	129	98	66
5	Measles	4								1	1		1	1	1	
6	Scarlet fever	1												1		
7	Whooping cough	34							1	1	2	3	4	7	9	9
8	Diphtheria and croup	10				1	1			1	2	1	1	5	1	
9	Influenza	10				2	2				2	1		1	1	5
(12)	Dysentery	11						1			1			4	2	4
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs	13				1	1		1		2			1	5	5
14	Tuberculous meningitis	9						2			2		2	2	3	
15	Other forms of tuberculosis	3													1	2
(37)	Syphilis	11			1		1	1	1		3	1	2	3	1	1
17	Meningitis	6						1			1			2	1	2
(37)	Convulsions	16	2		2	1	5	3	1	1	10	4		1		1
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	19	1				1			2	3	3	1	4	3	5
22	Pneumonia	39						3	3	1	7	1	1	11	15	4
(23)	Bronchopneumonia	48							1	1	2	8	2	16	13	7
24	Diseases of the stomach	12						2			2	1		4	5	
25	Diarrhea and enteritis	100						1	4	4	9	6	8	43	22	12
(33)	Malformations	14	2	5	3	1	11	1		1	13		1			
(33)	Premature birth	129	62	16	7	18	103	11	5	3	122	5		2		
(33,37)	Congenital debility	76	11	5	5	6	27	11	4	2	44	9	8	6	8	1
(37)	Injuries at birth	7	4	1	1		6			1	7					
35	External causes	4	1				1				1	2				1
38	Diseases ill-defined or unknown	57	5	4	3	6	18	2	3	4	27	13	6	6	3	2
	All other causes	41		1	3	4	8	3		1	12	9	4	8	3	5
	MAINE.															
	All causes	1,735	189	133	62	110	494	69	53	72	688	182	188	344	203	130
5	Measles	3														3
6	Scarlet fever															
7	Whooping cough	89		1			1		3	4	8	19	14	16	17	15
8	Diphtheria and croup	7						1			1	1	1	2	1	1
9	Influenza	37				1	1	1	2	3	7	5	3	7	10	5
(12)	Dysentery	1												1		
(12)	Erysipelas	5										2	1	1	1	
(37)	Tetanus	1												1		
13	Tuberculosis of the lungs	6												2	2	2
14	Tuberculous meningitis	11											1	3	3	4
15	Other forms of tuberculosis	5										1	1	1	1	1
(37)	Syphilis	8	2				2			1	3	2	2		1	
17	Meningitis	26				1	1	1	2		4	2	1	10	4	5
(37)	Convulsions	17				4	4	2	1	1	8	1	1	6	1	
19	Organic diseases of the heart	6							1		1			3	1	1
20	Acute bronchitis	33				1	1		3	2	6	7	6	9	5	
22	Pneumonia	64				1	1		2		3	4	7	27	15	8
(23)	Bronchopneumonia	94			1		1	1	2	7	11	7	11	28	21	16
24	Diseases of the stomach	29			1		1			1	2	9	5	8	2	3
25	Diarrhea and enteritis	415		1	1	3	5	6	5	7	23	38	61	151	90	52
(33)	Malformations	92	13	7	13	15	48	8	6	4	66	11	6	6	2	1
(33)	Premature birth	319	125	78	20	30	253	21	9	16	299	12	5	3		
(33,37)	Congenital debility	258	34	21	15	27	97	13	8	19	137	39	42	31	8	1
(37)	Injuries at birth	45	11	13	6	9	39	5	1		45					
35	External causes	13	1			1	2				2			5	5	1
38	Diseases ill-defined or unknown	77	3	11	3	7	24	5	7	3	39	10	13	12	3	
	All other causes	74		1	2	10	13	5	1	4	23	12	7	11	10	11

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MARYLAND (TOTAL).															
	All causes	4,070	672	174	108	222	1,176	235	147	140	1,698	349	324	769	521	409
5	Measles	26				1	1				1		1	6	5	13
6	Scarlet fever	5							1		1	1			1	2
7	Whooping cough	88				1	1	2	2	1	6	11	8	20	22	21
8	Diphtheria and croup	14			1		1	2	1		4	1	1	1	1	6
9	Influenza	21								2	2	5		7	6	1
(12)	Dysentery	7										1	1	1	3	1
(12)	Erysipelas	5						1		1	2	1		1		1
(37)	Tetanus	10				3	3	6		1	10					
13	Tuberculosis of the lungs	20	1				1				1	1	1	3	7	7
14	Tuberculous meningitis	17											1	6	4	6
15	Other forms of tuberculosis	3						1			1			1		1
(37)	Syphilis	87	20	4	3	3	30	15	4	3	52	8	11	9		7
17	Meningitis	32			1	2	3	1			4	2	2	9	8	7
(37)	Convulsions	62	3	1	3	13	20	8	5	2	35	3	4	11	6	3
19	Organic diseases of the heart	7	1				1	1	1		3	2		2		
20	Acute bronchitis	94				3	3	4	3	5	15	19	9	22	18	11
22	Pneumonia	115	1				1	4	4	5	14	13	10	33	27	18
(23)	Bronchopneumonia	431		2	1	11	14	18	15	26	73	51	35	111	92	69
24	Diseases of the stomach	42				2	2	1	1	3	7	4	7	11	10	3
25	Diarrhea and enteritis	1,082			1	6	7	18	10	24	59	96	148	355	247	177
(33)	Malformations	212	51	24	14	33	122	26	15	6	169	9	10	15	6	3
(33)	Premature birth	774	424	84	49	64	621	50	37	31	739	18	8	8	1	
(33,37)	Congenital debility	432	73	23	19	46	161	33	26	16	236	58	40	68	18	12
(37)	Injuries at birth	123	73	16	7	17	113	8	1	1	123					
35	External causes	51	4	1	3	1	9	3	1		13	7	6	13	5	7
38	Diseases ill-defined or unknown	131	17	13	5	10	45	14	5	6	70	15	8	19	13	6
	All other causes	179	4	6	1	6	17	19	15	7	58	23	13	37	21	27
	MARYLAND (WHITE).															
	All causes	2,745	494	116	68	152	830	150	105	101	1,186	235	204	483	350	287
5	Measles	20											1	4	5	10
6	Scarlet fever	5							1		1	1			1	2
7	Whooping cough	46							2	1	3	4	4	10	15	10
8	Diphtheria and croup	10						2	1		3	1			1	5
9	Influenza	13								2	2	4		4	2	1
(12)	Dysentery	5												1	3	1
(12)	Erysipelas	5						1		1	2	1		1		1
(37)	Tetanus	5				1	1	3		1	5					
13	Tuberculosis of the lungs	10	1				1				1		1	1	3	4
14	Tuberculous meningitis	11											1	3	2	5
15	Other forms of tuberculosis	2						1			1					1
(37)	Syphilis	32	6				6	6	3	3	18	4	4	3		3
17	Meningitis	26			1	2	3	1			4	2	1	6	6	7
(37)	Convulsions	36	3	1	3	7	14	2	3	1	20	3	2	6	2	3
19	Organic diseases of the heart	5							1		1	2		2		
20	Acute bronchitis	51				1	1	1	3	4	9	14	3	10	9	6
22	Pneumonia	70	1				1	1	3	5	10	10	7	17	18	8
(23)	Bronchopneumonia	264		1	1	6	8	16	11	17	52	33	20	56	58	45
24	Diseases of the stomach	34				2	2		1	2	5	4	5	11	6	3
25	Diarrhea and enteritis	776			1	5	6	14	7	14	41	66	101	247	186	135
(33)	Malformations	147	36	15	7	28	86	20	12	5	123	7	5	7	4	1
(33)	Premature birth	581	322	63	37	42	464	35	27	25	551	16	6	7	1	
(33,37)	Congenital debility	293	52	16	9	31	108	24	19	12	163	44	27	47	5	7
(37)	Injuries at birth	103	63	10	6	16	95	7	1		103					
35	External causes	30	2	1	1	1	5	3			8	3	3	8	3	5
38	Diseases ill-defined or unknown	41	4	5	2	4	15	2	1	1	19	4	6	7	4	1
	All other causes	124	4	4		6	14	11	9	7	41	12	7	25	16	23
	MARYLAND (COLORED).															
	All causes	1,325	178	58	40	70	346	85	42	39	512	114	120	286	171	122
5	Measles	6				1	1				1			2		3
6	Scarlet fever															
7	Whooping cough	42				1	1	2			3	7	4	10	7	11
8	Diphtheria and croup	4			1		1				1		1	1		1
9	Influenza	8										1		3	4	
(12)	Dysentery	2										1	1			
(12)	Erysipelas															
(37)	Tetanus	5				2	2	3			5					
13	Tuberculosis of the lungs	10										1		2	4	3
14	Tuberculous meningitis	6												3	2	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	55	14	4	3	3	24	9	1		34	4	7	6		4
17	Meningitis	6											1	3	2	
(37)	Convulsions	26				6	6	6	2	1	15		2	5	4	
19	Organic diseases of the heart	2	1				1	1			2					
20	Acute bronchitis	43				2	2	3		1	6	5	6	12	9	5
22	Pneumonia	45						3	1		4	3	3	16	9	10
(23)	Bronchopneumonia	167		1		5	6	2	4	9	21	18	15	55	34	24
24	Diseases of the stomach	8						1		1	2		2		4	
25	Diarrhea and enteritis	306				1	1	4	3	10	18	30	47	108	61	42
(33)	Malformations	65	15	9	7	5	36	6	3	1	46	2	5	8	2	2
(33)	Premature birth	193	102	21	12	22	157	15	10	6	188	2	2	1		
(33,37)	Congenital debility	139	21	7	10	15	53	9	7	4	73	14	13	21	13	5
(37)	Injuries at birth	20	10	6	1	1	18	1		1	20					
35	External causes	21	2		2		4		1		5	4	3	5	2	2
38	Diseases ill-defined or unknown	90	13	8	3	6	30	12	4	5	51	11	2	12	9	5
	All other causes	55		2	1		3	8	6		17	11	6	12	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MASSACHUSETTS.															
	All causes	9,370	1,350	439	336	616	2,741	478	406	314	3,939	830	670	1,610	1,243	1,078
5	Measles	152						1	2		3	5	3	24	53	64
6	Scarlet fever	4										1		1		2
7	Whooping cough	228		1			1		3	12	16	22	22	51	56	61
8	Diphtheria and croup	30	1				1			1	2	2	3	5	6	12
9	Influenza	76						2	3	1	6	7	4	12	29	18
(12)	Dysentery	28				1	1				1	4	4	8	6	5
(12)	Erysipelas	61	1				1	4	5	4	14	19	8	8	3	9
(37)	Tetanus	7				5	5	1	1		7					
13	Tuberculosis of the lungs	67				1	1		1		2	3	2	15	20	25
14	Tuberculous meningitis	107				1	1	2	3		6	1	5	28	40	27
15	Other forms of tuberculosis	38						1			1	1	1	9	7	19
(37)	Syphilis	114	5	2	3	5	15	5	5	7	32	28	11	28	8	7
17	Meningitis	89	1		1	4	6	3	3	1	13	8	7	21	22	18
(37)	Convulsions	78	1	1	2	7	11	9	4	4	28	7	6	18	11	8
19	Organic diseases of the heart	23			1	2	3		3		6	3	1	6	3	4
20	Acute bronchitis	266				6	6	11	12	15	44	31	29	67	59	36
22	Pneumonia	378	2	3	1	9	15	9	12	11	47	40	28	99	83	81
(23)	Bronchopneumonia	941		6	3	11	20	30	32	45	127	100	86	230	195	203
24	Diseases of the stomach	86		1		6	7	3	9	4	23	16	14	20	9	4
25	Diarrhea and enteritis	2,172	1	1	3	22	27	51	74	68	220	231	255	650	474	342
(33)	Malformations	710	149	70	55	117	391	78	46	23	538	64	18	49	25	16
(33)	Premature birth	1,640	771	218	123	176	1,288	123	77	49	1,537	58	23	20	2	
(33,37)	Congenital debility	867	137	63	69	118	387	70	52	45	554	98	75	95	34	11
(37)	Injuries at birth	479	248	61	54	73	436	29	8	2	475	3	1			
35	External causes	96	11	3	2	2	18	3	6	3	30	14	12	19	9	12
38	Diseases ill-defined or unknown	97	14	3	4	2	23	5	5	2	35	8	10	23	9	12
	All other causes	536	8	6	15	48	77	38	40	17	172	56	42	104	80	82
	MICHIGAN.															
	All causes	8,342	1,351	325	353	759	2,788	547	402	273	4,010	678	563	1,338	1,024	729
5	Measles	103							1	2	3	5	4	10	31	50
6	Scarlet fever	10				1	1	1			2		1	2	2	3
7	Whooping cough	139			1		1		5	7	13	21	15	29	25	36
8	Diphtheria and croup	25							1		1	1		6	8	9
9	Influenza	58	2			2	4	2	4	1	11	4	4	12	18	9
(12)	Dysentery	23				1	1	1	1	1	4	1	2	9	5	2
(12)	Erysipelas	61				2	2	2	4	3	11	12	9	13	9	7
(37)	Tetanus	2				1	1		1		2					
13	Tuberculosis of the lungs	35				1	1		1		2	2	4	7	12	8
14	Tuberculous meningitis	43				1	1		3		4	4	3	11	13	8
15	Other forms of tuberculosis	11										1	1	6	3	
(37)	Syphilis	101	6	2	5	6	19	9	5	11	44	13	10	19	8	7
17	Meningitis	76	1			1	2	2	1	1	6	5	4	21	24	16
(37)	Convulsions	170	10	10	15	29	64	20	15	8	107	8	8	19	18	10
19	Organic diseases of the heart	34				5	5	4	1		10	7	5	4	3	5
20	Acute bronchitis	200		3		3	6	6	13	14	39	28	25	37	44	27
22	Pneumonia	261	2	1	2	6	11	4	9	9	33	25	22	69	61	51
(23)	Bronchopneumonia	599	1	2	7	15	25	32	30	16	103	60	49	150	132	105
24	Diseases of the stomach	264	1	2	1	9	13	28	12	8	61	38	29	79	38	19
25	Diarrhea and enteritis	1,724	2	1	8	35	46	47	55	54	202	176	189	521	394	242
(33)	Malformations	610	131	42	49	134	356	62	30	16	464	46	37	33	18	12
(33)	Premature birth	1,757	832	168	139	221	1,360	163	88	49	1,660	61	17	12	5	2
(33,37)	Congenital debility	1,035	199	53	72	154	478	84	63	50	675	92	76	129	42	21
(37)	Injuries at birth	299	141	31	34	61	267	22	7	2	298	1				
35	External causes	102	2	3	4	10	19	4	4	4	31	12	13	18	9	19
38	Diseases ill-defined or unknown	78	13	3	5	7	28	14	6	4	52	9	3	9	4	1
	All other causes	522	8	4	11	54	77	40	42	13	172	46	33	113	98	60
	MINNESOTA.															
	All causes	3,865	855	214	177	337	1,583	294	183	152	2,212	346	250	465	335	257
5	Measles	66	1				1	1	1	2	5	5	1	11	19	25
6	Scarlet fever	2												1	1	
7	Whooping cough	136			1	1	2		2	3	7	27	24	30	28	20
8	Diphtheria and croup	17							1	1	2	2	3	1	5	4
9	Influenza	34		1			1	1	1	4	7	7	6	5	6	3
(12)	Dysentery	7										1	1	3	2	
(12)	Erysipelas	26						3	2	5	10	8	1	5	2	
(37)	Tetanus	6				2	2	4			6					
13	Tuberculosis of the lungs	14												6	1	7
14	Tuberculous meningitis	25						1			1		3	4	9	8
15	Other forms of tuberculosis	4								1	1			1		2
(37)	Syphilis	38	2		1	3	6	2	3	2	13	4	4	14	3	
17	Meningitis	36	1	1		1	3	2			5	4	3	2	13	9
(37)	Convulsions	71	2	6	7	14	29	10	8	2	49	3	2	8	6	3
19	Organic diseases of the heart	8			1	3	4				4	1		1	2	
20	Acute bronchitis	44				3	3	3	2	2	10	10	4	9	6	5
22	Pneumonia	133	1		4	2	7		7	5	19	19	14	32	31	18
(23)	Bronchopneumonia	311	4	5	3	7	19	16	14	15	64	54	33	67	50	43
24	Diseases of the stomach	56			1	2	3	6	3	4	16	11	10	8	10	1
25	Diarrhea and enteritis	528	1	1	6	13	21	18	31	31	101	75	61	149	79	63
(33)	Malformations	327	81	30	29	48	188	36	16	20	260	17	20	19	5	6
(33)	Premature birth	1,056	604	101	56	96	857	94	49	21	1,021	24	5	4	1	1
(33,37)	Congenital debility	365	64	33	28	68	193	51	21	16	281	36	18	17	9	4
(37)	Injuries at birth	168	68	25	25	38	156	8	3		167	1				
35	External causes	46	2	2	1	3	8	2	1	3	14	4	3	11	8	6
38	Diseases ill-defined or unknown	123	22	6	8	21	57	12	4	2	75	13	7	14	10	4
	All other causes	218	2	3	6	12	23	24	14	13	74	20	27	43	29	25

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MISSOURI.															
	All causes	5,927	1,098	306	220	487	2,111	423	255	205	2,994	503	372	853	648	557
5	Measles	115	1				1	2	2	5	10	13	6	22	28	36
6	Scarlet fever	9												2	3	4
7	Whooping cough	201							10	10	20	37	26	46	41	31
8	Diphtheria and croup	33						1		2	3	4	3	6	7	10
9	Influenza	96			1	2	3	11	3	3	20	3	8	31	15	19
(12)	Dysentery	54										2	5	15	11	21
(12)	Erysipelas	27						1	2	2	5	6	4	10	1	1
(37)	Tetanus	18	1		1	6	8	5	3		16		1			1
13	Tuberculosis of the lungs	45	2	1	1		4	2			6	4	1	12	11	11
14	Tuberculous meningitis	44		1			1		1		2	1	3	12	15	11
15	Other forms of tuberculosis	10								1	1				5	4
(37)	Syphilis	81	8	3	2	3	16	9	1	5	31	13	9	20	6	2
17	Meningitis	56	1	1	1	4	7	3	1		11	4	7	12	10	12
(37)	Convulsions	40	5	4	2	8	19	2	3	2	26	3	4	3	2	2
19	Organic diseases of the heart	22	1	1		3	5		2	2	9	4	2	1	4	2
20	Acute bronchitis	123	1	3		8	12	7	11	6	36	23	11	26	12	15
22	Pneumonia	204	4	2	1	11	18	12	8	9	47	21	18	46	39	33
(23)	Bronchopneumonia	430	3	4	4	23	34	24	18	16	92	58	48	85	72	75
24	Diseases of the stomach	90			2	10	12	7	7	8	34	19	7	20	8	2
25	Diarrhea and enteritis	1,117		1	2	26	29	42	32	36	139	102	110	323	244	199
(33)	Malformations	380	88	37	29	59	213	35	21	17	286	32	15	22	18	7
(33)	Premature birth	1,366	730	156	83	125	1,094	134	55	30	1,313	33	10	8	1	1
(33,37)	Congenital debility	431	93	24	42	70	229	54	29	19	331	40	22	18	12	8
(37)	Injuries at birth	194	78	40	17	34	169	12	5	4	190	1	3			
35	External causes	92	6	4	2	11	23	4	3	2	32	11	10	17	11	11
38	Diseases ill-defined or unknown	318	70	18	23	52	163	33	22	12	230	33	16	25	7	7
	All other causes	331	6	6	7	32	51	23	16	14	104	36	23	71	65	32
	MONTANA.															
	All causes	970	164	49	53	86	352	93	47	42	534	72	64	145	90	65
5	Measles	8										1		1	4	2
6	Scarlet fever															
7	Whooping cough	45								1	1	6	6	13	12	7
8	Diphtheria and croup	2														2
9	Influenza	11						1			1		1	5		4
(12)	Dysentery															
(12)	Erysipelas	8						1	1	1	3	3	2			
(37)	Tetanus															
13	Tuberculosis of the lungs	9										1	1	1	5	1
14	Tuberculous meningitis	3											1			2
15	Other forms of tuberculosis	2							1		1		1			
(37)	Syphilis	10							2	1	3	1	2	3		1
17	Meningitis	5											2	2	1	
(37)	Convulsions	13	1			1	2	3		1	6	1	1	3	2	
19	Organic diseases of the heart	4						1			1			2	1	
20	Acute bronchitis	15							2	1	3	2		4	2	4
22	Pneumonia	40		1	2	1	4	1	2	5	12	3	2	11	9	3
(23)	Bronchopneumonia	33				2	2	5	8	4	19	12	8	20	18	6
24	Diseases of the stomach	12				1	1	1	2		4	2	1	3	1	1
25	Diarrhea and enteritis	139		1	2	3	6	6	7	3	22	11	17	43	26	20
(33)	Malformations	93	13	14	13	16	56	10	3	2	71	9	5	7		1
(33)	Premature birth	232	113	22	19	19	173	32	8	12	225	6		1		
(33,37)	Congenital debility	111	23	1	7	20	51	25	6	6	88	7	4	10		2
(37)	Injuries at birth	35	8	6	6	12	32	2	1		35					
35	External causes	7		1			1		1	1	3	2		1	1	
38	Diseases ill-defined or unknown	33	5	2	2	4	13	1		2	16	3	7	4	2	1
	All other causes	50	1	1	2	7	11	4	3	2	20	2	3	11	6	8
	NEW HAMPSHIRE.															
	All causes	1,108	174	84	33	77	368	54	54	27	503	123	85	169	123	105
5	Measles	11										2			3	6
6	Scarlet fever	1													1	
7	Whooping cough	30							1	1	2	4	4	7	5	8
8	Diphtheria and croup	2											1	1		
9	Influenza	13											1	3	6	3
(12)	Dysentery															
(12)	Erysipelas	7				1	1	1	1		3	4				
(37)	Tetanus															
13	Tuberculosis of the lungs	9										2		3	1	3
14	Tuberculous meningitis	15						1			1		1	5	5	3
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	5										1		1		3
17	Meningitis	7				1	1	1	1		3	1	1	1		1
(37)	Convulsions	14				3	3	1		1	5	1	1	3	1	3
19	Organic diseases of the heart	6							2		2	2			1	1
20	Acute bronchitis	38						1	4	1	6	5	5	11	4	7
22	Pneumonia	36				1	1	3	3	1	8	9	2	5	4	8
(23)	Bronchopneumonia	82		1		1	2	2	6	4	14	10	6	19	17	16
24	Diseases of the stomach	18							1		1	7	2	4	4	
25	Diarrhea and enteritis	237			1	6	7	6	7	3	23	30	29	64	57	34
(33)	Malformations	66	7	8	5	15	35	5	6	3	49	5	1	7	2	2
(33)	Premature birth	257	130	51	18	17	216	19	7	5	247	7	3			
(33,37)	Congenital debility	161	28	15	5	19	67	10	10	7	94	24	19	21	2	1
(37)	Injuries at birth	24	6	7	4	6	23	1			24					
35	External causes	8		1		1	2		1		3	1	1	1	1	1
38	Diseases ill-defined or unknown	11	3				3				3	2	2	3	1	
	All other causes	49		1		6	7	3	4	1	15	6	6	10	7	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—												
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NEW JERSEY.															
	All causes	7,363	981	336	267	469	2,053	413	333	248	3,047	655	549	1,230	1,009	873
5	Measles	111				1	1		1		2	3	3	17	33	53
6	Scarlet fever	3										1		1	1	1
7	Whooping cough	155								4	4	20	10	46	38	37
8	Diphtheria and croup	40								2	2	1	2	5	6	24
9	Influenza	63			1		1	1	1	1	4	9	5	14	16	15
(12)	Dysentery	10										1		4	4	1
(12)	Erysipelas	42				2	2	2	7	5	16	7	6	8	3	2
(37)	Tetanus	18				4	4	10	4		18					
13	Tuberculosis of the lungs	29							1		1	2	3	14	5	4
14	Tuberculous meningitis	67				1	1				1	3	4	15	23	21
15	Other forms of tuberculosis	20							2		2	1	1	9	2	5
(37)	Syphilis	94	3		3	9	15	8	12	4	39	22	13	13	3	4
17	Meningitis	65		1		2	3	1		2	6	5	6	16	19	13
(37)	Convulsions	55	2	3	2	8	15	4	3	1	23	7	6	8	6	5
19	Organic diseases of the heart	32	1			2	3	4	2	1	10	1	3	9	9	
20	Acute bronchitis	213		1		5	6	19	12	17	54	33	31	47	27	21
22	Pneumonia	434	1	2	5	10	18	15	21	14	68	46	47	99	92	82
(23)	Bronchopneumonia	695	3	2	4	15	24	24	33	19	100	87	70	143	156	139
24	Diseases of the stomach	65		1	1	4	6	7	8	4	25	10	7	13	8	12
25	Diarrhea and enteritis	1,762	5	1	7	24	37	46	61	67	211	185	203	518	361	284
(33)	Malformations	520	115	61	45	76	297	55	35	21	408	33	22	28	20	9
(33)	Premature birth	1,307	567	175	123	146	1,011	125	67	39	1,242	38	12	11	2	2
(33,37)	Congenital debility	596	92	33	34	72	231	46	37	38	352	69	51	76	33	15
(37)	Injuries at birth	307	159	43	31	54	287	14	5		306		1			
35	External causes	96	13	3	2	7	25	3	4	2	34	14	2	17	15	14
38	Diseases ill-defined or unknown	27	11	3	1	2	17	2	1		20	3	1	1	2	
	All other causes	537	9	7	8	25	49	27	16	7	99	55	39	99	125	120
	NEW YORK.															
	All causes	22,717	3,510	1,012	833	1,478	6,833	1,244	976	824	9,877	2,049	1,578	3,608	3,025	2,580
5	Measles	293		2			2		3		5	5	6	37	88	152
6	Scarlet fever	9												2	1	6
7	Whooping cough	402				1	1		8	12	21	56	47	81	115	82
8	Diphtheria and croup	167						1	1	1	3	9	6	23	54	72
9	Influenza	143			1	2	3	6	10	6	25	29	7	35	29	27
(12)	Dysentery	21							1		1	2	2	6	6	4
(12)	Erysipelas	165						9	21	17	47	34	15	37	23	9
(37)	Tetanus	14			2	2	4	9	1		14					
13	Tuberculosis of the lungs	95				1	1	1		1	3	8	1	23	33	27
14	Tuberculous meningitis	228						3	2		5	6	3	53	74	87
15	Other forms of tuberculosis	48						1	1	1	3	3	2	11	9	20
(37)	Syphilis	413	29	10	6	27	72	31	32	21	156	70	64	81	27	15
17	Meningitis	144		1		4	5	7	2	1	15	16	10	37	40	26
(37)	Convulsions	155	11	13	15	23	62	15	8	6	91	11	12	17	16	8
19	Organic diseases of the heart	60	1	1		4	6	6	2	1	15	7	8	8	12	10
20	Acute bronchitis	724	1	2	4	17	24	40	60	68	192	134	82	137	94	85
22	Pneumonia	909	1	5	10	21	37	26	36	31	130	77	57	198	204	243
(23)	Bronchopneumonia	2,431	3	5	16	40	64	78	104	90	336	254	220	551	575	495
24	Diseases of the stomach	183	1	2	2	13	18	8	8	8	42	43	22	43	21	12
25	Diarrhea and enteritis	4,908	1	2	9	47	59	126	147	171	503	564	525	1,487	1,090	739
(33)	Malformations	1,460	310	131	122	242	805	133	97	53	1,088	117	72	105	48	30
(33)	Premature birth	4,474	2,133	511	344	468	3,456	418	212	159	4,245	143	35	39	8	4
(33,37)	Congenital debility	2,239	350	146	140	274	910	186	129	107	1,332	293	235	249	87	43
(37)	Injuries at birth	1,183	605	154	132	196	1,087	54	16	13	1,170	11	2			
35	External causes	241	34	9	8	13	64	8	9	8	89	30	28	41	22	31
38	Diseases ill-defined or unknown	42	10	4			14	3	2	1	20	9	7	4	2	
	All other causes	1,566	20	14	22	83	139	75	64	48	326	127	110	303	347	353
	NORTH CAROLINA (TOTAL).															
	All causes	7,112	1,137	321	240	499	2,197	487	332	275	3,291	680	542	1,120	759	720
5	Measles	32		1			1	1	1		3	5	1	8	5	10
6	Scarlet fever	3													1	2
7	Whooping cough	215			1		1	2	5	9	17	28	25	55	47	43
8	Diphtheria and croup	87	4	1	1	4	10	4	5	3	22	9	7	18	14	17
9	Influenza	86	1	1	1	1	4	4	6	4	18	7	12	19	14	16
(12)	Dysentery	115	1			1	2	1	1	3	7	6	6	33	29	34
(12)	Erysipelas	11								1	1	4	1		3	2
(37)	Tetanus	42				9	9	29	2		40	1				1
13	Tuberculosis of the lungs	34	1			1	2				2	2	2	3	15	10
14	Tuberculous meningitis	19							1		1	1		6	6	5
15	Other forms of tuberculosis	9											1	3	3	2
(37)	Syphilis	61	5	4	1	3	13	5	4	2	24	10	6	7	4	10
17	Meningitis	92	1	1		2	4	5		2	11	10	8	31	16	16
(37)	Convulsions	117	3	6	3	23	35	32	6	6	79	11	5	8	11	3
19	Organic diseases of the heart	21				1	1	1			2	4	2	8	4	1
20	Acute bronchitis	104	1	1			2	6	8	4	20	20	13	25	14	12
22	Pneumonia	267	3	1		8	12	18	14	10	54	35	28	64	42	44
(23)	Bronchopneumonia	395		1	3	7	11	11	16	20	58	48	44	103	80	62
24	Diseases of the stomach	119	1		2	5	8	5	5	3	21	20	17	31	20	10
25	Diarrhea and enteritis	1,069	3	4	4	17	28	15	25	24	92	84	110	269	251	263
(33)	Malformations	261	65	19	14	41	139	35	11	13	198	24	14	13	6	6
(33)	Premature birth	1,243	645	143	88	132	1,008	89	64	32	1,193	29	9	9	2	1
(33,37)	Congenital debility	655	110	45	32	76	263	60	53	31	407	75	50	85	21	17
(37)	Injuries at birth	110	56	15	8	17	96	5	2		103	7				
35	External causes	134	10	4	3	6	23	5	5	7	40	12	16	33	16	17
38	Diseases ill-defined or unknown	1,418	225	71	75	130	501	126	83	84	794	182	124	187	82	49
	All other causes	393	2	3	4	15	24	28	15	17	84	46	41	102	53	67

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NORTH CAROLINA (WHITE).															
	All causes	4,223	795	197	142	274	1,408	261	211	157	2,037	405	344	622	407	408
5	Measles	17		1			1		1		2	5	1	2	2	5
6	Scarlet fever	1														1
7	Whooping cough	105						1	3	4	8	20	14	27	17	19
8	Diphtheria and croup	64	4	1		1	6	4	3	1	14	7	6	12	10	15
9	Influenza	29		1	1		2	1	2	4	9	1	4	7	2	6
(12)	Dysentery	52	1				1	1			2	2		19	13	16
(12)	Erysipelas	10								1	1	3	1		3	2
(37)	Tetanus	10						9	1		10					
13	Tuberculosis of the lungs	18											2	2	5	9
14	Tuberculous meningitis	16										1		5	5	5
15	Other forms of tuberculosis	6											1	2	1	2
(37)	Syphilis	22	2			1	3	2	1	2	8	2	4	2	1	5
17	Meningitis	70		1		1	2	2		1	5	6	7	25	12	15
(37)	Convulsions	45	1	2	2	9	14	11	3	3	31	5	2	4	3	
19	Organic diseases of the heart	18						1			1	4	2	7	3	1
20	Acute bronchitis	57		1			1	3	4	4	12	12	8	9	7	9
22	Pneumonia	125	2			5	7	12	7	4	30	19	17	23	16	20
(23)	Bronchopneumonia	225		1	2	6	9	5	14	16	44	35	29	51	38	28
24	Diseases of the stomach	75			1	1	2	2	3	1	8	14	10	23	16	4
25	Diarrhea and enteritis	678	2			10	12	4	16	13	45	58	70	164	166	175
(33)	Malformations	216	57	16	10	30	113	29	9	12	163	17	13	11	6	6
(33)	Premature birth	895	492	108	58	79	737	59	44	18	858	19	8	7	2	1
(33,37)	Congenital debility	416	80	24	22	43	169	39	36	12	256	41	42	55	16	6
(37)	Injuries at birth	76	34	10	7	13	64	4	1		69	7				
35	External causes	72	2	1	2	4	9	2	3	3	17	7	12	18	7	11
38	Diseases ill-defined or unknown	694	116	30	34	65	245	56	54	48	403	94	70	91	24	12
	All other causes	211	2		3	6	11	14	6	10	41	26	21	56	32	35
	NORTH CAROLINA (COLORED).															
	All causes	2,889	342	124	98	225	789	226	121	118	1,254	275	198	498	352	312
5	Measles	15						1			1			6	3	5
6	Scarlet fever	2													1	1
7	Whooping cough	110			1		1	1	2	5	9	8	11	28	30	24
8	Diphtheria and croup	23			1	3	4		2	2	8	2	1	6	4	2
9	Influenza	57	1			1	2	3	4		9	6	8	12	12	10
(12)	Dysentery	63				1	1		1	3	5	4	6	14	16	18
(12)	Erysipelas	1										1				
(37)	Tetanus	32				9	9	20	1		30	1				1
13	Tuberculosis of the lungs	16	1			1	2				2	2		1	10	1
14	Tuberculous meningitis	3							1		1			1	1	
15	Other forms of tuberculosis	3												1	2	
(37)	Syphilis	39	3	4	1	2	10	3	3		16	8	2	5	3	5
17	Meningitis	22	1			1	2	3		1	6	4	1	6	4	1
(37)	Convulsions	72	2	4	1	14	21	21	3	3	48	6	3	4	8	3
19	Organic diseases of the heart	3				1	1				1			1	1	
20	Acute bronchitis	47	1				1	3	4		8	8	5	16	7	3
22	Pneumonia	142	1	1		3	5	6	7	6	24	16	11	41	26	24
(23)	Bronchopneumonia	170			1	1	2	6	2	4	14	13	15	52	42	34
24	Diseases of the stomach	44	1		1	4	6	3	2	2	13	6	7	8	4	6
25	Diarrhea and enteritis	391	1	4	4	7	16	11	9	11	47	26	40	105	85	88
(33)	Malformations	45	8	3	4	11	26	6	2	1	35	7	1	2		
(33)	Premature birth	348	153	35	30	53	271	30	20	14	335	10	1	2		
(33,37)	Congenital debility	239	30	21	10	33	94	21	17	19	151	34	8	30	5	11
(37)	Injuries at birth	34	22	5	1	4	32	1	1		34					
35	External causes	62	8	3	1	2	14	3	2	4	23	5	4	15	9	6
38	Diseases ill-defined or unknown	724	109	41	41	65	256	70	29	36	391	88	54	96	58	37
	All other causes	182		3	1	9	13	14	9	7	43	20	20	46	21	32
	OHIO.															
	All causes	11,049	1,746	563	447	864	3,620	662	490	363	5,135	932	731	1,820	1,348	1,083
5	Measles	176	1			1	2	2	2	3	9	13	9	20	52	73
6	Scarlet fever	15							1		1			1	6	7
7	Whooping cough	347						1	8	17	26	50	37	92	63	79
8	Diphtheria and croup	36						1		1	2	2	2	4	8	18
9	Influenza	108				2	2	4	3	5	14	9	7	32	28	18
(12)	Dysentery	25										2	1	9	9	4
(12)	Erysipelas	46						3	2	9	14	9	3	8	10	2
(37)	Tetanus	11		1		4	5	3	2		10					1
13	Tuberculosis of the lungs	63				3	3		2		5	5	4	16	20	13
14	Tuberculous meningitis	62						1			1	2	5	18	16	20
15	Other forms of tuberculosis	41				2	2			1	3	1	7	10	13	7
(37)	Syphilis	132	11	6	3	6	26	12	11	11	60	18	17	22	9	6
17	Meningitis	92	1			1	2	2	4	1	9	7	8	28	22	18
(37)	Convulsions	109		6	6	22	34	8	10	5	57	9	6	16	13	8
19	Organic diseases of the heart	41	2	1		1	4	4	3	2	13	6	4	6	5	7
20	Acute bronchitis	178	1		4	7	12	6	13	8	39	30	23	40	31	15
22	Pneumonia	426	1		3	6	10	22	28	14	74	54	49	91	85	73
(23)	Bronchopneumonia	919	5	6	11	37	59	47	51	35	192	98	85	227	182	135
24	Diseases of the stomach	183		1	3	11	15	8	14	6	43	24	28	46	23	19
25	Diarrhea and enteritis	2,553	1	3	7	36	47	55	77	77	256	252	240	825	571	409
(33)	Malformations	881	208	86	82	167	543	100	34	30	707	41	37	51	28	17
(33)	Premature birth	2,202	1,094	270	154	235	1,753	200	99	54	2,106	66	17	11	1	1
(33,37)	Congenital debility	996	159	75	69	150	453	90	63	37	643	117	77	92	40	27
(37)	Injuries at birth	497	220	79	69	89	457	25	5	2	489	8				
35	External causes	173	6	7	7	17	37	5	4	7	53	28	13	26	23	30
38	Diseases ill-defined or unknown	198	25	16	13	25	79	17	13	12	121	25	15	30	4	3
	All other causes	539	11	6	16	42	75	46	41	26	188	56	37	99	86	73

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	PENNSYLVANIA.															
	All causes	24,834	3,036	1,207	859	1,600	6,702	1,466	1,139	887	10,194	2,268	1,853	4,448	3,308	2,763
5	Measles	425				2	2	1	2	5	10	9	11	65	120	210
6	Scarlet fever	11	1				1				1		1	4	2	3
7	Whooping cough	551				1	1	2	8	21	32	72	50	128	132	137
8	Diphtheria and croup	136			1		1	3	1	3	8	6	9	28	34	51
9	Influenza	242				2	2	10	5	12	29	30	21	73	55	34
(12)	Dysentery	61	1				1	2		1	4	6	4	22	12	13
(12)	Erysipelas	86			2	3	5	6	13	8	32	18	13	11	7	5
(37)	Tetanus	23				5	5	10	4	1	20	2				1
13	Tuberculosis of the lungs	163	1	2	2	1	6	1	3	3	13	25	18	44	35	28
14	Tuberculous meningitis	161				1	1	3	1	2	7	7	6	41	44	56
15	Other forms of tuberculosis	66				1	1	3	2	5	11	9	6	21	11	8
(37)	Syphilis	285	25	9	9	19	62	27	25	29	134	52	34	41	17	7
17	Meningitis	147			1	8	9	5	3	5	22	18	11	34	39	23
(37)	Convulsions	392	10	15	27	49	101	36	32	28	197	39	27	65	38	26
19	Organic diseases of the heart	109				10	10	15	12	6	43	15	8	22	12	9
20	Acute bronchitis	511		1	2	12	15	29	40	22	106	64	62	131	93	55
22	Pneumonia	1,034	3	8	10	22	43	52	47	42	184	122	89	244	223	172
(23)	Bronchopneumonia	2,397	9	7	14	63	93	85	112	100	390	270	252	560	479	446
24	Diseases of the stomach	395		3	5	12	20	26	20	19	85	68	72	95	37	38
25	Diarrhea and enteritis	7,046	1	11	19	100	131	189	235	236	791	755	762	2,104	1,509	1,125
(33)	Malformations	1,728	353	207	188	296	1,044	189	89	76	1,398	124	49	82	46	29
(33)	Premature birth	4,264	1,921	657	341	430	3,349	362	227	90	4,028	143	37	37	12	7
(33,37)	Congenital debility	2,192	344	137	126	285	892	236	144	122	1,394	223	176	254	93	52
(37)	Injuries at birth	744	313	121	84	143	661	52	11	5	729	12	3			
35	External causes	258	8	4	5	21	38	11	10	8	67	32	22	52	37	48
38	Diseases ill-defined or unknown	162	29	12	6	16	63	11	11	7	92	15	14	29	9	3
	All other causes	1,245	17	13	17	98	145	100	82	40	367	132	96	261	212	177
	RHODE ISLAND.															
	All causes	1,627	198	89	55	123	465	85	72	48	670	135	128	296	244	154
5	Measles	36										1	1	7	16	11
6	Scarlet fever	1												1		
7	Whooping cough	29						1		1	2	2	4	5	9	7
8	Diphtheria and croup	6												2	3	1
9	Influenza	10								2	2	2	1	1	3	1
(12)	Dysentery	6						1			1	1	1	2	1	1
(12)	Erysipelas	10						1	1	2	4	3		3		
(37)	Tetanus															
13	Tuberculosis of the lungs	10										3		1	4	2
14	Tuberculous meningitis	15												1	8	6
15	Other forms of tuberculosis	6											1	3		2
(37)	Syphilis	26	5	1	1	2	9	2		1	12	5	4	2	2	1
17	Meningitis	6												4	1	1
(37)	Convulsions	15		2		3	5				5		2	3	3	2
19	Organic diseases of the heart	6				1	1		1		2		1	2	1	
20	Acute bronchitis	52				1	1	2	3	5	11	8	4	12	10	7
22	Pneumonia	79	3			2	5	5	1	2	13	6	12	14	19	15
(23)	Bronchopneumonia	125	1		2	4	7	7	7	2	23	9	14	28	27	24
24	Diseases of the stomach	26				1	1	3	2	1	7	8	3	4	4	
25	Diarrhea and enteritis	374			1	2	3	9	8	8	28	36	42	127	96	45
(33)	Malformations	88	18	12	13	19	62	8	3	2	75	6	4	2		1
(33)	Premature birth	252	92	48	18	27	185	24	19	9	237	9	3	2	1	
(33,37)	Congenital debility	238	25	11	7	28	71	11	19	7	108	28	24	49	22	7
(37)	Injuries at birth	108	53	13	9	24	99	4	1	3	107	1				
35	External causes	21	1	1	2		4	1	2	1	8			6	3	4
38	Diseases ill-defined or unknown	16			2	2	4		1		5	4	2	2	2	1
	All other causes	66		1		7	8	6	4	2	20	4	5	13	9	15
	SOUTH CAROLINA (TOTAL).															
	All causes	5,252	880	325	197	479	1,881	381	224	148	2,634	461	371	741	544	501
5	Measles	18		1	1	1	3	2			5	1	2	4	3	3
6	Scarlet fever	4							1		1			1		2
7	Whooping cough	146	1			1	2	1		5	8	21	21	30	32	34
8	Diphtheria and croup	37						2	2		4	3	3	9	6	7
9	Influenza	88		1		3	4	5	4		13	6	17	19	20	13
(12)	Dysentery	172				3	3	6	1	4	14	16	9	35	45	53
(12)	Erysipelas	5						1			1		1		1	2
(37)	Tetanus	34				14	14	14	1	1	30	1	1		2	
13	Tuberculosis of the lungs	24		1			1			1	2	1	3	5	5	8
14	Tuberculous meningitis	5								1	1	1			2	1
15	Other forms of tuberculosis	3												2	1	
(37)	Syphilis	70	3	5	3	5	16	2	6	5	29	8	6	13	9	5
17	Meningitis	22				1	1	1			2	2	1	9	4	4
(37)	Convulsions	155	6	4	6	21	37	32	8	7	84	17	10	25	13	6
19	Organic diseases of the heart	15						3	3		6	3	2	4		
20	Acute bronchitis	49	2		2	2	6	2		2	10	8	3	10	10	8
22	Pneumonia	259	3	3	1	9	16	13	8	5	42	19	31	85	47	35
(23)	Bronchopneumonia	151	1	1		5	7	8	4	8	27	18	15	47	22	22
24	Diseases of the stomach	111				6	6	5	6	4	21	16	17	23	18	16
25	Diarrhea and enteritis	709		5	6	27	38	23	19	11	91	72	77	165	146	158
(33)	Malformations	111	23	14	5	13	55	9	8	2	74	10	6	12	5	4
(33)	Premature birth	1,397	655	213	117	203	1,188	92	52	28	1,360	22	7	5	3	
(33,37)	Congenital debility	802	102	44	38	105	289	105	55	36	485	107	57	90	40	23
(37)	Injuries at birth	81	44	13	4	9	70	6	2		78	2	1			
35	External causes	101	8	4	2	5	19	3	3	3	28	16	9	26	14	8
38	Diseases ill-defined or unknown	302	27	13	8	27	75	26	21	9	131	34	32	37	33	35
	All other causes	381	5	3	4	19	31	20	20	16	87	52	40	85	63	54

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	SOUTH CAROLINA (WHITE).															
	All causes	1,800	376	124	67	136	703	104	76	47	930	160	127	232	164	187
5	Measles	10		1	1		2	2			4	1		2	1	2
6	Scarlet fever	4							1		1			1		2
7	Whooping cough	41	1				1			3	4	8	4	6	9	10
8	Diphtheria and croup	16						2			2	2	1	2	3	6
9	Influenza	19						2	1		3	4	3	2	4	3
(12)	Dysentery	56								3	3	5	3	8	17	20
(12)	Erysipelas	4						1			1		1			2
(37)	Tetanus	4				3	3				3	1				
13	Tuberculosis of the lungs	3												2		1
14	Tuberculous meningitis	3										1			1	1
15	Other forms of tuberculosis															
(37)	Syphilis	5								1	1	2		2		
17	Meningitis	18				1	1	1			2	2	1	8	2	3
(37)	Convulsions	33	3	1	2	5	11	3	1	2	17	4	4	5	2	1
19	Organic diseases of the heart	10						1	2		3	2	1	4		
20	Acute bronchitis	27	2		1	2	5	1		2	8	7		5	4	3
22	Pneumonia	61		1		1	2	2	3	1	8	3	12	17	11	10
(23)	Bronchopneumonia	62				2	2	6	2	6	16	11	6	12	7	10
24	Diseases of the stomach	38				2	2		3	3	8	7	6	6	6	5
25	Diarrhea and enteritis	291			2	4	6	11	5	3	25	26	35	65	65	75
(33)	Malformations	73	15	12	3	9	39	7	6	2	54	9	2	5	2	1
(33)	Premature birth	527	264	86	37	62	449	29	18	9	505	14	3	3	2	
(33,37)	Congenital debility	243	52	11	12	30	105	25	18	4	152	28	16	34	4	9
(37)	Injuries at birth	45	27	6	3	5	41	3			44		1			
35	External causes	35	3		1	2	6	1		2	9	5	5	9	3	4
38	Diseases ill-defined or unknown	63	6	5	3	2	16	3	6	2	27	6	13	9	4	4
	All other causes	109	3	1	2	6	12	4	10	4	30	12	10	25	17	15
	SOUTH CAROLINA (COLORED).															
	All causes	3,452	504	201	130	343	1,178	277	148	101	1,704	301	244	509	380	314
5	Measles	8				1	1				1		2	2	2	1
6	Scarlet fever															
7	Whooping cough	105				1	1	1		2	4	13	17	24	23	24
8	Diphtheria and croup	21							2		2	6	2	7	3	1
9	Influenza	69		1		3	4	3	3		10	2	14	17	16	10
(12)	Dysentery	116				3	3	6	1	1	11	11	6	27	28	33
(12)	Erysipelas	1													1	
(37)	Tetanus	30				11	11	14	1	1	27		1		2	
13	Tuberculosis of the lungs	21		1			1			1	2	1	3	3	5	7
14	Tuberculous meningitis	2								1	1				1	
15	Other forms of tuberculosis	3												2	1	
(37)	Syphilis	65	3	5	3	5	16	2	6	4	28	6	6	11	9	5
17	Meningitis	4												1	2	1
(37)	Convulsions	122	3	3	4	16	26	29	7	5	67	13	6	20	11	5
19	Organic diseases of the heart	5						2	1		3	1	1			
20	Acute bronchitis	22			1		1	1			2	1	3	5	6	5
22	Pneumonia	198	3	2	1	8	14	11	5	4	34	16	19	68	36	25
(23)	Bronchopneumonia	89	1	1		3	5	2	2	2	11	7	9	35	15	12
24	Diseases of the stomach	73				4	4	5	3	1	13	9	11	17	12	11
25	Diarrhea and enteritis	418		5	4	23	32	12	14	8	66	46	42	100	81	83
(33)	Malformations	38	8	2	2	4	16	2	2		20	1	4	7	3	3
(33)	Premature birth	870	391	127	80	141	739	63	34	19	855	8	4	2	1	
(33,37)	Congenital debility	559	50	33	26	75	184	80	37	32	333	79	41	56	36	14
(37)	Injuries at birth	36	17	7	1	4	29	3	2		34	2				
35	External causes	66	5	4	1	3	13	2	3	1	19	11	4	17	11	4
38	Diseases ill-defined or unknown	239	21	8	5	25	59	23	15	7	104	28	19	28	29	31
	All other causes	272	2	2	2	13	19	16	10	12	57	40	30	60	46	39
	UTAH.															
	All causes	913	248	52	30	86	416	60	59	35	570	75	43	95	68	62
5	Measles	7								1	1				2	4
6	Scarlet fever	2													1	1
7	Whooping cough	28								1	1	7	4	7	3	6
8	Diphtheria and croup	2													1	1
9	Influenza	17						3		2	5	3	1	5	3	
(12)	Dysentery	3												3		
(12)	Erysipelas	10							2		2	2		3	1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4													3	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	2						1			1			1		
17	Meningitis	8				1	1	1			2	1		1	1	3
(37)	Convulsions	9				4	4	1	1	1	7			1	1	
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	12							2		2	4	1	2	1	2
22	Pneumonia	40				4	4	2	1	3	10	3	5	9	11	2
(23)	Bronchopneumonia	84						4	9	7	20	15	8	18	9	14
24	Diseases of the stomach	5				1	1			1	2		2	1		
25	Diarrhea and enteritis	82				5	5	2	5	3	15	9	10	22	17	9
(33)	Malformations	88	22	10	5	16	53	14	6	4	77	6	2		2	1
(33)	Premature birth	294	184	28	13	25	250	17	15	6	288	5		1		
(33,37)	Congenital debility	80	21	5	3	15	44	11	9	3	67	5	2	4	1	1
(37)	Injuries at birth	36	13	5	5	9	32	2	1	1	36					
35	External causes	9	2			2	4				4	1		1	1	2
38	Diseases ill-defined or unknown	37	6	2	3	2	13	1	3		17	5	5	4	3	3
	All other causes	52		2	1	2	5	1	5	2	13	9	3	11	7	9

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	VERMONT.															
	All causes	723	122	49	30	48	249	53	33	31	366	85	47	95	77	53
5	Measles	10								1	1		1	1	2	5
6	Scarlet fever	1														1
7	Whooping cough	23				1	1		2	1	4	3	3	5	3	5
8	Diphtheria and croup	3						1	1		2			1		
9	Influenza	23				1	1	1			2	2	2	4	8	5
(12)	Dysentery															
(12)	Erysipelas	2										1			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	4							1		1		2			1
14	Tuberculous meningitis	2											1	1		
15	Other forms of tuberculosis	5										1			1	3
(37)	Syphilis	10			1	1	2	2		1	5	3	1	1		
17	Meningitis	14										2		3	6	3
(37)	Convulsions	5				1	1	1	1		3	1		1		
19	Organic diseases of the heart	3							1		1			1	1	
20	Acute bronchitis	23				1	1	1			2	6	3	7	4	1
22	Pneumonia	17						1			1	3	2	3	4	4
(23)	Bronchopneumonia	39							1	2	3	7	1	12	9	7
24	Diseases of the stomach	6							1		1	1	2	2		
25	Diarrhea and enteritis	135			4	1	5	8	6	5	24	25	13	36	28	9
(33)	Malformations	71	20	9	4	8	41	5	4	7	57	3	4	2	3	2
(33)	Premature birth	173	77	30	9	15	131	19	11	3	164	4	3	2		
(33,37)	Congenital debility	88	9	4	9	11	33	10	3	10	56	18	4	7	2	1
(37)	Injuries at birth	21	13	4	1	3	21				21					
35	External causes	11			1	2	3	1			4	3	2	1		1
38	Diseases ill-defined or unknown	2			1		1				1			1		
	All other causes	32	3	2		3	8	3	1	1	13	2	3	4	5	5
	VIRGINIA (TOTAL).															
	All causes	5,893	951	278	189	406	1,824	401	237	165	2,627	495	421	996	721	633
5	Measles	93		1	2	1	4	4	1	3	12	6	6	17	25	27
6	Scarlet fever	1														1
7	Whooping cough	242						6	7	8	21	32	36	50	58	45
8	Diphtheria and croup	65	1	1			2	9	2	3	16	1	6	14	15	13
9	Influenza	71	1			1	2	3	4		9	7	8	16	22	9
(12)	Dysentery	89				1	1	4	1	2	8	10	4	24	18	25
(12)	Erysipelas	16	1				1	1	1	2	5	4		3	2	2
(37)	Tetanus	22			1	3	4	14	1		19			1		2
13	Tuberculosis of the lungs	53				1	1		1	1	3	3	5	13	14	15
14	Tuberculous meningitis	31										2	1	12	8	8
15	Other forms of tuberculosis	11							1		1	1	2	1	3	3
(37)	Syphilis	86	15	1	1	3	20	4	12	5	41	8	9	17	5	6
17	Meningitis	72				4	4	2	3	2	11	8	3	15	17	18
(37)	Convulsions	119	4	7	9	23	43	19	9	2	73	7	7	17	7	8
19	Organic diseases of the heart	33				1	1	3	3	2	9	6	4	9	5	
20	Acute bronchitis	73		1	1	1	3	3	5	3	14	9	6	17	10	17
22	Pneumonia	279		4	1	22	27	18	6	15	66	31	24	62	52	44
(23)	Bronchopneumonia	325	4	3	4	7	18	18	13	11	60	30	34	73	71	57
24	Diseases of the stomach	86		1		5	6	6	5	6	23	12	16	20	11	4
25	Diarrhea and enteritis	1,029		1	3	17	21	17	18	21	77	57	99	354	233	209
(33)	Malformations	212	50	23	16	17	106	28	12	14	160	21	9	11	5	6
(33)	Premature birth	1,056	548	133	61	122	864	78	35	21	998	37	11	10		
(33,37)	Congenital debility	711	147	37	33	81	298	72	42	18	430	75	59	93	34	20
(37)	Injuries at birth	125	59	18	17	19	113	8	2	1	124	1				
35	External causes	107	11	1	5	4	21	2	4	2	29	10	15	22	18	13
38	Diseases ill-defined or unknown	567	99	39	32	59	229	53	35	12	329	74	31	68	38	27
	All other causes	319	11	7	3	14	35	29	14	11	89	43	26	57	50	54
	VIRGINIA (WHITE).															
	All causes	3,318	632	166	123	218	1,139	223	138	103	1,603	278	219	505	354	359
5	Measles	47		1	2		3	4	1	2	10	4	4	8	8	13
6	Scarlet fever	1														1
7	Whooping cough	118						4	5	6	15	17	20	22	19	25
8	Diphtheria and croup	46	1	1			2	9	2	3	16	1	4	7	8	10
9	Influenza	33				1	1	1	3		5	3	4	6	8	7
(12)	Dysentery	44						2	1	1	4	6	1	11	10	12
(12)	Erysipelas	13						1	1	2	4	4		3	2	
(37)	Tetanus	6			1		1	4			5					1
13	Tuberculosis of the lungs	20								1	1	2	2	5	5	5
14	Tuberculous meningitis	22										1		9	6	6
15	Other forms of tuberculosis	6										1	2		2	1
(37)	Syphilis	38	6		1		7	1	6	1	15	5	6	6	2	4
17	Meningitis	55				3	3	2	3		8	6	3	10	15	13
(37)	Convulsions	41	1	3	6	11	21	5	1	1	28	2	1	6	1	3
19	Organic diseases of the heart	27						3	3	2	8	6	4	5	4	
20	Acute bronchitis	27		1	1	1	3	1	2	2	8	1	3	5	2	8
22	Pneumonia	126			1	10	11	7	3	11	32	14	17	18	22	23
(23)	Bronchopneumonia	161	2	1	3	3	9	9	10	7	35	17	15	25	37	32
24	Diseases of the stomach	48		1		3	4	2	3	5	14	9	6	12	4	3
25	Diarrhea and enteritis	558			1	6	7	5	10	10	32	28	42	202	125	129
(33)	Malformations	181	42	17	14	16	89	26	11	12	138	18	6	10	4	5
(33)	Premature birth	717	401	82	38	70	591	53	19	16	679	22	8	8		
(33,37)	Congenital debility	376	74	23	17	46	160	37	24	7	228	40	32	51	17	8
(37)	Injuries at birth	93	47	13	14	12	86	5		1	92	1				
35	External causes	64	2	1	4	4	11	1	3	2	17	6	9	17	9	6
38	Diseases ill-defined or unknown	277	47	18	18	24	107	26	20	5	158	42	20	34	12	11
	All other causes	173	9	4	2	8	23	15	7	6	51	22	10	25	32	33

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	VIRGINIA (COLORED).															
	All causes	2,575	319	112	66	188	685	178	99	62	1,024	217	202	491	367	274
5	Measles	46				1	1			1	2	2	2	9	17	14
6	Scarlet fever															
7	Whooping cough	124						2	2	2	6	15	16	28	39	20
8	Diphtheria and croup	19											2	7	7	3
9	Influenza	38	1			1	2	1			4	4	4	10	14	2
(12)	Dysentery	45				1	1	2		1	4	4	3	13	8	13
(12)	Erysipelas	3	1				1				1					2
(37)	Tetanus	16				3	3	10	1		14			1		1
13	Tuberculosis of the lungs	33				1	1		1		2	1	3	8	9	10
14	Tuberculous meningitis	9										1	1	3	2	2
15	Other forms of tuberculosis	5							1		1			1	1	2
(37)	Syphilis	48	9	1		3	13	3	6	4	26	3	3	11	3	2
17	Meningitis	17				1	1			2	3	2		5	2	5
(37)	Convulsions	78	3	4	3	12	22	14	8	1	45	5	6	11	6	5
19	Organic diseases of the heart	6				1	1				1			4	1	
20	Acute bronchitis	46						2	3	1	6	8	3	12	8	9
22	Pneumonia	153		4		12	16	11	3	4	34	17	7	44	30	21
(23)	Bronchopneumonia	164	2	2	1	4	9	9	3	4	25	13	19	48	34	25
24	Diseases of the stomach	38				2	2	4	2	1	9	3	10	8	7	1
25	Diarrhea and enteritis	471		1	2	11	14	12	8	11	45	29	57	152	108	80
(33)	Malformations	31	8	6	2	1	17	2	1	2	22	3	3	1	1	1
(33)	Premature birth	339	147	51	23	52	273	25	16	5	319	15	3	2		
(33,37)	Congenital debility	335	73	14	16	35	138	35	18	11	202	35	27	42	17	12
(37)	Injuries at birth	32	12	5	3	7	27	3	2		32					
35	External causes	43	9		1		10	1	1		12	4	6	5	9	7
38	Diseases ill-defined or unknown	290	52	21	14	35	122	27	15	7	171	32	11	34	26	16
	All other causes	146	2	3	1	6	12	14	7	5	38	21	16	32	18	21
	WASHINGTON.															
	All causes	1,531	361	119	74	166	720	124	57	61	962	117	84	175	105	88
5	Measles	22							1	1	2	3	1	6	3	7
6	Scarlet fever															
7	Whooping cough	43							1	4	5	8	6	15	2	7
8	Diphtheria and croup	3												2		1
9	Influenza	22				3	3		1	1	5	6		7	2	2
(12)	Dysentery	2										1		1		
(12)	Erysipelas	6										1		2	2	1
(37)	Tetanus															
13	Tuberculosis of the lungs	5												1	2	2
14	Tuberculous meningitis	21								1	1		1	3	5	11
15	Other forms of tuberculosis	2														2
(37)	Syphilis	10		1	1		2	1	1		4		4	1	1	
17	Meningitis	12		1			1				1	2	1	1	4	3
(37)	Convulsions	15	2	2	1	1	6	2		2	10		2	3		
19	Organic diseases of the heart	2				1	1	1			2					
20	Acute bronchitis	14						1	1	1	3	1	4	3	1	2
22	Pneumonia	53			1	4	5	5	3	4	17	7	8	8	8	5
(23)	Bronchopneumonia	120		1	1	4	6	6	5	5	22	17	14	24	24	19
24	Diseases of the stomach	21				2	2				2	4	3	6	4	2
25	Diarrhea and enteritis	142		1		5	6	11	8	6	31	19	19	41	23	9
(33)	Malformations	136	26	19	13	31	89	13	4	6	112	5	5	8	4	2
(33)	Premature birth	419	239	54	23	29	345	36	16	10	407	7		3	1	1
(33,37)	Congenital debility	200	45	18	16	38	117	30	9	12	168	18	3	10	1	
(37)	Injuries at birth	97	40	15	10	23	88	8		1	97					
35	External causes	32		1	2	3	6	1	1	1	9	4	3	7	4	5
38	Diseases ill-defined or unknown	44	7	2	3	8	20	3	2	2	27	4	2	7	4	
	All other causes	88	2	4	3	14	23	6	4	4	37	10	8	16	10	7
	WISCONSIN.															
	All causes	5,090	1,113	297	241	450	2,101	363	209	176	2,849	394	309	661	476	401
5	Measles	70						1	1		2		3	11	22	32
6	Scarlet fever	8										1		1	2	4
7	Whooping cough	116							1	7	8	13	20	30	21	24
8	Diphtheria and croup	14										2		2	4	6
9	Influenza	60				3	3	2	2	1	8	8	6	15	18	5
(12)	Dysentery	15										1	2	7	2	3
(12)	Erysipelas	20						1	1	4	6	6	1	5	1	1
(37)	Tetanus	3				1	1	1	1		3					
13	Tuberculosis of the lungs	12										1	1	2	5	3
14	Tuberculous meningitis	28							1		1	2	1	5	11	8
15	Other forms of tuberculosis	6							1		1		1	3		1
(37)	Syphilis	36	2		1		3	3	3	2	11	2	4	12	5	2
17	Meningitis	44			1		1	2	1	2	6	7	2	13	10	6
(37)	Convulsions	163	10	14	22	27	73	16	11	10	110	12	9	18	10	4
19	Organic diseases of the heart	11				3	3		1	1	5	1		3	1	1
20	Acute bronchitis	127		1		9	10	1	8	3	22	17	14	35	18	21
22	Pneumonia	200		2	2	6	10	10	8	4	32	25	20	50	35	38
(23)	Bronchopneumonia	359		1	2	18	21	17	13	16	67	38	39	68	65	82
24	Diseases of the stomach	106			1	8	9	12	6	10	37	17	12	22	11	7
25	Diarrhea and enteritis	814	2	1	10	33	46	37	42	37	162	112	89	212	147	92
(33)	Malformations	344	87	33	40	61	221	42	14	9	286	14	16	18	5	5
(33)	Premature birth	1,330	758	143	85	117	1,103	108	38	31	1,280	21	13	14	2	
(33,37)	Congenital debility	633	144	59	39	100	342	78	37	22	479	54	33	46	13	8
(37)	Injuries at birth	222	97	37	26	42	202	7	7	1	217	3	2			
35	External causes	63	2	2	3	1	8	6		1	15	8	2	14	13	11
38	Diseases ill-defined or unknown	24	6	1	3	5	15	1			16	2	2	3	1	
	All other causes	262	5	3	6	16	30	18	12	15	75	27	17	52	54	37

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.															
	BIRMINGHAM, ALA. (TOTAL).															
	All causes	348	73	17	8	36	134	12	9	17	172	26	15	53	49	33
5	Measles															
6	Scarlet fever															
7	Whooping cough	3												1	2	
8	Diphtheria and croup	1													1	
9	Influenza	3	1				1				1	1			1	
(12)	Dysentery	5											1	2	1	1
(12)	Erysipelas															
(37)	Tetanus	2										1			1	
13	Tuberculosis of the lungs	3												1	1	1
14	Tuberculous meningitis	3												1	2	
15	Other forms of tuberculosis															
(37)	Syphilis	14	2		1		3	3		1	7	2	1	2		2
17	Meningitis	2												2		
(37)	Convulsions	5	1			1	2			1	3		1	1		
19	Organic diseases of the heart															
20	Acute bronchitis	3								1	1	1			1	
22	Pneumonia	6										2		3		1
(23)	Bronchopneumonia	30				3	3		1	2	6	1	2	6	7	8
24	Diseases of the stomach	6				1	1				1	1	1	1	1	1
25	Diarrhea and enteritis	76				2	2		1	3	6	3	6	21	23	17
(33)	Malformations	17	4	1	1	4	10	1	1	2	14		1	1	1	
(33)	Premature birth	94	55	8	5	12	80	3	4	4	91	2			1	
(33,37)	Congenital debility	27	6	2		5	13	4		1	18	5		2	2	
(37)	Injuries at birth	8	1	3	1	3	8				8					
35	External causes	5		1		1	2				2	3				
38	Diseases ill-defined or unknown	21	3	1		2	6	1	1	2	10	1	2	6	2	
	All other causes	14		1		2	3		1		4	3		3	2	2
	BIRMINGHAM, ALA. (WHITE).															
	All causes	184	41	11	5	23	80	6	7	8	101	11	6	25	24	17
5	Measles															
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1										1				
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	2						1			1	1				
17	Meningitis	2												2		
(37)	Convulsions	1	1				1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	3								1	1	1			1	
22	Pneumonia	4										1		2		1
(23)	Bronchopneumonia	7				2	2			1	3	1		1		2
24	Diseases of the stomach	4										1	1	1	1	
25	Diarrhea and enteritis	47							1	2	3		3	13	16	12
(33)	Malformations	15	4	1	1	3	9	1	1	1	12		1	1	1	
(33)	Premature birth	57	29	5	3	9	46	3	4	3	56	1				
(33,37)	Congenital debility	16	6	1		4	11	1			12	1		1	2	
(37)	Injuries at birth	7	1	3	1	2	7				7					
35	External causes	3		1		1	2				2	1				
38	Diseases ill-defined or unknown	3				1	1				1		1	1		
	All other causes	8				1	1		1		2	2		1	1	2
	BIRMINGHAM, ALA. (COLORED).															
	All causes	164	32	6	3	13	54	6	2	9	71	15	9	28	25	16
5	Measles															
6	Scarlet fever															
7	Whooping cough	2													2	
8	Diphtheria and croup	1													1	
9	Influenza	2	1				1				1	1				
(12)	Dysentery	5											1	2	1	1
(12)	Erysipelas															
(37)	Tetanus	1													1	
13	Tuberculosis of the lungs	3												1	1	1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	12	2		1		3	2		1	6	1	1	2		2
17	Meningitis															
(37)	Convulsions	4				1	1			1	2		1	1		
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	2										1		1		
(23)	Bronchopneumonia	23				1	1		1	1	3		2	5	7	6
24	Diseases of the stomach	2				1	1				1					1
25	Diarrhea and enteritis	29				2	2			1	3	3	3	8	7	5
(33)	Malformations	2				1	1			1	2					
(33)	Premature birth	37	26	3	2	3	34			1	35	1			1	
(33,37)	Congenital debility	11		1		1	2	3		1	6	4		1		
(37)	Injuries at birth	1				1	1				1					
35	External causes	2										2				
38	Diseases ill-defined or unknown	18	3	1		1	5	1	1	2	9	1	1	5	2	
	All other causes	6		1		1	2				2	1		2	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOS ANGELES, CAL.															
	All causes	551	85	50	16	38	189	27	16	21	253	58	40	88	57	55
5	Measles	1														1
6	Scarlet fever	1														1
7	Whooping cough	31								2	2	6	4	6	7	6
8	Diphtheria and croup	4												1		3
9	Influenza	3													2	1
(12)	Dysentery	1												1		
(12)	Erysipelas	2											1		1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	3											1	1	1	
14	Tuberculous meningitis	6												4		2
15	Other forms of tuberculosis	1				1	1				1					
(37)	Syphilis	11		2			2	1		1	4	2	1	3		1
17	Meningitis	8						1			1	1		2	2	2
(37)	Convulsions	4	1	2		1	4				4					
19	Organic diseases of the heart															
20	Acute bronchitis	3						1			1		1			1
22	Pneumonia	12				1	1		1	1	3	1		4	1	3
(23)	Bronchopneumonia	67		1	1	3	5	1	3		9	13	11	13	11	10
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	117				2	2	2	1	6	11	25	14	33	21	13
(33)	Malformations	35	9	5	2	3	19	5	1		25	3	1	4	2	
(33)	Premature birth	138	61	30	8	12	111	6	4	9	130	3	4	1		
(33,37)	Congenital debility	36	9	4	2	5	20	5	2	1	28	2	2	3	1	
(37)	Injuries at birth	21	5	4	1	8	18	1	2		21					
35	External causes	3		1			1				1	1				1
38	Diseases ill-defined or unknown															
	All other causes	41		1	2	2	5	3	2	1	11	1		12	7	10
	OAKLAND, CAL.															
	All causes	198	42	15	11	16	84	12	12	7	115	14	9	29	15	16
5	Measles															
6	Scarlet fever															
7	Whooping cough	2												2		
8	Diphtheria and croup															
9	Influenza	2												1		1
(12)	Dysentery															
(12)	Erysipelas	2											1			1
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	6												2	2	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	6	2	1			3				3	1	1		1	
17	Meningitis	1												1		
(37)	Convulsions	2			1		1				1				1	
19	Organic diseases of the heart	2				1	1		1		2					
20	Acute bronchitis	4						1	1		2		1	1		
22	Pneumonia	8							2		2			1	3	2
(23)	Bronchopneumonia	15						2	1	1	4	1	1	3	1	5
24	Diseases of the stomach	2							1		1	1				
25	Diarrhea and enteritis	18				1	1		2	1	4	2	2	6	3	1
(33)	Malformations	24	2	1	3	5	11	2	1		14	3	2	4	1	
(33)	Premature birth	64	30	8	4	7	49	4	3	3	59	3		2		
(33,37)	Congenital debility	16	3	3	2	1	9	1		2	12	1	1	2		
(37)	Injuries at birth	10	5	2	1	1	9	1			10					
35	External causes	1														1
38	Diseases ill-defined or unknown															
	All other causes	10						1			1	2		3	3	1
	SAN FRANCISCO, CAL.															
	All causes	511	95	27	28	35	185	31	20	21	257	42	32	65	58	57
5	Measles	1														1
6	Scarlet fever	1													1	
7	Whooping cough	12								1	1	1		4	3	3
8	Diphtheria and croup	3											1			2
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas	2										1				1
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	7												1	4	2
15	Other forms of tuberculosis	6												2	2	2
(37)	Syphilis	22	2		1	1	4	1	3		8	6	1	3	2	2
17	Meningitis	7							1		1	1	1	2		2
(37)	Convulsions	1		1			1				1					
19	Organic diseases of the heart	1														
20	Acute bronchitis	7														1
22	Pneumonia	36				1	1	2	2	1	6	3	1	3	1	1
(23)	Bronchopneumonia	54			1	2	3	1	3	3	10	7	8	10	3	13
24	Diseases of the stomach	2							1		1			8	12	9
25	Diarrhea and enteritis	72				1	1	2	6	4	13	9	11	1		
(33)	Malformations	43	7	2	5	5	19	7		2	28	6	1	17	14	8
(33)	Premature birth	114	66	14	8	8	96	9	1	4	110	2	2	4	2	2
(33,37)	Congenital debility	45	6	7	9	10	32	3	3	1	39	2	4			
(37)	Injuries at birth	26	12	3	3	4	22	3		1	26					
35	External causes	9	1			1	2	2			4	1		2		2
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	36			1	2	3	1		4	8	2	1	7	13	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	DENVER, COLO.															
	All causes	283	64	28	9	32	133	14	6	9	162	26	26	36	14	19
5	Measles	1														1
6	Scarlet fever	1												1		
7	Whooping cough	1													1	
8	Diphtheria and croup															
9	Influenza	2												1		1
(12)	Dysentery	1												1		
(12)	Erysipelas	5								1	1	2			1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1				1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	2										1				1
(37)	Syphilis	8	1			3	4	1			5		2	1		
17	Meningitis	2											1	1		
(37)	Convulsions	1											1			
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	4						2			2	1		1		
22	Pneumonia	18	1		1	1	3				3	4	2	4	3	2
(23)	Bronchopneumonia	27						1	1	1	3	1	6	10	3	4
24	Diseases of the stomach	2										2				
25	Diarrhea and enteritis	24	1			1	2			1	3	2	7	6	4	2
(33)	Malformations	20	2	5	2	4	13	1		1	15	1	3			1
(33)	Premature birth	92	49	17	2	12	80	5	3	3	91	1				
(33,37)	Congenital debility	46	7	5	2	9	23	3	2	2	30	7	1	6	1	1
(37)	Injuries at birth	7	2	1	2	1	6	1			7					
35	External causes	1	1				1				1					
38	Diseases ill-defined or unknown															
	All other causes	14				1	1				1	3	2	4		4
	BRIDGEPORT, CONN.															
	All causes	486	73	27	17	39	156	21	22	17	216	47	27	87	62	47
5	Measles	5												2		3
6	Scarlet fever															
7	Whooping cough	10										1	2	3	2	2
8	Diphtheria and croup	3													2	1
9	Influenza	4											2	1	1	
(12)	Dysentery															
(12)	Erysipelas	6							2	1	3	1	1	1		
(37)	Tetanus	2						1			1	1				
13	Tuberculosis of the lungs	5													4	1
14	Tuberculous meningitis	7												2	2	3
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	2										1		1		
17	Meningitis	5								1	1	1	1	1		1
(37)	Convulsions	6							1		1	2		1		2
19	Organic diseases of the heart															
20	Acute bronchitis	8										2	2	3		1
22	Pneumonia	33		1		1	2		1	2	5	5		11	8	4
(23)	Bronchopneumonia	43				2	2	4	2	3	11	6		11	4	11
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	135		1		1	2	3	5	7	17	16	13	44	31	14
(33)	Malformations	23	6	4	6	3	19		1		20	1			2	
(33)	Premature birth	92	48	13	3	12	76	8	5		89		1	1	1	
(33,37)	Congenital debility	40	10	4	3	9	26	4	2	1	33	4	3			
(37)	Injuries at birth	19	9	4	2	3	18	1			19					
35	External causes	6				1	1		1		2		1	2		1
38	Diseases ill-defined or unknown	2			1		1		1		2					
	All other causes	28			2	7	9		1	2	12	6		3	4	3
	NEW HAVEN, CONN.															
	All causes	447	61	42	10	36	149	23	17	22	211	38	24	65	51	58
5	Measles															
6	Scarlet fever															
7	Whooping cough	10								1	1	1		1	3	4
8	Diphtheria and croup	1														1
9	Influenza	3												2	1	
(12)	Dysentery															
(12)	Erysipelas	9						1	1		2	1	2	2	1	1
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	8								1	1		1	4	1	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	13	1			1	2		1	2	5	1		7		
17	Meningitis	3						1	1	1	3					
(37)	Convulsions	6			1		1				1	1	1		1	2
19	Organic diseases of the heart	3		1			1		1		2			1		
20	Acute bronchitis	15				1	1			2	3	5		1	4	2
22	Pneumonia	30						1	2	1	4	1		7	7	11
(23)	Bronchopneumonia	34		1		1	2	1	1	1	5	3	2	8	10	6
24	Diseases of the stomach	3											1	2		
25	Diarrhea and enteritis	87		1		1	2	6		3	11	10	10	21	16	19
(33)	Malformations	21	3	3	1	4	11	2	1	1	15	4		1	1	
(33)	Premature birth	88	27	23	5	13	68	7	6	4	85	2		1		
(33,37)	Congenital debility	58	13	5	2	8	28	2	3	5	38	6	5	4	2	3
(37)	Injuries at birth	29	16	6	1	5	28	1			29					
35	External causes	3	1	1			2				2			1		
38	Diseases ill-defined or unknown	4		1		1	2				2			1	1	
	All other causes	18				1	1	1			2	3	2	1	3	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	WASHINGTON, D. C. (TOTAL).															
	All causes	763	138	47	29	53	267	46	22	16	351	49	62	119	112	70
5	Measles	1		1			1				1					
6	Scarlet fever															
7	Whooping cough	20								1	1	1	4	5	6	3
8	Diphtheria and croup	2				1	1		1		2					
9	Influenza	4												1	1	2
(12)	Dysentery	2												1	1	
(12)	Erysipelas	3						1		1	2	1				
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	6										1	2	1	1	1
14	Tuberculous meningitis	7										1	2	1	2	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	26	3	2		2	7	3			10	4	5	3	3	1
17	Meningitis	8										1		3	3	1
(37)	Convulsions	11		3	1	1	5	2			7		1	1	1	1
19	Organic diseases of the heart	6	2			2	4				4	1			1	
20	Acute bronchitis	17			1		1				1		4	2	6	4
22	Pneumonia	15						1	1		2		1	3	4	5
(23)	Bronchopneumonia	58						3	3	2	8	5	8	12	11	14
24	Diseases of the stomach	6							1		1	2	1	1	1	
25	Diarrhea and enteritis	160			1	1	1	1	1		4	9	21	53	47	26
(33)	Malformations	31	9	6	1	4	20	5			25	1	1	1	1	2
(33)	Premature birth	174	81	21	15	20	137	11	7	8	163	5	3	2	1	
(33,37)	Congenital debility	102	23	6	3	8	40	8	3	2	53	12	6	21	8	2
(37)	Injuries at birth	39	18	8	6	5	37	2			39					
35	External causes	8	1				1	1	1		3	1		1	3	
38	Diseases ill-defined or unknown	1														1
	All other causes	53	1		2	8	11	7	4	1	23	4	3	7	11	5
	WASHINGTON, D. C. (WHITE).															
	All causes	411	93	27	14	28	162	32	14	10	218	26	33	57	51	26
5	Measles															
6	Scarlet fever															
7	Whooping cough	10								1	1		3		5	1
8	Diphtheria and croup															
9	Influenza	4												1	1	2
(12)	Dysentery	1												1		
(12)	Erysipelas	2								1	1	1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1											1			
14	Tuberculous meningitis	5										1		1	2	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	11	1			1	2	1			3	3	1	1	3	
17	Meningitis	5										1		1	3	
(37)	Convulsions	8		2	1	1	4	2			6		1	1		
19	Organic diseases of the heart	6	2			2	4				4	1			1	
20	Acute bronchitis	2													2	
22	Pneumonia	6							1		1			1	1	3
(23)	Bronchopneumonia	20						2	2	1	5	1	3	5	4	2
24	Diseases of the stomach	5							1		1	1	1	1	1	
25	Diarrhea and enteritis	73			1	1	1			1	3	5	14	23	15	13
(33)	Malformations	26	7	6	1	2	16	4			20	1	1	1	1	2
(33)	Premature birth	95	54	10	5	8	77	7	4	3	91	1	2	1		
(33,37)	Congenital debility	62	16	3		5	24	6	1	2	33	7	3	14	5	
(37)	Injuries at birth	32	13	6	6	5	30	2			32					
35	External causes	3							1		1			1	1	
38	Diseases ill-defined or unknown															
	All other causes	32			1	3	4	6	4	1	15	3	3	4	6	1
	WASHINGTON, D. C. (COLORED).															
	All causes	352	45	20	15	25	105	14	8	6	133	23	20	62	61	44
5	Measles	1		1			1				1					
6	Scarlet fever															
7	Whooping cough	10										1	1	5	1	2
8	Diphtheria and croup	2				1	1		1		2					
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas	1						1			1					
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	5										1	1	1	1	1
14	Tuberculous meningitis	2											2			
15	Other forms of tuberculosis															
(37)	Syphilis	15	2	2		1	5	2			7	1	4	2		1
17	Meningitis	3												2		1
(37)	Convulsions	3		1			1				1				1	1
19	Organic diseases of the heart															
20	Acute bronchitis	15			1		1				1		4	2	4	4
22	Pneumonia	9						1			1		1	2	3	2
(23)	Bronchopneumonia	38						1	1	1	3	4	5	7	7	12
24	Diseases of the stomach	1										1				
25	Diarrhea and enteritis	87							1		1	4	7	30	32	13
(33)	Malformations	5	2			2	4	1			5					
(33)	Premature birth	79	27	11	10	12	60	4	3	5	72	4	1	1	1	
(33,37)	Congenital debility	40	7	3	3	3	16	2	2		20	5	3	7	3	2
(37)	Injuries at birth	7	5	2			7				7					
35	External causes	5	1				1	1			2	1			2	
38	Diseases ill-defined or unknown	1														1
	All other causes	21	1		1	5	7	1			8	1		3	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ATLANTA, GA. (TOTAL).															
	All causes	381	58	25	9	33	125	29	16	15	185	40	32	51	38	35
5	Measles	2											1	1		
6	Scarlet fever															
7	Whooping cough	2							1		1	1				
8	Diphtheria and croup	2											1	1		
9	Influenza	3													3	
(12)	Dysentery	5							1		1		1		3	
(12)	Erysipelas															
(37)	Tetanus	4						3			3					1
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis															
(37)	Syphilis	9	1	1			2			1	3	4	1	1		
17	Meningitis	1														1
(37)	Convulsions	6			1	3	4	1			5	1				
19	Organic diseases of the heart															
20	Acute bronchitis	3								1	1	1				1
22	Pneumonia	12				1	1			1	2	2		6	1	1
(23)	Bronchopneumonia	39			1	2	3	6	1	1	11	6	3	8	3	8
24	Diseases of the stomach	2											1	1		
25	Diarrhea and enteritis	69				1	1	2			3	6	7	15	21	17
(33)	Malformations	18	2	1	1	5	9	1	2		12	4		2		
(33)	Premature birth	107	46	15	2	15	78	13	6	6	103	3		1		
(33,37)	Congenital debility	34	4	3	1	2	10	1	3	3	17	4	6	5	1	1
(37)	Injuries at birth	9	4	3	2		9				9					
35	External causes	9		1			1		1		2	2	2	2	1	
38	Diseases ill-defined or unknown	15	1			2	3	2		2	7	2	2	2		2
	All other causes	28		1	1	2	4		1		5	4	7	6	4	2
	ATLANTA, GA. (WHITE).															
	All causes	213	37	15	7	18	77	16	8	8	109	18	15	28	20	23
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	2							1		1	1				
8	Diphtheria and croup	1											1			
9	Influenza	1													1	
(12)	Dysentery	1											1			
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis															
(37)	Syphilis	1										1				
17	Meningitis	1														1
(37)	Convulsions	3			1	1	2	1			3					
19	Organic diseases of the heart															
20	Acute bronchitis	2								1	1					1
22	Pneumonia	2				1	1			1	2					
(23)	Bronchopneumonia	16			1	1	2	1		1	4	1	1	4	1	5
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	40						1			1	5	2	7	13	12
(33)	Malformations	15	1		1	4	6	1	2		9	4		2		
(33)	Premature birth	67	28	10	1	9	48	10	3	3	64	2		1		
(33,37)	Congenital debility	20	3	3			6	1	1	2	10	2	3	4	1	
(37)	Injuries at birth	7	4	1	2		7				7					
35	External causes	4										1	2	1		
38	Diseases ill-defined or unknown	5	1			1	2	1			3			1		1
	All other causes	21		1	1	1	3		1		4	1	5	6	3	2
	ATLANTA, GA. (COLORED).															
	All causes	168	21	10	2	15	48	13	8	7	76	22	17	23	18	12
5	Measles	1											1			
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup	1												1		
9	Influenza	2													2	
(12)	Dysentery	4							1		1				3	
(12)	Erysipelas															
(37)	Tetanus	4						3			3					1
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	8	1	1			2			1	3	3	1	1		
17	Meningitis															
(37)	Convulsions	3				2	2				2	1				
19	Organic diseases of the heart															
20	Acute bronchitis	1										1				
22	Pneumonia	10										2		6	1	1
(23)	Bronchopneumonia	23				1	1	5	1		7	5	2	4	2	3
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	29				1	1	1			2	1	5	8	8	5
(33)	Malformations	3	1	1		1	3				3					
(33)	Premature birth	40	18	5	1	6	30	3	3	3	39	1				
(33,37)	Congenital debility	14	1		1	2	4		2	1	7	2	3	1		1
(37)	Injuries at birth	2		2			2				2					
35	External causes	5		1			1		1		2	1		1	1	
38	Diseases ill-defined or unknown	10				1	1	1		2	4	2	2	1		1
	All other causes					1	1				1	3	2		1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CHICAGO, ILL. (TOTAL).															
	All causes	6,910	781	304	224	477	1,786	399	274	246	2,705	626	489	1,285	1,023	782
5	Measles	44												1	18	25
6	Scarlet fever	6		1			1				1			1	2	2
7	Whooping cough	47								3	3	3	5	9	11	16
8	Diphtheria and croup	43				1	1	1			2	3	1	10	15	12
9	Influenza	26				1	1	3	1		5	2	3	6	7	3
(12)	Dysentery	6							1		1	2		1		2
(12)	Erysipelas	40						2	4	8	14	6	2	9	6	3
(37)	Tetanus	4				4	4				4					
13	Tuberculosis of the lungs	38										2	4	11	14	7
14	Tuberculous meningitis	34							1		1	1		14	8	10
15	Other forms of tuberculosis	6										2	2		1	1
(37)	Syphilis	80	7	2		6	15	9	8	4	36	16	4	15	3	6
17	Meningitis	38				1	1				1	6	5	8	12	6
(37)	Convulsions	13	1		1	5	7		1		8			1	2	2
19	Organic diseases of the heart	10				1	1	1	2		4	1		4	1	
20	Acute bronchitis	141		1	1	5	7	7	10	9	33	21	15	24	26	22
22	Pneumonia	177		2		5	7	9	6	5	27	20	15	37	34	44
(23)	Bronchopneumonia	674	3	4	8	35	50	32	31	25	138	68	56	146	139	127
24	Diseases of the stomach	15			1	1	2	1	1	2	6	3	4	1	1	
25	Diarrhea and enteritis	2,959	4	13	10	56	83	91	113	105	392	353	304	849	638	423
(33)	Malformations	409	84	41	39	78	242	36	17	22	317	26	14	25	17	10
(33)	Premature birth	919	402	123	85	95	705	103	38	34	880	22	8	7	2	
(33,37)	Congenital debility	442	100	54	32	95	281	49	23	10	363	24	21	23	7	4
(37)	Injuries at birth	362	169	59	38	66	323	27	5	5	360		2			
35	External causes	68	6	6	4	2	18	1		5	24	7	2	18	9	8
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	308	5	6	5	20	36	27	12	9	84	38	22	65	50	49
	CHICAGO, ILL. (WHITE).															
	All causes	6,789	766	298	216	472	1,752	393	273	242	2,660	617	481	1,262	1,002	767
5	Measles	44												1	18	25
6	Scarlet fever	6		1			1				1			1	2	2
7	Whooping cough	47								3	3	3	5	9	11	16
8	Diphtheria and croup	43				1	1	1			2	3	1	10	15	12
9	Influenza	26				1	1	3	1		5	2	3	6	7	3
(12)	Dysentery	5							1		1	2				2
(12)	Erysipelas	39						2	4	8	14	5	2	9	6	3
(37)	Tetanus	4				4	4				4					
13	Tuberculosis of the lungs	33										2	4	10	11	6
14	Tuberculous meningitis	33							1		1	1		14	8	9
15	Other forms of tuberculosis	6										2	2		1	1
(37)	Syphilis	73	7	1		5	13	8	8	3	32	14	4	14	3	6
17	Meningitis	38				1	1				1	6	5	8	12	6
(37)	Convulsions	13	1		1	5	7		1		8			1	2	2
19	Organic diseases of the heart	10				1	1	1	2		4	1		4	1	
20	Acute bronchitis	137		1	1	5	7	7	10	9	33	21	14	24	24	21
22	Pneumonia	169		2		5	7	7	6	5	25	20	15	33	34	42
(23)	Bronchopneumonia	650	2	4	8	34	48	31	31	25	135	66	53	141	132	123
24	Diseases of the stomach	15			1	1	2	1	1	2	6	3	4	1	1	
25	Diarrhea and enteritis	2,937	4	13	10	56	83	91	113	105	392	350	301	842	633	419
(33)	Malformations	404	84	40	38	77	239	35	17	22	313	26	14	24	17	10
(33)	Premature birth	898	393	121	81	94	689	103	37	33	862	21	8	6	1	
(33,37)	Congenital debility	432	96	52	30	95	273	49	23	10	355	24	20	23	7	3
(37)	Injuries at birth	360	168	50	37	66	321	27	5	5	358		2			
35	External causes	65	6	6	4	1	17	1		5	23	7	2	17	8	8
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	301	5	6	5	20	36	26	12	7	81	38	22	64	48	48
	CHICAGO, ILL. (COLORED).															
	All causes	121	15	6	8	5	34	6	1	4	45	9	8	23	21	15
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	5												1	3	1
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	7		1		1	2	1		1	4	2		1		
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	4											1		2	1
22	Pneumonia	8						2			2			4		2
(23)	Bronchopneumonia	24	1			1	2	1			3	2	3	5	7	4
24	Diseases of the stomach															
25	Diarrhea and enteritis	22										3	3	7	5	4
(33)	Malformations	5		1	1	1	3	1			4			1		
(33)	Premature birth	21	9	2	4	1	16		1	1	18	1		1	1	
(33,37)	Congenital debility	10	4	2	2		8				8		1			1
(37)	Injuries at birth	2	1		1		2				2					
35	External causes	3				1	1				1			1	1	
38	Diseases ill-defined or unknown															
	All other causes	7						1		2	3			1	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	INDIANAPOLIS, IND. (TOTAL).															
	All causes	491	93	37	21	37	188	27	16	25	256	43	22	73	49	48
5	Measles	4								1	1		1	1		1
6	Scarlet fever	2				1	1		1		2					
7	Whooping cough	17								1	1	3	3	5	4	1
8	Diphtheria and croup	4										1				3
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas	2				1	1	1			2					
(37)	Tetanus	1								1	1					
13	Tuberculosis of the lungs	2										1		1		
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	11			1		1	1	1	1	4	2	1	3	1	
17	Meningitis	2		1			1				1					1
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	2						1			1					1
20	Acute bronchitis	1										1				
22	Pneumonia	18				2	2		1		3	1	2	7	3	2
(23)	Bronchopneumonia	45	1			4	5	3	1	2	11	6	3	10	8	7
24	Diseases of the stomach	12				1	1			1	2	3	1	2	1	3
25	Diarrhea and enteritis	111			1	3	4	3	4	3	14	10	8	32	24	23
(33)	Malformations	50	21	9	3	5	38	2	3	2	45	1	1	2	1	
(33)	Premature birth	105	52	16	5	11	84	9	3	3	104	1				
(33,37)	Congenital debility	44	8	7	8	5	28	2	2	3	35	4	1	4		
(37)	Injuries at birth	22	10	2	2	3	17	4			21	1				
35	External causes	3		2			2				2	1				
38	Diseases ill-defined or unknown															
	All other causes	27	1			1	2	1		2	5	7	1	4	6	4
	INDIANAPOLIS, IND. (WHITE).															
	All causes	408	85	30	19	32	166	21	13	24	224	33	18	52	40	41
5	Measles	4								1	1		1	1		1
6	Scarlet fever	1				1	1				1					
7	Whooping cough	8								1	1	1	2	1	3	
8	Diphtheria and croup	4										1				3
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas	1				1	1				1					
(37)	Tetanus	1								1	1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	4							1	1	2	1		1		
17	Meningitis	2		1			1				1					1
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	1														1
20	Acute bronchitis	1										1				
22	Pneumonia	16				2	2		1		3	1	2	5	3	2
(23)	Bronchopneumonia	33	1			3	4	3	1	2	10	4	2	8	4	5
24	Diseases of the stomach	10				1	1			1	2	2	1	2	1	2
25	Diarrhea and enteritis	93			1	2	3	2	3	2	10	9	7	25	21	21
(33)	Malformations	45	20	7	3	4	34	2	3	2	41	1	1	1	1	
(33)	Premature birth	89	45	12	4	9	70	7	3	8	88	1				
(33,37)	Congenital debility	41	8	7	8	5	28	2	1	3	34	3	1	3		
(37)	Injuries at birth	22	10	2	2	3	17	4			21	1				
35	External causes	1		1			1				1					
38	Diseases ill-defined or unknown															
	All other causes	26	1			1	2	1		2	5	7	1	3	6	4
	INDIANAPOLIS, IND. (COLORED).															
	All causes	83	8	7	2	5	22	6	3	1	32	10	4	21	9	7
5	Measles															
6	Scarlet fever	1							1		1					
7	Whooping cough	9										2	1	4	1	1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1		1		
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	7			1		1	1			2	1	1	2	1	
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart	1						1			1					
20	Acute bronchitis															
22	Pneumonia	2												2		
(23)	Bronchopneumonia	12				1	1				1	2	1	2	4	2
24	Diseases of the stomach	2										1				1
25	Diarrhea and enteritis	18				1	1	1	1	1	4	1	1	7	3	2
(33)	Malformations	5	1	2		1	4				4			1		
(33)	Premature birth	16	7	4	1	2	14	2			16					
(33,37)	Congenital debility	3							1		1	1		1		
(37)	Injuries at birth															
35	External causes	2		1			1				1	1				
38	Diseases ill-defined or unknown															
	All other causes	1												1		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOUISVILLE, KY. (TOTAL).															
	All causes	418	58	23	15	17	113	17	13	12	155	23	30	104	60	46
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	13							1	2	3	1		4	5	
8	Diphtheria and croup	2												1	1	
9	Influenza	2								1	1					1
(12)	Dysentery	5												3		2
(12)	Erysipelas	2												1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	4												1	2	1
14	Tuberculous meningitis	6												2	1	3
15	Other forms of tuberculosis															
(37)	Syphilis	13						1			1	2	1	5	2	2
17	Meningitis															
(37)	Convulsions	6		1		3	4	1			5					1
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	8	1				1				1	1		2	2	2
22	Pneumonia	23	1				1		1	3	5	2	4	5	5	2
(23)	Bronchopneumonia	24						2			2	3	4	6	3	6
24	Diseases of the stomach	8												5	3	
25	Diarrhea and enteritis	92							1	1	2	3	4	43	25	15
(33)	Malformations	19	7	1	4		12		1	2	15		1	2		1
(33)	Premature birth	77	42	13	4	7	66	7	2		75	1		1		
(33,37)	Congenital debility	73	3	7	3	4	17	4	4	3	28	8	12	17	4	4
(37)	Injuries at birth	7	3	1	1	1	6				6		1			
35	External causes	4				1	1				1			2		1
38	Diseases ill-defined or unknown															
	All other causes	27	1		3	1	5	2	2		9	2	3	4	5	4
	LOUISVILLE, KY. (WHITE).															
	All causes	324	51	19	11	15	96	14	10	12	132	17	23	81	38	33
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	9							1	2	3	1		2	3	
8	Diphtheria and croup	2												1	1	
9	Influenza	1								1	1					
(12)	Dysentery	4												2		2
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	5												2		3
15	Other forms of tuberculosis															
(37)	Syphilis	9										2	1	3	2	1
17	Meningitis															
(37)	Convulsions	6		1		3	4	1			5					1
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	4										1		1	2	
22	Pneumonia	16	1				1			3	4	1	4	4	1	2
(23)	Bronchopneumonia	15						2			2	2	4	3	1	3
24	Diseases of the stomach	6												5	1	
25	Diarrhea and enteritis	68							1	1	2	1	3	34	17	11
(33)	Malformations	18	7	1	3		11		1	2	14		1	2		1
(33)	Premature birth	66	37	11	3	6	57	7	1		65	1				
(33,37)	Congenital debility	54	2	5	2	3	12	3	3	3	21	6	6	14	3	4
(37)	Injuries at birth	6	3	1		1	5				5		1			
35	External causes	4				1	1				1			2		1
38	Diseases ill-defined or unknown															
	All other causes	25	1		3	1	5	1	2		8	2	3	4	5	3
	LOUISVILLE, KY. (COLORED).															
	All causes	94	7	4	4	2	17	3	3		23	6	7	23	22	13
5	Measles															
6	Scarlet fever															
7	Whooping cough	4												2	2	
8	Diphtheria and croup															
9	Influenza	1														1
(12)	Dysentery	1												1		
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	4						1			1			2		1
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	4	1				1				1			1		2
22	Pneumonia	7							1		1	1		1	4	
(23)	Bronchopneumonia	9										1		3	2	3
24	Diseases of the stomach	2													2	
25	Diarrhea and enteritis	24										2	1	9	8	4
(33)	Malformations	1			1		1				1					
(33)	Premature birth	11	5	2	1	1	9		1		10			1		
(33,37)	Congenital debility	19	1	2	1	1	5	1	1		7	2	6	3	1	
(37)	Injuries at birth	1			1		1				1					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	2						1			1					1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW ORLEANS, LA. (TOTAL).															
	All causes	757	98	32	33	44	207	52	34	24	317	60	69	144	92	75
5	Measles															
6	Scarlet fever															
7	Whooping cough	6										1	2			3
8	Diphtheria and croup	2										1				1
9	Influenza	6							1		1			1	2	2
(12)	Dysentery															
(12)	Erysipelas	2								1	1		1			
(37)	Tetanus	18	1	1		4	6	9	2	1	18					
13	Tuberculosis of the lungs	6												1	3	2
14	Tuberculous meningitis	7												1	4	2
15	Other forms of tuberculosis	51		1		1	2	3	4	5	14	7	9	12	4	5
(37)	Syphilis	52	4		2	1	7	1	5	2	15	9	8	13	6	1
17	Meningitis	2											1			1
(37)	Convulsions	7				3	3		1		4			2	1	
19	Organic diseases of the heart															
20	Acute bronchitis	12						1	1		2	1	1	4	1	3
22	Pneumonia	43				2	2			1	3	4	6	12	8	10
(23)	Bronchopneumonia	41		1		2	3	2	1	3	9	5	8	10	6	3
24	Diseases of the stomach	4			1		1	1			2			1		1
25	Diarrhea and enteritis	210	1			2	3	5	6	3	17	12	26	73	48	34
(33)	Malformations	37	5	1	5	6	17	6	1	4	28	3	1		3	2
(33)	Premature birth	140	68	18	14	13	113	13	6	2	134	5	1			
(33,37)	Congenital debility	45	10	1	7	3	21	6	2	2	31	5	1	6	1	1
(37)	Injuries at birth	25	9	7	4	3	23	2			25					
35	External causes	5										2	1		1	1
38	Diseases ill-defined or unknown															
	All other causes	36		2		4	6	3	4		13	5	3	8	4	3
	NEW ORLEANS, LA. (WHITE).															
	All causes	432	63	19	20	23	125	25	20	10	180	37	40	84	49	42
5	Measles															
6	Scarlet fever															
7	Whooping cough	3										1	1			1
8	Diphtheria and croup	2										1				1
9	Influenza	4							1		1			1	1	1
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus	6	1			2	3	3			6					
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis	7												1	4	2
15	Other forms of tuberculosis	6											3	1	1	1
(37)	Syphilis	29	1			1	2	1	4	2	9	6	4	7	3	
17	Meningitis	1											1			
(37)	Convulsions	2				1	1				1			1		
19	Organic diseases of the heart															
20	Acute bronchitis	6							1		1	1	1	2		1
22	Pneumonia	24				1	1				1	2	4	8	4	5
(23)	Bronchopneumonia	17				1	1		1	2	4	4	3	4	2	
24	Diseases of the stomach	2			1		1				1			1		
25	Diarrhea and enteritis	130				1	1	1	5		7	7	19	48	26	23
(33)	Malformations	29	5	1	3	4	13	4	1	3	21	3	1		2	2
(33)	Premature birth	88	44	9	7	7	67	10	4	1	82	5	1			
(33,37)	Congenital debility	26	6		7	1	14	3		1	18	3		4		1
(37)	Injuries at birth	19	6	7	2	2	17	2			19					
35	External causes	2											1			1
38	Diseases ill-defined or unknown															
	All other causes	25		2		2	4	1	3		8	4	1	6	4	2
	NEW ORLEANS, LA. (COLORED).															
	All causes	325	35	13	13	21	82	27	14	14	137	23	29	60	43	33
5	Measles															
6	Scarlet fever															
7	Whooping cough	3											1			2
8	Diphtheria and croup															
9	Influenza	2													1	1
(12)	Dysentery															
(12)	Erysipelas	1											1			
(37)	Tetanus	12		1		2	3	6	2	1	12					
13	Tuberculosis of the lungs	3												1	1	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	45		1		1	2	3	4	5	14	7	6	11	3	4
(37)	Syphilis	23	3		2		5		1		6	3	4	6	3	1
17	Meningitis	1														1
(37)	Convulsions	5				2	2		1		3			1	1	
19	Organic diseases of the heart															
20	Acute bronchitis	6						1			1			2	1	2
22	Pneumonia	19				1	1			1	2	2	2	4	4	5
(23)	Bronchopneumonia	24		1		1	2	2		1	5	1	5	6	4	3
24	Diseases of the stomach	2						1			1					1
25	Diarrhea and enteritis	80	1			1	2	4	1	3	10	5	7	25	22	11
(33)	Malformations	8			2	2	4	2		1	7				1	
(33)	Premature birth	52	24	9	7	6	46	3	2	1	52					
(33,37)	Congenital debility	19	4	1		2	7	3	2	1	13	2	1	2	1	
(37)	Injuries at birth	6	3		2	1	6				6					
35	External causes	3										2			1	
38	Diseases ill-defined or unknown															
	All other causes	11				2	2	2	1		5	1	2	2		1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BALTIMORE, MD. (TOTAL).															
	All causes	1,770	331	78	41	100	550	93	64	54	761	149	133	291	250	186
5	Measles	9												1	1	7
6	Scarlet fever	3										1				2
7	Whooping cough	30										2	3	8	11	6
8	Diphtheria and croup	8							1		1	1	1		1	4
9	Influenza	5										1		1	3	
(12)	Dysentery	2										1			1	
(12)	Erysipelas	4						1		1	2			1		1
(37)	Tetanus															
13	Tuberculosis of the lungs	7	1				1				1			1	3	2
14	Tuberculous meningitis	8												2	3	3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	60	15	3	2	2	22	12	1	3	38	5	6	6		5
17	Meningitis	15			1		1				1	1	2	4	4	3
(37)	Convulsions	21		1		3	4		1	1	6	3	3	7	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	32						2	1	3	6	6	3	6	8	3
22	Pneumonia	47						1	3	2	6	6	5	12	13	5
(23)	Bronchopneumonia	230		2	1	5	8	8	5	13	34	25	20	58	57	36
24	Diseases of the stomach	3										2	1			
25	Diarrhea and enteritis	491			1	4	5	10	6	13	34	49	64	130	123	91
(33)	Malformations	100	28	12	3	11	54	15	7	2	78	5	5	9	3	
(33)	Premature birth	357	204	39	25	34	302	24	10	10	346	5	1	5		
(33,37)	Congenital debility	169	37	9	4	25	75	8	17	4	104	26	12	22	2	3
(37)	Injuries at birth	71	42	8	4	11	65	4	1	1	71					
35	External causes	18	2			1	3	1			4	3	2	4	4	1
38	Diseases ill-defined or unknown	2	1	1			2				2					
	All other causes	77	1	3		4	8	7	11	1	27	7	5	14	12	12
	BALTIMORE, MD. (WHITE).															
	All causes	1,275	249	52	30	76	407	65	45	41	558	105	82	202	179	149
5	Measles	7												1	1	5
6	Scarlet fever	3										1				2
7	Whooping cough	18										1	2	4	7	4
8	Diphtheria and croup	6							1		1	1			1	3
9	Influenza	4										1		1	2	
(12)	Dysentery	1													1	
(12)	Erysipelas	4						1		1	2			1		1
(37)	Tetanus															
13	Tuberculosis of the lungs	4	1				1				1				1	2
14	Tuberculous meningitis	7												2	2	3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	26	4				4	5	1	3	13	4	3	3		3
17	Meningitis	13			1		1				1	1	1	3	4	3
(37)	Convulsions	17		1		3	4		1	1	6	3	2	5		1
19	Organic diseases of the heart															
20	Acute bronchitis	16						1	1	3	5	3	2	1	3	2
22	Pneumonia	35							3	2	5	6	3	8	9	4
(23)	Bronchopneumonia	141		1	1	3	5	7	4	8	24	14	10	30	37	26
24	Diseases of the stomach	3										2	1			
25	Diarrhea and enteritis	371			1	4	5	7	4	10	26	32	44	103	93	73
(33)	Malformations	65	18	6	2	10	36	9	5	1	51	4	2	5	3	
(33)	Premature birth	268	155	30	20	23	228	19	4	8	259	5		4		
(33,37)	Congenital debility	124	29	6	2	17	54	6	12	3	75	20	9	16	1	3
(37)	Injuries at birth	62	39	5	3	11	58	3	1		62					
35	External causes	14	2			1	3	1			4	2	1	3	3	1
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	64	1	2		4	7	6	8	1	22	5	2	12	11	12
	BALTIMORE, MD. (COLORED).															
	All causes	495	82	26	11	24	143	28	19	13	203	44	51	89	71	37
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	12										1	1	4	4	2
8	Diphtheria and croup	2											1			1
9	Influenza	1													1	
(12)	Dysentery	1										1				
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3												1	2	
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	34	11	3	2	2	18	7			25	1	3	3		2
17	Meningitis	2											1	1		
(37)	Convulsions	4											1	2	1	
19	Organic diseases of the heart															
20	Acute bronchitis	16						1			1	3	1	5	5	1
22	Pneumonia	12						1			1		2	4	4	1
(23)	Bronchopneumonia	89		1		2	3	1	1	5	10	11	10	28	20	10
24	Diseases of the stomach															
25	Diarrhea and enteritis	120						3	2	3	8	17	20	27	30	18
(33)	Malformations	35	10	6	1	1	18	6	2	1	27	1	3	4		
(33)	Premature birth	89	49	9	5	11	74	5	6	2	87		1	1		
(33,37)	Congenital debility	45	8	3	2	8	21	2	5	1	29	6	3	6	1	
(37)	Injuries at birth	9	3	3	1		7	1		1	9					
35	External causes	4										1	1	1	1	
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	13		1			1	1	3		5	2	3	2	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BOSTON, MASS.															
	All causes	2,062	313	77	82	154	626	98	90	63	877	188	140	327	282	248
5	Measles	23							1		1	1		3	9	9
6	Scarlet fever	1														1
7	Whooping cough	40								3	3	5	2	9	11	10
8	Diphtheria and croup	15	1				1			1	2	1	2	2	3	5
9	Influenza	5						1		1	2	1			1	1
(12)	Dysentery	8											2	3	2	1
(12)	Erysipelas	25	1				1	3			4	7	4	4	1	5
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	28											1	7	11	9
14	Tuberculous meningitis	31						2	1		3	1	8	13	6	
15	Other forms of tuberculosis	8										1	1	2	4	
(37)	Syphilis	32	3	1	2	3	9	2	1	1	13	4	5	5	3	2
17	Meningitis	27				1	1				1	4	2	8	10	2
(37)	Convulsions	17				1	1	3			4	1	4	1	4	3
19	Organic diseases of the heart															
20	Acute bronchitis	45				1	1	4	2	1	8	9	4	8	11	5
22	Pneumonia	93	1	1	1	4	7	1	3	4	15	6	4	17	32	19
(23)	Bronchopneumonia	254				2	2	8	9	15	34	33	17	63	45	62
24	Diseases of the stomach	12							1		1	4	4	1	1	1
25	Diarrhea and enteritis	326			1	2	3	4	14	8	29	32	35	98	79	53
(33)	Malformations	155	36	12	8	31	87	15	10	8	120	14	2	9	5	5
(33)	Premature birth	374	171	37	36	47	291	24	15	7	337	18	11	6	2	
(33,37)	Congenital debility	195	24	11	13	20	68	8	16	10	102	20	28	33	9	3
(37)	Injuries at birth	125	66	11	12	23	112	10	2		124	1				
35	External causes	25	3	2	1		6		3	1	10	3	4	4		4
38	Diseases ill-defined or unknown	19	3		1		4	3			7	1	2	3	3	3
	All other causes	177	4	2	7	18	31	9	12	3	55	22	6	34	25	35
	CAMBRIDGE, MASS.															
	All causes	246	35	9	13	22	79	12	8	5	104	23	12	41	34	32
5	Measles	4												2	1	1
6	Scarlet fever															
7	Whooping cough	4										1		3		
8	Diphtheria and croup	3													1	2
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3							1		1			1	1	
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	3												3		
17	Meningitis	1													1	
(37)	Convulsions	1				1	1				1					
19	Organic diseases of the heart	5							1		1	2		1		1
20	Acute bronchitis	3				1	1				1		1	1		
22	Pneumonia	12										4	1	1	2	4
(23)	Bronchopneumonia	36						2		1	3	4	3	6	9	11
24	Diseases of the stomach	2										1		1		
25	Diarrhea and enteritis	54						1	1	1	3	6	6	16	14	9
(33)	Malformations	25	3	3	2	5	13	2	3	1	19	1		3	1	1
(33)	Premature birth	44	24	3	7	6	40	2	1	1	44					
(33,37)	Congenital debility	20	3	2	4	5	14	2	1		17	1	1		1	
(37)	Injuries at birth	7	4	1		1	6	1			7					
35	External causes															
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	15				3	3	2		1	6	2		2	2	3
	FALL RIVER, MASS.															
	All causes	639	59	17	10	27	113	30	25	17	185	46	58	151	109	90
5	Measles	15												3	7	5
6	Scarlet fever															
7	Whooping cough	10								1	1		2	1	1	5
8	Diphtheria and croup	1														1
9	Influenza	6													3	3
(12)	Dysentery	5										1	1	2	1	
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	3													3	
14	Tuberculous meningitis	6											1	2	2	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	10								1	1	4	1	3		1
17	Meningitis	1													1	
(37)	Convulsions	6	1		1		2			1	3				2	1
19	Organic diseases of the heart	2												1		1
20	Acute bronchitis	25								1	1	1	3	7	9	4
22	Pneumonia	21						2	3		5	1	1	2	7	5
(23)	Bronchopneumonia	84		1			1	2	2	3	8	7	11	27	17	14
24	Diseases of the stomach	3							1		1		1	1		
25	Diarrhea and enteritis	239				3	3	5	12	6	26	19	28	84	42	40
(33)	Malformations	23	5	5		2	12	4	3		19		1		3	
(33)	Premature birth	77	41	9	3	7	60	9	1		70	6	1			
(33,37)	Congenital debility	36	2		1	10	13	5	1	3	22	3	5	4	1	1
(37)	Injuries at birth	16	6	2	4	2	14	2			16					
35	External causes	5						1	1		2	1		2		
38	Diseases ill-defined or unknown	20	4			1	5		1	1	7	1	2	7	2	1
	All other causes	23			1	2	3				3	1		4	8	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOWELL, MASS.															
	All causes	480	55	16	7	30	108	27	25	16	176	36	33	91	70	74
5	Measles	14							1		1			2	3	8
6	Scarlet fever															
7	Whooping cough	8										1		3	1	3
8	Diphtheria and croup	2													1	1
9	Influenza	3										1		1		1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	2				1	1		1		2					
13	Tuberculosis of the lungs	3										1			1	1
14	Tuberculous meningitis	9												4	2	3
15	Other forms of tuberculosis	3												1		2
(37)	Syphilis	4							1		1	1		2		
17	Meningitis	7										2		1	1	3
(37)	Convulsions	5				1	1				1	3		1		
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	34						2	2		4	2	6	11	4	7
22	Pneumonia	21						1		1	2	2	4	4	3	6
(23)	Bronchopneumonia	23				1	1	1		2	4	1	3	4	5	6
24	Diseases of the stomach	2						1			1					1
25	Diarrhea and enteritis	168				3	3	6	7	5	21	10	16	50	42	29
(33)	Malformations	30	6	2	2	3	13	6	2		21	3	1	2	2	1
(33)	Premature birth	54	30	7	3	5	45	3	2	3	53	1				
(33,37)	Congenital debility	62	13	6	2	12	33	5	6	4	48	6	3	3	2	
(37)	Injuries at birth	8	5	1		1	7			1	8					
35	External causes	4	1			1	2				2			1		1
38	Diseases ill-defined or unknown															
	All other causes	13				2	2	2	2		6	2		1	3	1
	WORCESTER, MASS.															
	All causes	497	110	25	12	27	174	22	23	17	236	33	30	75	66	57
5	Measles	23										1		4	8	10
6	Scarlet fever															
7	Whooping cough	6										1	1	2		2
8	Diphtheria and croup															
9	Influenza	4							1		1			1	1	1
(12)	Dysentery															
(12)	Erysipelas	5							1		1	1	2	1		
(37)	Tetanus															
13	Tuberculosis of the lungs	3										1		1		1
14	Tuberculous meningitis	5				1	1				1		1		2	1
15	Other forms of tuberculosis	6												1	1	4
(37)	Syphilis	3				1	1		1		2			1		
17	Meningitis	4							1		1		1		2	
(37)	Convulsions	6						1			1		2	1	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	7						1		1	2		1	2	2	
22	Pneumonia	22				1	1			2	3	5		4	4	6
(23)	Bronchopneumonia	38				2	2	1	2	2	7	4	2	9	8	8
24	Diseases of the stomach	7							1		1	2	1	2	1	
25	Diarrhea and enteritis	106						3	6	7	16	8	11	29	22	20
(33)	Malformations	25	5	1	1	5	12	3	1		16	1	2	3	3	
(33)	Premature birth	113	70	13	4	7	94	8	6	1	109	2	1	1		
(33,37)	Congenital debility	41	10	4	5	5	24	4	1	1	30	3	4	2	1	1
(37)	Injuries at birth	32	23	5	2	2	32				32					
35	External causes	9	2				2			1	3	1		2	3	
38	Diseases ill-defined or unknown															
	All other causes	32		2		3	5	1	2	2	10	3	1	9	7	2
	DETROIT, MICH.															
	All causes	2,727	328	118	99	223	768	153	135	91	1,147	214	185	477	412	292
5	Measles	39							1	2	3	2		2	13	19
6	Scarlet fever	2						1			1					1
7	Whooping cough	37			1		1		1	1	3	3	7	9	8	7
8	Diphtheria and croup	13							1		1			3	3	6
9	Influenza	8				1	1				1		1	3	3	
(12)	Dysentery	8				1	1	1		1	3			3	2	
(12)	Erysipelas	32				2	2	1	1	1	5	6	7	7	4	3
(37)	Tetanus															
13	Tuberculosis of the lungs	18										2	2	4	8	2
14	Tuberculous meningitis	13							1		1		2	5	2	3
15	Other forms of tuberculosis	5										1	1	1	2	
(37)	Syphilis	59	2	1	4	2	9	2	3	8	22	9	8	12	5	3
17	Meningitis	34	1			1	2	1			3		2	14	7	8
(37)	Convulsions	53	1	1	3	10	15	7	3	3	28	4		5	9	7
19	Organic diseases of the heart	7						1	1		2	1	1			3
20	Acute bronchitis	63		1		1	2	4	5	7	18	8	8	7	13	9
22	Pneumonia	107	1	1		1	3	2	4	2	11	8	8	26	27	27
(23)	Bronchopneumonia	306		1	3	7	11	14	16	8	49	30	23	80	74	50
24	Diseases of the stomach	81			1	3	4	4	6	1	15	14	12	22	13	5
25	Diarrhea and enteritis	631	1		3	11	15	13	16	18	62	60	61	183	165	100
(33)	Malformations	142	30	20	13	26	89	13	11	3	116	8	7	3	2	1
(33)	Premature birth	500	207	67	40	66	380	44	28	19	471	16	8	4	1	
(33,37)	Congenital debility	298	48	14	19	42	123	23	23	13	182	27	21	43	18	7
(37)	Injuries at birth	86	32	8	6	28	74	8	4		86					
35	External causes	32		2	2	3	7	1		1	9	4		5	5	9
38	Diseases ill-defined or unknown	5	3		2		5				5					
	All other causes	148	2	2	2	18	24	13	10	3	50	11	6	31	28	22

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	GRAND RAPIDS, MICH.															
	All causes	235	35	9	16	27	37	21	12	9	129	17	10	35	30	14
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	3								1	1			1		1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2											1		1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	3							1		1				1	1
15	Other forms of tuberculosis															
(37)	Syphilis	1													1	
17	Meningitis	2							1		1				1	
(37)	Convulsions	2	1		1		2				2					
19	Organic diseases of the heart															
20	Acute bronchitis	6								1	1	1		3	1	
22	Pneumonia	2							1		1			1		
(23)	Bronchopneumonia	9				1	1	2			3		1	3	1	1
24	Diseases of the stomach	10	1	1			2	2	1		5	2		2	1	
25	Diarrhea and enteritis	61				4	4	5	2	1	12	5	5	15	16	8
(33)	Malformations	17	5	1		3	9	1	1	1	12	2	2	1		
(33)	Premature birth	54	22	5	9	7	43	6	2	1	52	1		1		
(33,37)	Congenital debility	21	3	1	3	3	10	4	1	3	18	2		1		
(37)	Injuries at birth	6	2	1	1	2	6				6					
35	External causes	2										1	1			
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	29			2	7	9	1	2	1	13	3		7	4	2
	MINNEAPOLIS, MINN.															
	All causes	723	172	42	30	61	305	52	43	29	429	65	40	87	58	44
5	Measles	20								1	1	2		4	8	5
6	Scarlet fever															
7	Whooping cough	16							1	1	1	2	1	3	5	4
8	Diphtheria and croup	9							1		1	1	2		3	2
9	Influenza	1										1				
(12)	Dysentery	1											1			
(12)	Erysipelas	6							1	2	3	1	1	1		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	4												2		2
14	Tuberculous meningitis	3													2	1
15	Other forms of tuberculosis															
(37)	Syphilis	17				1	1		1	1	3	2	3	8	1	
17	Meningitis	2		1			1				1					1
(37)	Convulsions	4		1		1	2		1		3			1		
19	Organic diseases of the heart	2				1	1				1				1	
20	Acute bronchitis	3										2	1			
22	Pneumonia	24								1	1	8	2	3	7	3
(23)	Bronchopneumonia	78	1	2	1	2	6	4	5	6	21	11	7	19	11	9
24	Diseases of the stomach	4							1		1	1	2			
25	Diarrhea and enteritis	94			1	1	2	1	8	9	20	18	7	27	10	12
(33)	Malformations	69	20	7	7	6	40	7	4	2	53	3	5	6		2
(33)	Premature birth	242	134	24	11	24	193	25	16	3	237	3	1	1		
(33,37)	Congenital debility	53	5	2	4	13	24	7	4	1	36	7	5	3	2	
(37)	Injuries at birth	31	11	4	6	7	28	2			30	1				
35	External causes	6	1			1	2	1		1	4		1		1	
38	Diseases ill-defined or unknown															
	All other causes	33		1		4	5	4	1	1	11	2	1	9	7	3
	ST. PAUL, MINN.															
	All causes	357	69	24	15	35	143	30	19	17	209	29	21	47	28	23
5	Measles	4												1		3
6	Scarlet fever															
7	Whooping cough	8										1	2	2	1	2
8	Diphtheria and croup	1														1
9	Influenza	3										1		2		
(12)	Dysentery	1												1		
(12)	Erysipelas	7							1	1	2	3		1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3						1			1				1	1
15	Other forms of tuberculosis															
(37)	Syphilis	3										1	1	1		
17	Meningitis	7						1			1	1			4	1
(37)	Convulsions	4				2	2		1		3			1		
19	Organic diseases of the heart															
20	Acute bronchitis	6							1		1	1		2	1	1
22	Pneumonia	4												2		2
(23)	Bronchopneumonia	29				1	1	1	1		3	7	2	5	7	5
24	Diseases of the stomach	5								1	1	2	1		1	
25	Diarrhea and enteritis	57		1	1		2	3	4	2	11	7	8	21	6	4
(33)	Malformations	41	10	1	5	8	24	7		6	37	2		1		1
(33)	Premature birth	88	45	8	4	12	69	8	6	1	84	3		1		
(33,37)	Congenital debility	37	3	9	1	7	20	7	4	3	34		1	1		1
(37)	Injuries at birth	22	10	5	3	3	21		1		22					
35	External causes	3											2		1	
38	Diseases ill-defined or unknown															
	All other causes	24	1		1	2	4	2		3	9		4	5	5	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	KANSAS CITY, MO. (TOTAL).															
	All causes	519	81	34	17	32	164	26	28	18	236	54	40	85	64	40
5	Measles	12										1		2	4	5
6	Scarlet fever	3												1		2
7	Whooping cough	6											2	2	2	
8	Diphtheria and croup	4										1	1		1	1
9	Influenza	5												3		2
(12)	Dysentery	3												2	1	
(12)	Erysipelas	8								1	1	2	2	3		
(37)	Tetanus	1			1		1				1					
13	Tuberculosis of the lungs	4										1		1		2
14	Tuberculous meningitis	4												2	2	
15	Other forms of tuberculosis	1								1	1					
(37)	Syphilis	16	2			2	4	1			5	3	3	1	2	2
17	Meningitis	1													1	
(37)	Convulsions	3		1		1	2				2			1		
19	Organic diseases of the heart	2				1	1			1	2					
20	Acute bronchitis	8		2			2	1	1		4	1			1	2
22	Pneumonia	27	1			1	2	2	3	4	11	3		7	3	3
(23)	Bronchopneumonia	36		2		3	5		2	1	8	4	1	6	11	6
24	Diseases of the stomach	8										1	2	4	1	
25	Diarrhea and enteritis	114				3	3	4	7	4	18	15	16	32	22	11
(33)	Malformations	43	10	3		6	19	4	2	3	28	7		4	3	1
(33)	Premature birth	103	45	18	8	4	75	11	5	2	93	5	4	1		
(33,37)	Congenital debility	38	13	3	3	5	24	1	2		27	5	3	3		
(37)	Injuries at birth	24	10	3	4	3	20	1	1	1	23		1			
35	External causes	8							1		1	2	1	1	2	1
38	Diseases ill-defined or unknown	4		1	1		2		1		3		1			
	All other causes	33		1		3	4	1	3		8	3	3	9	8	2
	KANSAS CITY, MO. (WHITE).															
	All causes	453	77	30	16	27	150	22	26	17	215	45	38	71	55	29
5	Measles	12										1		2	4	5
6	Scarlet fever	3												1		2
7	Whooping cough	5											2	2	1	
8	Diphtheria and croup	3										1	1			1
9	Influenza	3												2		1
(12)	Dysentery	3												2	1	
(12)	Erysipelas	8								1	1	2	2	3		
(37)	Tetanus	1			1		1				1					
13	Tuberculosis of the lungs	4										1		1		2
14	Tuberculous meningitis	3												1	2	
15	Other forms of tuberculosis	1								1	1					
(37)	Syphilis	12	1			1	2	1			3	2	3	1	2	1
17	Meningitis	1													1	
(37)	Convulsions	3		1		1	2				2			1		
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	4							1		1	1			1	1
22	Pneumonia	19	1			1	2	2	1	4	9	2		5	2	1
(23)	Bronchopneumonia	29		1		1	2		2	1	5	3	1	6	9	5
24	Diseases of the stomach	6											2	3	1	
25	Diarrhea and enteritis	96				2	2	2	7	4	15	13	14	28	18	8
(33)	Malformations	42	9	3		6	18	4	2	3	27	7		4	3	1
(33)	Premature birth	100	44	18	8	3	73	11	5	2	91	4	4	1		
(33,37)	Congenital debility	35	13	2	3	5	23		2		25	5	3	2		
(37)	Injuries at birth	22	9	3	3	3	18	1	1	1	21		1			
35	External causes	6							1		1	1	1	1	2	
38	Diseases ill-defined or unknown	4		1	1		2		1		3		1			
	All other causes	27		1		3	4	1	3		8	2	3	5	8	1
	KANSAS CITY, MO. (COLORED).															
	All causes	66	4	4	1	5	14	4	2	1	21	9	2	14	9	11
5	Measles															
6	Scarlet fever															
7	Whooping cough	1													1	
8	Diphtheria and croup	1													1	
9	Influenza	2												1		1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	4	1			1	2				2	1				1
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart	1								1	1					
20	Acute bronchitis	4		2			2	1			3					1
22	Pneumonia	8							2		2	1		2	1	2
(23)	Bronchopneumonia	7		1		2	3				3	1			2	1
24	Diseases of the stomach	2										1		1		
25	Diarrhea and enteritis	18				1	1	2			3	2	2	4	4	3
(33)	Malformations	1	1				1				1					
(33)	Premature birth	3	1			1	2				2	1				
(33,37)	Congenital debility	3		1			1	1			2			1		
(37)	Injuries at birth	2	1		1		2				2					
35	External causes	2										1				1
38	Diseases ill-defined or unknown															
	All other causes	6										1		4		1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ST. LOUIS, MO. (TOTAL).															
	All causes	1,264	200	58	53	93	404	70	47	29	550	120	91	223	145	135
5	Measles	15										1	1	4	3	6
6	Scarlet fever	3													2	1
7	Whooping cough	34								1	1	5	4	10	8	6
8	Diphtheria and croup	5										1			1	3
9	Influenza	16				1	1			1	2	2		5	4	3
(12)	Dysentery	1														1
(12)	Erysipelas	4							1		1	1	2			
(37)	Tetanus	5	1			1	2	1	1		4					1
13	Tuberculosis of the lungs	4												1	2	1
14	Tuberculous meningitis	9											1	1	3	4
15	Other forms of tuberculosis															
(37)	Syphilis	36	5		1		6	7	1	1	15	7	3	10	1	
17	Meningitis	13										1	2	1	4	5
(37)	Convulsions	6			1	2	3				3		1	1		1
19	Organic diseases of the heart	4											1	1	1	1
20	Acute bronchitis	46				2	2	1	5	2	10	7	4	15	4	6
22	Pneumonia	37		1	1	2	4		1		5	4	6	8	7	7
(23)	Bronchopneumonia	136		2	2	6	10	4	3	3	20	16	14	33	24	29
24	Diseases of the stomach	15						1	3	1	5	5	2	1	2	
25	Diarrhea and enteritis	309		1	1	5	7	8	7	9	31	35	33	107	58	45
(33)	Malformations	78	15	9	7	12	43	5	5	2	55	9	1	4	6	3
(33)	Premature birth	299	146	34	24	31	235	26	12	5	278	14	3	3		1
(33,37)	Congenital debility	78	15	2	11	15	43	13	3	3	62	4	5	3	1	3
(37)	Injuries at birth	41	17	6	5	9	37	2	1		40		1			
35	External causes	14		2		2	4		1		5	1	2	4	1	1
38	Diseases ill-defined or unknown	1								1	1					
	All other causes	55	1	1		5	7	2	3		12	7	5	11	13	7
	ST. LOUIS, MO. (WHITE).															
	All causes	1,144	175	54	49	86	364	63	47	25	499	106	81	202	137	119
5	Measles	14										1	1	3	3	6
6	Scarlet fever	3													2	1
7	Whooping cough	32								1	1	5	3	9	8	6
8	Diphtheria and croup	5										1			1	3
9	Influenza	15				1	1			1	2	2		4	4	3
(12)	Dysentery	1														1
(12)	Erysipelas	3							1		1		2			
(37)	Tetanus	5	1			1	2	1	1		4					1
13	Tuberculosis of the lungs	3												1	1	1
14	Tuberculous meningitis	7											1	1	3	2
15	Other forms of tuberculosis															
(37)	Syphilis	28	3		1		4	5	1	1	11	6	1	9	1	
17	Meningitis	12											2	1	4	5
(37)	Convulsions	4				2	2				2		1			1
19	Organic diseases of the heart	3											1		1	1
20	Acute bronchitis	40				2	2		5	2	9	6	3	14	4	4
22	Pneumonia	34		1	1	2	4		1		5	4	6	7	7	5
(23)	Bronchopneumonia	118		1	2	5	8	3	3	3	17	16	12	29	20	24
24	Diseases of the stomach	15						1	3	1	5	5	2	1	2	
25	Diarrhea and enteritis	283		1	1	5	7	8	7	6	28	30	31	99	55	40
(33)	Malformations	75	15	9	7	10	41	4	5	2	52	9	1	4	6	3
(33)	Premature birth	271	129	31	23	29	212	24	12	5	253	11	3	3		1
(33,37)	Congenital debility	69	13	2	9	14	38	13	3	2	56	3	4	2	1	3
(37)	Injuries at birth	37	14	6	5	8	33	2	1		36		1			
35	External causes	13		2		2	4		1		5	1	1	4	1	1
38	Diseases ill-defined or unknown	1								1	1					
	All other causes	53		1		5	6	2	3		11	6	5	11	13	7
	ST. LOUIS, MO. (COLORED).															
	All causes	120	25	4	4	7	40	7		4	51	14	10	21	8	16
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	2											1	1		
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	8	2				2	2			4	1	2	1		
17	Meningitis	1										1				
(37)	Convulsions	2			1		1				1			1		
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	6						1			1	1	1	1		2
22	Pneumonia	3												1		2
(23)	Bronchopneumonia	18		1		1	2	1			3		2	4	4	5
24	Diseases of the stomach															
25	Diarrhea and enteritis	26								3	3	5	2	8	3	5
(33)	Malformations	3				2	2	1			3					
(33)	Premature birth	28	17	3	1	2	23	2			25	3				
(33,37)	Congenital debility	9	2		2	1	5			1	6	1	1	1		
(37)	Injuries at birth	4	3			1	4				4					
35	External causes	1											1			
38	Diseases ill-defined or unknown															
	All other causes	2	1				1				1	1				

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	OMAHA, NEBR.															
	All causes	285	16	20	7	29	72	26	18	7	123	38	16	59	31	18
5	Measles															
6	Scarlet fever	2												1		1
7	Whooping cough	2										1			1	
8	Diphtheria and croup	1						1			1					
9	Influenza	3										1	1			1
(12)	Dysentery	3												1	1	1
(12)	Erysipelas	5				1	1				1	3	1			
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	5										1		2	2	
15	Other forms of tuberculosis															
(37)	Syphilis	6							1	1	2	1	1	2		
17	Meningitis	1												1		
(37)	Convulsions	4						1			1			2		1
19	Organic diseases of the heart	2				1	1				1			1		
20	Acute bronchitis	3						1			1			2		
22	Pneumonia	9				1	1		1		2	2		1	3	1
(23)	Bronchopneumonia	39						4	1	3	8	9	3	10	6	3
24	Diseases of the stomach	9							1	1	2	2	1	4		
25	Diarrhea and enteritis	53						3	1	1	5	7	5	19	11	6
(33)	Malformations	19	1	3		5	9	2	2		13			4		2
(33)	Premature birth	56	10	16	5	14	45	5	4		54	1			1	
(33,37)	Congenital debility	31	3		1	4	8	3	5	1	17	6		6	1	1
(37)	Injuries at birth	8	2		1	1	4	3			7	1				
35	External causes	8				1	1	1	1		3	1	3		1	
38	Diseases ill-defined or unknown															
	All other causes	16		1		1	2	2	1		5	2	1	3	4	1
	JERSEY CITY, N. J.															
	All causes	803	96	51	27	52	226	49	35	27	337	70	72	140	98	86
5	Measles	3										1			1	1
6	Scarlet fever	1														1
7	Whooping cough	9								1	1	2		2	3	1
8	Diphtheria and croup	3								1	1				1	1
9	Influenza	4										1	1			2
(12)	Dysentery															
(12)	Erysipelas	6				1	1		1		2	1	2			1
(37)	Tetanus	2						2			2					
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis	10										1	1	1	1	6
15	Other forms of tuberculosis	10							1		1	1	1	4	2	1
(37)	Syphilis	9	1			1	2	1	1		4	2	2		1	
17	Meningitis	17				1	1				1		2	2	7	5
(37)	Convulsions	7	1	1	1		3				3	1	1	2		
19	Organic diseases of the heart	4											1	1	2	
20	Acute bronchitis	38		1			1	2	1	2	6	4	10	6	8	4
22	Pneumonia	31		1			1		2	1	4	2	4	9	5	7
(23)	Bronchopneumonia	80				4	4	1	2		7	11	7	26	17	12
24	Diseases of the stomach	4										2			2	
25	Diarrhea and enteritis	190			1	2	3	3	7	9	22	16	22	61	34	35
(33)	Malformations	72	18	11	4	11	44	8	5	1	58	2	3	4	5	
(33)	Premature birth	143	46	23	13	17	99	21	8	5	133	7	1	2		
(33,37)	Congenital debility	71	10	6	3	6	25	6	6	7	44	8	11	5	2	1
(37)	Injuries at birth	30	19	6	3	2	30				30					
35	External causes	10				3	3		1		4	1		4		1
38	Diseases ill-defined or unknown	3	1	1			2				2			1		
	All other causes	45		1	2	4	7	5			12	6	3	10	7	7
	NEWARK, N. J.															
	All causes	1,023	162	43	36	61	302	57	37	34	430	88	64	159	146	136
5	Measles	27												4	8	15
6	Scarlet fever															
7	Whooping cough	15								1	1	1		3	6	4
8	Diphtheria and croup	5										1				4
9	Influenza	9										2		1	4	2
(12)	Dysentery															
(12)	Erysipelas	5				1	1			1	2	1		1		1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2											1	1		
14	Tuberculous meningitis	15										1		4	5	5
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	17	1			3	4	1	1	2	8	2	3	2		2
17	Meningitis	6												1	3	2
(37)	Convulsions	4				1	1				1	1			1	1
19	Organic diseases of the heart	5	1				1	1	1		3			1	1	
20	Acute bronchitis	53				3	3	7	5	1	16	9	7	10	6	5
22	Pneumonia	39		1		2	3	1	1		5	3	4	10	7	10
(23)	Bronchopneumonia	64	1				1	2	3	3	9	9	6	13	11	16
24	Diseases of the stomach	4		1			1	1		1	3				1	
25	Diarrhea and enteritis	226			1	4	5	8	5	13	31	23	26	67	47	32
(33)	Malformations	50	14	1	7	6	28	6	3		37	5	1	4	1	2
(33)	Premature birth	212	93	26	18	25	162	20	15	7	204	5	1	2		
(33,37)	Congenital debility	68	16	4	6	4	30	4	1	5	40	11	5	7	4	1
(37)	Injuries at birth	51	32	8	2	9	51				51					
35	External causes	20	1	1	1		3	1			4	5	1	6	1	3
38	Diseases ill-defined or unknown															
	All other causes	123	3	1	1	3	8	4	2		14	9	9	21	40	30

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PATERSON, N. J.															
	All causes	314	44	12	17	28	101	22	15	12	150	19	20	47	45	33
	Measles	9												2	3	4
56	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4												2		2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	6							1		1	3		2		
17	Meningitis	4								1	1	1		1	1	
(37)	Convulsions	7			1	4	5	1		1	7					
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	6						1		1	2	2			1	1
22	Pneumonia	17				1	1		1	1	3	2	2	4	3	3
(23)	Bronchopneumonia	42			1	1	2	2	1	2	7	1	3	6	16	9
24	Diseases of the stomach	4							1		1			2	1	
25	Diarrhea and enteritis	53						2	1	3	6	4	7	14	13	9
(33)	Malformations	18	6			5	11	4		1	16	1	1			
(33)	Premature birth	51	21	9	6	5	41	4	5	1	51					
(33,37)	Congenital debility	39	11	1	4	4	20	6	1	1	28	2	1	6	2	
(37)	Injuries at birth	19	6	1	5	6	18				18		1			
35	External causes	1														1
38	Diseases ill-defined or unknown															
	All other causes	28		1		2	3	1	4		8	3	4	6	4	3
	ALBANY, N. Y.															
	All causes	221	45	9	7	14	75	12	8	7	102	21	12	33	32	21
5	Measles	5												2	3	
6	Scarlet fever															
7	Whooping cough	4								1	1	1		1		1
8	Diphtheria and croup	2											1			1
9	Influenza	1			1		1				1					
(12)	Dysentery	1													1	
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	2														2
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	4											1	1	1	1
17	Meningitis	2											1		1	
(37)	Convulsions	2				1	1				1			1		
19	Organic diseases of the heart															
20	Acute bronchitis	4							1	2	3				1	
22	Pneumonia	8				1	1				1	1		2	2	2
(23)	Bronchopneumonia	17			1		1	1	2		4	2	1	2	5	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	44				1	1	1	3	2	7	4	2	17	10	4
(33)	Malformations	16	1		2	5	8	3			11	2	2		1	
(33)	Premature birth	44	26	5		2	33	3	1	1	38	5		1		
(33,37)	Congenital debility	22	7	1	1	1	10		1		11	2	3	3	3	
(37)	Injuries at birth	17	9	3	2	1	15	1			16	1				
35	External causes	5	1				1	1			2					3
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	16				2	2	2			4	3	1	3	3	2
	BUFFALO, N. Y.															
	All causes	1,491	252	52	42	97	443	85	64	53	645	123	106	236	209	172
5	Measles	20												2	4	14
6	Scarlet fever	2													1	1
7	Whooping cough	20										1	4	6	5	4
8	Diphtheria and croup	7										1		1	1	4
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas	8							2	1	3			3	1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1			4	2
14	Tuberculous meningitis	8							1		1			1	2	4
15	Other forms of tuberculosis															
(37)	Syphilis	62	4			1	5	3	6	6	20	14	9	13	4	2
17	Meningitis	7						1			1			1	4	1
(37)	Convulsions	20	6		2	4	12	3		1	16	1	2	1		
19	Organic diseases of the heart															
20	Acute bronchitis	37						2	1	2	5	9	3	10	4	6
22	Pneumonia	56		1	1	1	3	1	1	3	8	3	7	15	14	9
(23)	Bronchopneumonia	159			2	4	6	8	9	5	28	11	14	31	46	29
24	Diseases of the stomach	17	1	1		1	3			2	5	3	3	4	1	1
25	Diarrhea and enteritis	447			1	3	4	17	17	22	60	49	47	116	95	80
(33)	Malformations	110	26	7	7	22	62	6	5	2	75	9	10	8	6	2
(33)	Premature birth	278	153	32	20	24	229	25	12	5	271	6		1		
(33,37)	Congenital debility	60	13	3	3	18	37	9	7		53	2	1	3	1	
(37)	Injuries at birth	75	45	8	3	13	69	5		1	75					
35	External causes	7	2				2				2	2		2	1	
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	81	1		3	6	10	5	3	3	21	11	6	17	14	12

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (TOTAL).															
	All causes	12,860	1,595	571	466	770	3,402	663	537	481	5,083	1,175	917	2,087	1,908	1,690
5	Measles	168		1			1		1		2	3	3	14	56	90
6	Scarlet fever	7												1	1	5
7	Whooping cough	186				1	1		4	7	12	21	17	35	63	38
8	Diphtheria and croup	128						1		1	2	7	4	19	49	47
9	Influenza	49						2	3	2	7	9	2	10	9	12
(12)	Dysentery	6							1		1			2	2	1
(12)	Erysipelas	130						7	16	12	35	28	10	29	20	8
(37)	Tetanus	8			1	2	3	5			8					
13	Tuberculosis of the lungs	64						1		1	2	7	1	16	26	12
14	Tuberculous meningitis	157						2			2	3	2	35	51	64
15	Other forms of tuberculosis	32						1	1		2	2	1	7	6	14
(37)	Syphilis	225	18	10	5	20	53	20	17	10	100	31	33	39	15	7
17	Meningitis	75		1		2	3	1	1		5	8	4	24	21	13
(37)	Convulsions	64	1	6	5	9	21	5	5	3	34	6	2	7	10	5
19	Organic diseases of the heart	24				2	2	2	1	1	6	1	5	4	3	5
20	Acute bronchitis	437	1	1	3	10	15	30	43	49	137	92	56	90	57	55
22	Pneumonia	584	1	3	5	9	18	14	22	17	71	37	25	113	144	194
(23)	Bronchopneumonia	1,599	1	1	9	18	29	45	66	54	194	171	142	358	395	339
24	Diseases of the stomach	54				3	3	3	5	1	12	14	6	12	6	4
25	Diarrhea and enteritis	2,747	1	2	3	18	24	63	69	91	247	317	295	831	622	435
(33)	Malformations	653	118	63	52	107	340	69	48	21	478	53	33	48	23	18
(33)	Premature birth	2,321	976	284	202	272	1,734	228	114	101	2,177	88	22	24	7	3
(33,37)	Congenital debility	1,399	192	98	89	150	529	100	72	76	777	199	166	162	60	35
(37)	Injuries at birth	574	259	88	79	99	525	27	11	5	568	5	1			
35	External causes	121	19	5	5	6	35	3	4	4	46	15	13	15	14	18
38	Diseases ill-defined or unknown	2	1				1				1			1		
	All other causes	996	7	8	8	42	65	34	33	25	157	58	74	191	248	268
	NEW YORK, N. Y. (WHITE).															
	All causes	12,385	1,559	540	448	731	3,278	643	523	468	4,912	1,143	885	2,001	1,814	1,630
5	Measles	168		1			1		1		2	3	3	14	56	90
6	Scarlet fever	7												1	1	5
7	Whooping cough	175				1	1		4	7	12	21	17	33	57	35
8	Diphtheria and croup	117								1	1	7	3	17	43	46
9	Influenza	47						2	3	2	7	8	2	9	9	12
(12)	Dysentery	6							1		1			2	2	1
(12)	Erysipelas	126						7	16	12	35	28	10	28	18	7
(37)	Tetanus	8			1	2	3	5			8					
13	Tuberculosis of the lungs	62						1		1	2	7	1	15	25	12
14	Tuberculous meningitis	147						2			2	3	2	32	48	60
15	Other forms of tuberculosis	30						1	1		2	1	1	7	6	13
(37)	Syphilis	211	17	10	5	19	51	19	16	10	96	30	30	37	12	6
17	Meningitis	71		1		2	3	1	1		5	8	4	24	18	12
(37)	Convulsions	58	1	5	5	7	18	5	5	3	31	6	2	7	9	3
19	Organic diseases of the heart	24				2	2	2	1	1	6	1	5	4	3	5
20	Acute bronchitis	471	1	1	3	10	15	29	43	48	135	90	56	85	54	51
22	Pneumonia	563	1	3	5	9	18	14	21	17	70	37	23	110	136	187
(23)	Bronchopneumonia	1,529	1	1	9	17	28	43	65	53	189	169	134	337	377	323
24	Diseases of the stomach	53				2	2	3	5	1	11	14	6	12	6	4
25	Diarrhea and enteritis	2,645	1	2	3	16	22	60	66	87	235	307	286	797	595	425
(33)	Malformations	647	117	62	51	107	337	69	48	20	474	53	33	48	22	17
(33)	Premature birth	2,233	951	264	190	260	1,665	222	111	99	2,097	82	20	24	7	3
(33,37)	Congenital debility	1,351	189	92	87	144	512	95	68	75	750	190	162	159	58	32
(37)	Injuries at birth	551	254	86	76	87	503	26	11	5	545	5	1			
35	External causes	117	18	5	5	5	33	3	4	4	44	15	12	14	14	18
38	Diseases ill-defined or unknown	2	1				1				1			1		
	All other causes	966	7	7	8	41	63	34	32	22	151	58	72	184	238	263
	NEW YORK, N. Y. (COLORED).															
	All causes	475	36	31	18	39	124	20	14	13	171	32	32	86	94	60
5	Measles															
6	Scarlet fever															
7	Whooping cough	11												2	6	3
8	Diphtheria and croup	11						1			1		1	2	6	1
9	Influenza	2										1		1		
(12)	Dysentery															
(12)	Erysipelas	4												1	2	1
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	10												3	3	4
15	Other forms of tuberculosis	2										1				1
(37)	Syphilis	14	1			1	2	1	1		4	1	3	2	3	1
17	Meningitis	4													3	1
(37)	Convulsions	6		1		2	3				3				1	2
19	Organic diseases of the heart															
20	Acute bronchitis	16						1		1	2	2		5	3	4
22	Pneumonia	21							1		1		2	3	8	7
(23)	Bronchopneumonia	70				1	1	2	1	1	5	2	8	21	18	16
24	Diseases of the stomach	1				1	1				1					
25	Diarrhea and enteritis	102				2	2	3	3	4	12	10	9	34	27	10
(33)	Malformations	6	1	1	1		3			1	4				1	1
(33)	Premature birth	88	25	20	12	12	69	6	3	2	80	6	2			
(33,37)	Congenital debility	48	3	6	2	6	17	5	4	1	27	9	4	3	2	3
(37)	Injuries at birth	23	5	2	3	12	22	1			23					
35	External causes	4	1			1	2				2		1	1		
38	Diseases ill-defined or unknown															
	All other causes	30		1		1	2		1	3	6		2	7	10	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BRONX BOROUGH).															
	All causes	1,176	186	66	67	82	401	76	60	49	586	116	61	162	141	110
5	Measles	8							1		1			1	4	2
6	Scarlet fever															
7	Whooping cough	22							1		1	4	1	6	8	2
8	Diphtheria and croup	12										1		2	7	2
9	Influenza	4								1	1	1	1	1		
(12)	Dysentery	2							1		1					1
(12)	Erysipelas	14							3	3	6	3	1	3	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	4													2	2
14	Tuberculous meningitis	19												5	7	7
15	Other forms of tuberculosis	4										1			1	2
(37)	Syphilis	15		1		2	3	2	4		9		1	4		1
17	Meningitis	7				1	1	1			2	1		1	1	2
(37)	Convulsions	2		1		1	2				2					
19	Organic diseases of the heart	2										1				1
20	Acute bronchitis	13							1	1	2	4	1	3	1	2
22	Pneumonia	52		1	3	1	5	1	1	2	9	2	1	13	12	15
(23)	Bronchopneumonia	129		1	1	3	5	3	8	5	21	21	11	29	29	18
24	Diseases of the stomach	3										2			1	
25	Diarrhea and enteritis	187			1	2	3	5	9	8	25	29	22	50	39	22
(33)	Malformations	101	15	8	6	14	43	15	5	4	67	9	8	8	5	4
(33)	Premature birth	276	124	35	24	30	213	26	13	12	264	9	1	2		
(33,37)	Congenital debility	123	20	7	13	13	53	12	6	7	78	13	8	16	6	2
(37)	Injuries at birth	72	27	11	15	11	64	4	2	1	71	1				
35	External causes	18		1	1		2	2	1	2	7	5	1	1	2	2
38	Diseases ill-defined or unknown															
	All other causes	87			3	4	7	5	4	3	19	9	4	17	15	23
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes	4,285	519	193	148	288	1,148	255	195	156	1,754	360	273	693	617	588
5	Measles	28										1	1	1	10	15
6	Scarlet fever															
7	Whooping cough	45				1	1			3	4	6	4	8	13	10
8	Diphtheria and croup	36						1			1	2	1	3	14	15
9	Influenza	11							1		1	4		2	1	3
(12)	Dysentery															
(12)	Erysipelas	42						2	4	3	9	10	4	10	4	5
(37)	Tetanus	4						4			4					
13	Tuberculosis of the lungs	9										3		1	4	1
14	Tuberculous meningitis	44						2			2		2	8	14	18
15	Other forms of tuberculosis	11						1			1			3	1	6
(37)	Syphilis	66	5	2	3	7	17	5	5	1	28	12	7	12	4	3
17	Meningitis	24		1			1		1		2	2		7	8	5
(37)	Convulsions	38	1	2	4	4	11	4	3	3	21	5		4	7	1
19	Organic diseases of the heart	15				1	1	1		1	3		4	4	1	3
20	Acute bronchitis	202	1	1	2	4	8	13	19	18	58	34	27	34	26	23
22	Pneumonia	190	1	1	1	1	4	6	9	6	25	8	9	44	44	60
(23)	Bronchopneumonia	633			4	8	12	18	33	22	85	65	49	137	153	144
24	Diseases of the stomach	20				3	3	2	1	1	7	4		3	3	3
25	Diarrhea and enteritis	880		1	2	5	8	29	25	30	92	101	80	271	194	142
(33)	Malformations	246	43	28	22	37	130	24	24	7	185	15	16	20	5	5
(33)	Premature birth	760	313	95	59	101	568	86	35	29	718	24	7	9	1	1
(33,37)	Congenital debility	399	58	33	25	61	177	36	21	22	256	42	36	37	19	9
(37)	Injuries at birth	179	88	21	24	33	166	10	2	1	179					
35	External causes	28	3	2	2	3	10		1		11	3	4	3	3	4
38	Diseases ill-defined or unknown	1												1		
	All other causes	374	6	6		19	31	11	11	9	62	19	22	71	88	112
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
	All causes	4,172	508	186	144	280	1,118	249	192	152	1,711	349	267	674	603	568
5	Measles	28										1	1	1	10	15
6	Scarlet fever															
7	Whooping cough	43				1	1			3	4	6	4	8	12	9
8	Diphtheria and croup	34										2	1	3	13	15
9	Influenza	9							1		1	3		1	1	3
(12)	Dysentery															
(12)	Erysipelas	42						2	4	3	9	10	4	10	4	5
(37)	Tetanus	4						4			4					
13	Tuberculosis of the lungs	9										3		1	4	1
14	Tuberculous meningitis	42						2			2		2	8	14	16
15	Other forms of tuberculosis	11						1			1			3	1	6
(37)	Syphilis	63	5	2	3	7	17	4	5	1	27	12	6	12	4	2
17	Meningitis	24		1			1		1		2	2		7	8	5
(37)	Convulsions	38	1	2	4	4	11	4	3	3	21	5		4	7	1
19	Organic diseases of the heart	15				1	1	1		1	3		4	4	1	3
20	Acute bronchitis	198	1	1	2	4	8	13	19	18	58	34	27	33	26	20
22	Pneumonia	190	1	1	1	1	4	6	9	6	25	8	9	44	44	60
(23)	Bronchopneumonia	617			4	8	12	18	33	22	85	64	48	133	151	136
24	Diseases of the stomach	19				2	2	2	1	1	6	4		3	3	3
25	Diarrhea and enteritis	850		1	2	4	7	29	24	29	89	97	77	261	188	138
(33)	Malformations	245	43	27	22	37	129	24	24	7	184	15	16	20	5	5
(33)	Premature birth	735	305	92	55	100	552	84	34	27	697	21	6	9	1	1
(33,37)	Congenital debility	389	57	32	25	60	174	34	20	22	250	40	36	36	19	8
(37)	Injuries at birth	172	86	20	24	29	159	10	2	1	172					
35	External causes	28	3	2	2	3	10		1		11	3	4	3	3	4
38	Diseases ill-defined or unknown	1												1		
	All other causes	366	6	5		19	30	11	11	8	60	19	22	69	84	112

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
	All causes	113	11	7	4	8	30	6	3	4	43	11	6	19	14	20
5	Measles															
6	Scarlet fever															
7	Whooping cough	2													1	1
8	Diphtheria and croup	2						1			1				1	
9	Influenza	2										1		1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis															
(37)	Syphilis	3						1			1		1			1
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	4												1		3
22	Pneumonia															
(23)	Bronchopneumonia	16										1	1	4	2	8
24	Diseases of the stomach	1				1	1				1					
25	Diarrhea and enteritis	30				1	1		1	1	3	4	3	10	6	4
(33)	Malformations	1		1			1				1					
(33)	Premature birth	25	8	3	4	1	16	2	1	2	21	3	1			
(33,37)	Congenital debility	10	1	1		1	3	2	1		6	2		1		1
(37)	Injuries at birth	7	2	1		4	7				7					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	8		1			1			1	2			2	4	
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes	6,274	725	266	203	326	1,520	259	235	237	2,251	603	506	1,060	984	870
5	Measles	127		1			1				1	2	2	11	39	72
6	Scarlet fever	7										1		1	1	5
7	Whooping cough	105							3	4	7	10	12	17	37	22
8	Diphtheria and croup	77								1	1	4	3	13	27	29
9	Influenza	25						1	2	1	4	3		4	7	7
(12)	Dysentery	3												2	1	
(12)	Erysipelas	66						3	6	6	15	14	5	15	14	3
(37)	Tetanus	3			1	2	3				3					
13	Tuberculosis of the lungs	48								1	1	4	1	15	19	8
14	Tuberculous meningitis	83										3		19	24	37
15	Other forms of tuberculosis	14							1		1	1		3	4	5
(37)	Syphilis	132	11	7	1	11	30	11	7	7	55	19	23	23	10	2
17	Meningitis	39				1	1				1	5	3	14	10	6
(37)	Convulsions	13		3		2	5	1	2		8	1	1	2		1
19	Organic diseases of the heart	4				1	1				1		1		1	1
20	Acute bronchitis	249				5	5	15	22	27	69	49	27	48	28	28
22	Pneumonia	314				7	7	6	12	8	33	25	13	53	83	107
(23)	Bronchopneumonia	695	1		3	7	11	21	19	25	76	69	67	154	179	150
24	Diseases of the stomach	18							2		2	6	3	5	1	1
25	Diarrhea and enteritis	1,473	1	1		9	11	25	33	43	112	163	170	448	330	250
(33)	Malformations	230	45	22	17	36	120	23	14	7	164	24	7	17	11	7
(33)	Premature birth	1,051	448	132	98	114	792	84	51	51	978	44	12	11	5	1
(33,37)	Congenital debility	747	96	49	45	66	256	44	39	40	379	126	110	91	27	14
(37)	Injuries at birth	254	106	48	32	47	233	9	5	3	250	3	1			
35	External causes	67	15	2	2	3	22	1	2	2	27	5	5	10	9	11
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	429	1	1	4	15	21	15	15	11	62	23	40	84	117	103
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
	All causes	5,964	703	246	190	299	1,438	248	225	250	2,141	582	483	1,001	918	839
5	Measles	127		1			1				1	2	2	11	39	72
6	Scarlet fever	7												1	1	5
7	Whooping cough	99							3	4	7	10	12	17	33	20
8	Diphtheria and croup	70								1	1	4	2	11	24	28
9	Influenza	25						1	2	1	4	3		4	7	7
(12)	Dysentery	3												2	1	
(12)	Erysipelas	62						3	6	6	15	14	5	14	12	2
(37)	Tetanus	3			1	2	3				3					
13	Tuberculosis of the lungs	46								1	1	4	1	14	18	8
14	Tuberculous meningitis	75										3		16	21	35
15	Other forms of tuberculosis	13							1		1			3	4	5
(37)	Syphilis	122	11	7	1	10	29	11	6	7	53	18	21	21	7	2
17	Meningitis	36				1	1				1	5	3	14	8	5
(37)	Convulsions	11		2		1	3	1	2		6	1	1	2		1
19	Organic diseases of the heart	4				1	1				1		1		1	1
20	Acute bronchitis	237				5	5	14	22	26	67	47	27	44	25	27
22	Pneumonia	295				7	7	6	11	8	32	25	12	50	75	101
(23)	Bronchopneumonia	650	1		3	6	10	19	18	25	72	68	62	140	166	142
24	Diseases of the stomach	18							2		2	6	3	5	1	1
25	Diarrhea and enteritis	1,409	1	1		8	10	23	31	40	104	157	164	425	314	245
(33)	Malformations	225	44	22	16	36	118	23	14	6	161	24	7	17	10	6
(33)	Premature birth	998	433	118	91	105	747	81	50	51	929	41	11	11	5	1
(33,37)	Congenital debility	712	94	45	43	61	243	42	36	39	360	119	106	89	25	13
(37)	Injuries at birth	239	103	47	29	40	219	8	5	3	235	3	1			
35	External causes	64	14	2	2	2	20	1	2	2	25	5	4	10	9	11
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	413	1	1	4	14	20	15	14	10	59	23	38	80	112	101

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
	All causes	310	22	20	13	27	82	11	10	7	110	21	23	59	66	31
5	Measles															
6	Scarlet fever															
7	Whooping cough	6													4	2
8	Diphtheria and croup	7											1	2	3	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	4												1	2	1
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	8												3	3	2
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	10				1	1		1		2	1	2	2	3	
17	Meningitis	3													2	1
(37)	Convulsions	2		1		1	2				2					
19	Organic diseases of the heart															
20	Acute bronchitis	12						1		1	2	2		4	3	1
22	Pneumonia	19							1		1		1	3	8	6
(23)	Bronchopneumonia	45				1	1	2	1		4	1	5	14	13	8
24	Diseases of the stomach															
25	Diarrhea and enteritis	64				1	1	2	2	3	8	6	6	23	16	5
(33)	Malformations	5	1		1		2			1	3				1	1
(33)	Premature birth	53	15	14	7	9	45	3	1		49	3	1			
(33,37)	Congenital debility	35	2	4	2	5	13	2	3	1	19	7	4	2	2	1
(37)	Injuries at birth	15	3	1	3	7	14	1			15					
35	External causes	3	1			1	2				2		1			
38	Diseases ill-defined or unknown															
	All other causes	16				1	1		1	1	3		2	4	5	2
	NEW YORK, N. Y. (QUEENS BOROUGH).															
	All causes	894	125	36	39	66	266	53	36	29	384	72	60	137	139	102
5	Measles	5												1	3	1
6	Scarlet fever															
7	Whooping cough	10										1		3	4	2
8	Diphtheria and croup	3												1	1	1
9	Influenza	8						1			1	1	1	2	1	2
(12)	Dysentery															
(12)	Erysipelas	7						2	2		4	1		1	1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2						1			1				1	
14	Tuberculous meningitis	9												2	5	2
15	Other forms of tuberculosis	3											1	1		1
(37)	Syphilis	10	2				2	2	1	2	7		1		1	1
17	Meningitis	5											1	2	2	
(37)	Convulsions	10			1	2	3				3		1	1	2	3
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	22				1	1	2	1	3	7	5	1	5	2	2
22	Pneumonia	20			1		1				1	1	1	3	5	9
(23)	Bronchopneumonia	115			1		1	1	5	1	8	12	10	30	31	24
24	Diseases of the stomach	9						1	1		2	2	2	3		
25	Diarrhea and enteritis	153				1	1	4	2	7	14	14	17	45	44	19
(33)	Malformations	65	13	4	6	19	42	6	5	2	55	3	2	2	1	2
(33)	Premature birth	173	60	19	17	24	120	21	12	7	160	9	2	2		
(33,37)	Congenital debility	109	15	7	6	10	38	7	5	5	55	13	11	16	7	7
(37)	Injuries at birth	55	34	5	6	6	51	2	1		54	1				
35	External causes	7	1				1				1	2	2	1		1
38	Diseases ill-defined or unknown															
	All other causes	92		1	1	3	5	2	1	2	10	7	7	16	27	25
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes	231	40	10	9	8	67	20	11	10	108	24	17	35	27	20
5	Measles															
6	Scarlet fever															
7	Whooping cough	4												1	1	2
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery	1													1	
(12)	Erysipelas	1							1		1					
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	2			1		1				1		1			
17	Meningitis															
(37)	Convulsions	1													1	
19	Organic diseases of the heart	2						1	1		2					
20	Acute bronchitis	1			1		1				1					
22	Pneumonia	8		1			1	1		1	3	1	1			3
(23)	Bronchopneumonia	27						2	1	1	4	4	5	8	3	3
24	Diseases of the stomach	4							1		1		1	1	1	
25	Diarrhea and enteritis	54				1	1			3	4	10	6	17	15	2
(33)	Malformations	11	2	1	1	1	5	1		1	7	2		1	1	
(33)	Premature birth	61	31	3	4	3	41	11	3	2	57	2			1	1
(33,37)	Congenital debility	21	3	2			5	1	1	2	9	5	1	2	1	3
(37)	Injuries at birth	14	4	3	2	2	11	2	1		14					
35	External causes	1											1			
38	Diseases ill-defined or unknown															
	All other causes	14				1	1	1	2		4		1	3	1	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ROCHESTER, N. Y.															
	All causes	584	105	24	34	52	215	45	19	17	296	46	28	87	79	48
5	Measles	2													2	
6	Scarlet fever															
7	Whooping cough	12										2	1	2	5	2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	4												1		3
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis	1														1
(37)	Syphilis	12	1			2	3				3	1	4		3	1
17	Meningitis	7											1	3	2	1
(37)	Convulsions	1				1	1				1					
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	12			1		1	1	1	2	5	2		2	2	1
22	Pneumonia	7				2	2	1			3	1	1		1	1
(23)	Bronchopneumonia	52		1		1	2	2		2	6	10	2	17	7	10
24	Diseases of the stomach	3								1	1	1			1	
25	Diarrhea and enteritis	169				3	3	7	5	4	19	23	12	50	42	23
(33)	Malformations	44	8	3	3	10	24	5		1	30	2	2	7	2	1
(33)	Premature birth	162	75	15	16	13	119	25	11	3	158	2	2			
33,37)	Congenital debility	24	5	1	5	6	17	2	1		20	1	2	1		
(37)	Injuries at birth	37	14	3	8	10	35	1		1	37					
35	External causes	6	2			1	3				3			1		2
38	Diseases ill-defined or unknown															
	All other causes	25		1	1	3	5	1	1	2	9	1	1	3	9	2
	SYRACUSE, N. Y.															
	All causes	384	61	17	13	23	114	19	19	16	168	40	38	61	46	31
5	Measles															
6	Scarlet fever															
7	Whooping cough	12							1		1	2		2	2	5
8	Diphtheria and croup	2														2
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1							1		1					
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	3											1		2	
15	Other forms of tuberculosis															
(37)	Syphilis	9	1				1			1	2	3	1	3		
17	Meningitis	5								1	1	2		1	1	
(37)	Convulsions	5			1	1	2	1	1		4	1				
19	Organic diseases of the heart															
20	Acute bronchitis	8						1	1		2	2		2	1	1
22	Pneumonia	6											1	3	2	
(23)	Bronchopneumonia	39		2			2	2	2		6	3	3	10	10	7
24	Diseases of the stomach	3										1	1	1		
25	Diarrhea and enteritis	98				1	1	2	1	4	8	12	21	27	21	9
(33)	Malformations	22	7	2	1	4	14		2	3	19		1	1		1
(33)	Premature birth	74	30	7	7	7	51	8	5	5	69	4	1			
33,37)	Congenital debility	34	8	1	1	3	13	1	2	1	17	8	4	5		
(37)	Injuries at birth	28	15	5	2	3	25	2	1		28					
35	External causes	3							1		1		2			
38	Diseases ill-defined or unknown	1											1			
	All other causes	29			1	4	5	2	1	1	9	2	1	6	6	5
	CINCINNATI, OHIO (TOTAL).															
	All causes	736	144	27	27	61	259	34	34	29	356	56	42	135	82	65
5	Measles	14							1		1	1		1	3	8
6	Scarlet fever															
7	Whooping cough	19										4	2	4	1	8
8	Diphtheria and croup	4											1	1		2
9	Influenza	7								1	1	1		3		2
(12)	Dysentery	2										1			1	
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1		2	3	1
14	Tuberculous meningitis	4										1		1	1	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	20	1	1			2	2	2	2	8	2		9		1
17	Meningitis	4												1	2	1
(37)	Convulsions	2											1	1		
19	Organic diseases of the heart	2										1				1
20	Acute bronchitis	12						1	2		3	3		2	3	1
22	Pneumonia	18							2	1	3	1	4	2	4	4
(23)	Bronchopneumonia	57				1	1	3	4	3	11	3	7	15	14	7
24	Diseases of the stomach	7								1	1		2	4		
25	Diarrhea and enteritis	176		1		5	6	1	3	6	16	14	18	74	34	20
(33)	Malformations	62	17	2	4	13	36	5	2	1	44	5	4	2	6	1
(33)	Premature birth	183	86	15	13	25	139	13	14	7	173	8	1	1		
(33,37)	Congenital debility	29	10	1		3	14	4	1	3	22	3		3		1
(37)	Injuries at birth	56	26	7	8	12	53	2	1		56					
35	External causes	13			1		1	1			2	1		3	5	2
38	Diseases ill-defined or unknown	3	3				3				3					
	All other causes	33	1		1	2	4	2	2	3	11	6	2	5	5	4

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CINCINNATI, OHIO (WHITE).															
	All causes	663	127	26	26	55	234	29	34	28	325	51	38	115	76	58
5	Measles	13							1		1	1		1	3	7
6	Scarlet fever															
7	Whooping cough	15										4	1	3	1	6
8	Diphtheria and croup	4											1	1		2
9	Influenza	6								1	1	1		2		2
(12)	Dysentery	2										1			1	
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	5										1		2	1	1
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	17		1			1	2	2	2	7	2		7		1
17	Meningitis	4												1	2	1
(37)	Convulsions	2											1	1		
19	Organic diseases of the heart	2										1				1
20	Acute bronchitis	9							2		2	2		1	3	1
22	Pneumonia	17							2	1	3	1	4	2	4	3
(23)	Bronchopneumonia	50				1	1	2	4	3	10	3	6	11	13	7
24	Diseases of the stomach	6								1	1		2	3		
25	Diarrhea and enteritis	161		1		5	6	1	3	6	16	13	16	66	32	18
(33)	Malformations	62	17	2	4	13	36	5	2	1	44	5	4	2	6	1
(33)	Premature birth	161	74	15	13	20	122	11	14	6	153	6	1	1		
(33,37)	Congenital debility	24	9	1		2	12	3	1	3	19	3		2		
(37)	Injuries at birth	53	24	6	8	12	50	2	1		53					
35	External causes	12			1		1	1			2	1		3	4	2
38	Diseases ill-defined or unknown	2	2				2				2					
	All other causes	31	1			2	3	2	2	3	10	6	2	4	5	4
	CINCINNATI, OHIO (COLORED).															
	All causes	73	17	1	1	6	25	5		1	31	5	4	20	6	7
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	4											1	1		2
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2													2	
14	Tuberculous meningitis	1										1				
15	Other forms of tuberculosis															
(37)	Syphilis	3	1				1				1			2		
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	3						1			1	1		1		
22	Pneumonia	1														1
(23)	Bronchopneumonia	7						1			1		1	4	1	
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	15										1	2	8	2	2
(33)	Malformations															
(33)	Premature birth	22	12			5	17	2		1	20	2				
(33,37)	Congenital debility	5	1			1	2	1			3			1		1
(37)	Injuries at birth	3	2	1			3				3					
35	External causes	1													1	
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	2			1		1				1			1		
	CLEVELAND, OHIO.															
	All causes	2,028	297	103	65	128	593	112	87	72	864	193	131	350	285	205
5	Measles	16										1	1	1	6	7
6	Scarlet fever	1													1	
7	Whooping cough	18										1	4	2	5	6
8	Diphtheria and croup	8												2	3	3
9	Influenza	13										2		4	5	2
(12)	Dysentery	3												1	2	
(12)	Erysipelas	9						1		2	3	2		3		1
(37)	Tetanus	4				2	2	1	1		4					
13	Tuberculosis of the lungs	7												2	4	1
14	Tuberculous meningitis	14											1	2	5	6
15	Other forms of tuberculosis	4											1	1	1	1
(37)	Syphilis	15	2		1		3	2		1	6	2	4		2	1
17	Meningitis	8										1	2	2	2	1
(37)	Convulsions	13			1	1	2		2		4	2	2	3	2	
19	Organic diseases of the heart	3		1			1				1		1	1		
20	Acute bronchitis	62				3	3	1	5	3	12	8	10	15	13	4
22	Pneumonia	77				1	1	2	5	3	11	8	12	9	21	16
(23)	Bronchopneumonia	192		2	1	4	7	7	7	9	30	23	17	55	40	27
24	Diseases of the stomach	10				1	1		3	1	5		2	2	1	
25	Diarrhea and enteritis	626			1	4	5	19	30	21	75	75	49	187	140	100
(33)	Malformations	120	26	10	12	23	71	11	3	6	91	9	5	5	6	4
(33)	Premature birth	379	191	52	24	37	304	37	15	8	364	11	1	3		
(33,37)	Congenital debility	125	17	16	6	20	59	13	2	8	82	19	9	10	1	4
(37)	Injuries at birth	97	46	18	14	13	91	4			95	2				
35	External causes	23				4	4			1	5	1	2	3	4	8
38	Diseases ill-defined or unknown	82	13	3	2	7	25	6	5	5	41	16	4	17	3	1
	All other causes	99	2	1	3	8	14	8	9	4	35	10	4	20	18	12

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.																
	COLUMBUS, OHIO.															
	All causes	392	87	20	15	32	154	15	14	11	194	36	26	59	39	38
5	Measles	2														2
6	Scarlet fever	1														1
7	Whooping cough	13								2	2			2	4	5
8	Diphtheria and croup															
9	Influenza	4											2	1		1
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	1											1			
15	Other forms of tuberculosis	12										1	2	3	5	1
(37)	Syphilis	5										1	2		2	
17	Meningitis	1										1				
(37)	Convulsions	6		1		1	2	1			3	1		2		
19	Organic diseases of the heart	2										1			1	
20	Acute bronchitis	1														1
22	Pneumonia	13								2	2	3	1	4	1	2
(23)	Bronchopneumonia	22				1	1				1	3	2	4	5	7
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	49				1	1		1	2	4	4	4	18	11	8
(33)	Malformations	19	2	1	2	4	9	2	1	1	13		1	4	1	
(33)	Premature birth	108	64	10	6	10	90	6	8	2	106	2				
(33,37)	Congenital debility	87	14	6	5	10	35	3	3	1	42	13	8	14	5	5
(37)	Injuries at birth	12	7	1	2	1	11	1			12					
35	External causes	8				1	1			1	2	2	1	1	2	
38	Diseases ill-defined or unknown															
	All other causes	22		1		3	4	2	1		7	4	1	5	2	3
	DAYTON, OHIO.															
	All causes	308	56	16	17	25	114	14	12	6	146	21	23	59	39	20
5	Measles	1														1
6	Scarlet fever	1														1
7	Whooping cough	2										1				1
8	Diphtheria and croup	2														2
9	Influenza	3												1	1	1
(12)	Dysentery	1													1	
(12)	Erysipelas	1								1	1					
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	2										1			1	
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	4												4		
17	Meningitis	3						1			1		1	1		
(37)	Convulsions	1												1		
19	Organic diseases of the heart	3	1				1	1			2	1				
20	Acute bronchitis	5				1	1				1	1	1	1	1	
22	Pneumonia	12						2	1		3	2	2	2	2	1
(23)	Bronchopneumonia	26			1	2	3	2	2	1	8	1	2	7	5	3
24	Diseases of the stomach	7			1		1			1	2	1		3		1
25	Diarrhea and enteritis	73				1	1			2	3	7	9	27	20	7
(33)	Malformations	28	5	5	3	7	20	2			22	2	2	2		
(33)	Premature birth	67	37	5	8	7	57	4	4		65	1		1		
(33,37)	Congenital debility	24	5	2		2	9	2	2		13		2	6	2	1
(37)	Injuries at birth	19	7	4	3	4	18		1		19					
35	External causes	7	1			1	2			1	3	2	1		1	
38	Diseases ill-defined or unknown															
	All other causes	12			1		1		1		2	1	3	2	3	1
	TOLEDO, OHIO.															
	All causes	593	94	20	21	43	178	43	17	15	253	49	32	103	89	67
5	Measles	18										3		1	8	6
6	Scarlet fever	2													1	1
7	Whooping cough	7										1			1	5
8	Diphtheria and croup															
9	Influenza	6				1	1	1			2			1	3	
(12)	Dysentery	1												1		
(12)	Erysipelas	1							1		1					
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	6										1		1	4	
14	Tuberculous meningitis	3												2	1	
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	13			1	1	2	2		2	6	4	1	1	1	
17	Meningitis	2													2	
(37)	Convulsions	5		1		1	2				2			2	1	
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	6						1			1	1		1	2	1
22	Pneumonia	19						1			1	4	4	2	5	3
(23)	Bronchopneumonia	37				1	1	3	1	3	8	1	3	12	7	6
24	Diseases of the stomach	7				1	1		1		2			1	3	1
25	Diarrhea and enteritis	165				2	2	4	1	4	11	14	13	59	35	33
(33)	Malformations	60	11	6	8	11	36	10	2	1	49	3	2	3	1	2
(33)	Premature birth	106	58	3	5	10	76	16	6		98	2	3	2	1	
(33,37)	Congenital debility	62	12	6	5	6	29	3	2	1	35	10	4	7	4	2
(37)	Injuries at birth	23	12	4	1	5	22	1			23					
35	External causes	6								1	1		1		2	2
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	34			1	3	4	1	3	3	11	4		7	7	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PORTLAND, OREG.															
	All causes	228	41	21	13	24	99	18	6	13	136	13	10	26	22	21
5	Measles	4												2	1	1
6	Scarlet fever	2												1		1
7	Whooping cough	6										3			1	2
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas	1											1			
(37)	Tetanus															
13	Tuberculosis of the lungs	1											1			
14	Tuberculous meningitis	8								1	1			1	4	2
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	2										1		1		
17	Meningitis	1													1	
(37)	Convulsions	3						1	1		2				1	
19	Organic diseases of the heart															
20	Acute bronchitis	3											2		1	
22	Pneumonia	11											1	3	3	4
(23)	Bronchopneumonia	11				1	1				1	1	3	1	3	2
24	Diseases of the stomach															
25	Diarrhea and enteritis	17						1	2	3	6	1	1	2	3	4
(33)	Malformations	28	5	5	5	3	18	1			19	2		3	2	2
(33)	Premature birth	70	31	9	5	7	52	9	2	4	67	2	1			
(33,37)	Congenital debility	26	3	3	1	6	13	4	1	2	20	3		3		
(37)	Injuries at birth	11	2	4		4	10			1	11					
35	External causes	5				2	2				2			2	1	
38	Diseases ill-defined or unknown															
	All other causes	16			2	1	3	2		2	7			6		3
	PHILADELPHIA, PA. (TOTAL).															
	All causes	4,252	448	211	141	233	1,033	234	211	140	1,618	378	302	786	647	521
5	Measles	35							1		1	2		3	9	20
6	Scarlet fever	1														1
7	Whooping cough	60										8	2	14	19	17
8	Diphtheria and croup	34			1		1	1			2	2	3	7	9	11
9	Influenza	35						1	1	2	4	8	3	7	9	4
(12)	Dysentery	2												1		1
(12)	Erysipelas	26						2	3	2	7	5	4	3	4	3
(37)	Tetanus	2						1			1	1				
13	Tuberculosis of the lungs	30							1		1	5	3	4	10	7
14	Tuberculous meningitis	46										1	1	14	8	22
15	Other forms of tuberculosis	12							1	2	3	1	1	1	4	2
(37)	Syphilis	83	10	4		7	21	14	6	4	45	12	7	8	9	2
17	Meningitis	20										3	1	8	4	4
(37)	Convulsions	38		1	2	3	6	6	1	1	14	6	4	6	4	4
19	Organic diseases of the heart	26				2	2	4	2	3	11	3	4	6	1	1
20	Acute bronchitis	112			1		1	1	9	4	15	17	14	31	20	15
22	Pneumonia	139	1			2	3	6	7	4	20	15	4	43	29	28
(23)	Bronchopneumonia	443	3	2	4	5	14	12	25	14	65	35	37	95	90	121
24	Diseases of the stomach	43				1	1	2	4	3	10	3	8	8	8	6
25	Diarrhea and enteritis	1,251	1	3	2	8	14	34	42	32	122	118	135	388	306	182
(33)	Malformations	330	54	41	39	47	181	35	22	16	254	28	8	19	14	7
(33)	Premature birth	712	276	107	52	87	522	59	49	27	657	30	8	13	4	
(33,37)	Congenital debility	328	48	25	17	34	124	32	22	14	192	38	30	35	21	12
(37)	Injuries at birth	130	48	26	19	23	116	9	1	3	129	1				
35	External causes	46			1	3	4			1	5	9	4	13	7	8
38	Diseases ill-defined or unknown	1											1			
	All other causes	267	7	2	3	11	23	15	14	8	60	27	20	59	58	43
	PHILADELPHIA, PA. (WHITE).															
	All causes	3,907	425	195	133	209	962	213	188	131	1,494	349	289	713	599	463
5	Measles	34							1		1	2		3	9	19
6	Scarlet fever	1														1
7	Whooping cough	53										7	2	13	16	15
8	Diphtheria and croup	32			1		1	1			2	2	3	6	9	10
9	Influenza	34						1	1	2	4	8	3	6	9	4
(12)	Dysentery	1														1
(12)	Erysipelas	25						2	2	2	6	5	4	3	4	3
(37)	Tetanus	2						1			1	1				
13	Tuberculosis of the lungs	23							1		1	4	2	4	7	5
14	Tuberculous meningitis	43										1	1	14	8	19
15	Other forms of tuberculosis	11							1	2	3	1	1	1	3	2
(37)	Syphilis	53	6	2		4	12	8	4	4	28	9	6	4	4	2
17	Meningitis	18										2	1	7	4	4
(37)	Convulsions	35		1	2	3	6	6		1	13	6	4	5	4	3
19	Organic diseases of the heart	22				1	1	3	2	2	8	3	4	5	1	1
20	Acute bronchitis	96			1		1	1	8	4	14	15	13	28	17	9
22	Pneumonia	121	1			1	2	5	7	4	18	14	4	39	25	21
(23)	Bronchopneumonia	396	3	2	4	3	12	12	21	14	59	31	34	88	82	102
24	Diseases of the stomach	40				1	1	2	3	3	9	3	8	7	8	5
25	Diarrhea and enteritis	1,171	1	2	2	8	13	33	40	32	118	110	128	356	289	170
(33)	Malformations	316	52	39	38	46	175	32	20	13	240	28	8	19	14	7
(33)	Premature birth	654	263	100	48	74	485	53	43	24	605	27	8	10	4	
(33,37)	Congenital debility	305	45	24	16	32	117	30	20	13	180	36	30	30	19	10
(37)	Injuries at birth	126	47	23	19	23	112	9	1	3	125	1				
35	External causes	43			1	3	4			1	5	8	4	11	7	8
38	Diseases ill-defined or unknown	1											1			
	All other causes	251	7	2	1	10	20	14	13	7	54	25	20	54	56	42

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PHILADELPHIA, PA. (COLORED).															
	All causes	345	23	16	8	24	71	21	23	9	124	29	13	73	48	58
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	7										1		1	3	2
8	Diphtheria and croup	2												1		1
9	Influenza	1												1		
(12)	Dysentery	1												1		
(12)	Erysipelas	1							1		1					
(37)	Tetanus															
13	Tuberculosis of the lungs	7										1	1		3	2
14	Tuberculous meningitis	3														3
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	30	4	2		3	9	6	2		17	3	1	4	5	
17	Meningitis	2										1		1		
(37)	Convulsions	3							1		1			1		1
19	Organic diseases of the heart	4				1	1	1		1	3			1		
20	Acute bronchitis	16							1		1	2	1	3	3	6
22	Pneumonia	18				1	1	1			2	1		4	4	7
(23)	Bronchopneumonia	47				2	2		4		6	4	3	7	8	19
24	Diseases of the stomach	3							1		1			1		1
25	Diarrhea and enteritis	80		1			1	1	2		4	8	7	32	17	12
(33)	Malformations	14	2	2	1	1	6	3	2	3	14					
(33)	Premature birth	58	13	7	4	13	37	6	6	3	52	3		3		
(33,37)	Congenital debility	23	3	1	1	2	7	2	2	1	12	2		5	2	2
(37)	Injuries at birth	4	1	3			4				4					
35	External causes	3										1		2		
38	Diseases ill-defined or unknown															
	All other causes	16			2	1	3	1	1	1	6	2		5	2	1
	PITTSBURGH, PA. (TOTAL).															
	All causes	1,893	261	101	71	121	554	110	63	60	787	102	149	295	247	253
5	Measles	40						1			1	1	1	5	11	21
6	Scarlet fever	1													1	
7	Whooping cough	54								2	2	4	5	20	8	15
8	Diphtheria and croup	10												2	2	6
9	Influenza	11						1			1	1		4		5
(12)	Dysentery	3						1			1			1		1
(12)	Erysipelas	5							1		1	2		2		
(37)	Tetanus	2							1		1	1				
13	Tuberculosis of the lungs	12										1	1	5	3	2
14	Tuberculous meningitis	17											1	2	7	7
15	Other forms of tuberculosis	3										1			2	
(37)	Syphilis	29	3		2	2	7	4	1	1	13	7	5	3	1	
17	Meningitis	14				1	1	2			3	1	1	1	6	2
(37)	Convulsions	18	1	1	2	2	6	1		2	9	5		1	2	1
19	Organic diseases of the heart	3												1	2	
20	Acute bronchitis	46						7	2	1	10	5	4	9	9	9
22	Pneumonia	70				3	3	3	1	2	9	5	6	11	20	19
(23)	Bronchopneumonia	174			2	3	5	3	4	10	22	15	25	45	36	31
24	Diseases of the stomach	18				1	1	1			2	2	4	1	2	7
25	Diarrhea and enteritis	525			3	6	9	10	13	22	54	60	69	129	108	105
(33)	Malformations	108	27	13	11	15	66	13	4	5	88	11	5	3		1
(33)	Premature birth	374	157	62	33	45	297	32	19	8	356	12		3	2	1
(33,37)	Congenital debility	174	43	11	9	20	83	16	9	2	110	17	13	25	6	3
(37)	Injuries at birth	65	27	13	6	12	58	4	2		64	1				
35	External causes	18	1			2	3		1		4	2	2	6	1	3
38	Diseases ill-defined or unknown	3				1	1	1			2				1	
	All other causes	96	2	1	3	8	14	10	5	5	34	8	7	16	17	14
	PITTSBURGH, PA. (WHITE).															
	All causes	1,786	249	98	68	114	529	103	59	55	746	157	141	278	223	241
5	Measles	38						1			1	1	1	5	10	20
6	Scarlet fever	1													1	
7	Whooping cough	45								2	2	3	5	16	5	14
8	Diphtheria and croup	10												2	2	6
9	Influenza	9						1			1	1		4		3
(12)	Dysentery	3						1			1			1		1
(12)	Erysipelas	5							1		1	2		2		
(37)	Tetanus	2							1		1	1				
13	Tuberculosis of the lungs	12										1	1	5	3	2
14	Tuberculous meningitis	16											1	2	6	7
15	Other forms of tuberculosis	3										1			2	
(37)	Syphilis	24	3		2	1	6	4		1	11	6	4	3		
17	Meningitis	14				1	1	2			3	1	1	1	6	2
(37)	Convulsions	16	1	1	2	2	6	1		2	9	5		1	1	
19	Organic diseases of the heart	3												1	2	
20	Acute bronchitis	45						7	2	1	10	5	4	9	8	9
22	Pneumonia	65				3	3	3	1	2	9	5	6	10	16	19
(23)	Bronchopneumonia	160			2	3	5	1	4	10	20	15	23	42	33	27
24	Diseases of the stomach	17				1	1	1			2	2	3	1	2	7
25	Diarrhea and enteritis	508			3	6	9	9	13	20	51	59	67	126	102	103
(33)	Malformations	107	27	13	11	15	66	12	4	5	87	11	5	3		1
(33)	Premature birth	350	148	60	30	40	278	31	17	6	332	12		3	2	1
(33,37)	Congenital debility	163	42	10	9	19	80	15	8	1	104	16	12	23	5	3
(37)	Injuries at birth	63	25	13	6	12	56	4	2		62	1				
35	External causes	14	1			2	3		1		4	2	1	3	1	3
38	Diseases ill-defined or unknown	3				1	1	1			2				1	
	All other causes	90	2	1	3	8	14	9	5	5	33	7	7	15	15	13

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PITTSBURGH, PA. (COLORED).															
	All causes	107	12	3	3	7	25	7	4	5	41	5	8	17	24	12
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	9										1		4	3	1
8	Diphtheria and croup															
9	Influenza	2														2
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	5				1	1		1		2	1	1		1	
17	Meningitis															
(37)	Convulsions	2													1	1
19	Organic diseases of the heart															
20	Acute bronchitis	1													1	
22	Pneumonia	5												1	4	
(23)	Bronchopneumonia	14						2			2		2	3	3	4
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	17						1		2	3	1	2	3	6	2
(33)	Malformations	1						1			1					
(33)	Premature birth	24	9	2	3	5	19	1	2	2	24					
(33,37)	Congenital debility	11	1	1		1	3	1	1	1	6	1	1	2	1	
(37)	Injuries at birth	2	2				2				2					
35	External causes	4											1	3		
38	Diseases ill-defined or unknown															
	All other causes	6						1			1	1		1	2	1
	SCRANTON, PA.															
	All causes	476	57	31	14	34	136	29	19	17	201	37	31	89	68	50
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	3								1	1		1	1		
8	Diphtheria and croup	3						1		1	2					1
9	Influenza	3								1	1			1	1	
(12)	Dysentery	1														1
(12)	Erysipelas	2						1			1	1				
(37)	Tetanus															
13	Tuberculosis of the lungs	3												2		1
14	Tuberculous meningitis	2										1			1	
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	4							1		1	2				
17	Meningitis	1												1		
(37)	Convulsions	11	2	3	1	2	8	1		1	10			1		
19	Organic diseases of the heart															
20	Acute bronchitis	8						1			1	1	3		2	1
22	Pneumonia	24							2	2	4	5	1	7	4	3
(23)	Bronchopneumonia	38		2		3	5	2	2	3	12	2	2	9	11	2
24	Diseases of the stomach	5										1	1	1		2
25	Diarrhea and enteritis	173		1	1	3	5	2	9	3	19	14	16	53	39	32
(33)	Malformations	21	4	3	2	4	13	3		1	17	1	1	2		
(33)	Premature birth	93	39	17	5	9	70	14	3	2	89	2	1	1		
(33,37)	Congenital debility	30	6	2	4	5	17	2			19	5	3	3		
(37)	Injuries at birth	14	5	3	1	4	13		1		14					
35	External causes	3	1				1				1				1	1
38	Diseases ill-defined or unknown															
	All other causes	31				4	4	2	1	2	9	2	2	6	8	4
	PROVIDENCE, R. I.															
	All causes	657	92	35	27	47	201	37	30	20	288	48	48	124	84	65
5	Measles	18												2	9	7
6	Scarlet fever	1												1		
7	Whooping cough	6												2	1	3
8	Diphtheria and croup	3												2	1	
9	Influenza	1														1
(12)	Dysentery	1						1			1					
(12)	Erysipelas	5						1			1	1		3		
(37)	Tetanus															
13	Tuberculosis of the lungs	6										2		1	1	2
14	Tuberculous meningitis	9													4	5
15	Other forms of tuberculosis	5											1	3		1
(37)	Syphilis	14	4	1		1	6	1		1	8	2	2	2		
17	Meningitis	3												1	1	1
(37)	Convulsions	5				1	1				1			1	2	1
19	Organic diseases of the heart															
20	Acute bronchitis	16				1	1	1	3	3	8	4		1	2	1
22	Pneumonia	29	1			1	2	2		1	5	1	4	7	8	4
(23)	Bronchopneumonia	60			1	1	2	5	6		13	4	6	13	13	11
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	131				1	1	2	1	2	6	13	22	49	25	16
(33)	Malformations	37	9	7	5	5	26	1	2	1	30	4	1	2		
(33)	Premature birth	108	41	16	8	9	74	13	8	6	101	4	1	1	1	
(33,37)	Congenital debility	91	5	4	3	11	23	6	7	3	39	10	7	22	8	5
(37)	Injuries at birth	61	32	7	7	12	58		1	2	61					
35	External causes	7			2		2				2			3	1	
38	Diseases ill-defined or unknown	8			1	1	2		1		3	1	1	2		1
	All other causes	31				3	3	4	1	1	9	2	3	5	7	1 5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	RICHMOND, VA. (TOTAL).															
	All causes	534	80	24	11	33	148	27	20	10	205	44	38	120	70	57
5	Measles	10												2	4	4
6	Scarlet fever															
7	Whooping cough	21								2	2		3	7	8	1
8	Diphtheria and croup															
9	Influenza	2										1				1
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus	1														1
13	Tuberculosis of the lungs	3											1	1		1
14	Tuberculous meningitis	7												6	1	
15	Other forms of tuberculosis															
(37)	Syphilis	27	2				2		3		5	5	5	9	2	1
17	Meningitis	5												1		4
(37)	Convulsions	12				2	2	2			4		3	3		2
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	14										2	2	6	1	3
22	Pneumonia	12				2	2				2	1		7		2
(23)	Bronchopneumonia	55				1	1	4		1	6	5	4	13	14	13
24	Diseases of the stomach	15				2	2	2	1		5	1	3	3	1	2
25	Diarrhea and enteritis	94				1	1	2	2	1	6	6	8	35	25	14
(33)	Malformations	16	1	2	1	2	6	4	3		13	2		1		
(33)	Premature birth	117	51	18	6	14	89	6	4	4	103	9	3	2		
(33,37)	Congenital debility	71	13	2	2	3	20	6	5	2	33	6	3	15	9	5
(37)	Injuries at birth	12	6		2	4	12				12					
35	External causes	10	5			2	7				7	2	1			
38	Diseases ill-defined or unknown	6		1			1		1		2	1		2	1	
	All other causes	22	2	1			3	1	1		5	2	2	6	4	3
	RICHMOND, VA. (WHITE).															
	All causes	256	46	11	6	17	80	10	7	6	103	26	16	50	33	28
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	8								1	1		2	4	1	
8	Diphtheria and croup															
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1														1
13	Tuberculosis of the lungs	2											1			1
14	Tuberculous meningitis	4												4		
15	Other forms of tuberculosis															
(37)	Syphilis	16							2		2	4	4	3	2	1
17	Meningitis	4												1		3
(37)	Convulsions	1				1	1				1					
19	Organic diseases of the heart	1										1				
20	Acute bronchitis															
22	Pneumonia	2												1		1
(23)	Bronchopneumonia	22										4	1	4	7	6
24	Diseases of the stomach	6						1			1	1	1	2		1
25	Diarrhea and enteritis	43										4	2	18	13	6
(33)	Malformations	14		2	1	2	5	4	2		11	2		1		
(33)	Premature birth	68	31	9	4	8	52	3	1	4	60	5	2	1		
(33,37)	Congenital debility	34	7				7	2	2	1	12	3	1	9	6	3
(37)	Injuries at birth	10	5		1	4	10				10					
35	External causes	4	1			2	3				3		1			
38	Diseases ill-defined or unknown															
	All other causes	13	2				2				2	2	1	2	3	3
	RICHMOND, VA. (COLORED).															
	All causes	278	34	13	5	16	68	17	13	4	102	18	22	70	37	29
5	Measles	8												2	3	3
6	Scarlet fever															
7	Whooping cough	13								1	1		1	3	7	1
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	3												2	1	
15	Other forms of tuberculosis															
(37)	Syphilis	11	2				2		1		3	1	1	6		
17	Meningitis	1														1
(37)	Convulsions	11				1	1	2			3		3	3		2
19	Organic diseases of the heart															
20	Acute bronchitis	14										2	2	6	1	3
22	Pneumonia	10				2	2				2	1		6		1
(23)	Bronchopneumonia	33				1	1	4		1	6	1	3	9	7	7
24	Diseases of the stomach	9				2	2	1	1		4		2	1	1	1
25	Diarrhea and enteritis	51				1	1	2	2	1	6	2	6	17	12	8
(33)	Malformations	2	1				1		1		2					
(33)	Premature birth	49	20	9	2	6	37	3	3		43	4	1	1		
(33,37)	Congenital debility	37	6	2	2	3	13	4	3	1	21	3	2	6	3	2
(37)	Injuries at birth	2	1		1		2				2					
35	External causes	6	4				4				4	2				
38	Diseases ill-defined or unknown	6		1			1		1		2	1		2	1	
	All other causes	9		1			1	1	1		3		1	4	1	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1916—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF—													
			Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SEATTLE, WASH.															
	All causes	276	58	27	9	32	126	17	10	17	170	24	16	27	17	22
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	9								1	1	2		3		3
8	Diphtheria and croup															
9	Influenza	7							1	1	2	3		1		1
(12)	Dysentery	1										1				
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	5												1	2	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	2											2			
17	Meningitis	4										1		1		2
(37)	Convulsions	3	1	1		1	3				3					
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	3							1		1			1		1
22	Pneumonia	6								1	1	1	3			1
(23)	Bronchopneumonia	20		1		1	2				2	3	1	4	6	4
24	Diseases of the stomach	7										1	2	1	2	1
25	Diarrhea and enteritis	16				1	1			1	2	4	2	5	2	1
(33)	Malformations	26	3	5	2	3	13	2	1	3	19	1	3	1	1	1
(33)	Premature birth	71	41	13	1	2	57	5	3	4	69	1		1		
(33,37)	Congenital debility	44	7	2	2	13	24	8	2	5	39	1		3	1	
(37)	Injuries at birth	16	5	3	2	4	14	1		1	16					
35	External causes	7			2	1	3		1		4			2	1	
38	Diseases ill-defined or unknown	2		1			1				1	1				
	All other causes	20	1	1		5	7	1	1		9	4	3	2	1	1
	SPOKANE, WASH.															
	All causes	114	27	8	7	13	55	4	4	5	68	7	9	11	8	11
5	Measles	3												2	1	
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup															
9	Influenza	2				1	1				1			1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis															
(37)	Syphilis	2							1		1		1			
17	Meningitis															
(37)	Convulsions	1												1		
19	Organic diseases of the heart															
20	Acute bronchitis	3										1	1			1
22	Pneumonia	1			1		1				1					
(23)	Bronchopneumonia	14				2	2	1	1	1	5		2		2	
24	Diseases of the stomach															
25	Diarrhea and enteritis	13								1	1	2	2	4	2	2
(33)	Malformations	11	1	2	2	3	8		1		9		1			1
(33)	Premature birth	29	16	3	3	3	25	2		1	28	1				
(33,37)	Congenital debility	13	3	2	1	1	7	1	1	1	10	2		1		
(37)	Injuries at birth	9	6			3	9				9					
35	External causes	2		1			1				1	1				
38	Diseases ill-defined or unknown															
	All other causes	8	1				1			1	2		1	2	2	1
	MILWAUKEE, WIS.															
	All causes	1,255	209	54	57	97	417	69	46	42	574	94	76	193	173	145
5	Measles	28												3	10	15
6	Scarlet fever	3												1	1	1
7	Whooping cough	23								1	1		1	6	8	7
8	Diphtheria and croup	4														4
9	Influenza	6										1	1	4		
(12)	Dysentery	2												1		1
(12)	Erysipelas	2								1	1	1				
(37)	Tetanus															
13	Tuberculosis of the lungs	5										1		2	1	1
14	Tuberculous meningitis	12							1		1		1	1	4	5
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	2						1			1			1		
17	Meningitis	11			1		1				1	4		3	2	1
(37)	Convulsions	29		2	2	8	12	1	2	2	17	1	3	1	6	1
19	Organic diseases of the heart	3										1		1		1
20	Acute bronchitis	53				3	3		4	2	9	4	6	18	9	7
22	Pneumonia	52				4	4	1	2		7	4	7	11	15	8
(23)	Bronchopneumonia	130			1	5	6	5	3	8	22	13	10	25	26	34
24	Diseases of the stomach	31			1	2	3	3	2	2	10	6	3	7	4	1
25	Diarrhea and enteritis	267	1		1	8	10	8	8	12	38	30	21	77	59	42
(33)	Malformations	56	12	2	11	8	33	7	4		44	5	3	2	1	1
(33)	Premature birth	225	122	30	15	19	186	16	9	6	217	3	2	3		
(33,37)	Congenital debility	182	46	11	16	30	103	25	8	4	140	10	14	14	3	1
(37)	Injuries at birth	50	27	8	6	7	48				48	2				
35	External causes	7			1		1	1			2	1		2	2	
38	Diseases ill-defined or unknown	1													1	
	All other causes	70	1	1	2	3	7	1	3	4	15	8	4	12	17	14

SUPPLEMENT

HAWAII AND PORTO RICO

SUPPLEMENT.

HAWAII AND PORTO RICO.

Although Hawaii and Porto Rico are not yet in the registration area for deaths, the vital statistics of these territories are of such general interest that a few mortality figures from the official reports, together with mortality rates based upon the population as estimated by the United States Bureau of the Census, are given in the following tables. It is hoped that these territories will soon enter the registration area, after which it will be possible to compile uniform mortality tables.

Additional population figures for Hawaii and Porto Rico, according to the census of 1910, may be found in Volumes I and III of the final reports of the Thirteenth Census of the United States, 1910.

HAWAII.

The population of Hawaii, according to the census of 1910, was 191,909 and the population January 1, 1916, as estimated by the United States Bureau of the Census, was 213,821. The deaths are for the year ending June 30, 1916, and the tables have been compiled from the annual report of the registrar-general of Hawaii for that year. The death rates are based upon the estimated population.

TABLE 1.—DEATHS IN THE TERRITORY OF HAWAII, BY NATIONALITY AND COUNTY, FOR THE YEAR ENDING JUNE 30, 1916.

NATIONALITY.	NUMBER OF DEATHS[1] FOR THE YEAR ENDING JUNE 30, 1916.						
	Territory of Hawaii.	City of Honolulu.	County of Honolulu (exclusive of city of Honolulu).	County of Hawaii.	County of Kalawao.	County of Kauai.	County of Maui.
Total	3,940	1,321	401	962	79	502	675
British	41	28	1	6	.....	3	3
Chinese	274	168	18	22	3	27	36
Filipino	223	26	39	77	.....	53	28
German	24	16	2	2	1	2	1
Hawaiian	942	372	66	206	67	87	144
Japanese	1,385	299	191	405	.....	212	278
Korean	51	17	6	13	.....	8	7
Asiatic-Hawaiian	94	58	5	9	1	7	14
Caucasian-Hawaiian	181	111	17	21	5	4	23
Portuguese	379	101	26	114	2	56	80
Porto Rican	107	14	8	52	.....	14	19
Russian	8	3	.....	1	.....	2	2
Spanish	79	7	2	21	.....	23	26
Other nationalities	152	101	20	13	.....	4	14

[1] Exclusive of stillbirths.

TABLE 2.—POPULATION OF THE TERRITORY OF HAWAII, BY NATIONALITY AND COUNTY, ACCORDING TO THE CENSUS OF 1910.

NATIONALITY.	POPULATION, APRIL 15, 1910.						
	Territory of Hawaii.	City of Honolulu.	County of Honolulu (exclusive of city of Honolulu).	County of Hawaii.	County of Kalawao.	County of Kauai.	County of Maui.
Total	191,909	52,183	29,845	55,382	785	23,952	29,762
British	629	403	57	93	2	30	44
Chinese	21,674	9,574	4,150	2,995	46	2,312	2,597
Filipino	2,361	87	477	1,251	1	372	173
German	905	477	86	108	13	160	61
Hawaiian	26,041	7,910	2,657	7,156	520	2,208	5,590
Japanese	79,675	12,093	15,035	27,237	26	12,541	12,743
Korean	4,533	460	696	1,619	3	969	786
Asiatic-Hawaiian	3,734	1,380	351	966	25	242	770
Caucasian-Hawaiian	8,772	4,233	752	1,802	79	556	1,350
Portuguese	22,301	6,147	2,632	7,100	25	2,643	3,754
Porto Rican	4,890	387	963	2,060	2	743	735
Russian	1,077	790	99	72	1	49	66
Spanish	1,990	258	424	839	.....	339	130
Other nationalities	13,327	7,984	1,466	2,084	42	788	963

TABLE 3.—FIFTEEN PRINCIPAL CAUSES OF DEATHS IN THE TERRITORY OF HAWAII, IN THEIR NUMERICAL IMPORTANCE, FOR THE YEAR ENDING JUNE 30, 1916.

CAUSE OF DEATH.	NUMBER OF DEATHS FOR THE YEAR ENDING JUNE 30, 1916.							Death rate per 1,000 population.[1]
	City of Honolulu.	County of Honolulu (exclusive of city of Honolulu).	County of Hawaii.	County of Kalawao.	County of Kauai.	County of Maui.	Territory of Hawaii.	
All causes[2]	1,321	401	962	79	502	675	3,940	18.4
Diarrhea and enteritis (under 2 years)	128	59	146	2	83	76	494	2.3
Tuberculosis (all forms)	221	26	92	....	36	53	428	2.0
Bronchopneumonia	65	53	99	1	62	92	372	1.7
Organic diseases of the heart	75	9	40	2	20	32	178	0.8
Measles	19	23	43	....	41	42	168	0.8
Cancer (all forms)	68	10	20	....	16	22	136	0.6
Bright's disease	57	12	29	1	12	19	130	0.6
Cerebral hemorrhage, apoplexy	48	10	37	....	15	14	124	0.6
Pneumonia (lobar and unqualified)	46	9	25	1	22	19	122	0.6
Diarrhea and enteritis (2 years and over)	33	10	34	1	18	12	108	0.5
Acute bronchitis	26	4	38	1	22	12	103	0.5
Congenital debility, "atrophy," "marasmus," etc	29	15	33	2	5	9	93	0.4
Premature birth	39	7	16	....	7	16	85	0.4
Influenza	18	13	31	5	2	8	77	0.4
Syphilis	27	7	6	....	2	7	49	0.2
All other causes	422	134	273	63	139	242	1,273	6.0

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Exclusive of stillbirths.

TABLE 4.—DEATHS IN THE TERRITORY OF HAWAII, BY SEX, COUNTY, AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1916.

SEX AND COUNTY.	All deaths.[1]	MONTH OF DEATH.											
		July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
Total	3,940	293	258	241	253	266	376	467	371	422	376	316	301
Male	2,342	171	164	147	159	153	232	271	209	241	221	185	189
Female	1,598	122	94	94	94	113	144	196	162	181	155	131	112
City of Honolulu	1,321	89	98	96	100	100	149	135	108	136	109	107	94
County of Honolulu (exclusive of city of Honolulu)	401	37	21	31	24	28	30	54	36	51	33	33	23
County of Hawaii	962	90	48	56	56	57	92	142	93	84	93	80	71
County of Kalawao	79	4	8	3	3	3	6	5	11	16	8	2	10
County of Kauai	502	39	48	26	32	27	25	55	50	56	62	36	46
County of Maui	675	34	35	29	38	51	74	76	73	79	71	58	57

[1] Exclusive of stillbirths.

TABLE 5.—DEATHS IN THE TERRITORY OF HAWAII AND DEATH RATES PER 100,000 POPULATION, BY NATIONALITY, FOR THE YEAR ENDING JUNE 30, 1916.

Detailed Int. List No.	CAUSE OF DEATH.	Deaths in Territory of Hawaii.	Death rate per 100,000 population.[1]	DEATHS BY NATIONALITY.													
				British.	Chinese.	Filipino.	German.	Hawaiian.	Japanese.	Korean.	Asiatic Hawaiian.	Caucasian Hawaiian.	Portuguese.	Porto Rican.	Russian.	Spanish.	Other.
	All causes [2]	3,940	1,842.7	41	274	223	24	942	1,385	51	94	181	379	107	8	79	152
	I.—General diseases	1,186	554.7	11	97	42	8	319	411	21	22	57	98	36	2	18	44
1	Typhoid fever	29	13.6	2				13	10			1	2				1
2	Typhus fever																
3	Relapsing fever																
4	Malaria																
5	Smallpox																
6	Measles	168	78.6		4	1		10	76		1	8	38	19		9	2
7	Scarlet fever	1	0.5									1					
8	Whooping cough	19	8.9		1	2		2	8		1	3	2				
9	Diphtheria and croup	35	16.4		6	1		2	19		1	2	3	1			
10	Influenza	77	36.0	1	4	1	3	15	40	1	2	4	3			2	1
11	Miliary fever																
12	Asiatic cholera																
13	Cholera nostras																
14	Dysentery	35	16.4		4	1		15	5		1		6			1	2
15	Plague	4	1.9						2	1			1				
16	Yellow fever																
17	Leprosy	46	21.5		2	1		41				2					
18	Erysipelas	6	2.8						5								1
19	Other epidemic diseases																
20	Purulent infection and septicemia	35	16.4	1	1	4		7	10		1		7	2			2
21	Glanders																
22	Anthrax	1	0.5						1								
23	Rabies																
24	Tetanus	7	3.3		1			2	2			1	1				
25	Mycoses	1	0.5						1								
26	Pellagra																
27	Beriberi	41	19.2			3			37				1				
	Tuberculosis (total)	428	200.2	1	36	22	1	151	123	14	12	16	21	8	1	1	21
28	Tuberculosis of the lungs	359	167.9		35	20	1	126	96	12	11	12	19	8	1	1	17
29	Acute miliary tuberculosis	5	2.3					2	1				1				1
30	Tuberculous meningitis	21	9.8			1		3	11		1	3	1				1
31	Abdominal tuberculosis	18	8.4		1			6	8			1					2
32	Pott's disease	11	5.1	1				4	4	2							
33	White swellings	3	1.4			1		2									
34	Tuberculosis of other organs	9	4.2					6	3								
35	Disseminated tuberculosis	2	0.9					2									
36	Rickets	4	1.9						1				1	1		1	
37	Syphilis	49	22.9		10	4		12	13	1	1	3	2	2		1	
38	Gonococcus infection	2	0.9					1					1				
	Cancer and other malignant tumors (total)	136	63.6	6	16	2	3	33	41	4	1	10	8	3	1	3	5
39	Of the buccal cavity	5	2.3	1				1				1	1		1		
40	Of the stomach, liver	74	34.6	3	12	1	3	13	23	2		4	5	3		2	3
41	Of the peritoneum, intestines, rectum	10	4.7	1	2	1		3	2			1					
42	Of the female genital organs	22	10.3					7	10	1	1	2	1				
43	Of the breast	4	1.9					2				1				1	
44	Of the skin	2	0.9		1			1									
45	Of other organs or of organs not specified	19	8.9	1	1			6	6	1		1	1				2

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Exclusive of stillbirths.

TABLE 5.—DEATHS IN THE TERRITORY OF HAWAII AND DEATH RATES PER 100,000 POPULATION, BY NATIONALITY, FOR THE YEAR ENDING JUNE 30, 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Deaths in Territory of Hawaii.	Death rate per 100,000 population.[1]	DEATHS BY NATIONALITY.													
				British.	Chinese.	Filipino.	German.	Hawaiian.	Japanese.	Korean.	Asiatic Hawaiian.	Caucasian Hawaiian.	Portuguese.	Porto Rican.	Russian.	Spanish.	Other.
	I.—General diseases—Continued.																
46	Other tumors (tumors of the female genital organs excepted)	1	0.5					1									
47	Acute articular rheumatism	2	0.9					1	1								
48	Chronic rheumatism and gout																
49	Scurvy																
50	Diabetes	13	6.1		1			4	2			1	1				4
51	Exophthalmic goiter	3	1.4						3								
52	Addison's disease																
53	Leukemia	5	2.3						2			1					2
54	Anemia, chlorosis	4	1.9				1		1								2
55	Other general diseases	5	2.3		1			1	3								
56	Alcoholism (acute or chronic)	19	8.9		1			7	5		1	4					1
57	Chronic lead poisoning																
58	Other chronic occupation poisonings																
59	Other chronic poisonings	10	4.7		9			1									
	II.—Diseases of the nervous system and of the organs of special sense	233	109.0	4	12	10	1	71	76	4	7	7	17	4	1	3	16
60	Encephalitis	7	3.3			1		2	4								
61	Meningitis (total)	38	17.8	1	1	1		3	22	2	2		5				1
	Simple meningitis	33	15.4	1	1			2	22	1	2		4				
	Cerebrospinal meningitis (undefined)	3	1.4			1							1				1
	Cerebrospinal fever	2	0.9					1		1							
62	Locomotor ataxia	1	0.5					1									
63	Other diseases of the spinal cord (total)	6	2.8			1		4						1			
	Acute anterior poliomyelitis																
	Other diseases of the spinal cord [2]	6	2.8			1		4						1			
64	Cerebral hemorrhage, apoplexy	124	58.0	3	5	3		44	42	2	3	2	8		1	1	10
65	Softening of the brain	1	0.5														1
66	Paralysis without specified cause	13	6.1		2			6			1	2	1				1
67	General paralysis of the insane	9	4.2		1		1	4	1				1			1	
68	Other forms of mental alienation	3	1.4					1	1					1			
69	Epilepsy	6	2.8		1	1		1				1					2
70	Convulsions (nonpuerperal)																
71	Convulsions of infants	17	8.0		2	2		2	4		1	1	1	2		1	1
72	Chorea																
73	Neuralgia and neuritis	1	0.5					1									
74	Other diseases of the nervous system	1	0.5									1					
75	Diseases of the eyes and their annexa	1	0.5					1									
76	Diseases of the ears	5	2.3			1		1	2				1				
	III.—Diseases of the circulatory system	243	113.7	9	28	6	4	88	49	2	2	8	28	1	2	2	14
77	Pericarditis	4	1.9					1	1			1	1				
78	Acute endocarditis	23	10.8		2		1	8	8		1		2				1
79	Organic diseases of the heart	178	83.3	8	21	4	3	60	36	2	1	5	22	1	1	2	12
80	Angina pectoris	13	6.1	1	1	1		2	2			1	3		1		1
81	Diseases of the arteries, atheroma, aneurism, etc	22	10.3		3			16	2			1					
82	Embolism and thrombosis	2	0.9			1		1									
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	0.5		1												
85	Hemorrhage; other diseases of the circulatory system																
	IV.—Diseases of the respiratory system	674	315.2	2	36	53	2	152	253	3	19	33	64	35	1	12	9
86	Diseases of the nasal fossae	1	0.5						1								
87	Diseases of the larynx	8	3.7		2			1	4			1					
88	Diseases of the thyroid body																
89	Acute bronchitis	103	48.2	1	1	9		20	51	1	2	2	8	7		1	
90	Chronic bronchitis	35	16.4		3			15	12				5				
91	Bronchopneumonia	372	174.0	1	20	35	1	67	150	1	13	20	34	16	1	8	5
92	Pneumonia (total)	122	57.1		8	7		36	26	1	3	10	14	11		3	3
	Lobar pneumonia	116	54.3		7	7		34	25	1	3	9	13	11		3	3
	Pneumonia (undefined)	6	2.8		1			2	1			1	1				
93	Pleurisy	19	8.9		1	1		6	8		1		1	1			
94	Pulmonary congestion, pulmonary apoplexy	4	1.9			1	1						1				1
95	Gangrene of the lung	1	0.5						1								
96	Asthma	4	1.9					4									
97	Pulmonary emphysema	3	1.4		1			1					1				
98	Other diseases of the respiratory system (tuberculosis excepted)	2	0.9					2									

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 5.—DEATHS IN THE TERRITORY OF HAWAII AND DEATH RATES PER 100,000 POPULATION, BY NATIONALITY, FOR THE YEAR ENDING JUNE 30, 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Deaths in Territory of Hawaii.	Death rate per 100,000 population.[1]	DEATHS BY NATIONALITY.													
				British.	Chinese.	Filipino.	German.	Hawaiian.	Japanese.	Korean.	Asiatic Hawaiian.	Caucasian Hawaiian.	Portuguese.	Porto Rican.	Russian.	Spanish.	Other.
	V.—Diseases of the digestive system	746	348.9	1	44	69	2	137	275	6	24	40	94	15	2	24	13
99	Diseases of the mouth and annexa	1	0.5								1						
100	Diseases of the pharynx	2	0.9		1			1									
101	Diseases of the esophagus																
102	Ulcer of the stomach	18	8.4		2	1		5	7	1							2
103	Other diseases of the stomach (cancer excepted)	18	8.4		2	3		3	5		2					2	1
104	Diarrhea and enteritis (under 2 years)	494	231.0		18	54		80	173	2	17	35	77	13	2	18	5
105	Diarrhea and enteritis (2 years and over)	108	50.5		10	6	2	23	47	1	2	3	11	2			1
106	Ankylostomiasis	1	0.5										1				
107	Intestinal parasites	3	1.4					1				1	1				
108	Appendicitis and typhlitis	17	8.0		2			3	6		1	1	2			1	1
109	Hernia, intestinal obstruction (total)	27	12.6	1		2		7	12				2			3	
	Hernia	9	4.2					5	2				2				
	Intestinal obstruction	18	8.4	1		2		2	10							3	
110	Other diseases of the intestines	5	2.3					1	3								1
111	Acute yellow atrophy of the liver	4	1.9		1	1		1		1							
112	Hydatid tumor of the liver																
113	Cirrhosis of the liver	11	5.1		3			4	4								
114	Biliary calculi	6	2.8		1				4								1
115	Other diseases of the liver	21	9.8		3	1		5	10	1							1
116	Diseases of the spleen																
117	Simple peritonitis (nonpuerperal)	8	3.7			1		2	4		1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	0.9		1			1									
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	184	86.1	4	16	2	1	62	51	3	2	9	21	1		2	10
119	Acute nephritis	33	15.4		1			10	17			2	1				2
120	Bright's disease	130	60.8	3	14	2	1	47	29	3	1	4	16	1		2	7
121	Chyluria																
122	Other diseases of the kidneys and annexa	5	2.3					1	1			1	2				
123	Calculi of the urinary passages																
124	Diseases of the bladder	3	1.4	1	1			1									
125	Diseases of the urethra, urinary abscess, etc	1	0.5										1				
126	Diseases of the prostate	2	0.9										1				1
127	Nonvenereal diseases of the male genital organs																
128	Uterine hemorrhage (nonpuerperal)																
129	Uterine tumor (noncancerous)	1	0.5						1								
130	Other diseases of the uterus	3	1.4					1	1		1						
131	Cysts and other tumors of the ovary	4	1.9					2	2								
132	Salpingitis and other diseases of the female genital organs	2	0.9									2					
133	Nonpuerperal diseases of the breast (cancer excepted)																
	VII.—The puerperal state	65	30.4		4	2		10	40		2	1	1	2		2	1
134	Accidents of pregnancy	3	1.4		1			1	1								
135	Puerperal hemorrhage	16	7.5		1	1		2	10							2	
136	Other accidents of labor	6	2.8					1	5								
137	Puerperal septicemia	31	14.5		1	1		6	18		2	1	1	1			
138	Puerperal albuminuria and convulsions	6	2.8		1				3					1			1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	0.5						1								
140	Following childbirth (not otherwise defined)	2	0.9						2								
141	Puerperal diseases of the breast																
	VIII.—Diseases of the skin and of the cellular tissue	18	8.4	1	3			8	3			2					1
142	Gangrene	9	4.2		1			5	3								
143	Furuncle	5	2.3	1	1			2				1					
144	Acute abscess	3	1.4					1				1					1
145	Other diseases of the skin and annexa	1	0.5		1												
	IX.—Diseases of the bones and of the organs of locomotion	8	3.7					2	2			1	3				
146	Diseases of the bones (tuberculosis excepted)	7	3.3					2	2				3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	0.5									1					
148	Amputations																
149	Other diseases of the organs of locomotion																

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.

TABLE 5.—DEATHS IN THE TERRITORY OF HAWAII AND DEATH RATES PER 100,000 POPULATION, BY NATIONALITY, FOR THE YEAR ENDING JUNE 30, 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Deaths in Territory of Hawaii.	Death rate per 100,000 population.[1]	DEATHS BY NATIONALITY.													
				British.	Chinese.	Filipino.	German.	Hawaiian.	Japanese.	Korean.	Asiatic Hawaiian.	Caucasian Hawaiian.	Portuguese.	Porto Rican.	Russian.	Spanish.	Other.
	X.—Malformations	35	16.4	.....	1	1	.....	3	19	.....	1	2	7	.....	.....	.....	1
150	Congenital malformations (stillbirths not included) (total)	35	16.4	.....	1	1	.....	3	19	.....	1	2	7	.....	.....	.....	1
	Hydrocephalus	8	3.7	.....	.....	.....	.....	1	4	.....	.....	2	1	.....	.....	.....	.....
	Congenital malformations of the heart	19	8.9	.....	1	1	.....	2	9	.....	1	.....	4	.....	.....	.....	1
	Other congenital malformations	8	3.7	.....	.....	.....	.....	.....	6	.....	.....	.....	2	.....	.....	.....	.....
	XI.—Early infancy	226	105.7	1	12	19	.....	36	100	3	9	13	17	8	.....	4	4
151	Congenital debility, icterus, and sclerema (total)	178	83.3	1	11	14	.....	28	73	2	7	12	16	8	.....	4	2
	Premature birth	85	39.8	.....	7	5	.....	14	37	1	2	8	4	3	.....	3	1
	Congenital debility, "atrophy," "marasmus," etc	93	43.5	1	4	9	.....	14	36	1	5	4	12	5	.....	1	1
152	Other causes peculiar to early infancy (total)	47	22.0	.....	1	5	.....	8	26	1	2	1	1	.....	.....	.....	2
	Injuries at birth	10	4.7	.....	.....	2	.....	.....	6	.....	1	.....	.....	.....	.....	.....	1
	Other causes peculiar to early infancy [2]	37	17.3	.....	1	3	.....	8	20	1	1	1	1	.....	.....	.....	1
153	Lack of care	1	0.5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	29	13.6	2	4	.....	.....	19	1	.....	.....	.....	1	.....	.....	.....	2
154	Senility	29	13.6	2	4	.....	.....	19	1	.....	.....	.....	1	.....	.....	.....	2
	XIII.—External causes	286	133.8	6	17	18	6	33	104	9	6	8	27	5	.....	11	36
	Suicide (total)	56	26.2	2	5	3	4	2	20	2	1	1	3	1	.....	.....	12
155	By poison	15	7.0	1	.....	.....	1	1	7	1	1	.....	.....	1	.....	.....	2
156	By asphyxia	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	21	9.8	.....	5	1	2	.....	8	1	.....	.....	1	.....	.....	.....	3
158	By drowning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
159	By firearms	12	5.6	1	.....	1	1	.....	3	.....	.....	.....	.....	.....	.....	.....	6
160	By cutting or piercing instruments	7	3.3	.....	.....	1	.....	1	2	.....	.....	1	1	.....	.....	.....	1
161	By jumping from high places	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
162	By crushing	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
163	Other suicides	1	0.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	Accidental or undefined (total)	208	97.3	4	11	12	2	28	78	4	4	6	24	4	.....	11	20
164	Poisoning by food	4	1.9	.....	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
165	Other acute poisonings	13	6.1	1	1	.....	.....	5	4	.....	1	.....	.....	1	.....	.....	.....
166	Conflagration	3	1.4	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
167	Burns (conflagration excepted)	13	6.1	.....	.....	.....	1	.....	6	.....	1	1	2	.....	.....	.....	2
168	Absorption of deleterious gases (conflagration excepted)	2	0.9	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....
169	Accidental drowning	62	29.0	.....	3	4	.....	5	19	1	.....	3	12	1	.....	8	6
170	Traumatism by firearms	6	2.8	1	.....	1	.....	.....	2	.....	.....	.....	.....	1	.....	.....	1
171	Traumatism by cutting or piercing instruments	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	37	17.3	1	1	.....	.....	5	16	2	1	.....	3	1	.....	1	6
173	Traumatism in mines and quarries (total)	4	1.9	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
	Traumatism in mines	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	4	1.9	.....	.....	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	.....
174	Traumatism by machines	4	1.9	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....
175	Traumatism by other crushing (total)	38	17.8	1	3	3	.....	3	17	1	.....	.....	4	.....	.....	2	4
	Railroad accidents and injuries	14	6.6	.....	2	3	.....	.....	5	1	.....	.....	1	.....	.....	2	.....
	Street-car accidents and injuries	1	0.5	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	Automobile accidents and injuries	12	5.6	1	1	.....	.....	3	4	.....	.....	.....	1	.....	.....	.....	2
	Injuries by other vehicles	5	2.3	.....	.....	.....	.....	.....	3	.....	.....	.....	2	.....	.....	.....	.....
	Landslide, other crushing	6	2.8	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	2
	Bicycle accidents and injuries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Motorcycle accidents and injuries	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
176	Injuries by animals	5	2.3	.....	.....	.....	.....	2	1	.....	.....	1	1	.....	.....	.....	.....
177	Starvation	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
178	Excessive cold	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
179	Effects of heat	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
180	Lightning	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
181	Electricity (lightning excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
185	Fractures (cause not specified)	1	0.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
186	Other external violence	16	7.5	.....	.....	3	1	3	6	.....	1	1	1	.....	.....	.....	.....
	Homicide (total)	22	10.3	.....	1	3	.....	2	6	4	1	1	.....	.....	.....	.....	4
182	By firearms	9	4.2	.....	1	1	.....	1	1	3	.....	.....	.....	.....	.....	.....	2
183	By cutting or piercing instruments	8	3.7	.....	.....	2	.....	1	1	1	1	1	.....	.....	.....	.....	1
184	By other means	5	2.3	.....	.....	.....	.....	.....	4	.....	.....	.....	.....	.....	.....	.....	1
	XIV.—Ill-defined diseases	7	3.3	.....	.....	1	.....	2	1	.....	.....	.....	1	.....	.....	1	1
187	Ill-defined organic disease	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
188	Sudden death	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
189	Not specified or ill-defined (total)	7	3.3	.....	.....	1	.....	2	1	.....	.....	.....	1	.....	.....	1	1
	Ill-defined	6	2.8	.....	.....	.....	.....	2	1	.....	.....	.....	1	.....	.....	1	1
	Not specified or unknown	1	0.5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.

[2] Exclusive of injuries at birth.

PORTO RICO.

The 1910 census population of Porto Rico was 1,118,012 and the population January 1, 1916, as estimated by the United States Bureau of the Census, was 1,208,184. The deaths are for the year ending June 30, 1916, and the tables are compiled from the report of the governor of Porto Rico for 1916. The death rates are based upon the estimated population.

TABLE 1.—DEATHS IN PORTO RICO, BY AGE, NATIVITY, AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1916.

YEAR ENDING JUNE 30, 1916.	All deaths. (1)	NUMBER OF DEATHS BY— Age (years).														Nativity.								
		Under 1	1	2 to 4	5 to 9	10 to 14	15 to 19	20 to 21	25 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 and over.	Age unknown.	Porto Rico.	United States.	Spain.	France.	England.	Germany.	China.	West Indies.	Other countries.	Unknown.
1915.																										
July	2,155	646	259	172	84	48	97	108	117	168	125	93	105	79	54	....	2,131	....	14	....	....	2	....	2	6	....
August	2,169	557	269	182	110	49	105	132	116	164	113	142	85	92	48	....	2,152	....	10	2	1	....	....	....	4	....
September	2,132	526	274	230	103	42	84	102	128	166	134	116	83	74	70	....	2,114	1	9	3	....	....	....	2	3	....
October	2,245	597	259	247	112	43	92	138	117	154	124	125	111	75	51	....	2,228	1	12	....	....	....	....	....	4	....
November	2,195	545	295	244	106	47	88	103	115	145	142	117	100	90	58	....	2,174	2	11	....	....	1	....	1	6	....
December	2,272	565	268	220	109	43	80	121	130	172	159	141	92	103	69	....	2,260	1	11	....	....	....	....	....	....	....
Total	13,168	3,436	1,624	1,295	624	272	546	704	723	969	802	734	576	513	350	....	13,059	5	67	5	1	3	....	5	23	....
1916.																										
January	2,342	577	249	253	103	47	81	116	143	192	134	148	119	93	80	1	2,331	....	7	2	....	....	....	....	2	....
February	2,031	475	187	195	90	43	97	103	138	165	138	130	105	86	79	....	2,007	2	11	3	....	....	....	1	7	....
March	2,290	587	245	242	97	48	88	156	134	174	134	118	106	86	75	....	2,274	....	12	....	....	....	....	3	1	....
April	2,094	564	213	156	80	43	90	114	120	181	145	132	102	89	65	....	2,081	....	8	1	1	....	....	1	2	....
May	2,223	622	222	175	80	36	90	124	139	181	162	140	96	86	66	4	2,214	....	6	....	....	....	....	....	3	....
June	2,424	690	257	189	98	42	102	136	126	214	151	145	121	91	62	....	2,417	....	6	....	....	....	....	....	1	....
Total	13,404	3,515	1,373	1,210	548	259	548	749	800	1,107	864	813	649	537	427	5	13,324	2	50	6	1	....	....	5	16	....
Total, 1915–1916	26,572	6,951	2,997	2,505	1,172	531	1,094	1,453	1,523	2,076	1,666	1,547	1,225	1,050	777	5	26,383	7	117	11	2	3	....	10	39	....

[1] Exclusive of stillbirths.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH FOR THE YEAR ENDING JUNE 30, 1916.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	All causes [2]	26,572	2,199.3	2,155	2,169	2,132	2,245	2,195	2,272	2,342	2,031	2,290	2,094	2,223	2,424
	I.—General diseases	7,139	590.9	548	663	564	613	648	596	613	549	596	539	573	637
1	Typhoid fever	94	7.8	14	14	5	9	9	4	4	5	8	10	5	7
2	Typhus fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....
3	Relapsing fever	1	0.1	....	....	1	....	....	....	....	....	....	....	....	....
4	Malaria	1,290	106.8	76	98	99	128	159	135	120	93	86	103	89	104
4a	Includes cachectic fever [3]	44	3.6	1	3	3	5	3	3	3	2	7	5	4	5
5	Smallpox	9	0.7	....	....	....	....	....	1	....	....	....	....	3	5
6	Measles	....	....	....	....	....	....	....	....	....	....	....	....	....	....
7	Scarlet fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....
8	Whooping cough	167	13.8	16	8	6	8	3	9	10	8	24	15	19	41
9	Diphtheria and croup	26	2.2	1	2	1	2	5	....	1	2	2	5	4	1
10	Influenza	53	4.4	3	3	3	6	4	8	8	6	2	8	2	....
11	Miliary fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12	Asiatic cholera	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13	Cholera nostras	1	0.1	....	....	1	....	....	....	....	....	....	....	....	....
14	Dysentery	112	9.3	12	19	5	8	6	9	2	8	11	10	13	9
14a	Includes epidemic dysentery [3]	....	....	....	....	....	....	....	....	....	....	....	....	....	....
15	Plague	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16	Yellow fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17	Leprosy	3	0.3	....	....	1	....	1	....	....	....	1	....	....	....
18	Erysipelas	11	0.9	1	....	1	3	3	....	1	....	2	....	....	....
19	Other epidemic diseases	10	0.8	....	....	1	....	2	1	....	1	1	2	1	1
20	Purulent infection and septicemia	144	11.9	8	11	12	12	14	11	8	16	16	5	16	15
21	Glanders	3	0.3	....	....	....	....	....	1	1	....	....	....	1	....
22	Anthrax	1	0.1	....	....	....	....	....	....	....	....	....	1	....	....
23	Rabies	....	....	....	....	....	....	....	....	....	....	....	....	....	....
24	Tetanus	109	9.0	9	8	11	11	10	11	9	4	10	9	7	10
25	Mycoses	1	0.1	....	....	....	1	....	....	....	....	....	....	....	....
26	Pellagra	....	....	....	....	....	....	....	....	....	....	....	....	....	....
27	Beriberi	....	....	....	....	....	....	....	....	....	....	....	....	....	....

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Exclusive of stillbirths.
[3] Number of deaths following indented causes not included in causes to which reference is made.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	I.—General diseases—Continued.														
	Tuberculosis (total)	2,274	188.2	183	209	169	158	177	173	202	196	202	179	217	209
28	Tuberculosis of the lungs	2,125	175.9	177	197	160	150	160	167	193	182	189	160	199	191
29	Acute miliary tuberculosis	9	0.7	1						1	1	1	2	2	1
30	Tuberculous meningitis	17	1.4		2		2	2	1	2		3	2	1	2
31	Abdominal tuberculosis	84	7.0	3	5	7	5	8	3	4	12	5	12	11	9
32	Pott's disease	1	0.1						1						
33	White swellings	2	0.2					1				1			
34	Tuberculosis of other organs	34	2.8	2	4	2	1	6	1	2	1	3	3	3	6
35	Disseminated tuberculosis	2	0.2		1									1	
36	Rickets	1,271	105.2	113	146	105	128	112	99	108	83	113	71	86	107
37	Syphilis	57	4.7		1	7	7	8	4	4	8	2	5	3	8
37a	Includes cutaneous syphilis[2]	1	0.1							1					
38	Gonococcus infection	1	0.1						1						
	Cancer and other malignant tumors (total)	365	30.2	34	33	42	26	26	31	30	27	23	33	32	28
39	Of the buccal cavity	21	1.7	2	1	3		1	5	1		3		2	3
40	Of the stomach, liver	105	8.7	10	6	16	11	9	9	10	7	5	8	8	6
41	Of the peritoneum, intestines, rectum	10	0.8	1	1	1		1	1		2		1		2
42	Of the female genital organs	116	9.6	8	12	13	8	10	7	10	8	7	13	12	8
43	Of the breast	11	0.9	2		2				2		1	2	1	1
44	Of the skin	8	0.7		2			1	3		1				1
45	Of other organs or of organs not specified	94	7.8	11	11	7	7	4	6	7	9	7	9	9	7
46	Other tumors (tumors of the female genital organs excepted)	8	0.7	1			2	1		1	1	1	1		
47	Acute articular rheumatism	35	2.9	2	3	1	2	3		6	4	5	2	2	5
48	Chronic rheumatism and gout	6	0.5		1	1						1	2		1
49	Scurvy	9	0.7	1			1	3			3		1		
50	Diabetes	31	2.6	7	6	3	5	1		2	1		2	2	2
51	Exophthalmic goiter	1	0.1	1											
52	Addison's disease	1	0.1			1									
53	Leukemia	25	2.1	3	1	2	2	2	2	1	2	1	1	1	7
54	Anemia, chlorosis	948	78.5	60	95	80	85	94	89	90	76	75	68	66	70
55	Other general diseases	17	1.4	2	1	2	2	1	3	1	1	2	1		1
56	Alcoholism (acute or chronic)	10	0.8		1	1	2	1	1		2	1			1
57	Chronic lead poisoning														
58	Other chronic occupation poisonings														
59	Other chronic poisonings														
	II.—Diseases of the nervous system and of the organs of special sense	1,040	86.1	85	76	98	87	90	86	98	66	88	79	87	100
60	Encephalitis	21	1.7	1		1	2	6		3	2	3		2	1
61	Meningitis (total)	346	28.6	28	24	38	30	28	31	26	11	28	28	36	38
	Simple meningitis	344	28.5	28	23	38	30	27	31	26	11	28	28	36	38
	Cerebrospinal fever	2	0.2		1			1							
62	Locomotor ataxia	13	1.1	2	1	1		2	1		3		1		2
63	Other diseases of the spinal cord	36	3.0	4	1	3	5	1	3	3	2	3	4	4	3
64	Cerebral hemorrhage, apoplexy	269	22.3	24	19	27	18	22	16	28	20	24	26	26	19
65	Softening of the brain	17	1.4	1		2	2	3	2	1	3		1	1	1
66	Paralysis without specified cause	92	7.6	6	6	5	6	7	12	14	6	7	6	7	10
67	General paralysis of the insane	11	0.9		1	1	1					6		1	1
68	Other forms of mental alienation	47	3.9	4	5	4	3	4	3	4	2	3	3	3	9
69	Epilepsy	57	4.7	5	2	5	8	3	9	6	4	5	4	2	4
70	Convulsions (nonpuerperal)	11	0.9	1	3		2			2				2	1
71	Convulsions of infants	78	6.5	7	10	8	3	12	6	7	8	6	3	1	7
72	Chorea	5	0.4	1	1		1			1		1			
73	Neuralgia and neuritis	2	0.2			1								1	
74	Other diseases of the nervous system	30	2.5		2	2	5	2	3	3	5	1	3	1	3
75	Diseases of the eyes and their annexa	1	0.1												1
76	Diseases of the ears	4	0.3	1	1		1					1			
	III.—Diseases of the circulatory system	1,401	116.0	103	113	95	89	114	116	122	119	148	130	119	133
77	Pericarditis	16	1.3			1	2	2	1	1	2	1	2		4
78	Acute endocarditis	194	16.1	16	14	11	12	9	14	23	18	19	17	22	19
79	Organic diseases of the heart	710	58.8	57	54	52	49	60	59	56	62	70	70	59	62
80	Angina pectoris	84	7.0	9	11	5	4	8	4	6	2	9	9	5	12
81	Diseases of the arteries, atheroma, aneurism, etc	343	28.4	20	29	24	20	26	34	31	32	41	27	24	35
82	Embolism and thrombosis	22	1.8		2	1	1	3	1	1	1	3	4	4	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	0.1						1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	0.2		1									1	
85	Hemorrhage; other diseases of the circulatory system	29	2.4	1	2	1	1	6	2	4	2	5	1	4	

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Number of deaths following indented causes not included in causes to which reference is made.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	IV.—Diseases of the respiratory system	2,967	245.6	232	225	235	267	264	276	267	220	261	215	259	246
86	Diseases of the nasal fossae														
87	Diseases of the larynx	24	2.0	3	1		4	1	4	1	2	2	2	3	1
88	Diseases of the thyroid body														
89	Acute bronchitis	1,015	84.0	84	75	77	97	98	106	93	79	81	75	80	70
90	Chronic bronchitis	309	25.6	36	27	24	28	20	22	33	21	34	19	23	22
91	Bronchopneumonia	822	68.0	53	66	78	68	67	72	64	51	80	49	81	93
92	Pneumonia	569	47.1	42	38	34	49	57	45	49	47	45	55	59	49
93	Pleurisy	49	4.1	2	3	6	4	5	5	5	8	7	2		2
94	Pulmonary congestion, pulmonary apoplexy	29	2.4	3	2	3	5	6	1	3	2		1	3	
95	Gangrene of the lung	7	0.6			1		2		2		1	1		
96	Asthma	103	8.5	5	8	8	9	5	16	13	8	9	8	6	8
97	Pulmonary emphysema	13	1.1		2		1	2			1	1	1	4	1
98	Other diseases of the respiratory system (tuberculosis excepted)	27	2.2	4	3	4	2	1	5	4	1	1	2		
	V.—Diseases of the digestive system	6,981	577.8	634	548	578	587	539	521	607	487	592	569	622	697
99	Diseases of the mouth and annexa	6	0.5	1		1			2			1			1
99a	Parotiditis [2]	2	0.2							2					
100	Diseases of the pharynx	10	0.8	1		1	1	2	1	1			2	1	
101	Diseases of the esophagus	2	0.2		1										1
102	Ulcer of the stomach	38	3.2	5	2		5	3	3	1		4	7		8
103	Other diseases of the stomach (cancer excepted)	60	5.0	4	2	8	7	6	5	2	4	8	4	5	5
104	Diarrhea and enteritis (under 2 years)	3,485	288.5	354	300	270	273	276	257	297	213	294	274	328	349
105	Diarrhea and enteritis (2 years and over)	1,870	154.8	143	135	154	155	142	156	178	169	163	147	158	170
105a	Due to alcoholism [2]	15	1.2	1		2	1	4		1	3		3		
106	Ankylostomiasis	479	39.7	37	27	40	57	35	29	40	29	44	42	47	52
107	Intestinal parasites	312	25.8	27	24	35	37	27	21	30	24	21	24	20	22
108	Appendicitis and typhlitis	31	2.6	4	4	6	1	6	1	2	1	3	1		2
109	Hernia, intestinal obstruction	97	8.0	6	11	8	8	5	5	6	8	11	8	10	11
110	Other diseases of the intestines	180	14.9	16	10	17	10	9	12	5	8	15	23	21	34
111	Acute yellow atrophy of the liver	17	1.4	1	3	5	3		1	1	1				2
112	Hydatid tumor of the liver	4	0.3							2		1	1		
113	Cirrhosis of the liver	215	17.8	18	13	17	17	13	14	23	17	17	21	17	28
113a	Due to alcoholism [2]	10	0.8	2	2	1	1	1						2	1
114	Biliary calculi	7	0.6	1		1				1	3			1	
115	Other diseases of the liver	68	5.6	5	7	8	5	3	8	6	5	7	3	6	5
116	Diseases of the spleen	6	0.5		1		1		1				1	1	1
117	Simple peritonitis (nonpuerperal)	65	5.4	7	6	4	5	7	4	9	2	3	8	5	5
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2	0.2	1					1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,684	139.4	125	115	128	128	146	177	161	157	144	126	125	152
119	Acute nephritis	1,048	86.7	69	74	86	84	88	113	102	94	96	76	72	94
120	Bright's disease	529	43.8	48	28	29	34	47	60	52	53	44	42	41	51
121	Chyluria	2	0.2		2										
122	Other diseases of the kidneys and annexa	34	2.8	3	4	8	4	5	2		3	1	1	3	
123	Calculi of the urinary passages	2	0.2				1								1
124	Diseases of the bladder	12	1.0			1	1		1	2		1	3	2	1
125	Diseases of the urethra, urinary abscess, etc	10	0.8	2				2		2	2			2	
126	Diseases of the prostate	3	0.3			1							2		
127	Nonvenereal diseases of the male genital organs														
128	Uterine hemorrhage (nonpuerperal)	14	1.2	1	2	1	2	3		2				2	1
129	Uterine tumor (noncancerous)	1	0.1												1
130	Other diseases of the uterus	20	1.7	2	3	1	2	1	1	1	4		1	3	1
131	Cysts and other tumors of the ovary	1	0.1												1
132	Salpingitis and other diseases of the female genital organs	8	0.7		2	1					1	2	1		1
133	Nonpuerperal diseases of the breast (cancer excepted)														
	VII.—The puerperal state	409	33.9	26	39	26	37	34	31	43	35	30	33	35	40
134	Accidents of pregnancy	16	1.3		4		2	3		1	2	1	1	1	1
135	Puerperal hemorrhage	69	5.7	5	8	5	4	7	6	12	6	3	5	3	5
136	Other accidents of labor	46	3.8	5	1	4	2	4	2	2	2	6	5	7	6
137	Puerperal septicemia	178	14.7	8	20	14	19	10	17	16	14	11	13	19	17
138	Puerperal albuminuria and convulsions	58	4.8	3	5	2	5	5	2	7	4	6	8	4	7
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7	0.6	1			2	2		1	1				
140	Following childbirth (not otherwise defined)	34	2.8	4	1	1	2	3	4	4	6	3	1	1	4
141	Puerperal diseases of the breast	1	0.1				1								
	VIII.—Diseases of the skin and of the cellular tissue	41	3.4	3	2	3	1	1	5	5	1	7	7	2	4
142	Gangrene	29	2.4	2	2	2	1		2	3	1	6	4	2	4
143	Furuncle	1	0.1					1							
144	Acute abscess	3	0.3									1	2		
145	Other diseases of the skin and annexa	8	0.7	1		1			3	2			1		

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Number of deaths following indented causes not included in causes to which reference is made.

TABLE 2.—DEATHS IN PORTO RICO AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1916—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH.											
				July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	IX.—Diseases of the bones and of the organs of locomotion	7	0.6	1	1	1	2		1			1			
146	Diseases of the bones (tuberculosis excepted)	3	0.3			1	1					1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	0.3	1	1		1								
148	Amputations														
149	Other diseases of the organs of locomotion	1	0.1						1						
	X.—Malformations	120	9.9	9	5	9	14	10	15	12	11	7	8	10	10
150	Congenital malformations (stillbirths not included)	120	9.9	9	5	9	14	10	15	12	11	7	8	10	10
	XI.—Early infancy	2,176	180.1	183	165	178	198	172	199	171	178	195	184	165	188
151	Congenital debility, icterus, and sclerema	1,145	94.8	89	82	86	94	85	113	91	100	106	104	93	102
152	Other causes peculiar to early infancy	185	15.3	16	15	26	12	11	17	17	18	14	14	8	17
152a	Infantile tetanus [2]	729	60.3	69	55	59	82	63	62	58	51	65	55	55	55
153	Lack of care	117	9.7	9	13	7	10	13	7	5	9	10	11	9	14
	XII.—Old age	1,416	117.2	98	110	108	120	102	132	148	113	118	120	122	125
154	Senility	1,416	117.2	98	110	108	120	102	132	148	113	118	120	122	125
	XIII.—External causes	446	36.9	42	47	35	35	26	43	32	34	40	36	40	36
	Suicide (total)	91	7.5	9	8	10	8	4	8	3	5	6	11	6	13
155	By poison	1	0.1	1											
156	By asphyxia	1	0.1		1										
157	By hanging or strangulation	73	6.0	6	2	9	5	4	8	3	5	6	8	4	13
158	By drowning	1	0.1											1	
159	By firearms	13	1.1	2	5	1	3						2		
160	By cutting or piercing instruments	2	0.2										1	1	
161	By jumping from high places														
162	By crushing														
163	Other suicides														
	Accidental or undefined (total)	338	28.0	32	39	25	24	21	27	27	29	34	25	32	23
164	Poisoning by food	13	1.1			1			5	2	2	1	1		1
165	Other acute poisonings	39	3.2	3	10	4	4	3	1	2	2	2	4	2	2
166	Conflagration														
167	Burns (conflagration excepted)	39	3.2	3	2	2	2	2	3	2	4	4	4	8	3
168	Absorption of deleterious gases (conflagration excepted)	3	0.3					1		1					1
169	Accidental drowning	60	5.0	9	9	5	4	7	3	3	3	3	6	5	3
170	Traumatism by firearms	53	4.4	4	8	2	3	2	4	2	10	10	1	5	2
171	Traumatism by cutting or piercing instruments	18	1.5	1	1	1	1		1	6	2	1	1	2	1
172	Traumatism by fall	10	0.8	1	1	3		1	1	1	1			1	
173	Traumatism in mines and quarries	1	0.1							1					
174	Traumatism by machines	1	0.1					1							
175	Traumatism by other crushing (vehicles, etc.)	13	1.1	1	1				4		1	4		1	1
176	Injuries by animals	1	0.1				1								
177	Starvation	2	0.2		1									1	
178	Excessive cold														
179	Effects of heat	6	0.5	2	1						2	1			
180	Lightning	5	0.4	1		1									3
181	Electricity (lightning excepted)	9	0.7	2		4	1		1						1
185	Fractures (cause not specified)	27	2.2	2	3	2	3	2	2	3	1	4	3	1	1
186	Other external violence	38	3.2	3	2		5	2	2	4	1	4	5	6	4
	Homicide (total)	17	1.4	1			3	1	8	2				2	
182	By firearms	16	1.3	1			3	1	7	2				2	
183	By cutting or piercing instruments	1	0.1						1						
184	By other means														
	XIV.—Ill-defined diseases	745	61.7	66	60	74	67	49	74	63	61	63	48	64	56
187	Ill-defined organic disease	99	8.2	9	10	6	11	6	5	6	8	11	6	12	9
188	Sudden death	1	0.1							1					
189	Not specified or ill-defined	645	53.4	57	50	68	56	43	69	56	53	52	42	52	47

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1916.
[2] Number of deaths following indented causes not included in causes to which reference is made.

INDEX.

Abdominal tuberculosis, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Abscess, acute, deaths from, 80; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
—— death rate, 112.
Absorption of deleterious gases (conflagration excepted), deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Accidental or undefined causes, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Accidents and injuries, automobile, railroad, and street-car, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Addison's disease, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Age, deaths by, 11, 150, 176, 256, 292, 406.
Alcoholism (acute or chronic), deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Amputations, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Anemia, chlorosis, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Aneurism. *See* Arteries, diseases of, etc.
Angina pectoris, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Ankylostomiasis, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Anthrax, deaths from, 41, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Apoplexy. *See* Cerebral hemorrhage, etc.
Appendicitis and typhlitis, deaths from, 79; by age, 262, 293; by color, 209, 274, 286; by sex, 262; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 110.
Arteries, diseases of, atheroma, aneurism, etc., deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Asiatic cholera, deaths from, 78; by age and sex, 256; by color, 268, 280; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 108.
Asthma, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
Asthma, death rate, 110.
Atheroma. *See* Arteries, diseases of, etc.
Atrophy. *See* Congenital debility, etc.
Australian Commonwealth, death rates of, 17.
Austria, death rates of, 17.
Automobile accidents and injuries, 55. *See also* Accidents, etc.

Belgium, death rates of, 17.
Beriberi, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Biliary calculi, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 110.
Bladder, diseases of, deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Bones, diseases of (tuberculosis excepted), deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Bones and organs of locomotion, diseases of, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Breast, nonpuerperal diseases of (cancer excepted), deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Breast, puerperal diseases of, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Bright's disease and nephritis, deaths from, 80; by age, 262, 293; by color, 209, 274, 286; by sex, 262; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 53, 83, 112.
Bronchitis (acute and chronic), deaths from, 79; by age, 260, 293; by color, 209, 272, 284; by days, weeks, and months, 483; by month of death, 450; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 110.
Bronchopneumonia, deaths from, 79; by age, 260, 293; by color, 272, 284; by days, weeks, and months, 483; by month of death, 450; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 110.
Bulgaria, death rates of, 17.
Burns (conflagration excepted), deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.

Calculi of the urinary passages, deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Cancer and other malignant tumors, deaths from, 45, 78; by age, 258, 292; by color, 209, 270, 282; by sex, 258; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
Cancer and other malignant tumors, death rate, 20, 45, 82, 108.
Cause of death, 18, 78; by age, 256, 292; by color, 208, 268, 280; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 20, 78, 82, 108.
Cellular tissue, diseases of. *See* Skin, etc.
Cerebral hemorrhage, apoplexy, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 20, 110.
Cerebral hemorrhage and softening, deaths from, by color, 209; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83. *See also* Softening of the brain.
Cerebrospinal fever, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Cerebrospinal meningitis (undefined), deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Ceylon, death rates of, 17.
Childbirth, deaths following, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Chile, death rates of, 17.
Chinese population, deaths of, by age, 176; by sex, 10, 176.
Chlorosis. *See* Anemia, etc.
Cholera. *See* Asiatic cholera.
Cholera nostras, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 108.
Chorea, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Chyluria, deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Circulatory system, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110. *See also* Hemorrhage, etc.
Cirrhosis of the liver, deaths from, 79; by age, 262, 293; by color, 209, 274, 286; by sex, 262; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 110.
Cities in registration states, deaths in, 62; by age, 150, 178; by cause, 208, 234; by color, 140, 150, 178, 208; by days, weeks, and months, 483; by month of death, 131, 450; by nativity, 140, 178; by sex, 178; population of, 62.
—— death rate, 62, 82, 108. *See also* Registration cities.
Cities of 100,000 population or over in 1910, deaths in, by age, 176, 406; by cause, 406; by color, nativity, and sex, 176; by days,

weeks, and months, 483; by month of death, 450.
Cities of 100,000 population or over in 1910, death rate of, 13.
Cities with considerable colored population, death rate of, 14.
Cold, excessive, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Color, deaths by, 10, 140, 150, 176, 208.
—— death rate, 82.
Colored population, deaths of, 62, 140; by age, 150, 176, 280; by cause, 208, 280; by sex, 10, 150, 280; in cities and rural districts, 65.
—— death rate, 62, 82.
Conflagration, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Congenital debility, deaths from, by days, weeks, and months, 483; by month of death, 450.
Congenital debility, "atrophy," "marasmus," etc., deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Congenital debility, icterus, and sclerema, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Congenital debility and malformations, deaths from, by color, 209; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83.
Congenital malformations (stillbirths not included), deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Congenital malformations of the heart, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Convulsions (nonpuerperal), deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Convulsions (puerperal). *See* Puerperal albuminuria, etc.
Convulsions of infants, deaths from, 79; by age, 258, 292; by color, 270, 282; by days, weeks, and months, 483; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Croup. *See* Diphtheria, etc.
Crushing. *See* Landslide, etc.
Cysts and other tumors of the ovary, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.

Death rates, 12, 62, 65; by cause, 20, 78, 82, 108; by color, 82; in cities and rural districts, 62, 108; in foreign countries, 17.
Deaths, by age, 11, 150, 176, 256, 292; by cause, 78, 208, 234, 256, 292; by color, 10, 82, 140, 150, 176, 208; by days, weeks, and months, 483; by month of death, 131, 450; by nativity, 10, 140, 176; by sex, 11, 176, 256; in cities and rural districts, 62, 234; in each city of 100,000 population or over in 1910, 406.
Denmark, death rates of, 17.
Diabetes, deaths from, 78; by age, 258, 292; by color, 209, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 83, 108.
Diarrhea and enteritis (under 2 years), deaths from, 50, 79; by age, 260, 293; by color, 209, 272, 284; by days, weeks, and months, 483; by month of death, 450; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
Diarrhea and enteritis (under 2 years), death rate, 20, 50, 83, 110.
Diarrhea and enteritis (2 years and over), deaths from, 79; by age, 260, 293; by color, 272, 284; by month of death, 450; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 110.
Digestive system, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Diphtheria and croup, deaths from, 36, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 20, 82, 108.
Disseminated tuberculosis, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Drowning, accidental, deaths from, 81; by age, 266, 294; by color, 278, 290; in cities and rural districts, 236.
—— death rate, 114.
Dysentery, deaths from, 78; by age, 256, 292; by color, 268, 280; by days, weeks, and months, 483; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.

Ears, diseases of, deaths from, 79; by age, 260, 292; by color, 272, 284; by sex, 260; in cities and rural districts, 234.
—— death rate, 110.
Electricity (lightning excepted), deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Embolism and thrombosis, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Embolus. *See* Puerperal phlegmasia alba dolens, etc.
Encephalitis, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Endocarditis, acute, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 20, 110.
England and Wales, death rates of, 17.
Enteritis. *See* Diarrhea, etc.
Epidemic diseases, deaths from, 40, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 108.
Epilepsy, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Erysipelas, deaths from, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by sex, 256; in cities and rural districts, 234.
—— death rate, 82, 108.
Esophagus, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Exophthalmic goiter, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
Exophthalmic goiter, death rate, 108.
External causes, deaths from, 80; by age, 264, 294; by color, 276, 288; by days, weeks, and months, 483; by sex, 264; in cities and rural districts, 236.
—— death rate, 114.
Eyes and their annexa, diseases of, deaths from, 79; by age, 260, 292; by color, 272, 284; by sex, 260; in cities and rural districts, 234.
—— death rate, 110.

Female genital organs, diseases of. *See* Salpingitis, etc.
Finland, death rates of, 17.
Foreign countries, death rates of, 17.
Foreign-born white population, deaths of, 140; by age, 176; by sex, 10, 176.
Fractures, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
France, death rates of, 17.
Furuncle, deaths from, 80; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
—— death rate, 112.

Gangrene, deaths from, 80; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
—— death rate, 112.
Gangrene of the lung, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
General diseases, deaths from, 78; by age, 256, 292; by color, 270, 282; by sex, 256; in cities and rural districts, 234.
—— death rates, 108.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
German Empire, death rates of, 17.
Glanders, deaths from, 40, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Goiter. *See* Exophthalmic goiter.
Gonococcus infection, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Gout. See Rheumatism, chronic, etc.

Hawaii, deaths in, and death rates of, 529.
Heart, organic diseases of, deaths from, 47, 79; by age, 260, 293; by color, 209, 272, 284; by days, weeks, and months, 483; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 47, 83, 110.
Heat, effects of, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Hemorrhage, other diseases of the circulatory system, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Hemorrhoids. *See* Veins, etc., diseases of, etc.
Hernia, deaths from, 79; by age, 262, 293; by color, 209, 274, 286; by sex, 262; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 110.
Homicide, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Hungary, death rates of, 17.

Hydatid tumor of the liver, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 110.
Hydrocephalus, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.

Icterus. *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 81; by age, 266, 294; by color, 209, 278, 290; by days, weeks, and months, 483; by sex, 266; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 114.
Indian population, deaths of, by age, 176; by sex, 10, 176.
Infancy, early, deaths in, 56, 80; by age, 264, 294; by color, 276, 288; by days, weeks, and months, 483; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Infantile paralysis. *See* Poliomyelitis, etc.
Influenza, deaths from, 38, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 38, 82, 108.
Injuries. *See* Accidents, etc.
Injuries at birth, deaths from, 80; by age, 264, 294; by color, 276, 288; by days, weeks, and months, 483; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Injuries by animals, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Intestinal obstruction, deaths from, 79; by age, 262, 293; by color, 209, 274, 286; by sex, 262; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 110.
Intestinal parasites, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 110.
Intestines, diseases of, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 110.
Ireland, death rates of, 17.
Italy, death rates of, 17.

Jamaica, death rates of, 17.
Japan, death rates of, 17.
Japanese population, deaths of, by age, 176; by sex, 10, 176.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.

Kidneys and annexa, diseases of, deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.

Lack of care, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Landslide, other crushing, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Larynx, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Lead poisoning, chronic, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Leprosy, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Leukemia, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Lightning, deaths from, 81, by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Liver, diseases of, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112. *See also* Cirrhosis of the liver *and* Hydatid tumor of the liver.
Lobar pneumonia, deaths from, 79; by age, 260, 292; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Locomotor ataxia, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Lymphangitis. *See* Lymphatic system, diseases of, etc.
Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.

Malaria, deaths from, 25, 78; by age, 256, 292; by color, 208, 268, 280; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 25, 82, 108.
Male genital organs, nonvenereal diseases of, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Malformations, deaths from, 80; by age, 264, 294; by color, 276, 288; by days, weeks, and months, 483; by sex, 264; in cities and rural districts, 236.
—— death rate, 112. *See also* Congenital debility, etc.
Marasmus. *See* Congenital debility, etc.
Measles, deaths from, 28, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 20, 28, 82, 108.
Meningitis, deaths from, 78; by age, 258, 292; by color, 209, 270, 282; by days, weeks, and months, 483; by month of death, 450; by sex, 258; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 108.
Mental alienation, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Miliary fever, deaths from, 78; by age and sex, 256; by color, 268, 280; in cities and rural districts, 234.
—— death rate, 108.
Miliary tuberculosis, acute, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Mouth and annexa, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
Mouth and annexa, diseases of, death rate, 110.
Mycoses, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.

Nasal fossae, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Native white population, deaths of, 140; by age, 176; by sex, 10, 176.
Nativity, deaths by, 10, 140, 176.
Negro population, deaths of, 140; by age, 176; by sex, 10, 176.
Nephritis. *See* Bright's disease, etc.
Nervous system and organs of special sense, diseases of, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Netherlands, death rates of, 17.
Neuralgia and neuritis, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Neuritis. *See* Neuralgia, etc.
New Zealand, death rates of, 17.
Nonresidents, deaths of, 16.
Norway, death rates of, 17.

Occupation poisonings, chronic, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Old age, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Ontario, Province of, death rates of, 17.
Organs of locomotion, diseases of. *See* Bones, etc.
Organs of special sense, diseases of. *See* Nervous system, etc.

Paralysis of the insane, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Paralysis without specified cause, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Parent nativity, deaths by, 10, 140, 176.
Pellagra, deaths from, 41, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Pericarditis, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Peritonitis, simple (nonpuerperal), deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Pharynx, diseases of, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Phlebitis. *See* Veins, diseases of, etc.
Plague, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Pleurisy, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.

Pneumonia, deaths from, 48, 79; by age, 260, 293; by color, 209, 272, 284; by days, weeks, and months, 483; by month of death, 450; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 20, 48, 83, 110.
Pneumonia (undefined), deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Poisoning by food, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Poisonings, acute, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Poisonings, chronic, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Poliomyelitis, acute anterior (infantile paralysis), deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Population, of registration area and its main subdivisions, 62; of registration cities and rural part of registration states, 65.
Porto Rico, deaths in, and death rates of, 534.
Pott's disease, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Pregnancy, accidents of, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Premature birth, deaths from, 80; by color, 276, 288; by days, weeks, and months, 483; by sex, 264; in cities and rural districts, 236.
—— death rate, 112.
Prostate, diseases of, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Prussia, death rates of, 17.
Puerperal albuminuria and convulsions, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Puerperal fever, deaths from, by color, 209; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83.
Puerperal hemorrhage, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Puerperal phlegmasia alba dolens, embolus, sudden death, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Puerperal septicemia, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Pulmonary apoplexy. *See* Pulmonary congestion, etc.
Pulmonary congestion, pulmonary apoplexy, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Pulmonary emphysema, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Purulent infection and septicemia, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.

Rabies, deaths from, 41, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Railroad accidents and injuries. *See* Accidents, etc.
Registration area, deaths in, 9, 62; by age, 10, 11, 150, 176, 256, 292; by cause, 78, 234, 256, 292; by color, 10, 140, 150, 176, 208, 288; by days, weeks, and months, 483; by month of death, 131, 450; by nativity, 10, 140, 176; by sex, 10, 11, 176, 252; population of, 9; states included in, 10.
—— death rate, 12, 62, 82.
Registration cities, deaths in, 62; by age, 150, 180; by cause, 208, 234; by color, 65, 150, 180, 208; by days, weeks, and months, 483; by month of death, 131, 450; by nativity, 140, 180; by sex, 180; population of, 62.
—— death rate, 12, 62, 82.
Registration cities in nonregistration states, deaths in, 62; by age, 150, 180; by cause, 208, 234; by color, 150, 180, 208; by days, weeks, and months, 484; by month of death, 131, 450; by nativity, 140, 180; by sex, 180; population of, 62.
—— death rate, 12, 62, 82.
Registration states, deaths in, 62; by age, 150, 176, 295; by cause, 208, 234, 295; by color, 150, 176, 180, 208; by days, weeks, and months, 483; by month of death, 131, 450; by nativity, 140, 176; by sex, 176; population of, 62.
—— death rate, 12, 62, 82, 108.
Relapsing fever, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Respiratory system, diseases of, deaths from, 79; by age, 260, 293; by color, 209, 272, 284; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83, 110.
Rheumatism, acute articular, deaths from, 78; by age, 258, 292; by color, 208, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Rheumatism, chronic, and gout, deaths from, 78; by age, 258, 292; by color, 208, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 82,108.
Rickets, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Roumania, death rates of, 17.
Rural part of registration states, deaths in, 62, 65; by age, 150, 178; by cause, 208, 234; by color, 65, 140, 150, 178, 208; by days, weeks, and months, 484; by month of death, 131, 450; by nativity, 140, 178; by sex, 178; population of, 62.
—— death rate, 12, 62, 82, 108.
Russia (European), death rates of, 17.

Salpingitis and other diseases of the female genital organs, deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
Salpingitis and other diseases of the female genital organs, death rate, 112.
Scarlet fever, deaths from, 31, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 31, 82, 108.
Sclerema. *See* Congenital debility, etc.
Scotland, death rates of, 17.
Scurvy, deaths from, 78; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Senility, deaths from, 80; by age, 264, 294; by color, 276, 288; by sex, 264; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 406.
—— death rate, 112.
Septicemia. *See* Puerperal septicemia *and* Purulent infection, etc.
Serbia, death rates of, 17.
Sex, deaths by, 11, 176, 256.
Skin and cellular tissue, diseases of, deaths from, 80; by age, 262, 294; by color, 274, 286; by sex, 262; in cities and rural districts, 236.
—— death rate, 112.
Smallpox, deaths from, 27, 78; by age, 256, 292; by color, 208, 268, 280; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 27, 82, 108.
Softening of the brain, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110. *See also* Cerebral hemorrhage, etc.
Spain, death rates of, 17.
Spinal cord, diseases of, deaths from, 79; by age, 258, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 110.
Spleen, diseases of, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Starvation, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
States. *See* Registration states.
Stomach, diseases of (cancer excepted), deaths from, 79; by age, 260, 293; by color, 272, 284; by days, weeks, and months, 483; by sex, 260; in cities and rural districts, 235; in each city of 100,000 population or over in 1910, 406.
—— death rate, 110.
Street-car accidents and injuries. *See* Accidents, etc.
Sudden deaths, number of, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114. *See also* Puerperal phlegmasia alba dolens, etc.
Suicide, deaths from, 54, 80; by age, 264, 294; by color, 209, 276, 288; by month of death, 450; by sex, 264; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 406.
—— death rate, 54, 83, 114.
Sweden, death rates of, 17.
Switzerland, death rates of, 17.
Syphilis, deaths from, 78; by age, 256, 292; by color, 268, 280; by days, weeks, and months, 483; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.

Tetanus, deaths from, 78; by age, 256, 292; by color, 268, 280; by days, weeks, and months, 483; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, deaths from, 79; by age, 260, 293, by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Traumatism, deaths from, 81; by age, 266, 294; by color, 278, 290; by sex, 266; in cities and rural districts, 236.
—— death rate, 114.
Tuberculosis, deaths from, 41, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 20, 42, 82, 108.
Tuberculosis of the lungs, deaths from, 44, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 44, 82, 108.
Tuberculous meningitis, deaths from, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 82, 108.
Tumors (tumors of the female genital organs excepted), deaths from, 78; by age, 256, 292; by color, 270, 282; by sex, 258; in cities and rural districts, 234.
—— death rate, 108.
Tumors, malignant. *See* Cancer, etc.
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, deaths from, 22, 78; by age, 256, 292; by color, 208, 268, 280; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 20, 23, 82, 108.
Typhus fever, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 108.

Ulcer of the stomach, deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Undefined causes, deaths from. *See* Accidental, etc., causes.
Urethra, diseases of, urinary abscess, etc., deaths from, 80; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 112.
Urinary abscess. *See* Urethra, etc.
Uterine hemorrhage (nonpuerperal), deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Uterine tumor (noncancerous), deaths from, 80; by age, 262, 293; by color, 274, 286; in cities and rural districts, 235.
—— death rate, 112.
Uterus, diseases of, deaths from, 80; by age, 262, 293; by color, 272, 284; in cities and rural districts, 235.
—— death rate, 112.

Varices. *See* Veins, diseases of, etc.
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 79; by age, 260, 293; by color, 272, 284; by sex, 260; in cities and rural districts, 235.
—— death rate, 110.
Violent deaths (excluding suicide), number of, 55; by age, 266, 294; by color, 209, 278, 290; by month of death, 450; by sex, 266; in cities and rural districts, 236; in each city of 100,000 population or over in 1910, 406.
—— death rate, 83.

Wales. *See* England, etc.
White population, deaths of, 62, 140; by age, 150, 176, 268; by cause, 208, 268; by nativity, 140, 176; by sex, 10, 176, 268; in cities and rural districts, 65.
—— death rate, 62, 82. *See also* Foreign-born white population *and* Native white population.
White swellings, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.
Whooping cough, deaths from, 33, 78; by age, 256, 292; by color, 208, 268, 280; by days, weeks, and months, 483; by month of death, 450; by sex, 256; in cities and rural districts, 234; in each city of 100,000 population or over in 1910, 406.
—— death rate, 33, 82, 108.

Yellow atrophy of the liver, acute, deaths from, 79; by age, 262, 293; by color, 274, 286; by sex, 262; in cities and rural districts, 235.
—— death rate, 110.
Yellow fever, deaths from, 78; by age, 256, 292; by color, 268, 280; by sex, 256; in cities and rural districts, 234.
—— death rate, 108.